CRWMS/M&O

Design Analysis Cover Sheet

Complete only applicable items.

①

QA: N/A

Page: 1 Of: 65

2. DESIGN ANALYSIS TITLE			
Thermal Evaluation of the Conceptual 12 PWR MPC with ACD Disposal Container (SCPB: N/A)			
3. DOCUMENT IDENTIFIER (Including Rev. No.)		4. REV. NO.	5. TOTAL PAGES
BBABA0000-01717-0200-00002 REV 00		00	65
6. TOTAL ATTACHMENTS	7. ATTACHMENT NUMBERS - NO. OF PAGES IN EACH		8. SYSTEM ELEMENT
25	Total: 2551 pages, See Table 9-1 (p.64) for Breakdown		MGDS
	Print Name	Signature	Date
9. Originator	Robert H. Bahney III		12/7/95
10. Checker <i>RHB III 12/7/95</i> <i>Technical Review</i>	Thomas L. Lotz		12/7/95
11. Lead Design Engineer	Thomas W. Doering		12/8/95
12. QA Manager	N/A		
13. Department Manager	N/A		

14. REMARKS

This is an approved SCOPING Design Analysis. The QAP-2-0 Activity Evaluation, "Perform Criticality, Thermal, Structural, and Shielding Scoping Analysis", DI# BB0000000-01717-2200-00026 REV 01, lists the procedural controls which are required. Therefore, this design analysis is NOT subject to the QAP-3-series procedures and does not require QAP-3-9 signatures. All information contained in this analysis is TBV and has received a technical review only.

QAP-3-9- RHB III
12/7/95

Design Analysis Revision Record

Complete only applicable items.

①.

QA: N/A

Page: 2 Of: 65

2. DESIGN ANALYSIS TITLE		
Thermal Evaluation of the Conceptual 12 PWR MPC with ACD Disposal Container		
3. DOCUMENT IDENTIFIER (Including Rev. No.)		4. REVISION NO.
BBABA0000-01717-0200-00002 REV 00		00
5. Revision No.	6. Total Pages	7. Description of Revision
00A	65	Issued Approved

RHILL 12/7/95

Waste Package Development

Civilian Radioactive Waste Management System
Management & Operating Contractor

BWFC

WBS: 1.2.2.3

QA: N/A

DESIGN ANALYSIS

Page 3 of 65

Title: **Thermal Evaluation of the Conceptual 12 PWR
MPC with ACD Disposal Container (SCPB: N/A)**

Document Identifier: BBABA0000-01717-0200-00002 REV 00

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

Lead Discipline Engineer: Thomas W. Doering

Department Manager: Hugh A. Benton

Date: December 7, 1995

Table of Contents:

<u>Item</u>	<u>Page</u>
1. Purpose	5
2. Quality Assurance	5
3. Method	6
4. Design Inputs	7
4.1 Design Parameters	7
4.2 Criteria	15
4.2.1 EB-DRD Requirements for Thermal Design	15
4.2.2 MGDS-RD Requirements for Thermal Design	19
4.2.3 WPIP Criterion for Thermal Design	20
4.2.4 Thermal Goals for EBS Design	21
4.2.5 Thermal Goals/Criterion Addressed by this Analysis	22
4.3 Assumptions	23
4.4 Codes and Standards	31
5. References	31
6. Use of Computer Software	35
7. Design Analysis	37
7.1 Introduction	37
7.2 SNF Decay Heat Loads	38
7.3 Model Development	40
7.4 Thermal Loading	45
7.5 Thermal Results	47
8. Conclusions	62
9. Attachments	64

1. Purpose

This analysis is prepared by the Mined Geologic Disposal System (MGDS) Waste Package Development Department (WPDD) as specified in the Waste Package Implementation Plan (pp. 4-8, 4-11, 4-24, 5-1, and 5-13; Ref. 5.10) and Waste Package Plan (pp. 3-15, 3-17, and 3-24; Ref. 5.9). The design data request addressed herein is:

- 1) Characterize the conceptual 12 PWR Multi-Purpose Canister (MPC) Waste Package (WP) design to show that the design is feasible for use in the MGDS environment.

The purpose of this analysis is to respond to a concern that the long-term disposal thermal issues for the Multi-Purpose Canister (MPC) Subsystem Design do not preclude MPC compatibility with the MGDS. The objective of this analysis is to provide thermal parameter information for the conceptual MPC design with disposal container under nominal MGDS repository conditions. The results are intended to show that the design has a reasonable chance to meet the MGDS design requirements for normal MGDS operation and to provide the required guidance to determining the major design issues for future design efforts. Future design efforts will focus on specific MPC vendor designs when they become available.

2. Quality Assurance

The QA program applies to this analysis. The information in this analysis concerning disposal long-term thermal parameters for the conceptual MPC WP will be used as a guide as to the possible requirements which might be used in the MPC WP design. The performance of the MPC internals will affect the proper function of the waste package and the waste package has been identified as an MGDS Q-List item important to safety (p. 5, Ref. 5.4). The work performed for this analysis is covered by reference 5.2, Perform Criticality, Thermal, Structural, and Shielding Scoping Analysis, which is part the WPDD QAP-2-0 Work Control evaluation documents. This QAP-2-0 evaluation determined such activities are subject to Quality Assurance Requirements and Description (QARD) (Ref. 5.3) requirements. Applicable procedural controls are listed in the evaluation.

Originator: Robert H. Bahney III	Checker: Thomas L. Lotz
---	--------------------------------

3. Method

The analytical method to be employed is Finite Element Analysis (FEA). The analysis will build upon the Emplacement Scale Thermal Evaluations (Ref. 5.13) and the PWR Effective Thermal Conductivity Analysis (Ref. 5.11) by using the same method for SNF thermal modeling and the results for the WP surface temperatures from the three-dimensional emplacement scale model. Thus, the PWR MPC internals will be modeled with the Spent Nuclear Fuel (SNF) approximated by a homogeneous material property region based upon the B&W Mark-B4 PWR fuel assembly data (p. 2A-7, Ref. 5.12 and p. 27, Ref. 5.39) and the SNF effective thermal conductivity calculations (Ref. 5.11). Peak SNF cladding temperatures will also be determined using the Wootton-Epstein Correlation (Ref. 5.14) for comparison purposes. The calculation shall be performed as a transient analysis to evaluate the first 1000 years of proposed repository operation.

Originator: Robert H. Bahney III	Checker: Thomas L. Lotz
---	--------------------------------

4. Design Inputs

4.1 Design Parameters

Tables 4.1-1 and 4.1-2 list the material and thermal properties of density, emissivity, thermal conductivity, and specific heat of stainless steel 316 (see Assumption 4.3.23). The density of 316 stainless steel provided in Table 4.1-1 was taken from Table 17 of the Metals Handbook (p. 423, Ref. 5.18). The emissivity provided in Table 4.1-1 was taken from Table 4.3.2 of Marks' Handbook (p. 4-68, Ref. 5.17) and is about average for heated stainless steel 316.

Table 4.1-1, Material Properties of Stainless Steel 316 (Refs. 5.17 and 5.18)

	Density	Emissivity
Stainless Steel 316	8000.0 kg/m ³	0.60

Table 4.1-2 lists the thermal properties of stainless steel 316. Values for thermal conductivity and thermal diffusivity of stainless steel 316 (Cr-Ni-Mo) were taken from Table I-4.0, Appendix I of the 1986 ASME Boiler and Pressure Vessel Code (p. 97, Ref. 5.15) and are converted here to conductivity and specific heat in SI units. The conversion of thermal diffusivity (defined in equation 4.1-1 below) to specific heat requires the density listed in Table 4.1-1.

$$\text{Thermal Diffusivity}(\text{ft}^2/\text{hr}) = \frac{\text{Thermal Conductivity}(\text{Btu}/\text{hr}\cdot\text{ft}\cdot^\circ\text{F})}{\text{Density}(\text{lb}/\text{ft}^3) \times \text{Specific Heat}(\text{Btu}/\text{lb}\cdot^\circ\text{F})}$$

(Equation 4.1-1)

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

Title: Thermal Evaluation of the Conceptual 12 PWR MPC with ACD Disposal Container

Document Identifier: BBABA0000-01717-0200-00002 REV 00

Page 8 of 65

Table 4.1-2, Thermal Properties of Stainless Steel 316 (Ref. 5.15)

Temperature		Thermal Conductivity (Btu/hr-ft-°F)	Thermal Diffusivity (ft ² /hr)	Thermal Conductivity (W/m-K)	Specific Heat (J/kg-K)
°F	°C				
70	21.11	7.7	0.134	13.33	481.68
100	37.78	7.9	0.136	13.67	486.92
150	65.56	8.2	0.138	14.19	498.09
200	93.33	8.4	0.141	14.54	499.38
250	121.11	8.7	0.143	15.06	509.98
300	148.89	9.0	0.145	15.58	520.29
350	176.67	9.2	0.148	15.92	521.07
400	204.44	9.5	0.151	16.44	527.38
450	232.22	9.8	0.153	16.96	536.92
500	260.00	10.0	0.156	17.31	537.34
550	287.78	10.3	0.159	17.83	543.02
600	315.56	10.5	0.162	18.17	543.31
650	343.33	10.7	0.164	18.52	546.91
700	371.11	11.0	0.167	19.04	552.14
750	398.89	11.2	0.170	19.38	552.26
800	426.67	11.5	0.173	19.90	557.22
850	454.44	11.7	0.176	20.25	557.25
900	482.22	12.0	0.178	20.77	565.11
950	510.00	12.2	0.181	21.11	565.01
1000	537.78	12.4	0.184	21.46	564.91
1050	565.56	12.7	0.186	21.98	572.35
1100	593.33	12.9	0.189	22.33	572.14
1150	621.11	13.1	0.191	22.67	574.92
1200	648.89	13.3	0.194	23.02	574.68
1250	676.67	13.6	0.196	23.54	581.64
1300	704.44	13.8	0.199	23.88	581.30
1350	732.22	14.0	0.201	24.23	583.86
1400	760.00	14.2	0.203	24.58	586.36
1450	787.78	14.4	0.206	24.92	585.96
1500	815.56	14.6	0.208	25.27	588.39

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

Title: Thermal Evaluation of the Conceptual 12 PWR MPC with ACD Disposal Container

Document Identifier: BBABA0000-01717-0200-00002 REV 00

Page 9 of 65

Table 4.1-3, Thermal Properties of A 516 Carbon Steel (Ref. 5.15)

Temperature		Thermal Conductivity (Btu/hr.ft.°F)	Thermal Diffusivity (ft ² /hr)	Thermal Conductivity (W/m.K)	Specific Heat (J/kg.K)
°F	°C				
70	21.11	23.6	0.454	40.84	428.72
100	37.78	23.9	0.443	41.36	444.95
150	65.56	24.2	0.433	41.88	460.94
200	93.33	24.4	0.422	42.23	476.87
250	121.11	24.4	0.414	42.23	486.08
300	148.89	24.4	0.406	42.23	495.66
350	176.67	24.3	0.396	42.06	506.09
400	204.44	24.2	0.386	41.88	517.07
450	232.22	23.9	0.375	41.36	525.64
500	260.00	23.7	0.364	41.02	536.99
550	287.78	23.4	0.355	40.50	543.63
600	315.56	23.1	0.346	39.98	550.62
650	343.33	22.7	0.333	39.29	562.21
700	371.11	22.4	0.320	38.77	577.32
750	398.89	22.0	0.308	38.08	589.10
800	426.67	21.7	0.298	37.56	600.57
850	454.44	21.2	0.286	36.69	611.35
900	482.22	20.9	0.274	36.17	629.09
950	510.00	20.5	0.262	35.48	645.12
1000	537.78	20.0	0.248	34.61	665.12
1050	565.56	19.6	0.237	33.92	682.07
1100	593.33	19.2	0.228	33.23	694.52
1150	621.11	18.7	0.213	32.36	724.07
1200	648.89	18.2	0.197	31.50	761.95
1250	676.67	17.5	0.179	30.29	806.31
1300	704.44	16.7	0.155	28.90	888.60
1350	732.22	15.8	0.119	27.35	1095.04
1400	760.00	15.3	0.077	26.48	1638.78
1450	787.78	15.1	0.154	26.13	808.68
1500	815.56	15.1	0.169	26.13	736.90

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

Table 4.1-3 lists the thermal properties of A 516 carbon steel (see Assumption 4.3.24). Values for thermal conductivity and thermal diffusivity of A 516 (C-Mn-Si) were taken from Table I-4.0, Appendix I of the 1986 ASME Boiler and Pressure Vessel Code (p. 97, Ref. 5.15) and are converted here to conductivity and specific heat in SI units. The conversion of thermal diffusivity (defined in equation 4.1-1) to specific heat requires the density listed in Table 4.1-4.

Table 4.1-4 lists the density and emissivity of A 516 carbon steel. The density of A 516 (C-Mn-Si) was taken from Table A.1 of a standard heat transfer text (p. 670, Ref. 5.16) and the emissivity (average for smooth oxidized iron) was taken from Table 4.3.2 of Marks' Handbook (p. 4-68, Ref. 5.17).

Table 4.1-4, Material Properties of A 516 Carbon Steel (Refs. 5.16 and 5.17)

	Density	Emissivity
A 516 Carbon Steel	8131.0 kg/m ³	0.80

Tables 4.1-5 and 4.1-6 lists the material and thermal properties of density, emissivity, thermal conductivity, and specific heat of Alloy 825 (see Assumption 4.3.25). The density of Alloy 825 (Ni-Fe-Cr-Mo-Cu) provided in Table 4.1-5 was taken from the product specifications published by the manufacturer; Huntington Alloys (p. 31, Ref. 5.19). The emissivity of Alloy 825 (Ni-Fe-Cr-Mo-Cu) provided in Table 4.1-5 was taken from the LLNL report on the Thermal Performance of a Buried Nuclear Waste Storage Container Storing a Hybrid Mix of PWR and BWR Spent Fuel Rods. (p. 15, Ref. 5.20).

Table 4.1-5, Material Properties of Alloy 825 (Refs. 5.19 and 5.20)

	Density	Emissivity
Alloy 825	8137.9 kg/m ³	0.80

Table 4.1-6 lists the thermal properties of Alloy 825. Values for thermal conductivity and thermal diffusivity of Alloy 825 (Ni-Fe-Cr-Mo-Cu) were taken from Table I-4.0, Appendix I of the 1986 ASME Boiler and Pressure Vessel Code (p. 97, Ref. 5.15) and are converted here to conductivity and specific heat in SI units. The conversion of thermal diffusivity (defined in equation 4.1-1) to specific heat requires the density listed in Table 4.1-5.

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

Title: Thermal Evaluation of the Conceptual 12 PWR MPC with ACD Disposal Container

Document Identifier: BBABA0000-01717-0200-00002 REV 00

Page 11 of 65

Table 4.1-6, Thermal Properties of Alloy 825 (Ref. 5.15)

Temperature		Thermal Conductivity (Btu/hr-ft-°F)	Thermal Diffusivity (ft²/hr)	Thermal Conductivity (W/m-K)	Specific Heat (J/kg-K)
°F	°C				
200	93.33	7.1	0.127	12.29	460.69
250	121.11	7.3	0.126	12.63	477.42
300	148.89	7.6	0.125	13.15	501.02
350	176.67	7.9	0.129	13.67	504.65
400	204.44	8.1	0.134	14.02	498.12
450	232.22	8.4	0.133	14.54	520.45
500	260.00	8.6	0.132	14.88	536.88
550	287.78	8.9	0.131	15.40	559.85
600	315.56	9.1	0.130	15.75	576.83
650	343.33	9.3	0.133	16.10	576.21
700	371.11	9.6	0.136	16.61	581.68
750	398.89	9.8	0.135	16.96	598.20
800	426.67	10.0	0.133	17.31	619.58
850	454.44	10.2	0.132	17.65	636.76
900	482.22	10.4	0.131	18.00	654.20
950	510.00	10.7	0.130	18.52	678.25
1000	537.78	10.9	0.129	18.86	696.29
1050	565.56	11.1		19.21	
1100	593.33	11.4		19.73	
1150	621.11	11.6		20.08	
1200	648.89	11.8		20.42	
1250	676.67	12.1		20.94	
1300	704.44	12.4		21.46	
1350	732.22	12.7		21.98	

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

1400	760.00	12.9		22.33	
1450	787.78	13.3		23.02	
1500	815.56	13.6		23.54	

Table 4.1-7 lists the thermal properties of helium (see Assumption 4.3.22). Values for thermal conductivity and thermal diffusivity of helium were taken from Table A.4, Appendix A of a standard heat transfer text (p. 683, Ref. 5.16). Indicated values were linearly interpolated from the data supplied in the reference.

Table 4.1-7, Thermal Properties of Helium (Ref. 5.16)

Temperature		Helium Density (kg/m ³)	Thermal Conductivity (W/m-K)	Specific Heat (J/kg-K)
K	°C			
260	-13.15	0.1875	0.137	5193.0
280	6.85	0.1750*	0.145	5193.0
300	26.85	0.1625	0.152	5193.0
350	76.85	0.1422*	0.170	5193.0
400	126.85	0.1219	0.187	5193.0
450	176.85	0.1097*	0.204	5193.0
500	226.85	0.0975	0.220	5193.0
550	276.85	0.0906*	0.236*	5193.0
600	326.85	0.0836*	0.252	5193.0
650	376.85	0.0767*	0.264	5193.0
700	426.85	0.0697	0.278	5193.0
750	476.85	0.0662*	0.291	5193.0
800	526.85	0.0627*	0.304	5193.0
900	626.85	0.0558*	0.330	5193.0
1000	726.85	0.0488	0.354	5193.0

* Values marked with an * were linearly interpolated from the table because values were not given.

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

Table 4.1-8 lists the thermal properties of aluminum-boron alloy (see Assumption 4.3.26). Values for thermal conductivity and thermal diffusivity for aluminum-boron alloy were taken from Table 3 of a report by Properties Research Laboratory on the thermal conductivity of aluminum-boron alloy (p. 4, Ref. 5.21). The emissivity of aluminum-boron alloy is assumed to be equivalent to that of a rough plate of aluminum (see Assumption 4.3.26). The emissivity of a rough plate of aluminum at 26°C is 0.07 as reported in Table 4.3.2 of Marks' Handbook (p. 4-68, Ref. 5.17).

Table 4.1-8, Thermal Properties of Aluminum-Boron Alloy (Ref. 5.21)

Temperature		Al-B Alloy Density (kg/m ³)	Thermal Conductivity (W/m-K)	Specific Heat (J/kg-K)
K	°C			
296.15	23.0		182.56	868.0
323.15	50.0	2693.0	190.17	903.0
373.15	100.0		199.22	946.0
423.15	150.0		202.91	976.0
473.15	200.0		203.72	998.0

Table 4.1-9 lists the thermal properties of C71500 70/30 Copper-Nickel Alloy (see Assumption 4.3.27). Values for thermal conductivity for C71500 70/30 Copper-Nickel Alloy were taken from Tables 2-46 and 2-48 of a report issued by Yucca Mountain Site Characterization Project which provided basic design data (p. 44, Ref. 5.22). The density and specific heat of C71500 70/30 Copper-Nickel Alloy were taken from Table 2-46 of the same report (p. 43, Ref. 5.22).

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

Title: Thermal Evaluation of the Conceptual 12 PWR MPC with ACD Disposal Container

Document Identifier: BBABA0000-01717-0200-00002 REV 00

Page 14 of 65

Table 4.1-9, Thermal Properties of C71500 70/30 Copper-Nickel Alloy (Ref. 5.22)

Temperature		C71500 Density (lb/in ³)	C71500 Density (kg/m ³)	Thermal Conductivity (BTU/ hr·ft ·°F)	Thermal Conductivity (W/m·K)	Specific Heat (Btu/ lb·°F)	Specific Heat (J/kg·K)
°F	°C						
68.0	20	0.323	8940.64	17.0	29.42	0.09	376.79
212.0	100			16.9	29.25		
392.0	200			19.7	34.09		
572.0	300			22.3	38.59		
752.0	400			24.9	43.09		
832.0	500			27.8	48.11		
1112.0	600			30.7	53.13		
1292.0	700			33.6	58.15		

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

4.2 Criteria

The design of the engineered barrier segment (EBS) will depend on thermal analyses of the repository host rock and near-field. Criteria that relate to the thermal analysis of the EBS are derived from the applicable requirements and planning documents. Upper-level systems requirements are provided in the Mined Geologic Disposal System Requirements Document (MGDS-RD) (Ref. 5.6). The requirements flow down to the Engineered Barrier Design Requirements Document (EBDRD, Ref. 5.5) as specific requirements for engineered barrier segment design. The Waste Package Implementation Plan (WPIP) (Ref. 5.10) also provides criteria and goals for the thermal design of the EBS. The criteria applicable to thermal analysis of waste package emplacement are equivalent to the applicable requirements, interface requirements, and criteria cited in the MGDS-RD, EBDRD, WPIP and all requirements which apply to thermal analysis are listed in this section for completeness.

4.2.1 EB-DRD Requirements for Thermal Design

The criteria applicable to thermal analysis of waste package emplacement are equivalent to the applicable requirements in the EBDRD (pp. 3-10, 3-14, 3-21, 3-23, 3-25, 3-26, 3-47, 3-49, 3-50, 3-53, and 3-54; Ref. 5.5) and are listed here:

"3.1.5 MAJOR CONSIDERATIONS AND ASSUMPTIONS

....

- B. The assumption used in developing this EB-DRD is that the extent of blending (i.e., the mixing in waste packages of SNF and/or HLW of different thermal outputs) required is limited to that which can be accommodated by the WA process.

Thermal loading studies will determine the extent of blending that must occur. Limited blending can be accomplished at the MRS through the WA process. If significant blending is required, this could have a major impact on the MRS and/or MGDS design and operations, and will be the subject of system studies. If these studies show that changes in system design requirements are necessary, the RDs will be revised."

"3.2.2 RADIOLOGICAL PROTECTION

3.2.2.1 GENERAL REQUIREMENTS

....

- C. The Engineered Barrier Segment, together with the Repository Segment, shall provide adequate shielding from radioactive components and high ambient temperatures. [Derived]"

"3.2.3.3 ENGINEERED BARRIER SEGMENT - REPOSITORY SEGMENT
INTERFACE REQUIREMENTS

-
- A.8. The Repository Segment will accommodate the emplacement concept (TBD) selected during ACD. [Derived]
-
- b. The Repository Segment design will prevent free-liquid-phase water from contacting the waste package during the period from package insertion until repository closure. [Derived]
- c. The Repository Segment layout will be designed so that a combination of characteristics will assist in keeping liquid water from contacting the waste packages for the first 300 to 1000 (TBV) years after closure. [Derived]
- d. The Repository Segment layout will also ensure that the design limit temperatures (TBD) for waste forms are not exceeded. [Derived]
-
- A.10 If the design requires the waste form to be transferred for any purpose (such as from shipping casks to waste packages), the Repository Segment is responsible for the following:
-
- b. Repository Segment options at the surface handling facility will be designed so that cladding failure from mechanical abrasion or deformation considering thermally-induced effects will result in less than five percent (TBV) cladding strain. [Derived]
-
- A.17 The underground facility will be designed so that the performance objectives will be met taking into account the predicted thermal and thermo-mechanical response of the host rock, and surrounding strata, and ground water system. [MGDS-RD 3.7.3.4.C][10 CFR 60.133(i)]"

"3.2.3.4 ENGINEERED BARRIER SEGMENT - WASTE ACCEPTANCE
INTERFACE REQUIREMENTS

-
- A. WA will provide standard HLW meeting the following criteria:
-
- 1.e. Total heat generation rate: Up to 1500 watts per canister (TBV) at the year of shipment.

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

- 1.f. Waste temperature: Will not have exceeded 400°C (TBV) during transit to ensure the glass transition temperature was not exceeded. [MGDS-RD 3.2.3.2.2.B.1]
-
- C. WA will provide standard SNF meeting the following criteria:
 -
 - 1.b. Cross-section: 6 inches x 6 inches or less for BWR and 9 inches x 9 inches or less for PWR (TBV). [MGDS-RD 3.2.3.2.2.A.1][10 CFR 961.11, App. E, B.1]
 -
 - 1.d. Cooling: The minimum cooling time for fuel is five (5) years. [MGDS-RD 3.2.3.2.2.A.1][10 CFR 961.11, App. E, B.3]
 -
 - 1.f. Consolidated Fuel Rods: Fuel which has been disassembled and stored with the fuel rods in a consolidated manner shall be classified as Nonstandard Fuel Class NS-5. [MGDS-RD 3.2.3.2.2.A.1][10 CFR 961.11, App E., B.5]
 -
 - 2. Temperature will not have exceeded 350°C (TBV) during storage under inert gas. [Derived]"

"3.7 ENGINEERED BARRIER SEGMENT MAJOR COMPONENT CHARACTERISTICS/REQUIREMENTS

The major components of the Engineered Barrier Segment are the waste packages, the underground facility, any backfill placed in the emplacement drifts, and any emplacement hardware provided to support and protect the emplaced waste package. (The underground facility portion of the Engineered Barrier Segment and the associated requirements allocated to the EB-DRD by the MGDS-RD are identified as interfaces with the Repository Segment in Section 3.2.3.3.) These major components shall be capable of contributing to the assigned function, Isolate Waste (1.4.3), by containing waste in the waste package during the containment period of 300 to 1,000 years (TBR), and then by limiting the release of radionuclides during the post-containment period. [MGDS-RD 3.7.3.1.A, B] [CRD 3.7.4.1.1]

-
- G. To limit the predicted thermal and thermo-mechanical response of the host rock and surrounding strata, and groundwater system, the Engineered Barrier Segment configuration and loading shall:

1. Limit borehole wall temperature (if a borehole is used) to 275°C (TBV)
2. Limit the maximum temperature 1 meter into the rock to 200°C (TBV)
3. Limit the TSw3 (vitrophyre tuff) maximum temperature to 115°C (TBV)
4. Limit the maximum ground surface temperature change in the vicinity of the repository to 6°C (TBV)
5. Limit the emplacement drift maximum temperature to 100°C (TBV)
6. Limit the access drift maximum temperature to 50°C (TBV)

[MGDS-RD 3.7.3.4.C] [10 CFR 60.133(i)]"

"3.7.1 WASTE PACKAGE SUBSYSTEM REQUIREMENTS

....

- B. The design of waste packages shall include, but not limited to, consideration of the following factors: solubility, oxidation/reduction reactions, corrosion, hydriding, gas generation, thermal effects, mechanical strength, mechanical stress, radiolysis, radiation damage, radionuclide retardation, leaching, fire and explosion hazards, thermal loads, and synergistic interactions.

[MGDS-RD 3.7.3.3.B] [10 CFR 60.135(a)(2)]"

"3.7.1.3 INTERNAL STRUCTURE REQUIREMENTS

....

- G. The internal structure shall maintain functionality under the thermal and chemical conditions generated by the waste form.

[Derived]"

"3.7.2 BACKFILL REQUIREMENTS

....

- C. The transfer of heat from the waste package to the geologic setting by the backfill material shall not have an adverse effect on the long term

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

performance of the WP.
[Derived]

-
- F. The chemical and mechanical stability of the backfill when subjected to the maximum thermal environment anticipated in the repository shall not have an adverse effect on the long term performance of the waste package.
[Derived]"

4.2.2 MGDS-RD Requirements for Thermal Design

The criteria applicable to thermal analysis of waste package emplacement which appear in the MGDS-RD (pp. 29, 44, 107; Ref. 5.6) but do not appear in the EBDRD are listed here:

"3.1.5 Major Considerations and Assumptions

- M. It is assumed that loaded MPCs emplaced for disposal will have a maximum thermal output of 14.2 kilowatts. Accommodation of this condition will require management of the waste delivery schedule or storage of loaded MPCs with a higher thermal output until the thermal output has decreased to 14.2 kilowatts. This 14.2 kilowatts is equivalent to the thermal output of 21 PWR assemblies with 40 GWd/MTU burnup and 3.75% initial enrichment 10 years after discharge from a reactor. (Twenty-one assemblies represents the capacity of one of several potential MPC configurations.)"

"3.2.3.2.3 MGDS-Transportation Interface Requirements

- J. The MGDS shall provide an emplacement environment (e.g., waste package design, underground facility design, emplacement mode or orientation, spacing between waste packages, etc.) for the MPC with disposal container, such that an emplaced waste package with thermal output of 14.2 kW will not result in an MPC surface temperature higher than 225°C <TBR> [Ref 2.4.2.C][RW-0199][10 CFR 60.135(a)(2)][Derived by 3.2.1.1.H]

The MPC Design is responsible for maintaining the peak SNF cladding temperature below the maximum temperature designated for disposal. To meet this requirement, the peak cladding temperature in a loaded MPC with a thermal output of 14.2 kW may not exceed 350°C when subjected to an MPC external wall temperature of 225°C."

Originator: Robert H. Bahney III	Checker: Thomas L. Lotz
---	--------------------------------

"3.7.3.3 Waste Package Requirements

- B.2. Waste packages shall be emplaced in an environment (e.g., waste package design, underground facility design, emplacement mode or orientation, spacing between waste packages, etc.), such that SNF cladding temperatures in an emplaced waste package do not exceed 350 °C <TBR>. [10 CFR 60.135(a)(2)][Derived by CRD 3.2.1.1.H]"

4.2.3 WPIP Criterion for Thermal Design

The impetus to perform thermal evaluations of the waste package and near-field is provided by the Waste Package Implementation Plan (WPIP, Ref. 5.10). Design goals and the activities supporting these goals are listed in the WPIP. The source of the design goals is, for the most part, the Engineered Barrier Design Requirements Document and for the remainder the design goals were selected based upon engineering judgement. Design goals related to thermal analysis are listed in Section 2.4 of the WPIP (p. 2-4; Ref. 5.10) and provide basic thermal criteria for the design of the EBS:

"2.4 DESIGN GOALS

- ...
- Center line fuel pin temperature limit of (to be determined (TBD)) °C
 - Rock wall temperature limit of (TBD) °C
 - Thermal loading of the repository (TBD)
- ...

The maximum temperature of the glass waste forms must be maintained below limits established for them. This limit is about 500°C (to be verified) for West Valley Defense High-Level Waste glass. The YMP and the glass producers have the responsibility to maintain the peak temperature below the transition temperature.

- ...
- Meet temperature limits for components
 - Provide for a range of thermal loads
 - Provide capability to adjust repository thermal loading after emplacement"

Activities to support the design goals related to thermal analysis are indicated in Sections 3.4, 4.5, and 5.1 of the WPIP (pp. 3-2, 4-31, and 5-1; Ref. 5.10):

"3.4 PERFORMANCE ALLOCATION

... Thermal analyses will be performed to determine the temperature profiles across the drifts for drift emplacement. Limited thermal analyses will also be

performed for the borehole emplacement modes, assuming various package sizes and thermal loadings. These analyses will permit the re-evaluation of the goals given in the SCP for performance measures. ..."

"4.5 ENVIRONMENTAL INFORMATION NEEDS

....

4.5.2 Hydrologic Properties

Determine hydrologic (and thermal) properties of the WP environment in order to:

- Develop comprehensive model of the thermal and hydrologic behavior of the waste package environment as a function of overall repository thermal loading and rock properties, including two phase fluid flow.
- Use the model to forecast the near field temperature and fluid flow; these near field parameters will be used by the M&O Waste Package Development, M&O PA, and LLNL to calculate/forecast the WP temperatures (surface and centerline) and the distribution of corrosion rates and package lifetimes (as input to the models determined by the chemical and mineralogical properties investigation described above)."

"5.1 WP/EBS DESIGN ACTIVITIES

....

2. Thermal Evaluation (time dependent)

2.1. Internal

2.1.1. SNF and HLW

2.1.2. WP basket

2.1.3. WP internal barrier(s)

2.1.4. WP body

2.1.5. Closure

2.2. External, EBS and near field

2.3. Receipt rate and thermal variability"

4.2.4 Thermal Goals for EBS Design

Based on Assumption 4.3.1, the requirements of Section 3.7.G of the EBD RD (Ref. 5.5), and the design goals of the WPIP (Ref. 5.10), the following thermal criteria are established for the design of the EBS:

- Keep the rock mass temperature at 1 meter from a vertical borehole less than 200°C.

- Keep the emplacement drift wall temperature less than 200°C.
- Limit the TSw3 (basal vitrophyre) maximum temperature to less than 115°C.
- Limit the maximum ground surface temperature change in the vicinity of the repository to less than 2°C.
- Limit the emplacement drift maximum temperature for borehole emplacement to less than 100°C.
- Limit the access drift wall rock maximum temperature to less than 50°C during preclosure.
- Limit the CHn maximum temperature to less than 115°C.
- Limit the PTn (Upper Paint Brush non-welded) maximum temperature to less than 115°C.
- Limit the SNF cladding maximum temperature to less than 350°C.
- Limit the high-level waste glass maximum temperature to less than 500°C.
- Maximize the time the waste package container stays above boiling consistent with the thermal strategy developed.
- The structural strength of any material component of the waste package shall not be compromised by temperature/environment of the EBS environment.

The above thermal criteria are in addition to those previously quoted from the EBD RD (Ref. 5.5).

4.2.5 Thermal Goals/Criterion Addressed by this Analysis

Based on Assumption 4.3.1, the requirements listed in the previous sections, and the design goals of the WPIP (Ref. 5.10), the following thermal criteria are to be addressed by this analysis:

- Limit the SNF cladding maximum temperature to less than 350°C.
- The structural strength of any material component of the Waste Package shall not be compromised by temperature/environment of the EBS environment.

Originator: Robert H. Bahney III	Checker: Thomas L. Lotz
---	--------------------------------

4.3 Assumptions

All assumptions identified in this section will require verification (or superseding assumptions) as the waste package design proceeds and should be treated as TBV items for preliminary design. For Pre-title II design (conceptual or preliminary) and documents not subject to 3-series QAPs, assumptions are identified and documented, but they are not subject to tracking in accordance with MGDS NLP-3-15.

4.3.1 The following thermal criteria are assumed to apply to the design of the Engineered Barrier Segment. These criteria are consistent with current program decisions in the Controlled Design Assumption Document (CDA, Ref. 5.7). The criteria are originally based on a reevaluation of the Site Characterization Plan (SCP) thermal goals (Table 3, p. 22, Ref. 5.33). Each thermal criterion is listed here followed by its CDA or SCP reference. This assumption is used in Section 4.2. As specified in Section 4.2.5, only the 350°C SNF cladding temperature and the material structural strength criteria are used directly for this analysis. These two criteria are used in Sections 7.5 and 8.0. However, the other listed items are used in reference 5.13 and were used to generate the waste package surface boundary condition used for this analysis. They are listed here in the interests of consistency.

- Keep the rock mass temperature at 1 meter from a vertical borehole less than 200°C. (CDA EBD RD 3.7.G.2, p. 6-76, Ref. 5.7)
- Keep the emplacement drift wall temperature less than 200°C. (CDA EBD RD 3.7.G.2, p. 6-76, Ref. 5.7)
- Limit the TSw3 (basal vitrophyre) maximum temperature to less than 115°C. (CDA EBD RD 3.7.G.3, p. 6-77, Ref. 5.7)
- Limit the maximum ground surface temperature change in the vicinity of the repository to less than 2°C. (CDA EBD RD 3.7.G.4, p. 6-78, Ref. 5.7)
- Limit the emplacement drift maximum temperature for borehole emplacement to less than 100°C. (CDA EBD RD 3.7.G.5, p. 6-79, Ref. 5.7)
- Limit the access drift wall rock maximum temperature to less than 50°C during preclosure. (CDA EBD RD 3.7.G.6, p. 6-80, Ref. 5.7)
- Limit the CHn maximum temperature to less than 115°C. (CDA DCSS 025, p. 6-155, Ref. 5.7)

Originator: Robert H. Bahney III	Checker: Thomas L. Lotz
---	--------------------------------

- Limit the PTn (Upper Paint Brush non-welded) maximum temperature to less than 115°C. (CDA DCSS 031, p. 6-160, Ref. 5.7)
 - Limit the SNF cladding maximum temperature to less than 350°C. (CDA DCWP 001, p. 6-165, Ref. 5.7)
 - Limit the high-level waste glass maximum temperature to less than 500°C. (CDA DCWP 002, p. 6-166, Ref. 5.7)
 - Maximize the time the waste package container stays above boiling consistent with the thermal strategy developed. (Table 3, p. 23, Ref. 5.33)
 - The structural strength of any material component of the waste package shall not be compromised by temperature/environment of the EBS environment. (derived from p. 2-4, Ref. 5.10, and EBD RD 3.7.1.3.E, p. 3-53, Ref. 5.5)
- 4.3.2 Two primary high thermal loadings (100 MTU/acre and 83 MTU/acre) and a couple variations of a low thermal loading (25 MTU/acre) will be considered in this analysis. These values are consistent with the range of thermal loadings (20 - 100 MTU/acre) given in the CDA (Key 019, p. 6-24, Ref. 5.7). Also, in an effort to have all of the M&O analysts on the same "sheet of music", thermal loadings of 25 and 83 MTU/acre were recommended in a Systems Engineering interoffice correspondence (p. 2, Ref. 5.23). A thermal loading of 100 MTU/acre represents the likely maximum possible without violating thermal goals according to the FY 93 Thermal Loading System Study (p. 10-2, Ref. 5.24) and is a bounding case for this analysis. This assumption is used in Section 7.4.
- 4.3.3 The waste package will be emplaced in-drift in a horizontal mode. This is consistent with large waste packages such as the MPC with disposal container and is a current program decision (CDA Key 011, p. 6-18, Ref. 5.7). This assumption is used in Section 7.3.
- 4.3.4 Reference 5.28 (Table 11, p. 32) determined the thermal design basis PWR SNF for the MGDS waste package to have the following characteristics: 1) an age (or cooling time) of 10 years at the time of emplacement, 2) a burnup of 48,086 MWd/MTU, and 3) average assembly uranium enrichment of 4.20%. To complete the characterization of the MGDS PWR SNF, it is assumed that a B&W Mark-B4 PWR SNF assembly with a uranium mass of 0.464 MTU/assembly and an active fuel length of 141.8 inches will adequately represent the PWR SNF as a class of waste. This data is required in order to determine the decay heat curve of the MGDS thermal design basis PWR SNF. Based upon data from page 2A-7 of reference 5.12, 0.464 MTU/assembly and an active fuel length of 141.8 inches was selected to conservatively bound the

Originator: Robert H. Bahney III**Checker:** Thomas L. Lotz

PWR assembly types given the wide variety of uranium loading configurations. The MGDS design basis is also compared to the MPC design basis SNF for disposal (historic and current). Based on page 27 of reference 5.39, 0.490 MTU/assembly, an age of 20 years, a burnup of 40,000 MWd/MTU, and an enrichment of 3.75% were used to determine the decay heat of the MPC reference SNF characteristics. to provide a historic comparison to previous calculations (p. 6-139, Ref. 5.29), an age of 10 years (p. 2, Ref. 5.40) was used to represent historic MPC SNF characteristics. This assumption is used in Sections 6.0 and 7.2.

- 4.3.5 The decay heat curve for the MGDS, MPC, and historic MPC thermal design basis were generated with the use of the PHIA V.00B code with data input from Attachment 2 of reference 5.30. The data from reference 5.30 is assumed to accurately represent the SNF currently in storage through out the United States. Use of the data from reference 5.30 is consistent with the reasons for its creation. This assumption is used in Sections 6.0 and 7.2. The PHIA V.00B code is presented in Attachment I and the data used from reference 5.30 as input to the PHIA V.00B code is presented in Attachment II.
- 4.3.6 The material properties, i.e., effective thermal conductivities, developed for the B&W 15x15 PWR SNF in reference 5.11 may be conservatively applied to generally represent any nuclear fuel vendor's PWR SNF for this analysis. The basis for this assumption is that the dominant mode of heat transfer from SNF to the basket is radiation. The B&W Mark-B4 15x15 PWR bundle is very similar for all dimensions to any nuclear fuel vendor's PWR assembly, whether it be a 14x14, 15x15, 16x16, or a 17x17, and the interior fuel rods will have similar view factors to the waste package basket as those which may be calculated for the B&W Mark-B4 15x15 PWR assembly. Thus, it is expected that each of the PWR SNF assembly types will dissipate heat with relatively the same efficiency. Therefore, using the PWR effective conductivity material properties for the PWR SNF assembly analyzed by reference 5.11 is expected to predict the PWR SNF cladding temperatures with the same accuracy for any PWR assembly type. Also, the use of data from reference 5.11 requires that the heat generation be homogenous in the modeled SNF region. Heat generation in SNF regions must be applied in this fashion to use the reference 5.11 data in a consistent manner. This assumption is used in Section 7.3.
- 4.3.7 The MPC with disposal container model assumes that a two dimensional finite element model of a cross section at the midsection of the waste package will be representative of the hottest portion of the waste package. Inherent in this assumption is that axial heat transfer does not significantly affect the solution. (i.e., the flow of heat in the radial direction is assumed to dominate the solution.) The basis for this assumption is that the metal thermal conductivities and heat generation distributions are such that axial heat transfer is very small or negligible. This was shown by the analysis in

- reference 5.13 which modeled the waste package in three dimensions. This assumption is used in Section 7.3.
- 4.3.8 For the cross section model of the waste package, an axial power peaking factor of 1.25 is applied to the PWR SNF heat generation rate. This factor is based upon the experience of the analyst and is assumed to bound the range of axial power peaking factors for PWR SNF. The basis for this assumption is that PWR reactor cores are designed such that axial peaking larger than an average of 1.25 is typically undesirable for the full duration of a reactor operating cycle for both licensing and economic reasons. This assumption is used in Section 7.3.
- 4.3.9 The average waste package surface temperatures (time dependent), as defined in reference 5.13 for each thermal load case, will be applied as the boundary conditions for the detailed waste package analysis (normal conditions). The detailed waste package model will examine the design basis SNF rather than the average SNF which will result in slightly higher near field temperatures. This effect, however, will be assumed to have a small impact upon the SNF cladding temperatures calculated and will be neglected. The basis for this assumption is engineering judgement. This assumption is used in Section 7.3.
- 4.3.10 The effects of drift backfilling will not be considered for the repository base case analysis. Backfill material has not been defined to date and will not be considered to be within the scope of this analysis. Backfill effects on the waste package design will be addressed in a different analysis. This assumption is used in Section 7.3.
- 4.3.11 The MPC conceptual design as presented on pages II.A.4-18, II.A.4-19, and II.A.4-20 of reference 5.8, Figures 4.2.2.1-1, 4.2.2.1-2, and 4.2.2.1-3, are assumed to be the representative design which specifies the geometry and materials of construction. The basis of this assumption is that the specified reference is the only MPC design available. This assumption is used in Section 7.3.
- 4.3.12 The waste package disposal container material composition, geometry, and dimensions are assumed to be those specified in reference 5.31. This data is also presented as Waste Package Development sketches which are identified as specified in references 5.35 and 5.37, and are based upon reference 5.31. This assumption is consistent with CDA KEY 042, page 6-37 of reference 5.7. This assumption is used in Section 7.3.
- 4.3.13 The MPC waste package is assumed to be evacuated and filled with helium gas. The basis for this assumption is that this process is considered on pages II.A.3-20, II.A.3-53, and II.A.4-2 of reference 5.8 as a method to meet the internal humidity requirement for the MPC internals. This assumption is used in Section 7.3.

Originator: Robert H. Bahney III**Checker:** Thomas L. Lotz

- 4.3.14 The gap between the MPC and the disposal container is assumed to be modeled conservatively if it is modeled as being void of material (i.e., a vacuum). The basis for this assumption is as follows: this space will most likely be evacuated and backfilled with helium gas for similar reasons as specified in assumption 4.3.13 for the MPC internals. However, since helium has a reasonably good thermal conductivity, assuming a vacuum will result in slightly higher internal temperatures. This is conservative for this analysis. This assumption is equivalent to assuming only radiative heat transfer between the MPC shell and the disposal container. This assumption is used in Section 7.3.
- 4.3.15 Modeling only conduction and radiative heat transfer is assumed to provide conservative results for this analysis. The basis for this assumption is as follows: convective heat transfer will occur with the fill gas which is placed internal to the MPC, however, the natural convective heat transfer will have a small or negligible contribution to the total heat transfer (see reference 5.16 for a discussion on natural convection heat transfer). Thus, the problem may be modeled with only the dominant heat transfer modes with a negligible or conservative impact upon the results. This assumption is used in Section 7.3.
- 4.3.16 It is assumed for this analysis that the waste package will not have filler material placed in side of it. The basis for this assumption is that the consideration of filler material is beyond the scope of this analysis. Evaluation of effect of filler materials will be evaluated with additional analysis at a later time. This assumption is used in Section 7.3.
- 4.3.17 It is assumed for this analysis that the waste package will not be individually fitted with radiation shielding. This is consistent with the CDA; KEY 031, page 6-32, of reference 5.7. This assumption is used in Section 7.3.
- 4.3.18 It is assumed for this analysis that the waste package will not contain consolidated SNF rods, but will only contain intact SNF assemblies. This is consistent with CDA KEY 008 on page 6-15 of reference 5.7. This assumption is used in Sections 7.2 and 7.3.
- 4.3.19 It is assumed for this analysis that waste package materials which are in contact that a perfect weld will be modeled. This means that a contact thermal resistance will not be modeled between touching materials. This assumption is intended to make the modeling of the problem simpler and is judged to have a negligible impact upon the results of this analysis and any non-conservative impact will be more than offset by the conservatism in the other assumptions used for this analysis. The basis for this assumption is engineering judgement. This assumption is used in Section 7.3.

Originator: Robert H. Bahney III**Checker:** Thomas L. Lotz

- 4.3.20 Modeling the MPC container as "floating" in the disposal container such that the MPC package does not touch the disposal container at any point is assumed to provide conservative results for this analysis. The basis for this assumption is engineering judgement. The assumption is conservative with respect to MPC internal temperatures since the modeled geometry eliminates any conduction heat transfer and will limit the mode of heat transfer to only radiation between two surfaces. This assumption is used in Section 7.3.
- 4.3.21 Modeling the MPC basket as "floating" in the MPC container such that the SNF tubes do not touch the MPC corner guides or any other part of the MPC is assumed to provide conservative results for this analysis. The basis for this assumption is engineering judgement. This is conservative with respect to SNF temperatures since the modeled geometry will eliminate any conduction heat transfer, other than that of conduction through the helium fill gas, from the SNF basket to the MPC shell and limits the main heat transfer mode to that of radiative heat transfer. This configuration uses the manufacturing tolerances for the MPC container and creates a basket/shell gap. This assumption is used in Section 7.3.
- 4.3.22 The properties of helium at atmospheric pressure are assumed to be representative of the conditions which helium in the MPC will experience. This assumption is based upon the fact that a one atmosphere fill pressure is representative of industry standard for storage casks. Page 10 of reference 5.36 provides the highest pressure which storage casks are filled as approximately 1.5 atmosphere; also most industry vendors use substantially less pressure in their designs. Use of one atmosphere is representative of the most likely to be used. This assumption is used in Sections 4.1 and 7.3.
- 4.3.23 Use of the material properties for Stainless Steel 316 provided in Tables 4.1-1 and 4.1-2 is assumed to adequately represent any stainless steel used in the MPC package for this analysis. Particularly the use of a constant value for the density and emissivity is assumed to be adequate for this analysis. The basis for this assumption is engineering judgement and the fact that the temperature dependent values of thermal conductivity and specific heat are specified well enough to cover the anticipated temperatures the MPC is expected to experience. Also, the values for density and emissivity change only slightly over the expected range of temperatures. Thus, using a single value will not affect the results of the analysis. This assumption is used in Sections 4.1 and 7.3.
- 4.3.24 Use of the material properties for A 516 carbon steel provided in Tables 4.1-3 and 4.1-4 is assumed to adequately represent A 516 carbon steel for this analysis. Particularly the use of a constant value for the density and emissivity is assumed to be adequate for this analysis. The basis for this assumption is engineering judgement and

Originator: Robert H. Bahney III**Checker:** Thomas L. Lotz

the fact that the temperature dependent values of thermal conductivity and specific heat are specified well enough to cover the anticipated temperatures the MPC is expected to experience. Also, the values for density and emissivity change only slightly over the expected range of temperatures. Thus, using a single value will not affect the results of the analysis. This assumption is used in Sections 4.1 and 7.3.

- 4.3.25 Use of the material properties for Alloy 825 provided in Tables 4.1-5 and 4.1-6 is assumed to adequately represent Alloy 825 for this analysis. Particularly the use of a constant value for the density and emissivity is assumed to be adequate for this analysis. The basis for this assumption is engineering judgement and the fact that the temperature dependent values of thermal conductivity and specific heat are specified well enough to cover the anticipated temperatures the MPC is expected to experience. Also, the values for density and emissivity change only slightly over the expected range of temperatures. Thus, using a single value will not affect the results of the analysis. This assumption is used in Sections 4.1 and 7.3.
- 4.3.26 Use of the material properties for aluminum-boron provided in Table 4.1-8 and Section 4.1 is assumed to adequately represent aluminum-boron for this analysis. Particularly, the use of a constant value for the density and the use of the constant value of aluminum emissivity is assumed to be adequate for this analysis. The basis for this assumption is engineering judgement and the fact that the temperature dependent values of thermal conductivity and specific heat are specified well enough to cover most of the anticipated temperatures the MPC is expected to experience. ANSYS does not extrapolate beyond the given tabulated values, rather it uses the last value available in the table. Thus, since thermal conductivity and specific heat generally increase with increasing temperature, ANSYS will use a conservative value if the aluminum-boron material experiences temperatures above 200°C. Also, the values for density and emissivity change only slightly over the expected range of temperatures. Thus, using a single value will not affect the results of the analysis. The use of aluminum emissivity for the aluminum-boron material is assumed reasonable in the absence of data for aluminum-boron since, for the MPC, the aluminum-boron material is clad in stainless steel and has only a minor edge exposed for the outer most tubes only. Finally, the emissivity for aluminum is sufficiently low at 0.07 that a lower value will have very little impact upon the solution and the results of the analysis will be conservative if the value for aluminum-boron is indeed larger. This assumption is used in Sections 4.1 and 7.3.
- 4.3.27 Use of the material properties for C71500 70/30 Copper-Nickel Alloy provided in Table 4.1-9 is assumed to adequately represent C71500 70/30 Copper-Nickel Alloy for this analysis. Particularly the use of a constant value for the density and specific heat is assumed to be adequate for this analysis. The basis for this assumption is engineering judgement and the fact that the temperature dependent values for thermal

Originator: Robert H. Bahney III**Checker:** Thomas L. Lotz

conductivity are specified well enough to cover the anticipated temperatures the MPC is expected to experience. Also, the value for density changes only slightly over the expected range of temperatures. Thus, using a single value will not affect the results of the analysis. ANSYS does not extrapolate beyond the given tabulated values, rather it uses the last value available in the table. Thus, since specific heat generally increases with increasing temperature, ANSYS will use a conservative value for specific heat by using the C71500 70/30 Copper-Nickel Alloy specific heat at 20°C. This assumption is used in Sections 4.1 and 7.3.

- 4.3.28 The use of single, homogenized SNF material density used in conjunction with assumption 4.3.6 is assumed reasonable and adequate. The basis for this assumption is engineering judgement. The value used for SNF density is $0.396004 \times 10^4 \text{ kg/m}^3$. The density value was determined using the PWR assembly mass from Table 5.1.1.2.1-2 on page 27 of reference 5.39 of 1720 lbs (780.2 kg) and dividing by the PWR assembly volume which provides an average density in kg/m^3 (Density = Mass / Volume). The PWR volume was determined using the overall assembly width of 8.52 inches (0.216 m, pitch of 0.568 inches times 15 rods) and the assembly length of 165.625 inches (4.20688 m) from page 2A-7 of reference 5.12. The volume calculation is then simply that of the assembly width squared multiplied by the assembly length (Volume = width x width x length). The SNF density used is: Density = Mass/Volume = $0.396004 \times 10^4 \text{ kg/m}^3$. This assumption is used in Section 7.3.
- 4.3.29 The use of single, homogenized SNF material specific heat used in conjunction with assumption 4.3.6 is assumed reasonable and adequate. The basis for this assumption is engineering judgement. The value used for SNF specific heat is $0.27400 \times 10^3 \text{ J/kg}\cdot\text{K}$. The specific value was determined using: 1) the PWR assembly mass from Table 5.1.1.2.1-2 on page 27 of reference 5.39 of 1720 lbs (780.2 kg), 2) the uranium mass from page 2A-7 of reference 5.12 of 464 kg, and 3) the specific heat of uranium oxide of $247 \text{ J/kg}\cdot\text{K}$ (at 100°C) and Zirc2 of $330.0 \text{ J/kg}\cdot\text{K}$ (at 400°C) from Tables 8-1 and 8-2 on page 296 of reference 5.1. The assembly is assumed to be comprised only of uranium oxide and Zirc2, therefore the homogenized specific heat is a simple mass weighted average (i.e., $\text{SNF } C_p = (C_p \text{ UO}_2 \cdot \text{Mass UO}_2 + C_p \text{ Zr2} \cdot \text{Mass Zr2}) / \text{Mass of Assembly}$). The mass of UO_2 is determined from the mass of uranium (i.e., $\text{mass UO}_2 = \text{mass U} \cdot (\text{Atomic wt U} + 2 \cdot \text{Atomic wt of O}^{16}) / \text{Atomic wt of U} = 526.376 \text{ kg}$). The mass of Zirc2 is then simply the difference between the total assembly mass and the UO_2 mass (mass Zr2 = 253.824 kg). The SNF specific heat value is then calculated to be: $\text{SNF } C_p = 274.0 \text{ J/kg}\cdot\text{K}$ and is used in each of the ANSYS input decks provided in Attachments XV through XXV. This assumption is used in Section 7.3.

4.4 Codes and Standards

Not Applicable. Thermal design of the waste package is not controlled by codes and standards. The American Society of Mechanical Engineers (ASME) Boiler and Pressure Vessel Code (Ref. 5.15) has been used only as a source of material properties.

5. References

- 5.1 Nuclear Systems I Thermal Hydraulic Fundamentals, Neil E. Todreas and Mujid S. Kazimi, Hemisphere Publishing Corporation, New York, N.Y., 1990.
- 5.2 Activity Evaluation: Perform Criticality, Thermal, Structural, and Shielding Scoping Analysis, Document Identifier (DI) Number: BB00000000-01717-2200-00026 REV 01, Civilian Radioactive Waste Management System (CRWMS) Management and Operating Contractor (M&O), August 30, 1995.
- 5.3 Quality Assurance Requirements and Description (QARD), DOE/RW-0333P REV 5, October 31, 1995.
- 5.4 Yucca Mountain Site Characterization Project Q-List, YMP/90-55Q, REV 3, Department of Energy (DOE) Office of Civilian Radioactive Waste Management (OCRWM), December 1994.
- 5.5 Engineered Barrier Design Requirements Document, YMP/CM-0024, REV 0, ICN 1, Yucca Mountain Site Characterization Project, September 21, 1994.
- 5.6 Mined Geological Disposal System Requirements Document, DOE/RW-0404P, DI: B000000000-00811-1708-00002, REV 01, DCN 01, U.S. DOE OCRWM, May 1995.
- 5.7 Controlled Design Assumptions (CDA) Document, DI#: B000000000-01717-4600-00032, REV 01, CRWMS M&O, April 28, 1995.
- 5.8 Multi-Purpose Canister (MPC) Implementation Program Conceptual Design Phase Report, Volume II.A - MPC Conceptual Design Report, DI#: A200000000-00811-5705-00002, REV 00, September, 1994.
- 5.9 Waste Package Plan, YMP/90-62, REV 1, Yucca Mountain Site Characterization Project March, 1993.
- 5.10 Waste Package Implementation Plan, YMP/92-11Q, REV 1, Yucca Mountain Site Characterization Project, January, 1995.

- 5.11 Determination of PWR Spent Nuclear Fuel Effective Conductivity, DI#: BBA000000-01717-0200-00007, REV 00, CRWMS M&O, DRAFT to be issued in 1995.
- 5.12 Characteristics of Potential Repository Wastes, DOE/RW-0184-R1; Volume 1, U.S. DOE OCRWM, July 1992
- 5.13 Emplacement Scale Thermal Evaluations of Waste Package Advanced Conceptual Designs, DI#: BB0000000-01717-0200-00009, REV 00, CRWMS M&O, DRAFT to be issued in 1995.
- 5.14 Wooton, R. O. and Epstein, H. M., "Heat Transfer from a Parallel-Rod Fuel Assembly in a Shipping Container", Battelle Memorial Institute, Columbus, Ohio, August, 1963.
- 5.15 1986 ASME Boiler and Pressure Vessel Code, Section III, The American Society of Mechanical Engineers, July 1, 1986.
- 5.16 Introduction to Heat Transfer, F. P. Incropera and D. P. DeWitt, John Wiley & Sons Inc., 1985.
- 5.17 Marks' Standard Handbook for Mechanical Engineers, 9th Edition, E. A. Avallone, T. Baumeister, McGraw-Hill Book Co., 1987.
- 5.18 Metals Handbook, 8th Edition, Volume 1, Properties and Selection of Metals, American Society for Metals, 1961.
- 5.19 Manufacturer's Product Specification for Incoloy Alloy 825, Published by Huntington Alloys, 1992.
- 5.20 Thermal Performance of a Buried Nuclear Waste Storage Container Storing a Hybrid Mix of PWR and BWR Spent Nuclear Fuel Rods, G. Johnson, Published by LLNL: UCID-21414, Revision 1; 1991.
- 5.21 "Thermal Conductivity of Aluminum-Boron Alloy, A Report to Eagle-Pricher Industries", Report Number: PRL 801, R.E. Taylor, H. Groot, and J. Larimore, Properties Research Laboratory, May 1989.
- 5.22 "Engineered Materials Characterization Report for the Yucca Mountain Site Characterization Project, Volume 2: Design Data", REV 0, SCP8.3.5.9, Attachment 2 of M&O Correspondence Number: LV.MG.JAB.12/94-299, CRWMS M&O, December 22, 1994.

Originator: Robert H. Bahney III**Checker:** Thomas L. Lotz

Title: Thermal Evaluation of the Conceptual 12 PWR MPC with ACD Disposal Container**Document Identifier:** BBABA0000-01717-0200-00002 REV 00**Page 33 of 65**

- 5.23 "Correction to Thermal Calculation Memo", S. F. Saterlie, Interoffice Correspondence LV.SEA.SFS.1/95-003, CRWMS M&O, January 17, 1995.
- 5.24 FY 93 Thermal Loading Systems Study Final Report, DI# B00000000-01717-5705-00013, REV 01, CRWMS M&O, August 29, 1994.
- 5.25 Verification and Validation Final Report for ANSYS 5.0A, DI#: B00000000-01717-2006-30003, REV 00, CRWMS M&O, March 16, 1994.
- 5.26 Life Cycle Plan for ANSYS 5.0A CSCI B00000000-01717-1200-30003, DI#: B00000000-01717-2007-30003, REV 00, CRWMS M&O, June 23, 1994.
- 5.27 Technical Basis for Storage of Zircaloy-Clad Spent Fuel in Inert Gases, PNL-4835, Johnson, A. B. and Gilbert, E. R., Pacific Northwest Laboratory, 1983.
- 5.28 Waste Package Design Basis Fuel Analysis, Draft Document: DI#: B00000000-01717-0200-00127, REV 00A (RPC-951204-01), CRWMS M&O, September 19, 1995.
- 5.29 Initial Summary Report for Repository/Waste Package Advanced Conceptual Design, DI#: B00000000-01717-5705-00015, REV 00, CRWMS M&O, August 29, 1994.
- 5.30 Civilian Radioactive Waste Management System (CRWMS) Management & Operating Contractor (M&O) Interoffice Correspondence (IOC), from C. Rhodes to J. King, "Verification of Heat Routines", October 21, 1994; IOC Number: VA.MD.CR.10/94.024.
- 5.31 Civilian Radioactive Waste Management System (CRWMS) Management & Operating Contractor (M&O) Interoffice Correspondence (IOC), from Thomas L. Lotz for Thomas. W. Doering to Carl Chagnon, "Waste Package Designs", April 11, 1995; IOC Number: LV.WP.TLL.04/94.135.
- 5.32 Evaluation of Thermo-Hydrological Performance in Support of the Thermal Loading Systems Study, Buscheck, T.A., Nitao, J.J., et al; Published by LLNL: UCRL-JC-115352; February 1994.
- 5.33 Site Characterization Plan Thermal Goals Reevaluation, DI#: B00000000-01717-5705-00005, REV 00, CRWMS M&O, September 8, 1993.
- 5.34 Reserved.
- 5.35 MPC Disposal Container (12-PWR/24-BWR), DI: BBA000000-01717-2100-15018, REV 00B, CRWMS M&O, June, 1994.

Originator: Robert H. Bahney III**Checker:** Thomas L. Lotz

Title: Thermal Evaluation of the Conceptual 12 PWR MPC with ACD Disposal Container**Document Identifier:** BBABA0000-01717-0200-00002 REV 00**Page 34 of 65**

- 5.36 Analysis of Degradation Due to Water and Gases in MPC, DI#: BB0000000-01717-0200-00005, REV 01, CRWMS M&O, September 29, 1995.
- 5.37 Low TL/Humid MPC Disposal Container (12-PWR/24-BWR), DI: BBA000000-01717-2100-15074, REV 00A, CRWMS M&O, June, 1994.
- 5.38 B&W Fuel Company, Final Design Package, BR-100 ton Rail/Barge Spent Fuel Shipping Cask, No. 51-1203400-01, November 1991.
- 5.39 Multi-Purpose Canister (MPC) Subsystem Design Procurement Specification, DI#: DBG000000-01717-6300-00001 REV 04, August 26, 1994.
- 5.40 Multi-Purpose Canister Issue Evaluation, Issue No. MPC-009, Attachment 2 of M&O Correspondence: LV.WP.RHB.7/93-133, CRWMS M&O, July 14, 1993.

Originator: Robert H. Bahney III**Checker:** Thomas L. Lotz

6. Use of Computer Software

The FEA analysis computer code used for this analysis is ANSYS V5.0A which is identified with the Computer System Configuration Identifier (CSCI) B00000000-1717-1200-30003. ANSYS is a commercially available finite element thermal and mechanical analysis code and is appropriate for the thermal analysis of waste packages, waste package emplacements, and waste package environments. The analyses using the ANSYS software were executed on a Hewlett-Packard 9000 Series 735 workstation. The software qualification of the ANSYS software, including problems of the type analyzed in this report, is summarized in the ANSYS V5.0A Verification and Validation Final Report (p. 1, Ref. 5.25). The ANSYS evaluations performed for this design are fully within the range of the validation performed for the ANSYS V5.0A code. Access to and use of the code for the analysis granted and performed in accordance with the ANSYS V5.0A Life Cycle Plan (p. 1, Ref. 5.26) and the QAP-SI series procedures. Inputs and outputs to the ANSYS software are included as attachments as described in the following design analysis.

The ANSYS SNF heat load file was generated with the computer code PHIA V.00B and is classified as computational support software. PHIA V.00B is not a controlled computer code and has not been qualified under the QAP-SI series of M&O procedures. PHIA requires the data provided in assumptions 4.3.4 and 4.3.5 as inputs. Based upon the data provided in assumption 4.3.4, PHIA performs a table look up using the data set of assumption 4.3.5. Once the proper sub-set of data is obtained, PHIA then will interpolate data points in order to generate an ANSYS usable data file. The PHIA code listing, input database file, and ANSYS data files are provided as Attachments I, II, III, IV, and V. The PHIA code is simply an automation of a simple data manipulation which can easily be checked by hand. The data is provided in this analysis for the purpose of performing hand calculation checks. The data manipulation has been checked by hand, and will be used in this analysis on that basis. The PHIA code was utilized for the purpose of computational support software as it was intended and it is appropriate for the use of generating an ANSYS SNF heat load file. The PHIA software was executed on an IBM PC compatible.

The Wooton-Epstein correlation calculation was performed with the computer code Lotus 1-2-3 for Windows Version 1.1 and is classified as computational support software. Lotus 1-2-3 for Windows Version 1.1 is not a controlled computer code and has not been qualified under the QAP-SI series of M&O procedures and will not be qualified under the M&O procedures. Lotus 1-2-3 for Windows Version 1.1 simply provides a frame work to automate a simple calculation which can easily be checked by hand. The input data and a description of the calculation performed is provided in Section 7.5 for the purpose of performing hand calculation checks. The calculation has been checked by hand and will be used in this analysis on that basis. Lotus 1-2-3 for Windows Version 1.1 was utilized for the purpose of computational support software as it was intended and it is appropriate for the use of

Originator: Robert H. Bahney III	Checker: Thomas L. Lotz
---	--------------------------------

generating peak cladding temperatures as specified in Section 7.5. Lotus 1-2-3 for Windows Version 1.1 was executed on an IBM PC compatible.

The presentation graphics provided in Section 7.5 was generated with the computer code Harvard Graphics Version 2.0 and is classified as computational support software. Harvard Graphics Version 2.0 was executed on an IBM PC compatible. Harvard Graphics Version 2.0 is not a controlled computer code and has not been qualified under the QAP-SI series of M&O procedures and will not be qualified under the M&O procedures. Harvard Graphics Version 2.0 simply provides a frame work to create a graphical representation of data. No calculation or modification beyond cut and paste operations with tabular ANSYS output or Lotus 1-2-3 output was performed in Harvard Graphics.

Originator: Robert H. Bahney III	Checker: Thomas L. Lotz
---	--------------------------------

7. Design Analysis

7.1 Introduction

As part of an engineered barrier system for the containment of radionuclides, the MPC WP must be shown to comply with all regulations and requirements that govern the conditions of the emplaced SNF and the near-field rock at the repository horizon. Temperatures in the WP and near-field host rock are key to radionuclide containment, as they directly affect oxidation rates of the metal barriers, metal and fuel cladding structural integrity, and the ability of the rock to impede particle movement.

Maximum allowable temperatures are based on material performance criteria and are specified as design goals for the WP/EBS design. For SNF, the Commercial Spent Fuel Management Program (p. xii, Ref. 5.27) at Pacific Northwest Laboratory recommended a 380°C temperature limit for the SNF cladding to prevent creep rupture failure. A more conservative value of 350°C has been selected (CDA DCWP 001, p. 6-165, Ref. 5.7) to account for uncertainties in source characteristics as well as heat transfer calculations. To limit the predicted thermal and thermo-mechanical response of the host rock and surrounding strata, maximum temperatures of 200°C for TSw2 (at the emplacement drift wall) and 115°C in the TSw3 (vitrophyre tuff) layer have been specified. Specific characteristics and requirements for the engineered barrier system are listed in the Yucca Mountain Site Characterization Project Engineered Barrier Design Requirements Document (Ref. 5.5) and are discussed in Section 4.2.

The method for WP thermal evaluations involves a three-model approach to determine the time-dependent WP thermal behavior. As presented in reference 5.13, a three-dimensional (3-D) transient finite element model of the WP emplacement provides the WP surface temperature history for use as a boundary condition. The WP boundary condition is then applied to a detailed two dimensional (2-D) WP model, it is this 2-D model which is analyzed in this report. Resulting SNF basket wall temperature predictions from the WP model provide the boundary for an estimation of peak SNF cladding temperatures. Cladding temperatures are predicted in the WP model using an effective conductivity defined to represent an homogeneous SNF assembly. The effective conductivity was determined using a detailed third model of an intact SNF assembly as presented in reference 5.11. Cladding temperatures are also conservatively estimated using an empirical correlation from reference 5.14.

The thermal environment of the WP in the repository will change with time and is affected by the heat produced in the WP. Therefore, the WP thermal evaluation must be a transient analysis that takes into account the time varying heat load of the WP. This can be contrasted to an SNF storage cask analysis where the thermal environment is assumed constant and is provided by regulations.

Originator: Robert H. Bahney III	Checker: Thomas L. Lotz
---	--------------------------------

7.2 SNF Decay Heat Loads

To capture a majority of the SNF, the WP must be designed and evaluated to accommodate the bounding or limiting case of fresh SNF which has a thermal output much higher than average. Thus, a design basis SNF can be determined which can be considered the hottest SNF that could be loaded and emplaced in that waste package. The detailed waste package/EBS evaluation would then represent the hottest waste package in a repository at a given thermal loading (with otherwise average SNF). While all of the waste packages (hot and cold) will collectively influence repository temperatures (average SNF characteristics), every waste package must meet thermal goals (design basis SNF characteristics). The methodology and selection of design basis SNF for WP design is covered in reference 5.28.

Given that higher capacity waste packages are more likely to exceed thermal goals than smaller ones in the same repository thermal environment, the choice of a design basis SNF is important because it could limit the number of assemblies that can be loaded in one WP without exceeding thermal goals for disposal. The limiting thermal goal for large waste packages is a temperature of no more than 350°C at the SNF cladding. Several different design basis SNF types have been used by the OCRWM to demonstrate compliance with requirements and to allow comparison with previous evaluations. Table 7.2-1 summarizes the SNF types used. The heat loads for each assembly type were interpolated from the database of spent fuel characteristics for each of the assumed design basis SNF types (Ref. 5.30) using the PHIA V.00B code (see Attachment I).

Table 7.2-1. Thermal Analysis SNF Design Bases

Organization	SNF Type	SNF Age	SNF Burnup	Initial Heat
MGDS (p. 32, Ref. 5.28)	PWR	10 years	48 GWd/MTU	850 watts
MGDS (p. 34, Ref. 5.28)	BWR	10 years	49 GWd/MTU	409 watts
MPC (p. 26, Ref. 5.39)	PWR	20 years	40 GWd/MTU	547 watts
MPC (p. 26, Ref. 5.39)	BWR	20 years	40 GWd/MTU	265 watts
MPC Historic (p. 2, Ref. 5.40)	PWR	10 years	40 GWd/MTU	718 watts

Design basis SNF will impact the timing of peak temperatures as well as the magnitude of the peak. The repository host rock temperatures will peak between 10 to 500 years depending on the thermal loading but will be largely independent of the individual waste package design. The waste package itself will experience its peak temperature before the rock temperature peaks. The peak temperature and its timing will depend on the design basis SNF and the

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

basket/container design. In previous analyses of the large waste package (p. 6-108, Ref. 5.29), higher conductivity SNF baskets were seen to lower and delay the peak temperatures experienced. The choice of the design basis SNF is of key importance. Younger SNF types produce high peak temperatures within the first year which then drop off quickly. Older SNF (at the same initial APD, but not AML) produces lower and later peaks with more stable and higher long-term temperatures.

In the following evaluation, three different design basis PWR SNF types have been used to illustrate the cladding temperatures which the MPC will produce when placed in the MGDS. The time dependence of each design basis PWR SNF heat load is provided in Attachments III, IV and V as provided by the PHIA code using the data provided in Attachment 2 of reference 5.30. The PHIA code uses the data provided in assumption 4.3.4 and 4.3.5, sorts through the SNF decay heat data to obtain the correct heat generation rate versus time for the given SNF parameters, then interpolates as required to obtain the desired ANSYS time step intervals. The data is then written to an output file suitable for direct use by ANSYS. The PHIA code is provided as Attachment I, along with the input file from reference 5.30 as Attachment II, and the output files from PHIA as Attachments III, IV, and V.

Originator: Robert H. Bahney III**Checker:** Thomas L. Lotz

7.3 Model Development

The general philosophy used for this analysis is to create a separate input file for each thermal loading case. Since there are only three major differences between individual cases, i.e., boundary condition, design basis SNF, and outer barrier for high and low thermal load; a base deck (ma12x3, see Attachment XV) was created with the basic modeling information. The base deck was then copied for each ANSYS case. Each individual file then had the appropriate boundary condition file from reference 5.13 and SNF decay heat file (Attachments III, IV, and V) entered into the input decks. Finally, the Low Thermal Load cases then had the appropriate outer barrier material and thickness data entered into the input decks.

The basic lay out of each deck follows the following pattern:

- A) Comment header used to define problem modeled, additional files read by the input deck, and what information is contained in the data files used in the input deck.
- B) Define model parameters and dimensions which are used repeatedly. This includes all material properties, reading of boundary condition files, reading of body load files, etc. The ANSYS input decks make use of defined variables which are then used to perform simple calculations concerning units conversions and geometric positions. Many of the MPC basket geometry parameters are reported in reference 5.8 in units of inches. These values were entered into the ANSYS input decks along with the units conversion to meters, assigned a variable name, and the variable name was then used through out the remainder of the input deck to determine the geometry of the basket and the disposal container. The variables are clearly identified and defined via comments included in the ANSYS input deck. Also, units of years are used in the file defining SNF heat loads. The years are converted to seconds for this analysis. Table 7.3-1 gives a conversion between the emplacement time (in years), the ANSYS solution time (in seconds) as printed in the output files, and the ANSYS analysis load step number. The load steps have been defined on a logarithmic time scale because the heat load decays exponentially and the system response is expected to follow the decay curve of the SNF.
- C) Define element types which will be used to perform the solution.
- D) Define the model geometry and mesh structure. The approach used is to define all components by first defining the basic key points, then lines, then areas and finally the mesh. Long winded, but it is easily followed and repeated.
- E) Define all radiation surfaces and create radiation mesh matrix. The ANSYS AUX12 utility is used to generate all of the required view factors between radiation elements.

Originator: Robert H. Bahney III	Checker: Thomas L. Lotz
---	--------------------------------

Title: Thermal Evaluation of the Conceptual 12 PWR MPC with ACD Disposal Container

Document Identifier: BBABA0000-01717-0200-00002 REV 00

Page 41 of 65

Table 7.3-1, ANSYS Solution Time/Load Steps

Time (years)	Time (seconds)	ANSYS Load Step	Time (years)	Time (seconds)	ANSYS Load Step
Initial Rock	.100E-06	1	9	.284E+09	21
Initial WP	.200E-06	2	10	.316E+09	22
0	31.56	3	20	.631E+09	23
0.1	.316E+07	4	30	.947E+09	24
0.2	.631E+07	5	40	.126E+10	25
0.3	.947E+07	6	50	.158E+10	26
0.4	.126E+08	7	60	.189E+10	27
0.5	.158E+08	8	70	.221E+10	28
0.6	.189E+08	9	80	.252E+10	29
0.7	.221E+08	10	90	.284E+10	30
0.8	.252E+08	11	100	.316E+10	31
0.9	.284E+08	12	200	.631E+10	32
1	.316E+08	13	300	.947E+10	33
2	.631E+08	14	400	.126E+11	34
3	.947E+08	15	500	.158E+11	35
4	.126E+09	16	600	.189E+11	36
5	.158E+09	17	700	.221E+11	37
6	.189E+09	18	800	.252E+11	38
7	.221E+09	19	900	.284E+11	39
8	.252E+09	20	1,000	.316E+11	40

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

- F) Apply the body loads and boundary conditions (B.C.'s) to the appropriate geometry components. Since this calculation is a transient, the loads and B.C.'s are applied at each time step.
- G) Finally, selected positions in the SNF, basket, MPC shell, and disposal container were selected to have temperatures for each time step of the transient echoed to the output file for examination.

Each ANSYS input deck is provided as part of the ANSYS output files in Attachments XV through XXV. Heat and material input files are provided as Attachments III, IV, V, VI, VII, and the boundary condition files for each thermal loading case is provided in Attachments X through XIV.

The development of any ANSYS model involves the following specific steps:

- 1) Identify the geometry to be modeled.
- 2) Identify the material properties which will be required.
- 3) Identify the assumptions used to model the real geometry and materials.
- 4) Identify the body loads (i.e., heat generation rates in specific materials).
- 5) Identify the boundary conditions/surface loads (i.e., surfaces with known or given temperatures).
- 6) Specify the problem as steady state or transient. If transient specify the time frame which is to be considered.
- 7) Execute the model generated to obtain solutions for the given conditions.
- 8) Analyze the results to form a conclusion or support a design thesis.

The creation of an ANSYS model for the 12 PWR MPC conceptual design followed the listed steps. Discussion of some of these steps will be combined for convenience.

- 1) Identify the geometry to be modeled.
- 2) Identify the material properties which will be required.

The geometry and the material composition of each component is specified in reference 5.8 (Section 4.2.2.1) for the 12 PWR MPC conceptual design and references 5.31, 5.35, and 5.37 for the disposal container (see assumptions 4.3.11 and 4.3.12). Notice that the high thermal load and low thermal load waste packages have different outer barrier thicknesses and material compositions. The high thermal loading disposal container is 0.020 meter thick Alloy 825 with an outer barrier of 0.100 meter thick alloy A 516 carbon steel. The low thermal loading disposal container is 0.020 meter thick Alloy 825 with an outer barrier of 0.050 meter thick C71500 copper-nickel alloy.

Since this model is part of a larger calculational scheme as indicated in references 5.11 and 5.13, a simple 2-D cross section of the MPC with waste package will be modeled (see assumption 4.3.7). A vertical plane of symmetry is easily identified and thus, the geometry modeled will be that of the right hand side of the MPC with disposal container. The geometry is not modeled with quarter symmetry since the boundary condition, as specified in reference 5.13, indicates a vertical surface temperature distribution and requires half symmetry. Attachment VIII provides mesh plots of the general lay out of the waste package internals.

Material properties to be used for each component of the design are specified in Section 4.1 along with the references from which they were obtained. The ANSYS file containing this material property data is provided as Attachment VI (see assumptions 4.3.22, 4.3.23, 4.3.24, 4.3.25, 4.3.26, and 4.3.27). The effective conductivity of the SNF assembly model areas were developed in reference 5.11 and are provided as Attachment VII. The additional properties were developed in Section 4.3 (see assumptions 4.3.6, 4.3.28, and 4.3.29) and entered into the input deck. Attachment VI also includes material properties which were not used in this analysis (i.e., those identified as material ID's 4, 5, 6, 8, 9, 10, 11, and 12 were not used).

- 3) Identify the assumptions used to model the real geometry and materials.

All assumptions used for this ANSYS model are listed in Section 4.3. These assumptions provide all of the required insight for a competent ANSYS user as to why the ANSYS geometry and material selections were entered into the ANSYS input decks in the given fashion. (Including assumptions 4.3.3, 10, 13, 14, 15, 16, 17, 18, 19, 20, and 21.)

- 4) Identify the body loads (i.e., heat generation rates in specific materials).
- 5) Identify the boundary conditions/surface loads (i.e., surfaces with known or given temperatures).
- 6) Specify the problem as steady state or transient. If transient specify the time frame which is to be considered.
- 7) Execute the model generated to obtain solutions for the given conditions.

The material which carries the heat load is the SNF and is modeled as a solid material placed in the interior of each tube. The heat load is dependant upon the design basis SNF selected and is discussed in Section 7.2. Briefly, the heat loads for the SNF areas were interpolated from the data provided in reference 5.30 for each design basis SNF type. The heat load will decrease exponentially with time as the fission products decay and therefore was created as a function of time. The heat loads were applied volumetrically and were multiplied by an axial heat peaking factor of 1.25 to approximate the axial center of the WP with a 2-D model (see assumption 4.3.8). A SNF assembly is much hotter at the mid-length than at the ends, and it is conservative to assume the 2-D waste package model represents the hottest cross-section of the MPC/waste package.

Originator: Robert H. Bahney III	Checker: Thomas L. Lotz
---	--------------------------------

As indicated in Section 7.1, this analysis is part of a three part calculation method. As such the boundary conditions are provided by the calculations performed in reference 5.13. The boundary conditions for each repository thermal loading scenario were applied to the waste package surface as a temperature condition to create eleven ANSYS decks (assumption 4.3.9). The boundary conditions are time dependent, the SNF heat generation rate is also time dependent, and therefore the problem is a transient. The boundary conditions and heat loads were applied and solved out to 1000 years for each of the five thermal loading scenarios described in Section 7.4 and for each design basis PWR SNF type described in Table 7.2-1. The transient time of 1000 years was performed to be consistent with the analysis performed in reference 5.13.

8) Analyze the results to form a conclusion or support a design thesis.

The results of each ANSYS execution are provided as Attachments XV through XXV. Discussion and summary of the ANSYS results are provided in Section 7.5 and conclusions are provided in Section 8.0. Notice that selected data was requested in the input deck and echoed into the output file for ease of use. This data is summarized in Section 7.5.

Originator: Robert H. Bahney III	Checker: Thomas L. Lotz
---	--------------------------------

7.4 Thermal Loading

To determine the effect of the WP on repository near-field temperatures, a 3-D emplacement model was evaluated for a range of thermal loadings. The analysis is described in detail in the supporting emplacement thermal model design analysis (Ref. 5.13). A parametric set of thermal loading cases, summarized in Table 7.4-1, is required because the thermal loading for the repository has been specified as a range in the Controlled Design Assumptions Document (CDA) (Key 019, p. 6-24, Ref. 5.7) and the MPC must be shown to meet requirements over that range. Representative "high" and "low" thermal loadings of 100 MTU/acre (24.7 kg U/m²), 83 MTU/acre (20.5 kg U/m²), and 25 MTU/acre (6.2 kg U/m²) were selected (see assumption 4.3.2) to be consistent with the CDA and the Thermal Loading Systems Study (Ref. 5.24), and drift spacings in multiples of 22.5 m (see Ref. 5.13) were selected to be consistent with the Repository/WP Initial Summary Report (Ref. 5.29). A thermal loading of 100 MTU/acre provides a bounding case for the highest loading that may be used. The calculation of emplacement spacing for different thermal loadings is straightforward as described in Equation 7.5-1 of reference 5.13.

A few variations on WP spacing at 25 MTU/acre were considered to determine the impact of WP spacing on meeting near-field thermal goals. At 25 MTU/acre, the question is: "What WP spacings are required to keep the WP surface temperature below 100°C and 70°C?" A comparison of WP surface, drift wall, and rock unit temperatures to thermal goals is provided in reference 5.13. The comparison of cladding temperatures to thermal goals is performed here.

The low thermal loading drift spacings described in Table 7.4-1 represent the utilization of even multiples of the high thermal loading drift spacing (every other drift, every third, etc.). Cases ma12w3 and ma12w2 achieve the longest reasonable WP spacing and result in the lowest near-field temperatures; cases ma12j3 and ma12j2 have a WP spacing similar to that for the high thermal loading (ma12b3); and cases ma12h3 and ma12h2 have a short WP spacing and represents the "localized disturbance" concept for low loadings. The "localized disturbance" concept depends on high temperature gradients (due to the closely spaced WPs) to drive local water in the rock away from the emplacement drifts.

Originator: Robert H. Bahney III	Checker: Thomas L. Lotz
---	--------------------------------

Table 7.4-1. Large Waste Package Thermal Loading Scenarios
(From Table 7.5-2 of Reference 5.13)

Case Name	Design Basis SNF Type (Table 7.2-1)	Area Mass Loading (AML)		Initial APD (kW/acre)	WP Spacing	Drift Spacing
		(MTU/acre)	(kg/m ²)			
ma12x3	MGDS	100	24.7	113.7	9.237 m	22.5 m
ma12x2	MPC					
ma12b3	MGDS	83	20.5	94.4	11.129 m	22.5 m
ma12b2	MPC					
ma12b1	MPC Historic					
ma12w3	MGDS	25	6.18	28.4	18.475 m	45.0 m
ma12w2	MPC					
ma12j3	MGDS	25	6.18	28.4	12.317 m	67.5 m
ma12j2	MPC					
ma12h3	MGDS	25	6.18	28.4	9.237 m	90.0 m
ma12h2	MPC					

The analysis of reference 5.13 was performed to determine the rock wall temperatures for these conditions and whether the rock temperature goals were met. The WP surface temperatures from that analysis can be used as a boundary condition to determine the WP internal and SNF cladding temperatures.

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

7.5 Thermal Results

Each of the cases in Table 7.4-1 was submitted as an ANSYS batch job on a Hewlett-Packard 9000 Series 735 workstation. The output files are included in this design analysis as Attachments XV through XXV. At the end of the ANSYS output file for each case, tables of temperatures as a function of time are printed for various locations in the thermal model. All of the results provided in this section were derived from these ANSYS V5.0A executions. All of the assumptions concerning geometry, material composition, boundary conditions, and other inputs are provided in Section 4.3.

To check the SNF effective conductivity method (used in the ANSYS solution) preliminary results, the Wooton-Epstein correlation (reference 5.14) was applied for each of the cases. This empirically derived correlation was shown to be conservative in Section 3.6.2 of the BR-100 Spent Fuel Shipping Cask report (reference 5.38). The Wooton-Epstein relationship is described by Equation 7.5-1.

$$q'' = \sigma \frac{C_1}{\frac{1}{\epsilon_{cl}} + \frac{1}{\epsilon_{ba}} - 1} (T_{cl}^4 - T_{ba}^4) + C_2 (T_{cl} - T_{ba})^{\frac{4}{3}}$$

(Equation 7.5-1)

Where:

- q'' = heat flux from SNF based on the basket inner surface heat transfer area (Btu/hr·ft²)
- C_1 = constant depending on the spent fuel rod array size,
 $= 4N/(N+1)^2$ for odd N
 $= 4/(N+2)$ for even N
- C_2 = regression constant = 0.118
- N = number of fuel pins in a single row of a square spent fuel assembly
- T_{cl} = cladding surface temperature (absolute scale, °R)
- T_{ba} = basket surface temperature (absolute scale, °R)
- ϵ_{cl} = cladding surface emissivity
- ϵ_{ba} = basket surface emissivity
- σ = Stefan-Boltzmann constant (Btu/hr·ft²·°R⁴)

The relationship has two terms; one representing radiation heat transfer, and one representing gaseous convection in an array of heat producing rods. Because the cladding temperature occurs in both terms, the relation must be solved iteratively. A complete description of the correlation development is given in the Wooton-Epstein paper (reference 5.14). For this

analysis, the same material properties and conditions were assumed with the Wooton-Epstein relation that were used in the ANSYS model (see assumption 4.3.4, 4.3.5, 4.3.6, 4.3.8, 4.3.16, 4.3.18, and 4.3.23):

Stefan-Boltzmann constant	1.714×10^{-9} (Btu/hr-ft ² ·°R ⁴)
Cladding emissivity	0.806 (0.002 inch oxidation layer, Ref.5.11)
Basket emissivity	0.600 (Stainless steel 316L)
Basket cell width	228.6 mm (9.0 inches)
SNF array size (N)	15 pins
Assembly active length	3601.72 mm (141.8 inches)
Axial peaking factor	1.25

The conservative peak cladding temperatures were calculated with the Wooton-Epstein correlation, the above values for required parameters, and the ANSYS calculated peak basket temperatures.

Attachment IX, pages 1 through 11, summarizes the temperature data for each of the cases analyzed. Both "conservative" estimates of peak cladding temperatures using the Wooton-Epstein correlation, and "best estimate" predictions using the effective conductivity method are presented in the tables. Peak cladding temperatures using effective conductivity are calculated directly in the ANSYS program, and Wooton-Epstein calculations for each time step in the ANSYS analysis were also performed for comparison.

The thermal history for each base case is presented graphically in Figures 7.5-1 through 7.5-12. The highest peak conservative estimate for SNF cladding temperature was 280°C which can be compared to the thermal goal of 350°C. The results show that a greater WP spacing results in lower near-field temperatures.

Peak temperatures inside the WP occur between the time of emplacement and the time of peak drift wall temperatures. At emplacement, the SNF heat load is at its highest but the drift is still cool; by the time of peak drift temperatures, the heat load has decayed so that internal temperature drops are lower. As indicated in Table 8-1, the time of peak temperatures varies depending on thermal loading, WP spacing, and the time-dependent WP decay heat (SNF type). For most design basis SNF types, peak WP internal temperatures will occur in less than ten years after emplacement even though WP surface temperatures do not peak until much later.

The historic MPC PWR design basis of 10 years old, 40 GWd/MTU burnup was evaluated (case ma12b1) so that the current solution results can be compared to the MPC with disposal container analysis reported in the Repository/WP Initial Summary Report (p. 6-139, Ref. 5.29). The thermal history for this SNF type at 83 MTU/acre is presented in Figure 7.5-3. Figure 7.5-4 displays the temperature profile across the MPC basket and

disposal container for the time of peak internal temperatures (5 years). The peak conservative estimate for SNF cladding temperature was 256°C, which is comfortably below the cladding temperature limit of 350°C.

Figures 7.5-5 and 7.5-6 display the thermal history of the 12 PWR MPC with disposal container at 83 MTU/acre (20.5 kgU/m²) for the MGDS design basis SNF (ma12b3) and the MPC design basis SNF (ma12b2), respectively. The highest temperatures occur for the MGDS design basis SNF owing to its relatively young age of 10 years. The conservative estimate of peak cladding temperature for this case was 275°C, which is less than the thermal design goal (limit) of 350°C. Peak temperatures for the MPC design basis SNF were 37°C less than that for the MGDS design basis.

While 83 MTU/acre is considered a more likely scenario for a high thermal loading, a higher thermal loading of 100 MTU/acre was also evaluated to bound the WP internal temperatures for the full range of possible thermal loadings. Figures 7.5-1 and 7.5-2 display the thermal history of the 12 PWR MPC with disposal container at 100 MTU/acre (24.7 kgU/m²) for the MGDS (ma12x3) and MPC (ma12x2) SNF design bases respectively. The combination of short WP spacing and high thermal loading resulted in the highest temperature of all the cases. SNF cladding temperatures peaked at 280°C and average repository horizon temperatures remained above 150°C past 1,000 years. Calculations at LLNL (Ref. 5.32) have shown that above boiling conditions will persist for thousands of years at AMLs in this range; however, some rock thermal goals are close to upper limits.

Figures 7.5-7 and 7.5-8 display the thermal history of the 12 PWR MPC with disposal container at 25 MTU/acre (6.2 kgU/m²) with the long WP spacing (18.5 m) for the MGDS design basis SNF (ma12w3) and the MPC design basis SNF (ma12w2), respectively. Peak internal temperatures are near those for the high thermal loading because the peaks occur in the first few years before any effects of thermal loading have been realized. Figures 7.5-9 and 7.5-10 display the thermal history of the 12 PWR MPC with disposal container at the low thermal loading with an intermediate WP spacing for the MGDS design basis SNF (ma12j3) and the MPC design basis SNF (ma12j2) respectively. Because the WP spacing is similar to that for the 83 MTU/acre high thermal loading, similar temperatures are predicted for the first few years of emplacement. However, as thermal loading effects emerge, all of the low thermal loading results converge, as described in reference 5.13. Figures 7.5-11 and 7.5-12 display the thermal history of the 12 PWR MPC with disposal container at the low thermal loading with a short WP spacing for the MGDS design basis SNF (ma12h3) and the MPC design basis SNF (ma12h2) respectively. The highest internal temperature for all cases occurred where the MGDS design basis SNF is used and the shortest WP spacing (9.2 m) defines the thermal loading. The peak temperatures occur before drift-to-drift effects emerge such that WP spacing drives the near-field temperatures and cases ma12x3 (high thermal loading) and ma12h3 (low thermal loading) have nearly the same peak cladding temperature.

Figure 7.5-1, 12 PWR MPC, High Thermal Loading (#1), MGDS DBF

Figure 7.5-2, 12 PWR MPC, High Thermal Loading (#1), MPC DBF

Figure 7.5-3, 12 PWR MPC, High Thermal Loading (#2), MPC Historic DBF

Figure 7.5-4, Temperature Profile in 12 PWR MPC

Figure 7.5-5, 12 PWR MPC, High Thermal Loading (#2), MGDS DBF

Figure 7.5-6, 12 PWR MPC, High Thermal Loading (#2), MPC DBF

Figure 7.5-7, 12 PWR MPC, Low Thermal Loading (#1), MGDS DBF

Figure 7.5-8, 12 PWR MPC, Low Thermal Loading (#1), MPC DBF

Figure 7.5-9, 12 PWR MPC, Low Thermal Loading (#2), MGDS DBF

Figure 7.5-10, 12 PWR MPC, Low Thermal Loading (#2), MPC DBF

Figure 7.5-11, 12 PWR MPC, Low Thermal Loading (#3), MGDS DBF

Figure 7.5-12, 12 PWR MPC, Low Thermal Loading (#3), MPC DBF

8. Conclusions

Table 8-1 summarizes the peak temperatures and the time of occurrence for each of the cases analyzed. The thermal loading scenarios indicated in Table 8-1 are defined in Table 7.4-1, and the design basis SNF descriptions are provided in Table 7.2-1. Both "conservative" estimates of peak cladding temperatures using the Wootton-Epstein correlation and "best estimate" predictions using the effective conductivity method are presented in the table. Peak cladding temperatures using effective conductivity are calculated directly in the ANSYS program, and Wootton-Epstein calculations for each time step in the ANSYS analysis were also performed for comparison.

Table 8-1. 12 PWR MPC Thermal Analysis Results Summary

Thermal Load (MTU/acre) (WP Spacing)	Design Basis SNF	Peak Cladding				Peak Basket		MPC shell		WP Surface	
		Cons. Est.		Best Est.							
		°C	yrs	°C	yrs	°C	yrs	°C	yrs	°C	yrs
100 (9.2 m)	MGDS	280	5.0	258	5.0	243	8.0	200	40	184	60
	MPC	248	10	232	20	223	30	196	40	184	60
83 (11.1 m)	MGDS	275	2.0	251	3.0	233	7.0	180	30	160	50
	MPC	238	8.0	221	10	209	10	174	30	160	50
	Historic	256	5.0	235	5.0	221	8.0	177	30	160	50
25 (18.5 m)	MGDS	267	0.5	242	0.6	221	0.7	148	3.0	101	20
	MPC	219	2.0	199	2.0	183	3.0	134	6.0	101	20
25 (12.3 m)	MGDS	272	1.0	247	1.0	227	2.0	160	5.0	118	10
	MPC	227	3.0	208	4.0	194	4.0	148	8.0	118	10
25 (9.2 m)	MGDS	278	2.0	254	2.0	236	2.0	173	8.0	137	10
	MPC	237	4.0	219	5.0	206	6.0	163	8.0	137	10

The repository thermal loading has not been specified by the MGDS program and will not be finally established for years. Therefore, the thermal evaluation of the 12 PWR MPC conceptual design with respect to the repository has considered a number of thermal loading scenarios. For each repository thermal loading scenario, a 3-D repository emplacement (reference 5.13) and 2-D waste package evaluation were performed. As indicated by the data

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

provided in Table 8-1, the peak SNF cladding temperatures remain below 350°C for all WP spacings considered and the temperatures for the materials used in the MPC conceptual designs are not such that melting or rapid mechanical failure would occur.

The results of the thermal evaluations indicate that the 12 PWR MPC with disposal container design can satisfy the thermal limitations (i.e., goals) specified in Section 4.2.5 during normal expected conditions for disposal in the MGDS and therefore has a reasonable chance to meet the MGDS requirements for permanent disposal. Thus, this MPC conceptual design may be used as a point of departure for analysis of designs put forth by the MPC manufacturers. However, two points should be noted: 1) more analysis is required to determine conditions for anticipated off-normal conditions, drift backfill, and for the MPC vendor specific designs and 2) this analysis relies on input data which is TBV. These items need to be addressed in any work which utilizes these results.

Originator: Robert H. Bahney III	Checker: Thomas L. Lotz
---	--------------------------------

9. Attachments

The attachments included are summarized in Table 9-1.

Table 9-1. Attachments of Supporting Documentation for the 12 PWR MPC MGDS Analysis

Attachment Number	Title / Description	# of Pages
I	PHIA V.00B Code Listing (File name: phia00b.cpp)	4
II	PHIA V.00B code Database Input; Reference 5.30 (File name: heatdat.dat)	6
III	PHIA V. 00B code Output; ANSYS ready input. (File name: snf1048.dat)	1
IV	PHIA V.00B code Output; ANSYS ready input. (File name: snf2040.dat)	1
V	PHIA V.00B code Output; ANSYS ready input. (File name: snf1040.dat)	1
VI	Material Properties File for ANSYS; Data from Section 4.1. (File name: props01.dat)	3
VII	Effective Thermal Conductivity File; Reference 5.11 (File name: pwr15e.parm)	3
VIII	Model Mesh Plots of Geometry for case ma12b1 (File names: meshfull, meshgap, and meshrad.grph)	3
IX	Summary of MPC/WP Temperatures (Lotus 1-2-3 Tables)	11
X	Boundary Condition File from case c12x5a of reference 5.13 (File name: c12x5a.parm used in Attachments XV and XVI)	11
XI	Boundary Condition File from case c12b5a of reference 5.13 (File name: c12b5a.parm used in Attachments XVII, XVIII, and XIX)	11
XII	Boundary Condition File from case c12w5a of reference 5.13 (File name: c12w5a.parm used in Attachments XX and XXI)	11
XIII	Boundary Condition File from case c12j5a of reference 5.13 (File name: c12j5a.parm used in Attachments XXII and XXIII)	11
XIV	Boundary Condition File from case c12h5a of reference 5.13 (File name: c12h5a.parm used in Attachments XXIV and XXV)	11
XV	ANSYS Solution Output for 100 MTU/acre, 9.237 m WP spacing, and MGDS SNF case ma12x3 (File name: ma12x3.old.out)	222
XVI	ANSYS Solution Output for 100 MTU/acre, 9.237 m WP spacing, and MPC SNF case ma12x2 (File name: ma12x2.old.out)	195
XVII	ANSYS Solution Output for 83 MTU/acre, 11.129 m WP spacing, and MGDS SNF case ma12b3 (File name: ma12b3.old.out)	221
XVIII	ANSYS Solution Output for 83 MTU/acre, 11.129 m WP spacing, and MPC SNF case ma12b2 (File name: ma12b2.old.out)	213

Originator: Robert H. Bahney III

Checker: Thomas L. Lotz

XIX	ANSYS Solution Output for 83 MTU/acre, 11.129 m WP spacing, and MPC historic SNF case ma12b1 (File name: ma12b1.old.out)	219
XX	ANSYS Solution Output for 25 MTU/acre, 18.475 m WP spacing, and MGDS SNF case ma12w3 (File name: ma12w3.old.out)	248
XXI	ANSYS Solution Output for 25 MTU/acre, 18.475 m WP spacing, and MPC SNF case ma12w2 (File name: ma12w2.old.out)	236
XXII	ANSYS Solution Output for 25 MTU/acre, 12.317 m WP spacing, and MGDS SNF case ma12j3 (File name: ma12j3.old.out)	238
XXIII	ANSYS Solution Output for 25 MTU/acre, 12.317 m WP spacing, and MPC SNF case ma12j2 (File name: ma12j2.old.out)	220
XXIV	ANSYS Solution Output for 25 MTU/acre, 9.237 m WP spacing, and MGDS SNF case ma12h3 (File name: ma12h3.old.out)	231
XXV	ANSYS Solution Output for 25 MTU/acre, 9.237 m WP spacing, and MPC SNF case ma12h2 (File name: ma12h2.old.out)	220

```

/*phia.cpp Package Heat Input to ANSYS. Calculates heat heat as a
function of age, burnup, and initial enrichment which are input by the user.
If the user enters the value 0 for initial enrichment, the program calculates
the average initial enrichment expected for the input value of burnup
(based on the actual and EJA forecast of fuel loading and discharge
characteristics). The heat is evaluated and output for a series of times
up to 10,000 years, pre-selected to be most appropriate for input to ANSYS
temperature calculations of the waste package emplaced in the repository.
The heat calculation is performed by interpolation in a table of heat values
for specified values of age, burnup, and initial enrichment for both PWR
and BWR fuel types.
//subroutines, which are delivered by Systems Analysis Vienna in a
//compiled form and linked with the command
// [path]link heat.obj getheat.obj phia00b.obj,,;
*/
#include <conio.h>
#include <stdio.h>
#include <math.h>
#include <stdlib.h>
#include <float.h>
#include <string.h>
#include <ctype.h>
#include <time.h>
#include <graph.h>
#include "heat.h"

int bmatch=0; //for testing match of input burnup value
Heat h; //heat computation (interpolation) object (subroutine)
//of GetHeat class
float icheck(float,float,float,int); //Sanity check for data input
void buildref(); //Builds reference table for interpolating enrichment
float refburnup[7][2]; //Burnup values from which interpolation gives
//expected enrichment
assay[7][2][3]; //Enrichment values from which interpolation gives
//expected enrichment
getfloat(char*,int,int);

void main()
{long int i,j,k, //Temporary variables for indexing and looping
maxtime, //emplacement age plus 10,000
short type; //Fueltype from user input (BWR=>0; PWR=>P
float x, //Computed expected enrichment, if user inputs a=0
burnup, //User input burnup
mtupassy, //User input MTU/assy
age, //User input age at emplacement
a, //User input initial enrichment
time, //Age points at which heat is computed and output
eps=.00001, //Used to avoid testing for equality of floating point numbers
times[]={1, 1.0, 10.0, 100.0, 1000.0, 10000.0}, //times to shift
//time increments
dtimes[]={0.01, .05, .5, 5, 50, 500}; //Time increments for the above shift
//times
unsigned int num, //Index for main output loop
total, //Counts the cumulative number of output heat values,
//used for output at the head of each line
cycle; //Counter for times[] and dtimes[]
char buf[80], //Variable to receive output file name
c, datestr[15], numstr[3];
FILE *fout,*ferr;
buildref();
ferr=fopen("junk.e", "w");
clearscreen(_GCLLEARSCREEN);
printf("*****\n");
printf("*** Package Heat Input to ANSYS (PHIA) **\n");
printf("*** Enter the following parameters, separated by blanks, CR at end. **\n");
printf("*** **\n");
printf("*** Age at emplacement in years (must be greater than 1) **\n");
printf("*** Burnup (MWD/MTU), 10000<=burnup<=60000 for PWR **\n");
printf("*** 7500<=burnup<=50000 for BWR **\n");
printf("*** Enrichment in percent (zero if you wish to use average) **\n");

```



```

printf("*** Fuel Type (BWR=b, PWR=p) **\n");
printf("*** Mass of fuel per assembly (MTU/assy) **\n");
printf("*** **\n");
printf("*** Typical example: 5 35000 3.75 p .43 **\n");
printf("*****\n");
num=scanf("%f %f %c %f",&age,&burnup,&a,&c,&mtupassy);
type=(tolower(c)=='b')?0:1;
x=icheck(age,burnup,a,type);
printf("\nEnter name of file for output\n");
scanf("%s",buf);
while((fout=fopen(buf,"w"))!=NULL)
{
printf("Please enter a valid filename.\n");
scanf("%s",buf);
}
maxtime=age+10000;
strdate(datestr);
fprintf(fout, "/COM, ");
fprintf(fout, "*****\n");
fprintf(fout, "/COM, ");
fprintf(fout, "*** History of SNF Assembly Heat Generation Rates **\n");
fprintf(fout, "/COM, ");
fprintf(fout, "*** Output of PHIA, SCSI: B00000000-01717-1200-3000X Rev.00B **\n");
fprintf(fout, "/COM, ");
fprintf(fout, "*** **\n");
fprintf(fout, "/COM, ");
fprintf(fout, "*** Executable File Name: PHIA00B.EXE **\n");
fprintf(fout, "/COM, ");
fprintf(fout, "*** Output File Name: %-12s%22s**\n",buf," ");
fprintf(fout, "/COM, ");
fprintf(fout, "*** Execution Date: %-12s%22s**\n",datestr," ");
fprintf(fout, "/COM, ");
fprintf(fout, "*** Start Age (years): %-12.1f%22s**\n",age," ");
fprintf(fout, "/COM, ");
fprintf(fout, "*** Decay Period (years): %-12d%22s**\n",10000," ");
if(a==0)
{
fprintf(fout, "/COM, ");
fprintf(fout, "*** Default average enrichment for the burnup specified **\n");
}
fprintf(fout, "/COM, ");
fprintf(fout, "*** Enrichment (percent): %-12.2f%22s**\n",
(a>0)?a:x," ");
fprintf(fout, "/COM, ");
fprintf(fout, "*** Burnup (MWd/MTU): %-12.0f%22s**\n",burnup," ");
fprintf(fout, "/COM, ");
fprintf(fout, "*** Assembly Type: %-12s%22s**\n",
(type==0)?"BWR":"PWR"," ");
fprintf(fout, "/COM, ");
fprintf(fout, "*** SNF U Mass (MTU/assy): %-12.3f%22s**\n",mtupassy," ");
fprintf(fout, "/COM, ");
fprintf(fout, "*** **\n");
fprintf(fout, "/COM, ");
fprintf(fout, "*** ASSY(1) is the SNF assembly heat in Watts. **\n");
fprintf(fout, "/COM, ");
fprintf(fout, "*** ASSY(0) is the time post emplacement in years. **\n");
fprintf(fout, "*****\n");
time=.000001;
fprintf(fout, "ASSY( 1,1)=%9.2f,",
mtupassy*h.GetHeat(age+time,type,burnup,a));
num=1;
total=1;
cycle=0;
time=0;
while(time<10000) //Main output loop
{
total++;
if(time>=times[cycle]-eps)cycle++;
time+=dtimes[cycle];
fprintf(fout, "%9.2f,",mtupassy*h.GetHeat(age+time,type,burnup,a));
if(num<5)num++;
else
{
if(time<10000)fprintf(fout, "\nASSY(%2u,1)=",total+1);
num=0;
}
}

```

```

fprintf(fout, "\n");
fprintf(fout, "ASSY( 1,0)=%9.6f, ", 1.e-6);
num=1;
total=1;
cycle=0;
time=0;
while(time<10000)
{
    total++;
    fprintf(ferr, "%d %f %f\n", cycle, time, times[cycle]);
    if(time>=times[cycle]-eps) cycle++;
    time+=dtimes[cycle];
    fprintf(fout, "%9.2f, ", time);
    if(num<5) num++;
    else
        (if(time<10000) fprintf(fout, "\nASSY(%2u,0)=", total+1);
         num=0;)}
fprintf(fout, "\n");
fprintf(fout, "ASSY( 0,1)=1.0\n");
fprintf(fout, "/COM, ");
fprintf(fout, "*****\n");
fprintf(fout, "/EOF\n");

```

```

//This routine checks the input values for age, burnup, and enrichment
//for sanity. It also calculates the expected enrichment (for the input
//values of fueltype and burnup) if the user inputs 0.
float icheck(float age, float burn, float rich, int type)
{
    int i=0, j=0;
    float x;
    if(age<1) //Age must be at least 1 yr (by present law at least 5)
        {printf("Age cannot be less than 1. Please try again\n");
         exit(0);}
    if(burn>refburnup[5][type]) //Must fall within burnup range of heat value table
        {printf("Burnup too high, please try again\n");
         exit(0);}
    if(burn<refburnup[0][type])
        {printf("Burnup too low, please try again\n");
         exit(0);}
    while((i<5)&&(burn>refburnup[i][type]+1)) i++;
    if (burn==refburnup[i][type]) bmatch=1;
    if(rich>0)
        {if((bmatch==1)&&((rich<assay[i][type][0])||((rich>assay[i][type][2]))))
            {printf("Enrichment must be between %-.3f and %-.3f\n",
                 assay[i][type][0], assay[i][type][2]);
             printf("Please try again\n");
             exit(0);}
         else if((bmatch==0)&&((rich<assay[i][type][0])||((rich>assay[i-1][type][2]))))
            {printf("Enrichment must be between %-.3f and %-.3f\n",
                 assay[i][type][0], assay[i-1][type][2]);
             printf("Please try again\n");
             exit(0);}
        }
    if(rich==0) //Compute expected enrichment for this burnup
        if (bmatch==1) return(assay[i][type][1]); //If match, no need to interpolate
        else //Otherwise, interpolate
            {x=assay[i-1][type][1]+(burn-refburnup[i-1][type])*
              (assay[i][type][1]-assay[i-1][type][1])/
              (refburnup[i][type]-refburnup[i-1][type]);
             return(x);}
    return(0);}

```

```

//This routine builds the reference table used to check the sanity of
//the burnup and enrichment values input by the user, and to calculate
//the expected enrichment if the user enters the value 0.
void buildref()
{
    int i,j,k; //indexes for arrays in iteration loops
    char buf[300], //Buffer for reading data table input line
        c; //Variable to test fueltype
    FILE *fin;
    if ((fin=fopen("heatdat.dat", "r"))==NULL)

```

```
{printf("Cant open heatdat\n");exit(0);}
j=0;k=0;i=0;
while(fgets(buf,300,fin)!=NULL)
  if(((c=buf[0])=='B')||(c=='P'))//Test whether this line has reference values
    {j=(c=='B')?0:1;          //If so, read them.
      refburnup[i][j]=getfloat(buf,4,7);
      assay[i][j][k]=getfloat(buf,13,5);
      if(++k>2)
        {k=0;
          i++;}
      if(i>5)i=0;}
fclose(fin);}
```

```
//routine to read a float from a character string
float getfloat(char string[300], int start, int length)
{char temp[20];
int i,j;
for(i=start;i<start+length;i++) temp[i-start]=string[i];
temp[length]='\0';
return(atof(temp));}
```

SA TOTAL HEAT 92		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	
		21.	22.	23.	24.	25.	26.	27.	28.	29.	30.	31.	32.	33.	34.	35.	36.	37.	38.	39.	40.	
		41.	42.	43.	44.	45.	46.	47.	48.	49.	50.	51.	52.	53.	54.	55.	56.	57.	58.	59.	60.	
		61.	62.	63.	64.	65.	66.	67.	68.	69.	70.	71.	72.	73.	74.	75.	76.	77.	78.	79.	80.	
		81.	82.	83.	84.	85.	86.	87.	88.	89.	90.	91.	92.	93.	94.	95.	96.	97.	98.	99.	100.	
		101.	102.	103.	104.	105.	106.	107.	108.	109.	110.	111.	112.	113.	114.	115.	116.	117.	118.	119.	120.	
		121.	122.	123.	124.	125.	126.	127.	128.	129.	130.	140.	150.	200.	250.	300.	400.	500.	700.	1000.	1500.	
		2000.	2500.	3000.	4000.	5000.	7000.	10000.	20000.	50000.	100000.											
B/R	7500.	.72	4.081E+02	1.881E+03	1.062E+03	6.797E+02	4.958E+02	4.005E+02	3.494E+02	3.166E+02	3.009E+02	2.897E+02	2.788E+02	2.712E+02	2.652E+02	2.600E+02	2.561E+02	2.535E+02	2.478E+02	2.443E+02	2.411E+02	2.385E+02
			2.351E+02	2.329E+02	2.297E+02	2.272E+02	2.247E+02	2.223E+02	2.200E+02	2.177E+02	2.155E+02	2.137E+02	2.119E+02	2.092E+02	2.072E+02	2.052E+02	2.032E+02	2.012E+02	1.993E+02	1.975E+02	1.956E+02	1.938E+02
			1.920E+02	1.908E+02	1.885E+02	1.868E+02	1.851E+02	1.835E+02	1.819E+02	1.803E+02	1.787E+02	1.771E+02	1.757E+02	1.742E+02	1.727E+02	1.713E+02	1.699E+02	1.685E+02	1.671E+02	1.658E+02	1.645E+02	1.632E+02
			1.619E+02	1.606E+02	1.594E+02	1.581E+02	1.569E+02	1.558E+02	1.546E+02	1.534E+02	1.523E+02	1.512E+02	1.501E+02	1.490E+02	1.480E+02	1.470E+02	1.459E+02	1.449E+02	1.439E+02	1.430E+02	1.420E+02	1.411E+02
			1.402E+02	1.398E+02	1.384E+02	1.375E+02	1.366E+02	1.358E+02	1.350E+02	1.341E+02	1.333E+02	1.326E+02	1.318E+02	1.310E+02	1.303E+02	1.295E+02	1.288E+02	1.281E+02	1.274E+02	1.267E+02	1.260E+02	1.253E+02
			1.248E+02	1.242E+02	1.235E+02	1.229E+02	1.223E+02	1.217E+02	1.211E+02	1.205E+02	1.200E+02	1.194E+02	1.189E+02	1.183E+02	1.178E+02	1.173E+02	1.168E+02	1.162E+02	1.157E+02	1.153E+02	1.148E+02	1.143E+02
			1.138E+02	1.134E+02	1.129E+02	1.125E+02	1.120E+02	1.116E+02	1.112E+02	1.107E+02	1.103E+02	1.099E+02	1.061E+02	1.028E+02	9.135E+01	8.352E+01	7.753E+01	6.751E+01	5.945E+01	4.672E+01	3.404E+01	2.244E+01
			1.710E+01	1.442E+01	1.303E+01	1.166E+01	1.092E+01	9.672E+00	8.278E+00	5.243E+00	1.971E+00	5.958E-01										
B/R	7500.	1.05	3.656E+03	1.651E+03	9.297E+02	5.970E+02	4.382E+02	3.564E+02	3.128E+02	2.874E+02	2.711E+02	2.602E+02	2.511E+02	2.443E+02	2.386E+02	2.337E+02	2.296E+02	2.253E+02	2.216E+02	2.181E+02	2.148E+02	2.120E+02
			2.086E+02	2.058E+02	2.031E+02	2.005E+02	1.979E+02	1.955E+02	1.930E+02	1.907E+02	1.884E+02	1.864E+02	1.840E+02									

		1.209E+02	1.201E+02	1.194E+02	1.186E+02	1.178E+02	1.171E+02	1.164E+02	1.157E+02	1.150E+02	1.143E+02	1.081E+02	1.029E+02	8.662E+01	7.742E+01	7.130E+01	6.181E+01	5.456E+01	4.326E+01	3.212E+01	2.191E+01
		7.178E+01	1.476E+01	1.347E+01	1.214E+01	1.138E+01	1.005E+01	8.602E+00	5.431E+00	2.092E+00	7.251E-01										
BWR 22500.	1.72	7.089E+03	3.659E+03	2.276E+03	1.608E+03	1.268E+03	1.074E+03	9.601E+02	8.868E+02	8.358E+02	8.003E+02	7.682E+02	7.438E+02	7.230E+02	7.049E+02	6.908E+02	6.733E+02	6.597E+02	6.470E+02	6.351E+02	6.263E+02
		6.139E+02	6.034E+02	5.934E+02	5.838E+02	5.745E+02	5.655E+02	5.568E+02	5.483E+02	5.401E+02	5.325E+02	5.247E+02	5.169E+02	5.094E+02	5.021E+02	4.950E+02	4.881E+02	4.813E+02	4.747E+02	4.682E+02	4.618E+02
		4.557E+02	4.496E+02	4.437E+02	4.378E+02	4.322E+02	4.266E+02	4.211E+02	4.158E+02	4.106E+02	4.056E+02	4.007E+02	3.957E+02	3.908E+02	3.861E+02	3.816E+02	3.771E+02	3.727E+02	3.684E+02	3.642E+02	3.601E+02
		3.560E+02	3.520E+02	3.481E+02	3.443E+02	3.406E+02	3.369E+02	3.333E+02	3.298E+02	3.264E+02	3.230E+02	3.197E+02	3.164E+02	3.132E+02	3.101E+02	3.071E+02	3.041E+02	3.011E+02	2.982E+02	2.954E+02	2.926E+02
		2.899E+02	2.872E+02	2.846E+02	2.821E+02	2.796E+02	2.771E+02	2.747E+02	2.723E+02	2.700E+02	2.677E+02	2.655E+02	2.633E+02	2.611E+02	2.590E+02	2.569E+02	2.548E+02	2.528E+02	2.509E+02	2.490E+02	2.483E+02
		2.459E+02	2.440E+02	2.422E+02	2.404E+02	2.387E+02	2.370E+02	2.354E+02	2.337E+02	2.321E+02	2.306E+02	2.290E+02	2.275E+02	2.261E+02	2.246E+02	2.232E+02	2.218E+02	2.204E+02	2.191E+02	2.177E+02	2.164E+02
		2.151E+02	2.139E+02	2.126E+02	2.114E+02	2.102E+02	2.090E+02	2.079E+02	2.067E+02	2.056E+02	2.045E+02	1.945E+02	1.859E+02	1.577E+02	1.400E+02	1.280E+02	1.091E+02	9.511E+01	7.370E+01	5.301E+01	3.420E+01
		2.553E+01	2.119E+01	1.894E+01	1.671E+01	1.556E+01	1.354E+01	1.142E+01	6.881E+00	2.525E+00	8.879E-01										
BWR 22500.	2.42	6.606E+03	3.398E+03	2.116E+03	1.501E+03	1.191E+03	1.016E+03	9.130E+02	8.466E+02	8.001E+02	7.670E+02	7.371E+02	7.145E+02	6.950E+02	6.778E+02	6.633E+02	6.486E+02	6.353E+02	6.230E+02	6.113E+02	6.018E+02
		5.897E+02	5.794E+02	5.695E+02	5.601E+02	5.510E+02	5.421E+02	5.334E+02	5.250E+02	5.168E+02	5.103E+02	5.014E+02	4.937E+02	4.862E+02	4.789E+02	4.719E+02	4.649E+02	4.582E+02	4.515E+02	4.451E+02	4.387E+02
		4.325E+02	4.264E+02	4.205E+02	4.147E+02	4.090E+02	4.034E+02	3.979E+02	3.926E+02	3.874E+02	3.825E+02	3.777E+02	3.727E+02	3.679E+02	3.632E+02	3.586E+02	3.541E+02	3.497E+02	3.454E+02	3.412E+02	3.370E+02
		3.330E+02	3.290E+02	3.251E+02	3.212E+02	3.175E+02	3.138E+02	3.102E+02	3.067E+02	3.032E+02	2.999E+02	2.968E+02	2.938E+02	2.908E+02	2.878E+02	2.839E+02	2.809E+02	2.780E+02	2.751E+02	2.722E+02	2.695E+02
		2.668E+02	2.629E+02	2.615E+02	2.586E+02	2.549E+02	2.515E+02	2.482E+02	2.449E+02	2.426E+02	2.402E+02	2.389E+02	2.399E+02	2.399E+02	2.399E+02	2.399E+02	2.399E+02	2.399E+02	2.399E+02	2.399E+02	2.399E+02
		2.225E+02	2.207E+02	2.191E+02	2.174E+02	2.157E+02	2.140E+02	2.124E+02	2.108E+02	2.092E+02	2.077E+02	2.062E+02	2.047E+02	2.032E+02	2.018E+02	2.004E+02	1.990E+02	1.977E+02	1.963E+02	1.950E+02	1.937E+02
		1.925E+01	1.913E+01	1.900E+01	1.888E+01	1.877E+01	1.865E+01	1.854E+01	1.843E+01	1.832E+01	1.821E+01	1.724E+01	1.641E+01	1.375E+01	1.217E+01	1.112E+01	9.495E+00	8.300E+00	6.465E+00	4.695E+00	3.079E+00
		2.335E+01	1.951E+01	1.764E+01	1.566E+01	1.459E+01	1.275E+01	1.077E+01	6.599E+00	2.443E+00	8.733E-01										
BWR 22500.	3.12	6.223E+03	3.180E+03	1.989E+03	1.419E+03	1.133E+03	9.734E+02	8.795E+02	8.185E+02	7.755E+02	7.442E+02	7.166E+02	6.947E+02	6.758E+02	6.591E+02	6.454E+02	6.302E+02	6.171E+02	6.047E+02	5.931E+02	5.831E+02
		5.711E+02	5.608E+02	5.509E+02	5.413E+02	5.320E+02	5.229E+02	5.142E+02	5.056E+02	4.972E+02	4.901E+02	4.815E+02	4.736E+02	4.660E+02	4.586E+02	4.514E+02	4.443E+02	4.374E+02	4.306E+02	4.240E+02	4.176E+02
		4.112E+02	4.051E+02	3.990E+02	3.931E+02	3.873E+02	3.816E+02	3.760E+02	3.705E+02	3.652E+02	3.611E+02	3.555E+02	3.504E+02	3.455E+02	3.407E+02	3.360E+02	3.315E+02	3.270E+02	3.226E+02	3.183E+02	3.141E+02
		3.100E+02	3.059E+02	3.019E+02	2.981E+02	2.943E+02	2.906E+02	2.869E+02	2.833E+02	2.798E+02	2.764E+02	2.731E+02	2.698E+02	2.666E+02	2.634E+02	2.603E+02	2.573E+02	2.543E+02	2.514E+02	2.484E+02	2.458E+02
		2.431E+02	2.404E+02	2.378E+02	2.352E+02	2.327E+02	2.302E+02	2.278E+02	2.255E+02	2.231E+02	2.209E+02	2.185E+02	2.165E+02	2.143E+02	2.122E+02	2.102E+02	2.082E+02	2.062E+02	2.043E+02	2.024E+02	2.012E+02
		1.991E+02	1.972E+02	1.954E+02	1.937E+02	1.920E+02	1.904E+02	1.888E+02	1.872E+02	1.856E+02	1.841E+02	1.826E+02	1.812E+02	1.797E+02	1.783E+02	1.770E+02	1.756E+02	1.743E+02	1.730E+02	1.717E+02	1.704E+02
		1.692E+02	1.680E+02	1.668E+02	1.656E+02	1.645E+02	1.634E+02	1.623E+02	1.612E+02	1.601E+02	1.591E+02	1.497E+02	1.418E+02	1.170E+02	1.031E+02	9.418E+01	8.062E+01	7.075E+01	5.554E+01	4.082E+01	2.738E+01
		2.115E+01	1.798E+01	1.630E+01	1.457E+01	1.362E+01	1.198E+01	1.012E+01	6.124E+00	2.365E+00	8.640E-01										
BWR 30000.	2.23	8.221E+03	4.433E+03	2.877E+03	2.109E+03	1.706E+03	1.467E+03	1.322E+03	1.224E+03	1.154E+03	1.105E+03	1.060E+03	1.024E+03	9.939E+02	9.671E+02	9.454E+02	9.206E+02	9.008E+02	8.814E+02	8.636E+02	8.492E+02
		8.309E+02	8.152E+02	8.003E+02	7.859E+02	7.721E+02	7.586E+02	7.456E+02	7.330E+02	7.207E+02	7.107E+02	6.977E+02	6.862E+02	6.750E+02	6.643E+02	6.538E+02	6.436E+02	6.337E+02	6.240E+02	6.145E+02	6.052E+02
		5.962E+02	5.873E+02	5.787E+02	5.703E+02	5.620E+02	5.540E+02	5.461E+02	5.384E+02	5.309E+02	5.253E+02	5.166E+02	5.094E+02	5.025E+02	4.958E+02	4.892E+02	4.828E+02	4.766E+02	4.704E+02	4.644E+02	4.585E+02
		4.528E+02	4.472E+02	4.416E+02	4.362E+02	4.310E+02	4.258E+02	4.207E+02	4.158E+02	4.109E+02	4.061E+02	4.015E+02	3.969E+02	3.925E+02	3.881E+02	3.838E+02	3.796E+02	3.755E+02	3.715E+02	3.675E+02	3.636E+02
		3.599E+02	3.561E+02	3.525E+02	3.489E+02	3.455E+02	3.420E+02	3.387E+02	3.354E+02	3.322E+02	3.290E+02	3.259E+02	3.229E+02	3.199E+02	3.170E+02	3.141E+02	3.113E+02	3.085E+02	3.059E+02	3.032E+02	3.021E+02
		2.989E+02	2.962E+02	2.937E+02	2.913E+02	2.889E+02	2.865E+02	2.844E+02	2.821E+02	2.800E+02	2.778E+02	2.757E+02	2.737E+02	2.717E+02	2.697E+02	2.677E+02	2.658E+02	2.639E+02	2.621E+02	2.603E+02	2.585E+02
		2.567E+02	2.550E+02	2.533E+02	2.517E+02	2.501E+02	2.485E+02	2.469E+02	2.453E+02	2.438E+02	2.423E+02	2.287E+02	2.172E+02	1.797E+02	1.571E+02	1.423E+02	1.198E+02	1.041E+02	8.068E+01	5.843E+01	3.828E+01
		2.898E+01	2.426E+01	2.177E+01	1.984E+01	1.790E+01	1.595E+01	1.299E+01	7.674E+00	2.785E+00	1.058E+00										
BWR 30000.	2.93	7.694E+03	4.129E+03	2.681E+03	1.969E+03	1.598E+03	1.381E+03	1.248E+03	1.159E+03	1.095E+03	1.050E+03	1.007E+03	9.746E+02	9.466E+02	9.219E+02	9.024E+02	8.789E+02	8.599E+02	8.421E+02	8.254E+02	8.121E+02
		7.945E+02	7.796E+02	7.654E+02	7.518E+02	7.386E+02	7.258E+02	7.133E+02	7.012E+02	6.895E+02	6.802E+02	6.680E+02	6.569E+02	6.462E+02	6.358E+02	6.257E+02	6.159E+02	6.063E+02	5.968E+02	5.877E+02	5.787E+02
		5.699E+02	5.613E+02	5.529E+02	5.447E+02	5.367E+02	5.288E+02	5.212E+02	5.137E+02	5.063E+02	5.006E+02	4.923E+02	4.852E+02	4.785E+02	4.719E+02	4.655E+02	4.592E+02	4.531E+02	4.471E+02	4.412E+02	4.354E+02
		4.298E+02	4.242E+02	4.188E+02	4.135E+02	4.083E+02	4.032E+02	3.983E+02	3.934E+02	3.886E+02	3.839E+02	3.793E+02	3.749E+02	3.705E+02	3.661E+02	3.619E+02	3.578E+02	3.537E+02	3.498E+02	3.459E+02	3.421E+02
		3.383E+02	3.347E+02	3.311E+02	3.276E+02	3.241E+02	3.208E+02	3.175E+02	3.142E+02	3.111E+02	3.079E+02	3.049E+02	3.019E+02	2.990E+02	2.961E+02	2.933E+02	2.905E+02	2.878E+02	2.852E+02	2.826E+02	2.812E+02
		2.783E+02	2.757E+02	2.732E+02	2.708E+02	2.685E+02	2.662E+02	2.640E+02	2.618E+02	2.597E+02	2.576E+02	2.555E+02	2.535E+02	2.515E+02	2.495E+02	2.476E+02	2.457E+02	2.439E+02	2.421E+02	2.403E+02	2.386E+02
		2.369E+02	2.352E+02	2.335E+02	2.319E+02	2.303E+02	2.288E+02	2.272E+02	2.257E+02	2.242E+02	2.228E+02	2.095E+02	1.983E+02	1.624E+02	1.416E+02	1.282E+02	1.082E+02	9.414E+01	7.311E+01	5.331E+01	3.527E+01
		2.682E+01	2.269E+01	2.044E+01	1.813E+01	1.688E+01	1.466E+01	1.231E+01	7.335E+00	2.700E+00	1.019E+00										
BWR 30000.	3.63	7.245E+03	3.875E+03	2.521E+03	1.859E+03	1.516E+03	1.317E+03	1.195E+03	1.113E+03	1.054E+03	1.011E+03	9.718E+02	9.412E+02	9.146E+02	8.910E+02	8.719E+02	8.496E+02	8.313E+02	8.140E+02	7.977E+02	7.844E+02
		7.675E+02	7.530E+02	7.391E+02	7.257E+02	7.127E+02	7.001E+02	6.878E+02	6.759E+02	6.642E+02	6.547E+02										

		9.302E+02	9.154E+02	9.010E+02	8.870E+02	8.732E+02	8.598E+02	8.467E+02	8.340E+02	8.215E+02	8.113E+02	7.971E+02	7.852E+02	7.738E+02	7.627E+02	7.519E+02	7.413E+02	7.310E+02	7.209E+02	7.111E+02	7.014E+02
		6.922E+02	6.808E+02	6.737E+02	6.649E+02	6.563E+02	6.478E+02	6.395E+02	6.315E+02	6.235E+02	6.158E+02	6.082E+02	6.008E+02	5.935E+02	5.864E+02	5.794E+02	5.726E+02	5.659E+02	5.594E+02	5.530E+02	5.467E+02
		5.405E+02	5.345E+02	5.285E+02	5.229E+02	5.172E+02	5.117E+02	5.062E+02	5.009E+02	4.957E+02	4.906E+02	4.856E+02	4.807E+02	4.759E+02	4.712E+02	4.665E+02	4.620E+02	4.576E+02	4.532E+02	4.489E+02	4.446E+02
		4.418E+02	4.375E+02	4.334E+02	4.295E+02	4.257E+02	4.219E+02	4.185E+02	4.147E+02	4.112E+02	4.077E+02	4.043E+02	4.010E+02	3.977E+02	3.945E+02	3.913E+02	3.882E+02	3.852E+02	3.822E+02	3.793E+02	3.764E+02
		3.735E+02	3.708E+02	3.680E+02	3.654E+02	3.627E+02	3.601E+02	3.576E+02	3.551E+02	3.526E+02	3.502E+02	3.281E+02	3.095E+02	2.478E+02	2.110E+02	1.876E+02	1.542E+02	1.324E+02	1.020E+02	7.443E+01	4.962E+01
		3.821E+01	3.232E+01	2.915E+01	2.584E+01	2.405E+01	2.074E+01	1.733E+01	1.013E+01	3.695E+00	1.495E+00										
BWR 40000.	4.14	1.018E+04	5.827E+03	3.981E+03	3.037E+03	2.526E+03	2.208E+03	2.007E+03	1.866E+03	1.763E+03	1.687E+03	1.618E+03	1.563E+03	1.516E+03	1.475E+03	1.442E+03	1.401E+03	1.370E+03	1.340E+03	1.312E+03	1.291E+03
		1.262E+03	1.238E+03	1.214E+03	1.191E+03	1.169E+03	1.148E+03	1.127E+03	1.107E+03	1.088E+03	1.071E+03	1.051E+03	1.033E+03	1.015E+03	9.981E+02	9.815E+02	9.652E+02	9.494E+02	9.340E+02	9.189E+02	9.042E+02
		8.898E+02	8.758E+02	8.621E+02	8.487E+02	8.357E+02	8.229E+02	8.104E+02	7.982E+02	7.863E+02	7.770E+02	7.636E+02	7.522E+02	7.412E+02	7.306E+02	7.202E+02	7.101E+02	7.001E+02	6.904E+02	6.809E+02	6.716E+02
		6.626E+02	6.537E+02	6.449E+02	6.364E+02	6.281E+02	6.199E+02	6.119E+02	6.041E+02	5.964E+02	5.889E+02	5.815E+02	5.743E+02	5.673E+02	5.604E+02	5.536E+02	5.470E+02	5.405E+02	5.342E+02	5.279E+02	5.218E+02
		5.159E+02	5.100E+02	5.043E+02	4.987E+02	4.932E+02	4.878E+02	4.825E+02	4.773E+02	4.722E+02	4.672E+02	4.623E+02	4.576E+02	4.529E+02	4.483E+02	4.438E+02	4.393E+02	4.350E+02	4.308E+02	4.266E+02	4.244E+02
		4.196E+02	4.154E+02	4.114E+02	4.076E+02	4.039E+02	4.002E+02	3.967E+02	3.932E+02	3.897E+02	3.863E+02	3.830E+02	3.798E+02	3.766E+02	3.734E+02	3.704E+02	3.673E+02	3.644E+02	3.615E+02	3.586E+02	3.558E+02
		3.530E+02	3.508E+02	3.476E+02	3.450E+02	3.424E+02	3.399E+02	3.374E+02	3.350E+02	3.326E+02	3.302E+02	3.087E+02	2.904E+02	2.311E+02	1.963E+02	1.746E+02	1.434E+02	1.233E+02	9.519E+01	6.963E+01	4.666E+01
		3.605E+01	3.057E+01	2.763E+01	2.454E+01	2.287E+01	1.975E+01	1.654E+01	9.742E+00	3.603E+00	1.469E+00										
BWR 50000.	3.04	1.173E+04	6.986E+03	4.946E+03	3.875E+03	3.280E+03	2.897E+03	2.647E+03	2.467E+03	2.331E+03	2.227E+03	2.136E+03	2.061E+03	1.998E+03	1.937E+03	1.887E+03	1.834E+03	1.789E+03	1.747E+03	1.708E+03	1.674E+03
		1.635E+03	1.600E+03	1.566E+03	1.534E+03	1.503E+03	1.473E+03	1.444E+03	1.416E+03	1.389E+03	1.363E+03	1.338E+03	1.313E+03	1.288E+03	1.263E+03	1.238E+03	1.212E+03	1.187E+03	1.177E+03	1.157E+03	1.137E+03
		1.118E+03	1.099E+03	1.080E+03	1.062E+03	1.045E+03	1.028E+03	1.011E+03	9.953E+02	9.795E+02	9.638E+02	9.501E+02	9.350E+02	9.207E+02	9.068E+02	8.932E+02	8.800E+02	8.671E+02	8.546E+02	8.423E+02	8.303E+02
		8.185E+02	8.071E+02	7.959E+02	7.850E+02	7.743E+02	7.639E+02	7.537E+02	7.437E+02	7.340E+02	7.245E+02	7.152E+02	7.061E+02	6.972E+02	6.885E+02	6.800E+02	6.717E+02	6.636E+02	6.556E+02	6.478E+02	6.402E+02
		6.327E+02	6.254E+02	6.183E+02	6.113E+02	6.045E+02	5.978E+02	5.912E+02	5.848E+02	5.785E+02	5.723E+02	5.663E+02	5.604E+02	5.546E+02	5.490E+02	5.434E+02	5.380E+02	5.326E+02	5.274E+02	5.223E+02	5.197E+02
		5.136E+02	5.084E+02	5.035E+02	4.986E+02	4.938E+02	4.890E+02	4.845E+02	4.812E+02	4.770E+02	4.729E+02	4.689E+02	4.649E+02	4.610E+02	4.572E+02	4.534E+02	4.498E+02	4.461E+02	4.426E+02	4.391E+02	4.357E+02
		4.323E+02	4.290E+02	4.258E+02	4.226E+02	4.195E+02	4.164E+02	4.134E+02	4.104E+02	4.075E+02	4.046E+02	4.017E+02	3.988E+02	3.959E+02	3.930E+02	3.901E+02	3.872E+02	3.843E+02	3.814E+02	3.785E+02	3.756E+02
		4.380E+01	3.730E+01	3.376E+01	2.994E+01	2.788E+01	2.395E+01	1.984E+01	1.134E+01	4.048E+00	1.675E+00										
BWR 50000.	3.74	1.113E+04	6.581E+03	4.638E+03	3.625E+03	3.060E+03	2.702E+03	2.467E+03	2.299E+03	2.174E+03	2.080E+03	1.997E+03	1.928E+03	1.868E+03	1.815E+03	1.769E+03	1.722E+03	1.681E+03	1.643E+03	1.607E+03	1.577E+03
		1.542E+03	1.510E+03	1.480E+03	1.451E+03	1.423E+03	1.396E+03	1.369E+03	1.344E+03	1.319E+03	1.294E+03	1.272E+03	1.249E+03	1.227E+03	1.205E+03	1.184E+03	1.164E+03	1.144E+03	1.125E+03	1.106E+03	1.088E+03
		1.070E+03	1.052E+03	1.035E+03	1.018E+03	1.002E+03	9.864E+02	9.709E+02	9.558E+02	9.411E+02	9.269E+02	9.127E+02	8.986E+02	8.852E+02	8.721E+02	8.594E+02	8.470E+02	8.349E+02	8.230E+02	8.114E+02	8.001E+02
		7.891E+02	7.782E+02	7.676E+02	7.573E+02	7.472E+02	7.373E+02	7.276E+02	7.181E+02	7.089E+02	6.998E+02	6.909E+02	6.822E+02	6.737E+02	6.654E+02	6.573E+02	6.493E+02	6.415E+02	6.339E+02	6.264E+02	6.191E+02
		6.119E+02	6.049E+02	5.980E+02	5.913E+02	5.847E+02	5.783E+02	5.719E+02	5.657E+02	5.597E+02	5.537E+02	5.479E+02	5.422E+02	5.366E+02	5.311E+02	5.257E+02	5.204E+02	5.152E+02	5.102E+02	5.052E+02	5.008E+02
		4.969E+02	4.919E+02	4.871E+02	4.826E+02	4.781E+02	4.738E+02	4.695E+02	4.654E+02	4.613E+02	4.572E+02	4.533E+02	4.494E+02	4.456E+02	4.419E+02	4.382E+02	4.346E+02	4.310E+02	4.276E+02	4.241E+02	4.208E+02
		4.175E+02	4.143E+02	4.111E+02	4.079E+02	4.049E+02	4.018E+02	3.989E+02	3.960E+02	3.931E+02	3.902E+02	3.873E+02	3.844E+02	3.815E+02	3.786E+02	3.757E+02	3.728E+02	3.699E+02	3.670E+02	3.641E+02	3.612E+02
		4.195E+01	3.545E+01	3.210E+01	2.851E+01	2.653E+01	2.280E+01	1.896E+01	1.095E+01	3.950E+00	1.660E+00										
BWR 50000.	4.44	1.055E+04	6.206E+03	4.362E+03	3.404E+03	2.874E+03	2.537E+03	2.317E+03	2.162E+03	2.045E+03	1.959E+03	1.880E+03	1.816E+03	1.761E+03	1.713E+03	1.674E+03	1.627E+03	1.590E+03	1.555E+03	1.522E+03	1.496E+03
		1.463E+03	1.433E+03	1.405E+03	1.378E+03	1.352E+03	1.327E+03	1.303E+03	1.279E+03	1.256E+03	1.235E+03	1.213E+03	1.191E+03	1.170E+03	1.150E+03	1.131E+03	1.111E+03	1.092E+03	1.075E+03	1.057E+03	1.040E+03
		1.023E+03	1.006E+03	9.903E+02	9.746E+02	9.593E+02	9.443E+02	9.297E+02	9.154E+02	9.014E+02	8.906E+02	8.750E+02	8.616E+02	8.488E+02	8.363E+02	8.242E+02	8.124E+02	8.008E+02	7.895E+02	7.784E+02	7.676E+02
		7.569E+02	7.466E+02	7.364E+02	7.265E+02	7.168E+02	7.073E+02	6.980E+02	6.888E+02	6.799E+02	6.712E+02	6.626E+02	6.543E+02	6.461E+02	6.381E+02	6.302E+02	6.225E+02	6.150E+02	6.076E+02	6.004E+02	5.933E+02
		5.863E+02	5.795E+02	5.729E+02	5.664E+02	5.600E+02	5.537E+02	5.476E+02	5.416E+02	5.357E+02	5.299E+02	5.242E+02	5.187E+02	5.132E+02	5.079E+02	5.026E+02	4.975E+02	4.925E+02	4.876E+02	4.827E+02	4.802E+02
		4.745E+02	4.696E+02	4.650E+02	4.605E+02	4.562E+02	4.520E+02	4.478E+02	4.437E+02	4.398E+02	4.358E+02	4.320E+02	4.282E+02	4.245E+02	4.208E+02	4.173E+02	4.137E+02	4.103E+02	4.069E+02	4.036E+02	4.003E+02
		3.971E+02	3.939E+02	3.908E+02	3.878E+02	3.848E+02	3.818E+02	3.789E+02	3.761E+02	3.733E+02	3.705E+02	3.678E+02	3.654E+02	3.624E+02	3.594E+02	3.564E+02	3.534E+02	3.504E+02	3.474E+02	3.444E+02	3.414E+02
		3.934E+01	3.360E+01	3.048E+01	2.711E+01	2.523E+01	2.173E+01	1.811E+01	1.052E+01	3.858E+00	1.632E+00										
PWR 10000.	.99	5.071E+03	2.334E+03	1.321E+03	8.481E+02	6.203E+02	5.021E+02	4.380E+02	4.001E+02	3.758E+02	3.598E+02	3.458E+02	3.356E+02	3.272E+02	3.198E+02	3.140E+02	3.075E+02	3.021E+02	2.972E+02	2.925E+02	2.886E+02
		2.838E+02	2.798E+02	2.760E+02	2.723E+02	2.688E+02	2.654E+02	2.621E+02	2.588E+02	2.557E+02	2.530E+02	2.498E+02	2.468E+02	2.439E+02	2.411E+02	2.384E+02	2.357E+02	2.331E+02	2.305E+02	2.280E+02	2.255E+02
		2.231E+02	2.207E+02	2.183E+02	2.160E+02	2.138E+02	2.116E+02	2.094E+02	2.072E+02	2.051E+02	2.035E+02	2.010E+02	1.991E+02	1.971E+02	1.952E+02	1.934E+02	1.915E+02	1.897E+02	1.880E+02	1.862E+02	1.845E+02
		1.829E+02	1.812E+02	1.796E+02	1.780E+02	1.764E+02	1.749E+02	1.734E+02	1.719E+02	1.705E+02	1.690E+02	1.676E+02	1.663E+02	1.649E+02	1.636E+02	1.623E+02	1.610E+02	1.597E+02	1.585E+02	1.573E+02	1.561E+02
		1.549E+02	1.538E+02	1.526E+02	1.515E+02	1.504E+02	1.494E+02	1.483E+02	1.473E+02	1.463E+02	1.453E+02	1.443E+02	1.434E+02	1.424E+02	1.415E+02	1.406E+02	1.397E+02	1.388E+02	1.380E+02	1.371E+02	1.368E+02
		1.357E+02	1.349E+02	1.341E+02	1.																

4.257E+02 4.220E+02 4.188E+02 4.148E+02 4.112E+02 4.078E+02 4.044E+02 4.010E+02 3.977E+02 3.945E+02 3.652E+02 3.408E+02 2.605E+02 2.157E+02 1.884E+02 1.524E+02 1.305E+02 1.019E+02 7.720E+01 5.509E+01
4.473E+01 3.908E+01 3.588E+01 3.220E+01 2.999E+01 2.575E+01 2.135E+01 1.220E+01 4.378E+00 1.831E+00

```

/COM, *****
/COM, ** History of SNF Assembly Heat Generation Rates **
/COM, ** Output of PHIA, SCSI: B00000000-01717-1200-3000X Rev.00B **
/COM, **
/COM, ** Executable File Name: PHIA00B.EXE **
/COM, ** Output File Name: snf1048.dat **
/COM, ** Execution Date: 02/24/95 **
/COM, ** Start Age (years): 10.0 **
/COM, ** Decay Period (years): 10000 **
/COM, ** Enrichment (percent): 4.20 **
/COM, ** Burnup (MWd/MTU): 48086 **
/COM, ** Assembly Type: PWR **
/COM, ** SNF U Mass (MTU/assy): 0.464 **
/COM, **
/COM, ** ASSY(#,1) is the SNF assembly heat in Watts. **
/COM, ** ASSY(#,0) is the time post emplacement in years. **
/COM, *****
ASSY( 1,1)= 850.01, 849.62, 849.23, 848.85, 848.46, 848.08,
ASSY( 7,1)= 847.69, 847.31, 846.93, 846.54, 846.16, 844.26,
ASSY(13,1)= 842.37, 840.50, 838.63, 836.79, 834.95, 833.13,
ASSY(19,1)= 831.32, 829.52, 827.74, 825.96, 824.20, 822.45,
ASSY(25,1)= 820.72, 818.99, 817.28, 815.57, 813.88, 799.01,
ASSY(31,1)= 785.03, 772.20, 760.06, 749.04, 738.57, 729.55,
ASSY(37,1)= 720.95, 710.27, 700.07, 691.80, 683.86, 676.03,
ASSY(43,1)= 668.50, 661.13, 654.04, 648.19, 642.55, 580.18,
ASSY(49,1)= 529.86, 484.52, 445.36, 410.51, 380.70, 352.19,
ASSY(55,1)= 327.78, 305.88, 286.22, 268.57, 252.65, 238.31,
ASSY(61,1)= 225.35, 213.66, 203.85, 193.75, 185.04, 130.66,
ASSY(67,1)= 105.07, 90.10, 80.32, 72.66, 66.61, 61.74,
ASSY(73,1)= 57.58, 53.71, 50.41, 47.54, 44.98, 42.50,
ASSY(79,1)= 40.31, 38.35, 36.59, 35.00, 33.52, 23.16,
ASSY(85,1)= 18.32, 15.77, 14.37, 13.53, 12.84, 12.37,
ASSY(91,1)= 11.96, 11.47, 11.04, 10.66, 10.32, 9.97,
ASSY(97,1)= 9.65, 9.36, 9.09, 8.84, 8.61,
ASSY( 1,0)= 0.000001, 0.01, 0.02, 0.03, 0.04, 0.05,
ASSY( 7,0)= 0.06, 0.07, 0.08, 0.09, 0.10, 0.15,
ASSY(13,0)= 0.20, 0.25, 0.30, 0.35, 0.40, 0.45,
ASSY(19,0)= 0.50, 0.55, 0.60, 0.65, 0.70, 0.75,
ASSY(25,0)= 0.80, 0.85, 0.90, 0.95, 1.00, 1.50,
ASSY(31,0)= 2.00, 2.50, 3.00, 3.50, 4.00, 4.50,
ASSY(37,0)= 5.00, 5.50, 6.00, 6.50, 7.00, 7.50,
ASSY(43,0)= 8.00, 8.50, 9.00, 9.50, 10.00, 15.00,
ASSY(49,0)= 20.00, 25.00, 30.00, 35.00, 40.00, 45.00,
ASSY(55,0)= 50.00, 55.00, 60.00, 65.00, 70.00, 75.00,
ASSY(61,0)= 80.00, 85.00, 90.00, 95.00, 100.00, 150.00,
ASSY(67,0)= 200.00, 250.00, 300.00, 350.00, 400.00, 450.00,
ASSY(73,0)= 500.00, 550.00, 600.00, 650.00, 700.00, 750.00,
ASSY(79,0)= 800.00, 850.00, 900.00, 950.00, 1000.00, 1500.00,
ASSY(85,0)= 2000.00, 2500.00, 3000.00, 3500.00, 4000.00, 4500.00,
ASSY(91,0)= 5000.00, 5500.00, 6000.00, 6500.00, 7000.00, 7500.00,
ASSY(97,0)= 8000.00, 8500.00, 9000.00, 9500.00, 10000.00,
ASSY( 0,1)=1.0
/COM, *****
/EOF

```

```

/COM, *****
/COM, ** History of SNF Assembly Heat Generation Rates **
/COM, ** Output of PHIA, SCSI: B00000000-01717-1200-3000X Rev.00B **
/COM, **
/COM, ** Executable File Name: PHIA00B.EXE **
/COM, ** Output File Name: snf2040.dat **
/COM, ** Execution Date: 02/23/95 **
/COM, ** Start Age (years): 20.0 **
/COM, ** Decay Period (years): 10000 **
/COM, ** Enrichment (percent): 3.75 **
/COM, ** Burnup (MWD/MTU): 40000 **
/COM, ** Assembly Type: PWR **
/COM, ** SNF U Mass (MTU/assy): 0.490 **
/COM, **
/COM, ** ASSY( #,1) is the SNF assembly heat in Watts. **
/COM, ** ASSY( #,0) is the time post emplacement in years. **
/COM, *****
ASSY( 1,1)= 547.03, 546.90, 546.78, 546.65, 546.53, 546.40,
ASSY( 7,1)= 546.27, 546.15, 546.02, 545.89, 545.77, 545.14,
ASSY(13,1)= 544.51, 543.89, 543.27, 542.65, 542.03, 541.42,
ASSY(19,1)= 540.81, 540.20, 539.59, 538.98, 538.38, 537.78,
ASSY(25,1)= 537.18, 536.58, 535.99, 535.39, 534.80, 529.57,
ASSY(31,1)= 524.51, 519.30, 514.24, 509.52, 504.94, 500.22,
ASSY(37,1)= 495.64, 491.05, 486.59, 482.17, 477.88, 473.61,
ASSY(43,1)= 469.46, 465.32, 461.29, 458.01, 454.81, 417.06,
ASSY(49,1)= 384.59, 355.71, 330.93, 307.00, 286.48, 268.06,
ASSY(55,1)= 251.50, 236.57, 223.10, 210.95, 199.98, 190.04,
ASSY(61,1)= 181.76, 173.19, 165.80, 159.09, 152.92, 114.41,
ASSY(67,1)= 95.04, 83.37, 75.26, 68.74, 63.46, 59.05,
ASSY(73,1)= 55.13, 51.50, 48.39, 45.68, 43.17, 40.75,
ASSY(79,1)= 38.61, 36.70, 34.99, 33.43, 31.95, 21.75,
ASSY(85,1)= 16.98, 14.51, 13.18, 12.40, 11.76, 11.34,
ASSY(91,1)= 10.97, 10.54, 10.16, 9.82, 9.52, 9.20,
ASSY(97,1)= 8.92, 8.66, 8.42, 8.20, 7.99,
ASSY( 1,0)= 0.000001, 0.01, 0.02, 0.03, 0.04, 0.05,
ASSY( 7,0)= 0.06, 0.07, 0.08, 0.09, 0.10, 0.15,
ASSY(13,0)= 0.20, 0.25, 0.30, 0.35, 0.40, 0.45,
ASSY(19,0)= 0.50, 0.55, 0.60, 0.65, 0.70, 0.75,
ASSY(25,0)= 0.80, 0.85, 0.90, 0.95, 1.00, 1.50,
ASSY(31,0)= 2.00, 2.50, 3.00, 3.50, 4.00, 4.50,
ASSY(37,0)= 5.00, 5.50, 6.00, 6.50, 7.00, 7.50,
ASSY(43,0)= 8.00, 8.50, 9.00, 9.50, 10.00, 15.00,
ASSY(49,0)= 20.00, 25.00, 30.00, 35.00, 40.00, 45.00,
ASSY(55,0)= 50.00, 55.00, 60.00, 65.00, 70.00, 75.00,
ASSY(61,0)= 80.00, 85.00, 90.00, 95.00, 100.00, 150.00,
ASSY(67,0)= 200.00, 250.00, 300.00, 350.00, 400.00, 450.00,
ASSY(73,0)= 500.00, 550.00, 600.00, 650.00, 700.00, 750.00,
ASSY(79,0)= 800.00, 850.00, 900.00, 950.00, 1000.00, 1500.00,
ASSY(85,0)= 2000.00, 2500.00, 3000.00, 3500.00, 4000.00, 4500.00,
ASSY(91,0)= 5000.00, 5500.00, 6000.00, 6500.00, 7000.00, 7500.00,
ASSY(97,0)= 8000.00, 8500.00, 9000.00, 9500.00, 10000.00,
ASSY( 0,1)=1.0
/COM, *****
/EOF

```

```

/COM, *****
/COM, ** History of SNF Assembly Heat Generation Rates **
/COM, ** Output of PHIA, SCSI: B00000000-01717-1200-3000X Rev.00B **
/COM, **
/COM, ** Executable File Name: PHIA00B.EXE **
/COM, ** Output File Name: snf1040.dat **
/COM, ** Execution Date: 02/23/95 **
/COM, ** Start Age (years): 10.0 **
/COM, ** Decay Period (years): 10000 **
/COM, ** Enrichment (percent): 3.75 **
/COM, ** Burnup (MWd/MTU): 40000 **
/COM, ** Assembly Type: PWR **
/COM, ** SNF U Mass (MTU/assy): 0.490 **
/COM, **
/COM, ** ASSY(#,1) is the SNF assembly heat in Watts. **
/COM, ** ASSY(#,0) is the time post emplacement in years. **
/COM, *****
ASSY( 1,1)= 717.66, 717.33, 717.01, 716.68, 716.36, 716.04,
ASSY( 7,1)= 715.71, 715.39, 715.07, 714.75, 714.43, 712.84,
ASSY(13,1)= 711.25, 709.68, 708.12, 706.57, 705.03, 703.50,
ASSY(19,1)= 701.98, 700.48, 698.98, 697.49, 696.02, 694.55,
ASSY(25,1)= 693.09, 691.65, 690.21, 688.78, 687.36, 675.27,
ASSY(31,1)= 663.88, 653.34, 643.37, 634.33, 625.75, 618.25,
ASSY(37,1)= 611.09, 602.59, 594.48, 587.72, 581.25, 574.77,
ASSY(43,1)= 568.55, 562.56, 556.79, 551.83, 547.03, 495.64,
ASSY(49,1)= 454.81, 417.06, 384.59, 355.71, 330.93, 307.00,
ASSY(55,1)= 286.48, 268.06, 251.50, 236.57, 223.10, 210.95,
ASSY(61,1)= 199.98, 190.04, 181.76, 173.19, 165.80, 119.73,
ASSY(67,1)= 98.05, 83.25, 76.77, 69.93, 64.45, 59.87,
ASSY(73,1)= 55.93, 52.18, 48.97, 46.20, 43.69, 41.21,
ASSY(79,1)= 39.02, 37.07, 35.32, 33.73, 32.26, 21.87,
ASSY(85,1)= 17.04, 14.54, 13.20, 12.41, 11.77, 11.35,
ASSY(91,1)= 10.98, 10.55, 10.17, 9.83, 9.53, 9.21,
ASSY(97,1)= 8.92, 8.66, 8.42, 8.20, 8.00,
ASSY( 1,0)= 0.000001, 0.01, 0.02, 0.03, 0.04, 0.05,
ASSY( 7,0)= 0.06, 0.07, 0.08, 0.09, 0.10, 0.15,
ASSY(13,0)= 0.20, 0.25, 0.30, 0.35, 0.40, 0.45,
ASSY(19,0)= 0.50, 0.55, 0.60, 0.65, 0.70, 0.75,
ASSY(25,0)= 0.80, 0.85, 0.90, 0.95, 1.00, 1.50,
ASSY(31,0)= 2.00, 2.50, 3.00, 3.50, 4.00, 4.50,
ASSY(37,0)= 5.00, 5.50, 6.00, 6.50, 7.00, 7.50,
ASSY(43,0)= 8.00, 8.50, 9.00, 9.50, 10.00, 15.00,
ASSY(49,0)= 20.00, 25.00, 30.00, 35.00, 40.00, 45.00,
ASSY(55,0)= 50.00, 55.00, 60.00, 65.00, 70.00, 75.00,
ASSY(61,0)= 80.00, 85.00, 90.00, 95.00, 100.00, 150.00,
ASSY(67,0)= 200.00, 250.00, 300.00, 350.00, 400.00, 450.00,
ASSY(73,0)= 500.00, 550.00, 600.00, 650.00, 700.00, 750.00,
ASSY(79,0)= 800.00, 850.00, 900.00, 950.00, 1000.00, 1500.00,
ASSY(85,0)= 2000.00, 2500.00, 3000.00, 3500.00, 4000.00, 4500.00,
ASSY(91,0)= 5000.00, 5500.00, 6000.00, 6500.00, 7000.00, 7500.00,
ASSY(97,0)= 8000.00, 8500.00, 9000.00, 9500.00, 10000.00,
ASSY( 0,1)=1.0
/COM, *****
/EOF

```

```

/COM, *****
/COM, **      ANSYS 5.0 MPC MATERIAL PROPERTY TABLES      **
/COM, *****
/COM, **      Filename: props01.dat                          **
/COM, **      Compiled by R. Bahney III on 1-30-95          **
/COM, *****
/COM,
/COM, NUMBER MATERIAL DESCRIPTION
/COM, 1 Stainless Steel 316 Basket Structural Support
/COM, 2 Incaloy 825 Inner Container (resistant)
/COM, 3 A516 Mild Steel Outer Container (allowance)
/COM, 4 UO2 Pellet SNF Uranium Oxide Pellet
/COM, 5 Zircaloy 4 SNF Cladding
/COM, 6 Oxidation Layer Stably Oxidized Zircaloy Surface
/COM, 7 Helium Canister Fill Gas
/COM, 8 Air Alternate Fill Gas
/COM, 9 Nitrogen Alternate Fill Gas
/COM, 10 Argon Alternate Fill Gas
/COM, 11 Aluminum 6063 Thermal Conductor
/COM, 12 Copper Alternate Thermal Conductor
/COM, 13 Aluminum-Boron Aluminum Boron Criticality Matl
/COM,
/COM, *****
/COM, **      Density: DENS (kg/m^3) **
/COM, **      Emissivity EMIS **
/COM, **      Conductivity: KXX (W/m/K) **
/COM, **      Specific Heat: C (J/kg/K) **
/COM, *****
/COM,
/COM, Define densities for all materials except gases
MPTEMP
MPTEMP, 1, .00000E+00,
MPDATA,DENS, 1, 1, .80000E+04,
MPDATA,DENS, 2, 1, .81379E+04,
MPDATA,DENS, 3, 1, .81310E+04,
MPDATA,DENS, 4, 1, .10970E+05,
MPDATA,DENS, 5, 1, .65000E+04,
MPDATA,DENS, 6, 1, .65000E+04,
MPDATA,DENS, 11, 1, .26900E+04,
MPDATA,DENS, 12, 1, .89330E+04,
MPDATA,DENS, 13, 1, .26930E+04,
/COM,
/COM, Define emissivities for all materials except gases
MPDATA,EMIS, 1, 1, .60000E+00,
MPDATA,EMIS, 2, 1, .80000E+00,
MPDATA,EMIS, 3, 1, .80000E+00,
MPDATA,EMIS, 4, 1, .79000E+00,
MPDATA,EMIS, 5, 1, .80600E+00,
MPDATA,EMIS, 6, 1, .80600E+00,
MPDATA,EMIS, 11, 1, .07000E+00,
MPDATA,EMIS, 12, 1, .50000E+00,
MPDATA,EMIS, 13, 1, .07000E+00,
/COM,
/COM, Define specific heat for matl. 4, 5, 6, 7, 11, 14, 15
MPDATA, C, 4, 1, .24700E+03,
MPDATA, C, 5, 1, .33000E+03,
MPDATA, C, 6, 1, .33000E+03,
MPDATA, C, 7, 1, .51930E+04,
MPDATA, C, 11, 1, .90000E+03,
/COM,
/COM, Define K and C for materials 1, 3
MPTEMP
MPTEMP, 1, 21.11, 37.78, 65.56, 93.33, 121.11, 148.89,
MPTEMP, 7, 176.67, 204.44, 232.22, 260.00, 287.78, 315.56,
MPTEMP, 13, 343.33, 371.11, 398.89, 426.67, 454.44, 482.22,
MPTEMP, 19, 510.00, 537.78, 565.56, 593.33, 621.11, 648.89,
MPTEMP, 25, 676.67, 704.44, 732.22, 760.00, 787.78, 815.56,
MPDATA, KXX, 1, 1, 13.33, 13.67, 14.19, 14.54, 15.06, 15.58,
MPDATA, KXX, 1, 7, 15.92, 16.44, 16.96, 17.31, 17.83, 18.17,
MPDATA, KXX, 1, 13, 18.52, 19.04, 19.38, 19.90, 20.25, 20.77,

```

```

MPDATA, KXX, 1,19, 21.11, 21.46, 21.98, 22.33, 22.67, 23.02,
MPDATA, KXX, 1,25, 23.54, 23.88, 24.23, 24.58, 24.92, 25.27,
MPDATA, C, 1, 1, 481.68, 486.92, 498.09, 499.38, 509.98, 520.29,
MPDATA, C, 1, 7, 521.07, 527.38, 536.92, 537.34, 543.02, 543.31,
MPDATA, C, 1,13, 546.91, 552.14, 552.26, 557.22, 557.25, 565.11,
MPDATA, C, 1,19, 565.01, 564.91, 572.35, 572.14, 574.92, 574.68,
MPDATA, C, 1,25, 581.64, 581.30, 583.86, 586.36, 585.96, 588.39,
MPDATA, KXX, 3, 1, 40.84, 41.36, 41.88, 42.23, 42.23, 42.23,
MPDATA, KXX, 3, 7, 42.06, 41.88, 41.36, 41.02, 40.50, 39.98,
MPDATA, KXX, 3,13, 39.29, 38.77, 38.08, 37.56, 36.69, 36.17,
MPDATA, KXX, 3,19, 35.48, 34.61, 33.92, 33.23, 32.36, 31.50,
MPDATA, KXX, 3,25, 30.29, 28.90, 27.35, 26.48, 26.13, 26.13,
MPDATA, C, 3, 1, 428.72, 444.95, 460.94, 476.87, 486.08, 495.66,
MPDATA, C, 3, 7, 506.09, 517.07, 525.64, 536.99, 543.63, 550.62,
MPDATA, C, 3,13, 562.21, 577.32, 589.10, 600.57, 611.35, 629.09,
MPDATA, C, 3,19, 645.32, 665.12, 682.07, 694.52, 724.07, 761.95,
MPDATA, C, 3,25, 806.31, 888.60,1095.04,1638.78, 808.68, 736.90,

```

/COM,

/COM,

Define K for material 2

MPTEMP

```

MPTEMP, 1, 93.33, 121.11, 148.89, 176.67, 204.44, 232.22,
MPTEMP, 7, 260.00, 287.78, 315.56, 343.33, 371.11, 398.89,
MPTEMP, 13, 426.67, 454.44, 482.22, 510.00, 537.78, 565.56,
MPTEMP, 19, 593.33, 621.11, 648.89, 676.67, 704.44, 732.22,
MPTEMP, 25, 760.00, 787.78, 815.56,
MPDATA, KXX, 2, 1, 12.29, 12.63, 13.15, 13.67, 14.02, 14.54,
MPDATA, KXX, 2, 7, 14.88, 15.40, 15.75, 16.10, 16.61, 16.96,
MPDATA, KXX, 2,13, 17.31, 17.65, 18.00, 18.52, 18.86, 19.21,
MPDATA, KXX, 2,19, 19.73, 20.08, 20.42, 20.94, 21.46, 21.98,
MPDATA, KXX, 2,25, 22.33, 23.02, 23.54,

```

/COM,

/COM,

Define C for material 2

MPTEMP

```

MPTEMP, 1, 93.33, 121.11, 148.89, 176.67, 204.44, 232.22,
MPTEMP, 7, 260.00, 287.78, 315.56, 343.33, 371.11, 398.89,
MPTEMP, 13, 426.67, 454.44, 482.22, 510.00, 537.78,
MPDATA, C, 2, 1, 460.69, 477.42, 501.02, 504.65, 498.12, 520.45,
MPDATA, C, 2, 7, 536.88, 559.85, 576.83, 576.21, 581.68, 598.20,
MPDATA, C, 2,13, 619.58, 636.76, 654.20, 678.25, 696.29,

```

/COM,

/COM,

Define K for materials 4, 5, 6

MPTEMP

```

MPTEMP, 1, 0.0, 10.0, 20.0, 30.0, 40.0, 50.0,
MPTEMP, 7, 60.0, 70.0, 80.0, 90.0, 100.0, 110.0,
MPTEMP, 13, 120.0, 130.0, 140.0, 150.0, 160.0, 170.0,
MPTEMP, 19, 180.0, 190.0, 200.0, 210.0, 220.0, 230.0,
MPTEMP, 25, 240.0, 250.0, 260.0, 270.0, 280.0, 290.0,
MPTEMP, 31, 300.0, 310.0, 320.0, 330.0, 340.0, 350.0,
MPTEMP, 37, 360.0, 370.0, 380.0, 390.0, 400.0, 410.0,
MPTEMP, 43, 420.0, 430.0, 440.0, 450.0, 460.0, 470.0,
MPTEMP, 48, 480.0, 490.0, 500.0,
MPDATA, KXX, 4, 1, 8.72, 8.54, 8.36, 8.19, 8.03, 7.87,
MPDATA, KXX, 4, 7, 7.72, 7.58, 7.44, 7.31, 7.18, 7.05,
MPDATA, KXX, 4,13, 6.93, 6.82, 6.70, 6.60, 6.49, 6.39,
MPDATA, KXX, 4,19, 6.29, 6.19, 6.10, 6.01, 5.92, 5.84,
MPDATA, KXX, 4,25, 5.76, 5.68, 5.60, 5.52, 5.45, 5.38,
MPDATA, KXX, 4,31, 5.31, 5.24, 5.18, 5.11, 5.05, 4.99,
MPDATA, KXX, 4,37, 4.93, 4.87, 4.81, 4.76, 4.70, 4.65,
MPDATA, KXX, 4,43, 4.60, 4.55, 4.50, 4.45, 4.40, 4.35,
MPDATA, KXX, 4,48, 4.31, 4.27, 4.22,
MPDATA, KXX, 5, 1, 12.29, 12.44, 12.58, 12.72, 12.87, 13.01,
MPDATA, KXX, 5, 7, 13.15, 13.28, 13.42, 13.55, 13.69, 13.82,
MPDATA, KXX, 5,13, 13.95, 14.08, 14.21, 14.34, 14.46, 14.59,
MPDATA, KXX, 5,19, 14.72, 14.84, 14.96, 15.09, 15.21, 15.33,
MPDATA, KXX, 5,25, 15.45, 15.57, 15.69, 15.81, 15.93, 16.05,
MPDATA, KXX, 5,31, 16.17, 16.29, 16.40, 16.52, 16.64, 16.76,
MPDATA, KXX, 5,37, 16.88, 16.99, 17.11, 17.23, 17.35, 17.46,
MPDATA, KXX, 5,43, 17.58, 17.70, 17.82, 17.94, 18.06, 18.18,
MPDATA, KXX, 5,48, 18.30, 18.42, 18.54,
MPDATA, KXX, 6, 1, 1.94, 1.94, 1.94, 1.94, 1.94, 1.94,

```

```

MPDATA, KXX, 6, 7, 1.94, 1.95, 1.95, 1.95, 1.95, 1.95,
MPDATA, KXX, 6, 13, 1.95, 1.95, 1.96, 1.96, 1.96, 1.96,
MPDATA, KXX, 6, 19, 1.96, 1.97, 1.97, 1.97, 1.97, 1.98,
MPDATA, KXX, 6, 25, 1.98, 1.98, 1.98, 1.99, 1.99, 1.99,
MPDATA, KXX, 6, 31, 2.00, 2.00, 2.00, 2.01, 2.01, 2.01,
MPDATA, KXX, 6, 37, 2.02, 2.02, 2.02, 2.03, 2.03, 2.03,
MPDATA, KXX, 6, 43, 2.04, 2.04, 2.04, 2.05, 2.05, 2.06,
MPDATA, KXX, 6, 48, 2.06, 2.06, 2.07,

```

```

/COM,
/COM, Define p, K, C for materials 7, 8, 9, ~10

```

```

MPTEMP
MPTEMP, 1, -13.15, 6.85, 26.85, 76.85, 126.85, 176.85,
MPTEMP, 7, 226.85, 276.85, 326.85, 376.85, 426.85, 476.85,
MPTEMP, 13, 526.85, 626.85, 726.85,
MPDATA, DENS, 7, 1, 0.1875, 0.1750, 0.1625, 0.1422, 0.1219, 0.1097,
MPDATA, DENS, 7, 7, 0.0975, 0.0906, 0.0836, 0.0767, 0.0697, 0.0662,
MPDATA, DENS, 7, 13, 0.0627, 0.0558, 0.0488,
MPDATA, KXX, 7, 1, 0.1370, 0.1450, 0.1520, 0.1700, 0.1870, 0.2040,
MPDATA, KXX, 7, 7, 0.2200, 0.2360, 0.2520, 0.2640, 0.2780, 0.2910,
MPDATA, KXX, 7, 13, 0.3040, 0.3300, 0.3540,
MPDATA, DENS, 8, 1, 1.3480, 1.2547, 1.1614, 0.9950, 0.8711, 0.7740,
MPDATA, DENS, 8, 7, 0.6964, 0.6329, 0.5804, 0.5356, 0.4975, 0.4643,
MPDATA, DENS, 8, 13, 0.4354, 0.3868, 0.3482,
MPDATA, KXX, 8, 1, 0.0230, 0.0250, 0.0260, 0.0300, 0.0340, 0.0370,
MPDATA, KXX, 8, 7, 0.0410, 0.0440, 0.0470, 0.0500, 0.0520, 0.0550,
MPDATA, KXX, 8, 13, 0.0570, 0.0620, 0.0670,
MPDATA, C, 8, 1, 1006.2, 1006.6, 1007.0, 1009.0, 1014.0, 1021.0,
MPDATA, C, 8, 7, 1030.0, 1040.0, 1051.0, 1063.0, 1075.0, 1087.0,
MPDATA, C, 8, 13, 1099.0, 1121.0, 1141.0,
MPDATA, DENS, 9, 1, 1.3037, 1.2135, 1.1233, 0.9625, 0.8425, 0.7485,
MPDATA, DENS, 9, 7, 0.6739, 0.6124, 0.5615, 0.5214, 0.4812, 0.4512,
MPDATA, DENS, 9, 13, 0.4211, 0.3743, 0.3368,
MPDATA, KXX, 9, 1, 0.0230, 0.0240, 0.0260, 0.0290, 0.0330, 0.0360,
MPDATA, KXX, 9, 7, 0.0390, 0.0420, 0.0450, 0.0470, 0.0500, 0.0520,
MPDATA, KXX, 9, 13, 0.0550, 0.0600, 0.0650,
MPDATA, C, 9, 1, 1041.8, 1041.4, 1041.0, 1042.0, 1045.0, 1050.0,
MPDATA, C, 9, 7, 1056.0, 1065.0, 1075.0, 1086.5, 1098.0, 1159.0,
MPDATA, C, 9, 13, 1220.0, 1146.0, 1167.0,
MPDATA, KXX, 10, 1, 0.0170, 0.0170, 0.0180, 0.0210, 0.0230, 0.0250,
MPDATA, KXX, 10, 7, 0.0270, 0.0280, 0.0300, 0.0320, 0.0340, 0.0360,
MPDATA, KXX, 10, 13, 0.0370, 0.0410, 0.0440,

```

```

/COM,
/COM, Define K and C for material 12

```

```

MPTEMP
MPTEMP, 1, -73.15, 26.85, 126.85, 326.85, 526.85, 726.85,
MPDATA, KXX, 12, 1, 413.0, 401.0, 393.0, 379.0, 366.0, 352.0,
MPDATA, C, 12, 1, 356.0, 385.0, 397.0, 417.0, 433.0, 451.0,

```

```

/COM,
/COM, Define K and C for material 13

```

```

MPTEMP
MPTEMP, 1, 23.00, 50.00, 100.00, 150.00, 200.00,
MPDATA, KXX, 13, 1, 182.56, 190.17, 199.22, 202.91, 203.72,
MPDATA, C, 13, 1, 868.00, 903.00, 946.00, 976.00, 998.00,

```

```

/COM,
/COM, *****
/COM, ** End of Material Property List **
/COM, *****
/EOF,
/COM, *****

```

/NOPR

```

*SET,ACTVL , 3.601720000000
*SET,ARAD , .1239504909660E-02
*SET,ASSYH , 1000.000000000
*SET,CELLT , .1000000000000E-01
*SET,CELLW , .2235000000000
*SET,CIRAD , .4787900000000E-02
*SET,CORAD , .5461000000000E-02
*SET,GIRAD , .6324600000000E-02
*SET,GORAD , .6731000000000E-02
*SET,HEAT , 6409.172635082
*SET,IINC , 10.00000000000
*SET,IIRAD , .5600700000000E-02
*SET,IORAD , .6261100000000E-02
*SET,ITIME , 37.00000000000
*SET,JINC , 5.000000000000
*DIM,KEFF ,TABLE, 9, 4, 1
*SET,KEFF ( 1, 0, 1), 25.00000000000
*SET,KEFF ( 2, 0, 1), 50.00000000000
*SET,KEFF ( 3, 0, 1), 100.00000000000
*SET,KEFF ( 4, 0, 1), 150.00000000000
*SET,KEFF ( 5, 0, 1), 200.00000000000
*SET,KEFF ( 6, 0, 1), 250.00000000000
*SET,KEFF ( 7, 0, 1), 300.00000000000
*SET,KEFF ( 8, 0, 1), 350.00000000000
*SET,KEFF ( 9, 0, 1), 400.00000000000
*SET,KEFF ( 0, 1, 1), 250.00000000000
*SET,KEFF ( 1, 1, 1), .4462898346325
*SET,KEFF ( 2, 1, 1), .4884861426406
*SET,KEFF ( 3, 1, 1), .5822627436872
*SET,KEFF ( 4, 1, 1), .6906131875179
*SET,KEFF ( 5, 1, 1), .8148335702199
*SET,KEFF ( 6, 1, 1), .9564229119827
*SET,KEFF ( 7, 1, 1), 1.117373197332
*SET,KEFF ( 8, 1, 1), 1.294845496522
*SET,KEFF ( 9, 1, 1), 1.491623748012
*SET,KEFF ( 0, 2, 1), 500.00000000000
*SET,KEFF ( 1, 2, 1), .4566834560378
*SET,KEFF ( 2, 2, 1), .4987585993738
*SET,KEFF ( 3, 2, 1), .5920936161489
*SET,KEFF ( 4, 2, 1), .7002361353309
*SET,KEFF ( 5, 2, 1), .8240869975743
*SET,KEFF ( 6, 2, 1), .9654324098614
*SET,KEFF ( 7, 2, 1), 1.126096795537
*SET,KEFF ( 8, 2, 1), 1.302973105114
*SET,KEFF ( 9, 2, 1), 1.499622782682
*SET,KEFF ( 0, 3, 1), 750.00000000000
*SET,KEFF ( 1, 3, 1), .4669188227797
*SET,KEFF ( 2, 3, 1), .5088491226087
*SET,KEFF ( 3, 3, 1), .6018453279116
*SET,KEFF ( 4, 3, 1), .7097973424544
*SET,KEFF ( 5, 3, 1), .8332874321423
*SET,KEFF ( 6, 3, 1), .9743938619673
*SET,KEFF ( 7, 3, 1), 1.134783325172
*SET,KEFF ( 8, 3, 1), 1.311071969970
*SET,KEFF ( 9, 3, 1), 1.507600787571
*SET,KEFF ( 0, 4, 1), 1000.000000000
*SET,KEFF ( 1, 4, 1), .4769704103737
*SET,KEFF ( 2, 4, 1), .5187048443046
*SET,KEFF ( 3, 4, 1), .6114707892207
*SET,KEFF ( 4, 4, 1), .7192283844642
*SET,KEFF ( 5, 4, 1), .8424051493422
*SET,KEFF ( 6, 4, 1), .9832819568422
*SET,KEFF ( 7, 4, 1), 1.143406129911
*SET,KEFF ( 8, 4, 1), 1.319116175949
*SET,KEFF ( 9, 4, 1), 1.515542429122
*DIM,KEFFAV ,TABLE, 9, 1, 1
*SET,KEFFAV ( 1, 0, 1), 25.00000000000
*SET,KEFFAV ( 2, 0, 1), 50.00000000000
*SET,KEFFAV ( 3, 0, 1), 100.00000000000

```



```

*SET,KEFFAV ( 4, 0, 1), 150.0000000000
*SET,KEFFAV ( 5, 0, 1), 200.0000000000
*SET,KEFFAV ( 6, 0, 1), 250.0000000000
*SET,KEFFAV ( 7, 0, 1), 300.0000000000
*SET,KEFFAV ( 8, 0, 1), 350.0000000000
*SET,KEFFAV ( 9, 0, 1), 400.0000000000
*SET,KEFFAV ( 1, 1, 1), .4617156309559
*SET,KEFFAV ( 2, 1, 1), .5036996772319
*SET,KEFFAV ( 3, 1, 1), .5969181192421
*SET,KEFFAV ( 4, 1, 1), .7049687624418
*SET,KEFFAV ( 5, 1, 1), .8286532873197
*SET,KEFFAV ( 6, 1, 1), .9698827851634
*SET,KEFFAV ( 7, 1, 1), 1.130414861988
*SET,KEFFAV ( 8, 1, 1), 1.307001686889
*SET,KEFFAV ( 9, 1, 1), 1.503597436847
*SET,KFACT , .2946854100000
*SET,OCRAD , .5511800000000E-02
*SET,OGRAD , .6781800000000E-02
*SET,OIRAD , .7086600000000E-02
*SET,PEAKF , 1.1531000000000
*SET,PI , 3.141592654000
*SET,PITCH , .1442720000000E-01
*DIM,PKASSY ,TABLE, 9, 4, 1
*SET,PKASSY ( 1, 0, 1), 25.00000000000
*SET,PKASSY ( 2, 0, 1), 50.00000000000
*SET,PKASSY ( 3, 0, 1), 100.00000000000
*SET,PKASSY ( 4, 0, 1), 150.00000000000
*SET,PKASSY ( 5, 0, 1), 200.00000000000
*SET,PKASSY ( 6, 0, 1), 250.00000000000
*SET,PKASSY ( 7, 0, 1), 300.00000000000
*SET,PKASSY ( 8, 0, 1), 350.00000000000
*SET,PKASSY ( 9, 0, 1), 400.00000000000
*SET,PKASSY ( 0, 1, 1), 250.00000000000
*SET,PKASSY ( 1, 1, 1), 37.53589292480
*SET,PKASSY ( 2, 1, 1), 61.50889117627
*SET,PKASSY ( 3, 1, 1), 109.7449898027
*SET,PKASSY ( 4, 1, 1), 158.2769277769
*SET,PKASSY ( 5, 1, 1), 207.0589887687
*SET,PKASSY ( 6, 1, 1), 256.0433072546
*SET,PKASSY ( 7, 1, 1), 305.1948833780
*SET,PKASSY ( 8, 1, 1), 354.4988153323
*SET,PKASSY ( 9, 1, 1), 403.9374818455
*SET,PKASSY ( 0, 2, 1), 500.00000000000
*SET,PKASSY ( 1, 2, 1), 49.55341570107
*SET,PKASSY ( 2, 2, 1), 72.56843298388
*SET,PKASSY ( 3, 2, 1), 119.1737054375
*SET,PKASSY ( 4, 2, 1), 166.3640770436
*SET,PKASSY ( 5, 2, 1), 213.9827112585
*SET,PKASSY ( 6, 2, 1), 261.9839302237
*SET,PKASSY ( 7, 2, 1), 310.3173263790
*SET,PKASSY ( 8, 2, 1), 358.9489721993
*SET,PKASSY ( 9, 2, 1), 407.8749636909
*SET,PKASSY ( 0, 3, 1), 750.00000000000
*SET,PKASSY ( 1, 3, 1), 61.08548867172
*SET,PKASSY ( 2, 3, 1), 83.22468357890
*SET,PKASSY ( 3, 3, 1), 128.3091367773
*SET,PKASSY ( 4, 3, 1), 174.1729994926
*SET,PKASSY ( 5, 3, 1), 220.7060866701
*SET,PKASSY ( 6, 3, 1), 267.8081827064
*SET,PKASSY ( 7, 3, 1), 315.3581246237
*SET,PKASSY ( 8, 3, 1), 363.3394324389
*SET,PKASSY ( 9, 3, 1), 411.8124455364
*SET,PKASSY ( 0, 4, 1), 1000.00000000000
*SET,PKASSY ( 1, 4, 1), 72.16463748731
*SET,PKASSY ( 2, 4, 1), 93.60412059719
*SET,PKASSY ( 3, 4, 1), 137.2395038928
*SET,PKASSY ( 4, 4, 1), 181.8653059081
*SET,PKASSY ( 5, 4, 1), 227.3430712462
*SET,PKASSY ( 6, 4, 1), 273.5286086213
*SET,PKASSY ( 7, 4, 1), 320.3330971594

```

```

*SET,PKASSY (      8,  4, 1), 367.6664204232
*SET,PKASSY (      9,  4, 1), 415.7499273818
*DIM,PKCLAD ,TABLE,  9,  4,  1
*SET,PKCLAD (      1,  0, 1), 25.000000000000
*SET,PKCLAD (      2,  0, 1), 50.000000000000
*SET,PKCLAD (      3,  0, 1), 100.000000000000
*SET,PKCLAD (      4,  0, 1), 150.000000000000
*SET,PKCLAD (      5,  0, 1), 200.000000000000
*SET,PKCLAD (      6,  0, 1), 250.000000000000
*SET,PKCLAD (      7,  0, 1), 300.000000000000
*SET,PKCLAD (      8,  0, 1), 350.000000000000
*SET,PKCLAD (      9,  0, 1), 400.000000000000
*SET,PKCLAD (      0,  1, 1), 250.000000000000
*SET,PKCLAD (      1,  1, 1), 38.21230776417
*SET,PKCLAD (      2,  1, 1), 62.07100495279
*SET,PKCLAD (      3,  1, 1), 110.1269035519
*SET,PKCLAD (      4,  1, 1), 158.5380915884
*SET,PKCLAD (      5,  1, 1), 207.2364699525
*SET,PKCLAD (      6,  1, 1), 256.1651792040
*SET,PKCLAD (      7,  1, 1), 305.2771255488
*SET,PKCLAD (      8,  1, 1), 354.5538395608
*SET,PKCLAD (      9,  1, 1), 403.9530871341
*SET,PKCLAD (      0,  2, 1), 500.000000000000
*SET,PKCLAD (      1,  2, 1), 50.82321986587
*SET,PKCLAD (      2,  2, 1), 73.64477987783
*SET,PKCLAD (      3,  2, 1), 119.9175214404
*SET,PKCLAD (      4,  2, 1), 166.8415148824
*SET,PKCLAD (      5,  2, 1), 214.3104275751
*SET,PKCLAD (      6,  2, 1), 262.2152904480
*SET,PKCLAD (      7,  2, 1), 310.4724898793
*SET,PKCLAD (      8,  2, 1), 359.0508677793
*SET,PKCLAD (      9,  2, 1), 407.8640024882
*SET,PKCLAD (      0,  3, 1), 750.000000000000
*SET,PKCLAD (      1,  3, 1), 62.88572034051
*SET,PKCLAD (      2,  3, 1), 84.76385269344
*SET,PKCLAD (      3,  3, 1), 129.3921961693
*SET,PKCLAD (      4,  3, 1), 174.9219810832
*SET,PKCLAD (      5,  3, 1), 221.2286364335
*SET,PKCLAD (      6,  3, 1), 268.1544205398
*SET,PKCLAD (      7,  3, 1), 315.5884877308
*SET,PKCLAD (      8,  3, 1), 363.4924369880
*SET,PKCLAD (      9,  3, 1), 411.7335809900
*SET,PKCLAD (      0,  4, 1), 1000.000000000000
*SET,PKCLAD (      1,  4, 1), 74.44976475639
*SET,PKCLAD (      2,  4, 1), 95.47108986491
*SET,PKCLAD (      3,  4, 1), 138.5726922766
*SET,PKCLAD (      4,  4, 1), 182.7935814245
*SET,PKCLAD (      5,  4, 1), 227.9984928952
*SET,PKCLAD (      6,  4, 1), 273.9870918251
*SET,PKCLAD (      7,  4, 1), 320.6279063683
*SET,PKCLAD (      8,  4, 1), 367.8802102641
*SET,PKCLAD (      9,  4, 1), 415.5627939776
*SET,PKT      , 415.7499273818
*SET,PORAD    , .46812200000000E-02
*SET,SIRAD    , .63754000000000E-02
*SET,SORAD    , .70358000000000E-02
*SET,SUMK     , 6.014389747387
*SET,TBSKT    , 400.000000000000
*SET,TMP      , 1.515542429122
*SET,VOLU     , .1799140178700
/GOPR

```

ANSYS 5.0 A
MAR 24 1995
20:10:21
PLOT NO. 1
ELEMENTS
MAT NUM

ZV =1
DIST=.841775
*XF =.076525

ANSYS 5.0 A
MAR 24 1995
20:10:25
PLOT NO. 1
ELEMENTS
MAT NUM
ZV =1
DIST=.841775
*XF =.076525

12 PWR MPC/Waste Package - 1/2 FEM Model

ANSYS 5.0 A
MAR 24 1995
20:10:27
PLOT NO. 1
ELEMENTS
TYPE NUM
ZV =1
DIST=.841775
*XF =.076525

Summary of MPC/WP Temperatures BBABA0000-01717-0200-00002 REV 00 ATTACHMENT IX - Page 1

12 PWR MPC with Disposal Container
 100 MTU/acre with 9.237 m WP Spacing
 10 year old, 48 GWd/MTU burnup design basis SNF (WPD)

R. Bahney 11/30/95 P06: atx-02x.wk3

Time (years)	Heat Load (W/assy)	Wooten-E Pk Fuel	Eff Cond Pk Fuel	ANSYS FEM Temperature Results (Deg. C)						
				Basket	MPC Side	WP Side	Drift Wall	1m Rock	3m Rock	Df Midpln
0	850.01	260	233	211	130	58	26	26	26	26
0.1	846.16	269	243	222	145	83	60	43	29	26
0.2	842.37	272	246	226	150	90	68	51	34	26
0.3	838.63	274	248	228	152	94	74	56	38	27
0.4	834.95	275	250	229	155	98	79	61	42	29
0.5	831.32	276	251	230	157	101	82	64	45	30
0.6	827.74	276	251	231	158	104	85	67	47	32
0.7	824.20	277	252	232	160	106	88	70	50	34
0.8	820.72	277	253	233	161	108	90	72	52	36
0.9	817.28	278	253	234	162	110	92	75	54	37
1	813.88	278	254	234	163	112	94	77	56	39
2	785.03	280	256	237	170	123	108	91	72	55
3	760.06	280	257	239	174	131	116	100	82	66
4	738.57	280	258	240	178	137	123	107	90	75
5	720.95	280	258	241	181	142	129	113	96	82
6	700.07	280	258	242	183	146	134	119	101	87
7	683.86	280	258	242	185	150	138	123	105	92
8	668.50	279	258	243	187	153	142	127	109	95
9	654.04	278	258	243	188	155	145	130	112	97
10	642.55	278	257	242	189	157	147	132	115	99
20	529.86	270	252	239	196	171	163	151	137	125
30	445.36	263	247	236	200	180	173	163	151	141
40	380.70	255	241	231	200	183	178	169	159	150
50	327.78	247	234	226	199	184	180	172	163	155
60	286.22	240	229	221	197	184	180	174	166	158
70	252.65	234	223	217	195	184	180	174	167	160
80	225.35	228	218	212	193	183	179	174	167	161
90	203.85	223	214	208	191	182	179	173	167	162
100	185.04	219	210	205	189	180	178	173	167	162
200	105.07	198	192	189	179	174	172	169	166	163
300	80.32	188	183	180	173	169	168	165	163	160
400	66.61	182	178	176	170	166	165	163	161	159
500	57.58	178	175	173	168	165	164	162	160	158
600	50.41	175	172	170	165	163	162	160	158	157
700	44.98	172	168	167	163	160	159	158	157	155
800	40.31	168	165	164	160	158	157	156	154	153
900	36.59	165	162	161	157	155	155	154	152	151
1000	33.52	162	159	158	155	153	153	152	150	149

Summary of MPC/WP Temperatures BBABA0000-01717-0200-00002 REV 00 ATTACHMENT IX - Page 2

12 PWR MPC with Disposal Container
100 MTU/acre with 9.237 m WP Spacing
20 year old, 40 GWd/MTU burnup design basis SNF (MPC)

R. Bahney 11/30/95 File: mlt-02x.wk3

Time (years)	Heat Load (W/assy)	Wooten-E		ANSYS FEM Temperature Results (Deg. C)							
		Pk Fuel	Eff Cond Pk Fuel	Pk Basket	MPC Side	WP Side	Drift Wall	1m Rock	3m Rock	Df	MidPln
0	547.03	204	183	166	109	58	26	26	26	26	26
0.1	545.77	217	196	180	126	83	60	43	29	26	26
0.2	544.51	221	200	184	131	90	68	51	34	26	26
0.3	543.27	223	203	187	135	94	74	56	38	27	27
0.4	542.03	225	205	189	137	98	79	61	42	29	29
0.5	540.81	227	207	191	140	101	82	64	45	30	30
0.6	539.59	228	208	193	142	104	85	67	47	32	32
0.7	538.38	229	209	194	143	106	88	70	50	34	34
0.8	537.18	230	210	195	145	108	90	72	52	36	36
0.9	535.99	231	211	196	146	110	92	75	54	37	37
1	534.80	232	212	197	147	112	94	77	56	39	39
2	524.51	237	218	204	156	123	108	91	72	55	55
3	514.24	240	221	208	161	131	116	100	82	66	66
4	504.94	242	224	211	166	137	123	107	90	75	75
5	495.64	244	226	213	170	142	129	113	96	82	82
6	486.59	246	228	215	173	146	134	119	101	87	87
7	477.88	247	229	217	175	150	138	123	105	92	92
8	469.46	247	230	218	178	153	142	127	109	95	95
9	461.29	248	231	219	179	155	145	130	112	97	97
10	454.81	248	231	220	180	157	147	132	115	99	99
20	384.59	246	232	222	189	171	163	151	137	125	125
30	330.93	244	231	223	195	180	173	163	151	141	141
40	286.48	239	227	220	196	183	178	169	159	150	150
50	251.50	234	223	217	196	184	180	172	163	155	155
60	223.10	229	219	213	195	184	180	174	166	158	158
70	199.98	225	215	210	193	184	180	174	167	160	160
80	181.76	220	212	207	191	183	179	174	167	161	161
90	165.80	216	208	204	189	182	179	173	167	162	162
100	152.92	213	205	201	188	180	178	173	167	162	162
200	95.04	195	190	187	179	174	172	169	166	163	163
300	75.26	187	182	180	173	169	168	165	163	160	160
400	63.46	181	177	176	170	166	165	163	161	159	159
500	55.13	178	174	173	168	165	164	162	160	158	158
600	48.39	174	171	170	165	163	162	160	158	157	157
700	43.17	171	168	167	163	160	159	158	157	155	155
800	38.61	168	165	164	160	158	157	156	154	153	153
900	34.99	164	162	161	157	155	155	154	152	151	151
1000	31.95	162	159	158	155	153	153	152	150	149	149

Summary of MPC/WP Temperatures BBABA0000-01717-0200-00002 REV 00 ATTACHMENT IX - Page 3

12 PWR MPC with Disposal Container
83 MTU/acre with 11.129 m WP Spacing
10 year old, 48 GWd/MTU burnup design basis SNF (WPD)

R. Bahney 11/30/95 File: six-02b.wk3

Time (years)	Heat Load (W/assy)	Wooten-E Pk Fuel	Eff Cond Pk Fuel	ANSYS FEM Temperature Results (Deg. C)						
				Basket	MPC Side	WP Side	Drift Wall	1m Rock	3m Rock	Df MidPln
0	850.01	259	233	211	130	57	26	26	26	26
0.1	846.16	268	242	221	143	79	57	41	29	26
0.2	842.37	270	244	223	147	85	64	48	33	26
0.3	838.63	271	246	225	149	89	68	53	37	27
0.4	834.95	272	247	226	151	92	72	56	39	28
0.5	831.32	273	247	227	152	95	75	59	42	30
0.6	827.74	273	248	228	153	97	78	62	44	31
0.7	824.20	273	248	228	154	99	80	64	46	33
0.8	820.72	274	249	229	155	100	82	66	48	34
0.9	817.28	274	249	229	156	102	83	68	50	36
1	813.88	274	249	229	157	103	85	69	52	37
2	785.03	275	251	232	163	113	97	82	65	50
3	760.06	274	251	233	166	120	105	91	75	60
4	738.57	274	251	233	169	125	111	97	82	68
5	720.95	273	251	234	171	130	116	102	87	75
6	700.07	272	250	233	173	133	120	107	92	80
7	683.86	271	250	233	175	136	124	111	96	84
8	668.50	271	249	233	176	139	127	114	99	88
9	654.04	270	249	233	177	141	130	117	102	91
10	642.55	269	248	233	178	143	132	119	105	94
20	529.86	257	238	225	180	152	143	133	120	109
30	445.36	246	230	218	180	157	150	141	131	122
40	380.70	237	222	212	179	159	153	145	137	129
50	327.78	228	214	205	177	160	154	148	140	133
60	286.22	220	208	200	174	159	155	149	142	136
70	252.65	213	202	195	172	159	155	149	143	138
80	225.35	207	197	190	170	158	154	149	143	139
90	203.85	202	192	186	168	157	153	149	143	139
100	185.04	198	188	183	166	156	152	148	143	139
200	105.07	176	169	166	156	150	148	146	143	140
300	80.32	167	162	159	151	146	145	143	140	138
400	66.61	161	157	155	148	144	143	141	139	137
500	57.58	158	154	152	146	142	141	140	138	137
600	50.41	154	150	149	144	140	139	138	137	135
700	44.98	151	147	146	141	139	138	136	135	134
800	40.31	148	145	144	140	137	136	135	134	133
900	36.59	146	143	142	138	136	135	134	133	132
1000	33.52	144	141	140	136	134	134	133	132	131

Summary of MPC/WP Temperatures BBABA0000-01717-0200-00002 REV 00 ATTACHMENT IX - Page 4

12 PWR MPC with Disposal Container
83 MTU/acre with 11.129 m WP Spacing
20 year old, 40 GWd/MTU burnup design basis SNF (MPC)

R. Bahney 11/30/95 File: dx-02b.wk3

Time (years)	Heat Load (W/assy)	Wooten-E Pk Fuel	Eff Cond Pk Fuel	ANSYS FEM Temperature Results (Deg. C)							
				Pk Basket	MPC Side	WP Side	Drift Wall	1m Rock	3m Rock	Df Midpln	
0	547.03	204	182	166	108	57	26	26	26	26	
0.1	545.77	215	194	178	124	79	57	41	29	26	
0.2	544.51	218	198	182	128	85	64	48	33	26	
0.3	543.27	220	200	184	131	89	68	53	37	27	
0.4	542.03	222	201	186	133	92	72	56	39	28	
0.5	540.81	223	203	187	135	95	75	59	42	30	
0.6	539.59	224	204	188	136	97	78	62	44	31	
0.7	538.38	225	205	189	138	99	80	64	46	33	
0.8	537.18	225	205	190	139	100	82	66	48	34	
0.9	535.99	226	206	191	140	102	83	68	50	36	
1	534.80	227	207	192	141	103	85	69	52	37	
2	524.51	231	212	197	148	113	97	82	65	50	
3	514.24	234	215	201	153	120	105	91	75	60	
4	504.94	235	217	203	157	125	111	97	82	68	
5	495.64	236	218	205	160	130	116	102	87	75	
6	486.59	237	219	206	162	133	120	107	92	80	
7	477.88	238	220	207	164	136	124	111	96	84	
8	469.46	238	220	208	166	139	127	114	99	88	
9	461.29	238	221	208	167	141	130	117	102	91	
10	454.81	238	221	209	168	143	132	119	105	94	
20	384.59	232	217	207	173	152	143	133	120	109	
30	330.93	226	213	204	174	157	150	141	131	122	
40	286.48	220	207	200	174	159	153	145	137	129	
50	251.50	214	202	195	173	160	154	148	140	133	
60	223.10	208	198	191	171	159	155	149	142	136	
70	199.98	203	194	188	170	159	155	149	143	138	
80	181.76	199	189	184	168	158	154	149	143	139	
90	165.80	194	186	181	166	157	153	149	143	139	
100	152.92	191	183	178	164	156	152	148	143	139	
200	95.04	173	168	165	156	150	148	146	143	140	
300	75.26	165	161	158	151	146	145	143	140	138	
400	63.46	161	156	154	148	144	143	141	139	137	
500	55.13	157	153	151	146	142	141	140	138	137	
600	48.39	153	150	148	143	140	139	138	137	135	
700	43.17	150	147	146	141	139	138	136	135	134	
800	38.61	148	145	143	139	137	136	135	134	133	
900	34.99	145	143	141	138	136	135	134	133	132	
1000	31.95	143	141	140	136	134	134	133	132	131	

Summary of MPC/WP Temperatures BBABA0000-01717-0200-00002 REV 00 ATTACHMENT IX - Page 5

12 PWR MPC with Disposal Container

83 MTU/acre with 11.129 m WP Spacing

10 year old, 40 GWd/MTU burnup design basis SNF (Historic)

R. Bahney 11/30/95 File: alx-02b.wk3

Time (years)	Heat Load (W/assy)	Wooten-E Pk Fuel	Eff Cond Pk Fuel	ANSYS FEM Temperature Results (Deg. C)						
				Pk Basket	MPC Side	WP Side	Drift Wall	1m Rock	3m Rock	Df Midpln
0	717.66	236	212	192	121	57	26	26	26	26
0.1	714.43	246	222	203	135	79	57	41	29	26
0.2	711.25	248	225	206	139	85	64	48	33	26
0.3	708.12	250	226	207	141	89	68	53	37	27
0.4	705.03	251	227	209	143	92	72	56	39	28
0.5	701.98	251	228	210	145	95	75	59	42	30
0.6	698.98	252	229	211	146	97	78	62	44	31
0.7	696.02	252	229	211	147	99	80	64	46	33
0.8	693.09	253	230	212	148	100	82	66	48	34
0.9	690.21	253	230	212	149	102	83	68	50	36
1	687.36	253	231	213	150	103	85	69	52	37
2	663.88	255	233	216	156	113	97	82	65	50
3	643.37	256	234	218	160	120	105	91	75	60
4	625.75	256	235	219	163	125	111	97	82	68
5	611.09	256	235	220	166	130	116	102	87	75
6	594.48	255	235	220	168	133	120	107	92	80
7	581.25	255	235	220	169	136	124	111	96	84
8	568.55	255	235	221	171	139	127	114	99	88
9	556.79	254	235	221	172	141	130	117	102	91
10	547.03	253	234	221	173	143	132	119	105	94
20	454.81	244	228	216	176	152	143	133	120	109
30	384.59	236	221	211	177	157	150	141	131	122
40	330.93	228	214	205	176	159	153	145	137	129
50	286.48	220	208	200	175	160	154	148	140	133
60	251.50	214	202	195	173	159	155	149	142	136
70	223.10	208	197	191	171	159	155	149	143	138
80	199.98	202	192	187	168	158	154	149	143	139
90	181.76	198	189	183	167	157	153	149	143	139
100	165.80	194	185	180	165	156	152	148	143	139
200	98.05	174	168	165	156	150	148	146	143	140
300	76.77	166	161	158	151	146	145	143	140	138
400	64.45	161	157	154	148	144	143	141	139	137
500	55.93	157	153	151	146	142	141	140	138	137
600	48.97	154	150	148	143	140	139	138	137	135
700	43.69	151	147	146	141	139	138	136	135	134
800	39.02	148	145	143	139	137	136	135	134	133
900	35.32	145	143	141	138	136	135	134	133	132
1000	32.26	143	141	140	136	134	134	133	132	131

Summary of MPC/WP Temperatures BBABA0000-01717-0200-00002 REV 00 ATTACHMENT IX - Page 6

12 PWR MPC with Disposal Container
25 MTU/acre with 18.475 m WP Spacing
10 year old, 48 GWd/MTU burnup design basis SNF (WPD)

R. Bahney 11/30/95 File: aix-02w.wk3

Time (years)	Heat Load (W/assy)	Wooten-E Pk Fuel	Eff Cond Pk Fuel	ANSYS FEM Temperature Results (Deg. C)						
				Basket	MPC Side	WP Side	Drift Wall	1m Rock	3m Rock	Df Midpln
0	850.01	259	233	211	129	57	26	26	26	26
0.1	846.16	266	240	218	140	75	51	39	28	26
0.2	842.37	267	241	220	142	78	56	43	32	26
0.3	838.63	267	241	220	143	81	59	46	34	26
0.4	834.95	267	242	221	144	82	61	48	36	26
0.5	831.32	267	242	221	145	84	63	50	37	26
0.6	827.74	267	242	221	145	85	64	52	39	26
0.7	824.20	267	242	221	146	86	65	53	40	26
0.8	820.72	267	242	221	146	87	66	54	41	26
0.9	817.28	267	242	221	146	88	67	55	42	26
1	813.88	267	241	221	147	88	68	56	43	26
2	785.03	264	239	220	148	93	74	62	49	28
3	760.06	261	237	218	148	95	77	65	52	30
4	738.57	258	235	216	148	97	79	68	55	32
5	720.95	256	232	214	148	98	81	70	57	34
6	700.07	253	230	212	147	99	82	71	59	36
7	683.86	251	228	210	147	99	83	72	60	38
8	668.50	248	226	208	146	100	84	73	61	39
9	654.04	246	224	206	145	100	85	74	62	41
10	642.55	244	222	205	145	100	85	75	63	42
20	529.86	224	204	189	138	101	88	80	70	52
30	445.36	207	189	176	132	99	89	81	73	58
40	380.70	193	176	164	126	97	88	81	74	61
50	327.78	180	165	154	120	95	86	81	75	63
60	286.22	169	155	146	116	93	85	80	75	64
70	252.65	161	147	139	112	91	84	80	75	65
80	225.35	153	141	133	108	89	83	79	74	66
90	203.85	147	135	128	105	88	82	78	74	66
100	185.04	141	130	123	103	87	81	78	74	67
200	105.07	114	107	103	90	81	77	75	73	68
300	80.32	105	98	95	85	78	75	73	71	68
400	66.61	99	93	91	83	76	74	72	71	68
500	57.58	95	90	88	81	75	73	72	70	68
600	50.41	92	87	85	79	74	72	71	69	67
700	44.98	89	85	83	77	73	71	70	69	67
800	40.31	86	82	81	76	72	70	69	68	66
900	36.59	84	81	79	74	71	69	68	68	66
1000	33.52	82	79	78	73	70	69	68	67	65

Summary of MPC/WP Temperatures BBABA0000-01717-0200-00002 REV 00 ATTACHMENT IX - Page 7

12 PWR MPC with Disposal Container
25 MTU/acre with 18.475 m WP Spacing
20 year old, 40 GWd/MTU burnup design basis SNF (MPC)

R. Bahney 11/30/95 File: aix-02w.wk3

Time (years)	Heat Load (W/assy)	Wooten-E Pk Fuel	Eff Cond Pk Fuel	ANSYS FEM Temperature Results (Deg. C)						
				Pk Basket	MPC Side	WP Side	Drift Wall	1m Rock	3m Rock	Df Midpln
0	547.03	204	182	165	108	57	26	26	26	26
0.1	545.77	212	191	175	120	75	51	39	28	26
0.2	544.51	214	193	177	123	78	56	43	32	26
0.3	543.27	215	195	179	124	81	59	46	34	26
0.4	542.03	216	195	179	126	82	61	48	36	26
0.5	540.81	217	196	180	126	84	63	50	37	26
0.6	539.59	217	196	181	127	85	64	52	39	26
0.7	538.38	217	197	181	128	86	65	53	40	26
0.8	537.18	218	197	181	128	87	66	54	41	26
0.9	535.99	218	197	182	129	88	67	55	42	26
1	534.80	218	198	182	129	88	68	56	43	26
2	524.51	219	199	183	132	93	74	62	49	28
3	514.24	218	198	183	133	95	77	65	52	30
4	504.94	217	198	183	134	97	79	68	55	32
5	495.64	216	197	182	134	98	81	70	57	34
6	486.59	215	196	182	134	99	82	71	59	36
7	477.88	214	195	181	134	99	83	72	60	38
8	469.46	212	194	180	134	100	84	73	61	39
9	461.29	211	192	179	134	100	85	74	62	41
10	454.81	210	191	178	133	100	85	75	63	42
20	384.59	196	179	167	129	101	88	80	70	52
30	330.93	184	169	158	124	99	89	81	73	58
40	286.48	172	158	149	119	97	88	81	74	61
50	251.50	163	150	141	115	95	86	81	75	63
60	223.10	155	143	135	111	93	85	80	75	64
70	199.98	148	137	130	108	91	84	80	75	65
80	181.76	142	131	125	105	89	83	79	74	66
90	165.80	137	127	121	102	88	82	78	74	66
100	152.92	133	123	117	100	87	81	78	74	67
200	95.04	111	104	101	89	81	77	75	73	68
300	75.26	103	97	94	85	78	75	73	71	68
400	63.46	98	93	90	82	76	74	72	71	68
500	55.13	94	89	87	80	75	73	72	70	68
600	48.39	91	87	84	79	74	72	71	69	67
700	43.17	88	84	82	77	73	71	70	69	67
800	38.61	86	82	80	75	72	70	69	68	66
900	34.99	84	80	79	74	71	69	68	68	66
1000	31.95	82	79	77	73	70	69	68	67	65

Summary of MPC/WP Temperatures BBABA0000-01717-0200-00002 REV 00 ATTACHMENT IX - Page 8

12 PWR MPC with Disposal Container
25 MTU/acre with 12.317 m WP Spacing
10 year old, 48 GWd/MTU burnup design basis SNF (WPD)

R. Bahney 11/30/95 File: m1x-02j.wk3

Time (years)	Heat Load (W/assy)	Wooten-E		ANSYS FEM Temperature Results (Deg. C)						
		Pk Fuel	Eff Cond Pk Fuel	Basket	MPC Side	WP Side	Drift Wall	1m Rock	3m Rock	Df Midpln
0	850.01	259	233	211	129	57	26	26	26	26
0.1	846.16	267	241	220	142	78	55	40	29	26
0.2	842.37	269	243	222	145	83	62	47	33	26
0.3	838.63	270	244	224	147	87	66	51	36	26
0.4	834.95	271	245	224	149	90	69	54	38	26
0.5	831.32	271	246	225	150	92	72	57	41	26
0.6	827.74	271	246	226	151	94	74	59	43	26
0.7	824.20	272	246	226	152	95	76	61	44	26
0.8	820.72	272	247	226	153	97	78	62	46	26
0.9	817.28	272	247	227	153	98	79	64	47	26
1	813.88	272	247	227	154	99	80	65	48	26
2	785.03	271	246	227	157	106	89	75	57	26
3	760.06	269	245	226	159	110	94	80	63	27
4	738.57	267	243	225	159	113	97	83	67	28
5	720.95	265	242	224	160	115	100	86	69	29
6	700.07	262	240	222	160	116	101	88	72	30
7	683.86	260	238	221	159	117	103	89	73	31
8	668.50	258	236	219	159	118	104	90	75	33
9	654.04	256	234	217	158	118	104	91	76	34
10	642.55	254	232	216	158	118	104	92	77	35
20	529.86	234	214	200	150	116	105	94	82	46
30	445.36	216	198	185	143	113	103	94	83	52
40	380.70	201	184	173	135	109	100	92	83	56
50	327.78	187	172	162	129	105	97	91	82	59
60	286.22	176	162	153	124	102	95	89	81	61
70	252.65	167	154	146	119	100	93	88	81	62
80	225.35	159	147	139	115	97	91	86	80	63
90	203.85	152	141	134	112	95	90	85	79	64
100	185.04	146	136	129	109	94	88	84	79	64
200	105.07	118	111	106	94	85	81	79	75	67
300	80.32	108	101	98	89	81	78	76	74	67
400	66.61	101	96	93	85	79	76	75	73	67
500	57.58	97	92	90	83	77	75	74	72	67
600	50.41	94	89	87	81	76	74	73	71	67
700	44.98	91	86	84	79	74	73	72	70	66
800	40.31	88	84	82	77	73	72	71	69	66
900	36.59	86	82	80	76	72	71	70	69	65
1000	33.52	84	80	79	75	71	70	69	68	65

Summary of MPC/WP Temperatures BBABA0000-01717-0200-00002 REV 00 ATTACHMENT IX - Page 9

12 PWR MPC with Disposal Container
25 MTU/acre with 12.317 m WP Spacing
20 year old, 40 GWd/MTU burnup design basis SNF (MPC)

R. Bahney 11/30/95 File: sdx-02j.wk3

Time (years)	Heat Load (W/assy)	Wooten-E Pk Fuel	Eff Cond Pk Fuel	ANSYS FEM Temperature Results (Deg. C)							
				Pk Basket	MPC Side	WP Side	Drift Wall	1m Rock	3m Rock	Df Midpln	
0	547.03	204	182	165	108	57	26	26	26	26	
0.1	545.77	214	193	177	123	78	55	40	29	26	
0.2	544.51	217	196	180	126	83	62	47	33	26	
0.3	543.27	219	198	182	129	87	66	51	36	26	
0.4	542.03	220	200	184	131	90	69	54	38	26	
0.5	540.81	221	201	185	132	92	72	57	41	26	
0.6	539.59	222	202	186	134	94	74	59	43	26	
0.7	538.38	223	202	187	135	95	76	61	44	26	
0.8	537.18	223	203	188	136	97	78	62	46	26	
0.9	535.99	224	204	188	137	98	79	64	47	26	
1	534.80	224	204	189	137	99	80	65	48	26	
2	524.51	227	207	192	142	106	89	75	57	26	
3	514.24	227	208	193	145	110	94	80	63	27	
4	504.94	227	208	194	146	113	97	83	67	28	
5	495.64	226	208	194	147	115	100	86	69	29	
6	486.59	226	207	193	148	116	101	88	72	30	
7	477.88	225	206	193	148	117	103	89	73	31	
8	469.46	223	205	192	148	118	104	90	75	33	
9	461.29	222	204	191	148	118	104	91	76	34	
10	454.81	221	203	190	147	118	104	92	77	35	
20	384.59	207	190	179	142	116	105	94	82	46	
30	330.93	194	179	168	136	113	103	94	83	52	
40	286.48	181	168	158	129	109	100	92	83	56	
50	251.50	171	158	150	124	105	97	91	82	59	
60	223.10	162	150	143	119	102	95	89	81	61	
70	199.98	155	144	137	115	100	93	88	81	62	
80	181.76	148	138	131	112	97	91	86	80	63	
90	165.80	143	133	127	109	95	90	85	79	64	
100	152.92	138	129	123	106	94	88	84	79	64	
200	95.04	115	108	104	93	85	81	79	75	67	
300	75.26	106	100	97	88	81	78	76	74	67	
400	63.46	101	95	93	85	79	76	75	73	67	
500	55.13	96	92	89	83	77	75	74	72	67	
600	48.39	93	88	86	81	76	74	73	71	67	
700	43.17	90	86	84	79	74	73	72	70	66	
800	38.61	87	84	82	77	73	72	71	69	66	
900	34.99	85	82	80	76	72	71	70	69	65	
1000	31.95	83	80	79	75	71	70	69	68	65	

Summary of MPC/WP Temperatures BBABA0000-01717-0200-00002 REV 00 ATTACHMENT IX - Page 10

12 PWR MPC with Disposal Container
25 MTU/acre with 9.237 m WP Spacing
10 year old, 48 GWd/MTU burnup design basis SNF (WPD)

R. Bahney 11/30/95 File: m1x-02h.wk3

Time (years)	Heat Load (W/assy)	Wooten-E Pk Fuel	Eff Cond Pk Fuel	ANSYS FEM Temperature Results (Deg. C)							
				Basket MPC	Side	WP Side	Drift Wall	1m Rock	3m Rock	Df Midpln	
0	850.01	259	233	211	130	58	26	26	26	26	
0.1	846.16	269	243	222	145	83	60	43	29	26	
0.2	842.37	272	246	225	149	90	69	51	34	26	
0.3	838.63	273	248	228	152	95	74	56	38	26	
0.4	834.95	275	249	229	154	98	79	61	41	26	
0.5	831.32	275	250	230	156	101	82	64	44	26	
0.6	827.74	276	251	231	158	104	85	67	47	26	
0.7	824.20	277	252	232	159	106	88	70	49	26	
0.8	820.72	277	252	233	160	108	90	72	51	26	
0.9	817.28	277	253	233	161	110	92	74	53	26	
1	813.88	278	253	234	162	111	94	76	55	26	
2	785.03	278	254	236	168	121	105	88	67	26	
3	760.06	277	254	236	170	126	111	94	73	26	
4	738.57	276	253	235	172	129	115	98	78	26	
5	720.95	274	252	235	172	132	118	101	81	27	
6	700.07	272	250	233	173	133	120	104	84	27	
7	683.86	270	249	232	173	135	122	106	86	28	
8	668.50	269	247	231	173	136	124	108	88	29	
9	654.04	267	245	229	173	136	124	109	90	29	
10	642.55	265	244	228	173	137	125	110	91	30	
20	529.86	245	227	213	166	135	125	112	96	39	
30	445.36	228	210	198	157	130	121	110	96	46	
40	380.70	211	196	185	148	124	117	107	95	51	
50	327.78	197	183	173	141	119	112	103	93	55	
60	286.22	185	172	163	134	115	108	100	91	57	
70	252.65	175	163	154	129	111	105	98	89	59	
80	225.35	166	155	147	124	107	101	95	87	60	
90	203.85	159	148	141	120	104	99	93	86	61	
100	185.04	153	142	136	116	102	97	92	85	62	
200	105.07	122	115	111	99	90	87	83	79	65	
300	80.32	111	105	102	92	85	82	80	76	66	
400	66.61	105	99	96	88	82	80	78	75	66	
500	57.58	100	95	93	86	80	78	76	74	66	
600	50.41	96	91	89	83	78	76	75	73	66	
700	44.98	93	88	87	81	77	75	74	72	66	
800	40.31	90	86	84	79	75	74	72	71	65	
900	36.59	87	84	82	78	74	73	71	70	65	
1000	33.52	85	82	81	76	73	72	71	69	64	

Summary of MPC/WP Temperatures BBABA0000-01717-0200-00002 REV 00 ATTACHMENT IX - Page 11

12 PWR MPC with Disposal Container
25 MTU/acre with 9.237 m WP Spacing
20 year old, 40 GWd/MTU burnup design basis SNF (MPC)

R. Bahney 11/30/95 File: atx-02b.wk3

Time (years)	Heat Load (W/assy)	Wooten-E Pk Fuel	Eff Cond Pk Fuel	ANSYS FEM Temperature Results (Deg. C)						
				Pk Basket	MPC Side	WP Side	Drift Wall	1m Rock	3m Rock	Df Midpln
0	547.03	204	183	166	108	58	26	26	26	26
0.1	545.77	216	196	180	126	83	60	43	29	26
0.2	544.51	220	200	184	131	90	69	51	34	26
0.3	543.27	223	203	187	135	95	74	56	38	26
0.4	542.03	225	205	189	137	98	79	61	41	26
0.5	540.81	226	206	191	139	101	82	64	44	26
0.6	539.59	228	208	193	141	104	85	67	47	26
0.7	538.38	229	209	194	143	106	88	70	49	26
0.8	537.18	230	210	195	144	108	90	72	51	26
0.9	535.99	231	211	196	146	110	92	74	53	26
1	534.80	231	212	197	147	111	94	76	55	26
2	524.51	235	216	202	154	121	105	88	67	26
3	514.24	237	218	204	157	126	111	94	73	26
4	504.94	237	219	205	159	129	115	98	78	26
5	495.64	237	219	206	161	132	118	101	81	27
6	486.59	237	219	206	162	133	120	104	84	27
7	477.88	236	219	206	163	135	122	106	86	28
8	469.46	236	218	205	163	136	124	108	88	29
9	461.29	235	217	205	163	136	124	109	90	29
10	454.81	234	216	204	163	137	125	110	91	30
20	384.59	220	204	193	158	135	125	112	96	39
30	330.93	206	192	182	151	130	121	110	96	46
40	286.48	193	179	171	143	124	117	107	95	51
50	251.50	181	169	161	136	119	112	103	93	55
60	223.10	172	160	153	130	115	108	100	91	57
70	199.98	164	153	146	125	111	105	98	89	59
80	181.76	156	146	140	121	107	101	95	87	60
90	165.80	150	141	135	117	104	99	93	86	61
100	152.92	145	136	130	114	102	97	92	85	62
200	95.04	120	113	109	98	90	87	83	79	65
300	75.26	110	104	101	92	85	82	80	76	66
400	63.46	104	98	96	88	82	80	78	75	66
500	55.13	99	94	92	86	80	78	76	74	66
600	48.39	95	91	89	83	78	76	75	73	66
700	43.17	92	88	86	81	77	75	74	72	66
800	38.61	89	86	84	79	75	74	72	71	65
900	34.99	87	83	82	78	74	73	71	70	65
1000	31.95	85	82	80	76	73	72	71	69	64


```

/NOPR
*DIM,ASSY ,TABLE, 47, 1, 1
*SET,ASSY ( 1, 0, 1), .10000000000000E-05
*SET,ASSY ( 2, 0, 1), .10000000000000
*SET,ASSY ( 3, 0, 1), .20000000000000
*SET,ASSY ( 4, 0, 1), .30000000000000
*SET,ASSY ( 5, 0, 1), .40000000000000
*SET,ASSY ( 6, 0, 1), .50000000000000
*SET,ASSY ( 7, 0, 1), .60000000000000
*SET,ASSY ( 8, 0, 1), .70000000000000
*SET,ASSY ( 9, 0, 1), .80000000000000
*SET,ASSY (10, 0, 1), .90000000000000
*SET,ASSY (11, 0, 1), 1.00000000000000
*SET,ASSY (12, 0, 1), 2.00000000000000
*SET,ASSY (13, 0, 1), 3.00000000000000
*SET,ASSY (14, 0, 1), 4.00000000000000
*SET,ASSY (15, 0, 1), 5.00000000000000
*SET,ASSY (16, 0, 1), 6.00000000000000
*SET,ASSY (17, 0, 1), 7.00000000000000
*SET,ASSY (18, 0, 1), 8.00000000000000
*SET,ASSY (19, 0, 1), 9.00000000000000
*SET,ASSY (20, 0, 1), 10.00000000000000
*SET,ASSY (21, 0, 1), 20.00000000000000
*SET,ASSY (22, 0, 1), 30.00000000000000
*SET,ASSY (23, 0, 1), 40.00000000000000
*SET,ASSY (24, 0, 1), 50.00000000000000
*SET,ASSY (25, 0, 1), 60.00000000000000
*SET,ASSY (26, 0, 1), 70.00000000000000
*SET,ASSY (27, 0, 1), 80.00000000000000
*SET,ASSY (28, 0, 1), 90.00000000000000
*SET,ASSY (29, 0, 1), 100.00000000000000
*SET,ASSY (30, 0, 1), 200.00000000000000
*SET,ASSY (31, 0, 1), 300.00000000000000
*SET,ASSY (32, 0, 1), 400.00000000000000
*SET,ASSY (33, 0, 1), 500.00000000000000
*SET,ASSY (34, 0, 1), 600.00000000000000
*SET,ASSY (35, 0, 1), 700.00000000000000
*SET,ASSY (36, 0, 1), 800.00000000000000
*SET,ASSY (37, 0, 1), 900.00000000000000
*SET,ASSY (38, 0, 1), 1000.00000000000000
*SET,ASSY (39, 0, 1), 2000.00000000000000
*SET,ASSY (40, 0, 1), 3000.00000000000000
*SET,ASSY (41, 0, 1), 4000.00000000000000
*SET,ASSY (42, 0, 1), 5000.00000000000000
*SET,ASSY (43, 0, 1), 6000.00000000000000
*SET,ASSY (44, 0, 1), 7000.00000000000000
*SET,ASSY (45, 0, 1), 8000.00000000000000
*SET,ASSY (46, 0, 1), 9000.00000000000000
*SET,ASSY (47, 0, 1), 10000.00000000000000
*SET,ASSY ( 0, 1, 1), 1.00000000000000
*SET,ASSY ( 1, 1, 1), 486.70000000000000
*SET,ASSY ( 2, 1, 1), 485.70000000000000
*SET,ASSY ( 3, 1, 1), 484.70000000000000
*SET,ASSY ( 4, 1, 1), 483.70000000000000
*SET,ASSY ( 5, 1, 1), 482.80000000000000
*SET,ASSY ( 6, 1, 1), 481.80000000000000
*SET,ASSY ( 7, 1, 1), 480.80000000000000
*SET,ASSY ( 8, 1, 1), 479.80000000000000
*SET,ASSY ( 9, 1, 1), 478.90000000000000
*SET,ASSY (10, 1, 1), 477.90000000000000
*SET,ASSY (11, 1, 1), 477.00000000000000
*SET,ASSY (12, 1, 1), 467.80000000000000
*SET,ASSY (13, 1, 1), 459.20000000000000
*SET,ASSY (14, 1, 1), 451.10000000000000
*SET,ASSY (15, 1, 1), 443.50000000000000
*SET,ASSY (16, 1, 1), 436.20000000000000
*SET,ASSY (17, 1, 1), 429.30000000000000
*SET,ASSY (18, 1, 1), 423.70000000000000
*SET,ASSY (19, 1, 1), 412.60000000000000
*SET,ASSY (20, 1, 1), 404.50000000000000

```

```

*SET,ASSY ( 21, 1, 1), 341.6000000000
*SET,ASSY ( 22, 1, 1), 294.1000000000
*SET,ASSY ( 23, 1, 1), 252.6000000000
*SET,ASSY ( 24, 1, 1), 222.0000000000
*SET,ASSY ( 25, 1, 1), 198.5000000000
*SET,ASSY ( 26, 1, 1), 179.8000000000
*SET,ASSY ( 27, 1, 1), 162.5000000000
*SET,ASSY ( 28, 1, 1), 150.1000000000
*SET,ASSY ( 29, 1, 1), 139.7000000000
*SET,ASSY ( 30, 1, 1), 85.7000000000
*SET,ASSY ( 31, 1, 1), 67.4000000000
*SET,ASSY ( 32, 1, 1), 56.8000000000
*SET,ASSY ( 33, 1, 1), 49.4000000000
*SET,ASSY ( 34, 1, 1), 42.9000000000
*SET,ASSY ( 35, 1, 1), 38.1000000000
*SET,ASSY ( 36, 1, 1), 34.3000000000
*SET,ASSY ( 37, 1, 1), 31.3000000000
*SET,ASSY ( 38, 1, 1), 29.0000000000
*SET,ASSY ( 39, 1, 1), 15.5000000000
*SET,ASSY ( 40, 1, 1), 12.8000000000
*SET,ASSY ( 41, 1, 1), 11.1000000000
*SET,ASSY ( 42, 1, 1), 10.0000000000
*SET,ASSY ( 43, 1, 1), 9.2000000000
*SET,ASSY ( 44, 1, 1), 8.6000000000
*SET,ASSY ( 45, 1, 1), 8.0000000000
*SET,ASSY ( 46, 1, 1), 7.6000000000
*SET,ASSY ( 47, 1, 1), 7.2000000000
*SET,DFAMBT , 26.13796884954
*DIM,DFBOT ,TABLE, 47, 1, 1
*SET,DFBOT ( 1, 0, 1), 31.5576000000
*SET,DFBOT ( 2, 0, 1), 3155791.557600
*SET,DFBOT ( 3, 0, 1), 6311551.557600
*SET,DFBOT ( 4, 0, 1), 9467311.557600
*SET,DFBOT ( 5, 0, 1), 12623071.55760
*SET,DFBOT ( 6, 0, 1), 15778831.55760
*SET,DFBOT ( 7, 0, 1), 18934591.55760
*SET,DFBOT ( 8, 0, 1), 22090351.55760
*SET,DFBOT ( 9, 0, 1), 25246111.55760
*SET,DFBOT ( 10, 0, 1), 28401871.55760
*SET,DFBOT ( 11, 0, 1), 31557631.55760
*SET,DFBOT ( 12, 0, 1), 63115231.55760
*SET,DFBOT ( 13, 0, 1), 94672831.55760
*SET,DFBOT ( 14, 0, 1), 126230431.5576
*SET,DFBOT ( 15, 0, 1), 157788031.5576
*SET,DFBOT ( 16, 0, 1), 189345631.5576
*SET,DFBOT ( 17, 0, 1), 220903231.5576
*SET,DFBOT ( 18, 0, 1), 252460831.5576
*SET,DFBOT ( 19, 0, 1), 284018431.5576
*SET,DFBOT ( 20, 0, 1), 315576031.5576
*SET,DFBOT ( 21, 0, 1), 631152031.5576
*SET,DFBOT ( 22, 0, 1), 946728031.5576
*SET,DFBOT ( 23, 0, 1), 1262304031.558
*SET,DFBOT ( 24, 0, 1), 1577880031.558
*SET,DFBOT ( 25, 0, 1), 1893456031.558
*SET,DFBOT ( 26, 0, 1), 2209032031.558
*SET,DFBOT ( 27, 0, 1), 2524608031.558
*SET,DFBOT ( 28, 0, 1), 2840184031.558
*SET,DFBOT ( 29, 0, 1), 3155760031.558
*SET,DFBOT ( 30, 0, 1), 6311520031.558
*SET,DFBOT ( 31, 0, 1), 9467280031.558
*SET,DFBOT ( 32, 0, 1), 12623040031.56
*SET,DFBOT ( 33, 0, 1), 15778800031.56
*SET,DFBOT ( 34, 0, 1), 18934560031.56
*SET,DFBOT ( 35, 0, 1), 22090320031.56
*SET,DFBOT ( 36, 0, 1), 25246080031.56
*SET,DFBOT ( 37, 0, 1), 28401840031.56
*SET,DFBOT ( 38, 0, 1), 31557600031.56
*SET,DFBOT ( 0, 1, 1), 1.000000000000
*SET,DFBOT ( 1, 1, 1), 26.16070233621
*SET,DFBOT ( 2, 1, 1), 42.88343027376

```

```

*SET,DFBOT ( 3, 1, 1), 51.47085277396
*SET,DFBOT ( 4, 1, 1), 57.26810543650
*SET,DFBOT ( 5, 1, 1), 61.75662945643
*SET,DFBOT ( 6, 1, 1), 65.44126071929
*SET,DFBOT ( 7, 1, 1), 68.57568232401
*SET,DFBOT ( 8, 1, 1), 71.31492080996
*SET,DFBOT ( 9, 1, 1), 73.76094853064
*SET,DFBOT ( 10, 1, 1), 75.98168586868
*SET,DFBOT ( 11, 1, 1), 78.02515520858
*SET,DFBOT ( 12, 1, 1), 92.31127484508
*SET,DFBOT ( 13, 1, 1), 101.0549818874
*SET,DFBOT ( 14, 1, 1), 108.1017711781
*SET,DFBOT ( 15, 1, 1), 114.1540804764
*SET,DFBOT ( 16, 1, 1), 119.5141801138
*SET,DFBOT ( 17, 1, 1), 123.8811653949
*SET,DFBOT ( 18, 1, 1), 127.7406937553
*SET,DFBOT ( 19, 1, 1), 130.8500937404
*SET,DFBOT ( 20, 1, 1), 133.4044646264
*SET,DFBOT ( 21, 1, 1), 151.5368500632
*SET,DFBOT ( 22, 1, 1), 163.6187498060
*SET,DFBOT ( 23, 1, 1), 169.4090620222
*SET,DFBOT ( 24, 1, 1), 172.3154876583
*SET,DFBOT ( 25, 1, 1), 173.7945196470
*SET,DFBOT ( 26, 1, 1), 174.3338939834
*SET,DFBOT ( 27, 1, 1), 173.9836777041
*SET,DFBOT ( 28, 1, 1), 173.5128080747
*SET,DFBOT ( 29, 1, 1), 172.9706291959
*SET,DFBOT ( 30, 1, 1), 169.4588894800
*SET,DFBOT ( 31, 1, 1), 165.3366597659
*SET,DFBOT ( 32, 1, 1), 163.2122830234
*SET,DFBOT ( 33, 1, 1), 161.8828869701
*SET,DFBOT ( 34, 1, 1), 160.2190958966
*SET,DFBOT ( 35, 1, 1), 158.1677373789
*SET,DFBOT ( 36, 1, 1), 155.8699866623
*SET,DFBOT ( 37, 1, 1), 153.6292639828
*SET,DFBOT ( 38, 1, 1), 151.5921364882
*SET,DFCENT , .2725500000000
*DIM,DFEDG ,TABLE, 47, 1, 1
*SET,DFEDG ( 1, 0, 1), 31.55760000000
*SET,DFEDG ( 2, 0, 1), 3155791.557600
*SET,DFEDG ( 3, 0, 1), 6311551.557600
*SET,DFEDG ( 4, 0, 1), 9467311.557600
*SET,DFEDG ( 5, 0, 1), 12623071.55760
*SET,DFEDG ( 6, 0, 1), 15778831.55760
*SET,DFEDG ( 7, 0, 1), 18934591.55760
*SET,DFEDG ( 8, 0, 1), 22090351.55760
*SET,DFEDG ( 9, 0, 1), 25246111.55760
*SET,DFEDG ( 10, 0, 1), 28401871.55760
*SET,DFEDG ( 11, 0, 1), 31557631.55760
*SET,DFEDG ( 12, 0, 1), 63115231.55760
*SET,DFEDG ( 13, 0, 1), 94672831.55760
*SET,DFEDG ( 14, 0, 1), 126230431.5576
*SET,DFEDG ( 15, 0, 1), 157788031.5576
*SET,DFEDG ( 16, 0, 1), 189345631.5576
*SET,DFEDG ( 17, 0, 1), 220903231.5576
*SET,DFEDG ( 18, 0, 1), 252460831.5576
*SET,DFEDG ( 19, 0, 1), 284018431.5576
*SET,DFEDG ( 20, 0, 1), 315576031.5576
*SET,DFEDG ( 21, 0, 1), 631152031.5576
*SET,DFEDG ( 22, 0, 1), 946728031.5576
*SET,DFEDG ( 23, 0, 1), 1262304031.558
*SET,DFEDG ( 24, 0, 1), 1577880031.558
*SET,DFEDG ( 25, 0, 1), 1893456031.558
*SET,DFEDG ( 26, 0, 1), 2209032031.558
*SET,DFEDG ( 27, 0, 1), 2524608031.558
*SET,DFEDG ( 28, 0, 1), 2840184031.558
*SET,DFEDG ( 29, 0, 1), 3155760031.558
*SET,DFEDG ( 30, 0, 1), 6311520031.558
*SET,DFEDG ( 31, 0, 1), 9467280031.558
*SET,DFEDG ( 32, 0, 1), 12623040031.56

```

```

*SET,DFEDG ( 33, 0, 1), 15778800031.56
*SET,DFEDG ( 34, 0, 1), 18934560031.56
*SET,DFEDG ( 35, 0, 1), 22090320031.56
*SET,DFEDG ( 36, 0, 1), 25246080031.56
*SET,DFEDG ( 37, 0, 1), 28401840031.56
*SET,DFEDG ( 38, 0, 1), 31557600031.56
*SET,DFEDG ( 0, 1, 1), 1.000000000000
*SET,DFEDG ( 1, 1, 1), 26.13879557579
*SET,DFEDG ( 2, 1, 1), 49.65587973961
*SET,DFEDG ( 3, 1, 1), 58.53656962035
*SET,DFEDG ( 4, 1, 1), 64.48987080571
*SET,DFEDG ( 5, 1, 1), 69.08568825772
*SET,DFEDG ( 6, 1, 1), 72.84983929461
*SET,DFEDG ( 7, 1, 1), 76.05210616869
*SET,DFEDG ( 8, 1, 1), 78.85076440423
*SET,DFEDG ( 9, 1, 1), 81.35357300664
*SET,DFEDG ( 10, 1, 1), 83.62568332431
*SET,DFEDG ( 11, 1, 1), 85.71884645613
*SET,DFEDG ( 12, 1, 1), 99.98317413690
*SET,DFEDG ( 13, 1, 1), 108.9755164204
*SET,DFEDG ( 14, 1, 1), 116.2277960972
*SET,DFEDG ( 15, 1, 1), 122.4440065739
*SET,DFEDG ( 16, 1, 1), 127.6943084826
*SET,DFEDG ( 17, 1, 1), 131.9768091432
*SET,DFEDG ( 18, 1, 1), 135.8201950652
*SET,DFEDG ( 19, 1, 1), 138.7323894521
*SET,DFEDG ( 20, 1, 1), 141.1578239504
*SET,DFEDG ( 21, 1, 1), 158.4979873313
*SET,DFEDG ( 22, 1, 1), 169.7751056349
*SET,DFEDG ( 23, 1, 1), 174.7508589098
*SET,DFEDG ( 24, 1, 1), 177.0332965288
*SET,DFEDG ( 25, 1, 1), 178.0284224400
*SET,DFEDG ( 26, 1, 1), 178.1566618354
*SET,DFEDG ( 27, 1, 1), 177.4424397085
*SET,DFEDG ( 28, 1, 1), 176.6978749183
*SET,DFEDG ( 29, 1, 1), 175.9292974490
*SET,DFEDG ( 30, 1, 1), 171.2536921063
*SET,DFEDG ( 31, 1, 1), 166.7314861643
*SET,DFEDG ( 32, 1, 1), 164.3764865864
*SET,DFEDG ( 33, 1, 1), 162.8815752778
*SET,DFEDG ( 34, 1, 1), 161.0762956976
*SET,DFEDG ( 35, 1, 1), 158.9255970010
*SET,DFEDG ( 36, 1, 1), 156.5535194893
*SET,DFEDG ( 37, 1, 1), 154.2542689047
*SET,DFEDG ( 38, 1, 1), 152.1712178361
*SET,DFRAD , 2.500000000000
*DIM,DFSID ,TABLE, 47, 1, 1
*SET,DFSID ( 1, 0, 1), 31.557600000000
*SET,DFSID ( 2, 0, 1), 3155791.557600
*SET,DFSID ( 3, 0, 1), 6311551.557600
*SET,DFSID ( 4, 0, 1), 9467311.557600
*SET,DFSID ( 5, 0, 1), 12623071.55760
*SET,DFSID ( 6, 0, 1), 15778831.55760
*SET,DFSID ( 7, 0, 1), 18934591.55760
*SET,DFSID ( 8, 0, 1), 22090351.55760
*SET,DFSID ( 9, 0, 1), 25246111.55760
*SET,DFSID ( 10, 0, 1), 28401871.55760
*SET,DFSID ( 11, 0, 1), 31557631.55760
*SET,DFSID ( 12, 0, 1), 63115231.55760
*SET,DFSID ( 13, 0, 1), 94672831.55760
*SET,DFSID ( 14, 0, 1), 126230431.5576
*SET,DFSID ( 15, 0, 1), 157788031.5576
*SET,DFSID ( 16, 0, 1), 189345631.5576
*SET,DFSID ( 17, 0, 1), 220903231.5576
*SET,DFSID ( 18, 0, 1), 252460831.5576
*SET,DFSID ( 19, 0, 1), 284018431.5576
*SET,DFSID ( 20, 0, 1), 315576031.5576
*SET,DFSID ( 21, 0, 1), 631152031.5576
*SET,DFSID ( 22, 0, 1), 946728031.5576
*SET,DFSID ( 23, 0, 1), 1262304031.558

```

```

*SET,DFSID ( 24, 0, 1), 1577880031.558
*SET,DFSID ( 25, 0, 1), 1893456031.558
*SET,DFSID ( 26, 0, 1), 2209032031.558
*SET,DFSID ( 27, 0, 1), 2524608031.558
*SET,DFSID ( 28, 0, 1), 2840184031.558
*SET,DFSID ( 29, 0, 1), 3155760031.558
*SET,DFSID ( 30, 0, 1), 6311520031.558
*SET,DFSID ( 31, 0, 1), 9467280031.558
*SET,DFSID ( 32, 0, 1), 12623040031.56
*SET,DFSID ( 33, 0, 1), 15778800031.56
*SET,DFSID ( 34, 0, 1), 18934560031.56
*SET,DFSID ( 35, 0, 1), 22090320031.56
*SET,DFSID ( 36, 0, 1), 25246080031.56
*SET,DFSID ( 37, 0, 1), 28401840031.56
*SET,DFSID ( 38, 0, 1), 31557600031.56
*SET,DFSID ( 0, 1, 1), 1.000000000000
*SET,DFSID ( 1, 1, 1), 26.13913933863
*SET,DFSID ( 2, 1, 1), 51.80598331268
*SET,DFSID ( 3, 1, 1), 60.76530304632
*SET,DFSID ( 4, 1, 1), 66.72819679246
*SET,DFSID ( 5, 1, 1), 71.31629761568
*SET,DFSID ( 6, 1, 1), 75.06875608079
*SET,DFSID ( 7, 1, 1), 78.26079516008
*SET,DFSID ( 8, 1, 1), 81.05131443423
*SET,DFSID ( 9, 1, 1), 83.54859657399
*SET,DFSID ( 10, 1, 1), 85.81645795178
*SET,DFSID ( 11, 1, 1), 87.90678256152
*SET,DFSID ( 12, 1, 1), 102.0340324692
*SET,DFSID ( 13, 1, 1), 111.0023229163
*SET,DFSID ( 14, 1, 1), 118.2709597523
*SET,DFSID ( 15, 1, 1), 124.4567500002
*SET,DFSID ( 16, 1, 1), 129.6292391990
*SET,DFSID ( 17, 1, 1), 133.8614066297
*SET,DFSID ( 18, 1, 1), 137.6579999751
*SET,DFSID ( 19, 1, 1), 140.4945904653
*SET,DFSID ( 20, 1, 1), 142.8646185217
*SET,DFSID ( 21, 1, 1), 159.9518093908
*SET,DFSID ( 22, 1, 1), 170.9960677715
*SET,DFSID ( 23, 1, 1), 175.7858853946
*SET,DFSID ( 24, 1, 1), 177.9383703421
*SET,DFSID ( 25, 1, 1), 178.8383754657
*SET,DFSID ( 26, 1, 1), 178.8859730567
*SET,DFSID ( 27, 1, 1), 178.1064894465
*SET,DFSID ( 28, 1, 1), 177.3114636816
*SET,DFSID ( 29, 1, 1), 176.5012501466
*SET,DFSID ( 30, 1, 1), 171.6096449790
*SET,DFSID ( 31, 1, 1), 167.0136599978
*SET,DFSID ( 32, 1, 1), 164.6142710259
*SET,DFSID ( 33, 1, 1), 163.0854686539
*SET,DFSID ( 34, 1, 1), 161.2516729250
*SET,DFSID ( 35, 1, 1), 159.0826596766
*SET,DFSID ( 36, 1, 1), 156.6977675421
*SET,DFSID ( 37, 1, 1), 154.3882876643
*SET,DFSID ( 38, 1, 1), 152.2974408824
*DIM,DFTOP ,TABLE, 47, 1, 1
*SET,DFTOP ( 1, 0, 1), 31.55760000000
*SET,DFTOP ( 2, 0, 1), 3155791.557600
*SET,DFTOP ( 3, 0, 1), 6311551.557600
*SET,DFTOP ( 4, 0, 1), 9467311.557600
*SET,DFTOP ( 5, 0, 1), 12623071.55760
*SET,DFTOP ( 6, 0, 1), 15778831.55760
*SET,DFTOP ( 7, 0, 1), 18934591.55760
*SET,DFTOP ( 8, 0, 1), 22090351.55760
*SET,DFTOP ( 9, 0, 1), 25246111.55760
*SET,DFTOP ( 10, 0, 1), 28401871.55760
*SET,DFTOP ( 11, 0, 1), 31557631.55760
*SET,DFTOP ( 12, 0, 1), 63115231.55760
*SET,DFTOP ( 13, 0, 1), 94672831.55760
*SET,DFTOP ( 14, 0, 1), 126230431.5576
*SET,DFTOP ( 15, 0, 1), 157788031.5576

```

```

*SET,DFTOP ( 16, 0, 1), 189345631.5576
*SET,DFTOP ( 17, 0, 1), 220903231.5576
*SET,DFTOP ( 18, 0, 1), 252460831.5576
*SET,DFTOP ( 19, 0, 1), 284018431.5576
*SET,DFTOP ( 20, 0, 1), 315576031.5576
*SET,DFTOP ( 21, 0, 1), 631152031.5576
*SET,DFTOP ( 22, 0, 1), 946728031.5576
*SET,DFTOP ( 23, 0, 1), 1262304031.558
*SET,DFTOP ( 24, 0, 1), 1577880031.558
*SET,DFTOP ( 25, 0, 1), 1893456031.558
*SET,DFTOP ( 26, 0, 1), 2209032031.558
*SET,DFTOP ( 27, 0, 1), 2524608031.558
*SET,DFTOP ( 28, 0, 1), 2840184031.558
*SET,DFTOP ( 29, 0, 1), 3155760031.558
*SET,DFTOP ( 30, 0, 1), 6311520031.558
*SET,DFTOP ( 31, 0, 1), 9467280031.558
*SET,DFTOP ( 32, 0, 1), 12623040031.56
*SET,DFTOP ( 33, 0, 1), 15778800031.56
*SET,DFTOP ( 34, 0, 1), 18934560031.56
*SET,DFTOP ( 35, 0, 1), 22090320031.56
*SET,DFTOP ( 36, 0, 1), 25246080031.56
*SET,DFTOP ( 37, 0, 1), 28401840031.56
*SET,DFTOP ( 38, 0, 1), 31557600031.56
*SET,DFTOP ( 0, 1, 1), 1.000000000000
*SET,DFTOP ( 1, 1, 1), 26.13909900641
*SET,DFTOP ( 2, 1, 1), 51.34811907554
*SET,DFTOP ( 3, 1, 1), 60.29375095453
*SET,DFTOP ( 4, 1, 1), 66.26649937390
*SET,DFTOP ( 5, 1, 1), 70.87076456541
*SET,DFTOP ( 6, 1, 1), 74.63480386802
*SET,DFTOP ( 7, 1, 1), 77.83131960635
*SET,DFTOP ( 8, 1, 1), 80.62006365086
*SET,DFTOP ( 9, 1, 1), 83.11073384536
*SET,DFTOP ( 10, 1, 1), 85.36884071467
*SET,DFTOP ( 11, 1, 1), 87.44736504338
*SET,DFTOP ( 12, 1, 1), 101.4860906687
*SET,DFTOP ( 13, 1, 1), 110.4037749195
*SET,DFTOP ( 14, 1, 1), 117.6508602807
*SET,DFTOP ( 15, 1, 1), 123.8483292725
*SET,DFTOP ( 16, 1, 1), 129.0578259390
*SET,DFTOP ( 17, 1, 1), 133.2573997074
*SET,DFTOP ( 18, 1, 1), 137.1163819034
*SET,DFTOP ( 19, 1, 1), 139.9706210704
*SET,DFTOP ( 20, 1, 1), 142.3657034127
*SET,DFTOP ( 21, 1, 1), 159.4197913651
*SET,DFTOP ( 22, 1, 1), 170.5311140204
*SET,DFTOP ( 23, 1, 1), 175.3813665173
*SET,DFTOP ( 24, 1, 1), 177.5809378314
*SET,DFTOP ( 25, 1, 1), 178.5212702692
*SET,DFTOP ( 26, 1, 1), 178.5906104802
*SET,DFTOP ( 27, 1, 1), 177.8374562539
*SET,DFTOP ( 28, 1, 1), 177.0592792011
*SET,DFTOP ( 29, 1, 1), 176.2635687026
*SET,DFTOP ( 30, 1, 1), 171.4525906882
*SET,DFTOP ( 31, 1, 1), 166.8866127056
*SET,DFTOP ( 32, 1, 1), 164.5037438290
*SET,DFTOP ( 33, 1, 1), 162.9838490907
*SET,DFTOP ( 34, 1, 1), 161.1584977175
*SET,DFTOP ( 35, 1, 1), 158.9987175393
*SET,DFTOP ( 36, 1, 1), 156.6228939704
*SET,DFTOP ( 37, 1, 1), 154.3204624545
*SET,DFTOP ( 38, 1, 1), 152.2352515505
*SET,GSURF , 308.7725500000
*SET,INVRT , .70000000000000
*SET,JINC , 39.000000000000
*SET,MODEL , 11.250000000000
*SET,OFFST , .27255000000000
*SET,TM , 31557600031.56
*SET,TME0 , 28401871.55760
*SET,TME1 , 31557631.55760

```

```

*SET,TME10 , 315576031.5576
*SET,TME100 , 3155760031.558
*SET,TME1000 , 31557600031.56
*SET,TME9 , 284018431.5576
*SET,TME90 , 2840184031.558
*SET,TMI0 , 3155760.000000
*SET,TMI1 , 31557600.00000
*SET,TMI10 , 315576000.0000
*SET,TMI100 , 3155760000.000
*SET,TMI1000 , 31557600000.00
*SET,TM_START , 31.55760000000
*DIM,WPBOT ,TABLE, 47, 1, 1
*SET,WPBOT ( 1, 0, 1), 31.55760000000
*SET,WPBOT ( 2, 0, 1), 3155791.557600
*SET,WPBOT ( 3, 0, 1), 6311551.557600
*SET,WPBOT ( 4, 0, 1), 9467311.557600
*SET,WPBOT ( 5, 0, 1), 12623071.55760
*SET,WPBOT ( 6, 0, 1), 15778831.55760
*SET,WPBOT ( 7, 0, 1), 18934591.55760
*SET,WPBOT ( 8, 0, 1), 22090351.55760
*SET,WPBOT ( 9, 0, 1), 25246111.55760
*SET,WPBOT ( 10, 0, 1), 28401871.55760
*SET,WPBOT ( 11, 0, 1), 31557631.55760
*SET,WPBOT ( 12, 0, 1), 63115231.55760
*SET,WPBOT ( 13, 0, 1), 94672831.55760
*SET,WPBOT ( 14, 0, 1), 126230431.5576
*SET,WPBOT ( 15, 0, 1), 157788031.5576
*SET,WPBOT ( 16, 0, 1), 189345631.5576
*SET,WPBOT ( 17, 0, 1), 220903231.5576
*SET,WPBOT ( 18, 0, 1), 252460831.5576
*SET,WPBOT ( 19, 0, 1), 284018431.5576
*SET,WPBOT ( 20, 0, 1), 315576031.5576
*SET,WPBOT ( 21, 0, 1), 631152031.5576
*SET,WPBOT ( 22, 0, 1), 946728031.5576
*SET,WPBOT ( 23, 0, 1), 1262304031.558
*SET,WPBOT ( 24, 0, 1), 1577880031.558
*SET,WPBOT ( 25, 0, 1), 1893456031.558
*SET,WPBOT ( 26, 0, 1), 2209032031.558
*SET,WPBOT ( 27, 0, 1), 2524608031.558
*SET,WPBOT ( 28, 0, 1), 2840184031.558
*SET,WPBOT ( 29, 0, 1), 3155760031.558
*SET,WPBOT ( 30, 0, 1), 6311520031.558
*SET,WPBOT ( 31, 0, 1), 9467280031.558
*SET,WPBOT ( 32, 0, 1), 12623040031.56
*SET,WPBOT ( 33, 0, 1), 15778800031.56
*SET,WPBOT ( 34, 0, 1), 18934560031.56
*SET,WPBOT ( 35, 0, 1), 22090320031.56
*SET,WPBOT ( 36, 0, 1), 25246080031.56
*SET,WPBOT ( 37, 0, 1), 28401840031.56
*SET,WPBOT ( 38, 0, 1), 31557600031.56
*SET,WPBOT ( 0, 1, 1), 1.000000000000
*SET,WPBOT ( 1, 1, 1), 57.67525505243
*SET,WPBOT ( 2, 1, 1), 84.03586510261
*SET,WPBOT ( 3, 1, 1), 91.25405755750
*SET,WPBOT ( 4, 1, 1), 96.01553820629
*SET,WPBOT ( 5, 1, 1), 99.69254137802
*SET,WPBOT ( 6, 1, 1), 102.7158958364
*SET,WPBOT ( 7, 1, 1), 105.2830260831
*SET,WPBOT ( 8, 1, 1), 107.5375792088
*SET,WPBOT ( 9, 1, 1), 109.5545694671
*SET,WPBOT ( 10, 1, 1), 111.3900216960
*SET,WPBOT ( 11, 1, 1), 113.0817109547
*SET,WPBOT ( 12, 1, 1), 124.5706079332
*SET,WPBOT ( 13, 1, 1), 131.9084657871
*SET,WPBOT ( 14, 1, 1), 137.8744424032
*SET,WPBOT ( 15, 1, 1), 142.9836493135
*SET,WPBOT ( 16, 1, 1), 147.2983729983
*SET,WPBOT ( 17, 1, 1), 150.7973891229
*SET,WPBOT ( 18, 1, 1), 153.9975213075
*SET,WPBOT ( 19, 1, 1), 156.1626326900

```

```

*SET,WPBOT ( 20, 1, 1), 158.0168890969
*SET,WPBOT ( 21, 1, 1), 171.4949437242
*SET,WPBOT ( 22, 1, 1), 180.3234054624
*SET,WPBOT ( 23, 1, 1), 183.6003402421
*SET,WPBOT ( 24, 1, 1), 184.7356920982
*SET,WPBOT ( 25, 1, 1), 184.8911176528
*SET,WPBOT ( 26, 1, 1), 184.3804544079
*SET,WPBOT ( 27, 1, 1), 183.1017030498
*SET,WPBOT ( 28, 1, 1), 181.9498362908
*SET,WPBOT ( 29, 1, 1), 180.8467340447
*SET,WPBOT ( 30, 1, 1), 174.3665679733
*SET,WPBOT ( 31, 1, 1), 169.2518323878
*SET,WPBOT ( 32, 1, 1), 166.5285938199
*SET,WPBOT ( 33, 1, 1), 164.7688532607
*SET,WPBOT ( 34, 1, 1), 162.7352792992
*SET,WPBOT ( 35, 1, 1), 160.4159662884
*SET,WPBOT ( 36, 1, 1), 157.9160414932
*SET,WPBOT ( 37, 1, 1), 155.5192551264
*SET,WPBOT ( 38, 1, 1), 153.3562583106
*DIM,WPHOT ,TABLE, 47, 1, 1
*SET,WPHOT ( 1, 0, 1), 31.557600000000
*SET,WPHOT ( 2, 0, 1), 3155760.000000
*SET,WPHOT ( 3, 0, 1), 6311520.000000
*SET,WPHOT ( 4, 0, 1), 9467280.000000
*SET,WPHOT ( 5, 0, 1), 12623040.000000
*SET,WPHOT ( 6, 0, 1), 15778800.000000
*SET,WPHOT ( 7, 0, 1), 18934560.000000
*SET,WPHOT ( 8, 0, 1), 22090320.000000
*SET,WPHOT ( 9, 0, 1), 25246080.000000
*SET,WPHOT ( 10, 0, 1), 28401840.000000
*SET,WPHOT ( 11, 0, 1), 31557600.000000
*SET,WPHOT ( 12, 0, 1), 63115200.000000
*SET,WPHOT ( 13, 0, 1), 94672800.000000
*SET,WPHOT ( 14, 0, 1), 126230400.000000
*SET,WPHOT ( 15, 0, 1), 157788000.000000
*SET,WPHOT ( 16, 0, 1), 189345600.000000
*SET,WPHOT ( 17, 0, 1), 220903200.000000
*SET,WPHOT ( 18, 0, 1), 252460800.000000
*SET,WPHOT ( 19, 0, 1), 284018400.000000
*SET,WPHOT ( 20, 0, 1), 315576000.000000
*SET,WPHOT ( 21, 0, 1), 631152000.000000
*SET,WPHOT ( 22, 0, 1), 946728000.000000
*SET,WPHOT ( 23, 0, 1), 1262304000.000000
*SET,WPHOT ( 24, 0, 1), 1577880000.000000
*SET,WPHOT ( 25, 0, 1), 1893456000.000000
*SET,WPHOT ( 26, 0, 1), 2209032000.000000
*SET,WPHOT ( 27, 0, 1), 2524608000.000000
*SET,WPHOT ( 28, 0, 1), 2840184000.000000
*SET,WPHOT ( 29, 0, 1), 3155760000.000000
*SET,WPHOT ( 30, 0, 1), 6311520000.000000
*SET,WPHOT ( 31, 0, 1), 9467280000.000000
*SET,WPHOT ( 32, 0, 1), 12623040000.000000
*SET,WPHOT ( 33, 0, 1), 15778800000.000000
*SET,WPHOT ( 34, 0, 1), 18934560000.000000
*SET,WPHOT ( 35, 0, 1), 22090320000.000000
*SET,WPHOT ( 36, 0, 1), 25246080000.000000
*SET,WPHOT ( 37, 0, 1), 28401840000.000000
*SET,WPHOT ( 38, 0, 1), 31557600000.000000
*SET,WPHOT ( 39, 0, 1), 63115200000.000000
*SET,WPHOT ( 40, 0, 1), 94672800000.000000
*SET,WPHOT ( 41, 0, 1), 126230400000.000000
*SET,WPHOT ( 42, 0, 1), 157788000000.000000
*SET,WPHOT ( 43, 0, 1), 189345600000.000000
*SET,WPHOT ( 44, 0, 1), 220903200000.000000
*SET,WPHOT ( 45, 0, 1), 252460800000.000000
*SET,WPHOT ( 46, 0, 1), 284018400000.000000
*SET,WPHOT ( 47, 0, 1), 315576000000.000000
*SET,WPHOT ( 0, 1, 1), 1.000000000000
*SET,WPHOT ( 1, 1, 1), 771.1980889634
*SET,WPHOT ( 2, 1, 1), 769.6135438864

```



```

*SET,WPHOT ( 3, 1, 1), 768.0289988094
*SET,WPHOT ( 4, 1, 1), 766.4444537325
*SET,WPHOT ( 5, 1, 1), 765.0183631632
*SET,WPHOT ( 6, 1, 1), 763.4338180862
*SET,WPHOT ( 7, 1, 1), 761.8492730092
*SET,WPHOT ( 8, 1, 1), 760.2647279323
*SET,WPHOT ( 9, 1, 1), 758.8386373630
*SET,WPHOT ( 10, 1, 1), 757.2540922860
*SET,WPHOT ( 11, 1, 1), 755.8280017167
*SET,WPHOT ( 12, 1, 1), 741.2501870086
*SET,WPHOT ( 13, 1, 1), 727.6230993466
*SET,WPHOT ( 14, 1, 1), 714.7882842231
*SET,WPHOT ( 15, 1, 1), 702.7457416381
*SET,WPHOT ( 16, 1, 1), 691.1785625762
*SET,WPHOT ( 17, 1, 1), 680.2452015451
*SET,WPHOT ( 18, 1, 1), 671.3717491140
*SET,WPHOT ( 19, 1, 1), 653.7832987596
*SET,WPHOT ( 20, 1, 1), 640.9484836361
*SET,WPHOT ( 21, 1, 1), 541.2805982944
*SET,WPHOT ( 22, 1, 1), 466.0147071381
*SET,WPHOT ( 23, 1, 1), 400.2560864437
*SET,WPHOT ( 24, 1, 1), 351.7690070883
*SET,WPHOT ( 25, 1, 1), 314.5321977794
*SET,WPHOT ( 26, 1, 1), 284.9012048400
*SET,WPHOT ( 27, 1, 1), 257.4885750083
*SET,WPHOT ( 28, 1, 1), 237.8402160538
*SET,WPHOT ( 29, 1, 1), 221.3609472533
*SET,WPHOT ( 30, 1, 1), 135.7955130967
*SET,WPHOT ( 31, 1, 1), 106.7983381881
*SET,WPHOT ( 32, 1, 1), 90.00216037214
*SET,WPHOT ( 33, 1, 1), 78.27652680253
*SET,WPHOT ( 34, 1, 1), 67.97698380220
*SET,WPHOT ( 35, 1, 1), 60.37116743272
*SET,WPHOT ( 36, 1, 1), 54.34989614022
*SET,WPHOT ( 37, 1, 1), 49.59626090930
*SET,WPHOT ( 38, 1, 1), 45.95180723225
*SET,WPHOT ( 39, 1, 1), 24.56044869310
*SET,WPHOT ( 40, 1, 1), 20.28217698527
*SET,WPHOT ( 41, 1, 1), 17.58845035441
*SET,WPHOT ( 42, 1, 1), 15.84545076974
*SET,WPHOT ( 43, 1, 1), 14.57781470816
*SET,WPHOT ( 44, 1, 1), 13.62708766198
*SET,WPHOT ( 45, 1, 1), 12.67636061579
*SET,WPHOT ( 46, 1, 1), 12.04254258500
*SET,WPHOT ( 47, 1, 1), 11.40872455422
*SET,WPLEN , 5.647000000000
*SET,WPNUM , 12.000000000000
*SET,WPRAD , .76525000000000
*DIM,WPSID ,TABLE, 47, 1, 1
*SET,WPSID ( 1, 0, 1), 31.557600000000
*SET,WPSID ( 2, 0, 1), 3155791.557600
*SET,WPSID ( 3, 0, 1), 6311551.557600
*SET,WPSID ( 4, 0, 1), 9467311.557600
*SET,WPSID ( 5, 0, 1), 12623071.55760
*SET,WPSID ( 6, 0, 1), 15778831.55760
*SET,WPSID ( 7, 0, 1), 18934591.55760
*SET,WPSID ( 8, 0, 1), 22090351.55760
*SET,WPSID ( 9, 0, 1), 25246111.55760
*SET,WPSID ( 10, 0, 1), 28401871.55760
*SET,WPSID ( 11, 0, 1), 31557631.55760
*SET,WPSID ( 12, 0, 1), 63115231.55760
*SET,WPSID ( 13, 0, 1), 94672831.55760
*SET,WPSID ( 14, 0, 1), 126230431.5576
*SET,WPSID ( 15, 0, 1), 157788031.5576
*SET,WPSID ( 16, 0, 1), 189345631.5576
*SET,WPSID ( 17, 0, 1), 220903231.5576
*SET,WPSID ( 18, 0, 1), 252460831.5576
*SET,WPSID ( 19, 0, 1), 284018431.5576
*SET,WPSID ( 20, 0, 1), 315576031.5576
*SET,WPSID ( 21, 0, 1), 631152031.5576

```

```

*SET,WPSID ( 22, 0, 1), 946728031.5576
*SET,WPSID ( 23, 0, 1), 1262304031.558
*SET,WPSID ( 24, 0, 1), 1577880031.558
*SET,WPSID ( 25, 0, 1), 1893456031.558
*SET,WPSID ( 26, 0, 1), 2209032031.558
*SET,WPSID ( 27, 0, 1), 2524608031.558
*SET,WPSID ( 28, 0, 1), 2840184031.558
*SET,WPSID ( 29, 0, 1), 3155760031.558
*SET,WPSID ( 30, 0, 1), 6311520031.558
*SET,WPSID ( 31, 0, 1), 9467280031.558
*SET,WPSID ( 32, 0, 1), 12623040031.56
*SET,WPSID ( 33, 0, 1), 15778800031.56
*SET,WPSID ( 34, 0, 1), 18934560031.56
*SET,WPSID ( 35, 0, 1), 22090320031.56
*SET,WPSID ( 36, 0, 1), 25246080031.56
*SET,WPSID ( 37, 0, 1), 28401840031.56
*SET,WPSID ( 38, 0, 1), 31557600031.56
*SET,WPSID ( 0, 1, 1), 1.000000000000
*SET,WPSID ( 1, 1, 1), 57.77966535821
*SET,WPSID ( 2, 1, 1), 82.50522032272
*SET,WPSID ( 3, 1, 1), 89.70425039616
*SET,WPSID ( 4, 1, 1), 94.47226588776
*SET,WPSID ( 5, 1, 1), 98.16073294209
*SET,WPSID ( 6, 1, 1), 101.1876648545
*SET,WPSID ( 7, 1, 1), 103.7653786275
*SET,WPSID ( 8, 1, 1), 106.0253424918
*SET,WPSID ( 9, 1, 1), 108.0519271141
*SET,WPSID ( 10, 1, 1), 109.8937163984
*SET,WPSID ( 11, 1, 1), 111.5944393091
*SET,WPSID ( 12, 1, 1), 123.1229242567
*SET,WPSID ( 13, 1, 1), 130.5181465044
*SET,WPSID ( 14, 1, 1), 136.5458593000
*SET,WPSID ( 15, 1, 1), 141.6981008162
*SET,WPSID ( 16, 1, 1), 146.0455051788
*SET,WPSID ( 17, 1, 1), 149.5721764724
*SET,WPSID ( 18, 1, 1), 152.8019147235
*SET,WPSID ( 19, 1, 1), 154.9994191809
*SET,WPSID ( 20, 1, 1), 156.8818945805
*SET,WPSID ( 21, 1, 1), 170.5811288947
*SET,WPSID ( 22, 1, 1), 179.5586517405
*SET,WPSID ( 23, 1, 1), 182.9483292765
*SET,WPSID ( 24, 1, 1), 184.1645989334
*SET,WPSID ( 25, 1, 1), 184.3827703880
*SET,WPSID ( 26, 1, 1), 183.9164438128
*SET,WPSID ( 27, 1, 1), 182.6814893064
*SET,WPSID ( 28, 1, 1), 181.5607538248
*SET,WPSID ( 29, 1, 1), 180.4821165461
*SET,WPSID ( 30, 1, 1), 174.1385537032
*SET,WPSID ( 31, 1, 1), 169.0684138501
*SET,WPSID ( 32, 1, 1), 166.3729850383
*SET,WPSID ( 33, 1, 1), 164.6313987247
*SET,WPSID ( 34, 1, 1), 162.6132231940
*SET,WPSID ( 35, 1, 1), 160.3077757002
*SET,WPSID ( 36, 1, 1), 157.8186187285
*SET,WPSID ( 37, 1, 1), 155.4293676264
*SET,WPSID ( 38, 1, 1), 153.2738135438
*SET,WSPC , 9.237000000000
*DIM,WPTOP ,TABLE, 47, 1, 1
*SET,WPTOP ( 1, 0, 1), 31.55760000000
*SET,WPTOP ( 2, 0, 1), 3155791.557600
*SET,WPTOP ( 3, 0, 1), 6311551.557600
*SET,WPTOP ( 4, 0, 1), 9467311.557600
*SET,WPTOP ( 5, 0, 1), 12623071.55760
*SET,WPTOP ( 6, 0, 1), 15778831.55760
*SET,WPTOP ( 7, 0, 1), 18934591.55760
*SET,WPTOP ( 8, 0, 1), 22090351.55760
*SET,WPTOP ( 9, 0, 1), 25246111.55760
*SET,WPTOP ( 10, 0, 1), 28401871.55760
*SET,WPTOP ( 11, 0, 1), 31557631.55760
*SET,WPTOP ( 12, 0, 1), 63115231.55760

```

```

*SET,WPTOP ( 13, 0, 1), 94672831.55760
*SET,WPTOP ( 14, 0, 1), 126230431.5576
*SET,WPTOP ( 15, 0, 1), 157788031.5576
*SET,WPTOP ( 16, 0, 1), 189345631.5576
*SET,WPTOP ( 17, 0, 1), 220903231.5576
*SET,WPTOP ( 18, 0, 1), 252460831.5576
*SET,WPTOP ( 19, 0, 1), 284018431.5576
*SET,WPTOP ( 20, 0, 1), 315576031.5576
*SET,WPTOP ( 21, 0, 1), 631152031.5576
*SET,WPTOP ( 22, 0, 1), 946728031.5576
*SET,WPTOP ( 23, 0, 1), 1262304031.558
*SET,WPTOP ( 24, 0, 1), 1577880031.558
*SET,WPTOP ( 25, 0, 1), 1893456031.558
*SET,WPTOP ( 26, 0, 1), 2209032031.558
*SET,WPTOP ( 27, 0, 1), 2524608031.558
*SET,WPTOP ( 28, 0, 1), 2840184031.558
*SET,WPTOP ( 29, 0, 1), 3155760031.558
*SET,WPTOP ( 30, 0, 1), 6311520031.558
*SET,WPTOP ( 31, 0, 1), 9467280031.558
*SET,WPTOP ( 32, 0, 1), 12623040031.56
*SET,WPTOP ( 33, 0, 1), 15778800031.56
*SET,WPTOP ( 34, 0, 1), 18934560031.56
*SET,WPTOP ( 35, 0, 1), 22090320031.56
*SET,WPTOP ( 36, 0, 1), 25246080031.56
*SET,WPTOP ( 37, 0, 1), 28401840031.56
*SET,WPTOP ( 38, 0, 1), 31557600031.56
*SET,WPTOP ( 0, 1, 1), 1.000000000000
*SET,WPTOP ( 1, 1, 1), 57.85637260623
*SET,WPTOP ( 2, 1, 1), 81.79570637853
*SET,WPTOP ( 3, 1, 1), 89.00165495463
*SET,WPTOP ( 4, 1, 1), 93.77969772842
*SET,WPTOP ( 5, 1, 1), 97.47665831442
*SET,WPTOP ( 6, 1, 1), 100.5122729451
*SET,WPTOP ( 7, 1, 1), 103.0962894826
*SET,WPTOP ( 8, 1, 1), 105.3621717063
*SET,WPTOP ( 9, 1, 1), 107.3933603695
*SET,WPTOP ( 10, 1, 1), 109.2394835098
*SET,WPTOP ( 11, 1, 1), 110.9439189389
*SET,WPTOP ( 12, 1, 1), 122.4841503964
*SET,WPTOP ( 13, 1, 1), 129.8997905344
*SET,WPTOP ( 14, 1, 1), 135.9573928215
*SET,WPTOP ( 15, 1, 1), 141.1342626222
*SET,WPTOP ( 16, 1, 1), 145.5040369017
*SET,WPTOP ( 17, 1, 1), 149.0368096208
*SET,WPTOP ( 18, 1, 1), 152.2889920919
*SET,WPTOP ( 19, 1, 1), 154.5014720765
*SET,WPTOP ( 20, 1, 1), 156.3981335304
*SET,WPTOP ( 21, 1, 1), 170.1809096303
*SET,WPTOP ( 22, 1, 1), 179.2233990557
*SET,WPTOP ( 23, 1, 1), 182.6616746417
*SET,WPTOP ( 24, 1, 1), 183.9130874841
*SET,WPTOP ( 25, 1, 1), 184.1591536086
*SET,WPTOP ( 26, 1, 1), 183.7104499441
*SET,WPTOP ( 27, 1, 1), 182.4947011297
*SET,WPTOP ( 28, 1, 1), 181.3864089074
*SET,WPTOP ( 29, 1, 1), 180.3183846820
*SET,WPTOP ( 30, 1, 1), 174.0331953830
*SET,WPTOP ( 31, 1, 1), 168.9830986344
*SET,WPTOP ( 32, 1, 1), 166.2993094154
*SET,WPTOP ( 33, 1, 1), 164.5648254788
*SET,WPTOP ( 34, 1, 1), 162.5533178987
*SET,WPTOP ( 35, 1, 1), 160.2540379843
*SET,WPTOP ( 36, 1, 1), 157.7705045243
*SET,WPTOP ( 37, 1, 1), 155.3856445947
*SET,WPTOP ( 38, 1, 1), 153.2335053366
*SET,WPVOL , 7.573151546382
*SET,WPVLL , 1000000000000
*SET,XXX , 1.734935157290
*SET,YYY , -1.527450000000
/GOPR

```

```

/NOPR
*DIM,ASSY ,TABLE, 47, 1, 1
*SET,ASSY ( 1, 0, 1), .10000000000000E-05
*SET,ASSY ( 2, 0, 1), .10000000000000
*SET,ASSY ( 3, 0, 1), .20000000000000
*SET,ASSY ( 4, 0, 1), .30000000000000
*SET,ASSY ( 5, 0, 1), .40000000000000
*SET,ASSY ( 6, 0, 1), .50000000000000
*SET,ASSY ( 7, 0, 1), .60000000000000
*SET,ASSY ( 8, 0, 1), .70000000000000
*SET,ASSY ( 9, 0, 1), .80000000000000
*SET,ASSY (10, 0, 1), .90000000000000
*SET,ASSY (11, 0, 1), 1.000000000000
*SET,ASSY (12, 0, 1), 2.000000000000
*SET,ASSY (13, 0, 1), 3.000000000000
*SET,ASSY (14, 0, 1), 4.000000000000
*SET,ASSY (15, 0, 1), 5.000000000000
*SET,ASSY (16, 0, 1), 6.000000000000
*SET,ASSY (17, 0, 1), 7.000000000000
*SET,ASSY (18, 0, 1), 8.000000000000
*SET,ASSY (19, 0, 1), 9.000000000000
*SET,ASSY (20, 0, 1), 10.000000000000
*SET,ASSY (21, 0, 1), 20.000000000000
*SET,ASSY (22, 0, 1), 30.000000000000
*SET,ASSY (23, 0, 1), 40.000000000000
*SET,ASSY (24, 0, 1), 50.000000000000
*SET,ASSY (25, 0, 1), 60.000000000000
*SET,ASSY (26, 0, 1), 70.000000000000
*SET,ASSY (27, 0, 1), 80.000000000000
*SET,ASSY (28, 0, 1), 90.000000000000
*SET,ASSY (29, 0, 1), 100.000000000000
*SET,ASSY (30, 0, 1), 200.000000000000
*SET,ASSY (31, 0, 1), 300.000000000000
*SET,ASSY (32, 0, 1), 400.000000000000
*SET,ASSY (33, 0, 1), 500.000000000000
*SET,ASSY (34, 0, 1), 600.000000000000
*SET,ASSY (35, 0, 1), 700.000000000000
*SET,ASSY (36, 0, 1), 800.000000000000
*SET,ASSY (37, 0, 1), 900.000000000000
*SET,ASSY (38, 0, 1), 1000.000000000000
*SET,ASSY (39, 0, 1), 2000.000000000000
*SET,ASSY (40, 0, 1), 3000.000000000000
*SET,ASSY (41, 0, 1), 4000.000000000000
*SET,ASSY (42, 0, 1), 5000.000000000000
*SET,ASSY (43, 0, 1), 6000.000000000000
*SET,ASSY (44, 0, 1), 7000.000000000000
*SET,ASSY (45, 0, 1), 8000.000000000000
*SET,ASSY (46, 0, 1), 9000.000000000000
*SET,ASSY (47, 0, 1), 10000.000000000000
*SET,ASSY ( 0, 1, 1), 1.000000000000
*SET,ASSY ( 1, 1, 1), 486.700000000000
*SET,ASSY ( 2, 1, 1), 485.700000000000
*SET,ASSY ( 3, 1, 1), 484.700000000000
*SET,ASSY ( 4, 1, 1), 483.700000000000
*SET,ASSY ( 5, 1, 1), 482.800000000000
*SET,ASSY ( 6, 1, 1), 481.800000000000
*SET,ASSY ( 7, 1, 1), 480.800000000000
*SET,ASSY ( 8, 1, 1), 479.800000000000
*SET,ASSY ( 9, 1, 1), 478.900000000000
*SET,ASSY (10, 1, 1), 477.900000000000
*SET,ASSY (11, 1, 1), 477.000000000000
*SET,ASSY (12, 1, 1), 467.800000000000
*SET,ASSY (13, 1, 1), 459.200000000000
*SET,ASSY (14, 1, 1), 451.100000000000
*SET,ASSY (15, 1, 1), 443.500000000000
*SET,ASSY (16, 1, 1), 436.200000000000
*SET,ASSY (17, 1, 1), 429.300000000000
*SET,ASSY (18, 1, 1), 423.700000000000
*SET,ASSY (19, 1, 1), 412.600000000000
*SET,ASSY (20, 1, 1), 404.500000000000

```

```

*SET,ASSY ( 21, 1, 1), 341.6000000000
*SET,ASSY ( 22, 1, 1), 294.1000000000
*SET,ASSY ( 23, 1, 1), 252.6000000000
*SET,ASSY ( 24, 1, 1), 222.0000000000
*SET,ASSY ( 25, 1, 1), 198.5000000000
*SET,ASSY ( 26, 1, 1), 179.8000000000
*SET,ASSY ( 27, 1, 1), 162.5000000000
*SET,ASSY ( 28, 1, 1), 150.1000000000
*SET,ASSY ( 29, 1, 1), 139.7000000000
*SET,ASSY ( 30, 1, 1), 85.7000000000
*SET,ASSY ( 31, 1, 1), 67.4000000000
*SET,ASSY ( 32, 1, 1), 56.8000000000
*SET,ASSY ( 33, 1, 1), 49.4000000000
*SET,ASSY ( 34, 1, 1), 42.9000000000
*SET,ASSY ( 35, 1, 1), 38.1000000000
*SET,ASSY ( 36, 1, 1), 34.3000000000
*SET,ASSY ( 37, 1, 1), 31.3000000000
*SET,ASSY ( 38, 1, 1), 29.0000000000
*SET,ASSY ( 39, 1, 1), 15.5000000000
*SET,ASSY ( 40, 1, 1), 12.8000000000
*SET,ASSY ( 41, 1, 1), 11.1000000000
*SET,ASSY ( 42, 1, 1), 10.0000000000
*SET,ASSY ( 43, 1, 1), 9.2000000000
*SET,ASSY ( 44, 1, 1), 8.6000000000
*SET,ASSY ( 45, 1, 1), 8.0000000000
*SET,ASSY ( 46, 1, 1), 7.6000000000
*SET,ASSY ( 47, 1, 1), 7.2000000000
*SET,DFAMBT , 26.13752575228
*DIM,DFBOT ,TABLE, 47, 1, 1
*SET,DFBOT ( 1, 0, 1), 31.5576000000
*SET,DFBOT ( 2, 0, 1), 3155791.557600
*SET,DFBOT ( 3, 0, 1), 6311551.557600
*SET,DFBOT ( 4, 0, 1), 9467311.557600
*SET,DFBOT ( 5, 0, 1), 12623071.55760
*SET,DFBOT ( 6, 0, 1), 15778831.55760
*SET,DFBOT ( 7, 0, 1), 18934591.55760
*SET,DFBOT ( 8, 0, 1), 22090351.55760
*SET,DFBOT ( 9, 0, 1), 25246111.55760
*SET,DFBOT ( 10, 0, 1), 28401871.55760
*SET,DFBOT ( 11, 0, 1), 31557631.55760
*SET,DFBOT ( 12, 0, 1), 63115231.55760
*SET,DFBOT ( 13, 0, 1), 94672831.55760
*SET,DFBOT ( 14, 0, 1), 126230431.5576
*SET,DFBOT ( 15, 0, 1), 157788031.5576
*SET,DFBOT ( 16, 0, 1), 189345631.5576
*SET,DFBOT ( 17, 0, 1), 220903231.5576
*SET,DFBOT ( 18, 0, 1), 252460831.5576
*SET,DFBOT ( 19, 0, 1), 284018431.5576
*SET,DFBOT ( 20, 0, 1), 315576031.5576
*SET,DFBOT ( 21, 0, 1), 631152031.5576
*SET,DFBOT ( 22, 0, 1), 946728031.5576
*SET,DFBOT ( 23, 0, 1), 1262304031.558
*SET,DFBOT ( 24, 0, 1), 1577880031.558
*SET,DFBOT ( 25, 0, 1), 1893456031.558
*SET,DFBOT ( 26, 0, 1), 2209032031.558
*SET,DFBOT ( 27, 0, 1), 2524608031.558
*SET,DFBOT ( 28, 0, 1), 2840184031.558
*SET,DFBOT ( 29, 0, 1), 3155760031.558
*SET,DFBOT ( 30, 0, 1), 6311520031.558
*SET,DFBOT ( 31, 0, 1), 9467280031.558
*SET,DFBOT ( 32, 0, 1), 12623040031.56
*SET,DFBOT ( 33, 0, 1), 15778800031.56
*SET,DFBOT ( 34, 0, 1), 18934560031.56
*SET,DFBOT ( 35, 0, 1), 22090320031.56
*SET,DFBOT ( 36, 0, 1), 25246080031.56
*SET,DFBOT ( 37, 0, 1), 28401840031.56
*SET,DFBOT ( 38, 0, 1), 31557600031.56
*SET,DFBOT ( 0, 1, 1), 1.000000000000
*SET,DFBOT ( 1, 1, 1), 26.16026016133
*SET,DFBOT ( 2, 1, 1), 38.40897051124

```

```

*SET,DFBOT ( 3, 1, 1), 45.46119252866
*SET,DFBOT ( 4, 1, 1), 50.30088156463
*SET,DFBOT ( 5, 1, 1), 54.06612941898
*SET,DFBOT ( 6, 1, 1), 57.16189758367
*SET,DFBOT ( 7, 1, 1), 59.79706016328
*SET,DFBOT ( 8, 1, 1), 62.10033444082
*SET,DFBOT ( 9, 1, 1), 64.15726988295
*SET,DFBOT (10, 1, 1), 66.02511843396
*SET,DFBOT (11, 1, 1), 67.74412497962
*SET,DFBOT (12, 1, 1), 80.68377322176
*SET,DFBOT (13, 1, 1), 89.52163164916
*SET,DFBOT (14, 1, 1), 95.97095289068
*SET,DFBOT (15, 1, 1), 101.0650852226
*SET,DFBOT (16, 1, 1), 105.4413183500
*SET,DFBOT (17, 1, 1), 109.2888603080
*SET,DFBOT (18, 1, 1), 112.7372346101
*SET,DFBOT (19, 1, 1), 115.6300006844
*SET,DFBOT (20, 1, 1), 118.0121750283
*SET,DFBOT (21, 1, 1), 132.0792175228
*SET,DFBOT (22, 1, 1), 140.1096207135
*SET,DFBOT (23, 1, 1), 144.7093816303
*SET,DFBOT (24, 1, 1), 147.1106903611
*SET,DFBOT (25, 1, 1), 148.2247319261
*SET,DFBOT (26, 1, 1), 148.7801619803
*SET,DFBOT (27, 1, 1), 148.5400216308
*SET,DFBOT (28, 1, 1), 148.1937993087
*SET,DFBOT (29, 1, 1), 147.8572406167
*SET,DFBOT (30, 1, 1), 145.2292461216
*SET,DFBOT (31, 1, 1), 142.4719045068
*SET,DFBOT (32, 1, 1), 140.9080992346
*SET,DFBOT (33, 1, 1), 139.5522359851
*SET,DFBOT (34, 1, 1), 137.9020738109
*SET,DFBOT (35, 1, 1), 136.3611275335
*SET,DFBOT (36, 1, 1), 134.9739350675
*SET,DFBOT (37, 1, 1), 133.6944770241
*SET,DFBOT (38, 1, 1), 132.5560659478
*SET,DFCENT , .2725500000000
*DIM,DFEDG ,TABLE, 47, 1, 1
*SET,DFEDG ( 1, 0, 1), 31.55760000000
*SET,DFEDG ( 2, 0, 1), 3155791.557600
*SET,DFEDG ( 3, 0, 1), 6311551.557600
*SET,DFEDG ( 4, 0, 1), 9467311.557600
*SET,DFEDG ( 5, 0, 1), 12623071.55760
*SET,DFEDG ( 6, 0, 1), 15778831.55760
*SET,DFEDG ( 7, 0, 1), 18934591.55760
*SET,DFEDG ( 8, 0, 1), 22090351.55760
*SET,DFEDG ( 9, 0, 1), 25246111.55760
*SET,DFEDG (10, 0, 1), 28401871.55760
*SET,DFEDG (11, 0, 1), 31557631.55760
*SET,DFEDG (12, 0, 1), 63115231.55760
*SET,DFEDG (13, 0, 1), 94672831.55760
*SET,DFEDG (14, 0, 1), 126230431.5576
*SET,DFEDG (15, 0, 1), 157788031.5576
*SET,DFEDG (16, 0, 1), 189345631.5576
*SET,DFEDG (17, 0, 1), 220903231.5576
*SET,DFEDG (18, 0, 1), 252460831.5576
*SET,DFEDG (19, 0, 1), 284018431.5576
*SET,DFEDG (20, 0, 1), 315576031.5576
*SET,DFEDG (21, 0, 1), 631152031.5576
*SET,DFEDG (22, 0, 1), 946728031.5576
*SET,DFEDG (23, 0, 1), 1262304031.558
*SET,DFEDG (24, 0, 1), 1577880031.558
*SET,DFEDG (25, 0, 1), 1893456031.558
*SET,DFEDG (26, 0, 1), 2209032031.558
*SET,DFEDG (27, 0, 1), 2524608031.558
*SET,DFEDG (28, 0, 1), 2840184031.558
*SET,DFEDG (29, 0, 1), 3155760031.558
*SET,DFEDG (30, 0, 1), 6311520031.558
*SET,DFEDG (31, 0, 1), 9467280031.558
*SET,DFEDG (32, 0, 1), 12623040031.56

```

```

*SET,DFEDG ( 33, 0, 1), 15778800031.56
*SET,DFEDG ( 34, 0, 1), 18934560031.56
*SET,DFEDG ( 35, 0, 1), 22090320031.56
*SET,DFEDG ( 36, 0, 1), 25246080031.56
*SET,DFEDG ( 37, 0, 1), 28401840031.56
*SET,DFEDG ( 38, 0, 1), 31557600031.56
*SET,DFEDG ( 0, 1, 1), 1.000000000000
*SET,DFEDG ( 1, 1, 1), 26.13795068722
*SET,DFEDG ( 2, 1, 1), 43.67574195495
*SET,DFEDG ( 3, 1, 1), 50.99612797498
*SET,DFEDG ( 4, 1, 1), 55.95936545040
*SET,DFEDG ( 5, 1, 1), 59.80148595149
*SET,DFEDG ( 6, 1, 1), 62.95349659602
*SET,DFEDG ( 7, 1, 1), 65.63580304594
*SET,DFEDG ( 8, 1, 1), 67.98180214164
*SET,DFEDG ( 9, 1, 1), 70.07972862787
*SET,DFEDG ( 10, 1, 1), 71.98581779501
*SET,DFEDG ( 11, 1, 1), 73.74185483316
*SET,DFEDG ( 12, 1, 1), 86.94652359740
*SET,DFEDG ( 13, 1, 1), 95.76860754864
*SET,DFEDG ( 14, 1, 1), 102.1972109495
*SET,DFEDG ( 15, 1, 1), 107.3716809440
*SET,DFEDG ( 16, 1, 1), 111.7828058806
*SET,DFEDG ( 17, 1, 1), 115.6681845082
*SET,DFEDG ( 18, 1, 1), 119.1407079563
*SET,DFEDG ( 19, 1, 1), 121.8757592943
*SET,DFEDG ( 20, 1, 1), 124.2046343379
*SET,DFEDG ( 21, 1, 1), 137.4633526844
*SET,DFEDG ( 22, 1, 1), 144.9032943476
*SET,DFEDG ( 23, 1, 1), 148.8816222316
*SET,DFEDG ( 24, 1, 1), 150.7976765966
*SET,DFEDG ( 25, 1, 1), 151.5267400029
*SET,DFEDG ( 26, 1, 1), 151.7725800449
*SET,DFEDG ( 27, 1, 1), 151.2442188558
*SET,DFEDG ( 28, 1, 1), 150.6846263823
*SET,DFEDG ( 29, 1, 1), 150.1711912489
*SET,DFEDG ( 30, 1, 1), 146.6349835291
*SET,DFEDG ( 31, 1, 1), 143.5626237617
*SET,DFEDG ( 32, 1, 1), 141.8223565700
*SET,DFEDG ( 33, 1, 1), 140.3432653919
*SET,DFEDG ( 34, 1, 1), 138.5848495363
*SET,DFEDG ( 35, 1, 1), 136.9617284227
*SET,DFEDG ( 36, 1, 1), 135.5092144165
*SET,DFEDG ( 37, 1, 1), 134.1796164630
*SET,DFEDG ( 38, 1, 1), 133.0030125373
*SET,DFRAD , 2.500000000000
*DIM,DFSID ,TABLE, 47, 1, 1
*SET,DFSID ( 1, 0, 1), 31.55760000000
*SET,DFSID ( 2, 0, 1), 3155791.557600
*SET,DFSID ( 3, 0, 1), 6311551.557600
*SET,DFSID ( 4, 0, 1), 9467311.557600
*SET,DFSID ( 5, 0, 1), 12623071.55760
*SET,DFSID ( 6, 0, 1), 15778831.55760
*SET,DFSID ( 7, 0, 1), 18934591.55760
*SET,DFSID ( 8, 0, 1), 22090351.55760
*SET,DFSID ( 9, 0, 1), 25246111.55760
*SET,DFSID ( 10, 0, 1), 28401871.55760
*SET,DFSID ( 11, 0, 1), 31557631.55760
*SET,DFSID ( 12, 0, 1), 63115231.55760
*SET,DFSID ( 13, 0, 1), 94672831.55760
*SET,DFSID ( 14, 0, 1), 126230431.5576
*SET,DFSID ( 15, 0, 1), 157788031.5576
*SET,DFSID ( 16, 0, 1), 189345631.5576
*SET,DFSID ( 17, 0, 1), 220903231.5576
*SET,DFSID ( 18, 0, 1), 252460831.5576
*SET,DFSID ( 19, 0, 1), 284018431.5576
*SET,DFSID ( 20, 0, 1), 315576031.5576
*SET,DFSID ( 21, 0, 1), 631152031.5576
*SET,DFSID ( 22, 0, 1), 946728031.5576
*SET,DFSID ( 23, 0, 1), 1262304031.558

```

```

*SET,DFSID ( 24, 0, 1), 1577880031.558
*SET,DFSID ( 25, 0, 1), 1893456031.558
*SET,DFSID ( 26, 0, 1), 2209032031.558
*SET,DFSID ( 27, 0, 1), 2524608031.558
*SET,DFSID ( 28, 0, 1), 2840184031.558
*SET,DFSID ( 29, 0, 1), 3155760031.558
*SET,DFSID ( 30, 0, 1), 6311520031.558
*SET,DFSID ( 31, 0, 1), 9467280031.558
*SET,DFSID ( 32, 0, 1), 12623040031.56
*SET,DFSID ( 33, 0, 1), 15778800031.56
*SET,DFSID ( 34, 0, 1), 18934560031.56
*SET,DFSID ( 35, 0, 1), 22090320031.56
*SET,DFSID ( 36, 0, 1), 25246080031.56
*SET,DFSID ( 37, 0, 1), 28401840031.56
*SET,DFSID ( 38, 0, 1), 31557600031.56
*SET,DFSID ( 0, 1, 1), 1.000000000000
*SET,DFSID ( 1, 1, 1), 26.13815469154
*SET,DFSID ( 2, 1, 1), 45.51423987464
*SET,DFSID ( 3, 1, 1), 52.92700008852
*SET,DFSID ( 4, 1, 1), 57.90694490585
*SET,DFSID ( 5, 1, 1), 61.74642350985
*SET,DFSID ( 6, 1, 1), 64.89152402105
*SET,DFSID ( 7, 1, 1), 67.56755651081
*SET,DFSID ( 8, 1, 1), 69.90916674561
*SET,DFSID ( 9, 1, 1), 72.00475617084
*SET,DFSID ( 10, 1, 1), 73.90970176173
*SET,DFSID ( 11, 1, 1), 75.66564998171
*SET,DFSID ( 12, 1, 1), 88.86572345481
*SET,DFSID ( 13, 1, 1), 97.58783234973
*SET,DFSID ( 14, 1, 1), 103.9796409755
*SET,DFSID ( 15, 1, 1), 109.1247923017
*SET,DFSID ( 16, 1, 1), 113.5026058438
*SET,DFSID ( 17, 1, 1), 117.3745817980
*SET,DFSID ( 18, 1, 1), 120.8065647892
*SET,DFSID ( 19, 1, 1), 123.4875149812
*SET,DFSID ( 20, 1, 1), 125.7895869811
*SET,DFSID ( 21, 1, 1), 138.7499079794
*SET,DFSID ( 22, 1, 1), 146.0319833630
*SET,DFSID ( 23, 1, 1), 149.8483881027
*SET,DFSID ( 24, 1, 1), 151.6447421409
*SET,DFSID ( 25, 1, 1), 152.2835419861
*SET,DFSID ( 26, 1, 1), 152.4576291931
*SET,DFSID ( 27, 1, 1), 151.8664567102
*SET,DFSID ( 28, 1, 1), 151.2588524956
*SET,DFSID ( 29, 1, 1), 150.7061156973
*SET,DFSID ( 30, 1, 1), 146.9669377668
*SET,DFSID ( 31, 1, 1), 143.8233919524
*SET,DFSID ( 32, 1, 1), 142.0427134816
*SET,DFSID ( 33, 1, 1), 140.5354462803
*SET,DFSID ( 34, 1, 1), 138.7520684012
*SET,DFSID ( 35, 1, 1), 137.1097589047
*SET,DFSID ( 36, 1, 1), 135.6416617272
*SET,DFSID ( 37, 1, 1), 134.3001289717
*SET,DFSID ( 38, 1, 1), 133.1146935148
*DIM,DFTOP ,TABLE, 47, 1, 1
*SET,DFTOP ( 1, 0, 1), 31.55760000000
*SET,DFTOP ( 2, 0, 1), 3155791.557600
*SET,DFTOP ( 3, 0, 1), 6311551.557600
*SET,DFTOP ( 4, 0, 1), 9467311.557600
*SET,DFTOP ( 5, 0, 1), 12623071.55760
*SET,DFTOP ( 6, 0, 1), 15778831.55760
*SET,DFTOP ( 7, 0, 1), 18934591.55760
*SET,DFTOP ( 8, 0, 1), 22090351.55760
*SET,DFTOP ( 9, 0, 1), 25246111.55760
*SET,DFTOP ( 10, 0, 1), 28401871.55760
*SET,DFTOP ( 11, 0, 1), 31557631.55760
*SET,DFTOP ( 12, 0, 1), 63115231.55760
*SET,DFTOP ( 13, 0, 1), 94672831.55760
*SET,DFTOP ( 14, 0, 1), 126230431.5576
*SET,DFTOP ( 15, 0, 1), 157788031.5576

```



```

*SET,DFTOP ( 16, 0, 1), 189345631.5576
*SET,DFTOP ( 17, 0, 1), 220903231.5576
*SET,DFTOP ( 18, 0, 1), 252460831.5576
*SET,DFTOP ( 19, 0, 1), 284018431.5576
*SET,DFTOP ( 20, 0, 1), 315576031.5576
*SET,DFTOP ( 21, 0, 1), 631152031.5576
*SET,DFTOP ( 22, 0, 1), 946728031.5576
*SET,DFTOP ( 23, 0, 1), 1262304031.558
*SET,DFTOP ( 24, 0, 1), 1577880031.558
*SET,DFTOP ( 25, 0, 1), 1893456031.558
*SET,DFTOP ( 26, 0, 1), 2209032031.558
*SET,DFTOP ( 27, 0, 1), 2524608031.558
*SET,DFTOP ( 28, 0, 1), 2840184031.558
*SET,DFTOP ( 29, 0, 1), 3155760031.558
*SET,DFTOP ( 30, 0, 1), 6311520031.558
*SET,DFTOP ( 31, 0, 1), 9467280031.558
*SET,DFTOP ( 32, 0, 1), 12623040031.56
*SET,DFTOP ( 33, 0, 1), 15778800031.56
*SET,DFTOP ( 34, 0, 1), 18934560031.56
*SET,DFTOP ( 35, 0, 1), 22090320031.56
*SET,DFTOP ( 36, 0, 1), 25246080031.56
*SET,DFTOP ( 37, 0, 1), 28401840031.56
*SET,DFTOP ( 38, 0, 1), 31557600031.56
*SET,DFTOP ( 0, 1, 1), 1.000000000000
*SET,DFTOP ( 1, 1, 1), 26.13815956742
*SET,DFTOP ( 2, 1, 1), 45.43406857744
*SET,DFTOP ( 3, 1, 1), 52.83784933791
*SET,DFTOP ( 4, 1, 1), 57.82055919085
*SET,DFTOP ( 5, 1, 1), 61.66831248108
*SET,DFTOP ( 6, 1, 1), 64.81810541348
*SET,DFTOP ( 7, 1, 1), 67.49299955588
*SET,DFTOP ( 8, 1, 1), 69.82817774880
*SET,DFTOP ( 9, 1, 1), 71.91332559518
*SET,DFTOP ( 10, 1, 1), 73.80515388414
*SET,DFTOP ( 11, 1, 1), 75.54638182407
*SET,DFTOP ( 12, 1, 1), 88.61004594818
*SET,DFTOP ( 13, 1, 1), 97.27120667702
*SET,DFTOP ( 14, 1, 1), 103.6357733990
*SET,DFTOP ( 15, 1, 1), 108.7711105300
*SET,DFTOP ( 16, 1, 1), 113.1442363966
*SET,DFTOP ( 17, 1, 1), 117.0241745839
*SET,DFTOP ( 18, 1, 1), 120.4797590788
*SET,DFTOP ( 19, 1, 1), 123.1438515801
*SET,DFTOP ( 20, 1, 1), 125.4544754354
*SET,DFTOP ( 21, 1, 1), 138.4754263337
*SET,DFTOP ( 22, 1, 1), 145.7135679232
*SET,DFTOP ( 23, 1, 1), 149.5565762486
*SET,DFTOP ( 24, 1, 1), 151.3865008270
*SET,DFTOP ( 25, 1, 1), 152.0490757308
*SET,DFTOP ( 26, 1, 1), 152.2430609601
*SET,DFTOP ( 27, 1, 1), 151.6688815301
*SET,DFTOP ( 28, 1, 1), 151.0741142494
*SET,DFTOP ( 29, 1, 1), 150.5317588243
*SET,DFTOP ( 30, 1, 1), 146.8515496407
*SET,DFTOP ( 31, 1, 1), 143.7293688826
*SET,DFTOP ( 32, 1, 1), 141.9621734534
*SET,DFTOP ( 33, 1, 1), 140.4640146723
*SET,DFTOP ( 34, 1, 1), 138.6882217098
*SET,DFTOP ( 35, 1, 1), 137.0506541538
*SET,DFTOP ( 36, 1, 1), 135.5860466552
*SET,DFTOP ( 37, 1, 1), 134.2480371034
*SET,DFTOP ( 38, 1, 1), 133.0653247842
*SET,GSURF , 308.7725500000
*SET,INVRT , .70000000000000
*SET,JINC , 39.000000000000
*SET,MODEL , 11.250000000000
*SET,OFFST , .27255000000000
*SET,TM , 31557600031.56
*SET,TME0 , 28401871.55760
*SET,TME1 , 31557631.55760

```

```

*SET,TME10      , 315576031.5576
*SET,TME100     , 3155760031.558
*SET,TME1000    , 31557600031.56
*SET,TME9       , 284018431.5576
*SET,TME90      , 2840184031.558
*SET,TM10       , 3155760.000000
*SET,TM11       , 31557600.00000
*SET,TM110      , 315576000.0000
*SET,TM1100     , 3155760000.000
*SET,TM11000    , 31557600000.00
*SET,TM_START   , 31.55760000000
*DIM,WPBOT      ,TABLE, 47, 1, 1
*SET,WPBOT ( 1, 0, 1), 31.55760000000
*SET,WPBOT ( 2, 0, 1), 3155791.557600
*SET,WPBOT ( 3, 0, 1), 6311551.557600
*SET,WPBOT ( 4, 0, 1), 9467311.557600
*SET,WPBOT ( 5, 0, 1), 12623071.55760
*SET,WPBOT ( 6, 0, 1), 15778831.55760
*SET,WPBOT ( 7, 0, 1), 18934591.55760
*SET,WPBOT ( 8, 0, 1), 22090351.55760
*SET,WPBOT ( 9, 0, 1), 25246111.55760
*SET,WPBOT (10, 0, 1), 28401871.55760
*SET,WPBOT (11, 0, 1), 31557631.55760
*SET,WPBOT (12, 0, 1), 63115231.55760
*SET,WPBOT (13, 0, 1), 94672831.55760
*SET,WPBOT (14, 0, 1), 126230431.5576
*SET,WPBOT (15, 0, 1), 157788031.5576
*SET,WPBOT (16, 0, 1), 189345631.5576
*SET,WPBOT (17, 0, 1), 220903231.5576
*SET,WPBOT (18, 0, 1), 252460831.5576
*SET,WPBOT (19, 0, 1), 284018431.5576
*SET,WPBOT (20, 0, 1), 315576031.5576
*SET,WPBOT (21, 0, 1), 631152031.5576
*SET,WPBOT (22, 0, 1), 946728031.5576
*SET,WPBOT (23, 0, 1), 1262304031.558
*SET,WPBOT (24, 0, 1), 1577880031.558
*SET,WPBOT (25, 0, 1), 1893456031.558
*SET,WPBOT (26, 0, 1), 2209032031.558
*SET,WPBOT (27, 0, 1), 2524608031.558
*SET,WPBOT (28, 0, 1), 2840184031.558
*SET,WPBOT (29, 0, 1), 3155760031.558
*SET,WPBOT (30, 0, 1), 6311520031.558
*SET,WPBOT (31, 0, 1), 9467280031.558
*SET,WPBOT (32, 0, 1), 12623040031.56
*SET,WPBOT (33, 0, 1), 15778800031.56
*SET,WPBOT (34, 0, 1), 18934560031.56
*SET,WPBOT (35, 0, 1), 22090320031.56
*SET,WPBOT (36, 0, 1), 25246080031.56
*SET,WPBOT (37, 0, 1), 28401840031.56
*SET,WPBOT (38, 0, 1), 31557600031.56
*SET,WPBOT ( 0, 1, 1), 1.000000000000
*SET,WPBOT ( 1, 1, 1), 57.25147670711
*SET,WPBOT ( 2, 1, 1), 80.91383990047
*SET,WPBOT ( 3, 1, 1), 86.86049281357
*SET,WPBOT ( 4, 1, 1), 90.74455233057
*SET,WPBOT ( 5, 1, 1), 93.74383574084
*SET,WPBOT ( 6, 1, 1), 96.19706456395
*SET,WPBOT ( 7, 1, 1), 98.28372362922
*SET,WPBOT ( 8, 1, 1), 100.1087537268
*SET,WPBOT ( 9, 1, 1), 101.7461518609
*SET,WPBOT (10, 1, 1), 103.2298168040
*SET,WPBOT (11, 1, 1), 104.6014534021
*SET,WPBOT (12, 1, 1), 114.9134459824
*SET,WPBOT (13, 1, 1), 121.7719575667
*SET,WPBOT (14, 1, 1), 126.8418468392
*SET,WPBOT (15, 1, 1), 130.9186674065
*SET,WPBOT (16, 1, 1), 134.4043275329
*SET,WPBOT (17, 1, 1), 137.4703889175
*SET,WPBOT (18, 1, 1), 140.2313026171
*SET,WPBOT (19, 1, 1), 142.1166987629

```

```

*SET,WPBOT ( 20, 1, 1), 143.8034393944
*SET,WPBOT ( 21, 1, 1), 152.9055642292
*SET,WPBOT ( 22, 1, 1), 157.7146712807
*SET,WPBOT ( 23, 1, 1), 159.6960496528
*SET,WPBOT ( 24, 1, 1), 160.2340082260
*SET,WPBOT ( 25, 1, 1), 159.9486894525
*SET,WPBOT ( 26, 1, 1), 159.4125320468
*SET,WPBOT ( 27, 1, 1), 158.1825879067
*SET,WPBOT ( 28, 1, 1), 157.1279152431
*SET,WPBOT ( 29, 1, 1), 156.1942160488
*SET,WPBOT ( 30, 1, 1), 150.4320722183
*SET,WPBOT ( 31, 1, 1), 146.6106641105
*SET,WPBOT ( 32, 1, 1), 144.4255266386
*SET,WPBOT ( 33, 1, 1), 142.6264646423
*SET,WPBOT ( 34, 1, 1), 140.5943262266
*SET,WPBOT ( 35, 1, 1), 138.7611148047
*SET,WPBOT ( 36, 1, 1), 137.1435961587
*SET,WPBOT ( 37, 1, 1), 135.6872814639
*SET,WPBOT ( 38, 1, 1), 134.4066901303
*DIM,WPHOT ,TABLE, 47, 1, 1
*SET,WPHOT ( 1, 0, 1), 31.5576000000
*SET,WPHOT ( 2, 0, 1), 3155760.000000
*SET,WPHOT ( 3, 0, 1), 6311520.000000
*SET,WPHOT ( 4, 0, 1), 9467280.000000
*SET,WPHOT ( 5, 0, 1), 12623040.000000
*SET,WPHOT ( 6, 0, 1), 15778800.000000
*SET,WPHOT ( 7, 0, 1), 18934560.000000
*SET,WPHOT ( 8, 0, 1), 22090320.000000
*SET,WPHOT ( 9, 0, 1), 25246080.000000
*SET,WPHOT ( 10, 0, 1), 28401840.000000
*SET,WPHOT ( 11, 0, 1), 31557600.000000
*SET,WPHOT ( 12, 0, 1), 63115200.000000
*SET,WPHOT ( 13, 0, 1), 94672800.000000
*SET,WPHOT ( 14, 0, 1), 126230400.000000
*SET,WPHOT ( 15, 0, 1), 157788000.000000
*SET,WPHOT ( 16, 0, 1), 189345600.000000
*SET,WPHOT ( 17, 0, 1), 220903200.000000
*SET,WPHOT ( 18, 0, 1), 252460800.000000
*SET,WPHOT ( 19, 0, 1), 284018400.000000
*SET,WPHOT ( 20, 0, 1), 315576000.000000
*SET,WPHOT ( 21, 0, 1), 631152000.000000
*SET,WPHOT ( 22, 0, 1), 946728000.000000
*SET,WPHOT ( 23, 0, 1), 1262304000.000000
*SET,WPHOT ( 24, 0, 1), 1577880000.000000
*SET,WPHOT ( 25, 0, 1), 1893456000.000000
*SET,WPHOT ( 26, 0, 1), 2209032000.000000
*SET,WPHOT ( 27, 0, 1), 2524608000.000000
*SET,WPHOT ( 28, 0, 1), 2840184000.000000
*SET,WPHOT ( 29, 0, 1), 3155760000.000000
*SET,WPHOT ( 30, 0, 1), 6311520000.000000
*SET,WPHOT ( 31, 0, 1), 9467280000.000000
*SET,WPHOT ( 32, 0, 1), 12623040000.000000
*SET,WPHOT ( 33, 0, 1), 15778800000.000000
*SET,WPHOT ( 34, 0, 1), 18934560000.000000
*SET,WPHOT ( 35, 0, 1), 22090320000.000000
*SET,WPHOT ( 36, 0, 1), 25246080000.000000
*SET,WPHOT ( 37, 0, 1), 28401840000.000000
*SET,WPHOT ( 38, 0, 1), 31557600000.000000
*SET,WPHOT ( 39, 0, 1), 63115200000.000000
*SET,WPHOT ( 40, 0, 1), 94672800000.000000
*SET,WPHOT ( 41, 0, 1), 126230400000.000000
*SET,WPHOT ( 42, 0, 1), 157788000000.000000
*SET,WPHOT ( 43, 0, 1), 189345600000.000000
*SET,WPHOT ( 44, 0, 1), 220903200000.000000
*SET,WPHOT ( 45, 0, 1), 252460800000.000000
*SET,WPHOT ( 46, 0, 1), 284018400000.000000
*SET,WPHOT ( 47, 0, 1), 315576000000.000000
*SET,WPHOT ( 0, 1, 1), 1.000000000000
*SET,WPHOT ( 1, 1, 1), 771.1980889634
*SET,WPHOT ( 2, 1, 1), 769.6135438864

```

```

*SET,WPHOT ( 3, 1, 1), 768.0289988094
*SET,WPHOT ( 4, 1, 1), 766.4444537325
*SET,WPHOT ( 5, 1, 1), 765.0183631632
*SET,WPHOT ( 6, 1, 1), 763.4338180862
*SET,WPHOT ( 7, 1, 1), 761.8492730092
*SET,WPHOT ( 8, 1, 1), 760.2647279323
*SET,WPHOT ( 9, 1, 1), 758.8386373630
*SET,WPHOT ( 10, 1, 1), 757.2540922860
*SET,WPHOT ( 11, 1, 1), 755.8280017167
*SET,WPHOT ( 12, 1, 1), 741.2501870086
*SET,WPHOT ( 13, 1, 1), 727.6230993466
*SET,WPHOT ( 14, 1, 1), 714.7882842231
*SET,WPHOT ( 15, 1, 1), 702.7457416381
*SET,WPHOT ( 16, 1, 1), 691.1785625762
*SET,WPHOT ( 17, 1, 1), 680.2452015451
*SET,WPHOT ( 18, 1, 1), 671.3717491140
*SET,WPHOT ( 19, 1, 1), 653.7832987596
*SET,WPHOT ( 20, 1, 1), 640.9484836361
*SET,WPHOT ( 21, 1, 1), 541.2805982944
*SET,WPHOT ( 22, 1, 1), 466.0147071381
*SET,WPHOT ( 23, 1, 1), 400.2560864437
*SET,WPHOT ( 24, 1, 1), 351.7690070883
*SET,WPHOT ( 25, 1, 1), 314.5321977794
*SET,WPHOT ( 26, 1, 1), 284.9012048400
*SET,WPHOT ( 27, 1, 1), 257.4885750083
*SET,WPHOT ( 28, 1, 1), 237.8402160538
*SET,WPHOT ( 29, 1, 1), 221.3609472533
*SET,WPHOT ( 30, 1, 1), 135.7955130967
*SET,WPHOT ( 31, 1, 1), 106.7983381881
*SET,WPHOT ( 32, 1, 1), 90.00216037214
*SET,WPHOT ( 33, 1, 1), 78.27652680253
*SET,WPHOT ( 34, 1, 1), 67.97698380220
*SET,WPHOT ( 35, 1, 1), 60.37116743272
*SET,WPHOT ( 36, 1, 1), 54.34989614022
*SET,WPHOT ( 37, 1, 1), 49.59626090930
*SET,WPHOT ( 38, 1, 1), 45.95180723225
*SET,WPHOT ( 39, 1, 1), 24.56044869310
*SET,WPHOT ( 40, 1, 1), 20.28217698527
*SET,WPHOT ( 41, 1, 1), 17.58845035441
*SET,WPHOT ( 42, 1, 1), 15.84545076974
*SET,WPHOT ( 43, 1, 1), 14.57781470816
*SET,WPHOT ( 44, 1, 1), 13.62708766198
*SET,WPHOT ( 45, 1, 1), 12.67636061579
*SET,WPHOT ( 46, 1, 1), 12.04254258500
*SET,WPHOT ( 47, 1, 1), 11.40872455422
*SET,WPLEN , 5.647000000000
*SET,WPNUM , 12.00000000000
*SET,WPRAD , .7652500000000
*DIM,WPSID ,TABLE, 47, 1, 1
*SET,WPSID ( 1, 0, 1), 31.55760000000
*SET,WPSID ( 2, 0, 1), 3155791.557600
*SET,WPSID ( 3, 0, 1), 6311551.557600
*SET,WPSID ( 4, 0, 1), 9467311.557600
*SET,WPSID ( 5, 0, 1), 12623071.55760
*SET,WPSID ( 6, 0, 1), 15778831.55760
*SET,WPSID ( 7, 0, 1), 18934591.55760
*SET,WPSID ( 8, 0, 1), 22090351.55760
*SET,WPSID ( 9, 0, 1), 25246111.55760
*SET,WPSID ( 10, 0, 1), 28401871.55760
*SET,WPSID ( 11, 0, 1), 31557631.55760
*SET,WPSID ( 12, 0, 1), 63115231.55760
*SET,WPSID ( 13, 0, 1), 94672831.55760
*SET,WPSID ( 14, 0, 1), 126230431.5576
*SET,WPSID ( 15, 0, 1), 157788031.5576
*SET,WPSID ( 16, 0, 1), 189345631.5576
*SET,WPSID ( 17, 0, 1), 220903231.5576
*SET,WPSID ( 18, 0, 1), 252460831.5576
*SET,WPSID ( 19, 0, 1), 284018431.5576
*SET,WPSID ( 20, 0, 1), 315576031.5576
*SET,WPSID ( 21, 0, 1), 631152031.5576

```

```

*SET,WPSID ( 22, 0, 1), 946728031.5576
*SET,WPSID ( 23, 0, 1), 1262304031.558
*SET,WPSID ( 24, 0, 1), 1577880031.558
*SET,WPSID ( 25, 0, 1), 1893456031.558
*SET,WPSID ( 26, 0, 1), 2209032031.558
*SET,WPSID ( 27, 0, 1), 2524608031.558
*SET,WPSID ( 28, 0, 1), 2840184031.558
*SET,WPSID ( 29, 0, 1), 3155760031.558
*SET,WPSID ( 30, 0, 1), 6311520031.558
*SET,WPSID ( 31, 0, 1), 9467280031.558
*SET,WPSID ( 32, 0, 1), 12623040031.56
*SET,WPSID ( 33, 0, 1), 15778800031.56
*SET,WPSID ( 34, 0, 1), 18934560031.56
*SET,WPSID ( 35, 0, 1), 22090320031.56
*SET,WPSID ( 36, 0, 1), 25246080031.56
*SET,WPSID ( 37, 0, 1), 28401840031.56
*SET,WPSID ( 38, 0, 1), 31557600031.56
*SET,WPSID ( 0, 1, 1), 1.000000000000
*SET,WPSID ( 1, 1, 1), 57.31607054334
*SET,WPSID ( 2, 1, 1), 79.39140934687
*SET,WPSID ( 3, 1, 1), 85.31881285423
*SET,WPSID ( 4, 1, 1), 89.21422316697
*SET,WPSID ( 5, 1, 1), 92.21943240606
*SET,WPSID ( 6, 1, 1), 94.67856223622
*SET,WPSID ( 7, 1, 1), 96.77137742267
*SET,WPSID ( 8, 1, 1), 98.60275893899
*SET,WPSID ( 9, 1, 1), 100.2463966074
*SET,WPSID ( 10, 1, 1), 101.7365968178
*SET,WPSID ( 11, 1, 1), 103.1145875934
*SET,WPSID ( 12, 1, 1), 113.4804293287
*SET,WPSID ( 13, 1, 1), 120.3786830242
*SET,WPSID ( 14, 1, 1), 125.4902502638
*SET,WPSID ( 15, 1, 1), 129.6074820373
*SET,WPSID ( 16, 1, 1), 133.1300799628
*SET,WPSID ( 17, 1, 1), 136.2273736117
*SET,WPSID ( 18, 1, 1), 139.0132838504
*SET,WPSID ( 19, 1, 1), 140.9330287676
*SET,WPSID ( 20, 1, 1), 142.6498438750
*SET,WPSID ( 21, 1, 1), 151.9534815176
*SET,WPSID ( 22, 1, 1), 156.9109858485
*SET,WPSID ( 23, 1, 1), 159.0080959082
*SET,WPSID ( 24, 1, 1), 159.6304603359
*SET,WPSID ( 25, 1, 1), 159.4102107857
*SET,WPSID ( 26, 1, 1), 158.9221411452
*SET,WPSID ( 27, 1, 1), 157.7397169146
*SET,WPSID ( 28, 1, 1), 156.7154742415
*SET,WPSID ( 29, 1, 1), 155.8090189911
*SET,WPSID ( 30, 1, 1), 150.1928039447
*SET,WPSID ( 31, 1, 1), 146.4198143455
*SET,WPSID ( 32, 1, 1), 144.2619857359
*SET,WPSID ( 33, 1, 1), 142.4849307397
*SET,WPSID ( 34, 1, 1), 140.4689097195
*SET,WPSID ( 35, 1, 1), 138.6502890213
*SET,WPSID ( 36, 1, 1), 137.0429433065
*SET,WPSID ( 37, 1, 1), 135.5931811639
*SET,WPSID ( 38, 1, 1), 134.3206567238
*SET,WSPC , 11.12900000000
*DIM,WPTOP ,TABLE, 47, 1, 1
*SET,WPTOP ( 1, 0, 1), 31.55760000000
*SET,WPTOP ( 2, 0, 1), 3155791.557600
*SET,WPTOP ( 3, 0, 1), 6311551.557600
*SET,WPTOP ( 4, 0, 1), 9467311.557600
*SET,WPTOP ( 5, 0, 1), 12623071.55760
*SET,WPTOP ( 6, 0, 1), 15778831.55760
*SET,WPTOP ( 7, 0, 1), 18934591.55760
*SET,WPTOP ( 8, 0, 1), 22090351.55760
*SET,WPTOP ( 9, 0, 1), 25246111.55760
*SET,WPTOP ( 10, 0, 1), 28401871.55760
*SET,WPTOP ( 11, 0, 1), 31557631.55760
*SET,WPTOP ( 12, 0, 1), 63115231.55760

```

```

*SET,WPTOP ( 13, 0, 1), 94672831.55760
*SET,WPTOP ( 14, 0, 1), 126230431.5576
*SET,WPTOP ( 15, 0, 1), 157788031.5576
*SET,WPTOP ( 16, 0, 1), 189345631.5576
*SET,WPTOP ( 17, 0, 1), 220903231.5576
*SET,WPTOP ( 18, 0, 1), 252460831.5576
*SET,WPTOP ( 19, 0, 1), 284018431.5576
*SET,WPTOP ( 20, 0, 1), 315576031.5576
*SET,WPTOP ( 21, 0, 1), 631152031.5576
*SET,WPTOP ( 22, 0, 1), 946728031.5576
*SET,WPTOP ( 23, 0, 1), 1262304031.558
*SET,WPTOP ( 24, 0, 1), 1577880031.558
*SET,WPTOP ( 25, 0, 1), 1893456031.558
*SET,WPTOP ( 26, 0, 1), 2209032031.558
*SET,WPTOP ( 27, 0, 1), 2524608031.558
*SET,WPTOP ( 28, 0, 1), 2840184031.558
*SET,WPTOP ( 29, 0, 1), 3155760031.558
*SET,WPTOP ( 30, 0, 1), 6311520031.558
*SET,WPTOP ( 31, 0, 1), 9467280031.558
*SET,WPTOP ( 32, 0, 1), 12623040031.56
*SET,WPTOP ( 33, 0, 1), 15778800031.56
*SET,WPTOP ( 34, 0, 1), 18934560031.56
*SET,WPTOP ( 35, 0, 1), 22090320031.56
*SET,WPTOP ( 36, 0, 1), 25246080031.56
*SET,WPTOP ( 37, 0, 1), 28401840031.56
*SET,WPTOP ( 38, 0, 1), 31557600031.56
*SET,WPTOP ( 0, 1, 1), 1.000000000000
*SET,WPTOP ( 1, 1, 1), 57.35151508593
*SET,WPTOP ( 2, 1, 1), 78.63775956664
*SET,WPTOP ( 3, 1, 1), 84.56889878875
*SET,WPTOP ( 4, 1, 1), 88.47078243442
*SET,WPTOP ( 5, 1, 1), 91.48402267324
*SET,WPTOP ( 6, 1, 1), 93.95005466988
*SET,WPTOP ( 7, 1, 1), 96.04860064928
*SET,WPTOP ( 8, 1, 1), 97.88486857101
*SET,WPTOP ( 9, 1, 1), 99.53264581081
*SET,WPTOP ( 10, 1, 1), 101.0266169561
*SET,WPTOP ( 11, 1, 1), 102.4079433699
*SET,WPTOP ( 12, 1, 1), 112.8035127756
*SET,WPTOP ( 13, 1, 1), 119.7137662441
*SET,WPTOP ( 14, 1, 1), 124.8445336133
*SET,WPTOP ( 15, 1, 1), 128.9795687170
*SET,WPTOP ( 16, 1, 1), 132.5217868010
*SET,WPTOP ( 17, 1, 1), 135.6359134114
*SET,WPTOP ( 18, 1, 1), 138.4387258163
*SET,WPTOP ( 19, 1, 1), 140.3714859673
*SET,WPTOP ( 20, 1, 1), 142.1073462720
*SET,WPTOP ( 21, 1, 1), 151.5106448660
*SET,WPTOP ( 22, 1, 1), 156.5271833545
*SET,WPTOP ( 23, 1, 1), 158.6781786918
*SET,WPTOP ( 24, 1, 1), 159.3408366813
*SET,WPTOP ( 25, 1, 1), 159.1502370774
*SET,WPTOP ( 26, 1, 1), 158.6856661328
*SET,WPTOP ( 27, 1, 1), 157.5246091572
*SET,WPTOP ( 28, 1, 1), 156.5152865537
*SET,WPTOP ( 29, 1, 1), 155.6214746956
*SET,WPTOP ( 30, 1, 1), 150.0736161666
*SET,WPTOP ( 31, 1, 1), 146.3236458706
*SET,WPTOP ( 32, 1, 1), 144.1800260920
*SET,WPTOP ( 33, 1, 1), 142.4128344084
*SET,WPTOP ( 34, 1, 1), 140.4054519418
*SET,WPTOP ( 35, 1, 1), 138.5928196914
*SET,WPTOP ( 36, 1, 1), 136.9901676978
*SET,WPTOP ( 37, 1, 1), 135.5444252831
*SET,WPTOP ( 38, 1, 1), 134.2749621531
*SET,WPVOL , 7.573151546382
*SET,WPLL , .1000000000000
*SET,XXX , 1.734935157290
*SET,YYY , -1.527450000000
/GOPR

```

```

/NOPR
*DIM,ASSY      ,TABLE,      47,      1,      1
*SET,ASSY      (      1,      0,      1), .10000000000000E-05
*SET,ASSY      (      2,      0,      1), .10000000000000
*SET,ASSY      (      3,      0,      1), .20000000000000
*SET,ASSY      (      4,      0,      1), .30000000000000
*SET,ASSY      (      5,      0,      1), .40000000000000
*SET,ASSY      (      6,      0,      1), .50000000000000
*SET,ASSY      (      7,      0,      1), .60000000000000
*SET,ASSY      (      8,      0,      1), .70000000000000
*SET,ASSY      (      9,      0,      1), .80000000000000
*SET,ASSY      (     10,      0,      1), .90000000000000
*SET,ASSY      (     11,      0,      1), 1.000000000000
*SET,ASSY      (     12,      0,      1), 2.000000000000
*SET,ASSY      (     13,      0,      1), 3.000000000000
*SET,ASSY      (     14,      0,      1), 4.000000000000
*SET,ASSY      (     15,      0,      1), 5.000000000000
*SET,ASSY      (     16,      0,      1), 6.000000000000
*SET,ASSY      (     17,      0,      1), 7.000000000000
*SET,ASSY      (     18,      0,      1), 8.000000000000
*SET,ASSY      (     19,      0,      1), 9.000000000000
*SET,ASSY      (     20,      0,      1), 10.000000000000
*SET,ASSY      (     21,      0,      1), 20.000000000000
*SET,ASSY      (     22,      0,      1), 30.000000000000
*SET,ASSY      (     23,      0,      1), 40.000000000000
*SET,ASSY      (     24,      0,      1), 50.000000000000
*SET,ASSY      (     25,      0,      1), 60.000000000000
*SET,ASSY      (     26,      0,      1), 70.000000000000
*SET,ASSY      (     27,      0,      1), 80.000000000000
*SET,ASSY      (     28,      0,      1), 90.000000000000
*SET,ASSY      (     29,      0,      1), 100.0000000000
*SET,ASSY      (     30,      0,      1), 200.0000000000
*SET,ASSY      (     31,      0,      1), 300.0000000000
*SET,ASSY      (     32,      0,      1), 400.0000000000
*SET,ASSY      (     33,      0,      1), 500.0000000000
*SET,ASSY      (     34,      0,      1), 600.0000000000
*SET,ASSY      (     35,      0,      1), 700.0000000000
*SET,ASSY      (     36,      0,      1), 800.0000000000
*SET,ASSY      (     37,      0,      1), 900.0000000000
*SET,ASSY      (     38,      0,      1), 1000.0000000000
*SET,ASSY      (     39,      0,      1), 2000.0000000000
*SET,ASSY      (     40,      0,      1), 3000.0000000000
*SET,ASSY      (     41,      0,      1), 4000.0000000000
*SET,ASSY      (     42,      0,      1), 5000.0000000000
*SET,ASSY      (     43,      0,      1), 6000.0000000000
*SET,ASSY      (     44,      0,      1), 7000.0000000000
*SET,ASSY      (     45,      0,      1), 8000.0000000000
*SET,ASSY      (     46,      0,      1), 9000.0000000000
*SET,ASSY      (     47,      0,      1), 10000.00000000
*SET,ASSY      (      0,      1,      1), 1.000000000000
*SET,ASSY      (      1,      1,      1), 486.7000000000
*SET,ASSY      (      2,      1,      1), 485.7000000000
*SET,ASSY      (      3,      1,      1), 484.7000000000
*SET,ASSY      (      4,      1,      1), 483.7000000000
*SET,ASSY      (      5,      1,      1), 482.8000000000
*SET,ASSY      (      6,      1,      1), 481.8000000000
*SET,ASSY      (      7,      1,      1), 480.8000000000
*SET,ASSY      (      8,      1,      1), 479.8000000000
*SET,ASSY      (      9,      1,      1), 478.9000000000
*SET,ASSY      (     10,      1,      1), 477.9000000000
*SET,ASSY      (     11,      1,      1), 477.0000000000
*SET,ASSY      (     12,      1,      1), 467.8000000000
*SET,ASSY      (     13,      1,      1), 459.2000000000
*SET,ASSY      (     14,      1,      1), 451.1000000000
*SET,ASSY      (     15,      1,      1), 443.5000000000
*SET,ASSY      (     16,      1,      1), 436.2000000000
*SET,ASSY      (     17,      1,      1), 429.3000000000
*SET,ASSY      (     18,      1,      1), 423.7000000000
*SET,ASSY      (     19,      1,      1), 412.6000000000
*SET,ASSY      (     20,      1,      1), 404.5000000000

```

```

*SET,ASSY ( 21, 1, 1), 341.6000000000
*SET,ASSY ( 22, 1, 1), 294.1000000000
*SET,ASSY ( 23, 1, 1), 252.6000000000
*SET,ASSY ( 24, 1, 1), 222.0000000000
*SET,ASSY ( 25, 1, 1), 198.5000000000
*SET,ASSY ( 26, 1, 1), 179.8000000000
*SET,ASSY ( 27, 1, 1), 162.5000000000
*SET,ASSY ( 28, 1, 1), 150.1000000000
*SET,ASSY ( 29, 1, 1), 139.7000000000
*SET,ASSY ( 30, 1, 1), 85.7000000000
*SET,ASSY ( 31, 1, 1), 67.4000000000
*SET,ASSY ( 32, 1, 1), 56.8000000000
*SET,ASSY ( 33, 1, 1), 49.4000000000
*SET,ASSY ( 34, 1, 1), 42.9000000000
*SET,ASSY ( 35, 1, 1), 38.1000000000
*SET,ASSY ( 36, 1, 1), 34.3000000000
*SET,ASSY ( 37, 1, 1), 31.3000000000
*SET,ASSY ( 38, 1, 1), 29.0000000000
*SET,ASSY ( 39, 1, 1), 15.5000000000
*SET,ASSY ( 40, 1, 1), 12.8000000000
*SET,ASSY ( 41, 1, 1), 11.1000000000
*SET,ASSY ( 42, 1, 1), 10.0000000000
*SET,ASSY ( 43, 1, 1), 9.2000000000
*SET,ASSY ( 44, 1, 1), 8.6000000000
*SET,ASSY ( 45, 1, 1), 8.0000000000
*SET,ASSY ( 46, 1, 1), 7.6000000000
*SET,ASSY ( 47, 1, 1), 7.2000000000
*SET,DFAMBT , 26.13980221452
*DIM,DFBOT ,TABLE, 47, 1, 1
*SET,DFBOT ( 1, 0, 1), 31.5576000000
*SET,DFBOT ( 2, 0, 1), 3155791.557600
*SET,DFBOT ( 3, 0, 1), 6311551.557600
*SET,DFBOT ( 4, 0, 1), 9467311.557600
*SET,DFBOT ( 5, 0, 1), 12623071.557600
*SET,DFBOT ( 6, 0, 1), 15778831.557600
*SET,DFBOT ( 7, 0, 1), 18934591.557600
*SET,DFBOT ( 8, 0, 1), 22090351.557600
*SET,DFBOT ( 9, 0, 1), 25246111.557600
*SET,DFBOT ( 10, 0, 1), 28401871.557600
*SET,DFBOT ( 11, 0, 1), 31557631.557600
*SET,DFBOT ( 12, 0, 1), 63115231.557600
*SET,DFBOT ( 13, 0, 1), 94672831.557600
*SET,DFBOT ( 14, 0, 1), 126230431.557600
*SET,DFBOT ( 15, 0, 1), 157788031.557600
*SET,DFBOT ( 16, 0, 1), 189345631.557600
*SET,DFBOT ( 17, 0, 1), 220903231.557600
*SET,DFBOT ( 18, 0, 1), 252460831.557600
*SET,DFBOT ( 19, 0, 1), 284018431.557600
*SET,DFBOT ( 20, 0, 1), 315576031.557600
*SET,DFBOT ( 21, 0, 1), 631152031.557600
*SET,DFBOT ( 22, 0, 1), 946728031.557600
*SET,DFBOT ( 23, 0, 1), 1262304031.558000
*SET,DFBOT ( 24, 0, 1), 1577880031.558000
*SET,DFBOT ( 25, 0, 1), 1893456031.558000
*SET,DFBOT ( 26, 0, 1), 2209032031.558000
*SET,DFBOT ( 27, 0, 1), 2524608031.558000
*SET,DFBOT ( 28, 0, 1), 2840184031.558000
*SET,DFBOT ( 29, 0, 1), 3155760031.558000
*SET,DFBOT ( 30, 0, 1), 6311520031.558000
*SET,DFBOT ( 31, 0, 1), 9467280031.558000
*SET,DFBOT ( 32, 0, 1), 12623040031.560000
*SET,DFBOT ( 33, 0, 1), 15778800031.560000
*SET,DFBOT ( 34, 0, 1), 18934560031.560000
*SET,DFBOT ( 35, 0, 1), 22090320031.560000
*SET,DFBOT ( 36, 0, 1), 25246080031.560000
*SET,DFBOT ( 37, 0, 1), 28401840031.560000
*SET,DFBOT ( 38, 0, 1), 31557600031.560000
*SET,DFBOT ( 0, 1, 1), 1.000000000000
*SET,DFBOT ( 1, 1, 1), 26.16306334692
*SET,DFBOT ( 2, 1, 1), 31.47069100621

```



```

*SET,DFBOT ( 3, 1, 1), 35.26555029563
*SET,DFBOT ( 4, 1, 1), 38.04462041221
*SET,DFBOT ( 5, 1, 1), 40.25616354903
*SET,DFBOT ( 6, 1, 1), 42.09310633654
*SET,DFBOT ( 7, 1, 1), 43.66097943847
*SET,DFBOT ( 8, 1, 1), 45.02617694192
*SET,DFBOT ( 9, 1, 1), 46.23382434818
*SET,DFBOT (10, 1, 1), 47.31506225736
*SET,DFBOT (11, 1, 1), 48.29212715477
*SET,DFBOT (12, 1, 1), 54.84478149917
*SET,DFBOT (13, 1, 1), 58.62025195283
*SET,DFBOT (14, 1, 1), 61.23787201039
*SET,DFBOT (15, 1, 1), 63.25371772678
*SET,DFBOT (16, 1, 1), 64.90662384573
*SET,DFBOT (17, 1, 1), 66.32175102594
*SET,DFBOT (18, 1, 1), 67.59629728210
*SET,DFBOT (19, 1, 1), 68.58478066998
*SET,DFBOT (20, 1, 1), 69.42500491603
*SET,DFBOT (21, 1, 1), 74.94982680183
*SET,DFBOT (22, 1, 1), 77.25757853386
*SET,DFBOT (23, 1, 1), 77.86222327514
*SET,DFBOT (24, 1, 1), 77.86166312890
*SET,DFBOT (25, 1, 1), 77.63725858486
*SET,DFBOT (26, 1, 1), 77.30737833877
*SET,DFBOT (27, 1, 1), 76.77443425416
*SET,DFBOT (28, 1, 1), 76.32271540322
*SET,DFBOT (29, 1, 1), 75.91668272699
*SET,DFBOT (30, 1, 1), 73.75160406057
*SET,DFBOT (31, 1, 1), 72.28686716984
*SET,DFBOT (32, 1, 1), 71.47920897733
*SET,DFBOT (33, 1, 1), 70.83633906347
*SET,DFBOT (34, 1, 1), 70.10211746283
*SET,DFBOT (35, 1, 1), 69.37206978645
*SET,DFBOT (36, 1, 1), 68.66834951843
*SET,DFBOT (37, 1, 1), 68.00352841378
*SET,DFBOT (38, 1, 1), 67.39380111425
*SET,DFCENT , .2725500000000
*DIM,DFEDG ,TABLE, 47, 1, 1
*SET,DFEDG ( 1, 0, 1), 31.55760000000
*SET,DFEDG ( 2, 0, 1), 3155791.557600
*SET,DFEDG ( 3, 0, 1), 6311551.557600
*SET,DFEDG ( 4, 0, 1), 9467311.557600
*SET,DFEDG ( 5, 0, 1), 12623071.55760
*SET,DFEDG ( 6, 0, 1), 15778831.55760
*SET,DFEDG ( 7, 0, 1), 18934591.55760
*SET,DFEDG ( 8, 0, 1), 22090351.55760
*SET,DFEDG ( 9, 0, 1), 25246111.55760
*SET,DFEDG (10, 0, 1), 28401871.55760
*SET,DFEDG (11, 0, 1), 31557631.55760
*SET,DFEDG (12, 0, 1), 63115231.55760
*SET,DFEDG (13, 0, 1), 94672831.55760
*SET,DFEDG (14, 0, 1), 126230431.5576
*SET,DFEDG (15, 0, 1), 157788031.5576
*SET,DFEDG (16, 0, 1), 189345631.5576
*SET,DFEDG (17, 0, 1), 220903231.5576
*SET,DFEDG (18, 0, 1), 252460831.5576
*SET,DFEDG (19, 0, 1), 284018431.5576
*SET,DFEDG (20, 0, 1), 315576031.5576
*SET,DFEDG (21, 0, 1), 631152031.5576
*SET,DFEDG (22, 0, 1), 946728031.5576
*SET,DFEDG (23, 0, 1), 1262304031.558
*SET,DFEDG (24, 0, 1), 1577880031.558
*SET,DFEDG (25, 0, 1), 1893456031.558
*SET,DFEDG (26, 0, 1), 2209032031.558
*SET,DFEDG (27, 0, 1), 2524608031.558
*SET,DFEDG (28, 0, 1), 2840184031.558
*SET,DFEDG (29, 0, 1), 3155760031.558
*SET,DFEDG (30, 0, 1), 6311520031.558
*SET,DFEDG (31, 0, 1), 9467280031.558
*SET,DFEDG (32, 0, 1), 12623040031.558

```

```

*SET,DFEDG ( 33, 0, 1), 15778800031.56
*SET,DFEDG ( 34, 0, 1), 18934560031.56
*SET,DFEDG ( 35, 0, 1), 22090320031.56
*SET,DFEDG ( 36, 0, 1), 25246080031.56
*SET,DFEDG ( 37, 0, 1), 28401840031.56
*SET,DFEDG ( 38, 0, 1), 31557600031.56
*SET,DFEDG ( 0, 1, 1), 1.000000000000
*SET,DFEDG ( 1, 1, 1), 26.13987048801
*SET,DFEDG ( 2, 1, 1), 34.07434516122
*SET,DFEDG ( 3, 1, 1), 38.19366340474
*SET,DFEDG ( 4, 1, 1), 41.10372911561
*SET,DFEDG ( 5, 1, 1), 43.38099708035
*SET,DFEDG ( 6, 1, 1), 45.25477106871
*SET,DFEDG ( 7, 1, 1), 46.84508382646
*SET,DFEDG ( 8, 1, 1), 48.22503337461
*SET,DFEDG ( 9, 1, 1), 49.44321455908
*SET,DFEDG ( 10, 1, 1), 50.53203427547
*SET,DFEDG ( 11, 1, 1), 51.51347530078
*SET,DFEDG ( 12, 1, 1), 58.08218577825
*SET,DFEDG ( 13, 1, 1), 61.84431901093
*SET,DFEDG ( 14, 1, 1), 64.43887237601
*SET,DFEDG ( 15, 1, 1), 66.42905544023
*SET,DFEDG ( 16, 1, 1), 68.05246886677
*SET,DFEDG ( 17, 1, 1), 69.43903309693
*SET,DFEDG ( 18, 1, 1), 70.69072443081
*SET,DFEDG ( 19, 1, 1), 71.61364790298
*SET,DFEDG ( 20, 1, 1), 72.40467501130
*SET,DFEDG ( 21, 1, 1), 77.52715311123
*SET,DFEDG ( 22, 1, 1), 79.49548476029
*SET,DFEDG ( 23, 1, 1), 79.78804751258
*SET,DFEDG ( 24, 1, 1), 79.55192540791
*SET,DFEDG ( 25, 1, 1), 79.14531049724
*SET,DFEDG ( 26, 1, 1), 78.66948755220
*SET,DFEDG ( 27, 1, 1), 78.00097825353
*SET,DFEDG ( 28, 1, 1), 77.45146803365
*SET,DFEDG ( 29, 1, 1), 76.96352904268
*SET,DFEDG ( 30, 1, 1), 74.37879117244
*SET,DFEDG ( 31, 1, 1), 72.77225713190
*SET,DFEDG ( 32, 1, 1), 71.88509506404
*SET,DFEDG ( 33, 1, 1), 71.18637000107
*SET,DFEDG ( 34, 1, 1), 70.40401623877
*SET,DFEDG ( 35, 1, 1), 69.63785784287
*SET,DFEDG ( 36, 1, 1), 68.90505822020
*SET,DFEDG ( 37, 1, 1), 68.21754244809
*SET,DFEDG ( 38, 1, 1), 67.58995402764
*SET,DFRAD , 2.500000000000
*DIM,DFSID ,TABLE, 47, 1, 1
*SET,DFSID ( 1, 0, 1), 31.55760000000
*SET,DFSID ( 2, 0, 1), 3155791.557600
*SET,DFSID ( 3, 0, 1), 6311551.557600
*SET,DFSID ( 4, 0, 1), 9467311.557600
*SET,DFSID ( 5, 0, 1), 12623071.55760
*SET,DFSID ( 6, 0, 1), 15778831.55760
*SET,DFSID ( 7, 0, 1), 18934591.55760
*SET,DFSID ( 8, 0, 1), 22090351.55760
*SET,DFSID ( 9, 0, 1), 25246111.55760
*SET,DFSID ( 10, 0, 1), 28401871.55760
*SET,DFSID ( 11, 0, 1), 31557631.55760
*SET,DFSID ( 12, 0, 1), 63115231.55760
*SET,DFSID ( 13, 0, 1), 94672831.55760
*SET,DFSID ( 14, 0, 1), 126230431.5576
*SET,DFSID ( 15, 0, 1), 157788031.5576
*SET,DFSID ( 16, 0, 1), 189345631.5576
*SET,DFSID ( 17, 0, 1), 220903231.5576
*SET,DFSID ( 18, 0, 1), 252460831.5576
*SET,DFSID ( 19, 0, 1), 284018431.5576
*SET,DFSID ( 20, 0, 1), 315576031.5576
*SET,DFSID ( 21, 0, 1), 631152031.5576
*SET,DFSID ( 22, 0, 1), 946728031.5576
*SET,DFSID ( 23, 0, 1), 1262304031.558

```

```

*SET,DFSID ( 24, 0, 1), 1577880031.558
*SET,DFSID ( 25, 0, 1), 1893456031.558
*SET,DFSID ( 26, 0, 1), 2209032031.558
*SET,DFSID ( 27, 0, 1), 2524608031.558
*SET,DFSID ( 28, 0, 1), 2840184031.558
*SET,DFSID ( 29, 0, 1), 3155760031.558
*SET,DFSID ( 30, 0, 1), 6311520031.558
*SET,DFSID ( 31, 0, 1), 9467280031.558
*SET,DFSID ( 32, 0, 1), 12623040031.56
*SET,DFSID ( 33, 0, 1), 15778800031.56
*SET,DFSID ( 34, 0, 1), 18934560031.56
*SET,DFSID ( 35, 0, 1), 22090320031.56
*SET,DFSID ( 36, 0, 1), 25246080031.56
*SET,DFSID ( 37, 0, 1), 28401840031.56
*SET,DFSID ( 38, 0, 1), 31557600031.56
*SET,DFSID ( 0, 1, 1), 1.000000000000
*SET,DFSID ( 1, 1, 1), 26.13990716582
*SET,DFSID ( 2, 1, 1), 34.88216020877
*SET,DFSID ( 3, 1, 1), 39.10529800399
*SET,DFSID ( 4, 1, 1), 42.04830635467
*SET,DFSID ( 5, 1, 1), 44.33693667213
*SET,DFSID ( 6, 1, 1), 46.21365770719
*SET,DFSID ( 7, 1, 1), 47.80326796331
*SET,DFSID ( 8, 1, 1), 49.18091232927
*SET,DFSID ( 9, 1, 1), 50.39613724730
*SET,DFSID ( 10, 1, 1), 51.48168526143
*SET,DFSID ( 11, 1, 1), 52.45984272750
*SET,DFSID ( 12, 1, 1), 58.99851333526
*SET,DFSID ( 13, 1, 1), 62.73847873088
*SET,DFSID ( 14, 1, 1), 65.31581450289
*SET,DFSID ( 15, 1, 1), 67.29182967959
*SET,DFSID ( 16, 1, 1), 68.90242765176
*SET,DFSID ( 17, 1, 1), 70.27678973930
*SET,DFSID ( 18, 1, 1), 71.51860158235
*SET,DFSID ( 19, 1, 1), 72.42231036677
*SET,DFSID ( 20, 1, 1), 73.19847181543
*SET,DFSID ( 21, 1, 1), 78.20240521035
*SET,DFSID ( 22, 1, 1), 80.07877371370
*SET,DFSID ( 23, 1, 1), 80.29132781146
*SET,DFSID ( 24, 1, 1), 79.99515659047
*SET,DFSID ( 25, 1, 1), 79.54200116638
*SET,DFSID ( 26, 1, 1), 79.02876277923
*SET,DFSID ( 27, 1, 1), 78.32573823974
*SET,DFSID ( 28, 1, 1), 77.75089674033
*SET,DFSID ( 29, 1, 1), 77.24162425619
*SET,DFSID ( 30, 1, 1), 74.54570664503
*SET,DFSID ( 31, 1, 1), 72.90116529489
*SET,DFSID ( 32, 1, 1), 71.99275333497
*SET,DFSID ( 33, 1, 1), 71.27904868958
*SET,DFSID ( 34, 1, 1), 70.48380341644
*SET,DFSID ( 35, 1, 1), 69.70788978558
*SET,DFSID ( 36, 1, 1), 68.96712314732
*SET,DFSID ( 37, 1, 1), 68.27334322140
*SET,DFSID ( 38, 1, 1), 67.64068837462
*DIM,DFTOP ,TABLE, 47, 1, 1
*SET,DFTOP ( 1, 0, 1), 31.55760000000
*SET,DFTOP ( 2, 0, 1), 3155791.557600
*SET,DFTOP ( 3, 0, 1), 6311551.557600
*SET,DFTOP ( 4, 0, 1), 9467311.557600
*SET,DFTOP ( 5, 0, 1), 12623071.55760
*SET,DFTOP ( 6, 0, 1), 15778831.55760
*SET,DFTOP ( 7, 0, 1), 18934591.55760
*SET,DFTOP ( 8, 0, 1), 22090351.55760
*SET,DFTOP ( 9, 0, 1), 25246111.55760
*SET,DFTOP ( 10, 0, 1), 28401871.55760
*SET,DFTOP ( 11, 0, 1), 31557631.55760
*SET,DFTOP ( 12, 0, 1), 63115231.55760
*SET,DFTOP ( 13, 0, 1), 94672831.55760
*SET,DFTOP ( 14, 0, 1), 126230431.5576
*SET,DFTOP ( 15, 0, 1), 157788031.5576

```

```

*SET,DFTOP ( 16, 0, 1), 189345631.5576
*SET,DFTOP ( 17, 0, 1), 220903231.5576
*SET,DFTOP ( 18, 0, 1), 252460831.5576
*SET,DFTOP ( 19, 0, 1), 284018431.5576
*SET,DFTOP ( 20, 0, 1), 315576031.5576
*SET,DFTOP ( 21, 0, 1), 631152031.5576
*SET,DFTOP ( 22, 0, 1), 946728031.5576
*SET,DFTOP ( 23, 0, 1), 1262304031.558
*SET,DFTOP ( 24, 0, 1), 1577880031.558
*SET,DFTOP ( 25, 0, 1), 1893456031.558
*SET,DFTOP ( 26, 0, 1), 2209032031.558
*SET,DFTOP ( 27, 0, 1), 2524608031.558
*SET,DFTOP ( 28, 0, 1), 2840184031.558
*SET,DFTOP ( 29, 0, 1), 3155760031.558
*SET,DFTOP ( 30, 0, 1), 6311520031.558
*SET,DFTOP ( 31, 0, 1), 9467280031.558
*SET,DFTOP ( 32, 0, 1), 12623040031.56
*SET,DFTOP ( 33, 0, 1), 15778800031.56
*SET,DFTOP ( 34, 0, 1), 18934560031.56
*SET,DFTOP ( 35, 0, 1), 22090320031.56
*SET,DFTOP ( 36, 0, 1), 25246080031.56
*SET,DFTOP ( 37, 0, 1), 28401840031.56
*SET,DFTOP ( 38, 0, 1), 31557600031.56
*SET,DFTOP ( 0, 1, 1), 1.000000000000
*SET,DFTOP ( 1, 1, 1), 26.13991627150
*SET,DFTOP ( 2, 1, 1), 34.95959452467
*SET,DFTOP ( 3, 1, 1), 39.21224235879
*SET,DFTOP ( 4, 1, 1), 42.17268249140
*SET,DFTOP ( 5, 1, 1), 44.47330030873
*SET,DFTOP ( 6, 1, 1), 46.35844386964
*SET,DFTOP ( 7, 1, 1), 47.95410389704
*SET,DFTOP ( 8, 1, 1), 49.33619844100
*SET,DFTOP ( 9, 1, 1), 50.55476698055
*SET,DFTOP ( 10, 1, 1), 51.64286090157
*SET,DFTOP ( 11, 1, 1), 52.62303726283
*SET,DFTOP ( 12, 1, 1), 59.16692407021
*SET,DFTOP ( 13, 1, 1), 62.90123697476
*SET,DFTOP ( 14, 1, 1), 65.46840407447
*SET,DFTOP ( 15, 1, 1), 67.43298126980
*SET,DFTOP ( 16, 1, 1), 69.03252902189
*SET,DFTOP ( 17, 1, 1), 70.39675216201
*SET,DFTOP ( 18, 1, 1), 71.62986198744
*SET,DFTOP ( 19, 1, 1), 72.52472678733
*SET,DFTOP ( 20, 1, 1), 73.29316221849
*SET,DFTOP ( 21, 1, 1), 78.25412938818
*SET,DFTOP ( 22, 1, 1), 80.11088706198
*SET,DFTOP ( 23, 1, 1), 80.31057748837
*SET,DFTOP ( 24, 1, 1), 80.00669535169
*SET,DFTOP ( 25, 1, 1), 79.54832717350
*SET,DFTOP ( 26, 1, 1), 79.03120561029
*SET,DFTOP ( 27, 1, 1), 78.32449453518
*SET,DFTOP ( 28, 1, 1), 77.74744081547
*SET,DFTOP ( 29, 1, 1), 77.23631116655
*SET,DFTOP ( 30, 1, 1), 74.53173037750
*SET,DFTOP ( 31, 1, 1), 72.88693768098
*SET,DFTOP ( 32, 1, 1), 71.97882121624
*SET,DFTOP ( 33, 1, 1), 71.26534887129
*SET,DFTOP ( 34, 1, 1), 70.47008736140
*SET,DFTOP ( 35, 1, 1), 69.69410934756
*SET,DFTOP ( 36, 1, 1), 68.95306868323
*SET,DFTOP ( 37, 1, 1), 68.25885467533
*SET,DFTOP ( 38, 1, 1), 67.62561708887
*SET,GSURF , 308.7725500000
*SET,INVRT , .700000000000000
*SET,JINC , 39.000000000000
*SET,MODEL , 22.500000000000
*SET,OFFST , .27255000000000
*SET,TM , 31557600031.56
*SET,TME0 , 28401871.55760
*SET,TME1 , 31557631.55760

```

```

*SET,TME10 , 315576031.5576
*SET,TME100 , 3155760031.558
*SET,TME1000 , 31557600031.56
*SET,TME9 , 284018431.5576
*SET,TME90 , 2840184031.558
*SET,TM10 , 3155760.000000
*SET,TM11 , 31557600.000000
*SET,TM110 , 315576000.0000
*SET,TM1100 , 3155760000.000
*SET,TM11000 , 31557600000.00
*SET,TM_START, 31.557600000000
*DIM,WPBOT ,TABLE, 47, 1, 1
*SET,WPBOT ( 1, 0, 1), 31.557600000000
*SET,WPBOT ( 2, 0, 1), 3155791.557600
*SET,WPBOT ( 3, 0, 1), 6311551.557600
*SET,WPBOT ( 4, 0, 1), 9467311.557600
*SET,WPBOT ( 5, 0, 1), 12623071.55760
*SET,WPBOT ( 6, 0, 1), 15778831.55760
*SET,WPBOT ( 7, 0, 1), 18934591.55760
*SET,WPBOT ( 8, 0, 1), 22090351.55760
*SET,WPBOT ( 9, 0, 1), 25246111.55760
*SET,WPBOT ( 10, 0, 1), 28401871.55760
*SET,WPBOT ( 11, 0, 1), 31557631.55760
*SET,WPBOT ( 12, 0, 1), 63115231.55760
*SET,WPBOT ( 13, 0, 1), 94672831.55760
*SET,WPBOT ( 14, 0, 1), 126230431.5576
*SET,WPBOT ( 15, 0, 1), 157788031.5576
*SET,WPBOT ( 16, 0, 1), 189345631.5576
*SET,WPBOT ( 17, 0, 1), 220903231.5576
*SET,WPBOT ( 18, 0, 1), 252460831.5576
*SET,WPBOT ( 19, 0, 1), 284018431.5576
*SET,WPBOT ( 20, 0, 1), 315576031.5576
*SET,WPBOT ( 21, 0, 1), 631152031.5576
*SET,WPBOT ( 22, 0, 1), 946728031.5576
*SET,WPBOT ( 23, 0, 1), 1262304031.558
*SET,WPBOT ( 24, 0, 1), 1577880031.558
*SET,WPBOT ( 25, 0, 1), 1893456031.558
*SET,WPBOT ( 26, 0, 1), 2209032031.558
*SET,WPBOT ( 27, 0, 1), 2524608031.558
*SET,WPBOT ( 28, 0, 1), 2840184031.558
*SET,WPBOT ( 29, 0, 1), 3155760031.558
*SET,WPBOT ( 30, 0, 1), 6311520031.558
*SET,WPBOT ( 31, 0, 1), 9467280031.558
*SET,WPBOT ( 32, 0, 1), 12623040031.56
*SET,WPBOT ( 33, 0, 1), 15778800031.56
*SET,WPBOT ( 34, 0, 1), 18934560031.56
*SET,WPBOT ( 35, 0, 1), 22090320031.56
*SET,WPBOT ( 36, 0, 1), 25246080031.56
*SET,WPBOT ( 37, 0, 1), 28401840031.56
*SET,WPBOT ( 38, 0, 1), 31557600031.56
*SET,WPBOT ( 0, 1, 1), 1.000000000000
*SET,WPBOT ( 1, 1, 1), 56.97196354553
*SET,WPBOT ( 2, 1, 1), 76.17948615854
*SET,WPBOT ( 3, 1, 1), 79.95351804312
*SET,WPBOT ( 4, 1, 1), 82.31586144556
*SET,WPBOT ( 5, 1, 1), 84.05873445678
*SET,WPBOT ( 6, 1, 1), 85.45545621329
*SET,WPBOT ( 7, 1, 1), 86.60696510342
*SET,WPBOT ( 8, 1, 1), 87.59949859772
*SET,WPBOT ( 9, 1, 1), 88.46439956500
*SET,WPBOT ( 10, 1, 1), 89.23154821159
*SET,WPBOT ( 11, 1, 1), 89.92962586699
*SET,WPBOT ( 12, 1, 1), 94.34662093730
*SET,WPBOT ( 13, 1, 1), 96.69845113539
*SET,WPBOT ( 14, 1, 1), 98.20427718381
*SET,WPBOT ( 15, 1, 1), 99.27800551649
*SET,WPBOT ( 16, 1, 1), 100.1071364364
*SET,WPBOT ( 17, 1, 1), 100.7580632973
*SET,WPBOT ( 18, 1, 1), 101.4002706709
*SET,WPBOT ( 19, 1, 1), 101.4458143345

```

```

*SET,WPBOT ( 20, 1, 1), 101.5587125090
*SET,WPBOT ( 21, 1, 1), 101.7117420417
*SET,WPBOT ( 22, 1, 1), 100.2899445614
*SET,WPBOT ( 23, 1, 1), 97.78948840675
*SET,WPBOT ( 24, 1, 1), 95.51368592309
*SET,WPBOT ( 25, 1, 1), 93.53785286265
*SET,WPBOT ( 26, 1, 1), 91.80766617593
*SET,WPBOT ( 27, 1, 1), 89.97959653608
*SET,WPBOT ( 28, 1, 1), 88.59121913128
*SET,WPBOT ( 29, 1, 1), 87.39270819634
*SET,WPBOT ( 30, 1, 1), 80.98106454977
*SET,WPBOT ( 31, 1, 1), 78.04313421398
*SET,WPBOT ( 32, 1, 1), 76.37158869424
*SET,WPBOT ( 33, 1, 1), 75.11064920652
*SET,WPBOT ( 34, 1, 1), 73.83972043746
*SET,WPBOT ( 35, 1, 1), 72.70912021597
*SET,WPBOT ( 36, 1, 1), 71.68232131757
*SET,WPBOT ( 37, 1, 1), 70.77060070620
*SET,WPBOT ( 38, 1, 1), 69.96675714913
*DIM,WPHOT ,TABLE, 47, 1, 1
*SET,WPHOT ( 1, 0, 1), 31.55760000000
*SET,WPHOT ( 2, 0, 1), 3155760.000000
*SET,WPHOT ( 3, 0, 1), 6311520.000000
*SET,WPHOT ( 4, 0, 1), 9467280.000000
*SET,WPHOT ( 5, 0, 1), 12623040.00000
*SET,WPHOT ( 6, 0, 1), 15778800.00000
*SET,WPHOT ( 7, 0, 1), 18934560.00000
*SET,WPHOT ( 8, 0, 1), 22090320.00000
*SET,WPHOT ( 9, 0, 1), 25246080.00000
*SET,WPHOT ( 10, 0, 1), 28401840.00000
*SET,WPHOT ( 11, 0, 1), 31557600.00000
*SET,WPHOT ( 12, 0, 1), 63115200.00000
*SET,WPHOT ( 13, 0, 1), 94672800.00000
*SET,WPHOT ( 14, 0, 1), 126230400.0000
*SET,WPHOT ( 15, 0, 1), 157788000.0000
*SET,WPHOT ( 16, 0, 1), 189345600.0000
*SET,WPHOT ( 17, 0, 1), 220903200.0000
*SET,WPHOT ( 18, 0, 1), 252460800.0000
*SET,WPHOT ( 19, 0, 1), 284018400.0000
*SET,WPHOT ( 20, 0, 1), 315576000.0000
*SET,WPHOT ( 21, 0, 1), 631152000.0000
*SET,WPHOT ( 22, 0, 1), 946728000.0000
*SET,WPHOT ( 23, 0, 1), 1262304000.000
*SET,WPHOT ( 24, 0, 1), 1577880000.000
*SET,WPHOT ( 25, 0, 1), 1893456000.000
*SET,WPHOT ( 26, 0, 1), 2209032000.000
*SET,WPHOT ( 27, 0, 1), 2524608000.000
*SET,WPHOT ( 28, 0, 1), 2840184000.000
*SET,WPHOT ( 29, 0, 1), 3155760000.000
*SET,WPHOT ( 30, 0, 1), 6311520000.000
*SET,WPHOT ( 31, 0, 1), 9467280000.000
*SET,WPHOT ( 32, 0, 1), 12623040000.00
*SET,WPHOT ( 33, 0, 1), 15778800000.00
*SET,WPHOT ( 34, 0, 1), 18934560000.00
*SET,WPHOT ( 35, 0, 1), 22090320000.00
*SET,WPHOT ( 36, 0, 1), 25246080000.00
*SET,WPHOT ( 37, 0, 1), 28401840000.00
*SET,WPHOT ( 38, 0, 1), 31557600000.00
*SET,WPHOT ( 39, 0, 1), 63115200000.00
*SET,WPHOT ( 40, 0, 1), 94672800000.00
*SET,WPHOT ( 41, 0, 1), 126230400000.0
*SET,WPHOT ( 42, 0, 1), 157788000000.0
*SET,WPHOT ( 43, 0, 1), 189345600000.0
*SET,WPHOT ( 44, 0, 1), 220903200000.0
*SET,WPHOT ( 45, 0, 1), 252460800000.0
*SET,WPHOT ( 46, 0, 1), 284018400000.0
*SET,WPHOT ( 47, 0, 1), 315576000000.0
*SET,WPHOT ( 0, 1, 1), 1.000000000000
*SET,WPHOT ( 1, 1, 1), 771.1980889634
*SET,WPHOT ( 2, 1, 1), 769.6135438864

```

```

*SET,WPHOT ( 3, 1, 1), 768.0289988094
*SET,WPHOT ( 4, 1, 1), 766.4444537325
*SET,WPHOT ( 5, 1, 1), 765.0183631632
*SET,WPHOT ( 6, 1, 1), 763.4338180862
*SET,WPHOT ( 7, 1, 1), 761.8492730092
*SET,WPHOT ( 8, 1, 1), 760.2647279323
*SET,WPHOT ( 9, 1, 1), 758.8386373630
*SET,WPHOT ( 10, 1, 1), 757.2540922860
*SET,WPHOT ( 11, 1, 1), 755.8280017167
*SET,WPHOT ( 12, 1, 1), 741.2501870086
*SET,WPHOT ( 13, 1, 1), 727.6230993466
*SET,WPHOT ( 14, 1, 1), 714.7882842231
*SET,WPHOT ( 15, 1, 1), 702.7457416381
*SET,WPHOT ( 16, 1, 1), 691.1785625762
*SET,WPHOT ( 17, 1, 1), 680.2452015451
*SET,WPHOT ( 18, 1, 1), 671.3717491140
*SET,WPHOT ( 19, 1, 1), 653.7832987596
*SET,WPHOT ( 20, 1, 1), 640.9484836361
*SET,WPHOT ( 21, 1, 1), 541.2805982944
*SET,WPHOT ( 22, 1, 1), 466.0147071381
*SET,WPHOT ( 23, 1, 1), 400.2560864437
*SET,WPHOT ( 24, 1, 1), 351.7690070883
*SET,WPHOT ( 25, 1, 1), 314.5321977794
*SET,WPHOT ( 26, 1, 1), 284.9012048400
*SET,WPHOT ( 27, 1, 1), 257.4885750083
*SET,WPHOT ( 28, 1, 1), 237.8402160538
*SET,WPHOT ( 29, 1, 1), 221.3609472533
*SET,WPHOT ( 30, 1, 1), 135.7955130967
*SET,WPHOT ( 31, 1, 1), 106.7983381881
*SET,WPHOT ( 32, 1, 1), 90.00216037214
*SET,WPHOT ( 33, 1, 1), 78.27652680253
*SET,WPHOT ( 34, 1, 1), 67.97698380220
*SET,WPHOT ( 35, 1, 1), 60.37116743272
*SET,WPHOT ( 36, 1, 1), 54.34989614022
*SET,WPHOT ( 37, 1, 1), 49.59626090930
*SET,WPHOT ( 38, 1, 1), 45.95180723225
*SET,WPHOT ( 39, 1, 1), 24.56044869310
*SET,WPHOT ( 40, 1, 1), 20.28217698527
*SET,WPHOT ( 41, 1, 1), 17.58845035441
*SET,WPHOT ( 42, 1, 1), 15.84545076974
*SET,WPHOT ( 43, 1, 1), 14.57781470816
*SET,WPHOT ( 44, 1, 1), 13.62708766198
*SET,WPHOT ( 45, 1, 1), 12.67636061579
*SET,WPHOT ( 46, 1, 1), 12.04254258500
*SET,WPHOT ( 47, 1, 1), 11.40872455422
*SET,WPLEN , 5.647000000000
*SET,WPNUM , 12.000000000000
*SET,WPRAD , .7652500000000
*DIM,WPSID ,TABLE, 47, 1, 1
*SET,WPSID ( 1, 0, 1), 31.55760000000
*SET,WPSID ( 2, 0, 1), 3155791.557600
*SET,WPSID ( 3, 0, 1), 6311551.557600
*SET,WPSID ( 4, 0, 1), 9467311.557600
*SET,WPSID ( 5, 0, 1), 12623071.55760
*SET,WPSID ( 6, 0, 1), 15778831.55760
*SET,WPSID ( 7, 0, 1), 18934591.55760
*SET,WPSID ( 8, 0, 1), 22090351.55760
*SET,WPSID ( 9, 0, 1), 25246111.55760
*SET,WPSID ( 10, 0, 1), 28401871.55760
*SET,WPSID ( 11, 0, 1), 31557631.55760
*SET,WPSID ( 12, 0, 1), 63115231.55760
*SET,WPSID ( 13, 0, 1), 94672831.55760
*SET,WPSID ( 14, 0, 1), 126230431.5576
*SET,WPSID ( 15, 0, 1), 157788031.5576
*SET,WPSID ( 16, 0, 1), 189345631.5576
*SET,WPSID ( 17, 0, 1), 220903231.5576
*SET,WPSID ( 18, 0, 1), 252460831.5576
*SET,WPSID ( 19, 0, 1), 284018431.5576
*SET,WPSID ( 20, 0, 1), 315576031.5576
*SET,WPSID ( 21, 0, 1), 631152031.5576

```

```

*SET,WPSID ( 22, 0, 1), 946728031.5576
*SET,WPSID ( 23, 0, 1), 1262304031.558
*SET,WPSID ( 24, 0, 1), 1577880031.558
*SET,WPSID ( 25, 0, 1), 1893456031.558
*SET,WPSID ( 26, 0, 1), 2209032031.558
*SET,WPSID ( 27, 0, 1), 2524608031.558
*SET,WPSID ( 28, 0, 1), 2840184031.558
*SET,WPSID ( 29, 0, 1), 3155760031.558
*SET,WPSID ( 30, 0, 1), 6311520031.558
*SET,WPSID ( 31, 0, 1), 9467280031.558
*SET,WPSID ( 32, 0, 1), 12623040031.56
*SET,WPSID ( 33, 0, 1), 15778800031.56
*SET,WPSID ( 34, 0, 1), 18934560031.56
*SET,WPSID ( 35, 0, 1), 22090320031.56
*SET,WPSID ( 36, 0, 1), 25246080031.56
*SET,WPSID ( 37, 0, 1), 28401840031.56
*SET,WPSID ( 38, 0, 1), 31557600031.56
*SET,WPSID ( 0, 1, 1), 1.000000000000
*SET,WPSID ( 1, 1, 1), 56.94599381970
*SET,WPSID ( 2, 1, 1), 74.54815640390
*SET,WPSID ( 3, 1, 1), 78.30152999559
*SET,WPSID ( 4, 1, 1), 80.65625050681
*SET,WPSID ( 5, 1, 1), 82.40583936787
*SET,WPSID ( 6, 1, 1), 83.80228627285
*SET,WPSID ( 7, 1, 1), 84.96088766139
*SET,WPSID ( 8, 1, 1), 85.95532983532
*SET,WPSID ( 9, 1, 1), 86.82624729509
*SET,WPSID ( 10, 1, 1), 87.59616805826
*SET,WPSID ( 11, 1, 1), 88.29960478415
*SET,WPSID ( 12, 1, 1), 92.75404482299
*SET,WPSID ( 13, 1, 1), 95.14001738099
*SET,WPSID ( 14, 1, 1), 96.67483813983
*SET,WPSID ( 15, 1, 1), 97.77732815396
*SET,WPSID ( 16, 1, 1), 98.63167429541
*SET,WPSID ( 17, 1, 1), 99.30718039752
*SET,WPSID ( 18, 1, 1), 99.97060380825
*SET,WPSID ( 19, 1, 1), 100.0517516693
*SET,WPSID ( 20, 1, 1), 100.1931142681
*SET,WPSID ( 21, 1, 1), 100.5564374484
*SET,WPSID ( 22, 1, 1), 99.29012379297
*SET,WPSID ( 23, 1, 1), 96.92624944797
*SET,WPSID ( 24, 1, 1), 94.75008343835
*SET,WPSID ( 25, 1, 1), 92.85174155277
*SET,WPSID ( 26, 1, 1), 91.18334079332
*SET,WPSID ( 27, 1, 1), 89.41263092708
*SET,WPSID ( 28, 1, 1), 88.06554432395
*SET,WPSID ( 29, 1, 1), 86.90182078725
*SET,WPSID ( 30, 1, 1), 80.67383973602
*SET,WPSID ( 31, 1, 1), 77.80023069697
*SET,WPSID ( 32, 1, 1), 76.16489665860
*SET,WPSID ( 33, 1, 1), 74.93104394093
*SET,WPSID ( 34, 1, 1), 73.68217128002
*SET,WPSID ( 35, 1, 1), 72.56856481389
*SET,WPSID ( 36, 1, 1), 71.55613486197
*SET,WPSID ( 37, 1, 1), 70.65405127588
*SET,WPSID ( 38, 1, 1), 69.85827589244
*SET,WPSPC , 18.47500000000
*DIM,WPTOP ,TABLE, 47, 1, 1
*SET,WPTOP ( 1, 0, 1), 31.55760000000
*SET,WPTOP ( 2, 0, 1), 3155791.557600
*SET,WPTOP ( 3, 0, 1), 6311551.557600
*SET,WPTOP ( 4, 0, 1), 9467311.557600
*SET,WPTOP ( 5, 0, 1), 12623071.55760
*SET,WPTOP ( 6, 0, 1), 15778831.55760
*SET,WPTOP ( 7, 0, 1), 18934591.55760
*SET,WPTOP ( 8, 0, 1), 22090351.55760
*SET,WPTOP ( 9, 0, 1), 25246111.55760
*SET,WPTOP ( 10, 0, 1), 28401871.55760
*SET,WPTOP ( 11, 0, 1), 31557631.55760
*SET,WPTOP ( 12, 0, 1), 63115231.55760

```



```

*SET,WPTOP ( 13, 0, 1), 94672831.55760
*SET,WPTOP ( 14, 0, 1), 126230431.5576
*SET,WPTOP ( 15, 0, 1), 157788031.5576
*SET,WPTOP ( 16, 0, 1), 189345631.5576
*SET,WPTOP ( 17, 0, 1), 220903231.5576
*SET,WPTOP ( 18, 0, 1), 252460831.5576
*SET,WPTOP ( 19, 0, 1), 284018431.5576
*SET,WPTOP ( 20, 0, 1), 315576031.5576
*SET,WPTOP ( 21, 0, 1), 631152031.5576
*SET,WPTOP ( 22, 0, 1), 946728031.5576
*SET,WPTOP ( 23, 0, 1), 1262304031.558
*SET,WPTOP ( 24, 0, 1), 1577880031.558
*SET,WPTOP ( 25, 0, 1), 1893456031.558
*SET,WPTOP ( 26, 0, 1), 2209032031.558
*SET,WPTOP ( 27, 0, 1), 2524608031.558
*SET,WPTOP ( 28, 0, 1), 2840184031.558
*SET,WPTOP ( 29, 0, 1), 3155760031.558
*SET,WPTOP ( 30, 0, 1), 6311520031.558
*SET,WPTOP ( 31, 0, 1), 9467280031.558
*SET,WPTOP ( 32, 0, 1), 12623040031.56
*SET,WPTOP ( 33, 0, 1), 15778800031.56
*SET,WPTOP ( 34, 0, 1), 18934560031.56
*SET,WPTOP ( 35, 0, 1), 22090320031.56
*SET,WPTOP ( 36, 0, 1), 25246080031.56
*SET,WPTOP ( 37, 0, 1), 28401840031.56
*SET,WPTOP ( 38, 0, 1), 31557600031.56
*SET,WPTOP ( 0, 1, 1), 1.000000000000
*SET,WPTOP ( 1, 1, 1), 56.92072639129
*SET,WPTOP ( 2, 1, 1), 73.68850240612
*SET,WPTOP ( 3, 1, 1), 77.43243882509
*SET,WPTOP ( 4, 1, 1), 79.78968636909
*SET,WPTOP ( 5, 1, 1), 81.54135312009
*SET,WPTOP ( 6, 1, 1), 82.94207692996
*SET,WPTOP ( 7, 1, 1), 84.10388562736
*SET,WPTOP ( 8, 1, 1), 85.10216261079
*SET,WPTOP ( 9, 1, 1), 85.97619259315
*SET,WPTOP ( 10, 1, 1), 86.74943342257
*SET,WPTOP ( 11, 1, 1), 87.45584423166
*SET,WPTOP ( 12, 1, 1), 91.93536410244
*SET,WPTOP ( 13, 1, 1), 94.34071947169
*SET,WPTOP ( 14, 1, 1), 95.89182731824
*SET,WPTOP ( 15, 1, 1), 97.00892445182
*SET,WPTOP ( 16, 1, 1), 97.87670820116
*SET,WPTOP ( 17, 1, 1), 98.56479526133
*SET,WPTOP ( 18, 1, 1), 99.23866428723
*SET,WPTOP ( 19, 1, 1), 99.33798722140
*SET,WPTOP ( 20, 1, 1), 99.49314600045
*SET,WPTOP ( 21, 1, 1), 99.96202303842
*SET,WPTOP ( 22, 1, 1), 98.77406600326
*SET,WPTOP ( 23, 1, 1), 96.47813909339
*SET,WPTOP ( 24, 1, 1), 94.35244950210
*SET,WPTOP ( 25, 1, 1), 92.49315626480
*SET,WPTOP ( 26, 1, 1), 90.85603232919
*SET,WPTOP ( 27, 1, 1), 89.11439359665
*SET,WPTOP ( 28, 1, 1), 87.78830728950
*SET,WPTOP ( 29, 1, 1), 86.64231995875
*SET,WPTOP ( 30, 1, 1), 80.50892927382
*SET,WPTOP ( 31, 1, 1), 77.66857158162
*SET,WPTOP ( 32, 1, 1), 76.05278846548
*SET,WPTOP ( 33, 1, 1), 74.83288122244
*SET,WPTOP ( 34, 1, 1), 73.59611952339
*SET,WPTOP ( 35, 1, 1), 72.49151750085
*SET,WPTOP ( 36, 1, 1), 71.48626041251
*SET,WPTOP ( 37, 1, 1), 70.58965286606
*SET,WPTOP ( 38, 1, 1), 69.79808452496
*SET,WPVOL , 7.573151546382
*SET,WPVLL , .1000000000000
*SET,XXX , 1.734935157290
*SET,YYY , -1.527450000000
/GOPR

```

```

/NOPR
*DIM,ASSY      ,TABLE,      47,      1,      1
*SET,ASSY      (      1,      0,      1), .10000000000000E-05
*SET,ASSY      (      2,      0,      1), .10000000000000
*SET,ASSY      (      3,      0,      1), .20000000000000
*SET,ASSY      (      4,      0,      1), .30000000000000
*SET,ASSY      (      5,      0,      1), .40000000000000
*SET,ASSY      (      6,      0,      1), .50000000000000
*SET,ASSY      (      7,      0,      1), .60000000000000
*SET,ASSY      (      8,      0,      1), .70000000000000
*SET,ASSY      (      9,      0,      1), .80000000000000
*SET,ASSY      (     10,      0,      1), .90000000000000
*SET,ASSY      (     11,      0,      1), 1.000000000000
*SET,ASSY      (     12,      0,      1), 2.000000000000
*SET,ASSY      (     13,      0,      1), 3.000000000000
*SET,ASSY      (     14,      0,      1), 4.000000000000
*SET,ASSY      (     15,      0,      1), 5.000000000000
*SET,ASSY      (     16,      0,      1), 6.000000000000
*SET,ASSY      (     17,      0,      1), 7.000000000000
*SET,ASSY      (     18,      0,      1), 8.000000000000
*SET,ASSY      (     19,      0,      1), 9.000000000000
*SET,ASSY      (     20,      0,      1), 10.000000000000
*SET,ASSY      (     21,      0,      1), 20.000000000000
*SET,ASSY      (     22,      0,      1), 30.000000000000
*SET,ASSY      (     23,      0,      1), 40.000000000000
*SET,ASSY      (     24,      0,      1), 50.000000000000
*SET,ASSY      (     25,      0,      1), 60.000000000000
*SET,ASSY      (     26,      0,      1), 70.000000000000
*SET,ASSY      (     27,      0,      1), 80.000000000000
*SET,ASSY      (     28,      0,      1), 90.000000000000
*SET,ASSY      (     29,      0,      1), 100.000000000000
*SET,ASSY      (     30,      0,      1), 200.000000000000
*SET,ASSY      (     31,      0,      1), 300.000000000000
*SET,ASSY      (     32,      0,      1), 400.000000000000
*SET,ASSY      (     33,      0,      1), 500.000000000000
*SET,ASSY      (     34,      0,      1), 600.000000000000
*SET,ASSY      (     35,      0,      1), 700.000000000000
*SET,ASSY      (     36,      0,      1), 800.000000000000
*SET,ASSY      (     37,      0,      1), 900.000000000000
*SET,ASSY      (     38,      0,      1), 1000.000000000000
*SET,ASSY      (     39,      0,      1), 2000.000000000000
*SET,ASSY      (     40,      0,      1), 3000.000000000000
*SET,ASSY      (     41,      0,      1), 4000.000000000000
*SET,ASSY      (     42,      0,      1), 5000.000000000000
*SET,ASSY      (     43,      0,      1), 6000.000000000000
*SET,ASSY      (     44,      0,      1), 7000.000000000000
*SET,ASSY      (     45,      0,      1), 8000.000000000000
*SET,ASSY      (     46,      0,      1), 9000.000000000000
*SET,ASSY      (     47,      0,      1), 10000.000000000000
*SET,ASSY      (      0,      1,      1), 1.000000000000
*SET,ASSY      (      1,      1,      1), 486.700000000000
*SET,ASSY      (      2,      1,      1), 485.700000000000
*SET,ASSY      (      3,      1,      1), 484.700000000000
*SET,ASSY      (      4,      1,      1), 483.700000000000
*SET,ASSY      (      5,      1,      1), 482.800000000000
*SET,ASSY      (      6,      1,      1), 481.800000000000
*SET,ASSY      (      7,      1,      1), 480.800000000000
*SET,ASSY      (      8,      1,      1), 479.800000000000
*SET,ASSY      (      9,      1,      1), 478.900000000000
*SET,ASSY      (     10,      1,      1), 477.900000000000
*SET,ASSY      (     11,      1,      1), 477.000000000000
*SET,ASSY      (     12,      1,      1), 467.800000000000
*SET,ASSY      (     13,      1,      1), 459.200000000000
*SET,ASSY      (     14,      1,      1), 451.100000000000
*SET,ASSY      (     15,      1,      1), 443.500000000000
*SET,ASSY      (     16,      1,      1), 436.200000000000
*SET,ASSY      (     17,      1,      1), 429.300000000000
*SET,ASSY      (     18,      1,      1), 423.700000000000
*SET,ASSY      (     19,      1,      1), 412.600000000000
*SET,ASSY      (     20,      1,      1), 404.500000000000

```

```

*SET,ASSY ( 21, 1, 1), 341.6000000000
*SET,ASSY ( 22, 1, 1), 294.1000000000
*SET,ASSY ( 23, 1, 1), 252.6000000000
*SET,ASSY ( 24, 1, 1), 222.0000000000
*SET,ASSY ( 25, 1, 1), 198.5000000000
*SET,ASSY ( 26, 1, 1), 179.8000000000
*SET,ASSY ( 27, 1, 1), 162.5000000000
*SET,ASSY ( 28, 1, 1), 150.1000000000
*SET,ASSY ( 29, 1, 1), 139.7000000000
*SET,ASSY ( 30, 1, 1), 85.7000000000
*SET,ASSY ( 31, 1, 1), 67.4000000000
*SET,ASSY ( 32, 1, 1), 56.8000000000
*SET,ASSY ( 33, 1, 1), 49.4000000000
*SET,ASSY ( 34, 1, 1), 42.9000000000
*SET,ASSY ( 35, 1, 1), 38.1000000000
*SET,ASSY ( 36, 1, 1), 34.3000000000
*SET,ASSY ( 37, 1, 1), 31.3000000000
*SET,ASSY ( 38, 1, 1), 29.0000000000
*SET,ASSY ( 39, 1, 1), 15.5000000000
*SET,ASSY ( 40, 1, 1), 12.8000000000
*SET,ASSY ( 41, 1, 1), 11.1000000000
*SET,ASSY ( 42, 1, 1), 10.0000000000
*SET,ASSY ( 43, 1, 1), 9.2000000000
*SET,ASSY ( 44, 1, 1), 8.6000000000
*SET,ASSY ( 45, 1, 1), 8.0000000000
*SET,ASSY ( 46, 1, 1), 7.6000000000
*SET,ASSY ( 47, 1, 1), 7.2000000000
*SET,DFAMBT , 26.14064563796
*DIM,DFBOT ,TABLE, 47, 1, 1
*SET,DFBOT ( 1, 0, 1), 31.5576000000
*SET,DFBOT ( 2, 0, 1), 3155791.557600
*SET,DFBOT ( 3, 0, 1), 6311551.557600
*SET,DFBOT ( 4, 0, 1), 9467311.557600
*SET,DFBOT ( 5, 0, 1), 12623071.55760
*SET,DFBOT ( 6, 0, 1), 15778831.55760
*SET,DFBOT ( 7, 0, 1), 18934591.55760
*SET,DFBOT ( 8, 0, 1), 22090351.55760
*SET,DFBOT ( 9, 0, 1), 25246111.55760
*SET,DFBOT ( 10, 0, 1), 28401871.55760
*SET,DFBOT ( 11, 0, 1), 31557631.55760
*SET,DFBOT ( 12, 0, 1), 63115231.55760
*SET,DFBOT ( 13, 0, 1), 94672831.55760
*SET,DFBOT ( 14, 0, 1), 126230431.5576
*SET,DFBOT ( 15, 0, 1), 157788031.5576
*SET,DFBOT ( 16, 0, 1), 189345631.5576
*SET,DFBOT ( 17, 0, 1), 220903231.5576
*SET,DFBOT ( 18, 0, 1), 252460831.5576
*SET,DFBOT ( 19, 0, 1), 284018431.5576
*SET,DFBOT ( 20, 0, 1), 315576031.5576
*SET,DFBOT ( 21, 0, 1), 631152031.5576
*SET,DFBOT ( 22, 0, 1), 946728031.5576
*SET,DFBOT ( 23, 0, 1), 1262304031.558
*SET,DFBOT ( 24, 0, 1), 1577880031.558
*SET,DFBOT ( 25, 0, 1), 1893456031.558
*SET,DFBOT ( 26, 0, 1), 2209032031.558
*SET,DFBOT ( 27, 0, 1), 2524608031.558
*SET,DFBOT ( 28, 0, 1), 2840184031.558
*SET,DFBOT ( 29, 0, 1), 3155760031.558
*SET,DFBOT ( 30, 0, 1), 6311520031.558
*SET,DFBOT ( 31, 0, 1), 9467280031.558
*SET,DFBOT ( 32, 0, 1), 12623040031.56
*SET,DFBOT ( 33, 0, 1), 15778800031.56
*SET,DFBOT ( 34, 0, 1), 18934560031.56
*SET,DFBOT ( 35, 0, 1), 22090320031.56
*SET,DFBOT ( 36, 0, 1), 25246080031.56
*SET,DFBOT ( 37, 0, 1), 28401840031.56
*SET,DFBOT ( 38, 0, 1), 31557600031.56
*SET,DFBOT ( 0, 1, 1), 1.000000000000
*SET,DFBOT ( 1, 1, 1), 26.16401844128
*SET,DFBOT ( 2, 1, 1), 36.65051665382

```

```

*SET,DFBOT ( 3, 1, 1), 42.98675229750
*SET,DFBOT ( 4, 1, 1), 47.38209146398
*SET,DFBOT ( 5, 1, 1), 50.78632686972
*SET,DFBOT ( 6, 1, 1), 53.56805389209
*SET,DFBOT ( 7, 1, 1), 55.91850577892
*SET,DFBOT ( 8, 1, 1), 57.95208331933
*SET,DFBOT ( 9, 1, 1), 59.74402340328
*SET,DFBOT ( 10, 1, 1), 61.34428335699
*SET,DFBOT ( 11, 1, 1), 62.78858035577
*SET,DFBOT ( 12, 1, 1), 72.43373931110
*SET,DFBOT ( 13, 1, 1), 77.92655575047
*SET,DFBOT ( 14, 1, 1), 81.59487736188
*SET,DFBOT ( 15, 1, 1), 84.23016364667
*SET,DFBOT ( 16, 1, 1), 86.22624997182
*SET,DFBOT ( 17, 1, 1), 87.78348551025
*SET,DFBOT ( 18, 1, 1), 89.07593618590
*SET,DFBOT ( 19, 1, 1), 89.94317775808
*SET,DFBOT ( 20, 1, 1), 90.56356531429
*SET,DFBOT ( 21, 1, 1), 93.29154405985
*SET,DFBOT ( 22, 1, 1), 93.05354961035
*SET,DFBOT ( 23, 1, 1), 91.45518984397
*SET,DFBOT ( 24, 1, 1), 89.71629270114
*SET,DFBOT ( 25, 1, 1), 88.17625915476
*SET,DFBOT ( 26, 1, 1), 86.81876777058
*SET,DFBOT ( 27, 1, 1), 85.36991863009
*SET,DFBOT ( 28, 1, 1), 84.22452924213
*SET,DFBOT ( 29, 1, 1), 83.25693555494
*SET,DFBOT ( 30, 1, 1), 78.23735124564
*SET,DFBOT ( 31, 1, 1), 75.78803903300
*SET,DFBOT ( 32, 1, 1), 74.42673138124
*SET,DFBOT ( 33, 1, 1), 73.39665401326
*SET,DFBOT ( 34, 1, 1), 72.32559676020
*SET,DFBOT ( 35, 1, 1), 71.34342033524
*SET,DFBOT ( 36, 1, 1), 70.44505830259
*SET,DFBOT ( 37, 1, 1), 69.62327823392
*SET,DFBOT ( 38, 1, 1), 68.89526540182
*SET,DFCENT , .2725500000000
*DIM,DFEDG , TABLE, 47, 1, 1
*SET,DFEDG ( 1, 0, 1), 31.55760000000
*SET,DFEDG ( 2, 0, 1), 3155791.557600
*SET,DFEDG ( 3, 0, 1), 6311551.557600
*SET,DFEDG ( 4, 0, 1), 9467311.557600
*SET,DFEDG ( 5, 0, 1), 12623071.55760
*SET,DFEDG ( 6, 0, 1), 15778831.55760
*SET,DFEDG ( 7, 0, 1), 18934591.55760
*SET,DFEDG ( 8, 0, 1), 22090351.55760
*SET,DFEDG ( 9, 0, 1), 25246111.55760
*SET,DFEDG ( 10, 0, 1), 28401871.55760
*SET,DFEDG ( 11, 0, 1), 31557631.55760
*SET,DFEDG ( 12, 0, 1), 63115231.55760
*SET,DFEDG ( 13, 0, 1), 94672831.55760
*SET,DFEDG ( 14, 0, 1), 126230431.5576
*SET,DFEDG ( 15, 0, 1), 157788031.5576
*SET,DFEDG ( 16, 0, 1), 189345631.5576
*SET,DFEDG ( 17, 0, 1), 220903231.5576
*SET,DFEDG ( 18, 0, 1), 252460831.5576
*SET,DFEDG ( 19, 0, 1), 284018431.5576
*SET,DFEDG ( 20, 0, 1), 315576031.5576
*SET,DFEDG ( 21, 0, 1), 631152031.5576
*SET,DFEDG ( 22, 0, 1), 946728031.5576
*SET,DFEDG ( 23, 0, 1), 1262304031.558
*SET,DFEDG ( 24, 0, 1), 1577880031.558
*SET,DFEDG ( 25, 0, 1), 1893456031.558
*SET,DFEDG ( 26, 0, 1), 2209032031.558
*SET,DFEDG ( 27, 0, 1), 2524608031.558
*SET,DFEDG ( 28, 0, 1), 2840184031.558
*SET,DFEDG ( 29, 0, 1), 3155760031.558
*SET,DFEDG ( 30, 0, 1), 6311520031.558
*SET,DFEDG ( 31, 0, 1), 9467280031.558
*SET,DFEDG ( 32, 0, 1), 12623040031.56

```

```

*SET,DFEDG ( 33, 0, 1), 15778800031.56
*SET,DFEDG ( 34, 0, 1), 18934560031.56
*SET,DFEDG ( 35, 0, 1), 22090320031.56
*SET,DFEDG ( 36, 0, 1), 25246080031.56
*SET,DFEDG ( 37, 0, 1), 28401840031.56
*SET,DFEDG ( 38, 0, 1), 31557600031.56
*SET,DFEDG ( 0, 1, 1), 1.000000000000
*SET,DFEDG ( 1, 1, 1), 26.14095563642
*SET,DFEDG ( 2, 1, 1), 41.34591340464
*SET,DFEDG ( 3, 1, 1), 47.96114444134
*SET,DFEDG ( 4, 1, 1), 52.46320713749
*SET,DFEDG ( 5, 1, 1), 55.92719921866
*SET,DFEDG ( 6, 1, 1), 58.74980390595
*SET,DFEDG ( 7, 1, 1), 61.13028791930
*SET,DFEDG ( 8, 1, 1), 63.18820334021
*SET,DFEDG ( 9, 1, 1), 65.00047149542
*SET,DFEDG ( 10, 1, 1), 66.61744001993
*SET,DFEDG ( 11, 1, 1), 68.07513856539
*SET,DFEDG ( 12, 1, 1), 77.78220692342
*SET,DFEDG ( 13, 1, 1), 83.26429893693
*SET,DFEDG ( 14, 1, 1), 86.89187388093
*SET,DFEDG ( 15, 1, 1), 89.47361867812
*SET,DFEDG ( 16, 1, 1), 91.40971033871
*SET,DFEDG ( 17, 1, 1), 92.90428968096
*SET,DFEDG ( 18, 1, 1), 94.14343489506
*SET,DFEDG ( 19, 1, 1), 94.89956873824
*SET,DFEDG ( 20, 1, 1), 95.42775513707
*SET,DFEDG ( 21, 1, 1), 97.44146164706
*SET,DFEDG ( 22, 1, 1), 96.62465329125
*SET,DFEDG ( 23, 1, 1), 94.50430183972
*SET,DFEDG ( 24, 1, 1), 92.37446873826
*SET,DFEDG ( 25, 1, 1), 90.53782479985
*SET,DFEDG ( 26, 1, 1), 88.94542271111
*SET,DFEDG ( 27, 1, 1), 87.28050818892
*SET,DFEDG ( 28, 1, 1), 85.97986237934
*SET,DFEDG ( 29, 1, 1), 84.88336726295
*SET,DFEDG ( 30, 1, 1), 79.20740963042
*SET,DFEDG ( 31, 1, 1), 76.53922381823
*SET,DFEDG ( 32, 1, 1), 75.05470366167
*SET,DFEDG ( 33, 1, 1), 73.93860853926
*SET,DFEDG ( 34, 1, 1), 72.79305495360
*SET,DFEDG ( 35, 1, 1), 71.75522512861
*SET,DFEDG ( 36, 1, 1), 70.81314953337
*SET,DFEDG ( 37, 1, 1), 69.95648187897
*SET,DFEDG ( 38, 1, 1), 69.20161999777
*SET,DFRAD , 2.500000000000
*DIM,DFSID ,TABLE, 47, 1, 1
*SET,DFSID ( 1, 0, 1), 31.55760000000
*SET,DFSID ( 2, 0, 1), 3155791.557600
*SET,DFSID ( 3, 0, 1), 6311551.557600
*SET,DFSID ( 4, 0, 1), 9467311.557600
*SET,DFSID ( 5, 0, 1), 12623071.55760
*SET,DFSID ( 6, 0, 1), 15778831.55760
*SET,DFSID ( 7, 0, 1), 18934591.55760
*SET,DFSID ( 8, 0, 1), 22090351.55760
*SET,DFSID ( 9, 0, 1), 25246111.55760
*SET,DFSID ( 10, 0, 1), 28401871.55760
*SET,DFSID ( 11, 0, 1), 31557631.55760
*SET,DFSID ( 12, 0, 1), 63115231.55760
*SET,DFSID ( 13, 0, 1), 94672831.55760
*SET,DFSID ( 14, 0, 1), 126230431.5576
*SET,DFSID ( 15, 0, 1), 157788031.5576
*SET,DFSID ( 16, 0, 1), 189345631.5576
*SET,DFSID ( 17, 0, 1), 220903231.5576
*SET,DFSID ( 18, 0, 1), 252460831.5576
*SET,DFSID ( 19, 0, 1), 284018431.5576
*SET,DFSID ( 20, 0, 1), 315576031.5576
*SET,DFSID ( 21, 0, 1), 631152031.5576
*SET,DFSID ( 22, 0, 1), 946728031.5576
*SET,DFSID ( 23, 0, 1), 1262304031.558

```

```

*SET,DFSID ( 24, 0, 1), 1577880031.558
*SET,DFSID ( 25, 0, 1), 1893456031.558
*SET,DFSID ( 26, 0, 1), 2209032031.558
*SET,DFSID ( 27, 0, 1), 2524608031.558
*SET,DFSID ( 28, 0, 1), 2840184031.558
*SET,DFSID ( 29, 0, 1), 3155760031.558
*SET,DFSID ( 30, 0, 1), 6311520031.558
*SET,DFSID ( 31, 0, 1), 9467280031.558
*SET,DFSID ( 32, 0, 1), 12623040031.56
*SET,DFSID ( 33, 0, 1), 15778800031.56
*SET,DFSID ( 34, 0, 1), 18934560031.56
*SET,DFSID ( 35, 0, 1), 22090320031.56
*SET,DFSID ( 36, 0, 1), 25246080031.56
*SET,DFSID ( 37, 0, 1), 28401840031.56
*SET,DFSID ( 38, 0, 1), 31557600031.56
*SET,DFSID ( 0, 1, 1), 1.000000000000
*SET,DFSID ( 1, 1, 1), 26.14111054925
*SET,DFSID ( 2, 1, 1), 42.95141416904
*SET,DFSID ( 3, 1, 1), 49.65442931350
*SET,DFSID ( 4, 1, 1), 54.17002275346
*SET,DFSID ( 5, 1, 1), 57.63050838373
*SET,DFSID ( 6, 1, 1), 60.44496163280
*SET,DFSID ( 7, 1, 1), 62.81579489957
*SET,DFSID ( 8, 1, 1), 64.86406171536
*SET,DFSID ( 9, 1, 1), 66.66702475712
*SET,DFSID ( 10, 1, 1), 68.27498041741
*SET,DFSID ( 11, 1, 1), 69.72420021123
*SET,DFSID ( 12, 1, 1), 79.36181538771
*SET,DFSID ( 13, 1, 1), 84.79178870373
*SET,DFSID ( 14, 1, 1), 88.37626432890
*SET,DFSID ( 15, 1, 1), 90.92138210581
*SET,DFSID ( 16, 1, 1), 92.82515077897
*SET,DFSID ( 17, 1, 1), 94.29018610865
*SET,DFSID ( 18, 1, 1), 95.49946949422
*SET,DFSID ( 19, 1, 1), 96.22407688716
*SET,DFSID ( 20, 1, 1), 96.72524908573
*SET,DFSID ( 21, 1, 1), 98.54226927715
*SET,DFSID ( 22, 1, 1), 97.58005182033
*SET,DFSID ( 23, 1, 1), 95.33334107861
*SET,DFSID ( 24, 1, 1), 93.10564202846
*SET,DFSID ( 25, 1, 1), 91.19482416033
*SET,DFSID ( 26, 1, 1), 89.54269737106
*SET,DFSID ( 27, 1, 1), 87.82233097492
*SET,DFSID ( 28, 1, 1), 86.48119014216
*SET,DFSID ( 29, 1, 1), 85.35054839071
*SET,DFSID ( 30, 1, 1), 79.49336484726
*SET,DFSID ( 31, 1, 1), 76.76283179424
*SET,DFSID ( 32, 1, 1), 75.24262294154
*SET,DFSID ( 33, 1, 1), 74.10133759122
*SET,DFSID ( 34, 1, 1), 72.93386565535
*SET,DFSID ( 35, 1, 1), 71.87945595660
*SET,DFSID ( 36, 1, 1), 70.92433425892
*SET,DFSID ( 37, 1, 1), 70.05707329235
*SET,DFSID ( 38, 1, 1), 69.29388918307
*DIM,DFTOP ,TABLE, 47, 1, 1
*SET,DFTOP ( 1, 0, 1), 31.55760000000
*SET,DFTOP ( 2, 0, 1), 3155791.557600
*SET,DFTOP ( 3, 0, 1), 6311551.557600
*SET,DFTOP ( 4, 0, 1), 9467311.557600
*SET,DFTOP ( 5, 0, 1), 12623071.55760
*SET,DFTOP ( 6, 0, 1), 15778831.55760
*SET,DFTOP ( 7, 0, 1), 18934591.55760
*SET,DFTOP ( 8, 0, 1), 22090351.55760
*SET,DFTOP ( 9, 0, 1), 25246111.55760
*SET,DFTOP ( 10, 0, 1), 28401871.55760
*SET,DFTOP ( 11, 0, 1), 31557631.55760
*SET,DFTOP ( 12, 0, 1), 63115231.55760
*SET,DFTOP ( 13, 0, 1), 94672831.55760
*SET,DFTOP ( 14, 0, 1), 126230431.5576
*SET,DFTOP ( 15, 0, 1), 157788031.5576

```

```

*SET,DFTOP ( 16, 0, 1), 189345631.5576
*SET,DFTOP ( 17, 0, 1), 220903231.5576
*SET,DFTOP ( 18, 0, 1), 252460831.5576
*SET,DFTOP ( 19, 0, 1), 284018431.5576
*SET,DFTOP ( 20, 0, 1), 315576031.5576
*SET,DFTOP ( 21, 0, 1), 631152031.5576
*SET,DFTOP ( 22, 0, 1), 946728031.5576
*SET,DFTOP ( 23, 0, 1), 1262304031.558
*SET,DFTOP ( 24, 0, 1), 1577880031.558
*SET,DFTOP ( 25, 0, 1), 1893456031.558
*SET,DFTOP ( 26, 0, 1), 2209032031.558
*SET,DFTOP ( 27, 0, 1), 2524608031.558
*SET,DFTOP ( 28, 0, 1), 2840184031.558
*SET,DFTOP ( 29, 0, 1), 3155760031.558
*SET,DFTOP ( 30, 0, 1), 6311520031.558
*SET,DFTOP ( 31, 0, 1), 9467280031.558
*SET,DFTOP ( 32, 0, 1), 12623040031.56
*SET,DFTOP ( 33, 0, 1), 15778800031.56
*SET,DFTOP ( 34, 0, 1), 18934560031.56
*SET,DFTOP ( 35, 0, 1), 22090320031.56
*SET,DFTOP ( 36, 0, 1), 25246080031.56
*SET,DFTOP ( 37, 0, 1), 28401840031.56
*SET,DFTOP ( 38, 0, 1), 31557600031.56
*SET,DFTOP ( 0, 1, 1), 1.000000000000
*SET,DFTOP ( 1, 1, 1), 26.14112748111
*SET,DFTOP ( 2, 1, 1), 42.94871049961
*SET,DFTOP ( 3, 1, 1), 49.66782593327
*SET,DFTOP ( 4, 1, 1), 54.19672881884
*SET,DFTOP ( 5, 1, 1), 57.66881422517
*SET,DFTOP ( 6, 1, 1), 60.49219834471
*SET,DFTOP ( 7, 1, 1), 62.86978345537
*SET,DFTOP ( 8, 1, 1), 64.92319962274
*SET,DFTOP ( 9, 1, 1), 66.73015142791
*SET,DFTOP ( 10, 1, 1), 68.34124447642
*SET,DFTOP ( 11, 1, 1), 69.79298271046
*SET,DFTOP ( 12, 1, 1), 79.44029559000
*SET,DFTOP ( 13, 1, 1), 84.87137856340
*SET,DFTOP ( 14, 1, 1), 88.45478686221
*SET,DFTOP ( 15, 1, 1), 90.99857316747
*SET,DFTOP ( 16, 1, 1), 92.90029776182
*SET,DFTOP ( 17, 1, 1), 94.36288893095
*SET,DFTOP ( 18, 1, 1), 95.56894460971
*SET,DFTOP ( 19, 1, 1), 96.29101412547
*SET,DFTOP ( 20, 1, 1), 96.78899762788
*SET,DFTOP ( 21, 1, 1), 98.58008229736
*SET,DFTOP ( 22, 1, 1), 97.60328655866
*SET,DFTOP ( 23, 1, 1), 95.34699836653
*SET,DFTOP ( 24, 1, 1), 93.11328301388
*SET,DFTOP ( 25, 1, 1), 91.19829418889
*SET,DFTOP ( 26, 1, 1), 89.54302915633
*SET,DFTOP ( 27, 1, 1), 87.81982929153
*SET,DFTOP ( 28, 1, 1), 86.47672004126
*SET,DFTOP ( 29, 1, 1), 85.34451564916
*SET,DFTOP ( 30, 1, 1), 79.48005587979
*SET,DFTOP ( 31, 1, 1), 76.74920319161
*SET,DFTOP ( 32, 1, 1), 75.22926421774
*SET,DFTOP ( 33, 1, 1), 74.08823124737
*SET,DFTOP ( 34, 1, 1), 72.92076806131
*SET,DFTOP ( 35, 1, 1), 71.86631344974
*SET,DFTOP ( 36, 1, 1), 70.91095806957
*SET,DFTOP ( 37, 1, 1), 70.04329064072
*SET,DFTOP ( 38, 1, 1), 69.27956763883
*SET,GSURF , 308.7725500000
*SET,INVRT , .70000000000000
*SET,JINC , 39.000000000000
*SET,MODEL , 33.750000000000
*SET,OFFST , .27255000000000
*SET,TM , 31557600031.56
*SET,TME0 , 28401871.55760
*SET,TME1 , 31557631.55760

```

```

*SET,TME10 , 315576031.5576
*SET,TME100 , 3155760031.558
*SET,TME1000 , 31557600031.56
*SET,TME9 , 284018431.5376
*SET,TME90 , 2840184031.558
*SET,TM10 , 3155760.000000
*SET,TM11 , 31557600.00000
*SET,TM110 , 315576000.0000
*SET,TM1100 , 3155760000.000
*SET,TM11000 , 31557600000.00
*SET,TM_START , 31.557600000000
*DIM,WPBOT ,TABLE, 47, 1, 1
*SET,WPBOT ( 1, 0, 1), 31.557600000000
*SET,WPBOT ( 2, 0, 1), 3155791.557600
*SET,WPBOT ( 3, 0, 1), 6311551.557600
*SET,WPBOT ( 4, 0, 1), 9467311.557600
*SET,WPBOT ( 5, 0, 1), 12623071.55760
*SET,WPBOT ( 6, 0, 1), 15778831.55760
*SET,WPBOT ( 7, 0, 1), 18934591.55760
*SET,WPBOT ( 8, 0, 1), 22090351.55760
*SET,WPBOT ( 9, 0, 1), 25246111.55760
*SET,WPBOT ( 10, 0, 1), 28401871.55760
*SET,WPBOT ( 11, 0, 1), 31557631.55760
*SET,WPBOT ( 12, 0, 1), 63115231.55760
*SET,WPBOT ( 13, 0, 1), 94672831.55760
*SET,WPBOT ( 14, 0, 1), 126230431.5576
*SET,WPBOT ( 15, 0, 1), 157788031.5576
*SET,WPBOT ( 16, 0, 1), 189345631.5576
*SET,WPBOT ( 17, 0, 1), 220903231.5576
*SET,WPBOT ( 18, 0, 1), 252460831.5576
*SET,WPBOT ( 19, 0, 1), 284018431.5576
*SET,WPBOT ( 20, 0, 1), 315576031.5576
*SET,WPBOT ( 21, 0, 1), 631152031.5576
*SET,WPBOT ( 22, 0, 1), 946728031.5576
*SET,WPBOT ( 23, 0, 1), 1262304031.558
*SET,WPBOT ( 24, 0, 1), 1577880031.558
*SET,WPBOT ( 25, 0, 1), 1893456031.558
*SET,WPBOT ( 26, 0, 1), 2209032031.558
*SET,WPBOT ( 27, 0, 1), 2524608031.558
*SET,WPBOT ( 28, 0, 1), 2840184031.558
*SET,WPBOT ( 29, 0, 1), 3155760031.558
*SET,WPBOT ( 30, 0, 1), 6311520031.558
*SET,WPBOT ( 31, 0, 1), 9467280031.558
*SET,WPBOT ( 32, 0, 1), 12623040031.56
*SET,WPBOT ( 33, 0, 1), 15778800031.56
*SET,WPBOT ( 34, 0, 1), 18934560031.56
*SET,WPBOT ( 35, 0, 1), 22090320031.56
*SET,WPBOT ( 36, 0, 1), 25246080031.56
*SET,WPBOT ( 37, 0, 1), 28401840031.56
*SET,WPBOT ( 38, 0, 1), 31557600031.56
*SET,WPBOT ( 0, 1, 1), 1.000000000000
*SET,WPBOT ( 1, 1, 1), 57.19777772482
*SET,WPBOT ( 2, 1, 1), 79.61383462809
*SET,WPBOT ( 3, 1, 1), 85.02400308149
*SET,WPBOT ( 4, 1, 1), 88.52692627554
*SET,WPBOT ( 5, 1, 1), 91.20855596136
*SET,WPBOT ( 6, 1, 1), 93.36821987248
*SET,WPBOT ( 7, 1, 1), 95.19418143286
*SET,WPBOT ( 8, 1, 1), 96.76179292403
*SET,WPBOT ( 9, 1, 1), 98.15222095285
*SET,WPBOT ( 10, 1, 1), 99.37998062626
*SET,WPBOT ( 11, 1, 1), 100.5007092980
*SET,WPBOT ( 12, 1, 1), 107.8046227853
*SET,WPBOT ( 13, 1, 1), 111.8124590916
*SET,WPBOT ( 14, 1, 1), 114.3588432992
*SET,WPBOT ( 15, 1, 1), 116.0889917808
*SET,WPBOT ( 16, 1, 1), 117.3145780725
*SET,WPBOT ( 17, 1, 1), 118.2002609383
*SET,WPBOT ( 18, 1, 1), 118.9433223311
*SET,WPBOT ( 19, 1, 1), 119.0098901571

```



```

*SET,WPBOT ( 20, 1, 1), 119.0224512504
*SET,WPBOT ( 21, 1, 1), 117.3561614404
*SET,WPBOT ( 22, 1, 1), 114.0152710541
*SET,WPBOT ( 23, 1, 1), 109.7721462812
*SET,WPBOT ( 24, 1, 1), 106.0556652736
*SET,WPBOT ( 25, 1, 1), 102.9788607276
*SET,WPBOT ( 26, 1, 1), 100.3737513412
*SET,WPBOT ( 27, 1, 1), 97.76568043806
*SET,WPBOT ( 28, 1, 1), 95.77126488529
*SET,WPBOT ( 29, 1, 1), 94.08777317503
*SET,WPBOT ( 30, 1, 1), 85.14809921171
*SET,WPBOT ( 31, 1, 1), 81.31508881833
*SET,WPBOT ( 32, 1, 1), 79.13572646195
*SET,WPBOT ( 33, 1, 1), 77.51827002167
*SET,WPBOT ( 34, 1, 1), 75.93554018225
*SET,WPBOT ( 35, 1, 1), 74.56454223682
*SET,WPBOT ( 36, 1, 1), 73.36620103060
*SET,WPBOT ( 37, 1, 1), 72.30187377413
*SET,WPBOT ( 38, 1, 1), 71.38575219676
*DIM,WPHOT ,TABLE, 47, 1, 1
*SET,WPHOT ( 1, 0, 1), 31.55760000000
*SET,WPHOT ( 2, 0, 1), 3155760.000000
*SET,WPHOT ( 3, 0, 1), 6311520.000000
*SET,WPHOT ( 4, 0, 1), 9467280.000000
*SET,WPHOT ( 5, 0, 1), 12623040.000000
*SET,WPHOT ( 6, 0, 1), 15778800.000000
*SET,WPHOT ( 7, 0, 1), 18934560.000000
*SET,WPHOT ( 8, 0, 1), 22090320.000000
*SET,WPHOT ( 9, 0, 1), 25246080.000000
*SET,WPHOT ( 10, 0, 1), 28401840.000000
*SET,WPHOT ( 11, 0, 1), 31557600.000000
*SET,WPHOT ( 12, 0, 1), 63115200.000000
*SET,WPHOT ( 13, 0, 1), 94672800.000000
*SET,WPHOT ( 14, 0, 1), 126230400.000000
*SET,WPHOT ( 15, 0, 1), 157788000.000000
*SET,WPHOT ( 16, 0, 1), 189345600.000000
*SET,WPHOT ( 17, 0, 1), 220903200.000000
*SET,WPHOT ( 18, 0, 1), 252460800.000000
*SET,WPHOT ( 19, 0, 1), 284018400.000000
*SET,WPHOT ( 20, 0, 1), 315576000.000000
*SET,WPHOT ( 21, 0, 1), 631152000.000000
*SET,WPHOT ( 22, 0, 1), 946728000.000000
*SET,WPHOT ( 23, 0, 1), 1262304000.000000
*SET,WPHOT ( 24, 0, 1), 1577880000.000000
*SET,WPHOT ( 25, 0, 1), 1893456000.000000
*SET,WPHOT ( 26, 0, 1), 2209032000.000000
*SET,WPHOT ( 27, 0, 1), 2524608000.000000
*SET,WPHOT ( 28, 0, 1), 2840184000.000000
*SET,WPHOT ( 29, 0, 1), 3155760000.000000
*SET,WPHOT ( 30, 0, 1), 6311520000.000000
*SET,WPHOT ( 31, 0, 1), 9467280000.000000
*SET,WPHOT ( 32, 0, 1), 12623040000.000000
*SET,WPHOT ( 33, 0, 1), 15778800000.000000
*SET,WPHOT ( 34, 0, 1), 18934560000.000000
*SET,WPHOT ( 35, 0, 1), 22090320000.000000
*SET,WPHOT ( 36, 0, 1), 25246080000.000000
*SET,WPHOT ( 37, 0, 1), 28401840000.000000
*SET,WPHOT ( 38, 0, 1), 31557600000.000000
*SET,WPHOT ( 39, 0, 1), 63115200000.000000
*SET,WPHOT ( 40, 0, 1), 94672800000.000000
*SET,WPHOT ( 41, 0, 1), 126230400000.000000
*SET,WPHOT ( 42, 0, 1), 157788000000.000000
*SET,WPHOT ( 43, 0, 1), 189345600000.000000
*SET,WPHOT ( 44, 0, 1), 220903200000.000000
*SET,WPHOT ( 45, 0, 1), 252460800000.000000
*SET,WPHOT ( 46, 0, 1), 284018400000.000000
*SET,WPHOT ( 47, 0, 1), 315576000000.000000
*SET,WPHOT ( 0, 1, 1), 1.000000000000
*SET,WPHOT ( 1, 1, 1), 771.1980889634
*SET,WPHOT ( 2, 1, 1), 769.6135438864

```

```

*SET,WPHOT ( 3, 1, 1), 768.0289988094
*SET,WPHOT ( 4, 1, 1), 766.4444537325
*SET,WPHOT ( 5, 1, 1), 765.0183631632
*SET,WPHOT ( 6, 1, 1), 763.4338180862
*SET,WPHOT ( 7, 1, 1), 761.8492730092
*SET,WPHOT ( 8, 1, 1), 760.2647279323
*SET,WPHOT ( 9, 1, 1), 758.8386373630
*SET,WPHOT ( 10, 1, 1), 757.2540922860
*SET,WPHOT ( 11, 1, 1), 755.8280017167
*SET,WPHOT ( 12, 1, 1), 741.2501870086
*SET,WPHOT ( 13, 1, 1), 727.6230993466
*SET,WPHOT ( 14, 1, 1), 714.7882842231
*SET,WPHOT ( 15, 1, 1), 702.7457416381
*SET,WPHOT ( 16, 1, 1), 691.1785625762
*SET,WPHOT ( 17, 1, 1), 680.2452015451
*SET,WPHOT ( 18, 1, 1), 671.3717491140
*SET,WPHOT ( 19, 1, 1), 653.7832987596
*SET,WPHOT ( 20, 1, 1), 640.9484836361
*SET,WPHOT ( 21, 1, 1), 541.2805982944
*SET,WPHOT ( 22, 1, 1), 466.0147071381
*SET,WPHOT ( 23, 1, 1), 400.2560864437
*SET,WPHOT ( 24, 1, 1), 351.7690070883
*SET,WPHOT ( 25, 1, 1), 314.5321977794
*SET,WPHOT ( 26, 1, 1), 284.9012048400
*SET,WPHOT ( 27, 1, 1), 257.4885750083
*SET,WPHOT ( 28, 1, 1), 237.8402160538
*SET,WPHOT ( 29, 1, 1), 221.3609472533
*SET,WPHOT ( 30, 1, 1), 135.7955130967
*SET,WPHOT ( 31, 1, 1), 106.7983381881
*SET,WPHOT ( 32, 1, 1), 90.00216037214
*SET,WPHOT ( 33, 1, 1), 78.27652680253
*SET,WPHOT ( 34, 1, 1), 67.97698380220
*SET,WPHOT ( 35, 1, 1), 60.37116743272
*SET,WPHOT ( 36, 1, 1), 54.34989614022
*SET,WPHOT ( 37, 1, 1), 49.59626090930
*SET,WPHOT ( 38, 1, 1), 45.95180723225
*SET,WPHOT ( 39, 1, 1), 24.56044869310
*SET,WPHOT ( 40, 1, 1), 20.28217698527
*SET,WPHOT ( 41, 1, 1), 17.58845035441
*SET,WPHOT ( 42, 1, 1), 15.84545076974
*SET,WPHOT ( 43, 1, 1), 14.57781470816
*SET,WPHOT ( 44, 1, 1), 13.62708766198
*SET,WPHOT ( 45, 1, 1), 12.67636061579
*SET,WPHOT ( 46, 1, 1), 12.04254258500
*SET,WPHOT ( 47, 1, 1), 11.40872455422
*SET,WPLEN , 5.647000000000
*SET,WPNUM , 12.00000000000
*SET,WPRAD , .7652500000000
*DIM,WPSID ,TABLE, 47, 1, 1
*SET,WPSID ( 1, 0, 1), 31.55760000000
*SET,WPSID ( 2, 0, 1), 3155791.557600
*SET,WPSID ( 3, 0, 1), 6311551.557600
*SET,WPSID ( 4, 0, 1), 9467311.557600
*SET,WPSID ( 5, 0, 1), 12623071.55760
*SET,WPSID ( 6, 0, 1), 15778831.55760
*SET,WPSID ( 7, 0, 1), 18934591.55760
*SET,WPSID ( 8, 0, 1), 22090351.55760
*SET,WPSID ( 9, 0, 1), 25246111.55760
*SET,WPSID ( 10, 0, 1), 28401871.55760
*SET,WPSID ( 11, 0, 1), 31557631.55760
*SET,WPSID ( 12, 0, 1), 63115231.55760
*SET,WPSID ( 13, 0, 1), 94672831.55760
*SET,WPSID ( 14, 0, 1), 126230431.5576
*SET,WPSID ( 15, 0, 1), 157788031.5576
*SET,WPSID ( 16, 0, 1), 189345631.5576
*SET,WPSID ( 17, 0, 1), 220903231.5576
*SET,WPSID ( 18, 0, 1), 252460831.5576
*SET,WPSID ( 19, 0, 1), 284018431.5576
*SET,WPSID ( 20, 0, 1), 315576031.5576
*SET,WPSID ( 21, 0, 1), 631152031.5576

```

```

*SET,WPSID ( 22, 0, 1), 946728031.5576
*SET,WPSID ( 23, 0, 1), 1262304031.558
*SET,WPSID ( 24, 0, 1), 1577880031.558
*SET,WPSID ( 25, 0, 1), 1893456031.558
*SET,WPSID ( 26, 0, 1), 2209032031.558
*SET,WPSID ( 27, 0, 1), 2524608031.558
*SET,WPSID ( 28, 0, 1), 2840184031.558
*SET,WPSID ( 29, 0, 1), 3155760031.558
*SET,WPSID ( 30, 0, 1), 6311520031.558
*SET,WPSID ( 31, 0, 1), 9467280031.558
*SET,WPSID ( 32, 0, 1), 12623040031.56
*SET,WPSID ( 33, 0, 1), 15778800031.56
*SET,WPSID ( 34, 0, 1), 18934560031.56
*SET,WPSID ( 35, 0, 1), 22090320031.56
*SET,WPSID ( 36, 0, 1), 25246080031.56
*SET,WPSID ( 37, 0, 1), 28401840031.56
*SET,WPSID ( 38, 0, 1), 31557600031.56
*SET,WPSID ( 0, 1, 1), 1.000000000000
*SET,WPSID ( 1, 1, 1), 57.21097823774
*SET,WPSID ( 2, 1, 1), 78.02684527017
*SET,WPSID ( 3, 1, 1), 83.41589040386
*SET,WPSID ( 4, 1, 1), 86.92815494808
*SET,WPSID ( 5, 1, 1), 89.60957106372
*SET,WPSID ( 6, 1, 1), 91.77912945839
*SET,WPSID ( 7, 1, 1), 93.60735639932
*SET,WPSID ( 8, 1, 1), 95.18294429002
*SET,WPSID ( 9, 1, 1), 96.57633698908
*SET,WPSID ( 10, 1, 1), 97.81098430609
*SET,WPSID ( 11, 1, 1), 98.93538726264
*SET,WPSID ( 12, 1, 1), 106.2832734325
*SET,WPSID ( 13, 1, 1), 110.3288311689
*SET,WPSID ( 14, 1, 1), 112.9041539545
*SET,WPSID ( 15, 1, 1), 114.6632161613
*SET,WPSID ( 16, 1, 1), 115.9134576084
*SET,WPSID ( 17, 1, 1), 116.8232768013
*SET,WPSID ( 18, 1, 1), 117.5871556003
*SET,WPSID ( 19, 1, 1), 117.6886389288
*SET,WPSID ( 20, 1, 1), 117.7269736467
*SET,WPSID ( 21, 1, 1), 116.2578279954
*SET,WPSID ( 22, 1, 1), 113.0635060710
*SET,WPSID ( 23, 1, 1), 108.9459982584
*SET,WPSID ( 24, 1, 1), 105.3244136455
*SET,WPSID ( 25, 1, 1), 102.3190998646
*SET,WPSID ( 26, 1, 1), 99.77366255192
*SET,WPSID ( 27, 1, 1), 97.21901764522
*SET,WPSID ( 28, 1, 1), 95.26507038952
*SET,WPSID ( 29, 1, 1), 93.61368498140
*SET,WPSID ( 30, 1, 1), 84.84981354717
*SET,WPSID ( 31, 1, 1), 81.07894601460
*SET,WPSID ( 32, 1, 1), 78.93443273479
*SET,WPSID ( 33, 1, 1), 77.34335685115
*SET,WPSID ( 34, 1, 1), 75.78183851845
*SET,WPSID ( 35, 1, 1), 74.42840431690
*SET,WPSID ( 36, 1, 1), 73.24202724427
*SET,WPSID ( 37, 1, 1), 72.18796718575
*SET,WPSID ( 38, 1, 1), 71.27969378252
*SET,WSPC , 12.31700000000
*DIM,WPTOP ,TABLE, 47, 1, 1
*SET,WPTOP ( 1, 0, 1), 31.55760000000
*SET,WPTOP ( 2, 0, 1), 3155791.557600
*SET,WPTOP ( 3, 0, 1), 6311551.557600
*SET,WPTOP ( 4, 0, 1), 9467311.557600
*SET,WPTOP ( 5, 0, 1), 12623071.55760
*SET,WPTOP ( 6, 0, 1), 15778831.55760
*SET,WPTOP ( 7, 0, 1), 18934591.55760
*SET,WPTOP ( 8, 0, 1), 22090351.55760
*SET,WPTOP ( 9, 0, 1), 25246111.55760
*SET,WPTOP ( 10, 0, 1), 28401871.55760
*SET,WPTOP ( 11, 0, 1), 31557631.55760
*SET,WPTOP ( 12, 0, 1), 63115231.55760

```

```

*SET,WPTOP ( 13, 0, 1), 94672831.55760
*SET,WPTOP ( 14, 0, 1), 126230431.5576
*SET,WPTOP ( 15, 0, 1), 157788031.5576
*SET,WPTOP ( 16, 0, 1), 189345631.5576
*SET,WPTOP ( 17, 0, 1), 220903231.5576
*SET,WPTOP ( 18, 0, 1), 252460831.5576
*SET,WPTOP ( 19, 0, 1), 284018431.5576
*SET,WPTOP ( 20, 0, 1), 315576031.5576
*SET,WPTOP ( 21, 0, 1), 631152031.5576
*SET,WPTOP ( 22, 0, 1), 946728031.5576
*SET,WPTOP ( 23, 0, 1), 1262304031.558
*SET,WPTOP ( 24, 0, 1), 1577880031.558
*SET,WPTOP ( 25, 0, 1), 1893456031.558
*SET,WPTOP ( 26, 0, 1), 2209032031.558
*SET,WPTOP ( 27, 0, 1), 2524608031.558
*SET,WPTOP ( 28, 0, 1), 2840184031.558
*SET,WPTOP ( 29, 0, 1), 3155760031.558
*SET,WPTOP ( 30, 0, 1), 6311520031.558
*SET,WPTOP ( 31, 0, 1), 9467280031.558
*SET,WPTOP ( 32, 0, 1), 12623040031.56
*SET,WPTOP ( 33, 0, 1), 15778800031.56
*SET,WPTOP ( 34, 0, 1), 18934560031.56
*SET,WPTOP ( 35, 0, 1), 22090320031.56
*SET,WPTOP ( 36, 0, 1), 25246080031.56
*SET,WPTOP ( 37, 0, 1), 28401840031.56
*SET,WPTOP ( 38, 0, 1), 31557600031.56
*SET,WPTOP ( 0, 1, 1), 1.000000000000
*SET,WPTOP ( 1, 1, 1), 57.21951468190
*SET,WPTOP ( 2, 1, 1), 77.23286972726
*SET,WPTOP ( 3, 1, 1), 82.62482102506
*SET,WPTOP ( 4, 1, 1), 86.14258988655
*SET,WPTOP ( 5, 1, 1), 88.83223829299
*SET,WPTOP ( 6, 1, 1), 91.00743751820
*SET,WPTOP ( 7, 1, 1), 92.84196810563
*SET,WPTOP ( 8, 1, 1), 94.42231884663
*SET,WPTOP ( 9, 1, 1), 95.82045923836
*SET,WPTOP ( 10, 1, 1), 97.05930026611
*SET,WPTOP ( 11, 1, 1), 98.18774138657
*SET,WPTOP ( 12, 1, 1), 105.5660301434
*SET,WPTOP ( 13, 1, 1), 109.6335426641
*SET,WPTOP ( 14, 1, 1), 112.2267341279
*SET,WPTOP ( 15, 1, 1), 113.9996585024
*SET,WPTOP ( 16, 1, 1), 115.2631669394
*SET,WPTOP ( 17, 1, 1), 116.1845504227
*SET,WPTOP ( 18, 1, 1), 116.9582701448
*SET,WPTOP ( 19, 1, 1), 117.0762165534
*SET,WPTOP ( 20, 1, 1), 117.1263726318
*SET,WPTOP ( 21, 1, 1), 115.7461153944
*SET,WPTOP ( 22, 1, 1), 112.6166131907
*SET,WPTOP ( 23, 1, 1), 108.5554456542
*SET,WPTOP ( 24, 1, 1), 104.9759062280
*SET,WPTOP ( 25, 1, 1), 102.0032685253
*SET,WPTOP ( 26, 1, 1), 99.48459497765
*SET,WPTOP ( 27, 1, 1), 96.95473896529
*SET,WPTOP ( 28, 1, 1), 95.01893656232
*SET,WPTOP ( 29, 1, 1), 93.38274803602
*SET,WPTOP ( 30, 1, 1), 84.70135228956
*SET,WPTOP ( 31, 1, 1), 80.95989506152
*SET,WPTOP ( 32, 1, 1), 78.83278003689
*SET,WPTOP ( 33, 1, 1), 77.25419016981
*SET,WPTOP ( 34, 1, 1), 75.70348989375
*SET,WPTOP ( 35, 1, 1), 74.35823029167
*SET,WPTOP ( 36, 1, 1), 73.17811623245
*SET,WPTOP ( 37, 1, 1), 72.12903541828
*SET,WPTOP ( 38, 1, 1), 71.22453699790
*SET,WPVOL , 7.573151546382
*SET,WPWLL , 1.000000000000
*SET,XXX , 1.734935157290
*SET,YYY , -1.527450000000
/GOPR

```

```

/NOPR
*DIM,ASSY ,TABLE, 47, 1, 1
*SET,ASSY ( 1, 0, 1), .100000000000000E-05
*SET,ASSY ( 2, 0, 1), .100000000000000
*SET,ASSY ( 3, 0, 1), .200000000000000
*SET,ASSY ( 4, 0, 1), .300000000000000
*SET,ASSY ( 5, 0, 1), .400000000000000
*SET,ASSY ( 6, 0, 1), .500000000000000
*SET,ASSY ( 7, 0, 1), .600000000000000
*SET,ASSY ( 8, 0, 1), .700000000000000
*SET,ASSY ( 9, 0, 1), .800000000000000
*SET,ASSY (10, 0, 1), .900000000000000
*SET,ASSY (11, 0, 1), 1.00000000000000
*SET,ASSY (12, 0, 1), 2.00000000000000
*SET,ASSY (13, 0, 1), 3.00000000000000
*SET,ASSY (14, 0, 1), 4.00000000000000
*SET,ASSY (15, 0, 1), 5.00000000000000
*SET,ASSY (16, 0, 1), 6.00000000000000
*SET,ASSY (17, 0, 1), 7.00000000000000
*SET,ASSY (18, 0, 1), 8.00000000000000
*SET,ASSY (19, 0, 1), 9.00000000000000
*SET,ASSY (20, 0, 1), 10.0000000000000
*SET,ASSY (21, 0, 1), 20.0000000000000
*SET,ASSY (22, 0, 1), 30.0000000000000
*SET,ASSY (23, 0, 1), 40.0000000000000
*SET,ASSY (24, 0, 1), 50.0000000000000
*SET,ASSY (25, 0, 1), 60.0000000000000
*SET,ASSY (26, 0, 1), 70.0000000000000
*SET,ASSY (27, 0, 1), 80.0000000000000
*SET,ASSY (28, 0, 1), 90.0000000000000
*SET,ASSY (29, 0, 1), 100.000000000000
*SET,ASSY (30, 0, 1), 200.000000000000
*SET,ASSY (31, 0, 1), 300.000000000000
*SET,ASSY (32, 0, 1), 400.000000000000
*SET,ASSY (33, 0, 1), 500.000000000000
*SET,ASSY (34, 0, 1), 600.000000000000
*SET,ASSY (35, 0, 1), 700.000000000000
*SET,ASSY (36, 0, 1), 800.000000000000
*SET,ASSY (37, 0, 1), 900.000000000000
*SET,ASSY (38, 0, 1), 1000.000000000000
*SET,ASSY (39, 0, 1), 2000.000000000000
*SET,ASSY (40, 0, 1), 3000.000000000000
*SET,ASSY (41, 0, 1), 4000.000000000000
*SET,ASSY (42, 0, 1), 5000.000000000000
*SET,ASSY (43, 0, 1), 6000.000000000000
*SET,ASSY (44, 0, 1), 7000.000000000000
*SET,ASSY (45, 0, 1), 8000.000000000000
*SET,ASSY (46, 0, 1), 9000.000000000000
*SET,ASSY (47, 0, 1), 10000.000000000000
*SET,ASSY ( 0, 1, 1), 1.00000000000000
*SET,ASSY ( 1, 1, 1), 486.700000000000
*SET,ASSY ( 2, 1, 1), 485.700000000000
*SET,ASSY ( 3, 1, 1), 484.700000000000
*SET,ASSY ( 4, 1, 1), 483.700000000000
*SET,ASSY ( 5, 1, 1), 482.800000000000
*SET,ASSY ( 6, 1, 1), 481.800000000000
*SET,ASSY ( 7, 1, 1), 480.800000000000
*SET,ASSY ( 8, 1, 1), 479.800000000000
*SET,ASSY ( 9, 1, 1), 478.900000000000
*SET,ASSY (10, 1, 1), 477.900000000000
*SET,ASSY (11, 1, 1), 477.000000000000
*SET,ASSY (12, 1, 1), 467.800000000000
*SET,ASSY (13, 1, 1), 459.200000000000
*SET,ASSY (14, 1, 1), 451.100000000000
*SET,ASSY (15, 1, 1), 443.500000000000
*SET,ASSY (16, 1, 1), 436.200000000000
*SET,ASSY (17, 1, 1), 429.300000000000
*SET,ASSY (18, 1, 1), 423.700000000000
*SET,ASSY (19, 1, 1), 412.600000000000
*SET,ASSY (20, 1, 1), 404.500000000000

```

```

*SET,ASSY ( 21, 1, 1), 341.6000000000
*SET,ASSY ( 22, 1, 1), 294.1000000000
*SET,ASSY ( 23, 1, 1), 252.6000000000
*SET,ASSY ( 24, 1, 1), 222.0000000000
*SET,ASSY ( 25, 1, 1), 198.5000000000
*SET,ASSY ( 26, 1, 1), 179.8000000000
*SET,ASSY ( 27, 1, 1), 162.5000000000
*SET,ASSY ( 28, 1, 1), 150.1000000000
*SET,ASSY ( 29, 1, 1), 139.7000000000
*SET,ASSY ( 30, 1, 1), 85.7000000000
*SET,ASSY ( 31, 1, 1), 67.4000000000
*SET,ASSY ( 32, 1, 1), 56.8000000000
*SET,ASSY ( 33, 1, 1), 49.4000000000
*SET,ASSY ( 34, 1, 1), 42.9000000000
*SET,ASSY ( 35, 1, 1), 38.1000000000
*SET,ASSY ( 36, 1, 1), 34.3000000000
*SET,ASSY ( 37, 1, 1), 31.3000000000
*SET,ASSY ( 38, 1, 1), 29.0000000000
*SET,ASSY ( 39, 1, 1), 15.5000000000
*SET,ASSY ( 40, 1, 1), 12.8000000000
*SET,ASSY ( 41, 1, 1), 11.1000000000
*SET,ASSY ( 42, 1, 1), 10.0000000000
*SET,ASSY ( 43, 1, 1), 9.2000000000
*SET,ASSY ( 44, 1, 1), 8.6000000000
*SET,ASSY ( 45, 1, 1), 8.0000000000
*SET,ASSY ( 46, 1, 1), 7.6000000000
*SET,ASSY ( 47, 1, 1), 7.2000000000
*SET,DFAMBT , 26.14130433142
*DIM,DFBOT ,TABLE, 47, 1, 1
*SET,DFBOT ( 1, 0, 1), 31.5576000000
*SET,DFBOT ( 2, 0, 1), 3155791.557600
*SET,DFBOT ( 3, 0, 1), 6311551.557600
*SET,DFBOT ( 4, 0, 1), 9467311.557600
*SET,DFBOT ( 5, 0, 1), 12623071.557600
*SET,DFBOT ( 6, 0, 1), 15778831.557600
*SET,DFBOT ( 7, 0, 1), 18934591.557600
*SET,DFBOT ( 8, 0, 1), 22090351.557600
*SET,DFBOT ( 9, 0, 1), 25246111.557600
*SET,DFBOT ( 10, 0, 1), 28401871.557600
*SET,DFBOT ( 11, 0, 1), 31557631.557600
*SET,DFBOT ( 12, 0, 1), 63115231.557600
*SET,DFBOT ( 13, 0, 1), 94672831.557600
*SET,DFBOT ( 14, 0, 1), 126230431.557600
*SET,DFBOT ( 15, 0, 1), 157788031.557600
*SET,DFBOT ( 16, 0, 1), 189345631.557600
*SET,DFBOT ( 17, 0, 1), 220903231.557600
*SET,DFBOT ( 18, 0, 1), 252460831.557600
*SET,DFBOT ( 19, 0, 1), 284018431.557600
*SET,DFBOT ( 20, 0, 1), 315576031.557600
*SET,DFBOT ( 21, 0, 1), 631152031.557600
*SET,DFBOT ( 22, 0, 1), 946728031.557600
*SET,DFBOT ( 23, 0, 1), 1262304031.558000
*SET,DFBOT ( 24, 0, 1), 1577880031.558000
*SET,DFBOT ( 25, 0, 1), 1893456031.558000
*SET,DFBOT ( 26, 0, 1), 2209032031.558000
*SET,DFBOT ( 27, 0, 1), 2524608031.558000
*SET,DFBOT ( 28, 0, 1), 2840184031.558000
*SET,DFBOT ( 29, 0, 1), 3155760031.558000
*SET,DFBOT ( 30, 0, 1), 6311520031.558000
*SET,DFBOT ( 31, 0, 1), 9467280031.558000
*SET,DFBOT ( 32, 0, 1), 12623040031.560000
*SET,DFBOT ( 33, 0, 1), 15778800031.560000
*SET,DFBOT ( 34, 0, 1), 18934560031.560000
*SET,DFBOT ( 35, 0, 1), 22090320031.560000
*SET,DFBOT ( 36, 0, 1), 25246080031.560000
*SET,DFBOT ( 37, 0, 1), 28401840031.560000
*SET,DFBOT ( 38, 0, 1), 31557600031.560000
*SET,DFBOT ( 0, 1, 1), 1.000000000000
*SET,DFBOT ( 1, 1, 1), 26.164712644800
*SET,DFBOT ( 2, 1, 1), 42.896509995720

```

```

*SET,DFBOT ( 3, 1, 1), 51.53673559919
*SET,DFBOT ( 4, 1, 1), 57.36116701557
*SET,DFBOT ( 5, 1, 1), 61.83768689877
*SET,DFBOT ( 6, 1, 1), 65.48645982831
*SET,DFBOT ( 7, 1, 1), 68.56651501356
*SET,DFBOT ( 8, 1, 1), 71.23134477844
*SET,DFBOT ( 9, 1, 1), 73.57978606811
*SET,DFBOT ( 10, 1, 1), 75.67729693700
*SET,DFBOT ( 11, 1, 1), 77.57065865385
*SET,DFBOT ( 12, 1, 1), 89.65106335766
*SET,DFBOT ( 13, 1, 1), 95.99481840286
*SET,DFBOT ( 14, 1, 1), 100.2626420320
*SET,DFBOT ( 15, 1, 1), 103.4472015180
*SET,DFBOT ( 16, 1, 1), 105.9509297310
*SET,DFBOT ( 17, 1, 1), 107.9638934403
*SET,DFBOT ( 18, 1, 1), 109.6333256705
*SET,DFBOT ( 19, 1, 1), 110.8021272251
*SET,DFBOT ( 20, 1, 1), 111.6521951455
*SET,DFBOT ( 21, 1, 1), 113.9723207030
*SET,DFBOT ( 22, 1, 1), 111.7514595862
*SET,DFBOT ( 23, 1, 1), 108.1345042969
*SET,DFBOT ( 24, 1, 1), 104.5097586716
*SET,DFBOT ( 25, 1, 1), 101.3330291431
*SET,DFBOT ( 26, 1, 1), 98.62170847288
*SET,DFBOT ( 27, 1, 1), 95.99125271769
*SET,DFBOT ( 28, 1, 1), 93.87101684551
*SET,DFBOT ( 29, 1, 1), 92.14782263930
*SET,DFBOT ( 30, 1, 1), 83.62589098605
*SET,DFBOT ( 31, 1, 1), 79.97150974780
*SET,DFBOT ( 32, 1, 1), 77.94584705037
*SET,DFBOT ( 33, 1, 1), 76.45263125111
*SET,DFBOT ( 34, 1, 1), 74.98227644155
*SET,DFBOT ( 35, 1, 1), 73.69995928831
*SET,DFBOT ( 36, 1, 1), 72.56848674863
*SET,DFBOT ( 37, 1, 1), 71.56114467953
*SET,DFBOT ( 38, 1, 1), 70.68790055211
*SET,DFCENT , .2725500000000
*DIM,DFEDG ,TABLE, 47, 1, 1
*SET,DFEDG ( 1, 0, 1), 31.55760000000
*SET,DFEDG ( 2, 0, 1), 3155791.557600
*SET,DFEDG ( 3, 0, 1), 6311551.557600
*SET,DFEDG ( 4, 0, 1), 9467311.557600
*SET,DFEDG ( 5, 0, 1), 12623071.55760
*SET,DFEDG ( 6, 0, 1), 15778831.55760
*SET,DFEDG ( 7, 0, 1), 18934591.55760
*SET,DFEDG ( 8, 0, 1), 22090351.55760
*SET,DFEDG ( 9, 0, 1), 25246111.55760
*SET,DFEDG ( 10, 0, 1), 28401871.55760
*SET,DFEDG ( 11, 0, 1), 31557631.55760
*SET,DFEDG ( 12, 0, 1), 63115231.55760
*SET,DFEDG ( 13, 0, 1), 94672831.55760
*SET,DFEDG ( 14, 0, 1), 126230431.5576
*SET,DFEDG ( 15, 0, 1), 157788031.5576
*SET,DFEDG ( 16, 0, 1), 189345631.5576
*SET,DFEDG ( 17, 0, 1), 220903231.5576
*SET,DFEDG ( 18, 0, 1), 252460831.5576
*SET,DFEDG ( 19, 0, 1), 284018431.5576
*SET,DFEDG ( 20, 0, 1), 315576031.5576
*SET,DFEDG ( 21, 0, 1), 631152031.5576
*SET,DFEDG ( 22, 0, 1), 946728031.5576
*SET,DFEDG ( 23, 0, 1), 1262304031.558
*SET,DFEDG ( 24, 0, 1), 1577880031.558
*SET,DFEDG ( 25, 0, 1), 1893456031.558
*SET,DFEDG ( 26, 0, 1), 2209032031.558
*SET,DFEDG ( 27, 0, 1), 2524608031.558
*SET,DFEDG ( 28, 0, 1), 2840184031.558
*SET,DFEDG ( 29, 0, 1), 3155760031.558
*SET,DFEDG ( 30, 0, 1), 6311520031.558
*SET,DFEDG ( 31, 0, 1), 9467280031.558
*SET,DFEDG ( 32, 0, 1), 12623040031.56

```

```

*SET,DFEDG ( 33, 0, 1), 15778800031.56
*SET,DFEDG ( 34, 0, 1), 18934560031.56
*SET,DFEDG ( 35, 0, 1), 22090320031.56
*SET,DFEDG ( 36, 0, 1), 25246080031.56
*SET,DFEDG ( 37, 0, 1), 28401840031.56
*SET,DFEDG ( 38, 0, 1), 31557600031.56
*SET,DFEDG ( 0, 1, 1), 1.000000000000
*SET,DFEDG ( 1, 1, 1), 26.14213119896
*SET,DFEDG ( 2, 1, 1), 49.66920492639
*SET,DFEDG ( 3, 1, 1), 58.59347405950
*SET,DFEDG ( 4, 1, 1), 64.56197463422
*SET,DFEDG ( 5, 1, 1), 69.13800040557
*SET,DFEDG ( 6, 1, 1), 72.85874323759
*SET,DFEDG ( 7, 1, 1), 75.99640033570
*SET,DFEDG ( 8, 1, 1), 78.70692915656
*SET,DFEDG ( 9, 1, 1), 81.09515431514
*SET,DFEDG ( 10, 1, 1), 83.22448603238
*SET,DFEDG ( 11, 1, 1), 85.14606990711
*SET,DFEDG ( 12, 1, 1), 97.16254619166
*SET,DFEDG ( 13, 1, 1), 103.5089199695
*SET,DFEDG ( 14, 1, 1), 107.7870111023
*SET,DFEDG ( 15, 1, 1), 110.9463812151
*SET,DFEDG ( 16, 1, 1), 113.4026509239
*SET,DFEDG ( 17, 1, 1), 115.3313161841
*SET,DFEDG ( 18, 1, 1), 116.9581465199
*SET,DFEDG ( 19, 1, 1), 117.9593137273
*SET,DFEDG ( 20, 1, 1), 118.6755761558
*SET,DFEDG ( 21, 1, 1), 119.9075884080
*SET,DFEDG ( 22, 1, 1), 116.8213000314
*SET,DFEDG ( 23, 1, 1), 112.4523912692
*SET,DFEDG ( 24, 1, 1), 108.2635884559
*SET,DFEDG ( 25, 1, 1), 104.6567242382
*SET,DFEDG ( 26, 1, 1), 101.6052483955
*SET,DFEDG ( 27, 1, 1), 98.66738213999
*SET,DFEDG ( 28, 1, 1), 96.32322791551
*SET,DFEDG ( 29, 1, 1), 94.41109516271
*SET,DFEDG ( 30, 1, 1), 84.96369872073
*SET,DFEDG ( 31, 1, 1), 81.00530953921
*SET,DFEDG ( 32, 1, 1), 78.80900590248
*SET,DFEDG ( 33, 1, 1), 77.19693446466
*SET,DFEDG ( 34, 1, 1), 75.62404577349
*SET,DFEDG ( 35, 1, 1), 74.26497066191
*SET,DFEDG ( 36, 1, 1), 73.07418297379
*SET,DFEDG ( 37, 1, 1), 72.01920326484
*SET,DFEDG ( 38, 1, 1), 71.10866160356
*SET,DFRAD , 2.500000000000
*DIM,DFSID ,TABLE, 47, 1, 1
*SET,DFSID ( 1, 0, 1), 31.55760000000
*SET,DFSID ( 2, 0, 1), 3155791.557600
*SET,DFSID ( 3, 0, 1), 6311551.557600
*SET,DFSID ( 4, 0, 1), 9467311.557600
*SET,DFSID ( 5, 0, 1), 12623071.55760
*SET,DFSID ( 6, 0, 1), 15778831.55760
*SET,DFSID ( 7, 0, 1), 18934591.55760
*SET,DFSID ( 8, 0, 1), 22090351.55760
*SET,DFSID ( 9, 0, 1), 25246111.55760
*SET,DFSID ( 10, 0, 1), 28401871.55760
*SET,DFSID ( 11, 0, 1), 31557631.55760
*SET,DFSID ( 12, 0, 1), 63115231.55760
*SET,DFSID ( 13, 0, 1), 94672831.55760
*SET,DFSID ( 14, 0, 1), 126230431.5576
*SET,DFSID ( 15, 0, 1), 157788031.5576
*SET,DFSID ( 16, 0, 1), 189345631.5576
*SET,DFSID ( 17, 0, 1), 220903231.5576
*SET,DFSID ( 18, 0, 1), 252460831.5576
*SET,DFSID ( 19, 0, 1), 284018431.5576
*SET,DFSID ( 20, 0, 1), 315576031.5576
*SET,DFSID ( 21, 0, 1), 631152031.5576
*SET,DFSID ( 22, 0, 1), 946728031.5576
*SET,DFSID ( 23, 0, 1), 1262304031.558

```



```

*SET,DFSID ( 24, 0, 1), 1577880031.558
*SET,DFSID ( 25, 0, 1), 1893456031.558
*SET,DFSID ( 26, 0, 1), 2209032031.558
*SET,DFSID ( 27, 0, 1), 2524608031.558
*SET,DFSID ( 28, 0, 1), 2840184031.558
*SET,DFSID ( 29, 0, 1), 3155760031.558
*SET,DFSID ( 30, 0, 1), 6311520031.558
*SET,DFSID ( 31, 0, 1), 9467280031.558
*SET,DFSID ( 32, 0, 1), 12623040031.56
*SET,DFSID ( 33, 0, 1), 15778800031.56
*SET,DFSID ( 34, 0, 1), 18934560031.56
*SET,DFSID ( 35, 0, 1), 22090320031.56
*SET,DFSID ( 36, 0, 1), 25246080031.56
*SET,DFSID ( 37, 0, 1), 28401840031.56
*SET,DFSID ( 38, 0, 1), 31557600031.56
*SET,DFSID ( 0, 1, 1), 1.000000000000
*SET,DFSID ( 1, 1, 1), 26.14247481790
*SET,DFSID ( 2, 1, 1), 51.81571702327
*SET,DFSID ( 3, 1, 1), 60.80676447602
*SET,DFSID ( 4, 1, 1), 66.77814224887
*SET,DFSID ( 5, 1, 1), 71.34320118786
*SET,DFSID ( 6, 1, 1), 75.04855956774
*SET,DFSID ( 7, 1, 1), 78.17031010595
*SET,DFSID ( 8, 1, 1), 80.86497194175
*SET,DFSID ( 9, 1, 1), 83.23837928441
*SET,DFSID ( 10, 1, 1), 85.35322032652
*SET,DFSID ( 11, 1, 1), 87.26129787010
*SET,DFSID ( 12, 1, 1), 99.12722360869
*SET,DFSID ( 13, 1, 1), 105.3942611248
*SET,DFSID ( 14, 1, 1), 109.6307464192
*SET,DFSID ( 15, 1, 1), 112.7601341509
*SET,DFSID ( 16, 1, 1), 115.1783073796
*SET,DFSID ( 17, 1, 1), 117.0752646851
*SET,DFSID ( 18, 1, 1), 118.6746298272
*SET,DFSID ( 19, 1, 1), 119.6275437616
*SET,DFSID ( 20, 1, 1), 120.3079231618
*SET,DFSID ( 21, 1, 1), 121.2807966253
*SET,DFSID ( 22, 1, 1), 118.0171224980
*SET,DFSID ( 23, 1, 1), 113.4992384117
*SET,DFSID ( 24, 1, 1), 109.1967344785
*SET,DFSID ( 25, 1, 1), 105.5000334759
*SET,DFSID ( 26, 1, 1), 102.3755744046
*SET,DFSID ( 27, 1, 1), 99.36989527047
*SET,DFSID ( 28, 1, 1), 96.97507779823
*SET,DFSID ( 29, 1, 1), 95.01931131608
*SET,DFSID ( 30, 1, 1), 85.34007268534
*SET,DFSID ( 31, 1, 1), 81.3013333108
*SET,DFSID ( 32, 1, 1), 79.05855326912
*SET,DFSID ( 33, 1, 1), 77.41350269291
*SET,DFSID ( 34, 1, 1), 75.81187048569
*SET,DFSID ( 35, 1, 1), 74.43099801283
*SET,DFSID ( 36, 1, 1), 73.22311875380
*SET,DFSID ( 37, 1, 1), 72.15425882335
*SET,DFSID ( 38, 1, 1), 71.23265332248
*DIM,DFTOP ,TABLE, 47, 1, 1
*SET,DFTOP ( 1, 0, 1), 31.55760000000
*SET,DFTOP ( 2, 0, 1), 3155791.557600
*SET,DFTOP ( 3, 0, 1), 6311551.557600
*SET,DFTOP ( 4, 0, 1), 9467311.557600
*SET,DFTOP ( 5, 0, 1), 12623071.55760
*SET,DFTOP ( 6, 0, 1), 15778831.55760
*SET,DFTOP ( 7, 0, 1), 18934591.55760
*SET,DFTOP ( 8, 0, 1), 22090351.55760
*SET,DFTOP ( 9, 0, 1), 25246111.55760
*SET,DFTOP ( 10, 0, 1), 28401871.55760
*SET,DFTOP ( 11, 0, 1), 31557631.55760
*SET,DFTOP ( 12, 0, 1), 63115231.55760
*SET,DFTOP ( 13, 0, 1), 94672831.55760
*SET,DFTOP ( 14, 0, 1), 126230431.5576
*SET,DFTOP ( 15, 0, 1), 157788031.5576

```

```

*SET,DFTOP ( 16, 0, 1), 189345631.5576
*SET,DFTOP ( 17, 0, 1), 220903231.5576
*SET,DFTOP ( 18, 0, 1), 252460831.5576
*SET,DFTOP ( 19, 0, 1), 284018431.5576
*SET,DFTOP ( 20, 0, 1), 315576031.5576
*SET,DFTOP ( 21, 0, 1), 631152031.5576
*SET,DFTOP ( 22, 0, 1), 946728031.5576
*SET,DFTOP ( 23, 0, 1), 1262304031.558
*SET,DFTOP ( 24, 0, 1), 1577880031.558
*SET,DFTOP ( 25, 0, 1), 1893456031.558
*SET,DFTOP ( 26, 0, 1), 2209032031.558
*SET,DFTOP ( 27, 0, 1), 2524608031.558
*SET,DFTOP ( 28, 0, 1), 2840184031.558
*SET,DFTOP ( 29, 0, 1), 3155760031.558
*SET,DFTOP ( 30, 0, 1), 6311520031.558
*SET,DFTOP ( 31, 0, 1), 9467280031.558
*SET,DFTOP ( 32, 0, 1), 12623040031.56
*SET,DFTOP ( 33, 0, 1), 15778800031.56
*SET,DFTOP ( 34, 0, 1), 18934560031.56
*SET,DFTOP ( 35, 0, 1), 22090320031.56
*SET,DFTOP ( 36, 0, 1), 25246080031.56
*SET,DFTOP ( 37, 0, 1), 28401840031.56
*SET,DFTOP ( 38, 0, 1), 31557600031.56
*SET,DFTOP ( 0, 1, 1), 1.000000000000
*SET,DFTOP ( 1, 1, 1), 26.14243435254
*SET,DFTOP ( 2, 1, 1), 51.36432779813
*SET,DFTOP ( 3, 1, 1), 60.36504916942
*SET,DFTOP ( 4, 1, 1), 66.35699696028
*SET,DFTOP ( 5, 1, 1), 70.94242779778
*SET,DFTOP ( 6, 1, 1), 74.66489136613
*SET,DFTOP ( 7, 1, 1), 77.80055191609
*SET,DFTOP ( 8, 1, 1), 80.50672478810
*SET,DFTOP ( 9, 1, 1), 82.88969315007
*SET,DFTOP ( 10, 1, 1), 85.01275690682
*SET,DFTOP ( 11, 1, 1), 86.92788389101
*SET,DFTOP ( 12, 1, 1), 98.83734763985
*SET,DFTOP ( 13, 1, 1), 105.1172293723
*SET,DFTOP ( 14, 1, 1), 109.3637687692
*SET,DFTOP ( 15, 1, 1), 112.5054269018
*SET,DFTOP ( 16, 1, 1), 114.9291550358
*SET,DFTOP ( 17, 1, 1), 116.8328086771
*SET,DFTOP ( 18, 1, 1), 118.4402553390
*SET,DFTOP ( 19, 1, 1), 119.4000416068
*SET,DFTOP ( 20, 1, 1), 120.0871678470
*SET,DFTOP ( 21, 1, 1), 121.0936946601
*SET,DFTOP ( 22, 1, 1), 117.8479558764
*SET,DFTOP ( 23, 1, 1), 113.3460865858
*SET,DFTOP ( 24, 1, 1), 109.0556905040
*SET,DFTOP ( 25, 1, 1), 105.3679857277
*SET,DFTOP ( 26, 1, 1), 102.2515946164
*SET,DFTOP ( 27, 1, 1), 99.25344463270
*SET,DFTOP ( 28, 1, 1), 96.86396718260
*SET,DFTOP ( 29, 1, 1), 94.91283063430
*SET,DFTOP ( 30, 1, 1), 85.26260807508
*SET,DFTOP ( 31, 1, 1), 81.23609829831
*SET,DFTOP ( 32, 1, 1), 79.00112466154
*SET,DFTOP ( 33, 1, 1), 77.36178018100
*SET,DFTOP ( 34, 1, 1), 75.76491511134
*SET,DFTOP ( 35, 1, 1), 74.38760412541
*SET,DFTOP ( 36, 1, 1), 73.18229651735
*SET,DFTOP ( 37, 1, 1), 72.11527887335
*SET,DFTOP ( 38, 1, 1), 71.19490680738
*SET,GSURF , 308.7725500000
*SET,INVRT , .70000000000000
*SET,JINC , 39.000000000000
*SET,MODEL , 45.000000000000
*SET,OFFST , .27255000000000
*SET,TM , 31557600031.56
*SET,TMEO , 28401871.55760
*SET,TME1 , 31557631.55760

```

```

*SET,TME10 , 315576031.5576
*SET,TME100 , 3155760031.558
*SET,TME1000 , 31557600031.56
*SET,TME9 , 284018431.5576
*SET,TME90 , 2840184031.558
*SET,TM10 , 3155760.000000
*SET,TM11 , 31557600.00000
*SET,TM110 , 315576000.0000
*SET,TM1100 , 3155760000.000
*SET,TM11000 , 31557600000.00
*SET,TM_START , 31.557600000000
*DIM,WPBOT ,TABLE, 47, 1, 1
*SET,WPBOT ( 1, 0, 1), 31.557600000000
*SET,WPBOT ( 2, 0, 1), 3155791.557600
*SET,WPBOT ( 3, 0, 1), 6311551.557600
*SET,WPBOT ( 4, 0, 1), 9467311.557600
*SET,WPBOT ( 5, 0, 1), 12623071.55760
*SET,WPBOT ( 6, 0, 1), 15778831.55760
*SET,WPBOT ( 7, 0, 1), 18934591.55760
*SET,WPBOT ( 8, 0, 1), 22090351.55760
*SET,WPBOT ( 9, 0, 1), 25246111.55760
*SET,WPBOT ( 10, 0, 1), 28401871.55760
*SET,WPBOT ( 11, 0, 1), 31557631.55760
*SET,WPBOT ( 12, 0, 1), 63115231.55760
*SET,WPBOT ( 13, 0, 1), 94672831.55760
*SET,WPBOT ( 14, 0, 1), 126230431.5576
*SET,WPBOT ( 15, 0, 1), 157788031.5576
*SET,WPBOT ( 16, 0, 1), 189345631.5576
*SET,WPBOT ( 17, 0, 1), 220903231.5576
*SET,WPBOT ( 18, 0, 1), 252460831.5576
*SET,WPBOT ( 19, 0, 1), 284018431.5576
*SET,WPBOT ( 20, 0, 1), 315576031.5576
*SET,WPBOT ( 21, 0, 1), 631152031.5576
*SET,WPBOT ( 22, 0, 1), 946728031.5576
*SET,WPBOT ( 23, 0, 1), 1262304031.558
*SET,WPBOT ( 24, 0, 1), 1577880031.558
*SET,WPBOT ( 25, 0, 1), 1893456031.558
*SET,WPBOT ( 26, 0, 1), 2209032031.558
*SET,WPBOT ( 27, 0, 1), 2524608031.558
*SET,WPBOT ( 28, 0, 1), 2840184031.558
*SET,WPBOT ( 29, 0, 1), 3155760031.558
*SET,WPBOT ( 30, 0, 1), 6311520031.558
*SET,WPBOT ( 31, 0, 1), 9467280031.558
*SET,WPBOT ( 32, 0, 1), 12623040031.56
*SET,WPBOT ( 33, 0, 1), 15778800031.56
*SET,WPBOT ( 34, 0, 1), 18934560031.56
*SET,WPBOT ( 35, 0, 1), 22090320031.56
*SET,WPBOT ( 36, 0, 1), 25246080031.56
*SET,WPBOT ( 37, 0, 1), 28401840031.56
*SET,WPBOT ( 38, 0, 1), 31557600031.56
*SET,WPBOT ( 0, 1, 1), 1.000000000000
*SET,WPBOT ( 1, 1, 1), 57.67773430842
*SET,WPBOT ( 2, 1, 1), 84.04461492263
*SET,WPBOT ( 3, 1, 1), 91.29593239729
*SET,WPBOT ( 4, 1, 1), 96.07067605939
*SET,WPBOT ( 5, 1, 1), 99.73268385159
*SET,WPBOT ( 6, 1, 1), 102.7212193120
*SET,WPBOT ( 7, 1, 1), 105.2355192584
*SET,WPBOT ( 8, 1, 1), 107.4172449101
*SET,WPBOT ( 9, 1, 1), 109.3388538267
*SET,WPBOT ( 10, 1, 1), 111.0548186107
*SET,WPBOT ( 11, 1, 1), 112.6022778500
*SET,WPBOT ( 12, 1, 1), 122.1925670577
*SET,WPBOT ( 13, 1, 1), 127.2044633334
*SET,WPBOT ( 14, 1, 1), 130.5026873594
*SET,WPBOT ( 15, 1, 1), 132.9069597250
*SET,WPBOT ( 16, 1, 1), 134.7160328777
*SET,WPBOT ( 17, 1, 1), 136.0816692207
*SET,WPBOT ( 18, 1, 1), 137.2603083212
*SET,WPBOT ( 19, 1, 1), 137.6482192963

```

```

*SET,WPBOT ( 20, 1, 1), 137.9132480835
*SET,WPBOT ( 21, 1, 1), 136.1844832383
*SET,WPBOT ( 22, 1, 1), 131.2080814801
*SET,WPBOT ( 23, 1, 1), 125.2372875329
*SET,WPBOT ( 24, 1, 1), 119.8625155319
*SET,WPBOT ( 25, 1, 1), 115.3140534294
*SET,WPBOT ( 26, 1, 1), 111.4848514518
*SET,WPBOT ( 27, 1, 1), 107.7997586783
*SET,WPBOT ( 28, 1, 1), 104.9101271670
*SET,WPBOT ( 29, 1, 1), 102.5206430620
*SET,WPBOT ( 30, 1, 1), 90.32448333445
*SET,WPBOT ( 31, 1, 1), 85.35533158303
*SET,WPBOT ( 32, 1, 1), 82.54151002463
*SET,WPBOT ( 33, 1, 1), 80.48492923816
*SET,WPBOT ( 34, 1, 1), 78.51655708267
*SET,WPBOT ( 35, 1, 1), 76.86048819366
*SET,WPBOT ( 36, 1, 1), 75.43241323671
*SET,WPBOT ( 37, 1, 1), 74.18864761076
*SET,WPBOT ( 38, 1, 1), 73.13081422780
*DIM,WPHOT ,TABLE, 47, 1, 1
*SET,WPHOT ( 1, 0, 1), 31.55760000000
*SET,WPHOT ( 2, 0, 1), 3155760.000000
*SET,WPHOT ( 3, 0, 1), 6311520.000000
*SET,WPHOT ( 4, 0, 1), 9467280.000000
*SET,WPHOT ( 5, 0, 1), 12623040.000000
*SET,WPHOT ( 6, 0, 1), 15778800.000000
*SET,WPHOT ( 7, 0, 1), 18934560.000000
*SET,WPHOT ( 8, 0, 1), 22090320.000000
*SET,WPHOT ( 9, 0, 1), 25246080.000000
*SET,WPHOT ( 10, 0, 1), 28401840.000000
*SET,WPHOT ( 11, 0, 1), 31557600.000000
*SET,WPHOT ( 12, 0, 1), 63115200.000000
*SET,WPHOT ( 13, 0, 1), 94672800.000000
*SET,WPHOT ( 14, 0, 1), 126230400.000000
*SET,WPHOT ( 15, 0, 1), 157788000.000000
*SET,WPHOT ( 16, 0, 1), 189345600.000000
*SET,WPHOT ( 17, 0, 1), 220903200.000000
*SET,WPHOT ( 18, 0, 1), 252460800.000000
*SET,WPHOT ( 19, 0, 1), 284018400.000000
*SET,WPHOT ( 20, 0, 1), 315576000.000000
*SET,WPHOT ( 21, 0, 1), 631152000.000000
*SET,WPHOT ( 22, 0, 1), 946728000.000000
*SET,WPHOT ( 23, 0, 1), 1262304000.000000
*SET,WPHOT ( 24, 0, 1), 1577880000.000000
*SET,WPHOT ( 25, 0, 1), 1893456000.000000
*SET,WPHOT ( 26, 0, 1), 2209032000.000000
*SET,WPHOT ( 27, 0, 1), 2524608000.000000
*SET,WPHOT ( 28, 0, 1), 2840184000.000000
*SET,WPHOT ( 29, 0, 1), 3155760000.000000
*SET,WPHOT ( 30, 0, 1), 6311520000.000000
*SET,WPHOT ( 31, 0, 1), 9467280000.000000
*SET,WPHOT ( 32, 0, 1), 12623040000.000000
*SET,WPHOT ( 33, 0, 1), 15778800000.000000
*SET,WPHOT ( 34, 0, 1), 18934560000.000000
*SET,WPHOT ( 35, 0, 1), 22090320000.000000
*SET,WPHOT ( 36, 0, 1), 25246080000.000000
*SET,WPHOT ( 37, 0, 1), 28401840000.000000
*SET,WPHOT ( 38, 0, 1), 31557600000.000000
*SET,WPHOT ( 39, 0, 1), 63115200000.000000
*SET,WPHOT ( 40, 0, 1), 94672800000.000000
*SET,WPHOT ( 41, 0, 1), 126230400000.000000
*SET,WPHOT ( 42, 0, 1), 157788000000.000000
*SET,WPHOT ( 43, 0, 1), 189345600000.000000
*SET,WPHOT ( 44, 0, 1), 220903200000.000000
*SET,WPHOT ( 45, 0, 1), 252460800000.000000
*SET,WPHOT ( 46, 0, 1), 284018400000.000000
*SET,WPHOT ( 47, 0, 1), 315576000000.000000
*SET,WPHOT ( 0, 1, 1), 1.000000000000
*SET,WPHOT ( 1, 1, 1), 771.1980889634
*SET,WPHOT ( 2, 1, 1), 769.6135438864

```

```

*SET,WPHOT ( 3, 1, 1), 768.0289988094
*SET,WPHOT ( 4, 1, 1), 766.4444537325
*SET,WPHOT ( 5, 1, 1), 765.0183631632
*SET,WPHOT ( 6, 1, 1), 763.4338180862
*SET,WPHOT ( 7, 1, 1), 761.8492730092
*SET,WPHOT ( 8, 1, 1), 760.2647279323
*SET,WPHOT ( 9, 1, 1), 758.8386373630
*SET,WPHOT ( 10, 1, 1), 757.2540922860
*SET,WPHOT ( 11, 1, 1), 755.8280017167
*SET,WPHOT ( 12, 1, 1), 741.2501870086
*SET,WPHOT ( 13, 1, 1), 727.6230993466
*SET,WPHOT ( 14, 1, 1), 714.7882842231
*SET,WPHOT ( 15, 1, 1), 702.7457416381
*SET,WPHOT ( 16, 1, 1), 691.1785625762
*SET,WPHOT ( 17, 1, 1), 680.2452015451
*SET,WPHOT ( 18, 1, 1), 671.3717491140
*SET,WPHOT ( 19, 1, 1), 653.7832987596
*SET,WPHOT ( 20, 1, 1), 640.9484836361
*SET,WPHOT ( 21, 1, 1), 541.2805982944
*SET,WPHOT ( 22, 1, 1), 466.0147071381
*SET,WPHOT ( 23, 1, 1), 400.2560864437
*SET,WPHOT ( 24, 1, 1), 351.7690070883
*SET,WPHOT ( 25, 1, 1), 314.5321977794
*SET,WPHOT ( 26, 1, 1), 284.9012048400
*SET,WPHOT ( 27, 1, 1), 257.4885750083
*SET,WPHOT ( 28, 1, 1), 237.8402160538
*SET,WPHOT ( 29, 1, 1), 221.3609472533
*SET,WPHOT ( 30, 1, 1), 135.7955130967
*SET,WPHOT ( 31, 1, 1), 106.7983381881
*SET,WPHOT ( 32, 1, 1), 90.00216037214
*SET,WPHOT ( 33, 1, 1), 78.27652680253
*SET,WPHOT ( 34, 1, 1), 67.97698380220
*SET,WPHOT ( 35, 1, 1), 60.37116743272
*SET,WPHOT ( 36, 1, 1), 54.34989614022
*SET,WPHOT ( 37, 1, 1), 49.59626090930
*SET,WPHOT ( 38, 1, 1), 45.95180723225
*SET,WPHOT ( 39, 1, 1), 24.56044869310
*SET,WPHOT ( 40, 1, 1), 20.28217698527
*SET,WPHOT ( 41, 1, 1), 17.58845035441
*SET,WPHOT ( 42, 1, 1), 15.84545076974
*SET,WPHOT ( 43, 1, 1), 14.57781470816
*SET,WPHOT ( 44, 1, 1), 13.62708766198
*SET,WPHOT ( 45, 1, 1), 12.67636061579
*SET,WPHOT ( 46, 1, 1), 12.04254258500
*SET,WPHOT ( 47, 1, 1), 11.40872455422
*SET,WPLEN , 5.647000000000
*SET,WPNUM , 12.000000000000
*SET,WPRAD , .76525000000000
*DIM,WPSID ,TABLE, 47, 1, 1
*SET,WPSID ( 1, 0, 1), 31.557600000000
*SET,WPSID ( 2, 0, 1), 3155791.557600
*SET,WPSID ( 3, 0, 1), 6311551.557600
*SET,WPSID ( 4, 0, 1), 9467311.557600
*SET,WPSID ( 5, 0, 1), 12623071.55760
*SET,WPSID ( 6, 0, 1), 15778831.55760
*SET,WPSID ( 7, 0, 1), 18934591.55760
*SET,WPSID ( 8, 0, 1), 22090351.55760
*SET,WPSID ( 9, 0, 1), 25246111.55760
*SET,WPSID ( 10, 0, 1), 28401871.55760
*SET,WPSID ( 11, 0, 1), 31557631.55760
*SET,WPSID ( 12, 0, 1), 63115231.55760
*SET,WPSID ( 13, 0, 1), 94672831.55760
*SET,WPSID ( 14, 0, 1), 126230431.5576
*SET,WPSID ( 15, 0, 1), 157788031.5576
*SET,WPSID ( 16, 0, 1), 189345631.5576
*SET,WPSID ( 17, 0, 1), 220903231.5576
*SET,WPSID ( 18, 0, 1), 252460831.5576
*SET,WPSID ( 19, 0, 1), 284018431.5576
*SET,WPSID ( 20, 0, 1), 315576031.5576
*SET,WPSID ( 21, 0, 1), 631152031.5576

```

```

*SET,WPSID ( 22, 0, 1), 946728031.5576
*SET,WPSID ( 23, 0, 1), 1262304031.558
*SET,WPSID ( 24, 0, 1), 1577880031.558
*SET,WPSID ( 25, 0, 1), 1893456031.558
*SET,WPSID ( 26, 0, 1), 2209032031.558
*SET,WPSID ( 27, 0, 1), 2524608031.558
*SET,WPSID ( 28, 0, 1), 2840184031.558
*SET,WPSID ( 29, 0, 1), 3155760031.558
*SET,WPSID ( 30, 0, 1), 6311520031.558
*SET,WPSID ( 31, 0, 1), 9467280031.558
*SET,WPSID ( 32, 0, 1), 12623040031.56
*SET,WPSID ( 33, 0, 1), 15778800031.56
*SET,WPSID ( 34, 0, 1), 18934560031.56
*SET,WPSID ( 35, 0, 1), 22090320031.56
*SET,WPSID ( 36, 0, 1), 25246080031.56
*SET,WPSID ( 37, 0, 1), 28401840031.56
*SET,WPSID ( 38, 0, 1), 31557600031.56
*SET,WPSID ( 0, 1, 1), 1.000000000000
*SET,WPSID ( 1, 1, 1), 57.78214350215
*SET,WPSID ( 2, 1, 1), 82.51417906851
*SET,WPSID ( 3, 1, 1), 89.74586813571
*SET,WPSID ( 4, 1, 1), 94.52600391009
*SET,WPSID ( 5, 1, 1), 98.19867614578
*SET,WPSID ( 6, 1, 1), 101.1900601129
*SET,WPSID ( 7, 1, 1), 103.7140293307
*SET,WPSID ( 8, 1, 1), 105.8999806590
*SET,WPSID ( 9, 1, 1), 107.8297369694
*SET,WPSID ( 10, 1, 1), 109.5503764038
*SET,WPSID ( 11, 1, 1), 111.1050428853
*SET,WPSID ( 12, 1, 1), 120.7256501265
*SET,WPSID ( 13, 1, 1), 125.7817498917
*SET,WPSID ( 14, 1, 1), 129.1162708375
*SET,WPSID ( 15, 1, 1), 131.5567476702
*SET,WPSID ( 16, 1, 1), 133.3930591298
*SET,WPSID ( 17, 1, 1), 134.7839523257
*SET,WPSID ( 18, 1, 1), 135.9839473766
*SET,WPSID ( 19, 1, 1), 136.4061537583
*SET,WPSID ( 20, 1, 1), 136.6958496906
*SET,WPSID ( 21, 1, 1), 135.1506504648
*SET,WPSID ( 22, 1, 1), 130.3062918588
*SET,WPSID ( 23, 1, 1), 124.4533645691
*SET,WPSID ( 24, 1, 1), 119.1648359674
*SET,WPSID ( 25, 1, 1), 114.6845551748
*SET,WPSID ( 26, 1, 1), 110.9088745425
*SET,WPSID ( 27, 1, 1), 107.2758699943
*SET,WPSID ( 28, 1, 1), 104.4221226176
*SET,WPSID ( 29, 1, 1), 102.0645220790
*SET,WPSID ( 30, 1, 1), 90.03580487090
*SET,WPSID ( 31, 1, 1), 85.12467205314
*SET,WPSID ( 32, 1, 1), 82.34619665395
*SET,WPSID ( 33, 1, 1), 80.31346588773
*SET,WPSID ( 34, 1, 1), 78.36731437317
*SET,WPSID ( 35, 1, 1), 76.72661617221
*SET,WPSID ( 36, 1, 1), 75.31182774013
*SET,WPSID ( 37, 1, 1), 74.07802385558
*SET,WPSID ( 38, 1, 1), 73.02718716827
*SET,WPSPC , 9.237000000000
*DIM,WPTOP ,TABLE, 47, 1, 1
*SET,WPTOP ( 1, 0, 1), 31.55760000000
*SET,WPTOP ( 2, 0, 1), 3155791.557600
*SET,WPTOP ( 3, 0, 1), 6311551.557600
*SET,WPTOP ( 4, 0, 1), 9467311.557600
*SET,WPTOP ( 5, 0, 1), 12623071.55760
*SET,WPTOP ( 6, 0, 1), 15778831.55760
*SET,WPTOP ( 7, 0, 1), 18934591.55760
*SET,WPTOP ( 8, 0, 1), 22090351.55760
*SET,WPTOP ( 9, 0, 1), 25246111.55760
*SET,WPTOP ( 10, 0, 1), 28401871.55760
*SET,WPTOP ( 11, 0, 1), 31557631.55760
*SET,WPTOP ( 12, 0, 1), 63115231.55760

```

```

*SET,WPTOP ( 13, 0, 1), 94672831.55760
*SET,WPTOP ( 14, 0, 1), 126230431.5576
*SET,WPTOP ( 15, 0, 1), 157788031.5576
*SET,WPTOP ( 16, 0, 1), 189345631.5576
*SET,WPTOP ( 17, 0, 1), 220903231.5576
*SET,WPTOP ( 18, 0, 1), 252460831.5576
*SET,WPTOP ( 19, 0, 1), 284018431.5576
*SET,WPTOP ( 20, 0, 1), 315576031.5576
*SET,WPTOP ( 21, 0, 1), 631152031.5576
*SET,WPTOP ( 22, 0, 1), 946728031.5576
*SET,WPTOP ( 23, 0, 1), 1262304031.558
*SET,WPTOP ( 24, 0, 1), 1577880031.558
*SET,WPTOP ( 25, 0, 1), 1893456031.558
*SET,WPTOP ( 26, 0, 1), 2209032031.558
*SET,WPTOP ( 27, 0, 1), 2524608031.558
*SET,WPTOP ( 28, 0, 1), 2840184031.558
*SET,WPTOP ( 29, 0, 1), 3155760031.558
*SET,WPTOP ( 30, 0, 1), 6311520031.558
*SET,WPTOP ( 31, 0, 1), 9467280031.558
*SET,WPTOP ( 32, 0, 1), 12623040031.56
*SET,WPTOP ( 33, 0, 1), 15778800031.56
*SET,WPTOP ( 34, 0, 1), 18934560031.56
*SET,WPTOP ( 35, 0, 1), 22090320031.56
*SET,WPTOP ( 36, 0, 1), 25246080031.56
*SET,WPTOP ( 37, 0, 1), 28401840031.56
*SET,WPTOP ( 38, 0, 1), 31557600031.56
*SET,WPTOP ( 0, 1, 1), 1.000000000000
*SET,WPTOP ( 1, 1, 1), 57.85884978116
*SET,WPTOP ( 2, 1, 1), 81.80542192959
*SET,WPTOP ( 3, 1, 1), 89.04612525746
*SET,WPTOP ( 4, 1, 1), 93.83676183870
*SET,WPTOP ( 5, 1, 1), 97.51796277353
*SET,WPTOP ( 6, 1, 1), 100.5182552405
*SET,WPTOP ( 7, 1, 1), 103.0490678479
*SET,WPTOP ( 8, 1, 1), 105.2417509905
*SET,WPTOP ( 9, 1, 1), 107.1771043544
*SET,WPTOP ( 10, 1, 1), 108.9031662596
*SET,WPTOP ( 11, 1, 1), 110.4626563009
*SET,WPTOP ( 12, 1, 1), 120.1065049357
*SET,WPTOP ( 13, 1, 1), 125.1878587559
*SET,WPTOP ( 14, 1, 1), 128.5399712189
*SET,WPTOP ( 15, 1, 1), 130.9994219388
*SET,WPTOP ( 16, 1, 1), 132.8500073865
*SET,WPTOP ( 17, 1, 1), 134.2519752654
*SET,WPTOP ( 18, 1, 1), 135.4635493644
*SET,WPTOP ( 19, 1, 1), 135.8999527573
*SET,WPTOP ( 20, 1, 1), 136.2000116470
*SET,WPTOP ( 21, 1, 1), 134.7287178382
*SET,WPTOP ( 22, 1, 1), 129.9347259710
*SET,WPTOP ( 23, 1, 1), 124.1264903209
*SET,WPTOP ( 24, 1, 1), 118.8710252073
*SET,WPTOP ( 25, 1, 1), 114.4163857190
*SET,WPTOP ( 26, 1, 1), 110.6619006286
*SET,WPTOP ( 27, 1, 1), 107.0490094527
*SET,WPTOP ( 28, 1, 1), 104.2097114327
*SET,WPTOP ( 29, 1, 1), 101.8643503066
*SET,WPTOP ( 30, 1, 1), 89.90475996451
*SET,WPTOP ( 31, 1, 1), 85.01886914654
*SET,WPTOP ( 32, 1, 1), 82.25549958450
*SET,WPTOP ( 33, 1, 1), 80.23369985303
*SET,WPTOP ( 34, 1, 1), 78.29699526426
*SET,WPTOP ( 35, 1, 1), 76.66349278986
*SET,WPTOP ( 36, 1, 1), 75.25418267259
*SET,WPTOP ( 37, 1, 1), 74.02473665564
*SET,WPTOP ( 38, 1, 1), 72.97730802471
*SET,WPVOL , 7.573151546382
*SET,WPVLL , .10000000000000
*SET,XXX , 1.734935157290
*SET,YYY , -1.527450000000
/GOPR

```

```

*-----*
|               W E L C O M E   T O   T H E   A N S Y S   P R O G R A M               |
*-----*

```

```

***** ANSYS COMMAND LINE ARGUMENTS *****
JOB NAME           = ma12x3
MEMORY REQUESTED (MB) = 64.0
BATCH MODE REQUESTED
start.ans FILE

```

```

***** ANSYS DYNAMIC MEMORY ALLOCATION *****
WORK SPACE REQUESTED      = 16777216      64.000 MB  COMMAND LINE
MINIMUM WORK SPACE REQUIRED = 4718592      18.000 MB
MINIMUM WORK SPACE RECOMMENDED = 6702496   25.568 MB
WORK SPACE OBTAINED       = 16777214      64.000 MB
BYTES PER WORD            = 4

```

***** NOTICE ***** THIS IS THE ANSYS GENERAL PURPOSE
FINITE ELEMENT COMPUTER PROGRAM. NEITHER SWANSON ANALYSIS
SYSTEMS, INC. NOR THE DISTRIBUTOR SUPPLYING THIS PROGRAM
ASSUME ANY RESPONSIBILITY FOR THE VALIDITY, ACCURACY, OR
APPLICABILITY OF ANY RESULTS OBTAINED FROM THE ANSYS SYSTEM.
USERS MUST VERIFY THEIR OWN RESULTS.

ANSYS(R) COPYRIGHT(C) 1971,1978,1982,1983,1985,1987,1989,1992,1993
BY SWANSON ANALYSIS SYSTEMS, INC. AS AN UNPUBLISHED WORK.
PROPRIETARY DATA - UNAUTHORIZED USE, DISTRIBUTION, OR DUPLICATION
IS PROHIBITED. ALL RIGHTS RESERVED.

SWANSON ANALYSIS SYSTEMS, INC. IS ENDEAVORING TO MAKE THE
ANSYS PROGRAM AS COMPLETE, ACCURATE, AND EASY TO USE AS
POSSIBLE. SUGGESTIONS AND COMMENTS ARE WELCOMED. ANY
ERRORS ENCOUNTERED IN EITHER THE DOCUMENTATION OR THE
RESULTS SHOULD BE IMMEDIATELY BROUGHT TO OUR ATTENTION.

ENTER /SHOW,device TO SET THE GRAPHICS DISPLAY TO device(e.g. X11,4207,ETC.)

ENTER /MENU,ON TO START THE ANSYS MENU SYSTEM

ENTER HELP FOR GENERAL ANSYS HELP INFORMATION

```

1 /COM, *****
2 /COM, ANSYS REVISION 5.0A 3/31/1995
3 /COM, 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III
4 /COM, *****
5 /COM, *
6 /COM, * File name: ma12x3.inp *
7 /COM, * 12 PWR MPC with High T.L. Disposal Container *
8 /COM, * Helium Fill Gas *
9 /COM, *
10 /COM, * Material Property file: props01.dat *
11 /COM, *
12 /COM, * SNF Conductivity file: pwr15e.parm *
13 /COM, * 15x15 Mark-B4 PWR SNF Assembly *
14 /COM, *
15 /COM, * SNF Heat Loads file: snf1048.dat *
16 /COM, * SNF Type: 10 years old, 48 Gwd/MTU *
17 /COM, *
18 /COM, * Surface Temp. file: c12x5a.parm *

```



```

19 /COM, *      100 MTU/acre (24.7 kgU/m^2) AML (High Thermal Loading) *
20 /COM, *      5.0 m Diameter Drift with Concrete Invert *
21 /COM, *      Drift spacing = 22.5 m *
22 /COM, *      WP c/c spacing = 9.237 m *
23 /COM, *
24 /COM, *****
25 /COM, Increase the number of database pages from 16 (256) to 32 Mb
26 /CONFIG,nvpag,512,
27 /COM, Work space must also be increased (-m 64)
28 /COM, *****
29 /TITLE, 12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF
30 /UNITS,SI,
31 /COM, *****
32 /COM,      Read in average effective conductivities from SNF model
33 PARRES,CHANGE,pwr15e,param,
34 /COM,      Read in surface temps. from repository model
35 PARRES,CHANGE,c12x5a,param,
36 /COM, *****
37 /COM,      Define MPC/waste package parameters
38 /COM,      (MPC dimensions converted from inches to meters)
39 /COM,      MIRAD = inner radius of MPC shell (m)
40 /COM,      MWALL = MPC shell thickness (m)
41 /COM,      DCRAD = disposal container outer radius (m)
42 /COM,      OWALL = outer barrier thickness (m)
43 /COM,      IWALL = inner barrier thickness (m)
44 /COM,      GCORN = corner guide width (m)
45 /COM,      GLENW = side guide total width (m)
46 /COM,      GLENH = side guide total height (m)
47 /COM,      GWALL = guide thickness (m)
48 /COM,      HCELL = 1/2 of basket cell opening (m)
49 /COM,      SWALL = stainless tube thickness (m)
50 /COM,      AWALL = Al/boron tube thickness (m)
51 /COM,      FLENT = flux trap plate length (m)
52 /COM,      FWALL = flux trap plate stainless thickness (m)
53 /COM,      BWALL = flux trap plate Al/boron thickness (m)
54 /COM,      TWALL = flux trap plate SS sheath thickness (m)
55 /COM,      FSPAC = flux trap plate spacer width (m)
56 /COM,      TSPAC = tube/tube spacer width (m)
57 /COM,      ACTVL = active fuel length
58 /COM,      PEAKF = assembly heat axial peaking factor
59 PI=3.141592654
60 MIRAD=47.870*2.54/100.0/2.0
61 MWALL=0.8750*2.54/100.0
62 DCRAD=1.5305/2.0
63 OWALL=0.1000
64 IWALL=0.0200
65 GCORN=10.086*2.54/100.0
66 GLENW=8.4340*2.54/100.0
67 GLENH=2.4960*2.54/100.0
68 GWALL=0.3750*2.54/100.0
69 HCELL=9.0000*2.54/100.0/2.0
70 SWALL=0.0940*2.54/100.0
71 AWALL=0.1070*2.54/100.0
72 FLENT=23.164*2.54/100.0
73 FWALL=0.5000*2.54/100.0
74 BWALL=0.2500*2.54/100.0
75 TWALL=0.0940*2.54/100.0
76 FSPAC=1.0000*2.54/100.0
77 TSPAC=0.9860*2.54/100.0
78 ACTVL=141.80*2.54/100.0
79 PEAKF=1.25
80 /COM,      Define calculated parameters
81 /COM,      ASSY = assembly heat production (W) f(yrs)
82 /COM,      FUEL = volumetric heat production (W/m3) f(yrs)
83 /COM,      FVOLUME = assy_volume=cell_width^2*active_length
84 /COM,      Q2 = side guide x coord. (see sketch)
85 /COM,      GX## = x coord. of guide/shell contact (kp##)
86 /COM,      GY## = y coord. of guide/shell contact (kp##)
87 /COM,      ACX# = x coord. of center of assembly #
88 /COM,      ACY# = y coord. of center of assembly #

```

```

89 /COM,          TM_START = start time (sec)
90 /COM,          TMI* = time increment for solution (sec)
91 /COM,          TME* = start and stop for time do-loops (sec)
92 /COM,          Note: 1 year = 3.15576e7 seconds
93 /COM,          QCELL = 1/4 of basket cell opening (m)
94 /COM,          SCELL = 1/2 of basket cell opening+SS wall(m)
95 /COM,          ACELL = 1/2 of basket cell opening+SS+AL (m)
96 /COM,          MI45 = x coord. MIRAD at 45 deg.
97 /COM,          MO45 = x coord. MIRAD+MWALL at 45 deg.
98 /COM,          DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
99 /COM,          DM45 = x coord. DCRAD-OWALL at 45 deg.
100 /COM,          DO45 = x coord. DCRAD at 45 deg.
101 /COM,          TMTMAX = time of maximum cladding temperature
102 *SET,ASSY,
103 *DIM,ASSY, TABLE,101,1,
104 *DIM,FUEL, TABLE,101,1
105 FVOLUME=4*HCELL*HCELL*ACTVL
106 Q2=1.969344*2.54/100.0
107 GX22=Q2-GWALL
108 GY22=SQRT(MIRAD*MIRAD-GX22*GX22)
109 GX23=Q2
110 GY23=SQRT(MIRAD*MIRAD-GX23*GX23)
111 GX24=Q2+GLENW-GWALL
112 GY24=SQRT(MIRAD*MIRAD-GX24*GX24)
113 GTMP=GCORN-GWALL
114 GX25=(SQRT(MIRAD*MIRAD-GTMP*GTMP/2.0)-GTMP/SQRT(2.0))/(SQRT(2.0))
115 GY25=SQRT(MIRAD*MIRAD-GX25*GX25)
116 ACX1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
117 ACY1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
118 ACX2=ACX1+2.0*(HCELL+SWALL+AWALL+SWALL)+TSPAC
119 ACY2=ACY1
120 ACX3=ACX1
121 ACY3=ACY2
122 TM_START=(1.0E-6)*(3.15576E7)
123 TMI0=0.1*3.15576E7
124 TMI1=1.0*3.15576E7
125 TMI10=10.0*3.15576E7
126 TMI100=100.0*3.15576E7
127 TMI1000=1000.0*3.15576E7
128 TME0=0.9*3.15576E7+TM_START
129 TME1=TMI1+TM_START
130 TME9=9.0*3.15576E7+TM_START
131 TME10=TMI10+TM_START
132 TME50=50.0*3.15576E7+TM_START
133 TME90=90.0*3.15576E7+TM_START
134 TME100=TMI100+TM_START
135 TME1000=TMI1000+TM_START
136 BCELL=FWALL+BWALL
137 QCELL=HCELL/2.0
138 SCELL=HCELL+SWALL
139 ACELL=HCELL+SWALL+AWALL
140 TCELL=HCELL+SWALL+AWALL+SWALL
141 MI45=MIRAD/SQRT(2.0)
142 MO45=(MIRAD+MWALL)/SQRT(2.0)
143 DI45=(DCRAD-OWALL-IWALL)/SQRT(2.0)
144 DM45=(DCRAD-OWALL)/SQRT(2.0)
145 DO45=DCRAD/SQRT(2.0)
146 /COM,          *****
147 /COM,          Define different element types
148 /PREP7
149 ETYPE
150 ET, 1,55,
151 ET, 2,70,
152 ET, 7,32,
153 ET, 16,57,
154 ET, 17,32,
155 ET, 18,50,1,
156 ET, 19,31,
157 ET, 27,32,
158 /COM,          *****

```

```

159 /COM,          File props01.dat describes material properties
160 /COM,          and thier reference numbers
161 MPREAD,props01,dat,
162 /COM,          Read in single assembly heat loads
163 /COM,          Calculate the volumetric heat generation
164 /COM,          (Assembly time is in years, FUEL is in seconds)
165 /INPUT,snf1048,dat
166 *VFACT,3.15576E7,
167 *MFUN,FUEL(1,0),COPY,ASSY(1,0),
168 *VFACT,(PEAKF/FVOLUME),
169 *VFUN,FUEL(1),COPY,ASSY(1),
170 FUEL(0,1)=1.0
171 /COM,          *****
172 /COM,          Define new material 14 for SNF effective conductivity
173 /COM,          Density:      DENS      (kg/m^3)
174 /COM,          Conductivity: KXX      (W/m/K)
175 /COM,          Specific Heat: C      (J/kg/K)
176 MPTEMP
177 MPTEMP, 1, .00000E+00,
178 MPDATA,DENS,14, 1, .396004E+04,
179 MPDATA, C,14, 1, .27400E+03,
180 /COM,          Store average effective conductivities
181 IINC=1
182 TBSKT=25.0
183 MPTEMP
184 MPTEMP,IINC,TBSKT,
185 IINC=IINC+1
186 *DO,TBSKT,50.0,400.0,50.0,
187     MPTEMP,IINC,TBSKT,
188     IINC=IINC+1
189 *ENDDO
190 IINC=1
191 TBSKT=25.0
192 MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
193 IINC=IINC+1
194 *DO,TBSKT,50.0,400.0,50.0,
195     MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
196     IINC=IINC+1
197 *ENDDO
198 /COM,          *****
199 /COM,          Construct geometry for Disposal Container
200 /COM,
201 /COM,          Define center and axis keypoints for waste package
202 /COM,          Also, create placeholder keypoints and lines
203 /COM,          (K's 1,2,3,4,5,6,7,8)
204 /COM,          (L's 1,2,3,4)
205 K,1,0.0,0.0,0.0,
206 K,2,0.0,0.0,0.0,1.0,
207 K,3,0.0,0.0,0.0,1.3,
208 K,4,0.0,0.0,0.0,1.4,
209 K,5,0.0,0.0,0.0,1.5,
210 K,6,0.0,0.0,0.0,1.6,
211 K,7,0.0,0.0,0.0,1.7,
212 K,8,0.0,0.0,0.0,1.8,
213 L,3,4,
214 L,4,5,
215 L,5,6,
216 L,6,7,
217 /COM,          Define disposal container and MPC outer radius
218 /COM,          (K's 9,10,11,12,13,14,15,16,17,18,19,20)
219 /COM,          (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
220 /COM,          (A's 1,2,3,4,5,6)
221 K, 9,          0.0,          (0.0-DCRAD),0.0,
222 K,10,          DCRAD,          0.0,0.0,
223 K,11,          0.0,          DCRAD,0.0,
224 K,12,          0.0,          (OWALL-DCRAD),0.0,
225 K,13,          (DCRAD-OWALL), 0.0,0.0,
226 K,14,          0.0,          (DCRAD-OWALL),0.0,
227 K,15,          0.0,(OWALL+IWALL-DCRAD),0.0,
228 K,16,(DCRAD-OWALL-IWALL), 0.0,0.0,

```

```

229 K,17, 0.0,(DCRAD-OWALL-IWALL),0.0,
230 K,18, 0.0, (0.0-MIRAD-MWALL),0.0,
231 K,19, (MIRAD+MWALL), 0.0,0.0,
232 K,20, 0.0, (MIRAD+MWALL),0.0,
233 L,10,13,
234 L,13,16,
235 LARC,10, 9,1, DCRAD,
236 LARC,11,10,1, DCRAD,
237 LARC,13,12,1, (DCRAD-OWALL),
238 LARC,14,13,1, (DCRAD-OWALL),
239 L,11,14,
240 L, 9,12,
241 LARC,15,16,1,(DCRAD-OWALL-IWALL),
242 LARC,16,17,1,(DCRAD-OWALL-IWALL),
243 L,14,17,
244 L,12,15,
245 LARC,19,18,1, (MIRAD+MWALL),
246 LARC,20,19,1, (MIRAD+MWALL),
247 L,17,20,
248 L,15,18,
249 L,16,19,
250 AL, 5, 7,12, 9,
251 AL,11, 8, 5,10,
252 AL, 6, 9,16,13,
253 AL,15,10, 6,14,
254 AL,21,13,20,17,
255 AL,19,14,21,18,
256 /COM, *****
257 /COM, Define MPC shell inner edge and area
258 /COM, (K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
259 /COM, ( 38,39)
260 /COM, (L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
261 /COM, ( 39,40,41,42)
262 /COM, (A's 7,8)
263 K,21, 0.0, MIRAD,0.0,
264 K,22, GX22, GY22,0.0,
265 K,23, GX23, GY23,0.0,
266 K,24, GX24, GY24,0.0,
267 K,25, GX25, GY25,0.0,
268 K,26, GY25, GX25,0.0,
269 K,27, GY24, GX24,0.0,
270 K,28, GY23, GX23,0.0,
271 K,29, GY22, GX22,0.0,
272 K,30,MIRAD, 0.0,0.0,
273 K,31, GY22, (0.0-GX22),0.0,
274 K,32, GY23, (0.0-GX23),0.0,
275 K,33, GY24, (0.0-GX24),0.0,
276 K,34, GY25, (0.0-GX25),0.0,
277 K,35, GX25, (0.0-GY25),0.0,
278 K,36, GX24, (0.0-GY24),0.0,
279 K,37, GX23, (0.0-GY23),0.0,
280 K,38, GX22, (0.0-GY22),0.0,
281 K,39, 0.0,(0.0-MIRAD),0.0,
282 L,20,21,
283 LARC,22,21,1,MIRAD,
284 LARC,23,22,1,MIRAD,
285 LARC,24,23,1,MIRAD,
286 LARC,25,24,1,MIRAD,
287 LARC,26,25,1,MIRAD,
288 LARC,27,26,1,MIRAD,
289 LARC,28,27,1,MIRAD,
290 LARC,29,28,1,MIRAD,
291 LARC,30,29,1,MIRAD,
292 LARC,31,30,1,MIRAD,
293 LARC,32,31,1,MIRAD,
294 LARC,33,32,1,MIRAD,
295 LARC,34,33,1,MIRAD,
296 LARC,35,34,1,MIRAD,
297 LARC,36,35,1,MIRAD,
298 LARC,37,36,1,MIRAD,

```

```

299 LARC,38,37,1,MIRAD,
300 LARC,39,38,1,MIRAD,
301 L,18,39,
302 L,19,30,
303 LSEL,S,LINE,,32,42,1,
304 LSEL,A,LINE,,17,
305 AL,ALL,
306 LSEL,S,LINE,,22,31,1,
307 LSEL,A,LINE,,18,
308 LSEL,A,LINE,,42,
309 AL,ALL,
310 LSEL,ALL,
311 /COM, *****
312 /COM, Define tube guides
313 /COM, (K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)
314 /COM, ( 57,58,59)
315 /COM, (L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)
316 /COM, ( 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
317 /COM, ( 77,78,79,80)
318 /COM, (A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)
319 /COM, ( 26)
320 /COM,
321 /COM, top
322 K,40, GX23, GY24,0.0,
323 K,41, GX22,(GY24-GWALL),0.0,
324 K,42, GX24,(GY24-GWALL),0.0,
325 K,43,(GX25-GWALL), GY25,0.0,
326 K,44, GX25, GX25,0.0,
327 K,45,(GX25-GWALL),(GX25-GWALL),0.0,
328 K,46, GY25,(GX25-GWALL),0.0,
329 /COM, side
330 K,47,(GY24-GWALL), GX24,0.0,
331 K,48, GY24, GX23,0.0,
332 K,49,(GY24-GWALL), GX22,0.0,
333 K,50,(GY24-GWALL), (0.0-GX22),0.0,
334 K,51, GY24, (0.0-GX23),0.0,
335 K,52,(GY24-GWALL), (0.0-GX24),0.0,
336 /COM, bottom
337 K,53, GY25,(GWALL-GX25),0.0,
338 K,54,(GX25-GWALL),(GWALL-GX25),0.0,
339 K,55, GX25, (0.0-GX25),0.0,
340 K,56,(GX25-GWALL), (0.0-GY25),0.0,
341 K,57, GX24,(GWALL-GY24),0.0,
342 K,58, GX22,(GWALL-GY24),0.0,
343 K,59, GX23, (0.0-GY24),0.0,
344 /COM, top
345 L,41,22,
346 L,40,41,
347 L,40,24,
348 L,42,41,
349 L,24,42,
350 L,43,25,
351 L,45,43,
352 L,25,44,
353 L,44,45,
354 L,44,26,
355 L,46,45,
356 L,26,46,
357 /COM, side
358 L,47,27,
359 L,49,47,
360 L,27,48,
361 L,48,49,
362 L,48,28,
363 L,29,49,
364 L,50,31,
365 L,32,51,
366 L,50,51,
367 L,52,50,
368 L,51,33,

```

```

369 L,33,52,
370 /COM,          bottom
371 L,53,34,
372 L,54,53,
373 L,34,55,
374 L,54,55,
375 L,56,54,
376 L,55,35,
377 L,35,56,
378 L,57,36,
379 L,58,57,
380 L,36,59,
381 L,58,59,
382 L,38,58,
383 L,59,37,
384 L,23,40,
385 /COM,          air
386 AL,80,45,25,
387 AL,50,52,27,
388 AL,57,59,29,
389 AL,62,65,34,
390 AL,69,72,36,
391 AL,76,79,38,
392 /COM,          guides
393 AL,24,43,44,80,
394 AL,45,44,46,47,
395 AL,48,49,51,50,
396 AL,52,51,53,54,
397 AL,55,56,58,57,
398 AL,59,58,60,30,
399 AL,61,63,62,33,
400 AL,63,64,66,65,
401 AL,68,70,69,67,
402 AL,70,71,73,72,
403 AL,75,77,76,74,
404 AL,77,78,39,79,
405 /COM,          *****
406 /COM,          Define top half tubes and flux trap plate
407 /COM,          (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
408 /COM,          ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
409 /COM,          ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
410 /COM,          ( 108,109,110,111,112,113,114,115,116,117,118,119)
411 /COM,          ( 120,121,122,123,124,125,126,127,128,129,130,131)
412 /COM,          ( 132,133,134,135,136,137,138,139,140,141,142,143)
413 /COM,          ( 144,145,146,147,148,149,150,151,152,153,154,155)
414 /COM,          ( 156,157,158,159,160,161,162,163,164,165,166,167)
415 /COM,          (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
416 /COM,          ( 98,99,100,101,102,103,104,105,106,107,108,109,110)
417 /COM,          ( 111,112,113,114,115,116,117,118,119,120,121,122)
418 /COM,          ( 123,124,125,126,127,128,129,130,131,132,133,134)
419 /COM,          ( 135,136,137,138,139,140,141,142,143,144,145,146)
420 /COM,          ( 147,...)
421 /COM,          (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
422 /COM,          ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
423 /COM,          ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
424 /COM,          ( 78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
425 /COM,          ( 95,96,97,98,99,100,101,102,103)
426 K, 60,          0.0,          (FSPAC/2.0),0.0,
427 K, 61,          0.0,          (1.5*FSPAC),0.0,
428 K, 62,          0.0,          (ACY1-FSPAC/2.0),0.0,
429 K, 63,          0.0,          (ACY1+FSPAC/2.0),0.0,
430 K, 64,          0.0,          (ACY1+HCELL+SWALL),0.0,
431 K, 65,          0.0,(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
432 K, 66,          0.0,(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
433 K, 67,          0.0,          (ACY3-HCELL-SWALL),0.0,
434 K, 68,          0.0,          (ACY3-FSPAC/2.0),0.0,
435 K, 69,          0.0,          (ACY3+FSPAC/2.0),0.0,
436 K, 70,          0.0,          (ACY3+HCELL+SWALL),0.0,
437 K, 71,          0.0,          (ACY3+HCELL+SWALL+FSPAC),0.0,
438 K, 72,          0.0,          (FSPAC/2.0+FLENT),0.0,

```

439	K, 73,	(FSPAC/2.0),	(FSPAC/2.0),0.0,
440	K, 74,	(FSPAC/2.0),	(1.5*FSPAC),0.0,
441	K, 75,	(FSPAC/2.0),	(ACY1-FSPAC/2.0),0.0,
442	K, 76,	(FSPAC/2.0),	(ACY1+FSPAC/2.0),0.0,
443	K, 77,	(FSPAC/2.0),	(ACY1+HCELL+SWALL),0.0,
444	K, 78,	(FSPAC/2.0),(ACY1+HCELL+2.0*SWALL+AWALL),	0.0,
445	K, 79,	(FSPAC/2.0),(ACY3-HCELL-2.0*SWALL-AWALL),	0.0,
446	K, 80,	(FSPAC/2.0),	(ACY3-HCELL-SWALL),0.0,
447	K, 81,	(FSPAC/2.0),	(ACY3-FSPAC/2.0),0.0,
448	K, 82,	(FSPAC/2.0),	(ACY3+FSPAC/2.0),0.0,
449	K, 83,	(FSPAC/2.0),	(ACY3+HCELL+SWALL),0.0,
450	K, 84,	(FSPAC/2.0),	(ACY3+HCELL+SWALL+FSPAC),0.0,
451	K, 85,	(FSPAC/2.0),	(FSPAC/2.0+FLENT),0.0,
452	K, 86,	(FSPAC/2.0+FWALL),	(FSPAC/2.0+FWALL),0.0,
453	K, 87,	(FSPAC/2.0+FWALL),	(ACY1+HCELL+SWALL),0.0,
454	K, 88,	(FSPAC/2.0+FWALL),(ACY1+HCELL+2.0*SWALL+AWALL),	0.0,
455	K, 89,	(FSPAC/2.0+FWALL),(ACY3-HCELL-2.0*SWALL-AWALL),	0.0,
456	K, 90,	(FSPAC/2.0+FWALL),	(ACY3-HCELL-SWALL),0.0,
457	K, 91,	(FSPAC/2.0+FWALL),	(ACY3+HCELL+SWALL),0.0,
458	K, 92,	(FSPAC/2.0+FWALL),	(FSPAC/2.0+FLENT),0.0,
459	K, 93,	(1.5*FSPAC),	(FSPAC/2.0),0.0,
460	K, 94,	(FSPAC/2.0+FWALL+BWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
461	K, 95,	(FSPAC/2.0+FWALL+BWALL),	(ACY1+HCELL+SWALL),0.0,
462	K, 96,	(FSPAC/2.0+FWALL+BWALL),(ACY1+HCELL+2.0*SWALL+AWALL),	0.0,
463	K, 97,	(FSPAC/2.0+FWALL+BWALL),(ACY3-HCELL-2.0*SWALL-AWALL),	0.0,
464	K, 98,	(FSPAC/2.0+FWALL+BWALL),	(ACY3-HCELL-SWALL),0.0,
465	K, 99,	(FSPAC/2.0+FWALL+BWALL),	(ACY3+HCELL+SWALL),0.0,
466	K, 100,	(FSPAC/2.0+FWALL+BWALL),	(FSPAC/2.0+FLENT),0.0,
467	K, 101,	(ACX1-HCELL-SWALL),	(ACY1-HCELL-SWALL),0.0,
468	K, 102,	(ACX1-HCELL-SWALL),	(ACY1+HCELL+SWALL),0.0,
469	K, 103,	(ACX1-HCELL-SWALL),	(ACY1+HCELL+SWALL+AWALL),0.0,
470	K, 104,	(ACX1-HCELL-SWALL),(ACY1+HCELL+2.0*SWALL+AWALL),	0.0,
471	K, 105,	(ACX3-HCELL-SWALL),(ACY3-HCELL-2.0*SWALL-AWALL),	0.0,
472	K, 106,	(ACX3-HCELL-SWALL),	(ACY3-HCELL-SWALL-AWALL),0.0,
473	K, 107,	(ACX3-HCELL-SWALL),	(ACY3-HCELL-SWALL),0.0,
474	K, 108,	(ACX3-HCELL-SWALL),	(ACY3+HCELL+SWALL),0.0,
475	K, 109,	(ACX3-HCELL-SWALL),	(FSPAC/2.0+FLENT),0.0,
476	K, 110,	(ACX1-HCELL),	(ACY1-HCELL),0.0,
477	K, 111,	(ACX1-HCELL),	(ACY1+HCELL),0.0,
478	K, 112,	(ACX3-HCELL),	(ACY3-HCELL),0.0,
479	K, 113,	(ACX3-HCELL),	(ACY3+HCELL),0.0,
480	K, 114,	(ACX1-FSPAC/2.0),	(FSPAC/2.0),0.0,
481	K, 115,	(ACX1+FSPAC/2.0),	(FSPAC/2.0),0.0,
482	K, 116,	(ACX1+HCELL),	(ACY1-HCELL),0.0,
483	K, 117,	(ACX1+HCELL),	(ACY1+HCELL),0.0,
484	K, 118,	(ACX3+HCELL),	(ACY3-HCELL),0.0,
485	K, 119,	(ACX3+HCELL),	(ACY3+HCELL),0.0,
486	K, 120,	(ACX1+HCELL+SWALL),	(FSPAC/2.0),0.0,
487	K, 121,	(ACX1+HCELL+SWALL),	(FSPAC/2.0+FWALL),0.0,
488	K, 122,	(ACX1+HCELL+SWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
489	K, 123,	(ACX1+HCELL+SWALL),	(ACY1-HCELL-SWALL),0.0,
490	K, 124,	(ACX1+HCELL+SWALL),	(ACY1+HCELL+SWALL),0.0,
491	K, 125,	(ACX3+HCELL+SWALL),	(ACY3-HCELL-SWALL),0.0,
492	K, 126,	(ACX3+HCELL+SWALL),	(ACY3+HCELL+SWALL),0.0,
493	K, 127,	(ACX1+HCELL+SWALL+AWALL),	(ACY1-HCELL-SWALL),0.0,
494	K, 128,	(ACX1+HCELL+SWALL+AWALL),	(ACY1+HCELL+SWALL+AWALL),0.0,
495	K, 129,	(ACX3+HCELL+SWALL+AWALL),	(ACY3-HCELL-SWALL-AWALL),0.0,
496	K, 130,	(ACX3+HCELL+SWALL+AWALL),	(ACY3+HCELL+SWALL),0.0,
497	K, 131,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0),0.0,
498	K, 132,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0+FWALL),0.0,
499	K, 133,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
500	K, 134,	(ACX1+HCELL+2.0*SWALL+AWALL),	(ACY1-HCELL-SWALL),0.0,
501	K, 135,	(ACX1+HCELL+2.0*SWALL+AWALL),(ACY1+HCELL+2.0*SWALL+AWALL),	0.0,
502	K, 136,	(ACX3+HCELL+2.0*SWALL+AWALL),(ACY3-HCELL-2.0*SWALL-AWALL),	0.0,
503	K, 137,	(ACX3+HCELL+2.0*SWALL+AWALL),	(ACY3+HCELL+SWALL),0.0,
504	K, 138,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0),0.0,
505	K, 139,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0+FWALL),0.0,
506	K, 140,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
507	K, 141,	(ACX2-HCELL-2.0*SWALL-AWALL),	(ACY2-HCELL-SWALL),0.0,
508	K, 142,	(ACX2-HCELL-2.0*SWALL-AWALL),(ACY2+HCELL+2.0*SWALL+AWALL),	0.0,

```
509 K,143, (ACX2-HCELL-SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
510 K,144, (ACX2-HCELL-SWALL-AWALL), (ACY2-HCELL+SWALL-AWALL),0.0,
511 K,145, (ACX2-HCELL-SWALL), (FSPAC/2.0),0.0,
512 K,146, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL),0.0,
513 K,147, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
514 K,148, (ACX2-HCELL-SWALL), (ACY2-HCELL-SWALL),0.0,
515 K,149, (ACX2-HCELL-SWALL), (ACY1-HCELL+SWALL),0.0,
516 K,150, (ACX2-HCELL), (ACY2-HCELL),0.0,
517 K,151, (ACX2-HCELL), (ACY2+HCELL),0.0,
518 K,152, (ACX2-FSPAC/2.0), (FSPAC/2.0),0.0,
519 K,153, (ACX2+FSPAC/2.0), (FSPAC/2.0),0.0,
520 K,154, (ACX2+HCELL), (ACY2-HCELL),0.0,
521 K,155, (ACX2+HCELL), (ACY2+HCELL),0.0,
522 K,156, (ACX2+HCELL+SWALL), (FSPAC/2.0),0.0,
523 K,157, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
524 K,158, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
525 K,159, (ACX2+HCELL+SWALL), (ACY2-HCELL-SWALL),0.0,
526 K,160, (ACX2+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
527 K,161, (ACX2+HCELL+SWALL), (ACY2+HCELL+SWALL-AWALL),0.0,
528 K,162, (ACX2+HCELL+SWALL), (ACY2+HCELL+2.0*SWALL-AWALL),0.0,
529 K,163, (ACX2+HCELL+SWALL+FSPAC), (FSPAC/2.0),0.0,
530 K,164, (FSPAC/2.0+FLENT), (FSPAC/2.0),0.0,
531 K,165, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL),0.0,
532 K,166, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL+BWALL),0.0,
533 K,167, (FSPAC/2.0+FLENT), (ACY2-HCELL-SWALL),0.0,
534 /COM, create lines on perimeter and for lesize
535 L, 73, 60,
536 L, 73, 74,
537 L, 61, 74,
538 L, 74, 75,
539 L, 75, 62,
540 L, 75, 76,
541 L, 63, 76,
542 L, 76, 77,
543 L, 77, 78,
544 L, 78, 65,
545 L, 78, 79,
546 L, 66, 79,
547 L, 79, 80,
548 L, 80, 81,
549 L, 81, 68,
550 L, 81, 82,
551 L, 69, 82,
552 L, 82, 83,
553 L, 83, 70,
554 L, 83, 84,
555 L, 71, 84,
556 L, 84, 85,
557 L, 85, 92,
558 L, 92,100,
559 L,100,109,
560 L,109,108,
561 L,108,126,
562 L,126,130,
563 L,130,137,
564 L,137,136,
565 L,136,105,
566 L,112,107,
567 L,107,106,
568 L,106,105,
569 L,105,104,
570 L,104,103,
571 L,103,102,
572 L,102,111,
573 L,104,135,
574 L,135,134,
575 L,123,127,
576 L,127,134,
577 L,134,141,
578 L,141,143,
```


579 L,143,148,
 580 L,148,150,
 581 L,141,142,
 582 L,142,162,
 583 L,162,161,
 584 L,161,160,
 585 L,160,159,
 586 L,159,167,
 587 L,167,166,
 588 L,166,165,
 589 L,165,164,
 590 L,164,163,
 591 L,163,156,
 592 L,156,153,
 593 L,153,152,
 594 L,152,145,
 595 L,145,138,
 596 L,138,131,
 597 L,131,120,
 598 L,120,115,
 599 L,115,114,
 600 L,114, 93,
 601 L, 93, 73,
 602 /COM, tube spacers
 603 A, 71, 84, 83, 70,
 604 A, 69, 82, 81, 68,
 605 A, 66, 79, 78, 65,
 606 A, 63, 76, 75, 62,
 607 A, 61, 74, 73, 60,
 608 /COM, flux trap plate (stainless)
 609 A, 85, 92, 91, 83, 84,
 610 A, 83, 91, 90, 80, 81, 82,
 611 A, 80, 90, 89, 79,
 612 A, 79, 89, 88, 78,
 613 A, 78, 88, 87, 77,
 614 A, 77, 87, 86, 73, 74, 75, 76,
 615 A, 86,121,120,115,114, 93, 73,
 616 A,121,132,131,120,
 617 A,132,139,138,131,
 618 A,139,146,145,138,
 619 A,146,157,156,153,152,145,
 620 A,157,165,164,163,156,
 621 /COM, flux trap plate (Al/boron)
 622 A, 92,100, 99, 91,
 623 A, 91, 99, 98, 90,
 624 A, 90, 98, 97, 89,
 625 A, 89, 97, 96, 88,
 626 A, 88, 96, 95, 87,
 627 A, 87, 95, 94, 86,
 628 A, 94,122,121, 86,
 629 A,122,133,132,121,
 630 A,133,140,139,132,
 631 A,140,147,146,139,
 632 A,147,158,157,146,
 633 A,158,166,165,157,
 634 /COM, flux trap plate (sheath)
 635 A,100,109,108, 99,
 636 A, 99,108,107, 98,
 637 A, 98,107,106,105, 97,
 638 A, 97,105,104, 96,
 639 A, 96,104,103,102, 95,
 640 A, 95,102,101, 94,
 641 A,101,123,122, 94,
 642 A,123,127,134,133,122,
 643 A,134,141,140,133,
 644 A,141,143,148,147,140,
 645 A,148,159,158,147,
 646 A,159,167,166,158,
 647 /COM, tube (sheath)
 648 A,130,137,136,129,

```

649 A,106,129,136,105,
650 A,104,135,128,103,
651 A,128,135,134,127,
652 A,142,144,143,141,
653 A,142,162,161,144,
654 /COM, tube (Al/boron)
655 A,126,130,129,125,
656 A,107,125,129,106,
657 A,103,128,124,102,
658 A,124,128,127,123,
659 A,144,149,148,143,
660 A,144,161,160,149,
661 /COM, tube (stainless)
662 A,108,113,112,107,
663 A,108,126,119,113,
664 A,119,126,125,118,
665 A,112,118,125,107,
666 A,102,111,110,101,
667 A,102,124,117,111,
668 A,117,124,123,116,
669 A,110,116,123,101,
670 A,149,151,150,148,
671 A,149,160,155,151,
672 A,155,160,159,154,
673 A,150,154,159,148,
674 /COM, homogeneous assembly
675 A,113,119,118,112,
676 A,111,117,116,110,
677 A,151,155,154,150,
678 /COM, helium spaces
679 A, 72, 85, 84, 71,
680 A, 70, 83, 82, 69,
681 A, 68, 81, 80, 67,
682 A, 67, 80, 79, 66,
683 A, 65, 78, 77, 64,
684 A, 64, 77, 76, 63,
685 A, 62, 75, 74, 61,
686 A,105,136,135,104,
687 A,135,142,141,134,
688 NUMMRG,KP,
689 /COM, *****
690 /COM, Set element shapes and sizes for tubes and flux trap
691 /COM, 14x14 mesh in fuel with 1
692 /COM, division per tube layer
693 ESHAPE,2,
694 ESIZE,,1,
695 LSEL,S,LINE,, 81, 87,2,
696 LSEL,A,LINE,, 90, 92,2,
697 LSEL,A,LINE,, 95,101,2,
698 LESIZE,ALL,,, 2,
699 LSEL,S,LINE,,107,
700 LSEL,A,LINE,,110,111,1,
701 LSEL,A,LINE,,119,120,1,
702 LSEL,A,LINE,,127,128,1,
703 LSEL,A,LINE,,131,
704 LESIZE,ALL,,, 14,
705 LSEL,ALL,
706 LESIZE, 82,,, 2,
707 LESIZE, 84,,, 3,
708 LESIZE, 86,,, 4,
709 LESIZE, 88,,, 5,
710 LESIZE, 89,,, 2,
711 LESIZE, 91,,, 4,
712 LESIZE, 93,,, 2,
713 LESIZE, 94,,, 5,
714 LESIZE, 96,,, 4,
715 LESIZE, 98,,, 5,
716 LESIZE,100,,, 4,
717 LESIZE,102,,, 2,
718 LESIZE,103,,, 3,

```

```

719 LESIZE,104,,, 2,
720 LESIZE,136,,, 2,
721 LESIZE,137,,, 4,
722 LESIZE,138,,, 5,
723 LESIZE,139,,, 4,
724 LESIZE,140,,, 5,
725 LESIZE,141,,, 2,
726 LESIZE,142,,, 4,
727 LESIZE,143,,, 2,
728 LESIZE,144,,, 5,
729 LESIZE,145,,, 4,
730 LESIZE,146,,, 3,
731 LESIZE,147,,, 2,
732 /COM,          concatenate lines for mapped meshing
733 /COM,          (L's 265,266,267,268,269,270,271,272,273,274)
734 LSEL,S,LINE,, 82, 88,2,
735 LCCAT,ALL,
736 LSEL,S,LINE,, 94, 98,2,
737 LCCAT,ALL,
738 LSEL,S,LINE,,100,102,2,
739 LCCAT,ALL,
740 LSEL,S,LINE,,113,114,1,
741 LCCAT,ALL,
742 LSEL,S,LINE,,116,117,1,
743 LCCAT,ALL,
744 LSEL,S,LINE,,121,122,1,
745 LCCAT,ALL,
746 LSEL,S,LINE,,124,125,1,
747 LCCAT,ALL,
748 LSEL,S,LINE,,136,137,1,
749 LCCAT,ALL,
750 LSEL,S,LINE,,138,140,1,
751 LCCAT,ALL,
752 LSEL,S,LINE,,144,147,1,
753 LCCAT,ALL,
754 LSEL,ALL,
755 /COM,          Mesh areas
756 /COM,          first flux trap plate, then tubes
757 MAT, 1,
758 TYPE,1,
759 AMESH, 27, 43,1,
760 MAT,13,
761 TYPE,1,
762 AMESH, 44, 55,1,
763 MAT, 1,
764 TYPE,1,
765 AMESH, 56, 73,1,
766 MAT,13,
767 TYPE,1,
768 AMESH, 74, 79,1,
769 MAT, 1,
770 TYPE,1,
771 AMESH, 80, 91,1,
772 MAT,14,
773 TYPE,1,
774 AMESH, 92, 94,1,
775 /COM,          Delete concatenated lines
776 /COM,          (L's freed up 265,266,267,268,269,270,271,272,273,274)
777 LDELE,265,274,1,
778 /COM,          *****
779 /COM,          Copy tube mesh and connect top and bottom
780 ARSYM,Y,27,103,1,0,0,0,
781 /COM,          flux trap plate spacers
782 /COM,          (L's 449,450,451,452,453,454,455,456,457,458)
783 /COM,          (A's 181,182,183,184,185)
784 A,186, 73, 93,202,
785 A,201,114,115,200,
786 A,204,131,138,206,
787 A,212,152,153,211,
788 A,210,156,163,215,

```

```

789 /COM,          flux trap plate heluim gaps
790 /COM,          (A's 186,187,188,189,190,191,192,193)
791 A,187, 60, 73,186,
792 A,202, 93,114,201,
793 A,200,115,120,199,
794 A,199,120,131,204,
795 A,206,138,145,208,
796 A,208,145,152,212,
797 A,211,153,156,210,
798 A,215,163,164,214,
799 /COM,          tube/guide heluim gaps (flats)
800 /COM,          (A's 194,195,196,197,198,199,200,201,202,203,204,205)
801 A,109, 22, 41,108,
802 A,108, 41, 42,126,
803 A,137, 43, 45,136,
804 A,142, 45, 46,162,
805 A,160, 47, 49,159,
806 A, 49, 29,167,159,
807 A,244,245, 31, 50,
808 A,244, 50, 52,260,
809 A,254, 53, 54,252,
810 A,248, 54, 56,247,
811 A,256, 57, 58,230,
812 A,230, 58, 38,229,
813 /COM,          tube/guide heluim gaps (corners)
814 /COM,          (A's 206,207,208,209,210,211,212,213,214,215,216,217)
815 /COM,          ( 218)
816 A, 21, 85, 72,
817 A, 21, 22,109,100, 92, 85,
818 A, 24, 25, 43,137,130,126, 42,
819 A,136, 45,142,135,
820 A, 26, 27, 47,160,161,162, 46,
821 A,167, 29, 30,164,165,166,
822 A,164, 30,214,
823 A,214, 30, 31,245,228,213,
824 A, 52, 33, 34, 53,254,255,260,
825 A,250,252, 54,248,
826 A,256,246,247, 56, 35, 36, 57,
827 A,188,189,216,229, 38, 39,
828 A,273,188, 39,
829 /COM,          mesh flux trap plate spacers
830 LSEL,S,LINE,,449,458,1,
831 LESIZE,ALL,,, 4,
832 LSEL,ALL,
833 MAT,1,
834 TYPE,1,
835 AMESH,181,185,1,
836 NUMMRG,NODE,
837 NUMMRG,KP,
838 /COM,          *****
839 /COM,          Create mesh in MPC shell and disposal container
840 /COM,          Tube guides
841 ESIZE,,2,
842 LESIZE,43,,, 6,
843 LESIZE,46,,,14,
844 LESIZE,49,,,14,
845 LESIZE,53,,,14,
846 LESIZE,56,,,14,
847 LESIZE,60,,, 6,
848 LESIZE,61,,, 6,
849 LESIZE,64,,,14,
850 LESIZE,68,,,14,
851 LESIZE,71,,,14,
852 LESIZE,75,,,14,
853 LESIZE,78,,, 6,
854 MAT,1,
855 TYPE,1,
856 AMESH,15,26,1,
857 /COM,          MPC shell
858 /COM,          (L's 489.490)

```

```

859 LESIZE,23,,, 2,
860 LESIZE,25,,,14,
861 LESIZE,26,,, 3,
862 LESIZE,27,,,14,
863 LESIZE,28,,, 3,
864 LESIZE,29,,,14,
865 LESIZE,31,,, 2,
866 LESIZE,32,,, 2,
867 LESIZE,34,,,14,
868 LESIZE,35,,, 3,
869 LESIZE,36,,,14,
870 LESIZE,37,,, 3,
871 LESIZE,38,,,14,
872 LESIZE,40,,, 2,
873 LSEL,S,LINE,,23,31,1,
874 LCCAT,ALL,
875 LSEL,S,LINE,,32,40,1,
876 LCCAT,ALL,
877 LSEL,ALL,
878 LESIZE,17,,,56,
879 LESIZE,18,,,56,
880 LESIZE,22,,, 3,
881 LESIZE,41,,, 3,
882 MAT,1,
883 TYPE,1,
884 AMESH,7,8,1,
885 /COM, Assume vacuum between shell and inner barrier
886 LESIZE,13,,,56,
887 LESIZE,14,,,56,
888 LESIZE,19,,, 2,
889 LESIZE,20,,, 2,
890 /COM, No MAT,7,
891 /COM, No TYPE,1,
892 /COM, No AMESH,5,6,1,
893 /COM, Delete concatenated lines
894 /COM, (L's freed up 489,490)
895 LDELE,489,490,1,
896 /COM, Inner and outer barrier
897 LSEL,S,LINE,,7,10,1,
898 LESIZE,ALL,,,56,
899 LSEL,ALL,
900 LESIZE, 6,,, 3,
901 LESIZE,15,,, 3,
902 LESIZE,16,,, 3,
903 LESIZE, 5,,, 5,
904 LESIZE,11,,, 5,
905 LESIZE,12,,, 5,
906 MAT,2,
907 TYPE,1,
908 AMESH,3,4,1,
909 MAT,3,
910 TYPE,1,
911 AMESH,1,2,1,
912 /COM, Empty basket spaces
913 ESIZE,0.1,
914 ESHAPE,0,
915 MAT,7,
916 TYPE,1,
917 AMESH,9,14,1,
918 /COM, *****
919 /COM, Define mesh and radiation surface elements
920 /COM, Tube/guides gap
921 LSEL,S,LOC,X,0.0,0.0,
922 LSEL,A,LINE,, 7, 8,1,
923 LSEL,A,LINE,,13,14,1,
924 LSEL,A,LINE,,17,18,1,
925 NSLL,U,0,
926 LSEL,ALL,
927 MAT,1,
928 TYPE,7,

```

```

929 ESURF,
930 NSEL,ALL,
931 /COM,          Basket spaces
932 MAT,1,
933 TYPE,17,
934 LMESH,25,29,2,
935 LMESH,34,38,2,
936 LMESH,80,
937 LMESH,45,
938 LMESH,50,52,2,
939 LMESH,57,59,2,
940 LMESH,62,65,3,
941 LMESH,69,72,3,
942 LMESH,76,79,3,
943 /COM,          MPC shell/inner barrier gap
944 MAT,1,
945 TYPE,27,
946 LMESH,17,18,1,
947 MAT,2,
948 TYPE,27,
949 LMESH,13,14,1,
950 /COM,          *****
951 /COM,          Create mesh in helium spaces
952 ESIZE,,2,
953 ESHAPE,2,
954 MAT,7,
955 TYPE,1,
956 AMESH, 95,103,1,
957 AMESH,172,180,1,
958 AMESH,186,205,1,
959 ESHAPE,0,
960 MAT,7,
961 TYPE,1,
962 AMESH,206,218,1,
963 /COM,          Clear areas and mesh by hand difficult areas
964 ACLEAR,211,
965 E,5879,3453,3952,3952,
966 E, 636,5879,3952,3952,
967 E, 545, 636,3952,3952,
968 E, 551, 545,3952,3952,
969 E, 363, 551,3952,3952,
970 E, 370, 363,3952,3952,
971 E, 371, 370,3952,3952,
972 E, 369, 371,3952,3952,
973 E,5973, 369,3952,3952,
974 E,3782,5973,3952,3952,
975 ACLEAR,217,
976 E,3735,5989,3738,3738,
977 E,5989,1661,3738,3738,
978 E,1661,1663,3738,3738,
979 E,1663,1664,3738,3738,
980 E,1664,1662,3738,3738,
981 E,1662,1979,3738,3738,
982 E,1979,1978,3738,3738,
983 E,1978,2148,3738,3738,
984 E,2148,5951,3738,3738,
985 E,5951,3666,3738,3738,
986 FINISH
987 /COM,          *****
988 /COM,          Create element mesh plots to illustrate model
989 /COM,          View mesh for entire model
990 /RESET
991 /TRIAD,OFF,
992 /NUM, 1,
993 /PNUM,MAT, 1,
994 /TYPE,HIDP,
995 /GLINE,,0,
996 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
997 /TITLE, 12 PWR MPC/Waste Package - 1/2 FEM Model
998 /SHOW,meshfull,grph,1,8,

```

```

999 EPL0T
1000 ESEL,U,MAT,, 7,
1001 /SHOW,meshgap,grph,1,8,
1002 EPL0T
1003 /COM,          View mesh for radiation substructure
1004 /PNUM,MAT, 0,
1005 /PNUM,TYPE, 1,
1006 ESEL,S,TYPE,, 7,
1007 ESEL,A,TYPE,,17,
1008 ESEL,A,TYPE,,27,
1009 /TITLE, 12 PWR MPC/Waste Package - Radiation Matrix
1010 /SHOW,meshrad,grph,1,8,
1011 EPL0T
1012 ESEL,ALL,
1013 /TITLE, 12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF
1014 /COM,          *****
1015 /COM,          Generate super-elements
1016 /AUX12,
1017 ESEL,S,TYPE,,7,
1018 NSLE,S,
1019 STEF,5.67E-8,
1020 GEOM,1,0,
1021 VTYPE,0,800,
1022 WRITE,tubegap,
1023 ESEL,S,TYPE,,17,
1024 NSLE,S,
1025 STEF,5.67E-8,
1026 GEOM,1,0,
1027 VTYPE,0,800,
1028 WRITE,spaces,
1029 ESEL,S,TYPE,,27,
1030 NSLE,S,
1031 STEF,5.67E-8,
1032 GEOM,1,0,
1033 VTYPE,0,800,
1034 WRITE,shellgap,
1035 ESEL,ALL,
1036 NSEL,ALL,
1037 FINISH
1038 /PREP7,
1039 TYPE,18,
1040 SE,tubegap,
1041 SE,spaces,
1042 SE,shellgap,
1043 /COM,          Delete radiation edge elements
1044 ESEL,S,TYPE,,7,
1045 EDELE,ALL,
1046 ESEL,ALL,
1047 LSEL,S,TYPE,,17,
1048 LSEL,A,TYPE,,27,
1049 LCLEAR,ALL,
1050 LSEL,ALL,
1051 FINISH
1052 /COM,          *****
1053 /COM,          Set solution parameters and apply B.C.'s
1054 /COM,
1055 /COM,          Solve steady-state for initial conditions
1056 /COM,          with WP surface equal to drift ambient
1057 /COM,          temperature from repository model.
1058 /SOLU
1059 ANTYPE,TRAN,NEW,
1060 NROPT,AUTO,
1061 TRNOPT,FULL,
1062 TOFFST,273.15,
1063 LSEL,S,LINE,,7,
1064 LSEL,A,LINE,,8,
1065 NSLL,S,1,
1066 D,ALL,TEMP,DFAMBT,
1067 LSEL,ALL,
1068 NSEL,ALL,

```

```

1069 ASEL,S,MAT,,14,
1070 ESLA,S,
1071 BFE,ALL,HGEN,,(FUEL(TM_START)),
1072 ASEL,ALL,
1073 ESEL,ALL,
1074 TIMINT,OFF,
1075 TIME,1e-6,
1076 AUTOTS,ON,
1077 KBC,0,
1078 SOLVE
1079 /COM,          Solve steady-state for initial conditions
1080 /COM,          with WP surface temperatures from repository
1081 /COM,          steady-state solution.
1082 LSEL,S,LINE,,7,
1083 LSEL,A,LINE,,8,
1084 NSLL,S,1,
1085 DDELE,ALL,TEMP,
1086 LSEL,ALL,
1087 NSEL,ALL,
1088 DK,11,TEMP,(WPTOP(TM_START)),,1,
1089 DK,10,TEMP,(WPSID(TM_START)),,1,
1090 DK, 9,TEMP,(WPBOT(TM_START)),,1,
1091 ASEL,S,MAT,,14,
1092 ESLA,S,
1093 BFE,ALL,HGEN,,(FUEL(TM_START)),
1094 ASEL,ALL,
1095 ESEL,ALL,
1096 TIMINT,OFF,
1097 TIME,2e-6,
1098 AUTOTS,ON,
1099 KBC,0,
1100 SOLVE
1101 /COM,          *****
1102 /COM,          Set time integration parameters
1103 TIMINT,ON,
1104 AUTOTS,ON,
1105 /COM,          Time substep ranges from 10 sec to 1/4 loadstep
1106 NSUBST,10,40,4,ON
1107 /COM,          Begin Transient
1108 /COM,          Apply loads and solve for 0 to .9 years
1109 *DO,TM,TM_START,TME0,TM10
1110     TIME,TM,
1111     ASEL,S,MAT,,14,
1112     ESLA,S,
1113     BFE,ALL,HGEN,,(FUEL(TM)),
1114     ASEL,ALL
1115     ESEL,ALL
1116     DK,11,TEMP,(WPTOP(TM)),,1,
1117     DK,10,TEMP,(WPSID(TM)),,1,
1118     DK, 9,TEMP,(WPBOT(TM)),,1,
1119     SOLVE
1120 *ENDDO
1121 /COM,          Apply loads and solve for 1 to 9 years
1122 *DO,TM,TME1,TME9,TM11
1123     TIME,TM,
1124     ASEL,S,MAT,,14,
1125     ESLA,S,
1126     BFE,ALL,HGEN,,(FUEL(TM)),
1127     ASEL,ALL
1128     ESEL,ALL
1129     DK,11,TEMP,(WPTOP(TM)),,1,
1130     DK,10,TEMP,(WPSID(TM)),,1,
1131     DK, 9,TEMP,(WPBOT(TM)),,1,
1132     SOLVE
1133 *ENDDO
1134 /COM,          Apply loads and solve for 10 to 90 years
1135 *DO,TM,TME10,TME90,TM110
1136     TIME,TM,
1137     ASEL,S,MAT,,14,
1138     ESLA,S,

```



```

1139      BFE,ALL,HGEN,,(FUEL(TM)),
1140      ASEL,ALL
1141      ESEL,ALL
1142      DK,11,TEMP,(WPTOP(TM)),,1,
1143      DK,10,TEMP,(WPSID(TM)),,1,
1144      DK, 9,TEMP,(WPBOT(TM)),,1,
1145      SOLVE
1146 *ENDDO
1147 /COM,          Apply loads and solve for 100 to 1000 years
1148 *DO,TM,TME100,TME1000,TM100
1149      TIME,TM,
1150      ASEL,S,MAT,,14,
1151      ESLA,S,
1152      BFE,ALL,HGEN,,(FUEL(TM)),
1153      ASEL,ALL
1154      ESEL,ALL
1155      DK,11,TEMP,(WPTOP(TM)),,1,
1156      DK,10,TEMP,(WPSID(TM)),,1,
1157      DK, 9,TEMP,(WPBOT(TM)),,1,
1158      SOLVE
1159 *ENDDO
1160 FINISH
1161 SAVE,
1162 /COM,          *****
1163 /COM,          Create element contour plots of solution results
1164 /COM,
1165 /COM,          Sort through solution results for time of max temp.
1166 /POST26,
1167 NSOL,2,(NODE(ACX1,(0.0-ACY1),0.0)),TEMP,,peakclad,
1168 STORE,NEW,
1169 *GET,TMTMAX,VARI,2,EXTREM,TMAX,
1170 FINISH
1171 /POST1,
1172 /COM,          Create temperature contour plots of WP at peak
1173 /RESET
1174 /TRIAD,OFF,
1175 /NUM, 1,
1176 /PNUM,MAT, 1,
1177 /TYPE,HIDP,
1178 /GLINE,,-1,
1179 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1180 ESEL,U,MAT,,7,
1181 SET,NEAR,,,,TMTMAX,
1182 /TITLE, 12 PWR MPC/WP at Time of Peak Temp. (%TMTMAX/3.15576E7% years)
1183 /SHOW,solupk,grph,0,8,
1184 /CONTOUR,1,128,AUTO,
1185 PLNSOL,TEMP,
1186 /COM,          Create temperature contour plots at 10, 50, and 100 yrs
1187 SET,NEAR,,,,TME10,
1188 /TITLE, 12 PWR MPC/WP at 10 years
1189 /SHOW,solu10,grph,0,8,
1190 /CONTOUR,1,128,USER,
1191 PLNSOL,TEMP,
1192 SET,NEAR,,,,TME50,
1193 /TITLE, 12 PWR MPC/WP at 50 years
1194 /SHOW,solu50,grph,0,8,
1195 /CONTOUR,1,128,USER,
1196 PLNSOL,TEMP,
1197 SET,NEAR,,,,TME100,
1198 /TITLE, 12 PWR MPC/WP at 100 years
1199 /SHOW,solu100,grph,0,8,
1200 /CONTOUR,1,128,USER,
1201 PLNSOL,TEMP,
1202 ESEL,ALL,
1203 FINISH
1204 /COM,          *****
1205 /COM,          Print time/temperature output at specific locations
1206 /COM,          Save profile from center to edge
1207 /COM,
1208 /COM,          Variable Legend: A01i000

```

```

1209 /COM,          x = center of waste package
1210 /COM,          f = flux trap plate stainless layer
1211 /COM,          w = flux trap plate SS sheath
1212 /COM,          c = center of assembly
1213 /COM,          h = halfway between center and tube
1214 /COM,          s = inside structural stainless tube layer
1215 /COM,          a = aluminum-born tube layer
1216 /COM,          t = stainless tube cladding
1217 /COM,          g = tube guide
1218 /COM,          m = mpc shell
1219 /COM,          i = inner barrier of DC
1220 /COM,          o = outer barrier of DC
1221 /COM,          ## = ID number of assembly (01 is center)
1222 /COM,          i = side of assembly toward center of WP
1223 /COM,          o = side of assembly toward edge of WP
1224 /COM,          000 = profile center down
1225 /COM,          045 = profile 45 deg down
1226 /COM,          090 = profile center side
1227 /COM,          135 = profile 45 deg up
1228 /COM,          180 = profile center up
1229 /POST26,
1230 NUMVAR,30,
1231 /COM,
1232 /COM, *****
1233 /COM, * Temperature Profile from center to lower right (45 deg.) *
1234 /COM, *****
1235 NSOL, 2,(NODE( 0.0, 0.0,0.0)),TEMP,,x04i045,
1236 NSOL, 3,(NODE( (0.5*FSPAC), (-.5*FSPAC),0.0)),TEMP,,f04i045,
1237 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(-.5*FSPAC-FWALL),0.0)),TEMP,,f04o045,
1238 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(-.5*FSPAC-BCELL),0.0)),TEMP,,w04i045,
1239 NSOL, 6,(NODE( (ACX1-SCELL), (SCELL-ACY1),0.0)),TEMP,,w04o045,
1240 NSOL, 7,(NODE( (ACX1-HCELL), (HCELL-ACY1),0.0)),TEMP,,s04i045,
1241 NSOL, 8,(NODE( (ACX1-QCELL), (QCELL-ACY1),0.0)),TEMP,,h04i045,
1242 NSOL, 9,(NODE( ACX1, (0.0-ACY1),0.0)),TEMP,,c04i045,
1243 NSOL,10,(NODE( (ACX1+QCELL), (0.0-ACY1-QCELL),0.0)),TEMP,,h04o045,
1244 NSOL,11,(NODE( (ACX1+HCELL), (0.0-ACY1-HCELL),0.0)),TEMP,,s04o045,
1245 NSOL,12,(NODE( (ACX1+SCELL), (0.0-ACY1-SCELL),0.0)),TEMP,,a04o045,
1246 NSOL,13,(NODE( (ACX1+ACELL), (0.0-ACY1-ACELL),0.0)),TEMP,,t04i045,
1247 NSOL,14,(NODE( (ACX1+TCELL), (0.0-ACY1-TCELL),0.0)),TEMP,,t04o045,
1248 NSOL,15,(NODE( (GX25-GWALL), (GWALL-GX25),0.0)),TEMP,,g04i045,
1249 NSOL,16,(NODE( GX25, (0.0-GX25),0.0)),TEMP,,g04o045,
1250 NSOL,17,(NODE( MI45, (0.0-MI45),0.0)),TEMP,,m04i045,
1251 NSOL,18,(NODE( MO45, (0.0-MO45),0.0)),TEMP,,m04o045,
1252 NSOL,19,(NODE( DI45, (0.0-DI45),0.0)),TEMP,,i04i045,
1253 NSOL,20,(NODE( DM45, (0.0-DM45),0.0)),TEMP,,i04o045,
1254 NSOL,21,(NODE( DO45, (0.0-DO45),0.0)),TEMP,,o04o045,
1255 /COM,          Add centers of assemblies 5 and 6
1256 NSOL,22,(NODE( ACX2, (0.0-ACY1),0.0)),TEMP,,c05i045,
1257 NSOL,23,(NODE( ACX1, (0.0-ACY3),0.0)),TEMP,,c06i045,
1258 PRVAR, 2, 3, 4, 5, 6, 7,
1259 PRVAR, 8, 9,10,11,12,13,
1260 PRVAR,14,15,16,17,18,19,
1261 PRVAR,20,21,22,23,
1262 /COM,
1263 /COM, *****
1264 /COM, * Temperature Profile from center to upper right (135 deg.) *
1265 /COM, *****
1266 NSOL, 2,(NODE( 0.0, 0.0,0.0)),TEMP,,x01i135,
1267 NSOL, 3,(NODE( (0.5*FSPAC), (0.5*FSPAC),0.0)),TEMP,,f01i135,
1268 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(0.5*FSPAC+FWALL),0.0)),TEMP,,f01o135,
1269 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(0.5*FSPAC+BCELL),0.0)),TEMP,,w01i135,
1270 NSOL, 6,(NODE( (ACX1-SCELL), (ACY1-SCELL),0.0)),TEMP,,w01o135,
1271 NSOL, 7,(NODE( (ACX1-HCELL), (ACY1-HCELL),0.0)),TEMP,,s01i135,
1272 NSOL, 8,(NODE( (ACX1-QCELL), (ACY1-QCELL),0.0)),TEMP,,h01i135,
1273 NSOL, 9,(NODE( ACX1, ACY1,0.0)),TEMP,,c01i135,
1274 NSOL,10,(NODE( (ACX1+QCELL), (ACY1+QCELL),0.0)),TEMP,,h01o135,
1275 NSOL,11,(NODE( (ACX1+HCELL), (ACY1+HCELL),0.0)),TEMP,,s01o135,
1276 NSOL,12,(NODE( (ACX1+SCELL), (ACY1+SCELL),0.0)),TEMP,,a01o135,
1277 NSOL,13,(NODE( (ACX1+ACELL), (ACY1+ACELL),0.0)),TEMP,,t01i135,
1278 NSOL,14,(NODE( (ACX1+TCELL), (ACY1+TCELL),0.0)),TEMP,,t01o135,

```

```

1279 NSOL,15,(NODE(      (GX25-GWALL),      (GX25-GWALL),0.0)),TEMP,,g01i135,
1280 NSOL,16,(NODE(      GX25,      GX25,0.0)),TEMP,,g01o135,
1281 NSOL,17,(NODE(      MI45,      MI45,0.0)),TEMP,,m01i135,
1282 NSOL,18,(NODE(      MO45,      MO45,0.0)),TEMP,,m01o135,
1283 NSOL,19,(NODE(      DI45,      DI45,0.0)),TEMP,,i01i135,
1284 NSOL,20,(NODE(      DM45,      DM45,0.0)),TEMP,,i01o135,
1285 NSOL,21,(NODE(      DO45,      DO45,0.0)),TEMP,,o01o135,
1286 /COM,      Add centers of assemblies 2 and 3
1287 NSOL,22,(NODE(      ACX2,      ACY2,0.0)),TEMP,,c02i135,
1288 NSOL,23,(NODE(      ACX3,      ACY3,0.0)),TEMP,,c03i135,
1289 PRVAR, 2, 3, 4, 5, 6, 7,
1290 PRVAR, 8, 9,10,11,12,13,
1291 PRVAR,14,15,16,17,18,19,
1292 PRVAR,20,21,22,23,
1293 /COM,
1294 FINISH
1295 /COM,      *****
1296 /COM,      End of batch input file
1297 /COM,      *****
1298 /EXIT,
1299 /EOF

```

RUN SETUP PROCEDURE FROM FILE= /ansys50a/docu/start.ans

```

/INPUT FILE= /ansys50a/docu/start.ans LINE=      0
*****
ANSYS STARTUP FILE start.ans
*****

```

```

ABBREVIATION= K1      /pnum,kp ,1,
ABBREVIATION= K0      /pnum,kp ,0,
ABBREVIATION= L1      /pnum,line,1,
ABBREVIATION= L0      /pnum,line,0,
ABBREVIATION= A1      /pnum,area,1,
ABBREVIATION= A0      /pnum,area,0,
ABBREVIATION= V1      /pnum,volu,1,
ABBREVIATION= V0      /pnum,volu,0,
ABBREVIATION= N1      /pnum,node,1,
ABBREVIATION= N0      /pnum,node,0,
ABBREVIATION= E1      /pnum,elem,1,
ABBREVIATION= E0      /pnum,elem,0,
ABBREVIATION= M1      /pnum,mat ,1,
ABBREVIATION= M0      /pnum,mat ,0,
ABBREVIATION= R1      /pnum,real,1,
ABBREVIATION= R0      /pnum,real,0,
ABBREVIATION= T1      /pnum,type,1,
ABBREVIATION= T0      /pnum,type,0,
ABBREVIATION= C1      /number,1,
ABBREVIATION= C0      /number,0,
ABBREVIATION= INP      /input,,inp,

```

ABBREVIATION= X3D /show,3d,
 ABBREVIATION= X11 /show,x11,
 ABBREVIATION= VEC /show,,1,
 ABBREVIATION= RAS /show,,0,
 ABBREVIATION= ON /menu,on,
 ABBREVIATION= OFF /menu,off,
 ABBREVIATION= NVP /config,nvpag,512,
 ABBREVIATION= QUIT /exit,nosav,
 XYZ TRIAD DISPLAY SET TO OFF

VIEW CONE ANGLE FOR WINDOW 1 25.00

 END start.ans

To start ANSYS menu:

type: x3d for console
 x11 for X-term

type: on

 ANSYS REVISION 5.0A 3/31/1995
 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III

*
 * File name: ma12x3.inp *
 * 12 PWR MPC with High T.L. Disposal Container *
 * Helium Fill Gas *
 *
 * Material Property file: props01.dat *
 *
 * SNF Conductivity file: pwr15e.parm *
 * 15x15 Mark-B4 PWR SNF Assembly *
 *
 * SNF Heat Loads file: snf1048.dat *
 * SNF Type: 10 years old, 48 GWD/MTU *
 *
 * Surface Temp. file: c12x5a.parm *
 * 100 MTU/acre (24.7 kgU/m²) AML (High Thermal Loading) *
 * 5.0 m Diameter Drift with Concrete Invert *
 * Drift spacing = 22.5 m *
 * WP c/c spacing = 9.237 m *
 *

 Increase the number of database pages from 16 (256) to 32 Mb

NUMBER OF DATA BASE PAGES IN MEMORY(NVPAGE)= 512

Work space must also be increased (-m 64)

TITLE=

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

SI UNITS SPECIFIED

LENGTH = METERS(M)
 MASS = KILOGRAMS(KG)
 TIME = SECONDS(SEC)
 TEMPERATURE = CENTIGRADE

CURRENT = AMPS

Read in average effective conductivities from SNF model

*** NOTE *** CP= .610 TIME= 20:43:52
Restore ANSYS parameters from file= pwr15e.parm.

/INPUT FILE= pwr15e.parm LINE= 0

PRINTOUT RESUMED BY /GOP
Read in surface temps. from repository model

*** NOTE *** CP= .780 TIME= 20:43:52
Restore ANSYS parameters from file= c12x5a.parm.

/INPUT FILE= c12x5a.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Define MPC/waste package parameters
(MPC dimensions converted from inches to meters)

MIRAD = inner radius of MPC shell (m)
MWALL = MPC shell thickness (m)
DCRAD = disposal container outer radius (m)
OWALL = outer barrier thickness (m)
IWALL = inner barrier thickness (m)
GCORN = corner guide width (m)
GLENW = side guide total width (m)
GLENH = side guide total height (m)
GWALL = guide thickness (m)
HCELL = 1/2 of basket cell opening (m)
SWALL = stainless tube thickness (m)
AWALL = Al/boron tube thickness (m)
FLENT = flux trap plate length (m)
FWALL = flux trap plate stainless thickness (m)
BWALL = flux trap plate Al/boron thickness (m)
TWALL = flux trap plate SS sheath thickness (m)
FSPAC = flux trap plate spacer width (m)
TSPAC = tube/tube spacer width (m)
ACTVL = active fuel length
PEAKF = assembly heat axial peaking factor

PARAMETER PI = 3.141593
PARAMETER MIRAD = .6079490
PARAMETER MWALL = .2222500E-01
PARAMETER DCRAD = .7652500
PARAMETER OWALL = .1000000
PARAMETER IWALL = .2000000E-01
PARAMETER GCORN = .2561844
PARAMETER GLENW = .2142236
PARAMETER GLENH = .6339840E-01
PARAMETER GWALL = .9525000E-02
PARAMETER HCELL = .1143000
PARAMETER SWALL = .2387600E-02
PARAMETER AWALL = .2717800E-02
PARAMETER FLENT = .5883656

PARAMETER FWALL = .1270000E-01
 PARAMETER BWALL = .6350000E-02
 PARAMETER TWALL = .2387600E-02
 PARAMETER FSPAC = .2540000E-01
 PARAMETER TSPAC = .2504440E-01
 PARAMETER ACTVL = 3.601720
 PARAMETER PEAKF = 1.250000

Define calculated parameters

ASSY = assembly heat production (W) f(yrs)
 FUEL = volumetric heat production (W/m3) f(yrs)
 FVOLL = assy_volume=cell_width^2*active_length
 Q2 = side guide x coord. (see sketch)
 GX## = x coord. of guide/shell contact (kp##)
 GY## = y coord. of guide/shell contact (kp##)
 ACX# = x coord. of center of assembly #
 ACY# = y coord. of center of assembly #
 TM_START = start time (sec)
 TMI* = time increment for solution (sec)
 TME* = start and stop for time do-loops (sec)
 Note: 1 year = 3.15576e7 seconds
 QCELL = 1/4 of basket cell opening (m)
 SCELL = 1/2 of basket cell opening+SS wall(m)
 ACELL = 1/2 of basket cell opening+SS+AL (m)
 MI45 = x coord. MIRAD at 45 deg.
 MO45 = x coord. MIRAD+MWALL at 45 deg.
 DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
 DM45 = x coord. DCRAD-OWALL at 45 deg.
 DO45 = x coord. DCRAD at 45 deg.
 TMTMAX = time of maximum cladding temperature

ARRAY PARAMETER ASSY DELETED.

SET PARAMETER DIMENSIONS ON ASSY TYPE=TABL DIMENSIONS= 101 1 1

SET PARAMETER DIMENSIONS ON FUEL TYPE=TABL DIMENSIONS= 101 1 1

PARAMETER FVOLL = .1882185
 PARAMETER Q2 = .5002134E-01
 PARAMETER GX22 = .4049634E-01
 PARAMETER GY22 = .6065987
 PARAMETER GX23 = .5002134E-01
 PARAMETER GY23 = .6058877
 PARAMETER GX24 = .2547199
 PARAMETER GY24 = .5520143
 PARAMETER GTMP = .2466594
 PARAMETER GX25 = .2884843
 PARAMETER GY25 = .5351437
 PARAMETER ACX1 = .1508252
 PARAMETER ACY1 = .1508252

PARAMETER ACX2 = .4194556
 PARAMETER ACY2 = .1508252
 PARAMETER ACX3 = .1508252
 PARAMETER ACY3 = .4194556
 PARAMETER TM_START = 31.55760
 PARAMETER TM10 = 3155760.
 PARAMETER TM11 = .3155760E+08
 PARAMETER TM110 = .3155760E+09
 PARAMETER TM1100 = .3155760E+10
 PARAMETER TM11000 = .3155760E+11
 PARAMETER TME0 = .2840187E+08
 PARAMETER TME1 = .3155763E+08
 PARAMETER TME9 = .2840184E+09
 PARAMETER TME10 = .3155760E+09
 PARAMETER TME50 = .1577880E+10
 PARAMETER TME90 = .2840184E+10
 PARAMETER TME100 = .3155760E+10
 PARAMETER TME1000 = .3155760E+11
 PARAMETER BCELL = .1905000E-01
 PARAMETER QCELL = .5715000E-01
 PARAMETER SCELL = .1166876
 PARAMETER ACELL = .1194054
 PARAMETER TCELL = .1217930
 PARAMETER MI45 = .4298849
 PARAMETER MO45 = .4456003
 PARAMETER DI45 = .4562607
 PARAMETER DM45 = .4704028
 PARAMETER DO45 = .5411135

Define different element types

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:43:53 APR 01, 1995 CP= 1.550
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE 1 IS PLANE55 2-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
TWO-DIMENSIONAL MODEL

ELEMENT TYPE 2 IS SOLID70 3-D THERMAL SOLID
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 7 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 16 IS SHELL57 THERMAL SHELL
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 17 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 18 IS MATRIX50 SUBSTRUCTURE MATRIX
KEYOPT(1-12)= 1 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 19 IS LINK31 RADIATION LINK
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 27 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

File props01.dat describes material properties
and thier reference numbers

READ IN MATERIAL PROPERTY LIBRARY FROM FILE= props01.dat

/INPUT FILE= props01.dat LINE= 0

** ANSYS 5.0 MPC MATERIAL PROPERTY TABLES **

** Filename: props01.dat **
** Compiled by R. Bahney III on 1-30-95 **

NUMBER	MATERIAL	DESCRIPTION
1	Stainless Steel 316	Basket Structural Support
2	Incaloy 825	Inner Container (resistant)
3	A516 Mild Steel	Outer Container (allowance)
4	UO2 Pellet	SNF Uranium Oxide Pellet
5	Zircaloy 4	SNF Cladding
6	Oxidation Layer	Stably Oxidized Zircaloy Surface
7	Helium	Canister Fill Gas
8	Air	Alternate Fill Gas
9	Nitrogen	Alternate Fill Gas
10	Argon	Alternate Fill Gas

11	Aluminum 6063	Thermal Conductor
12	Copper	Alternate Thermal Conductor
13	Aluminum-Boron	Aluminum Boron Criticality Matl

```

*****
**      Density:      DENS      (kg/m^3)      **
**      Emissivity    EMIS      **
**      Conductivity: KXX      (W/m/K)      **
**      Specific Heat: C      (J/kg/K)      **
*****

```

Define densities for all materials except gases

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 1 NUM. POINTS= 1
SLOC= 1 8000.000

PROPERTY TABLE DENS MAT= 2 NUM. POINTS= 1
SLOC= 1 8137.900

PROPERTY TABLE DENS MAT= 3 NUM. POINTS= 1
SLOC= 1 8131.000

PROPERTY TABLE DENS MAT= 4 NUM. POINTS= 1
SLOC= 1 10970.00

PROPERTY TABLE DENS MAT= 5 NUM. POINTS= 1
SLOC= 1 6500.000

PROPERTY TABLE DENS MAT= 6 NUM. POINTS= 1
SLOC= 1 6500.000

PROPERTY TABLE DENS MAT= 11 NUM. POINTS= 1
SLOC= 1 2690.000

PROPERTY TABLE DENS MAT= 12 NUM. POINTS= 1
SLOC= 1 8933.000

PROPERTY TABLE DENS MAT= 13 NUM. POINTS= 1
SLOC= 1 2693.000

Define emissivities for all materials except gases

PROPERTY TABLE EMIS MAT= 1 NUM. POINTS= 1
SLOC= 1 .6000000

PROPERTY TABLE EMIS MAT= 2 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 3 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 4 NUM. POINTS= 1
SLOC= 1 .7900000

PROPERTY TABLE EMIS MAT= 5 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 6 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 11 NUM. POINTS= 1
SLOC= 1 .7000000E-01

PROPERTY TABLE EMIS MAT= 12 NUM. POINTS= 1
SLOC= 1 .5000000

PROPERTY TABLE EMIS MAT= 13 NUM. POINTS= 1
SLOC= 1 .7000000E-01

Define specific heat for matl. 4, 5, 6, 7, 11, 14, 15

PROPERTY TABLE C MAT= 4 NUM. POINTS= 1
SLOC= 1 247.0000

PROPERTY TABLE C MAT= 5 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 6 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 7 NUM. POINTS= 1
SLOC= 1 5193.000

PROPERTY TABLE C MAT= 11 NUM. POINTS= 1
SLOC= 1 900.0000

Define K and C for materials 1, 3

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 21.11000 37.78000 65.56000
93.33000 121.1100 148.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 176.6700 204.4400 232.2200
260.0000 287.7800 315.5600

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
SLOC= 13 343.3300 371.1100 398.8900
426.6700 454.4400 482.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
SLOC= 19 510.0000 537.7800 565.5600
593.3300 621.1100 648.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
SLOC= 25 676.6700 704.4400 732.2200
760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 6
SLOC= 1 13.33000 13.67000 14.19000 14.54000
15.06000 15.58000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 12
SLOC= 7 15.92000 16.44000 16.96000 17.31000
17.83000 18.17000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 18
SLOC= 13 18.52000 19.04000 19.38000 19.90000
20.25000 20.77000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 24
SLOC= 19 21.11000 21.46000 21.98000 22.33000
22.67000 23.02000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 30
SLOC= 25 23.54000 23.88000 24.23000 24.58000
24.92000 25.27000

PROPERTY TABLE C MAT= 1 NUM. POINTS= 6
SLOC= 1 481.6800 486.9200 498.0900 499.3800
509.9800 520.2900

PROPERTY TABLE C MAT= 1 NUM. POINTS= 12

SLOC= 7	521.0700 543.0200	527.3800 543.3100	536.9200	537.3400
PROPERTY TABLE C MAT= 1 NUM. POINTS= 18				
SLOC= 13	546.9100 557.2500	552.1400 565.1100	552.2600	557.2200
PROPERTY TABLE C MAT= 1 NUM. POINTS= 24				
SLOC= 19	565.0100 574.9200	564.9100 574.6800	572.3500	572.1400
PROPERTY TABLE C MAT= 1 NUM. POINTS= 30				
SLOC= 25	581.6400 585.9600	581.3000 588.3900	583.8600	586.3600
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 6				
SLOC= 1	40.84000 42.23000	41.36000 42.23000	41.88000	42.23000
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 12				
SLOC= 7	42.06000 40.50000	41.88000 39.98000	41.36000	41.02000
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 18				
SLOC= 13	39.29000 36.69000	38.77000 36.17000	38.08000	37.56000
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 24				
SLOC= 19	35.48000 32.36000	34.61000 31.50000	33.92000	33.23000
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 30				
SLOC= 25	30.29000 26.13000	28.90000 26.13000	27.35000	26.48000
PROPERTY TABLE C MAT= 3 NUM. POINTS= 6				
SLOC= 1	428.7200 486.0800	444.9500 495.6600	460.9400	476.8700
PROPERTY TABLE C MAT= 3 NUM. POINTS= 12				
SLOC= 7	506.0900 543.6300	517.0700 550.6200	525.6400	536.9900
PROPERTY TABLE C MAT= 3 NUM. POINTS= 18				
SLOC= 13	562.2100 611.3500	577.3200 629.0900	589.1000	600.5700
PROPERTY TABLE C MAT= 3 NUM. POINTS= 24				
SLOC= 19	645.3200 724.0700	665.1200 761.9500	682.0700	694.5200
PROPERTY TABLE C MAT= 3 NUM. POINTS= 30				
SLOC= 25	806.3100 808.6800	888.6000 736.9000	1095.040	1638.780

Define K for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***

SLOC= 1	93.33000 176.6700	121.1100 204.4400	148.8900 232.2200
---------	----------------------	----------------------	----------------------

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***

SLOC= 7	260.0000 343.3300	287.7800 371.1100	315.5600 398.8900
---------	----------------------	----------------------	----------------------

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***

SLOC= 13	426.6700 510.0000	454.4400 537.7800	482.2200 565.5600
----------	----------------------	----------------------	----------------------

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
 SLOC= 19 593.3300 621.1100 648.8900
 676.6700 704.4400 732.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 27 ***
 SLOC= 25 760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 6
 SLOC= 1 12.29000 12.63000 13.15000 13.67000
 14.02000 14.54000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 12
 SLOC= 7 14.88000 15.40000 15.75000 16.10000
 16.61000 16.96000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 18
 SLOC= 13 17.31000 17.65000 18.00000 18.52000
 18.86000 19.21000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 24
 SLOC= 19 19.73000 20.08000 20.42000 20.94000
 21.46000 21.98000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 27
 SLOC= 25 22.33000 23.02000 23.54000

Define C for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 93.33000 121.1100 148.8900
 176.6700 204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 260.0000 287.7800 315.5600
 343.3300 371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 17 ***
 SLOC= 13 426.6700 454.4400 482.2200
 510.0000 537.7800

PROPERTY TABLE C MAT= 2 NUM. POINTS= 6
 SLOC= 1 460.6900 477.4200 501.0200 504.6500
 498.1200 520.4500

PROPERTY TABLE C MAT= 2 NUM. POINTS= 12
 SLOC= 7 536.8800 559.8500 576.8300 576.2100
 581.6800 598.2000

PROPERTY TABLE C MAT= 2 NUM. POINTS= 17
 SLOC= 13 619.5800 636.7600 654.2000 678.2500
 696.2900

Define K for materials 4, 5, 6

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 .0000000E+00 10.00000 20.00000
 30.00000 40.00000 50.00000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 60.00000 70.00000 80.00000
 90.00000 100.0000 110.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
 SLOC= 13 120.0000 130.0000 140.0000

150.0000 160.0000 170.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***

SLOC= 19 180.0000 190.0000 200.0000
210.0000 220.0000 230.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***

SLOC= 25 240.0000 250.0000 260.0000
270.0000 280.0000 290.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 36 ***

SLOC= 31 300.0000 310.0000 320.0000
330.0000 340.0000 350.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 42 ***

SLOC= 37 360.0000 370.0000 380.0000
390.0000 400.0000 410.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 48 ***

SLOC= 43 420.0000 430.0000 440.0000
450.0000 460.0000 470.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 50 ***

SLOC= 48 480.0000 490.0000 500.0000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 6
SLOC= 1 8.720000 8.540000 8.360000 8.190000
8.030000 7.870000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 12
SLOC= 7 7.720000 7.580000 7.440000 7.310000
7.180000 7.050000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 18
SLOC= 13 6.930000 6.820000 6.700000 6.600000
6.490000 6.390000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 24
SLOC= 19 6.290000 6.190000 6.100000 6.010000
5.920000 5.840000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 30
SLOC= 25 5.760000 5.680000 5.600000 5.520000
5.450000 5.380000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 36
SLOC= 31 5.310000 5.240000 5.180000 5.110000
5.050000 4.990000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 42
SLOC= 37 4.930000 4.870000 4.810000 4.760000
4.700000 4.650000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 48
SLOC= 43 4.600000 4.550000 4.500000 4.450000
4.400000 4.350000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 50
SLOC= 48 4.310000 4.270000 4.220000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 6
SLOC= 1 12.29000 12.44000 12.58000 12.72000
12.87000 13.01000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 12
SLOC= 7 13.15000 13.28000 13.42000 13.55000
13.69000 13.82000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 18

SLOC= 13 13.95000 14.08000 14.21000 14.34000
14.46000 14.59000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 24
SLOC= 19 14.72000 14.84000 14.96000 15.09000
15.21000 15.33000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 30
SLOC= 25 15.45000 15.57000 15.69000 15.81000
15.93000 16.05000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 36
SLOC= 31 16.17000 16.29000 16.40000 16.52000
16.64000 16.76000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 42
SLOC= 37 16.88000 16.99000 17.11000 17.23000
17.35000 17.46000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 48
SLOC= 43 17.58000 17.70000 17.82000 17.94000
18.06000 18.18000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 50
SLOC= 48 18.30000 18.42000 18.54000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 6
SLOC= 1 1.940000 1.940000 1.940000 1.940000
1.940000 1.940000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 12
SLOC= 7 1.940000 1.950000 1.950000 1.950000
1.950000 1.950000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 18
SLOC= 13 1.950000 1.950000 1.960000 1.960000
1.960000 1.960000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 24
SLOC= 19 1.960000 1.970000 1.970000 1.970000
1.970000 1.980000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 30
SLOC= 25 1.980000 1.980000 1.980000 1.990000
1.990000 1.990000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 36
SLOC= 31 2.000000 2.000000 2.000000 2.010000
2.010000 2.010000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 42
SLOC= 37 2.020000 2.020000 2.020000 2.030000
2.030000 2.030000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 48
SLOC= 43 2.040000 2.040000 2.040000 2.050000
2.050000 2.060000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 50
SLOC= 48 2.060000 2.060000 2.070000

Define p, K, C for materials 7, 8, 9, ~10

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 -13.15000 6.850000 26.85000
76.85000 126.8500 176.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***

SLOC= 7 226.8500 276.8500 326.8500
376.8500 426.8500 476.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 15 ***
SLOC= 13 526.8500 626.8500 726.8500

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 6
SLOC= 1 .1875000 .1750000 .1625000 .1422000
.1219000 .1097000

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 12
SLOC= 7 .9750000E-01 .9060000E-01 .8360000E-01 .7670000E-01
.6970000E-01 .6620000E-01

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 15
SLOC= 13 .6270000E-01 .5580000E-01 .4880000E-01

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 6
SLOC= 1 .1370000 .1450000 .1520000 .1700000
.1870000 .2040000

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 12
SLOC= 7 .2200000 .2360000 .2520000 .2640000
.2780000 .2910000

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 15
SLOC= 13 .3040000 .3300000 .3540000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 6
SLOC= 1 1.348000 1.254700 1.161400 .9950000
.8711000 .7740000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 12
SLOC= 7 .6964000 .6329000 .5804000 .5356000
.4975000 .4643000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 15
SLOC= 13 .4354000 .3868000 .3482000

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 6
SLOC= 1 .2300000E-01 .2500000E-01 .2600000E-01 .3000000E-01
.3400000E-01 .3700000E-01

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 12
SLOC= 7 .4100000E-01 .4400000E-01 .4700000E-01 .5000000E-01
.5200000E-01 .5500000E-01

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 15
SLOC= 13 .5700000E-01 .6200000E-01 .6700000E-01

PROPERTY TABLE C MAT= 8 NUM. POINTS= 6
SLOC= 1 1006.200 1006.600 1007.000 1009.000
1014.000 1021.000

PROPERTY TABLE C MAT= 8 NUM. POINTS= 12
SLOC= 7 1030.000 1040.000 1051.000 1063.000
1075.000 1087.000

PROPERTY TABLE C MAT= 8 NUM. POINTS= 15
SLOC= 13 1099.000 1121.000 1141.000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 6
SLOC= 1 1.303700 1.213500 1.123300 .9625000
.8425000 .7485000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 12
SLOC= 7 .6739000 .6124000 .5615000 .5214000
.4812000 .4512000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 15
SLOC= 13 .4211000 .3743000 .3368000

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 6
SLOC= 1 .2300000E-01 .2400000E-01 .2600000E-01 .2900000E-01
.3300000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 12
SLOC= 7 .3900000E-01 .4200000E-01 .4500000E-01 .4700000E-01
.5000000E-01 .5200000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 15
SLOC= 13 .5500000E-01 .6000000E-01 .6500000E-01

PROPERTY TABLE C MAT= 9 NUM. POINTS= 6
SLOC= 1 1041.800 1041.400 1041.000 1042.000
1045.000 1050.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 12
SLOC= 7 1056.000 1065.000 1075.000 1086.500
1098.000 1159.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 15
SLOC= 13 1220.000 1146.000 1167.000

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 6
SLOC= 1 .1700000E-01 .1700000E-01 .1800000E-01 .2100000E-01
.2300000E-01 .2500000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 12
SLOC= 7 .2700000E-01 .2800000E-01 .3000000E-01 .3200000E-01
.3400000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 15
SLOC= 13 .3700000E-01 .4100000E-01 .4400000E-01

Define K and C for material 12

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 -73.15000 26.85000 126.8500
326.8500 526.8500 726.8500

PROPERTY TABLE KXX MAT= 12 NUM. POINTS= 6
SLOC= 1 413.0000 401.0000 393.0000 379.0000
366.0000 352.0000

PROPERTY TABLE C MAT= 12 NUM. POINTS= 6
SLOC= 1 356.0000 385.0000 397.0000 417.0000
433.0000 451.0000

Define K and C for material 13

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 5 ***
SLOC= 1 23.00000 50.00000 100.0000
150.0000 200.0000

PROPERTY TABLE KXX MAT= 13 NUM. POINTS= 5
SLOC= 1 182.5600 190.1700 199.2200 202.9100
203.7200

PROPERTY TABLE C MAT= 13 NUM. POINTS= 5
SLOC= 1 868.0000 903.0000 946.0000 976.0000
998.0000

** End of Material Property List **

Read in single assembly heat loads
Calculate the volumetric heat generation
(Assembly time is in years, FUEL is in seconds)

/INPUT FILE= snf1048.dat LINE= 0

** History of SNF Assembly Heat Generation Rates **
** Output of PHIA, SCSI: B000000000-01717-1200-3000X Rev.00B **
** Executable File Name: PHIA00B.EXE **
** Output File Name: snf1048.dat **
** Execution Date: 02/24/95 **
** Start Age (years): 10.0 **
** Decay Period (years): 10000 **
** Enrichment (percent): 4.20 **
** Burnup (Mwd/MTU): 48086 **
** Assembly Type: PWR **
** SNF U Mass (MTU/assy): 0.464 **
**
** ASSY(#,1) is the SNF assembly heat in Watts. **
** ASSY(#,0) is the time post emplacement in years. **

PARAMETER ASSY(1,1) =	850.0100 848.4600	849.6200 848.0800	849.2300	848.8500
PARAMETER ASSY(7,1) =	847.6900 846.1600	847.3100 844.2600	846.9300	846.5400
PARAMETER ASSY(13,1) =	842.3700 834.9500	840.5000 833.1300	838.6300	836.7900
PARAMETER ASSY(19,1) =	831.3200 824.2000	829.5200 822.4500	827.7400	825.9600
PARAMETER ASSY(25,1) =	820.7200 813.8800	818.9900 799.0100	817.2800	815.5700
PARAMETER ASSY(31,1) =	785.0300 738.5700	772.2000 729.5500	760.0600	749.0400
PARAMETER ASSY(37,1) =	720.9500 683.8600	710.2700 676.0300	700.0700	691.8000
PARAMETER ASSY(43,1) =	668.5000 642.5500	661.1300 580.1800	654.0400	648.1900
PARAMETER ASSY(49,1) =	529.8600 380.7000	484.5200 352.1900	445.3600	410.5100
PARAMETER ASSY(55,1) =	327.7800 252.6500	305.8800 238.3100	286.2200	268.5700
PARAMETER ASSY(61,1) =	225.3500 185.0400	213.6600 130.6600	203.8500	193.7500
PARAMETER ASSY(67,1) =	105.0700 66.61000	90.10000 61.74000	80.32000	72.66000
PARAMETER ASSY(73,1) =	57.58000 44.98000	53.71000 42.50000	50.41000	47.54000
PARAMETER ASSY(79,1) =	40.31000 33.52000	38.35000 23.16000	36.59000	35.00000
PARAMETER ASSY(85,1) =	18.32000 12.84000	15.77000 12.37000	14.37000	13.53000
PARAMETER ASSY(91,1) =	11.96000	11.47000	11.04000	10.66000

	10.32000	9.970000		
PARAMETER ASSY(97,1) =	9.650000 8.610000	9.360000	9.090000	8.840000
PARAMETER ASSY(1,0) =	.1000000E-05 .4000000E-01	.1000000E-01 .5000000E-01	.2000000E-01	.3000000E-01
PARAMETER ASSY(7,0) =	.6000000E-01 .1000000	.7000000E-01 .1500000	.8000000E-01	.9000000E-01
PARAMETER ASSY(13,0) =	.2000000 .4000000	.2500000 .4500000	.3000000	.3500000
PARAMETER ASSY(19,0) =	.5000000 .7000000	.5500000 .7500000	.6000000	.6500000
PARAMETER ASSY(25,0) =	.8000000 1.000000	.8500000 1.500000	.9000000	.9500000
PARAMETER ASSY(31,0) =	2.000000 4.000000	2.500000 4.500000	3.000000	3.500000
PARAMETER ASSY(37,0) =	5.000000 7.000000	5.500000 7.500000	6.000000	6.500000
PARAMETER ASSY(43,0) =	8.000000 10.00000	8.500000 15.00000	9.000000	9.500000
PARAMETER ASSY(49,0) =	20.00000 40.00000	25.00000 45.00000	30.00000	35.00000
PARAMETER ASSY(55,0) =	50.00000 70.00000	55.00000 75.00000	60.00000	65.00000
PARAMETER ASSY(61,0) =	80.00000 100.0000	85.00000 150.0000	90.00000	95.00000
PARAMETER ASSY(67,0) =	200.0000 400.0000	250.0000 450.0000	300.0000	350.0000
PARAMETER ASSY(73,0) =	500.0000 700.0000	550.0000 750.0000	600.0000	650.0000
PARAMETER ASSY(79,0) =	800.0000 1000.000	850.0000 1500.000	900.0000	950.0000
PARAMETER ASSY(85,0) =	2000.000 4000.000	2500.000 4500.000	3000.000	3500.000
PARAMETER ASSY(91,0) =	5000.000 7000.000	5500.000 7500.000	6000.000	6500.000
PARAMETER ASSY(97,0) =	8000.000 10000.00	8500.000	9000.000	9500.000

PARAMETER ASSY(0,1) = 1.000000

FACTOR ON VECTOR OPERATION RESULT= .31558E+08
FACTOR ON FIRST VECTOR PARAMETER = 1.0000
FACTOR ON SECOND VECTOR PARAMETER= 1.0000
FACTOR ON THIRD VECTOR PARAMETER = 1.0000

MATRIX COPY RESULT MATRIX= FUEL(1,0)
INPUT MATRIX= ASSY(1,0)
INPUT MATRIX SIZE= 101 ROWS BY 2 COLUMNS
RESULT MATRIX SIZE= 101 ROWS BY 2 COLUMNS

FACTOR ON VECTOR OPERATION RESULT= 6.6412

FACTOR ON FIRST VECTOR PARAMETER = 1.0000
FACTOR ON SECOND VECTOR PARAMETER= 1.0000
FACTOR ON THIRD VECTOR PARAMETER = 1.0000

VECTOR PARAMETER OPERATION *VFUN
FUEL(1) = COPY ASSY(1)
SCALE FACTORS RESULT= 6.6412 INPUT= 1.0000
VECTOR LENGTH= 101

PARAMETER FUEL(0,1) = 1.000000

Define new material 14 for SNF effective conductivity
Density: DENS (kg/m^3)
Conductivity: KXX (W/m/K)
Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 14 NUM. POINTS= 1
SLOC= 1 3960.040

PROPERTY TABLE C MAT= 14 NUM. POINTS= 1
SLOC= 1 274.0000
Store average effective conductivities

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 25.00000

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
SLOC= 2 50.00000

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 1
SLOC= 1 .4617156

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 2
SLOC= 2 .5036997

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

Construct geometry for Disposal Container

Define center and axis keypoints for waste package
Also, create placeholder keypoints and lines

(K's 1,2,3,4,5,6,7,8)
(L's 1,2,3,4)

KEYPOINT	1	X,Y,Z=	.000000E+00	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	2	X,Y,Z=	.000000E+00	.000000E+00	1.00000	IN CSYS= 0
KEYPOINT	3	X,Y,Z=	.000000E+00	.000000E+00	1.30000	IN CSYS= 0
KEYPOINT	4	X,Y,Z=	.000000E+00	.000000E+00	1.40000	IN CSYS= 0
KEYPOINT	5	X,Y,Z=	.000000E+00	.000000E+00	1.50000	IN CSYS= 0
KEYPOINT	6	X,Y,Z=	.000000E+00	.000000E+00	1.60000	IN CSYS= 0
KEYPOINT	7	X,Y,Z=	.000000E+00	.000000E+00	1.70000	IN CSYS= 0
KEYPOINT	8	X,Y,Z=	.000000E+00	.000000E+00	1.80000	IN CSYS= 0

LINE CONNECTS KEYPOINTS		3	4			
LINE NO.=	1	KP1=	3	TAN1=	.0000	.0000 -1.0000
		KP2=	4	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		4	5			
LINE NO.=	2	KP1=	4	TAN1=	.0000	.0000 -1.0000
		KP2=	5	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		5	6			
LINE NO.=	3	KP1=	5	TAN1=	.0000	.0000 -1.0000
		KP2=	6	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		6	7			
LINE NO.=	4	KP1=	6	TAN1=	.0000	.0000 -1.0000
		KP2=	7	TAN2=	.0000	.0000 1.0000

Define disposal container and MPC outer radius
(K's 9,10,11,12,13,14,15,16,17,18,19,20)
(L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
(A's 1,2,3,4,5,6)

KEYPOINT	9	X,Y,Z=	.000000E+00	-.765250	.000000E+00	IN CSYS= 0
KEYPOINT	10	X,Y,Z=	.765250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	11	X,Y,Z=	.000000E+00	.765250	.000000E+00	IN CSYS= 0
KEYPOINT	12	X,Y,Z=	.000000E+00	-.665250	.000000E+00	IN CSYS= 0
KEYPOINT	13	X,Y,Z=	.665250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	14	X,Y,Z=	.000000E+00	.665250	.000000E+00	IN CSYS= 0
KEYPOINT	15	X,Y,Z=	.000000E+00	-.645250	.000000E+00	IN CSYS= 0
KEYPOINT	16	X,Y,Z=	.645250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	17	X,Y,Z=	.000000E+00	.645250	.000000E+00	IN CSYS= 0
KEYPOINT	18	X,Y,Z=	.000000E+00	-.630174	.000000E+00	IN CSYS= 0
KEYPOINT	19	X,Y,Z=	.630174	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	20	X,Y,Z=	.000000E+00	.630174	.000000E+00	IN CSYS= 0

LINE CONNECTS KEYPOINTS		10	13			
LINE NO.=	5	KP1=	10	TAN1=	1.0000	.0000 .0000
		KP2=	13	TAN2=	-1.0000	.0000 .0000

LINE CONNECTS KEYPOINTS		13	16			
LINE NO.=	6	KP1=	13	TAN1=	1.0000	.0000 .0000
		KP2=	16	TAN2=	-1.0000	.0000 .0000

ARC BETWEEN KEYPOINTS	10 AND	9	ORIENTATION KEYPOINT=	1
RADIUS=	.76525			
LINE NO.=	7	KP1=	10 TAN1=	.0000 1.0000 .0000
		KP2=	9 TAN2=	-1.0000 .0000 .0000
ARC BETWEEN KEYPOINTS	11 AND	10	ORIENTATION KEYPOINT=	1
RADIUS=	.76525			
LINE NO.=	8	KP1=	11 TAN1=	-1.0000 .0000 .0000
		KP2=	10 TAN2=	.0000 -1.0000 .0000
ARC BETWEEN KEYPOINTS	13 AND	12	ORIENTATION KEYPOINT=	1
RADIUS=	.66525			
LINE NO.=	9	KP1=	13 TAN1=	.0000 1.0000 .0000
		KP2=	12 TAN2=	-1.0000 .0000 .0000
ARC BETWEEN KEYPOINTS	14 AND	13	ORIENTATION KEYPOINT=	1
RADIUS=	.66525			
LINE NO.=	10	KP1=	14 TAN1=	-1.0000 .0000 .0000
		KP2=	13 TAN2=	.0000 -1.0000 .0000
LINE CONNECTS KEYPOINTS	11	14		
LINE NO.=	11	KP1=	11 TAN1=	.0000 1.0000 .0000
		KP2=	14 TAN2=	.0000 -1.0000 .0000
LINE CONNECTS KEYPOINTS	9	12		
LINE NO.=	12	KP1=	9 TAN1=	.0000 -1.0000 .0000
		KP2=	12 TAN2=	.0000 1.0000 .0000
ARC BETWEEN KEYPOINTS	15 AND	16	ORIENTATION KEYPOINT=	1
RADIUS=	.64525			
LINE NO.=	13	KP1=	15 TAN1=	-1.0000 .0000 .0000
		KP2=	16 TAN2=	.0000 1.0000 .0000
ARC BETWEEN KEYPOINTS	16 AND	17	ORIENTATION KEYPOINT=	1
RADIUS=	.64525			
LINE NO.=	14	KP1=	16 TAN1=	.0000 -1.0000 .0000
		KP2=	17 TAN2=	-1.0000 .0000 .0000
LINE CONNECTS KEYPOINTS	14	17		
LINE NO.=	15	KP1=	14 TAN1=	.0000 1.0000 .0000
		KP2=	17 TAN2=	.0000 -1.0000 .0000
LINE CONNECTS KEYPOINTS	12	15		
LINE NO.=	16	KP1=	12 TAN1=	.0000 -1.0000 .0000
		KP2=	15 TAN2=	.0000 1.0000 .0000
ARC BETWEEN KEYPOINTS	19 AND	18	ORIENTATION KEYPOINT=	1
RADIUS=	.63017			
LINE NO.=	17	KP1=	19 TAN1=	.0000 1.0000 .0000
		KP2=	18 TAN2=	-1.0000 .0000 .0000
ARC BETWEEN KEYPOINTS	20 AND	19	ORIENTATION KEYPOINT=	1
RADIUS=	.63017			
LINE NO.=	18	KP1=	20 TAN1=	-1.0000 .0000 .0000
		KP2=	19 TAN2=	.0000 -1.0000 .0000
LINE CONNECTS KEYPOINTS	17	20		
LINE NO.=	19	KP1=	17 TAN1=	.0000 1.0000 .0000
		KP2=	20 TAN2=	.0000 -1.0000 .0000
LINE CONNECTS KEYPOINTS	15	18		
LINE NO.=	20	KP1=	15 TAN1=	.0000 -1.0000 .0000
		KP2=	18 TAN2=	.0000 1.0000 .0000
LINE CONNECTS KEYPOINTS	16	19		
LINE NO.=	21	KP1=	16 TAN1=	1.0000 .0000 .0000
		KP2=	19 TAN2=	-1.0000 .0000 .0000

DEFINE AREA BY LIST OF LINES

```

LINE LIST =      5      7      12      9
(TRAVERSED IN SAME DIRECTION AS LINE      5)

AREA NUMBER =      1

DEFINE AREA BY LIST OF LINES
LINE LIST =      11      8      5      10
(TRAVERSED IN SAME DIRECTION AS LINE      11)

AREA NUMBER =      2

DEFINE AREA BY LIST OF LINES
LINE LIST =      6      9      16      13
(TRAVERSED IN SAME DIRECTION AS LINE      6)

AREA NUMBER =      3

DEFINE AREA BY LIST OF LINES
LINE LIST =      15      10      6      14
(TRAVERSED IN SAME DIRECTION AS LINE      15)

AREA NUMBER =      4

DEFINE AREA BY LIST OF LINES
LINE LIST =      21      13      20      17
(TRAVERSED IN SAME DIRECTION AS LINE      21)

AREA NUMBER =      5

DEFINE AREA BY LIST OF LINES
LINE LIST =      19      14      21      18
(TRAVERSED IN SAME DIRECTION AS LINE      19)

AREA NUMBER =      6
*****
Define MPC shell inner edge and area
(K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
( 38,39)
(L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
( 39,40,41,42)
(A's 7,8)

KEYPOINT    21    X,Y,Z=    .000000E+00    .607949    .000000E+00    IN CSYS=  0
KEYPOINT    22    X,Y,Z=    .404963E-01    .606599    .000000E+00    IN CSYS=  0
KEYPOINT    23    X,Y,Z=    .500213E-01    .605888    .000000E+00    IN CSYS=  0
KEYPOINT    24    X,Y,Z=    .254720    .552014    .000000E+00    IN CSYS=  0
KEYPOINT    25    X,Y,Z=    .288484    .535144    .000000E+00    IN CSYS=  0
KEYPOINT    26    X,Y,Z=    .535144    .288484    .000000E+00    IN CSYS=  0
KEYPOINT    27    X,Y,Z=    .552014    .254720    .000000E+00    IN CSYS=  0
KEYPOINT    28    X,Y,Z=    .605888    .500213E-01    .000000E+00    IN CSYS=  0
KEYPOINT    29    X,Y,Z=    .606599    .404963E-01    .000000E+00    IN CSYS=  0
KEYPOINT    30    X,Y,Z=    .607949    .000000E+00    .000000E+00    IN CSYS=  0
KEYPOINT    31    X,Y,Z=    .606599    -.404963E-01    .000000E+00    IN CSYS=  0
KEYPOINT    32    X,Y,Z=    .605888    -.500213E-01    .000000E+00    IN CSYS=  0
KEYPOINT    33    X,Y,Z=    .552014    -.254720    .000000E+00    IN CSYS=  0
KEYPOINT    34    X,Y,Z=    .535144    -.288484    .000000E+00    IN CSYS=  0

```

KEYPOINT	35	X,Y,Z=	.288484	-.535144	.000000E+00	IN CSYS= 0
KEYPOINT	36	X,Y,Z=	.254720	-.552014	.000000E+00	IN CSYS= 0
KEYPOINT	37	X,Y,Z=	.500213E-01	-.605888	.000000E+00	IN CSYS= 0
KEYPOINT	38	X,Y,Z=	.404963E-01	-.606599	.000000E+00	IN CSYS= 0
KEYPOINT	39	X,Y,Z=	.000000E+00	-.607949	.000000E+00	IN CSYS= 0

LINE CONNECTS KEYPOINTS	20	21				
LINE NO.= 22	KP1=	20	TAN1=	.0000	1.0000	.0000
	KP2=	21	TAN2=	.0000	-1.0000	.0000

ARC BETWEEN KEYPOINTS	22	AND	21	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 23	KP1=	22	TAN1=	.9978	-.0666
	KP2=	21	TAN2=	-1.0000	.0000

ARC BETWEEN KEYPOINTS	23	AND	22	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 24	KP1=	23	TAN1=	.9966	-.0823
	KP2=	22	TAN2=	-.9978	.0666

ARC BETWEEN KEYPOINTS	24	AND	23	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 25	KP1=	24	TAN1=	.9080	-.4190
	KP2=	23	TAN2=	-.9966	.0823

ARC BETWEEN KEYPOINTS	25	AND	24	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 26	KP1=	25	TAN1=	.8802	-.4745
	KP2=	24	TAN2=	-.9080	.4190

ARC BETWEEN KEYPOINTS	26	AND	25	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 27	KP1=	26	TAN1=	.4745	-.8802
	KP2=	25	TAN2=	-.8802	.4745

ARC BETWEEN KEYPOINTS	27	AND	26	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 28	KP1=	27	TAN1=	.4190	-.9080
	KP2=	26	TAN2=	-.4745	.8802

ARC BETWEEN KEYPOINTS	28	AND	27	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 29	KP1=	28	TAN1=	.0823	-.9966
	KP2=	27	TAN2=	-.4190	.9080

ARC BETWEEN KEYPOINTS	29	AND	28	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 30	KP1=	29	TAN1=	.0666	-.9978
	KP2=	28	TAN2=	-.0823	.9966

ARC BETWEEN KEYPOINTS	30	AND	29	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 31	KP1=	30	TAN1=	.0000	-1.0000
	KP2=	29	TAN2=	-.0666	.9978

ARC BETWEEN KEYPOINTS	31	AND	30	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 32	KP1=	31	TAN1=	-.0666	-.9978
	KP2=	30	TAN2=	.0000	1.0000

ARC BETWEEN KEYPOINTS	32	AND	31	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 33	KP1=	32	TAN1=	-.0823	-.9966
	KP2=	31	TAN2=	.0666	.9978

ARC BETWEEN KEYPOINTS	33	AND	32	ORIENTATION KEYPOINT=	1
-----------------------	----	-----	----	-----------------------	---

RADIUS= .60795
 LINE NO.= 34 KP1= 33 TAN1= -.4190 -.9080 .0000
 KP2= 32 TAN2= .0823 .9966 .0000

ARC BETWEEN KEYPOINTS 34 AND 33 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 35 KP1= 34 TAN1= -.4745 -.8802 .0000
 KP2= 33 TAN2= .4190 .9080 .0000

ARC BETWEEN KEYPOINTS 35 AND 34 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 36 KP1= 35 TAN1= -.8802 -.4745 .0000
 KP2= 34 TAN2= .4745 .8802 .0000

ARC BETWEEN KEYPOINTS 36 AND 35 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 37 KP1= 36 TAN1= -.9080 -.4190 .0000
 KP2= 35 TAN2= .8802 .4745 .0000

ARC BETWEEN KEYPOINTS 37 AND 36 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 38 KP1= 37 TAN1= -.9966 -.0823 .0000
 KP2= 36 TAN2= .9080 .4190 .0000

ARC BETWEEN KEYPOINTS 38 AND 37 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 39 KP1= 38 TAN1= -.9978 -.0666 .0000
 KP2= 37 TAN2= .9966 .0823 .0000

ARC BETWEEN KEYPOINTS 39 AND 38 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 40 KP1= 39 TAN1= -1.0000 .0000 .0000
 KP2= 38 TAN2= .9978 .0666 .0000

LINE CONNECTS KEYPOINTS 18 39
 LINE NO.= 41 KP1= 18 TAN1= .0000 -1.0000 .0000
 KP2= 39 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 19 30
 LINE NO.= 42 KP1= 19 TAN1= 1.0000 .0000 .0000
 KP2= 30 TAN2= -1.0000 .0000 .0000

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 32 TO 42 STEP 1

11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 17 TO 17 STEP 1

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES
 LINE LIST = ALL SELECTED LINES
 (TRAVERSED IN SAME DIRECTION AS LINE 17)

AREA NUMBER = 7

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 22 TO 31 STEP 1

10 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 18 TO 18 STEP 1

11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 42 TO 42 STEP 1

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES

LINE LIST = ALL SELECTED LINES
(TRAVERSED IN SAME DIRECTION AS LINE 18)

AREA NUMBER = 8

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 42 STEP 1

42 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

Define tube guides

(K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)

(57,58,59)

(L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)

(60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)

(77,78,79,80)

(A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)

(26)

top

KEYPOINT 40 X,Y,Z= .500213E-01 .552014 .000000E+00 IN CSYS= 0

KEYPOINT 41 X,Y,Z= .404963E-01 .542489 .000000E+00 IN CSYS= 0

KEYPOINT 42 X,Y,Z= .254720 .542489 .000000E+00 IN CSYS= 0

KEYPOINT 43 X,Y,Z= .278959 .535144 .000000E+00 IN CSYS= 0

KEYPOINT 44 X,Y,Z= .288484 .288484 .000000E+00 IN CSYS= 0

KEYPOINT 45 X,Y,Z= .278959 .278959 .000000E+00 IN CSYS= 0

KEYPOINT 46 X,Y,Z= .535144 .278959 .000000E+00 IN CSYS= 0

side

KEYPOINT 47 X,Y,Z= .542489 .254720 .000000E+00 IN CSYS= 0

KEYPOINT 48 X,Y,Z= .552014 .500213E-01 .000000E+00 IN CSYS= 0

KEYPOINT 49 X,Y,Z= .542489 .404963E-01 .000000E+00 IN CSYS= 0

KEYPOINT 50 X,Y,Z= .542489 -.404963E-01 .000000E+00 IN CSYS= 0

KEYPOINT 51 X,Y,Z= .552014 -.500213E-01 .000000E+00 IN CSYS= 0

KEYPOINT 52 X,Y,Z= .542489 -.254720 .000000E+00 IN CSYS= 0

bottom

KEYPOINT 53 X,Y,Z= .535144 -.278959 .000000E+00 IN CSYS= 0

KEYPOINT 54 X,Y,Z= .278959 -.278959 .000000E+00 IN CSYS= 0

KEYPOINT 55 X,Y,Z= .288484 -.288484 .000000E+00 IN CSYS= 0

KEYPOINT 56 X,Y,Z= .278959 -.535144 .000000E+00 IN CSYS= 0

KEYPOINT 57 X,Y,Z= .254720 -.542489 .000000E+00 IN CSYS= 0

KEYPOINT 58 X,Y,Z= .404963E-01 -.542489 .000000E+00 IN CSYS= 0

KEYPOINT 59 X,Y,Z= .500213E-01 -.552014 .000000E+00 IN CSYS= 0

top

LINE CONNECTS KEYPOINTS 41 22

LINE NO.= 43 KP1= 41 TAN1= .0000 -1.0000 .0000

	KP2=	22	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		40	41			
LINE NO.= 44	KP1=	40	TAN1=	.7071	.7071	.0000
	KP2=	41	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		40	24			
LINE NO.= 45	KP1=	40	TAN1=	-1.0000	.0000	.0000
	KP2=	24	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		42	41			
LINE NO.= 46	KP1=	42	TAN1=	1.0000	.0000	.0000
	KP2=	41	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		24	42			
LINE NO.= 47	KP1=	24	TAN1=	.0000	1.0000	.0000
	KP2=	42	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		43	25			
LINE NO.= 48	KP1=	43	TAN1=	-1.0000	.0000	.0000
	KP2=	25	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		45	43			
LINE NO.= 49	KP1=	45	TAN1=	.0000	-1.0000	.0000
	KP2=	43	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		25	44			
LINE NO.= 50	KP1=	25	TAN1=	.0000	1.0000	.0000
	KP2=	44	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		44	45			
LINE NO.= 51	KP1=	44	TAN1=	.7071	.7071	.0000
	KP2=	45	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		44	26			
LINE NO.= 52	KP1=	44	TAN1=	-1.0000	.0000	.0000
	KP2=	26	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		46	45			
LINE NO.= 53	KP1=	46	TAN1=	1.0000	.0000	.0000
	KP2=	45	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		26	46			
LINE NO.= 54	KP1=	26	TAN1=	.0000	1.0000	.0000
	KP2=	46	TAN2=	.0000	-1.0000	.0000
side						
LINE CONNECTS KEYPOINTS		47	27			
LINE NO.= 55	KP1=	47	TAN1=	-1.0000	.0000	.0000
	KP2=	27	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		49	47			
LINE NO.= 56	KP1=	49	TAN1=	.0000	-1.0000	.0000
	KP2=	47	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		27	48			
LINE NO.= 57	KP1=	27	TAN1=	.0000	1.0000	.0000
	KP2=	48	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		48	49			
LINE NO.= 58	KP1=	48	TAN1=	.7071	.7071	.0000
	KP2=	49	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		48	28			
LINE NO.= 59	KP1=	48	TAN1=	-1.0000	.0000	.0000
	KP2=	28	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		29	49			
LINE NO.= 60	KP1=	29	TAN1=	1.0000	.0000	.0000
	KP2=	49	TAN2=	-1.0000	.0000	.0000

LINE CONNECTS KEYPOINTS	50	31			
LINE NO.= 61 KP1=	50	TAN1=	-1.0000	.0000	.0000
KP2=	31	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	32	51			
LINE NO.= 62 KP1=	32	TAN1=	1.0000	.0000	.0000
KP2=	51	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	50	51			
LINE NO.= 63 KP1=	50	TAN1=	-.7071	.7071	.0000
KP2=	51	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	52	50			
LINE NO.= 64 KP1=	52	TAN1=	.0000	-1.0000	.0000
KP2=	50	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	51	33			
LINE NO.= 65 KP1=	51	TAN1=	.0000	1.0000	.0000
KP2=	33	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	33	52			
LINE NO.= 66 KP1=	33	TAN1=	1.0000	.0000	.0000
KP2=	52	TAN2=	-1.0000	.0000	.0000
bottom					
LINE CONNECTS KEYPOINTS	53	34			
LINE NO.= 67 KP1=	53	TAN1=	.0000	1.0000	.0000
KP2=	34	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	54	53			
LINE NO.= 68 KP1=	54	TAN1=	-1.0000	.0000	.0000
KP2=	53	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	34	55			
LINE NO.= 69 KP1=	34	TAN1=	1.0000	.0000	.0000
KP2=	55	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	54	55			
LINE NO.= 70 KP1=	54	TAN1=	-.7071	.7071	.0000
KP2=	55	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	56	54			
LINE NO.= 71 KP1=	56	TAN1=	.0000	-1.0000	.0000
KP2=	54	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	55	35			
LINE NO.= 72 KP1=	55	TAN1=	.0000	1.0000	.0000
KP2=	35	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	35	56			
LINE NO.= 73 KP1=	35	TAN1=	1.0000	.0000	.0000
KP2=	56	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	57	36			
LINE NO.= 74 KP1=	57	TAN1=	.0000	1.0000	.0000
KP2=	36	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	58	57			
LINE NO.= 75 KP1=	58	TAN1=	-1.0000	.0000	.0000
KP2=	57	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	36	59			
LINE NO.= 76 KP1=	36	TAN1=	1.0000	.0000	.0000
KP2=	59	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	58	59			
LINE NO.= 77 KP1=	58	TAN1=	-.7071	.7071	.0000
KP2=	59	TAN2=	.7071	-.7071	.0000

LINE CONNECTS KEYPOINTS 38 58
 LINE NO.= 78 KP1= 38 TAN1= .0000 -1.0000 .0000
 KP2= 58 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 59 37
 LINE NO.= 79 KP1= 59 TAN1= .0000 1.0000 .0000
 KP2= 37 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 23 40
 LINE NO.= 80 KP1= 23 TAN1= .0000 1.0000 .0000
 KP2= 40 TAN2= .0000 -1.0000 .0000

air

DEFINE AREA BY LIST OF LINES
 LINE LIST = 80 45 25
 (TRAVERSED IN SAME DIRECTION AS LINE 80)

AREA NUMBER = 9

DEFINE AREA BY LIST OF LINES
 LINE LIST = 50 52 27
 (TRAVERSED IN SAME DIRECTION AS LINE 50)

AREA NUMBER = 10

DEFINE AREA BY LIST OF LINES
 LINE LIST = 57 59 29
 (TRAVERSED IN SAME DIRECTION AS LINE 57)

AREA NUMBER = 11

DEFINE AREA BY LIST OF LINES
 LINE LIST = 62 65 34
 (TRAVERSED IN SAME DIRECTION AS LINE 62)

AREA NUMBER = 12

DEFINE AREA BY LIST OF LINES
 LINE LIST = 69 72 36
 (TRAVERSED IN SAME DIRECTION AS LINE 69)

AREA NUMBER = 13

DEFINE AREA BY LIST OF LINES
 LINE LIST = 76 79 38
 (TRAVERSED IN SAME DIRECTION AS LINE 76)

AREA NUMBER = 14
 guides

DEFINE AREA BY LIST OF LINES
 LINE LIST = 24 43 44 80
 (TRAVERSED IN SAME DIRECTION AS LINE 24)

AREA NUMBER = 15

DEFINE AREA BY LIST OF LINES
 LINE LIST = 45 44 46 47
 (TRAVERSED IN SAME DIRECTION AS LINE 45)

AREA NUMBER = 16

DEFINE AREA BY LIST OF LINES
 LINE LIST = 48 49 51 50
 (TRAVERSED IN SAME DIRECTION AS LINE 48)

AREA NUMBER = 17

DEFINE AREA BY LIST OF LINES
 LINE LIST = 52 51 53 54

```

        (TRAVERSED IN SAME DIRECTION AS LINE    52)

        AREA NUMBER =      18

    DEFINE AREA BY LIST OF LINES
        LINE LIST =      55  56  58  57
        (TRAVERSED IN SAME DIRECTION AS LINE    55)

        AREA NUMBER =      19

    DEFINE AREA BY LIST OF LINES
        LINE LIST =      59  58  60  30
        (TRAVERSED IN SAME DIRECTION AS LINE    59)

        AREA NUMBER =      20

    DEFINE AREA BY LIST OF LINES
        LINE LIST =      61  63  62  33
        (TRAVERSED IN SAME DIRECTION AS LINE    61)

        AREA NUMBER =      21

    DEFINE AREA BY LIST OF LINES
        LINE LIST =      63  64  66  65
        (TRAVERSED IN SAME DIRECTION AS LINE    63)

        AREA NUMBER =      22

    DEFINE AREA BY LIST OF LINES
        LINE LIST =      68  70  69  67
        (TRAVERSED IN SAME DIRECTION AS LINE    68)

        AREA NUMBER =      23

    DEFINE AREA BY LIST OF LINES
        LINE LIST =      70  71  73  72
        (TRAVERSED IN SAME DIRECTION AS LINE    70)

        AREA NUMBER =      24

    DEFINE AREA BY LIST OF LINES
        LINE LIST =      75  77  76  74
        (TRAVERSED IN SAME DIRECTION AS LINE    75)

        AREA NUMBER =      25

    DEFINE AREA BY LIST OF LINES
        LINE LIST =      77  78  39  79
        (TRAVERSED IN SAME DIRECTION AS LINE    77)

        AREA NUMBER =      26
    *****
        Define top half tubes and flux trap plate
        (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
        ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
        ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
        ( 108,109,110,111,112,113,114,115,116,117,118,119)
        ( 120,121,122,123,124,125,126,127,128,129,130,131)
        ( 132,133,134,135,136,137,138,139,140,141,142,143)
        ( 144,145,146,147,148,149,150,151,152,153,154,155)
        ( 156,157,158,159,160,161,162,163,164,165,166,167)
        (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
        ( 98,99,100,101,102,103,104,105,106,107,108,109,110)
        ( 111,112,113,114,115,116,117,118,119,120,121,122)
        ( 123,124,125,126,127,128,129,130,131,132,133,134)
        ( 135,136,137,138,139,140,141,142,143,144,145,146)
        ( 147,...)
        (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
        ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
        ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
    
```

(78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
(95,96,97,98,99,100,101,102,103)

KEYPOINT	60	X,Y,Z=	.000000E+00	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	61	X,Y,Z=	.000000E+00	.381000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	62	X,Y,Z=	.000000E+00	.138125	.000000E+00	IN CSYS=	0
KEYPOINT	63	X,Y,Z=	.000000E+00	.163525	.000000E+00	IN CSYS=	0
KEYPOINT	64	X,Y,Z=	.000000E+00	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	65	X,Y,Z=	.000000E+00	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	66	X,Y,Z=	.000000E+00	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	67	X,Y,Z=	.000000E+00	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	68	X,Y,Z=	.000000E+00	.406756	.000000E+00	IN CSYS=	0
KEYPOINT	69	X,Y,Z=	.000000E+00	.432156	.000000E+00	IN CSYS=	0
KEYPOINT	70	X,Y,Z=	.000000E+00	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	71	X,Y,Z=	.000000E+00	.561543	.000000E+00	IN CSYS=	0
KEYPOINT	72	X,Y,Z=	.000000E+00	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	73	X,Y,Z=	.127000E-01	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	74	X,Y,Z=	.127000E-01	.381000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	75	X,Y,Z=	.127000E-01	.138125	.000000E+00	IN CSYS=	0
KEYPOINT	76	X,Y,Z=	.127000E-01	.163525	.000000E+00	IN CSYS=	0
KEYPOINT	77	X,Y,Z=	.127000E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	78	X,Y,Z=	.127000E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	79	X,Y,Z=	.127000E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	80	X,Y,Z=	.127000E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	81	X,Y,Z=	.127000E-01	.406756	.000000E+00	IN CSYS=	0
KEYPOINT	82	X,Y,Z=	.127000E-01	.432156	.000000E+00	IN CSYS=	0
KEYPOINT	83	X,Y,Z=	.127000E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	84	X,Y,Z=	.127000E-01	.561543	.000000E+00	IN CSYS=	0
KEYPOINT	85	X,Y,Z=	.127000E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	86	X,Y,Z=	.254000E-01	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	87	X,Y,Z=	.254000E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	88	X,Y,Z=	.254000E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	89	X,Y,Z=	.254000E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	90	X,Y,Z=	.254000E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	91	X,Y,Z=	.254000E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	92	X,Y,Z=	.254000E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	93	X,Y,Z=	.381000E-01	.127000E-01	.000000E+00	IN CSYS=	0

KEYPOINT	94	X,Y,Z=	.317500E-01	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	95	X,Y,Z=	.317500E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	96	X,Y,Z=	.317500E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	97	X,Y,Z=	.317500E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	98	X,Y,Z=	.317500E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	99	X,Y,Z=	.317500E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	100	X,Y,Z=	.317500E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	101	X,Y,Z=	.341376E-01	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	102	X,Y,Z=	.341376E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	103	X,Y,Z=	.341376E-01	.270231	.000000E+00	IN CSYS=	0
KEYPOINT	104	X,Y,Z=	.341376E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	105	X,Y,Z=	.341376E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	106	X,Y,Z=	.341376E-01	.300050	.000000E+00	IN CSYS=	0
KEYPOINT	107	X,Y,Z=	.341376E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	108	X,Y,Z=	.341376E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	109	X,Y,Z=	.341376E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	110	X,Y,Z=	.365252E-01	.365252E-01	.000000E+00	IN CSYS=	0
KEYPOINT	111	X,Y,Z=	.365252E-01	.265125	.000000E+00	IN CSYS=	0
KEYPOINT	112	X,Y,Z=	.365252E-01	.305156	.000000E+00	IN CSYS=	0
KEYPOINT	113	X,Y,Z=	.365252E-01	.533756	.000000E+00	IN CSYS=	0
KEYPOINT	114	X,Y,Z=	.138125	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	115	X,Y,Z=	.163525	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	116	X,Y,Z=	.265125	.365252E-01	.000000E+00	IN CSYS=	0
KEYPOINT	117	X,Y,Z=	.265125	.265125	.000000E+00	IN CSYS=	0
KEYPOINT	118	X,Y,Z=	.265125	.305156	.000000E+00	IN CSYS=	0
KEYPOINT	119	X,Y,Z=	.265125	.533756	.000000E+00	IN CSYS=	0
KEYPOINT	120	X,Y,Z=	.267513	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	121	X,Y,Z=	.267513	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	122	X,Y,Z=	.267513	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	123	X,Y,Z=	.267513	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	124	X,Y,Z=	.267513	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	125	X,Y,Z=	.267513	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	126	X,Y,Z=	.267513	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	127	X,Y,Z=	.270231	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	128	X,Y,Z=	.270231	.270231	.000000E+00	IN CSYS=	0

KEYPOINT	129	X,Y,Z=	.270231	.300050	.000000E+00	IN CSYS=	0
KEYPOINT	130	X,Y,Z=	.270231	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	131	X,Y,Z=	.272618	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	132	X,Y,Z=	.272618	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	133	X,Y,Z=	.272618	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	134	X,Y,Z=	.272618	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	135	X,Y,Z=	.272618	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	136	X,Y,Z=	.272618	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	137	X,Y,Z=	.272618	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	138	X,Y,Z=	.297663	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	139	X,Y,Z=	.297663	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	140	X,Y,Z=	.297663	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	141	X,Y,Z=	.297663	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	142	X,Y,Z=	.297663	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	143	X,Y,Z=	.300050	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	144	X,Y,Z=	.300050	.270231	.000000E+00	IN CSYS=	0
KEYPOINT	145	X,Y,Z=	.302768	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	146	X,Y,Z=	.302768	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	147	X,Y,Z=	.302768	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	148	X,Y,Z=	.302768	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	149	X,Y,Z=	.302768	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	150	X,Y,Z=	.305156	.365252E-01	.000000E+00	IN CSYS=	0
KEYPOINT	151	X,Y,Z=	.305156	.265125	.000000E+00	IN CSYS=	0
KEYPOINT	152	X,Y,Z=	.406756	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	153	X,Y,Z=	.432156	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	154	X,Y,Z=	.533756	.365252E-01	.000000E+00	IN CSYS=	0
KEYPOINT	155	X,Y,Z=	.533756	.265125	.000000E+00	IN CSYS=	0
KEYPOINT	156	X,Y,Z=	.536143	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	157	X,Y,Z=	.536143	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	158	X,Y,Z=	.536143	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	159	X,Y,Z=	.536143	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	160	X,Y,Z=	.536143	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	161	X,Y,Z=	.536143	.270231	.000000E+00	IN CSYS=	0
KEYPOINT	162	X,Y,Z=	.536143	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	163	X,Y,Z=	.561543	.127000E-01	.000000E+00	IN CSYS=	0

KEYPOINT 164 X,Y,Z= .601066 .127000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 165 X,Y,Z= .601066 .254000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 166 X,Y,Z= .601066 .317500E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 167 X,Y,Z= .601066 .341376E-01 .000000E+00 IN CSYS= 0
 create lines on perimeter and for lesize

LINE CONNECTS KEYPOINTS 73 60
 LINE NO.= 81 KP1= 73 TAN1= 1.0000 .0000 .0000
 KP2= 60 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 73 74
 LINE NO.= 82 KP1= 73 TAN1= .0000 -1.0000 .0000
 KP2= 74 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 61 74
 LINE NO.= 83 KP1= 61 TAN1= -1.0000 .0000 .0000
 KP2= 74 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 74 75
 LINE NO.= 84 KP1= 74 TAN1= .0000 -1.0000 .0000
 KP2= 75 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 75 62
 LINE NO.= 85 KP1= 75 TAN1= 1.0000 .0000 .0000
 KP2= 62 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 75 76
 LINE NO.= 86 KP1= 75 TAN1= .0000 -1.0000 .0000
 KP2= 76 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 63 76
 LINE NO.= 87 KP1= 63 TAN1= -1.0000 .0000 .0000
 KP2= 76 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 76 77
 LINE NO.= 88 KP1= 76 TAN1= .0000 -1.0000 .0000
 KP2= 77 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 77 78
 LINE NO.= 89 KP1= 77 TAN1= .0000 -1.0000 .0000
 KP2= 78 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 78 65
 LINE NO.= 90 KP1= 78 TAN1= 1.0000 .0000 .0000
 KP2= 65 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 78 79
 LINE NO.= 91 KP1= 78 TAN1= .0000 -1.0000 .0000
 KP2= 79 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 66 79
 LINE NO.= 92 KP1= 66 TAN1= -1.0000 .0000 .0000
 KP2= 79 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 79 80
 LINE NO.= 93 KP1= 79 TAN1= .0000 -1.0000 .0000
 KP2= 80 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 80 81
 LINE NO.= 94 KP1= 80 TAN1= .0000 -1.0000 .0000
 KP2= 81 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 81 68
 LINE NO.= 95 KP1= 81 TAN1= 1.0000 .0000 .0000
 KP2= 68 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS	81	82			
LINE NO.= 96 KP1=	81	TAN1=	.0000	-1.0000	.0000
KP2=	82	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	69	82			
LINE NO.= 97 KP1=	69	TAN1=	-1.0000	.0000	.0000
KP2=	82	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	82	83			
LINE NO.= 98 KP1=	82	TAN1=	.0000	-1.0000	.0000
KP2=	83	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	83	70			
LINE NO.= 99 KP1=	83	TAN1=	1.0000	.0000	.0000
KP2=	70	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	83	84			
LINE NO.= 100 KP1=	83	TAN1=	.0000	-1.0000	.0000
KP2=	84	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	71	84			
LINE NO.= 101 KP1=	71	TAN1=	-1.0000	.0000	.0000
KP2=	84	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	84	85			
LINE NO.= 102 KP1=	84	TAN1=	.0000	-1.0000	.0000
KP2=	85	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	85	92			
LINE NO.= 103 KP1=	85	TAN1=	-1.0000	.0000	.0000
KP2=	92	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	92	100			
LINE NO.= 104 KP1=	92	TAN1=	-1.0000	.0000	.0000
KP2=	100	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	100	109			
LINE NO.= 105 KP1=	100	TAN1=	-1.0000	.0000	.0000
KP2=	109	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	109	108			
LINE NO.= 106 KP1=	109	TAN1=	.0000	1.0000	.0000
KP2=	108	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	108	126			
LINE NO.= 107 KP1=	108	TAN1=	-1.0000	.0000	.0000
KP2=	126	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	126	130			
LINE NO.= 108 KP1=	126	TAN1=	-1.0000	.0000	.0000
KP2=	130	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	130	137			
LINE NO.= 109 KP1=	130	TAN1=	-1.0000	.0000	.0000
KP2=	137	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	137	136			
LINE NO.= 110 KP1=	137	TAN1=	.0000	1.0000	.0000
KP2=	136	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	136	105			
LINE NO.= 111 KP1=	136	TAN1=	1.0000	.0000	.0000
KP2=	105	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	112	107			
LINE NO.= 112 KP1=	112	TAN1=	.7071	.7071	.0000
KP2=	107	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	107	106			
LINE NO.= 113 KP1=	107	TAN1=	.0000	1.0000	.0000

	KP2=	106	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 106 105						
LINE NO.=	114	KP1=	106	TAN1=	.0000	1.0000
		KP2=	105	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 105 104						
LINE NO.=	115	KP1=	105	TAN1=	.0000	1.0000
		KP2=	104	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 104 103						
LINE NO.=	116	KP1=	104	TAN1=	.0000	1.0000
		KP2=	103	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 103 102						
LINE NO.=	117	KP1=	103	TAN1=	.0000	1.0000
		KP2=	102	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 102 111						
LINE NO.=	118	KP1=	102	TAN1=	-.7071	.7071
		KP2=	111	TAN2=	.7071	-.7071
LINE CONNECTS KEYPOINTS 104 135						
LINE NO.=	119	KP1=	104	TAN1=	-1.0000	.0000
		KP2=	135	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS 135 134						
LINE NO.=	120	KP1=	135	TAN1=	.0000	1.0000
		KP2=	134	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 123 127						
LINE NO.=	121	KP1=	123	TAN1=	-1.0000	.0000
		KP2=	127	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS 127 134						
LINE NO.=	122	KP1=	127	TAN1=	-1.0000	.0000
		KP2=	134	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS 134 141						
LINE NO.=	123	KP1=	134	TAN1=	-1.0000	.0000
		KP2=	141	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS 141 143						
LINE NO.=	124	KP1=	141	TAN1=	-1.0000	.0000
		KP2=	143	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS 143 148						
LINE NO.=	125	KP1=	143	TAN1=	-1.0000	.0000
		KP2=	148	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS 148 150						
LINE NO.=	126	KP1=	148	TAN1=	-.7071	-.7071
		KP2=	150	TAN2=	.7071	.7071
LINE CONNECTS KEYPOINTS 141 142						
LINE NO.=	127	KP1=	141	TAN1=	.0000	-1.0000
		KP2=	142	TAN2=	.0000	1.0000
LINE CONNECTS KEYPOINTS 142 162						
LINE NO.=	128	KP1=	142	TAN1=	-1.0000	.0000
		KP2=	162	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS 162 161						
LINE NO.=	129	KP1=	162	TAN1=	.0000	1.0000
		KP2=	161	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 161 160						
LINE NO.=	130	KP1=	161	TAN1=	.0000	1.0000
		KP2=	160	TAN2=	.0000	-1.0000

LINE CONNECTS KEYPOINTS		160	159			
LINE NO.=	131	KP1=	160	TAN1=	.0000	1.0000 .0000
		KP2=	159	TAN2=	.0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS		159	167			
LINE NO.=	132	KP1=	159	TAN1=	-1.0000	.0000 .0000
		KP2=	167	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		167	166			
LINE NO.=	133	KP1=	167	TAN1=	.0000	1.0000 .0000
		KP2=	166	TAN2=	.0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS		166	165			
LINE NO.=	134	KP1=	166	TAN1=	.0000	1.0000 .0000
		KP2=	165	TAN2=	.0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS		165	164			
LINE NO.=	135	KP1=	165	TAN1=	.0000	1.0000 .0000
		KP2=	164	TAN2=	.0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS		164	163			
LINE NO.=	136	KP1=	164	TAN1=	1.0000	.0000 .0000
		KP2=	163	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		163	156			
LINE NO.=	137	KP1=	163	TAN1=	1.0000	.0000 .0000
		KP2=	156	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		156	153			
LINE NO.=	138	KP1=	156	TAN1=	1.0000	.0000 .0000
		KP2=	153	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		153	152			
LINE NO.=	139	KP1=	153	TAN1=	1.0000	.0000 .0000
		KP2=	152	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		152	145			
LINE NO.=	140	KP1=	152	TAN1=	1.0000	.0000 .0000
		KP2=	145	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		145	138			
LINE NO.=	141	KP1=	145	TAN1=	1.0000	.0000 .0000
		KP2=	138	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		138	131			
LINE NO.=	142	KP1=	138	TAN1=	1.0000	.0000 .0000
		KP2=	131	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		131	120			
LINE NO.=	143	KP1=	131	TAN1=	1.0000	.0000 .0000
		KP2=	120	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		120	115			
LINE NO.=	144	KP1=	120	TAN1=	1.0000	.0000 .0000
		KP2=	115	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		115	114			
LINE NO.=	145	KP1=	115	TAN1=	1.0000	.0000 .0000
		KP2=	114	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		114	93			
LINE NO.=	146	KP1=	114	TAN1=	1.0000	.0000 .0000
		KP2=	93	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		93	73			
LINE NO.=	147	KP1=	93	TAN1=	1.0000	.0000 .0000
		KP2=	73	TAN2=	-1.0000	.0000 .0000

tube spacers

DEFINE AREA BY LIST OF KEYPOINTS

```
KEYPOINT LIST = 71 84 83 70
AREA NUMBER = 27
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 69 82 81 68
AREA NUMBER = 28
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 66 79 78 65
AREA NUMBER = 29
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 63 76 75 62
AREA NUMBER = 30
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 61 74 73 60
AREA NUMBER = 31
flux trap plate (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 85 92 91 83 84
AREA NUMBER = 32
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 83 91 90 80 81 82
AREA NUMBER = 33
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 80 90 89 79
AREA NUMBER = 34
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 79 89 88 78
AREA NUMBER = 35
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 78 88 87 77
AREA NUMBER = 36
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 77 87 86 73 74 75 76
AREA NUMBER = 37
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 86 121 120 115 114 93 73
AREA NUMBER = 38
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 121 132 131 120
AREA NUMBER = 39
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 132 139 138 131
AREA NUMBER = 40
```

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 139 146 145 138

AREA NUMBER = 41

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 146 157 156 153 152 145

AREA NUMBER = 42

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 157 165 164 163 156

AREA NUMBER = 43
flux trap plate (Al/boron)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 92 100 99 91

AREA NUMBER = 44

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 91 99 98 90

AREA NUMBER = 45

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 90 98 97 89

AREA NUMBER = 46

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 89 97 96 88

AREA NUMBER = 47

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 88 96 95 87

AREA NUMBER = 48

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 87 95 94 86

AREA NUMBER = 49

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 94 122 121 86

AREA NUMBER = 50

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 122 133 132 121

AREA NUMBER = 51

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 133 140 139 132

AREA NUMBER = 52

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 140 147 146 139

AREA NUMBER = 53

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 147 158 157 146

AREA NUMBER = 54

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 158 166 165 157

AREA NUMBER = 55
flux trap plate (sheath)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 100 109 108 99

AREA NUMBER = 56

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 99 108 107 98

AREA NUMBER = 57

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 98 107 106 105 97

AREA NUMBER = 58

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 97 105 104 96

AREA NUMBER = 59

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 96 104 103 102 95

AREA NUMBER = 60

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 95 102 101 94

AREA NUMBER = 61

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 101 123 122 94

AREA NUMBER = 62

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 123 127 134 133 122

AREA NUMBER = 63

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 134 141 140 133

AREA NUMBER = 64

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 141 143 148 147 140

AREA NUMBER = 65

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 148 159 158 147

AREA NUMBER = 66

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 159 167 166 158

AREA NUMBER = 67
tube (sheath)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 130 137 136 129

```
AREA NUMBER = 68
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 106 129 136 105

AREA NUMBER = 69
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 104 135 128 103

AREA NUMBER = 70
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 128 135 134 127

AREA NUMBER = 71
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 144 143 141

AREA NUMBER = 72
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 162 161 144

AREA NUMBER = 73
tube (Al/boron)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 126 130 129 125

AREA NUMBER = 74
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 107 125 129 106

AREA NUMBER = 75
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 103 128 124 102

AREA NUMBER = 76
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 124 128 127 123

AREA NUMBER = 77
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 149 148 143

AREA NUMBER = 78
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 161 160 149

AREA NUMBER = 79
tube (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 113 112 107

AREA NUMBER = 80
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 126 119 113

AREA NUMBER = 81
```


DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 119 126 125 118
AREA NUMBER = 82

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 112 118 125 107
AREA NUMBER = 83

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 111 110 101
AREA NUMBER = 84

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 124 117 111
AREA NUMBER = 85

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 117 124 123 116
AREA NUMBER = 86

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 110 116 123 101
AREA NUMBER = 87

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 151 150 148
AREA NUMBER = 88

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 160 155 151
AREA NUMBER = 89

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 155 160 159 154
AREA NUMBER = 90

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 150 154 159 148
AREA NUMBER = 91
homogeneous assembly

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 113 119 118 112
AREA NUMBER = 92

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 111 117 116 110
AREA NUMBER = 93

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 151 155 154 150
AREA NUMBER = 94
helium spaces

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 72 85 84 71

```

AREA NUMBER = 95
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 70 83 82 69

AREA NUMBER = 96
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 68 81 80 67

AREA NUMBER = 97
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 67 80 79 66

AREA NUMBER = 98
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 65 78 77 64

AREA NUMBER = 99
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 64 77 76 63

AREA NUMBER = 100
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 62 75 74 61

AREA NUMBER = 101
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 105 136 135 104

AREA NUMBER = 102
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 135 142 141 134

AREA NUMBER = 103
MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03
*****
Set element shapes and sizes for tubes and flux trap
14x14 mesh in fuel with 1
division per tube layer

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

DEFAULT ELEMENT DIVISIONS PER LINE = 1

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 81 TO 87 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 90 TO 92 STEP 2

6 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 95 TO 101 STEP 2

10 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 2, SPACING RATIO = 1.000

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    107 TO      107 STEP      1

      1 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    110 TO      111 STEP      1

      3 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    119 TO      120 STEP      1

      5 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    127 TO      128 STEP      1

      7 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    131 TO      131 STEP      1

      8 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
      TO NDIV = 14, SPACING RATIO = 1.000

ALL SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    1 TO      264 STEP      1

      264 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE      82 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      84 (IF SELECTED AND UNMESHED)
      TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      86 (IF SELECTED AND UNMESHED)
      TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      88 (IF SELECTED AND UNMESHED)
      TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      89 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      91 (IF SELECTED AND UNMESHED)
      TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      93 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      94 (IF SELECTED AND UNMESHED)
      TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      96 (IF SELECTED AND UNMESHED)
      TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      98 (IF SELECTED AND UNMESHED)
      TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE     100 (IF SELECTED AND UNMESHED)
      TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE     102 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000

```

SET DIVISIONS ON LINE 103 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 104 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 136 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 137 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 138 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 139 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 140 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 141 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 142 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 143 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 144 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 145 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 146 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 147 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000
concatenate lines for mapped meshing
(L's 265,266,267,268,269,270,271,272,273,274)

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 82 TO 88 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 265 KP1= 73 KP2= 77

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 94 TO 98 STEP 2

3 LINES (OF 265 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 266 KP1= 80 KP2= 83

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 100 TO 102 STEP 2

2 LINES (OF 266 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 267 KP1= 83 KP2= 85

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 113 TO 114 STEP 1

2 LINES (OF 267 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 268 KP1= 107 KP2= 105

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 116 TO 117 STEP 1

2 LINES (OF 268 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 269 KP1= 104 KP2= 102

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 121 TO 122 STEP 1

2 LINES (OF 269 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 270 KP1= 123 KP2= 134

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 124 TO 125 STEP 1

2 LINES (OF 270 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 271 KP1= 141 KP2= 148

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 136 TO 137 STEP 1

2 LINES (OF 271 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 272 KP1= 164 KP2= 156

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 138 TO 140 STEP 1

3 LINES (OF 272 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 273 KP1= 156 KP2= 145

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 144 TO 147 STEP 1

4 LINES (OF 273 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 274 KP1= 120 KP2= 73

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 274 STEP 1

274 LINES (OF 274 DEFINED) SELECTED BY LSEL COMMAND.

Mesh areas
first flux trap plate, then tubes

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 27 TO 43 IN STEPS OF 1

*** WARNING *** CP= 6.550 TIME= 20:44:11
Meshing of area 32 produced 6 poorly shaped elements.

*** NOTE *** CP= 6.550 TIME= 20:44:11
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
38 39 44 45 50 51

*** WARNING *** CP= 6.630 TIME= 20:44:11
Meshing of area 33 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.630 TIME= 20:44:11
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
58 59 60 63 64 65 72 73 74 77
78 79 86 87 88 91 92 93

*** WARNING *** CP= 6.760 TIME= 20:44:11
Meshing of area 37 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.760 TIME= 20:44:11
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
125 129 130 132 133 134 139 143 144 146
147 148 153 157 158 160 161 162

*** WARNING *** CP= 6.830 TIME= 20:44:11
Meshing of area 38 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.830 TIME= 20:44:11
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
163 164 165 166 167 168 169 170 171 175
176 177 178 179 180 190 191 192

*** WARNING *** CP= 6.960 TIME= 20:44:12
Meshing of area 42 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.960 TIME= 20:44:12
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
238 239 240 241 242 243 244 245 246 253
254 255 256 257 258 259 260 261

*** WARNING *** CP= 7.000 TIME= 20:44:12
Meshing of area 43 produced 6 poorly shaped elements.

*** NOTE *** CP= 7.000 TIME= 20:44:12
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
280 281 282 283 284 285

NUMBER OF AREAS MESHED = 17
MAXIMUM NODE NUMBER = 386
MAXIMUM ELEMENT NUMBER = 288

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 44 TO 55 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 556
MAXIMUM ELEMENT NUMBER = 456

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 56 TO 73 IN STEPS OF 1

NUMBER OF AREAS MESHED = 18
MAXIMUM NODE NUMBER = 807
MAXIMUM ELEMENT NUMBER = 624

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 74 TO 79 IN STEPS OF 1

NUMBER OF AREAS MESHED = 6
MAXIMUM NODE NUMBER = 890
MAXIMUM ELEMENT NUMBER = 708

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 80 TO 91 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 1084
MAXIMUM ELEMENT NUMBER = 876

MATERIAL NUMBER SET TO 14

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 92 TO 94 IN STEPS OF 1

NUMBER OF AREAS MESHED = 3
MAXIMUM NODE NUMBER = 1591
MAXIMUM ELEMENT NUMBER = 1464

Delete concatenated lines
(L's freed up 265,266,267,268,269,270,271,272,273,274)

DELETE SELECTED LINES FROM 265 TO 274 BY 1

DELETED 10 LINES

Copy tube mesh and connect top and bottom

SYMMETRY TRANSFORMATION OF AREAS USING COMPONENT Y
SET IS FROM 27 TO 103 IN STEPS OF 1

MAXIMUM NODE NUMBER = 3182
MAXIMUM ELEMENT NUMBER = 2928
flux trap plate spacers
(L's 449,450,451,452,453,454,455,456,457,458)
(A's 181,182,183,184,185)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 186 73 93 202

AREA NUMBER = 181

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 201 114 115 200

AREA NUMBER = 182

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 204 131 138 206

AREA NUMBER = 183

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 212 152 153 211

AREA NUMBER = 184

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 210 156 163 215

AREA NUMBER = 185
flux trap plate helium gaps
(A's 186,187,188,189,190,191,192,193)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 187 60 73 186

AREA NUMBER = 186

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 202 93 114 201

AREA NUMBER = 187

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 200 115 120 199

AREA NUMBER = 188

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 199 120 131 204

AREA NUMBER = 189

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 206 138 145 208

AREA NUMBER = 190

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 208 145 152 212

AREA NUMBER = 191

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 211 153 156 210

AREA NUMBER = 192

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 215 163 164 214

AREA NUMBER = 193

tube/guide helium gaps (flats)

(A's 194,195,196,197,198,199,200,201,202,203,204,205)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 109 22 41 108

AREA NUMBER = 194

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 108 41 42 126

AREA NUMBER = 195

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 137 43 45 136

AREA NUMBER = 196

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 142 45 46 162

AREA NUMBER = 197

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 160 47 49 159

AREA NUMBER = 198

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 49 29 167 159

AREA NUMBER = 199

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 244 245 31 50

AREA NUMBER = 200

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 244 50 52 260

AREA NUMBER = 201

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 254 53 54 252

AREA NUMBER = 202

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 248 54 56 247

AREA NUMBER = 203

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 57 58 230

AREA NUMBER = 204

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 230 58 38 229

AREA NUMBER = 205

tube/guide helium gaps (corners)

(A's 206,207,208,209,210,211,212,213,214,215,216,217)

(218)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 85 72

AREA NUMBER = 206

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 22 109 100 92 85

AREA NUMBER = 207

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 24 25 43 137 130 126 42

AREA NUMBER = 208

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 136 45 142 135

AREA NUMBER = 209

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 26 27 47 160 161 162 46

AREA NUMBER = 210

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 167 29 30 164 165 166

AREA NUMBER = 211

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 164 30 214

AREA NUMBER = 212

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 214 30 31 245 228 213

AREA NUMBER = 213

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 52 33 34 53 254 255 260

AREA NUMBER = 214

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 250 252 54 248

AREA NUMBER = 215

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 246 247 56 35 36 57

AREA NUMBER = 216

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 188 189 216 229 38 39

AREA NUMBER = 217

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 273 188 39

AREA NUMBER = 218
mesh flux trap plate spacers

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 449 TO 458 STEP 1

10 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 4, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 488 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 181 TO 185 IN STEPS OF 1

NUMBER OF AREAS MESHED = 5
MAXIMUM NODE NUMBER = 3251
MAXIMUM ELEMENT NUMBER = 3000

MERGE COINCIDENT NODES WITHIN TOLERANCE OF .10000E-03

*** NOTE *** CP= 15.400 TIME= 20:44:21
Zero nodes were merged.

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Create mesh in MPC shell and disposal container
Tube guides

DEFAULT ELEMENT DIVISIONS PER LINE = 2

SET DIVISIONS ON LINE 43 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 46 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 49 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 53 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 56 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 60 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 61 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 64 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 68 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 71 (IF SELECTED AND UNMESHED)

```
      TO NDIV = 14, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 75 (IF SELECTED AND UNMESHED)
      TO NDIV = 14, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 78 (IF SELECTED AND UNMESHED)
      TO NDIV = 6, SPACING RATIO = 1.000
MATERIAL NUMBER SET TO 1
ELEMENT TYPE SET TO 1
GENERATE NODES AND ELEMENTS
      IN AREAS 15 TO 26 IN STEPS OF 1
NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 3677
MAXIMUM ELEMENT NUMBER = 3272
      MPC shell
      (L's 489.490)
SET DIVISIONS ON LINE 23 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 25 (IF SELECTED AND UNMESHED)
      TO NDIV = 14, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 26 (IF SELECTED AND UNMESHED)
      TO NDIV = 3, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 27 (IF SELECTED AND UNMESHED)
      TO NDIV = 14, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 28 (IF SELECTED AND UNMESHED)
      TO NDIV = 3, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 29 (IF SELECTED AND UNMESHED)
      TO NDIV = 14, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 31 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 32 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 34 (IF SELECTED AND UNMESHED)
      TO NDIV = 14, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 35 (IF SELECTED AND UNMESHED)
      TO NDIV = 3, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 36 (IF SELECTED AND UNMESHED)
      TO NDIV = 14, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 37 (IF SELECTED AND UNMESHED)
      TO NDIV = 3, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 38 (IF SELECTED AND UNMESHED)
      TO NDIV = 14, SPACING RATIO = 1.000
SET DIVISIONS ON LINE 40 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000
SELECT FOR ITEM=LINE COMPONENT=
      IN RANGE 23 TO 31 STEP 1
      9 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.
CONCATENATE LINES
      LINE LIST = ALL SELECTED LINES
```

COMPOSITE LINE NO.= 489 KP1= 21 KP2= 30

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 32 TO 40 STEP 1

9 LINES (OF 489 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 490 KP1= 30 KP2= 39

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

490 LINES (OF 490 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 17 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 18 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 22 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 41 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 7 TO 8 IN STEPS OF 1

*** WARNING *** CP= 17.050 TIME= 20:44:22
Meshing of area 7 produced 112 poorly shaped elements.

*** NOTE *** CP= 17.050 TIME= 20:44:22
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3292	3293	3294	3295	3296	3297	3298	3299	3300	3301
3302	3303	3304	3305	3306	3307	3308	3309	3310	3311
3312	3313	3314	3315	3316	3317	3318	3319	3320	3321
3322	3323	3324	3325	3326	3327	3328	3329	3330	3331
3332	3333	3334	3335	3336	3337	3338	3339	3340	3341
3342	3343	3344	3345	3346	3347	3366	3367	3368	3369
3370	3371	3372	3373	3374	3375	3376	3377	3378	3379
3380	3381	3382	3383	3384	3385	3386	3387	3388	3389
3390	3391	3392	3393	3394	3395	3396	3397	3398	3399
3400	3401	3402	3403	3404	3405	3406	3407	3408	3409

*** LIST TERMINATED AFTER 100 ***

*** WARNING *** CP= 17.630 TIME= 20:44:23
Meshing of area 8 produced 112 poorly shaped elements.

*** NOTE *** CP= 17.630 TIME= 20:44:23
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3460	3461	3462	3463	3464	3465	3466	3467	3468	3469
3470	3471	3472	3473	3474	3475	3476	3477	3478	3479
3480	3481	3482	3483	3484	3485	3486	3487	3488	3489
3490	3491	3492	3493	3494	3495	3496	3497	3498	3499
3500	3501	3502	3503	3504	3505	3506	3507	3508	3509
3510	3511	3512	3513	3514	3515	3534	3535	3536	3537

```

3538 3539 3540 3541 3542 3543 3544 3545 3546 3547
3548 3549 3550 3551 3552 3553 3554 3555 3556 3557
3558 3559 3560 3561 3562 3563 3564 3565 3566 3567
3568 3569 3570 3571 3572 3573 3574 3575 3576 3577
*** LIST TERMINATED AFTER 100 ***

```

```

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER        =    4109
MAXIMUM ELEMENT NUMBER     =    3608
      Assume vacuum between shell and inner barrier

```

```

SET DIVISIONS ON LINE      13 (IF SELECTED AND UNMESHED)
  TO NDIV =    56, SPACING RATIO =    1.000

```

```

SET DIVISIONS ON LINE      14 (IF SELECTED AND UNMESHED)
  TO NDIV =    56, SPACING RATIO =    1.000

```

```

SET DIVISIONS ON LINE      19 (IF SELECTED AND UNMESHED)
  TO NDIV =     2, SPACING RATIO =    1.000

```

```

SET DIVISIONS ON LINE      20 (IF SELECTED AND UNMESHED)
  TO NDIV =     2, SPACING RATIO =    1.000
  No MAT,7,
  No TYPE,1,
  No AMESH,5,6,1,
  Delete concatenated lines
  (L's freed up 489,490)

```

```

DELETE SELECTED LINES FROM    489 TO    490 BY    1

```

```

DELETED      2 LINES
      Inner and outer barrier

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      7 TO      10 STEP      1

```

```

      4 LINES (OF    488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
  TO NDIV =    56, SPACING RATIO =    1.000

```

```

ALL SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      1 TO      490 STEP      1

```

```

      488 LINES (OF    488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

SET DIVISIONS ON LINE      6 (IF SELECTED AND UNMESHED)
  TO NDIV =     3, SPACING RATIO =    1.000

```

```

SET DIVISIONS ON LINE      15 (IF SELECTED AND UNMESHED)
  TO NDIV =     3, SPACING RATIO =    1.000

```

```

SET DIVISIONS ON LINE      16 (IF SELECTED AND UNMESHED)
  TO NDIV =     3, SPACING RATIO =    1.000

```

```

SET DIVISIONS ON LINE      5 (IF SELECTED AND UNMESHED)
  TO NDIV =     5, SPACING RATIO =    1.000

```

```

SET DIVISIONS ON LINE      11 (IF SELECTED AND UNMESHED)
  TO NDIV =     5, SPACING RATIO =    1.000

```

```

SET DIVISIONS ON LINE      12 (IF SELECTED AND UNMESHED)
  TO NDIV =     5, SPACING RATIO =    1.000

```

```

MATERIAL NUMBER SET TO      2

```

```

ELEMENT TYPE SET TO      1

```

```

GENERATE NODES AND ELEMENTS

```

```

      IN AREAS      3 TO      4 IN STEPS OF      1

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER      =      4561
MAXIMUM ELEMENT NUMBER      =      3944

MATERIAL NUMBER SET TO      3

ELEMENT TYPE SET TO      1

GENERATE NODES AND ELEMENTS
      IN AREAS      1 TO      2 IN STEPS OF      1

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER      =      5126
MAXIMUM ELEMENT NUMBER      =      4504
      Empty basket spaces

DEFAULT ELEMENT DIVISIONS PER LINE BASED ON ELEMENT SIZE = .100

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
      PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
      OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO      7

ELEMENT TYPE SET TO      1

GENERATE NODES AND ELEMENTS
      IN AREAS      9 TO      14 IN STEPS OF      1
** AREA      9 MESHED WITH      40 QUADRILATERALS,      10 TRIANGLES **
** AREA      11 MESHED WITH      41 QUADRILATERALS,      10 TRIANGLES **
** AREA      12 MESHED WITH      40 QUADRILATERALS,      10 TRIANGLES **
** AREA      14 MESHED WITH      41 QUADRILATERALS,      10 TRIANGLES **

NUMBER OF AREAS MESHED      =      6
MAXIMUM NODE NUMBER      =      5498
MAXIMUM ELEMENT NUMBER      =      5000
*****
      Define mesh and radiation surface elements
      Tube/guides gap

SELECT      FOR ITEM=LOC COMPONENT=X      BETWEEN .00000E+00 AND .00000E+00
KABS= 0. TOLERANCE= .100000E-05

      39 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      7 TO      8 STEP      1

      41 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      13 TO      14 STEP      1

      43 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      17 TO      18 STEP      1

      45 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

UNSELECT      ONLY NODES INTERIOR TO SELECTED LINE SET.

      5126 NODES (OF 5498 DEFINED) SELECTED FROM
      45 SELECTED LINES BY NSLL COMMAND.

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      1 TO      490 STEP      1

```

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 7

GENERATE ELEMENTS ON SURFACE DEFINED BY SELECTED NODES
TYPE= 7 REAL= 1 MATERIAL= 1 ESYS= 0

NUMBER OF ELEMENTS GENERATED= 644

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5498 STEP 1

5498 NODES (OF 5498 DEFINED) SELECTED BY NSEL COMMAND.
Basket spaces

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 17

GENERATE NODES AND ELEMENTS
ON LINES 25 TO 29 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5686

GENERATE NODES AND ELEMENTS
ON LINES 34 TO 38 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5728

GENERATE NODES AND ELEMENTS
ON LINES 80 TO 80 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5734

GENERATE NODES AND ELEMENTS
ON LINES 45 TO 45 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5748

GENERATE NODES AND ELEMENTS
ON LINES 50 TO 52 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5776

GENERATE NODES AND ELEMENTS
ON LINES 57 TO 59 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5796

GENERATE NODES AND ELEMENTS
ON LINES 62 TO 65 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5816

GENERATE NODES AND ELEMENTS
ON LINES 69 TO 72 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5844

GENERATE NODES AND ELEMENTS
ON LINES 76 TO 79 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5864
MPC shell/inner barrier gap

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 17 TO 18 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5976

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 13 TO 14 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 6088

Create mesh in helium spaces

DEFAULT ELEMENT DIVISIONS PER LINE = 2

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 95 TO 103 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5622
MAXIMUM ELEMENT NUMBER = 6248

GENERATE NODES AND ELEMENTS
IN AREAS 172 TO 180 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5746
MAXIMUM ELEMENT NUMBER = 6408

GENERATE NODES AND ELEMENTS
IN AREAS 186 TO 205 IN STEPS OF 1

*** WARNING *** CP= 23.420 TIME= 20:44:29
Area 195 has a corner angle of 154 degrees. This is not recommended
for quadrilateral elements.

*** WARNING *** CP= 23.470 TIME= 20:44:29

Meshing of area 195 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.470 TIME= 20:44:29
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6534 6535 6536 6537 6538 6548 6549 6550 6551 6552

*** WARNING *** CP= 23.470 TIME= 20:44:29
Area 196 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.510 TIME= 20:44:29
Meshing of area 196 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.510 TIME= 20:44:29
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6557 6558 6559 6560 6561 6562 6563 6564 6565 6566
6571 6572 6573 6574 6575 6576 6577 6578 6579 6580

*** WARNING *** CP= 23.520 TIME= 20:44:29
Area 197 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.560 TIME= 20:44:30
Meshing of area 197 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.560 TIME= 20:44:30
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6581 6582 6583 6584 6585 6586 6587 6588 6589 6590
6595 6596 6597 6598 6599 6600 6601 6602 6603 6604

*** WARNING *** CP= 23.560 TIME= 20:44:30
Area 198 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.600 TIME= 20:44:30
Meshing of area 198 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.600 TIME= 20:44:30
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6609 6610 6611 6612 6613 6623 6624 6625 6626 6627

*** WARNING *** CP= 23.650 TIME= 20:44:30
Area 201 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.700 TIME= 20:44:30
Meshing of area 201 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.700 TIME= 20:44:30
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6670 6671 6672 6673 6674 6684 6685 6686 6687 6688

*** WARNING *** CP= 23.700 TIME= 20:44:30
Area 202 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.740 TIME= 20:44:30
Meshing of area 202 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.740 TIME= 20:44:30
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6693 6694 6695 6696 6697 6698 6699 6700 6701 6702
6707 6708 6709 6710 6711 6712 6713 6714 6715 6716

*** WARNING *** CP= 23.750 TIME= 20:44:30
Area 203 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.790 TIME= 20:44:30
Meshing of area 203 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.790 TIME= 20:44:30
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6717 6718 6719 6720 6721 6722 6723 6724 6725 6726
6731 6732 6733 6734 6735 6736 6737 6738 6739 6740

*** WARNING *** CP= 23.790 TIME= 20:44:30
Area 204 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.830 TIME= 20:44:30
Meshing of area 204 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.830 TIME= 20:44:30
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6745 6746 6747 6748 6749 6759 6760 6761 6762 6763

NUMBER OF AREAS MESHED = 20
MAXIMUM NODE NUMBER = 5956
MAXIMUM ELEMENT NUMBER = 6784

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 206 TO 218 IN STEPS OF 1
** AREA 206 MESHED WITH 1 QUADRILATERALS, 2 TRIANGLES **
** AREA 207 MESHED WITH 0 QUADRILATERALS, 10 TRIANGLES **

*** WARNING *** CP= 23.960 TIME= 20:44:30
Meshing of area 207 produced 1 poorly shaped elements.

*** NOTE *** CP= 23.970 TIME= 20:44:30

Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 23.970 TIME= 20:44:30
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6794

** AREA	208 MESHED WITH	5 QUADRILATERALS,	11 TRIANGLES **
** AREA	209 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	210 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	211 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.210 TIME= 20:44:30
Meshing of area 211 produced 3 poorly shaped elements.

*** NOTE *** CP= 24.210 TIME= 20:44:30
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 24.210 TIME= 20:44:30
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6850 6851 6853

** AREA	212 MESHED WITH	2 QUADRILATERALS,	2 TRIANGLES **
** AREA	213 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.270 TIME= 20:44:30
Meshing of area 213 produced 1 poorly shaped elements.

*** NOTE *** CP= 24.270 TIME= 20:44:30
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 24.270 TIME= 20:44:30
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6865

** AREA	214 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	215 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	216 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	217 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.530 TIME= 20:44:31
Meshing of area 217 produced 2 poorly shaped elements.

*** NOTE *** CP= 24.530 TIME= 20:44:31
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 24.530 TIME= 20:44:31
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6923 6925

** AREA	218 MESHED WITH	1 QUADRILATERALS,	2 TRIANGLES **
---------	-----------------	-------------------	----------------

NUMBER OF AREAS MESHED = 13
MAXIMUM NODE NUMBER = 5990
MAXIMUM ELEMENT NUMBER = 6929

Clear areas and mesh by hand difficult areas

CLEAR NODES AND ELEMENTS
FROM AREAS 211 TO 211 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT 6930 5879 3453 3952 3952

ELEMENT	6931	636	5879	3952	3952
ELEMENT	6932	545	636	3952	3952
ELEMENT	6933	551	545	3952	3952
ELEMENT	6934	363	551	3952	3952
ELEMENT	6935	370	363	3952	3952
ELEMENT	6936	371	370	3952	3952
ELEMENT	6937	369	371	3952	3952
ELEMENT	6938	5973	369	3952	3952
ELEMENT	6939	3782	5973	3952	3952

CLEAR NODES AND ELEMENTS
FROM AREAS 217 TO 217 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT	6940	3735	5989	3738	3738
ELEMENT	6941	5989	1661	3738	3738
ELEMENT	6942	1661	1663	3738	3738
ELEMENT	6943	1663	1664	3738	3738
ELEMENT	6944	1664	1662	3738	3738
ELEMENT	6945	1662	1979	3738	3738
ELEMENT	6946	1979	1978	3738	3738
ELEMENT	6947	1978	2148	3738	3738
ELEMENT	6948	2148	5951	3738	3738
ELEMENT	6949	5951	3666	3738	3738

***** ROUTINE COMPLETED ***** CP = 24.610

Create element mesh plots to illustrate model
View mesh for entire model

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (CENTROIDAL SORT) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS 0 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

/SHOW SWITCH PLOTS TO FILE meshfull.grph - VECTOR MODE.

- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshfull.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

5592 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

/SHOW SWITCH PLOTS TO FILE meshgap.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshgap.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model
View mesh for radiation substructure

MAT NUMBERING KEY = 0

TYPE NUMBERING KEY = 1

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

864 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

1088 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

/SHOW SWITCH PLOTS TO FILE meshrad.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshrad.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6949 STEP 1

6929 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

Generate super-elements

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:44:37 APR 01, 1995 CP= 30.510
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS RADIATION MATRIX UTILITY (AUX12) *****

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

655 NODES (OF 5990 DEFINED) SELECTED FROM
644 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= tubegap.sub

*** WARNING *** CP= 30.760 TIME= 20:44:37
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 644 NUMBER OF NODES= 655

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

220 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

220 NODES (OF 5990 DEFINED) SELECTED FROM
220 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= spaces.sub

*** WARNING *** CP= 70.190 TIME= 20:45:17
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 220 NUMBER OF NODES= 220

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

224 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

226 NODES (OF 5990 DEFINED) SELECTED FROM
224 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= shellgap.sub

*** WARNING *** CP= 76.690 TIME= 20:45:24
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 224 NUMBER OF NODES= 226

800 ZONES CREATE 1600 RAYS

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6949 STEP 1

6929 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1

5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 82.510

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:45:30 APR 01, 1995 CP= 82.510
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE SET TO 18

SUPERELEMENT 6950 tubegap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6950

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6950

SUPERELEMENT 6951 spaces NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6951

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6951

SUPERELEMENT 6952 shellgap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6952

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6952
Delete radiation edge elements

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6932 DEFINED) SELECTED BY ESEL COMMAND.

DELETE ALL SELECTED ELEMENTS.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

6288 ELEMENTS (OF 6288 DEFINED) SELECTED BY ESEL COMMAND.

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

18 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

22 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CLEAR NODES AND ELEMENTS FROM ALL SELECTED LINES

*** NOTE *** CP= 83.040 TIME= 20:45:31
Nodes cannot be cleared from line 13 because area 3 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.050 TIME= 20:45:31
Nodes cannot be cleared from line 14 because area 4 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.060 TIME= 20:45:31
Nodes cannot be cleared from line 17 because area 7 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.080 TIME= 20:45:31
Nodes cannot be cleared from line 18 because area 8 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.090 TIME= 20:45:31
Nodes cannot be cleared from line 25 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.090 TIME= 20:45:31
Nodes cannot be cleared from line 27 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.100 TIME= 20:45:31
Nodes cannot be cleared from line 29 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.100 TIME= 20:45:31
Nodes cannot be cleared from line 34 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.110 TIME= 20:45:31
Nodes cannot be cleared from line 36 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.110 TIME= 20:45:31
Nodes cannot be cleared from line 38 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.120 TIME= 20:45:31
Nodes cannot be cleared from line 45 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.120 TIME= 20:45:31
Nodes cannot be cleared from line 50 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.130 TIME= 20:45:31
Nodes cannot be cleared from line 52 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.130 TIME= 20:45:31
Nodes cannot be cleared from line 57 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.140 TIME= 20:45:31
Nodes cannot be cleared from line 59 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.140 TIME= 20:45:31
Nodes cannot be cleared from line 62 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.140 TIME= 20:45:31
Nodes cannot be cleared from line 65 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.150 TIME= 20:45:31
Nodes cannot be cleared from line 69 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.150 TIME= 20:45:31
Nodes cannot be cleared from line 72 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.150 TIME= 20:45:31
Nodes cannot be cleared from line 76 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.160 TIME= 20:45:31
Nodes cannot be cleared from line 79 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.160 TIME= 20:45:31
Nodes cannot be cleared from line 80 because area 9 is meshed. Only
elements are deleted.

CLEARED 22 LINES, 0 KEYPOINTS

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 83.170

Set solution parameters and apply B.C.'s

Solve steady-state for initial conditions
with WP surface equal to drift ambient
temperature from repository model.

***** ANSYS SOLUTION ROUTINE *****

PERFORM A TRANSIENT ANALYSIS
THIS WILL BE A NEW ANALYSIS

USE THE DEFAULT NEWTON-RAPHSON OPTION FOR ALL DOFS
AND USE THE DEFAULT ADAPTIVE DESCENT OPTION

*** NOTE *** CP= 83.170 TIME= 20:45:31
Damping (if present) may be ignored only in reduced transient analyses.

PERFORM A FULL TRANSIENT ANALYSIS

TEMPERATURE OFFSET FROM ABSOLUTE ZERO= 273.150

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1
1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1
2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5990 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES 1 TO 5990 BY 1
REAL= 26.1379688 IMAG= .000000000E+00

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1
488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1
5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1
6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.
1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1
218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1
5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .10000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

*** WARNING *** CP= 84.440 TIME= 20:45:33
Element 6932 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 84.440 TIME= 20:45:33
Element 6932 has a poor shape angle of 7.74746071 degrees.

*** WARNING *** CP= 84.440 TIME= 20:45:33
Element 6947 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 84.450 TIME= 20:45:33
Element 6947 has a poor shape angle of 7.74746071 degrees.

*** NOTE *** CP= 84.450 TIME= 20:45:33
All shape tests were bypassed for elements associated with the solid model, because most of them were already done at AMESH or VMESH. Use CHECK if desired to perform all of the element tests.

*** NOTE *** CP= 84.450 TIME= 20:45:33
The model data was checked and warning messages were found.
Please review output or errors file (ma12x3.err) for these warning messages.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:45:34 APR 01, 1995 CP= 84.450
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

SOLUTION OPTIONS

PROBLEM DIMENSIONALITY. 3-D
DEGREES OF FREEDOM. TEMP
ANALYSIS TYPE TRANSIENT
SOLUTION METHOD. FULL
OFFSET TEMPERATURE FROM ABSOLUTE ZERO 273.15
NEWTON-RAPHSON OPTION PROGRAM CHOSEN

*** NOTE *** CP= 85.410 TIME= 20:45:35
This load step will be a static (steady-state) step.

*** NOTE *** CP= 85.790 TIME= 20:45:35
Nonlinear analysis, NROPT set to 1 (full NewtonRaphson solution procedure) for ALL DOFs.

LOAD STEP OPTIONS

LOAD STEP NUMBER. 1
TIME AT END OF THE LOAD STEP.10000E-05
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 0
MAXIMUM NUMBER OF SUBSTEPS 0
MINIMUM NUMBER OF SUBSTEPS 1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS OFF
TERMINATE ANALYSIS IF NOT CONVERGED YES (EXIT)
CONVERGENCE CONTROLS. USE DEFAULTS
PRINT OUTPUT CONTROLS NO PRINTOUT
DATABASE OUTPUT CONTROLS. ALL DATA WRITTEN
FOR THE LAST SUBSTEP

***** CENTROID, MASS, AND MASS MOMENTS OF INERTIA *****

CALCULATIONS ASSUME ELEMENT MASS AT ELEMENT CENTROID

TOTAL MASS = 4459.4

CENTROID	MOM. OF INERTIA ABOUT ORIGIN	MOM. OF INERTIA ABOUT CENTROID
XC = .35157	IXX = 765.4	IXX = 765.4
YC = .62210E-11	IYY = 765.4	IYY = 214.2
ZC = .00000E+00	IZZ = 1531.	IZZ = 979.6
	IXY = .5422E-09	IXY = .1030E-07
	IYZ = .0000E+00	IYZ = .0000E+00
	IZX = .0000E+00	IZX = .0000E+00

*** MASS SUMMARY BY ELEMENT TYPE ***

TYPE	MASS
1	4459.37

Range of element maximum matrix coefficients in global coordinates
 Maximum= 483.62017 at element 2116.
 Minimum= 1.026389896E-09 at element 6952.

*** WARNING *** CP= 104.310 TIME= 20:45:57
 Coefficient ratio exceeds 1.0e8 - Check results.

*** ELEMENT MATRIX FORMULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5841	PLANE55	11.640	.002
18	3	MATRIX50	.610	.203

Time at end of element matrix formulation CP= 104.31.
 HT FLOW CONVERGENCE VALUE= .1194E+05 CRITERION= 11.94

Estimated number of active DOF= 5877.
 Maximum wavefront= 918.

Time at end of matrix triangularization CP= 207.41.
 Equation solver maximum pivot= 1269.32433 at node 2083 TEMP.
 Equation solver minimum pivot= 0.186669206 at node 5749 TEMP.
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 388.4
 HT FLOW CONVERGENCE VALUE= 694.9 CRITERION= .1749
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -146.5
 HT FLOW CONVERGENCE VALUE= 118.3 CRITERION= .3416
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -33.12
 HT FLOW CONVERGENCE VALUE= 30.14 CRITERION= .2043
 EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.524
 HT FLOW CONVERGENCE VALUE= 2.933 CRITERION= .1760
 EQUIL ITER 5 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6745
 HT FLOW CONVERGENCE VALUE= .3872 CRITERION= .1740
 EQUIL ITER 6 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6428E-01
 HT FLOW CONVERGENCE VALUE= .3792E-01 CRITERION= .1743 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 6

*** ELEMENT RESULT CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5841	PLANE55	6.730	.001
18	3	MATRIX50	.720	.240

*** NODAL LOAD CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

```

1 5841 PLANE55 1.040 .000
18 3 MATRIX50 .000 .000
*** LOAD STEP 1 SUBSTEP 1 COMPLETED. CUM ITER = 6
*** TIME = .100000E-05 TIME INC = .100000E-05

```

```

*** PROBLEM STATISTICS
ACTUAL NO. OF ACTIVE DEGREES OF FREEDOM = 5877
R.M.S. WAVEFRONT SIZE = 445.1

```

*** ANSYS BINARY FILE STATISTICS

```

BUFFER SIZE USED= 4096
6.188 MB WRITTEN ON ELEMENT MATRIX FILE: ma12x3.emat
2.625 MB WRITTEN ON ELEMENT SAVED DATA FILE: ma12x3.esav
18.781 MB WRITTEN ON TRIANGULARIZED MATRIX FILE: ma12x3.tri
.031 MB WRITTEN ON SUBSTRUCTURE DOF SOLUTION FILE: ma12x3.dsub
3.188 MB WRITTEN ON RESULTS FILE: ma12x3.rth
Solve steady-state for initial conditions
with WP surface temperatures from repository
steady-state solution.

```

```

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

```

```

113 NODES (OF 5990 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

```

```

DELETE SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES
RANGE 1 TO 5990 BY 1

```

```

NUMBER OF SPECIFIED CONSTRAINTS DELETED= 113

```

```

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1

5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

```

```

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.856 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.780 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.675 .00000E+00 EXPANSION KEY = 1

```

```

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

```

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .20000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** WARNING *** CP= 832.660 TIME= 20:58:11
This load step will be a static (steady-state) step.

*** NOTE *** CP= 833.060 TIME= 20:58:12
The step data was checked and warning messages were found.
Please review output or errors file (ma12x3.err) for these warning
messages.

*** NOTE *** CP= 833.060 TIME= 20:58:12
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:58:12 APR 01, 1995 CP= 833.060
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 2
TIME AT END OF THE LOAD STEP.20000E-05
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 0
MAXIMUM NUMBER OF SUBSTEPS 0
MINIMUM NUMBER OF SUBSTEPS 1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS OFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .1451E+05 CRITERION= 14.51

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 31.86
HT FLOW CONVERGENCE VALUE= 25.94 CRITERION= .1836
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -11.00
HT FLOW CONVERGENCE VALUE= 6.510 CRITERION= .1798
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.195
HT FLOW CONVERGENCE VALUE= .3670 CRITERION= .1744
EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1201
HT FLOW CONVERGENCE VALUE= .7374E-01 CRITERION= .1743 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 4
*** LOAD STEP 2 SUBSTEP 1 COMPLETED. CUM ITER = 10
*** TIME = .200000E-05 TIME INC = .100000E-05
*****
Set time integration parameters

```

INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

USE AUTOMATIC TIME STEPPING THIS LOAD STEP
Time substep ranges from 10 sec to 1/4 loadstep

USE 10 SUBSTEPS INITIALLY THIS LOAD STEP FOR ALL DOFS
FOR AUTOMATIC TIME STEPPING:

```

USE 40 SUBSTEPS AS A MAXIMUM
USE 4 SUBSTEPS AS A MINIMUM
USE THE FINAL TIME STEP SIZE OF THE PREVIOUS LOAD STEP
AS THE STARTING TIME STEP SIZE.
Begin Transient
Apply loads and solve for 0 to .9 years

```

*DO LOOP ON PARAMETER= TM FROM 31.558 TO .28402E+08 BY .31558E+07

TIME= 31.558

```

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

```

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

```

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

```

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

```

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

```

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

```

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

```

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

```

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.856 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.780 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.675 .00000E+00 EXPANSION KEY = 1

```

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL

CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 1039.660 TIME= 21:01:50
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 21:01:50 APR 01, 1995 CP= 1039.660
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 3
TIME AT END OF THE LOAD STEP. 31.558
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .7374E-01 CRITERION= .1743
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1076E-03
HT FLOW CONVERGENCE VALUE= .6960E-05 CRITERION= .1743 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 1 COMPLETED. CUM ITER = 11
*** TIME = .788942 TIME INC = .788940
*** RESPONSE EIGENVALUE = .4159 OSCILLATION LIMIT = .3281
*** AUTO STEP TIME: NEXT TIME INC = .78894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .1335 CRITERION= .1743
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6061E-04
HT FLOW CONVERGENCE VALUE= .1092E-04 CRITERION= .1743 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 2 COMPLETED. CUM ITER = 12
*** TIME = 1.57788 TIME INC = .788940
*** RESPONSE EIGENVALUE = .2076 OSCILLATION LIMIT = .1637
*** AUTO TIME STEP: NEXT TIME INC = 2.3668 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= .1180 CRITERION= .1743
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9431E-04
HT FLOW CONVERGENCE VALUE= .2637E-04 CRITERION= .1743 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 3 COMPLETED. CUM ITER = 13
*** TIME = 3.94470 TIME INC = 2.36682
*** RESPONSE EIGENVALUE = .1048 OSCILLATION LIMIT = .2481
*** AUTO TIME STEP: NEXT TIME INC = 4.7692 INCREASED (FACTOR = 2.0150)

HT FLOW CONVERGENCE VALUE= .9769E-01 CRITERION= .1743
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1107E-03
HT FLOW CONVERGENCE VALUE= .3651E-04 CRITERION= .1743 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 4 COMPLETED. CUM ITER = 14

```

*** TIME = 8.71389 TIME INC = 4.76919
*** RESPONSE EIGENVALUE = .4323E-01 OSCILLATION LIMIT = .2062
*** AUTO TIME STEP: NEXT TIME INC = 7.8894 INCREASED (FACTOR = 1.6542)

HT FLOW CONVERGENCE VALUE= .8720E-01 CRITERION= .1743
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7325E-04
HT FLOW CONVERGENCE VALUE= .3909E-04 CRITERION= .1743 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 5 COMPLETED. CUM ITER = 15
*** TIME = 16.6033 TIME INC = 7.88940
*** RESPONSE EIGENVALUE = .1529E-01 OSCILLATION LIMIT = .1206
*** AUTO TIME STEP: NEXT TIME INC = 7.8894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8178E-01 CRITERION= .1743
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5253E-04
HT FLOW CONVERGENCE VALUE= .2873E-04 CRITERION= .1743 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 6 COMPLETED. CUM ITER = 16
*** TIME = 24.4927 TIME INC = 7.88940
*** RESPONSE EIGENVALUE = .8437E-02 OSCILLATION LIMIT = .6656E-01
*** AUTO TIME STEP: NEXT TIME INC = 7.0649 DECREASED (FACTOR = .8955)

HT FLOW CONVERGENCE VALUE= .7802E-01 CRITERION= .1743
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4257E-04
HT FLOW CONVERGENCE VALUE= .2222E-04 CRITERION= .1743 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 7 COMPLETED. CUM ITER = 17
*** TIME = 31.5576 TIME INC = 7.06491
*** RESPONSE EIGENVALUE = .6270E-02 OSCILLATION LIMIT = .4430E-01

```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 21:10:39 APR 01, 1995 CP= 1549.010
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 291.2 CRITERION= .3393
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6590
HT FLOW CONVERGENCE VALUE= .4234 CRITERION= .1729
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9455E-01
HT FLOW CONVERGENCE VALUE= .7522E-01 CRITERION= .1729 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 4 SUBSTEP 1 COMPLETED. CUM ITER = 19
*** TIME = 78925.6 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1261E-05 OSCILLATION LIMIT = .9947E-01
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 291.8 CRITERION= .3389
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6626
HT FLOW CONVERGENCE VALUE= .4719 CRITERION= .1739
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1012
HT FLOW CONVERGENCE VALUE= .7293E-01 CRITERION= .1740 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 4 SUBSTEP 2 COMPLETED. CUM ITER = 21
*** TIME = 157820. TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .3706E-06 OSCILLATION LIMIT = .2923E-01
*** AUTO TIME STEP: NEXT TIME INC = .23668E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 874.0 CRITERION= .8911
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.977
HT FLOW CONVERGENCE VALUE= 1.457 CRITERION= .1730
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4621
HT FLOW CONVERGENCE VALUE= .2932 CRITERION= .1730
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5075E-01

```

HT FLOW CONVERGENCE VALUE= .1311E-01 CRITERION= .1727 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 3 COMPLETED. CUM ITER = 24
 *** TIME = 394502. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .2293E-06 OSCILLATION LIMIT = .5428E-01
 *** AUTO STEP TIME: NEXT TIME INC = .23668E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 875.2 CRITERION= .8919
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.977
 HT FLOW CONVERGENCE VALUE= 1.470 CRITERION= .1740
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4645
 HT FLOW CONVERGENCE VALUE= .2920 CRITERION= .1740
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5052E-01
 HT FLOW CONVERGENCE VALUE= .1302E-01 CRITERION= .1738 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 4 COMPLETED. CUM ITER = 27
 *** TIME = 631184. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .2130E-06 OSCILLATION LIMIT = .5041E-01
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 2626. CRITERION= 2.632
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 5.931
 HT FLOW CONVERGENCE VALUE= 4.439 CRITERION= .1735
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.665
 HT FLOW CONVERGENCE VALUE= .9827 CRITERION= .1733
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1938
 HT FLOW CONVERGENCE VALUE= .4535E-01 CRITERION= .1725 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 5 COMPLETED. CUM ITER = 30
 *** TIME = .134123E+07 TIME INC = 710046.
 *** RESPONSE EIGENVALUE = .2212E-06 OSCILLATION LIMIT = .1571
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 2925. CRITERION= 2.930
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 6.590
 HT FLOW CONVERGENCE VALUE= 4.922 CRITERION= .1744
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.833
 HT FLOW CONVERGENCE VALUE= 1.052 CRITERION= .1743
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2086
 HT FLOW CONVERGENCE VALUE= .4836E-01 CRITERION= .1734 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 6 COMPLETED. CUM ITER = 33
 *** TIME = .213017E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2152E-06 OSCILLATION LIMIT = .1698
 *** AUTO TIME STEP: NEXT TIME INC = .51281E+06 DECREASED (FACTOR = .6500)

HT FLOW CONVERGENCE VALUE= 1904. CRITERION= 1.912
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 4.284
 HT FLOW CONVERGENCE VALUE= 3.179 CRITERION= .1727
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.112
 HT FLOW CONVERGENCE VALUE= .6321 CRITERION= .1727
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1222
 HT FLOW CONVERGENCE VALUE= .2840E-01 CRITERION= .1722 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 7 COMPLETED. CUM ITER = 36
 *** TIME = .264298E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .2322E-06 OSCILLATION LIMIT = .1191
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1907. CRITERION= 1.915
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 4.284
 HT FLOW CONVERGENCE VALUE= 3.208 CRITERION= .1737
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.100
 HT FLOW CONVERGENCE VALUE= .6131 CRITERION= .1737
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1190
 HT FLOW CONVERGENCE VALUE= .2745E-01 CRITERION= .1732 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 8 COMPLETED. CUM ITER = 39
 *** TIME = .315579E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .2180E-06 OSCILLATION LIMIT = .1118

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:30:59 APR 01, 1995 CP= 2755.790
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 551.4 CRITERION= .5779
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.180
 HT FLOW CONVERGENCE VALUE= 1.009 CRITERION= .1734
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3367
 HT FLOW CONVERGENCE VALUE= .1753 CRITERION= .1735
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3458E-01
 HT FLOW CONVERGENCE VALUE= .8094E-02 CRITERION= .1733 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 1 COMPLETED. CUM ITER = 42
 *** TIME = .366860E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .1533E-06 OSCILLATION LIMIT = .7861E-01
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 551.7 CRITERION= .5782
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.173
 HT FLOW CONVERGENCE VALUE= .8570 CRITERION= .1733
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2899
 HT FLOW CONVERGENCE VALUE= .1758 CRITERION= .1732
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3394E-01
 HT FLOW CONVERGENCE VALUE= .7509E-02 CRITERION= .1731 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 2 COMPLETED. CUM ITER = 45
 *** TIME = .418141E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .5535E-06 OSCILLATION LIMIT = .2838
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.5385)

HT FLOW CONVERGENCE VALUE= 848.9 CRITERION= .8663
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.809
 HT FLOW CONVERGENCE VALUE= 1.461 CRITERION= .1732
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5124
 HT FLOW CONVERGENCE VALUE= .2772 CRITERION= .1731
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5603E-01
 HT FLOW CONVERGENCE VALUE= .1235E-01 CRITERION= .1729 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 3 COMPLETED. CUM ITER = 48
 *** TIME = .497035E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2267E-06 OSCILLATION LIMIT = .1788
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 849.5 CRITERION= .8668
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.805
 HT FLOW CONVERGENCE VALUE= 1.376 CRITERION= .1730
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4796
 HT FLOW CONVERGENCE VALUE= .2738 CRITERION= .1729
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5497E-01
 HT FLOW CONVERGENCE VALUE= .1178E-01 CRITERION= .1727 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 4 COMPLETED. CUM ITER = 51
 *** TIME = .575929E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3605E-06 OSCILLATION LIMIT = .2845
 *** AUTO TIME STEP: NEXT TIME INC = .55226E+06 DECREASED (FACTOR = .7000)

HT FLOW CONVERGENCE VALUE= 594.8 CRITERION= .6194
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.266
 HT FLOW CONVERGENCE VALUE= 1.008 CRITERION= .1727
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3368
 HT FLOW CONVERGENCE VALUE= .1834 CRITERION= .1727
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3602E-01
 HT FLOW CONVERGENCE VALUE= .7953E-02 CRITERION= .1725 <<< CONVERGED

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
*** LOAD STEP 5 SUBSTEP 5 COMPLETED. CUM ITER = 54
*** TIME = .631155E+07 TIME INC = 552258.
*** RESPONSE EIGENVALUE = .2542E-06 OSCILLATION LIMIT = .1404
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=MP 9000/7XX 21:44:53 APR 01, 1995 CP= 3566.580
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 394.0 CRITERION= .4300
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8371
HT FLOW CONVERGENCE VALUE= .6051 CRITERION= .1728
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2116
HT FLOW CONVERGENCE VALUE= .1207 CRITERION= .1728 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 1 COMPLETED. CUM ITER = 56
*** TIME = .686381E+07 TIME INC = 552258.
*** RESPONSE EIGENVALUE = .4717E-06 OSCILLATION LIMIT = .2605
*** AUTO STEP TIME: NEXT TIME INC = .55226E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 393.9 CRITERION= .4301
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8362
HT FLOW CONVERGENCE VALUE= .5919 CRITERION= .1724
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2152
HT FLOW CONVERGENCE VALUE= .1196 CRITERION= .1724 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 2 COMPLETED. CUM ITER = 58
*** TIME = .741607E+07 TIME INC = 552258.
*** RESPONSE EIGENVALUE = .4263E-06 OSCILLATION LIMIT = .2354
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.4286)
```

```
HT FLOW CONVERGENCE VALUE= 563.1 CRITERION= .5888
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.195
HT FLOW CONVERGENCE VALUE= .8281 CRITERION= .1726
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3160
HT FLOW CONVERGENCE VALUE= .1747 CRITERION= .1725
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3557E-01
HT FLOW CONVERGENCE VALUE= .7180E-02 CRITERION= .1724 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
*** LOAD STEP 6 SUBSTEP 3 COMPLETED. CUM ITER = 61
*** TIME = .820501E+07 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2708E-06 OSCILLATION LIMIT = .2137
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 563.0 CRITERION= .5888
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.195
HT FLOW CONVERGENCE VALUE= .8431 CRITERION= .1720
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3178
HT FLOW CONVERGENCE VALUE= .1745 CRITERION= .1720
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3535E-01
HT FLOW CONVERGENCE VALUE= .7198E-02 CRITERION= .1719 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
*** LOAD STEP 6 SUBSTEP 4 COMPLETED. CUM ITER = 64
*** TIME = .899395E+07 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4103E-06 OSCILLATION LIMIT = .3237
*** AUTO TIME STEP: NEXT TIME INC = .47336E+06 DECREASED (FACTOR = .6000)
```

```
HT FLOW CONVERGENCE VALUE= 338.0 CRITERION= .3792
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7178
HT FLOW CONVERGENCE VALUE= .4959 CRITERION= .1721
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1759
HT FLOW CONVERGENCE VALUE= .9839E-01 CRITERION= .1721 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 5 COMPLETED. CUM ITER = 66
```

*** TIME = .946731E+07 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .4321E-06 OSCILLATION LIMIT = .2045

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:56:23 APR 01, 1995 CP= 4249.730
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 261.2 CRITERION= .3129
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5545
 HT FLOW CONVERGENCE VALUE= .3884 CRITERION= .1718
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1375
 HT FLOW CONVERGENCE VALUE= .7563E-01 CRITERION= .1718 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 1 COMPLETED. CUM ITER = 68
 *** TIME = .994068E+07 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .4685E-06 OSCILLATION LIMIT = .2218
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 261.4 CRITERION= .3128
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5548
 HT FLOW CONVERGENCE VALUE= .3757 CRITERION= .1719
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1332
 HT FLOW CONVERGENCE VALUE= .7489E-01 CRITERION= .1719 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 2 COMPLETED. CUM ITER = 70
 *** TIME = .104140E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .3806E-06 OSCILLATION LIMIT = .1802
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 435.4 CRITERION= .4682
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9242
 HT FLOW CONVERGENCE VALUE= .6420 CRITERION= .1715
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2407
 HT FLOW CONVERGENCE VALUE= .1315 CRITERION= .1715 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 3 COMPLETED. CUM ITER = 72
 *** TIME = .112030E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5557E-06 OSCILLATION LIMIT = .4384
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 435.6 CRITERION= .4681
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9243
 HT FLOW CONVERGENCE VALUE= .6313 CRITERION= .1716
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2367
 HT FLOW CONVERGENCE VALUE= .1294 CRITERION= .1716 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 4 COMPLETED. CUM ITER = 74
 *** TIME = .119919E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3953E-06 OSCILLATION LIMIT = .3119
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+06 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 348.3 CRITERION= .3883
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7394
 HT FLOW CONVERGENCE VALUE= .5103 CRITERION= .1711
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1865
 HT FLOW CONVERGENCE VALUE= .1012 CRITERION= .1712 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 5 COMPLETED. CUM ITER = 76
 *** TIME = .126231E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .4812E-06 OSCILLATION LIMIT = .3037

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:06:28 APR 01, 1995 CP= 4848.450
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 286.2 CRITERION= .3334
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6075
 HT FLOW CONVERGENCE VALUE= .4115 CRITERION= .1713
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1503
 HT FLOW CONVERGENCE VALUE= .8227E-01 CRITERION= .1713 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 1 COMPLETED. CUM ITER = 78
 *** TIME = .132542E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .3776E-06 OSCILLATION LIMIT = .2383
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 286.0 CRITERION= .3334
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6071
 HT FLOW CONVERGENCE VALUE= .4119 CRITERION= .1708
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1503
 HT FLOW CONVERGENCE VALUE= .8258E-01 CRITERION= .1708 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 2 COMPLETED. CUM ITER = 80
 *** TIME = .138854E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .6530E-06 OSCILLATION LIMIT = .4121
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 286.2 CRITERION= .3333
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6075
 HT FLOW CONVERGENCE VALUE= .4099 CRITERION= .1710
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1494
 HT FLOW CONVERGENCE VALUE= .8152E-01 CRITERION= .1710 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 3 COMPLETED. CUM ITER = 82
 *** TIME = .145165E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .4140E-06 OSCILLATION LIMIT = .2613
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 357.5 CRITERION= .3963
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7589
 HT FLOW CONVERGENCE VALUE= .5145 CRITERION= .1705
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1915
 HT FLOW CONVERGENCE VALUE= .1040 CRITERION= .1705 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 4 COMPLETED. CUM ITER = 84
 *** TIME = .153055E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6424E-06 OSCILLATION LIMIT = .5068
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+06 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 214.7 CRITERION= .2741
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4557
 HT FLOW CONVERGENCE VALUE= .3048 CRITERION= .1707
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1070
 HT FLOW CONVERGENCE VALUE= .5827E-01 CRITERION= .1707 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 5 COMPLETED. CUM ITER = 86
 *** TIME = .157788E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .3314E-06 OSCILLATION LIMIT = .1569

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:16:31 APR 01, 1995 CP= 5446.440
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 182.5 CRITERION= .2499
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3876
 HT FLOW CONVERGENCE VALUE= .2613 CRITERION= .1703
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9163E-01
 HT FLOW CONVERGENCE VALUE= .5012E-01 CRITERION= .1703 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 1 COMPLETED. CUM ITER = 88
 *** TIME = .162522E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .7072E-06 OSCILLATION LIMIT = .3348
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 182.7 CRITERION= .2497
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3880
 HT FLOW CONVERGENCE VALUE= .2556 CRITERION= .1704
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8951E-01
 HT FLOW CONVERGENCE VALUE= .4958E-01 CRITERION= .1704 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 2 COMPLETED. CUM ITER = 90
 *** TIME = .167256E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .4887E-06 OSCILLATION LIMIT = .2313
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 304.2 CRITERION= .3487
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6460
 HT FLOW CONVERGENCE VALUE= .4339 CRITERION= .1700
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1609
 HT FLOW CONVERGENCE VALUE= .8728E-01 CRITERION= .1700 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 3 COMPLETED. CUM ITER = 92
 *** TIME = .175145E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7419E-06 OSCILLATION LIMIT = .5853
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 304.4 CRITERION= .3486
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6462
 HT FLOW CONVERGENCE VALUE= .4285 CRITERION= .1701
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1588
 HT FLOW CONVERGENCE VALUE= .8602E-01 CRITERION= .1701 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 4 COMPLETED. CUM ITER = 94
 *** TIME = .183034E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5207E-06 OSCILLATION LIMIT = .4108
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+06 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 243.4 CRITERION= .2969
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5168
 HT FLOW CONVERGENCE VALUE= .3453 CRITERION= .1697
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1250
 HT FLOW CONVERGENCE VALUE= .6748E-01 CRITERION= .1697 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 5 COMPLETED. CUM ITER = 96
 *** TIME = .189346E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .6649E-06 OSCILLATION LIMIT = .4197

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:26:40 APR 01, 1995 CP= 6039.830
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 213.6 CRITERION= .2728
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4536
 HT FLOW CONVERGENCE VALUE= .2984 CRITERION= .1698
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1079
 HT FLOW CONVERGENCE VALUE= .5865E-01 CRITERION= .1698 <<< CONVERGED


```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 1 COMPLETED. CUM ITER = 98
*** TIME = .195657E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .5197E-06 OSCILLATION LIMIT = .3280
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 213.5 CRITERION= .2728
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4532
HT FLOW CONVERGENCE VALUE= .2989 CRITERION= .1694
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1080
HT FLOW CONVERGENCE VALUE= .5889E-01 CRITERION= .1694 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 2 COMPLETED. CUM ITER = 100
*** TIME = .201969E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .8327E-06 OSCILLATION LIMIT = .5256
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 213.6 CRITERION= .2726
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4536
HT FLOW CONVERGENCE VALUE= .2975 CRITERION= .1695
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1074
HT FLOW CONVERGENCE VALUE= .5822E-01 CRITERION= .1695 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 3 COMPLETED. CUM ITER = 102
*** TIME = .208280E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .5484E-06 OSCILLATION LIMIT = .3461
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 213.5 CRITERION= .2726
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4532
HT FLOW CONVERGENCE VALUE= .2983 CRITERION= .1691
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1077
HT FLOW CONVERGENCE VALUE= .5838E-01 CRITERION= .1691 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 4 COMPLETED. CUM ITER = 104
*** TIME = .214592E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .8198E-06 OSCILLATION LIMIT = .5174
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 213.6 CRITERION= .2724
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4536
HT FLOW CONVERGENCE VALUE= .2966 CRITERION= .1692
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1069
HT FLOW CONVERGENCE VALUE= .5768E-01 CRITERION= .1692 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 5 COMPLETED. CUM ITER = 106
*** TIME = .220904E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .5562E-06 OSCILLATION LIMIT = .3511

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 22:36:41 APR 01, 1995 CP= 6634.330
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 191.3 CRITERION= .2554
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4062
HT FLOW CONVERGENCE VALUE= .2659 CRITERION= .1688
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9589E-01
HT FLOW CONVERGENCE VALUE= .5186E-01 CRITERION= .1688 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 1 COMPLETED. CUM ITER = 108
*** TIME = .227215E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .8614E-06 OSCILLATION LIMIT = .5437
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 191.5    CRITERION= .2552
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4066
HT FLOW CONVERGENCE VALUE= .2627    CRITERION= .1690
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9457E-01
HT FLOW CONVERGENCE VALUE= .5133E-01 CRITERION= .1689    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 2 COMPLETED. CUM ITER = 110
*** TIME = .233527E+08    TIME INC = 631152.
*** RESPONSE EIGENVALUE = .6306E-06    OSCILLATION LIMIT = .3980
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06    UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 191.3    CRITERION= .2552
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4062
HT FLOW CONVERGENCE VALUE= .2650    CRITERION= .1685
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9540E-01
HT FLOW CONVERGENCE VALUE= .5146E-01 CRITERION= .1685    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 3 COMPLETED. CUM ITER = 112
*** TIME = .239838E+08    TIME INC = 631152.
*** RESPONSE EIGENVALUE = .8829E-06    OSCILLATION LIMIT = .5572
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06    UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 191.5    CRITERION= .2550
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4066
HT FLOW CONVERGENCE VALUE= .2621    CRITERION= .1687
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9431E-01
HT FLOW CONVERGENCE VALUE= .5072E-01 CRITERION= .1687    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 4 COMPLETED. CUM ITER = 114
*** TIME = .246150E+08    TIME INC = 631152.
*** RESPONSE EIGENVALUE = .6285E-06    OSCILLATION LIMIT = .3967
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06    UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 191.3    CRITERION= .2550
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4062
HT FLOW CONVERGENCE VALUE= .2636    CRITERION= .1683
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9498E-01
HT FLOW CONVERGENCE VALUE= .5084E-01 CRITERION= .1683    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 5 COMPLETED. CUM ITER = 116
*** TIME = .252461E+08    TIME INC = 631152.
*** RESPONSE EIGENVALUE = .8819E-06    OSCILLATION LIMIT = .5566

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303    VERSION=HP 9000/7XX    22:46:41 APR 01, 1995 CP= 7228.290
FOR SUPPORT CALL SUPPORT PERSON    PHONE SUPPORT PHONE    FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 174.1    CRITERION= .2420
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3696
HT FLOW CONVERGENCE VALUE= .2366    CRITERION= .1684
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8515E-01
HT FLOW CONVERGENCE VALUE= .4576E-01 CRITERION= .1684    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 12 SUBSTEP 1 COMPLETED. CUM ITER = 118
*** TIME = .258773E+08    TIME INC = 631152.
*** RESPONSE EIGENVALUE = .6546E-06    OSCILLATION LIMIT = .4132
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06    UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 173.9    CRITERION= .2421
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3692
HT FLOW CONVERGENCE VALUE= .2369    CRITERION= .1680
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8529E-01
HT FLOW CONVERGENCE VALUE= .4594E-01 CRITERION= .1680    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

```

```

*** LOAD STEP 12 SUBSTEP 2 COMPLETED. CUM ITER = 120
*** TIME = .265084E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .9963E-06 OSCILLATION LIMIT = .6288
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 174.1 CRITERION= .2418
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3697
HT FLOW CONVERGENCE VALUE= .2359 CRITERION= .1681
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8480E-01
HT FLOW CONVERGENCE VALUE= .4546E-01 CRITERION= .1681 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 12 SUBSTEP 3 COMPLETED. CUM ITER = 122
*** TIME = .271396E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .6789E-06 OSCILLATION LIMIT = .4285
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 173.9 CRITERION= .2419
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3692
HT FLOW CONVERGENCE VALUE= .2362 CRITERION= .1677
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8501E-01
HT FLOW CONVERGENCE VALUE= .4559E-01 CRITERION= .1677 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 12 SUBSTEP 4 COMPLETED. CUM ITER = 124
*** TIME = .277707E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .9832E-06 OSCILLATION LIMIT = .6206
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 174.1 CRITERION= .2417
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3696
HT FLOW CONVERGENCE VALUE= .2347 CRITERION= .1678
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8447E-01
HT FLOW CONVERGENCE VALUE= .4515E-01 CRITERION= .1678 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 12 SUBSTEP 5 COMPLETED. CUM ITER = 126
*** TIME = .284019E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .6864E-06 OSCILLATION LIMIT = .4332
Apply loads and solve for 1 to 9 years

*DO LOOP ON PARAMETER= TM FROM .31558E+08 TO .28402E+09 BY .31558E+08
TIME= .31558E+08

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5405.15278 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 110.94 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10

```

LOAD LABELS = TEMP
VALUES = 111.59 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 113.08 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 7822.430 TIME= 22:56:41
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 22:56:41 APR 01, 1995 CP= 7822.430
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 13
TIME AT END OF THE LOAD STEP.31558E+08
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 160.5 CRITERION= .2322
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3409
HT FLOW CONVERGENCE VALUE= .2161 CRITERION= .1674
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7799E-01
HT FLOW CONVERGENCE VALUE= .4182E-01 CRITERION= .1674 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 13 SUBSTEP 1 COMPLETED. CUM ITER = 128
*** TIME = .290330E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .1028E-05 OSCILLATION LIMIT = .6490
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.7 CRITERION= .2320
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3413
HT FLOW CONVERGENCE VALUE= .2141 CRITERION= .1676
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7712E-01
HT FLOW CONVERGENCE VALUE= .4143E-01 CRITERION= .1675 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 13 SUBSTEP 2 COMPLETED. CUM ITER = 130
*** TIME = .296642E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .7593E-06 OSCILLATION LIMIT = .4792
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.5 CRITERION= .2320
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3409
 HT FLOW CONVERGENCE VALUE= .2154 CRITERION= .1671
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7765E-01
 HT FLOW CONVERGENCE VALUE= .4155E-01 CRITERION= .1671 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 13 SUBSTEP 3 COMPLETED. CUM ITER = 132
 *** TIME = .302953E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .1043E-05 OSCILLATION LIMIT = .6582
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.7 CRITERION= .2318
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3413
 HT FLOW CONVERGENCE VALUE= .2137 CRITERION= .1673
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7690E-01
 HT FLOW CONVERGENCE VALUE= .4114E-01 CRITERION= .1673 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 13 SUBSTEP 4 COMPLETED. CUM ITER = 134
 *** TIME = .309265E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .7582E-06 OSCILLATION LIMIT = .4785
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.5 CRITERION= .2318
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3409
 HT FLOW CONVERGENCE VALUE= .2145 CRITERION= .1669
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7734E-01
 HT FLOW CONVERGENCE VALUE= .4126E-01 CRITERION= .1669 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 13 SUBSTEP 5 COMPLETED. CUM ITER = 136
 *** TIME = .315576E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .1040E-05 OSCILLATION LIMIT = .6566

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:06:41 APR 01, 1995 CP= 8416.900
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2153
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2891
 HT FLOW CONVERGENCE VALUE= .1789 CRITERION= .1670
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6577E-01
 HT FLOW CONVERGENCE VALUE= .3541E-01 CRITERION= .1670 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 1 COMPLETED. CUM ITER = 138
 *** TIME = .323466E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9017E-06 OSCILLATION LIMIT = .7114
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2154
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
 HT FLOW CONVERGENCE VALUE= .1765 CRITERION= .1666
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6495E-01
 HT FLOW CONVERGENCE VALUE= .3556E-01 CRITERION= .1666 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 2 COMPLETED. CUM ITER = 140
 *** TIME = .331355E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1484E-05 OSCILLATION LIMIT = 1.171
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2151
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2891
 HT FLOW CONVERGENCE VALUE= .1781 CRITERION= .1667
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6541E-01

HT FLOW CONVERGENCE VALUE= .3523E-01 CRITERION= .1667 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 3 COMPLETED. CUM ITER = 142
 *** TIME = .339245E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9604E-06 OSCILLATION LIMIT = .7577
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2151
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
 HT FLOW CONVERGENCE VALUE= .1765 CRITERION= .1663
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6489E-01
 HT FLOW CONVERGENCE VALUE= .3531E-01 CRITERION= .1663 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 4 COMPLETED. CUM ITER = 144
 *** TIME = .347134E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1446E-05 OSCILLATION LIMIT = 1.141
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2149
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2891
 HT FLOW CONVERGENCE VALUE= .1773 CRITERION= .1664
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6508E-01
 HT FLOW CONVERGENCE VALUE= .3500E-01 CRITERION= .1664 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 5 COMPLETED. CUM ITER = 146
 *** TIME = .355023E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9835E-06 OSCILLATION LIMIT = .7759
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2149
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
 HT FLOW CONVERGENCE VALUE= .1762 CRITERION= .1660
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6478E-01
 HT FLOW CONVERGENCE VALUE= .3505E-01 CRITERION= .1660 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 6 COMPLETED. CUM ITER = 148
 *** TIME = .362913E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1419E-05 OSCILLATION LIMIT = 1.120
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2146
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2891
 HT FLOW CONVERGENCE VALUE= .1767 CRITERION= .1661
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6481E-01
 HT FLOW CONVERGENCE VALUE= .3476E-01 CRITERION= .1661 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 7 COMPLETED. CUM ITER = 150
 *** TIME = .370802E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9996E-06 OSCILLATION LIMIT = .7886
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2147
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
 HT FLOW CONVERGENCE VALUE= .1759 CRITERION= .1657
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6463E-01
 HT FLOW CONVERGENCE VALUE= .3479E-01 CRITERION= .1657 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 8 COMPLETED. CUM ITER = 152
 *** TIME = .378692E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1400E-05 OSCILLATION LIMIT = 1.105
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2144
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2891
 HT FLOW CONVERGENCE VALUE= .1762 CRITERION= .1658
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6456E-01
 HT FLOW CONVERGENCE VALUE= .3453E-01 CRITERION= .1658 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 9 COMPLETED. CUM ITER = 154
 *** TIME = .386581E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1011E-05 OSCILLATION LIMIT = .7974
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2145
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
 HT FLOW CONVERGENCE VALUE= .1756 CRITERION= .1654
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6447E-01
 HT FLOW CONVERGENCE VALUE= .3456E-01 CRITERION= .1654 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 10 COMPLETED. CUM ITER = 156
 *** TIME = .394470E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1386E-05 OSCILLATION LIMIT = 1.093
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2142
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2891
 HT FLOW CONVERGENCE VALUE= .1755 CRITERION= .1655
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6434E-01
 HT FLOW CONVERGENCE VALUE= .3433E-01 CRITERION= .1655 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 11 COMPLETED. CUM ITER = 158
 *** TIME = .402360E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1019E-05 OSCILLATION LIMIT = .8040
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2142
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
 HT FLOW CONVERGENCE VALUE= .1750 CRITERION= .1651
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6429E-01
 HT FLOW CONVERGENCE VALUE= .3436E-01 CRITERION= .1651 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 12 COMPLETED. CUM ITER = 160
 *** TIME = .410249E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1375E-05 OSCILLATION LIMIT = 1.085
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2140
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2891
 HT FLOW CONVERGENCE VALUE= .1750 CRITERION= .1652
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6412E-01
 HT FLOW CONVERGENCE VALUE= .3413E-01 CRITERION= .1652 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 13 COMPLETED. CUM ITER = 162
 *** TIME = .418139E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1025E-05 OSCILLATION LIMIT = .8088
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2140
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
 HT FLOW CONVERGENCE VALUE= .1747 CRITERION= .1648
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6410E-01
 HT FLOW CONVERGENCE VALUE= .3412E-01 CRITERION= .1648 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 14 COMPLETED. CUM ITER = 164
 *** TIME = .426028E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1365E-05 OSCILLATION LIMIT = 1.077
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2137
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2891
 HT FLOW CONVERGENCE VALUE= .1747 CRITERION= .1649
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6393E-01
 HT FLOW CONVERGENCE VALUE= .3396E-01 CRITERION= .1649 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 15 COMPLETED. CUM ITER = 166
 *** TIME = .433917E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1030E-05 OSCILLATION LIMIT = .8126
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2138

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
HT FLOW CONVERGENCE VALUE= .1745 CRITERION= .1645
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6394E-01
HT FLOW CONVERGENCE VALUE= .3396E-01 CRITERION= .1645 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 16 COMPLETED. CUM ITER = 168
*** TIME = .441807E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1358E-05 OSCILLATION LIMIT = 1.072
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2135
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2891
HT FLOW CONVERGENCE VALUE= .1744 CRITERION= .1646
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6375E-01
HT FLOW CONVERGENCE VALUE= .3373E-01 CRITERION= .1646 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 17 COMPLETED. CUM ITER = 170
*** TIME = .449696E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1034E-05 OSCILLATION LIMIT = .8154
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2135
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
HT FLOW CONVERGENCE VALUE= .1740 CRITERION= .1642
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6374E-01
HT FLOW CONVERGENCE VALUE= .3372E-01 CRITERION= .1642 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 18 COMPLETED. CUM ITER = 172
*** TIME = .457586E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1351E-05 OSCILLATION LIMIT = 1.066
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2133
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2891
HT FLOW CONVERGENCE VALUE= .1735 CRITERION= .1644
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6354E-01
HT FLOW CONVERGENCE VALUE= .3352E-01 CRITERION= .1643 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 19 COMPLETED. CUM ITER = 174
*** TIME = .465475E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1037E-05 OSCILLATION LIMIT = .8178
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2133
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
HT FLOW CONVERGENCE VALUE= .1727 CRITERION= .1639
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6355E-01
HT FLOW CONVERGENCE VALUE= .3349E-01 CRITERION= .1639 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 20 COMPLETED. CUM ITER = 176
*** TIME = .473364E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1345E-05 OSCILLATION LIMIT = 1.061
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2130
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2891
HT FLOW CONVERGENCE VALUE= .1724 CRITERION= .1641
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6335E-01
HT FLOW CONVERGENCE VALUE= .3330E-01 CRITERION= .1640 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 21 COMPLETED. CUM ITER = 178
*** TIME = .481254E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1039E-05 OSCILLATION LIMIT = .8201
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2131
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
HT FLOW CONVERGENCE VALUE= .1715 CRITERION= .1636
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6335E-01
HT FLOW CONVERGENCE VALUE= .3328E-01 CRITERION= .1636 <<< CONVERGED

```



```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 22 COMPLETED. CUM ITER = 180
*** TIME = .489143E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1340E-05 OSCILLATION LIMIT = 1.057
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2128
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2890
HT FLOW CONVERGENCE VALUE= .1706 CRITERION= .1638
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6316E-01
HT FLOW CONVERGENCE VALUE= .3309E-01 CRITERION= .1637 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 23 COMPLETED. CUM ITER = 182
*** TIME = .497033E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1043E-05 OSCILLATION LIMIT = .8231
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2129
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
HT FLOW CONVERGENCE VALUE= .1699 CRITERION= .1633
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6318E-01
HT FLOW CONVERGENCE VALUE= .3309E-01 CRITERION= .1633 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 24 COMPLETED. CUM ITER = 184
*** TIME = .504922E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1336E-05 OSCILLATION LIMIT = 1.054
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2126
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2890
HT FLOW CONVERGENCE VALUE= .1696 CRITERION= .1635
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6300E-01
HT FLOW CONVERGENCE VALUE= .3291E-01 CRITERION= .1634 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 25 COMPLETED. CUM ITER = 186
*** TIME = .512811E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1047E-05 OSCILLATION LIMIT = .8262
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2126
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
HT FLOW CONVERGENCE VALUE= .1688 CRITERION= .1630
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6301E-01
HT FLOW CONVERGENCE VALUE= .3288E-01 CRITERION= .1630 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 26 COMPLETED. CUM ITER = 188
*** TIME = .520701E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1333E-05 OSCILLATION LIMIT = 1.052
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2124
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2890
HT FLOW CONVERGENCE VALUE= .1695 CRITERION= .1632
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6285E-01
HT FLOW CONVERGENCE VALUE= .3270E-01 CRITERION= .1631 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 27 COMPLETED. CUM ITER = 190
*** TIME = .528590E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1051E-05 OSCILLATION LIMIT = .8293
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2124
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
HT FLOW CONVERGENCE VALUE= .1696 CRITERION= .1627
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6284E-01
HT FLOW CONVERGENCE VALUE= .3267E-01 CRITERION= .1627 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 28 COMPLETED. CUM ITER = 192
*** TIME = .536480E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1329E-05 OSCILLATION LIMIT = 1.048

```

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2121
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2890
 HT FLOW CONVERGENCE VALUE= .1716 CRITERION= .1629
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6269E-01
 HT FLOW CONVERGENCE VALUE= .3250E-01 CRITERION= .1629 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 14 SUBSTEP 29 COMPLETED. CUM ITER = 194

*** TIME = .544369E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1054E-05 OSCILLATION LIMIT = .8314

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
 HT FLOW CONVERGENCE VALUE= .1708 CRITERION= .1624
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6267E-01
 HT FLOW CONVERGENCE VALUE= .3245E-01 CRITERION= .1624 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 14 SUBSTEP 30 COMPLETED. CUM ITER = 196

*** TIME = .552258E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1324E-05 OSCILLATION LIMIT = 1.045

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2119
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2890
 HT FLOW CONVERGENCE VALUE= .1713 CRITERION= .1626
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6250E-01
 HT FLOW CONVERGENCE VALUE= .3228E-01 CRITERION= .1626 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 14 SUBSTEP 31 COMPLETED. CUM ITER = 198

*** TIME = .560148E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1055E-05 OSCILLATION LIMIT = .8322

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2119
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
 HT FLOW CONVERGENCE VALUE= .1703 CRITERION= .1621
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6246E-01
 HT FLOW CONVERGENCE VALUE= .3223E-01 CRITERION= .1621 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 14 SUBSTEP 32 COMPLETED. CUM ITER = 200

*** TIME = .568037E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1319E-05 OSCILLATION LIMIT = 1.041

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2117
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2890
 HT FLOW CONVERGENCE VALUE= .1708 CRITERION= .1623
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6229E-01
 HT FLOW CONVERGENCE VALUE= .3206E-01 CRITERION= .1623 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 14 SUBSTEP 33 COMPLETED. CUM ITER = 202

*** TIME = .575927E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1056E-05 OSCILLATION LIMIT = .8328

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2117
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
 HT FLOW CONVERGENCE VALUE= .1699 CRITERION= .1618
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6225E-01
 HT FLOW CONVERGENCE VALUE= .3200E-01 CRITERION= .1618 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 14 SUBSTEP 34 COMPLETED. CUM ITER = 204

*** TIME = .583816E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1314E-05 OSCILLATION LIMIT = 1.037

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2115
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2890

HT FLOW CONVERGENCE VALUE= .1704 CRITERION= .1620
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6209E-01
 HT FLOW CONVERGENCE VALUE= .3183E-01 CRITERION= .1620 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 35 COMPLETED. CUM ITER = 206
 *** TIME = .591705E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1056E-05 OSCILLATION LIMIT = .8333
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2115
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
 HT FLOW CONVERGENCE VALUE= .1695 CRITERION= .1615
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6204E-01
 HT FLOW CONVERGENCE VALUE= .3177E-01 CRITERION= .1615 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 36 COMPLETED. CUM ITER = 208
 *** TIME = .599595E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1309E-05 OSCILLATION LIMIT = 1.033
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2112
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2890
 HT FLOW CONVERGENCE VALUE= .1698 CRITERION= .1617
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6189E-01
 HT FLOW CONVERGENCE VALUE= .3162E-01 CRITERION= .1617 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 37 COMPLETED. CUM ITER = 210
 *** TIME = .607484E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1057E-05 OSCILLATION LIMIT = .8338
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2113
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
 HT FLOW CONVERGENCE VALUE= .1688 CRITERION= .1613
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6183E-01
 HT FLOW CONVERGENCE VALUE= .3156E-01 CRITERION= .1612 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 38 COMPLETED. CUM ITER = 212
 *** TIME = .615374E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1305E-05 OSCILLATION LIMIT = 1.029
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .2110
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2890
 HT FLOW CONVERGENCE VALUE= .1693 CRITERION= .1614
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6169E-01
 HT FLOW CONVERGENCE VALUE= .3140E-01 CRITERION= .1614 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 39 COMPLETED. CUM ITER = 214
 *** TIME = .623263E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1057E-05 OSCILLATION LIMIT = .8342
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .2110
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
 HT FLOW CONVERGENCE VALUE= .1684 CRITERION= .1610
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6162E-01
 HT FLOW CONVERGENCE VALUE= .3133E-01 CRITERION= .1609 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 40 COMPLETED. CUM ITER = 216
 *** TIME = .631152E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1300E-05 OSCILLATION LIMIT = 1.026

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 00:26:44 APR 02, 1995 CP= 13123.940
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1831
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1861
 HT FLOW CONVERGENCE VALUE= .1065 CRITERION= .1611 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 1 COMPLETED. CUM ITER = 217
 *** TIME = .639042E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8771E-06 OSCILLATION LIMIT = .6920
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.13 CRITERION= .1832
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .1003 CRITERION= .1607 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 2 COMPLETED. CUM ITER = 218
 *** TIME = .646931E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2224E-05 OSCILLATION LIMIT = 1.754
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1829
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .1013 CRITERION= .1609 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 3 COMPLETED. CUM ITER = 219
 *** TIME = .654821E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1726E-05 OSCILLATION LIMIT = 1.362
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1830
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9989E-01 CRITERION= .1605 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 4 COMPLETED. CUM ITER = 220
 *** TIME = .662710E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2009E-05 OSCILLATION LIMIT = 1.585
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1827
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .1011 CRITERION= .1606 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 5 COMPLETED. CUM ITER = 221
 *** TIME = .670599E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1698E-05 OSCILLATION LIMIT = 1.339
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1828
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9960E-01 CRITERION= .1602 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 6 COMPLETED. CUM ITER = 222
 *** TIME = .678489E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2034E-05 OSCILLATION LIMIT = 1.605
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1824
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .1009 CRITERION= .1604 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 7 COMPLETED. CUM ITER = 223
 *** TIME = .686378E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1677E-05 OSCILLATION LIMIT = 1.323
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1825
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9937E-01 CRITERION= .1600 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 8 COMPLETED. CUM ITER = 224
 *** TIME = .694268E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2047E-05 OSCILLATION LIMIT = 1.615
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1822
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .1006 CRITERION= .1601 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 9 COMPLETED. CUM ITER = 225
 *** TIME = .702157E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1664E-05 OSCILLATION LIMIT = 1.313
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1823
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9897E-01 CRITERION= .1597 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 10 COMPLETED. CUM ITER = 226
 *** TIME = .710046E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2053E-05 OSCILLATION LIMIT = 1.619
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1820
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .1002 CRITERION= .1599 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 11 COMPLETED. CUM ITER = 227
 *** TIME = .717936E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1657E-05 OSCILLATION LIMIT = 1.307
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1821
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9863E-01 CRITERION= .1594 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 12 COMPLETED. CUM ITER = 228
 *** TIME = .725825E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2054E-05 OSCILLATION LIMIT = 1.621
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1818
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .9996E-01 CRITERION= .1596 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 13 COMPLETED. CUM ITER = 229
 *** TIME = .733715E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1652E-05 OSCILLATION LIMIT = 1.303
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1819
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9831E-01 CRITERION= .1592 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 14 COMPLETED. CUM ITER = 230
 *** TIME = .741604E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2053E-05 OSCILLATION LIMIT = 1.620
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1815
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .9951E-01 CRITERION= .1594 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 15 COMPLETED. CUM ITER = 231
 *** TIME = .749493E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1649E-05 OSCILLATION LIMIT = 1.301
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1816
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854

HT FLOW CONVERGENCE VALUE= .9794E-01 CRITERION= .1589 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 16 COMPLETED. CUM ITER = 232
 *** TIME = .757383E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2050E-05 OSCILLATION LIMIT = 1.618
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1813
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .9921E-01 CRITERION= .1591 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 17 COMPLETED. CUM ITER = 233
 *** TIME = .765272E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1648E-05 OSCILLATION LIMIT = 1.300
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1814
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9746E-01 CRITERION= .1587 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 18 COMPLETED. CUM ITER = 234
 *** TIME = .773162E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2046E-05 OSCILLATION LIMIT = 1.615
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1811
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .9875E-01 CRITERION= .1588 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 19 COMPLETED. CUM ITER = 235
 *** TIME = .781051E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1647E-05 OSCILLATION LIMIT = 1.299
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1812
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9719E-01 CRITERION= .1584 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 20 COMPLETED. CUM ITER = 236
 *** TIME = .788940E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2042E-05 OSCILLATION LIMIT = 1.611
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1809
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .9851E-01 CRITERION= .1586 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 21 COMPLETED. CUM ITER = 237
 *** TIME = .796830E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1647E-05 OSCILLATION LIMIT = 1.299
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1810
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9683E-01 CRITERION= .1582 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 22 COMPLETED. CUM ITER = 238
 *** TIME = .804719E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2037E-05 OSCILLATION LIMIT = 1.607
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1806
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .9797E-01 CRITERION= .1583 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 23 COMPLETED. CUM ITER = 239
 *** TIME = .812609E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1647E-05 OSCILLATION LIMIT = 1.299
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1807
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9634E-01 CRITERION= .1579 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 24 COMPLETED. CUM ITER = 240
 *** TIME = .820498E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2032E-05 OSCILLATION LIMIT = 1.603
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1804
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .9761E-01 CRITERION= .1581 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 25 COMPLETED. CUM ITER = 241
 *** TIME = .828387E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1647E-05 OSCILLATION LIMIT = 1.299
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1805
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9606E-01 CRITERION= .1576 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 26 COMPLETED. CUM ITER = 242
 *** TIME = .836277E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2027E-05 OSCILLATION LIMIT = 1.599
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1802
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .9731E-01 CRITERION= .1578 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 27 COMPLETED. CUM ITER = 243
 *** TIME = .844166E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1647E-05 OSCILLATION LIMIT = 1.299
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1803
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9580E-01 CRITERION= .1574 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 28 COMPLETED. CUM ITER = 244
 *** TIME = .852056E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2021E-05 OSCILLATION LIMIT = 1.595
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1800
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .9705E-01 CRITERION= .1576 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 29 COMPLETED. CUM ITER = 245
 *** TIME = .859945E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1647E-05 OSCILLATION LIMIT = 1.299
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1801
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9543E-01 CRITERION= .1571 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 30 COMPLETED. CUM ITER = 246
 *** TIME = .867834E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2016E-05 OSCILLATION LIMIT = 1.591
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1797
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .9658E-01 CRITERION= .1573 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 31 COMPLETED. CUM ITER = 247
 *** TIME = .875724E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1647E-05 OSCILLATION LIMIT = 1.299

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1798
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9508E-01 CRITERION= .1569 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 32 COMPLETED. CUM ITER = 248
 *** TIME = .883613E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2011E-05 OSCILLATION LIMIT = 1.586
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1795
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .9623E-01 CRITERION= .1570 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 33 COMPLETED. CUM ITER = 249
 *** TIME = .891503E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1647E-05 OSCILLATION LIMIT = 1.299
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1796
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9466E-01 CRITERION= .1566 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 34 COMPLETED. CUM ITER = 250
 *** TIME = .899392E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2006E-05 OSCILLATION LIMIT = 1.582
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1793
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .9583E-01 CRITERION= .1568 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 35 COMPLETED. CUM ITER = 251
 *** TIME = .907281E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1647E-05 OSCILLATION LIMIT = 1.300
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1794
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9434E-01 CRITERION= .1564 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 36 COMPLETED. CUM ITER = 252
 *** TIME = .915171E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2000E-05 OSCILLATION LIMIT = 1.578
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1791
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .9547E-01 CRITERION= .1565 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 37 COMPLETED. CUM ITER = 253
 *** TIME = .923060E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1647E-05 OSCILLATION LIMIT = 1.300
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.14 CRITERION= .1792
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
 HT FLOW CONVERGENCE VALUE= .9399E-01 CRITERION= .1561 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 38 COMPLETED. CUM ITER = 254
 *** TIME = .930950E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1995E-05 OSCILLATION LIMIT = 1.574
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.33 CRITERION= .1788
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1859
 HT FLOW CONVERGENCE VALUE= .9513E-01 CRITERION= .1563 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 39 COMPLETED. CUM ITER = 255


```

*** TIME = .938839E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1647E-05    OSCILLATION LIMIT = 1.300
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 87.14    CRITERION= .1789
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1854
    HT FLOW CONVERGENCE VALUE= .9358E-01    CRITERION= .1559    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 40 COMPLETED.    CUM ITER = 256
*** TIME = .946728E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1990E-05    OSCILLATION LIMIT = 1.570

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303    VERSION=WP 9000/7XX    01:16:55 APR 02, 1995 CP= 16108.250
FOR SUPPORT CALL SUPPORT PERSON    PHONE SUPPORT PHONE    FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

    HT FLOW CONVERGENCE VALUE= 71.19    CRITERION= .1713
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1520
    HT FLOW CONVERGENCE VALUE= .7703E-01    CRITERION= .1560    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 1 COMPLETED.    CUM ITER = 257
*** TIME = .954618E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1885E-05    OSCILLATION LIMIT = 1.487
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

```

```

    HT FLOW CONVERGENCE VALUE= 71.00    CRITERION= .1714
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
    HT FLOW CONVERGENCE VALUE= .7550E-01    CRITERION= .1556    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 2 COMPLETED.    CUM ITER = 258
*** TIME = .962507E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2320E-05    OSCILLATION LIMIT = 1.830
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

```

```

    HT FLOW CONVERGENCE VALUE= 71.19    CRITERION= .1711
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1520
    HT FLOW CONVERGENCE VALUE= .7701E-01    CRITERION= .1558    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 3 COMPLETED.    CUM ITER = 259
*** TIME = .970397E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1725E-05    OSCILLATION LIMIT = 1.361
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

```

```

    HT FLOW CONVERGENCE VALUE= 71.00    CRITERION= .1712
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
    HT FLOW CONVERGENCE VALUE= .7528E-01    CRITERION= .1554    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 4 COMPLETED.    CUM ITER = 260
*** TIME = .978286E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2317E-05    OSCILLATION LIMIT = 1.828
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

```

```

    HT FLOW CONVERGENCE VALUE= 71.19    CRITERION= .1709
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1520
    HT FLOW CONVERGENCE VALUE= .7668E-01    CRITERION= .1556    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 5 COMPLETED.    CUM ITER = 261
*** TIME = .986175E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1756E-05    OSCILLATION LIMIT = 1.386
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

```

```

    HT FLOW CONVERGENCE VALUE= 71.00    CRITERION= .1710
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
    HT FLOW CONVERGENCE VALUE= .7511E-01    CRITERION= .1552    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 6 COMPLETED. CUM ITER = 262
*** TIME = .994065E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2281E-05 OSCILLATION LIMIT = 1.800
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1707
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1520
HT FLOW CONVERGENCE VALUE= .7651E-01 CRITERION= .1554 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 7 COMPLETED. CUM ITER = 263
*** TIME = .100195E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1777E-05 OSCILLATION LIMIT = 1.402
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1708
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
HT FLOW CONVERGENCE VALUE= .7499E-01 CRITERION= .1550 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 8 COMPLETED. CUM ITER = 264
*** TIME = .100984E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2256E-05 OSCILLATION LIMIT = 1.780
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1705
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1520
HT FLOW CONVERGENCE VALUE= .7634E-01 CRITERION= .1551 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 9 COMPLETED. CUM ITER = 265
*** TIME = .101773E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1790E-05 OSCILLATION LIMIT = 1.412
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1706
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
HT FLOW CONVERGENCE VALUE= .7483E-01 CRITERION= .1547 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 10 COMPLETED. CUM ITER = 266
*** TIME = .102562E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2238E-05 OSCILLATION LIMIT = 1.766
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1703
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1520
HT FLOW CONVERGENCE VALUE= .7609E-01 CRITERION= .1549 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 11 COMPLETED. CUM ITER = 267
*** TIME = .103351E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1799E-05 OSCILLATION LIMIT = 1.419
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1704
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
HT FLOW CONVERGENCE VALUE= .7461E-01 CRITERION= .1545 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 12 COMPLETED. CUM ITER = 268
*** TIME = .104140E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2225E-05 OSCILLATION LIMIT = 1.755
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1701
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1520
HT FLOW CONVERGENCE VALUE= .7589E-01 CRITERION= .1547 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 13 COMPLETED. CUM ITER = 269
*** TIME = .104929E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1804E-05 OSCILLATION LIMIT = 1.423
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1702

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
HT FLOW CONVERGENCE VALUE= .7444E-01 CRITERION= .1543 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 14 COMPLETED. CUM ITER = 270
*** TIME = .105718E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2214E-05 OSCILLATION LIMIT = 1.747
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1699
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1520
HT FLOW CONVERGENCE VALUE= .7571E-01 CRITERION= .1545 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 15 COMPLETED. CUM ITER = 271
*** TIME = .106507E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1807E-05 OSCILLATION LIMIT = 1.425
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1700
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
HT FLOW CONVERGENCE VALUE= .7431E-01 CRITERION= .1541 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 16 COMPLETED. CUM ITER = 272
*** TIME = .107296E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2206E-05 OSCILLATION LIMIT = 1.740
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1697
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1520
HT FLOW CONVERGENCE VALUE= .7555E-01 CRITERION= .1543 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 17 COMPLETED. CUM ITER = 273
*** TIME = .108085E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1808E-05 OSCILLATION LIMIT = 1.427
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1698
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
HT FLOW CONVERGENCE VALUE= .7413E-01 CRITERION= .1539 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 18 COMPLETED. CUM ITER = 274
*** TIME = .108874E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2198E-05 OSCILLATION LIMIT = 1.734
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1695
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1520
HT FLOW CONVERGENCE VALUE= .7531E-01 CRITERION= .1540 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 19 COMPLETED. CUM ITER = 275
*** TIME = .109663E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1809E-05 OSCILLATION LIMIT = 1.427
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1696
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
HT FLOW CONVERGENCE VALUE= .7385E-01 CRITERION= .1536 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 20 COMPLETED. CUM ITER = 276
*** TIME = .110452E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2192E-05 OSCILLATION LIMIT = 1.729
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1693
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1520
HT FLOW CONVERGENCE VALUE= .7506E-01 CRITERION= .1538 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 21 COMPLETED. CUM ITER = 277
*** TIME = .111241E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1810E-05 OSCILLATION LIMIT = 1.428
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1694
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
 HT FLOW CONVERGENCE VALUE= .7369E-01 CRITERION= .1534 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 22 COMPLETED. CUM ITER = 278
 *** TIME = .112030E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2186E-05 OSCILLATION LIMIT = 1.724
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1691
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1520
 HT FLOW CONVERGENCE VALUE= .7486E-01 CRITERION= .1536 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 23 COMPLETED. CUM ITER = 279
 *** TIME = .112818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1809E-05 OSCILLATION LIMIT = 1.428
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1692
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
 HT FLOW CONVERGENCE VALUE= .7347E-01 CRITERION= .1532 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 24 COMPLETED. CUM ITER = 280
 *** TIME = .113607E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2180E-05 OSCILLATION LIMIT = 1.720
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1689
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1519
 HT FLOW CONVERGENCE VALUE= .7465E-01 CRITERION= .1534 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 25 COMPLETED. CUM ITER = 281
 *** TIME = .114396E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1809E-05 OSCILLATION LIMIT = 1.427
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1690
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
 HT FLOW CONVERGENCE VALUE= .7322E-01 CRITERION= .1530 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 26 COMPLETED. CUM ITER = 282
 *** TIME = .115185E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2175E-05 OSCILLATION LIMIT = 1.716
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1687
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1519
 HT FLOW CONVERGENCE VALUE= .7435E-01 CRITERION= .1532 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 27 COMPLETED. CUM ITER = 283
 *** TIME = .115974E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1809E-05 OSCILLATION LIMIT = 1.427
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1688
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
 HT FLOW CONVERGENCE VALUE= .7296E-01 CRITERION= .1528 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 28 COMPLETED. CUM ITER = 284
 *** TIME = .116763E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2169E-05 OSCILLATION LIMIT = 1.712
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1685
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1519
 HT FLOW CONVERGENCE VALUE= .7405E-01 CRITERION= .1529 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 29 COMPLETED. CUM ITER = 285
 *** TIME = .117552E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1808E-05 OSCILLATION LIMIT = 1.427
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1686
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
 HT FLOW CONVERGENCE VALUE= .7267E-01 CRITERION= .1525 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 30 COMPLETED. CUM ITER = 286
 *** TIME = .118341E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2164E-05 OSCILLATION LIMIT = 1.708
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1683
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1519
 HT FLOW CONVERGENCE VALUE= .7383E-01 CRITERION= .1527 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 31 COMPLETED. CUM ITER = 287
 *** TIME = .119130E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1807E-05 OSCILLATION LIMIT = 1.426
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1684
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
 HT FLOW CONVERGENCE VALUE= .7253E-01 CRITERION= .1523 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 32 COMPLETED. CUM ITER = 288
 *** TIME = .119919E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2159E-05 OSCILLATION LIMIT = 1.704
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1681
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1519
 HT FLOW CONVERGENCE VALUE= .7362E-01 CRITERION= .1525 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 33 COMPLETED. CUM ITER = 289
 *** TIME = .120708E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1807E-05 OSCILLATION LIMIT = 1.425
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1682
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
 HT FLOW CONVERGENCE VALUE= .7231E-01 CRITERION= .1521 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 34 COMPLETED. CUM ITER = 290
 *** TIME = .121497E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2154E-05 OSCILLATION LIMIT = 1.700
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1679
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1519
 HT FLOW CONVERGENCE VALUE= .7337E-01 CRITERION= .1523 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 35 COMPLETED. CUM ITER = 291
 *** TIME = .122286E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1806E-05 OSCILLATION LIMIT = 1.425
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1680
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
 HT FLOW CONVERGENCE VALUE= .7205E-01 CRITERION= .1519 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 36 COMPLETED. CUM ITER = 292
 *** TIME = .123075E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2149E-05 OSCILLATION LIMIT = 1.696
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1677
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1519
 HT FLOW CONVERGENCE VALUE= .7318E-01 CRITERION= .1520 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 37 COMPLETED. CUM ITER = 293
 *** TIME = .123864E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1805E-05 OSCILLATION LIMIT = 1.424
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1678
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
 HT FLOW CONVERGENCE VALUE= .7192E-01 CRITERION= .1517 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 38 COMPLETED. CUM ITER = 294
 *** TIME = .124653E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2144E-05 OSCILLATION LIMIT = 1.692
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.19 CRITERION= .1675
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1519
 HT FLOW CONVERGENCE VALUE= .7304E-01 CRITERION= .1518 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 39 COMPLETED. CUM ITER = 295
 *** TIME = .125441E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1804E-05 OSCILLATION LIMIT = 1.423
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.00 CRITERION= .1676
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1514
 HT FLOW CONVERGENCE VALUE= .7179E-01 CRITERION= .1514 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 40 COMPLETED. CUM ITER = 296
 *** TIME = .126230E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2140E-05 OSCILLATION LIMIT = 1.688

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 03:07:04 APR 02, 1995 CP= 19096.800
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1632
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
 HT FLOW CONVERGENCE VALUE= .6242E-01 CRITERION= .1516 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 1 COMPLETED. CUM ITER = 297
 *** TIME = .127019E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1772E-05 OSCILLATION LIMIT = 1.398
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1633
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .6126E-01 CRITERION= .1513 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 2 COMPLETED. CUM ITER = 298
 *** TIME = .127808E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2128E-05 OSCILLATION LIMIT = 1.679
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1630
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
 HT FLOW CONVERGENCE VALUE= .6254E-01 CRITERION= .1514 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 3 COMPLETED. CUM ITER = 299
 *** TIME = .128597E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1678E-05 OSCILLATION LIMIT = 1.324
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1632
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294

HT FLOW CONVERGENCE VALUE= .6120E-01 CRITERION= .1511 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 4 COMPLETED. CUM ITER = 300
 *** TIME = .129386E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2131E-05 OSCILLATION LIMIT = 1.681
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1629
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
 HT FLOW CONVERGENCE VALUE= .6242E-01 CRITERION= .1513 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 5 COMPLETED. CUM ITER = 301
 *** TIME = .130175E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1694E-05 OSCILLATION LIMIT = 1.336
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1630
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .6112E-01 CRITERION= .1509 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 6 COMPLETED. CUM ITER = 302
 *** TIME = .130964E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2110E-05 OSCILLATION LIMIT = 1.665
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1627
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
 HT FLOW CONVERGENCE VALUE= .6230E-01 CRITERION= .1511 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 7 COMPLETED. CUM ITER = 303
 *** TIME = .131753E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1704E-05 OSCILLATION LIMIT = 1.344
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1628
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .6104E-01 CRITERION= .1507 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 8 COMPLETED. CUM ITER = 304
 *** TIME = .132542E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2095E-05 OSCILLATION LIMIT = 1.653
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1625
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
 HT FLOW CONVERGENCE VALUE= .6219E-01 CRITERION= .1509 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 9 COMPLETED. CUM ITER = 305
 *** TIME = .133331E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1710E-05 OSCILLATION LIMIT = 1.349
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1627
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .6096E-01 CRITERION= .1505 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 10 COMPLETED. CUM ITER = 306
 *** TIME = .134120E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2083E-05 OSCILLATION LIMIT = 1.644
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1624
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
 HT FLOW CONVERGENCE VALUE= .6209E-01 CRITERION= .1507 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 11 COMPLETED. CUM ITER = 307
 *** TIME = .134909E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1713E-05 OSCILLATION LIMIT = 1.352
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1625
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .6088E-01 CRITERION= .1504 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 12 COMPLETED. CUM ITER = 308
 *** TIME = .135698E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2074E-05 OSCILLATION LIMIT = 1.637
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1622
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
 HT FLOW CONVERGENCE VALUE= .6198E-01 CRITERION= .1505 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 13 COMPLETED. CUM ITER = 309
 *** TIME = .136487E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1715E-05 OSCILLATION LIMIT = 1.353
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1623
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .6079E-01 CRITERION= .1502 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 14 COMPLETED. CUM ITER = 310
 *** TIME = .137276E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2067E-05 OSCILLATION LIMIT = 1.631
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1620
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
 HT FLOW CONVERGENCE VALUE= .6188E-01 CRITERION= .1504 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 15 COMPLETED. CUM ITER = 311
 *** TIME = .138065E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1715E-05 OSCILLATION LIMIT = 1.353
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1622
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .6070E-01 CRITERION= .1500 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 16 COMPLETED. CUM ITER = 312
 *** TIME = .138853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2060E-05 OSCILLATION LIMIT = 1.626
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1619
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
 HT FLOW CONVERGENCE VALUE= .6178E-01 CRITERION= .1502 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 17 COMPLETED. CUM ITER = 313
 *** TIME = .139642E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1715E-05 OSCILLATION LIMIT = 1.353
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1620
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .6061E-01 CRITERION= .1498 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 18 COMPLETED. CUM ITER = 314
 *** TIME = .140431E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2055E-05 OSCILLATION LIMIT = 1.621
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1617
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
 HT FLOW CONVERGENCE VALUE= .6168E-01 CRITERION= .1500 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 19 COMPLETED. CUM ITER = 315
 *** TIME = .141220E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1715E-05 OSCILLATION LIMIT = 1.353

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1618
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .6052E-01 CRITERION= .1496 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 20 COMPLETED. CUM ITER = 316
 *** TIME = .142009E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2049E-05 OSCILLATION LIMIT = 1.617
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1615
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
 HT FLOW CONVERGENCE VALUE= .6158E-01 CRITERION= .1498 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 21 COMPLETED. CUM ITER = 317
 *** TIME = .142798E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1714E-05 OSCILLATION LIMIT = 1.352
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1617
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .6043E-01 CRITERION= .1495 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 22 COMPLETED. CUM ITER = 318
 *** TIME = .143587E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2044E-05 OSCILLATION LIMIT = 1.613
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1614
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
 HT FLOW CONVERGENCE VALUE= .6148E-01 CRITERION= .1496 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 23 COMPLETED. CUM ITER = 319
 *** TIME = .144376E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1713E-05 OSCILLATION LIMIT = 1.351
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1615
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .6035E-01 CRITERION= .1493 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 24 COMPLETED. CUM ITER = 320
 *** TIME = .145165E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2039E-05 OSCILLATION LIMIT = 1.609
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1612
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
 HT FLOW CONVERGENCE VALUE= .6138E-01 CRITERION= .1494 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 25 COMPLETED. CUM ITER = 321
 *** TIME = .145954E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1712E-05 OSCILLATION LIMIT = 1.351
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1613
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .6026E-01 CRITERION= .1491 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 26 COMPLETED. CUM ITER = 322
 *** TIME = .146743E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2035E-05 OSCILLATION LIMIT = 1.605
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1610
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
 HT FLOW CONVERGENCE VALUE= .6128E-01 CRITERION= .1493 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 27 COMPLETED. CUM ITER = 323

```

*** TIME = .147532E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1711E-05    OSCILLATION LIMIT = 1.350
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.70    CRITERION= .1611
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
    HT FLOW CONVERGENCE VALUE= .6017E-01    CRITERION= .1489    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 28 COMPLETED.    CUM ITER = 324
*** TIME = .148321E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2030E-05    OSCILLATION LIMIT = 1.602
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.89    CRITERION= .1609
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
    HT FLOW CONVERGENCE VALUE= .6118E-01    CRITERION= .1491    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 29 COMPLETED.    CUM ITER = 325
*** TIME = .149110E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1709E-05    OSCILLATION LIMIT = 1.349
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.70    CRITERION= .1610
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
    HT FLOW CONVERGENCE VALUE= .6008E-01    CRITERION= .1487    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 30 COMPLETED.    CUM ITER = 326
*** TIME = .149899E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2025E-05    OSCILLATION LIMIT = 1.598
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.89    CRITERION= .1607
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
    HT FLOW CONVERGENCE VALUE= .6108E-01    CRITERION= .1489    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 31 COMPLETED.    CUM ITER = 327
*** TIME = .150688E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1708E-05    OSCILLATION LIMIT = 1.348
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.70    CRITERION= .1608
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
    HT FLOW CONVERGENCE VALUE= .5999E-01    CRITERION= .1486    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 32 COMPLETED.    CUM ITER = 328
*** TIME = .151477E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2021E-05    OSCILLATION LIMIT = 1.594
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.89    CRITERION= .1605
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
    HT FLOW CONVERGENCE VALUE= .6098E-01    CRITERION= .1487    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 33 COMPLETED.    CUM ITER = 329
*** TIME = .152265E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1707E-05    OSCILLATION LIMIT = 1.347
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.70    CRITERION= .1606
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
    HT FLOW CONVERGENCE VALUE= .5990E-01    CRITERION= .1484    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 34 COMPLETED.    CUM ITER = 330
*** TIME = .153054E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2016E-05    OSCILLATION LIMIT = 1.591
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.89    CRITERION= .1604
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300
    HT FLOW CONVERGENCE VALUE= .6088E-01    CRITERION= .1485    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 35 COMPLETED. CUM ITER = 331
*** TIME = .153843E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1705E-05 OSCILLATION LIMIT = 1.345
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1605
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
HT FLOW CONVERGENCE VALUE= .5981E-01 CRITERION= .1482 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 36 COMPLETED. CUM ITER = 332
*** TIME = .154632E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2012E-05 OSCILLATION LIMIT = 1.587
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1602
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1299
HT FLOW CONVERGENCE VALUE= .6078E-01 CRITERION= .1484 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 37 COMPLETED. CUM ITER = 333
*** TIME = .155421E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1704E-05 OSCILLATION LIMIT = 1.344
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1603
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
HT FLOW CONVERGENCE VALUE= .5972E-01 CRITERION= .1480 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 38 COMPLETED. CUM ITER = 334
*** TIME = .156210E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2008E-05 OSCILLATION LIMIT = 1.584
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.89 CRITERION= .1600
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1299
HT FLOW CONVERGENCE VALUE= .6068E-01 CRITERION= .1482 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 39 COMPLETED. CUM ITER = 335
*** TIME = .156999E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1703E-05 OSCILLATION LIMIT = 1.343
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.70 CRITERION= .1601
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
HT FLOW CONVERGENCE VALUE= .5964E-01 CRITERION= .1478 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 40 COMPLETED. CUM ITER = 336
*** TIME = .157788E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2003E-05 OSCILLATION LIMIT = 1.580

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 03:57:05 APR 02, 1995 CP= 22077.110
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1565
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
HT FLOW CONVERGENCE VALUE= .5052E-01 CRITERION= .1480 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 1 COMPLETED. CUM ITER = 337
*** TIME = .158577E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3012E-05 OSCILLATION LIMIT = 2.376
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1566

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
HT FLOW CONVERGENCE VALUE= .4927E-01 CRITERION= .1476 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 2 COMPLETED. CUM ITER = 338
*** TIME = .159366E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3624E-05 OSCILLATION LIMIT = 2.859
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1563
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
HT FLOW CONVERGENCE VALUE= .5042E-01 CRITERION= .1478 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 3 COMPLETED. CUM ITER = 339
*** TIME = .160155E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2751E-05 OSCILLATION LIMIT = 2.170
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1564
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
HT FLOW CONVERGENCE VALUE= .4920E-01 CRITERION= .1474 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 4 COMPLETED. CUM ITER = 340
*** TIME = .160944E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3575E-05 OSCILLATION LIMIT = 2.820
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1561
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
HT FLOW CONVERGENCE VALUE= .5031E-01 CRITERION= .1476 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 5 COMPLETED. CUM ITER = 341
*** TIME = .161733E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2810E-05 OSCILLATION LIMIT = 2.217
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1562
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
HT FLOW CONVERGENCE VALUE= .4913E-01 CRITERION= .1472 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 6 COMPLETED. CUM ITER = 342
*** TIME = .162522E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3513E-05 OSCILLATION LIMIT = 2.771
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1559
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
HT FLOW CONVERGENCE VALUE= .5020E-01 CRITERION= .1473 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 7 COMPLETED. CUM ITER = 343
*** TIME = .163311E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2849E-05 OSCILLATION LIMIT = 2.248
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1560
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
HT FLOW CONVERGENCE VALUE= .4905E-01 CRITERION= .1470 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 8 COMPLETED. CUM ITER = 344
*** TIME = .164100E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3471E-05 OSCILLATION LIMIT = 2.738
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1557
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
HT FLOW CONVERGENCE VALUE= .5010E-01 CRITERION= .1471 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 9 COMPLETED. CUM ITER = 345
*** TIME = .164888E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2873E-05 OSCILLATION LIMIT = 2.267
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1558
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4897E-01 CRITERION= .1468 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 10 COMPLETED. CUM ITER = 346
 *** TIME = .165677E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3442E-05 OSCILLATION LIMIT = 2.716
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1555
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
 HT FLOW CONVERGENCE VALUE= .5000E-01 CRITERION= .1469 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 11 COMPLETED. CUM ITER = 347
 *** TIME = .166466E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2888E-05 OSCILLATION LIMIT = 2.279
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1556
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4889E-01 CRITERION= .1465 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 12 COMPLETED. CUM ITER = 348
 *** TIME = .167255E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3421E-05 OSCILLATION LIMIT = 2.699
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1553
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
 HT FLOW CONVERGENCE VALUE= .4990E-01 CRITERION= .1467 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 13 COMPLETED. CUM ITER = 349
 *** TIME = .168044E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2898E-05 OSCILLATION LIMIT = 2.286
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1554
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4881E-01 CRITERION= .1463 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 14 COMPLETED. CUM ITER = 350
 *** TIME = .168833E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3406E-05 OSCILLATION LIMIT = 2.687
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1551
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
 HT FLOW CONVERGENCE VALUE= .4981E-01 CRITERION= .1465 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 15 COMPLETED. CUM ITER = 351
 *** TIME = .169622E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2903E-05 OSCILLATION LIMIT = 2.290
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1552
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4872E-01 CRITERION= .1461 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 16 COMPLETED. CUM ITER = 352
 *** TIME = .170411E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3395E-05 OSCILLATION LIMIT = 2.678
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1549
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
 HT FLOW CONVERGENCE VALUE= .4971E-01 CRITERION= .1463 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 17 COMPLETED. CUM ITER = 353
 *** TIME = .171200E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .2906E-05 OSCILLATION LIMIT = 2.293
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1550
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4864E-01 CRITERION= .1459 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 18 COMPLETED. CUM ITER = 354
 *** TIME = .171989E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3385E-05 OSCILLATION LIMIT = 2.671
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1547
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
 HT FLOW CONVERGENCE VALUE= .4961E-01 CRITERION= .1461 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 19 COMPLETED. CUM ITER = 355
 *** TIME = .172778E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2907E-05 OSCILLATION LIMIT = 2.294
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1548
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4855E-01 CRITERION= .1457 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 20 COMPLETED. CUM ITER = 356
 *** TIME = .173567E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3377E-05 OSCILLATION LIMIT = 2.664
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1545
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
 HT FLOW CONVERGENCE VALUE= .4952E-01 CRITERION= .1458 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 21 COMPLETED. CUM ITER = 357
 *** TIME = .174356E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2908E-05 OSCILLATION LIMIT = 2.294
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1546
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4847E-01 CRITERION= .1455 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 22 COMPLETED. CUM ITER = 358
 *** TIME = .175145E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3370E-05 OSCILLATION LIMIT = 2.659
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1543
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
 HT FLOW CONVERGENCE VALUE= .4942E-01 CRITERION= .1456 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 23 COMPLETED. CUM ITER = 359
 *** TIME = .175934E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2907E-05 OSCILLATION LIMIT = 2.294
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1544
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4838E-01 CRITERION= .1453 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 24 COMPLETED. CUM ITER = 360
 *** TIME = .176723E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3364E-05 OSCILLATION LIMIT = 2.654
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1541
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
 HT FLOW CONVERGENCE VALUE= .4933E-01 CRITERION= .1454 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 25 COMPLETED. CUM ITER = 361
 *** TIME = .177512E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2906E-05 OSCILLATION LIMIT = 2.293
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1542
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4830E-01 CRITERION= .1451 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 26 COMPLETED. CUM ITER = 362
 *** TIME = .178300E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3358E-05 OSCILLATION LIMIT = 2.649
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1539
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
 HT FLOW CONVERGENCE VALUE= .4923E-01 CRITERION= .1452 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 27 COMPLETED. CUM ITER = 363
 *** TIME = .179089E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2905E-05 OSCILLATION LIMIT = 2.292
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1540
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4821E-01 CRITERION= .1448 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 28 COMPLETED. CUM ITER = 364
 *** TIME = .179878E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3352E-05 OSCILLATION LIMIT = 2.644
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1537
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
 HT FLOW CONVERGENCE VALUE= .4914E-01 CRITERION= .1450 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 29 COMPLETED. CUM ITER = 365
 *** TIME = .180667E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2904E-05 OSCILLATION LIMIT = 2.291
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1538
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4813E-01 CRITERION= .1446 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 30 COMPLETED. CUM ITER = 366
 *** TIME = .181456E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3346E-05 OSCILLATION LIMIT = 2.640
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1535
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1097
 HT FLOW CONVERGENCE VALUE= .4904E-01 CRITERION= .1448 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 31 COMPLETED. CUM ITER = 367
 *** TIME = .182245E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2902E-05 OSCILLATION LIMIT = 2.290
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1536
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4805E-01 CRITERION= .1444 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 32 COMPLETED. CUM ITER = 368
 *** TIME = .183034E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3341E-05 OSCILLATION LIMIT = 2.636
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1533
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1096

HT FLOW CONVERGENCE VALUE= .4895E-01 CRITERION= .1446 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 33 COMPLETED. CUM ITER = 369
 *** TIME = .183823E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2901E-05 OSCILLATION LIMIT = 2.288
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1534
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4796E-01 CRITERION= .1442 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 34 COMPLETED. CUM ITER = 370
 *** TIME = .184612E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3335E-05 OSCILLATION LIMIT = 2.631
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1531
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1096
 HT FLOW CONVERGENCE VALUE= .4886E-01 CRITERION= .1443 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 35 COMPLETED. CUM ITER = 371
 *** TIME = .185401E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2899E-05 OSCILLATION LIMIT = 2.287
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1532
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4788E-01 CRITERION= .1440 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 36 COMPLETED. CUM ITER = 372
 *** TIME = .186190E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3330E-05 OSCILLATION LIMIT = 2.627
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1529
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1096
 HT FLOW CONVERGENCE VALUE= .4876E-01 CRITERION= .1441 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 37 COMPLETED. CUM ITER = 373
 *** TIME = .186979E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2897E-05 OSCILLATION LIMIT = 2.286
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1530
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4779E-01 CRITERION= .1438 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 38 COMPLETED. CUM ITER = 374
 *** TIME = .187768E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3325E-05 OSCILLATION LIMIT = 2.623
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.41 CRITERION= .1527
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1096
 HT FLOW CONVERGENCE VALUE= .4867E-01 CRITERION= .1439 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 39 COMPLETED. CUM ITER = 375
 *** TIME = .188557E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2896E-05 OSCILLATION LIMIT = 2.285
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.22 CRITERION= .1528
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .4771E-01 CRITERION= .1436 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 40 COMPLETED. CUM ITER = 376
 *** TIME = .189346E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3320E-05 OSCILLATION LIMIT = 2.619

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 04:47:05 APR 02, 1995 CP= 25057.660
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1495
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8893E-01
 HT FLOW CONVERGENCE VALUE= .3950E-01 CRITERION= .1437 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 1 COMPLETED. CUM ITER = 377
 *** TIME = .190135E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2854E-05 OSCILLATION LIMIT = 2.251
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1496
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .3855E-01 CRITERION= .1434 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 2 COMPLETED. CUM ITER = 378
 *** TIME = .190924E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3312E-05 OSCILLATION LIMIT = 2.613
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1493
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8896E-01
 HT FLOW CONVERGENCE VALUE= .3953E-01 CRITERION= .1436 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 3 COMPLETED. CUM ITER = 379
 *** TIME = .191712E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2713E-05 OSCILLATION LIMIT = 2.141
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1494
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .3856E-01 CRITERION= .1432 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 4 COMPLETED. CUM ITER = 380
 *** TIME = .192501E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3319E-05 OSCILLATION LIMIT = 2.619
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1491
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8895E-01
 HT FLOW CONVERGENCE VALUE= .3951E-01 CRITERION= .1434 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 5 COMPLETED. CUM ITER = 381
 *** TIME = .193290E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2733E-05 OSCILLATION LIMIT = 2.157
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1493
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .3855E-01 CRITERION= .1431 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 6 COMPLETED. CUM ITER = 382
 *** TIME = .194079E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3292E-05 OSCILLATION LIMIT = 2.597
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1490
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8894E-01
 HT FLOW CONVERGENCE VALUE= .3949E-01 CRITERION= .1432 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 7 COMPLETED. CUM ITER = 383
 *** TIME = .194868E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2746E-05 OSCILLATION LIMIT = 2.167

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1491
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .3856E-01 CRITERION= .1429 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 8 COMPLETED. CUM ITER = 384
 *** TIME = .195657E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3273E-05 OSCILLATION LIMIT = 2.582
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1488
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8894E-01
 HT FLOW CONVERGENCE VALUE= .3947E-01 CRITERION= .1431 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 9 COMPLETED. CUM ITER = 385
 *** TIME = .196446E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2754E-05 OSCILLATION LIMIT = 2.173
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1490
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .3854E-01 CRITERION= .1427 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 10 COMPLETED. CUM ITER = 386
 *** TIME = .197235E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3258E-05 OSCILLATION LIMIT = 2.570
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1487
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8893E-01
 HT FLOW CONVERGENCE VALUE= .3944E-01 CRITERION= .1429 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 11 COMPLETED. CUM ITER = 387
 *** TIME = .198024E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2758E-05 OSCILLATION LIMIT = 2.176
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1488
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .3853E-01 CRITERION= .1426 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 12 COMPLETED. CUM ITER = 388
 *** TIME = .198813E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3247E-05 OSCILLATION LIMIT = 2.561
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1485
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8893E-01
 HT FLOW CONVERGENCE VALUE= .3945E-01 CRITERION= .1427 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 13 COMPLETED. CUM ITER = 389
 *** TIME = .199602E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2760E-05 OSCILLATION LIMIT = 2.177
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1486
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .3857E-01 CRITERION= .1424 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 14 COMPLETED. CUM ITER = 390
 *** TIME = .200391E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3237E-05 OSCILLATION LIMIT = 2.554
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1483
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8892E-01
 HT FLOW CONVERGENCE VALUE= .3954E-01 CRITERION= .1426 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 15 COMPLETED. CUM ITER = 391

```

*** TIME = .201180E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2760E-05    OSCILLATION LIMIT = 2.178
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.49    CRITERION= .1485
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
    HT FLOW CONVERGENCE VALUE= .3867E-01    CRITERION= .1422    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 16 COMPLETED.    CUM ITER = 392
*** TIME = .201969E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3229E-05    OSCILLATION LIMIT = 2.548
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.68    CRITERION= .1482
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8892E-01
    HT FLOW CONVERGENCE VALUE= .3954E-01    CRITERION= .1424    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 17 COMPLETED.    CUM ITER = 393
*** TIME = .202758E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2759E-05    OSCILLATION LIMIT = 2.177
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.49    CRITERION= .1483
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
    HT FLOW CONVERGENCE VALUE= .3865E-01    CRITERION= .1421    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 18 COMPLETED.    CUM ITER = 394
*** TIME = .203547E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3222E-05    OSCILLATION LIMIT = 2.542
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.68    CRITERION= .1480
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8891E-01
    HT FLOW CONVERGENCE VALUE= .3954E-01    CRITERION= .1422    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 19 COMPLETED.    CUM ITER = 395
*** TIME = .204335E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2758E-05    OSCILLATION LIMIT = 2.176
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.49    CRITERION= .1482
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
    HT FLOW CONVERGENCE VALUE= .3868E-01    CRITERION= .1419    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 20 COMPLETED.    CUM ITER = 396
*** TIME = .205124E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3215E-05    OSCILLATION LIMIT = 2.536
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.68    CRITERION= .1479
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8891E-01
    HT FLOW CONVERGENCE VALUE= .3954E-01    CRITERION= .1420    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 21 COMPLETED.    CUM ITER = 397
*** TIME = .205913E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2757E-05    OSCILLATION LIMIT = 2.175
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.49    CRITERION= .1480
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
    HT FLOW CONVERGENCE VALUE= .3879E-01    CRITERION= .1417    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 22 COMPLETED.    CUM ITER = 398
*** TIME = .206702E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3208E-05    OSCILLATION LIMIT = 2.531
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.68    CRITERION= .1477
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8890E-01
    HT FLOW CONVERGENCE VALUE= .3971E-01    CRITERION= .1419    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 23 COMPLETED. CUM ITER = 399
*** TIME = .207491E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2755E-05 OSCILLATION LIMIT = 2.173
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1478
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
HT FLOW CONVERGENCE VALUE= .3882E-01 CRITERION= .1416 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 24 COMPLETED. CUM ITER = 400
*** TIME = .208280E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3202E-05 OSCILLATION LIMIT = 2.526
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1475
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8890E-01
HT FLOW CONVERGENCE VALUE= .3965E-01 CRITERION= .1417 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 25 COMPLETED. CUM ITER = 401
*** TIME = .209069E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2753E-05 OSCILLATION LIMIT = 2.172
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1477
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
HT FLOW CONVERGENCE VALUE= .3877E-01 CRITERION= .1414 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 26 COMPLETED. CUM ITER = 402
*** TIME = .209858E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3196E-05 OSCILLATION LIMIT = 2.521
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1474
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8889E-01
HT FLOW CONVERGENCE VALUE= .3959E-01 CRITERION= .1415 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 27 COMPLETED. CUM ITER = 403
*** TIME = .210647E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2751E-05 OSCILLATION LIMIT = 2.170
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1475
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
HT FLOW CONVERGENCE VALUE= .3871E-01 CRITERION= .1412 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 28 COMPLETED. CUM ITER = 404
*** TIME = .211436E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3189E-05 OSCILLATION LIMIT = 2.516
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1472
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8889E-01
HT FLOW CONVERGENCE VALUE= .3953E-01 CRITERION= .1414 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 29 COMPLETED. CUM ITER = 405
*** TIME = .212225E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2749E-05 OSCILLATION LIMIT = 2.169
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1474
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
HT FLOW CONVERGENCE VALUE= .3866E-01 CRITERION= .1411 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 30 COMPLETED. CUM ITER = 406
*** TIME = .213014E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3183E-05 OSCILLATION LIMIT = 2.511
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1471

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8888E-01
HT FLOW CONVERGENCE VALUE= .3947E-01 CRITERION= .1412 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 31 COMPLETED. CUM ITER = 407
*** TIME = .213803E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2747E-05 OSCILLATION LIMIT = 2.167
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1472
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
HT FLOW CONVERGENCE VALUE= .3860E-01 CRITERION= .1409 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 32 COMPLETED. CUM ITER = 408
*** TIME = .214592E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3177E-05 OSCILLATION LIMIT = 2.507
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1469
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8888E-01
HT FLOW CONVERGENCE VALUE= .3940E-01 CRITERION= .1410 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 33 COMPLETED. CUM ITER = 409
*** TIME = .215381E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2745E-05 OSCILLATION LIMIT = 2.166
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1470
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
HT FLOW CONVERGENCE VALUE= .3855E-01 CRITERION= .1407 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 34 COMPLETED. CUM ITER = 410
*** TIME = .216170E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3171E-05 OSCILLATION LIMIT = 2.502
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1467
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8888E-01
HT FLOW CONVERGENCE VALUE= .3934E-01 CRITERION= .1409 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 35 COMPLETED. CUM ITER = 411
*** TIME = .216959E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2744E-05 OSCILLATION LIMIT = 2.165
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1469
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
HT FLOW CONVERGENCE VALUE= .3849E-01 CRITERION= .1406 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 36 COMPLETED. CUM ITER = 412
*** TIME = .217747E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3165E-05 OSCILLATION LIMIT = 2.497
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1466
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8888E-01
HT FLOW CONVERGENCE VALUE= .3927E-01 CRITERION= .1407 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 37 COMPLETED. CUM ITER = 413
*** TIME = .218536E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2742E-05 OSCILLATION LIMIT = 2.163
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1467
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
HT FLOW CONVERGENCE VALUE= .3843E-01 CRITERION= .1404 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 38 COMPLETED. CUM ITER = 414
*** TIME = .219325E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3160E-05 OSCILLATION LIMIT = 2.493
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 41.68 CRITERION= .1464
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8887E-01
 HT FLOW CONVERGENCE VALUE= .3921E-01 CRITERION= .1405 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 39 COMPLETED. CUM ITER = 415
 *** TIME = .220114E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2740E-05 OSCILLATION LIMIT = 2.162
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1465
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .3838E-01 CRITERION= .1402 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 40 COMPLETED. CUM ITER = 416
 *** TIME = .220903E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3155E-05 OSCILLATION LIMIT = 2.489

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:37:07 APR 02, 1995 CP= 28039.680
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 38.21 CRITERION= .1453
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8179E-01
 HT FLOW CONVERGENCE VALUE= .3586E-01 CRITERION= .1404 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 1 COMPLETED. CUM ITER = 417
 *** TIME = .221692E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2957E-05 OSCILLATION LIMIT = 2.333
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.03 CRITERION= .1454
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3503E-01 CRITERION= .1401 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 2 COMPLETED. CUM ITER = 418
 *** TIME = .222481E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3432E-05 OSCILLATION LIMIT = 2.708
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.21 CRITERION= .1452
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8179E-01
 HT FLOW CONVERGENCE VALUE= .3584E-01 CRITERION= .1402 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 3 COMPLETED. CUM ITER = 419
 *** TIME = .223270E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2882E-05 OSCILLATION LIMIT = 2.274
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.02 CRITERION= .1453
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3499E-01 CRITERION= .1399 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 4 COMPLETED. CUM ITER = 420
 *** TIME = .224059E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3423E-05 OSCILLATION LIMIT = 2.701
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.21 CRITERION= .1450
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8178E-01
 HT FLOW CONVERGENCE VALUE= .3578E-01 CRITERION= .1401 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 5 COMPLETED. CUM ITER = 421
 *** TIME = .224848E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .2894E-05 OSCILLATION LIMIT = 2.283
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.02 CRITERION= .1451
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3495E-01 CRITERION= .1398 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 6 COMPLETED. CUM ITER = 422
 *** TIME = .225637E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3404E-05 OSCILLATION LIMIT = 2.686
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.21 CRITERION= .1449
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8178E-01
 HT FLOW CONVERGENCE VALUE= .3573E-01 CRITERION= .1399 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 7 COMPLETED. CUM ITER = 423
 *** TIME = .226426E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2902E-05 OSCILLATION LIMIT = 2.289
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.02 CRITERION= .1450
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3491E-01 CRITERION= .1396 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 8 COMPLETED. CUM ITER = 424
 *** TIME = .227215E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3390E-05 OSCILLATION LIMIT = 2.674
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.21 CRITERION= .1447
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8178E-01
 HT FLOW CONVERGENCE VALUE= .3568E-01 CRITERION= .1398 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 9 COMPLETED. CUM ITER = 425
 *** TIME = .228004E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2906E-05 OSCILLATION LIMIT = 2.293
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.02 CRITERION= .1448
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3486E-01 CRITERION= .1394 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 10 COMPLETED. CUM ITER = 426
 *** TIME = .228793E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3379E-05 OSCILLATION LIMIT = 2.666
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.21 CRITERION= .1446
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8177E-01
 HT FLOW CONVERGENCE VALUE= .3562E-01 CRITERION= .1396 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 11 COMPLETED. CUM ITER = 427
 *** TIME = .229582E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2908E-05 OSCILLATION LIMIT = 2.294
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.02 CRITERION= .1447
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3482E-01 CRITERION= .1393 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 12 COMPLETED. CUM ITER = 428
 *** TIME = .230371E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3370E-05 OSCILLATION LIMIT = 2.659
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.20 CRITERION= .1444
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8177E-01
 HT FLOW CONVERGENCE VALUE= .3557E-01 CRITERION= .1394 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 13 COMPLETED. CUM ITER = 429
 *** TIME = .231159E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2908E-05 OSCILLATION LIMIT = 2.294
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.02 CRITERION= .1445
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3478E-01 CRITERION= .1391 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 14 COMPLETED. CUM ITER = 430
 *** TIME = .231948E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3362E-05 OSCILLATION LIMIT = 2.652
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.20 CRITERION= .1443
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8177E-01
 HT FLOW CONVERGENCE VALUE= .3552E-01 CRITERION= .1393 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 15 COMPLETED. CUM ITER = 431
 *** TIME = .232737E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2908E-05 OSCILLATION LIMIT = 2.294
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.02 CRITERION= .1444
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3473E-01 CRITERION= .1390 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 16 COMPLETED. CUM ITER = 432
 *** TIME = .233526E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3355E-05 OSCILLATION LIMIT = 2.647
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.20 CRITERION= .1441
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8176E-01
 HT FLOW CONVERGENCE VALUE= .3547E-01 CRITERION= .1391 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 17 COMPLETED. CUM ITER = 433
 *** TIME = .234315E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2907E-05 OSCILLATION LIMIT = 2.293
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.02 CRITERION= .1442
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3469E-01 CRITERION= .1388 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 18 COMPLETED. CUM ITER = 434
 *** TIME = .235104E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3349E-05 OSCILLATION LIMIT = 2.642
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.20 CRITERION= .1440
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8176E-01
 HT FLOW CONVERGENCE VALUE= .3541E-01 CRITERION= .1390 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 19 COMPLETED. CUM ITER = 435
 *** TIME = .235893E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2905E-05 OSCILLATION LIMIT = 2.292
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.02 CRITERION= .1441
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3464E-01 CRITERION= .1387 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 20 COMPLETED. CUM ITER = 436
 *** TIME = .236682E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3343E-05 OSCILLATION LIMIT = 2.637
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.20 CRITERION= .1438
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8176E-01

HT FLOW CONVERGENCE VALUE= .3536E-01 CRITERION= .1388 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 21 COMPLETED. CUM ITER = 437
 *** TIME = .237471E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2904E-05 OSCILLATION LIMIT = 2.291
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.02 CRITERION= .1439
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3460E-01 CRITERION= .1385 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 22 COMPLETED. CUM ITER = 438
 *** TIME = .238260E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3337E-05 OSCILLATION LIMIT = 2.633
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.20 CRITERION= .1436
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8175E-01
 HT FLOW CONVERGENCE VALUE= .3531E-01 CRITERION= .1386 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 23 COMPLETED. CUM ITER = 439
 *** TIME = .239049E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2902E-05 OSCILLATION LIMIT = 2.289
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.02 CRITERION= .1438
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3455E-01 CRITERION= .1383 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 24 COMPLETED. CUM ITER = 440
 *** TIME = .239838E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3332E-05 OSCILLATION LIMIT = 2.629
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.20 CRITERION= .1435
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8175E-01
 HT FLOW CONVERGENCE VALUE= .3526E-01 CRITERION= .1385 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 25 COMPLETED. CUM ITER = 441
 *** TIME = .240627E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2900E-05 OSCILLATION LIMIT = 2.288
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.02 CRITERION= .1436
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3451E-01 CRITERION= .1382 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 26 COMPLETED. CUM ITER = 442
 *** TIME = .241416E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3326E-05 OSCILLATION LIMIT = 2.624
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.20 CRITERION= .1433
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8175E-01
 HT FLOW CONVERGENCE VALUE= .3521E-01 CRITERION= .1383 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 27 COMPLETED. CUM ITER = 443
 *** TIME = .242205E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2898E-05 OSCILLATION LIMIT = 2.286
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.01 CRITERION= .1435
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3446E-01 CRITERION= .1380 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 28 COMPLETED. CUM ITER = 444
 *** TIME = .242994E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3321E-05 OSCILLATION LIMIT = 2.620
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.20 CRITERION= .1432
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8175E-01
 HT FLOW CONVERGENCE VALUE= .3516E-01 CRITERION= .1382 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 29 COMPLETED. CUM ITER = 445
 *** TIME = .243782E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2896E-05 OSCILLATION LIMIT = 2.285
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.01 CRITERION= .1433
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3442E-01 CRITERION= .1379 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 30 COMPLETED. CUM ITER = 446
 *** TIME = .244571E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3316E-05 OSCILLATION LIMIT = 2.616
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.20 CRITERION= .1430
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8174E-01
 HT FLOW CONVERGENCE VALUE= .3511E-01 CRITERION= .1380 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 31 COMPLETED. CUM ITER = 447
 *** TIME = .245360E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2894E-05 OSCILLATION LIMIT = 2.283
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.01 CRITERION= .1432
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3438E-01 CRITERION= .1377 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 32 COMPLETED. CUM ITER = 448
 *** TIME = .246149E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3311E-05 OSCILLATION LIMIT = 2.612
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.20 CRITERION= .1429
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8174E-01
 HT FLOW CONVERGENCE VALUE= .3505E-01 CRITERION= .1379 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 33 COMPLETED. CUM ITER = 449
 *** TIME = .246938E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2892E-05 OSCILLATION LIMIT = 2.281
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.01 CRITERION= .1430
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3433E-01 CRITERION= .1376 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 34 COMPLETED. CUM ITER = 450
 *** TIME = .247727E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3306E-05 OSCILLATION LIMIT = 2.608
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.19 CRITERION= .1427
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8174E-01
 HT FLOW CONVERGENCE VALUE= .3500E-01 CRITERION= .1377 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 35 COMPLETED. CUM ITER = 451
 *** TIME = .248516E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2890E-05 OSCILLATION LIMIT = 2.280
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.01 CRITERION= .1429
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3429E-01 CRITERION= .1374 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 36 COMPLETED. CUM ITER = 452
 *** TIME = .249305E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3300E-05 OSCILLATION LIMIT = 2.604

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.19 CRITERION= .1426
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8173E-01
 HT FLOW CONVERGENCE VALUE= .3495E-01 CRITERION= .1375 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 37 COMPLETED. CUM ITER = 453
 *** TIME = .250094E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2888E-05 OSCILLATION LIMIT = 2.278
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.01 CRITERION= .1427
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3424E-01 CRITERION= .1372 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 38 COMPLETED. CUM ITER = 454
 *** TIME = .250883E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3295E-05 OSCILLATION LIMIT = 2.600
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.19 CRITERION= .1424
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8173E-01
 HT FLOW CONVERGENCE VALUE= .3490E-01 CRITERION= .1374 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 39 COMPLETED. CUM ITER = 455
 *** TIME = .251672E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2886E-05 OSCILLATION LIMIT = 2.277
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.01 CRITERION= .1425
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .3420E-01 CRITERION= .1371 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 40 COMPLETED. CUM ITER = 456
 *** TIME = .252461E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3290E-05 OSCILLATION LIMIT = 2.596

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 06:27:08 APR 02, 1995 CP= 31021.330
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 25.98 CRITERION= .1395
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5581E-01
 HT FLOW CONVERGENCE VALUE= .2383E-01 CRITERION= .1372 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 1 COMPLETED. CUM ITER = 457
 *** TIME = .253250E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5347E-05 OSCILLATION LIMIT = 4.218
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1396
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .2294E-01 CRITERION= .1369 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 2 COMPLETED. CUM ITER = 458
 *** TIME = .254039E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6423E-05 OSCILLATION LIMIT = 5.067
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.98 CRITERION= .1394
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5580E-01
 HT FLOW CONVERGENCE VALUE= .2362E-01 CRITERION= .1371 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 3 COMPLETED. CUM ITER = 459

```

*** TIME = .254828E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4823E-05    OSCILLATION LIMIT = 3.805
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 25.79    CRITERION= .1395
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
    HT FLOW CONVERGENCE VALUE= .2291E-01    CRITERION= .1368    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 4 COMPLETED. CUM ITER = 460
*** TIME = .255617E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6351E-05    OSCILLATION LIMIT = 5.011
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 25.98    CRITERION= .1392
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5580E-01
    HT FLOW CONVERGENCE VALUE= .2359E-01    CRITERION= .1369    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 5 COMPLETED. CUM ITER = 461
*** TIME = .256406E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4940E-05    OSCILLATION LIMIT = 3.897
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 25.79    CRITERION= .1393
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
    HT FLOW CONVERGENCE VALUE= .2287E-01    CRITERION= .1366    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 6 COMPLETED. CUM ITER = 462
*** TIME = .257194E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6230E-05    OSCILLATION LIMIT = 4.915
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 25.98    CRITERION= .1391
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5579E-01
    HT FLOW CONVERGENCE VALUE= .2356E-01    CRITERION= .1368    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 7 COMPLETED. CUM ITER = 463
*** TIME = .257983E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5017E-05    OSCILLATION LIMIT = 3.958
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 25.79    CRITERION= .1392
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
    HT FLOW CONVERGENCE VALUE= .2284E-01    CRITERION= .1365    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 8 COMPLETED. CUM ITER = 464
*** TIME = .258772E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6148E-05    OSCILLATION LIMIT = 4.851
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 25.98    CRITERION= .1389
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5578E-01
    HT FLOW CONVERGENCE VALUE= .2353E-01    CRITERION= .1366    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 9 COMPLETED. CUM ITER = 465
*** TIME = .259561E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5066E-05    OSCILLATION LIMIT = 3.997
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 25.79    CRITERION= .1391
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
    HT FLOW CONVERGENCE VALUE= .2280E-01    CRITERION= .1363    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 10 COMPLETED. CUM ITER = 466
*** TIME = .260350E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6093E-05    OSCILLATION LIMIT = 4.807
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 25.98    CRITERION= .1388
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5578E-01
    HT FLOW CONVERGENCE VALUE= .2350E-01    CRITERION= .1365    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 11 COMPLETED. CUM ITER = 467
*** TIME = .261139E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5097E-05 OSCILLATION LIMIT = 4.022
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1389
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
HT FLOW CONVERGENCE VALUE= .2277E-01 CRITERION= .1362 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 12 COMPLETED. CUM ITER = 468
*** TIME = .261928E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6054E-05 OSCILLATION LIMIT = 4.776
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.98 CRITERION= .1386
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5577E-01
HT FLOW CONVERGENCE VALUE= .2347E-01 CRITERION= .1363 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 13 COMPLETED. CUM ITER = 469
*** TIME = .262717E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5117E-05 OSCILLATION LIMIT = 4.037
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1388
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
HT FLOW CONVERGENCE VALUE= .2275E-01 CRITERION= .1360 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 14 COMPLETED. CUM ITER = 470
*** TIME = .263506E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6026E-05 OSCILLATION LIMIT = 4.754
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.98 CRITERION= .1385
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5577E-01
HT FLOW CONVERGENCE VALUE= .2344E-01 CRITERION= .1362 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 15 COMPLETED. CUM ITER = 471
*** TIME = .264295E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5128E-05 OSCILLATION LIMIT = 4.046
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1386
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
HT FLOW CONVERGENCE VALUE= .2272E-01 CRITERION= .1359 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 16 COMPLETED. CUM ITER = 472
*** TIME = .265084E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6005E-05 OSCILLATION LIMIT = 4.737
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.98 CRITERION= .1383
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5576E-01
HT FLOW CONVERGENCE VALUE= .2341E-01 CRITERION= .1360 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 17 COMPLETED. CUM ITER = 473
*** TIME = .265873E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5134E-05 OSCILLATION LIMIT = 4.050
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1385
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
HT FLOW CONVERGENCE VALUE= .2269E-01 CRITERION= .1357 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 18 COMPLETED. CUM ITER = 474
*** TIME = .266662E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5988E-05 OSCILLATION LIMIT = 4.724
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.97 CRITERION= .1382

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5576E-01
 HT FLOW CONVERGENCE VALUE= .2337E-01 CRITERION= .1359 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 19 COMPLETED. CUM ITER = 475
 *** TIME = .267451E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5137E-05 OSCILLATION LIMIT = 4.053
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1383
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .2266E-01 CRITERION= .1356 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 20 COMPLETED. CUM ITER = 476
 *** TIME = .268240E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5975E-05 OSCILLATION LIMIT = 4.714
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.97 CRITERION= .1381
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5576E-01
 HT FLOW CONVERGENCE VALUE= .2334E-01 CRITERION= .1357 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 21 COMPLETED. CUM ITER = 477
 *** TIME = .269029E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5138E-05 OSCILLATION LIMIT = 4.053
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1382
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .2263E-01 CRITERION= .1355 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 22 COMPLETED. CUM ITER = 478
 *** TIME = .269818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5964E-05 OSCILLATION LIMIT = 4.705
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.97 CRITERION= .1379
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5575E-01
 HT FLOW CONVERGENCE VALUE= .2331E-01 CRITERION= .1356 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 23 COMPLETED. CUM ITER = 479
 *** TIME = .270606E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5137E-05 OSCILLATION LIMIT = 4.053
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1380
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .2261E-01 CRITERION= .1353 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 24 COMPLETED. CUM ITER = 480
 *** TIME = .271395E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5954E-05 OSCILLATION LIMIT = 4.697
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.97 CRITERION= .1378
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5575E-01
 HT FLOW CONVERGENCE VALUE= .2327E-01 CRITERION= .1355 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 25 COMPLETED. CUM ITER = 481
 *** TIME = .272184E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5136E-05 OSCILLATION LIMIT = 4.052
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1379
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .2258E-01 CRITERION= .1352 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 26 COMPLETED. CUM ITER = 482
 *** TIME = .272973E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5945E-05 OSCILLATION LIMIT = 4.690
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.97 CRITERION= .1376
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5575E-01
 HT FLOW CONVERGENCE VALUE= .2324E-01 CRITERION= .1353 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 27 COMPLETED. CUM ITER = 483
 *** TIME = .273762E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5134E-05 OSCILLATION LIMIT = 4.050
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1377
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .2255E-01 CRITERION= .1350 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 28 COMPLETED. CUM ITER = 484
 *** TIME = .274551E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5936E-05 OSCILLATION LIMIT = 4.683
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.97 CRITERION= .1375
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5574E-01
 HT FLOW CONVERGENCE VALUE= .2321E-01 CRITERION= .1352 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 29 COMPLETED. CUM ITER = 485
 *** TIME = .275340E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5131E-05 OSCILLATION LIMIT = 4.048
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1376
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .2252E-01 CRITERION= .1349 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 30 COMPLETED. CUM ITER = 486
 *** TIME = .276129E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5928E-05 OSCILLATION LIMIT = 4.677
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.97 CRITERION= .1373
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5574E-01
 HT FLOW CONVERGENCE VALUE= .2317E-01 CRITERION= .1350 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 31 COMPLETED. CUM ITER = 487
 *** TIME = .276918E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5129E-05 OSCILLATION LIMIT = 4.046
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1374
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .2250E-01 CRITERION= .1347 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 32 COMPLETED. CUM ITER = 488
 *** TIME = .277707E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5920E-05 OSCILLATION LIMIT = 4.670
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.97 CRITERION= .1372
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5574E-01
 HT FLOW CONVERGENCE VALUE= .2314E-01 CRITERION= .1349 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 33 COMPLETED. CUM ITER = 489
 *** TIME = .278496E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5126E-05 OSCILLATION LIMIT = 4.044
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1373
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .2247E-01 CRITERION= .1346 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 34 COMPLETED. CUM ITER = 490
 *** TIME = .279285E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .5912E-05 OSCILLATION LIMIT = 4.664
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.97 CRITERION= .1370
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5574E-01
 HT FLOW CONVERGENCE VALUE= .2311E-01 CRITERION= .1347 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 35 COMPLETED. CUM ITER = 491
 *** TIME = .280074E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5124E-05 OSCILLATION LIMIT = 4.042
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1372
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .2244E-01 CRITERION= .1344 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 36 COMPLETED. CUM ITER = 492
 *** TIME = .280863E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5904E-05 OSCILLATION LIMIT = 4.658
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.97 CRITERION= .1369
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5573E-01
 HT FLOW CONVERGENCE VALUE= .2307E-01 CRITERION= .1346 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 37 COMPLETED. CUM ITER = 493
 *** TIME = .281652E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5121E-05 OSCILLATION LIMIT = 4.040
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1370
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .2241E-01 CRITERION= .1343 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 38 COMPLETED. CUM ITER = 494
 *** TIME = .282441E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5897E-05 OSCILLATION LIMIT = 4.652
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.97 CRITERION= .1367
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5573E-01
 HT FLOW CONVERGENCE VALUE= .2304E-01 CRITERION= .1344 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 39 COMPLETED. CUM ITER = 495
 *** TIME = .283229E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5118E-05 OSCILLATION LIMIT = 4.038
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.79 CRITERION= .1369
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .2239E-01 CRITERION= .1341 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 40 COMPLETED. CUM ITER = 496
 *** TIME = .284018E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5889E-05 OSCILLATION LIMIT = 4.646
 Apply loads and solve for 10 to 90 years

*DO LOOP ON PARAMETER= TM FROM .31558E+09 TO .28402E+10 BY .31558E+09
 TIME= .31558E+09

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 4267.31334 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 156.40 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP
 VALUES = 156.88 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
 LOAD LABELS = TEMP
 VALUES = 158.02 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
 CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 34009.330 TIME= 07:17:30
 Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
 procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 07:17:30 APR 02, 1995 CP= 34009.330
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 22
 TIME AT END OF THE LOAD STEP.31558E+09
 AUTOMATIC TIME STEPPING ON
 INITIAL NUMBER OF SUBSTEPS 10
 MAXIMUM NUMBER OF SUBSTEPS 40
 MINIMUM NUMBER OF SUBSTEPS 4
 START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
 MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
 STEP CHANGE BOUNDARY CONDITIONS NO
 TRANSIENT (INERTIA) EFFECTS
 THERMAL DOFS ON
 TRANSIENT INTEGRATION PARAMETERS
 THETA.50000
 OSCILLATION LIMIT CRITERION.50000
 TOLERANCE.20000
 TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
 CONVERGENCE CONTROLS.USE DEFAULTS
 PRINT OUTPUT CONTROLSNO PRINTOUT
 DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
 FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1359
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4791E-01
 HT FLOW CONVERGENCE VALUE= .1977E-01 CRITERION= .1343 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 1 COMPLETED. CUM ITER = 497
*** TIME = .284807E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4776E-05 OSCILLATION LIMIT = 3.768
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1361
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
HT FLOW CONVERGENCE VALUE= .1911E-01 CRITERION= .1340 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 2 COMPLETED. CUM ITER = 498
*** TIME = .285596E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5519E-05 OSCILLATION LIMIT = 4.355
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1358
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4792E-01
HT FLOW CONVERGENCE VALUE= .1973E-01 CRITERION= .1342 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 3 COMPLETED. CUM ITER = 499
*** TIME = .286385E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4709E-05 OSCILLATION LIMIT = 3.715
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1360
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
HT FLOW CONVERGENCE VALUE= .1909E-01 CRITERION= .1339 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 4 COMPLETED. CUM ITER = 500
*** TIME = .287174E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5539E-05 OSCILLATION LIMIT = 4.370
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1357
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4792E-01
HT FLOW CONVERGENCE VALUE= .1971E-01 CRITERION= .1340 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 5 COMPLETED. CUM ITER = 501
*** TIME = .287963E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4707E-05 OSCILLATION LIMIT = 3.714
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1358
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
HT FLOW CONVERGENCE VALUE= .1908E-01 CRITERION= .1338 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 6 COMPLETED. CUM ITER = 502
*** TIME = .288752E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5526E-05 OSCILLATION LIMIT = 4.360
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1356
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4791E-01
HT FLOW CONVERGENCE VALUE= .1969E-01 CRITERION= .1339 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 7 COMPLETED. CUM ITER = 503
*** TIME = .289541E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4705E-05 OSCILLATION LIMIT = 3.712
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1357
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
HT FLOW CONVERGENCE VALUE= .1906E-01 CRITERION= .1336 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 8 COMPLETED. CUM ITER = 504
*** TIME = .290330E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5515E-05 OSCILLATION LIMIT = 4.351
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1355

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4791E-01
 HT FLOW CONVERGENCE VALUE= .1966E-01 CRITERION= .1338 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 9 COMPLETED. CUM ITER = 505
 *** TIME = .291119E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4702E-05 OSCILLATION LIMIT = 3.710
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1356
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1904E-01 CRITERION= .1335 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 10 COMPLETED. CUM ITER = 506
 *** TIME = .291908E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5505E-05 OSCILLATION LIMIT = 4.343
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1354
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4790E-01
 HT FLOW CONVERGENCE VALUE= .1964E-01 CRITERION= .1337 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 11 COMPLETED. CUM ITER = 507
 *** TIME = .292697E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4699E-05 OSCILLATION LIMIT = 3.707
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1355
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1902E-01 CRITERION= .1334 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 12 COMPLETED. CUM ITER = 508
 *** TIME = .293486E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5495E-05 OSCILLATION LIMIT = 4.336
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1352
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4790E-01
 HT FLOW CONVERGENCE VALUE= .1962E-01 CRITERION= .1336 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 13 COMPLETED. CUM ITER = 509
 *** TIME = .294275E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4696E-05 OSCILLATION LIMIT = 3.705
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1354
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1900E-01 CRITERION= .1333 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 14 COMPLETED. CUM ITER = 510
 *** TIME = .295064E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5486E-05 OSCILLATION LIMIT = 4.328
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1351
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4790E-01
 HT FLOW CONVERGENCE VALUE= .1959E-01 CRITERION= .1334 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 15 COMPLETED. CUM ITER = 511
 *** TIME = .295853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4692E-05 OSCILLATION LIMIT = 3.702
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1353
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1899E-01 CRITERION= .1332 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 16 COMPLETED. CUM ITER = 512
 *** TIME = .296641E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5477E-05 OSCILLATION LIMIT = 4.321
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1350
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4789E-01
 HT FLOW CONVERGENCE VALUE= .1957E-01 CRITERION= .1333 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 17 COMPLETED. CUM ITER = 513
 *** TIME = .297430E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4688E-05 OSCILLATION LIMIT = 3.699
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1351
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1897E-01 CRITERION= .1331 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 18 COMPLETED. CUM ITER = 514
 *** TIME = .298219E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5468E-05 OSCILLATION LIMIT = 4.314
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1349
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4789E-01
 HT FLOW CONVERGENCE VALUE= .1955E-01 CRITERION= .1332 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 19 COMPLETED. CUM ITER = 515
 *** TIME = .299008E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4685E-05 OSCILLATION LIMIT = 3.696
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1350
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1895E-01 CRITERION= .1329 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 20 COMPLETED. CUM ITER = 516
 *** TIME = .299797E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5459E-05 OSCILLATION LIMIT = 4.307
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1348
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4789E-01
 HT FLOW CONVERGENCE VALUE= .1952E-01 CRITERION= .1331 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 21 COMPLETED. CUM ITER = 517
 *** TIME = .300586E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4681E-05 OSCILLATION LIMIT = 3.693
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1349
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1893E-01 CRITERION= .1328 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 22 COMPLETED. CUM ITER = 518
 *** TIME = .301375E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5451E-05 OSCILLATION LIMIT = 4.300
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1347
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4788E-01
 HT FLOW CONVERGENCE VALUE= .1950E-01 CRITERION= .1330 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 23 COMPLETED. CUM ITER = 519
 *** TIME = .302164E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4677E-05 OSCILLATION LIMIT = 3.690
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1348
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1892E-01 CRITERION= .1327 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 24 COMPLETED. CUM ITER = 520
 *** TIME = .302953E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .5442E-05 OSCILLATION LIMIT = 4.293
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1345
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4788E-01
 HT FLOW CONVERGENCE VALUE= .1948E-01 CRITERION= .1329 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 25 COMPLETED. CUM ITER = 521
 *** TIME = .303742E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4674E-05 OSCILLATION LIMIT = 3.687
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1347
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1890E-01 CRITERION= .1326 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 26 COMPLETED. CUM ITER = 522
 *** TIME = .304531E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5433E-05 OSCILLATION LIMIT = 4.287
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1344
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4787E-01
 HT FLOW CONVERGENCE VALUE= .1945E-01 CRITERION= .1327 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 27 COMPLETED. CUM ITER = 523
 *** TIME = .305320E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4670E-05 OSCILLATION LIMIT = 3.684
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1346
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1888E-01 CRITERION= .1325 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 28 COMPLETED. CUM ITER = 524
 *** TIME = .306109E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5425E-05 OSCILLATION LIMIT = 4.280
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1343
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4787E-01
 HT FLOW CONVERGENCE VALUE= .1943E-01 CRITERION= .1326 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 29 COMPLETED. CUM ITER = 525
 *** TIME = .306898E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4667E-05 OSCILLATION LIMIT = 3.682
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1344
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1886E-01 CRITERION= .1324 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 30 COMPLETED. CUM ITER = 526
 *** TIME = .307687E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5417E-05 OSCILLATION LIMIT = 4.273
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1342
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4787E-01
 HT FLOW CONVERGENCE VALUE= .1941E-01 CRITERION= .1325 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 31 COMPLETED. CUM ITER = 527
 *** TIME = .308476E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4663E-05 OSCILLATION LIMIT = 3.679
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1343
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1884E-01 CRITERION= .1322 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 32 COMPLETED. CUM ITER = 528
 *** TIME = .309265E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5408E-05 OSCILLATION LIMIT = 4.267
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1341
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4786E-01
 HT FLOW CONVERGENCE VALUE= .1939E-01 CRITERION= .1324 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 33 COMPLETED. CUM ITER = 529
 *** TIME = .310053E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4660E-05 OSCILLATION LIMIT = 3.676
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1342
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1883E-01 CRITERION= .1321 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 34 COMPLETED. CUM ITER = 530
 *** TIME = .310842E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5400E-05 OSCILLATION LIMIT = 4.260
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1340
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4786E-01
 HT FLOW CONVERGENCE VALUE= .1936E-01 CRITERION= .1323 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 35 COMPLETED. CUM ITER = 531
 *** TIME = .311631E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4656E-05 OSCILLATION LIMIT = 3.674
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1341
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1881E-01 CRITERION= .1320 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 36 COMPLETED. CUM ITER = 532
 *** TIME = .312420E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5391E-05 OSCILLATION LIMIT = 4.253
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1339
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4786E-01
 HT FLOW CONVERGENCE VALUE= .1934E-01 CRITERION= .1321 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 37 COMPLETED. CUM ITER = 533
 *** TIME = .313209E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4653E-05 OSCILLATION LIMIT = 3.671
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1340
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1879E-01 CRITERION= .1319 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 38 COMPLETED. CUM ITER = 534
 *** TIME = .313998E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5383E-05 OSCILLATION LIMIT = 4.247
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.26 CRITERION= .1337
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4786E-01
 HT FLOW CONVERGENCE VALUE= .1932E-01 CRITERION= .1320 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 39 COMPLETED. CUM ITER = 535
 *** TIME = .314787E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4650E-05 OSCILLATION LIMIT = 3.669
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.08 CRITERION= .1339
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01

HT FLOW CONVERGENCE VALUE= .1877E-01 CRITERION= .1318 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 40 COMPLETED. CUM ITER = 536
 *** TIME = .315576E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5375E-05 OSCILLATION LIMIT = 4.240

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=MP 9000/7XX 08:07:39 APR 02, 1995 CP= 36998.850
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 161.3 CRITERION= .2082
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1375 CRITERION= .1315
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4770E-01
 HT FLOW CONVERGENCE VALUE= .2259E-01 CRITERION= .1314 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 1 COMPLETED. CUM ITER = 538
 *** TIME = .323465E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7250E-05 OSCILLATION LIMIT = 57.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .2079
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1360 CRITERION= .1307
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4754E-01
 HT FLOW CONVERGENCE VALUE= .2230E-01 CRITERION= .1306 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 2 COMPLETED. CUM ITER = 540
 *** TIME = .331355E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7213E-05 OSCILLATION LIMIT = 56.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.3 CRITERION= .2075
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1358 CRITERION= .1303
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4746E-01
 HT FLOW CONVERGENCE VALUE= .2210E-01 CRITERION= .1302 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 3 COMPLETED. CUM ITER = 542
 *** TIME = .339244E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7011E-05 OSCILLATION LIMIT = 55.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .2071
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1346 CRITERION= .1295
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4707E-01
 HT FLOW CONVERGENCE VALUE= .2185E-01 CRITERION= .1295 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 4 COMPLETED. CUM ITER = 544
 *** TIME = .347134E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7213E-05 OSCILLATION LIMIT = 56.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.2 CRITERION= .2067
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1345 CRITERION= .1291
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4699E-01
 HT FLOW CONVERGENCE VALUE= .2165E-01 CRITERION= .1291 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 5 COMPLETED. CUM ITER = 546
 *** TIME = .355023E+09 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .7014E-05 OSCILLATION LIMIT = 55.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .2064
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1333 CRITERION= .1284
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4662E-01
 HT FLOW CONVERGENCE VALUE= .2140E-01 CRITERION= .1283 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 6 COMPLETED. CUM ITER = 548
 *** TIME = .362912E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7212E-05 OSCILLATION LIMIT = 56.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.2 CRITERION= .2060
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1331 CRITERION= .1280
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4653E-01
 HT FLOW CONVERGENCE VALUE= .2121E-01 CRITERION= .1279 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 7 COMPLETED. CUM ITER = 550
 *** TIME = .370802E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7015E-05 OSCILLATION LIMIT = 55.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .2057
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1319 CRITERION= .1272
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4616E-01
 HT FLOW CONVERGENCE VALUE= .2097E-01 CRITERION= .1271 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 8 COMPLETED. CUM ITER = 552
 *** TIME = .378691E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7212E-05 OSCILLATION LIMIT = 56.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.2 CRITERION= .2052
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1317 CRITERION= .1268
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4607E-01
 HT FLOW CONVERGENCE VALUE= .2077E-01 CRITERION= .1268 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 9 COMPLETED. CUM ITER = 554
 *** TIME = .386581E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7017E-05 OSCILLATION LIMIT = 55.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .2049
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1306 CRITERION= .1260
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4570E-01
 HT FLOW CONVERGENCE VALUE= .2053E-01 CRITERION= .1260 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 10 COMPLETED. CUM ITER = 556
 *** TIME = .394470E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7211E-05 OSCILLATION LIMIT = 56.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.2 CRITERION= .2045
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1304 CRITERION= .1257
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4560E-01
 HT FLOW CONVERGENCE VALUE= .2034E-01 CRITERION= .1256 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 11 COMPLETED. CUM ITER = 558
 *** TIME = .402359E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7018E-05 OSCILLATION LIMIT = 55.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .2042

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1292 CRITERION= .1249
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4524E-01
 HT FLOW CONVERGENCE VALUE= .2011E-01 CRITERION= .1248 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 12 COMPLETED. CUM ITER = 560
 *** TIME = .410249E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7211E-05 OSCILLATION LIMIT = 56.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.2 CRITERION= .2038
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1290 CRITERION= .1245
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4514E-01
 HT FLOW CONVERGENCE VALUE= .1992E-01 CRITERION= .1245 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 13 COMPLETED. CUM ITER = 562
 *** TIME = .418138E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7019E-05 OSCILLATION LIMIT = 55.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .2035
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1279 CRITERION= .1237
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4478E-01
 HT FLOW CONVERGENCE VALUE= .1968E-01 CRITERION= .1237 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 14 COMPLETED. CUM ITER = 564
 *** TIME = .426028E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7210E-05 OSCILLATION LIMIT = 56.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.2 CRITERION= .2031
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1277 CRITERION= .1234
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4468E-01
 HT FLOW CONVERGENCE VALUE= .1950E-01 CRITERION= .1233 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 15 COMPLETED. CUM ITER = 566
 *** TIME = .433917E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7020E-05 OSCILLATION LIMIT = 55.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .2028
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1265 CRITERION= .1226
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4432E-01
 HT FLOW CONVERGENCE VALUE= .1927E-01 CRITERION= .1225 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 16 COMPLETED. CUM ITER = 568
 *** TIME = .441806E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7208E-05 OSCILLATION LIMIT = 56.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .2024
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1263 CRITERION= .1222
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4422E-01
 HT FLOW CONVERGENCE VALUE= .1908E-01 CRITERION= .1221 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 17 COMPLETED. CUM ITER = 570
 *** TIME = .449696E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7020E-05 OSCILLATION LIMIT = 55.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .2021
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1252 CRITERION= .1214
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4387E-01
 HT FLOW CONVERGENCE VALUE= .1885E-01 CRITERION= .1214 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 18 COMPLETED. CUM ITER = 572
*** TIME = .457585E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7207E-05 OSCILLATION LIMIT = 56.86
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .2017
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
HT FLOW CONVERGENCE VALUE= .1250 CRITERION= .1210
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4376E-01
HT FLOW CONVERGENCE VALUE= .1867E-01 CRITERION= .1210 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 19 COMPLETED. CUM ITER = 574
*** TIME = .465475E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7021E-05 OSCILLATION LIMIT = 55.39
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.9 CRITERION= .2014
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
HT FLOW CONVERGENCE VALUE= .1238 CRITERION= .1203
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4341E-01
HT FLOW CONVERGENCE VALUE= .1845E-01 CRITERION= .1202 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 20 COMPLETED. CUM ITER = 576
*** TIME = .473364E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7205E-05 OSCILLATION LIMIT = 56.85
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .2009
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
HT FLOW CONVERGENCE VALUE= .1236 CRITERION= .1199
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4331E-01
HT FLOW CONVERGENCE VALUE= .1827E-01 CRITERION= .1198 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 21 COMPLETED. CUM ITER = 578
*** TIME = .481253E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7020E-05 OSCILLATION LIMIT = 55.39
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.9 CRITERION= .2006
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
HT FLOW CONVERGENCE VALUE= .1225 CRITERION= .1191
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4295E-01
HT FLOW CONVERGENCE VALUE= .1805E-01 CRITERION= .1190 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 22 COMPLETED. CUM ITER = 580
*** TIME = .489143E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7203E-05 OSCILLATION LIMIT = 56.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .2002
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
HT FLOW CONVERGENCE VALUE= .1223 CRITERION= .1187
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4285E-01
HT FLOW CONVERGENCE VALUE= .1787E-01 CRITERION= .1187 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 23 COMPLETED. CUM ITER = 582
*** TIME = .497032E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7020E-05 OSCILLATION LIMIT = 55.38
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.9 CRITERION= .1999
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
HT FLOW CONVERGENCE VALUE= .1212 CRITERION= .1179
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4250E-01
HT FLOW CONVERGENCE VALUE= .1765E-01 CRITERION= .1179 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 24 COMPLETED. CUM ITER = 584
*** TIME = .504922E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7201E-05 OSCILLATION LIMIT = 56.81

```

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .1995
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1210 CRITERION= .1176
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4239E-01
 HT FLOW CONVERGENCE VALUE= .1748E-01 CRITERION= .1175 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 25 COMPLETED. CUM ITER = 586
 *** TIME = .512811E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7019E-05 OSCILLATION LIMIT = 55.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.9 CRITERION= .1993
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1198 CRITERION= .1168
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4205E-01
 HT FLOW CONVERGENCE VALUE= .1726E-01 CRITERION= .1167 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 26 COMPLETED. CUM ITER = 588
 *** TIME = .520700E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7199E-05 OSCILLATION LIMIT = 56.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .1989
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1196 CRITERION= .1164
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4194E-01
 HT FLOW CONVERGENCE VALUE= .1709E-01 CRITERION= .1164 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 27 COMPLETED. CUM ITER = 590
 *** TIME = .528590E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7018E-05 OSCILLATION LIMIT = 55.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.9 CRITERION= .1986
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1185 CRITERION= .1156
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4160E-01
 HT FLOW CONVERGENCE VALUE= .1687E-01 CRITERION= .1156 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 28 COMPLETED. CUM ITER = 592
 *** TIME = .536479E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7196E-05 OSCILLATION LIMIT = 56.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .1982
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1183 CRITERION= .1153
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4149E-01
 HT FLOW CONVERGENCE VALUE= .1670E-01 CRITERION= .1152 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 29 COMPLETED. CUM ITER = 594
 *** TIME = .544369E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7017E-05 OSCILLATION LIMIT = 55.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.9 CRITERION= .1979
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1172 CRITERION= .1145
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4115E-01
 HT FLOW CONVERGENCE VALUE= .1649E-01 CRITERION= .1144 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 30 COMPLETED. CUM ITER = 596
 *** TIME = .552258E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7193E-05 OSCILLATION LIMIT = 56.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1975
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446

HT FLOW CONVERGENCE VALUE= .1170 CRITERION= .1141
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4103E-01
 HT FLOW CONVERGENCE VALUE= .1633E-01 CRITERION= .1141 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 31 COMPLETED. CUM ITER = 598
 *** TIME = .560147E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7015E-05 OSCILLATION LIMIT = 55.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.8 CRITERION= .1972
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1159 CRITERION= .1133
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4070E-01
 HT FLOW CONVERGENCE VALUE= .1612E-01 CRITERION= .1133 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 32 COMPLETED. CUM ITER = 600
 *** TIME = .568037E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7190E-05 OSCILLATION LIMIT = 56.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1968
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1156 CRITERION= .1129
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4058E-01
 HT FLOW CONVERGENCE VALUE= .1595E-01 CRITERION= .1129 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 33 COMPLETED. CUM ITER = 602
 *** TIME = .575926E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7014E-05 OSCILLATION LIMIT = 55.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.8 CRITERION= .1965
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1145 CRITERION= .1122
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4025E-01
 HT FLOW CONVERGENCE VALUE= .1575E-01 CRITERION= .1121 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 34 COMPLETED. CUM ITER = 604
 *** TIME = .583816E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7187E-05 OSCILLATION LIMIT = 56.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1961
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1143 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4013E-01
 HT FLOW CONVERGENCE VALUE= .1558E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 35 COMPLETED. CUM ITER = 606
 *** TIME = .591705E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7011E-05 OSCILLATION LIMIT = 55.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.8 CRITERION= .1958
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1132 CRITERION= .1110
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3980E-01
 HT FLOW CONVERGENCE VALUE= .1538E-01 CRITERION= .1109 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 36 COMPLETED. CUM ITER = 608
 *** TIME = .599594E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7183E-05 OSCILLATION LIMIT = 56.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1955
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1130 CRITERION= .1106
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3967E-01
 HT FLOW CONVERGENCE VALUE= .1522E-01 CRITERION= .1106 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 37 COMPLETED. CUM ITER = 610
 *** TIME = .607484E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7009E-05 OSCILLATION LIMIT = 55.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.8 CRITERION= .1952
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1119 CRITERION= .1098
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3935E-01
 HT FLOW CONVERGENCE VALUE= .1502E-01 CRITERION= .1098 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 38 COMPLETED. CUM ITER = 612
 *** TIME = .615373E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7179E-05 OSCILLATION LIMIT = 56.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1948
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1117 CRITERION= .1095
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3922E-01
 HT FLOW CONVERGENCE VALUE= .1486E-01 CRITERION= .1094 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 39 COMPLETED. CUM ITER = 614
 *** TIME = .623263E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7006E-05 OSCILLATION LIMIT = 55.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.8 CRITERION= .1945
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .1106 CRITERION= .1087
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3890E-01
 HT FLOW CONVERGENCE VALUE= .1467E-01 CRITERION= .1086 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 40 COMPLETED. CUM ITER = 616
 *** TIME = .631152E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7175E-05 OSCILLATION LIMIT = 56.61

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 09:27:23 APR 02, 1995 CP= 41722.960
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1514
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .7273E-01 CRITERION= .1085 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 1 COMPLETED. CUM ITER = 617
 *** TIME = .639041E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8308E-05 OSCILLATION LIMIT = 65.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1512
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .7347E-01 CRITERION= .1078 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 2 COMPLETED. CUM ITER = 618
 *** TIME = .646931E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9135E-05 OSCILLATION LIMIT = 72.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1508
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .7349E-01 CRITERION= .1076 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 3 COMPLETED. CUM ITER = 619

```

*** TIME = .654820E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8730E-05    OSCILLATION LIMIT = 68.88
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 105.3    CRITERION= .1506
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
    HT FLOW CONVERGENCE VALUE= .7272E-01 CRITERION= .1069    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 4 COMPLETED. CUM ITER = 620
*** TIME = .662710E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8997E-05    OSCILLATION LIMIT = 70.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 105.5    CRITERION= .1502
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
    HT FLOW CONVERGENCE VALUE= .7280E-01 CRITERION= .1067    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 5 COMPLETED. CUM ITER = 621
*** TIME = .670599E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8737E-05    OSCILLATION LIMIT = 68.93
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 105.3    CRITERION= .1500
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
    HT FLOW CONVERGENCE VALUE= .7204E-01 CRITERION= .1061    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 6 COMPLETED. CUM ITER = 622
*** TIME = .678488E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8999E-05    OSCILLATION LIMIT = 70.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 105.5    CRITERION= .1496
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
    HT FLOW CONVERGENCE VALUE= .7211E-01 CRITERION= .1059    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 7 COMPLETED. CUM ITER = 623
*** TIME = .686378E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8739E-05    OSCILLATION LIMIT = 68.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 105.3    CRITERION= .1493
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
    HT FLOW CONVERGENCE VALUE= .7136E-01 CRITERION= .1052    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 8 COMPLETED. CUM ITER = 624
*** TIME = .694267E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9000E-05    OSCILLATION LIMIT = 71.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 105.5    CRITERION= .1489
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
    HT FLOW CONVERGENCE VALUE= .7143E-01 CRITERION= .1050    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 9 COMPLETED. CUM ITER = 625
*** TIME = .702157E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8742E-05    OSCILLATION LIMIT = 68.97
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 105.3    CRITERION= .1487
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
    HT FLOW CONVERGENCE VALUE= .7068E-01 CRITERION= .1043    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 10 COMPLETED. CUM ITER = 626
*** TIME = .710046E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9002E-05    OSCILLATION LIMIT = 71.02
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 105.5    CRITERION= .1483
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
    HT FLOW CONVERGENCE VALUE= .7075E-01 CRITERION= .1041    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 11 COMPLETED. CUM ITER = 627
*** TIME = .717935E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8744E-05 OSCILLATION LIMIT = 68.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1481
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .7000E-01 CRITERION= .1035 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 12 COMPLETED. CUM ITER = 628
*** TIME = .725825E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9003E-05 OSCILLATION LIMIT = 71.03
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1477
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .7007E-01 CRITERION= .1033 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 13 COMPLETED. CUM ITER = 629
*** TIME = .733714E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8746E-05 OSCILLATION LIMIT = 69.00
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1475
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .6933E-01 CRITERION= .1026 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 14 COMPLETED. CUM ITER = 630
*** TIME = .741604E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9004E-05 OSCILLATION LIMIT = 71.04
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1471
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .6940E-01 CRITERION= .1024 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 15 COMPLETED. CUM ITER = 631
*** TIME = .749493E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8748E-05 OSCILLATION LIMIT = 69.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1469
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .6866E-01 CRITERION= .1017 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 16 COMPLETED. CUM ITER = 632
*** TIME = .757382E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9005E-05 OSCILLATION LIMIT = 71.05
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1465
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .6877E-01 CRITERION= .1015 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 17 COMPLETED. CUM ITER = 633
*** TIME = .765272E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8749E-05 OSCILLATION LIMIT = 69.03
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1463
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .6813E-01 CRITERION= .1009 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 18 COMPLETED. CUM ITER = 634
*** TIME = .773161E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9006E-05 OSCILLATION LIMIT = 71.05
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1459

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .6800E-01 CRITERION= .1006 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 19 COMPLETED. CUM ITER = 635
*** TIME = .781051E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8750E-05 OSCILLATION LIMIT = 69.03
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1457
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .6715E-01 CRITERION= .1000 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 20 COMPLETED. CUM ITER = 636
*** TIME = .788940E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9005E-05 OSCILLATION LIMIT = 71.04
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1453
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .6690E-01 CRITERION= .9978E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 21 COMPLETED. CUM ITER = 637
*** TIME = .796829E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8749E-05 OSCILLATION LIMIT = 69.02
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1451
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .6543E-01 CRITERION= .9914E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 22 COMPLETED. CUM ITER = 638
*** TIME = .804719E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9003E-05 OSCILLATION LIMIT = 71.03
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1447
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .6499E-01 CRITERION= .9891E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 23 COMPLETED. CUM ITER = 639
*** TIME = .812608E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8746E-05 OSCILLATION LIMIT = 69.00
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1445
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .6297E-01 CRITERION= .9827E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 24 COMPLETED. CUM ITER = 640
*** TIME = .820498E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9000E-05 OSCILLATION LIMIT = 71.00
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1441
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .6294E-01 CRITERION= .9805E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 25 COMPLETED. CUM ITER = 641
*** TIME = .828387E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8744E-05 OSCILLATION LIMIT = 68.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1439
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
HT FLOW CONVERGENCE VALUE= .6229E-01 CRITERION= .9740E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 26 COMPLETED. CUM ITER = 642
*** TIME = .836276E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9000E-05 OSCILLATION LIMIT = 71.00
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```


HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1435
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .6232E-01 CRITERION= .9718E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 27 COMPLETED. CUM ITER = 643
 *** TIME = .844166E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8745E-05 OSCILLATION LIMIT = 69.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1433
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .6167E-01 CRITERION= .9653E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 28 COMPLETED. CUM ITER = 644
 *** TIME = .852055E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9000E-05 OSCILLATION LIMIT = 71.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1429
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .6171E-01 CRITERION= .9631E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 29 COMPLETED. CUM ITER = 645
 *** TIME = .859945E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8747E-05 OSCILLATION LIMIT = 69.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.2 CRITERION= .1427
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .6106E-01 CRITERION= .9567E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 30 COMPLETED. CUM ITER = 646
 *** TIME = .867834E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9001E-05 OSCILLATION LIMIT = 71.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1423
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .6109E-01 CRITERION= .9544E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 31 COMPLETED. CUM ITER = 647
 *** TIME = .875723E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8748E-05 OSCILLATION LIMIT = 69.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.2 CRITERION= .1421
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .6045E-01 CRITERION= .9480E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 32 COMPLETED. CUM ITER = 648
 *** TIME = .883613E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9001E-05 OSCILLATION LIMIT = 71.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1417
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .6047E-01 CRITERION= .9458E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 33 COMPLETED. CUM ITER = 649
 *** TIME = .891502E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8749E-05 OSCILLATION LIMIT = 69.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.2 CRITERION= .1415
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5984E-01 CRITERION= .9393E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 34 COMPLETED. CUM ITER = 650
 *** TIME = .899392E+09 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .9002E-05 OSCILLATION LIMIT = 71.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1411
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5986E-01 CRITERION= .9371E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 35 COMPLETED. CUM ITER = 651
 *** TIME = .907281E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8749E-05 OSCILLATION LIMIT = 69.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.2 CRITERION= .1409
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5923E-01 CRITERION= .9306E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 36 COMPLETED. CUM ITER = 652
 *** TIME = .915170E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9002E-05 OSCILLATION LIMIT = 71.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1406
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5925E-01 CRITERION= .9284E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 37 COMPLETED. CUM ITER = 653
 *** TIME = .923060E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8750E-05 OSCILLATION LIMIT = 69.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.2 CRITERION= .1403
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5862E-01 CRITERION= .9220E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 38 COMPLETED. CUM ITER = 654
 *** TIME = .930949E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9002E-05 OSCILLATION LIMIT = 71.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1400
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5864E-01 CRITERION= .9197E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 39 COMPLETED. CUM ITER = 655
 *** TIME = .938839E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8751E-05 OSCILLATION LIMIT = 69.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.2 CRITERION= .1398
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5801E-01 CRITERION= .9133E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 40 COMPLETED. CUM ITER = 656
 *** TIME = .946728E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9002E-05 OSCILLATION LIMIT = 71.02

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:17:34 APR 02, 1995 CP= 44708.550
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 39.76 CRITERION= .9956E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1712
 HT FLOW CONVERGENCE VALUE= .3340E-01 CRITERION= .9120E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 25 SUBSTEP 1 COMPLETED. CUM ITER = 657
*** TIME = .954617E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1656E-04 OSCILLATION LIMIT = 130.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.57 CRITERION= .9941E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1562
HT FLOW CONVERGENCE VALUE= .3041E-01 CRITERION= .9065E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 2 COMPLETED. CUM ITER = 658
*** TIME = .962507E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1802E-04 OSCILLATION LIMIT = 142.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.76 CRITERION= .9894E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1555
HT FLOW CONVERGENCE VALUE= .3023E-01 CRITERION= .9054E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 3 COMPLETED. CUM ITER = 659
*** TIME = .970396E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1747E-04 OSCILLATION LIMIT = 137.9
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.57 CRITERION= .9880E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1571
HT FLOW CONVERGENCE VALUE= .3021E-01 CRITERION= .8999E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 4 COMPLETED. CUM ITER = 660
*** TIME = .978286E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1814E-04 OSCILLATION LIMIT = 143.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.76 CRITERION= .9834E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1556
HT FLOW CONVERGENCE VALUE= .3001E-01 CRITERION= .8987E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 5 COMPLETED. CUM ITER = 661
*** TIME = .986175E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1749E-04 OSCILLATION LIMIT = 138.0
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.57 CRITERION= .9819E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1571
HT FLOW CONVERGENCE VALUE= .2997E-01 CRITERION= .8932E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 6 COMPLETED. CUM ITER = 662
*** TIME = .994064E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1816E-04 OSCILLATION LIMIT = 143.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.76 CRITERION= .9773E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1557
HT FLOW CONVERGENCE VALUE= .2979E-01 CRITERION= .8921E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 7 COMPLETED. CUM ITER = 663
*** TIME = .100195E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1750E-04 OSCILLATION LIMIT = 138.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.57 CRITERION= .9758E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1571
HT FLOW CONVERGENCE VALUE= .2973E-01 CRITERION= .8866E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 8 COMPLETED. CUM ITER = 664
*** TIME = .100984E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1818E-04 OSCILLATION LIMIT = 143.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.75 CRITERION= .9712E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1558

```

HT FLOW CONVERGENCE VALUE= .2956E-01 CRITERION= .8855E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 9 COMPLETED. CUM ITER = 665
 *** TIME = .101773E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1752E-04 OSCILLATION LIMIT = 138.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.57 CRITERION= .9698E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1571
 HT FLOW CONVERGENCE VALUE= .2949E-01 CRITERION= .8800E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 10 COMPLETED. CUM ITER = 666
 *** TIME = .102562E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1819E-04 OSCILLATION LIMIT = 143.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.75 CRITERION= .9652E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1559
 HT FLOW CONVERGENCE VALUE= .2933E-01 CRITERION= .8788E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 11 COMPLETED. CUM ITER = 667
 *** TIME = .103351E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1754E-04 OSCILLATION LIMIT = 138.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.57 CRITERION= .9637E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1571
 HT FLOW CONVERGENCE VALUE= .2925E-01 CRITERION= .8733E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 12 COMPLETED. CUM ITER = 668
 *** TIME = .104140E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1821E-04 OSCILLATION LIMIT = 143.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.75 CRITERION= .9591E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1560
 HT FLOW CONVERGENCE VALUE= .2910E-01 CRITERION= .8722E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 13 COMPLETED. CUM ITER = 669
 *** TIME = .104929E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1756E-04 OSCILLATION LIMIT = 138.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.57 CRITERION= .9577E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1572
 HT FLOW CONVERGENCE VALUE= .2901E-01 CRITERION= .8667E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 14 COMPLETED. CUM ITER = 670
 *** TIME = .105718E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1823E-04 OSCILLATION LIMIT = 143.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.75 CRITERION= .9531E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1561
 HT FLOW CONVERGENCE VALUE= .2888E-01 CRITERION= .8655E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 15 COMPLETED. CUM ITER = 671
 *** TIME = .106507E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1758E-04 OSCILLATION LIMIT = 138.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.57 CRITERION= .9516E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1572
 HT FLOW CONVERGENCE VALUE= .2877E-01 CRITERION= .8601E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 16 COMPLETED. CUM ITER = 672
 *** TIME = .107296E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1825E-04 OSCILLATION LIMIT = 144.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.75 CRITERION= .9470E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1562
 HT FLOW CONVERGENCE VALUE= .2864E-01 CRITERION= .8589E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 17 COMPLETED. CUM ITER = 673
 *** TIME = .108085E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1760E-04 OSCILLATION LIMIT = 138.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.57 CRITERION= .9456E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1572
 HT FLOW CONVERGENCE VALUE= .2852E-01 CRITERION= .8534E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 18 COMPLETED. CUM ITER = 674
 *** TIME = .108874E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1826E-04 OSCILLATION LIMIT = 144.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.75 CRITERION= .9410E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1563
 HT FLOW CONVERGENCE VALUE= .2838E-01 CRITERION= .8523E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 19 COMPLETED. CUM ITER = 675
 *** TIME = .109663E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1761E-04 OSCILLATION LIMIT = 139.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.56 CRITERION= .9396E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1572
 HT FLOW CONVERGENCE VALUE= .2825E-01 CRITERION= .8468E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 20 COMPLETED. CUM ITER = 676
 *** TIME = .110452E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1828E-04 OSCILLATION LIMIT = 144.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.75 CRITERION= .9350E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1564
 HT FLOW CONVERGENCE VALUE= .2814E-01 CRITERION= .8456E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 21 COMPLETED. CUM ITER = 677
 *** TIME = .111241E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1763E-04 OSCILLATION LIMIT = 139.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.56 CRITERION= .9335E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1572
 HT FLOW CONVERGENCE VALUE= .2801E-01 CRITERION= .8402E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 22 COMPLETED. CUM ITER = 678
 *** TIME = .112029E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1830E-04 OSCILLATION LIMIT = 144.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.75 CRITERION= .9290E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1565
 HT FLOW CONVERGENCE VALUE= .2791E-01 CRITERION= .8390E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 23 COMPLETED. CUM ITER = 679
 *** TIME = .112818E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1765E-04 OSCILLATION LIMIT = 139.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.56 CRITERION= .9275E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1572
 HT FLOW CONVERGENCE VALUE= .2777E-01 CRITERION= .8335E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 24 COMPLETED. CUM ITER = 680
 *** TIME = .113607E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1832E-04 OSCILLATION LIMIT = 144.5

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.75 CRITERION= .9230E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1566
 HT FLOW CONVERGENCE VALUE= .2768E-01 CRITERION= .8324E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 25 COMPLETED. CUM ITER = 681
 *** TIME = .114396E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1767E-04 OSCILLATION LIMIT = 139.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.56 CRITERION= .9215E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1572
 HT FLOW CONVERGENCE VALUE= .2753E-01 CRITERION= .8269E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 26 COMPLETED. CUM ITER = 682
 *** TIME = .115185E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1834E-04 OSCILLATION LIMIT = 144.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.74 CRITERION= .9170E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1567
 HT FLOW CONVERGENCE VALUE= .2745E-01 CRITERION= .8257E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 27 COMPLETED. CUM ITER = 683
 *** TIME = .115974E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1769E-04 OSCILLATION LIMIT = 139.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.56 CRITERION= .9155E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1573
 HT FLOW CONVERGENCE VALUE= .2729E-01 CRITERION= .8202E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 28 COMPLETED. CUM ITER = 684
 *** TIME = .116763E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1836E-04 OSCILLATION LIMIT = 144.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.74 CRITERION= .9110E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1568
 HT FLOW CONVERGENCE VALUE= .2721E-01 CRITERION= .8191E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 29 COMPLETED. CUM ITER = 685
 *** TIME = .117552E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1771E-04 OSCILLATION LIMIT = 139.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.56 CRITERION= .9096E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1573
 HT FLOW CONVERGENCE VALUE= .2705E-01 CRITERION= .8136E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 30 COMPLETED. CUM ITER = 686
 *** TIME = .118341E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1837E-04 OSCILLATION LIMIT = 145.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.74 CRITERION= .9051E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1569
 HT FLOW CONVERGENCE VALUE= .2698E-01 CRITERION= .8124E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 31 COMPLETED. CUM ITER = 687
 *** TIME = .119130E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1772E-04 OSCILLATION LIMIT = 139.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.56 CRITERION= .9036E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1573
 HT FLOW CONVERGENCE VALUE= .2680E-01 CRITERION= .8070E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 32 COMPLETED. CUM ITER = 688

```

*** TIME = .119919E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1839E-04    OSCILLATION LIMIT = 145.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.74    CRITERION= .8991E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1569
    HT FLOW CONVERGENCE VALUE= .2674E-01    CRITERION= .8058E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 33 COMPLETED.    CUM ITER = 689
*** TIME = .120708E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1774E-04    OSCILLATION LIMIT = 140.0
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.56    CRITERION= .8976E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1573
    HT FLOW CONVERGENCE VALUE= .2655E-01    CRITERION= .8003E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 34 COMPLETED.    CUM ITER = 690
*** TIME = .121497E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1841E-04    OSCILLATION LIMIT = 145.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.74    CRITERION= .8931E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1570
    HT FLOW CONVERGENCE VALUE= .2649E-01    CRITERION= .7992E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 35 COMPLETED.    CUM ITER = 691
*** TIME = .122286E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1776E-04    OSCILLATION LIMIT = 140.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.56    CRITERION= .8917E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1573
    HT FLOW CONVERGENCE VALUE= .2632E-01    CRITERION= .7937E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 36 COMPLETED.    CUM ITER = 692
*** TIME = .123075E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1843E-04    OSCILLATION LIMIT = 145.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.74    CRITERION= .8872E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1571
    HT FLOW CONVERGENCE VALUE= .2627E-01    CRITERION= .7925E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 37 COMPLETED.    CUM ITER = 693
*** TIME = .123864E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1778E-04    OSCILLATION LIMIT = 140.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.55    CRITERION= .8857E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1574
    HT FLOW CONVERGENCE VALUE= .2608E-01    CRITERION= .7871E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 38 COMPLETED.    CUM ITER = 694
*** TIME = .124653E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1845E-04    OSCILLATION LIMIT = 145.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.74    CRITERION= .8813E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1572
    HT FLOW CONVERGENCE VALUE= .2604E-01    CRITERION= .7859E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 39 COMPLETED.    CUM ITER = 695
*** TIME = .125441E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1780E-04    OSCILLATION LIMIT = 140.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.55    CRITERION= .8798E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1574
    HT FLOW CONVERGENCE VALUE= .2585E-01    CRITERION= .7804E-01 <<< CONVERGED

```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 40 COMPLETED. CUM ITER = 696
*** TIME = .126230E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1847E-04 OSCILLATION LIMIT = 145.7
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 11:07:42 APR 02, 1995 CP= 47697.790
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 14.26 CRITERION= .7930E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1644
HT FLOW CONVERGENCE VALUE= .2370E-01 CRITERION= .7798E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 1 COMPLETED. CUM ITER = 697
*** TIME = .127019E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1523E-04 OSCILLATION LIMIT = 120.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .7923E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1602
HT FLOW CONVERGENCE VALUE= .2273E-01 CRITERION= .7749E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 2 COMPLETED. CUM ITER = 698
*** TIME = .127808E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1631E-04 OSCILLATION LIMIT = 128.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 14.26 CRITERION= .7877E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1598
HT FLOW CONVERGENCE VALUE= .2248E-01 CRITERION= .7744E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 3 COMPLETED. CUM ITER = 699
*** TIME = .128597E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .7869E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1606
HT FLOW CONVERGENCE VALUE= .2259E-01 CRITERION= .7695E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 4 COMPLETED. CUM ITER = 700
*** TIME = .129386E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1634E-04 OSCILLATION LIMIT = 128.9
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 14.26 CRITERION= .7823E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1600
HT FLOW CONVERGENCE VALUE= .2234E-01 CRITERION= .7690E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 5 COMPLETED. CUM ITER = 701
*** TIME = .130175E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .7816E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1607
HT FLOW CONVERGENCE VALUE= .2244E-01 CRITERION= .7641E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 6 COMPLETED. CUM ITER = 702
*** TIME = .130964E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1634E-04 OSCILLATION LIMIT = 128.9
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

HT FLOW CONVERGENCE VALUE= 14.26 CRITERION= .7770E-01

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1602
 HT FLOW CONVERGENCE VALUE= .2221E-01 CRITERION= .7635E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 7 COMPLETED. CUM ITER = 703
 *** TIME = .131753E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .7763E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1608
 HT FLOW CONVERGENCE VALUE= .2229E-01 CRITERION= .7587E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 8 COMPLETED. CUM ITER = 704
 *** TIME = .132542E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1634E-04 OSCILLATION LIMIT = 128.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.26 CRITERION= .7716E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1603
 HT FLOW CONVERGENCE VALUE= .2207E-01 CRITERION= .7581E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 9 COMPLETED. CUM ITER = 705
 *** TIME = .133331E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .7709E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1609
 HT FLOW CONVERGENCE VALUE= .2215E-01 CRITERION= .7532E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 10 COMPLETED. CUM ITER = 706
 *** TIME = .134120E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1634E-04 OSCILLATION LIMIT = 128.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.26 CRITERION= .7663E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1605
 HT FLOW CONVERGENCE VALUE= .2193E-01 CRITERION= .7527E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 11 COMPLETED. CUM ITER = 707
 *** TIME = .134909E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .7656E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1610
 HT FLOW CONVERGENCE VALUE= .2200E-01 CRITERION= .7478E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 12 COMPLETED. CUM ITER = 708
 *** TIME = .135698E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1635E-04 OSCILLATION LIMIT = 129.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.26 CRITERION= .7610E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1606
 HT FLOW CONVERGENCE VALUE= .2179E-01 CRITERION= .7472E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 13 COMPLETED. CUM ITER = 709
 *** TIME = .136487E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .7602E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1611
 HT FLOW CONVERGENCE VALUE= .2185E-01 CRITERION= .7424E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 14 COMPLETED. CUM ITER = 710
 *** TIME = .137276E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1635E-04 OSCILLATION LIMIT = 129.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.26 CRITERION= .7556E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1608
 HT FLOW CONVERGENCE VALUE= .2165E-01 CRITERION= .7418E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 15 COMPLETED. CUM ITER = 711
 *** TIME = .138065E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .7549E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1612
 HT FLOW CONVERGENCE VALUE= .2170E-01 CRITERION= .7369E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 16 COMPLETED. CUM ITER = 712
 *** TIME = .138853E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1635E-04 OSCILLATION LIMIT = 129.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.25 CRITERION= .7503E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1610
 HT FLOW CONVERGENCE VALUE= .2151E-01 CRITERION= .7364E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 17 COMPLETED. CUM ITER = 713
 *** TIME = .139642E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .7496E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1613
 HT FLOW CONVERGENCE VALUE= .2155E-01 CRITERION= .7315E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 18 COMPLETED. CUM ITER = 714
 *** TIME = .140431E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1636E-04 OSCILLATION LIMIT = 129.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.25 CRITERION= .7450E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1611
 HT FLOW CONVERGENCE VALUE= .2137E-01 CRITERION= .7310E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 19 COMPLETED. CUM ITER = 715
 *** TIME = .141220E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .7442E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1614
 HT FLOW CONVERGENCE VALUE= .2140E-01 CRITERION= .7261E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 20 COMPLETED. CUM ITER = 716
 *** TIME = .142009E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1636E-04 OSCILLATION LIMIT = 129.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.25 CRITERION= .7396E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1613
 HT FLOW CONVERGENCE VALUE= .2123E-01 CRITERION= .7255E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 21 COMPLETED. CUM ITER = 717
 *** TIME = .142798E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .7389E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1615
 HT FLOW CONVERGENCE VALUE= .2126E-01 CRITERION= .7206E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 22 COMPLETED. CUM ITER = 718
 *** TIME = .143587E+10 TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .1636E-04  OSCILLATION LIMIT = 129.1
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.25  CRITERION= .7343E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1614
  HT FLOW CONVERGENCE VALUE= .2109E-01 CRITERION= .7201E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 23 COMPLETED. CUM ITER = 719
*** TIME = .144376E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.07  CRITERION= .7336E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1616
  HT FLOW CONVERGENCE VALUE= .2111E-01 CRITERION= .7152E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 24 COMPLETED. CUM ITER = 720
*** TIME = .145165E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1636E-04 OSCILLATION LIMIT = 129.1
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.25  CRITERION= .7290E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1616
  HT FLOW CONVERGENCE VALUE= .2095E-01 CRITERION= .7147E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 25 COMPLETED. CUM ITER = 721
*** TIME = .145954E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.07  CRITERION= .7282E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1617
  HT FLOW CONVERGENCE VALUE= .2096E-01 CRITERION= .7098E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 26 COMPLETED. CUM ITER = 722
*** TIME = .146743E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1637E-04 OSCILLATION LIMIT = 129.1
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.25  CRITERION= .7237E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1617
  HT FLOW CONVERGENCE VALUE= .2081E-01 CRITERION= .7092E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 27 COMPLETED. CUM ITER = 723
*** TIME = .147532E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.07  CRITERION= .7229E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1618
  HT FLOW CONVERGENCE VALUE= .2081E-01 CRITERION= .7044E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 28 COMPLETED. CUM ITER = 724
*** TIME = .148321E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1637E-04 OSCILLATION LIMIT = 129.1
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.25  CRITERION= .7183E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1619
  HT FLOW CONVERGENCE VALUE= .2067E-01 CRITERION= .7038E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 29 COMPLETED. CUM ITER = 725
*** TIME = .149110E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.07  CRITERION= .7176E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1619
  HT FLOW CONVERGENCE VALUE= .2066E-01 CRITERION= .6989E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

```

*** LOAD STEP 26 SUBSTEP 30 COMPLETED. CUM ITER = 726
*** TIME = .149899E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1637E-04 OSCILLATION LIMIT = 129.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.25 CRITERION= .7130E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1620
HT FLOW CONVERGENCE VALUE= .2053E-01 CRITERION= .6984E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 31 COMPLETED. CUM ITER = 727
*** TIME = .150688E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .7123E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1620
HT FLOW CONVERGENCE VALUE= .2051E-01 CRITERION= .6935E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 32 COMPLETED. CUM ITER = 728
*** TIME = .151476E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1637E-04 OSCILLATION LIMIT = 129.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.25 CRITERION= .7077E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1622
HT FLOW CONVERGENCE VALUE= .2039E-01 CRITERION= .6929E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 33 COMPLETED. CUM ITER = 729
*** TIME = .152265E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .7069E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1621
HT FLOW CONVERGENCE VALUE= .2037E-01 CRITERION= .6881E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 34 COMPLETED. CUM ITER = 730
*** TIME = .153054E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1638E-04 OSCILLATION LIMIT = 129.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.25 CRITERION= .7024E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1624
HT FLOW CONVERGENCE VALUE= .2024E-01 CRITERION= .6875E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 35 COMPLETED. CUM ITER = 731
*** TIME = .153843E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1592E-04 OSCILLATION LIMIT = 125.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .7016E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1622
HT FLOW CONVERGENCE VALUE= .2022E-01 CRITERION= .6826E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 36 COMPLETED. CUM ITER = 732
*** TIME = .154632E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1638E-04 OSCILLATION LIMIT = 129.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.25 CRITERION= .6971E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1625
HT FLOW CONVERGENCE VALUE= .2010E-01 CRITERION= .6821E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 37 COMPLETED. CUM ITER = 733
*** TIME = .155421E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1592E-04 OSCILLATION LIMIT = 125.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .6963E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1624

```

HT FLOW CONVERGENCE VALUE= .2007E-01 CRITERION= .6772E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 38 COMPLETED. CUM ITER = 734
 *** TIME = .156210E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1638E-04 OSCILLATION LIMIT = 129.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.25 CRITERION= .6917E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1627
 HT FLOW CONVERGENCE VALUE= .1996E-01 CRITERION= .6766E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 39 COMPLETED. CUM ITER = 735
 *** TIME = .156999E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1592E-04 OSCILLATION LIMIT = 125.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .6910E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1625
 HT FLOW CONVERGENCE VALUE= .1992E-01 CRITERION= .6718E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 40 COMPLETED. CUM ITER = 736
 *** TIME = .157788E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1638E-04 OSCILLATION LIMIT = 129.3

***** ANSYS SOLVE COMMAND *****
 1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 11:57:44 APR 02, 1995 CP= 50679.640
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .6721E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1443
 HT FLOW CONVERGENCE VALUE= .1828E-01 CRITERION= .6718E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 1 COMPLETED. CUM ITER = 737
 *** TIME = .158577E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1184E-04 OSCILLATION LIMIT = 93.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .6720E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1427
 HT FLOW CONVERGENCE VALUE= .1792E-01 CRITERION= .6675E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 2 COMPLETED. CUM ITER = 738
 *** TIME = .159366E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = 98.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .6678E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1433
 HT FLOW CONVERGENCE VALUE= .1779E-01 CRITERION= .6675E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 3 COMPLETED. CUM ITER = 739
 *** TIME = .160155E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1218E-04 OSCILLATION LIMIT = 96.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .6678E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1429
 HT FLOW CONVERGENCE VALUE= .1782E-01 CRITERION= .6632E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 4 COMPLETED. CUM ITER = 740
 *** TIME = .160944E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1254E-04 OSCILLATION LIMIT = 98.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .6635E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1435
 HT FLOW CONVERGENCE VALUE= .1770E-01 CRITERION= .6632E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 5 COMPLETED. CUM ITER = 741
 *** TIME = .161733E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1217E-04 OSCILLATION LIMIT = 96.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .6635E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1430
 HT FLOW CONVERGENCE VALUE= .1772E-01 CRITERION= .6589E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 6 COMPLETED. CUM ITER = 742
 *** TIME = .162522E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1254E-04 OSCILLATION LIMIT = 98.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .6593E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1436
 HT FLOW CONVERGENCE VALUE= .1760E-01 CRITERION= .6590E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 7 COMPLETED. CUM ITER = 743
 *** TIME = .163311E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1217E-04 OSCILLATION LIMIT = 96.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .6592E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1431
 HT FLOW CONVERGENCE VALUE= .1762E-01 CRITERION= .6547E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 8 COMPLETED. CUM ITER = 744
 *** TIME = .164100E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = 98.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .6550E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1437
 HT FLOW CONVERGENCE VALUE= .1751E-01 CRITERION= .6547E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 9 COMPLETED. CUM ITER = 745
 *** TIME = .164888E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1217E-04 OSCILLATION LIMIT = 96.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .6550E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1432
 HT FLOW CONVERGENCE VALUE= .1752E-01 CRITERION= .6504E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 10 COMPLETED. CUM ITER = 746
 *** TIME = .165677E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = 98.86
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .6507E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1439
 HT FLOW CONVERGENCE VALUE= .1741E-01 CRITERION= .6504E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 11 COMPLETED. CUM ITER = 747
 *** TIME = .166466E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1217E-04 OSCILLATION LIMIT = 95.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .6507E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1433
 HT FLOW CONVERGENCE VALUE= .1742E-01 CRITERION= .6462E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 12 COMPLETED. CUM ITER = 748
 *** TIME = .167255E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = 98.85

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .6465E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1440
 HT FLOW CONVERGENCE VALUE= .1732E-01 CRITERION= .6462E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 13 COMPLETED. CUM ITER = 749
 *** TIME = .168044E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1216E-04 OSCILLATION LIMIT = 95.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .6464E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1434
 HT FLOW CONVERGENCE VALUE= .1732E-01 CRITERION= .6419E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 14 COMPLETED. CUM ITER = 750
 *** TIME = .168833E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = 98.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .6422E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1441
 HT FLOW CONVERGENCE VALUE= .1722E-01 CRITERION= .6419E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 15 COMPLETED. CUM ITER = 751
 *** TIME = .169622E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1216E-04 OSCILLATION LIMIT = 95.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .6422E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1436
 HT FLOW CONVERGENCE VALUE= .1722E-01 CRITERION= .6376E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 16 COMPLETED. CUM ITER = 752
 *** TIME = .170411E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = 98.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .6380E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1442
 HT FLOW CONVERGENCE VALUE= .1712E-01 CRITERION= .6376E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 17 COMPLETED. CUM ITER = 753
 *** TIME = .171200E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1216E-04 OSCILLATION LIMIT = 95.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .6379E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1437
 HT FLOW CONVERGENCE VALUE= .1712E-01 CRITERION= .6334E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 18 COMPLETED. CUM ITER = 754
 *** TIME = .171989E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1252E-04 OSCILLATION LIMIT = 98.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .6337E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1444
 HT FLOW CONVERGENCE VALUE= .1703E-01 CRITERION= .6334E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 19 COMPLETED. CUM ITER = 755
 *** TIME = .172778E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1216E-04 OSCILLATION LIMIT = 95.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .6337E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1438
 HT FLOW CONVERGENCE VALUE= .1702E-01 CRITERION= .6291E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 20 COMPLETED. CUM ITER = 756

```

*** TIME = .173567E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1252E-04    OSCILLATION LIMIT = 98.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.575    CRITERION= .6294E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1445
    HT FLOW CONVERGENCE VALUE= .1693E-01 CRITERION= .6291E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 21 COMPLETED. CUM ITER = 757
*** TIME = .174356E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1215E-04    OSCILLATION LIMIT = 95.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.392    CRITERION= .6294E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1439
    HT FLOW CONVERGENCE VALUE= .1692E-01 CRITERION= .6248E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 22 COMPLETED. CUM ITER = 758
*** TIME = .175145E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1252E-04    OSCILLATION LIMIT = 98.77
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.575    CRITERION= .6252E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1446
    HT FLOW CONVERGENCE VALUE= .1683E-01 CRITERION= .6248E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 23 COMPLETED. CUM ITER = 759
*** TIME = .175934E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1215E-04    OSCILLATION LIMIT = 95.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.392    CRITERION= .6251E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1440
    HT FLOW CONVERGENCE VALUE= .1682E-01 CRITERION= .6206E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 24 COMPLETED. CUM ITER = 760
*** TIME = .176723E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1252E-04    OSCILLATION LIMIT = 98.75
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.575    CRITERION= .6209E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1448
    HT FLOW CONVERGENCE VALUE= .1673E-01 CRITERION= .6206E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 25 COMPLETED. CUM ITER = 761
*** TIME = .177512E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1215E-04    OSCILLATION LIMIT = 95.85
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.392    CRITERION= .6209E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1441
    HT FLOW CONVERGENCE VALUE= .1672E-01 CRITERION= .6163E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 26 COMPLETED. CUM ITER = 762
*** TIME = .178300E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1252E-04    OSCILLATION LIMIT = 98.74
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.575    CRITERION= .6167E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1449
    HT FLOW CONVERGENCE VALUE= .1664E-01 CRITERION= .6163E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 27 COMPLETED. CUM ITER = 763
*** TIME = .179089E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1215E-04    OSCILLATION LIMIT = 95.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.392    CRITERION= .6166E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1442
    HT FLOW CONVERGENCE VALUE= .1662E-01 CRITERION= .6120E-01 <<< CONVERGED

```



```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 28 COMPLETED. CUM ITER = 764
*** TIME = .179878E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1251E-04 OSCILLATION LIMIT = 98.72
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .6124E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1450
HT FLOW CONVERGENCE VALUE= .1654E-01 CRITERION= .6120E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 29 COMPLETED. CUM ITER = 765
*** TIME = .180667E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1215E-04 OSCILLATION LIMIT = 95.82
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .6124E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1443
HT FLOW CONVERGENCE VALUE= .1652E-01 CRITERION= .6078E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 30 COMPLETED. CUM ITER = 766
*** TIME = .181456E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1251E-04 OSCILLATION LIMIT = 98.71
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .6081E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1451
HT FLOW CONVERGENCE VALUE= .1644E-01 CRITERION= .6078E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 31 COMPLETED. CUM ITER = 767
*** TIME = .182245E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1214E-04 OSCILLATION LIMIT = 95.80
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .6081E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1444
HT FLOW CONVERGENCE VALUE= .1642E-01 CRITERION= .6035E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 32 COMPLETED. CUM ITER = 768
*** TIME = .183034E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1251E-04 OSCILLATION LIMIT = 98.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .6039E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1453
HT FLOW CONVERGENCE VALUE= .1634E-01 CRITERION= .6035E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 33 COMPLETED. CUM ITER = 769
*** TIME = .183823E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1214E-04 OSCILLATION LIMIT = 95.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .6038E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1446
HT FLOW CONVERGENCE VALUE= .1632E-01 CRITERION= .5992E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 34 COMPLETED. CUM ITER = 770
*** TIME = .184612E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1251E-04 OSCILLATION LIMIT = 98.68
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .5996E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1454
HT FLOW CONVERGENCE VALUE= .1624E-01 CRITERION= .5993E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 35 COMPLETED. CUM ITER = 771
*** TIME = .185401E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1214E-04 OSCILLATION LIMIT = 95.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .5996E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1447
 HT FLOW CONVERGENCE VALUE= .1622E-01 CRITERION= .5950E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 36 COMPLETED. CUM ITER = 772
 *** TIME = .186190E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1251E-04 OSCILLATION LIMIT = 98.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .5954E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1455
 HT FLOW CONVERGENCE VALUE= .1614E-01 CRITERION= .5950E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 37 COMPLETED. CUM ITER = 773
 *** TIME = .186979E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1214E-04 OSCILLATION LIMIT = 95.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .5953E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1448
 HT FLOW CONVERGENCE VALUE= .1612E-01 CRITERION= .5907E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 38 COMPLETED. CUM ITER = 774
 *** TIME = .187768E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1250E-04 OSCILLATION LIMIT = 98.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.575 CRITERION= .5911E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1457
 HT FLOW CONVERGENCE VALUE= .1604E-01 CRITERION= .5907E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 39 COMPLETED. CUM ITER = 775
 *** TIME = .188557E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1213E-04 OSCILLATION LIMIT = 95.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.392 CRITERION= .5910E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1449
 HT FLOW CONVERGENCE VALUE= .1602E-01 CRITERION= .5865E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 40 COMPLETED. CUM ITER = 776
 *** TIME = .189346E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1250E-04 OSCILLATION LIMIT = 98.63

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 12:47:45 APR 02, 1995 CP= 53660.760
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 5.469 CRITERION= .5889E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1321
 HT FLOW CONVERGENCE VALUE= .1551E-01 CRITERION= .5868E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 1 COMPLETED. CUM ITER = 777
 *** TIME = .190135E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8431E-05 OSCILLATION LIMIT = 66.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5894E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1305
 HT FLOW CONVERGENCE VALUE= .1531E-01 CRITERION= .5830E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 2 COMPLETED. CUM ITER = 778
 *** TIME = .190923E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8853E-05 OSCILLATION LIMIT = 69.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.469 CRITERION= .5855E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1316
 HT FLOW CONVERGENCE VALUE= .1523E-01 CRITERION= .5834E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 3 COMPLETED. CUM ITER = 779
 *** TIME = .191712E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8584E-05 OSCILLATION LIMIT = 67.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5859E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1307
 HT FLOW CONVERGENCE VALUE= .1524E-01 CRITERION= .5795E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 4 COMPLETED. CUM ITER = 780
 *** TIME = .192501E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8856E-05 OSCILLATION LIMIT = 69.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.469 CRITERION= .5820E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1317
 HT FLOW CONVERGENCE VALUE= .1516E-01 CRITERION= .5800E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 5 COMPLETED. CUM ITER = 781
 *** TIME = .193290E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8582E-05 OSCILLATION LIMIT = 67.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5825E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1308
 HT FLOW CONVERGENCE VALUE= .1516E-01 CRITERION= .5761E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 6 COMPLETED. CUM ITER = 782
 *** TIME = .194079E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8855E-05 OSCILLATION LIMIT = 69.86
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.469 CRITERION= .5786E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1318
 HT FLOW CONVERGENCE VALUE= .1508E-01 CRITERION= .5765E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 7 COMPLETED. CUM ITER = 783
 *** TIME = .194868E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8580E-05 OSCILLATION LIMIT = 67.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5791E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1309
 HT FLOW CONVERGENCE VALUE= .1509E-01 CRITERION= .5727E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 8 COMPLETED. CUM ITER = 784
 *** TIME = .195657E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8853E-05 OSCILLATION LIMIT = 69.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.469 CRITERION= .5752E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1319
 HT FLOW CONVERGENCE VALUE= .1501E-01 CRITERION= .5731E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 9 COMPLETED. CUM ITER = 785
 *** TIME = .196446E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8579E-05 OSCILLATION LIMIT = 67.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5757E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1310
 HT FLOW CONVERGENCE VALUE= .1501E-01 CRITERION= .5692E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 10 COMPLETED. CUM ITER = 786
 *** TIME = .197235E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .8852E-05 OSCILLATION LIMIT = 69.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.469 CRITERION= .5717E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1320
 HT FLOW CONVERGENCE VALUE= .1493E-01 CRITERION= .5696E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 11 COMPLETED. CUM ITER = 787
 *** TIME = .198024E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8577E-05 OSCILLATION LIMIT = 67.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5722E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1311
 HT FLOW CONVERGENCE VALUE= .1494E-01 CRITERION= .5658E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 12 COMPLETED. CUM ITER = 788
 *** TIME = .198813E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8850E-05 OSCILLATION LIMIT = 69.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.469 CRITERION= .5683E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1321
 HT FLOW CONVERGENCE VALUE= .1486E-01 CRITERION= .5662E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 13 COMPLETED. CUM ITER = 789
 *** TIME = .199602E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8575E-05 OSCILLATION LIMIT = 67.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5688E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1312
 HT FLOW CONVERGENCE VALUE= .1486E-01 CRITERION= .5623E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 14 COMPLETED. CUM ITER = 790
 *** TIME = .200391E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8848E-05 OSCILLATION LIMIT = 69.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.469 CRITERION= .5649E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1322
 HT FLOW CONVERGENCE VALUE= .1478E-01 CRITERION= .5627E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 15 COMPLETED. CUM ITER = 791
 *** TIME = .201180E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8574E-05 OSCILLATION LIMIT = 67.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5654E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1313
 HT FLOW CONVERGENCE VALUE= .1478E-01 CRITERION= .5589E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 16 COMPLETED. CUM ITER = 792
 *** TIME = .201969E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8847E-05 OSCILLATION LIMIT = 69.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.469 CRITERION= .5615E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1323
 HT FLOW CONVERGENCE VALUE= .1471E-01 CRITERION= .5593E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 17 COMPLETED. CUM ITER = 793
 *** TIME = .202758E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8572E-05 OSCILLATION LIMIT = 67.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5619E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1314
 HT FLOW CONVERGENCE VALUE= .1471E-01 CRITERION= .5554E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 28 SUBSTEP 18 COMPLETED. CUM ITER = 794
*** TIME = .203547E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8845E-05 OSCILLATION LIMIT = 69.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.469 CRITERION= .5580E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1324
HT FLOW CONVERGENCE VALUE= .1463E-01 CRITERION= .5558E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 19 COMPLETED. CUM ITER = 795
*** TIME = .204335E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8571E-05 OSCILLATION LIMIT = 67.62
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5585E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1315
HT FLOW CONVERGENCE VALUE= .1463E-01 CRITERION= .5520E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 20 COMPLETED. CUM ITER = 796
*** TIME = .205124E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8844E-05 OSCILLATION LIMIT = 69.77
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.470 CRITERION= .5546E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1325
HT FLOW CONVERGENCE VALUE= .1456E-01 CRITERION= .5524E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 21 COMPLETED. CUM ITER = 797
*** TIME = .205913E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8569E-05 OSCILLATION LIMIT = 67.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5551E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1316
HT FLOW CONVERGENCE VALUE= .1455E-01 CRITERION= .5485E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 22 COMPLETED. CUM ITER = 798
*** TIME = .206702E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8842E-05 OSCILLATION LIMIT = 69.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.470 CRITERION= .5512E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1326
HT FLOW CONVERGENCE VALUE= .1448E-01 CRITERION= .5490E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 23 COMPLETED. CUM ITER = 799
*** TIME = .207491E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8567E-05 OSCILLATION LIMIT = 67.59
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5517E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1317
HT FLOW CONVERGENCE VALUE= .1448E-01 CRITERION= .5451E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 24 COMPLETED. CUM ITER = 800
*** TIME = .208280E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8841E-05 OSCILLATION LIMIT = 69.75
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.470 CRITERION= .5477E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1328
HT FLOW CONVERGENCE VALUE= .1440E-01 CRITERION= .5455E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 25 COMPLETED. CUM ITER = 801
*** TIME = .209069E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8566E-05 OSCILLATION LIMIT = 67.58
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5482E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1318

```

HT FLOW CONVERGENCE VALUE= .1440E-01 CRITERION= .5417E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 26 COMPLETED. CUM ITER = 802
 *** TIME = .209858E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8839E-05 OSCILLATION LIMIT = 69.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.470 CRITERION= .5443E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1329
 HT FLOW CONVERGENCE VALUE= .1433E-01 CRITERION= .5421E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 27 COMPLETED. CUM ITER = 803
 *** TIME = .210647E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8564E-05 OSCILLATION LIMIT = 67.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5448E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1319
 HT FLOW CONVERGENCE VALUE= .1432E-01 CRITERION= .5382E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 28 COMPLETED. CUM ITER = 804
 *** TIME = .211436E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8838E-05 OSCILLATION LIMIT = 69.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.470 CRITERION= .5409E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1330
 HT FLOW CONVERGENCE VALUE= .1425E-01 CRITERION= .5386E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 29 COMPLETED. CUM ITER = 805
 *** TIME = .212225E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8563E-05 OSCILLATION LIMIT = 67.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5414E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1320
 HT FLOW CONVERGENCE VALUE= .1424E-01 CRITERION= .5348E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 30 COMPLETED. CUM ITER = 806
 *** TIME = .213014E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8836E-05 OSCILLATION LIMIT = 69.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.470 CRITERION= .5375E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1331
 HT FLOW CONVERGENCE VALUE= .1418E-01 CRITERION= .5352E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 31 COMPLETED. CUM ITER = 807
 *** TIME = .213803E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8561E-05 OSCILLATION LIMIT = 67.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5380E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1321
 HT FLOW CONVERGENCE VALUE= .1417E-01 CRITERION= .5313E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 32 COMPLETED. CUM ITER = 808
 *** TIME = .214592E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8835E-05 OSCILLATION LIMIT = 69.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.470 CRITERION= .5340E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1332
 HT FLOW CONVERGENCE VALUE= .1410E-01 CRITERION= .5317E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 33 COMPLETED. CUM ITER = 809
 *** TIME = .215381E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8560E-05 OSCILLATION LIMIT = 67.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5345E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1322
 HT FLOW CONVERGENCE VALUE= .1409E-01 CRITERION= .5279E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 34 COMPLETED. CUM ITER = 810
 *** TIME = .216170E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8833E-05 OSCILLATION LIMIT = 69.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.470 CRITERION= .5306E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1333
 HT FLOW CONVERGENCE VALUE= .1402E-01 CRITERION= .5283E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 35 COMPLETED. CUM ITER = 811
 *** TIME = .216959E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8558E-05 OSCILLATION LIMIT = 67.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5311E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1323
 HT FLOW CONVERGENCE VALUE= .1401E-01 CRITERION= .5244E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 36 COMPLETED. CUM ITER = 812
 *** TIME = .217747E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8832E-05 OSCILLATION LIMIT = 69.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.470 CRITERION= .5272E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1334
 HT FLOW CONVERGENCE VALUE= .1394E-01 CRITERION= .5248E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 37 COMPLETED. CUM ITER = 813
 *** TIME = .218536E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8557E-05 OSCILLATION LIMIT = 67.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5277E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1324
 HT FLOW CONVERGENCE VALUE= .1393E-01 CRITERION= .5210E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 38 COMPLETED. CUM ITER = 814
 *** TIME = .219325E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8831E-05 OSCILLATION LIMIT = 69.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.470 CRITERION= .5238E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1335
 HT FLOW CONVERGENCE VALUE= .1387E-01 CRITERION= .5214E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 39 COMPLETED. CUM ITER = 815
 *** TIME = .220114E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8555E-05 OSCILLATION LIMIT = 67.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.654 CRITERION= .5243E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1325
 HT FLOW CONVERGENCE VALUE= .1385E-01 CRITERION= .5175E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 40 COMPLETED. CUM ITER = 816
 *** TIME = .220903E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8829E-05 OSCILLATION LIMIT = 69.66

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 13:37:47 APR 02, 1995 CP= 56642.120
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .5375E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1281
 HT FLOW CONVERGENCE VALUE= .1482E-01 CRITERION= .5183E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 1 COMPLETED. CUM ITER = 817
 *** TIME = .221692E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4864E-05 OSCILLATION LIMIT = 38.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.67 CRITERION= .5384E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1262
 HT FLOW CONVERGENCE VALUE= .1467E-01 CRITERION= .5147E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 2 COMPLETED. CUM ITER = 818
 *** TIME = .222481E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5087E-05 OSCILLATION LIMIT = 40.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .5348E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1273
 HT FLOW CONVERGENCE VALUE= .1457E-01 CRITERION= .5155E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 3 COMPLETED. CUM ITER = 819
 *** TIME = .223270E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4916E-05 OSCILLATION LIMIT = 38.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .5357E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1263
 HT FLOW CONVERGENCE VALUE= .1461E-01 CRITERION= .5119E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 4 COMPLETED. CUM ITER = 820
 *** TIME = .224059E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5091E-05 OSCILLATION LIMIT = 40.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .5321E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1274
 HT FLOW CONVERGENCE VALUE= .1451E-01 CRITERION= .5127E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 5 COMPLETED. CUM ITER = 821
 *** TIME = .224848E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4916E-05 OSCILLATION LIMIT = 38.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .5330E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1264
 HT FLOW CONVERGENCE VALUE= .1454E-01 CRITERION= .5091E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 6 COMPLETED. CUM ITER = 822
 *** TIME = .225637E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5091E-05 OSCILLATION LIMIT = 40.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .5294E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1275
 HT FLOW CONVERGENCE VALUE= .1444E-01 CRITERION= .5099E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 7 COMPLETED. CUM ITER = 823
 *** TIME = .226426E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4916E-05 OSCILLATION LIMIT = 38.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .5303E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1265
 HT FLOW CONVERGENCE VALUE= .1447E-01 CRITERION= .5063E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 8 COMPLETED. CUM ITER = 824


```

*** TIME = .227215E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5091E-05    OSCILLATION LIMIT = 40.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.49    CRITERION= .5267E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1276
    HT FLOW CONVERGENCE VALUE= .1438E-01 CRITERION= .5071E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 9 COMPLETED. CUM ITER = 825
*** TIME = .228004E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4916E-05    OSCILLATION LIMIT = 38.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.68    CRITERION= .5276E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1266
    HT FLOW CONVERGENCE VALUE= .1441E-01 CRITERION= .5035E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 10 COMPLETED. CUM ITER = 826
*** TIME = .228793E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5091E-05    OSCILLATION LIMIT = 40.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.49    CRITERION= .5240E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1277
    HT FLOW CONVERGENCE VALUE= .1431E-01 CRITERION= .5043E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 11 COMPLETED. CUM ITER = 827
*** TIME = .229582E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4916E-05    OSCILLATION LIMIT = 38.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.68    CRITERION= .5249E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1267
    HT FLOW CONVERGENCE VALUE= .1434E-01 CRITERION= .5007E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 12 COMPLETED. CUM ITER = 828
*** TIME = .230370E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5091E-05    OSCILLATION LIMIT = 40.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.49    CRITERION= .5213E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1278
    HT FLOW CONVERGENCE VALUE= .1425E-01 CRITERION= .5015E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 13 COMPLETED. CUM ITER = 829
*** TIME = .231159E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4916E-05    OSCILLATION LIMIT = 38.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.68    CRITERION= .5222E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1268
    HT FLOW CONVERGENCE VALUE= .1427E-01 CRITERION= .4979E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 14 COMPLETED. CUM ITER = 830
*** TIME = .231948E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5091E-05    OSCILLATION LIMIT = 40.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.49    CRITERION= .5186E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1279
    HT FLOW CONVERGENCE VALUE= .1418E-01 CRITERION= .4986E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 15 COMPLETED. CUM ITER = 831
*** TIME = .232737E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4917E-05    OSCILLATION LIMIT = 38.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.68    CRITERION= .5195E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1269
    HT FLOW CONVERGENCE VALUE= .1421E-01 CRITERION= .4951E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 16 COMPLETED. CUM ITER = 832
*** TIME = .233526E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5091E-05 OSCILLATION LIMIT = 40.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .5159E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1280
HT FLOW CONVERGENCE VALUE= .1412E-01 CRITERION= .4958E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 17 COMPLETED. CUM ITER = 833
*** TIME = .234315E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4917E-05 OSCILLATION LIMIT = 38.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .5169E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1270
HT FLOW CONVERGENCE VALUE= .1414E-01 CRITERION= .4923E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 18 COMPLETED. CUM ITER = 834
*** TIME = .235104E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5091E-05 OSCILLATION LIMIT = 40.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .5132E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1281
HT FLOW CONVERGENCE VALUE= .1405E-01 CRITERION= .4930E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 19 COMPLETED. CUM ITER = 835
*** TIME = .235893E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4917E-05 OSCILLATION LIMIT = 38.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .5142E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1271
HT FLOW CONVERGENCE VALUE= .1407E-01 CRITERION= .4895E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 20 COMPLETED. CUM ITER = 836
*** TIME = .236682E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5092E-05 OSCILLATION LIMIT = 40.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .5105E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1282
HT FLOW CONVERGENCE VALUE= .1398E-01 CRITERION= .4902E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 21 COMPLETED. CUM ITER = 837
*** TIME = .237471E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4917E-05 OSCILLATION LIMIT = 38.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .5115E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1272
HT FLOW CONVERGENCE VALUE= .1401E-01 CRITERION= .4867E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 22 COMPLETED. CUM ITER = 838
*** TIME = .238260E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5092E-05 OSCILLATION LIMIT = 40.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .5079E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1283
HT FLOW CONVERGENCE VALUE= .1392E-01 CRITERION= .4874E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 23 COMPLETED. CUM ITER = 839
*** TIME = .239049E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4917E-05 OSCILLATION LIMIT = 38.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .5088E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1273
 HT FLOW CONVERGENCE VALUE= .1394E-01 CRITERION= .4839E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 24 COMPLETED. CUM ITER = 840
 *** TIME = .239838E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5092E-05 OSCILLATION LIMIT = 40.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .5052E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1284
 HT FLOW CONVERGENCE VALUE= .1385E-01 CRITERION= .4846E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 25 COMPLETED. CUM ITER = 841
 *** TIME = .240627E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4917E-05 OSCILLATION LIMIT = 38.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .5061E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1274
 HT FLOW CONVERGENCE VALUE= .1387E-01 CRITERION= .4811E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 26 COMPLETED. CUM ITER = 842
 *** TIME = .241416E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5092E-05 OSCILLATION LIMIT = 40.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .5025E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1285
 HT FLOW CONVERGENCE VALUE= .1379E-01 CRITERION= .4818E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 27 COMPLETED. CUM ITER = 843
 *** TIME = .242205E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4917E-05 OSCILLATION LIMIT = 38.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .5034E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1275
 HT FLOW CONVERGENCE VALUE= .1381E-01 CRITERION= .4783E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 28 COMPLETED. CUM ITER = 844
 *** TIME = .242994E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5092E-05 OSCILLATION LIMIT = 40.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .4998E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1286
 HT FLOW CONVERGENCE VALUE= .1372E-01 CRITERION= .4790E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 29 COMPLETED. CUM ITER = 845
 *** TIME = .243782E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4918E-05 OSCILLATION LIMIT = 38.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .5008E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1276
 HT FLOW CONVERGENCE VALUE= .1374E-01 CRITERION= .4755E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 30 COMPLETED. CUM ITER = 846
 *** TIME = .244571E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5092E-05 OSCILLATION LIMIT = 40.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .4971E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1287
 HT FLOW CONVERGENCE VALUE= .1365E-01 CRITERION= .4762E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 31 COMPLETED. CUM ITER = 847
 *** TIME = .245360E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4918E-05 OSCILLATION LIMIT = 38.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .4981E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1277
 HT FLOW CONVERGENCE VALUE= .1367E-01 CRITERION= .4727E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 32 COMPLETED. CUM ITER = 848
 *** TIME = .246149E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5092E-05 OSCILLATION LIMIT = 40.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .4945E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1288
 HT FLOW CONVERGENCE VALUE= .1359E-01 CRITERION= .4734E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 33 COMPLETED. CUM ITER = 849
 *** TIME = .246938E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4918E-05 OSCILLATION LIMIT = 38.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .4954E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1278
 HT FLOW CONVERGENCE VALUE= .1360E-01 CRITERION= .4699E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 34 COMPLETED. CUM ITER = 850
 *** TIME = .247727E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5093E-05 OSCILLATION LIMIT = 40.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .4918E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1289
 HT FLOW CONVERGENCE VALUE= .1352E-01 CRITERION= .4706E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 35 COMPLETED. CUM ITER = 851
 *** TIME = .248516E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4918E-05 OSCILLATION LIMIT = 38.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .4927E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1279
 HT FLOW CONVERGENCE VALUE= .1353E-01 CRITERION= .4671E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 36 COMPLETED. CUM ITER = 852
 *** TIME = .249305E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5093E-05 OSCILLATION LIMIT = 40.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .4891E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1290
 HT FLOW CONVERGENCE VALUE= .1345E-01 CRITERION= .4678E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 37 COMPLETED. CUM ITER = 853
 *** TIME = .250094E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4918E-05 OSCILLATION LIMIT = 38.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .4901E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1280
 HT FLOW CONVERGENCE VALUE= .1347E-01 CRITERION= .4643E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 38 COMPLETED. CUM ITER = 854
 *** TIME = .250883E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5093E-05 OSCILLATION LIMIT = 40.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.49 CRITERION= .4864E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1291
 HT FLOW CONVERGENCE VALUE= .1339E-01 CRITERION= .4650E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 39 COMPLETED. CUM ITER = 855
 *** TIME = .251672E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .4918E-05 OSCILLATION LIMIT = 38.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.68 CRITERION= .4874E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1281
 HT FLOW CONVERGENCE VALUE= .1340E-01 CRITERION= .4615E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 40 COMPLETED. CUM ITER = 856
 *** TIME = .252461E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5093E-05 OSCILLATION LIMIT = 40.18

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 14:28:09 APR 02, 1995 CP= 59629.800
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 13.13 CRITERION= .4799E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1045
 HT FLOW CONVERGENCE VALUE= .1107E-01 CRITERION= .4625E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 1 COMPLETED. CUM ITER = 857
 *** TIME = .253250E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4415E-05 OSCILLATION LIMIT = 34.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4811E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1038
 HT FLOW CONVERGENCE VALUE= .1107E-01 CRITERION= .4593E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 2 COMPLETED. CUM ITER = 858
 *** TIME = .254039E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4663E-05 OSCILLATION LIMIT = 36.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.13 CRITERION= .4777E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1054
 HT FLOW CONVERGENCE VALUE= .1104E-01 CRITERION= .4603E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 3 COMPLETED. CUM ITER = 859
 *** TIME = .254828E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4483E-05 OSCILLATION LIMIT = 35.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4790E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1039
 HT FLOW CONVERGENCE VALUE= .1103E-01 CRITERION= .4571E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 4 COMPLETED. CUM ITER = 860
 *** TIME = .255617E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4662E-05 OSCILLATION LIMIT = 36.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.13 CRITERION= .4756E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1055
 HT FLOW CONVERGENCE VALUE= .1100E-01 CRITERION= .4581E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 5 COMPLETED. CUM ITER = 861
 *** TIME = .256406E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4483E-05 OSCILLATION LIMIT = 35.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4768E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1040
 HT FLOW CONVERGENCE VALUE= .1098E-01 CRITERION= .4549E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 30 SUBSTEP 6 COMPLETED. CUM ITER = 862
*** TIME = .257194E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4663E-05 OSCILLATION LIMIT = 36.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.13 CRITERION= .4735E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1055
HT FLOW CONVERGENCE VALUE= .1095E-01 CRITERION= .4559E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 7 COMPLETED. CUM ITER = 863
*** TIME = .257983E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4483E-05 OSCILLATION LIMIT = 35.37
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4747E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1040
HT FLOW CONVERGENCE VALUE= .1094E-01 CRITERION= .4527E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 8 COMPLETED. CUM ITER = 864
*** TIME = .258772E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4663E-05 OSCILLATION LIMIT = 36.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.13 CRITERION= .4714E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1056
HT FLOW CONVERGENCE VALUE= .1091E-01 CRITERION= .4537E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 9 COMPLETED. CUM ITER = 865
*** TIME = .259561E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4483E-05 OSCILLATION LIMIT = 35.37
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4726E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1041
HT FLOW CONVERGENCE VALUE= .1089E-01 CRITERION= .4505E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 10 COMPLETED. CUM ITER = 866
*** TIME = .260350E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4664E-05 OSCILLATION LIMIT = 36.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.13 CRITERION= .4693E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1056
HT FLOW CONVERGENCE VALUE= .1086E-01 CRITERION= .4515E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 11 COMPLETED. CUM ITER = 867
*** TIME = .261139E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4483E-05 OSCILLATION LIMIT = 35.36
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4705E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1042
HT FLOW CONVERGENCE VALUE= .1084E-01 CRITERION= .4483E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 12 COMPLETED. CUM ITER = 868
*** TIME = .261928E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4664E-05 OSCILLATION LIMIT = 36.80
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.13 CRITERION= .4672E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1057
HT FLOW CONVERGENCE VALUE= .1081E-01 CRITERION= .4493E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 13 COMPLETED. CUM ITER = 869
*** TIME = .262717E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4482E-05 OSCILLATION LIMIT = 35.36
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4684E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1043

```

HT FLOW CONVERGENCE VALUE= .1079E-01 CRITERION= .4461E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 14 COMPLETED. CUM ITER = 870
 *** TIME = .263506E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4665E-05 OSCILLATION LIMIT = 36.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.13 CRITERION= .4650E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1058
 HT FLOW CONVERGENCE VALUE= .1076E-01 CRITERION= .4471E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 15 COMPLETED. CUM ITER = 871
 *** TIME = .264295E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4482E-05 OSCILLATION LIMIT = 35.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4663E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1043
 HT FLOW CONVERGENCE VALUE= .1075E-01 CRITERION= .4439E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 16 COMPLETED. CUM ITER = 872
 *** TIME = .265084E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4665E-05 OSCILLATION LIMIT = 36.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.13 CRITERION= .4629E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1058
 HT FLOW CONVERGENCE VALUE= .1071E-01 CRITERION= .4449E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 17 COMPLETED. CUM ITER = 873
 *** TIME = .265873E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4482E-05 OSCILLATION LIMIT = 35.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4641E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1044
 HT FLOW CONVERGENCE VALUE= .1070E-01 CRITERION= .4416E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 18 COMPLETED. CUM ITER = 874
 *** TIME = .266662E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4666E-05 OSCILLATION LIMIT = 36.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.13 CRITERION= .4608E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1059
 HT FLOW CONVERGENCE VALUE= .1066E-01 CRITERION= .4426E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 19 COMPLETED. CUM ITER = 875
 *** TIME = .267451E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4482E-05 OSCILLATION LIMIT = 35.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4620E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1045
 HT FLOW CONVERGENCE VALUE= .1065E-01 CRITERION= .4394E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 20 COMPLETED. CUM ITER = 876
 *** TIME = .268240E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4666E-05 OSCILLATION LIMIT = 36.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.13 CRITERION= .4587E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1059
 HT FLOW CONVERGENCE VALUE= .1062E-01 CRITERION= .4404E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 21 COMPLETED. CUM ITER = 877
 *** TIME = .269029E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4482E-05 OSCILLATION LIMIT = 35.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4599E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1046
 HT FLOW CONVERGENCE VALUE= .1061E-01 CRITERION= .4372E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 22 COMPLETED. CUM ITER = 878
 *** TIME = .269817E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4667E-05 OSCILLATION LIMIT = 36.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.13 CRITERION= .4566E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1060
 HT FLOW CONVERGENCE VALUE= .1057E-01 CRITERION= .4382E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 23 COMPLETED. CUM ITER = 879
 *** TIME = .270606E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4482E-05 OSCILLATION LIMIT = 35.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4578E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1046
 HT FLOW CONVERGENCE VALUE= .1056E-01 CRITERION= .4350E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 24 COMPLETED. CUM ITER = 880
 *** TIME = .271395E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4667E-05 OSCILLATION LIMIT = 36.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.13 CRITERION= .4545E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1061
 HT FLOW CONVERGENCE VALUE= .1052E-01 CRITERION= .4360E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 25 COMPLETED. CUM ITER = 881
 *** TIME = .272184E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4482E-05 OSCILLATION LIMIT = 35.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4557E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1047
 HT FLOW CONVERGENCE VALUE= .1051E-01 CRITERION= .4328E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 26 COMPLETED. CUM ITER = 882
 *** TIME = .272973E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4668E-05 OSCILLATION LIMIT = 36.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.13 CRITERION= .4524E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1061
 HT FLOW CONVERGENCE VALUE= .1047E-01 CRITERION= .4338E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 27 COMPLETED. CUM ITER = 883
 *** TIME = .273762E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4482E-05 OSCILLATION LIMIT = 35.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4536E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1048
 HT FLOW CONVERGENCE VALUE= .1046E-01 CRITERION= .4306E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 28 COMPLETED. CUM ITER = 884
 *** TIME = .274551E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4668E-05 OSCILLATION LIMIT = 36.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.14 CRITERION= .4503E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1062
 HT FLOW CONVERGENCE VALUE= .1042E-01 CRITERION= .4316E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 29 COMPLETED. CUM ITER = 885
 *** TIME = .275340E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4482E-05 OSCILLATION LIMIT = 35.36

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4515E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1049
 HT FLOW CONVERGENCE VALUE= .1042E-01 CRITERION= .4284E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 30 COMPLETED. CUM ITER = 886
 *** TIME = .276129E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4669E-05 OSCILLATION LIMIT = 36.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.14 CRITERION= .4482E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1062
 HT FLOW CONVERGENCE VALUE= .1037E-01 CRITERION= .4294E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 31 COMPLETED. CUM ITER = 887
 *** TIME = .276918E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4482E-05 OSCILLATION LIMIT = 35.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4494E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1049
 HT FLOW CONVERGENCE VALUE= .1036E-01 CRITERION= .4262E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 32 COMPLETED. CUM ITER = 888
 *** TIME = .277707E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4669E-05 OSCILLATION LIMIT = 36.84
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.14 CRITERION= .4460E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1063
 HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .4272E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 33 COMPLETED. CUM ITER = 889
 *** TIME = .278496E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4482E-05 OSCILLATION LIMIT = 35.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4473E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1050
 HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .4240E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 34 COMPLETED. CUM ITER = 890
 *** TIME = .279285E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4670E-05 OSCILLATION LIMIT = 36.84
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.14 CRITERION= .4439E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1064
 HT FLOW CONVERGENCE VALUE= .1028E-01 CRITERION= .4250E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 35 COMPLETED. CUM ITER = 891
 *** TIME = .280074E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4482E-05 OSCILLATION LIMIT = 35.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.32 CRITERION= .4451E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1051
 HT FLOW CONVERGENCE VALUE= .1027E-01 CRITERION= .4218E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 36 COMPLETED. CUM ITER = 892
 *** TIME = .280863E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4670E-05 OSCILLATION LIMIT = 36.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.14 CRITERION= .4418E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1064
 HT FLOW CONVERGENCE VALUE= .1022E-01 CRITERION= .4228E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 37 COMPLETED. CUM ITER = 893

```

*** TIME = .281652E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4482E-05    OSCILLATION LIMIT = 35.36
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 13.32    CRITERION= .4430E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1052
    HT FLOW CONVERGENCE VALUE= .1022E-01    CRITERION= .4196E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 38 COMPLETED.    CUM ITER = 894
*** TIME = .282441E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4671E-05    OSCILLATION LIMIT = 36.85
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 13.14    CRITERION= .4397E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1065
    HT FLOW CONVERGENCE VALUE= .1018E-01    CRITERION= .4206E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 39 COMPLETED.    CUM ITER = 895
*** TIME = .283229E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4482E-05    OSCILLATION LIMIT = 35.36
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 13.32    CRITERION= .4409E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1052
    HT FLOW CONVERGENCE VALUE= .1017E-01    CRITERION= .4174E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 40 COMPLETED.    CUM ITER = 896
*** TIME = .284018E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4671E-05    OSCILLATION LIMIT = 36.85
    Apply loads and solve for 100 to 1000 years

```

*DO LOOP ON PARAMETER= TM FROM .31558E+10 TO .31558E+11 BY .31558E+10

TIME= .31558E+10

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
1228.89062 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 180.32 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 180.48 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 180.85 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 62619.540 TIME= 15:18:19
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 15:18:19 APR 02, 1995 CP= 62619.540
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 31
TIME AT END OF THE LOAD STEP.31558E+10
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4361E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9523E-01
HT FLOW CONVERGENCE VALUE= .9212E-02 CRITERION= .4185E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 1 COMPLETED. CUM ITER = 897
*** TIME = .284807E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4166E-05 OSCILLATION LIMIT = 32.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4375E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9408E-01
HT FLOW CONVERGENCE VALUE= .9201E-02 CRITERION= .4155E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 2 COMPLETED. CUM ITER = 898
*** TIME = .285596E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4386E-05 OSCILLATION LIMIT = 34.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4343E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9562E-01
HT FLOW CONVERGENCE VALUE= .9177E-02 CRITERION= .4166E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 3 COMPLETED. CUM ITER = 899
*** TIME = .286385E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4197E-05 OSCILLATION LIMIT = 33.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4356E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9415E-01

HT FLOW CONVERGENCE VALUE= .9160E-02 CRITERION= .4135E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 4 COMPLETED. CUM ITER = 900
 *** TIME = .287174E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4387E-05 OSCILLATION LIMIT = 34.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4324E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9567E-01
 HT FLOW CONVERGENCE VALUE= .9137E-02 CRITERION= .4146E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 5 COMPLETED. CUM ITER = 901
 *** TIME = .287963E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4197E-05 OSCILLATION LIMIT = 33.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4338E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9421E-01
 HT FLOW CONVERGENCE VALUE= .9121E-02 CRITERION= .4116E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 6 COMPLETED. CUM ITER = 902
 *** TIME = .288752E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4387E-05 OSCILLATION LIMIT = 34.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4306E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9571E-01
 HT FLOW CONVERGENCE VALUE= .9095E-02 CRITERION= .4127E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 7 COMPLETED. CUM ITER = 903
 *** TIME = .289541E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4197E-05 OSCILLATION LIMIT = 33.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4319E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9428E-01
 HT FLOW CONVERGENCE VALUE= .9078E-02 CRITERION= .4097E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 8 COMPLETED. CUM ITER = 904
 *** TIME = .290330E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4388E-05 OSCILLATION LIMIT = 34.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4287E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9576E-01
 HT FLOW CONVERGENCE VALUE= .9054E-02 CRITERION= .4108E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 9 COMPLETED. CUM ITER = 905
 *** TIME = .291119E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4197E-05 OSCILLATION LIMIT = 33.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4301E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9434E-01
 HT FLOW CONVERGENCE VALUE= .9042E-02 CRITERION= .4077E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 10 COMPLETED. CUM ITER = 906
 *** TIME = .291908E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4389E-05 OSCILLATION LIMIT = 34.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4269E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9581E-01
 HT FLOW CONVERGENCE VALUE= .9012E-02 CRITERION= .4089E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 11 COMPLETED. CUM ITER = 907
 *** TIME = .292697E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4197E-05 OSCILLATION LIMIT = 33.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4282E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9441E-01
 HT FLOW CONVERGENCE VALUE= .8997E-02 CRITERION= .4058E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 12 COMPLETED. CUM ITER = 908
 *** TIME = .293486E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4389E-05 OSCILLATION LIMIT = 34.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4251E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9585E-01
 HT FLOW CONVERGENCE VALUE= .8969E-02 CRITERION= .4069E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 13 COMPLETED. CUM ITER = 909
 *** TIME = .294275E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4197E-05 OSCILLATION LIMIT = 33.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4264E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9447E-01
 HT FLOW CONVERGENCE VALUE= .8958E-02 CRITERION= .4039E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 14 COMPLETED. CUM ITER = 910
 *** TIME = .295064E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4390E-05 OSCILLATION LIMIT = 34.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4232E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9590E-01
 HT FLOW CONVERGENCE VALUE= .8930E-02 CRITERION= .4050E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 15 COMPLETED. CUM ITER = 911
 *** TIME = .295853E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4197E-05 OSCILLATION LIMIT = 33.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4246E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9453E-01
 HT FLOW CONVERGENCE VALUE= .8917E-02 CRITERION= .4019E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 16 COMPLETED. CUM ITER = 912
 *** TIME = .296641E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4391E-05 OSCILLATION LIMIT = 34.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4214E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9595E-01
 HT FLOW CONVERGENCE VALUE= .8885E-02 CRITERION= .4031E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 17 COMPLETED. CUM ITER = 913
 *** TIME = .297430E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4197E-05 OSCILLATION LIMIT = 33.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4227E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9460E-01
 HT FLOW CONVERGENCE VALUE= .8876E-02 CRITERION= .4000E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 18 COMPLETED. CUM ITER = 914
 *** TIME = .298219E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4391E-05 OSCILLATION LIMIT = 34.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4195E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9600E-01
 HT FLOW CONVERGENCE VALUE= .8846E-02 CRITERION= .4011E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 19 COMPLETED. CUM ITER = 915
 *** TIME = .299008E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4197E-05 OSCILLATION LIMIT = 33.11

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4209E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9466E-01
 HT FLOW CONVERGENCE VALUE= .8834E-02 CRITERION= .3981E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 20 COMPLETED. CUM ITER = 916
 *** TIME = .299797E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4392E-05 OSCILLATION LIMIT = 34.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4177E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9605E-01
 HT FLOW CONVERGENCE VALUE= .8802E-02 CRITERION= .3992E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 21 COMPLETED. CUM ITER = 917
 *** TIME = .300586E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4197E-05 OSCILLATION LIMIT = 33.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4190E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9473E-01
 HT FLOW CONVERGENCE VALUE= .8794E-02 CRITERION= .3962E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 22 COMPLETED. CUM ITER = 918
 *** TIME = .301375E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4393E-05 OSCILLATION LIMIT = 34.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4159E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9610E-01
 HT FLOW CONVERGENCE VALUE= .8762E-02 CRITERION= .3973E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 23 COMPLETED. CUM ITER = 919
 *** TIME = .302164E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4197E-05 OSCILLATION LIMIT = 33.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4172E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9479E-01
 HT FLOW CONVERGENCE VALUE= .8753E-02 CRITERION= .3942E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 24 COMPLETED. CUM ITER = 920
 *** TIME = .302953E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4393E-05 OSCILLATION LIMIT = 34.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4140E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9615E-01
 HT FLOW CONVERGENCE VALUE= .8721E-02 CRITERION= .3953E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 25 COMPLETED. CUM ITER = 921
 *** TIME = .303742E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4197E-05 OSCILLATION LIMIT = 33.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4154E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9485E-01
 HT FLOW CONVERGENCE VALUE= .8710E-02 CRITERION= .3923E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 26 COMPLETED. CUM ITER = 922
 *** TIME = .304531E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4394E-05 OSCILLATION LIMIT = 34.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4122E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9620E-01
 HT FLOW CONVERGENCE VALUE= .8676E-02 CRITERION= .3934E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 27 COMPLETED. CUM ITER = 923

```

*** TIME = .305320E+10   TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4197E-05   OSCILLATION LIMIT = 33.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07   UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.81   CRITERION= .4135E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9491E-01
    HT FLOW CONVERGENCE VALUE= .8667E-02   CRITERION= .3904E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 28 COMPLETED. CUM ITER = 924
*** TIME = .306109E+10   TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4395E-05   OSCILLATION LIMIT = 34.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07   UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.63   CRITERION= .4104E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9625E-01
    HT FLOW CONVERGENCE VALUE= .8632E-02   CRITERION= .3915E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 29 COMPLETED. CUM ITER = 925
*** TIME = .306898E+10   TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4197E-05   OSCILLATION LIMIT = 33.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07   UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.81   CRITERION= .4117E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9498E-01
    HT FLOW CONVERGENCE VALUE= .8624E-02   CRITERION= .3884E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 30 COMPLETED. CUM ITER = 926
*** TIME = .307687E+10   TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4395E-05   OSCILLATION LIMIT = 34.68
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07   UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.63   CRITERION= .4085E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9630E-01
    HT FLOW CONVERGENCE VALUE= .8589E-02   CRITERION= .3896E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 31 COMPLETED. CUM ITER = 927
*** TIME = .308476E+10   TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4198E-05   OSCILLATION LIMIT = 33.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07   UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.81   CRITERION= .4099E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9504E-01
    HT FLOW CONVERGENCE VALUE= .8583E-02   CRITERION= .3865E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 32 COMPLETED. CUM ITER = 928
*** TIME = .309264E+10   TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4396E-05   OSCILLATION LIMIT = 34.68
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07   UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.63   CRITERION= .4067E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9635E-01
    HT FLOW CONVERGENCE VALUE= .8550E-02   CRITERION= .3876E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 33 COMPLETED. CUM ITER = 929
*** TIME = .310053E+10   TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4198E-05   OSCILLATION LIMIT = 33.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07   UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.81   CRITERION= .4080E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9510E-01
    HT FLOW CONVERGENCE VALUE= .8542E-02   CRITERION= .3846E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 34 COMPLETED. CUM ITER = 930
*** TIME = .310842E+10   TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4396E-05   OSCILLATION LIMIT = 34.68
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07   UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.63   CRITERION= .4049E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9640E-01
    HT FLOW CONVERGENCE VALUE= .8507E-02   CRITERION= .3857E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 35 COMPLETED. CUM ITER = 931
*** TIME = .311631E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4198E-05 OSCILLATION LIMIT = 33.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4062E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9516E-01
HT FLOW CONVERGENCE VALUE= .8501E-02 CRITERION= .3827E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 36 COMPLETED. CUM ITER = 932
*** TIME = .312420E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4397E-05 OSCILLATION LIMIT = 34.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4030E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9645E-01
HT FLOW CONVERGENCE VALUE= .8468E-02 CRITERION= .3838E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 37 COMPLETED. CUM ITER = 933
*** TIME = .313209E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4198E-05 OSCILLATION LIMIT = 33.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4044E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9523E-01
HT FLOW CONVERGENCE VALUE= .8462E-02 CRITERION= .3807E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 38 COMPLETED. CUM ITER = 934
*** TIME = .313998E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4397E-05 OSCILLATION LIMIT = 34.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.63 CRITERION= .4012E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9650E-01
HT FLOW CONVERGENCE VALUE= .8427E-02 CRITERION= .3818E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 39 COMPLETED. CUM ITER = 935
*** TIME = .314787E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4198E-05 OSCILLATION LIMIT = 33.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.81 CRITERION= .4025E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9529E-01
HT FLOW CONVERGENCE VALUE= .8421E-02 CRITERION= .3788E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 40 COMPLETED. CUM ITER = 936
*** TIME = .315576E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4398E-05 OSCILLATION LIMIT = 34.70

```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 16:08:21 APR 02, 1995 CP= 65601.320
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 74.71 CRITERION= .8379E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4628
HT FLOW CONVERGENCE VALUE= .4158E-01 CRITERION= .3769E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1783E-01
HT FLOW CONVERGENCE VALUE= .8842E-03 CRITERION= .3767E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 1 COMPLETED. CUM ITER = 938
*** TIME = .323465E+10 TIME INC = .788940E+08

```


*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 74.89 CRITERION= .8378E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4646
 HT FLOW CONVERGENCE VALUE= .4119E-01 CRITERION= .3707E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1771E-01
 HT FLOW CONVERGENCE VALUE= .8662E-03 CRITERION= .3705E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 2 COMPLETED. CUM ITER = 940
 *** TIME = .331355E+10 TIME INC = .788940E+08
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 224.3 CRITERION= .2274
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.399
 HT FLOW CONVERGENCE VALUE= .1176 CRITERION= .3608E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5090E-01
 HT FLOW CONVERGENCE VALUE= .2352E-02 CRITERION= .3603E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 3 COMPLETED. CUM ITER = 942
 *** TIME = .355023E+10 TIME INC = .236682E+09
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 673.4 CRITERION= .6743
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.206
 HT FLOW CONVERGENCE VALUE= .2971 CRITERION= .3226E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1313
 HT FLOW CONVERGENCE VALUE= .4876E-02 CRITERION= .3213E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 4 COMPLETED. CUM ITER = 944
 *** TIME = .426028E+10 TIME INC = .710046E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 748.1 CRITERION= .7489
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.719
 HT FLOW CONVERGENCE VALUE= .2802 CRITERION= .2837E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1229
 HT FLOW CONVERGENCE VALUE= .3944E-02 CRITERION= .2823E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 5 COMPLETED. CUM ITER = 946
 *** TIME = .504922E+10 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 748.5 CRITERION= .7490
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.764
 HT FLOW CONVERGENCE VALUE= .2343 CRITERION= .2404E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1035
 HT FLOW CONVERGENCE VALUE= .2820E-02 CRITERION= .2392E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 6 COMPLETED. CUM ITER = 948
 *** TIME = .583816E+10 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 449.1 CRITERION= .4497
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.890
 HT FLOW CONVERGENCE VALUE= .1325 CRITERION= .2173E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5976E-01
 HT FLOW CONVERGENCE VALUE= .1553E-02 CRITERION= .2167E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 7 COMPLETED. CUM ITER = 950
 *** TIME = .631152E+10 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:22:31 APR 02, 1995 CP= 66430.580
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 358.5 CRITERION= .3591
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.353
 HT FLOW CONVERGENCE VALUE= .7742E-01 CRITERION= .2072E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3761E-01
 HT FLOW CONVERGENCE VALUE= .1347E-02 CRITERION= .2070E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 1 COMPLETED. CUM ITER = 952
 *** TIME = .678488E+10 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 358.3 CRITERION= .3590
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.358
 HT FLOW CONVERGENCE VALUE= .7475E-01 CRITERION= .2016E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3650E-01
 HT FLOW CONVERGENCE VALUE= .1259E-02 CRITERION= .2015E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 2 COMPLETED. CUM ITER = 954
 *** TIME = .725825E+10 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 597.5 CRITERION= .5978
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.266
 HT FLOW CONVERGENCE VALUE= .1153 CRITERION= .1870E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5647E-01
 HT FLOW CONVERGENCE VALUE= .1817E-02 CRITERION= .1867E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 3 COMPLETED. CUM ITER = 956
 *** TIME = .804719E+10 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 597.4 CRITERION= .5978
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.277
 HT FLOW CONVERGENCE VALUE= .1129 CRITERION= .1763E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5299E-01
 HT FLOW CONVERGENCE VALUE= .1600E-02 CRITERION= .1761E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 4 COMPLETED. CUM ITER = 958
 *** TIME = .883613E+10 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 478.2 CRITERION= .4785
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.827
 HT FLOW CONVERGENCE VALUE= .8862E-01 CRITERION= .1641E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4057E-01
 HT FLOW CONVERGENCE VALUE= .1191E-02 CRITERION= .1638E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 5 COMPLETED. CUM ITER = 960
 *** TIME = .946728E+10 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:32:32 APR 02, 1995 CP= 67026.630
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 254.2 CRITERION= .2548
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9952
 HT FLOW CONVERGENCE VALUE= .4830E-01 CRITERION= .1604E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2157E-01
 HT FLOW CONVERGENCE VALUE= .6229E-03 CRITERION= .1603E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 1 COMPLETED. CUM ITER = 962
 *** TIME = .100984E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 254.4 CRITERION= .2548
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9947
 HT FLOW CONVERGENCE VALUE= .4702E-01 CRITERION= .1527E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2089E-01
 HT FLOW CONVERGENCE VALUE= .5840E-03 CRITERION= .1526E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 2 COMPLETED. CUM ITER = 964
 *** TIME = .107296E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 317.8 CRITERION= .3182
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.248
 HT FLOW CONVERGENCE VALUE= .5581E-01 CRITERION= .1477E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2486E-01
 HT FLOW CONVERGENCE VALUE= .6618E-03 CRITERION= .1476E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 3 COMPLETED. CUM ITER = 966
 *** TIME = .115185E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 318.0 CRITERION= .3183
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.249
 HT FLOW CONVERGENCE VALUE= .5335E-01 CRITERION= .1387E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2376E-01
 HT FLOW CONVERGENCE VALUE= .6077E-03 CRITERION= .1385E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 4 COMPLETED. CUM ITER = 968
 *** TIME = .123075E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 127.1 CRITERION= .1279
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5022
 HT FLOW CONVERGENCE VALUE= .2160E-01 CRITERION= .1378E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9551E-02
 HT FLOW CONVERGENCE VALUE= .2431E-03 CRITERION= .1378E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 5 COMPLETED. CUM ITER = 970
 *** TIME = .126230E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:42:33 APR 02, 1995 CP= 67622.580
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 82.28 CRITERION= .8338E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3260
 HT FLOW CONVERGENCE VALUE= .1393E-01 CRITERION= .1339E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6155E-02
 HT FLOW CONVERGENCE VALUE= .1549E-03 CRITERION= .1339E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 1 COMPLETED. CUM ITER = 972
 *** TIME = .129386E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 82.10 CRITERION= .8323E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3282
 HT FLOW CONVERGENCE VALUE= .1376E-01 CRITERION= .1341E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6085E-02
 HT FLOW CONVERGENCE VALUE= .1506E-03 CRITERION= .1341E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 2 COMPLETED. CUM ITER = 974
 *** TIME = .132542E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 205.6 CRITERION= .2060

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8174
 HT FLOW CONVERGENCE VALUE= .3259E-01 CRITERION= .1274E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1451E-01
 HT FLOW CONVERGENCE VALUE= .3435E-03 CRITERION= .1274E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 3 COMPLETED. CUM ITER = 976
 *** TIME = .140431E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 205.4 CRITERION= .2058
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8207
 HT FLOW CONVERGENCE VALUE= .3145E-01 CRITERION= .1249E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1405E-01
 HT FLOW CONVERGENCE VALUE= .3201E-03 CRITERION= .1248E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 4 COMPLETED. CUM ITER = 978
 *** TIME = .148321E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 123.4 CRITERION= .1240
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4916
 HT FLOW CONVERGENCE VALUE= .1872E-01 CRITERION= .1200E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8353E-02
 HT FLOW CONVERGENCE VALUE= .1879E-03 CRITERION= .1200E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 5 COMPLETED. CUM ITER = 980
 *** TIME = .153054E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 123.2 CRITERION= .1238
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4941
 HT FLOW CONVERGENCE VALUE= .1831E-01 CRITERION= .1193E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8186E-02
 HT FLOW CONVERGENCE VALUE= .1796E-03 CRITERION= .1192E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 6 COMPLETED. CUM ITER = 982
 *** TIME = .157788E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:54:32 APR 02, 1995 CP= 68336.520
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 142.9 CRITERION= .1434
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4847
 HT FLOW CONVERGENCE VALUE= .1923E-01 CRITERION= .1150E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8711E-02
 HT FLOW CONVERGENCE VALUE= .2030E-03 CRITERION= .1150E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 1 COMPLETED. CUM ITER = 984
 *** TIME = .162522E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 142.7 CRITERION= .1432
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4871
 HT FLOW CONVERGENCE VALUE= .1888E-01 CRITERION= .1148E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8572E-02
 HT FLOW CONVERGENCE VALUE= .1957E-03 CRITERION= .1148E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 2 COMPLETED. CUM ITER = 986
 *** TIME = .167255E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 238.2 CRITERION= .2384
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8097

HT FLOW CONVERGENCE VALUE= .3011E-01 CRITERION= .1091E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1375E-01
 HT FLOW CONVERGENCE VALUE= .3027E-03 CRITERION= .1091E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 3 COMPLETED. CUM ITER = 988
 *** TIME = .175145E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 238.0 CRITERION= .2383
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8129
 HT FLOW CONVERGENCE VALUE= .2914E-01 CRITERION= .1075E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1335E-01
 HT FLOW CONVERGENCE VALUE= .2839E-03 CRITERION= .1074E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 4 COMPLETED. CUM ITER = 990
 *** TIME = .183034E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 190.6 CRITERION= .1908
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6493
 HT FLOW CONVERGENCE VALUE= .2284E-01 CRITERION= .1025E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1048E-01
 HT FLOW CONVERGENCE VALUE= .2176E-03 CRITERION= .1025E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 5 COMPLETED. CUM ITER = 992
 *** TIME = .189346E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:04:33 APR 02, 1995 CP= 68932.290
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 217.5 CRITERION= .2177
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6475
 HT FLOW CONVERGENCE VALUE= .2410E-01 CRITERION= .1023E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1116E-01
 HT FLOW CONVERGENCE VALUE= .2413E-03 CRITERION= .1023E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 1 COMPLETED. CUM ITER = 994
 *** TIME = .195657E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 217.7 CRITERION= .2178
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6459
 HT FLOW CONVERGENCE VALUE= .2360E-01 CRITERION= .9804E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1096E-01
 HT FLOW CONVERGENCE VALUE= .2322E-03 CRITERION= .9801E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 2 COMPLETED. CUM ITER = 996
 *** TIME = .201969E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 271.9 CRITERION= .2721
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8104
 HT FLOW CONVERGENCE VALUE= .2854E-01 CRITERION= .9730E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1332E-01
 HT FLOW CONVERGENCE VALUE= .2738E-03 CRITERION= .9726E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 3 COMPLETED. CUM ITER = 998
 *** TIME = .209858E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 272.1 CRITERION= .2722
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8092
 HT FLOW CONVERGENCE VALUE= .2775E-01 CRITERION= .9247E-02

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1299E-01
 HT FLOW CONVERGENCE VALUE= .2599E-03 CRITERION= .9243E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 4 COMPLETED. CUM ITER = 1000
 *** TIME = .217747E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 108.7 CRITERION= .1092
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3255
 HT FLOW CONVERGENCE VALUE= .1117E-01 CRITERION= .9337E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5212E-02
 HT FLOW CONVERGENCE VALUE= .1036E-03 CRITERION= .9335E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 5 COMPLETED. CUM ITER = 1002
 *** TIME = .220903E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:14:32 APR 02, 1995 CP= 69528.270
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 117.5 CRITERION= .1179
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3281
 HT FLOW CONVERGENCE VALUE= .1164E-01 CRITERION= .9038E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5451E-02
 HT FLOW CONVERGENCE VALUE= .1103E-03 CRITERION= .9036E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 1 COMPLETED. CUM ITER = 1004
 *** TIME = .224059E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 117.4 CRITERION= .1178
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3303
 HT FLOW CONVERGENCE VALUE= .1153E-01 CRITERION= .9145E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5407E-02
 HT FLOW CONVERGENCE VALUE= .1081E-03 CRITERION= .9144E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 2 COMPLETED. CUM ITER = 1006
 *** TIME = .227215E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 293.7 CRITERION= .2938
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8224
 HT FLOW CONVERGENCE VALUE= .2766E-01 CRITERION= .8704E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1308E-01
 HT FLOW CONVERGENCE VALUE= .2538E-03 CRITERION= .8701E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 3 COMPLETED. CUM ITER = 1008
 *** TIME = .235104E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 293.6 CRITERION= .2937
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8253
 HT FLOW CONVERGENCE VALUE= .2694E-01 CRITERION= .8668E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1278E-01
 HT FLOW CONVERGENCE VALUE= .2414E-03 CRITERION= .8664E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 4 COMPLETED. CUM ITER = 1010
 *** TIME = .242994E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 176.3 CRITERION= .1765
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4940
 HT FLOW CONVERGENCE VALUE= .1609E-01 CRITERION= .8319E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7624E-02

HT FLOW CONVERGENCE VALUE= .1424E-03 CRITERION= .8317E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 5 COMPLETED. CUM ITER = 1012
 *** TIME = .247727E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 176.1 CRITERION= .1764
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4964
 HT FLOW CONVERGENCE VALUE= .1582E-01 CRITERION= .8379E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7517E-02
 HT FLOW CONVERGENCE VALUE= .1380E-03 CRITERION= .8377E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 6 COMPLETED. CUM ITER = 1014
 *** TIME = .252461E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:26:33 APR 02, 1995 CP= 70241.850
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 169.2 CRITERION= .1694
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4540
 HT FLOW CONVERGENCE VALUE= .1477E-01 CRITERION= .8061E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7035E-02
 HT FLOW CONVERGENCE VALUE= .1300E-03 CRITERION= .8059E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 1 COMPLETED. CUM ITER = 1016
 *** TIME = .257194E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 169.0 CRITERION= .1693
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4563
 HT FLOW CONVERGENCE VALUE= .1457E-01 CRITERION= .8149E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6958E-02
 HT FLOW CONVERGENCE VALUE= .1267E-03 CRITERION= .8148E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 2 COMPLETED. CUM ITER = 1018
 *** TIME = .261928E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 282.0 CRITERION= .2821
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7580
 HT FLOW CONVERGENCE VALUE= .2353E-01 CRITERION= .7756E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1130E-01
 HT FLOW CONVERGENCE VALUE= .2008E-03 CRITERION= .7754E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 3 COMPLETED. CUM ITER = 1020
 *** TIME = .269817E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 281.8 CRITERION= .2820
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7607
 HT FLOW CONVERGENCE VALUE= .2298E-01 CRITERION= .7768E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1108E-01
 HT FLOW CONVERGENCE VALUE= .1921E-03 CRITERION= .7766E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 4 COMPLETED. CUM ITER = 1022
 *** TIME = .277707E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 225.7 CRITERION= .2257
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6072
 HT FLOW CONVERGENCE VALUE= .1813E-01 CRITERION= .7412E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8748E-02
 HT FLOW CONVERGENCE VALUE= .1493E-03 CRITERION= .7410E-02 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 5 COMPLETED. CUM ITER = 1024
 *** TIME = .284018E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:36:34 APR 02, 1995 CP= 70837.970
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 203.5 CRITERION= .2036
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5398
 HT FLOW CONVERGENCE VALUE= .1603E-01 CRITERION= .7489E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7752E-02
 HT FLOW CONVERGENCE VALUE= .1312E-03 CRITERION= .7487E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 1 COMPLETED. CUM ITER = 1026
 *** TIME = .290330E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 203.6 CRITERION= .2037
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5379
 HT FLOW CONVERGENCE VALUE= .1578E-01 CRITERION= .7160E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7645E-02
 HT FLOW CONVERGENCE VALUE= .1275E-03 CRITERION= .7158E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 2 COMPLETED. CUM ITER = 1028
 *** TIME = .296641E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 254.4 CRITERION= .2545
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6752
 HT FLOW CONVERGENCE VALUE= .1923E-01 CRITERION= .7205E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9361E-02
 HT FLOW CONVERGENCE VALUE= .1525E-03 CRITERION= .7203E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 3 COMPLETED. CUM ITER = 1030
 *** TIME = .304531E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 254.6 CRITERION= .2546
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6735
 HT FLOW CONVERGENCE VALUE= .1883E-01 CRITERION= .6845E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9193E-02
 HT FLOW CONVERGENCE VALUE= .1468E-03 CRITERION= .6843E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 4 COMPLETED. CUM ITER = 1032
 *** TIME = .312420E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 101.7 CRITERION= .1020
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2711
 HT FLOW CONVERGENCE VALUE= .7567E-02 CRITERION= .6983E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3685E-02
 HT FLOW CONVERGENCE VALUE= .5849E-04 CRITERION= .6983E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 5 COMPLETED. CUM ITER = 1034
 *** TIME = .315576E+11 TIME INC = .315576E+09

FINISH SOLUTION PROCESSING

***** ROUTINE COMPLETED ***** CP = 71431.970

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12x3.db
FOR POSSIBLE RESUME FROM THIS POINT

Create element contour plots of solution results

Sort through solution results for time of max temp.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 17:46:43 APR 02, 1995 CP= 71437.970
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

VARIABLE 2 IS AT NODE 2929 ITEM= TEMP COMP= NAME= peakclad

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES
VARI TYPE IDENTIFIERS NAME MINIMUM AT TIME MAXIMUM AT TIME
2 NSOL 2929 TEMP peakclad 159.5 .3156E+11 258.3 .1578E+09

*GET TMTMAX FROM VARI 2 ITEM=EXTR TMAX VALUE= 157788032.

***** ROUTINE COMPLETED ***** CP = 71438.260

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 17:46:46 APR 02, 1995 CP= 71438.290
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS RESULTS INTERPRETATION (POST1) *****

Create temperature contour plots of WP at peak

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (PRECISE) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS -1 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

4504 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .15779E+09

SET COMMAND GOT LOAD STEP= 17 SUBSTEP= 40 CUMULATIVE ITERATION= 336

TIME/FREQUENCY= .15779E+09

TITLE=
12 PWR MPC/WP at Time of Peak Temp. (5.000001 years)

/SHOW SWITCH PLOTS TO FILE solupk.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 AUTOMATIC CONTOURS

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solupk.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at Time of Peak Temp. (5.000001 years)

*** WARNING *** CP= 71467.900 TIME= 17:47:24
The selected element set contains mixed materials.
This could invalidate error estimation.
Create temperature contour plots at 10, 50, and 100 yrs

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+09

SET COMMAND GOT LOAD STEP= 22 SUBSTEP= 40 CUMULATIVE ITERATION= 536
TIME/FREQUENCY= .31558E+09

TITLE=
12 PWR MPC/WP at 10 years

/SHOW SWITCH PLOTS TO FILE solu10.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 142.05 BY .91519 TO 258.28

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu10.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 10 years

*** WARNING *** CP= 71504.960 TIME= 17:48:05
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .15779E+10

SET COMMAND GOT LOAD STEP= 26 SUBSTEP= 40 CUMULATIVE ITERATION= 736
TIME/FREQUENCY= .15779E+10

TITLE=
12 PWR MPC/WP at 50 years

/SHOW SWITCH PLOTS TO FILE solu50.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 142.05 BY .91519 TO 258.28

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu50.grph - RASTER MODE.
DISPLAY TITLE=

12 PWR MPC/WP at 50 years

*** WARNING *** CP= 71543.120 TIME= 17:48:44
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+10

SET COMMAND GOT LOAD STEP= 31 SUBSTEP= 40 CUMULATIVE ITERATION= 936
TIME/FREQUENCY= .31558E+10

TITLE=
12 PWR MPC/WP at 100 years

/SHOW SWITCH PLOTS TO FILE solu100.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 142.05 BY .91519 TO 258.28

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu100.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 100 years

*** WARNING *** CP= 71580.270 TIME= 17:49:21
The selected element set contains mixed materials.
This could invalidate error estimation.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

EXIT THE ANSYS POST1 DATABASE PROCESSOR

***** ROUTINE COMPLETED ***** CP = 71587.540

Print time/temperature output at specific locations
Save profile from center to edge

Variable Legend: A01i000

x = center of waste package
f = flux trap plate stainless layer
w = flux trap plate SS sheath
c = center of assembly
h = halfway between center and tube
s = inside structural stainless tube layer
a = aluminum-born tube layer
t = stainless tube cladding
g = tube guide
m = mpc shell
i = inner barrier of DC
o = outer barrier of DC
= ID number of assembly (01 is center)
i = side of assembly toward center of WP
o = side of assembly toward edge of WP
000 = profile center down
045 = profile 45 deg down
090 = profile center side
135 = profile 45 deg up
180 = profile center up

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:49:29 APR 02, 1995 CP= 71587.560
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

MAXIMUM NUMBER OF VARIABLES= 30

 * Temperature Profile from center to lower right (45 deg.) *

VARIABLE 2	IS AT NODE 5748	ITEM= TEMP COMP=	NAME= x04i045
VARIABLE 3	IS AT NODE 1655	ITEM= TEMP COMP=	NAME= f04i045
VARIABLE 4	IS AT NODE 1762	ITEM= TEMP COMP=	NAME= f04o045
VARIABLE 5	IS AT NODE 2036	ITEM= TEMP COMP=	NAME= w04i045
VARIABLE 6	IS AT NODE 2177	ITEM= TEMP COMP=	NAME= w04o045
VARIABLE 7	IS AT NODE 2552	ITEM= TEMP COMP=	NAME= s04i045
VARIABLE 8	IS AT NODE 2977	ITEM= TEMP COMP=	NAME= h04i045
VARIABLE 9	IS AT NODE 2929	ITEM= TEMP COMP=	NAME= c04i045
VARIABLE 10	IS AT NODE 2881	ITEM= TEMP COMP=	NAME= h04o045
VARIABLE 11	IS AT NODE 2566	ITEM= TEMP COMP=	NAME= s04o045
VARIABLE 12	IS AT NODE 2427	ITEM= TEMP COMP=	NAME= a04o045
VARIABLE 13	IS AT NODE 2303	ITEM= TEMP COMP=	NAME= t04i045
VARIABLE 14	IS AT NODE 2289	ITEM= TEMP COMP=	NAME= t04o045
VARIABLE 15	IS AT NODE 3528	ITEM= TEMP COMP=	NAME= g04i045
VARIABLE 16	IS AT NODE 3545	ITEM= TEMP COMP=	NAME= g04o045
VARIABLE 17	IS AT NODE 3760	ITEM= TEMP COMP=	NAME= m04i045
VARIABLE 18	IS AT NODE 3707	ITEM= TEMP COMP=	NAME= m04o045
VARIABLE 19	IS AT NODE 4142	ITEM= TEMP COMP=	NAME= i04i045
VARIABLE 20	IS AT NODE 4200	ITEM= TEMP COMP=	NAME= i04o045
VARIABLE 21	IS AT NODE 4599	ITEM= TEMP COMP=	NAME= o04o045
Add centers of assemblies 5 and 6			
VARIABLE 22	IS AT NODE 3098	ITEM= TEMP COMP=	NAME= c05i045
VARIABLE 23	IS AT NODE 2760	ITEM= TEMP COMP=	NAME= c06i045

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES

VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2	NSOL	5748 TEMP	x04i045	158.4	.3156E+11	242.7	.2525E+09

3	NSOL	1655	TEMP	f04i045	158.4	.3156E+11	242.7	.2525E+09
4	NSOL	1762	TEMP	f04o045	158.4	.3156E+11	242.7	.2525E+09
5	NSOL	2036	TEMP	w04i045	158.4	.3156E+11	242.7	.2525E+09
6	NSOL	2177	TEMP	w04o045	158.4	.3156E+11	242.7	.2525E+09
7	NSOL	2552	TEMP	s04i045	158.4	.3156E+11	242.7	.2525E+09
8	NSOL	2977	TEMP	h04i045	159.0	.3156E+11	251.3	.2525E+09
9	NSOL	2929	TEMP	c04i045	159.5	.3156E+11	258.3	.1578E+09
10	NSOL	2881	TEMP	h04o045	158.9	.3156E+11	248.4	.2525E+09
11	NSOL	2566	TEMP	s04o045	158.2	.3156E+11	237.6	.2525E+09
12	NSOL	2427	TEMP	a04o045	158.2	.3156E+11	237.5	.2525E+09
13	NSOL	2303	TEMP	t04i045	158.2	.3156E+11	237.5	.2525E+09
14	NSOL	2289	TEMP	t04o045	158.2	.3156E+11	237.3	.2525E+09
15	NSOL	3528	TEMP	g04i045	157.1	.3156E+11	221.0	.6312E+09
16	NSOL	3545	TEMP	g04o045	157.1	.3156E+11	220.4	.9467E+09
17	NSOL	3760	TEMP	m04i045	114.5	.1000E-05	200.6	.1262E+10
18	NSOL	3707	TEMP	m04o045	113.4	.1000E-05	200.1	.1262E+10
19	NSOL	4142	TEMP	i04i045	29.13	.1000E-05	185.6	.1893E+10
20	NSOL	4200	TEMP	i04o045	27.88	.1000E-05	185.2	.1893E+10
21	NSOL	4599	TEMP	o04o045	26.14	.1000E-05	184.6	.1893E+10
22	NSOL	3098	TEMP	c05i045	158.5	.3156E+11	242.5	.2525E+09
23	NSOL	2760	TEMP	c06i045	158.6	.3156E+11	242.9	.2525E+09

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=MP 9000/7XX 17:49:32 APR 02, 1995 CP= 71590.590
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5748 TEMP x04i045	1655 TEMP f04i045	1762 TEMP f04o045	2036 TEMP w04i045	2177 TEMP w04o045	2552 TEMP s04i045
.10000E-05	198.265	198.265	198.267	198.266	198.268	198.274
.20000E-05	211.149	211.148	211.148	211.148	211.149	211.155
31.558	211.149	211.148	211.148	211.148	211.149	211.155
.31558E+07	222.298	222.310	222.320	222.321	222.322	222.328
.63116E+07	225.709	225.721	225.732	225.733	225.734	225.740
.94673E+07	227.724	227.737	227.747	227.748	227.750	227.756
.12623E+08	229.252	229.265	229.275	229.276	229.278	229.284
.15779E+08	230.454	230.467	230.478	230.478	230.480	230.486
.18935E+08	231.431	231.444	231.455	231.455	231.457	231.463
.22090E+08	232.252	232.266	232.276	232.277	232.279	232.285
.25246E+08	232.962	232.975	232.986	232.987	232.988	232.994
.28402E+08	233.582	233.596	233.606	233.607	233.609	233.615
.31558E+08	234.136	234.149	234.160	234.161	234.162	234.168
.63115E+08	237.392	237.406	237.417	237.418	237.419	237.425
.94673E+08	238.944	238.958	238.969	238.970	238.971	238.977
.12623E+09	240.171	240.185	240.196	240.197	240.198	240.204
.15779E+09	241.411	241.425	241.436	241.437	241.438	241.443
.18935E+09	241.812	241.825	241.836	241.837	241.838	241.844
.22090E+09	242.273	242.286	242.297	242.297	242.299	242.304
.25246E+09	242.677	242.691	242.701	242.702	242.703	242.708
.28402E+09	242.497	242.510	242.520	242.521	242.522	242.527
.31558E+09	242.465	242.478	242.488	242.489	242.490	242.495
.63115E+09	239.244	239.255	239.264	239.265	239.266	239.270
.94673E+09	236.342	236.352	236.360	236.360	236.361	236.365
.12623E+10	231.431	231.440	231.447	231.447	231.448	231.451
.15779E+10	226.100	226.108	226.114	226.115	226.116	226.118
.18935E+10	221.234	221.241	221.246	221.247	221.247	221.250
.22090E+10	216.691	216.697	216.702	216.703	216.703	216.705
.25246E+10	212.187	212.193	212.197	212.198	212.198	212.200
.28402E+10	208.465	208.471	208.475	208.476	208.476	208.478
.31558E+10	205.087	205.092	205.096	205.096	205.097	205.098
.63115E+10	188.671	188.675	188.677	188.677	188.678	188.679
.94673E+10	180.458	180.461	180.463	180.463	180.463	180.464
.12623E+11	175.947	175.949	175.951	175.951	175.951	175.952

.15779E+11	172.981	172.983	172.984	172.985	172.985	172.985
.18935E+11	169.994	169.996	169.998	169.998	169.998	169.998
.22090E+11	166.963	166.965	166.966	166.966	166.966	166.966
.25246E+11	163.850	163.852	163.853	163.853	163.853	163.853
.28402E+11	160.964	160.965	160.966	160.967	160.967	160.967
.31558E+11	158.393	158.394	158.395	158.395	158.395	158.396

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:49:32 APR 02, 1995 CP= 71590.600
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2977 TEMP h04i045	2929 TEMP c04i045	2881 TEMP h04o045	2566 TEMP s04o045	2427 TEMP a04o045	2303 TEMP t04i045
.10000E-05	210.830	221.296	207.618	192.417	192.372	192.326
.20000E-05	223.164	233.122	219.806	205.076	205.031	204.984
.31.558	223.163	233.122	219.806	205.076	205.031	204.984
.31558E+07	233.849	243.370	230.437	216.183	216.139	216.091
.63116E+07	237.082	246.439	233.638	219.553	219.508	219.461
.94673E+07	238.972	248.214	235.521	221.566	221.521	221.474
.12623E+08	240.391	249.540	236.939	223.096	223.052	223.005
.15779E+08	241.510	250.583	238.060	224.308	224.263	224.217
.18935E+08	242.401	251.403	238.955	225.295	225.251	225.204
.22090E+08	243.152	252.090	239.712	226.132	226.088	226.041
.25246E+08	243.789	252.667	240.355	226.856	226.812	226.765
.28402E+08	244.347	253.168	240.921	227.493	227.449	227.403
.31558E+08	244.835	253.602	241.416	228.063	228.019	227.973
.63115E+08	247.613	255.976	244.280	231.488	231.446	231.401
.94673E+08	248.800	256.860	245.554	233.204	233.163	233.120
.12623E+09	249.715	257.517	246.545	234.574	234.534	234.492
.15779E+09	250.695	258.279	247.585	235.929	235.890	235.849
.18935E+09	250.819	258.178	247.791	236.481	236.443	236.403
.22090E+09	251.061	258.243	248.097	237.058	237.021	236.982
.25246E+09	251.260	258.275	248.356	237.573	237.536	237.498
.28402E+09	250.901	257.773	248.057	237.502	237.466	237.429
.31558E+09	250.724	257.481	247.928	237.556	237.521	237.484
.63115E+09	246.139	251.816	243.833	235.210	235.181	235.151
.94673E+09	242.201	247.045	240.266	232.965	232.941	232.915
.12623E+10	236.526	240.759	234.884	228.570	228.549	228.527
.15779E+10	230.571	234.302	229.171	223.663	223.645	223.627
.18935E+10	225.206	228.535	223.996	219.128	219.112	219.096
.22090E+10	220.255	223.254	219.199	214.851	214.837	214.823
.25246E+10	215.418	218.147	214.486	210.563	210.551	210.538
.28402E+10	211.429	213.940	210.594	207.010	206.999	206.988
.31558E+10	207.811	210.125	207.060	203.778	203.768	203.758
.63115E+10	190.312	191.723	189.904	187.961	187.956	187.950
.94673E+10	181.748	182.864	181.445	179.928	179.924	179.920
.12623E+11	177.033	177.976	176.786	175.514	175.511	175.507
.15779E+11	173.930	174.755	173.719	172.611	172.608	172.605
.18935E+11	170.834	171.566	170.651	169.673	169.671	169.668
.22090E+11	167.721	168.382	167.559	166.680	166.677	166.675
.25246E+11	164.537	165.137	164.394	163.599	163.597	163.595
.28402E+11	161.594	162.146	161.466	160.738	160.736	160.734
.31558E+11	158.975	159.486	158.859	158.188	158.187	158.185

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:49:32 APR 02, 1995 CP= 71590.610
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2289 TEMP t04o045	3528 TEMP g04i045	3545 TEMP g04o045	3760 TEMP m04i045	3707 TEMP m04o045	4142 TEMP i04i045
.10000E-05	192.118	166.580	165.533	114.477	113.397	29.1283
.20000E-05	204.777	180.123	179.069	131.054	129.979	60.6890
31.558	204.777	180.123	179.069	131.054	129.979	60.6892
.31558E+07	215.886	192.180	191.132	146.050	144.987	86.1959
.63116E+07	219.257	195.851	194.806	150.598	149.539	93.3941
.94673E+07	221.271	198.105	197.064	153.516	152.462	98.1425
.12623E+08	222.803	199.841	198.804	155.799	154.748	101.808
.15779E+08	224.015	201.225	200.192	157.639	156.593	104.818
.18935E+08	225.004	202.379	201.351	159.219	158.177	107.375
.22090E+08	225.842	203.364	202.339	160.579	159.541	109.619
.25246E+08	226.567	204.233	203.212	161.807	160.774	111.626
.28402E+08	227.206	205.003	203.987	162.906	161.877	113.452
.31558E+08	227.776	205.705	204.692	163.928	162.903	115.134
.63115E+08	231.211	210.139	209.162	170.731	169.743	126.529
.94673E+08	232.936	212.639	211.693	174.986	174.028	133.801
.12623E+09	234.313	214.675	213.755	178.491	177.561	139.717
.15779E+09	235.675	216.585	215.686	181.617	180.711	144.781
.18935E+09	236.233	217.735	216.862	184.027	183.148	149.036
.22090E+09	236.816	218.782	217.930	186.061	185.203	152.490
.25246E+09	237.336	219.739	218.905	187.935	187.097	155.650
.28402E+09	237.270	220.056	219.240	189.035	188.216	157.781
.31558E+09	237.329	220.423	219.622	190.034	189.230	159.609
.63115E+09	235.022	221.026	220.366	196.363	195.703	172.808
.94673E+09	232.807	220.992	220.437	200.456	199.903	181.425
.12623E+10	228.434	218.226	217.751	200.619	200.147	184.540
.15779E+10	223.547	214.647	214.239	199.373	198.967	185.539
.18935E+10	219.026	211.163	210.807	197.712	197.358	185.586
.22090E+10	214.761	207.743	207.429	195.762	195.450	184.986
.25246E+10	210.483	204.152	203.872	193.353	193.074	183.638
.28402E+10	206.938	201.157	200.903	191.300	191.048	182.430
.31558E+10	203.712	198.420	198.190	189.400	189.171	181.277
.63115E+10	187.924	184.790	184.660	179.445	179.315	174.600
.94673E+10	179.900	177.452	177.353	173.262	173.163	169.426
.12623E+11	175.490	173.436	173.353	169.914	169.832	166.672
.15779E+11	172.590	170.800	170.729	167.729	167.658	164.891
.18935E+11	169.655	168.076	168.014	165.362	165.300	162.841
.22090E+11	166.664	165.242	165.187	162.795	162.740	160.511
.25246E+11	163.585	162.300	162.250	160.084	160.034	158.001
.28402E+11	160.725	159.550	159.505	157.518	157.473	155.596
.31558E+11	158.176	157.092	157.051	155.213	155.172	153.427

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:49:32 APR 02, 1995 CP= 71590.620
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4200 TEMP i04o045	4599 TEMP o04o045	3098 TEMP c05i045	2760 TEMP c06i045
.10000E-05	27.8832	26.1380	200.250	200.535
.20000E-05	59.4429	57.7275	212.487	212.754
31.558	59.4429	57.7275	212.487	212.754
.31558E+07	84.9582	83.2705	223.160	223.570
.63116E+07	92.1586	90.4792	226.374	226.790
.94673E+07	96.9173	95.2439	228.285	228.701
.12623E+08	100.592	98.9266	229.735	230.152
.15779E+08	103.611	101.952	230.884	231.301
.18935E+08	106.176	104.524	231.810	232.227
.22090E+08	108.427	106.781	232.595	233.011

.25246E+08	110.441	108.803	233.268	233.684
.28402E+08	112.274	110.642	233.861	234.276
.31558E+08	113.962	112.338	234.386	234.800
.63115E+08	125.414	123.847	237.486	237.895
.94673E+08	132.732	131.213	238.966	239.367
.12623E+09	138.686	137.210	240.134	240.527
.15779E+09	143.782	142.341	241.321	241.706
.18935E+09	148.072	146.672	241.699	242.078
.22090E+09	151.553	150.185	242.140	242.513
.25246E+09	154.738	153.400	242.527	242.893
.28402E+09	156.891	155.581	242.348	242.708
.31558E+09	158.736	157.449	242.314	242.669
.63115E+09	172.101	171.038	239.162	239.463
.94673E+09	180.836	179.941	236.311	236.572
.12623E+10	184.039	183.274	231.481	231.709
.15779E+10	185.108	184.450	226.223	226.424
.18935E+10	185.211	184.637	221.409	221.589
.22090E+10	184.655	184.148	216.905	217.068
.25246E+10	183.343	182.892	212.434	212.581
.28402E+10	182.163	181.755	208.732	208.868
.31558E+10	181.034	180.664	205.366	205.492
.63115E+10	174.462	174.253	188.924	189.002
.94673E+10	169.319	169.160	180.691	180.753
.12623E+11	166.583	166.451	176.158	176.211
.15779E+11	164.815	164.700	173.175	173.221
.18935E+11	162.774	162.674	170.175	170.216
.22090E+11	160.451	160.362	167.133	167.170
.25246E+11	157.948	157.867	164.012	164.045
.28402E+11	155.546	155.474	161.119	161.149
.31558E+11	153.382	153.315	158.541	158.569

 * Temperature Profile from center to upper right (135 deg.) *

VARIABLE 2 IS AT NODE 5748 ITEM= TEMP COMP= NAME= x011135

*** WARNING *** CP= 71590.760 TIME= 17:49:32
 NSOL command erases all previously stored or calculated data
 unless STORE,MERGE is used.

VARIABLE 3 IS AT NODE 64 ITEM= TEMP COMP= NAME= f011135
 VARIABLE 4 IS AT NODE 171 ITEM= TEMP COMP= NAME= f01o135
 VARIABLE 5 IS AT NODE 445 ITEM= TEMP COMP= NAME= w011135
 VARIABLE 6 IS AT NODE 586 ITEM= TEMP COMP= NAME= w01o135
 VARIABLE 7 IS AT NODE 961 ITEM= TEMP COMP= NAME= s011135
 VARIABLE 8 IS AT NODE 1386 ITEM= TEMP COMP= NAME= h011135
 VARIABLE 9 IS AT NODE 1338 ITEM= TEMP COMP= NAME= c011135
 VARIABLE 10 IS AT NODE 1290 ITEM= TEMP COMP= NAME= h01o135
 VARIABLE 11 IS AT NODE 975 ITEM= TEMP COMP= NAME= s01o135
 VARIABLE 12 IS AT NODE 836 ITEM= TEMP COMP= NAME= a01o135
 VARIABLE 13 IS AT NODE 712 ITEM= TEMP COMP= NAME= t011135
 VARIABLE 14 IS AT NODE 698 ITEM= TEMP COMP= NAME= t01o135
 VARIABLE 15 IS AT NODE 3332 ITEM= TEMP COMP= NAME= g011135
 VARIABLE 16 IS AT NODE 3318 ITEM= TEMP COMP= NAME= g01o135
 VARIABLE 17 IS AT NODE 3974 ITEM= TEMP COMP= NAME= m011135

VARIABLE 18 IS AT NODE 3924 ITEM= TEMP COMP= NAME= m01o135
 VARIABLE 19 IS AT NODE 4369 ITEM= TEMP COMP= NAME= i01i135
 VARIABLE 20 IS AT NODE 4424 ITEM= TEMP COMP= NAME= i01o135
 VARIABLE 21 IS AT NODE 4879 ITEM= TEMP COMP= NAME= o01o135
 Add centers of assemblies 2 and 3
 VARIABLE 22 IS AT NODE 1507 ITEM= TEMP COMP= NAME= c02i135
 VARIABLE 23 IS AT NODE 1169 ITEM= TEMP COMP= NAME= c03i135

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES						
VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM AT TIME
2	NSOL	5748 TEMP	x01i135	158.4	.3156E+11	242.7 .2525E+09
3	NSOL	64 TEMP	f01i135	158.4	.3156E+11	242.7 .2525E+09
4	NSOL	171 TEMP	f01o135	158.4	.3156E+11	242.7 .2525E+09
5	NSOL	445 TEMP	w01i135	158.4	.3156E+11	242.7 .2525E+09
6	NSOL	586 TEMP	w01o135	158.4	.3156E+11	242.7 .2525E+09
7	NSOL	961 TEMP	s01i135	158.4	.3156E+11	242.7 .2525E+09
8	NSOL	1386 TEMP	h01i135	159.0	.3156E+11	251.2 .2525E+09
9	NSOL	1338 TEMP	c01i135	159.5	.3156E+11	258.2 .1578E+09
10	NSOL	1290 TEMP	h01o135	158.8	.3156E+11	248.2 .2525E+09
11	NSOL	975 TEMP	s01o135	158.2	.3156E+11	237.4 .2525E+09
12	NSOL	836 TEMP	a01o135	158.2	.3156E+11	237.3 .2525E+09
13	NSOL	712 TEMP	t01i135	158.2	.3156E+11	237.3 .2525E+09
14	NSOL	698 TEMP	t01o135	158.2	.3156E+11	237.1 .2525E+09
15	NSOL	3332 TEMP	g01i135	157.1	.3156E+11	220.8 .6312E+09
16	NSOL	3318 TEMP	g01o135	157.0	.3156E+11	220.2 .9467E+09
17	NSOL	3974 TEMP	m01i135	114.5	.1000E-05	200.3 .1262E+10
18	NSOL	3924 TEMP	m01o135	113.4	.1000E-05	199.8 .1262E+10
19	NSOL	4369 TEMP	i01i135	29.13	.1000E-05	185.2 .1893E+10
20	NSOL	4424 TEMP	i01o135	27.88	.1000E-05	184.8 .1893E+10
21	NSOL	4879 TEMP	o01o135	26.14	.1000E-05	184.3 .1893E+10
22	NSOL	1507 TEMP	c02i135	158.5	.3156E+11	242.4 .2525E+09
23	NSOL	1169 TEMP	c03i135	158.5	.3156E+11	242.5 .2525E+09

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:49:35 APR 02, 1995 CP= 71593.660
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5748 TEMP x01i135	64 TEMP f01i135	171 TEMP f01o135	445 TEMP w01i135	586 TEMP w01o135	961 TEMP s01i135
.10000E-05	198.265	198.266	198.267	198.267	198.269	198.275
.20000E-05	211.149	211.150	211.152	211.152	211.153	211.159
31.558	211.149	211.150	211.152	211.152	211.153	211.159
.31558E+07	222.298	222.286	222.280	222.279	222.280	222.286
.63116E+07	225.709	225.696	225.689	225.688	225.689	225.695
.94673E+07	227.724	227.712	227.704	227.704	227.705	227.710
.12623E+08	229.252	229.239	229.232	229.231	229.232	229.237
.15779E+08	230.454	230.441	230.434	230.433	230.434	230.439
.18935E+08	231.431	231.418	231.410	231.409	231.410	231.416
.22090E+08	232.252	232.239	232.232	232.231	232.232	232.237
.25246E+08	232.962	232.949	232.941	232.940	232.941	232.947
.28402E+08	233.582	233.569	233.561	233.561	233.561	233.567
.31558E+08	234.136	234.123	234.115	234.114	234.115	234.120
.63115E+08	237.392	237.378	237.370	237.369	237.370	237.375

.94673E+08	238.944	238.930	238.922	238.921	238.922	238.927
.12623E+09	240.171	240.158	240.150	240.149	240.149	240.154
.15779E+09	241.411	241.398	241.390	241.389	241.390	241.395
.18935E+09	241.812	241.799	241.791	241.790	241.791	241.795
.22090E+09	242.273	242.259	242.251	242.250	242.251	242.256
.25246E+09	242.677	242.664	242.657	242.656	242.656	242.661
.28402E+09	242.497	242.484	242.476	242.475	242.476	242.480
.31558E+09	242.465	242.453	242.445	242.444	242.445	242.449
.63115E+09	239.244	239.233	239.226	239.225	239.226	239.229
.94673E+09	236.342	236.332	236.326	236.325	236.326	236.329
.12623E+10	231.431	231.422	231.417	231.416	231.417	231.419
.15779E+10	226.100	226.093	226.088	226.087	226.088	226.090
.18935E+10	221.234	221.227	221.222	221.222	221.222	221.224
.22090E+10	216.691	216.684	216.680	216.679	216.680	216.681
.25246E+10	212.187	212.181	212.177	212.177	212.177	212.178
.28402E+10	208.465	208.460	208.456	208.456	208.456	208.457
.31558E+10	205.087	205.082	205.078	205.078	205.078	205.079
.63115E+10	188.671	188.668	188.666	188.665	188.665	188.666
.94673E+10	180.458	180.455	180.454	180.453	180.453	180.454
.12623E+11	175.947	175.944	175.943	175.943	175.943	175.943
.15779E+11	172.981	172.979	172.977	172.977	172.977	172.978
.18935E+11	169.994	169.992	169.991	169.991	169.991	169.991
.22090E+11	166.963	166.961	166.960	166.960	166.960	166.960
.25246E+11	163.850	163.849	163.848	163.848	163.848	163.848
.28402E+11	160.964	160.963	160.962	160.962	160.962	160.962
.31558E+11	158.393	158.392	158.391	158.391	158.391	158.391

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:49:35 APR 02, 1995 CP= 71593.670
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	1386 TEMP h01i135	1338 TEMP c01i135	1290 TEMP h01o135	975 TEMP s01o135	836 TEMP a01o135	712 TEMP t01i135
.10000E-05	210.831	221.299	207.622	192.422	192.378	192.331
.20000E-05	223.170	233.132	219.820	205.093	205.048	205.001
31.558	223.170	233.132	219.820	205.093	205.048	205.001
.31558E+07	233.782	243.264	230.287	216.008	215.963	215.915
.63116E+07	237.010	246.326	233.479	219.367	219.322	219.274
.94673E+07	238.899	248.099	235.360	221.377	221.332	221.284
.12623E+08	240.318	249.424	236.775	222.904	222.859	222.812
.15779E+08	241.435	250.465	237.893	224.113	224.069	224.021
.18935E+08	242.326	251.284	238.787	225.099	225.055	225.008
.22090E+08	243.077	251.970	239.543	225.934	225.890	225.843
.25246E+08	243.713	252.546	240.185	226.657	226.613	226.566
.28402E+08	244.270	253.047	240.750	227.293	227.249	227.203
.31558E+08	244.758	253.481	241.245	227.862	227.818	227.772
.63115E+08	247.533	255.849	244.101	231.278	231.236	231.191
.94673E+08	248.720	256.733	245.374	232.994	232.953	232.909
.12623E+09	249.636	257.391	246.367	234.366	234.326	234.284
.15779E+09	250.616	258.154	247.408	235.723	235.684	235.643
.18935E+09	250.741	258.054	247.615	236.276	236.238	236.198
.22090E+09	250.983	258.118	247.921	236.853	236.816	236.776
.25246E+09	251.183	258.151	248.182	237.370	237.334	237.295
.28402E+09	250.825	257.652	247.886	237.303	237.267	237.229
.31558E+09	250.650	257.361	247.760	237.360	237.325	237.288
.63115E+09	246.073	251.709	243.684	235.037	235.008	234.978
.94673E+09	242.143	246.950	240.133	232.812	232.788	232.762
.12623E+10	236.475	240.675	234.768	228.436	228.415	228.393
.15779E+10	230.525	234.227	229.067	223.543	223.526	223.507
.18935E+10	225.164	228.468	223.902	219.020	219.004	218.988
.22090E+10	220.216	223.192	219.112	214.752	214.738	214.724
.25246E+10	215.383	218.090	214.407	210.473	210.461	210.448

.28402E+10	211.396	213.886	210.520	206.926	206.915	206.903
.31558E+10	207.780	210.075	206.991	203.699	203.689	203.678
.63115E+10	190.292	191.690	189.860	187.911	187.905	187.899
.94673E+10	181.732	182.838	181.409	179.888	179.884	179.879
.12623E+11	177.020	177.954	176.756	175.480	175.476	175.473
.15779E+11	173.918	174.736	173.692	172.580	172.577	172.574
.18935E+11	170.823	171.549	170.627	169.646	169.644	169.641
.22090E+11	167.711	168.366	167.538	166.656	166.653	166.651
.25246E+11	164.528	165.123	164.375	163.578	163.576	163.573
.28402E+11	161.586	162.133	161.448	160.719	160.717	160.715
.31558E+11	158.968	159.474	158.844	158.171	158.169	158.167

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:49:35 APR 02, 1995 CP= 71593.690
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	698 TEMP t01o135	3332 TEMP g01i135	3318 TEMP g01o135	3974 TEMP m01i135	3924 TEMP m01o135	4369 TEMP i01i135
.10000E-05	192.123	166.588	165.541	114.475	113.395	29.1282
.20000E-05	204.794	180.151	179.098	131.092	130.017	60.7787
31.558	204.794	180.151	179.098	131.092	130.017	60.7789
.31558E+07	215.710	191.888	190.836	145.508	144.441	85.0861
.63116E+07	219.069	195.543	194.493	150.033	148.970	92.2785
.94673E+07	221.080	197.792	196.746	152.946	151.888	97.0363
.12623E+08	222.609	199.524	198.482	155.224	154.169	100.712
.15779E+08	223.819	200.904	199.866	157.061	156.011	103.728
.18935E+08	224.806	202.057	201.023	158.638	157.592	106.294
.22090E+08	225.643	203.039	202.009	159.996	158.955	108.543
.25246E+08	226.367	203.906	202.881	161.223	160.186	110.557
.28402E+08	227.004	204.675	203.654	162.321	161.288	112.389
.31558E+08	227.574	205.376	204.358	163.342	162.313	114.077
.63115E+08	231.000	209.797	208.815	170.133	169.140	125.499
.94673E+08	232.725	212.298	211.346	174.393	173.432	132.809
.12623E+09	234.104	214.339	213.414	177.913	176.979	138.770
.15779E+09	235.467	216.253	215.349	181.049	180.139	143.868
.18935E+09	236.027	217.405	216.527	183.467	182.584	148.151
.22090E+09	236.610	218.453	217.595	185.505	184.643	151.622
.25246E+09	237.133	219.414	218.576	187.390	186.548	154.807
.28402E+09	237.070	219.736	218.916	188.500	187.677	156.961
.31558E+09	237.131	220.109	219.303	189.509	188.701	158.810
.63115E+09	234.848	220.751	220.086	195.915	195.252	172.160
.94673E+09	232.653	220.750	220.191	200.069	199.513	180.882
.12623E+10	228.300	218.013	217.536	200.283	199.808	184.078
.15779E+10	223.426	214.457	214.046	199.075	198.667	185.133
.18935E+10	218.917	210.992	210.633	197.445	197.089	185.226
.22090E+10	214.661	207.585	207.269	195.516	195.202	184.656
.25246E+10	210.392	204.008	203.726	193.129	192.848	183.339
.28402E+10	206.853	201.022	200.767	191.092	190.838	182.153
.31558E+10	203.632	198.293	198.062	189.204	188.973	181.017
.63115E+10	187.873	184.709	184.577	179.320	179.189	174.436
.94673E+10	179.859	177.387	177.287	173.162	173.062	169.293
.12623E+11	175.456	173.380	173.297	169.828	169.745	166.559
.15779E+11	172.560	170.751	170.679	167.652	167.581	164.791
.18935E+11	169.628	168.032	167.969	165.293	165.231	162.751
.22090E+11	166.640	165.203	165.147	162.735	162.679	160.432
.25246E+11	163.563	162.265	162.215	160.029	159.979	157.930
.28402E+11	160.706	159.518	159.473	157.468	157.423	155.530
.31558E+11	158.159	157.062	157.021	155.167	155.126	153.366

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:49:35 APR 02, 1995 CP= 71593.700

FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4424 TEMP	4879 TEMP	1507 TEMP	1169 TEMP
	i01o135	o01o135	c02i135	c03i135
.10000E-05	27.8831	26.1380	200.251	200.546
.20000E-05	59.5329	57.8180	212.496	212.789
31.558	59.5329	57.8180	212.496	212.789
.31558E+07	83.8443	82.1505	223.041	223.231
.63116E+07	91.0387	89.3530	226.248	226.431
.94673E+07	95.8053	94.1260	228.157	228.337
.12623E+08	99.4901	97.8187	229.605	229.781
.15779E+08	102.516	100.850	230.753	230.927
.18935E+08	105.088	103.431	231.678	231.850
.22090E+08	107.346	105.694	232.462	232.631
.25246E+08	109.367	107.723	233.135	233.302
.28402E+08	111.205	109.567	233.727	233.892
.31558E+08	112.900	111.269	234.251	234.415
.63115E+08	124.378	122.804	237.345	237.494
.94673E+08	131.734	130.209	238.825	238.964
.12623E+09	137.734	136.252	239.995	240.129
.15779E+09	142.864	141.416	241.183	241.312
.18935E+09	147.181	145.775	241.562	241.685
.22090E+09	150.679	149.304	242.002	242.120
.25246E+09	153.890	152.545	242.391	242.505
.28402E+09	156.066	154.750	242.214	242.325
.31558E+09	157.933	156.640	242.183	242.292
.63115E+09	171.450	170.381	239.045	239.130
.94673E+09	180.291	179.391	236.208	236.276
.12623E+10	183.574	182.805	231.390	231.448
.15779E+10	184.701	184.039	226.142	226.190
.18935E+10	184.848	184.271	221.335	221.377
.22090E+10	184.323	183.813	216.837	216.872
.25246E+10	183.042	182.588	212.371	212.402
.28402E+10	181.884	181.474	208.674	208.701
.31558E+10	180.772	180.400	205.311	205.334
.63115E+10	174.297	174.086	188.889	188.900
.94673E+10	169.186	169.026	180.662	180.670
.12623E+11	166.470	166.336	176.134	176.140
.15779E+11	164.714	164.598	173.153	173.159
.18935E+11	162.684	162.583	170.156	170.160
.22090E+11	160.371	160.281	167.116	167.120
.25246E+11	157.875	157.795	163.997	164.000
.28402E+11	155.480	155.408	161.105	161.109
.31558E+11	153.321	153.254	158.529	158.532

***** ROUTINE COMPLETED ***** CP = 71593.700

 End of batch input file

PURGE ALL SOLUTION AND POST DATA
 SAVE ALL MODEL DATA

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12x3.db
 FOR POSSIBLE RESUME FROM THIS POINT

NUMBER OF WARNING MESSAGES ENCOUNTERED= 42
 NUMBER OF ERROR MESSAGES ENCOUNTERED= 0

```
*-----*
                ANSYS RUN COMPLETED
-----*
                REV. 5.0 A                      HP 9000/7XX
CP TIME      (sec) =      71597.990      TIME = 17:49:39
ELAPSED TIME (sec) =      75953.000      DATE  = 04/02/95
*-----*
```

WELCOME TO THE ANSYS PROGRAM

***** ANSYS COMMAND LINE ARGUMENTS *****

JOB NAME = ma12x2
 MEMORY REQUESTED (MB) = 64.0
 BATCH MODE REQUESTED
 start.ans FILE

***** ANSYS DYNAMIC MEMORY ALLOCATION *****

WORK SPACE REQUESTED	=	16777216	64.000 MB	COMMAND LINE
MINIMUM WORK SPACE REQUIRED	=	4718592	18.000 MB	
MINIMUM WORK SPACE RECOMMENDED	=	6702496	25.568 MB	
WORK SPACE OBTAINED	=	16777214	64.000 MB	
BYTES PER WORD	=	4		

***** NOTICE ***** THIS IS THE ANSYS GENERAL PURPOSE
 FINITE ELEMENT COMPUTER PROGRAM. NEITHER SWANSON ANALYSIS
 SYSTEMS, INC. NOR THE DISTRIBUTOR SUPPLYING THIS PROGRAM
 ASSUME ANY RESPONSIBILITY FOR THE VALIDITY, ACCURACY, OR
 APPLICABILITY OF ANY RESULTS OBTAINED FROM THE ANSYS SYSTEM.
 USERS MUST VERIFY THEIR OWN RESULTS.

ANSYS(R) COPYRIGHT(C) 1971,1978,1982,1983,1985,1987,1989,1992,1993
 BY SWANSON ANALYSIS SYSTEMS, INC. AS AN UNPUBLISHED WORK.
 PROPRIETARY DATA - UNAUTHORIZED USE, DISTRIBUTION, OR DUPLICATION
 IS PROHIBITED. ALL RIGHTS RESERVED.

SWANSON ANALYSIS SYSTEMS, INC. IS ENDEAVORING TO MAKE THE
 ANSYS PROGRAM AS COMPLETE, ACCURATE, AND EASY TO USE AS
 POSSIBLE. SUGGESTIONS AND COMMENTS ARE WELCOMED. ANY
 ERRORS ENCOUNTERED IN EITHER THE DOCUMENTATION OR THE
 RESULTS SHOULD BE IMMEDIATELY BROUGHT TO OUR ATTENTION.

ENTER /SHOW,device TO SET THE GRAPHICS DISPLAY TO device(e.g. X11,4207,ETC.)
 ENTER /MENU,ON TO START THE ANSYS MENU SYSTEM
 ENTER HELP FOR GENERAL ANSYS HELP INFORMATION

```

1 /COM, *****
2 /COM, ANSYS REVISION 5.0A 3/31/1995
3 /COM, 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III
4 /COM, *****
5 /COM, *
6 /COM, * File name: ma12x2.inp
7 /COM, * 12 PWR MPC with High T.L. Disposal Container
8 /COM, * Helium Fill Gas
9 /COM, *
10 /COM, * Material Property file: props01.dat
11 /COM, *
12 /COM, * SNF Conductivity file: pwr15e.parm
13 /COM, * 15x15 Mark-B4 PWR SNF Assembly
14 /COM, *
15 /COM, * SNF Heat Loads file: snf2040.dat
16 /COM, * SNF Type: 20 years old, 40 GWD/MTU
17 /COM, *
18 /COM, * Surface Temp. file: c12x5a.parm
    
```

```

19 /COM, *      100 MTU/acre (24.7 kgU/m^2) AML (High Thermal Loading) *
20 /COM, *      5.0 m Diameter Drift with Concrete Invert *
21 /COM, *      Drift spacing = 22.5 m *
22 /COM, *      WP c/c spacing = 9.237 m *
23 /COM, *
24 /COM, *****
25 /COM, Increase the number of database pages from 16 (256) to 32 Mb
26 /CONFIG,nvpag,512,
27 /COM, Work space must also be increased (-m 64)
28 /COM, *****
29 /TITLE, 12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF
30 /UNITS,SI,
31 /COM, *****
32 /COM, Read in average effective conductivities from SNF model
33 PARRES,CHANGE,pwr15e,parm,
34 /COM, Read in surface temps. from repository model
35 PARRES,CHANGE,c12x5a,parm,
36 /COM, *****
37 /COM, Define MPC/waste package parameters
38 /COM, (MPC dimensions converted from inches to meters)
39 /COM, MIRAD = inner radius of MPC shell (m)
40 /COM, MWALL = MPC shell thickness (m)
41 /COM, DCRAD = disposal container outer radius (m)
42 /COM, OWALL = outer barrier thickness (m)
43 /COM, IWALL = inner barrier thickness (m)
44 /COM, GCORN = corner guide width (m)
45 /COM, GLENW = side guide total width (m)
46 /COM, GLENH = side guide total height (m)
47 /COM, GWALL = guide thickness (m)
48 /COM, HCELL = 1/2 of basket cell opening (m)
49 /COM, SWALL = stainless tube thickness (m)
50 /COM, AWALL = Al/boron tube thickness (m)
51 /COM, FLENT = flux trap plate length (m)
52 /COM, FWALL = flux trap plate stainless thickness (m)
53 /COM, BWALL = flux trap plate Al/boron thickness (m)
54 /COM, TWALL = flux trap plate SS sheath thickness (m)
55 /COM, FSPAC = flux trap plate spacer width (m)
56 /COM, TSPAC = tube/tube spacer width (m)
57 /COM, ACTVL = active fuel length
58 /COM, PEAKF = assembly heat axial peaking factor
59 PI=3.141592654
60 MIRAD=47.870*2.54/100.0/2.0
61 MWALL=0.8750*2.54/100.0
62 DCRAD=1.5305/2.0
63 OWALL=0.1000
64 IWALL=0.0200
65 GCORN=10.086*2.54/100.0
66 GLENW=8.4340*2.54/100.0
67 GLENH=2.4960*2.54/100.0
68 GWALL=0.3750*2.54/100.0
69 HCELL=9.0000*2.54/100.0/2.0
70 SWALL=0.0940*2.54/100.0
71 AWALL=0.1070*2.54/100.0
72 FLENT=23.164*2.54/100.0
73 FWALL=0.5000*2.54/100.0
74 BWALL=0.2500*2.54/100.0
75 TWALL=0.0940*2.54/100.0
76 FSPAC=1.0000*2.54/100.0
77 TSPAC=0.9860*2.54/100.0
78 ACTVL=141.80*2.54/100.0
79 PEAKF=1.25
80 /COM, Define calculated parameters
81 /COM, ASSY = assembly heat production (W) f(yrs)
82 /COM, FUEL = volumetric heat production (W/m3) f(yrs)
83 /COM, FVOLL = assy_volume=cell_width^2*active_length
84 /COM, Q2 = side guide x coord. (see sketch)
85 /COM, GX## = x coord. of guide/shell contact (kp##)
86 /COM, GY## = y coord. of guide/shell contact (kp##)
87 /COM, ACX# = x coord. of center of assembly #
88 /COM, ACY# = y coord. of center of assembly #

```

```

89 /COM, TM_START = start time (sec)
90 /COM, TMI* = time increment for solution (sec)
91 /COM, TME* = start and stop for time do-loops (sec)
92 /COM, Note: 1 year = 3.15576e7 seconds
93 /COM, QCELL = 1/4 of basket cell opening (m)
94 /COM, SCELL = 1/2 of basket cell opening+SS wall(m)
95 /COM, ACELL = 1/2 of basket cell opening+SS+AL (m)
96 /COM, MI45 = x coord. MIRAD at 45 deg.
97 /COM, MO45 = x coord. MIRAD+MWALL at 45 deg.
98 /COM, DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
99 /COM, DM45 = x coord. DCRAD-OWALL at 45 deg.
100 /COM, DO45 = x coord. DCRAD at 45 deg.
101 /COM, TMTMAX = time of maximum cladding temperature
102 *SET,ASSY,
103 *DIM,ASSY, TABLE,101,1,
104 *DIM,FUEL, TABLE,101,1
105 FVOLUME=4*HCELL*HCELL*ACTVL
106 Q2=1.969344*2.54/100.0
107 GX22=Q2-GWALL
108 GY22=SQRT(MIRAD*MIRAD-GX22*GX22)
109 GX23=Q2
110 GY23=SQRT(MIRAD*MIRAD-GX23*GX23)
111 GX24=Q2+GLENW-GWALL
112 GY24=SQRT(MIRAD*MIRAD-GX24*GX24)
113 GTMP=GCORN-GWALL
114 GX25=(SQRT(MIRAD*MIRAD-GTMP*GTMP/2.0)-GTMP/SQRT(2.0))/(SQRT(2.0))
115 GY25=SQRT(MIRAD*MIRAD-GX25*GX25)
116 ACX1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
117 ACY1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
118 ACX2=ACX1+2.0*(HCELL+SWALL+AWALL+SWALL)+TSPAC
119 ACY2=ACY1
120 ACX3=ACX1
121 ACY3=ACY2
122 TM_START=(1.0E-6)*(3.15576E7)
123 TMI0=0.1*3.15576E7
124 TMI1=1.0*3.15576E7
125 TMI10=10.0*3.15576E7
126 TMI100=100.0*3.15576E7
127 TMI1000=1000.0*3.15576E7
128 TME0=0.9*3.15576E7+TM_START
129 TME1=TMI1+TM_START
130 TME9=9.0*3.15576E7+TM_START
131 TME10=TMI10+TM_START
132 TME50=50.0*3.15576E7+TM_START
133 TME90=90.0*3.15576E7+TM_START
134 TME100=TMI100+TM_START
135 TME1000=TMI1000+TM_START
136 BCELL=FWALL+BWALL
137 QCELL=HCELL/2.0
138 SCELL=HCELL+SWALL
139 ACELL=HCELL+SWALL+AWALL
140 TCELL=HCELL+SWALL+AWALL+SWALL
141 MI45=MIRAD/SQRT(2.0)
142 MO45=(MIRAD+MWALL)/SQRT(2.0)
143 DI45=(DCRAD-OWALL-IWALL)/SQRT(2.0)
144 DM45=(DCRAD-OWALL)/SQRT(2.0)
145 DO45=DCRAD/SQRT(2.0)
146 /COM, *****
147 /COM, Define different element types
148 /PREP7
149 ETYPE
150 ET, 1,55,
151 ET, 2,70,
152 ET, 7,32,
153 ET, 16,57,
154 ET, 17,32,
155 ET, 18,50,1,
156 ET, 19,31,
157 ET, 27,32,
158 /COM, *****

```



```

159 /COM,          File props01.dat describes material properties
160 /COM,          and thier reference numbers
161 MPREAD,props01,dat,
162 /COM,          Read in single assembly heat loads
163 /COM,          Calculate the volumetric heat generation
164 /COM,          (Assembly time is in years, FUEL is in seconds)
165 /INPUT,snf2040,dat
166 *VFACT,3.15576E7,
167 *MFUN,FUEL(1,0),COPY,ASSY(1,0),
168 *VFACT,(PEAKF/FVOLUME),
169 *VFUN,FUEL(1),COPY,ASSY(1),
170 FUEL(0,1)=1.0
171 /COM,          *****
172 /COM,          Define new material 14 for SNF effective conductivity
173 /COM,          Density:      DENS      (kg/m^3)
174 /COM,          Conductivity: KXX      (W/m/K)
175 /COM,          Specific Heat: C      (J/kg/K)
176 MPTEMP
177 MPTEMP, 1, .00000E+00,
178 MPDATA,DENS,14, 1, .396004E+04,
179 MPDATA, C,14, 1, .27400E+03,
180 /COM,          Store average effective conductivities
181 IINC=1
182 TBSKT=25.0
183 MPTEMP
184 MPTEMP,IINC,TBSKT,
185 IINC=IINC+1
186 *DO,TBSKT,50.0,400.0,50.0,
187     MPTEMP,IINC,TBSKT,
188     IINC=IINC+1
189 *ENDDO
190 IINC=1
191 TBSKT=25.0
192 MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
193 IINC=IINC+1
194 *DO,TBSKT,50.0,400.0,50.0,
195     MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
196     IINC=IINC+1
197 *ENDDO
198 /COM,          *****
199 /COM,          Construct geometry for Disposal Container
200 /COM,
201 /COM,          Define center and axis keypoints for waste package
202 /COM,          Also, create placeholder keypoints and lines
203 /COM,          (K's 1,2,3,4,5,6,7,8)
204 /COM,          (L's 1,2,3,4)
205 K,1,0.0,0.0,0.0,
206 K,2,0.0,0.0,0.0,1.0,
207 K,3,0.0,0.0,0.0,1.3,
208 K,4,0.0,0.0,0.0,1.4,
209 K,5,0.0,0.0,0.0,1.5,
210 K,6,0.0,0.0,0.0,1.6,
211 K,7,0.0,0.0,0.0,1.7,
212 K,8,0.0,0.0,0.0,1.8,
213 L,3,4,
214 L,4,5,
215 L,5,6,
216 L,6,7,
217 /COM,          Define disposal container and MPC outer radius
218 /COM,          (K's 9,10,11,12,13,14,15,16,17,18,19,20)
219 /COM,          (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
220 /COM,          (A's 1,2,3,4,5,6)
221 K, 9,          0.0,          (0.0-DCRAD),0.0,
222 K,10,          DCRAD,          0.0,0.0,
223 K,11,          0.0,          DCRAD,0.0,
224 K,12,          0.0,          (OWALL-DCRAD),0.0,
225 K,13,          (DCRAD-OWALL),          0.0,0.0,
226 K,14,          0.0,          (DCRAD-OWALL),0.0,
227 K,15,          0.0,(OWALL+IWALL-DCRAD),0.0,
228 K,16,(DCRAD-OWALL-IWALL),          0.0,0.0,

```

```

229 K,17, 0.0,(DCRAD-OWALL-IWALL),0.0,
230 K,18, 0.0, (0.0-MIRAD-MWALL),0.0,
231 K,19, (MIRAD+MWALL), 0.0,0.0,
232 K,20, 0.0, (MIRAD+MWALL),0.0,
233 L,10,13,
234 L,13,16,
235 LARC,10, 9,1, DCRAD,
236 LARC,11,10,1, DCRAD,
237 LARC,13,12,1, (DCRAD-OWALL),
238 LARC,14,13,1, (DCRAD-OWALL),
239 L,11,14,
240 L, 9,12,
241 LARC,15,16,1,(DCRAD-OWALL-IWALL),
242 LARC,16,17,1,(DCRAD-OWALL-IWALL),
243 L,14,17,
244 L,12,15,
245 LARC,19,18,1, (MIRAD+MWALL),
246 LARC,20,19,1, (MIRAD+MWALL),
247 L,17,20,
248 L,15,18,
249 L,16,19,
250 AL, 5, 7,12, 9,
251 AL,11, 8, 5,10,
252 AL, 6, 9,16,13,
253 AL,15,10, 6,14,
254 AL,21,13,20,17,
255 AL,19,14,21,18,
256 /COM, *****
257 /COM, Define MPC shell inner edge and area
258 /COM, (K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
259 /COM, ( 38,39)
260 /COM, (L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
261 /COM, ( 39,40,41,42)
262 /COM, (A's 7,8)
263 K,21, 0.0, MIRAD,0.0,
264 K,22, GX22, GY22,0.0,
265 K,23, GX23, GY23,0.0,
266 K,24, GX24, GY24,0.0,
267 K,25, GX25, GY25,0.0,
268 K,26, GY25, GX25,0.0,
269 K,27, GY24, GX24,0.0,
270 K,28, GY23, GX23,0.0,
271 K,29, GY22, GX22,0.0,
272 K,30,MIRAD, 0.0,0.0,
273 K,31, GY22, (0.0-GX22),0.0,
274 K,32, GY23, (0.0-GX23),0.0,
275 K,33, GY24, (0.0-GX24),0.0,
276 K,34, GY25, (0.0-GX25),0.0,
277 K,35, GX25, (0.0-GY25),0.0,
278 K,36, GX24, (0.0-GY24),0.0,
279 K,37, GX23, (0.0-GY23),0.0,
280 K,38, GX22, (0.0-GY22),0.0,
281 K,39, 0.0,(0.0-MIRAD),0.0,
282 L,20,21,
283 LARC,22,21,1,MIRAD,
284 LARC,23,22,1,MIRAD,
285 LARC,24,23,1,MIRAD,
286 LARC,25,24,1,MIRAD,
287 LARC,26,25,1,MIRAD,
288 LARC,27,26,1,MIRAD,
289 LARC,28,27,1,MIRAD,
290 LARC,29,28,1,MIRAD,
291 LARC,30,29,1,MIRAD,
292 LARC,31,30,1,MIRAD,
293 LARC,32,31,1,MIRAD,
294 LARC,33,32,1,MIRAD,
295 LARC,34,33,1,MIRAD,
296 LARC,35,34,1,MIRAD,
297 LARC,36,35,1,MIRAD,
298 LARC,37,36,1,MIRAD,

```

```

299 LARC,38,37,1,MIRAD,
300 LARC,39,38,1,MIRAD,
301 L,18,39,
302 L,19,30,
303 LSEL,S,LINE,,32,42,1,
304 LSEL,A,LINE,,17,
305 AL,ALL,
306 LSEL,S,LINE,,22,31,1,
307 LSEL,A,LINE,,18,
308 LSEL,A,LINE,,42,
309 AL,ALL,
310 LSEL,ALL,
311 /COM, *****
312 /COM, Define tube guides
313 /COM, (K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)
314 /COM, ( 57,58,59)
315 /COM, (L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)
316 /COM, ( 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
317 /COM, ( 77,78,79,80)
318 /COM, (A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)
319 /COM, ( 26)
320 /COM,
321 /COM, top
322 K,40, GX23, GY24,0.0,
323 K,41, GX22,(GY24-GWALL),0.0,
324 K,42, GX24,(GY24-GWALL),0.0,
325 K,43,(GX25-GWALL), GY25,0.0,
326 K,44, GX25, GX25,0.0,
327 K,45,(GX25-GWALL),(GX25-GWALL),0.0,
328 K,46, GY25,(GX25-GWALL),0.0,
329 /COM, side
330 K,47,(GY24-GWALL), GX24,0.0,
331 K,48, GY24, GX23,0.0,
332 K,49,(GY24-GWALL), GX22,0.0,
333 K,50,(GY24-GWALL), (0.0-GX22),0.0,
334 K,51, GY24, (0.0-GX23),0.0,
335 K,52,(GY24-GWALL), (0.0-GX24),0.0,
336 /COM, bottom
337 K,53, GY25,(GWALL-GX25),0.0,
338 K,54,(GX25-GWALL),(GWALL-GX25),0.0,
339 K,55, GX25, (0.0-GX25),0.0,
340 K,56,(GX25-GWALL), (0.0-GY25),0.0,
341 K,57, GX24,(GWALL-GY24),0.0,
342 K,58, GX22,(GWALL-GY24),0.0,
343 K,59, GX23, (0.0-GY24),0.0,
344 /COM, top
345 L,41,22,
346 L,40,41,
347 L,40,24,
348 L,42,41,
349 L,24,42,
350 L,43,25,
351 L,45,43,
352 L,25,44,
353 L,44,45,
354 L,44,26,
355 L,46,45,
356 L,26,46,
357 /COM, side
358 L,47,27,
359 L,49,47,
360 L,27,48,
361 L,48,49,
362 L,48,28,
363 L,29,49,
364 L,50,31,
365 L,32,51,
366 L,50,51,
367 L,52,50,
368 L,51,33,

```

```

369 L,33,52,
370 /COM,          bottom
371 L,53,34,
372 L,54,53,
373 L,34,55,
374 L,54,55,
375 L,56,54,
376 L,55,35,
377 L,35,56,
378 L,57,36,
379 L,58,57,
380 L,36,59,
381 L,58,59,
382 L,38,58,
383 L,59,37,
384 L,23,40,
385 /COM,          air
386 AL,80,45,25,
387 AL,50,52,27,
388 AL,57,59,29,
389 AL,62,65,34,
390 AL,69,72,36,
391 AL,76,79,38,
392 /COM,          guides
393 AL,24,43,44,80,
394 AL,45,44,46,47,
395 AL,48,49,51,50,
396 AL,52,51,53,54,
397 AL,55,56,58,57,
398 AL,59,58,60,30,
399 AL,61,63,62,33,
400 AL,63,64,66,65,
401 AL,68,70,69,67,
402 AL,70,71,73,72,
403 AL,75,77,76,74,
404 AL,77,78,39,79,
405 /COM,          *****
406 /COM,          Define top half tubes and flux trap plate
407 /COM,          (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
408 /COM,          ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
409 /COM,          ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
410 /COM,          ( 108,109,110,111,112,113,114,115,116,117,118,119)
411 /COM,          ( 120,121,122,123,124,125,126,127,128,129,130,131)
412 /COM,          ( 132,133,134,135,136,137,138,139,140,141,142,143)
413 /COM,          ( 144,145,146,147,148,149,150,151,152,153,154,155)
414 /COM,          ( 156,157,158,159,160,161,162,163,164,165,166,167)
415 /COM,          (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
416 /COM,          ( 98,99,100,101,102,103,104,105,106,107,108,109,110)
417 /COM,          ( 111,112,113,114,115,116,117,118,119,120,121,122)
418 /COM,          ( 123,124,125,126,127,128,129,130,131,132,133,134)
419 /COM,          ( 135,136,137,138,139,140,141,142,143,144,145,146)
420 /COM,          ( 147,...)
421 /COM,          (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
422 /COM,          ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
423 /COM,          ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
424 /COM,          ( 78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
425 /COM,          ( 95,96,97,98,99,100,101,102,103)
426 K, 60,          0.0,          (FSPAC/2.0),0.0,
427 K, 61,          0.0,          (1.5*FSPAC),0.0,
428 K, 62,          0.0,          (ACY1-FSPAC/2.0),0.0,
429 K, 63,          0.0,          (ACY1+FSPAC/2.0),0.0,
430 K, 64,          0.0,          (ACY1+HCELL+SWALL),0.0,
431 K, 65,          0.0,(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
432 K, 66,          0.0,(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
433 K, 67,          0.0,          (ACY3-HCELL-SWALL),0.0,
434 K, 68,          0.0,          (ACY3-FSPAC/2.0),0.0,
435 K, 69,          0.0,          (ACY3+FSPAC/2.0),0.0,
436 K, 70,          0.0,          (ACY3+HCELL+SWALL),0.0,
437 K, 71,          0.0,          (ACY3+HCELL+SWALL+FSPAC),0.0,
438 K, 72,          0.0,          (FSPAC/2.0+FLENT),0.0,

```

439	K, 73,	(FSPAC/2.0),	(FSPAC/2.0),0.0,
440	K, 74,	(FSPAC/2.0),	(1.5*FSPAC),0.0,
441	K, 75,	(FSPAC/2.0),	(ACY1-FSPAC/2.0),0.0,
442	K, 76,	(FSPAC/2.0),	(ACY1+FSPAC/2.0),0.0,
443	K, 77,	(FSPAC/2.0),	(ACY1+HCELL+SWALL),0.0,
444	K, 78,	(FSPAC/2.0),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
445	K, 79,	(FSPAC/2.0),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
446	K, 80,	(FSPAC/2.0),	(ACY3-HCELL-SWALL),0.0,
447	K, 81,	(FSPAC/2.0),	(ACY3-FSPAC/2.0),0.0,
448	K, 82,	(FSPAC/2.0),	(ACY3+FSPAC/2.0),0.0,
449	K, 83,	(FSPAC/2.0),	(ACY3+HCELL+SWALL),0.0,
450	K, 84,	(FSPAC/2.0),	(ACY3+HCELL+SWALL+FSPAC),0.0,
451	K, 85,	(FSPAC/2.0),	(FSPAC/2.0+FLENT),0.0,
452	K, 86,	(FSPAC/2.0+FWALL),	(FSPAC/2.0+FWALL),0.0,
453	K, 87,	(FSPAC/2.0+FWALL),	(ACY1+HCELL+SWALL),0.0,
454	K, 88,	(FSPAC/2.0+FWALL),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
455	K, 89,	(FSPAC/2.0+FWALL),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
456	K, 90,	(FSPAC/2.0+FWALL),	(ACY3-HCELL-SWALL),0.0,
457	K, 91,	(FSPAC/2.0+FWALL),	(ACY3+HCELL+SWALL),0.0,
458	K, 92,	(FSPAC/2.0+FWALL),	(FSPAC/2.0+FLENT),0.0,
459	K, 93,	(1.5*FSPAC),	(FSPAC/2.0),0.0,
460	K, 94,	(FSPAC/2.0+FWALL+BWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
461	K, 95,	(FSPAC/2.0+FWALL+BWALL),	(ACY1+HCELL+SWALL),0.0,
462	K, 96,	(FSPAC/2.0+FWALL+BWALL),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
463	K, 97,	(FSPAC/2.0+FWALL+BWALL),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
464	K, 98,	(FSPAC/2.0+FWALL+BWALL),	(ACY3-HCELL-SWALL),0.0,
465	K, 99,	(FSPAC/2.0+FWALL+BWALL),	(ACY3+HCELL+SWALL),0.0,
466	K, 100,	(FSPAC/2.0+FWALL+BWALL),	(FSPAC/2.0+FLENT),0.0,
467	K, 101,	(ACX1-HCELL-SWALL),	(ACY1-HCELL-SWALL),0.0,
468	K, 102,	(ACX1-HCELL-SWALL),	(ACY1+HCELL+SWALL),0.0,
469	K, 103,	(ACX1-HCELL-SWALL),	(ACY1+HCELL+SWALL+AWALL),0.0,
470	K, 104,	(ACX1-HCELL-SWALL),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
471	K, 105,	(ACX3-HCELL-SWALL),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
472	K, 106,	(ACX3-HCELL-SWALL),	(ACY3-HCELL-SWALL-AWALL),0.0,
473	K, 107,	(ACX3-HCELL-SWALL),	(ACY3-HCELL-SWALL),0.0,
474	K, 108,	(ACX3-HCELL-SWALL),	(ACY3+HCELL+SWALL),0.0,
475	K, 109,	(ACX3-HCELL-SWALL),	(FSPAC/2.0+FLENT),0.0,
476	K, 110,	(ACX1-HCELL),	(ACY1-HCELL),0.0,
477	K, 111,	(ACX1-HCELL),	(ACY1+HCELL),0.0,
478	K, 112,	(ACX3-HCELL),	(ACY3-HCELL),0.0,
479	K, 113,	(ACX3-HCELL),	(ACY3+HCELL),0.0,
480	K, 114,	(ACX1-FSPAC/2.0),	(FSPAC/2.0),0.0,
481	K, 115,	(ACX1+FSPAC/2.0),	(FSPAC/2.0),0.0,
482	K, 116,	(ACX1+HCELL),	(ACY1-HCELL),0.0,
483	K, 117,	(ACX1+HCELL),	(ACY1+HCELL),0.0,
484	K, 118,	(ACX3+HCELL),	(ACY3-HCELL),0.0,
485	K, 119,	(ACX3+HCELL),	(ACY3+HCELL),0.0,
486	K, 120,	(ACX1+HCELL+SWALL),	(FSPAC/2.0),0.0,
487	K, 121,	(ACX1+HCELL+SWALL),	(FSPAC/2.0+FWALL),0.0,
488	K, 122,	(ACX1+HCELL+SWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
489	K, 123,	(ACX1+HCELL+SWALL),	(ACY1-HCELL-SWALL),0.0,
490	K, 124,	(ACX1+HCELL+SWALL),	(ACY1+HCELL+SWALL),0.0,
491	K, 125,	(ACX3+HCELL+SWALL),	(ACY3-HCELL-SWALL),0.0,
492	K, 126,	(ACX3+HCELL+SWALL),	(ACY3+HCELL+SWALL),0.0,
493	K, 127,	(ACX1+HCELL+SWALL+AWALL),	(ACY1-HCELL-SWALL),0.0,
494	K, 128,	(ACX1+HCELL+SWALL+AWALL),	(ACY1+HCELL+SWALL+AWALL),0.0,
495	K, 129,	(ACX3+HCELL+SWALL+AWALL),	(ACY3-HCELL-SWALL-AWALL),0.0,
496	K, 130,	(ACX3+HCELL+SWALL+AWALL),	(ACY3+HCELL+SWALL),0.0,
497	K, 131,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0),0.0,
498	K, 132,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0+FWALL),0.0,
499	K, 133,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
500	K, 134,	(ACX1+HCELL+2.0*SWALL+AWALL),	(ACY1-HCELL-SWALL),0.0,
501	K, 135,	(ACX1+HCELL+2.0*SWALL+AWALL),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
502	K, 136,	(ACX3+HCELL+2.0*SWALL+AWALL),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
503	K, 137,	(ACX3+HCELL+2.0*SWALL+AWALL),	(ACY3+HCELL+SWALL),0.0,
504	K, 138,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0),0.0,
505	K, 139,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0+FWALL),0.0,
506	K, 140,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
507	K, 141,	(ACX2-HCELL-2.0*SWALL-AWALL),	(ACY2-HCELL-SWALL),0.0,
508	K, 142,	(ACX2-HCELL-2.0*SWALL-AWALL),	(ACY2+HCELL+2.0*SWALL+AWALL),0.0,

```

509 K,143, (ACX2-HCELL-SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
510 K,144, (ACX2-HCELL-SWALL-AWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
511 K,145, (ACX2-HCELL-SWALL), (FSPAC/2.0),0.0,
512 K,146, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL),0.0,
513 K,147, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
514 K,148, (ACX2-HCELL-SWALL), (ACY2-HCELL-SWALL),0.0,
515 K,149, (ACX2-HCELL-SWALL), (ACY1+HCELL+SWALL),0.0,
516 K,150, (ACX2-HCELL), (ACY2-HCELL),0.0,
517 K,151, (ACX2-HCELL), (ACY2+HCELL),0.0,
518 K,152, (ACX2-FSPAC/2.0), (FSPAC/2.0),0.0,
519 K,153, (ACX2+FSPAC/2.0), (FSPAC/2.0),0.0,
520 K,154, (ACX2+HCELL), (ACY2-HCELL),0.0,
521 K,155, (ACX2+HCELL), (ACY2+HCELL),0.0,
522 K,156, (ACX2+HCELL+SWALL), (FSPAC/2.0),0.0,
523 K,157, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
524 K,158, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
525 K,159, (ACX2+HCELL+SWALL), (ACY2-HCELL-SWALL),0.0,
526 K,160, (ACX2+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
527 K,161, (ACX2+HCELL+SWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
528 K,162, (ACX2+HCELL+SWALL), (ACY2+HCELL+2.0*SWALL+AWALL),0.0,
529 K,163, (ACX2+HCELL+SWALL+FSPAC), (FSPAC/2.0),0.0,
530 K,164, (FSPAC/2.0+FLENT), (FSPAC/2.0),0.0,
531 K,165, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL),0.0,
532 K,166, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL+BWALL),0.0,
533 K,167, (FSPAC/2.0+FLENT), (ACY2-HCELL-SWALL),0.0,
534 /COM, create lines on perimeter and for lesize
535 L, 73, 60,
536 L, 73, 74,
537 L, 61, 74,
538 L, 74, 75,
539 L, 75, 62,
540 L, 75, 76,
541 L, 63, 76,
542 L, 76, 77,
543 L, 77, 78,
544 L, 78, 65,
545 L, 78, 79,
546 L, 66, 79,
547 L, 79, 80,
548 L, 80, 81,
549 L, 81, 68,
550 L, 81, 82,
551 L, 69, 82,
552 L, 82, 83,
553 L, 83, 70,
554 L, 83, 84,
555 L, 71, 84,
556 L, 84, 85,
557 L, 85, 92,
558 L, 92, 100,
559 L, 100, 109,
560 L, 109, 108,
561 L, 108, 126,
562 L, 126, 130,
563 L, 130, 137,
564 L, 137, 136,
565 L, 136, 105,
566 L, 112, 107,
567 L, 107, 106,
568 L, 106, 105,
569 L, 105, 104,
570 L, 104, 103,
571 L, 103, 102,
572 L, 102, 111,
573 L, 106, 115,
574 L, 135, 134,
575 L, 123, 127,
576 L, 127, 134,
577 L, 134, 141,
578 L, 141, 143,

```

579 L,143,148,
 580 L,148,150,
 581 L,141,142,
 582 L,142,162,
 583 L,162,161,
 584 L,161,160,
 585 L,160,159,
 586 L,159,167,
 587 L,167,166,
 588 L,166,165,
 589 L,165,164,
 590 L,164,163,
 591 L,163,156,
 592 L,156,153,
 593 L,153,152,
 594 L,152,145,
 595 L,145,138,
 596 L,138,131,
 597 L,131,120,
 598 L,120,115,
 599 L,115,114,
 600 L,114, 93,
 601 L, 93, 73,
 602 /COM, tube spacers
 603 A, 71, 84, 83, 70,
 604 A, 69, 82, 81, 68,
 605 A, 66, 79, 78, 65,
 606 A, 63, 76, 75, 62,
 607 A, 61, 74, 73, 60,
 608 /COM, flux trap plate (stainless)
 609 A, 85, 92, 91, 83, 84,
 610 A, 83, 91, 90, 80, 81, 82,
 611 A, 80, 90, 89, 79,
 612 A, 79, 89, 88, 78,
 613 A, 78, 88, 87, 77,
 614 A, 77, 87, 86, 73, 74, 75, 76,
 615 A, 86,121,120,115,114, 93, 73,
 616 A,121,132,131,120,
 617 A,132,139,138,131,
 618 A,139,146,145,138,
 619 A,146,157,156,153,152,145,
 620 A,157,165,164,163,156,
 621 /COM, flux trap plate (Al/boron)
 622 A, 92,100, 99, 91,
 623 A, 91, 99, 98, 90,
 624 A, 90, 98, 97, 89,
 625 A, 89, 97, 96, 88,
 626 A, 88, 96, 95, 87,
 627 A, 87, 95, 94, 86,
 628 A, 94,122,121, 86,
 629 A,122,133,132,121,
 630 A,133,140,139,132,
 631 A,140,147,146,139,
 632 A,147,158,157,146,
 633 A,158,166,165,157,
 634 /COM, flux trap plate (sheath)
 635 A,100,109,108, 99,
 636 A, 99,108,107, 98,
 637 A, 98,107,106,105, 97,
 638 A, 97,105,104, 96,
 639 A, 96,104,103,102, 95,
 640 A, 95,102,101, 94,
 641 A,101,123,122, 94,
 642 A,123,127,134,133,122,
 643 A,134,141,140,133,
 644 A,141,143,148,147,140,
 645 A,148,159,158,147,
 646 A,159,167,166,158,
 647 /COM, tube (sheath)
 648 A,130,137,136,129,

```

649 A,106,129,136,105,
650 A,104,135,128,103,
651 A,128,135,134,127,
652 A,142,144,143,141,
653 A,142,162,161,144,
654 /COM, tube (Al/boron)
655 A,126,130,129,125,
656 A,107,125,129,106,
657 A,103,128,124,102,
658 A,124,128,127,123,
659 A,144,149,148,143,
660 A,144,161,160,149,
661 /COM, tube (stainless)
662 A,108,113,112,107,
663 A,108,126,119,113,
664 A,119,126,125,118,
665 A,112,118,125,107,
666 A,102,111,110,101,
667 A,102,124,117,111,
668 A,117,124,123,116,
669 A,110,116,123,101,
670 A,149,151,150,148,
671 A,149,160,155,151,
672 A,155,160,159,154,
673 A,150,154,159,148,
674 /COM, homogeneous assembly
675 A,113,119,118,112,
676 A,111,117,116,110,
677 A,151,155,154,150,
678 /COM, helium spaces
679 A, 72, 85, 84, 71,
680 A, 70, 83, 82, 69,
681 A, 68, 81, 80, 67,
682 A, 67, 80, 79, 66,
683 A, 65, 78, 77, 64,
684 A, 64, 77, 76, 63,
685 A, 62, 75, 74, 61,
686 A,105,136,135,104,
687 A,135,142,141,134,
688 NUMMRG,KP,
689 /COM, *****
690 /COM, Set element shapes and sizes for tubes and flux trap
691 /COM, 14x14 mesh in fuel with 1
692 /COM, division per tube layer
693 ESHAPE,2,
694 ESIZE,,1,
695 LSEL,S,LINE,, 81, 87,2,
696 LSEL,A,LINE,, 90, 92,2,
697 LSEL,A,LINE,, 95,101,2,
698 LESIZE,ALL,,, 2,
699 LSEL,S,LINE,,107,
700 LSEL,A,LINE,,110,111,1,
701 LSEL,A,LINE,,119,120,1,
702 LSEL,A,LINE,,127,128,1,
703 LSEL,A,LINE,,131,
704 LESIZE,ALL,,, 14,
705 LSEL,ALL,
706 LESIZE, 82,,, 2,
707 LESIZE, 84,,, 3,
708 LESIZE, 86,,, 4,
709 LESIZE, 88,,, 5,
710 LESIZE, 89,,, 2,
711 LESIZE, 91,,, 4,
712 LESIZE, 93,,, 2,
713 LESIZE, 94,,, 5,
714 LESIZE, 96,,, 4,
715 LESIZE, 98,,, 5,
716 LESIZE,100,,, 4,
717 LESIZE,102,,, 2,
718 LESIZE,103,,, 3,

```



```

719 LESIZE,104,,, 2,
720 LESIZE,136,,, 2,
721 LESIZE,137,,, 4,
722 LESIZE,138,,, 5,
723 LESIZE,139,,, 4,
724 LESIZE,140,,, 5,
725 LESIZE,141,,, 2,
726 LESIZE,142,,, 4,
727 LESIZE,143,,, 2,
728 LESIZE,144,,, 5,
729 LESIZE,145,,, 4,
730 LESIZE,146,,, 3,
731 LESIZE,147,,, 2,
732 /COM,          concatenate lines for mapped meshing
733 /COM,          (L's 265,266,267,268,269,270,271,272,273,274)
734 LSEL,S,LINE,, 82, 88,2,
735 LCCAT,ALL,
736 LSEL,S,LINE,, 94, 98,2,
737 LCCAT,ALL,
738 LSEL,S,LINE,,100,102,2,
739 LCCAT,ALL,
740 LSEL,S,LINE,,113,114,1,
741 LCCAT,ALL,
742 LSEL,S,LINE,,116,117,1,
743 LCCAT,ALL,
744 LSEL,S,LINE,,121,122,1,
745 LCCAT,ALL,
746 LSEL,S,LINE,,124,125,1,
747 LCCAT,ALL,
748 LSEL,S,LINE,,136,137,1,
749 LCCAT,ALL,
750 LSEL,S,LINE,,138,140,1,
751 LCCAT,ALL,
752 LSEL,S,LINE,,144,147,1,
753 LCCAT,ALL,
754 LSEL,ALL,
755 /COM,          Mesh areas
756 /COM,          first flux trap plate, then tubes
757 MAT, 1,
758 TYPE,1,
759 AMESH, 27, 43,1,
760 MAT,13,
761 TYPE,1,
762 AMESH, 44, 55,1,
763 MAT, 1,
764 TYPE,1,
765 AMESH, 56, 73,1,
766 MAT,13,
767 TYPE,1,
768 AMESH, 74, 79,1,
769 MAT, 1,
770 TYPE,1,
771 AMESH, 80, 91,1,
772 MAT,14,
773 TYPE,1,
774 AMESH, 92, 94,1,
775 /COM,          Delete concatnated lines
776 /COM,          (L's freed up 265,266,267,268,269,270,271,272,273,274)
777 LDELE,265,274,1,
778 /COM,          *****
779 /COM,          Copy tube mesh and connect top and bottom
780 ARSYM,Y,27,103,1,0,0,0,
781 /COM,          flux trap plate spacers
782 /COM,          (L's 449,450,451,452,453,454,455,456,457,458)
783 /COM,          (A's 181,182,183,184,185)
784 A,186, 73, 93,202,
785 A,201,114,115,200,
786 A,204,131,138,206,
787 A,212,152,153,211,
788 A,210,156,163,215,

```

```

789 /COM,          flux trap plate heluim gaps
790 /COM,          (A's 186,187,188,189,190,191,192,193)
791 A,187, 60, 73,186,
792 A,202, 93,114,201,
793 A,200,115,120,199,
794 A,199,120,131,204,
795 A,206,138,145,208,
796 A,208,145,152,212,
797 A,211,153,156,210,
798 A,215,163,164,214,
799 /COM,          tube/guide heluim gaps (flats)
800 /COM,          (A's 194,195,196,197,198,199,200,201,202,203,204,205)
801 A,109, 22, 41,108,
802 A,108, 41, 42,126,
803 A,137, 43, 45,136,
804 A,142, 45, 46,162,
805 A,160, 47, 49,159,
806 A, 49, 29,167,159,
807 A,244,245, 31, 50,
808 A,244, 50, 52,260,
809 A,254, 53, 54,252,
810 A,248, 54, 56,247,
811 A,256, 57, 58,230,
812 A,230, 58, 38,229,
813 /COM,          tube/guide heluim gaps (corners)
814 /COM,          (A's 206,207,208,209,210,211,212,213,214,215,216,217)
815 /COM,          ( 218)
816 A, 21, 85, 72,
817 A, 21, 22,109,100, 92, 85,
818 A, 24, 25, 43,137,130,126, 42,
819 A,136, 45,142,135,
820 A, 26, 27, 47,160,161,162, 46,
821 A,167, 29, 30,164,165,166,
822 A,164, 30,214,
823 A,214, 30, 31,245,228,213,
824 A, 52, 33, 34, 53,254,255,260,
825 A,250,252, 54,248,
826 A,256,246,247, 56, 35, 36, 57,
827 A,188,189,216,229, 38, 39,
828 A,273,188, 39,
829 /COM,          mesh flux trap plate spacers
830 LSEL,S,LINE,,449,458,1,
831 LESIZE,ALL,,, 4,
832 LSEL,ALL,
833 MAT,1,
834 TYPE,1,
835 AMESH,181,185,1,
836 NUMMRG,NODE,
837 NUMMRG,KP,
838 /COM,          *****
839 /COM,          Create mesh in MPC shell and disposal container
840 /COM,          Tube guides
841 ESIZE,,2,
842 LESIZE,43,,, 6,
843 LESIZE,46,,,14,
844 LESIZE,49,,,14,
845 LESIZE,53,,,14,
846 LESIZE,56,,,14,
847 LESIZE,60,,, 6,
848 LESIZE,61,,, 6,
849 LESIZE,64,,,14,
850 LESIZE,68,,,14,
851 LESIZE,71,,,14,
852 LESIZE,75,,,14,
853 LESIZE,78,,, 6,
854 MAT,1,
855 TYPE,1,
856 AMESH,15,26,1,
857 /COM,          MPC shell
858 /COM,          (L's 489.490)

```

```

859 LESIZE,23,,, 2,
860 LESIZE,25,,,14,
861 LESIZE,26,,, 3,
862 LESIZE,27,,,14,
863 LESIZE,28,,, 3,
864 LESIZE,29,,,14,
865 LESIZE,31,,, 2,
866 LESIZE,32,,, 2,
867 LESIZE,34,,,14,
868 LESIZE,35,,, 3,
869 LESIZE,36,,,14,
870 LESIZE,37,,, 3,
871 LESIZE,38,,,14,
872 LESIZE,40,,, 2,
873 LSEL,S,LINE,,23,31,1,
874 LCCAT,ALL,
875 LSEL,S,LINE,,32,40,1,
876 LCCAT,ALL,
877 LSEL,ALL,
878 LESIZE,17,,,56,
879 LESIZE,18,,,56,
880 LESIZE,22,,, 3,
881 LESIZE,41,,, 3,
882 MAT,1,
883 TYPE,1,
884 AMESH,7,8,1,
885 /COM, Assume vacuum between shell and inner barrier
886 LESIZE,13,,,56,
887 LESIZE,14,,,56,
888 LESIZE,19,,, 2,
889 LESIZE,20,,, 2,
890 /COM, No MAT,7,
891 /COM, No TYPE,1,
892 /COM, No AMESH,5,6,1,
893 /COM, Delete concatenated lines
894 /COM, (L's freed up 489,490)
895 LDELE,489,490,1,
896 /COM, Inner and outer barrier
897 LSEL,S,LINE,,7,10,1,
898 LESIZE,ALL,,,56,
899 LSEL,ALL,
900 LESIZE, 6,,, 3,
901 LESIZE,15,,, 3,
902 LESIZE,16,,, 3,
903 LESIZE, 5,,, 5,
904 LESIZE,11,,, 5,
905 LESIZE,12,,, 5,
906 MAT,2,
907 TYPE,1,
908 AMESH,3,4,1,
909 MAT,3,
910 TYPE,1,
911 AMESH,1,2,1,
912 /COM, Empty basket spaces
913 ESIZE,0.1,
914 ESHAPE,0,
915 MAT,7,
916 TYPE,1,
917 AMESH,9,14,1,
918 /COM, *****
919 /COM, Define mesh and radiation surface elements
920 /COM, Tube/guides gap
921 LSEL,S,LOC,X,0.0,0.0,
922 LSEL,A,LINE,, 7, 8,1,
923 LSEL,A,LINE,,13,14,1,
924 LSEL,A,LINE,,17,18,1,
925 NSLL,U,0,
926 LSEL,ALL,
927 MAT,1,
928 TYPE,7,

```

```

929 ESURF,
930 NSEL,ALL,
931 /COM,          Basket spaces
932 MAT,1,
933 TYPE,17,
934 LMESH,25,29,2,
935 LMESH,34,38,2,
936 LMESH,80,
937 LMESH,45,
938 LMESH,50,52,2,
939 LMESH,57,59,2,
940 LMESH,62,65,3,
941 LMESH,69,72,3,
942 LMESH,76,79,3,
943 /COM,          MPC shell/inner barrier gap
944 MAT,1,
945 TYPE,27,
946 LMESH,17,18,1,
947 MAT,2,
948 TYPE,27,
949 LMESH,13,14,1,
950 /COM,          *****
951 /COM,          Create mesh in helium spaces
952 ESIZE,,2,
953 ESHAPE,2,
954 MAT,7,
955 TYPE,1,
956 AMESH, 95,103,1,
957 AMESH,172,180,1,
958 AMESH,186,205,1,
959 ESHAPE,0,
960 MAT,7,
961 TYPE,1,
962 AMESH,206,218,1,
963 /COM,          Clear areas and mesh by hand difficult areas
964 ACLEAR,211,
965 E,5879,3453,3952,3952,
966 E, 636,5879,3952,3952,
967 E, 545, 636,3952,3952,
968 E, 551, 545,3952,3952,
969 E, 363, 551,3952,3952,
970 E, 370, 363,3952,3952,
971 E, 371, 370,3952,3952,
972 E, 369, 371,3952,3952,
973 E,5973, 369,3952,3952,
974 E,3782,5973,3952,3952,
975 ACLEAR,217,
976 E,3735,5989,3738,3738,
977 E,5989,1661,3738,3738,
978 E,1661,1663,3738,3738,
979 E,1663,1664,3738,3738,
980 E,1664,1662,3738,3738,
981 E,1662,1979,3738,3738,
982 E,1979,1978,3738,3738,
983 E,1978,2148,3738,3738,
984 E,2148,5951,3738,3738,
985 E,5951,3666,3738,3738,
986 FINISH
987 /COM,          *****
988 /COM,          Create element mesh plots to illustrate model
989 /COM,          View mesh for entire model
990 /RESET
991 /TRIAD,OFF,
992 /NUM, 1,
993 /PNUM,MAT, 1,
994 /TYPE,HIDP,
995 /GLINE,,0,
996 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
997 /TITLE, 12 PWR MPC/Waste Package - 1/2 FEM Model
998 /SHOW,meshfull,grph,1,8,

```

```

999  EPLT
1000 ESEL,U,MAT,, 7,
1001 /SHOW,meshgap,grph,1,8,
1002 EPLT
1003 /COM,          View mesh for radiation substructure
1004 /PNUM,MAT, 0,
1005 /PNUM,TYPE, 1,
1006 ESEL,S,TYPE,, 7,
1007 ESEL,A,TYPE,,17,
1008 ESEL,A,TYPE,,27,
1009 /TITLE, 12 PWR MPC/Waste Package - Radiation Matrix
1010 /SHOW,meshrad,grph,1,8,
1011 EPLT
1012 ESEL,ALL,
1013 /TITLE, 12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF
1014 /COM,          *****
1015 /COM,          Generate super-elements
1016 /AUX12,
1017 ESEL,S,TYPE,,7,
1018 NSLE,S,
1019 STEF,5.67E-8,
1020 GEOM,1,0,
1021 VTYPE,0,800,
1022 WRITE,tubegap,
1023 ESEL,S,TYPE,,17,
1024 NSLE,S,
1025 STEF,5.67E-8,
1026 GEOM,1,0,
1027 VTYPE,0,800,
1028 WRITE,spaces,
1029 ESEL,S,TYPE,,27,
1030 NSLE,S,
1031 STEF,5.67E-8,
1032 GEOM,1,0,
1033 VTYPE,0,800,
1034 WRITE,shellgap,
1035 ESEL,ALL,
1036 NSEL,ALL,
1037 FINISH
1038 /PREP7,
1039 TYPE,18,
1040 SE,tubegap,
1041 SE,spaces,
1042 SE,shellgap,
1043 /COM,          Delete radiation edge elements
1044 ESEL,S,TYPE,,7,
1045 EDELE,ALL,
1046 ESEL,ALL,
1047 LSEL,S,TYPE,,17,
1048 LSEL,A,TYPE,,27,
1049 LCLEAR,ALL,
1050 LSEL,ALL,
1051 FINISH
1052 /COM,          *****
1053 /COM,          Set solution parameters and apply B.C.'s
1054 /COM,
1055 /COM,          Solve steady-state for initial conditions
1056 /COM,          with WP surface equal to drift ambient
1057 /COM,          temperature from repository model.
1058 /SOLU
1059 ANTYPE,TRAN,NEW,
1060 NROPT,AUTO,
1061 TRNOPT,FULL,
1062 TOFFST,273.15,
1063 LSEL,S,LINE,,7,
1064 LSEL,A,LINE,,8,
1065 NSLL,S,1,
1066 D,ALL,TEMP,DFAMBT,
1067 LSEL,ALL,
1068 NSEL,ALL,

```

```

1069 ASEL,S,MAT,,14,
1070 ESLA,S,
1071 BFE,ALL,HGEN,,(FUEL(TM_START)),
1072 ASEL,ALL,
1073 ESEL,ALL,
1074 TIMINT,OFF,
1075 TIME,1e-6,
1076 AUTOTS,ON,
1077 KBC,0,
1078 SOLVE
1079 /COM,          Solve steady-state for initial conditions
1080 /COM,          with WP surface temperatures from repository
1081 /COM,          steady-state solution.
1082 LSEL,S,LINE,,7,
1083 LSEL,A,LINE,,8,
1084 NSLL,S,1,
1085 DDELE,ALL,TEMP,
1086 LSEL,ALL,
1087 NSEL,ALL,
1088 DK,11,TEMP,(WPTOP(TM_START)),,1,
1089 DK,10,TEMP,(WPSID(TM_START)),,1,
1090 DK, 9,TEMP,(WPBOT(TM_START)),,1,
1091 ASEL,S,MAT,,14,
1092 ESLA,S,
1093 BFE,ALL,HGEN,,(FUEL(TM_START)),
1094 ASEL,ALL,
1095 ESEL,ALL,
1096 TIMINT,OFF,
1097 TIME,2e-6,
1098 AUTOTS,ON,
1099 KBC,0,
1100 SOLVE
1101 /COM,          *****
1102 /COM,          Set time integration parameters
1103 TIMINT,ON,
1104 AUTOTS,ON,
1105 /COM,          Time substep ranges from 10 sec to 1/4 loadstep
1106 NSUBST,10,40,4,ON
1107 /COM,          Begin Transient
1108 /COM,          Apply loads and solve for 0 to .9 years
1109 *DO,TM,TM_START,TMEO,TMIO
1110     TIME,TM,
1111     ASEL,S,MAT,,14,
1112     ESLA,S,
1113     BFE,ALL,HGEN,,(FUEL(TM)),
1114     ASEL,ALL
1115     ESEL,ALL
1116     DK,11,TEMP,(WPTOP(TM)),,1,
1117     DK,10,TEMP,(WPSID(TM)),,1,
1118     DK, 9,TEMP,(WPBOT(TM)),,1,
1119     SOLVE
1120 *ENDDO
1121 /COM,          Apply loads and solve for 1 to 9 years
1122 *DO,TM,TME1,TME9,TMI1
1123     TIME,TM,
1124     ASEL,S,MAT,,14,
1125     ESLA,S,
1126     BFE,ALL,HGEN,,(FUEL(TM)),
1127     ASEL,ALL
1128     ESEL,ALL
1129     DK,11,TEMP,(WPTOP(TM)),,1,
1130     DK,10,TEMP,(WPSID(TM)),,1,
1131     DK, 9,TEMP,(WPBOT(TM)),,1,
1132     SOLVE
1133 *ENDDO
1134 /COM,          Apply loads and solve for 10 to 90 years
1135 *DO,TM,TME10,TME90,TMI10
1136     TIME,TM,
1137     ASEL,S,MAT,,14,
1138     ESLA,S,

```

```

1139      BFE,ALL,HGEN,,(FUEL(TM)),
1140      ASEL,ALL
1141      ESEL,ALL
1142      DK,11,TEMP,(WPTOP(TM)),,1,
1143      DK,10,TEMP,(WPSID(TM)),,1,
1144      DK, 9,TEMP,(WPBOT(TM)),,1,
1145      SOLVE
1146 *ENDDO
1147 /COM,          Apply loads and solve for 100 to 1000 years
1148 *DO,TM,TME100,TME1000,TMI100
1149      TIME,TM,
1150      ASEL,S,MAT,,14,
1151      ESLA,S,
1152      BFE,ALL,HGEN,,(FUEL(TM)),
1153      ASEL,ALL
1154      ESEL,ALL
1155      DK,11,TEMP,(WPTOP(TM)),,1,
1156      DK,10,TEMP,(WPSID(TM)),,1,
1157      DK, 9,TEMP,(WPBOT(TM)),,1,
1158      SOLVE
1159 *ENDDO
1160 FINISH
1161 SAVE,
1162 /COM,          *****
1163 /COM,          Create element contour plots of solution results
1164 /COM,
1165 /COM,          Sort through solution results for time of max temp.
1166 /POST26,
1167 NSOL,2,(NODE(ACX1,(0.0-ACY1),0.0)),TEMP,,peakclad,
1168 STORE,NEW,
1169 *GET,TMTMAX,VARI,2,EXTREM,TMAX,
1170 FINISH
1171 /POST1,
1172 /COM,          Create temperature contour plots of WP at peak
1173 /RESET
1174 /TRIAD,OFF,
1175 /NUM, 1,
1176 /PNUM,MAT, 1,
1177 /TYPE,HIDP,
1178 /GLINE,,-1,
1179 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1180 ESEL,U,MAT,,7,
1181 SET,NEAR,,,TMTMAX,
1182 /TITLE, 12 PWR MPC/WP at Time of Peak Temp. (%TMTMAX/3.15576E7% years)
1183 /SHOW,solupk,grph,0,8,
1184 /CONTOUR,1,128,AUTO,
1185 PLNSOL,TEMP,
1186 /COM,          Create temperature contour plots at 10, 50, and 100 yrs
1187 SET,NEAR,,,TME10,
1188 /TITLE, 12 PWR MPC/WP at 10 years
1189 /SHOW,solu10,grph,0,8,
1190 /CONTOUR,1,128,USER,
1191 PLNSOL,TEMP,
1192 SET,NEAR,,,TME50,
1193 /TITLE, 12 PWR MPC/WP at 50 years
1194 /SHOW,solu50,grph,0,8,
1195 /CONTOUR,1,128,USER,
1196 PLNSOL,TEMP,
1197 SET,NEAR,,,TME100,
1198 /TITLE, 12 PWR MPC/WP at 100 years
1199 /SHOW,solu100,grph,0,8,
1200 /CONTOUR,1,128,USER,
1201 PLNSOL,TEMP,
1202 ESEL,ALL,
1203 FINISH
1204 /COM,          *****
1205 /COM,          Print time/temperature output at specific locations
1206 /COM,          Save profile from center to edge
1207 /COM,
1208 /COM,          Variable Legend: A01i000

```

```

1209 /COM,          x = center of waste package
1210 /COM,          f = flux trap plate stainless layer
1211 /COM,          w = flux trap plate SS sheath
1212 /COM,          c = center of assembly
1213 /COM,          h = halfway between center and tube
1214 /COM,          s = inside structural stainless tube layer
1215 /COM,          a = aluminum-born tube layer
1216 /COM,          t = stainless tube cladding
1217 /COM,          g = tube guide
1218 /COM,          m = mpc shell
1219 /COM,          i = inner barrier of DC
1220 /COM,          o = outer barrier of DC
1221 /COM,          ## = ID number of assembly (01 is center)
1222 /COM,          i = side of assembly toward center of WP
1223 /COM,          o = side of assembly toward edge of WP
1224 /COM,          000 = profile center down
1225 /COM,          045 = profile 45 deg down
1226 /COM,          090 = profile center side
1227 /COM,          135 = profile 45 deg up
1228 /COM,          180 = profile center up
1229 /POST26,
1230 NUMVAR,30,
1231 /COM,
1232 /COM, *****
1233 /COM, * Temperature Profile from center to lower right (45 deg.) *
1234 /COM, *****
1235 NSOL, 2,(NODE(      0.0,      0.0,0.0)),TEMP,,x04i045,
1236 NSOL, 3,(NODE(      (0.5*FSPAC),      (-.5*FSPAC),0.0)),TEMP,,f04i045,
1237 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(-.5*FSPAC-FWALL),0.0)),TEMP,,f04o045,
1238 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(-.5*FSPAC-BCELL),0.0)),TEMP,,w04i045,
1239 NSOL, 6,(NODE(      (ACX1-SCELL),      (SCELL-ACY1),0.0)),TEMP,,w04o045,
1240 NSOL, 7,(NODE(      (ACX1-HCELL),      (HCELL-ACY1),0.0)),TEMP,,s04i045,
1241 NSOL, 8,(NODE(      (ACX1-QCELL),      (QCELL-ACY1),0.0)),TEMP,,h04i045,
1242 NSOL, 9,(NODE(      ACX1,      (0.0-ACY1),0.0)),TEMP,,c04i045,
1243 NSOL,10,(NODE(      (ACX1+QCELL),      (0.0-ACY1-QCELL),0.0)),TEMP,,h04o045,
1244 NSOL,11,(NODE(      (ACX1+HCELL),      (0.0-ACY1-HCELL),0.0)),TEMP,,s04o045,
1245 NSOL,12,(NODE(      (ACX1+SCELL),      (0.0-ACY1-SCELL),0.0)),TEMP,,a04o045,
1246 NSOL,13,(NODE(      (ACX1+ACELL),      (0.0-ACY1-ACELL),0.0)),TEMP,,t04i045,
1247 NSOL,14,(NODE(      (ACX1+TCELL),      (0.0-ACY1-TCELL),0.0)),TEMP,,t04o045,
1248 NSOL,15,(NODE(      (GX25-GWALL),      (GWALL-GX25),0.0)),TEMP,,g04i045,
1249 NSOL,16,(NODE(      GX25,      (0.0-GX25),0.0)),TEMP,,g04o045,
1250 NSOL,17,(NODE(      MI45,      (0.0-MI45),0.0)),TEMP,,m04i045,
1251 NSOL,18,(NODE(      MO45,      (0.0-MO45),0.0)),TEMP,,m04o045,
1252 NSOL,19,(NODE(      DI45,      (0.0-DI45),0.0)),TEMP,,i04i045,
1253 NSOL,20,(NODE(      DM45,      (0.0-DM45),0.0)),TEMP,,i04o045,
1254 NSOL,21,(NODE(      DO45,      (0.0-DO45),0.0)),TEMP,,o04o045,
1255 /COM,          Add centers of assemblies 5 and 6
1256 NSOL,22,(NODE(      ACX2,      (0.0-ACY1),0.0)),TEMP,,c05i045,
1257 NSOL,23,(NODE(      ACX1,      (0.0-ACY3),0.0)),TEMP,,c06i045,
1258 PRVAR, 2, 3, 4, 5, 6, 7,
1259 PRVAR, 8, 9,10,11,12,13,
1260 PRVAR,14,15,16,17,18,19,
1261 PRVAR,20,21,22,23,
1262 /COM,
1263 /COM, *****
1264 /COM, * Temperature Profile from center to upper right (135 deg.) *
1265 /COM, *****
1266 NSOL, 2,(NODE(      0.0,      0.0,0.0)),TEMP,,x01i135,
1267 NSOL, 3,(NODE(      (0.5*FSPAC),      (0.5*FSPAC),0.0)),TEMP,,f01i135,
1268 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(0.5*FSPAC+FWALL),0.0)),TEMP,,f01o135,
1269 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(0.5*FSPAC+BCELL),0.0)),TEMP,,w01i135,
1270 NSOL, 6,(NODE(      (ACX1-SCELL),      (ACY1-SCELL),0.0)),TEMP,,w01o135,
1271 NSOL, 7,(NODE(      (ACX1-HCELL),      (ACY1-HCELL),0.0)),TEMP,,s01i135,
1272 NSOL, 8,(NODE(      (ACX1-QCELL),      (ACY1-QCELL),0.0)),TEMP,,h01i135,
1273 NSOL, 9,(NODE(      ACX1,      ACY1,0.0)),TEMP,,c01i135,
1274 NSOL,10,(NODE(      (ACX1+QCELL),      (ACY1+QCELL),0.0)),TEMP,,h01o135,
1275 NSOL,11,(NODE(      (ACX1+HCELL),      (ACY1+HCELL),0.0)),TEMP,,s01o135,
1276 NSOL,12,(NODE(      (ACX1+SCELL),      (ACY1+SCELL),0.0)),TEMP,,a01o135,
1277 NSOL,13,(NODE(      (ACX1+ACELL),      (ACY1+ACELL),0.0)),TEMP,,t01i135,
1278 NSOL,14,(NODE(      (ACX1+TCELL),      (ACY1+TCELL),0.0)),TEMP,,t01o135,

```



```

1279 NSOL,15,(NODE(      (GX25-GWALL),      (GX25-GWALL),0.0)),TEMP,,g01i135,
1280 NSOL,16,(NODE(      GX25,      GX25,0.0)),TEMP,,g01o135,
1281 NSOL,17,(NODE(      MI45,      MI45,0.0)),TEMP,,m01i135,
1282 NSOL,18,(NODE(      MO45,      MO45,0.0)),TEMP,,m01o135,
1283 NSOL,19,(NODE(      DI45,      DI45,0.0)),TEMP,,i01i135,
1284 NSOL,20,(NODE(      DM45,      DM45,0.0)),TEMP,,i01o135,
1285 NSOL,21,(NODE(      DO45,      DO45,0.0)),TEMP,,o01o135,
1286 /COM,      Add centers of assemblies 2 and 3
1287 NSOL,22,(NODE(      ACX2,      ACY2,0.0)),TEMP,,c02i135,
1288 NSOL,23,(NODE(      ACX3,      ACY3,0.0)),TEMP,,c03i135,
1289 PRVAR, 2, 3, 4, 5, 6, 7,
1290 PRVAR, 8, 9,10,11,12,13,
1291 PRVAR,14,15,16,17,18,19,
1292 PRVAR,20,21,22,23,
1293 /COM,
1294 FINISH
1295 /COM,      *****
1296 /COM,      End of batch input file
1297 /COM,      *****
1298 /EXIT,
1299 /EOF

```

RUN SETUP PROCEDURE FROM FILE= /ansys50a/docu/start.ans

```

/INPUT FILE= /ansys50a/docu/start.ans LINE=      0
*****
ANSYS STARTUP FILE start.ans
*****

```

```

ABBREVIATION= K1      /pnum,kp ,1,
ABBREVIATION= K0      /pnum,kp ,0,
ABBREVIATION= L1      /pnum,line,1,
ABBREVIATION= L0      /pnum,line,0,
ABBREVIATION= A1      /pnum,area,1,
ABBREVIATION= A0      /pnum,area,0,
ABBREVIATION= V1      /pnum,volu,1,
ABBREVIATION= V0      /pnum,volu,0,
ABBREVIATION= N1      /pnum,node,1,
ABBREVIATION= N0      /pnum,node,0,
ABBREVIATION= E1      /pnum,elem,1,
ABBREVIATION= E0      /pnum,elem,0,
ABBREVIATION= M1      /pnum,mat ,1,
ABBREVIATION= M0      /pnum,mat ,0,
ABBREVIATION= R1      /pnum,real,1,
ABBREVIATION= R0      /pnum,real,0,
ABBREVIATION= T1      /pnum,type,1,
ABBREVIATION= T0      /pnum,type,0,
ABBREVIATION= C1      /number,1,
ABBREVIATION= C0      /number,0,
ABBREVIATION= INP     /input,,inp,

```

ABBREVIATION= X3D /show,3d,
 ABBREVIATION= X11 /show,x11,
 ABBREVIATION= VEC /show,,,1,
 ABBREVIATION= RAS /show,,,0,
 ABBREVIATION= ON /menu,on,
 ABBREVIATION= OFF /menu,off,
 ABBREVIATION= NVP /config,nvpag,512,
 ABBREVIATION= QUIT /exit,nosav,
 XYZ TRIAD DISPLAY SET TO OFF

VIEW CONE ANGLE FOR WINDOW 1 25.00

 END start.ans

To start ANSYS menu:

type: x3d for console
 x11 for X-term

type: on

 ANSYS REVISION 5.0A 3/31/1995
 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III

* *
 * File name: ma12x2.inp *
 * 12 PWR MPC with High T.L. Disposal Container *
 * Helium Fill Gas *
 * *
 * Material Property file: props01.dat *
 * *
 * SNF Conductivity file: pwr15e.parm *
 * 15x15 Mark-B4 PWR SNF Assembly *
 * *
 * SNF Heat Loads file: snf2040.dat *
 * SNF Type: 20 years old, 40 GWD/MTU *
 * *
 * Surface Temp. file: c12x5a.parm *
 * 100 MTU/acre (24.7 kgU/m^2) AML (High Thermal Loading) *
 * 5.0 m Diameter Drift with Concrete Invert *
 * Drift spacing = 22.5 m *
 * WP c/c spacing = 9.237 m *
 * *

 Increase the number of database pages from 16 (256) to 32 Mb

NUMBER OF DATA BASE PAGES IN MEMORY(NVPAGE)= 512

Work space must also be increased (-m 64)

TITLE=

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

SI UNITS SPECIFIED

LENGTH = METERS(M)
 MASS = KILOGRAMS(KG)
 TIME = SECONDS(SEC)
 TEMPERATURE = CENTIGRADE

CURRENT = AMPS

Read in average effective conductivities from SNF model

*** NOTE ***

CP= .520 TIME= 16:02:25

Restore ANSYS parameters from file= pwr15e.parm.

/INPUT FILE= pwr15e.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Read in surface temps. from repository model

*** NOTE ***

CP= .740 TIME= 16:02:26

Restore ANSYS parameters from file= c12x5a.parm.

/INPUT FILE= c12x5a.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Define MPC/waste package parameters

(MPC dimensions converted from inches to meters)

MIRAD = inner radius of MPC shell (m)

MWALL = MPC shell thickness (m)

DCRAD = disposal container outer radius (m)

OWALL = outer barrier thickness (m)

IWALL = inner barrier thickness (m)

GCORN = corner guide width (m)

GLENW = side guide total width (m)

GLENH = side guide total height (m)

GWALL = guide thickness (m)

HCELL = 1/2 of basket cell opening (m)

SWALL = stainless tube thickness (m)

AWALL = Al/boron tube thickness (m)

FLENT = flux trap plate length (m)

FWALL = flux trap plate stainless thickness (m)

BWALL = flux trap plate Al/boron thickness (m)

TWALL = flux trap plate SS sheath thickness (m)

FSPAC = flux trap plate spacer width (m)

TSPAC = tube/tube spacer width (m)

ACTVL = active fuel length

PEAKF = assembly heat axial peaking factor

PARAMETER PI = 3.141593

PARAMETER MIRAD = .6079490

PARAMETER MWALL = .2222500E-01

PARAMETER DCRAD = .7652500

PARAMETER OWALL = .1000000

PARAMETER IWALL = .2000000E-01

PARAMETER GCORN = .2561844

PARAMETER GLENW = .2142236

PARAMETER GLENH = .6339840E-01

PARAMETER GWALL = .9525000E-02

PARAMETER HCELL = .1143000

PARAMETER SWALL = .2387600E-02

PARAMETER AWALL = .2717800E-02

PARAMETER FLENT = .5883656

PARAMETER FWALL = .1270000E-01
 PARAMETER BWALL = .6350000E-02
 PARAMETER TWALL = .2387600E-02
 PARAMETER FSPAC = .2540000E-01
 PARAMETER TSPAC = .2504440E-01
 PARAMETER ACTVL = 3.601720

PARAMETER PEAKF = 1.250000

Define calculated parameters

ASSY = assembly heat production (W) f(yrs)
 FUEL = volumetric heat production (W/m³) f(yrs)
 FVOLL = assy_volume=cell_width^2*active_length
 Q2 = side guide x coord. (see sketch)
 GX## = x coord. of guide/shell contact (kp##)
 GY## = y coord. of guide/shell contact (kp##)
 ACX# = x coord. of center of assembly #
 ACY# = y coord. of center of assembly #
 TM_START = start time (sec)
 TMI* = time increment for solution (sec)
 TME* = start and stop for time do-loops (sec)
 Note: 1 year = 3.15576e7 seconds
 QCELL = 1/4 of basket cell opening (m)
 SCELL = 1/2 of basket cell opening+SS wall(m)
 ACELL = 1/2 of basket cell opening+SS+AL (m)
 MI45 = x coord. MIRAD at 45 deg.
 MO45 = x coord. MIRAD+MWALL at 45 deg.
 DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
 DM45 = x coord. DCRAD-OWALL at 45 deg.
 DO45 = x coord. DCRAD at 45 deg.
 TMTMAX = time of maximum cladding temperature

ARRAY PARAMETER ASSY DELETED.

SET PARAMETER DIMENSIONS ON ASSY TYPE=TABL DIMENSIONS= 101 1 1

SET PARAMETER DIMENSIONS ON FUEL TYPE=TABL DIMENSIONS= 101 1 1

PARAMETER FVOLL = .1882185
 PARAMETER Q2 = .5002134E-01
 PARAMETER GX22 = .4049634E-01
 PARAMETER GY22 = .6065987
 PARAMETER GX23 = .5002134E-01
 PARAMETER GY23 = .6058877
 PARAMETER GX24 = .2547199
 PARAMETER GY24 = .5520143
 PARAMETER GTMP = .2466594
 PARAMETER GX25 = .2884843
 PARAMETER GY25 = .5351437
 PARAMETER ACX1 = .1508252
 PARAMETER ACY1 = .1508252

PARAMETER ACX2 = .4194556
 PARAMETER ACY2 = .1508252
 PARAMETER ACX3 = .1508252
 PARAMETER ACY3 = .4194556
 PARAMETER TM_START = 31.55760
 PARAMETER TM10 = 3155760.
 PARAMETER TM11 = .3155760E+08
 PARAMETER TM110 = .3155760E+09
 PARAMETER TM1100 = .3155760E+10
 PARAMETER TM11000 = .3155760E+11
 PARAMETER TME0 = .2840187E+08
 PARAMETER TME1 = .3155763E+08
 PARAMETER TME9 = .2840184E+09
 PARAMETER TME10 = .3155760E+09
 PARAMETER TME50 = .1577880E+10
 PARAMETER TME90 = .2840184E+10
 PARAMETER TME100 = .3155760E+10
 PARAMETER TME1000 = .3155760E+11
 PARAMETER BCELL = .1905000E-01
 PARAMETER QCELL = .5715000E-01
 PARAMETER SCELL = .1166876
 PARAMETER ACELL = .1194054
 PARAMETER TCELL = .1217930
 PARAMETER MI45 = .4298849
 PARAMETER MO45 = .4456003
 PARAMETER DI45 = .4562607
 PARAMETER DM45 = .4704028
 PARAMETER DO45 = .5411135

Define different element types

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 16:02:27 APR 07, 1995 CP= 1.540
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE 1 IS PLANE55 2-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
TWO-DIMENSIONAL MODEL

ELEMENT TYPE 2 IS SOLID70 3-D THERMAL SOLID
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 7 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 16 IS SHELL57 THERMAL SHELL
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 17 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 18 IS MATRIX50 SUBSTRUCTURE MATRIX
KEYOPT(1-12)= 1 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 19 IS LINK31 RADIATION LINK
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 27 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

File props01.dat describes material properties
and thier reference numbers

READ IN MATERIAL PROPERTY LIBRARY FROM FILE= props01.dat

/INPUT FILE= props01.dat LINE= 0

** ANSYS 5.0 MPC MATERIAL PROPERTY TABLES **

** Filename: props01.dat **

** Compiled by R. Bahney III on 1-30-95 **

NUMBER	MATERIAL	DESCRIPTION
1	Stainless Steel 316	Basket Structural Support
2	Incaloy 825	Inner Container (resistant)
3	A516 Mild Steel	Outer Container (allowance)
4	UO2 Pellet	SNF Uranium Oxide Pellet
5	Zircaloy 4	SNF Cladding
6	Oxidation Layer	Stably Oxidized Zircaloy Surface
7	Helium	Canister Fill Gas
8	Air	Alternate Fill Gas
9	Nitrogen	Alternate Fill Gas
10	Argon	Alternate Fill Gas

11	Aluminum 6063	Thermal Conductor
12	Copper	Alternate Thermal Conductor
13	Aluminum-Boron	Aluminum Boron Criticality Matl

```
*****
**      Density:      DENS      (kg/m^3)      **
**      Emissivity    EMIS      **
**      Conductivity: KXX      (W/m/K)      **
**      Specific Heat: C      (J/kg/K)      **
*****
```

Define densities for all materials except gases

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 1 NUM. POINTS= 1
SLOC= 1 8000.000

PROPERTY TABLE DENS MAT= 2 NUM. POINTS= 1
SLOC= 1 8137.900

PROPERTY TABLE DENS MAT= 3 NUM. POINTS= 1
SLOC= 1 8131.000

PROPERTY TABLE DENS MAT= 4 NUM. POINTS= 1
SLOC= 1 10970.00

PROPERTY TABLE DENS MAT= 5 NUM. POINTS= 1
SLOC= 1 6500.000

PROPERTY TABLE DENS MAT= 6 NUM. POINTS= 1
SLOC= 1 6500.000

PROPERTY TABLE DENS MAT= 11 NUM. POINTS= 1
SLOC= 1 2690.000

PROPERTY TABLE DENS MAT= 12 NUM. POINTS= 1
SLOC= 1 8933.000

PROPERTY TABLE DENS MAT= 13 NUM. POINTS= 1
SLOC= 1 2693.000

Define emissivities for all materials except gases

PROPERTY TABLE EMIS MAT= 1 NUM. POINTS= 1
SLOC= 1 .6000000

PROPERTY TABLE EMIS MAT= 2 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 3 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 4 NUM. POINTS= 1
SLOC= 1 .7900000

PROPERTY TABLE EMIS MAT= 5 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 6 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 11 NUM. POINTS= 1
SLOC= 1 .7000000E-01

PROPERTY TABLE EMIS MAT= 12 NUM. POINTS= 1
SLOC= 1 .5000000

PROPERTY TABLE EMIS MAT= 13 NUM. POINTS= 1
SLOC= 1 .7000000E-01

Define specific heat for matl. 4, 5, 6, 7, 11, 14, 15

PROPERTY TABLE C MAT= 4 NUM. POINTS= 1
SLOC= 1 247.0000

PROPERTY TABLE C MAT= 5 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 6 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 7 NUM. POINTS= 1
SLOC= 1 5193.000

PROPERTY TABLE C MAT= 11 NUM. POINTS= 1
SLOC= 1 900.0000

Define K and C for materials 1, 3

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 21.11000 37.78000 65.56000
93.33000 121.1100 148.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 176.6700 204.4400 232.2200
260.0000 287.7800 315.5600

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
SLOC= 13 343.3300 371.1100 398.8900
426.6700 454.4400 482.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
SLOC= 19 510.0000 537.7800 565.5600
593.3300 621.1100 648.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
SLOC= 25 676.6700 704.4400 732.2200
760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 6
SLOC= 1 13.33000 13.67000 14.19000 14.54000
15.06000 15.58000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 12
SLOC= 7 15.92000 16.44000 16.96000 17.31000
17.83000 18.17000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 18
SLOC= 13 18.52000 19.04000 19.38000 19.90000
20.25000 20.77000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 24
SLOC= 19 21.11000 21.46000 21.98000 22.33000
22.67000 23.02000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 30
SLOC= 25 23.54000 23.88000 24.23000 24.58000
24.92000 25.27000

PROPERTY TABLE C MAT= 1 NUM. POINTS= 6
SLOC= 1 481.6800 486.9200 498.0900 499.3800
509.9800 520.2900

PROPERTY TABLE C MAT= 1 NUM. POINTS= 12

SLOC= 7	521.0700 543.0200	527.3800 543.3100	536.9200	537.3400
PROPERTY TABLE C MAT= 1 NUM. POINTS= 18				
SLOC= 13	546.9100 557.2500	552.1400 565.1100	552.2600	557.2200
PROPERTY TABLE C MAT= 1 NUM. POINTS= 24				
SLOC= 19	565.0100 574.9200	564.9100 574.6800	572.3500	572.1400
PROPERTY TABLE C MAT= 1 NUM. POINTS= 30				
SLOC= 25	581.6400 585.9600	581.3000 588.3900	583.8600	586.3600
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 6				
SLOC= 1	40.84000 42.23000	41.36000 42.23000	41.88000	42.23000
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 12				
SLOC= 7	42.06000 40.50000	41.88000 39.98000	41.36000	41.02000
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 18				
SLOC= 13	39.29000 36.69000	38.77000 36.17000	38.08000	37.56000
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 24				
SLOC= 19	35.48000 32.36000	34.61000 31.50000	33.92000	33.23000
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 30				
SLOC= 25	30.29000 26.13000	28.90000 26.13000	27.35000	26.48000
PROPERTY TABLE C MAT= 3 NUM. POINTS= 6				
SLOC= 1	428.7200 486.0800	444.9500 495.6600	460.9400	476.8700
PROPERTY TABLE C MAT= 3 NUM. POINTS= 12				
SLOC= 7	506.0900 543.6300	517.0700 550.6200	525.6400	536.9900
PROPERTY TABLE C MAT= 3 NUM. POINTS= 18				
SLOC= 13	562.2100 611.3500	577.3200 629.0900	589.1000	600.5700
PROPERTY TABLE C MAT= 3 NUM. POINTS= 24				
SLOC= 19	645.3200 724.0700	665.1200 761.9500	682.0700	694.5200
PROPERTY TABLE C MAT= 3 NUM. POINTS= 30				
SLOC= 25	806.3100 808.6800	888.6000 736.9000	1095.040	1638.780

Define K for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***

SLOC= 1	93.33000 176.6700	121.1100 204.4400	148.8900 232.2200
---------	----------------------	----------------------	----------------------

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***

SLOC= 7	260.0000 343.3300	287.7800 371.1100	315.5600 398.8900
---------	----------------------	----------------------	----------------------

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***

SLOC= 13	426.6700 510.0000	454.4400 537.7800	482.2200 565.5600
----------	----------------------	----------------------	----------------------

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
 SLOC= 19 593.3300 621.1100 648.8900
 676.6700 704.4400 732.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 27 ***
 SLOC= 25 760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 6
 SLOC= 1 12.29000 12.63000 13.15000 13.67000
 14.02000 14.54000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 12
 SLOC= 7 14.88000 15.40000 15.75000 16.10000
 16.61000 16.96000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 18
 SLOC= 13 17.31000 17.65000 18.00000 18.52000
 18.86000 19.21000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 24
 SLOC= 19 19.73000 20.08000 20.42000 20.94000
 21.46000 21.98000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 27
 SLOC= 25 22.33000 23.02000 23.54000

Define C for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 93.33000 121.1100 148.8900
 176.6700 204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 260.0000 287.7800 315.5600
 343.3300 371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 17 ***
 SLOC= 13 426.6700 454.4400 482.2200
 510.0000 537.7800

PROPERTY TABLE C MAT= 2 NUM. POINTS= 6
 SLOC= 1 460.6900 477.4200 501.0200 504.6500
 498.1200 520.4500

PROPERTY TABLE C MAT= 2 NUM. POINTS= 12
 SLOC= 7 536.8800 559.8500 576.8300 576.2100
 581.6800 598.2000

PROPERTY TABLE C MAT= 2 NUM. POINTS= 17
 SLOC= 13 619.5800 636.7600 654.2000 678.2500
 696.2900

Define K for materials 4, 5, 6

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 .0000000E+00 10.00000 20.00000
 30.00000 40.00000 50.00000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 60.00000 70.00000 80.00000
 90.00000 100.0000 110.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
 SLOC= 13 120.0000 130.0000 140.0000

150.0000 160.0000 170.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
 SLOC= 19 180.0000 190.0000 200.0000
 210.0000 220.0000 230.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
 SLOC= 25 240.0000 250.0000 260.0000
 270.0000 280.0000 290.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 36 ***
 SLOC= 31 300.0000 310.0000 320.0000
 330.0000 340.0000 350.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 42 ***
 SLOC= 37 360.0000 370.0000 380.0000
 390.0000 400.0000 410.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 48 ***
 SLOC= 43 420.0000 430.0000 440.0000
 450.0000 460.0000 470.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 50 ***
 SLOC= 48 480.0000 490.0000 500.0000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 6
 SLOC= 1 8.720000 8.540000 8.360000 8.190000
 8.030000 7.870000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 12
 SLOC= 7 7.720000 7.580000 7.440000 7.310000
 7.180000 7.050000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 18
 SLOC= 13 6.930000 6.820000 6.700000 6.600000
 6.490000 6.390000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 24
 SLOC= 19 6.290000 6.190000 6.100000 6.010000
 5.920000 5.840000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 30
 SLOC= 25 5.760000 5.680000 5.600000 5.520000
 5.450000 5.380000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 36
 SLOC= 31 5.310000 5.240000 5.180000 5.110000
 5.050000 4.990000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 42
 SLOC= 37 4.930000 4.870000 4.810000 4.760000
 4.700000 4.650000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 48
 SLOC= 43 4.600000 4.550000 4.500000 4.450000
 4.400000 4.350000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 50
 SLOC= 48 4.310000 4.270000 4.220000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 6
 SLOC= 1 12.29000 12.44000 12.58000 12.72000
 12.87000 13.01000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 12
 SLOC= 7 13.15000 13.28000 13.42000 13.55000
 13.69000 13.82000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 18

SLOC= 13	13.95000 14.46000	14.08000 14.59000	14.21000	14.34000
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 24				
SLOC= 19	14.72000 15.21000	14.84000 15.33000	14.96000	15.09000
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 30				
SLOC= 25	15.45000 15.93000	15.57000 16.05000	15.69000	15.81000
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 36				
SLOC= 31	16.17000 16.64000	16.29000 16.76000	16.40000	16.52000
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 42				
SLOC= 37	16.88000 17.35000	16.99000 17.46000	17.11000	17.23000
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 48				
SLOC= 43	17.58000 18.06000	17.70000 18.18000	17.82000	17.94000
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 50				
SLOC= 48	18.30000	18.42000	18.54000	
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 6				
SLOC= 1	1.940000 1.940000	1.940000 1.940000	1.940000	1.940000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 12				
SLOC= 7	1.940000 1.950000	1.950000 1.950000	1.950000	1.950000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 18				
SLOC= 13	1.950000 1.960000	1.950000 1.960000	1.960000	1.960000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 24				
SLOC= 19	1.960000 1.970000	1.970000 1.980000	1.970000	1.970000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 30				
SLOC= 25	1.980000 1.990000	1.980000 1.990000	1.980000	1.990000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 36				
SLOC= 31	2.000000 2.010000	2.000000 2.010000	2.000000	2.010000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 42				
SLOC= 37	2.020000 2.030000	2.020000 2.030000	2.020000	2.030000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 48				
SLOC= 43	2.040000 2.050000	2.040000 2.060000	2.040000	2.050000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 50				
SLOC= 48	2.060000	2.060000	2.070000	

Define p, K, C for materials 7, 8, 9, ~10

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***

SLOC= 1	-13.15000	6.850000	26.85000
	76.85000	126.8500	176.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***

SLOC= 7 226.8500 276.8500 326.8500
376.8500 426.8500 476.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 15 ***
SLOC= 13 526.8500 626.8500 726.8500

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 6
SLOC= 1 .1875000 .1750000 .1625000 .1422000
.1219000 .1097000

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 12
SLOC= 7 .9750000E-01 .9060000E-01 .8360000E-01 .7670000E-01
.6970000E-01 .6620000E-01

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 15
SLOC= 13 .6270000E-01 .5580000E-01 .4880000E-01

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 6
SLOC= 1 .1370000 .1450000 .1520000 .1700000
.1870000 .2040000

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 12
SLOC= 7 .2200000 .2360000 .2520000 .2640000
.2780000 .2910000

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 15
SLOC= 13 .3040000 .3300000 .3540000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 6
SLOC= 1 1.348000 1.254700 1.161400 .9950000
.8711000 .7740000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 12
SLOC= 7 .6964000 .6329000 .5804000 .5356000
.4975000 .4643000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 15
SLOC= 13 .4354000 .3868000 .3482000

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 6
SLOC= 1 .2300000E-01 .2500000E-01 .2600000E-01 .3000000E-01
.3400000E-01 .3700000E-01

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 12
SLOC= 7 .4100000E-01 .4400000E-01 .4700000E-01 .5000000E-01
.5200000E-01 .5500000E-01

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 15
SLOC= 13 .5700000E-01 .6200000E-01 .6700000E-01

PROPERTY TABLE C MAT= 8 NUM. POINTS= 6
SLOC= 1 1006.200 1006.600 1007.000 1009.000
1014.000 1021.000

PROPERTY TABLE C MAT= 8 NUM. POINTS= 12
SLOC= 7 1030.000 1040.000 1051.000 1063.000
1075.000 1087.000

PROPERTY TABLE C MAT= 8 NUM. POINTS= 15
SLOC= 13 1099.000 1121.000 1141.000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 6
SLOC= 1 1.303700 1.213500 1.123300 .9625000
.8425000 .7485000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 12
SLOC= 7 .6739000 .6124000 .5615000 .5214000
.4812000 .4512000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 15
SLOC= 13 .4211000 .3743000 .3368000

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 6
SLOC= 1 .2300000E-01 .2400000E-01 .2600000E-01 .2900000E-01
.3300000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 12
SLOC= 7 .3900000E-01 .4200000E-01 .4500000E-01 .4700000E-01
.5000000E-01 .5200000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 15
SLOC= 13 .5500000E-01 .6000000E-01 .6500000E-01

PROPERTY TABLE C MAT= 9 NUM. POINTS= 6
SLOC= 1 1041.800 1041.400 1041.000 1042.000
1045.000 1050.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 12
SLOC= 7 1056.000 1065.000 1075.000 1086.500
1098.000 1159.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 15
SLOC= 13 1220.000 1146.000 1167.000

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 6
SLOC= 1 .1700000E-01 .1700000E-01 .1800000E-01 .2100000E-01
.2300000E-01 .2500000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 12
SLOC= 7 .2700000E-01 .2800000E-01 .3000000E-01 .3200000E-01
.3400000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 15
SLOC= 13 .3700000E-01 .4100000E-01 .4400000E-01

Define K and C for material 12

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 -73.15000 26.85000 126.8500
326.8500 526.8500 726.8500

PROPERTY TABLE KXX MAT= 12 NUM. POINTS= 6
SLOC= 1 413.0000 401.0000 393.0000 379.0000
366.0000 352.0000

PROPERTY TABLE C MAT= 12 NUM. POINTS= 6
SLOC= 1 356.0000 385.0000 397.0000 417.0000
433.0000 451.0000

Define K and C for material 13

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 5 ***
SLOC= 1 23.00000 50.00000 100.0000
150.0000 200.0000

PROPERTY TABLE KXX MAT= 13 NUM. POINTS= 5
SLOC= 1 182.5600 190.1700 199.2200 202.9100
203.7200

PROPERTY TABLE C MAT= 13 NUM. POINTS= 5
SLOC= 1 868.0000 903.0000 946.0000 976.0000
998.0000

** End of Material Property List **

Read in single assembly heat loads
Calculate the volumetric heat generation
(Assembly time is in years, FUEL is in seconds)

/INPUT FILE= snf2040.dat LINE= 0

** History of SNF Assembly Heat Generation Rates **

** Output of PHIA, SCSI: B000000000-01717-1200-3000X Rev.00B **

** **

** Executable File Name: PHIA00B.EXE **

** Output File Name: snf2040.dat **

** Execution Date: 02/23/95 **

** Start Age (years): 20.0 **

** Decay Period (years): 10000 **

** Enrichment (percent): 3.75 **

** Burnup (Mwd/MTU): 40000 **

** Assembly Type: PWR **

** SNF U Mass (MTU/assy): 0.490 **

** **

** ASSY(#,1) is the SNF assembly heat in Watts. **

** ASSY(#,0) is the time post emplacement in years. **

PARAMETER ASSY(1,1) =	547.0300 546.5300	546.9000 546.4000	546.7800	546.6500
PARAMETER ASSY(7,1) =	546.2700 545.7700	546.1500 545.1400	546.0200	545.8900
PARAMETER ASSY(13,1) =	544.5100 542.0300	543.8900 541.4200	543.2700	542.6500
PARAMETER ASSY(19,1) =	540.8100 538.3800	540.2000 537.7800	539.5900	538.9800
PARAMETER ASSY(25,1) =	537.1800 534.8000	536.5800 529.5700	535.9900	535.3900
PARAMETER ASSY(31,1) =	524.5100 504.9400	519.3000 500.2200	514.2400	509.5200
PARAMETER ASSY(37,1) =	495.6400 477.8800	491.0500 473.6100	486.5900	482.1700
PARAMETER ASSY(43,1) =	469.4600 454.8100	465.3200 417.0600	461.2900	458.0100
PARAMETER ASSY(49,1) =	384.5900 286.4800	355.7100 268.0600	330.9300	307.0000
PARAMETER ASSY(55,1) =	251.5000 199.9800	236.5700 190.0400	223.1000	210.9500
PARAMETER ASSY(61,1) =	181.7600 152.9200	173.1900 114.4100	165.8000	159.0900
PARAMETER ASSY(67,1) =	95.04000 63.46000	83.37000 59.05000	75.26000	68.74000
PARAMETER ASSY(73,1) =	55.13000 43.17000	51.50000 40.75000	48.39000	45.68000
PARAMETER ASSY(79,1) =	38.61000 31.95000	36.70000 21.75000	34.99000	33.43000
PARAMETER ASSY(85,1) =	16.98000 11.76000	14.51000 11.34000	13.18000	12.40000
PARAMETER ASSY(91,1) =	10.97000	10.54000	10.16000	9.820000

	9.520000	9.200000		
PARAMETER ASSY(97,1) =	8.920000 7.990000	8.660000	8.420000	8.200000
PARAMETER ASSY(1,0) =	.1000000E-05 .4000000E-01	.1000000E-01 .5000000E-01	.2000000E-01	.3000000E-01
PARAMETER ASSY(7,0) =	.6000000E-01 .1000000	.7000000E-01 .1500000	.8000000E-01	.9000000E-01
PARAMETER ASSY(13,0) =	.2000000 .4000000	.2500000 .4500000	.3000000	.3500000
PARAMETER ASSY(19,0) =	.5000000 .7000000	.5500000 .7500000	.6000000	.6500000
PARAMETER ASSY(25,0) =	.8000000 1.000000	.8500000 1.500000	.9000000	.9500000
PARAMETER ASSY(31,0) =	2.000000 4.000000	2.500000 4.500000	3.000000	3.500000
PARAMETER ASSY(37,0) =	5.000000 7.000000	5.500000 7.500000	6.000000	6.500000
PARAMETER ASSY(43,0) =	8.000000 10.00000	8.500000 15.00000	9.000000	9.500000
PARAMETER ASSY(49,0) =	20.00000 40.00000	25.00000 45.00000	30.00000	35.00000
PARAMETER ASSY(55,0) =	50.00000 70.00000	55.00000 75.00000	60.00000	65.00000
PARAMETER ASSY(61,0) =	80.00000 100.0000	85.00000 150.0000	90.00000	95.00000
PARAMETER ASSY(67,0) =	200.0000 400.0000	250.0000 450.0000	300.0000	350.0000
PARAMETER ASSY(73,0) =	500.0000 700.0000	550.0000 750.0000	600.0000	650.0000
PARAMETER ASSY(79,0) =	800.0000 1000.000	850.0000 1500.000	900.0000	950.0000
PARAMETER ASSY(85,0) =	2000.000 4000.000	2500.000 4500.000	3000.000	3500.000
PARAMETER ASSY(91,0) =	5000.000 7000.000	5500.000 7500.000	6000.000	6500.000
PARAMETER ASSY(97,0) =	8000.000 10000.00	8500.000	9000.000	9500.000

PARAMETER ASSY(0,1) = 1.000000

FACTOR ON VECTOR OPERATION RESULT= .31558E+08
 FACTOR ON FIRST VECTOR PARAMETER = 1.0000
 FACTOR ON SECOND VECTOR PARAMETER= 1.0000
 FACTOR ON THIRD VECTOR PARAMETER = 1.0000

MATRIX COPY RESULT MATRIX= FUEL(1,0)
 INPUT MATRIX= ASSY(1,0)
 INPUT MATRIX SIZE= 101 ROWS BY 2 COLUMNS
 RESULT MATRIX SIZE= 101 ROWS BY 2 COLUMNS

FACTOR ON VECTOR OPERATION RESULT= 6.6412

FACTOR ON FIRST VECTOR PARAMETER = 1.0000
FACTOR ON SECOND VECTOR PARAMETER= 1.0000
FACTOR ON THIRD VECTOR PARAMETER = 1.0000

VECTOR PARAMETER OPERATION *VFUN
FUEL(1) = COPY ASSY(1)
SCALE FACTORS RESULT= 6.6412 INPUT= 1.0000
VECTOR LENGTH= 101

PARAMETER FUEL(0,1) = 1.000000

Define new material 14 for SNF effective conductivity

Density: DENS (kg/m³)

Conductivity: KXX (W/m/K)

Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 14 NUM. POINTS= 1
SLOC= 1 3960.040

PROPERTY TABLE C MAT= 14 NUM. POINTS= 1
SLOC= 1 274.0000
Store average effective conductivities

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 25.00000

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
SLOC= 2 50.00000

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 1
SLOC= 1 .4617156

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 2
SLOC= 2 .5036997

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

Construct geometry for Disposal Container

Define center and axis keypoints for waste package
Also, create placeholder keypoints and lines

(K's 1,2,3,4,5,6,7,8)
(L's 1,2,3,4)

KEYPOINT	1	X,Y,Z=	.000000E+00	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	2	X,Y,Z=	.000000E+00	.000000E+00	1.00000	IN CSYS= 0
KEYPOINT	3	X,Y,Z=	.000000E+00	.000000E+00	1.30000	IN CSYS= 0
KEYPOINT	4	X,Y,Z=	.000000E+00	.000000E+00	1.40000	IN CSYS= 0
KEYPOINT	5	X,Y,Z=	.000000E+00	.000000E+00	1.50000	IN CSYS= 0
KEYPOINT	6	X,Y,Z=	.000000E+00	.000000E+00	1.60000	IN CSYS= 0
KEYPOINT	7	X,Y,Z=	.000000E+00	.000000E+00	1.70000	IN CSYS= 0
KEYPOINT	8	X,Y,Z=	.000000E+00	.000000E+00	1.80000	IN CSYS= 0

LINE CONNECTS KEYPOINTS		3	4			
LINE NO.=	1	KP1=	3	TAN1=	.0000	.0000 -1.0000
		KP2=	4	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		4	5			
LINE NO.=	2	KP1=	4	TAN1=	.0000	.0000 -1.0000
		KP2=	5	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		5	6			
LINE NO.=	3	KP1=	5	TAN1=	.0000	.0000 -1.0000
		KP2=	6	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		6	7			
LINE NO.=	4	KP1=	6	TAN1=	.0000	.0000 -1.0000
		KP2=	7	TAN2=	.0000	.0000 1.0000

Define disposal container and MPC outer radius
(K's 9,10,11,12,13,14,15,16,17,18,19,20)
(L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
(A's 1,2,3,4,5,6)

KEYPOINT	9	X,Y,Z=	.000000E+00	-.765250	.000000E+00	IN CSYS= 0
KEYPOINT	10	X,Y,Z=	.765250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	11	X,Y,Z=	.000000E+00	.765250	.000000E+00	IN CSYS= 0
KEYPOINT	12	X,Y,Z=	.000000E+00	-.665250	.000000E+00	IN CSYS= 0
KEYPOINT	13	X,Y,Z=	.665250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	14	X,Y,Z=	.000000E+00	.665250	.000000E+00	IN CSYS= 0
KEYPOINT	15	X,Y,Z=	.000000E+00	-.645250	.000000E+00	IN CSYS= 0
KEYPOINT	16	X,Y,Z=	.645250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	17	X,Y,Z=	.000000E+00	.645250	.000000E+00	IN CSYS= 0
KEYPOINT	18	X,Y,Z=	.000000E+00	-.630174	.000000E+00	IN CSYS= 0
KEYPOINT	19	X,Y,Z=	.630174	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	20	X,Y,Z=	.000000E+00	.630174	.000000E+00	IN CSYS= 0

LINE CONNECTS KEYPOINTS		10	13			
LINE NO.=	5	KP1=	10	TAN1=	1.0000	.0000 .0000
		KP2=	13	TAN2=	-1.0000	.0000 .0000

LINE CONNECTS KEYPOINTS		13	16			
LINE NO.=	6	KP1=	13	TAN1=	1.0000	.0000 .0000
		KP2=	16	TAN2=	-1.0000	.0000 .0000

ARC BETWEEN KEYPOINTS	10 AND	9	ORIENTATION KEYPOINT=	1
RADIUS=	.76525			
LINE NO.=	7	KP1= 10	TAN1= .0000	1.0000 .0000
		KP2= 9	TAN2= -1.0000	.0000 .0000
ARC BETWEEN KEYPOINTS	11 AND	10	ORIENTATION KEYPOINT=	1
RADIUS=	.76525			
LINE NO.=	8	KP1= 11	TAN1= -1.0000	.0000 .0000
		KP2= 10	TAN2= .0000	-1.0000 .0000
ARC BETWEEN KEYPOINTS	13 AND	12	ORIENTATION KEYPOINT=	1
RADIUS=	.66525			
LINE NO.=	9	KP1= 13	TAN1= .0000	1.0000 .0000
		KP2= 12	TAN2= -1.0000	.0000 .0000
ARC BETWEEN KEYPOINTS	14 AND	13	ORIENTATION KEYPOINT=	1
RADIUS=	.66525			
LINE NO.=	10	KP1= 14	TAN1= -1.0000	.0000 .0000
		KP2= 13	TAN2= .0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS	11	14		
LINE NO.=	11	KP1= 11	TAN1= .0000	1.0000 .0000
		KP2= 14	TAN2= .0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS	9	12		
LINE NO.=	12	KP1= 9	TAN1= .0000	-1.0000 .0000
		KP2= 12	TAN2= .0000	1.0000 .0000
ARC BETWEEN KEYPOINTS	15 AND	16	ORIENTATION KEYPOINT=	1
RADIUS=	.64525			
LINE NO.=	13	KP1= 15	TAN1= -1.0000	.0000 .0000
		KP2= 16	TAN2= .0000	1.0000 .0000
ARC BETWEEN KEYPOINTS	16 AND	17	ORIENTATION KEYPOINT=	1
RADIUS=	.64525			
LINE NO.=	14	KP1= 16	TAN1= .0000	-1.0000 .0000
		KP2= 17	TAN2= -1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS	14	17		
LINE NO.=	15	KP1= 14	TAN1= .0000	1.0000 .0000
		KP2= 17	TAN2= .0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS	12	15		
LINE NO.=	16	KP1= 12	TAN1= .0000	-1.0000 .0000
		KP2= 15	TAN2= .0000	1.0000 .0000
ARC BETWEEN KEYPOINTS	19 AND	18	ORIENTATION KEYPOINT=	1
RADIUS=	.63017			
LINE NO.=	17	KP1= 19	TAN1= .0000	1.0000 .0000
		KP2= 18	TAN2= -1.0000	.0000 .0000
ARC BETWEEN KEYPOINTS	20 AND	19	ORIENTATION KEYPOINT=	1
RADIUS=	.63017			
LINE NO.=	18	KP1= 20	TAN1= -1.0000	.0000 .0000
		KP2= 19	TAN2= .0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS	17	20		
LINE NO.=	19	KP1= 17	TAN1= .0000	1.0000 .0000
		KP2= 20	TAN2= .0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS	15	18		
LINE NO.=	20	KP1= 15	TAN1= .0000	-1.0000 .0000
		KP2= 18	TAN2= .0000	1.0000 .0000
LINE CONNECTS KEYPOINTS	16	19		
LINE NO.=	21	KP1= 16	TAN1= 1.0000	.0000 .0000
		KP2= 19	TAN2= -1.0000	.0000 .0000

DEFINE AREA BY LIST OF LINES

LINE LIST = 5 7 12 9
(TRAVERSED IN SAME DIRECTION AS LINE 5)

AREA NUMBER = 1

DEFINE AREA BY LIST OF LINES

LINE LIST = 11 8 5 10
(TRAVERSED IN SAME DIRECTION AS LINE 11)

AREA NUMBER = 2

DEFINE AREA BY LIST OF LINES

LINE LIST = 6 9 16 13
(TRAVERSED IN SAME DIRECTION AS LINE 6)

AREA NUMBER = 3

DEFINE AREA BY LIST OF LINES

LINE LIST = 15 10 6 14
(TRAVERSED IN SAME DIRECTION AS LINE 15)

AREA NUMBER = 4

DEFINE AREA BY LIST OF LINES

LINE LIST = 21 13 20 17
(TRAVERSED IN SAME DIRECTION AS LINE 21)

AREA NUMBER = 5

DEFINE AREA BY LIST OF LINES

LINE LIST = 19 14 21 18
(TRAVERSED IN SAME DIRECTION AS LINE 19)

AREA NUMBER = 6

Define MPC shell inner edge and area
(K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
(38,39)
(L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
(39,40,41,42)
(A's 7,8)

KEYPOINT	21	X,Y,Z=	.000000E+00	.607949	.000000E+00	IN CSYS= 0
KEYPOINT	22	X,Y,Z=	.404963E-01	.606599	.000000E+00	IN CSYS= 0
KEYPOINT	23	X,Y,Z=	.500213E-01	.605888	.000000E+00	IN CSYS= 0
KEYPOINT	24	X,Y,Z=	.254720	.552014	.000000E+00	IN CSYS= 0
KEYPOINT	25	X,Y,Z=	.288484	.535144	.000000E+00	IN CSYS= 0
KEYPOINT	26	X,Y,Z=	.535144	.288484	.000000E+00	IN CSYS= 0
KEYPOINT	27	X,Y,Z=	.552014	.254720	.000000E+00	IN CSYS= 0
KEYPOINT	28	X,Y,Z=	.605888	.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	29	X,Y,Z=	.606599	.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	30	X,Y,Z=	.607949	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	31	X,Y,Z=	.606599	-.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	32	X,Y,Z=	.605888	-.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	33	X,Y,Z=	.552014	-.254720	.000000E+00	IN CSYS= 0
KEYPOINT	34	X,Y,Z=	.535144	-.288484	.000000E+00	IN CSYS= 0

KEYPOINT	35	X,Y,Z=	.288484	-.535144	.000000E+00	IN CSYS= 0
KEYPOINT	36	X,Y,Z=	.254720	-.552014	.000000E+00	IN CSYS= 0
KEYPOINT	37	X,Y,Z=	.500213E-01	-.605888	.000000E+00	IN CSYS= 0
KEYPOINT	38	X,Y,Z=	.404963E-01	-.606599	.000000E+00	IN CSYS= 0
KEYPOINT	39	X,Y,Z=	.000000E+00	-.607949	.000000E+00	IN CSYS= 0

LINE CONNECTS KEYPOINTS	20	21				
LINE NO.=	22	KP1=	20	TAN1=	.0000	1.0000 .0000
		KP2=	21	TAN2=	.0000	-1.0000 .0000

ARC BETWEEN KEYPOINTS	22	AND	21	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	23	KP1=	22	TAN1=	.9978 -.0666 .0000
		KP2=	21	TAN2=	-1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS	23	AND	22	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	24	KP1=	23	TAN1=	.9966 -.0823 .0000
		KP2=	22	TAN2=	-.9978 .0666 .0000

ARC BETWEEN KEYPOINTS	24	AND	23	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	25	KP1=	24	TAN1=	.9080 -.4190 .0000
		KP2=	23	TAN2=	-.9966 .0823 .0000

ARC BETWEEN KEYPOINTS	25	AND	24	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	26	KP1=	25	TAN1=	.8802 -.4745 .0000
		KP2=	24	TAN2=	-.9080 .4190 .0000

ARC BETWEEN KEYPOINTS	26	AND	25	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	27	KP1=	26	TAN1=	.4745 -.8802 .0000
		KP2=	25	TAN2=	-.8802 .4745 .0000

ARC BETWEEN KEYPOINTS	27	AND	26	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	28	KP1=	27	TAN1=	.4190 -.9080 .0000
		KP2=	26	TAN2=	-.4745 .8802 .0000

ARC BETWEEN KEYPOINTS	28	AND	27	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	29	KP1=	28	TAN1=	.0823 -.9966 .0000
		KP2=	27	TAN2=	-.4190 .9080 .0000

ARC BETWEEN KEYPOINTS	29	AND	28	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	30	KP1=	29	TAN1=	.0666 -.9978 .0000
		KP2=	28	TAN2=	-.0823 .9966 .0000

ARC BETWEEN KEYPOINTS	30	AND	29	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	31	KP1=	30	TAN1=	.0000 -1.0000 .0000
		KP2=	29	TAN2=	-.0666 .9978 .0000

ARC BETWEEN KEYPOINTS	31	AND	30	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	32	KP1=	31	TAN1=	-.0666 -.9978 .0000
		KP2=	30	TAN2=	.0000 1.0000 .0000

ARC BETWEEN KEYPOINTS	32	AND	31	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	33	KP1=	32	TAN1=	-.0823 -.9966 .0000
		KP2=	31	TAN2=	.0666 .9978 .0000

ARC BETWEEN KEYPOINTS	33	AND	32	ORIENTATION KEYPOINT=	1
-----------------------	----	-----	----	-----------------------	---

RADIUS= .60795
 LINE NO.= 34 KP1= 33 TAN1= -.4190 -.9080 .0000
 KP2= 32 TAN2= .0823 .9966 .0000

ARC BETWEEN KEYPOINTS 34 AND 33 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 35 KP1= 34 TAN1= -.4745 -.8802 .0000
 KP2= 33 TAN2= .4190 .9080 .0000

ARC BETWEEN KEYPOINTS 35 AND 34 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 36 KP1= 35 TAN1= -.8802 -.4745 .0000
 KP2= 34 TAN2= .4745 .8802 .0000

ARC BETWEEN KEYPOINTS 36 AND 35 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 37 KP1= 36 TAN1= -.9080 -.4190 .0000
 KP2= 35 TAN2= .8802 .4745 .0000

ARC BETWEEN KEYPOINTS 37 AND 36 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 38 KP1= 37 TAN1= -.9966 -.0823 .0000
 KP2= 36 TAN2= .9080 .4190 .0000

ARC BETWEEN KEYPOINTS 38 AND 37 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 39 KP1= 38 TAN1= -.9978 -.0666 .0000
 KP2= 37 TAN2= .9966 .0823 .0000

ARC BETWEEN KEYPOINTS 39 AND 38 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 40 KP1= 39 TAN1= -1.0000 .0000 .0000
 KP2= 38 TAN2= .9978 .0666 .0000

LINE CONNECTS KEYPOINTS 18 39
 LINE NO.= 41 KP1= 18 TAN1= .0000 -1.0000 .0000
 KP2= 39 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 19 30
 LINE NO.= 42 KP1= 19 TAN1= 1.0000 .0000 .0000
 KP2= 30 TAN2= -1.0000 .0000 .0000

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 32 TO 42 STEP 1

11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 17 TO 17 STEP 1

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES
 LINE LIST = ALL SELECTED LINES
 (TRAVERSED IN SAME DIRECTION AS LINE 17)

AREA NUMBER = 7

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 22 TO 31 STEP 1

10 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 18 TO 18 STEP 1

11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 42 TO 42 STEP 1

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES

LINE LIST = ALL SELECTED LINES
(TRAVERSED IN SAME DIRECTION AS LINE 18)

AREA NUMBER = 8

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 42 STEP 1

42 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

Define tube guides

(K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)

(57,58,59)

(L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)

(60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)

(77,78,79,80)

(A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)

(26)

top

KEYPOINT	40	X,Y,Z=	.500213E-01	.552014	.000000E+00	IN CSYS= 0
KEYPOINT	41	X,Y,Z=	.404963E-01	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	42	X,Y,Z=	.254720	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	43	X,Y,Z=	.278959	.535144	.000000E+00	IN CSYS= 0
KEYPOINT	44	X,Y,Z=	.288484	.288484	.000000E+00	IN CSYS= 0
KEYPOINT	45	X,Y,Z=	.278959	.278959	.000000E+00	IN CSYS= 0
KEYPOINT	46	X,Y,Z=	.535144	.278959	.000000E+00	IN CSYS= 0
		side				
KEYPOINT	47	X,Y,Z=	.542489	.254720	.000000E+00	IN CSYS= 0
KEYPOINT	48	X,Y,Z=	.552014	.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	49	X,Y,Z=	.542489	.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	50	X,Y,Z=	.542489	-.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	51	X,Y,Z=	.552014	-.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	52	X,Y,Z=	.542489	-.254720	.000000E+00	IN CSYS= 0
		bottom				
KEYPOINT	53	X,Y,Z=	.535144	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	54	X,Y,Z=	.278959	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	55	X,Y,Z=	.288484	-.288484	.000000E+00	IN CSYS= 0
KEYPOINT	56	X,Y,Z=	.278959	-.535144	.000000E+00	IN CSYS= 0
KEYPOINT	57	X,Y,Z=	.254720	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	58	X,Y,Z=	.404963E-01	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	59	X,Y,Z=	.500213E-01	-.552014	.000000E+00	IN CSYS= 0
		top				

LINE CONNECTS KEYPOINTS 41 22
LINE NO.= 43 KP1= 41 TAN1= .0000 -1.0000 .0000

	KP2=	22	TAN2=	.0000	1.0000	.0000
LINE CONNECTS	KEYPOINTS	40	41			
LINE NO.=	44	KP1=	40	TAN1=	.7071	.0000
		KP2=	41	TAN2=	-.7071	.0000
LINE CONNECTS	KEYPOINTS	40	24			
LINE NO.=	45	KP1=	40	TAN1=	-1.0000	.0000
		KP2=	24	TAN2=	1.0000	.0000
LINE CONNECTS	KEYPOINTS	42	41			
LINE NO.=	46	KP1=	42	TAN1=	1.0000	.0000
		KP2=	41	TAN2=	-1.0000	.0000
LINE CONNECTS	KEYPOINTS	24	42			
LINE NO.=	47	KP1=	24	TAN1=	.0000	1.0000
		KP2=	42	TAN2=	.0000	-1.0000
LINE CONNECTS	KEYPOINTS	43	25			
LINE NO.=	48	KP1=	43	TAN1=	-1.0000	.0000
		KP2=	25	TAN2=	1.0000	.0000
LINE CONNECTS	KEYPOINTS	45	43			
LINE NO.=	49	KP1=	45	TAN1=	.0000	-1.0000
		KP2=	43	TAN2=	.0000	1.0000
LINE CONNECTS	KEYPOINTS	25	44			
LINE NO.=	50	KP1=	25	TAN1=	.0000	1.0000
		KP2=	44	TAN2=	.0000	-1.0000
LINE CONNECTS	KEYPOINTS	44	45			
LINE NO.=	51	KP1=	44	TAN1=	.7071	.0000
		KP2=	45	TAN2=	-.7071	.0000
LINE CONNECTS	KEYPOINTS	44	26			
LINE NO.=	52	KP1=	44	TAN1=	-1.0000	.0000
		KP2=	26	TAN2=	1.0000	.0000
LINE CONNECTS	KEYPOINTS	46	45			
LINE NO.=	53	KP1=	46	TAN1=	1.0000	.0000
		KP2=	45	TAN2=	-1.0000	.0000
LINE CONNECTS	KEYPOINTS	26	46			
LINE NO.=	54	KP1=	26	TAN1=	.0000	1.0000
		KP2=	46	TAN2=	.0000	-1.0000
	side					
LINE CONNECTS	KEYPOINTS	47	27			
LINE NO.=	55	KP1=	47	TAN1=	-1.0000	.0000
		KP2=	27	TAN2=	1.0000	.0000
LINE CONNECTS	KEYPOINTS	49	47			
LINE NO.=	56	KP1=	49	TAN1=	.0000	-1.0000
		KP2=	47	TAN2=	.0000	1.0000
LINE CONNECTS	KEYPOINTS	27	48			
LINE NO.=	57	KP1=	27	TAN1=	.0000	1.0000
		KP2=	48	TAN2=	.0000	-1.0000
LINE CONNECTS	KEYPOINTS	48	49			
LINE NO.=	58	KP1=	48	TAN1=	.7071	.0000
		KP2=	49	TAN2=	-.7071	.0000
LINE CONNECTS	KEYPOINTS	48	28			
LINE NO.=	59	KP1=	48	TAN1=	-1.0000	.0000
		KP2=	28	TAN2=	1.0000	.0000
LINE CONNECTS	KEYPOINTS	29	49			
LINE NO.=	60	KP1=	29	TAN1=	1.0000	.0000
		KP2=	49	TAN2=	-1.0000	.0000

LINE CONNECTS KEYPOINTS	50	31			
LINE NO.= 61 KP1=	50	TAN1=	-1.0000	.0000	.0000
KP2=	31	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	32	51			
LINE NO.= 62 KP1=	32	TAN1=	1.0000	.0000	.0000
KP2=	51	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	50	51			
LINE NO.= 63 KP1=	50	TAN1=	-.7071	.7071	.0000
KP2=	51	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	52	50			
LINE NO.= 64 KP1=	52	TAN1=	.0000	-1.0000	.0000
KP2=	50	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	51	33			
LINE NO.= 65 KP1=	51	TAN1=	.0000	1.0000	.0000
KP2=	33	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	33	52			
LINE NO.= 66 KP1=	33	TAN1=	1.0000	.0000	.0000
KP2=	52	TAN2=	-1.0000	.0000	.0000
bottom					
LINE CONNECTS KEYPOINTS	53	34			
LINE NO.= 67 KP1=	53	TAN1=	.0000	1.0000	.0000
KP2=	34	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	54	53			
LINE NO.= 68 KP1=	54	TAN1=	-1.0000	.0000	.0000
KP2=	53	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	34	55			
LINE NO.= 69 KP1=	34	TAN1=	1.0000	.0000	.0000
KP2=	55	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	54	55			
LINE NO.= 70 KP1=	54	TAN1=	-.7071	.7071	.0000
KP2=	55	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	56	54			
LINE NO.= 71 KP1=	56	TAN1=	.0000	-1.0000	.0000
KP2=	54	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	55	35			
LINE NO.= 72 KP1=	55	TAN1=	.0000	1.0000	.0000
KP2=	35	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	35	56			
LINE NO.= 73 KP1=	35	TAN1=	1.0000	.0000	.0000
KP2=	56	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	57	36			
LINE NO.= 74 KP1=	57	TAN1=	.0000	1.0000	.0000
KP2=	36	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	58	57			
LINE NO.= 75 KP1=	58	TAN1=	-1.0000	.0000	.0000
KP2=	57	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	36	59			
LINE NO.= 76 KP1=	36	TAN1=	1.0000	.0000	.0000
KP2=	59	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	58	59			
LINE NO.= 77 KP1=	58	TAN1=	-.7071	.7071	.0000
KP2=	59	TAN2=	.7071	-.7071	.0000

LINE CONNECTS KEYPOINTS 38 58
 LINE NO.= 78 KP1= 38 TAN1= .0000 -1.0000 .0000
 KP2= 58 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 59 37
 LINE NO.= 79 KP1= 59 TAN1= .0000 1.0000 .0000
 KP2= 37 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 23 40
 LINE NO.= 80 KP1= 23 TAN1= .0000 1.0000 .0000
 KP2= 40 TAN2= .0000 -1.0000 .0000

air

DEFINE AREA BY LIST OF LINES
 LINE LIST = 80 45 25
 (TRAVERSED IN SAME DIRECTION AS LINE 80)

AREA NUMBER = 9

DEFINE AREA BY LIST OF LINES
 LINE LIST = 50 52 27
 (TRAVERSED IN SAME DIRECTION AS LINE 50)

AREA NUMBER = 10

DEFINE AREA BY LIST OF LINES
 LINE LIST = 57 59 29
 (TRAVERSED IN SAME DIRECTION AS LINE 57)

AREA NUMBER = 11

DEFINE AREA BY LIST OF LINES
 LINE LIST = 62 65 34
 (TRAVERSED IN SAME DIRECTION AS LINE 62)

AREA NUMBER = 12

DEFINE AREA BY LIST OF LINES
 LINE LIST = 69 72 36
 (TRAVERSED IN SAME DIRECTION AS LINE 69)

AREA NUMBER = 13

DEFINE AREA BY LIST OF LINES
 LINE LIST = 76 79 38
 (TRAVERSED IN SAME DIRECTION AS LINE 76)

AREA NUMBER = 14
 guides

DEFINE AREA BY LIST OF LINES
 LINE LIST = 24 43 44 80
 (TRAVERSED IN SAME DIRECTION AS LINE 24)

AREA NUMBER = 15

DEFINE AREA BY LIST OF LINES
 LINE LIST = 45 44 46 47
 (TRAVERSED IN SAME DIRECTION AS LINE 45)

AREA NUMBER = 16

DEFINE AREA BY LIST OF LINES
 LINE LIST = 48 49 51 50
 (TRAVERSED IN SAME DIRECTION AS LINE 48)

AREA NUMBER = 17

DEFINE AREA BY LIST OF LINES
 LINE LIST = 52 51 53 54

```

(TRAVERSED IN SAME DIRECTION AS LINE 52)

AREA NUMBER = 18

DEFINE AREA BY LIST OF LINES
LINE LIST = 55 56 58 57
(TRAVERSED IN SAME DIRECTION AS LINE 55)

AREA NUMBER = 19

DEFINE AREA BY LIST OF LINES
LINE LIST = 59 58 60 30
(TRAVERSED IN SAME DIRECTION AS LINE 59)

AREA NUMBER = 20

DEFINE AREA BY LIST OF LINES
LINE LIST = 61 63 62 33
(TRAVERSED IN SAME DIRECTION AS LINE 61)

AREA NUMBER = 21

DEFINE AREA BY LIST OF LINES
LINE LIST = 63 64 66 65
(TRAVERSED IN SAME DIRECTION AS LINE 63)

AREA NUMBER = 22

DEFINE AREA BY LIST OF LINES
LINE LIST = 68 70 69 67
(TRAVERSED IN SAME DIRECTION AS LINE 68)

AREA NUMBER = 23

DEFINE AREA BY LIST OF LINES
LINE LIST = 70 71 73 72
(TRAVERSED IN SAME DIRECTION AS LINE 70)

AREA NUMBER = 24

DEFINE AREA BY LIST OF LINES
LINE LIST = 75 77 76 74
(TRAVERSED IN SAME DIRECTION AS LINE 75)

AREA NUMBER = 25

DEFINE AREA BY LIST OF LINES
LINE LIST = 77 78 39 79
(TRAVERSED IN SAME DIRECTION AS LINE 77)

AREA NUMBER = 26
*****
Define top half tubes and flux trap plate
(K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
( 108,109,110,111,112,113,114,115,116,117,118,119)
( 120,121,122,123,124,125,126,127,128,129,130,131)
( 132,133,134,135,136,137,138,139,140,141,142,143)
( 144,145,146,147,148,149,150,151,152,153,154,155)
( 156,157,158,159,160,161,162,163,164,165,166,167)
(L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
( 98,99,100,101,102,103,104,105,106,107,108,109,110)
( 111,112,113,114,115,116,117,118,119,120,121,122)
( 123,124,125,126,127,128,129,130,131,132,133,134)
( 135,136,137,138,139,140,141,142,143,144,145,146)
( 147,...)
(A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)

```

(78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
 (95,96,97,98,99,100,101,102,103)

KEYPOINT	60	X,Y,Z=	.000000E+00	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	61	X,Y,Z=	.000000E+00	.381000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	62	X,Y,Z=	.000000E+00	.138125	.000000E+00	IN CSYS= 0
KEYPOINT	63	X,Y,Z=	.000000E+00	.163525	.000000E+00	IN CSYS= 0
KEYPOINT	64	X,Y,Z=	.000000E+00	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	65	X,Y,Z=	.000000E+00	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	66	X,Y,Z=	.000000E+00	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	67	X,Y,Z=	.000000E+00	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	68	X,Y,Z=	.000000E+00	.406756	.000000E+00	IN CSYS= 0
KEYPOINT	69	X,Y,Z=	.000000E+00	.432156	.000000E+00	IN CSYS= 0
KEYPOINT	70	X,Y,Z=	.000000E+00	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	71	X,Y,Z=	.000000E+00	.561543	.000000E+00	IN CSYS= 0
KEYPOINT	72	X,Y,Z=	.000000E+00	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	73	X,Y,Z=	.127000E-01	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	74	X,Y,Z=	.127000E-01	.381000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	75	X,Y,Z=	.127000E-01	.138125	.000000E+00	IN CSYS= 0
KEYPOINT	76	X,Y,Z=	.127000E-01	.163525	.000000E+00	IN CSYS= 0
KEYPOINT	77	X,Y,Z=	.127000E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	78	X,Y,Z=	.127000E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	79	X,Y,Z=	.127000E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	80	X,Y,Z=	.127000E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	81	X,Y,Z=	.127000E-01	.406756	.000000E+00	IN CSYS= 0
KEYPOINT	82	X,Y,Z=	.127000E-01	.432156	.000000E+00	IN CSYS= 0
KEYPOINT	83	X,Y,Z=	.127000E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	84	X,Y,Z=	.127000E-01	.561543	.000000E+00	IN CSYS= 0
KEYPOINT	85	X,Y,Z=	.127000E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	86	X,Y,Z=	.254000E-01	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	87	X,Y,Z=	.254000E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	88	X,Y,Z=	.254000E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	89	X,Y,Z=	.254000E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	90	X,Y,Z=	.254000E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	91	X,Y,Z=	.254000E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	92	X,Y,Z=	.254000E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	93	X,Y,Z=	.381000E-01	.127000E-01	.000000E+00	IN CSYS= 0

KEYPOINT	94	X,Y,Z=	.317500E-01	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	95	X,Y,Z=	.317500E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	96	X,Y,Z=	.317500E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	97	X,Y,Z=	.317500E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	98	X,Y,Z=	.317500E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	99	X,Y,Z=	.317500E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	100	X,Y,Z=	.317500E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	101	X,Y,Z=	.341376E-01	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	102	X,Y,Z=	.341376E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	103	X,Y,Z=	.341376E-01	.270231	.000000E+00	IN CSYS=	0
KEYPOINT	104	X,Y,Z=	.341376E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	105	X,Y,Z=	.341376E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	106	X,Y,Z=	.341376E-01	.300050	.000000E+00	IN CSYS=	0
KEYPOINT	107	X,Y,Z=	.341376E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	108	X,Y,Z=	.341376E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	109	X,Y,Z=	.341376E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	110	X,Y,Z=	.365252E-01	.365252E-01	.000000E+00	IN CSYS=	0
KEYPOINT	111	X,Y,Z=	.365252E-01	.265125	.000000E+00	IN CSYS=	0
KEYPOINT	112	X,Y,Z=	.365252E-01	.305156	.000000E+00	IN CSYS=	0
KEYPOINT	113	X,Y,Z=	.365252E-01	.533756	.000000E+00	IN CSYS=	0
KEYPOINT	114	X,Y,Z=	.138125	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	115	X,Y,Z=	.163525	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	116	X,Y,Z=	.265125	.365252E-01	.000000E+00	IN CSYS=	0
KEYPOINT	117	X,Y,Z=	.265125	.265125	.000000E+00	IN CSYS=	0
KEYPOINT	118	X,Y,Z=	.265125	.305156	.000000E+00	IN CSYS=	0
KEYPOINT	119	X,Y,Z=	.265125	.533756	.000000E+00	IN CSYS=	0
KEYPOINT	120	X,Y,Z=	.267513	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	121	X,Y,Z=	.267513	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	122	X,Y,Z=	.267513	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	123	X,Y,Z=	.267513	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	124	X,Y,Z=	.267513	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	125	X,Y,Z=	.267513	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	126	X,Y,Z=	.267513	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	127	X,Y,Z=	.270231	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	128	X,Y,Z=	.270231	.270231	.000000E+00	IN CSYS=	0

KEYPOINT	129	X,Y,Z=	.270231	.300050	.000000E+00	IN CSYS=	0
KEYPOINT	130	X,Y,Z=	.270231	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	131	X,Y,Z=	.272618	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	132	X,Y,Z=	.272618	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	133	X,Y,Z=	.272618	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	134	X,Y,Z=	.272618	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	135	X,Y,Z=	.272618	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	136	X,Y,Z=	.272618	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	137	X,Y,Z=	.272618	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	138	X,Y,Z=	.297663	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	139	X,Y,Z=	.297663	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	140	X,Y,Z=	.297663	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	141	X,Y,Z=	.297663	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	142	X,Y,Z=	.297663	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	143	X,Y,Z=	.300050	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	144	X,Y,Z=	.300050	.270231	.000000E+00	IN CSYS=	0
KEYPOINT	145	X,Y,Z=	.302768	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	146	X,Y,Z=	.302768	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	147	X,Y,Z=	.302768	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	148	X,Y,Z=	.302768	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	149	X,Y,Z=	.302768	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	150	X,Y,Z=	.305156	.365252E-01	.000000E+00	IN CSYS=	0
KEYPOINT	151	X,Y,Z=	.305156	.265125	.000000E+00	IN CSYS=	0
KEYPOINT	152	X,Y,Z=	.406756	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	153	X,Y,Z=	.432156	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	154	X,Y,Z=	.533756	.365252E-01	.000000E+00	IN CSYS=	0
KEYPOINT	155	X,Y,Z=	.533756	.265125	.000000E+00	IN CSYS=	0
KEYPOINT	156	X,Y,Z=	.536143	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	157	X,Y,Z=	.536143	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	158	X,Y,Z=	.536143	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	159	X,Y,Z=	.536143	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	160	X,Y,Z=	.536143	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	161	X,Y,Z=	.536143	.270231	.000000E+00	IN CSYS=	0
KEYPOINT	162	X,Y,Z=	.536143	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	163	X,Y,Z=	.561543	.127000E-01	.000000E+00	IN CSYS=	0

KEYPOINT 164 X,Y,Z= .601066 .127000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 165 X,Y,Z= .601066 .254000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 166 X,Y,Z= .601066 .317500E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 167 X,Y,Z= .601066 .341376E-01 .000000E+00 IN CSYS= 0
 create lines on perimeter and for lesize

LINE CONNECTS KEYPOINTS 73 60
 LINE NO.= 81 KP1= 73 TAN1= 1.0000 .0000 .0000
 KP2= 60 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 73 74
 LINE NO.= 82 KP1= 73 TAN1= .0000 -1.0000 .0000
 KP2= 74 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 61 74
 LINE NO.= 83 KP1= 61 TAN1= -1.0000 .0000 .0000
 KP2= 74 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 74 75
 LINE NO.= 84 KP1= 74 TAN1= .0000 -1.0000 .0000
 KP2= 75 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 75 62
 LINE NO.= 85 KP1= 75 TAN1= 1.0000 .0000 .0000
 KP2= 62 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 75 76
 LINE NO.= 86 KP1= 75 TAN1= .0000 -1.0000 .0000
 KP2= 76 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 63 76
 LINE NO.= 87 KP1= 63 TAN1= -1.0000 .0000 .0000
 KP2= 76 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 76 77
 LINE NO.= 88 KP1= 76 TAN1= .0000 -1.0000 .0000
 KP2= 77 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 77 78
 LINE NO.= 89 KP1= 77 TAN1= .0000 -1.0000 .0000
 KP2= 78 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 78 65
 LINE NO.= 90 KP1= 78 TAN1= 1.0000 .0000 .0000
 KP2= 65 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 78 79
 LINE NO.= 91 KP1= 78 TAN1= .0000 -1.0000 .0000
 KP2= 79 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 66 79
 LINE NO.= 92 KP1= 66 TAN1= -1.0000 .0000 .0000
 KP2= 79 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 79 80
 LINE NO.= 93 KP1= 79 TAN1= .0000 -1.0000 .0000
 KP2= 80 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 80 81
 LINE NO.= 94 KP1= 80 TAN1= .0000 -1.0000 .0000
 KP2= 81 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 81 68
 LINE NO.= 95 KP1= 81 TAN1= 1.0000 .0000 .0000
 KP2= 68 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS	81	82			
LINE NO.= 96 KP1=	81	TAN1=	.0000	-1.0000	.0000
KP2=	82	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	69	82			
LINE NO.= 97 KP1=	69	TAN1=	-1.0000	.0000	.0000
KP2=	82	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	82	83			
LINE NO.= 98 KP1=	82	TAN1=	.0000	-1.0000	.0000
KP2=	83	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	83	70			
LINE NO.= 99 KP1=	83	TAN1=	1.0000	.0000	.0000
KP2=	70	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	83	84			
LINE NO.= 100 KP1=	83	TAN1=	.0000	-1.0000	.0000
KP2=	84	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	71	84			
LINE NO.= 101 KP1=	71	TAN1=	-1.0000	.0000	.0000
KP2=	84	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	84	85			
LINE NO.= 102 KP1=	84	TAN1=	.0000	-1.0000	.0000
KP2=	85	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	85	92			
LINE NO.= 103 KP1=	85	TAN1=	-1.0000	.0000	.0000
KP2=	92	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	92	100			
LINE NO.= 104 KP1=	92	TAN1=	-1.0000	.0000	.0000
KP2=	100	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	100	109			
LINE NO.= 105 KP1=	100	TAN1=	-1.0000	.0000	.0000
KP2=	109	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	109	108			
LINE NO.= 106 KP1=	109	TAN1=	.0000	1.0000	.0000
KP2=	108	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	108	126			
LINE NO.= 107 KP1=	108	TAN1=	-1.0000	.0000	.0000
KP2=	126	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	126	130			
LINE NO.= 108 KP1=	126	TAN1=	-1.0000	.0000	.0000
KP2=	130	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	130	137			
LINE NO.= 109 KP1=	130	TAN1=	-1.0000	.0000	.0000
KP2=	137	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	137	136			
LINE NO.= 110 KP1=	137	TAN1=	.0000	1.0000	.0000
KP2=	136	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	136	105			
LINE NO.= 111 KP1=	136	TAN1=	1.0000	.0000	.0000
KP2=	105	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	112	107			
LINE NO.= 112 KP1=	112	TAN1=	.7071	.7071	.0000
KP2=	107	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	107	106			
LINE NO.= 113 KP1=	107	TAN1=	.0000	1.0000	.0000

	KP2=	106	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		106	105			
LINE NO.= 114	KP1=	106	TAN1=	.0000	1.0000	.0000
	KP2=	105	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		105	104			
LINE NO.= 115	KP1=	105	TAN1=	.0000	1.0000	.0000
	KP2=	104	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		104	103			
LINE NO.= 116	KP1=	104	TAN1=	.0000	1.0000	.0000
	KP2=	103	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		103	102			
LINE NO.= 117	KP1=	103	TAN1=	.0000	1.0000	.0000
	KP2=	102	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		102	111			
LINE NO.= 118	KP1=	102	TAN1=	-.7071	.7071	.0000
	KP2=	111	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		104	135			
LINE NO.= 119	KP1=	104	TAN1=	-1.0000	.0000	.0000
	KP2=	135	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		135	134			
LINE NO.= 120	KP1=	135	TAN1=	.0000	1.0000	.0000
	KP2=	134	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		123	127			
LINE NO.= 121	KP1=	123	TAN1=	-1.0000	.0000	.0000
	KP2=	127	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		127	134			
LINE NO.= 122	KP1=	127	TAN1=	-1.0000	.0000	.0000
	KP2=	134	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		134	141			
LINE NO.= 123	KP1=	134	TAN1=	-1.0000	.0000	.0000
	KP2=	141	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		141	143			
LINE NO.= 124	KP1=	141	TAN1=	-1.0000	.0000	.0000
	KP2=	143	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		143	148			
LINE NO.= 125	KP1=	143	TAN1=	-1.0000	.0000	.0000
	KP2=	148	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		148	150			
LINE NO.= 126	KP1=	148	TAN1=	-.7071	-.7071	.0000
	KP2=	150	TAN2=	.7071	.7071	.0000
LINE CONNECTS KEYPOINTS		141	142			
LINE NO.= 127	KP1=	141	TAN1=	.0000	-1.0000	.0000
	KP2=	142	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		142	162			
LINE NO.= 128	KP1=	142	TAN1=	-1.0000	.0000	.0000
	KP2=	162	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		162	161			
LINE NO.= 129	KP1=	162	TAN1=	.0000	1.0000	.0000
	KP2=	161	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		161	160			
LINE NO.= 130	KP1=	161	TAN1=	.0000	1.0000	.0000
	KP2=	160	TAN2=	.0000	-1.0000	.0000

LINE CONNECTS KEYPOINTS	160	159			
LINE NO.= 131 KP1=	160	TAN1=	.0000	1.0000	.0000
KP2=	159	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	159	167			
LINE NO.= 132 KP1=	159	TAN1=	-1.0000	.0000	.0000
KP2=	167	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	167	166			
LINE NO.= 133 KP1=	167	TAN1=	.0000	1.0000	.0000
KP2=	166	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	166	165			
LINE NO.= 134 KP1=	166	TAN1=	.0000	1.0000	.0000
KP2=	165	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	165	164			
LINE NO.= 135 KP1=	165	TAN1=	.0000	1.0000	.0000
KP2=	164	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	164	163			
LINE NO.= 136 KP1=	164	TAN1=	1.0000	.0000	.0000
KP2=	163	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	163	156			
LINE NO.= 137 KP1=	163	TAN1=	1.0000	.0000	.0000
KP2=	156	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	156	153			
LINE NO.= 138 KP1=	156	TAN1=	1.0000	.0000	.0000
KP2=	153	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	153	152			
LINE NO.= 139 KP1=	153	TAN1=	1.0000	.0000	.0000
KP2=	152	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	152	145			
LINE NO.= 140 KP1=	152	TAN1=	1.0000	.0000	.0000
KP2=	145	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	145	138			
LINE NO.= 141 KP1=	145	TAN1=	1.0000	.0000	.0000
KP2=	138	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	138	131			
LINE NO.= 142 KP1=	138	TAN1=	1.0000	.0000	.0000
KP2=	131	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	131	120			
LINE NO.= 143 KP1=	131	TAN1=	1.0000	.0000	.0000
KP2=	120	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	120	115			
LINE NO.= 144 KP1=	120	TAN1=	1.0000	.0000	.0000
KP2=	115	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	115	114			
LINE NO.= 145 KP1=	115	TAN1=	1.0000	.0000	.0000
KP2=	114	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	114	93			
LINE NO.= 146 KP1=	114	TAN1=	1.0000	.0000	.0000
KP2=	93	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	93	73			
LINE NO.= 147 KP1=	93	TAN1=	1.0000	.0000	.0000
KP2=	73	TAN2=	-1.0000	.0000	.0000

tube spacers

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 71 84 83 70
AREA NUMBER = 27
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 69 82 81 68
AREA NUMBER = 28
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 66 79 78 65
AREA NUMBER = 29
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 63 76 75 62
AREA NUMBER = 30
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 61 74 73 60
AREA NUMBER = 31
flux trap plate (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 85 92 91 83 84
AREA NUMBER = 32
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 83 91 90 80 81 82
AREA NUMBER = 33
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 80 90 89 79
AREA NUMBER = 34
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 79 89 88 78
AREA NUMBER = 35
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 78 88 87 77
AREA NUMBER = 36
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 77 87 86 73 74 75 76
AREA NUMBER = 37
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 86 121 120 115 114 93 73
AREA NUMBER = 38
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 121 132 131 120
AREA NUMBER = 39
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 132 139 138 131
AREA NUMBER = 40

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 139 146 145 138

AREA NUMBER = 41

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 146 157 156 153 152 145

AREA NUMBER = 42

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 157 165 164 163 156

AREA NUMBER = 43
flux trap plate (Al/boron)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 92 100 99 91

AREA NUMBER = 44

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 91 99 98 90

AREA NUMBER = 45

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 90 98 97 89

AREA NUMBER = 46

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 89 97 96 88

AREA NUMBER = 47

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 88 96 95 87

AREA NUMBER = 48

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 87 95 94 86

AREA NUMBER = 49

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 94 122 121 86

AREA NUMBER = 50

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 122 133 132 121

AREA NUMBER = 51

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 133 140 139 132

AREA NUMBER = 52

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 140 147 146 139

AREA NUMBER = 53

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 147 158 157 146

AREA NUMBER = 54

```
DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 158 166 165 157

  AREA NUMBER = 55
    flux trap plate (sheath)

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 100 109 108 99

  AREA NUMBER = 56

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 99 108 107 98

  AREA NUMBER = 57

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 98 107 106 105 97

  AREA NUMBER = 58

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 97 105 104 96

  AREA NUMBER = 59

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 96 104 103 102 95

  AREA NUMBER = 60

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 95 102 101 94

  AREA NUMBER = 61

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 101 123 122 94

  AREA NUMBER = 62

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 123 127 134 133 122

  AREA NUMBER = 63

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 134 141 140 133

  AREA NUMBER = 64

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 141 143 148 147 140

  AREA NUMBER = 65

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 148 159 158 147

  AREA NUMBER = 66

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 159 167 166 158

  AREA NUMBER = 67
    tube (sheath)

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 130 137 136 129
```

```
AREA NUMBER = 68
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 106 129 136 105

AREA NUMBER = 69
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 104 135 128 103

AREA NUMBER = 70
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 128 135 134 127

AREA NUMBER = 71
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 144 143 141

AREA NUMBER = 72
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 162 161 144

AREA NUMBER = 73
tube (Al/boron)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 126 130 129 125

AREA NUMBER = 74
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 107 125 129 106

AREA NUMBER = 75
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 103 128 124 102

AREA NUMBER = 76
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 124 128 127 123

AREA NUMBER = 77
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 149 148 143

AREA NUMBER = 78
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 161 160 149

AREA NUMBER = 79
tube (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 113 112 107

AREA NUMBER = 80
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 126 119 113

AREA NUMBER = 81
```

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 119 126 125 118

AREA NUMBER = 82

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 112 118 125 107

AREA NUMBER = 83

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 111 110 101

AREA NUMBER = 84

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 124 117 111

AREA NUMBER = 85

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 117 124 123 116

AREA NUMBER = 86

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 110 116 123 101

AREA NUMBER = 87

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 151 150 148

AREA NUMBER = 88

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 160 155 151

AREA NUMBER = 89

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 155 160 159 154

AREA NUMBER = 90

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 150 154 159 148

AREA NUMBER = 91
homogeneous assembly

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 113 119 118 112

AREA NUMBER = 92

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 111 117 116 110

AREA NUMBER = 93

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 151 155 154 150

AREA NUMBER = 94
helium spaces

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 72 85 84 71

```

AREA NUMBER = 95
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 70 83 82 69

AREA NUMBER = 96
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 68 81 80 67

AREA NUMBER = 97
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 67 80 79 66

AREA NUMBER = 98
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 65 78 77 64

AREA NUMBER = 99
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 64 77 76 63

AREA NUMBER = 100
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 62 75 74 61

AREA NUMBER = 101
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 105 136 135 104

AREA NUMBER = 102
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 135 142 141 134

AREA NUMBER = 103
MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03
*****
Set element shapes and sizes for tubes and flux trap
14x14 mesh in fuel with 1
division per tube layer

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

DEFAULT ELEMENT DIVISIONS PER LINE = 1

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 81 TO 87 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 90 TO 92 STEP 2

6 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 95 TO 101 STEP 2

10 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 2, SPACING RATIO = 1.000

```



```
SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    107 TO      107 STEP      1

      1 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    110 TO      111 STEP      1

      3 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    119 TO      120 STEP      1

      5 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    127 TO      128 STEP      1

      7 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    131 TO      131 STEP      1

      8 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
      TO NDIV = 14, SPACING RATIO = 1.000

ALL SELECT   FOR ITEM=LINE COMPONENT=
IN RANGE     1 TO      264 STEP      1

      264 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE      82 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      84 (IF SELECTED AND UNMESHED)
      TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      86 (IF SELECTED AND UNMESHED)
      TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      88 (IF SELECTED AND UNMESHED)
      TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      89 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      91 (IF SELECTED AND UNMESHED)
      TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      93 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      94 (IF SELECTED AND UNMESHED)
      TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      96 (IF SELECTED AND UNMESHED)
      TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      98 (IF SELECTED AND UNMESHED)
      TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE     100 (IF SELECTED AND UNMESHED)
      TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE     102 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000
```

```

SET DIVISIONS ON LINE 103 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 104 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 136 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 137 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 138 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 139 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 140 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 141 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 142 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 143 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 144 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 145 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 146 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 147 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000
  concatenate lines for mapped meshing
  (L's 265,266,267,268,269,270,271,272,273,274)

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    82 TO      88 STEP      2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

```

```

CONCATENATE LINES
  LINE LIST = ALL SELECTED LINES

```

```

COMPOSITE LINE NO.= 265 KP1= 73 KP2= 77

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    94 TO      98 STEP      2

3 LINES (OF 265 DEFINED) SELECTED BY LSEL COMMAND.

```

```

CONCATENATE LINES
  LINE LIST = ALL SELECTED LINES

```

```

COMPOSITE LINE NO.= 266 KP1= 80 KP2= 83

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    100 TO     102 STEP      2

2 LINES (OF 266 DEFINED) SELECTED BY LSEL COMMAND.

```

```

CONCATENATE LINES

```

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 267 KP1= 83 KP2= 85

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 113 TO 114 STEP 1

2 LINES (OF 267 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 268 KP1= 107 KP2= 105

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 116 TO 117 STEP 1

2 LINES (OF 268 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 269 KP1= 104 KP2= 102

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 121 TO 122 STEP 1

2 LINES (OF 269 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 270 KP1= 123 KP2= 134

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 124 TO 125 STEP 1

2 LINES (OF 270 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 271 KP1= 141 KP2= 148

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 136 TO 137 STEP 1

2 LINES (OF 271 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 272 KP1= 164 KP2= 156

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 138 TO 140 STEP 1

3 LINES (OF 272 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 273 KP1= 156 KP2= 145

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 144 TO 147 STEP 1

4 LINES (OF 273 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 274 KP1= 120 KP2= 73

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 274 STEP 1

274 LINES (OF 274 DEFINED) SELECTED BY LSEL COMMAND.

Mesh areas
first flux trap plate, then tubes

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 27 TO 43 IN STEPS OF 1

*** WARNING *** CP= 6.820 TIME= 16:02:43
Meshing of area 32 produced 6 poorly shaped elements.

*** NOTE *** CP= 6.820 TIME= 16:02:43
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
38 39 44 45 50 51

*** WARNING *** CP= 6.880 TIME= 16:02:43
Meshing of area 33 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.890 TIME= 16:02:43
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
58 59 60 63 64 65 72 73 74 77
78 79 86 87 88 91 92 93

*** WARNING *** CP= 7.020 TIME= 16:02:43
Meshing of area 37 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.020 TIME= 16:02:43
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
125 129 130 132 133 134 139 143 144 146
147 148 153 157 158 160 161 162

*** WARNING *** CP= 7.090 TIME= 16:02:43
Meshing of area 38 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.090 TIME= 16:02:43
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
163 164 165 166 167 168 169 170 171 175
176 177 178 179 180 190 191 192

*** WARNING *** CP= 7.230 TIME= 16:02:43
Meshing of area 42 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.230 TIME= 16:02:43
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
238 239 240 241 242 243 244 245 246 253
254 255 256 257 258 259 260 261

*** WARNING *** CP= 7.270 TIME= 16:02:43
Meshing of area 43 produced 6 poorly shaped elements.

*** NOTE *** CP= 7.270 TIME= 16:02:43
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
280 281 282 283 284 285

NUMBER OF AREAS MESHED = 17
MAXIMUM NODE NUMBER = 386
MAXIMUM ELEMENT NUMBER = 288

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 44 TO 55 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 556
MAXIMUM ELEMENT NUMBER = 456

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 56 TO 73 IN STEPS OF 1

NUMBER OF AREAS MESHED = 18
MAXIMUM NODE NUMBER = 807
MAXIMUM ELEMENT NUMBER = 624

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 74 TO 79 IN STEPS OF 1

NUMBER OF AREAS MESHED = 6
MAXIMUM NODE NUMBER = 890
MAXIMUM ELEMENT NUMBER = 708

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 80 TO 91 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 1084
MAXIMUM ELEMENT NUMBER = 876

MATERIAL NUMBER SET TO 14

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 92 TO 94 IN STEPS OF 1

NUMBER OF AREAS MESHED = 3
MAXIMUM NODE NUMBER = 1591
MAXIMUM ELEMENT NUMBER = 1464

Delete concatenated lines
(L's freed up 265,266,267,268,269,270,271,272,273,274)

DELETE SELECTED LINES FROM 265 TO 274 BY 1

DELETED 10 LINES

Copy tube mesh and connect top and bottom

SYMMETRY TRANSFORMATION OF AREAS USING COMPONENT Y
SET IS FROM 27 TO 103 IN STEPS OF 1

MAXIMUM NODE NUMBER = 3182
MAXIMUM ELEMENT NUMBER = 2928
flux trap plate spacers
(L's 449,450,451,452,453,454,455,456,457,458)
(A's 181,182,183,184,185)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 186 73 93 202

AREA NUMBER = 181

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 201 114 115 200

AREA NUMBER = 182

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 204 131 138 206

AREA NUMBER = 183

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 212 152 153 211

AREA NUMBER = 184

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 210 156 163 215

AREA NUMBER = 185
flux trap plate helium gaps
(A's 186,187,188,189,190,191,192,193)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 187 60 73 186

AREA NUMBER = 186

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 202 93 114 201

AREA NUMBER = 187

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 200 115 120 199

AREA NUMBER = 188

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 199 120 131 204

AREA NUMBER = 189

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 206 138 145 208

AREA NUMBER = 190

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 208 145 152 212

AREA NUMBER = 191

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 211 153 156 210

AREA NUMBER = 192

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 215 163 164 214

AREA NUMBER = 193

tube/guide heluim gaps (flats)

(A's 194,195,196,197,198,199,200,201,202,203,204,205)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 109 22 41 108

AREA NUMBER = 194

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 108 41 42 126

AREA NUMBER = 195

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 137 43 45 136

AREA NUMBER = 196

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 142 45 46 162

AREA NUMBER = 197

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 160 47 49 159

AREA NUMBER = 198

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 49 29 167 159

AREA NUMBER = 199

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 244 245 31 50

AREA NUMBER = 200

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 244 50 52 260

AREA NUMBER = 201

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 254 53 54 252

AREA NUMBER = 202

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 248 54 56 247

AREA NUMBER = 203

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 57 58 230

AREA NUMBER = 204

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 230 58 38 229

AREA NUMBER = 205

tube/guide heluim gaps (corners)

(A's 206,207,208,209,210,211,212,213,214,215,216,217)

(218)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 85 72

AREA NUMBER = 206

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 22 109 100 92 85

AREA NUMBER = 207

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 24 25 43 137 130 126 42

AREA NUMBER = 208

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 136 45 142 135

AREA NUMBER = 209

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 26 27 47 160 161 162 46

AREA NUMBER = 210

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 167 29 30 164 165 166

AREA NUMBER = 211

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 164 30 214

AREA NUMBER = 212

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 214 30 31 245 228 213

AREA NUMBER = 213

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 52 33 34 53 254 255 260

AREA NUMBER = 214

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 250 252 54 248

AREA NUMBER = 215

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 246 247 56 35 36 57

AREA NUMBER = 216

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 188 189 216 229 38 39

AREA NUMBER = 217

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 273 188 39

AREA NUMBER = 218
mesh flux trap plate spacers

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 449 TO 458 STEP 1

10 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 4, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 488 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 181 TO 185 IN STEPS OF 1

NUMBER OF AREAS MESHED = 5
MAXIMUM NODE NUMBER = 3251
MAXIMUM ELEMENT NUMBER = 3000

MERGE COINCIDENT NODES WITHIN TOLERANCE OF .10000E-03

*** NOTE *** CP= 15.940 TIME= 16:02:53
Zero nodes were merged.

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Create mesh in MPC shell and disposal container
Tube guides

DEFAULT ELEMENT DIVISIONS PER LINE = 2

SET DIVISIONS ON LINE 43 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 46 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 49 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 53 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 56 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 60 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 61 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 64 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 68 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 71 (IF SELECTED AND UNMESHED)

```

    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 75 (IF SELECTED AND UNMESHED)
    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 78 (IF SELECTED AND UNMESHED)
    TO NDIV = 6, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
    IN AREAS 15 TO 26 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 3677
MAXIMUM ELEMENT NUMBER = 3272
    MPC shell
    (L's 489.490)

SET DIVISIONS ON LINE 23 (IF SELECTED AND UNMESHED)
    TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 25 (IF SELECTED AND UNMESHED)
    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 26 (IF SELECTED AND UNMESHED)
    TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 27 (IF SELECTED AND UNMESHED)
    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 28 (IF SELECTED AND UNMESHED)
    TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 29 (IF SELECTED AND UNMESHED)
    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 31 (IF SELECTED AND UNMESHED)
    TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 32 (IF SELECTED AND UNMESHED)
    TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 34 (IF SELECTED AND UNMESHED)
    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 35 (IF SELECTED AND UNMESHED)
    TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 36 (IF SELECTED AND UNMESHED)
    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 37 (IF SELECTED AND UNMESHED)
    TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 38 (IF SELECTED AND UNMESHED)
    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 40 (IF SELECTED AND UNMESHED)
    TO NDIV = 2, SPACING RATIO = 1.000

SELECT FOR ITEM=LINE COMPONENT=
    IN RANGE 23 TO 31 STEP 1

9 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
    LINE LIST = ALL SELECTED LINES

```

COMPOSITE LINE NO.= 489 KP1= 21 KP2= 30

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 32 TO 40 STEP 1

9 LINES (OF 489 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 490 KP1= 30 KP2= 39

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

490 LINES (OF 490 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 17 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 18 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 22 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 41 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 7 TO 8 IN STEPS OF 1

*** WARNING *** CP= 17.640 TIME= 16:02:55
Meshing of area 7 produced 112 poorly shaped elements.

*** NOTE *** CP= 17.640 TIME= 16:02:55
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3292	3293	3294	3295	3296	3297	3298	3299	3300	3301
3302	3303	3304	3305	3306	3307	3308	3309	3310	3311
3312	3313	3314	3315	3316	3317	3318	3319	3320	3321
3322	3323	3324	3325	3326	3327	3328	3329	3330	3331
3332	3333	3334	3335	3336	3337	3338	3339	3340	3341
3342	3343	3344	3345	3346	3347	3348	3349	3350	3351
3352	3353	3354	3355	3356	3357	3358	3359	3360	3361
3362	3363	3364	3365	3366	3367	3368	3369	3370	3371
3372	3373	3374	3375	3376	3377	3378	3379	3380	3381
3382	3383	3384	3385	3386	3387	3388	3389	3390	3391
3392	3393	3394	3395	3396	3397	3398	3399	3400	3401
3402	3403	3404	3405	3406	3407	3408	3409	3410	3411

*** LIST TERMINATED AFTER 100 ***

*** WARNING *** CP= 18.230 TIME= 16:02:56
Meshing of area 8 produced 112 poorly shaped elements.

*** NOTE *** CP= 18.230 TIME= 16:02:56
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3460	3461	3462	3463	3464	3465	3466	3467	3468	3469
3470	3471	3472	3473	3474	3475	3476	3477	3478	3479
3480	3481	3482	3483	3484	3485	3486	3487	3488	3489
3490	3491	3492	3493	3494	3495	3496	3497	3498	3499
3500	3501	3502	3503	3504	3505	3506	3507	3508	3509
3510	3511	3512	3513	3514	3515	3516	3517	3518	3519
3520	3521	3522	3523	3524	3525	3526	3527	3528	3529
3530	3531	3532	3533	3534	3535	3536	3537	3538	3539

```

3538 3539 3540 3541 3542 3543 3544 3545 3546 3547
3548 3549 3550 3551 3552 3553 3554 3555 3556 3557
3558 3559 3560 3561 3562 3563 3564 3565 3566 3567
3568 3569 3570 3571 3572 3573 3574 3575 3576 3577
*** LIST TERMINATED AFTER 100 ***

```

```

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER        =    4109
MAXIMUM ELEMENT NUMBER     =    3608
      Assume vacuum between shell and inner barrier

```

```

SET DIVISIONS ON LINE      13 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      14 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      19 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      20 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000
      No MAT,7,
      No TYPE,1,
      No AMESH,5,6,1,
      Delete concatenated lines
      (L's freed up 489,490)

```

```

DELETE SELECTED LINES FROM 489 TO 490 BY 1

```

```

DELETED      2 LINES
      Inner and outer barrier

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    7 TO      10 STEP      1

```

```

      4 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 56, SPACING RATIO = 1.000

```

```

ALL SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    1 TO     490 STEP      1

```

```

      488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

SET DIVISIONS ON LINE      6 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      15 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      16 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      5 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      11 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      12 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

```

```

MATERIAL NUMBER SET TO      2

```

```

ELEMENT TYPE SET TO      1

```

```

GENERATE NODES AND ELEMENTS

```

```

      IN AREAS      3 TO      4 IN STEPS OF      1
NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER      = 4561
MAXIMUM ELEMENT NUMBER      = 3944

MATERIAL NUMBER SET TO      3

ELEMENT TYPE SET TO      1

GENERATE NODES AND ELEMENTS
      IN AREAS      1 TO      2 IN STEPS OF      1

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER      = 5126
MAXIMUM ELEMENT NUMBER      = 4504
      Empty basket spaces

DEFAULT ELEMENT DIVISIONS PER LINE BASED ON ELEMENT SIZE = .100

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
      PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
      OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO      7

ELEMENT TYPE SET TO      1

GENERATE NODES AND ELEMENTS
      IN AREAS      9 TO      14 IN STEPS OF      1
** AREA      9 MESHED WITH      40 QUADRILATERALS,      10 TRIANGLES **
** AREA      11 MESHED WITH      41 QUADRILATERALS,      10 TRIANGLES **
** AREA      12 MESHED WITH      40 QUADRILATERALS,      10 TRIANGLES **
** AREA      14 MESHED WITH      41 QUADRILATERALS,      10 TRIANGLES **

NUMBER OF AREAS MESHED      =      6
MAXIMUM NODE NUMBER      = 5498
MAXIMUM ELEMENT NUMBER      = 5000
*****
      Define mesh and radiation surface elements
      Tube/guides gap

SELECT      FOR ITEM=LOC COMPONENT=X      BETWEEN .00000E+00 AND .00000E+00
KABS= 0. TOLERANCE= .100000E-05

      39 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      7 TO      8 STEP      1

      41 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      13 TO      14 STEP      1

      43 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      17 TO      18 STEP      1

      45 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

UNSELECT ONLY NODES INTERIOR TO SELECTED LINE SET.

      5126 NODES (OF 5498 DEFINED) SELECTED FROM
      45 SELECTED LINES BY NSLL COMMAND.

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      1 TO      490 STEP      1

```

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 7

GENERATE ELEMENTS ON SURFACE DEFINED BY SELECTED NODES
TYPE= 7 REAL= 1 MATERIAL= 1 ESYS= 0

NUMBER OF ELEMENTS GENERATED= 644

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5498 STEP 1

5498 NODES (OF 5498 DEFINED) SELECTED BY NSEL COMMAND.
Basket spaces

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 17

GENERATE NODES AND ELEMENTS
ON LINES 25 TO 29 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5686

GENERATE NODES AND ELEMENTS
ON LINES 34 TO 38 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5728

GENERATE NODES AND ELEMENTS
ON LINES 80 TO 80 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5734

GENERATE NODES AND ELEMENTS
ON LINES 45 TO 45 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5748

GENERATE NODES AND ELEMENTS
ON LINES 50 TO 52 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5776

GENERATE NODES AND ELEMENTS
ON LINES 57 TO 59 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5796

GENERATE NODES AND ELEMENTS
ON LINES 62 TO 65 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5816

GENERATE NODES AND ELEMENTS
ON LINES 69 TO 72 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5844

GENERATE NODES AND ELEMENTS
ON LINES 76 TO 79 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5864
MPC shell/inner barrier gap

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 17 TO 18 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5976

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 13 TO 14 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 6088

Create mesh in helium spaces

DEFAULT ELEMENT DIVISIONS PER LINE = 2

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 95 TO 103 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5622
MAXIMUM ELEMENT NUMBER = 6248

GENERATE NODES AND ELEMENTS
IN AREAS 172 TO 180 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5746
MAXIMUM ELEMENT NUMBER = 6408

GENERATE NODES AND ELEMENTS
IN AREAS 186 TO 205 IN STEPS OF 1

*** WARNING *** CP= 24.120 TIME= 16:03:02
Area 195 has a corner angle of 154 degrees. This is not recommended
for quadrilateral elements.

*** WARNING *** CP= 24.160 TIME= 16:03:02

Meshing of area 195 produced 10 poorly shaped elements.

*** NOTE *** CP= 24.160 TIME= 16:03:02
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6534 6535 6536 6537 6538 6548 6549 6550 6551 6552

*** WARNING *** CP= 24.170 TIME= 16:03:02
Area 196 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 24.210 TIME= 16:03:02
Meshing of area 196 produced 20 poorly shaped elements.

*** NOTE *** CP= 24.210 TIME= 16:03:02
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6557 6558 6559 6560 6561 6562 6563 6564 6565 6566
6571 6572 6573 6574 6575 6576 6577 6578 6579 6580

*** WARNING *** CP= 24.210 TIME= 16:03:02
Area 197 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 24.250 TIME= 16:03:02
Meshing of area 197 produced 20 poorly shaped elements.

*** NOTE *** CP= 24.260 TIME= 16:03:02
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6581 6582 6583 6584 6585 6586 6587 6588 6589 6590
6595 6596 6597 6598 6599 6600 6601 6602 6603 6604

*** WARNING *** CP= 24.260 TIME= 16:03:02
Area 198 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 24.300 TIME= 16:03:02
Meshing of area 198 produced 10 poorly shaped elements.

*** NOTE *** CP= 24.300 TIME= 16:03:02
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6609 6610 6611 6612 6613 6623 6624 6625 6626 6627

*** WARNING *** CP= 24.350 TIME= 16:03:02
Area 201 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 24.400 TIME= 16:03:02
Meshing of area 201 produced 10 poorly shaped elements.

*** NOTE *** CP= 24.400 TIME= 16:03:02
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6670 6671 6672 6673 6674 6684 6685 6686 6687 6688

*** WARNING *** CP= 24.400 TIME= 16:03:02
Area 202 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 24.450 TIME= 16:03:03
Meshing of area 202 produced 20 poorly shaped elements.

*** NOTE *** CP= 24.450 TIME= 16:03:03
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6693 6694 6695 6696 6697 6698 6699 6700 6701 6702
6707 6708 6709 6710 6711 6712 6713 6714 6715 6716

*** WARNING *** CP= 24.450 TIME= 16:03:03
Area 203 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 24.490 TIME= 16:03:03
Meshing of area 203 produced 20 poorly shaped elements.

*** NOTE *** CP= 24.490 TIME= 16:03:03
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6717 6718 6719 6720 6721 6722 6723 6724 6725 6726
6731 6732 6733 6734 6735 6736 6737 6738 6739 6740

*** WARNING *** CP= 24.500 TIME= 16:03:03
Area 204 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 24.540 TIME= 16:03:03
Meshing of area 204 produced 10 poorly shaped elements.

*** NOTE *** CP= 24.540 TIME= 16:03:03
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6745 6746 6747 6748 6749 6759 6760 6761 6762 6763

NUMBER OF AREAS MESHED = 20
MAXIMUM NODE NUMBER = 5956
MAXIMUM ELEMENT NUMBER = 6784

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 206 TO 218 IN STEPS OF 1
** AREA 206 MESHED WITH 1 QUADRILATERALS, 2 TRIANGLES **
** AREA 207 MESHED WITH 0 QUADRILATERALS, 10 TRIANGLES **

*** WARNING *** CP= 24.670 TIME= 16:03:03
Meshing of area 207 produced 1 poorly shaped elements.

*** NOTE *** CP= 24.670 TIME= 16:03:03

Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 24.670 TIME= 16:03:03
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6794

** AREA	208 MESHED WITH	5 QUADRILATERALS,	11 TRIANGLES **
** AREA	209 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	210 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	211 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.930 TIME= 16:03:03
Meshing of area 211 produced 3 poorly shaped elements.

*** NOTE *** CP= 24.930 TIME= 16:03:03
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 24.930 TIME= 16:03:03
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6850 6851 6853

** AREA	212 MESHED WITH	2 QUADRILATERALS,	2 TRIANGLES **
** AREA	213 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 25.000 TIME= 16:03:03
Meshing of area 213 produced 1 poorly shaped elements.

*** NOTE *** CP= 25.000 TIME= 16:03:03
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 25.000 TIME= 16:03:03
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6865

** AREA	214 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	215 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	216 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	217 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 25.270 TIME= 16:03:03
Meshing of area 217 produced 2 poorly shaped elements.

*** NOTE *** CP= 25.270 TIME= 16:03:03
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 25.270 TIME= 16:03:03
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6923 6925

** AREA	218 MESHED WITH	1 QUADRILATERALS,	2 TRIANGLES **
---------	-----------------	-------------------	----------------

NUMBER OF AREAS MESHED = 13
MAXIMUM NODE NUMBER = 5990
MAXIMUM ELEMENT NUMBER = 6929

Clear areas and mesh by hand difficult areas

CLEAR NODES AND ELEMENTS
FROM AREAS 211 TO 211 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT 6930 5879 3453 3952 3952

ELEMENT	6931	636	5879	3952	3952
ELEMENT	6932	545	636	3952	3952
ELEMENT	6933	551	545	3952	3952
ELEMENT	6934	363	551	3952	3952
ELEMENT	6935	370	363	3952	3952
ELEMENT	6936	371	370	3952	3952
ELEMENT	6937	369	371	3952	3952
ELEMENT	6938	5973	369	3952	3952
ELEMENT	6939	3782	5973	3952	3952

CLEAR NODES AND ELEMENTS
FROM AREAS 217 TO 217 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT	6940	3735	5989	3738	3738
ELEMENT	6941	5989	1661	3738	3738
ELEMENT	6942	1661	1663	3738	3738
ELEMENT	6943	1663	1664	3738	3738
ELEMENT	6944	1664	1662	3738	3738
ELEMENT	6945	1662	1979	3738	3738
ELEMENT	6946	1979	1978	3738	3738
ELEMENT	6947	1978	2148	3738	3738
ELEMENT	6948	2148	5951	3738	3738
ELEMENT	6949	5951	3666	3738	3738

***** ROUTINE COMPLETED ***** CP = 25.340

Create element mesh plots to illustrate model
View mesh for entire model

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (CENTROIDAL SORT) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS 0 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

/SHOW SWITCH PLOTS TO FILE meshfull.grph - VECTOR MODE.

- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshfull.grph - VECTOR MODE.
DISPLAY TITLE=

12 PWR MPC/Waste Package - 1/2 FEM Model

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

5592 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

/SHOW SWITCH PLOTS TO FILE meshgap.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshgap.grph - VECTOR MODE.
DISPLAY TITLE=

12 PWR MPC/Waste Package - 1/2 FEM Model
View mesh for radiation substructure

MAT NUMBERING KEY = 0

TYPE NUMBERING KEY = 1

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

864 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

1088 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

/SHOW SWITCH PLOTS TO FILE meshrad.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshrad.grph - VECTOR MODE.
DISPLAY TITLE=

12 PWR MPC/Waste Package - Radiation Matrix

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6949 STEP 1

6929 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

Generate super-elements

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303 VERSION=HP 9000/7XX 16:03:11 APR 07, 1995 CP= 31.560
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

226 NODES (OF 5990 DEFINED) SELECTED FROM
224 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= shellgap.sub

*** WARNING *** CP= 78.670 TIME= 16:04:02
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 224 NUMBER OF NODES= 226

800 ZONES CREATE 1600 RAYS

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6949 STEP 1

6929 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1

5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 84.620

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303 VERSION=HP 9000/7XX 16:04:08 APR 07, 1995 CP= 84.620
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE SET TO 18

SUPERELEMENT 6950 tubegap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6950

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6950

SUPERELEMENT 6951 spaces NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6951

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6951

SUPERELEMENT 6952 shellgap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6952

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6952
Delete radiation edge elements

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6932 DEFINED) SELECTED BY ESEL COMMAND.

DELETE ALL SELECTED ELEMENTS.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

6288 ELEMENTS (OF 6288 DEFINED) SELECTED BY ESEL COMMAND.

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

18 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

22 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CLEAR NODES AND ELEMENTS FROM ALL SELECTED LINES

*** NOTE *** CP= 85.140 TIME= 16:04:09
Nodes cannot be cleared from line 13 because area 3 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.160 TIME= 16:04:09
Nodes cannot be cleared from line 14 because area 4 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.170 TIME= 16:04:09
Nodes cannot be cleared from line 17 because area 7 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.180 TIME= 16:04:09
Nodes cannot be cleared from line 18 because area 8 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.200 TIME= 16:04:09
Nodes cannot be cleared from line 25 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.200 TIME= 16:04:09
Nodes cannot be cleared from line 27 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.210 TIME= 16:04:09
Nodes cannot be cleared from line 29 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.210 TIME= 16:04:09
Nodes cannot be cleared from line 34 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.210 TIME= 16:04:09
Nodes cannot be cleared from line 36 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.220 TIME= 16:04:09
Nodes cannot be cleared from line 38 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.220 TIME= 16:04:09
Nodes cannot be cleared from line 45 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.230 TIME= 16:04:09
Nodes cannot be cleared from line 50 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.230 TIME= 16:04:09
Nodes cannot be cleared from line 52 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.240 TIME= 16:04:09
Nodes cannot be cleared from line 57 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.240 TIME= 16:04:09
Nodes cannot be cleared from line 59 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.250 TIME= 16:04:09
Nodes cannot be cleared from line 62 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.250 TIME= 16:04:09
Nodes cannot be cleared from line 65 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.250 TIME= 16:04:09
Nodes cannot be cleared from line 69 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.260 TIME= 16:04:09
Nodes cannot be cleared from line 72 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.260 TIME= 16:04:09
Nodes cannot be cleared from line 76 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.270 TIME= 16:04:09
Nodes cannot be cleared from line 79 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 85.270 TIME= 16:04:09
Nodes cannot be cleared from line 80 because area 9 is meshed. Only
elements are deleted.

CLEARED 22 LINES, 0 KEYPOINTS

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 85.280

Set solution parameters and apply B.C.'s

Solve steady-state for initial conditions
with WP surface equal to drift ambient
temperature from repository model.

***** ANSYS SOLUTION ROUTINE *****

PERFORM A TRANSIENT ANALYSIS
THIS WILL BE A NEW ANALYSIS

USE THE DEFAULT NEWTON-RAPHSON OPTION FOR ALL DOFS
AND USE THE DEFAULT ADAPTIVE DESCENT OPTION

*** NOTE *** CP= 85.280 TIME= 16:04:10
Damping (if present) may be ignored only in reduced transient analyses.

PERFORM A FULL TRANSIENT ANALYSIS

TEMPERATURE OFFSET FROM ABSOLUTE ZERO= 273.150

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1
1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1
2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.
113 NODES (OF 5990 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES 1 TO 5990 BY 1
REAL= 26.1379688 IMAG= .000000000E+00

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1
488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1
5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1
6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.
1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1
218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1
5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP
TIME= .10000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

*** WARNING *** CP= 86.570 TIME= 16:04:11
Element 6932 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 86.570 TIME= 16:04:11
Element 6932 has a poor shape angle of 7.74746071 degrees.

*** WARNING *** CP= 86.570 TIME= 16:04:11
Element 6947 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 86.580 TIME= 16:04:11
Element 6947 has a poor shape angle of 7.74746071 degrees.

*** NOTE *** CP= 86.580 TIME= 16:04:11
All shape tests were bypassed for elements associated with the solid model, because most of them were already done at AMESH or VMESH. Use CHECK if desired to perform all of the element tests.

*** NOTE *** CP= 86.580 TIME= 16:04:11
The model data was checked and warning messages were found.
Please review output or errors file (ma12x2.err) for these warning messages.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303 VERSION=HP 9000/7XX 16:04:11 APR 07, 1995 CP= 86.580
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

SOLUTION OPTIONS

PROBLEM DIMENSIONALITY.3-D
DEGREES OF FREEDOM. TEMP
ANALYSIS TYPETRANSIENT
SOLUTION METHOD.FULL
OFFSET TEMPERATURE FROM ABSOLUTE ZERO 273.15
NEWTON-RAPHSON OPTIONPROGRAM CHOSEN

*** NOTE *** CP= 87.560 TIME= 16:04:13
This load step will be a static (steady-state) step.

*** NOTE *** CP= 87.960 TIME= 16:04:13
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution procedure) for ALL DOFs.

LOAD STEP OPTIONS

LOAD STEP NUMBER. 1
TIME AT END OF THE LOAD STEP.10000E-05
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 0
MAXIMUM NUMBER OF SUBSTEPS 0
MINIMUM NUMBER OF SUBSTEPS 1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS OFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

***** CENTROID, MASS, AND MASS MOMENTS OF INERTIA *****

CALCULATIONS ASSUME ELEMENT MASS AT ELEMENT CENTROID

TOTAL MASS = 4459.4

CENTROID	MOM. OF INERTIA ABOUT ORIGIN	MOM. OF INERTIA ABOUT CENTROID
XC = .35157	IXX = 765.4	IXX = 765.4
YC = .62210E-11	IYY = 765.4	IYY = 214.2
ZC = .00000E+00	IZZ = 1531.	IZZ = 979.6
	IXY = .5422E-09	IXY = .1030E-07
	IYZ = .0000E+00	IYZ = .0000E+00
	IZX = .0000E+00	IZX = .0000E+00

*** MASS SUMMARY BY ELEMENT TYPE ***

TYPE	MASS
1	4459.37

Range of element maximum matrix coefficients in global coordinates
 Maximum= 483.62017 at element 2116.
 Minimum= 1.026389896E-09 at element 6952.

*** WARNING *** CP= 107.510 TIME= 16:04:37
 Coefficient ratio exceeds 1.0e8 - Check results.

*** ELEMENT MATRIX FORMULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5841	PLANE55	12.310	.002
18	3	MATRIX50	.630	.210

Time at end of element matrix formulation CP= 107.52.
 HT FLOW CONVERGENCE VALUE= .1194E+05 CRITERION= 11.94

Estimated number of active DOF= 5877.
 Maximum wavefront= 918.

Time at end of matrix triangularization CP= 213.67.
 Equation solver maximum pivot= 1269.32433 at node 2083 TEMP.
 Equation solver minimum pivot= 0.186669206 at node 5749 TEMP.
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 259.3
 HT FLOW CONVERGENCE VALUE= 262.5 CRITERION= .1125
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -85.92
 HT FLOW CONVERGENCE VALUE= 40.68 CRITERION= .1660
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -13.45
 HT FLOW CONVERGENCE VALUE= 7.743 CRITERION= .1190
 EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.271
 HT FLOW CONVERGENCE VALUE= .3305 CRITERION= .1122
 EQUIL ITER 5 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1393
 HT FLOW CONVERGENCE VALUE= .6085E-01 CRITERION= .1121 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 5

*** ELEMENT RESULT CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5841	PLANE55	7.330	.001
18	3	MATRIX50	.760	.253

*** NODAL LOAD CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5841	PLANE55	1.010	.000
18	3	MATRIX50	.000	.000

*** LOAD STEP 1 SUBSTEP 1 COMPLETED. CUM ITER = 5
*** TIME = .100000E-05 TIME INC = .100000E-05

*** PROBLEM STATISTICS
ACTUAL NO. OF ACTIVE DEGREES OF FREEDOM = 5877
R.M.S. WAVEFRONT SIZE = 445.1

*** ANSYS BINARY FILE STATISTICS
BUFFER SIZE USED= 4096
6.188 MB WRITTEN ON ELEMENT MATRIX FILE: ma12x2.emat
2.625 MB WRITTEN ON ELEMENT SAVED DATA FILE: ma12x2.esav
18.781 MB WRITTEN ON TRIANGULARIZED MATRIX FILE: ma12x2.tri
.031 MB WRITTEN ON SUBSTRUCTURE DOF SOLUTION FILE: ma12x2.dsub
3.188 MB WRITTEN ON RESULTS FILE: ma12x2.rth
Solve steady-state for initial conditions
with WP surface temperatures from repository
steady-state solution.

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5990 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

DELETE SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES
RANGE 1 TO 5990 BY 1

NUMBER OF SPECIFIED CONSTRAINTS DELETED= 113

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1

5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.856 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.780 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.675 .00000E+00 EXPANSION KEY = 1

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .20000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** WARNING *** CP= 734.450 TIME= 16:15:29
This load step will be a static (steady-state) step.

*** NOTE *** CP= 734.850 TIME= 16:15:29
The step data was checked and warning messages were found.
Please review output or errors file (ma12x2.err) for these warning
messages.

*** NOTE *** CP= 734.850 TIME= 16:15:29
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303 VERSION=HP 9000/7XX 16:15:29 APR 07, 1995 CP= 734.850
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 2
TIME AT END OF THE LOAD STEP.20000E-05
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 0
MAXIMUM NUMBER OF SUBSTEPS 0
MINIMUM NUMBER OF SUBSTEPS 1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS OFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .1451E+05 CRITERION= 14.51
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 31.80
HT FLOW CONVERGENCE VALUE= 17.34 CRITERION= .1176

```

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -8.976
HT FLOW CONVERGENCE VALUE= 3.385 CRITERION= .1151
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7218
HT FLOW CONVERGENCE VALUE= .1514 CRITERION= .1122
EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5434E-01
HT FLOW CONVERGENCE VALUE= .2123E-01 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 4
*** LOAD STEP 2 SUBSTEP 1 COMPLETED. CUM ITER = 9
*** TIME = .200000E-05 TIME INC = .100000E-05
*****
Set time integration parameters

```

INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

USE AUTOMATIC TIME STEPPING THIS LOAD STEP
Time substep ranges from 10 sec to 1/4 loadstep

USE 10 SUBSTEPS INITIALLY THIS LOAD STEP FOR ALL DOFS
FOR AUTOMATIC TIME STEPPING:
USE 40 SUBSTEPS AS A MAXIMUM
USE 4 SUBSTEPS AS A MINIMUM
USE THE FINAL TIME STEP SIZE OF THE PREVIOUS LOAD STEP
AS THE STARTING TIME STEP SIZE.
Begin Transient
Apply loads and solve for 0 to .9 years

*DO LOOP ON PARAMETER= TM FROM 31.558 TO .28402E+08 BY .31558E+07
TIME= 31.558

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.856 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.780 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.675 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 951.400 TIME= 16:19:21
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303 VERSION=HP 9000/7XX 16:19:21 APR 07, 1995 CP= 951.400
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 3
TIME AT END OF THE LOAD STEP. 31.558
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .2123E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4207E-04
HT FLOW CONVERGENCE VALUE= .1505E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 1 COMPLETED. CUM ITER = 10
*** TIME = .788942 TIME INC = .788940
*** RESPONSE EIGENVALUE = .3906 OSCILLATION LIMIT = .3082
*** AUTO STEP TIME: NEXT TIME INC = .78894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3898E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2163E-04
HT FLOW CONVERGENCE VALUE= .2169E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 2 COMPLETED. CUM ITER = 11
*** TIME = 1.57788 TIME INC = .788940
*** RESPONSE EIGENVALUE = .1952 OSCILLATION LIMIT = .1540
*** AUTO TIME STEP: NEXT TIME INC = 2.3668 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= .3476E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3385E-04
HT FLOW CONVERGENCE VALUE= .5230E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 3 COMPLETED. CUM ITER = 12
*** TIME = 3.94470 TIME INC = 2.36682
*** RESPONSE EIGENVALUE = .9944E-01 OSCILLATION LIMIT = .2354
*** AUTO TIME STEP: NEXT TIME INC = 5.0282 INCREASED (FACTOR = 2.1244)

HT FLOW CONVERGENCE VALUE= .2908E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4361E-04
HT FLOW CONVERGENCE VALUE= .7596E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 4 COMPLETED. CUM ITER = 13
*** TIME = 8.97286 TIME INC = 5.02816
*** RESPONSE EIGENVALUE = .4090E-01 OSCILLATION LIMIT = .2056

*** AUTO TIME STEP: NEXT TIME INC = 7.8894 INCREASED (FACTOR = 1.5690)

HT FLOW CONVERGENCE VALUE= .2602E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2669E-04
HT FLOW CONVERGENCE VALUE= .7678E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 3 SUBSTEP 5 COMPLETED. CUM ITER = 14

*** TIME = 16.8623 TIME INC = 7.88940

*** RESPONSE EIGENVALUE = .1446E-01 OSCILLATION LIMIT = .1141

*** AUTO STEP TIME: NEXT TIME INC = 7.8894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .2447E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1561E-04
HT FLOW CONVERGENCE VALUE= .5710E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 3 SUBSTEP 6 COMPLETED. CUM ITER = 15

*** TIME = 24.7517 TIME INC = 7.88940

*** RESPONSE EIGENVALUE = .8073E-02 OSCILLATION LIMIT = .6369E-01

*** AUTO TIME STEP: NEXT TIME INC = 6.8059 DECREASED (FACTOR = .8627)

HT FLOW CONVERGENCE VALUE= .2340E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1168E-04
HT FLOW CONVERGENCE VALUE= .4280E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 3 SUBSTEP 7 COMPLETED. CUM ITER = 16

*** TIME = 31.5576 TIME INC = 6.80594

*** RESPONSE EIGENVALUE = .6007E-02 OSCILLATION LIMIT = .4089E-01

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303 VERSION=HP 9000/7XX 16:28:49 APR 07, 1995 CP= 1482.480
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 291.2 CRITERION= .3120
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6590
HT FLOW CONVERGENCE VALUE= .2772 CRITERION= .1107
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6981E-01
HT FLOW CONVERGENCE VALUE= .3557E-01 CRITERION= .1106 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 4 SUBSTEP 1 COMPLETED. CUM ITER = 18

*** TIME = 78925.6 TIME INC = 78894.0

*** RESPONSE EIGENVALUE = .1192E-05 OSCILLATION LIMIT = .9405E-01

*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 291.8 CRITERION= .3118
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6636
HT FLOW CONVERGENCE VALUE= .3191 CRITERION= .1118
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7637E-01
HT FLOW CONVERGENCE VALUE= .3459E-01 CRITERION= .1118 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 4 SUBSTEP 2 COMPLETED. CUM ITER = 20

*** TIME = 157820. TIME INC = 78894.0

*** RESPONSE EIGENVALUE = .4212E-06 OSCILLATION LIMIT = .3323E-01

*** AUTO TIME STEP: NEXT TIME INC = .23668E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 874.0 CRITERION= .8811
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.977
HT FLOW CONVERGENCE VALUE= .9784 CRITERION= .1106
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3584
HT FLOW CONVERGENCE VALUE= .1428 CRITERION= .1107
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2874E-01
HT FLOW CONVERGENCE VALUE= .4982E-02 CRITERION= .1105 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 3 COMPLETED. CUM ITER = 23
 *** TIME = 394502. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .1517E-06 OSCILLATION LIMIT = .3590E-01
 *** AUTO STEP TIME: NEXT TIME INC = .23668E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 875.2 CRITERION= .8819
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.977
 HT FLOW CONVERGENCE VALUE= .9925 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3614
 HT FLOW CONVERGENCE VALUE= .1427 CRITERION= .1118
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2861E-01
 HT FLOW CONVERGENCE VALUE= .4970E-02 CRITERION= .1117 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 4 COMPLETED. CUM ITER = 26
 *** TIME = 631184. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .1601E-06 OSCILLATION LIMIT = .3790E-01
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 2626. CRITERION= 2.629
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 5.931
 HT FLOW CONVERGENCE VALUE= 2.981 CRITERION= .1110
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.315
 HT FLOW CONVERGENCE VALUE= .4948 CRITERION= .1109
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1132
 HT FLOW CONVERGENCE VALUE= .1757E-01 CRITERION= .1105 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 5 COMPLETED. CUM ITER = 29
 *** TIME = .134123E+07 TIME INC = 710046.
 *** RESPONSE EIGENVALUE = .1407E-06 OSCILLATION LIMIT = .9994E-01
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 2925. CRITERION= 2.927
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 6.590
 HT FLOW CONVERGENCE VALUE= 3.314 CRITERION= .1121
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.445
 HT FLOW CONVERGENCE VALUE= .5349 CRITERION= .1120
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1211
 HT FLOW CONVERGENCE VALUE= .1863E-01 CRITERION= .1116 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 6 COMPLETED. CUM ITER = 32
 *** TIME = .213017E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1436E-06 OSCILLATION LIMIT = .1133
 *** AUTO TIME STEP: NEXT TIME INC = .51281E+06 DECREASED (FACTOR = .6500)

HT FLOW CONVERGENCE VALUE= 1904. CRITERION= 1.908
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 4.284
 HT FLOW CONVERGENCE VALUE= 2.133 CRITERION= .1106
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8674
 HT FLOW CONVERGENCE VALUE= .3200 CRITERION= .1106
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6978E-01
 HT FLOW CONVERGENCE VALUE= .1079E-01 CRITERION= .1104 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 7 COMPLETED. CUM ITER = 35
 *** TIME = .264298E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .1433E-06 OSCILLATION LIMIT = .7349E-01
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1907. CRITERION= 1.910
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 4.284
 HT FLOW CONVERGENCE VALUE= 2.138 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8555
 HT FLOW CONVERGENCE VALUE= .3135 CRITERION= .1118
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6763E-01
 HT FLOW CONVERGENCE VALUE= .1033E-01 CRITERION= .1116 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 8 COMPLETED. CUM ITER = 38
 *** TIME = .315579E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .1457E-06 OSCILLATION LIMIT = .7474E-01

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 16:50:38 APR 07, 1995 CP= 2746.120
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 551.4 CRITERION= .5625
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.248
 HT FLOW CONVERGENCE VALUE= .7035 CRITERION= .1117
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2720
 HT FLOW CONVERGENCE VALUE= .8965E-01 CRITERION= .1118 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 1 COMPLETED. CUM ITER = 40
 *** TIME = .366860E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .9613E-07 OSCILLATION LIMIT = .4930E-01
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 551.7 CRITERION= .5628
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.173
 HT FLOW CONVERGENCE VALUE= .5632 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2246
 HT FLOW CONVERGENCE VALUE= .8985E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 2 COMPLETED. CUM ITER = 42
 *** TIME = .418141E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .4292E-06 OSCILLATION LIMIT = .2201
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.5385)

HT FLOW CONVERGENCE VALUE= 848.8 CRITERION= .8562
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.806
 HT FLOW CONVERGENCE VALUE= .9913 CRITERION= .1116
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4077
 HT FLOW CONVERGENCE VALUE= .1425 CRITERION= .1117
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3194E-01
 HT FLOW CONVERGENCE VALUE= .4660E-02 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 3 COMPLETED. CUM ITER = 45
 *** TIME = .497035E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6764E-07 OSCILLATION LIMIT = .5336E-01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 849.4 CRITERION= .8567
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.805
 HT FLOW CONVERGENCE VALUE= .9178 CRITERION= .1117
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3786
 HT FLOW CONVERGENCE VALUE= .1410 CRITERION= .1117
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3129E-01
 HT FLOW CONVERGENCE VALUE= .4438E-02 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 4 COMPLETED. CUM ITER = 48
 *** TIME = .575929E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2101E-06 OSCILLATION LIMIT = .1658
 *** AUTO TIME STEP: NEXT TIME INC = .55226E+06 DECREASED (FACTOR = .7000)

HT FLOW CONVERGENCE VALUE= 594.8 CRITERION= .6052
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.264
 HT FLOW CONVERGENCE VALUE= .6845 CRITERION= .1115
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2651
 HT FLOW CONVERGENCE VALUE= .9374E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 5 COMPLETED. CUM ITER = 50
 *** TIME = .631155E+07 TIME INC = 552258.
 *** RESPONSE EIGENVALUE = .1395E-06 OSCILLATION LIMIT = .7707E-01

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 17:03:20 APR 07, 1995 CP= 3452.920
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 394.0 CRITERION= .4094
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8374
 HT FLOW CONVERGENCE VALUE= .4243 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1676
 HT FLOW CONVERGENCE VALUE= .6149E-01 CRITERION= .1118 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 1 COMPLETED. CUM ITER = 52
 *** TIME = .686381E+07 TIME INC = 552258.
 *** RESPONSE EIGENVALUE = .1433E-06 OSCILLATION LIMIT = .7914E-01
 *** AUTO STEP TIME: NEXT TIME INC = .55226E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 393.9 CRITERION= .4095
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8362
 HT FLOW CONVERGENCE VALUE= .4198 CRITERION= .1114
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1694
 HT FLOW CONVERGENCE VALUE= .6109E-01 CRITERION= .1114 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 2 COMPLETED. CUM ITER = 54
 *** TIME = .741607E+07 TIME INC = 552258.
 *** RESPONSE EIGENVALUE = .1740E-06 OSCILLATION LIMIT = .9608E-01
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.4286)

HT FLOW CONVERGENCE VALUE= 563.0 CRITERION= .5739
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.196
 HT FLOW CONVERGENCE VALUE= .5606 CRITERION= .1117
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2521
 HT FLOW CONVERGENCE VALUE= .9025E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 3 COMPLETED. CUM ITER = 56
 *** TIME = .820501E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1703E-06 OSCILLATION LIMIT = .1343
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 563.0 CRITERION= .5740
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.195
 HT FLOW CONVERGENCE VALUE= .5609 CRITERION= .1112
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2522
 HT FLOW CONVERGENCE VALUE= .8911E-01 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 4 COMPLETED. CUM ITER = 58
 *** TIME = .899395E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1728E-06 OSCILLATION LIMIT = .1363
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+06 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 338.0 CRITERION= .3558
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7180
 HT FLOW CONVERGENCE VALUE= .3318 CRITERION= .1115
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1388
 HT FLOW CONVERGENCE VALUE= .4999E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 5 COMPLETED. CUM ITER = 60
 *** TIME = .946731E+07 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .1251E-06 OSCILLATION LIMIT = .5922E-01

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 17:14:32 APR 07, 1995 CP= 4068.300
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 261.2 CRITERION= .2841
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5545
 HT FLOW CONVERGENCE VALUE= .2623 CRITERION= .1112
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1088
 HT FLOW CONVERGENCE VALUE= .3846E-01 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 1 COMPLETED. CUM ITER = 62
 *** TIME = .994068E+07 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .1578E-06 OSCILLATION LIMIT = .7467E-01
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 261.4 CRITERION= .2840
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5557
 HT FLOW CONVERGENCE VALUE= .2526 CRITERION= .1115
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1053
 HT FLOW CONVERGENCE VALUE= .3845E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 2 COMPLETED. CUM ITER = 64
 *** TIME = .104140E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .1842E-06 OSCILLATION LIMIT = .8717E-01
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 435.4 CRITERION= .4495
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9242
 HT FLOW CONVERGENCE VALUE= .4322 CRITERION= .1111
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1926
 HT FLOW CONVERGENCE VALUE= .6753E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 3 COMPLETED. CUM ITER = 66
 *** TIME = .112030E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2031E-06 OSCILLATION LIMIT = .1602
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 435.6 CRITERION= .4495
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9252
 HT FLOW CONVERGENCE VALUE= .4268 CRITERION= .1114
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1902
 HT FLOW CONVERGENCE VALUE= .6723E-01 CRITERION= .1114 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 4 COMPLETED. CUM ITER = 68
 *** TIME = .119919E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1698E-06 OSCILLATION LIMIT = .1339
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+06 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 348.3 CRITERION= .3657
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7394
 HT FLOW CONVERGENCE VALUE= .3455 CRITERION= .1110
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1484
 HT FLOW CONVERGENCE VALUE= .5206E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 5 COMPLETED. CUM ITER = 70
 *** TIME = .126231E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .1823E-06 OSCILLATION LIMIT = .1151

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 17:25:09 APR 07, 1995 CP= 4671.430
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 286.2 CRITERION= .3069
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6086
 HT FLOW CONVERGENCE VALUE= .2828 CRITERION= .1113
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1214
 HT FLOW CONVERGENCE VALUE= .4258E-01 CRITERION= .1113 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 1 COMPLETED. CUM ITER = 72
*** TIME = .132542E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .1493E-06 OSCILLATION LIMIT = .9426E-01
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 286.0 CRITERION= .3069
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6071
HT FLOW CONVERGENCE VALUE= .2808 CRITERION= .1109
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1197
HT FLOW CONVERGENCE VALUE= .4228E-01 CRITERION= .1109 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 2 COMPLETED. CUM ITER = 74
*** TIME = .138854E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .2438E-06 OSCILLATION LIMIT = .1539
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 357.7 CRITERION= .3745
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7604
HT FLOW CONVERGENCE VALUE= .3535 CRITERION= .1112
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1550
HT FLOW CONVERGENCE VALUE= .5383E-01 CRITERION= .1112 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 3 COMPLETED. CUM ITER = 76
*** TIME = .146743E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1760E-06 OSCILLATION LIMIT = .1388
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 357.5 CRITERION= .3745
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7589
HT FLOW CONVERGENCE VALUE= .3522 CRITERION= .1108
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1536
HT FLOW CONVERGENCE VALUE= .5330E-01 CRITERION= .1108 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 4 COMPLETED. CUM ITER = 78
*** TIME = .154633E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2238E-06 OSCILLATION LIMIT = .1765
*** AUTO STEP TIME: NEXT TIME INC = .31558E+06 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 143.2 CRITERION= .1810
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3050
HT FLOW CONVERGENCE VALUE= .1398 CRITERION= .1111
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5229E-01
HT FLOW CONVERGENCE VALUE= .1871E-01 CRITERION= .1111 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 5 COMPLETED. CUM ITER = 80
*** TIME = .157788E+08 TIME INC = 315576.
*** RESPONSE EIGENVALUE = .1220E-06 OSCILLATION LIMIT = .3849E-01

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 17:35:28 APR 07, 1995 CP= 5277.660
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 121.7 CRITERION= .1648
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2584
HT FLOW CONVERGENCE VALUE= .1204 CRITERION= .1107
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4460E-01
HT FLOW CONVERGENCE VALUE= .1588E-01 CRITERION= .1107 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 9 SUBSTEP 1 COMPLETED. CUM ITER = 82
*** TIME = .160944E+08 TIME INC = 315576.
*** RESPONSE EIGENVALUE = .2696E-06 OSCILLATION LIMIT = .8507E-01
*** AUTO STEP TIME: NEXT TIME INC = .31558E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 121.8 CRITERION= .1646
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1175 CRITERION= .1110
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4374E-01
 HT FLOW CONVERGENCE VALUE= .1599E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 2 COMPLETED. CUM ITER = 84
 *** TIME = .164100E+08 TIME INC = 315576.
 *** RESPONSE EIGENVALUE = .2158E-06 OSCILLATION LIMIT = .6809E-01
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 304.2 CRITERION= .3239
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6460
 HT FLOW CONVERGENCE VALUE= .2998 CRITERION= .1107
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1297
 HT FLOW CONVERGENCE VALUE= .4490E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 3 COMPLETED. CUM ITER = 86
 *** TIME = .171989E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2578E-06 OSCILLATION LIMIT = .2034
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 304.4 CRITERION= .3238
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6472
 HT FLOW CONVERGENCE VALUE= .2981 CRITERION= .1109
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1292
 HT FLOW CONVERGENCE VALUE= .4462E-01 CRITERION= .1109 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 4 COMPLETED. CUM ITER = 88
 *** TIME = .179879E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1922E-06 OSCILLATION LIMIT = .1516
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+06 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 182.5 CRITERION= .2136
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3876
 HT FLOW CONVERGENCE VALUE= .1789 CRITERION= .1105
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7176E-01
 HT FLOW CONVERGENCE VALUE= .2500E-01 CRITERION= .1106 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 5 COMPLETED. CUM ITER = 90
 *** TIME = .184612E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .2306E-06 OSCILLATION LIMIT = .1092
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 182.7 CRITERION= .2135
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3890
 HT FLOW CONVERGENCE VALUE= .1782 CRITERION= .1108
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7162E-01
 HT FLOW CONVERGENCE VALUE= .2509E-01 CRITERION= .1108 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 6 COMPLETED. CUM ITER = 92
 *** TIME = .189346E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .1902E-06 OSCILLATION LIMIT = .9005E-01

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 17:49:29 APR 07, 1995 CP= 6016.080
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 160.1 CRITERION= .1947
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3399
 HT FLOW CONVERGENCE VALUE= .1574 CRITERION= .1105
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6291E-01
 HT FLOW CONVERGENCE VALUE= .2183E-01 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

```

*** LOAD STEP 10 SUBSTEP 1 COMPLETED. CUM ITER = 94
*** TIME = .194080E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .2554E-06 OSCILLATION LIMIT = .1209
*** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.2 CRITERION= .1946
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3412
HT FLOW CONVERGENCE VALUE= .1548 CRITERION= .1108
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6208E-01
HT FLOW CONVERGENCE VALUE= .2188E-01 CRITERION= .1108 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 2 COMPLETED. CUM ITER = 96
*** TIME = .198813E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .2139E-06 OSCILLATION LIMIT = .1012
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 266.8 CRITERION= .2889
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5665
HT FLOW CONVERGENCE VALUE= .2615 CRITERION= .1104
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1122
HT FLOW CONVERGENCE VALUE= .3834E-01 CRITERION= .1104 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 3 COMPLETED. CUM ITER = 98
*** TIME = .206703E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2627E-06 OSCILLATION LIMIT = .2072
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 267.0 CRITERION= .2889
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5675
HT FLOW CONVERGENCE VALUE= .2598 CRITERION= .1107
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1116
HT FLOW CONVERGENCE VALUE= .3815E-01 CRITERION= .1107 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 4 COMPLETED. CUM ITER = 100
*** TIME = .214592E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2050E-06 OSCILLATION LIMIT = .1617
*** AUTO TIME STEP: NEXT TIME INC = .63115E+06 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 213.5 CRITERION= .2405
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4532
HT FLOW CONVERGENCE VALUE= .2084 CRITERION= .1103
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8674E-01
HT FLOW CONVERGENCE VALUE= .2960E-01 CRITERION= .1103 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 5 COMPLETED. CUM ITER = 102
*** TIME = .220904E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .2448E-06 OSCILLATION LIMIT = .1545

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303 VERSION=HP 9000/7XX 18:00:03 APR 07, 1995 CP= 6623.230
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 191.4 CRITERION= .2209
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4076
HT FLOW CONVERGENCE VALUE= .1862 CRITERION= .1106
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7769E-01
HT FLOW CONVERGENCE VALUE= .2653E-01 CRITERION= .1106 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 1 COMPLETED. CUM ITER = 104
*** TIME = .227215E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .1992E-06 OSCILLATION LIMIT = .1257
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 191.3 CRITERION= .2210

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4062
 HT FLOW CONVERGENCE VALUE= .1851 CRITERION= .1102
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7685E-01
 HT FLOW CONVERGENCE VALUE= .2634E-01 CRITERION= .1102 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 11 SUBSTEP 2 COMPLETED. CUM ITER = 106
 *** TIME = .233527E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .2955E-06 OSCILLATION LIMIT = .1865
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 239.3 CRITERION= .2634
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5091
 HT FLOW CONVERGENCE VALUE= .2330 CRITERION= .1105
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9938E-01
 HT FLOW CONVERGENCE VALUE= .3362E-01 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 11 SUBSTEP 3 COMPLETED. CUM ITER = 108
 *** TIME = .241416E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2185E-06 OSCILLATION LIMIT = .1724
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 239.1 CRITERION= .2634
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5078
 HT FLOW CONVERGENCE VALUE= .2328 CRITERION= .1101
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9862E-01
 HT FLOW CONVERGENCE VALUE= .3327E-01 CRITERION= .1101 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 11 SUBSTEP 4 COMPLETED. CUM ITER = 110
 *** TIME = .249305E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2736E-06 OSCILLATION LIMIT = .2159
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+06 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 95.78 CRITERION= .1459
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2045
 HT FLOW CONVERGENCE VALUE= .9266E-01 CRITERION= .1103 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 5 COMPLETED. CUM ITER = 111
 *** TIME = .252461E+08 TIME INC = 315576.
 *** RESPONSE EIGENVALUE = .9271E-07 OSCILLATION LIMIT = .2926E-01

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 18:09:27 APR 07, 1995 CP= 7180.850
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 86.91 CRITERION= .1405
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1846
 HT FLOW CONVERGENCE VALUE= .8086E-01 CRITERION= .1101 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 1 COMPLETED. CUM ITER = 112
 *** TIME = .255617E+08 TIME INC = 315576.
 *** RESPONSE EIGENVALUE = .2818E-06 OSCILLATION LIMIT = .8893E-01
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.08 CRITERION= .1403
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1860
 HT FLOW CONVERGENCE VALUE= .7722E-01 CRITERION= .1103 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 2 COMPLETED. CUM ITER = 113
 *** TIME = .258773E+08 TIME INC = 315576.
 *** RESPONSE EIGENVALUE = .3850E-06 OSCILLATION LIMIT = .1215
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 217.4 CRITERION= .2438
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4615

HT FLOW CONVERGENCE VALUE= .2070 CRITERION= .1100
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8685E-01
 HT FLOW CONVERGENCE VALUE= .2998E-01 CRITERION= .1100 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 12 SUBSTEP 3 COMPLETED. CUM ITER = 115
 *** TIME = .266662E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3751E-06 OSCILLATION LIMIT = .2959
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 217.5 CRITERION= .2437
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4625
 HT FLOW CONVERGENCE VALUE= .2106 CRITERION= .1102
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8813E-01
 HT FLOW CONVERGENCE VALUE= .2987E-01 CRITERION= .1102 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 12 SUBSTEP 4 COMPLETED. CUM ITER = 117
 *** TIME = .274551E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2654E-06 OSCILLATION LIMIT = .2094
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+06 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 130.4 CRITERION= .1707
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2769
 HT FLOW CONVERGENCE VALUE= .1292 CRITERION= .1099
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5010E-01
 HT FLOW CONVERGENCE VALUE= .1672E-01 CRITERION= .1099 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 12 SUBSTEP 5 COMPLETED. CUM ITER = 119
 *** TIME = .279285E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .2476E-06 OSCILLATION LIMIT = .1172
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 130.6 CRITERION= .1706
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2782
 HT FLOW CONVERGENCE VALUE= .1266 CRITERION= .1101
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4902E-01
 HT FLOW CONVERGENCE VALUE= .1686E-01 CRITERION= .1101 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 12 SUBSTEP 6 COMPLETED. CUM ITER = 121
 *** TIME = .284019E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .2602E-06 OSCILLATION LIMIT = .1231
 Apply loads and solve for 1 to 9 years

*DO LOOP ON PARAMETER= TM FROM .31558E+08 TO .28402E+09 BY .31558E+08

TIME= .31558E+08

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 3551.72231 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11

LOAD LABELS = TEMP
VALUES = 110.94 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 111.59 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 113.08 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 7814.100 TIME= 18:20:12
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303 VERSION=HP 9000/7XX 18:20:12 APR 07, 1995 CP= 7814.100
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 13
TIME AT END OF THE LOAD STEP.31558E+08
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 120.3 CRITERION= .1631
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2557
HT FLOW CONVERGENCE VALUE= .1189 CRITERION= .1098
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4582E-01
HT FLOW CONVERGENCE VALUE= .1539E-01 CRITERION= .1098 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 13 SUBSTEP 1 COMPLETED. CUM ITER = 123
*** TIME = .288752E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .3032E-06 OSCILLATION LIMIT = .1435
*** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 120.5 CRITERION= .1630
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2569
HT FLOW CONVERGENCE VALUE= .1169 CRITERION= .1100
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4506E-01
HT FLOW CONVERGENCE VALUE= .1547E-01 CRITERION= .1100 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 13 SUBSTEP 2 COMPLETED. CUM ITER = 125

*** TIME = .293486E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .2686E-06 OSCILLATION LIMIT = .1271
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 200.6 CRITERION= .2288
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4261
 HT FLOW CONVERGENCE VALUE= .1980 CRITERION= .1097
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8154E-01
 HT FLOW CONVERGENCE VALUE= .2706E-01 CRITERION= .1097 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 13 SUBSTEP 3 COMPLETED. CUM ITER = 127
 *** TIME = .301375E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3061E-06 OSCILLATION LIMIT = .2415
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 200.8 CRITERION= .2288
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4271
 HT FLOW CONVERGENCE VALUE= .1967 CRITERION= .1099
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8108E-01
 HT FLOW CONVERGENCE VALUE= .2699E-01 CRITERION= .1099 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 13 SUBSTEP 4 COMPLETED. CUM ITER = 129
 *** TIME = .309265E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2474E-06 OSCILLATION LIMIT = .1952
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+06 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 160.5 CRITERION= .1945
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3409
 HT FLOW CONVERGENCE VALUE= .1577 CRITERION= .1096
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6308E-01
 HT FLOW CONVERGENCE VALUE= .2092E-01 CRITERION= .1096 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 13 SUBSTEP 5 COMPLETED. CUM ITER = 131
 *** TIME = .315576E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .2935E-06 OSCILLATION LIMIT = .1852

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 18:30:24 APR 07, 1995 CP= 8417.340
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .1747
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2900
 HT FLOW CONVERGENCE VALUE= .1344 CRITERION= .1099
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5519E-01
 HT FLOW CONVERGENCE VALUE= .1822E-01 CRITERION= .1099 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 14 SUBSTEP 1 COMPLETED. CUM ITER = 133
 *** TIME = .323466E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2496E-06 OSCILLATION LIMIT = .1969
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.0 CRITERION= .1748
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885
 HT FLOW CONVERGENCE VALUE= .1307 CRITERION= .1095
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5344E-01
 HT FLOW CONVERGENCE VALUE= .1806E-01 CRITERION= .1095 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 14 SUBSTEP 2 COMPLETED. CUM ITER = 135
 *** TIME = .331355E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4534E-06 OSCILLATION LIMIT = .3577
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 136.2 CRITERION= .1747
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2899
 HT FLOW CONVERGENCE VALUE= .1336 CRITERION= .1098
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5473E-01
 HT FLOW CONVERGENCE VALUE= .1812E-01 CRITERION= .1098 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 3 COMPLETED. CUM ITER = 137
 *** TIME = .339245E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2743E-06 OSCILLATION LIMIT = .2164
 *** AUTO TIME STEP: NEXT TIME INC = .18231E+07 INCREASED (FACTOR = 2.3108)

HT FLOW CONVERGENCE VALUE= 314.3 CRITERION= .3330
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6667
 HT FLOW CONVERGENCE VALUE= .3061 CRITERION= .1093
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1329
 HT FLOW CONVERGENCE VALUE= .4376E-01 CRITERION= .1093 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 4 COMPLETED. CUM ITER = 139
 *** TIME = .357475E+08 TIME INC = .182309E+07
 *** RESPONSE EIGENVALUE = .3783E-06 OSCILLATION LIMIT = .6896
 *** AUTO STEP TIME: NEXT TIME INC = .18231E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 314.5 CRITERION= .3329
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6676
 HT FLOW CONVERGENCE VALUE= .3089 CRITERION= .1095
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1337
 HT FLOW CONVERGENCE VALUE= .4357E-01 CRITERION= .1095 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 5 COMPLETED. CUM ITER = 141
 *** TIME = .375706E+08 TIME INC = .182309E+07
 *** RESPONSE EIGENVALUE = .2849E-06 OSCILLATION LIMIT = .5194
 *** AUTO STEP TIME: NEXT TIME INC = .18231E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 314.3 CRITERION= .3329
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6667
 HT FLOW CONVERGENCE VALUE= .3074 CRITERION= .1091
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1323
 HT FLOW CONVERGENCE VALUE= .4307E-01 CRITERION= .1091 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 6 COMPLETED. CUM ITER = 143
 *** TIME = .393937E+08 TIME INC = .182309E+07
 *** RESPONSE EIGENVALUE = .3434E-06 OSCILLATION LIMIT = .6260
 *** AUTO STEP TIME: NEXT TIME INC = .18231E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 314.5 CRITERION= .3328
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6676
 HT FLOW CONVERGENCE VALUE= .3090 CRITERION= .1093
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1327
 HT FLOW CONVERGENCE VALUE= .4288E-01 CRITERION= .1093 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 7 COMPLETED. CUM ITER = 145
 *** TIME = .412168E+08 TIME INC = .182309E+07
 *** RESPONSE EIGENVALUE = .2858E-06 OSCILLATION LIMIT = .5211
 *** AUTO STEP TIME: NEXT TIME INC = .18231E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 314.3 CRITERION= .3328
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6667
 HT FLOW CONVERGENCE VALUE= .3066 CRITERION= .1089
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1314
 HT FLOW CONVERGENCE VALUE= .4240E-01 CRITERION= .1088 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 8 COMPLETED. CUM ITER = 147
 *** TIME = .430399E+08 TIME INC = .182309E+07
 *** RESPONSE EIGENVALUE = .3396E-06 OSCILLATION LIMIT = .6191
 *** AUTO STEP TIME: NEXT TIME INC = .18231E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 314.5 CRITERION= .3328
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6675
 HT FLOW CONVERGENCE VALUE= .3075 CRITERION= .1090
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1318

HT FLOW CONVERGENCE VALUE= .4228E-01 CRITERION= .1090 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 9 COMPLETED. CUM ITER = 149
 *** TIME = .448630E+08 TIME INC = .182309E+07
 *** RESPONSE EIGENVALUE = .2864E-06 OSCILLATION LIMIT = .5222
 *** AUTO STEP TIME: NEXT TIME INC = .18231E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 314.3 CRITERION= .3327
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6667
 HT FLOW CONVERGENCE VALUE= .3055 CRITERION= .1086
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1308
 HT FLOW CONVERGENCE VALUE= .4183E-01 CRITERION= .1086 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 10 COMPLETED. CUM ITER = 151
 *** TIME = .466861E+08 TIME INC = .182309E+07
 *** RESPONSE EIGENVALUE = .3366E-06 OSCILLATION LIMIT = .6137
 *** AUTO STEP TIME: NEXT TIME INC = .18231E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 314.5 CRITERION= .3327
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6675
 HT FLOW CONVERGENCE VALUE= .3062 CRITERION= .1088
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1311
 HT FLOW CONVERGENCE VALUE= .4167E-01 CRITERION= .1088 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 11 COMPLETED. CUM ITER = 153
 *** TIME = .485092E+08 TIME INC = .182309E+07
 *** RESPONSE EIGENVALUE = .2868E-06 OSCILLATION LIMIT = .5229
 *** AUTO STEP TIME: NEXT TIME INC = .18231E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 314.3 CRITERION= .3327
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6667
 HT FLOW CONVERGENCE VALUE= .3027 CRITERION= .1084
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1300
 HT FLOW CONVERGENCE VALUE= .4119E-01 CRITERION= .1084 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 12 COMPLETED. CUM ITER = 155
 *** TIME = .503322E+08 TIME INC = .182309E+07
 *** RESPONSE EIGENVALUE = .3338E-06 OSCILLATION LIMIT = .6085
 *** AUTO STEP TIME: NEXT TIME INC = .18231E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 314.5 CRITERION= .3326
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6675
 HT FLOW CONVERGENCE VALUE= .3012 CRITERION= .1086
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1301
 HT FLOW CONVERGENCE VALUE= .4101E-01 CRITERION= .1086 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 13 COMPLETED. CUM ITER = 157
 *** TIME = .521553E+08 TIME INC = .182309E+07
 *** RESPONSE EIGENVALUE = .2872E-06 OSCILLATION LIMIT = .5235
 *** AUTO STEP TIME: NEXT TIME INC = .18231E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 314.3 CRITERION= .3326
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6667
 HT FLOW CONVERGENCE VALUE= .2968 CRITERION= .1081
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1291
 HT FLOW CONVERGENCE VALUE= .4057E-01 CRITERION= .1081 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 14 COMPLETED. CUM ITER = 159
 *** TIME = .539784E+08 TIME INC = .182309E+07
 *** RESPONSE EIGENVALUE = .3318E-06 OSCILLATION LIMIT = .6049
 *** AUTO STEP TIME: NEXT TIME INC = .18231E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 314.5 CRITERION= .3325
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6675
 HT FLOW CONVERGENCE VALUE= .2962 CRITERION= .1083
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1293
 HT FLOW CONVERGENCE VALUE= .4041E-01 CRITERION= .1083 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 15 COMPLETED. CUM ITER = 161
 *** TIME = .558015E+08 TIME INC = .182309E+07

*** RESPONSE EIGENVALUE = .2880E-06 OSCILLATION LIMIT = .5251
 *** AUTO STEP TIME: NEXT TIME INC = .18231E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 314.3 CRITERION= .3325
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6667
 HT FLOW CONVERGENCE VALUE= .2969 CRITERION= .1079
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1283
 HT FLOW CONVERGENCE VALUE= .3997E-01 CRITERION= .1079 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 16 COMPLETED. CUM ITER = 163
 *** TIME = .576246E+08 TIME INC = .182309E+07
 *** RESPONSE EIGENVALUE = .3300E-06 OSCILLATION LIMIT = .6017
 *** AUTO STEP TIME: NEXT TIME INC = .18231E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 314.5 CRITERION= .3324
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6675
 HT FLOW CONVERGENCE VALUE= .2974 CRITERION= .1081
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1283
 HT FLOW CONVERGENCE VALUE= .3978E-01 CRITERION= .1081 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 17 COMPLETED. CUM ITER = 165
 *** TIME = .594477E+08 TIME INC = .182309E+07
 *** RESPONSE EIGENVALUE = .2876E-06 OSCILLATION LIMIT = .5242
 *** AUTO STEP TIME: NEXT TIME INC = .18231E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 314.3 CRITERION= .3324
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6667
 HT FLOW CONVERGENCE VALUE= .2955 CRITERION= .1076
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1273
 HT FLOW CONVERGENCE VALUE= .3934E-01 CRITERION= .1076 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 18 COMPLETED. CUM ITER = 167
 *** TIME = .612708E+08 TIME INC = .182309E+07
 *** RESPONSE EIGENVALUE = .3274E-06 OSCILLATION LIMIT = .5969
 *** AUTO TIME STEP: NEXT TIME INC = .18445E+07 INCREASED (FACTOR = 1.0117)

HT FLOW CONVERGENCE VALUE= 318.2 CRITERION= .3359
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6753
 HT FLOW CONVERGENCE VALUE= .2994 CRITERION= .1078
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1289
 HT FLOW CONVERGENCE VALUE= .3966E-01 CRITERION= .1078 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 19 COMPLETED. CUM ITER = 169
 *** TIME = .631152E+08 TIME INC = .184445E+07
 *** RESPONSE EIGENVALUE = .2875E-06 OSCILLATION LIMIT = .5302

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 19:08:42 APR 07, 1995 CP= 10692.180
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 203.8 CRITERION= .2306
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4334
 HT FLOW CONVERGENCE VALUE= .1879 CRITERION= .1074
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8058E-01
 HT FLOW CONVERGENCE VALUE= .2519E-01 CRITERION= .1074 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 1 COMPLETED. CUM ITER = 171
 *** TIME = .649597E+08 TIME INC = .184445E+07
 *** RESPONSE EIGENVALUE = .4495E-06 OSCILLATION LIMIT = .8292
 *** AUTO TIME STEP: NEXT TIME INC = .11122E+07 DECREASED (FACTOR = .6030)

HT FLOW CONVERGENCE VALUE= 123.1 CRITERION= .1633
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2622
 HT FLOW CONVERGENCE VALUE= .1115 CRITERION= .1076

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4609E-01
 HT FLOW CONVERGENCE VALUE= .1485E-01 CRITERION= .1076 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 2 COMPLETED. CUM ITER = 173
 *** TIME = .660719E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .4735E-06 OSCILLATION LIMIT = .5266
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.9 CRITERION= .1634
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2614
 HT FLOW CONVERGENCE VALUE= .1129 CRITERION= .1073
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4686E-01
 HT FLOW CONVERGENCE VALUE= .1470E-01 CRITERION= .1072 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 3 COMPLETED. CUM ITER = 175
 *** TIME = .671842E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .5143E-06 OSCILLATION LIMIT = .5720
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 123.1 CRITERION= .1632
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2623
 HT FLOW CONVERGENCE VALUE= .1116 CRITERION= .1075
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4607E-01
 HT FLOW CONVERGENCE VALUE= .1478E-01 CRITERION= .1075 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 4 COMPLETED. CUM ITER = 177
 *** TIME = .682964E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .4942E-06 OSCILLATION LIMIT = .5496
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.9 CRITERION= .1633
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2614
 HT FLOW CONVERGENCE VALUE= .1124 CRITERION= .1071
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4657E-01
 HT FLOW CONVERGENCE VALUE= .1461E-01 CRITERION= .1071 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 5 COMPLETED. CUM ITER = 179
 *** TIME = .694086E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .5293E-06 OSCILLATION LIMIT = .5887
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 123.1 CRITERION= .1631
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2623
 HT FLOW CONVERGENCE VALUE= .1116 CRITERION= .1073
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4604E-01
 HT FLOW CONVERGENCE VALUE= .1468E-01 CRITERION= .1073 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 6 COMPLETED. CUM ITER = 181
 *** TIME = .705209E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .4805E-06 OSCILLATION LIMIT = .5344
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.9 CRITERION= .1632
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2614
 HT FLOW CONVERGENCE VALUE= .1119 CRITERION= .1070
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4631E-01
 HT FLOW CONVERGENCE VALUE= .1451E-01 CRITERION= .1069 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 7 COMPLETED. CUM ITER = 183
 *** TIME = .716331E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .5397E-06 OSCILLATION LIMIT = .6002
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 123.1 CRITERION= .1630
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2623
 HT FLOW CONVERGENCE VALUE= .1114 CRITERION= .1072
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4597E-01
 HT FLOW CONVERGENCE VALUE= .1456E-01 CRITERION= .1072 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 8 COMPLETED. CUM ITER = 185

```

*** TIME = .727453E+08    TIME INC = .111224E+07
*** RESPONSE EIGENVALUE = .4706E-06    OSCILLATION LIMIT = .5235
*** AUTO STEP TIME: NEXT TIME INC = .11122E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 122.9    CRITERION= .1631
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2614
    HT FLOW CONVERGENCE VALUE= .1115    CRITERION= .1068
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4609E-01
    HT FLOW CONVERGENCE VALUE= .1439E-01    CRITERION= .1068    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 15 SUBSTEP 9 COMPLETED. CUM ITER = 187
*** TIME = .738576E+08    TIME INC = .111224E+07
*** RESPONSE EIGENVALUE = .5466E-06    OSCILLATION LIMIT = .6080
*** AUTO STEP TIME: NEXT TIME INC = .11122E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 123.1    CRITERION= .1629
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2623
    HT FLOW CONVERGENCE VALUE= .1112    CRITERION= .1070
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4588E-01
    HT FLOW CONVERGENCE VALUE= .1445E-01    CRITERION= .1070    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 15 SUBSTEP 10 COMPLETED. CUM ITER = 189
*** TIME = .749698E+08    TIME INC = .111224E+07
*** RESPONSE EIGENVALUE = .4636E-06    OSCILLATION LIMIT = .5156
*** AUTO STEP TIME: NEXT TIME INC = .11122E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 122.9    CRITERION= .1630
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2614
    HT FLOW CONVERGENCE VALUE= .1111    CRITERION= .1067
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4588E-01
    HT FLOW CONVERGENCE VALUE= .1429E-01    CRITERION= .1067    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 15 SUBSTEP 11 COMPLETED. CUM ITER = 191
*** TIME = .760821E+08    TIME INC = .111224E+07
*** RESPONSE EIGENVALUE = .5511E-06    OSCILLATION LIMIT = .6129
*** AUTO STEP TIME: NEXT TIME INC = .11122E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 123.1    CRITERION= .1628
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2623
    HT FLOW CONVERGENCE VALUE= .1110    CRITERION= .1069
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4577E-01
    HT FLOW CONVERGENCE VALUE= .1433E-01    CRITERION= .1069    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 15 SUBSTEP 12 COMPLETED. CUM ITER = 193
*** TIME = .771943E+08    TIME INC = .111224E+07
*** RESPONSE EIGENVALUE = .4584E-06    OSCILLATION LIMIT = .5099
*** AUTO STEP TIME: NEXT TIME INC = .11122E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 122.9    CRITERION= .1629
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2614
    HT FLOW CONVERGENCE VALUE= .1106    CRITERION= .1065
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4570E-01
    HT FLOW CONVERGENCE VALUE= .1417E-01    CRITERION= .1065    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 15 SUBSTEP 13 COMPLETED. CUM ITER = 195
*** TIME = .783065E+08    TIME INC = .111224E+07
*** RESPONSE EIGENVALUE = .5538E-06    OSCILLATION LIMIT = .6159
*** AUTO STEP TIME: NEXT TIME INC = .11122E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 123.1    CRITERION= .1627
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2623
    HT FLOW CONVERGENCE VALUE= .1108    CRITERION= .1067
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4566E-01
    HT FLOW CONVERGENCE VALUE= .1423E-01    CRITERION= .1067    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 15 SUBSTEP 14 COMPLETED. CUM ITER = 197
*** TIME = .794188E+08    TIME INC = .111224E+07
*** RESPONSE EIGENVALUE = .4546E-06    OSCILLATION LIMIT = .5056
*** AUTO STEP TIME: NEXT TIME INC = .11122E+07    UNCHANGED

```


HT FLOW CONVERGENCE VALUE= 122.9 CRITERION= .1628
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2614
 HT FLOW CONVERGENCE VALUE= .1103 CRITERION= .1064
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4552E-01
 HT FLOW CONVERGENCE VALUE= .1406E-01 CRITERION= .1064 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 15 COMPLETED. CUM ITER = 199
 *** TIME = .805310E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .5550E-06 OSCILLATION LIMIT = .6173
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 123.1 CRITERION= .1626
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2623
 HT FLOW CONVERGENCE VALUE= .1105 CRITERION= .1066
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4553E-01
 HT FLOW CONVERGENCE VALUE= .1412E-01 CRITERION= .1066 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 16 COMPLETED. CUM ITER = 201
 *** TIME = .816432E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .4518E-06 OSCILLATION LIMIT = .5025
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.9 CRITERION= .1627
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2614
 HT FLOW CONVERGENCE VALUE= .1100 CRITERION= .1062
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4535E-01
 HT FLOW CONVERGENCE VALUE= .1397E-01 CRITERION= .1062 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 17 COMPLETED. CUM ITER = 203
 *** TIME = .827555E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .5554E-06 OSCILLATION LIMIT = .6177
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 123.1 CRITERION= .1625
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2623
 HT FLOW CONVERGENCE VALUE= .1103 CRITERION= .1064
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4541E-01
 HT FLOW CONVERGENCE VALUE= .1402E-01 CRITERION= .1064 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 18 COMPLETED. CUM ITER = 205
 *** TIME = .838677E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .4496E-06 OSCILLATION LIMIT = .5001
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.9 CRITERION= .1626
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2614
 HT FLOW CONVERGENCE VALUE= .1097 CRITERION= .1061
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4520E-01
 HT FLOW CONVERGENCE VALUE= .1386E-01 CRITERION= .1061 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 19 COMPLETED. CUM ITER = 207
 *** TIME = .849799E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .5551E-06 OSCILLATION LIMIT = .6174
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 123.1 CRITERION= .1624
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2623
 HT FLOW CONVERGENCE VALUE= .1100 CRITERION= .1063
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4527E-01
 HT FLOW CONVERGENCE VALUE= .1392E-01 CRITERION= .1063 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 20 COMPLETED. CUM ITER = 209
 *** TIME = .860922E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .4479E-06 OSCILLATION LIMIT = .4982
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.9 CRITERION= .1625
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2614
 HT FLOW CONVERGENCE VALUE= .1094 CRITERION= .1059
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4504E-01

HT FLOW CONVERGENCE VALUE= .1376E-01 CRITERION= .1059 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 21 COMPLETED. CUM ITER = 211
 *** TIME = .872044E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .5543E-06 OSCILLATION LIMIT = .6165
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 123.1 CRITERION= .1623
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2623
 HT FLOW CONVERGENCE VALUE= .1098 CRITERION= .1061
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4513E-01
 HT FLOW CONVERGENCE VALUE= .1382E-01 CRITERION= .1061 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 22 COMPLETED. CUM ITER = 213
 *** TIME = .883167E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .4466E-06 OSCILLATION LIMIT = .4967
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.9 CRITERION= .1624
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2614
 HT FLOW CONVERGENCE VALUE= .1091 CRITERION= .1058
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4489E-01
 HT FLOW CONVERGENCE VALUE= .1367E-01 CRITERION= .1058 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 23 COMPLETED. CUM ITER = 215
 *** TIME = .894289E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .5531E-06 OSCILLATION LIMIT = .6152
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 123.1 CRITERION= .1622
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2623
 HT FLOW CONVERGENCE VALUE= .1095 CRITERION= .1060
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4500E-01
 HT FLOW CONVERGENCE VALUE= .1372E-01 CRITERION= .1060 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 24 COMPLETED. CUM ITER = 217
 *** TIME = .905411E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .4455E-06 OSCILLATION LIMIT = .4955
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.9 CRITERION= .1623
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2614
 HT FLOW CONVERGENCE VALUE= .1089 CRITERION= .1056
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4474E-01
 HT FLOW CONVERGENCE VALUE= .1357E-01 CRITERION= .1056 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 25 COMPLETED. CUM ITER = 219
 *** TIME = .916534E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .5517E-06 OSCILLATION LIMIT = .6136
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 123.1 CRITERION= .1621
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2623
 HT FLOW CONVERGENCE VALUE= .1093 CRITERION= .1058
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4485E-01
 HT FLOW CONVERGENCE VALUE= .1363E-01 CRITERION= .1058 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 26 COMPLETED. CUM ITER = 221
 *** TIME = .927656E+08 TIME INC = .111224E+07
 *** RESPONSE EIGENVALUE = .4445E-06 OSCILLATION LIMIT = .4943
 *** AUTO STEP TIME: NEXT TIME INC = .11122E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.9 CRITERION= .1622
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2614
 HT FLOW CONVERGENCE VALUE= .1086 CRITERION= .1055
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4459E-01
 HT FLOW CONVERGENCE VALUE= .1348E-01 CRITERION= .1055 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 15 SUBSTEP 27 COMPLETED. CUM ITER = 223
 *** TIME = .938778E+08 TIME INC = .111224E+07

*** RESPONSE EIGENVALUE = .5501E-06 OSCILLATION LIMIT = .6119
 *** AUTO TIME STEP: NEXT TIME INC = .79499E+06 DECREASED (FACTOR = .7148)

HT FLOW CONVERGENCE VALUE= 87.98 CRITERION= .1373
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1879
 HT FLOW CONVERGENCE VALUE= .7796E-01 CRITERION= .1057 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 28 COMPLETED. CUM ITER = 224
 *** TIME = .946728E+08 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .2213E-06 OSCILLATION LIMIT = .1759

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 20:03:59 APR 07, 1995 CP= 13988.030
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1277
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5948E-01 CRITERION= .1054 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 1 COMPLETED. CUM ITER = 225
 *** TIME = .954678E+08 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .6869E-06 OSCILLATION LIMIT = .5461
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1274
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .5899E-01 CRITERION= .1056 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 2 COMPLETED. CUM ITER = 226
 *** TIME = .962628E+08 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .6827E-06 OSCILLATION LIMIT = .5428
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1276
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5981E-01 CRITERION= .1053 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 3 COMPLETED. CUM ITER = 227
 *** TIME = .970578E+08 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .5853E-06 OSCILLATION LIMIT = .4653
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1274
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .5924E-01 CRITERION= .1055 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 4 COMPLETED. CUM ITER = 228
 *** TIME = .978528E+08 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .6319E-06 OSCILLATION LIMIT = .5023
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1275
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5945E-01 CRITERION= .1052 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 5 COMPLETED. CUM ITER = 229
 *** TIME = .986478E+08 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .6343E-06 OSCILLATION LIMIT = .5043
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1273
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .5935E-01 CRITERION= .1054 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 16 SUBSTEP 6 COMPLETED. CUM ITER = 230
*** TIME = .994428E+08 TIME INC = 794990.
*** RESPONSE EIGENVALUE = .5911E-06 OSCILLATION LIMIT = .4699
*** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1274
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
HT FLOW CONVERGENCE VALUE= .5919E-01 CRITERION= .1051 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 7 COMPLETED. CUM ITER = 231
*** TIME = .100238E+09 TIME INC = 794990.
*** RESPONSE EIGENVALUE = .6650E-06 OSCILLATION LIMIT = .5287
*** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1272
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
HT FLOW CONVERGENCE VALUE= .5940E-01 CRITERION= .1053 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 8 COMPLETED. CUM ITER = 232
*** TIME = .101033E+09 TIME INC = 794990.
*** RESPONSE EIGENVALUE = .5667E-06 OSCILLATION LIMIT = .4505
*** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1273
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
HT FLOW CONVERGENCE VALUE= .5901E-01 CRITERION= .1050 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 9 COMPLETED. CUM ITER = 233
*** TIME = .101828E+09 TIME INC = 794990.
*** RESPONSE EIGENVALUE = .6834E-06 OSCILLATION LIMIT = .5433
*** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1271
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
HT FLOW CONVERGENCE VALUE= .5940E-01 CRITERION= .1052 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 10 COMPLETED. CUM ITER = 234
*** TIME = .102623E+09 TIME INC = 794990.
*** RESPONSE EIGENVALUE = .5518E-06 OSCILLATION LIMIT = .4387
*** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1273
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
HT FLOW CONVERGENCE VALUE= .5887E-01 CRITERION= .1049 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 11 COMPLETED. CUM ITER = 235
*** TIME = .103418E+09 TIME INC = 794990.
*** RESPONSE EIGENVALUE = .6939E-06 OSCILLATION LIMIT = .5516
*** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1270
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
HT FLOW CONVERGENCE VALUE= .5938E-01 CRITERION= .1051 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 12 COMPLETED. CUM ITER = 236
*** TIME = .104213E+09 TIME INC = 794990.
*** RESPONSE EIGENVALUE = .5426E-06 OSCILLATION LIMIT = .4313
*** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1272
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
HT FLOW CONVERGENCE VALUE= .5875E-01 CRITERION= .1048 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 13 COMPLETED. CUM ITER = 237
*** TIME = .105008E+09 TIME INC = 794990.
*** RESPONSE EIGENVALUE = .6992E-06 OSCILLATION LIMIT = .5558
*** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1270
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536

```

HT FLOW CONVERGENCE VALUE= .5933E-01 CRITERION= .1050 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 14 COMPLETED. CUM ITER = 238
 *** TIME = .105803E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .5368E-06 OSCILLATION LIMIT = .4267
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1271
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5865E-01 CRITERION= .1047 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 15 COMPLETED. CUM ITER = 239
 *** TIME = .106598E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .7014E-06 OSCILLATION LIMIT = .5576
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1269
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .5928E-01 CRITERION= .1049 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 16 COMPLETED. CUM ITER = 240
 *** TIME = .107393E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .5331E-06 OSCILLATION LIMIT = .4238
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1270
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5857E-01 CRITERION= .1046 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 17 COMPLETED. CUM ITER = 241
 *** TIME = .108188E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .7016E-06 OSCILLATION LIMIT = .5578
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1268
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .5922E-01 CRITERION= .1048 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 18 COMPLETED. CUM ITER = 242
 *** TIME = .108983E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .5308E-06 OSCILLATION LIMIT = .4220
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1269
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5848E-01 CRITERION= .1045 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 19 COMPLETED. CUM ITER = 243
 *** TIME = .109778E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .7007E-06 OSCILLATION LIMIT = .5570
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1267
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .5914E-01 CRITERION= .1047 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 20 COMPLETED. CUM ITER = 244
 *** TIME = .110573E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .5292E-06 OSCILLATION LIMIT = .4207
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1269
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5839E-01 CRITERION= .1044 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 21 COMPLETED. CUM ITER = 245
 *** TIME = .111368E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .6989E-06 OSCILLATION LIMIT = .5556
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1267
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .5907E-01 CRITERION= .1046 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 22 COMPLETED. CUM ITER = 246
 *** TIME = .112163E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .5280E-06 OSCILLATION LIMIT = .4198
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1268
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5831E-01 CRITERION= .1043 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 23 COMPLETED. CUM ITER = 247
 *** TIME = .112958E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .6967E-06 OSCILLATION LIMIT = .5539
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1266
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .5900E-01 CRITERION= .1045 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 24 COMPLETED. CUM ITER = 248
 *** TIME = .113753E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .5271E-06 OSCILLATION LIMIT = .4190
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1267
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5823E-01 CRITERION= .1042 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 25 COMPLETED. CUM ITER = 249
 *** TIME = .114548E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .6943E-06 OSCILLATION LIMIT = .5520
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1265
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .5892E-01 CRITERION= .1044 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 26 COMPLETED. CUM ITER = 250
 *** TIME = .115343E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .5264E-06 OSCILLATION LIMIT = .4185
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1266
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5815E-01 CRITERION= .1041 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 27 COMPLETED. CUM ITER = 251
 *** TIME = .116138E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .6917E-06 OSCILLATION LIMIT = .5499
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1264
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .5884E-01 CRITERION= .1043 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 28 COMPLETED. CUM ITER = 252
 *** TIME = .116933E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .5258E-06 OSCILLATION LIMIT = .4180
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1265
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5808E-01 CRITERION= .1040 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 29 COMPLETED. CUM ITER = 253
 *** TIME = .117728E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .6891E-06 OSCILLATION LIMIT = .5478

*** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1263
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .5876E-01 CRITERION= .1042 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 30 COMPLETED. CUM ITER = 254
 *** TIME = .118523E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .5253E-06 OSCILLATION LIMIT = .4176
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1265
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5801E-01 CRITERION= .1039 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 31 COMPLETED. CUM ITER = 255
 *** TIME = .119318E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .6865E-06 OSCILLATION LIMIT = .5458
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1263
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .5870E-01 CRITERION= .1041 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 32 COMPLETED. CUM ITER = 256
 *** TIME = .120113E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .5248E-06 OSCILLATION LIMIT = .4172
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1264
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5794E-01 CRITERION= .1038 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 33 COMPLETED. CUM ITER = 257
 *** TIME = .120908E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .6839E-06 OSCILLATION LIMIT = .5437
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1262
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .5863E-01 CRITERION= .1041 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 34 COMPLETED. CUM ITER = 258
 *** TIME = .121703E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .5243E-06 OSCILLATION LIMIT = .4168
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1263
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5787E-01 CRITERION= .1037 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 35 COMPLETED. CUM ITER = 259
 *** TIME = .122497E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .6812E-06 OSCILLATION LIMIT = .5415
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.72 CRITERION= .1261
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .5855E-01 CRITERION= .1040 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 36 COMPLETED. CUM ITER = 260
 *** TIME = .123292E+09 TIME INC = 794990.
 *** RESPONSE EIGENVALUE = .5237E-06 OSCILLATION LIMIT = .4163
 *** AUTO STEP TIME: NEXT TIME INC = .79499E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 71.56 CRITERION= .1262
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1526
 HT FLOW CONVERGENCE VALUE= .5780E-01 CRITERION= .1037 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 37 COMPLETED. CUM ITER = 261

```

*** TIME = .124087E+09    TIME INC = 794990.
*** RESPONSE EIGENVALUE = .6787E-06    OSCILLATION LIMIT = .5395
*** AUTO STEP TIME: NEXT TIME INC = .79499E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 71.72    CRITERION= .1260
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1535
    HT FLOW CONVERGENCE VALUE= .5849E-01    CRITERION= .1039    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 38 COMPLETED. CUM ITER = 262
*** TIME = .124882E+09    TIME INC = 794990.
*** RESPONSE EIGENVALUE = .5233E-06    OSCILLATION LIMIT = .4160
*** AUTO STEP TIME: NEXT TIME INC = .67398E+06    DECREASED (FACTOR = .8478)

    HT FLOW CONVERGENCE VALUE= 60.66    CRITERION= .1203
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
    HT FLOW CONVERGENCE VALUE= .4849E-01    CRITERION= .1036    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 39 COMPLETED. CUM ITER = 263
*** TIME = .125556E+09    TIME INC = 673982.
*** RESPONSE EIGENVALUE = .7838E-06    OSCILLATION LIMIT = .5283
*** AUTO STEP TIME: NEXT TIME INC = .67398E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.82    CRITERION= .1201
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1304
    HT FLOW CONVERGENCE VALUE= .4952E-01    CRITERION= .1038    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 40 COMPLETED. CUM ITER = 264
*** TIME = .126230E+09    TIME INC = 673982.
*** RESPONSE EIGENVALUE = .5519E-06    OSCILLATION LIMIT = .3720

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303      VERSION=HP 9000/7XX    20:54:57 APR 07, 1995 CP= 17005.430
FOR SUPPORT CALL ROBERT BAHNEY    PHONE (702) 794-5337    FAX (702) 794-1844

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

    HT FLOW CONVERGENCE VALUE= 60.72    CRITERION= .1202
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
    HT FLOW CONVERGENCE VALUE= .4873E-01    CRITERION= .1035    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 1 COMPLETED. CUM ITER = 265
*** TIME = .127019E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7877E-06    OSCILLATION LIMIT = .6214
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.87    CRITERION= .1200
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1303
    HT FLOW CONVERGENCE VALUE= .4889E-01    CRITERION= .1037    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 2 COMPLETED. CUM ITER = 266
*** TIME = .127808E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6915E-06    OSCILLATION LIMIT = .5455
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.72    CRITERION= .1202
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
    HT FLOW CONVERGENCE VALUE= .4855E-01    CRITERION= .1034    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 3 COMPLETED. CUM ITER = 267
*** TIME = .128597E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7983E-06    OSCILLATION LIMIT = .6298
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.87    CRITERION= .1200
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1303
    HT FLOW CONVERGENCE VALUE= .4890E-01    CRITERION= .1036    <<< CONVERGED

```



```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 4 COMPLETED. CUM ITER = 268
*** TIME = .129386E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6704E-06 OSCILLATION LIMIT = .5289
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1201
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
HT FLOW CONVERGENCE VALUE= .4841E-01 CRITERION= .1033 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 5 COMPLETED. CUM ITER = 269
*** TIME = .130175E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8135E-06 OSCILLATION LIMIT = .6418
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1199
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1303
HT FLOW CONVERGENCE VALUE= .4888E-01 CRITERION= .1035 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 6 COMPLETED. CUM ITER = 270
*** TIME = .130964E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6572E-06 OSCILLATION LIMIT = .5185
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1200
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
HT FLOW CONVERGENCE VALUE= .4831E-01 CRITERION= .1032 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 7 COMPLETED. CUM ITER = 271
*** TIME = .131753E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8219E-06 OSCILLATION LIMIT = .6484
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1198
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1303
HT FLOW CONVERGENCE VALUE= .4885E-01 CRITERION= .1034 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 8 COMPLETED. CUM ITER = 272
*** TIME = .132542E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6489E-06 OSCILLATION LIMIT = .5119
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1199
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
HT FLOW CONVERGENCE VALUE= .4824E-01 CRITERION= .1031 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 9 COMPLETED. CUM ITER = 273
*** TIME = .133331E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8261E-06 OSCILLATION LIMIT = .6517
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1197
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1303
HT FLOW CONVERGENCE VALUE= .4880E-01 CRITERION= .1033 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 10 COMPLETED. CUM ITER = 274
*** TIME = .134120E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6436E-06 OSCILLATION LIMIT = .5077
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1198
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
HT FLOW CONVERGENCE VALUE= .4814E-01 CRITERION= .1030 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 11 COMPLETED. CUM ITER = 275
*** TIME = .134909E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8275E-06 OSCILLATION LIMIT = .6528
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1196

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1303
HT FLOW CONVERGENCE VALUE= .4872E-01 CRITERION= .1032 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 12 COMPLETED. CUM ITER = 276
*** TIME = .135698E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6400E-06 OSCILLATION LIMIT = .5049
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1198
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
HT FLOW CONVERGENCE VALUE= .4797E-01 CRITERION= .1029 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 13 COMPLETED. CUM ITER = 277
*** TIME = .136487E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8271E-06 OSCILLATION LIMIT = .6526
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1195
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1303
HT FLOW CONVERGENCE VALUE= .4858E-01 CRITERION= .1031 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 14 COMPLETED. CUM ITER = 278
*** TIME = .137276E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6375E-06 OSCILLATION LIMIT = .5030
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1197
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
HT FLOW CONVERGENCE VALUE= .4789E-01 CRITERION= .1028 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 15 COMPLETED. CUM ITER = 279
*** TIME = .138065E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8258E-06 OSCILLATION LIMIT = .6515
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1195
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1303
HT FLOW CONVERGENCE VALUE= .4852E-01 CRITERION= .1030 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 16 COMPLETED. CUM ITER = 280
*** TIME = .138853E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6358E-06 OSCILLATION LIMIT = .5016
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1196
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
HT FLOW CONVERGENCE VALUE= .4783E-01 CRITERION= .1027 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 17 COMPLETED. CUM ITER = 281
*** TIME = .139642E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8238E-06 OSCILLATION LIMIT = .6500
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1194
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1303
HT FLOW CONVERGENCE VALUE= .4844E-01 CRITERION= .1029 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 18 COMPLETED. CUM ITER = 282
*** TIME = .140431E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6344E-06 OSCILLATION LIMIT = .5005
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1195
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
HT FLOW CONVERGENCE VALUE= .4773E-01 CRITERION= .1026 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 19 COMPLETED. CUM ITER = 283
*** TIME = .141220E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8215E-06 OSCILLATION LIMIT = .6481
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1193
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1303
 HT FLOW CONVERGENCE VALUE= .4830E-01 CRITERION= .1028 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 20 COMPLETED. CUM ITER = 284
 *** TIME = .142009E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6333E-06 OSCILLATION LIMIT = .4996
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1194
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .4758E-01 CRITERION= .1025 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 21 COMPLETED. CUM ITER = 285
 *** TIME = .142798E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8189E-06 OSCILLATION LIMIT = .6461
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1192
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1303
 HT FLOW CONVERGENCE VALUE= .4812E-01 CRITERION= .1027 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 22 COMPLETED. CUM ITER = 286
 *** TIME = .143587E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6324E-06 OSCILLATION LIMIT = .4989
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1193
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .4741E-01 CRITERION= .1024 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 23 COMPLETED. CUM ITER = 287
 *** TIME = .144376E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8163E-06 OSCILLATION LIMIT = .6440
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1191
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1303
 HT FLOW CONVERGENCE VALUE= .4804E-01 CRITERION= .1026 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 24 COMPLETED. CUM ITER = 288
 *** TIME = .145165E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6316E-06 OSCILLATION LIMIT = .4983
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1193
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .4735E-01 CRITERION= .1023 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 25 COMPLETED. CUM ITER = 289
 *** TIME = .145954E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8135E-06 OSCILLATION LIMIT = .6418
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1190
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1302
 HT FLOW CONVERGENCE VALUE= .4799E-01 CRITERION= .1025 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 26 COMPLETED. CUM ITER = 290
 *** TIME = .146743E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6308E-06 OSCILLATION LIMIT = .4977
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1192
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .4728E-01 CRITERION= .1022 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 27 COMPLETED. CUM ITER = 291
 *** TIME = .147532E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .8107E-06 OSCILLATION LIMIT = .6396
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1190
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1302
 HT FLOW CONVERGENCE VALUE= .4783E-01 CRITERION= .1024 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 28 COMPLETED. CUM ITER = 292
 *** TIME = .148321E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6300E-06 OSCILLATION LIMIT = .4970
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1191
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .4712E-01 CRITERION= .1021 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 29 COMPLETED. CUM ITER = 293
 *** TIME = .149110E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8080E-06 OSCILLATION LIMIT = .6374
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1189
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1302
 HT FLOW CONVERGENCE VALUE= .4773E-01 CRITERION= .1023 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 30 COMPLETED. CUM ITER = 294
 *** TIME = .149899E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6293E-06 OSCILLATION LIMIT = .4965
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1190
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .4704E-01 CRITERION= .1021 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 31 COMPLETED. CUM ITER = 295
 *** TIME = .150688E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8052E-06 OSCILLATION LIMIT = .6352
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1188
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1302
 HT FLOW CONVERGENCE VALUE= .4767E-01 CRITERION= .1022 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 32 COMPLETED. CUM ITER = 296
 *** TIME = .151477E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6286E-06 OSCILLATION LIMIT = .4960
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1189
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .4699E-01 CRITERION= .1020 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 33 COMPLETED. CUM ITER = 297
 *** TIME = .152265E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8025E-06 OSCILLATION LIMIT = .6331
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1187
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1302
 HT FLOW CONVERGENCE VALUE= .4760E-01 CRITERION= .1021 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 34 COMPLETED. CUM ITER = 298
 *** TIME = .153054E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6279E-06 OSCILLATION LIMIT = .4953
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1188
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .4693E-01 CRITERION= .1019 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 35 COMPLETED. CUM ITER = 299
 *** TIME = .153843E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7999E-06 OSCILLATION LIMIT = .6311
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1186
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1302
 HT FLOW CONVERGENCE VALUE= .4757E-01 CRITERION= .1020 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 36 COMPLETED. CUM ITER = 300
 *** TIME = .154632E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6272E-06 OSCILLATION LIMIT = .4948
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1188
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .4690E-01 CRITERION= .1018 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 37 COMPLETED. CUM ITER = 301
 *** TIME = .155421E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7973E-06 OSCILLATION LIMIT = .6290
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1186
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1302
 HT FLOW CONVERGENCE VALUE= .4749E-01 CRITERION= .1020 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 38 COMPLETED. CUM ITER = 302
 *** TIME = .156210E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6265E-06 OSCILLATION LIMIT = .4943
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.72 CRITERION= .1187
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294
 HT FLOW CONVERGENCE VALUE= .4678E-01 CRITERION= .1017 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 39 COMPLETED. CUM ITER = 303
 *** TIME = .156999E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7946E-06 OSCILLATION LIMIT = .6269
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.87 CRITERION= .1185
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1302
 HT FLOW CONVERGENCE VALUE= .4737E-01 CRITERION= .1019 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 40 COMPLETED. CUM ITER = 304
 *** TIME = .157788E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6260E-06 OSCILLATION LIMIT = .4939

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 21:45:57 APR 07, 1995 CP= 20021.320
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1140
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .3886E-01 CRITERION= .1016 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 1 COMPLETED. CUM ITER = 305
 *** TIME = .158577E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1014E-05 OSCILLATION LIMIT = .7998
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1138
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1100

HT FLOW CONVERGENCE VALUE= .3941E-01 CRITERION= .1018 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 2 COMPLETED. CUM ITER = 306
 *** TIME = .159366E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8169E-06 OSCILLATION LIMIT = .6445
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1139
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .3912E-01 CRITERION= .1015 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 3 COMPLETED. CUM ITER = 307
 *** TIME = .160155E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9325E-06 OSCILLATION LIMIT = .7357
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1137
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1100
 HT FLOW CONVERGENCE VALUE= .3945E-01 CRITERION= .1017 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 4 COMPLETED. CUM ITER = 308
 *** TIME = .160944E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8036E-06 OSCILLATION LIMIT = .6340
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1139
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .3903E-01 CRITERION= .1014 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 5 COMPLETED. CUM ITER = 309
 *** TIME = .161733E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9521E-06 OSCILLATION LIMIT = .7511
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1137
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1100
 HT FLOW CONVERGENCE VALUE= .3945E-01 CRITERION= .1016 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 6 COMPLETED. CUM ITER = 310
 *** TIME = .162522E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7871E-06 OSCILLATION LIMIT = .6210
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1138
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .3896E-01 CRITERION= .1013 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 7 COMPLETED. CUM ITER = 311
 *** TIME = .163311E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9636E-06 OSCILLATION LIMIT = .7602
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1136
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1100
 HT FLOW CONVERGENCE VALUE= .3943E-01 CRITERION= .1015 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 8 COMPLETED. CUM ITER = 312
 *** TIME = .164100E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7765E-06 OSCILLATION LIMIT = .6126
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1137
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .3889E-01 CRITERION= .1012 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 9 COMPLETED. CUM ITER = 313
 *** TIME = .164888E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9694E-06 OSCILLATION LIMIT = .7648
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1135
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1100
 HT FLOW CONVERGENCE VALUE= .3940E-01 CRITERION= .1014 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 10 COMPLETED. CUM ITER = 314
 *** TIME = .165677E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7695E-06 OSCILLATION LIMIT = .6071
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1136
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .3884E-01 CRITERION= .1011 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 11 COMPLETED. CUM ITER = 315
 *** TIME = .166466E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9720E-06 OSCILLATION LIMIT = .7668
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1134
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1100
 HT FLOW CONVERGENCE VALUE= .3937E-01 CRITERION= .1013 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 12 COMPLETED. CUM ITER = 316
 *** TIME = .167255E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7648E-06 OSCILLATION LIMIT = .6034
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1135
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .3879E-01 CRITERION= .1010 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 13 COMPLETED. CUM ITER = 317
 *** TIME = .168044E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9723E-06 OSCILLATION LIMIT = .7671
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1133
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1100
 HT FLOW CONVERGENCE VALUE= .3933E-01 CRITERION= .1012 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 14 COMPLETED. CUM ITER = 318
 *** TIME = .168833E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7616E-06 OSCILLATION LIMIT = .6008
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1134
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .3873E-01 CRITERION= .1009 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 15 COMPLETED. CUM ITER = 319
 *** TIME = .169622E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9714E-06 OSCILLATION LIMIT = .7664
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1132
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1100
 HT FLOW CONVERGENCE VALUE= .3926E-01 CRITERION= .1011 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 16 COMPLETED. CUM ITER = 320
 *** TIME = .170411E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7595E-06 OSCILLATION LIMIT = .5992
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1134
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .3865E-01 CRITERION= .1008 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 17 COMPLETED. CUM ITER = 321
 *** TIME = .171200E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9698E-06 OSCILLATION LIMIT = .7651

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1132
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1100
 HT FLOW CONVERGENCE VALUE= .3920E-01 CRITERION= .1010 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 18 COMPLETED. CUM ITER = 322
 *** TIME = .171989E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7578E-06 OSCILLATION LIMIT = .5978
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1133
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .3860E-01 CRITERION= .1007 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 19 COMPLETED. CUM ITER = 323
 *** TIME = .172778E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9675E-06 OSCILLATION LIMIT = .7633
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1131
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1100
 HT FLOW CONVERGENCE VALUE= .3915E-01 CRITERION= .1009 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 20 COMPLETED. CUM ITER = 324
 *** TIME = .173567E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7564E-06 OSCILLATION LIMIT = .5967
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1132
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .3855E-01 CRITERION= .1007 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 21 COMPLETED. CUM ITER = 325
 *** TIME = .174356E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9649E-06 OSCILLATION LIMIT = .7612
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1130
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1099
 HT FLOW CONVERGENCE VALUE= .3909E-01 CRITERION= .1008 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 22 COMPLETED. CUM ITER = 326
 *** TIME = .175145E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7551E-06 OSCILLATION LIMIT = .5958
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1131
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .3850E-01 CRITERION= .1006 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 23 COMPLETED. CUM ITER = 327
 *** TIME = .175934E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9621E-06 OSCILLATION LIMIT = .7590
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1129
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1099
 HT FLOW CONVERGENCE VALUE= .3905E-01 CRITERION= .1007 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 24 COMPLETED. CUM ITER = 328
 *** TIME = .176723E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7541E-06 OSCILLATION LIMIT = .5949
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1130
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
 HT FLOW CONVERGENCE VALUE= .3846E-01 CRITERION= .1005 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 25 COMPLETED. CUM ITER = 329


```

*** TIME = .177512E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9592E-06    OSCILLATION LIMIT = .7568
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 51.39    CRITERION= .1128
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1099
    HT FLOW CONVERGENCE VALUE= .3901E-01    CRITERION= .1006    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 26 COMPLETED.    CUM ITER = 330
*** TIME = .178300E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7530E-06    OSCILLATION LIMIT = .5941
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 51.24    CRITERION= .1129
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
    HT FLOW CONVERGENCE VALUE= .3841E-01    CRITERION= .1004    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 27 COMPLETED.    CUM ITER = 331
*** TIME = .179089E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9563E-06    OSCILLATION LIMIT = .7544
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 51.39    CRITERION= .1127
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1099
    HT FLOW CONVERGENCE VALUE= .3896E-01    CRITERION= .1005    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 28 COMPLETED.    CUM ITER = 332
*** TIME = .179878E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7521E-06    OSCILLATION LIMIT = .5933
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 51.24    CRITERION= .1129
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
    HT FLOW CONVERGENCE VALUE= .3837E-01    CRITERION= .1003    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 29 COMPLETED.    CUM ITER = 333
*** TIME = .180667E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9534E-06    OSCILLATION LIMIT = .7522
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 51.39    CRITERION= .1127
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1099
    HT FLOW CONVERGENCE VALUE= .3891E-01    CRITERION= .1005    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 30 COMPLETED.    CUM ITER = 334
*** TIME = .181456E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7512E-06    OSCILLATION LIMIT = .5926
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 51.24    CRITERION= .1128
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
    HT FLOW CONVERGENCE VALUE= .3831E-01    CRITERION= .1002    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 31 COMPLETED.    CUM ITER = 335
*** TIME = .182245E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9504E-06    OSCILLATION LIMIT = .7498
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 51.39    CRITERION= .1126
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1099
    HT FLOW CONVERGENCE VALUE= .3883E-01    CRITERION= .1004    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 32 COMPLETED.    CUM ITER = 336
*** TIME = .183034E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7502E-06    OSCILLATION LIMIT = .5919
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 51.24    CRITERION= .1127
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
    HT FLOW CONVERGENCE VALUE= .3822E-01    CRITERION= .1001    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 33 COMPLETED. CUM ITER = 337
*** TIME = .183823E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9474E-06 OSCILLATION LIMIT = .7474
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1125
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1099
HT FLOW CONVERGENCE VALUE= .3875E-01 CRITERION= .1003 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 34 COMPLETED. CUM ITER = 338
*** TIME = .184612E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7493E-06 OSCILLATION LIMIT = .5911
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1126
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
HT FLOW CONVERGENCE VALUE= .3814E-01 CRITERION= .1000 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 35 COMPLETED. CUM ITER = 339
*** TIME = .185401E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9445E-06 OSCILLATION LIMIT = .7451
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1124
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1099
HT FLOW CONVERGENCE VALUE= .3868E-01 CRITERION= .1002 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 36 COMPLETED. CUM ITER = 340
*** TIME = .186190E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7484E-06 OSCILLATION LIMIT = .5904
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1125
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
HT FLOW CONVERGENCE VALUE= .3810E-01 CRITERION= .9992E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 37 COMPLETED. CUM ITER = 341
*** TIME = .186979E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9416E-06 OSCILLATION LIMIT = .7429
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1123
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1099
HT FLOW CONVERGENCE VALUE= .3863E-01 CRITERION= .1001 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 38 COMPLETED. CUM ITER = 342
*** TIME = .187768E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7475E-06 OSCILLATION LIMIT = .5897
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.24 CRITERION= .1124
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1092
HT FLOW CONVERGENCE VALUE= .3804E-01 CRITERION= .9982E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 39 COMPLETED. CUM ITER = 343
*** TIME = .188557E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9388E-06 OSCILLATION LIMIT = .7407
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 51.39 CRITERION= .1123
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1099
HT FLOW CONVERGENCE VALUE= .3856E-01 CRITERION= .9999E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 40 COMPLETED. CUM ITER = 344
*** TIME = .189346E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7466E-06 OSCILLATION LIMIT = .5890

```

***** ANSYS SOLVE COMMAND *****

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 22:36:41 APR 07, 1995 CP= 23035.720
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1083
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .3018E-01 CRITERION= .9974E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 1 COMPLETED. CUM ITER = 345
 *** TIME = .190135E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1277E-05 OSCILLATION LIMIT = 1.008
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.66 CRITERION= .1081
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8898E-01
 HT FLOW CONVERGENCE VALUE= .3064E-01 CRITERION= .9990E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 2 COMPLETED. CUM ITER = 346
 *** TIME = .190924E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1044E-05 OSCILLATION LIMIT = .8240
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1082
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .3041E-01 CRITERION= .9965E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 3 COMPLETED. CUM ITER = 347
 *** TIME = .191712E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1164E-05 OSCILLATION LIMIT = .9185
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.66 CRITERION= .1080
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8899E-01
 HT FLOW CONVERGENCE VALUE= .3065E-01 CRITERION= .9981E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 4 COMPLETED. CUM ITER = 348
 *** TIME = .192501E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1025E-05 OSCILLATION LIMIT = .8083
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1081
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .3028E-01 CRITERION= .9956E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 5 COMPLETED. CUM ITER = 349
 *** TIME = .193290E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1193E-05 OSCILLATION LIMIT = .9410
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.66 CRITERION= .1079
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8898E-01
 HT FLOW CONVERGENCE VALUE= .3057E-01 CRITERION= .9972E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 6 COMPLETED. CUM ITER = 350
 *** TIME = .194079E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1001E-05 OSCILLATION LIMIT = .7896
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1080
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .3009E-01 CRITERION= .9947E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 7 COMPLETED. CUM ITER = 351
 *** TIME = .194868E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1210E-05 OSCILLATION LIMIT = .9544
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.66 CRITERION= .1078
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8898E-01
 HT FLOW CONVERGENCE VALUE= .3050E-01 CRITERION= .9963E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 8 COMPLETED. CUM ITER = 352
 *** TIME = .195657E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9857E-06 OSCILLATION LIMIT = .7777
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1079
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .3007E-01 CRITERION= .9938E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 9 COMPLETED. CUM ITER = 353
 *** TIME = .196446E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1219E-05 OSCILLATION LIMIT = .9618
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.66 CRITERION= .1077
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8898E-01
 HT FLOW CONVERGENCE VALUE= .3052E-01 CRITERION= .9954E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 10 COMPLETED. CUM ITER = 354
 *** TIME = .197235E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9759E-06 OSCILLATION LIMIT = .7699
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1079
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .3003E-01 CRITERION= .9929E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 11 COMPLETED. CUM ITER = 355
 *** TIME = .198024E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1224E-05 OSCILLATION LIMIT = .9654
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.66 CRITERION= .1077
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8897E-01
 HT FLOW CONVERGENCE VALUE= .3048E-01 CRITERION= .9945E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 12 COMPLETED. CUM ITER = 356
 *** TIME = .198813E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9694E-06 OSCILLATION LIMIT = .7648
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1078
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .2994E-01 CRITERION= .9920E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 13 COMPLETED. CUM ITER = 357
 *** TIME = .199602E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1225E-05 OSCILLATION LIMIT = .9665
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.66 CRITERION= .1076
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8897E-01
 HT FLOW CONVERGENCE VALUE= .3039E-01 CRITERION= .9936E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 14 COMPLETED. CUM ITER = 358
 *** TIME = .200391E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9650E-06 OSCILLATION LIMIT = .7613
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1077
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .2987E-01 CRITERION= .9911E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 15 COMPLETED. CUM ITER = 359
 *** TIME = .201180E+09 TIME INC = 788940.

```

*** RESPONSE EIGENVALUE = .1225E-05  OSCILLATION LIMIT = .9662
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.66  CRITERION= .1075
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8897E-01
    HT FLOW CONVERGENCE VALUE= .3034E-01 CRITERION= .9927E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 16 COMPLETED. CUM ITER = 360
*** TIME = .201969E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9620E-06  OSCILLATION LIMIT = .7589
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.52  CRITERION= .1076
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
    HT FLOW CONVERGENCE VALUE= .2982E-01 CRITERION= .9903E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 17 COMPLETED. CUM ITER = 361
*** TIME = .202758E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1223E-05  OSCILLATION LIMIT = .9648
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.66  CRITERION= .1074
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8896E-01
    HT FLOW CONVERGENCE VALUE= .3030E-01 CRITERION= .9918E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 18 COMPLETED. CUM ITER = 362
*** TIME = .203547E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9597E-06  OSCILLATION LIMIT = .7571
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.52  CRITERION= .1075
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
    HT FLOW CONVERGENCE VALUE= .2975E-01 CRITERION= .9894E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 19 COMPLETED. CUM ITER = 363
*** TIME = .204335E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1220E-05  OSCILLATION LIMIT = .9628
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.66  CRITERION= .1073
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8896E-01
    HT FLOW CONVERGENCE VALUE= .3025E-01 CRITERION= .9909E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 20 COMPLETED. CUM ITER = 364
*** TIME = .205124E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9580E-06  OSCILLATION LIMIT = .7558
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.52  CRITERION= .1074
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
    HT FLOW CONVERGENCE VALUE= .2974E-01 CRITERION= .9885E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 21 COMPLETED. CUM ITER = 365
*** TIME = .205913E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1217E-05  OSCILLATION LIMIT = .9604
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.66  CRITERION= .1072
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8895E-01
    HT FLOW CONVERGENCE VALUE= .3023E-01 CRITERION= .9900E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 22 COMPLETED. CUM ITER = 366
*** TIME = .206702E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9567E-06  OSCILLATION LIMIT = .7548
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.52  CRITERION= .1074
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
    HT FLOW CONVERGENCE VALUE= .2973E-01 CRITERION= .9876E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 19 SUBSTEP 23 COMPLETED. CUM ITER = 367
 *** TIME = .207491E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1214E-05 OSCILLATION LIMIT = .9578
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.66 CRITERION= .1072
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8895E-01
 HT FLOW CONVERGENCE VALUE= .3025E-01 CRITERION= .9891E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 24 COMPLETED. CUM ITER = 368
 *** TIME = .208280E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9555E-06 OSCILLATION LIMIT = .7539
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1073
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .2971E-01 CRITERION= .9867E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 25 COMPLETED. CUM ITER = 369
 *** TIME = .209069E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1210E-05 OSCILLATION LIMIT = .9550
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.66 CRITERION= .1071
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8894E-01
 HT FLOW CONVERGENCE VALUE= .3017E-01 CRITERION= .9882E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 26 COMPLETED. CUM ITER = 370
 *** TIME = .209858E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9546E-06 OSCILLATION LIMIT = .7531
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1072
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .2971E-01 CRITERION= .9858E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 27 COMPLETED. CUM ITER = 371
 *** TIME = .210647E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1207E-05 OSCILLATION LIMIT = .9522
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.66 CRITERION= .1070
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8894E-01
 HT FLOW CONVERGENCE VALUE= .3019E-01 CRITERION= .9873E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 28 COMPLETED. CUM ITER = 372
 *** TIME = .211436E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9536E-06 OSCILLATION LIMIT = .7523
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1071
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .2964E-01 CRITERION= .9849E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 29 COMPLETED. CUM ITER = 373
 *** TIME = .212225E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1203E-05 OSCILLATION LIMIT = .9492
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.66 CRITERION= .1069
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8893E-01
 HT FLOW CONVERGENCE VALUE= .3012E-01 CRITERION= .9864E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 30 COMPLETED. CUM ITER = 374
 *** TIME = .213014E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9527E-06 OSCILLATION LIMIT = .7516
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1070
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01

HT FLOW CONVERGENCE VALUE= .2959E-01 CRITERION= .9840E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 31 COMPLETED. CUM ITER = 375
 *** TIME = .213803E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1199E-05 OSCILLATION LIMIT = .9462
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.66 CRITERION= .1068
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8893E-01
 HT FLOW CONVERGENCE VALUE= .3006E-01 CRITERION= .9855E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 32 COMPLETED. CUM ITER = 376
 *** TIME = .214592E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9518E-06 OSCILLATION LIMIT = .7509
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.51 CRITERION= .1069
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .2952E-01 CRITERION= .9831E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 33 COMPLETED. CUM ITER = 377
 *** TIME = .215381E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1196E-05 OSCILLATION LIMIT = .9432
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.66 CRITERION= .1068
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8893E-01
 HT FLOW CONVERGENCE VALUE= .2997E-01 CRITERION= .9846E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 34 COMPLETED. CUM ITER = 378
 *** TIME = .216170E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9511E-06 OSCILLATION LIMIT = .7503
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.51 CRITERION= .1069
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .2941E-01 CRITERION= .9822E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 35 COMPLETED. CUM ITER = 379
 *** TIME = .216959E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1192E-05 OSCILLATION LIMIT = .9403
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.66 CRITERION= .1067
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8892E-01
 HT FLOW CONVERGENCE VALUE= .2985E-01 CRITERION= .9837E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 36 COMPLETED. CUM ITER = 380
 *** TIME = .217747E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9504E-06 OSCILLATION LIMIT = .7498
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.51 CRITERION= .1068
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .2932E-01 CRITERION= .9813E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 37 COMPLETED. CUM ITER = 381
 *** TIME = .218536E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1188E-05 OSCILLATION LIMIT = .9375
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.65 CRITERION= .1066
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8892E-01
 HT FLOW CONVERGENCE VALUE= .2976E-01 CRITERION= .9828E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 38 COMPLETED. CUM ITER = 382
 *** TIME = .219325E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9496E-06 OSCILLATION LIMIT = .7491
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.51 CRITERION= .1067
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8832E-01
 HT FLOW CONVERGENCE VALUE= .2922E-01 CRITERION= .9804E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 39 COMPLETED. CUM ITER = 383
 *** TIME = .220114E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1185E-05 OSCILLATION LIMIT = .9347
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.65 CRITERION= .1065
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8892E-01
 HT FLOW CONVERGENCE VALUE= .2967E-01 CRITERION= .9819E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 40 COMPLETED. CUM ITER = 384
 *** TIME = .220903E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9486E-06 OSCILLATION LIMIT = .7484

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 23:27:30 APR 07, 1995 CP= 26051.070
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 38.05 CRITERION= .1053
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .2656E-01 CRITERION= .9796E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 1 COMPLETED. CUM ITER = 385
 *** TIME = .221692E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1316E-05 OSCILLATION LIMIT = 1.038
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.19 CRITERION= .1051
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8186E-01
 HT FLOW CONVERGENCE VALUE= .2702E-01 CRITERION= .9810E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 2 COMPLETED. CUM ITER = 386
 *** TIME = .222481E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1063E-05 OSCILLATION LIMIT = .8386
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.05 CRITERION= .1052
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .2662E-01 CRITERION= .9787E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 3 COMPLETED. CUM ITER = 387
 *** TIME = .223270E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1271E-05 OSCILLATION LIMIT = 1.003
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.19 CRITERION= .1050
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8186E-01
 HT FLOW CONVERGENCE VALUE= .2699E-01 CRITERION= .9802E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 4 COMPLETED. CUM ITER = 388
 *** TIME = .224059E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1055E-05 OSCILLATION LIMIT = .8323
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.05 CRITERION= .1052
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .2656E-01 CRITERION= .9779E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 5 COMPLETED. CUM ITER = 389
 *** TIME = .224848E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1280E-05 OSCILLATION LIMIT = 1.010

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.19 CRITERION= .1050
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8185E-01
 HT FLOW CONVERGENCE VALUE= .2694E-01 CRITERION= .9793E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 6 COMPLETED. CUM ITER = 390
 *** TIME = .225637E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1045E-05 OSCILLATION LIMIT = .8248
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.05 CRITERION= .1051
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .2647E-01 CRITERION= .9770E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 7 COMPLETED. CUM ITER = 391
 *** TIME = .226426E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1284E-05 OSCILLATION LIMIT = 1.013
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.19 CRITERION= .1049
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8185E-01
 HT FLOW CONVERGENCE VALUE= .2689E-01 CRITERION= .9784E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 8 COMPLETED. CUM ITER = 392
 *** TIME = .227215E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1039E-05 OSCILLATION LIMIT = .8199
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.04 CRITERION= .1050
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .2643E-01 CRITERION= .9761E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 9 COMPLETED. CUM ITER = 393
 *** TIME = .228004E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1285E-05 OSCILLATION LIMIT = 1.014
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.18 CRITERION= .1048
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8185E-01
 HT FLOW CONVERGENCE VALUE= .2686E-01 CRITERION= .9776E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 10 COMPLETED. CUM ITER = 394
 *** TIME = .228793E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1035E-05 OSCILLATION LIMIT = .8164
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.04 CRITERION= .1049
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .2638E-01 CRITERION= .9753E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 11 COMPLETED. CUM ITER = 395
 *** TIME = .229582E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1285E-05 OSCILLATION LIMIT = 1.014
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.18 CRITERION= .1047
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8184E-01
 HT FLOW CONVERGENCE VALUE= .2681E-01 CRITERION= .9767E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 12 COMPLETED. CUM ITER = 396
 *** TIME = .230371E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1032E-05 OSCILLATION LIMIT = .8140
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.04 CRITERION= .1048
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .2633E-01 CRITERION= .9744E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 13 COMPLETED. CUM ITER = 397

```

*** TIME = .231159E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1283E-05    OSCILLATION LIMIT = 1.013
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.18    CRITERION= .1046
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8184E-01
    HT FLOW CONVERGENCE VALUE= .2676E-01    CRITERION= .9758E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 14 COMPLETED.    CUM ITER = 398
*** TIME = .231948E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1029E-05    OSCILLATION LIMIT = .8122
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.04    CRITERION= .1047
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
    HT FLOW CONVERGENCE VALUE= .2624E-01    CRITERION= .9735E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 15 COMPLETED.    CUM ITER = 399
*** TIME = .232737E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1281E-05    OSCILLATION LIMIT = 1.011
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.18    CRITERION= .1046
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8184E-01
    HT FLOW CONVERGENCE VALUE= .2667E-01    CRITERION= .9750E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 16 COMPLETED.    CUM ITER = 400
*** TIME = .233526E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1028E-05    OSCILLATION LIMIT = .8107
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.04    CRITERION= .1047
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
    HT FLOW CONVERGENCE VALUE= .2619E-01    CRITERION= .9727E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 17 COMPLETED.    CUM ITER = 401
*** TIME = .234315E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1279E-05    OSCILLATION LIMIT = 1.009
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.18    CRITERION= .1045
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8183E-01
    HT FLOW CONVERGENCE VALUE= .2662E-01    CRITERION= .9741E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 18 COMPLETED.    CUM ITER = 402
*** TIME = .235104E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1026E-05    OSCILLATION LIMIT = .8094
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.04    CRITERION= .1046
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
    HT FLOW CONVERGENCE VALUE= .2614E-01    CRITERION= .9718E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 19 COMPLETED.    CUM ITER = 403
*** TIME = .235893E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1276E-05    OSCILLATION LIMIT = 1.006
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.18    CRITERION= .1044
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8183E-01
    HT FLOW CONVERGENCE VALUE= .2655E-01    CRITERION= .9732E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 20 COMPLETED.    CUM ITER = 404
*** TIME = .236682E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1025E-05    OSCILLATION LIMIT = .8083
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.04    CRITERION= .1045
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
    HT FLOW CONVERGENCE VALUE= .2605E-01    CRITERION= .9710E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 21 COMPLETED. CUM ITER = 405
*** TIME = .237471E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1272E-05 OSCILLATION LIMIT = 1.004
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.18 CRITERION= .1043
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8182E-01
HT FLOW CONVERGENCE VALUE= .2645E-01 CRITERION= .9724E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 22 COMPLETED. CUM ITER = 406
*** TIME = .238260E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1023E-05 OSCILLATION LIMIT = .8073
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.04 CRITERION= .1044
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
HT FLOW CONVERGENCE VALUE= .2598E-01 CRITERION= .9701E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 23 COMPLETED. CUM ITER = 407
*** TIME = .239049E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1269E-05 OSCILLATION LIMIT = 1.001
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.18 CRITERION= .1042
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8182E-01
HT FLOW CONVERGENCE VALUE= .2640E-01 CRITERION= .9715E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 24 COMPLETED. CUM ITER = 408
*** TIME = .239838E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1022E-05 OSCILLATION LIMIT = .8064
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.04 CRITERION= .1043
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
HT FLOW CONVERGENCE VALUE= .2593E-01 CRITERION= .9692E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 25 COMPLETED. CUM ITER = 409
*** TIME = .240627E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1266E-05 OSCILLATION LIMIT = .9988
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.18 CRITERION= .1042
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8182E-01
HT FLOW CONVERGENCE VALUE= .2634E-01 CRITERION= .9706E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 26 COMPLETED. CUM ITER = 410
*** TIME = .241416E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1021E-05 OSCILLATION LIMIT = .8055
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.04 CRITERION= .1043
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
HT FLOW CONVERGENCE VALUE= .2589E-01 CRITERION= .9684E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 27 COMPLETED. CUM ITER = 411
*** TIME = .242205E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1263E-05 OSCILLATION LIMIT = .9963
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.18 CRITERION= .1041
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8181E-01
HT FLOW CONVERGENCE VALUE= .2631E-01 CRITERION= .9698E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 28 COMPLETED. CUM ITER = 412
*** TIME = .242994E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1020E-05 OSCILLATION LIMIT = .8047
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.04 CRITERION= .1042

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .2584E-01 CRITERION= .9675E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 29 COMPLETED. CUM ITER = 413
 *** TIME = .243782E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1260E-05 OSCILLATION LIMIT = .9938
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.17 CRITERION= .1040
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8181E-01
 HT FLOW CONVERGENCE VALUE= .2625E-01 CRITERION= .9689E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 30 COMPLETED. CUM ITER = 414
 *** TIME = .244571E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1019E-05 OSCILLATION LIMIT = .8039
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.04 CRITERION= .1041
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .2577E-01 CRITERION= .9667E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 31 COMPLETED. CUM ITER = 415
 *** TIME = .245360E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1257E-05 OSCILLATION LIMIT = .9914
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.17 CRITERION= .1039
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8181E-01
 HT FLOW CONVERGENCE VALUE= .2618E-01 CRITERION= .9680E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 32 COMPLETED. CUM ITER = 416
 *** TIME = .246149E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1018E-05 OSCILLATION LIMIT = .8031
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.04 CRITERION= .1040
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .2573E-01 CRITERION= .9658E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 33 COMPLETED. CUM ITER = 417
 *** TIME = .246938E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1253E-05 OSCILLATION LIMIT = .9888
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.17 CRITERION= .1038
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8180E-01
 HT FLOW CONVERGENCE VALUE= .2615E-01 CRITERION= .9672E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 34 COMPLETED. CUM ITER = 418
 *** TIME = .247727E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1017E-05 OSCILLATION LIMIT = .8022
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.03 CRITERION= .1039
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .2571E-01 CRITERION= .9649E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 35 COMPLETED. CUM ITER = 419
 *** TIME = .248516E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1250E-05 OSCILLATION LIMIT = .9862
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.17 CRITERION= .1038
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8180E-01
 HT FLOW CONVERGENCE VALUE= .2613E-01 CRITERION= .9663E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 36 COMPLETED. CUM ITER = 420
 *** TIME = .249305E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1016E-05 OSCILLATION LIMIT = .8013
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.03 CRITERION= .1039
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .2568E-01 CRITERION= .9641E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 37 COMPLETED. CUM ITER = 421
 *** TIME = .250094E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1247E-05 OSCILLATION LIMIT = .9837
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.17 CRITERION= .1037
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8180E-01
 HT FLOW CONVERGENCE VALUE= .2610E-01 CRITERION= .9654E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 38 COMPLETED. CUM ITER = 422
 *** TIME = .250883E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1015E-05 OSCILLATION LIMIT = .8005
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.03 CRITERION= .1038
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8130E-01
 HT FLOW CONVERGENCE VALUE= .2566E-01 CRITERION= .9632E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 39 COMPLETED. CUM ITER = 423
 *** TIME = .251672E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1244E-05 OSCILLATION LIMIT = .9812
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.17 CRITERION= .1036
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8179E-01
 HT FLOW CONVERGENCE VALUE= .2607E-01 CRITERION= .9646E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 40 COMPLETED. CUM ITER = 424
 *** TIME = .252461E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1013E-05 OSCILLATION LIMIT = .7996

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 00:18:13 APR 08, 1995 CP= 29064.900
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 25.82 CRITERION= .9986E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1676E-01 CRITERION= .9625E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 1 COMPLETED. CUM ITER = 425
 *** TIME = .253250E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2413E-05 OSCILLATION LIMIT = 1.904
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9967E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5575E-01
 HT FLOW CONVERGENCE VALUE= .1711E-01 CRITERION= .9637E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 2 COMPLETED. CUM ITER = 426
 *** TIME = .254039E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2079E-05 OSCILLATION LIMIT = 1.640
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.82 CRITERION= .9978E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1693E-01 CRITERION= .9616E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 3 COMPLETED. CUM ITER = 427
 *** TIME = .254828E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .2105E-05 OSCILLATION LIMIT = 1.661
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9959E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5576E-01
 HT FLOW CONVERGENCE VALUE= .1714E-01 CRITERION= .9629E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 4 COMPLETED. CUM ITER = 428
 *** TIME = .255617E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2013E-05 OSCILLATION LIMIT = 1.588
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.82 CRITERION= .9969E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1687E-01 CRITERION= .9608E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 5 COMPLETED. CUM ITER = 429
 *** TIME = .256406E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2192E-05 OSCILLATION LIMIT = 1.729
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9951E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5576E-01
 HT FLOW CONVERGENCE VALUE= .1715E-01 CRITERION= .9620E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 6 COMPLETED. CUM ITER = 430
 *** TIME = .257194E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1943E-05 OSCILLATION LIMIT = 1.533
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.82 CRITERION= .9961E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1683E-01 CRITERION= .9599E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 7 COMPLETED. CUM ITER = 431
 *** TIME = .257983E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2246E-05 OSCILLATION LIMIT = 1.772
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9943E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5576E-01
 HT FLOW CONVERGENCE VALUE= .1715E-01 CRITERION= .9612E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 8 COMPLETED. CUM ITER = 432
 *** TIME = .258772E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1899E-05 OSCILLATION LIMIT = 1.498
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.82 CRITERION= .9953E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1680E-01 CRITERION= .9591E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 9 COMPLETED. CUM ITER = 433
 *** TIME = .259561E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2279E-05 OSCILLATION LIMIT = 1.798
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9935E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5576E-01
 HT FLOW CONVERGENCE VALUE= .1715E-01 CRITERION= .9604E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 10 COMPLETED. CUM ITER = 434
 *** TIME = .260350E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1871E-05 OSCILLATION LIMIT = 1.476
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.82 CRITERION= .9945E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1677E-01 CRITERION= .9582E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 21 SUBSTEP 11 COMPLETED. CUM ITER = 435
*** TIME = .261139E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2298E-05 OSCILLATION LIMIT = 1.813
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9926E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5576E-01
HT FLOW CONVERGENCE VALUE= .1714E-01 CRITERION= .9595E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 12 COMPLETED. CUM ITER = 436
*** TIME = .261928E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1854E-05 OSCILLATION LIMIT = 1.462
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.82 CRITERION= .9937E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
HT FLOW CONVERGENCE VALUE= .1675E-01 CRITERION= .9574E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 13 COMPLETED. CUM ITER = 437
*** TIME = .262717E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2308E-05 OSCILLATION LIMIT = 1.821
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9918E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5576E-01
HT FLOW CONVERGENCE VALUE= .1712E-01 CRITERION= .9587E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 14 COMPLETED. CUM ITER = 438
*** TIME = .263506E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1842E-05 OSCILLATION LIMIT = 1.453
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.82 CRITERION= .9929E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
HT FLOW CONVERGENCE VALUE= .1673E-01 CRITERION= .9566E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 15 COMPLETED. CUM ITER = 439
*** TIME = .264295E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2312E-05 OSCILLATION LIMIT = 1.824
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9910E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5575E-01
HT FLOW CONVERGENCE VALUE= .1711E-01 CRITERION= .9578E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 16 COMPLETED. CUM ITER = 440
*** TIME = .265084E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1834E-05 OSCILLATION LIMIT = 1.447
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.82 CRITERION= .9921E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
HT FLOW CONVERGENCE VALUE= .1671E-01 CRITERION= .9557E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 17 COMPLETED. CUM ITER = 441
*** TIME = .265873E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2313E-05 OSCILLATION LIMIT = 1.825
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9902E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5575E-01
HT FLOW CONVERGENCE VALUE= .1709E-01 CRITERION= .9570E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 18 COMPLETED. CUM ITER = 442
*** TIME = .266662E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1829E-05 OSCILLATION LIMIT = 1.443
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.82 CRITERION= .9913E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01

```

HT FLOW CONVERGENCE VALUE= .1669E-01 CRITERION= .9549E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 19 COMPLETED. CUM ITER = 443
 *** TIME = .267451E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2311E-05 OSCILLATION LIMIT = 1.823
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9894E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5575E-01
 HT FLOW CONVERGENCE VALUE= .1708E-01 CRITERION= .9562E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 20 COMPLETED. CUM ITER = 444
 *** TIME = .268240E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1826E-05 OSCILLATION LIMIT = 1.440
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.82 CRITERION= .9904E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1668E-01 CRITERION= .9541E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 21 COMPLETED. CUM ITER = 445
 *** TIME = .269029E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2308E-05 OSCILLATION LIMIT = 1.821
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9886E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5575E-01
 HT FLOW CONVERGENCE VALUE= .1706E-01 CRITERION= .9553E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 22 COMPLETED. CUM ITER = 446
 *** TIME = .269818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1823E-05 OSCILLATION LIMIT = 1.438
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.82 CRITERION= .9896E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1666E-01 CRITERION= .9532E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 23 COMPLETED. CUM ITER = 447
 *** TIME = .270606E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2303E-05 OSCILLATION LIMIT = 1.817
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9878E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5574E-01
 HT FLOW CONVERGENCE VALUE= .1704E-01 CRITERION= .9545E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 24 COMPLETED. CUM ITER = 448
 *** TIME = .271395E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1821E-05 OSCILLATION LIMIT = 1.437
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.82 CRITERION= .9888E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1664E-01 CRITERION= .9524E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 25 COMPLETED. CUM ITER = 449
 *** TIME = .272184E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2299E-05 OSCILLATION LIMIT = 1.813
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9870E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5574E-01
 HT FLOW CONVERGENCE VALUE= .1703E-01 CRITERION= .9536E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 26 COMPLETED. CUM ITER = 450
 *** TIME = .272973E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1819E-05 OSCILLATION LIMIT = 1.435
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.81 CRITERION= .9880E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1663E-01 CRITERION= .9516E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 27 COMPLETED. CUM ITER = 451
 *** TIME = .273762E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2294E-05 OSCILLATION LIMIT = 1.809
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9862E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5574E-01
 HT FLOW CONVERGENCE VALUE= .1701E-01 CRITERION= .9528E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 28 COMPLETED. CUM ITER = 452
 *** TIME = .274551E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1818E-05 OSCILLATION LIMIT = 1.434
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.81 CRITERION= .9872E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1661E-01 CRITERION= .9507E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 29 COMPLETED. CUM ITER = 453
 *** TIME = .275340E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2288E-05 OSCILLATION LIMIT = 1.805
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9854E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5573E-01
 HT FLOW CONVERGENCE VALUE= .1699E-01 CRITERION= .9519E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 30 COMPLETED. CUM ITER = 454
 *** TIME = .276129E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1817E-05 OSCILLATION LIMIT = 1.433
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.81 CRITERION= .9864E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1660E-01 CRITERION= .9499E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 31 COMPLETED. CUM ITER = 455
 *** TIME = .276918E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2283E-05 OSCILLATION LIMIT = 1.801
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9846E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5573E-01
 HT FLOW CONVERGENCE VALUE= .1697E-01 CRITERION= .9511E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 32 COMPLETED. CUM ITER = 456
 *** TIME = .277707E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1816E-05 OSCILLATION LIMIT = 1.432
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.81 CRITERION= .9856E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1658E-01 CRITERION= .9490E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 33 COMPLETED. CUM ITER = 457
 *** TIME = .278496E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2278E-05 OSCILLATION LIMIT = 1.797
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9838E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5573E-01
 HT FLOW CONVERGENCE VALUE= .1696E-01 CRITERION= .9503E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 34 COMPLETED. CUM ITER = 458
 *** TIME = .279285E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1815E-05 OSCILLATION LIMIT = 1.432

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.81 CRITERION= .9847E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1657E-01 CRITERION= .9482E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 35 COMPLETED. CUM ITER = 459
 *** TIME = .280074E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2272E-05 OSCILLATION LIMIT = 1.793
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9829E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5572E-01
 HT FLOW CONVERGENCE VALUE= .1694E-01 CRITERION= .9494E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 36 COMPLETED. CUM ITER = 460
 *** TIME = .280863E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1813E-05 OSCILLATION LIMIT = 1.431
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.81 CRITERION= .9839E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1656E-01 CRITERION= .9474E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 37 COMPLETED. CUM ITER = 461
 *** TIME = .281652E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2267E-05 OSCILLATION LIMIT = 1.788
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9821E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5572E-01
 HT FLOW CONVERGENCE VALUE= .1692E-01 CRITERION= .9486E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 38 COMPLETED. CUM ITER = 462
 *** TIME = .282441E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1813E-05 OSCILLATION LIMIT = 1.430
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.81 CRITERION= .9831E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5531E-01
 HT FLOW CONVERGENCE VALUE= .1654E-01 CRITERION= .9465E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 39 COMPLETED. CUM ITER = 463
 *** TIME = .283229E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2262E-05 OSCILLATION LIMIT = 1.784
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.95 CRITERION= .9813E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5572E-01
 HT FLOW CONVERGENCE VALUE= .1691E-01 CRITERION= .9477E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 40 COMPLETED. CUM ITER = 464
 *** TIME = .284018E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1811E-05 OSCILLATION LIMIT = 1.429
 Apply loads and solve for 10 to 90 years

*DO LOOP ON PARAMETER= TM FROM .31558E+09 TO .28402E+10 BY .31558E+09
 TIME= .31558E+09

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 3020.49145 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 156.40 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP
 VALUES = 156.88 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
 LOAD LABELS = TEMP
 VALUES = 158.02 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
 CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 32081.200 TIME= 01:09:02
 Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
 procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 01:09:02 APR 08, 1995 CP= 32081.200
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 22
 TIME AT END OF THE LOAD STEP.31558E+09
 AUTOMATIC TIME STEPPING ON
 INITIAL NUMBER OF SUBSTEPS 10
 MAXIMUM NUMBER OF SUBSTEPS 40
 MINIMUM NUMBER OF SUBSTEPS 4
 START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
 MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
 STEP CHANGE BOUNDARY CONDITIONS NO
 TRANSIENT (INERTIA) EFFECTS
 THERMAL DOFS ON
 TRANSIENT INTEGRATION PARAMETERS
 THETA.50000
 OSCILLATION LIMIT CRITERION.50000
 TOLERANCE.20000
 TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
 CONVERGENCE CONTROLS.USE DEFAULTS
 PRINT OUTPUT CONTROLSNO PRINTOUT
 DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
 FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 22.11 CRITERION= .9732E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1419E-01 CRITERION= .9458E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 22 SUBSTEP 1 COMPLETED. CUM ITER = 465
*** TIME = .284807E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2171E-05 OSCILLATION LIMIT = 1.713
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.24 CRITERION= .9715E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4786E-01
HT FLOW CONVERGENCE VALUE= .1457E-01 CRITERION= .9471E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 2 COMPLETED. CUM ITER = 466
*** TIME = .285596E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1678E-05 OSCILLATION LIMIT = 1.323
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.11 CRITERION= .9726E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
HT FLOW CONVERGENCE VALUE= .1425E-01 CRITERION= .9451E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 3 COMPLETED. CUM ITER = 467
*** TIME = .286385E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2091E-05 OSCILLATION LIMIT = 1.650
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.24 CRITERION= .9708E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4786E-01
HT FLOW CONVERGENCE VALUE= .1456E-01 CRITERION= .9464E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 4 COMPLETED. CUM ITER = 468
*** TIME = .287174E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1675E-05 OSCILLATION LIMIT = 1.321
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.10 CRITERION= .9719E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
HT FLOW CONVERGENCE VALUE= .1424E-01 CRITERION= .9445E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 5 COMPLETED. CUM ITER = 469
*** TIME = .287963E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2099E-05 OSCILLATION LIMIT = 1.656
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.24 CRITERION= .9702E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4786E-01
HT FLOW CONVERGENCE VALUE= .1456E-01 CRITERION= .9457E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 6 COMPLETED. CUM ITER = 470
*** TIME = .288752E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1664E-05 OSCILLATION LIMIT = 1.313
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.10 CRITERION= .9713E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
HT FLOW CONVERGENCE VALUE= .1422E-01 CRITERION= .9438E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 7 COMPLETED. CUM ITER = 471
*** TIME = .289541E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2102E-05 OSCILLATION LIMIT = 1.659
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.24 CRITERION= .9695E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4786E-01
HT FLOW CONVERGENCE VALUE= .1455E-01 CRITERION= .9451E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 8 COMPLETED. CUM ITER = 472
*** TIME = .290330E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1657E-05 OSCILLATION LIMIT = 1.307
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.10 CRITERION= .9706E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01

```

HT FLOW CONVERGENCE VALUE= .1421E-01 CRITERION= .9431E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 9 COMPLETED. CUM ITER = 473
 *** TIME = .291119E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2102E-05 OSCILLATION LIMIT = 1.658
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.24 CRITERION= .9689E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4785E-01
 HT FLOW CONVERGENCE VALUE= .1454E-01 CRITERION= .9444E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 10 COMPLETED. CUM ITER = 474
 *** TIME = .291908E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1652E-05 OSCILLATION LIMIT = 1.303
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.10 CRITERION= .9700E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1420E-01 CRITERION= .9425E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 11 COMPLETED. CUM ITER = 475
 *** TIME = .292697E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2100E-05 OSCILLATION LIMIT = 1.657
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.24 CRITERION= .9683E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4785E-01
 HT FLOW CONVERGENCE VALUE= .1453E-01 CRITERION= .9437E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 12 COMPLETED. CUM ITER = 476
 *** TIME = .293486E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1648E-05 OSCILLATION LIMIT = 1.300
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.10 CRITERION= .9693E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1419E-01 CRITERION= .9418E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 13 COMPLETED. CUM ITER = 477
 *** TIME = .294275E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2097E-05 OSCILLATION LIMIT = 1.654
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.24 CRITERION= .9676E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4785E-01
 HT FLOW CONVERGENCE VALUE= .1452E-01 CRITERION= .9430E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 14 COMPLETED. CUM ITER = 478
 *** TIME = .295064E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1645E-05 OSCILLATION LIMIT = 1.298
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.10 CRITERION= .9686E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1418E-01 CRITERION= .9412E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 15 COMPLETED. CUM ITER = 479
 *** TIME = .295853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2093E-05 OSCILLATION LIMIT = 1.651
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.23 CRITERION= .9670E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4785E-01
 HT FLOW CONVERGENCE VALUE= .1450E-01 CRITERION= .9424E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 16 COMPLETED. CUM ITER = 480
 *** TIME = .296641E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1643E-05 OSCILLATION LIMIT = 1.296
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.10 CRITERION= .9680E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1417E-01 CRITERION= .9405E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 17 COMPLETED. CUM ITER = 481
 *** TIME = .297430E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2088E-05 OSCILLATION LIMIT = 1.647
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.23 CRITERION= .9663E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4784E-01
 HT FLOW CONVERGENCE VALUE= .1449E-01 CRITERION= .9417E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 18 COMPLETED. CUM ITER = 482
 *** TIME = .298219E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1641E-05 OSCILLATION LIMIT = 1.295
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.10 CRITERION= .9673E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1415E-01 CRITERION= .9398E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 19 COMPLETED. CUM ITER = 483
 *** TIME = .299008E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2083E-05 OSCILLATION LIMIT = 1.643
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.23 CRITERION= .9657E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4784E-01
 HT FLOW CONVERGENCE VALUE= .1448E-01 CRITERION= .9410E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 20 COMPLETED. CUM ITER = 484
 *** TIME = .299797E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1640E-05 OSCILLATION LIMIT = 1.294
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.10 CRITERION= .9667E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1414E-01 CRITERION= .9392E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 21 COMPLETED. CUM ITER = 485
 *** TIME = .300586E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2078E-05 OSCILLATION LIMIT = 1.639
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.23 CRITERION= .9650E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4784E-01
 HT FLOW CONVERGENCE VALUE= .1447E-01 CRITERION= .9404E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 22 COMPLETED. CUM ITER = 486
 *** TIME = .301375E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1638E-05 OSCILLATION LIMIT = 1.293
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.10 CRITERION= .9660E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1413E-01 CRITERION= .9385E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 23 COMPLETED. CUM ITER = 487
 *** TIME = .302164E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2072E-05 OSCILLATION LIMIT = 1.635
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.23 CRITERION= .9644E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4783E-01
 HT FLOW CONVERGENCE VALUE= .1446E-01 CRITERION= .9397E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 24 COMPLETED. CUM ITER = 488
 *** TIME = .302953E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1637E-05 OSCILLATION LIMIT = 1.292

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.10 CRITERION= .9654E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1412E-01 CRITERION= .9378E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 25 COMPLETED. CUM ITER = 489
 *** TIME = .303742E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2067E-05 OSCILLATION LIMIT = 1.631
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.23 CRITERION= .9637E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4783E-01
 HT FLOW CONVERGENCE VALUE= .1444E-01 CRITERION= .9390E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 26 COMPLETED. CUM ITER = 490
 *** TIME = .304531E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1636E-05 OSCILLATION LIMIT = 1.291
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.10 CRITERION= .9647E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1411E-01 CRITERION= .9372E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 27 COMPLETED. CUM ITER = 491
 *** TIME = .305320E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2062E-05 OSCILLATION LIMIT = 1.627
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.23 CRITERION= .9631E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4783E-01
 HT FLOW CONVERGENCE VALUE= .1443E-01 CRITERION= .9384E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 28 COMPLETED. CUM ITER = 492
 *** TIME = .306109E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1634E-05 OSCILLATION LIMIT = 1.290
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.10 CRITERION= .9641E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1410E-01 CRITERION= .9365E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 29 COMPLETED. CUM ITER = 493
 *** TIME = .306898E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2057E-05 OSCILLATION LIMIT = 1.623
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.23 CRITERION= .9624E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4783E-01
 HT FLOW CONVERGENCE VALUE= .1442E-01 CRITERION= .9377E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 30 COMPLETED. CUM ITER = 494
 *** TIME = .307687E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1633E-05 OSCILLATION LIMIT = 1.288
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.10 CRITERION= .9634E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
 HT FLOW CONVERGENCE VALUE= .1409E-01 CRITERION= .9358E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 31 COMPLETED. CUM ITER = 495
 *** TIME = .308476E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2052E-05 OSCILLATION LIMIT = 1.619
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.23 CRITERION= .9618E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4782E-01
 HT FLOW CONVERGENCE VALUE= .1441E-01 CRITERION= .9370E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 32 COMPLETED. CUM ITER = 496

```

*** TIME = .309265E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1632E-05    OSCILLATION LIMIT = 1.287
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.10    CRITERION= .9628E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
    HT FLOW CONVERGENCE VALUE= .1409E-01    CRITERION= .9352E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 33 COMPLETED.    CUM ITER = 497
*** TIME = .310053E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2046E-05    OSCILLATION LIMIT = 1.615
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.23    CRITERION= .9611E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4782E-01
    HT FLOW CONVERGENCE VALUE= .1440E-01    CRITERION= .9364E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 34 COMPLETED.    CUM ITER = 498
*** TIME = .310842E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1631E-05    OSCILLATION LIMIT = 1.287
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.10    CRITERION= .9621E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
    HT FLOW CONVERGENCE VALUE= .1408E-01    CRITERION= .9345E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 35 COMPLETED.    CUM ITER = 499
*** TIME = .311631E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2041E-05    OSCILLATION LIMIT = 1.611
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.23    CRITERION= .9605E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4782E-01
    HT FLOW CONVERGENCE VALUE= .1438E-01    CRITERION= .9357E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 36 COMPLETED.    CUM ITER = 500
*** TIME = .312420E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1630E-05    OSCILLATION LIMIT = 1.286
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.10    CRITERION= .9615E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
    HT FLOW CONVERGENCE VALUE= .1407E-01    CRITERION= .9339E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 37 COMPLETED.    CUM ITER = 501
*** TIME = .313209E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2036E-05    OSCILLATION LIMIT = 1.607
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.23    CRITERION= .9599E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4781E-01
    HT FLOW CONVERGENCE VALUE= .1437E-01    CRITERION= .9350E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 38 COMPLETED.    CUM ITER = 502
*** TIME = .313998E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1628E-05    OSCILLATION LIMIT = 1.285
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.10    CRITERION= .9608E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4742E-01
    HT FLOW CONVERGENCE VALUE= .1406E-01    CRITERION= .9332E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 39 COMPLETED.    CUM ITER = 503
*** TIME = .314787E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2031E-05    OSCILLATION LIMIT = 1.603
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.23    CRITERION= .9592E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4781E-01
    HT FLOW CONVERGENCE VALUE= .1436E-01    CRITERION= .9344E-01 <<< CONVERGED

```



```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 40 COMPLETED. CUM ITER = 504
*** TIME = .315576E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1627E-05 OSCILLATION LIMIT = 1.284

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****
1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303 VERSION=HP 9000/7XX 02:00:03 APR 08, 1995 CP= 35098.790
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .1863
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
HT FLOW CONVERGENCE VALUE= .1008 CRITERION= .9296E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4139E-01
HT FLOW CONVERGENCE VALUE= .1224E-01 CRITERION= .9294E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 1 COMPLETED. CUM ITER = 506
*** TIME = .323465E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3329E-05 OSCILLATION LIMIT = 26.26
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.2 CRITERION= .1861
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
HT FLOW CONVERGENCE VALUE= .1008 CRITERION= .9275E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4147E-01
HT FLOW CONVERGENCE VALUE= .1213E-01 CRITERION= .9272E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 2 COMPLETED. CUM ITER = 508
*** TIME = .331355E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3134E-05 OSCILLATION LIMIT = 24.73
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .1859
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
HT FLOW CONVERGENCE VALUE= .1003 CRITERION= .9224E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4138E-01
HT FLOW CONVERGENCE VALUE= .1200E-01 CRITERION= .9221E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 3 COMPLETED. CUM ITER = 510
*** TIME = .339244E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3151E-05 OSCILLATION LIMIT = 24.86
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.2 CRITERION= .1857
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
HT FLOW CONVERGENCE VALUE= .9996E-01 CRITERION= .9203E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4109E-01
HT FLOW CONVERGENCE VALUE= .1190E-01 CRITERION= .9200E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 4 COMPLETED. CUM ITER = 512
*** TIME = .347134E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3125E-05 OSCILLATION LIMIT = 24.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .1855
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
HT FLOW CONVERGENCE VALUE= .9944E-01 CRITERION= .9152E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4099E-01
HT FLOW CONVERGENCE VALUE= .1177E-01 CRITERION= .9149E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 5 COMPLETED. CUM ITER = 514
*** TIME = .355023E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3144E-05 OSCILLATION LIMIT = 24.80

```

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.2 CRITERION= .1853
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9912E-01 CRITERION= .9130E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4071E-01
 HT FLOW CONVERGENCE VALUE= .1168E-01 CRITERION= .9128E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 6 COMPLETED. CUM ITER = 516
 *** TIME = .362912E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3115E-05 OSCILLATION LIMIT = 24.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .1851
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9859E-01 CRITERION= .9080E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4062E-01
 HT FLOW CONVERGENCE VALUE= .1154E-01 CRITERION= .9077E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 7 COMPLETED. CUM ITER = 518
 *** TIME = .370802E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3137E-05 OSCILLATION LIMIT = 24.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.2 CRITERION= .1850
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9827E-01 CRITERION= .9058E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4034E-01
 HT FLOW CONVERGENCE VALUE= .1145E-01 CRITERION= .9056E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 8 COMPLETED. CUM ITER = 520
 *** TIME = .378691E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3105E-05 OSCILLATION LIMIT = 24.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .1848
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9774E-01 CRITERION= .9008E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4023E-01
 HT FLOW CONVERGENCE VALUE= .1132E-01 CRITERION= .9005E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 9 COMPLETED. CUM ITER = 522
 *** TIME = .386581E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3130E-05 OSCILLATION LIMIT = 24.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.2 CRITERION= .1846
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9743E-01 CRITERION= .8986E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3996E-01
 HT FLOW CONVERGENCE VALUE= .1123E-01 CRITERION= .8983E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 10 COMPLETED. CUM ITER = 524
 *** TIME = .394470E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3096E-05 OSCILLATION LIMIT = 24.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1844
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9689E-01 CRITERION= .8936E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3984E-01
 HT FLOW CONVERGENCE VALUE= .1110E-01 CRITERION= .8933E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 11 COMPLETED. CUM ITER = 526
 *** TIME = .402359E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3123E-05 OSCILLATION LIMIT = 24.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.2 CRITERION= .1842
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446

HT FLOW CONVERGENCE VALUE= .9658E-01 CRITERION= .8914E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3958E-01
 HT FLOW CONVERGENCE VALUE= .1101E-01 CRITERION= .8911E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 12 COMPLETED. CUM ITER = 528
 *** TIME = .410249E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3086E-05 OSCILLATION LIMIT = 24.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1841
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9604E-01 CRITERION= .8863E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3946E-01
 HT FLOW CONVERGENCE VALUE= .1089E-01 CRITERION= .8861E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 13 COMPLETED. CUM ITER = 530
 *** TIME = .418138E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3115E-05 OSCILLATION LIMIT = 24.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .1839
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9574E-01 CRITERION= .8842E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3921E-01
 HT FLOW CONVERGENCE VALUE= .1080E-01 CRITERION= .8839E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 14 COMPLETED. CUM ITER = 532
 *** TIME = .426028E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3076E-05 OSCILLATION LIMIT = 24.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1837
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9519E-01 CRITERION= .8791E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3908E-01
 HT FLOW CONVERGENCE VALUE= .1067E-01 CRITERION= .8789E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 15 COMPLETED. CUM ITER = 534
 *** TIME = .433917E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3107E-05 OSCILLATION LIMIT = 24.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .1835
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9489E-01 CRITERION= .8770E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3883E-01
 HT FLOW CONVERGENCE VALUE= .1058E-01 CRITERION= .8767E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 16 COMPLETED. CUM ITER = 536
 *** TIME = .441806E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3066E-05 OSCILLATION LIMIT = 24.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1833
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9435E-01 CRITERION= .8719E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3870E-01
 HT FLOW CONVERGENCE VALUE= .1046E-01 CRITERION= .8717E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 17 COMPLETED. CUM ITER = 538
 *** TIME = .449696E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3100E-05 OSCILLATION LIMIT = 24.46
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .1831
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9405E-01 CRITERION= .8698E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3845E-01
 HT FLOW CONVERGENCE VALUE= .1037E-01 CRITERION= .8695E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 18 COMPLETED. CUM ITER = 540
 *** TIME = .457585E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3057E-05 OSCILLATION LIMIT = 24.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1830
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9350E-01 CRITERION= .8647E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3832E-01
 HT FLOW CONVERGENCE VALUE= .1025E-01 CRITERION= .8645E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 19 COMPLETED. CUM ITER = 542
 *** TIME = .465475E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3092E-05 OSCILLATION LIMIT = 24.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .1828
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9322E-01 CRITERION= .8626E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3808E-01
 HT FLOW CONVERGENCE VALUE= .1016E-01 CRITERION= .8623E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 20 COMPLETED. CUM ITER = 544
 *** TIME = .473364E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3047E-05 OSCILLATION LIMIT = 24.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1826
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9267E-01 CRITERION= .8575E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3794E-01
 HT FLOW CONVERGENCE VALUE= .1004E-01 CRITERION= .8572E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 21 COMPLETED. CUM ITER = 546
 *** TIME = .481253E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3084E-05 OSCILLATION LIMIT = 24.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .1824
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9238E-01 CRITERION= .8553E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3771E-01
 HT FLOW CONVERGENCE VALUE= .9958E-02 CRITERION= .8551E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 22 COMPLETED. CUM ITER = 548
 *** TIME = .489143E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3037E-05 OSCILLATION LIMIT = 23.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.9 CRITERION= .1823
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9182E-01 CRITERION= .8503E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3756E-01
 HT FLOW CONVERGENCE VALUE= .9840E-02 CRITERION= .8500E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 23 COMPLETED. CUM ITER = 550
 *** TIME = .497032E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3076E-05 OSCILLATION LIMIT = 24.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.1 CRITERION= .1821
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9154E-01 CRITERION= .8481E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3733E-01
 HT FLOW CONVERGENCE VALUE= .9756E-02 CRITERION= .8479E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 24 COMPLETED. CUM ITER = 552
 *** TIME = .504922E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3027E-05 OSCILLATION LIMIT = 23.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.9 CRITERION= .1819
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9099E-01 CRITERION= .8431E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3718E-01
 HT FLOW CONVERGENCE VALUE= .9642E-02 CRITERION= .8428E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 25 COMPLETED. CUM ITER = 554
 *** TIME = .512811E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3068E-05 OSCILLATION LIMIT = 24.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1817
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9072E-01 CRITERION= .8409E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3696E-01
 HT FLOW CONVERGENCE VALUE= .9559E-02 CRITERION= .8407E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 26 COMPLETED. CUM ITER = 556
 *** TIME = .520700E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3017E-05 OSCILLATION LIMIT = 23.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.9 CRITERION= .1816
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .9016E-01 CRITERION= .8358E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3681E-01
 HT FLOW CONVERGENCE VALUE= .9445E-02 CRITERION= .8356E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 27 COMPLETED. CUM ITER = 558
 *** TIME = .528590E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3060E-05 OSCILLATION LIMIT = 24.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1814
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .8989E-01 CRITERION= .8337E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3659E-01
 HT FLOW CONVERGENCE VALUE= .9364E-02 CRITERION= .8335E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 28 COMPLETED. CUM ITER = 560
 *** TIME = .536479E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3008E-05 OSCILLATION LIMIT = 23.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.9 CRITERION= .1812
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .8933E-01 CRITERION= .8286E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3644E-01
 HT FLOW CONVERGENCE VALUE= .9249E-02 CRITERION= .8284E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 29 COMPLETED. CUM ITER = 562
 *** TIME = .544369E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3051E-05 OSCILLATION LIMIT = 24.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1810
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .8905E-01 CRITERION= .8265E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3622E-01
 HT FLOW CONVERGENCE VALUE= .9167E-02 CRITERION= .8262E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 30 COMPLETED. CUM ITER = 564
 *** TIME = .552258E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2998E-05 OSCILLATION LIMIT = 23.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.9 CRITERION= .1809
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .8849E-01 CRITERION= .8214E-01

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3606E-01
 HT FLOW CONVERGENCE VALUE= .9054E-02 CRITERION= .8212E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 31 COMPLETED. CUM ITER = 566
 *** TIME = .560147E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3043E-05 OSCILLATION LIMIT = 24.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1807
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .8821E-01 CRITERION= .8193E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3584E-01
 HT FLOW CONVERGENCE VALUE= .8972E-02 CRITERION= .8190E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 32 COMPLETED. CUM ITER = 568
 *** TIME = .568037E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2988E-05 OSCILLATION LIMIT = 23.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.9 CRITERION= .1805
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .8765E-01 CRITERION= .8142E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3568E-01
 HT FLOW CONVERGENCE VALUE= .8861E-02 CRITERION= .8140E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 33 COMPLETED. CUM ITER = 570
 *** TIME = .575926E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3034E-05 OSCILLATION LIMIT = 23.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1804
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .8737E-01 CRITERION= .8121E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3547E-01
 HT FLOW CONVERGENCE VALUE= .8780E-02 CRITERION= .8118E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 34 COMPLETED. CUM ITER = 572
 *** TIME = .583816E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2978E-05 OSCILLATION LIMIT = 23.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.8 CRITERION= .1802
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .8681E-01 CRITERION= .8070E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3531E-01
 HT FLOW CONVERGENCE VALUE= .8671E-02 CRITERION= .8068E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 35 COMPLETED. CUM ITER = 574
 *** TIME = .591705E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3026E-05 OSCILLATION LIMIT = 23.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1800
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .8653E-01 CRITERION= .8048E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3510E-01
 HT FLOW CONVERGENCE VALUE= .8591E-02 CRITERION= .8046E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 36 COMPLETED. CUM ITER = 576
 *** TIME = .599594E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2968E-05 OSCILLATION LIMIT = 23.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.8 CRITERION= .1799
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .8597E-01 CRITERION= .7998E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3493E-01
 HT FLOW CONVERGENCE VALUE= .8484E-02 CRITERION= .7995E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 37 COMPLETED. CUM ITER = 578

*** TIME = .607484E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3017E-05 OSCILLATION LIMIT = 23.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 161.0 CRITERION= .1797
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .8570E-01 CRITERION= .7976E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3473E-01
 HT FLOW CONVERGENCE VALUE= .8405E-02 CRITERION= .7974E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 38 COMPLETED. CUM ITER = 580
 *** TIME = .615373E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2958E-05 OSCILLATION LIMIT = 23.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.8 CRITERION= .1795
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .8513E-01 CRITERION= .7926E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3456E-01
 HT FLOW CONVERGENCE VALUE= .8299E-02 CRITERION= .7923E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 39 COMPLETED. CUM ITER = 582
 *** TIME = .623263E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3008E-05 OSCILLATION LIMIT = 23.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.9 CRITERION= .1793
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3446
 HT FLOW CONVERGENCE VALUE= .8486E-01 CRITERION= .7904E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3436E-01
 HT FLOW CONVERGENCE VALUE= .8221E-02 CRITERION= .7902E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 40 COMPLETED. CUM ITER = 584
 *** TIME = .631152E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2948E-05 OSCILLATION LIMIT = 23.26

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 03:20:22 APR 08, 1995 CP= 39873.670
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1317
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5424E-01 CRITERION= .7862E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 1 COMPLETED. CUM ITER = 585
 *** TIME = .639041E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3462E-05 OSCILLATION LIMIT = 27.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1315
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5336E-01 CRITERION= .7849E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 2 COMPLETED. CUM ITER = 586
 *** TIME = .646931E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4026E-05 OSCILLATION LIMIT = 31.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1314
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5293E-01 CRITERION= .7807E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 3 COMPLETED. CUM ITER = 587
 *** TIME = .654820E+09 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .4046E-05 OSCILLATION LIMIT = 31.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1312
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5295E-01 CRITERION= .7794E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 4 COMPLETED. CUM ITER = 588
 *** TIME = .662710E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3949E-05 OSCILLATION LIMIT = 31.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1311
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5253E-01 CRITERION= .7752E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 5 COMPLETED. CUM ITER = 589
 *** TIME = .670599E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4041E-05 OSCILLATION LIMIT = 31.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1309
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5254E-01 CRITERION= .7739E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 6 COMPLETED. CUM ITER = 590
 *** TIME = .678488E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3941E-05 OSCILLATION LIMIT = 31.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1307
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5213E-01 CRITERION= .7697E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 7 COMPLETED. CUM ITER = 591
 *** TIME = .686378E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4035E-05 OSCILLATION LIMIT = 31.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1305
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5214E-01 CRITERION= .7684E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 8 COMPLETED. CUM ITER = 592
 *** TIME = .694267E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3933E-05 OSCILLATION LIMIT = 31.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1304
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5172E-01 CRITERION= .7642E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 9 COMPLETED. CUM ITER = 593
 *** TIME = .702157E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4029E-05 OSCILLATION LIMIT = 31.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1302
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5174E-01 CRITERION= .7628E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 10 COMPLETED. CUM ITER = 594
 *** TIME = .710046E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3925E-05 OSCILLATION LIMIT = 30.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1301
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5132E-01 CRITERION= .7587E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 11 COMPLETED. CUM ITER = 595
 *** TIME = .717935E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4023E-05 OSCILLATION LIMIT = 31.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1299
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5133E-01 CRITERION= .7573E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 12 COMPLETED. CUM ITER = 596
 *** TIME = .725825E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3917E-05 OSCILLATION LIMIT = 30.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1297
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5092E-01 CRITERION= .7531E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 13 COMPLETED. CUM ITER = 597
 *** TIME = .733714E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4017E-05 OSCILLATION LIMIT = 31.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1296
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5093E-01 CRITERION= .7518E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 14 COMPLETED. CUM ITER = 598
 *** TIME = .741604E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3908E-05 OSCILLATION LIMIT = 30.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1294
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5052E-01 CRITERION= .7476E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 15 COMPLETED. CUM ITER = 599
 *** TIME = .749493E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4011E-05 OSCILLATION LIMIT = 31.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1292
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5053E-01 CRITERION= .7463E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 16 COMPLETED. CUM ITER = 600
 *** TIME = .757382E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3900E-05 OSCILLATION LIMIT = 30.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1291
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5012E-01 CRITERION= .7421E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 17 COMPLETED. CUM ITER = 601
 *** TIME = .765272E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4005E-05 OSCILLATION LIMIT = 31.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1289
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .5015E-01 CRITERION= .7408E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 18 COMPLETED. CUM ITER = 602
 *** TIME = .773161E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3892E-05 OSCILLATION LIMIT = 30.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1288
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261

HT FLOW CONVERGENCE VALUE= .4988E-01 CRITERION= .7366E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 19 COMPLETED. CUM ITER = 603
 *** TIME = .781051E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3999E-05 OSCILLATION LIMIT = 31.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1286
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4998E-01 CRITERION= .7353E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 20 COMPLETED. CUM ITER = 604
 *** TIME = .788940E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3884E-05 OSCILLATION LIMIT = 30.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1284
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4956E-01 CRITERION= .7311E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 21 COMPLETED. CUM ITER = 605
 *** TIME = .796829E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3992E-05 OSCILLATION LIMIT = 31.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1283
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4977E-01 CRITERION= .7298E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 22 COMPLETED. CUM ITER = 606
 *** TIME = .804719E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3875E-05 OSCILLATION LIMIT = 30.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1281
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4907E-01 CRITERION= .7256E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 23 COMPLETED. CUM ITER = 607
 *** TIME = .812608E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3984E-05 OSCILLATION LIMIT = 31.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1279
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4911E-01 CRITERION= .7243E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 24 COMPLETED. CUM ITER = 608
 *** TIME = .820498E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3865E-05 OSCILLATION LIMIT = 30.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1278
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4795E-01 CRITERION= .7201E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 25 COMPLETED. CUM ITER = 609
 *** TIME = .828387E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3975E-05 OSCILLATION LIMIT = 31.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1276
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4755E-01 CRITERION= .7188E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 26 COMPLETED. CUM ITER = 610
 *** TIME = .836276E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3855E-05 OSCILLATION LIMIT = 30.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1275
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4722E-01 CRITERION= .7146E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 27 COMPLETED. CUM ITER = 611
 *** TIME = .844166E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3968E-05 OSCILLATION LIMIT = 31.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1273
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4717E-01 CRITERION= .7132E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 28 COMPLETED. CUM ITER = 612
 *** TIME = .852055E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3846E-05 OSCILLATION LIMIT = 30.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1272
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4684E-01 CRITERION= .7091E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 29 COMPLETED. CUM ITER = 613
 *** TIME = .859945E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3961E-05 OSCILLATION LIMIT = 31.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1270
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4679E-01 CRITERION= .7077E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 30 COMPLETED. CUM ITER = 614
 *** TIME = .867834E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3838E-05 OSCILLATION LIMIT = 30.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1269
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4646E-01 CRITERION= .7035E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 31 COMPLETED. CUM ITER = 615
 *** TIME = .875723E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3954E-05 OSCILLATION LIMIT = 31.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1267
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4641E-01 CRITERION= .7022E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 32 COMPLETED. CUM ITER = 616
 *** TIME = .883613E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3831E-05 OSCILLATION LIMIT = 30.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1266
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4608E-01 CRITERION= .6980E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 33 COMPLETED. CUM ITER = 617
 *** TIME = .891502E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3948E-05 OSCILLATION LIMIT = 31.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1264
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4604E-01 CRITERION= .6967E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 34 COMPLETED. CUM ITER = 618
 *** TIME = .899392E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3823E-05 OSCILLATION LIMIT = 30.16

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.3 CRITERION= .1262
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4570E-01 CRITERION= .6925E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 35 COMPLETED. CUM ITER = 619
 *** TIME = .907281E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3941E-05 OSCILLATION LIMIT = 31.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1261
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4566E-01 CRITERION= .6912E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 36 COMPLETED. CUM ITER = 620
 *** TIME = .915170E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3815E-05 OSCILLATION LIMIT = 30.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.2 CRITERION= .1259
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4533E-01 CRITERION= .6870E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 37 COMPLETED. CUM ITER = 621
 *** TIME = .923060E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3934E-05 OSCILLATION LIMIT = 31.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1258
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4528E-01 CRITERION= .6857E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 38 COMPLETED. CUM ITER = 622
 *** TIME = .930949E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3807E-05 OSCILLATION LIMIT = 30.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.2 CRITERION= .1256
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4495E-01 CRITERION= .6815E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 39 COMPLETED. CUM ITER = 623
 *** TIME = .938839E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3927E-05 OSCILLATION LIMIT = 30.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.4 CRITERION= .1254
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2261
 HT FLOW CONVERGENCE VALUE= .4490E-01 CRITERION= .6802E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 40 COMPLETED. CUM ITER = 624
 *** TIME = .946728E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3799E-05 OSCILLATION LIMIT = 29.97

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 04:11:17 APR 08, 1995 CP= 42892.210
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 39.60 CRITERION= .7871E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1023
 HT FLOW CONVERGENCE VALUE= .1858E-01 CRITERION= .6765E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 1 COMPLETED. CUM ITER = 625

```

*** TIME = .954617E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1511E-04    OSCILLATION LIMIT = 119.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.73    CRITERION= .7842E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9165E-01
    HT FLOW CONVERGENCE VALUE= .1789E-01    CRITERION= .6756E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 2 COMPLETED.    CUM ITER = 626
*** TIME = .962507E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1405E-04    OSCILLATION LIMIT = 110.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.60    CRITERION= .7831E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8835E-01
    HT FLOW CONVERGENCE VALUE= .1739E-01    CRITERION= .6719E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 3 COMPLETED.    CUM ITER = 627
*** TIME = .970396E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1472E-04    OSCILLATION LIMIT = 116.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.73    CRITERION= .7802E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9215E-01
    HT FLOW CONVERGENCE VALUE= .1777E-01    CRITERION= .6710E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 4 COMPLETED.    CUM ITER = 628
*** TIME = .978286E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1415E-04    OSCILLATION LIMIT = 111.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.60    CRITERION= .7791E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8840E-01
    HT FLOW CONVERGENCE VALUE= .1727E-01    CRITERION= .6673E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 5 COMPLETED.    CUM ITER = 629
*** TIME = .986175E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1473E-04    OSCILLATION LIMIT = 116.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.73    CRITERION= .7763E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9204E-01
    HT FLOW CONVERGENCE VALUE= .1763E-01    CRITERION= .6664E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 6 COMPLETED.    CUM ITER = 630
*** TIME = .994064E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1415E-04    OSCILLATION LIMIT = 111.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.60    CRITERION= .7752E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8845E-01
    HT FLOW CONVERGENCE VALUE= .1715E-01    CRITERION= .6628E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 7 COMPLETED.    CUM ITER = 631
*** TIME = .100195E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1475E-04    OSCILLATION LIMIT = 116.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.73    CRITERION= .7724E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9194E-01
    HT FLOW CONVERGENCE VALUE= .1750E-01    CRITERION= .6619E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 8 COMPLETED.    CUM ITER = 632
*** TIME = .100984E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1416E-04    OSCILLATION LIMIT = 111.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.60    CRITERION= .7713E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8850E-01
    HT FLOW CONVERGENCE VALUE= .1703E-01    CRITERION= .6582E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 9 COMPLETED. CUM ITER = 633
*** TIME = .101773E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1476E-04 OSCILLATION LIMIT = 116.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.73 CRITERION= .7685E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9184E-01
HT FLOW CONVERGENCE VALUE= .1737E-01 CRITERION= .6573E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 10 COMPLETED. CUM ITER = 634
*** TIME = .102562E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1416E-04 OSCILLATION LIMIT = 111.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.60 CRITERION= .7674E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8854E-01
HT FLOW CONVERGENCE VALUE= .1690E-01 CRITERION= .6536E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 11 COMPLETED. CUM ITER = 635
*** TIME = .103351E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1478E-04 OSCILLATION LIMIT = 116.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.72 CRITERION= .7646E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9174E-01
HT FLOW CONVERGENCE VALUE= .1723E-01 CRITERION= .6528E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 12 COMPLETED. CUM ITER = 636
*** TIME = .104140E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1417E-04 OSCILLATION LIMIT = 111.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.60 CRITERION= .7635E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8858E-01
HT FLOW CONVERGENCE VALUE= .1678E-01 CRITERION= .6491E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 13 COMPLETED. CUM ITER = 637
*** TIME = .104929E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1479E-04 OSCILLATION LIMIT = 116.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.72 CRITERION= .7607E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9164E-01
HT FLOW CONVERGENCE VALUE= .1710E-01 CRITERION= .6482E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 14 COMPLETED. CUM ITER = 638
*** TIME = .105718E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1417E-04 OSCILLATION LIMIT = 111.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.59 CRITERION= .7596E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8862E-01
HT FLOW CONVERGENCE VALUE= .1665E-01 CRITERION= .6445E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 15 COMPLETED. CUM ITER = 639
*** TIME = .106507E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1481E-04 OSCILLATION LIMIT = 116.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.72 CRITERION= .7568E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9155E-01
HT FLOW CONVERGENCE VALUE= .1696E-01 CRITERION= .6436E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 16 COMPLETED. CUM ITER = 640
*** TIME = .107296E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1418E-04 OSCILLATION LIMIT = 111.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.59 CRITERION= .7557E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8866E-01
 HT FLOW CONVERGENCE VALUE= .1653E-01 CRITERION= .6400E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 17 COMPLETED. CUM ITER = 641
 *** TIME = .108085E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1482E-04 OSCILLATION LIMIT = 116.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.72 CRITERION= .7529E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9146E-01
 HT FLOW CONVERGENCE VALUE= .1683E-01 CRITERION= .6391E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 18 COMPLETED. CUM ITER = 642
 *** TIME = .108874E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1418E-04 OSCILLATION LIMIT = 111.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.59 CRITERION= .7518E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8869E-01
 HT FLOW CONVERGENCE VALUE= .1641E-01 CRITERION= .6354E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 19 COMPLETED. CUM ITER = 643
 *** TIME = .109663E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1483E-04 OSCILLATION LIMIT = 117.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.72 CRITERION= .7490E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9137E-01
 HT FLOW CONVERGENCE VALUE= .1670E-01 CRITERION= .6345E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 20 COMPLETED. CUM ITER = 644
 *** TIME = .110452E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1419E-04 OSCILLATION LIMIT = 111.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.59 CRITERION= .7479E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8872E-01
 HT FLOW CONVERGENCE VALUE= .1628E-01 CRITERION= .6308E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 21 COMPLETED. CUM ITER = 645
 *** TIME = .111241E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1485E-04 OSCILLATION LIMIT = 117.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.72 CRITERION= .7451E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9129E-01
 HT FLOW CONVERGENCE VALUE= .1657E-01 CRITERION= .6299E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 22 COMPLETED. CUM ITER = 646
 *** TIME = .112029E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1419E-04 OSCILLATION LIMIT = 112.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.59 CRITERION= .7440E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8874E-01
 HT FLOW CONVERGENCE VALUE= .1616E-01 CRITERION= .6263E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 23 COMPLETED. CUM ITER = 647
 *** TIME = .112818E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1486E-04 OSCILLATION LIMIT = 117.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.72 CRITERION= .7413E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9120E-01
 HT FLOW CONVERGENCE VALUE= .1643E-01 CRITERION= .6254E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 24 COMPLETED. CUM ITER = 648
 *** TIME = .113607E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1420E-04 OSCILLATION LIMIT = 112.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.59 CRITERION= .7402E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8877E-01
 HT FLOW CONVERGENCE VALUE= .1604E-01 CRITERION= .6217E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 25 COMPLETED. CUM ITER = 649
 *** TIME = .114396E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1488E-04 OSCILLATION LIMIT = 117.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.72 CRITERION= .7374E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9112E-01
 HT FLOW CONVERGENCE VALUE= .1630E-01 CRITERION= .6208E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 26 COMPLETED. CUM ITER = 650
 *** TIME = .115185E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1420E-04 OSCILLATION LIMIT = 112.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.59 CRITERION= .7363E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8879E-01
 HT FLOW CONVERGENCE VALUE= .1591E-01 CRITERION= .6171E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 27 COMPLETED. CUM ITER = 651
 *** TIME = .115974E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1489E-04 OSCILLATION LIMIT = 117.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.72 CRITERION= .7336E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9104E-01
 HT FLOW CONVERGENCE VALUE= .1617E-01 CRITERION= .6162E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 28 COMPLETED. CUM ITER = 652
 *** TIME = .116763E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1421E-04 OSCILLATION LIMIT = 112.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.59 CRITERION= .7325E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8881E-01
 HT FLOW CONVERGENCE VALUE= .1579E-01 CRITERION= .6126E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 29 COMPLETED. CUM ITER = 653
 *** TIME = .117552E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1490E-04 OSCILLATION LIMIT = 117.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.72 CRITERION= .7297E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9097E-01
 HT FLOW CONVERGENCE VALUE= .1604E-01 CRITERION= .6117E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 30 COMPLETED. CUM ITER = 654
 *** TIME = .118341E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1421E-04 OSCILLATION LIMIT = 112.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.59 CRITERION= .7286E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8883E-01
 HT FLOW CONVERGENCE VALUE= .1566E-01 CRITERION= .6080E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 31 COMPLETED. CUM ITER = 655
 *** TIME = .119130E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1491E-04 OSCILLATION LIMIT = 117.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 39.71 CRITERION= .7259E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9089E-01
 HT FLOW CONVERGENCE VALUE= .1591E-01 CRITERION= .6071E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 32 COMPLETED. CUM ITER = 656
 *** TIME = .119919E+10 TIME INC = .788940E+07


```

*** RESPONSE EIGENVALUE = .1422E-04  OSCILLATION LIMIT = 112.2
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.59      CRITERION= .7248E-01
    EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.8885E-01
    HT FLOW CONVERGENCE VALUE= .1554E-01  CRITERION= .6034E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1
*** LOAD STEP  25  SUBSTEP  33  COMPLETED.  CUM ITER =  657
*** TIME = .120708E+10      TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1493E-04  OSCILLATION LIMIT = 117.8
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.71      CRITERION= .7221E-01
    EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.9082E-01
    HT FLOW CONVERGENCE VALUE= .1578E-01  CRITERION= .6026E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1
*** LOAD STEP  25  SUBSTEP  34  COMPLETED.  CUM ITER =  658
*** TIME = .121497E+10      TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1422E-04  OSCILLATION LIMIT = 112.2
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.58      CRITERION= .7210E-01
    EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.8886E-01
    HT FLOW CONVERGENCE VALUE= .1542E-01  CRITERION= .5989E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1
*** LOAD STEP  25  SUBSTEP  35  COMPLETED.  CUM ITER =  659
*** TIME = .122286E+10      TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1494E-04  OSCILLATION LIMIT = 117.9
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.71      CRITERION= .7183E-01
    EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.9075E-01
    HT FLOW CONVERGENCE VALUE= .1565E-01  CRITERION= .5980E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1
*** LOAD STEP  25  SUBSTEP  36  COMPLETED.  CUM ITER =  660
*** TIME = .123075E+10      TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1423E-04  OSCILLATION LIMIT = 112.3
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.58      CRITERION= .7172E-01
    EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.8887E-01
    HT FLOW CONVERGENCE VALUE= .1529E-01  CRITERION= .5943E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1
*** LOAD STEP  25  SUBSTEP  37  COMPLETED.  CUM ITER =  661
*** TIME = .123864E+10      TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1495E-04  OSCILLATION LIMIT = 118.0
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.71      CRITERION= .7144E-01
    EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.9068E-01
    HT FLOW CONVERGENCE VALUE= .1552E-01  CRITERION= .5934E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1
*** LOAD STEP  25  SUBSTEP  38  COMPLETED.  CUM ITER =  662
*** TIME = .124653E+10      TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1424E-04  OSCILLATION LIMIT = 112.3
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.58      CRITERION= .7133E-01
    EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.8888E-01
    HT FLOW CONVERGENCE VALUE= .1517E-01  CRITERION= .5898E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1
*** LOAD STEP  25  SUBSTEP  39  COMPLETED.  CUM ITER =  663
*** TIME = .125441E+10      TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1496E-04  OSCILLATION LIMIT = 118.1
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 39.71      CRITERION= .7106E-01
    EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.9061E-01
    HT FLOW CONVERGENCE VALUE= .1539E-01  CRITERION= .5889E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1

```

*** LOAD STEP 25 SUBSTEP 40 COMPLETED. CUM ITER = 664
 *** TIME = .126230E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1424E-04 OSCILLATION LIMIT = 112.4

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 05:02:12 APR 08, 1995 CP= 45910.890
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 14.10 CRITERION= .6054E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1040
 HT FLOW CONVERGENCE VALUE= .1141E-01 CRITERION= .5857E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 1 COMPLETED. CUM ITER = 665
 *** TIME = .127019E+10 TIME INC = .788940E+07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.23 CRITERION= .6025E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1023
 HT FLOW CONVERGENCE VALUE= .1122E-01 CRITERION= .5852E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 2 COMPLETED. CUM ITER = 666
 *** TIME = .127808E+10 TIME INC = .788940E+07
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+08 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 42.43 CRITERION= .7227E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3054
 HT FLOW CONVERGENCE VALUE= .3193E-01 CRITERION= .5787E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 3 COMPLETED. CUM ITER = 667
 *** TIME = .130175E+10 TIME INC = .236682E+08
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+08 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 127.5 CRITERION= .1400
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9218
 HT FLOW CONVERGENCE VALUE= .9433E-01 CRITERION= .5645E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1915E-01
 HT FLOW CONVERGENCE VALUE= .3715E-02 CRITERION= .5636E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 26 SUBSTEP 4 COMPLETED. CUM ITER = 669
 *** TIME = .137276E+10 TIME INC = .710046E+08
 *** AUTO STEP TIME: NEXT TIME INC = .71005E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 127.4 CRITERION= .1393
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9245
 HT FLOW CONVERGENCE VALUE= .9047E-01 CRITERION= .5469E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1857E-01
 HT FLOW CONVERGENCE VALUE= .3518E-02 CRITERION= .5461E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 26 SUBSTEP 5 COMPLETED. CUM ITER = 671
 *** TIME = .144376E+10 TIME INC = .710046E+08
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+08 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 141.7 CRITERION= .1518
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.031
 HT FLOW CONVERGENCE VALUE= .9789E-01 CRITERION= .5304E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2008E-01
 HT FLOW CONVERGENCE VALUE= .3682E-02 CRITERION= .5295E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 26 SUBSTEP 6 COMPLETED. CUM ITER = 673
 *** TIME = .152265E+10 TIME INC = .788940E+08
 *** AUTO TIME STEP: NEXT TIME INC = .55226E+08 DECREASED (FACTOR = .7000)

HT FLOW CONVERGENCE VALUE= 99.06 CRITERION= .1123
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7213

```

HT FLOW CONVERGENCE VALUE= .6657E-01 CRITERION= .5162E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1362E-01
HT FLOW CONVERGENCE VALUE= .2434E-02 CRITERION= .5156E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 26 SUBSTEP 7 COMPLETED. CUM ITER = 675
*** TIME = .157788E+10 TIME INC = .552258E+08

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303 VERSION=HP 9000/7XX 05:14:16 APR 08, 1995 CP= 46621.370
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 17.43 CRITERION= .5434E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7158
HT FLOW CONVERGENCE VALUE= .6563E-01 CRITERION= .5072E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1818E-01
HT FLOW CONVERGENCE VALUE= .9845E-03 CRITERION= .5067E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 27 SUBSTEP 1 COMPLETED. CUM ITER = 677
*** TIME = .163311E+10 TIME INC = .552258E+08
*** AUTO STEP TIME: NEXT TIME INC = .55226E+08 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 17.30 CRITERION= .5348E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7153
HT FLOW CONVERGENCE VALUE= .6413E-01 CRITERION= .4956E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1785E-01
HT FLOW CONVERGENCE VALUE= .9432E-03 CRITERION= .4952E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 27 SUBSTEP 2 COMPLETED. CUM ITER = 679
*** TIME = .168833E+10 TIME INC = .552258E+08
*** AUTO TIME STEP: NEXT TIME INC = .78894E+08 INCREASED (FACTOR = 1.4286)

```

```

HT FLOW CONVERGENCE VALUE= 24.87 CRITERION= .5529E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.026
HT FLOW CONVERGENCE VALUE= .8944E-01 CRITERION= .4826E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2472E-01
HT FLOW CONVERGENCE VALUE= .1299E-02 CRITERION= .4820E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 27 SUBSTEP 3 COMPLETED. CUM ITER = 681
*** TIME = .176723E+10 TIME INC = .788940E+08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 24.75 CRITERION= .5409E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.026
HT FLOW CONVERGENCE VALUE= .8669E-01 CRITERION= .4667E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2409E-01
HT FLOW CONVERGENCE VALUE= .1223E-02 CRITERION= .4660E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 27 SUBSTEP 4 COMPLETED. CUM ITER = 683
*** TIME = .184612E+10 TIME INC = .788940E+08
*** AUTO TIME STEP: NEXT TIME INC = .47336E+08 DECREASED (FACTOR = .6000)

```

```

HT FLOW CONVERGENCE VALUE= 14.95 CRITERION= .4886E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6188
HT FLOW CONVERGENCE VALUE= .5153E-01 CRITERION= .4590E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1449E-01
HT FLOW CONVERGENCE VALUE= .7017E-03 CRITERION= .4587E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 27 SUBSTEP 5 COMPLETED. CUM ITER = 685
*** TIME = .189346E+10 TIME INC = .473364E+08

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****

```

38303 VERSION=HP 9000/7XX 05:24:24 APR 08, 1995 CP= 47222.480
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 33.43 CRITERION= .5669E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5943
HT FLOW CONVERGENCE VALUE= .5347E-01 CRITERION= .4505E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1912E-01
HT FLOW CONVERGENCE VALUE= .7090E-03 CRITERION= .4502E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 28 SUBSTEP 1 COMPLETED. CUM ITER = 687
*** TIME = .194079E+10 TIME INC = .473364E+08
*** AUTO STEP TIME: NEXT TIME INC = .47336E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.30 CRITERION= .5597E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5975
HT FLOW CONVERGENCE VALUE= .5301E-01 CRITERION= .4447E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1894E-01
HT FLOW CONVERGENCE VALUE= .6900E-03 CRITERION= .4444E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 28 SUBSTEP 2 COMPLETED. CUM ITER = 689
*** TIME = .198813E+10 TIME INC = .473364E+08
*** AUTO TIME STEP: NEXT TIME INC = .78894E+08 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 55.67 CRITERION= .7115E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9942
HT FLOW CONVERGENCE VALUE= .8541E-01 CRITERION= .4317E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3054E-01
HT FLOW CONVERGENCE VALUE= .1071E-02 CRITERION= .4312E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 28 SUBSTEP 3 COMPLETED. CUM ITER = 691
*** TIME = .206702E+10 TIME INC = .788940E+08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 55.54 CRITERION= .7028E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9987
HT FLOW CONVERGENCE VALUE= .8359E-01 CRITERION= .4212E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2992E-01
HT FLOW CONVERGENCE VALUE= .1019E-02 CRITERION= .4207E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 28 SUBSTEP 4 COMPLETED. CUM ITER = 693
*** TIME = .214592E+10 TIME INC = .788940E+08
*** AUTO TIME STEP: NEXT TIME INC = .63115E+08 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 44.55 CRITERION= .6120E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7989
HT FLOW CONVERGENCE VALUE= .6548E-01 CRITERION= .4102E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2359E-01
HT FLOW CONVERGENCE VALUE= .7897E-03 CRITERION= .4098E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 28 SUBSTEP 5 COMPLETED. CUM ITER = 695
*** TIME = .220903E+10 TIME INC = .631152E+08

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303 VERSION=HP 9000/7XX 05:34:37 APR 08, 1995 CP= 47823.840
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 116.6 CRITERION= .1236
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7988
HT FLOW CONVERGENCE VALUE= .7473E-01 CRITERION= .4040E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3068E-01
HT FLOW CONVERGENCE VALUE= .1551E-02 CRITERION= .4037E-01 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 29 SUBSTEP 1 COMPLETED. CUM ITER = 697
*** TIME = .227215E+10 TIME INC = .631152E+08
*** RESPONSE EIGENVALUE = .3363E-05 OSCILLATION LIMIT = 212.3
*** AUTO TIME STEP: NEXT TIME INC = .21038E+08 DECREASED (FACTOR = .3333)

HT FLOW CONVERGENCE VALUE= 38.95 CRITERION= .5606E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2658
HT FLOW CONVERGENCE VALUE= .2488E-01 CRITERION= .3999E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 2 COMPLETED. CUM ITER = 698
*** TIME = .229319E+10 TIME INC = .210384E+08
*** RESPONSE EIGENVALUE = .3707E-05 OSCILLATION LIMIT = 77.98
*** AUTO TIME STEP: NEXT TIME INC = .78894E+07 DECREASED (FACTOR = .3750)

HT FLOW CONVERGENCE VALUE= 14.52 CRITERION= .4255E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9076E-01
HT FLOW CONVERGENCE VALUE= .9030E-02 CRITERION= .4003E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 3 COMPLETED. CUM ITER = 699
*** TIME = .230108E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2989E-05 OSCILLATION LIMIT = 23.58
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.65 CRITERION= .4261E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9509E-01
HT FLOW CONVERGENCE VALUE= .9081E-02 CRITERION= .3980E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 4 COMPLETED. CUM ITER = 700
*** TIME = .230896E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3645E-05 OSCILLATION LIMIT = 28.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.52 CRITERION= .4237E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9730E-01
HT FLOW CONVERGENCE VALUE= .9269E-02 CRITERION= .3985E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 5 COMPLETED. CUM ITER = 701
*** TIME = .231685E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3366E-05 OSCILLATION LIMIT = 26.56
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.65 CRITERION= .4243E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9509E-01
HT FLOW CONVERGENCE VALUE= .9049E-02 CRITERION= .3961E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 6 COMPLETED. CUM ITER = 702
*** TIME = .232474E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3635E-05 OSCILLATION LIMIT = 28.68
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.52 CRITERION= .4220E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9731E-01
HT FLOW CONVERGENCE VALUE= .9227E-02 CRITERION= .3966E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 7 COMPLETED. CUM ITER = 703
*** TIME = .233263E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3365E-05 OSCILLATION LIMIT = 26.55
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.65 CRITERION= .4226E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9520E-01
HT FLOW CONVERGENCE VALUE= .9013E-02 CRITERION= .3943E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 8 COMPLETED. CUM ITER = 704
*** TIME = .234052E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3638E-05 OSCILLATION LIMIT = 28.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.52 CRITERION= .4202E-01

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9732E-01
HT FLOW CONVERGENCE VALUE= .9183E-02 CRITERION= .3947E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 9 COMPLETED. CUM ITER = 705
*** TIME = .234841E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3364E-05 OSCILLATION LIMIT = 26.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.65 CRITERION= .4208E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9530E-01
HT FLOW CONVERGENCE VALUE= .8976E-02 CRITERION= .3924E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 10 COMPLETED. CUM ITER = 706
*** TIME = .235630E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3640E-05 OSCILLATION LIMIT = 28.72
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.52 CRITERION= .4184E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9733E-01
HT FLOW CONVERGENCE VALUE= .9137E-02 CRITERION= .3929E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 11 COMPLETED. CUM ITER = 707
*** TIME = .236419E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3364E-05 OSCILLATION LIMIT = 26.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.65 CRITERION= .4191E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9540E-01
HT FLOW CONVERGENCE VALUE= .8940E-02 CRITERION= .3905E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 12 COMPLETED. CUM ITER = 708
*** TIME = .237208E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3643E-05 OSCILLATION LIMIT = 28.74
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.52 CRITERION= .4167E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9735E-01
HT FLOW CONVERGENCE VALUE= .9097E-02 CRITERION= .3910E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 13 COMPLETED. CUM ITER = 709
*** TIME = .237997E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3363E-05 OSCILLATION LIMIT = 26.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.65 CRITERION= .4173E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9549E-01
HT FLOW CONVERGENCE VALUE= .8904E-02 CRITERION= .3887E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 14 COMPLETED. CUM ITER = 710
*** TIME = .238786E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3645E-05 OSCILLATION LIMIT = 28.75
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.52 CRITERION= .4149E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9736E-01
HT FLOW CONVERGENCE VALUE= .9051E-02 CRITERION= .3891E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 15 COMPLETED. CUM ITER = 711
*** TIME = .239575E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3362E-05 OSCILLATION LIMIT = 26.52
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.65 CRITERION= .4156E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9559E-01
HT FLOW CONVERGENCE VALUE= .8865E-02 CRITERION= .3868E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 16 COMPLETED. CUM ITER = 712
*** TIME = .240364E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3647E-05 OSCILLATION LIMIT = 28.77
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 14.52 CRITERION= .4132E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9738E-01
 HT FLOW CONVERGENCE VALUE= .9007E-02 CRITERION= .3872E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 17 COMPLETED. CUM ITER = 713
 *** TIME = .241153E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3362E-05 OSCILLATION LIMIT = 26.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.65 CRITERION= .4138E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9568E-01
 HT FLOW CONVERGENCE VALUE= .8829E-02 CRITERION= .3849E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 18 COMPLETED. CUM ITER = 714
 *** TIME = .241942E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3649E-05 OSCILLATION LIMIT = 28.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.52 CRITERION= .4114E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9740E-01
 HT FLOW CONVERGENCE VALUE= .8964E-02 CRITERION= .3854E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 19 COMPLETED. CUM ITER = 715
 *** TIME = .242731E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3361E-05 OSCILLATION LIMIT = 26.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.65 CRITERION= .4121E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9577E-01
 HT FLOW CONVERGENCE VALUE= .8790E-02 CRITERION= .3831E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 20 COMPLETED. CUM ITER = 716
 *** TIME = .243519E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3651E-05 OSCILLATION LIMIT = 28.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.52 CRITERION= .4097E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9742E-01
 HT FLOW CONVERGENCE VALUE= .8919E-02 CRITERION= .3835E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 21 COMPLETED. CUM ITER = 717
 *** TIME = .244308E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3361E-05 OSCILLATION LIMIT = 26.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.65 CRITERION= .4103E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9587E-01
 HT FLOW CONVERGENCE VALUE= .8750E-02 CRITERION= .3812E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 22 COMPLETED. CUM ITER = 718
 *** TIME = .245097E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3653E-05 OSCILLATION LIMIT = 28.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.52 CRITERION= .4079E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9745E-01
 HT FLOW CONVERGENCE VALUE= .8876E-02 CRITERION= .3816E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 23 COMPLETED. CUM ITER = 719
 *** TIME = .245886E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3360E-05 OSCILLATION LIMIT = 26.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.65 CRITERION= .4086E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9596E-01
 HT FLOW CONVERGENCE VALUE= .8713E-02 CRITERION= .3793E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 24 COMPLETED. CUM ITER = 720
 *** TIME = .246675E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .3655E-05 OSCILLATION LIMIT = 28.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.52 CRITERION= .4062E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9747E-01
 HT FLOW CONVERGENCE VALUE= .8828E-02 CRITERION= .3798E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 25 COMPLETED. CUM ITER = 721
 *** TIME = .247464E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3360E-05 OSCILLATION LIMIT = 26.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.65 CRITERION= .4068E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9604E-01
 HT FLOW CONVERGENCE VALUE= .8672E-02 CRITERION= .3774E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 26 COMPLETED. CUM ITER = 722
 *** TIME = .248253E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3657E-05 OSCILLATION LIMIT = 28.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.52 CRITERION= .4045E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9750E-01
 HT FLOW CONVERGENCE VALUE= .8787E-02 CRITERION= .3779E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 27 COMPLETED. CUM ITER = 723
 *** TIME = .249042E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3360E-05 OSCILLATION LIMIT = 26.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.65 CRITERION= .4051E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9613E-01
 HT FLOW CONVERGENCE VALUE= .8634E-02 CRITERION= .3756E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 28 COMPLETED. CUM ITER = 724
 *** TIME = .249831E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3659E-05 OSCILLATION LIMIT = 28.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.52 CRITERION= .4027E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9752E-01
 HT FLOW CONVERGENCE VALUE= .8739E-02 CRITERION= .3760E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 29 COMPLETED. CUM ITER = 725
 *** TIME = .250620E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3360E-05 OSCILLATION LIMIT = 26.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.65 CRITERION= .4034E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9622E-01
 HT FLOW CONVERGENCE VALUE= .8592E-02 CRITERION= .3737E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 30 COMPLETED. CUM ITER = 726
 *** TIME = .251409E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3661E-05 OSCILLATION LIMIT = 28.88
 *** AUTO TIME STEP: NEXT TIME INC = .52596E+07 DECREASED (FACTOR = .6667)

HT FLOW CONVERGENCE VALUE= 9.660 CRITERION= .3860E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6405E-01
 HT FLOW CONVERGENCE VALUE= .5776E-02 CRITERION= .3745E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 31 COMPLETED. CUM ITER = 727
 *** TIME = .251935E+10 TIME INC = .525960E+07
 *** RESPONSE EIGENVALUE = .3317E-05 OSCILLATION LIMIT = 17.45
 *** AUTO STEP TIME: NEXT TIME INC = .52596E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.787 CRITERION= .3869E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6398E-01
 HT FLOW CONVERGENCE VALUE= .5694E-02 CRITERION= .3724E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 29 SUBSTEP 32 COMPLETED. CUM ITER = 728
 *** TIME = .252461E+10 TIME INC = .525960E+07
 *** RESPONSE EIGENVALUE = .3879E-05 OSCILLATION LIMIT = 20.40

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 06:16:08 APR 08, 1995 CP= 50284.660
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 13.16 CRITERION= .3951E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8733E-01
 HT FLOW CONVERGENCE VALUE= .7772E-02 CRITERION= .3730E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 1 COMPLETED. CUM ITER = 729
 *** TIME = .253250E+10 TIME INC = .788940E+07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.29 CRITERION= .3958E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8504E-01
 HT FLOW CONVERGENCE VALUE= .7584E-02 CRITERION= .3708E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 2 COMPLETED. CUM ITER = 730
 *** TIME = .254039E+10 TIME INC = .788940E+07
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+08 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 39.61 CRITERION= .5427E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2645
 HT FLOW CONVERGENCE VALUE= .2306E-01 CRITERION= .3698E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 3 COMPLETED. CUM ITER = 731
 *** TIME = .256406E+10 TIME INC = .236682E+08
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+08 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 119.1 CRITERION= .1247
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7913
 HT FLOW CONVERGENCE VALUE= .6683E-01 CRITERION= .3612E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2819E-01
 HT FLOW CONVERGENCE VALUE= .1287E-02 CRITERION= .3609E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 30 SUBSTEP 4 COMPLETED. CUM ITER = 733
 *** TIME = .263506E+10 TIME INC = .710046E+08
 *** AUTO STEP TIME: NEXT TIME INC = .71005E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 119.0 CRITERION= .1243
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8041
 HT FLOW CONVERGENCE VALUE= .6590E-01 CRITERION= .3552E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2788E-01
 HT FLOW CONVERGENCE VALUE= .1231E-02 CRITERION= .3550E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 30 SUBSTEP 5 COMPLETED. CUM ITER = 735
 *** TIME = .270606E+10 TIME INC = .710046E+08
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+08 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 132.3 CRITERION= .1370
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8935
 HT FLOW CONVERGENCE VALUE= .7127E-01 CRITERION= .3457E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3034E-01
 HT FLOW CONVERGENCE VALUE= .1302E-02 CRITERION= .3454E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 30 SUBSTEP 6 COMPLETED. CUM ITER = 737
 *** TIME = .278496E+10 TIME INC = .788940E+08
 *** AUTO TIME STEP: NEXT TIME INC = .55226E+08 DECREASED (FACTOR = .7000)

HT FLOW CONVERGENCE VALUE= 92.52 CRITERION= .9877E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6279

HT FLOW CONVERGENCE VALUE= .4945E-01 CRITERION= .3412E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2109E-01
 HT FLOW CONVERGENCE VALUE= .8919E-03 CRITERION= .3410E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 30 SUBSTEP 7 COMPLETED. CUM ITER = 739
 *** TIME = .284018E+10 TIME INC = .552258E+08
 Apply loads and solve for 100 to 1000 years

*DO LOOP ON PARAMETER= TM FROM .31558E+10 TO .31558E+11 BY .31558E+10
 TIME= .31558E+10

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 1015.57476 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 180.32 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP
 VALUES = 180.48 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
 LOAD LABELS = TEMP
 VALUES = 180.85 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
 CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 50991.560 TIME= 06:28:06
 Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
 procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 06:28:06 APR 08, 1995 CP= 50991.560
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. : 31
 TIME AT END OF THE LOAD STEP.31558E+10
 AUTOMATIC TIME STEPPING ON
 INITIAL NUMBER OF SUBSTEPS 10

```

MAXIMUM NUMBER OF SUBSTEPS . . . . . 40
MINIMUM NUMBER OF SUBSTEPS . . . . . 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS . . . . . NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS . . . . . ON
TRANSIENT INTEGRATION PARAMETERS
THETA. . . . . .50000
OSCILLATION LIMIT CRITERION. . . . . .50000
TOLERANCE. . . . . .20000
TERMINATE ANALYSIS IF NOT CONVERGED . . . . .YES (EXIT)
CONVERGENCE CONTROLS. . . . .USE DEFAULTS
PRINT OUTPUT CONTROLS . . . . .NO PRINTOUT
DATABASE OUTPUT CONTROLS. . . . .ALL DATA WRITTEN
                                FOR THE LAST SUBSTEP

```

```

HT FLOW CONVERGENCE VALUE= 89.09 CRITERION= .9535E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5356
HT FLOW CONVERGENCE VALUE= .4311E-01 CRITERION= .3352E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1872E-01
HT FLOW CONVERGENCE VALUE= .8347E-03 CRITERION= .3350E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 31 SUBSTEP 1 COMPLETED. CUM ITER = 741
*** TIME = .289541E+10 TIME INC = .552258E+08
*** AUTO STEP TIME: NEXT TIME INC = .55226E+08 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 88.96 CRITERION= .9508E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5373
HT FLOW CONVERGENCE VALUE= .4265E-01 CRITERION= .3320E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1853E-01
HT FLOW CONVERGENCE VALUE= .8118E-03 CRITERION= .3318E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 31 SUBSTEP 2 COMPLETED. CUM ITER = 743
*** TIME = .295064E+10 TIME INC = .552258E+08
*** AUTO TIME STEP: NEXT TIME INC = .78894E+08 INCREASED (FACTOR = 1.4286)

```

```

HT FLOW CONVERGENCE VALUE= 127.3 CRITERION= .1315
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7670
HT FLOW CONVERGENCE VALUE= .5936E-01 CRITERION= .3240E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2594E-01
HT FLOW CONVERGENCE VALUE= .1107E-02 CRITERION= .3238E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 31 SUBSTEP 3 COMPLETED. CUM ITER = 745
*** TIME = .302953E+10 TIME INC = .788940E+08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 127.1 CRITERION= .1312
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7694
HT FLOW CONVERGENCE VALUE= .5823E-01 CRITERION= .3188E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2554E-01
HT FLOW CONVERGENCE VALUE= .1061E-02 CRITERION= .3186E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 31 SUBSTEP 4 COMPLETED. CUM ITER = 747
*** TIME = .310842E+10 TIME INC = .788940E+08
*** AUTO TIME STEP: NEXT TIME INC = .47336E+08 DECREASED (FACTOR = .6000)

```

```

HT FLOW CONVERGENCE VALUE= 76.38 CRITERION= .8272E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4617
HT FLOW CONVERGENCE VALUE= .3465E-01 CRITERION= .3134E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1527E-01
HT FLOW CONVERGENCE VALUE= .6284E-03 CRITERION= .3132E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 31 SUBSTEP 5 COMPLETED. CUM ITER = 749
*** TIME = .315576E+10 TIME INC = .473364E+08

```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 06:38:16 APR 08, 1995 CP= 51596.250
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 74.73 CRITERION= .8105E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3837
 HT FLOW CONVERGENCE VALUE= .3015E-01 CRITERION= .3117E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 32 SUBSTEP 1 COMPLETED. CUM ITER = 750
 *** TIME = .323465E+10 TIME INC = .788940E+08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 74.86 CRITERION= .8106E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3683
 HT FLOW CONVERGENCE VALUE= .2925E-01 CRITERION= .3074E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 32 SUBSTEP 2 COMPLETED. CUM ITER = 751
 *** TIME = .331355E+10 TIME INC = .788940E+08
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 224.3 CRITERION= .2265
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.137
 HT FLOW CONVERGENCE VALUE= .8442E-01 CRITERION= .3000E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3842E-01
 HT FLOW CONVERGENCE VALUE= .1610E-02 CRITERION= .2997E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 3 COMPLETED. CUM ITER = 753
 *** TIME = .355023E+10 TIME INC = .236682E+09
 *** AUTO STEP TIME: NEXT TIME INC = .23668E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 224.5 CRITERION= .2264
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.152
 HT FLOW CONVERGENCE VALUE= .8202E-01 CRITERION= .2897E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3721E-01
 HT FLOW CONVERGENCE VALUE= .1519E-02 CRITERION= .2895E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 4 COMPLETED. CUM ITER = 755
 *** TIME = .378691E+10 TIME INC = .236682E+09
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 673.2 CRITERION= .6739
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -3.465
 HT FLOW CONVERGENCE VALUE= .2113 CRITERION= .2649E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9527E-01
 HT FLOW CONVERGENCE VALUE= .3424E-02 CRITERION= .2641E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 5 COMPLETED. CUM ITER = 757
 *** TIME = .449696E+10 TIME INC = .710046E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 748.4 CRITERION= .7488
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -3.876
 HT FLOW CONVERGENCE VALUE= .2059 CRITERION= .2338E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9320E-01
 HT FLOW CONVERGENCE VALUE= .2945E-02 CRITERION= .2330E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 6 COMPLETED. CUM ITER = 759
 *** TIME = .528590E+10 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .51281E+09 DECREASED (FACTOR = .6500)

HT FLOW CONVERGENCE VALUE= 486.4 CRITERION= .4870
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.541
 HT FLOW CONVERGENCE VALUE= .1249 CRITERION= .2156E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5830E-01
 HT FLOW CONVERGENCE VALUE= .1743E-02 CRITERION= .2151E-01 <<< CONVERGED

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 7 COMPLETED. CUM ITER = 761
*** TIME = .579871E+10 TIME INC = .512811E+09
*** AUTO STEP TIME: NEXT TIME INC = .51281E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 486.6 CRITERION= .4871
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.552
HT FLOW CONVERGENCE VALUE= .1136 CRITERION= .1949E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5349E-01
HT FLOW CONVERGENCE VALUE= .1446E-02 CRITERION= .1944E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 8 COMPLETED. CUM ITER = 763
*** TIME = .631152E+10 TIME INC = .512811E+09
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303 VERSION=HP 9000/7XX 06:53:07 APR 08, 1995 CP= 52469.640
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844
```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 388.2 CRITERION= .3887
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.339
HT FLOW CONVERGENCE VALUE= .7273E-01 CRITERION= .1893E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3575E-01
HT FLOW CONVERGENCE VALUE= .1210E-02 CRITERION= .1892E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 1 COMPLETED. CUM ITER = 765
*** TIME = .682433E+10 TIME INC = .512811E+09
*** AUTO STEP TIME: NEXT TIME INC = .51281E+09 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 388.3 CRITERION= .3888
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.340
HT FLOW CONVERGENCE VALUE= .7031E-01 CRITERION= .1814E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3474E-01
HT FLOW CONVERGENCE VALUE= .1137E-02 CRITERION= .1812E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 2 COMPLETED. CUM ITER = 767
*** TIME = .733714E+10 TIME INC = .512811E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.5385)
```

```
HT FLOW CONVERGENCE VALUE= 597.4 CRITERION= .5977
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.068
HT FLOW CONVERGENCE VALUE= .1035 CRITERION= .1727E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5021E-01
HT FLOW CONVERGENCE VALUE= .1551E-02 CRITERION= .1724E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 3 COMPLETED. CUM ITER = 769
*** TIME = .812608E+10 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 597.6 CRITERION= .5978
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.072
HT FLOW CONVERGENCE VALUE= .1015 CRITERION= .1611E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4747E-01
HT FLOW CONVERGENCE VALUE= .1408E-02 CRITERION= .1609E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 4 COMPLETED. CUM ITER = 771
*** TIME = .891502E+10 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .55226E+09 DECREASED (FACTOR = .7000)
```

```
HT FLOW CONVERGENCE VALUE= 418.3 CRITERION= .4186
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.458
HT FLOW CONVERGENCE VALUE= .7121E-01 CRITERION= .1553E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3240E-01
HT FLOW CONVERGENCE VALUE= .9473E-03 CRITERION= .1552E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
```

*** LOAD STEP 33 SUBSTEP 5 COMPLETED. CUM ITER = 773
 *** TIME = .946728E+10 TIME INC = .552258E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 07:03:18 APR 08, 1995 CP= 53074.740
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 222.6 CRITERION= .2231
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8134
 HT FLOW CONVERGENCE VALUE= .3901E-01 CRITERION= .1497E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1741E-01
 HT FLOW CONVERGENCE VALUE= .4930E-03 CRITERION= .1496E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 1 COMPLETED. CUM ITER = 775
 *** TIME = .100195E+11 TIME INC = .552258E+09
 *** AUTO STEP TIME: NEXT TIME INC = .55226E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 222.4 CRITERION= .2230
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8167
 HT FLOW CONVERGENCE VALUE= .3814E-01 CRITERION= .1468E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1699E-01
 HT FLOW CONVERGENCE VALUE= .4670E-03 CRITERION= .1467E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 2 COMPLETED. CUM ITER = 777
 *** TIME = .105718E+11 TIME INC = .552258E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.4286)

HT FLOW CONVERGENCE VALUE= 318.0 CRITERION= .3183
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.165
 HT FLOW CONVERGENCE VALUE= .5169E-01 CRITERION= .1394E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2314E-01
 HT FLOW CONVERGENCE VALUE= .6102E-03 CRITERION= .1393E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 3 COMPLETED. CUM ITER = 779
 *** TIME = .113607E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 317.9 CRITERION= .3182
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.170
 HT FLOW CONVERGENCE VALUE= .4973E-01 CRITERION= .1347E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2224E-01
 HT FLOW CONVERGENCE VALUE= .5643E-03 CRITERION= .1346E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 4 COMPLETED. CUM ITER = 781
 *** TIME = .121497E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 190.8 CRITERION= .1913
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7017
 HT FLOW CONVERGENCE VALUE= .2958E-01 CRITERION= .1297E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1320E-01
 HT FLOW CONVERGENCE VALUE= .3296E-03 CRITERION= .1296E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 5 COMPLETED. CUM ITER = 783
 *** TIME = .126230E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 07:13:28 APR 08, 1995 CP= 53677.840
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 123.2 CRITERION= .1239
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4741
 HT FLOW CONVERGENCE VALUE= .1934E-01 CRITERION= .1284E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8593E-02
 HT FLOW CONVERGENCE VALUE= .2069E-03 CRITERION= .1284E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 1 COMPLETED. CUM ITER = 785
 *** TIME = .130964E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 123.4 CRITERION= .1240
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4721
 HT FLOW CONVERGENCE VALUE= .1892E-01 CRITERION= .1245E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8429E-02
 HT FLOW CONVERGENCE VALUE= .1997E-03 CRITERION= .1245E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 2 COMPLETED. CUM ITER = 787
 *** TIME = .135698E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 205.4 CRITERION= .2058
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7907
 HT FLOW CONVERGENCE VALUE= .3016E-01 CRITERION= .1216E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1350E-01
 HT FLOW CONVERGENCE VALUE= .3058E-03 CRITERION= .1215E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 3 COMPLETED. CUM ITER = 789
 *** TIME = .143587E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 205.6 CRITERION= .2059
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7894
 HT FLOW CONVERGENCE VALUE= .2908E-01 CRITERION= .1160E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1307E-01
 HT FLOW CONVERGENCE VALUE= .2863E-03 CRITERION= .1159E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 4 COMPLETED. CUM ITER = 791
 *** TIME = .151476E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 164.3 CRITERION= .1648
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6346
 HT FLOW CONVERGENCE VALUE= .2280E-01 CRITERION= .1139E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1025E-01
 HT FLOW CONVERGENCE VALUE= .2181E-03 CRITERION= .1139E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 5 COMPLETED. CUM ITER = 793
 *** TIME = .157788E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 07:23:39 APR 08, 1995 CP= 54281.040
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 190.5 CRITERION= .1908
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6319
 HT FLOW CONVERGENCE VALUE= .2400E-01 CRITERION= .1098E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1093E-01
 HT FLOW CONVERGENCE VALUE= .2443E-03 CRITERION= .1097E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 1 COMPLETED. CUM ITER = 795
 *** TIME = .164100E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 190.4 CRITERION= .1907
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6350
 HT FLOW CONVERGENCE VALUE= .2346E-01 CRITERION= .1084E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1070E-01
 HT FLOW CONVERGENCE VALUE= .2328E-03 CRITERION= .1083E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 2 COMPLETED. CUM ITER = 797
 *** TIME = .170411E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 238.1 CRITERION= .2383
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7917
 HT FLOW CONVERGENCE VALUE= .2820E-01 CRITERION= .1036E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1294E-01
 HT FLOW CONVERGENCE VALUE= .2724E-03 CRITERION= .1035E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 3 COMPLETED. CUM ITER = 799
 *** TIME = .178300E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 238.0 CRITERION= .2383
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7952
 HT FLOW CONVERGENCE VALUE= .2733E-01 CRITERION= .1014E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1257E-01
 HT FLOW CONVERGENCE VALUE= .2554E-03 CRITERION= .1014E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 4 COMPLETED. CUM ITER = 801
 *** TIME = .186190E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 95.30 CRITERION= .9581E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3168
 HT FLOW CONVERGENCE VALUE= .1098E-01 CRITERION= .9868E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5034E-02
 HT FLOW CONVERGENCE VALUE= .1022E-03 CRITERION= .9867E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 5 COMPLETED. CUM ITER = 803
 *** TIME = .189346E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 07:33:50 APR 08, 1995 CP= 54886.660
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 108.7 CRITERION= .1092
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3210
 HT FLOW CONVERGENCE VALUE= .1178E-01 CRITERION= .9896E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5436E-02
 HT FLOW CONVERGENCE VALUE= .1148E-03 CRITERION= .9894E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 1 COMPLETED. CUM ITER = 805
 *** TIME = .192501E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 108.8 CRITERION= .1093
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3186
 HT FLOW CONVERGENCE VALUE= .1162E-01 CRITERION= .9654E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5376E-02
 HT FLOW CONVERGENCE VALUE= .1129E-03 CRITERION= .9652E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 2 COMPLETED. CUM ITER = 807
 *** TIME = .195657E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 271.9 CRITERION= .2721
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8011
 HT FLOW CONVERGENCE VALUE= .2789E-01 CRITERION= .9523E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1300E-01
 HT FLOW CONVERGENCE VALUE= .2631E-03 CRITERION= .9519E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 3 COMPLETED. CUM ITER = 809
 *** TIME = .203547E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 272.0 CRITERION= .2722
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7995
 HT FLOW CONVERGENCE VALUE= .2711E-01 CRITERION= .9120E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1268E-01
 HT FLOW CONVERGENCE VALUE= .2503E-03 CRITERION= .9116E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 4 COMPLETED. CUM ITER = 811
 *** TIME = .211436E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 163.1 CRITERION= .1634
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4822
 HT FLOW CONVERGENCE VALUE= .1620E-01 CRITERION= .9093E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7566E-02
 HT FLOW CONVERGENCE VALUE= .1470E-03 CRITERION= .9091E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 5 COMPLETED. CUM ITER = 813
 *** TIME = .216170E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 163.3 CRITERION= .1635
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4800
 HT FLOW CONVERGENCE VALUE= .1590E-01 CRITERION= .8797E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7444E-02
 HT FLOW CONVERGENCE VALUE= .1427E-03 CRITERION= .8795E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 6 COMPLETED. CUM ITER = 815
 *** TIME = .220903E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 07:45:58 APR 08, 1995 CP= 55609.520
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 176.1 CRITERION= .1764
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4923
 HT FLOW CONVERGENCE VALUE= .1656E-01 CRITERION= .8791E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7783E-02
 HT FLOW CONVERGENCE VALUE= .1499E-03 CRITERION= .8789E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 1 COMPLETED. CUM ITER = 817
 *** TIME = .225637E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 176.2 CRITERION= .1764
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4901
 HT FLOW CONVERGENCE VALUE= .1629E-01 CRITERION= .8516E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7673E-02
 HT FLOW CONVERGENCE VALUE= .1460E-03 CRITERION= .8514E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 2 COMPLETED. CUM ITER = 819
 *** TIME = .230370E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 293.6 CRITERION= .2937

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8205
 HT FLOW CONVERGENCE VALUE= .2619E-01 CRITERION= .8418E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1242E-01
 HT FLOW CONVERGENCE VALUE= .2287E-03 CRITERION= .8415E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 3 COMPLETED. CUM ITER = 821
 *** TIME = .238260E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 293.7 CRITERION= .2938
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8188
 HT FLOW CONVERGENCE VALUE= .2547E-01 CRITERION= .8049E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1212E-01
 HT FLOW CONVERGENCE VALUE= .2178E-03 CRITERION= .8046E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 4 COMPLETED. CUM ITER = 823
 *** TIME = .246149E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 234.9 CRITERION= .2351
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6580
 HT FLOW CONVERGENCE VALUE= .2006E-01 CRITERION= .7996E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9554E-02
 HT FLOW CONVERGENCE VALUE= .1678E-03 CRITERION= .7994E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 5 COMPLETED. CUM ITER = 825
 *** TIME = .252461E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 07:56:10 APR 08, 1995 CP= 56212.860
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 225.6 CRITERION= .2257
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6021
 HT FLOW CONVERGENCE VALUE= .1864E-01 CRITERION= .7712E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8910E-02
 HT FLOW CONVERGENCE VALUE= .1571E-03 CRITERION= .7710E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 1 COMPLETED. CUM ITER = 827
 *** TIME = .258772E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 225.5 CRITERION= .2256
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6051
 HT FLOW CONVERGENCE VALUE= .1832E-01 CRITERION= .7698E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8778E-02
 HT FLOW CONVERGENCE VALUE= .1516E-03 CRITERION= .7696E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 2 COMPLETED. CUM ITER = 829
 *** TIME = .265084E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 282.0 CRITERION= .2821
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7539
 HT FLOW CONVERGENCE VALUE= .2225E-01 CRITERION= .7378E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1071E-01
 HT FLOW CONVERGENCE VALUE= .1810E-03 CRITERION= .7376E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 3 COMPLETED. CUM ITER = 831
 *** TIME = .272973E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 281.9 CRITERION= .2820
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7570

HT FLOW CONVERGENCE VALUE= .2173E-01 CRITERION= .7327E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1050E-01
 HT FLOW CONVERGENCE VALUE= .1727E-03 CRITERION= .7325E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 4 COMPLETED. CUM ITER = 833
 *** TIME = .280863E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 112.8 CRITERION= .1131
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3013
 HT FLOW CONVERGENCE VALUE= .8726E-02 CRITERION= .7117E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4203E-02
 HT FLOW CONVERGENCE VALUE= .6909E-04 CRITERION= .7116E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 5 COMPLETED. CUM ITER = 835
 *** TIME = .284018E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 08:06:21 APR 08, 1995 CP= 56818.430
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 101.7 CRITERION= .1020
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2703
 HT FLOW CONVERGENCE VALUE= .7799E-02 CRITERION= .7189E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3758E-02
 HT FLOW CONVERGENCE VALUE= .6134E-04 CRITERION= .7188E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 1 COMPLETED. CUM ITER = 837
 *** TIME = .287174E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 101.8 CRITERION= .1021
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2677
 HT FLOW CONVERGENCE VALUE= .7709E-02 CRITERION= .6992E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3723E-02
 HT FLOW CONVERGENCE VALUE= .6060E-04 CRITERION= .6991E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 2 COMPLETED. CUM ITER = 839
 *** TIME = .290330E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 254.4 CRITERION= .2545
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6740
 HT FLOW CONVERGENCE VALUE= .1866E-01 CRITERION= .6972E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9071E-02
 HT FLOW CONVERGENCE VALUE= .1434E-03 CRITERION= .6970E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 3 COMPLETED. CUM ITER = 841
 *** TIME = .298219E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 254.5 CRITERION= .2546
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6718
 HT FLOW CONVERGENCE VALUE= .1825E-01 CRITERION= .6681E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8899E-02
 HT FLOW CONVERGENCE VALUE= .1381E-03 CRITERION= .6679E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 4 COMPLETED. CUM ITER = 843
 *** TIME = .306109E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 152.6 CRITERION= .1528
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4055
 HT FLOW CONVERGENCE VALUE= .1092E-01 CRITERION= .6721E-02

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5317E-02
HT FLOW CONVERGENCE VALUE= .8138E-04 CRITERION= .6720E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 40 SUBSTEP 5 COMPLETED. CUM ITER = 845
*** TIME = .310842E+11 TIME INC = .473364E+09
*** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 152.8 CRITERION= .1529
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4030
HT FLOW CONVERGENCE VALUE= .1075E-01 CRITERION= .6493E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5249E-02
HT FLOW CONVERGENCE VALUE= .7960E-04 CRITERION= .6492E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 40 SUBSTEP 6 COMPLETED. CUM ITER = 847
*** TIME = .315576E+11 TIME INC = .473364E+09

FINISH SOLUTION PROCESSING

***** ROUTINE COMPLETED ***** CP = 57539.360

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12x2.db
FOR POSSIBLE RESUME FROM THIS POINT

Create element contour plots of solution results

Sort through solution results for time of max temp.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303 VERSION=HP 9000/7XX 08:18:41 APR 08, 1995 CP= 57545.280
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

VARIABLE 2 IS AT NODE 2929 ITEM= TEMP COMP= NAME= peakclad

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES
VARI TYPE IDENTIFIERS NAME MINIMUM AT TIME MAXIMUM AT TIME
2 NSOL 2929 TEMP peakclad 159.2 .3156E+11 231.5 .6312E+09

*GET TMTMAX FROM VARI 2 ITEM=EXTR TMAX VALUE= 631152032.

***** ROUTINE COMPLETED ***** CP = 57545.550

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
38303 VERSION=HP 9000/7XX 08:18:44 APR 08, 1995 CP= 57545.580
FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS RESULTS INTERPRETATION (POST1) *****

Create temperature contour plots of WP at peak

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (PRECISE) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS -1 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

4504 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .63115E+09

SET COMMAND GOT LOAD STEP= 23 SUBSTEP= 40 CUMULATIVE ITERATION= 584
TIME/FREQUENCY= .63115E+09

TITLE=
12 PWR MPC/WP at Time of Peak Temp. (20.000001 years)

/SHOW SWITCH PLOTS TO FILE solupk.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 AUTOMATIC CONTOURS

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solupk.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at Time of Peak Temp. (20.000001 years)

*** WARNING *** CP= 57578.440 TIME= 08:19:21
The selected element set contains mixed materials.
This could invalidate error estimation.
Create temperature contour plots at 10, 50, and 100 yrs

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+09

SET COMMAND GOT LOAD STEP= 22 SUBSTEP= 40 CUMULATIVE ITERATION= 504
TIME/FREQUENCY= .31558E+09

TITLE=
12 PWR MPC/WP at 10 years

/SHOW SWITCH PLOTS TO FILE solu10.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 170.66 BY .47906 TO 231.50

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu10.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 10 years

*** WARNING *** CP= 57615.480 TIME= 08:19:59
The selected element set contains mixed materials.

This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .15779E+10

SET COMMAND GOT LOAD STEP= 26 SUBSTEP= 7 CUMULATIVE ITERATION= 675
TIME/FREQUENCY= .15779E+10

TITLE=
12 PWR MPC/WP at 50 years

/SHOW SWITCH PLOTS TO FILE solu50.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 170.66 BY .47906 TO 231.50

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu50.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 50 years

*** WARNING *** CP= 57653.410 TIME= 08:20:37
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+10

SET COMMAND GOT LOAD STEP= 31 SUBSTEP= 5 CUMULATIVE ITERATION= 749
TIME/FREQUENCY= .31558E+10

TITLE=
12 PWR MPC/WP at 100 years

/SHOW SWITCH PLOTS TO FILE solu100.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 170.66 BY .47906 TO 231.50

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu100.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 100 years

*** WARNING *** CP= 57694.650 TIME= 08:21:18
The selected element set contains mixed materials.
This could invalidate error estimation.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

EXIT THE ANSYS POST1 DATABASE PROCESSOR

***** ROUTINE COMPLETED ***** CP = 57701.940

Print time/temperature output at specific locations
Save profile from center to edge

Variable Legend: A01i000

x = center of waste package
 f = flux trap plate stainless layer
 w = flux trap plate SS sheath
 c = center of assembly
 h = halfway between center and tube
 s = inside structural stainless tube layer
 a = aluminum-born tube layer
 t = stainless tube cladding
 g = tube guide
 m = mpc shell
 i = inner barrier of DC
 o = outer barrier of DC
 ## = ID number of assembly (01 is center)
 i = side of assembly toward center of WP
 o = side of assembly toward edge of WP
 000 = profile center down
 045 = profile 45 deg down
 090 = profile center side
 135 = profile 45 deg up
 180 = profile center up

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 08:21:26 APR 08, 1995 CP= 57701.940
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/WP at 100 years

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

MAXIMUM NUMBER OF VARIABLES= 30

 * Temperature Profile from center to lower right (45 deg.) *

VARIABLE 2	IS AT NODE 5748	ITEM= TEMP COMP=	NAME= x04i045
VARIABLE 3	IS AT NODE 1655	ITEM= TEMP COMP=	NAME= f04i045
VARIABLE 4	IS AT NODE 1762	ITEM= TEMP COMP=	NAME= f04o045
VARIABLE 5	IS AT NODE 2036	ITEM= TEMP COMP=	NAME= w04i045
VARIABLE 6	IS AT NODE 2177	ITEM= TEMP COMP=	NAME= w04o045
VARIABLE 7	IS AT NODE 2552	ITEM= TEMP COMP=	NAME= s04i045
VARIABLE 8	IS AT NODE 2977	ITEM= TEMP COMP=	NAME= h04i045
VARIABLE 9	IS AT NODE 2929	ITEM= TEMP COMP=	NAME= c04i045
VARIABLE 10	IS AT NODE 2881	ITEM= TEMP COMP=	NAME= h04o045
VARIABLE 11	IS AT NODE 2566	ITEM= TEMP COMP=	NAME= s04o045
VARIABLE 12	IS AT NODE 2427	ITEM= TEMP COMP=	NAME= a04o045
VARIABLE 13	IS AT NODE 2303	ITEM= TEMP COMP=	NAME= t04i045
VARIABLE 14	IS AT NODE 2289	ITEM= TEMP COMP=	NAME= t04o045
VARIABLE 15	IS AT NODE 3528	ITEM= TEMP COMP=	NAME= g04i045

VARIABLE 16 IS AT NODE 3545 ITEM= TEMP COMP= NAME= g04o045
 VARIABLE 17 IS AT NODE 3760 ITEM= TEMP COMP= NAME= m04i045
 VARIABLE 18 IS AT NODE 3707 ITEM= TEMP COMP= NAME= m04o045
 VARIABLE 19 IS AT NODE 4142 ITEM= TEMP COMP= NAME= i04i045
 VARIABLE 20 IS AT NODE 4200 ITEM= TEMP COMP= NAME= i04o045
 VARIABLE 21 IS AT NODE 4599 ITEM= TEMP COMP= NAME= o04o045
 Add centers of assemblies 5 and 6
 VARIABLE 22 IS AT NODE 3098 ITEM= TEMP COMP= NAME= c05i045
 VARIABLE 23 IS AT NODE 2760 ITEM= TEMP COMP= NAME= c06i045

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES

VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2	NSOL	5748 TEMP	x04i045	149.7	.1000E-05	222.6	.9467E+09
3	NSOL	1655 TEMP	f04i045	149.7	.1000E-05	222.6	.9467E+09
4	NSOL	1762 TEMP	f04o045	149.7	.1000E-05	222.6	.9467E+09
5	NSOL	2036 TEMP	w04i045	149.7	.1000E-05	222.6	.9467E+09
6	NSOL	2177 TEMP	w04o045	149.7	.1000E-05	222.6	.9467E+09
7	NSOL	2552 TEMP	s04i045	149.7	.1000E-05	222.6	.9467E+09
8	NSOL	2977 TEMP	h04i045	158.7	.3156E+11	227.2	.9467E+09
9	NSOL	2929 TEMP	c04i045	159.2	.3156E+11	231.5	.6312E+09
10	NSOL	2881 TEMP	h04o045	157.5	.1000E-05	225.8	.9467E+09
11	NSOL	2566 TEMP	s04o045	146.4	.1000E-05	220.2	.9467E+09
12	NSOL	2427 TEMP	a04o045	146.4	.1000E-05	220.2	.9467E+09
13	NSOL	2303 TEMP	t04i045	146.4	.1000E-05	220.1	.9467E+09
14	NSOL	2289 TEMP	t04o045	146.2	.1000E-05	220.1	.9467E+09
15	NSOL	3528 TEMP	g04i045	127.6	.1000E-05	211.0	.9467E+09
16	NSOL	3545 TEMP	g04o045	127.0	.1000E-05	210.6	.9467E+09
17	NSOL	3760 TEMP	m04i045	89.68	.1000E-05	196.5	.1262E+10
18	NSOL	3707 TEMP	m04o045	88.99	.1000E-05	196.1	.1262E+10
19	NSOL	4142 TEMP	i04i045	28.06	.1000E-05	185.4	.1893E+10
20	NSOL	4200 TEMP	i04o045	27.26	.1000E-05	185.1	.1893E+10
21	NSOL	4599 TEMP	o04o045	26.14	.1000E-05	184.6	.1893E+10
22	NSOL	3098 TEMP	c05i045	152.6	.1000E-05	222.8	.9467E+09
23	NSOL	2760 TEMP	c06i045	152.8	.1000E-05	223.0	.9467E+09

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 08:21:29 APR 08, 1995 CP= 57704.980
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5748 TEMP x04i045	1655 TEMP f04i045	1762 TEMP f04o045	2036 TEMP w04i045	2177 TEMP w04o045	2552 TEMP s04i045
.10000E-05	149.667	149.667	149.668	149.668	149.669	149.673
.20000E-05	165.850	165.849	165.849	165.849	165.850	165.854
31.558	165.850	165.849	165.849	165.849	165.850	165.854
.31558E+07	179.885	179.899	179.910	179.911	179.912	179.916
.63116E+07	184.403	184.418	184.429	184.430	184.431	184.435
.94673E+07	187.231	187.245	187.256	187.257	187.258	187.263
.12623E+08	189.431	189.446	189.458	189.459	189.460	189.464
.15779E+08	191.231	191.246	191.258	191.258	191.260	191.264
.18935E+08	192.749	192.764	192.775	192.776	192.777	192.782
.22090E+08	194.072	194.087	194.099	194.100	194.101	194.105
.25246E+08	195.280	195.295	195.307	195.308	195.309	195.313

.28402E+08	196.318	196.333	196.345	196.346	196.347	196.351
.31558E+08	197.298	197.313	197.325	197.326	197.327	197.331
.63115E+08	203.801	203.817	203.829	203.830	203.831	203.835
.94673E+08	207.676	207.691	207.703	207.704	207.705	207.709
.12623E+09	210.783	210.798	210.810	210.811	210.812	210.816
.15779E+09	213.345	213.360	213.371	213.372	213.373	213.377
.18935E+09	215.405	215.420	215.431	215.432	215.433	215.436
.22090E+09	216.937	216.952	216.963	216.964	216.965	216.969
.25246E+09	218.320	218.335	218.345	218.346	218.347	218.351
.28402E+09	218.967	218.981	218.992	218.993	218.994	218.997
.31558E+09	219.601	219.615	219.626	219.627	219.628	219.631
.63115E+09	221.726	221.738	221.747	221.748	221.749	221.752
.94673E+09	222.606	222.616	222.624	222.625	222.626	222.628
.12623E+10	220.042	220.052	220.058	220.059	220.060	220.062
.15779E+10	216.783	216.791	216.797	216.797	216.798	216.800
.18935E+10	213.439	213.446	213.452	213.452	213.453	213.455
.22090E+10	210.115	210.122	210.127	210.127	210.127	210.129
.25246E+10	206.678	206.684	206.689	206.689	206.690	206.691
.28402E+10	203.606	203.612	203.616	203.617	203.617	203.618
.31558E+10	200.946	200.952	200.956	200.956	200.956	200.958
.63115E+10	187.314	187.317	187.320	187.320	187.320	187.321
.94673E+10	179.753	179.755	179.757	179.758	179.758	179.758
.12623E+11	175.502	175.504	175.506	175.506	175.506	175.507
.15779E+11	172.630	172.632	172.634	172.634	172.634	172.634
.18935E+11	169.702	169.704	169.706	169.706	169.706	169.706
.22090E+11	166.699	166.701	166.702	166.702	166.702	166.702
.25246E+11	163.598	163.600	163.601	163.601	163.601	163.601
.28402E+11	160.725	160.726	160.727	160.727	160.727	160.728
.31558E+11	158.156	158.158	158.158	158.159	158.159	158.159

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 08:21:29 APR 08, 1995 CP= 57704.980
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2977 TEMP h04i045	2929 TEMP c04i045	2881 TEMP h04o045	2566 TEMP s04o045	2427 TEMP a04o045	2303 TEMP t04i045
.10000E-05	159.280	167.563	157.534	146.425	146.397	146.368
.20000E-05	174.922	182.695	173.031	162.391	162.363	162.334
31.558	174.922	182.695	173.031	162.391	162.363	162.334
.31558E+07	188.549	195.920	186.608	176.389	176.361	176.331
.63116E+07	192.920	200.149	190.939	180.849	180.820	180.791
.94673E+07	195.656	202.796	193.657	183.653	183.625	183.595
.12623E+08	197.777	204.840	195.768	185.839	185.811	185.781
.15779E+08	199.515	206.515	197.495	187.627	187.598	187.569
.18935E+08	200.973	207.916	198.948	189.136	189.108	189.078
.22090E+08	202.242	209.132	200.212	190.454	190.426	190.396
.25246E+08	203.406	210.254	201.374	191.658	191.630	191.601
.28402E+08	204.393	211.193	202.358	192.692	192.664	192.634
.31558E+08	205.328	212.087	203.292	193.670	193.642	193.613
.63115E+08	211.502	217.963	209.462	200.178	200.151	200.121
.94673E+08	215.131	221.378	213.104	204.084	204.057	204.029
.12623E+09	218.025	224.085	216.012	207.224	207.197	207.169
.15779E+09	220.393	226.284	218.398	209.826	209.800	209.772
.18935E+09	222.277	228.016	220.304	211.930	211.904	211.877
.22090E+09	223.652	229.257	221.705	213.511	213.486	213.459
.25246E+09	224.887	230.366	222.964	214.941	214.916	214.890
.28402E+09	225.407	230.778	223.512	215.640	215.615	215.589
.31558E+09	225.937	231.222	224.064	216.314	216.290	216.264
.63115E+09	227.053	231.500	225.449	218.924	218.904	218.882
.94673E+09	227.182	231.007	225.792	220.185	220.167	220.149
.12623E+10	224.041	227.393	222.842	217.956	217.940	217.924
.15779E+10	220.336	223.325	219.289	214.963	214.949	214.935

.18935E+10	216.630	219.322	215.708	211.837	211.825	211.812
.22090E+10	213.010	215.460	212.191	208.690	208.680	208.668
.25246E+10	209.342	211.603	208.604	205.394	205.384	205.374
.28402E+10	206.065	208.156	205.397	202.444	202.435	202.426
.31558E+10	203.237	205.189	202.626	199.882	199.874	199.866
.63115E+10	188.805	190.090	188.439	186.676	186.671	186.666
.94673E+10	180.965	182.014	180.682	179.259	179.255	179.251
.12623E+11	176.539	177.439	176.304	175.091	175.087	175.084
.15779E+11	173.540	174.332	173.339	172.277	172.274	172.271
.18935E+11	170.510	171.214	170.335	169.395	169.393	169.390
.22090E+11	167.427	168.063	167.272	166.428	166.425	166.423
.25246E+11	164.257	164.833	164.120	163.358	163.356	163.354
.28402E+11	161.328	161.856	161.206	160.510	160.508	160.506
.31558E+11	158.712	159.200	158.602	157.962	157.960	157.958

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 08:21:29 APR 08, 1995 CP= 57704.990
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2289 TEMP t04o045	3528 TEMP g04i045	3545 TEMP g04o045	3760 TEMP m04i045	3707 TEMP m04o045	4142 TEMP i04i045
.10000E-05	146.233	127.639	126.975	89.6817	88.9924	28.0583
.20000E-05	162.199	144.412	143.744	109.236	108.548	59.6275
31.558	162.199	144.412	143.744	109.236	108.548	59.6275
.31558E+07	176.197	159.251	158.585	126.603	125.924	85.1434
.63116E+07	180.657	163.932	163.264	131.934	131.255	92.3519
.94673E+07	183.461	166.903	166.236	135.383	134.706	97.1105
.12623E+08	185.648	169.232	168.565	138.094	137.419	100.785
.15779E+08	187.436	171.134	170.468	140.312	139.639	103.806
.18935E+08	188.946	172.751	172.086	142.210	141.539	106.373
.22090E+08	190.264	174.168	173.504	143.882	143.212	108.623
.25246E+08	191.469	175.457	174.794	145.392	144.724	110.641
.28402E+08	192.503	176.578	175.916	146.734	146.067	112.474
.31558E+08	193.481	177.638	176.977	147.995	147.330	114.164
.63115E+08	199.993	184.737	184.088	156.547	155.894	125.631
.94673E+08	203.903	189.104	188.467	161.979	161.339	132.956
.12623E+09	207.045	192.643	192.017	166.423	165.794	138.916
.15779E+09	209.651	195.618	195.003	170.220	169.601	144.011
.18935E+09	211.758	198.065	197.462	173.406	172.798	148.308
.22090E+09	213.342	199.957	199.364	175.951	175.354	151.789
.25246E+09	214.775	201.681	201.098	178.286	177.700	154.973
.28402E+09	215.477	202.638	202.066	179.762	179.187	157.126
.31558E+09	216.153	203.521	202.956	181.063	180.496	158.971
.63115E+09	218.788	208.202	207.724	189.723	189.245	172.318
.94673E+09	220.068	211.001	210.590	195.366	194.956	181.040
.12623E+10	217.854	209.965	209.609	196.450	196.096	184.225
.15779E+10	214.873	207.895	207.583	195.986	195.675	185.283
.18935E+10	211.757	205.517	205.240	194.891	194.616	185.376
.22090E+10	208.619	202.979	202.731	193.389	193.142	184.810
.25246E+10	205.329	200.158	199.933	191.366	191.141	183.493
.28402E+10	202.385	197.631	197.425	189.548	189.343	182.304
.31558E+10	199.828	195.413	195.224	187.906	187.718	181.170
.63115E+10	186.642	183.799	183.682	178.954	178.837	174.566
.94673E+10	179.232	176.935	176.842	173.005	172.912	169.409
.12623E+11	175.068	173.109	173.031	169.752	169.673	166.661
.15779E+11	172.257	170.542	170.474	167.600	167.533	164.883
.18935E+11	169.378	167.861	167.802	165.254	165.195	162.834
.22090E+11	166.412	165.048	164.995	162.698	162.645	160.505
.25246E+11	163.345	162.113	162.066	159.990	159.943	157.996
.28402E+11	160.497	159.373	159.330	157.429	157.386	155.590
.31558E+11	157.950	156.916	156.877	155.125	155.086	153.421

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 08:21:29 APR 08, 1995 CP= 57705.000
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4200 TEMP	4599 TEMP	3098 TEMP	2760 TEMP
	i04o045	o04o045	c05i045	c06i045
.10000E-05	27.2592	26.1380	152.616	152.821
.20000E-05	58.8287	57.7275	168.158	168.343
31.558	58.8287	57.7275	168.158	168.343
.31558E+07	84.3517	83.2705	181.736	182.089
.63116E+07	91.5585	90.4792	186.050	186.411
.94673E+07	96.3219	95.2439	188.777	189.138
.12623E+08	100.001	98.9266	190.901	191.264
.15779E+08	103.025	101.952	192.637	193.001
.18935E+08	105.596	104.524	194.100	194.464
.22090E+08	107.849	106.781	195.378	195.742
.25246E+08	109.870	108.803	196.553	196.917
.28402E+08	111.707	110.642	197.547	197.911
.31558E+08	113.399	112.338	198.494	198.857
.63115E+08	124.890	123.847	204.772	205.134
.94673E+08	132.236	131.213	208.515	208.871
.12623E+09	138.215	137.210	211.508	211.856
.15779E+09	143.328	142.341	213.978	214.320
.18935E+09	147.641	146.672	215.964	216.300
.22090E+09	151.137	150.185	217.440	217.772
.25246E+09	154.336	153.400	218.773	219.100
.28402E+09	156.501	155.581	219.391	219.712
.31558E+09	158.357	157.449	220.000	220.316
.63115E+09	171.808	171.038	221.994	222.263
.94673E+09	180.605	179.941	222.807	223.041
.12623E+10	183.849	183.274	220.246	220.450
.15779E+10	184.954	184.450	217.002	217.184
.18935E+10	185.084	184.637	213.673	213.836
.22090E+10	184.548	184.148	210.362	210.510
.25246E+10	183.255	182.892	206.937	207.073
.28402E+10	182.087	181.755	203.873	203.998
.31558E+10	180.970	180.664	201.216	201.333
.63115E+10	174.442	174.253	187.551	187.625
.94673E+10	169.310	169.160	179.974	180.034
.12623E+11	166.577	166.451	175.706	175.757
.15779E+11	164.810	164.700	172.818	172.863
.18935E+11	162.770	162.674	169.877	169.917
.22090E+11	160.447	160.362	166.864	166.899
.25246E+11	157.944	157.867	163.754	163.786
.28402E+11	155.543	155.474	160.874	160.903
.31558E+11	153.378	153.315	158.299	158.326

 * Temperature Profile from center to upper right (135 deg.) *

VARIABLE 2 IS AT NODE 5748 ITEM= TEMP COMP= NAME= x01i135

*** WARNING *** CP= 57705.140 TIME= 08:21:29
 NSOL command erases all previously stored or calculated data
 unless STORE,MERGE is used.

VARIABLE 3 IS AT NODE 64 ITEM= TEMP COMP= NAME= f01i135

VARIABLE 4 IS AT NODE 171 ITEM= TEMP COMP= NAME= f01o135

VARIABLE 5 IS AT NODE 445 ITEM= TEMP COMP= NAME= w01i135

VARIABLE 6 IS AT NODE 586 ITEM= TEMP COMP= NAME= w01o135
 VARIABLE 7 IS AT NODE 961 ITEM= TEMP COMP= NAME= s01i135
 VARIABLE 8 IS AT NODE 1386 ITEM= TEMP COMP= NAME= h01i135
 VARIABLE 9 IS AT NODE 1338 ITEM= TEMP COMP= NAME= c01i135
 VARIABLE 10 IS AT NODE 1290 ITEM= TEMP COMP= NAME= h01o135
 VARIABLE 11 IS AT NODE 975 ITEM= TEMP COMP= NAME= s01o135
 VARIABLE 12 IS AT NODE 836 ITEM= TEMP COMP= NAME= a01o135
 VARIABLE 13 IS AT NODE 712 ITEM= TEMP COMP= NAME= t01i135
 VARIABLE 14 IS AT NODE 698 ITEM= TEMP COMP= NAME= t01o135
 VARIABLE 15 IS AT NODE 3332 ITEM= TEMP COMP= NAME= g01i135
 VARIABLE 16 IS AT NODE 3318 ITEM= TEMP COMP= NAME= g01o135
 VARIABLE 17 IS AT NODE 3974 ITEM= TEMP COMP= NAME= m01i135
 VARIABLE 18 IS AT NODE 3924 ITEM= TEMP COMP= NAME= m01o135
 VARIABLE 19 IS AT NODE 4369 ITEM= TEMP COMP= NAME= i01i135
 VARIABLE 20 IS AT NODE 4424 ITEM= TEMP COMP= NAME= i01o135
 VARIABLE 21 IS AT NODE 4879 ITEM= TEMP COMP= NAME= o01o135
 Add centers of assemblies 2 and 3
 VARIABLE 22 IS AT NODE 1507 ITEM= TEMP COMP= NAME= c02i135
 VARIABLE 23 IS AT NODE 1169 ITEM= TEMP COMP= NAME= c03i135

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES

VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2	NSOL	5748 TEMP	x01i135	149.7	.1000E-05	222.6	.9467E+09
3	NSOL	64 TEMP	f01i135	149.7	.1000E-05	222.6	.9467E+09
4	NSOL	171 TEMP	f01o135	149.7	.1000E-05	222.6	.9467E+09
5	NSOL	445 TEMP	w01i135	149.7	.1000E-05	222.6	.9467E+09
6	NSOL	586 TEMP	w01o135	149.7	.1000E-05	222.6	.9467E+09
7	NSOL	961 TEMP	s01i135	149.7	.1000E-05	222.6	.9467E+09
8	NSOL	1386 TEMP	h01i135	158.7	.3156E+11	227.1	.9467E+09
9	NSOL	1338 TEMP	c01i135	159.2	.3156E+11	231.4	.6312E+09
10	NSOL	1290 TEMP	h01o135	157.5	.1000E-05	225.7	.9467E+09
11	NSOL	975 TEMP	s01o135	146.4	.1000E-05	220.0	.9467E+09
12	NSOL	836 TEMP	a01o135	146.4	.1000E-05	220.0	.9467E+09
13	NSOL	712 TEMP	t01i135	146.4	.1000E-05	220.0	.9467E+09
14	NSOL	698 TEMP	t01o135	146.2	.1000E-05	219.9	.9467E+09
15	NSOL	3332 TEMP	g01i135	127.6	.1000E-05	210.7	.9467E+09
16	NSOL	3318 TEMP	g01o135	127.0	.1000E-05	210.3	.9467E+09
17	NSOL	3974 TEMP	m01i135	89.68	.1000E-05	196.1	.1262E+10
18	NSOL	3924 TEMP	m01o135	88.99	.1000E-05	195.8	.1262E+10
19	NSOL	4369 TEMP	i01i135	28.06	.1000E-05	185.0	.1893E+10
20	NSOL	4424 TEMP	i01o135	27.26	.1000E-05	184.7	.1893E+10
21	NSOL	4879 TEMP	o01o135	26.14	.1000E-05	184.3	.1893E+10
22	NSOL	1507 TEMP	c02i135	152.6	.1000E-05	222.7	.9467E+09
23	NSOL	1169 TEMP	c03i135	152.8	.1000E-05	222.7	.9467E+09

1

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5748 TEMP x01i135	64 TEMP f01i135	171 TEMP f01o135	445 TEMP w01i135	586 TEMP w01o135	961 TEMP s01i135
.10000E-05	149.667	149.668	149.669	149.668	149.669	149.673
.20000E-05	165.850	165.852	165.853	165.853	165.854	165.858
31.558	165.850	165.852	165.853	165.853	165.854	165.858
.31558E+07	179.885	179.872	179.863	179.862	179.863	179.867
.63116E+07	184.403	184.389	184.379	184.379	184.379	184.383
.94673E+07	187.231	187.216	187.207	187.206	187.206	187.210
.12623E+08	189.431	189.417	189.407	189.406	189.407	189.410
.15779E+08	191.231	191.216	191.207	191.206	191.206	191.210
.18935E+08	192.749	192.734	192.724	192.723	192.724	192.727
.22090E+08	194.072	194.057	194.047	194.046	194.047	194.051
.25246E+08	195.280	195.265	195.255	195.254	195.255	195.258
.28402E+08	196.318	196.303	196.293	196.292	196.293	196.296
.31558E+08	197.298	197.283	197.273	197.272	197.273	197.276
.63115E+08	203.801	203.786	203.776	203.775	203.775	203.779
.94673E+08	207.676	207.660	207.650	207.649	207.650	207.653
.12623E+09	210.783	210.768	210.758	210.757	210.758	210.761
.15779E+09	213.345	213.330	213.321	213.320	213.320	213.323
.18935E+09	215.405	215.390	215.381	215.380	215.380	215.384
.22090E+09	216.937	216.923	216.913	216.912	216.913	216.916
.25246E+09	218.320	218.306	218.297	218.296	218.296	218.299
.28402E+09	218.967	218.953	218.944	218.943	218.944	218.947
.31558E+09	219.601	219.588	219.579	219.578	219.578	219.581
.63115E+09	221.726	221.714	221.707	221.706	221.706	221.709
.94673E+09	222.606	222.596	222.589	222.588	222.589	222.591
.12623E+10	220.042	220.033	220.027	220.027	220.027	220.029
.15779E+10	216.783	216.774	216.769	216.769	216.769	216.771
.18935E+10	213.439	213.432	213.427	213.427	213.427	213.428
.22090E+10	210.115	210.108	210.104	210.103	210.103	210.105
.25246E+10	206.678	206.672	206.668	206.667	206.668	206.669
.28402E+10	203.606	203.600	203.597	203.596	203.596	203.598
.31558E+10	200.946	200.941	200.937	200.937	200.937	200.938
.63115E+10	187.314	187.310	187.308	187.308	187.308	187.308
.94673E+10	179.753	179.750	179.748	179.748	179.748	179.748
.12623E+11	175.502	175.499	175.498	175.497	175.498	175.498
.15779E+11	172.630	172.628	172.627	172.626	172.626	172.627
.18935E+11	169.702	169.701	169.699	169.699	169.699	169.700
.22090E+11	166.699	166.697	166.696	166.696	166.696	166.696
.25246E+11	163.598	163.597	163.596	163.596	163.596	163.596
.28402E+11	160.725	160.723	160.723	160.722	160.722	160.723
.31558E+11	158.156	158.155	158.154	158.154	158.154	158.154

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 08:21:32 APR 08, 1995 CP= 57708.050
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	1386 TEMP h01i135	1338 TEMP c01i135	1290 TEMP h01o135	975 TEMP s01o135	836 TEMP a01o135	712 TEMP t01i135
.10000E-05	159.281	167.565	157.537	146.429	146.401	146.372
.20000E-05	174.929	182.706	173.046	162.409	162.381	162.351
31.558	174.929	182.706	173.046	162.409	162.381	162.351
.31558E+07	188.471	195.798	186.438	176.192	176.164	176.134
.63116E+07	192.837	200.019	190.759	180.640	180.612	180.582
.94673E+07	195.572	202.665	193.475	183.442	183.414	183.384

.12623E+08	197.692	204.707	195.582	185.625	185.597	185.567
.15779E+08	199.429	206.381	197.309	187.411	187.382	187.352
.18935E+08	200.888	207.781	198.760	188.919	188.890	188.860
.22090E+08	202.156	208.996	200.023	190.235	190.207	190.177
.25246E+08	203.320	210.118	201.184	191.439	191.410	191.381
.28402E+08	204.307	211.056	202.167	192.471	192.443	192.413
.31558E+08	205.242	211.950	203.100	193.449	193.421	193.391
.63115E+08	211.413	217.822	209.264	199.950	199.922	199.892
.94673E+08	215.043	221.237	212.907	203.857	203.829	203.800
.12623E+09	217.939	223.947	215.818	207.000	206.973	206.945
.15779E+09	220.307	226.147	218.207	209.605	209.578	209.550
.18935E+09	222.192	227.880	220.115	211.711	211.685	211.658
.22090E+09	223.568	229.122	221.516	213.293	213.267	213.240
.25246E+09	224.804	230.233	222.778	214.726	214.701	214.674
.28402E+09	225.325	230.647	223.329	215.429	215.404	215.378
.31558E+09	225.857	231.093	223.885	216.107	216.082	216.056
.63115E+09	226.983	231.388	225.293	218.744	218.723	218.701
.94673E+09	227.121	230.908	225.655	220.027	220.009	219.990
.12623E+10	223.988	227.307	222.721	217.818	217.802	217.786
.15779E+10	220.288	223.247	219.182	214.840	214.827	214.812
.18935E+10	216.587	219.252	215.612	211.727	211.715	211.702
.22090E+10	212.971	215.396	212.103	208.589	208.578	208.567
.25246E+10	209.306	211.544	208.524	205.302	205.292	205.282
.28402E+10	206.032	208.102	205.323	202.359	202.350	202.341
.31558E+10	203.206	205.138	202.556	199.802	199.794	199.785
.63115E+10	188.785	190.058	188.395	186.625	186.620	186.615
.94673E+10	180.948	181.988	180.646	179.218	179.214	179.210
.12623E+11	176.525	177.417	176.274	175.056	175.053	175.049
.15779E+11	173.528	174.312	173.312	172.246	172.243	172.240
.18935E+11	170.499	171.196	170.311	169.368	169.366	169.363
.22090E+11	167.417	168.047	167.251	166.404	166.401	166.399
.25246E+11	164.248	164.819	164.101	163.337	163.335	163.333
.28402E+11	161.320	161.844	161.188	160.490	160.488	160.486
.31558E+11	158.705	159.188	158.586	157.944	157.942	157.940

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 08:21:32 APR 08, 1995 CP= 57708.060
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	698 TEMP t01o135	3332 TEMP g011135	3318 TEMP g01o135	3974 TEMP m011135	3924 TEMP m01o135	4369 TEMP i011135
.10000E-05	146.237	127.645	126.981	89.6794	88.9900	28.0582
.20000E-05	162.216	144.441	143.774	109.278	108.590	59.7171
31.558	162.216	144.441	143.774	109.278	108.591	59.7172
.31558E+07	175.999	158.916	158.246	126.005	125.321	84.0344
.63116E+07	180.447	163.581	162.908	131.313	130.630	91.2370
.94673E+07	183.249	166.549	165.876	134.758	134.077	96.0047
.12623E+08	185.432	168.873	168.201	137.465	136.786	99.6893
.15779E+08	187.218	170.773	170.102	139.681	139.003	102.716
.18935E+08	188.727	172.388	171.717	141.578	140.902	105.291
.22090E+08	190.044	173.803	173.134	143.249	142.574	107.547
.25246E+08	191.248	175.092	174.423	144.759	144.086	109.572
.28402E+08	192.281	176.211	175.544	146.100	145.429	111.411
.31558E+08	193.259	177.270	176.604	147.361	146.692	113.107
.63115E+08	199.763	184.361	183.706	155.906	155.249	124.601
.94673E+08	203.673	188.730	188.088	161.349	160.704	131.964
.12623E+09	206.820	192.278	191.646	165.811	165.177	137.970
.15779E+09	209.428	195.258	194.638	169.621	168.998	143.098
.18935E+09	211.538	197.710	197.101	172.818	172.206	147.423
.22090E+09	213.122	199.604	199.005	175.368	174.768	150.920
.25246E+09	214.559	201.334	200.745	177.716	177.125	154.131
.28402E+09	215.264	202.297	201.719	179.204	178.625	156.307

.31558E+09	215.944	203.186	202.616	180.517	179.946	158.173
.63115E+09	218.606	207.913	207.431	189.261	188.780	171.671
.94673E+09	219.909	210.750	210.335	194.971	194.558	180.498
.12623E+10	217.715	209.746	209.387	196.108	195.751	183.762
.15779E+10	214.750	207.700	207.385	195.683	195.370	184.878
.18935E+10	211.647	205.342	205.062	194.620	194.343	185.015
.22090E+10	208.517	202.818	202.568	193.140	192.891	184.480
.25246E+10	205.237	200.012	199.784	191.140	190.914	183.194
.28402E+10	202.299	197.495	197.287	189.337	189.131	182.026
.31558E+10	199.747	195.285	195.094	187.709	187.519	180.910
.63115E+10	186.591	183.718	183.599	178.829	178.711	174.402
.94673E+10	179.191	176.870	176.776	172.904	172.811	169.277
.12623E+11	175.033	173.053	172.974	169.666	169.587	166.548
.15779E+11	172.226	170.493	170.424	167.524	167.455	164.782
.18935E+11	169.351	167.817	167.757	165.186	165.126	162.745
.22090E+11	166.388	165.008	164.955	162.638	162.584	160.425
.25246E+11	163.323	162.078	162.030	159.936	159.888	157.924
.28402E+11	160.477	159.341	159.297	157.379	157.336	155.524
.31558E+11	157.932	156.887	156.847	155.079	155.040	153.361

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 38303 VERSION=HP 9000/7XX 08:21:32 APR 08, 1995 CP= 57708.070
 FOR SUPPORT CALL ROBERT BAHNEY PHONE (702) 794-5337 FAX (702) 794-1844

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4424 TEMP	4879 TEMP	1507 TEMP	1169 TEMP
	i01o135	o01o135	c02i135	c03i135
.10000E-05	27.2592	26.1380	152.617	152.830
.20000E-05	58.9187	57.8180	168.168	168.380
31.558	58.9187	57.8180	168.168	168.380
.31558E+07	83.2382	82.1505	181.599	181.695
.63116E+07	90.4390	89.3530	185.905	185.993
.94673E+07	95.2105	94.1260	188.630	188.717
.12623E+08	98.8993	97.8187	190.752	190.836
.15779E+08	101.930	100.850	192.487	192.570
.18935E+08	104.509	103.431	193.950	194.031
.22090E+08	106.768	105.694	195.227	195.307
.25246E+08	108.796	107.723	196.401	196.480
.28402E+08	110.638	109.567	197.394	197.472
.31558E+08	112.337	111.269	198.341	198.417
.63115E+08	123.854	122.804	204.615	204.682
.94673E+08	131.239	130.209	208.359	208.421
.12623E+09	137.263	136.252	211.355	211.416
.15779E+09	142.410	141.416	213.827	213.886
.18935E+09	146.751	145.775	215.814	215.871
.22090E+09	150.263	149.304	217.292	217.345
.25246E+09	153.488	152.545	218.627	218.679
.28402E+09	155.677	154.750	219.247	219.298
.31558E+09	157.554	156.640	219.858	219.909
.63115E+09	171.156	170.381	221.871	221.910
.94673E+09	180.059	179.391	222.700	222.732
.12623E+10	183.384	182.805	220.152	220.179
.15779E+10	184.546	184.039	216.918	216.942
.18935E+10	184.721	184.271	213.597	213.618
.22090E+10	184.216	183.813	210.292	210.309
.25246E+10	182.954	182.588	206.874	206.890
.28402E+10	181.808	181.474	203.814	203.828
.31558E+10	180.708	180.400	201.160	201.172
.63115E+10	174.276	174.086	187.515	187.523
.94673E+10	169.177	169.026	179.945	179.952
.12623E+11	166.463	166.336	175.681	175.687
.15779E+11	164.709	164.598	172.796	172.800
.18935E+11	162.680	162.583	169.858	169.861
.22090E+11	160.367	160.281	166.847	166.850

.25246E+11	157.872	157.795	163.739	163.742
.28402E+11	155.477	155.408	160.860	160.863
.31558E+11	153.317	153.254	158.286	158.288

***** ROUTINE COMPLETED ***** CP = 57708.080

End of batch input file

PURGE ALL SOLUTION AND POST DATA
SAVE ALL MODEL DATA

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12x2.db
FOR POSSIBLE RESUME FROM THIS POINT

NUMBER OF WARNING MESSAGES ENCOUNTERED= 42
NUMBER OF ERROR MESSAGES ENCOUNTERED= 0

```
*-----*
|                                     |
|               ANSYS RUN COMPLETED               |
|-----|
|               REV. 5.0 A               |               HP 9000/7XX               |
| CP TIME      (sec) = 57712.350          | TIME = 08:21:36          |
| ELAPSED TIME (sec) = 58754.000          | DATE  = 04/08/95          |
|-----|
*-----*
```


WELCOME TO THE ANSYS PROGRAM

***** ANSYS COMMAND LINE ARGUMENTS *****
 JOB NAME = ma12b3
 MEMORY REQUESTED (MB) = 64.0
 BATCH MODE REQUESTED
 start.ans FILE

***** ANSYS DYNAMIC MEMORY ALLOCATION *****
 WORK SPACE REQUESTED = 16777216 64.000 MB COMMAND LINE
 MINIMUM WORK SPACE REQUIRED = 4718592 18.000 MB
 MINIMUM WORK SPACE RECOMMENDED = 6702496 25.568 MB
 WORK SPACE OBTAINED = 16777214 64.000 MB
 BYTES PER WORD = 4

***** NOTICE ***** THIS IS THE ANSYS GENERAL PURPOSE
 FINITE ELEMENT COMPUTER PROGRAM. NEITHER SWANSON ANALYSIS
 SYSTEMS, INC. NOR THE DISTRIBUTOR SUPPLYING THIS PROGRAM
 ASSUME ANY RESPONSIBILITY FOR THE VALIDITY, ACCURACY, OR
 APPLICABILITY OF ANY RESULTS OBTAINED FROM THE ANSYS SYSTEM.
 USERS MUST VERIFY THEIR OWN RESULTS.

ANSYS(R) COPYRIGHT(C) 1971,1978,1982,1983,1985,1987,1989,1992,1993
 BY SWANSON ANALYSIS SYSTEMS, INC. AS AN UNPUBLISHED WORK.
 PROPRIETARY DATA - UNAUTHORIZED USE, DISTRIBUTION, OR DUPLICATION
 IS PROHIBITED. ALL RIGHTS RESERVED.

SWANSON ANALYSIS SYSTEMS, INC. IS ENDEAVORING TO MAKE THE
 ANSYS PROGRAM AS COMPLETE, ACCURATE, AND EASY TO USE AS
 POSSIBLE. SUGGESTIONS AND COMMENTS ARE WELCOMED. ANY
 ERRORS ENCOUNTERED IN EITHER THE DOCUMENTATION OR THE
 RESULTS SHOULD BE IMMEDIATELY BROUGHT TO OUR ATTENTION.

ENTER /SHOW,device TO SET THE GRAPHICS DISPLAY TO device(e.g. X11,4207,ETC.)
 ENTER /MENU,ON TO START THE ANSYS MENU SYSTEM
 ENTER HELP FOR GENERAL ANSYS HELP INFORMATION
 1 /COM, *****
 2 /COM, ANSYS REVISION 5.0A 3/24/1995
 3 /COM, 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III
 4 /COM, *****
 5 /COM, *
 6 /COM, * File name: ma12b3.inp
 7 /COM, * 12 PWR MPC with High T.L. Disposal Container
 8 /COM, * Helium Fill Gas
 9 /COM, *
 10 /COM, * Material Property file: props01.dat
 11 /COM, *
 12 /COM, * SNF Conductivity file: pwr15e.parm
 13 /COM, * 15x15 Mark-B4 PWR SNF Assembly
 14 /COM, *
 15 /COM, * SNF Heat Loads file: snf1048.dat
 16 /COM, * SNF Type: 10 years old, 48 GWd/MTU
 17 /COM, *
 18 /COM, * Surface Temp. file: c12b5a.parm *

```

19 /COM, *      83 MTU/acre (20.5 kgU/m^2) AML (High Thermal Loading) *
20 /COM, *      5.0 m Diameter Drift with Concrete Invert *
21 /COM, *      Drift spacing = 22.5 m *
22 /COM, *      WP c/c spacing = 11.129 m *
23 /COM, *
24 /COM, *****
25 /COM, Increase the number of database pages from 16 (256) to 32 Mb
26 /CONFIG,nvpag,512,
27 /COM, Work space must also be increased (-m 64)
28 /COM, *****
29 /TITLE, 12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF
30 /UNITS,SI,
31 /COM, *****
32 /COM, Read in average effective conductivities from SNF model
33 PARRES,CHANGE,pwr15e,parm,
34 /COM, Read in surface temps. from repository model
35 PARRES,CHANGE,c12b5a,parm,
36 /COM, *****
37 /COM, Define MPC/waste package parameters
38 /COM, (MPC dimensions converted from inches to meters)
39 /COM, MIRAD = inner radius of MPC shell (m)
40 /COM, MWALL = MPC shell thickness (m)
41 /COM, DCRAD = disposal container outer radius (m)
42 /COM, OWALL = outer barrier thickness (m)
43 /COM, IWALL = inner barrier thickness (m)
44 /COM, GCORN = corner guide width (m)
45 /COM, GLENW = side guide total width (m)
46 /COM, GLENH = side guide total height (m)
47 /COM, GWALL = guide thickness (m)
48 /COM, HCELL = 1/2 of basket cell opening (m)
49 /COM, SWALL = stainless tube thickness (m)
50 /COM, AWALL = Al/boron tube thickness (m)
51 /COM, FLENT = flux trap plate length (m)
52 /COM, FWALL = flux trap plate stainless thickness (m)
53 /COM, BWALL = flux trap plate Al/boron thickness (m)
54 /COM, TWALL = flux trap plate SS sheath thickness (m)
55 /COM, FSPAC = flux trap plate spacer width (m)
56 /COM, TSPAC = tube/tube spacer width (m)
57 /COM, ACTVL = active fuel length
58 /COM, PEAKF = assembly heat axial peaking factor
59 PI=3.141592654
60 MIRAD=47.870*2.54/100.0/2.0
61 MWALL=0.8750*2.54/100.0
62 DCRAD=1.5305/2.0
63 OWALL=0.1000
64 IWALL=0.0200
65 GCORN=10.086*2.54/100.0
66 GLENW=8.4340*2.54/100.0
67 GLENH=2.4960*2.54/100.0
68 GWALL=0.3750*2.54/100.0
69 HCELL=9.0000*2.54/100.0/2.0
70 SWALL=0.0940*2.54/100.0
71 AWALL=0.1070*2.54/100.0
72 FLENT=23.164*2.54/100.0
73 FWALL=0.5000*2.54/100.0
74 BWALL=0.2500*2.54/100.0
75 TWALL=0.0940*2.54/100.0
76 FSPAC=1.0000*2.54/100.0
77 TSPAC=0.9860*2.54/100.0
78 ACTVL=141.80*2.54/100.0
79 PEAKF=1.25
80 /COM, Define calculated parameters
81 /COM, ASSY = assembly heat production (W) f(yrs)
82 /COM, FUEL = volumetric heat production (W/m3) f(yrs)
83 /COM, FVOLUME = assy_volume=cell_width^2*active_length
84 /COM, Q2 = side guide x coord. (see sketch)
85 /COM, GX## = x coord. of guide/shell contact (kp##)
86 /COM, GY## = y coord. of guide/shell contact (kp##)
87 /COM, ACX# = x coord. of center of assembly #
88 /COM, ACY# = y coord. of center of assembly #

```

```

89 /COM,          TM_START = start time (sec)
90 /COM,          TMI* = time increment for solution (sec)
91 /COM,          TME* = start and stop for time do-loops (sec)
92 /COM,          Note: 1 year = 3.15576e7 seconds
93 /COM,          QCELL = 1/4 of basket cell opening (m)
94 /COM,          SCELL = 1/2 of basket cell opening+SS wall(m)
95 /COM,          ACELL = 1/2 of basket cell opening+SS+AL (m)
96 /COM,          MI45 = x coord. MIRAD at 45 deg.
97 /COM,          MO45 = x coord. MIRAD+MWALL at 45 deg.
98 /COM,          DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
99 /COM,          DM45 = x coord. DCRAD-OWALL at 45 deg.
100 /COM,          DO45 = x coord. DCRAD at 45 deg.
101 /COM,          TMTMAX = time of maximum cladding temperature
102 *SET,ASSY,
103 *DIM,ASSY, TABLE,101,1,
104 *DIM,FUEL, TABLE,101,1
105 FVOLUME=4*HCELL*HCELL*ACTVL
106 Q2=1.969344*2.54/100.0
107 GX22=Q2-GWALL
108 GY22=SQRT(MIRAD*MIRAD-GX22*GX22)
109 GX23=Q2
110 GY23=SQRT(MIRAD*MIRAD-GX23*GX23)
111 GX24=Q2+GLENW-GWALL
112 GY24=SQRT(MIRAD*MIRAD-GX24*GX24)
113 GTMP=GCORN-GWALL
114 GX25=(SQRT(MIRAD*MIRAD-GTMP*GTMP/2.0)-GTMP/SQRT(2.0))/(SQRT(2.0))
115 GY25=SQRT(MIRAD*MIRAD-GX25*GX25)
116 ACX1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
117 ACY1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
118 ACX2=ACX1+2.0*(HCELL+SWALL+AWALL+SWALL)+TSPAC
119 ACY2=ACY1
120 ACX3=ACX1
121 ACY3=ACY2
122 TM_START=(1.0E-6)*(3.15576E7)
123 TMI0=0.1*3.15576E7
124 TMI1=1.0*3.15576E7
125 TMI10=10.0*3.15576E7
126 TMI100=100.0*3.15576E7
127 TMI1000=1000.0*3.15576E7
128 TME0=0.9*3.15576E7+TM_START
129 TME1=TMI1+TM_START
130 TME9=9.0*3.15576E7+TM_START
131 TME10=TMI10+TM_START
132 TME50=50.0*3.15576E7+TM_START
133 TME90=90.0*3.15576E7+TM_START
134 TME100=TMI100+TM_START
135 TME1000=TMI1000+TM_START
136 BCELL=FWALL+BWALL
137 QCELL=HCELL/2.0
138 SCELL=HCELL+SWALL
139 ACELL=HCELL+SWALL+AWALL
140 TCELL=HCELL+SWALL+AWALL+SWALL
141 MI45=MIRAD/SQRT(2.0)
142 MO45=(MIRAD+MWALL)/SQRT(2.0)
143 DI45=(DCRAD-OWALL-IWALL)/SQRT(2.0)
144 DM45=(DCRAD-OWALL)/SQRT(2.0)
145 DO45=DCRAD/SQRT(2.0)
146 /COM,          *****
147 /COM,          Define different element types
148 /PREP7
149 ETYPE
150 ET, 1,55,
151 ET, 2,70,
152 ET, 7,32,
153 ET, 16,57,
154 ET, 17,32,
155 ET, 18,50,1,
156 ET, 19,31,
157 ET, 27,32,
158 /COM,          *****

```

```

159 /COM,          File props01.dat describes material properties
160 /COM,          and thier reference numbers
161 MPREAD,props01.dat,
162 /COM,          Read in single assembly heat loads
163 /COM,          Calculate the volumetric heat generation
164 /COM,          (Assembly time is in years, FUEL is in seconds)
165 /INPUT,snf1048.dat
166 *VFACT,3.15576E7,
167 *MFUN,FUEL(1,0),COPY,ASSY(1,0),
168 *VFACT,(PEAKF/FVOLU),
169 *VFUN,FUEL(1),COPY,ASSY(1),
170 FUEL(0,1)=1.0
171 /COM,          *****
172 /COM,          Define new material 14 for SNF effective conductivity
173 /COM,          Density:      DENS      (kg/m^3)
174 /COM,          Conductivity: KXX      (W/m/K)
175 /COM,          Specific Heat: C      (J/kg/K)
176 MPTEMP
177 MPTEMP, 1, .00000E+00,
178 MPDATA,DENS,14, 1, .396004E+04,
179 MPDATA, C,14, 1, .27400E+03,
180 /COM,          Store average effective conductivities
181 IINC=1
182 TBSKT=25.0
183 MPTEMP
184 MPTEMP,IINC,TBSKT,
185 IINC=IINC+1
186 *DO,TBSKT,50.0,400.0,50.0,
187     MPTEMP,IINC,TBSKT,
188     IINC=IINC+1
189 *ENDDO
190 IINC=1
191 TBSKT=25.0
192 MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
193 IINC=IINC+1
194 *DO,TBSKT,50.0,400.0,50.0,
195     MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
196     IINC=IINC+1
197 *ENDDO
198 /COM,          *****
199 /COM,          Construct geometry for Disposal Container
200 /COM,
201 /COM,          Define center and axis keypoints for waste package
202 /COM,          Also, create placeholder keypoints and lines
203 /COM,          (K's 1,2,3,4,5,6,7,8)
204 /COM,          (L's 1,2,3,4)
205 K,1,0.0,0.0,0.0,
206 K,2,0.0,0.0,1.0,
207 K,3,0.0,0.0,1.3,
208 K,4,0.0,0.0,1.4,
209 K,5,0.0,0.0,1.5,
210 K,6,0.0,0.0,1.6,
211 K,7,0.0,0.0,1.7,
212 K,8,0.0,0.0,1.8,
213 L,3,4,
214 L,4,5,
215 L,5,6,
216 L,6,7,
217 /COM,          Define disposal container and MPC outer radius
218 /COM,          (K's 9,10,11,12,13,14,15,16,17,18,19,20)
219 /COM,          (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
220 /COM,          (A's 1,2,3,4,5,6)
221 K, 9,          0.0,          (0.0-DCRAD),0.0,
222 K,10,          DCRAD,          0.0,0.0,
223 K,11,          0.0,          DCRAD,0.0,
224 K,12,          0.0,          (OWALL-DCRAD),0.0,
225 K,13,          (DCRAD-OWALL), 0.0,0.0,
226 K,14,          0.0,          (DCRAD-OWALL),0.0,
227 K,15,          0.0,(OWALL+IWALL-DCRAD),0.0,
228 K,16,(DCRAD-OWALL-IWALL), 0.0,0.0,

```

```

229 K,17, 0.0,(DCRAD-OWALL-IWALL),0.0,
230 K,18, 0.0, (0.0-MIRAD-MWALL),0.0,
231 K,19, (MIRAD+MWALL), 0.0,0.0,
232 K,20, 0.0, (MIRAD+MWALL),0.0,
233 L,10,13,
234 L,13,16,
235 LARC,10, 9,1, DCRAD,
236 LARC,11,10,1, DCRAD,
237 LARC,13,12,1, (DCRAD-OWALL),
238 LARC,14,13,1, (DCRAD-OWALL),
239 L,11,14,
240 L, 9,12,
241 LARC,15,16,1,(DCRAD-OWALL-IWALL),
242 LARC,16,17,1,(DCRAD-OWALL-IWALL),
243 L,14,17,
244 L,12,15,
245 LARC,19,18,1, (MIRAD+MWALL),
246 LARC,20,19,1, (MIRAD+MWALL),
247 L,17,20,
248 L,15,18,
249 L,16,19,
250 AL, 5, 7,12, 9,
251 AL,11, 8, 5,10,
252 AL, 6, 9,16,13,
253 AL,15,10, 6,14,
254 AL,21,13,20,17,
255 AL,19,14,21,18,
256 /COM, *****
257 /COM, Define MPC shell inner edge and area
258 /COM, (K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
259 /COM, ( 38,39)
260 /COM, (L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
261 /COM, ( 39,40,41,42)
262 /COM, (A's 7,8)
263 K,21, 0.0, MIRAD,0.0,
264 K,22, GX22, GY22,0.0,
265 K,23, GX23, GY23,0.0,
266 K,24, GX24, GY24,0.0,
267 K,25, GX25, GY25,0.0,
268 K,26, GY25, GX25,0.0,
269 K,27, GY24, GX24,0.0,
270 K,28, GY23, GX23,0.0,
271 K,29, GY22, GX22,0.0,
272 K,30,MIRAD, 0.0,0.0,
273 K,31, GY22, (0.0-GX22),0.0,
274 K,32, GY23, (0.0-GX23),0.0,
275 K,33, GY24, (0.0-GX24),0.0,
276 K,34, GY25, (0.0-GX25),0.0,
277 K,35, GX25, (0.0-GY25),0.0,
278 K,36, GX24, (0.0-GY24),0.0,
279 K,37, GX23, (0.0-GY23),0.0,
280 K,38, GX22, (0.0-GY22),0.0,
281 K,39, 0.0,(0.0-MIRAD),0.0,
282 L,20,21,
283 LARC,22,21,1,MIRAD,
284 LARC,23,22,1,MIRAD,
285 LARC,24,23,1,MIRAD,
286 LARC,25,24,1,MIRAD,
287 LARC,26,25,1,MIRAD,
288 LARC,27,26,1,MIRAD,
289 LARC,28,27,1,MIRAD,
290 LARC,29,28,1,MIRAD,
291 LARC,30,29,1,MIRAD,
292 LARC,31,30,1,MIRAD,
293 LARC,32,31,1,MIRAD,
294 LARC,33,32,1,MIRAD,
295 LARC,34,33,1,MIRAD,
296 LARC,35,34,1,MIRAD,
297 LARC,36,35,1,MIRAD,
298 LARC,37,36,1,MIRAD,

```

```

299 LARC,38,37,1,MIRAD,
300 LARC,39,38,1,MIRAD,
301 L,18,39,
302 L,19,30,
303 LSEL,S,LINE,,32,42,1,
304 LSEL,A,LINE,,17,
305 AL,ALL,
306 LSEL,S,LINE,,22,31,1,
307 LSEL,A,LINE,,18,
308 LSEL,A,LINE,,42,
309 AL,ALL,
310 LSEL,ALL,
311 /COM, *****
312 /COM, Define tube guides
313 /COM, (K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)
314 /COM, ( 57,58,59)
315 /COM, (L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)
316 /COM, ( 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
317 /COM, ( 77,78,79,80)
318 /COM, (A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)
319 /COM, ( 26)
320 /COM,
321 /COM, top
322 K,40, GX23, GY24,0.0,
323 K,41, GX22,(GY24-GWALL),0.0,
324 K,42, GX24,(GY24-GWALL),0.0,
325 K,43,(GX25-GWALL), GY25,0.0,
326 K,44, GX25, GX25,0.0,
327 K,45,(GX25-GWALL),(GX25-GWALL),0.0,
328 K,46, GY25,(GX25-GWALL),0.0,
329 /COM, side
330 K,47,(GY24-GWALL), GX24,0.0,
331 K,48, GY24, GX23,0.0,
332 K,49,(GY24-GWALL), GX22,0.0,
333 K,50,(GY24-GWALL), (0.0-GX22),0.0,
334 K,51, GY24, (0.0-GX23),0.0,
335 K,52,(GY24-GWALL), (0.0-GX24),0.0,
336 /COM, bottom
337 K,53, GY25,(GWALL-GX25),0.0,
338 K,54,(GX25-GWALL),(GWALL-GX25),0.0,
339 K,55, GX25, (0.0-GX25),0.0,
340 K,56,(GX25-GWALL), (0.0-GY25),0.0,
341 K,57, GX24,(GWALL-GY24),0.0,
342 K,58, GX22,(GWALL-GY24),0.0,
343 K,59, GX23, (0.0-GY24),0.0,
344 /COM, top
345 L,41,22,
346 L,40,41,
347 L,40,24,
348 L,42,41,
349 L,24,42,
350 L,43,25,
351 L,45,43,
352 L,25,44,
353 L,44,45,
354 L,44,26,
355 L,46,45,
356 L,26,46,
357 /COM, side
358 L,47,27,
359 L,49,47,
360 L,27,48,
361 L,48,49,
362 L,48,28,
363 L,29,49,
364 L,50,31,
365 L,32,51,
366 L,50,51,
367 L,52,50,
368 L,51,33,

```

```

369 L,33,52,
370 /COM,          bottom
371 L,53,34,
372 L,54,53,
373 L,34,55,
374 L,54,55,
375 L,56,54,
376 L,55,35,
377 L,35,56,
378 L,57,36,
379 L,58,57,
380 L,36,59,
381 L,58,59,
382 L,38,58,
383 L,59,37,
384 L,23,40,
385 /COM,          air
386 AL,80,45,25,
387 AL,50,52,27,
388 AL,57,59,29,
389 AL,62,65,34,
390 AL,69,72,36,
391 AL,76,79,38,
392 /COM,          guides
393 AL,24,43,44,80,
394 AL,45,44,46,47,
395 AL,48,49,51,50,
396 AL,52,51,53,54,
397 AL,55,56,58,57,
398 AL,59,58,60,30,
399 AL,61,63,62,33,
400 AL,63,64,66,65,
401 AL,68,70,69,67,
402 AL,70,71,73,72,
403 AL,75,77,76,74,
404 AL,77,78,39,79,
405 /COM,          *****
406 /COM,          Define top half tubes and flux trap plate
407 /COM,          (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
408 /COM,          ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
409 /COM,          ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
410 /COM,          ( 108,109,110,111,112,113,114,115,116,117,118,119)
411 /COM,          ( 120,121,122,123,124,125,126,127,128,129,130,131)
412 /COM,          ( 132,133,134,135,136,137,138,139,140,141,142,143)
413 /COM,          ( 144,145,146,147,148,149,150,151,152,153,154,155)
414 /COM,          ( 156,157,158,159,160,161,162,163,164,165,166,167)
415 /COM,          (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
416 /COM,          ( 98,99,100,101,102,103,104,105,106,107,108,109,110)
417 /COM,          ( 111,112,113,114,115,116,117,118,119,120,121,122)
418 /COM,          ( 123,124,125,126,127,128,129,130,131,132,133,134)
419 /COM,          ( 135,136,137,138,139,140,141,142,143,144,145,146)
420 /COM,          ( 147,...)
421 /COM,          (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
422 /COM,          ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
423 /COM,          ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
424 /COM,          ( 78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
425 /COM,          ( 95,96,97,98,99,100,101,102,103)
426 K, 60,          0.0,          (FSPAC/2.0),0.0,
427 K, 61,          0.0,          (1.5*FSPAC),0.0,
428 K, 62,          0.0,          (ACY1-FSPAC/2.0),0.0,
429 K, 63,          0.0,          (ACY1+FSPAC/2.0),0.0,
430 K, 64,          0.0,          (ACY1+HCELL+SWALL),0.0,
431 K, 65,          0.0,(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
432 K, 66,          0.0,(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
433 K, 67,          0.0,          (ACY3-HCELL-SWALL),0.0,
434 K, 68,          0.0,          (ACY3-FSPAC/2.0),0.0,
435 K, 69,          0.0,          (ACY3+FSPAC/2.0),0.0,
436 K, 70,          0.0,          (ACY3+HCELL+SWALL),0.0,
437 K, 71,          0.0,          (ACY3+HCELL+SWALL+FSPAC),0.0,
438 K, 72,          0.0,          (FSPAC/2.0+FLENT),0.0,

```

439	K, 73,	(FSPAC/2.0),	(FSPAC/2.0),0.0,
440	K, 74,	(FSPAC/2.0),	(1.5*FSPAC),0.0,
441	K, 75,	(FSPAC/2.0),	(ACY1-FSPAC/2.0),0.0,
442	K, 76,	(FSPAC/2.0),	(ACY1+FSPAC/2.0),0.0,
443	K, 77,	(FSPAC/2.0),	(ACY1+HCELL+SWALL),0.0,
444	K, 78,	(FSPAC/2.0),(ACY1+HCELL+2.0*SWALL+AWALL),	0.0,
445	K, 79,	(FSPAC/2.0),(ACY3-HCELL-2.0*SWALL-AWALL),	0.0,
446	K, 80,	(FSPAC/2.0),	(ACY3-HCELL-SWALL),0.0,
447	K, 81,	(FSPAC/2.0),	(ACY3-FSPAC/2.0),0.0,
448	K, 82,	(FSPAC/2.0),	(ACY3+FSPAC/2.0),0.0,
449	K, 83,	(FSPAC/2.0),	(ACY3+HCELL+SWALL),0.0,
450	K, 84,	(FSPAC/2.0),	(ACY3+HCELL+SWALL+FSPAC),0.0,
451	K, 85,	(FSPAC/2.0),	(FSPAC/2.0+FLENT),0.0,
452	K, 86,	(FSPAC/2.0+FWALL),	(FSPAC/2.0+FWALL),0.0,
453	K, 87,	(FSPAC/2.0+FWALL),	(ACY1+HCELL+SWALL),0.0,
454	K, 88,	(FSPAC/2.0+FWALL),(ACY1+HCELL+2.0*SWALL+AWALL),	0.0,
455	K, 89,	(FSPAC/2.0+FWALL),(ACY3-HCELL-2.0*SWALL-AWALL),	0.0,
456	K, 90,	(FSPAC/2.0+FWALL),	(ACY3-HCELL-SWALL),0.0,
457	K, 91,	(FSPAC/2.0+FWALL),	(ACY3+HCELL+SWALL),0.0,
458	K, 92,	(FSPAC/2.0+FWALL),	(FSPAC/2.0+FLENT),0.0,
459	K, 93,	(1.5*FSPAC),	(FSPAC/2.0),0.0,
460	K, 94,	(FSPAC/2.0+FWALL+BWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
461	K, 95,	(FSPAC/2.0+FWALL+BWALL),	(ACY1+HCELL+SWALL),0.0,
462	K, 96,	(FSPAC/2.0+FWALL+BWALL),(ACY1+HCELL+2.0*SWALL+AWALL),	0.0,
463	K, 97,	(FSPAC/2.0+FWALL+BWALL),(ACY3-HCELL-2.0*SWALL-AWALL),	0.0,
464	K, 98,	(FSPAC/2.0+FWALL+BWALL),	(ACY3-HCELL-SWALL),0.0,
465	K, 99,	(FSPAC/2.0+FWALL+BWALL),	(ACY3+HCELL+SWALL),0.0,
466	K, 100,	(FSPAC/2.0+FWALL+BWALL),	(FSPAC/2.0+FLENT),0.0,
467	K, 101,	(ACX1-HCELL-SWALL),	(ACY1-HCELL-SWALL),0.0,
468	K, 102,	(ACX1-HCELL-SWALL),	(ACY1+HCELL+SWALL),0.0,
469	K, 103,	(ACX1-HCELL-SWALL),	(ACY1+HCELL+SWALL+AWALL),0.0,
470	K, 104,	(ACX1-HCELL-SWALL),(ACY1+HCELL+2.0*SWALL+AWALL),	0.0,
471	K, 105,	(ACX3-HCELL-SWALL),(ACY3-HCELL-2.0*SWALL-AWALL),	0.0,
472	K, 106,	(ACX3-HCELL-SWALL),	(ACY3-HCELL-SWALL-AWALL),0.0,
473	K, 107,	(ACX3-HCELL-SWALL),	(ACY3-HCELL-SWALL),0.0,
474	K, 108,	(ACX3-HCELL-SWALL),	(ACY3+HCELL+SWALL),0.0,
475	K, 109,	(ACX3-HCELL-SWALL),	(FSPAC/2.0+FLENT),0.0,
476	K, 110,	(ACX1-HCELL),	(ACY1-HCELL),0.0,
477	K, 111,	(ACX1-HCELL),	(ACY1+HCELL),0.0,
478	K, 112,	(ACX3-HCELL),	(ACY3-HCELL),0.0,
479	K, 113,	(ACX3-HCELL),	(ACY3+HCELL),0.0,
480	K, 114,	(ACX1-FSPAC/2.0),	(FSPAC/2.0),0.0,
481	K, 115,	(ACX1+FSPAC/2.0),	(FSPAC/2.0),0.0,
482	K, 116,	(ACX1+HCELL),	(ACY1-HCELL),0.0,
483	K, 117,	(ACX1+HCELL),	(ACY1+HCELL),0.0,
484	K, 118,	(ACX3+HCELL),	(ACY3-HCELL),0.0,
485	K, 119,	(ACX3+HCELL),	(ACY3+HCELL),0.0,
486	K, 120,	(ACX1+HCELL+SWALL),	(FSPAC/2.0),0.0,
487	K, 121,	(ACX1+HCELL+SWALL),	(FSPAC/2.0+FWALL),0.0,
488	K, 122,	(ACX1+HCELL+SWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
489	K, 123,	(ACX1+HCELL+SWALL),	(ACY1-HCELL-SWALL),0.0,
490	K, 124,	(ACX1+HCELL+SWALL),	(ACY1+HCELL+SWALL),0.0,
491	K, 125,	(ACX3+HCELL+SWALL),	(ACY3-HCELL-SWALL),0.0,
492	K, 126,	(ACX3+HCELL+SWALL),	(ACY3+HCELL+SWALL),0.0,
493	K, 127,	(ACX1+HCELL+SWALL+AWALL),	(ACY1-HCELL-SWALL),0.0,
494	K, 128,	(ACX1+HCELL+SWALL+AWALL),	(ACY1+HCELL+SWALL+AWALL),0.0,
495	K, 129,	(ACX3+HCELL+SWALL+AWALL),	(ACY3-HCELL-SWALL-AWALL),0.0,
496	K, 130,	(ACX3+HCELL+SWALL+AWALL),	(ACY3+HCELL+SWALL),0.0,
497	K, 131,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0),0.0,
498	K, 132,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0+FWALL),0.0,
499	K, 133,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
500	K, 134,	(ACX1+HCELL+2.0*SWALL+AWALL),	(ACY1-HCELL-SWALL),0.0,
501	K, 135,	(ACX1+HCELL+2.0*SWALL+AWALL),(ACY1+HCELL+2.0*SWALL+AWALL),	0.0,
502	K, 136,	(ACX3+HCELL+2.0*SWALL+AWALL),(ACY3-HCELL-2.0*SWALL-AWALL),	0.0,
503	K, 137,	(ACX3+HCELL+2.0*SWALL+AWALL),	(ACY3+HCELL+SWALL),0.0,
504	K, 138,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0),0.0,
505	K, 139,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0+FWALL),0.0,
506	K, 140,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
507	K, 141,	(ACX2-HCELL-2.0*SWALL-AWALL),	(ACY2-HCELL-SWALL),0.0,
508	K, 142,	(ACX2-HCELL-2.0*SWALL-AWALL),(ACY2+HCELL+2.0*SWALL+AWALL),	0.0,


```

509 K,143, (ACX2-HCELL-SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
510 K,144, (ACX2-HCELL-SWALL-AWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
511 K,145, (ACX2-HCELL-SWALL), (FSPAC/2.0),0.0,
512 K,146, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL),0.0,
513 K,147, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
514 K,148, (ACX2-HCELL-SWALL), (ACY2-HCELL-SWALL),0.0,
515 K,149, (ACX2-HCELL-SWALL), (ACY1+HCELL+SWALL),0.0,
516 K,150, (ACX2-HCELL), (ACY2-HCELL),0.0,
517 K,151, (ACX2-HCELL), (ACY2+HCELL),0.0,
518 K,152, (ACX2-FSPAC/2.0), (FSPAC/2.0),0.0,
519 K,153, (ACX2+FSPAC/2.0), (FSPAC/2.0),0.0,
520 K,154, (ACX2+HCELL), (ACY2-HCELL),0.0,
521 K,155, (ACX2+HCELL), (ACY2+HCELL),0.0,
522 K,156, (ACX2+HCELL+SWALL), (FSPAC/2.0),0.0,
523 K,157, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
524 K,158, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
525 K,159, (ACX2+HCELL+SWALL), (ACY2-HCELL-SWALL),0.0,
526 K,160, (ACX2+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
527 K,161, (ACX2+HCELL+SWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
528 K,162, (ACX2+HCELL+SWALL), (ACY2+HCELL+2.0*SWALL+AWALL),0.0,
529 K,163, (ACX2+HCELL+SWALL+FSPAC), (FSPAC/2.0),0.0,
530 K,164, (FSPAC/2.0+FLENT), (FSPAC/2.0),0.0,
531 K,165, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL),0.0,
532 K,166, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL+BWALL),0.0,
533 K,167, (FSPAC/2.0+FLENT), (ACY2-HCELL-SWALL),0.0,
534 /COM, create lines on perimeter and for lesize
535 L, 73, 60,
536 L, 73, 74,
537 L, 61, 74,
538 L, 74, 75,
539 L, 75, 62,
540 L, 75, 76,
541 L, 63, 76,
542 L, 76, 77,
543 L, 77, 78,
544 L, 78, 65,
545 L, 78, 79,
546 L, 66, 79,
547 L, 79, 80,
548 L, 80, 81,
549 L, 81, 68,
550 L, 81, 82,
551 L, 69, 82,
552 L, 82, 83,
553 L, 83, 70,
554 L, 83, 84,
555 L, 71, 84,
556 L, 84, 85,
557 L, 85, 92,
558 L, 92, 100,
559 L, 100, 109,
560 L, 109, 108,
561 L, 108, 126,
562 L, 126, 130,
563 L, 130, 137,
564 L, 137, 136,
565 L, 136, 105,
566 L, 112, 107,
567 L, 107, 106,
568 L, 106, 105,
569 L, 105, 104,
570 L, 104, 103,
571 L, 103, 102,
572 L, 102, 111,
573 L, 104, 135,
574 L, 135, 134,
575 L, 123, 127,
576 L, 127, 134,
577 L, 134, 141,
578 L, 141, 143,

```

579 L,143,148,
 580 L,148,150,
 581 L,141,142,
 582 L,142,162,
 583 L,162,161,
 584 L,161,160,
 585 L,160,159,
 586 L,159,167,
 587 L,167,166,
 588 L,166,165,
 589 L,165,164,
 590 L,164,163,
 591 L,163,156,
 592 L,156,153,
 593 L,153,152,
 594 L,152,145,
 595 L,145,138,
 596 L,138,131,
 597 L,131,120,
 598 L,120,115,
 599 L,115,114,
 600 L,114, 93,
 601 L, 93, 73,
 602 /COM, tube spacers
 603 A, 71, 84, 83, 70,
 604 A, 69, 82, 81, 68,
 605 A, 66, 79, 78, 65,
 606 A, 63, 76, 75, 62,
 607 A, 61, 74, 73, 60,
 608 /COM, flux trap plate (stainless)
 609 A, 85, 92, 91, 83, 84,
 610 A, 83, 91, 90, 80, 81, 82,
 611 A, 80, 90, 89, 79,
 612 A, 79, 89, 88, 78,
 613 A, 78, 88, 87, 77,
 614 A, 77, 87, 86, 73, 74, 75, 76,
 615 A, 86,121,120,115,114, 93, 73,
 616 A,121,132,131,120,
 617 A,132,139,138,131,
 618 A,139,146,145,138,
 619 A,146,157,156,153,152,145,
 620 A,157,165,164,163,156,
 621 /COM, flux trap plate (Al/boron)
 622 A, 92,100, 99, 91,
 623 A, 91, 99, 98, 90,
 624 A, 90, 98, 97, 89,
 625 A, 89, 97, 96, 88,
 626 A, 88, 96, 95, 87,
 627 A, 87, 95, 94, 86,
 628 A, 94,122,121, 86,
 629 A,122,133,132,121,
 630 A,133,140,139,132,
 631 A,140,147,146,139,
 632 A,147,158,157,146,
 633 A,158,166,165,157,
 634 /COM, flux trap plate (sheath)
 635 A,100,109,108, 99,
 636 A, 99,108,107, 98,
 637 A, 98,107,106,105, 97,
 638 A, 97,105,104, 96,
 639 A, 96,104,103,102, 95,
 640 A, 95,102,101, 94,
 641 A,101,123,122, 94,
 642 A,123,127,134,133,122,
 643 A,134,141,140,133,
 644 A,141,143,148,147,140,
 645 A,148,159,158,147,
 646 A,159,167,166,158,
 647 /COM, tube (sheath)
 648 A,130,137,136,129,

```

649 A,106,129,136,105,
650 A,104,135,128,103,
651 A,128,135,134,127,
652 A,142,144,143,141,
653 A,142,162,161,144,
654 /COM, tube (Al/boron)
655 A,126,130,129,125,
656 A,107,125,129,106,
657 A,103,128,124,102,
658 A,124,128,127,123,
659 A,144,149,148,143,
660 A,144,161,160,149,
661 /COM, tube (stainless)
662 A,108,113,112,107,
663 A,108,126,119,113,
664 A,119,126,125,118,
665 A,112,118,125,107,
666 A,102,111,110,101,
667 A,102,124,117,111,
668 A,117,124,123,116,
669 A,110,116,123,101,
670 A,149,151,150,148,
671 A,149,160,155,151,
672 A,155,160,159,154,
673 A,150,154,159,148,
674 /COM, homogeneous assembly
675 A,113,119,118,112,
676 A,111,117,116,110,
677 A,151,155,154,150,
678 /COM, helium spaces
679 A, 72, 85, 84, 71,
680 A, 70, 83, 82, 69,
681 A, 68, 81, 80, 67,
682 A, 67, 80, 79, 66,
683 A, 65, 78, 77, 64,
684 A, 64, 77, 76, 63,
685 A, 62, 75, 74, 61,
686 A,105,136,135,104,
687 A,135,142,141,134,
688 NUMMRG,KP,
689 /COM, *****
690 /COM, Set element shapes and sizes for tubes and flux trap
691 /COM, 14x14 mesh in fuel with 1
692 /COM, division per tube layer
693 ESHAPE,2,
694 ESIZE,,1,
695 LSEL,S,LINE,, 81, 87,2,
696 LSEL,A,LINE,, 90, 92,2,
697 LSEL,A,LINE,, 95,101,2,
698 LESIZE,ALL,,, 2,
699 LSEL,S,LINE,,107,
700 LSEL,A,LINE,,110,111,1,
701 LSEL,A,LINE,,119,120,1,
702 LSEL,A,LINE,,127,128,1,
703 LSEL,A,LINE,,131,
704 LESIZE,ALL,,, 14,
705 LSEL,ALL,
706 LESIZE, 82,,, 2,
707 LESIZE, 84,,, 3,
708 LESIZE, 86,,, 4,
709 LESIZE, 88,,, 5,
710 LESIZE, 89,,, 2,
711 LESIZE, 91,,, 4,
712 LESIZE, 93,,, 2,
713 LESIZE, 94,,, 5,
714 LESIZE, 96,,, 4,
715 LESIZE, 98,,, 5,
716 LESIZE,100,,, 4,
717 LESIZE,102,,, 2,
718 LESIZE,103,,, 3,

```

```

719 LESIZE,104,,, 2,
720 LESIZE,136,,, 2,
721 LESIZE,137,,, 4,
722 LESIZE,138,,, 5,
723 LESIZE,139,,, 4,
724 LESIZE,140,,, 5,
725 LESIZE,141,,, 2,
726 LESIZE,142,,, 4,
727 LESIZE,143,,, 2,
728 LESIZE,144,,, 5,
729 LESIZE,145,,, 4,
730 LESIZE,146,,, 3,
731 LESIZE,147,,, 2,
732 /COM,          concatenate lines for mapped meshing
733 /COM,          (L's 265,266,267,268,269,270,271,272,273,274)
734 LSEL,S,LINE,, 82, 88,2,
735 LCCAT,ALL,
736 LSEL,S,LINE,, 94, 98,2,
737 LCCAT,ALL,
738 LSEL,S,LINE,,100,102,2,
739 LCCAT,ALL,
740 LSEL,S,LINE,,113,114,1,
741 LCCAT,ALL,
742 LSEL,S,LINE,,116,117,1,
743 LCCAT,ALL,
744 LSEL,S,LINE,,121,122,1,
745 LCCAT,ALL,
746 LSEL,S,LINE,,124,125,1,
747 LCCAT,ALL,
748 LSEL,S,LINE,,136,137,1,
749 LCCAT,ALL,
750 LSEL,S,LINE,,138,140,1,
751 LCCAT,ALL,
752 LSEL,S,LINE,,144,147,1,
753 LCCAT,ALL,
754 LSEL,ALL,
755 /COM,          Mesh areas
756 /COM,          first flux trap plate, then tubes
757 MAT, 1,
758 TYPE,1,
759 AMESH, 27, 43,1,
760 MAT,13,
761 TYPE,1,
762 AMESH, 44, 55,1,
763 MAT, 1,
764 TYPE,1,
765 AMESH, 56, 73,1,
766 MAT,13,
767 TYPE,1,
768 AMESH, 74, 79,1,
769 MAT, 1,
770 TYPE,1,
771 AMESH, 80, 91,1,
772 MAT,14,
773 TYPE,1,
774 AMESH, 92, 94,1,
775 /COM,          Delete concatenated lines
776 /COM,          (L's freed up 265,266,267,268,269,270,271,272,273,274)
777 LDELE,265,274,1,
778 /COM,          *****
779 /COM,          Copy tube mesh and connect top and bottom
780 ARSYM,Y,27,103,1,0,0,0,
781 /COM,          flux trap plate spacers
782 /COM,          (L's 449,450,451,452,453,454,455,456,457,458)
783 /COM,          (A's 181,182,183,184,185)
784 A,186, 73, 93,202,
785 A,201,114,115,200,
786 A,204,131,138,206,
787 A,212,152,153,211,
788 A,210,156,163,215,

```

```

789 /COM,          flux trap plate heluim gaps
790 /COM,          (A's 186,187,188,189,190,191,192,193)
791 A,187, 60, 73,186,
792 A,202, 93,114,201,
793 A,200,115,120,199,
794 A,199,120,131,204,
795 A,206,138,145,208,
796 A,208,145,152,212,
797 A,211,153,156,210,
798 A,215,163,164,214,
799 /COM,          tube/guide heluim gaps (flats)
800 /COM,          (A's 194,195,196,197,198,199,200,201,202,203,204,205)
801 A,109, 22, 41,108,
802 A,108, 41, 42,126,
803 A,137, 43, 45,136,
804 A,142, 45, 46,162,
805 A,160, 47, 49,159,
806 A, 49, 29,167,159,
807 A,244,245, 31, 50,
808 A,244, 50, 52,260,
809 A,254, 53, 54,252,
810 A,248, 54, 56,247,
811 A,256, 57, 58,230,
812 A,230, 58, 38,229,
813 /COM,          tube/guide heluim gaps (corners)
814 /COM,          (A's 206,207,208,209,210,211,212,213,214,215,216,217)
815 /COM,          ( 218)
816 A, 21, 85, 72,
817 A, 21, 22,109,100, 92, 85,
818 A, 24, 25, 43,137,130,126, 42,
819 A,136, 45,142,135,
820 A, 26, 27, 47,160,161,162, 46,
821 A,167, 29, 30,164,165,166,
822 A,164, 30,214,
823 A,214, 30, 31,245,228,213,
824 A, 52, 33, 34, 53,254,255,260,
825 A,250,252, 54,248,
826 A,256,246,247, 56, 35, 36, 57,
827 A,188,189,216,229, 38, 39,
828 A,273,188, 39,
829 /COM,          mesh flux trap plate spacers
830 LSEL,S,LINE,,449,458,1,
831 LESIZE,ALL,,, 4,
832 LSEL,ALL,
833 MAT,1,
834 TYPE,1,
835 AMESH,181,185,1,
836 NUMMRG,NODE,
837 NUMMRG,KP,
838 /COM,          *****
839 /COM,          Create mesh in MPC shell and disposal container
840 /COM,          Tube guides
841 ESIZE,,2,
842 LESIZE,43,,, 6,
843 LESIZE,46,,,14,
844 LESIZE,49,,,14,
845 LESIZE,53,,,14,
846 LESIZE,56,,,14,
847 LESIZE,60,,, 6,
848 LESIZE,61,,, 6,
849 LESIZE,64,,,14,
850 LESIZE,68,,,14,
851 LESIZE,71,,,14,
852 LESIZE,75,,,14,
853 LESIZE,78,,, 6,
854 MAT,1,
855 TYPE,1,
856 AMESH,15,26,1,
857 /COM,          MPC shell
858 /COM,          (L's 489.490)

```

```

859 LESIZE,23,,, 2,
860 LESIZE,25,,,14,
861 LESIZE,26,,, 3,
862 LESIZE,27,,,14,
863 LESIZE,28,,, 3,
864 LESIZE,29,,,14,
865 LESIZE,31,,, 2,
866 LESIZE,32,,, 2,
867 LESIZE,34,,,14,
868 LESIZE,35,,, 3,
869 LESIZE,36,,,14,
870 LESIZE,37,,, 3,
871 LESIZE,38,,,14,
872 LESIZE,40,,, 2,
873 LSEL,S,LINE,,23,31,1,
874 LCCAT,ALL,
875 LSEL,S,LINE,,32,40,1,
876 LCCAT,ALL,
877 LSEL,ALL,
878 LESIZE,17,,,56,
879 LESIZE,18,,,56,
880 LESIZE,22,,, 3,
881 LESIZE,41,,, 3,
882 MAT,1,
883 TYPE,1,
884 AMESH,7,8,1,
885 /COM, Assume vacuum between shell and inner barrier
886 LESIZE,13,,,56,
887 LESIZE,14,,,56,
888 LESIZE,19,,, 2,
889 LESIZE,20,,, 2,
890 /COM, No MAT,7,
891 /COM, No TYPE,1,
892 /COM, No AMESH,5,6,1,
893 /COM, Delete concatenatd lines
894 /COM, (L's freed up 489,490)
895 LDELE,489,490,1,
896 /COM, Inner and outer barrier
897 LSEL,S,LINE,,7,10,1,
898 LESIZE,ALL,,,56,
899 LSEL,ALL,
900 LESIZE, 6,,, 3,
901 LESIZE,15,,, 3,
902 LESIZE,16,,, 3,
903 LESIZE, 5,,, 5,
904 LESIZE,11,,, 5,
905 LESIZE,12,,, 5,
906 MAT,2,
907 TYPE,1,
908 AMESH,3,4,1,
909 MAT,3,
910 TYPE,1,
911 AMESH,1,2,1,
912 /COM, Empty basket spaces
913 ESIZE,0.1,
914 ESHAPE,0,
915 MAT,7,
916 TYPE,1,
917 AMESH,9,14,1,
918 /COM, *****
919 /COM, Define mesh and radiation surface elements
920 /COM, Tube/guides gap
921 LSEL,S,LOC,X,0.0,0.0,
922 LSEL,A,LINE,, 7, 8,1,
923 LSEL,A,LINE,,13,14,1,
924 LSEL,A,LINE,,17,18,1,
925 NSLL,U,0,
926 LSEL,ALL,
927 MAT,1,
928 TYPE,7,

```

```

929 ESURF,
930 NSEL,ALL,
931 /COM,          Basket spaces
932 MAT,1,
933 TYPE,17,
934 LMESH,25,29,2,
935 LMESH,34,38,2,
936 LMESH,80,
937 LMESH,45,
938 LMESH,50,52,2,
939 LMESH,57,59,2,
940 LMESH,62,65,3,
941 LMESH,69,72,3,
942 LMESH,76,79,3,
943 /COM,          MPC shell/inner barrier gap
944 MAT,1,
945 TYPE,27,
946 LMESH,17,18,1,
947 MAT,2,
948 TYPE,27,
949 LMESH,13,14,1,
950 /COM,          *****
951 /COM,          Create mesh in helium spaces
952 ESIZE,,2,
953 ESHAPE,2,
954 MAT,7,
955 TYPE,1,
956 AMESH, 95,103,1,
957 AMESH,172,180,1,
958 AMESH,186,205,1,
959 ESHAPE,0,
960 MAT,7,
961 TYPE,1,
962 AMESH,206,218,1,
963 /COM,          Clear areas and mesh by hand difficult areas
964 ACLEAR,211,
965 E,5879,3453,3952,3952,
966 E, 636,5879,3952,3952,
967 E, 545, 636,3952,3952,
968 E, 551, 545,3952,3952,
969 E, 363, 551,3952,3952,
970 E, 370, 363,3952,3952,
971 E, 371, 370,3952,3952,
972 E, 369, 371,3952,3952,
973 E,5973, 369,3952,3952,
974 E,3782,5973,3952,3952,
975 ACLEAR,217,
976 E,3735,5989,3738,3738,
977 E,5989,1661,3738,3738,
978 E,1661,1663,3738,3738,
979 E,1663,1664,3738,3738,
980 E,1664,1662,3738,3738,
981 E,1662,1979,3738,3738,
982 E,1979,1978,3738,3738,
983 E,1978,2148,3738,3738,
984 E,2148,5951,3738,3738,
985 E,5951,3666,3738,3738,
986 FINISH
987 /COM,          *****
988 /COM,          Create element mesh plots to illustrate model
989 /COM,          View mesh for entire model
990 /RESET
991 /TRIAD,OFF,
992 /NUM, 1,
993 /PNUM,MAT, 1,
994 /TYPE,HIDP,
995 /GLINE,,0,
996 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
997 /TITLE, 12 PWR MPC/Waste Package - 1/2 FEM Model
998 /SHOW,meshfull,grph,1,8,

```

```

999  EPlot
1000 ESEL,U,MAT,, 7,
1001 /SHOW,meshgap,grph,1,8,
1002 EPlot
1003 /COM,          View mesh for radiation substructure
1004 /PNUM,MAT, 0,
1005 /PNUM,TYPE, 1,
1006 ESEL,S,TYPE,, 7,
1007 ESEL,A,TYPE,,17,
1008 ESEL,A,TYPE,,27,
1009 /TITLE, 12 PWR MPC/Waste Package - Radiation Matrix
1010 /SHOW,meshrad,grph,1,8,
1011 EPlot
1012 ESEL,ALL,
1013 /TITLE, 12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF
1014 /COM,          *****
1015 /COM,          Generate super-elements
1016 /AUX12,
1017 ESEL,S,TYPE,,7,
1018 NSLE,S,
1019 STEF,5.67E-8,
1020 GEOM,1,0,
1021 VTYPE,0,800,
1022 WRITE,tubegap,
1023 ESEL,S,TYPE,,17,
1024 NSLE,S,
1025 STEF,5.67E-8,
1026 GEOM,1,0,
1027 VTYPE,0,800,
1028 WRITE,spaces,
1029 ESEL,S,TYPE,,27,
1030 NSLE,S,
1031 STEF,5.67E-8,
1032 GEOM,1,0,
1033 VTYPE,0,800,
1034 WRITE,shellgap,
1035 ESEL,ALL,
1036 NSEL,ALL,
1037 FINISH
1038 /PREP7,
1039 TYPE,18,
1040 SE,tubegap,
1041 SE,spaces,
1042 SE,shellgap,
1043 /COM,          Delete radiation edge elements
1044 ESEL,S,TYPE,,7,
1045 EDELE,ALL,
1046 ESEL,ALL,
1047 LSEL,S,TYPE,,17,
1048 LSEL,A,TYPE,,27,
1049 LCLEAR,ALL,
1050 LSEL,ALL,
1051 FINISH
1052 /COM,          *****
1053 /COM,          Set solution parameters and apply B.C.'s
1054 /COM,
1055 /COM,          Solve steady-state for initial conditions
1056 /COM,          with WP surface equal to drift ambient
1057 /COM,          temperature from repository model.
1058 /SOLU
1059 ANTYPE,TRAN,NEW,
1060 NROPT,AUTO,
1061 TRNOPT,FULL,
1062 TOFFST,273.15,
1063 LSEL,S,LINE,,7,
1064 LSEL,A,LINE,,8,
1065 NSLL,S,1,
1066 D,ALL,TEMP,DFAMBT,
1067 LSEL,ALL,
1068 NSEL,ALL,

```



```

1069 ASEL,S,MAT,,14,
1070 ESLA,S,
1071 BFE,ALL,HGEN,,(FUEL(TM_START)),
1072 ASEL,ALL,
1073 ESEL,ALL,
1074 TIMINT,OFF,
1075 TIME,1e-6,
1076 AUTOTS,ON,
1077 KBC,0,
1078 SOLVE
1079 /COM,          Solve steady-state for initial conditions
1080 /COM,          with WP surface temperatures from repository
1081 /COM,          steady-state solution.
1082 LSEL,S,LINE,,7,
1083 LSEL,A,LINE,,8,
1084 NSLL,S,1,
1085 DDELE,ALL,TEMP,
1086 LSEL,ALL,
1087 NSEL,ALL,
1088 DK,11,TEMP,(WPTOP(TM_START)),,1,
1089 DK,10,TEMP,(WPSID(TM_START)),,1,
1090 DK, 9,TEMP,(WPBOT(TM_START)),,1,
1091 ASEL,S,MAT,,14,
1092 ESLA,S,
1093 BFE,ALL,HGEN,,(FUEL(TM_START)),
1094 ASEL,ALL,
1095 ESEL,ALL,
1096 TIMINT,OFF,
1097 TIME,2e-6,
1098 AUTOTS,ON,
1099 KBC,0,
1100 SOLVE
1101 /COM,          *****
1102 /COM,          Set time integration parameters
1103 TIMINT,ON,
1104 AUTOTS,ON,
1105 /COM,          Time substep ranges from 10 sec to 1/4 loadstep
1106 NSUBST,10,40,4,ON
1107 /COM,          Begin Transient
1108 /COM,          Apply loads and solve for 0 to .9 years
1109 *DO,TM,TM_START,TME0,TM10
1110     TIME,TM,
1111     ASEL,S,MAT,,14,
1112     ESLA,S,
1113     BFE,ALL,HGEN,,(FUEL(TM)),
1114     ASEL,ALL
1115     ESEL,ALL
1116     DK,11,TEMP,(WPTOP(TM)),,1,
1117     DK,10,TEMP,(WPSID(TM)),,1,
1118     DK, 9,TEMP,(WPBOT(TM)),,1,
1119     SOLVE
1120 *ENDDO
1121 /COM,          Apply loads and solve for 1 to 9 years
1122 *DO,TM,TME1,TME9,TM11
1123     TIME,TM,
1124     ASEL,S,MAT,,14,
1125     ESLA,S,
1126     BFE,ALL,HGEN,,(FUEL(TM)),
1127     ASEL,ALL
1128     ESEL,ALL
1129     DK,11,TEMP,(WPTOP(TM)),,1,
1130     DK,10,TEMP,(WPSID(TM)),,1,
1131     DK, 9,TEMP,(WPBOT(TM)),,1,
1132     SOLVE
1133 *ENDDO
1134 /COM,          Apply loads and solve for 10 to 90 years
1135 *DO,TM,TME10,TME90,TM110
1136     TIME,TM,
1137     ASEL,S,MAT,,14,
1138     ESLA,S,

```

```

1139      BFE,ALL,HGEN,,(FUEL(TM)),
1140      ASEL,ALL
1141      ESEL,ALL
1142      DK,11,TEMP,(WPTOP(TM)),,1,
1143      DK,10,TEMP,(WPSID(TM)),,1,
1144      DK, 9,TEMP,(WPBOT(TM)),,1,
1145      SOLVE
1146 *ENDDO
1147 /COM,          Apply loads and solve for 100 to 1000 years
1148 *DO,TM,TME100,TME1000,TMI100
1149      TIME,TM,
1150      ASEL,S,MAT,,14,
1151      ESLA,S,
1152      BFE,ALL,HGEN,,(FUEL(TM)),
1153      ASEL,ALL
1154      ESEL,ALL
1155      DK,11,TEMP,(WPTOP(TM)),,1,
1156      DK,10,TEMP,(WPSID(TM)),,1,
1157      DK, 9,TEMP,(WPBOT(TM)),,1,
1158      SOLVE
1159 *ENDDO
1160 FINISH
1161 SAVE,
1162 /COM,          *****
1163 /COM,          Create element contour plots of solution results
1164 /COM,
1165 /COM,          Sort through solution results for time of max temp.
1166 /POST26,
1167 NSOL,2,(NODE(ACX1,(0.0-ACY1),0.0)),TEMP,,peakclad,
1168 STORE,NEW,
1169 *GET,TMTMAX,VARI,2,EXTREM,TMAX,
1170 FINISH
1171 /POST1,
1172 /COM,          Create temperature contour plots of WP at peak
1173 /RESET
1174 /TRIAD,OFF,
1175 /NUM, 1,
1176 /PNUM,MAT, 1,
1177 /TYPE,HIDP,
1178 /GLINE,,-1,
1179 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1180 ESEL,U,MAT,,7,
1181 SET,NEAR,,,,TMTMAX,
1182 /TITLE, 12 PWR MPC/WP at Time of Peak Temp. (%TMTMAX/3.15576E7% years)
1183 /SHOW,solupk,grph,0,8,
1184 /CONTOUR,1,128,AUTO,
1185 PLNSOL,TEMP,
1186 /COM,          Create temperature contour plots at 10, 50, and 100 yrs
1187 SET,NEAR,,,,TME10,
1188 /TITLE, 12 PWR MPC/WP at 10 years
1189 /SHOW,solu10,grph,0,8,
1190 /CONTOUR,1,128,USER,
1191 PLNSOL,TEMP,
1192 SET,NEAR,,,,TME50,
1193 /TITLE, 12 PWR MPC/WP at 50 years
1194 /SHOW,solu50,grph,0,8,
1195 /CONTOUR,1,128,USER,
1196 PLNSOL,TEMP,
1197 SET,NEAR,,,,TME100,
1198 /TITLE, 12 PWR MPC/WP at 100 years
1199 /SHOW,solu100,grph,0,8,
1200 /CONTOUR,1,128,USER,
1201 PLNSOL,TEMP,
1202 ESEL,ALL,
1203 FINISH
1204 /COM,          *****
1205 /COM,          Print time/temperature output at specific locations
1206 /COM,          Save profile from center to edge
1207 /COM,
1208 /COM,          Variable Legend: A01i000

```

```

1209 /COM,          x = center of waste package
1210 /COM,          f = flux trap plate stainless layer
1211 /COM,          w = flux trap plate SS sheath
1212 /COM,          c = center of assembly
1213 /COM,          h = halfway between center and tube
1214 /COM,          s = inside structural stainless tube layer
1215 /COM,          a = aluminum-born tube layer
1216 /COM,          t = stainless tube cladding
1217 /COM,          g = tube guide
1218 /COM,          m = mpc shell
1219 /COM,          i = inner barrier of DC
1220 /COM,          o = outer barrier of DC
1221 /COM,          ## = ID number of assembly (01 is center)
1222 /COM,          i = side of assembly toward center of WP
1223 /COM,          o = side of assembly toward edge of WP
1224 /COM,          000 = profile center down
1225 /COM,          045 = profile 45 deg down
1226 /COM,          090 = profile center side
1227 /COM,          135 = profile 45 deg up
1228 /COM,          180 = profile center up
1229 /POST26,
1230 NUMVAR,30,
1231 /COM,
1232 /COM, *****
1233 /COM, * Temperature Profile from center to lower right (45 deg.) *
1234 /COM, *****
1235 NSOL, 2,(NODE(      0.0,      0.0,0.0)),TEMP,,x04i045,
1236 NSOL, 3,(NODE(      (0.5*FSPAC),      (-.5*FSPAC),0.0)),TEMP,,f04i045,
1237 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(-.5*FSPAC-FWALL),0.0)),TEMP,,f04o045,
1238 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(-.5*FSPAC-BCELL),0.0)),TEMP,,w04i045,
1239 NSOL, 6,(NODE(      (ACX1-SCELL),      (SCELL-ACY1),0.0)),TEMP,,w04o045,
1240 NSOL, 7,(NODE(      (ACX1-HCELL),      (HCELL-ACY1),0.0)),TEMP,,s04i045,
1241 NSOL, 8,(NODE(      (ACX1-QCELL),      (QCELL-ACY1),0.0)),TEMP,,h04i045,
1242 NSOL, 9,(NODE(      ACX1,      (0.0-ACY1),0.0)),TEMP,,c04i045,
1243 NSOL,10,(NODE(      (ACX1+QCELL),      (0.0-ACY1-QCELL),0.0)),TEMP,,h04o045,
1244 NSOL,11,(NODE(      (ACX1+HCELL),      (0.0-ACY1-HCELL),0.0)),TEMP,,s04o045,
1245 NSOL,12,(NODE(      (ACX1+SCELL),      (0.0-ACY1-SCELL),0.0)),TEMP,,a04o045,
1246 NSOL,13,(NODE(      (ACX1+ACELL),      (0.0-ACY1-ACELL),0.0)),TEMP,,t04i045,
1247 NSOL,14,(NODE(      (ACX1+TCELL),      (0.0-ACY1-TCELL),0.0)),TEMP,,t04o045,
1248 NSOL,15,(NODE(      (GX25-GWALL),      (GWALL-GX25),0.0)),TEMP,,g04i045,
1249 NSOL,16,(NODE(      GX25,      (0.0-GX25),0.0)),TEMP,,g04o045,
1250 NSOL,17,(NODE(      MI45,      (0.0-MI45),0.0)),TEMP,,m04i045,
1251 NSOL,18,(NODE(      MO45,      (0.0-MO45),0.0)),TEMP,,m04o045,
1252 NSOL,19,(NODE(      DI45,      (0.0-DI45),0.0)),TEMP,,i04i045,
1253 NSOL,20,(NODE(      DM45,      (0.0-DM45),0.0)),TEMP,,i04o045,
1254 NSOL,21,(NODE(      DO45,      (0.0-DO45),0.0)),TEMP,,o04o045,
1255 /COM,          Add centers of assemblies 5 and 6
1256 NSOL,22,(NODE(      ACX2,      (0.0-ACY1),0.0)),TEMP,,c05i045,
1257 NSOL,23,(NODE(      ACX1,      (0.0-ACY3),0.0)),TEMP,,c06i045,
1258 PRVAR, 2, 3, 4, 5, 6, 7,
1259 PRVAR, 8, 9,10,11,12,13,
1260 PRVAR,14,15,16,17,18,19,
1261 PRVAR,20,21,22,23,
1262 /COM,
1263 /COM, *****
1264 /COM, * Temperature Profile from center to upper right (135 deg.) *
1265 /COM, *****
1266 NSOL, 2,(NODE(      0.0,      0.0,0.0)),TEMP,,x01i135,
1267 NSOL, 3,(NODE(      (0.5*FSPAC),      (0.5*FSPAC),0.0)),TEMP,,f01i135,
1268 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(0.5*FSPAC+FWALL),0.0)),TEMP,,f01o135,
1269 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(0.5*FSPAC+BCELL),0.0)),TEMP,,w01i135,
1270 NSOL, 6,(NODE(      (ACX1-SCELL),      (ACY1-SCELL),0.0)),TEMP,,w01o135,
1271 NSOL, 7,(NODE(      (ACX1-HCELL),      (ACY1-HCELL),0.0)),TEMP,,s01i135,
1272 NSOL, 8,(NODE(      (ACX1-QCELL),      (ACY1-QCELL),0.0)),TEMP,,h01i135,
1273 NSOL, 9,(NODE(      ACX1,      ACY1,0.0)),TEMP,,c01i135,
1274 NSOL,10,(NODE(      (ACX1+QCELL),      (ACY1+QCELL),0.0)),TEMP,,h01o135,
1275 NSOL,11,(NODE(      (ACX1+HCELL),      (ACY1+HCELL),0.0)),TEMP,,s01o135,
1276 NSOL,12,(NODE(      (ACX1+SCELL),      (ACY1+SCELL),0.0)),TEMP,,a01o135,
1277 NSOL,13,(NODE(      (ACX1+ACELL),      (ACY1+ACELL),0.0)),TEMP,,t01i135,
1278 NSOL,14,(NODE(      (ACX1+TCELL),      (ACY1+TCELL),0.0)),TEMP,,t01o135,

```

```

1279 NSOL,15,(NODE(      (GX25-GWALL),      (GX25-GWALL),0.0)),TEMP,,g01i135,
1280 NSOL,16,(NODE(      GX25,      GX25,0.0)),TEMP,,g01o135,
1281 NSOL,17,(NODE(      MI45,      MI45,0.0)),TEMP,,m01i135,
1282 NSOL,18,(NODE(      MO45,      MO45,0.0)),TEMP,,m01o135,
1283 NSOL,19,(NODE(      DI45,      DI45,0.0)),TEMP,,i01i135,
1284 NSOL,20,(NODE(      DM45,      DM45,0.0)),TEMP,,i01o135,
1285 NSOL,21,(NODE(      DO45,      DO45,0.0)),TEMP,,o01o135,
1286 /COM,      Add centers of assemblies 2 and 3
1287 NSOL,22,(NODE(      ACX2,      ACY2,0.0)),TEMP,,c02i135,
1288 NSOL,23,(NODE(      ACX3,      ACY3,0.0)),TEMP,,c03i135,
1289 PRVAR, 2, 3, 4, 5, 6, 7,
1290 PRVAR, 8, 9,10,11,12,13,
1291 PRVAR,14,15,16,17,18,19,
1292 PRVAR,20,21,22,23,
1293 /COM,
1294 FINISH
1295 /COM, *****
1296 /COM,      End of batch input file
1297 /COM, *****
1298 /EXIT,
1299 /EOF

```

RUN SETUP PROCEDURE FROM FILE= /ansys50a/docu/start.ans

```

/INPUT FILE= /ansys50a/docu/start.ans LINE=      0
*****
ANSYS STARTUP FILE start.ans
*****

```

```

ABBREVIATION= K1      /pnum,kp ,1,
ABBREVIATION= K0      /pnum,kp ,0,
ABBREVIATION= L1      /pnum,line,1,
ABBREVIATION= L0      /pnum,line,0,
ABBREVIATION= A1      /pnum,area,1,
ABBREVIATION= A0      /pnum,area,0,
ABBREVIATION= V1      /pnum,volu,1,
ABBREVIATION= V0      /pnum,volu,0,
ABBREVIATION= N1      /pnum,node,1,
ABBREVIATION= N0      /pnum,node,0,
ABBREVIATION= E1      /pnum,elem,1,
ABBREVIATION= E0      /pnum,elem,0,
ABBREVIATION= M1      /pnum,mat ,1,
ABBREVIATION= M0      /pnum,mat ,0,
ABBREVIATION= R1      /pnum,real,1,
ABBREVIATION= R0      /pnum,real,0,
ABBREVIATION= T1      /pnum,type,1,
ABBREVIATION= T0      /pnum,type,0,
ABBREVIATION= C1      /number,1,
ABBREVIATION= C0      /number,0,
ABBREVIATION= INP     /input,,inp,

```

```

ABBREVIATION= X3D      /show,3d,
ABBREVIATION= X11      /show,x11,
ABBREVIATION= VEC      /show,,,1,
ABBREVIATION= RAS      /show,,,0,
ABBREVIATION= ON       /menu,on,
ABBREVIATION= OFF      /menu,off,
ABBREVIATION= NVP      /config,nvpag,512,
ABBREVIATION= QUIT     /exit,nosav,
XYZ TRIAD DISPLAY SET TO OFF

```

VIEW CONE ANGLE FOR WINDOW 1 25.00

```

*****
END start.ans
*****

```

To start ANSYS menu:

```

type:  x3d  for console
       x11  for X-term

```

type: on

```

*****
*****
ANSYS REVISION  5.0A                      3/24/1995
2-D Model of 75 ton burnup credit MPC-DC    R.Bahney III
*****
*
* File name: ma12b3.inp                      *
*   12 PWR MPC with High T.L. Disposal Container *
*   Helium Fill Gas                          *
*
* Material Property file: props01.dat        *
*
* SNF Conductivity file:  pwr15e.parm        *
*   15x15 Mark-B4 PWR SNF Assembly          *
*
* SNF Heat Loads file:   snf1048.dat         *
*   SNF Type: 10 years old, 48 GWD/MTU      *
*
* Surface Temp. file:    c12b5a.parm        *
*   83 MTU/acre (20.5 kgU/m^2) AML (High Thermal Loading) *
*   5.0 m Diameter Drift with Concrete Invert *
*   Drift spacing = 22.5 m                  *
*   WP c/c spacing = 11.129 m              *
*
*****

```

Increase the number of database pages from 16 (256) to 32 Mb

NUMBER OF DATA BASE PAGES IN MEMORY(NVPAGE)= 512

Work space must also be increased (-m 64)

TITLE=

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

SI UNITS SPECIFIED

```

LENGTH      = METERS(M)
MASS         = KILOGRAMS(KG)
TIME         = SECONDS(SEC)
TEMPERATURE  = CENTIGRADE

```

CURRENT = AMPS

Read in average effective conductivities from SNF model

*** NOTE *** CP= .600 TIME= 10:19:15
Restore ANSYS parameters from file= pwr15e.parm.

/INPUT FILE= pwr15e.parm LINE= 0

PRINTOUT RESUMED BY /GOP
Read in surface temps. from repository model

*** NOTE *** CP= .770 TIME= 10:19:15
Restore ANSYS parameters from file= c12b5a.parm.

/INPUT FILE= c12b5a.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Define MPC/waste package parameters
(MPC dimensions converted from inches to meters)

MIRAD = inner radius of MPC shell (m)
MWALL = MPC shell thickness (m)
DCRAD = disposal container outer radius (m)
OWALL = outer barrier thickness (m)
IWALL = inner barrier thickness (m)
GCORN = corner guide width (m)
GLENW = side guide total width (m)
GLENH = side guide total height (m)
GWALL = guide thickness (m)
HCELL = 1/2 of basket cell opening (m)
SWALL = stainless tube thickness (m)
AWALL = Al/boron tube thickness (m)
FLENT = flux trap plate length (m)
FWALL = flux trap plate stainless thickness (m)
BWALL = flux trap plate Al/boron thickness (m)
TWALL = flux trap plate SS sheath thickness (m)
FSPAC = flux trap plate spacer width (m)
TSPAC = tube/tube spacer width (m)
ACTVL = active fuel length
PEAKF = assembly heat axial peaking factor

PARAMETER PI = 3.141593
PARAMETER MIRAD = .6079490
PARAMETER MWALL = .2222500E-01
PARAMETER DCRAD = .7652500
PARAMETER OWALL = .1000000
PARAMETER IWALL = .2000000E-01
PARAMETER GCORN = .2561844
PARAMETER GLENW = .2142236
PARAMETER GLENH = .6339840E-01
PARAMETER GWALL = .9525000E-02
PARAMETER HCELL = .1143000
PARAMETER SWALL = .2387600E-02
PARAMETER AWALL = .2717800E-02
PARAMETER FLENT = .5883656

```

PARAMETER FWALL      =      .1270000E-01
PARAMETER BWALL      =      .6350000E-02
PARAMETER TWALL      =      .2387600E-02
PARAMETER FSPAC      =      .2540000E-01
PARAMETER TSPAC      =      .2504440E-01
PARAMETER ACTVL      =      3.601720
PARAMETER PEAKF      =      1.250000
    Define calculated parameters
    ASSY = assembly heat production (W) f(yrs)
    FUEL = volumetric heat production (W/m3) f(yrs)
    FVOLUME = assy_volume=cell_width^2*active_length
    Q2 = side guide x coord. (see sketch)
    GX## = x coord. of guide/shell contact (kp##)
    GY## = y coord. of guide/shell contact (kp##)
    ACX# = x coord. of center of assembly #
    ACY# = y coord. of center of assembly #
    TM_START = start time (sec)
    TMI* = time increment for solution (sec)
    TME* = start and stop for time do-loops (sec)
    Note: 1 year = 3.15576e7 seconds
    QCELL = 1/4 of basket cell opening (m)
    SCELL = 1/2 of basket cell opening+SS wall(m)
    ACELL = 1/2 of basket cell opening+SS+AL (m)
    MI45 = x coord. MIRAD at 45 deg.
    MO45 = x coord. MIRAD+MWALL at 45 deg.
    DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
    DM45 = x coord. DCRAD-OWALL at 45 deg.
    DO45 = x coord. DCRAD at 45 deg.
    TMTMAX = time of maximum cladding temperature

```

ARRAY PARAMETER ASSY DELETED.

SET PARAMETER DIMENSIONS ON ASSY TYPE=TABL DIMENSIONS= 101 1 1

SET PARAMETER DIMENSIONS ON FUEL TYPE=TABL DIMENSIONS= 101 1 1

```

PARAMETER FVOLUME    =      .1882185
PARAMETER Q2         =      .5002134E-01
PARAMETER GX22       =      .4049634E-01
PARAMETER GY22       =      .6065987
PARAMETER GX23       =      .5002134E-01
PARAMETER GY23       =      .6058877
PARAMETER GX24       =      .2547199
PARAMETER GY24       =      .5520143
PARAMETER GTMP       =      .2466594
PARAMETER GX25       =      .2884843
PARAMETER GY25       =      .5351437
PARAMETER ACX1       =      .1508252
PARAMETER ACY1       =      .1508252

```

PARAMETER ACX2 = .4194556
 PARAMETER ACY2 = .1508252
 PARAMETER ACX3 = .1508252
 PARAMETER ACY3 = .4194556
 PARAMETER TM_START = 31.55760
 PARAMETER TMI0 = 3155760.
 PARAMETER TMI1 = .3155760E+08
 PARAMETER TMI10 = .3155760E+09
 PARAMETER TMI100 = .3155760E+10
 PARAMETER TMI1000 = .3155760E+11
 PARAMETER TME0 = .2840187E+08
 PARAMETER TME1 = .3155763E+08
 PARAMETER TME9 = .2840184E+09
 PARAMETER TME10 = .3155760E+09
 PARAMETER TME50 = .1577880E+10
 PARAMETER TME90 = .2840184E+10
 PARAMETER TME100 = .3155760E+10
 PARAMETER TME1000 = .3155760E+11
 PARAMETER BCELL = .1905000E-01
 PARAMETER QCELL = .5715000E-01
 PARAMETER SCELL = .1166876
 PARAMETER ACELL = .1194054
 PARAMETER TCELL = .1217930
 PARAMETER MI45 = .4298849
 PARAMETER MO45 = .4456003
 PARAMETER DI45 = .4562607
 PARAMETER DM45 = .4704028
 PARAMETER DO45 = .5411135

Define different element types

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:19:16 MAR 26, 1995 CP= 1.530
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE 1 IS PLANE55 2-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
TWO-DIMENSIONAL MODEL

ELEMENT TYPE 2 IS SOLID70 3-D THERMAL SOLID
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 7 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 16 IS SHELL57 THERMAL SHELL
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 17 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 18 IS MATRIX50 SUBSTRUCTURE MATRIX
KEYOPT(1-12)= 1 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 19 IS LINK31 RADIATION LINK
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 27 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

File props01.dat describes material properties
and thier reference numbers

READ IN MATERIAL PROPERTY LIBRARY FROM FILE= props01.dat

/INPUT FILE= props01.dat LINE= 0

** ANSYS 5.0 MPC MATERIAL PROPERTY TABLES **

** Filename: props01.dat **
** Compiled by R. Bahney III on 1-30-95 **

NUMBER	MATERIAL	DESCRIPTION
1	Stainless Steel 316	Basket Structural Support
2	Incaloy 825	Inner Container (resistant)
3	A516 Mild Steel	Outer Container (allowance)
4	UO2 Pellet	SNF Uranium Oxide Pellet
5	Zircaloy 4	SNF Cladding
6	Oxidation Layer	Stably Oxidized Zircaloy Surface
7	Helium	Canister Fill Gas
8	Air	Alternate Fill Gas
9	Nitrogen	Alternate Fill Gas
10	Argon	Alternate Fill Gas

11	Aluminum 6063	Thermal Conductor
12	Copper	Alternate Thermal Conductor
13	Aluminum-Boron	Aluminum Boron Criticality Matl

```

*****
**      Density:      DENS      (kg/m^3)      **
**      Emissivity    EMIS      **
**      Conductivity: KXX      (W/m/K)      **
**      Specific Heat: C      (J/kg/K)      **
*****

```

Define densities for all materials except gases

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 1 NUM. POINTS= 1
SLOC= 1 8000.000

PROPERTY TABLE DENS MAT= 2 NUM. POINTS= 1
SLOC= 1 8137.900

PROPERTY TABLE DENS MAT= 3 NUM. POINTS= 1
SLOC= 1 8131.000

PROPERTY TABLE DENS MAT= 4 NUM. POINTS= 1
SLOC= 1 10970.00

PROPERTY TABLE DENS MAT= 5 NUM. POINTS= 1
SLOC= 1 6500.000

PROPERTY TABLE DENS MAT= 6 NUM. POINTS= 1
SLOC= 1 6500.000

PROPERTY TABLE DENS MAT= 11 NUM. POINTS= 1
SLOC= 1 2690.000

PROPERTY TABLE DENS MAT= 12 NUM. POINTS= 1
SLOC= 1 8933.000

PROPERTY TABLE DENS MAT= 13 NUM. POINTS= 1
SLOC= 1 2693.000

Define emissivities for all materials except gases

PROPERTY TABLE EMIS MAT= 1 NUM. POINTS= 1
SLOC= 1 .6000000

PROPERTY TABLE EMIS MAT= 2 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 3 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 4 NUM. POINTS= 1
SLOC= 1 .7900000

PROPERTY TABLE EMIS MAT= 5 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 6 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 11 NUM. POINTS= 1
SLOC= 1 .7000000E-01

PROPERTY TABLE EMIS MAT= 12 NUM. POINTS= 1
SLOC= 1 .5000000

PROPERTY TABLE EMIS MAT= 13 NUM. POINTS= 1
SLOC= 1 .7000000E-01

Define specific heat for matl. 4, 5, 6, 7, 11, 14, 15

PROPERTY TABLE C MAT= 4 NUM. POINTS= 1
SLOC= 1 247.0000

PROPERTY TABLE C MAT= 5 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 6 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 7 NUM. POINTS= 1
SLOC= 1 5193.000

PROPERTY TABLE C MAT= 11 NUM. POINTS= 1
SLOC= 1 900.0000

Define K and C for materials 1, 3

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 21.11000 37.78000 65.56000
93.33000 121.1100 148.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 176.6700 204.4400 232.2200
260.0000 287.7800 315.5600

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
SLOC= 13 343.3300 371.1100 398.8900
426.6700 454.4400 482.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
SLOC= 19 510.0000 537.7800 565.5600
593.3300 621.1100 648.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
SLOC= 25 676.6700 704.4400 732.2200
760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 6
SLOC= 1 13.33000 13.67000 14.19000 14.54000
15.06000 15.58000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 12
SLOC= 7 15.92000 16.44000 16.96000 17.31000
17.83000 18.17000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 18
SLOC= 13 18.52000 19.04000 19.38000 19.90000
20.25000 20.77000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 24
SLOC= 19 21.11000 21.46000 21.98000 22.33000
22.67000 23.02000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 30
SLOC= 25 23.54000 23.88000 24.23000 24.58000
24.92000 25.27000

PROPERTY TABLE C MAT= 1 NUM. POINTS= 6
SLOC= 1 481.6800 486.9200 498.0900 499.3800
509.9800 520.2900

PROPERTY TABLE C MAT= 1 NUM. POINTS= 12

SLOC= 7	521.0700	527.3800	536.9200	537.3400
	543.0200	543.3100		

PROPERTY TABLE C MAT= 1 NUM. POINTS= 18				
SLOC= 13	546.9100	552.1400	552.2600	557.2200
	557.2500	565.1100		

PROPERTY TABLE C MAT= 1 NUM. POINTS= 24				
SLOC= 19	565.0100	564.9100	572.3500	572.1400
	574.9200	574.6800		

PROPERTY TABLE C MAT= 1 NUM. POINTS= 30				
SLOC= 25	581.6400	581.3000	583.8600	586.3600
	585.9600	588.3900		

PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 6				
SLOC= 1	40.84000	41.36000	41.88000	42.23000
	42.23000	42.23000		

PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 12				
SLOC= 7	42.06000	41.88000	41.36000	41.02000
	40.50000	39.98000		

PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 18				
SLOC= 13	39.29000	38.77000	38.08000	37.56000
	36.69000	36.17000		

PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 24				
SLOC= 19	35.48000	34.61000	33.92000	33.23000
	32.36000	31.50000		

PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 30				
SLOC= 25	30.29000	28.90000	27.35000	26.48000
	26.13000	26.13000		

PROPERTY TABLE C MAT= 3 NUM. POINTS= 6				
SLOC= 1	428.7200	444.9500	460.9400	476.8700
	486.0800	495.6600		

PROPERTY TABLE C MAT= 3 NUM. POINTS= 12				
SLOC= 7	506.0900	517.0700	525.6400	536.9900
	543.6300	550.6200		

PROPERTY TABLE C MAT= 3 NUM. POINTS= 18				
SLOC= 13	562.2100	577.3200	589.1000	600.5700
	611.3500	629.0900		

PROPERTY TABLE C MAT= 3 NUM. POINTS= 24				
SLOC= 19	645.3200	665.1200	682.0700	694.5200
	724.0700	761.9500		

PROPERTY TABLE C MAT= 3 NUM. POINTS= 30				
SLOC= 25	806.3100	888.6000	1095.040	1638.780
	808.6800	736.9000		

Define K for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***				
SLOC= 1	93.33000	121.1100	148.8900	
	176.6700	204.4400	232.2200	

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***				
SLOC= 7	260.0000	287.7800	315.5600	
	343.3300	371.1100	398.8900	

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***				
SLOC= 13	426.6700	454.4400	482.2200	
	510.0000	537.7800	565.5600	

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
 SLOC= 19 593.3300 621.1100 648.8900
 676.6700 704.4400 732.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 27 ***
 SLOC= 25 760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 6
 SLOC= 1 12.29000 12.63000 13.15000 13.67000
 14.02000 14.54000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 12
 SLOC= 7 14.88000 15.40000 15.75000 16.10000
 16.61000 16.96000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 18
 SLOC= 13 17.31000 17.65000 18.00000 18.52000
 18.86000 19.21000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 24
 SLOC= 19 19.73000 20.08000 20.42000 20.94000
 21.46000 21.98000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 27
 SLOC= 25 22.33000 23.02000 23.54000

Define C for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 93.33000 121.1100 148.8900
 176.6700 204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 260.0000 287.7800 315.5600
 343.3300 371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 17 ***
 SLOC= 13 426.6700 454.4400 482.2200
 510.0000 537.7800

PROPERTY TABLE C MAT= 2 NUM. POINTS= 6
 SLOC= 1 460.6900 477.4200 501.0200 504.6500
 498.1200 520.4500

PROPERTY TABLE C MAT= 2 NUM. POINTS= 12
 SLOC= 7 536.8800 559.8500 576.8300 576.2100
 581.6800 598.2000

PROPERTY TABLE C MAT= 2 NUM. POINTS= 17
 SLOC= 13 619.5800 636.7600 654.2000 678.2500
 696.2900

Define K for materials 4, 5, 6

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 .0000000E+00 10.00000 20.00000
 30.00000 40.00000 50.00000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 60.00000 70.00000 80.00000
 90.00000 100.0000 110.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
 SLOC= 13 120.0000 130.0000 140.0000

	150.0000	160.0000	170.0000	
*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***				
SLOC= 19	180.0000	190.0000	200.0000	
	210.0000	220.0000	230.0000	
*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***				
SLOC= 25	240.0000	250.0000	260.0000	
	270.0000	280.0000	290.0000	
*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 36 ***				
SLOC= 31	300.0000	310.0000	320.0000	
	330.0000	340.0000	350.0000	
*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 42 ***				
SLOC= 37	360.0000	370.0000	380.0000	
	390.0000	400.0000	410.0000	
*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 48 ***				
SLOC= 43	420.0000	430.0000	440.0000	
	450.0000	460.0000	470.0000	
*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 50 ***				
SLOC= 48	480.0000	490.0000	500.0000	
PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 6				
SLOC= 1	8.720000	8.540000	8.360000	8.190000
	8.030000	7.870000		
PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 12				
SLOC= 7	7.720000	7.580000	7.440000	7.310000
	7.180000	7.050000		
PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 18				
SLOC= 13	6.930000	6.820000	6.700000	6.600000
	6.490000	6.390000		
PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 24				
SLOC= 19	6.290000	6.190000	6.100000	6.010000
	5.920000	5.840000		
PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 30				
SLOC= 25	5.760000	5.680000	5.600000	5.520000
	5.450000	5.380000		
PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 36				
SLOC= 31	5.310000	5.240000	5.180000	5.110000
	5.050000	4.990000		
PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 42				
SLOC= 37	4.930000	4.870000	4.810000	4.760000
	4.700000	4.650000		
PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 48				
SLOC= 43	4.600000	4.550000	4.500000	4.450000
	4.400000	4.350000		
PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 50				
SLOC= 48	4.310000	4.270000	4.220000	
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 6				
SLOC= 1	12.29000	12.44000	12.58000	12.72000
	12.87000	13.01000		
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 12				
SLOC= 7	13.15000	13.28000	13.42000	13.55000
	13.69000	13.82000		
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 18				

SLOC= 13	13.95000	14.08000	14.21000	14.34000
	14.46000	14.59000		

PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 24		
SLOC= 19	14.72000	14.84000	14.96000	15.09000
	15.21000	15.33000		

PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 30		
SLOC= 25	15.45000	15.57000	15.69000	15.81000
	15.93000	16.05000		

PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 36		
SLOC= 31	16.17000	16.29000	16.40000	16.52000
	16.64000	16.76000		

PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 42		
SLOC= 37	16.88000	16.99000	17.11000	17.23000
	17.35000	17.46000		

PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 48		
SLOC= 43	17.58000	17.70000	17.82000	17.94000
	18.06000	18.18000		

PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 50		
SLOC= 48	18.30000	18.42000	18.54000	

PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 6		
SLOC= 1	1.940000	1.940000	1.940000	1.940000
	1.940000	1.940000		

PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 12		
SLOC= 7	1.940000	1.950000	1.950000	1.950000
	1.950000	1.950000		

PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 18		
SLOC= 13	1.950000	1.950000	1.960000	1.960000
	1.960000	1.960000		

PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 24		
SLOC= 19	1.960000	1.970000	1.970000	1.970000
	1.970000	1.980000		

PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 30		
SLOC= 25	1.980000	1.980000	1.980000	1.990000
	1.990000	1.990000		

PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 36		
SLOC= 31	2.000000	2.000000	2.000000	2.010000
	2.010000	2.010000		

PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 42		
SLOC= 37	2.020000	2.020000	2.020000	2.030000
	2.030000	2.030000		

PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 48		
SLOC= 43	2.040000	2.040000	2.040000	2.050000
	2.050000	2.060000		

PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 50		
SLOC= 48	2.060000	2.060000	2.070000	

Define p, K, C for materials 7, 8, 9, ~10

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 6 ***
SLOC= 1	-13.15000 6.850000 26.85000
	76.85000 126.8500 176.8500

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 12 ***
--------------------------------	--------------------

SLOC=	7	226.8500	276.8500	326.8500
		376.8500	426.8500	476.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 15 ***

SLOC=	13	526.8500	626.8500	726.8500
-------	----	----------	----------	----------

PROPERTY TABLE DENS MAT=	7	NUM. POINTS=	6	
SLOC=	1	.1875000	.1750000	.1625000
		.1219000	.1097000	.1422000

PROPERTY TABLE DENS MAT=	7	NUM. POINTS=	12	
SLOC=	7	.9750000E-01	.9060000E-01	.8360000E-01
		.6970000E-01	.6620000E-01	.7670000E-01

PROPERTY TABLE DENS MAT=	7	NUM. POINTS=	15	
SLOC=	13	.6270000E-01	.5580000E-01	.4880000E-01

PROPERTY TABLE KXX MAT=	7	NUM. POINTS=	6	
SLOC=	1	.1370000	.1450000	.1520000
		.1870000	.2040000	.1700000

PROPERTY TABLE KXX MAT=	7	NUM. POINTS=	12	
SLOC=	7	.2200000	.2360000	.2520000
		.2780000	.2910000	.2640000

PROPERTY TABLE KXX MAT=	7	NUM. POINTS=	15	
SLOC=	13	.3040000	.3300000	.3540000

PROPERTY TABLE DENS MAT=	8	NUM. POINTS=	6	
SLOC=	1	1.348000	1.254700	1.161400
		.8711000	.7740000	.9950000

PROPERTY TABLE DENS MAT=	8	NUM. POINTS=	12	
SLOC=	7	.6964000	.6329000	.5804000
		.4975000	.4643000	.5356000

PROPERTY TABLE DENS MAT=	8	NUM. POINTS=	15	
SLOC=	13	.4354000	.3868000	.3482000

PROPERTY TABLE KXX MAT=	8	NUM. POINTS=	6	
SLOC=	1	.2300000E-01	.2500000E-01	.2600000E-01
		.3400000E-01	.3700000E-01	.3000000E-01

PROPERTY TABLE KXX MAT=	8	NUM. POINTS=	12	
SLOC=	7	.4100000E-01	.4400000E-01	.4700000E-01
		.5200000E-01	.5500000E-01	.5000000E-01

PROPERTY TABLE KXX MAT=	8	NUM. POINTS=	15	
SLOC=	13	.5700000E-01	.6200000E-01	.6700000E-01

PROPERTY TABLE C MAT=	8	NUM. POINTS=	6	
SLOC=	1	1006.200	1006.600	1007.000
		1014.000	1021.000	1009.000

PROPERTY TABLE C MAT=	8	NUM. POINTS=	12	
SLOC=	7	1030.000	1040.000	1051.000
		1075.000	1087.000	1063.000

PROPERTY TABLE C MAT=	8	NUM. POINTS=	15	
SLOC=	13	1099.000	1121.000	1141.000

PROPERTY TABLE DENS MAT=	9	NUM. POINTS=	6	
SLOC=	1	1.303700	1.213500	1.123300
		.8425000	.7485000	.9625000

PROPERTY TABLE DENS MAT=	9	NUM. POINTS=	12	
SLOC=	7	.6739000	.6124000	.5615000
		.4812000	.4512000	.5214000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 15
SLOC= 13 .4211000 .3743000 .3368000

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 6
SLOC= 1 .2300000E-01 .2400000E-01 .2600000E-01 .2900000E-01
.3300000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 12
SLOC= 7 .3900000E-01 .4200000E-01 .4500000E-01 .4700000E-01
.5000000E-01 .5200000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 15
SLOC= 13 .5500000E-01 .6000000E-01 .6500000E-01

PROPERTY TABLE C MAT= 9 NUM. POINTS= 6
SLOC= 1 1041.800 1041.400 1041.000 1042.000
1045.000 1050.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 12
SLOC= 7 1056.000 1065.000 1075.000 1086.500
1098.000 1159.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 15
SLOC= 13 1220.000 1146.000 1167.000

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 6
SLOC= 1 .1700000E-01 .1700000E-01 .1800000E-01 .2100000E-01
.2300000E-01 .2500000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 12
SLOC= 7 .2700000E-01 .2800000E-01 .3000000E-01 .3200000E-01
.3400000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 15
SLOC= 13 .3700000E-01 .4100000E-01 .4400000E-01

Define K and C for material 12

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 -73.15000 26.85000 126.8500
326.8500 526.8500 726.8500

PROPERTY TABLE KXX MAT= 12 NUM. POINTS= 6
SLOC= 1 413.0000 401.0000 393.0000 379.0000
366.0000 352.0000

PROPERTY TABLE C MAT= 12 NUM. POINTS= 6
SLOC= 1 356.0000 385.0000 397.0000 417.0000
433.0000 451.0000

Define K and C for material 13

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 5 ***
SLOC= 1 23.00000 50.00000 100.0000
150.0000 200.0000

PROPERTY TABLE KXX MAT= 13 NUM. POINTS= 5
SLOC= 1 182.5600 190.1700 199.2200 202.9100
203.7200

PROPERTY TABLE C MAT= 13 NUM. POINTS= 5
SLOC= 1 868.0000 903.0000 946.0000 976.0000
998.0000

** End of Material Property List **

Read in single assembly heat loads
 Calculate the volumetric heat generation
 (Assembly time is in years, FUEL is in seconds)

/INPUT FILE= snf1048.dat LINE= 0

```

** History of SNF Assembly Heat Generation Rates          **
** Output of PHIA, SCSI: 800000000-01717-1200-3000X Rev.008 **
**                                                         **
** Executable File Name:  PHIA008.EXE                      **
** Output File Name:      snf1048.dat                      **
** Execution Date:        02/24/95                         **
** Start Age (years):     10.0                             **
** Decay Period (years):  10000                            **
** Enrichment (percent):   4.20                             **
** Burnup (MWd/MTU):      48086                            **
** Assembly Type:         PWR                               **
** SNF U Mass (MTU/assy): 0.464                            **
**                                                         **
** ASSY(#,1) is the SNF assembly heat in Watts.           **
** ASSY(#,0) is the time post emplacement in years.       **
*****

```

PARAMETER ASSY(1,1) =	850.0100 848.4600	849.6200 848.0800	849.2300	848.8500
PARAMETER ASSY(7,1) =	847.6900 846.1600	847.3100 844.2600	846.9300	846.5400
PARAMETER ASSY(13,1) =	842.3700 834.9500	840.5000 833.1300	838.6300	836.7900
PARAMETER ASSY(19,1) =	831.3200 824.2000	829.5200 822.4500	827.7400	825.9600
PARAMETER ASSY(25,1) =	820.7200 813.8800	818.9900 799.0100	817.2800	815.5700
PARAMETER ASSY(31,1) =	785.0300 738.5700	772.2000 729.5500	760.0600	749.0400
PARAMETER ASSY(37,1) =	720.9500 683.8600	710.2700 676.0300	700.0700	691.8000
PARAMETER ASSY(43,1) =	668.5000 642.5500	661.1300 580.1800	654.0400	648.1900
PARAMETER ASSY(49,1) =	529.8600 380.7000	484.5200 352.1900	445.3600	410.5100
PARAMETER ASSY(55,1) =	327.7800 252.6500	305.8800 238.3100	286.2200	268.5700
PARAMETER ASSY(61,1) =	225.3500 185.0400	213.6600 130.6600	203.8500	193.7500
PARAMETER ASSY(67,1) =	105.0700 66.61000	90.10000 61.74000	80.32000	72.66000
PARAMETER ASSY(73,1) =	57.58000 44.98000	53.71000 42.50000	50.41000	47.54000
PARAMETER ASSY(79,1) =	40.31000 33.52000	38.35000 23.16000	36.59000	35.00000
PARAMETER ASSY(85,1) =	18.32000 12.84000	15.77000 12.37000	14.37000	13.53000
PARAMETER ASSY(91,1) =	11.96000	11.47000	11.04000	10.66000

	10.32000	9.970000		
PARAMETER ASSY(97,1) =	9.650000 8.610000	9.360000	9.090000	8.840000
PARAMETER ASSY(1,0) =	.1000000E-05 .4000000E-01	.1000000E-01 .5000000E-01	.2000000E-01	.3000000E-01
PARAMETER ASSY(7,0) =	.6000000E-01 .1000000	.7000000E-01 .1500000	.8000000E-01	.9000000E-01
PARAMETER ASSY(13,0) =	.2000000 .4000000	.2500000 .4500000	.3000000	.3500000
PARAMETER ASSY(19,0) =	.5000000 .7000000	.5500000 .7500000	.6000000	.6500000
PARAMETER ASSY(25,0) =	.8000000 1.000000	.8500000 1.500000	.9000000	.9500000
PARAMETER ASSY(31,0) =	2.000000 4.000000	2.500000 4.500000	3.000000	3.500000
PARAMETER ASSY(37,0) =	5.000000 7.000000	5.500000 7.500000	6.000000	6.500000
PARAMETER ASSY(43,0) =	8.000000 10.00000	8.500000 15.00000	9.000000	9.500000
PARAMETER ASSY(49,0) =	20.00000 40.00000	25.00000 45.00000	30.00000	35.00000
PARAMETER ASSY(55,0) =	50.00000 70.00000	55.00000 75.00000	60.00000	65.00000
PARAMETER ASSY(61,0) =	80.00000 100.0000	85.00000 150.0000	90.00000	95.00000
PARAMETER ASSY(67,0) =	200.0000 400.0000	250.0000 450.0000	300.0000	350.0000
PARAMETER ASSY(73,0) =	500.0000 700.0000	550.0000 750.0000	600.0000	650.0000
PARAMETER ASSY(79,0) =	800.0000 1000.000	850.0000 1500.000	900.0000	950.0000
PARAMETER ASSY(85,0) =	2000.000 4000.000	2500.000 4500.000	3000.000	3500.000
PARAMETER ASSY(91,0) =	5000.000 7000.000	5500.000 7500.000	6000.000	6500.000
PARAMETER ASSY(97,0) =	8000.000 10000.00	8500.000	9000.000	9500.000

PARAMETER ASSY(0,1) = 1.000000

FACTOR ON VECTOR OPERATION RESULT= .31558E+08
FACTOR ON FIRST VECTOR PARAMETER = 1.0000
FACTOR ON SECOND VECTOR PARAMETER= 1.0000
FACTOR ON THIRD VECTOR PARAMETER = 1.0000

MATRIX COPY RESULT MATRIX= FUEL(1,0)
INPUT MATRIX= ASSY(1,0)
INPUT MATRIX SIZE= 101 ROWS BY 2 COLUMNS
RESULT MATRIX SIZE= 101 ROWS BY 2 COLUMNS

FACTOR ON VECTOR OPERATION RESULT= 6.6412

FACTOR ON FIRST VECTOR PARAMETER = 1.0000
 FACTOR ON SECOND VECTOR PARAMETER= 1.0000
 FACTOR ON THIRD VECTOR PARAMETER = 1.0000

VECTOR PARAMETER OPERATION *VFUN
 FUEL(1) = COPY ASSY(1)
 SCALE FACTORS RESULT= 6.6412 INPUT= 1.0000
 VECTOR LENGTH= 101

PARAMETER FUEL(0,1) = 1.000000

Define new material 14 for SNF effective conductivity

Density: DENS (kg/m³)

Conductivity: KXX (W/m/K)

Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 14 NUM. POINTS= 1
 SLOC= 1 3960.040

PROPERTY TABLE C MAT= 14 NUM. POINTS= 1
 SLOC= 1 274.0000
 Store average effective conductivities

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 25.00000

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
 SLOC= 2 50.00000

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 1
 SLOC= 1 .4617156

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 2
 SLOC= 2 .5036997

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

Construct geometry for Disposal Container

Define center and axis keypoints for waste package
 Also, create placeholder keypoints and lines

(K's 1,2,3,4,5,6,7,8)
(L's 1,2,3,4)

KEYPOINT	1	X,Y,Z=	.000000E+00	.000000E+00	.000000E+00	IN CSYS=	0
KEYPOINT	2	X,Y,Z=	.000000E+00	.000000E+00	1.00000	IN CSYS=	0
KEYPOINT	3	X,Y,Z=	.000000E+00	.000000E+00	1.30000	IN CSYS=	0
KEYPOINT	4	X,Y,Z=	.000000E+00	.000000E+00	1.40000	IN CSYS=	0
KEYPOINT	5	X,Y,Z=	.000000E+00	.000000E+00	1.50000	IN CSYS=	0
KEYPOINT	6	X,Y,Z=	.000000E+00	.000000E+00	1.60000	IN CSYS=	0
KEYPOINT	7	X,Y,Z=	.000000E+00	.000000E+00	1.70000	IN CSYS=	0
KEYPOINT	8	X,Y,Z=	.000000E+00	.000000E+00	1.80000	IN CSYS=	0

LINE CONNECTS KEYPOINTS		3	4			
LINE NO.=	1	KP1=	3	TAN1=	.0000	.0000 -1.0000
		KP2=	4	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		4	5			
LINE NO.=	2	KP1=	4	TAN1=	.0000	.0000 -1.0000
		KP2=	5	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		5	6			
LINE NO.=	3	KP1=	5	TAN1=	.0000	.0000 -1.0000
		KP2=	6	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		6	7			
LINE NO.=	4	KP1=	6	TAN1=	.0000	.0000 -1.0000
		KP2=	7	TAN2=	.0000	.0000 1.0000

Define disposal container and MPC outer radius

(K's 9,10,11,12,13,14,15,16,17,18,19,20)

(L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)

(A's 1,2,3,4,5,6)

KEYPOINT	9	X,Y,Z=	.000000E+00	-.765250	.000000E+00	IN CSYS=	0
KEYPOINT	10	X,Y,Z=	.765250	.000000E+00	.000000E+00	IN CSYS=	0
KEYPOINT	11	X,Y,Z=	.000000E+00	.765250	.000000E+00	IN CSYS=	0
KEYPOINT	12	X,Y,Z=	.000000E+00	-.665250	.000000E+00	IN CSYS=	0
KEYPOINT	13	X,Y,Z=	.665250	.000000E+00	.000000E+00	IN CSYS=	0
KEYPOINT	14	X,Y,Z=	.000000E+00	.665250	.000000E+00	IN CSYS=	0
KEYPOINT	15	X,Y,Z=	.000000E+00	-.645250	.000000E+00	IN CSYS=	0
KEYPOINT	16	X,Y,Z=	.645250	.000000E+00	.000000E+00	IN CSYS=	0
KEYPOINT	17	X,Y,Z=	.000000E+00	.645250	.000000E+00	IN CSYS=	0
KEYPOINT	18	X,Y,Z=	.000000E+00	-.630174	.000000E+00	IN CSYS=	0
KEYPOINT	19	X,Y,Z=	.630174	.000000E+00	.000000E+00	IN CSYS=	0
KEYPOINT	20	X,Y,Z=	.000000E+00	.630174	.000000E+00	IN CSYS=	0

LINE CONNECTS KEYPOINTS		10	13			
LINE NO.=	5	KP1=	10	TAN1=	1.0000	.0000 .0000
		KP2=	13	TAN2=	-1.0000	.0000 .0000

LINE CONNECTS KEYPOINTS		13	16			
LINE NO.=	6	KP1=	13	TAN1=	1.0000	.0000 .0000
		KP2=	16	TAN2=	-1.0000	.0000 .0000

```

ARC BETWEEN KEYPOINTS      10 AND      9 ORIENTATION KEYPOINT=      1
RADIUS= .76525
LINE NO.=      7 KP1=      10 TAN1=      .0000      1.0000      .0000
                  KP2=      9 TAN2=     -1.0000      .0000      .0000

ARC BETWEEN KEYPOINTS      11 AND     10 ORIENTATION KEYPOINT=      1
RADIUS= .76525
LINE NO.=      8 KP1=      11 TAN1=     -1.0000      .0000      .0000
                  KP2=     10 TAN2=      .0000     -1.0000      .0000

ARC BETWEEN KEYPOINTS      13 AND     12 ORIENTATION KEYPOINT=      1
RADIUS= .66525
LINE NO.=      9 KP1=      13 TAN1=      .0000      1.0000      .0000
                  KP2=     12 TAN2=     -1.0000      .0000      .0000

ARC BETWEEN KEYPOINTS      14 AND     13 ORIENTATION KEYPOINT=      1
RADIUS= .66525
LINE NO.=     10 KP1=      14 TAN1=     -1.0000      .0000      .0000
                  KP2=     13 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      11      14
LINE NO.=     11 KP1=      11 TAN1=      .0000      1.0000      .0000
                  KP2=      14 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      9      12
LINE NO.=     12 KP1=      9 TAN1=      .0000     -1.0000      .0000
                  KP2=     12 TAN2=      .0000      1.0000      .0000

ARC BETWEEN KEYPOINTS      15 AND     16 ORIENTATION KEYPOINT=      1
RADIUS= .64525
LINE NO.=     13 KP1=      15 TAN1=     -1.0000      .0000      .0000
                  KP2=     16 TAN2=      .0000      1.0000      .0000

ARC BETWEEN KEYPOINTS      16 AND     17 ORIENTATION KEYPOINT=      1
RADIUS= .64525
LINE NO.=     14 KP1=      16 TAN1=      .0000     -1.0000      .0000
                  KP2=     17 TAN2=     -1.0000      .0000      .0000

LINE CONNECTS KEYPOINTS      14      17
LINE NO.=     15 KP1=      14 TAN1=      .0000      1.0000      .0000
                  KP2=     17 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      12      15
LINE NO.=     16 KP1=      12 TAN1=      .0000     -1.0000      .0000
                  KP2=     15 TAN2=      .0000      1.0000      .0000

ARC BETWEEN KEYPOINTS      19 AND     18 ORIENTATION KEYPOINT=      1
RADIUS= .63017
LINE NO.=     17 KP1=      19 TAN1=      .0000      1.0000      .0000
                  KP2=     18 TAN2=     -1.0000      .0000      .0000

ARC BETWEEN KEYPOINTS      20 AND     19 ORIENTATION KEYPOINT=      1
RADIUS= .63017
LINE NO.=     18 KP1=      20 TAN1=     -1.0000      .0000      .0000
                  KP2=     19 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      17      20
LINE NO.=     19 KP1=      17 TAN1=      .0000      1.0000      .0000
                  KP2=     20 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      15      18
LINE NO.=     20 KP1=      15 TAN1=      .0000     -1.0000      .0000
                  KP2=     18 TAN2=      .0000      1.0000      .0000

LINE CONNECTS KEYPOINTS      16      19
LINE NO.=     21 KP1=      16 TAN1=      1.0000      .0000      .0000
                  KP2=     19 TAN2=     -1.0000      .0000      .0000

```

DEFINE AREA BY LIST OF LINES

```

LINE LIST =      5      7      12      9
(TRAVERSED IN SAME DIRECTION AS LINE      5)

AREA NUMBER =      1

DEFINE AREA BY LIST OF LINES
LINE LIST =     11      8      5     10
(TRAVERSED IN SAME DIRECTION AS LINE     11)

AREA NUMBER =      2

DEFINE AREA BY LIST OF LINES
LINE LIST =      6      9     16     13
(TRAVERSED IN SAME DIRECTION AS LINE      6)

AREA NUMBER =      3

DEFINE AREA BY LIST OF LINES
LINE LIST =     15     10      6     14
(TRAVERSED IN SAME DIRECTION AS LINE     15)

AREA NUMBER =      4

DEFINE AREA BY LIST OF LINES
LINE LIST =     21     13     20     17
(TRAVERSED IN SAME DIRECTION AS LINE     21)

AREA NUMBER =      5

DEFINE AREA BY LIST OF LINES
LINE LIST =     19     14     21     18
(TRAVERSED IN SAME DIRECTION AS LINE     19)

AREA NUMBER =      6
*****
Define MPC shell inner edge and area
(K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
(   38,39)
(L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
(   39,40,41,42)
(A's 7,8)

KEYPOINT   21   X,Y,Z=   .000000E+00   .607949   .000000E+00   IN CSYS=  0
KEYPOINT   22   X,Y,Z=   .404963E-01   .606599   .000000E+00   IN CSYS=  0
KEYPOINT   23   X,Y,Z=   .500213E-01   .605888   .000000E+00   IN CSYS=  0
KEYPOINT   24   X,Y,Z=   .254720        .552014   .000000E+00   IN CSYS=  0
KEYPOINT   25   X,Y,Z=   .288484        .535144   .000000E+00   IN CSYS=  0
KEYPOINT   26   X,Y,Z=   .535144        .288484   .000000E+00   IN CSYS=  0
KEYPOINT   27   X,Y,Z=   .552014        .254720   .000000E+00   IN CSYS=  0
KEYPOINT   28   X,Y,Z=   .605888        .500213E-01 .000000E+00   IN CSYS=  0
KEYPOINT   29   X,Y,Z=   .606599        .404963E-01 .000000E+00   IN CSYS=  0
KEYPOINT   30   X,Y,Z=   .607949        .000000E+00 .000000E+00   IN CSYS=  0
KEYPOINT   31   X,Y,Z=   .606599        -.404963E-01 .000000E+00   IN CSYS=  0
KEYPOINT   32   X,Y,Z=   .605888        -.500213E-01 .000000E+00   IN CSYS=  0
KEYPOINT   33   X,Y,Z=   .552014        -.254720    .000000E+00   IN CSYS=  0
KEYPOINT   34   X,Y,Z=   .535144        -.288484    .000000E+00   IN CSYS=  0

```

KEYPOINT	35	X,Y,Z=	.288484	-.535144	.000000E+00	IN CSYS= 0
KEYPOINT	36	X,Y,Z=	.254720	-.552014	.000000E+00	IN CSYS= 0
KEYPOINT	37	X,Y,Z=	.500213E-01	-.605888	.000000E+00	IN CSYS= 0
KEYPOINT	38	X,Y,Z=	.404963E-01	-.606599	.000000E+00	IN CSYS= 0
KEYPOINT	39	X,Y,Z=	.000000E+00	-.607949	.000000E+00	IN CSYS= 0

LINE CONNECTS KEYPOINTS	20	21				
LINE NO.= 22	KP1=	20	TAN1=	.0000	1.0000	.0000
	KP2=	21	TAN2=	.0000	-1.0000	.0000

ARC BETWEEN KEYPOINTS	22	AND	21	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 23	KP1=	22	TAN1=	.9978	-.0666
	KP2=	21	TAN2=	-1.0000	.0000

ARC BETWEEN KEYPOINTS	23	AND	22	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 24	KP1=	23	TAN1=	.9966	-.0823
	KP2=	22	TAN2=	-.9978	.0666

ARC BETWEEN KEYPOINTS	24	AND	23	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 25	KP1=	24	TAN1=	.9080	-.4190
	KP2=	23	TAN2=	-.9966	.0823

ARC BETWEEN KEYPOINTS	25	AND	24	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 26	KP1=	25	TAN1=	.8802	-.4745
	KP2=	24	TAN2=	-.9080	.4190

ARC BETWEEN KEYPOINTS	26	AND	25	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 27	KP1=	26	TAN1=	.4745	-.8802
	KP2=	25	TAN2=	-.8802	.4745

ARC BETWEEN KEYPOINTS	27	AND	26	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 28	KP1=	27	TAN1=	.4190	-.9080
	KP2=	26	TAN2=	-.4745	.8802

ARC BETWEEN KEYPOINTS	28	AND	27	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 29	KP1=	28	TAN1=	.0823	-.9966
	KP2=	27	TAN2=	-.4190	.9080

ARC BETWEEN KEYPOINTS	29	AND	28	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 30	KP1=	29	TAN1=	.0666	-.9978
	KP2=	28	TAN2=	-.0823	.9966

ARC BETWEEN KEYPOINTS	30	AND	29	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 31	KP1=	30	TAN1=	.0000	-1.0000
	KP2=	29	TAN2=	-.0666	.9978

ARC BETWEEN KEYPOINTS	31	AND	30	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 32	KP1=	31	TAN1=	-.0666	-.9978
	KP2=	30	TAN2=	.0000	1.0000

ARC BETWEEN KEYPOINTS	32	AND	31	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.= 33	KP1=	32	TAN1=	-.0823	-.9966
	KP2=	31	TAN2=	.0666	.9978

ARC BETWEEN KEYPOINTS	33	AND	32	ORIENTATION KEYPOINT=	1
-----------------------	----	-----	----	-----------------------	---

RADIUS= .60795
 LINE NO.= 34 KP1= 33 TAN1= -.4190 -.9080 .0000
 KP2= 32 TAN2= .0823 .9966 .0000

ARC BETWEEN KEYPOINTS 34 AND 33 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 35 KP1= 34 TAN1= -.4745 -.8802 .0000
 KP2= 33 TAN2= .4190 .9080 .0000

ARC BETWEEN KEYPOINTS 35 AND 34 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 36 KP1= 35 TAN1= -.8802 -.4745 .0000
 KP2= 34 TAN2= .4745 .8802 .0000

ARC BETWEEN KEYPOINTS 36 AND 35 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 37 KP1= 36 TAN1= -.9080 -.4190 .0000
 KP2= 35 TAN2= .8802 .4745 .0000

ARC BETWEEN KEYPOINTS 37 AND 36 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 38 KP1= 37 TAN1= -.9966 -.0823 .0000
 KP2= 36 TAN2= .9080 .4190 .0000

ARC BETWEEN KEYPOINTS 38 AND 37 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 39 KP1= 38 TAN1= -.9978 -.0666 .0000
 KP2= 37 TAN2= .9966 .0823 .0000

ARC BETWEEN KEYPOINTS 39 AND 38 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 40 KP1= 39 TAN1= -1.0000 .0000 .0000
 KP2= 38 TAN2= .9978 .0666 .0000

LINE CONNECTS KEYPOINTS 18 39
 LINE NO.= 41 KP1= 18 TAN1= .0000 -1.0000 .0000
 KP2= 39 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 19 30
 LINE NO.= 42 KP1= 19 TAN1= 1.0000 .0000 .0000
 KP2= 30 TAN2= -1.0000 .0000 .0000

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 32 TO 42 STEP 1

11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 17 TO 17 STEP 1

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES
 LINE LIST = ALL SELECTED LINES
 (TRAVERSED IN SAME DIRECTION AS LINE 17)

AREA NUMBER = 7

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 22 TO 31 STEP 1

10 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 18 TO 18 STEP 1

11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 42 TO 42 STEP 1

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES

LINE LIST = ALL SELECTED LINES
(TRAVERSED IN SAME DIRECTION AS LINE 18)

AREA NUMBER = 8

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 42 STEP 1

42 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

Define tube guides

(K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)
(57,58,59)

(L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)
(60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)

(77,78,79,80)

(A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)
(26)

top

KEYPOINT	40	X,Y,Z=	.500213E-01	.552014	.000000E+00	IN CSYS= 0
KEYPOINT	41	X,Y,Z=	.404963E-01	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	42	X,Y,Z=	.254720	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	43	X,Y,Z=	.278959	.535144	.000000E+00	IN CSYS= 0
KEYPOINT	44	X,Y,Z=	.288484	.288484	.000000E+00	IN CSYS= 0
KEYPOINT	45	X,Y,Z=	.278959	.278959	.000000E+00	IN CSYS= 0
KEYPOINT	46	X,Y,Z=	.535144	.278959	.000000E+00	IN CSYS= 0
		side				
KEYPOINT	47	X,Y,Z=	.542489	.254720	.000000E+00	IN CSYS= 0
KEYPOINT	48	X,Y,Z=	.552014	.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	49	X,Y,Z=	.542489	.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	50	X,Y,Z=	.542489	-.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	51	X,Y,Z=	.552014	-.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	52	X,Y,Z=	.542489	-.254720	.000000E+00	IN CSYS= 0
		bottom				
KEYPOINT	53	X,Y,Z=	.535144	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	54	X,Y,Z=	.278959	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	55	X,Y,Z=	.288484	-.288484	.000000E+00	IN CSYS= 0
KEYPOINT	56	X,Y,Z=	.278959	-.535144	.000000E+00	IN CSYS= 0
KEYPOINT	57	X,Y,Z=	.254720	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	58	X,Y,Z=	.404963E-01	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	59	X,Y,Z=	.500213E-01	-.552014	.000000E+00	IN CSYS= 0
		top				

LINE CONNECTS KEYPOINTS 41 22
LINE NO.= 43 KP1= 41 TAN1= .0000 -1.0000 .0000

	KP2=	22	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		40	41			
LINE NO.= 44	KP1=	40	TAN1=	.7071	.7071	.0000
	KP2=	41	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		40	24			
LINE NO.= 45	KP1=	40	TAN1=	-1.0000	.0000	.0000
	KP2=	24	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		42	41			
LINE NO.= 46	KP1=	42	TAN1=	1.0000	.0000	.0000
	KP2=	41	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		24	42			
LINE NO.= 47	KP1=	24	TAN1=	.0000	1.0000	.0000
	KP2=	42	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		43	25			
LINE NO.= 48	KP1=	43	TAN1=	-1.0000	.0000	.0000
	KP2=	25	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		45	43			
LINE NO.= 49	KP1=	45	TAN1=	.0000	-1.0000	.0000
	KP2=	43	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		25	44			
LINE NO.= 50	KP1=	25	TAN1=	.0000	1.0000	.0000
	KP2=	44	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		44	45			
LINE NO.= 51	KP1=	44	TAN1=	.7071	.7071	.0000
	KP2=	45	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		44	26			
LINE NO.= 52	KP1=	44	TAN1=	-1.0000	.0000	.0000
	KP2=	26	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		46	45			
LINE NO.= 53	KP1=	46	TAN1=	1.0000	.0000	.0000
	KP2=	45	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		26	46			
LINE NO.= 54	KP1=	26	TAN1=	.0000	1.0000	.0000
	KP2=	46	TAN2=	.0000	-1.0000	.0000
side						
LINE CONNECTS KEYPOINTS		47	27			
LINE NO.= 55	KP1=	47	TAN1=	-1.0000	.0000	.0000
	KP2=	27	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		49	47			
LINE NO.= 56	KP1=	49	TAN1=	.0000	-1.0000	.0000
	KP2=	47	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		27	48			
LINE NO.= 57	KP1=	27	TAN1=	.0000	1.0000	.0000
	KP2=	48	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		48	49			
LINE NO.= 58	KP1=	48	TAN1=	.7071	.7071	.0000
	KP2=	49	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		48	28			
LINE NO.= 59	KP1=	48	TAN1=	-1.0000	.0000	.0000
	KP2=	28	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		29	49			
LINE NO.= 60	KP1=	29	TAN1=	1.0000	.0000	.0000
	KP2=	49	TAN2=	-1.0000	.0000	.0000

LINE CONNECTS KEYPOINTS	50	31			
LINE NO.= 61 KP1=	50	TAN1=	-1.0000	.0000	.0000
KP2= 31	TAN2=	1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	32	51			
LINE NO.= 62 KP1=	32	TAN1=	1.0000	.0000	.0000
KP2= 51	TAN2=	-1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	50	51			
LINE NO.= 63 KP1=	50	TAN1=	-.7071	.7071	.0000
KP2= 51	TAN2=	.7071	-.7071	.0000	
LINE CONNECTS KEYPOINTS	52	50			
LINE NO.= 64 KP1=	52	TAN1=	.0000	-1.0000	.0000
KP2= 50	TAN2=	.0000	1.0000	.0000	
LINE CONNECTS KEYPOINTS	51	33			
LINE NO.= 65 KP1=	51	TAN1=	.0000	1.0000	.0000
KP2= 33	TAN2=	.0000	-1.0000	.0000	
LINE CONNECTS KEYPOINTS	33	52			
LINE NO.= 66 KP1=	33	TAN1=	1.0000	.0000	.0000
KP2= 52	TAN2=	-1.0000	.0000	.0000	
bottom					
LINE CONNECTS KEYPOINTS	53	34			
LINE NO.= 67 KP1=	53	TAN1=	.0000	1.0000	.0000
KP2= 34	TAN2=	.0000	-1.0000	.0000	
LINE CONNECTS KEYPOINTS	54	53			
LINE NO.= 68 KP1=	54	TAN1=	-1.0000	.0000	.0000
KP2= 53	TAN2=	1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	34	55			
LINE NO.= 69 KP1=	34	TAN1=	1.0000	.0000	.0000
KP2= 55	TAN2=	-1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	54	55			
LINE NO.= 70 KP1=	54	TAN1=	-.7071	.7071	.0000
KP2= 55	TAN2=	.7071	-.7071	.0000	
LINE CONNECTS KEYPOINTS	56	54			
LINE NO.= 71 KP1=	56	TAN1=	.0000	-1.0000	.0000
KP2= 54	TAN2=	.0000	1.0000	.0000	
LINE CONNECTS KEYPOINTS	55	35			
LINE NO.= 72 KP1=	55	TAN1=	.0000	1.0000	.0000
KP2= 35	TAN2=	.0000	-1.0000	.0000	
LINE CONNECTS KEYPOINTS	35	56			
LINE NO.= 73 KP1=	35	TAN1=	1.0000	.0000	.0000
KP2= 56	TAN2=	-1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	57	36			
LINE NO.= 74 KP1=	57	TAN1=	.0000	1.0000	.0000
KP2= 36	TAN2=	.0000	-1.0000	.0000	
LINE CONNECTS KEYPOINTS	58	57			
LINE NO.= 75 KP1=	58	TAN1=	-1.0000	.0000	.0000
KP2= 57	TAN2=	1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	36	59			
LINE NO.= 76 KP1=	36	TAN1=	1.0000	.0000	.0000
KP2= 59	TAN2=	-1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	58	59			
LINE NO.= 77 KP1=	58	TAN1=	-.7071	.7071	.0000
KP2= 59	TAN2=	.7071	-.7071	.0000	

LINE CONNECTS KEYPOINTS 38 58
 LINE NO.= 78 KP1= 38 TAN1= .0000 -1.0000 .0000
 KP2= 58 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 59 37
 LINE NO.= 79 KP1= 59 TAN1= .0000 1.0000 .0000
 KP2= 37 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 23 40
 LINE NO.= 80 KP1= 23 TAN1= .0000 1.0000 .0000
 KP2= 40 TAN2= .0000 -1.0000 .0000

air

DEFINE AREA BY LIST OF LINES
 LINE LIST = 80 45 25
 (TRAVERSED IN SAME DIRECTION AS LINE 80)

AREA NUMBER = 9

DEFINE AREA BY LIST OF LINES
 LINE LIST = 50 52 27
 (TRAVERSED IN SAME DIRECTION AS LINE 50)

AREA NUMBER = 10

DEFINE AREA BY LIST OF LINES
 LINE LIST = 57 59 29
 (TRAVERSED IN SAME DIRECTION AS LINE 57)

AREA NUMBER = 11

DEFINE AREA BY LIST OF LINES
 LINE LIST = 62 65 34
 (TRAVERSED IN SAME DIRECTION AS LINE 62)

AREA NUMBER = 12

DEFINE AREA BY LIST OF LINES
 LINE LIST = 69 72 36
 (TRAVERSED IN SAME DIRECTION AS LINE 69)

AREA NUMBER = 13

DEFINE AREA BY LIST OF LINES
 LINE LIST = 76 79 38
 (TRAVERSED IN SAME DIRECTION AS LINE 76)

AREA NUMBER = 14
 guides

DEFINE AREA BY LIST OF LINES
 LINE LIST = 24 43 44 80
 (TRAVERSED IN SAME DIRECTION AS LINE 24)

AREA NUMBER = 15

DEFINE AREA BY LIST OF LINES
 LINE LIST = 45 44 46 47
 (TRAVERSED IN SAME DIRECTION AS LINE 45)

AREA NUMBER = 16

DEFINE AREA BY LIST OF LINES
 LINE LIST = 48 49 51 50
 (TRAVERSED IN SAME DIRECTION AS LINE 48)

AREA NUMBER = 17

DEFINE AREA BY LIST OF LINES
 LINE LIST = 52 51 53 54

```

        (TRAVERSED IN SAME DIRECTION AS LINE    52)

AREA NUMBER =      18

DEFINE AREA BY LIST OF LINES
  LINE LIST =      55  56  58  57
  (TRAVERSED IN SAME DIRECTION AS LINE    55)

AREA NUMBER =      19

DEFINE AREA BY LIST OF LINES
  LINE LIST =      59  58  60  30
  (TRAVERSED IN SAME DIRECTION AS LINE    59)

AREA NUMBER =      20

DEFINE AREA BY LIST OF LINES
  LINE LIST =      61  63  62  33
  (TRAVERSED IN SAME DIRECTION AS LINE    61)

AREA NUMBER =      21

DEFINE AREA BY LIST OF LINES
  LINE LIST =      63  64  66  65
  (TRAVERSED IN SAME DIRECTION AS LINE    63)

AREA NUMBER =      22

DEFINE AREA BY LIST OF LINES
  LINE LIST =      68  70  69  67
  (TRAVERSED IN SAME DIRECTION AS LINE    68)

AREA NUMBER =      23

DEFINE AREA BY LIST OF LINES
  LINE LIST =      70  71  73  72
  (TRAVERSED IN SAME DIRECTION AS LINE    70)

AREA NUMBER =      24

DEFINE AREA BY LIST OF LINES
  LINE LIST =      75  77  76  74
  (TRAVERSED IN SAME DIRECTION AS LINE    75)

AREA NUMBER =      25

DEFINE AREA BY LIST OF LINES
  LINE LIST =      77  78  39  79
  (TRAVERSED IN SAME DIRECTION AS LINE    77)

AREA NUMBER =      26
*****
  Define top half tubes and flux trap plate
  (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
  ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
  ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
  ( 108,109,110,111,112,113,114,115,116,117,118,119)
  ( 120,121,122,123,124,125,126,127,128,129,130,131)
  ( 132,133,134,135,136,137,138,139,140,141,142,143)
  ( 144,145,146,147,148,149,150,151,152,153,154,155)
  ( 156,157,158,159,160,161,162,163,164,165,166,167)
  (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
  ( 98,99,100,101,102,103,104,105,106,107,108,109,110)
  ( 111,112,113,114,115,116,117,118,119,120,121,122)
  ( 123,124,125,126,127,128,129,130,131,132,133,134)
  ( 135,136,137,138,139,140,141,142,143,144,145,146)
  ( 147,...)
  (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
  ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
  ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)

```

(78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
 (95,96,97,98,99,100,101,102,103)

KEYPOINT	60	X,Y,Z=	.000000E+00	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	61	X,Y,Z=	.000000E+00	.381000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	62	X,Y,Z=	.000000E+00	.138125	.000000E+00	IN CSYS=	0
KEYPOINT	63	X,Y,Z=	.000000E+00	.163525	.000000E+00	IN CSYS=	0
KEYPOINT	64	X,Y,Z=	.000000E+00	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	65	X,Y,Z=	.000000E+00	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	66	X,Y,Z=	.000000E+00	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	67	X,Y,Z=	.000000E+00	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	68	X,Y,Z=	.000000E+00	.406756	.000000E+00	IN CSYS=	0
KEYPOINT	69	X,Y,Z=	.000000E+00	.432156	.000000E+00	IN CSYS=	0
KEYPOINT	70	X,Y,Z=	.000000E+00	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	71	X,Y,Z=	.000000E+00	.561543	.000000E+00	IN CSYS=	0
KEYPOINT	72	X,Y,Z=	.000000E+00	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	73	X,Y,Z=	.127000E-01	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	74	X,Y,Z=	.127000E-01	.381000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	75	X,Y,Z=	.127000E-01	.138125	.000000E+00	IN CSYS=	0
KEYPOINT	76	X,Y,Z=	.127000E-01	.163525	.000000E+00	IN CSYS=	0
KEYPOINT	77	X,Y,Z=	.127000E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	78	X,Y,Z=	.127000E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	79	X,Y,Z=	.127000E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	80	X,Y,Z=	.127000E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	81	X,Y,Z=	.127000E-01	.406756	.000000E+00	IN CSYS=	0
KEYPOINT	82	X,Y,Z=	.127000E-01	.432156	.000000E+00	IN CSYS=	0
KEYPOINT	83	X,Y,Z=	.127000E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	84	X,Y,Z=	.127000E-01	.561543	.000000E+00	IN CSYS=	0
KEYPOINT	85	X,Y,Z=	.127000E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	86	X,Y,Z=	.254000E-01	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	87	X,Y,Z=	.254000E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	88	X,Y,Z=	.254000E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	89	X,Y,Z=	.254000E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	90	X,Y,Z=	.254000E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	91	X,Y,Z=	.254000E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	92	X,Y,Z=	.254000E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	93	X,Y,Z=	.381000E-01	.127000E-01	.000000E+00	IN CSYS=	0

KEYPOINT	94	X,Y,Z=	.317500E-01	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	95	X,Y,Z=	.317500E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	96	X,Y,Z=	.317500E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	97	X,Y,Z=	.317500E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	98	X,Y,Z=	.317500E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	99	X,Y,Z=	.317500E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	100	X,Y,Z=	.317500E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	101	X,Y,Z=	.341376E-01	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	102	X,Y,Z=	.341376E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	103	X,Y,Z=	.341376E-01	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	104	X,Y,Z=	.341376E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	105	X,Y,Z=	.341376E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	106	X,Y,Z=	.341376E-01	.300050	.000000E+00	IN CSYS= 0
KEYPOINT	107	X,Y,Z=	.341376E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	108	X,Y,Z=	.341376E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	109	X,Y,Z=	.341376E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	110	X,Y,Z=	.365252E-01	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	111	X,Y,Z=	.365252E-01	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	112	X,Y,Z=	.365252E-01	.305156	.000000E+00	IN CSYS= 0
KEYPOINT	113	X,Y,Z=	.365252E-01	.533756	.000000E+00	IN CSYS= 0
KEYPOINT	114	X,Y,Z=	.138125	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	115	X,Y,Z=	.163525	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	116	X,Y,Z=	.265125	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	117	X,Y,Z=	.265125	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	118	X,Y,Z=	.265125	.305156	.000000E+00	IN CSYS= 0
KEYPOINT	119	X,Y,Z=	.265125	.533756	.000000E+00	IN CSYS= 0
KEYPOINT	120	X,Y,Z=	.267513	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	121	X,Y,Z=	.267513	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	122	X,Y,Z=	.267513	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	123	X,Y,Z=	.267513	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	124	X,Y,Z=	.267513	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	125	X,Y,Z=	.267513	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	126	X,Y,Z=	.267513	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	127	X,Y,Z=	.270231	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	128	X,Y,Z=	.270231	.270231	.000000E+00	IN CSYS= 0

KEYPOINT	129	X,Y,Z=	.270231	.300050	.000000E+00	IN CSYS= 0
KEYPOINT	130	X,Y,Z=	.270231	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	131	X,Y,Z=	.272618	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	132	X,Y,Z=	.272618	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	133	X,Y,Z=	.272618	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	134	X,Y,Z=	.272618	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	135	X,Y,Z=	.272618	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	136	X,Y,Z=	.272618	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	137	X,Y,Z=	.272618	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	138	X,Y,Z=	.297663	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	139	X,Y,Z=	.297663	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	140	X,Y,Z=	.297663	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	141	X,Y,Z=	.297663	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	142	X,Y,Z=	.297663	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	143	X,Y,Z=	.300050	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	144	X,Y,Z=	.300050	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	145	X,Y,Z=	.302768	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	146	X,Y,Z=	.302768	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	147	X,Y,Z=	.302768	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	148	X,Y,Z=	.302768	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	149	X,Y,Z=	.302768	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	150	X,Y,Z=	.305156	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	151	X,Y,Z=	.305156	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	152	X,Y,Z=	.406756	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	153	X,Y,Z=	.432156	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	154	X,Y,Z=	.533756	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	155	X,Y,Z=	.533756	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	156	X,Y,Z=	.536143	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	157	X,Y,Z=	.536143	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	158	X,Y,Z=	.536143	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	159	X,Y,Z=	.536143	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	160	X,Y,Z=	.536143	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	161	X,Y,Z=	.536143	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	162	X,Y,Z=	.536143	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	163	X,Y,Z=	.561543	.127000E-01	.000000E+00	IN CSYS= 0

KEYPOINT 164 X,Y,Z= .601066 .127000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 165 X,Y,Z= .601066 .254000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 166 X,Y,Z= .601066 .317500E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 167 X,Y,Z= .601066 .341376E-01 .000000E+00 IN CSYS= 0
 create lines on perimeter and for lesize

LINE CONNECTS KEYPOINTS 73 60
 LINE NO.= 81 KP1= 73 TAN1= 1.0000 .0000 .0000
 KP2= 60 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 73 74
 LINE NO.= 82 KP1= 73 TAN1= .0000 -1.0000 .0000
 KP2= 74 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 61 74
 LINE NO.= 83 KP1= 61 TAN1= -1.0000 .0000 .0000
 KP2= 74 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 74 75
 LINE NO.= 84 KP1= 74 TAN1= .0000 -1.0000 .0000
 KP2= 75 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 75 62
 LINE NO.= 85 KP1= 75 TAN1= 1.0000 .0000 .0000
 KP2= 62 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 75 76
 LINE NO.= 86 KP1= 75 TAN1= .0000 -1.0000 .0000
 KP2= 76 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 63 76
 LINE NO.= 87 KP1= 63 TAN1= -1.0000 .0000 .0000
 KP2= 76 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 76 77
 LINE NO.= 88 KP1= 76 TAN1= .0000 -1.0000 .0000
 KP2= 77 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 77 78
 LINE NO.= 89 KP1= 77 TAN1= .0000 -1.0000 .0000
 KP2= 78 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 78 65
 LINE NO.= 90 KP1= 78 TAN1= 1.0000 .0000 .0000
 KP2= 65 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 78 79
 LINE NO.= 91 KP1= 78 TAN1= .0000 -1.0000 .0000
 KP2= 79 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 66 79
 LINE NO.= 92 KP1= 66 TAN1= -1.0000 .0000 .0000
 KP2= 79 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 79 80
 LINE NO.= 93 KP1= 79 TAN1= .0000 -1.0000 .0000
 KP2= 80 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 80 81
 LINE NO.= 94 KP1= 80 TAN1= .0000 -1.0000 .0000
 KP2= 81 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 81 68
 LINE NO.= 95 KP1= 81 TAN1= 1.0000 .0000 .0000
 KP2= 68 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS	81	82			
LINE NO.= 96 KP1=	81	TAN1=	.0000	-1.0000	.0000
KP2=	82	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	69	82			
LINE NO.= 97 KP1=	69	TAN1=	-1.0000	.0000	.0000
KP2=	82	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	82	83			
LINE NO.= 98 KP1=	82	TAN1=	.0000	-1.0000	.0000
KP2=	83	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	83	70			
LINE NO.= 99 KP1=	83	TAN1=	1.0000	.0000	.0000
KP2=	70	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	83	84			
LINE NO.= 100 KP1=	83	TAN1=	.0000	-1.0000	.0000
KP2=	84	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	71	84			
LINE NO.= 101 KP1=	71	TAN1=	-1.0000	.0000	.0000
KP2=	84	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	84	85			
LINE NO.= 102 KP1=	84	TAN1=	.0000	-1.0000	.0000
KP2=	85	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	85	92			
LINE NO.= 103 KP1=	85	TAN1=	-1.0000	.0000	.0000
KP2=	92	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	92	100			
LINE NO.= 104 KP1=	92	TAN1=	-1.0000	.0000	.0000
KP2=	100	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	100	109			
LINE NO.= 105 KP1=	100	TAN1=	-1.0000	.0000	.0000
KP2=	109	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	109	108			
LINE NO.= 106 KP1=	109	TAN1=	.0000	1.0000	.0000
KP2=	108	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	108	126			
LINE NO.= 107 KP1=	108	TAN1=	-1.0000	.0000	.0000
KP2=	126	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	126	130			
LINE NO.= 108 KP1=	126	TAN1=	-1.0000	.0000	.0000
KP2=	130	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	130	137			
LINE NO.= 109 KP1=	130	TAN1=	-1.0000	.0000	.0000
KP2=	137	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	137	136			
LINE NO.= 110 KP1=	137	TAN1=	.0000	1.0000	.0000
KP2=	136	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	136	105			
LINE NO.= 111 KP1=	136	TAN1=	1.0000	.0000	.0000
KP2=	105	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	112	107			
LINE NO.= 112 KP1=	112	TAN1=	.7071	.7071	.0000
KP2=	107	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	107	106			
LINE NO.= 113 KP1=	107	TAN1=	.0000	1.0000	.0000

	KP2=	106	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		106	105			
LINE NO.= 114	KP1=	106	TAN1=	.0000	1.0000	.0000
	KP2=	105	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		105	104			
LINE NO.= 115	KP1=	105	TAN1=	.0000	1.0000	.0000
	KP2=	104	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		104	103			
LINE NO.= 116	KP1=	104	TAN1=	.0000	1.0000	.0000
	KP2=	103	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		103	102			
LINE NO.= 117	KP1=	103	TAN1=	.0000	1.0000	.0000
	KP2=	102	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		102	111			
LINE NO.= 118	KP1=	102	TAN1=	-.7071	.7071	.0000
	KP2=	111	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		104	135			
LINE NO.= 119	KP1=	104	TAN1=	-1.0000	.0000	.0000
	KP2=	135	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		135	134			
LINE NO.= 120	KP1=	135	TAN1=	.0000	1.0000	.0000
	KP2=	134	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		123	127			
LINE NO.= 121	KP1=	123	TAN1=	-1.0000	.0000	.0000
	KP2=	127	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		127	134			
LINE NO.= 122	KP1=	127	TAN1=	-1.0000	.0000	.0000
	KP2=	134	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		134	141			
LINE NO.= 123	KP1=	134	TAN1=	-1.0000	.0000	.0000
	KP2=	141	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		141	143			
LINE NO.= 124	KP1=	141	TAN1=	-1.0000	.0000	.0000
	KP2=	143	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		143	148			
LINE NO.= 125	KP1=	143	TAN1=	-1.0000	.0000	.0000
	KP2=	148	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		148	150			
LINE NO.= 126	KP1=	148	TAN1=	-.7071	-.7071	.0000
	KP2=	150	TAN2=	.7071	.7071	.0000
LINE CONNECTS KEYPOINTS		141	142			
LINE NO.= 127	KP1=	141	TAN1=	.0000	-1.0000	.0000
	KP2=	142	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		142	162			
LINE NO.= 128	KP1=	142	TAN1=	-1.0000	.0000	.0000
	KP2=	162	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		162	161			
LINE NO.= 129	KP1=	162	TAN1=	.0000	1.0000	.0000
	KP2=	161	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		161	160			
LINE NO.= 130	KP1=	161	TAN1=	.0000	1.0000	.0000
	KP2=	160	TAN2=	.0000	-1.0000	.0000

LINE CONNECTS KEYPOINTS	160	159			
LINE NO.= 131 KP1=	160	TAN1=	.0000	1.0000	.0000
KP2=	159	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	159	167			
LINE NO.= 132 KP1=	159	TAN1=	-1.0000	.0000	.0000
KP2=	167	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	167	166			
LINE NO.= 133 KP1=	167	TAN1=	.0000	1.0000	.0000
KP2=	166	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	166	165			
LINE NO.= 134 KP1=	166	TAN1=	.0000	1.0000	.0000
KP2=	165	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	165	164			
LINE NO.= 135 KP1=	165	TAN1=	.0000	1.0000	.0000
KP2=	164	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	164	163			
LINE NO.= 136 KP1=	164	TAN1=	1.0000	.0000	.0000
KP2=	163	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	163	156			
LINE NO.= 137 KP1=	163	TAN1=	1.0000	.0000	.0000
KP2=	156	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	156	153			
LINE NO.= 138 KP1=	156	TAN1=	1.0000	.0000	.0000
KP2=	153	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	153	152			
LINE NO.= 139 KP1=	153	TAN1=	1.0000	.0000	.0000
KP2=	152	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	152	145			
LINE NO.= 140 KP1=	152	TAN1=	1.0000	.0000	.0000
KP2=	145	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	145	138			
LINE NO.= 141 KP1=	145	TAN1=	1.0000	.0000	.0000
KP2=	138	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	138	131			
LINE NO.= 142 KP1=	138	TAN1=	1.0000	.0000	.0000
KP2=	131	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	131	120			
LINE NO.= 143 KP1=	131	TAN1=	1.0000	.0000	.0000
KP2=	120	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	120	115			
LINE NO.= 144 KP1=	120	TAN1=	1.0000	.0000	.0000
KP2=	115	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	115	114			
LINE NO.= 145 KP1=	115	TAN1=	1.0000	.0000	.0000
KP2=	114	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	114	93			
LINE NO.= 146 KP1=	114	TAN1=	1.0000	.0000	.0000
KP2=	93	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	93	73			
LINE NO.= 147 KP1=	93	TAN1=	1.0000	.0000	.0000
KP2=	73	TAN2=	-1.0000	.0000	.0000

tube spacers

DEFINE AREA BY LIST OF KEYPOINTS

```
KEYPOINT LIST = 71 84 83 70
AREA NUMBER = 27
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 69 82 81 68
AREA NUMBER = 28
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 66 79 78 65
AREA NUMBER = 29
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 63 76 75 62
AREA NUMBER = 30
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 61 74 73 60
AREA NUMBER = 31
flux trap plate (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 85 92 91 83 84
AREA NUMBER = 32
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 83 91 90 80 81 82
AREA NUMBER = 33
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 80 90 89 79
AREA NUMBER = 34
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 79 89 88 78
AREA NUMBER = 35
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 78 88 87 77
AREA NUMBER = 36
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 77 87 86 73 74 75 76
AREA NUMBER = 37
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 86 121 120 115 114 93 73
AREA NUMBER = 38
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 121 132 131 120
AREA NUMBER = 39
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 132 139 138 131
AREA NUMBER = 40
```

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 139 146 145 138

AREA NUMBER = 41

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 146 157 156 153 152 145

AREA NUMBER = 42

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 157 165 164 163 156

AREA NUMBER = 43
flux trap plate (Al/boron)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 92 100 99 91

AREA NUMBER = 44

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 91 99 98 90

AREA NUMBER = 45

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 90 98 97 89

AREA NUMBER = 46

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 89 97 96 88

AREA NUMBER = 47

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 88 96 95 87

AREA NUMBER = 48

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 87 95 94 86

AREA NUMBER = 49

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 94 122 121 86

AREA NUMBER = 50

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 122 133 132 121

AREA NUMBER = 51

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 133 140 139 132

AREA NUMBER = 52

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 140 147 146 139

AREA NUMBER = 53

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 147 158 157 146

AREA NUMBER = 54

```
DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 158 166 165 157

  AREA NUMBER = 55
    flux trap plate (sheath)

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 100 109 108 99

  AREA NUMBER = 56

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 99 108 107 98

  AREA NUMBER = 57

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 98 107 106 105 97

  AREA NUMBER = 58

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 97 105 104 96

  AREA NUMBER = 59

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 96 104 103 102 95

  AREA NUMBER = 60

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 95 102 101 94

  AREA NUMBER = 61

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 101 123 122 94

  AREA NUMBER = 62

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 123 127 134 133 122

  AREA NUMBER = 63

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 134 141 140 133

  AREA NUMBER = 64

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 141 143 148 147 140

  AREA NUMBER = 65

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 148 159 158 147

  AREA NUMBER = 66

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 159 167 166 158

  AREA NUMBER = 67
    tube (sheath)

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 130 137 136 129
```



```
AREA NUMBER = 68
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 106 129 136 105
AREA NUMBER = 69
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 104 135 128 103
AREA NUMBER = 70
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 128 135 134 127
AREA NUMBER = 71
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 144 143 141
AREA NUMBER = 72
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 162 161 144
AREA NUMBER = 73
    tube (Al/boron)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 126 130 129 125
AREA NUMBER = 74
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 107 125 129 106
AREA NUMBER = 75
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 103 128 124 102
AREA NUMBER = 76
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 124 128 127 123
AREA NUMBER = 77
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 149 148 143
AREA NUMBER = 78
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 161 160 149
AREA NUMBER = 79
    tube (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 113 112 107
AREA NUMBER = 80
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 126 119 113
AREA NUMBER = 81
```

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 119 126 125 118

AREA NUMBER = 82

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 112 118 125 107

AREA NUMBER = 83

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 111 110 101

AREA NUMBER = 84

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 124 117 111

AREA NUMBER = 85

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 117 124 123 116

AREA NUMBER = 86

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 110 116 123 101

AREA NUMBER = 87

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 151 150 148

AREA NUMBER = 88

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 160 155 151

AREA NUMBER = 89

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 155 160 159 154

AREA NUMBER = 90

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 150 154 159 148

AREA NUMBER = 91
homogeneous assembly

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 113 119 118 112

AREA NUMBER = 92

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 111 117 116 110

AREA NUMBER = 93

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 151 155 154 150

AREA NUMBER = 94
helium spaces

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 72 85 84 71

```

AREA NUMBER = 95
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 70 83 82 69

AREA NUMBER = 96
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 68 81 80 67

AREA NUMBER = 97
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 67 80 79 66

AREA NUMBER = 98
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 65 78 77 64

AREA NUMBER = 99
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 64 77 76 63

AREA NUMBER = 100
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 62 75 74 61

AREA NUMBER = 101
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 105 136 135 104

AREA NUMBER = 102
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 135 142 141 134

AREA NUMBER = 103
MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03
*****
Set element shapes and sizes for tubes and flux trap
14x14 mesh in fuel with 1
division per tube layer

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

DEFAULT ELEMENT DIVISIONS PER LINE = 1

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 81 TO 87 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 90 TO 92 STEP 2

6 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 95 TO 101 STEP 2

10 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 2, SPACING RATIO = 1.000

```

```
SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    107 TO      107 STEP      1

      1 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    110 TO      111 STEP      1

      3 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    119 TO      120 STEP      1

      5 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    127 TO      128 STEP      1

      7 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    131 TO      131 STEP      1

      8 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
  TO NDIV = 14, SPACING RATIO = 1.000

ALL SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE     1 TO      264 STEP      1

    264 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE      82 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      84 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      86 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      88 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      89 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      91 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      93 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      94 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      96 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      98 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE     100 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE     102 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000
```

```

SET DIVISIONS ON LINE 103 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 104 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 136 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 137 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 138 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 139 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 140 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 141 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 142 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 143 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 144 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 145 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 146 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 147 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000
  concatenate lines for mapped meshing
  (L's 265,266,267,268,269,270,271,272,273,274)

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    82 TO      88 STEP      2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

```

```

CONCATENATE LINES
  LINE LIST = ALL SELECTED LINES

```

```

COMPOSITE LINE NO.= 265 KP1= 73 KP2= 77

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    94 TO      98 STEP      2

3 LINES (OF 265 DEFINED) SELECTED BY LSEL COMMAND.

```

```

CONCATENATE LINES
  LINE LIST = ALL SELECTED LINES

```

```

COMPOSITE LINE NO.= 266 KP1= 80 KP2= 83

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    100 TO     102 STEP      2

2 LINES (OF 266 DEFINED) SELECTED BY LSEL COMMAND.

```

```

CONCATENATE LINES

```

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 267 KP1= 83 KP2= 85

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 113 TO 114 STEP 1

2 LINES (OF 267 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 268 KP1= 107 KP2= 105

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 116 TO 117 STEP 1

2 LINES (OF 268 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 269 KP1= 104 KP2= 102

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 121 TO 122 STEP 1

2 LINES (OF 269 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 270 KP1= 123 KP2= 134

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 124 TO 125 STEP 1

2 LINES (OF 270 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 271 KP1= 141 KP2= 148

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 136 TO 137 STEP 1

2 LINES (OF 271 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 272 KP1= 164 KP2= 156

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 138 TO 140 STEP 1

3 LINES (OF 272 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 273 KP1= 156 KP2= 145

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 144 TO 147 STEP 1

4 LINES (OF 273 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 274 KP1= 120 KP2= 73

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 274 STEP 1

274 LINES (OF 274 DEFINED) SELECTED BY LSEL COMMAND.

Mesh areas
first flux trap plate, then tubes

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 27 TO 43 IN STEPS OF 1

*** WARNING *** CP= 6.670 TIME= 10:19:30
Meshing of area 32 produced 6 poorly shaped elements.

*** NOTE *** CP= 6.670 TIME= 10:19:30
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
38 39 44 45 50 51

*** WARNING *** CP= 6.730 TIME= 10:19:30
Meshing of area 33 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.730 TIME= 10:19:30
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
58 59 60 63 64 65 72 73 74 77
78 79 86 87 88 91 92 93

*** WARNING *** CP= 6.860 TIME= 10:19:30
Meshing of area 37 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.870 TIME= 10:19:30
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
125 129 130 132 133 134 139 143 144 146
147 148 153 157 158 160 161 162

*** WARNING *** CP= 6.940 TIME= 10:19:30
Meshing of area 38 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.940 TIME= 10:19:30
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
163 164 165 166 167 168 169 170 171 175
176 177 178 179 180 190 191 192

*** WARNING *** CP= 7.070 TIME= 10:19:30
Meshing of area 42 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.070 TIME= 10:19:30
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
238 239 240 241 242 243 244 245 246 253
254 255 256 257 258 259 260 261

*** WARNING *** CP= 7.110 TIME= 10:19:30
Meshing of area 43 produced 6 poorly shaped elements.

*** NOTE *** CP= 7.110 TIME= 10:19:30
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
280 281 282 283 284 285

NUMBER OF AREAS MESHED = 17
MAXIMUM NODE NUMBER = 386
MAXIMUM ELEMENT NUMBER = 288

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 44 TO 55 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 556
MAXIMUM ELEMENT NUMBER = 456

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 56 TO 73 IN STEPS OF 1

NUMBER OF AREAS MESHED = 18
MAXIMUM NODE NUMBER = 807
MAXIMUM ELEMENT NUMBER = 624

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 74 TO 79 IN STEPS OF 1

NUMBER OF AREAS MESHED = 6
MAXIMUM NODE NUMBER = 890
MAXIMUM ELEMENT NUMBER = 708

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 80 TO 91 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 1084
MAXIMUM ELEMENT NUMBER = 876

MATERIAL NUMBER SET TO 14

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 92 TO 94 IN STEPS OF 1

NUMBER OF AREAS MESHED = 3
MAXIMUM NODE NUMBER = 1591
MAXIMUM ELEMENT NUMBER = 1464

Delete concatenated lines
(L's freed up 265,266,267,268,269,270,271,272,273,274)

DELETE SELECTED LINES FROM 265 TO 274 BY 1

DELETED 10 LINES

Copy tube mesh and connect top and bottom

SYMMETRY TRANSFORMATION OF AREAS USING COMPONENT Y
SET IS FROM 27 TO 103 IN STEPS OF 1

MAXIMUM NODE NUMBER = 3182
MAXIMUM ELEMENT NUMBER = 2928
flux trap plate spacers
(L's 449,450,451,452,453,454,455,456,457,458)
(A's 181,182,183,184,185)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 186 73 93 202

AREA NUMBER = 181

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 201 114 115 200

AREA NUMBER = 182

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 204 131 138 206

AREA NUMBER = 183

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 212 152 153 211

AREA NUMBER = 184

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 210 156 163 215

AREA NUMBER = 185
flux trap plate helium gaps
(A's 186,187,188,189,190,191,192,193)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 187 60 73 186

AREA NUMBER = 186

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 202 93 114 201

AREA NUMBER = 187

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 200 115 120 199

AREA NUMBER = 188

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 199 120 131 204

AREA NUMBER = 189

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 206 138 145 208

AREA NUMBER = 190

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 208 145 152 212

AREA NUMBER = 191

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 211 153 156 210

AREA NUMBER = 192

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 215 163 164 214

AREA NUMBER = 193

tube/guide helium gaps (flats)

(A's 194,195,196,197,198,199,200,201,202,203,204,205)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 109 22 41 108

AREA NUMBER = 194

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 108 41 42 126

AREA NUMBER = 195

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 137 43 45 136

AREA NUMBER = 196

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 142 45 46 162

AREA NUMBER = 197

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 160 47 49 159

AREA NUMBER = 198

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 49 29 167 159

AREA NUMBER = 199

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 244 245 31 50

AREA NUMBER = 200

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 244 50 52 260

AREA NUMBER = 201

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 254 53 54 252

AREA NUMBER = 202

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 248 54 56 247

AREA NUMBER = 203

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 57 58 230

AREA NUMBER = 204

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 230 58 38 229

AREA NUMBER = 205

tube/guide helium gaps (corners)
(A's 206,207,208,209,210,211,212,213,214,215,216,217)
(218)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 85 72

AREA NUMBER = 206

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 22 109 100 92 85

AREA NUMBER = 207

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 24 25 43 137 130 126 42

AREA NUMBER = 208

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 136 45 142 135

AREA NUMBER = 209

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 26 27 47 160 161 162 46

AREA NUMBER = 210

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 167 29 30 164 165 166

AREA NUMBER = 211

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 164 30 214

AREA NUMBER = 212

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 214 30 31 245 228 213

AREA NUMBER = 213

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 52 33 34 53 254 255 260

AREA NUMBER = 214

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 250 252 54 248

AREA NUMBER = 215

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 246 247 56 35 36 57

AREA NUMBER = 216

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 188 189 216 229 38 39

AREA NUMBER = 217

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 273 188 39

AREA NUMBER = 218
mesh flux trap plate spacers

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 449 TO 458 STEP 1

10 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 4, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 488 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 181 TO 185 IN STEPS OF 1

NUMBER OF AREAS MESHED = 5
MAXIMUM NODE NUMBER = 3251
MAXIMUM ELEMENT NUMBER = 3000

MERGE COINCIDENT NODES WITHIN TOLERANCE OF .10000E-03

*** NOTE *** CP= 15.600 TIME= 10:19:39
Zero nodes were merged.

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Create mesh in MPC shell and disposal container
Tube guides

DEFAULT ELEMENT DIVISIONS PER LINE = 2

SET DIVISIONS ON LINE 43 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 46 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 49 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 53 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 56 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 60 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 61 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 64 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 68 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 71 (IF SELECTED AND UNMESHED)

```
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 75 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 78 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 15 TO 26 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 3677
MAXIMUM ELEMENT NUMBER = 3272
MPC shell
(L's 489.490)

SET DIVISIONS ON LINE 23 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 25 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 26 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 27 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 28 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 29 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 31 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 32 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 34 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 35 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 36 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 37 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 38 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 40 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 23 TO 31 STEP 1

9 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES
```

COMPOSITE LINE NO.= 489 KP1= 21 KP2= 30

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 32 TO 40 STEP 1

9 LINES (OF 489 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 490 KP1= 30 KP2= 39

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

490 LINES (OF 490 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 17 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 18 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 22 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 41 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 7 TO 8 IN STEPS OF 1

*** WARNING *** CP= 17.260 TIME= 10:19:41
Meshing of area 7 produced 112 poorly shaped elements.

*** NOTE *** CP= 17.260 TIME= 10:19:41
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
3292 3293 3294 3295 3296 3297 3298 3299 3300 3301
3302 3303 3304 3305 3306 3307 3308 3309 3310 3311
3312 3313 3314 3315 3316 3317 3318 3319 3320 3321
3322 3323 3324 3325 3326 3327 3328 3329 3330 3331
3332 3333 3334 3335 3336 3337 3338 3339 3340 3341
3342 3343 3344 3345 3346 3347 3366 3367 3368 3369
3370 3371 3372 3373 3374 3375 3376 3377 3378 3379
3380 3381 3382 3383 3384 3385 3386 3387 3388 3389
3390 3391 3392 3393 3394 3395 3396 3397 3398 3399
3400 3401 3402 3403 3404 3405 3406 3407 3408 3409
*** LIST TERMINATED AFTER 100 ***

*** WARNING *** CP= 17.830 TIME= 10:19:41
Meshing of area 8 produced 112 poorly shaped elements.

*** NOTE *** CP= 17.830 TIME= 10:19:41
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
3460 3461 3462 3463 3464 3465 3466 3467 3468 3469
3470 3471 3472 3473 3474 3475 3476 3477 3478 3479
3480 3481 3482 3483 3484 3485 3486 3487 3488 3489
3490 3491 3492 3493 3494 3495 3496 3497 3498 3499
3500 3501 3502 3503 3504 3505 3506 3507 3508 3509
3510 3511 3512 3513 3514 3515 3534 3535 3536 3537

```

3538 3539 3540 3541 3542 3543 3544 3545 3546 3547
3548 3549 3550 3551 3552 3553 3554 3555 3556 3557
3558 3559 3560 3561 3562 3563 3564 3565 3566 3567
3568 3569 3570 3571 3572 3573 3574 3575 3576 3577
*** LIST TERMINATED AFTER 100 ***

```

```

NUMBER OF AREAS MESHD      =      2
MAXIMUM NODE NUMBER        =    4109
MAXIMUM ELEMENT NUMBER     =    3608
      Assume vacuum between shell and inner barrier

```

```

SET DIVISIONS ON LINE      13 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      14 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      19 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      20 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000
      No MAT,7,
      No TYPE,1,
      No AMESH,5,6,1,
      Delete concatenated lines
      (L's freed up 489,490)

```

```

DELETE SELECTED LINES FROM 489 TO 490 BY 1

```

```

DELETED      2 LINES
      Inner and outer barrier

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      7 TO      10 STEP      1

```

```

      4 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 56, SPACING RATIO = 1.000

```

```

ALL SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      1 TO      490 STEP      1

```

```

      488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

SET DIVISIONS ON LINE      6 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      15 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      16 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      5 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      11 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      12 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

```

```

MATERIAL NUMBER SET TO      2

```

```

ELEMENT TYPE SET TO      1

```

```

GENERATE NODES AND ELEMENTS

```

```

      IN AREAS      3 TO      4 IN STEPS OF      1

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER      =    4561
MAXIMUM ELEMENT NUMBER      =    3944

MATERIAL NUMBER SET TO      3

ELEMENT TYPE SET TO      1

GENERATE NODES AND ELEMENTS
      IN AREAS      1 TO      2 IN STEPS OF      1

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER      =    5126
MAXIMUM ELEMENT NUMBER      =    4504
      Empty basket spaces

DEFAULT ELEMENT DIVISIONS PER LINE BASED ON ELEMENT SIZE = .100

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
      PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
      OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO      7

ELEMENT TYPE SET TO      1

GENERATE NODES AND ELEMENTS
      IN AREAS      9 TO     14 IN STEPS OF      1
** AREA      9 MESHED WITH    40 QUADRILATERALS,    10 TRIANGLES **
** AREA     11 MESHED WITH    41 QUADRILATERALS,    10 TRIANGLES **
** AREA     12 MESHED WITH    40 QUADRILATERALS,    10 TRIANGLES **
** AREA     14 MESHED WITH    41 QUADRILATERALS,    10 TRIANGLES **

NUMBER OF AREAS MESHED      =      6
MAXIMUM NODE NUMBER      =    5498
MAXIMUM ELEMENT NUMBER      =    5000
*****
      Define mesh and radiation surface elements
      Tube/guides gap

SELECT      FOR ITEM=LOC COMPONENT=X      BETWEEN .00000E+00 AND .00000E+00
KABS= 0. TOLERANCE= .100000E-05

      39 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      7 TO      8 STEP      1

      41 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE     13 TO     14 STEP      1

      43 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE     17 TO     18 STEP      1

      45 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

UNSELECT      ONLY NODES INTERIOR TO SELECTED LINE SET.

      5126 NODES (OF 5498 DEFINED) SELECTED FROM
      45 SELECTED LINES BY NSLL COMMAND.

ALL SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      1 TO     490 STEP      1

```


488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 7

GENERATE ELEMENTS ON SURFACE DEFINED BY SELECTED NODES
TYPE= 7 REAL= 1 MATERIAL= 1 ESYS= 0

NUMBER OF ELEMENTS GENERATED= 644

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5498 STEP 1

5498 NODES (OF 5498 DEFINED) SELECTED BY NSEL COMMAND.
Basket spaces

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 17

GENERATE NODES AND ELEMENTS
ON LINES 25 TO 29 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5686

GENERATE NODES AND ELEMENTS
ON LINES 34 TO 38 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5728

GENERATE NODES AND ELEMENTS
ON LINES 80 TO 80 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5734

GENERATE NODES AND ELEMENTS
ON LINES 45 TO 45 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5748

GENERATE NODES AND ELEMENTS
ON LINES 50 TO 52 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5776

GENERATE NODES AND ELEMENTS
ON LINES 57 TO 59 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5796

GENERATE NODES AND ELEMENTS
ON LINES 62 TO 65 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5816

GENERATE NODES AND ELEMENTS
ON LINES 69 TO 72 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5844

GENERATE NODES AND ELEMENTS
ON LINES 76 TO 79 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5864
MPC shell/inner barrier gap

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 17 TO 18 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5976

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 13 TO 14 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 6088

Create mesh in helium spaces

DEFAULT ELEMENT DIVISIONS PER LINE = 2

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 95 TO 103 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5622
MAXIMUM ELEMENT NUMBER = 6248

GENERATE NODES AND ELEMENTS
IN AREAS 172 TO 180 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5746
MAXIMUM ELEMENT NUMBER = 6408

GENERATE NODES AND ELEMENTS
IN AREAS 186 TO 205 IN STEPS OF 1

*** WARNING *** CP= 23.670 TIME= 10:19:48
Area 195 has a corner angle of 154 degrees. This is not recommended
for quadrilateral elements.

*** WARNING *** CP= 23.720 TIME= 10:19:48

Meshing of area 195 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.720 TIME= 10:19:48
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6534 6535 6536 6537 6538 6548 6549 6550 6551 6552

*** WARNING *** CP= 23.720 TIME= 10:19:48
Area 196 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.760 TIME= 10:19:48
Meshing of area 196 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.760 TIME= 10:19:48
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6557 6558 6559 6560 6561 6562 6563 6564 6565 6566
6571 6572 6573 6574 6575 6576 6577 6578 6579 6580

*** WARNING *** CP= 23.770 TIME= 10:19:48
Area 197 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.810 TIME= 10:19:48
Meshing of area 197 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.810 TIME= 10:19:48
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6581 6582 6583 6584 6585 6586 6587 6588 6589 6590
6595 6596 6597 6598 6599 6600 6601 6602 6603 6604

*** WARNING *** CP= 23.810 TIME= 10:19:48
Area 198 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.850 TIME= 10:19:48
Meshing of area 198 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.860 TIME= 10:19:48
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6609 6610 6611 6612 6613 6623 6624 6625 6626 6627

*** WARNING *** CP= 23.910 TIME= 10:19:48
Area 201 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.950 TIME= 10:19:48
Meshing of area 201 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.950 TIME= 10:19:48
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6670 6671 6672 6673 6674 6684 6685 6686 6687 6688

*** WARNING *** CP= 23.960 TIME= 10:19:48
Area 202 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 24.000 TIME= 10:19:48
Meshing of area 202 produced 20 poorly shaped elements.

*** NOTE *** CP= 24.000 TIME= 10:19:48
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6693 6694 6695 6696 6697 6698 6699 6700 6701 6702
6707 6708 6709 6710 6711 6712 6713 6714 6715 6716

*** WARNING *** CP= 24.000 TIME= 10:19:48
Area 203 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 24.040 TIME= 10:19:48
Meshing of area 203 produced 20 poorly shaped elements.

*** NOTE *** CP= 24.050 TIME= 10:19:48
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6717 6718 6719 6720 6721 6722 6723 6724 6725 6726
6731 6732 6733 6734 6735 6736 6737 6738 6739 6740

*** WARNING *** CP= 24.050 TIME= 10:19:48
Area 204 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 24.090 TIME= 10:19:48
Meshing of area 204 produced 10 poorly shaped elements.

*** NOTE *** CP= 24.090 TIME= 10:19:48
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6745 6746 6747 6748 6749 6759 6760 6761 6762 6763

NUMBER OF AREAS MESHED = 20
MAXIMUM NODE NUMBER = 5956
MAXIMUM ELEMENT NUMBER = 6784

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 206 TO 218 IN STEPS OF 1
** AREA 206 MESHED WITH 1 QUADRILATERALS, 2 TRIANGLES **
** AREA 207 MESHED WITH 0 QUADRILATERALS, 10 TRIANGLES **

*** WARNING *** CP= 24.220 TIME= 10:19:49
Meshing of area 207 produced 1 poorly shaped elements.

*** NOTE *** CP= 24.220 TIME= 10:19:49

Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 24.220 TIME= 10:19:49
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6794

** AREA	208 MESHED WITH	5 QUADRILATERALS,	11 TRIANGLES **
** AREA	209 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	210 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	211 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.470 TIME= 10:19:49
Meshing of area 211 produced 3 poorly shaped elements.

*** NOTE *** CP= 24.470 TIME= 10:19:49
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 24.470 TIME= 10:19:49
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6850 6851 6853

** AREA	212 MESHED WITH	2 QUADRILATERALS,	2 TRIANGLES **
** AREA	213 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.530 TIME= 10:19:49
Meshing of area 213 produced 1 poorly shaped elements.

*** NOTE *** CP= 24.530 TIME= 10:19:49
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 24.530 TIME= 10:19:49
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6865

** AREA	214 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	215 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	216 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	217 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.790 TIME= 10:19:49
Meshing of area 217 produced 2 poorly shaped elements.

*** NOTE *** CP= 24.790 TIME= 10:19:49
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 24.790 TIME= 10:19:49
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6923 6925

** AREA	218 MESHED WITH	1 QUADRILATERALS,	2 TRIANGLES **
---------	-----------------	-------------------	----------------

NUMBER OF AREAS MESHED = 13
MAXIMUM NODE NUMBER = 5990
MAXIMUM ELEMENT NUMBER = 6929

Clear areas and mesh by hand difficult areas

CLEAR NODES AND ELEMENTS
FROM AREAS 211 TO 211 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT 6930 5879 3453 3952 3952

ELEMENT	6931	636	5879	3952	3952
ELEMENT	6932	545	636	3952	3952
ELEMENT	6933	551	545	3952	3952
ELEMENT	6934	363	551	3952	3952
ELEMENT	6935	370	363	3952	3952
ELEMENT	6936	371	370	3952	3952
ELEMENT	6937	369	371	3952	3952
ELEMENT	6938	5973	369	3952	3952
ELEMENT	6939	3782	5973	3952	3952

CLEAR NODES AND ELEMENTS
FROM AREAS 217 TO 217 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT	6940	3735	5989	3738	3738
ELEMENT	6941	5989	1661	3738	3738
ELEMENT	6942	1661	1663	3738	3738
ELEMENT	6943	1663	1664	3738	3738
ELEMENT	6944	1664	1662	3738	3738
ELEMENT	6945	1662	1979	3738	3738
ELEMENT	6946	1979	1978	3738	3738
ELEMENT	6947	1978	2148	3738	3738
ELEMENT	6948	2148	5951	3738	3738
ELEMENT	6949	5951	3666	3738	3738

***** ROUTINE COMPLETED ***** CP = 24.860

Create element mesh plots to illustrate model
View mesh for entire model

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (CENTROIDAL SORT) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS 0 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

/SHOW SWITCH PLOTS TO FILE meshfull.grph - VECTOR MODE.

- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshfull.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

5592 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

/SHOW SWITCH PLOTS TO FILE meshgap.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshgap.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model
View mesh for radiation substructure

MAT NUMBERING KEY = 0

TYPE NUMBERING KEY = 1

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

864 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

1088 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

/SHOW SWITCH PLOTS TO FILE meshrad.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshrad.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6949 STEP 1

6929 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

Generate super-elements

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 10:19:55 MAR 26, 1995 CP= 30.640
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS RADIATION MATRIX UTILITY (AUX12) *****

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

655 NODES (OF 5990 DEFINED) SELECTED FROM
644 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= tubegap.sub

*** WARNING *** CP= 30.890 TIME= 10:19:56
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 644 NUMBER OF NODES= 655

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

220 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

220 NODES (OF 5990 DEFINED) SELECTED FROM
220 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= spaces.sub

*** WARNING *** CP= 70.330 TIME= 10:20:35
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 220 NUMBER OF NODES= 220

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

224 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

226 NODES (OF 5990 DEFINED) SELECTED FROM
224 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= shellgap.sub

*** WARNING *** CP= 76.830 TIME= 10:20:42
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 224 NUMBER OF NODES= 226

800 ZONES CREATE 1600 RAYS

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6949 STEP 1

6929 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1

5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 82.640

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 10:20:48 MAR 26, 1995 CP= 82.650
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE SET TO 18

SUPERELEMENT 6950 tubegap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6950

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6950

SUPERELEMENT 6951 spaces NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6951

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6951

SUPERELEMENT 6952 shellgap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6952

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6952
Delete radiation edge elements

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6932 DEFINED) SELECTED BY ESEL COMMAND.

DELETE ALL SELECTED ELEMENTS.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

6288 ELEMENTS (OF 6288 DEFINED) SELECTED BY ESEL COMMAND.

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

18 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

22 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CLEAR NODES AND ELEMENTS FROM ALL SELECTED LINES

*** NOTE *** CP= 83.180 TIME= 10:20:49
Nodes cannot be cleared from line 13 because area 3 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.190 TIME= 10:20:49
Nodes cannot be cleared from line 14 because area 4 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.210 TIME= 10:20:49
Nodes cannot be cleared from line 17 because area 7 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.220 TIME= 10:20:49
Nodes cannot be cleared from line 18 because area 8 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.230 TIME= 10:20:49
Nodes cannot be cleared from line 25 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.240 TIME= 10:20:49
Nodes cannot be cleared from line 27 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.240 TIME= 10:20:49
Nodes cannot be cleared from line 29 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.250 TIME= 10:20:49
Nodes cannot be cleared from line 34 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.250 TIME= 10:20:49
Nodes cannot be cleared from line 36 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.260 TIME= 10:20:49
Nodes cannot be cleared from line 38 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.260 TIME= 10:20:49
Nodes cannot be cleared from line 45 because area 9 is meshed. Only elements are deleted.

*** NOTE *** CP= 83.270 TIME= 10:20:49
Nodes cannot be cleared from line 50 because area 10 is meshed. Only elements are deleted.

*** NOTE *** CP= 83.270 TIME= 10:20:49
Nodes cannot be cleared from line 52 because area 10 is meshed. Only elements are deleted.

*** NOTE *** CP= 83.270 TIME= 10:20:49
Nodes cannot be cleared from line 57 because area 11 is meshed. Only elements are deleted.

*** NOTE *** CP= 83.280 TIME= 10:20:49
Nodes cannot be cleared from line 59 because area 11 is meshed. Only elements are deleted.

*** NOTE *** CP= 83.280 TIME= 10:20:49
Nodes cannot be cleared from line 62 because area 12 is meshed. Only elements are deleted.

*** NOTE *** CP= 83.280 TIME= 10:20:49
Nodes cannot be cleared from line 65 because area 12 is meshed. Only elements are deleted.

*** NOTE *** CP= 83.290 TIME= 10:20:49
Nodes cannot be cleared from line 69 because area 13 is meshed. Only elements are deleted.

*** NOTE *** CP= 83.290 TIME= 10:20:49
Nodes cannot be cleared from line 72 because area 13 is meshed. Only elements are deleted.

*** NOTE *** CP= 83.300 TIME= 10:20:49
Nodes cannot be cleared from line 76 because area 14 is meshed. Only elements are deleted.

*** NOTE *** CP= 83.300 TIME= 10:20:49
Nodes cannot be cleared from line 79 because area 14 is meshed. Only elements are deleted.

*** NOTE *** CP= 83.310 TIME= 10:20:49
Nodes cannot be cleared from line 80 because area 9 is meshed. Only elements are deleted.

CLEARED 22 LINES, 0 KEYPOINTS

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 83.310

Set solution parameters and apply B.C.'s

Solve steady-state for initial conditions
with WP surface equal to drift ambient
temperature from repository model.

***** ANSYS SOLUTION ROUTINE *****

PERFORM A TRANSIENT ANALYSIS
THIS WILL BE A NEW ANALYSIS

USE THE DEFAULT NEWTON-RAPHSON OPTION FOR ALL DOFS
AND USE THE DEFAULT ADAPTIVE DESCENT OPTION

*** NOTE *** CP= 83.320 TIME= 10:20:49
Damping (if present) may be ignored only in reduced transient analyses.

PERFORM A FULL TRANSIENT ANALYSIS

TEMPERATURE OFFSET FROM ABSOLUTE ZERO= 273.150

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5990 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES 1 TO 5990 BY 1
REAL= 26.1375258 IMAG= .000000000E+00

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1

5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .10000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

*** WARNING *** CP= 84.640 TIME= 10:20:52
Element 6932 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 84.640 TIME= 10:20:52
Element 6932 has a poor shape angle of 7.74746071 degrees.

*** WARNING *** CP= 84.650 TIME= 10:20:52
Element 6947 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 84.650 TIME= 10:20:52
Element 6947 has a poor shape angle of 7.74746071 degrees.

*** NOTE *** CP= 84.650 TIME= 10:20:52
All shape tests were bypassed for elements associated with the solid model, because most of them were already done at AMESH or VMESH. Use CHECK if desired to perform all of the element tests.

*** NOTE *** CP= 84.650 TIME= 10:20:52
The model data was checked and warning messages were found.
Please review output or errors file (ma12b3.err) for these warning messages.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 10:20:52 MAR 26, 1995 CP= 84.650
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

SOLUTION OPTIONS

PROBLEM DIMENSIONALITY.3-D
DEGREES OF FREEDOM.TEMP
ANALYSIS TYPETRANSIENT
SOLUTION METHOD.FULL
OFFSET TEMPERATURE FROM ABSOLUTE ZERO273.15
NEWTON-RAPHSON OPTIONPROGRAM CHOSEN

*** NOTE *** CP= 85.610 TIME= 10:20:53
This load step will be a static (steady-state) step.

*** NOTE *** CP= 86.000 TIME= 10:20:53
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution procedure) for ALL DOFs.

LOAD STEP OPTIONS

LOAD STEP NUMBER.1
TIME AT END OF THE LOAD STEP.10000E-05
AUTOMATIC TIME STEPPINGON
INITIAL NUMBER OF SUBSTEPS0
MAXIMUM NUMBER OF SUBSTEPS0
MINIMUM NUMBER OF SUBSTEPS1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS.25
STEP CHANGE BOUNDARY CONDITIONSNO
TRANSIENT (INERTIA) EFFECTSOFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

***** CENTROID, MASS, AND MASS MOMENTS OF INERTIA *****

CALCULATIONS ASSUME ELEMENT MASS AT ELEMENT CENTROID

TOTAL MASS = 4459.4

CENTROID	MOM. OF INERTIA ABOUT ORIGIN	MOM. OF INERTIA ABOUT CENTROID
XC = .35157	IXX = 765.4	IXX = 765.4
YC = .62210E-11	IYY = 765.4	IYY = 214.2
ZC = .00000E+00	IZZ = 1531.	IZZ = 979.6
	IXY = .5422E-09	IXY = .1030E-07
	IYZ = .0000E+00	IYZ = .0000E+00
	IZX = .0000E+00	IZX = .0000E+00

*** MASS SUMMARY BY ELEMENT TYPE ***

TYPE	MASS
1	4459.37

Range of element maximum matrix coefficients in global coordinates
 Maximum= 483.62017 at element 2116.
 Minimum= 1.026389896E-09 at element 6952.

*** WARNING *** CP= 104.700 TIME= 10:21:15
 Coefficient ratio exceeds 1.0e8 - Check results.

*** ELEMENT MATRIX FORMULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5841	PLANE55	11.740	.002
18	3	MATRIX50	.600	.200

Time at end of element matrix formulation CP= 104.7.
 HT FLOW CONVERGENCE VALUE= .1194E+05 CRITERION= 11.94

Estimated number of active DOF= 5877.
 Maximum wavefront= 918.

Time at end of matrix triangularization CP= 207.81.
 Equation solver maximum pivot= 1269.32433 at node 2083 TEMP.
 Equation solver minimum pivot= 0.186669206 at node 5749 TEMP.
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 388.4
 HT FLOW CONVERGENCE VALUE= 694.9 CRITERION= .1749
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -146.5
 HT FLOW CONVERGENCE VALUE= 118.3 CRITERION= .3416
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -33.12
 HT FLOW CONVERGENCE VALUE= 30.14 CRITERION= .2043
 EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.524
 HT FLOW CONVERGENCE VALUE= 2.933 CRITERION= .1760
 EQUIL ITER 5 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6745
 HT FLOW CONVERGENCE VALUE= .3872 CRITERION= .1740
 EQUIL ITER 6 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6428E-01
 HT FLOW CONVERGENCE VALUE= .3792E-01 CRITERION= .1743 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 6

*** ELEMENT RESULT CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5841	PLANE55	6.910	.001
18	3	MATRIX50	.720	.240

*** NODAL LOAD CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

```

1 5841 PLANE55 .950 .000
18 3 MATRIX50 .000 .000
*** LOAD STEP 1 SUBSTEP 1 COMPLETED. CUM ITER = 6
*** TIME = .100000E-05 TIME INC = .100000E-05

```

```

*** PROBLEM STATISTICS
ACTUAL NO. OF ACTIVE DEGREES OF FREEDOM = 5877
R.M.S. WAVEFRONT SIZE = 445.1

```

*** ANSYS BINARY FILE STATISTICS

```

BUFFER SIZE USED= 4096
6.188 MB WRITTEN ON ELEMENT MATRIX FILE: ma12b3.emat
2.625 MB WRITTEN ON ELEMENT SAVED DATA FILE: ma12b3.esav
18.781 MB WRITTEN ON TRIANGULARIZED MATRIX FILE: ma12b3.tri
.031 MB WRITTEN ON SUBSTRUCTURE DOF SOLUTION FILE: ma12b3.dsub
3.188 MB WRITTEN ON RESULTS FILE: ma12b3.rth
Solve steady-state for initial conditions
with WP surface temperatures from repository
steady-state solution.

```

```

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5990 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

```

```

DELETE SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES
RANGE 1 TO 5990 BY 1

```

NUMBER OF SPECIFIED CONSTRAINTS DELETED= 113

```

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1

5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

```

```

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.352 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.316 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.251 .00000E+00 EXPANSION KEY = 1

```

```

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

```

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .20000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** WARNING *** CP= 834.470 TIME= 10:33:30
This load step will be a static (steady-state) step.

*** NOTE *** CP= 834.850 TIME= 10:33:31
The step data was checked and warning messages were found.
Please review output or errors file (ma12b3.err) for these warning
messages.

*** NOTE *** CP= 834.850 TIME= 10:33:31
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 10:33:31 MAR 26, 1995 CP= 834.850
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 2
TIME AT END OF THE LOAD STEP.20000E-05
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 0
MAXIMUM NUMBER OF SUBSTEPS 0
MINIMUM NUMBER OF SUBSTEPS 1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS OFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .1430E+05 CRITERION= 14.30


```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 31.36
HT FLOW CONVERGENCE VALUE= 25.58 CRITERION= .1834
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -10.86
HT FLOW CONVERGENCE VALUE= 6.439 CRITERION= .1798
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.185
HT FLOW CONVERGENCE VALUE= .3621 CRITERION= .1744
EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1188
HT FLOW CONVERGENCE VALUE= .7320E-01 CRITERION= .1743 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 4
*** LOAD STEP 2 SUBSTEP 1 COMPLETED. CUM ITER = 10
*** TIME = .200000E-05 TIME INC = .100000E-05
*****

```

Set time integration parameters

INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

Time substep ranges from 10 sec to 1/4 loadstep

USE 10 SUBSTEPS INITIALLY THIS LOAD STEP FOR ALL DOFS

FOR AUTOMATIC TIME STEPPING:

USE 40 SUBSTEPS AS A MAXIMUM

USE 4 SUBSTEPS AS A MINIMUM

USE THE FINAL TIME STEP SIZE OF THE PREVIOUS LOAD STEP

AS THE STARTING TIME STEP SIZE.

Begin Transient

Apply loads and solve for 0 to .9 years

*DO LOOP ON PARAMETER= TM FROM 31.558 TO .28402E+08 BY .31558E+07

TIME= 31.558

```

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

```

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

```

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

```

```

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

```

```

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

```

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

```

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

```

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

```

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.352 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.316 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.251 .00000E+00 EXPANSION KEY = 1

```

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL

CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 1042.700 TIME= 10:37:01
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 10:37:01 MAR 26, 1995 CP= 1042.700
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 3
TIME AT END OF THE LOAD STEP. 31.558
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .7320E-01 CRITERION= .1743
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1057E-03
HT FLOW CONVERGENCE VALUE= .6904E-05 CRITERION= .1743 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 1 COMPLETED. CUM ITER = 11
*** TIME = .788942 TIME INC = .788940
*** RESPONSE EIGENVALUE = .4181 OSCILLATION LIMIT = .3299
*** AUTO STEP TIME: NEXT TIME INC = .78894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .1325 CRITERION= .1743
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5976E-04
HT FLOW CONVERGENCE VALUE= .1085E-04 CRITERION= .1743 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 2 COMPLETED. CUM ITER = 12
*** TIME = 1.57788 TIME INC = .788940
*** RESPONSE EIGENVALUE = .2079 OSCILLATION LIMIT = .1640
*** AUTO TIME STEP: NEXT TIME INC = 2.3668 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= .1171 CRITERION= .1743
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9285E-04
HT FLOW CONVERGENCE VALUE= .2620E-04 CRITERION= .1743 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 3 COMPLETED. CUM ITER = 13
*** TIME = 3.94470 TIME INC = 2.36682
*** RESPONSE EIGENVALUE = .1050 OSCILLATION LIMIT = .2485
*** AUTO TIME STEP: NEXT TIME INC = 4.7620 INCREASED (FACTOR = 2.0120)

HT FLOW CONVERGENCE VALUE= .9688E-01 CRITERION= .1743
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1088E-03
HT FLOW CONVERGENCE VALUE= .3622E-04 CRITERION= .1743 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 4 COMPLETED. CUM ITER = 14

*** TIME = 8.70671 TIME INC = 4.76200
 *** RESPONSE EIGENVALUE = .4336E-01 OSCILLATION LIMIT = .2065
 *** AUTO TIME STEP: NEXT TIME INC = 7.8894 INCREASED (FACTOR = 1.6567)

HT FLOW CONVERGENCE VALUE= .8646E-01 CRITERION= .1743
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7273E-04
 HT FLOW CONVERGENCE VALUE= .3884E-04 CRITERION= .1743 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 5 COMPLETED. CUM ITER = 15
 *** TIME = 16.5961 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .1534E-01 OSCILLATION LIMIT = .1210
 *** AUTO STEP TIME: NEXT TIME INC = 7.8894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8108E-01 CRITERION= .1743
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5225E-04
 HT FLOW CONVERGENCE VALUE= .2854E-04 CRITERION= .1743 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 6 COMPLETED. CUM ITER = 16
 *** TIME = 24.4855 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .8456E-02 OSCILLATION LIMIT = .6671E-01
 *** AUTO TIME STEP: NEXT TIME INC = 7.0721 DECREASED (FACTOR = .8964)

HT FLOW CONVERGENCE VALUE= .7735E-01 CRITERION= .1743
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4240E-04
 HT FLOW CONVERGENCE VALUE= .2208E-04 CRITERION= .1743 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 7 COMPLETED. CUM ITER = 17
 *** TIME = 31.5576 TIME INC = 7.07209
 *** RESPONSE EIGENVALUE = .6284E-02 OSCILLATION LIMIT = .4444E-01

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:45:45 MAR 26, 1995 CP= 1556.740
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 260.0 CRITERION= .3130
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5916
 HT FLOW CONVERGENCE VALUE= .3786 CRITERION= .1731
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8507E-01
 HT FLOW CONVERGENCE VALUE= .6757E-01 CRITERION= .1731 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 1 COMPLETED. CUM ITER = 19
 *** TIME = 78925.6 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1288E-05 OSCILLATION LIMIT = .1016
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 260.6 CRITERION= .3126
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5944
 HT FLOW CONVERGENCE VALUE= .4206 CRITERION= .1740
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9060E-01
 HT FLOW CONVERGENCE VALUE= .6544E-01 CRITERION= .1740 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 2 COMPLETED. CUM ITER = 21
 *** TIME = 157820. TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .3641E-06 OSCILLATION LIMIT = .2872E-01
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 780.5 CRITERION= .7997
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.775
 HT FLOW CONVERGENCE VALUE= 1.301 CRITERION= .1731
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4142
 HT FLOW CONVERGENCE VALUE= .2637 CRITERION= .1731
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4566E-01

HT FLOW CONVERGENCE VALUE= .1178E-01 CRITERION= .1729 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 3 COMPLETED. CUM ITER = 24
 *** TIME = 394502. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .2386E-06 OSCILLATION LIMIT = .5648E-01
 *** AUTO STEP TIME: NEXT TIME INC = .23668E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 781.6 CRITERION= .8002
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.775
 HT FLOW CONVERGENCE VALUE= 1.312 CRITERION= .1741
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4164
 HT FLOW CONVERGENCE VALUE= .2628 CRITERION= .1741
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4549E-01
 HT FLOW CONVERGENCE VALUE= .1172E-01 CRITERION= .1738 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 4 COMPLETED. CUM ITER = 27
 *** TIME = 631184. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .2163E-06 OSCILLATION LIMIT = .5121E-01
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 2345. CRITERION= 2.351
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 5.324
 HT FLOW CONVERGENCE VALUE= 3.971 CRITERION= .1736
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.498
 HT FLOW CONVERGENCE VALUE= .8896 CRITERION= .1734
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1760
 HT FLOW CONVERGENCE VALUE= .4100E-01 CRITERION= .1727 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 5 COMPLETED. CUM ITER = 30
 *** TIME = .134123E+07 TIME INC = 710046.
 *** RESPONSE EIGENVALUE = .2291E-06 OSCILLATION LIMIT = .1627
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 2611. CRITERION= 2.617
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 5.916
 HT FLOW CONVERGENCE VALUE= 4.404 CRITERION= .1744
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.653
 HT FLOW CONVERGENCE VALUE= .9565 CRITERION= .1742
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1903
 HT FLOW CONVERGENCE VALUE= .4399E-01 CRITERION= .1735 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 6 COMPLETED. CUM ITER = 33
 *** TIME = .213017E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2205E-06 OSCILLATION LIMIT = .1740
 *** AUTO TIME STEP: NEXT TIME INC = .51281E+06 DECREASED (FACTOR = .6500)

HT FLOW CONVERGENCE VALUE= 1700. CRITERION= 1.709
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 3.845
 HT FLOW CONVERGENCE VALUE= 2.835 CRITERION= .1729
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.005
 HT FLOW CONVERGENCE VALUE= .5783 CRITERION= .1728
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1117
 HT FLOW CONVERGENCE VALUE= .2596E-01 CRITERION= .1724 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 7 COMPLETED. CUM ITER = 36
 *** TIME = .264298E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .2401E-06 OSCILLATION LIMIT = .1231
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1702. CRITERION= 1.711
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 3.845
 HT FLOW CONVERGENCE VALUE= 2.848 CRITERION= .1737
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9941
 HT FLOW CONVERGENCE VALUE= .5623 CRITERION= .1737
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1090
 HT FLOW CONVERGENCE VALUE= .2516E-01 CRITERION= .1732 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 8 COMPLETED. CUM ITER = 39
 *** TIME = .315579E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .2229E-06 OSCILLATION LIMIT = .1143

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 11:06:14 MAR 26, 1995 CP= 2771.660
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 453.6 CRITERION= .4855
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9729
 HT FLOW CONVERGENCE VALUE= .8317 CRITERION= .1734
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2817
 HT FLOW CONVERGENCE VALUE= .1485 CRITERION= .1735 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 1 COMPLETED. CUM ITER = 41
 *** TIME = .366860E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .2720E-06 OSCILLATION LIMIT = .1395
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 453.8 CRITERION= .4858
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9663
 HT FLOW CONVERGENCE VALUE= .6914 CRITERION= .1733
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2379
 HT FLOW CONVERGENCE VALUE= .1481 CRITERION= .1732 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 2 COMPLETED. CUM ITER = 43
 *** TIME = .418141E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .6426E-06 OSCILLATION LIMIT = .3295
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 453.8 CRITERION= .4858
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9671
 HT FLOW CONVERGENCE VALUE= .7887 CRITERION= .1731
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2657
 HT FLOW CONVERGENCE VALUE= .1456 CRITERION= .1732 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 3 COMPLETED. CUM ITER = 45
 *** TIME = .469422E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .2279E-06 OSCILLATION LIMIT = .1169
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.5385)

HT FLOW CONVERGENCE VALUE= 698.5 CRITERION= .7196
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.487
 HT FLOW CONVERGENCE VALUE= 1.122 CRITERION= .1731
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3990
 HT FLOW CONVERGENCE VALUE= .2316 CRITERION= .1730
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4673E-01
 HT FLOW CONVERGENCE VALUE= .1011E-01 CRITERION= .1728 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 4 COMPLETED. CUM ITER = 48
 *** TIME = .548316E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3183E-06 OSCILLATION LIMIT = .2511
 *** AUTO TIME STEP: NEXT TIME INC = .41419E+06 DECREASED (FACTOR = .5250)

HT FLOW CONVERGENCE VALUE= 366.8 CRITERION= .4055
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7822
 HT FLOW CONVERGENCE VALUE= .6275 CRITERION= .1728
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2027
 HT FLOW CONVERGENCE VALUE= .1132 CRITERION= .1728 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 5 COMPLETED. CUM ITER = 50
 *** TIME = .589736E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .4065E-06 OSCILLATION LIMIT = .1684
 *** AUTO STEP TIME: NEXT TIME INC = .41419E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 367.0 CRITERION= .4056
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7805

```

HT FLOW CONVERGENCE VALUE= .5820    CRITERION= .1728
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1902
HT FLOW CONVERGENCE VALUE= .1115    CRITERION= .1727    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 5 SUBSTEP 6 COMPLETED. CUM ITER = 52
*** TIME = .631155E+07    TIME INC = 414194.
*** RESPONSE EIGENVALUE = .3552E-06    OSCILLATION LIMIT = .1471

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303    VERSION=HP 9000/7XX    11:19:01 MAR 26, 1995 CP= 3531.570
FOR SUPPORT CALL SUPPORT PERSON    PHONE SUPPORT PHONE    FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 240.9    CRITERION= .2964
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5121
HT FLOW CONVERGENCE VALUE= .4099    CRITERION= .1727
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1323
HT FLOW CONVERGENCE VALUE= .7315E-01    CRITERION= .1727    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 1 COMPLETED. CUM ITER = 54
*** TIME = .672575E+07    TIME INC = 414194.
*** RESPONSE EIGENVALUE = .3025E-06    OSCILLATION LIMIT = .1253
*** AUTO STEP TIME: NEXT TIME INC = .41419E+06    UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 241.0    CRITERION= .2965
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5121
HT FLOW CONVERGENCE VALUE= .3724    CRITERION= .1726
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1216
HT FLOW CONVERGENCE VALUE= .7266E-01    CRITERION= .1725    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 2 COMPLETED. CUM ITER = 56
*** TIME = .713994E+07    TIME INC = 414194.
*** RESPONSE EIGENVALUE = .4580E-06    OSCILLATION LIMIT = .1897
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06    INCREASED (FACTOR = 1.9048)

```

```

HT FLOW CONVERGENCE VALUE= 459.0    CRITERION= .4903
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9755
HT FLOW CONVERGENCE VALUE= .7574    CRITERION= .1725
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2650
HT FLOW CONVERGENCE VALUE= .1491    CRITERION= .1724    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 3 COMPLETED. CUM ITER = 58
*** TIME = .792888E+07    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5174E-06    OSCILLATION LIMIT = .4082
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 459.2    CRITERION= .4904
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9755
HT FLOW CONVERGENCE VALUE= .7326    CRITERION= .1723
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2565
HT FLOW CONVERGENCE VALUE= .1463    CRITERION= .1722    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 4 COMPLETED. CUM ITER = 60
*** TIME = .871782E+07    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4070E-06    OSCILLATION LIMIT = .3211
*** AUTO TIME STEP: NEXT TIME INC = .74949E+06    DECREASED (FACTOR = .9500)

```

```

HT FLOW CONVERGENCE VALUE= 436.3    CRITERION= .4690
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9267
HT FLOW CONVERGENCE VALUE= .7138    CRITERION= .1721
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2476
HT FLOW CONVERGENCE VALUE= .1383    CRITERION= .1720    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 5 COMPLETED. CUM ITER = 62
*** TIME = .946731E+07    TIME INC = 749493.

```

*** RESPONSE EIGENVALUE = .4486E-06 OSCILLATION LIMIT = .3362

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 11:29:01 MAR 26, 1995 CP= 4127.690
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 336.9 CRITERION= .3783
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7156
 HT FLOW CONVERGENCE VALUE= .5240 CRITERION= .1720
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1850
 HT FLOW CONVERGENCE VALUE= .1050 CRITERION= .1719 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 1 COMPLETED. CUM ITER = 64
 *** TIME = .102168E+08 TIME INC = 749493.
 *** RESPONSE EIGENVALUE = .4013E-06 OSCILLATION LIMIT = .3007
 *** AUTO STEP TIME: NEXT TIME INC = .74949E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 336.9 CRITERION= .3782
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7156
 HT FLOW CONVERGENCE VALUE= .5124 CRITERION= .1717
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1868
 HT FLOW CONVERGENCE VALUE= .1058 CRITERION= .1717 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 2 COMPLETED. CUM ITER = 66
 *** TIME = .109663E+08 TIME INC = 749493.
 *** RESPONSE EIGENVALUE = .6163E-06 OSCILLATION LIMIT = .4619
 *** AUTO STEP TIME: NEXT TIME INC = .74949E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 337.0 CRITERION= .3782
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7156
 HT FLOW CONVERGENCE VALUE= .4875 CRITERION= .1716
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1842
 HT FLOW CONVERGENCE VALUE= .1040 CRITERION= .1716 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 3 COMPLETED. CUM ITER = 68
 *** TIME = .117158E+08 TIME INC = 749493.
 *** RESPONSE EIGENVALUE = .4454E-06 OSCILLATION LIMIT = .3338
 *** AUTO TIME STEP: NEXT TIME INC = .45364E+06 DECREASED (FACTOR = .6053)

HT FLOW CONVERGENCE VALUE= 204.0 CRITERION= .2665
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4332
 HT FLOW CONVERGENCE VALUE= .2967 CRITERION= .1714
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1058
 HT FLOW CONVERGENCE VALUE= .6009E-01 CRITERION= .1713 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 4 COMPLETED. CUM ITER = 70
 *** TIME = .121694E+08 TIME INC = 453641.
 *** RESPONSE EIGENVALUE = .5752E-06 OSCILLATION LIMIT = .2610
 *** AUTO STEP TIME: NEXT TIME INC = .45364E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 204.1 CRITERION= .2665
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4332
 HT FLOW CONVERGENCE VALUE= .2914 CRITERION= .1713
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1039
 HT FLOW CONVERGENCE VALUE= .5916E-01 CRITERION= .1713 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 5 COMPLETED. CUM ITER = 72
 *** TIME = .126231E+08 TIME INC = 453641.
 *** RESPONSE EIGENVALUE = .4016E-06 OSCILLATION LIMIT = .1822

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****

900-38303 VERSION=HP 9000/7XX 11:39:03 MAR 26, 1995 CP= 4724.740
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 166.9 CRITERION= .2392
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3545
HT FLOW CONVERGENCE VALUE= .2431 CRITERION= .1712
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8622E-01
HT FLOW CONVERGENCE VALUE= .4918E-01 CRITERION= .1712 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 1 COMPLETED. CUM ITER = 74
*** TIME = .130767E+08 TIME INC = 453641.
*** RESPONSE EIGENVALUE = .7386E-06 OSCILLATION LIMIT = .3350
*** AUTO STEP TIME: NEXT TIME INC = .45364E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 167.0 CRITERION= .2391
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3545
HT FLOW CONVERGENCE VALUE= .2352 CRITERION= .1711
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8321E-01
HT FLOW CONVERGENCE VALUE= .4812E-01 CRITERION= .1711 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 2 COMPLETED. CUM ITER = 76
*** TIME = .135304E+08 TIME INC = 453641.
*** RESPONSE EIGENVALUE = .5125E-06 OSCILLATION LIMIT = .2325
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.7391)

HT FLOW CONVERGENCE VALUE= 290.4 CRITERION= .3370
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6165
HT FLOW CONVERGENCE VALUE= .4200 CRITERION= .1709
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1589
HT FLOW CONVERGENCE VALUE= .8970E-01 CRITERION= .1709 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 3 COMPLETED. CUM ITER = 78
*** TIME = .143193E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7956E-06 OSCILLATION LIMIT = .6277
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 290.5 CRITERION= .3370
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6165
HT FLOW CONVERGENCE VALUE= .4122 CRITERION= .1708
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1557
HT FLOW CONVERGENCE VALUE= .8778E-01 CRITERION= .1707 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 4 COMPLETED. CUM ITER = 80
*** TIME = .151082E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5546E-06 OSCILLATION LIMIT = .4375
*** AUTO TIME STEP: NEXT TIME INC = .67060E+06 DECREASED (FACTOR = .8500)

HT FLOW CONVERGENCE VALUE= 246.9 CRITERION= .3001
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5240
HT FLOW CONVERGENCE VALUE= .3550 CRITERION= .1705
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1320
HT FLOW CONVERGENCE VALUE= .7405E-01 CRITERION= .1705 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 5 COMPLETED. CUM ITER = 82
*** TIME = .157788E+08 TIME INC = 670599.
*** RESPONSE EIGENVALUE = .7006E-06 OSCILLATION LIMIT = .4698

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 11:49:04 MAR 26, 1995 CP= 5322.110
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 210.1 CRITERION= .2706
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4459
 HT FLOW CONVERGENCE VALUE= .2950 CRITERION= .1705
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1094
 HT FLOW CONVERGENCE VALUE= .6194E-01 CRITERION= .1704 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 1 COMPLETED. CUM ITER = 84
 *** TIME = .164494E+08 TIME INC = 670599.
 *** RESPONSE EIGENVALUE = .5700E-06 OSCILLATION LIMIT = .3822
 *** AUTO STEP TIME: NEXT TIME INC = .67060E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 210.0 CRITERION= .2705
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4459
 HT FLOW CONVERGENCE VALUE= .2973 CRITERION= .1702
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1104
 HT FLOW CONVERGENCE VALUE= .6272E-01 CRITERION= .1702 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 2 COMPLETED. CUM ITER = 86
 *** TIME = .171200E+08 TIME INC = 670599.
 *** RESPONSE EIGENVALUE = .8957E-06 OSCILLATION LIMIT = .6007
 *** AUTO STEP TIME: NEXT TIME INC = .67060E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 210.1 CRITERION= .2704
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4459
 HT FLOW CONVERGENCE VALUE= .2941 CRITERION= .1701
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1089
 HT FLOW CONVERGENCE VALUE= .6151E-01 CRITERION= .1701 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 3 COMPLETED. CUM ITER = 88
 *** TIME = .177906E+08 TIME INC = 670599.
 *** RESPONSE EIGENVALUE = .6071E-06 OSCILLATION LIMIT = .4071
 *** AUTO STEP TIME: NEXT TIME INC = .67060E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 210.0 CRITERION= .2703
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4459
 HT FLOW CONVERGENCE VALUE= .2968 CRITERION= .1699
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1100
 HT FLOW CONVERGENCE VALUE= .6217E-01 CRITERION= .1699 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 4 COMPLETED. CUM ITER = 90
 *** TIME = .184612E+08 TIME INC = 670599.
 *** RESPONSE EIGENVALUE = .8805E-06 OSCILLATION LIMIT = .5905
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+06 DECREASED (FACTOR = .7059)

HT FLOW CONVERGENCE VALUE= 148.3 CRITERION= .2255
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3148
 HT FLOW CONVERGENCE VALUE= .2058 CRITERION= .1699
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7281E-01
 HT FLOW CONVERGENCE VALUE= .4129E-01 CRITERION= .1698 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 5 COMPLETED. CUM ITER = 92
 *** TIME = .189346E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .5283E-06 OSCILLATION LIMIT = .2501

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 11:59:12 MAR 26, 1995 CP= 5919.680
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 129.7 CRITERION= .2137
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2754
 HT FLOW CONVERGENCE VALUE= .1824 CRITERION= .1697
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6463E-01
 HT FLOW CONVERGENCE VALUE= .3697E-01 CRITERION= .1697 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

```

*** LOAD STEP 10 SUBSTEP 1 COMPLETED. CUM ITER = 94
*** TIME = .194080E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .1006E-05 OSCILLATION LIMIT = .4762
*** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 129.8 CRITERION= .2136
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2754
HT FLOW CONVERGENCE VALUE= .1773 CRITERION= .1696
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6261E-01
HT FLOW CONVERGENCE VALUE= .3609E-01 CRITERION= .1696 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 2 COMPLETED. CUM ITER = 96
*** TIME = .198813E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .7055E-06 OSCILLATION LIMIT = .3340
*** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 129.7 CRITERION= .2135
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2754
HT FLOW CONVERGENCE VALUE= .1816 CRITERION= .1695
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6429E-01
HT FLOW CONVERGENCE VALUE= .3679E-01 CRITERION= .1695 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 3 COMPLETED. CUM ITER = 98
*** TIME = .203547E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .1043E-05 OSCILLATION LIMIT = .4938
*** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 129.8 CRITERION= .2134
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2754
HT FLOW CONVERGENCE VALUE= .1774 CRITERION= .1694
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6260E-01
HT FLOW CONVERGENCE VALUE= .3589E-01 CRITERION= .1694 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 4 COMPLETED. CUM ITER = 100
*** TIME = .208280E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .7007E-06 OSCILLATION LIMIT = .3317
*** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 129.7 CRITERION= .2134
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2754
HT FLOW CONVERGENCE VALUE= .1809 CRITERION= .1693
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6402E-01
HT FLOW CONVERGENCE VALUE= .3656E-01 CRITERION= .1692 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 5 COMPLETED. CUM ITER = 102
*** TIME = .213014E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .1041E-05 OSCILLATION LIMIT = .4927
*** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 129.8 CRITERION= .2133
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2754
HT FLOW CONVERGENCE VALUE= .1773 CRITERION= .1692
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6252E-01
HT FLOW CONVERGENCE VALUE= .3570E-01 CRITERION= .1692 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 6 COMPLETED. CUM ITER = 104
*** TIME = .217748E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .7027E-06 OSCILLATION LIMIT = .3326
*** AUTO STEP TIME: NEXT TIME INC = .31558E+06 DECREASED (FACTOR = .6667)

HT FLOW CONVERGENCE VALUE= 86.47 CRITERION= .1900
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1836
HT FLOW CONVERGENCE VALUE= .1201 CRITERION= .1691 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 7 COMPLETED. CUM ITER = 105
*** TIME = .220904E+08 TIME INC = 315576.
*** RESPONSE EIGENVALUE = .6281E-06 OSCILLATION LIMIT = .1982

```

***** ANSYS SOLVE COMMAND *****

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 12:12:35 MAR 26, 1995 CP= 6716.510
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 77.68 CRITERION= .1860
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1649
 HT FLOW CONVERGENCE VALUE= .1002 CRITERION= .1691 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 1 COMPLETED. CUM ITER = 106
 *** TIME = .224059E+08 TIME INC = 315576.
 *** RESPONSE EIGENVALUE = .5179E-06 OSCILLATION LIMIT = .1634
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 77.59 CRITERION= .1860
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1648
 HT FLOW CONVERGENCE VALUE= .9787E-01 CRITERION= .1689 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 2 COMPLETED. CUM ITER = 107
 *** TIME = .227215E+08 TIME INC = 315576.
 *** RESPONSE EIGENVALUE = .1738E-05 OSCILLATION LIMIT = .5486
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 77.68 CRITERION= .1859
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1648
 HT FLOW CONVERGENCE VALUE= .9893E-01 CRITERION= .1689 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 3 COMPLETED. CUM ITER = 108
 *** TIME = .230371E+08 TIME INC = 315576.
 *** RESPONSE EIGENVALUE = .5763E-06 OSCILLATION LIMIT = .1819
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 194.0 CRITERION= .2573
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4119
 HT FLOW CONVERGENCE VALUE= .2570 CRITERION= .1687
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9552E-01
 HT FLOW CONVERGENCE VALUE= .5676E-01 CRITERION= .1687 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 11 SUBSTEP 4 COMPLETED. CUM ITER = 110
 *** TIME = .238260E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1411E-05 OSCILLATION LIMIT = 1.113
 *** AUTO TIME STEP: NEXT TIME INC = .35437E+06 DECREASED (FACTOR = .4492)

HT FLOW CONVERGENCE VALUE= 87.22 CRITERION= .1899
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1850
 HT FLOW CONVERGENCE VALUE= .1166 CRITERION= .1687 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 5 COMPLETED. CUM ITER = 111
 *** TIME = .241804E+08 TIME INC = 354366.
 *** RESPONSE EIGENVALUE = .4625E-06 OSCILLATION LIMIT = .1639
 *** AUTO STEP TIME: NEXT TIME INC = .35437E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.13 CRITERION= .1898
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1850
 HT FLOW CONVERGENCE VALUE= .1143 CRITERION= .1685 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 6 COMPLETED. CUM ITER = 112
 *** TIME = .245348E+08 TIME INC = 354366.
 *** RESPONSE EIGENVALUE = .9340E-06 OSCILLATION LIMIT = .3310
 *** AUTO STEP TIME: NEXT TIME INC = .35437E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 87.22 CRITERION= .1898
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1850
 HT FLOW CONVERGENCE VALUE= .1086 CRITERION= .1685 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 7 COMPLETED. CUM ITER = 113
 *** TIME = .248891E+08 TIME INC = 354366.

*** RESPONSE EIGENVALUE = .1115E-05 OSCILLATION LIMIT = .3951
 *** AUTO TIME STEP: NEXT TIME INC = .35699E+06 INCREASED (FACTOR = 1.0074)

HT FLOW CONVERGENCE VALUE= 87.78 CRITERION= .1900
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1864
 HT FLOW CONVERGENCE VALUE= .1127 CRITERION= .1684 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 8 COMPLETED. CUM ITER = 114
 *** TIME = .252461E+08 TIME INC = 356993.
 *** RESPONSE EIGENVALUE = .9744E-06 OSCILLATION LIMIT = .3478

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 12:23:28 MAR 26, 1995 CP= 7365.320
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 79.65 CRITERION= .1863
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1690
 HT FLOW CONVERGENCE VALUE= .9917E-01 CRITERION= .1684 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 1 COMPLETED. CUM ITER = 115
 *** TIME = .256031E+08 TIME INC = 356993.
 *** RESPONSE EIGENVALUE = .9915E-06 OSCILLATION LIMIT = .3540
 *** AUTO STEP TIME: NEXT TIME INC = .35699E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 79.57 CRITERION= .1862
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1690
 HT FLOW CONVERGENCE VALUE= .1005 CRITERION= .1682 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 2 COMPLETED. CUM ITER = 116
 *** TIME = .259601E+08 TIME INC = 356993.
 *** RESPONSE EIGENVALUE = .1301E-05 OSCILLATION LIMIT = .4643
 *** AUTO STEP TIME: NEXT TIME INC = .35699E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 79.65 CRITERION= .1861
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1690
 HT FLOW CONVERGENCE VALUE= .9972E-01 CRITERION= .1682 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 3 COMPLETED. CUM ITER = 117
 *** TIME = .263171E+08 TIME INC = 356993.
 *** RESPONSE EIGENVALUE = .8854E-06 OSCILLATION LIMIT = .3161
 *** AUTO STEP TIME: NEXT TIME INC = .35699E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 79.57 CRITERION= .1861
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1690
 HT FLOW CONVERGENCE VALUE= .1004 CRITERION= .1681 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 4 COMPLETED. CUM ITER = 118
 *** TIME = .266741E+08 TIME INC = 356993.
 *** RESPONSE EIGENVALUE = .1305E-05 OSCILLATION LIMIT = .4660
 *** AUTO STEP TIME: NEXT TIME INC = .35699E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 79.65 CRITERION= .1860
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1690
 HT FLOW CONVERGENCE VALUE= .9958E-01 CRITERION= .1681 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 5 COMPLETED. CUM ITER = 119
 *** TIME = .270311E+08 TIME INC = 356993.
 *** RESPONSE EIGENVALUE = .9033E-06 OSCILLATION LIMIT = .3225
 *** AUTO STEP TIME: NEXT TIME INC = .35699E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 79.57 CRITERION= .1859
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1690
 HT FLOW CONVERGENCE VALUE= .1003 CRITERION= .1679 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 12 SUBSTEP 6 COMPLETED. CUM ITER = 120
*** TIME = .273881E+08 TIME INC = 356993.
*** RESPONSE EIGENVALUE = .1284E-05 OSCILLATION LIMIT = .4585
*** AUTO STEP TIME: NEXT TIME INC = .35699E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 79.65 CRITERION= .1858
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1690
HT FLOW CONVERGENCE VALUE= .9947E-01 CRITERION= .1679 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 7 COMPLETED. CUM ITER = 121
*** TIME = .277451E+08 TIME INC = 356993.
*** RESPONSE EIGENVALUE = .9165E-06 OSCILLATION LIMIT = .3272
*** AUTO STEP TIME: NEXT TIME INC = .35699E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 79.57 CRITERION= .1858
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1690
HT FLOW CONVERGENCE VALUE= .1001 CRITERION= .1677 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 8 COMPLETED. CUM ITER = 122
*** TIME = .281021E+08 TIME INC = 356993.
*** RESPONSE EIGENVALUE = .1268E-05 OSCILLATION LIMIT = .4528
*** AUTO TIME STEP: NEXT TIME INC = .29982E+06 DECREASED (FACTOR = .8398)

HT FLOW CONVERGENCE VALUE= 66.91 CRITERION= .1806
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1419
HT FLOW CONVERGENCE VALUE= .8273E-01 CRITERION= .1677 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 9 COMPLETED. CUM ITER = 123
*** TIME = .284019E+08 TIME INC = 299817.
*** RESPONSE EIGENVALUE = .9628E-06 OSCILLATION LIMIT = .2887
Apply loads and solve for 1 to 9 years

```

*DO LOOP ON PARAMETER= TM FROM .31558E+08 TO .28402E+09 BY .31558E+08

TIME= .31558E+08

```

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

```

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

```

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

```

```

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5405.15278 .000000000E+00 .000000000E+00 .000000000E+00

```

```

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

```

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

```

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

```

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

```

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 102.41 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 103.11 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 104.60 .00000E+00 EXPANSION KEY = 1

```

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 8046.390 TIME= 12:34:53
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 12:34:53 MAR 26, 1995 CP= 8046.390
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 13
TIME AT END OF THE LOAD STEP.31558E+08
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 61.78 CRITERION= .1788
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1312
HT FLOW CONVERGENCE VALUE= .7704E-01 CRITERION= .1676 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 1 COMPLETED. CUM ITER = 124
*** TIME = .287017E+08 TIME INC = 299817.
*** RESPONSE EIGENVALUE = .1470E-05 OSCILLATION LIMIT = .4406
*** AUTO STEP TIME: NEXT TIME INC = .29982E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 61.87 CRITERION= .1786
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1312
HT FLOW CONVERGENCE VALUE= .7667E-01 CRITERION= .1676 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 2 COMPLETED. CUM ITER = 125
*** TIME = .290015E+08 TIME INC = 299817.
*** RESPONSE EIGENVALUE = .1015E-05 OSCILLATION LIMIT = .3042
*** AUTO STEP TIME: NEXT TIME INC = .29982E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 61.78 CRITERION= .1786
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1312
HT FLOW CONVERGENCE VALUE= .7738E-01 CRITERION= .1675 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 3 COMPLETED. CUM ITER = 126
*** TIME = .293013E+08 TIME INC = 299817.
*** RESPONSE EIGENVALUE = .1399E-05 OSCILLATION LIMIT = .4194
*** AUTO STEP TIME: NEXT TIME INC = .29982E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 61.87 CRITERION= .1785

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1312
HT FLOW CONVERGENCE VALUE= .7665E-01 CRITERION= .1675 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 4 COMPLETED. CUM ITER = 127
*** TIME = .296011E+08 TIME INC = 299817.
*** RESPONSE EIGENVALUE = .1033E-05 OSCILLATION LIMIT = .3097
*** AUTO STEP TIME: NEXT TIME INC = .29982E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 61.78 CRITERION= .1785
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1312
HT FLOW CONVERGENCE VALUE= .7725E-01 CRITERION= .1673 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 5 COMPLETED. CUM ITER = 128
*** TIME = .299010E+08 TIME INC = 299817.
*** RESPONSE EIGENVALUE = .1389E-05 OSCILLATION LIMIT = .4165
*** AUTO STEP TIME: NEXT TIME INC = .29982E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 61.87 CRITERION= .1784
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1312
HT FLOW CONVERGENCE VALUE= .7660E-01 CRITERION= .1673 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 6 COMPLETED. CUM ITER = 129
*** TIME = .302008E+08 TIME INC = 299817.
*** RESPONSE EIGENVALUE = .1041E-05 OSCILLATION LIMIT = .3120
*** AUTO STEP TIME: NEXT TIME INC = .29982E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 61.78 CRITERION= .1784
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1312
HT FLOW CONVERGENCE VALUE= .7714E-01 CRITERION= .1672 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 7 COMPLETED. CUM ITER = 130
*** TIME = .305006E+08 TIME INC = 299817.
*** RESPONSE EIGENVALUE = .1375E-05 OSCILLATION LIMIT = .4122
*** AUTO STEP TIME: NEXT TIME INC = .29982E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 61.87 CRITERION= .1783
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1312
HT FLOW CONVERGENCE VALUE= .7654E-01 CRITERION= .1672 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 8 COMPLETED. CUM ITER = 131
*** TIME = .308004E+08 TIME INC = 299817.
*** RESPONSE EIGENVALUE = .1051E-05 OSCILLATION LIMIT = .3150
*** AUTO STEP TIME: NEXT TIME INC = .29982E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 61.78 CRITERION= .1783
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1312
HT FLOW CONVERGENCE VALUE= .7704E-01 CRITERION= .1671 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 9 COMPLETED. CUM ITER = 132
*** TIME = .311002E+08 TIME INC = 299817.
*** RESPONSE EIGENVALUE = .1360E-05 OSCILLATION LIMIT = .4077
*** AUTO STEP TIME: NEXT TIME INC = .29982E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 61.87 CRITERION= .1781
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1312
HT FLOW CONVERGENCE VALUE= .7647E-01 CRITERION= .1671 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 10 COMPLETED. CUM ITER = 133
*** TIME = .314000E+08 TIME INC = 299817.
*** RESPONSE EIGENVALUE = .1060E-05 OSCILLATION LIMIT = .3179
*** AUTO STEP TIME: NEXT TIME INC = .15759E+06 DECREASED (FACTOR = .5256)

HT FLOW CONVERGENCE VALUE= 32.46 CRITERION= .1702
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6898E-01
HT FLOW CONVERGENCE VALUE= .3947E-01 CRITERION= .1670 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 11 COMPLETED. CUM ITER = 134
*** TIME = .315576E+08 TIME INC = 157591.
*** RESPONSE EIGENVALUE = .1838E-05 OSCILLATION LIMIT = .2896

```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 12:48:57 MAR 26, 1995 CP= 8878.800
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2070
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1565 CRITERION= .1669 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 1 COMPLETED. CUM ITER = 135
 *** TIME = .323466E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1076E-05 OSCILLATION LIMIT = .8492
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2069
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1520 CRITERION= .1667 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 2 COMPLETED. CUM ITER = 136
 *** TIME = .331355E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1323E-05 OSCILLATION LIMIT = 1.044
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2068
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1489 CRITERION= .1667 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 3 COMPLETED. CUM ITER = 137
 *** TIME = .339245E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1532E-05 OSCILLATION LIMIT = 1.209
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2067
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1510 CRITERION= .1664 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 4 COMPLETED. CUM ITER = 138
 *** TIME = .347134E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1245E-05 OSCILLATION LIMIT = .9824
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2066
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1490 CRITERION= .1664 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 5 COMPLETED. CUM ITER = 139
 *** TIME = .355023E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1438E-05 OSCILLATION LIMIT = 1.135
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2065
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1503 CRITERION= .1661 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 6 COMPLETED. CUM ITER = 140
 *** TIME = .362913E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1315E-05 OSCILLATION LIMIT = 1.038
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2063
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1488 CRITERION= .1661 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1


```

*** LOAD STEP 14 SUBSTEP 7 COMPLETED. CUM ITER = 141
*** TIME = .370802E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1379E-05 OSCILLATION LIMIT = 1.088
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2062
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1498 CRITERION= .1658 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 8 COMPLETED. CUM ITER = 142
*** TIME = .378692E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1358E-05 OSCILLATION LIMIT = 1.071
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2061
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1487 CRITERION= .1658 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 9 COMPLETED. CUM ITER = 143
*** TIME = .386581E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1343E-05 OSCILLATION LIMIT = 1.060
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2060
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1493 CRITERION= .1655 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 10 COMPLETED. CUM ITER = 144
*** TIME = .394470E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1384E-05 OSCILLATION LIMIT = 1.092
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2058
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1484 CRITERION= .1655 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 11 COMPLETED. CUM ITER = 145
*** TIME = .402360E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1322E-05 OSCILLATION LIMIT = 1.043
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2058
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1489 CRITERION= .1652 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 12 COMPLETED. CUM ITER = 146
*** TIME = .410249E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1399E-05 OSCILLATION LIMIT = 1.103
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2056
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1482 CRITERION= .1652 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 13 COMPLETED. CUM ITER = 147
*** TIME = .418139E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1309E-05 OSCILLATION LIMIT = 1.033
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2055
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1485 CRITERION= .1649 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 14 COMPLETED. CUM ITER = 148
*** TIME = .426028E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1407E-05 OSCILLATION LIMIT = 1.110
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2054
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599

```

HT FLOW CONVERGENCE VALUE= .1479 CRITERION= .1649 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 15 COMPLETED. CUM ITER = 149
 *** TIME = .433917E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1302E-05 OSCILLATION LIMIT = 1.027
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2053
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1482 CRITERION= .1646 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 16 COMPLETED. CUM ITER = 150
 *** TIME = .441807E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1411E-05 OSCILLATION LIMIT = 1.113
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2051
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1476 CRITERION= .1646 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 17 COMPLETED. CUM ITER = 151
 *** TIME = .449696E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1297E-05 OSCILLATION LIMIT = 1.024
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2051
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1478 CRITERION= .1643 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 18 COMPLETED. CUM ITER = 152
 *** TIME = .457586E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1412E-05 OSCILLATION LIMIT = 1.114
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2049
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1473 CRITERION= .1643 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 19 COMPLETED. CUM ITER = 153
 *** TIME = .465475E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1295E-05 OSCILLATION LIMIT = 1.022
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2048
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1475 CRITERION= .1641 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 20 COMPLETED. CUM ITER = 154
 *** TIME = .473364E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1412E-05 OSCILLATION LIMIT = 1.114
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2047
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1469 CRITERION= .1640 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 21 COMPLETED. CUM ITER = 155
 *** TIME = .481254E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1294E-05 OSCILLATION LIMIT = 1.021
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2046
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1471 CRITERION= .1638 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 22 COMPLETED. CUM ITER = 156
 *** TIME = .489143E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1410E-05 OSCILLATION LIMIT = 1.112
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2044
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1466 CRITERION= .1637 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 23 COMPLETED. CUM ITER = 157
 *** TIME = .497033E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1293E-05 OSCILLATION LIMIT = 1.020
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2043
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1468 CRITERION= .1635 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 24 COMPLETED. CUM ITER = 158
 *** TIME = .504922E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1408E-05 OSCILLATION LIMIT = 1.111
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2042
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1463 CRITERION= .1634 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 25 COMPLETED. CUM ITER = 159
 *** TIME = .512811E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1293E-05 OSCILLATION LIMIT = 1.020
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2041
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1464 CRITERION= .1632 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 26 COMPLETED. CUM ITER = 160
 *** TIME = .520701E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1406E-05 OSCILLATION LIMIT = 1.109
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2039
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1459 CRITERION= .1631 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 27 COMPLETED. CUM ITER = 161
 *** TIME = .528590E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1293E-05 OSCILLATION LIMIT = 1.020
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2039
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1461 CRITERION= .1629 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 28 COMPLETED. CUM ITER = 162
 *** TIME = .536480E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1403E-05 OSCILLATION LIMIT = 1.107
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2037
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1455 CRITERION= .1628 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 29 COMPLETED. CUM ITER = 163
 *** TIME = .544369E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1293E-05 OSCILLATION LIMIT = 1.020
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2036
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1456 CRITERION= .1626 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 30 COMPLETED. CUM ITER = 164
 *** TIME = .552258E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1400E-05 OSCILLATION LIMIT = 1.105

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2035
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1451 CRITERION= .1625 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 31 COMPLETED. CUM ITER = 165
 *** TIME = .560148E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1294E-05 OSCILLATION LIMIT = 1.021
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2034
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1452 CRITERION= .1623 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 32 COMPLETED. CUM ITER = 166
 *** TIME = .568037E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1398E-05 OSCILLATION LIMIT = 1.103
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2032
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1447 CRITERION= .1622 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 33 COMPLETED. CUM ITER = 167
 *** TIME = .575927E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1294E-05 OSCILLATION LIMIT = 1.021
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2032
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1448 CRITERION= .1620 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 34 COMPLETED. CUM ITER = 168
 *** TIME = .583816E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1395E-05 OSCILLATION LIMIT = 1.100
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2030
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1444 CRITERION= .1619 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 35 COMPLETED. CUM ITER = 169
 *** TIME = .591705E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1294E-05 OSCILLATION LIMIT = 1.021
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2029
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1444 CRITERION= .1617 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 36 COMPLETED. CUM ITER = 170
 *** TIME = .599595E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1392E-05 OSCILLATION LIMIT = 1.098
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2028
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1439 CRITERION= .1616 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 37 COMPLETED. CUM ITER = 171
 *** TIME = .607484E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1294E-05 OSCILLATION LIMIT = 1.021
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2027
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1438 CRITERION= .1614 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 38 COMPLETED. CUM ITER = 172

*** TIME = .615374E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1389E-05 OSCILLATION LIMIT = 1.096
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .2025
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1432 CRITERION= .1613 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 39 COMPLETED. CUM ITER = 173
 *** TIME = .623263E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1295E-05 OSCILLATION LIMIT = 1.021
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .2024
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1432 CRITERION= .1611 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 40 COMPLETED. CUM ITER = 174
 *** TIME = .631152E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1386E-05 OSCILLATION LIMIT = 1.094

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 13:39:46 MAR 26, 1995 CP= 11890.400
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1805
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9244E-01 CRITERION= .1611 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 1 COMPLETED. CUM ITER = 175
 *** TIME = .639042E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2103E-05 OSCILLATION LIMIT = 1.659
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1804
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9265E-01 CRITERION= .1608 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 2 COMPLETED. CUM ITER = 176
 *** TIME = .646931E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2260E-05 OSCILLATION LIMIT = 1.783
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1802
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9372E-01 CRITERION= .1608 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 3 COMPLETED. CUM ITER = 177
 *** TIME = .654821E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1683E-05 OSCILLATION LIMIT = 1.328
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1802
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9274E-01 CRITERION= .1606 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 4 COMPLETED. CUM ITER = 178
 *** TIME = .662710E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2269E-05 OSCILLATION LIMIT = 1.790
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1800
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9334E-01 CRITERION= .1605 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 5 COMPLETED. CUM ITER = 179
*** TIME = .670599E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1773E-05 OSCILLATION LIMIT = 1.399
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1800
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9268E-01 CRITERION= .1603 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 6 COMPLETED. CUM ITER = 180
*** TIME = .678489E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2182E-05 OSCILLATION LIMIT = 1.721
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1798
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9300E-01 CRITERION= .1603 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 7 COMPLETED. CUM ITER = 181
*** TIME = .686378E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1833E-05 OSCILLATION LIMIT = 1.446
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1797
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9251E-01 CRITERION= .1600 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 8 COMPLETED. CUM ITER = 182
*** TIME = .694268E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2128E-05 OSCILLATION LIMIT = 1.679
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1796
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9264E-01 CRITERION= .1600 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 9 COMPLETED. CUM ITER = 183
*** TIME = .702157E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1871E-05 OSCILLATION LIMIT = 1.476
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1795
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9227E-01 CRITERION= .1598 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 10 COMPLETED. CUM ITER = 184
*** TIME = .710046E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2093E-05 OSCILLATION LIMIT = 1.651
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1793
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9238E-01 CRITERION= .1598 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 11 COMPLETED. CUM ITER = 185
*** TIME = .717936E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1895E-05 OSCILLATION LIMIT = 1.495
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1793
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9213E-01 CRITERION= .1595 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 12 COMPLETED. CUM ITER = 186
*** TIME = .725825E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2071E-05 OSCILLATION LIMIT = 1.634
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1791

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9217E-01 CRITERION= .1595 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 13 COMPLETED. CUM ITER = 187
*** TIME = .733715E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1910E-05 OSCILLATION LIMIT = 1.507
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1791
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9197E-01 CRITERION= .1593 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 14 COMPLETED. CUM ITER = 188
*** TIME = .741604E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2056E-05 OSCILLATION LIMIT = 1.622
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1789
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9198E-01 CRITERION= .1593 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 15 COMPLETED. CUM ITER = 189
*** TIME = .749493E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1919E-05 OSCILLATION LIMIT = 1.514
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1788
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9180E-01 CRITERION= .1590 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 16 COMPLETED. CUM ITER = 190
*** TIME = .757383E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2045E-05 OSCILLATION LIMIT = 1.614
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1786
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9174E-01 CRITERION= .1590 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 17 COMPLETED. CUM ITER = 191
*** TIME = .765272E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1925E-05 OSCILLATION LIMIT = 1.519
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1786
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9158E-01 CRITERION= .1588 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 18 COMPLETED. CUM ITER = 192
*** TIME = .773162E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2038E-05 OSCILLATION LIMIT = 1.608
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1784
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9155E-01 CRITERION= .1587 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 19 COMPLETED. CUM ITER = 193
*** TIME = .781051E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1929E-05 OSCILLATION LIMIT = 1.522
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1784
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9138E-01 CRITERION= .1585 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 20 COMPLETED. CUM ITER = 194
*** TIME = .788940E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2033E-05 OSCILLATION LIMIT = 1.604
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1782
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9132E-01 CRITERION= .1585 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 21 COMPLETED. CUM ITER = 195
 *** TIME = .796830E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1931E-05 OSCILLATION LIMIT = 1.523
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1781
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9116E-01 CRITERION= .1583 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 22 COMPLETED. CUM ITER = 196
 *** TIME = .804719E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2028E-05 OSCILLATION LIMIT = 1.600
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1780
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9101E-01 CRITERION= .1582 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 23 COMPLETED. CUM ITER = 197
 *** TIME = .812609E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1932E-05 OSCILLATION LIMIT = 1.525
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1779
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9085E-01 CRITERION= .1580 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 24 COMPLETED. CUM ITER = 198
 *** TIME = .820498E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2025E-05 OSCILLATION LIMIT = 1.598
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1777
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9077E-01 CRITERION= .1580 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 25 COMPLETED. CUM ITER = 199
 *** TIME = .828387E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1934E-05 OSCILLATION LIMIT = 1.525
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1777
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9073E-01 CRITERION= .1577 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 26 COMPLETED. CUM ITER = 200
 *** TIME = .836277E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2022E-05 OSCILLATION LIMIT = 1.595
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1775
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9057E-01 CRITERION= .1577 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 27 COMPLETED. CUM ITER = 201
 *** TIME = .844166E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1935E-05 OSCILLATION LIMIT = 1.526
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1775
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9044E-01 CRITERION= .1575 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 28 COMPLETED. CUM ITER = 202
 *** TIME = .852056E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .2021E-05 OSCILLATION LIMIT = 1.594
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1773
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9044E-01 CRITERION= .1575 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 29 COMPLETED. CUM ITER = 203
 *** TIME = .859945E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1937E-05 OSCILLATION LIMIT = 1.528
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1772
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9033E-01 CRITERION= .1572 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 30 COMPLETED. CUM ITER = 204
 *** TIME = .867834E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2019E-05 OSCILLATION LIMIT = 1.593
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1770
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9044E-01 CRITERION= .1572 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 31 COMPLETED. CUM ITER = 205
 *** TIME = .875724E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1939E-05 OSCILLATION LIMIT = 1.529
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1770
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9056E-01 CRITERION= .1570 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 32 COMPLETED. CUM ITER = 206
 *** TIME = .883613E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2018E-05 OSCILLATION LIMIT = 1.592
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1768
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9095E-01 CRITERION= .1570 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 33 COMPLETED. CUM ITER = 207
 *** TIME = .891503E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1940E-05 OSCILLATION LIMIT = 1.531
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1768
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9081E-01 CRITERION= .1567 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 34 COMPLETED. CUM ITER = 208
 *** TIME = .899392E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2018E-05 OSCILLATION LIMIT = 1.592
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1766
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9111E-01 CRITERION= .1567 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 35 COMPLETED. CUM ITER = 209
 *** TIME = .907281E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1942E-05 OSCILLATION LIMIT = 1.532
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1765
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .9116E-01 CRITERION= .1565 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 15 SUBSTEP 36 COMPLETED. CUM ITER = 210
*** TIME = .915171E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2016E-05 OSCILLATION LIMIT = 1.591
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1764
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9194E-01 CRITERION= .1564 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 37 COMPLETED. CUM ITER = 211
*** TIME = .923060E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1943E-05 OSCILLATION LIMIT = 1.533
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1763
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9201E-01 CRITERION= .1562 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 38 COMPLETED. CUM ITER = 212
*** TIME = .930950E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2015E-05 OSCILLATION LIMIT = 1.589
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.44 CRITERION= .1761
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9202E-01 CRITERION= .1562 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 39 COMPLETED. CUM ITER = 213
*** TIME = .938839E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1944E-05 OSCILLATION LIMIT = 1.533
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.34 CRITERION= .1761
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .9181E-01 CRITERION= .1559 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 40 COMPLETED. CUM ITER = 214
*** TIME = .946728E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2012E-05 OSCILLATION LIMIT = 1.588

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 14:30:28 MAR 26, 1995 CP= 14900.810
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1672
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .6770E-01 CRITERION= .1559 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 1 COMPLETED. CUM ITER = 215
*** TIME = .954618E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2615E-05 OSCILLATION LIMIT = 2.063
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1672
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .6733E-01 CRITERION= .1557 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 2 COMPLETED. CUM ITER = 216
*** TIME = .962507E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2703E-05 OSCILLATION LIMIT = 2.132
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1670
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283

```

HT FLOW CONVERGENCE VALUE= .6766E-01 CRITERION= .1557 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 3 COMPLETED. CUM ITER = 217
 *** TIME = .970397E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2309E-05 OSCILLATION LIMIT = 1.822
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1670
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6724E-01 CRITERION= .1555 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 4 COMPLETED. CUM ITER = 218
 *** TIME = .978286E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2711E-05 OSCILLATION LIMIT = 2.139
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1668
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6750E-01 CRITERION= .1555 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 5 COMPLETED. CUM ITER = 219
 *** TIME = .986175E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2373E-05 OSCILLATION LIMIT = 1.872
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1668
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6714E-01 CRITERION= .1553 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 6 COMPLETED. CUM ITER = 220
 *** TIME = .994065E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2652E-05 OSCILLATION LIMIT = 2.092
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1666
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6735E-01 CRITERION= .1553 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 7 COMPLETED. CUM ITER = 221
 *** TIME = .100195E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2414E-05 OSCILLATION LIMIT = 1.904
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1666
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6704E-01 CRITERION= .1551 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 8 COMPLETED. CUM ITER = 222
 *** TIME = .100984E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2614E-05 OSCILLATION LIMIT = 2.063
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1664
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6722E-01 CRITERION= .1551 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 9 COMPLETED. CUM ITER = 223
 *** TIME = .101773E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2440E-05 OSCILLATION LIMIT = 1.925
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1664
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6693E-01 CRITERION= .1548 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 10 COMPLETED. CUM ITER = 224
 *** TIME = .102562E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2590E-05 OSCILLATION LIMIT = 2.044
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1662
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6709E-01 CRITERION= .1548 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 11 COMPLETED. CUM ITER = 225
 *** TIME = .103351E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2456E-05 OSCILLATION LIMIT = 1.938
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1661
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6681E-01 CRITERION= .1546 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 12 COMPLETED. CUM ITER = 226
 *** TIME = .104140E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2574E-05 OSCILLATION LIMIT = 2.031
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1660
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6696E-01 CRITERION= .1546 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 13 COMPLETED. CUM ITER = 227
 *** TIME = .104929E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2466E-05 OSCILLATION LIMIT = 1.946
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1659
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6670E-01 CRITERION= .1544 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 14 COMPLETED. CUM ITER = 228
 *** TIME = .105718E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2564E-05 OSCILLATION LIMIT = 2.022
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1658
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6684E-01 CRITERION= .1544 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 15 COMPLETED. CUM ITER = 229
 *** TIME = .106507E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2472E-05 OSCILLATION LIMIT = 1.950
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1657
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6659E-01 CRITERION= .1542 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 16 COMPLETED. CUM ITER = 230
 *** TIME = .107296E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2556E-05 OSCILLATION LIMIT = 2.017
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1655
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6666E-01 CRITERION= .1542 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 17 COMPLETED. CUM ITER = 231
 *** TIME = .108085E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2475E-05 OSCILLATION LIMIT = 1.953
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1655
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6641E-01 CRITERION= .1540 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 18 COMPLETED. CUM ITER = 232
 *** TIME = .108874E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2551E-05 OSCILLATION LIMIT = 2.012

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1653
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6650E-01 CRITERION= .1540 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 19 COMPLETED. CUM ITER = 233
 *** TIME = .109663E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2477E-05 OSCILLATION LIMIT = 1.954
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1653
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6626E-01 CRITERION= .1537 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 20 COMPLETED. CUM ITER = 234
 *** TIME = .110452E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2547E-05 OSCILLATION LIMIT = 2.009
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1651
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6638E-01 CRITERION= .1537 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 21 COMPLETED. CUM ITER = 235
 *** TIME = .111241E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2478E-05 OSCILLATION LIMIT = 1.955
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1651
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6614E-01 CRITERION= .1535 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 22 COMPLETED. CUM ITER = 236
 *** TIME = .112030E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2543E-05 OSCILLATION LIMIT = 2.006
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1649
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6625E-01 CRITERION= .1535 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 23 COMPLETED. CUM ITER = 237
 *** TIME = .112818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2477E-05 OSCILLATION LIMIT = 1.955
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1649
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6603E-01 CRITERION= .1533 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 24 COMPLETED. CUM ITER = 238
 *** TIME = .113607E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2540E-05 OSCILLATION LIMIT = 2.004
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1647
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6613E-01 CRITERION= .1533 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 25 COMPLETED. CUM ITER = 239
 *** TIME = .114396E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2477E-05 OSCILLATION LIMIT = 1.954
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1647
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .6591E-01 CRITERION= .1531 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 26 COMPLETED. CUM ITER = 240

```

*** TIME = .115185E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2538E-05    OSCILLATION LIMIT = 2.002
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.35    CRITERION= .1645
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
    HT FLOW CONVERGENCE VALUE= .6601E-01    CRITERION= .1531    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 27 COMPLETED. CUM ITER = 241
*** TIME = .115974E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2476E-05    OSCILLATION LIMIT = 1.954
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.25    CRITERION= .1645
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
    HT FLOW CONVERGENCE VALUE= .6579E-01    CRITERION= .1529    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 28 COMPLETED. CUM ITER = 242
*** TIME = .116763E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2535E-05    OSCILLATION LIMIT = 2.000
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.35    CRITERION= .1643
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
    HT FLOW CONVERGENCE VALUE= .6589E-01    CRITERION= .1529    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 29 COMPLETED. CUM ITER = 243
*** TIME = .117552E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2476E-05    OSCILLATION LIMIT = 1.953
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.25    CRITERION= .1643
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
    HT FLOW CONVERGENCE VALUE= .6567E-01    CRITERION= .1526    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 30 COMPLETED. CUM ITER = 244
*** TIME = .118341E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2533E-05    OSCILLATION LIMIT = 1.999
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.35    CRITERION= .1641
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
    HT FLOW CONVERGENCE VALUE= .6576E-01    CRITERION= .1526    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 31 COMPLETED. CUM ITER = 245
*** TIME = .119130E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2475E-05    OSCILLATION LIMIT = 1.952
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.25    CRITERION= .1641
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
    HT FLOW CONVERGENCE VALUE= .6555E-01    CRITERION= .1524    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 32 COMPLETED. CUM ITER = 246
*** TIME = .119919E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2531E-05    OSCILLATION LIMIT = 1.997
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.35    CRITERION= .1639
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
    HT FLOW CONVERGENCE VALUE= .6564E-01    CRITERION= .1524    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 33 COMPLETED. CUM ITER = 247
*** TIME = .120708E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2474E-05    OSCILLATION LIMIT = 1.952
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 60.25    CRITERION= .1639
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
    HT FLOW CONVERGENCE VALUE= .6542E-01    CRITERION= .1522    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 34 COMPLETED. CUM ITER = 248
*** TIME = .121497E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2529E-05 OSCILLATION LIMIT = 1.995
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1637
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .6549E-01 CRITERION= .1522 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 35 COMPLETED. CUM ITER = 249
*** TIME = .122286E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2473E-05 OSCILLATION LIMIT = 1.951
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED.

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1637
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .6529E-01 CRITERION= .1520 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 36 COMPLETED. CUM ITER = 250
*** TIME = .123075E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2527E-05 OSCILLATION LIMIT = 1.993
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1635
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .6537E-01 CRITERION= .1520 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 37 COMPLETED. CUM ITER = 251
*** TIME = .123864E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2471E-05 OSCILLATION LIMIT = 1.950
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1635
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .6517E-01 CRITERION= .1517 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 38 COMPLETED. CUM ITER = 252
*** TIME = .124653E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2525E-05 OSCILLATION LIMIT = 1.992
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.35 CRITERION= .1633
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .6525E-01 CRITERION= .1517 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 39 COMPLETED. CUM ITER = 253
*** TIME = .125441E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2470E-05 OSCILLATION LIMIT = 1.949
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.25 CRITERION= .1633
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .6505E-01 CRITERION= .1515 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 40 COMPLETED. CUM ITER = 254
*** TIME = .126230E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2523E-05 OSCILLATION LIMIT = 1.990

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 15:21:19 MAR 26, 1995 CP= 17912.300
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1591

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5237E-01 CRITERION= .1516 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 1 COMPLETED. CUM ITER = 255
 *** TIME = .127019E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2658E-05 OSCILLATION LIMIT = 2.097
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1591
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5217E-01 CRITERION= .1513 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 2 COMPLETED. CUM ITER = 256
 *** TIME = .127808E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2686E-05 OSCILLATION LIMIT = 2.119
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1589
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5242E-01 CRITERION= .1514 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 3 COMPLETED. CUM ITER = 257
 *** TIME = .128597E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2481E-05 OSCILLATION LIMIT = 1.957
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1589
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5212E-01 CRITERION= .1512 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 4 COMPLETED. CUM ITER = 258
 *** TIME = .129386E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2701E-05 OSCILLATION LIMIT = 2.131
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1588
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5232E-01 CRITERION= .1512 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 5 COMPLETED. CUM ITER = 259
 *** TIME = .130175E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2513E-05 OSCILLATION LIMIT = 1.983
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1588
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5206E-01 CRITERION= .1510 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 6 COMPLETED. CUM ITER = 260
 *** TIME = .130964E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2670E-05 OSCILLATION LIMIT = 2.107
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1586
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5223E-01 CRITERION= .1510 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 7 COMPLETED. CUM ITER = 261
 *** TIME = .131753E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2534E-05 OSCILLATION LIMIT = 1.999
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1586
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5199E-01 CRITERION= .1508 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 8 COMPLETED. CUM ITER = 262
 *** TIME = .132542E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2650E-05 OSCILLATION LIMIT = 2.091
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1584
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5213E-01 CRITERION= .1508 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 9 COMPLETED. CUM ITER = 263
 *** TIME = .133331E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2547E-05 OSCILLATION LIMIT = 2.009
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1584
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5188E-01 CRITERION= .1506 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 10 COMPLETED. CUM ITER = 264
 *** TIME = .134120E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2637E-05 OSCILLATION LIMIT = 2.080
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1583
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5201E-01 CRITERION= .1506 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 11 COMPLETED. CUM ITER = 265
 *** TIME = .134909E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2554E-05 OSCILLATION LIMIT = 2.015
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1583
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5177E-01 CRITERION= .1504 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 12 COMPLETED. CUM ITER = 266
 *** TIME = .135698E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2628E-05 OSCILLATION LIMIT = 2.073
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1581
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5191E-01 CRITERION= .1505 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 13 COMPLETED. CUM ITER = 267
 *** TIME = .136487E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2559E-05 OSCILLATION LIMIT = 2.019
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1581
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5170E-01 CRITERION= .1503 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 14 COMPLETED. CUM ITER = 268
 *** TIME = .137276E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2621E-05 OSCILLATION LIMIT = 2.068
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1579
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5183E-01 CRITERION= .1503 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 15 COMPLETED. CUM ITER = 269
 *** TIME = .138065E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2561E-05 OSCILLATION LIMIT = 2.020
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1579
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5162E-01 CRITERION= .1501 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 16 COMPLETED. CUM ITER = 270
 *** TIME = .138853E+09 TIME INC = 788940.

```

*** RESPONSE EIGENVALUE = .2617E-05  OSCILLATION LIMIT = 2.064
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 48.61  CRITERION= .1577
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
  HT FLOW CONVERGENCE VALUE= .5174E-01 CRITERION= .1501  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 17 COMPLETED. CUM ITER = 271
*** TIME = .139642E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2562E-05  OSCILLATION LIMIT = 2.021
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 48.51  CRITERION= .1577
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
  HT FLOW CONVERGENCE VALUE= .5154E-01 CRITERION= .1499  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 18 COMPLETED. CUM ITER = 272
*** TIME = .140431E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2613E-05  OSCILLATION LIMIT = 2.061
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 48.61  CRITERION= .1576
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
  HT FLOW CONVERGENCE VALUE= .5166E-01 CRITERION= .1499  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 19 COMPLETED. CUM ITER = 273
*** TIME = .141220E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2562E-05  OSCILLATION LIMIT = 2.021
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 48.51  CRITERION= .1576
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
  HT FLOW CONVERGENCE VALUE= .5147E-01 CRITERION= .1497  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 20 COMPLETED. CUM ITER = 274
*** TIME = .142009E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2610E-05  OSCILLATION LIMIT = 2.059
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 48.61  CRITERION= .1574
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
  HT FLOW CONVERGENCE VALUE= .5158E-01 CRITERION= .1497  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 21 COMPLETED. CUM ITER = 275
*** TIME = .142798E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2561E-05  OSCILLATION LIMIT = 2.021
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 48.51  CRITERION= .1574
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
  HT FLOW CONVERGENCE VALUE= .5139E-01 CRITERION= .1495  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 22 COMPLETED. CUM ITER = 276
*** TIME = .143587E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2607E-05  OSCILLATION LIMIT = 2.057
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 48.61  CRITERION= .1572
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
  HT FLOW CONVERGENCE VALUE= .5148E-01 CRITERION= .1496  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 23 COMPLETED. CUM ITER = 277
*** TIME = .144376E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2560E-05  OSCILLATION LIMIT = 2.020
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 48.51  CRITERION= .1572
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
  HT FLOW CONVERGENCE VALUE= .5128E-01 CRITERION= .1494  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 17 SUBSTEP 24 COMPLETED. CUM ITER = 278
 *** TIME = .145165E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2605E-05 OSCILLATION LIMIT = 2.055
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1571
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5139E-01 CRITERION= .1494 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 25 COMPLETED. CUM ITER = 279
 *** TIME = .145954E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2559E-05 OSCILLATION LIMIT = 2.019
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1571
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5121E-01 CRITERION= .1492 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 26 COMPLETED. CUM ITER = 280
 *** TIME = .146743E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2603E-05 OSCILLATION LIMIT = 2.054
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1569
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5131E-01 CRITERION= .1492 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 27 COMPLETED. CUM ITER = 281
 *** TIME = .147532E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2558E-05 OSCILLATION LIMIT = 2.018
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1569
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5113E-01 CRITERION= .1490 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 28 COMPLETED. CUM ITER = 282
 *** TIME = .148321E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2601E-05 OSCILLATION LIMIT = 2.052
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1567
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5122E-01 CRITERION= .1490 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 29 COMPLETED. CUM ITER = 283
 *** TIME = .149110E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2557E-05 OSCILLATION LIMIT = 2.017
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1567
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5104E-01 CRITERION= .1488 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 30 COMPLETED. CUM ITER = 284
 *** TIME = .149899E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2599E-05 OSCILLATION LIMIT = 2.051
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1565
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5114E-01 CRITERION= .1488 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 31 COMPLETED. CUM ITER = 285
 *** TIME = .150688E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2556E-05 OSCILLATION LIMIT = 2.017
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1565
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034

HT FLOW CONVERGENCE VALUE= .5097E-01 CRITERION= .1486 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 32 COMPLETED. CUM ITER = 286
 *** TIME = .151477E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2598E-05 OSCILLATION LIMIT = 2.049
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1564
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5106E-01 CRITERION= .1487 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 33 COMPLETED. CUM ITER = 287
 *** TIME = .152265E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2555E-05 OSCILLATION LIMIT = 2.016
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1564
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5089E-01 CRITERION= .1484 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 34 COMPLETED. CUM ITER = 288
 *** TIME = .153054E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2596E-05 OSCILLATION LIMIT = 2.048
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1562
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5098E-01 CRITERION= .1485 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 35 COMPLETED. CUM ITER = 289
 *** TIME = .153843E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2554E-05 OSCILLATION LIMIT = 2.015
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1562
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5080E-01 CRITERION= .1483 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 36 COMPLETED. CUM ITER = 290
 *** TIME = .154632E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2594E-05 OSCILLATION LIMIT = 2.046
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1560
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5084E-01 CRITERION= .1483 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 37 COMPLETED. CUM ITER = 291
 *** TIME = .155421E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2552E-05 OSCILLATION LIMIT = 2.014
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1560
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5065E-01 CRITERION= .1481 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 38 COMPLETED. CUM ITER = 292
 *** TIME = .156210E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2592E-05 OSCILLATION LIMIT = 2.045
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.61 CRITERION= .1558
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5073E-01 CRITERION= .1481 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 39 COMPLETED. CUM ITER = 293
 *** TIME = .156999E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2551E-05 OSCILLATION LIMIT = 2.013
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.51 CRITERION= .1558
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .5055E-01 CRITERION= .1479 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 40 COMPLETED. CUM ITER = 294
 *** TIME = .157788E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2590E-05 OSCILLATION LIMIT = 2.044

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:12:00 MAR 26, 1995 CP= 20923.920
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1536
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4318E-01 CRITERION= .1479 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 1 COMPLETED. CUM ITER = 295
 *** TIME = .158577E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4443E-05 OSCILLATION LIMIT = 3.505
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1536
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4295E-01 CRITERION= .1477 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 2 COMPLETED. CUM ITER = 296
 *** TIME = .159366E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4621E-05 OSCILLATION LIMIT = 3.646
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1534
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4298E-01 CRITERION= .1477 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 3 COMPLETED. CUM ITER = 297
 *** TIME = .160155E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4146E-05 OSCILLATION LIMIT = 3.271
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1534
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4286E-01 CRITERION= .1475 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 4 COMPLETED. CUM ITER = 298
 *** TIME = .160944E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4573E-05 OSCILLATION LIMIT = 3.608
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1532
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4289E-01 CRITERION= .1475 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 5 COMPLETED. CUM ITER = 299
 *** TIME = .161733E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4222E-05 OSCILLATION LIMIT = 3.331
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1532
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4273E-01 CRITERION= .1473 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 6 COMPLETED. CUM ITER = 300
 *** TIME = .162522E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4508E-05 OSCILLATION LIMIT = 3.556

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1530
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4279E-01 CRITERION= .1473 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 7 COMPLETED. CUM ITER = 301
 *** TIME = .163311E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4271E-05 OSCILLATION LIMIT = 3.370
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1530
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4260E-01 CRITERION= .1471 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 8 COMPLETED. CUM ITER = 302
 *** TIME = .164100E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4466E-05 OSCILLATION LIMIT = 3.523
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1528
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4267E-01 CRITERION= .1471 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 9 COMPLETED. CUM ITER = 303
 *** TIME = .164888E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4302E-05 OSCILLATION LIMIT = 3.394
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1528
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4251E-01 CRITERION= .1468 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 10 COMPLETED. CUM ITER = 304
 *** TIME = .165677E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4439E-05 OSCILLATION LIMIT = 3.502
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1526
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4259E-01 CRITERION= .1468 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 11 COMPLETED. CUM ITER = 305
 *** TIME = .166466E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4321E-05 OSCILLATION LIMIT = 3.409
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1526
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4243E-01 CRITERION= .1466 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 12 COMPLETED. CUM ITER = 306
 *** TIME = .167255E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4421E-05 OSCILLATION LIMIT = 3.488
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1524
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4251E-01 CRITERION= .1466 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 13 COMPLETED. CUM ITER = 307
 *** TIME = .168044E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4333E-05 OSCILLATION LIMIT = 3.419
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1524
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4235E-01 CRITERION= .1464 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 14 COMPLETED. CUM ITER = 308

```

*** TIME = .168833E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4409E-05    OSCILLATION LIMIT = 3.479
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.60    CRITERION= .1522
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
    HT FLOW CONVERGENCE VALUE= .4239E-01    CRITERION= .1464    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 15 COMPLETED.    CUM ITER = 309
*** TIME = .169622E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4341E-05    OSCILLATION LIMIT = 3.425
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.50    CRITERION= .1522
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
    HT FLOW CONVERGENCE VALUE= .4218E-01    CRITERION= .1462    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 16 COMPLETED.    CUM ITER = 310
*** TIME = .170411E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4402E-05    OSCILLATION LIMIT = 3.473
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.60    CRITERION= .1520
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
    HT FLOW CONVERGENCE VALUE= .4225E-01    CRITERION= .1462    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 17 COMPLETED.    CUM ITER = 311
*** TIME = .171200E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4345E-05    OSCILLATION LIMIT = 3.428
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.50    CRITERION= .1520
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
    HT FLOW CONVERGENCE VALUE= .4210E-01    CRITERION= .1460    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 18 COMPLETED.    CUM ITER = 312
*** TIME = .171989E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4396E-05    OSCILLATION LIMIT = 3.468
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.60    CRITERION= .1518
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
    HT FLOW CONVERGENCE VALUE= .4216E-01    CRITERION= .1460    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 19 COMPLETED.    CUM ITER = 313
*** TIME = .172778E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4347E-05    OSCILLATION LIMIT = 3.430
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.50    CRITERION= .1518
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
    HT FLOW CONVERGENCE VALUE= .4200E-01    CRITERION= .1458    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 20 COMPLETED.    CUM ITER = 314
*** TIME = .173567E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4392E-05    OSCILLATION LIMIT = 3.465
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.60    CRITERION= .1516
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
    HT FLOW CONVERGENCE VALUE= .4208E-01    CRITERION= .1458    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 21 COMPLETED.    CUM ITER = 315
*** TIME = .174356E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4348E-05    OSCILLATION LIMIT = 3.431
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.50    CRITERION= .1516
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
    HT FLOW CONVERGENCE VALUE= .4192E-01    CRITERION= .1456    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 22 COMPLETED. CUM ITER = 316
*** TIME = .175145E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4389E-05 OSCILLATION LIMIT = 3.463
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1514
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .4200E-01 CRITERION= .1456 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 23 COMPLETED. CUM ITER = 317
*** TIME = .175934E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4349E-05 OSCILLATION LIMIT = 3.431
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1514
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .4185E-01 CRITERION= .1453 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 24 COMPLETED. CUM ITER = 318
*** TIME = .176723E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4387E-05 OSCILLATION LIMIT = 3.461
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1512
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .4192E-01 CRITERION= .1453 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 25 COMPLETED. CUM ITER = 319
*** TIME = .177512E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4349E-05 OSCILLATION LIMIT = 3.431
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1511
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .4174E-01 CRITERION= .1451 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 26 COMPLETED. CUM ITER = 320
*** TIME = .178300E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4384E-05 OSCILLATION LIMIT = 3.459
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1510
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .4177E-01 CRITERION= .1451 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 27 COMPLETED. CUM ITER = 321
*** TIME = .179089E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4348E-05 OSCILLATION LIMIT = 3.430
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1509
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .4159E-01 CRITERION= .1449 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 28 COMPLETED. CUM ITER = 322
*** TIME = .179878E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4383E-05 OSCILLATION LIMIT = 3.458
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1508
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .4164E-01 CRITERION= .1449 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 29 COMPLETED. CUM ITER = 323
*** TIME = .180667E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4348E-05 OSCILLATION LIMIT = 3.430
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1507

```


EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4149E-01 CRITERION= .1447 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 30 COMPLETED. CUM ITER = 324
 *** TIME = .181456E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4381E-05 OSCILLATION LIMIT = 3.456
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1505
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4153E-01 CRITERION= .1447 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 31 COMPLETED. CUM ITER = 325
 *** TIME = .182245E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4347E-05 OSCILLATION LIMIT = 3.430
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1505
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4137E-01 CRITERION= .1445 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 32 COMPLETED. CUM ITER = 326
 *** TIME = .183034E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4379E-05 OSCILLATION LIMIT = 3.455
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1503
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4144E-01 CRITERION= .1445 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 33 COMPLETED. CUM ITER = 327
 *** TIME = .183823E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4346E-05 OSCILLATION LIMIT = 3.429
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1503
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4129E-01 CRITERION= .1443 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 34 COMPLETED. CUM ITER = 328
 *** TIME = .184612E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4378E-05 OSCILLATION LIMIT = 3.454
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1501
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4135E-01 CRITERION= .1443 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 35 COMPLETED. CUM ITER = 329
 *** TIME = .185401E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4345E-05 OSCILLATION LIMIT = 3.428
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1501
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4120E-01 CRITERION= .1441 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 36 COMPLETED. CUM ITER = 330
 *** TIME = .186190E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4376E-05 OSCILLATION LIMIT = 3.453
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1499
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4126E-01 CRITERION= .1441 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 37 COMPLETED. CUM ITER = 331
 *** TIME = .186979E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4345E-05 OSCILLATION LIMIT = 3.428
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1499
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4111E-01 CRITERION= .1438 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 38 COMPLETED. CUM ITER = 332
 *** TIME = .187768E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4375E-05 OSCILLATION LIMIT = 3.452
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.60 CRITERION= .1497
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4117E-01 CRITERION= .1438 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 39 COMPLETED. CUM ITER = 333
 *** TIME = .188557E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4344E-05 OSCILLATION LIMIT = 3.427
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.50 CRITERION= .1497
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .4103E-01 CRITERION= .1436 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 40 COMPLETED. CUM ITER = 334
 *** TIME = .189346E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4373E-05 OSCILLATION LIMIT = 3.450

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:02:55 MAR 26, 1995 CP= 23941.390
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1482
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7788E-01
 HT FLOW CONVERGENCE VALUE= .3615E-01 CRITERION= .1436 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 1 COMPLETED. CUM ITER = 335
 *** TIME = .190135E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3620E-05 OSCILLATION LIMIT = 2.856
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1482
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3600E-01 CRITERION= .1435 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 2 COMPLETED. CUM ITER = 336
 *** TIME = .190924E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3547E-05 OSCILLATION LIMIT = 2.799
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1480
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
 HT FLOW CONVERGENCE VALUE= .3608E-01 CRITERION= .1435 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 3 COMPLETED. CUM ITER = 337
 *** TIME = .191712E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3590E-05 OSCILLATION LIMIT = 2.832
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1480
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3594E-01 CRITERION= .1433 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 4 COMPLETED. CUM ITER = 338
 *** TIME = .192501E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .3585E-05 OSCILLATION LIMIT = 2.829
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1479
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
 HT FLOW CONVERGENCE VALUE= .3602E-01 CRITERION= .1433 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 5 COMPLETED. CUM ITER = 339
 *** TIME = .193290E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3582E-05 OSCILLATION LIMIT = 2.826
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1479
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3586E-01 CRITERION= .1431 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 6 COMPLETED. CUM ITER = 340
 *** TIME = .194079E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3587E-05 OSCILLATION LIMIT = 2.830
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1477
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
 HT FLOW CONVERGENCE VALUE= .3590E-01 CRITERION= .1431 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 7 COMPLETED. CUM ITER = 341
 *** TIME = .194868E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3578E-05 OSCILLATION LIMIT = 2.823
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1477
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3576E-01 CRITERION= .1430 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 8 COMPLETED. CUM ITER = 342
 *** TIME = .195657E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3588E-05 OSCILLATION LIMIT = 2.831
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1476
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
 HT FLOW CONVERGENCE VALUE= .3582E-01 CRITERION= .1430 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 9 COMPLETED. CUM ITER = 343
 *** TIME = .196446E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3575E-05 OSCILLATION LIMIT = 2.820
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1476
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3570E-01 CRITERION= .1428 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 10 COMPLETED. CUM ITER = 344
 *** TIME = .197235E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3588E-05 OSCILLATION LIMIT = 2.831
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1474
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
 HT FLOW CONVERGENCE VALUE= .3577E-01 CRITERION= .1428 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 11 COMPLETED. CUM ITER = 345
 *** TIME = .198024E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3572E-05 OSCILLATION LIMIT = 2.818
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1474
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3564E-01 CRITERION= .1426 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 19 SUBSTEP 12 COMPLETED. CUM ITER = 346
*** TIME = .198813E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3587E-05 OSCILLATION LIMIT = 2.830
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1472
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
HT FLOW CONVERGENCE VALUE= .3570E-01 CRITERION= .1426 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 13 COMPLETED. CUM ITER = 347
*** TIME = .199602E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3570E-05 OSCILLATION LIMIT = 2.816
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1472
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3554E-01 CRITERION= .1425 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 14 COMPLETED. CUM ITER = 348
*** TIME = .200391E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3586E-05 OSCILLATION LIMIT = 2.829
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1471
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
HT FLOW CONVERGENCE VALUE= .3561E-01 CRITERION= .1425 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 15 COMPLETED. CUM ITER = 349
*** TIME = .201180E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3568E-05 OSCILLATION LIMIT = 2.815
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1471
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3546E-01 CRITERION= .1423 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 16 COMPLETED. CUM ITER = 350
*** TIME = .201969E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3585E-05 OSCILLATION LIMIT = 2.828
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1469
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
HT FLOW CONVERGENCE VALUE= .3552E-01 CRITERION= .1423 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 17 COMPLETED. CUM ITER = 351
*** TIME = .202758E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3566E-05 OSCILLATION LIMIT = 2.813
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1469
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3540E-01 CRITERION= .1421 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 18 COMPLETED. CUM ITER = 352
*** TIME = .203547E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3583E-05 OSCILLATION LIMIT = 2.827
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1467
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
HT FLOW CONVERGENCE VALUE= .3544E-01 CRITERION= .1421 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 19 COMPLETED. CUM ITER = 353
*** TIME = .204335E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3564E-05 OSCILLATION LIMIT = 2.812
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1468
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01

```

HT FLOW CONVERGENCE VALUE= .3533E-01 CRITERION= .1420 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 20 COMPLETED. CUM ITER = 354
 *** TIME = .205124E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3582E-05 OSCILLATION LIMIT = 2.826
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1466
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
 HT FLOW CONVERGENCE VALUE= .3539E-01 CRITERION= .1420 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 21 COMPLETED. CUM ITER = 355
 *** TIME = .205913E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3563E-05 OSCILLATION LIMIT = 2.811
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1466
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3528E-01 CRITERION= .1418 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 22 COMPLETED. CUM ITER = 356
 *** TIME = .206702E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3580E-05 OSCILLATION LIMIT = 2.825
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1464
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
 HT FLOW CONVERGENCE VALUE= .3532E-01 CRITERION= .1418 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 23 COMPLETED. CUM ITER = 357
 *** TIME = .207491E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3561E-05 OSCILLATION LIMIT = 2.810
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1464
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3518E-01 CRITERION= .1416 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 24 COMPLETED. CUM ITER = 358
 *** TIME = .208280E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3579E-05 OSCILLATION LIMIT = 2.823
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1463
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
 HT FLOW CONVERGENCE VALUE= .3524E-01 CRITERION= .1417 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 25 COMPLETED. CUM ITER = 359
 *** TIME = .209069E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3560E-05 OSCILLATION LIMIT = 2.808
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1463
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3513E-01 CRITERION= .1415 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 26 COMPLETED. CUM ITER = 360
 *** TIME = .209858E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3577E-05 OSCILLATION LIMIT = 2.822
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1461
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
 HT FLOW CONVERGENCE VALUE= .3518E-01 CRITERION= .1415 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 27 COMPLETED. CUM ITER = 361
 *** TIME = .210647E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3558E-05 OSCILLATION LIMIT = 2.807
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1461
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3506E-01 CRITERION= .1413 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 28 COMPLETED. CUM ITER = 362
 *** TIME = .211436E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3575E-05 OSCILLATION LIMIT = 2.821
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1459
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
 HT FLOW CONVERGENCE VALUE= .3509E-01 CRITERION= .1413 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 29 COMPLETED. CUM ITER = 363
 *** TIME = .212225E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3557E-05 OSCILLATION LIMIT = 2.806
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1460
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3497E-01 CRITERION= .1411 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 30 COMPLETED. CUM ITER = 364
 *** TIME = .213014E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3574E-05 OSCILLATION LIMIT = 2.819
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1458
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
 HT FLOW CONVERGENCE VALUE= .3501E-01 CRITERION= .1412 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 31 COMPLETED. CUM ITER = 365
 *** TIME = .213803E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3556E-05 OSCILLATION LIMIT = 2.805
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1458
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3489E-01 CRITERION= .1410 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 32 COMPLETED. CUM ITER = 366
 *** TIME = .214592E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3572E-05 OSCILLATION LIMIT = 2.818
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1456
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
 HT FLOW CONVERGENCE VALUE= .3494E-01 CRITERION= .1410 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 33 COMPLETED. CUM ITER = 367
 *** TIME = .215381E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3554E-05 OSCILLATION LIMIT = 2.804
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1456
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3482E-01 CRITERION= .1408 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 34 COMPLETED. CUM ITER = 368
 *** TIME = .216170E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3570E-05 OSCILLATION LIMIT = 2.817
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1455
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
 HT FLOW CONVERGENCE VALUE= .3486E-01 CRITERION= .1408 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 35 COMPLETED. CUM ITER = 369
 *** TIME = .216959E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3553E-05 OSCILLATION LIMIT = 2.803

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1455
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3473E-01 CRITERION= .1406 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 36 COMPLETED. CUM ITER = 370
 *** TIME = .217747E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3568E-05 OSCILLATION LIMIT = 2.815
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1453
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7789E-01
 HT FLOW CONVERGENCE VALUE= .3477E-01 CRITERION= .1407 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 37 COMPLETED. CUM ITER = 371
 *** TIME = .218536E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3552E-05 OSCILLATION LIMIT = 2.802
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1453
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3466E-01 CRITERION= .1405 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 38 COMPLETED. CUM ITER = 372
 *** TIME = .219325E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3566E-05 OSCILLATION LIMIT = 2.814
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.59 CRITERION= .1451
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7788E-01
 HT FLOW CONVERGENCE VALUE= .3469E-01 CRITERION= .1405 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 39 COMPLETED. CUM ITER = 373
 *** TIME = .220114E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3551E-05 OSCILLATION LIMIT = 2.801
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.49 CRITERION= .1451
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3457E-01 CRITERION= .1403 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 40 COMPLETED. CUM ITER = 374
 *** TIME = .220903E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3565E-05 OSCILLATION LIMIT = 2.812

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:53:52 MAR 26, 1995 CP= 26958.810
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 32.93 CRITERION= .1441
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
 HT FLOW CONVERGENCE VALUE= .3116E-01 CRITERION= .1403 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 1 COMPLETED. CUM ITER = 375
 *** TIME = .221692E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3937E-05 OSCILLATION LIMIT = 3.106
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.83 CRITERION= .1441
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .3104E-01 CRITERION= .1401 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 2 COMPLETED. CUM ITER = 376

```

*** TIME = .222481E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3955E-05    OSCILLATION LIMIT = 3.120
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.93    CRITERION= .1439
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7012E-01
    HT FLOW CONVERGENCE VALUE= .3109E-01 CRITERION= .1402    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 3 COMPLETED. CUM ITER = 377
*** TIME = .223270E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3833E-05    OSCILLATION LIMIT = 3.024
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.83    CRITERION= .1440
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
    HT FLOW CONVERGENCE VALUE= .3100E-01 CRITERION= .1400    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 4 COMPLETED. CUM ITER = 378
*** TIME = .224059E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3953E-05    OSCILLATION LIMIT = 3.119
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.93    CRITERION= .1438
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
    HT FLOW CONVERGENCE VALUE= .3105E-01 CRITERION= .1400    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 5 COMPLETED. CUM ITER = 379
*** TIME = .224848E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3854E-05    OSCILLATION LIMIT = 3.041
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.83    CRITERION= .1438
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
    HT FLOW CONVERGENCE VALUE= .3095E-01 CRITERION= .1398    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 6 COMPLETED. CUM ITER = 380
*** TIME = .225637E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3933E-05    OSCILLATION LIMIT = 3.103
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.93    CRITERION= .1436
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
    HT FLOW CONVERGENCE VALUE= .3100E-01 CRITERION= .1398    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 7 COMPLETED. CUM ITER = 381
*** TIME = .226426E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3867E-05    OSCILLATION LIMIT = 3.051
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.83    CRITERION= .1436
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
    HT FLOW CONVERGENCE VALUE= .3091E-01 CRITERION= .1397    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 8 COMPLETED. CUM ITER = 382
*** TIME = .227215E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3919E-05    OSCILLATION LIMIT = 3.092
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.93    CRITERION= .1435
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
    HT FLOW CONVERGENCE VALUE= .3096E-01 CRITERION= .1397    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 9 COMPLETED. CUM ITER = 383
*** TIME = .228004E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3875E-05    OSCILLATION LIMIT = 3.057
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.83    CRITERION= .1435
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
    HT FLOW CONVERGENCE VALUE= .3087E-01 CRITERION= .1395    <<< CONVERGED

```



```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 10 COMPLETED. CUM ITER = 384
*** TIME = .228793E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3910E-05 OSCILLATION LIMIT = 3.085
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.93 CRITERION= .1433
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
HT FLOW CONVERGENCE VALUE= .3091E-01 CRITERION= .1395 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 11 COMPLETED. CUM ITER = 385
*** TIME = .229582E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3880E-05 OSCILLATION LIMIT = 3.061
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.83 CRITERION= .1433
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
HT FLOW CONVERGENCE VALUE= .3082E-01 CRITERION= .1394 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 12 COMPLETED. CUM ITER = 386
*** TIME = .230371E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3903E-05 OSCILLATION LIMIT = 3.079
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.93 CRITERION= .1432
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
HT FLOW CONVERGENCE VALUE= .3086E-01 CRITERION= .1394 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 13 COMPLETED. CUM ITER = 387
*** TIME = .231159E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3882E-05 OSCILLATION LIMIT = 3.063
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.83 CRITERION= .1432
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
HT FLOW CONVERGENCE VALUE= .3076E-01 CRITERION= .1392 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 14 COMPLETED. CUM ITER = 388
*** TIME = .231948E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3898E-05 OSCILLATION LIMIT = 3.076
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.93 CRITERION= .1430
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
HT FLOW CONVERGENCE VALUE= .3079E-01 CRITERION= .1392 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 15 COMPLETED. CUM ITER = 389
*** TIME = .232737E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3883E-05 OSCILLATION LIMIT = 3.064
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.83 CRITERION= .1430
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
HT FLOW CONVERGENCE VALUE= .3070E-01 CRITERION= .1390 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 16 COMPLETED. CUM ITER = 390
*** TIME = .233526E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3895E-05 OSCILLATION LIMIT = 3.073
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.93 CRITERION= .1429
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
HT FLOW CONVERGENCE VALUE= .3074E-01 CRITERION= .1391 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 17 COMPLETED. CUM ITER = 391
*** TIME = .234315E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3883E-05 OSCILLATION LIMIT = 3.064
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.83 CRITERION= .1429

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .3065E-01 CRITERION= .1389 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 18 COMPLETED. CUM ITER = 392
 *** TIME = .235104E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3892E-05 OSCILLATION LIMIT = 3.070
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.93 CRITERION= .1427
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
 HT FLOW CONVERGENCE VALUE= .3069E-01 CRITERION= .1389 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 19 COMPLETED. CUM ITER = 393
 *** TIME = .235893E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3883E-05 OSCILLATION LIMIT = 3.063
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.83 CRITERION= .1427
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .3060E-01 CRITERION= .1387 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 20 COMPLETED. CUM ITER = 394
 *** TIME = .236682E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3889E-05 OSCILLATION LIMIT = 3.068
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.93 CRITERION= .1426
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
 HT FLOW CONVERGENCE VALUE= .3063E-01 CRITERION= .1387 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 21 COMPLETED. CUM ITER = 395
 *** TIME = .237471E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3882E-05 OSCILLATION LIMIT = 3.063
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.83 CRITERION= .1426
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .3055E-01 CRITERION= .1386 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 22 COMPLETED. CUM ITER = 396
 *** TIME = .238260E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3887E-05 OSCILLATION LIMIT = 3.067
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.93 CRITERION= .1424
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
 HT FLOW CONVERGENCE VALUE= .3059E-01 CRITERION= .1386 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 23 COMPLETED. CUM ITER = 397
 *** TIME = .239049E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3881E-05 OSCILLATION LIMIT = 3.062
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.83 CRITERION= .1424
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .3051E-01 CRITERION= .1384 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 24 COMPLETED. CUM ITER = 398
 *** TIME = .239838E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3885E-05 OSCILLATION LIMIT = 3.065
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.93 CRITERION= .1423
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
 HT FLOW CONVERGENCE VALUE= .3055E-01 CRITERION= .1384 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 25 COMPLETED. CUM ITER = 399
 *** TIME = .240627E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3880E-05 OSCILLATION LIMIT = 3.061
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.83 CRITERION= .1423
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .3047E-01 CRITERION= .1382 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 26 COMPLETED. CUM ITER = 400
 *** TIME = .241416E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3883E-05 OSCILLATION LIMIT = 3.063
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.93 CRITERION= .1421
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
 HT FLOW CONVERGENCE VALUE= .3050E-01 CRITERION= .1383 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 27 COMPLETED. CUM ITER = 401
 *** TIME = .242205E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3879E-05 OSCILLATION LIMIT = 3.060
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.83 CRITERION= .1421
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .3042E-01 CRITERION= .1381 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 28 COMPLETED. CUM ITER = 402
 *** TIME = .242994E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3881E-05 OSCILLATION LIMIT = 3.062
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.93 CRITERION= .1420
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
 HT FLOW CONVERGENCE VALUE= .3046E-01 CRITERION= .1381 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 29 COMPLETED. CUM ITER = 403
 *** TIME = .243782E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3878E-05 OSCILLATION LIMIT = 3.059
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.83 CRITERION= .1420
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .3038E-01 CRITERION= .1379 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 30 COMPLETED. CUM ITER = 404
 *** TIME = .244571E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3879E-05 OSCILLATION LIMIT = 3.060
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.93 CRITERION= .1418
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
 HT FLOW CONVERGENCE VALUE= .3040E-01 CRITERION= .1380 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 31 COMPLETED. CUM ITER = 405
 *** TIME = .245360E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3877E-05 OSCILLATION LIMIT = 3.058
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.83 CRITERION= .1418
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .3032E-01 CRITERION= .1378 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 32 COMPLETED. CUM ITER = 406
 *** TIME = .246149E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3877E-05 OSCILLATION LIMIT = 3.059
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.93 CRITERION= .1416
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
 HT FLOW CONVERGENCE VALUE= .3034E-01 CRITERION= .1378 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 33 COMPLETED. CUM ITER = 407
 *** TIME = .246938E+09 TIME INC = 788940.

```

*** RESPONSE EIGENVALUE = .3875E-05  OSCILLATION LIMIT = 3.057
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 32.83  CRITERION= .1417
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
  HT FLOW CONVERGENCE VALUE= .3025E-01 CRITERION= .1376  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 34 COMPLETED.  CUM ITER = 408
*** TIME = .247727E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3875E-05  OSCILLATION LIMIT = 3.057
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 32.93  CRITERION= .1415
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
  HT FLOW CONVERGENCE VALUE= .3026E-01 CRITERION= .1376  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 35 COMPLETED.  CUM ITER = 409
*** TIME = .248516E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3874E-05  OSCILLATION LIMIT = 3.057
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 32.83  CRITERION= .1415
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
  HT FLOW CONVERGENCE VALUE= .3019E-01 CRITERION= .1375  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 36 COMPLETED.  CUM ITER = 410
*** TIME = .249305E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3873E-05  OSCILLATION LIMIT = 3.056
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 32.93  CRITERION= .1413
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7011E-01
  HT FLOW CONVERGENCE VALUE= .3022E-01 CRITERION= .1375  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 37 COMPLETED.  CUM ITER = 411
*** TIME = .250094E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3873E-05  OSCILLATION LIMIT = 3.056
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 32.83  CRITERION= .1413
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
  HT FLOW CONVERGENCE VALUE= .3015E-01 CRITERION= .1373  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 38 COMPLETED.  CUM ITER = 412
*** TIME = .250883E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3872E-05  OSCILLATION LIMIT = 3.054
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 32.93  CRITERION= .1412
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7010E-01
  HT FLOW CONVERGENCE VALUE= .3017E-01 CRITERION= .1373  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 39 COMPLETED.  CUM ITER = 413
*** TIME = .251672E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3872E-05  OSCILLATION LIMIT = 3.055
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 32.83  CRITERION= .1412
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
  HT FLOW CONVERGENCE VALUE= .3011E-01 CRITERION= .1371  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 40 COMPLETED.  CUM ITER = 414
*** TIME = .252461E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3870E-05  OSCILLATION LIMIT = 3.053

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:44:44 MAR 26, 1995 CP= 29975.180

FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1390
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4838E-01
 HT FLOW CONVERGENCE VALUE= .2136E-01 CRITERION= .1372 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 1 COMPLETED. CUM ITER = 415
 *** TIME = .253250E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6731E-05 OSCILLATION LIMIT = 5.310
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1390
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .2112E-01 CRITERION= .1370 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 2 COMPLETED. CUM ITER = 416
 *** TIME = .254039E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6890E-05 OSCILLATION LIMIT = 5.436
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1388
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4838E-01
 HT FLOW CONVERGENCE VALUE= .2095E-01 CRITERION= .1370 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 3 COMPLETED. CUM ITER = 417
 *** TIME = .254828E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6252E-05 OSCILLATION LIMIT = 4.933
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1389
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .2105E-01 CRITERION= .1368 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 4 COMPLETED. CUM ITER = 418
 *** TIME = .255617E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6859E-05 OSCILLATION LIMIT = 5.412
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1387
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4838E-01
 HT FLOW CONVERGENCE VALUE= .2095E-01 CRITERION= .1369 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 5 COMPLETED. CUM ITER = 419
 *** TIME = .256406E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6379E-05 OSCILLATION LIMIT = 5.032
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1387
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .2099E-01 CRITERION= .1367 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 6 COMPLETED. CUM ITER = 420
 *** TIME = .257194E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6753E-05 OSCILLATION LIMIT = 5.328
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1386
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4838E-01
 HT FLOW CONVERGENCE VALUE= .2093E-01 CRITERION= .1367 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 7 COMPLETED. CUM ITER = 421
 *** TIME = .257983E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6461E-05 OSCILLATION LIMIT = 5.097
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1386
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01

HT FLOW CONVERGENCE VALUE= .2094E-01 CRITERION= .1366 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 8 COMPLETED. CUM ITER = 422
 *** TIME = .258772E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6685E-05 OSCILLATION LIMIT = 5.274
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1384
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4838E-01
 HT FLOW CONVERGENCE VALUE= .2092E-01 CRITERION= .1366 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 9 COMPLETED. CUM ITER = 423
 *** TIME = .259561E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6513E-05 OSCILLATION LIMIT = 5.138
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1384
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .2090E-01 CRITERION= .1364 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 10 COMPLETED. CUM ITER = 424
 *** TIME = .260350E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6641E-05 OSCILLATION LIMIT = 5.239
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1383
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
 HT FLOW CONVERGENCE VALUE= .2090E-01 CRITERION= .1364 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 11 COMPLETED. CUM ITER = 425
 *** TIME = .261139E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6545E-05 OSCILLATION LIMIT = 5.164
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1383
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .2087E-01 CRITERION= .1363 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 12 COMPLETED. CUM ITER = 426
 *** TIME = .261928E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6613E-05 OSCILLATION LIMIT = 5.217
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1381
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
 HT FLOW CONVERGENCE VALUE= .2086E-01 CRITERION= .1363 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 13 COMPLETED. CUM ITER = 427
 *** TIME = .262717E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6566E-05 OSCILLATION LIMIT = 5.180
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1381
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .2082E-01 CRITERION= .1361 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 14 COMPLETED. CUM ITER = 428
 *** TIME = .263506E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6595E-05 OSCILLATION LIMIT = 5.203
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1380
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
 HT FLOW CONVERGENCE VALUE= .2082E-01 CRITERION= .1361 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 15 COMPLETED. CUM ITER = 429
 *** TIME = .264295E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6578E-05 OSCILLATION LIMIT = 5.190
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1380
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .2078E-01 CRITERION= .1360 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 16 COMPLETED. CUM ITER = 430
 *** TIME = .265084E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6583E-05 OSCILLATION LIMIT = 5.193
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1378
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
 HT FLOW CONVERGENCE VALUE= .2079E-01 CRITERION= .1360 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 17 COMPLETED. CUM ITER = 431
 *** TIME = .265873E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6586E-05 OSCILLATION LIMIT = 5.196
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1378
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .2074E-01 CRITERION= .1358 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 18 COMPLETED. CUM ITER = 432
 *** TIME = .266662E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6575E-05 OSCILLATION LIMIT = 5.187
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1377
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
 HT FLOW CONVERGENCE VALUE= .2076E-01 CRITERION= .1358 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 19 COMPLETED. CUM ITER = 433
 *** TIME = .267451E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6590E-05 OSCILLATION LIMIT = 5.199
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1377
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .2071E-01 CRITERION= .1357 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 20 COMPLETED. CUM ITER = 434
 *** TIME = .268240E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6570E-05 OSCILLATION LIMIT = 5.183
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1375
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
 HT FLOW CONVERGENCE VALUE= .2073E-01 CRITERION= .1357 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 21 COMPLETED. CUM ITER = 435
 *** TIME = .269029E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6592E-05 OSCILLATION LIMIT = 5.201
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1376
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .2068E-01 CRITERION= .1355 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 22 COMPLETED. CUM ITER = 436
 *** TIME = .269818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6566E-05 OSCILLATION LIMIT = 5.180
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1374
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
 HT FLOW CONVERGENCE VALUE= .2069E-01 CRITERION= .1355 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 23 COMPLETED. CUM ITER = 437
 *** TIME = .270606E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6593E-05 OSCILLATION LIMIT = 5.202

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1374
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .2064E-01 CRITERION= .1354 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 24 COMPLETED. CUM ITER = 438
 *** TIME = .271395E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6563E-05 OSCILLATION LIMIT = 5.178
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1372
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
 HT FLOW CONVERGENCE VALUE= .2066E-01 CRITERION= .1354 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 25 COMPLETED. CUM ITER = 439
 *** TIME = .272184E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6593E-05 OSCILLATION LIMIT = 5.202
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1373
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .2060E-01 CRITERION= .1352 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 26 COMPLETED. CUM ITER = 440
 *** TIME = .272973E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6562E-05 OSCILLATION LIMIT = 5.177
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1371
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
 HT FLOW CONVERGENCE VALUE= .2062E-01 CRITERION= .1352 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 27 COMPLETED. CUM ITER = 441
 *** TIME = .273762E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6593E-05 OSCILLATION LIMIT = 5.202
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1371
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .2057E-01 CRITERION= .1351 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 28 COMPLETED. CUM ITER = 442
 *** TIME = .274551E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6560E-05 OSCILLATION LIMIT = 5.175
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1369
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
 HT FLOW CONVERGENCE VALUE= .2059E-01 CRITERION= .1351 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 29 COMPLETED. CUM ITER = 443
 *** TIME = .275340E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6593E-05 OSCILLATION LIMIT = 5.201
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1370
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .2054E-01 CRITERION= .1349 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 30 COMPLETED. CUM ITER = 444
 *** TIME = .276129E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6559E-05 OSCILLATION LIMIT = 5.174
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.66 CRITERION= .1368
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
 HT FLOW CONVERGENCE VALUE= .2055E-01 CRITERION= .1349 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 31 COMPLETED. CUM ITER = 445


```

*** TIME = .276918E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6592E-05    OSCILLATION LIMIT = 5.200
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.56    CRITERION= .1368
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .2050E-01    CRITERION= .1348    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 32 COMPLETED.    CUM ITER = 446
*** TIME = .277707E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6557E-05    OSCILLATION LIMIT = 5.173
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.66    CRITERION= .1367
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
    HT FLOW CONVERGENCE VALUE= .2052E-01    CRITERION= .1348    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 33 COMPLETED.    CUM ITER = 447
*** TIME = .278496E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6591E-05    OSCILLATION LIMIT = 5.200
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.56    CRITERION= .1367
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .2047E-01    CRITERION= .1346    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 34 COMPLETED.    CUM ITER = 448
*** TIME = .279285E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6556E-05    OSCILLATION LIMIT = 5.173
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.66    CRITERION= .1365
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
    HT FLOW CONVERGENCE VALUE= .2049E-01    CRITERION= .1347    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 35 COMPLETED.    CUM ITER = 449
*** TIME = .280074E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6590E-05    OSCILLATION LIMIT = 5.199
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.56    CRITERION= .1365
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .2045E-01    CRITERION= .1345    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 36 COMPLETED.    CUM ITER = 450
*** TIME = .280863E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6555E-05    OSCILLATION LIMIT = 5.172
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.66    CRITERION= .1364
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
    HT FLOW CONVERGENCE VALUE= .2046E-01    CRITERION= .1345    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 37 COMPLETED.    CUM ITER = 451
*** TIME = .281652E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6589E-05    OSCILLATION LIMIT = 5.198
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.56    CRITERION= .1364
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .2042E-01    CRITERION= .1343    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 38 COMPLETED.    CUM ITER = 452
*** TIME = .282441E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6554E-05    OSCILLATION LIMIT = 5.171
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.66    CRITERION= .1362
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4837E-01
    HT FLOW CONVERGENCE VALUE= .2043E-01    CRITERION= .1344    <<< CONVERGED

```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 39 COMPLETED. CUM ITER = 453
*** TIME = .283229E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6588E-05 OSCILLATION LIMIT = 5.198
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.56 CRITERION= .1362
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
HT FLOW CONVERGENCE VALUE= .2039E-01 CRITERION= .1342 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 40 COMPLETED. CUM ITER = 454
*** TIME = .284018E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6553E-05 OSCILLATION LIMIT = 5.170
Apply loads and solve for 10 to 90 years

*DO LOOP ON PARAMETER= TM FROM .31558E+09 TO .28402E+10 BY .31558E+09
TIME= .31558E+09

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
4267.31334 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 142.11 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 142.65 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 143.80 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 32992.170 TIME= 19:35:37
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.
1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 19:35:37 MAR 26, 1995 CP= 32992.170
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF
```

LOAD STEP OPTIONS

```

LOAD STEP NUMBER. . . . . 22
TIME AT END OF THE LOAD STEP. . . . . 31558E+09
AUTOMATIC TIME STEPPING . . . . . ON
  INITIAL NUMBER OF SUBSTEPS . . . . . 10
  MAXIMUM NUMBER OF SUBSTEPS . . . . . 40
  MINIMUM NUMBER OF SUBSTEPS . . . . . 4
  START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . . 25
STEP CHANGE BOUNDARY CONDITIONS . . . . . NO
TRANSIENT (INERTIA) EFFECTS
  THERMAL DOFS . . . . . ON
TRANSIENT INTEGRATION PARAMETERS
  THETA. . . . . .50000
  OSCILLATION LIMIT CRITERION. . . . . .50000
  TOLERANCE. . . . . .20000
TERMINATE ANALYSIS IF NOT CONVERGED . . . . . YES (EXIT)
CONVERGENCE CONTROLS. . . . . USE DEFAULTS
PRINT OUTPUT CONTROLS . . . . . NO PRINTOUT
DATABASE OUTPUT CONTROLS. . . . . ALL DATA WRITTEN
                                FOR THE LAST SUBSTEP

```

```

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1357
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
HT FLOW CONVERGENCE VALUE= .1815E-01 CRITERION= .1342 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 1 COMPLETED. CUM ITER = 455
*** TIME = .284807E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5591E-05 OSCILLATION LIMIT = 4.411
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1357
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1801E-01 CRITERION= .1341 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 2 COMPLETED. CUM ITER = 456
*** TIME = .285596E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5412E-05 OSCILLATION LIMIT = 4.270
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1356
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
HT FLOW CONVERGENCE VALUE= .1805E-01 CRITERION= .1341 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 3 COMPLETED. CUM ITER = 457
*** TIME = .286385E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5603E-05 OSCILLATION LIMIT = 4.420
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1356
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1800E-01 CRITERION= .1339 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 4 COMPLETED. CUM ITER = 458
*** TIME = .287174E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5461E-05 OSCILLATION LIMIT = 4.309
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1355
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
HT FLOW CONVERGENCE VALUE= .1803E-01 CRITERION= .1340 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 5 COMPLETED. CUM ITER = 459
*** TIME = .287963E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5581E-05 OSCILLATION LIMIT = 4.403
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1355
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1798E-01 CRITERION= .1338 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 6 COMPLETED. CUM ITER = 460
 *** TIME = .288752E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5474E-05 OSCILLATION LIMIT = 4.319
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1353
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
 HT FLOW CONVERGENCE VALUE= .1801E-01 CRITERION= .1339 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 7 COMPLETED. CUM ITER = 461
 *** TIME = .289541E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5567E-05 OSCILLATION LIMIT = 4.392
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1354
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1796E-01 CRITERION= .1337 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 8 COMPLETED. CUM ITER = 462
 *** TIME = .290330E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5482E-05 OSCILLATION LIMIT = 4.325
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1352
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
 HT FLOW CONVERGENCE VALUE= .1798E-01 CRITERION= .1337 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 9 COMPLETED. CUM ITER = 463
 *** TIME = .291119E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5558E-05 OSCILLATION LIMIT = 4.385
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1353
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1793E-01 CRITERION= .1336 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 10 COMPLETED. CUM ITER = 464
 *** TIME = .291908E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5487E-05 OSCILLATION LIMIT = 4.329
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1351
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
 HT FLOW CONVERGENCE VALUE= .1795E-01 CRITERION= .1336 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 11 COMPLETED. CUM ITER = 465
 *** TIME = .292697E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5551E-05 OSCILLATION LIMIT = 4.379
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1351
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1790E-01 CRITERION= .1335 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 12 COMPLETED. CUM ITER = 466
 *** TIME = .293486E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5489E-05 OSCILLATION LIMIT = 4.331
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1350
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
 HT FLOW CONVERGENCE VALUE= .1792E-01 CRITERION= .1335 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 13 COMPLETED. CUM ITER = 467
 *** TIME = .294275E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5546E-05 OSCILLATION LIMIT = 4.376

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1350
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1788E-01 CRITERION= .1334 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 14 COMPLETED. CUM ITER = 468
 *** TIME = .295064E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5490E-05 OSCILLATION LIMIT = 4.331
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1349
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
 HT FLOW CONVERGENCE VALUE= .1789E-01 CRITERION= .1334 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 15 COMPLETED. CUM ITER = 469
 *** TIME = .295853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5542E-05 OSCILLATION LIMIT = 4.373
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1349
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1786E-01 CRITERION= .1332 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 16 COMPLETED. CUM ITER = 470
 *** TIME = .296641E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5490E-05 OSCILLATION LIMIT = 4.331
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1348
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
 HT FLOW CONVERGENCE VALUE= .1787E-01 CRITERION= .1333 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 17 COMPLETED. CUM ITER = 471
 *** TIME = .297430E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5539E-05 OSCILLATION LIMIT = 4.370
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1348
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1784E-01 CRITERION= .1331 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 18 COMPLETED. CUM ITER = 472
 *** TIME = .298219E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5489E-05 OSCILLATION LIMIT = 4.331
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1346
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
 HT FLOW CONVERGENCE VALUE= .1785E-01 CRITERION= .1332 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 19 COMPLETED. CUM ITER = 473
 *** TIME = .299008E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5537E-05 OSCILLATION LIMIT = 4.368
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1347
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1782E-01 CRITERION= .1330 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 20 COMPLETED. CUM ITER = 474
 *** TIME = .299797E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5488E-05 OSCILLATION LIMIT = 4.330
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1345
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
 HT FLOW CONVERGENCE VALUE= .1783E-01 CRITERION= .1330 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 21 COMPLETED. CUM ITER = 475

*** TIME = .300586E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5535E-05 OSCILLATION LIMIT = 4.367
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1346
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1780E-01 CRITERION= .1329 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 22 COMPLETED. CUM ITER = 476

*** TIME = .301375E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5486E-05 OSCILLATION LIMIT = 4.329
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1344
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
 HT FLOW CONVERGENCE VALUE= .1781E-01 CRITERION= .1329 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 23 COMPLETED. CUM ITER = 477

*** TIME = .302164E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5533E-05 OSCILLATION LIMIT = 4.365
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1344
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1778E-01 CRITERION= .1328 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 24 COMPLETED. CUM ITER = 478

*** TIME = .302953E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5485E-05 OSCILLATION LIMIT = 4.327
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1343
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
 HT FLOW CONVERGENCE VALUE= .1779E-01 CRITERION= .1328 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 25 COMPLETED. CUM ITER = 479

*** TIME = .303742E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5531E-05 OSCILLATION LIMIT = 4.364
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1343
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1776E-01 CRITERION= .1326 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 26 COMPLETED. CUM ITER = 480

*** TIME = .304531E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5483E-05 OSCILLATION LIMIT = 4.326
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1342
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
 HT FLOW CONVERGENCE VALUE= .1777E-01 CRITERION= .1327 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 27 COMPLETED. CUM ITER = 481

*** TIME = .305320E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5529E-05 OSCILLATION LIMIT = 4.362
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1342
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1774E-01 CRITERION= .1325 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 28 COMPLETED. CUM ITER = 482

*** TIME = .306109E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5481E-05 OSCILLATION LIMIT = 4.325
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1341
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
 HT FLOW CONVERGENCE VALUE= .1775E-01 CRITERION= .1326 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 29 COMPLETED. CUM ITER = 483
*** TIME = .306898E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5528E-05 OSCILLATION LIMIT = 4.361
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1341
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1772E-01 CRITERION= .1324 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 30 COMPLETED. CUM ITER = 484
*** TIME = .307687E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5480E-05 OSCILLATION LIMIT = 4.323
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1339
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
HT FLOW CONVERGENCE VALUE= .1773E-01 CRITERION= .1324 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 31 COMPLETED. CUM ITER = 485
*** TIME = .308476E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5526E-05 OSCILLATION LIMIT = 4.360
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1340
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1771E-01 CRITERION= .1323 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 32 COMPLETED. CUM ITER = 486
*** TIME = .309265E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5478E-05 OSCILLATION LIMIT = 4.322
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1338
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
HT FLOW CONVERGENCE VALUE= .1771E-01 CRITERION= .1323 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 33 COMPLETED. CUM ITER = 487
*** TIME = .310053E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5525E-05 OSCILLATION LIMIT = 4.359
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1339
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1769E-01 CRITERION= .1322 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 34 COMPLETED. CUM ITER = 488
*** TIME = .310842E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5476E-05 OSCILLATION LIMIT = 4.320
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1337
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
HT FLOW CONVERGENCE VALUE= .1769E-01 CRITERION= .1322 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 35 COMPLETED. CUM ITER = 489
*** TIME = .311631E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5524E-05 OSCILLATION LIMIT = 4.358
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1337
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1767E-01 CRITERION= .1321 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 36 COMPLETED. CUM ITER = 490
*** TIME = .312420E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5474E-05 OSCILLATION LIMIT = 4.319
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1336

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4347E-01
 HT FLOW CONVERGENCE VALUE= .1767E-01 CRITERION= .1321 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 37 COMPLETED. CUM ITER = 491
 *** TIME = .313209E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5522E-05 OSCILLATION LIMIT = 4.357
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .1336
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1765E-01 CRITERION= .1319 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 38 COMPLETED. CUM ITER = 492
 *** TIME = .313998E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5472E-05 OSCILLATION LIMIT = 4.317
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.29 CRITERION= .1335
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4346E-01
 HT FLOW CONVERGENCE VALUE= .1765E-01 CRITERION= .1320 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 39 COMPLETED. CUM ITER = 493
 *** TIME = .314787E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5521E-05 OSCILLATION LIMIT = 4.356
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.20 CRITERION= .1335
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1763E-01 CRITERION= .1318 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 40 COMPLETED. CUM ITER = 494
 *** TIME = .315576E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5470E-05 OSCILLATION LIMIT = 4.315

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:26:35 MAR 26, 1995 CP= 36012.470
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1714
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .1039 CRITERION= .1314 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 1 COMPLETED. CUM ITER = 495
 *** TIME = .323465E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1283E-04 OSCILLATION LIMIT = 101.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1711
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2466
 HT FLOW CONVERGENCE VALUE= .1105 CRITERION= .1308 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 2 COMPLETED. CUM ITER = 496
 *** TIME = .331355E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1189E-04 OSCILLATION LIMIT = 93.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1706
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2418
 HT FLOW CONVERGENCE VALUE= .1092 CRITERION= .1303 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 3 COMPLETED. CUM ITER = 497
 *** TIME = .339244E+09 TIME INC = .788940E+07


```

*** RESPONSE EIGENVALUE = .1171E-04  OSCILLATION LIMIT = 92.36
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 109.5  CRITERION= .1702
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2434
  HT FLOW CONVERGENCE VALUE= .1090  CRITERION= .1296  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 4 COMPLETED. CUM ITER = 498
*** TIME = .347134E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1178E-04  OSCILLATION LIMIT = 92.91
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 109.6  CRITERION= .1697
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2417
  HT FLOW CONVERGENCE VALUE= .1081  CRITERION= .1291  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 5 COMPLETED. CUM ITER = 499
*** TIME = .355023E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1175E-04  OSCILLATION LIMIT = 92.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 109.5  CRITERION= .1693
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2431
  HT FLOW CONVERGENCE VALUE= .1078  CRITERION= .1284  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 6 COMPLETED. CUM ITER = 500
*** TIME = .362912E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1180E-04  OSCILLATION LIMIT = 93.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 109.6  CRITERION= .1688
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2416
  HT FLOW CONVERGENCE VALUE= .1069  CRITERION= .1280  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 7 COMPLETED. CUM ITER = 501
*** TIME = .370802E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1177E-04  OSCILLATION LIMIT = 92.88
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 109.5  CRITERION= .1684
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2429
  HT FLOW CONVERGENCE VALUE= .1066  CRITERION= .1273  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 8 COMPLETED. CUM ITER = 502
*** TIME = .378691E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1183E-04  OSCILLATION LIMIT = 93.31
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 109.6  CRITERION= .1679
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2414
  HT FLOW CONVERGENCE VALUE= .1058  CRITERION= .1268  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 9 COMPLETED. CUM ITER = 503
*** TIME = .386581E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1180E-04  OSCILLATION LIMIT = 93.09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 109.5  CRITERION= .1675
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2427
  HT FLOW CONVERGENCE VALUE= .1055  CRITERION= .1261  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 10 COMPLETED. CUM ITER = 504
*** TIME = .394470E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1185E-04  OSCILLATION LIMIT = 93.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 109.6  CRITERION= .1671
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2413
  HT FLOW CONVERGENCE VALUE= .1046  CRITERION= .1256  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

```

*** LOAD STEP 23 SUBSTEP 11 COMPLETED. CUM ITER = 505
*** TIME = .402359E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1183E-04 OSCILLATION LIMIT = 93.30
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1667
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2424
HT FLOW CONVERGENCE VALUE= .1043 CRITERION= .1250 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 12 COMPLETED. CUM ITER = 506
*** TIME = .410249E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1188E-04 OSCILLATION LIMIT = 93.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1662
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2411
HT FLOW CONVERGENCE VALUE= .1035 CRITERION= .1245 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 13 COMPLETED. CUM ITER = 507
*** TIME = .418138E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1185E-04 OSCILLATION LIMIT = 93.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1658
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2422
HT FLOW CONVERGENCE VALUE= .1031 CRITERION= .1238 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 14 COMPLETED. CUM ITER = 508
*** TIME = .426028E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1190E-04 OSCILLATION LIMIT = 93.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1653
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2410
HT FLOW CONVERGENCE VALUE= .1023 CRITERION= .1233 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 15 COMPLETED. CUM ITER = 509
*** TIME = .433917E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1188E-04 OSCILLATION LIMIT = 93.72
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1649
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2420
HT FLOW CONVERGENCE VALUE= .1020 CRITERION= .1227 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 16 COMPLETED. CUM ITER = 510
*** TIME = .441806E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1193E-04 OSCILLATION LIMIT = 94.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1645
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2408
HT FLOW CONVERGENCE VALUE= .1012 CRITERION= .1222 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 17 COMPLETED. CUM ITER = 511
*** TIME = .449696E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1191E-04 OSCILLATION LIMIT = 93.93
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1641
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2417
HT FLOW CONVERGENCE VALUE= .1009 CRITERION= .1215 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 18 COMPLETED. CUM ITER = 512
*** TIME = .457585E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1195E-04 OSCILLATION LIMIT = 94.29
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1636
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2407

```

HT FLOW CONVERGENCE VALUE= .1002 CRITERION= .1210 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 19 COMPLETED. CUM ITER = 513
 *** TIME = .465475E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1193E-04 OSCILLATION LIMIT = 94.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1632
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2415
 HT FLOW CONVERGENCE VALUE= .9999E-01 CRITERION= .1203 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 20 COMPLETED. CUM ITER = 514
 *** TIME = .473364E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1198E-04 OSCILLATION LIMIT = 94.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1627
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2405
 HT FLOW CONVERGENCE VALUE= .9936E-01 CRITERION= .1199 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 21 COMPLETED. CUM ITER = 515
 *** TIME = .481253E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1196E-04 OSCILLATION LIMIT = 94.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1623
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2413
 HT FLOW CONVERGENCE VALUE= .9934E-01 CRITERION= .1192 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 22 COMPLETED. CUM ITER = 516
 *** TIME = .489143E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1200E-04 OSCILLATION LIMIT = 94.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1619
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2403
 HT FLOW CONVERGENCE VALUE= .9872E-01 CRITERION= .1187 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 23 COMPLETED. CUM ITER = 517
 *** TIME = .497032E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1199E-04 OSCILLATION LIMIT = 94.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1615
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2410
 HT FLOW CONVERGENCE VALUE= .9867E-01 CRITERION= .1180 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 24 COMPLETED. CUM ITER = 518
 *** TIME = .504922E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1203E-04 OSCILLATION LIMIT = 94.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1610
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2402
 HT FLOW CONVERGENCE VALUE= .9813E-01 CRITERION= .1175 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 25 COMPLETED. CUM ITER = 519
 *** TIME = .512811E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1201E-04 OSCILLATION LIMIT = 94.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1606
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2408
 HT FLOW CONVERGENCE VALUE= .9773E-01 CRITERION= .1169 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 26 COMPLETED. CUM ITER = 520
 *** TIME = .520700E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1205E-04 OSCILLATION LIMIT = 95.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1602
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2400
 HT FLOW CONVERGENCE VALUE= .9698E-01 CRITERION= .1164 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 27 COMPLETED. CUM ITER = 521
 *** TIME = .528590E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1204E-04 OSCILLATION LIMIT = 94.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1598
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2406
 HT FLOW CONVERGENCE VALUE= .9657E-01 CRITERION= .1157 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 28 COMPLETED. CUM ITER = 522
 *** TIME = .536479E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1207E-04 OSCILLATION LIMIT = 95.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1593
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2398
 HT FLOW CONVERGENCE VALUE= .9583E-01 CRITERION= .1152 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 29 COMPLETED. CUM ITER = 523
 *** TIME = .544369E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1206E-04 OSCILLATION LIMIT = 95.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1589
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2403
 HT FLOW CONVERGENCE VALUE= .9542E-01 CRITERION= .1145 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 30 COMPLETED. CUM ITER = 524
 *** TIME = .552258E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1210E-04 OSCILLATION LIMIT = 95.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1585
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2397
 HT FLOW CONVERGENCE VALUE= .9470E-01 CRITERION= .1141 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 31 COMPLETED. CUM ITER = 525
 *** TIME = .560147E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1209E-04 OSCILLATION LIMIT = 95.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1581
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2401
 HT FLOW CONVERGENCE VALUE= .9429E-01 CRITERION= .1134 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 32 COMPLETED. CUM ITER = 526
 *** TIME = .568037E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1212E-04 OSCILLATION LIMIT = 95.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1577
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2395
 HT FLOW CONVERGENCE VALUE= .9357E-01 CRITERION= .1129 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 33 COMPLETED. CUM ITER = 527
 *** TIME = .575926E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1211E-04 OSCILLATION LIMIT = 95.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1573
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2399
 HT FLOW CONVERGENCE VALUE= .9316E-01 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 34 COMPLETED. CUM ITER = 528
 *** TIME = .583816E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1215E-04 OSCILLATION LIMIT = 95.85

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1568
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2393
 HT FLOW CONVERGENCE VALUE= .9245E-01 CRITERION= .1118 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 35 COMPLETED. CUM ITER = 529
 *** TIME = .591705E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1214E-04 OSCILLATION LIMIT = 95.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1564
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2397
 HT FLOW CONVERGENCE VALUE= .9203E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 36 COMPLETED. CUM ITER = 530
 *** TIME = .599594E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1217E-04 OSCILLATION LIMIT = 96.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1560
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2391
 HT FLOW CONVERGENCE VALUE= .9133E-01 CRITERION= .1106 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 37 COMPLETED. CUM ITER = 531
 *** TIME = .607484E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1217E-04 OSCILLATION LIMIT = 95.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1556
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2394
 HT FLOW CONVERGENCE VALUE= .9091E-01 CRITERION= .1099 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 38 COMPLETED. CUM ITER = 532
 *** TIME = .615373E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 96.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1552
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2389
 HT FLOW CONVERGENCE VALUE= .9022E-01 CRITERION= .1094 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 39 COMPLETED. CUM ITER = 533
 *** TIME = .623263E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1219E-04 OSCILLATION LIMIT = 96.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1548
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2392
 HT FLOW CONVERGENCE VALUE= .8979E-01 CRITERION= .1088 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 40 COMPLETED. CUM ITER = 534
 *** TIME = .631152E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1223E-04 OSCILLATION LIMIT = 96.45

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:17:34 MAR 26, 1995 CP= 39031.860
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 58.31 CRITERION= .1234
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2269
 HT FLOW CONVERGENCE VALUE= .6309E-01 CRITERION= .1084 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 1 COMPLETED. CUM ITER = 535

```

*** TIME = .639041E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1428E-04    OSCILLATION LIMIT = 112.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.21    CRITERION= .1230
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2142
    HT FLOW CONVERGENCE VALUE= .5919E-01    CRITERION= .1079    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 2 COMPLETED. CUM ITER = 536
*** TIME = .646931E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1503E-04    OSCILLATION LIMIT = 118.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.31    CRITERION= .1226
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2144
    HT FLOW CONVERGENCE VALUE= .5864E-01    CRITERION= .1075    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 3 COMPLETED. CUM ITER = 537
*** TIME = .654820E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1514E-04    OSCILLATION LIMIT = 119.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.20    CRITERION= .1223
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2155
    HT FLOW CONVERGENCE VALUE= .5874E-01    CRITERION= .1070    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 4 COMPLETED. CUM ITER = 538
*** TIME = .662710E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1513E-04    OSCILLATION LIMIT = 119.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.31    CRITERION= .1218
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2145
    HT FLOW CONVERGENCE VALUE= .5815E-01    CRITERION= .1067    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 5 COMPLETED. CUM ITER = 539
*** TIME = .670599E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1516E-04    OSCILLATION LIMIT = 119.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.20    CRITERION= .1215
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2156
    HT FLOW CONVERGENCE VALUE= .5822E-01    CRITERION= .1061    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 6 COMPLETED. CUM ITER = 540
*** TIME = .678488E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1515E-04    OSCILLATION LIMIT = 119.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.30    CRITERION= .1211
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2146
    HT FLOW CONVERGENCE VALUE= .5764E-01    CRITERION= .1058    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 7 COMPLETED. CUM ITER = 541
*** TIME = .686378E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1519E-04    OSCILLATION LIMIT = 119.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.20    CRITERION= .1207
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2156
    HT FLOW CONVERGENCE VALUE= .5770E-01    CRITERION= .1053    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 8 COMPLETED. CUM ITER = 542
*** TIME = .694267E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1518E-04    OSCILLATION LIMIT = 119.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.30    CRITERION= .1203
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2147
    HT FLOW CONVERGENCE VALUE= .5713E-01    CRITERION= .1049    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 9 COMPLETED. CUM ITER = 543
*** TIME = .702157E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1521E-04 OSCILLATION LIMIT = 120.0
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.20 CRITERION= .1200
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2157
HT FLOW CONVERGENCE VALUE= .5718E-01 CRITERION= .1044 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 10 COMPLETED. CUM ITER = 544
*** TIME = .710046E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1520E-04 OSCILLATION LIMIT = 119.9
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.30 CRITERION= .1195
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2149
HT FLOW CONVERGENCE VALUE= .5663E-01 CRITERION= .1041 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 11 COMPLETED. CUM ITER = 545
*** TIME = .717935E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1523E-04 OSCILLATION LIMIT = 120.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.20 CRITERION= .1192
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2157
HT FLOW CONVERGENCE VALUE= .5666E-01 CRITERION= .1035 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 12 COMPLETED. CUM ITER = 546
*** TIME = .725825E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1523E-04 OSCILLATION LIMIT = 120.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.30 CRITERION= .1188
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2150
HT FLOW CONVERGENCE VALUE= .5612E-01 CRITERION= .1032 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 13 COMPLETED. CUM ITER = 547
*** TIME = .733714E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1526E-04 OSCILLATION LIMIT = 120.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.19 CRITERION= .1185
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2158
HT FLOW CONVERGENCE VALUE= .5614E-01 CRITERION= .1027 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 14 COMPLETED. CUM ITER = 548
*** TIME = .741604E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1525E-04 OSCILLATION LIMIT = 120.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.30 CRITERION= .1180
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2151
HT FLOW CONVERGENCE VALUE= .5562E-01 CRITERION= .1023 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 15 COMPLETED. CUM ITER = 549
*** TIME = .749493E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1528E-04 OSCILLATION LIMIT = 120.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.19 CRITERION= .1177
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2158
HT FLOW CONVERGENCE VALUE= .5563E-01 CRITERION= .1018 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 16 COMPLETED. CUM ITER = 550
*** TIME = .757382E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1527E-04 OSCILLATION LIMIT = 120.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.29 CRITERION= .1173

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2152
 HT FLOW CONVERGENCE VALUE= .5512E-01 CRITERION= .1015 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 17 COMPLETED. CUM ITER = 551
 *** TIME = .765272E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1531E-04 OSCILLATION LIMIT = 120.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.19 CRITERION= .1170
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2159
 HT FLOW CONVERGENCE VALUE= .5511E-01 CRITERION= .1009 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 18 COMPLETED. CUM ITER = 552
 *** TIME = .773161E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1530E-04 OSCILLATION LIMIT = 120.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.29 CRITERION= .1165
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2154
 HT FLOW CONVERGENCE VALUE= .5461E-01 CRITERION= .1006 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 19 COMPLETED. CUM ITER = 553
 *** TIME = .781051E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1533E-04 OSCILLATION LIMIT = 121.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.19 CRITERION= .1162
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2159
 HT FLOW CONVERGENCE VALUE= .5460E-01 CRITERION= .1001 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 20 COMPLETED. CUM ITER = 554
 *** TIME = .788940E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1532E-04 OSCILLATION LIMIT = 120.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.29 CRITERION= .1158
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2155
 HT FLOW CONVERGENCE VALUE= .5411E-01 CRITERION= .9974E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 21 COMPLETED. CUM ITER = 555
 *** TIME = .796829E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1536E-04 OSCILLATION LIMIT = 121.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.19 CRITERION= .1154
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2160
 HT FLOW CONVERGENCE VALUE= .5408E-01 CRITERION= .9920E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 22 COMPLETED. CUM ITER = 556
 *** TIME = .804719E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1535E-04 OSCILLATION LIMIT = 121.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.29 CRITERION= .1150
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2156
 HT FLOW CONVERGENCE VALUE= .5360E-01 CRITERION= .9887E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 23 COMPLETED. CUM ITER = 557
 *** TIME = .812608E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1538E-04 OSCILLATION LIMIT = 121.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.18 CRITERION= .1147
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2161
 HT FLOW CONVERGENCE VALUE= .5356E-01 CRITERION= .9833E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 24 COMPLETED. CUM ITER = 558
 *** TIME = .820498E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1537E-04 OSCILLATION LIMIT = 121.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.28 CRITERION= .1143
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2157
 HT FLOW CONVERGENCE VALUE= .5310E-01 CRITERION= .9800E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 25 COMPLETED. CUM ITER = 559
 *** TIME = .828387E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1541E-04 OSCILLATION LIMIT = 121.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.18 CRITERION= .1140
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2161
 HT FLOW CONVERGENCE VALUE= .5305E-01 CRITERION= .9746E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 26 COMPLETED. CUM ITER = 560
 *** TIME = .836276E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1540E-04 OSCILLATION LIMIT = 121.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.28 CRITERION= .1135
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2158
 HT FLOW CONVERGENCE VALUE= .5260E-01 CRITERION= .9713E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 27 COMPLETED. CUM ITER = 561
 *** TIME = .844166E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1543E-04 OSCILLATION LIMIT = 121.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.18 CRITERION= .1132
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2162
 HT FLOW CONVERGENCE VALUE= .5254E-01 CRITERION= .9659E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 28 COMPLETED. CUM ITER = 562
 *** TIME = .852055E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1542E-04 OSCILLATION LIMIT = 121.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.28 CRITERION= .1128
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2160
 HT FLOW CONVERGENCE VALUE= .5209E-01 CRITERION= .9627E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 29 COMPLETED. CUM ITER = 563
 *** TIME = .859945E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1546E-04 OSCILLATION LIMIT = 121.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.18 CRITERION= .1125
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2163
 HT FLOW CONVERGENCE VALUE= .5203E-01 CRITERION= .9573E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 30 COMPLETED. CUM ITER = 564
 *** TIME = .867834E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1545E-04 OSCILLATION LIMIT = 121.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.28 CRITERION= .1120
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2161
 HT FLOW CONVERGENCE VALUE= .5159E-01 CRITERION= .9540E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 31 COMPLETED. CUM ITER = 565
 *** TIME = .875723E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1548E-04 OSCILLATION LIMIT = 122.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.18 CRITERION= .1117
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2163
 HT FLOW CONVERGENCE VALUE= .5152E-01 CRITERION= .9486E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 32 COMPLETED. CUM ITER = 566
 *** TIME = .883613E+09 TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .1547E-04 OSCILLATION LIMIT = 122.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.28 CRITERION= .1113
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2162
HT FLOW CONVERGENCE VALUE= .5109E-01 CRITERION= .9453E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 33 COMPLETED. CUM ITER = 567
*** TIME = .891502E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1550E-04 OSCILLATION LIMIT = 122.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.17 CRITERION= .1110
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2164
HT FLOW CONVERGENCE VALUE= .5101E-01 CRITERION= .9399E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 34 COMPLETED. CUM ITER = 568
*** TIME = .899392E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1550E-04 OSCILLATION LIMIT = 122.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.27 CRITERION= .1105
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2163
HT FLOW CONVERGENCE VALUE= .5058E-01 CRITERION= .9366E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 35 COMPLETED. CUM ITER = 569
*** TIME = .907281E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1553E-04 OSCILLATION LIMIT = 122.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.17 CRITERION= .1102
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2165
HT FLOW CONVERGENCE VALUE= .5050E-01 CRITERION= .9312E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 36 COMPLETED. CUM ITER = 570
*** TIME = .915170E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1552E-04 OSCILLATION LIMIT = 122.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.27 CRITERION= .1098
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2164
HT FLOW CONVERGENCE VALUE= .5008E-01 CRITERION= .9280E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 37 COMPLETED. CUM ITER = 571
*** TIME = .923060E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1555E-04 OSCILLATION LIMIT = 122.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.17 CRITERION= .1095
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2166
HT FLOW CONVERGENCE VALUE= .4999E-01 CRITERION= .9226E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 38 COMPLETED. CUM ITER = 572
*** TIME = .930949E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1555E-04 OSCILLATION LIMIT = 122.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.27 CRITERION= .1091
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2165
HT FLOW CONVERGENCE VALUE= .4958E-01 CRITERION= .9193E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 39 COMPLETED. CUM ITER = 573
*** TIME = .938839E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1558E-04 OSCILLATION LIMIT = 122.9
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.17 CRITERION= .1088
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2166
HT FLOW CONVERGENCE VALUE= .4948E-01 CRITERION= .9139E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 24 SUBSTEP 40 COMPLETED. CUM ITER = 574
 *** TIME = .946728E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1557E-04 OSCILLATION LIMIT = 122.8

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:08:36 MAR 26, 1995 CP= 42052.820
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .9461E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2041
 HT FLOW CONVERGENCE VALUE= .3938E-01 CRITERION= .9115E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 1 COMPLETED. CUM ITER = 575
 *** TIME = .954617E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1414E-04 OSCILLATION LIMIT = 111.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .9437E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1971
 HT FLOW CONVERGENCE VALUE= .3726E-01 CRITERION= .9071E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 2 COMPLETED. CUM ITER = 576
 *** TIME = .962507E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1492E-04 OSCILLATION LIMIT = 117.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .9396E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1974
 HT FLOW CONVERGENCE VALUE= .3685E-01 CRITERION= .9049E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 3 COMPLETED. CUM ITER = 577
 *** TIME = .970396E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1510E-04 OSCILLATION LIMIT = 119.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .9373E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1979
 HT FLOW CONVERGENCE VALUE= .3703E-01 CRITERION= .9005E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 4 COMPLETED. CUM ITER = 578
 *** TIME = .978286E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1497E-04 OSCILLATION LIMIT = 118.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .9332E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1976
 HT FLOW CONVERGENCE VALUE= .3660E-01 CRITERION= .8982E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 5 COMPLETED. CUM ITER = 579
 *** TIME = .986175E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1511E-04 OSCILLATION LIMIT = 119.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .9309E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1981
 HT FLOW CONVERGENCE VALUE= .3676E-01 CRITERION= .8939E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 6 COMPLETED. CUM ITER = 580
 *** TIME = .994064E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1498E-04 OSCILLATION LIMIT = 118.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .9268E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1978

HT FLOW CONVERGENCE VALUE= .3635E-01 CRITERION= .8916E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 7 COMPLETED. CUM ITER = 581
 *** TIME = .100195E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1511E-04 OSCILLATION LIMIT = 119.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .9245E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1982
 HT FLOW CONVERGENCE VALUE= .3650E-01 CRITERION= .8872E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 8 COMPLETED. CUM ITER = 582
 *** TIME = .100984E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1499E-04 OSCILLATION LIMIT = 118.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .9204E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1980
 HT FLOW CONVERGENCE VALUE= .3610E-01 CRITERION= .8850E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 9 COMPLETED. CUM ITER = 583
 *** TIME = .101773E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1512E-04 OSCILLATION LIMIT = 119.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .9181E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1984
 HT FLOW CONVERGENCE VALUE= .3623E-01 CRITERION= .8806E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 10 COMPLETED. CUM ITER = 584
 *** TIME = .102562E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1499E-04 OSCILLATION LIMIT = 118.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .9140E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1982
 HT FLOW CONVERGENCE VALUE= .3584E-01 CRITERION= .8783E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 11 COMPLETED. CUM ITER = 585
 *** TIME = .103351E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1512E-04 OSCILLATION LIMIT = 119.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .9117E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1985
 HT FLOW CONVERGENCE VALUE= .3597E-01 CRITERION= .8739E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 12 COMPLETED. CUM ITER = 586
 *** TIME = .104140E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1500E-04 OSCILLATION LIMIT = 118.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .9076E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1985
 HT FLOW CONVERGENCE VALUE= .3559E-01 CRITERION= .8717E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 13 COMPLETED. CUM ITER = 587
 *** TIME = .104929E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1513E-04 OSCILLATION LIMIT = 119.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .9053E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1987
 HT FLOW CONVERGENCE VALUE= .3571E-01 CRITERION= .8673E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 14 COMPLETED. CUM ITER = 588
 *** TIME = .105718E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1501E-04 OSCILLATION LIMIT = 118.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .9012E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1987
 HT FLOW CONVERGENCE VALUE= .3534E-01 CRITERION= .8651E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 15 COMPLETED. CUM ITER = 589
 *** TIME = .106507E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1513E-04 OSCILLATION LIMIT = 119.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .8989E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1989
 HT FLOW CONVERGENCE VALUE= .3544E-01 CRITERION= .8607E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 16 COMPLETED. CUM ITER = 590
 *** TIME = .107296E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1502E-04 OSCILLATION LIMIT = 118.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .8948E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1989
 HT FLOW CONVERGENCE VALUE= .3507E-01 CRITERION= .8584E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 17 COMPLETED. CUM ITER = 591
 *** TIME = .108085E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1514E-04 OSCILLATION LIMIT = 119.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .8925E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1991
 HT FLOW CONVERGENCE VALUE= .3517E-01 CRITERION= .8540E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 18 COMPLETED. CUM ITER = 592
 *** TIME = .108874E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1502E-04 OSCILLATION LIMIT = 118.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .8885E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1991
 HT FLOW CONVERGENCE VALUE= .3482E-01 CRITERION= .8518E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 19 COMPLETED. CUM ITER = 593
 *** TIME = .109663E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1515E-04 OSCILLATION LIMIT = 119.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .8861E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1992
 HT FLOW CONVERGENCE VALUE= .3491E-01 CRITERION= .8474E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 20 COMPLETED. CUM ITER = 594
 *** TIME = .110452E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1503E-04 OSCILLATION LIMIT = 118.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .8821E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1993
 HT FLOW CONVERGENCE VALUE= .3456E-01 CRITERION= .8452E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 21 COMPLETED. CUM ITER = 595
 *** TIME = .111241E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1515E-04 OSCILLATION LIMIT = 119.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .8798E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1994
 HT FLOW CONVERGENCE VALUE= .3464E-01 CRITERION= .8408E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 22 COMPLETED. CUM ITER = 596
 *** TIME = .112029E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1504E-04 OSCILLATION LIMIT = 118.6

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .8757E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1995
 HT FLOW CONVERGENCE VALUE= .3430E-01 CRITERION= .8385E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 23 COMPLETED. CUM ITER = 597
 *** TIME = .112818E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1516E-04 OSCILLATION LIMIT = 119.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .8734E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1996
 HT FLOW CONVERGENCE VALUE= .3437E-01 CRITERION= .8341E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 24 COMPLETED. CUM ITER = 598
 *** TIME = .113607E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1505E-04 OSCILLATION LIMIT = 118.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .8693E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1997
 HT FLOW CONVERGENCE VALUE= .3405E-01 CRITERION= .8319E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 25 COMPLETED. CUM ITER = 599
 *** TIME = .114396E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1516E-04 OSCILLATION LIMIT = 119.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .8670E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1997
 HT FLOW CONVERGENCE VALUE= .3411E-01 CRITERION= .8275E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 26 COMPLETED. CUM ITER = 600
 *** TIME = .115185E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1505E-04 OSCILLATION LIMIT = 118.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .8630E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1999
 HT FLOW CONVERGENCE VALUE= .3378E-01 CRITERION= .8252E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 27 COMPLETED. CUM ITER = 601
 *** TIME = .115974E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1517E-04 OSCILLATION LIMIT = 119.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .8607E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1999
 HT FLOW CONVERGENCE VALUE= .3384E-01 CRITERION= .8209E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 28 COMPLETED. CUM ITER = 602
 *** TIME = .116763E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1506E-04 OSCILLATION LIMIT = 118.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .8566E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2001
 HT FLOW CONVERGENCE VALUE= .3352E-01 CRITERION= .8186E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 29 COMPLETED. CUM ITER = 603
 *** TIME = .117552E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1518E-04 OSCILLATION LIMIT = 119.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .8543E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2001
 HT FLOW CONVERGENCE VALUE= .3358E-01 CRITERION= .8142E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 30 COMPLETED. CUM ITER = 604

```

*** TIME = .118341E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1507E-04    OSCILLATION LIMIT = 118.9
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.61    CRITERION= .8503E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2003
    HT FLOW CONVERGENCE VALUE= .3327E-01    CRITERION= .8120E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 31 COMPLETED.    CUM ITER = 605
*** TIME = .119130E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1518E-04    OSCILLATION LIMIT = 119.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.50    CRITERION= .8479E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2003
    HT FLOW CONVERGENCE VALUE= .3331E-01    CRITERION= .8076E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 32 COMPLETED.    CUM ITER = 606
*** TIME = .119919E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1507E-04    OSCILLATION LIMIT = 118.9
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.61    CRITERION= .8439E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2006
    HT FLOW CONVERGENCE VALUE= .3301E-01    CRITERION= .8053E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 33 COMPLETED.    CUM ITER = 607
*** TIME = .120708E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1519E-04    OSCILLATION LIMIT = 119.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.50    CRITERION= .8416E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2005
    HT FLOW CONVERGENCE VALUE= .3304E-01    CRITERION= .8009E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 34 COMPLETED.    CUM ITER = 608
*** TIME = .121497E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1508E-04    OSCILLATION LIMIT = 119.0
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.61    CRITERION= .8376E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2008
    HT FLOW CONVERGENCE VALUE= .3274E-01    CRITERION= .7987E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 35 COMPLETED.    CUM ITER = 609
*** TIME = .122286E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1519E-04    OSCILLATION LIMIT = 119.9
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.50    CRITERION= .8352E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2006
    HT FLOW CONVERGENCE VALUE= .3277E-01    CRITERION= .7943E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 36 COMPLETED.    CUM ITER = 610
*** TIME = .123075E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1509E-04    OSCILLATION LIMIT = 119.0
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.61    CRITERION= .8312E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2010
    HT FLOW CONVERGENCE VALUE= .3248E-01    CRITERION= .7921E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 37 COMPLETED.    CUM ITER = 611
*** TIME = .123864E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1520E-04    OSCILLATION LIMIT = 119.9
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.50    CRITERION= .8289E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2008
    HT FLOW CONVERGENCE VALUE= .3249E-01    CRITERION= .7877E-01 <<< CONVERGED

```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 38 COMPLETED. CUM ITER = 612
*** TIME = .124653E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1510E-04 OSCILLATION LIMIT = 119.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .8249E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2012
HT FLOW CONVERGENCE VALUE= .3221E-01 CRITERION= .7854E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 39 COMPLETED. CUM ITER = 613
*** TIME = .125441E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1521E-04 OSCILLATION LIMIT = 120.0
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .8226E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2010
HT FLOW CONVERGENCE VALUE= .3222E-01 CRITERION= .7810E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 40 COMPLETED. CUM ITER = 614
*** TIME = .126230E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1510E-04 OSCILLATION LIMIT = 119.2
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 22:59:38 MAR 26, 1995 CP= 45074.870
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7842E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1889
HT FLOW CONVERGENCE VALUE= .2956E-01 CRITERION= .7793E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 1 COMPLETED. CUM ITER = 615
*** TIME = .127019E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1152E-04 OSCILLATION LIMIT = 90.85
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7824E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1856
HT FLOW CONVERGENCE VALUE= .2873E-01 CRITERION= .7756E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 2 COMPLETED. CUM ITER = 616
*** TIME = .127808E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1178E-04 OSCILLATION LIMIT = 92.96
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7787E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1862
HT FLOW CONVERGENCE VALUE= .2847E-01 CRITERION= .7739E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 3 COMPLETED. CUM ITER = 617
*** TIME = .128597E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1195E-04 OSCILLATION LIMIT = 94.25
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7770E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1861
HT FLOW CONVERGENCE VALUE= .2856E-01 CRITERION= .7701E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 4 COMPLETED. CUM ITER = 618
*** TIME = .129386E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1180E-04 OSCILLATION LIMIT = 93.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7733E-01
```



```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1864
HT FLOW CONVERGENCE VALUE= .2829E-01 CRITERION= .7685E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 5 COMPLETED. CUM ITER = 619
*** TIME = .130175E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1194E-04 OSCILLATION LIMIT = 94.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7716E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1863
HT FLOW CONVERGENCE VALUE= .2838E-01 CRITERION= .7647E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 6 COMPLETED. CUM ITER = 620
*** TIME = .130964E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1180E-04 OSCILLATION LIMIT = 93.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7679E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1867
HT FLOW CONVERGENCE VALUE= .2811E-01 CRITERION= .7630E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 7 COMPLETED. CUM ITER = 621
*** TIME = .131753E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1194E-04 OSCILLATION LIMIT = 94.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7662E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1864
HT FLOW CONVERGENCE VALUE= .2820E-01 CRITERION= .7593E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 8 COMPLETED. CUM ITER = 622
*** TIME = .132542E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1180E-04 OSCILLATION LIMIT = 93.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7625E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1869
HT FLOW CONVERGENCE VALUE= .2794E-01 CRITERION= .7576E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 9 COMPLETED. CUM ITER = 623
*** TIME = .133331E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1194E-04 OSCILLATION LIMIT = 94.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7608E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1866
HT FLOW CONVERGENCE VALUE= .2802E-01 CRITERION= .7538E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 10 COMPLETED. CUM ITER = 624
*** TIME = .134120E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1179E-04 OSCILLATION LIMIT = 93.05
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7571E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1871
HT FLOW CONVERGENCE VALUE= .2777E-01 CRITERION= .7522E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 11 COMPLETED. CUM ITER = 625
*** TIME = .134909E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1194E-04 OSCILLATION LIMIT = 94.16
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7554E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1868
HT FLOW CONVERGENCE VALUE= .2784E-01 CRITERION= .7484E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 12 COMPLETED. CUM ITER = 626
*** TIME = .135698E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1179E-04 OSCILLATION LIMIT = 93.04
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7517E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1873
HT FLOW CONVERGENCE VALUE= .2760E-01 CRITERION= .7468E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 13 COMPLETED. CUM ITER = 627
*** TIME = .136487E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1193E-04 OSCILLATION LIMIT = 94.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7500E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1870
HT FLOW CONVERGENCE VALUE= .2766E-01 CRITERION= .7430E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 14 COMPLETED. CUM ITER = 628
*** TIME = .137276E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1179E-04 OSCILLATION LIMIT = 93.03
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7463E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1875
HT FLOW CONVERGENCE VALUE= .2741E-01 CRITERION= .7413E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 15 COMPLETED. CUM ITER = 629
*** TIME = .138065E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1193E-04 OSCILLATION LIMIT = 94.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7446E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1872
HT FLOW CONVERGENCE VALUE= .2747E-01 CRITERION= .7375E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 16 COMPLETED. CUM ITER = 630
*** TIME = .138853E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1179E-04 OSCILLATION LIMIT = 93.03
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7409E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1877
HT FLOW CONVERGENCE VALUE= .2723E-01 CRITERION= .7359E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 17 COMPLETED. CUM ITER = 631
*** TIME = .139642E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1193E-04 OSCILLATION LIMIT = 94.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7392E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1874
HT FLOW CONVERGENCE VALUE= .2729E-01 CRITERION= .7321E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 18 COMPLETED. CUM ITER = 632
*** TIME = .140431E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1179E-04 OSCILLATION LIMIT = 93.02
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7355E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1879
HT FLOW CONVERGENCE VALUE= .2705E-01 CRITERION= .7305E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 19 COMPLETED. CUM ITER = 633
*** TIME = .141220E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1193E-04 OSCILLATION LIMIT = 94.09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7338E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1876
HT FLOW CONVERGENCE VALUE= .2710E-01 CRITERION= .7267E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 20 COMPLETED. CUM ITER = 634
*** TIME = .142009E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .1179E-04 OSCILLATION LIMIT = 93.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7301E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1882
 HT FLOW CONVERGENCE VALUE= .2687E-01 CRITERION= .7250E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 21 COMPLETED. CUM ITER = 635
 *** TIME = .142798E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1192E-04 OSCILLATION LIMIT = 94.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7284E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1878
 HT FLOW CONVERGENCE VALUE= .2692E-01 CRITERION= .7212E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 22 COMPLETED. CUM ITER = 636
 *** TIME = .143587E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1179E-04 OSCILLATION LIMIT = 93.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7247E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1884
 HT FLOW CONVERGENCE VALUE= .2669E-01 CRITERION= .7196E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 23 COMPLETED. CUM ITER = 637
 *** TIME = .144376E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1192E-04 OSCILLATION LIMIT = 94.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7230E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1880
 HT FLOW CONVERGENCE VALUE= .2673E-01 CRITERION= .7158E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 24 COMPLETED. CUM ITER = 638
 *** TIME = .145165E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1179E-04 OSCILLATION LIMIT = 92.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7193E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1886
 HT FLOW CONVERGENCE VALUE= .2651E-01 CRITERION= .7142E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 25 COMPLETED. CUM ITER = 639
 *** TIME = .145954E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1192E-04 OSCILLATION LIMIT = 94.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7176E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1882
 HT FLOW CONVERGENCE VALUE= .2656E-01 CRITERION= .7104E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 26 COMPLETED. CUM ITER = 640
 *** TIME = .146743E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1178E-04 OSCILLATION LIMIT = 92.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7139E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1888
 HT FLOW CONVERGENCE VALUE= .2634E-01 CRITERION= .7087E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 27 COMPLETED. CUM ITER = 641
 *** TIME = .147532E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1192E-04 OSCILLATION LIMIT = 94.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7121E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1884
 HT FLOW CONVERGENCE VALUE= .2638E-01 CRITERION= .7050E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 26 SUBSTEP 28 COMPLETED. CUM ITER = 642
*** TIME = .148321E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1178E-04 OSCILLATION LIMIT = 92.97
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7085E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1890
HT FLOW CONVERGENCE VALUE= .2617E-01 CRITERION= .7033E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 29 COMPLETED. CUM ITER = 643
*** TIME = .149110E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1191E-04 OSCILLATION LIMIT = 94.00
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7067E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1886
HT FLOW CONVERGENCE VALUE= .2621E-01 CRITERION= .6995E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 30 COMPLETED. CUM ITER = 644
*** TIME = .149899E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1178E-04 OSCILLATION LIMIT = 92.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .7031E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1892
HT FLOW CONVERGENCE VALUE= .2600E-01 CRITERION= .6979E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 31 COMPLETED. CUM ITER = 645
*** TIME = .150688E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1191E-04 OSCILLATION LIMIT = 93.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .7013E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1888
HT FLOW CONVERGENCE VALUE= .2603E-01 CRITERION= .6941E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 32 COMPLETED. CUM ITER = 646
*** TIME = .151476E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1178E-04 OSCILLATION LIMIT = 92.94
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .6977E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1895
HT FLOW CONVERGENCE VALUE= .2582E-01 CRITERION= .6924E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 33 COMPLETED. CUM ITER = 647
*** TIME = .152265E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1191E-04 OSCILLATION LIMIT = 93.96
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .6959E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1890
HT FLOW CONVERGENCE VALUE= .2584E-01 CRITERION= .6887E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 34 COMPLETED. CUM ITER = 648
*** TIME = .153054E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1178E-04 OSCILLATION LIMIT = 92.94
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .6922E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1897
HT FLOW CONVERGENCE VALUE= .2564E-01 CRITERION= .6870E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 35 COMPLETED. CUM ITER = 649
*** TIME = .153843E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1191E-04 OSCILLATION LIMIT = 93.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .6905E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1892

```

HT FLOW CONVERGENCE VALUE= .2566E-01 CRITERION= .6832E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 36 COMPLETED. CUM ITER = 650
 *** TIME = .154632E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1178E-04 OSCILLATION LIMIT = 92.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .6868E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1899
 HT FLOW CONVERGENCE VALUE= .2546E-01 CRITERION= .6816E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 37 COMPLETED. CUM ITER = 651
 *** TIME = .155421E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1191E-04 OSCILLATION LIMIT = 93.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .6851E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1894
 HT FLOW CONVERGENCE VALUE= .2547E-01 CRITERION= .6778E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 38 COMPLETED. CUM ITER = 652
 *** TIME = .156210E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1178E-04 OSCILLATION LIMIT = 92.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.274 CRITERION= .6814E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1901
 HT FLOW CONVERGENCE VALUE= .2528E-01 CRITERION= .6761E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 39 COMPLETED. CUM ITER = 653
 *** TIME = .156999E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1190E-04 OSCILLATION LIMIT = 93.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .6797E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1896
 HT FLOW CONVERGENCE VALUE= .2529E-01 CRITERION= .6724E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 40 COMPLETED. CUM ITER = 654
 *** TIME = .157788E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1178E-04 OSCILLATION LIMIT = 92.91

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:55:40 MAR 26, 1995 CP= 48225.110
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .6727E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1646
 HT FLOW CONVERGENCE VALUE= .2257E-01 CRITERION= .6713E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 1 COMPLETED. CUM ITER = 655
 *** TIME = .158577E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8825E-05 OSCILLATION LIMIT = 69.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .6716E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1629
 HT FLOW CONVERGENCE VALUE= .2219E-01 CRITERION= .6681E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 2 COMPLETED. CUM ITER = 656
 *** TIME = .159366E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8925E-05 OSCILLATION LIMIT = 70.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .6684E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1641
 HT FLOW CONVERGENCE VALUE= .2207E-01 CRITERION= .6670E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 3 COMPLETED. CUM ITER = 657
 *** TIME = .160155E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9073E-05 OSCILLATION LIMIT = 71.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .6674E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1632
 HT FLOW CONVERGENCE VALUE= .2210E-01 CRITERION= .6638E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 4 COMPLETED. CUM ITER = 658
 *** TIME = .160944E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8929E-05 OSCILLATION LIMIT = 70.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .6642E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1643
 HT FLOW CONVERGENCE VALUE= .2197E-01 CRITERION= .6627E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 5 COMPLETED. CUM ITER = 659
 *** TIME = .161733E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9071E-05 OSCILLATION LIMIT = 71.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .6631E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1634
 HT FLOW CONVERGENCE VALUE= .2199E-01 CRITERION= .6595E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 6 COMPLETED. CUM ITER = 660
 *** TIME = .162522E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8927E-05 OSCILLATION LIMIT = 70.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .6599E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1644
 HT FLOW CONVERGENCE VALUE= .2188E-01 CRITERION= .6585E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 7 COMPLETED. CUM ITER = 661
 *** TIME = .163311E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9068E-05 OSCILLATION LIMIT = 71.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .6589E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1635
 HT FLOW CONVERGENCE VALUE= .2191E-01 CRITERION= .6553E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 8 COMPLETED. CUM ITER = 662
 *** TIME = .164100E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8926E-05 OSCILLATION LIMIT = 70.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .6557E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1646
 HT FLOW CONVERGENCE VALUE= .2179E-01 CRITERION= .6542E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 9 COMPLETED. CUM ITER = 663
 *** TIME = .164888E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9066E-05 OSCILLATION LIMIT = 71.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .6546E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1637
 HT FLOW CONVERGENCE VALUE= .2181E-01 CRITERION= .6510E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 10 COMPLETED. CUM ITER = 664
 *** TIME = .165677E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8924E-05 OSCILLATION LIMIT = 70.41

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .6514E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1648
 HT FLOW CONVERGENCE VALUE= .2168E-01 CRITERION= .6499E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 11 COMPLETED. CUM ITER = 665
 *** TIME = .166466E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9064E-05 OSCILLATION LIMIT = 71.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .6503E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1639
 HT FLOW CONVERGENCE VALUE= .2168E-01 CRITERION= .6467E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 12 COMPLETED. CUM ITER = 666
 *** TIME = .167255E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8923E-05 OSCILLATION LIMIT = 70.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .6471E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1649
 HT FLOW CONVERGENCE VALUE= .2157E-01 CRITERION= .6457E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 13 COMPLETED. CUM ITER = 667
 *** TIME = .168044E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9062E-05 OSCILLATION LIMIT = 71.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .6461E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1640
 HT FLOW CONVERGENCE VALUE= .2158E-01 CRITERION= .6425E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 14 COMPLETED. CUM ITER = 668
 *** TIME = .168833E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8922E-05 OSCILLATION LIMIT = 70.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .6429E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1651
 HT FLOW CONVERGENCE VALUE= .2146E-01 CRITERION= .6414E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 15 COMPLETED. CUM ITER = 669
 *** TIME = .169622E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9060E-05 OSCILLATION LIMIT = 71.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .6418E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1642
 HT FLOW CONVERGENCE VALUE= .2146E-01 CRITERION= .6382E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 16 COMPLETED. CUM ITER = 670
 *** TIME = .170411E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8920E-05 OSCILLATION LIMIT = 70.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .6386E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1653
 HT FLOW CONVERGENCE VALUE= .2132E-01 CRITERION= .6371E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 17 COMPLETED. CUM ITER = 671
 *** TIME = .171200E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9057E-05 OSCILLATION LIMIT = 71.46
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .6375E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1644
 HT FLOW CONVERGENCE VALUE= .2133E-01 CRITERION= .6339E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 18 COMPLETED. CUM ITER = 672

```

*** TIME = .171989E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8919E-05    OSCILLATION LIMIT = 70.36
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.671    CRITERION= .6343E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1654
    HT FLOW CONVERGENCE VALUE= .2120E-01 CRITERION= .6329E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 19 COMPLETED. CUM ITER = 673
*** TIME = .172778E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9055E-05    OSCILLATION LIMIT = 71.44
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.773    CRITERION= .6333E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1645
    HT FLOW CONVERGENCE VALUE= .2120E-01 CRITERION= .6297E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 20 COMPLETED. CUM ITER = 674
*** TIME = .173567E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8917E-05    OSCILLATION LIMIT = 70.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.671    CRITERION= .6301E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1656
    HT FLOW CONVERGENCE VALUE= .2107E-01 CRITERION= .6286E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 21 COMPLETED. CUM ITER = 675
*** TIME = .174356E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9053E-05    OSCILLATION LIMIT = 71.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.773    CRITERION= .6290E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1647
    HT FLOW CONVERGENCE VALUE= .2108E-01 CRITERION= .6254E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 22 COMPLETED. CUM ITER = 676
*** TIME = .175145E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8916E-05    OSCILLATION LIMIT = 70.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.671    CRITERION= .6258E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1658
    HT FLOW CONVERGENCE VALUE= .2095E-01 CRITERION= .6243E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 23 COMPLETED. CUM ITER = 677
*** TIME = .175934E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9051E-05    OSCILLATION LIMIT = 71.40
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.773    CRITERION= .6248E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1649
    HT FLOW CONVERGENCE VALUE= .2095E-01 CRITERION= .6211E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 24 COMPLETED. CUM ITER = 678
*** TIME = .176723E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8915E-05    OSCILLATION LIMIT = 70.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.671    CRITERION= .6216E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1659
    HT FLOW CONVERGENCE VALUE= .2082E-01 CRITERION= .6201E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 25 COMPLETED. CUM ITER = 679
*** TIME = .177512E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9049E-05    OSCILLATION LIMIT = 71.39
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.773    CRITERION= .6205E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1651
    HT FLOW CONVERGENCE VALUE= .2081E-01 CRITERION= .6169E-01 <<< CONVERGED

```



```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 26 COMPLETED. CUM ITER = 680
*** TIME = .178300E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8914E-05 OSCILLATION LIMIT = 70.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .6173E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1661
HT FLOW CONVERGENCE VALUE= .2068E-01 CRITERION= .6158E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 27 COMPLETED. CUM ITER = 681
*** TIME = .179089E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9047E-05 OSCILLATION LIMIT = 71.37
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .6162E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1652
HT FLOW CONVERGENCE VALUE= .2068E-01 CRITERION= .6126E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 28 COMPLETED. CUM ITER = 682
*** TIME = .179878E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8913E-05 OSCILLATION LIMIT = 70.31
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .6130E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1663
HT FLOW CONVERGENCE VALUE= .2055E-01 CRITERION= .6115E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 29 COMPLETED. CUM ITER = 683
*** TIME = .180667E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9044E-05 OSCILLATION LIMIT = 71.36
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .6120E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1654
HT FLOW CONVERGENCE VALUE= .2055E-01 CRITERION= .6084E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 30 COMPLETED. CUM ITER = 684
*** TIME = .181456E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8911E-05 OSCILLATION LIMIT = 70.30
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .6088E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1664
HT FLOW CONVERGENCE VALUE= .2042E-01 CRITERION= .6073E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 31 COMPLETED. CUM ITER = 685
*** TIME = .182245E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9042E-05 OSCILLATION LIMIT = 71.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .6077E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1656
HT FLOW CONVERGENCE VALUE= .2042E-01 CRITERION= .6041E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 32 COMPLETED. CUM ITER = 686
*** TIME = .183034E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8910E-05 OSCILLATION LIMIT = 70.29
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .6045E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1666
HT FLOW CONVERGENCE VALUE= .2030E-01 CRITERION= .6030E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 33 COMPLETED. CUM ITER = 687
*** TIME = .183823E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9040E-05 OSCILLATION LIMIT = 71.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .6035E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1658
 HT FLOW CONVERGENCE VALUE= .2028E-01 CRITERION= .5998E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 34 COMPLETED. CUM ITER = 688
 *** TIME = .184612E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8908E-05 OSCILLATION LIMIT = 70.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .6003E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1668
 HT FLOW CONVERGENCE VALUE= .2016E-01 CRITERION= .5988E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 35 COMPLETED. CUM ITER = 689
 *** TIME = .185401E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9038E-05 OSCILLATION LIMIT = 71.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .5992E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1659
 HT FLOW CONVERGENCE VALUE= .2015E-01 CRITERION= .5956E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 36 COMPLETED. CUM ITER = 690
 *** TIME = .186190E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8907E-05 OSCILLATION LIMIT = 70.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .5960E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1670
 HT FLOW CONVERGENCE VALUE= .2002E-01 CRITERION= .5945E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 37 COMPLETED. CUM ITER = 691
 *** TIME = .186979E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9037E-05 OSCILLATION LIMIT = 71.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .5949E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1661
 HT FLOW CONVERGENCE VALUE= .1998E-01 CRITERION= .5913E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 38 COMPLETED. CUM ITER = 692
 *** TIME = .187768E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8906E-05 OSCILLATION LIMIT = 70.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .5917E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1672
 HT FLOW CONVERGENCE VALUE= .1984E-01 CRITERION= .5902E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 39 COMPLETED. CUM ITER = 693
 *** TIME = .188557E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9035E-05 OSCILLATION LIMIT = 71.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.773 CRITERION= .5907E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1663
 HT FLOW CONVERGENCE VALUE= .1981E-01 CRITERION= .5870E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 40 COMPLETED. CUM ITER = 694
 *** TIME = .189346E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8907E-05 OSCILLATION LIMIT = 70.27

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 00:47:00 MAR 27, 1995 CP= 51262.720
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 5.781 CRITERION= .5898E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1414
 HT FLOW CONVERGENCE VALUE= .1724E-01 CRITERION= .5863E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 1 COMPLETED. CUM ITER = 695
 *** TIME = .190135E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7637E-05 OSCILLATION LIMIT = 60.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.884 CRITERION= .5891E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1405
 HT FLOW CONVERGENCE VALUE= .1711E-01 CRITERION= .5836E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 2 COMPLETED. CUM ITER = 696
 *** TIME = .190923E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7622E-05 OSCILLATION LIMIT = 60.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.781 CRITERION= .5863E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1420
 HT FLOW CONVERGENCE VALUE= .1707E-01 CRITERION= .5829E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 3 COMPLETED. CUM ITER = 697
 *** TIME = .191712E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7770E-05 OSCILLATION LIMIT = 61.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.884 CRITERION= .5857E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1407
 HT FLOW CONVERGENCE VALUE= .1703E-01 CRITERION= .5801E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 4 COMPLETED. CUM ITER = 698
 *** TIME = .192501E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7622E-05 OSCILLATION LIMIT = 60.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.781 CRITERION= .5829E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1421
 HT FLOW CONVERGENCE VALUE= .1698E-01 CRITERION= .5794E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 5 COMPLETED. CUM ITER = 699
 *** TIME = .193290E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7769E-05 OSCILLATION LIMIT = 61.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.884 CRITERION= .5823E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1408
 HT FLOW CONVERGENCE VALUE= .1694E-01 CRITERION= .5767E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 6 COMPLETED. CUM ITER = 700
 *** TIME = .194079E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7621E-05 OSCILLATION LIMIT = 60.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.781 CRITERION= .5795E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1423
 HT FLOW CONVERGENCE VALUE= .1685E-01 CRITERION= .5760E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 7 COMPLETED. CUM ITER = 701
 *** TIME = .194868E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7768E-05 OSCILLATION LIMIT = 61.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.884 CRITERION= .5788E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1410
 HT FLOW CONVERGENCE VALUE= .1680E-01 CRITERION= .5732E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 8 COMPLETED. CUM ITER = 702
 *** TIME = .195657E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .7622E-05 OSCILLATION LIMIT = 60.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.781 CRITERION= .5760E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1424
 HT FLOW CONVERGENCE VALUE= .1675E-01 CRITERION= .5726E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 9 COMPLETED. CUM ITER = 703
 *** TIME = .196446E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7767E-05 OSCILLATION LIMIT = 61.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.884 CRITERION= .5754E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1411
 HT FLOW CONVERGENCE VALUE= .1672E-01 CRITERION= .5698E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 10 COMPLETED. CUM ITER = 704
 *** TIME = .197235E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7621E-05 OSCILLATION LIMIT = 60.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.781 CRITERION= .5726E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1425
 HT FLOW CONVERGENCE VALUE= .1667E-01 CRITERION= .5691E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 11 COMPLETED. CUM ITER = 705
 *** TIME = .198024E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7765E-05 OSCILLATION LIMIT = 61.26
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.884 CRITERION= .5720E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1413
 HT FLOW CONVERGENCE VALUE= .1664E-01 CRITERION= .5663E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 12 COMPLETED. CUM ITER = 706
 *** TIME = .198813E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7620E-05 OSCILLATION LIMIT = 60.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.781 CRITERION= .5692E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1427
 HT FLOW CONVERGENCE VALUE= .1659E-01 CRITERION= .5657E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 13 COMPLETED. CUM ITER = 707
 *** TIME = .199602E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7763E-05 OSCILLATION LIMIT = 61.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.884 CRITERION= .5685E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1414
 HT FLOW CONVERGENCE VALUE= .1656E-01 CRITERION= .5629E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 14 COMPLETED. CUM ITER = 708
 *** TIME = .200391E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7619E-05 OSCILLATION LIMIT = 60.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.781 CRITERION= .5657E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1428
 HT FLOW CONVERGENCE VALUE= .1650E-01 CRITERION= .5622E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 15 COMPLETED. CUM ITER = 709
 *** TIME = .201180E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7762E-05 OSCILLATION LIMIT = 61.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.884 CRITERION= .5651E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1416
 HT FLOW CONVERGENCE VALUE= .1648E-01 CRITERION= .5594E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 28 SUBSTEP 16 COMPLETED. CUM ITER = 710
*** TIME = .201969E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7618E-05 OSCILLATION LIMIT = 60.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.781 CRITERION= .5623E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1429
HT FLOW CONVERGENCE VALUE= .1642E-01 CRITERION= .5588E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 17 COMPLETED. CUM ITER = 711
*** TIME = .202758E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7760E-05 OSCILLATION LIMIT = 61.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.884 CRITERION= .5617E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1417
HT FLOW CONVERGENCE VALUE= .1639E-01 CRITERION= .5560E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 18 COMPLETED. CUM ITER = 712
*** TIME = .203547E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7618E-05 OSCILLATION LIMIT = 60.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.781 CRITERION= .5589E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1431
HT FLOW CONVERGENCE VALUE= .1633E-01 CRITERION= .5553E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 19 COMPLETED. CUM ITER = 713
*** TIME = .204335E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7759E-05 OSCILLATION LIMIT = 61.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.885 CRITERION= .5583E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1419
HT FLOW CONVERGENCE VALUE= .1630E-01 CRITERION= .5526E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 20 COMPLETED. CUM ITER = 714
*** TIME = .205124E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7618E-05 OSCILLATION LIMIT = 60.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.781 CRITERION= .5555E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1432
HT FLOW CONVERGENCE VALUE= .1624E-01 CRITERION= .5519E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 21 COMPLETED. CUM ITER = 715
*** TIME = .205913E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7758E-05 OSCILLATION LIMIT = 61.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.885 CRITERION= .5548E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1420
HT FLOW CONVERGENCE VALUE= .1622E-01 CRITERION= .5491E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 22 COMPLETED. CUM ITER = 716
*** TIME = .206702E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7617E-05 OSCILLATION LIMIT = 60.09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.781 CRITERION= .5520E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1433
HT FLOW CONVERGENCE VALUE= .1615E-01 CRITERION= .5484E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 23 COMPLETED. CUM ITER = 717
*** TIME = .207491E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7756E-05 OSCILLATION LIMIT = 61.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.885 CRITERION= .5514E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1422

```

```

HT FLOW CONVERGENCE VALUE= .1613E-01 CRITERION= .5457E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 24 COMPLETED. CUM ITER = 718
*** TIME = .208280E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7616E-05 OSCILLATION LIMIT = 60.09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.782 CRITERION= .5486E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1435
HT FLOW CONVERGENCE VALUE= .1606E-01 CRITERION= .5450E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 25 COMPLETED. CUM ITER = 719
*** TIME = .209069E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7755E-05 OSCILLATION LIMIT = 61.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.885 CRITERION= .5480E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1423
HT FLOW CONVERGENCE VALUE= .1604E-01 CRITERION= .5422E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 26 COMPLETED. CUM ITER = 720
*** TIME = .209858E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7615E-05 OSCILLATION LIMIT = 60.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.782 CRITERION= .5452E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1436
HT FLOW CONVERGENCE VALUE= .1596E-01 CRITERION= .5416E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 27 COMPLETED. CUM ITER = 721
*** TIME = .210647E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7753E-05 OSCILLATION LIMIT = 61.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.885 CRITERION= .5446E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1425
HT FLOW CONVERGENCE VALUE= .1594E-01 CRITERION= .5388E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 28 COMPLETED. CUM ITER = 722
*** TIME = .211436E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7614E-05 OSCILLATION LIMIT = 60.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.782 CRITERION= .5418E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1437
HT FLOW CONVERGENCE VALUE= .1587E-01 CRITERION= .5381E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 29 COMPLETED. CUM ITER = 723
*** TIME = .212225E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7752E-05 OSCILLATION LIMIT = 61.16
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.885 CRITERION= .5411E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1426
HT FLOW CONVERGENCE VALUE= .1584E-01 CRITERION= .5353E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 30 COMPLETED. CUM ITER = 724
*** TIME = .213014E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7613E-05 OSCILLATION LIMIT = 60.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.782 CRITERION= .5383E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1439
HT FLOW CONVERGENCE VALUE= .1578E-01 CRITERION= .5347E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 31 COMPLETED. CUM ITER = 725
*** TIME = .213803E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7750E-05 OSCILLATION LIMIT = 61.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 5.885 CRITERION= .5377E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1428
 HT FLOW CONVERGENCE VALUE= .1575E-01 CRITERION= .5319E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 32 COMPLETED. CUM ITER = 726
 *** TIME = .214592E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7613E-05 OSCILLATION LIMIT = 60.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.782 CRITERION= .5349E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1440
 HT FLOW CONVERGENCE VALUE= .1569E-01 CRITERION= .5312E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 33 COMPLETED. CUM ITER = 727
 *** TIME = .215381E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7749E-05 OSCILLATION LIMIT = 61.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.885 CRITERION= .5343E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1429
 HT FLOW CONVERGENCE VALUE= .1568E-01 CRITERION= .5284E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 34 COMPLETED. CUM ITER = 728
 *** TIME = .216170E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7612E-05 OSCILLATION LIMIT = 60.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.782 CRITERION= .5315E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1442
 HT FLOW CONVERGENCE VALUE= .1561E-01 CRITERION= .5278E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 35 COMPLETED. CUM ITER = 729
 *** TIME = .216959E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7747E-05 OSCILLATION LIMIT = 61.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.885 CRITERION= .5309E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1431
 HT FLOW CONVERGENCE VALUE= .1560E-01 CRITERION= .5250E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 36 COMPLETED. CUM ITER = 730
 *** TIME = .217747E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7611E-05 OSCILLATION LIMIT = 60.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.782 CRITERION= .5281E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1443
 HT FLOW CONVERGENCE VALUE= .1553E-01 CRITERION= .5243E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 37 COMPLETED. CUM ITER = 731
 *** TIME = .218536E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7746E-05 OSCILLATION LIMIT = 61.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.885 CRITERION= .5274E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1432
 HT FLOW CONVERGENCE VALUE= .1551E-01 CRITERION= .5216E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 38 COMPLETED. CUM ITER = 732
 *** TIME = .219325E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7610E-05 OSCILLATION LIMIT = 60.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.782 CRITERION= .5246E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1444
 HT FLOW CONVERGENCE VALUE= .1544E-01 CRITERION= .5209E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 39 COMPLETED. CUM ITER = 733
 *** TIME = .220114E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7744E-05 OSCILLATION LIMIT = 61.10

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.885 CRITERION= .5240E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1434
 HT FLOW CONVERGENCE VALUE= .1543E-01 CRITERION= .5181E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 40 COMPLETED. CUM ITER = 734
 *** TIME = .220903E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7609E-05 OSCILLATION LIMIT = 60.03

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 01:38:15 MAR 27, 1995 CP= 54302.970
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .5366E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1351
 HT FLOW CONVERGENCE VALUE= .1589E-01 CRITERION= .5178E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 1 COMPLETED. CUM ITER = 735
 *** TIME = .221692E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4789E-05 OSCILLATION LIMIT = 37.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .5364E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1331
 HT FLOW CONVERGENCE VALUE= .1571E-01 CRITERION= .5153E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 2 COMPLETED. CUM ITER = 736
 *** TIME = .222481E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4731E-05 OSCILLATION LIMIT = 37.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .5339E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1344
 HT FLOW CONVERGENCE VALUE= .1565E-01 CRITERION= .5149E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 3 COMPLETED. CUM ITER = 737
 *** TIME = .223270E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4857E-05 OSCILLATION LIMIT = 38.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .5336E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1333
 HT FLOW CONVERGENCE VALUE= .1566E-01 CRITERION= .5125E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 4 COMPLETED. CUM ITER = 738
 *** TIME = .224059E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4736E-05 OSCILLATION LIMIT = 37.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .5312E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1345
 HT FLOW CONVERGENCE VALUE= .1559E-01 CRITERION= .5121E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 5 COMPLETED. CUM ITER = 739
 *** TIME = .224848E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4857E-05 OSCILLATION LIMIT = 38.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .5309E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1334
 HT FLOW CONVERGENCE VALUE= .1560E-01 CRITERION= .5097E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 6 COMPLETED. CUM ITER = 740


```

*** TIME = .225637E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4736E-05    OSCILLATION LIMIT = 37.37
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 13.97    CRITERION= .5285E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1346
    HT FLOW CONVERGENCE VALUE= .1559E-01    CRITERION= .5093E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 7 COMPLETED.    CUM ITER = 741
*** TIME = .226426E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4857E-05    OSCILLATION LIMIT = 38.31
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.07    CRITERION= .5282E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1336
    HT FLOW CONVERGENCE VALUE= .1563E-01    CRITERION= .5069E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 8 COMPLETED.    CUM ITER = 742
*** TIME = .227215E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4737E-05    OSCILLATION LIMIT = 37.37
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 13.97    CRITERION= .5258E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1348
    HT FLOW CONVERGENCE VALUE= .1555E-01    CRITERION= .5065E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 9 COMPLETED.    CUM ITER = 743
*** TIME = .228004E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4856E-05    OSCILLATION LIMIT = 38.31
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.07    CRITERION= .5255E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1337
    HT FLOW CONVERGENCE VALUE= .1556E-01    CRITERION= .5041E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 10 COMPLETED.    CUM ITER = 744
*** TIME = .228793E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4737E-05    OSCILLATION LIMIT = 37.37
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 13.97    CRITERION= .5231E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1349
    HT FLOW CONVERGENCE VALUE= .1549E-01    CRITERION= .5037E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 11 COMPLETED.    CUM ITER = 745
*** TIME = .229582E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4856E-05    OSCILLATION LIMIT = 38.31
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.07    CRITERION= .5228E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1338
    HT FLOW CONVERGENCE VALUE= .1552E-01    CRITERION= .5013E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 12 COMPLETED.    CUM ITER = 746
*** TIME = .230370E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4737E-05    OSCILLATION LIMIT = 37.37
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 13.97    CRITERION= .5204E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1350
    HT FLOW CONVERGENCE VALUE= .1544E-01    CRITERION= .5009E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 13 COMPLETED.    CUM ITER = 747
*** TIME = .231159E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4856E-05    OSCILLATION LIMIT = 38.31
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.07    CRITERION= .5201E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1340
    HT FLOW CONVERGENCE VALUE= .1545E-01    CRITERION= .4985E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 14 COMPLETED. CUM ITER = 748
*** TIME = .231948E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4738E-05 OSCILLATION LIMIT = 37.38
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .5177E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1351
HT FLOW CONVERGENCE VALUE= .1537E-01 CRITERION= .4981E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 15 COMPLETED. CUM ITER = 749
*** TIME = .232737E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4855E-05 OSCILLATION LIMIT = 38.30
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .5175E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1341
HT FLOW CONVERGENCE VALUE= .1537E-01 CRITERION= .4957E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 16 COMPLETED. CUM ITER = 750
*** TIME = .233526E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4738E-05 OSCILLATION LIMIT = 37.38
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .5150E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1353
HT FLOW CONVERGENCE VALUE= .1530E-01 CRITERION= .4953E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 17 COMPLETED. CUM ITER = 751
*** TIME = .234315E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4855E-05 OSCILLATION LIMIT = 38.30
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .5148E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1342
HT FLOW CONVERGENCE VALUE= .1531E-01 CRITERION= .4929E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 18 COMPLETED. CUM ITER = 752
*** TIME = .235104E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4738E-05 OSCILLATION LIMIT = 37.38
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .5123E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1354
HT FLOW CONVERGENCE VALUE= .1523E-01 CRITERION= .4925E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 19 COMPLETED. CUM ITER = 753
*** TIME = .235893E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4855E-05 OSCILLATION LIMIT = 38.30
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .5121E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1344
HT FLOW CONVERGENCE VALUE= .1524E-01 CRITERION= .4901E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 20 COMPLETED. CUM ITER = 754
*** TIME = .236682E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4738E-05 OSCILLATION LIMIT = 37.38
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .5096E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1355
HT FLOW CONVERGENCE VALUE= .1516E-01 CRITERION= .4897E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 21 COMPLETED. CUM ITER = 755
*** TIME = .237471E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4854E-05 OSCILLATION LIMIT = 38.30
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .5094E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1345
 HT FLOW CONVERGENCE VALUE= .1517E-01 CRITERION= .4873E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 22 COMPLETED. CUM ITER = 756
 *** TIME = .238260E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4739E-05 OSCILLATION LIMIT = 37.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .5069E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1356
 HT FLOW CONVERGENCE VALUE= .1510E-01 CRITERION= .4869E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 23 COMPLETED. CUM ITER = 757
 *** TIME = .239049E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4854E-05 OSCILLATION LIMIT = 38.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.07 CRITERION= .5067E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1346
 HT FLOW CONVERGENCE VALUE= .1511E-01 CRITERION= .4845E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 24 COMPLETED. CUM ITER = 758
 *** TIME = .239838E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4739E-05 OSCILLATION LIMIT = 37.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .5042E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1357
 HT FLOW CONVERGENCE VALUE= .1504E-01 CRITERION= .4841E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 25 COMPLETED. CUM ITER = 759
 *** TIME = .240627E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4853E-05 OSCILLATION LIMIT = 38.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .5040E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1347
 HT FLOW CONVERGENCE VALUE= .1505E-01 CRITERION= .4817E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 26 COMPLETED. CUM ITER = 760
 *** TIME = .241416E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4739E-05 OSCILLATION LIMIT = 37.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .5015E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1358
 HT FLOW CONVERGENCE VALUE= .1497E-01 CRITERION= .4813E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 27 COMPLETED. CUM ITER = 761
 *** TIME = .242205E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4853E-05 OSCILLATION LIMIT = 38.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .5013E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1348
 HT FLOW CONVERGENCE VALUE= .1498E-01 CRITERION= .4789E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 28 COMPLETED. CUM ITER = 762
 *** TIME = .242994E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4739E-05 OSCILLATION LIMIT = 37.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4988E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1359
 HT FLOW CONVERGENCE VALUE= .1491E-01 CRITERION= .4785E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 29 COMPLETED. CUM ITER = 763
 *** TIME = .243782E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4852E-05 OSCILLATION LIMIT = 38.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4986E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1350
 HT FLOW CONVERGENCE VALUE= .1491E-01 CRITERION= .4761E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 30 COMPLETED. CUM ITER = 764
 *** TIME = .244571E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4739E-05 OSCILLATION LIMIT = 37.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4961E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1360
 HT FLOW CONVERGENCE VALUE= .1484E-01 CRITERION= .4757E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 31 COMPLETED. CUM ITER = 765
 *** TIME = .245360E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4852E-05 OSCILLATION LIMIT = 38.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4959E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1351
 HT FLOW CONVERGENCE VALUE= .1485E-01 CRITERION= .4733E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 32 COMPLETED. CUM ITER = 766
 *** TIME = .246149E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4740E-05 OSCILLATION LIMIT = 37.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4934E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1362
 HT FLOW CONVERGENCE VALUE= .1478E-01 CRITERION= .4729E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 33 COMPLETED. CUM ITER = 767
 *** TIME = .246938E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4852E-05 OSCILLATION LIMIT = 38.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4932E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1352
 HT FLOW CONVERGENCE VALUE= .1478E-01 CRITERION= .4705E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 34 COMPLETED. CUM ITER = 768
 *** TIME = .247727E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4740E-05 OSCILLATION LIMIT = 37.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4907E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1363
 HT FLOW CONVERGENCE VALUE= .1472E-01 CRITERION= .4701E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 35 COMPLETED. CUM ITER = 769
 *** TIME = .248516E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4851E-05 OSCILLATION LIMIT = 38.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4905E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1353
 HT FLOW CONVERGENCE VALUE= .1472E-01 CRITERION= .4677E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 36 COMPLETED. CUM ITER = 770
 *** TIME = .249305E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4740E-05 OSCILLATION LIMIT = 37.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4881E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1364
 HT FLOW CONVERGENCE VALUE= .1465E-01 CRITERION= .4673E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 37 COMPLETED. CUM ITER = 771
 *** TIME = .250094E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .4851E-05 OSCILLATION LIMIT = 38.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4879E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1354
 HT FLOW CONVERGENCE VALUE= .1466E-01 CRITERION= .4649E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 38 COMPLETED. CUM ITER = 772
 *** TIME = .250883E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4740E-05 OSCILLATION LIMIT = 37.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4854E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1365
 HT FLOW CONVERGENCE VALUE= .1459E-01 CRITERION= .4645E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 39 COMPLETED. CUM ITER = 773
 *** TIME = .251672E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4851E-05 OSCILLATION LIMIT = 38.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4852E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1356
 HT FLOW CONVERGENCE VALUE= .1460E-01 CRITERION= .4621E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 40 COMPLETED. CUM ITER = 774
 *** TIME = .252461E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4740E-05 OSCILLATION LIMIT = 37.40

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 02:29:47 MAR 27, 1995 CP= 57354.270
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4776E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1089
 HT FLOW CONVERGENCE VALUE= .1181E-01 CRITERION= .4620E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 1 COMPLETED. CUM ITER = 775
 *** TIME = .253250E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4530E-05 OSCILLATION LIMIT = 35.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4776E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1084
 HT FLOW CONVERGENCE VALUE= .1181E-01 CRITERION= .4598E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 2 COMPLETED. CUM ITER = 776
 *** TIME = .254039E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4452E-05 OSCILLATION LIMIT = 35.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4754E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1100
 HT FLOW CONVERGENCE VALUE= .1181E-01 CRITERION= .4598E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 3 COMPLETED. CUM ITER = 777
 *** TIME = .254828E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4600E-05 OSCILLATION LIMIT = 36.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4755E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1085
 HT FLOW CONVERGENCE VALUE= .1177E-01 CRITERION= .4576E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 30 SUBSTEP 4 COMPLETED. CUM ITER = 778
*** TIME = .255617E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4451E-05 OSCILLATION LIMIT = 35.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4733E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1101
HT FLOW CONVERGENCE VALUE= .1177E-01 CRITERION= .4576E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 5 COMPLETED. CUM ITER = 779
*** TIME = .256406E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4599E-05 OSCILLATION LIMIT = 36.29
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4733E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1085
HT FLOW CONVERGENCE VALUE= .1174E-01 CRITERION= .4554E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 6 COMPLETED. CUM ITER = 780
*** TIME = .257194E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4452E-05 OSCILLATION LIMIT = 35.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4712E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1102
HT FLOW CONVERGENCE VALUE= .1173E-01 CRITERION= .4554E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 7 COMPLETED. CUM ITER = 781
*** TIME = .257983E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4599E-05 OSCILLATION LIMIT = 36.28
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4712E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1086
HT FLOW CONVERGENCE VALUE= .1171E-01 CRITERION= .4532E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 8 COMPLETED. CUM ITER = 782
*** TIME = .258772E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4452E-05 OSCILLATION LIMIT = 35.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4690E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1102
HT FLOW CONVERGENCE VALUE= .1170E-01 CRITERION= .4532E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 9 COMPLETED. CUM ITER = 783
*** TIME = .259561E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4598E-05 OSCILLATION LIMIT = 36.28
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4691E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1087
HT FLOW CONVERGENCE VALUE= .1167E-01 CRITERION= .4510E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 10 COMPLETED. CUM ITER = 784
*** TIME = .260350E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4453E-05 OSCILLATION LIMIT = 35.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4669E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1103
HT FLOW CONVERGENCE VALUE= .1166E-01 CRITERION= .4510E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 11 COMPLETED. CUM ITER = 785
*** TIME = .261139E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4597E-05 OSCILLATION LIMIT = 36.27
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4670E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1088

```

HT FLOW CONVERGENCE VALUE= .1164E-01 CRITERION= .4488E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 12 COMPLETED. CUM ITER = 786
 *** TIME = .261928E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4454E-05 OSCILLATION LIMIT = 35.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4648E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1103
 HT FLOW CONVERGENCE VALUE= .1163E-01 CRITERION= .4488E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 13 COMPLETED. CUM ITER = 787
 *** TIME = .262717E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4597E-05 OSCILLATION LIMIT = 36.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4648E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1089
 HT FLOW CONVERGENCE VALUE= .1162E-01 CRITERION= .4466E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 14 COMPLETED. CUM ITER = 788
 *** TIME = .263506E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4454E-05 OSCILLATION LIMIT = 35.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4626E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1104
 HT FLOW CONVERGENCE VALUE= .1160E-01 CRITERION= .4466E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 15 COMPLETED. CUM ITER = 789
 *** TIME = .264295E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4596E-05 OSCILLATION LIMIT = 36.26
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4627E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1090
 HT FLOW CONVERGENCE VALUE= .1159E-01 CRITERION= .4444E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 16 COMPLETED. CUM ITER = 790
 *** TIME = .265084E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4455E-05 OSCILLATION LIMIT = 35.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4605E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1105
 HT FLOW CONVERGENCE VALUE= .1157E-01 CRITERION= .4443E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 17 COMPLETED. CUM ITER = 791
 *** TIME = .265873E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4596E-05 OSCILLATION LIMIT = 36.26
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4606E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1091
 HT FLOW CONVERGENCE VALUE= .1156E-01 CRITERION= .4422E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 18 COMPLETED. CUM ITER = 792
 *** TIME = .266662E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4456E-05 OSCILLATION LIMIT = 35.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4584E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1105
 HT FLOW CONVERGENCE VALUE= .1155E-01 CRITERION= .4421E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 19 COMPLETED. CUM ITER = 793
 *** TIME = .267451E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4595E-05 OSCILLATION LIMIT = 36.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4584E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1092
 HT FLOW CONVERGENCE VALUE= .1153E-01 CRITERION= .4400E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 20 COMPLETED. CUM ITER = 794
 *** TIME = .268240E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4456E-05 OSCILLATION LIMIT = 35.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4562E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1106
 HT FLOW CONVERGENCE VALUE= .1151E-01 CRITERION= .4399E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 21 COMPLETED. CUM ITER = 795
 *** TIME = .269029E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4594E-05 OSCILLATION LIMIT = 36.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4563E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1093
 HT FLOW CONVERGENCE VALUE= .1149E-01 CRITERION= .4378E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 22 COMPLETED. CUM ITER = 796
 *** TIME = .269817E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4457E-05 OSCILLATION LIMIT = 35.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4541E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1107
 HT FLOW CONVERGENCE VALUE= .1147E-01 CRITERION= .4377E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 23 COMPLETED. CUM ITER = 797
 *** TIME = .270606E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4594E-05 OSCILLATION LIMIT = 36.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4542E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1094
 HT FLOW CONVERGENCE VALUE= .1146E-01 CRITERION= .4356E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 24 COMPLETED. CUM ITER = 798
 *** TIME = .271395E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4457E-05 OSCILLATION LIMIT = 35.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4520E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1107
 HT FLOW CONVERGENCE VALUE= .1144E-01 CRITERION= .4355E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 25 COMPLETED. CUM ITER = 799
 *** TIME = .272184E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4593E-05 OSCILLATION LIMIT = 36.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4521E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1095
 HT FLOW CONVERGENCE VALUE= .1143E-01 CRITERION= .4334E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 26 COMPLETED. CUM ITER = 800
 *** TIME = .272973E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4458E-05 OSCILLATION LIMIT = 35.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4499E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1108
 HT FLOW CONVERGENCE VALUE= .1140E-01 CRITERION= .4333E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 27 COMPLETED. CUM ITER = 801
 *** TIME = .273762E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4593E-05 OSCILLATION LIMIT = 36.23

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4499E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1095
 HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .4312E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 28 COMPLETED. CUM ITER = 802
 *** TIME = .274551E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4458E-05 OSCILLATION LIMIT = 35.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4477E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1109
 HT FLOW CONVERGENCE VALUE= .1136E-01 CRITERION= .4311E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 29 COMPLETED. CUM ITER = 803
 *** TIME = .275340E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4592E-05 OSCILLATION LIMIT = 36.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4478E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1096
 HT FLOW CONVERGENCE VALUE= .1135E-01 CRITERION= .4290E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 30 COMPLETED. CUM ITER = 804
 *** TIME = .276129E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4459E-05 OSCILLATION LIMIT = 35.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4456E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1109
 HT FLOW CONVERGENCE VALUE= .1133E-01 CRITERION= .4289E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 31 COMPLETED. CUM ITER = 805
 *** TIME = .276918E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4592E-05 OSCILLATION LIMIT = 36.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4457E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1097
 HT FLOW CONVERGENCE VALUE= .1132E-01 CRITERION= .4268E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 32 COMPLETED. CUM ITER = 806
 *** TIME = .277707E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4459E-05 OSCILLATION LIMIT = 35.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4435E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1110
 HT FLOW CONVERGENCE VALUE= .1129E-01 CRITERION= .4267E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 33 COMPLETED. CUM ITER = 807
 *** TIME = .278496E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4591E-05 OSCILLATION LIMIT = 36.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .4436E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1098
 HT FLOW CONVERGENCE VALUE= .1128E-01 CRITERION= .4245E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 34 COMPLETED. CUM ITER = 808
 *** TIME = .279285E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4460E-05 OSCILLATION LIMIT = 35.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.08 CRITERION= .4414E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1111
 HT FLOW CONVERGENCE VALUE= .1125E-01 CRITERION= .4245E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 35 COMPLETED. CUM ITER = 809

```

*** TIME = .280074E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4591E-05    OSCILLATION LIMIT = 36.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.18    CRITERION= .4415E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1099
    HT FLOW CONVERGENCE VALUE= .1124E-01 CRITERION= .4223E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 36 COMPLETED. CUM ITER = 810
*** TIME = .280863E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4460E-05    OSCILLATION LIMIT = 35.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.08    CRITERION= .4393E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1111
    HT FLOW CONVERGENCE VALUE= .1121E-01 CRITERION= .4223E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 37 COMPLETED. CUM ITER = 811
*** TIME = .281652E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4590E-05    OSCILLATION LIMIT = 36.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.18    CRITERION= .4393E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1100
    HT FLOW CONVERGENCE VALUE= .1121E-01 CRITERION= .4201E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 38 COMPLETED. CUM ITER = 812
*** TIME = .282441E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4460E-05    OSCILLATION LIMIT = 35.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.08    CRITERION= .4371E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1112
    HT FLOW CONVERGENCE VALUE= .1117E-01 CRITERION= .4201E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 39 COMPLETED. CUM ITER = 813
*** TIME = .283229E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4590E-05    OSCILLATION LIMIT = 36.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.18    CRITERION= .4372E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1101
    HT FLOW CONVERGENCE VALUE= .1117E-01 CRITERION= .4179E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 40 COMPLETED. CUM ITER = 814
*** TIME = .284018E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4461E-05    OSCILLATION LIMIT = 35.19
    Apply loads and solve for 100 to 1000 years

*DO LOOP ON PARAMETER= TM      FROM .31558E+10 TO .31558E+11 BY .31558E+10

TIME= .31558E+10

SELECT      FOR ITEM=MAT COMPONENT=
IN RANGE    14 TO      14 STEP      1

    6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT      ELEMENTS CREATED FROM SELECTED AREAS.

    1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
    6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION      1
1228.89062      .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT  FOR ITEM=AREA COMPONENT=
IN RANGE    1 TO      218 STEP      1

    218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

```

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 155.62 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 155.81 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 156.19 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 60409.380 TIME= 03:21:19
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 03:21:19 MAR 27, 1995 CP= 60409.380
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 31
TIME AT END OF THE LOAD STEP.31558E+10
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 10.68 CRITERION= .4314E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9729E-01
HT FLOW CONVERGENCE VALUE= .9779E-02 CRITERION= .4180E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 1 COMPLETED. CUM ITER = 815
*** TIME = .284807E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4558E-05 OSCILLATION LIMIT = 35.96
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .4315E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9635E-01

HT FLOW CONVERGENCE VALUE= .9777E-02 CRITERION= .4160E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 2 COMPLETED. CUM ITER = 816
 *** TIME = .285596E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4438E-05 OSCILLATION LIMIT = 35.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .4295E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9787E-01
 HT FLOW CONVERGENCE VALUE= .9779E-02 CRITERION= .4161E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 3 COMPLETED. CUM ITER = 817
 *** TIME = .286385E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4592E-05 OSCILLATION LIMIT = 36.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .4297E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9642E-01
 HT FLOW CONVERGENCE VALUE= .9751E-02 CRITERION= .4141E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 4 COMPLETED. CUM ITER = 818
 *** TIME = .287174E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4438E-05 OSCILLATION LIMIT = 35.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .4276E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9791E-01
 HT FLOW CONVERGENCE VALUE= .9746E-02 CRITERION= .4141E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 5 COMPLETED. CUM ITER = 819
 *** TIME = .287963E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4592E-05 OSCILLATION LIMIT = 36.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .4278E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9650E-01
 HT FLOW CONVERGENCE VALUE= .9721E-02 CRITERION= .4121E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 6 COMPLETED. CUM ITER = 820
 *** TIME = .288752E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4438E-05 OSCILLATION LIMIT = 35.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .4258E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9796E-01
 HT FLOW CONVERGENCE VALUE= .9714E-02 CRITERION= .4122E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 7 COMPLETED. CUM ITER = 821
 *** TIME = .289541E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4591E-05 OSCILLATION LIMIT = 36.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .4259E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9657E-01
 HT FLOW CONVERGENCE VALUE= .9695E-02 CRITERION= .4102E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 8 COMPLETED. CUM ITER = 822
 *** TIME = .290330E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4439E-05 OSCILLATION LIMIT = 35.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .4239E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9800E-01
 HT FLOW CONVERGENCE VALUE= .9688E-02 CRITERION= .4103E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 9 COMPLETED. CUM ITER = 823
 *** TIME = .291119E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4590E-05 OSCILLATION LIMIT = 36.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .4241E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9664E-01
 HT FLOW CONVERGENCE VALUE= .9667E-02 CRITERION= .4083E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 10 COMPLETED. CUM ITER = 824
 *** TIME = .291908E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4440E-05 OSCILLATION LIMIT = 35.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .4220E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9805E-01
 HT FLOW CONVERGENCE VALUE= .9656E-02 CRITERION= .4083E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 11 COMPLETED. CUM ITER = 825
 *** TIME = .292697E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4590E-05 OSCILLATION LIMIT = 36.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .4222E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9672E-01
 HT FLOW CONVERGENCE VALUE= .9637E-02 CRITERION= .4063E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 12 COMPLETED. CUM ITER = 826
 *** TIME = .293486E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4440E-05 OSCILLATION LIMIT = 35.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .4202E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9810E-01
 HT FLOW CONVERGENCE VALUE= .9625E-02 CRITERION= .4064E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 13 COMPLETED. CUM ITER = 827
 *** TIME = .294275E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4589E-05 OSCILLATION LIMIT = 36.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .4203E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9679E-01
 HT FLOW CONVERGENCE VALUE= .9610E-02 CRITERION= .4044E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 14 COMPLETED. CUM ITER = 828
 *** TIME = .295064E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4441E-05 OSCILLATION LIMIT = 35.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .4183E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9815E-01
 HT FLOW CONVERGENCE VALUE= .9596E-02 CRITERION= .4045E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 15 COMPLETED. CUM ITER = 829
 *** TIME = .295853E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4588E-05 OSCILLATION LIMIT = 36.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .4185E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9686E-01
 HT FLOW CONVERGENCE VALUE= .9581E-02 CRITERION= .4025E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 16 COMPLETED. CUM ITER = 830
 *** TIME = .296641E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4441E-05 OSCILLATION LIMIT = 35.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .4164E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9820E-01
 HT FLOW CONVERGENCE VALUE= .9566E-02 CRITERION= .4026E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 17 COMPLETED. CUM ITER = 831
 *** TIME = .297430E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4588E-05 OSCILLATION LIMIT = 36.19

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .4166E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9694E-01
 HT FLOW CONVERGENCE VALUE= .9552E-02 CRITERION= .4006E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 18 COMPLETED. CUM ITER = 832
 *** TIME = .298219E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4442E-05 OSCILLATION LIMIT = 35.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .4146E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9825E-01
 HT FLOW CONVERGENCE VALUE= .9534E-02 CRITERION= .4006E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 19 COMPLETED. CUM ITER = 833
 *** TIME = .299008E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4587E-05 OSCILLATION LIMIT = 36.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .4148E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9701E-01
 HT FLOW CONVERGENCE VALUE= .9523E-02 CRITERION= .3986E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 20 COMPLETED. CUM ITER = 834
 *** TIME = .299797E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4442E-05 OSCILLATION LIMIT = 35.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .4127E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9830E-01
 HT FLOW CONVERGENCE VALUE= .9509E-02 CRITERION= .3987E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 21 COMPLETED. CUM ITER = 835
 *** TIME = .300586E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4587E-05 OSCILLATION LIMIT = 36.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .4129E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9708E-01
 HT FLOW CONVERGENCE VALUE= .9496E-02 CRITERION= .3967E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 22 COMPLETED. CUM ITER = 836
 *** TIME = .301375E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4443E-05 OSCILLATION LIMIT = 35.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .4108E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9835E-01
 HT FLOW CONVERGENCE VALUE= .9479E-02 CRITERION= .3968E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 23 COMPLETED. CUM ITER = 837
 *** TIME = .302164E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4586E-05 OSCILLATION LIMIT = 36.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .4110E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9715E-01
 HT FLOW CONVERGENCE VALUE= .9470E-02 CRITERION= .3948E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 24 COMPLETED. CUM ITER = 838
 *** TIME = .302953E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4443E-05 OSCILLATION LIMIT = 35.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .4090E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9840E-01
 HT FLOW CONVERGENCE VALUE= .9451E-02 CRITERION= .3948E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 25 COMPLETED. CUM ITER = 839

```

*** TIME = .303742E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4586E-05    OSCILLATION LIMIT = 36.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.79    CRITERION= .4092E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9722E-01
    HT FLOW CONVERGENCE VALUE= .9443E-02    CRITERION= .3928E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 26 COMPLETED.    CUM ITER = 840
*** TIME = .304531E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4444E-05    OSCILLATION LIMIT = 35.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.69    CRITERION= .4071E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9845E-01
    HT FLOW CONVERGENCE VALUE= .9423E-02    CRITERION= .3929E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 27 COMPLETED.    CUM ITER = 841
*** TIME = .305320E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4585E-05    OSCILLATION LIMIT = 36.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.79    CRITERION= .4073E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9729E-01
    HT FLOW CONVERGENCE VALUE= .9414E-02    CRITERION= .3909E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 28 COMPLETED.    CUM ITER = 842
*** TIME = .306109E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4444E-05    OSCILLATION LIMIT = 35.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.69    CRITERION= .4052E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9851E-01
    HT FLOW CONVERGENCE VALUE= .9390E-02    CRITERION= .3910E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 29 COMPLETED.    CUM ITER = 843
*** TIME = .306898E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4585E-05    OSCILLATION LIMIT = 36.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.79    CRITERION= .4054E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9736E-01
    HT FLOW CONVERGENCE VALUE= .9383E-02    CRITERION= .3890E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 30 COMPLETED.    CUM ITER = 844
*** TIME = .307687E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4445E-05    OSCILLATION LIMIT = 35.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.69    CRITERION= .4034E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9856E-01
    HT FLOW CONVERGENCE VALUE= .9356E-02    CRITERION= .3890E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 31 COMPLETED.    CUM ITER = 845
*** TIME = .308476E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4584E-05    OSCILLATION LIMIT = 36.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.79    CRITERION= .4036E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9743E-01
    HT FLOW CONVERGENCE VALUE= .9346E-02    CRITERION= .3870E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 32 COMPLETED.    CUM ITER = 846
*** TIME = .309264E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4445E-05    OSCILLATION LIMIT = 35.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.69    CRITERION= .4015E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9861E-01
    HT FLOW CONVERGENCE VALUE= .9320E-02    CRITERION= .3871E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 33 COMPLETED. CUM ITER = 847
*** TIME = .310053E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4583E-05 OSCILLATION LIMIT = 36.16
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .4017E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9750E-01
HT FLOW CONVERGENCE VALUE= .9312E-02 CRITERION= .3851E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 34 COMPLETED. CUM ITER = 848
*** TIME = .310842E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4446E-05 OSCILLATION LIMIT = 35.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .3997E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9867E-01
HT FLOW CONVERGENCE VALUE= .9283E-02 CRITERION= .3852E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 35 COMPLETED. CUM ITER = 849
*** TIME = .311631E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4583E-05 OSCILLATION LIMIT = 36.16
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .3999E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9757E-01
HT FLOW CONVERGENCE VALUE= .9275E-02 CRITERION= .3832E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 36 COMPLETED. CUM ITER = 850
*** TIME = .312420E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4446E-05 OSCILLATION LIMIT = 35.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .3978E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9872E-01
HT FLOW CONVERGENCE VALUE= .9244E-02 CRITERION= .3833E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 37 COMPLETED. CUM ITER = 851
*** TIME = .313209E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4583E-05 OSCILLATION LIMIT = 36.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .3980E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9764E-01
HT FLOW CONVERGENCE VALUE= .9237E-02 CRITERION= .3813E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 38 COMPLETED. CUM ITER = 852
*** TIME = .313998E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4446E-05 OSCILLATION LIMIT = 35.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.69 CRITERION= .3959E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9878E-01
HT FLOW CONVERGENCE VALUE= .9207E-02 CRITERION= .3813E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 39 COMPLETED. CUM ITER = 853
*** TIME = .314787E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4582E-05 OSCILLATION LIMIT = 36.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .3961E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9771E-01
HT FLOW CONVERGENCE VALUE= .9198E-02 CRITERION= .3793E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 40 COMPLETED. CUM ITER = 854
*** TIME = .315576E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4447E-05 OSCILLATION LIMIT = 35.08

```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 04:12:53 MAR 27, 1995 CP= 63466.130
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 66.44 CRITERION= .7651E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4728
 HT FLOW CONVERGENCE VALUE= .4558E-01 CRITERION= .3764E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1864E-01
 HT FLOW CONVERGENCE VALUE= .9826E-03 CRITERION= .3762E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 1 COMPLETED. CUM ITER = 856
 *** TIME = .323465E+10 TIME INC = .788940E+08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 66.54 CRITERION= .7640E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4749
 HT FLOW CONVERGENCE VALUE= .4527E-01 CRITERION= .3713E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1848E-01
 HT FLOW CONVERGENCE VALUE= .9596E-03 CRITERION= .3711E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 2 COMPLETED. CUM ITER = 858
 *** TIME = .331355E+10 TIME INC = .788940E+08
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 199.4 CRITERION= .2028
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.430
 HT FLOW CONVERGENCE VALUE= .1295 CRITERION= .3603E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5302E-01
 HT FLOW CONVERGENCE VALUE= .2601E-02 CRITERION= .3598E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 3 COMPLETED. CUM ITER = 860
 *** TIME = .355023E+10 TIME INC = .236682E+09
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 598.5 CRITERION= .5995
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.300
 HT FLOW CONVERGENCE VALUE= .3315 CRITERION= .3234E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1356
 HT FLOW CONVERGENCE VALUE= .5515E-02 CRITERION= .3218E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 4 COMPLETED. CUM ITER = 862
 *** TIME = .426028E+10 TIME INC = .710046E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 665.0 CRITERION= .6658
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.829
 HT FLOW CONVERGENCE VALUE= .3216 CRITERION= .2834E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1314
 HT FLOW CONVERGENCE VALUE= .4487E-02 CRITERION= .2818E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 5 COMPLETED. CUM ITER = 864
 *** TIME = .504922E+10 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 665.3 CRITERION= .6658
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.881
 HT FLOW CONVERGENCE VALUE= .2749 CRITERION= .2412E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1131
 HT FLOW CONVERGENCE VALUE= .3169E-02 CRITERION= .2398E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 6 COMPLETED. CUM ITER = 866
 *** TIME = .583816E+10 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 399.2 CRITERION= .3999
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.965
HT FLOW CONVERGENCE VALUE= .1566 CRITERION= .2169E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6569E-01
HT FLOW CONVERGENCE VALUE= .1780E-02 CRITERION= .2162E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 7 COMPLETED. CUM ITER = 868
*** TIME = .631152E+10 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 04:27:10 MAR 27, 1995 CP= 64316.690
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 267.8 CRITERION= .2686
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.219
HT FLOW CONVERGENCE VALUE= .7656E-01 CRITERION= .2078E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3508E-01
HT FLOW CONVERGENCE VALUE= .1326E-02 CRITERION= .2075E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 1 COMPLETED. CUM ITER = 870
*** TIME = .678488E+10 TIME INC = .473364E+09
*** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 267.7 CRITERION= .2685
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.224
HT FLOW CONVERGENCE VALUE= .7398E-01 CRITERION= .2012E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3405E-01
HT FLOW CONVERGENCE VALUE= .1240E-02 CRITERION= .2009E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 2 COMPLETED. CUM ITER = 872
*** TIME = .725825E+10 TIME INC = .473364E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 446.3 CRITERION= .4468
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.042
HT FLOW CONVERGENCE VALUE= .1128 CRITERION= .1875E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5257E-01
HT FLOW CONVERGENCE VALUE= .1761E-02 CRITERION= .1872E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 3 COMPLETED. CUM ITER = 874
*** TIME = .804719E+10 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 446.3 CRITERION= .4467
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.053
HT FLOW CONVERGENCE VALUE= .1052 CRITERION= .1758E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4951E-01
HT FLOW CONVERGENCE VALUE= .1543E-02 CRITERION= .1755E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 4 COMPLETED. CUM ITER = 876
*** TIME = .883613E+10 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 357.1 CRITERION= .3575
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.648
HT FLOW CONVERGENCE VALUE= .8053E-01 CRITERION= .1646E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3804E-01
HT FLOW CONVERGENCE VALUE= .1126E-02 CRITERION= .1644E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 5 COMPLETED. CUM ITER = 878
*** TIME = .946728E+10 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 04:37:36 MAR 27, 1995 CP= 64926.370
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 204.1 CRITERION= .2048
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9308
HT FLOW CONVERGENCE VALUE= .4521E-01 CRITERION= .1599E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2143E-01
HT FLOW CONVERGENCE VALUE= .6290E-03 CRITERION= .1598E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 1 COMPLETED. CUM ITER = 880
*** TIME = .100984E+11 TIME INC = .631152E+09
*** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 204.2 CRITERION= .2048
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9306
HT FLOW CONVERGENCE VALUE= .4368E-01 CRITERION= .1532E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2076E-01
HT FLOW CONVERGENCE VALUE= .5876E-03 CRITERION= .1531E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 2 COMPLETED. CUM ITER = 882
*** TIME = .107296E+11 TIME INC = .631152E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 255.2 CRITERION= .2556
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.168
HT FLOW CONVERGENCE VALUE= .5179E-01 CRITERION= .1472E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2475E-01
HT FLOW CONVERGENCE VALUE= .6641E-03 CRITERION= .1471E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 3 COMPLETED. CUM ITER = 884
*** TIME = .115185E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 255.3 CRITERION= .2557
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.169
HT FLOW CONVERGENCE VALUE= .4908E-01 CRITERION= .1392E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2368E-01
HT FLOW CONVERGENCE VALUE= .6020E-03 CRITERION= .1390E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 4 COMPLETED. CUM ITER = 886
*** TIME = .123075E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 102.0 CRITERION= .1030
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4701
HT FLOW CONVERGENCE VALUE= .1944E-01 CRITERION= .1373E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9554E-02
HT FLOW CONVERGENCE VALUE= .2432E-03 CRITERION= .1372E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 5 COMPLETED. CUM ITER = 888
*** TIME = .126230E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 04:47:51 MAR 27, 1995 CP= 65537.380
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 84.14 CRITERION= .8522E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3433
HT FLOW CONVERGENCE VALUE= .1466E-01 CRITERION= .1344E-01

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7391E-02
 HT FLOW CONVERGENCE VALUE= .1970E-03 CRITERION= .1344E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 1 COMPLETED. CUM ITER = 890
 *** TIME = .129386E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 84.04 CRITERION= .8513E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3453
 HT FLOW CONVERGENCE VALUE= .1445E-01 CRITERION= .1336E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7327E-02
 HT FLOW CONVERGENCE VALUE= .1928E-03 CRITERION= .1335E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 2 COMPLETED. CUM ITER = 892
 *** TIME = .132542E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 210.3 CRITERION= .2107
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8608
 HT FLOW CONVERGENCE VALUE= .3385E-01 CRITERION= .1280E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1750E-01
 HT FLOW CONVERGENCE VALUE= .4360E-03 CRITERION= .1279E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 3 COMPLETED. CUM ITER = 894
 *** TIME = .140431E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 210.2 CRITERION= .2106
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8641
 HT FLOW CONVERGENCE VALUE= .3221E-01 CRITERION= .1243E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1702E-01
 HT FLOW CONVERGENCE VALUE= .4039E-03 CRITERION= .1243E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 4 COMPLETED. CUM ITER = 896
 *** TIME = .148321E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 126.2 CRITERION= .1268
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5180
 HT FLOW CONVERGENCE VALUE= .1886E-01 CRITERION= .1205E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1013E-01
 HT FLOW CONVERGENCE VALUE= .2332E-03 CRITERION= .1205E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 5 COMPLETED. CUM ITER = 898
 *** TIME = .153054E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 126.1 CRITERION= .1267
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5203
 HT FLOW CONVERGENCE VALUE= .1817E-01 CRITERION= .1188E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9959E-02
 HT FLOW CONVERGENCE VALUE= .2213E-03 CRITERION= .1187E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 6 COMPLETED. CUM ITER = 900
 *** TIME = .157788E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:00:09 MAR 27, 1995 CP= 66266.810
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 143.0 CRITERION= .1435
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5010
 HT FLOW CONVERGENCE VALUE= .1832E-01 CRITERION= .1155E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1039E-01

HT FLOW CONVERGENCE VALUE= .2406E-03 CRITERION= .1155E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 1 COMPLETED. CUM ITER = 902
 *** TIME = .162522E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 142.9 CRITERION= .1434
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5032
 HT FLOW CONVERGENCE VALUE= .1784E-01 CRITERION= .1143E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1027E-01
 HT FLOW CONVERGENCE VALUE= .2308E-03 CRITERION= .1143E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 2 COMPLETED. CUM ITER = 904
 *** TIME = .167255E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 238.3 CRITERION= .2386
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8371
 HT FLOW CONVERGENCE VALUE= .2810E-01 CRITERION= .1096E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1655E-01
 HT FLOW CONVERGENCE VALUE= .3491E-03 CRITERION= .1096E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 3 COMPLETED. CUM ITER = 906
 *** TIME = .175145E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 238.2 CRITERION= .2385
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8402
 HT FLOW CONVERGENCE VALUE= .2678E-01 CRITERION= .1070E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1594E-01
 HT FLOW CONVERGENCE VALUE= .3232E-03 CRITERION= .1069E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 4 COMPLETED. CUM ITER = 908
 *** TIME = .183034E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 190.7 CRITERION= .1910
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6716
 HT FLOW CONVERGENCE VALUE= .2087E-01 CRITERION= .1030E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1232E-01
 HT FLOW CONVERGENCE VALUE= .2451E-03 CRITERION= .1030E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 5 COMPLETED. CUM ITER = 910
 *** TIME = .189346E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:10:28 MAR 27, 1995 CP= 66876.560
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 172.0 CRITERION= .1723
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5684
 HT FLOW CONVERGENCE VALUE= .1796E-01 CRITERION= .1018E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1055E-01
 HT FLOW CONVERGENCE VALUE= .2151E-03 CRITERION= .1018E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 1 COMPLETED. CUM ITER = 912
 *** TIME = .195657E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 172.1 CRITERION= .1723
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5671
 HT FLOW CONVERGENCE VALUE= .1757E-01 CRITERION= .9854E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1033E-01
 HT FLOW CONVERGENCE VALUE= .2063E-03 CRITERION= .9851E-02 <<< CONVERGED

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 2 COMPLETED. CUM ITER = 914
*** TIME = .201969E+11 TIME INC = .631152E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)
```

```
HT FLOW CONVERGENCE VALUE= 215.0 CRITERION= .2152
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7116
HT FLOW CONVERGENCE VALUE= .2125E-01 CRITERION= .9678E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1256E-01
HT FLOW CONVERGENCE VALUE= .2434E-03 CRITERION= .9674E-02 <<< CONVERGED
```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 3 COMPLETED. CUM ITER = 916
*** TIME = .209858E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 215.1 CRITERION= .2153
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7106
HT FLOW CONVERGENCE VALUE= .2065E-01 CRITERION= .9297E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1223E-01
HT FLOW CONVERGENCE VALUE= .2304E-03 CRITERION= .9294E-02 <<< CONVERGED
```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 4 COMPLETED. CUM ITER = 918
*** TIME = .217747E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)
```

```
HT FLOW CONVERGENCE VALUE= 85.96 CRITERION= .8648E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2859
HT FLOW CONVERGENCE VALUE= .8333E-02 CRITERION= .9286E-02 <<< CONVERGED
```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 37 SUBSTEP 5 COMPLETED. CUM ITER = 919
*** TIME = .220903E+11 TIME INC = .315576E+09
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 05:19:58 MAR 27, 1995 CP= 67441.810
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 76.04 CRITERION= .7658E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2436
HT FLOW CONVERGENCE VALUE= .7203E-02 CRITERION= .9088E-02 <<< CONVERGED
```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 38 SUBSTEP 1 COMPLETED. CUM ITER = 920
*** TIME = .224059E+11 TIME INC = .315576E+09
*** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 75.94 CRITERION= .7651E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2461
HT FLOW CONVERGENCE VALUE= .7144E-02 CRITERION= .9094E-02 <<< CONVERGED
```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 38 SUBSTEP 2 COMPLETED. CUM ITER = 921
*** TIME = .227215E+11 TIME INC = .315576E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)
```

```
HT FLOW CONVERGENCE VALUE= 190.0 CRITERION= .1902
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6188
HT FLOW CONVERGENCE VALUE= .1718E-01 CRITERION= .8754E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1023E-01
HT FLOW CONVERGENCE VALUE= .1835E-03 CRITERION= .8751E-02 <<< CONVERGED
```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 38 SUBSTEP 3 COMPLETED. CUM ITER = 923
*** TIME = .235104E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 189.9 CRITERION= .1902
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6255
```

HT FLOW CONVERGENCE VALUE= .1677E-01 CRITERION= .8616E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1002E-01
 HT FLOW CONVERGENCE VALUE= .1745E-03 CRITERION= .8613E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 4 COMPLETED. CUM ITER = 925
 *** TIME = .242994E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 114.0 CRITERION= .1143
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3743
 HT FLOW CONVERGENCE VALUE= .1002E-01 CRITERION= .8369E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5964E-02
 HT FLOW CONVERGENCE VALUE= .1027E-03 CRITERION= .8368E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 5 COMPLETED. CUM ITER = 927
 *** TIME = .247727E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 113.9 CRITERION= .1143
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3763
 HT FLOW CONVERGENCE VALUE= .9863E-02 CRITERION= .8328E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5887E-02
 HT FLOW CONVERGENCE VALUE= .9965E-04 CRITERION= .8326E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 6 COMPLETED. CUM ITER = 929
 *** TIME = .252461E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:30:44 MAR 27, 1995 CP= 68084.390
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 102.8 CRITERION= .1031
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3234
 HT FLOW CONVERGENCE VALUE= .8627E-02 CRITERION= .8111E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5159E-02
 HT FLOW CONVERGENCE VALUE= .8787E-04 CRITERION= .8109E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 1 COMPLETED. CUM ITER = 931
 *** TIME = .257194E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 102.7 CRITERION= .1031
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3252
 HT FLOW CONVERGENCE VALUE= .8515E-02 CRITERION= .8098E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5107E-02
 HT FLOW CONVERGENCE VALUE= .8581E-04 CRITERION= .8097E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 2 COMPLETED. CUM ITER = 933
 *** TIME = .261928E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 171.3 CRITERION= .1715
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5400
 HT FLOW CONVERGENCE VALUE= .1372E-01 CRITERION= .7806E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8266E-02
 HT FLOW CONVERGENCE VALUE= .1352E-03 CRITERION= .7804E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 3 COMPLETED. CUM ITER = 935
 *** TIME = .269817E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 171.2 CRITERION= .1714
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5422
 HT FLOW CONVERGENCE VALUE= .1340E-01 CRITERION= .7717E-02

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8102E-02
 HT FLOW CONVERGENCE VALUE= .1294E-03 CRITERION= .7715E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 4 COMPLETED. CUM ITER = 937
 *** TIME = .277707E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 137.1 CRITERION= .1373
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4326
 HT FLOW CONVERGENCE VALUE= .1057E-01 CRITERION= .7462E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6382E-02
 HT FLOW CONVERGENCE VALUE= .1002E-03 CRITERION= .7460E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 5 COMPLETED. CUM ITER = 939
 *** TIME = .284018E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:41:07 MAR 27, 1995 CP= 68692.970
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 120.3 CRITERION= .1205
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3740
 HT FLOW CONVERGENCE VALUE= .9086E-02 CRITERION= .7438E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5503E-02
 HT FLOW CONVERGENCE VALUE= .8582E-04 CRITERION= .7436E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 1 COMPLETED. CUM ITER = 941
 *** TIME = .290330E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 120.4 CRITERION= .1206
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3725
 HT FLOW CONVERGENCE VALUE= .8935E-02 CRITERION= .7210E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5412E-02
 HT FLOW CONVERGENCE VALUE= .8301E-04 CRITERION= .7208E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 2 COMPLETED. CUM ITER = 943
 *** TIME = .296641E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 150.4 CRITERION= .1506
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4678
 HT FLOW CONVERGENCE VALUE= .1088E-01 CRITERION= .7154E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6627E-02
 HT FLOW CONVERGENCE VALUE= .9934E-04 CRITERION= .7153E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 3 COMPLETED. CUM ITER = 945
 *** TIME = .304531E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 150.5 CRITERION= .1506
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4665
 HT FLOW CONVERGENCE VALUE= .1065E-01 CRITERION= .6895E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6488E-02
 HT FLOW CONVERGENCE VALUE= .9516E-04 CRITERION= .6893E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 4 COMPLETED. CUM ITER = 947
 *** TIME = .312420E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 60.12 CRITERION= .6054E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1879
 HT FLOW CONVERGENCE VALUE= .4289E-02 CRITERION= .6933E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 40 SUBSTEP 5 COMPLETED. CUM ITER = 948
*** TIME = .315576E+11 TIME INC = .315576E+09

FINISH SOLUTION PROCESSING

***** ROUTINE COMPLETED ***** CP = 69258.070

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12b3.db
FOR POSSIBLE RESUME FROM THIS POINT

Create element contour plots of solution results

Sort through solution results for time of max temp.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 05:50:46 MAR 27, 1995 CP= 69264.070
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

VARIABLE 2 IS AT NODE 2929 ITEM= TEMP COMP= NAME= peakclad

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES
VARI TYPE IDENTIFIERS NAME MINIMUM AT TIME MAXIMUM AT TIME
2 NSOL 2929 TEMP peakclad 141.0 .3156E+11 251.0 .9467E+08

*GET TMTMAX FROM VARI 2 ITEM=EXTR TMAX VALUE= 94672831.6

***** ROUTINE COMPLETED ***** CP = 69264.380

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 05:50:48 MAR 27, 1995 CP= 69264.410
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS RESULTS INTERPRETATION (POST1) *****

Create temperature contour plots of WP at peak

GRAPHIC DISPLAY RESET

XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (PRECISE) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS -1 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

4504 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .94673E+08

SET COMMAND GOT LOAD STEP= 15 SUBSTEP= 40 CUMULATIVE ITERATION= 214
TIME/FREQUENCY= .94673E+08

TITLE=
12 PWR MPC/WP at Time of Peak Temp. (3.000001 years)

/SHOW SWITCH PLOTS TO FILE solupk.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 AUTOMATIC CONTOURS

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solupk.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at Time of Peak Temp. (3.000001 years)

*** WARNING *** CP= 69292.850 TIME= 05:51:24
The selected element set contains mixed materials.
This could invalidate error estimation.
Create temperature contour plots at 10, 50, and 100 yrs

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+09

SET COMMAND GOT LOAD STEP= 22 SUBSTEP= 40 CUMULATIVE ITERATION= 494
TIME/FREQUENCY= .31558E+09

TITLE=
12 PWR MPC/WP at 10 years

/SHOW SWITCH PLOTS TO FILE solu10.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 120.74 BY 1.0255 TO 250.97

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu10.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 10 years

*** WARNING *** CP= 69329.890 TIME= 05:52:06
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .15779E+10

SET COMMAND GOT LOAD STEP= 26 SUBSTEP= 40 CUMULATIVE ITERATION= 654
TIME/FREQUENCY= .15779E+10

TITLE=
12 PWR MPC/WP at 50 years

/SHOW SWITCH PLOTS TO FILE solu50.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 120.74 BY 1.0255 TO 250.97

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu50.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 50 years

*** WARNING *** CP= 69367.360 TIME= 05:52:43
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+10

SET COMMAND GOT LOAD STEP= 31 SUBSTEP= 40 CUMULATIVE ITERATION= 854
TIME/FREQUENCY= .31558E+10

TITLE=
12 PWR MPC/WP at 100 years

/SHOW SWITCH PLOTS TO FILE solu100.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 120.74 BY 1.0255 TO 250.97

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu100.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 100 years

*** WARNING *** CP= 69407.620 TIME= 05:53:23
The selected element set contains mixed materials.
This could invalidate error estimation.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

EXIT THE ANSYS POST1 DATABASE PROCESSOR

***** ROUTINE COMPLETED ***** CP = 69414.890

Print time/temperature output at specific locations
Save profile from center to edge

Variable Legend: A01i000

x = center of waste package
f = flux trap plate stainless layer
w = flux trap plate SS sheath
c = center of assembly
h = halfway between center and tube
s = inside structural stainless tube layer
a = aluminum-born tube layer
t = stainless tube cladding
g = tube guide
m = mpc shell
i = inner barrier of DC

o = outer barrier of DC
 ## = ID number of assembly (01 is center)
 i = side of assembly toward center of WP
 o = side of assembly toward edge of WP
 000 = profile center down
 045 = profile 45 deg down
 090 = profile center side
 135 = profile 45 deg up
 180 = profile center up

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:53:31 MAR 27, 1995 CP= 69414.900
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

MAXIMUM NUMBER OF VARIABLES= 30

 * Temperature Profile from center to lower right (45 deg.) *

VARIABLE 2	IS AT NODE	5748	ITEM= TEMP COMP=	NAME= x04i045
VARIABLE 3	IS AT NODE	1655	ITEM= TEMP COMP=	NAME= f04i045
VARIABLE 4	IS AT NODE	1762	ITEM= TEMP COMP=	NAME= f04o045
VARIABLE 5	IS AT NODE	2036	ITEM= TEMP COMP=	NAME= w04i045
VARIABLE 6	IS AT NODE	2177	ITEM= TEMP COMP=	NAME= w04o045
VARIABLE 7	IS AT NODE	2552	ITEM= TEMP COMP=	NAME= s04i045
VARIABLE 8	IS AT NODE	2977	ITEM= TEMP COMP=	NAME= h04i045
VARIABLE 9	IS AT NODE	2929	ITEM= TEMP COMP=	NAME= c04i045
VARIABLE 10	IS AT NODE	2881	ITEM= TEMP COMP=	NAME= h04o045
VARIABLE 11	IS AT NODE	2566	ITEM= TEMP COMP=	NAME= s04o045
VARIABLE 12	IS AT NODE	2427	ITEM= TEMP COMP=	NAME= a04o045
VARIABLE 13	IS AT NODE	2303	ITEM= TEMP COMP=	NAME= t04i045
VARIABLE 14	IS AT NODE	2289	ITEM= TEMP COMP=	NAME= t04o045
VARIABLE 15	IS AT NODE	3528	ITEM= TEMP COMP=	NAME= g04i045
VARIABLE 16	IS AT NODE	3545	ITEM= TEMP COMP=	NAME= g04o045
VARIABLE 17	IS AT NODE	3760	ITEM= TEMP COMP=	NAME= m04i045
VARIABLE 18	IS AT NODE	3707	ITEM= TEMP COMP=	NAME= m04o045
VARIABLE 19	IS AT NODE	4142	ITEM= TEMP COMP=	NAME= i04i045
VARIABLE 20	IS AT NODE	4200	ITEM= TEMP COMP=	NAME= i04o045
VARIABLE 21	IS AT NODE	4599	ITEM= TEMP COMP=	NAME= o04o045

Add centers of assemblies 5 and 6

VARIABLE 22 IS AT NODE 3098 ITEM= TEMP COMP= NAME= c05i045

VARIABLE 23 IS AT NODE 2760 ITEM= TEMP COMP= NAME= c06i045

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES							
VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2	NSOL	5748 TEMP	x04i045	139.9	.3156E+11	233.5	.1578E+09
3	NSOL	1655 TEMP	f04i045	139.9	.3156E+11	233.6	.1578E+09
4	NSOL	1762 TEMP	f04o045	139.9	.3156E+11	233.6	.1578E+09
5	NSOL	2036 TEMP	w04i045	139.9	.3156E+11	233.6	.1578E+09
6	NSOL	2177 TEMP	w04o045	139.9	.3156E+11	233.6	.1578E+09
7	NSOL	2552 TEMP	s04i045	139.9	.3156E+11	233.6	.1578E+09
8	NSOL	2977 TEMP	h04i045	140.5	.3156E+11	243.1	.1578E+09
9	NSOL	2929 TEMP	c04i045	141.0	.3156E+11	251.0	.9467E+08
10	NSOL	2881 TEMP	h04o045	140.4	.3156E+11	240.0	.1578E+09
11	NSOL	2566 TEMP	s04o045	139.7	.3156E+11	228.2	.2525E+09
12	NSOL	2427 TEMP	a04o045	139.7	.3156E+11	228.2	.2525E+09
13	NSOL	2303 TEMP	t04i045	139.7	.3156E+11	228.2	.2525E+09
14	NSOL	2289 TEMP	t04o045	139.7	.3156E+11	228.0	.2525E+09
15	NSOL	3528 TEMP	g04i045	138.5	.3156E+11	210.1	.3156E+09
16	NSOL	3545 TEMP	g04o045	138.5	.3156E+11	209.3	.3156E+09
17	NSOL	3760 TEMP	m04i045	114.5	.1000E-05	180.5	.9467E+09
18	NSOL	3707 TEMP	m04o045	113.4	.1000E-05	180.0	.9467E+09
19	NSOL	4142 TEMP	i04i045	29.13	.1000E-05	161.0	.1578E+10
20	NSOL	4200 TEMP	i04o045	27.88	.1000E-05	160.6	.1578E+10
21	NSOL	4599 TEMP	o04o045	26.14	.1000E-05	159.9	.1578E+10
22	NSOL	3098 TEMP	c05i045	140.1	.3156E+11	233.8	.1578E+09
23	NSOL	2760 TEMP	c06i045	140.1	.3156E+11	234.1	.1578E+09

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:53:34 MAR 27, 1995 CP= 69417.940
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5748 TEMP x04i045	1655 TEMP f04i045	1762 TEMP f04o045	2036 TEMP w04i045	2177 TEMP w04o045	2552 TEMP s04i045
.10000E-05	198.265	198.265	198.266	198.266	198.268	198.274
.20000E-05	210.942	210.941	210.942	210.942	210.943	210.949
31.558	210.942	210.941	210.942	210.942	210.943	210.949
.31558E+07	220.750	220.762	220.772	220.772	220.774	220.780
.63116E+07	223.376	223.388	223.398	223.399	223.401	223.407
.94673E+07	224.946	224.959	224.969	224.970	224.971	224.978
.12623E+08	226.062	226.075	226.085	226.086	226.088	226.094
.15779E+08	226.908	226.921	226.931	226.932	226.934	226.940
.18935E+08	227.583	227.596	227.606	227.607	227.609	227.615
.22090E+08	228.162	228.175	228.186	228.187	228.188	228.194
.25246E+08	228.632	228.645	228.656	228.657	228.658	228.664
.28402E+08	229.007	229.021	229.031	229.032	229.034	229.040
.31558E+08	229.332	229.345	229.356	229.357	229.358	229.364
.63115E+08	231.666	231.680	231.690	231.691	231.693	231.698
.94673E+08	232.657	232.671	232.682	232.683	232.684	232.690
.12623E+09	233.132	233.145	233.156	233.157	233.159	233.164
.15779E+09	233.547	233.561	233.571	233.572	233.574	233.579
.18935E+09	233.239	233.252	233.263	233.264	233.265	233.270
.22090E+09	233.274	233.287	233.297	233.298	233.300	233.305
.25246E+09	233.243	233.256	233.266	233.267	233.269	233.273
.28402E+09	232.759	232.773	232.783	232.784	232.785	232.790
.31558E+09	232.520	232.533	232.543	232.544	232.545	232.550
.63115E+09	225.243	225.254	225.263	225.264	225.265	225.269
.94673E+09	218.395	218.405	218.413	218.413	218.414	218.418

.12623E+10	211.810	211.819	211.826	211.826	211.827	211.830
.15779E+10	205.456	205.464	205.470	205.470	205.471	205.474
.18935E+10	199.790	199.797	199.803	199.803	199.804	199.806
.22090E+10	194.876	194.883	194.888	194.889	194.889	194.891
.25246E+10	190.135	190.142	190.146	190.147	190.147	190.149
.28402E+10	186.271	186.277	186.281	186.282	186.282	186.284
.31558E+10	182.842	182.847	182.851	182.852	182.852	182.854
.63115E+10	166.175	166.179	166.181	166.181	166.182	166.182
.94673E+10	158.903	158.906	158.908	158.908	158.909	158.909
.12623E+11	154.744	154.747	154.748	154.749	154.749	154.749
.15779E+11	151.636	151.638	151.639	151.639	151.640	151.640
.18935E+11	148.567	148.568	148.570	148.570	148.570	148.570
.22090E+11	145.940	145.942	145.943	145.943	145.943	145.944
.25246E+11	143.634	143.636	143.637	143.637	143.637	143.637
.28402E+11	141.622	141.623	141.625	141.625	141.625	141.625
.31558E+11	139.878	139.879	139.880	139.880	139.880	139.880

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:53:34 MAR 27, 1995 CP= 69417.960
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2977 TEMP h04i045	2929 TEMP c04i045	2881 TEMP h04o045	2566 TEMP s04o045	2427 TEMP a04o045	2303 TEMP t04i045
.10000E-05	210.829	221.296	207.618	192.417	192.372	192.326
.20000E-05	222.966	232.933	219.612	204.875	204.830	204.783
31.558	222.966	232.933	219.612	204.875	204.830	204.783
.31558E+07	232.361	241.938	228.964	214.658	214.613	214.566
.63116E+07	234.833	244.266	231.414	217.259	217.214	217.167
.94673E+07	236.290	245.626	232.868	218.829	218.784	218.737
.12623E+08	237.325	246.588	233.905	219.955	219.910	219.863
.15779E+08	238.087	247.281	234.673	220.813	220.769	220.722
.18935E+08	238.696	247.831	235.289	221.504	221.460	221.414
.22090E+08	239.210	248.292	235.812	222.102	222.058	222.012
.25246E+08	239.617	248.646	236.227	222.589	222.545	222.499
.28402E+08	239.935	248.914	236.554	222.984	222.940	222.894
.31558E+08	240.201	249.134	236.830	223.327	223.284	223.238
.63115E+08	242.080	250.634	238.800	225.839	225.797	225.753
.94673E+08	242.713	250.974	239.523	227.000	226.959	226.916
.12623E+09	242.893	250.914	239.784	227.625	227.585	227.544
.15779E+09	243.066	250.890	240.024	228.164	228.125	228.084
.18935E+09	242.495	250.109	239.539	228.012	227.974	227.935
.22090E+09	242.318	249.760	239.426	228.165	228.128	228.090
.25246E+09	242.088	249.369	239.258	228.247	228.211	228.173
.28402E+09	241.430	248.571	238.661	227.875	227.840	227.803
.31558E+09	241.047	248.072	238.325	227.722	227.687	227.651
.63115E+09	232.457	238.443	230.237	221.337	221.309	221.279
.94673E+09	224.611	229.804	222.770	215.158	215.134	215.109
.12623E+10	217.254	221.827	215.701	209.082	209.062	209.040
.15779E+10	210.255	214.309	208.938	203.142	203.125	203.107
.18935E+10	204.071	207.705	202.938	197.798	197.783	197.767
.22090E+10	198.723	202.004	197.734	193.141	193.128	193.114
.25246E+10	193.622	196.607	192.752	188.607	188.596	188.583
.28402E+10	189.467	192.212	188.690	184.904	184.894	184.882
.31558E+10	185.778	188.306	185.080	181.614	181.604	181.594
.63115E+10	167.946	169.489	167.572	165.515	165.510	165.504
.94673E+10	160.294	161.512	160.016	158.412	158.408	158.403
.12623E+11	155.916	156.944	155.690	154.344	154.340	154.337
.15779E+11	152.660	153.561	152.467	151.293	151.290	151.287
.18935E+11	149.473	150.274	149.307	148.270	148.267	148.265
.22090E+11	146.756	147.476	146.609	145.678	145.676	145.673
.25246E+11	144.372	145.023	144.241	143.402	143.399	143.397
.28402E+11	142.296	142.893	142.179	141.412	141.410	141.408

1 .31558E+11 140.498 141.048 140.392 139.687 139.685 139.684

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:53:34 MAR 27, 1995 CP= 69417.970
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2289 TEMP t04o045	3528 TEMP g04i045	3545 TEMP g04o045	3760 TEMP m04i045	3707 TEMP m04o045	4142 TEMP i04i045
.10000E-05	192.118	166.580	165.533	114.477	113.397	29.1279
.20000E-05	204.576	179.911	178.857	130.799	129.723	60.2454
.31558E+07	204.576	179.911	178.857	130.799	129.723	60.2456
.63116E+07	214.361	190.551	189.503	144.084	143.021	83.0798
.94673E+07	216.963	193.417	192.373	147.713	146.655	89.0066
.12623E+08	218.534	195.197	194.156	150.058	149.004	92.8847
.15779E+08	219.661	196.490	195.454	151.804	150.754	95.8691
.18935E+08	220.521	197.512	196.480	153.243	152.197	98.3113
.22090E+08	221.213	198.343	197.315	154.431	153.390	100.385
.25246E+08	221.812	199.078	198.054	155.501	154.464	102.200
.28402E+08	222.300	199.692	198.672	156.428	155.396	103.827
.31558E+08	222.697	200.209	199.193	157.242	156.213	105.301
.63115E+08	223.041	200.671	199.660	157.991	156.967	106.662
.94673E+08	225.563	204.148	203.172	163.727	162.739	116.892
.12623E+09	226.732	206.078	205.133	167.391	166.435	123.677
.15779E+09	227.365	207.340	206.421	170.051	169.122	128.686
.18935E+09	227.909	208.399	207.502	172.244	171.337	132.717
.22090E+09	227.765	208.821	207.950	173.870	172.990	136.145
.25246E+09	227.924	209.433	208.582	175.448	174.589	139.168
.28402E+09	228.011	209.947	209.115	176.861	176.021	141.886
.31558E+09	227.644	209.957	209.143	177.649	176.828	143.737
.63115E+09	227.495	210.115	209.315	178.441	177.634	145.398
.94673E+09	221.150	206.600	205.941	180.481	179.818	154.211
.12623E+10	215.000	202.581	202.027	180.512	179.957	158.805
.15779E+10	208.947	198.165	197.692	179.124	178.650	160.625
.18935E+10	203.026	193.600	193.193	177.020	176.612	161.027
.22090E+10	197.696	189.351	188.995	174.707	174.351	160.634
.25246E+10	193.052	185.595	185.282	172.533	172.220	160.010
.28402E+10	188.527	181.797	181.517	170.014	169.734	158.712
.31558E+10	184.832	178.684	178.432	167.925	167.673	157.601
.63115E+10	181.548	175.919	175.690	166.072	165.843	156.618
.94673E+10	165.478	162.140	162.011	156.306	156.177	150.663
.12623E+11	158.383	155.783	155.684	151.227	151.128	146.783
.15779E+11	154.320	152.139	152.058	148.315	148.233	144.566
.18935E+11	151.273	149.372	149.302	146.034	145.963	142.748
.22090E+11	148.252	146.574	146.513	143.621	143.560	140.700
.25246E+11	145.662	144.154	144.100	141.497	141.442	138.856
.28402E+11	143.387	142.027	141.978	139.625	139.576	137.228
.31558E+11	141.399	140.158	140.114	137.963	137.918	135.763
	139.675	138.533	138.492	136.510	136.469	134.476

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:53:34 MAR 27, 1995 CP= 69417.980
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4200 TEMP i04o045	4599 TEMP o04o045	3098 TEMP c05i045	2760 TEMP c06i045
------	----------------------	----------------------	----------------------	----------------------

.10000E-05	27.8827	26.1375	200.250	200.535
.20000E-05	58.9994	57.2838	212.292	212.563
31.558	58.9994	57.2838	212.292	212.563
.31558E+07	81.8421	80.1526	221.684	222.092
.63116E+07	87.7718	86.0897	224.147	224.560
.94673E+07	91.6538	89.9794	225.630	226.044
.12623E+08	94.6468	92.9816	226.697	227.111
.15779E+08	97.0964	95.4378	227.496	227.910
.18935E+08	99.1788	97.5276	228.140	228.553
.22090E+08	101.000	99.3558	228.697	229.110
.25246E+08	102.634	100.996	229.138	229.551
.28402E+08	104.114	102.483	229.493	229.905
.31558E+08	105.482	103.858	229.797	230.208
.63115E+08	115.764	114.197	232.004	232.408
.94673E+08	122.593	121.075	232.930	233.328
.12623E+09	127.641	126.166	233.366	233.758
.15779E+09	131.703	130.263	233.751	234.136
.18935E+09	135.165	133.767	233.436	233.814
.22090E+09	138.214	136.849	233.458	233.829
.25246E+09	140.957	139.622	233.416	233.782
.28402E+09	142.831	141.525	232.938	233.298
.31558E+09	144.510	143.227	232.698	233.052
.63115E+09	153.488	152.430	225.548	225.853
.94673E+09	158.202	157.313	218.796	219.061
.12623E+10	160.112	159.352	212.281	212.513
.15779E+10	160.586	159.932	205.973	206.179
.18935E+10	160.249	159.679	200.328	200.512
.22090E+10	159.670	159.167	195.416	195.583
.25246E+10	158.409	157.961	190.674	190.825
.28402E+10	157.327	156.922	186.803	186.943
.31558E+10	156.369	156.002	183.362	183.492
.63115E+10	150.521	150.312	166.585	166.665
.94673E+10	146.674	146.515	159.260	159.323
.12623E+11	144.476	144.344	155.061	155.115
.15779E+11	142.670	142.556	151.924	151.970
.18935E+11	140.631	140.532	148.830	148.871
.22090E+11	138.795	138.706	146.181	146.218
.25246E+11	137.173	137.093	143.857	143.890
.28402E+11	135.712	135.640	141.830	141.860
.31558E+11	134.430	134.364	140.071	140.099

 * Temperature Profile from center to upper right (135 deg.) *

VARIABLE 2 IS AT NODE 5748 ITEM= TEMP COMP= NAME= x01i135

*** WARNING *** CP= 69418.120 TIME= 05:53:34
 NSOL command erases all previously stored or calculated data
 unless STORE,MERGE is used.

VARIABLE 3 IS AT NODE 64 ITEM= TEMP COMP= NAME= f01i135

VARIABLE 4 IS AT NODE 171 ITEM= TEMP COMP= NAME= f01o135

VARIABLE 5 IS AT NODE 445 ITEM= TEMP COMP= NAME= w01i135

VARIABLE 6 IS AT NODE 586 ITEM= TEMP COMP= NAME= w01o135

VARIABLE 7 IS AT NODE 961 ITEM= TEMP COMP= NAME= s01i135

VARIABLE 8 IS AT NODE 1386 ITEM= TEMP COMP= NAME= h01i135

VARIABLE 9 IS AT NODE 1338 ITEM= TEMP COMP= NAME= c01i135

VARIABLE 10 IS AT NODE 1290 ITEM= TEMP COMP= NAME= h01o135

VARIABLE 11 IS AT NODE 975 ITEM= TEMP COMP= NAME= s01o135

VARIABLE 12 IS AT NODE 836 ITEM= TEMP COMP= NAME= a01o135

VARIABLE 13 IS AT NODE 712 ITEM= TEMP COMP= NAME= t01i135
 VARIABLE 14 IS AT NODE 698 ITEM= TEMP COMP= NAME= t01o135
 VARIABLE 15 IS AT NODE 3332 ITEM= TEMP COMP= NAME= g01i135
 VARIABLE 16 IS AT NODE 3318 ITEM= TEMP COMP= NAME= g01o135
 VARIABLE 17 IS AT NODE 3974 ITEM= TEMP COMP= NAME= m01i135
 VARIABLE 18 IS AT NODE 3924 ITEM= TEMP COMP= NAME= m01o135
 VARIABLE 19 IS AT NODE 4369 ITEM= TEMP COMP= NAME= i01i135
 VARIABLE 20 IS AT NODE 4424 ITEM= TEMP COMP= NAME= i01o135
 VARIABLE 21 IS AT NODE 4879 ITEM= TEMP COMP= NAME= o01o135
 Add centers of assemblies 2 and 3
 VARIABLE 22 IS AT NODE 1507 ITEM= TEMP COMP= NAME= c02i135
 VARIABLE 23 IS AT NODE 1169 ITEM= TEMP COMP= NAME= c03i135
 STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES						
VARI TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2 NSOL	5748 TEMP	x01i135	139.9	.3156E+11	233.5	.1578E+09
3 NSOL	64 TEMP	f01i135	139.9	.3156E+11	233.5	.1578E+09
4 NSOL	171 TEMP	f01o135	139.9	.3156E+11	233.5	.1578E+09
5 NSOL	445 TEMP	w01i135	139.9	.3156E+11	233.5	.1578E+09
6 NSOL	586 TEMP	w01o135	139.9	.3156E+11	233.5	.1578E+09
7 NSOL	961 TEMP	s01i135	139.9	.3156E+11	233.5	.1578E+09
8 NSOL	1386 TEMP	h01i135	140.5	.3156E+11	243.0	.1578E+09
9 NSOL	1338 TEMP	c01i135	141.0	.3156E+11	250.8	.9467E+08
10 NSOL	1290 TEMP	h01o135	140.4	.3156E+11	239.8	.1578E+09
11 NSOL	975 TEMP	s01o135	139.7	.3156E+11	228.0	.2525E+09
12 NSOL	836 TEMP	a01o135	139.7	.3156E+11	228.0	.2525E+09
13 NSOL	712 TEMP	t01i135	139.7	.3156E+11	228.0	.2525E+09
14 NSOL	698 TEMP	t01o135	139.7	.3156E+11	227.8	.2525E+09
15 NSOL	3332 TEMP	g01i135	138.5	.3156E+11	209.8	.3156E+09
16 NSOL	3318 TEMP	g01o135	138.5	.3156E+11	209.0	.3156E+09
17 NSOL	3974 TEMP	m01i135	114.5	.1000E-05	180.1	.9467E+09
18 NSOL	3924 TEMP	m01o135	113.4	.1000E-05	179.6	.9467E+09
19 NSOL	4369 TEMP	i01i135	29.13	.1000E-05	160.6	.1578E+10
20 NSOL	4424 TEMP	i01o135	27.88	.1000E-05	160.1	.1578E+10
21 NSOL	4879 TEMP	o01o135	26.14	.1000E-05	159.5	.1578E+10
22 NSOL	1507 TEMP	c02i135	140.1	.3156E+11	233.6	.1578E+09
23 NSOL	1169 TEMP	c03i135	140.1	.3156E+11	233.7	.1578E+09

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:53:37 MAR 27, 1995 CP= 69421.020
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5748 TEMP x01i135	64 TEMP f01i135	171 TEMP f01o135	445 TEMP w01i135	586 TEMP w01o135	961 TEMP s01i135
.10000E-05	198.265	198.266	198.267	198.267	198.268	198.275
.20000E-05	210.942	210.942	210.944	210.944	210.946	210.952
31.558	210.942	210.942	210.944	210.944	210.946	210.952
.31558E+07	220.750	220.738	220.732	220.731	220.732	220.738

.63116E+07	223.376	223.363	223.356	223.356	223.356	223.362
.94673E+07	224.946	224.934	224.926	224.925	224.926	224.932
.12623E+08	226.062	226.050	226.042	226.041	226.042	226.048
.15779E+08	226.908	226.895	226.888	226.887	226.888	226.894
.18935E+08	227.583	227.570	227.563	227.562	227.563	227.568
.22090E+08	228.162	228.149	228.142	228.141	228.142	228.147
.25246E+08	228.632	228.619	228.612	228.611	228.612	228.617
.28402E+08	229.007	228.995	228.987	228.986	228.987	228.992
.31558E+08	229.332	229.319	229.311	229.310	229.311	229.317
.63115E+08	231.666	231.653	231.645	231.644	231.645	231.650
.94673E+08	232.657	232.644	232.636	232.635	232.636	232.641
.12623E+09	233.132	233.118	233.110	233.109	233.110	233.115
.15779E+09	233.547	233.534	233.526	233.525	233.525	233.530
.18935E+09	233.239	233.225	233.217	233.217	233.217	233.222
.22090E+09	233.274	233.260	233.252	233.251	233.252	233.257
.25246E+09	233.243	233.230	233.222	233.221	233.221	233.226
.28402E+09	232.759	232.747	232.739	232.738	232.738	232.743
.31558E+09	232.520	232.508	232.500	232.499	232.500	232.504
.63115E+09	225.243	225.231	225.224	225.224	225.224	225.228
.94673E+09	218.395	218.385	218.378	218.378	218.378	218.381
.12623E+10	211.810	211.801	211.795	211.795	211.795	211.797
.15779E+10	205.456	205.448	205.443	205.442	205.442	205.445
.18935E+10	199.790	199.782	199.778	199.777	199.777	199.779
.22090E+10	194.876	194.870	194.865	194.865	194.865	194.867
.25246E+10	190.135	190.129	190.125	190.125	190.125	190.127
.28402E+10	186.271	186.265	186.262	186.261	186.261	186.263
.31558E+10	182.842	182.836	182.833	182.832	182.833	182.834
.63115E+10	166.175	166.172	166.169	166.169	166.169	166.170
.94673E+10	158.903	158.900	158.899	158.898	158.898	158.899
.12623E+11	154.744	154.742	154.740	154.740	154.740	154.741
.15779E+11	151.636	151.634	151.632	151.632	151.632	151.632
.18935E+11	148.567	148.565	148.563	148.563	148.563	148.564
.22090E+11	145.940	145.938	145.937	145.937	145.937	145.938
.25246E+11	143.634	143.633	143.632	143.632	143.632	143.632
.28402E+11	141.622	141.621	141.620	141.620	141.620	141.620
.31558E+11	139.878	139.876	139.876	139.875	139.875	139.876

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:53:37 MAR 27, 1995 CP= 69421.030
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	1386 TEMP h01i135	1338 TEMP c01i135	1290 TEMP h01o135	975 TEMP s01o135	836 TEMP a01o135	712 TEMP t01i135
.10000E-05	210.831	221.299	207.622	192.422	192.377	192.331
.20000E-05	222.970	232.940	219.622	204.887	204.842	204.795
31.558	222.970	232.940	219.622	204.886	204.842	204.795
.31558E+07	232.294	241.832	228.815	214.483	214.438	214.390
.63116E+07	234.762	244.155	231.258	217.075	217.030	216.983
.94673E+07	236.218	245.512	232.708	218.641	218.596	218.549
.12623E+08	237.252	246.473	233.743	219.765	219.720	219.673
.15779E+08	238.014	247.165	234.510	220.622	220.577	220.530
.18935E+08	238.622	247.714	235.124	221.312	221.267	221.221
.22090E+08	239.136	248.175	235.646	221.908	221.864	221.817
.25246E+08	239.542	248.528	236.060	222.393	222.349	222.303
.28402E+08	239.860	248.795	236.387	222.788	222.744	222.698
.31558E+08	240.126	249.014	236.662	223.130	223.087	223.041
.63115E+08	242.003	250.512	238.628	225.637	225.595	225.551
.94673E+08	242.635	250.849	239.347	226.795	226.754	226.710
.12623E+09	242.815	250.789	239.608	227.420	227.380	227.338
.15779E+09	242.988	250.766	239.848	227.959	227.920	227.879
.18935E+09	242.418	249.985	239.364	227.809	227.771	227.731
.22090E+09	242.241	249.637	239.253	227.964	227.927	227.888

.25246E+09	242.012	249.247	239.086	228.047	228.011	227.973
.28402E+09	241.354	248.450	238.491	227.677	227.642	227.605
.31558E+09	240.972	247.954	238.159	227.528	227.493	227.456
.63115E+09	232.391	238.338	230.090	221.167	221.138	221.108
.94673E+09	224.553	229.709	222.638	215.006	214.982	214.956
.12623E+10	217.201	221.744	215.585	208.948	208.928	208.906
.15779E+10	210.208	214.234	208.834	203.023	203.005	202.987
.18935E+10	204.029	207.637	202.843	197.690	197.675	197.658
.22090E+10	198.683	201.941	197.647	193.042	193.028	193.014
.25246E+10	193.586	196.549	192.672	188.517	188.505	188.492
.28402E+10	189.434	192.158	188.616	184.820	184.809	184.798
.31558E+10	185.747	188.255	185.010	181.535	181.525	181.514
.63115E+10	167.926	169.456	167.528	165.465	165.459	165.454
.94673E+10	160.277	161.486	159.981	158.372	158.368	158.363
.12623E+11	155.902	156.922	155.659	154.309	154.306	154.302
.15779E+11	152.648	153.542	152.441	151.264	151.261	151.258
.18935E+11	149.463	150.257	149.284	148.244	148.241	148.238
.22090E+11	146.746	147.461	146.588	145.655	145.653	145.650
.25246E+11	144.363	145.010	144.222	143.380	143.378	143.376
.28402E+11	142.288	142.880	142.161	141.393	141.391	141.389
.31558E+11	140.491	141.036	140.376	139.669	139.667	139.666

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:53:37 MAR 27, 1995 CP= 69421.050
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	698 TEMP t01o135	3332 TEMP g01i135	3318 TEMP g01o135	3974 TEMP m01i135	3924 TEMP m01o135	4369 TEMP i01i135
.10000E-05	192.123	166.588	165.541	114.475	113.395	29.1277
.20000E-05	204.588	179.929	178.876	130.819	129.743	60.2949
31.558	204.588	179.929	178.876	130.819	129.744	60.2951
.31558E+07	214.184	190.259	189.207	143.541	142.474	81.9520
.63116E+07	216.778	193.113	192.063	147.152	146.089	87.8714
.94673E+07	218.345	194.886	193.840	149.490	148.431	91.7585
.12623E+08	219.470	196.177	195.136	151.232	150.178	94.7512
.15779E+08	220.328	197.196	196.159	152.667	151.618	97.1994
.18935E+08	221.019	198.025	196.992	153.853	152.808	99.2796
.22090E+08	221.617	198.758	197.729	154.921	153.881	101.100
.25246E+08	222.103	199.370	198.346	155.848	154.811	102.733
.28402E+08	222.499	199.886	198.865	156.660	155.628	104.211
.31558E+08	222.843	200.347	199.331	157.408	156.380	105.577
.63115E+08	225.359	203.817	202.836	163.141	162.149	115.849
.94673E+08	226.525	205.743	204.792	166.803	165.843	122.660
.12623E+09	227.158	207.005	206.081	169.468	168.535	127.700
.15779E+09	227.704	208.067	207.165	171.668	170.757	131.760
.18935E+09	227.561	208.492	207.615	173.302	172.418	135.216
.22090E+09	227.721	209.106	208.250	174.888	174.025	138.262
.25246E+09	227.810	209.622	208.785	176.308	175.464	141.001
.28402E+09	227.445	209.638	208.819	177.106	176.281	142.875
.31558E+09	227.299	209.801	208.997	177.909	177.099	144.561
.63115E+09	220.978	206.324	205.660	180.023	179.357	153.523
.94673E+09	214.847	202.335	201.778	180.111	179.552	158.219
.12623E+10	208.812	197.949	197.472	178.774	178.297	160.123
.15779E+10	202.905	193.406	192.996	176.708	176.298	160.586
.18935E+10	197.587	189.175	188.817	174.425	174.068	160.241
.22090E+10	192.951	185.433	185.117	172.275	171.960	159.651
.25246E+10	188.436	181.649	181.368	169.779	169.498	158.388
.28402E+10	184.747	178.546	178.292	167.706	167.452	157.299
.31558E+10	181.468	175.789	175.559	165.866	165.636	156.336
.63115E+10	165.427	162.057	161.927	156.175	156.045	150.486
.94673E+10	158.343	155.716	155.617	151.122	151.023	146.642
.12623E+11	154.286	152.082	152.000	148.225	148.143	144.445

.15779E+11	151.243	149.322	149.251	145.956	145.885	142.643
.18935E+11	148.226	146.530	146.468	143.552	143.490	140.607
.22090E+11	145.639	144.116	144.060	141.436	141.380	138.773
.25246E+11	143.366	141.991	141.942	139.569	139.520	137.153
.28402E+11	141.380	140.125	140.080	137.910	137.865	135.692
.31558E+11	139.657	138.502	138.461	136.462	136.420	134.411

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:53:37 MAR 27, 1995 CP= 69421.060
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4424 TEMP	4879 TEMP	1507 TEMP	1169 TEMP
	i01o135	o01o135	c02i135	c03i135
.10000E-05	27.8826	26.1375	200.251	200.546
.20000E-05	59.0491	57.3338	212.298	212.587
31.558	59.0491	57.3338	212.298	212.587
.31558E+07	80.7102	79.0146	221.565	221.754
.63116E+07	86.6324	84.9439	224.023	224.206
.94673E+07	90.5233	88.8425	225.503	225.682
.12623E+08	93.5232	91.8517	226.569	226.746
.15779E+08	95.9789	94.3143	227.367	227.541
.18935E+08	98.0673	96.4100	228.010	228.182
.22090E+08	99.8941	98.2438	228.566	228.737
.25246E+08	101.533	99.8895	229.007	229.175
.28402E+08	103.019	101.382	229.361	229.527
.31558E+08	104.392	102.761	229.664	229.829
.63115E+08	114.716	113.142	231.868	232.020
.94673E+08	121.570	120.046	232.792	232.934
.12623E+09	126.648	125.167	233.228	233.362
.15779E+09	130.739	129.294	233.613	233.742
.18935E+09	134.230	132.826	233.300	233.423
.22090E+09	137.303	135.932	233.322	233.441
.25246E+09	140.067	138.726	233.281	233.397
.28402E+09	141.964	140.652	232.805	232.917
.31558E+09	143.668	142.379	232.568	232.678
.63115E+09	152.796	151.732	225.432	225.520
.94673E+09	157.613	156.719	218.692	218.763
.12623E+10	159.607	158.843	212.189	212.249
.15779E+10	160.143	159.486	205.891	205.941
.18935E+10	159.853	159.280	200.252	200.295
.22090E+10	159.310	158.804	195.346	195.383
.25246E+10	158.083	157.632	190.610	190.643
.28402E+10	157.023	156.615	186.743	186.772
.31558E+10	156.085	155.715	183.306	183.331
.63115E+10	150.343	150.133	166.549	166.561
.94673E+10	146.532	146.372	159.231	159.240
.12623E+11	144.354	144.221	155.036	155.043
.15779E+11	142.564	142.449	151.902	151.908
.18935E+11	140.537	140.437	148.811	148.816
.22090E+11	138.711	138.622	146.164	146.169
.25246E+11	137.097	137.017	143.842	143.846
.28402E+11	135.641	135.569	141.815	141.819
.31558E+11	134.365	134.298	140.058	140.061

***** ROUTINE COMPLETED ***** CP = 69421.060

 End of batch input file

PURGE ALL SOLUTION AND POST DATA
SAVE ALL MODEL DATA

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12b3.db
FOR POSSIBLE RESUME FROM THIS POINT

NUMBER OF WARNING MESSAGES ENCOUNTERED= 42
NUMBER OF ERROR MESSAGES ENCOUNTERED= 0

```
*-----*
|
|               ANSYS RUN COMPLETED
|
|-----|
|
|      REV. 5.0 A                      HP 9000/7XX
|
| CP TIME      (sec) =    69425.320    TIME = 05:53:42
| ELAPSED TIME (sec) =    70473.000    DATE  = 03/27/95
|
|-----|
|
|-----*
```

```

*-----*
|               W E L C O M E   T O   T H E   A N S Y S   P R O G R A M               |
*-----*

```

```

***** ANSYS COMMAND LINE ARGUMENTS *****
JOB NAME           = ma12b2
MEMORY REQUESTED (MB) = 64.0
BATCH MODE REQUESTED
start.ans FILE

```

```

***** ANSYS DYNAMIC MEMORY ALLOCATION *****
WORK SPACE REQUESTED      = 16777216      64.000 MB  COMMAND LINE
MINIMUM WORK SPACE REQUIRED = 4718592       18.000 MB
MINIMUM WORK SPACE RECOMMENDED = 6702496   25.568 MB
WORK SPACE OBTAINED       = 16777214      64.000 MB
BYTES PER WORD            = 4

```

***** NOTICE ***** THIS IS THE ANSYS GENERAL PURPOSE
FINITE ELEMENT COMPUTER PROGRAM. NEITHER SWANSON ANALYSIS
SYSTEMS, INC. NOR THE DISTRIBUTOR SUPPLYING THIS PROGRAM
ASSUME ANY RESPONSIBILITY FOR THE VALIDITY, ACCURACY, OR
APPLICABILITY OF ANY RESULTS OBTAINED FROM THE ANSYS SYSTEM.
USERS MUST VERIFY THEIR OWN RESULTS.

ANSYS(R) COPYRIGHT(C) 1971,1978,1982,1983,1985,1987,1989,1992,1993
BY SWANSON ANALYSIS SYSTEMS, INC. AS AN UNPUBLISHED WORK.
PROPRIETARY DATA - UNAUTHORIZED USE, DISTRIBUTION, OR DUPLICATION
IS PROHIBITED. ALL RIGHTS RESERVED.

SWANSON ANALYSIS SYSTEMS, INC. IS ENDEAVORING TO MAKE THE
ANSYS PROGRAM AS COMPLETE, ACCURATE, AND EASY TO USE AS
POSSIBLE. SUGGESTIONS AND COMMENTS ARE WELCOMED. ANY
ERRORS ENCOUNTERED IN EITHER THE DOCUMENTATION OR THE
RESULTS SHOULD BE IMMEDIATELY BROUGHT TO OUR ATTENTION.

```

ENTER /SHOW,device TO SET THE GRAPHICS DISPLAY TO device(e.g. X11,4207,ETC.)
ENTER /MENU,ON     TO START THE ANSYS MENU SYSTEM
ENTER HELP        FOR GENERAL ANSYS HELP INFORMATION

```

```

1 /COM, *****
2 /COM, ANSYS REVISION 5.0A 3/24/1995
3 /COM, 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III
4 /COM, *****
5 /COM, *
6 /COM, * File name: ma12b2.inp
7 /COM, * 12 PWR MPC with High T.L. Disposal Container
8 /COM, * Helium Fill Gas
9 /COM, *
10 /COM, * Material Property file: props01.dat
11 /COM, *
12 /COM, * SNF Conductivity file: pwr15e.parm
13 /COM, * 15x15 Mark-B4 PWR SNF Assembly
14 /COM, *
15 /COM, * SNF Heat Loads file: snf2040.dat
16 /COM, * SNF Type: 20 years old, 40 Gwd/MTU
17 /COM, *
18 /COM, * Surface Temp. file: c12b5a.parm

```

```

19 /COM, *      83 MTU/acre (20.5 kgU/m^2) AML (High Thermal Loading) *
20 /COM, *      5.0 m Diameter Drift with Concrete Invert *
21 /COM, *      Drift spacing = 22.5 m *
22 /COM, *      WP c/c spacing = 11.129 m *
23 /COM, * *
24 /COM, *****
25 /COM, Increase the number of database pages from 16 (256) to 32 Mb
26 /CONFIG,nvpag,512,
27 /COM, Work space must also be increased (-m 64)
28 /COM, *****
29 /TITLE, 12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF
30 /UNITS,SI,
31 /COM, *****
32 /COM, Read in average effective conductivities from SNF model
33 PARRES,CHANGE,pwr15e,param,
34 /COM, Read in surface temps. from repository model
35 PARRES,CHANGE,c12b5a,param,
36 /COM, *****
37 /COM, Define MPC/waste package parameters
38 /COM, (MPC dimensions converted from inches to meters)
39 /COM, MIRAD = inner radius of MPC shell (m)
40 /COM, MWALL = MPC shell thickness (m)
41 /COM, DCRAD = disposal container outer radius (m)
42 /COM, OWALL = outer barrier thickness (m)
43 /COM, IWALL = inner barrier thickness (m)
44 /COM, GCORN = corner guide width (m)
45 /COM, GLENW = side guide total width (m)
46 /COM, GLENH = side guide total height (m)
47 /COM, GWALL = guide thickness (m)
48 /COM, HCELL = 1/2 of basket cell opening (m)
49 /COM, SWALL = stainless tube thickness (m)
50 /COM, AWALL = Al/boron tube thickness (m)
51 /COM, FLENT = flux trap plate length (m)
52 /COM, FWALL = flux trap plate stainless thickness (m)
53 /COM, BWALL = flux trap plate Al/boron thickness (m)
54 /COM, TWALL = flux trap plate SS sheath thickness (m)
55 /COM, FSPAC = flux trap plate spacer width (m)
56 /COM, TSPAC = tube/tube spacer width (m)
57 /COM, ACTVL = active fuel length
58 /COM, PEAKF = assembly heat axial peaking factor
59 PI=3.141592654
60 MIRAD=47.870*2.54/100.0/2.0
61 MWALL=0.8750*2.54/100.0
62 DCRAD=1.5305/2.0
63 OWALL=0.1000
64 IWALL=0.0200
65 GCORN=10.086*2.54/100.0
66 GLENW=8.4340*2.54/100.0
67 GLENH=2.4960*2.54/100.0
68 GWALL=0.3750*2.54/100.0
69 HCELL=9.0000*2.54/100.0/2.0
70 SWALL=0.0940*2.54/100.0
71 AWALL=0.1070*2.54/100.0
72 FLENT=23.164*2.54/100.0
73 FWALL=0.5000*2.54/100.0
74 BWALL=0.2500*2.54/100.0
75 TWALL=0.0940*2.54/100.0
76 FSPAC=1.0000*2.54/100.0
77 TSPAC=0.9860*2.54/100.0
78 ACTVL=141.80*2.54/100.0
79 PEAKF=1.25
80 /COM, Define calculated parameters
81 /COM, ASSY = assembly heat production (W) f(yrs)
82 /COM, FUEL = volumetric heat production (W/m3) f(yrs)
83 /COM, FVOLU = assy_volume=cell_width^2*active_length
84 /COM, Q2 = side guide x coord. (see sketch)
85 /COM, GX## = x coord. of guide/shell contact (kp##)
86 /COM, GY## = y coord. of guide/shell contact (kp##)
87 /COM, ACX# = x coord. of center of assembly #
88 /COM, ACY# = y coord. of center of assembly #

```

```

89 /COM,          TM_START = start time (sec)
90 /COM,          TMI* = time increment for solution (sec)
91 /COM,          TME* = start and stop for time do-loops (sec)
92 /COM,          Note: 1 year = 3.15576e7 seconds
93 /COM,          QCELL = 1/4 of basket cell opening (m)
94 /COM,          SCELL = 1/2 of basket cell opening+SS wall(m)
95 /COM,          ACELL = 1/2 of basket cell opening+SS+AL (m)
96 /COM,          MI45 = x coord. MIRAD at 45 deg.
97 /COM,          MO45 = x coord. MIRAD+MWALL at 45 deg.
98 /COM,          DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
99 /COM,          DM45 = x coord. DCRAD-OWALL at 45 deg.
100 /COM,          DO45 = x coord. DCRAD at 45 deg.
101 /COM,          TMTMAX = time of maximum cladding temperature
102 *SET,ASSY,
103 *DIM,ASSY, TABLE,101,1,
104 *DIM,FUEL, TABLE,101,1
105 FVOLUME=4*HCELL*HCELL*ACTVL
106 Q2=1.969344*2.54/100.0
107 GX22=Q2-GWALL
108 GY22=SQRT(MIRAD*MIRAD-GX22*GX22)
109 GX23=Q2
110 GY23=SQRT(MIRAD*MIRAD-GX23*GX23)
111 GX24=Q2+GLENW-GWALL
112 GY24=SQRT(MIRAD*MIRAD-GX24*GX24)
113 GTMP=GCORN-GWALL
114 GX25=(SQRT(MIRAD*MIRAD-GTMP*GTMP/2.0)-GTMP/SQRT(2.0))/(SQRT(2.0))
115 GY25=SQRT(MIRAD*MIRAD-GX25*GX25)
116 ACX1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
117 ACY1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
118 ACX2=ACX1+2.0*(HCELL+SWALL+AWALL+SWALL)+TSPAC
119 ACY2=ACY1
120 ACX3=ACX1
121 ACY3=ACY2
122 TM_START=(1.0E-6)*(3.15576E7)
123 TMI0=0.1*3.15576E7
124 TMI1=1.0*3.15576E7
125 TMI10=10.0*3.15576E7
126 TMI100=100.0*3.15576E7
127 TMI1000=1000.0*3.15576E7
128 TME0=0.9*3.15576E7+TM_START
129 TME1=TMI1+TM_START
130 TME9=9.0*3.15576E7+TM_START
131 TME10=TMI10+TM_START
132 TME50=50.0*3.15576E7+TM_START
133 TME90=90.0*3.15576E7+TM_START
134 TME100=TMI100+TM_START
135 TME1000=TMI1000+TM_START
136 BCELL=FWALL+BWALL
137 QCELL=HCELL/2.0
138 SCELL=HCELL+SWALL
139 ACELL=HCELL+SWALL+AWALL
140 TCELL=HCELL+SWALL+AWALL+SWALL
141 MI45=MIRAD/SQRT(2.0)
142 MO45=(MIRAD+MWALL)/SQRT(2.0)
143 DI45=(DCRAD-OWALL-IWALL)/SQRT(2.0)
144 DM45=(DCRAD-OWALL)/SQRT(2.0)
145 DO45=DCRAD/SQRT(2.0)
146 /COM,          *****
147 /COM,          Define different element types
148 /PREP7
149 ETYPE
150 ET, 1,55,
151 ET, 2,70,
152 ET, 7,32,
153 ET, 16,57,
154 ET, 17,32,
155 ET, 18,50,1,
156 ET, 19,31,
157 ET, 27,32,
158 /COM,          *****

```



```

159 /COM,          File props01.dat describes material properties
160 /COM,          and thier reference numbers
161 MPREAD,props01.dat,
162 /COM,          Read in single assembly heat loads
163 /COM,          Calculate the volumetric heat generation
164 /COM,          (Assembly time is in years, FUEL is in seconds)
165 /INPUT,snf2040.dat
166 *VFACT,3.15576E7,
167 *MFUN,FUEL(1,0),COPY,ASSY(1,0),
168 *VFACT,(PEAKF/FVOLUME),
169 *VFUN,FUEL(1),COPY,ASSY(1),
170 FUEL(0,1)=1.0
171 /COM,          *****
172 /COM,          Define new material 14 for SNF effective conductivity
173 /COM,          Density:      DENS      (kg/m^3)
174 /COM,          Conductivity: KXX      (W/m/K)
175 /COM,          Specific Heat: C      (J/kg/K)
176 MPTEMP
177 MPTEMP, 1, .00000E+00,
178 MPDATA,DENS,14, 1, .396004E+04,
179 MPDATA, C,14, 1, .27400E+03,
180 /COM,          Store average effective conductivities
181 IINC=1
182 TBSKT=25.0
183 MPTEMP
184 MPTEMP,IINC,TBSKT,
185 IINC=IINC+1
186 *DO,TBSKT,50.0,400.0,50.0,
187     MPTEMP,IINC,TBSKT,
188     IINC=IINC+1
189 *ENDDO
190 IINC=1
191 TBSKT=25.0
192 MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
193 IINC=IINC+1
194 *DO,TBSKT,50.0,400.0,50.0,
195     MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
196     IINC=IINC+1
197 *ENDDO
198 /COM,          *****
199 /COM,          Construct geometry for Disposal Container
200 /COM,
201 /COM,          Define center and axis keypoints for waste package
202 /COM,          Also, create placeholder keypoints and lines
203 /COM,          (K's 1,2,3,4,5,6,7,8)
204 /COM,          (L's 1,2,3,4)
205 K,1,0.0,0.0,0.0,
206 K,2,0.0,0.0,1.0,
207 K,3,0.0,0.0,1.3,
208 K,4,0.0,0.0,1.4,
209 K,5,0.0,0.0,1.5,
210 K,6,0.0,0.0,1.6,
211 K,7,0.0,0.0,1.7,
212 K,8,0.0,0.0,1.8,
213 L,3,4,
214 L,4,5,
215 L,5,6,
216 L,6,7,
217 /COM,          Define disposal container and MPC outer radius
218 /COM,          (K's 9,10,11,12,13,14,15,16,17,18,19,20)
219 /COM,          (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
220 /COM,          (A's 1,2,3,4,5,6)
221 K, 9,          0.0,          (0.0-DCRAD),0.0,
222 K,10,          DCRAD,          0.0,0.0,
223 K,11,          0.0,          DCRAD,0.0,
224 K,12,          0.0,          (OWALL-DCRAD),0.0,
225 K,13,          (DCRAD-OWALL), 0.0,0.0,
226 K,14,          0.0,          (DCRAD-OWALL),0.0,
227 K,15,          0.0,(OWALL+IWALL-DCRAD),0.0,
228 K,16,(DCRAD-OWALL-IWALL), 0.0,0.0,

```

```

229 K,17, 0.0,(DCRAD-OWALL-IWALL),0.0,
230 K,18, 0.0, (0.0-MIRAD-MWALL),0.0,
231 K,19, (MIRAD+MWALL), 0.0,0.0,
232 K,20, 0.0, (MIRAD+MWALL),0.0,
233 L,10,13,
234 L,13,16,
235 LARC,10,9,1, DCRAD,
236 LARC,11,10,1, DCRAD,
237 LARC,13,12,1, (DCRAD-OWALL),
238 LARC,14,13,1, (DCRAD-OWALL),
239 L,11,14,
240 L,9,12,
241 LARC,15,16,1,(DCRAD-OWALL-IWALL),
242 LARC,16,17,1,(DCRAD-OWALL-IWALL),
243 L,14,17,
244 L,12,15,
245 LARC,19,18,1, (MIRAD+MWALL),
246 LARC,20,19,1, (MIRAD+MWALL),
247 L,17,20,
248 L,15,18,
249 L,16,19,
250 AL,5,7,12,9,
251 AL,11,8,5,10,
252 AL,6,9,16,13,
253 AL,15,10,6,14,
254 AL,21,13,20,17,
255 AL,19,14,21,18,
256 /COM, *****
257 /COM, Define MPC shell inner edge and area
258 /COM, (K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
259 /COM, ( 38,39)
260 /COM, (L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
261 /COM, ( 39,40,41,42)
262 /COM, (A's 7,8)
263 K,21, 0.0, MIRAD,0.0,
264 K,22, GX22, GY22,0.0,
265 K,23, GX23, GY23,0.0,
266 K,24, GX24, GY24,0.0,
267 K,25, GX25, GY25,0.0,
268 K,26, GY25, GX25,0.0,
269 K,27, GY24, GX24,0.0,
270 K,28, GY23, GX23,0.0,
271 K,29, GY22, GX22,0.0,
272 K,30,MIRAD, 0.0,0.0,
273 K,31, GY22, (0.0-GX22),0.0,
274 K,32, GY23, (0.0-GX23),0.0,
275 K,33, GY24, (0.0-GX24),0.0,
276 K,34, GY25, (0.0-GX25),0.0,
277 K,35, GX25, (0.0-GY25),0.0,
278 K,36, GX24, (0.0-GY24),0.0,
279 K,37, GX23, (0.0-GY23),0.0,
280 K,38, GX22, (0.0-GY22),0.0,
281 K,39, 0.0,(0.0-MIRAD),0.0,
282 L,20,21,
283 LARC,22,21,1,MIRAD,
284 LARC,23,22,1,MIRAD,
285 LARC,24,23,1,MIRAD,
286 LARC,25,24,1,MIRAD,
287 LARC,26,25,1,MIRAD,
288 LARC,27,26,1,MIRAD,
289 LARC,28,27,1,MIRAD,
290 LARC,29,28,1,MIRAD,
291 LARC,30,29,1,MIRAD,
292 LARC,31,30,1,MIRAD,
293 LARC,32,31,1,MIRAD,
294 LARC,33,32,1,MIRAD,
295 LARC,34,33,1,MIRAD,
296 LARC,35,34,1,MIRAD,
297 LARC,36,35,1,MIRAD,
298 LARC,37,36,1,MIRAD,

```

```

299 LARC,38,37,1,MIRAD,
300 LARC,39,38,1,MIRAD,
301 L,18,39,
302 L,19,30,
303 LSEL,S,LINE,,32,42,1,
304 LSEL,A,LINE,,17,
305 AL,ALL,
306 LSEL,S,LINE,,22,31,1,
307 LSEL,A,LINE,,18,
308 LSEL,A,LINE,,42,
309 AL,ALL,
310 LSEL,ALL,
311 /COM, *****
312 /COM, Define tube guides
313 /COM, (K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)
314 /COM, ( 57,58,59)
315 /COM, (L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)
316 /COM, ( 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
317 /COM, ( 77,78,79,80)
318 /COM, (A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)
319 /COM, ( 26)
320 /COM,
321 /COM, top
322 K,40, GX23, GY24,0.0,
323 K,41, GX22,(GY24-GWALL),0.0,
324 K,42, GX24,(GY24-GWALL),0.0,
325 K,43,(GX25-GWALL), GY25,0.0,
326 K,44, GX25, GX25,0.0,
327 K,45,(GX25-GWALL),(GX25-GWALL),0.0,
328 K,46, GY25,(GX25-GWALL),0.0,
329 /COM, side
330 K,47,(GY24-GWALL), GX24,0.0,
331 K,48, GY24, GX23,0.0,
332 K,49,(GY24-GWALL), GX22,0.0,
333 K,50,(GY24-GWALL), (0.0-GX22),0.0,
334 K,51, GY24, (0.0-GX23),0.0,
335 K,52,(GY24-GWALL), (0.0-GX24),0.0,
336 /COM, bottom
337 K,53, GY25,(GWALL-GX25),0.0,
338 K,54,(GX25-GWALL),(GWALL-GX25),0.0,
339 K,55, GX25, (0.0-GX25),0.0,
340 K,56,(GX25-GWALL), (0.0-GY25),0.0,
341 K,57, GX24,(GWALL-GY24),0.0,
342 K,58, GX22,(GWALL-GY24),0.0,
343 K,59, GX23, (0.0-GY24),0.0,
344 /COM, top
345 L,41,22,
346 L,40,41,
347 L,40,24,
348 L,42,41,
349 L,24,42,
350 L,43,25,
351 L,45,43,
352 L,25,44,
353 L,44,45,
354 L,44,26,
355 L,46,45,
356 L,26,46,
357 /COM, side
358 L,47,27,
359 L,49,47,
360 L,27,48,
361 L,48,49,
362 L,48,28,
363 L,29,49,
364 L,50,31,
365 L,32,51,
366 L,50,51,
367 L,52,50,
368 L,51,33,

```

```

369 L,33,52,
370 /COM,          bottom
371 L,53,34,
372 L,54,53,
373 L,34,55,
374 L,54,55,
375 L,56,54,
376 L,55,35,
377 L,35,56,
378 L,57,36,
379 L,58,57,
380 L,36,59,
381 L,58,59,
382 L,38,58,
383 L,59,37,
384 L,23,40,
385 /COM,          air
386 AL,80,45,25,
387 AL,50,52,27,
388 AL,57,59,29,
389 AL,62,65,34,
390 AL,69,72,36,
391 AL,76,79,38,
392 /COM,          guides
393 AL,24,43,44,80,
394 AL,45,44,46,47,
395 AL,48,49,51,50,
396 AL,52,51,53,54,
397 AL,55,56,58,57,
398 AL,59,58,60,30,
399 AL,61,63,62,33,
400 AL,63,64,66,65,
401 AL,68,70,69,67,
402 AL,70,71,73,72,
403 AL,75,77,76,74,
404 AL,77,78,39,79,
405 /COM,          *****
406 /COM,          Define top half tubes and flux trap plate
407 /COM,          (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
408 /COM,          ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
409 /COM,          ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
410 /COM,          ( 108,109,110,111,112,113,114,115,116,117,118,119)
411 /COM,          ( 120,121,122,123,124,125,126,127,128,129,130,131)
412 /COM,          ( 132,133,134,135,136,137,138,139,140,141,142,143)
413 /COM,          ( 144,145,146,147,148,149,150,151,152,153,154,155)
414 /COM,          ( 156,157,158,159,160,161,162,163,164,165,166,167)
415 /COM,          (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
416 /COM,          ( 98,99,100,101,102,103,104,105,106,107,108,109,110)
417 /COM,          ( 111,112,113,114,115,116,117,118,119,120,121,122)
418 /COM,          ( 123,124,125,126,127,128,129,130,131,132,133,134)
419 /COM,          ( 135,136,137,138,139,140,141,142,143,144,145,146)
420 /COM,          ( 147,...)
421 /COM,          (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
422 /COM,          ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
423 /COM,          ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
424 /COM,          ( 78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
425 /COM,          ( 95,96,97,98,99,100,101,102,103)
426 K, 60,          0.0,          (FSPAC/2.0),0.0,
427 K, 61,          0.0,          (1.5*FSPAC),0.0,
428 K, 62,          0.0,          (ACY1-FSPAC/2.0),0.0,
429 K, 63,          0.0,          (ACY1+FSPAC/2.0),0.0,
430 K, 64,          0.0,          (ACY1+HCELL+SWALL),0.0,
431 K, 65,          0.0,          (ACY1+HCELL+2.0*SWALL+AWALL),0.0,
432 K, 66,          0.0,          (ACY3-HCELL-2.0*SWALL-AWALL),0.0,
433 K, 67,          0.0,          (ACY3-HCELL-SWALL),0.0,
434 K, 68,          0.0,          (ACY3-FSPAC/2.0),0.0,
435 K, 69,          0.0,          (ACY3+FSPAC/2.0),0.0,
436 K, 70,          0.0,          (ACY3+HCELL+SWALL),0.0,
437 K, 71,          0.0,          (ACY3+HCELL+SWALL+FSPAC),0.0,
438 K, 72,          0.0,          (FSPAC/2.0+FLENT),0.0,

```

439	K, 73,	(FSPAC/2.0),	(FSPAC/2.0),0.0,
440	K, 74,	(FSPAC/2.0),	(1.5*FSPAC),0.0,
441	K, 75,	(FSPAC/2.0),	(ACY1-FSPAC/2.0),0.0,
442	K, 76,	(FSPAC/2.0),	(ACY1+FSPAC/2.0),0.0,
443	K, 77,	(FSPAC/2.0),	(ACY1+HCELL+SWALL),0.0,
444	K, 78,	(FSPAC/2.0),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
445	K, 79,	(FSPAC/2.0),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
446	K, 80,	(FSPAC/2.0),	(ACY3-HCELL-SWALL),0.0,
447	K, 81,	(FSPAC/2.0),	(ACY3-FSPAC/2.0),0.0,
448	K, 82,	(FSPAC/2.0),	(ACY3+FSPAC/2.0),0.0,
449	K, 83,	(FSPAC/2.0),	(ACY3+HCELL+SWALL),0.0,
450	K, 84,	(FSPAC/2.0),	(ACY3+HCELL+SWALL+FSPAC),0.0,
451	K, 85,	(FSPAC/2.0),	(FSPAC/2.0+FLENT),0.0,
452	K, 86,	(FSPAC/2.0+FWALL),	(FSPAC/2.0+FWALL),0.0,
453	K, 87,	(FSPAC/2.0+FWALL),	(ACY1+HCELL+SWALL),0.0,
454	K, 88,	(FSPAC/2.0+FWALL),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
455	K, 89,	(FSPAC/2.0+FWALL),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
456	K, 90,	(FSPAC/2.0+FWALL),	(ACY3-HCELL-SWALL),0.0,
457	K, 91,	(FSPAC/2.0+FWALL),	(ACY3+HCELL+SWALL),0.0,
458	K, 92,	(FSPAC/2.0+FWALL),	(FSPAC/2.0+FLENT),0.0,
459	K, 93,	(1.5*FSPAC),	(FSPAC/2.0),0.0,
460	K, 94,	(FSPAC/2.0+FWALL+BWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
461	K, 95,	(FSPAC/2.0+FWALL+BWALL),	(ACY1+HCELL+SWALL),0.0,
462	K, 96,	(FSPAC/2.0+FWALL+BWALL),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
463	K, 97,	(FSPAC/2.0+FWALL+BWALL),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
464	K, 98,	(FSPAC/2.0+FWALL+BWALL),	(ACY3-HCELL-SWALL),0.0,
465	K, 99,	(FSPAC/2.0+FWALL+BWALL),	(ACY3+HCELL+SWALL),0.0,
466	K, 100,	(FSPAC/2.0+FWALL+BWALL),	(FSPAC/2.0+FLENT),0.0,
467	K, 101,	(ACX1-HCELL-SWALL),	(ACY1-HCELL-SWALL),0.0,
468	K, 102,	(ACX1-HCELL-SWALL),	(ACY1+HCELL+SWALL),0.0,
469	K, 103,	(ACX1-HCELL-SWALL),	(ACY1+HCELL+SWALL+AWALL),0.0,
470	K, 104,	(ACX1-HCELL-SWALL),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
471	K, 105,	(ACX3-HCELL-SWALL),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
472	K, 106,	(ACX3-HCELL-SWALL),	(ACY3-HCELL-SWALL-AWALL),0.0,
473	K, 107,	(ACX3-HCELL-SWALL),	(ACY3-HCELL-SWALL),0.0,
474	K, 108,	(ACX3-HCELL-SWALL),	(ACY3+HCELL+SWALL),0.0,
475	K, 109,	(ACX3-HCELL-SWALL),	(FSPAC/2.0+FLENT),0.0,
476	K, 110,	(ACX1-HCELL),	(ACY1-HCELL),0.0,
477	K, 111,	(ACX1-HCELL),	(ACY1+HCELL),0.0,
478	K, 112,	(ACX3-HCELL),	(ACY3-HCELL),0.0,
479	K, 113,	(ACX3-HCELL),	(ACY3+HCELL),0.0,
480	K, 114,	(ACX1-FSPAC/2.0),	(FSPAC/2.0),0.0,
481	K, 115,	(ACX1+FSPAC/2.0),	(FSPAC/2.0),0.0,
482	K, 116,	(ACX1+HCELL),	(ACY1-HCELL),0.0,
483	K, 117,	(ACX1+HCELL),	(ACY1+HCELL),0.0,
484	K, 118,	(ACX3+HCELL),	(ACY3-HCELL),0.0,
485	K, 119,	(ACX3+HCELL),	(ACY3+HCELL),0.0,
486	K, 120,	(ACX1+HCELL+SWALL),	(FSPAC/2.0),0.0,
487	K, 121,	(ACX1+HCELL+SWALL),	(FSPAC/2.0+FWALL),0.0,
488	K, 122,	(ACX1+HCELL+SWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
489	K, 123,	(ACX1+HCELL+SWALL),	(ACY1-HCELL-SWALL),0.0,
490	K, 124,	(ACX1+HCELL+SWALL),	(ACY1+HCELL+SWALL),0.0,
491	K, 125,	(ACX3+HCELL+SWALL),	(ACY3-HCELL-SWALL),0.0,
492	K, 126,	(ACX3+HCELL+SWALL),	(ACY3+HCELL+SWALL),0.0,
493	K, 127,	(ACX1+HCELL+SWALL+AWALL),	(ACY1-HCELL-SWALL),0.0,
494	K, 128,	(ACX1+HCELL+SWALL+AWALL),	(ACY1+HCELL+SWALL+AWALL),0.0,
495	K, 129,	(ACX3+HCELL+SWALL+AWALL),	(ACY3-HCELL-SWALL-AWALL),0.0,
496	K, 130,	(ACX3+HCELL+SWALL+AWALL),	(ACY3+HCELL+SWALL),0.0,
497	K, 131,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0),0.0,
498	K, 132,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0+FWALL),0.0,
499	K, 133,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
500	K, 134,	(ACX1+HCELL+2.0*SWALL+AWALL),	(ACY1-HCELL-SWALL),0.0,
501	K, 135,	(ACX1+HCELL+2.0*SWALL+AWALL),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
502	K, 136,	(ACX3+HCELL+2.0*SWALL+AWALL),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
503	K, 137,	(ACX3+HCELL+2.0*SWALL+AWALL),	(ACY3+HCELL+SWALL),0.0,
504	K, 138,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0),0.0,
505	K, 139,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0+FWALL),0.0,
506	K, 140,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
507	K, 141,	(ACX2-HCELL-2.0*SWALL-AWALL),	(ACY2-HCELL-SWALL),0.0,
508	K, 142,	(ACX2-HCELL-2.0*SWALL-AWALL),	(ACY2+HCELL+2.0*SWALL+AWALL),0.0,

```

509 K,143, (ACX2-HCELL-SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
510 K,144, (ACX2-HCELL-SWALL-AWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
511 K,145, (ACX2-HCELL-SWALL), (FSPAC/2.0),0.0,
512 K,146, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL),0.0,
513 K,147, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
514 K,148, (ACX2-HCELL-SWALL), (ACY2-HCELL-SWALL),0.0,
515 K,149, (ACX2-HCELL-SWALL), (ACY1+HCELL+SWALL),0.0,
516 K,150, (ACX2-HCELL), (ACY2-HCELL),0.0,
517 K,151, (ACX2-HCELL), (ACY2+HCELL),0.0,
518 K,152, (ACX2-FSPAC/2.0), (FSPAC/2.0),0.0,
519 K,153, (ACX2+FSPAC/2.0), (FSPAC/2.0),0.0,
520 K,154, (ACX2+HCELL), (ACY2-HCELL),0.0,
521 K,155, (ACX2+HCELL), (ACY2+HCELL),0.0,
522 K,156, (ACX2+HCELL+SWALL), (FSPAC/2.0),0.0,
523 K,157, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
524 K,158, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
525 K,159, (ACX2+HCELL+SWALL), (ACY2-HCELL-SWALL),0.0,
526 K,160, (ACX2+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
527 K,161, (ACX2+HCELL+SWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
528 K,162, (ACX2+HCELL+SWALL), (ACY2+HCELL+2.0*SWALL+AWALL),0.0,
529 K,163, (ACX2+HCELL+SWALL+FSPAC), (FSPAC/2.0),0.0,
530 K,164, (FSPAC/2.0+FLENT), (FSPAC/2.0),0.0,
531 K,165, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL),0.0,
532 K,166, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL+BWALL),0.0,
533 K,167, (FSPAC/2.0+FLENT), (ACY2-HCELL-SWALL),0.0,
534 /COM, create lines on perimeter and for lesize
535 L, 73, 60,
536 L, 73, 74,
537 L, 61, 74,
538 L, 74, 75,
539 L, 75, 62,
540 L, 75, 76,
541 L, 63, 76,
542 L, 76, 77,
543 L, 77, 78,
544 L, 78, 65,
545 L, 78, 79,
546 L, 66, 79,
547 L, 79, 80,
548 L, 80, 81,
549 L, 81, 68,
550 L, 81, 82,
551 L, 69, 82,
552 L, 82, 83,
553 L, 83, 70,
554 L, 83, 84,
555 L, 71, 84,
556 L, 84, 85,
557 L, 85, 92,
558 L, 92,100,
559 L,100,109,
560 L,109,108,
561 L,108,126,
562 L,126,130,
563 L,130,137,
564 L,137,136,
565 L,136,105,
566 L,112,107,
567 L,107,106,
568 L,106,105,
569 L,105,104,
570 L,104,103,
571 L,103,102,
572 L,102,111,
573 L,104,135,
574 L,135,134,
575 L,123,127,
576 L,127,134,
577 L,134,141,
578 L,141,143,

```

579 L,143,148,
 580 L,148,150,
 581 L,141,142,
 582 L,142,162,
 583 L,162,161,
 584 L,161,160,
 585 L,160,159,
 586 L,159,167,
 587 L,167,166,
 588 L,166,165,
 589 L,165,164,
 590 L,164,163,
 591 L,163,156,
 592 L,156,153,
 593 L,153,152,
 594 L,152,145,
 595 L,145,138,
 596 L,138,131,
 597 L,131,120,
 598 L,120,115,
 599 L,115,114,
 600 L,114, 93,
 601 L, 93, 73,
 602 /COM, tube spacers
 603 A, 71, 84, 83, 70,
 604 A, 69, 82, 81, 68,
 605 A, 66, 79, 78, 65,
 606 A, 63, 76, 75, 62,
 607 A, 61, 74, 73, 60,
 608 /COM, flux trap plate (stainless)
 609 A, 85, 92, 91, 83, 84,
 610 A, 83, 91, 90, 80, 81, 82,
 611 A, 80, 90, 89, 79,
 612 A, 79, 89, 88, 78,
 613 A, 78, 88, 87, 77,
 614 A, 77, 87, 86, 73, 74, 75, 76,
 615 A, 86,121,120,115,114, 93, 73,
 616 A,121,132,131,120,
 617 A,132,139,138,131,
 618 A,139,146,145,138,
 619 A,146,157,156,153,152,145,
 620 A,157,165,164,163,156,
 621 /COM, flux trap plate (Al/boron)
 622 A, 92,100, 99, 91,
 623 A, 91, 99, 98, 90,
 624 A, 90, 98, 97, 89,
 625 A, 89, 97, 96, 88,
 626 A, 88, 96, 95, 87,
 627 A, 87, 95, 94, 86,
 628 A, 94,122,121, 86,
 629 A,122,133,132,121,
 630 A,133,140,139,132,
 631 A,140,147,146,139,
 632 A,147,158,157,146,
 633 A,158,166,165,157,
 634 /COM, flux trap plate (sheath)
 635 A,100,109,108, 99,
 636 A, 99,108,107, 98,
 637 A, 98,107,106,105, 97,
 638 A, 97,105,104, 96,
 639 A, 96,104,103,102, 95,
 640 A, 95,102,101, 94,
 641 A,101,123,122, 94,
 642 A,123,127,134,133,122,
 643 A,134,141,140,133,
 644 A,141,143,148,147,140,
 645 A,148,159,158,147,
 646 A,159,167,166,158,
 647 /COM, tube (sheath)
 648 A,130,137,136,129,

```

649 A,106,129,136,105,
650 A,104,135,128,103,
651 A,128,135,134,127,
652 A,142,144,143,141,
653 A,142,162,161,144,
654 /COM, tube (Al/boron)
655 A,126,130,129,125,
656 A,107,125,129,106,
657 A,103,128,124,102,
658 A,124,128,127,123,
659 A,144,149,148,143,
660 A,144,161,160,149,
661 /COM, tube (stainless)
662 A,108,113,112,107,
663 A,108,126,119,113,
664 A,119,126,125,118,
665 A,112,118,125,107,
666 A,102,111,110,101,
667 A,102,124,117,111,
668 A,117,124,123,116,
669 A,110,116,123,101,
670 A,149,151,150,148,
671 A,149,160,155,151,
672 A,155,160,159,154,
673 A,150,154,159,148,
674 /COM, homogeneous assembly
675 A,113,119,118,112,
676 A,111,117,116,110,
677 A,151,155,154,150,
678 /COM, helium spaces
679 A,72,85,84,71,
680 A,70,83,82,69,
681 A,68,81,80,67,
682 A,67,80,79,66,
683 A,65,78,77,64,
684 A,64,77,76,63,
685 A,62,75,74,61,
686 A,105,136,135,104,
687 A,135,142,141,134,
688 NUMMRG,KP,
689 /COM, *****
690 /COM, Set element shapes and sizes for tubes and flux trap
691 /COM, 14x14 mesh in fuel with 1
692 /COM, division per tube layer
693 ESHAPE,2,
694 ESIZE,,1,
695 LSEL,S,LINE,,81,87,2,
696 LSEL,A,LINE,,90,92,2,
697 LSEL,A,LINE,,95,101,2,
698 LESIZE,ALL,,,2,
699 LSEL,S,LINE,,107,
700 LSEL,A,LINE,,110,111,1,
701 LSEL,A,LINE,,119,120,1,
702 LSEL,A,LINE,,127,128,1,
703 LSEL,A,LINE,,131,
704 LESIZE,ALL,,,14,
705 LSEL,ALL,
706 LESIZE,82,,,2,
707 LESIZE,84,,,3,
708 LESIZE,86,,,4,
709 LESIZE,88,,,5,
710 LESIZE,89,,,2,
711 LESIZE,91,,,4,
712 LESIZE,93,,,2,
713 LESIZE,94,,,5,
714 LESIZE,96,,,4,
715 LESIZE,98,,,5,
716 LESIZE,100,,,4,
717 LESIZE,102,,,2,
718 LESIZE,103,,,3,

```



```

719 LESIZE,104,,, 2,
720 LESIZE,136,,, 2,
721 LESIZE,137,,, 4,
722 LESIZE,138,,, 5,
723 LESIZE,139,,, 4,
724 LESIZE,140,,, 5,
725 LESIZE,141,,, 2,
726 LESIZE,142,,, 4,
727 LESIZE,143,,, 2,
728 LESIZE,144,,, 5,
729 LESIZE,145,,, 4,
730 LESIZE,146,,, 3,
731 LESIZE,147,,, 2,
732 /COM,          concatenate lines for mapped meshing
733 /COM,          (L's 265,266,267,268,269,270,271,272,273,274)
734 LSEL,S,LINE,, 82, 88,2,
735 LCCAT,ALL,
736 LSEL,S,LINE,, 94, 98,2,
737 LCCAT,ALL,
738 LSEL,S,LINE,,100,102,2,
739 LCCAT,ALL,
740 LSEL,S,LINE,,113,114,1,
741 LCCAT,ALL,
742 LSEL,S,LINE,,116,117,1,
743 LCCAT,ALL,
744 LSEL,S,LINE,,121,122,1,
745 LCCAT,ALL,
746 LSEL,S,LINE,,124,125,1,
747 LCCAT,ALL,
748 LSEL,S,LINE,,136,137,1,
749 LCCAT,ALL,
750 LSEL,S,LINE,,138,140,1,
751 LCCAT,ALL,
752 LSEL,S,LINE,,144,147,1,
753 LCCAT,ALL,
754 LSEL,ALL,
755 /COM,          Mesh areas
756 /COM,          first flux trap plate, then tubes
757 MAT, 1,
758 TYPE,1,
759 AMESH, 27, 43,1,
760 MAT,13,
761 TYPE,1,
762 AMESH, 44, 55,1,
763 MAT, 1,
764 TYPE,1,
765 AMESH, 56, 73,1,
766 MAT,13,
767 TYPE,1,
768 AMESH, 74, 79,1,
769 MAT, 1,
770 TYPE,1,
771 AMESH, 80, 91,1,
772 MAT,14,
773 TYPE,1,
774 AMESH, 92, 94,1,
775 /COM,          Delete concatenated lines
776 /COM,          (L's freed up 265,266,267,268,269,270,271,272,273,274)
777 LDELE,265,274,1,
778 /COM,          *****
779 /COM,          Copy tube mesh and connect top and bottom
780 ARSYM,Y,27,103,1,0,0,0,
781 /COM,          flux trap plate spacers
782 /COM,          (L's 449,450,451,452,453,454,455,456,457,458)
783 /COM,          (A's 181,182,183,184,185)
784 A,186, 73, 93,202,
785 A,201,114,115,200,
786 A,204,131,138,206,
787 A,212,152,153,211,
788 A,210,156,163,215,

```

```

789 /COM,          flux trap plate heluim gaps
790 /COM,          (A's 186,187,188,189,190,191,192,193)
791 A,187, 60, 73,186,
792 A,202, 93,114,201,
793 A,200,115,120,199,
794 A,199,120,131,204,
795 A,206,138,145,208,
796 A,208,145,152,212,
797 A,211,153,156,210,
798 A,215,163,164,214,
799 /COM,          tube/guide heluim gaps (flats)
800 /COM,          (A's 194,195,196,197,198,199,200,201,202,203,204,205)
801 A,109, 22, 41,108,
802 A,108, 41, 42,126,
803 A,137, 43, 45,136,
804 A,142, 45, 46,162,
805 A,160, 47, 49,159,
806 A, 49, 29,167,159,
807 A,244,245, 31, 50,
808 A,244, 50, 52,260,
809 A,254, 53, 54,252,
810 A,248, 54, 56,247,
811 A,256, 57, 58,230,
812 A,230, 58, 38,229,
813 /COM,          tube/guide heluim gaps (corners)
814 /COM,          (A's 206,207,208,209,210,211,212,213,214,215,216,217)
815 /COM,          ( 218)
816 A, 21, 85, 72,
817 A, 21, 22,109,100, 92, 85,
818 A, 24, 25, 43,137,130,126, 42,
819 A,136, 45,142,135,
820 A, 26, 27, 47,160,161,162, 46,
821 A,167, 29, 30,164,165,166,
822 A,164, 30,214,
823 A,214, 30, 31,245,228,213,
824 A, 52, 33, 34, 53,254,255,260,
825 A,250,252, 54,248,
826 A,256,246,247, 56, 35, 36, 57,
827 A,188,189,216,229, 38, 39,
828 A,273,188, 39,
829 /COM,          mesh flux trap plate spacers
830 LSEL,S,LINE,,449,458,1,
831 LESIZE,ALL,,, 4,
832 LSEL,ALL,
833 MAT,1,
834 TYPE,1,
835 AMESH,181,185,1,
836 NUMMRG,NODE,
837 NUMMRG,KP,
838 /COM,          *****
839 /COM,          Create mesh in MPC shell and disposal container
840 /COM,          Tube guides
841 ESIZE,,2,
842 LESIZE,43,,, 6,
843 LESIZE,46,,,14,
844 LESIZE,49,,,14,
845 LESIZE,53,,,14,
846 LESIZE,56,,,14,
847 LESIZE,60,,, 6,
848 LESIZE,61,,, 6,
849 LESIZE,64,,,14,
850 LESIZE,68,,,14,
851 LESIZE,71,,,14,
852 LESIZE,75,,,14,
853 LESIZE,78,,, 6,
854 MAT,1,
855 TYPE,1,
856 AMESH,15,26,1,
857 /COM,          MPC shell
858 /COM,          (L's 489.490)

```

```

859 LESIZE,23,,, 2,
860 LESIZE,25,,,14,
861 LESIZE,26,,, 3,
862 LESIZE,27,,,14,
863 LESIZE,28,,, 3,
864 LESIZE,29,,,14,
865 LESIZE,31,,, 2,
866 LESIZE,32,,, 2,
867 LESIZE,34,,,14,
868 LESIZE,35,,, 3,
869 LESIZE,36,,,14,
870 LESIZE,37,,, 3,
871 LESIZE,38,,,14,
872 LESIZE,40,,, 2,
873 LSEL,S,LINE,,23,31,1,
874 LCCAT,ALL,
875 LSEL,S,LINE,,32,40,1,
876 LCCAT,ALL,
877 LSEL,ALL,
878 LESIZE,17,,,56,
879 LESIZE,18,,,56,
880 LESIZE,22,,, 3,
881 LESIZE,41,,, 3,
882 MAT,1,
883 TYPE,1,
884 AMESH,7,8,1,
885 /COM,          Assume vacuum between shell and inner barrier
886 LESIZE,13,,,56,
887 LESIZE,14,,,56,
888 LESIZE,19,,, 2,
889 LESIZE,20,,, 2,
890 /COM,          No MAT,7,
891 /COM,          No TYPE,1,
892 /COM,          No AMESH,5,6,1,
893 /COM,          Delete concatenated lines
894 /COM,          (L's freed up 489,490)
895 LDELETE,489,490,1,
896 /COM,          Inner and outer barrier
897 LSEL,S,LINE,,7,10,1,
898 LESIZE,ALL,,,56,
899 LSEL,ALL,
900 LESIZE, 6,,, 3,
901 LESIZE,15,,, 3,
902 LESIZE,16,,, 3,
903 LESIZE, 5,,, 5,
904 LESIZE,11,,, 5,
905 LESIZE,12,,, 5,
906 MAT,2,
907 TYPE,1,
908 AMESH,3,4,1,
909 MAT,3,
910 TYPE,1,
911 AMESH,1,2,1,
912 /COM,          Empty basket spaces
913 ESIZE,0.1,
914 ESHAPE,0,
915 MAT,7,
916 TYPE,1,
917 AMESH,9,14,1,
918 /COM,          *****
919 /COM,          Define mesh and radiation surface elements
920 /COM,          Tube/guides gap
921 LSEL,S,LOC,X,0.0,0.0,
922 LSEL,A,LINE,, 7, 8,1,
923 LSEL,A,LINE,,13,14,1,
924 LSEL,A,LINE,,17,18,1,
925 NSLL,U,0,
926 LSEL,ALL,
927 MAT,1,
928 TYPE,7,

```

```

929 ESURF,
930 NSEL,ALL,
931 /COM,          Basket spaces
932 MAT,1,
933 TYPE,17,
934 LMESH,25,29,2,
935 LMESH,34,38,2,
936 LMESH,80,
937 LMESH,45,
938 LMESH,50,52,2,
939 LMESH,57,59,2,
940 LMESH,62,65,3,
941 LMESH,69,72,3,
942 LMESH,76,79,3,
943 /COM,          MPC shell/inner barrier gap
944 MAT,1,
945 TYPE,27,
946 LMESH,17,18,1,
947 MAT,2,
948 TYPE,27,
949 LMESH,13,14,1,
950 /COM,          *****
951 /COM,          Create mesh in helium spaces
952 ESIZE,,2,
953 ESHAPE,2,
954 MAT,7,
955 TYPE,1,
956 AMESH, 95,103,1,
957 AMESH,172,180,1,
958 AMESH,186,205,1,
959 ESHAPE,0,
960 MAT,7,
961 TYPE,1,
962 AMESH,206,218,1,
963 /COM,          Clear areas and mesh by hand difficult areas
964 ACLEAR,211,
965 E,5879,3453,3952,3952,
966 E, 636,5879,3952,3952,
967 E, 545, 636,3952,3952,
968 E, 551, 545,3952,3952,
969 E, 363, 551,3952,3952,
970 E, 370, 363,3952,3952,
971 E, 371, 370,3952,3952,
972 E, 369, 371,3952,3952,
973 E,5973, 369,3952,3952,
974 E,3782,5973,3952,3952,
975 ACLEAR,217,
976 E,3735,5989,3738,3738,
977 E,5989,1661,3738,3738,
978 E,1661,1663,3738,3738,
979 E,1663,1664,3738,3738,
980 E,1664,1662,3738,3738,
981 E,1662,1979,3738,3738,
982 E,1979,1978,3738,3738,
983 E,1978,2148,3738,3738,
984 E,2148,5951,3738,3738,
985 E,5951,3666,3738,3738,
986 FINISH
987 /COM,          *****
988 /COM,          Create element mesh plots to illustrate model
989 /COM,          View mesh for entire model
990 /RESET
991 /TRIAD,OFF,
992 /NUM, 1,
993 /PNUM,MAT, 1,
994 /TYPE,HIDP,
995 /GLINE,,0,
996 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
997 /TITLE, 12 PWR MPC/Waste Package - 1/2 FEM Model
998 /SHOW,meshfull,grph,1,8,

```

```

999 EPLOT
1000 ESEL,U,MAT,, 7,
1001 /SHOW,meshgap,grph,1,8,
1002 EPLOT
1003 /COM,          View mesh for radiation substructure
1004 /PNUM,MAT, 0,
1005 /PNUM,TYPE, 1,
1006 ESEL,S,TYPE,, 7,
1007 ESEL,A,TYPE,,17,
1008 ESEL,A,TYPE,,27,
1009 /TITLE, 12 PWR MPC/Waste Package - Radiation Matrix
1010 /SHOW,meshrad,grph,1,8,
1011 EPLOT
1012 ESEL,ALL,
1013 /TITLE, 12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF
1014 /COM,          *****
1015 /COM,          Generate super-elements
1016 /AUX12,
1017 ESEL,S,TYPE,,7,
1018 NSLE,S,
1019 STEF,5.67E-8,
1020 GEOM,1,0,
1021 VTYPE,0,800,
1022 WRITE,tubegap,
1023 ESEL,S,TYPE,,17,
1024 NSLE,S,
1025 STEF,5.67E-8,
1026 GEOM,1,0,
1027 VTYPE,0,800,
1028 WRITE,spaces,
1029 ESEL,S,TYPE,,27,
1030 NSLE,S,
1031 STEF,5.67E-8,
1032 GEOM,1,0,
1033 VTYPE,0,800,
1034 WRITE,shellgap,
1035 ESEL,ALL,
1036 NSEL,ALL,
1037 FINISH
1038 /PREP7,
1039 TYPE,18,
1040 SE,tubegap,
1041 SE,spaces,
1042 SE,shellgap,
1043 /COM,          Delete radiation edge elements
1044 ESEL,S,TYPE,,7,
1045 EDELE,ALL,
1046 ESEL,ALL,
1047 LSEL,S,TYPE,,17,
1048 LSEL,A,TYPE,,27,
1049 LCLEAR,ALL,
1050 LSEL,ALL,
1051 FINISH
1052 /COM,          *****
1053 /COM,          Set solution parameters and apply B.C.'s
1054 /COM,
1055 /COM,          Solve steady-state for initial conditions
1056 /COM,          with WP surface equal to drift ambient
1057 /COM,          temperature from repository model.
1058 /SOLU
1059 ANTYPE,TRAN,NEW,
1060 NROPT,AUTO,
1061 TRNOPT,FULL,
1062 TOFFST,273.15,
1063 LSEL,S,LINE,,7,
1064 LSEL,A,LINE,,8,
1065 NSLL,S,1,
1066 D,ALL,TEMP,DFAMBT,
1067 LSEL,ALL,
1068 NSEL,ALL,

```

```

1069 ASEL,S,MAT,,14,
1070 ESLA,S,
1071 BFE,ALL,HGEN,,(FUEL(TM_START)),
1072 ASEL,ALL,
1073 ESEL,ALL,
1074 TIMINT,OFF,
1075 TIME,1e-6,
1076 AUTOTS,ON,
1077 KBC,0,
1078 SOLVE
1079 /COM,          Solve steady-state for initial conditions
1080 /COM,          with WP surface temperatures from repository
1081 /COM,          steady-state solution.
1082 LSEL,S,LINE,,7,
1083 LSEL,A,LINE,,8,
1084 NSLL,S,1,
1085 DDELE,ALL,TEMP,
1086 LSEL,ALL,
1087 NSEL,ALL,
1088 DK,11,TEMP,(WPTOP(TM_START)),,1,
1089 DK,10,TEMP,(WPSID(TM_START)),,1,
1090 DK, 9,TEMP,(WPBOT(TM_START)),,1,
1091 ASEL,S,MAT,,14,
1092 ESLA,S,
1093 BFE,ALL,HGEN,,(FUEL(TM_START)),
1094 ASEL,ALL,
1095 ESEL,ALL,
1096 TIMINT,OFF,
1097 TIME,2e-6,
1098 AUTOTS,ON,
1099 KBC,0,
1100 SOLVE
1101 /COM,          *****
1102 /COM,          Set time integration parameters
1103 TIMINT,ON,
1104 AUTOTS,ON,
1105 /COM,          Time substep ranges from 10 sec to 1/4 loadstep
1106 NSUBST,10,40,4,ON
1107 /COM,          Begin Transient
1108 /COM,          Apply loads and solve for 0 to .9 years
1109 *DO,TM,TM_START,TME0,TMI0
1110     TIME,TM,
1111     ASEL,S,MAT,,14,
1112     ESLA,S,
1113     BFE,ALL,HGEN,,(FUEL(TM)),
1114     ASEL,ALL
1115     ESEL,ALL
1116     DK,11,TEMP,(WPTOP(TM)),,1,
1117     DK,10,TEMP,(WPSID(TM)),,1,
1118     DK, 9,TEMP,(WPBOT(TM)),,1,
1119     SOLVE
1120 *ENDDO
1121 /COM,          Apply loads and solve for 1 to 9 years
1122 *DO,TM,TME1,TME9,TMI1
1123     TIME,TM,
1124     ASEL,S,MAT,,14,
1125     ESLA,S,
1126     BFE,ALL,HGEN,,(FUEL(TM)),
1127     ASEL,ALL
1128     ESEL,ALL
1129     DK,11,TEMP,(WPTOP(TM)),,1,
1130     DK,10,TEMP,(WPSID(TM)),,1,
1131     DK, 9,TEMP,(WPBOT(TM)),,1,
1132     SOLVE
1133 *ENDDO
1134 /COM,          Apply loads and solve for 10 to 90 years
1135 *DO,TM,TME10,TME90,TMI10
1136     TIME,TM,
1137     ASEL,S,MAT,,14,
1138     ESLA,S,

```

```

1139      BFE,ALL,HGEN,,(FUEL(TM)),
1140      ASEL,ALL
1141      ESEL,ALL
1142      DK,11,TEMP,(WPTOP(TM)),,1,
1143      DK,10,TEMP,(WPSID(TM)),,1,
1144      DK, 9,TEMP,(WPBOT(TM)),,1,
1145      SOLVE
1146 *ENDDO
1147 /COM,          Apply loads and solve for 100 to 1000 years
1148 *DO,TM,TME100,TME1000,TMI100
1149      TIME,TM,
1150      ASEL,S,MAT,,14,
1151      ESEL,S,
1152      BFE,ALL,HGEN,,(FUEL(TM)),
1153      ASEL,ALL
1154      ESEL,ALL
1155      DK,11,TEMP,(WPTOP(TM)),,1,
1156      DK,10,TEMP,(WPSID(TM)),,1,
1157      DK, 9,TEMP,(WPBOT(TM)),,1,
1158      SOLVE
1159 *ENDDO
1160 FINISH
1161 SAVE,
1162 /COM,          *****
1163 /COM,          Create element contour plots of solution results
1164 /COM,
1165 /COM,          Sort through solution results for time of max temp.
1166 /POST26,
1167 NSOL,2,(NODE(ACX1,(0.0-ACY1),0.0)),TEMP,,peakclad,
1168 STORE,NEW,
1169 *GET,TMTMAX,VARI,2,EXTREM,TMAX,
1170 FINISH
1171 /POST1,
1172 /COM,          Create temperature contour plots of WP at peak
1173 /RESET
1174 /TRIAD,OFF,
1175 /NUM, 1,
1176 /PNUM,MAT, 1,
1177 /TYPE,HIDP,
1178 /GLINE,,-1,
1179 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1180 ESEL,U,MAT,,7,
1181 SET,NEAR,,,,TMTMAX,
1182 /TITLE, 12 PWR MPC/WP at Time of Peak Temp. (%TMTMAX/3.15576E7% years)
1183 /SHOW,solupk,grph,0,8,
1184 /CONTOUR,1,128,AUTO,
1185 PLNSOL,TEMP,
1186 /COM,          Create temperature contour plots at 10, 50, and 100 yrs
1187 SET,NEAR,,,,TME10,
1188 /TITLE, 12 PWR MPC/WP at 10 years
1189 /SHOW,solu10,grph,0,8,
1190 /CONTOUR,1,128,USER,
1191 PLNSOL,TEMP,
1192 SET,NEAR,,,,TME50,
1193 /TITLE, 12 PWR MPC/WP at 50 years
1194 /SHOW,solu50,grph,0,8,
1195 /CONTOUR,1,128,USER,
1196 PLNSOL,TEMP,
1197 SET,NEAR,,,,TME100,
1198 /TITLE, 12 PWR MPC/WP at 100 years
1199 /SHOW,solu100,grph,0,8,
1200 /CONTOUR,1,128,USER,
1201 PLNSOL,TEMP,
1202 ESEL,ALL,
1203 FINISH
1204 /COM,          *****
1205 /COM,          Print time/temperature output at specific locations
1206 /COM,          Save profile from center to edge
1207 /COM,
1208 /COM,          Variable Legend: A01i000

```

```

1209 /COM,          x = center of waste package
1210 /COM,          f = flux trap plate stainless layer
1211 /COM,          w = flux trap plate SS sheath
1212 /COM,          c = center of assembly
1213 /COM,          h = halfway between center and tube
1214 /COM,          s = inside structural stainless tube layer
1215 /COM,          a = aluminum-born tube layer
1216 /COM,          t = stainless tube cladding
1217 /COM,          g = tube guide
1218 /COM,          m = mpc shell
1219 /COM,          i = inner barrier of DC
1220 /COM,          o = outer barrier of DC
1221 /COM,          ## = ID number of assembly (01 is center)
1222 /COM,          i = side of assembly toward center of WP
1223 /COM,          o = side of assembly toward edge of WP
1224 /COM,          000 = profile center down
1225 /COM,          045 = profile 45 deg down
1226 /COM,          090 = profile center side
1227 /COM,          135 = profile 45 deg up
1228 /COM,          180 = profile center up
1229 /POST26,
1230 NUMVAR,30,
1231 /COM,
1232 /COM,          *****
1233 /COM,          * Temperature Profile from center to lower right (45 deg.) *
1234 /COM,          *****
1235 NSOL, 2,(NODE(      0.0,      0.0,0.0)),TEMP,,x04i045,
1236 NSOL, 3,(NODE(      (0.5*FSPAC),      (-.5*FSPAC),0.0)),TEMP,,f04i045,
1237 NSOL, 4,(NODE(      (0.5*FSPAC+FWALL),(-.5*FSPAC-FWALL),0.0)),TEMP,,f04o045,
1238 NSOL, 5,(NODE(      (0.5*FSPAC+BCELL),(-.5*FSPAC-BCELL),0.0)),TEMP,,w04i045,
1239 NSOL, 6,(NODE(      (ACX1-SCCELL),      (SCCELL-ACY1),0.0)),TEMP,,w04o045,
1240 NSOL, 7,(NODE(      (ACX1-HCELL),      (HCELL-ACY1),0.0)),TEMP,,s04i045,
1241 NSOL, 8,(NODE(      (ACX1-QCELL),      (QCELL-ACY1),0.0)),TEMP,,h04i045,
1242 NSOL, 9,(NODE(      ACX1,      (0.0-ACY1),0.0)),TEMP,,c04i045,
1243 NSOL,10,(NODE(      (ACX1+QCELL),      (0.0-ACY1-QCELL),0.0)),TEMP,,h04o045,
1244 NSOL,11,(NODE(      (ACX1+HCELL),      (0.0-ACY1-HCELL),0.0)),TEMP,,s04o045,
1245 NSOL,12,(NODE(      (ACX1+SCCELL),      (0.0-ACY1-SCCELL),0.0)),TEMP,,a04o045,
1246 NSOL,13,(NODE(      (ACX1+ACCELL),      (0.0-ACY1-ACCELL),0.0)),TEMP,,t04i045,
1247 NSOL,14,(NODE(      (ACX1+TCELL),      (0.0-ACY1-TCELL),0.0)),TEMP,,t04o045,
1248 NSOL,15,(NODE(      (GX25-GWALL),      (GWALL-GX25),0.0)),TEMP,,g04i045,
1249 NSOL,16,(NODE(      GX25,      (0.0-GX25),0.0)),TEMP,,g04o045,
1250 NSOL,17,(NODE(      MI45,      (0.0-MI45),0.0)),TEMP,,m04i045,
1251 NSOL,18,(NODE(      MO45,      (0.0-MO45),0.0)),TEMP,,m04o045,
1252 NSOL,19,(NODE(      DI45,      (0.0-DI45),0.0)),TEMP,,i04i045,
1253 NSOL,20,(NODE(      DM45,      (0.0-DM45),0.0)),TEMP,,i04o045,
1254 NSOL,21,(NODE(      DO45,      (0.0-DO45),0.0)),TEMP,,o04o045,
1255 /COM,          Add centers of assemblies 5 and 6
1256 NSOL,22,(NODE(      ACX2,      (0.0-ACY1),0.0)),TEMP,,c05i045,
1257 NSOL,23,(NODE(      ACX1,      (0.0-ACY3),0.0)),TEMP,,c06i045,
1258 PRVAR, 2, 3, 4, 5, 6, 7,
1259 PRVAR, 8, 9,10,11,12,13,
1260 PRVAR,14,15,16,17,18,19,
1261 PRVAR,20,21,22,23,
1262 /COM,
1263 /COM,          *****
1264 /COM,          * Temperature Profile from center to upper right (135 deg.) *
1265 /COM,          *****
1266 NSOL, 2,(NODE(      0.0,      0.0,0.0)),TEMP,,x01i135,
1267 NSOL, 3,(NODE(      (0.5*FSPAC),      (0.5*FSPAC),0.0)),TEMP,,f01i135,
1268 NSOL, 4,(NODE(      (0.5*FSPAC+FWALL),      (0.5*FSPAC+FWALL),0.0)),TEMP,,f01o135,
1269 NSOL, 5,(NODE(      (0.5*FSPAC+BCELL),      (0.5*FSPAC+BCELL),0.0)),TEMP,,w01i135,
1270 NSOL, 6,(NODE(      (ACX1-SCCELL),      (ACY1-SCCELL),0.0)),TEMP,,w01o135,
1271 NSOL, 7,(NODE(      (ACX1-HCELL),      (ACY1-HCELL),0.0)),TEMP,,s01i135,
1272 NSOL, 8,(NODE(      (ACX1-QCELL),      (ACY1-QCELL),0.0)),TEMP,,h01i135,
1273 NSOL, 9,(NODE(      ACX1,      ACY1,0.0)),TEMP,,c01i135,
1274 NSOL,10,(NODE(      (ACX1+QCELL),      (ACY1+QCELL),0.0)),TEMP,,h01o135,
1275 NSOL,11,(NODE(      (ACX1+HCELL),      (ACY1+HCELL),0.0)),TEMP,,s01o135,
1276 NSOL,12,(NODE(      (ACX1+SCCELL),      (ACY1+SCCELL),0.0)),TEMP,,a01o135,
1277 NSOL,13,(NODE(      (ACX1+ACCELL),      (ACY1+ACCELL),0.0)),TEMP,,t01i135,
1278 NSOL,14,(NODE(      (ACX1+TCELL),      (ACY1+TCELL),0.0)),TEMP,,t01o135,

```



```

1279 NSOL,15,(NODE(      (GX25-GWALL),      (GX25-GWALL),0.0)),TEMP,,g01i135,
1280 NSOL,16,(NODE(      GX25,      GX25,0.0)),TEMP,,g01o135,
1281 NSOL,17,(NODE(      MI45,      MI45,0.0)),TEMP,,m01i135,
1282 NSOL,18,(NODE(      MO45,      MO45,0.0)),TEMP,,m01o135,
1283 NSOL,19,(NODE(      DI45,      DI45,0.0)),TEMP,,i01i135,
1284 NSOL,20,(NODE(      DM45,      DM45,0.0)),TEMP,,i01o135,
1285 NSOL,21,(NODE(      DO45,      DO45,0.0)),TEMP,,o01o135,
1286 /COM,      Add centers of assemblies 2 and 3
1287 NSOL,22,(NODE(      ACX2,      ACY2,0.0)),TEMP,,c02i135,
1288 NSOL,23,(NODE(      ACX3,      ACY3,0.0)),TEMP,,c03i135,
1289 PRVAR, 2, 3, 4, 5, 6, 7,
1290 PRVAR, 8, 9,10,11,12,13,
1291 PRVAR,14,15,16,17,18,19,
1292 PRVAR,20,21,22,23,
1293 /COM,
1294 FINISH
1295 /COM,      *****
1296 /COM,      End of batch input file
1297 /COM,      *****
1298 /EXIT,
1299 /EOF

```

RUN SETUP PROCEDURE FROM FILE= /ansys50a/docu/start.ans

```

/INPUT FILE= /ansys50a/docu/start.ans LINE=      0
*****
ANSYS STARTUP FILE start.ans
*****

```

```

ABBREVIATION= K1      /pnum,kp ,1,
ABBREVIATION= K0      /pnum,kp ,0,
ABBREVIATION= L1      /pnum,line,1,
ABBREVIATION= L0      /pnum,line,0,
ABBREVIATION= A1      /pnum,area,1,
ABBREVIATION= A0      /pnum,area,0,
ABBREVIATION= V1      /pnum,volu,1,
ABBREVIATION= V0      /pnum,volu,0,
ABBREVIATION= N1      /pnum,node,1,
ABBREVIATION= N0      /pnum,node,0,
ABBREVIATION= E1      /pnum,elem,1,
ABBREVIATION= E0      /pnum,elem,0,
ABBREVIATION= M1      /pnum,mat ,1,
ABBREVIATION= M0      /pnum,mat ,0,
ABBREVIATION= R1      /pnum,real,1,
ABBREVIATION= R0      /pnum,real,0,
ABBREVIATION= T1      /pnum,type,1,
ABBREVIATION= T0      /pnum,type,0,
ABBREVIATION= C1      /number,1,
ABBREVIATION= C0      /number,0,
ABBREVIATION= INP     /input,,inp,

```

ABBREVIATION= X3D /show,3d,
 ABBREVIATION= X11 /show,x11,
 ABBREVIATION= VEC /show,,,1,
 ABBREVIATION= RAS /show,,,0,
 ABBREVIATION= ON /menu,on,
 ABBREVIATION= OFF /menu,off,
 ABBREVIATION= NVP /config,nvpag,512,
 ABBREVIATION= QUIT /exit,nosav,
 XYZ TRIAD DISPLAY SET TO OFF

VIEW CONE ANGLE FOR WINDOW 1 25.00

 END start.ans

To start ANSYS menu:

type: x3d for console
 x11 for X-term

type: on

 ANSYS REVISION 5.0A 3/24/1995
 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III

* *
 * File name: ma12b2.inp *
 * 12 PWR MPC with High T.L. Disposal Container *
 * Helium Fill Gas *
 * *
 * Material Property file: props01.dat *
 * *
 * SNF Conductivity file: pwr15e.parm *
 * 15x15 Mark-B4 PWR SNF Assembly *
 * *
 * SNF Heat Loads file: snf2040.dat *
 * SNF Type: 20 years old, 40 GWD/MTU *
 * *
 * Surface Temp. file: c12b5a.parm *
 * 83 MTU/acre (20.5 kgU/m^2) AML (High Thermal Loading) *
 * 5.0 m Diameter Drift with Concrete Invert *
 * Drift spacing = 22.5 m *
 * WP c/c spacing = 11.129 m *
 * *

 Increase the number of database pages from 16 (256) to 32 Mb

NUMBER OF DATA BASE PAGES IN MEMORY(NVPAGE)= 512

Work space must also be increased (-m 64)

TITLE=

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

SI UNITS SPECIFIED

LENGTH = METERS(M)
 MASS = KILOGRAMS(KG)
 TIME = SECONDS(SEC)
 TEMPERATURE = CENTIGRADE

CURRENT = AMPS

Read in average effective conductivities from SNF model

*** NOTE *** CP= .690 TIME= 16:10:02

Restore ANSYS parameters from file= pwr15e.parm.

/INPUT FILE= pwr15e.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Read in surface temps. from repository model

*** NOTE *** CP= .870 TIME= 16:10:02

Restore ANSYS parameters from file= c12b5a.parm.

/INPUT FILE= c12b5a.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Define MPC/waste package parameters

(MPC dimensions converted from inches to meters)

MIRAD = inner radius of MPC shell (m)

MWALL = MPC shell thickness (m)

DCRAD = disposal container outer radius (m)

OWALL = outer barrier thickness (m)

IWALL = inner barrier thickness (m)

GCORN = corner guide width (m)

GLENW = side guide total width (m)

GLENH = side guide total height (m)

GWALL = guide thickness (m)

HCELL = 1/2 of basket cell opening (m)

SWALL = stainless tube thickness (m)

AWALL = Al/boron tube thickness (m)

FLENT = flux trap plate length (m)

FWALL = flux trap plate stainless thickness (m)

BWALL = flux trap plate Al/boron thickness (m)

TWALL = flux trap plate SS sheath thickness (m)

FSPAC = flux trap plate spacer width (m)

TSPAC = tube/tube spacer width (m)

ACTVL = active fuel length

PEAKF = assembly heat axial peaking factor

PARAMETER P1 = 3.141593

PARAMETER MIRAD = .6079490

PARAMETER MWALL = .2222500E-01

PARAMETER DCRAD = .7652500

PARAMETER OWALL = .1000000

PARAMETER IWALL = .2000000E-01

PARAMETER GCORN = .2561844

PARAMETER GLENW = .2142236

PARAMETER GLENH = .6339840E-01

PARAMETER GWALL = .9525000E-02

PARAMETER HCELL = .1143000

PARAMETER SWALL = .2387600E-02

PARAMETER AWALL = .2717800E-02

PARAMETER FLENT = .5883656

PARAMETER FWALL = .1270000E-01
 PARAMETER BWALL = .6350000E-02
 PARAMETER TWALL = .2387600E-02
 PARAMETER FSPAC = .2540000E-01
 PARAMETER TSPAC = .2504440E-01
 PARAMETER ACTVL = 3.601720
 PARAMETER PEAKF = 1.250000

Define calculated parameters

ASSY = assembly heat production (W) f(yrs)
 FUEL = volumetric heat production (W/m3) f(yrs)
 FVOLU = assy_volume=cell_width^2*active_length
 Q2 = side guide x coord. (see sketch)
 GX## = x coord. of guide/shell contact (kp##)
 GY## = y coord. of guide/shell contact (kp##)
 ACX# = x coord. of center of assembly #
 ACY# = y coord. of center of assembly #
 TM_START = start time (sec)
 TMI* = time increment for solution (sec)
 TME* = start and stop for time do-loops (sec)
 Note: 1 year = 3.15576e7 seconds
 QCELL = 1/4 of basket cell opening (m)
 SCELL = 1/2 of basket cell opening+SS wall(m)
 ACELL = 1/2 of basket cell opening+SS+AL (m)
 MI45 = x coord. MIRAD at 45 deg.
 MO45 = x coord. MIRAD+MWALL at 45 deg.
 DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
 DM45 = x coord. DCRAD-OWALL at 45 deg.
 DO45 = x coord. DCRAD at 45 deg.
 TMTMAX = time of maximum cladding temperature

ARRAY PARAMETER ASSY DELETED.

SET PARAMETER DIMENSIONS ON ASSY TYPE=TABL DIMENSIONS= 101 1 1

SET PARAMETER DIMENSIONS ON FUEL TYPE=TABL DIMENSIONS= 101 1 1

PARAMETER FVOLU = .1882185
 PARAMETER Q2 = .5002134E-01
 PARAMETER GX22 = .4049634E-01
 PARAMETER GY22 = .6065987
 PARAMETER GX23 = .5002134E-01
 PARAMETER GY23 = .6058877
 PARAMETER GX24 = .2547199
 PARAMETER GY24 = .5520143
 PARAMETER GTMP = .2466594
 PARAMETER GX25 = .2884843
 PARAMETER GY25 = .5351437
 PARAMETER ACX1 = .1508252
 PARAMETER ACY1 = .1508252

```

PARAMETER ACX2      =      .4194556
PARAMETER ACY2      =      .1508252
PARAMETER ACX3      =      .1508252
PARAMETER ACY3      =      .4194556
PARAMETER TM_START  =      31.55760
PARAMETER TM10      =      3155760.
PARAMETER TM11      =      .3155760E+08
PARAMETER TM110     =      .3155760E+09
PARAMETER TM1100    =      .3155760E+10
PARAMETER TM11000   =      .3155760E+11
PARAMETER TME0      =      .2840187E+08
PARAMETER TME1      =      .3155763E+08
PARAMETER TME9      =      .2840184E+09
PARAMETER TME10     =      .3155760E+09
PARAMETER TME50     =      .1577880E+10
PARAMETER TME90     =      .2840184E+10
PARAMETER TME100    =      .3155760E+10
PARAMETER TME1000   =      .3155760E+11
PARAMETER BCELL     =      .1905000E-01
PARAMETER QCELL     =      .5715000E-01
PARAMETER SCELL     =      .1166876
PARAMETER ACELL     =      .1194054
PARAMETER TCELL     =      .1217930
PARAMETER MI45      =      .4298849
PARAMETER MO45      =      .4456003
PARAMETER DI45      =      .4562607
PARAMETER DM45      =      .4704028
PARAMETER DO45      =      .5411135

```

Define different element types

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303      VERSION=HP 9000/7XX  16:10:03 MAR 25, 1995 CP=      1.640
FOR SUPPORT CALL SUPPORT PERSON  PHONE SUPPORT PHONE  FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

```

ELEMENT TYPE      1 IS PLANE55      2-D THERMAL SOLID
KEYOPT(1-12)=    0 0 0      0 0 0      0 0 0      0 0 0

```

CURRENT NODAL DOF SET IS TEMP
TWO-DIMENSIONAL MODEL

ELEMENT TYPE 2 IS SOLID70 3-D THERMAL SOLID
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 7 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 16 IS SHELL57 THERMAL SHELL
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 17 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 18 IS MATRIX50 SUBSTRUCTURE MATRIX
KEYOPT(1-12)= 1 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 19 IS LINK31 RADIATION LINK
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 27 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

File props01.dat describes material properties
and thier reference numbers

READ IN MATERIAL PROPERTY LIBRARY FROM FILE= props01.dat

/INPUT FILE= props01.dat LINE= 0

** ANSYS 5.0 MPC MATERIAL PROPERTY TABLES **

** Filename: props01.dat **
** Compiled by R. Bahney III on 1-30-95 **

NUMBER	MATERIAL	DESCRIPTION
1	Stainless Steel 316	Basket Structural Support
2	Incaloy 825	Inner Container (resistant)
3	A516 Mild Steel	Outer Container (allowance)
4	UO2 Pellet	SNF Uranium Oxide Pellet
5	Zircaloy 4	SNF Cladding
6	Oxidation Layer	Stably Oxidized Zircaloy Surface
7	Helium	Canister Fill Gas
8	Air	Alternate Fill Gas
9	Nitrogen	Alternate Fill Gas
10	Argon	Alternate Fill Gas

11 Aluminum 6063 Thermal Conductor
 12 Copper Alternate Thermal Conductor
 13 Aluminum-Boron Aluminum Boron Criticality Matl

```
*****
** Density:      DENS      (kg/m^3)      **
** Emissivity    EMIS      **
** Conductivity: KXX      (W/m/K)      **
** Specific Heat: C      (J/kg/K)      **
*****
```

Define densities for all materials except gases

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 1 NUM. POINTS= 1
 SLOC= 1 8000.000

PROPERTY TABLE DENS MAT= 2 NUM. POINTS= 1
 SLOC= 1 8137.900

PROPERTY TABLE DENS MAT= 3 NUM. POINTS= 1
 SLOC= 1 8131.000

PROPERTY TABLE DENS MAT= 4 NUM. POINTS= 1
 SLOC= 1 10970.00

PROPERTY TABLE DENS MAT= 5 NUM. POINTS= 1
 SLOC= 1 6500.000

PROPERTY TABLE DENS MAT= 6 NUM. POINTS= 1
 SLOC= 1 6500.000

PROPERTY TABLE DENS MAT= 11 NUM. POINTS= 1
 SLOC= 1 2690.000

PROPERTY TABLE DENS MAT= 12 NUM. POINTS= 1
 SLOC= 1 8933.000

PROPERTY TABLE DENS MAT= 13 NUM. POINTS= 1
 SLOC= 1 2693.000

Define emissivities for all materials except gases

PROPERTY TABLE EMIS MAT= 1 NUM. POINTS= 1
 SLOC= 1 .6000000

PROPERTY TABLE EMIS MAT= 2 NUM. POINTS= 1
 SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 3 NUM. POINTS= 1
 SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 4 NUM. POINTS= 1
 SLOC= 1 .7900000

PROPERTY TABLE EMIS MAT= 5 NUM. POINTS= 1
 SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 6 NUM. POINTS= 1
 SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 11 NUM. POINTS= 1
 SLOC= 1 .7000000E-01

PROPERTY TABLE EMIS MAT= 12 NUM. POINTS= 1
 SLOC= 1 .5000000

PROPERTY TABLE EMIS MAT= 13 NUM. POINTS= 1
SLOC= 1 .7000000E-01

Define specific heat for matl. 4, 5, 6, 7, 11, 14, 15

PROPERTY TABLE C MAT= 4 NUM. POINTS= 1
SLOC= 1 247.0000

PROPERTY TABLE C MAT= 5 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 6 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 7 NUM. POINTS= 1
SLOC= 1 5193.000

PROPERTY TABLE C MAT= 11 NUM. POINTS= 1
SLOC= 1 900.0000

Define K and C for materials 1, 3

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 21.11000 37.78000 65.56000
93.33000 121.1100 148.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 176.6700 204.4400 232.2200
260.0000 287.7800 315.5600

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
SLOC= 13 343.3300 371.1100 398.8900
426.6700 454.4400 482.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
SLOC= 19 510.0000 537.7800 565.5600
593.3300 621.1100 648.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
SLOC= 25 676.6700 704.4400 732.2200
760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 6
SLOC= 1 13.33000 13.67000 14.19000 14.54000
15.06000 15.58000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 12
SLOC= 7 15.92000 16.44000 16.96000 17.31000
17.83000 18.17000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 18
SLOC= 13 18.52000 19.04000 19.38000 19.90000
20.25000 20.77000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 24
SLOC= 19 21.11000 21.46000 21.98000 22.33000
22.67000 23.02000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 30
SLOC= 25 23.54000 23.88000 24.23000 24.58000
24.92000 25.27000

PROPERTY TABLE C MAT= 1 NUM. POINTS= 6
SLOC= 1 481.6800 486.9200 498.0900 499.3800
509.9800 520.2900

PROPERTY TABLE C MAT= 1 NUM. POINTS= 12

SLOC= 7	521.0700	527.3800	536.9200	537.3400
	543.0200	543.3100		

PROPERTY TABLE C	MAT= 1	NUM. POINTS= 18		
SLOC= 13	546.9100	552.1400	552.2600	557.2200
	557.2500	565.1100		

PROPERTY TABLE C	MAT= 1	NUM. POINTS= 24		
SLOC= 19	565.0100	564.9100	572.3500	572.1400
	574.9200	574.6800		

PROPERTY TABLE C	MAT= 1	NUM. POINTS= 30		
SLOC= 25	581.6400	581.3000	583.8600	586.3600
	585.9600	588.3900		

PROPERTY TABLE KXX	MAT= 3	NUM. POINTS= 6		
SLOC= 1	40.84000	41.36000	41.88000	42.23000
	42.23000	42.23000		

PROPERTY TABLE KXX	MAT= 3	NUM. POINTS= 12		
SLOC= 7	42.06000	41.88000	41.36000	41.02000
	40.50000	39.98000		

PROPERTY TABLE KXX	MAT= 3	NUM. POINTS= 18		
SLOC= 13	39.29000	38.77000	38.08000	37.56000
	36.69000	36.17000		

PROPERTY TABLE KXX	MAT= 3	NUM. POINTS= 24		
SLOC= 19	35.48000	34.61000	33.92000	33.23000
	32.36000	31.50000		

PROPERTY TABLE KXX	MAT= 3	NUM. POINTS= 30		
SLOC= 25	30.29000	28.90000	27.35000	26.48000
	26.13000	26.13000		

PROPERTY TABLE C	MAT= 3	NUM. POINTS= 6		
SLOC= 1	428.7200	444.9500	460.9400	476.8700
	486.0800	495.6600		

PROPERTY TABLE C	MAT= 3	NUM. POINTS= 12		
SLOC= 7	506.0900	517.0700	525.6400	536.9900
	543.6300	550.6200		

PROPERTY TABLE C	MAT= 3	NUM. POINTS= 18		
SLOC= 13	562.2100	577.3200	589.1000	600.5700
	611.3500	629.0900		

PROPERTY TABLE C	MAT= 3	NUM. POINTS= 24		
SLOC= 19	645.3200	665.1200	682.0700	694.5200
	724.0700	761.9500		

PROPERTY TABLE C	MAT= 3	NUM. POINTS= 30		
SLOC= 25	806.3100	888.6000	1095.040	1638.780
	808.6800	736.9000		

Define K for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 6 ***
SLOC= 1	93.33000 121.1100 148.8900
	176.6700 204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 12 ***
SLOC= 7	260.0000 287.7800 315.5600
	343.3300 371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 18 ***
SLOC= 13	426.6700 454.4400 482.2200
	510.0000 537.7800 565.5600

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
 SLOC= 19 593.3300 621.1100 648.8900
 676.6700 704.4400 732.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 27 ***
 SLOC= 25 760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 6
 SLOC= 1 12.29000 12.63000 13.15000 13.67000
 14.02000 14.54000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 12
 SLOC= 7 14.88000 15.40000 15.75000 16.10000
 16.61000 16.96000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 18
 SLOC= 13 17.31000 17.65000 18.00000 18.52000
 18.86000 19.21000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 24
 SLOC= 19 19.73000 20.08000 20.42000 20.94000
 21.46000 21.98000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 27
 SLOC= 25 22.33000 23.02000 23.54000

Define C for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 93.33000 121.1100 148.8900
 176.6700 204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 260.0000 287.7800 315.5600
 343.3300 371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 17 ***
 SLOC= 13 426.6700 454.4400 482.2200
 510.0000 537.7800

PROPERTY TABLE C MAT= 2 NUM. POINTS= 6
 SLOC= 1 460.6900 477.4200 501.0200 504.6500
 498.1200 520.4500

PROPERTY TABLE C MAT= 2 NUM. POINTS= 12
 SLOC= 7 536.8800 559.8500 576.8300 576.2100
 581.6800 598.2000

PROPERTY TABLE C MAT= 2 NUM. POINTS= 17
 SLOC= 13 619.5800 636.7600 654.2000 678.2500
 696.2900

Define K for materials 4, 5, 6

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 .0000000E+00 10.00000 20.00000
 30.00000 40.00000 50.00000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 60.00000 70.00000 80.00000
 90.00000 100.0000 110.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
 SLOC= 13 120.0000 130.0000 140.0000

150.0000 160.0000 170.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***

SLOC= 19 180.0000 190.0000 200.0000
210.0000 220.0000 230.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***

SLOC= 25 240.0000 250.0000 260.0000
270.0000 280.0000 290.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 36 ***

SLOC= 31 300.0000 310.0000 320.0000
330.0000 340.0000 350.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 42 ***

SLOC= 37 360.0000 370.0000 380.0000
390.0000 400.0000 410.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 48 ***

SLOC= 43 420.0000 430.0000 440.0000
450.0000 460.0000 470.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 50 ***

SLOC= 48 480.0000 490.0000 500.0000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 6
SLOC= 1 8.720000 8.540000 8.360000 8.190000
8.030000 7.870000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 12
SLOC= 7 7.720000 7.580000 7.440000 7.310000
7.180000 7.050000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 18
SLOC= 13 6.930000 6.820000 6.700000 6.600000
6.490000 6.390000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 24
SLOC= 19 6.290000 6.190000 6.100000 6.010000
5.920000 5.840000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 30
SLOC= 25 5.760000 5.680000 5.600000 5.520000
5.450000 5.380000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 36
SLOC= 31 5.310000 5.240000 5.180000 5.110000
5.050000 4.990000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 42
SLOC= 37 4.930000 4.870000 4.810000 4.760000
4.700000 4.650000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 48
SLOC= 43 4.600000 4.550000 4.500000 4.450000
4.400000 4.350000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 50
SLOC= 48 4.310000 4.270000 4.220000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 6
SLOC= 1 12.29000 12.44000 12.58000 12.72000
12.87000 13.01000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 12
SLOC= 7 13.15000 13.28000 13.42000 13.55000
13.69000 13.82000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 18

SLOC= 13	13.95000	14.08000	14.21000	14.34000
	14.46000	14.59000		

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 24				
SLOC= 19	14.72000	14.84000	14.96000	15.09000
	15.21000	15.33000		

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 30				
SLOC= 25	15.45000	15.57000	15.69000	15.81000
	15.93000	16.05000		

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 36				
SLOC= 31	16.17000	16.29000	16.40000	16.52000
	16.64000	16.76000		

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 42				
SLOC= 37	16.88000	16.99000	17.11000	17.23000
	17.35000	17.46000		

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 48				
SLOC= 43	17.58000	17.70000	17.82000	17.94000
	18.06000	18.18000		

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 50				
SLOC= 48	18.30000	18.42000	18.54000	

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 6				
SLOC= 1	1.940000	1.940000	1.940000	1.940000
	1.940000	1.940000		

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 12				
SLOC= 7	1.940000	1.950000	1.950000	1.950000
	1.950000	1.950000		

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 18				
SLOC= 13	1.950000	1.950000	1.960000	1.960000
	1.960000	1.960000		

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 24				
SLOC= 19	1.960000	1.970000	1.970000	1.970000
	1.970000	1.980000		

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 30				
SLOC= 25	1.980000	1.980000	1.980000	1.990000
	1.990000	1.990000		

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 36				
SLOC= 31	2.000000	2.000000	2.000000	2.010000
	2.010000	2.010000		

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 42				
SLOC= 37	2.020000	2.020000	2.020000	2.030000
	2.030000	2.030000		

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 48				
SLOC= 43	2.040000	2.040000	2.040000	2.050000
	2.050000	2.060000		

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 50				
SLOC= 48	2.060000	2.060000	2.070000	

Define p, K, C for materials 7, 8, 9, ~10

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***				
SLOC= 1	-13.15000	6.850000	26.85000	
	76.85000	126.8500	176.8500	

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***				
---	--	--	--	--

SLOC= 7	226.8500	276.8500	326.8500	
	376.8500	426.8500	476.8500	

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 15 ***

SLOC= 13	526.8500	626.8500	726.8500	
----------	----------	----------	----------	--

PROPERTY TABLE DENS MAT= 7	NUM. POINTS= 6			
SLOC= 1	.1875000	.1750000	.1625000	.1422000
	.1219000	.1097000		

PROPERTY TABLE DENS MAT= 7	NUM. POINTS= 12			
SLOC= 7	.9750000E-01	.9060000E-01	.8360000E-01	.7670000E-01
	.6970000E-01	.6620000E-01		

PROPERTY TABLE DENS MAT= 7	NUM. POINTS= 15			
SLOC= 13	.6270000E-01	.5580000E-01	.4880000E-01	

PROPERTY TABLE KXX MAT= 7	NUM. POINTS= 6			
SLOC= 1	.1370000	.1450000	.1520000	.1700000
	.1870000	.2040000		

PROPERTY TABLE KXX MAT= 7	NUM. POINTS= 12			
SLOC= 7	.2200000	.2360000	.2520000	.2640000
	.2780000	.2910000		

PROPERTY TABLE KXX MAT= 7	NUM. POINTS= 15			
SLOC= 13	.3040000	.3300000	.3540000	

PROPERTY TABLE DENS MAT= 8	NUM. POINTS= 6			
SLOC= 1	1.348000	1.254700	1.161400	.9950000
	.8711000	.7740000		

PROPERTY TABLE DENS MAT= 8	NUM. POINTS= 12			
SLOC= 7	.6964000	.6329000	.5804000	.5356000
	.4975000	.4643000		

PROPERTY TABLE DENS MAT= 8	NUM. POINTS= 15			
SLOC= 13	.4354000	.3868000	.3482000	

PROPERTY TABLE KXX MAT= 8	NUM. POINTS= 6			
SLOC= 1	.2300000E-01	.2500000E-01	.2600000E-01	.3000000E-01
	.3400000E-01	.3700000E-01		

PROPERTY TABLE KXX MAT= 8	NUM. POINTS= 12			
SLOC= 7	.4100000E-01	.4400000E-01	.4700000E-01	.5000000E-01
	.5200000E-01	.5500000E-01		

PROPERTY TABLE KXX MAT= 8	NUM. POINTS= 15			
SLOC= 13	.5700000E-01	.6200000E-01	.6700000E-01	

PROPERTY TABLE C MAT= 8	NUM. POINTS= 6			
SLOC= 1	1006.200	1006.600	1007.000	1009.000
	1014.000	1021.000		

PROPERTY TABLE C MAT= 8	NUM. POINTS= 12			
SLOC= 7	1030.000	1040.000	1051.000	1063.000
	1075.000	1087.000		

PROPERTY TABLE C MAT= 8	NUM. POINTS= 15			
SLOC= 13	1099.000	1121.000	1141.000	

PROPERTY TABLE DENS MAT= 9	NUM. POINTS= 6			
SLOC= 1	1.303700	1.213500	1.123300	.9625000
	.8425000	.7485000		

PROPERTY TABLE DENS MAT= 9	NUM. POINTS= 12			
SLOC= 7	.6739000	.6124000	.5615000	.5214000
	.4812000	.4512000		

```

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 15
SLOC= 13 .4211000 .3743000 .3368000

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 6
SLOC= 1 .2300000E-01 .2400000E-01 .2600000E-01 .2900000E-01
      .3300000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 12
SLOC= 7 .3900000E-01 .4200000E-01 .4500000E-01 .4700000E-01
      .5000000E-01 .5200000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 15
SLOC= 13 .5500000E-01 .6000000E-01 .6500000E-01

PROPERTY TABLE C MAT= 9 NUM. POINTS= 6
SLOC= 1 1041.800 1041.400 1041.000 1042.000
      1045.000 1050.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 12
SLOC= 7 1056.000 1065.000 1075.000 1086.500
      1098.000 1159.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 15
SLOC= 13 1220.000 1146.000 1167.000

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 6
SLOC= 1 .1700000E-01 .1700000E-01 .1800000E-01 .2100000E-01
      .2300000E-01 .2500000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 12
SLOC= 7 .2700000E-01 .2800000E-01 .3000000E-01 .3200000E-01
      .3400000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 15
SLOC= 13 .3700000E-01 .4100000E-01 .4400000E-01

```

Define K and C for material 12

TEMPERATURE TABLE ERASED.

```

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 -73.15000 26.85000 126.8500
      326.8500 526.8500 726.8500

```

```

PROPERTY TABLE KXX MAT= 12 NUM. POINTS= 6
SLOC= 1 413.0000 401.0000 393.0000 379.0000
      366.0000 352.0000

```

```

PROPERTY TABLE C MAT= 12 NUM. POINTS= 6
SLOC= 1 356.0000 385.0000 397.0000 417.0000
      433.0000 451.0000

```

Define K and C for material 13

TEMPERATURE TABLE ERASED.

```

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 5 ***
SLOC= 1 23.00000 50.00000 100.0000
      150.0000 200.0000

```

```

PROPERTY TABLE KXX MAT= 13 NUM. POINTS= 5
SLOC= 1 182.5600 190.1700 199.2200 202.9100
      203.7200

```

```

PROPERTY TABLE C MAT= 13 NUM. POINTS= 5
SLOC= 1 868.0000 903.0000 946.0000 976.0000
      998.0000

```

```

*****
**      End of Material Property List      **

```

Read in single assembly heat loads
 Calculate the volumetric heat generation
 (Assembly time is in years, FUEL is in seconds)

/INPUT FILE= snf2040.dat LINE= 0

** History of SNF Assembly Heat Generation Rates **

** Output of PHIA, SCSI: B00000000-01717-1200-3000X Rev.00B **

**

** Executable File Name: PHIA00B.EXE **

** Output File Name: snf2040.dat **

** Execution Date: 02/23/95 **

** Start Age (years): 20.0 **

** Decay Period (years): 10000 **

** Enrichment (percent): 3.75 **

** Burnup (MWd/MTU): 40000 **

** Assembly Type: PWR **

** SNF U Mass (MTU/assy): 0.490 **

**

** ASSY(#,1) is the SNF assembly heat in Watts. **

** ASSY(#,0) is the time post emplacement in years. **

PARAMETER ASSY(1,1) =	547.0300	546.9000	546.7800	546.6500
	546.5300	546.4000		
PARAMETER ASSY(7,1) =	546.2700	546.1500	546.0200	545.8900
	545.7700	545.1400		
PARAMETER ASSY(13,1) =	544.5100	543.8900	543.2700	542.6500
	542.0300	541.4200		
PARAMETER ASSY(19,1) =	540.8100	540.2000	539.5900	538.9800
	538.3800	537.7800		
PARAMETER ASSY(25,1) =	537.1800	536.5800	535.9900	535.3900
	534.8000	529.5700		
PARAMETER ASSY(31,1) =	524.5100	519.3000	514.2400	509.5200
	504.9400	500.2200		
PARAMETER ASSY(37,1) =	495.6400	491.0500	486.5900	482.1700
	477.8800	473.6100		
PARAMETER ASSY(43,1) =	469.4600	465.3200	461.2900	458.0100
	454.8100	417.0600		
PARAMETER ASSY(49,1) =	384.5900	355.7100	330.9300	307.0000
	286.4800	268.0600		
PARAMETER ASSY(55,1) =	251.5000	236.5700	223.1000	210.9500
	199.9800	190.0400		
PARAMETER ASSY(61,1) =	181.7600	173.1900	165.8000	159.0900
	152.9200	114.4100		
PARAMETER ASSY(67,1) =	95.04000	83.37000	75.26000	68.74000
	63.46000	59.05000		
PARAMETER ASSY(73,1) =	55.13000	51.50000	48.39000	45.68000
	43.17000	40.75000		
PARAMETER ASSY(79,1) =	38.61000	36.70000	34.99000	33.43000
	31.95000	21.75000		
PARAMETER ASSY(85,1) =	16.98000	14.51000	13.18000	12.40000
	11.76000	11.34000		
PARAMETER ASSY(91,1) =	10.97000	10.54000	10.16000	9.820000

	9.520000	9.200000		
PARAMETER ASSY(97,1) =	8.920000 7.990000	8.660000	8.420000	8.200000
PARAMETER ASSY(1,0) =	.1000000E-05 .4000000E-01	.1000000E-01 .5000000E-01	.2000000E-01	.3000000E-01
PARAMETER ASSY(7,0) =	.6000000E-01 .1000000	.7000000E-01 .1500000	.8000000E-01	.9000000E-01
PARAMETER ASSY(13,0) =	.2000000 .4000000	.2500000 .4500000	.3000000	.3500000
PARAMETER ASSY(19,0) =	.5000000 .7000000	.5500000 .7500000	.6000000	.6500000
PARAMETER ASSY(25,0) =	.8000000 1.000000	.8500000 1.500000	.9000000	.9500000
PARAMETER ASSY(31,0) =	2.000000 4.000000	2.500000 4.500000	3.000000	3.500000
PARAMETER ASSY(37,0) =	5.000000 7.000000	5.500000 7.500000	6.000000	6.500000
PARAMETER ASSY(43,0) =	8.000000 10.00000	8.500000 15.00000	9.000000	9.500000
PARAMETER ASSY(49,0) =	20.00000 40.00000	25.00000 45.00000	30.00000	35.00000
PARAMETER ASSY(55,0) =	50.00000 70.00000	55.00000 75.00000	60.00000	65.00000
PARAMETER ASSY(61,0) =	80.00000 100.0000	85.00000 150.0000	90.00000	95.00000
PARAMETER ASSY(67,0) =	200.0000 400.0000	250.0000 450.0000	300.0000	350.0000
PARAMETER ASSY(73,0) =	500.0000 700.0000	550.0000 750.0000	600.0000	650.0000
PARAMETER ASSY(79,0) =	800.0000 1000.000	850.0000 1500.000	900.0000	950.0000
PARAMETER ASSY(85,0) =	2000.000 4000.000	2500.000 4500.000	3000.000	3500.000
PARAMETER ASSY(91,0) =	5000.000 7000.000	5500.000 7500.000	6000.000	6500.000
PARAMETER ASSY(97,0) =	8000.000 10000.00	8500.000	9000.000	9500.000

PARAMETER ASSY(0,1) = 1.000000

FACTOR ON VECTOR OPERATION RESULT= .31558E+08
 FACTOR ON FIRST VECTOR PARAMETER = 1.0000
 FACTOR ON SECOND VECTOR PARAMETER= 1.0000
 FACTOR ON THIRD VECTOR PARAMETER = 1.0000

MATRIX COPY RESULT MATRIX= FUEL(1,0)
 INPUT MATRIX= ASSY(1,0)
 INPUT MATRIX SIZE= 101 ROWS BY 2 COLUMNS
 RESULT MATRIX SIZE= 101 ROWS BY 2 COLUMNS

FACTOR ON VECTOR OPERATION RESULT= 6.6412

FACTOR ON FIRST VECTOR PARAMETER = 1.0000
 FACTOR ON SECOND VECTOR PARAMETER= 1.0000
 FACTOR ON THIRD VECTOR PARAMETER = 1.0000

VECTOR PARAMETER OPERATION *VFUN
 FUEL(1) = COPY ASSY(1)
 SCALE FACTORS RESULT= 6.6412 INPUT= 1.0000
 VECTOR LENGTH= 101

PARAMETER FUEL(0,1) = 1.000000

Define new material 14 for SNF effective conductivity
 Density: DENS (kg/m³)
 Conductivity: KXX (W/m/K)
 Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 14 NUM. POINTS= 1
 SLOC= 1 3960.040

PROPERTY TABLE C MAT= 14 NUM. POINTS= 1
 SLOC= 1 274.0000
 Store average effective conductivities

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 25.00000

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
 SLOC= 2 50.00000

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 1
 SLOC= 1 .4617156

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 2
 SLOC= 2 .5036997

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

Construct geometry for Disposal Container

Define center and axis keypoints for waste package
 Also, create placeholder keypoints and lines

(K's 1,2,3,4,5,6,7,8)
(L's 1,2,3,4)

KEYPOINT	1	X,Y,Z=	.000000E+00	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	2	X,Y,Z=	.000000E+00	.000000E+00	1.00000	IN CSYS= 0
KEYPOINT	3	X,Y,Z=	.000000E+00	.000000E+00	1.30000	IN CSYS= 0
KEYPOINT	4	X,Y,Z=	.000000E+00	.000000E+00	1.40000	IN CSYS= 0
KEYPOINT	5	X,Y,Z=	.000000E+00	.000000E+00	1.50000	IN CSYS= 0
KEYPOINT	6	X,Y,Z=	.000000E+00	.000000E+00	1.60000	IN CSYS= 0
KEYPOINT	7	X,Y,Z=	.000000E+00	.000000E+00	1.70000	IN CSYS= 0
KEYPOINT	8	X,Y,Z=	.000000E+00	.000000E+00	1.80000	IN CSYS= 0

LINE CONNECTS KEYPOINTS 3 4
 LINE NO.= 1 KP1= 3 TAN1= .0000 .0000 -1.0000
 KP2= 4 TAN2= .0000 .0000 1.0000

LINE CONNECTS KEYPOINTS 4 5
 LINE NO.= 2 KP1= 4 TAN1= .0000 .0000 -1.0000
 KP2= 5 TAN2= .0000 .0000 1.0000

LINE CONNECTS KEYPOINTS 5 6
 LINE NO.= 3 KP1= 5 TAN1= .0000 .0000 -1.0000
 KP2= 6 TAN2= .0000 .0000 1.0000

LINE CONNECTS KEYPOINTS 6 7
 LINE NO.= 4 KP1= 6 TAN1= .0000 .0000 -1.0000
 KP2= 7 TAN2= .0000 .0000 1.0000

Define disposal container and MPC outer radius
 (K's 9,10,11,12,13,14,15,16,17,18,19,20)
 (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
 (A's 1,2,3,4,5,6)

KEYPOINT	9	X,Y,Z=	.000000E+00	-.765250	.000000E+00	IN CSYS= 0
KEYPOINT	10	X,Y,Z=	.765250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	11	X,Y,Z=	.000000E+00	.765250	.000000E+00	IN CSYS= 0
KEYPOINT	12	X,Y,Z=	.000000E+00	-.665250	.000000E+00	IN CSYS= 0
KEYPOINT	13	X,Y,Z=	.665250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	14	X,Y,Z=	.000000E+00	.665250	.000000E+00	IN CSYS= 0
KEYPOINT	15	X,Y,Z=	.000000E+00	-.645250	.000000E+00	IN CSYS= 0
KEYPOINT	16	X,Y,Z=	.645250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	17	X,Y,Z=	.000000E+00	.645250	.000000E+00	IN CSYS= 0
KEYPOINT	18	X,Y,Z=	.000000E+00	-.630174	.000000E+00	IN CSYS= 0
KEYPOINT	19	X,Y,Z=	.630174	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	20	X,Y,Z=	.000000E+00	.630174	.000000E+00	IN CSYS= 0

LINE CONNECTS KEYPOINTS 10 13
 LINE NO.= 5 KP1= 10 TAN1= 1.0000 .0000 .0000
 KP2= 13 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 13 16
 LINE NO.= 6 KP1= 13 TAN1= 1.0000 .0000 .0000
 KP2= 16 TAN2= -1.0000 .0000 .0000

```

ARC BETWEEN KEYPOINTS      10 AND      9 ORIENTATION KEYPOINT=      1
RADIUS= .76525
LINE NO.=      7 KP1=      10 TAN1=      .0000      1.0000      .0000
                  KP2=      9  TAN2=     -1.0000      .0000      .0000

ARC BETWEEN KEYPOINTS      11 AND     10 ORIENTATION KEYPOINT=      1
RADIUS= .76525
LINE NO.=      8 KP1=      11 TAN1=     -1.0000      .0000      .0000
                  KP2=     10 TAN2=      .0000     -1.0000      .0000

ARC BETWEEN KEYPOINTS      13 AND     12 ORIENTATION KEYPOINT=      1
RADIUS= .66525
LINE NO.=      9 KP1=      13 TAN1=      .0000      1.0000      .0000
                  KP2=     12 TAN2=     -1.0000      .0000      .0000

ARC BETWEEN KEYPOINTS      14 AND     13 ORIENTATION KEYPOINT=      1
RADIUS= .66525
LINE NO.=     10 KP1=      14 TAN1=     -1.0000      .0000      .0000
                  KP2=     13 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      11      14
LINE NO.=     11 KP1=      11 TAN1=      .0000      1.0000      .0000
                  KP2=      14 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      9      12
LINE NO.=     12 KP1=      9  TAN1=      .0000     -1.0000      .0000
                  KP2=     12 TAN2=      .0000      1.0000      .0000

ARC BETWEEN KEYPOINTS      15 AND     16 ORIENTATION KEYPOINT=      1
RADIUS= .64525
LINE NO.=     13 KP1=      15 TAN1=     -1.0000      .0000      .0000
                  KP2=     16 TAN2=      .0000      1.0000      .0000

ARC BETWEEN KEYPOINTS      16 AND     17 ORIENTATION KEYPOINT=      1
RADIUS= .64525
LINE NO.=     14 KP1=      16 TAN1=      .0000     -1.0000      .0000
                  KP2=     17 TAN2=     -1.0000      .0000      .0000

LINE CONNECTS KEYPOINTS      14      17
LINE NO.=     15 KP1=      14 TAN1=      .0000      1.0000      .0000
                  KP2=     17 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      12      15
LINE NO.=     16 KP1=     12 TAN1=      .0000     -1.0000      .0000
                  KP2=     15 TAN2=      .0000      1.0000      .0000

ARC BETWEEN KEYPOINTS      19 AND     18 ORIENTATION KEYPOINT=      1
RADIUS= .63017
LINE NO.=     17 KP1=     19 TAN1=      .0000      1.0000      .0000
                  KP2=     18 TAN2=     -1.0000      .0000      .0000

ARC BETWEEN KEYPOINTS      20 AND     19 ORIENTATION KEYPOINT=      1
RADIUS= .63017
LINE NO.=     18 KP1=     20 TAN1=     -1.0000      .0000      .0000
                  KP2=     19 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      17      20
LINE NO.=     19 KP1=     17 TAN1=      .0000      1.0000      .0000
                  KP2=     20 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      15      18
LINE NO.=     20 KP1=     15 TAN1=      .0000     -1.0000      .0000
                  KP2=     18 TAN2=      .0000      1.0000      .0000

LINE CONNECTS KEYPOINTS      16      19
LINE NO.=     21 KP1=     16 TAN1=      1.0000      .0000      .0000
                  KP2=     19 TAN2=     -1.0000      .0000      .0000

```

DEFINE AREA BY LIST OF LINES

LINE LIST = 5 7 12 9
(TRAVERSED IN SAME DIRECTION AS LINE 5)

AREA NUMBER = 1

DEFINE AREA BY LIST OF LINES
LINE LIST = 11 8 5 10
(TRAVERSED IN SAME DIRECTION AS LINE 11)

AREA NUMBER = 2

DEFINE AREA BY LIST OF LINES
LINE LIST = 6 9 16 13
(TRAVERSED IN SAME DIRECTION AS LINE 6)

AREA NUMBER = 3

DEFINE AREA BY LIST OF LINES
LINE LIST = 15 10 6 14
(TRAVERSED IN SAME DIRECTION AS LINE 15)

AREA NUMBER = 4

DEFINE AREA BY LIST OF LINES
LINE LIST = 21 13 20 17
(TRAVERSED IN SAME DIRECTION AS LINE 21)

AREA NUMBER = 5

DEFINE AREA BY LIST OF LINES
LINE LIST = 19 14 21 18
(TRAVERSED IN SAME DIRECTION AS LINE 19)

AREA NUMBER = 6

Define MPC shell inner edge and area
(K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
(38,39)
(L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
(39,40,41,42)
(A's 7,8)

KEYPOINT	21	X,Y,Z=	.000000E+00	.607949	.000000E+00	IN CSYS= 0
KEYPOINT	22	X,Y,Z=	.404963E-01	.606599	.000000E+00	IN CSYS= 0
KEYPOINT	23	X,Y,Z=	.500213E-01	.605888	.000000E+00	IN CSYS= 0
KEYPOINT	24	X,Y,Z=	.254720	.552014	.000000E+00	IN CSYS= 0
KEYPOINT	25	X,Y,Z=	.288484	.535144	.000000E+00	IN CSYS= 0
KEYPOINT	26	X,Y,Z=	.535144	.288484	.000000E+00	IN CSYS= 0
KEYPOINT	27	X,Y,Z=	.552014	.254720	.000000E+00	IN CSYS= 0
KEYPOINT	28	X,Y,Z=	.605888	.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	29	X,Y,Z=	.606599	.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	30	X,Y,Z=	.607949	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	31	X,Y,Z=	.606599	-.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	32	X,Y,Z=	.605888	-.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	33	X,Y,Z=	.552014	-.254720	.000000E+00	IN CSYS= 0
KEYPOINT	34	X,Y,Z=	.535144	-.288484	.000000E+00	IN CSYS= 0

KEYPOINT	35	X,Y,Z=	.288484	-.535144	.000000E+00	IN CSYS=	0
KEYPOINT	36	X,Y,Z=	.254720	-.552014	.000000E+00	IN CSYS=	0
KEYPOINT	37	X,Y,Z=	.500213E-01	-.605888	.000000E+00	IN CSYS=	0
KEYPOINT	38	X,Y,Z=	.404963E-01	-.606599	.000000E+00	IN CSYS=	0
KEYPOINT	39	X,Y,Z=	.000000E+00	-.607949	.000000E+00	IN CSYS=	0

LINE CONNECTS KEYPOINTS	20	21				
LINE NO.=	22	KP1=	20	TAN1=	.0000	1.0000 .0000
		KP2=	21	TAN2=	.0000	-1.0000 .0000

ARC BETWEEN KEYPOINTS	22	AND	21	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	23	KP1=	22	TAN1=	.9978 -.0666 .0000
		KP2=	21	TAN2=	-1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS	23	AND	22	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	24	KP1=	23	TAN1=	.9966 -.0823 .0000
		KP2=	22	TAN2=	-.9978 .0666 .0000

ARC BETWEEN KEYPOINTS	24	AND	23	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	25	KP1=	24	TAN1=	.9080 -.4190 .0000
		KP2=	23	TAN2=	-.9966 .0823 .0000

ARC BETWEEN KEYPOINTS	25	AND	24	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	26	KP1=	25	TAN1=	.8802 -.4745 .0000
		KP2=	24	TAN2=	-.9080 .4190 .0000

ARC BETWEEN KEYPOINTS	26	AND	25	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	27	KP1=	26	TAN1=	.4745 -.8802 .0000
		KP2=	25	TAN2=	-.8802 .4745 .0000

ARC BETWEEN KEYPOINTS	27	AND	26	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	28	KP1=	27	TAN1=	.4190 -.9080 .0000
		KP2=	26	TAN2=	-.4745 .8802 .0000

ARC BETWEEN KEYPOINTS	28	AND	27	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	29	KP1=	28	TAN1=	.0823 -.9966 .0000
		KP2=	27	TAN2=	-.4190 .9080 .0000

ARC BETWEEN KEYPOINTS	29	AND	28	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	30	KP1=	29	TAN1=	.0666 -.9978 .0000
		KP2=	28	TAN2=	-.0823 .9966 .0000

ARC BETWEEN KEYPOINTS	30	AND	29	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	31	KP1=	30	TAN1=	.0000 -1.0000 .0000
		KP2=	29	TAN2=	-.0666 .9978 .0000

ARC BETWEEN KEYPOINTS	31	AND	30	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	32	KP1=	31	TAN1=	-.0666 -.9978 .0000
		KP2=	30	TAN2=	.0000 1.0000 .0000

ARC BETWEEN KEYPOINTS	32	AND	31	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	33	KP1=	32	TAN1=	-.0823 -.9966 .0000
		KP2=	31	TAN2=	.0666 .9978 .0000

ARC BETWEEN KEYPOINTS	33	AND	32	ORIENTATION KEYPOINT=	1
-----------------------	----	-----	----	-----------------------	---

RADIUS= .60795
 LINE NO.= 34 KP1= 33 TAN1= -.4190 -.9080 .0000
 KP2= 32 TAN2= .0823 .9966 .0000

ARC BETWEEN KEYPOINTS 34 AND 33 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 35 KP1= 34 TAN1= -.4745 -.8802 .0000
 KP2= 33 TAN2= .4190 .9080 .0000

ARC BETWEEN KEYPOINTS 35 AND 34 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 36 KP1= 35 TAN1= -.8802 -.4745 .0000
 KP2= 34 TAN2= .4745 .8802 .0000

ARC BETWEEN KEYPOINTS 36 AND 35 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 37 KP1= 36 TAN1= -.9080 -.4190 .0000
 KP2= 35 TAN2= .8802 .4745 .0000

ARC BETWEEN KEYPOINTS 37 AND 36 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 38 KP1= 37 TAN1= -.9966 -.0823 .0000
 KP2= 36 TAN2= .9080 .4190 .0000

ARC BETWEEN KEYPOINTS 38 AND 37 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 39 KP1= 38 TAN1= -.9978 -.0666 .0000
 KP2= 37 TAN2= .9966 .0823 .0000

ARC BETWEEN KEYPOINTS 39 AND 38 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 40 KP1= 39 TAN1= -1.0000 .0000 .0000
 KP2= 38 TAN2= .9978 .0666 .0000

LINE CONNECTS KEYPOINTS 18 39
 LINE NO.= 41 KP1= 18 TAN1= .0000 -1.0000 .0000
 KP2= 39 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 19 30
 LINE NO.= 42 KP1= 19 TAN1= 1.0000 .0000 .0000
 KP2= 30 TAN2= -1.0000 .0000 .0000

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 32 TO 42 STEP 1

11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 17 TO 17 STEP 1

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES
 LINE LIST = ALL SELECTED LINES
 (TRAVERSED IN SAME DIRECTION AS LINE 17)

AREA NUMBER = 7

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 22 TO 31 STEP 1

10 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 18 TO 18 STEP 1

11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 42 TO 42 STEP 1

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES

LINE LIST = ALL SELECTED LINES
(TRAVERSED IN SAME DIRECTION AS LINE 18)

AREA NUMBER = 8

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 42 STEP 1

42 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

Define tube guides

(K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)

(57,58,59)

(L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)

(60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)

(77,78,79,80)

(A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)

(26)

top

KEYPOINT	40	X,Y,Z=	.500213E-01	.552014	.000000E+00	IN CSYS= 0
KEYPOINT	41	X,Y,Z=	.404963E-01	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	42	X,Y,Z=	.254720	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	43	X,Y,Z=	.278959	.535144	.000000E+00	IN CSYS= 0
KEYPOINT	44	X,Y,Z=	.288484	.288484	.000000E+00	IN CSYS= 0
KEYPOINT	45	X,Y,Z=	.278959	.278959	.000000E+00	IN CSYS= 0
KEYPOINT	46	X,Y,Z=	.535144	.278959	.000000E+00	IN CSYS= 0
		side				
KEYPOINT	47	X,Y,Z=	.542489	.254720	.000000E+00	IN CSYS= 0
KEYPOINT	48	X,Y,Z=	.552014	.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	49	X,Y,Z=	.542489	.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	50	X,Y,Z=	.542489	-.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	51	X,Y,Z=	.552014	-.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	52	X,Y,Z=	.542489	-.254720	.000000E+00	IN CSYS= 0
		bottom				
KEYPOINT	53	X,Y,Z=	.535144	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	54	X,Y,Z=	.278959	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	55	X,Y,Z=	.288484	-.288484	.000000E+00	IN CSYS= 0
KEYPOINT	56	X,Y,Z=	.278959	-.535144	.000000E+00	IN CSYS= 0
KEYPOINT	57	X,Y,Z=	.254720	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	58	X,Y,Z=	.404963E-01	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	59	X,Y,Z=	.500213E-01	-.552014	.000000E+00	IN CSYS= 0
		top				

LINE CONNECTS KEYPOINTS 41 22
LINE NO.= 43 KP1= 41 TAN1= .0000 -1.0000 .0000

	KP2=	22	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		40	41			
LINE NO.= 44	KP1=	40	TAN1=	.7071	.7071	.0000
	KP2=	41	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		40	24			
LINE NO.= 45	KP1=	40	TAN1=	-1.0000	.0000	.0000
	KP2=	24	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		42	41			
LINE NO.= 46	KP1=	42	TAN1=	1.0000	.0000	.0000
	KP2=	41	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		24	42			
LINE NO.= 47	KP1=	24	TAN1=	.0000	1.0000	.0000
	KP2=	42	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		43	25			
LINE NO.= 48	KP1=	43	TAN1=	-1.0000	.0000	.0000
	KP2=	25	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		45	43			
LINE NO.= 49	KP1=	45	TAN1=	.0000	-1.0000	.0000
	KP2=	43	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		25	44			
LINE NO.= 50	KP1=	25	TAN1=	.0000	1.0000	.0000
	KP2=	44	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		44	45			
LINE NO.= 51	KP1=	44	TAN1=	.7071	.7071	.0000
	KP2=	45	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		44	26			
LINE NO.= 52	KP1=	44	TAN1=	-1.0000	.0000	.0000
	KP2=	26	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		46	45			
LINE NO.= 53	KP1=	46	TAN1=	1.0000	.0000	.0000
	KP2=	45	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		26	46			
LINE NO.= 54	KP1=	26	TAN1=	.0000	1.0000	.0000
	KP2=	46	TAN2=	.0000	-1.0000	.0000
side						
LINE CONNECTS KEYPOINTS		47	27			
LINE NO.= 55	KP1=	47	TAN1=	-1.0000	.0000	.0000
	KP2=	27	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		49	47			
LINE NO.= 56	KP1=	49	TAN1=	.0000	-1.0000	.0000
	KP2=	47	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		27	48			
LINE NO.= 57	KP1=	27	TAN1=	.0000	1.0000	.0000
	KP2=	48	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		48	49			
LINE NO.= 58	KP1=	48	TAN1=	.7071	.7071	.0000
	KP2=	49	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		48	28			
LINE NO.= 59	KP1=	48	TAN1=	-1.0000	.0000	.0000
	KP2=	28	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		29	49			
LINE NO.= 60	KP1=	29	TAN1=	1.0000	.0000	.0000
	KP2=	49	TAN2=	-1.0000	.0000	.0000

LINE CONNECTS KEYPOINTS	50	31			
LINE NO.= 61 KP1=	50	TAN1=	-1.0000	.0000	.0000
KP2=	31	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	32	51			
LINE NO.= 62 KP1=	32	TAN1=	1.0000	.0000	.0000
KP2=	51	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	50	51			
LINE NO.= 63 KP1=	50	TAN1=	-.7071	.7071	.0000
KP2=	51	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	52	50			
LINE NO.= 64 KP1=	52	TAN1=	.0000	-1.0000	.0000
KP2=	50	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	51	33			
LINE NO.= 65 KP1=	51	TAN1=	.0000	1.0000	.0000
KP2=	33	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	33	52			
LINE NO.= 66 KP1=	33	TAN1=	1.0000	.0000	.0000
KP2=	52	TAN2=	-1.0000	.0000	.0000
bottom					
LINE CONNECTS KEYPOINTS	53	34			
LINE NO.= 67 KP1=	53	TAN1=	.0000	1.0000	.0000
KP2=	34	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	54	53			
LINE NO.= 68 KP1=	54	TAN1=	-1.0000	.0000	.0000
KP2=	53	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	34	55			
LINE NO.= 69 KP1=	34	TAN1=	1.0000	.0000	.0000
KP2=	55	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	54	55			
LINE NO.= 70 KP1=	54	TAN1=	-.7071	.7071	.0000
KP2=	55	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	56	54			
LINE NO.= 71 KP1=	56	TAN1=	.0000	-1.0000	.0000
KP2=	54	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	55	35			
LINE NO.= 72 KP1=	55	TAN1=	.0000	1.0000	.0000
KP2=	35	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	35	56			
LINE NO.= 73 KP1=	35	TAN1=	1.0000	.0000	.0000
KP2=	56	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	57	36			
LINE NO.= 74 KP1=	57	TAN1=	.0000	1.0000	.0000
KP2=	36	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	58	57			
LINE NO.= 75 KP1=	58	TAN1=	-1.0000	.0000	.0000
KP2=	57	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	36	59			
LINE NO.= 76 KP1=	36	TAN1=	1.0000	.0000	.0000
KP2=	59	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	58	59			
LINE NO.= 77 KP1=	58	TAN1=	-.7071	.7071	.0000
KP2=	59	TAN2=	.7071	-.7071	.0000

LINE CONNECTS KEYPOINTS 38 58
 LINE NO.= 78 KP1= 38 TAN1= .0000 -1.0000 .0000
 KP2= 58 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 59 37
 LINE NO.= 79 KP1= 59 TAN1= .0000 1.0000 .0000
 KP2= 37 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 23 40
 LINE NO.= 80 KP1= 23 TAN1= .0000 1.0000 .0000
 KP2= 40 TAN2= .0000 -1.0000 .0000

air

DEFINE AREA BY LIST OF LINES
 LINE LIST = 80 45 25
 (TRAVERSED IN SAME DIRECTION AS LINE 80)

AREA NUMBER = 9

DEFINE AREA BY LIST OF LINES
 LINE LIST = 50 52 27
 (TRAVERSED IN SAME DIRECTION AS LINE 50)

AREA NUMBER = 10

DEFINE AREA BY LIST OF LINES
 LINE LIST = 57 59 29
 (TRAVERSED IN SAME DIRECTION AS LINE 57)

AREA NUMBER = 11

DEFINE AREA BY LIST OF LINES
 LINE LIST = 62 65 34
 (TRAVERSED IN SAME DIRECTION AS LINE 62)

AREA NUMBER = 12

DEFINE AREA BY LIST OF LINES
 LINE LIST = 69 72 36
 (TRAVERSED IN SAME DIRECTION AS LINE 69)

AREA NUMBER = 13

DEFINE AREA BY LIST OF LINES
 LINE LIST = 76 79 38
 (TRAVERSED IN SAME DIRECTION AS LINE 76)

AREA NUMBER = 14
 guides

DEFINE AREA BY LIST OF LINES
 LINE LIST = 24 43 44 80
 (TRAVERSED IN SAME DIRECTION AS LINE 24)

AREA NUMBER = 15

DEFINE AREA BY LIST OF LINES
 LINE LIST = 45 44 46 47
 (TRAVERSED IN SAME DIRECTION AS LINE 45)

AREA NUMBER = 16

DEFINE AREA BY LIST OF LINES
 LINE LIST = 48 49 51 50
 (TRAVERSED IN SAME DIRECTION AS LINE 48)

AREA NUMBER = 17

DEFINE AREA BY LIST OF LINES
 LINE LIST = 52 51 53 54

```

        (TRAVERSED IN SAME DIRECTION AS LINE      52)

        AREA NUMBER =      18

        DEFINE AREA BY LIST OF LINES
        LINE LIST =      55      56      58      57
        (TRAVERSED IN SAME DIRECTION AS LINE      55)

        AREA NUMBER =      19

        DEFINE AREA BY LIST OF LINES
        LINE LIST =      59      58      60      30
        (TRAVERSED IN SAME DIRECTION AS LINE      59)

        AREA NUMBER =      20

        DEFINE AREA BY LIST OF LINES
        LINE LIST =      61      63      62      33
        (TRAVERSED IN SAME DIRECTION AS LINE      61)

        AREA NUMBER =      21

        DEFINE AREA BY LIST OF LINES
        LINE LIST =      63      64      66      65
        (TRAVERSED IN SAME DIRECTION AS LINE      63)

        AREA NUMBER =      22

        DEFINE AREA BY LIST OF LINES
        LINE LIST =      68      70      69      67
        (TRAVERSED IN SAME DIRECTION AS LINE      68)

        AREA NUMBER =      23

        DEFINE AREA BY LIST OF LINES
        LINE LIST =      70      71      73      72
        (TRAVERSED IN SAME DIRECTION AS LINE      70)

        AREA NUMBER =      24

        DEFINE AREA BY LIST OF LINES
        LINE LIST =      75      77      76      74
        (TRAVERSED IN SAME DIRECTION AS LINE      75)

        AREA NUMBER =      25

        DEFINE AREA BY LIST OF LINES
        LINE LIST =      77      78      39      79
        (TRAVERSED IN SAME DIRECTION AS LINE      77)

        AREA NUMBER =      26
        *****
        Define top half tubes and flux trap plate
        (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
        ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
        ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
        ( 108,109,110,111,112,113,114,115,116,117,118,119)
        ( 120,121,122,123,124,125,126,127,128,129,130,131)
        ( 132,133,134,135,136,137,138,139,140,141,142,143)
        ( 144,145,146,147,148,149,150,151,152,153,154,155)
        ( 156,157,158,159,160,161,162,163,164,165,166,167)
        (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
        ( 98,99,100,101,102,103,104,105,106,107,108,109,110)
        ( 111,112,113,114,115,116,117,118,119,120,121,122)
        ( 123,124,125,126,127,128,129,130,131,132,133,134)
        ( 135,136,137,138,139,140,141,142,143,144,145,146)
        ( 147,...)
        (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
        ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
        ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
    
```

(78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
 (95,96,97,98,99,100,101,102,103)

KEYPOINT	60	X,Y,Z=	.000000E+00	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	61	X,Y,Z=	.000000E+00	.381000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	62	X,Y,Z=	.000000E+00	.138125	.000000E+00	IN CSYS= 0
KEYPOINT	63	X,Y,Z=	.000000E+00	.163525	.000000E+00	IN CSYS= 0
KEYPOINT	64	X,Y,Z=	.000000E+00	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	65	X,Y,Z=	.000000E+00	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	66	X,Y,Z=	.000000E+00	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	67	X,Y,Z=	.000000E+00	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	68	X,Y,Z=	.000000E+00	.406756	.000000E+00	IN CSYS= 0
KEYPOINT	69	X,Y,Z=	.000000E+00	.432156	.000000E+00	IN CSYS= 0
KEYPOINT	70	X,Y,Z=	.000000E+00	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	71	X,Y,Z=	.000000E+00	.561543	.000000E+00	IN CSYS= 0
KEYPOINT	72	X,Y,Z=	.000000E+00	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	73	X,Y,Z=	.127000E-01	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	74	X,Y,Z=	.127000E-01	.381000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	75	X,Y,Z=	.127000E-01	.138125	.000000E+00	IN CSYS= 0
KEYPOINT	76	X,Y,Z=	.127000E-01	.163525	.000000E+00	IN CSYS= 0
KEYPOINT	77	X,Y,Z=	.127000E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	78	X,Y,Z=	.127000E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	79	X,Y,Z=	.127000E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	80	X,Y,Z=	.127000E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	81	X,Y,Z=	.127000E-01	.406756	.000000E+00	IN CSYS= 0
KEYPOINT	82	X,Y,Z=	.127000E-01	.432156	.000000E+00	IN CSYS= 0
KEYPOINT	83	X,Y,Z=	.127000E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	84	X,Y,Z=	.127000E-01	.561543	.000000E+00	IN CSYS= 0
KEYPOINT	85	X,Y,Z=	.127000E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	86	X,Y,Z=	.254000E-01	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	87	X,Y,Z=	.254000E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	88	X,Y,Z=	.254000E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	89	X,Y,Z=	.254000E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	90	X,Y,Z=	.254000E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	91	X,Y,Z=	.254000E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	92	X,Y,Z=	.254000E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	93	X,Y,Z=	.381000E-01	.127000E-01	.000000E+00	IN CSYS= 0

KEYPOINT	94	X,Y,Z=	.317500E-01	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	95	X,Y,Z=	.317500E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	96	X,Y,Z=	.317500E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	97	X,Y,Z=	.317500E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	98	X,Y,Z=	.317500E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	99	X,Y,Z=	.317500E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	100	X,Y,Z=	.317500E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	101	X,Y,Z=	.341376E-01	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	102	X,Y,Z=	.341376E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	103	X,Y,Z=	.341376E-01	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	104	X,Y,Z=	.341376E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	105	X,Y,Z=	.341376E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	106	X,Y,Z=	.341376E-01	.300050	.000000E+00	IN CSYS= 0
KEYPOINT	107	X,Y,Z=	.341376E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	108	X,Y,Z=	.341376E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	109	X,Y,Z=	.341376E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	110	X,Y,Z=	.365252E-01	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	111	X,Y,Z=	.365252E-01	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	112	X,Y,Z=	.365252E-01	.305156	.000000E+00	IN CSYS= 0
KEYPOINT	113	X,Y,Z=	.365252E-01	.533756	.000000E+00	IN CSYS= 0
KEYPOINT	114	X,Y,Z=	.138125	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	115	X,Y,Z=	.163525	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	116	X,Y,Z=	.265125	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	117	X,Y,Z=	.265125	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	118	X,Y,Z=	.265125	.305156	.000000E+00	IN CSYS= 0
KEYPOINT	119	X,Y,Z=	.265125	.533756	.000000E+00	IN CSYS= 0
KEYPOINT	120	X,Y,Z=	.267513	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	121	X,Y,Z=	.267513	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	122	X,Y,Z=	.267513	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	123	X,Y,Z=	.267513	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	124	X,Y,Z=	.267513	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	125	X,Y,Z=	.267513	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	126	X,Y,Z=	.267513	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	127	X,Y,Z=	.270231	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	128	X,Y,Z=	.270231	.270231	.000000E+00	IN CSYS= 0

KEYPOINT	129	X,Y,Z=	.270231	.300050	.000000E+00	IN CSYS= 0
KEYPOINT	130	X,Y,Z=	.270231	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	131	X,Y,Z=	.272618	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	132	X,Y,Z=	.272618	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	133	X,Y,Z=	.272618	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	134	X,Y,Z=	.272618	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	135	X,Y,Z=	.272618	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	136	X,Y,Z=	.272618	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	137	X,Y,Z=	.272618	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	138	X,Y,Z=	.297663	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	139	X,Y,Z=	.297663	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	140	X,Y,Z=	.297663	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	141	X,Y,Z=	.297663	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	142	X,Y,Z=	.297663	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	143	X,Y,Z=	.300050	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	144	X,Y,Z=	.300050	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	145	X,Y,Z=	.302768	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	146	X,Y,Z=	.302768	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	147	X,Y,Z=	.302768	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	148	X,Y,Z=	.302768	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	149	X,Y,Z=	.302768	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	150	X,Y,Z=	.305156	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	151	X,Y,Z=	.305156	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	152	X,Y,Z=	.406756	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	153	X,Y,Z=	.432156	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	154	X,Y,Z=	.533756	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	155	X,Y,Z=	.533756	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	156	X,Y,Z=	.536143	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	157	X,Y,Z=	.536143	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	158	X,Y,Z=	.536143	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	159	X,Y,Z=	.536143	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	160	X,Y,Z=	.536143	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	161	X,Y,Z=	.536143	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	162	X,Y,Z=	.536143	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	163	X,Y,Z=	.561543	.127000E-01	.000000E+00	IN CSYS= 0

KEYPOINT 164 X,Y,Z= .601066 .127000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 165 X,Y,Z= .601066 .254000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 166 X,Y,Z= .601066 .317500E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 167 X,Y,Z= .601066 .341376E-01 .000000E+00 IN CSYS= 0
 create lines on perimeter and for lesize

LINE CONNECTS KEYPOINTS 73 60
 LINE NO.= 81 KP1= 73 TAN1= 1.0000 .0000 .0000
 KP2= 60 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 73 74
 LINE NO.= 82 KP1= 73 TAN1= .0000 -1.0000 .0000
 KP2= 74 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 61 74
 LINE NO.= 83 KP1= 61 TAN1= -1.0000 .0000 .0000
 KP2= 74 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 74 75
 LINE NO.= 84 KP1= 74 TAN1= .0000 -1.0000 .0000
 KP2= 75 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 75 62
 LINE NO.= 85 KP1= 75 TAN1= 1.0000 .0000 .0000
 KP2= 62 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 75 76
 LINE NO.= 86 KP1= 75 TAN1= .0000 -1.0000 .0000
 KP2= 76 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 63 76
 LINE NO.= 87 KP1= 63 TAN1= -1.0000 .0000 .0000
 KP2= 76 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 76 77
 LINE NO.= 88 KP1= 76 TAN1= .0000 -1.0000 .0000
 KP2= 77 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 77 78
 LINE NO.= 89 KP1= 77 TAN1= .0000 -1.0000 .0000
 KP2= 78 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 78 65
 LINE NO.= 90 KP1= 78 TAN1= 1.0000 .0000 .0000
 KP2= 65 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 78 79
 LINE NO.= 91 KP1= 78 TAN1= .0000 -1.0000 .0000
 KP2= 79 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 66 79
 LINE NO.= 92 KP1= 66 TAN1= -1.0000 .0000 .0000
 KP2= 79 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 79 80
 LINE NO.= 93 KP1= 79 TAN1= .0000 -1.0000 .0000
 KP2= 80 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 80 81
 LINE NO.= 94 KP1= 80 TAN1= .0000 -1.0000 .0000
 KP2= 81 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 81 68
 LINE NO.= 95 KP1= 81 TAN1= 1.0000 .0000 .0000
 KP2= 68 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS		81	82			
LINE NO.=	96	KP1=	81	TAN1=	.0000	-1.0000 .0000
		KP2=	82	TAN2=	.0000	1.0000 .0000
LINE CONNECTS KEYPOINTS		69	82			
LINE NO.=	97	KP1=	69	TAN1=	-1.0000	.0000 .0000
		KP2=	82	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		82	83			
LINE NO.=	98	KP1=	82	TAN1=	.0000	-1.0000 .0000
		KP2=	83	TAN2=	.0000	1.0000 .0000
LINE CONNECTS KEYPOINTS		83	70			
LINE NO.=	99	KP1=	83	TAN1=	1.0000	.0000 .0000
		KP2=	70	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		83	84			
LINE NO.=	100	KP1=	83	TAN1=	.0000	-1.0000 .0000
		KP2=	84	TAN2=	.0000	1.0000 .0000
LINE CONNECTS KEYPOINTS		71	84			
LINE NO.=	101	KP1=	71	TAN1=	-1.0000	.0000 .0000
		KP2=	84	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		84	85			
LINE NO.=	102	KP1=	84	TAN1=	.0000	-1.0000 .0000
		KP2=	85	TAN2=	.0000	1.0000 .0000
LINE CONNECTS KEYPOINTS		85	92			
LINE NO.=	103	KP1=	85	TAN1=	-1.0000	.0000 .0000
		KP2=	92	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		92	100			
LINE NO.=	104	KP1=	92	TAN1=	-1.0000	.0000 .0000
		KP2=	100	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		100	109			
LINE NO.=	105	KP1=	100	TAN1=	-1.0000	.0000 .0000
		KP2=	109	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		109	108			
LINE NO.=	106	KP1=	109	TAN1=	.0000	1.0000 .0000
		KP2=	108	TAN2=	.0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS		108	126			
LINE NO.=	107	KP1=	108	TAN1=	-1.0000	.0000 .0000
		KP2=	126	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		126	130			
LINE NO.=	108	KP1=	126	TAN1=	-1.0000	.0000 .0000
		KP2=	130	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		130	137			
LINE NO.=	109	KP1=	130	TAN1=	-1.0000	.0000 .0000
		KP2=	137	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		137	136			
LINE NO.=	110	KP1=	137	TAN1=	.0000	1.0000 .0000
		KP2=	136	TAN2=	.0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS		136	105			
LINE NO.=	111	KP1=	136	TAN1=	1.0000	.0000 .0000
		KP2=	105	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		112	107			
LINE NO.=	112	KP1=	112	TAN1=	.7071	.7071 .0000
		KP2=	107	TAN2=	-.7071	-.7071 .0000
LINE CONNECTS KEYPOINTS		107	106			
LINE NO.=	113	KP1=	107	TAN1=	.0000	1.0000 .0000

	KP2=	106	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		106	105			
LINE NO.= 114	KP1=	106	TAN1=	.0000	1.0000	.0000
	KP2=	105	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		105	104			
LINE NO.= 115	KP1=	105	TAN1=	.0000	1.0000	.0000
	KP2=	104	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		104	103			
LINE NO.= 116	KP1=	104	TAN1=	.0000	1.0000	.0000
	KP2=	103	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		103	102			
LINE NO.= 117	KP1=	103	TAN1=	.0000	1.0000	.0000
	KP2=	102	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		102	111			
LINE NO.= 118	KP1=	102	TAN1=	-.7071	.7071	.0000
	KP2=	111	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		104	135			
LINE NO.= 119	KP1=	104	TAN1=	-1.0000	.0000	.0000
	KP2=	135	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		135	134			
LINE NO.= 120	KP1=	135	TAN1=	.0000	1.0000	.0000
	KP2=	134	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		123	127			
LINE NO.= 121	KP1=	123	TAN1=	-1.0000	.0000	.0000
	KP2=	127	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		127	134			
LINE NO.= 122	KP1=	127	TAN1=	-1.0000	.0000	.0000
	KP2=	134	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		134	141			
LINE NO.= 123	KP1=	134	TAN1=	-1.0000	.0000	.0000
	KP2=	141	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		141	143			
LINE NO.= 124	KP1=	141	TAN1=	-1.0000	.0000	.0000
	KP2=	143	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		143	148			
LINE NO.= 125	KP1=	143	TAN1=	-1.0000	.0000	.0000
	KP2=	148	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		148	150			
LINE NO.= 126	KP1=	148	TAN1=	-.7071	-.7071	.0000
	KP2=	150	TAN2=	.7071	.7071	.0000
LINE CONNECTS KEYPOINTS		141	142			
LINE NO.= 127	KP1=	141	TAN1=	.0000	-1.0000	.0000
	KP2=	142	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		142	162			
LINE NO.= 128	KP1=	142	TAN1=	-1.0000	.0000	.0000
	KP2=	162	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		162	161			
LINE NO.= 129	KP1=	162	TAN1=	.0000	1.0000	.0000
	KP2=	161	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		161	160			
LINE NO.= 130	KP1=	161	TAN1=	.0000	1.0000	.0000
	KP2=	160	TAN2=	.0000	-1.0000	.0000

LINE CONNECTS KEYPOINTS	160	159			
LINE NO.= 131 KP1=	160	TAN1=	.0000	1.0000	.0000
KP2=	159	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	159	167			
LINE NO.= 132 KP1=	159	TAN1=	-1.0000	.0000	.0000
KP2=	167	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	167	166			
LINE NO.= 133 KP1=	167	TAN1=	.0000	1.0000	.0000
KP2=	166	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	166	165			
LINE NO.= 134 KP1=	166	TAN1=	.0000	1.0000	.0000
KP2=	165	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	165	164			
LINE NO.= 135 KP1=	165	TAN1=	.0000	1.0000	.0000
KP2=	164	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	164	163			
LINE NO.= 136 KP1=	164	TAN1=	1.0000	.0000	.0000
KP2=	163	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	163	156			
LINE NO.= 137 KP1=	163	TAN1=	1.0000	.0000	.0000
KP2=	156	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	156	153			
LINE NO.= 138 KP1=	156	TAN1=	1.0000	.0000	.0000
KP2=	153	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	153	152			
LINE NO.= 139 KP1=	153	TAN1=	1.0000	.0000	.0000
KP2=	152	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	152	145			
LINE NO.= 140 KP1=	152	TAN1=	1.0000	.0000	.0000
KP2=	145	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	145	138			
LINE NO.= 141 KP1=	145	TAN1=	1.0000	.0000	.0000
KP2=	138	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	138	131			
LINE NO.= 142 KP1=	138	TAN1=	1.0000	.0000	.0000
KP2=	131	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	131	120			
LINE NO.= 143 KP1=	131	TAN1=	1.0000	.0000	.0000
KP2=	120	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	120	115			
LINE NO.= 144 KP1=	120	TAN1=	1.0000	.0000	.0000
KP2=	115	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	115	114			
LINE NO.= 145 KP1=	115	TAN1=	1.0000	.0000	.0000
KP2=	114	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	114	93			
LINE NO.= 146 KP1=	114	TAN1=	1.0000	.0000	.0000
KP2=	93	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	93	73			
LINE NO.= 147 KP1=	93	TAN1=	1.0000	.0000	.0000
KP2=	73	TAN2=	-1.0000	.0000	.0000

tube spacers

DEFINE AREA BY LIST OF KEYPOINTS

```
KEYPOINT LIST = 71 84 83 70
AREA NUMBER = 27
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 69 82 81 68
AREA NUMBER = 28
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 66 79 78 65
AREA NUMBER = 29
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 63 76 75 62
AREA NUMBER = 30
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 61 74 73 60
AREA NUMBER = 31
flux trap plate (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 85 92 91 83 84
AREA NUMBER = 32
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 83 91 90 80 81 82
AREA NUMBER = 33
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 80 90 89 79
AREA NUMBER = 34
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 79 89 88 78
AREA NUMBER = 35
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 78 88 87 77
AREA NUMBER = 36
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 77 87 86 73 74 75 76
AREA NUMBER = 37
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 86 121 120 115 114 93 73
AREA NUMBER = 38
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 121 132 131 120
AREA NUMBER = 39
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 132 139 138 131
AREA NUMBER = 40
```

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 139 146 145 138

AREA NUMBER = 41

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 146 157 156 153 152 145

AREA NUMBER = 42

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 157 165 164 163 156

AREA NUMBER = 43
flux trap plate (Al/boron)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 92 100 99 91

AREA NUMBER = 44

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 91 99 98 90

AREA NUMBER = 45

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 90 98 97 89

AREA NUMBER = 46

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 89 97 96 88

AREA NUMBER = 47

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 88 96 95 87

AREA NUMBER = 48

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 87 95 94 86

AREA NUMBER = 49

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 94 122 121 86

AREA NUMBER = 50

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 122 133 132 121

AREA NUMBER = 51

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 133 140 139 132

AREA NUMBER = 52

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 140 147 146 139

AREA NUMBER = 53

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 147 158 157 146

AREA NUMBER = 54

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 158 166 165 157

AREA NUMBER = 55
flux trap plate (sheath)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 100 109 108 99

AREA NUMBER = 56

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 99 108 107 98

AREA NUMBER = 57

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 98 107 106 105 97

AREA NUMBER = 58

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 97 105 104 96

AREA NUMBER = 59

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 96 104 103 102 95

AREA NUMBER = 60

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 95 102 101 94

AREA NUMBER = 61

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 101 123 122 94

AREA NUMBER = 62

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 123 127 134 133 122

AREA NUMBER = 63

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 134 141 140 133

AREA NUMBER = 64

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 141 143 148 147 140

AREA NUMBER = 65

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 148 159 158 147

AREA NUMBER = 66

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 159 167 166 158

AREA NUMBER = 67
tube (sheath)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 130 137 136 129

```
AREA NUMBER = 68
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 106 129 136 105
AREA NUMBER = 69
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 104 135 128 103
AREA NUMBER = 70
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 128 135 134 127
AREA NUMBER = 71
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 144 143 141
AREA NUMBER = 72
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 162 161 144
AREA NUMBER = 73
tube (Al/boron)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 126 130 129 125
AREA NUMBER = 74
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 107 125 129 106
AREA NUMBER = 75
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 103 128 124 102
AREA NUMBER = 76
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 124 128 127 123
AREA NUMBER = 77
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 149 148 143
AREA NUMBER = 78
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 161 160 149
AREA NUMBER = 79
tube (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 113 112 107
AREA NUMBER = 80
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 126 119 113
AREA NUMBER = 81
```

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 119 126 125 118

AREA NUMBER = 82

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 112 118 125 107

AREA NUMBER = 83

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 102 111 110 101

AREA NUMBER = 84

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 102 124 117 111

AREA NUMBER = 85

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 117 124 123 116

AREA NUMBER = 86

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 110 116 123 101

AREA NUMBER = 87

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 149 151 150 148

AREA NUMBER = 88

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 149 160 155 151

AREA NUMBER = 89

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 155 160 159 154

AREA NUMBER = 90

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 150 154 159 148

AREA NUMBER = 91

homogeneous assembly

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 113 119 118 112

AREA NUMBER = 92

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 111 117 116 110

AREA NUMBER = 93

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 151 155 154 150

AREA NUMBER = 94

helium spaces

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 72 85 84 71

```
AREA NUMBER = 95
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 70 83 82 69

AREA NUMBER = 96
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 68 81 80 67

AREA NUMBER = 97
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 67 80 79 66

AREA NUMBER = 98
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 65 78 77 64

AREA NUMBER = 99
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 64 77 76 63

AREA NUMBER = 100
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 62 75 74 61

AREA NUMBER = 101
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 105 136 135 104

AREA NUMBER = 102
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 135 142 141 134

AREA NUMBER = 103

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03
*****
Set element shapes and sizes for tubes and flux trap
14x14 mesh in fuel with 1
division per tube layer

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

DEFAULT ELEMENT DIVISIONS PER LINE = 1

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 81 TO 87 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 90 TO 92 STEP 2

6 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 95 TO 101 STEP 2

10 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 2, SPACING RATIO = 1.000
```


SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 107 TO 107 STEP 1
1 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 110 TO 111 STEP 1
3 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 119 TO 120 STEP 1
5 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 127 TO 128 STEP 1
7 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 131 TO 131 STEP 1
8 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 14, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 264 STEP 1
264 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 82 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 84 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 86 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 88 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 89 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 91 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 93 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 94 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 96 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 98 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 100 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 102 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

```

SET DIVISIONS ON LINE 103 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 104 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 136 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 137 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 138 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 139 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 140 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 141 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 142 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 143 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 144 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 145 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 146 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 147 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000
  concatenate lines for mapped meshing
  (L's 265,266,267,268,269,270,271,272,273,274)

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    82 TO      88 STEP      2

```

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

```

CONCATENATE LINES
  LINE LIST = ALL SELECTED LINES

```

```

COMPOSITE LINE NO.= 265 KP1= 73 KP2= 77

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    94 TO      98 STEP      2

```

3 LINES (OF 265 DEFINED) SELECTED BY LSEL COMMAND.

```

CONCATENATE LINES
  LINE LIST = ALL SELECTED LINES

```

```

COMPOSITE LINE NO.= 266 KP1= 80 KP2= 83

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    100 TO     102 STEP      2

```

2 LINES (OF 266 DEFINED) SELECTED BY LSEL COMMAND.

```

CONCATENATE LINES

```

```
LINE LIST = ALL SELECTED LINES
COMPOSITE LINE NO.= 267 KP1= 83 KP2= 85
SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    113 TO 114 STEP 1
2 LINES (OF 267 DEFINED) SELECTED BY LSEL COMMAND.
CONCATENATE LINES
LINE LIST = ALL SELECTED LINES
COMPOSITE LINE NO.= 268 KP1= 107 KP2= 105
SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    116 TO 117 STEP 1
2 LINES (OF 268 DEFINED) SELECTED BY LSEL COMMAND.
CONCATENATE LINES
LINE LIST = ALL SELECTED LINES
COMPOSITE LINE NO.= 269 KP1= 104 KP2= 102
SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    121 TO 122 STEP 1
2 LINES (OF 269 DEFINED) SELECTED BY LSEL COMMAND.
CONCATENATE LINES
LINE LIST = ALL SELECTED LINES
COMPOSITE LINE NO.= 270 KP1= 123 KP2= 134
SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    124 TO 125 STEP 1
2 LINES (OF 270 DEFINED) SELECTED BY LSEL COMMAND.
CONCATENATE LINES
LINE LIST = ALL SELECTED LINES
COMPOSITE LINE NO.= 271 KP1= 141 KP2= 148
SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    136 TO 137 STEP 1
2 LINES (OF 271 DEFINED) SELECTED BY LSEL COMMAND.
CONCATENATE LINES
LINE LIST = ALL SELECTED LINES
COMPOSITE LINE NO.= 272 KP1= 164 KP2= 156
SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    138 TO 140 STEP 1
3 LINES (OF 272 DEFINED) SELECTED BY LSEL COMMAND.
CONCATENATE LINES
LINE LIST = ALL SELECTED LINES
COMPOSITE LINE NO.= 273 KP1= 156 KP2= 145
SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    144 TO 147 STEP 1
4 LINES (OF 273 DEFINED) SELECTED BY LSEL COMMAND.
CONCATENATE LINES
```

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 274 KP1= 120 KP2= 73

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 274 STEP 1

274 LINES (OF 274 DEFINED) SELECTED BY LSEL COMMAND.

Mesh areas

first flux trap plate, then tubes

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 27 TO 43 IN STEPS OF 1

*** WARNING *** CP= 6.580 TIME= 16:10:21
Meshing of area 32 produced 6 poorly shaped elements.

*** NOTE *** CP= 6.580 TIME= 16:10:21
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
38 39 44 45 50 51

*** WARNING *** CP= 6.650 TIME= 16:10:21
Meshing of area 33 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.650 TIME= 16:10:21
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
58 59 60 63 64 65 72 73 74 77
78 79 86 87 88 91 92 93

*** WARNING *** CP= 6.780 TIME= 16:10:22
Meshing of area 37 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.780 TIME= 16:10:22
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
125 129 130 132 133 134 139 143 144 146
147 148 153 157 158 160 161 162

*** WARNING *** CP= 6.850 TIME= 16:10:22
Meshing of area 38 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.860 TIME= 16:10:22
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
163 164 165 166 167 168 169 170 171 175
176 177 178 179 180 190 191 192

*** WARNING *** CP= 6.990 TIME= 16:10:22
Meshing of area 42 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.990 TIME= 16:10:22
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
238 239 240 241 242 243 244 245 246 253
254 255 256 257 258 259 260 261

*** WARNING *** CP= 7.030 TIME= 16:10:22
Meshing of area 43 produced 6 poorly shaped elements.

*** NOTE *** CP= 7.030 TIME= 16:10:22
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
280 281 282 283 284 285

NUMBER OF AREAS MESHED = 17
MAXIMUM NODE NUMBER = 386
MAXIMUM ELEMENT NUMBER = 288

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 44 TO 55 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 556
MAXIMUM ELEMENT NUMBER = 456

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 56 TO 73 IN STEPS OF 1

NUMBER OF AREAS MESHED = 18
MAXIMUM NODE NUMBER = 807
MAXIMUM ELEMENT NUMBER = 624

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 74 TO 79 IN STEPS OF 1

NUMBER OF AREAS MESHED = 6
MAXIMUM NODE NUMBER = 890
MAXIMUM ELEMENT NUMBER = 708

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 80 TO 91 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 1084
MAXIMUM ELEMENT NUMBER = 876

MATERIAL NUMBER SET TO 14

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 92 TO 94 IN STEPS OF 1

NUMBER OF AREAS MESHED = 3
MAXIMUM NODE NUMBER = 1591
MAXIMUM ELEMENT NUMBER = 1464

Delete concatenated lines
(L's freed up 265,266,267,268,269,270,271,272,273,274)

DELETE SELECTED LINES FROM 265 TO 274 BY 1

DELETED 10 LINES

Copy tube mesh and connect top and bottom

SYMMETRY TRANSFORMATION OF AREAS USING COMPONENT Y
SET IS FROM 27 TO 103 IN STEPS OF 1

MAXIMUM NODE NUMBER = 3182
MAXIMUM ELEMENT NUMBER = 2928
flux trap plate spacers
(L's 449,450,451,452,453,454,455,456,457,458)
(A's 181,182,183,184,185)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 186 73 93 202

AREA NUMBER = 181

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 201 114 115 200

AREA NUMBER = 182

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 204 131 138 206

AREA NUMBER = 183

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 212 152 153 211

AREA NUMBER = 184

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 210 156 163 215

AREA NUMBER = 185
flux trap plate helium gaps
(A's 186,187,188,189,190,191,192,193)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 187 60 73 186

AREA NUMBER = 186

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 202 93 114 201

AREA NUMBER = 187

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 200 115 120 199

AREA NUMBER = 188

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 199 120 131 204

AREA NUMBER = 189

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 206 138 145 208

AREA NUMBER = 190

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 208 145 152 212

AREA NUMBER = 191

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 211 153 156 210

AREA NUMBER = 192

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 215 163 164 214

AREA NUMBER = 193

tube/guide heluim gaps (flats)

(A's 194,195,196,197,198,199,200,201,202,203,204,205)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 109 22 41 108

AREA NUMBER = 194

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 108 41 42 126

AREA NUMBER = 195

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 137 43 45 136

AREA NUMBER = 196

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 142 45 46 162

AREA NUMBER = 197

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 160 47 49 159

AREA NUMBER = 198

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 49 29 167 159

AREA NUMBER = 199

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 244 245 31 50

AREA NUMBER = 200

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 244 50 52 260

AREA NUMBER = 201

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 254 53 54 252

AREA NUMBER = 202

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 248 54 56 247

AREA NUMBER = 203

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 57 58 230

AREA NUMBER = 204

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 230 58 38 229

AREA NUMBER = 205
tube/guide helium gaps (corners)
(A's 206,207,208,209,210,211,212,213,214,215,216,217)
(218)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 21 85 72

AREA NUMBER = 206

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 21 22 109 100 92 85

AREA NUMBER = 207

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 24 25 43 137 130 126 42

AREA NUMBER = 208

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 136 45 142 135

AREA NUMBER = 209

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 26 27 47 160 161 162 46

AREA NUMBER = 210

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 167 29 30 164 165 166

AREA NUMBER = 211

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 164 30 214

AREA NUMBER = 212

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 214 30 31 245 228 213

AREA NUMBER = 213

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 52 33 34 53 254 255 260

AREA NUMBER = 214

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 250 252 54 248

AREA NUMBER = 215

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 256 246 247 56 35 36 57

AREA NUMBER = 216

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 188 189 216 229 38 39

AREA NUMBER = 217

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 273 188 39

AREA NUMBER = 218
mesh flux trap plate spacers

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 449 TO 458 STEP 1

10 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 4, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 488 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 181 TO 185 IN STEPS OF 1

NUMBER OF AREAS MESHED = 5
MAXIMUM NODE NUMBER = 3251
MAXIMUM ELEMENT NUMBER = 3000

MERGE COINCIDENT NODES WITHIN TOLERANCE OF .10000E-03

*** NOTE *** CP= 15.490 TIME= 16:10:31
Zero nodes were merged.

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Create mesh in MPC shell and disposal container
Tube guides

DEFAULT ELEMENT DIVISIONS PER LINE = 2

SET DIVISIONS ON LINE 43 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 46 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 49 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 53 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 56 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 60 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 61 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 64 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 68 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 71 (IF SELECTED AND UNMESHED)

```

    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 75 (IF SELECTED AND UNMESHED)
    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 78 (IF SELECTED AND UNMESHED)
    TO NDIV = 6, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
    IN AREAS 15 TO 26 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 3677
MAXIMUM ELEMENT NUMBER = 3272
    MPC shell
    (L's 489.490)

SET DIVISIONS ON LINE 23 (IF SELECTED AND UNMESHED)
    TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 25 (IF SELECTED AND UNMESHED)
    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 26 (IF SELECTED AND UNMESHED)
    TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 27 (IF SELECTED AND UNMESHED)
    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 28 (IF SELECTED AND UNMESHED)
    TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 29 (IF SELECTED AND UNMESHED)
    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 31 (IF SELECTED AND UNMESHED)
    TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 32 (IF SELECTED AND UNMESHED)
    TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 34 (IF SELECTED AND UNMESHED)
    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 35 (IF SELECTED AND UNMESHED)
    TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 36 (IF SELECTED AND UNMESHED)
    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 37 (IF SELECTED AND UNMESHED)
    TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 38 (IF SELECTED AND UNMESHED)
    TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 40 (IF SELECTED AND UNMESHED)
    TO NDIV = 2, SPACING RATIO = 1.000

SELECT FOR ITEM=LINE COMPONENT=
    IN RANGE 23 TO 31 STEP 1

    9 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
    LINE LIST = ALL SELECTED LINES

```

COMPOSITE LINE NO.= 489 KP1= 21 KP2= 30

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 32 TO 40 STEP 1

9 LINES (OF 489 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 490 KP1= 30 KP2= 39

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

490 LINES (OF 490 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 17 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 18 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 22 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 41 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 7 TO 8 IN STEPS OF 1

*** WARNING *** CP= 17.150 TIME= 16:10:33
Meshing of area 7 produced 112 poorly shaped elements.

*** NOTE *** CP= 17.150 TIME= 16:10:33
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3292	3293	3294	3295	3296	3297	3298	3299	3300	3301
3302	3303	3304	3305	3306	3307	3308	3309	3310	3311
3312	3313	3314	3315	3316	3317	3318	3319	3320	3321
3322	3323	3324	3325	3326	3327	3328	3329	3330	3331
3332	3333	3334	3335	3336	3337	3338	3339	3340	3341
3342	3343	3344	3345	3346	3347	3348	3349	3350	3351
3352	3353	3354	3355	3356	3357	3358	3359	3360	3361
3362	3363	3364	3365	3366	3367	3368	3369	3370	3371
3372	3373	3374	3375	3376	3377	3378	3379	3380	3381
3382	3383	3384	3385	3386	3387	3388	3389	3390	3391
3392	3393	3394	3395	3396	3397	3398	3399	3400	3401
3402	3403	3404	3405	3406	3407	3408	3409	3410	3411

*** LIST TERMINATED AFTER 100 ***

*** WARNING *** CP= 17.730 TIME= 16:10:33
Meshing of area 8 produced 112 poorly shaped elements.

*** NOTE *** CP= 17.730 TIME= 16:10:33
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3460	3461	3462	3463	3464	3465	3466	3467	3468	3469
3470	3471	3472	3473	3474	3475	3476	3477	3478	3479
3480	3481	3482	3483	3484	3485	3486	3487	3488	3489
3490	3491	3492	3493	3494	3495	3496	3497	3498	3499
3500	3501	3502	3503	3504	3505	3506	3507	3508	3509
3510	3511	3512	3513	3514	3515	3516	3517	3518	3519
3520	3521	3522	3523	3524	3525	3526	3527	3528	3529
3530	3531	3532	3533	3534	3535	3536	3537	3538	3539
3540	3541	3542	3543	3544	3545	3546	3547	3548	3549

3538 3539 3540 3541 3542 3543 3544 3545 3546 3547
 3548 3549 3550 3551 3552 3553 3554 3555 3556 3557
 3558 3559 3560 3561 3562 3563 3564 3565 3566 3567
 3568 3569 3570 3571 3572 3573 3574 3575 3576 3577
 *** LIST TERMINATED AFTER 100 ***

NUMBER OF AREAS MESHED = 2
 MAXIMUM NODE NUMBER = 4109
 MAXIMUM ELEMENT NUMBER = 3608
 Assume vacuum between shell and inner barrier

SET DIVISIONS ON LINE 13 (IF SELECTED AND UNMESHED)
 TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 14 (IF SELECTED AND UNMESHED)
 TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 19 (IF SELECTED AND UNMESHED)
 TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 20 (IF SELECTED AND UNMESHED)
 TO NDIV = 2, SPACING RATIO = 1.000

No MAT,7,
 No TYPE,1,
 No AMESH,5,6,1,
 Delete concatenated lines
 (L's freed up 489,490)

DELETE SELECTED LINES FROM 489 TO 490 BY 1

DELETED 2 LINES
 Inner and outer barrier

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 7 TO 10 STEP 1

4 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
 TO NDIV = 56, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 6 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 15 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 16 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 5 (IF SELECTED AND UNMESHED)
 TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 11 (IF SELECTED AND UNMESHED)
 TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 12 (IF SELECTED AND UNMESHED)
 TO NDIV = 5, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS

```

      IN AREAS      3 TO      4 IN STEPS OF      1

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER      =      4561
MAXIMUM ELEMENT NUMBER      =      3944

MATERIAL NUMBER SET TO      3

ELEMENT TYPE SET TO      1

GENERATE NODES AND ELEMENTS
      IN AREAS      1 TO      2 IN STEPS OF      1

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER      =      5126
MAXIMUM ELEMENT NUMBER      =      4504
      Empty basket spaces

DEFAULT ELEMENT DIVISIONS PER LINE BASED ON ELEMENT SIZE = .100

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
      PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
      OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO      7

ELEMENT TYPE SET TO      1

GENERATE NODES AND ELEMENTS
      IN AREAS      9 TO      14 IN STEPS OF      1
** AREA      9 MESHED WITH      40 QUADRILATERALS,      10 TRIANGLES **
** AREA     11 MESHED WITH      41 QUADRILATERALS,      10 TRIANGLES **
** AREA     12 MESHED WITH      40 QUADRILATERALS,      10 TRIANGLES **
** AREA     14 MESHED WITH      41 QUADRILATERALS,      10 TRIANGLES **

NUMBER OF AREAS MESHED      =      6
MAXIMUM NODE NUMBER      =      5498
MAXIMUM ELEMENT NUMBER      =      5000
*****
      Define mesh and radiation surface elements
      Tube/guides gap

SELECT      FOR ITEM=LOC COMPONENT=X      BETWEEN .00000E+00 AND .00000E+00
KABS= 0. TOLERANCE= .100000E-05

      39 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      7 TO      8 STEP      1

      41 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE     13 TO     14 STEP      1

      43 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE     17 TO     18 STEP      1

      45 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

UNSELECT      ONLY NODES INTERIOR TO SELECTED LINE SET.

      5126 NODES (OF 5498 DEFINED) SELECTED FROM
      45 SELECTED LINES BY NSLL COMMAND.

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      1 TO     490 STEP      1

```

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 7

GENERATE ELEMENTS ON SURFACE DEFINED BY SELECTED NODES
TYPE= 7 REAL= 1 MATERIAL= 1 ESYS= 0

NUMBER OF ELEMENTS GENERATED= 644

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5498 STEP 1

5498 NODES (OF 5498 DEFINED) SELECTED BY NSEL COMMAND.
Basket spaces

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 17

GENERATE NODES AND ELEMENTS
ON LINES 25 TO 29 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5686

GENERATE NODES AND ELEMENTS
ON LINES 34 TO 38 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5728

GENERATE NODES AND ELEMENTS
ON LINES 80 TO 80 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5734

GENERATE NODES AND ELEMENTS
ON LINES 45 TO 45 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5748

GENERATE NODES AND ELEMENTS
ON LINES 50 TO 52 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5776

GENERATE NODES AND ELEMENTS
ON LINES 57 TO 59 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5796

GENERATE NODES AND ELEMENTS
ON LINES 62 TO 65 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5816

GENERATE NODES AND ELEMENTS
ON LINES 69 TO 72 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5844

GENERATE NODES AND ELEMENTS
ON LINES 76 TO 79 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5864
MPC shell/inner barrier gap

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 17 TO 18 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5976

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 13 TO 14 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 6088

Create mesh in helium spaces

DEFAULT ELEMENT DIVISIONS PER LINE = 2

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 95 TO 103 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5622
MAXIMUM ELEMENT NUMBER = 6248

GENERATE NODES AND ELEMENTS
IN AREAS 172 TO 180 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5746
MAXIMUM ELEMENT NUMBER = 6408

GENERATE NODES AND ELEMENTS
IN AREAS 186 TO 205 IN STEPS OF 1

*** WARNING *** CP= 23.590 TIME= 16:10:40
Area 195 has a corner angle of 154 degrees. This is not recommended
for quadrilateral elements.

*** WARNING *** CP= 23.640 TIME= 16:10:40

Meshing of area 195 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.640 TIME= 16:10:40
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6534 6535 6536 6537 6538 6548 6549 6550 6551 6552

*** WARNING *** CP= 23.640 TIME= 16:10:40
Area 196 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.680 TIME= 16:10:40
Meshing of area 196 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.680 TIME= 16:10:40
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6557 6558 6559 6560 6561 6562 6563 6564 6565 6566
6571 6572 6573 6574 6575 6576 6577 6578 6579 6580

*** WARNING *** CP= 23.690 TIME= 16:10:40
Area 197 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.730 TIME= 16:10:40
Meshing of area 197 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.730 TIME= 16:10:40
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6581 6582 6583 6584 6585 6586 6587 6588 6589 6590
6595 6596 6597 6598 6599 6600 6601 6602 6603 6604

*** WARNING *** CP= 23.730 TIME= 16:10:40
Area 198 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.770 TIME= 16:10:40
Meshing of area 198 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.780 TIME= 16:10:40
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6609 6610 6611 6612 6613 6623 6624 6625 6626 6627

*** WARNING *** CP= 23.830 TIME= 16:10:40
Area 201 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.870 TIME= 16:10:40
Meshing of area 201 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.870 TIME= 16:10:40
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6670 6671 6672 6673 6674 6684 6685 6686 6687 6688

*** WARNING *** CP= 23.880 TIME= 16:10:40
Area 202 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.920 TIME= 16:10:41
Meshing of area 202 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.920 TIME= 16:10:41
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6693 6694 6695 6696 6697 6698 6699 6700 6701 6702
6707 6708 6709 6710 6711 6712 6713 6714 6715 6716

*** WARNING *** CP= 23.920 TIME= 16:10:41
Area 203 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.960 TIME= 16:10:41
Meshing of area 203 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.960 TIME= 16:10:41
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6717 6718 6719 6720 6721 6722 6723 6724 6725 6726
6731 6732 6733 6734 6735 6736 6737 6738 6739 6740

*** WARNING *** CP= 23.970 TIME= 16:10:41
Area 204 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 24.010 TIME= 16:10:41
Meshing of area 204 produced 10 poorly shaped elements.

*** NOTE *** CP= 24.010 TIME= 16:10:41
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6745 6746 6747 6748 6749 6759 6760 6761 6762 6763

NUMBER OF AREAS MESHED = 20
MAXIMUM NODE NUMBER = 5956
MAXIMUM ELEMENT NUMBER = 6784

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 206 TO 218 IN STEPS OF 1
** AREA 206 MESHED WITH 1 QUADRILATERALS, 2 TRIANGLES **
** AREA 207 MESHED WITH 0 QUADRILATERALS, 10 TRIANGLES **

*** WARNING *** CP= 24.140 TIME= 16:10:41
Meshing of area 207 produced 1 poorly shaped elements.

*** NOTE *** CP= 24.140 TIME= 16:10:41

Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 24.150 TIME= 16:10:41
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6794

** AREA	208 MESHED WITH	5 QUADRILATERALS,	11 TRIANGLES **
** AREA	209 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	210 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	211 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.390 TIME= 16:10:41
Meshing of area 211 produced 3 poorly shaped elements.

*** NOTE *** CP= 24.390 TIME= 16:10:41
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 24.390 TIME= 16:10:41
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6850 6851 6853

** AREA	212 MESHED WITH	2 QUADRILATERALS,	2 TRIANGLES **
** AREA	213 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.460 TIME= 16:10:41
Meshing of area 213 produced 1 poorly shaped elements.

*** NOTE *** CP= 24.460 TIME= 16:10:41
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 24.460 TIME= 16:10:41
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6865

** AREA	214 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	215 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	216 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	217 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.710 TIME= 16:10:41
Meshing of area 217 produced 2 poorly shaped elements.

*** NOTE *** CP= 24.720 TIME= 16:10:41
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 24.720 TIME= 16:10:41
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6923 6925

** AREA	218 MESHED WITH	1 QUADRILATERALS,	2 TRIANGLES **
---------	-----------------	-------------------	----------------

NUMBER OF AREAS MESHED = 13
MAXIMUM NODE NUMBER = 5990
MAXIMUM ELEMENT NUMBER = 6929

Clear areas and mesh by hand difficult areas

CLEAR NODES AND ELEMENTS
FROM AREAS 211 TO 211 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT 6930 5879 3453 3952 3952

ELEMENT	6931	636	5879	3952	3952
ELEMENT	6932	545	636	3952	3952
ELEMENT	6933	551	545	3952	3952
ELEMENT	6934	363	551	3952	3952
ELEMENT	6935	370	363	3952	3952
ELEMENT	6936	371	370	3952	3952
ELEMENT	6937	369	371	3952	3952
ELEMENT	6938	5973	369	3952	3952
ELEMENT	6939	3782	5973	3952	3952

CLEAR NODES AND ELEMENTS
FROM AREAS 217 TO 217 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT	6940	3735	5989	3738	3738
ELEMENT	6941	5989	1661	3738	3738
ELEMENT	6942	1661	1663	3738	3738
ELEMENT	6943	1663	1664	3738	3738
ELEMENT	6944	1664	1662	3738	3738
ELEMENT	6945	1662	1979	3738	3738
ELEMENT	6946	1979	1978	3738	3738
ELEMENT	6947	1978	2148	3738	3738
ELEMENT	6948	2148	5951	3738	3738
ELEMENT	6949	5951	3666	3738	3738

***** ROUTINE COMPLETED ***** CP = 24.780

Create element mesh plots to illustrate model
View mesh for entire model

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (CENTROIDAL SORT) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS 0 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

/SHOW SWITCH PLOTS TO FILE meshfull.grph - VECTOR MODE.

- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshfull.grph - VECTOR MODE.

DISPLAY TITLE=

12 PWR MPC/Waste Package - 1/2 FEM Model

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

5592 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

/SHOW SWITCH PLOTS TO FILE meshgap.grph - VECTOR MODE.

- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshgap.grph - VECTOR MODE.

DISPLAY TITLE=

12 PWR MPC/Waste Package - 1/2 FEM Model
View mesh for radiation substructure

MAT NUMBERING KEY = 0

TYPE NUMBERING KEY = 1

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

864 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

1088 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=

12 PWR MPC/Waste Package - Radiation Matrix

/SHOW SWITCH PLOTS TO FILE meshrad.grph - VECTOR MODE.

- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshrad.grph - VECTOR MODE.

DISPLAY TITLE=

12 PWR MPC/Waste Package - Radiation Matrix

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6949 STEP 1

6929 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

Generate super-elements

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 16:10:47 MAR 25, 1995 CP= 30.420
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS RADIATION MATRIX UTILITY (AUX12) *****

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

655 NODES (OF 5990 DEFINED) SELECTED FROM
644 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= tubegap.sub

*** WARNING *** CP= 30.670 TIME= 16:10:48
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 644 NUMBER OF NODES= 655

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

220 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

220 NODES (OF 5990 DEFINED) SELECTED FROM
220 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= spaces.sub

*** WARNING *** CP= 70.150 TIME= 16:11:28
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 220 NUMBER OF NODES= 220

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

224 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

226 NODES (OF 5990 DEFINED) SELECTED FROM
224 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= shellgap.sub

*** WARNING *** CP= 76.660 TIME= 16:11:34
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 224 NUMBER OF NODES= 226

800 ZONES CREATE 1600 RAYS

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6949 STEP 1

6929 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1

5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 82.480

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 16:11:40 MAR 25, 1995 CP= 82.480
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE SET TO 18

SUPERELEMENT 6950 tubegap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6950

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6950

SUPERELEMENT 6951 spaces NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6951

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6951

SUPERELEMENT 6952 shellgap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6952

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6952
Delete radiation edge elements

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6932 DEFINED) SELECTED BY ESEL COMMAND.

DELETE ALL SELECTED ELEMENTS.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

6288 ELEMENTS (OF 6288 DEFINED) SELECTED BY ESEL COMMAND.

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

18 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

22 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CLEAR NODES AND ELEMENTS FROM ALL SELECTED LINES

*** NOTE *** CP= 82.970 TIME= 16:11:41
Nodes cannot be cleared from line 13 because area 3 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.980 TIME= 16:11:41
Nodes cannot be cleared from line 14 because area 4 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.990 TIME= 16:11:41
Nodes cannot be cleared from line 17 because area 7 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.010 TIME= 16:11:41
Nodes cannot be cleared from line 18 because area 8 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.020 TIME= 16:11:41
Nodes cannot be cleared from line 25 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.030 TIME= 16:11:41
Nodes cannot be cleared from line 27 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.030 TIME= 16:11:41
Nodes cannot be cleared from line 29 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.030 TIME= 16:11:41
Nodes cannot be cleared from line 34 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.040 TIME= 16:11:41
Nodes cannot be cleared from line 36 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.040 TIME= 16:11:41
Nodes cannot be cleared from line 38 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.050 TIME= 16:11:41
Nodes cannot be cleared from line 45 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.050 TIME= 16:11:41
Nodes cannot be cleared from line 50 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.060 TIME= 16:11:41
Nodes cannot be cleared from line 52 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.060 TIME= 16:11:41
Nodes cannot be cleared from line 57 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.070 TIME= 16:11:41
Nodes cannot be cleared from line 59 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.070 TIME= 16:11:41
Nodes cannot be cleared from line 62 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.070 TIME= 16:11:41
Nodes cannot be cleared from line 65 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.080 TIME= 16:11:41
Nodes cannot be cleared from line 69 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.080 TIME= 16:11:41
Nodes cannot be cleared from line 72 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.090 TIME= 16:11:41
Nodes cannot be cleared from line 76 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.090 TIME= 16:11:41
Nodes cannot be cleared from line 79 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.090 TIME= 16:11:41
Nodes cannot be cleared from line 80 because area 9 is meshed. Only
elements are deleted.

CLEARED 22 LINES, 0 KEYPOINTS

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 83.100

Set solution parameters and apply B.C.'s

Solve steady-state for initial conditions
with WP surface equal to drift ambient
temperature from repository model.

***** ANSYS SOLUTION ROUTINE *****

PERFORM A TRANSIENT ANALYSIS
THIS WILL BE A NEW ANALYSIS

USE THE DEFAULT NEWTON-RAPHSON OPTION FOR ALL DOFS
AND USE THE DEFAULT ADAPTIVE DESCENT OPTION

*** NOTE *** CP= 83.120 TIME= 16:11:42
Damping (if present) may be ignored only in reduced transient analyses.

PERFORM A FULL TRANSIENT ANALYSIS

TEMPERATURE OFFSET FROM ABSOLUTE ZERO= 273.150

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5990 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES 1 TO 5990 BY 1
REAL= 26.1375258 IMAG= .000000000E+00

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1

5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .10000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

*** WARNING *** CP= 84.390 TIME= 16:11:44
Element 6932 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 84.390 TIME= 16:11:44
Element 6932 has a poor shape angle of 7.74746071 degrees.

*** WARNING *** CP= 84.400 TIME= 16:11:44
Element 6947 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 84.400 TIME= 16:11:44
Element 6947 has a poor shape angle of 7.74746071 degrees.

*** NOTE *** CP= 84.400 TIME= 16:11:44
All shape tests were bypassed for elements associated with the solid model, because most of them were already done at AMESH or VMESH. Use CHECK if desired to perform all of the element tests.

*** NOTE *** CP= 84.400 TIME= 16:11:44
The model data was checked and warning messages were found.
Please review output or errors file (ma12b2.err) for these warning messages.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 16:11:44 MAR 25, 1995 CP= 84.400
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

SOLUTION OPTIONS

PROBLEM DIMENSIONALITY.3-D
DEGREES OF FREEDOM. TEMP
ANALYSIS TYPETRANSIENT
SOLUTION METHOD.FULL
OFFSET TEMPERATURE FROM ABSOLUTE ZERO 273.15
NEWTON-RAPHSON OPTIONPROGRAM CHOSEN

*** NOTE *** CP= 85.350 TIME= 16:11:45
This load step will be a static (steady-state) step.

*** NOTE *** CP= 85.740 TIME= 16:11:46
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution procedure) for ALL DOFs.

LOAD STEP OPTIONS

LOAD STEP NUMBER. 1
TIME AT END OF THE LOAD STEP.10000E-05
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 0
MAXIMUM NUMBER OF SUBSTEPS 0
MINIMUM NUMBER OF SUBSTEPS 1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS OFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

***** CENTROID, MASS, AND MASS MOMENTS OF INERTIA *****

CALCULATIONS ASSUME ELEMENT MASS AT ELEMENT CENTROID

TOTAL MASS = 4459.4

CENTROID	MOM. OF INERTIA ABOUT ORIGIN	MOM. OF INERTIA ABOUT CENTROID
XC = .35157	IXX = 765.4	IXX = 765.4
YC = .62210E-11	IYY = 765.4	IYY = 214.2
ZC = .00000E+00	IZZ = 1531.	IZZ = 979.6
	IXY = .5422E-09	IXY = .1030E-07
	IYZ = .0000E+00	IYZ = .0000E+00
	IZX = .0000E+00	IZX = .0000E+00

*** MASS SUMMARY BY ELEMENT TYPE ***

TYPE	MASS
1	4459.37

Range of element maximum matrix coefficients in global coordinates
 Maximum= 483.62017 at element 2116.
 Minimum= 1.026389896E-09 at element 6952.

*** WARNING *** CP= 104.400 TIME= 16:12:10
 Coefficient ratio exceeds 1.0e8 - Check results.

*** ELEMENT MATRIX FORMULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

1	5841	PLANE55	11.550	.002
18	3	MATRIX50	.620	.207

Time at end of element matrix formulation CP= 104.4.
 HT FLOW CONVERGENCE VALUE= .1194E+05 CRITERION= 11.94

Estimated number of active DOF= 5877.
 Maximum wavefront= 918.

Time at end of matrix triangularization CP= 207.24.
 Equation solver maximum pivot= 1269.32433 at node 2083 TEMP.
 Equation solver minimum pivot= 0.186669206 at node 5749 TEMP.

EQUIL ITER	COMPLETED	NEW TRIANG MATRIX.	MAX DOF INC=	HT FLOW CONVERGENCE VALUE=	CRITERION=
1	COMPLETED	NEW TRIANG MATRIX.	MAX DOF INC= 259.3	HT FLOW CONVERGENCE VALUE= 262.5	CRITERION= .1125
2	COMPLETED	NEW TRIANG MATRIX.	MAX DOF INC= -85.92	HT FLOW CONVERGENCE VALUE= 40.68	CRITERION= .1660
3	COMPLETED	NEW TRIANG MATRIX.	MAX DOF INC= -13.45	HT FLOW CONVERGENCE VALUE= 7.743	CRITERION= .1190
4	COMPLETED	NEW TRIANG MATRIX.	MAX DOF INC= 1.271	HT FLOW CONVERGENCE VALUE= .3305	CRITERION= .1122
5	COMPLETED	NEW TRIANG MATRIX.	MAX DOF INC= .1393	HT FLOW CONVERGENCE VALUE= .6085E-01	CRITERION= .1121

<<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 5

*** ELEMENT RESULT CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

1	5841	PLANE55	6.960	.001
18	3	MATRIX50	.710	.237

*** NODAL LOAD CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

1	5841	PLANE55	1.000	.000
18	3	MATRIX50	.000	.000

*** LOAD STEP 1 SUBSTEP 1 COMPLETED. CUM ITER = 5
*** TIME = .100000E-05 TIME INC = .100000E-05

*** PROBLEM STATISTICS
ACTUAL NO. OF ACTIVE DEGREES OF FREEDOM = 5877
R.M.S. WAVEFRONT SIZE = 445.1

*** ANSYS BINARY FILE STATISTICS
BUFFER SIZE USED= 4096
6.188 MB WRITTEN ON ELEMENT MATRIX FILE: ma12b2.emat
2.625 MB WRITTEN ON ELEMENT SAVED DATA FILE: ma12b2.esav
18.781 MB WRITTEN ON TRIANGULARIZED MATRIX FILE: ma12b2.tri
.031 MB WRITTEN ON SUBSTRUCTURE DOF SOLUTION FILE: ma12b2.dsub
3.188 MB WRITTEN ON RESULTS FILE: ma12b2.rth
Solve steady-state for initial conditions
with WP surface temperatures from repository
steady-state solution.

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1
1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1
2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.
113 NODES (OF 5990 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

DELETE SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES
RANGE 1 TO 5990 BY 1
NUMBER OF SPECIFIED CONSTRAINTS DELETED= 113

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1
488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1
5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.352 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.316 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.251 .00000E+00 EXPANSION KEY = 1

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1
6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .20000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** WARNING *** CP= 714.470 TIME= 16:22:26
This load step will be a static (steady-state) step.

*** NOTE *** CP= 714.860 TIME= 16:22:27
The step data was checked and warning messages were found.
Please review output or errors file (ma12b2.err) for these warning
messages.

*** NOTE *** CP= 714.860 TIME= 16:22:27
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 16:22:27 MAR 25, 1995 CP= 714.860
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 2
TIME AT END OF THE LOAD STEP.20000E-05
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 0
MAXIMUM NUMBER OF SUBSTEPS 0
MINIMUM NUMBER OF SUBSTEPS 1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS OFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .1430E+05 CRITERION= 14.30
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 31.30
HT FLOW CONVERGENCE VALUE= 17.10 CRITERION= .1175

```

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -8.867
HT FLOW CONVERGENCE VALUE= 3.347 CRITERION= .1151
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7166
HT FLOW CONVERGENCE VALUE= .1494 CRITERION= .1122
EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5383E-01
HT FLOW CONVERGENCE VALUE= .2108E-01 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 4
*** LOAD STEP 2 SUBSTEP 1 COMPLETED. CUM ITER = 9
*** TIME = .200000E-05 TIME INC = .100000E-05
*****

```

Set time integration parameters

INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

USE AUTOMATIC TIME STEPPING THIS LOAD STEP
Time substep ranges from 10 sec to 1/4 loadstep

USE 10 SUBSTEPS INITIALLY THIS LOAD STEP FOR ALL DOFS
FOR AUTOMATIC TIME STEPPING:

USE 40 SUBSTEPS AS A MAXIMUM

USE 4 SUBSTEPS AS A MINIMUM

USE THE FINAL TIME STEP SIZE OF THE PREVIOUS LOAD STEP
AS THE STARTING TIME STEP SIZE.

Begin Transient

Apply loads and solve for 0 to .9 years

*DO LOOP ON PARAMETER= TM FROM 31.558 TO .28402E+08 BY .31558E+07

TIME= 31.558

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.352 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.316 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.251 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 921.990 TIME= 16:26:00
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 16:26:00 MAR 25, 1995 CP= 921.990
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 3
TIME AT END OF THE LOAD STEP. 31.558
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .2108E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4141E-04
HT FLOW CONVERGENCE VALUE= .1489E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 1 COMPLETED. CUM ITER = 10
*** TIME = .788942 TIME INC = .788940
*** RESPONSE EIGENVALUE = .3876 OSCILLATION LIMIT = .3058
*** AUTO STEP TIME: NEXT TIME INC = .78894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3869E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2134E-04
HT FLOW CONVERGENCE VALUE= .2158E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 2 COMPLETED. CUM ITER = 11
*** TIME = 1.57788 TIME INC = .788940
*** RESPONSE EIGENVALUE = .1946 OSCILLATION LIMIT = .1535
*** AUTO TIME STEP: NEXT TIME INC = 2.3668 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= .3451E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3338E-04
HT FLOW CONVERGENCE VALUE= .5204E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 3 COMPLETED. CUM ITER = 12
*** TIME = 3.94470 TIME INC = 2.36682
*** RESPONSE EIGENVALUE = .9947E-01 OSCILLATION LIMIT = .2354
*** AUTO TIME STEP: NEXT TIME INC = 5.0269 INCREASED (FACTOR = 2.1239)

HT FLOW CONVERGENCE VALUE= .2887E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4301E-04
HT FLOW CONVERGENCE VALUE= .7556E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 4 COMPLETED. CUM ITER = 13
*** TIME = 8.97156 TIME INC = 5.02686
*** RESPONSE EIGENVALUE = .4097E-01 OSCILLATION LIMIT = .2060

*** AUTO TIME STEP: NEXT TIME INC = 7.8894 INCREASED (FACTOR = 1.5694)

HT FLOW CONVERGENCE VALUE= .2583E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2637E-04
 HT FLOW CONVERGENCE VALUE= .7639E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 5 COMPLETED. CUM ITER = 14
 *** TIME = 16.8610 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .1450E-01 OSCILLATION LIMIT = .1144
 *** AUTO STEP TIME: NEXT TIME INC = 7.8894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .2428E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1551E-04
 HT FLOW CONVERGENCE VALUE= .5679E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 6 COMPLETED. CUM ITER = 15
 *** TIME = 24.7504 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .8094E-02 OSCILLATION LIMIT = .6386E-01
 *** AUTO TIME STEP: NEXT TIME INC = 6.8072 DECREASED (FACTOR = .8628)

HT FLOW CONVERGENCE VALUE= .2321E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1160E-04
 HT FLOW CONVERGENCE VALUE= .4256E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 7 COMPLETED. CUM ITER = 16
 *** TIME = 31.5576 TIME INC = 6.80724
 *** RESPONSE EIGENVALUE = .6023E-02 OSCILLATION LIMIT = .4100E-01

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:34:39 MAR 25, 1995 CP= 1433.460
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 260.0 CRITERION= .2832
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5916
 HT FLOW CONVERGENCE VALUE= .2481 CRITERION= .1108
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6279E-01
 HT FLOW CONVERGENCE VALUE= .3193E-01 CRITERION= .1108 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 1 COMPLETED. CUM ITER = 18
 *** TIME = 78925.6 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1200E-05 OSCILLATION LIMIT = .9465E-01
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 260.6 CRITERION= .2829
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5954
 HT FLOW CONVERGENCE VALUE= .2852 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6841E-01
 HT FLOW CONVERGENCE VALUE= .3104E-01 CRITERION= .1118 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 2 COMPLETED. CUM ITER = 20
 *** TIME = 157820. TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4212E-06 OSCILLATION LIMIT = .3323E-01
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 780.5 CRITERION= .7885
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.775
 HT FLOW CONVERGENCE VALUE= .8749 CRITERION= .1108
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3216
 HT FLOW CONVERGENCE VALUE= .1283 CRITERION= .1108
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2589E-01
 HT FLOW CONVERGENCE VALUE= .4489E-02 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3


```

*** LOAD STEP      4  SUBSTEP      3  COMPLETED.    CUM ITER =      23
*** TIME =      394502.    TIME INC =    236682.
*** RESPONSE EIGENVALUE = .1565E-06  OSCILLATION LIMIT = .3704E-01
*** AUTO STEP TIME: NEXT TIME INC = .23668E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 781.5    CRITERION= .7891
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.775
    HT FLOW CONVERGENCE VALUE= .8872    CRITERION= .1118
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3244
    HT FLOW CONVERGENCE VALUE= .1284    CRITERION= .1119
    EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2579E-01
    HT FLOW CONVERGENCE VALUE= .4477E-02 CRITERION= .1118    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
*** LOAD STEP      4  SUBSTEP      4  COMPLETED.    CUM ITER =      26
*** TIME =      631184.    TIME INC =    236682.
*** RESPONSE EIGENVALUE = .1634E-06  OSCILLATION LIMIT = .3867E-01
*** AUTO TIME STEP: NEXT TIME INC = .71005E+06  INCREASED (FACTOR = 3.0000)

    HT FLOW CONVERGENCE VALUE= 2345.    CRITERION= 2.348
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 5.324
    HT FLOW CONVERGENCE VALUE= 2.668    CRITERION= .1111
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.185
    HT FLOW CONVERGENCE VALUE= .4468    CRITERION= .1110
    EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1030
    HT FLOW CONVERGENCE VALUE= .1592E-01 CRITERION= .1107    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
*** LOAD STEP      4  SUBSTEP      5  COMPLETED.    CUM ITER =      29
*** TIME = .134123E+07    TIME INC =    710046.
*** RESPONSE EIGENVALUE = .1452E-06  OSCILLATION LIMIT = .1031
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06  INCREASED (FACTOR = 1.1111)

    HT FLOW CONVERGENCE VALUE= 2611.    CRITERION= 2.613
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 5.916
    HT FLOW CONVERGENCE VALUE= 2.965    CRITERION= .1121
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.305
    HT FLOW CONVERGENCE VALUE= .4855    CRITERION= .1121
    EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1108
    HT FLOW CONVERGENCE VALUE= .1701E-01 CRITERION= .1117    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
*** LOAD STEP      4  SUBSTEP      6  COMPLETED.    CUM ITER =      32
*** TIME = .213017E+07    TIME INC =    788940.
*** RESPONSE EIGENVALUE = .1475E-06  OSCILLATION LIMIT = .1163
*** AUTO TIME STEP: NEXT TIME INC = .51281E+06  DECREASED (FACTOR = .6500)

    HT FLOW CONVERGENCE VALUE= 1700.    CRITERION= 1.704
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 3.845
    HT FLOW CONVERGENCE VALUE= 1.909    CRITERION= .1108
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7852
    HT FLOW CONVERGENCE VALUE= .2915    CRITERION= .1108
    EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6400E-01
    HT FLOW CONVERGENCE VALUE= .9931E-02 CRITERION= .1106    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
*** LOAD STEP      4  SUBSTEP      7  COMPLETED.    CUM ITER =      35
*** TIME = .264298E+07    TIME INC =    512811.
*** RESPONSE EIGENVALUE = .1479E-06  OSCILLATION LIMIT = .7585E-01
*** AUTO STEP TIME: NEXT TIME INC = .51281E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 1702.    CRITERION= 1.706
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 3.845
    HT FLOW CONVERGENCE VALUE= 1.914    CRITERION= .1118
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7762
    HT FLOW CONVERGENCE VALUE= .2856    CRITERION= .1118
    EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6225E-01
    HT FLOW CONVERGENCE VALUE= .9574E-02 CRITERION= .1116    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
*** LOAD STEP      4  SUBSTEP      8  COMPLETED.    CUM ITER =      38
*** TIME = .315579E+07    TIME INC =    512811.
*** RESPONSE EIGENVALUE = .1499E-06  OSCILLATION LIMIT = .7685E-01

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:55:04 MAR 25, 1995 CP= 2643.140
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 453.6 CRITERION= .4671
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.052
 HT FLOW CONVERGENCE VALUE= .5861 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2295
 HT FLOW CONVERGENCE VALUE= .7517E-01 CRITERION= .1119 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 1 COMPLETED. CUM ITER = 40
 *** TIME = .366860E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .1076E-06 OSCILLATION LIMIT = .5518E-01
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 453.8 CRITERION= .4674
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9663
 HT FLOW CONVERGENCE VALUE= .4593 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1861
 HT FLOW CONVERGENCE VALUE= .7569E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 2 COMPLETED. CUM ITER = 42
 *** TIME = .418141E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .4878E-06 OSCILLATION LIMIT = .2501
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.5385)

HT FLOW CONVERGENCE VALUE= 698.2 CRITERION= .7071
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.488
 HT FLOW CONVERGENCE VALUE= .8186 CRITERION= .1117
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3421
 HT FLOW CONVERGENCE VALUE= .1205 CRITERION= .1117
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2729E-01
 HT FLOW CONVERGENCE VALUE= .4010E-02 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 3 COMPLETED. CUM ITER = 45
 *** TIME = .497035E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6858E-07 OSCILLATION LIMIT = .5411E-01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 698.6 CRITERION= .7074
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.487
 HT FLOW CONVERGENCE VALUE= .7540 CRITERION= .1117
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3160
 HT FLOW CONVERGENCE VALUE= .1198 CRITERION= .1117
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2682E-01
 HT FLOW CONVERGENCE VALUE= .3832E-02 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 4 COMPLETED. CUM ITER = 48
 *** TIME = .575929E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2275E-06 OSCILLATION LIMIT = .1795
 *** AUTO TIME STEP: NEXT TIME INC = .55226E+06 DECREASED (FACTOR = .7000)

HT FLOW CONVERGENCE VALUE= 489.2 CRITERION= .5017
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.042
 HT FLOW CONVERGENCE VALUE= .5663 CRITERION= .1115
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2226
 HT FLOW CONVERGENCE VALUE= .7982E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 5 COMPLETED. CUM ITER = 50
 *** TIME = .631155E+07 TIME INC = 552258.
 *** RESPONSE EIGENVALUE = .1470E-06 OSCILLATION LIMIT = .8116E-01

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:06:38 MAR 25, 1995 CP= 3324.380
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 321.3 CRITERION= .3400
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6836
 HT FLOW CONVERGENCE VALUE= .3492 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1386
 HT FLOW CONVERGENCE VALUE= .5197E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 1 COMPLETED. CUM ITER = 52
 *** TIME = .686381E+07 TIME INC = 552258.
 *** RESPONSE EIGENVALUE = .1564E-06 OSCILLATION LIMIT = .8636E-01
 *** AUTO STEP TIME: NEXT TIME INC = .55226E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 321.2 CRITERION= .3401
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6828
 HT FLOW CONVERGENCE VALUE= .3588 CRITERION= .1114
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1408
 HT FLOW CONVERGENCE VALUE= .5169E-01 CRITERION= .1114 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 2 COMPLETED. CUM ITER = 54
 *** TIME = .741607E+07 TIME INC = 552258.
 *** RESPONSE EIGENVALUE = .1879E-06 OSCILLATION LIMIT = .1038
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.4286)

HT FLOW CONVERGENCE VALUE= 459.1 CRITERION= .4724
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9766
 HT FLOW CONVERGENCE VALUE= .5046 CRITERION= .1117
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2088
 HT FLOW CONVERGENCE VALUE= .7640E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 3 COMPLETED. CUM ITER = 56
 *** TIME = .820501E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1829E-06 OSCILLATION LIMIT = .1443
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 459.1 CRITERION= .4725
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9755
 HT FLOW CONVERGENCE VALUE= .5096 CRITERION= .1113
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2092
 HT FLOW CONVERGENCE VALUE= .7561E-01 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 4 COMPLETED. CUM ITER = 58
 *** TIME = .899395E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1888E-06 OSCILLATION LIMIT = .1489
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+06 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 275.7 CRITERION= .2973
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5862
 HT FLOW CONVERGENCE VALUE= .2999 CRITERION= .1115
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1147
 HT FLOW CONVERGENCE VALUE= .4241E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 5 COMPLETED. CUM ITER = 60
 *** TIME = .946731E+07 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .1290E-06 OSCILLATION LIMIT = .6107E-01

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:16:39 MAR 25, 1995 CP= 3918.910
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 212.7 CRITERION= .2402
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4520
 HT FLOW CONVERGENCE VALUE= .2379 CRITERION= .1113
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8997E-01
 HT FLOW CONVERGENCE VALUE= .3263E-01 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 1 COMPLETED. CUM ITER = 62
 *** TIME = .994068E+07 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .1810E-06 OSCILLATION LIMIT = .8566E-01
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 212.9 CRITERION= .2401
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4528
 HT FLOW CONVERGENCE VALUE= .2269 CRITERION= .1115
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8703E-01
 HT FLOW CONVERGENCE VALUE= .3263E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 2 COMPLETED. CUM ITER = 64
 *** TIME = .104140E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .1931E-06 OSCILLATION LIMIT = .9140E-01
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 354.6 CRITERION= .3717
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7533
 HT FLOW CONVERGENCE VALUE= .3838 CRITERION= .1112
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1594
 HT FLOW CONVERGENCE VALUE= .5745E-01 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 3 COMPLETED. CUM ITER = 66
 *** TIME = .112030E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2303E-06 OSCILLATION LIMIT = .1817
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 354.8 CRITERION= .3718
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7540
 HT FLOW CONVERGENCE VALUE= .3640 CRITERION= .1114
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1575
 HT FLOW CONVERGENCE VALUE= .5699E-01 CRITERION= .1114 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 4 COMPLETED. CUM ITER = 68
 *** TIME = .119919E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1830E-06 OSCILLATION LIMIT = .1443
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+06 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 283.8 CRITERION= .3049
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6026
 HT FLOW CONVERGENCE VALUE= .2834 CRITERION= .1111
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1230
 HT FLOW CONVERGENCE VALUE= .4431E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 5 COMPLETED. CUM ITER = 70
 *** TIME = .126231E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .2077E-06 OSCILLATION LIMIT = .1311

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:26:39 MAR 25, 1995 CP= 4513.910
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 232.4 CRITERION= .2575
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4943
 HT FLOW CONVERGENCE VALUE= .2265 CRITERION= .1113
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1002
 HT FLOW CONVERGENCE VALUE= .3615E-01 CRITERION= .1113 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 1 COMPLETED. CUM ITER = 72
*** TIME = .132542E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .1619E-06 OSCILLATION LIMIT = .1022
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 232.3 CRITERION= .2576
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4932
HT FLOW CONVERGENCE VALUE= .2263 CRITERION= .1110
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9892E-01
HT FLOW CONVERGENCE VALUE= .3602E-01 CRITERION= .1110 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 2 COMPLETED. CUM ITER = 74
*** TIME = .138854E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .2807E-06 OSCILLATION LIMIT = .1772
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 290.5 CRITERION= .3109
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6176
HT FLOW CONVERGENCE VALUE= .2842 CRITERION= .1112
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1281
HT FLOW CONVERGENCE VALUE= .4584E-01 CRITERION= .1112 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 3 COMPLETED. CUM ITER = 76
*** TIME = .146743E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1945E-06 OSCILLATION LIMIT = .1534
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 290.4 CRITERION= .3110
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6165
HT FLOW CONVERGENCE VALUE= .2832 CRITERION= .1108
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1271
HT FLOW CONVERGENCE VALUE= .4551E-01 CRITERION= .1108 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 4 COMPLETED. CUM ITER = 78
*** TIME = .154633E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2570E-06 OSCILLATION LIMIT = .2028
*** AUTO TIME STEP: NEXT TIME INC = .31558E+06 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 116.3 CRITERION= .1606
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2477
HT FLOW CONVERGENCE VALUE= .1120 CRITERION= .1111
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4331E-01
HT FLOW CONVERGENCE VALUE= .1592E-01 CRITERION= .1111 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 5 COMPLETED. CUM ITER = 80
*** TIME = .157788E+08 TIME INC = 315576.
*** RESPONSE EIGENVALUE = .1257E-06 OSCILLATION LIMIT = .3965E-01

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 17:36:39 MAR 25, 1995 CP= 5109.370
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 98.80 CRITERION= .1487
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2099
HT FLOW CONVERGENCE VALUE= .9652E-01 CRITERION= .1108 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 1 COMPLETED. CUM ITER = 81
*** TIME = .160944E+08 TIME INC = 315576.
*** RESPONSE EIGENVALUE = .1577E-06 OSCILLATION LIMIT = .4977E-01
*** AUTO STEP TIME: NEXT TIME INC = .31558E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 98.95 CRITERION= .1485
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2115

```

HT FLOW CONVERGENCE VALUE= .9041E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 2 COMPLETED. CUM ITER = 82
 *** TIME = .164100E+08 TIME INC = 315576.
 *** RESPONSE EIGENVALUE = .1928E-06 OSCILLATION LIMIT = .6085E-01
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 247.1 CRITERION= .2709
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5246
 HT FLOW CONVERGENCE VALUE= .2299 CRITERION= .1107
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1030
 HT FLOW CONVERGENCE VALUE= .3847E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 3 COMPLETED. CUM ITER = 84
 *** TIME = .171989E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4468E-06 OSCILLATION LIMIT = .3525
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 247.2 CRITERION= .2708
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5254
 HT FLOW CONVERGENCE VALUE= .2385 CRITERION= .1109
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1069
 HT FLOW CONVERGENCE VALUE= .3819E-01 CRITERION= .1109 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 4 COMPLETED. CUM ITER = 86
 *** TIME = .179879E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2178E-06 OSCILLATION LIMIT = .1719
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+06 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 148.2 CRITERION= .1851
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3148
 HT FLOW CONVERGENCE VALUE= .1433 CRITERION= .1106
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5930E-01
 HT FLOW CONVERGENCE VALUE= .2144E-01 CRITERION= .1106 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 5 COMPLETED. CUM ITER = 88
 *** TIME = .184612E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .2673E-06 OSCILLATION LIMIT = .1265
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 148.4 CRITERION= .1850
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3158
 HT FLOW CONVERGENCE VALUE= .1424 CRITERION= .1108
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5909E-01
 HT FLOW CONVERGENCE VALUE= .2150E-01 CRITERION= .1108 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 6 COMPLETED. CUM ITER = 90
 *** TIME = .189346E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .2100E-06 OSCILLATION LIMIT = .9942E-01

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:47:11 MAR 25, 1995 CP= 5736.810
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 129.7 CRITERION= .1706
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2754
 HT FLOW CONVERGENCE VALUE= .1256 CRITERION= .1105
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5184E-01
 HT FLOW CONVERGENCE VALUE= .1870E-01 CRITERION= .1106 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 10 SUBSTEP 1 COMPLETED. CUM ITER = 92
 *** TIME = .194080E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .3029E-06 OSCILLATION LIMIT = .1434
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 129.8 CRITERION= .1705
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2764
 HT FLOW CONVERGENCE VALUE= .1234 CRITERION= .1107
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5111E-01
 HT FLOW CONVERGENCE VALUE= .1873E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 10 SUBSTEP 2 COMPLETED. CUM ITER = 94
 *** TIME = .198813E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .2387E-06 OSCILLATION LIMIT = .1130
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 216.2 CRITERION= .2429
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4591
 HT FLOW CONVERGENCE VALUE= .2093 CRITERION= .1105
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9275E-01
 HT FLOW CONVERGENCE VALUE= .3310E-01 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 10 SUBSTEP 3 COMPLETED. CUM ITER = 96
 *** TIME = .206703E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3115E-06 OSCILLATION LIMIT = .2457
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 216.3 CRITERION= .2428
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4598
 HT FLOW CONVERGENCE VALUE= .2079 CRITERION= .1106
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9222E-01
 HT FLOW CONVERGENCE VALUE= .3292E-01 CRITERION= .1106 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 10 SUBSTEP 4 COMPLETED. CUM ITER = 98
 *** TIME = .214592E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2349E-06 OSCILLATION LIMIT = .1853
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+06 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 172.9 CRITERION= .2053
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3673
 HT FLOW CONVERGENCE VALUE= .1671 CRITERION= .1103
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7170E-01
 HT FLOW CONVERGENCE VALUE= .2556E-01 CRITERION= .1103 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 10 SUBSTEP 5 COMPLETED. CUM ITER = 100
 *** TIME = .220904E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .2899E-06 OSCILLATION LIMIT = .1829

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:57:11 MAR 25, 1995 CP= 6333.100
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 155.3 CRITERION= .1905
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3305
 HT FLOW CONVERGENCE VALUE= .1495 CRITERION= .1105
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6416E-01
 HT FLOW CONVERGENCE VALUE= .2292E-01 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 11 SUBSTEP 1 COMPLETED. CUM ITER = 102
 *** TIME = .227215E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .2283E-06 OSCILLATION LIMIT = .1441
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 155.2 CRITERION= .1905
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3296
 HT FLOW CONVERGENCE VALUE= .1489 CRITERION= .1102
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6357E-01
 HT FLOW CONVERGENCE VALUE= .2280E-01 CRITERION= .1102 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 2 COMPLETED. CUM ITER = 104
*** TIME = .233527E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .3505E-06 OSCILLATION LIMIT = .2212
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 194.1 CRITERION= .2232
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4128
HT FLOW CONVERGENCE VALUE= .1869 CRITERION= .1104
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8222E-01
HT FLOW CONVERGENCE VALUE= .2910E-01 CRITERION= .1104 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 3 COMPLETED. CUM ITER = 106
*** TIME = .241416E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2532E-06 OSCILLATION LIMIT = .1997
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 194.0 CRITERION= .2232
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4119
HT FLOW CONVERGENCE VALUE= .1867 CRITERION= .1101
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8173E-01
HT FLOW CONVERGENCE VALUE= .2889E-01 CRITERION= .1101 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 4 COMPLETED. CUM ITER = 108
*** TIME = .249305E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3259E-06 OSCILLATION LIMIT = .2571
*** AUTO TIME STEP: NEXT TIME INC = .31558E+06 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 77.70 CRITERION= .1348
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1658
HT FLOW CONVERGENCE VALUE= .7401E-01 CRITERION= .1103 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 5 COMPLETED. CUM ITER = 109
*** TIME = .252461E+08 TIME INC = 315576.
*** RESPONSE EIGENVALUE = .1018E-06 OSCILLATION LIMIT = .3212E-01

***** ANSYS SOLVE COMMAND *****
1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 18:06:27 MAR 25, 1995 CP= 6885.680
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 70.31 CRITERION= .1308
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1494
HT FLOW CONVERGENCE VALUE= .6435E-01 CRITERION= .1101 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 1 COMPLETED. CUM ITER = 110
*** TIME = .255617E+08 TIME INC = 315576.
*** RESPONSE EIGENVALUE = .3341E-06 OSCILLATION LIMIT = .1054
*** AUTO STEP TIME: NEXT TIME INC = .31558E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 70.44 CRITERION= .1307
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1504
HT FLOW CONVERGENCE VALUE= .6120E-01 CRITERION= .1103 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 2 COMPLETED. CUM ITER = 111
*** TIME = .258773E+08 TIME INC = 315576.
*** RESPONSE EIGENVALUE = .4287E-06 OSCILLATION LIMIT = .1353
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 175.8 CRITERION= .2076
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3735
HT FLOW CONVERGENCE VALUE= .1640 CRITERION= .1100
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7164E-01
HT FLOW CONVERGENCE VALUE= .2605E-01 CRITERION= .1100 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

```


*** LOAD STEP 12 SUBSTEP 3 COMPLETED. CUM ITER = 113
 *** TIME = .266662E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4425E-06 OSCILLATION LIMIT = .3491
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 176.0 CRITERION= .2075
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3741
 HT FLOW CONVERGENCE VALUE= .1665 CRITERION= .1102
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7267E-01
 HT FLOW CONVERGENCE VALUE= .2596E-01 CRITERION= .1102 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 12 SUBSTEP 4 COMPLETED. CUM ITER = 115
 *** TIME = .274551E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3111E-06 OSCILLATION LIMIT = .2454
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+06 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 105.5 CRITERION= .1525
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2241
 HT FLOW CONVERGENCE VALUE= .1021 CRITERION= .1099 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 12 SUBSTEP 5 COMPLETED. CUM ITER = 116
 *** TIME = .279285E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .1332E-06 OSCILLATION LIMIT = .6303E-01
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 105.6 CRITERION= .1524
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2254
 HT FLOW CONVERGENCE VALUE= .9496E-01 CRITERION= .1101 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 12 SUBSTEP 6 COMPLETED. CUM ITER = 117
 *** TIME = .284019E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .2659E-06 OSCILLATION LIMIT = .1259
 Apply loads and solve for 1 to 9 years

*DO LOOP ON PARAMETER= TM FROM .31558E+08 TO .28402E+09 BY .31558E+08

TIME= .31558E+08

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 3551.72231 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 102.41 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP
 VALUES = 103.11 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9

LOAD LABELS = TEMP
VALUES = 104.60 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 7427.720 TIME= 18:15:33
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 18:15:33 MAR 25, 1995 CP= 7427.720
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 13
TIME AT END OF THE LOAD STEP.31558E+08
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 97.53 CRITERION= .1471
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2072
HT FLOW CONVERGENCE VALUE= .8500E-01 CRITERION= .1099 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 1 COMPLETED. CUM ITER = 118
*** TIME = .288752E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .5001E-06 OSCILLATION LIMIT = .2368
*** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 97.67 CRITERION= .1470
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2082
HT FLOW CONVERGENCE VALUE= .8641E-01 CRITERION= .1100 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 2 COMPLETED. CUM ITER = 119
*** TIME = .293486E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .2670E-06 OSCILLATION LIMIT = .1264
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 162.6 CRITERION= .1963
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3453
HT FLOW CONVERGENCE VALUE= .1475 CRITERION= .1098
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6390E-01
HT FLOW CONVERGENCE VALUE= .2370E-01 CRITERION= .1098 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 13 SUBSTEP 3 COMPLETED. CUM ITER = 121
*** TIME = .301375E+08 TIME INC = 788940.

```

*** RESPONSE EIGENVALUE = .5625E-06 OSCILLATION LIMIT = .4438
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 162.7 CRITERION= .1962
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3460
HT FLOW CONVERGENCE VALUE= .1537 CRITERION= .1099
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6660E-01
HT FLOW CONVERGENCE VALUE= .2362E-01 CRITERION= .1099 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 13 SUBSTEP 4 COMPLETED. CUM ITER = 123
*** TIME = .309265E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3194E-06 OSCILLATION LIMIT = .2520
*** AUTO TIME STEP: NEXT TIME INC = .63115E+06 DECREASED (FACTOR = .8000)

```

```

HT FLOW CONVERGENCE VALUE= 130.1 CRITERION= .1703
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2763
HT FLOW CONVERGENCE VALUE= .1249 CRITERION= .1096
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5249E-01
HT FLOW CONVERGENCE VALUE= .1833E-01 CRITERION= .1096 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 13 SUBSTEP 5 COMPLETED. CUM ITER = 125
*** TIME = .315576E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .3285E-06 OSCILLATION LIMIT = .2073

```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 18:24:10 MAR 25, 1995 CP= 7937.450
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1643
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2608
HT FLOW CONVERGENCE VALUE= .1162 CRITERION= .1098
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5029E-01
HT FLOW CONVERGENCE VALUE= .1770E-01 CRITERION= .1098 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 1 COMPLETED. CUM ITER = 127
*** TIME = .323466E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3093E-06 OSCILLATION LIMIT = .2440
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1644
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1152 CRITERION= .1095
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4972E-01
HT FLOW CONVERGENCE VALUE= .1756E-01 CRITERION= .1095 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 2 COMPLETED. CUM ITER = 129
*** TIME = .331355E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4498E-06 OSCILLATION LIMIT = .3549
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1642
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2608
HT FLOW CONVERGENCE VALUE= .1161 CRITERION= .1097
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5009E-01
HT FLOW CONVERGENCE VALUE= .1759E-01 CRITERION= .1097 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 3 COMPLETED. CUM ITER = 131
*** TIME = .339245E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3177E-06 OSCILLATION LIMIT = .2506
*** AUTO TIME STEP: NEXT TIME INC = .15739E+07 INCREASED (FACTOR = 1.9949)

```

HT FLOW CONVERGENCE VALUE= 244.0 CRITERION= .2676

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5185
 HT FLOW CONVERGENCE VALUE= .2312 CRITERION= .1094
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1055
 HT FLOW CONVERGENCE VALUE= .3649E-01 CRITERION= .1094 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 4 COMPLETED. CUM ITER = 133
 *** TIME = .354983E+08 TIME INC = .157388E+07
 *** RESPONSE EIGENVALUE = .4160E-06 OSCILLATION LIMIT = .6547
 *** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.1 CRITERION= .2675
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5190
 HT FLOW CONVERGENCE VALUE= .2314 CRITERION= .1095
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1057
 HT FLOW CONVERGENCE VALUE= .3628E-01 CRITERION= .1095 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 5 COMPLETED. CUM ITER = 135
 *** TIME = .370722E+08 TIME INC = .157388E+07
 *** RESPONSE EIGENVALUE = .3259E-06 OSCILLATION LIMIT = .5129
 *** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.0 CRITERION= .2675
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5185
 HT FLOW CONVERGENCE VALUE= .2306 CRITERION= .1092
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1051
 HT FLOW CONVERGENCE VALUE= .3599E-01 CRITERION= .1092 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 6 COMPLETED. CUM ITER = 137
 *** TIME = .386461E+08 TIME INC = .157388E+07
 *** RESPONSE EIGENVALUE = .3822E-06 OSCILLATION LIMIT = .6015
 *** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.1 CRITERION= .2674
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5190
 HT FLOW CONVERGENCE VALUE= .2308 CRITERION= .1093
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1050
 HT FLOW CONVERGENCE VALUE= .3585E-01 CRITERION= .1093 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 7 COMPLETED. CUM ITER = 139
 *** TIME = .402200E+08 TIME INC = .157388E+07
 *** RESPONSE EIGENVALUE = .3256E-06 OSCILLATION LIMIT = .5125
 *** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.0 CRITERION= .2674
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5185
 HT FLOW CONVERGENCE VALUE= .2302 CRITERION= .1090
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1045
 HT FLOW CONVERGENCE VALUE= .3554E-01 CRITERION= .1090 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 8 COMPLETED. CUM ITER = 141
 *** TIME = .417938E+08 TIME INC = .157388E+07
 *** RESPONSE EIGENVALUE = .3798E-06 OSCILLATION LIMIT = .5977
 *** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.1 CRITERION= .2673
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5190
 HT FLOW CONVERGENCE VALUE= .2303 CRITERION= .1091
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1044
 HT FLOW CONVERGENCE VALUE= .3544E-01 CRITERION= .1091 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 9 COMPLETED. CUM ITER = 143
 *** TIME = .433677E+08 TIME INC = .157388E+07
 *** RESPONSE EIGENVALUE = .3251E-06 OSCILLATION LIMIT = .5117
 *** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.0 CRITERION= .2673
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5185
 HT FLOW CONVERGENCE VALUE= .2298 CRITERION= .1088
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1039
 HT FLOW CONVERGENCE VALUE= .3512E-01 CRITERION= .1088 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 10 COMPLETED. CUM ITER = 145
*** TIME = .449416E+08 TIME INC = .157388E+07
*** RESPONSE EIGENVALUE = .3774E-06 OSCILLATION LIMIT = .5940
*** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.1 CRITERION= .2672
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5190
HT FLOW CONVERGENCE VALUE= .2303 CRITERION= .1089
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1039
HT FLOW CONVERGENCE VALUE= .3497E-01 CRITERION= .1089 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 11 COMPLETED. CUM ITER = 147
*** TIME = .465155E+08 TIME INC = .157388E+07
*** RESPONSE EIGENVALUE = .3245E-06 OSCILLATION LIMIT = .5107
*** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.0 CRITERION= .2672
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5185
HT FLOW CONVERGENCE VALUE= .2303 CRITERION= .1085
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1034
HT FLOW CONVERGENCE VALUE= .3464E-01 CRITERION= .1085 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 12 COMPLETED. CUM ITER = 149
*** TIME = .480893E+08 TIME INC = .157388E+07
*** RESPONSE EIGENVALUE = .3752E-06 OSCILLATION LIMIT = .5905
*** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.1 CRITERION= .2671
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5190
HT FLOW CONVERGENCE VALUE= .2312 CRITERION= .1087
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1033
HT FLOW CONVERGENCE VALUE= .3449E-01 CRITERION= .1087 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 13 COMPLETED. CUM ITER = 151
*** TIME = .496632E+08 TIME INC = .157388E+07
*** RESPONSE EIGENVALUE = .3237E-06 OSCILLATION LIMIT = .5095
*** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.0 CRITERION= .2671
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5185
HT FLOW CONVERGENCE VALUE= .2314 CRITERION= .1083
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1028
HT FLOW CONVERGENCE VALUE= .3420E-01 CRITERION= .1083 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 14 COMPLETED. CUM ITER = 153
*** TIME = .512371E+08 TIME INC = .157388E+07
*** RESPONSE EIGENVALUE = .3730E-06 OSCILLATION LIMIT = .5870
*** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.1 CRITERION= .2671
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5190
HT FLOW CONVERGENCE VALUE= .2322 CRITERION= .1085
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1027
HT FLOW CONVERGENCE VALUE= .3406E-01 CRITERION= .1085 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 15 COMPLETED. CUM ITER = 155
*** TIME = .528110E+08 TIME INC = .157388E+07
*** RESPONSE EIGENVALUE = .3228E-06 OSCILLATION LIMIT = .5080
*** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.0 CRITERION= .2670
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5185
HT FLOW CONVERGENCE VALUE= .2324 CRITERION= .1081
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1023
HT FLOW CONVERGENCE VALUE= .3377E-01 CRITERION= .1081 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 16 COMPLETED. CUM ITER = 157
*** TIME = .543848E+08 TIME INC = .157388E+07
*** RESPONSE EIGENVALUE = .3710E-06 OSCILLATION LIMIT = .5839

```

*** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.1 CRITERION= .2670
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5190
HT FLOW CONVERGENCE VALUE= .2332 CRITERION= .1083
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1022
HT FLOW CONVERGENCE VALUE= .3364E-01 CRITERION= .1083 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 17 COMPLETED. CUM ITER = 159
*** TIME = .559587E+08 TIME INC = .157388E+07
*** RESPONSE EIGENVALUE = .3221E-06 OSCILLATION LIMIT = .5069
*** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.0 CRITERION= .2670
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5185
HT FLOW CONVERGENCE VALUE= .2333 CRITERION= .1079
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1018
HT FLOW CONVERGENCE VALUE= .3336E-01 CRITERION= .1079 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 18 COMPLETED. CUM ITER = 161
*** TIME = .575326E+08 TIME INC = .157388E+07
*** RESPONSE EIGENVALUE = .3691E-06 OSCILLATION LIMIT = .5809
*** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.1 CRITERION= .2669
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5190
HT FLOW CONVERGENCE VALUE= .2334 CRITERION= .1081
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1017
HT FLOW CONVERGENCE VALUE= .3323E-01 CRITERION= .1080 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 19 COMPLETED. CUM ITER = 163
*** TIME = .591065E+08 TIME INC = .157388E+07
*** RESPONSE EIGENVALUE = .3212E-06 OSCILLATION LIMIT = .5055
*** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.0 CRITERION= .2669
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5185
HT FLOW CONVERGENCE VALUE= .2330 CRITERION= .1077
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1012
HT FLOW CONVERGENCE VALUE= .3296E-01 CRITERION= .1077 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 20 COMPLETED. CUM ITER = 165
*** TIME = .606803E+08 TIME INC = .157388E+07
*** RESPONSE EIGENVALUE = .3672E-06 OSCILLATION LIMIT = .5779
*** AUTO STEP TIME: NEXT TIME INC = .15739E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 244.1 CRITERION= .2668
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5190
HT FLOW CONVERGENCE VALUE= .2332 CRITERION= .1078
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1011
HT FLOW CONVERGENCE VALUE= .3285E-01 CRITERION= .1078 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 21 COMPLETED. CUM ITER = 167
*** TIME = .622542E+08 TIME INC = .157388E+07
*** RESPONSE EIGENVALUE = .3203E-06 OSCILLATION LIMIT = .5041
*** AUTO TIME STEP: NEXT TIME INC = .86101E+06 DECREASED (FACTOR = .5471)

HT FLOW CONVERGENCE VALUE= 133.5 CRITERION= .1716
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2836
HT FLOW CONVERGENCE VALUE= .1270 CRITERION= .1075
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5239E-01
HT FLOW CONVERGENCE VALUE= .1715E-01 CRITERION= .1075 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 14 SUBSTEP 22 COMPLETED. CUM ITER = 169
*** TIME = .631152E+08 TIME INC = 861011.
*** RESPONSE EIGENVALUE = .3639E-06 OSCILLATION LIMIT = .3133

***** ANSYS SOLVE COMMAND *****

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:08:11 MAR 25, 1995 CP= 10536.980
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 88.90 CRITERION= .1395
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1896
 HT FLOW CONVERGENCE VALUE= .8419E-01 CRITERION= .1077 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 1 COMPLETED. CUM ITER = 170
 *** TIME = .639762E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .1860E-06 OSCILLATION LIMIT = .1602
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.75 CRITERION= .1396
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
 HT FLOW CONVERGENCE VALUE= .7659E-01 CRITERION= .1074 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 2 COMPLETED. CUM ITER = 171
 *** TIME = .648373E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .7401E-06 OSCILLATION LIMIT = .6372
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.90 CRITERION= .1394
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1895
 HT FLOW CONVERGENCE VALUE= .7722E-01 CRITERION= .1076 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 3 COMPLETED. CUM ITER = 172
 *** TIME = .656983E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .5196E-06 OSCILLATION LIMIT = .4474
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.75 CRITERION= .1395
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
 HT FLOW CONVERGENCE VALUE= .7662E-01 CRITERION= .1073 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 4 COMPLETED. CUM ITER = 173
 *** TIME = .665593E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .6608E-06 OSCILLATION LIMIT = .5689
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.90 CRITERION= .1393
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1895
 HT FLOW CONVERGENCE VALUE= .7735E-01 CRITERION= .1075 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 5 COMPLETED. CUM ITER = 174
 *** TIME = .674203E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .5192E-06 OSCILLATION LIMIT = .4471
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.75 CRITERION= .1394
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
 HT FLOW CONVERGENCE VALUE= .7670E-01 CRITERION= .1072 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 6 COMPLETED. CUM ITER = 175
 *** TIME = .682813E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .6594E-06 OSCILLATION LIMIT = .5677
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.90 CRITERION= .1392
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1895
 HT FLOW CONVERGENCE VALUE= .7737E-01 CRITERION= .1074 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 7 COMPLETED. CUM ITER = 176
 *** TIME = .691423E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .5183E-06 OSCILLATION LIMIT = .4462
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.75 CRITERION= .1393
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
 HT FLOW CONVERGENCE VALUE= .7668E-01 CRITERION= .1071 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 8 COMPLETED. CUM ITER = 177
 *** TIME = .700033E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .6574E-06 OSCILLATION LIMIT = .5661
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.90 CRITERION= .1391
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1895
 HT FLOW CONVERGENCE VALUE= .7736E-01 CRITERION= .1073 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 9 COMPLETED. CUM ITER = 178
 *** TIME = .708643E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .5175E-06 OSCILLATION LIMIT = .4455
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.75 CRITERION= .1393
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
 HT FLOW CONVERGENCE VALUE= .7668E-01 CRITERION= .1070 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 10 COMPLETED. CUM ITER = 179
 *** TIME = .717253E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .6553E-06 OSCILLATION LIMIT = .5642
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.90 CRITERION= .1391
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1895
 HT FLOW CONVERGENCE VALUE= .7734E-01 CRITERION= .1072 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 11 COMPLETED. CUM ITER = 180
 *** TIME = .725864E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .5168E-06 OSCILLATION LIMIT = .4449
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.75 CRITERION= .1392
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
 HT FLOW CONVERGENCE VALUE= .7659E-01 CRITERION= .1069 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 12 COMPLETED. CUM ITER = 181
 *** TIME = .734474E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .6533E-06 OSCILLATION LIMIT = .5625
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.90 CRITERION= .1390
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1895
 HT FLOW CONVERGENCE VALUE= .7725E-01 CRITERION= .1071 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 13 COMPLETED. CUM ITER = 182
 *** TIME = .743084E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .5163E-06 OSCILLATION LIMIT = .4445
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.75 CRITERION= .1391
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
 HT FLOW CONVERGENCE VALUE= .7649E-01 CRITERION= .1067 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 14 COMPLETED. CUM ITER = 183
 *** TIME = .751694E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .6513E-06 OSCILLATION LIMIT = .5608
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.90 CRITERION= .1389
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1895
 HT FLOW CONVERGENCE VALUE= .7713E-01 CRITERION= .1069 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 15 COMPLETED. CUM ITER = 184
 *** TIME = .760304E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .5158E-06 OSCILLATION LIMIT = .4441

*** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.75 CRITERION= .1390
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
 HT FLOW CONVERGENCE VALUE= .7638E-01 CRITERION= .1066 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 16 COMPLETED. CUM ITER = 185
 *** TIME = .768914E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .6492E-06 OSCILLATION LIMIT = .5589
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.90 CRITERION= .1388
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1895
 HT FLOW CONVERGENCE VALUE= .7703E-01 CRITERION= .1068 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 17 COMPLETED. CUM ITER = 186
 *** TIME = .777524E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .5153E-06 OSCILLATION LIMIT = .4437
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.75 CRITERION= .1389
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
 HT FLOW CONVERGENCE VALUE= .7627E-01 CRITERION= .1065 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 18 COMPLETED. CUM ITER = 187
 *** TIME = .786134E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .6470E-06 OSCILLATION LIMIT = .5571
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.90 CRITERION= .1387
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1895
 HT FLOW CONVERGENCE VALUE= .7692E-01 CRITERION= .1067 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 19 COMPLETED. CUM ITER = 188
 *** TIME = .794744E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .5148E-06 OSCILLATION LIMIT = .4432
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.75 CRITERION= .1388
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
 HT FLOW CONVERGENCE VALUE= .7616E-01 CRITERION= .1064 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 20 COMPLETED. CUM ITER = 189
 *** TIME = .803355E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .6448E-06 OSCILLATION LIMIT = .5552
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.90 CRITERION= .1386
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1894
 HT FLOW CONVERGENCE VALUE= .7680E-01 CRITERION= .1066 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 21 COMPLETED. CUM ITER = 190
 *** TIME = .811965E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .5142E-06 OSCILLATION LIMIT = .4428
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.75 CRITERION= .1387
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
 HT FLOW CONVERGENCE VALUE= .7605E-01 CRITERION= .1063 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 22 COMPLETED. CUM ITER = 191
 *** TIME = .820575E+08 TIME INC = 861011.
 *** RESPONSE EIGENVALUE = .6427E-06 OSCILLATION LIMIT = .5533
 *** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.90 CRITERION= .1385
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1894
 HT FLOW CONVERGENCE VALUE= .7669E-01 CRITERION= .1065 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 23 COMPLETED. CUM ITER = 192

```

*** TIME = .829185E+08    TIME INC = 861011.
*** RESPONSE EIGENVALUE = .5136E-06    OSCILLATION LIMIT = .4422
*** AUTO STEP TIME: NEXT TIME INC = .86101E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 88.75    CRITERION= .1386
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
    HT FLOW CONVERGENCE VALUE= .7584E-01    CRITERION= .1062    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 24 COMPLETED.    CUM ITER = 193
*** TIME = .837795E+08    TIME INC = 861011.
*** RESPONSE EIGENVALUE = .6405E-06    OSCILLATION LIMIT = .5515
*** AUTO STEP TIME: NEXT TIME INC = .86101E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 88.90    CRITERION= .1384
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1894
    HT FLOW CONVERGENCE VALUE= .7638E-01    CRITERION= .1064    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 25 COMPLETED.    CUM ITER = 194
*** TIME = .846405E+08    TIME INC = 861011.
*** RESPONSE EIGENVALUE = .5131E-06    OSCILLATION LIMIT = .4418
*** AUTO STEP TIME: NEXT TIME INC = .86101E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 88.75    CRITERION= .1385
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
    HT FLOW CONVERGENCE VALUE= .7547E-01    CRITERION= .1061    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 26 COMPLETED.    CUM ITER = 195
*** TIME = .855015E+08    TIME INC = 861011.
*** RESPONSE EIGENVALUE = .6384E-06    OSCILLATION LIMIT = .5497
*** AUTO STEP TIME: NEXT TIME INC = .86101E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 88.90    CRITERION= .1384
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1894
    HT FLOW CONVERGENCE VALUE= .7606E-01    CRITERION= .1062    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 27 COMPLETED.    CUM ITER = 196
*** TIME = .863625E+08    TIME INC = 861011.
*** RESPONSE EIGENVALUE = .5127E-06    OSCILLATION LIMIT = .4414
*** AUTO STEP TIME: NEXT TIME INC = .86101E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 88.75    CRITERION= .1385
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
    HT FLOW CONVERGENCE VALUE= .7536E-01    CRITERION= .1059    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 28 COMPLETED.    CUM ITER = 197
*** TIME = .872235E+08    TIME INC = 861011.
*** RESPONSE EIGENVALUE = .6365E-06    OSCILLATION LIMIT = .5481
*** AUTO STEP TIME: NEXT TIME INC = .86101E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 88.90    CRITERION= .1383
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1894
    HT FLOW CONVERGENCE VALUE= .7592E-01    CRITERION= .1061    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 29 COMPLETED.    CUM ITER = 198
*** TIME = .880846E+08    TIME INC = 861011.
*** RESPONSE EIGENVALUE = .5123E-06    OSCILLATION LIMIT = .4411
*** AUTO STEP TIME: NEXT TIME INC = .86101E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 88.75    CRITERION= .1384
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
    HT FLOW CONVERGENCE VALUE= .7478E-01    CRITERION= .1058    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 30 COMPLETED.    CUM ITER = 199
*** TIME = .889456E+08    TIME INC = 861011.
*** RESPONSE EIGENVALUE = .6348E-06    OSCILLATION LIMIT = .5466
*** AUTO STEP TIME: NEXT TIME INC = .86101E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 88.90    CRITERION= .1382
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1894
    HT FLOW CONVERGENCE VALUE= .7540E-01    CRITERION= .1060    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 31 COMPLETED. CUM ITER = 200
*** TIME = .898066E+08 TIME INC = 861011.
*** RESPONSE EIGENVALUE = .5122E-06 OSCILLATION LIMIT = .4410
*** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.75 CRITERION= .1383
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
HT FLOW CONVERGENCE VALUE= .7466E-01 CRITERION= .1057 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 32 COMPLETED. CUM ITER = 201
*** TIME = .906676E+08 TIME INC = 861011.
*** RESPONSE EIGENVALUE = .6334E-06 OSCILLATION LIMIT = .5453
*** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.90 CRITERION= .1381
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1894
HT FLOW CONVERGENCE VALUE= .7546E-01 CRITERION= .1059 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 33 COMPLETED. CUM ITER = 202
*** TIME = .915286E+08 TIME INC = 861011.
*** RESPONSE EIGENVALUE = .5122E-06 OSCILLATION LIMIT = .4410
*** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.75 CRITERION= .1382
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1885
HT FLOW CONVERGENCE VALUE= .7442E-01 CRITERION= .1056 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 34 COMPLETED. CUM ITER = 203
*** TIME = .923896E+08 TIME INC = 861011.
*** RESPONSE EIGENVALUE = .6320E-06 OSCILLATION LIMIT = .5442
*** AUTO STEP TIME: NEXT TIME INC = .86101E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.90 CRITERION= .1380
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1894
HT FLOW CONVERGENCE VALUE= .7502E-01 CRITERION= .1058 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 35 COMPLETED. CUM ITER = 204
*** TIME = .932506E+08 TIME INC = 861011.
*** RESPONSE EIGENVALUE = .5122E-06 OSCILLATION LIMIT = .4410
*** AUTO STEP TIME: NEXT TIME INC = .71110E+06 DECREASED (FACTOR = .8259)

HT FLOW CONVERGENCE VALUE= 73.29 CRITERION= .1287
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1557
HT FLOW CONVERGENCE VALUE= .6070E-01 CRITERION= .1055 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 36 COMPLETED. CUM ITER = 205
*** TIME = .939617E+08 TIME INC = 711103.
*** RESPONSE EIGENVALUE = .7376E-06 OSCILLATION LIMIT = .5245
*** AUTO STEP TIME: NEXT TIME INC = .71110E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 73.43 CRITERION= .1285
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1566
HT FLOW CONVERGENCE VALUE= .6219E-01 CRITERION= .1057 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 37 COMPLETED. CUM ITER = 206
*** TIME = .946728E+08 TIME INC = 711103.
*** RESPONSE EIGENVALUE = .5353E-06 OSCILLATION LIMIT = .3807

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 19:54:54 MAR 25, 1995 CP= 13307.680
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1217

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5018E-01 CRITERION= .1054 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 1 COMPLETED. CUM ITER = 207
*** TIME = .954618E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8536E-06 OSCILLATION LIMIT = .6735
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1214
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1291
HT FLOW CONVERGENCE VALUE= .5047E-01 CRITERION= .1056 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 2 COMPLETED. CUM ITER = 208
*** TIME = .962507E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7821E-06 OSCILLATION LIMIT = .6170
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1216
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5055E-01 CRITERION= .1053 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 3 COMPLETED. CUM ITER = 209
*** TIME = .970397E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7815E-06 OSCILLATION LIMIT = .6165
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1214
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1291
HT FLOW CONVERGENCE VALUE= .5058E-01 CRITERION= .1055 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 4 COMPLETED. CUM ITER = 210
*** TIME = .978286E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7482E-06 OSCILLATION LIMIT = .5903
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1215
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5034E-01 CRITERION= .1052 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 5 COMPLETED. CUM ITER = 211
*** TIME = .986175E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8206E-06 OSCILLATION LIMIT = .6474
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1213
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1291
HT FLOW CONVERGENCE VALUE= .5063E-01 CRITERION= .1054 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 6 COMPLETED. CUM ITER = 212
*** TIME = .994065E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7166E-06 OSCILLATION LIMIT = .5653
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1214
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5019E-01 CRITERION= .1051 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 7 COMPLETED. CUM ITER = 213
*** TIME = .100195E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8439E-06 OSCILLATION LIMIT = .6658
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1212
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1291
HT FLOW CONVERGENCE VALUE= .5064E-01 CRITERION= .1053 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 8 COMPLETED. CUM ITER = 214
*** TIME = .100984E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6977E-06 OSCILLATION LIMIT = .5505
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1213
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5007E-01 CRITERION= .1050 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 9 COMPLETED. CUM ITER = 215
 *** TIME = .101773E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8570E-06 OSCILLATION LIMIT = .6761
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1211
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1291
 HT FLOW CONVERGENCE VALUE= .5062E-01 CRITERION= .1052 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 10 COMPLETED. CUM ITER = 216
 *** TIME = .102562E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6862E-06 OSCILLATION LIMIT = .5414
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1212
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4998E-01 CRITERION= .1049 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 11 COMPLETED. CUM ITER = 217
 *** TIME = .103351E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8638E-06 OSCILLATION LIMIT = .6815
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1210
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1291
 HT FLOW CONVERGENCE VALUE= .5058E-01 CRITERION= .1051 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 12 COMPLETED. CUM ITER = 218
 *** TIME = .104140E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6792E-06 OSCILLATION LIMIT = .5358
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1212
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4990E-01 CRITERION= .1048 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 13 COMPLETED. CUM ITER = 219
 *** TIME = .104929E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8667E-06 OSCILLATION LIMIT = .6838
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1209
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1291
 HT FLOW CONVERGENCE VALUE= .5053E-01 CRITERION= .1050 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 14 COMPLETED. CUM ITER = 220
 *** TIME = .105718E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6747E-06 OSCILLATION LIMIT = .5323
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1211
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4982E-01 CRITERION= .1047 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 15 COMPLETED. CUM ITER = 221
 *** TIME = .106507E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8673E-06 OSCILLATION LIMIT = .6842
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1209
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1291
 HT FLOW CONVERGENCE VALUE= .5047E-01 CRITERION= .1049 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 16 COMPLETED. CUM ITER = 222
 *** TIME = .107296E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .6719E-06 OSCILLATION LIMIT = .5301
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1210
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4975E-01 CRITERION= .1046 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 17 COMPLETED. CUM ITER = 223
 *** TIME = .108085E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8664E-06 OSCILLATION LIMIT = .6835
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1208
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1291
 HT FLOW CONVERGENCE VALUE= .5042E-01 CRITERION= .1048 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 18 COMPLETED. CUM ITER = 224
 *** TIME = .108874E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6699E-06 OSCILLATION LIMIT = .5285
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1209
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4969E-01 CRITERION= .1045 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 19 COMPLETED. CUM ITER = 225
 *** TIME = .109663E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8646E-06 OSCILLATION LIMIT = .6821
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1207
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1291
 HT FLOW CONVERGENCE VALUE= .5035E-01 CRITERION= .1047 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 20 COMPLETED. CUM ITER = 226
 *** TIME = .110452E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6685E-06 OSCILLATION LIMIT = .5274
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1208
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4963E-01 CRITERION= .1044 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 21 COMPLETED. CUM ITER = 227
 *** TIME = .111241E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8624E-06 OSCILLATION LIMIT = .6804
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1206
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1291
 HT FLOW CONVERGENCE VALUE= .5030E-01 CRITERION= .1046 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 22 COMPLETED. CUM ITER = 228
 *** TIME = .112030E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6675E-06 OSCILLATION LIMIT = .5266
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1207
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4957E-01 CRITERION= .1044 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 23 COMPLETED. CUM ITER = 229
 *** TIME = .112818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8598E-06 OSCILLATION LIMIT = .6784
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1205
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1291
 HT FLOW CONVERGENCE VALUE= .5024E-01 CRITERION= .1045 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 24 COMPLETED. CUM ITER = 230
 *** TIME = .113607E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6666E-06 OSCILLATION LIMIT = .5259
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1207
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4951E-01 CRITERION= .1043 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 25 COMPLETED. CUM ITER = 231
 *** TIME = .114396E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8571E-06 OSCILLATION LIMIT = .6762
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1205
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1291
 HT FLOW CONVERGENCE VALUE= .5018E-01 CRITERION= .1044 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 26 COMPLETED. CUM ITER = 232
 *** TIME = .115185E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6658E-06 OSCILLATION LIMIT = .5253
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1206
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4945E-01 CRITERION= .1042 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 27 COMPLETED. CUM ITER = 233
 *** TIME = .115974E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8543E-06 OSCILLATION LIMIT = .6740
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1204
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1290
 HT FLOW CONVERGENCE VALUE= .5012E-01 CRITERION= .1043 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 28 COMPLETED. CUM ITER = 234
 *** TIME = .116763E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6651E-06 OSCILLATION LIMIT = .5247
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1205
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4938E-01 CRITERION= .1041 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 29 COMPLETED. CUM ITER = 235
 *** TIME = .117552E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8514E-06 OSCILLATION LIMIT = .6717
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1203
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1290
 HT FLOW CONVERGENCE VALUE= .5004E-01 CRITERION= .1042 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 30 COMPLETED. CUM ITER = 236
 *** TIME = .118341E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6645E-06 OSCILLATION LIMIT = .5242
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1204
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4932E-01 CRITERION= .1040 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 31 COMPLETED. CUM ITER = 237
 *** TIME = .119130E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8486E-06 OSCILLATION LIMIT = .6695
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1202
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1290

HT FLOW CONVERGENCE VALUE= .4998E-01 CRITERION= .1041 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 32 COMPLETED. CUM ITER = 238
 *** TIME = .119919E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6638E-06 OSCILLATION LIMIT = .5237
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1203
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4926E-01 CRITERION= .1039 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 33 COMPLETED. CUM ITER = 239
 *** TIME = .120708E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8458E-06 OSCILLATION LIMIT = .6673
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1201
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1290
 HT FLOW CONVERGENCE VALUE= .4992E-01 CRITERION= .1040 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 34 COMPLETED. CUM ITER = 240
 *** TIME = .121497E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6631E-06 OSCILLATION LIMIT = .5232
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.23 CRITERION= .1202
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4919E-01 CRITERION= .1038 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 35 COMPLETED. CUM ITER = 241
 *** TIME = .122286E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8429E-06 OSCILLATION LIMIT = .6650
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1200
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1290
 HT FLOW CONVERGENCE VALUE= .4985E-01 CRITERION= .1040 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 36 COMPLETED. CUM ITER = 242
 *** TIME = .123075E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6624E-06 OSCILLATION LIMIT = .5226
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.24 CRITERION= .1202
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4913E-01 CRITERION= .1037 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 37 COMPLETED. CUM ITER = 243
 *** TIME = .123864E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8401E-06 OSCILLATION LIMIT = .6628
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1200
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1290
 HT FLOW CONVERGENCE VALUE= .4979E-01 CRITERION= .1039 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 38 COMPLETED. CUM ITER = 244
 *** TIME = .124653E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6617E-06 OSCILLATION LIMIT = .5221
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.24 CRITERION= .1201
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .4908E-01 CRITERION= .1036 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 39 COMPLETED. CUM ITER = 245
 *** TIME = .125441E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8374E-06 OSCILLATION LIMIT = .6606
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED


```

HT FLOW CONVERGENCE VALUE= 60.37 CRITERION= .1199
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1290
HT FLOW CONVERGENCE VALUE= .4973E-01 CRITERION= .1038 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 40 COMPLETED. CUM ITER = 246
*** TIME = .126230E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6610E-06 OSCILLATION LIMIT = .5215

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:45:03 MAR 25, 1995 CP= 16299.760
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1145
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
HT FLOW CONVERGENCE VALUE= .3860E-01 CRITERION= .1035 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 1 COMPLETED. CUM ITER = 247
*** TIME = .127019E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1198E-05 OSCILLATION LIMIT = .9449
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1143
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
HT FLOW CONVERGENCE VALUE= .3920E-01 CRITERION= .1037 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 2 COMPLETED. CUM ITER = 248
*** TIME = .127808E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9764E-06 OSCILLATION LIMIT = .7703
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1145
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
HT FLOW CONVERGENCE VALUE= .3897E-01 CRITERION= .1034 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 3 COMPLETED. CUM ITER = 249
*** TIME = .128597E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1075E-05 OSCILLATION LIMIT = .8481
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1143
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1041
HT FLOW CONVERGENCE VALUE= .3924E-01 CRITERION= .1036 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 4 COMPLETED. CUM ITER = 250
*** TIME = .129386E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9561E-06 OSCILLATION LIMIT = .7543
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1144
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
HT FLOW CONVERGENCE VALUE= .3883E-01 CRITERION= .1033 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 5 COMPLETED. CUM ITER = 251
*** TIME = .130175E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1107E-05 OSCILLATION LIMIT = .8734
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1142
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1041
HT FLOW CONVERGENCE VALUE= .3924E-01 CRITERION= .1035 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 6 COMPLETED. CUM ITER = 252
*** TIME = .130964E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9299E-06 OSCILLATION LIMIT = .7337

```

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1143
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .3874E-01 CRITERION= .1032 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 7 COMPLETED. CUM ITER = 253
 *** TIME = .131753E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1126E-05 OSCILLATION LIMIT = .8881
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1141
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1041
 HT FLOW CONVERGENCE VALUE= .3923E-01 CRITERION= .1034 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 8 COMPLETED. CUM ITER = 254
 *** TIME = .132542E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9139E-06 OSCILLATION LIMIT = .7210
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1142
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .3866E-01 CRITERION= .1031 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 9 COMPLETED. CUM ITER = 255
 *** TIME = .133331E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1136E-05 OSCILLATION LIMIT = .8960
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1140
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
 HT FLOW CONVERGENCE VALUE= .3920E-01 CRITERION= .1033 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 10 COMPLETED. CUM ITER = 256
 *** TIME = .134120E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9041E-06 OSCILLATION LIMIT = .7133
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1141
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .3860E-01 CRITERION= .1030 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 11 COMPLETED. CUM ITER = 257
 *** TIME = .134909E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1141E-05 OSCILLATION LIMIT = .8998
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1139
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
 HT FLOW CONVERGENCE VALUE= .3917E-01 CRITERION= .1032 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 12 COMPLETED. CUM ITER = 258
 *** TIME = .135698E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8979E-06 OSCILLATION LIMIT = .7084
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1140
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .3855E-01 CRITERION= .1029 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 13 COMPLETED. CUM ITER = 259
 *** TIME = .136487E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1142E-05 OSCILLATION LIMIT = .9010
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1138
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
 HT FLOW CONVERGENCE VALUE= .3913E-01 CRITERION= .1031 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 14 COMPLETED. CUM ITER = 260

```

*** TIME = .137276E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8939E-06    OSCILLATION LIMIT = .7052
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.49    CRITERION= .1139
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
    HT FLOW CONVERGENCE VALUE= .3849E-01    CRITERION= .1028    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 15 COMPLETED.    CUM ITER = 261
*** TIME = .138065E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1142E-05    OSCILLATION LIMIT = .9007
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.63    CRITERION= .1137
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
    HT FLOW CONVERGENCE VALUE= .3909E-01    CRITERION= .1030    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 16 COMPLETED.    CUM ITER = 262
*** TIME = .138853E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8912E-06    OSCILLATION LIMIT = .7031
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.49    CRITERION= .1138
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
    HT FLOW CONVERGENCE VALUE= .3845E-01    CRITERION= .1027    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 17 COMPLETED.    CUM ITER = 263
*** TIME = .139642E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1140E-05    OSCILLATION LIMIT = .8993
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.63    CRITERION= .1136
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
    HT FLOW CONVERGENCE VALUE= .3905E-01    CRITERION= .1029    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 18 COMPLETED.    CUM ITER = 264
*** TIME = .140431E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8892E-06    OSCILLATION LIMIT = .7016
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.49    CRITERION= .1138
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
    HT FLOW CONVERGENCE VALUE= .3840E-01    CRITERION= .1026    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 19 COMPLETED.    CUM ITER = 265
*** TIME = .141220E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1137E-05    OSCILLATION LIMIT = .8974
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.63    CRITERION= .1136
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
    HT FLOW CONVERGENCE VALUE= .3900E-01    CRITERION= .1028    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 20 COMPLETED.    CUM ITER = 266
*** TIME = .142009E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8878E-06    OSCILLATION LIMIT = .7004
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.49    CRITERION= .1137
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
    HT FLOW CONVERGENCE VALUE= .3835E-01    CRITERION= .1025    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 21 COMPLETED.    CUM ITER = 267
*** TIME = .142798E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1135E-05    OSCILLATION LIMIT = .8951
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.63    CRITERION= .1135
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
    HT FLOW CONVERGENCE VALUE= .3895E-01    CRITERION= .1027    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 22 COMPLETED. CUM ITER = 268
*** TIME = .143587E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8866E-06 OSCILLATION LIMIT = .6995
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1136
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
HT FLOW CONVERGENCE VALUE= .3830E-01 CRITERION= .1025 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 23 COMPLETED. CUM ITER = 269
*** TIME = .144376E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1131E-05 OSCILLATION LIMIT = .8927
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1134
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
HT FLOW CONVERGENCE VALUE= .3889E-01 CRITERION= .1026 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 24 COMPLETED. CUM ITER = 270
*** TIME = .145165E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8857E-06 OSCILLATION LIMIT = .6987
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1135
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
HT FLOW CONVERGENCE VALUE= .3825E-01 CRITERION= .1024 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 25 COMPLETED. CUM ITER = 271
*** TIME = .145954E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1128E-05 OSCILLATION LIMIT = .8902
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1133
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
HT FLOW CONVERGENCE VALUE= .3884E-01 CRITERION= .1025 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 26 COMPLETED. CUM ITER = 272
*** TIME = .146743E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8848E-06 OSCILLATION LIMIT = .6980
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1134
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
HT FLOW CONVERGENCE VALUE= .3820E-01 CRITERION= .1023 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 27 COMPLETED. CUM ITER = 273
*** TIME = .147532E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1125E-05 OSCILLATION LIMIT = .8875
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1132
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
HT FLOW CONVERGENCE VALUE= .3879E-01 CRITERION= .1024 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 28 COMPLETED. CUM ITER = 274
*** TIME = .148321E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8839E-06 OSCILLATION LIMIT = .6974
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1133
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
HT FLOW CONVERGENCE VALUE= .3815E-01 CRITERION= .1022 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 29 COMPLETED. CUM ITER = 275
*** TIME = .149110E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1122E-05 OSCILLATION LIMIT = .8849
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1131

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
 HT FLOW CONVERGENCE VALUE= .3874E-01 CRITERION= .1023 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 30 COMPLETED. CUM ITER = 276
 *** TIME = .149899E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8832E-06 OSCILLATION LIMIT = .6968
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1132
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .3810E-01 CRITERION= .1021 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 31 COMPLETED. CUM ITER = 277
 *** TIME = .150688E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1118E-05 OSCILLATION LIMIT = .8824
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1130
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
 HT FLOW CONVERGENCE VALUE= .3869E-01 CRITERION= .1022 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 32 COMPLETED. CUM ITER = 278
 *** TIME = .151477E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8824E-06 OSCILLATION LIMIT = .6961
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1132
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .3806E-01 CRITERION= .1020 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 33 COMPLETED. CUM ITER = 279
 *** TIME = .152265E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1115E-05 OSCILLATION LIMIT = .8798
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1130
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
 HT FLOW CONVERGENCE VALUE= .3863E-01 CRITERION= .1021 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 34 COMPLETED. CUM ITER = 280
 *** TIME = .153054E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8816E-06 OSCILLATION LIMIT = .6955
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1131
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .3800E-01 CRITERION= .1019 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 35 COMPLETED. CUM ITER = 281
 *** TIME = .153843E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1112E-05 OSCILLATION LIMIT = .8772
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1129
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
 HT FLOW CONVERGENCE VALUE= .3857E-01 CRITERION= .1020 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 36 COMPLETED. CUM ITER = 282
 *** TIME = .154632E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8808E-06 OSCILLATION LIMIT = .6949
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1130
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .3795E-01 CRITERION= .1018 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 37 COMPLETED. CUM ITER = 283
 *** TIME = .155421E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1109E-05 OSCILLATION LIMIT = .8746
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1128
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
 HT FLOW CONVERGENCE VALUE= .3852E-01 CRITERION= .1019 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 38 COMPLETED. CUM ITER = 284
 *** TIME = .156210E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8800E-06 OSCILLATION LIMIT = .6943
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.49 CRITERION= .1129
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .3791E-01 CRITERION= .1017 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 39 COMPLETED. CUM ITER = 285
 *** TIME = .156999E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1105E-05 OSCILLATION LIMIT = .8721
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.63 CRITERION= .1127
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1040
 HT FLOW CONVERGENCE VALUE= .3848E-01 CRITERION= .1018 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 40 COMPLETED. CUM ITER = 286
 *** TIME = .157788E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8791E-06 OSCILLATION LIMIT = .6936

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:35:27 MAR 25, 1995 CP= 19288.480
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1100
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3192E-01 CRITERION= .1016 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 1 COMPLETED. CUM ITER = 287
 *** TIME = .158577E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1394E-05 OSCILLATION LIMIT = 1.100
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1098
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8912E-01
 HT FLOW CONVERGENCE VALUE= .3246E-01 CRITERION= .1017 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 2 COMPLETED. CUM ITER = 288
 *** TIME = .159366E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1129E-05 OSCILLATION LIMIT = .8910
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1099
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3210E-01 CRITERION= .1015 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 3 COMPLETED. CUM ITER = 289
 *** TIME = .160155E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1304E-05 OSCILLATION LIMIT = 1.028
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1097
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8913E-01
 HT FLOW CONVERGENCE VALUE= .3247E-01 CRITERION= .1017 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 4 COMPLETED. CUM ITER = 290
 *** TIME = .160944E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1114E-05 OSCILLATION LIMIT = .8791
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1098
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3202E-01 CRITERION= .1014 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 5 COMPLETED. CUM ITER = 291
 *** TIME = .161733E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1326E-05 OSCILLATION LIMIT = 1.046
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1096
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8913E-01
 HT FLOW CONVERGENCE VALUE= .3246E-01 CRITERION= .1016 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 6 COMPLETED. CUM ITER = 292
 *** TIME = .162522E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1095E-05 OSCILLATION LIMIT = .8639
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1097
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3196E-01 CRITERION= .1013 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 7 COMPLETED. CUM ITER = 293
 *** TIME = .163311E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1338E-05 OSCILLATION LIMIT = 1.056
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1095
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8912E-01
 HT FLOW CONVERGENCE VALUE= .3244E-01 CRITERION= .1015 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 8 COMPLETED. CUM ITER = 294
 *** TIME = .164100E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1083E-05 OSCILLATION LIMIT = .8545
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1096
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3191E-01 CRITERION= .1012 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 9 COMPLETED. CUM ITER = 295
 *** TIME = .164888E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1345E-05 OSCILLATION LIMIT = 1.061
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1094
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8912E-01
 HT FLOW CONVERGENCE VALUE= .3242E-01 CRITERION= .1014 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 10 COMPLETED. CUM ITER = 296
 *** TIME = .165677E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1075E-05 OSCILLATION LIMIT = .8485
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1095
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3186E-01 CRITERION= .1011 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 11 COMPLETED. CUM ITER = 297
 *** TIME = .166466E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1347E-05 OSCILLATION LIMIT = 1.063
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1093
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8912E-01
 HT FLOW CONVERGENCE VALUE= .3238E-01 CRITERION= .1013 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 12 COMPLETED. CUM ITER = 298
 *** TIME = .167255E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1071E-05 OSCILLATION LIMIT = .8446
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1095
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3182E-01 CRITERION= .1010 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 13 COMPLETED. CUM ITER = 299
 *** TIME = .168044E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1347E-05 OSCILLATION LIMIT = 1.063
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1093
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8911E-01
 HT FLOW CONVERGENCE VALUE= .3235E-01 CRITERION= .1012 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 14 COMPLETED. CUM ITER = 300
 *** TIME = .168833E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1067E-05 OSCILLATION LIMIT = .8419
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1094
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3178E-01 CRITERION= .1010 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 15 COMPLETED. CUM ITER = 301
 *** TIME = .169622E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1346E-05 OSCILLATION LIMIT = 1.062
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1092
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8911E-01
 HT FLOW CONVERGENCE VALUE= .3231E-01 CRITERION= .1011 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 16 COMPLETED. CUM ITER = 302
 *** TIME = .170411E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1065E-05 OSCILLATION LIMIT = .8400
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1093
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3174E-01 CRITERION= .1009 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 17 COMPLETED. CUM ITER = 303
 *** TIME = .171200E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1343E-05 OSCILLATION LIMIT = 1.060
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1091
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8911E-01
 HT FLOW CONVERGENCE VALUE= .3227E-01 CRITERION= .1010 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 18 COMPLETED. CUM ITER = 304
 *** TIME = .171989E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1063E-05 OSCILLATION LIMIT = .8386
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1092
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3170E-01 CRITERION= .1008 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 19 COMPLETED. CUM ITER = 305
 *** TIME = .172778E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1340E-05 OSCILLATION LIMIT = 1.057
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1090
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8910E-01

HT FLOW CONVERGENCE VALUE= .3223E-01 CRITERION= .1009 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 20 COMPLETED. CUM ITER = 306
 *** TIME = .173567E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1062E-05 OSCILLATION LIMIT = .8375
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1091
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3167E-01 CRITERION= .1007 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 21 COMPLETED. CUM ITER = 307
 *** TIME = .174356E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1337E-05 OSCILLATION LIMIT = 1.055
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1089
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8910E-01
 HT FLOW CONVERGENCE VALUE= .3220E-01 CRITERION= .1008 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 22 COMPLETED. CUM ITER = 308
 *** TIME = .175145E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1060E-05 OSCILLATION LIMIT = .8366
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1090
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3163E-01 CRITERION= .1006 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 23 COMPLETED. CUM ITER = 309
 *** TIME = .175934E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1334E-05 OSCILLATION LIMIT = 1.052
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1088
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8910E-01
 HT FLOW CONVERGENCE VALUE= .3216E-01 CRITERION= .1007 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 24 COMPLETED. CUM ITER = 310
 *** TIME = .176723E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1059E-05 OSCILLATION LIMIT = .8358
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1089
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3160E-01 CRITERION= .1005 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 25 COMPLETED. CUM ITER = 311
 *** TIME = .177512E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1330E-05 OSCILLATION LIMIT = 1.050
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1088
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8909E-01
 HT FLOW CONVERGENCE VALUE= .3212E-01 CRITERION= .1006 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 26 COMPLETED. CUM ITER = 312
 *** TIME = .178300E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1058E-05 OSCILLATION LIMIT = .8350
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1089
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3156E-01 CRITERION= .1004 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 27 COMPLETED. CUM ITER = 313
 *** TIME = .179089E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1327E-05 OSCILLATION LIMIT = 1.047
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1087
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8909E-01
 HT FLOW CONVERGENCE VALUE= .3208E-01 CRITERION= .1005 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 28 COMPLETED. CUM ITER = 314
 *** TIME = .179878E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1057E-05 OSCILLATION LIMIT = .8342
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1088
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3153E-01 CRITERION= .1003 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 29 COMPLETED. CUM ITER = 315
 *** TIME = .180667E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1323E-05 OSCILLATION LIMIT = 1.044
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1086
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8908E-01
 HT FLOW CONVERGENCE VALUE= .3204E-01 CRITERION= .1004 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 30 COMPLETED. CUM ITER = 316
 *** TIME = .181456E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1056E-05 OSCILLATION LIMIT = .8335
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1087
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3149E-01 CRITERION= .1002 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 31 COMPLETED. CUM ITER = 317
 *** TIME = .182245E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1320E-05 OSCILLATION LIMIT = 1.041
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1085
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8908E-01
 HT FLOW CONVERGENCE VALUE= .3201E-01 CRITERION= .1003 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 32 COMPLETED. CUM ITER = 318
 *** TIME = .183034E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1056E-05 OSCILLATION LIMIT = .8327
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1086
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3146E-01 CRITERION= .1001 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 33 COMPLETED. CUM ITER = 319
 *** TIME = .183823E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1316E-05 OSCILLATION LIMIT = 1.038
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1084
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8908E-01
 HT FLOW CONVERGENCE VALUE= .3197E-01 CRITERION= .1003 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 34 COMPLETED. CUM ITER = 320
 *** TIME = .184612E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1055E-05 OSCILLATION LIMIT = .8320
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1085
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3143E-01 CRITERION= .1000 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 35 COMPLETED. CUM ITER = 321
 *** TIME = .185401E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1313E-05 OSCILLATION LIMIT = 1.036

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1083
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8907E-01
 HT FLOW CONVERGENCE VALUE= .3193E-01 CRITERION= .1002 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 36 COMPLETED. CUM ITER = 322
 *** TIME = .186190E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1054E-05 OSCILLATION LIMIT = .8313
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1084
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3140E-01 CRITERION= .9993E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 37 COMPLETED. CUM ITER = 323
 *** TIME = .186979E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1309E-05 OSCILLATION LIMIT = 1.033
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1082
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8907E-01
 HT FLOW CONVERGENCE VALUE= .3190E-01 CRITERION= .1001 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 38 COMPLETED. CUM ITER = 324
 *** TIME = .187768E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1053E-05 OSCILLATION LIMIT = .8305
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.49 CRITERION= .1083
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3136E-01 CRITERION= .9984E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 39 COMPLETED. CUM ITER = 325
 *** TIME = .188557E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1306E-05 OSCILLATION LIMIT = 1.030
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.62 CRITERION= .1082
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8906E-01
 HT FLOW CONVERGENCE VALUE= .3186E-01 CRITERION= .9998E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 40 COMPLETED. CUM ITER = 326
 *** TIME = .189346E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1052E-05 OSCILLATION LIMIT = .8298

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:25:36 MAR 25, 1995 CP= 22276.650
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 36.47 CRITERION= .1064
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .2724E-01 CRITERION= .9975E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 1 COMPLETED. CUM ITER = 327
 *** TIME = .190135E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1554E-05 OSCILLATION LIMIT = 1.226
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.60 CRITERION= .1062
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7835E-01
 HT FLOW CONVERGENCE VALUE= .2772E-01 CRITERION= .9989E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 2 COMPLETED. CUM ITER = 328

```

*** TIME = .190924E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1267E-05    OSCILLATION LIMIT = .9992
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.47    CRITERION= .1063
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .2735E-01    CRITERION= .9966E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 3 COMPLETED. CUM ITER = 329
*** TIME = .191712E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1477E-05    OSCILLATION LIMIT = 1.166
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.60    CRITERION= .1062
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7835E-01
    HT FLOW CONVERGENCE VALUE= .2772E-01    CRITERION= .9980E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 4 COMPLETED. CUM ITER = 330
*** TIME = .192501E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1254E-05    OSCILLATION LIMIT = .9890
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.47    CRITERION= .1063
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .2729E-01    CRITERION= .9957E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 5 COMPLETED. CUM ITER = 331
*** TIME = .193290E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1495E-05    OSCILLATION LIMIT = 1.180
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.60    CRITERION= .1061
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7835E-01
    HT FLOW CONVERGENCE VALUE= .2770E-01    CRITERION= .9971E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 6 COMPLETED. CUM ITER = 332
*** TIME = .194079E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1237E-05    OSCILLATION LIMIT = .9763
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.47    CRITERION= .1062
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .2725E-01    CRITERION= .9948E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 7 COMPLETED. CUM ITER = 333
*** TIME = .194868E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1505E-05    OSCILLATION LIMIT = 1.187
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.60    CRITERION= .1060
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7835E-01
    HT FLOW CONVERGENCE VALUE= .2768E-01    CRITERION= .9962E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 8 COMPLETED. CUM ITER = 334
*** TIME = .195657E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1227E-05    OSCILLATION LIMIT = .9682
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.48    CRITERION= .1061
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .2721E-01    CRITERION= .9940E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 9 COMPLETED. CUM ITER = 335
*** TIME = .196446E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1509E-05    OSCILLATION LIMIT = 1.191
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.60    CRITERION= .1059
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7834E-01
    HT FLOW CONVERGENCE VALUE= .2766E-01    CRITERION= .9953E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 10 COMPLETED. CUM ITER = 336
*** TIME = .197235E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1221E-05 OSCILLATION LIMIT = .9629
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.48 CRITERION= .1060
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .2718E-01 CRITERION= .9931E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 11 COMPLETED. CUM ITER = 337
*** TIME = .198024E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1511E-05 OSCILLATION LIMIT = 1.192
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.60 CRITERION= .1058
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7834E-01
HT FLOW CONVERGENCE VALUE= .2763E-01 CRITERION= .9944E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 12 COMPLETED. CUM ITER = 338
*** TIME = .198813E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1216E-05 OSCILLATION LIMIT = .9594
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.48 CRITERION= .1059
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .2715E-01 CRITERION= .9922E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 13 COMPLETED. CUM ITER = 339
*** TIME = .199602E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1510E-05 OSCILLATION LIMIT = 1.191
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.60 CRITERION= .1057
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7834E-01
HT FLOW CONVERGENCE VALUE= .2761E-01 CRITERION= .9935E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 14 COMPLETED. CUM ITER = 340
*** TIME = .200391E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1213E-05 OSCILLATION LIMIT = .9570
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.48 CRITERION= .1058
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .2712E-01 CRITERION= .9913E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 15 COMPLETED. CUM ITER = 341
*** TIME = .201180E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1508E-05 OSCILLATION LIMIT = 1.190
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.60 CRITERION= .1057
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7833E-01
HT FLOW CONVERGENCE VALUE= .2758E-01 CRITERION= .9926E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 16 COMPLETED. CUM ITER = 342
*** TIME = .201969E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1211E-05 OSCILLATION LIMIT = .9553
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.48 CRITERION= .1058
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .2709E-01 CRITERION= .9904E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 17 COMPLETED. CUM ITER = 343
*** TIME = .202758E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1506E-05 OSCILLATION LIMIT = 1.188
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.60 CRITERION= .1056

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7833E-01
 HT FLOW CONVERGENCE VALUE= .2755E-01 CRITERION= .9917E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 18 COMPLETED. CUM ITER = 344
 *** TIME = .203547E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1209E-05 OSCILLATION LIMIT = .9539
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.48 CRITERION= .1057
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .2705E-01 CRITERION= .9895E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 19 COMPLETED. CUM ITER = 345
 *** TIME = .204335E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1502E-05 OSCILLATION LIMIT = 1.185
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.60 CRITERION= .1055
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7833E-01
 HT FLOW CONVERGENCE VALUE= .2751E-01 CRITERION= .9908E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 20 COMPLETED. CUM ITER = 346
 *** TIME = .205124E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1208E-05 OSCILLATION LIMIT = .9528
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.48 CRITERION= .1056
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .2703E-01 CRITERION= .9886E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 21 COMPLETED. CUM ITER = 347
 *** TIME = .205913E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1499E-05 OSCILLATION LIMIT = 1.183
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.60 CRITERION= .1054
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7832E-01
 HT FLOW CONVERGENCE VALUE= .2749E-01 CRITERION= .9899E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 22 COMPLETED. CUM ITER = 348
 *** TIME = .206702E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1206E-05 OSCILLATION LIMIT = .9518
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.48 CRITERION= .1055
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .2700E-01 CRITERION= .9877E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 23 COMPLETED. CUM ITER = 349
 *** TIME = .207491E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1496E-05 OSCILLATION LIMIT = 1.180
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.60 CRITERION= .1053
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7832E-01
 HT FLOW CONVERGENCE VALUE= .2745E-01 CRITERION= .9890E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 24 COMPLETED. CUM ITER = 350
 *** TIME = .208280E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1205E-05 OSCILLATION LIMIT = .9509
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.48 CRITERION= .1054
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .2697E-01 CRITERION= .9868E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 25 COMPLETED. CUM ITER = 351
 *** TIME = .209069E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1492E-05 OSCILLATION LIMIT = 1.177
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.60 CRITERION= .1052
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7832E-01
 HT FLOW CONVERGENCE VALUE= .2742E-01 CRITERION= .9881E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 26 COMPLETED. CUM ITER = 352
 *** TIME = .209858E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1204E-05 OSCILLATION LIMIT = .9501
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.48 CRITERION= .1053
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .2695E-01 CRITERION= .9859E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 27 COMPLETED. CUM ITER = 353
 *** TIME = .210647E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1489E-05 OSCILLATION LIMIT = 1.174
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.60 CRITERION= .1052
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7831E-01
 HT FLOW CONVERGENCE VALUE= .2739E-01 CRITERION= .9872E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 28 COMPLETED. CUM ITER = 354
 *** TIME = .211436E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1203E-05 OSCILLATION LIMIT = .9493
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.48 CRITERION= .1052
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .2692E-01 CRITERION= .9850E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 29 COMPLETED. CUM ITER = 355
 *** TIME = .212225E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1485E-05 OSCILLATION LIMIT = 1.172
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.60 CRITERION= .1051
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7831E-01
 HT FLOW CONVERGENCE VALUE= .2736E-01 CRITERION= .9863E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 30 COMPLETED. CUM ITER = 356
 *** TIME = .213014E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1202E-05 OSCILLATION LIMIT = .9485
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.48 CRITERION= .1052
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .2689E-01 CRITERION= .9842E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 31 COMPLETED. CUM ITER = 357
 *** TIME = .213803E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1481E-05 OSCILLATION LIMIT = 1.169
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.60 CRITERION= .1050
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7831E-01
 HT FLOW CONVERGENCE VALUE= .2733E-01 CRITERION= .9854E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 32 COMPLETED. CUM ITER = 358
 *** TIME = .214592E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1201E-05 OSCILLATION LIMIT = .9477
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.48 CRITERION= .1051
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .2686E-01 CRITERION= .9833E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 33 COMPLETED. CUM ITER = 359
 *** TIME = .215381E+09 TIME INC = 788940.

```

*** RESPONSE EIGENVALUE = .1478E-05  OSCILLATION LIMIT = 1.166
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.60      CRITERION= .1049
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7830E-01
    HT FLOW CONVERGENCE VALUE= .2730E-01 CRITERION= .9845E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 34 COMPLETED. CUM ITER = 360
*** TIME = .216170E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1200E-05  OSCILLATION LIMIT = .9470
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.48      CRITERION= .1050
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .2684E-01 CRITERION= .9824E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 35 COMPLETED. CUM ITER = 361
*** TIME = .216959E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1474E-05  OSCILLATION LIMIT = 1.163
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.60      CRITERION= .1048
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7830E-01
    HT FLOW CONVERGENCE VALUE= .2727E-01 CRITERION= .9836E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 36 COMPLETED. CUM ITER = 362
*** TIME = .217747E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1199E-05  OSCILLATION LIMIT = .9462
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.48      CRITERION= .1049
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .2681E-01 CRITERION= .9815E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 37 COMPLETED. CUM ITER = 363
*** TIME = .218536E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1471E-05  OSCILLATION LIMIT = 1.161
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.60      CRITERION= .1047
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7830E-01
    HT FLOW CONVERGENCE VALUE= .2724E-01 CRITERION= .9827E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 38 COMPLETED. CUM ITER = 364
*** TIME = .219325E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1198E-05  OSCILLATION LIMIT = .9454
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.48      CRITERION= .1048
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .2679E-01 CRITERION= .9806E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 39 COMPLETED. CUM ITER = 365
*** TIME = .220114E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1468E-05  OSCILLATION LIMIT = 1.158
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.60      CRITERION= .1047
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7829E-01
    HT FLOW CONVERGENCE VALUE= .2721E-01 CRITERION= .9818E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 40 COMPLETED. CUM ITER = 366
*** TIME = .220903E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1197E-05  OSCILLATION LIMIT = .9447

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 23:15:57 MAR 25, 1995 CP= 25268.630

FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1035
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2385E-01 CRITERION= .9797E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 1 COMPLETED. CUM ITER = 367
 *** TIME = .221692E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1688E-05 OSCILLATION LIMIT = 1.332
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1033
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7050E-01
 HT FLOW CONVERGENCE VALUE= .2427E-01 CRITERION= .9809E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 2 COMPLETED. CUM ITER = 368
 *** TIME = .222481E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1391E-05 OSCILLATION LIMIT = 1.098
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1034
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2393E-01 CRITERION= .9789E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 3 COMPLETED. CUM ITER = 369
 *** TIME = .223270E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1624E-05 OSCILLATION LIMIT = 1.281
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1033
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7050E-01
 HT FLOW CONVERGENCE VALUE= .2427E-01 CRITERION= .9801E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 4 COMPLETED. CUM ITER = 370
 *** TIME = .224059E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1380E-05 OSCILLATION LIMIT = 1.089
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1034
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2388E-01 CRITERION= .9780E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 5 COMPLETED. CUM ITER = 371
 *** TIME = .224848E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1639E-05 OSCILLATION LIMIT = 1.293
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1032
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7050E-01
 HT FLOW CONVERGENCE VALUE= .2425E-01 CRITERION= .9792E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 6 COMPLETED. CUM ITER = 372
 *** TIME = .225637E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1366E-05 OSCILLATION LIMIT = 1.078
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1033
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2385E-01 CRITERION= .9771E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 7 COMPLETED. CUM ITER = 373
 *** TIME = .226426E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1646E-05 OSCILLATION LIMIT = 1.299
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1031
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7049E-01

HT FLOW CONVERGENCE VALUE= .2423E-01 CRITERION= .9783E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 8 COMPLETED. CUM ITER = 374
 *** TIME = .227215E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1357E-05 OSCILLATION LIMIT = 1.071
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1032
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2382E-01 CRITERION= .9763E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 9 COMPLETED. CUM ITER = 375
 *** TIME = .228004E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1649E-05 OSCILLATION LIMIT = 1.301
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1030
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7049E-01
 HT FLOW CONVERGENCE VALUE= .2421E-01 CRITERION= .9775E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 10 COMPLETED. CUM ITER = 376
 *** TIME = .228793E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1351E-05 OSCILLATION LIMIT = 1.066
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1031
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2379E-01 CRITERION= .9754E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 11 COMPLETED. CUM ITER = 377
 *** TIME = .229582E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1650E-05 OSCILLATION LIMIT = 1.302
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1029
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7049E-01
 HT FLOW CONVERGENCE VALUE= .2419E-01 CRITERION= .9766E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 12 COMPLETED. CUM ITER = 378
 *** TIME = .230371E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1347E-05 OSCILLATION LIMIT = 1.063
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1030
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2377E-01 CRITERION= .9746E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 13 COMPLETED. CUM ITER = 379
 *** TIME = .231159E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1649E-05 OSCILLATION LIMIT = 1.301
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1029
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7049E-01
 HT FLOW CONVERGENCE VALUE= .2416E-01 CRITERION= .9757E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 14 COMPLETED. CUM ITER = 380
 *** TIME = .231948E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1345E-05 OSCILLATION LIMIT = 1.061
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1030
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2374E-01 CRITERION= .9737E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 15 COMPLETED. CUM ITER = 381
 *** TIME = .232737E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1647E-05 OSCILLATION LIMIT = 1.299
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1028
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7048E-01
 HT FLOW CONVERGENCE VALUE= .2414E-01 CRITERION= .9749E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 16 COMPLETED. CUM ITER = 382
 *** TIME = .233526E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1342E-05 OSCILLATION LIMIT = 1.059
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1029
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2372E-01 CRITERION= .9728E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 17 COMPLETED. CUM ITER = 383
 *** TIME = .234315E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1644E-05 OSCILLATION LIMIT = 1.297
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1027
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7048E-01
 HT FLOW CONVERGENCE VALUE= .2411E-01 CRITERION= .9740E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 18 COMPLETED. CUM ITER = 384
 *** TIME = .235104E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1341E-05 OSCILLATION LIMIT = 1.058
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1028
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2369E-01 CRITERION= .9720E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 19 COMPLETED. CUM ITER = 385
 *** TIME = .235893E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1641E-05 OSCILLATION LIMIT = 1.294
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1026
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7048E-01
 HT FLOW CONVERGENCE VALUE= .2409E-01 CRITERION= .9731E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 20 COMPLETED. CUM ITER = 386
 *** TIME = .236682E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1339E-05 OSCILLATION LIMIT = 1.057
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1027
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2367E-01 CRITERION= .9711E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 21 COMPLETED. CUM ITER = 387
 *** TIME = .237471E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1637E-05 OSCILLATION LIMIT = 1.292
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1025
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7047E-01
 HT FLOW CONVERGENCE VALUE= .2406E-01 CRITERION= .9723E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 22 COMPLETED. CUM ITER = 388
 *** TIME = .238260E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1338E-05 OSCILLATION LIMIT = 1.056
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1026
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2364E-01 CRITERION= .9702E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 23 COMPLETED. CUM ITER = 389
 *** TIME = .239049E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1634E-05 OSCILLATION LIMIT = 1.289

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1025
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7047E-01
 HT FLOW CONVERGENCE VALUE= .2403E-01 CRITERION= .9714E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 24 COMPLETED. CUM ITER = 390
 *** TIME = .239838E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1337E-05 OSCILLATION LIMIT = 1.055
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1025
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2362E-01 CRITERION= .9694E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 25 COMPLETED. CUM ITER = 391
 *** TIME = .240627E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1630E-05 OSCILLATION LIMIT = 1.286
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1024
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7047E-01
 HT FLOW CONVERGENCE VALUE= .2401E-01 CRITERION= .9705E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 26 COMPLETED. CUM ITER = 392
 *** TIME = .241416E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1336E-05 OSCILLATION LIMIT = 1.054
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1025
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2360E-01 CRITERION= .9685E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 27 COMPLETED. CUM ITER = 393
 *** TIME = .242205E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1627E-05 OSCILLATION LIMIT = 1.283
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1023
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7046E-01
 HT FLOW CONVERGENCE VALUE= .2398E-01 CRITERION= .9697E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 28 COMPLETED. CUM ITER = 394
 *** TIME = .242994E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1335E-05 OSCILLATION LIMIT = 1.053
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1024
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2357E-01 CRITERION= .9677E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 29 COMPLETED. CUM ITER = 395
 *** TIME = .243782E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1623E-05 OSCILLATION LIMIT = 1.281
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1022
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7046E-01
 HT FLOW CONVERGENCE VALUE= .2396E-01 CRITERION= .9688E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 30 COMPLETED. CUM ITER = 396
 *** TIME = .244571E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1334E-05 OSCILLATION LIMIT = 1.052
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.82 CRITERION= .1023
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2355E-01 CRITERION= .9668E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 31 COMPLETED. CUM ITER = 397

```

*** TIME = .245360E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1620E-05    OSCILLATION LIMIT = 1.278
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.94    CRITERION= .1021
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7046E-01
    HT FLOW CONVERGENCE VALUE= .2393E-01    CRITERION= .9679E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 32 COMPLETED.    CUM ITER = 398
*** TIME = .246149E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1333E-05    OSCILLATION LIMIT = 1.051
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.82    CRITERION= .1022
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
    HT FLOW CONVERGENCE VALUE= .2353E-01    CRITERION= .9659E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 33 COMPLETED.    CUM ITER = 399
*** TIME = .246938E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1616E-05    OSCILLATION LIMIT = 1.275
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.94    CRITERION= .1020
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7045E-01
    HT FLOW CONVERGENCE VALUE= .2391E-01    CRITERION= .9671E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 34 COMPLETED.    CUM ITER = 400
*** TIME = .247727E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1332E-05    OSCILLATION LIMIT = 1.051
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.82    CRITERION= .1021
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
    HT FLOW CONVERGENCE VALUE= .2351E-01    CRITERION= .9651E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 35 COMPLETED.    CUM ITER = 401
*** TIME = .248516E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1613E-05    OSCILLATION LIMIT = 1.272
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.94    CRITERION= .1020
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7045E-01
    HT FLOW CONVERGENCE VALUE= .2388E-01    CRITERION= .9662E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 36 COMPLETED.    CUM ITER = 402
*** TIME = .249305E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1331E-05    OSCILLATION LIMIT = 1.050
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.82    CRITERION= .1020
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
    HT FLOW CONVERGENCE VALUE= .2348E-01    CRITERION= .9642E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 37 COMPLETED.    CUM ITER = 403
*** TIME = .250094E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1609E-05    OSCILLATION LIMIT = 1.269
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.94    CRITERION= .1019
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7045E-01
    HT FLOW CONVERGENCE VALUE= .2386E-01    CRITERION= .9653E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 38 COMPLETED.    CUM ITER = 404
*** TIME = .250883E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1330E-05    OSCILLATION LIMIT = 1.049
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.82    CRITERION= .1020
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
    HT FLOW CONVERGENCE VALUE= .2346E-01    CRITERION= .9634E-01 <<< CONVERGED

```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 39 COMPLETED. CUM ITER = 405
*** TIME = .251672E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1606E-05 OSCILLATION LIMIT = 1.267
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.94 CRITERION= .1018
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7045E-01
HT FLOW CONVERGENCE VALUE= .2383E-01 CRITERION= .9645E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 40 COMPLETED. CUM ITER = 406
*** TIME = .252461E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1328E-05 OSCILLATION LIMIT = 1.048
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 00:06:07 MAR 26, 1995 CP= 28262.480
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9905E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
HT FLOW CONVERGENCE VALUE= .1548E-01 CRITERION= .9626E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 1 COMPLETED. CUM ITER = 407
*** TIME = .253250E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3085E-05 OSCILLATION LIMIT = 2.434
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9888E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4865E-01
HT FLOW CONVERGENCE VALUE= .1581E-01 CRITERION= .9636E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 2 COMPLETED. CUM ITER = 408
*** TIME = .254039E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2680E-05 OSCILLATION LIMIT = 2.114
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9897E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
HT FLOW CONVERGENCE VALUE= .1562E-01 CRITERION= .9617E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 3 COMPLETED. CUM ITER = 409
*** TIME = .254828E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2742E-05 OSCILLATION LIMIT = 2.163
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9880E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4866E-01
HT FLOW CONVERGENCE VALUE= .1583E-01 CRITERION= .9628E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 4 COMPLETED. CUM ITER = 410
*** TIME = .255617E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2605E-05 OSCILLATION LIMIT = 2.055
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9889E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
HT FLOW CONVERGENCE VALUE= .1557E-01 CRITERION= .9609E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 5 COMPLETED. CUM ITER = 411
*** TIME = .256406E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2843E-05 OSCILLATION LIMIT = 2.243
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9872E-01
```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4866E-01
 HT FLOW CONVERGENCE VALUE= .1584E-01 CRITERION= .9619E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 6 COMPLETED. CUM ITER = 412
 *** TIME = .257194E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2525E-05 OSCILLATION LIMIT = 1.992
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9881E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1554E-01 CRITERION= .9600E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 7 COMPLETED. CUM ITER = 413
 *** TIME = .257983E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2905E-05 OSCILLATION LIMIT = 2.292
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9863E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4866E-01
 HT FLOW CONVERGENCE VALUE= .1584E-01 CRITERION= .9611E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 8 COMPLETED. CUM ITER = 414
 *** TIME = .258772E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2476E-05 OSCILLATION LIMIT = 1.954
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9872E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1551E-01 CRITERION= .9592E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 9 COMPLETED. CUM ITER = 415
 *** TIME = .259561E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2942E-05 OSCILLATION LIMIT = 2.321
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9855E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4866E-01
 HT FLOW CONVERGENCE VALUE= .1583E-01 CRITERION= .9603E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 10 COMPLETED. CUM ITER = 416
 *** TIME = .260350E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2446E-05 OSCILLATION LIMIT = 1.930
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9864E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1549E-01 CRITERION= .9584E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 11 COMPLETED. CUM ITER = 417
 *** TIME = .261139E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2962E-05 OSCILLATION LIMIT = 2.337
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9847E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4866E-01
 HT FLOW CONVERGENCE VALUE= .1582E-01 CRITERION= .9594E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 12 COMPLETED. CUM ITER = 418
 *** TIME = .261928E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2427E-05 OSCILLATION LIMIT = 1.915
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9856E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1547E-01 CRITERION= .9575E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 13 COMPLETED. CUM ITER = 419
 *** TIME = .262717E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2972E-05 OSCILLATION LIMIT = 2.345
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9839E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4866E-01
 HT FLOW CONVERGENCE VALUE= .1581E-01 CRITERION= .9586E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 14 COMPLETED. CUM ITER = 420
 *** TIME = .263506E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2415E-05 OSCILLATION LIMIT = 1.905
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9848E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1545E-01 CRITERION= .9567E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 15 COMPLETED. CUM ITER = 421
 *** TIME = .264295E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2976E-05 OSCILLATION LIMIT = 2.348
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9831E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4866E-01
 HT FLOW CONVERGENCE VALUE= .1580E-01 CRITERION= .9577E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 16 COMPLETED. CUM ITER = 422
 *** TIME = .265084E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2408E-05 OSCILLATION LIMIT = 1.899
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9840E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1543E-01 CRITERION= .9559E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 17 COMPLETED. CUM ITER = 423
 *** TIME = .265873E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2976E-05 OSCILLATION LIMIT = 2.348
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9823E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4865E-01
 HT FLOW CONVERGENCE VALUE= .1578E-01 CRITERION= .9569E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 18 COMPLETED. CUM ITER = 424
 *** TIME = .266662E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2403E-05 OSCILLATION LIMIT = 1.896
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9831E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1542E-01 CRITERION= .9550E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 19 COMPLETED. CUM ITER = 425
 *** TIME = .267451E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2974E-05 OSCILLATION LIMIT = 2.346
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9815E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4865E-01
 HT FLOW CONVERGENCE VALUE= .1577E-01 CRITERION= .9561E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 20 COMPLETED. CUM ITER = 426
 *** TIME = .268240E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2400E-05 OSCILLATION LIMIT = 1.893
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9823E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1540E-01 CRITERION= .9542E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 21 COMPLETED. CUM ITER = 427
 *** TIME = .269029E+09 TIME INC = 788940.


```

*** RESPONSE EIGENVALUE = .2970E-05  OSCILLATION LIMIT = 2.343
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.67  CRITERION= .9806E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4865E-01
    HT FLOW CONVERGENCE VALUE= .1575E-01 CRITERION= .9552E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 22 COMPLETED. CUM ITER = 428
*** TIME = .269818E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2397E-05  OSCILLATION LIMIT = 1.891
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.55  CRITERION= .9815E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .1539E-01 CRITERION= .9533E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 23 COMPLETED. CUM ITER = 429
*** TIME = .270606E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2965E-05  OSCILLATION LIMIT = 2.340
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.67  CRITERION= .9798E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4864E-01
    HT FLOW CONVERGENCE VALUE= .1574E-01 CRITERION= .9544E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 24 COMPLETED. CUM ITER = 430
*** TIME = .271395E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2396E-05  OSCILLATION LIMIT = 1.890
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.55  CRITERION= .9807E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .1538E-01 CRITERION= .9525E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 25 COMPLETED. CUM ITER = 431
*** TIME = .272184E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2960E-05  OSCILLATION LIMIT = 2.335
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.67  CRITERION= .9790E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4864E-01
    HT FLOW CONVERGENCE VALUE= .1572E-01 CRITERION= .9535E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 26 COMPLETED. CUM ITER = 432
*** TIME = .272973E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2395E-05  OSCILLATION LIMIT = 1.889
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.55  CRITERION= .9799E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .1536E-01 CRITERION= .9517E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 27 COMPLETED. CUM ITER = 433
*** TIME = .273762E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2955E-05  OSCILLATION LIMIT = 2.331
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.67  CRITERION= .9782E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4864E-01
    HT FLOW CONVERGENCE VALUE= .1570E-01 CRITERION= .9527E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 28 COMPLETED. CUM ITER = 434
*** TIME = .274551E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2394E-05  OSCILLATION LIMIT = 1.889
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.55  CRITERION= .9790E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .1535E-01 CRITERION= .9508E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 21 SUBSTEP 29 COMPLETED. CUM ITER = 435
 *** TIME = .275340E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2949E-05 OSCILLATION LIMIT = 2.326
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9774E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4864E-01
 HT FLOW CONVERGENCE VALUE= .1569E-01 CRITERION= .9518E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 30 COMPLETED. CUM ITER = 436
 *** TIME = .276129E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2393E-05 OSCILLATION LIMIT = 1.888
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9782E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1533E-01 CRITERION= .9500E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 31 COMPLETED. CUM ITER = 437
 *** TIME = .276918E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2943E-05 OSCILLATION LIMIT = 2.322
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9766E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4863E-01
 HT FLOW CONVERGENCE VALUE= .1567E-01 CRITERION= .9510E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 32 COMPLETED. CUM ITER = 438
 *** TIME = .277707E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2392E-05 OSCILLATION LIMIT = 1.887
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9774E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1532E-01 CRITERION= .9492E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 33 COMPLETED. CUM ITER = 439
 *** TIME = .278496E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2937E-05 OSCILLATION LIMIT = 2.317
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9758E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4863E-01
 HT FLOW CONVERGENCE VALUE= .1565E-01 CRITERION= .9502E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 34 COMPLETED. CUM ITER = 440
 *** TIME = .279285E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2391E-05 OSCILLATION LIMIT = 1.887
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9766E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1530E-01 CRITERION= .9483E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 35 COMPLETED. CUM ITER = 441
 *** TIME = .280074E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2931E-05 OSCILLATION LIMIT = 2.313
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9749E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4863E-01
 HT FLOW CONVERGENCE VALUE= .1564E-01 CRITERION= .9493E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 36 COMPLETED. CUM ITER = 442
 *** TIME = .280863E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2391E-05 OSCILLATION LIMIT = 1.886
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9758E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01

HT FLOW CONVERGENCE VALUE= .1529E-01 CRITERION= .9475E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 37 COMPLETED. CUM ITER = 443
 *** TIME = .281652E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2926E-05 OSCILLATION LIMIT = 2.308
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9741E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4863E-01
 HT FLOW CONVERGENCE VALUE= .1562E-01 CRITERION= .9485E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 38 COMPLETED. CUM ITER = 444
 *** TIME = .282441E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2390E-05 OSCILLATION LIMIT = 1.886
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.55 CRITERION= .9750E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1527E-01 CRITERION= .9467E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 39 COMPLETED. CUM ITER = 445
 *** TIME = .283229E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2920E-05 OSCILLATION LIMIT = 2.304
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.67 CRITERION= .9733E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4862E-01
 HT FLOW CONVERGENCE VALUE= .1560E-01 CRITERION= .9476E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 40 COMPLETED. CUM ITER = 446
 *** TIME = .284018E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2389E-05 OSCILLATION LIMIT = 1.885
 Apply loads and solve for 10 to 90 years

*DO LOOP ON PARAMETER= TM FROM .31558E+09 TO .28402E+10 BY .31558E+09
 TIME= .31558E+09

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 3020.49145 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 142.11 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP
 VALUES = 142.65 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9

LOAD LABELS = TEMP
VALUES = 143.80 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 31253.670 TIME= 00:56:30
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 00:56:30 MAR 26, 1995 CP= 31253.680
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 22
TIME AT END OF THE LOAD STEP.31558E+09
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9689E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1376E-01 CRITERION= .9459E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 1 COMPLETED. CUM ITER = 447
*** TIME = .284807E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2541E-05 OSCILLATION LIMIT = 2.005
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9674E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4374E-01
HT FLOW CONVERGENCE VALUE= .1413E-01 CRITERION= .9470E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 2 COMPLETED. CUM ITER = 448
*** TIME = .285596E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1979E-05 OSCILLATION LIMIT = 1.562
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9683E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1381E-01 CRITERION= .9452E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 3 COMPLETED. CUM ITER = 449
*** TIME = .286385E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2491E-05 OSCILLATION LIMIT = 1.965
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9667E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4374E-01
 HT FLOW CONVERGENCE VALUE= .1411E-01 CRITERION= .9463E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 4 COMPLETED. CUM ITER = 450
 *** TIME = .287174E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1988E-05 OSCILLATION LIMIT = 1.568
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9676E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1380E-01 CRITERION= .9446E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 5 COMPLETED. CUM ITER = 451
 *** TIME = .287963E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2486E-05 OSCILLATION LIMIT = 1.962
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9661E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4373E-01
 HT FLOW CONVERGENCE VALUE= .1410E-01 CRITERION= .9456E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 6 COMPLETED. CUM ITER = 452
 *** TIME = .288752E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1986E-05 OSCILLATION LIMIT = 1.566
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9670E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1379E-01 CRITERION= .9439E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 7 COMPLETED. CUM ITER = 453
 *** TIME = .289541E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2482E-05 OSCILLATION LIMIT = 1.958
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9654E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4373E-01
 HT FLOW CONVERGENCE VALUE= .1409E-01 CRITERION= .9450E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 8 COMPLETED. CUM ITER = 454
 *** TIME = .290330E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1984E-05 OSCILLATION LIMIT = 1.565
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9663E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1378E-01 CRITERION= .9432E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 9 COMPLETED. CUM ITER = 455
 *** TIME = .291119E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2477E-05 OSCILLATION LIMIT = 1.954
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9648E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4373E-01
 HT FLOW CONVERGENCE VALUE= .1408E-01 CRITERION= .9443E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 10 COMPLETED. CUM ITER = 456
 *** TIME = .291908E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1983E-05 OSCILLATION LIMIT = 1.564
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9657E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1377E-01 CRITERION= .9426E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 11 COMPLETED. CUM ITER = 457
 *** TIME = .292697E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .2471E-05 OSCILLATION LIMIT = 1.950
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9641E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4373E-01
 HT FLOW CONVERGENCE VALUE= .1407E-01 CRITERION= .9436E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 12 COMPLETED. CUM ITER = 458
 *** TIME = .293486E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1981E-05 OSCILLATION LIMIT = 1.563
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9650E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1376E-01 CRITERION= .9419E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 13 COMPLETED. CUM ITER = 459
 *** TIME = .294275E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2466E-05 OSCILLATION LIMIT = 1.946
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9635E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4372E-01
 HT FLOW CONVERGENCE VALUE= .1406E-01 CRITERION= .9430E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 14 COMPLETED. CUM ITER = 460
 *** TIME = .295064E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1980E-05 OSCILLATION LIMIT = 1.562
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9643E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1375E-01 CRITERION= .9413E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 15 COMPLETED. CUM ITER = 461
 *** TIME = .295853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2460E-05 OSCILLATION LIMIT = 1.941
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9628E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4372E-01
 HT FLOW CONVERGENCE VALUE= .1404E-01 CRITERION= .9423E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 16 COMPLETED. CUM ITER = 462
 *** TIME = .296641E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1979E-05 OSCILLATION LIMIT = 1.562
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9637E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1374E-01 CRITERION= .9406E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 17 COMPLETED. CUM ITER = 463
 *** TIME = .297430E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2455E-05 OSCILLATION LIMIT = 1.937
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9622E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4372E-01
 HT FLOW CONVERGENCE VALUE= .1403E-01 CRITERION= .9416E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 18 COMPLETED. CUM ITER = 464
 *** TIME = .298219E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1978E-05 OSCILLATION LIMIT = 1.561
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9630E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1373E-01 CRITERION= .9399E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 19 COMPLETED. CUM ITER = 465
 *** TIME = .299008E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2449E-05 OSCILLATION LIMIT = 1.932
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9615E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4372E-01
 HT FLOW CONVERGENCE VALUE= .1401E-01 CRITERION= .9409E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 20 COMPLETED. CUM ITER = 466
 *** TIME = .299797E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1977E-05 OSCILLATION LIMIT = 1.560
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9624E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1372E-01 CRITERION= .9393E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 21 COMPLETED. CUM ITER = 467
 *** TIME = .300586E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2444E-05 OSCILLATION LIMIT = 1.928
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9609E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4371E-01
 HT FLOW CONVERGENCE VALUE= .1400E-01 CRITERION= .9403E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 22 COMPLETED. CUM ITER = 468
 *** TIME = .301375E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1976E-05 OSCILLATION LIMIT = 1.559
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9617E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1369E-01 CRITERION= .9386E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 23 COMPLETED. CUM ITER = 469
 *** TIME = .302164E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2439E-05 OSCILLATION LIMIT = 1.924
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9602E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4371E-01
 HT FLOW CONVERGENCE VALUE= .1397E-01 CRITERION= .9396E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 24 COMPLETED. CUM ITER = 470
 *** TIME = .302953E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1975E-05 OSCILLATION LIMIT = 1.559
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9611E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1368E-01 CRITERION= .9379E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 25 COMPLETED. CUM ITER = 471
 *** TIME = .303742E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2433E-05 OSCILLATION LIMIT = 1.920
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9596E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4371E-01
 HT FLOW CONVERGENCE VALUE= .1396E-01 CRITERION= .9389E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 26 COMPLETED. CUM ITER = 472
 *** TIME = .304531E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1975E-05 OSCILLATION LIMIT = 1.558
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9604E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01

HT FLOW CONVERGENCE VALUE= .1366E-01 CRITERION= .9373E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 27 COMPLETED. CUM ITER = 473
 *** TIME = .305320E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2428E-05 OSCILLATION LIMIT = 1.916
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9589E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4371E-01
 HT FLOW CONVERGENCE VALUE= .1394E-01 CRITERION= .9383E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 28 COMPLETED. CUM ITER = 474
 *** TIME = .306109E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1974E-05 OSCILLATION LIMIT = 1.557
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9598E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1365E-01 CRITERION= .9366E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 29 COMPLETED. CUM ITER = 475
 *** TIME = .306898E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2423E-05 OSCILLATION LIMIT = 1.912
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9583E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4370E-01
 HT FLOW CONVERGENCE VALUE= .1393E-01 CRITERION= .9376E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 30 COMPLETED. CUM ITER = 476
 *** TIME = .307687E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1973E-05 OSCILLATION LIMIT = 1.556
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9591E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1364E-01 CRITERION= .9360E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 31 COMPLETED. CUM ITER = 477
 *** TIME = .308476E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2418E-05 OSCILLATION LIMIT = 1.907
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9576E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4370E-01
 HT FLOW CONVERGENCE VALUE= .1392E-01 CRITERION= .9369E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 32 COMPLETED. CUM ITER = 478
 *** TIME = .309265E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1972E-05 OSCILLATION LIMIT = 1.556
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9585E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1363E-01 CRITERION= .9353E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 33 COMPLETED. CUM ITER = 479
 *** TIME = .310053E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2413E-05 OSCILLATION LIMIT = 1.903
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9570E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4370E-01
 HT FLOW CONVERGENCE VALUE= .1391E-01 CRITERION= .9363E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 34 COMPLETED. CUM ITER = 480
 *** TIME = .310842E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1971E-05 OSCILLATION LIMIT = 1.555
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9578E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1362E-01 CRITERION= .9346E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 35 COMPLETED. CUM ITER = 481
 *** TIME = .311631E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2408E-05 OSCILLATION LIMIT = 1.899
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9563E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4370E-01
 HT FLOW CONVERGENCE VALUE= .1389E-01 CRITERION= .9356E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 36 COMPLETED. CUM ITER = 482
 *** TIME = .312420E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1970E-05 OSCILLATION LIMIT = 1.554
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9572E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1361E-01 CRITERION= .9340E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 37 COMPLETED. CUM ITER = 483
 *** TIME = .313209E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2403E-05 OSCILLATION LIMIT = 1.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9557E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4370E-01
 HT FLOW CONVERGENCE VALUE= .1388E-01 CRITERION= .9349E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 38 COMPLETED. CUM ITER = 484
 *** TIME = .313998E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1969E-05 OSCILLATION LIMIT = 1.553
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.19 CRITERION= .9565E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1360E-01 CRITERION= .9333E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 39 COMPLETED. CUM ITER = 485
 *** TIME = .314787E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2398E-05 OSCILLATION LIMIT = 1.892
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.30 CRITERION= .9550E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4369E-01
 HT FLOW CONVERGENCE VALUE= .1387E-01 CRITERION= .9343E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 40 COMPLETED. CUM ITER = 486
 *** TIME = .315576E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1968E-05 OSCILLATION LIMIT = 1.552

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 01:46:39 MAR 26, 1995 CP= 34246.880
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1440
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .7090E-01 CRITERION= .9298E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 1 COMPLETED. CUM ITER = 487

*** TIME = .323465E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6458E-05 OSCILLATION LIMIT = 50.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1437
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .7119E-01 CRITERION= .9275E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 2 COMPLETED. CUM ITER = 488
 *** TIME = .331355E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6691E-05 OSCILLATION LIMIT = 52.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1435
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .7039E-01 CRITERION= .9227E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 3 COMPLETED. CUM ITER = 489
 *** TIME = .339244E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6621E-05 OSCILLATION LIMIT = 52.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1432
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .7043E-01 CRITERION= .9203E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 4 COMPLETED. CUM ITER = 490
 *** TIME = .347134E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6585E-05 OSCILLATION LIMIT = 51.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1431
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6967E-01 CRITERION= .9154E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 5 COMPLETED. CUM ITER = 491
 *** TIME = .355023E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6627E-05 OSCILLATION LIMIT = 52.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1428
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6970E-01 CRITERION= .9131E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 6 COMPLETED. CUM ITER = 492
 *** TIME = .362912E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6581E-05 OSCILLATION LIMIT = 51.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1426
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6902E-01 CRITERION= .9082E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 7 COMPLETED. CUM ITER = 493
 *** TIME = .370802E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6629E-05 OSCILLATION LIMIT = 52.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1423
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6907E-01 CRITERION= .9059E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 8 COMPLETED. CUM ITER = 494
 *** TIME = .378691E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6577E-05 OSCILLATION LIMIT = 51.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1421
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6840E-01 CRITERION= .9010E-01 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 9 COMPLETED. CUM ITER = 495
*** TIME = .386581E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6631E-05 OSCILLATION LIMIT = 52.31
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1419
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
HT FLOW CONVERGENCE VALUE= .6844E-01 CRITERION= .8987E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 10 COMPLETED. CUM ITER = 496
*** TIME = .394470E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6573E-05 OSCILLATION LIMIT = 51.86
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1417
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
HT FLOW CONVERGENCE VALUE= .6771E-01 CRITERION= .8938E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 11 COMPLETED. CUM ITER = 497
*** TIME = .402359E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6632E-05 OSCILLATION LIMIT = 52.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1414
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
HT FLOW CONVERGENCE VALUE= .6772E-01 CRITERION= .8914E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 12 COMPLETED. CUM ITER = 498
*** TIME = .410249E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6569E-05 OSCILLATION LIMIT = 51.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1412
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
HT FLOW CONVERGENCE VALUE= .6704E-01 CRITERION= .8866E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 13 COMPLETED. CUM ITER = 499
*** TIME = .418138E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6633E-05 OSCILLATION LIMIT = 52.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1410
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
HT FLOW CONVERGENCE VALUE= .6707E-01 CRITERION= .8842E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 14 COMPLETED. CUM ITER = 500
*** TIME = .426028E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6565E-05 OSCILLATION LIMIT = 51.80
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1408
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
HT FLOW CONVERGENCE VALUE= .6643E-01 CRITERION= .8794E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 15 COMPLETED. CUM ITER = 501
*** TIME = .433917E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6635E-05 OSCILLATION LIMIT = 52.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1405
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
HT FLOW CONVERGENCE VALUE= .6645E-01 CRITERION= .8770E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 16 COMPLETED. CUM ITER = 502
*** TIME = .441806E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6562E-05 OSCILLATION LIMIT = 51.77
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1403

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6581E-01 CRITERION= .8722E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 17 COMPLETED. CUM ITER = 503
 *** TIME = .449696E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6635E-05 OSCILLATION LIMIT = 52.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1401
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6583E-01 CRITERION= .8698E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 18 COMPLETED. CUM ITER = 504
 *** TIME = .457585E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6558E-05 OSCILLATION LIMIT = 51.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1399
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6521E-01 CRITERION= .8650E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 19 COMPLETED. CUM ITER = 505
 *** TIME = .465475E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6636E-05 OSCILLATION LIMIT = 52.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1396
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6532E-01 CRITERION= .8626E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 20 COMPLETED. CUM ITER = 506
 *** TIME = .473364E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6554E-05 OSCILLATION LIMIT = 51.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1394
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6478E-01 CRITERION= .8577E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 21 COMPLETED. CUM ITER = 507
 *** TIME = .481253E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6637E-05 OSCILLATION LIMIT = 52.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1392
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6483E-01 CRITERION= .8554E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 22 COMPLETED. CUM ITER = 508
 *** TIME = .489143E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6550E-05 OSCILLATION LIMIT = 51.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1390
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6440E-01 CRITERION= .8505E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 23 COMPLETED. CUM ITER = 509
 *** TIME = .497032E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6637E-05 OSCILLATION LIMIT = 52.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1387
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6460E-01 CRITERION= .8482E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 24 COMPLETED. CUM ITER = 510
 *** TIME = .504922E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6546E-05 OSCILLATION LIMIT = 51.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1385
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6417E-01 CRITERION= .8433E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 25 COMPLETED. CUM ITER = 511
 *** TIME = .512811E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6636E-05 OSCILLATION LIMIT = 52.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1383
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6446E-01 CRITERION= .8409E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 26 COMPLETED. CUM ITER = 512
 *** TIME = .520700E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6541E-05 OSCILLATION LIMIT = 51.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1381
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6384E-01 CRITERION= .8361E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 27 COMPLETED. CUM ITER = 513
 *** TIME = .528590E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6635E-05 OSCILLATION LIMIT = 52.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1378
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6383E-01 CRITERION= .8337E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 28 COMPLETED. CUM ITER = 514
 *** TIME = .536479E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6537E-05 OSCILLATION LIMIT = 51.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1376
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6322E-01 CRITERION= .8289E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 29 COMPLETED. CUM ITER = 515
 *** TIME = .544369E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6634E-05 OSCILLATION LIMIT = 52.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1374
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6321E-01 CRITERION= .8265E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 30 COMPLETED. CUM ITER = 516
 *** TIME = .552258E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6533E-05 OSCILLATION LIMIT = 51.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1372
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6261E-01 CRITERION= .8217E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 31 COMPLETED. CUM ITER = 517
 *** TIME = .560147E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6633E-05 OSCILLATION LIMIT = 52.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1369
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6259E-01 CRITERION= .8193E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 32 COMPLETED. CUM ITER = 518
 *** TIME = .568037E+09 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .6529E-05 OSCILLATION LIMIT = 51.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1368
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6198E-01 CRITERION= .8144E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 33 COMPLETED. CUM ITER = 519
 *** TIME = .575926E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6633E-05 OSCILLATION LIMIT = 52.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1365
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6193E-01 CRITERION= .8121E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 34 COMPLETED. CUM ITER = 520
 *** TIME = .583816E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6525E-05 OSCILLATION LIMIT = 51.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1363
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6132E-01 CRITERION= .8072E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 35 COMPLETED. CUM ITER = 521
 *** TIME = .591705E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6632E-05 OSCILLATION LIMIT = 52.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1361
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6130E-01 CRITERION= .8049E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 36 COMPLETED. CUM ITER = 522
 *** TIME = .599594E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6522E-05 OSCILLATION LIMIT = 51.45
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1359
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6070E-01 CRITERION= .8000E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 37 COMPLETED. CUM ITER = 523
 *** TIME = .607484E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6631E-05 OSCILLATION LIMIT = 52.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1356
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6066E-01 CRITERION= .7977E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 38 COMPLETED. CUM ITER = 524
 *** TIME = .615373E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6518E-05 OSCILLATION LIMIT = 51.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1355
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6009E-01 CRITERION= .7928E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 39 COMPLETED. CUM ITER = 525
 *** TIME = .623263E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6630E-05 OSCILLATION LIMIT = 52.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1352
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .6005E-01 CRITERION= .7904E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 23 SUBSTEP 40 COMPLETED. CUM ITER = 526
 *** TIME = .631152E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6514E-05 OSCILLATION LIMIT = 51.39

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 02:37:01 MAR 26, 1995 CP= 37239.270
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 58.20 CRITERION= .9816E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3469E-01 CRITERION= .7864E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 1 COMPLETED. CUM ITER = 527
 *** TIME = .639041E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1160E-04 OSCILLATION LIMIT = 91.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.31 CRITERION= .9787E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3385E-01 CRITERION= .7848E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 2 COMPLETED. CUM ITER = 528
 *** TIME = .646931E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1112E-04 OSCILLATION LIMIT = 87.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.20 CRITERION= .9771E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3327E-01 CRITERION= .7809E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 3 COMPLETED. CUM ITER = 529
 *** TIME = .654820E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1146E-04 OSCILLATION LIMIT = 90.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.31 CRITERION= .9742E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3360E-01 CRITERION= .7793E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 4 COMPLETED. CUM ITER = 530
 *** TIME = .662710E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1120E-04 OSCILLATION LIMIT = 88.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.20 CRITERION= .9726E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3301E-01 CRITERION= .7753E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 5 COMPLETED. CUM ITER = 531
 *** TIME = .670599E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1147E-04 OSCILLATION LIMIT = 90.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.31 CRITERION= .9698E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3333E-01 CRITERION= .7738E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 6 COMPLETED. CUM ITER = 532
 *** TIME = .678488E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1121E-04 OSCILLATION LIMIT = 88.44
 *** AUTO STEP TIME: -NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.20 CRITERION= .9682E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254

HT FLOW CONVERGENCE VALUE= .3275E-01 CRITERION= .7698E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 7 COMPLETED. CUM ITER = 533
 *** TIME = .686378E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1148E-04 OSCILLATION LIMIT = 90.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.31 CRITERION= .9654E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3306E-01 CRITERION= .7683E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 8 COMPLETED. CUM ITER = 534
 *** TIME = .694267E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1122E-04 OSCILLATION LIMIT = 88.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.19 CRITERION= .9638E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3249E-01 CRITERION= .7643E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 9 COMPLETED. CUM ITER = 535
 *** TIME = .702157E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1150E-04 OSCILLATION LIMIT = 90.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.31 CRITERION= .9610E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3278E-01 CRITERION= .7628E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 10 COMPLETED. CUM ITER = 536
 *** TIME = .710046E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1122E-04 OSCILLATION LIMIT = 88.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.19 CRITERION= .9594E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3223E-01 CRITERION= .7588E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 11 COMPLETED. CUM ITER = 537
 *** TIME = .717935E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1151E-04 OSCILLATION LIMIT = 90.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.30 CRITERION= .9566E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3251E-01 CRITERION= .7573E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 12 COMPLETED. CUM ITER = 538
 *** TIME = .725825E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1123E-04 OSCILLATION LIMIT = 88.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.19 CRITERION= .9550E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3197E-01 CRITERION= .7533E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 13 COMPLETED. CUM ITER = 539
 *** TIME = .733714E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1152E-04 OSCILLATION LIMIT = 90.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.30 CRITERION= .9522E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3224E-01 CRITERION= .7518E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 14 COMPLETED. CUM ITER = 540
 *** TIME = .741604E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1123E-04 OSCILLATION LIMIT = 88.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.19 CRITERION= .9506E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3170E-01 CRITERION= .7478E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 15 COMPLETED. CUM ITER = 541
 *** TIME = .749493E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1154E-04 OSCILLATION LIMIT = 91.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.30 CRITERION= .9478E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3197E-01 CRITERION= .7463E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 16 COMPLETED. CUM ITER = 542
 *** TIME = .757382E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1124E-04 OSCILLATION LIMIT = 88.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.19 CRITERION= .9463E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3144E-01 CRITERION= .7423E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 17 COMPLETED. CUM ITER = 543
 *** TIME = .765272E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1155E-04 OSCILLATION LIMIT = 91.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.30 CRITERION= .9435E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3170E-01 CRITERION= .7407E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 18 COMPLETED. CUM ITER = 544
 *** TIME = .773161E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1125E-04 OSCILLATION LIMIT = 88.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.18 CRITERION= .9419E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3119E-01 CRITERION= .7368E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 19 COMPLETED. CUM ITER = 545
 *** TIME = .781051E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1156E-04 OSCILLATION LIMIT = 91.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.30 CRITERION= .9392E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3143E-01 CRITERION= .7352E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 20 COMPLETED. CUM ITER = 546
 *** TIME = .788940E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1125E-04 OSCILLATION LIMIT = 88.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.18 CRITERION= .9376E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3093E-01 CRITERION= .7313E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 21 COMPLETED. CUM ITER = 547
 *** TIME = .796829E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1157E-04 OSCILLATION LIMIT = 91.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.29 CRITERION= .9348E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3117E-01 CRITERION= .7297E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 22 COMPLETED. CUM ITER = 548
 *** TIME = .804719E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1126E-04 OSCILLATION LIMIT = 88.83

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.18 CRITERION= .9333E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3067E-01 CRITERION= .7258E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 23 COMPLETED. CUM ITER = 549
 *** TIME = .812608E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1159E-04 OSCILLATION LIMIT = 91.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.29 CRITERION= .9305E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3090E-01 CRITERION= .7242E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 24 COMPLETED. CUM ITER = 550
 *** TIME = .820498E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1127E-04 OSCILLATION LIMIT = 88.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.18 CRITERION= .9290E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3042E-01 CRITERION= .7202E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 25 COMPLETED. CUM ITER = 551
 *** TIME = .828387E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1160E-04 OSCILLATION LIMIT = 91.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.29 CRITERION= .9262E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3064E-01 CRITERION= .7187E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 26 COMPLETED. CUM ITER = 552
 *** TIME = .836276E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1127E-04 OSCILLATION LIMIT = 88.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.18 CRITERION= .9247E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3016E-01 CRITERION= .7147E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 27 COMPLETED. CUM ITER = 553
 *** TIME = .844166E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1161E-04 OSCILLATION LIMIT = 91.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.29 CRITERION= .9219E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3038E-01 CRITERION= .7132E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 28 COMPLETED. CUM ITER = 554
 *** TIME = .852055E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1128E-04 OSCILLATION LIMIT = 88.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.17 CRITERION= .9204E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .2990E-01 CRITERION= .7092E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 29 COMPLETED. CUM ITER = 555
 *** TIME = .859945E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1162E-04 OSCILLATION LIMIT = 91.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.29 CRITERION= .9176E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
 HT FLOW CONVERGENCE VALUE= .3010E-01 CRITERION= .7077E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 30 COMPLETED. CUM ITER = 556

```

*** TIME = .867834E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1129E-04    OSCILLATION LIMIT = 89.04
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.17    CRITERION= .9161E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
    HT FLOW CONVERGENCE VALUE= .2964E-01 CRITERION= .7037E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 31 COMPLETED. CUM ITER = 557
*** TIME = .875723E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1163E-04    OSCILLATION LIMIT = 91.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.28    CRITERION= .9134E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
    HT FLOW CONVERGENCE VALUE= .2984E-01 CRITERION= .7022E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 32 COMPLETED. CUM ITER = 558
*** TIME = .883613E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1129E-04    OSCILLATION LIMIT = 89.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.17    CRITERION= .9118E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
    HT FLOW CONVERGENCE VALUE= .2938E-01 CRITERION= .6982E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 33 COMPLETED. CUM ITER = 559
*** TIME = .891502E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1165E-04    OSCILLATION LIMIT = 91.88
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.28    CRITERION= .9091E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
    HT FLOW CONVERGENCE VALUE= .2957E-01 CRITERION= .6967E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 34 COMPLETED. CUM ITER = 560
*** TIME = .899392E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1130E-04    OSCILLATION LIMIT = 89.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.17    CRITERION= .9076E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
    HT FLOW CONVERGENCE VALUE= .2911E-01 CRITERION= .6927E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 35 COMPLETED. CUM ITER = 561
*** TIME = .907281E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1166E-04    OSCILLATION LIMIT = 91.97
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.28    CRITERION= .9049E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
    HT FLOW CONVERGENCE VALUE= .2928E-01 CRITERION= .6912E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 36 COMPLETED. CUM ITER = 562
*** TIME = .915170E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1131E-04    OSCILLATION LIMIT = 89.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.17    CRITERION= .9033E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
    HT FLOW CONVERGENCE VALUE= .2883E-01 CRITERION= .6872E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 37 COMPLETED. CUM ITER = 563
*** TIME = .923060E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1167E-04    OSCILLATION LIMIT = 92.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 58.28    CRITERION= .9007E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
    HT FLOW CONVERGENCE VALUE= .2900E-01 CRITERION= .6856E-01 <<< CONVERGED

```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 38 COMPLETED. CUM ITER = 564
*** TIME = .930949E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1131E-04 OSCILLATION LIMIT = 89.26
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.16 CRITERION= .8991E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
HT FLOW CONVERGENCE VALUE= .2857E-01 CRITERION= .6817E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 39 COMPLETED. CUM ITER = 565
*** TIME = .938839E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1168E-04 OSCILLATION LIMIT = 92.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.27 CRITERION= .8965E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254
HT FLOW CONVERGENCE VALUE= .2874E-01 CRITERION= .6801E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 40 COMPLETED. CUM ITER = 566
*** TIME = .946728E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1132E-04 OSCILLATION LIMIT = 89.32
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 03:27:11 MAR 26, 1995 CP= 40232.520
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .7229E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1356
HT FLOW CONVERGENCE VALUE= .2012E-01 CRITERION= .6766E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 1 COMPLETED. CUM ITER = 567
*** TIME = .954617E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1572E-04 OSCILLATION LIMIT = 124.0
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.62 CRITERION= .7197E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1306
HT FLOW CONVERGENCE VALUE= .1940E-01 CRITERION= .6755E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 2 COMPLETED. CUM ITER = 568
*** TIME = .962507E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1566E-04 OSCILLATION LIMIT = 123.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.51 CRITERION= .7185E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1284
HT FLOW CONVERGENCE VALUE= .1880E-01 CRITERION= .6720E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 3 COMPLETED. CUM ITER = 569
*** TIME = .970396E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1652E-04 OSCILLATION LIMIT = 130.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.62 CRITERION= .7154E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1310
HT FLOW CONVERGENCE VALUE= .1926E-01 CRITERION= .6710E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 4 COMPLETED. CUM ITER = 570
*** TIME = .978286E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1572E-04 OSCILLATION LIMIT = 124.0
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .7142E-01
```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1285
 HT FLOW CONVERGENCE VALUE= .1868E-01 CRITERION= .6675E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 5 COMPLETED. CUM ITER = 571
 *** TIME = .986175E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1652E-04 OSCILLATION LIMIT = 130.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.62 CRITERION= .7112E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1310
 HT FLOW CONVERGENCE VALUE= .1912E-01 CRITERION= .6664E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 6 COMPLETED. CUM ITER = 572
 *** TIME = .994064E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1573E-04 OSCILLATION LIMIT = 124.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .7099E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1287
 HT FLOW CONVERGENCE VALUE= .1855E-01 CRITERION= .6629E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 7 COMPLETED. CUM ITER = 573
 *** TIME = .100195E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1653E-04 OSCILLATION LIMIT = 130.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.62 CRITERION= .7069E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1310
 HT FLOW CONVERGENCE VALUE= .1897E-01 CRITERION= .6618E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 8 COMPLETED. CUM ITER = 574
 *** TIME = .100984E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1574E-04 OSCILLATION LIMIT = 124.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .7057E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1288
 HT FLOW CONVERGENCE VALUE= .1841E-01 CRITERION= .6583E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 9 COMPLETED. CUM ITER = 575
 *** TIME = .101773E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1654E-04 OSCILLATION LIMIT = 130.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.62 CRITERION= .7026E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1310
 HT FLOW CONVERGENCE VALUE= .1882E-01 CRITERION= .6573E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 10 COMPLETED. CUM ITER = 576
 *** TIME = .102562E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1575E-04 OSCILLATION LIMIT = 124.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .7014E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1289
 HT FLOW CONVERGENCE VALUE= .1828E-01 CRITERION= .6538E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 11 COMPLETED. CUM ITER = 577
 *** TIME = .103351E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1655E-04 OSCILLATION LIMIT = 130.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.62 CRITERION= .6983E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1310
 HT FLOW CONVERGENCE VALUE= .1867E-01 CRITERION= .6527E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 12 COMPLETED. CUM ITER = 578
 *** TIME = .104140E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1577E-04 OSCILLATION LIMIT = 124.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .6971E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1290
 HT FLOW CONVERGENCE VALUE= .1815E-01 CRITERION= .6492E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 13 COMPLETED. CUM ITER = 579
 *** TIME = .104929E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1656E-04 OSCILLATION LIMIT = 130.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.62 CRITERION= .6940E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1310
 HT FLOW CONVERGENCE VALUE= .1853E-01 CRITERION= .6481E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 14 COMPLETED. CUM ITER = 580
 *** TIME = .105718E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1578E-04 OSCILLATION LIMIT = 124.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .6928E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1291
 HT FLOW CONVERGENCE VALUE= .1802E-01 CRITERION= .6447E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 15 COMPLETED. CUM ITER = 581
 *** TIME = .106507E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1657E-04 OSCILLATION LIMIT = 130.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .6898E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1310
 HT FLOW CONVERGENCE VALUE= .1838E-01 CRITERION= .6436E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 16 COMPLETED. CUM ITER = 582
 *** TIME = .107296E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1579E-04 OSCILLATION LIMIT = 124.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .6886E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1292
 HT FLOW CONVERGENCE VALUE= .1788E-01 CRITERION= .6401E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 17 COMPLETED. CUM ITER = 583
 *** TIME = .108085E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1658E-04 OSCILLATION LIMIT = 130.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .6855E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1311
 HT FLOW CONVERGENCE VALUE= .1823E-01 CRITERION= .6390E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 18 COMPLETED. CUM ITER = 584
 *** TIME = .108874E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1580E-04 OSCILLATION LIMIT = 124.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .6843E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1293
 HT FLOW CONVERGENCE VALUE= .1774E-01 CRITERION= .6355E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 19 COMPLETED. CUM ITER = 585
 *** TIME = .109663E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1659E-04 OSCILLATION LIMIT = 130.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .6813E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1311
 HT FLOW CONVERGENCE VALUE= .1809E-01 CRITERION= .6345E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 20 COMPLETED. CUM ITER = 586
 *** TIME = .110452E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .1582E-04 OSCILLATION LIMIT = 124.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .6800E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1294
 HT FLOW CONVERGENCE VALUE= .1762E-01 CRITERION= .6310E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 21 COMPLETED. CUM ITER = 587
 *** TIME = .111241E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1660E-04 OSCILLATION LIMIT = 131.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .6770E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1311
 HT FLOW CONVERGENCE VALUE= .1794E-01 CRITERION= .6299E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 22 COMPLETED. CUM ITER = 588
 *** TIME = .112029E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1583E-04 OSCILLATION LIMIT = 124.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .6758E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1295
 HT FLOW CONVERGENCE VALUE= .1748E-01 CRITERION= .6264E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 23 COMPLETED. CUM ITER = 589
 *** TIME = .112818E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1661E-04 OSCILLATION LIMIT = 131.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .6728E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1311
 HT FLOW CONVERGENCE VALUE= .1780E-01 CRITERION= .6253E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 24 COMPLETED. CUM ITER = 590
 *** TIME = .113607E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1584E-04 OSCILLATION LIMIT = 125.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .6715E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1296
 HT FLOW CONVERGENCE VALUE= .1735E-01 CRITERION= .6218E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 25 COMPLETED. CUM ITER = 591
 *** TIME = .114396E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1662E-04 OSCILLATION LIMIT = 131.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .6685E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1312
 HT FLOW CONVERGENCE VALUE= .1766E-01 CRITERION= .6208E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 26 COMPLETED. CUM ITER = 592
 *** TIME = .115185E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1585E-04 OSCILLATION LIMIT = 125.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .6673E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1297
 HT FLOW CONVERGENCE VALUE= .1722E-01 CRITERION= .6173E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 27 COMPLETED. CUM ITER = 593
 *** TIME = .115974E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1663E-04 OSCILLATION LIMIT = 131.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .6643E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1312
 HT FLOW CONVERGENCE VALUE= .1752E-01 CRITERION= .6162E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 25 SUBSTEP 28 COMPLETED. CUM ITER = 594
*** TIME = .116763E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1586E-04 OSCILLATION LIMIT = 125.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .6630E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1298
HT FLOW CONVERGENCE VALUE= .1709E-01 CRITERION= .6127E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 29 COMPLETED. CUM ITER = 595
*** TIME = .117552E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1664E-04 OSCILLATION LIMIT = 131.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .6600E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1312
HT FLOW CONVERGENCE VALUE= .1737E-01 CRITERION= .6116E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 30 COMPLETED. CUM ITER = 596
*** TIME = .118341E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1588E-04 OSCILLATION LIMIT = 125.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .6588E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1299
HT FLOW CONVERGENCE VALUE= .1696E-01 CRITERION= .6082E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 31 COMPLETED. CUM ITER = 597
*** TIME = .119130E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1665E-04 OSCILLATION LIMIT = 131.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .6558E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1313
HT FLOW CONVERGENCE VALUE= .1723E-01 CRITERION= .6071E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 32 COMPLETED. CUM ITER = 598
*** TIME = .119919E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1589E-04 OSCILLATION LIMIT = 125.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .6546E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1300
HT FLOW CONVERGENCE VALUE= .1681E-01 CRITERION= .6036E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 33 COMPLETED. CUM ITER = 599
*** TIME = .120708E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1666E-04 OSCILLATION LIMIT = 131.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .6516E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1313
HT FLOW CONVERGENCE VALUE= .1707E-01 CRITERION= .6025E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 34 COMPLETED. CUM ITER = 600
*** TIME = .121497E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1590E-04 OSCILLATION LIMIT = 125.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .6503E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1301
HT FLOW CONVERGENCE VALUE= .1666E-01 CRITERION= .5990E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 35 COMPLETED. CUM ITER = 601
*** TIME = .122286E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1667E-04 OSCILLATION LIMIT = 131.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .6473E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1313

```


HT FLOW CONVERGENCE VALUE= .1690E-01 CRITERION= .5979E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 36 COMPLETED. CUM ITER = 602
 *** TIME = .123075E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .6461E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1302
 HT FLOW CONVERGENCE VALUE= .1649E-01 CRITERION= .5945E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 37 COMPLETED. CUM ITER = 603
 *** TIME = .123864E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1669E-04 OSCILLATION LIMIT = 131.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .6431E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1314
 HT FLOW CONVERGENCE VALUE= .1673E-01 CRITERION= .5934E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 38 COMPLETED. CUM ITER = 604
 *** TIME = .124653E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1593E-04 OSCILLATION LIMIT = 125.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.50 CRITERION= .6419E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1304
 HT FLOW CONVERGENCE VALUE= .1635E-01 CRITERION= .5899E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 39 COMPLETED. CUM ITER = 605
 *** TIME = .125441E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1670E-04 OSCILLATION LIMIT = 131.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.61 CRITERION= .6389E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1315
 HT FLOW CONVERGENCE VALUE= .1660E-01 CRITERION= .5888E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 40 COMPLETED. CUM ITER = 606
 *** TIME = .126230E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1594E-04 OSCILLATION LIMIT = 125.8

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 04:17:35 MAR 26, 1995 CP= 43225.190
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 7.167 CRITERION= .5930E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1261
 HT FLOW CONVERGENCE VALUE= .1455E-01 CRITERION= .5858E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 1 COMPLETED. CUM ITER = 607
 *** TIME = .127019E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1266E-04 OSCILLATION LIMIT = 99.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.278 CRITERION= .5901E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1247
 HT FLOW CONVERGENCE VALUE= .1427E-01 CRITERION= .5852E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 2 COMPLETED. CUM ITER = 608
 *** TIME = .127808E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1245E-04 OSCILLATION LIMIT = 98.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.167 CRITERION= .5894E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1236
 HT FLOW CONVERGENCE VALUE= .1391E-01 CRITERION= .5822E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 3 COMPLETED. CUM ITER = 609
 *** TIME = .128597E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1317E-04 OSCILLATION LIMIT = 103.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.278 CRITERION= .5866E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1249
 HT FLOW CONVERGENCE VALUE= .1417E-01 CRITERION= .5816E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 4 COMPLETED. CUM ITER = 610
 *** TIME = .129386E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1247E-04 OSCILLATION LIMIT = 98.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.167 CRITERION= .5859E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1238
 HT FLOW CONVERGENCE VALUE= .1380E-01 CRITERION= .5786E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 5 COMPLETED. CUM ITER = 611
 *** TIME = .130175E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1317E-04 OSCILLATION LIMIT = 103.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.278 CRITERION= .5830E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1250
 HT FLOW CONVERGENCE VALUE= .1404E-01 CRITERION= .5780E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 6 COMPLETED. CUM ITER = 612
 *** TIME = .130964E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1247E-04 OSCILLATION LIMIT = 98.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.167 CRITERION= .5823E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1239
 HT FLOW CONVERGENCE VALUE= .1370E-01 CRITERION= .5750E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 7 COMPLETED. CUM ITER = 613
 *** TIME = .131753E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1317E-04 OSCILLATION LIMIT = 103.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.278 CRITERION= .5794E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1251
 HT FLOW CONVERGENCE VALUE= .1395E-01 CRITERION= .5744E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 8 COMPLETED. CUM ITER = 614
 *** TIME = .132542E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1247E-04 OSCILLATION LIMIT = 98.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.167 CRITERION= .5788E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1240
 HT FLOW CONVERGENCE VALUE= .1362E-01 CRITERION= .5714E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 9 COMPLETED. CUM ITER = 615
 *** TIME = .133331E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1317E-04 OSCILLATION LIMIT = 103.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.278 CRITERION= .5759E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1251
 HT FLOW CONVERGENCE VALUE= .1387E-01 CRITERION= .5708E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 10 COMPLETED. CUM ITER = 616
 *** TIME = .134120E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1248E-04 OSCILLATION LIMIT = 98.42

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.167 CRITERION= .5752E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1241
 HT FLOW CONVERGENCE VALUE= .1355E-01 CRITERION= .5678E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 11 COMPLETED. CUM ITER = 617
 *** TIME = .134909E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1317E-04 OSCILLATION LIMIT = 103.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.278 CRITERION= .5723E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1252
 HT FLOW CONVERGENCE VALUE= .1379E-01 CRITERION= .5672E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 12 COMPLETED. CUM ITER = 618
 *** TIME = .135698E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1248E-04 OSCILLATION LIMIT = 98.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.167 CRITERION= .5716E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1243
 HT FLOW CONVERGENCE VALUE= .1348E-01 CRITERION= .5642E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 13 COMPLETED. CUM ITER = 619
 *** TIME = .136487E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1317E-04 OSCILLATION LIMIT = 103.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.278 CRITERION= .5687E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1253
 HT FLOW CONVERGENCE VALUE= .1371E-01 CRITERION= .5636E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 14 COMPLETED. CUM ITER = 620
 *** TIME = .137276E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1248E-04 OSCILLATION LIMIT = 98.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.167 CRITERION= .5681E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1244
 HT FLOW CONVERGENCE VALUE= .1340E-01 CRITERION= .5607E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 15 COMPLETED. CUM ITER = 621
 *** TIME = .138065E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1316E-04 OSCILLATION LIMIT = 103.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.278 CRITERION= .5652E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1253
 HT FLOW CONVERGENCE VALUE= .1362E-01 CRITERION= .5601E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 16 COMPLETED. CUM ITER = 622
 *** TIME = .138853E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1248E-04 OSCILLATION LIMIT = 98.45
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.166 CRITERION= .5645E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1245
 HT FLOW CONVERGENCE VALUE= .1332E-01 CRITERION= .5571E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 17 COMPLETED. CUM ITER = 623
 *** TIME = .139642E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1316E-04 OSCILLATION LIMIT = 103.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.278 CRITERION= .5616E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1254
 HT FLOW CONVERGENCE VALUE= .1354E-01 CRITERION= .5565E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 18 COMPLETED. CUM ITER = 624

```

*** TIME = .140431E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1248E-04    OSCILLATION LIMIT = 98.46
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.166    CRITERION= .5609E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1246
    HT FLOW CONVERGENCE VALUE= .1325E-01    CRITERION= .5535E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 19 COMPLETED.    CUM ITER = 625
*** TIME = .141220E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1316E-04    OSCILLATION LIMIT = 103.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.278    CRITERION= .5581E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1255
    HT FLOW CONVERGENCE VALUE= .1346E-01    CRITERION= .5529E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 20 COMPLETED.    CUM ITER = 626
*** TIME = .142009E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1248E-04    OSCILLATION LIMIT = 98.47
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.166    CRITERION= .5574E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1248
    HT FLOW CONVERGENCE VALUE= .1317E-01    CRITERION= .5499E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 21 COMPLETED.    CUM ITER = 627
*** TIME = .142798E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1316E-04    OSCILLATION LIMIT = 103.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.278    CRITERION= .5545E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1256
    HT FLOW CONVERGENCE VALUE= .1337E-01    CRITERION= .5493E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 22 COMPLETED.    CUM ITER = 628
*** TIME = .143587E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1248E-04    OSCILLATION LIMIT = 98.48
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.166    CRITERION= .5538E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1249
    HT FLOW CONVERGENCE VALUE= .1308E-01    CRITERION= .5463E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 23 COMPLETED.    CUM ITER = 629
*** TIME = .144376E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1316E-04    OSCILLATION LIMIT = 103.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.278    CRITERION= .5509E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1257
    HT FLOW CONVERGENCE VALUE= .1328E-01    CRITERION= .5457E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 24 COMPLETED.    CUM ITER = 630
*** TIME = .145165E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1248E-04    OSCILLATION LIMIT = 98.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.166    CRITERION= .5503E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1250
    HT FLOW CONVERGENCE VALUE= .1301E-01    CRITERION= .5427E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 25 COMPLETED.    CUM ITER = 631
*** TIME = .145954E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1316E-04    OSCILLATION LIMIT = 103.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.278    CRITERION= .5474E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1257
    HT FLOW CONVERGENCE VALUE= .1320E-01    CRITERION= .5421E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 26 COMPLETED. CUM ITER = 632
*** TIME = .146743E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1249E-04 OSCILLATION LIMIT = 98.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.166 CRITERION= .5467E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1251
HT FLOW CONVERGENCE VALUE= .1293E-01 CRITERION= .5391E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 27 COMPLETED. CUM ITER = 633
*** TIME = .147532E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1315E-04 OSCILLATION LIMIT = 103.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.278 CRITERION= .5438E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1258
HT FLOW CONVERGENCE VALUE= .1312E-01 CRITERION= .5385E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 28 COMPLETED. CUM ITER = 634
*** TIME = .148321E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1249E-04 OSCILLATION LIMIT = 98.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.166 CRITERION= .5431E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1252
HT FLOW CONVERGENCE VALUE= .1286E-01 CRITERION= .5355E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 29 COMPLETED. CUM ITER = 635
*** TIME = .149110E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1315E-04 OSCILLATION LIMIT = 103.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.278 CRITERION= .5403E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1259
HT FLOW CONVERGENCE VALUE= .1304E-01 CRITERION= .5349E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 30 COMPLETED. CUM ITER = 636
*** TIME = .149899E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1249E-04 OSCILLATION LIMIT = 98.52
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.166 CRITERION= .5396E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1253
HT FLOW CONVERGENCE VALUE= .1278E-01 CRITERION= .5319E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 31 COMPLETED. CUM ITER = 637
*** TIME = .150688E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1315E-04 OSCILLATION LIMIT = 103.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.278 CRITERION= .5367E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1260
HT FLOW CONVERGENCE VALUE= .1295E-01 CRITERION= .5313E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 32 COMPLETED. CUM ITER = 638
*** TIME = .151476E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1249E-04 OSCILLATION LIMIT = 98.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.166 CRITERION= .5360E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1255
HT FLOW CONVERGENCE VALUE= .1269E-01 CRITERION= .5283E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 33 COMPLETED. CUM ITER = 639
*** TIME = .152265E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1315E-04 OSCILLATION LIMIT = 103.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.278 CRITERION= .5331E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1261
 HT FLOW CONVERGENCE VALUE= .1286E-01 CRITERION= .5277E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 34 COMPLETED. CUM ITER = 640
 *** TIME = .153054E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1249E-04 OSCILLATION LIMIT = 98.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.166 CRITERION= .5325E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1256
 HT FLOW CONVERGENCE VALUE= .1261E-01 CRITERION= .5248E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 35 COMPLETED. CUM ITER = 641
 *** TIME = .153843E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1315E-04 OSCILLATION LIMIT = 103.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.278 CRITERION= .5296E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1262
 HT FLOW CONVERGENCE VALUE= .1277E-01 CRITERION= .5241E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 36 COMPLETED. CUM ITER = 642
 *** TIME = .154632E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1249E-04 OSCILLATION LIMIT = 98.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.166 CRITERION= .5289E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1257
 HT FLOW CONVERGENCE VALUE= .1253E-01 CRITERION= .5212E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 37 COMPLETED. CUM ITER = 643
 *** TIME = .155421E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1315E-04 OSCILLATION LIMIT = 103.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.277 CRITERION= .5260E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1262
 HT FLOW CONVERGENCE VALUE= .1269E-01 CRITERION= .5206E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 38 COMPLETED. CUM ITER = 644
 *** TIME = .156210E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1249E-04 OSCILLATION LIMIT = 98.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.166 CRITERION= .5254E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1258
 HT FLOW CONVERGENCE VALUE= .1245E-01 CRITERION= .5176E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 39 COMPLETED. CUM ITER = 645
 *** TIME = .156999E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1315E-04 OSCILLATION LIMIT = 103.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.277 CRITERION= .5225E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1263
 HT FLOW CONVERGENCE VALUE= .1260E-01 CRITERION= .5170E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 40 COMPLETED. CUM ITER = 646
 *** TIME = .157788E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1249E-04 OSCILLATION LIMIT = 98.56

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:07:47 MAR 26, 1995 CP= 46217.770
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .5176E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1186
 HT FLOW CONVERGENCE VALUE= .1239E-01 CRITERION= .5143E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 1 COMPLETED. CUM ITER = 647
 *** TIME = .158577E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8671E-05 OSCILLATION LIMIT = 68.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .5149E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1179
 HT FLOW CONVERGENCE VALUE= .1227E-01 CRITERION= .5140E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 2 COMPLETED. CUM ITER = 648
 *** TIME = .159366E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8364E-05 OSCILLATION LIMIT = 65.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .5146E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1175
 HT FLOW CONVERGENCE VALUE= .1209E-01 CRITERION= .5114E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 3 COMPLETED. CUM ITER = 649
 *** TIME = .160155E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8861E-05 OSCILLATION LIMIT = 69.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .5120E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1181
 HT FLOW CONVERGENCE VALUE= .1222E-01 CRITERION= .5111E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 4 COMPLETED. CUM ITER = 650
 *** TIME = .160944E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8371E-05 OSCILLATION LIMIT = 66.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .5117E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1177
 HT FLOW CONVERGENCE VALUE= .1203E-01 CRITERION= .5085E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 5 COMPLETED. CUM ITER = 651
 *** TIME = .161733E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8858E-05 OSCILLATION LIMIT = 69.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .5091E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1182
 HT FLOW CONVERGENCE VALUE= .1216E-01 CRITERION= .5082E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 6 COMPLETED. CUM ITER = 652
 *** TIME = .162522E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8370E-05 OSCILLATION LIMIT = 66.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .5088E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1178
 HT FLOW CONVERGENCE VALUE= .1198E-01 CRITERION= .5056E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 7 COMPLETED. CUM ITER = 653
 *** TIME = .163311E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8856E-05 OSCILLATION LIMIT = 69.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .5062E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1182
 HT FLOW CONVERGENCE VALUE= .1210E-01 CRITERION= .5053E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 8 COMPLETED. CUM ITER = 654
 *** TIME = .164100E+10 TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .8369E-05  OSCILLATION LIMIT = 66.03
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 2.776  CRITERION= .5059E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1179
  HT FLOW CONVERGENCE VALUE= .1192E-01 CRITERION= .5026E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 9 COMPLETED. CUM ITER = 655
*** TIME = .164888E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8854E-05  OSCILLATION LIMIT = 69.86
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 2.666  CRITERION= .5032E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1183
  HT FLOW CONVERGENCE VALUE= .1204E-01 CRITERION= .5024E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 10 COMPLETED. CUM ITER = 656
*** TIME = .165677E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8368E-05  OSCILLATION LIMIT = 66.02
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 2.776  CRITERION= .5030E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1180
  HT FLOW CONVERGENCE VALUE= .1186E-01 CRITERION= .4997E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 11 COMPLETED. CUM ITER = 657
*** TIME = .166466E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8852E-05  OSCILLATION LIMIT = 69.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 2.666  CRITERION= .5003E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1184
  HT FLOW CONVERGENCE VALUE= .1198E-01 CRITERION= .4995E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 12 COMPLETED. CUM ITER = 658
*** TIME = .167255E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8367E-05  OSCILLATION LIMIT = 66.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 2.776  CRITERION= .5001E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1181
  HT FLOW CONVERGENCE VALUE= .1180E-01 CRITERION= .4968E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 13 COMPLETED. CUM ITER = 659
*** TIME = .168044E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8850E-05  OSCILLATION LIMIT = 69.82
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 2.666  CRITERION= .4974E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1185
  HT FLOW CONVERGENCE VALUE= .1191E-01 CRITERION= .4965E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 14 COMPLETED. CUM ITER = 660
*** TIME = .168833E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8366E-05  OSCILLATION LIMIT = 66.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 2.776  CRITERION= .4972E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1182
  HT FLOW CONVERGENCE VALUE= .1175E-01 CRITERION= .4939E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 15 COMPLETED. CUM ITER = 661
*** TIME = .169622E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8848E-05  OSCILLATION LIMIT = 69.81
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 2.666  CRITERION= .4945E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1186
  HT FLOW CONVERGENCE VALUE= .1185E-01 CRITERION= .4936E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```



```

*** LOAD STEP 27 SUBSTEP 16 COMPLETED. CUM ITER = 662
*** TIME = .170411E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8365E-05 OSCILLATION LIMIT = 66.00
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .4943E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1183
HT FLOW CONVERGENCE VALUE= .1169E-01 CRITERION= .4910E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 17 COMPLETED. CUM ITER = 663
*** TIME = .171200E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8846E-05 OSCILLATION LIMIT = 69.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .4916E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1187
HT FLOW CONVERGENCE VALUE= .1180E-01 CRITERION= .4907E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 18 COMPLETED. CUM ITER = 664
*** TIME = .171989E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8364E-05 OSCILLATION LIMIT = 65.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .4914E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1184
HT FLOW CONVERGENCE VALUE= .1165E-01 CRITERION= .4881E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 19 COMPLETED. CUM ITER = 665
*** TIME = .172778E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8844E-05 OSCILLATION LIMIT = 69.77
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .4887E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1188
HT FLOW CONVERGENCE VALUE= .1179E-01 CRITERION= .4878E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 20 COMPLETED. CUM ITER = 666
*** TIME = .173567E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8363E-05 OSCILLATION LIMIT = 65.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .4884E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1185
HT FLOW CONVERGENCE VALUE= .1165E-01 CRITERION= .4852E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 21 COMPLETED. CUM ITER = 667
*** TIME = .174356E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8842E-05 OSCILLATION LIMIT = 69.75
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .4858E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1189
HT FLOW CONVERGENCE VALUE= .1175E-01 CRITERION= .4849E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 22 COMPLETED. CUM ITER = 668
*** TIME = .175145E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8362E-05 OSCILLATION LIMIT = 65.97
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .4855E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1186
HT FLOW CONVERGENCE VALUE= .1159E-01 CRITERION= .4822E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 23 COMPLETED. CUM ITER = 669
*** TIME = .175934E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8839E-05 OSCILLATION LIMIT = 69.74
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .4829E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1189

```

HT FLOW CONVERGENCE VALUE= .1169E-01 CRITERION= .4820E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 24 COMPLETED. CUM ITER = 670
 *** TIME = .176723E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8361E-05 OSCILLATION LIMIT = 65.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .4826E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1187
 HT FLOW CONVERGENCE VALUE= .1154E-01 CRITERION= .4793E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 25 COMPLETED. CUM ITER = 671
 *** TIME = .177512E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8837E-05 OSCILLATION LIMIT = 69.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .4800E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1190
 HT FLOW CONVERGENCE VALUE= .1163E-01 CRITERION= .4790E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 26 COMPLETED. CUM ITER = 672
 *** TIME = .178300E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8360E-05 OSCILLATION LIMIT = 65.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .4797E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1188
 HT FLOW CONVERGENCE VALUE= .1149E-01 CRITERION= .4764E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 27 COMPLETED. CUM ITER = 673
 *** TIME = .179089E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8835E-05 OSCILLATION LIMIT = 69.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .4771E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1191
 HT FLOW CONVERGENCE VALUE= .1159E-01 CRITERION= .4761E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 28 COMPLETED. CUM ITER = 674
 *** TIME = .179878E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8359E-05 OSCILLATION LIMIT = 65.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .4768E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1189
 HT FLOW CONVERGENCE VALUE= .1144E-01 CRITERION= .4735E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 29 COMPLETED. CUM ITER = 675
 *** TIME = .180667E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8833E-05 OSCILLATION LIMIT = 69.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .4741E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1192
 HT FLOW CONVERGENCE VALUE= .1152E-01 CRITERION= .4732E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 30 COMPLETED. CUM ITER = 676
 *** TIME = .181456E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8358E-05 OSCILLATION LIMIT = 65.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .4739E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1190
 HT FLOW CONVERGENCE VALUE= .1138E-01 CRITERION= .4706E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 31 COMPLETED. CUM ITER = 677
 *** TIME = .182245E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8831E-05 OSCILLATION LIMIT = 69.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .4712E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1193
 HT FLOW CONVERGENCE VALUE= .1146E-01 CRITERION= .4703E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 32 COMPLETED. CUM ITER = 678
 *** TIME = .183034E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8357E-05 OSCILLATION LIMIT = 65.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .4710E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1191
 HT FLOW CONVERGENCE VALUE= .1132E-01 CRITERION= .4677E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 33 COMPLETED. CUM ITER = 679
 *** TIME = .183823E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8828E-05 OSCILLATION LIMIT = 69.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .4683E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1194
 HT FLOW CONVERGENCE VALUE= .1140E-01 CRITERION= .4674E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 34 COMPLETED. CUM ITER = 680
 *** TIME = .184612E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8356E-05 OSCILLATION LIMIT = 65.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .4681E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1192
 HT FLOW CONVERGENCE VALUE= .1126E-01 CRITERION= .4647E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 35 COMPLETED. CUM ITER = 681
 *** TIME = .185401E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8826E-05 OSCILLATION LIMIT = 69.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .4654E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1194
 HT FLOW CONVERGENCE VALUE= .1134E-01 CRITERION= .4645E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 36 COMPLETED. CUM ITER = 682
 *** TIME = .186190E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8355E-05 OSCILLATION LIMIT = 65.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .4652E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1193
 HT FLOW CONVERGENCE VALUE= .1120E-01 CRITERION= .4618E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 37 COMPLETED. CUM ITER = 683
 *** TIME = .186979E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8824E-05 OSCILLATION LIMIT = 69.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .4625E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1195
 HT FLOW CONVERGENCE VALUE= .1128E-01 CRITERION= .4616E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 38 COMPLETED. CUM ITER = 684
 *** TIME = .187768E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8354E-05 OSCILLATION LIMIT = 65.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.776 CRITERION= .4623E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1194
 HT FLOW CONVERGENCE VALUE= .1115E-01 CRITERION= .4589E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 39 COMPLETED. CUM ITER = 685
 *** TIME = .188557E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8822E-05 OSCILLATION LIMIT = 69.60

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.666 CRITERION= .4596E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1196
 HT FLOW CONVERGENCE VALUE= .1122E-01 CRITERION= .4586E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 40 COMPLETED. CUM ITER = 686
 *** TIME = .189346E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8353E-05 OSCILLATION LIMIT = 65.90

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:58:07 MAR 26, 1995 CP= 49212.980
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4623E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1040
 HT FLOW CONVERGENCE VALUE= .1015E-01 CRITERION= .4563E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 1 COMPLETED. CUM ITER = 687
 *** TIME = .190135E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7035E-05 OSCILLATION LIMIT = 55.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.777 CRITERION= .4598E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1039
 HT FLOW CONVERGENCE VALUE= .1014E-01 CRITERION= .4563E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 2 COMPLETED. CUM ITER = 688
 *** TIME = .190923E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6676E-05 OSCILLATION LIMIT = 52.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4599E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1041
 HT FLOW CONVERGENCE VALUE= .1005E-01 CRITERION= .4539E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 3 COMPLETED. CUM ITER = 689
 *** TIME = .191712E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7130E-05 OSCILLATION LIMIT = 56.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.777 CRITERION= .4575E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1040
 HT FLOW CONVERGENCE VALUE= .1010E-01 CRITERION= .4539E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 4 COMPLETED. CUM ITER = 690
 *** TIME = .192501E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6677E-05 OSCILLATION LIMIT = 52.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4576E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1041
 HT FLOW CONVERGENCE VALUE= .1001E-01 CRITERION= .4515E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 5 COMPLETED. CUM ITER = 691
 *** TIME = .193290E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7128E-05 OSCILLATION LIMIT = 56.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.777 CRITERION= .4551E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1040
 HT FLOW CONVERGENCE VALUE= .1006E-01 CRITERION= .4515E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 6 COMPLETED. CUM ITER = 692

```

*** TIME = .194079E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6676E-05    OSCILLATION LIMIT = 52.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.888    CRITERION= .4552E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1042
    HT FLOW CONVERGENCE VALUE= .9969E-02 CRITERION= .4491E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 7 COMPLETED.    CUM ITER = 693
*** TIME = .194868E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7127E-05    OSCILLATION LIMIT = 56.23
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.777    CRITERION= .4528E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1041
    HT FLOW CONVERGENCE VALUE= .1001E-01 CRITERION= .4491E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 8 COMPLETED.    CUM ITER = 694
*** TIME = .195657E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6676E-05    OSCILLATION LIMIT = 52.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.888    CRITERION= .4528E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1043
    HT FLOW CONVERGENCE VALUE= .9926E-02 CRITERION= .4468E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 9 COMPLETED.    CUM ITER = 695
*** TIME = .196446E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7125E-05    OSCILLATION LIMIT = 56.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.777    CRITERION= .4504E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1042
    HT FLOW CONVERGENCE VALUE= .9969E-02 CRITERION= .4468E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 10 COMPLETED.    CUM ITER = 696
*** TIME = .197235E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6675E-05    OSCILLATION LIMIT = 52.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.888    CRITERION= .4505E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1043
    HT FLOW CONVERGENCE VALUE= .9887E-02 CRITERION= .4444E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 11 COMPLETED.    CUM ITER = 697
*** TIME = .198024E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7124E-05    OSCILLATION LIMIT = 56.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.777    CRITERION= .4481E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1043
    HT FLOW CONVERGENCE VALUE= .9930E-02 CRITERION= .4444E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 12 COMPLETED.    CUM ITER = 698
*** TIME = .198813E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6675E-05    OSCILLATION LIMIT = 52.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.888    CRITERION= .4481E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1044
    HT FLOW CONVERGENCE VALUE= .9845E-02 CRITERION= .4420E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 13 COMPLETED.    CUM ITER = 699
*** TIME = .199602E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7122E-05    OSCILLATION LIMIT = 56.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.777    CRITERION= .4457E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1043
    HT FLOW CONVERGENCE VALUE= .9887E-02 CRITERION= .4420E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 14 COMPLETED. CUM ITER = 700
*** TIME = .200391E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6675E-05 OSCILLATION LIMIT = 52.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4458E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1045
HT FLOW CONVERGENCE VALUE= .9804E-02 CRITERION= .4397E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 15 COMPLETED. CUM ITER = 701
*** TIME = .201180E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7121E-05 OSCILLATION LIMIT = 56.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.777 CRITERION= .4434E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1044
HT FLOW CONVERGENCE VALUE= .9846E-02 CRITERION= .4396E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 16 COMPLETED. CUM ITER = 702
*** TIME = .201969E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6674E-05 OSCILLATION LIMIT = 52.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4434E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1045
HT FLOW CONVERGENCE VALUE= .9765E-02 CRITERION= .4373E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 17 COMPLETED. CUM ITER = 703
*** TIME = .202758E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7120E-05 OSCILLATION LIMIT = 56.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.777 CRITERION= .4410E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1045
HT FLOW CONVERGENCE VALUE= .9806E-02 CRITERION= .4373E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 18 COMPLETED. CUM ITER = 704
*** TIME = .203547E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6674E-05 OSCILLATION LIMIT = 52.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4411E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1046
HT FLOW CONVERGENCE VALUE= .9723E-02 CRITERION= .4349E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 19 COMPLETED. CUM ITER = 705
*** TIME = .204335E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7118E-05 OSCILLATION LIMIT = 56.16
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.777 CRITERION= .4387E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1045
HT FLOW CONVERGENCE VALUE= .9766E-02 CRITERION= .4349E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 20 COMPLETED. CUM ITER = 706
*** TIME = .205124E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6673E-05 OSCILLATION LIMIT = 52.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4387E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1047
HT FLOW CONVERGENCE VALUE= .9684E-02 CRITERION= .4325E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 21 COMPLETED. CUM ITER = 707
*** TIME = .205913E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7117E-05 OSCILLATION LIMIT = 56.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.777 CRITERION= .4363E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1046
 HT FLOW CONVERGENCE VALUE= .9726E-02 CRITERION= .4325E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 22 COMPLETED. CUM ITER = 708
 *** TIME = .206702E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6673E-05 OSCILLATION LIMIT = 52.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4364E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1047
 HT FLOW CONVERGENCE VALUE= .9642E-02 CRITERION= .4302E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 23 COMPLETED. CUM ITER = 709
 *** TIME = .207491E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7115E-05 OSCILLATION LIMIT = 56.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.777 CRITERION= .4340E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1047
 HT FLOW CONVERGENCE VALUE= .9682E-02 CRITERION= .4302E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 24 COMPLETED. CUM ITER = 710
 *** TIME = .208280E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6672E-05 OSCILLATION LIMIT = 52.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4340E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1048
 HT FLOW CONVERGENCE VALUE= .9601E-02 CRITERION= .4278E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 25 COMPLETED. CUM ITER = 711
 *** TIME = .209069E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7114E-05 OSCILLATION LIMIT = 56.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.777 CRITERION= .4316E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1048
 HT FLOW CONVERGENCE VALUE= .9642E-02 CRITERION= .4278E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 26 COMPLETED. CUM ITER = 712
 *** TIME = .209858E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6672E-05 OSCILLATION LIMIT = 52.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4317E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1049
 HT FLOW CONVERGENCE VALUE= .9562E-02 CRITERION= .4254E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 27 COMPLETED. CUM ITER = 713
 *** TIME = .210647E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7113E-05 OSCILLATION LIMIT = 56.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.777 CRITERION= .4293E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1048
 HT FLOW CONVERGENCE VALUE= .9603E-02 CRITERION= .4254E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 28 COMPLETED. CUM ITER = 714
 *** TIME = .211436E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6672E-05 OSCILLATION LIMIT = 52.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4293E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1049
 HT FLOW CONVERGENCE VALUE= .9523E-02 CRITERION= .4230E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 29 COMPLETED. CUM ITER = 715
 *** TIME = .212225E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7111E-05 OSCILLATION LIMIT = 56.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.777 CRITERION= .4269E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1049
 HT FLOW CONVERGENCE VALUE= .9568E-02 CRITERION= .4230E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 30 COMPLETED. CUM ITER = 716
 *** TIME = .213014E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6671E-05 OSCILLATION LIMIT = 52.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4270E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1050
 HT FLOW CONVERGENCE VALUE= .9488E-02 CRITERION= .4207E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 31 COMPLETED. CUM ITER = 717
 *** TIME = .213803E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7110E-05 OSCILLATION LIMIT = 56.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.777 CRITERION= .4246E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1050
 HT FLOW CONVERGENCE VALUE= .9531E-02 CRITERION= .4207E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 32 COMPLETED. CUM ITER = 718
 *** TIME = .214592E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6671E-05 OSCILLATION LIMIT = 52.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4246E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1051
 HT FLOW CONVERGENCE VALUE= .9451E-02 CRITERION= .4183E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 33 COMPLETED. CUM ITER = 719
 *** TIME = .215381E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7108E-05 OSCILLATION LIMIT = 56.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.777 CRITERION= .4222E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1050
 HT FLOW CONVERGENCE VALUE= .9491E-02 CRITERION= .4183E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 34 COMPLETED. CUM ITER = 720
 *** TIME = .216170E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6670E-05 OSCILLATION LIMIT = 52.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4223E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1051
 HT FLOW CONVERGENCE VALUE= .9416E-02 CRITERION= .4159E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 35 COMPLETED. CUM ITER = 721
 *** TIME = .216959E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7107E-05 OSCILLATION LIMIT = 56.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.778 CRITERION= .4199E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1051
 HT FLOW CONVERGENCE VALUE= .9458E-02 CRITERION= .4159E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 36 COMPLETED. CUM ITER = 722
 *** TIME = .217747E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6670E-05 OSCILLATION LIMIT = 52.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4199E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1052
 HT FLOW CONVERGENCE VALUE= .9381E-02 CRITERION= .4136E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 37 COMPLETED. CUM ITER = 723
 *** TIME = .218536E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .7106E-05 OSCILLATION LIMIT = 56.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.778 CRITERION= .4175E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1052
 HT FLOW CONVERGENCE VALUE= .9431E-02 CRITERION= .4135E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 38 COMPLETED. CUM ITER = 724
 *** TIME = .219325E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6670E-05 OSCILLATION LIMIT = 52.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.888 CRITERION= .4176E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1053
 HT FLOW CONVERGENCE VALUE= .9352E-02 CRITERION= .4112E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 39 COMPLETED. CUM ITER = 725
 *** TIME = .220114E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7104E-05 OSCILLATION LIMIT = 56.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.778 CRITERION= .4152E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1053
 HT FLOW CONVERGENCE VALUE= .9394E-02 CRITERION= .4112E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 40 COMPLETED. CUM ITER = 726
 *** TIME = .220903E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6669E-05 OSCILLATION LIMIT = 52.62

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 06:48:18 MAR 26, 1995 CP= 52204.630
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4344E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1013
 HT FLOW CONVERGENCE VALUE= .1037E-01 CRITERION= .4091E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 1 COMPLETED. CUM ITER = 727
 *** TIME = .221692E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3627E-05 OSCILLATION LIMIT = 28.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4323E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1004
 HT FLOW CONVERGENCE VALUE= .1028E-01 CRITERION= .4093E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 2 COMPLETED. CUM ITER = 728
 *** TIME = .222481E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3379E-05 OSCILLATION LIMIT = 26.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4327E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1005
 HT FLOW CONVERGENCE VALUE= .1023E-01 CRITERION= .4072E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 3 COMPLETED. CUM ITER = 729
 *** TIME = .223270E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3661E-05 OSCILLATION LIMIT = 28.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4305E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1005
 HT FLOW CONVERGENCE VALUE= .1025E-01 CRITERION= .4074E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 29 SUBSTEP 4 COMPLETED. CUM ITER = 730
*** TIME = .224059E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3383E-05 OSCILLATION LIMIT = 26.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4309E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1005
HT FLOW CONVERGENCE VALUE= .1020E-01 CRITERION= .4053E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 5 COMPLETED. CUM ITER = 731
*** TIME = .224848E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3661E-05 OSCILLATION LIMIT = 28.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4287E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1006
HT FLOW CONVERGENCE VALUE= .1022E-01 CRITERION= .4055E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 6 COMPLETED. CUM ITER = 732
*** TIME = .225637E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3384E-05 OSCILLATION LIMIT = 26.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4291E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1006
HT FLOW CONVERGENCE VALUE= .1017E-01 CRITERION= .4034E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 7 COMPLETED. CUM ITER = 733
*** TIME = .226426E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3662E-05 OSCILLATION LIMIT = 28.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4270E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1006
HT FLOW CONVERGENCE VALUE= .1020E-01 CRITERION= .4037E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 8 COMPLETED. CUM ITER = 734
*** TIME = .227215E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3384E-05 OSCILLATION LIMIT = 26.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4273E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1007
HT FLOW CONVERGENCE VALUE= .1015E-01 CRITERION= .4016E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 9 COMPLETED. CUM ITER = 735
*** TIME = .228004E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3662E-05 OSCILLATION LIMIT = 28.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4252E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1007
HT FLOW CONVERGENCE VALUE= .1017E-01 CRITERION= .4018E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 10 COMPLETED. CUM ITER = 736
*** TIME = .228793E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3385E-05 OSCILLATION LIMIT = 26.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4256E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1007
HT FLOW CONVERGENCE VALUE= .1011E-01 CRITERION= .3997E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 11 COMPLETED. CUM ITER = 737
*** TIME = .229582E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3662E-05 OSCILLATION LIMIT = 28.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4234E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1008

```

HT FLOW CONVERGENCE VALUE= .1014E-01 CRITERION= .3999E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 12 COMPLETED. CUM ITER = 738
 *** TIME = .230370E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3386E-05 OSCILLATION LIMIT = 26.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4238E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1008
 HT FLOW CONVERGENCE VALUE= .1009E-01 CRITERION= .3978E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 13 COMPLETED. CUM ITER = 739
 *** TIME = .231159E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3662E-05 OSCILLATION LIMIT = 28.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4217E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1008
 HT FLOW CONVERGENCE VALUE= .1011E-01 CRITERION= .3981E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 14 COMPLETED. CUM ITER = 740
 *** TIME = .231948E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3386E-05 OSCILLATION LIMIT = 26.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4221E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1009
 HT FLOW CONVERGENCE VALUE= .1006E-01 CRITERION= .3960E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 15 COMPLETED. CUM ITER = 741
 *** TIME = .232737E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3662E-05 OSCILLATION LIMIT = 28.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4199E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1009
 HT FLOW CONVERGENCE VALUE= .1008E-01 CRITERION= .3962E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 16 COMPLETED. CUM ITER = 742
 *** TIME = .233526E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3387E-05 OSCILLATION LIMIT = 26.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4203E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1009
 HT FLOW CONVERGENCE VALUE= .1003E-01 CRITERION= .3941E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 17 COMPLETED. CUM ITER = 743
 *** TIME = .234315E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3662E-05 OSCILLATION LIMIT = 28.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4181E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1009
 HT FLOW CONVERGENCE VALUE= .1005E-01 CRITERION= .3943E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 18 COMPLETED. CUM ITER = 744
 *** TIME = .235104E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3387E-05 OSCILLATION LIMIT = 26.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4185E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1010
 HT FLOW CONVERGENCE VALUE= .9996E-02 CRITERION= .3922E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 19 COMPLETED. CUM ITER = 745
 *** TIME = .235893E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3662E-05 OSCILLATION LIMIT = 28.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4164E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1010
 HT FLOW CONVERGENCE VALUE= .1002E-01 CRITERION= .3924E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 20 COMPLETED. CUM ITER = 746
 *** TIME = .236682E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3388E-05 OSCILLATION LIMIT = 26.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4168E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1010
 HT FLOW CONVERGENCE VALUE= .9971E-02 CRITERION= .3903E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 21 COMPLETED. CUM ITER = 747
 *** TIME = .237471E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3663E-05 OSCILLATION LIMIT = 28.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4146E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1011
 HT FLOW CONVERGENCE VALUE= .9990E-02 CRITERION= .3906E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 22 COMPLETED. CUM ITER = 748
 *** TIME = .238260E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3388E-05 OSCILLATION LIMIT = 26.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4150E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1011
 HT FLOW CONVERGENCE VALUE= .9938E-02 CRITERION= .3885E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 23 COMPLETED. CUM ITER = 749
 *** TIME = .239049E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3663E-05 OSCILLATION LIMIT = 28.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4128E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1011
 HT FLOW CONVERGENCE VALUE= .9959E-02 CRITERION= .3887E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 24 COMPLETED. CUM ITER = 750
 *** TIME = .239838E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3389E-05 OSCILLATION LIMIT = 26.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4132E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1012
 HT FLOW CONVERGENCE VALUE= .9913E-02 CRITERION= .3866E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 25 COMPLETED. CUM ITER = 751
 *** TIME = .240627E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3663E-05 OSCILLATION LIMIT = 28.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4111E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1012
 HT FLOW CONVERGENCE VALUE= .9936E-02 CRITERION= .3868E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 26 COMPLETED. CUM ITER = 752
 *** TIME = .241416E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3390E-05 OSCILLATION LIMIT = 26.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4115E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1012
 HT FLOW CONVERGENCE VALUE= .9885E-02 CRITERION= .3847E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 27 COMPLETED. CUM ITER = 753
 *** TIME = .242205E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3663E-05 OSCILLATION LIMIT = 28.90

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4093E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1013
 HT FLOW CONVERGENCE VALUE= .9903E-02 CRITERION= .3850E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 28 COMPLETED. CUM ITER = 754
 *** TIME = .242994E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3390E-05 OSCILLATION LIMIT = 26.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4097E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1013
 HT FLOW CONVERGENCE VALUE= .9852E-02 CRITERION= .3829E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 29 COMPLETED. CUM ITER = 755
 *** TIME = .243782E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3663E-05 OSCILLATION LIMIT = 28.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4076E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1013
 HT FLOW CONVERGENCE VALUE= .9875E-02 CRITERION= .3831E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 30 COMPLETED. CUM ITER = 756
 *** TIME = .244571E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3391E-05 OSCILLATION LIMIT = 26.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4080E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1014
 HT FLOW CONVERGENCE VALUE= .9827E-02 CRITERION= .3810E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 31 COMPLETED. CUM ITER = 757
 *** TIME = .245360E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3663E-05 OSCILLATION LIMIT = 28.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4058E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1014
 HT FLOW CONVERGENCE VALUE= .9844E-02 CRITERION= .3812E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 32 COMPLETED. CUM ITER = 758
 *** TIME = .246149E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3391E-05 OSCILLATION LIMIT = 26.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4062E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1014
 HT FLOW CONVERGENCE VALUE= .9794E-02 CRITERION= .3791E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 33 COMPLETED. CUM ITER = 759
 *** TIME = .246938E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3663E-05 OSCILLATION LIMIT = 28.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.97 CRITERION= .4041E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1015
 HT FLOW CONVERGENCE VALUE= .9812E-02 CRITERION= .3794E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 34 COMPLETED. CUM ITER = 760
 *** TIME = .247727E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3392E-05 OSCILLATION LIMIT = 26.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.08 CRITERION= .4045E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1015
 HT FLOW CONVERGENCE VALUE= .9766E-02 CRITERION= .3773E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 35 COMPLETED. CUM ITER = 761

```

*** TIME = .248516E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3663E-05    OSCILLATION LIMIT = 28.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 13.97    CRITERION= .4023E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1015
    HT FLOW CONVERGENCE VALUE= .9783E-02    CRITERION= .3775E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 36 COMPLETED.    CUM ITER = 762
*** TIME = .249305E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3393E-05    OSCILLATION LIMIT = 26.77
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.08    CRITERION= .4027E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1016
    HT FLOW CONVERGENCE VALUE= .9736E-02    CRITERION= .3754E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 37 COMPLETED.    CUM ITER = 763
*** TIME = .250094E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3663E-05    OSCILLATION LIMIT = 28.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 13.97    CRITERION= .4006E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1016
    HT FLOW CONVERGENCE VALUE= .9751E-02    CRITERION= .3756E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 38 COMPLETED.    CUM ITER = 764
*** TIME = .250883E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3393E-05    OSCILLATION LIMIT = 26.77
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.08    CRITERION= .4010E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1016
    HT FLOW CONVERGENCE VALUE= .9704E-02    CRITERION= .3735E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 39 COMPLETED.    CUM ITER = 765
*** TIME = .251672E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3664E-05    OSCILLATION LIMIT = 28.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 13.97    CRITERION= .3988E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1017
    HT FLOW CONVERGENCE VALUE= .9721E-02    CRITERION= .3737E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 40 COMPLETED.    CUM ITER = 766
*** TIME = .252461E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3394E-05    OSCILLATION LIMIT = 26.78

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 07:38:39 MAR 26, 1995 CP= 55199.360
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

    HT FLOW CONVERGENCE VALUE= 12.18    CRITERION= .3929E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8841E-01
    HT FLOW CONVERGENCE VALUE= .8417E-02    CRITERION= .3718E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 1 COMPLETED.    CUM ITER = 767
*** TIME = .253250E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3725E-05    OSCILLATION LIMIT = 29.39
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.07    CRITERION= .3909E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8863E-01
    HT FLOW CONVERGENCE VALUE= .8439E-02    CRITERION= .3721E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 2 COMPLETED. CUM ITER = 768
*** TIME = .254039E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3432E-05 OSCILLATION LIMIT = 27.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3914E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8898E-01
HT FLOW CONVERGENCE VALUE= .8419E-02 CRITERION= .3701E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 3 COMPLETED. CUM ITER = 769
*** TIME = .254828E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3754E-05 OSCILLATION LIMIT = 29.62
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3893E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8868E-01
HT FLOW CONVERGENCE VALUE= .8416E-02 CRITERION= .3705E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 4 COMPLETED. CUM ITER = 770
*** TIME = .255617E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3432E-05 OSCILLATION LIMIT = 27.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3898E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8902E-01
HT FLOW CONVERGENCE VALUE= .8397E-02 CRITERION= .3685E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 5 COMPLETED. CUM ITER = 771
*** TIME = .256406E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3754E-05 OSCILLATION LIMIT = 29.62
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3878E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8874E-01
HT FLOW CONVERGENCE VALUE= .8395E-02 CRITERION= .3688E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 6 COMPLETED. CUM ITER = 772
*** TIME = .257194E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3433E-05 OSCILLATION LIMIT = 27.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3883E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8907E-01
HT FLOW CONVERGENCE VALUE= .8375E-02 CRITERION= .3668E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 7 COMPLETED. CUM ITER = 773
*** TIME = .257983E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3754E-05 OSCILLATION LIMIT = 29.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3862E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8879E-01
HT FLOW CONVERGENCE VALUE= .8373E-02 CRITERION= .3672E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 8 COMPLETED. CUM ITER = 774
*** TIME = .258772E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3434E-05 OSCILLATION LIMIT = 27.09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3867E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8911E-01
HT FLOW CONVERGENCE VALUE= .8352E-02 CRITERION= .3652E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 9 COMPLETED. CUM ITER = 775
*** TIME = .259561E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3753E-05 OSCILLATION LIMIT = 29.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3847E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8885E-01
 HT FLOW CONVERGENCE VALUE= .8349E-02 CRITERION= .3655E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 10 COMPLETED. CUM ITER = 776
 *** TIME = .260350E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3435E-05 OSCILLATION LIMIT = 27.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3852E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8915E-01
 HT FLOW CONVERGENCE VALUE= .8326E-02 CRITERION= .3636E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 11 COMPLETED. CUM ITER = 777
 *** TIME = .261139E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3753E-05 OSCILLATION LIMIT = 29.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3831E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8891E-01
 HT FLOW CONVERGENCE VALUE= .8322E-02 CRITERION= .3639E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 12 COMPLETED. CUM ITER = 778
 *** TIME = .261928E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3435E-05 OSCILLATION LIMIT = 27.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3836E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8920E-01
 HT FLOW CONVERGENCE VALUE= .8295E-02 CRITERION= .3619E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 13 COMPLETED. CUM ITER = 779
 *** TIME = .262717E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3753E-05 OSCILLATION LIMIT = 29.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3816E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8897E-01
 HT FLOW CONVERGENCE VALUE= .8294E-02 CRITERION= .3623E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 14 COMPLETED. CUM ITER = 780
 *** TIME = .263506E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3436E-05 OSCILLATION LIMIT = 27.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3821E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8924E-01
 HT FLOW CONVERGENCE VALUE= .8267E-02 CRITERION= .3603E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 15 COMPLETED. CUM ITER = 781
 *** TIME = .264295E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3753E-05 OSCILLATION LIMIT = 29.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3800E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8902E-01
 HT FLOW CONVERGENCE VALUE= .8264E-02 CRITERION= .3606E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 16 COMPLETED. CUM ITER = 782
 *** TIME = .265084E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3437E-05 OSCILLATION LIMIT = 27.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3805E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8928E-01
 HT FLOW CONVERGENCE VALUE= .8237E-02 CRITERION= .3587E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 17 COMPLETED. CUM ITER = 783
 *** TIME = .265873E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3752E-05 OSCILLATION LIMIT = 29.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3785E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8908E-01
 HT FLOW CONVERGENCE VALUE= .8234E-02 CRITERION= .3590E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 18 COMPLETED. CUM ITER = 784
 *** TIME = .266662E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3438E-05 OSCILLATION LIMIT = 27.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3789E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8933E-01
 HT FLOW CONVERGENCE VALUE= .8205E-02 CRITERION= .3570E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 19 COMPLETED. CUM ITER = 785
 *** TIME = .267451E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3752E-05 OSCILLATION LIMIT = 29.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3769E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8913E-01
 HT FLOW CONVERGENCE VALUE= .8205E-02 CRITERION= .3574E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 20 COMPLETED. CUM ITER = 786
 *** TIME = .268240E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3438E-05 OSCILLATION LIMIT = 27.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3774E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8937E-01
 HT FLOW CONVERGENCE VALUE= .8173E-02 CRITERION= .3554E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 21 COMPLETED. CUM ITER = 787
 *** TIME = .269029E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3752E-05 OSCILLATION LIMIT = 29.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3754E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8919E-01
 HT FLOW CONVERGENCE VALUE= .8172E-02 CRITERION= .3557E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 22 COMPLETED. CUM ITER = 788
 *** TIME = .269817E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3439E-05 OSCILLATION LIMIT = 27.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3758E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8942E-01
 HT FLOW CONVERGENCE VALUE= .8142E-02 CRITERION= .3537E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 23 COMPLETED. CUM ITER = 789
 *** TIME = .270606E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3752E-05 OSCILLATION LIMIT = 29.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3738E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8925E-01
 HT FLOW CONVERGENCE VALUE= .8150E-02 CRITERION= .3541E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 24 COMPLETED. CUM ITER = 790
 *** TIME = .271395E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3440E-05 OSCILLATION LIMIT = 27.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3743E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8946E-01
 HT FLOW CONVERGENCE VALUE= .8123E-02 CRITERION= .3521E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 25 COMPLETED. CUM ITER = 791
 *** TIME = .272184E+10 TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .3752E-05  OSCILLATION LIMIT = 29.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 12.07  CRITERION= .3723E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8930E-01
  HT FLOW CONVERGENCE VALUE= .8123E-02 CRITERION= .3524E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 26 COMPLETED. CUM ITER = 792
*** TIME = .272973E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3441E-05  OSCILLATION LIMIT = 27.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 12.18  CRITERION= .3728E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8951E-01
  HT FLOW CONVERGENCE VALUE= .8093E-02 CRITERION= .3505E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 27 COMPLETED. CUM ITER = 793
*** TIME = .273762E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3752E-05  OSCILLATION LIMIT = 29.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 12.07  CRITERION= .3707E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8936E-01
  HT FLOW CONVERGENCE VALUE= .8098E-02 CRITERION= .3508E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 28 COMPLETED. CUM ITER = 794
*** TIME = .274551E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3442E-05  OSCILLATION LIMIT = 27.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 12.18  CRITERION= .3712E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8956E-01
  HT FLOW CONVERGENCE VALUE= .8067E-02 CRITERION= .3488E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 29 COMPLETED. CUM ITER = 795
*** TIME = .275340E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3751E-05  OSCILLATION LIMIT = 29.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 12.07  CRITERION= .3692E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8942E-01
  HT FLOW CONVERGENCE VALUE= .8067E-02 CRITERION= .3492E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 30 COMPLETED. CUM ITER = 796
*** TIME = .276129E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3442E-05  OSCILLATION LIMIT = 27.16
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 12.18  CRITERION= .3697E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8960E-01
  HT FLOW CONVERGENCE VALUE= .8035E-02 CRITERION= .3472E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 31 COMPLETED. CUM ITER = 797
*** TIME = .276918E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3751E-05  OSCILLATION LIMIT = 29.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 12.07  CRITERION= .3676E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8947E-01
  HT FLOW CONVERGENCE VALUE= .8036E-02 CRITERION= .3475E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 32 COMPLETED. CUM ITER = 798
*** TIME = .277707E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3443E-05  OSCILLATION LIMIT = 27.16
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 12.18  CRITERION= .3681E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8965E-01
  HT FLOW CONVERGENCE VALUE= .8004E-02 CRITERION= .3456E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 30 SUBSTEP 33 COMPLETED. CUM ITER = 799
 *** TIME = .278496E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3751E-05 OSCILLATION LIMIT = 29.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3661E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8953E-01
 HT FLOW CONVERGENCE VALUE= .8000E-02 CRITERION= .3459E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 34 COMPLETED. CUM ITER = 800
 *** TIME = .279285E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3444E-05 OSCILLATION LIMIT = 27.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3666E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8970E-01
 HT FLOW CONVERGENCE VALUE= .7964E-02 CRITERION= .3439E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 35 COMPLETED. CUM ITER = 801
 *** TIME = .280074E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3751E-05 OSCILLATION LIMIT = 29.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3645E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8958E-01
 HT FLOW CONVERGENCE VALUE= .7966E-02 CRITERION= .3443E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 36 COMPLETED. CUM ITER = 802
 *** TIME = .280863E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3445E-05 OSCILLATION LIMIT = 27.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3650E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8975E-01
 HT FLOW CONVERGENCE VALUE= .7931E-02 CRITERION= .3423E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 37 COMPLETED. CUM ITER = 803
 *** TIME = .281652E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3751E-05 OSCILLATION LIMIT = 29.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3630E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8964E-01
 HT FLOW CONVERGENCE VALUE= .7932E-02 CRITERION= .3426E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 38 COMPLETED. CUM ITER = 804
 *** TIME = .282441E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3445E-05 OSCILLATION LIMIT = 27.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.18 CRITERION= .3635E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8979E-01
 HT FLOW CONVERGENCE VALUE= .7899E-02 CRITERION= .3406E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 39 COMPLETED. CUM ITER = 805
 *** TIME = .283229E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3751E-05 OSCILLATION LIMIT = 29.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.07 CRITERION= .3614E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8969E-01
 HT FLOW CONVERGENCE VALUE= .7901E-02 CRITERION= .3410E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 40 COMPLETED. CUM ITER = 806
 *** TIME = .284018E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3446E-05 OSCILLATION LIMIT = 27.19
 Apply loads and solve for 100 to 1000 years

*DO LOOP ON PARAMETER= TM FROM .31558E+10 TO .31558E+11 BY .31558E+10

TIME= .31558E+10

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
1015.57476 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 155.62 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 155.81 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 156.19 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 58191.830 TIME= 08:28:50
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 08:28:50 MAR 26, 1995 CP= 58191.830
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 31
TIME AT END OF THE LOAD STEP.31558E+10
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000

TOLERANCE.20000
 TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
 CONVERGENCE CONTROLS.USE DEFAULTS
 PRINT OUTPUT CONTROLSNO PRINTOUT
 DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
 FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 10.79 CRITERION= .3575E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7401E-01
 HT FLOW CONVERGENCE VALUE= .6621E-02 CRITERION= .3392E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 1 COMPLETED. CUM ITER = 807
 *** TIME = .284807E+10 TIME INC = .788940E+07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.68 CRITERION= .3556E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7402E-01
 HT FLOW CONVERGENCE VALUE= .6613E-02 CRITERION= .3396E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 2 COMPLETED. CUM ITER = 808
 *** TIME = .285596E+10 TIME INC = .788940E+07
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+08 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 32.26 CRITERION= .4682E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2285
 HT FLOW CONVERGENCE VALUE= .1992E-01 CRITERION= .3366E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 3 COMPLETED. CUM ITER = 809
 *** TIME = .287963E+10 TIME INC = .236682E+08
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+08 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 96.57 CRITERION= .1023
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6850
 HT FLOW CONVERGENCE VALUE= .5827E-01 CRITERION= .3319E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2393E-01
 HT FLOW CONVERGENCE VALUE= .1103E-02 CRITERION= .3317E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 31 SUBSTEP 4 COMPLETED. CUM ITER = 811
 *** TIME = .295064E+10 TIME INC = .710046E+08
 *** AUTO STEP TIME: NEXT TIME INC = .71005E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 96.68 CRITERION= .1022
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6950
 HT FLOW CONVERGENCE VALUE= .5768E-01 CRITERION= .3248E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2371E-01
 HT FLOW CONVERGENCE VALUE= .1067E-02 CRITERION= .3246E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 31 SUBSTEP 5 COMPLETED. CUM ITER = 813
 *** TIME = .302164E+10 TIME INC = .710046E+08
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+08 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 107.3 CRITERION= .1121
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7730
 HT FLOW CONVERGENCE VALUE= .6288E-01 CRITERION= .3194E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2584E-01
 HT FLOW CONVERGENCE VALUE= .1138E-02 CRITERION= .3191E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 31 SUBSTEP 6 COMPLETED. CUM ITER = 815
 *** TIME = .310053E+10 TIME INC = .788940E+08
 *** AUTO TIME STEP: NEXT TIME INC = .55226E+08 DECREASED (FACTOR = .7000)

HT FLOW CONVERGENCE VALUE= 75.22 CRITERION= .8167E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5425
 HT FLOW CONVERGENCE VALUE= .4370E-01 CRITERION= .3135E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1798E-01
 HT FLOW CONVERGENCE VALUE= .7862E-03 CRITERION= .3133E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 31 SUBSTEP 7 COMPLETED. CUM ITER = 817
 *** TIME = .315576E+10 TIME INC = .552258E+08

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:40:44 MAR 26, 1995 CP= 58898.090
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 66.43 CRITERION= .7347E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3860
 HT FLOW CONVERGENCE VALUE= .3297E-01 CRITERION= .3116E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1398E-01
 HT FLOW CONVERGENCE VALUE= .6875E-03 CRITERION= .3115E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 1 COMPLETED. CUM ITER = 819
 *** TIME = .323465E+10 TIME INC = .788940E+08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 66.54 CRITERION= .7344E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3857
 HT FLOW CONVERGENCE VALUE= .3265E-01 CRITERION= .3075E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1388E-01
 HT FLOW CONVERGENCE VALUE= .6771E-03 CRITERION= .3074E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 2 COMPLETED. CUM ITER = 821
 *** TIME = .331355E+10 TIME INC = .788940E+08
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 199.4 CRITERION= .2018
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.159
 HT FLOW CONVERGENCE VALUE= .9405E-01 CRITERION= .3000E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4001E-01
 HT FLOW CONVERGENCE VALUE= .1879E-02 CRITERION= .2996E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 3 COMPLETED. CUM ITER = 823
 *** TIME = .355023E+10 TIME INC = .236682E+09
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 598.5 CRITERION= .5992
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -3.484
 HT FLOW CONVERGENCE VALUE= .2455 CRITERION= .2727E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1052
 HT FLOW CONVERGENCE VALUE= .4248E-02 CRITERION= .2717E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 4 COMPLETED. CUM ITER = 825
 *** TIME = .426028E+10 TIME INC = .710046E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 665.0 CRITERION= .6656
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -3.903
 HT FLOW CONVERGENCE VALUE= .2415 CRITERION= .2442E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1044
 HT FLOW CONVERGENCE VALUE= .3665E-02 CRITERION= .2432E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 5 COMPLETED. CUM ITER = 827
 *** TIME = .504922E+10 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 665.3 CRITERION= .6657
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -3.936
 HT FLOW CONVERGENCE VALUE= .2120 CRITERION= .2132E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9262E-01
 HT FLOW CONVERGENCE VALUE= .2798E-02 CRITERION= .2123E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 6 COMPLETED. CUM ITER = 829

```
*** TIME = .583816E+10    TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 399.1    CRITERION= .3997
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.384
HT FLOW CONVERGENCE VALUE= .1225    CRITERION= .1962E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5402E-01
HT FLOW CONVERGENCE VALUE= .1568E-02 CRITERION= .1957E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 7 COMPLETED. CUM ITER = 831
*** TIME = .631152E+10    TIME INC = .473364E+09
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303    VERSION=HP 9000/7XX    08:54:47 MAR 26, 1995 CP= 59734.580
FOR SUPPORT CALL SUPPORT PERSON    PHONE SUPPORT PHONE    FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 267.8    CRITERION= .2685
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.090
HT FLOW CONVERGENCE VALUE= .6547E-01 CRITERION= .1886E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3055E-01
HT FLOW CONVERGENCE VALUE= .1113E-02 CRITERION= .1884E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 1 COMPLETED. CUM ITER = 833
*** TIME = .678488E+10    TIME INC = .473364E+09
*** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 267.7    CRITERION= .2684
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.092
HT FLOW CONVERGENCE VALUE= .6351E-01 CRITERION= .1836E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2975E-01
HT FLOW CONVERGENCE VALUE= .1049E-02 CRITERION= .1835E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 2 COMPLETED. CUM ITER = 835
*** TIME = .725825E+10    TIME INC = .473364E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)
```

```
HT FLOW CONVERGENCE VALUE= 446.4    CRITERION= .4467
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.823
HT FLOW CONVERGENCE VALUE= .9784E-01 CRITERION= .1724E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4647E-01
HT FLOW CONVERGENCE VALUE= .1529E-02 CRITERION= .1722E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 3 COMPLETED. CUM ITER = 837
*** TIME = .804719E+10    TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 446.3    CRITERION= .4466
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.830
HT FLOW CONVERGENCE VALUE= .9212E-01 CRITERION= .1634E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4414E-01
HT FLOW CONVERGENCE VALUE= .1366E-02 CRITERION= .1632E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 4 COMPLETED. CUM ITER = 839
*** TIME = .883613E+10    TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)
```

```
HT FLOW CONVERGENCE VALUE= 357.1    CRITERION= .3574
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.469
HT FLOW CONVERGENCE VALUE= .7100E-01 CRITERION= .1541E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3415E-01
HT FLOW CONVERGENCE VALUE= .1011E-02 CRITERION= .1539E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 5 COMPLETED. CUM ITER = 841
*** TIME = .946728E+10    TIME INC = .631152E+09
```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 09:04:58 MAR 26, 1995 CP= 60329.780
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 204.1 CRITERION= .2047
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8610
HT FLOW CONVERGENCE VALUE= .4070E-01 CRITERION= .1503E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1952E-01
HT FLOW CONVERGENCE VALUE= .5604E-03 CRITERION= .1502E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 1 COMPLETED. CUM ITER = 843
*** TIME = .100984E+11 TIME INC = .631152E+09
*** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 204.2 CRITERION= .2047
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8621
HT FLOW CONVERGENCE VALUE= .3944E-01 CRITERION= .1443E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1898E-01
HT FLOW CONVERGENCE VALUE= .5277E-03 CRITERION= .1442E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 2 COMPLETED. CUM ITER = 845
*** TIME = .107296E+11 TIME INC = .631152E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 255.2 CRITERION= .2556
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.080
HT FLOW CONVERGENCE VALUE= .4697E-01 CRITERION= .1394E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2271E-01
HT FLOW CONVERGENCE VALUE= .6016E-03 CRITERION= .1393E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 3 COMPLETED. CUM ITER = 847
*** TIME = .115185E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 255.3 CRITERION= .2556
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.082
HT FLOW CONVERGENCE VALUE= .4440E-01 CRITERION= .1322E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
HT FLOW CONVERGENCE VALUE= .5523E-03 CRITERION= .1321E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 4 COMPLETED. CUM ITER = 849
*** TIME = .123075E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 102.0 CRITERION= .1029
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4340
HT FLOW CONVERGENCE VALUE= .1754E-01 CRITERION= .1309E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8801E-02
HT FLOW CONVERGENCE VALUE= .2217E-03 CRITERION= .1308E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 5 COMPLETED. CUM ITER = 851
*** TIME = .126230E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 09:14:58 MAR 26, 1995 CP= 60926.140
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 84.14 CRITERION= .8512E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3314
 HT FLOW CONVERGENCE VALUE= .1365E-01 CRITERION= .1280E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6956E-02
 HT FLOW CONVERGENCE VALUE= .1802E-03 CRITERION= .1280E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 1 COMPLETED. CUM ITER = 853
 *** TIME = .129386E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 84.03 CRITERION= .8503E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3318
 HT FLOW CONVERGENCE VALUE= .1344E-01 CRITERION= .1275E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6889E-02
 HT FLOW CONVERGENCE VALUE= .1760E-03 CRITERION= .1274E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 2 COMPLETED. CUM ITER = 855
 *** TIME = .132542E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 210.3 CRITERION= .2106
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8295
 HT FLOW CONVERGENCE VALUE= .3142E-01 CRITERION= .1221E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1650E-01
 HT FLOW CONVERGENCE VALUE= .3985E-03 CRITERION= .1220E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 3 COMPLETED. CUM ITER = 857
 *** TIME = .140431E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 210.2 CRITERION= .2105
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8312
 HT FLOW CONVERGENCE VALUE= .2992E-01 CRITERION= .1189E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1605E-01
 HT FLOW CONVERGENCE VALUE= .3666E-03 CRITERION= .1189E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 4 COMPLETED. CUM ITER = 859
 *** TIME = .148321E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 126.2 CRITERION= .1267
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4994
 HT FLOW CONVERGENCE VALUE= .1745E-01 CRITERION= .1152E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9568E-02
 HT FLOW CONVERGENCE VALUE= .2127E-03 CRITERION= .1152E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 5 COMPLETED. CUM ITER = 861
 *** TIME = .153054E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 126.1 CRITERION= .1266
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5001
 HT FLOW CONVERGENCE VALUE= .1687E-01 CRITERION= .1138E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9402E-02
 HT FLOW CONVERGENCE VALUE= .2014E-03 CRITERION= .1137E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 6 COMPLETED. CUM ITER = 863
 *** TIME = .157788E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 09:26:59 MAR 26, 1995 CP= 61640.490
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 143.0 CRITERION= .1435

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4900
 HT FLOW CONVERGENCE VALUE= .1723E-01 CRITERION= .1106E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9902E-02
 HT FLOW CONVERGENCE VALUE= .2205E-03 CRITERION= .1105E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 1 COMPLETED. CUM ITER = 865
 *** TIME = .162522E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 142.9 CRITERION= .1434
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4907
 HT FLOW CONVERGENCE VALUE= .1679E-01 CRITERION= .1096E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9781E-02
 HT FLOW CONVERGENCE VALUE= .2107E-03 CRITERION= .1096E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 2 COMPLETED. CUM ITER = 867
 *** TIME = .167255E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 238.4 CRITERION= .2386
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8181
 HT FLOW CONVERGENCE VALUE= .2643E-01 CRITERION= .1050E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1572E-01
 HT FLOW CONVERGENCE VALUE= .3182E-03 CRITERION= .1050E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 3 COMPLETED. CUM ITER = 869
 *** TIME = .175145E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 238.2 CRITERION= .2385
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8195
 HT FLOW CONVERGENCE VALUE= .2531E-01 CRITERION= .1027E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1506E-01
 HT FLOW CONVERGENCE VALUE= .2956E-03 CRITERION= .1027E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 4 COMPLETED. CUM ITER = 871
 *** TIME = .183034E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 190.7 CRITERION= .1909
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6563
 HT FLOW CONVERGENCE VALUE= .1979E-01 CRITERION= .9881E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1164E-01
 HT FLOW CONVERGENCE VALUE= .2268E-03 CRITERION= .9877E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 5 COMPLETED. CUM ITER = 873
 *** TIME = .189346E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 09:36:59 MAR 26, 1995 CP= 62236.840
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 172.0 CRITERION= .1723
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5600
 HT FLOW CONVERGENCE VALUE= .1713E-01 CRITERION= .9779E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1007E-01
 HT FLOW CONVERGENCE VALUE= .1983E-03 CRITERION= .9776E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 1 COMPLETED. CUM ITER = 875
 *** TIME = .195657E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 172.1 CRITERION= .1723
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5602

HT FLOW CONVERGENCE VALUE= .1677E-01 CRITERION= .9451E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9880E-02
 HT FLOW CONVERGENCE VALUE= .1907E-03 CRITERION= .9448E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 2 COMPLETED. CUM ITER = 877
 *** TIME = .201969E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 215.0 CRITERION= .2152
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7012
 HT FLOW CONVERGENCE VALUE= .2027E-01 CRITERION= .9298E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1200E-01
 HT FLOW CONVERGENCE VALUE= .2245E-03 CRITERION= .9294E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 3 COMPLETED. CUM ITER = 879
 *** TIME = .209858E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 215.1 CRITERION= .2152
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7017
 HT FLOW CONVERGENCE VALUE= .1970E-01 CRITERION= .8916E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1170E-01
 HT FLOW CONVERGENCE VALUE= .2129E-03 CRITERION= .8912E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 4 COMPLETED. CUM ITER = 881
 *** TIME = .217747E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 85.95 CRITERION= .8644E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2813
 HT FLOW CONVERGENCE VALUE= .7949E-02 CRITERION= .8920E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 37 SUBSTEP 5 COMPLETED. CUM ITER = 882
 *** TIME = .220903E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 09:46:15 MAR 26, 1995 CP= 62789.540
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 76.04 CRITERION= .7654E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2426
 HT FLOW CONVERGENCE VALUE= .6890E-02 CRITERION= .8713E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 38 SUBSTEP 1 COMPLETED. CUM ITER = 883
 *** TIME = .224059E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 75.94 CRITERION= .7646E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2436
 HT FLOW CONVERGENCE VALUE= .6832E-02 CRITERION= .8733E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 38 SUBSTEP 2 COMPLETED. CUM ITER = 884
 *** TIME = .227215E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 190.0 CRITERION= .1902
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6148
 HT FLOW CONVERGENCE VALUE= .1641E-01 CRITERION= .8387E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9797E-02
 HT FLOW CONVERGENCE VALUE= .1692E-03 CRITERION= .8384E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 3 COMPLETED. CUM ITER = 886
 *** TIME = .235104E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 189.9 CRITERION= .1901
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6198
 HT FLOW CONVERGENCE VALUE= .1601E-01 CRITERION= .8267E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9577E-02
 HT FLOW CONVERGENCE VALUE= .1603E-03 CRITERION= .8264E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 4 COMPLETED. CUM ITER = 888
 *** TIME = .242994E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 114.0 CRITERION= .1143
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3721
 HT FLOW CONVERGENCE VALUE= .9568E-02 CRITERION= .8011E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5708E-02
 HT FLOW CONVERGENCE VALUE= .9453E-04 CRITERION= .8010E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 5 COMPLETED. CUM ITER = 890
 *** TIME = .247727E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 113.9 CRITERION= .1142
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3725
 HT FLOW CONVERGENCE VALUE= .9411E-02 CRITERION= .7985E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5621E-02
 HT FLOW CONVERGENCE VALUE= .9139E-04 CRITERION= .7983E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 6 COMPLETED. CUM ITER = 892
 *** TIME = .252461E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 09:56:51 MAR 26, 1995 CP= 63420.090
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 102.8 CRITERION= .1031
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3214
 HT FLOW CONVERGENCE VALUE= .8231E-02 CRITERION= .7759E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4936E-02
 HT FLOW CONVERGENCE VALUE= .8084E-04 CRITERION= .7758E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 1 COMPLETED. CUM ITER = 894
 *** TIME = .257194E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 102.7 CRITERION= .1030
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3218
 HT FLOW CONVERGENCE VALUE= .8122E-02 CRITERION= .7761E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4874E-02
 HT FLOW CONVERGENCE VALUE= .7862E-04 CRITERION= .7760E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 2 COMPLETED. CUM ITER = 896
 *** TIME = .261928E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 171.3 CRITERION= .1715
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5362
 HT FLOW CONVERGENCE VALUE= .1308E-01 CRITERION= .7463E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7899E-02
 HT FLOW CONVERGENCE VALUE= .1241E-03 CRITERION= .7461E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 3 COMPLETED. CUM ITER = 898
 *** TIME = .269817E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 171.2 CRITERION= .1714
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5369
 HT FLOW CONVERGENCE VALUE= .1277E-01 CRITERION= .7391E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7727E-02
 HT FLOW CONVERGENCE VALUE= .1184E-03 CRITERION= .7389E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 4 COMPLETED. CUM ITER = 900
 *** TIME = .277707E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 137.1 CRITERION= .1372
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4297
 HT FLOW CONVERGENCE VALUE= .1007E-01 CRITERION= .7128E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6095E-02
 HT FLOW CONVERGENCE VALUE= .9184E-04 CRITERION= .7126E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 5 COMPLETED. CUM ITER = 902
 *** TIME = .284018E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:06:59 MAR 26, 1995 CP= 64015.830
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 120.3 CRITERION= .1205
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3724
 HT FLOW CONVERGENCE VALUE= .8670E-02 CRITERION= .7117E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5254E-02
 HT FLOW CONVERGENCE VALUE= .7831E-04 CRITERION= .7115E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 1 COMPLETED. CUM ITER = 904
 *** TIME = .290330E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 120.4 CRITERION= .1206
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3723
 HT FLOW CONVERGENCE VALUE= .8522E-02 CRITERION= .6878E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5173E-02
 HT FLOW CONVERGENCE VALUE= .7590E-04 CRITERION= .6877E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 2 COMPLETED. CUM ITER = 906
 *** TIME = .296641E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 150.4 CRITERION= .1506
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4659
 HT FLOW CONVERGENCE VALUE= .1037E-01 CRITERION= .6836E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6318E-02
 HT FLOW CONVERGENCE VALUE= .9038E-04 CRITERION= .6834E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 3 COMPLETED. CUM ITER = 908
 *** TIME = .304531E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 150.5 CRITERION= .1506
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4660
 HT FLOW CONVERGENCE VALUE= .1014E-01 CRITERION= .6566E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6190E-02
 HT FLOW CONVERGENCE VALUE= .8669E-04 CRITERION= .6565E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 4 COMPLETED. CUM ITER = 910
 *** TIME = .312420E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 60.11 CRITERION= .6050E-01

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1868
HT FLOW CONVERGENCE VALUE= .4084E-02 CRITERION= .6617E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 40 SUBSTEP 5 COMPLETED. CUM ITER = 911
*** TIME = .315576E+11 TIME INC = .315576E+09

FINISH SOLUTION PROCESSING

***** ROUTINE COMPLETED ***** CP = 64567.270

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12b2.db
FOR POSSIBLE RESUME FROM THIS POINT

Create element contour plots of solution results

Sort through solution results for time of max temp.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 10:16:22 MAR 26, 1995 CP= 64573.170
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

VARIABLE 2 IS AT NODE 2929 ITEM= TEMP COMP= NAME= peakclad

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES
VARI TYPE IDENTIFIERS NAME MINIMUM AT TIME MAXIMUM AT TIME
2 NSOL 2929 TEMP peakclad 140.7 .3156E+11 220.8 .3156E+09

*GET TMTMAX FROM VARI 2 ITEM=EXTR TMAX VALUE= 315576032.

***** ROUTINE COMPLETED ***** CP = 64573.440

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 10:16:24 MAR 26, 1995 CP= 64573.470
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS RESULTS INTERPRETATION (POST1) *****

Create temperature contour plots of WP at peak

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (PRECISE) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS -1 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

4504 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+09

SET COMMAND GOT LOAD STEP= 22 SUBSTEP= 40 CUMULATIVE ITERATION= 486
TIME/FREQUENCY= .31558E+09

TITLE=
12 PWR MPC/WP at Time of Peak Temp. (10.000001 years)

/SHOW SWITCH PLOTS TO FILE solupk.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 AUTOMATIC CONTOURS

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solupk.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at Time of Peak Temp. (10.000001 years)

*** WARNING *** CP= 64604.350 TIME= 10:16:58
The selected element set contains mixed materials.
This could invalidate error estimation.
Create temperature contour plots at 10, 50, and 100 yrs

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+09

SET COMMAND GOT LOAD STEP= 22 SUBSTEP= 40 CUMULATIVE ITERATION= 486
TIME/FREQUENCY= .31558E+09

TITLE=
12 PWR MPC/WP at 10 years

/SHOW SWITCH PLOTS TO FILE solu10.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 142.72 BY .61473 TO 220.79

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu10.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 10 years

*** WARNING *** CP= 64641.310 TIME= 10:17:36
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .15779E+10

SET COMMAND GOT LOAD STEP= 26 SUBSTEP= 40 CUMULATIVE ITERATION= 646
TIME/FREQUENCY= .15779E+10

TITLE=

12 PWR MPC/WP at 50 years

/SHOW SWITCH PLOTS TO FILE solu50.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 142.72 BY .61473 TO 220.79

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu50.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 50 years

*** WARNING *** CP= 64677.480 TIME= 10:18:12
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+10

SET COMMAND GOT LOAD STEP= 31 SUBSTEP= 7 CUMULATIVE ITERATION= 817
TIME/FREQUENCY= .31558E+10

TITLE=
12 PWR MPC/WP at 100 years

/SHOW SWITCH PLOTS TO FILE solu100.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 142.72 BY .61473 TO 220.79

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu100.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 100 years

*** WARNING *** CP= 64715.360 TIME= 10:18:50
The selected element set contains mixed materials.
This could invalidate error estimation.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

EXIT THE ANSYS POST1 DATABASE PROCESSOR

***** ROUTINE COMPLETED ***** CP = 64722.560

Print time/temperature output at specific locations
Save profile from center to edge

Variable Legend: A01i000

x = center of waste package
f = flux trap plate stainless layer
w = flux trap plate SS sheath
c = center of assembly
h = halfway between center and tube
s = inside structural stainless tube layer
a = aluminum-born tube layer
t = stainless tube cladding

g = tube guide
m = mpc shell
i = inner barrier of DC
o = outer barrier of DC
= ID number of assembly (01 is center)
i = side of assembly toward center of WP
o = side of assembly toward edge of WP
000 = profile center down
045 = profile 45 deg down
090 = profile center side
135 = profile 45 deg up
180 = profile center up

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 10:18:58 MAR 26, 1995 CP= 64722.580
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

MAXIMUM NUMBER OF VARIABLES= 30

* Temperature Profile from center to lower right (45 deg.) *

VARIABLE 2	IS AT NODE	5748	ITEM= TEMP COMP=	NAME= x04i045
VARIABLE 3	IS AT NODE	1655	ITEM= TEMP COMP=	NAME= f04i045
VARIABLE 4	IS AT NODE	1762	ITEM= TEMP COMP=	NAME= f04o045
VARIABLE 5	IS AT NODE	2036	ITEM= TEMP COMP=	NAME= w04i045
VARIABLE 6	IS AT NODE	2177	ITEM= TEMP COMP=	NAME= w04o045
VARIABLE 7	IS AT NODE	2552	ITEM= TEMP COMP=	NAME= s04i045
VARIABLE 8	IS AT NODE	2977	ITEM= TEMP COMP=	NAME= h04i045
VARIABLE 9	IS AT NODE	2929	ITEM= TEMP COMP=	NAME= c04i045
VARIABLE 10	IS AT NODE	2881	ITEM= TEMP COMP=	NAME= h04o045
VARIABLE 11	IS AT NODE	2566	ITEM= TEMP COMP=	NAME= s04o045
VARIABLE 12	IS AT NODE	2427	ITEM= TEMP COMP=	NAME= a04o045
VARIABLE 13	IS AT NODE	2303	ITEM= TEMP COMP=	NAME= t04i045
VARIABLE 14	IS AT NODE	2289	ITEM= TEMP COMP=	NAME= t04o045
VARIABLE 15	IS AT NODE	3528	ITEM= TEMP COMP=	NAME= g04i045
VARIABLE 16	IS AT NODE	3545	ITEM= TEMP COMP=	NAME= g04o045
VARIABLE 17	IS AT NODE	3760	ITEM= TEMP COMP=	NAME= m04i045
VARIABLE 18	IS AT NODE	3707	ITEM= TEMP COMP=	NAME= m04o045
VARIABLE 19	IS AT NODE	4142	ITEM= TEMP COMP=	NAME= i04i045
VARIABLE 20	IS AT NODE	4200	ITEM= TEMP COMP=	NAME= i04o045

VARIABLE 21 IS AT NODE 4599 ITEM= TEMP COMP= NAME= o04o045
Add centers of assemblies 5 and 6

VARIABLE 22 IS AT NODE 3098 ITEM= TEMP COMP= NAME= c05i045

VARIABLE 23 IS AT NODE 2760 ITEM= TEMP COMP= NAME= c06i045

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES							
VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2	NSOL	5748 TEMP	x04i045	139.6	.3156E+11	208.7	.3156E+09
3	NSOL	1655 TEMP	f04i045	139.6	.3156E+11	208.7	.3156E+09
4	NSOL	1762 TEMP	f04o045	139.6	.3156E+11	208.7	.3156E+09
5	NSOL	2036 TEMP	w04i045	139.6	.3156E+11	208.7	.3156E+09
6	NSOL	2177 TEMP	w04o045	139.6	.3156E+11	208.7	.3156E+09
7	NSOL	2552 TEMP	s04i045	139.6	.3156E+11	208.7	.3156E+09
8	NSOL	2977 TEMP	h04i045	140.2	.3156E+11	215.3	.3156E+09
9	NSOL	2929 TEMP	c04i045	140.7	.3156E+11	220.8	.3156E+09
10	NSOL	2881 TEMP	h04o045	140.1	.3156E+11	213.5	.3156E+09
11	NSOL	2566 TEMP	s04o045	139.4	.3156E+11	205.5	.3156E+09
12	NSOL	2427 TEMP	a04o045	139.4	.3156E+11	205.5	.3156E+09
13	NSOL	2303 TEMP	t04i045	139.4	.3156E+11	205.5	.3156E+09
14	NSOL	2289 TEMP	t04o045	139.4	.3156E+11	205.3	.3156E+09
15	NSOL	3528 TEMP	g04i045	127.6	.1000E-05	192.8	.6312E+09
16	NSOL	3545 TEMP	g04o045	127.0	.1000E-05	192.4	.6312E+09
17	NSOL	3760 TEMP	m04i045	89.68	.1000E-05	174.8	.9467E+09
18	NSOL	3707 TEMP	m04o045	88.99	.1000E-05	174.4	.9467E+09
19	NSOL	4142 TEMP	i04i045	28.06	.1000E-05	160.8	.1578E+10
20	NSOL	4200 TEMP	i04o045	27.26	.1000E-05	160.4	.1578E+10
21	NSOL	4599 TEMP	o04o045	26.14	.1000E-05	159.9	.1578E+10
22	NSOL	3098 TEMP	c05i045	139.8	.3156E+11	209.4	.3156E+09
23	NSOL	2760 TEMP	c06i045	139.8	.3156E+11	209.7	.3156E+09

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 10:19:01 MAR 26, 1995 CP= 64725.600
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5748 TEMP x04i045	1655 TEMP f04i045	1762 TEMP f04o045	2036 TEMP w04i045	2177 TEMP w04o045	2552 TEMP s04i045
.10000E-05	149.667	149.667	149.668	149.668	149.668	149.673
.20000E-05	165.594	165.593	165.594	165.594	165.594	165.599
31.558	165.594	165.593	165.594	165.594	165.594	165.599
.31558E+07	178.017	178.031	178.042	178.043	178.044	178.048
.63116E+07	181.677	181.692	181.703	181.704	181.705	181.709
.94673E+07	183.908	183.923	183.934	183.935	183.936	183.941
.12623E+08	185.632	185.647	185.658	185.659	185.660	185.664
.15779E+08	187.026	187.041	187.052	187.053	187.054	187.059
.18935E+08	188.194	188.209	188.220	188.221	188.222	188.226
.22090E+08	189.203	189.218	189.230	189.231	189.232	189.236
.25246E+08	190.124	190.139	190.150	190.151	190.152	190.156
.28402E+08	190.949	190.964	190.975	190.976	190.977	190.982
.31558E+08	191.642	191.657	191.669	191.669	191.671	191.675
.63115E+08	197.136	197.151	197.162	197.163	197.164	197.168
.94673E+08	200.501	200.516	200.528	200.529	200.530	200.534
.12623E+09	202.826	202.841	202.852	202.853	202.854	202.858
.15779E+09	204.509	204.524	204.535	204.536	204.537	204.541
.18935E+09	205.846	205.861	205.872	205.873	205.874	205.878
.22090E+09	206.956	206.971	206.981	206.982	206.983	206.987
.25246E+09	207.905	207.919	207.930	207.931	207.932	207.936
.28402E+09	208.258	208.272	208.283	208.284	208.285	208.288

.31558E+09	208.697	208.711	208.721	208.722	208.723	208.727
.63115E+09	206.705	206.717	206.726	206.727	206.728	206.731
.94673E+09	203.649	203.660	203.668	203.669	203.669	203.672
.12623E+10	199.504	199.514	199.521	199.521	199.522	199.524
.15779E+10	195.348	195.356	195.363	195.363	195.364	195.366
.18935E+10	191.305	191.312	191.318	191.318	191.319	191.321
.22090E+10	187.704	187.711	187.716	187.716	187.717	187.718
.25246E+10	184.119	184.125	184.130	184.130	184.131	184.132
.28402E+10	180.959	180.965	180.969	180.970	180.970	180.971
.31558E+10	178.314	178.319	178.323	178.324	178.324	178.325
.63115E+10	164.686	164.689	164.692	164.692	164.692	164.693
.94673E+10	158.132	158.135	158.137	158.137	158.138	158.138
.12623E+11	154.257	154.260	154.262	154.262	154.262	154.262
.15779E+11	151.253	151.255	151.256	151.256	151.256	151.257
.18935E+11	148.247	148.249	148.250	148.250	148.250	148.251
.22090E+11	145.651	145.653	145.654	145.654	145.654	145.654
.25246E+11	143.360	143.361	143.362	143.363	143.363	143.363
.28402E+11	141.361	141.363	141.364	141.364	141.364	141.364
.31558E+11	139.620	139.622	139.623	139.623	139.623	139.623

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:19:01 MAR 26, 1995 CP= 64725.620
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2977 TEMP h04i045	2929 TEMP c04i045	2881 TEMP h04o045	2566 TEMP s04o045	2427 TEMP a04o045	2303 TEMP t04i045
.10000E-05	159.280	167.563	157.533	146.424	146.397	146.368
.20000E-05	174.675	182.456	172.788	162.141	162.114	162.084
31.558	174.675	182.456	172.788	162.141	162.113	162.084
.31558E+07	186.736	194.159	184.808	174.540	174.512	174.483
.63116E+07	190.272	197.576	188.311	178.152	178.124	178.095
.94673E+07	192.426	199.657	190.452	180.367	180.339	180.309
.12623E+08	194.081	201.250	192.100	182.080	182.052	182.023
.15779E+08	195.423	202.540	193.434	183.467	183.438	183.409
.18935E+08	196.540	203.610	194.547	184.629	184.601	184.572
.22090E+08	197.502	204.529	195.507	185.636	185.608	185.579
.25246E+08	198.386	205.376	196.388	186.556	186.528	186.498
.28402E+08	199.172	206.125	197.172	187.379	187.351	187.322
.31558E+08	199.824	206.739	197.823	188.073	188.045	188.015
.63115E+08	205.019	211.657	203.020	193.578	193.551	193.522
.94673E+08	208.146	214.574	206.166	196.980	196.953	196.925
.12623E+09	210.273	216.529	208.311	199.345	199.318	199.290
.15779E+09	211.777	217.880	209.839	201.075	201.049	201.021
.18935E+09	212.949	218.912	211.037	202.461	202.435	202.408
.22090E+09	213.906	219.738	212.019	203.619	203.594	203.567
.25246E+09	214.711	220.422	212.850	204.618	204.593	204.567
.28402E+09	214.939	220.544	213.106	205.023	204.999	204.973
.31558E+09	215.274	220.793	213.464	205.502	205.478	205.453
.63115E+09	212.314	217.037	210.782	204.010	203.990	203.968
.94673E+09	208.534	212.663	207.222	201.345	201.327	201.309
.12623E+10	203.801	207.446	202.675	197.528	197.513	197.497
.15779E+10	199.176	202.439	198.196	193.630	193.617	193.603
.18935E+10	194.748	197.693	193.888	189.797	189.786	189.773
.22090E+10	190.829	193.509	190.066	186.366	186.356	186.345
.25246E+10	186.994	189.467	186.308	182.915	182.905	182.895
.28402E+10	183.611	185.897	182.992	179.871	179.863	179.854
.31558E+10	180.783	182.916	180.217	177.319	177.311	177.302
.63115E+10	166.298	167.703	165.962	164.094	164.089	164.084
.94673E+10	159.439	160.585	159.181	157.674	157.671	157.666
.12623E+11	155.376	156.358	155.161	153.877	153.874	153.870
.15779E+11	152.235	153.100	152.051	150.926	150.923	150.920
.18935E+11	149.118	149.888	148.959	147.963	147.960	147.958

.22090E+11	146.435	147.127	146.294	145.400	145.398	145.395
.25246E+11	144.067	144.692	143.942	143.137	143.135	143.133
.28402E+11	142.006	142.578	141.895	141.161	141.160	141.158
.31558E+11	140.213	140.738	140.111	139.439	139.437	139.436

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:19:01 MAR 26, 1995 CP= 64725.630
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2289 TEMP t04o045	3528 TEMP g04i045	3545 TEMP g04o045	3760 TEMP m04i045	3707 TEMP m04o045	4142 TEMP i04i045
.10000E-05	146.233	127.639	126.975	89.6815	88.9921	28.0579
.20000E-05	161.949	144.152	143.485	108.939	108.251	59.1838
31.558	161.949	144.152	143.485	108.939	108.251	59.1839
.31558E+07	174.349	157.307	156.641	124.372	123.692	82.0273
.63116E+07	177.961	161.104	160.437	128.711	128.032	87.9641
.94673E+07	180.175	163.459	162.793	131.469	130.791	91.8493
.12623E+08	181.889	165.295	164.629	133.630	132.954	94.8447
.15779E+08	183.276	166.779	166.114	135.383	134.709	97.2962
.18935E+08	184.439	168.034	167.371	136.880	136.208	99.3805
.22090E+08	185.446	169.128	168.465	138.194	137.523	101.202
.25246E+08	186.366	170.121	169.460	139.379	138.710	102.839
.28402E+08	187.190	171.016	170.356	140.455	139.788	104.321
.31558E+08	187.884	171.785	171.126	141.411	140.745	105.689
.63115E+08	193.393	177.853	177.204	148.847	148.195	115.986
.94673E+08	196.798	181.706	181.070	153.748	153.108	122.827
.12623E+09	199.166	184.447	183.822	157.337	156.709	127.881
.15779E+09	200.900	186.523	185.910	160.173	159.555	131.942
.18935E+09	202.289	188.232	187.629	162.573	161.967	135.413
.22090E+09	203.450	189.692	189.100	164.672	164.076	138.462
.25246E+09	204.452	190.976	190.394	166.551	165.967	141.205
.28402E+09	204.860	191.636	191.064	167.727	167.152	143.078
.31558E+09	205.341	192.321	191.757	168.832	168.266	144.757
.63115E+09	203.874	192.836	192.359	173.192	172.713	153.718
.94673E+09	201.227	191.671	191.261	174.810	174.398	158.418
.12623E+10	197.426	189.074	188.719	174.412	174.056	160.307
.15779E+10	193.541	186.135	185.824	173.172	172.860	160.770
.18935E+10	189.718	183.083	182.807	171.488	171.212	160.422
.22090E+10	186.295	180.294	180.047	169.819	169.571	159.833
.25246E+10	182.850	177.346	177.121	167.737	167.513	158.566
.28402E+10	179.812	174.750	174.545	165.916	165.711	157.474
.31558E+10	177.264	172.563	172.374	164.359	164.171	156.510
.63115E+10	164.060	161.031	160.915	155.740	155.624	150.629
.94673E+10	157.648	155.207	155.115	150.933	150.841	146.766
.12623E+11	153.854	151.775	151.697	148.128	148.051	144.556
.15779E+11	150.906	149.085	149.018	145.887	145.819	142.740
.18935E+11	147.946	146.334	146.275	143.498	143.439	140.693
.22090E+11	145.385	143.937	143.884	141.385	141.332	138.850
.25246E+11	143.124	141.820	141.773	139.519	139.471	137.223
.28402E+11	141.149	139.962	139.919	137.861	137.819	135.757
.31558E+11	139.428	138.338	138.300	136.409	136.370	134.471

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:19:01 MAR 26, 1995 CP= 64725.640
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4200 TEMP	4599 TEMP	3098 TEMP	2760 TEMP
	1040045	0040045	c05i045	c06i045
.10000E-05	27.2588	26.1375	152.616	152.820
.20000E-05	58.3851	57.2838	167.914	168.104
31.558	58.3851	57.2838	167.914	168.104
.31558E+07	81.2353	80.1526	179.935	180.286
.63116E+07	87.1708	86.0897	183.422	183.781
.94673E+07	91.0581	89.9794	185.571	185.930
.12623E+08	94.0559	92.9816	187.232	187.592
.15779E+08	96.5112	95.4378	188.574	188.934
.18935E+08	98.5986	97.5276	189.698	190.058
.22090E+08	100.423	99.3558	190.670	191.030
.25246E+08	102.063	100.996	191.563	191.923
.28402E+08	103.548	102.483	192.356	192.716
.31558E+08	104.919	103.858	193.017	193.377
.63115E+08	115.238	114.197	198.310	198.667
.94673E+08	122.098	121.075	201.555	201.908
.12623E+09	127.170	126.166	203.789	204.137
.15779E+09	131.249	130.263	205.402	205.744
.18935E+09	134.735	133.767	206.681	207.018
.22090E+09	137.799	136.849	207.741	208.073
.25246E+09	140.556	139.622	208.647	208.974
.28402E+09	142.442	141.525	208.974	209.295
.31558E+09	144.131	143.227	209.388	209.704
.63115E+09	153.195	152.430	207.314	207.586
.94673E+09	157.972	157.313	204.220	204.458
.12623E+10	159.923	159.352	200.056	200.265
.15779E+10	160.433	159.932	195.884	196.070
.18935E+10	160.123	159.679	191.828	191.995
.22090E+10	159.565	159.167	188.212	188.365
.25246E+10	158.322	157.961	184.618	184.757
.28402E+10	157.251	156.922	181.446	181.575
.31558E+10	156.305	156.002	178.789	178.909
.63115E+10	150.501	150.312	165.068	165.144
.94673E+10	146.664	146.515	158.471	158.533
.12623E+11	144.469	144.344	154.562	154.614
.15779E+11	142.665	142.556	151.530	151.576
.18935E+11	140.627	140.532	148.500	148.541
.22090E+11	138.791	138.706	145.883	145.919
.25246E+11	137.170	137.093	143.574	143.607
.28402E+11	135.709	135.640	141.561	141.591
.31558E+11	134.427	134.364	139.805	139.833

 * Temperature Profile from center to upper right (135 deg.) *

VARIABLE 2 IS AT NODE 5748 ITEM= TEMP COMP= NAME= x01i135

*** WARNING *** CP= 64725.780 TIME= 10:19:01
 NSOL command erases all previously stored or calculated data
 unless STORE,MERGE is used.

VARIABLE 3 IS AT NODE 64 ITEM= TEMP COMP= NAME= f01i135

VARIABLE 4 IS AT NODE 171 ITEM= TEMP COMP= NAME= f01o135

VARIABLE 5 IS AT NODE 445 ITEM= TEMP COMP= NAME= w01i135

VARIABLE 6 IS AT NODE 586 ITEM= TEMP COMP= NAME= w01o135

VARIABLE 7 IS AT NODE 961 ITEM= TEMP COMP= NAME= s01i135

VARIABLE 8 IS AT NODE 1386 ITEM= TEMP COMP= NAME= h01i135

VARIABLE 9 IS AT NODE 1338 ITEM= TEMP COMP= NAME= c01i135

VARIABLE 10 IS AT NODE 1290 ITEM= TEMP COMP= NAME= h01o135

VARIABLE 11 IS AT NODE 975 ITEM= TEMP COMP= NAME= s01o135
 VARIABLE 12 IS AT NODE 836 ITEM= TEMP COMP= NAME= a01o135
 VARIABLE 13 IS AT NODE 712 ITEM= TEMP COMP= NAME= t01i135
 VARIABLE 14 IS AT NODE 698 ITEM= TEMP COMP= NAME= t01o135
 VARIABLE 15 IS AT NODE 3332 ITEM= TEMP COMP= NAME= g01i135
 VARIABLE 16 IS AT NODE 3318 ITEM= TEMP COMP= NAME= g01o135
 VARIABLE 17 IS AT NODE 3974 ITEM= TEMP COMP= NAME= m01i135
 VARIABLE 18 IS AT NODE 3924 ITEM= TEMP COMP= NAME= m01o135
 VARIABLE 19 IS AT NODE 4369 ITEM= TEMP COMP= NAME= i01i135
 VARIABLE 20 IS AT NODE 4424 ITEM= TEMP COMP= NAME= i01o135
 VARIABLE 21 IS AT NODE 4879 ITEM= TEMP COMP= NAME= o01o135
 Add centers of assemblies 2 and 3
 VARIABLE 22 IS AT NODE 1507 ITEM= TEMP COMP= NAME= c02i135
 VARIABLE 23 IS AT NODE 1169 ITEM= TEMP COMP= NAME= c03i135

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES						
VARI TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2 NSOL	5748 TEMP	x01i135	139.6	.3156E+11	208.7	.3156E+09
3 NSOL	64 TEMP	f01i135	139.6	.3156E+11	208.7	.3156E+09
4 NSOL	171 TEMP	f01o135	139.6	.3156E+11	208.7	.3156E+09
5 NSOL	445 TEMP	w01i135	139.6	.3156E+11	208.7	.3156E+09
6 NSOL	586 TEMP	w01o135	139.6	.3156E+11	208.7	.3156E+09
7 NSOL	961 TEMP	s01i135	139.6	.3156E+11	208.7	.3156E+09
8 NSOL	1386 TEMP	h01i135	140.2	.3156E+11	215.2	.3156E+09
9 NSOL	1338 TEMP	c01i135	140.7	.3156E+11	220.7	.3156E+09
10 NSOL	1290 TEMP	h01o135	140.1	.3156E+11	213.3	.3156E+09
11 NSOL	975 TEMP	s01o135	139.4	.3156E+11	205.3	.3156E+09
12 NSOL	836 TEMP	a01o135	139.4	.3156E+11	205.3	.3156E+09
13 NSOL	712 TEMP	t01i135	139.4	.3156E+11	205.2	.3156E+09
14 NSOL	698 TEMP	t01o135	139.4	.3156E+11	205.1	.3156E+09
15 NSOL	3332 TEMP	g01i135	127.6	.1000E-05	192.5	.6312E+09
16 NSOL	3318 TEMP	g01o135	127.0	.1000E-05	192.1	.6312E+09
17 NSOL	3974 TEMP	m01i135	89.68	.1000E-05	174.4	.9467E+09
18 NSOL	3924 TEMP	m01o135	88.99	.1000E-05	174.0	.9467E+09
19 NSOL	4369 TEMP	i01i135	28.06	.1000E-05	160.3	.1578E+10
20 NSOL	4424 TEMP	i01o135	27.26	.1000E-05	160.0	.1578E+10
21 NSOL	4879 TEMP	o01o135	26.14	.1000E-05	159.5	.1578E+10
22 NSOL	1507 TEMP	c02i135	139.8	.3156E+11	209.2	.3156E+09
23 NSOL	1169 TEMP	c03i135	139.8	.3156E+11	209.3	.3156E+09

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:19:04 MAR 26, 1995 CP= 64728.670
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5748 TEMP x01i135	64 TEMP f01i135	171 TEMP f01o135	445 TEMP w01i135	586 TEMP w01o135	961 TEMP s01i135
.10000E-05	149.667	149.667	149.668	149.668	149.669	149.673

.20000E-05	165.594	165.595	165.596	165.596	165.597	165.601
31.558	165.594	165.595	165.596	165.596	165.597	165.601
.31558E+07	178.017	178.004	177.995	177.994	177.995	177.999
.63116E+07	181.677	181.663	181.654	181.653	181.653	181.657
.94673E+07	183.908	183.894	183.885	183.884	183.884	183.888
.12623E+08	185.632	185.617	185.608	185.607	185.607	185.611
.15779E+08	187.026	187.012	187.002	187.001	187.002	187.005
.18935E+08	188.194	188.179	188.170	188.169	188.169	188.173
.22090E+08	189.203	189.189	189.179	189.178	189.178	189.182
.25246E+08	190.124	190.109	190.099	190.098	190.098	190.102
.28402E+08	190.949	190.934	190.924	190.923	190.924	190.927
.31558E+08	191.642	191.627	191.617	191.616	191.617	191.621
.63115E+08	197.136	197.120	197.111	197.110	197.110	197.114
.94673E+08	200.501	200.486	200.476	200.475	200.475	200.479
.12623E+09	202.826	202.811	202.801	202.800	202.800	202.804
.15779E+09	204.509	204.494	204.485	204.484	204.484	204.487
.18935E+09	205.846	205.832	205.822	205.821	205.822	205.825
.22090E+09	206.956	206.941	206.932	206.931	206.931	206.935
.25246E+09	207.905	207.890	207.881	207.880	207.880	207.884
.28402E+09	208.258	208.244	208.235	208.234	208.234	208.237
.31558E+09	208.697	208.683	208.674	208.673	208.674	208.677
.63115E+09	206.705	206.693	206.685	206.684	206.685	206.687
.94673E+09	203.649	203.639	203.632	203.631	203.631	203.633
.12623E+10	199.504	199.495	199.489	199.488	199.488	199.490
.15779E+10	195.348	195.340	195.334	195.334	195.334	195.335
.18935E+10	191.305	191.297	191.292	191.292	191.292	191.293
.22090E+10	187.704	187.697	187.692	187.692	187.692	187.693
.25246E+10	184.119	184.113	184.108	184.108	184.108	184.109
.28402E+10	180.959	180.953	180.949	180.949	180.949	180.950
.31558E+10	178.314	178.308	178.304	178.304	178.304	178.305
.63115E+10	164.686	164.682	164.680	164.680	164.680	164.680
.94673E+10	158.132	158.129	158.128	158.127	158.127	158.128
.12623E+11	154.257	154.255	154.253	154.253	154.253	154.254
.15779E+11	151.253	151.250	151.249	151.249	151.249	151.249
.18935E+11	148.247	148.245	148.244	148.243	148.243	148.244
.22090E+11	145.651	145.649	145.648	145.648	145.648	145.648
.25246E+11	143.360	143.358	143.357	143.357	143.357	143.358
.28402E+11	141.361	141.360	141.359	141.359	141.359	141.359
.31558E+11	139.620	139.619	139.618	139.618	139.618	139.618

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:19:04 MAR 26, 1995 CP= 64728.680
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	1386 TEMP h01i135	1338 TEMP c01i135	1290 TEMP h01o135	975 TEMP s01o135	836 TEMP a01o135	712 TEMP t01i135
.10000E-05	159.281	167.565	157.537	146.428	146.401	146.372
.20000E-05	174.679	182.463	172.798	162.153	162.125	162.095
31.558	174.679	182.463	172.798	162.153	162.125	162.095
.31558E+07	186.658	194.037	184.638	174.344	174.316	174.286
.63116E+07	190.190	197.446	188.132	177.945	177.917	177.887
.94673E+07	192.343	199.527	190.272	180.158	180.130	180.100
.12623E+08	193.998	201.118	191.917	181.869	181.840	181.811
.15779E+08	195.339	202.408	193.250	183.254	183.225	183.196
.18935E+08	196.455	203.476	194.362	184.415	184.387	184.357
.22090E+08	197.418	204.395	195.321	185.421	185.393	185.363
.25246E+08	198.300	205.242	196.201	186.340	186.311	186.282
.28402E+08	199.087	205.990	196.985	187.162	187.134	187.104
.31558E+08	199.738	206.603	197.635	187.855	187.827	187.797
.63115E+08	204.932	211.520	202.829	193.357	193.329	193.300
.94673E+08	208.059	214.436	205.973	196.757	196.729	196.701
.12623E+09	210.186	216.391	208.119	199.122	199.096	199.067

.15779E+09	211.691	217.743	209.649	200.854	200.828	200.800
.18935E+09	212.864	218.776	210.848	202.243	202.217	202.189
.22090E+09	213.822	219.605	211.833	203.404	203.378	203.351
.25246E+09	214.628	220.289	212.665	204.404	204.379	204.352
.28402E+09	214.857	220.414	212.924	204.813	204.788	204.762
.31558E+09	215.194	220.665	213.285	205.296	205.272	205.246
.63115E+09	212.244	216.925	210.627	203.831	203.810	203.788
.94673E+09	208.473	212.563	207.085	201.187	201.169	201.150
.12623E+10	203.747	207.359	202.554	197.390	197.374	197.358
.15779E+10	199.128	202.361	198.088	193.507	193.494	193.480
.18935E+10	194.704	197.622	193.791	189.687	189.675	189.662
.22090E+10	190.788	193.444	189.977	186.264	186.254	186.243
.25246E+10	186.957	189.408	186.227	182.823	182.813	182.803
.28402E+10	183.577	185.842	182.916	179.785	179.777	179.767
.31558E+10	180.751	182.865	180.146	177.238	177.230	177.222
.63115E+10	166.277	167.671	165.918	164.044	164.039	164.033
.94673E+10	159.423	160.559	159.145	157.634	157.630	157.626
.12623E+11	155.362	156.336	155.131	153.843	153.839	153.836
.15779E+11	152.223	153.081	152.025	150.896	150.893	150.890
.18935E+11	149.108	149.870	148.936	147.937	147.934	147.932
.22090E+11	146.425	147.112	146.273	145.377	145.374	145.372
.25246E+11	144.058	144.678	143.924	143.116	143.114	143.112
.28402E+11	141.998	142.565	141.877	141.142	141.140	141.138
.31558E+11	140.205	140.726	140.095	139.421	139.419	139.418

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:19:04 MAR 26, 1995 CP= 64728.690
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	698 TEMP t01o135	3332 TEMP g01i135	3318 TEMP g01o135	3974 TEMP m01i135	3924 TEMP m01o135	4369 TEMP i01i135
.10000E-05	146.237	127.645	126.981	89.6791	88.9897	28.0578
.20000E-05	161.960	144.171	143.504	108.961	108.274	59.2333
31.558	161.960	144.171	143.504	108.962	108.274	59.2334
.31558E+07	174.151	156.973	156.302	123.771	123.087	80.9003
.63116E+07	177.752	160.754	160.083	128.090	127.406	86.8296
.94673E+07	179.965	163.107	162.436	130.845	130.163	90.7239
.12623E+08	181.676	164.939	164.268	133.002	132.322	93.7270
.15779E+08	183.061	166.421	165.751	134.753	134.075	96.1849
.18935E+08	184.223	167.675	167.006	136.249	135.573	98.2751
.22090E+08	185.229	168.766	168.099	137.561	136.886	100.102
.25246E+08	186.148	169.759	169.092	138.746	138.073	101.744
.28402E+08	186.972	170.654	169.988	139.822	139.150	103.232
.31558E+08	187.665	171.421	170.757	140.777	140.107	104.605
.63115E+08	193.170	177.486	176.832	148.217	147.560	114.944
.94673E+08	196.573	181.337	180.696	153.119	152.475	121.810
.12623E+09	198.942	184.081	183.450	156.717	156.084	126.895
.15779E+09	200.677	186.161	185.542	159.562	158.941	130.985
.18935E+09	202.069	187.875	187.266	161.974	161.364	134.484
.22090E+09	203.233	189.339	188.742	164.082	163.483	137.557
.25246E+09	204.236	190.627	190.039	165.971	165.382	140.320
.28402E+09	204.648	191.293	190.716	167.158	166.579	142.217
.31558E+09	205.133	191.985	191.416	168.276	167.706	143.920
.63115E+09	203.693	192.545	192.064	172.718	172.236	153.030
.94673E+09	201.068	191.415	191.001	174.397	173.983	157.833
.12623E+10	197.287	188.850	188.492	174.054	173.695	159.806
.15779E+10	193.417	185.936	185.621	172.855	172.541	160.330
.18935E+10	189.606	182.903	182.624	171.202	170.924	160.029
.22090E+10	186.193	180.129	179.879	169.557	169.308	159.475
.25246E+10	182.757	177.196	176.969	167.500	167.274	158.242
.28402E+10	179.726	174.610	174.403	165.694	165.488	157.172
.31558E+10	177.183	172.431	172.241	164.152	163.962	156.228

.63115E+10	164.010	160.948	160.830	155.610	155.492	150.453
.94673E+10	157.607	155.140	155.047	150.828	150.735	146.625
.12623E+11	153.820	151.718	151.640	148.038	147.960	144.435
.15779E+11	150.876	149.035	148.967	145.808	145.741	142.635
.18935E+11	147.919	146.290	146.231	143.429	143.370	140.600
.22090E+11	145.361	143.898	143.845	141.324	141.270	138.767
.25246E+11	143.103	141.785	141.737	139.463	139.415	137.147
.28402E+11	141.129	139.929	139.886	137.809	137.766	135.687
.31558E+11	139.410	138.308	138.269	136.361	136.322	134.406

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:19:04 MAR 26, 1995 CP= 64728.700
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/MP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4424 TEMP	4879 TEMP	1507 TEMP	1169 TEMP
	1010135	0010135	c02i135	c03i135
.10000E-05	27.2587	26.1375	152.617	152.830
.20000E-05	58.4348	57.3338	167.920	168.128
31.558	58.4348	57.3338	167.920	168.128
.31558E+07	80.1038	79.0146	179.798	179.892
.63116E+07	86.0317	84.9439	183.278	183.366
.94673E+07	89.9281	88.8425	185.426	185.512
.12623E+08	92.9327	91.8517	187.085	187.168
.15779E+08	95.3942	94.3143	188.427	188.509
.18935E+08	97.4877	96.4100	189.549	189.630
.22090E+08	99.3178	98.2438	190.520	190.600
.25246E+08	100.963	99.8895	191.413	191.492
.28402E+08	102.453	101.382	192.206	192.284
.31558E+08	103.829	102.761	192.866	192.943
.63115E+08	114.189	113.142	198.157	198.227
.94673E+08	121.075	120.046	201.401	201.465
.12623E+09	126.178	125.167	203.636	203.696
.15779E+09	130.286	129.294	205.251	205.308
.18935E+09	133.800	132.826	206.531	206.587
.22090E+09	136.889	135.932	207.593	207.647
.25246E+09	139.666	138.726	208.500	208.552
.28402E+09	141.576	140.652	208.830	208.880
.31558E+09	143.290	142.379	209.247	209.297
.63115E+09	152.503	151.732	207.190	207.231
.94673E+09	157.383	156.719	204.111	204.144
.12623E+10	159.418	158.843	199.960	199.988
.15779E+10	159.990	159.486	195.798	195.823
.18935E+10	159.727	159.280	191.750	191.771
.22090E+10	159.204	158.804	188.141	188.159
.25246E+10	157.996	157.632	184.553	184.570
.28402E+10	156.947	156.615	181.385	181.400
.31558E+10	156.021	155.715	178.732	178.745
.63115E+10	150.323	150.133	165.032	165.040
.94673E+10	146.521	146.372	158.442	158.449
.12623E+11	144.348	144.221	154.537	154.543
.15779E+11	142.559	142.449	151.509	151.514
.18935E+11	140.533	140.437	148.481	148.486
.22090E+11	138.708	138.622	145.866	145.870
.25246E+11	137.094	137.017	143.559	143.562
.28402E+11	135.638	135.569	141.546	141.549
.31558E+11	134.362	134.298	139.792	139.795

***** ROUTINE COMPLETED ***** CP = 64728.710

End of batch input file

PURGE ALL SOLUTION AND POST DATA
SAVE ALL MODEL DATA

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12b2.db
FOR POSSIBLE RESUME FROM THIS POINT

NUMBER OF WARNING MESSAGES ENCOUNTERED= 42
NUMBER OF ERROR MESSAGES ENCOUNTERED= 0

```
*-----*
|                                     |
|               ANSYS RUN COMPLETED               |
|-----|
|               REV. 5.0 A               |               HP 9000/7XX               |
| CP TIME      (sec) =    64732.970    | TIME = 10:19:08 |
| ELAPSED TIME (sec) =    65352.000    | DATE  = 03/26/95 |
|-----|
*-----*
```

W E L C O M E T O T H E A N S Y S P R O G R A M

***** ANSYS COMMAND LINE ARGUMENTS *****
 JOB NAME = ma12b1
 MEMORY REQUESTED (MB) = 64.0
 BATCH MODE REQUESTED
 start.ans FILE

***** ANSYS DYNAMIC MEMORY ALLOCATION *****
 WORK SPACE REQUESTED = 16777216 64.000 MB COMMAND LINE
 MINIMUM WORK SPACE REQUIRED = 4718592 18.000 MB
 MINIMUM WORK SPACE RECOMMENDED = 6702496 25.568 MB
 WORK SPACE OBTAINED = 16777214 64.000 MB
 BYTES PER WORD = 4

***** NOTICE ***** THIS IS THE ANSYS GENERAL PURPOSE
 FINITE ELEMENT COMPUTER PROGRAM. NEITHER SWANSON ANALYSIS
 SYSTEMS, INC. NOR THE DISTRIBUTOR SUPPLYING THIS PROGRAM
 ASSUME ANY RESPONSIBILITY FOR THE VALIDITY, ACCURACY, OR
 APPLICABILITY OF ANY RESULTS OBTAINED FROM THE ANSYS SYSTEM.
 USERS MUST VERIFY THEIR OWN RESULTS.

ANSYS(R) COPYRIGHT(C) 1971,1978,1982,1983,1985,1987,1989,1992,1993
 BY SWANSON ANALYSIS SYSTEMS, INC. AS AN UNPUBLISHED WORK.
 PROPRIETARY DATA - UNAUTHORIZED USE, DISTRIBUTION, OR DUPLICATION
 IS PROHIBITED. ALL RIGHTS RESERVED.

SWANSON ANALYSIS SYSTEMS, INC. IS ENDEAVORING TO MAKE THE
 ANSYS PROGRAM AS COMPLETE, ACCURATE, AND EASY TO USE AS
 POSSIBLE. SUGGESTIONS AND COMMENTS ARE WELCOMED. ANY
 ERRORS ENCOUNTERED IN EITHER THE DOCUMENTATION OR THE
 RESULTS SHOULD BE IMMEDIATELY BROUGHT TO OUR ATTENTION.

ENTER /SHOW,device TO SET THE GRAPHICS DISPLAY TO device(e.g. X11,4207,ETC.)
 ENTER /MENU,ON TO START THE ANSYS MENU SYSTEM
 ENTER HELP FOR GENERAL ANSYS HELP INFORMATION
 1 /COM, *****
 2 /COM, ANSYS REVISION 5.0A 3/24/1995
 3 /COM, 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III
 4 /COM, *****
 5 /COM, *
 6 /COM, * File name: ma12b1.inp
 7 /COM, * 12 PWR MPC with High T.L. Disposal Container
 8 /COM, * Helium Fill Gas
 9 /COM, *
 10 /COM, * Material Property file: props01.dat
 11 /COM, *
 12 /COM, * SNF Conductivity file: pwr15e.parm
 13 /COM, * 15x15 Mark-B4 PWR SNF Assembly
 14 /COM, *
 15 /COM, * SNF Heat Loads file: snf1040.dat
 16 /COM, * SNF Type: 10 years old, 40 Gwd/MTU
 17 /COM, *
 18 /COM, * Surface Temp. file: c12b5a.parm

```

19 /COM, *      83 MTU/acre (20.5 kgU/m^2) AML (High Thermal Loading) *
20 /COM, *      5.0 m Diameter Drift with Concrete Invert *
21 /COM, *      Drift spacing = 22.5 m *
22 /COM, *      WP c/c spacing = 11.129 m *
23 /COM, *
24 /COM, *****
25 /COM, Increase the number of database pages from 16 (256) to 32 Mb
26 /CONFIG,nvpag,512,
27 /COM, Work space must also be increased (-m 64)
28 /COM, *****
29 /TITLE, 12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF
30 /UNITS,SI,
31 /COM, *****
32 /COM, Read in average effective conductivities from SNF model
33 PARRES,CHANGE,pwr15e,param,
34 /COM, Read in surface temps. from repository model
35 PARRES,CHANGE,c12b5a,param,
36 /COM, *****
37 /COM, Define MPC/waste package parameters
38 /COM, (MPC dimensions converted from inches to meters)
39 /COM, MIRAD = inner radius of MPC shell (m)
40 /COM, MWALL = MPC shell thickness (m)
41 /COM, DCRAD = disposal container outer radius (m)
42 /COM, OWALL = outer barrier thickness (m)
43 /COM, IWALL = inner barrier thickness (m)
44 /COM, GCORN = corner guide width (m)
45 /COM, GLENW = side guide total width (m)
46 /COM, GLENH = side guide total height (m)
47 /COM, GWALL = guide thickness (m)
48 /COM, HCELL = 1/2 of basket cell opening (m)
49 /COM, SWALL = stainless tube thickness (m)
50 /COM, AWALL = Al/boron tube thickness (m)
51 /COM, FLENT = flux trap plate length (m)
52 /COM, FWALL = flux trap plate stainless thickness (m)
53 /COM, BWALL = flux trap plate Al/boron thickness (m)
54 /COM, TWALL = flux trap plate SS sheath thickness (m)
55 /COM, FSPAC = flux trap plate spacer width (m)
56 /COM, TSPAC = tube/tube spacer width (m)
57 /COM, ACTVL = active fuel length
58 /COM, PEAKF = assembly heat axial peaking factor
59 PI=3.141592654
60 MIRAD=47.870*2.54/100.0/2.0
61 MWALL=0.8750*2.54/100.0
62 DCRAD=1.5305/2.0
63 OWALL=0.1000
64 IWALL=0.0200
65 GCORN=10.086*2.54/100.0
66 GLENW=8.4340*2.54/100.0
67 GLENH=2.4960*2.54/100.0
68 GWALL=0.3750*2.54/100.0
69 HCELL=9.0000*2.54/100.0/2.0
70 SWALL=0.0940*2.54/100.0
71 AWALL=0.1070*2.54/100.0
72 FLENT=23.164*2.54/100.0
73 FWALL=0.5000*2.54/100.0
74 BWALL=0.2500*2.54/100.0
75 TWALL=0.0940*2.54/100.0
76 FSPAC=1.0000*2.54/100.0
77 TSPAC=0.9860*2.54/100.0
78 ACTVL=141.80*2.54/100.0
79 PEAKF=1.25
80 /COM, Define calculated parameters
81 /COM, ASSY = assembly heat production (W) f(yrs)
82 /COM, FUEL = volumetric heat production (W/m3) f(yrs)
83 /COM, FVOLU = assy_volume=cell_width^2*active_length
84 /COM, Q2 = side guide x coord. (see sketch)
85 /COM, GX## = x coord. of guide/shell contact (kp##)
86 /COM, GY## = y coord. of guide/shell contact (kp##)
87 /COM, ACX# = x coord. of center of assembly #
88 /COM, ACY# = y coord. of center of assembly #

```

```

89 /COM,          TM_START = start time (sec)
90 /COM,          TMI* = time increment for solution (sec)
91 /COM,          TME* = start and stop for time do-loops (sec)
92 /COM,          Note: 1 year = 3.15576e7 seconds
93 /COM,          QCELL = 1/4 of basket cell opening (m)
94 /COM,          SCELL = 1/2 of basket cell opening+SS wall(m)
95 /COM,          ACELL = 1/2 of basket cell opening+SS+AL (m)
96 /COM,          MI45 = x coord. MIRAD at 45 deg.
97 /COM,          MO45 = x coord. MIRAD+MWALL at 45 deg.
98 /COM,          DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
99 /COM,          DM45 = x coord. DCRAD-OWALL at 45 deg.
100 /COM,          DO45 = x coord. DCRAD at 45 deg.
101 /COM,          TMTMAX = time of maximum cladding temperature
102 *SET,ASSY,
103 *DIM,ASSY, TABLE,101,1,
104 *DIM,FUEL, TABLE,101,1
105 FVOLUME=4*HCELL*HCELL*ACTVL
106 Q2=1.969344*2.54/100.0
107 GX22=Q2-GWALL
108 GY22=SQRT(MIRAD*MIRAD-GX22*GX22)
109 GX23=Q2
110 GY23=SQRT(MIRAD*MIRAD-GX23*GX23)
111 GX24=Q2+GLENW-GWALL
112 GY24=SQRT(MIRAD*MIRAD-GX24*GX24)
113 GTMP=GCORN-GWALL
114 GX25=(SQRT(MIRAD*MIRAD-GTMP*GTMP/2.0)-GTMP/SQRT(2.0))/(SQRT(2.0))
115 GY25=SQRT(MIRAD*MIRAD-GX25*GX25)
116 ACX1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
117 ACY1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
118 ACX2=ACX1+2.0*(HCELL+SWALL+AWALL+SWALL)+TSPAC
119 ACY2=ACY1
120 ACX3=ACX1
121 ACY3=ACY2
122 TM_START=(1.0E-6)*(3.15576E7)
123 TMI0=0.1*3.15576E7
124 TMI1=1.0*3.15576E7
125 TMI10=10.0*3.15576E7
126 TMI100=100.0*3.15576E7
127 TMI1000=1000.0*3.15576E7
128 TME0=0.9*3.15576E7+TM_START
129 TME1=TMI1+TM_START
130 TME9=9.0*3.15576E7+TM_START
131 TME10=TMI10+TM_START
132 TME50=50.0*3.15576E7+TM_START
133 TME90=90.0*3.15576E7+TM_START
134 TME100=TMI100+TM_START
135 TME1000=TMI1000+TM_START
136 BCELL=FWALL+BWALL
137 QCELL=HCELL/2.0
138 SCELL=HCELL+SWALL
139 ACELL=HCELL+SWALL+AWALL
140 TCELL=HCELL+SWALL+AWALL+SWALL
141 MI45=MIRAD/SQRT(2.0)
142 MO45=(MIRAD+MWALL)/SQRT(2.0)
143 DI45=(DCRAD-OWALL-IWALL)/SQRT(2.0)
144 DM45=(DCRAD-OWALL)/SQRT(2.0)
145 DO45=DCRAD/SQRT(2.0)
146 /COM,          *****
147 /COM,          Define different element types
148 /PREP7
149 ETYPE
150 ET, 1,55,
151 ET, 2,70,
152 ET, 7,32,
153 ET, 16,57,
154 ET, 17,32,
155 ET, 18,50,1,
156 ET, 19,31,
157 ET, 27,32,
158 /COM,          *****

```

```

159 /COM,          File props01.dat describes material properties
160 /COM,          and thier reference numbers
161 MPREAD,props01,dat,
162 /COM,          Read in single assembly heat loads
163 /COM,          Calculate the volumetric heat generation
164 /COM,          (Assembly time is in years, FUEL is in seconds)
165 /INPUT,snf1040,dat
166 *VFACT,3.15576E7,
167 *MFUN,FUEL(1,0),COPY,ASSY(1,0),
168 *VFACT,(PEAKF/FVOLU),
169 *VFUN,FUEL(1),COPY,ASSY(1),
170 FUEL(0,1)=1.0
171 /COM,          *****
172 /COM,          Define new material 14 for SNF effective conductivity
173 /COM,          Density:      DENS      (kg/m^3)
174 /COM,          Conductivity: KXX      (W/m/K)
175 /COM,          Specific Heat: C      (J/kg/K)
176 MPTMP
177 MPTMP, 1, .00000E+00,
178 MPDATA,DENS,14, 1, .396004E+04,
179 MPDATA, C,14, 1, .27400E+03,
180 /COM,          Store average effective conductivities
181 IINC=1
182 TBSKT=25.0
183 MPTMP
184 MPTMP,IINC,TBSKT,
185 IINC=IINC+1
186 *DO,TBSKT,50.0,400.0,50.0,
187     MPTMP,IINC,TBSKT,
188     IINC=IINC+1
189 *ENDDO
190 IINC=1
191 TBSKT=25.0
192 MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
193 IINC=IINC+1
194 *DO,TBSKT,50.0,400.0,50.0,
195     MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
196     IINC=IINC+1
197 *ENDDO
198 /COM,          *****
199 /COM,          Construct geometry for Disposal Container
200 /COM,
201 /COM,          Define center and axis keypoints for waste package
202 /COM,          Also, create placeholder keypoints and lines
203 /COM,          (K's 1,2,3,4,5,6,7,8)
204 /COM,          (L's 1,2,3,4)
205 K,1,0.0,0.0,0.0,
206 K,2,0.0,0.0,1.0,
207 K,3,0.0,0.0,1.3,
208 K,4,0.0,0.0,1.4,
209 K,5,0.0,0.0,1.5,
210 K,6,0.0,0.0,1.6,
211 K,7,0.0,0.0,1.7,
212 K,8,0.0,0.0,1.8,
213 L,3,4,
214 L,4,5,
215 L,5,6,
216 L,6,7,
217 /COM,          Define disposal container and MPC outer radius
218 /COM,          (K's 9,10,11,12,13,14,15,16,17,18,19,20)
219 /COM,          (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
220 /COM,          (A's 1,2,3,4,5,6)
221 K, 9,          0.0,          (0.0-DCRAD),0.0,
222 K,10,          DCRAD,          0.0,0.0,
223 K,11,          0.0,          DCRAD,0.0,
224 K,12,          0.0,          (OWALL-DCRAD),0.0,
225 K,13,          (DCRAD-OWALL),          0.0,0.0,
226 K,14,          0.0,          (DCRAD-OWALL),0.0,
227 K,15,          0.0,(OWALL+IWALL-DCRAD),0.0,
228 K,16,(DCRAD-OWALL-IWALL),          0.0,0.0,

```

```

229 K,17, 0.0,(DCRAD-OWALL-IWALL),0.0,
230 K,18, 0.0, (0.0-MIRAD-MWALL),0.0,
231 K,19, (MIRAD+MWALL), 0.0,0.0,
232 K,20, 0.0, (MIRAD+MWALL),0.0,
233 L,10,13,
234 L,13,16,
235 LARC,10, 9,1, DCRAD,
236 LARC,11,10,1, DCRAD,
237 LARC,13,12,1, (DCRAD-OWALL),
238 LARC,14,13,1, (DCRAD-OWALL),
239 L,11,14,
240 L, 9,12,
241 LARC,15,16,1,(DCRAD-OWALL-IWALL),
242 LARC,16,17,1,(DCRAD-OWALL-IWALL),
243 L,14,17,
244 L,12,15,
245 LARC,19,18,1, (MIRAD+MWALL),
246 LARC,20,19,1, (MIRAD+MWALL),
247 L,17,20,
248 L,15,18,
249 L,16,19,
250 AL, 5, 7,12, 9,
251 AL,11, 8, 5,10,
252 AL, 6, 9,16,13,
253 AL,15,10, 6,14,
254 AL,21,13,20,17,
255 AL,19,14,21,18,
256 /COM, *****
257 /COM, Define MPC shell inner edge and area
258 /COM, (K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
259 /COM, ( 38,39)
260 /COM, (L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
261 /COM, ( 39,40,41,42)
262 /COM, (A's 7,8)
263 K,21, 0.0, MIRAD,0.0,
264 K,22, GX22, GY22,0.0,
265 K,23, GX23, GY23,0.0,
266 K,24, GX24, GY24,0.0,
267 K,25, GX25, GY25,0.0,
268 K,26, GY25, GX25,0.0,
269 K,27, GY24, GX24,0.0,
270 K,28, GY23, GX23,0.0,
271 K,29, GY22, GX22,0.0,
272 K,30,MIRAD, 0.0,0.0,
273 K,31, GY22, (0.0-GX22),0.0,
274 K,32, GY23, (0.0-GX23),0.0,
275 K,33, GY24, (0.0-GX24),0.0,
276 K,34, GY25, (0.0-GX25),0.0,
277 K,35, GX25, (0.0-GY25),0.0,
278 K,36, GX24, (0.0-GY24),0.0,
279 K,37, GX23, (0.0-GY23),0.0,
280 K,38, GX22, (0.0-GY22),0.0,
281 K,39, 0.0,(0.0-MIRAD),0.0,
282 L,20,21,
283 LARC,22,21,1,MIRAD,
284 LARC,23,22,1,MIRAD,
285 LARC,24,23,1,MIRAD,
286 LARC,25,24,1,MIRAD,
287 LARC,26,25,1,MIRAD,
288 LARC,27,26,1,MIRAD,
289 LARC,28,27,1,MIRAD,
290 LARC,29,28,1,MIRAD,
291 LARC,30,29,1,MIRAD,
292 LARC,31,30,1,MIRAD,
293 LARC,32,31,1,MIRAD,
294 LARC,33,32,1,MIRAD,
295 LARC,34,33,1,MIRAD,
296 LARC,35,34,1,MIRAD,
297 LARC,36,35,1,MIRAD,
298 LARC,37,36,1,MIRAD,

```

```

299 LARC,38,37,1,MIRAD,
300 LARC,39,38,1,MIRAD,
301 L,18,39,
302 L,19,30,
303 LSEL,S,LINE,,32,42,1,
304 LSEL,A,LINE,,17,
305 AL,ALL,
306 LSEL,S,LINE,,22,31,1,
307 LSEL,A,LINE,,18,
308 LSEL,A,LINE,,42,
309 AL,ALL,
310 LSEL,ALL,
311 /COM, *****
312 /COM, Define tube guides
313 /COM, (K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)
314 /COM, ( 57,58,59)
315 /COM, (L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)
316 /COM, ( 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
317 /COM, ( 77,78,79,80)
318 /COM, (A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)
319 /COM, ( 26)
320 /COM,
321 /COM, top
322 K,40, GX23, GY24,0.0,
323 K,41, GX22,(GY24-GWALL),0.0,
324 K,42, GX24,(GY24-GWALL),0.0,
325 K,43,(GX25-GWALL), GY25,0.0,
326 K,44, GX25, GX25,0.0,
327 K,45,(GX25-GWALL),(GX25-GWALL),0.0,
328 K,46, GY25,(GX25-GWALL),0.0,
329 /COM, side
330 K,47,(GY24-GWALL), GX24,0.0,
331 K,48, GY24, GX23,0.0,
332 K,49,(GY24-GWALL), GX22,0.0,
333 K,50,(GY24-GWALL), (0.0-GX22),0.0,
334 K,51, GY24, (0.0-GX23),0.0,
335 K,52,(GY24-GWALL), (0.0-GX24),0.0,
336 /COM, bottom
337 K,53, GY25,(GWALL-GX25),0.0,
338 K,54,(GX25-GWALL),(GWALL-GX25),0.0,
339 K,55, GX25, (0.0-GX25),0.0,
340 K,56,(GX25-GWALL), (0.0-GY25),0.0,
341 K,57, GX24,(GWALL-GY24),0.0,
342 K,58, GX22,(GWALL-GY24),0.0,
343 K,59, GX23, (0.0-GY24),0.0,
344 /COM, top
345 L,41,22,
346 L,40,41,
347 L,40,24,
348 L,42,41,
349 L,24,42,
350 L,43,25,
351 L,45,43,
352 L,25,44,
353 L,44,45,
354 L,44,26,
355 L,46,45,
356 L,26,46,
357 /COM, side
358 L,47,27,
359 L,49,47,
360 L,27,48,
361 L,48,49,
362 L,48,28,
363 L,29,49,
364 L,50,31,
365 L,32,51,
366 L,50,51,
367 L,52,50,
368 L,51,33,

```



```

369 L,33,52,
370 /COM,          bottom
371 L,53,34,
372 L,54,53,
373 L,34,55,
374 L,54,55,
375 L,56,54,
376 L,55,35,
377 L,35,56,
378 L,57,36,
379 L,58,57,
380 L,36,59,
381 L,58,59,
382 L,38,58,
383 L,59,37,
384 L,23,40,
385 /COM,          air
386 AL,80,45,25,
387 AL,50,52,27,
388 AL,57,59,29,
389 AL,62,65,34,
390 AL,69,72,36,
391 AL,76,79,38,
392 /COM,          guides
393 AL,24,43,44,80,
394 AL,45,44,46,47,
395 AL,48,49,51,50,
396 AL,52,51,53,54,
397 AL,55,56,58,57,
398 AL,59,58,60,30,
399 AL,61,63,62,33,
400 AL,63,64,66,65,
401 AL,68,70,69,67,
402 AL,70,71,73,72,
403 AL,75,77,76,74,
404 AL,77,78,39,79,
405 /COM,          *****
406 /COM,          Define top half tubes and flux trap plate
407 /COM,          (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
408 /COM,          ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
409 /COM,          ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
410 /COM,          ( 108,109,110,111,112,113,114,115,116,117,118,119)
411 /COM,          ( 120,121,122,123,124,125,126,127,128,129,130,131)
412 /COM,          ( 132,133,134,135,136,137,138,139,140,141,142,143)
413 /COM,          ( 144,145,146,147,148,149,150,151,152,153,154,155)
414 /COM,          ( 156,157,158,159,160,161,162,163,164,165,166,167)
415 /COM,          (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
416 /COM,          ( 98,99,100,101,102,103,104,105,106,107,108,109,110)
417 /COM,          ( 111,112,113,114,115,116,117,118,119,120,121,122)
418 /COM,          ( 123,124,125,126,127,128,129,130,131,132,133,134)
419 /COM,          ( 135,136,137,138,139,140,141,142,143,144,145,146)
420 /COM,          ( 147,...)
421 /COM,          (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
422 /COM,          ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
423 /COM,          ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
424 /COM,          ( 78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
425 /COM,          ( 95,96,97,98,99,100,101,102,103)
426 K, 60,          0.0,          (FSPAC/2.0),0.0,
427 K, 61,          0.0,          (1.5*FSPAC),0.0,
428 K, 62,          0.0,          (ACY1-FSPAC/2.0),0.0,
429 K, 63,          0.0,          (ACY1+FSPAC/2.0),0.0,
430 K, 64,          0.0,          (ACY1+HCELL+SWALL),0.0,
431 K, 65,          0.0,(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
432 K, 66,          0.0,(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
433 K, 67,          0.0,          (ACY3-HCELL-SWALL),0.0,
434 K, 68,          0.0,          (ACY3-FSPAC/2.0),0.0,
435 K, 69,          0.0,          (ACY3+FSPAC/2.0),0.0,
436 K, 70,          0.0,          (ACY3+HCELL+SWALL),0.0,
437 K, 71,          0.0,          (ACY3+HCELL+SWALL+FSPAC),0.0,
438 K, 72,          0.0,          (FSPAC/2.0+FLENT),0.0,

```

439	K, 73,	(FSPAC/2.0),	(FSPAC/2.0),0.0,
440	K, 74,	(FSPAC/2.0),	(1.5*FSPAC),0.0,
441	K, 75,	(FSPAC/2.0),	(ACY1-FSPAC/2.0),0.0,
442	K, 76,	(FSPAC/2.0),	(ACY1+FSPAC/2.0),0.0,
443	K, 77,	(FSPAC/2.0),	(ACY1+HCELL+SWALL),0.0,
444	K, 78,	(FSPAC/2.0),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
445	K, 79,	(FSPAC/2.0),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
446	K, 80,	(FSPAC/2.0),	(ACY3-HCELL-SWALL),0.0,
447	K, 81,	(FSPAC/2.0),	(ACY3-FSPAC/2.0),0.0,
448	K, 82,	(FSPAC/2.0),	(ACY3+FSPAC/2.0),0.0,
449	K, 83,	(FSPAC/2.0),	(ACY3+HCELL+SWALL),0.0,
450	K, 84,	(FSPAC/2.0),	(ACY3+HCELL+SWALL+FSPAC),0.0,
451	K, 85,	(FSPAC/2.0),	(FSPAC/2.0+FLENT),0.0,
452	K, 86,	(FSPAC/2.0+FWALL),	(FSPAC/2.0+FWALL),0.0,
453	K, 87,	(FSPAC/2.0+FWALL),	(ACY1+HCELL+SWALL),0.0,
454	K, 88,	(FSPAC/2.0+FWALL),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
455	K, 89,	(FSPAC/2.0+FWALL),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
456	K, 90,	(FSPAC/2.0+FWALL),	(ACY3-HCELL-SWALL),0.0,
457	K, 91,	(FSPAC/2.0+FWALL),	(ACY3+HCELL+SWALL),0.0,
458	K, 92,	(FSPAC/2.0+FWALL),	(FSPAC/2.0+FLENT),0.0,
459	K, 93,	(1.5*FSPAC),	(FSPAC/2.0),0.0,
460	K, 94,	(FSPAC/2.0+FWALL+BWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
461	K, 95,	(FSPAC/2.0+FWALL+BWALL),	(ACY1+HCELL+SWALL),0.0,
462	K, 96,	(FSPAC/2.0+FWALL+BWALL),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
463	K, 97,	(FSPAC/2.0+FWALL+BWALL),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
464	K, 98,	(FSPAC/2.0+FWALL+BWALL),	(ACY3-HCELL-SWALL),0.0,
465	K, 99,	(FSPAC/2.0+FWALL+BWALL),	(ACY3+HCELL+SWALL),0.0,
466	K, 100,	(FSPAC/2.0+FWALL+BWALL),	(FSPAC/2.0+FLENT),0.0,
467	K, 101,	(ACX1-HCELL-SWALL),	(ACY1-HCELL-SWALL),0.0,
468	K, 102,	(ACX1-HCELL-SWALL),	(ACY1+HCELL+SWALL),0.0,
469	K, 103,	(ACX1-HCELL-SWALL),	(ACY1+HCELL+SWALL+AWALL),0.0,
470	K, 104,	(ACX1-HCELL-SWALL),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
471	K, 105,	(ACX3-HCELL-SWALL),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
472	K, 106,	(ACX3-HCELL-SWALL),	(ACY3-HCELL-SWALL-AWALL),0.0,
473	K, 107,	(ACX3-HCELL-SWALL),	(ACY3-HCELL-SWALL),0.0,
474	K, 108,	(ACX3-HCELL-SWALL),	(ACY3+HCELL+SWALL),0.0,
475	K, 109,	(ACX3-HCELL-SWALL),	(FSPAC/2.0+FLENT),0.0,
476	K, 110,	(ACX1-HCELL),	(ACY1-HCELL),0.0,
477	K, 111,	(ACX1-HCELL),	(ACY1+HCELL),0.0,
478	K, 112,	(ACX3-HCELL),	(ACY3-HCELL),0.0,
479	K, 113,	(ACX3-HCELL),	(ACY3+HCELL),0.0,
480	K, 114,	(ACX1-FSPAC/2.0),	(FSPAC/2.0),0.0,
481	K, 115,	(ACX1+FSPAC/2.0),	(FSPAC/2.0),0.0,
482	K, 116,	(ACX1+HCELL),	(ACY1-HCELL),0.0,
483	K, 117,	(ACX1+HCELL),	(ACY1+HCELL),0.0,
484	K, 118,	(ACX3+HCELL),	(ACY3-HCELL),0.0,
485	K, 119,	(ACX3+HCELL),	(ACY3+HCELL),0.0,
486	K, 120,	(ACX1+HCELL+SWALL),	(FSPAC/2.0),0.0,
487	K, 121,	(ACX1+HCELL+SWALL),	(FSPAC/2.0+FWALL),0.0,
488	K, 122,	(ACX1+HCELL+SWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
489	K, 123,	(ACX1+HCELL+SWALL),	(ACY1-HCELL-SWALL),0.0,
490	K, 124,	(ACX1+HCELL+SWALL),	(ACY1+HCELL+SWALL),0.0,
491	K, 125,	(ACX3+HCELL+SWALL),	(ACY3-HCELL-SWALL),0.0,
492	K, 126,	(ACX3+HCELL+SWALL),	(ACY3+HCELL+SWALL),0.0,
493	K, 127,	(ACX1+HCELL+SWALL+AWALL),	(ACY1-HCELL-SWALL),0.0,
494	K, 128,	(ACX1+HCELL+SWALL+AWALL),	(ACY1+HCELL+SWALL+AWALL),0.0,
495	K, 129,	(ACX3+HCELL+SWALL+AWALL),	(ACY3-HCELL-SWALL-AWALL),0.0,
496	K, 130,	(ACX3+HCELL+SWALL+AWALL),	(ACY3+HCELL+SWALL),0.0,
497	K, 131,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0),0.0,
498	K, 132,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0+FWALL),0.0,
499	K, 133,	(ACX1+HCELL+2.0*SWALL+AWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
500	K, 134,	(ACX1+HCELL+2.0*SWALL+AWALL),	(ACY1-HCELL-SWALL),0.0,
501	K, 135,	(ACX1+HCELL+2.0*SWALL+AWALL),	(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
502	K, 136,	(ACX3+HCELL+2.0*SWALL+AWALL),	(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
503	K, 137,	(ACX3+HCELL+2.0*SWALL+AWALL),	(ACY3+HCELL+SWALL),0.0,
504	K, 138,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0),0.0,
505	K, 139,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0+FWALL),0.0,
506	K, 140,	(ACX2-HCELL-2.0*SWALL-AWALL),	(FSPAC/2.0+FWALL+BWALL),0.0,
507	K, 141,	(ACX2-HCELL-2.0*SWALL-AWALL),	(ACY2-HCELL-SWALL),0.0,
508	K, 142,	(ACX2-HCELL-2.0*SWALL-AWALL),	(ACY2+HCELL+2.0*SWALL+AWALL),0.0,

```

509 K,143, (ACX2-HCELL-SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
510 K,144, (ACX2-HCELL-SWALL-AWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
511 K,145, (ACX2-HCELL-SWALL), (FSPAC/2.0),0.0,
512 K,146, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL),0.0,
513 K,147, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
514 K,148, (ACX2-HCELL-SWALL), (ACY2-HCELL-SWALL),0.0,
515 K,149, (ACX2-HCELL-SWALL), (ACY1+HCELL+SWALL),0.0,
516 K,150, (ACX2-HCELL), (ACY2-HCELL),0.0,
517 K,151, (ACX2-HCELL), (ACY2+HCELL),0.0,
518 K,152, (ACX2-FSPAC/2.0), (FSPAC/2.0),0.0,
519 K,153, (ACX2+FSPAC/2.0), (FSPAC/2.0),0.0,
520 K,154, (ACX2+HCELL), (ACY2-HCELL),0.0,
521 K,155, (ACX2+HCELL), (ACY2+HCELL),0.0,
522 K,156, (ACX2+HCELL+SWALL), (FSPAC/2.0),0.0,
523 K,157, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
524 K,158, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
525 K,159, (ACX2+HCELL+SWALL), (ACY2-HCELL-SWALL),0.0,
526 K,160, (ACX2+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
527 K,161, (ACX2+HCELL+SWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
528 K,162, (ACX2+HCELL+SWALL), (ACY2+HCELL+2.0*SWALL+AWALL),0.0,
529 K,163, (ACX2+HCELL+SWALL+FSPAC), (FSPAC/2.0),0.0,
530 K,164, (FSPAC/2.0+FLENT), (FSPAC/2.0),0.0,
531 K,165, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL),0.0,
532 K,166, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL+BWALL),0.0,
533 K,167, (FSPAC/2.0+FLENT), (ACY2-HCELL-SWALL),0.0,
534 /COM, create lines on perimeter and for lesize
535 L, 73, 60,
536 L, 73, 74,
537 L, 61, 74,
538 L, 74, 75,
539 L, 75, 62,
540 L, 75, 76,
541 L, 63, 76,
542 L, 76, 77,
543 L, 77, 78,
544 L, 78, 65,
545 L, 78, 79,
546 L, 66, 79,
547 L, 79, 80,
548 L, 80, 81,
549 L, 81, 68,
550 L, 81, 82,
551 L, 69, 82,
552 L, 82, 83,
553 L, 83, 70,
554 L, 83, 84,
555 L, 71, 84,
556 L, 84, 85,
557 L, 85, 92,
558 L, 92, 100,
559 L, 100, 109,
560 L, 109, 108,
561 L, 108, 126,
562 L, 126, 130,
563 L, 130, 137,
564 L, 137, 136,
565 L, 136, 105,
566 L, 112, 107,
567 L, 107, 106,
568 L, 106, 105,
569 L, 105, 104,
570 L, 104, 103,
571 L, 103, 102,
572 L, 102, 111,
573 L, 104, 135,
574 L, 135, 134,
575 L, 123, 127,
576 L, 127, 134,
577 L, 134, 141,
578 L, 141, 143,

```

579 L,143,148,
 580 L,148,150,
 581 L,141,142,
 582 L,142,162,
 583 L,162,161,
 584 L,161,160,
 585 L,160,159,
 586 L,159,167,
 587 L,167,166,
 588 L,166,165,
 589 L,165,164,
 590 L,164,163,
 591 L,163,156,
 592 L,156,153,
 593 L,153,152,
 594 L,152,145,
 595 L,145,138,
 596 L,138,131,
 597 L,131,120,
 598 L,120,115,
 599 L,115,114,
 600 L,114, 93,
 601 L, 93, 73,
 602 /COM, tube spacers
 603 A, 71, 84, 83, 70,
 604 A, 69, 82, 81, 68,
 605 A, 66, 79, 78, 65,
 606 A, 63, 76, 75, 62,
 607 A, 61, 74, 73, 60,
 608 /COM, flux trap plate (stainless)
 609 A, 85, 92, 91, 83, 84,
 610 A, 83, 91, 90, 80, 81, 82,
 611 A, 80, 90, 89, 79,
 612 A, 79, 89, 88, 78,
 613 A, 78, 88, 87, 77,
 614 A, 77, 87, 86, 73, 74, 75, 76,
 615 A, 86,121,120,115,114, 93, 73,
 616 A,121,132,131,120,
 617 A,132,139,138,131,
 618 A,139,146,145,138,
 619 A,146,157,156,153,152,145,
 620 A,157,165,164,163,156,
 621 /COM, flux trap plate (Al/boron)
 622 A, 92,100, 99, 91,
 623 A, 91, 99, 98, 90,
 624 A, 90, 98, 97, 89,
 625 A, 89, 97, 96, 88,
 626 A, 88, 96, 95, 87,
 627 A, 87, 95, 94, 86,
 628 A, 94,122,121, 86,
 629 A,122,133,132,121,
 630 A,133,140,139,132,
 631 A,140,147,146,139,
 632 A,147,158,157,146,
 633 A,158,166,165,157,
 634 /COM, flux trap plate (sheath)
 635 A,100,109,108, 99,
 636 A, 99,108,107, 98,
 637 A, 98,107,106,105, 97,
 638 A, 97,105,104, 96,
 639 A, 96,104,103,102, 95,
 640 A, 95,102,101, 94,
 641 A,101,123,122, 94,
 642 A,123,127,134,133,122,
 643 A,134,141,140,133,
 644 A,141,143,148,147,140,
 645 A,148,159,158,147,
 646 A,159,167,166,158,
 647 /COM, tube (sheath)
 648 A,130,137,136,129,

```

649 A,106,129,136,105,
650 A,104,135,128,103,
651 A,128,135,134,127,
652 A,142,144,143,141,
653 A,142,162,161,144,
654 /COM, tube (Al/boron)
655 A,126,130,129,125,
656 A,107,125,129,106,
657 A,103,128,124,102,
658 A,124,128,127,123,
659 A,144,149,148,143,
660 A,144,161,160,149,
661 /COM, tube (stainless)
662 A,108,113,112,107,
663 A,108,126,119,113,
664 A,119,126,125,118,
665 A,112,118,125,107,
666 A,102,111,110,101,
667 A,102,124,117,111,
668 A,117,124,123,116,
669 A,110,116,123,101,
670 A,149,151,150,148,
671 A,149,160,155,151,
672 A,155,160,159,154,
673 A,150,154,159,148,
674 /COM, homogeneous assembly
675 A,113,119,118,112,
676 A,111,117,116,110,
677 A,151,155,154,150,
678 /COM, helium spaces
679 A, 72, 85, 84, 71,
680 A, 70, 83, 82, 69,
681 A, 68, 81, 80, 67,
682 A, 67, 80, 79, 66,
683 A, 65, 78, 77, 64,
684 A, 64, 77, 76, 63,
685 A, 62, 75, 74, 61,
686 A,105,136,135,104,
687 A,135,142,141,134,
688 NUMMRG,KP,
689 /COM, *****
690 /COM, Set element shapes and sizes for tubes and flux trap
691 /COM, 14x14 mesh in fuel with 1
692 /COM, division per tube layer
693 ESHAPE,2,
694 ESIZE,,1,
695 LSEL,S,LINE,, 81, 87,2,
696 LSEL,A,LINE,, 90, 92,2,
697 LSEL,A,LINE,, 95,101,2,
698 LESIZE,ALL,,, 2,
699 LSEL,S,LINE,,107,
700 LSEL,A,LINE,,110,111,1,
701 LSEL,A,LINE,,119,120,1,
702 LSEL,A,LINE,,127,128,1,
703 LSEL,A,LINE,,131,
704 LESIZE,ALL,,, 14,
705 LSEL,ALL,
706 LESIZE, 82,,, 2,
707 LESIZE, 84,,, 3,
708 LESIZE, 86,,, 4,
709 LESIZE, 88,,, 5,
710 LESIZE, 89,,, 2,
711 LESIZE, 91,,, 4,
712 LESIZE, 93,,, 2,
713 LESIZE, 94,,, 5,
714 LESIZE, 96,,, 4,
715 LESIZE, 98,,, 5,
716 LESIZE,100,,, 4,
717 LESIZE,102,,, 2,
718 LESIZE,103,,, 3,

```

```

719 LESIZE,104,,, 2,
720 LESIZE,136,,, 2,
721 LESIZE,137,,, 4,
722 LESIZE,138,,, 5,
723 LESIZE,139,,, 4,
724 LESIZE,140,,, 5,
725 LESIZE,141,,, 2,
726 LESIZE,142,,, 4,
727 LESIZE,143,,, 2,
728 LESIZE,144,,, 5,
729 LESIZE,145,,, 4,
730 LESIZE,146,,, 3,
731 LESIZE,147,,, 2,
732 /COM,          concatenate lines for mapped meshing
733 /COM,          (L's 265,266,267,268,269,270,271,272,273,274)
734 LSEL,S,LINE,, 82, 88,2,
735 LCCAT,ALL,
736 LSEL,S,LINE,, 94, 98,2,
737 LCCAT,ALL,
738 LSEL,S,LINE,,100,102,2,
739 LCCAT,ALL,
740 LSEL,S,LINE,,113,114,1,
741 LCCAT,ALL,
742 LSEL,S,LINE,,116,117,1,
743 LCCAT,ALL,
744 LSEL,S,LINE,,121,122,1,
745 LCCAT,ALL,
746 LSEL,S,LINE,,124,125,1,
747 LCCAT,ALL,
748 LSEL,S,LINE,,136,137,1,
749 LCCAT,ALL,
750 LSEL,S,LINE,,138,140,1,
751 LCCAT,ALL,
752 LSEL,S,LINE,,144,147,1,
753 LCCAT,ALL,
754 LSEL,ALL,
755 /COM,          Mesh areas
756 /COM,          first flux trap plate, then tubes
757 MAT, 1,
758 TYPE,1,
759 AMESH, 27, 43,1,
760 MAT,13,
761 TYPE,1,
762 AMESH, 44, 55,1,
763 MAT, 1,
764 TYPE,1,
765 AMESH, 56, 73,1,
766 MAT,13,
767 TYPE,1,
768 AMESH, 74, 79,1,
769 MAT, 1,
770 TYPE,1,
771 AMESH, 80, 91,1,
772 MAT,14,
773 TYPE,1,
774 AMESH, 92, 94,1,
775 /COM,          Delete concatanated lines
776 /COM,          (L's freed up 265,266,267,268,269,270,271,272,273,274)
777 LDELE,265,274,1,
778 /COM,          *****
779 /COM,          Copy tube mesh and connect top and bottom
780 ARSYM,Y,27,103,1,0,0,0,
781 /COM,          flux trap plate spacers
782 /COM,          (L's 449,450,451,452,453,454,455,456,457,458)
783 /COM,          (A's 181,182,183,184,185)
784 A,186, 73, 93,202,
785 A,201,114,115,200,
786 A,204,131,138,206,
787 A,212,152,153,211,
788 A,210,156,163,215,

```

```

789 /COM,          flux trap plate heluim gaps
790 /COM,          (A's 186,187,188,189,190,191,192,193)
791 A,187, 60, 73,186,
792 A,202, 93,114,201,
793 A,200,115,120,199,
794 A,199,120,131,204,
795 A,206,138,145,208,
796 A,208,145,152,212,
797 A,211,153,156,210,
798 A,215,163,164,214,
799 /COM,          tube/guide heluim gaps (flats)
800 /COM,          (A's 194,195,196,197,198,199,200,201,202,203,204,205)
801 A,109, 22, 41,108,
802 A,108, 41, 42,126,
803 A,137, 43, 45,136,
804 A,142, 45, 46,162,
805 A,160, 47, 49,159,
806 A, 49, 29,167,159,
807 A,244,245, 31, 50,
808 A,244, 50, 52,260,
809 A,254, 53, 54,252,
810 A,248, 54, 56,247,
811 A,256, 57, 58,230,
812 A,230, 58, 38,229,
813 /COM,          tube/guide heluim gaps (corners)
814 /COM,          (A's 206,207,208,209,210,211,212,213,214,215,216,217)
815 /COM,          ( 218)
816 A, 21, 85, 72,
817 A, 21, 22,109,100, 92, 85,
818 A, 24, 25, 43,137,130,126, 42,
819 A,136, 45,142,135,
820 A, 26, 27, 47,160,161,162, 46,
821 A,167, 29, 30,164,165,166,
822 A,164, 30,214,
823 A,214, 30, 31,245,228,213,
824 A, 52, 33, 34, 53,254,255,260,
825 A,250,252, 54,248,
826 A,256,246,247, 56, 35, 36, 57,
827 A,188,189,216,229, 38, 39,
828 A,273,188, 39,
829 /COM,          mesh flux trap plate spacers
830 LSEL,S,LINE,,449,458,1,
831 LESIZE,ALL,,, 4,
832 LSEL,ALL,
833 MAT,1,
834 TYPE,1,
835 AMESH,181,185,1,
836 NUMMRG,NODE,
837 NUMMRG,KP,
838 /COM,          *****
839 /COM,          Create mesh in MPC shell and disposal container
840 /COM,          Tube guides
841 ESIZE,,2,
842 LESIZE,43,,, 6,
843 LESIZE,46,,,14,
844 LESIZE,49,,,14,
845 LESIZE,53,,,14,
846 LESIZE,56,,,14,
847 LESIZE,60,,, 6,
848 LESIZE,61,,, 6,
849 LESIZE,64,,,14,
850 LESIZE,68,,,14,
851 LESIZE,71,,,14,
852 LESIZE,75,,,14,
853 LESIZE,78,,, 6,
854 MAT,1,
855 TYPE,1,
856 AMESH,15,26,1,
857 /COM,          MPC shell
858 /COM,          (L's 489.490)

```

```

859 LESIZE,23,,, 2,
860 LESIZE,25,,,14,
861 LESIZE,26,,, 3,
862 LESIZE,27,,,14,
863 LESIZE,28,,, 3,
864 LESIZE,29,,,14,
865 LESIZE,31,,, 2,
866 LESIZE,32,,, 2,
867 LESIZE,34,,,14,
868 LESIZE,35,,, 3,
869 LESIZE,36,,,14,
870 LESIZE,37,,, 3,
871 LESIZE,38,,,14,
872 LESIZE,40,,, 2,
873 LSEL,S,LINE,,23,31,1,
874 LCCAT,ALL,
875 LSEL,S,LINE,,32,40,1,
876 LCCAT,ALL,
877 LSEL,ALL,
878 LESIZE,17,,,56,
879 LESIZE,18,,,56,
880 LESIZE,22,,, 3,
881 LESIZE,41,,, 3,
882 MAT,1,
883 TYPE,1,
884 AMESH,7,8,1,
885 /COM, Assume vacuum between shell and inner barrier
886 LESIZE,13,,,56,
887 LESIZE,14,,,56,
888 LESIZE,19,,, 2,
889 LESIZE,20,,, 2,
890 /COM, No MAT,7,
891 /COM, No TYPE,1,
892 /COM, No AMESH,5,6,1,
893 /COM, Delete concatenatd lines
894 /COM, (L's freed up 489,490)
895 LDELETE,489,490,1,
896 /COM, Inner and outer barrier
897 LSEL,S,LINE,,7,10,1,
898 LESIZE,ALL,,,56,
899 LSEL,ALL,
900 LESIZE, 6,,, 3,
901 LESIZE,15,,, 3,
902 LESIZE,16,,, 3,
903 LESIZE, 5,,, 5,
904 LESIZE,11,,, 5,
905 LESIZE,12,,, 5,
906 MAT,2,
907 TYPE,1,
908 AMESH,3,4,1,
909 MAT,3,
910 TYPE,1,
911 AMESH,1,2,1,
912 /COM, Empty basket spaces
913 ESIZE,0.1,
914 ESHAPE,0,
915 MAT,7,
916 TYPE,1,
917 AMESH,9,14,1,
918 /COM, *****
919 /COM, Define mesh and radiation surface elements
920 /COM, Tube/guides gap
921 LSEL,S,LOC,X,0.0,0.0,
922 LSEL,A,LINE,, 7, 8,1,
923 LSEL,A,LINE,,13,14,1,
924 LSEL,A,LINE,,17,18,1,
925 NSLL,U,0,
926 LSEL,ALL,
927 MAT,1,
928 TYPE,7,

```



```

929 ESURF,
930 NSEL,ALL,
931 /COM,          Basket spaces
932 MAT,1,
933 TYPE,17,
934 LMESH,25,29,2,
935 LMESH,34,38,2,
936 LMESH,80,
937 LMESH,45,
938 LMESH,50,52,2,
939 LMESH,57,59,2,
940 LMESH,62,65,3,
941 LMESH,69,72,3,
942 LMESH,76,79,3,
943 /COM,          MPC shell/inner barrier gap
944 MAT,1,
945 TYPE,27,
946 LMESH,17,18,1,
947 MAT,2,
948 TYPE,27,
949 LMESH,13,14,1,
950 /COM,          *****
951 /COM,          Create mesh in helium spaces
952 ESIZE,,2,
953 ESHAPE,2,
954 MAT,7,
955 TYPE,1,
956 AMESH, 95,103,1,
957 AMESH,172,180,1,
958 AMESH,186,205,1,
959 ESHAPE,0,
960 MAT,7,
961 TYPE,1,
962 AMESH,206,218,1,
963 /COM,          Clear areas and mesh by hand difficult areas
964 ACLEAR,211,
965 E,5879,3453,3952,3952,
966 E, 636,5879,3952,3952,
967 E, 545, 636,3952,3952,
968 E, 551, 545,3952,3952,
969 E, 363, 551,3952,3952,
970 E, 370, 363,3952,3952,
971 E, 371, 370,3952,3952,
972 E, 369, 371,3952,3952,
973 E,5973, 369,3952,3952,
974 E,3782,5973,3952,3952,
975 ACLEAR,217,
976 E,3735,5989,3738,3738,
977 E,5989,1661,3738,3738,
978 E,1661,1663,3738,3738,
979 E,1663,1664,3738,3738,
980 E,1664,1662,3738,3738,
981 E,1662,1979,3738,3738,
982 E,1979,1978,3738,3738,
983 E,1978,2148,3738,3738,
984 E,2148,5951,3738,3738,
985 E,5951,3666,3738,3738,
986 FINISH
987 /COM,          *****
988 /COM,          Create element mesh plots to illustrate model
989 /COM,          View mesh for entire model
990 /RESET
991 /TRIAD,OFF,
992 /NUM, 1,
993 /PNUM,MAT, 1,
994 /TYPE,HIDP,
995 /GLINE,,0,
996 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
997 /TITLE, 12 PWR MPC/Waste Package - 1/2 FEM Model
998 /SHOW,meshfull,grph,1,8,

```

```

999 EPLT
1000 ESEL,U,MAT,, 7,
1001 /SHOW,meshgap,grph,1,8,
1002 EPLT
1003 /COM,          View mesh for radiation substructure
1004 /PNUM,MAT, 0,
1005 /PNUM,TYPE, 1,
1006 ESEL,S,TYPE,, 7,
1007 ESEL,A,TYPE,,17,
1008 ESEL,A,TYPE,,27,
1009 /TITLE, 12 PWR MPC/Waste Package - Radiation Matrix
1010 /SHOW,meshrad,grph,1,8,
1011 EPLT
1012 ESEL,ALL,
1013 /TITLE, 12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF
1014 /COM,          *****
1015 /COM,          Generate super-elements
1016 /AUX12,
1017 ESEL,S,TYPE,,7,
1018 NSLE,S,
1019 STEF,5.67E-8,
1020 GEOM,1,0,
1021 VTYPE,0,800,
1022 WRITE,tubegap,
1023 ESEL,S,TYPE,,17,
1024 NSLE,S,
1025 STEF,5.67E-8,
1026 GEOM,1,0,
1027 VTYPE,0,800,
1028 WRITE,spaces,
1029 ESEL,S,TYPE,,27,
1030 NSLE,S,
1031 STEF,5.67E-8,
1032 GEOM,1,0,
1033 VTYPE,0,800,
1034 WRITE,shellgap,
1035 ESEL,ALL,
1036 NSEL,ALL,
1037 FINISH
1038 /PREP7,
1039 TYPE,18,
1040 SE,tubegap,
1041 SE,spaces,
1042 SE,shellgap,
1043 /COM,          Delete radiation edge elements
1044 ESEL,S,TYPE,,7,
1045 EDELE,ALL,
1046 ESEL,ALL,
1047 LSEL,S,TYPE,,17,
1048 LSEL,A,TYPE,,27,
1049 LCLEAR,ALL,
1050 LSEL,ALL,
1051 FINISH
1052 /COM,          *****
1053 /COM,          Set solution parameters and apply B.C.'s
1054 /COM,
1055 /COM,          Solve steady-state for initial conditions
1056 /COM,          with WP surface equal to drift ambient
1057 /COM,          temperature from repository model.
1058 /SOLU
1059 ANTYPE,TRAN,NEW,
1060 NROPT,AUTO,
1061 TRNOPT,FULL,
1062 TOFFST,273.15,
1063 LSEL,S,LINE,,7,
1064 LSEL,A,LINE,,8,
1065 NSLL,S,1,
1066 D,ALL,TEMP,DFAMBT,
1067 LSEL,ALL,
1068 NSEL,ALL,

```

```

1069 ASEL,S,MAT,,14,
1070 ESLA,S,
1071 BFE,ALL,HGEN,,(FUEL(TM_START)),
1072 ASEL,ALL,
1073 ESEL,ALL,
1074 TIMINT,OFF,
1075 TIME,1e-6,
1076 AUTOTS,ON,
1077 KBC,0,
1078 SOLVE
1079 /COM,          Solve steady-state for initial conditions
1080 /COM,          with WP surface temperatures from repository
1081 /COM,          steady-state solution.
1082 LSEL,S,LINE,,7,
1083 LSEL,A,LINE,,8,
1084 NSLL,S,1,
1085 DDELE,ALL,TEMP,
1086 LSEL,ALL,
1087 NSEL,ALL,
1088 DK,11,TEMP,(WPTOP(TM_START)),,1,
1089 DK,10,TEMP,(WPSID(TM_START)),,1,
1090 DK, 9,TEMP,(WPBOT(TM_START)),,1,
1091 ASEL,S,MAT,,14,
1092 ESLA,S,
1093 BFE,ALL,HGEN,,(FUEL(TM_START)),
1094 ASEL,ALL,
1095 ESEL,ALL,
1096 TIMINT,OFF,
1097 TIME,2e-6,
1098 AUTOTS,ON,
1099 KBC,0,
1100 SOLVE
1101 /COM,          *****
1102 /COM,          Set time integration parameters
1103 TIMINT,ON,
1104 AUTOTS,ON,
1105 /COM,          Time substep ranges from 10 sec to 1/4 loadstep
1106 NSUBST,10,40,4,ON
1107 /COM,          Begin Transient
1108 /COM,          Apply loads and solve for 0 to .9 years
1109 *DO,TM,TM_START,TME0,TM10
1110     TIME,TM,
1111     ASEL,S,MAT,,14,
1112     ESLA,S,
1113     BFE,ALL,HGEN,,(FUEL(TM)),
1114     ASEL,ALL
1115     ESEL,ALL
1116     DK,11,TEMP,(WPTOP(TM)),,1,
1117     DK,10,TEMP,(WPSID(TM)),,1,
1118     DK, 9,TEMP,(WPBOT(TM)),,1,
1119     SOLVE
1120 *ENDDO
1121 /COM,          Apply loads and solve for 1 to 9 years
1122 *DO,TM,TME1,TME9,TM11
1123     TIME,TM,
1124     ASEL,S,MAT,,14,
1125     ESLA,S,
1126     BFE,ALL,HGEN,,(FUEL(TM)),
1127     ASEL,ALL
1128     ESEL,ALL
1129     DK,11,TEMP,(WPTOP(TM)),,1,
1130     DK,10,TEMP,(WPSID(TM)),,1,
1131     DK, 9,TEMP,(WPBOT(TM)),,1,
1132     SOLVE
1133 *ENDDO
1134 /COM,          Apply loads and solve for 10 to 90 years
1135 *DO,TM,TME10,TME90,TM110
1136     TIME,TM,
1137     ASEL,S,MAT,,14,
1138     ESLA,S,

```

```

1139      BFE,ALL,HGEN,,(FUEL(TM)),
1140      ASEL,ALL
1141      ESEL,ALL
1142      DK,11,TEMP,(WPTOP(TM)),,1,
1143      DK,10,TEMP,(WPSID(TM)),,1,
1144      DK, 9,TEMP,(WPBOT(TM)),,1,
1145      SOLVE
1146 *ENDDO
1147 /COM,          Apply loads and solve for 100 to 1000 years
1148 *DO,TM,TME100,TME1000,TMI100
1149      TIME,TM,
1150      ASEL,S,MAT,,14,
1151      ESLA,S,
1152      BFE,ALL,HGEN,,(FUEL(TM)),
1153      ASEL,ALL
1154      ESEL,ALL
1155      DK,11,TEMP,(WPTOP(TM)),,1,
1156      DK,10,TEMP,(WPSID(TM)),,1,
1157      DK, 9,TEMP,(WPBOT(TM)),,1,
1158      SOLVE
1159 *ENDDO
1160 FINISH
1161 SAVE,
1162 /COM,          *****
1163 /COM,          Create element contour plots of solution results
1164 /COM,
1165 /COM,          Sort through solution results for time of max temp.
1166 /POST26,
1167 NSOL,2,(NODE(ACX1,(0.0-ACY1),0.0)),TEMP,,peakclad,
1168 STORE,NEW,
1169 *GET,TMTMAX,VARI,2,EXTREM,TMAX,
1170 FINISH
1171 /POST1,
1172 /COM,          Create temperature contour plots of WP at peak
1173 /RESET
1174 /TRIAD,OFF,
1175 /NUM, 1,
1176 /PNUM,MAT, 1,
1177 /TYPE,HIDP,
1178 /GLINE,,-1,
1179 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1180 ESEL,U,MAT,,7,
1181 SET,NEAR,,,,TMTMAX,
1182 /TITLE, 12 PWR MPC/WP at Time of Peak Temp. (%TMTMAX/3.15576E7% years)
1183 /SHOW,solupk,grph,0,8,
1184 /CONTOUR,1,128,AUTO,
1185 PLNSOL,TEMP,
1186 /COM,          Create temperature contour plots at 10, 50, and 100 yrs
1187 SET,NEAR,,,,TME10,
1188 /TITLE, 12 PWR MPC/WP at 10 years
1189 /SHOW,solu10,grph,0,8,
1190 /CONTOUR,1,128,USER,
1191 PLNSOL,TEMP,
1192 SET,NEAR,,,,TME50,
1193 /TITLE, 12 PWR MPC/WP at 50 years
1194 /SHOW,solu50,grph,0,8,
1195 /CONTOUR,1,128,USER,
1196 PLNSOL,TEMP,
1197 SET,NEAR,,,,TME100,
1198 /TITLE, 12 PWR MPC/WP at 100 years
1199 /SHOW,solu100,grph,0,8,
1200 /CONTOUR,1,128,USER,
1201 PLNSOL,TEMP,
1202 ESEL,ALL,
1203 FINISH
1204 /COM,          *****
1205 /COM,          Print time/temperature output at specific locations
1206 /COM,          Save profile from center to edge
1207 /COM,
1208 /COM,          Variable Legend: A01i000

```

```

1209 /COM,          x = center of waste package
1210 /COM,          f = flux trap plate stainless layer
1211 /COM,          w = flux trap plate SS sheath
1212 /COM,          c = center of assembly
1213 /COM,          h = halfway between center and tube
1214 /COM,          s = inside structural stainless tube layer
1215 /COM,          a = aluminum-born tube layer
1216 /COM,          t = stainless tube cladding
1217 /COM,          g = tube guide
1218 /COM,          m = mpc shell
1219 /COM,          i = inner barrier of DC
1220 /COM,          o = outer barrier of DC
1221 /COM,          ## = ID number of assembly (01 is center)
1222 /COM,          i = side of assembly toward center of WP
1223 /COM,          o = side of assembly toward edge of WP
1224 /COM,          000 = profile center down
1225 /COM,          045 = profile 45 deg down
1226 /COM,          090 = profile center side
1227 /COM,          135 = profile 45 deg up
1228 /COM,          180 = profile center up
1229 /POST26,
1230 NUMVAR,30,
1231 /COM,
1232 /COM,          *****
1233 /COM,          *   Temperature Profile from center to lower right (45 deg.)   *
1234 /COM,          *****
1235 NSOL, 2,(NODE(      0.0,      0.0,0.0)),TEMP,,x04i045,
1236 NSOL, 3,(NODE(      (0.5*FSPAC),      (-.5*FSPAC),0.0)),TEMP,,f04i045,
1237 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(-.5*FSPAC-FWALL),0.0)),TEMP,,f04o045,
1238 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(-.5*FSPAC-BCELL),0.0)),TEMP,,w04i045,
1239 NSOL, 6,(NODE(      (ACX1-SCCELL),      (SCCELL-ACY1),0.0)),TEMP,,w04o045,
1240 NSOL, 7,(NODE(      (ACX1-HCELL),      (HCELL-ACY1),0.0)),TEMP,,s04i045,
1241 NSOL, 8,(NODE(      (ACX1-QCELL),      (QCELL-ACY1),0.0)),TEMP,,h04i045,
1242 NSOL, 9,(NODE(      ACX1,      (0.0-ACY1),0.0)),TEMP,,c04i045,
1243 NSOL,10,(NODE(      (ACX1+QCELL), (0.0-ACY1-QCELL),0.0)),TEMP,,h04o045,
1244 NSOL,11,(NODE(      (ACX1+HCELL), (0.0-ACY1-HCELL),0.0)),TEMP,,s04o045,
1245 NSOL,12,(NODE(      (ACX1+SCCELL), (0.0-ACY1-SCCELL),0.0)),TEMP,,a04o045,
1246 NSOL,13,(NODE(      (ACX1+ACELL), (0.0-ACY1-ACELL),0.0)),TEMP,,t04i045,
1247 NSOL,14,(NODE(      (ACX1+TCELL), (0.0-ACY1-TCELL),0.0)),TEMP,,t04o045,
1248 NSOL,15,(NODE(      (GX25-GWALL), (GWALL-GX25),0.0)),TEMP,,g04i045,
1249 NSOL,16,(NODE(      GX25,      (0.0-GX25),0.0)),TEMP,,g04o045,
1250 NSOL,17,(NODE(      MI45,      (0.0-MI45),0.0)),TEMP,,m04i045,
1251 NSOL,18,(NODE(      MO45,      (0.0-MO45),0.0)),TEMP,,m04o045,
1252 NSOL,19,(NODE(      DI45,      (0.0-DI45),0.0)),TEMP,,i04i045,
1253 NSOL,20,(NODE(      DM45,      (0.0-DM45),0.0)),TEMP,,i04o045,
1254 NSOL,21,(NODE(      DO45,      (0.0-DO45),0.0)),TEMP,,o04o045,
1255 /COM,          Add centers of assemblies 5 and 6
1256 NSOL,22,(NODE(      ACX2,      (0.0-ACY1),0.0)),TEMP,,c05i045,
1257 NSOL,23,(NODE(      ACX1,      (0.0-ACY3),0.0)),TEMP,,c06i045,
1258 PRVAR, 2, 3, 4, 5, 6, 7,
1259 PRVAR, 8, 9,10,11,12,13,
1260 PRVAR,14,15,16,17,18,19,
1261 PRVAR,20,21,22,23,
1262 /COM,
1263 /COM,          *****
1264 /COM,          *   Temperature Profile from center to upper right (135 deg.)   *
1265 /COM,          *****
1266 NSOL, 2,(NODE(      0.0,      0.0,0.0)),TEMP,,x01i135,
1267 NSOL, 3,(NODE(      (0.5*FSPAC),      (0.5*FSPAC),0.0)),TEMP,,f01i135,
1268 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(0.5*FSPAC+FWALL),0.0)),TEMP,,f01o135,
1269 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(0.5*FSPAC+BCELL),0.0)),TEMP,,w01i135,
1270 NSOL, 6,(NODE(      (ACX1-SCCELL),      (ACY1-SCCELL),0.0)),TEMP,,w01o135,
1271 NSOL, 7,(NODE(      (ACX1-HCELL),      (ACY1-HCELL),0.0)),TEMP,,s01i135,
1272 NSOL, 8,(NODE(      (ACX1-QCELL),      (ACY1-QCELL),0.0)),TEMP,,h01i135,
1273 NSOL, 9,(NODE(      ACX1,      ACY1,0.0)),TEMP,,c01i135,
1274 NSOL,10,(NODE(      (ACX1+QCELL),      (ACY1+QCELL),0.0)),TEMP,,h01o135,
1275 NSOL,11,(NODE(      (ACX1+HCELL),      (ACY1+HCELL),0.0)),TEMP,,s01o135,
1276 NSOL,12,(NODE(      (ACX1+SCCELL),      (ACY1+SCCELL),0.0)),TEMP,,a01o135,
1277 NSOL,13,(NODE(      (ACX1+ACELL),      (ACY1+ACELL),0.0)),TEMP,,t01i135,
1278 NSOL,14,(NODE(      (ACX1+TCELL),      (ACY1+TCELL),0.0)),TEMP,,t01o135,

```

```

1279 NSOL,15,(NODE(      (GX25-GWALL),      (GX25-GWALL),0.0)),TEMP,,g01i135,
1280 NSOL,16,(NODE(      GX25,      GX25,0.0)),TEMP,,g01o135,
1281 NSOL,17,(NODE(      MI45,      MI45,0.0)),TEMP,,m01i135,
1282 NSOL,18,(NODE(      MO45,      MO45,0.0)),TEMP,,m01o135,
1283 NSOL,19,(NODE(      DI45,      DI45,0.0)),TEMP,,i01i135,
1284 NSOL,20,(NODE(      DM45,      DM45,0.0)),TEMP,,i01o135,
1285 NSOL,21,(NODE(      DO45,      DO45,0.0)),TEMP,,o01o135,
1286 /COM,      Add centers of assemblies 2 and 3
1287 NSOL,22,(NODE(      ACX2,      ACY2,0.0)),TEMP,,c02i135,
1288 NSOL,23,(NODE(      ACX3,      ACY3,0.0)),TEMP,,c03i135,
1289 PRVAR, 2, 3, 4, 5, 6, 7,
1290 PRVAR, 8, 9,10,11,12,13,
1291 PRVAR,14,15,16,17,18,19,
1292 PRVAR,20,21,22,23,
1293 /COM,
1294 FINISH
1295 /COM,      *****
1296 /COM,      End of batch input file
1297 /COM,      *****
1298 /EXIT,
1299 /EOF

```

RUN SETUP PROCEDURE FROM FILE= /ansys50a/docu/start.ans

```

/INPUT FILE= /ansys50a/docu/start.ans LINE=      0
*****
ANSYS STARTUP FILE start.ans
*****

```

```

ABBREVIATION= K1      /pnum,kp ,1,
ABBREVIATION= K0      /pnum,kp ,0,
ABBREVIATION= L1      /pnum,line,1,
ABBREVIATION= L0      /pnum,line,0,
ABBREVIATION= A1      /pnum,area,1,
ABBREVIATION= A0      /pnum,area,0,
ABBREVIATION= V1      /pnum,volu,1,
ABBREVIATION= V0      /pnum,volu,0,
ABBREVIATION= N1      /pnum,node,1,
ABBREVIATION= N0      /pnum,node,0,
ABBREVIATION= E1      /pnum,elem,1,
ABBREVIATION= E0      /pnum,elem,0,
ABBREVIATION= M1      /pnum,mat ,1,
ABBREVIATION= M0      /pnum,mat ,0,
ABBREVIATION= R1      /pnum,real,1,
ABBREVIATION= R0      /pnum,real,0,
ABBREVIATION= T1      /pnum,type,1,
ABBREVIATION= T0      /pnum,type,0,
ABBREVIATION= C1      /number,1,
ABBREVIATION= C0      /number,0,
ABBREVIATION= INP     /input,,inp,

```

ABBREVIATION= X3D /show,3d,
ABBREVIATION= X11 /show,x11,
ABBREVIATION= VEC /show,,1,
ABBREVIATION= RAS /show,,0,
ABBREVIATION= ON /menu,on,
ABBREVIATION= OFF /menu,off,
ABBREVIATION= NVP /config,nvpag,512,
ABBREVIATION= QUIT /exit,nosav,
XYZ TRIAD DISPLAY SET TO OFF

VIEW CONE ANGLE FOR WINDOW 1 25.00

END start.ans

To start ANSYS menu:

type: x3d for console
x11 for X-term

type: on

ANSYS REVISION 5.0A 3/24/1995
2-D Model of 75 ton burnup credit MPC-DC R.Bahney III

* *
* File name: ma12b1.inp *
* 12 PWR MPC with High T.L. Disposal Container *
* Helium Fill Gas *
* *
* Material Property file: props01.dat *
* *
* SNF Conductivity file: pwr15e.parm *
* 15x15 Mark-B4 PWR SNF Assembly *
* *
* SNF Heat Loads file: snf1040.dat *
* SNF Type: 10 years old, 40 GWD/MTU *
* *
* Surface Temp. file: c12b5a.parm *
* 83 MTU/acre (20.5 kgU/m^2) AML (High Thermal Loading) *
* 5.0 m Diameter Drift with Concrete Invert *
* Drift spacing = 22.5 m *
* WP c/c spacing = 11.129 m *
* *

Increase the number of database pages from 16 (256) to 32 Mb

NUMBER OF DATA BASE PAGES IN MEMORY(NVPAGE)= 512

Work space must also be increased (-m 64)

TITLE=

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

SI UNITS SPECIFIED

LENGTH = METERS(M)
MASS = KILOGRAMS(KG)
TIME = SECONDS(SEC)
TEMPERATURE = CENTIGRADE

CURRENT = AMPS

Read in average effective conductivities from SNF model

*** NOTE *** CP= .750 TIME= 20:09:35
Restore ANSYS parameters from file= pwr15e.parm.

/INPUT FILE= pwr15e.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Read in surface temps. from repository model

*** NOTE *** CP= .920 TIME= 20:09:36
Restore ANSYS parameters from file= c12b5a.parm.

/INPUT FILE= c12b5a.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Define MPC/waste package parameters

(MPC dimensions converted from inches to meters)

MIRAD = inner radius of MPC shell (m)

MWALL = MPC shell thickness (m)

DCRAD = disposal container outer radius (m)

OWALL = outer barrier thickness (m)

IWALL = inner barrier thickness (m)

GCORN = corner guide width (m)

GLENW = side guide total width (m)

GLENH = side guide total height (m)

GWALL = guide thickness (m)

HCELL = 1/2 of basket cell opening (m)

SWALL = stainless tube thickness (m)

AWALL = Al/boron tube thickness (m)

FLENT = flux trap plate length (m)

FWALL = flux trap plate stainless thickness (m)

BWALL = flux trap plate Al/boron thickness (m)

TWALL = flux trap plate SS sheath thickness (m)

FSPAC = flux trap plate spacer width (m)

TSPAC = tube/tube spacer width (m)

ACTVL = active fuel length

PEAKF = assembly heat axial peaking factor

PARAMETER PI = 3.141593

PARAMETER MIRAD = .6079490

PARAMETER MWALL = .2222500E-01

PARAMETER DCRAD = .7652500

PARAMETER OWALL = .1000000

PARAMETER IWALL = .2000000E-01

PARAMETER GCORN = .2561844

PARAMETER GLENW = .2142236

PARAMETER GLENH = .6339840E-01

PARAMETER GWALL = .9525000E-02

PARAMETER HCELL = .1143000

PARAMETER SWALL = .2387600E-02

PARAMETER AWALL = .2717800E-02

PARAMETER FLENT = .5883656

PARAMETER FWALL = .1270000E-01
 PARAMETER BWALL = .6350000E-02
 PARAMETER TWALL = .2387600E-02
 PARAMETER FSPAC = .2540000E-01
 PARAMETER TSPAC = .2504440E-01
 PARAMETER ACTVL = 3.601720

PARAMETER PEAKF = 1.250000

Define calculated parameters

ASSY = assembly heat production (W) f(yrs)
 FUEL = volumetric heat production (W/m³) f(yrs)
 FVOLUME = assy_volume/cell_width^2*active_length
 Q2 = side guide x coord. (see sketch)
 GX## = x coord. of guide/shell contact (kp##)
 GY## = y coord. of guide/shell contact (kp##)
 ACX# = x coord. of center of assembly #
 ACY# = y coord. of center of assembly #
 TM_START = start time (sec)
 TMI* = time increment for solution (sec)
 TME* = start and stop for time do-loops (sec)
 Note: 1 year = 3.15576e7 seconds
 QCELL = 1/4 of basket cell opening (m)
 SCELL = 1/2 of basket cell opening+SS wall(m)
 ACELL = 1/2 of basket cell opening+SS+AL (m)
 MI45 = x coord. MIRAD at 45 deg.
 MO45 = x coord. MIRAD+MWALL at 45 deg.
 DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
 DM45 = x coord. DCRAD-OWALL at 45 deg.
 DO45 = x coord. DCRAD at 45 deg.
 TMTMAX = time of maximum cladding temperature

ARRAY PARAMETER ASSY DELETED.

SET PARAMETER DIMENSIONS ON ASSY TYPE=TABL DIMENSIONS= 101 1 1

SET PARAMETER DIMENSIONS ON FUEL TYPE=TABL DIMENSIONS= 101 1 1

PARAMETER FVOLUME = .1882185
 PARAMETER Q2 = .5002134E-01
 PARAMETER GX22 = .4049634E-01
 PARAMETER GY22 = .6065987
 PARAMETER GX23 = .5002134E-01
 PARAMETER GY23 = .6058877
 PARAMETER GX24 = .2547199
 PARAMETER GY24 = .5520143
 PARAMETER GTMP = .2466594
 PARAMETER GX25 = .2884843
 PARAMETER GY25 = .5351437
 PARAMETER ACX1 = .1508252
 PARAMETER ACY1 = .1508252

PARAMETER ACX2 = .4194556
 PARAMETER ACY2 = .1508252
 PARAMETER ACX3 = .1508252
 PARAMETER ACY3 = .4194556
 PARAMETER TM_START = 31.55760
 PARAMETER TM10 = 3155760.
 PARAMETER TM11 = .3155760E+08
 PARAMETER TM110 = .3155760E+09
 PARAMETER TM1100 = .3155760E+10
 PARAMETER TM11000 = .3155760E+11
 PARAMETER TME0 = .2840187E+08
 PARAMETER TME1 = .3155763E+08
 PARAMETER TME9 = .2840184E+09
 PARAMETER TME10 = .3155760E+09
 PARAMETER TME50 = .1577880E+10
 PARAMETER TME90 = .2840184E+10
 PARAMETER TME100 = .3155760E+10
 PARAMETER TME1000 = .3155760E+11
 PARAMETER BCELL = .1905000E-01
 PARAMETER QCELL = .5715000E-01
 PARAMETER SCELL = .1166876
 PARAMETER ACELL = .1194054
 PARAMETER TCELL = .1217930
 PARAMETER MI45 = .4298849
 PARAMETER MO45 = .4456003
 PARAMETER DI45 = .4562607
 PARAMETER DM45 = .4704028
 PARAMETER DO45 = .5411135

Define different element types

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:09:37 MAR 24, 1995 CP= 1.680
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE 1 IS PLANE55 2-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
TWO-DIMENSIONAL MODEL

ELEMENT TYPE 2 IS SOLID70 3-D THERMAL SOLID
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 7 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 16 IS SHELL57 THERMAL SHELL
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 17 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 18 IS MATRIX50 SUBSTRUCTURE MATRIX
KEYOPT(1-12)= 1 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 19 IS LINK31 RADIATION LINK
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

ELEMENT TYPE 27 IS LINK32 2-D CONDUCTING BAR
KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

File props01.dat describes material properties
and thier reference numbers

READ IN MATERIAL PROPERTY LIBRARY FROM FILE= props01.dat

/INPUT FILE= props01.dat LINE= 0

** ANSYS 5.0 MPC MATERIAL PROPERTY TABLES **

** Filename: props01.dat **
** Compiled by R. Bahney III on 1-30-95 **

NUMBER	MATERIAL	DESCRIPTION
1	Stainless Steel 316	Basket Structural Support
2	Incaloy 825	Inner Container (resistant)
3	A516 Mild Steel	Outer Container (allowance)
4	UO2 Pellet	SNF Uranium Oxide Pellet
5	Zircaloy 4	SNF Cladding
6	Oxidation Layer	Stably Oxidized Zircaloy Surface
7	Helium	Canister Fill Gas
8	Air	Alternate Fill Gas
9	Nitrogen	Alternate Fill Gas
10	Argon	Alternate Fill Gas

11	Aluminum 6063	Thermal Conductor
12	Copper	Alternate Thermal Conductor
13	Aluminum-Boron	Aluminum Boron Criticality Matl

```
*****
**      Density:      DENS      (kg/m^3)      **
**      Emissivity    EMIS      **
**      Conductivity: KXX      (W/m/K)      **
**      Specific Heat: C      (J/kg/K)      **
*****
```

Define densities for all materials except gases

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 1 NUM. POINTS= 1
SLOC= 1 8000.000

PROPERTY TABLE DENS MAT= 2 NUM. POINTS= 1
SLOC= 1 8137.900

PROPERTY TABLE DENS MAT= 3 NUM. POINTS= 1
SLOC= 1 8131.000

PROPERTY TABLE DENS MAT= 4 NUM. POINTS= 1
SLOC= 1 10970.00

PROPERTY TABLE DENS MAT= 5 NUM. POINTS= 1
SLOC= 1 6500.000

PROPERTY TABLE DENS MAT= 6 NUM. POINTS= 1
SLOC= 1 6500.000

PROPERTY TABLE DENS MAT= 11 NUM. POINTS= 1
SLOC= 1 2690.000

PROPERTY TABLE DENS MAT= 12 NUM. POINTS= 1
SLOC= 1 8933.000

PROPERTY TABLE DENS MAT= 13 NUM. POINTS= 1
SLOC= 1 2693.000

Define emissivities for all materials except gases

PROPERTY TABLE EMIS MAT= 1 NUM. POINTS= 1
SLOC= 1 .6000000

PROPERTY TABLE EMIS MAT= 2 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 3 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 4 NUM. POINTS= 1
SLOC= 1 .7900000

PROPERTY TABLE EMIS MAT= 5 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 6 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 11 NUM. POINTS= 1
SLOC= 1 .7000000E-01

PROPERTY TABLE EMIS MAT= 12 NUM. POINTS= 1
SLOC= 1 .5000000

PROPERTY TABLE EMIS MAT= 13 NUM. POINTS= 1
SLOC= 1 .7000000E-01

Define specific heat for matl. 4, 5, 6, 7, 11, 14, 15

PROPERTY TABLE C MAT= 4 NUM. POINTS= 1
SLOC= 1 247.0000

PROPERTY TABLE C MAT= 5 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 6 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 7 NUM. POINTS= 1
SLOC= 1 5193.000

PROPERTY TABLE C MAT= 11 NUM. POINTS= 1
SLOC= 1 900.0000

Define K and C for materials 1, 3

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 21.11000 37.78000 65.56000
93.33000 121.1100 148.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 176.6700 204.4400 232.2200
260.0000 287.7800 315.5600

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
SLOC= 13 343.3300 371.1100 398.8900
426.6700 454.4400 482.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
SLOC= 19 510.0000 537.7800 565.5600
593.3300 621.1100 648.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
SLOC= 25 676.6700 704.4400 732.2200
760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 6
SLOC= 1 13.33000 13.67000 14.19000 14.54000
15.06000 15.58000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 12
SLOC= 7 15.92000 16.44000 16.96000 17.31000
17.83000 18.17000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 18
SLOC= 13 18.52000 19.04000 19.38000 19.90000
20.25000 20.77000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 24
SLOC= 19 21.11000 21.46000 21.98000 22.33000
22.67000 23.02000

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 30
SLOC= 25 23.54000 23.88000 24.23000 24.58000
24.92000 25.27000

PROPERTY TABLE C MAT= 1 NUM. POINTS= 6
SLOC= 1 481.6800 486.9200 498.0900 499.3800
509.9800 520.2900

PROPERTY TABLE C MAT= 1 NUM. POINTS= 12

SLOC= 7	521.0700 543.0200	527.3800 543.3100	536.9200	537.3400
PROPERTY TABLE C MAT= 1 NUM. POINTS= 18				
SLOC= 13	546.9100 557.2500	552.1400 565.1100	552.2600	557.2200
PROPERTY TABLE C MAT= 1 NUM. POINTS= 24				
SLOC= 19	565.0100 574.9200	564.9100 574.6800	572.3500	572.1400
PROPERTY TABLE C MAT= 1 NUM. POINTS= 30				
SLOC= 25	581.6400 585.9600	581.3000 588.3900	583.8600	586.3600
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 6				
SLOC= 1	40.84000 42.23000	41.36000 42.23000	41.88000	42.23000
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 12				
SLOC= 7	42.06000 40.50000	41.88000 39.98000	41.36000	41.02000
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 18				
SLOC= 13	39.29000 36.69000	38.77000 36.17000	38.08000	37.56000
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 24				
SLOC= 19	35.48000 32.36000	34.61000 31.50000	33.92000	33.23000
PROPERTY TABLE KXX MAT= 3 NUM. POINTS= 30				
SLOC= 25	30.29000 26.13000	28.90000 26.13000	27.35000	26.48000
PROPERTY TABLE C MAT= 3 NUM. POINTS= 6				
SLOC= 1	428.7200 486.0800	444.9500 495.6600	460.9400	476.8700
PROPERTY TABLE C MAT= 3 NUM. POINTS= 12				
SLOC= 7	506.0900 543.6300	517.0700 550.6200	525.6400	536.9900
PROPERTY TABLE C MAT= 3 NUM. POINTS= 18				
SLOC= 13	562.2100 611.3500	577.3200 629.0900	589.1000	600.5700
PROPERTY TABLE C MAT= 3 NUM. POINTS= 24				
SLOC= 19	645.3200 724.0700	665.1200 761.9500	682.0700	694.5200
PROPERTY TABLE C MAT= 3 NUM. POINTS= 30				
SLOC= 25	806.3100 808.6800	888.6000 736.9000	1095.040	1638.780

Define K for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***

SLOC= 1	93.33000	121.1100	148.8900
	176.6700	204.4400	232.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***

SLOC= 7	260.0000	287.7800	315.5600
	343.3300	371.1100	398.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***

SLOC= 13	426.6700	454.4400	482.2200
	510.0000	537.7800	565.5600

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
 SLOC= 19 593.3300 621.1100 648.8900
 676.6700 704.4400 732.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 27 ***
 SLOC= 25 760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 6
 SLOC= 1 12.29000 12.63000 13.15000 13.67000
 14.02000 14.54000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 12
 SLOC= 7 14.88000 15.40000 15.75000 16.10000
 16.61000 16.96000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 18
 SLOC= 13 17.31000 17.65000 18.00000 18.52000
 18.86000 19.21000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 24
 SLOC= 19 19.73000 20.08000 20.42000 20.94000
 21.46000 21.98000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 27
 SLOC= 25 22.33000 23.02000 23.54000

Define C for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 93.33000 121.1100 148.8900
 176.6700 204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 260.0000 287.7800 315.5600
 343.3300 371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 17 ***
 SLOC= 13 426.6700 454.4400 482.2200
 510.0000 537.7800

PROPERTY TABLE C MAT= 2 NUM. POINTS= 6
 SLOC= 1 460.6900 477.4200 501.0200 504.6500
 498.1200 520.4500

PROPERTY TABLE C MAT= 2 NUM. POINTS= 12
 SLOC= 7 536.8800 559.8500 576.8300 576.2100
 581.6800 598.2000

PROPERTY TABLE C MAT= 2 NUM. POINTS= 17
 SLOC= 13 619.5800 636.7600 654.2000 678.2500
 696.2900

Define K for materials 4, 5, 6

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 .0000000E+00 10.00000 20.00000
 30.00000 40.00000 50.00000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 60.00000 70.00000 80.00000
 90.00000 100.0000 110.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
 SLOC= 13 120.0000 130.0000 140.0000

150.0000 160.0000 170.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***

SLOC= 19 180.0000 190.0000 200.0000
210.0000 220.0000 230.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***

SLOC= 25 240.0000 250.0000 260.0000
270.0000 280.0000 290.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 36 ***

SLOC= 31 300.0000 310.0000 320.0000
330.0000 340.0000 350.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 42 ***

SLOC= 37 360.0000 370.0000 380.0000
390.0000 400.0000 410.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 48 ***

SLOC= 43 420.0000 430.0000 440.0000
450.0000 460.0000 470.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 50 ***

SLOC= 48 480.0000 490.0000 500.0000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 6
SLOC= 1 8.720000 8.540000 8.360000 8.190000
8.030000 7.870000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 12
SLOC= 7 7.720000 7.580000 7.440000 7.310000
7.180000 7.050000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 18
SLOC= 13 6.930000 6.820000 6.700000 6.600000
6.490000 6.390000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 24
SLOC= 19 6.290000 6.190000 6.100000 6.010000
5.920000 5.840000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 30
SLOC= 25 5.760000 5.680000 5.600000 5.520000
5.450000 5.380000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 36
SLOC= 31 5.310000 5.240000 5.180000 5.110000
5.050000 4.990000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 42
SLOC= 37 4.930000 4.870000 4.810000 4.760000
4.700000 4.650000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 48
SLOC= 43 4.600000 4.550000 4.500000 4.450000
4.400000 4.350000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 50
SLOC= 48 4.310000 4.270000 4.220000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 6
SLOC= 1 12.29000 12.44000 12.58000 12.72000
12.87000 13.01000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 12
SLOC= 7 13.15000 13.28000 13.42000 13.55000
13.69000 13.82000

PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 18

SLOC= 13	13.95000 14.46000	14.08000 14.59000	14.21000	14.34000
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 24				
SLOC= 19	14.72000 15.21000	14.84000 15.33000	14.96000	15.09000
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 30				
SLOC= 25	15.45000 15.93000	15.57000 16.05000	15.69000	15.81000
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 36				
SLOC= 31	16.17000 16.64000	16.29000 16.76000	16.40000	16.52000
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 42				
SLOC= 37	16.88000 17.35000	16.99000 17.46000	17.11000	17.23000
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 48				
SLOC= 43	17.58000 18.06000	17.70000 18.18000	17.82000	17.94000
PROPERTY TABLE KXX MAT= 5 NUM. POINTS= 50				
SLOC= 48	18.30000	18.42000	18.54000	
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 6				
SLOC= 1	1.940000 1.940000	1.940000 1.940000	1.940000	1.940000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 12				
SLOC= 7	1.940000 1.950000	1.950000 1.950000	1.950000	1.950000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 18				
SLOC= 13	1.950000 1.960000	1.950000 1.960000	1.960000	1.960000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 24				
SLOC= 19	1.960000 1.970000	1.970000 1.980000	1.970000	1.970000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 30				
SLOC= 25	1.980000 1.990000	1.980000 1.990000	1.980000	1.990000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 36				
SLOC= 31	2.000000 2.010000	2.000000 2.010000	2.000000	2.010000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 42				
SLOC= 37	2.020000 2.030000	2.020000 2.030000	2.020000	2.030000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 48				
SLOC= 43	2.040000 2.050000	2.040000 2.060000	2.040000	2.050000
PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 50				
SLOC= 48	2.060000	2.060000	2.070000	

Define p, K, C for materials 7, 8, 9, -10

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***

SLOC= 1	-13.15000 76.85000	6.850000 126.8500	26.85000 176.8500
---------	-----------------------	----------------------	----------------------

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***

SLOC=	7	226.8500	276.8500	326.8500
		376.8500	426.8500	476.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 15 ***

SLOC=	13	526.8500	626.8500	726.8500
-------	----	----------	----------	----------

PROPERTY TABLE DENS MAT=	7	NUM. POINTS= 6		
SLOC= 1	.1875000	.1750000	.1625000	.1422000
	.1219000	.1097000		

PROPERTY TABLE DENS MAT=	7	NUM. POINTS= 12		
SLOC= 7	.9750000E-01	.9060000E-01	.8360000E-01	.7670000E-01
	.6970000E-01	.6620000E-01		

PROPERTY TABLE DENS MAT=	7	NUM. POINTS= 15		
SLOC= 13	.6270000E-01	.5580000E-01	.4880000E-01	

PROPERTY TABLE KXX MAT=	7	NUM. POINTS= 6		
SLOC= 1	.1370000	.1450000	.1520000	.1700000
	.1870000	.2040000		

PROPERTY TABLE KXX MAT=	7	NUM. POINTS= 12		
SLOC= 7	.2200000	.2360000	.2520000	.2640000
	.2780000	.2910000		

PROPERTY TABLE KXX MAT=	7	NUM. POINTS= 15		
SLOC= 13	.3040000	.3300000	.3540000	

PROPERTY TABLE DENS MAT=	8	NUM. POINTS= 6		
SLOC= 1	1.348000	1.254700	1.161400	.9950000
	.8711000	.7740000		

PROPERTY TABLE DENS MAT=	8	NUM. POINTS= 12		
SLOC= 7	.6964000	.6329000	.5804000	.5356000
	.4975000	.4643000		

PROPERTY TABLE DENS MAT=	8	NUM. POINTS= 15		
SLOC= 13	.4354000	.3868000	.3482000	

PROPERTY TABLE KXX MAT=	8	NUM. POINTS= 6		
SLOC= 1	.2300000E-01	.2500000E-01	.2600000E-01	.3000000E-01
	.3400000E-01	.3700000E-01		

PROPERTY TABLE KXX MAT=	8	NUM. POINTS= 12		
SLOC= 7	.4100000E-01	.4400000E-01	.4700000E-01	.5000000E-01
	.5200000E-01	.5500000E-01		

PROPERTY TABLE KXX MAT=	8	NUM. POINTS= 15		
SLOC= 13	.5700000E-01	.6200000E-01	.6700000E-01	

PROPERTY TABLE C MAT=	8	NUM. POINTS= 6		
SLOC= 1	1006.200	1006.600	1007.000	1009.000
	1014.000	1021.000		

PROPERTY TABLE C MAT=	8	NUM. POINTS= 12		
SLOC= 7	1030.000	1040.000	1051.000	1063.000
	1075.000	1087.000		

PROPERTY TABLE C MAT=	8	NUM. POINTS= 15		
SLOC= 13	1099.000	1121.000	1141.000	

PROPERTY TABLE DENS MAT=	9	NUM. POINTS= 6		
SLOC= 1	1.303700	1.213500	1.123300	.9625000
	.8425000	.7485000		

PROPERTY TABLE DENS MAT=	9	NUM. POINTS= 12		
SLOC= 7	.6739000	.6124000	.5615000	.5214000
	.4812000	.4512000		

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 15
SLOC= 13 .4211000 .3743000 .3368000

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 6
SLOC= 1 .2300000E-01 .2400000E-01 .2600000E-01 .2900000E-01
.3300000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 12
SLOC= 7 .3900000E-01 .4200000E-01 .4500000E-01 .4700000E-01
.5000000E-01 .5200000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 15
SLOC= 13 .5500000E-01 .6000000E-01 .6500000E-01

PROPERTY TABLE C MAT= 9 NUM. POINTS= 6
SLOC= 1 1041.800 1041.400 1041.000 1042.000
1045.000 1050.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 12
SLOC= 7 1056.000 1065.000 1075.000 1086.500
1098.000 1159.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 15
SLOC= 13 1220.000 1146.000 1167.000

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 6
SLOC= 1 .1700000E-01 .1700000E-01 .1800000E-01 .2100000E-01
.2300000E-01 .2500000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 12
SLOC= 7 .2700000E-01 .2800000E-01 .3000000E-01 .3200000E-01
.3400000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 15
SLOC= 13 .3700000E-01 .4100000E-01 .4400000E-01

Define K and C for material 12

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 -73.15000 26.85000 126.8500
326.8500 526.8500 726.8500

PROPERTY TABLE KXX MAT= 12 NUM. POINTS= 6
SLOC= 1 413.0000 401.0000 393.0000 379.0000
366.0000 352.0000

PROPERTY TABLE C MAT= 12 NUM. POINTS= 6
SLOC= 1 356.0000 385.0000 397.0000 417.0000
433.0000 451.0000

Define K and C for material 13

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 5 ***
SLOC= 1 23.00000 50.00000 100.0000
150.0000 200.0000

PROPERTY TABLE KXX MAT= 13 NUM. POINTS= 5
SLOC= 1 182.5600 190.1700 199.2200 202.9100
203.7200

PROPERTY TABLE C MAT= 13 NUM. POINTS= 5
SLOC= 1 868.0000 903.0000 946.0000 976.0000
998.0000

** End of Material Property List **

Read in single assembly heat loads
Calculate the volumetric heat generation
(Assembly time is in years, FUEL is in seconds)

/INPUT FILE= snf1040.dat LINE= 0

** History of SNF Assembly Heat Generation Rates **
** Output of PHIA, SCSI: B00000000-01717-1200-3000X Rev.00B **
**
** Executable File Name: PHIA00B.EXE **
** Output File Name: snf1040.dat **
** Execution Date: 02/23/95 **
** Start Age (years): 10.0 **
** Decay Period (years): 10000 **
** Enrichment (percent): 3.75 **
** Burnup (Mwd/MTU): 40000 **
** Assembly Type: PWR **
** SNF U Mass (MTU/assy): 0.490 **
**
** ASSY(#,1) is the SNF assembly heat in Watts. **
** ASSY(#,0) is the time post emplacement in years. **

PARAMETER ASSY(1,1) =	717.6600 716.3600	717.3300 716.0400	717.0100	716.6800
PARAMETER ASSY(7,1) =	715.7100 714.4300	715.3900 712.8400	715.0700	714.7500
PARAMETER ASSY(13,1) =	711.2500 705.0300	709.6800 703.5000	708.1200	706.5700
PARAMETER ASSY(19,1) =	701.9800 696.0200	700.4800 694.5500	698.9800	697.4900
PARAMETER ASSY(25,1) =	693.0900 687.3600	691.6500 675.2700	690.2100	688.7800
PARAMETER ASSY(31,1) =	663.8800 625.7500	653.3400 618.2500	643.3700	634.3300
PARAMETER ASSY(37,1) =	611.0900 581.2500	602.5900 574.7700	594.4800	587.7200
PARAMETER ASSY(43,1) =	568.5500 547.0300	562.5600 495.6400	556.7900	551.8300
PARAMETER ASSY(49,1) =	454.8100 330.9300	417.0600 307.0000	384.5900	355.7100
PARAMETER ASSY(55,1) =	286.4800 223.1000	268.0600 210.9500	251.5000	236.5700
PARAMETER ASSY(61,1) =	199.9800 165.8000	190.0400 119.7300	181.7600	173.1900
PARAMETER ASSY(67,1) =	98.05000 64.45000	85.25000 59.87000	76.77000	69.93000
PARAMETER ASSY(73,1) =	55.93000 43.69000	52.18000 41.21000	48.97000	46.20000
PARAMETER ASSY(79,1) =	39.02000 32.26000	37.07000 21.87000	35.32000	33.73000
PARAMETER ASSY(85,1) =	17.04000 11.77000	14.54000 11.35000	13.20000	12.41000
PARAMETER ASSY(91,1) =	10.98000	10.55000	10.17000	9.830000

	9.530000	9.210000		
PARAMETER ASSY(97,1) =	8.920000 8.000000	8.660000	8.420000	8.200000
PARAMETER ASSY(1,0) =	.1000000E-05 .4000000E-01	.1000000E-01 .5000000E-01	.2000000E-01	.3000000E-01
PARAMETER ASSY(7,0) =	.6000000E-01 .1000000	.7000000E-01 .1500000	.8000000E-01	.9000000E-01
PARAMETER ASSY(13,0) =	.2000000 .4000000	.2500000 .4500000	.3000000	.3500000
PARAMETER ASSY(19,0) =	.5000000 .7000000	.5500000 .7500000	.6000000	.6500000
PARAMETER ASSY(25,0) =	.8000000 1.000000	.8500000 1.500000	.9000000	.9500000
PARAMETER ASSY(31,0) =	2.000000 4.000000	2.500000 4.500000	3.000000	3.500000
PARAMETER ASSY(37,0) =	5.000000 7.000000	5.500000 7.500000	6.000000	6.500000
PARAMETER ASSY(43,0) =	8.000000 10.00000	8.500000 15.00000	9.000000	9.500000
PARAMETER ASSY(49,0) =	20.00000 40.00000	25.00000 45.00000	30.00000	35.00000
PARAMETER ASSY(55,0) =	50.00000 70.00000	55.00000 75.00000	60.00000	65.00000
PARAMETER ASSY(61,0) =	80.00000 100.0000	85.00000 150.0000	90.00000	95.00000
PARAMETER ASSY(67,0) =	200.0000 400.0000	250.0000 450.0000	300.0000	350.0000
PARAMETER ASSY(73,0) =	500.0000 700.0000	550.0000 750.0000	600.0000	650.0000
PARAMETER ASSY(79,0) =	800.0000 1000.000	850.0000 1500.000	900.0000	950.0000
PARAMETER ASSY(85,0) =	2000.000 4000.000	2500.000 4500.000	3000.000	3500.000
PARAMETER ASSY(91,0) =	5000.000 7000.000	5500.000 7500.000	6000.000	6500.000
PARAMETER ASSY(97,0) =	8000.000 10000.00	8500.000	9000.000	9500.000

PARAMETER ASSY(0,1) = 1.000000

FACTOR ON VECTOR OPERATION RESULT= .31558E+08
FACTOR ON FIRST VECTOR PARAMETER = 1.0000
FACTOR ON SECOND VECTOR PARAMETER= 1.0000
FACTOR ON THIRD VECTOR PARAMETER = 1.0000

MATRIX COPY RESULT MATRIX= FUEL(1,0)
INPUT MATRIX= ASSY(1,0)
INPUT MATRIX SIZE= 101 ROWS BY 2 COLUMNS
RESULT MATRIX SIZE= 101 ROWS BY 2 COLUMNS

FACTOR ON VECTOR OPERATION RESULT= 6.6412

FACTOR ON FIRST VECTOR PARAMETER = 1.0000
 FACTOR ON SECOND VECTOR PARAMETER= 1.0000
 FACTOR ON THIRD VECTOR PARAMETER = 1.0000

VECTOR PARAMETER OPERATION *VFUN
 FUEL(1) = COPY ASSY(1)
 SCALE FACTORS RESULT= 6.6412 INPUT= 1.0000
 VECTOR LENGTH= 101

PARAMETER FUEL(0,1) = 1.000000

Define new material 14 for SNF effective conductivity

Density: DENS (kg/m³)

Conductivity: KXX (W/m/K)

Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 14 NUM. POINTS= 1
 SLOC= 1 3960.040

PROPERTY TABLE C MAT= 14 NUM. POINTS= 1
 SLOC= 1 274.0000
 Store average effective conductivities

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 25.00000

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
 SLOC= 2 50.00000

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 1
 SLOC= 1 .4617156

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 2
 SLOC= 2 .5036997

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

Construct geometry for Disposal Container

Define center and axis keypoints for waste package
 Also, create placeholder keypoints and lines

(K's 1,2,3,4,5,6,7,8)
(L's 1,2,3,4)

KEYPOINT	1	X,Y,Z=	.000000E+00	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	2	X,Y,Z=	.000000E+00	.000000E+00	1.00000	IN CSYS= 0
KEYPOINT	3	X,Y,Z=	.000000E+00	.000000E+00	1.30000	IN CSYS= 0
KEYPOINT	4	X,Y,Z=	.000000E+00	.000000E+00	1.40000	IN CSYS= 0
KEYPOINT	5	X,Y,Z=	.000000E+00	.000000E+00	1.50000	IN CSYS= 0
KEYPOINT	6	X,Y,Z=	.000000E+00	.000000E+00	1.60000	IN CSYS= 0
KEYPOINT	7	X,Y,Z=	.000000E+00	.000000E+00	1.70000	IN CSYS= 0
KEYPOINT	8	X,Y,Z=	.000000E+00	.000000E+00	1.80000	IN CSYS= 0

LINE CONNECTS KEYPOINTS	3	4			
LINE NO.= 1	KP1= 3	TAN1=	.0000	.0000	-1.0000
	KP2= 4	TAN2=	.0000	.0000	1.0000

LINE CONNECTS KEYPOINTS	4	5			
LINE NO.= 2	KP1= 4	TAN1=	.0000	.0000	-1.0000
	KP2= 5	TAN2=	.0000	.0000	1.0000

LINE CONNECTS KEYPOINTS	5	6			
LINE NO.= 3	KP1= 5	TAN1=	.0000	.0000	-1.0000
	KP2= 6	TAN2=	.0000	.0000	1.0000

LINE CONNECTS KEYPOINTS	6	7			
LINE NO.= 4	KP1= 6	TAN1=	.0000	.0000	-1.0000
	KP2= 7	TAN2=	.0000	.0000	1.0000

Define disposal container and MPC outer radius
(K's 9,10,11,12,13,14,15,16,17,18,19,20)
(L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
(A's 1,2,3,4,5,6)

KEYPOINT	9	X,Y,Z=	.000000E+00	-.765250	.000000E+00	IN CSYS= 0
KEYPOINT	10	X,Y,Z=	.765250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	11	X,Y,Z=	.000000E+00	.765250	.000000E+00	IN CSYS= 0
KEYPOINT	12	X,Y,Z=	.000000E+00	-.665250	.000000E+00	IN CSYS= 0
KEYPOINT	13	X,Y,Z=	.665250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	14	X,Y,Z=	.000000E+00	.665250	.000000E+00	IN CSYS= 0
KEYPOINT	15	X,Y,Z=	.000000E+00	-.645250	.000000E+00	IN CSYS= 0
KEYPOINT	16	X,Y,Z=	.645250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	17	X,Y,Z=	.000000E+00	.645250	.000000E+00	IN CSYS= 0
KEYPOINT	18	X,Y,Z=	.000000E+00	-.630174	.000000E+00	IN CSYS= 0
KEYPOINT	19	X,Y,Z=	.630174	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	20	X,Y,Z=	.000000E+00	.630174	.000000E+00	IN CSYS= 0

LINE CONNECTS KEYPOINTS	10	13			
LINE NO.= 5	KP1= 10	TAN1=	1.0000	.0000	.0000
	KP2= 13	TAN2=	-1.0000	.0000	.0000

LINE CONNECTS KEYPOINTS	13	16			
LINE NO.= 6	KP1= 13	TAN1=	1.0000	.0000	.0000
	KP2= 16	TAN2=	-1.0000	.0000	.0000

```

ARC BETWEEN KEYPOINTS      10 AND      9 ORIENTATION KEYPOINT=      1
RADIUS= .76525
LINE NO.=      7 KP1=      10 TAN1=      .0000      1.0000      .0000
                  KP2=      9  TAN2=     -1.0000      .0000      .0000

```

```

ARC BETWEEN KEYPOINTS      11 AND     10 ORIENTATION KEYPOINT=      1
RADIUS= .76525
LINE NO.=      8 KP1=      11 TAN1=     -1.0000      .0000      .0000
                  KP2=     10 TAN2=      .0000     -1.0000      .0000

```

```

ARC BETWEEN KEYPOINTS      13 AND     12 ORIENTATION KEYPOINT=      1
RADIUS= .66525
LINE NO.=      9 KP1=      13 TAN1=      .0000      1.0000      .0000
                  KP2=     12 TAN2=     -1.0000      .0000      .0000

```

```

ARC BETWEEN KEYPOINTS      14 AND     13 ORIENTATION KEYPOINT=      1
RADIUS= .66525
LINE NO.=     10 KP1=      14 TAN1=     -1.0000      .0000      .0000
                  KP2=     13 TAN2=      .0000     -1.0000      .0000

```

```

LINE CONNECTS KEYPOINTS      11      14
LINE NO.=     11 KP1=      11 TAN1=      .0000      1.0000      .0000
                  KP2=      14 TAN2=      .0000     -1.0000      .0000

```

```

LINE CONNECTS KEYPOINTS      9      12
LINE NO.=     12 KP1=      9  TAN1=      .0000     -1.0000      .0000
                  KP2=     12 TAN2=      .0000      1.0000      .0000

```

```

ARC BETWEEN KEYPOINTS      15 AND     16 ORIENTATION KEYPOINT=      1
RADIUS= .64525
LINE NO.=     13 KP1=      15 TAN1=     -1.0000      .0000      .0000
                  KP2=     16 TAN2=      .0000      1.0000      .0000

```

```

ARC BETWEEN KEYPOINTS      16 AND     17 ORIENTATION KEYPOINT=      1
RADIUS= .64525
LINE NO.=     14 KP1=      16 TAN1=      .0000     -1.0000      .0000
                  KP2=     17 TAN2=     -1.0000      .0000      .0000

```

```

LINE CONNECTS KEYPOINTS      14      17
LINE NO.=     15 KP1=      14 TAN1=      .0000      1.0000      .0000
                  KP2=     17 TAN2=      .0000     -1.0000      .0000

```

```

LINE CONNECTS KEYPOINTS      12      15
LINE NO.=     16 KP1=      12 TAN1=      .0000     -1.0000      .0000
                  KP2=     15 TAN2=      .0000      1.0000      .0000

```

```

ARC BETWEEN KEYPOINTS      19 AND     18 ORIENTATION KEYPOINT=      1
RADIUS= .63017
LINE NO.=     17 KP1=      19 TAN1=      .0000      1.0000      .0000
                  KP2=     18 TAN2=     -1.0000      .0000      .0000

```

```

ARC BETWEEN KEYPOINTS      20 AND     19 ORIENTATION KEYPOINT=      1
RADIUS= .63017
LINE NO.=     18 KP1=      20 TAN1=     -1.0000      .0000      .0000
                  KP2=     19 TAN2=      .0000     -1.0000      .0000

```

```

LINE CONNECTS KEYPOINTS      17      20
LINE NO.=     19 KP1=      17 TAN1=      .0000      1.0000      .0000
                  KP2=     20 TAN2=      .0000     -1.0000      .0000

```

```

LINE CONNECTS KEYPOINTS      15      18
LINE NO.=     20 KP1=      15 TAN1=      .0000     -1.0000      .0000
                  KP2=     18 TAN2=      .0000      1.0000      .0000

```

```

LINE CONNECTS KEYPOINTS      16      19
LINE NO.=     21 KP1=      16 TAN1=      1.0000      .0000      .0000
                  KP2=     19 TAN2=     -1.0000      .0000      .0000

```

DEFINE AREA BY LIST OF LINES


```

LINE LIST =      5      7      12      9
(TRAVERSED IN SAME DIRECTION AS LINE      5)

AREA NUMBER =      1

DEFINE AREA BY LIST OF LINES
LINE LIST =      11      8      5      10
(TRAVERSED IN SAME DIRECTION AS LINE      11)

AREA NUMBER =      2

DEFINE AREA BY LIST OF LINES
LINE LIST =      6      9      16      13
(TRAVERSED IN SAME DIRECTION AS LINE      6)

AREA NUMBER =      3

DEFINE AREA BY LIST OF LINES
LINE LIST =      15      10      6      14
(TRAVERSED IN SAME DIRECTION AS LINE      15)

AREA NUMBER =      4

DEFINE AREA BY LIST OF LINES
LINE LIST =      21      13      20      17
(TRAVERSED IN SAME DIRECTION AS LINE      21)

AREA NUMBER =      5

DEFINE AREA BY LIST OF LINES
LINE LIST =      19      14      21      18
(TRAVERSED IN SAME DIRECTION AS LINE      19)

AREA NUMBER =      6
*****
Define MPC shell inner edge and area
(K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
( 38,39)
(L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
( 39,40,41,42)
(A's 7,8)

KEYPOINT    21    X,Y,Z=    .000000E+00    .607949    .000000E+00    IN CSYS=  0
KEYPOINT    22    X,Y,Z=    .404963E-01    .606599    .000000E+00    IN CSYS=  0
KEYPOINT    23    X,Y,Z=    .500213E-01    .605888    .000000E+00    IN CSYS=  0
KEYPOINT    24    X,Y,Z=    .254720    .552014    .000000E+00    IN CSYS=  0
KEYPOINT    25    X,Y,Z=    .288484    .535144    .000000E+00    IN CSYS=  0
KEYPOINT    26    X,Y,Z=    .535144    .288484    .000000E+00    IN CSYS=  0
KEYPOINT    27    X,Y,Z=    .552014    .254720    .000000E+00    IN CSYS=  0
KEYPOINT    28    X,Y,Z=    .605888    .500213E-01    .000000E+00    IN CSYS=  0
KEYPOINT    29    X,Y,Z=    .606599    .404963E-01    .000000E+00    IN CSYS=  0
KEYPOINT    30    X,Y,Z=    .607949    .000000E+00    .000000E+00    IN CSYS=  0
KEYPOINT    31    X,Y,Z=    .606599    -.404963E-01    .000000E+00    IN CSYS=  0
KEYPOINT    32    X,Y,Z=    .605888    -.500213E-01    .000000E+00    IN CSYS=  0
KEYPOINT    33    X,Y,Z=    .552014    -.254720    .000000E+00    IN CSYS=  0
KEYPOINT    34    X,Y,Z=    .535144    -.288484    .000000E+00    IN CSYS=  0

```

KEYPOINT	35	X,Y,Z=	.288484	-.535144	.000000E+00	IN CSYS= 0
KEYPOINT	36	X,Y,Z=	.254720	-.552014	.000000E+00	IN CSYS= 0
KEYPOINT	37	X,Y,Z=	.500213E-01	-.605888	.000000E+00	IN CSYS= 0
KEYPOINT	38	X,Y,Z=	.404963E-01	-.606599	.000000E+00	IN CSYS= 0
KEYPOINT	39	X,Y,Z=	.000000E+00	-.607949	.000000E+00	IN CSYS= 0

LINE CONNECTS KEYPOINTS	20	21				
LINE NO.=	22	KP1=	20	TAN1=	.0000	1.0000 .0000
		KP2=	21	TAN2=	.0000	-1.0000 .0000

ARC BETWEEN KEYPOINTS	22	AND	21	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	23	KP1=	22	TAN1=	.9978 -.0666 .0000
		KP2=	21	TAN2=	-1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS	23	AND	22	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	24	KP1=	23	TAN1=	.9966 -.0823 .0000
		KP2=	22	TAN2=	-.9978 .0666 .0000

ARC BETWEEN KEYPOINTS	24	AND	23	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	25	KP1=	24	TAN1=	.9080 -.4190 .0000
		KP2=	23	TAN2=	-.9966 .0823 .0000

ARC BETWEEN KEYPOINTS	25	AND	24	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	26	KP1=	25	TAN1=	.8802 -.4745 .0000
		KP2=	24	TAN2=	-.9080 .4190 .0000

ARC BETWEEN KEYPOINTS	26	AND	25	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	27	KP1=	26	TAN1=	.4745 -.8802 .0000
		KP2=	25	TAN2=	-.8802 .4745 .0000

ARC BETWEEN KEYPOINTS	27	AND	26	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	28	KP1=	27	TAN1=	.4190 -.9080 .0000
		KP2=	26	TAN2=	-.4745 .8802 .0000

ARC BETWEEN KEYPOINTS	28	AND	27	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	29	KP1=	28	TAN1=	.0823 -.9966 .0000
		KP2=	27	TAN2=	-.4190 .9080 .0000

ARC BETWEEN KEYPOINTS	29	AND	28	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	30	KP1=	29	TAN1=	.0666 -.9978 .0000
		KP2=	28	TAN2=	-.0823 .9966 .0000

ARC BETWEEN KEYPOINTS	30	AND	29	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	31	KP1=	30	TAN1=	.0000 -1.0000 .0000
		KP2=	29	TAN2=	-.0666 .9978 .0000

ARC BETWEEN KEYPOINTS	31	AND	30	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	32	KP1=	31	TAN1=	-.0666 -.9978 .0000
		KP2=	30	TAN2=	.0000 1.0000 .0000

ARC BETWEEN KEYPOINTS	32	AND	31	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	33	KP1=	32	TAN1=	-.0823 -.9966 .0000
		KP2=	31	TAN2=	.0666 .9978 .0000

ARC BETWEEN KEYPOINTS	33	AND	32	ORIENTATION KEYPOINT=	1
-----------------------	----	-----	----	-----------------------	---

```

RADIUS= .60795
LINE NO.= 34 KP1= 33 TAN1= -.4190 -.9080 .0000
              KP2= 32 TAN2= .0823 .9966 .0000

ARC BETWEEN KEYPOINTS 34 AND 33 ORIENTATION KEYPOINT= 1
RADIUS= .60795
LINE NO.= 35 KP1= 34 TAN1= -.4745 -.8802 .0000
              KP2= 33 TAN2= .4190 .9080 .0000

ARC BETWEEN KEYPOINTS 35 AND 34 ORIENTATION KEYPOINT= 1
RADIUS= .60795
LINE NO.= 36 KP1= 35 TAN1= -.8802 -.4745 .0000
              KP2= 34 TAN2= .4745 .8802 .0000

ARC BETWEEN KEYPOINTS 36 AND 35 ORIENTATION KEYPOINT= 1
RADIUS= .60795
LINE NO.= 37 KP1= 36 TAN1= -.9080 -.4190 .0000
              KP2= 35 TAN2= .8802 .4745 .0000

ARC BETWEEN KEYPOINTS 37 AND 36 ORIENTATION KEYPOINT= 1
RADIUS= .60795
LINE NO.= 38 KP1= 37 TAN1= -.9966 -.0823 .0000
              KP2= 36 TAN2= .9080 .4190 .0000

ARC BETWEEN KEYPOINTS 38 AND 37 ORIENTATION KEYPOINT= 1
RADIUS= .60795
LINE NO.= 39 KP1= 38 TAN1= -.9978 -.0666 .0000
              KP2= 37 TAN2= .9966 .0823 .0000

ARC BETWEEN KEYPOINTS 39 AND 38 ORIENTATION KEYPOINT= 1
RADIUS= .60795
LINE NO.= 40 KP1= 39 TAN1= -1.0000 .0000 .0000
              KP2= 38 TAN2= .9978 .0666 .0000

LINE CONNECTS KEYPOINTS 18 39
LINE NO.= 41 KP1= 18 TAN1= .0000 -1.0000 .0000
              KP2= 39 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 19 30
LINE NO.= 42 KP1= 19 TAN1= 1.0000 .0000 .0000
              KP2= 30 TAN2= -1.0000 .0000 .0000

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    32 TO      42 STEP      1

      11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE    17 TO      17 STEP      1

      12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES
LINE LIST = ALL SELECTED LINES
(TRAVERSED IN SAME DIRECTION AS LINE 17)

AREA NUMBER = 7

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    22 TO      31 STEP      1

      10 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE    18 TO      18 STEP      1

      11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE    42 TO      42 STEP      1

```

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES

LINE LIST = ALL SELECTED LINES
(TRAVERSED IN SAME DIRECTION AS LINE 18)

AREA NUMBER = 8

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 42 STEP 1

42 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

Define tube guides

(K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)
(57,58,59)

(L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)
(60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)

(77,78,79,80)

(A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)
(26)

top

KEYPOINT	40	X,Y,Z=	.500213E-01	.552014	.000000E+00	IN CSYS= 0
KEYPOINT	41	X,Y,Z=	.404963E-01	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	42	X,Y,Z=	.254720	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	43	X,Y,Z=	.278959	.535144	.000000E+00	IN CSYS= 0
KEYPOINT	44	X,Y,Z=	.288484	.288484	.000000E+00	IN CSYS= 0
KEYPOINT	45	X,Y,Z=	.278959	.278959	.000000E+00	IN CSYS= 0
KEYPOINT	46	X,Y,Z=	.535144	.278959	.000000E+00	IN CSYS= 0
		side				
KEYPOINT	47	X,Y,Z=	.542489	.254720	.000000E+00	IN CSYS= 0
KEYPOINT	48	X,Y,Z=	.552014	.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	49	X,Y,Z=	.542489	.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	50	X,Y,Z=	.542489	-.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	51	X,Y,Z=	.552014	-.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	52	X,Y,Z=	.542489	-.254720	.000000E+00	IN CSYS= 0
		bottom				
KEYPOINT	53	X,Y,Z=	.535144	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	54	X,Y,Z=	.278959	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	55	X,Y,Z=	.288484	-.288484	.000000E+00	IN CSYS= 0
KEYPOINT	56	X,Y,Z=	.278959	-.535144	.000000E+00	IN CSYS= 0
KEYPOINT	57	X,Y,Z=	.254720	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	58	X,Y,Z=	.404963E-01	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	59	X,Y,Z=	.500213E-01	-.552014	.000000E+00	IN CSYS= 0
		top				

LINE CONNECTS KEYPOINTS 41 22
LINE NO.= 43 KP1= 41 TAN1= .0000 -1.0000 .0000

	KP2=	22	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		40	41			
LINE NO.= 44	KP1=	40	TAN1=	.7071	.7071	.0000
	KP2=	41	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		40	24			
LINE NO.= 45	KP1=	40	TAN1=	-1.0000	.0000	.0000
	KP2=	24	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		42	41			
LINE NO.= 46	KP1=	42	TAN1=	1.0000	.0000	.0000
	KP2=	41	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		24	42			
LINE NO.= 47	KP1=	24	TAN1=	.0000	1.0000	.0000
	KP2=	42	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		43	25			
LINE NO.= 48	KP1=	43	TAN1=	-1.0000	.0000	.0000
	KP2=	25	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		45	43			
LINE NO.= 49	KP1=	45	TAN1=	.0000	-1.0000	.0000
	KP2=	43	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		25	44			
LINE NO.= 50	KP1=	25	TAN1=	.0000	1.0000	.0000
	KP2=	44	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		44	45			
LINE NO.= 51	KP1=	44	TAN1=	.7071	.7071	.0000
	KP2=	45	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		44	26			
LINE NO.= 52	KP1=	44	TAN1=	-1.0000	.0000	.0000
	KP2=	26	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		46	45			
LINE NO.= 53	KP1=	46	TAN1=	1.0000	.0000	.0000
	KP2=	45	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		26	46			
LINE NO.= 54	KP1=	26	TAN1=	.0000	1.0000	.0000
	KP2=	46	TAN2=	.0000	-1.0000	.0000
side						
LINE CONNECTS KEYPOINTS		47	27			
LINE NO.= 55	KP1=	47	TAN1=	-1.0000	.0000	.0000
	KP2=	27	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		49	47			
LINE NO.= 56	KP1=	49	TAN1=	.0000	-1.0000	.0000
	KP2=	47	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		27	48			
LINE NO.= 57	KP1=	27	TAN1=	.0000	1.0000	.0000
	KP2=	48	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		48	49			
LINE NO.= 58	KP1=	48	TAN1=	.7071	.7071	.0000
	KP2=	49	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		48	28			
LINE NO.= 59	KP1=	48	TAN1=	-1.0000	.0000	.0000
	KP2=	28	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		29	49			
LINE NO.= 60	KP1=	29	TAN1=	1.0000	.0000	.0000
	KP2=	49	TAN2=	-1.0000	.0000	.0000

LINE CONNECTS KEYPOINTS	50	31			
LINE NO.= 61 KP1=	50	TAN1=	-1.0000	.0000	.0000
KP2=	31	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	32	51			
LINE NO.= 62 KP1=	32	TAN1=	1.0000	.0000	.0000
KP2=	51	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	50	51			
LINE NO.= 63 KP1=	50	TAN1=	-.7071	.7071	.0000
KP2=	51	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	52	50			
LINE NO.= 64 KP1=	52	TAN1=	.0000	-1.0000	.0000
KP2=	50	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	51	33			
LINE NO.= 65 KP1=	51	TAN1=	.0000	1.0000	.0000
KP2=	33	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	33	52			
LINE NO.= 66 KP1=	33	TAN1=	1.0000	.0000	.0000
KP2=	52	TAN2=	-1.0000	.0000	.0000
bottom					
LINE CONNECTS KEYPOINTS	53	34			
LINE NO.= 67 KP1=	53	TAN1=	.0000	1.0000	.0000
KP2=	34	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	54	53			
LINE NO.= 68 KP1=	54	TAN1=	-1.0000	.0000	.0000
KP2=	53	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	34	55			
LINE NO.= 69 KP1=	34	TAN1=	1.0000	.0000	.0000
KP2=	55	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	54	55			
LINE NO.= 70 KP1=	54	TAN1=	-.7071	.7071	.0000
KP2=	55	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	56	54			
LINE NO.= 71 KP1=	56	TAN1=	.0000	-1.0000	.0000
KP2=	54	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	55	35			
LINE NO.= 72 KP1=	55	TAN1=	.0000	1.0000	.0000
KP2=	35	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	35	56			
LINE NO.= 73 KP1=	35	TAN1=	1.0000	.0000	.0000
KP2=	56	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	57	36			
LINE NO.= 74 KP1=	57	TAN1=	.0000	1.0000	.0000
KP2=	36	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	58	57			
LINE NO.= 75 KP1=	58	TAN1=	-1.0000	.0000	.0000
KP2=	57	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	36	59			
LINE NO.= 76 KP1=	36	TAN1=	1.0000	.0000	.0000
KP2=	59	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	58	59			
LINE NO.= 77 KP1=	58	TAN1=	-.7071	.7071	.0000
KP2=	59	TAN2=	.7071	-.7071	.0000

LINE CONNECTS KEYPOINTS 38 58
 LINE NO.= 78 KP1= 38 TAN1= .0000 -1.0000 .0000
 KP2= 58 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 59 37
 LINE NO.= 79 KP1= 59 TAN1= .0000 1.0000 .0000
 KP2= 37 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 23 40
 LINE NO.= 80 KP1= 23 TAN1= .0000 1.0000 .0000
 KP2= 40 TAN2= .0000 -1.0000 .0000

air

DEFINE AREA BY LIST OF LINES
 LINE LIST = 80 45 25
 (TRAVERSED IN SAME DIRECTION AS LINE 80)

AREA NUMBER = 9

DEFINE AREA BY LIST OF LINES
 LINE LIST = 50 52 27
 (TRAVERSED IN SAME DIRECTION AS LINE 50)

AREA NUMBER = 10

DEFINE AREA BY LIST OF LINES
 LINE LIST = 57 59 29
 (TRAVERSED IN SAME DIRECTION AS LINE 57)

AREA NUMBER = 11

DEFINE AREA BY LIST OF LINES
 LINE LIST = 62 65 34
 (TRAVERSED IN SAME DIRECTION AS LINE 62)

AREA NUMBER = 12

DEFINE AREA BY LIST OF LINES
 LINE LIST = 69 72 36
 (TRAVERSED IN SAME DIRECTION AS LINE 69)

AREA NUMBER = 13

DEFINE AREA BY LIST OF LINES
 LINE LIST = 76 79 38
 (TRAVERSED IN SAME DIRECTION AS LINE 76)

AREA NUMBER = 14
 guides

DEFINE AREA BY LIST OF LINES
 LINE LIST = 24 43 44 80
 (TRAVERSED IN SAME DIRECTION AS LINE 24)

AREA NUMBER = 15

DEFINE AREA BY LIST OF LINES
 LINE LIST = 45 44 46 47
 (TRAVERSED IN SAME DIRECTION AS LINE 45)

AREA NUMBER = 16

DEFINE AREA BY LIST OF LINES
 LINE LIST = 48 49 51 50
 (TRAVERSED IN SAME DIRECTION AS LINE 48)

AREA NUMBER = 17

DEFINE AREA BY LIST OF LINES
 LINE LIST = 52 51 53 54

```

        (TRAVERSED IN SAME DIRECTION AS LINE      52)

AREA NUMBER =      18

DEFINE AREA BY LIST OF LINES
  LINE LIST =      55  56  58  57
  (TRAVERSED IN SAME DIRECTION AS LINE      55)

AREA NUMBER =      19

DEFINE AREA BY LIST OF LINES
  LINE LIST =      59  58  60  30
  (TRAVERSED IN SAME DIRECTION AS LINE      59)

AREA NUMBER =      20

DEFINE AREA BY LIST OF LINES
  LINE LIST =      61  63  62  33
  (TRAVERSED IN SAME DIRECTION AS LINE      61)

AREA NUMBER =      21

DEFINE AREA BY LIST OF LINES
  LINE LIST =      63  64  66  65
  (TRAVERSED IN SAME DIRECTION AS LINE      63)

AREA NUMBER =      22

DEFINE AREA BY LIST OF LINES
  LINE LIST =      68  70  69  67
  (TRAVERSED IN SAME DIRECTION AS LINE      68)

AREA NUMBER =      23

DEFINE AREA BY LIST OF LINES
  LINE LIST =      70  71  73  72
  (TRAVERSED IN SAME DIRECTION AS LINE      70)

AREA NUMBER =      24

DEFINE AREA BY LIST OF LINES
  LINE LIST =      75  77  76  74
  (TRAVERSED IN SAME DIRECTION AS LINE      75)

AREA NUMBER =      25

DEFINE AREA BY LIST OF LINES
  LINE LIST =      77  78  39  79
  (TRAVERSED IN SAME DIRECTION AS LINE      77)

AREA NUMBER =      26
*****
      Define top half tubes and flux trap plate
      (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
      (  77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
      (  94,95,96,97,98,99,100,101,102,103,104,105,106,107)
      ( 108,109,110,111,112,113,114,115,116,117,118,119)
      ( 120,121,122,123,124,125,126,127,128,129,130,131)
      ( 132,133,134,135,136,137,138,139,140,141,142,143)
      ( 144,145,146,147,148,149,150,151,152,153,154,155)
      ( 156,157,158,159,160,161,162,163,164,165,166,167)
      (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
      (  98,99,100,101,102,103,104,105,106,107,108,109,110)
      ( 111,112,113,114,115,116,117,118,119,120,121,122)
      ( 123,124,125,126,127,128,129,130,131,132,133,134)
      ( 135,136,137,138,139,140,141,142,143,144,145,146)
      ( 147,...)
      (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
      (  44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
      (  61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)

```


(78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
 (95,96,97,98,99,100,101,102,103)

KEYPOINT	60	X,Y,Z=	.000000E+00	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	61	X,Y,Z=	.000000E+00	.381000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	62	X,Y,Z=	.000000E+00	.138125	.000000E+00	IN CSYS= 0
KEYPOINT	63	X,Y,Z=	.000000E+00	.163525	.000000E+00	IN CSYS= 0
KEYPOINT	64	X,Y,Z=	.000000E+00	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	65	X,Y,Z=	.000000E+00	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	66	X,Y,Z=	.000000E+00	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	67	X,Y,Z=	.000000E+00	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	68	X,Y,Z=	.000000E+00	.406756	.000000E+00	IN CSYS= 0
KEYPOINT	69	X,Y,Z=	.000000E+00	.432156	.000000E+00	IN CSYS= 0
KEYPOINT	70	X,Y,Z=	.000000E+00	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	71	X,Y,Z=	.000000E+00	.561543	.000000E+00	IN CSYS= 0
KEYPOINT	72	X,Y,Z=	.000000E+00	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	73	X,Y,Z=	.127000E-01	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	74	X,Y,Z=	.127000E-01	.381000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	75	X,Y,Z=	.127000E-01	.138125	.000000E+00	IN CSYS= 0
KEYPOINT	76	X,Y,Z=	.127000E-01	.163525	.000000E+00	IN CSYS= 0
KEYPOINT	77	X,Y,Z=	.127000E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	78	X,Y,Z=	.127000E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	79	X,Y,Z=	.127000E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	80	X,Y,Z=	.127000E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	81	X,Y,Z=	.127000E-01	.406756	.000000E+00	IN CSYS= 0
KEYPOINT	82	X,Y,Z=	.127000E-01	.432156	.000000E+00	IN CSYS= 0
KEYPOINT	83	X,Y,Z=	.127000E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	84	X,Y,Z=	.127000E-01	.561543	.000000E+00	IN CSYS= 0
KEYPOINT	85	X,Y,Z=	.127000E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	86	X,Y,Z=	.254000E-01	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	87	X,Y,Z=	.254000E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	88	X,Y,Z=	.254000E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	89	X,Y,Z=	.254000E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	90	X,Y,Z=	.254000E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	91	X,Y,Z=	.254000E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	92	X,Y,Z=	.254000E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	93	X,Y,Z=	.381000E-01	.127000E-01	.000000E+00	IN CSYS= 0

KEYPOINT	94	X,Y,Z=	.317500E-01	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	95	X,Y,Z=	.317500E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	96	X,Y,Z=	.317500E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	97	X,Y,Z=	.317500E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	98	X,Y,Z=	.317500E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	99	X,Y,Z=	.317500E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	100	X,Y,Z=	.317500E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	101	X,Y,Z=	.341376E-01	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	102	X,Y,Z=	.341376E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	103	X,Y,Z=	.341376E-01	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	104	X,Y,Z=	.341376E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	105	X,Y,Z=	.341376E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	106	X,Y,Z=	.341376E-01	.300050	.000000E+00	IN CSYS= 0
KEYPOINT	107	X,Y,Z=	.341376E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	108	X,Y,Z=	.341376E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	109	X,Y,Z=	.341376E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	110	X,Y,Z=	.365252E-01	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	111	X,Y,Z=	.365252E-01	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	112	X,Y,Z=	.365252E-01	.305156	.000000E+00	IN CSYS= 0
KEYPOINT	113	X,Y,Z=	.365252E-01	.533756	.000000E+00	IN CSYS= 0
KEYPOINT	114	X,Y,Z=	.138125	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	115	X,Y,Z=	.163525	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	116	X,Y,Z=	.265125	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	117	X,Y,Z=	.265125	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	118	X,Y,Z=	.265125	.305156	.000000E+00	IN CSYS= 0
KEYPOINT	119	X,Y,Z=	.265125	.533756	.000000E+00	IN CSYS= 0
KEYPOINT	120	X,Y,Z=	.267513	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	121	X,Y,Z=	.267513	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	122	X,Y,Z=	.267513	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	123	X,Y,Z=	.267513	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	124	X,Y,Z=	.267513	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	125	X,Y,Z=	.267513	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	126	X,Y,Z=	.267513	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	127	X,Y,Z=	.270231	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	128	X,Y,Z=	.270231	.270231	.000000E+00	IN CSYS= 0

KEYPOINT	129	X,Y,Z=	.270231	.300050	.000000E+00	IN CSYS= 0
KEYPOINT	130	X,Y,Z=	.270231	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	131	X,Y,Z=	.272618	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	132	X,Y,Z=	.272618	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	133	X,Y,Z=	.272618	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	134	X,Y,Z=	.272618	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	135	X,Y,Z=	.272618	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	136	X,Y,Z=	.272618	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	137	X,Y,Z=	.272618	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	138	X,Y,Z=	.297663	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	139	X,Y,Z=	.297663	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	140	X,Y,Z=	.297663	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	141	X,Y,Z=	.297663	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	142	X,Y,Z=	.297663	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	143	X,Y,Z=	.300050	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	144	X,Y,Z=	.300050	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	145	X,Y,Z=	.302768	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	146	X,Y,Z=	.302768	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	147	X,Y,Z=	.302768	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	148	X,Y,Z=	.302768	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	149	X,Y,Z=	.302768	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	150	X,Y,Z=	.305156	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	151	X,Y,Z=	.305156	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	152	X,Y,Z=	.406756	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	153	X,Y,Z=	.432156	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	154	X,Y,Z=	.533756	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	155	X,Y,Z=	.533756	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	156	X,Y,Z=	.536143	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	157	X,Y,Z=	.536143	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	158	X,Y,Z=	.536143	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	159	X,Y,Z=	.536143	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	160	X,Y,Z=	.536143	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	161	X,Y,Z=	.536143	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	162	X,Y,Z=	.536143	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	163	X,Y,Z=	.561543	.127000E-01	.000000E+00	IN CSYS= 0

KEYPOINT 164 X,Y,Z= .601066 .127000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 165 X,Y,Z= .601066 .254000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 166 X,Y,Z= .601066 .317500E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 167 X,Y,Z= .601066 .341376E-01 .000000E+00 IN CSYS= 0
 create lines on perimeter and for lesize

LINE CONNECTS KEYPOINTS 73 60
 LINE NO.= 81 KP1= 73 TAN1= 1.0000 .0000 .0000
 KP2= 60 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 73 74
 LINE NO.= 82 KP1= 73 TAN1= .0000 -1.0000 .0000
 KP2= 74 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 61 74
 LINE NO.= 83 KP1= 61 TAN1= -1.0000 .0000 .0000
 KP2= 74 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 74 75
 LINE NO.= 84 KP1= 74 TAN1= .0000 -1.0000 .0000
 KP2= 75 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 75 62
 LINE NO.= 85 KP1= 75 TAN1= 1.0000 .0000 .0000
 KP2= 62 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 75 76
 LINE NO.= 86 KP1= 75 TAN1= .0000 -1.0000 .0000
 KP2= 76 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 63 76
 LINE NO.= 87 KP1= 63 TAN1= -1.0000 .0000 .0000
 KP2= 76 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 76 77
 LINE NO.= 88 KP1= 76 TAN1= .0000 -1.0000 .0000
 KP2= 77 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 77 78
 LINE NO.= 89 KP1= 77 TAN1= .0000 -1.0000 .0000
 KP2= 78 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 78 65
 LINE NO.= 90 KP1= 78 TAN1= 1.0000 .0000 .0000
 KP2= 65 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 78 79
 LINE NO.= 91 KP1= 78 TAN1= .0000 -1.0000 .0000
 KP2= 79 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 66 79
 LINE NO.= 92 KP1= 66 TAN1= -1.0000 .0000 .0000
 KP2= 79 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 79 80
 LINE NO.= 93 KP1= 79 TAN1= .0000 -1.0000 .0000
 KP2= 80 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 80 81
 LINE NO.= 94 KP1= 80 TAN1= .0000 -1.0000 .0000
 KP2= 81 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 81 68
 LINE NO.= 95 KP1= 81 TAN1= 1.0000 .0000 .0000
 KP2= 68 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS		81	82			
LINE NO.=	96	KP1=	81	TAN1=	.0000	-1.0000 .0000
		KP2=	82	TAN2=	.0000	1.0000 .0000
LINE CONNECTS KEYPOINTS		69	82			
LINE NO.=	97	KP1=	69	TAN1=	-1.0000	.0000 .0000
		KP2=	82	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		82	83			
LINE NO.=	98	KP1=	82	TAN1=	.0000	-1.0000 .0000
		KP2=	83	TAN2=	.0000	1.0000 .0000
LINE CONNECTS KEYPOINTS		83	70			
LINE NO.=	99	KP1=	83	TAN1=	1.0000	.0000 .0000
		KP2=	70	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		83	84			
LINE NO.=	100	KP1=	83	TAN1=	.0000	-1.0000 .0000
		KP2=	84	TAN2=	.0000	1.0000 .0000
LINE CONNECTS KEYPOINTS		71	84			
LINE NO.=	101	KP1=	71	TAN1=	-1.0000	.0000 .0000
		KP2=	84	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		84	85			
LINE NO.=	102	KP1=	84	TAN1=	.0000	-1.0000 .0000
		KP2=	85	TAN2=	.0000	1.0000 .0000
LINE CONNECTS KEYPOINTS		85	92			
LINE NO.=	103	KP1=	85	TAN1=	-1.0000	.0000 .0000
		KP2=	92	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		92	100			
LINE NO.=	104	KP1=	92	TAN1=	-1.0000	.0000 .0000
		KP2=	100	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		100	109			
LINE NO.=	105	KP1=	100	TAN1=	-1.0000	.0000 .0000
		KP2=	109	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		109	108			
LINE NO.=	106	KP1=	109	TAN1=	.0000	1.0000 .0000
		KP2=	108	TAN2=	.0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS		108	126			
LINE NO.=	107	KP1=	108	TAN1=	-1.0000	.0000 .0000
		KP2=	126	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		126	130			
LINE NO.=	108	KP1=	126	TAN1=	-1.0000	.0000 .0000
		KP2=	130	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		130	137			
LINE NO.=	109	KP1=	130	TAN1=	-1.0000	.0000 .0000
		KP2=	137	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		137	136			
LINE NO.=	110	KP1=	137	TAN1=	.0000	1.0000 .0000
		KP2=	136	TAN2=	.0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS		136	105			
LINE NO.=	111	KP1=	136	TAN1=	1.0000	.0000 .0000
		KP2=	105	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		112	107			
LINE NO.=	112	KP1=	112	TAN1=	.7071	.7071 .0000
		KP2=	107	TAN2=	-.7071	-.7071 .0000
LINE CONNECTS KEYPOINTS		107	106			
LINE NO.=	113	KP1=	107	TAN1=	.0000	1.0000 .0000

	KP2=	106	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		106	105			
LINE NO.= 114	KP1=	106	TAN1=	.0000	1.0000	.0000
	KP2=	105	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		105	104			
LINE NO.= 115	KP1=	105	TAN1=	.0000	1.0000	.0000
	KP2=	104	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		104	103			
LINE NO.= 116	KP1=	104	TAN1=	.0000	1.0000	.0000
	KP2=	103	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		103	102			
LINE NO.= 117	KP1=	103	TAN1=	.0000	1.0000	.0000
	KP2=	102	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		102	111			
LINE NO.= 118	KP1=	102	TAN1=	-.7071	.7071	.0000
	KP2=	111	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		104	135			
LINE NO.= 119	KP1=	104	TAN1=	-1.0000	.0000	.0000
	KP2=	135	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		135	134			
LINE NO.= 120	KP1=	135	TAN1=	.0000	1.0000	.0000
	KP2=	134	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		123	127			
LINE NO.= 121	KP1=	123	TAN1=	-1.0000	.0000	.0000
	KP2=	127	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		127	134			
LINE NO.= 122	KP1=	127	TAN1=	-1.0000	.0000	.0000
	KP2=	134	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		134	141			
LINE NO.= 123	KP1=	134	TAN1=	-1.0000	.0000	.0000
	KP2=	141	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		141	143			
LINE NO.= 124	KP1=	141	TAN1=	-1.0000	.0000	.0000
	KP2=	143	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		143	148			
LINE NO.= 125	KP1=	143	TAN1=	-1.0000	.0000	.0000
	KP2=	148	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		148	150			
LINE NO.= 126	KP1=	148	TAN1=	-.7071	-.7071	.0000
	KP2=	150	TAN2=	.7071	.7071	.0000
LINE CONNECTS KEYPOINTS		141	142			
LINE NO.= 127	KP1=	141	TAN1=	.0000	-1.0000	.0000
	KP2=	142	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		142	162			
LINE NO.= 128	KP1=	142	TAN1=	-1.0000	.0000	.0000
	KP2=	162	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		162	161			
LINE NO.= 129	KP1=	162	TAN1=	.0000	1.0000	.0000
	KP2=	161	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		161	160			
LINE NO.= 130	KP1=	161	TAN1=	.0000	1.0000	.0000
	KP2=	160	TAN2=	.0000	-1.0000	.0000

LINE CONNECTS KEYPOINTS		160	159			
LINE NO.=	131	KP1=	160	TAN1=	.0000	1.0000 .0000
		KP2=	159	TAN2=	.0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS		159	167			
LINE NO.=	132	KP1=	159	TAN1=	-1.0000	.0000 .0000
		KP2=	167	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		167	166			
LINE NO.=	133	KP1=	167	TAN1=	.0000	1.0000 .0000
		KP2=	166	TAN2=	.0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS		166	165			
LINE NO.=	134	KP1=	166	TAN1=	.0000	1.0000 .0000
		KP2=	165	TAN2=	.0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS		165	164			
LINE NO.=	135	KP1=	165	TAN1=	.0000	1.0000 .0000
		KP2=	164	TAN2=	.0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS		164	163			
LINE NO.=	136	KP1=	164	TAN1=	1.0000	.0000 .0000
		KP2=	163	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		163	156			
LINE NO.=	137	KP1=	163	TAN1=	1.0000	.0000 .0000
		KP2=	156	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		156	153			
LINE NO.=	138	KP1=	156	TAN1=	1.0000	.0000 .0000
		KP2=	153	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		153	152			
LINE NO.=	139	KP1=	153	TAN1=	1.0000	.0000 .0000
		KP2=	152	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		152	145			
LINE NO.=	140	KP1=	152	TAN1=	1.0000	.0000 .0000
		KP2=	145	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		145	138			
LINE NO.=	141	KP1=	145	TAN1=	1.0000	.0000 .0000
		KP2=	138	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		138	131			
LINE NO.=	142	KP1=	138	TAN1=	1.0000	.0000 .0000
		KP2=	131	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		131	120			
LINE NO.=	143	KP1=	131	TAN1=	1.0000	.0000 .0000
		KP2=	120	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		120	115			
LINE NO.=	144	KP1=	120	TAN1=	1.0000	.0000 .0000
		KP2=	115	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		115	114			
LINE NO.=	145	KP1=	115	TAN1=	1.0000	.0000 .0000
		KP2=	114	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		114	93			
LINE NO.=	146	KP1=	114	TAN1=	1.0000	.0000 .0000
		KP2=	93	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		93	73			
LINE NO.=	147	KP1=	93	TAN1=	1.0000	.0000 .0000
		KP2=	73	TAN2=	-1.0000	.0000 .0000

tube spacers

DEFINE AREA BY LIST OF KEYPOINTS

```
KEYPOINT LIST = 71 84 83 70
AREA NUMBER = 27
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 69 82 81 68
AREA NUMBER = 28
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 66 79 78 65
AREA NUMBER = 29
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 63 76 75 62
AREA NUMBER = 30
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 61 74 73 60
AREA NUMBER = 31
    flux trap plate (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 85 92 91 83 84
AREA NUMBER = 32
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 83 91 90 80 81 82
AREA NUMBER = 33
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 80 90 89 79
AREA NUMBER = 34
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 79 89 88 78
AREA NUMBER = 35
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 78 88 87 77
AREA NUMBER = 36
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 77 87 86 73 74 75 76
AREA NUMBER = 37
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 86 121 120 115 114 93 73
AREA NUMBER = 38
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 121 132 131 120
AREA NUMBER = 39
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 132 139 138 131
AREA NUMBER = 40
```


DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 139 146 145 138

AREA NUMBER = 41

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 146 157 156 153 152 145

AREA NUMBER = 42

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 157 165 164 163 156

AREA NUMBER = 43
flux trap plate (Al/boron)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 92 100 99 91

AREA NUMBER = 44

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 91 99 98 90

AREA NUMBER = 45

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 90 98 97 89

AREA NUMBER = 46

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 89 97 96 88

AREA NUMBER = 47

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 88 96 95 87

AREA NUMBER = 48

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 87 95 94 86

AREA NUMBER = 49

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 94 122 121 86

AREA NUMBER = 50

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 122 133 132 121

AREA NUMBER = 51

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 133 140 139 132

AREA NUMBER = 52

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 140 147 146 139

AREA NUMBER = 53

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 147 158 157 146

AREA NUMBER = 54

```
DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 158 166 165 157

  AREA NUMBER = 55
    flux trap plate (sheath)

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 100 109 108 99

  AREA NUMBER = 56

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 99 108 107 98

  AREA NUMBER = 57

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 98 107 106 105 97

  AREA NUMBER = 58

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 97 105 104 96

  AREA NUMBER = 59

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 96 104 103 102 95

  AREA NUMBER = 60

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 95 102 101 94

  AREA NUMBER = 61

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 101 123 122 94

  AREA NUMBER = 62

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 123 127 134 133 122

  AREA NUMBER = 63

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 134 141 140 133

  AREA NUMBER = 64

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 141 143 148 147 140

  AREA NUMBER = 65

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 148 159 158 147

  AREA NUMBER = 66

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 159 167 166 158

  AREA NUMBER = 67
    tube (sheath)

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 130 137 136 129
```

AREA NUMBER = 68
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 106 129 136 105
AREA NUMBER = 69
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 104 135 128 103
AREA NUMBER = 70
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 128 135 134 127
AREA NUMBER = 71
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 144 143 141
AREA NUMBER = 72
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 162 161 144
AREA NUMBER = 73
tube (Al/boron)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 126 130 129 125
AREA NUMBER = 74
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 107 125 129 106
AREA NUMBER = 75
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 103 128 124 102
AREA NUMBER = 76
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 124 128 127 123
AREA NUMBER = 77
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 149 148 143
AREA NUMBER = 78
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 161 160 149
AREA NUMBER = 79
tube (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 113 112 107
AREA NUMBER = 80
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 126 119 113
AREA NUMBER = 81

```
DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 119 126 125 118

  AREA NUMBER = 82

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 112 118 125 107

  AREA NUMBER = 83

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 102 111 110 101

  AREA NUMBER = 84

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 102 124 117 111

  AREA NUMBER = 85

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 117 124 123 116

  AREA NUMBER = 86

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 110 116 123 101

  AREA NUMBER = 87

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 149 151 150 148

  AREA NUMBER = 88

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 149 160 155 151

  AREA NUMBER = 89

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 155 160 159 154

  AREA NUMBER = 90

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 150 154 159 148

  AREA NUMBER = 91
    homogeneous assembly

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 113 119 118 112

  AREA NUMBER = 92

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 111 117 116 110

  AREA NUMBER = 93

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 151 155 154 150

  AREA NUMBER = 94
    helium spaces

DEFINE AREA BY LIST OF KEYPOINTS
  KEYPOINT LIST = 72 85 84 71
```

```
AREA NUMBER = 95
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 70 83 82 69

AREA NUMBER = 96
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 68 81 80 67

AREA NUMBER = 97
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 67 80 79 66

AREA NUMBER = 98
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 65 78 77 64

AREA NUMBER = 99
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 64 77 76 63

AREA NUMBER = 100
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 62 75 74 61

AREA NUMBER = 101
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 105 136 135 104

AREA NUMBER = 102
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 135 142 141 134

AREA NUMBER = 103
MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03
*****
Set element shapes and sizes for tubes and flux trap
14x14 mesh in fuel with 1
division per tube layer

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

DEFAULT ELEMENT DIVISIONS PER LINE = 1

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 81 TO 87 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 90 TO 92 STEP 2

6 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 95 TO 101 STEP 2

10 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 2, SPACING RATIO = 1.000
```

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 107 TO 107 STEP 1
1 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 110 TO 111 STEP 1
3 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 119 TO 120 STEP 1
5 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 127 TO 128 STEP 1
7 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 131 TO 131 STEP 1
8 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 14, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 264 STEP 1
264 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 82 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 84 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 86 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 88 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 89 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 91 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 93 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 94 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 96 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 98 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 100 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 102 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 103 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 104 (IF SELECTED AND UNMESHED)
 TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 136 (IF SELECTED AND UNMESHED)
 TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 137 (IF SELECTED AND UNMESHED)
 TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 138 (IF SELECTED AND UNMESHED)
 TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 139 (IF SELECTED AND UNMESHED)
 TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 140 (IF SELECTED AND UNMESHED)
 TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 141 (IF SELECTED AND UNMESHED)
 TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 142 (IF SELECTED AND UNMESHED)
 TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 143 (IF SELECTED AND UNMESHED)
 TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 144 (IF SELECTED AND UNMESHED)
 TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 145 (IF SELECTED AND UNMESHED)
 TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 146 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 147 (IF SELECTED AND UNMESHED)
 TO NDIV = 2, SPACING RATIO = 1.000
 concatenate lines for mapped meshing
 (L's 265,266,267,268,269,270,271,272,273,274)

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 82 TO 88 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
 LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 265 KP1= 73 KP2= 77

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 94 TO 98 STEP 2

3 LINES (OF 265 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
 LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 266 KP1= 80 KP2= 83

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 100 TO 102 STEP 2

2 LINES (OF 266 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 267 KP1= 83 KP2= 85

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 113 TO 114 STEP 1

2 LINES (OF 267 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 268 KP1= 107 KP2= 105

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 116 TO 117 STEP 1

2 LINES (OF 268 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 269 KP1= 104 KP2= 102

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 121 TO 122 STEP 1

2 LINES (OF 269 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 270 KP1= 123 KP2= 134

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 124 TO 125 STEP 1

2 LINES (OF 270 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 271 KP1= 141 KP2= 148

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 136 TO 137 STEP 1

2 LINES (OF 271 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 272 KP1= 164 KP2= 156

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 138 TO 140 STEP 1

3 LINES (OF 272 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 273 KP1= 156 KP2= 145

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 144 TO 147 STEP 1

4 LINES (OF 273 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 274 KP1= 120 KP2= 73

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 274 STEP 1

274 LINES (OF 274 DEFINED) SELECTED BY LSEL COMMAND.

Mesh areas
first flux trap plate, then tubes

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 27 TO 43 IN STEPS OF 1

*** WARNING *** CP= 6.690 TIME= 20:09:59
Meshing of area 32 produced 6 poorly shaped elements.

*** NOTE *** CP= 6.690 TIME= 20:09:59
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
38 39 44 45 50 51

*** WARNING *** CP= 6.760 TIME= 20:09:59
Meshing of area 33 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.760 TIME= 20:09:59
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
58 59 60 63 64 65 72 73 74 77
78 79 86 87 88 91 92 93

*** WARNING *** CP= 6.890 TIME= 20:09:59
Meshing of area 37 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.890 TIME= 20:09:59
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
125 129 130 132 133 134 139 143 144 146
147 148 153 157 158 160 161 162

*** WARNING *** CP= 6.960 TIME= 20:09:59
Meshing of area 38 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.960 TIME= 20:09:59
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
163 164 165 166 167 168 169 170 171 175
176 177 178 179 180 190 191 192

*** WARNING *** CP= 7.090 TIME= 20:10:00
Meshing of area 42 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.090 TIME= 20:10:00
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
238 239 240 241 242 243 244 245 246 253
254 255 256 257 258 259 260 261

*** WARNING *** CP= 7.130 TIME= 20:10:00
Meshing of area 43 produced 6 poorly shaped elements.

*** NOTE *** CP= 7.130 TIME= 20:10:00
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
280 281 282 283 284 285

NUMBER OF AREAS MESHED = 17
MAXIMUM NODE NUMBER = 386
MAXIMUM ELEMENT NUMBER = 288

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 44 TO 55 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 556
MAXIMUM ELEMENT NUMBER = 456

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 56 TO 73 IN STEPS OF 1

NUMBER OF AREAS MESHED = 18
MAXIMUM NODE NUMBER = 807
MAXIMUM ELEMENT NUMBER = 624

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 74 TO 79 IN STEPS OF 1

NUMBER OF AREAS MESHED = 6
MAXIMUM NODE NUMBER = 890
MAXIMUM ELEMENT NUMBER = 708

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 80 TO 91 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 1084
MAXIMUM ELEMENT NUMBER = 876

MATERIAL NUMBER SET TO 14

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 92 TO 94 IN STEPS OF 1

NUMBER OF AREAS MESHED = 3
MAXIMUM NODE NUMBER = 1591
MAXIMUM ELEMENT NUMBER = 1464

Delete concatenated lines
(L's freed up 265,266,267,268,269,270,271,272,273,274)

DELETE SELECTED LINES FROM 265 TO 274 BY 1

DELETED 10 LINES

Copy tube mesh and connect top and bottom

SYMMETRY TRANSFORMATION OF AREAS USING COMPONENT Y
SET IS FROM 27 TO 103 IN STEPS OF 1

MAXIMUM NODE NUMBER = 3182
MAXIMUM ELEMENT NUMBER = 2928
flux trap plate spacers
(L's 449,450,451,452,453,454,455,456,457,458)
(A's 181,182,183,184,185)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 186 73 93 202

AREA NUMBER = 181

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 201 114 115 200

AREA NUMBER = 182

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 204 131 138 206

AREA NUMBER = 183

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 212 152 153 211

AREA NUMBER = 184

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 210 156 163 215

AREA NUMBER = 185
flux trap plate helium gaps
(A's 186,187,188,189,190,191,192,193)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 187 60 73 186

AREA NUMBER = 186

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 202 93 114 201

AREA NUMBER = 187

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 200 115 120 199

AREA NUMBER = 188

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 199 120 131 204

AREA NUMBER = 189

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 206 138 145 208

AREA NUMBER = 190

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 208 145 152 212

AREA NUMBER = 191

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 211 153 156 210

AREA NUMBER = 192

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 215 163 164 214

AREA NUMBER = 193

tube/guide helium gaps (flats)
(A's 194,195,196,197,198,199,200,201,202,203,204,205)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 109 22 41 108

AREA NUMBER = 194

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 108 41 42 126

AREA NUMBER = 195

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 137 43 45 136

AREA NUMBER = 196

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 142 45 46 162

AREA NUMBER = 197

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 160 47 49 159

AREA NUMBER = 198

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 49 29 167 159

AREA NUMBER = 199

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 244 245 31 50

AREA NUMBER = 200

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 244 50 52 260

AREA NUMBER = 201

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 254 53 54 252

AREA NUMBER = 202

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 248 54 56 247

AREA NUMBER = 203

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 57 58 230

```
AREA NUMBER = 204
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 230 58 38 229

AREA NUMBER = 205
tube/guide helium gaps (corners)
(A's 206,207,208,209,210,211,212,213,214,215,216,217)
( 218)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 21 85 72

AREA NUMBER = 206

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 21 22 109 100 92 85

AREA NUMBER = 207

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 24 25 43 137 130 126 42

AREA NUMBER = 208

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 136 45 142 135

AREA NUMBER = 209

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 26 27 47 160 161 162 46

AREA NUMBER = 210

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 167 29 30 164 165 166

AREA NUMBER = 211

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 164 30 214

AREA NUMBER = 212

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 214 30 31 245 228 213

AREA NUMBER = 213

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 52 33 34 53 254 255 260

AREA NUMBER = 214

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 250 252 54 248

AREA NUMBER = 215

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 256 246 247 56 35 36 57

AREA NUMBER = 216

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 188 189 216 229 38 39

AREA NUMBER = 217
```

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 273 188 39

AREA NUMBER = 218
mesh flux trap plate spacers

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 449 TO 458 STEP 1

10 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 4, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 488 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 181 TO 185 IN STEPS OF 1

NUMBER OF AREAS MESHED = 5
MAXIMUM NODE NUMBER = 3251
MAXIMUM ELEMENT NUMBER = 3000

MERGE COINCIDENT NODES WITHIN TOLERANCE OF .10000E-03

*** NOTE *** CP= 15.540 TIME= 20:10:09
Zero nodes were merged.

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Create mesh in MPC shell and disposal container
Tube guides

DEFAULT ELEMENT DIVISIONS PER LINE = 2

SET DIVISIONS ON LINE 43 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 46 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 49 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 53 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 56 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 60 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 61 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 64 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 68 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 71 (IF SELECTED AND UNMESHED)

TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 75 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 78 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 15 TO 26 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 3677
MAXIMUM ELEMENT NUMBER = 3272
MPC shell
(L's 489.490)

SET DIVISIONS ON LINE 23 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 25 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 26 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 27 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 28 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 29 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 31 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 32 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 34 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 35 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 36 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 37 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 38 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 40 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 23 TO 31 STEP 1

9 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 489 KP1= 21 KP2= 30

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 32 TO 40 STEP 1

9 LINES (OF 489 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 490 KP1= 30 KP2= 39

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

490 LINES (OF 490 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 17 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 18 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 22 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 41 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 7 TO 8 IN STEPS OF 1

*** WARNING *** CP= 17.190 TIME= 20:10:11
Meshing of area 7 produced 112 poorly shaped elements.

*** NOTE *** CP= 17.190 TIME= 20:10:11
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3292	3293	3294	3295	3296	3297	3298	3299	3300	3301
3302	3303	3304	3305	3306	3307	3308	3309	3310	3311
3312	3313	3314	3315	3316	3317	3318	3319	3320	3321
3322	3323	3324	3325	3326	3327	3328	3329	3330	3331
3332	3333	3334	3335	3336	3337	3338	3339	3340	3341
3342	3343	3344	3345	3346	3347	3366	3367	3368	3369
3370	3371	3372	3373	3374	3375	3376	3377	3378	3379
3380	3381	3382	3383	3384	3385	3386	3387	3388	3389
3390	3391	3392	3393	3394	3395	3396	3397	3398	3399
3400	3401	3402	3403	3404	3405	3406	3407	3408	3409

*** LIST TERMINATED AFTER 100 ***

*** WARNING *** CP= 17.770 TIME= 20:10:12
Meshing of area 8 produced 112 poorly shaped elements.

*** NOTE *** CP= 17.770 TIME= 20:10:12
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3460	3461	3462	3463	3464	3465	3466	3467	3468	3469
3470	3471	3472	3473	3474	3475	3476	3477	3478	3479
3480	3481	3482	3483	3484	3485	3486	3487	3488	3489
3490	3491	3492	3493	3494	3495	3496	3497	3498	3499
3500	3501	3502	3503	3504	3505	3506	3507	3508	3509
3510	3511	3512	3513	3514	3515	3534	3535	3536	3537


```

3538 3539 3540 3541 3542 3543 3544 3545 3546 3547
3548 3549 3550 3551 3552 3553 3554 3555 3556 3557
3558 3559 3560 3561 3562 3563 3564 3565 3566 3567
3568 3569 3570 3571 3572 3573 3574 3575 3576 3577
*** LIST TERMINATED AFTER 100 ***

```

```

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER        =    4109
MAXIMUM ELEMENT NUMBER     =    3608
      Assume vacuum between shell and inner barrier

```

```

SET DIVISIONS ON LINE      13 (IF SELECTED AND UNMESHED)
  TO NDIV = 56, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      14 (IF SELECTED AND UNMESHED)
  TO NDIV = 56, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      19 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      20 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000
  No MAT,7,
  No TYPE,1,
  No AMESH,5,6,1,
  Delete concatenated lines
  (L's freed up 489,490)

```

```

DELETE SELECTED LINES FROM 489 TO 490 BY 1

```

```

DELETED      2 LINES
      Inner and outer barrier

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      7 TO      10 STEP      1

```

```

4 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
  TO NDIV = 56, SPACING RATIO = 1.000

```

```

ALL SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      1 TO      490 STEP      1

```

```

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

SET DIVISIONS ON LINE      6 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      15 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      16 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      5 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      11 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      12 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

```

```

MATERIAL NUMBER SET TO      2

```

```

ELEMENT TYPE SET TO      1

```

```

GENERATE NODES AND ELEMENTS

```

```

      IN AREAS      3 TO      4 IN STEPS OF      1

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER      =      4561
MAXIMUM ELEMENT NUMBER      =      3944

MATERIAL NUMBER SET TO      3

ELEMENT TYPE SET TO      1

GENERATE NODES AND ELEMENTS
      IN AREAS      1 TO      2 IN STEPS OF      1

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER      =      5126
MAXIMUM ELEMENT NUMBER      =      4504
      Empty basket spaces

DEFAULT ELEMENT DIVISIONS PER LINE BASED ON ELEMENT SIZE =      .100

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
      PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
      OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO      7

ELEMENT TYPE SET TO      1

GENERATE NODES AND ELEMENTS
      IN AREAS      9 TO      14 IN STEPS OF      1
** AREA      9 MESHED WITH      40 QUADRILATERALS,      10 TRIANGLES **
** AREA      11 MESHED WITH      41 QUADRILATERALS,      10 TRIANGLES **
** AREA      12 MESHED WITH      40 QUADRILATERALS,      10 TRIANGLES **
** AREA      14 MESHED WITH      41 QUADRILATERALS,      10 TRIANGLES **

NUMBER OF AREAS MESHED      =      6
MAXIMUM NODE NUMBER      =      5498
MAXIMUM ELEMENT NUMBER      =      5000
*****
      Define mesh and radiation surface elements
      Tube/guides gap

SELECT      FOR ITEM=LOC COMPONENT=X      BETWEEN .00000E+00 AND .00000E+00
KABS= 0. TOLERANCE= .100000E-05

      39 LINES (OF      488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      7 TO      8 STEP      1

      41 LINES (OF      488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      13 TO      14 STEP      1

      43 LINES (OF      488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      17 TO      18 STEP      1

      45 LINES (OF      488 DEFINED) SELECTED BY LSEL COMMAND.

UNSELECT      ONLY NODES INTERIOR TO SELECTED LINE SET.

      5126 NODES (OF      5498 DEFINED) SELECTED FROM
      45 SELECTED LINES BY NSLL COMMAND.

ALL SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      1 TO      490 STEP      1

```

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 7

GENERATE ELEMENTS ON SURFACE DEFINED BY SELECTED NODES
TYPE= 7 REAL= 1 MATERIAL= 1 ESYS= 0

NUMBER OF ELEMENTS GENERATED= 644

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5498 STEP 1

5498 NODES (OF 5498 DEFINED) SELECTED BY NSEL COMMAND.
Basket spaces

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 17

GENERATE NODES AND ELEMENTS
ON LINES 25 TO 29 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5686

GENERATE NODES AND ELEMENTS
ON LINES 34 TO 38 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5728

GENERATE NODES AND ELEMENTS
ON LINES 80 TO 80 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5734

GENERATE NODES AND ELEMENTS
ON LINES 45 TO 45 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5748

GENERATE NODES AND ELEMENTS
ON LINES 50 TO 52 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5776

GENERATE NODES AND ELEMENTS
ON LINES 57 TO 59 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5796

GENERATE NODES AND ELEMENTS
ON LINES 62 TO 65 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5816

GENERATE NODES AND ELEMENTS
ON LINES 69 TO 72 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5844

GENERATE NODES AND ELEMENTS
ON LINES 76 TO 79 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5864
MPC shell/inner barrier gap

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 17 TO 18 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 5976

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 13 TO 14 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5498
MAXIMUM ELEMENT NUMBER = 6088

Create mesh in helium spaces

DEFAULT ELEMENT DIVISIONS PER LINE = 2

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 95 TO 103 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5622
MAXIMUM ELEMENT NUMBER = 6248

GENERATE NODES AND ELEMENTS
IN AREAS 172 TO 180 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5746
MAXIMUM ELEMENT NUMBER = 6408

GENERATE NODES AND ELEMENTS
IN AREAS 186 TO 205 IN STEPS OF 1

*** WARNING *** CP= 23.560 TIME= 20:10:19
Area 195 has a corner angle of 154 degrees. This is not recommended
for quadrilateral elements.

*** WARNING *** CP= 23.610 TIME= 20:10:19

Meshing of area 195 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.610 TIME= 20:10:19
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6534 6535 6536 6537 6538 6548 6549 6550 6551 6552

*** WARNING *** CP= 23.610 TIME= 20:10:19
Area 196 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.650 TIME= 20:10:19
Meshing of area 196 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.650 TIME= 20:10:19
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6557 6558 6559 6560 6561 6562 6563 6564 6565 6566
6571 6572 6573 6574 6575 6576 6577 6578 6579 6580

*** WARNING *** CP= 23.670 TIME= 20:10:19
Area 197 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.710 TIME= 20:10:19
Meshing of area 197 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.710 TIME= 20:10:19
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6581 6582 6583 6584 6585 6586 6587 6588 6589 6590
6595 6596 6597 6598 6599 6600 6601 6602 6603 6604

*** WARNING *** CP= 23.710 TIME= 20:10:19
Area 198 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.750 TIME= 20:10:19
Meshing of area 198 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.760 TIME= 20:10:19
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6609 6610 6611 6612 6613 6623 6624 6625 6626 6627

*** WARNING *** CP= 23.810 TIME= 20:10:19
Area 201 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.850 TIME= 20:10:19
Meshing of area 201 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.850 TIME= 20:10:19
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6670 6671 6672 6673 6674 6684 6685 6686 6687 6688

*** WARNING *** CP= 23.850 TIME= 20:10:19
Area 202 has a corner angle of 19 degrees. This is not recommended for
quadrilateral elements.

*** WARNING *** CP= 23.900 TIME= 20:10:19
Meshing of area 202 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.900 TIME= 20:10:19
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6693 6694 6695 6696 6697 6698 6699 6700 6701 6702
6707 6708 6709 6710 6711 6712 6713 6714 6715 6716

*** WARNING *** CP= 23.900 TIME= 20:10:19
Area 203 has a corner angle of 19 degrees. This is not recommended for
quadrilateral elements.

*** WARNING *** CP= 23.940 TIME= 20:10:19
Meshing of area 203 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.940 TIME= 20:10:19
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6717 6718 6719 6720 6721 6722 6723 6724 6725 6726
6731 6732 6733 6734 6735 6736 6737 6738 6739 6740

*** WARNING *** CP= 23.940 TIME= 20:10:19
Area 204 has a corner angle of 154 degrees. This is not recommended
for quadrilateral elements.

*** WARNING *** CP= 23.990 TIME= 20:10:19
Meshing of area 204 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.990 TIME= 20:10:19
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6745 6746 6747 6748 6749 6759 6760 6761 6762 6763

NUMBER OF AREAS MESHED = 20
MAXIMUM NODE NUMBER = 5956
MAXIMUM ELEMENT NUMBER = 6784

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 206 TO 218 IN STEPS OF 1
** AREA 206 MESHED WITH 1 QUADRILATERALS, 2 TRIANGLES **
** AREA 207 MESHED WITH 0 QUADRILATERALS, 10 TRIANGLES **

*** WARNING *** CP= 24.120 TIME= 20:10:19
Meshing of area 207 produced 1 poorly shaped elements.

*** NOTE *** CP= 24.120 TIME= 20:10:19

Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 24.120 TIME= 20:10:19
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6794

** AREA	208 MESHED WITH	5 QUADRILATERALS,	11 TRIANGLES **
** AREA	209 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	210 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	211 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.370 TIME= 20:10:19
Meshing of area 211 produced 3 poorly shaped elements.

*** NOTE *** CP= 24.370 TIME= 20:10:19
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 24.370 TIME= 20:10:19
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6850 6851 6853

** AREA	212 MESHED WITH	2 QUADRILATERALS,	2 TRIANGLES **
** AREA	213 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.430 TIME= 20:10:19
Meshing of area 213 produced 1 poorly shaped elements.

*** NOTE *** CP= 24.430 TIME= 20:10:19
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 24.430 TIME= 20:10:19
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6865

** AREA	214 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	215 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	216 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	217 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.680 TIME= 20:10:20
Meshing of area 217 produced 2 poorly shaped elements.

*** NOTE *** CP= 24.690 TIME= 20:10:20
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 24.690 TIME= 20:10:20
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6923 6925

** AREA	218 MESHED WITH	1 QUADRILATERALS,	2 TRIANGLES **
---------	-----------------	-------------------	----------------

NUMBER OF AREAS MESHED = 13
MAXIMUM NODE NUMBER = 5990
MAXIMUM ELEMENT NUMBER = 6929

Clear areas and mesh by hand difficult areas

CLEAR NODES AND ELEMENTS
FROM AREAS 211 TO 211 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT 6930 5879 3453 3952 3952

ELEMENT	6931	636	5879	3952	3952
ELEMENT	6932	545	636	3952	3952
ELEMENT	6933	551	545	3952	3952
ELEMENT	6934	363	551	3952	3952
ELEMENT	6935	370	363	3952	3952
ELEMENT	6936	371	370	3952	3952
ELEMENT	6937	369	371	3952	3952
ELEMENT	6938	5973	369	3952	3952
ELEMENT	6939	3782	5973	3952	3952

CLEAR NODES AND ELEMENTS
FROM AREAS 217 TO 217 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT	6940	3735	5989	3738	3738
ELEMENT	6941	5989	1661	3738	3738
ELEMENT	6942	1661	1663	3738	3738
ELEMENT	6943	1663	1664	3738	3738
ELEMENT	6944	1664	1662	3738	3738
ELEMENT	6945	1662	1979	3738	3738
ELEMENT	6946	1979	1978	3738	3738
ELEMENT	6947	1978	2148	3738	3738
ELEMENT	6948	2148	5951	3738	3738
ELEMENT	6949	5951	3666	3738	3738

***** ROUTINE COMPLETED ***** CP = 24.760

Create element mesh plots to illustrate model
View mesh for entire model

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (CENTROIDAL SORT) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS 0 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

/SHOW SWITCH PLOTS TO FILE meshfull.grph - VECTOR MODE.

- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshfull.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

5592 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

/SHOW SWITCH PLOTS TO FILE meshgap.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshgap.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model
View mesh for radiation substructure

MAT NUMBERING KEY = 0

TYPE NUMBERING KEY = 1

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

864 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

1088 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

/SHOW SWITCH PLOTS TO FILE meshrad.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshrad.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6949 STEP 1

6929 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

Generate super-elements

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:10:28 MAR 24, 1995 CP= 30.510
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

***** ANSYS RADIATION MATRIX UTILITY (AUX12) *****

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

655 NODES (OF 5990 DEFINED) SELECTED FROM
644 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= tubegap.sub

*** WARNING *** CP= 30.770 TIME= 20:10:28
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 644 NUMBER OF NODES= 655

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

220 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

220 NODES (OF 5990 DEFINED) SELECTED FROM
220 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= spaces.sub

*** WARNING *** CP= 70.210 TIME= 20:11:08
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 220 NUMBER OF NODES= 220

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

224 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

226 NODES (OF 5990 DEFINED) SELECTED FROM
224 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= shellgap.sub

*** WARNING *** CP= 76.700 TIME= 20:11:15
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 224 NUMBER OF NODES= 226

800 ZONES CREATE 1600 RAYS

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6949 STEP 1

6929 ELEMENTS (OF 6929 DEFINED) SELECTED BY ESEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1

5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 82.530

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:11:21 MAR 24, 1995 CP= 82.530
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE SET TO 18

SUPERELEMENT 6950 tubegap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6950

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6950

SUPERELEMENT 6951 spaces NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6951

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6951

SUPERELEMENT 6952 shellgap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6952

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6952
Delete radiation edge elements

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6932 DEFINED) SELECTED BY ESEL COMMAND.

DELETE ALL SELECTED ELEMENTS.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

6288 ELEMENTS (OF 6288 DEFINED) SELECTED BY ESEL COMMAND.

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

18 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

22 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CLEAR NODES AND ELEMENTS FROM ALL SELECTED LINES

*** NOTE *** CP= 83.040 TIME= 20:11:23
Nodes cannot be cleared from line 13 because area 3 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.050 TIME= 20:11:23
Nodes cannot be cleared from line 14 because area 4 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.060 TIME= 20:11:23
Nodes cannot be cleared from line 17 because area 7 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.080 TIME= 20:11:23
Nodes cannot be cleared from line 18 because area 8 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.090 TIME= 20:11:23
Nodes cannot be cleared from line 25 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.090 TIME= 20:11:23
Nodes cannot be cleared from line 27 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.100 TIME= 20:11:23
Nodes cannot be cleared from line 29 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.100 TIME= 20:11:23
Nodes cannot be cleared from line 34 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.110 TIME= 20:11:23
Nodes cannot be cleared from line 36 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.110 TIME= 20:11:23
Nodes cannot be cleared from line 38 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.120 TIME= 20:11:23
Nodes cannot be cleared from line 45 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.120 TIME= 20:11:23
Nodes cannot be cleared from line 50 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.130 TIME= 20:11:23
Nodes cannot be cleared from line 52 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.130 TIME= 20:11:23
Nodes cannot be cleared from line 57 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.130 TIME= 20:11:23
Nodes cannot be cleared from line 59 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.140 TIME= 20:11:23
Nodes cannot be cleared from line 62 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.140 TIME= 20:11:23
Nodes cannot be cleared from line 65 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.140 TIME= 20:11:23
Nodes cannot be cleared from line 69 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.150 TIME= 20:11:23
Nodes cannot be cleared from line 72 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.150 TIME= 20:11:23
Nodes cannot be cleared from line 76 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.160 TIME= 20:11:23
Nodes cannot be cleared from line 79 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 83.160 TIME= 20:11:23
Nodes cannot be cleared from line 80 because area 9 is meshed. Only
elements are deleted.

CLEARED 22 LINES, 0 KEYPOINTS

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 83.170

Set solution parameters and apply B.C.'s

Solve steady-state for initial conditions
with WP surface equal to drift ambient
temperature from repository model.

***** ANSYS SOLUTION ROUTINE *****

PERFORM A TRANSIENT ANALYSIS
THIS WILL BE A NEW ANALYSIS

USE THE DEFAULT NEWTON-RAPHSON OPTION FOR ALL DOFS
AND USE THE DEFAULT ADAPTIVE DESCENT OPTION

*** NOTE *** CP= 83.180 TIME= 20:11:24
Damping (if present) may be ignored only in reduced transient analyses.

PERFORM A FULL TRANSIENT ANALYSIS

TEMPERATURE OFFSET FROM ABSOLUTE ZERO= 273.150

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5990 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES 1 TO 5990 BY 1
REAL= 26.1375258 IMAG= .000000000E+00

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1

5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
4766.13516 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .10000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

*** WARNING *** CP= 84.440 TIME= 20:11:26
Element 6932 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 84.440 TIME= 20:11:26
Element 6932 has a poor shape angle of 7.74746071 degrees.

*** WARNING *** CP= 84.440 TIME= 20:11:26
Element 6947 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 84.440 TIME= 20:11:26
Element 6947 has a poor shape angle of 7.74746071 degrees.

*** NOTE *** CP= 84.450 TIME= 20:11:26
All shape tests were bypassed for elements associated with the solid model, because most of them were already done at AMESH or VMESH. Use CHECK if desired to perform all of the element tests.

*** NOTE *** CP= 84.450 TIME= 20:11:26
The model data was checked and warning messages were found.
Please review output or errors file (ma12b1.err) for these warning messages.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:11:26 MAR 24, 1995 CP= 84.460
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

SOLUTION OPTIONS

PROBLEM DIMENSIONALITY.3-D
DEGREES OF FREEDOM.TEMP
ANALYSIS TYPETRANSIENT
SOLUTION METHOD.FULL
OFFSET TEMPERATURE FROM ABSOLUTE ZERO 273.15
NEWTON-RAPHSON OPTIONPROGRAM CHOSEN

*** NOTE *** CP= 85.400 TIME= 20:11:27
This load step will be a static (steady-state) step.

*** NOTE *** CP= 85.790 TIME= 20:11:28
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution procedure) for ALL DOFs.

LOAD STEP OPTIONS

LOAD STEP NUMBER.1
TIME AT END OF THE LOAD STEP.10000E-05
AUTOMATIC TIME STEPPINGON
INITIAL NUMBER OF SUBSTEPS0
MAXIMUM NUMBER OF SUBSTEPS0
MINIMUM NUMBER OF SUBSTEPS1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONSNO
TRANSIENT (INERTIA) EFFECTSOFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

***** CENTROID, MASS, AND MASS MOMENTS OF INERTIA *****

CALCULATIONS ASSUME ELEMENT MASS AT ELEMENT CENTROID

TOTAL MASS = 4459.4

CENTROID	MOM. OF INERTIA ABOUT ORIGIN	MOM. OF INERTIA ABOUT CENTROID
XC = .35157	IXX = 765.4	IXX = 765.4
YC = .62210E-11	IYY = 765.4	IYY = 214.2
ZC = .00000E+00	IZZ = 1531.	IZZ = 979.6
	IXY = .5422E-09	IXY = .1030E-07
	IYZ = .0000E+00	IYZ = .0000E+00
	IZX = .0000E+00	IZX = .0000E+00

*** MASS SUMMARY BY ELEMENT TYPE ***

TYPE	MASS
1	4459.37

Range of element maximum matrix coefficients in global coordinates
 Maximum= 483.62017 at element 2116.
 Minimum= 1.026389896E-09 at element 6952.

*** WARNING *** CP= 104.400 TIME= 20:11:50
 Coefficient ratio exceeds 1.0e8 - Check results.

*** ELEMENT MATRIX FORMULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

1	5841	PLANE55	11.680	.002
18	3	MATRIX50	.600	.200

Time at end of element matrix formulation CP= 104.4.
 HT FLOW CONVERGENCE VALUE= .1194E+05 CRITERION= 11.94

Estimated number of active DOF= 5877.
 Maximum wavefront= 918.

Time at end of matrix triangularization CP= 208.24.
 Equation solver maximum pivot= 1269.32433 at node 2083 TEMP.
 Equation solver minimum pivot= 0.186669206 at node 5749 TEMP.
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 332.0
 HT FLOW CONVERGENCE VALUE= 472.3 CRITERION= .1477
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -120.0
 HT FLOW CONVERGENCE VALUE= 77.46 CRITERION= .2548
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -23.46
 HT FLOW CONVERGENCE VALUE= 18.23 CRITERION= .1642
 EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.436
 HT FLOW CONVERGENCE VALUE= 1.282 CRITERION= .1478
 EQUIL ITER 5 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3832
 HT FLOW CONVERGENCE VALUE= .1961 CRITERION= .1470
 EQUIL ITER 6 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3569E-01
 HT FLOW CONVERGENCE VALUE= .1345E-01 CRITERION= .1472 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 6

*** ELEMENT RESULT CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

1	5841	PLANE55	6.990	.001
18	3	MATRIX50	.710	.237

*** NODAL LOAD CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------


```

1 5841 PLANE55 .960 .000
18 3 MATRIX50 .000 .000
*** LOAD STEP 1 SUBSTEP 1 COMPLETED. CUM ITER = 6
*** TIME = .100000E-05 TIME INC = .100000E-05

```

```

*** PROBLEM STATISTICS
ACTUAL NO. OF ACTIVE DEGREES OF FREEDOM = 5877
R.M.S. WAVEFRONT SIZE = 445.1

```

```

*** ANSYS BINARY FILE STATISTICS
BUFFER SIZE USED= 4096
6.188 MB WRITTEN ON ELEMENT MATRIX FILE: ma12b1.emat
2.625 MB WRITTEN ON ELEMENT SAVED DATA FILE: ma12b1.esav
18.781 MB WRITTEN ON TRIANGULARIZED MATRIX FILE: ma12b1.tri
.031 MB WRITTEN ON SUBSTRUCTURE DOF SOLUTION FILE: ma12b1.dsub
3.188 MB WRITTEN ON RESULTS FILE: ma12b1.rth
Solve steady-state for initial conditions
with WP surface temperatures from repository
steady-state solution.

```

```

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1

```

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1

```

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

```

```

113 NODES (OF 5990 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

```

```

DELETE SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES
RANGE 1 TO 5990 BY 1

```

NUMBER OF SPECIFIED CONSTRAINTS DELETED= 113

```

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

```

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5990 STEP 1

```

5990 NODES (OF 5990 DEFINED) SELECTED BY NSEL COMMAND.

```

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.352 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.316 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.251 .00000E+00 EXPANSION KEY = 1

```

```

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

```

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
4766.13516 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .20000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** WARNING *** CP= 839.180 TIME= 20:24:12
This load step will be a static (steady-state) step.

*** NOTE *** CP= 839.590 TIME= 20:24:13
The step data was checked and warning messages were found.
Please review output or errors file (ma12b1.err) for these warning
messages.

*** NOTE *** CP= 839.590 TIME= 20:24:13
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:24:13 MAR 24, 1995 CP= 839.590
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 2
TIME AT END OF THE LOAD STEP.20000E-05
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 0
MAXIMUM NUMBER OF SUBSTEPS 0
MINIMUM NUMBER OF SUBSTEPS 1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS OFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .1430E+05 CRITERION= 14.30

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 31.33
HT FLOW CONVERGENCE VALUE= 21.92 CRITERION= .1546
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -10.07
HT FLOW CONVERGENCE VALUE= 5.092 CRITERION= .1515
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.000
HT FLOW CONVERGENCE VALUE= .2591 CRITERION= .1473
EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8923E-01
HT FLOW CONVERGENCE VALUE= .4671E-01 CRITERION= .1472 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 4
*** LOAD STEP 2 SUBSTEP 1 COMPLETED. CUM ITER = 10
*** TIME = .200000E-05 TIME INC = .100000E-05
*****

```

Set time integration parameters

INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

Time substep ranges from 10 sec to 1/4 loadstep

USE 10 SUBSTEPS INITIALLY THIS LOAD STEP FOR ALL DOFS
FOR AUTOMATIC TIME STEPPING:

USE 40 SUBSTEPS AS A MAXIMUM

USE 4 SUBSTEPS AS A MINIMUM

USE THE FINAL TIME STEP SIZE OF THE PREVIOUS LOAD STEP
AS THE STARTING TIME STEP SIZE.

Begin Transient

Apply loads and solve for 0 to .9 years

*DO LOOP ON PARAMETER= TM FROM 31.558 TO .28402E+08 BY .31558E+07

TIME= 31.558

```

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

```

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
4766.13516 .000000000E+00 .000000000E+00 .000000000E+00

```

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

```

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

```

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

```

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

```

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.352 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.316 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.251 .00000E+00 EXPANSION KEY = 1

```

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL

CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 1049.150 TIME= 20:27:53
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:27:53 MAR 24, 1995 CP= 1049.150
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 3
TIME AT END OF THE LOAD STEP. 31.558
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .4671E-01 CRITERION= .1472
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8856E-04
HT FLOW CONVERGENCE VALUE= .3778E-05 CRITERION= .1472 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 1 COMPLETED. CUM ITER = 11
*** TIME = .788942 TIME INC = .788940
*** RESPONSE EIGENVALUE = .4154 OSCILLATION LIMIT = .3277
*** AUTO STEP TIME: NEXT TIME INC = .78894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8463E-01 CRITERION= .1472
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4159E-04
HT FLOW CONVERGENCE VALUE= .5978E-05 CRITERION= .1472 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 2 COMPLETED. CUM ITER = 12
*** TIME = 1.57788 TIME INC = .788940
*** RESPONSE EIGENVALUE = .2209 OSCILLATION LIMIT = .1743
*** AUTO TIME STEP: NEXT TIME INC = 2.2631 INCREASED (FACTOR = 2.8685)

HT FLOW CONVERGENCE VALUE= .7464E-01 CRITERION= .1472
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6178E-04
HT FLOW CONVERGENCE VALUE= .1383E-04 CRITERION= .1472 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 3 COMPLETED. CUM ITER = 13
*** TIME = 3.84096 TIME INC = 2.26308
*** RESPONSE EIGENVALUE = .1051 OSCILLATION LIMIT = .2379
*** AUTO TIME STEP: NEXT TIME INC = 4.7570 INCREASED (FACTOR = 2.1020)

HT FLOW CONVERGENCE VALUE= .6237E-01 CRITERION= .1472
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7780E-04
HT FLOW CONVERGENCE VALUE= .2009E-04 CRITERION= .1472 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 4 COMPLETED. CUM ITER = 14

*** TIME = 8.59800 TIME INC = 4.75704
 *** RESPONSE EIGENVALUE = .4347E-01 OSCILLATION LIMIT = .2068
 *** AUTO TIME STEP: NEXT TIME INC = 7.8894 INCREASED (FACTOR = 1.6585)

HT FLOW CONVERGENCE VALUE= .5568E-01 CRITERION= .1472
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4902E-04
 HT FLOW CONVERGENCE VALUE= .2154E-04 CRITERION= .1472 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 5 COMPLETED. CUM ITER = 15
 *** TIME = 16.4874 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .1534E-01 OSCILLATION LIMIT = .1210
 *** AUTO STEP TIME: NEXT TIME INC = 7.8894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .5226E-01 CRITERION= .1472
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3895E-04
 HT FLOW CONVERGENCE VALUE= .1581E-04 CRITERION= .1472 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 6 COMPLETED. CUM ITER = 16
 *** TIME = 24.3768 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .8460E-02 OSCILLATION LIMIT = .6675E-01
 *** AUTO TIME STEP: NEXT TIME INC = 7.1808 DECREASED (FACTOR = .9102)

HT FLOW CONVERGENCE VALUE= .4987E-01 CRITERION= .1472
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3127E-04
 HT FLOW CONVERGENCE VALUE= .1244E-04 CRITERION= .1472 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 7 COMPLETED. CUM ITER = 17
 *** TIME = 31.5576 TIME INC = 7.18080
 *** RESPONSE EIGENVALUE = .6277E-02 OSCILLATION LIMIT = .4507E-01

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:36:41 MAR 24, 1995 CP= 1568.190
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 260.0 CRITERION= .2988
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5916
 HT FLOW CONVERGENCE VALUE= .3222 CRITERION= .1459
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7600E-01
 HT FLOW CONVERGENCE VALUE= .5127E-01 CRITERION= .1459 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 1 COMPLETED. CUM ITER = 19
 *** TIME = 78925.6 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1241E-05 OSCILLATION LIMIT = .9793E-01
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 260.6 CRITERION= .2984
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5949
 HT FLOW CONVERGENCE VALUE= .3635 CRITERION= .1468
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8207E-01
 HT FLOW CONVERGENCE VALUE= .4989E-01 CRITERION= .1469 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 2 COMPLETED. CUM ITER = 21
 *** TIME = 157820. TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4020E-06 OSCILLATION LIMIT = .3172E-01
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 780.5 CRITERION= .7942
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.775
 HT FLOW CONVERGENCE VALUE= 1.118 CRITERION= .1459
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3756
 HT FLOW CONVERGENCE VALUE= .2029 CRITERION= .1459
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3721E-01

HT FLOW CONVERGENCE VALUE= .8136E-02 CRITERION= .1457 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 3 COMPLETED. CUM ITER = 24
 *** TIME = 394502. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .2082E-06 OSCILLATION LIMIT = .4929E-01
 *** AUTO STEP TIME: NEXT TIME INC = .23668E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 781.5 CRITERION= .7948
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.775
 HT FLOW CONVERGENCE VALUE= 1.130 CRITERION= .1469
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3779
 HT FLOW CONVERGENCE VALUE= .2027 CRITERION= .1469
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3730E-01
 HT FLOW CONVERGENCE VALUE= .8111E-02 CRITERION= .1467 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 4 COMPLETED. CUM ITER = 27
 *** TIME = 631184. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .2024E-06 OSCILLATION LIMIT = .4789E-01
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 2345. CRITERION= 2.350
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 5.324
 HT FLOW CONVERGENCE VALUE= 3.406 CRITERION= .1463
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.375
 HT FLOW CONVERGENCE VALUE= .6940 CRITERION= .1461
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1473
 HT FLOW CONVERGENCE VALUE= .2845E-01 CRITERION= .1455 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 5 COMPLETED. CUM ITER = 30
 *** TIME = .134123E+07 TIME INC = 710046.
 *** RESPONSE EIGENVALUE = .1991E-06 OSCILLATION LIMIT = .1414
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 2611. CRITERION= 2.615
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 5.916
 HT FLOW CONVERGENCE VALUE= 3.777 CRITERION= .1471
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.523
 HT FLOW CONVERGENCE VALUE= .7504 CRITERION= .1470
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1609
 HT FLOW CONVERGENCE VALUE= .3060E-01 CRITERION= .1464 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 6 COMPLETED. CUM ITER = 33
 *** TIME = .213017E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1964E-06 OSCILLATION LIMIT = .1550
 *** AUTO TIME STEP: NEXT TIME INC = .51281E+06 DECREASED (FACTOR = .6500)

HT FLOW CONVERGENCE VALUE= 1700. CRITERION= 1.706
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 3.845
 HT FLOW CONVERGENCE VALUE= 2.430 CRITERION= .1457
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9162
 HT FLOW CONVERGENCE VALUE= .4554 CRITERION= .1456
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9464E-01
 HT FLOW CONVERGENCE VALUE= .1812E-01 CRITERION= .1453 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 7 COMPLETED. CUM ITER = 36
 *** TIME = .264298E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .2060E-06 OSCILLATION LIMIT = .1056
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1702. CRITERION= 1.708
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 3.845
 HT FLOW CONVERGENCE VALUE= 2.443 CRITERION= .1466
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9074
 HT FLOW CONVERGENCE VALUE= .4438 CRITERION= .1466
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9232E-01
 HT FLOW CONVERGENCE VALUE= .1753E-01 CRITERION= .1462 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 8 COMPLETED. CUM ITER = 39
 *** TIME = .315579E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .1993E-06 OSCILLATION LIMIT = .1022

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:57:24 MAR 24, 1995 CP= 2798.160
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 453.6 CRITERION= .4766
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9725
 HT FLOW CONVERGENCE VALUE= .7243 CRITERION= .1464
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2641
 HT FLOW CONVERGENCE VALUE= .1170 CRITERION= .1465 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 1 COMPLETED. CUM ITER = 41
 *** TIME = .366860E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .1809E-06 OSCILLATION LIMIT = .9276E-01
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 453.8 CRITERION= .4768
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9663
 HT FLOW CONVERGENCE VALUE= .5860 CRITERION= .1463
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2160
 HT FLOW CONVERGENCE VALUE= .1171 CRITERION= .1462 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 2 COMPLETED. CUM ITER = 43
 *** TIME = .418141E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .6196E-06 OSCILLATION LIMIT = .3178
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 453.8 CRITERION= .4768
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9669
 HT FLOW CONVERGENCE VALUE= .6768 CRITERION= .1461
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2469
 HT FLOW CONVERGENCE VALUE= .1150 CRITERION= .1462 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 3 COMPLETED. CUM ITER = 45
 *** TIME = .469422E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .1648E-06 OSCILLATION LIMIT = .8452E-01
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.5385)

HT FLOW CONVERGENCE VALUE= 698.5 CRITERION= .7136
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.487
 HT FLOW CONVERGENCE VALUE= .9540 CRITERION= .1461
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3690
 HT FLOW CONVERGENCE VALUE= .1838 CRITERION= .1461
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3944E-01
 HT FLOW CONVERGENCE VALUE= .7032E-02 CRITERION= .1459 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 4 COMPLETED. CUM ITER = 48
 *** TIME = .548316E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2864E-06 OSCILLATION LIMIT = .2259
 *** AUTO TIME STEP: NEXT TIME INC = .41419E+06 DECREASED (FACTOR = .5250)

HT FLOW CONVERGENCE VALUE= 366.8 CRITERION= .3948
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7814
 HT FLOW CONVERGENCE VALUE= .5350 CRITERION= .1458
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1860
 HT FLOW CONVERGENCE VALUE= .8911E-01 CRITERION= .1458 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 5 COMPLETED. CUM ITER = 50
 *** TIME = .589736E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .2955E-06 OSCILLATION LIMIT = .1224
 *** AUTO STEP TIME: NEXT TIME INC = .41419E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 367.0 CRITERION= .3949
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7805

```

HT FLOW CONVERGENCE VALUE= .4960      CRITERION= .1459
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1732
HT FLOW CONVERGENCE VALUE= .8807E-01 CRITERION= .1458    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 5 SUBSTEP 6 COMPLETED. CUM ITER = 52
*** TIME = .631155E+07 TIME INC = 414194.
*** RESPONSE EIGENVALUE = .3083E-06 OSCILLATION LIMIT = .1277

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303      VERSION=HP 9000/7XX 21:10:22 MAR 24, 1995 CP= 3565.030
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 240.9      CRITERION= .2816
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5121
HT FLOW CONVERGENCE VALUE= .3507      CRITERION= .1458
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1216
HT FLOW CONVERGENCE VALUE= .5754E-01 CRITERION= .1458    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 1 COMPLETED. CUM ITER = 54
*** TIME = .672575E+07 TIME INC = 414194.
*** RESPONSE EIGENVALUE = .2215E-06 OSCILLATION LIMIT = .9174E-01
*** AUTO STEP TIME: NEXT TIME INC = .41419E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 241.0      CRITERION= .2816
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5121
HT FLOW CONVERGENCE VALUE= .3173      CRITERION= .1457
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1109
HT FLOW CONVERGENCE VALUE= .5731E-01 CRITERION= .1457    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 2 COMPLETED. CUM ITER = 56
*** TIME = .713994E+07 TIME INC = 414194.
*** RESPONSE EIGENVALUE = .3925E-06 OSCILLATION LIMIT = .1626
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.9048)

```

```

HT FLOW CONVERGENCE VALUE= 459.0      CRITERION= .4815
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9755
HT FLOW CONVERGENCE VALUE= .6439      CRITERION= .1456
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2452
HT FLOW CONVERGENCE VALUE= .1174      CRITERION= .1456    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 3 COMPLETED. CUM ITER = 58
*** TIME = .792888E+07 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4029E-06 OSCILLATION LIMIT = .3178
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 459.2      CRITERION= .4817
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9755
HT FLOW CONVERGENCE VALUE= .6225      CRITERION= .1455
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2378
HT FLOW CONVERGENCE VALUE= .1152      CRITERION= .1454    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 4 COMPLETED. CUM ITER = 60
*** TIME = .871782E+07 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3380E-06 OSCILLATION LIMIT = .2666
*** AUTO TIME STEP: NEXT TIME INC = .74949E+06 DECREASED (FACTOR = .9500)

```

```

HT FLOW CONVERGENCE VALUE= 436.3      CRITERION= .4599
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9267
HT FLOW CONVERGENCE VALUE= .6068      CRITERION= .1453
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2287
HT FLOW CONVERGENCE VALUE= .1086      CRITERION= .1452    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 5 COMPLETED. CUM ITER = 62
*** TIME = .946731E+07 TIME INC = 749493.

```


*** RESPONSE EIGENVALUE = .3576E-06 OSCILLATION LIMIT = .2680

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:20:32 MAR 24, 1995 CP= 4169.700
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 336.9 CRITERION= .3668
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7156
 HT FLOW CONVERGENCE VALUE= .4491 CRITERION= .1452
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1717
 HT FLOW CONVERGENCE VALUE= .8279E-01 CRITERION= .1452 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 1 COMPLETED. CUM ITER = 64
 *** TIME = .102168E+08 TIME INC = 749493.
 *** RESPONSE EIGENVALUE = .3250E-06 OSCILLATION LIMIT = .2436
 *** AUTO STEP TIME: NEXT TIME INC = .74949E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 336.9 CRITERION= .3668
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7156
 HT FLOW CONVERGENCE VALUE= .4417 CRITERION= .1450
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1717
 HT FLOW CONVERGENCE VALUE= .8301E-01 CRITERION= .1449 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 2 COMPLETED. CUM ITER = 66
 *** TIME = .109663E+08 TIME INC = 749493.
 *** RESPONSE EIGENVALUE = .4936E-06 OSCILLATION LIMIT = .3700
 *** AUTO STEP TIME: NEXT TIME INC = .74949E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 337.0 CRITERION= .3668
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7156
 HT FLOW CONVERGENCE VALUE= .4237 CRITERION= .1449
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1705
 HT FLOW CONVERGENCE VALUE= .8178E-01 CRITERION= .1449 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 3 COMPLETED. CUM ITER = 68
 *** TIME = .117158E+08 TIME INC = 749493.
 *** RESPONSE EIGENVALUE = .3587E-06 OSCILLATION LIMIT = .2688
 *** AUTO STEP TIME: NEXT TIME INC = .45364E+06 DECREASED (FACTOR = .6053)

HT FLOW CONVERGENCE VALUE= 204.0 CRITERION= .2502
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4332
 HT FLOW CONVERGENCE VALUE= .2495 CRITERION= .1447
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9604E-01
 HT FLOW CONVERGENCE VALUE= .4690E-01 CRITERION= .1447 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 4 COMPLETED. CUM ITER = 70
 *** TIME = .121694E+08 TIME INC = 453641.
 *** RESPONSE EIGENVALUE = .4648E-06 OSCILLATION LIMIT = .2108
 *** AUTO STEP TIME: NEXT TIME INC = .45364E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 204.1 CRITERION= .2501
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4332
 HT FLOW CONVERGENCE VALUE= .2471 CRITERION= .1447
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9488E-01
 HT FLOW CONVERGENCE VALUE= .4634E-01 CRITERION= .1447 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 5 COMPLETED. CUM ITER = 72
 *** TIME = .126231E+08 TIME INC = 453641.
 *** RESPONSE EIGENVALUE = .3267E-06 OSCILLATION LIMIT = .1482

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****

900-38303 VERSION=HP 9000/7XX 21:30:44 MAR 24, 1995 CP= 4772.170
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 166.9 CRITERION= .2209
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3545
HT FLOW CONVERGENCE VALUE= .2051 CRITERION= .1445
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7850E-01
HT FLOW CONVERGENCE VALUE= .3826E-01 CRITERION= .1445 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 1 COMPLETED. CUM ITER = 74
*** TIME = .130767E+08 TIME INC = 453641.
*** RESPONSE EIGENVALUE = .5665E-06 OSCILLATION LIMIT = .2570
*** AUTO STEP TIME: NEXT TIME INC = .45364E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 167.0 CRITERION= .2208
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3545
HT FLOW CONVERGENCE VALUE= .2000 CRITERION= .1445
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7604E-01
HT FLOW CONVERGENCE VALUE= .3761E-01 CRITERION= .1445 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 2 COMPLETED. CUM ITER = 76
*** TIME = .135304E+08 TIME INC = 453641.
*** RESPONSE EIGENVALUE = .4178E-06 OSCILLATION LIMIT = .1895
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.7391)

HT FLOW CONVERGENCE VALUE= 290.4 CRITERION= .3243
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6165
HT FLOW CONVERGENCE VALUE= .3570 CRITERION= .1443
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1458
HT FLOW CONVERGENCE VALUE= .6990E-01 CRITERION= .1443 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 3 COMPLETED. CUM ITER = 78
*** TIME = .143193E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6153E-06 OSCILLATION LIMIT = .4854
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 290.5 CRITERION= .3243
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6165
HT FLOW CONVERGENCE VALUE= .3520 CRITERION= .1442
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1436
HT FLOW CONVERGENCE VALUE= .6865E-01 CRITERION= .1442 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 4 COMPLETED. CUM ITER = 80
*** TIME = .151082E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4469E-06 OSCILLATION LIMIT = .3526
*** AUTO TIME STEP: NEXT TIME INC = .67060E+06 DECREASED (FACTOR = .8500)

HT FLOW CONVERGENCE VALUE= 246.9 CRITERION= .2859
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5240
HT FLOW CONVERGENCE VALUE= .3033 CRITERION= .1440
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1207
HT FLOW CONVERGENCE VALUE= .5760E-01 CRITERION= .1440 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 5 COMPLETED. CUM ITER = 82
*** TIME = .157788E+08 TIME INC = 670599.
*** RESPONSE EIGENVALUE = .5497E-06 OSCILLATION LIMIT = .3686

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 21:40:54 MAR 24, 1995 CP= 5375.460
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 210.1 CRITERION= .2547
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4459
 HT FLOW CONVERGENCE VALUE= .2538 CRITERION= .1440
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1007
 HT FLOW CONVERGENCE VALUE= .4838E-01 CRITERION= .1439 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 1 COMPLETED. CUM ITER = 84
 *** TIME = .164494E+08 TIME INC = 670599.
 *** RESPONSE EIGENVALUE = .4505E-06 OSCILLATION LIMIT = .3021
 *** AUTO STEP TIME: NEXT TIME INC = .67060E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 210.0 CRITERION= .2546
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4459
 HT FLOW CONVERGENCE VALUE= .2551 CRITERION= .1437
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1006
 HT FLOW CONVERGENCE VALUE= .4869E-01 CRITERION= .1437 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 2 COMPLETED. CUM ITER = 86
 *** TIME = .171200E+08 TIME INC = 670599.
 *** RESPONSE EIGENVALUE = .6998E-06 OSCILLATION LIMIT = .4693
 *** AUTO STEP TIME: NEXT TIME INC = .67060E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 210.1 CRITERION= .2545
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4459
 HT FLOW CONVERGENCE VALUE= .2538 CRITERION= .1437
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1000
 HT FLOW CONVERGENCE VALUE= .4794E-01 CRITERION= .1437 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 3 COMPLETED. CUM ITER = 88
 *** TIME = .177906E+08 TIME INC = 670599.
 *** RESPONSE EIGENVALUE = .4806E-06 OSCILLATION LIMIT = .3223
 *** AUTO STEP TIME: NEXT TIME INC = .67060E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 210.0 CRITERION= .2545
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4459
 HT FLOW CONVERGENCE VALUE= .2557 CRITERION= .1435
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1003
 HT FLOW CONVERGENCE VALUE= .4814E-01 CRITERION= .1435 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 4 COMPLETED. CUM ITER = 90
 *** TIME = .184612E+08 TIME INC = 670599.
 *** RESPONSE EIGENVALUE = .6851E-06 OSCILLATION LIMIT = .4595
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+06 DECREASED (FACTOR = .7059)

HT FLOW CONVERGENCE VALUE= 148.3 CRITERION= .2063
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3148
 HT FLOW CONVERGENCE VALUE= .1782 CRITERION= .1434
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6664E-01
 HT FLOW CONVERGENCE VALUE= .3211E-01 CRITERION= .1434 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 5 COMPLETED. CUM ITER = 92
 *** TIME = .189346E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .4196E-06 OSCILLATION LIMIT = .1986

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:51:06 MAR 24, 1995 CP= 5981.420
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 129.7 CRITERION= .1934
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2754
 HT FLOW CONVERGENCE VALUE= .1575 CRITERION= .1433
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5889E-01
 HT FLOW CONVERGENCE VALUE= .2851E-01 CRITERION= .1433 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

```

*** LOAD STEP 10 SUBSTEP 1 COMPLETED. CUM ITER = 94
*** TIME = .194080E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .7632E-06 OSCILLATION LIMIT = .3613
*** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 129.8 CRITERION= .1933
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2754
HT FLOW CONVERGENCE VALUE= .1538 CRITERION= .1433
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5736E-01
HT FLOW CONVERGENCE VALUE= .2805E-01 CRITERION= .1433 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 2 COMPLETED. CUM ITER = 96
*** TIME = .198813E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .5558E-06 OSCILLATION LIMIT = .2631
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 216.2 CRITERION= .2594
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4591
HT FLOW CONVERGENCE VALUE= .2615 CRITERION= .1431
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1039
HT FLOW CONVERGENCE VALUE= .4975E-01 CRITERION= .1430 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 3 COMPLETED. CUM ITER = 98
*** TIME = .206703E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7903E-06 OSCILLATION LIMIT = .6235
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 216.3 CRITERION= .2593
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4591
HT FLOW CONVERGENCE VALUE= .2582 CRITERION= .1430
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1025
HT FLOW CONVERGENCE VALUE= .4896E-01 CRITERION= .1430 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 4 COMPLETED. CUM ITER = 100
*** TIME = .214592E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5926E-06 OSCILLATION LIMIT = .4675
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 173.0 CRITERION= .2244
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3673
HT FLOW CONVERGENCE VALUE= .2087 CRITERION= .1428
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8065E-01
HT FLOW CONVERGENCE VALUE= .3852E-01 CRITERION= .1428 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 5 COMPLETED. CUM ITER = 102
*** TIME = .220904E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .7209E-06 OSCILLATION LIMIT = .4550

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 22:01:13 MAR 24, 1995 CP= 6584.540
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 155.3 CRITERION= .2109
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3296
HT FLOW CONVERGENCE VALUE= .1840 CRITERION= .1427
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7096E-01
HT FLOW CONVERGENCE VALUE= .3413E-01 CRITERION= .1427 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 1 COMPLETED. CUM ITER = 104
*** TIME = .227215E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .6028E-06 OSCILLATION LIMIT = .3804
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 155.2 CRITERION= .2109

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3296
 HT FLOW CONVERGENCE VALUE= .1849 CRITERION= .1425
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7138E-01
 HT FLOW CONVERGENCE VALUE= .3441E-01 CRITERION= .1425 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 11 SUBSTEP 2 COMPLETED. CUM ITER = 106
 *** TIME = .233527E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .8750E-06 OSCILLATION LIMIT = .5522
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 155.3 CRITERION= .2108
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3296
 HT FLOW CONVERGENCE VALUE= .1836 CRITERION= .1425
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7065E-01
 HT FLOW CONVERGENCE VALUE= .3395E-01 CRITERION= .1425 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 11 SUBSTEP 3 COMPLETED. CUM ITER = 108
 *** TIME = .239838E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .6274E-06 OSCILLATION LIMIT = .3960
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 155.2 CRITERION= .2107
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3296
 HT FLOW CONVERGENCE VALUE= .1850 CRITERION= .1423
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7115E-01
 HT FLOW CONVERGENCE VALUE= .3418E-01 CRITERION= .1423 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 11 SUBSTEP 4 COMPLETED. CUM ITER = 110
 *** TIME = .246150E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .8608E-06 OSCILLATION LIMIT = .5433
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 155.3 CRITERION= .2106
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3296
 HT FLOW CONVERGENCE VALUE= .1835 CRITERION= .1423
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7038E-01
 HT FLOW CONVERGENCE VALUE= .3372E-01 CRITERION= .1423 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 11 SUBSTEP 5 COMPLETED. CUM ITER = 112
 *** TIME = .252461E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .6355E-06 OSCILLATION LIMIT = .4011

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:11:25 MAR 24, 1995 CP= 7188.290
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 140.7 CRITERION= .2001
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2988
 HT FLOW CONVERGENCE VALUE= .1672 CRITERION= .1421
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6409E-01
 HT FLOW CONVERGENCE VALUE= .3085E-01 CRITERION= .1421 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 12 SUBSTEP 1 COMPLETED. CUM ITER = 114
 *** TIME = .258773E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .9058E-06 OSCILLATION LIMIT = .5717
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 140.8 CRITERION= .2000
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2988
 HT FLOW CONVERGENCE VALUE= .1648 CRITERION= .1420
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6297E-01
 HT FLOW CONVERGENCE VALUE= .3041E-01 CRITERION= .1420 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 12 SUBSTEP 2 COMPLETED. CUM ITER = 116

*** TIME = .265084E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .7217E-06 OSCILLATION LIMIT = .4555
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 140.7 CRITERION= .1999
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2988
 HT FLOW CONVERGENCE VALUE= .1670 CRITERION= .1418
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6380E-01
 HT FLOW CONVERGENCE VALUE= .3065E-01 CRITERION= .1418 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 12 SUBSTEP 3 COMPLETED. CUM ITER = 118
 *** TIME = .271396E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .9233E-06 OSCILLATION LIMIT = .5828
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 140.8 CRITERION= .1998
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2988
 HT FLOW CONVERGENCE VALUE= .1651 CRITERION= .1418
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6283E-01
 HT FLOW CONVERGENCE VALUE= .3022E-01 CRITERION= .1418 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 12 SUBSTEP 4 COMPLETED. CUM ITER = 120
 *** TIME = .277707E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .7187E-06 OSCILLATION LIMIT = .4536
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 140.7 CRITERION= .1997
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2988
 HT FLOW CONVERGENCE VALUE= .1670 CRITERION= .1416
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6354E-01
 HT FLOW CONVERGENCE VALUE= .3042E-01 CRITERION= .1416 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 12 SUBSTEP 5 COMPLETED. CUM ITER = 122
 *** TIME = .284019E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .9223E-06 OSCILLATION LIMIT = .5821
 Apply loads and solve for 1 to 9 years

*DO LOOP ON PARAMETER= TM FROM .31558E+08 TO .28402E+09 BY .31558E+08
 TIME= .31558E+08

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 4564.90615 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 102.41 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP

VALUES = 103.11 .00000E+00 EXPANSION KEY = 1
 CONSTRAINT AT KEYPOINT 9
 LOAD LABELS = TEMP
 VALUES = 104.60 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
 CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 7793.830 TIME= 22:21:36
 Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
 procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:21:36 MAR 24, 1995 CP= 7793.830
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 13
 TIME AT END OF THE LOAD STEP.31558E+08
 AUTOMATIC TIME STEPPING ON
 INITIAL NUMBER OF SUBSTEPS 10
 MAXIMUM NUMBER OF SUBSTEPS 40
 MINIMUM NUMBER OF SUBSTEPS 4
 START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
 MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
 STEP CHANGE BOUNDARY CONDITIONS NO
 TRANSIENT (INERTIA) EFFECTS
 THERMAL DOFS ON
 TRANSIENT INTEGRATION PARAMETERS
 THETA.50000
 OSCILLATION LIMIT CRITERION.50000
 TOLERANCE.20000
 TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
 CONVERGENCE CONTROLS.USE DEFAULTS
 PRINT OUTPUT CONTROLSNO PRINTOUT
 DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
 FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 130.2 CRITERION= .1923
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2763
 HT FLOW CONVERGENCE VALUE= .1521 CRITERION= .1416
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5771E-01
 HT FLOW CONVERGENCE VALUE= .2774E-01 CRITERION= .1416 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 13 SUBSTEP 1 COMPLETED. CUM ITER = 124
 *** TIME = .290330E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .7519E-06 OSCILLATION LIMIT = .4746
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 130.1 CRITERION= .1923
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2763
 HT FLOW CONVERGENCE VALUE= .1530 CRITERION= .1414
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5808E-01
 HT FLOW CONVERGENCE VALUE= .2795E-01 CRITERION= .1413 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 13 SUBSTEP 2 COMPLETED. CUM ITER = 126
 *** TIME = .296642E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .1024E-05 OSCILLATION LIMIT = .6466
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 130.2 CRITERION= .1921

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2763
 HT FLOW CONVERGENCE VALUE= .1519 CRITERION= .1413
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5750E-01
 HT FLOW CONVERGENCE VALUE= .2755E-01 CRITERION= .1413 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 13 SUBSTEP 3 COMPLETED. CUM ITER = 128
 *** TIME = .302953E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .7722E-06 OSCILLATION LIMIT = .4874
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 130.1 CRITERION= .1921
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2763
 HT FLOW CONVERGENCE VALUE= .1528 CRITERION= .1411
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5792E-01
 HT FLOW CONVERGENCE VALUE= .2774E-01 CRITERION= .1411 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 13 SUBSTEP 4 COMPLETED. CUM ITER = 130
 *** TIME = .309265E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .1012E-05 OSCILLATION LIMIT = .6387
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 130.2 CRITERION= .1920
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2763
 HT FLOW CONVERGENCE VALUE= .1515 CRITERION= .1411
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5732E-01
 HT FLOW CONVERGENCE VALUE= .2736E-01 CRITERION= .1411 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 13 SUBSTEP 5 COMPLETED. CUM ITER = 132
 *** TIME = .315576E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .7795E-06 OSCILLATION LIMIT = .4920

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:31:44 MAR 24, 1995 CP= 8396.900
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1867
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1435 CRITERION= .1409
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5563E-01
 HT FLOW CONVERGENCE VALUE= .2649E-01 CRITERION= .1409 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 14 SUBSTEP 1 COMPLETED. CUM ITER = 134
 *** TIME = .323466E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1064E-05 OSCILLATION LIMIT = .8393
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1866
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1404 CRITERION= .1409 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 2 COMPLETED. CUM ITER = 135
 *** TIME = .331355E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5358E-06 OSCILLATION LIMIT = .4227
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1866
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1341 CRITERION= .1407 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 3 COMPLETED. CUM ITER = 136
 *** TIME = .339245E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1025E-05 OSCILLATION LIMIT = .8085

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1865
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1296 CRITERION= .1406 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 4 COMPLETED. CUM ITER = 137
 *** TIME = .347134E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1104E-05 OSCILLATION LIMIT = .8708
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1864
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1328 CRITERION= .1405 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 5 COMPLETED. CUM ITER = 138
 *** TIME = .355023E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9468E-06 OSCILLATION LIMIT = .7470
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1863
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1299 CRITERION= .1404 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 6 COMPLETED. CUM ITER = 139
 *** TIME = .362913E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1016E-05 OSCILLATION LIMIT = .8017
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1862
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1321 CRITERION= .1402 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 7 COMPLETED. CUM ITER = 140
 *** TIME = .370802E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1012E-05 OSCILLATION LIMIT = .7981
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1861
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1299 CRITERION= .1402 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 8 COMPLETED. CUM ITER = 141
 *** TIME = .378692E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9641E-06 OSCILLATION LIMIT = .7606
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1860
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1315 CRITERION= .1400 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 9 COMPLETED. CUM ITER = 142
 *** TIME = .386581E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1050E-05 OSCILLATION LIMIT = .8280
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1859
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1298 CRITERION= .1399 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 10 COMPLETED. CUM ITER = 143
 *** TIME = .394470E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9341E-06 OSCILLATION LIMIT = .7369
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1859
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1310 CRITERION= .1397 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 11 COMPLETED. CUM ITER = 144

```

*** TIME = .402360E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1071E-05    OSCILLATION LIMIT = .8450
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 122.4    CRITERION= .1857
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
    HT FLOW CONVERGENCE VALUE= .1297    CRITERION= .1397    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 12 COMPLETED. CUM ITER = 145
*** TIME = .410249E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9169E-06    OSCILLATION LIMIT = .7234
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 122.3    CRITERION= .1857
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
    HT FLOW CONVERGENCE VALUE= .1306    CRITERION= .1395    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 13 COMPLETED. CUM ITER = 146
*** TIME = .418139E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1082E-05    OSCILLATION LIMIT = .8539
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 122.4    CRITERION= .1855
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
    HT FLOW CONVERGENCE VALUE= .1294    CRITERION= .1394    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 14 COMPLETED. CUM ITER = 147
*** TIME = .426028E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9074E-06    OSCILLATION LIMIT = .7159
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 122.3    CRITERION= .1855
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
    HT FLOW CONVERGENCE VALUE= .1302    CRITERION= .1392    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 15 COMPLETED. CUM ITER = 148
*** TIME = .433917E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1087E-05    OSCILLATION LIMIT = .8578
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 122.4    CRITERION= .1854
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
    HT FLOW CONVERGENCE VALUE= .1292    CRITERION= .1392    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 16 COMPLETED. CUM ITER = 149
*** TIME = .441807E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9025E-06    OSCILLATION LIMIT = .7120
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 122.3    CRITERION= .1853
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
    HT FLOW CONVERGENCE VALUE= .1298    CRITERION= .1390    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 17 COMPLETED. CUM ITER = 150
*** TIME = .449696E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1088E-05    OSCILLATION LIMIT = .8587
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 122.4    CRITERION= .1852
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
    HT FLOW CONVERGENCE VALUE= .1289    CRITERION= .1390    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 18 COMPLETED. CUM ITER = 151
*** TIME = .457586E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9003E-06    OSCILLATION LIMIT = .7103
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 122.3    CRITERION= .1851
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
    HT FLOW CONVERGENCE VALUE= .1295    CRITERION= .1388    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 19 COMPLETED. CUM ITER = 152
*** TIME = .465475E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1087E-05 OSCILLATION LIMIT = .8578
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1850
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1286 CRITERION= .1387 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 20 COMPLETED. CUM ITER = 153
*** TIME = .473364E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8996E-06 OSCILLATION LIMIT = .7098
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1849
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1291 CRITERION= .1385 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 21 COMPLETED. CUM ITER = 154
*** TIME = .481254E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1085E-05 OSCILLATION LIMIT = .8557
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1848
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1284 CRITERION= .1385 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 22 COMPLETED. CUM ITER = 155
*** TIME = .489143E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8998E-06 OSCILLATION LIMIT = .7099
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1848
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1288 CRITERION= .1383 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 23 COMPLETED. CUM ITER = 156
*** TIME = .497033E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1081E-05 OSCILLATION LIMIT = .8530
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1846
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1281 CRITERION= .1382 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 24 COMPLETED. CUM ITER = 157
*** TIME = .504922E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9005E-06 OSCILLATION LIMIT = .7104
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1846
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1285 CRITERION= .1380 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 25 COMPLETED. CUM ITER = 158
*** TIME = .512811E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1077E-05 OSCILLATION LIMIT = .8500
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1845
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1278 CRITERION= .1380 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 26 COMPLETED. CUM ITER = 159
*** TIME = .520701E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9015E-06 OSCILLATION LIMIT = .7112
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1844

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1282 CRITERION= .1378 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 27 COMPLETED. CUM ITER = 160
*** TIME = .528590E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1073E-05 OSCILLATION LIMIT = .8468
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1843
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1275 CRITERION= .1378 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 28 COMPLETED. CUM ITER = 161
*** TIME = .536480E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9026E-06 OSCILLATION LIMIT = .7121
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1842
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1279 CRITERION= .1376 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 29 COMPLETED. CUM ITER = 162
*** TIME = .544369E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1069E-05 OSCILLATION LIMIT = .8436
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1841
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1273 CRITERION= .1375 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 30 COMPLETED. CUM ITER = 163
*** TIME = .552258E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9037E-06 OSCILLATION LIMIT = .7130
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1840
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1276 CRITERION= .1373 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 31 COMPLETED. CUM ITER = 164
*** TIME = .560148E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1065E-05 OSCILLATION LIMIT = .8404
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1839
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1270 CRITERION= .1373 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 32 COMPLETED. CUM ITER = 165
*** TIME = .568037E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9048E-06 OSCILLATION LIMIT = .7138
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1839
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1273 CRITERION= .1371 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 33 COMPLETED. CUM ITER = 166
*** TIME = .575927E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1061E-05 OSCILLATION LIMIT = .8371
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1837
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1267 CRITERION= .1370 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 34 COMPLETED. CUM ITER = 167
*** TIME = .583816E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9058E-06 OSCILLATION LIMIT = .7146
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1837
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1270 CRITERION= .1368 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 35 COMPLETED. CUM ITER = 168
 *** TIME = .591705E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1057E-05 OSCILLATION LIMIT = .8339
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1836
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1264 CRITERION= .1368 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 36 COMPLETED. CUM ITER = 169
 *** TIME = .599595E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9067E-06 OSCILLATION LIMIT = .7153
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1835
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1267 CRITERION= .1366 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 37 COMPLETED. CUM ITER = 170
 *** TIME = .607484E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1053E-05 OSCILLATION LIMIT = .8307
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1834
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1262 CRITERION= .1365 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 38 COMPLETED. CUM ITER = 171
 *** TIME = .615374E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9076E-06 OSCILLATION LIMIT = .7160
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.3 CRITERION= .1833
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1265 CRITERION= .1364 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 39 COMPLETED. CUM ITER = 172
 *** TIME = .623263E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1049E-05 OSCILLATION LIMIT = .8277
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.4 CRITERION= .1832
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
 HT FLOW CONVERGENCE VALUE= .1259 CRITERION= .1363 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 40 COMPLETED. CUM ITER = 173
 *** TIME = .631152E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9084E-06 OSCILLATION LIMIT = .7166

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:23:38 MAR 24, 1995 CP= 11473.610
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1587
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8097E-01 CRITERION= .1361 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 1 COMPLETED. CUM ITER = 174
 *** TIME = .639042E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1736E-05 OSCILLATION LIMIT = 1.370
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1586
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8088E-01 CRITERION= .1361 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 2 COMPLETED. CUM ITER = 175
 *** TIME = .646931E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1524E-05 OSCILLATION LIMIT = 1.202
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1585
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8284E-01 CRITERION= .1359 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 3 COMPLETED. CUM ITER = 176
 *** TIME = .654821E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1360E-05 OSCILLATION LIMIT = 1.073
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1584
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8105E-01 CRITERION= .1359 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 4 COMPLETED. CUM ITER = 177
 *** TIME = .662710E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1501E-05 OSCILLATION LIMIT = 1.184
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1584
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8240E-01 CRITERION= .1357 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 5 COMPLETED. CUM ITER = 178
 *** TIME = .670599E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1438E-05 OSCILLATION LIMIT = 1.135
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1583
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8108E-01 CRITERION= .1357 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 6 COMPLETED. CUM ITER = 179
 *** TIME = .678489E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1434E-05 OSCILLATION LIMIT = 1.132
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1582
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8207E-01 CRITERION= .1355 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 7 COMPLETED. CUM ITER = 180
 *** TIME = .686378E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1486E-05 OSCILLATION LIMIT = 1.173
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1581
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8105E-01 CRITERION= .1355 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 8 COMPLETED. CUM ITER = 181
 *** TIME = .694268E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1395E-05 OSCILLATION LIMIT = 1.101
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1580
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8182E-01 CRITERION= .1353 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 15 SUBSTEP 9 COMPLETED. CUM ITER = 182
*** TIME = .702157E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1514E-05 OSCILLATION LIMIT = 1.195
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1579
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .8097E-01 CRITERION= .1352 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 10 COMPLETED. CUM ITER = 183
*** TIME = .710046E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1372E-05 OSCILLATION LIMIT = 1.083
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1578
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .8160E-01 CRITERION= .1351 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 11 COMPLETED. CUM ITER = 184
*** TIME = .717936E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1530E-05 OSCILLATION LIMIT = 1.207
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1577
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .8087E-01 CRITERION= .1350 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 12 COMPLETED. CUM ITER = 185
*** TIME = .725825E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1359E-05 OSCILLATION LIMIT = 1.073
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1576
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .8140E-01 CRITERION= .1349 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 13 COMPLETED. CUM ITER = 186
*** TIME = .733715E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1537E-05 OSCILLATION LIMIT = 1.213
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1575
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .8075E-01 CRITERION= .1348 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 14 COMPLETED. CUM ITER = 187
*** TIME = .741604E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1352E-05 OSCILLATION LIMIT = 1.067
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1575
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .8122E-01 CRITERION= .1347 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 15 COMPLETED. CUM ITER = 188
*** TIME = .749493E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1540E-05 OSCILLATION LIMIT = 1.215
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1573
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
HT FLOW CONVERGENCE VALUE= .8063E-01 CRITERION= .1346 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 16 COMPLETED. CUM ITER = 189
*** TIME = .757383E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1349E-05 OSCILLATION LIMIT = 1.064
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1573
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728

```

HT FLOW CONVERGENCE VALUE= .8105E-01 CRITERION= .1345 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 17 COMPLETED. CUM ITER = 190
 *** TIME = .765272E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1540E-05 OSCILLATION LIMIT = 1.215
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1572
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8050E-01 CRITERION= .1344 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 18 COMPLETED. CUM ITER = 191
 *** TIME = .773162E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1347E-05 OSCILLATION LIMIT = 1.063
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1571
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8088E-01 CRITERION= .1342 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 19 COMPLETED. CUM ITER = 192
 *** TIME = .781051E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1537E-05 OSCILLATION LIMIT = 1.213
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1570
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8036E-01 CRITERION= .1342 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 20 COMPLETED. CUM ITER = 193
 *** TIME = .788940E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1347E-05 OSCILLATION LIMIT = 1.063
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1569
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8073E-01 CRITERION= .1340 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 21 COMPLETED. CUM ITER = 194
 *** TIME = .796830E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1534E-05 OSCILLATION LIMIT = 1.210
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1568
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8023E-01 CRITERION= .1340 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 22 COMPLETED. CUM ITER = 195
 *** TIME = .804719E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1347E-05 OSCILLATION LIMIT = 1.063
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1567
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8051E-01 CRITERION= .1338 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 23 COMPLETED. CUM ITER = 196
 *** TIME = .812609E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1530E-05 OSCILLATION LIMIT = 1.207
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1566
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8000E-01 CRITERION= .1338 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 24 COMPLETED. CUM ITER = 197
 *** TIME = .820498E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1348E-05 OSCILLATION LIMIT = 1.064
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1566
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8023E-01 CRITERION= .1336 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 25 COMPLETED. CUM ITER = 198
 *** TIME = .828387E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1526E-05 OSCILLATION LIMIT = 1.204
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1564
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .7969E-01 CRITERION= .1336 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 26 COMPLETED. CUM ITER = 199
 *** TIME = .836277E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1350E-05 OSCILLATION LIMIT = 1.065
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1564
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .7993E-01 CRITERION= .1334 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 27 COMPLETED. CUM ITER = 200
 *** TIME = .844166E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1523E-05 OSCILLATION LIMIT = 1.201
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1563
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .7963E-01 CRITERION= .1333 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 28 COMPLETED. CUM ITER = 201
 *** TIME = .852056E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1352E-05 OSCILLATION LIMIT = 1.066
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1562
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .7974E-01 CRITERION= .1332 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 29 COMPLETED. CUM ITER = 202
 *** TIME = .859945E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1519E-05 OSCILLATION LIMIT = 1.198
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1561
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .7929E-01 CRITERION= .1331 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 30 COMPLETED. CUM ITER = 203
 *** TIME = .867834E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1354E-05 OSCILLATION LIMIT = 1.068
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1560
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .7950E-01 CRITERION= .1330 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 31 COMPLETED. CUM ITER = 204
 *** TIME = .875724E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1515E-05 OSCILLATION LIMIT = 1.196
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1559
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .7921E-01 CRITERION= .1329 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 32 COMPLETED. CUM ITER = 205
 *** TIME = .883613E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1356E-05 OSCILLATION LIMIT = 1.070

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1558
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .7947E-01 CRITERION= .1328 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 33 COMPLETED. CUM ITER = 206
 *** TIME = .891503E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1512E-05 OSCILLATION LIMIT = 1.193
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1557
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .7938E-01 CRITERION= .1327 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 34 COMPLETED. CUM ITER = 207
 *** TIME = .899392E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1359E-05 OSCILLATION LIMIT = 1.072
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1557
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .7949E-01 CRITERION= .1326 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 35 COMPLETED. CUM ITER = 208
 *** TIME = .907281E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1509E-05 OSCILLATION LIMIT = 1.190
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1555
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .7930E-01 CRITERION= .1325 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 36 COMPLETED. CUM ITER = 209
 *** TIME = .915171E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1362E-05 OSCILLATION LIMIT = 1.074
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1555
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .7966E-01 CRITERION= .1323 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 37 COMPLETED. CUM ITER = 210
 *** TIME = .923060E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1505E-05 OSCILLATION LIMIT = 1.188
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1554
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .7964E-01 CRITERION= .1323 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 38 COMPLETED. CUM ITER = 211
 *** TIME = .930950E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1364E-05 OSCILLATION LIMIT = 1.076
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.36 CRITERION= .1553
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8045E-01 CRITERION= .1321 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 39 COMPLETED. CUM ITER = 212
 *** TIME = .938839E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1502E-05 OSCILLATION LIMIT = 1.185
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 81.42 CRITERION= .1552
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1728
 HT FLOW CONVERGENCE VALUE= .8023E-01 CRITERION= .1321 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 40 COMPLETED. CUM ITER = 213

*** TIME = .946728E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1366E-05 OSCILLATION LIMIT = 1.077

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 00:14:42 MAR 25, 1995 CP= 14503.710
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1452
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5868E-01 CRITERION= .1319 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 1 COMPLETED. CUM ITER = 214
*** TIME = .954618E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2023E-05 OSCILLATION LIMIT = 1.596
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1451
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5852E-01 CRITERION= .1319 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 2 COMPLETED. CUM ITER = 215
*** TIME = .962507E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1850E-05 OSCILLATION LIMIT = 1.460
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1450
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5912E-01 CRITERION= .1318 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 3 COMPLETED. CUM ITER = 216
*** TIME = .970397E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1757E-05 OSCILLATION LIMIT = 1.386
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1449
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5851E-01 CRITERION= .1317 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 4 COMPLETED. CUM ITER = 217
*** TIME = .978286E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1835E-05 OSCILLATION LIMIT = 1.448
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1448
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5893E-01 CRITERION= .1316 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 5 COMPLETED. CUM ITER = 218
*** TIME = .986175E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1810E-05 OSCILLATION LIMIT = 1.428
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1447
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5846E-01 CRITERION= .1315 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 6 COMPLETED. CUM ITER = 219
*** TIME = .994065E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1789E-05 OSCILLATION LIMIT = 1.411
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1447
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5879E-01 CRITERION= .1314 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 7 COMPLETED. CUM ITER = 220
*** TIME = .100195E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1843E-05 OSCILLATION LIMIT = 1.454
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1446
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5840E-01 CRITERION= .1314 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 8 COMPLETED. CUM ITER = 221
*** TIME = .100984E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1761E-05 OSCILLATION LIMIT = 1.390
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1445
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5866E-01 CRITERION= .1312 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 9 COMPLETED. CUM ITER = 222
*** TIME = .101773E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1862E-05 OSCILLATION LIMIT = 1.469
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1444
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5832E-01 CRITERION= .1312 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 10 COMPLETED. CUM ITER = 223
*** TIME = .102562E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1745E-05 OSCILLATION LIMIT = 1.377
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1444
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5854E-01 CRITERION= .1310 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 11 COMPLETED. CUM ITER = 224
*** TIME = .103351E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1871E-05 OSCILLATION LIMIT = 1.476
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1442
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5823E-01 CRITERION= .1310 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 12 COMPLETED. CUM ITER = 225
*** TIME = .104140E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1736E-05 OSCILLATION LIMIT = 1.369
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1442
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5843E-01 CRITERION= .1309 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 13 COMPLETED. CUM ITER = 226
*** TIME = .104929E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1876E-05 OSCILLATION LIMIT = 1.480
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1441
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5814E-01 CRITERION= .1308 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 14 COMPLETED. CUM ITER = 227
*** TIME = .105718E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1730E-05 OSCILLATION LIMIT = 1.365
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1440

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5832E-01 CRITERION= .1307 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 15 COMPLETED. CUM ITER = 228
 *** TIME = .106507E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1876E-05 OSCILLATION LIMIT = 1.480
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1439
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5805E-01 CRITERION= .1306 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 16 COMPLETED. CUM ITER = 229
 *** TIME = .107296E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1728E-05 OSCILLATION LIMIT = 1.363
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1439
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5821E-01 CRITERION= .1305 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 17 COMPLETED. CUM ITER = 230
 *** TIME = .108085E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1875E-05 OSCILLATION LIMIT = 1.479
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1438
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5796E-01 CRITERION= .1305 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 18 COMPLETED. CUM ITER = 231
 *** TIME = .108874E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 1.362
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1437
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5811E-01 CRITERION= .1303 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 19 COMPLETED. CUM ITER = 232
 *** TIME = .109663E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1873E-05 OSCILLATION LIMIT = 1.477
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1436
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5786E-01 CRITERION= .1303 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 20 COMPLETED. CUM ITER = 233
 *** TIME = .110452E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 1.362
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1435
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5801E-01 CRITERION= .1301 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 21 COMPLETED. CUM ITER = 234
 *** TIME = .111241E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1870E-05 OSCILLATION LIMIT = 1.475
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1434
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5777E-01 CRITERION= .1301 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 22 COMPLETED. CUM ITER = 235
 *** TIME = .112030E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 1.363
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 60.27    CRITERION= .1434
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5791E-01 CRITERION= .1300    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 23 COMPLETED. CUM ITER = 236
*** TIME = .112818E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1866E-05    OSCILLATION LIMIT = 1.472
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33    CRITERION= .1433
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5767E-01 CRITERION= .1299    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 24 COMPLETED. CUM ITER = 237
*** TIME = .113607E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1728E-05    OSCILLATION LIMIT = 1.363
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27    CRITERION= .1432
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5781E-01 CRITERION= .1298    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 25 COMPLETED. CUM ITER = 238
*** TIME = .114396E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1862E-05    OSCILLATION LIMIT = 1.469
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33    CRITERION= .1431
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5758E-01 CRITERION= .1297    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 26 COMPLETED. CUM ITER = 239
*** TIME = .115185E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1729E-05    OSCILLATION LIMIT = 1.364
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27    CRITERION= .1430
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5771E-01 CRITERION= .1296    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 27 COMPLETED. CUM ITER = 240
*** TIME = .115974E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1858E-05    OSCILLATION LIMIT = 1.466
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33    CRITERION= .1429
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5748E-01 CRITERION= .1295    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 28 COMPLETED. CUM ITER = 241
*** TIME = .116763E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1730E-05    OSCILLATION LIMIT = 1.365
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27    CRITERION= .1429
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5761E-01 CRITERION= .1294    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 29 COMPLETED. CUM ITER = 242
*** TIME = .117552E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1854E-05    OSCILLATION LIMIT = 1.463
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33    CRITERION= .1428
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
HT FLOW CONVERGENCE VALUE= .5738E-01 CRITERION= .1294    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 30 COMPLETED. CUM ITER = 243
*** TIME = .118341E+09    TIME INC = 788940.

```

*** RESPONSE EIGENVALUE = .1731E-05 OSCILLATION LIMIT = 1.366
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1427
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5752E-01 CRITERION= .1292 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 31 COMPLETED. CUM ITER = 244
 *** TIME = .119130E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1850E-05 OSCILLATION LIMIT = 1.460
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1426
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5729E-01 CRITERION= .1292 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 32 COMPLETED. CUM ITER = 245
 *** TIME = .119919E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1732E-05 OSCILLATION LIMIT = 1.366
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1426
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5742E-01 CRITERION= .1290 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 33 COMPLETED. CUM ITER = 246
 *** TIME = .120708E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1846E-05 OSCILLATION LIMIT = 1.457
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1424
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5720E-01 CRITERION= .1290 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 34 COMPLETED. CUM ITER = 247
 *** TIME = .121497E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1733E-05 OSCILLATION LIMIT = 1.367
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1424
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5733E-01 CRITERION= .1289 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 35 COMPLETED. CUM ITER = 248
 *** TIME = .122286E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1843E-05 OSCILLATION LIMIT = 1.454
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1423
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5711E-01 CRITERION= .1288 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 36 COMPLETED. CUM ITER = 249
 *** TIME = .123075E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1734E-05 OSCILLATION LIMIT = 1.368
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1422
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5723E-01 CRITERION= .1287 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 37 COMPLETED. CUM ITER = 250
 *** TIME = .123864E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1839E-05 OSCILLATION LIMIT = 1.451
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1421
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5701E-01 CRITERION= .1286 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 38 COMPLETED. CUM ITER = 251
 *** TIME = .124653E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1734E-05 OSCILLATION LIMIT = 1.368
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.27 CRITERION= .1421
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5713E-01 CRITERION= .1285 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 39 COMPLETED. CUM ITER = 252
 *** TIME = .125441E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1835E-05 OSCILLATION LIMIT = 1.448
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.33 CRITERION= .1420
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1283
 HT FLOW CONVERGENCE VALUE= .5691E-01 CRITERION= .1285 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 40 COMPLETED. CUM ITER = 253
 *** TIME = .126230E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1735E-05 OSCILLATION LIMIT = 1.369

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 01:05:41 MAR 25, 1995 CP= 17533.710
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1373
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4565E-01 CRITERION= .1283 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 1 COMPLETED. CUM ITER = 254
 *** TIME = .127019E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2023E-05 OSCILLATION LIMIT = 1.596
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1372
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4552E-01 CRITERION= .1283 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 2 COMPLETED. CUM ITER = 255
 *** TIME = .127808E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1902E-05 OSCILLATION LIMIT = 1.501
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1372
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4590E-01 CRITERION= .1282 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 3 COMPLETED. CUM ITER = 256
 *** TIME = .128597E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1862E-05 OSCILLATION LIMIT = 1.469
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1371
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4550E-01 CRITERION= .1282 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 4 COMPLETED. CUM ITER = 257
 *** TIME = .129386E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1898E-05 OSCILLATION LIMIT = 1.497
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1370
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034

HT FLOW CONVERGENCE VALUE= .4580E-01 CRITERION= .1280 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 5 COMPLETED. CUM ITER = 258
 *** TIME = .130175E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1892E-05 OSCILLATION LIMIT = 1.493
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1369
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4546E-01 CRITERION= .1280 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 6 COMPLETED. CUM ITER = 259
 *** TIME = .130964E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1871E-05 OSCILLATION LIMIT = 1.476
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1369
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4571E-01 CRITERION= .1279 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 7 COMPLETED. CUM ITER = 260
 *** TIME = .131753E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1910E-05 OSCILLATION LIMIT = 1.507
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1368
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4541E-01 CRITERION= .1279 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 8 COMPLETED. CUM ITER = 261
 *** TIME = .132542E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1855E-05 OSCILLATION LIMIT = 1.464
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1368
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4563E-01 CRITERION= .1277 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 9 COMPLETED. CUM ITER = 262
 *** TIME = .133331E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1919E-05 OSCILLATION LIMIT = 1.514
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1367
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4535E-01 CRITERION= .1277 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 10 COMPLETED. CUM ITER = 263
 *** TIME = .134120E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1846E-05 OSCILLATION LIMIT = 1.456
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1366
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4556E-01 CRITERION= .1276 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 11 COMPLETED. CUM ITER = 264
 *** TIME = .134909E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1924E-05 OSCILLATION LIMIT = 1.518
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1365
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4530E-01 CRITERION= .1276 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 12 COMPLETED. CUM ITER = 265
 *** TIME = .135698E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1841E-05 OSCILLATION LIMIT = 1.452
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1365
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4549E-01 CRITERION= .1274 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 13 COMPLETED. CUM ITER = 266
 *** TIME = .136487E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1925E-05 OSCILLATION LIMIT = 1.519
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1364
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4524E-01 CRITERION= .1274 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 14 COMPLETED. CUM ITER = 267
 *** TIME = .137276E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1838E-05 OSCILLATION LIMIT = 1.450
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1363
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4542E-01 CRITERION= .1273 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 15 COMPLETED. CUM ITER = 268
 *** TIME = .138065E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1925E-05 OSCILLATION LIMIT = 1.518
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1362
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4518E-01 CRITERION= .1273 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 16 COMPLETED. CUM ITER = 269
 *** TIME = .138853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1836E-05 OSCILLATION LIMIT = 1.449
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1362
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4535E-01 CRITERION= .1271 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 17 COMPLETED. CUM ITER = 270
 *** TIME = .139642E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1923E-05 OSCILLATION LIMIT = 1.517
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1361
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4511E-01 CRITERION= .1271 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 18 COMPLETED. CUM ITER = 271
 *** TIME = .140431E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1835E-05 OSCILLATION LIMIT = 1.448
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1361
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4528E-01 CRITERION= .1270 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 19 COMPLETED. CUM ITER = 272
 *** TIME = .141220E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1920E-05 OSCILLATION LIMIT = 1.515
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1360
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4504E-01 CRITERION= .1270 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 20 COMPLETED. CUM ITER = 273
 *** TIME = .142009E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1835E-05 OSCILLATION LIMIT = 1.448

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1359
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4520E-01 CRITERION= .1268 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 21 COMPLETED. CUM ITER = 274
 *** TIME = .142798E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1917E-05 OSCILLATION LIMIT = 1.513
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1358
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4496E-01 CRITERION= .1268 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 22 COMPLETED. CUM ITER = 275
 *** TIME = .143587E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1836E-05 OSCILLATION LIMIT = 1.448
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1358
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4511E-01 CRITERION= .1267 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 23 COMPLETED. CUM ITER = 276
 *** TIME = .144376E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1914E-05 OSCILLATION LIMIT = 1.510
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1357
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4488E-01 CRITERION= .1267 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 24 COMPLETED. CUM ITER = 277
 *** TIME = .145165E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1836E-05 OSCILLATION LIMIT = 1.448
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1356
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4501E-01 CRITERION= .1265 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 25 COMPLETED. CUM ITER = 278
 *** TIME = .145954E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1911E-05 OSCILLATION LIMIT = 1.508
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1355
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4479E-01 CRITERION= .1265 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 26 COMPLETED. CUM ITER = 279
 *** TIME = .146743E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1837E-05 OSCILLATION LIMIT = 1.449
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1355
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4494E-01 CRITERION= .1264 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 27 COMPLETED. CUM ITER = 280
 *** TIME = .147532E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1908E-05 OSCILLATION LIMIT = 1.505
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1354
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
 HT FLOW CONVERGENCE VALUE= .4472E-01 CRITERION= .1264 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 28 COMPLETED. CUM ITER = 281

```

*** TIME = .148321E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1837E-05    OSCILLATION LIMIT = 1.449
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.53    CRITERION= .1353
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
    HT FLOW CONVERGENCE VALUE= .4488E-01 CRITERION= .1262    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 29 COMPLETED.    CUM ITER = 282
*** TIME = .149110E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1905E-05    OSCILLATION LIMIT = 1.503
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.59    CRITERION= .1353
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
    HT FLOW CONVERGENCE VALUE= .4466E-01 CRITERION= .1262    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 30 COMPLETED.    CUM ITER = 283
*** TIME = .149899E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1837E-05    OSCILLATION LIMIT = 1.450
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.53    CRITERION= .1352
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
    HT FLOW CONVERGENCE VALUE= .4481E-01 CRITERION= .1261    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 31 COMPLETED.    CUM ITER = 284
*** TIME = .150688E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1902E-05    OSCILLATION LIMIT = 1.500
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.59    CRITERION= .1351
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
    HT FLOW CONVERGENCE VALUE= .4460E-01 CRITERION= .1260    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 32 COMPLETED.    CUM ITER = 285
*** TIME = .151477E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1838E-05    OSCILLATION LIMIT = 1.450
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.53    CRITERION= .1351
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
    HT FLOW CONVERGENCE VALUE= .4475E-01 CRITERION= .1259    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 33 COMPLETED.    CUM ITER = 286
*** TIME = .152265E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1898E-05    OSCILLATION LIMIT = 1.498
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.59    CRITERION= .1350
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
    HT FLOW CONVERGENCE VALUE= .4453E-01 CRITERION= .1259    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 34 COMPLETED.    CUM ITER = 287
*** TIME = .153054E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1838E-05    OSCILLATION LIMIT = 1.450
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.53    CRITERION= .1349
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
    HT FLOW CONVERGENCE VALUE= .4468E-01 CRITERION= .1258    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 35 COMPLETED.    CUM ITER = 288
*** TIME = .153843E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1895E-05    OSCILLATION LIMIT = 1.495
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.59    CRITERION= .1348
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
    HT FLOW CONVERGENCE VALUE= .4445E-01 CRITERION= .1257    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 36 COMPLETED. CUM ITER = 289
*** TIME = .154632E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1839E-05 OSCILLATION LIMIT = 1.451
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1348
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
HT FLOW CONVERGENCE VALUE= .4458E-01 CRITERION= .1256 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 37 COMPLETED. CUM ITER = 290
*** TIME = .155421E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1892E-05 OSCILLATION LIMIT = 1.493
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1347
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
HT FLOW CONVERGENCE VALUE= .4432E-01 CRITERION= .1256 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 38 COMPLETED. CUM ITER = 291
*** TIME = .156210E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1839E-05 OSCILLATION LIMIT = 1.451
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.53 CRITERION= .1346
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
HT FLOW CONVERGENCE VALUE= .4444E-01 CRITERION= .1255 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 39 COMPLETED. CUM ITER = 292
*** TIME = .156999E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1889E-05 OSCILLATION LIMIT = 1.490
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.59 CRITERION= .1345
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1034
HT FLOW CONVERGENCE VALUE= .4422E-01 CRITERION= .1254 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 40 COMPLETED. CUM ITER = 293
*** TIME = .157788E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1839E-05 OSCILLATION LIMIT = 1.451

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 01:56:38 MAR 25, 1995 CP= 20563.580
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1321
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .3732E-01 CRITERION= .1253 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 1 COMPLETED. CUM ITER = 294
*** TIME = .158577E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3068E-05 OSCILLATION LIMIT = 2.420
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1320
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .3702E-01 CRITERION= .1253 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 2 COMPLETED. CUM ITER = 295
*** TIME = .159366E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3125E-05 OSCILLATION LIMIT = 2.466
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1320

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3727E-01 CRITERION= .1252 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 3 COMPLETED. CUM ITER = 296
 *** TIME = .160155E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2847E-05 OSCILLATION LIMIT = 2.246
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1319
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3697E-01 CRITERION= .1251 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 4 COMPLETED. CUM ITER = 297
 *** TIME = .160944E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3082E-05 OSCILLATION LIMIT = 2.432
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1318
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3719E-01 CRITERION= .1250 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 5 COMPLETED. CUM ITER = 298
 *** TIME = .161733E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2902E-05 OSCILLATION LIMIT = 2.290
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1317
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3692E-01 CRITERION= .1249 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 6 COMPLETED. CUM ITER = 299
 *** TIME = .162522E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3035E-05 OSCILLATION LIMIT = 2.394
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1317
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3711E-01 CRITERION= .1248 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 7 COMPLETED. CUM ITER = 300
 *** TIME = .163311E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2936E-05 OSCILLATION LIMIT = 2.316
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1315
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3687E-01 CRITERION= .1248 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 8 COMPLETED. CUM ITER = 301
 *** TIME = .164100E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3006E-05 OSCILLATION LIMIT = 2.371
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1315
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3705E-01 CRITERION= .1246 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 9 COMPLETED. CUM ITER = 302
 *** TIME = .164888E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2955E-05 OSCILLATION LIMIT = 2.332
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1314
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3681E-01 CRITERION= .1246 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 10 COMPLETED. CUM ITER = 303
 *** TIME = .165677E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2987E-05 OSCILLATION LIMIT = 2.357
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1313
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3698E-01 CRITERION= .1245 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 11 COMPLETED. CUM ITER = 304
 *** TIME = .166466E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2966E-05 OSCILLATION LIMIT = 2.340
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1312
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3676E-01 CRITERION= .1244 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 12 COMPLETED. CUM ITER = 305
 *** TIME = .167255E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2976E-05 OSCILLATION LIMIT = 2.348
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1312
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3692E-01 CRITERION= .1243 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 13 COMPLETED. CUM ITER = 306
 *** TIME = .168044E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2972E-05 OSCILLATION LIMIT = 2.345
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1311
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3670E-01 CRITERION= .1243 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 14 COMPLETED. CUM ITER = 307
 *** TIME = .168833E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2970E-05 OSCILLATION LIMIT = 2.343
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1310
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3686E-01 CRITERION= .1241 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 15 COMPLETED. CUM ITER = 308
 *** TIME = .169622E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2974E-05 OSCILLATION LIMIT = 2.346
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1309
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3664E-01 CRITERION= .1241 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 16 COMPLETED. CUM ITER = 309
 *** TIME = .170411E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2966E-05 OSCILLATION LIMIT = 2.340
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1308
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3675E-01 CRITERION= .1240 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 17 COMPLETED. CUM ITER = 310
 *** TIME = .171200E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2974E-05 OSCILLATION LIMIT = 2.346
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1307
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3653E-01 CRITERION= .1239 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 18 COMPLETED. CUM ITER = 311
 *** TIME = .171989E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .2963E-05 OSCILLATION LIMIT = 2.338
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1307
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3666E-01 CRITERION= .1238 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 19 COMPLETED. CUM ITER = 312
 *** TIME = .172778E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2973E-05 OSCILLATION LIMIT = 2.346
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1306
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3645E-01 CRITERION= .1237 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 20 COMPLETED. CUM ITER = 313
 *** TIME = .173567E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2962E-05 OSCILLATION LIMIT = 2.337
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1305
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3660E-01 CRITERION= .1236 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 21 COMPLETED. CUM ITER = 314
 *** TIME = .174356E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2971E-05 OSCILLATION LIMIT = 2.344
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1304
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3640E-01 CRITERION= .1236 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 22 COMPLETED. CUM ITER = 315
 *** TIME = .175145E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2961E-05 OSCILLATION LIMIT = 2.336
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1304
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3654E-01 CRITERION= .1234 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 23 COMPLETED. CUM ITER = 316
 *** TIME = .175934E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2969E-05 OSCILLATION LIMIT = 2.342
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1303
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3634E-01 CRITERION= .1234 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 24 COMPLETED. CUM ITER = 317
 *** TIME = .176723E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2961E-05 OSCILLATION LIMIT = 2.336
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1302
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3648E-01 CRITERION= .1233 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 25 COMPLETED. CUM ITER = 318
 *** TIME = .177512E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2966E-05 OSCILLATION LIMIT = 2.340
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1301
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3627E-01 CRITERION= .1232 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1


```

*** LOAD STEP 18 SUBSTEP 26 COMPLETED. CUM ITER = 319
*** TIME = .178300E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2961E-05 OSCILLATION LIMIT = 2.336
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1300
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .3640E-01 CRITERION= .1231 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 27 COMPLETED. CUM ITER = 320
*** TIME = .179089E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2963E-05 OSCILLATION LIMIT = 2.338
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1299
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .3620E-01 CRITERION= .1231 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 28 COMPLETED. CUM ITER = 321
*** TIME = .179878E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2961E-05 OSCILLATION LIMIT = 2.336
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1299
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .3634E-01 CRITERION= .1229 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 29 COMPLETED. CUM ITER = 322
*** TIME = .180667E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2960E-05 OSCILLATION LIMIT = 2.335
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1298
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .3614E-01 CRITERION= .1229 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 30 COMPLETED. CUM ITER = 323
*** TIME = .181456E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2961E-05 OSCILLATION LIMIT = 2.336
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1297
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .3628E-01 CRITERION= .1228 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 31 COMPLETED. CUM ITER = 324
*** TIME = .182245E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2957E-05 OSCILLATION LIMIT = 2.333
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1296
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .3608E-01 CRITERION= .1227 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 32 COMPLETED. CUM ITER = 325
*** TIME = .183034E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2961E-05 OSCILLATION LIMIT = 2.336
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1296
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
HT FLOW CONVERGENCE VALUE= .3622E-01 CRITERION= .1226 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 33 COMPLETED. CUM ITER = 326
*** TIME = .183823E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2954E-05 OSCILLATION LIMIT = 2.331
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1294
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01

```

HT FLOW CONVERGENCE VALUE= .3602E-01 CRITERION= .1226 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 34 COMPLETED. CUM ITER = 327
 *** TIME = .184612E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2961E-05 OSCILLATION LIMIT = 2.336
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1294
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3616E-01 CRITERION= .1224 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 35 COMPLETED. CUM ITER = 328
 *** TIME = .185401E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2951E-05 OSCILLATION LIMIT = 2.328
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1293
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3596E-01 CRITERION= .1224 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 36 COMPLETED. CUM ITER = 329
 *** TIME = .186190E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2961E-05 OSCILLATION LIMIT = 2.336
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1292
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3610E-01 CRITERION= .1223 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 37 COMPLETED. CUM ITER = 330
 *** TIME = .186979E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2948E-05 OSCILLATION LIMIT = 2.326
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1291
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3590E-01 CRITERION= .1222 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 38 COMPLETED. CUM ITER = 331
 *** TIME = .187768E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2961E-05 OSCILLATION LIMIT = 2.336
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.52 CRITERION= .1291
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3604E-01 CRITERION= .1221 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 39 COMPLETED. CUM ITER = 332
 *** TIME = .188557E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2945E-05 OSCILLATION LIMIT = 2.324
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.58 CRITERION= .1290
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8856E-01
 HT FLOW CONVERGENCE VALUE= .3584E-01 CRITERION= .1220 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 40 COMPLETED. CUM ITER = 333
 *** TIME = .189346E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2961E-05 OSCILLATION LIMIT = 2.336

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 02:47:43 MAR 25, 1995 CP= 23594.480
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1274
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3175E-01 CRITERION= .1219 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 1 COMPLETED. CUM ITER = 334
 *** TIME = .190135E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2541E-05 OSCILLATION LIMIT = 2.005
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1273
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3163E-01 CRITERION= .1219 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 2 COMPLETED. CUM ITER = 335
 *** TIME = .190924E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2502E-05 OSCILLATION LIMIT = 1.974
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1272
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3182E-01 CRITERION= .1218 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 3 COMPLETED. CUM ITER = 336
 *** TIME = .191712E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2489E-05 OSCILLATION LIMIT = 1.964
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1272
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3160E-01 CRITERION= .1218 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 4 COMPLETED. CUM ITER = 337
 *** TIME = .192501E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2517E-05 OSCILLATION LIMIT = 1.986
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1271
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3178E-01 CRITERION= .1217 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 5 COMPLETED. CUM ITER = 338
 *** TIME = .193290E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2491E-05 OSCILLATION LIMIT = 1.965
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1270
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3155E-01 CRITERION= .1216 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 6 COMPLETED. CUM ITER = 339
 *** TIME = .194079E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2513E-05 OSCILLATION LIMIT = 1.983
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1270
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3170E-01 CRITERION= .1215 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 7 COMPLETED. CUM ITER = 340
 *** TIME = .194868E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2491E-05 OSCILLATION LIMIT = 1.966
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1269
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3148E-01 CRITERION= .1215 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 8 COMPLETED. CUM ITER = 341
 *** TIME = .195657E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2511E-05 OSCILLATION LIMIT = 1.981

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1269
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3164E-01 CRITERION= .1214 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 9 COMPLETED. CUM ITER = 342
*** TIME = .196446E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2491E-05 OSCILLATION LIMIT = 1.965
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1268
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3143E-01 CRITERION= .1214 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 10 COMPLETED. CUM ITER = 343
*** TIME = .197235E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2510E-05 OSCILLATION LIMIT = 1.980
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1267
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3160E-01 CRITERION= .1213 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 11 COMPLETED. CUM ITER = 344
*** TIME = .198024E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2489E-05 OSCILLATION LIMIT = 1.964
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1266
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3139E-01 CRITERION= .1212 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 12 COMPLETED. CUM ITER = 345
*** TIME = .198813E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2509E-05 OSCILLATION LIMIT = 1.979
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1266
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3155E-01 CRITERION= .1211 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 13 COMPLETED. CUM ITER = 346
*** TIME = .199602E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2487E-05 OSCILLATION LIMIT = 1.962
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1265
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3135E-01 CRITERION= .1211 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 14 COMPLETED. CUM ITER = 347
*** TIME = .200391E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2508E-05 OSCILLATION LIMIT = 1.979
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1265
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3151E-01 CRITERION= .1210 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 15 COMPLETED. CUM ITER = 348
*** TIME = .201180E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2485E-05 OSCILLATION LIMIT = 1.960
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1264
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3131E-01 CRITERION= .1209 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 16 COMPLETED. CUM ITER = 349

```

*** TIME = .201969E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2508E-05    OSCILLATION LIMIT = 1.979
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.51    CRITERION= .1263
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .3147E-01    CRITERION= .1208    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 17 COMPLETED. CUM ITER = 350
*** TIME = .202758E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2482E-05    OSCILLATION LIMIT = 1.958
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.57    CRITERION= .1262
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .3127E-01    CRITERION= .1208    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 18 COMPLETED. CUM ITER = 351
*** TIME = .203547E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2507E-05    OSCILLATION LIMIT = 1.978
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.51    CRITERION= .1262
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .3144E-01    CRITERION= .1207    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 19 COMPLETED. CUM ITER = 352
*** TIME = .204335E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2480E-05    OSCILLATION LIMIT = 1.956
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.57    CRITERION= .1261
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .3124E-01    CRITERION= .1207    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 20 COMPLETED. CUM ITER = 353
*** TIME = .205124E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2507E-05    OSCILLATION LIMIT = 1.978
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.51    CRITERION= .1261
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .3140E-01    CRITERION= .1206    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 21 COMPLETED. CUM ITER = 354
*** TIME = .205913E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2477E-05    OSCILLATION LIMIT = 1.955
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.57    CRITERION= .1260
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .3120E-01    CRITERION= .1205    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 22 COMPLETED. CUM ITER = 355
*** TIME = .206702E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2507E-05    OSCILLATION LIMIT = 1.978
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.51    CRITERION= .1259
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .3136E-01    CRITERION= .1204    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 23 COMPLETED. CUM ITER = 356
*** TIME = .207491E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2475E-05    OSCILLATION LIMIT = 1.953
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 36.57    CRITERION= .1259
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
    HT FLOW CONVERGENCE VALUE= .3116E-01    CRITERION= .1204    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 24 COMPLETED. CUM ITER = 357
*** TIME = .208280E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2507E-05 OSCILLATION LIMIT = 1.978
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1258
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3131E-01 CRITERION= .1203 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 25 COMPLETED. CUM ITER = 358
*** TIME = .209069E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2472E-05 OSCILLATION LIMIT = 1.951
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1257
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3111E-01 CRITERION= .1203 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 26 COMPLETED. CUM ITER = 359
*** TIME = .209858E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2507E-05 OSCILLATION LIMIT = 1.978
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1257
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3126E-01 CRITERION= .1202 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 27 COMPLETED. CUM ITER = 360
*** TIME = .210647E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2470E-05 OSCILLATION LIMIT = 1.949
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1256
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3107E-01 CRITERION= .1201 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 28 COMPLETED. CUM ITER = 361
*** TIME = .211436E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2507E-05 OSCILLATION LIMIT = 1.978
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1256
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3122E-01 CRITERION= .1200 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 29 COMPLETED. CUM ITER = 362
*** TIME = .212225E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2468E-05 OSCILLATION LIMIT = 1.947
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1255
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3103E-01 CRITERION= .1200 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 30 COMPLETED. CUM ITER = 363
*** TIME = .213014E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2507E-05 OSCILLATION LIMIT = 1.977
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1254
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
HT FLOW CONVERGENCE VALUE= .3118E-01 CRITERION= .1199 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 31 COMPLETED. CUM ITER = 364
*** TIME = .213803E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2465E-05 OSCILLATION LIMIT = 1.945
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1253

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3098E-01 CRITERION= .1199 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 32 COMPLETED. CUM ITER = 365
 *** TIME = .214592E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2506E-05 OSCILLATION LIMIT = 1.977
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1253
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3114E-01 CRITERION= .1198 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 33 COMPLETED. CUM ITER = 366
 *** TIME = .215381E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2463E-05 OSCILLATION LIMIT = 1.943
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1252
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3094E-01 CRITERION= .1197 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 34 COMPLETED. CUM ITER = 367
 *** TIME = .216170E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2506E-05 OSCILLATION LIMIT = 1.977
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1252
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3110E-01 CRITERION= .1196 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 35 COMPLETED. CUM ITER = 368
 *** TIME = .216959E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2460E-05 OSCILLATION LIMIT = 1.941
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1251
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3091E-01 CRITERION= .1196 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 36 COMPLETED. CUM ITER = 369
 *** TIME = .217747E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2505E-05 OSCILLATION LIMIT = 1.977
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1250
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3106E-01 CRITERION= .1195 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 37 COMPLETED. CUM ITER = 370
 *** TIME = .218536E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2458E-05 OSCILLATION LIMIT = 1.939
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1249
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3087E-01 CRITERION= .1195 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 38 COMPLETED. CUM ITER = 371
 *** TIME = .219325E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2505E-05 OSCILLATION LIMIT = 1.976
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.51 CRITERION= .1249
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3102E-01 CRITERION= .1194 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 39 COMPLETED. CUM ITER = 372
 *** TIME = .220114E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2456E-05 OSCILLATION LIMIT = 1.937
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.57 CRITERION= .1248
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7785E-01
 HT FLOW CONVERGENCE VALUE= .3083E-01 CRITERION= .1193 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 40 COMPLETED. CUM ITER = 373
 *** TIME = .220903E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2505E-05 OSCILLATION LIMIT = 1.976

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 03:38:43 MAR 25, 1995 CP= 26624.260
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1238
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2774E-01 CRITERION= .1192 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 1 COMPLETED. CUM ITER = 374
 *** TIME = .221692E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2779E-05 OSCILLATION LIMIT = 2.192
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1237
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2754E-01 CRITERION= .1192 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 2 COMPLETED. CUM ITER = 375
 *** TIME = .222481E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2867E-05 OSCILLATION LIMIT = 2.262
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1236
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2776E-01 CRITERION= .1191 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 3 COMPLETED. CUM ITER = 376
 *** TIME = .223270E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2685E-05 OSCILLATION LIMIT = 2.118
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1235
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2752E-01 CRITERION= .1191 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 4 COMPLETED. CUM ITER = 377
 *** TIME = .224059E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2855E-05 OSCILLATION LIMIT = 2.253
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1235
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2771E-01 CRITERION= .1190 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 5 COMPLETED. CUM ITER = 378
 *** TIME = .224848E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2705E-05 OSCILLATION LIMIT = 2.134
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1234
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2748E-01 CRITERION= .1189 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 6 COMPLETED. CUM ITER = 379
 *** TIME = .225637E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .2837E-05 OSCILLATION LIMIT = 2.238
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1234
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2766E-01 CRITERION= .1188 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 7 COMPLETED. CUM ITER = 380
 *** TIME = .226426E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2717E-05 OSCILLATION LIMIT = 2.143
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1233
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2742E-01 CRITERION= .1188 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 8 COMPLETED. CUM ITER = 381
 *** TIME = .227215E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2825E-05 OSCILLATION LIMIT = 2.229
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1233
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2760E-01 CRITERION= .1187 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 9 COMPLETED. CUM ITER = 382
 *** TIME = .228004E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2723E-05 OSCILLATION LIMIT = 2.149
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1232
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2739E-01 CRITERION= .1187 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 10 COMPLETED. CUM ITER = 383
 *** TIME = .228793E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2817E-05 OSCILLATION LIMIT = 2.223
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1231
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2756E-01 CRITERION= .1186 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 11 COMPLETED. CUM ITER = 384
 *** TIME = .229582E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2727E-05 OSCILLATION LIMIT = 2.151
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1230
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2736E-01 CRITERION= .1185 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 12 COMPLETED. CUM ITER = 385
 *** TIME = .230371E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2813E-05 OSCILLATION LIMIT = 2.219
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1230
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2752E-01 CRITERION= .1184 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 13 COMPLETED. CUM ITER = 386
 *** TIME = .231159E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2728E-05 OSCILLATION LIMIT = 2.152
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1229
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2732E-01 CRITERION= .1184 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 14 COMPLETED. CUM ITER = 387
 *** TIME = .231948E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2809E-05 OSCILLATION LIMIT = 2.216
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1229
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2749E-01 CRITERION= .1183 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 15 COMPLETED. CUM ITER = 388
 *** TIME = .232737E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2727E-05 OSCILLATION LIMIT = 2.152
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1228
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2729E-01 CRITERION= .1183 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 16 COMPLETED. CUM ITER = 389
 *** TIME = .233526E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2807E-05 OSCILLATION LIMIT = 2.215
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1228
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2745E-01 CRITERION= .1182 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 17 COMPLETED. CUM ITER = 390
 *** TIME = .234315E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2727E-05 OSCILLATION LIMIT = 2.151
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1227
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2726E-01 CRITERION= .1181 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 18 COMPLETED. CUM ITER = 391
 *** TIME = .235104E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2805E-05 OSCILLATION LIMIT = 2.213
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1226
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2742E-01 CRITERION= .1180 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 19 COMPLETED. CUM ITER = 392
 *** TIME = .235893E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2725E-05 OSCILLATION LIMIT = 2.150
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1225
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2722E-01 CRITERION= .1180 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 20 COMPLETED. CUM ITER = 393
 *** TIME = .236682E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2804E-05 OSCILLATION LIMIT = 2.212
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1225
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2738E-01 CRITERION= .1179 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 21 COMPLETED. CUM ITER = 394
 *** TIME = .237471E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2723E-05 OSCILLATION LIMIT = 2.149
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1224
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01

HT FLOW CONVERGENCE VALUE= .2719E-01 CRITERION= .1179 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 22 COMPLETED. CUM ITER = 395
 *** TIME = .238260E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2803E-05 OSCILLATION LIMIT = 2.212
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1224
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2734E-01 CRITERION= .1178 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 23 COMPLETED. CUM ITER = 396
 *** TIME = .239049E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2721E-05 OSCILLATION LIMIT = 2.147
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1223
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2715E-01 CRITERION= .1178 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 24 COMPLETED. CUM ITER = 397
 *** TIME = .239838E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2803E-05 OSCILLATION LIMIT = 2.211
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1222
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2730E-01 CRITERION= .1177 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 25 COMPLETED. CUM ITER = 398
 *** TIME = .240627E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2719E-05 OSCILLATION LIMIT = 2.145
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1222
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2711E-01 CRITERION= .1176 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 26 COMPLETED. CUM ITER = 399
 *** TIME = .241416E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2802E-05 OSCILLATION LIMIT = 2.211
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1221
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2726E-01 CRITERION= .1175 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 27 COMPLETED. CUM ITER = 400
 *** TIME = .242205E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2717E-05 OSCILLATION LIMIT = 2.144
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1220
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2707E-01 CRITERION= .1175 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 28 COMPLETED. CUM ITER = 401
 *** TIME = .242994E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2801E-05 OSCILLATION LIMIT = 2.210
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1220
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2723E-01 CRITERION= .1174 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 29 COMPLETED. CUM ITER = 402
 *** TIME = .243782E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2715E-05 OSCILLATION LIMIT = 2.142
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1219
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2704E-01 CRITERION= .1174 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 30 COMPLETED. CUM ITER = 403
 *** TIME = .244571E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2801E-05 OSCILLATION LIMIT = 2.210
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1219
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2719E-01 CRITERION= .1173 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 31 COMPLETED. CUM ITER = 404
 *** TIME = .245360E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2713E-05 OSCILLATION LIMIT = 2.140
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1218
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2700E-01 CRITERION= .1172 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 32 COMPLETED. CUM ITER = 405
 *** TIME = .246149E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2800E-05 OSCILLATION LIMIT = 2.209
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1217
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2716E-01 CRITERION= .1171 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 33 COMPLETED. CUM ITER = 406
 *** TIME = .246938E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2711E-05 OSCILLATION LIMIT = 2.139
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1217
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2697E-01 CRITERION= .1171 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 34 COMPLETED. CUM ITER = 407
 *** TIME = .247727E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2799E-05 OSCILLATION LIMIT = 2.209
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1216
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2712E-01 CRITERION= .1170 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 35 COMPLETED. CUM ITER = 408
 *** TIME = .248516E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2709E-05 OSCILLATION LIMIT = 2.137
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1215
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2693E-01 CRITERION= .1170 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 36 COMPLETED. CUM ITER = 409
 *** TIME = .249305E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2799E-05 OSCILLATION LIMIT = 2.208
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1215
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2709E-01 CRITERION= .1169 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 37 COMPLETED. CUM ITER = 410
 *** TIME = .250094E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2707E-05 OSCILLATION LIMIT = 2.136

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1214
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2690E-01 CRITERION= .1168 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 38 COMPLETED. CUM ITER = 411
 *** TIME = .250883E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2798E-05 OSCILLATION LIMIT = 2.207
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.85 CRITERION= .1214
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2705E-01 CRITERION= .1167 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 39 COMPLETED. CUM ITER = 412
 *** TIME = .251672E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2705E-05 OSCILLATION LIMIT = 2.134
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.91 CRITERION= .1213
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7007E-01
 HT FLOW CONVERGENCE VALUE= .2686E-01 CRITERION= .1167 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 40 COMPLETED. CUM ITER = 413
 *** TIME = .252461E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2797E-05 OSCILLATION LIMIT = 2.207

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 04:29:43 MAR 25, 1995 CP= 29652.230
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1189
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1844E-01 CRITERION= .1166 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 1 COMPLETED. CUM ITER = 414
 *** TIME = .253250E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4691E-05 OSCILLATION LIMIT = 3.701
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1188
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1818E-01 CRITERION= .1166 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 2 COMPLETED. CUM ITER = 415
 *** TIME = .254039E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5094E-05 OSCILLATION LIMIT = 4.019
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1188
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1837E-01 CRITERION= .1165 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 3 COMPLETED. CUM ITER = 416
 *** TIME = .254828E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4235E-05 OSCILLATION LIMIT = 3.341
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1187
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1816E-01 CRITERION= .1165 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 4 COMPLETED. CUM ITER = 417

```

*** TIME = .255617E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5022E-05    OSCILLATION LIMIT = 3.962
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.58    CRITERION= .1186
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .1835E-01    CRITERION= .1164    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 5 COMPLETED.    CUM ITER = 418
*** TIME = .256406E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4351E-05    OSCILLATION LIMIT = 3.433
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.64    CRITERION= .1186
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .1813E-01    CRITERION= .1163    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 6 COMPLETED.    CUM ITER = 419
*** TIME = .257194E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4922E-05    OSCILLATION LIMIT = 3.883
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.58    CRITERION= .1185
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .1832E-01    CRITERION= .1163    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 7 COMPLETED.    CUM ITER = 420
*** TIME = .257983E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4425E-05    OSCILLATION LIMIT = 3.491
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.64    CRITERION= .1184
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .1810E-01    CRITERION= .1162    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 8 COMPLETED.    CUM ITER = 421
*** TIME = .258772E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4859E-05    OSCILLATION LIMIT = 3.834
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.58    CRITERION= .1184
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .1829E-01    CRITERION= .1161    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 9 COMPLETED.    CUM ITER = 422
*** TIME = .259561E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4470E-05    OSCILLATION LIMIT = 3.527
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.64    CRITERION= .1183
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .1808E-01    CRITERION= .1161    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 10 COMPLETED.    CUM ITER = 423
*** TIME = .260350E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4820E-05    OSCILLATION LIMIT = 3.803
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.58    CRITERION= .1183
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .1827E-01    CRITERION= .1160    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 11 COMPLETED.    CUM ITER = 424
*** TIME = .261139E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4498E-05    OSCILLATION LIMIT = 3.549
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.64    CRITERION= .1182
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
    HT FLOW CONVERGENCE VALUE= .1806E-01    CRITERION= .1160    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 12 COMPLETED. CUM ITER = 425
*** TIME = .261928E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4796E-05 OSCILLATION LIMIT = 3.784
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1182
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
HT FLOW CONVERGENCE VALUE= .1823E-01 CRITERION= .1159 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 13 COMPLETED. CUM ITER = 426
*** TIME = .262717E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4514E-05 OSCILLATION LIMIT = 3.562
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1181
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
HT FLOW CONVERGENCE VALUE= .1802E-01 CRITERION= .1159 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 14 COMPLETED. CUM ITER = 427
*** TIME = .263506E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4781E-05 OSCILLATION LIMIT = 3.772
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1180
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
HT FLOW CONVERGENCE VALUE= .1821E-01 CRITERION= .1158 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 15 COMPLETED. CUM ITER = 428
*** TIME = .264295E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4524E-05 OSCILLATION LIMIT = 3.569
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1180
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
HT FLOW CONVERGENCE VALUE= .1800E-01 CRITERION= .1157 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 16 COMPLETED. CUM ITER = 429
*** TIME = .265084E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4772E-05 OSCILLATION LIMIT = 3.764
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1179
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
HT FLOW CONVERGENCE VALUE= .1819E-01 CRITERION= .1157 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 17 COMPLETED. CUM ITER = 430
*** TIME = .265873E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4528E-05 OSCILLATION LIMIT = 3.573
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1178
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
HT FLOW CONVERGENCE VALUE= .1798E-01 CRITERION= .1156 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 18 COMPLETED. CUM ITER = 431
*** TIME = .266662E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4766E-05 OSCILLATION LIMIT = 3.760
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1178
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
HT FLOW CONVERGENCE VALUE= .1816E-01 CRITERION= .1155 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 19 COMPLETED. CUM ITER = 432
*** TIME = .267451E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4530E-05 OSCILLATION LIMIT = 3.574
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1177

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1795E-01 CRITERION= .1155 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 20 COMPLETED. CUM ITER = 433
 *** TIME = .268240E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4763E-05 OSCILLATION LIMIT = 3.757
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1177
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1814E-01 CRITERION= .1154 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 21 COMPLETED. CUM ITER = 434
 *** TIME = .269029E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4531E-05 OSCILLATION LIMIT = 3.574
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1176
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1793E-01 CRITERION= .1154 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 22 COMPLETED. CUM ITER = 435
 *** TIME = .269818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4761E-05 OSCILLATION LIMIT = 3.756
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1176
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1812E-01 CRITERION= .1153 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 23 COMPLETED. CUM ITER = 436
 *** TIME = .270606E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4530E-05 OSCILLATION LIMIT = 3.574
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1175
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1791E-01 CRITERION= .1153 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 24 COMPLETED. CUM ITER = 437
 *** TIME = .271395E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4760E-05 OSCILLATION LIMIT = 3.755
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1175
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1810E-01 CRITERION= .1152 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 25 COMPLETED. CUM ITER = 438
 *** TIME = .272184E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4528E-05 OSCILLATION LIMIT = 3.572
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1174
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1789E-01 CRITERION= .1151 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 26 COMPLETED. CUM ITER = 439
 *** TIME = .272973E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4759E-05 OSCILLATION LIMIT = 3.755
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1173
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1808E-01 CRITERION= .1151 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 27 COMPLETED. CUM ITER = 440
 *** TIME = .273762E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4526E-05 OSCILLATION LIMIT = 3.571
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1172
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1786E-01 CRITERION= .1150 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 28 COMPLETED. CUM ITER = 441
 *** TIME = .274551E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4759E-05 OSCILLATION LIMIT = 3.755
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1172
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1804E-01 CRITERION= .1149 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 29 COMPLETED. CUM ITER = 442
 *** TIME = .275340E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4524E-05 OSCILLATION LIMIT = 3.569
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1171
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1784E-01 CRITERION= .1149 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 30 COMPLETED. CUM ITER = 443
 *** TIME = .276129E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4759E-05 OSCILLATION LIMIT = 3.755
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1171
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1802E-01 CRITERION= .1148 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 31 COMPLETED. CUM ITER = 444
 *** TIME = .276918E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4522E-05 OSCILLATION LIMIT = 3.568
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1170
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1782E-01 CRITERION= .1148 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 32 COMPLETED. CUM ITER = 445
 *** TIME = .277707E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4759E-05 OSCILLATION LIMIT = 3.755
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1170
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1800E-01 CRITERION= .1147 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 33 COMPLETED. CUM ITER = 446
 *** TIME = .278496E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4520E-05 OSCILLATION LIMIT = 3.566
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1169
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1779E-01 CRITERION= .1147 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 34 COMPLETED. CUM ITER = 447
 *** TIME = .279285E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4760E-05 OSCILLATION LIMIT = 3.755
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1169
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1798E-01 CRITERION= .1146 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 35 COMPLETED. CUM ITER = 448
 *** TIME = .280074E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .4517E-05 OSCILLATION LIMIT = 3.564
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1168
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1777E-01 CRITERION= .1145 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 36 COMPLETED. CUM ITER = 449
 *** TIME = .280863E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4760E-05 OSCILLATION LIMIT = 3.755
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1167
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1796E-01 CRITERION= .1144 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 37 COMPLETED. CUM ITER = 450
 *** TIME = .281652E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4515E-05 OSCILLATION LIMIT = 3.562
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1167
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1775E-01 CRITERION= .1144 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 38 COMPLETED. CUM ITER = 451
 *** TIME = .282441E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4760E-05 OSCILLATION LIMIT = 3.755
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.58 CRITERION= .1166
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1793E-01 CRITERION= .1143 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 39 COMPLETED. CUM ITER = 452
 *** TIME = .283229E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4513E-05 OSCILLATION LIMIT = 3.560
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.64 CRITERION= .1165
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4832E-01
 HT FLOW CONVERGENCE VALUE= .1773E-01 CRITERION= .1143 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 40 COMPLETED. CUM ITER = 453
 *** TIME = .284018E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4760E-05 OSCILLATION LIMIT = 3.755
 Apply loads and solve for 10 to 90 years

*DO LOOP ON PARAMETER= TM FROM .31558E+09 TO .28402E+10 BY .31558E+09
 TIME= .31558E+09

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 3632.94439 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 142.11 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 142.65 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 143.80 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 32681.560 TIME= 05:20:45
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 05:20:45 MAR 25, 1995 CP= 32681.560
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 22
TIME AT END OF THE LOAD STEP.31558E+09
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1161
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1606E-01 CRITERION= .1142 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 1 COMPLETED. CUM ITER = 454
*** TIME = .284807E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4006E-05 OSCILLATION LIMIT = 3.161
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1160
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1587E-01 CRITERION= .1142 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 2 COMPLETED. CUM ITER = 455
*** TIME = .285596E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4187E-05 OSCILLATION LIMIT = 3.304
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1160
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1606E-01 CRITERION= .1141 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 3 COMPLETED. CUM ITER = 456
*** TIME = .286385E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3977E-05 OSCILLATION LIMIT = 3.138
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1159
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1585E-01 CRITERION= .1141 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 4 COMPLETED. CUM ITER = 457
*** TIME = .287174E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4209E-05 OSCILLATION LIMIT = 3.320
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1159
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1604E-01 CRITERION= .1140 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 5 COMPLETED. CUM ITER = 458
*** TIME = .287963E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3972E-05 OSCILLATION LIMIT = 3.134
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1158
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1584E-01 CRITERION= .1140 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 6 COMPLETED. CUM ITER = 459
*** TIME = .288752E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4210E-05 OSCILLATION LIMIT = 3.322
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1158
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1603E-01 CRITERION= .1139 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 7 COMPLETED. CUM ITER = 460
*** TIME = .289541E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3968E-05 OSCILLATION LIMIT = 3.131
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1157
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1582E-01 CRITERION= .1139 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 8 COMPLETED. CUM ITER = 461
*** TIME = .290330E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4211E-05 OSCILLATION LIMIT = 3.323
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1157
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
HT FLOW CONVERGENCE VALUE= .1601E-01 CRITERION= .1138 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 9 COMPLETED. CUM ITER = 462
*** TIME = .291119E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3965E-05 OSCILLATION LIMIT = 3.128
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1156

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1580E-01 CRITERION= .1138 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 10 COMPLETED. CUM ITER = 463
 *** TIME = .291908E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4212E-05 OSCILLATION LIMIT = 3.323
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1156
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1599E-01 CRITERION= .1137 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 11 COMPLETED. CUM ITER = 464
 *** TIME = .292697E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3962E-05 OSCILLATION LIMIT = 3.126
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1155
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1579E-01 CRITERION= .1137 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 12 COMPLETED. CUM ITER = 465
 *** TIME = .293486E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4213E-05 OSCILLATION LIMIT = 3.324
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1155
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1597E-01 CRITERION= .1136 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 13 COMPLETED. CUM ITER = 466
 *** TIME = .294275E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3959E-05 OSCILLATION LIMIT = 3.124
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1154
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1577E-01 CRITERION= .1136 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 14 COMPLETED. CUM ITER = 467
 *** TIME = .295064E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4213E-05 OSCILLATION LIMIT = 3.324
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1154
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1595E-01 CRITERION= .1135 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 15 COMPLETED. CUM ITER = 468
 *** TIME = .295853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3957E-05 OSCILLATION LIMIT = 3.122
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1153
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1574E-01 CRITERION= .1135 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 16 COMPLETED. CUM ITER = 469
 *** TIME = .296641E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4213E-05 OSCILLATION LIMIT = 3.324
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1153
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1593E-01 CRITERION= .1134 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 17 COMPLETED. CUM ITER = 470
 *** TIME = .297430E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3954E-05 OSCILLATION LIMIT = 3.120
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1152
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1572E-01 CRITERION= .1134 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 18 COMPLETED. CUM ITER = 471
 *** TIME = .298219E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4213E-05 OSCILLATION LIMIT = 3.324
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1152
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1591E-01 CRITERION= .1133 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 19 COMPLETED. CUM ITER = 472
 *** TIME = .299008E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3952E-05 OSCILLATION LIMIT = 3.118
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1151
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1570E-01 CRITERION= .1133 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 20 COMPLETED. CUM ITER = 473
 *** TIME = .299797E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4213E-05 OSCILLATION LIMIT = 3.324
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1151
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1588E-01 CRITERION= .1132 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 21 COMPLETED. CUM ITER = 474
 *** TIME = .300586E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3950E-05 OSCILLATION LIMIT = 3.116
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1150
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1568E-01 CRITERION= .1132 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 22 COMPLETED. CUM ITER = 475
 *** TIME = .301375E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4213E-05 OSCILLATION LIMIT = 3.324
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1150
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1586E-01 CRITERION= .1131 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 23 COMPLETED. CUM ITER = 476
 *** TIME = .302164E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3947E-05 OSCILLATION LIMIT = 3.114
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1149
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1566E-01 CRITERION= .1131 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 24 COMPLETED. CUM ITER = 477
 *** TIME = .302953E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4213E-05 OSCILLATION LIMIT = 3.324
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1149
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1585E-01 CRITERION= .1130 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 25 COMPLETED. CUM ITER = 478
 *** TIME = .303742E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .3945E-05 OSCILLATION LIMIT = 3.113
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1148
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1565E-01 CRITERION= .1130 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 26 COMPLETED. CUM ITER = 479
 *** TIME = .304531E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4213E-05 OSCILLATION LIMIT = 3.324
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1148
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1582E-01 CRITERION= .1129 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 27 COMPLETED. CUM ITER = 480
 *** TIME = .305320E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3943E-05 OSCILLATION LIMIT = 3.111
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1147
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1562E-01 CRITERION= .1129 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 28 COMPLETED. CUM ITER = 481
 *** TIME = .306109E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4213E-05 OSCILLATION LIMIT = 3.323
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1147
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1580E-01 CRITERION= .1128 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 29 COMPLETED. CUM ITER = 482
 *** TIME = .306898E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3941E-05 OSCILLATION LIMIT = 3.109
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1146
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1560E-01 CRITERION= .1128 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 30 COMPLETED. CUM ITER = 483
 *** TIME = .307687E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4212E-05 OSCILLATION LIMIT = 3.323
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1146
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1575E-01 CRITERION= .1127 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 31 COMPLETED. CUM ITER = 484
 *** TIME = .308476E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3939E-05 OSCILLATION LIMIT = 3.108
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1145
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1555E-01 CRITERION= .1127 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 32 COMPLETED. CUM ITER = 485
 *** TIME = .309265E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4212E-05 OSCILLATION LIMIT = 3.323
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1145
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1573E-01 CRITERION= .1126 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 33 COMPLETED. CUM ITER = 486
 *** TIME = .310053E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3937E-05 OSCILLATION LIMIT = 3.106
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1144
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1553E-01 CRITERION= .1126 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 34 COMPLETED. CUM ITER = 487
 *** TIME = .310842E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4212E-05 OSCILLATION LIMIT = 3.323
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1144
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1571E-01 CRITERION= .1125 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 35 COMPLETED. CUM ITER = 488
 *** TIME = .311631E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3935E-05 OSCILLATION LIMIT = 3.105
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1143
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1552E-01 CRITERION= .1125 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 36 COMPLETED. CUM ITER = 489
 *** TIME = .312420E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4211E-05 OSCILLATION LIMIT = 3.322
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1143
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1569E-01 CRITERION= .1124 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 37 COMPLETED. CUM ITER = 490
 *** TIME = .313209E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3933E-05 OSCILLATION LIMIT = 3.103
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1142
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1550E-01 CRITERION= .1124 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 38 COMPLETED. CUM ITER = 491
 *** TIME = .313998E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4211E-05 OSCILLATION LIMIT = 3.322
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.22 CRITERION= .1142
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1568E-01 CRITERION= .1123 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 39 COMPLETED. CUM ITER = 492
 *** TIME = .314787E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3932E-05 OSCILLATION LIMIT = 3.102
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.27 CRITERION= .1141
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4340E-01
 HT FLOW CONVERGENCE VALUE= .1548E-01 CRITERION= .1123 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 40 COMPLETED. CUM ITER = 493
 *** TIME = .315576E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4210E-05 OSCILLATION LIMIT = 3.322

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 06:11:47 MAR 25, 1995 CP= 35711.460
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1569
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8574E-01 CRITERION= .1119 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 1 COMPLETED. CUM ITER = 494
 *** TIME = .323465E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9970E-05 OSCILLATION LIMIT = 78.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1566
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8818E-01 CRITERION= .1114 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 2 COMPLETED. CUM ITER = 495
 *** TIME = .331355E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9864E-05 OSCILLATION LIMIT = 77.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1562
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8756E-01 CRITERION= .1109 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 3 COMPLETED. CUM ITER = 496
 *** TIME = .339244E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9558E-05 OSCILLATION LIMIT = 75.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1559
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8705E-01 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 4 COMPLETED. CUM ITER = 497
 *** TIME = .347134E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9748E-05 OSCILLATION LIMIT = 76.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1556
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8663E-01 CRITERION= .1100 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 5 COMPLETED. CUM ITER = 498
 *** TIME = .355023E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9579E-05 OSCILLATION LIMIT = 75.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1552
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8614E-01 CRITERION= .1095 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 6 COMPLETED. CUM ITER = 499
 *** TIME = .362912E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9759E-05 OSCILLATION LIMIT = 76.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1549
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8572E-01 CRITERION= .1090 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 7 COMPLETED. CUM ITER = 500
 *** TIME = .370802E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9594E-05 OSCILLATION LIMIT = 75.69

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1546
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8515E-01 CRITERION= .1086 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 8 COMPLETED. CUM ITER = 501
 *** TIME = .378691E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9770E-05 OSCILLATION LIMIT = 77.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1542
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8471E-01 CRITERION= .1081 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 9 COMPLETED. CUM ITER = 502
 *** TIME = .386581E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9608E-05 OSCILLATION LIMIT = 75.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1539
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8420E-01 CRITERION= .1076 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 10 COMPLETED. CUM ITER = 503
 *** TIME = .394470E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9781E-05 OSCILLATION LIMIT = 77.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1536
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8379E-01 CRITERION= .1071 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 11 COMPLETED. CUM ITER = 504
 *** TIME = .402359E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9623E-05 OSCILLATION LIMIT = 75.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1532
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8327E-01 CRITERION= .1067 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 12 COMPLETED. CUM ITER = 505
 *** TIME = .410249E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9792E-05 OSCILLATION LIMIT = 77.26
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1529
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8288E-01 CRITERION= .1062 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 13 COMPLETED. CUM ITER = 506
 *** TIME = .418138E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9636E-05 OSCILLATION LIMIT = 76.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1526
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8237E-01 CRITERION= .1057 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 14 COMPLETED. CUM ITER = 507
 *** TIME = .426028E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9803E-05 OSCILLATION LIMIT = 77.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1522
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .8199E-01 CRITERION= .1052 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 15 COMPLETED. CUM ITER = 508

```

*** TIME = .433917E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9650E-05    OSCILLATION LIMIT = 76.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 109.6    CRITERION= .1519
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
    HT FLOW CONVERGENCE VALUE= .8145E-01    CRITERION= .1048    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 16 COMPLETED.    CUM ITER = 509
*** TIME = .441806E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9814E-05    OSCILLATION LIMIT = 77.43
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 109.5    CRITERION= .1516
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
    HT FLOW CONVERGENCE VALUE= .8103E-01    CRITERION= .1043    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 17 COMPLETED.    CUM ITER = 510
*** TIME = .449696E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9664E-05    OSCILLATION LIMIT = 76.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 109.6    CRITERION= .1512
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
    HT FLOW CONVERGENCE VALUE= .8048E-01    CRITERION= .1038    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 18 COMPLETED.    CUM ITER = 511
*** TIME = .457585E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9825E-05    OSCILLATION LIMIT = 77.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 109.5    CRITERION= .1509
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
    HT FLOW CONVERGENCE VALUE= .8015E-01    CRITERION= .1033    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 19 COMPLETED.    CUM ITER = 512
*** TIME = .465475E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9677E-05    OSCILLATION LIMIT = 76.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 109.6    CRITERION= .1506
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
    HT FLOW CONVERGENCE VALUE= .7973E-01    CRITERION= .1029    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 20 COMPLETED.    CUM ITER = 513
*** TIME = .473364E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9836E-05    OSCILLATION LIMIT = 77.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 109.5    CRITERION= .1503
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
    HT FLOW CONVERGENCE VALUE= .7946E-01    CRITERION= .1024    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 21 COMPLETED.    CUM ITER = 514
*** TIME = .481253E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9691E-05    OSCILLATION LIMIT = 76.45
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 109.6    CRITERION= .1499
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
    HT FLOW CONVERGENCE VALUE= .7912E-01    CRITERION= .1019    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 22 COMPLETED.    CUM ITER = 515
*** TIME = .489143E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9846E-05    OSCILLATION LIMIT = 77.68
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 109.5    CRITERION= .1496
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
    HT FLOW CONVERGENCE VALUE= .7902E-01    CRITERION= .1014    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 23 COMPLETED. CUM ITER = 516
*** TIME = .497032E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9704E-05 OSCILLATION LIMIT = 76.56
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1493
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
HT FLOW CONVERGENCE VALUE= .7863E-01 CRITERION= .1010 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 24 COMPLETED. CUM ITER = 517
*** TIME = .504922E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9856E-05 OSCILLATION LIMIT = 77.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1490
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
HT FLOW CONVERGENCE VALUE= .7862E-01 CRITERION= .1005 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 25 COMPLETED. CUM ITER = 518
*** TIME = .512811E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9716E-05 OSCILLATION LIMIT = 76.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1487
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
HT FLOW CONVERGENCE VALUE= .7811E-01 CRITERION= .1000 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 26 COMPLETED. CUM ITER = 519
*** TIME = .520700E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9866E-05 OSCILLATION LIMIT = 77.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1483
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
HT FLOW CONVERGENCE VALUE= .7772E-01 CRITERION= .9955E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 27 COMPLETED. CUM ITER = 520
*** TIME = .528590E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9728E-05 OSCILLATION LIMIT = 76.75
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1480
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
HT FLOW CONVERGENCE VALUE= .7714E-01 CRITERION= .9910E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 28 COMPLETED. CUM ITER = 521
*** TIME = .536479E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9875E-05 OSCILLATION LIMIT = 77.91
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1477
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
HT FLOW CONVERGENCE VALUE= .7674E-01 CRITERION= .9860E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 29 COMPLETED. CUM ITER = 522
*** TIME = .544369E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9739E-05 OSCILLATION LIMIT = 76.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1474
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
HT FLOW CONVERGENCE VALUE= .7621E-01 CRITERION= .9815E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 30 COMPLETED. CUM ITER = 523
*** TIME = .552258E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9885E-05 OSCILLATION LIMIT = 77.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1471

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .7588E-01 CRITERION= .9765E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 31 COMPLETED. CUM ITER = 524
 *** TIME = .560147E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9752E-05 OSCILLATION LIMIT = 76.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1467
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .7535E-01 CRITERION= .9720E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 32 COMPLETED. CUM ITER = 525
 *** TIME = .568037E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9896E-05 OSCILLATION LIMIT = 78.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1464
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .7502E-01 CRITERION= .9670E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 33 COMPLETED. CUM ITER = 526
 *** TIME = .575926E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9765E-05 OSCILLATION LIMIT = 77.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1461
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .7445E-01 CRITERION= .9625E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 34 COMPLETED. CUM ITER = 527
 *** TIME = .583816E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9906E-05 OSCILLATION LIMIT = 78.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1458
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .7411E-01 CRITERION= .9576E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 35 COMPLETED. CUM ITER = 528
 *** TIME = .591705E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9777E-05 OSCILLATION LIMIT = 77.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1455
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .7357E-01 CRITERION= .9531E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 36 COMPLETED. CUM ITER = 529
 *** TIME = .599594E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9917E-05 OSCILLATION LIMIT = 78.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1452
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .7325E-01 CRITERION= .9481E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 37 COMPLETED. CUM ITER = 530
 *** TIME = .607484E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9790E-05 OSCILLATION LIMIT = 77.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1449
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .7271E-01 CRITERION= .9436E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 38 COMPLETED. CUM ITER = 531
 *** TIME = .615373E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9927E-05 OSCILLATION LIMIT = 78.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.5 CRITERION= .1445
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .7238E-01 CRITERION= .9386E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 39 COMPLETED. CUM ITER = 532
 *** TIME = .623263E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9802E-05 OSCILLATION LIMIT = 77.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.6 CRITERION= .1442
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2351
 HT FLOW CONVERGENCE VALUE= .7182E-01 CRITERION= .9341E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 40 COMPLETED. CUM ITER = 533
 *** TIME = .631152E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9938E-05 OSCILLATION LIMIT = 78.40

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 07:02:46 MAR 25, 1995 CP= 38741.450
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 58.23 CRITERION= .1101
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1797
 HT FLOW CONVERGENCE VALUE= .4752E-01 CRITERION= .9302E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 1 COMPLETED. CUM ITER = 534
 *** TIME = .639041E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1353E-04 OSCILLATION LIMIT = 106.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.28 CRITERION= .1097
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1687
 HT FLOW CONVERGENCE VALUE= .4485E-01 CRITERION= .9268E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 2 COMPLETED. CUM ITER = 535
 *** TIME = .646931E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1414E-04 OSCILLATION LIMIT = 111.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.23 CRITERION= .1094
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1671
 HT FLOW CONVERGENCE VALUE= .4456E-01 CRITERION= .9229E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 3 COMPLETED. CUM ITER = 536
 *** TIME = .654820E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1399E-04 OSCILLATION LIMIT = 110.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.28 CRITERION= .1091
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1696
 HT FLOW CONVERGENCE VALUE= .4449E-01 CRITERION= .9195E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 4 COMPLETED. CUM ITER = 537
 *** TIME = .662710E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1424E-04 OSCILLATION LIMIT = 112.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.23 CRITERION= .1088
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1671
 HT FLOW CONVERGENCE VALUE= .4418E-01 CRITERION= .9157E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 5 COMPLETED. CUM ITER = 538
 *** TIME = .670599E+09 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .1401E-04 OSCILLATION LIMIT = 110.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.28 CRITERION= .1085
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1696
 HT FLOW CONVERGENCE VALUE= .4409E-01 CRITERION= .9123E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 6 COMPLETED. CUM ITER = 539
 *** TIME = .678488E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1426E-04 OSCILLATION LIMIT = 112.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.23 CRITERION= .1082
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1672
 HT FLOW CONVERGENCE VALUE= .4379E-01 CRITERION= .9085E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 7 COMPLETED. CUM ITER = 540
 *** TIME = .686378E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1403E-04 OSCILLATION LIMIT = 110.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.28 CRITERION= .1079
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1695
 HT FLOW CONVERGENCE VALUE= .4369E-01 CRITERION= .9051E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 8 COMPLETED. CUM ITER = 541
 *** TIME = .694267E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1428E-04 OSCILLATION LIMIT = 112.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.23 CRITERION= .1076
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1672
 HT FLOW CONVERGENCE VALUE= .4341E-01 CRITERION= .9013E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 9 COMPLETED. CUM ITER = 542
 *** TIME = .702157E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1405E-04 OSCILLATION LIMIT = 110.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.27 CRITERION= .1073
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1695
 HT FLOW CONVERGENCE VALUE= .4330E-01 CRITERION= .8979E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 10 COMPLETED. CUM ITER = 543
 *** TIME = .710046E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1430E-04 OSCILLATION LIMIT = 112.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.22 CRITERION= .1070
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1673
 HT FLOW CONVERGENCE VALUE= .4303E-01 CRITERION= .8941E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 11 COMPLETED. CUM ITER = 544
 *** TIME = .717935E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1408E-04 OSCILLATION LIMIT = 111.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.27 CRITERION= .1067
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1694
 HT FLOW CONVERGENCE VALUE= .4290E-01 CRITERION= .8907E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 12 COMPLETED. CUM ITER = 545
 *** TIME = .725825E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1432E-04 OSCILLATION LIMIT = 113.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.22 CRITERION= .1064
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1673
 HT FLOW CONVERGENCE VALUE= .4265E-01 CRITERION= .8869E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 24 SUBSTEP 13 COMPLETED. CUM ITER = 546
*** TIME = .733714E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1410E-04 OSCILLATION LIMIT = 111.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.27 CRITERION= .1061
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1694
HT FLOW CONVERGENCE VALUE= .4251E-01 CRITERION= .8835E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 14 COMPLETED. CUM ITER = 547
*** TIME = .741604E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1434E-04 OSCILLATION LIMIT = 113.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.22 CRITERION= .1058
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1673
HT FLOW CONVERGENCE VALUE= .4226E-01 CRITERION= .8797E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 15 COMPLETED. CUM ITER = 548
*** TIME = .749493E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1412E-04 OSCILLATION LIMIT = 111.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.27 CRITERION= .1055
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1693
HT FLOW CONVERGENCE VALUE= .4211E-01 CRITERION= .8763E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 16 COMPLETED. CUM ITER = 549
*** TIME = .757382E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1436E-04 OSCILLATION LIMIT = 113.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.22 CRITERION= .1052
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1674
HT FLOW CONVERGENCE VALUE= .4187E-01 CRITERION= .8725E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 17 COMPLETED. CUM ITER = 550
*** TIME = .765272E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1414E-04 OSCILLATION LIMIT = 111.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.27 CRITERION= .1049
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1693
HT FLOW CONVERGENCE VALUE= .4171E-01 CRITERION= .8691E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 18 COMPLETED. CUM ITER = 551
*** TIME = .773161E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1438E-04 OSCILLATION LIMIT = 113.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.22 CRITERION= .1046
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1674
HT FLOW CONVERGENCE VALUE= .4148E-01 CRITERION= .8653E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 19 COMPLETED. CUM ITER = 552
*** TIME = .781051E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1416E-04 OSCILLATION LIMIT = 111.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.26 CRITERION= .1043
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1693
HT FLOW CONVERGENCE VALUE= .4132E-01 CRITERION= .8619E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 20 COMPLETED. CUM ITER = 553
*** TIME = .788940E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1440E-04 OSCILLATION LIMIT = 113.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.21 CRITERION= .1040
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1674

```


HT FLOW CONVERGENCE VALUE= .4109E-01 CRITERION= .8580E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 21 COMPLETED. CUM ITER = 554
 *** TIME = .796829E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1419E-04 OSCILLATION LIMIT = 111.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.26 CRITERION= .1037
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1692
 HT FLOW CONVERGENCE VALUE= .4093E-01 CRITERION= .8547E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 22 COMPLETED. CUM ITER = 555
 *** TIME = .804719E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1442E-04 OSCILLATION LIMIT = 113.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.21 CRITERION= .1034
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1675
 HT FLOW CONVERGENCE VALUE= .4071E-01 CRITERION= .8508E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 23 COMPLETED. CUM ITER = 556
 *** TIME = .812608E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1421E-04 OSCILLATION LIMIT = 112.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.26 CRITERION= .1031
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1692
 HT FLOW CONVERGENCE VALUE= .4054E-01 CRITERION= .8475E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 24 COMPLETED. CUM ITER = 557
 *** TIME = .820498E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1444E-04 OSCILLATION LIMIT = 113.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.21 CRITERION= .1028
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1675
 HT FLOW CONVERGENCE VALUE= .4034E-01 CRITERION= .8436E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 25 COMPLETED. CUM ITER = 558
 *** TIME = .828387E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1423E-04 OSCILLATION LIMIT = 112.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.26 CRITERION= .1025
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1692
 HT FLOW CONVERGENCE VALUE= .4016E-01 CRITERION= .8402E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 26 COMPLETED. CUM ITER = 559
 *** TIME = .836276E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1446E-04 OSCILLATION LIMIT = 114.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.21 CRITERION= .1022
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1675
 HT FLOW CONVERGENCE VALUE= .3996E-01 CRITERION= .8364E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 27 COMPLETED. CUM ITER = 560
 *** TIME = .844166E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1425E-04 OSCILLATION LIMIT = 112.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.26 CRITERION= .1019
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1691
 HT FLOW CONVERGENCE VALUE= .3976E-01 CRITERION= .8330E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 28 COMPLETED. CUM ITER = 561
 *** TIME = .852055E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1448E-04 OSCILLATION LIMIT = 114.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.20 CRITERION= .1016
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1676
 HT FLOW CONVERGENCE VALUE= .3957E-01 CRITERION= .8292E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 29 COMPLETED. CUM ITER = 562
 *** TIME = .859945E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1427E-04 OSCILLATION LIMIT = 112.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.25 CRITERION= .1013
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1691
 HT FLOW CONVERGENCE VALUE= .3938E-01 CRITERION= .8258E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 30 COMPLETED. CUM ITER = 563
 *** TIME = .867834E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1450E-04 OSCILLATION LIMIT = 114.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.20 CRITERION= .1010
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1676
 HT FLOW CONVERGENCE VALUE= .3919E-01 CRITERION= .8220E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 31 COMPLETED. CUM ITER = 564
 *** TIME = .875723E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1430E-04 OSCILLATION LIMIT = 112.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.25 CRITERION= .1007
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1690
 HT FLOW CONVERGENCE VALUE= .3899E-01 CRITERION= .8186E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 32 COMPLETED. CUM ITER = 565
 *** TIME = .883613E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1452E-04 OSCILLATION LIMIT = 114.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.20 CRITERION= .1004
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1676
 HT FLOW CONVERGENCE VALUE= .3882E-01 CRITERION= .8148E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 33 COMPLETED. CUM ITER = 566
 *** TIME = .891502E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1432E-04 OSCILLATION LIMIT = 113.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.25 CRITERION= .1001
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1690
 HT FLOW CONVERGENCE VALUE= .3860E-01 CRITERION= .8114E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 34 COMPLETED. CUM ITER = 567
 *** TIME = .899392E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1454E-04 OSCILLATION LIMIT = 114.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.20 CRITERION= .9984E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1676
 HT FLOW CONVERGENCE VALUE= .3843E-01 CRITERION= .8076E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 35 COMPLETED. CUM ITER = 568
 *** TIME = .907281E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1434E-04 OSCILLATION LIMIT = 113.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.25 CRITERION= .9954E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1690
 HT FLOW CONVERGENCE VALUE= .3822E-01 CRITERION= .8042E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 36 COMPLETED. CUM ITER = 569
 *** TIME = .915170E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1456E-04 OSCILLATION LIMIT = 114.9

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.20 CRITERION= .9925E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1677
 HT FLOW CONVERGENCE VALUE= .3805E-01 CRITERION= .8004E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 37 COMPLETED. CUM ITER = 570
 *** TIME = .923060E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1436E-04 OSCILLATION LIMIT = 113.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.25 CRITERION= .9896E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1690
 HT FLOW CONVERGENCE VALUE= .3783E-01 CRITERION= .7970E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 38 COMPLETED. CUM ITER = 571
 *** TIME = .930949E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1458E-04 OSCILLATION LIMIT = 115.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.19 CRITERION= .9867E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1677
 HT FLOW CONVERGENCE VALUE= .3766E-01 CRITERION= .7932E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 39 COMPLETED. CUM ITER = 572
 *** TIME = .938839E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1438E-04 OSCILLATION LIMIT = 113.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.24 CRITERION= .9837E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1689
 HT FLOW CONVERGENCE VALUE= .3744E-01 CRITERION= .7898E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 40 COMPLETED. CUM ITER = 573
 *** TIME = .946728E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1460E-04 OSCILLATION LIMIT = 115.2

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 07:53:48 MAR 25, 1995 CP= 41771.200
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 24.54 CRITERION= .8268E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1671
 HT FLOW CONVERGENCE VALUE= .2841E-01 CRITERION= .7867E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 1 COMPLETED. CUM ITER = 574
 *** TIME = .954617E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1459E-04 OSCILLATION LIMIT = 115.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.59 CRITERION= .8240E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1618
 HT FLOW CONVERGENCE VALUE= .2679E-01 CRITERION= .7842E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 2 COMPLETED. CUM ITER = 575
 *** TIME = .962507E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1568E-04 OSCILLATION LIMIT = 123.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.54 CRITERION= .8215E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1605
 HT FLOW CONVERGENCE VALUE= .2655E-01 CRITERION= .7812E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 3 COMPLETED. CUM ITER = 576

```

*** TIME = .970396E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1552E-04    OSCILLATION LIMIT = 122.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.59    CRITERION= .8188E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1623
    HT FLOW CONVERGENCE VALUE= .2662E-01    CRITERION= .7787E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 4 COMPLETED. CUM ITER = 577
*** TIME = .978286E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1573E-04    OSCILLATION LIMIT = 124.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.54    CRITERION= .8162E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1606
    HT FLOW CONVERGENCE VALUE= .2636E-01    CRITERION= .7757E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 5 COMPLETED. CUM ITER = 578
*** TIME = .986175E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1553E-04    OSCILLATION LIMIT = 122.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.59    CRITERION= .8135E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1624
    HT FLOW CONVERGENCE VALUE= .2642E-01    CRITERION= .7732E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 6 COMPLETED. CUM ITER = 579
*** TIME = .994064E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1574E-04    OSCILLATION LIMIT = 124.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.54    CRITERION= .8110E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1608
    HT FLOW CONVERGENCE VALUE= .2618E-01    CRITERION= .7702E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 7 COMPLETED. CUM ITER = 580
*** TIME = .100195E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1554E-04    OSCILLATION LIMIT = 122.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.58    CRITERION= .8082E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1625
    HT FLOW CONVERGENCE VALUE= .2622E-01    CRITERION= .7677E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 8 COMPLETED. CUM ITER = 581
*** TIME = .100984E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1575E-04    OSCILLATION LIMIT = 124.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.54    CRITERION= .8057E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1609
    HT FLOW CONVERGENCE VALUE= .2599E-01    CRITERION= .7647E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 9 COMPLETED. CUM ITER = 582
*** TIME = .101773E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1555E-04    OSCILLATION LIMIT = 122.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.58    CRITERION= .8030E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1626
    HT FLOW CONVERGENCE VALUE= .2603E-01    CRITERION= .7622E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 10 COMPLETED. CUM ITER = 583
*** TIME = .102562E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1576E-04    OSCILLATION LIMIT = 124.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.54    CRITERION= .8005E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1611
    HT FLOW CONVERGENCE VALUE= .2581E-01    CRITERION= .7592E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 11 COMPLETED. CUM ITER = 584
*** TIME = .103351E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1555E-04 OSCILLATION LIMIT = 122.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7978E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1627
HT FLOW CONVERGENCE VALUE= .2584E-01 CRITERION= .7566E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 12 COMPLETED. CUM ITER = 585
*** TIME = .104140E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1577E-04 OSCILLATION LIMIT = 124.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.53 CRITERION= .7952E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1612
HT FLOW CONVERGENCE VALUE= .2563E-01 CRITERION= .7537E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 13 COMPLETED. CUM ITER = 586
*** TIME = .104929E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1556E-04 OSCILLATION LIMIT = 122.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7925E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1628
HT FLOW CONVERGENCE VALUE= .2564E-01 CRITERION= .7511E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 14 COMPLETED. CUM ITER = 587
*** TIME = .105718E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1578E-04 OSCILLATION LIMIT = 124.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.53 CRITERION= .7900E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1614
HT FLOW CONVERGENCE VALUE= .2544E-01 CRITERION= .7482E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 15 COMPLETED. CUM ITER = 588
*** TIME = .106507E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1557E-04 OSCILLATION LIMIT = 122.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7873E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1628
HT FLOW CONVERGENCE VALUE= .2545E-01 CRITERION= .7456E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 16 COMPLETED. CUM ITER = 589
*** TIME = .107296E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1579E-04 OSCILLATION LIMIT = 124.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.53 CRITERION= .7848E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1615
HT FLOW CONVERGENCE VALUE= .2525E-01 CRITERION= .7427E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 17 COMPLETED. CUM ITER = 590
*** TIME = .108085E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1558E-04 OSCILLATION LIMIT = 122.9
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7820E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1629
HT FLOW CONVERGENCE VALUE= .2526E-01 CRITERION= .7401E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 18 COMPLETED. CUM ITER = 591
*** TIME = .108874E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1580E-04 OSCILLATION LIMIT = 124.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.53 CRITERION= .7795E-01

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1616
HT FLOW CONVERGENCE VALUE= .2508E-01 CRITERION= .7372E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 19 COMPLETED. CUM ITER = 592
*** TIME = .109663E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1559E-04 OSCILLATION LIMIT = 123.0
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7768E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1630
HT FLOW CONVERGENCE VALUE= .2508E-01 CRITERION= .7346E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 20 COMPLETED. CUM ITER = 593
*** TIME = .110452E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1581E-04 OSCILLATION LIMIT = 124.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.53 CRITERION= .7743E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1618
HT FLOW CONVERGENCE VALUE= .2490E-01 CRITERION= .7316E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 21 COMPLETED. CUM ITER = 594
*** TIME = .111241E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1560E-04 OSCILLATION LIMIT = 123.0
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7716E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1631
HT FLOW CONVERGENCE VALUE= .2489E-01 CRITERION= .7291E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 22 COMPLETED. CUM ITER = 595
*** TIME = .112029E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1582E-04 OSCILLATION LIMIT = 124.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.53 CRITERION= .7691E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1619
HT FLOW CONVERGENCE VALUE= .2473E-01 CRITERION= .7261E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 23 COMPLETED. CUM ITER = 596
*** TIME = .112818E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1560E-04 OSCILLATION LIMIT = 123.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7664E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1632
HT FLOW CONVERGENCE VALUE= .2471E-01 CRITERION= .7236E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 24 COMPLETED. CUM ITER = 597
*** TIME = .113607E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1583E-04 OSCILLATION LIMIT = 124.9
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.53 CRITERION= .7639E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1621
HT FLOW CONVERGENCE VALUE= .2455E-01 CRITERION= .7206E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 25 COMPLETED. CUM ITER = 598
*** TIME = .114396E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1561E-04 OSCILLATION LIMIT = 123.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7612E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1633
HT FLOW CONVERGENCE VALUE= .2451E-01 CRITERION= .7181E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 26 COMPLETED. CUM ITER = 599
*** TIME = .115185E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1584E-04 OSCILLATION LIMIT = 125.0
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 24.53 CRITERION= .7587E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1622
 HT FLOW CONVERGENCE VALUE= .2436E-01 CRITERION= .7151E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 27 COMPLETED. CUM ITER = 600
 *** TIME = .115974E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1562E-04 OSCILLATION LIMIT = 123.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7559E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1634
 HT FLOW CONVERGENCE VALUE= .2432E-01 CRITERION= .7126E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 28 COMPLETED. CUM ITER = 601
 *** TIME = .116763E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1585E-04 OSCILLATION LIMIT = 125.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.53 CRITERION= .7535E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1623
 HT FLOW CONVERGENCE VALUE= .2418E-01 CRITERION= .7096E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 29 COMPLETED. CUM ITER = 602
 *** TIME = .117552E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1563E-04 OSCILLATION LIMIT = 123.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7507E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1635
 HT FLOW CONVERGENCE VALUE= .2414E-01 CRITERION= .7071E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 30 COMPLETED. CUM ITER = 603
 *** TIME = .118341E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1586E-04 OSCILLATION LIMIT = 125.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.53 CRITERION= .7482E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1625
 HT FLOW CONVERGENCE VALUE= .2400E-01 CRITERION= .7041E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 31 COMPLETED. CUM ITER = 604
 *** TIME = .119130E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1564E-04 OSCILLATION LIMIT = 123.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7455E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1636
 HT FLOW CONVERGENCE VALUE= .2395E-01 CRITERION= .7016E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 32 COMPLETED. CUM ITER = 605
 *** TIME = .119919E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1587E-04 OSCILLATION LIMIT = 125.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.53 CRITERION= .7430E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1626
 HT FLOW CONVERGENCE VALUE= .2381E-01 CRITERION= .6986E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 33 COMPLETED. CUM ITER = 606
 *** TIME = .120708E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1565E-04 OSCILLATION LIMIT = 123.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7403E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1637
 HT FLOW CONVERGENCE VALUE= .2376E-01 CRITERION= .6961E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 34 COMPLETED. CUM ITER = 607
 *** TIME = .121497E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .1588E-04 OSCILLATION LIMIT = 125.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.53 CRITERION= .7378E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1628
 HT FLOW CONVERGENCE VALUE= .2363E-01 CRITERION= .6931E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 35 COMPLETED. CUM ITER = 608
 *** TIME = .122286E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1566E-04 OSCILLATION LIMIT = 123.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7351E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1638
 HT FLOW CONVERGENCE VALUE= .2357E-01 CRITERION= .6906E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 36 COMPLETED. CUM ITER = 609
 *** TIME = .123075E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1589E-04 OSCILLATION LIMIT = 125.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.53 CRITERION= .7327E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1629
 HT FLOW CONVERGENCE VALUE= .2345E-01 CRITERION= .6876E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 37 COMPLETED. CUM ITER = 610
 *** TIME = .123864E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1567E-04 OSCILLATION LIMIT = 123.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7299E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1639
 HT FLOW CONVERGENCE VALUE= .2339E-01 CRITERION= .6850E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 38 COMPLETED. CUM ITER = 611
 *** TIME = .124653E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1590E-04 OSCILLATION LIMIT = 125.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.53 CRITERION= .7275E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1630
 HT FLOW CONVERGENCE VALUE= .2327E-01 CRITERION= .6821E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 39 COMPLETED. CUM ITER = 612
 *** TIME = .125441E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1567E-04 OSCILLATION LIMIT = 123.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.58 CRITERION= .7248E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1640
 HT FLOW CONVERGENCE VALUE= .2321E-01 CRITERION= .6795E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 40 COMPLETED. CUM ITER = 613
 *** TIME = .126230E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 125.5

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:47:46 MAR 25, 1995 CP= 44864.440
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6832E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1602
 HT FLOW CONVERGENCE VALUE= .2184E-01 CRITERION= .6770E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 26 SUBSTEP 1 COMPLETED. CUM ITER = 614
 *** TIME = .127019E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1165E-04 OSCILLATION LIMIT = 91.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.247 CRITERION= .6807E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1582
 HT FLOW CONVERGENCE VALUE= .2117E-01 CRITERION= .6749E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 26 SUBSTEP 2 COMPLETED. CUM ITER = 615
 *** TIME = .127808E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1225E-04 OSCILLATION LIMIT = 96.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6786E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1573
 HT FLOW CONVERGENCE VALUE= .2100E-01 CRITERION= .6724E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 26 SUBSTEP 3 COMPLETED. CUM ITER = 616
 *** TIME = .128597E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1207E-04 OSCILLATION LIMIT = 95.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.247 CRITERION= .6761E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1585
 HT FLOW CONVERGENCE VALUE= .2106E-01 CRITERION= .6704E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 26 SUBSTEP 4 COMPLETED. CUM ITER = 617
 *** TIME = .129386E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6740E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1575
 HT FLOW CONVERGENCE VALUE= .2089E-01 CRITERION= .6679E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 26 SUBSTEP 5 COMPLETED. CUM ITER = 618
 *** TIME = .130175E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1206E-04 OSCILLATION LIMIT = 95.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.247 CRITERION= .6716E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1586
 HT FLOW CONVERGENCE VALUE= .2093E-01 CRITERION= .6658E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 26 SUBSTEP 6 COMPLETED. CUM ITER = 619
 *** TIME = .130964E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6695E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1577
 HT FLOW CONVERGENCE VALUE= .2075E-01 CRITERION= .6633E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 26 SUBSTEP 7 COMPLETED. CUM ITER = 620
 *** TIME = .131753E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1206E-04 OSCILLATION LIMIT = 95.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.247 CRITERION= .6671E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1588
 HT FLOW CONVERGENCE VALUE= .2080E-01 CRITERION= .6612E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 26 SUBSTEP 8 COMPLETED. CUM ITER = 621
 *** TIME = .132542E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6650E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1578

HT FLOW CONVERGENCE VALUE= .2064E-01 CRITERION= .6588E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 9 COMPLETED. CUM ITER = 622
 *** TIME = .133331E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1206E-04 OSCILLATION LIMIT = 95.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.247 CRITERION= .6625E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1589
 HT FLOW CONVERGENCE VALUE= .2068E-01 CRITERION= .6567E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 10 COMPLETED. CUM ITER = 623
 *** TIME = .134120E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6604E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1580
 HT FLOW CONVERGENCE VALUE= .2051E-01 CRITERION= .6542E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 11 COMPLETED. CUM ITER = 624
 *** TIME = .134909E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1206E-04 OSCILLATION LIMIT = 95.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.247 CRITERION= .6580E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1590
 HT FLOW CONVERGENCE VALUE= .2054E-01 CRITERION= .6521E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 12 COMPLETED. CUM ITER = 625
 *** TIME = .135698E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6559E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1582
 HT FLOW CONVERGENCE VALUE= .2038E-01 CRITERION= .6496E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 13 COMPLETED. CUM ITER = 626
 *** TIME = .136487E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1206E-04 OSCILLATION LIMIT = 95.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.247 CRITERION= .6535E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1592
 HT FLOW CONVERGENCE VALUE= .2040E-01 CRITERION= .6476E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 14 COMPLETED. CUM ITER = 627
 *** TIME = .137276E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6514E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1583
 HT FLOW CONVERGENCE VALUE= .2025E-01 CRITERION= .6451E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 15 COMPLETED. CUM ITER = 628
 *** TIME = .138065E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1206E-04 OSCILLATION LIMIT = 95.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.247 CRITERION= .6489E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1593
 HT FLOW CONVERGENCE VALUE= .2026E-01 CRITERION= .6430E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 16 COMPLETED. CUM ITER = 629
 *** TIME = .138853E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6468E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1585
 HT FLOW CONVERGENCE VALUE= .2011E-01 CRITERION= .6405E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 17 COMPLETED. CUM ITER = 630
 *** TIME = .139642E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1206E-04 OSCILLATION LIMIT = 95.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.247 CRITERION= .6444E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1594
 HT FLOW CONVERGENCE VALUE= .2012E-01 CRITERION= .6384E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 18 COMPLETED. CUM ITER = 631
 *** TIME = .140431E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6423E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1587
 HT FLOW CONVERGENCE VALUE= .1997E-01 CRITERION= .6359E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 19 COMPLETED. CUM ITER = 632
 *** TIME = .141220E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1206E-04 OSCILLATION LIMIT = 95.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.247 CRITERION= .6399E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1595
 HT FLOW CONVERGENCE VALUE= .1998E-01 CRITERION= .6339E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 20 COMPLETED. CUM ITER = 633
 *** TIME = .142009E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6378E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1588
 HT FLOW CONVERGENCE VALUE= .1984E-01 CRITERION= .6314E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 21 COMPLETED. CUM ITER = 634
 *** TIME = .142798E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1205E-04 OSCILLATION LIMIT = 95.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.247 CRITERION= .6353E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1597
 HT FLOW CONVERGENCE VALUE= .1983E-01 CRITERION= .6293E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 22 COMPLETED. CUM ITER = 635
 *** TIME = .143587E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6332E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1590
 HT FLOW CONVERGENCE VALUE= .1970E-01 CRITERION= .6268E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 23 COMPLETED. CUM ITER = 636
 *** TIME = .144376E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1205E-04 OSCILLATION LIMIT = 95.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.247 CRITERION= .6308E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1598
 HT FLOW CONVERGENCE VALUE= .1969E-01 CRITERION= .6248E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 24 COMPLETED. CUM ITER = 637
 *** TIME = .145165E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.71

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6287E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1591
 HT FLOW CONVERGENCE VALUE= .1956E-01 CRITERION= .6223E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 25 COMPLETED. CUM ITER = 638
 *** TIME = .145954E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1205E-04 OSCILLATION LIMIT = 95.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.247 CRITERION= .6263E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1599
 HT FLOW CONVERGENCE VALUE= .1954E-01 CRITERION= .6202E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 26 COMPLETED. CUM ITER = 639
 *** TIME = .146743E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6242E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1593
 HT FLOW CONVERGENCE VALUE= .1940E-01 CRITERION= .6177E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 27 COMPLETED. CUM ITER = 640
 *** TIME = .147532E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1205E-04 OSCILLATION LIMIT = 95.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.246 CRITERION= .6217E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1601
 HT FLOW CONVERGENCE VALUE= .1938E-01 CRITERION= .6156E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 28 COMPLETED. CUM ITER = 641
 *** TIME = .148321E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.198 CRITERION= .6196E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1595
 HT FLOW CONVERGENCE VALUE= .1926E-01 CRITERION= .6131E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 29 COMPLETED. CUM ITER = 642
 *** TIME = .149110E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1205E-04 OSCILLATION LIMIT = 95.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.246 CRITERION= .6172E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1602
 HT FLOW CONVERGENCE VALUE= .1924E-01 CRITERION= .6111E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 30 COMPLETED. CUM ITER = 643
 *** TIME = .149899E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.197 CRITERION= .6151E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1596
 HT FLOW CONVERGENCE VALUE= .1912E-01 CRITERION= .6086E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 31 COMPLETED. CUM ITER = 644
 *** TIME = .150688E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1205E-04 OSCILLATION LIMIT = 95.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.246 CRITERION= .6127E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1604
 HT FLOW CONVERGENCE VALUE= .1909E-01 CRITERION= .6065E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 32 COMPLETED. CUM ITER = 645

```

*** TIME = .151476E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1226E-04    OSCILLATION LIMIT = 96.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.197    CRITERION= .6106E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1598
    HT FLOW CONVERGENCE VALUE= .1898E-01    CRITERION= .6040E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 33 COMPLETED.    CUM ITER = 646
*** TIME = .152265E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1205E-04    OSCILLATION LIMIT = 95.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.246    CRITERION= .6081E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1605
    HT FLOW CONVERGENCE VALUE= .1895E-01    CRITERION= .6019E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 34 COMPLETED.    CUM ITER = 647
*** TIME = .153054E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1226E-04    OSCILLATION LIMIT = 96.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.197    CRITERION= .6061E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1600
    HT FLOW CONVERGENCE VALUE= .1883E-01    CRITERION= .5995E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 35 COMPLETED.    CUM ITER = 648
*** TIME = .153843E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1205E-04    OSCILLATION LIMIT = 95.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.246    CRITERION= .6036E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1606
    HT FLOW CONVERGENCE VALUE= .1880E-01    CRITERION= .5974E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 36 COMPLETED.    CUM ITER = 649
*** TIME = .154632E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1226E-04    OSCILLATION LIMIT = 96.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.197    CRITERION= .6015E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1601
    HT FLOW CONVERGENCE VALUE= .1868E-01    CRITERION= .5949E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 37 COMPLETED.    CUM ITER = 650
*** TIME = .155421E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1205E-04    OSCILLATION LIMIT = 95.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.246    CRITERION= .5991E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1608
    HT FLOW CONVERGENCE VALUE= .1863E-01    CRITERION= .5928E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 38 COMPLETED.    CUM ITER = 651
*** TIME = .156210E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1226E-04    OSCILLATION LIMIT = 96.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.197    CRITERION= .5970E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1603
    HT FLOW CONVERGENCE VALUE= .1852E-01    CRITERION= .5903E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 39 COMPLETED.    CUM ITER = 652
*** TIME = .156999E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1205E-04    OSCILLATION LIMIT = 95.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.246    CRITERION= .5946E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1609
    HT FLOW CONVERGENCE VALUE= .1846E-01    CRITERION= .5883E-01 <<< CONVERGED

```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 40 COMPLETED. CUM ITER = 653
*** TIME = .157788E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 96.69
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 09:49:12 MAR 25, 1995 CP= 48039.330
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5887E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1418
HT FLOW CONVERGENCE VALUE= .1702E-01 CRITERION= .5862E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 1 COMPLETED. CUM ITER = 654
*** TIME = .158577E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8473E-05 OSCILLATION LIMIT = 66.85
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5867E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1412
HT FLOW CONVERGENCE VALUE= .1667E-01 CRITERION= .5846E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 2 COMPLETED. CUM ITER = 655
*** TIME = .159366E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8889E-05 OSCILLATION LIMIT = 70.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5851E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1411
HT FLOW CONVERGENCE VALUE= .1661E-01 CRITERION= .5826E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 3 COMPLETED. CUM ITER = 656
*** TIME = .160155E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8699E-05 OSCILLATION LIMIT = 68.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5831E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1415
HT FLOW CONVERGENCE VALUE= .1661E-01 CRITERION= .5810E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 4 COMPLETED. CUM ITER = 657
*** TIME = .160944E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8894E-05 OSCILLATION LIMIT = 70.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5815E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1412
HT FLOW CONVERGENCE VALUE= .1652E-01 CRITERION= .5790E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 5 COMPLETED. CUM ITER = 658
*** TIME = .161733E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8698E-05 OSCILLATION LIMIT = 68.62
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5795E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1416
HT FLOW CONVERGENCE VALUE= .1652E-01 CRITERION= .5775E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 6 COMPLETED. CUM ITER = 659
*** TIME = .162522E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .8893E-05 OSCILLATION LIMIT = 70.16
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5779E-01
```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1414
 HT FLOW CONVERGENCE VALUE= .1644E-01 CRITERION= .5755E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 7 COMPLETED. CUM ITER = 660
 *** TIME = .163311E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8697E-05 OSCILLATION LIMIT = 68.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5759E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1417
 HT FLOW CONVERGENCE VALUE= .1642E-01 CRITERION= .5739E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 8 COMPLETED. CUM ITER = 661
 *** TIME = .164100E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8892E-05 OSCILLATION LIMIT = 70.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5744E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1415
 HT FLOW CONVERGENCE VALUE= .1631E-01 CRITERION= .5719E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 9 COMPLETED. CUM ITER = 662
 *** TIME = .164888E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8696E-05 OSCILLATION LIMIT = 68.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5724E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1419
 HT FLOW CONVERGENCE VALUE= .1629E-01 CRITERION= .5703E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 10 COMPLETED. CUM ITER = 663
 *** TIME = .165677E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8891E-05 OSCILLATION LIMIT = 70.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5708E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1417
 HT FLOW CONVERGENCE VALUE= .1622E-01 CRITERION= .5683E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 11 COMPLETED. CUM ITER = 664
 *** TIME = .166466E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8696E-05 OSCILLATION LIMIT = 68.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5688E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1420
 HT FLOW CONVERGENCE VALUE= .1621E-01 CRITERION= .5667E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 12 COMPLETED. CUM ITER = 665
 *** TIME = .167255E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8890E-05 OSCILLATION LIMIT = 70.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5672E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1418
 HT FLOW CONVERGENCE VALUE= .1613E-01 CRITERION= .5647E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 13 COMPLETED. CUM ITER = 666
 *** TIME = .168044E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8695E-05 OSCILLATION LIMIT = 68.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5652E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1422
 HT FLOW CONVERGENCE VALUE= .1612E-01 CRITERION= .5631E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 14 COMPLETED. CUM ITER = 667
 *** TIME = .168833E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8888E-05 OSCILLATION LIMIT = 70.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5636E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1419
 HT FLOW CONVERGENCE VALUE= .1605E-01 CRITERION= .5611E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 15 COMPLETED. CUM ITER = 668
 *** TIME = .169622E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8693E-05 OSCILLATION LIMIT = 68.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5616E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1423
 HT FLOW CONVERGENCE VALUE= .1604E-01 CRITERION= .5595E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 16 COMPLETED. CUM ITER = 669
 *** TIME = .170411E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8886E-05 OSCILLATION LIMIT = 70.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5600E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1421
 HT FLOW CONVERGENCE VALUE= .1597E-01 CRITERION= .5575E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 17 COMPLETED. CUM ITER = 670
 *** TIME = .171200E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8691E-05 OSCILLATION LIMIT = 68.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5580E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1424
 HT FLOW CONVERGENCE VALUE= .1595E-01 CRITERION= .5559E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 18 COMPLETED. CUM ITER = 671
 *** TIME = .171989E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8885E-05 OSCILLATION LIMIT = 70.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5564E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1422
 HT FLOW CONVERGENCE VALUE= .1588E-01 CRITERION= .5539E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 19 COMPLETED. CUM ITER = 672
 *** TIME = .172778E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8690E-05 OSCILLATION LIMIT = 68.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5544E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1426
 HT FLOW CONVERGENCE VALUE= .1586E-01 CRITERION= .5523E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 20 COMPLETED. CUM ITER = 673
 *** TIME = .173567E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8884E-05 OSCILLATION LIMIT = 70.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5528E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1424
 HT FLOW CONVERGENCE VALUE= .1579E-01 CRITERION= .5503E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 21 COMPLETED. CUM ITER = 674
 *** TIME = .174356E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8689E-05 OSCILLATION LIMIT = 68.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5508E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1427
 HT FLOW CONVERGENCE VALUE= .1578E-01 CRITERION= .5487E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 22 COMPLETED. CUM ITER = 675
 *** TIME = .175145E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .8883E-05 OSCILLATION LIMIT = 70.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5493E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1425
 HT FLOW CONVERGENCE VALUE= .1571E-01 CRITERION= .5467E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 23 COMPLETED. CUM ITER = 676
 *** TIME = .175934E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8688E-05 OSCILLATION LIMIT = 68.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5473E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1428
 HT FLOW CONVERGENCE VALUE= .1569E-01 CRITERION= .5451E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 24 COMPLETED. CUM ITER = 677
 *** TIME = .176723E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8881E-05 OSCILLATION LIMIT = 70.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5457E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1427
 HT FLOW CONVERGENCE VALUE= .1561E-01 CRITERION= .5431E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 25 COMPLETED. CUM ITER = 678
 *** TIME = .177512E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8687E-05 OSCILLATION LIMIT = 68.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5437E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1430
 HT FLOW CONVERGENCE VALUE= .1559E-01 CRITERION= .5416E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 26 COMPLETED. CUM ITER = 679
 *** TIME = .178300E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8880E-05 OSCILLATION LIMIT = 70.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5421E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1428
 HT FLOW CONVERGENCE VALUE= .1552E-01 CRITERION= .5396E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 27 COMPLETED. CUM ITER = 680
 *** TIME = .179089E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8686E-05 OSCILLATION LIMIT = 68.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5401E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1431
 HT FLOW CONVERGENCE VALUE= .1550E-01 CRITERION= .5380E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 28 COMPLETED. CUM ITER = 681
 *** TIME = .179878E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8879E-05 OSCILLATION LIMIT = 70.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5385E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1429
 HT FLOW CONVERGENCE VALUE= .1544E-01 CRITERION= .5360E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 29 COMPLETED. CUM ITER = 682
 *** TIME = .180667E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8684E-05 OSCILLATION LIMIT = 68.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5365E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1433
 HT FLOW CONVERGENCE VALUE= .1542E-01 CRITERION= .5344E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 27 SUBSTEP 30 COMPLETED. CUM ITER = 683
 *** TIME = .181456E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8877E-05 OSCILLATION LIMIT = 70.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5349E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1431
 HT FLOW CONVERGENCE VALUE= .1534E-01 CRITERION= .5324E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 27 SUBSTEP 31 COMPLETED. CUM ITER = 684
 *** TIME = .182245E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8682E-05 OSCILLATION LIMIT = 68.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5329E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1434
 HT FLOW CONVERGENCE VALUE= .1530E-01 CRITERION= .5308E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 27 SUBSTEP 32 COMPLETED. CUM ITER = 685
 *** TIME = .183034E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8875E-05 OSCILLATION LIMIT = 70.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5313E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1432
 HT FLOW CONVERGENCE VALUE= .1523E-01 CRITERION= .5288E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 27 SUBSTEP 33 COMPLETED. CUM ITER = 686
 *** TIME = .183823E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8681E-05 OSCILLATION LIMIT = 68.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5293E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1435
 HT FLOW CONVERGENCE VALUE= .1521E-01 CRITERION= .5272E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 27 SUBSTEP 34 COMPLETED. CUM ITER = 687
 *** TIME = .184612E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8874E-05 OSCILLATION LIMIT = 70.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5278E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1434
 HT FLOW CONVERGENCE VALUE= .1514E-01 CRITERION= .5252E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 27 SUBSTEP 35 COMPLETED. CUM ITER = 688
 *** TIME = .185401E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8680E-05 OSCILLATION LIMIT = 68.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5257E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1437
 HT FLOW CONVERGENCE VALUE= .1512E-01 CRITERION= .5236E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 27 SUBSTEP 36 COMPLETED. CUM ITER = 689
 *** TIME = .186190E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8872E-05 OSCILLATION LIMIT = 70.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5242E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1435
 HT FLOW CONVERGENCE VALUE= .1505E-01 CRITERION= .5216E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 27 SUBSTEP 37 COMPLETED. CUM ITER = 690
 *** TIME = .186979E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8678E-05 OSCILLATION LIMIT = 68.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5222E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1438

HT FLOW CONVERGENCE VALUE= .1502E-01 CRITERION= .5200E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 38 COMPLETED. CUM ITER = 691
 *** TIME = .187768E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8871E-05 OSCILLATION LIMIT = 69.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.745 CRITERION= .5206E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1437
 HT FLOW CONVERGENCE VALUE= .1496E-01 CRITERION= .5180E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 39 COMPLETED. CUM ITER = 692
 *** TIME = .188557E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8677E-05 OSCILLATION LIMIT = 68.46
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.697 CRITERION= .5186E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1440
 HT FLOW CONVERGENCE VALUE= .1494E-01 CRITERION= .5164E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 40 COMPLETED. CUM ITER = 693
 *** TIME = .189346E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8869E-05 OSCILLATION LIMIT = 69.97

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:48:16 MAR 25, 1995 CP= 51168.090
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .5196E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1232
 HT FLOW CONVERGENCE VALUE= .1329E-01 CRITERION= .5147E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 1 COMPLETED. CUM ITER = 694
 *** TIME = .190135E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7103E-05 OSCILLATION LIMIT = 56.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.808 CRITERION= .5179E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1233
 HT FLOW CONVERGENCE VALUE= .1317E-01 CRITERION= .5135E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 2 COMPLETED. CUM ITER = 695
 *** TIME = .190923E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7413E-05 OSCILLATION LIMIT = 58.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .5167E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1235
 HT FLOW CONVERGENCE VALUE= .1315E-01 CRITERION= .5118E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 3 COMPLETED. CUM ITER = 696
 *** TIME = .191712E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7218E-05 OSCILLATION LIMIT = 56.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.808 CRITERION= .5150E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1234
 HT FLOW CONVERGENCE VALUE= .1311E-01 CRITERION= .5106E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 4 COMPLETED. CUM ITER = 697
 *** TIME = .192501E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7413E-05 OSCILLATION LIMIT = 58.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .5138E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1236
 HT FLOW CONVERGENCE VALUE= .1309E-01 CRITERION= .5089E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 5 COMPLETED. CUM ITER = 698
 *** TIME = .193290E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7217E-05 OSCILLATION LIMIT = 56.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.808 CRITERION= .5121E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1235
 HT FLOW CONVERGENCE VALUE= .1305E-01 CRITERION= .5077E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 6 COMPLETED. CUM ITER = 699
 *** TIME = .194079E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7412E-05 OSCILLATION LIMIT = 58.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .5109E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1237
 HT FLOW CONVERGENCE VALUE= .1302E-01 CRITERION= .5060E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 7 COMPLETED. CUM ITER = 700
 *** TIME = .194868E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7216E-05 OSCILLATION LIMIT = 56.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.808 CRITERION= .5092E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1237
 HT FLOW CONVERGENCE VALUE= .1299E-01 CRITERION= .5047E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 8 COMPLETED. CUM ITER = 701
 *** TIME = .195657E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7411E-05 OSCILLATION LIMIT = 58.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .5080E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1238
 HT FLOW CONVERGENCE VALUE= .1296E-01 CRITERION= .5031E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 9 COMPLETED. CUM ITER = 702
 *** TIME = .196446E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7215E-05 OSCILLATION LIMIT = 56.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.808 CRITERION= .5063E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1238
 HT FLOW CONVERGENCE VALUE= .1293E-01 CRITERION= .5018E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 10 COMPLETED. CUM ITER = 703
 *** TIME = .197235E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7410E-05 OSCILLATION LIMIT = 58.46
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .5051E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1239
 HT FLOW CONVERGENCE VALUE= .1291E-01 CRITERION= .5002E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 11 COMPLETED. CUM ITER = 704
 *** TIME = .198024E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7214E-05 OSCILLATION LIMIT = 56.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.808 CRITERION= .5034E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1239
 HT FLOW CONVERGENCE VALUE= .1287E-01 CRITERION= .4989E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 12 COMPLETED. CUM ITER = 705
 *** TIME = .198813E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7409E-05 OSCILLATION LIMIT = 58.45

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .5022E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1240
 HT FLOW CONVERGENCE VALUE= .1285E-01 CRITERION= .4973E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 13 COMPLETED. CUM ITER = 706
 *** TIME = .199602E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7213E-05 OSCILLATION LIMIT = 56.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.808 CRITERION= .5005E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1240
 HT FLOW CONVERGENCE VALUE= .1283E-01 CRITERION= .4960E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 14 COMPLETED. CUM ITER = 707
 *** TIME = .200391E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7408E-05 OSCILLATION LIMIT = 58.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .4993E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1241
 HT FLOW CONVERGENCE VALUE= .1286E-01 CRITERION= .4943E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 15 COMPLETED. CUM ITER = 708
 *** TIME = .201180E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7212E-05 OSCILLATION LIMIT = 56.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.808 CRITERION= .4976E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1241
 HT FLOW CONVERGENCE VALUE= .1283E-01 CRITERION= .4931E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 16 COMPLETED. CUM ITER = 709
 *** TIME = .201969E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7407E-05 OSCILLATION LIMIT = 58.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .4964E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1242
 HT FLOW CONVERGENCE VALUE= .1280E-01 CRITERION= .4914E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 17 COMPLETED. CUM ITER = 710
 *** TIME = .202758E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7210E-05 OSCILLATION LIMIT = 56.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.808 CRITERION= .4947E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1242
 HT FLOW CONVERGENCE VALUE= .1277E-01 CRITERION= .4902E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 18 COMPLETED. CUM ITER = 711
 *** TIME = .203547E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7406E-05 OSCILLATION LIMIT = 58.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .4935E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1244
 HT FLOW CONVERGENCE VALUE= .1274E-01 CRITERION= .4885E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 19 COMPLETED. CUM ITER = 712
 *** TIME = .204335E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7209E-05 OSCILLATION LIMIT = 56.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.808 CRITERION= .4919E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1243
 HT FLOW CONVERGENCE VALUE= .1271E-01 CRITERION= .4873E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 20 COMPLETED. CUM ITER = 713

```

*** TIME = .205124E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7404E-05    OSCILLATION LIMIT = 58.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.857    CRITERION= .4906E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1244
    HT FLOW CONVERGENCE VALUE= .1270E-01 CRITERION= .4856E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 21 COMPLETED. CUM ITER = 714
*** TIME = .205913E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7208E-05    OSCILLATION LIMIT = 56.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.808    CRITERION= .4890E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1245
    HT FLOW CONVERGENCE VALUE= .1266E-01 CRITERION= .4843E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 22 COMPLETED. CUM ITER = 715
*** TIME = .206702E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7403E-05    OSCILLATION LIMIT = 58.41
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.857    CRITERION= .4877E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1245
    HT FLOW CONVERGENCE VALUE= .1264E-01 CRITERION= .4827E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 23 COMPLETED. CUM ITER = 716
*** TIME = .207491E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7207E-05    OSCILLATION LIMIT = 56.86
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.808    CRITERION= .4861E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1246
    HT FLOW CONVERGENCE VALUE= .1260E-01 CRITERION= .4814E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 24 COMPLETED. CUM ITER = 717
*** TIME = .208280E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7402E-05    OSCILLATION LIMIT = 58.40
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.857    CRITERION= .4848E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1246
    HT FLOW CONVERGENCE VALUE= .1257E-01 CRITERION= .4798E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 25 COMPLETED. CUM ITER = 718
*** TIME = .209069E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7206E-05    OSCILLATION LIMIT = 56.85
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.808    CRITERION= .4832E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1247
    HT FLOW CONVERGENCE VALUE= .1254E-01 CRITERION= .4785E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 26 COMPLETED. CUM ITER = 719
*** TIME = .209858E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7401E-05    OSCILLATION LIMIT = 58.39
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.857    CRITERION= .4820E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1247
    HT FLOW CONVERGENCE VALUE= .1250E-01 CRITERION= .4769E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 27 COMPLETED. CUM ITER = 720
*** TIME = .210647E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7205E-05    OSCILLATION LIMIT = 56.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.808    CRITERION= .4803E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1248
    HT FLOW CONVERGENCE VALUE= .1247E-01 CRITERION= .4756E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 28 COMPLETED. CUM ITER = 721
*** TIME = .211436E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7400E-05 OSCILLATION LIMIT = 58.38
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .4791E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1248
HT FLOW CONVERGENCE VALUE= .1244E-01 CRITERION= .4739E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 29 COMPLETED. CUM ITER = 722
*** TIME = .212225E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7204E-05 OSCILLATION LIMIT = 56.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.808 CRITERION= .4774E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1249
HT FLOW CONVERGENCE VALUE= .1241E-01 CRITERION= .4727E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 30 COMPLETED. CUM ITER = 723
*** TIME = .213014E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7398E-05 OSCILLATION LIMIT = 58.37
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .4762E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1249
HT FLOW CONVERGENCE VALUE= .1238E-01 CRITERION= .4710E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 31 COMPLETED. CUM ITER = 724
*** TIME = .213803E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7202E-05 OSCILLATION LIMIT = 56.82
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.808 CRITERION= .4745E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1250
HT FLOW CONVERGENCE VALUE= .1235E-01 CRITERION= .4698E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 32 COMPLETED. CUM ITER = 725
*** TIME = .214592E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7397E-05 OSCILLATION LIMIT = 58.36
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .4733E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1250
HT FLOW CONVERGENCE VALUE= .1232E-01 CRITERION= .4681E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 33 COMPLETED. CUM ITER = 726
*** TIME = .215381E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7201E-05 OSCILLATION LIMIT = 56.81
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.808 CRITERION= .4716E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1251
HT FLOW CONVERGENCE VALUE= .1229E-01 CRITERION= .4669E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 34 COMPLETED. CUM ITER = 727
*** TIME = .216170E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7396E-05 OSCILLATION LIMIT = 58.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .4704E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1251
HT FLOW CONVERGENCE VALUE= .1226E-01 CRITERION= .4652E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 35 COMPLETED. CUM ITER = 728
*** TIME = .216959E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7200E-05 OSCILLATION LIMIT = 56.80
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.809 CRITERION= .4687E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1252
 HT FLOW CONVERGENCE VALUE= .1223E-01 CRITERION= .4639E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 36 COMPLETED. CUM ITER = 729
 *** TIME = .217747E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7395E-05 OSCILLATION LIMIT = 58.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .4675E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1252
 HT FLOW CONVERGENCE VALUE= .1220E-01 CRITERION= .4623E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 37 COMPLETED. CUM ITER = 730
 *** TIME = .218536E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7199E-05 OSCILLATION LIMIT = 56.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.809 CRITERION= .4658E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1253
 HT FLOW CONVERGENCE VALUE= .1217E-01 CRITERION= .4610E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 38 COMPLETED. CUM ITER = 731
 *** TIME = .219325E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7393E-05 OSCILLATION LIMIT = 58.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.857 CRITERION= .4646E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1253
 HT FLOW CONVERGENCE VALUE= .1214E-01 CRITERION= .4594E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 39 COMPLETED. CUM ITER = 732
 *** TIME = .220114E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7198E-05 OSCILLATION LIMIT = 56.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.809 CRITERION= .4629E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1254
 HT FLOW CONVERGENCE VALUE= .1211E-01 CRITERION= .4581E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 40 COMPLETED. CUM ITER = 733
 *** TIME = .220903E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7392E-05 OSCILLATION LIMIT = 58.32

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 11:42:27 MAR 25, 1995 CP= 54247.760
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4790E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1198
 HT FLOW CONVERGENCE VALUE= .1298E-01 CRITERION= .4567E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 1 COMPLETED. CUM ITER = 734
 *** TIME = .221692E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4113E-05 OSCILLATION LIMIT = 32.45
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4776E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1190
 HT FLOW CONVERGENCE VALUE= .1283E-01 CRITERION= .4557E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 2 COMPLETED. CUM ITER = 735
 *** TIME = .222481E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4298E-05 OSCILLATION LIMIT = 33.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4768E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1190
 HT FLOW CONVERGENCE VALUE= .1278E-01 CRITERION= .4543E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 3 COMPLETED. CUM ITER = 736
 *** TIME = .223270E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4160E-05 OSCILLATION LIMIT = 32.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4754E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1192
 HT FLOW CONVERGENCE VALUE= .1278E-01 CRITERION= .4534E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 4 COMPLETED. CUM ITER = 737
 *** TIME = .224059E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4301E-05 OSCILLATION LIMIT = 33.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4745E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1191
 HT FLOW CONVERGENCE VALUE= .1272E-01 CRITERION= .4520E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 5 COMPLETED. CUM ITER = 738
 *** TIME = .224848E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4160E-05 OSCILLATION LIMIT = 32.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4731E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1192
 HT FLOW CONVERGENCE VALUE= .1273E-01 CRITERION= .4510E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 6 COMPLETED. CUM ITER = 739
 *** TIME = .225637E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4302E-05 OSCILLATION LIMIT = 33.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4722E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1192
 HT FLOW CONVERGENCE VALUE= .1268E-01 CRITERION= .4496E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 7 COMPLETED. CUM ITER = 740
 *** TIME = .226426E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4160E-05 OSCILLATION LIMIT = 32.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4708E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1193
 HT FLOW CONVERGENCE VALUE= .1268E-01 CRITERION= .4486E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 8 COMPLETED. CUM ITER = 741
 *** TIME = .227215E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4302E-05 OSCILLATION LIMIT = 33.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4700E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1193
 HT FLOW CONVERGENCE VALUE= .1263E-01 CRITERION= .4472E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 9 COMPLETED. CUM ITER = 742
 *** TIME = .228004E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4161E-05 OSCILLATION LIMIT = 32.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4686E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1194
 HT FLOW CONVERGENCE VALUE= .1264E-01 CRITERION= .4462E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 10 COMPLETED. CUM ITER = 743
 *** TIME = .228793E+10 TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .4302E-05  OSCILLATION LIMIT = 33.94
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.05  CRITERION= .4677E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1194
  HT FLOW CONVERGENCE VALUE= .1258E-01 CRITERION= .4448E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 11 COMPLETED. CUM ITER = 744
*** TIME = .229582E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4161E-05  OSCILLATION LIMIT = 32.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.00  CRITERION= .4663E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1195
  HT FLOW CONVERGENCE VALUE= .1259E-01 CRITERION= .4439E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 12 COMPLETED. CUM ITER = 745
*** TIME = .230370E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4302E-05  OSCILLATION LIMIT = 33.94
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.05  CRITERION= .4654E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1195
  HT FLOW CONVERGENCE VALUE= .1253E-01 CRITERION= .4425E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 13 COMPLETED. CUM ITER = 746
*** TIME = .231159E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4161E-05  OSCILLATION LIMIT = 32.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.00  CRITERION= .4640E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1196
  HT FLOW CONVERGENCE VALUE= .1254E-01 CRITERION= .4415E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 14 COMPLETED. CUM ITER = 747
*** TIME = .231948E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4303E-05  OSCILLATION LIMIT = 33.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.05  CRITERION= .4632E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1195
  HT FLOW CONVERGENCE VALUE= .1249E-01 CRITERION= .4401E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 15 COMPLETED. CUM ITER = 748
*** TIME = .232737E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4161E-05  OSCILLATION LIMIT = 32.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.00  CRITERION= .4618E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1197
  HT FLOW CONVERGENCE VALUE= .1249E-01 CRITERION= .4391E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 16 COMPLETED. CUM ITER = 749
*** TIME = .233526E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4303E-05  OSCILLATION LIMIT = 33.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.05  CRITERION= .4609E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1196
  HT FLOW CONVERGENCE VALUE= .1244E-01 CRITERION= .4377E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 17 COMPLETED. CUM ITER = 750
*** TIME = .234315E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4162E-05  OSCILLATION LIMIT = 32.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.00  CRITERION= .4595E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1198
  HT FLOW CONVERGENCE VALUE= .1245E-01 CRITERION= .4367E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

```

*** LOAD STEP 29 SUBSTEP 18 COMPLETED. CUM ITER = 751
*** TIME = .235104E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4303E-05 OSCILLATION LIMIT = 33.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4586E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1197
HT FLOW CONVERGENCE VALUE= .1240E-01 CRITERION= .4354E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 19 COMPLETED. CUM ITER = 752
*** TIME = .235893E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4162E-05 OSCILLATION LIMIT = 32.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4573E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1199
HT FLOW CONVERGENCE VALUE= .1241E-01 CRITERION= .4344E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 20 COMPLETED. CUM ITER = 753
*** TIME = .236682E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4303E-05 OSCILLATION LIMIT = 33.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4564E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1198
HT FLOW CONVERGENCE VALUE= .1236E-01 CRITERION= .4330E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 21 COMPLETED. CUM ITER = 754
*** TIME = .237471E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4162E-05 OSCILLATION LIMIT = 32.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4550E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1200
HT FLOW CONVERGENCE VALUE= .1237E-01 CRITERION= .4320E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 22 COMPLETED. CUM ITER = 755
*** TIME = .238260E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4304E-05 OSCILLATION LIMIT = 33.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4541E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1199
HT FLOW CONVERGENCE VALUE= .1232E-01 CRITERION= .4306E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 23 COMPLETED. CUM ITER = 756
*** TIME = .239049E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4162E-05 OSCILLATION LIMIT = 32.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4527E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1201
HT FLOW CONVERGENCE VALUE= .1234E-01 CRITERION= .4296E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 24 COMPLETED. CUM ITER = 757
*** TIME = .239838E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4304E-05 OSCILLATION LIMIT = 33.96
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4519E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1200
HT FLOW CONVERGENCE VALUE= .1229E-01 CRITERION= .4282E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 25 COMPLETED. CUM ITER = 758
*** TIME = .240627E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4163E-05 OSCILLATION LIMIT = 32.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4505E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1202

```

HT FLOW CONVERGENCE VALUE= .1231E-01 CRITERION= .4273E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 26 COMPLETED. CUM ITER = 759
 *** TIME = .241416E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4304E-05 OSCILLATION LIMIT = 33.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4496E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1201
 HT FLOW CONVERGENCE VALUE= .1226E-01 CRITERION= .4259E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 27 COMPLETED. CUM ITER = 760
 *** TIME = .242205E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4163E-05 OSCILLATION LIMIT = 32.84
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4482E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1203
 HT FLOW CONVERGENCE VALUE= .1227E-01 CRITERION= .4249E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 28 COMPLETED. CUM ITER = 761
 *** TIME = .242994E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4304E-05 OSCILLATION LIMIT = 33.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4474E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1202
 HT FLOW CONVERGENCE VALUE= .1223E-01 CRITERION= .4235E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 29 COMPLETED. CUM ITER = 762
 *** TIME = .243782E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4163E-05 OSCILLATION LIMIT = 32.84
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4460E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1204
 HT FLOW CONVERGENCE VALUE= .1223E-01 CRITERION= .4225E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 30 COMPLETED. CUM ITER = 763
 *** TIME = .244571E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4305E-05 OSCILLATION LIMIT = 33.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4451E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1203
 HT FLOW CONVERGENCE VALUE= .1218E-01 CRITERION= .4211E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 31 COMPLETED. CUM ITER = 764
 *** TIME = .245360E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4163E-05 OSCILLATION LIMIT = 32.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4437E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1205
 HT FLOW CONVERGENCE VALUE= .1219E-01 CRITERION= .4201E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 32 COMPLETED. CUM ITER = 765
 *** TIME = .246149E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4305E-05 OSCILLATION LIMIT = 33.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4429E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1204
 HT FLOW CONVERGENCE VALUE= .1214E-01 CRITERION= .4187E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 33 COMPLETED. CUM ITER = 766
 *** TIME = .246938E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4164E-05 OSCILLATION LIMIT = 32.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4415E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1205
 HT FLOW CONVERGENCE VALUE= .1215E-01 CRITERION= .4178E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 34 COMPLETED. CUM ITER = 767
 *** TIME = .247727E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4305E-05 OSCILLATION LIMIT = 33.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4406E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1204
 HT FLOW CONVERGENCE VALUE= .1210E-01 CRITERION= .4164E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 35 COMPLETED. CUM ITER = 768
 *** TIME = .248516E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4164E-05 OSCILLATION LIMIT = 32.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4392E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1206
 HT FLOW CONVERGENCE VALUE= .1211E-01 CRITERION= .4154E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 36 COMPLETED. CUM ITER = 769
 *** TIME = .249305E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4305E-05 OSCILLATION LIMIT = 33.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4384E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1205
 HT FLOW CONVERGENCE VALUE= .1206E-01 CRITERION= .4140E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 37 COMPLETED. CUM ITER = 770
 *** TIME = .250094E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4164E-05 OSCILLATION LIMIT = 32.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4370E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1207
 HT FLOW CONVERGENCE VALUE= .1206E-01 CRITERION= .4130E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 38 COMPLETED. CUM ITER = 771
 *** TIME = .250883E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4306E-05 OSCILLATION LIMIT = 33.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.05 CRITERION= .4361E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1206
 HT FLOW CONVERGENCE VALUE= .1202E-01 CRITERION= .4116E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 39 COMPLETED. CUM ITER = 772
 *** TIME = .251672E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4164E-05 OSCILLATION LIMIT = 32.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.00 CRITERION= .4347E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1208
 HT FLOW CONVERGENCE VALUE= .1202E-01 CRITERION= .4106E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 40 COMPLETED. CUM ITER = 773
 *** TIME = .252461E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4306E-05 OSCILLATION LIMIT = 33.97

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 12:39:44 MAR 25, 1995 CP= 57346.080
 FOR SUPPORT CALL SUPPORT PERSON. PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .4281E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9653E-01
 HT FLOW CONVERGENCE VALUE= .9779E-02 CRITERION= .4095E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 1 COMPLETED. CUM ITER = 774
 *** TIME = .253250E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3807E-05 OSCILLATION LIMIT = 30.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .4270E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9700E-01
 HT FLOW CONVERGENCE VALUE= .9771E-02 CRITERION= .4088E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 2 COMPLETED. CUM ITER = 775
 *** TIME = .254039E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4022E-05 OSCILLATION LIMIT = 31.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .4263E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9742E-01
 HT FLOW CONVERGENCE VALUE= .9776E-02 CRITERION= .4076E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 3 COMPLETED. CUM ITER = 776
 *** TIME = .254828E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3873E-05 OSCILLATION LIMIT = 30.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .4252E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9706E-01
 HT FLOW CONVERGENCE VALUE= .9745E-02 CRITERION= .4069E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 4 COMPLETED. CUM ITER = 777
 *** TIME = .255617E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4022E-05 OSCILLATION LIMIT = 31.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .4245E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9747E-01
 HT FLOW CONVERGENCE VALUE= .9750E-02 CRITERION= .4058E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 5 COMPLETED. CUM ITER = 778
 *** TIME = .256406E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3873E-05 OSCILLATION LIMIT = 30.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .4234E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9713E-01
 HT FLOW CONVERGENCE VALUE= .9721E-02 CRITERION= .4050E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 6 COMPLETED. CUM ITER = 779
 *** TIME = .257194E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4022E-05 OSCILLATION LIMIT = 31.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .4227E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9752E-01
 HT FLOW CONVERGENCE VALUE= .9719E-02 CRITERION= .4039E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 7 COMPLETED. CUM ITER = 780
 *** TIME = .257983E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3872E-05 OSCILLATION LIMIT = 30.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .4216E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9721E-01
 HT FLOW CONVERGENCE VALUE= .9690E-02 CRITERION= .4032E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 8 COMPLETED. CUM ITER = 781

```

*** TIME = .258772E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4023E-05    OSCILLATION LIMIT = 31.74
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.15    CRITERION= .4210E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9756E-01
    HT FLOW CONVERGENCE VALUE= .9690E-02    CRITERION= .4020E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 9 COMPLETED. CUM ITER = 782
*** TIME = .259561E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3872E-05    OSCILLATION LIMIT = 30.55
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.10    CRITERION= .4198E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9728E-01
    HT FLOW CONVERGENCE VALUE= .9667E-02    CRITERION= .4013E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 10 COMPLETED. CUM ITER = 783
*** TIME = .260350E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4024E-05    OSCILLATION LIMIT = 31.74
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.15    CRITERION= .4192E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9761E-01
    HT FLOW CONVERGENCE VALUE= .9667E-02    CRITERION= .4001E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 11 COMPLETED. CUM ITER = 784
*** TIME = .261139E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3872E-05    OSCILLATION LIMIT = 30.55
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.10    CRITERION= .4180E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9735E-01
    HT FLOW CONVERGENCE VALUE= .9643E-02    CRITERION= .3994E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 12 COMPLETED. CUM ITER = 785
*** TIME = .261928E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4024E-05    OSCILLATION LIMIT = 31.75
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.15    CRITERION= .4174E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9766E-01
    HT FLOW CONVERGENCE VALUE= .9635E-02    CRITERION= .3983E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 13 COMPLETED. CUM ITER = 786
*** TIME = .262717E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3872E-05    OSCILLATION LIMIT = 30.55
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.10    CRITERION= .4162E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9743E-01
    HT FLOW CONVERGENCE VALUE= .9613E-02    CRITERION= .3975E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 14 COMPLETED. CUM ITER = 787
*** TIME = .263506E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4025E-05    OSCILLATION LIMIT = 31.75
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.15    CRITERION= .4156E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9771E-01
    HT FLOW CONVERGENCE VALUE= .9605E-02    CRITERION= .3964E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 15 COMPLETED. CUM ITER = 788
*** TIME = .264295E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3872E-05    OSCILLATION LIMIT = 30.55
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.10    CRITERION= .4144E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9750E-01
    HT FLOW CONVERGENCE VALUE= .9587E-02    CRITERION= .3957E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 16 COMPLETED. CUM ITER = 789
*** TIME = .265084E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4026E-05 OSCILLATION LIMIT = 31.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .4138E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9775E-01
HT FLOW CONVERGENCE VALUE= .9579E-02 CRITERION= .3945E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 17 COMPLETED. CUM ITER = 790
*** TIME = .265873E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3872E-05 OSCILLATION LIMIT = 30.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .4126E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9757E-01
HT FLOW CONVERGENCE VALUE= .9559E-02 CRITERION= .3938E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 18 COMPLETED. CUM ITER = 791
*** TIME = .266662E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4026E-05 OSCILLATION LIMIT = 31.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .4120E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9780E-01
HT FLOW CONVERGENCE VALUE= .9547E-02 CRITERION= .3927E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 19 COMPLETED. CUM ITER = 792
*** TIME = .267451E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3872E-05 OSCILLATION LIMIT = 30.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .4109E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9764E-01
HT FLOW CONVERGENCE VALUE= .9529E-02 CRITERION= .3919E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 20 COMPLETED. CUM ITER = 793
*** TIME = .268240E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4027E-05 OSCILLATION LIMIT = 31.77
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .4102E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9785E-01
HT FLOW CONVERGENCE VALUE= .9519E-02 CRITERION= .3908E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 21 COMPLETED. CUM ITER = 794
*** TIME = .269029E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3872E-05 OSCILLATION LIMIT = 30.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .4091E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9771E-01
HT FLOW CONVERGENCE VALUE= .9502E-02 CRITERION= .3901E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 22 COMPLETED. CUM ITER = 795
*** TIME = .269817E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4027E-05 OSCILLATION LIMIT = 31.77
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .4084E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9791E-01
HT FLOW CONVERGENCE VALUE= .9490E-02 CRITERION= .3889E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 23 COMPLETED. CUM ITER = 796
*** TIME = .270606E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3871E-05 OSCILLATION LIMIT = 30.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .4073E-01

```


EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9778E-01
 HT FLOW CONVERGENCE VALUE= .9473E-02 CRITERION= .3882E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 24 COMPLETED. CUM ITER = 797
 *** TIME = .271395E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4028E-05 OSCILLATION LIMIT = 31.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .4067E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9796E-01
 HT FLOW CONVERGENCE VALUE= .9459E-02 CRITERION= .3871E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 25 COMPLETED. CUM ITER = 798
 *** TIME = .272184E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3871E-05 OSCILLATION LIMIT = 30.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .4055E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9785E-01
 HT FLOW CONVERGENCE VALUE= .9444E-02 CRITERION= .3863E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 26 COMPLETED. CUM ITER = 799
 *** TIME = .272973E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4029E-05 OSCILLATION LIMIT = 31.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .4049E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9801E-01
 HT FLOW CONVERGENCE VALUE= .9429E-02 CRITERION= .3852E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 27 COMPLETED. CUM ITER = 800
 *** TIME = .273762E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3871E-05 OSCILLATION LIMIT = 30.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .4037E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9792E-01
 HT FLOW CONVERGENCE VALUE= .9419E-02 CRITERION= .3845E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 28 COMPLETED. CUM ITER = 801
 *** TIME = .274551E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4029E-05 OSCILLATION LIMIT = 31.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .4031E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9806E-01
 HT FLOW CONVERGENCE VALUE= .9403E-02 CRITERION= .3833E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 29 COMPLETED. CUM ITER = 802
 *** TIME = .275340E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3871E-05 OSCILLATION LIMIT = 30.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .4019E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9799E-01
 HT FLOW CONVERGENCE VALUE= .9390E-02 CRITERION= .3826E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 30 COMPLETED. CUM ITER = 803
 *** TIME = .276129E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4030E-05 OSCILLATION LIMIT = 31.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .4013E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9811E-01
 HT FLOW CONVERGENCE VALUE= .9376E-02 CRITERION= .3814E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 31 COMPLETED. CUM ITER = 804
 *** TIME = .276918E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3871E-05 OSCILLATION LIMIT = 30.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .4002E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9806E-01
 HT FLOW CONVERGENCE VALUE= .9364E-02 CRITERION= .3807E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 32 COMPLETED. CUM ITER = 805
 *** TIME = .277707E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4030E-05 OSCILLATION LIMIT = 31.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .3995E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9817E-01
 HT FLOW CONVERGENCE VALUE= .9348E-02 CRITERION= .3796E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 33 COMPLETED. CUM ITER = 806
 *** TIME = .278496E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3872E-05 OSCILLATION LIMIT = 30.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .3984E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9813E-01
 HT FLOW CONVERGENCE VALUE= .9337E-02 CRITERION= .3789E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 34 COMPLETED. CUM ITER = 807
 *** TIME = .279285E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4031E-05 OSCILLATION LIMIT = 31.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .3977E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9822E-01
 HT FLOW CONVERGENCE VALUE= .9318E-02 CRITERION= .3777E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 35 COMPLETED. CUM ITER = 808
 *** TIME = .280074E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3872E-05 OSCILLATION LIMIT = 30.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .3966E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9820E-01
 HT FLOW CONVERGENCE VALUE= .9307E-02 CRITERION= .3770E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 36 COMPLETED. CUM ITER = 809
 *** TIME = .280863E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4031E-05 OSCILLATION LIMIT = 31.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .3960E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9828E-01
 HT FLOW CONVERGENCE VALUE= .9287E-02 CRITERION= .3758E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 37 COMPLETED. CUM ITER = 810
 *** TIME = .281652E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3872E-05 OSCILLATION LIMIT = 30.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .3948E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9827E-01
 HT FLOW CONVERGENCE VALUE= .9274E-02 CRITERION= .3751E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 38 COMPLETED. CUM ITER = 811
 *** TIME = .282441E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4032E-05 OSCILLATION LIMIT = 31.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.15 CRITERION= .3942E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9833E-01
 HT FLOW CONVERGENCE VALUE= .9249E-02 CRITERION= .3740E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 39 COMPLETED. CUM ITER = 812
 *** TIME = .283229E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .3872E-05 OSCILLATION LIMIT = 30.55
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.10 CRITERION= .3930E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9834E-01
HT FLOW CONVERGENCE VALUE= .9239E-02 CRITERION= .3732E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 40 COMPLETED. CUM ITER = 813
*** TIME = .284018E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4032E-05 OSCILLATION LIMIT = 31.81
Apply loads and solve for 100 to 1000 years

*DO LOOP ON PARAMETER= TM FROM .31558E+10 TO .31558E+11 BY .31558E+10
TIME= .31558E+10

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5844 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
1101.11363 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 155.62 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 155.81 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 156.19 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 60425.900 TIME= 13:37:26
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 13:37:26 MAR 25, 1995 CP= 60425.900
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

L O A D S T E P O P T I O N S

```

LOAD STEP NUMBER. . . . . 31
TIME AT END OF THE LOAD STEP. . . . . .31558E+10
AUTOMATIC TIME STEPPING . . . . . ON
  INITIAL NUMBER OF SUBSTEPS . . . . . 10
  MAXIMUM NUMBER OF SUBSTEPS . . . . . 40
  MINIMUM NUMBER OF SUBSTEPS . . . . . 4
  START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . . 25
STEP CHANGE BOUNDARY CONDITIONS . . . . . NO
TRANSIENT (INERTIA) EFFECTS
  THERMAL DOFS . . . . . ON
TRANSIENT INTEGRATION PARAMETERS
  THETA. . . . . .50000
  OSCILLATION LIMIT CRITERION. . . . . .50000
  TOLERANCE. . . . . .20000
TERMINATE ANALYSIS IF NOT CONVERGED . . . . .YES (EXIT)
CONVERGENCE CONTROLS. . . . .USE DEFAULTS
PRINT OUTPUT CONTROLS . . . . .NO PRINTOUT
DATABASE OUTPUT CONTROLS. . . . .ALL DATA WRITTEN
                                FOR THE LAST SUBSTEP

```

```

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3883E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8610E-01
HT FLOW CONVERGENCE VALUE= .8102E-02 CRITERION= .3722E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 1 COMPLETED. CUM ITER = 814
*** TIME = .284807E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3810E-05 OSCILLATION LIMIT = 30.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3873E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8626E-01
HT FLOW CONVERGENCE VALUE= .8089E-02 CRITERION= .3716E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 2 COMPLETED. CUM ITER = 815
*** TIME = .285596E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4016E-05 OSCILLATION LIMIT = 31.68
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3868E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8658E-01
HT FLOW CONVERGENCE VALUE= .8091E-02 CRITERION= .3706E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 3 COMPLETED. CUM ITER = 816
*** TIME = .286385E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3844E-05 OSCILLATION LIMIT = 30.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3857E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8631E-01
HT FLOW CONVERGENCE VALUE= .8061E-02 CRITERION= .3700E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 4 COMPLETED. CUM ITER = 817
*** TIME = .287174E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4016E-05 OSCILLATION LIMIT = 31.68
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3852E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8662E-01
HT FLOW CONVERGENCE VALUE= .8060E-02 CRITERION= .3689E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 5 COMPLETED. CUM ITER = 818
*** TIME = .287963E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3844E-05 OSCILLATION LIMIT = 30.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3841E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8637E-01
HT FLOW CONVERGENCE VALUE= .8034E-02 CRITERION= .3683E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 6 COMPLETED. CUM ITER = 819
*** TIME = .288752E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4016E-05 OSCILLATION LIMIT = 31.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3836E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8665E-01
HT FLOW CONVERGENCE VALUE= .8029E-02 CRITERION= .3673E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 7 COMPLETED. CUM ITER = 820
*** TIME = .289541E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3844E-05 OSCILLATION LIMIT = 30.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3826E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8643E-01
HT FLOW CONVERGENCE VALUE= .8003E-02 CRITERION= .3667E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 8 COMPLETED. CUM ITER = 821
*** TIME = .290330E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4017E-05 OSCILLATION LIMIT = 31.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3820E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8669E-01
HT FLOW CONVERGENCE VALUE= .7998E-02 CRITERION= .3657E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 9 COMPLETED. CUM ITER = 822
*** TIME = .291119E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3810E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8649E-01
HT FLOW CONVERGENCE VALUE= .7980E-02 CRITERION= .3650E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 10 COMPLETED. CUM ITER = 823
*** TIME = .291908E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4018E-05 OSCILLATION LIMIT = 31.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3805E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8672E-01
HT FLOW CONVERGENCE VALUE= .7979E-02 CRITERION= .3640E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 11 COMPLETED. CUM ITER = 824
*** TIME = .292697E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3794E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8655E-01
HT FLOW CONVERGENCE VALUE= .7958E-02 CRITERION= .3634E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 12 COMPLETED. CUM ITER = 825
*** TIME = .293486E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4019E-05 OSCILLATION LIMIT = 31.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3789E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8676E-01
HT FLOW CONVERGENCE VALUE= .7951E-02 CRITERION= .3624E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 13 COMPLETED. CUM ITER = 826
*** TIME = .294275E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3779E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8661E-01
 HT FLOW CONVERGENCE VALUE= .7933E-02 CRITERION= .3618E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 14 COMPLETED. CUM ITER = 827
 *** TIME = .295064E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4019E-05 OSCILLATION LIMIT = 31.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3773E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8680E-01
 HT FLOW CONVERGENCE VALUE= .7926E-02 CRITERION= .3607E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 15 COMPLETED. CUM ITER = 828
 *** TIME = .295853E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3763E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8667E-01
 HT FLOW CONVERGENCE VALUE= .7907E-02 CRITERION= .3601E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 16 COMPLETED. CUM ITER = 829
 *** TIME = .296641E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4020E-05 OSCILLATION LIMIT = 31.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3758E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8684E-01
 HT FLOW CONVERGENCE VALUE= .7896E-02 CRITERION= .3591E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 17 COMPLETED. CUM ITER = 830
 *** TIME = .297430E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3747E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8673E-01
 HT FLOW CONVERGENCE VALUE= .7878E-02 CRITERION= .3585E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 18 COMPLETED. CUM ITER = 831
 *** TIME = .298219E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4021E-05 OSCILLATION LIMIT = 31.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3742E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8688E-01
 HT FLOW CONVERGENCE VALUE= .7866E-02 CRITERION= .3575E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 19 COMPLETED. CUM ITER = 832
 *** TIME = .299008E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3731E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8679E-01
 HT FLOW CONVERGENCE VALUE= .7849E-02 CRITERION= .3569E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 20 COMPLETED. CUM ITER = 833
 *** TIME = .299797E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4021E-05 OSCILLATION LIMIT = 31.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3726E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8692E-01
 HT FLOW CONVERGENCE VALUE= .7831E-02 CRITERION= .3558E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 21 COMPLETED. CUM ITER = 834
 *** TIME = .300586E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3716E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8685E-01
 HT FLOW CONVERGENCE VALUE= .7812E-02 CRITERION= .3552E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 22 COMPLETED. CUM ITER = 835
 *** TIME = .301375E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4022E-05 OSCILLATION LIMIT = 31.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3711E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8696E-01
 HT FLOW CONVERGENCE VALUE= .7797E-02 CRITERION= .3542E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 23 COMPLETED. CUM ITER = 836
 *** TIME = .302164E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3700E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8690E-01
 HT FLOW CONVERGENCE VALUE= .7782E-02 CRITERION= .3536E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 24 COMPLETED. CUM ITER = 837
 *** TIME = .302953E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4022E-05 OSCILLATION LIMIT = 31.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3695E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8700E-01
 HT FLOW CONVERGENCE VALUE= .7764E-02 CRITERION= .3526E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 25 COMPLETED. CUM ITER = 838
 *** TIME = .303742E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3684E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8696E-01
 HT FLOW CONVERGENCE VALUE= .7751E-02 CRITERION= .3519E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 26 COMPLETED. CUM ITER = 839
 *** TIME = .304531E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4023E-05 OSCILLATION LIMIT = 31.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3679E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8704E-01
 HT FLOW CONVERGENCE VALUE= .7734E-02 CRITERION= .3509E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 27 COMPLETED. CUM ITER = 840
 *** TIME = .305320E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3669E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8702E-01
 HT FLOW CONVERGENCE VALUE= .7722E-02 CRITERION= .3503E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 28 COMPLETED. CUM ITER = 841
 *** TIME = .306109E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4024E-05 OSCILLATION LIMIT = 31.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3664E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8708E-01
 HT FLOW CONVERGENCE VALUE= .7704E-02 CRITERION= .3493E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 29 COMPLETED. CUM ITER = 842
 *** TIME = .306898E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3653E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8707E-01
 HT FLOW CONVERGENCE VALUE= .7692E-02 CRITERION= .3487E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 30 COMPLETED. CUM ITER = 843
 *** TIME = .307687E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4024E-05 OSCILLATION LIMIT = 31.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3648E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8712E-01
 HT FLOW CONVERGENCE VALUE= .7673E-02 CRITERION= .3476E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 31 COMPLETED. CUM ITER = 844
 *** TIME = .308476E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3637E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8713E-01
 HT FLOW CONVERGENCE VALUE= .7661E-02 CRITERION= .3470E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 32 COMPLETED. CUM ITER = 845
 *** TIME = .309264E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4025E-05 OSCILLATION LIMIT = 31.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3632E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8716E-01
 HT FLOW CONVERGENCE VALUE= .7641E-02 CRITERION= .3460E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 33 COMPLETED. CUM ITER = 846
 *** TIME = .310053E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3622E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8719E-01
 HT FLOW CONVERGENCE VALUE= .7630E-02 CRITERION= .3454E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 34 COMPLETED. CUM ITER = 847
 *** TIME = .310842E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4025E-05 OSCILLATION LIMIT = 31.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3617E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8720E-01
 HT FLOW CONVERGENCE VALUE= .7610E-02 CRITERION= .3444E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 35 COMPLETED. CUM ITER = 848
 *** TIME = .311631E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3606E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8724E-01
 HT FLOW CONVERGENCE VALUE= .7600E-02 CRITERION= .3438E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 36 COMPLETED. CUM ITER = 849
 *** TIME = .312420E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4026E-05 OSCILLATION LIMIT = 31.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3601E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8725E-01
 HT FLOW CONVERGENCE VALUE= .7580E-02 CRITERION= .3427E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 31 SUBSTEP 37 COMPLETED. CUM ITER = 850
 *** TIME = .313209E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3591E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8730E-01
 HT FLOW CONVERGENCE VALUE= .7571E-02 CRITERION= .3421E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 31 SUBSTEP 38 COMPLETED. CUM ITER = 851
 *** TIME = .313998E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4026E-05 OSCILLATION LIMIT = 31.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3585E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8729E-01
 HT FLOW CONVERGENCE VALUE= .7550E-02 CRITERION= .3411E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 31 SUBSTEP 39 COMPLETED. CUM ITER = 852
 *** TIME = .314787E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3843E-05 OSCILLATION LIMIT = 30.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.71 CRITERION= .3575E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8735E-01
 HT FLOW CONVERGENCE VALUE= .7541E-02 CRITERION= .3405E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 31 SUBSTEP 40 COMPLETED. CUM ITER = 853
 *** TIME = .315576E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4027E-05 OSCILLATION LIMIT = 31.77

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 14:28:59 MAR 25, 1995 CP= 63478.390
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 66.51 CRITERION= .7470E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4236
 HT FLOW CONVERGENCE VALUE= .3799E-01 CRITERION= .3369E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1584E-01
 HT FLOW CONVERGENCE VALUE= .7959E-03 CRITERION= .3367E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 32 SUBSTEP 1 COMPLETED. CUM ITER = 855
 *** TIME = .323465E+10 TIME INC = .788940E+08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 66.46 CRITERION= .7451E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4262
 HT FLOW CONVERGENCE VALUE= .3770E-01 CRITERION= .3336E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1577E-01
 HT FLOW CONVERGENCE VALUE= .7862E-03 CRITERION= .3335E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 32 SUBSTEP 2 COMPLETED. CUM ITER = 857
 *** TIME = .331355E+10 TIME INC = .788940E+08
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 199.5 CRITERION= .2022
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.282
 HT FLOW CONVERGENCE VALUE= .1082 CRITERION= .3233E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4526E-01
 HT FLOW CONVERGENCE VALUE= .2143E-02 CRITERION= .3228E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 32 SUBSTEP 3 COMPLETED. CUM ITER = 859

*** TIME = .355023E+10 TIME INC = .236682E+09
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 598.4 CRITERION= .5993
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -3.853
 HT FLOW CONVERGENCE VALUE= .2796 CRITERION= .2930E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1172
 HT FLOW CONVERGENCE VALUE= .4710E-02 CRITERION= .2917E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 32 SUBSTEP 4 COMPLETED. CUM ITER = 861
 *** TIME = .426028E+10 TIME INC = .710046E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 665.1 CRITERION= .6657
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.321
 HT FLOW CONVERGENCE VALUE= .2724 CRITERION= .2580E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1149
 HT FLOW CONVERGENCE VALUE= .3926E-02 CRITERION= .2568E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 32 SUBSTEP 5 COMPLETED. CUM ITER = 863
 *** TIME = .504922E+10 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 665.2 CRITERION= .6657
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.363
 HT FLOW CONVERGENCE VALUE= .2356 CRITERION= .2233E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1003
 HT FLOW CONVERGENCE VALUE= .2881E-02 CRITERION= .2222E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 32 SUBSTEP 6 COMPLETED. CUM ITER = 865
 *** TIME = .583816E+10 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 399.2 CRITERION= .3998
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.645
 HT FLOW CONVERGENCE VALUE= .1351 CRITERION= .2017E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5826E-01
 HT FLOW CONVERGENCE VALUE= .1610E-02 CRITERION= .2012E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 32 SUBSTEP 7 COMPLETED. CUM ITER = 867
 *** TIME = .631152E+10 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 14:43:18 MAR 25, 1995 CP= 64328.420
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 267.7 CRITERION= .2685
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.129
 HT FLOW CONVERGENCE VALUE= .6871E-01 CRITERION= .1950E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3190E-01
 HT FLOW CONVERGENCE VALUE= .1176E-02 CRITERION= .1948E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 33 SUBSTEP 1 COMPLETED. CUM ITER = 869
 *** TIME = .678488E+10 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 267.8 CRITERION= .2685
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.132
 HT FLOW CONVERGENCE VALUE= .6656E-01 CRITERION= .1882E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3101E-01
 HT FLOW CONVERGENCE VALUE= .1103E-02 CRITERION= .1881E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 33 SUBSTEP 2 COMPLETED. CUM ITER = 871
 *** TIME = .725825E+10 TIME INC = .473364E+09

*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 446.3 CRITERION= .4467
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.889
 HT FLOW CONVERGENCE VALUE= .1022 CRITERION= .1776E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4828E-01
 HT FLOW CONVERGENCE VALUE= .1599E-02 CRITERION= .1773E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 3 COMPLETED. CUM ITER = 873
 *** TIME = .804719E+10 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 446.3 CRITERION= .4467
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.897
 HT FLOW CONVERGENCE VALUE= .9594E-01 CRITERION= .1665E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4572E-01
 HT FLOW CONVERGENCE VALUE= .1417E-02 CRITERION= .1662E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 4 COMPLETED. CUM ITER = 875
 *** TIME = .883613E+10 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 357.0 CRITERION= .3574
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.523
 HT FLOW CONVERGENCE VALUE= .7379E-01 CRITERION= .1579E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3531E-01
 HT FLOW CONVERGENCE VALUE= .1046E-02 CRITERION= .1577E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 5 COMPLETED. CUM ITER = 877
 *** TIME = .946728E+10 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 14:53:38 MAR 25, 1995 CP= 64938.810
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 204.2 CRITERION= .2048
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8801
 HT FLOW CONVERGENCE VALUE= .4197E-01 CRITERION= .1525E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2006E-01
 HT FLOW CONVERGENCE VALUE= .5799E-03 CRITERION= .1524E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 1 COMPLETED. CUM ITER = 879
 *** TIME = .100984E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 204.1 CRITERION= .2047
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8806
 HT FLOW CONVERGENCE VALUE= .4064E-01 CRITERION= .1477E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1950E-01
 HT FLOW CONVERGENCE VALUE= .5465E-03 CRITERION= .1476E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 2 COMPLETED. CUM ITER = 881
 *** TIME = .107296E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 255.2 CRITERION= .2556
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.104
 HT FLOW CONVERGENCE VALUE= .4835E-01 CRITERION= .1412E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2329E-01
 HT FLOW CONVERGENCE VALUE= .6200E-03 CRITERION= .1410E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 3 COMPLETED. CUM ITER = 883
 *** TIME = .115185E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 255.2 CRITERION= .2556
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.105
 HT FLOW CONVERGENCE VALUE= .4578E-01 CRITERION= .1351E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2240E-01
 HT FLOW CONVERGENCE VALUE= .5683E-03 CRITERION= .1349E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 4 COMPLETED. CUM ITER = 885
 *** TIME = .123075E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 102.1 CRITERION= .1030
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4439
 HT FLOW CONVERGENCE VALUE= .1807E-01 CRITERION= .1322E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9014E-02
 HT FLOW CONVERGENCE VALUE= .2277E-03 CRITERION= .1322E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 5 COMPLETED. CUM ITER = 887
 *** TIME = .126230E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 15:03:53 MAR 25, 1995 CP= 65549.160
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 84.06 CRITERION= .8511E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3345
 HT FLOW CONVERGENCE VALUE= .1395E-01 CRITERION= .1307E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7093E-02
 HT FLOW CONVERGENCE VALUE= .1859E-03 CRITERION= .1307E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 1 COMPLETED. CUM ITER = 889
 *** TIME = .129386E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 84.11 CRITERION= .8510E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3356
 HT FLOW CONVERGENCE VALUE= .1375E-01 CRITERION= .1287E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7015E-02
 HT FLOW CONVERGENCE VALUE= .1806E-03 CRITERION= .1287E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 2 COMPLETED. CUM ITER = 891
 *** TIME = .132542E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 210.2 CRITERION= .2106
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8379
 HT FLOW CONVERGENCE VALUE= .3216E-01 CRITERION= .1246E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1682E-01
 HT FLOW CONVERGENCE VALUE= .4111E-03 CRITERION= .1245E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 3 COMPLETED. CUM ITER = 893
 *** TIME = .140431E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 210.2 CRITERION= .2106
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8402
 HT FLOW CONVERGENCE VALUE= .3063E-01 CRITERION= .1200E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1634E-01
 HT FLOW CONVERGENCE VALUE= .3781E-03 CRITERION= .1200E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 4 COMPLETED. CUM ITER = 895
 *** TIME = .148321E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 126.1 CRITERION= .1267
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5043
 HT FLOW CONVERGENCE VALUE= .1788E-01 CRITERION= .1176E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9749E-02
 HT FLOW CONVERGENCE VALUE= .2195E-03 CRITERION= .1175E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 5 COMPLETED. CUM ITER = 897
 *** TIME = .153054E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 126.2 CRITERION= .1267
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5057
 HT FLOW CONVERGENCE VALUE= .1727E-01 CRITERION= .1147E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9567E-02
 HT FLOW CONVERGENCE VALUE= .2072E-03 CRITERION= .1147E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 6 COMPLETED. CUM ITER = 899
 *** TIME = .157788E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 15:16:16 MAR 25, 1995 CP= 66279.490
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 143.0 CRITERION= .1434
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4958
 HT FLOW CONVERGENCE VALUE= .1760E-01 CRITERION= .1128E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1008E-01
 HT FLOW CONVERGENCE VALUE= .2272E-03 CRITERION= .1128E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 1 COMPLETED. CUM ITER = 901
 *** TIME = .162522E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 143.0 CRITERION= .1434
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4971
 HT FLOW CONVERGENCE VALUE= .1716E-01 CRITERION= .1105E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9947E-02
 HT FLOW CONVERGENCE VALUE= .2164E-03 CRITERION= .1104E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 2 COMPLETED. CUM ITER = 903
 *** TIME = .167255E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 238.3 CRITERION= .2385
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8280
 HT FLOW CONVERGENCE VALUE= .2700E-01 CRITERION= .1071E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1602E-01
 HT FLOW CONVERGENCE VALUE= .3268E-03 CRITERION= .1071E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 3 COMPLETED. CUM ITER = 905
 *** TIME = .175145E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 238.3 CRITERION= .2385
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8302
 HT FLOW CONVERGENCE VALUE= .2580E-01 CRITERION= .1033E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1534E-01
 HT FLOW CONVERGENCE VALUE= .3028E-03 CRITERION= .1033E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 4 COMPLETED. CUM ITER = 907
 *** TIME = .183034E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 190.6 CRITERION= .1909

```
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6643
HT FLOW CONVERGENCE VALUE= .2014E-01 CRITERION= .1007E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1186E-01
HT FLOW CONVERGENCE VALUE= .2322E-03 CRITERION= .1006E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 36 SUBSTEP 5 COMPLETED. CUM ITER = 909
*** TIME = .189346E+11 TIME INC = .631152E+09
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 15:26:32 MAR 25, 1995 CP= 66890.780
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 172.0 CRITERION= .1723
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5625
HT FLOW CONVERGENCE VALUE= .1737E-01 CRITERION= .9828E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1020E-01
HT FLOW CONVERGENCE VALUE= .2027E-03 CRITERION= .9825E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 1 COMPLETED. CUM ITER = 911
*** TIME = .195657E+11 TIME INC = .631152E+09
*** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 172.0 CRITERION= .1723
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5620
HT FLOW CONVERGENCE VALUE= .1700E-01 CRITERION= .9633E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1001E-01
HT FLOW CONVERGENCE VALUE= .1954E-03 CRITERION= .9630E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 2 COMPLETED. CUM ITER = 913
*** TIME = .201969E+11 TIME INC = .631152E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)
```

```
HT FLOW CONVERGENCE VALUE= 215.0 CRITERION= .2152
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7043
HT FLOW CONVERGENCE VALUE= .2055E-01 CRITERION= .9341E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1215E-01
HT FLOW CONVERGENCE VALUE= .2295E-03 CRITERION= .9337E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 3 COMPLETED. CUM ITER = 915
*** TIME = .209858E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 215.0 CRITERION= .2152
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7041
HT FLOW CONVERGENCE VALUE= .1997E-01 CRITERION= .9091E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1186E-01
HT FLOW CONVERGENCE VALUE= .2182E-03 CRITERION= .9088E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 4 COMPLETED. CUM ITER = 917
*** TIME = .217747E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)
```

```
HT FLOW CONVERGENCE VALUE= 86.03 CRITERION= .8650E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2827
HT FLOW CONVERGENCE VALUE= .8060E-02 CRITERION= .8959E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 37 SUBSTEP 5 COMPLETED. CUM ITER = 918
*** TIME = .220903E+11 TIME INC = .315576E+09
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 15:35:59 MAR 25, 1995 CP= 67455.150
```

FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 75.97 CRITERION= .7650E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2442
 HT FLOW CONVERGENCE VALUE= .6997E-02 CRITERION= .8885E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 38 SUBSTEP 1 COMPLETED. CUM ITER = 919
 *** TIME = .224059E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 76.01 CRITERION= .7652E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2459
 HT FLOW CONVERGENCE VALUE= .6939E-02 CRITERION= .8767E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 38 SUBSTEP 2 COMPLETED. CUM ITER = 920
 *** TIME = .227215E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 190.0 CRITERION= .1902
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6196
 HT FLOW CONVERGENCE VALUE= .1666E-01 CRITERION= .8551E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9940E-02
 HT FLOW CONVERGENCE VALUE= .1731E-03 CRITERION= .8548E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 3 COMPLETED. CUM ITER = 922
 *** TIME = .235104E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 190.0 CRITERION= .1902
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6254
 HT FLOW CONVERGENCE VALUE= .1625E-01 CRITERION= .8290E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9705E-02
 HT FLOW CONVERGENCE VALUE= .1634E-03 CRITERION= .8287E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 4 COMPLETED. CUM ITER = 924
 *** TIME = .242994E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 114.0 CRITERION= .1143
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3749
 HT FLOW CONVERGENCE VALUE= .9706E-02 CRITERION= .8167E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5790E-02
 HT FLOW CONVERGENCE VALUE= .9671E-04 CRITERION= .8165E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 5 COMPLETED. CUM ITER = 926
 *** TIME = .247727E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 114.0 CRITERION= .1143
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3761
 HT FLOW CONVERGENCE VALUE= .9548E-02 CRITERION= .8001E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5694E-02
 HT FLOW CONVERGENCE VALUE= .9307E-04 CRITERION= .7999E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 6 COMPLETED. CUM ITER = 928
 *** TIME = .252461E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 15:46:50 MAR 25, 1995 CP= 68096.440
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 102.7 CRITERION= .1031
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3233
 HT FLOW CONVERGENCE VALUE= .8341E-02 CRITERION= .7908E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5002E-02
 HT FLOW CONVERGENCE VALUE= .8266E-04 CRITERION= .7907E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 1 COMPLETED. CUM ITER = 930
 *** TIME = .257194E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 102.8 CRITERION= .1031
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3244
 HT FLOW CONVERGENCE VALUE= .8231E-02 CRITERION= .7773E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4933E-02
 HT FLOW CONVERGENCE VALUE= .8002E-04 CRITERION= .7772E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 2 COMPLETED. CUM ITER = 932
 *** TIME = .261928E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 171.3 CRITERION= .1714
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5397
 HT FLOW CONVERGENCE VALUE= .1325E-01 CRITERION= .7606E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8000E-02
 HT FLOW CONVERGENCE VALUE= .1267E-03 CRITERION= .7603E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 3 COMPLETED. CUM ITER = 934
 *** TIME = .269817E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 171.3 CRITERION= .1715
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5412
 HT FLOW CONVERGENCE VALUE= .1293E-01 CRITERION= .7394E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7816E-02
 HT FLOW CONVERGENCE VALUE= .1204E-03 CRITERION= .7392E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 4 COMPLETED. CUM ITER = 936
 *** TIME = .277707E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 137.0 CRITERION= .1372
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4324
 HT FLOW CONVERGENCE VALUE= .1019E-01 CRITERION= .7263E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6170E-02
 HT FLOW CONVERGENCE VALUE= .9367E-04 CRITERION= .7262E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 5 COMPLETED. CUM ITER = 938
 *** TIME = .284018E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 15:57:09 MAR 25, 1995 CP= 68706.880
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 120.4 CRITERION= .1206
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3735
 HT FLOW CONVERGENCE VALUE= .8762E-02 CRITERION= .7116E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5303E-02
 HT FLOW CONVERGENCE VALUE= .7963E-04 CRITERION= .7114E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 1 COMPLETED. CUM ITER = 940
 *** TIME = .290330E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 120.3 CRITERION= .1205

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3727
 HT FLOW CONVERGENCE VALUE= .8609E-02 CRITERION= .7012E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5229E-02
 HT FLOW CONVERGENCE VALUE= .7749E-04 CRITERION= .7011E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 2 COMPLETED. CUM ITER = 942
 *** TIME = .296641E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 150.4 CRITERION= .1506
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4673
 HT FLOW CONVERGENCE VALUE= .1048E-01 CRITERION= .6833E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6378E-02
 HT FLOW CONVERGENCE VALUE= .9195E-04 CRITERION= .6832E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 3 COMPLETED. CUM ITER = 944
 *** TIME = .304531E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 150.4 CRITERION= .1506
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4665
 HT FLOW CONVERGENCE VALUE= .1024E-01 CRITERION= .6698E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6257E-02
 HT FLOW CONVERGENCE VALUE= .8850E-04 CRITERION= .6696E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 4 COMPLETED. CUM ITER = 946
 *** TIME = .312420E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 60.19 CRITERION= .6055E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1875
 HT FLOW CONVERGENCE VALUE= .4128E-02 CRITERION= .6612E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 40 SUBSTEP 5 COMPLETED. CUM ITER = 947
 *** TIME = .315576E+11 TIME INC = .315576E+09

FINISH SOLUTION PROCESSING

***** ROUTINE COMPLETED ***** CP = 69270.880

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12b1.db
 FOR POSSIBLE RESUME FROM THIS POINT

Create element contour plots of solution results

Sort through solution results for time of max temp.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:06:51 MAR 25, 1995 CP= 69276.790
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

VARIABLE 2 IS AT NODE 2929 ITEM= TEMP COMP= NAME= peakclad

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES
 VARI TYPE IDENTIFIERS NAME MINIMUM AT TIME MAXIMUM AT TIME

2 NSOL 2929 TEMP peakclad 140.8 .3156E+11 235.2 .1578E+09
*GET TMTMAX FROM VARI 2 ITEM=EXTR TMAX VALUE= 157788032.
***** ROUTINE COMPLETED ***** CP = 69277.090

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 16:06:53 MAR 25, 1995 CP= 69277.120
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 40 GWD/MTU SNF

***** ANSYS RESULTS INTERPRETATION (POST1) *****
Create temperature contour plots of WP at peak

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (PRECISE) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS -1 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

4504 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .15779E+09

SET COMMAND GOT LOAD STEP= 17 SUBSTEP= 40 CUMULATIVE ITERATION= 293
TIME/FREQUENCY= .15779E+09

TITLE=
12 PWR MPC/WP at Time of Peak Temp. (5.000001 years)

/SHOW SWITCH PLOTS TO FILE solupk.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 AUTOMATIC CONTOURS

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solupk.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at Time of Peak Temp. (5.000001 years)

*** WARNING *** CP= 69306.970 TIME= 16:07:33
The selected element set contains mixed materials.
This could invalidate error estimation.
Create temperature contour plots at 10, 50, and 100 yrs

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+09

SET COMMAND GOT LOAD STEP= 22 SUBSTEP= 40 CUMULATIVE ITERATION= 493

TIME/FREQUENCY= .31558E+09

TITLE=

12 PWR MPC/WP at 10 years

/SHOW SWITCH PLOTS TO FILE solu10.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 129.81 BY .82989 TO 235.20

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu10.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 10 years

*** WARNING *** CP= 69344.960 TIME= 16:08:14
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .15779E+10

SET COMMAND GOT LOAD STEP= 26 SUBSTEP= 40 CUMULATIVE ITERATION= 653
TIME/FREQUENCY= .15779E+10

TITLE=

12 PWR MPC/WP at 50 years

/SHOW SWITCH PLOTS TO FILE solu50.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 129.81 BY .82989 TO 235.20

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu50.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 50 years

*** WARNING *** CP= 69384.440 TIME= 16:08:57
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+10

SET COMMAND GOT LOAD STEP= 31 SUBSTEP= 40 CUMULATIVE ITERATION= 853
TIME/FREQUENCY= .31558E+10

TITLE=

12 PWR MPC/WP at 100 years

/SHOW SWITCH PLOTS TO FILE solu100.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 129.81 BY .82989 TO 235.20

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu100.grph - RASTER MODE.
DISPLAY TITLE=

12 PWR MPC/WP at 100 years

*** WARNING *** CP= 69424.630 TIME= 16:09:37
The selected element set contains mixed materials.
This could invalidate error estimation.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6952 STEP 1

5844 ELEMENTS (OF 5844 DEFINED) SELECTED BY ESEL COMMAND.

EXIT THE ANSYS POST1 DATABASE PROCESSOR

***** ROUTINE COMPLETED ***** CP = 69431.870

Print time/temperature output at specific locations
Save profile from center to edge

Variable Legend: A01i000

x = center of waste package
f = flux trap plate stainless layer
w = flux trap plate SS sheath
c = center of assembly
h = halfway between center and tube
s = inside structural stainless tube layer
a = aluminum-born tube layer
t = stainless tube cladding
g = tube guide
m = mpc shell
i = inner barrier of DC
o = outer barrier of DC

= ID number of assembly (01 is center)

i = side of assembly toward center of WP

o = side of assembly toward edge of WP

000 = profile center down

045 = profile 45 deg down

090 = profile center side

135 = profile 45 deg up

180 = profile center up

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 16:09:44 MAR 25, 1995 CP= 69431.880
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

MAXIMUM NUMBER OF VARIABLES= 30

* Temperature Profile from center to lower right (45 deg.) *

VARIABLE 2 IS AT NODE 5748 ITEM= TEMP COMP= NAME= x04i045

VARIABLE 3 IS AT NODE 1655 ITEM= TEMP COMP= NAME= f04i045

VARIABLE 4 IS AT NODE 1762 ITEM= TEMP COMP= NAME= f04o045

VARIABLE 5 IS AT NODE 2036 ITEM= TEMP COMP= NAME= w04i045

VARIABLE 6 IS AT NODE 2177 ITEM= TEMP COMP= NAME= w04o045
 VARIABLE 7 IS AT NODE 2552 ITEM= TEMP COMP= NAME= s04i045
 VARIABLE 8 IS AT NODE 2977 ITEM= TEMP COMP= NAME= h04i045
 VARIABLE 9 IS AT NODE 2929 ITEM= TEMP COMP= NAME= c04i045
 VARIABLE 10 IS AT NODE 2881 ITEM= TEMP COMP= NAME= h04o045
 VARIABLE 11 IS AT NODE 2566 ITEM= TEMP COMP= NAME= s04o045
 VARIABLE 12 IS AT NODE 2427 ITEM= TEMP COMP= NAME= a04o045
 VARIABLE 13 IS AT NODE 2303 ITEM= TEMP COMP= NAME= t04i045
 VARIABLE 14 IS AT NODE 2289 ITEM= TEMP COMP= NAME= t04o045
 VARIABLE 15 IS AT NODE 3528 ITEM= TEMP COMP= NAME= g04i045
 VARIABLE 16 IS AT NODE 3545 ITEM= TEMP COMP= NAME= g04o045
 VARIABLE 17 IS AT NODE 3760 ITEM= TEMP COMP= NAME= m04i045
 VARIABLE 18 IS AT NODE 3707 ITEM= TEMP COMP= NAME= m04o045
 VARIABLE 19 IS AT NODE 4142 ITEM= TEMP COMP= NAME= i04i045
 VARIABLE 20 IS AT NODE 4200 ITEM= TEMP COMP= NAME= i04o045
 VARIABLE 21 IS AT NODE 4599 ITEM= TEMP COMP= NAME= o04o045
 Add centers of assemblies 5 and 6
 VARIABLE 22 IS AT NODE 3098 ITEM= TEMP COMP= NAME= c05i045
 VARIABLE 23 IS AT NODE 2760 ITEM= TEMP COMP= NAME= c06i045
 STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES

VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2	NSOL	5748 TEMP	x04i045	139.7	.3156E+11	220.8	.2525E+09
3	NSOL	1655 TEMP	f04i045	139.7	.3156E+11	220.8	.2525E+09
4	NSOL	1762 TEMP	f04o045	139.7	.3156E+11	220.8	.2525E+09
5	NSOL	2036 TEMP	w04i045	139.7	.3156E+11	220.8	.2525E+09
6	NSOL	2177 TEMP	w04o045	139.7	.3156E+11	220.8	.2525E+09
7	NSOL	2552 TEMP	s04i045	139.7	.3156E+11	220.8	.2525E+09
8	NSOL	2977 TEMP	h04i045	140.3	.3156E+11	228.6	.2525E+09
9	NSOL	2929 TEMP	c04i045	140.8	.3156E+11	235.2	.1578E+09
10	NSOL	2881 TEMP	h04o045	140.2	.3156E+11	226.3	.2525E+09
11	NSOL	2566 TEMP	s04o045	139.5	.3156E+11	216.6	.3156E+09
12	NSOL	2427 TEMP	a04o045	139.5	.3156E+11	216.6	.3156E+09
13	NSOL	2303 TEMP	t04i045	139.5	.3156E+11	216.6	.3156E+09
14	NSOL	2289 TEMP	t04o045	139.5	.3156E+11	216.4	.3156E+09
15	NSOL	3528 TEMP	g04i045	138.4	.3156E+11	201.2	.3156E+09
16	NSOL	3545 TEMP	g04o045	138.3	.3156E+11	200.5	.3156E+09
17	NSOL	3760 TEMP	m04i045	104.2	.1000E-05	177.5	.9467E+09
18	NSOL	3707 TEMP	m04o045	103.3	.1000E-05	177.0	.9467E+09
19	NSOL	4142 TEMP	i04i045	28.66	.1000E-05	160.9	.1578E+10
20	NSOL	4200 TEMP	i04o045	27.61	.1000E-05	160.5	.1578E+10
21	NSOL	4599 TEMP	o04o045	26.14	.1000E-05	159.9	.1578E+10
22	NSOL	3098 TEMP	c05i045	139.9	.3156E+11	221.3	.2525E+09
23	NSOL	2760 TEMP	c06i045	139.9	.3156E+11	221.6	.2525E+09

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5748 TEMP x04i045	1655 TEMP f04i045	1762 TEMP f04o045	2036 TEMP w04i045	2177 TEMP w04o045	2552 TEMP s04i045
.10000E-05	178.062	178.062	178.063	178.063	178.064	178.069
.20000E-05	191.980	191.980	191.980	191.980	191.981	191.987
31.558	191.980	191.980	191.980	191.980	191.981	191.987
.31558E+07	202.724	202.737	202.747	202.748	202.749	202.755
.63116E+07	205.669	205.683	205.693	205.694	205.695	205.701
.94673E+07	207.458	207.471	207.482	207.483	207.484	207.489
.12623E+08	208.753	208.767	208.777	208.778	208.780	208.785
.15779E+08	209.754	209.768	209.779	209.779	209.781	209.786
.18935E+08	210.570	210.584	210.594	210.595	210.597	210.602
.22090E+08	211.244	211.258	211.269	211.269	211.271	211.276
.25246E+08	211.823	211.837	211.847	211.848	211.850	211.855
.28402E+08	212.323	212.337	212.348	212.349	212.350	212.355
.31558E+08	212.768	212.782	212.792	212.793	212.795	212.800
.63115E+08	216.073	216.088	216.099	216.100	216.101	216.106
.94673E+08	217.780	217.794	217.805	217.806	217.807	217.812
.12623E+09	218.838	218.853	218.864	218.865	218.866	218.871
.15779E+09	219.700	219.715	219.725	219.726	219.728	219.732
.18935E+09	219.967	219.981	219.992	219.993	219.994	219.999
.22090E+09	220.418	220.432	220.442	220.443	220.444	220.449
.25246E+09	220.754	220.767	220.778	220.779	220.780	220.784
.28402E+09	220.616	220.630	220.640	220.641	220.642	220.646
.31558E+09	220.605	220.619	220.629	220.630	220.631	220.635
.63115E+09	215.790	215.801	215.810	215.811	215.812	215.815
.94673E+09	210.642	210.652	210.660	210.661	210.662	210.665
.12623E+10	205.364	205.373	205.380	205.381	205.381	205.384
.15779E+10	200.020	200.028	200.034	200.035	200.035	200.038
.18935E+10	195.149	195.156	195.162	195.162	195.163	195.165
.22090E+10	190.871	190.878	190.883	190.883	190.884	190.886
.25246E+10	186.647	186.653	186.658	186.658	186.658	186.660
.28402E+10	183.197	183.203	183.208	183.208	183.208	183.210
.31558E+10	180.136	180.142	180.146	180.146	180.146	180.148
.63115E+10	165.133	165.137	165.139	165.140	165.140	165.141
.94673E+10	158.363	158.366	158.368	158.368	158.368	158.369
.12623E+11	154.410	154.413	154.414	154.415	154.415	154.415
.15779E+11	151.377	151.380	151.381	151.381	151.381	151.382
.18935E+11	148.339	148.341	148.342	148.342	148.342	148.343
.22090E+11	145.734	145.735	145.737	145.737	145.737	145.737
.25246E+11	143.426	143.427	143.428	143.428	143.429	143.429
.28402E+11	141.415	141.417	141.418	141.418	141.418	141.418
.31558E+11	139.671	139.672	139.673	139.673	139.673	139.674

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:09:48 MAR 25, 1995 CP= 69434.940
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2977 TEMP h04i045	2929 TEMP c04i045	2881 TEMP h04o045	2566 TEMP s04o045	2427 TEMP a04o045	2303 TEMP t04i045
.10000E-05	189.436	199.071	186.881	173.389	173.352	173.313
.20000E-05	202.850	211.981	200.150	187.090	187.052	187.013
31.558	202.850	211.981	200.150	187.090	187.052	187.013
.31558E+07	213.185	221.919	210.458	197.816	197.778	197.739
.63116E+07	215.977	224.568	213.226	200.731	200.694	200.654
.94673E+07	217.654	226.148	214.898	202.515	202.477	202.438

.12623E+08	218.868	227.288	216.110	203.813	203.776	203.737
.15779E+08	219.788	228.140	217.033	204.822	204.785	204.746
.18935E+08	220.538	228.831	217.786	205.648	205.611	205.572
.22090E+08	221.145	229.382	218.399	206.333	206.297	206.258
.25246E+08	221.666	229.851	218.925	206.925	206.888	206.850
.28402E+08	222.108	230.245	219.373	207.439	207.402	207.364
.31558E+08	222.500	230.591	219.772	207.897	207.861	207.823
.63115E+08	225.379	233.107	222.711	211.327	211.292	211.255
.94673E+08	226.750	234.197	224.147	213.158	213.124	213.088
.12623E+09	227.535	234.756	224.992	214.329	214.296	214.261
.15779E+09	228.172	235.205	225.678	215.285	215.252	215.218
.18935E+09	228.204	235.045	225.773	215.667	215.635	215.602
.22090E+09	228.462	235.143	226.079	216.207	216.176	216.143
.25246E+09	228.615	235.147	226.280	216.630	216.599	216.568
.28402E+09	228.321	234.724	226.032	216.577	216.547	216.516
.31558E+09	228.176	234.471	225.926	216.635	216.606	216.575
.63115E+09	222.199	227.557	220.339	212.518	212.494	212.468
.94673E+09	216.168	220.812	214.611	207.906	207.885	207.864
.12623E+10	210.214	214.310	208.889	203.037	203.020	203.001
.15779E+10	204.305	207.940	203.173	198.032	198.017	198.001
.18935E+10	198.977	202.240	197.994	193.426	193.412	193.398
.22090E+10	194.317	197.265	193.456	189.360	189.349	189.336
.25246E+10	189.780	192.470	189.018	185.308	185.298	185.287
.28402E+10	186.080	188.561	185.395	181.994	181.984	181.974
.31558E+10	182.794	185.087	182.176	179.049	179.040	179.031
.63115E+10	166.793	168.240	166.446	164.521	164.516	164.511
.94673E+10	159.695	160.862	159.431	157.895	157.891	157.887
.12623E+11	155.545	156.542	155.327	154.023	154.020	154.016
.15779E+11	152.374	153.251	152.187	151.045	151.043	151.040
.18935E+11	149.221	149.999	149.059	148.052	148.049	148.046
.22090E+11	146.526	147.227	146.384	145.479	145.477	145.475
.25246E+11	144.140	144.772	144.014	143.201	143.199	143.197
.28402E+11	142.067	142.643	141.954	141.214	141.212	141.210
.31558E+11	140.269	140.799	140.166	139.488	139.486	139.484

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:09:48 MAR 25, 1995 CP= 69434.950
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2289 TEMP t04o045	3528 TEMP g04i045	3545 TEMP g04o045	3760 TEMP m04i045	3707 TEMP m04o045	4142 TEMP i04i045
.10000E-05	173.137	150.444	149.568	104.190	103.281	28.6598
.20000E-05	186.837	164.993	164.109	121.645	120.739	59.7804
31.558	186.837	164.993	164.109	121.645	120.739	59.7805
.31558E+07	197.565	176.568	175.686	135.744	134.849	82.6169
.63116E+07	200.481	179.732	178.852	139.611	138.720	88.5459
.94673E+07	202.265	181.711	180.835	142.114	141.227	92.4257
.12623E+08	203.565	183.166	182.293	143.991	143.108	95.4139
.15779E+08	204.575	184.327	183.458	145.536	144.657	97.8579
.18935E+08	205.402	185.282	184.416	146.821	145.946	99.9350
.22090E+08	206.088	186.096	185.234	147.951	147.080	101.752
.25246E+08	206.681	186.803	185.945	148.943	148.076	103.381
.28402E+08	207.196	187.432	186.577	149.847	148.984	104.856
.31558E+08	207.655	187.997	187.145	150.668	149.808	106.220
.63115E+08	211.093	192.291	191.467	156.980	156.149	116.471
.94673E+08	212.931	194.812	194.013	161.049	160.244	123.272
.12623E+09	214.108	196.550	195.773	164.027	163.244	128.296
.15779E+09	215.069	197.973	197.215	166.461	165.696	132.338
.18935E+09	215.457	198.850	198.112	168.372	167.628	135.782
.22090E+09	216.001	199.793	199.071	170.161	169.433	138.815
.25246E+09	216.429	200.599	199.892	171.757	171.046	141.543
.28402E+09	216.380	200.879	200.188	172.710	172.014	143.404

.31558E+09	216.442	201.218	200.538	173.615	172.931	145.071
.63115E+09	212.357	199.582	199.017	176.751	176.183	153.956
.94673E+09	207.769	196.845	196.368	177.505	177.026	158.599
.12623E+10	202.920	193.403	192.993	176.650	176.238	160.457
.15779E+10	197.930	189.585	189.230	174.947	174.591	160.887
.18935E+10	193.336	185.922	185.611	172.943	172.631	160.517
.22090E+10	189.281	182.635	182.358	171.015	170.739	159.910
.25246E+10	185.237	179.216	178.968	168.692	168.445	158.627
.28402E+10	181.929	176.408	176.183	166.761	166.537	157.527
.31558E+10	178.989	173.914	173.709	165.048	164.843	156.554
.63115E+10	164.486	161.365	161.244	155.910	155.790	150.639
.94673E+10	157.868	155.379	155.285	151.020	150.926	146.771
.12623E+11	154.000	151.889	151.811	148.187	148.108	144.559
.15779E+11	151.026	149.179	149.111	145.935	145.866	142.743
.18935E+11	148.034	146.403	146.343	143.533	143.473	140.695
.22090E+11	145.464	143.999	143.946	141.417	141.364	138.852
.25246E+11	143.187	141.870	141.823	139.545	139.497	137.224
.28402E+11	141.201	140.002	139.959	137.882	137.839	135.758
.31558E+11	139.476	138.377	138.338	136.429	136.390	134.472

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:09:48 MAR 25, 1995 CP= 69434.960
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4200 TEMP	4599 TEMP	3098 TEMP	2760 TEMP
	1040045	0040045	c05i045	c06i045
.10000E-05	27.6099	26.1375	180.581	180.832
.20000E-05	58.7304	57.2838	193.849	194.087
31.558	58.7304	57.2838	193.849	194.087
.31558E+07	81.5753	80.1526	204.206	204.590
.63116E+07	87.5066	86.0897	206.990	207.379
.94673E+07	91.3896	89.9794	208.691	209.082
.12623E+08	94.3845	92.9816	209.930	210.320
.15779E+08	96.8348	95.4378	210.883	211.273
.18935E+08	98.9187	97.5276	211.660	212.050
.22090E+08	100.741	99.3558	212.300	212.690
.25246E+08	102.376	100.996	212.849	213.239
.28402E+08	103.857	102.483	213.324	213.713
.31558E+08	105.227	103.858	213.746	214.134
.63115E+08	115.520	114.197	216.886	217.269
.94673E+08	122.357	121.075	218.494	218.871
.12623E+09	127.413	126.166	219.486	219.857
.15779E+09	131.481	130.263	220.296	220.661
.18935E+09	134.952	133.767	220.530	220.887
.22090E+09	138.007	136.849	220.948	221.299
.25246E+09	140.755	139.622	221.256	221.602
.28402E+09	142.634	141.525	221.107	221.447
.31558E+09	144.317	143.227	221.083	221.418
.63115E+09	153.336	152.430	216.279	216.566
.94673E+09	158.080	157.313	211.152	211.403
.12623E+10	160.012	159.352	205.894	206.113
.15779E+10	160.503	159.932	200.558	200.753
.18935E+10	160.180	159.679	195.684	195.859
.22090E+10	159.611	159.167	191.397	191.556
.25246E+10	158.358	157.961	187.165	187.309
.28402E+10	157.283	156.922	183.705	183.839
.31558E+10	156.331	156.002	180.630	180.754
.63115E+10	150.506	150.312	165.524	165.602
.94673E+10	146.667	146.515	158.707	158.769
.12623E+11	144.471	144.344	154.719	154.772
.15779E+11	142.666	142.556	151.659	151.705
.18935E+11	140.628	140.532	148.595	148.635
.22090E+11	138.792	138.706	145.969	146.005

.25246E+11	137.170	137.093	143.643	143.675
.28402E+11	135.710	135.640	141.616	141.646
.31558E+11	134.427	134.364	139.858	139.885

 * Temperature Profile from center to upper right (135 deg.) *

VARIABLE 2 IS AT NODE 5748 ITEM= TEMP COMP= NAME= x01i135

*** WARNING *** CP= 69435.100 TIME= 16:09:48
 NSOL command erases all previously stored or calculated data
 unless STORE,MERGE is used.

VARIABLE 3 IS AT NODE 64 ITEM= TEMP COMP= NAME= f01i135

VARIABLE 4 IS AT NODE 171 ITEM= TEMP COMP= NAME= f01o135

VARIABLE 5 IS AT NODE 445 ITEM= TEMP COMP= NAME= w01i135

VARIABLE 6 IS AT NODE 586 ITEM= TEMP COMP= NAME= w01o135

VARIABLE 7 IS AT NODE 961 ITEM= TEMP COMP= NAME= s01i135

VARIABLE 8 IS AT NODE 1386 ITEM= TEMP COMP= NAME= h01i135

VARIABLE 9 IS AT NODE 1338 ITEM= TEMP COMP= NAME= c01i135

VARIABLE 10 IS AT NODE 1290 ITEM= TEMP COMP= NAME= h01o135

VARIABLE 11 IS AT NODE 975 ITEM= TEMP COMP= NAME= s01o135

VARIABLE 12 IS AT NODE 836 ITEM= TEMP COMP= NAME= a01o135

VARIABLE 13 IS AT NODE 712 ITEM= TEMP COMP= NAME= t01i135

VARIABLE 14 IS AT NODE 698 ITEM= TEMP COMP= NAME= t01o135

VARIABLE 15 IS AT NODE 3332 ITEM= TEMP COMP= NAME= g01i135

VARIABLE 16 IS AT NODE 3318 ITEM= TEMP COMP= NAME= g01o135

VARIABLE 17 IS AT NODE 3974 ITEM= TEMP COMP= NAME= m01i135

VARIABLE 18 IS AT NODE 3924 ITEM= TEMP COMP= NAME= m01o135

VARIABLE 19 IS AT NODE 4369 ITEM= TEMP COMP= NAME= i01i135

VARIABLE 20 IS AT NODE 4424 ITEM= TEMP COMP= NAME= i01o135

VARIABLE 21 IS AT NODE 4879 ITEM= TEMP COMP= NAME= o01o135
 Add centers of assemblies 2 and 3

VARIABLE 22 IS AT NODE 1507 ITEM= TEMP COMP= NAME= c02i135

VARIABLE 23 IS AT NODE 1169 ITEM= TEMP COMP= NAME= c03i135

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES							
VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2	NSOL	5748 TEMP	x01i135	139.7	.3156E+11	220.8	.2525E+09
3	NSOL	64 TEMP	f01i135	139.7	.3156E+11	220.7	.2525E+09
4	NSOL	171 TEMP	f01o135	139.7	.3156E+11	220.7	.2525E+09
5	NSOL	445 TEMP	w01i135	139.7	.3156E+11	220.7	.2525E+09
6	NSOL	586 TEMP	w01o135	139.7	.3156E+11	220.7	.2525E+09
7	NSOL	961 TEMP	s01i135	139.7	.3156E+11	220.7	.2525E+09
8	NSOL	1386 TEMP	h01i135	140.3	.3156E+11	228.5	.2525E+09
9	NSOL	1338 TEMP	c01i135	140.8	.3156E+11	235.1	.1578E+09

10	NSOL	1290	TEMP	h01o135	140.2	.3156E+11	226.1	.2525E+09
11	NSOL	975	TEMP	s01o135	139.5	.3156E+11	216.4	.3156E+09
12	NSOL	836	TEMP	a01o135	139.5	.3156E+11	216.4	.3156E+09
13	NSOL	712	TEMP	t01i135	139.5	.3156E+11	216.4	.3156E+09
14	NSOL	698	TEMP	t01o135	139.5	.3156E+11	216.2	.3156E+09
15	NSOL	3332	TEMP	g01i135	138.3	.3156E+11	200.9	.3156E+09
16	NSOL	3318	TEMP	g01o135	138.3	.3156E+11	200.2	.3156E+09
17	NSOL	3974	TEMP	m01i135	104.2	.1000E-05	177.1	.9467E+09
18	NSOL	3924	TEMP	m01o135	103.3	.1000E-05	176.6	.9467E+09
19	NSOL	4369	TEMP	i01i135	28.66	.1000E-05	160.4	.1578E+10
20	NSOL	4424	TEMP	i01o135	27.61	.1000E-05	160.1	.1578E+10
21	NSOL	4879	TEMP	o01o135	26.14	.1000E-05	159.5	.1578E+10
22	NSOL	1507	TEMP	c02i135	139.8	.3156E+11	221.1	.2525E+09
23	NSOL	1169	TEMP	c03i135	139.8	.3156E+11	221.2	.2525E+09

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:09:51 MAR 25, 1995 CP= 69438.000
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5748 TEMP x01i135	64 TEMP f01i135	171 TEMP f01o135	445 TEMP w01i135	586 TEMP w01o135	961 TEMP s01i135
.10000E-05	178.062	178.062	178.064	178.064	178.065	178.070
.20000E-05	191.980	191.981	191.983	191.983	191.984	191.989
31.558	191.980	191.981	191.983	191.983	191.984	191.989
.31558E+07	202.724	202.712	202.704	202.704	202.704	202.709
.63116E+07	205.669	205.656	205.648	205.648	205.648	205.653
.94673E+07	207.458	207.444	207.436	207.435	207.436	207.441
.12623E+08	208.753	208.740	208.732	208.731	208.731	208.736
.15779E+08	209.754	209.741	209.732	209.731	209.732	209.737
.18935E+08	210.570	210.556	210.548	210.547	210.548	210.552
.22090E+08	211.244	211.230	211.222	211.221	211.222	211.226
.25246E+08	211.823	211.809	211.801	211.800	211.800	211.805
.28402E+08	212.323	212.309	212.301	212.300	212.301	212.305
.31558E+08	212.768	212.754	212.745	212.744	212.745	212.750
.63115E+08	216.073	216.059	216.051	216.050	216.050	216.055
.94673E+08	217.780	217.765	217.757	217.756	217.756	217.760
.12623E+09	218.838	218.824	218.815	218.814	218.815	218.819
.15779E+09	219.700	219.686	219.677	219.676	219.677	219.681
.18935E+09	219.967	219.953	219.944	219.943	219.944	219.948
.22090E+09	220.418	220.404	220.395	220.394	220.395	220.399
.25246E+09	220.754	220.740	220.731	220.730	220.731	220.735
.28402E+09	220.616	220.603	220.594	220.593	220.594	220.597
.31558E+09	220.605	220.592	220.584	220.583	220.583	220.587
.63115E+09	215.790	215.778	215.771	215.770	215.770	215.773
.94673E+09	210.642	210.631	210.625	210.624	210.624	210.627
.12623E+10	205.364	205.355	205.349	205.348	205.348	205.351
.15779E+10	200.020	200.012	200.006	200.006	200.006	200.008
.18935E+10	195.149	195.141	195.136	195.136	195.136	195.138
.22090E+10	190.871	190.864	190.860	190.859	190.859	190.861
.25246E+10	186.647	186.640	186.636	186.636	186.636	186.637
.28402E+10	183.197	183.192	183.188	183.187	183.187	183.189
.31558E+10	180.136	180.131	180.127	180.127	180.127	180.128
.63115E+10	165.133	165.130	165.127	165.127	165.127	165.128
.94673E+10	158.363	158.360	158.358	158.358	158.358	158.358
.12623E+11	154.410	154.408	154.406	154.406	154.406	154.407
.15779E+11	151.377	151.375	151.374	151.374	151.374	151.374
.18935E+11	148.339	148.337	148.336	148.336	148.336	148.336
.22090E+11	145.734	145.732	145.731	145.731	145.731	145.731
.25246E+11	143.426	143.424	143.423	143.423	143.423	143.423
.28402E+11	141.415	141.414	141.413	141.413	141.413	141.413
.31558E+11	139.671	139.670	139.669	139.669	139.669	139.669

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:09:51 MAR 25, 1995 CP= 69438.010
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	1386 TEMP h01i135	1338 TEMP c01i135	1290 TEMP h01o135	975 TEMP s01o135	836 TEMP a01o135	712 TEMP t01i135
.10000E-05	189.437	199.073	186.884	173.393	173.357	173.318
.20000E-05	202.855	211.988	200.160	187.101	187.064	187.025
31.558	202.855	211.988	200.160	187.101	187.064	187.024
.31558E+07	213.114	221.807	210.301	197.632	197.594	197.555
.63116E+07	215.902	224.451	213.061	200.538	200.501	200.461
.94673E+07	217.578	226.028	214.729	202.318	202.280	202.241
.12623E+08	218.791	227.167	215.940	203.615	203.577	203.538
.15779E+08	219.710	228.017	216.861	204.622	204.584	204.545
.18935E+08	220.460	228.707	217.613	205.446	205.409	205.370
.22090E+08	221.067	229.258	218.225	206.130	206.093	206.054
.25246E+08	221.587	229.726	218.750	206.721	206.684	206.645
.28402E+08	222.029	230.120	219.198	207.234	207.197	207.158
.31558E+08	222.421	230.465	219.595	207.692	207.655	207.617
.63115E+08	225.298	232.978	222.531	211.117	211.081	211.044
.94673E+08	226.667	234.066	223.963	212.945	212.910	212.874
.12623E+09	227.453	234.625	224.808	214.116	214.082	214.047
.15779E+09	228.090	235.075	225.496	215.073	215.040	215.006
.18935E+09	228.123	234.915	225.592	215.457	215.425	215.391
.22090E+09	228.381	235.015	225.899	215.998	215.967	215.934
.25246E+09	228.536	235.020	226.102	216.423	216.393	216.360
.28402E+09	228.242	234.599	225.856	216.373	216.344	216.312
.31558E+09	228.099	234.348	225.753	216.435	216.406	216.375
.63115E+09	222.131	227.448	220.188	212.343	212.318	212.292
.94673E+09	216.108	220.715	214.476	207.750	207.730	207.708
.12623E+10	210.161	214.224	208.771	202.901	202.883	202.865
.15779E+10	204.257	207.863	203.067	197.911	197.895	197.879
.18935E+10	198.933	202.170	197.898	193.316	193.302	193.288
.22090E+10	194.277	197.201	193.367	189.260	189.248	189.235
.25246E+10	189.744	192.412	188.938	185.217	185.206	185.195
.28402E+10	186.046	188.506	185.320	181.908	181.899	181.888
.31558E+10	182.762	185.035	182.105	178.968	178.960	178.950
.63115E+10	166.772	168.208	166.402	164.471	164.465	164.460
.94673E+10	159.679	160.836	159.395	157.855	157.851	157.847
.12623E+11	155.531	156.520	155.297	153.989	153.986	153.982
.15779E+11	152.361	153.231	152.161	151.016	151.013	151.010
.18935E+11	149.210	149.981	149.036	148.025	148.023	148.020
.22090E+11	146.517	147.212	146.363	145.456	145.454	145.452
.25246E+11	144.131	144.758	143.995	143.180	143.178	143.175
.28402E+11	142.059	142.630	141.936	141.194	141.192	141.190
.31558E+11	140.261	140.787	140.150	139.470	139.468	139.466

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:09:51 MAR 25, 1995 CP= 69438.020
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	698 TEMP t01o135	3332 TEMP g01i135	3318 TEMP g01o135	3974 TEMP m01i135	3924 TEMP m01o135	4369 TEMP i01i135
.10000E-05	173.141	150.451	149.576	104.188	103.279	28.6597

.20000E-05	186.848	165.011	164.128	121.665	120.760	59.8299
31.558	186.848	165.012	164.128	121.666	120.760	59.8300
.31558E+07	197.380	176.259	175.373	135.178	134.279	81.4894
.63116E+07	200.287	179.409	178.525	139.025	138.130	87.4111
.94673E+07	202.067	181.383	180.502	141.522	140.631	91.2998
.12623E+08	203.365	182.836	181.958	143.396	142.509	94.2961
.15779E+08	204.373	183.994	183.119	144.938	144.055	96.7462
.18935E+08	205.198	184.946	184.076	146.221	145.342	98.8294
.22090E+08	205.884	185.759	184.892	147.349	146.474	100.652
.25246E+08	206.475	186.465	185.601	148.341	147.469	102.286
.28402E+08	206.989	187.092	186.232	149.243	148.376	103.767
.31558E+08	207.448	187.657	186.800	150.064	149.200	105.135
.63115E+08	210.881	191.945	191.116	156.375	155.540	115.428
.94673E+08	212.716	194.461	193.658	160.443	159.633	122.256
.12623E+09	213.893	196.201	195.419	163.427	162.639	127.310
.15779E+09	214.856	197.627	196.863	165.869	165.100	131.381
.18935E+09	215.245	198.507	197.764	167.790	167.041	134.853
.22090E+09	215.791	199.454	198.727	169.587	168.855	137.910
.25246E+09	216.221	200.262	199.551	171.191	170.475	140.658
.28402E+09	216.175	200.548	199.852	172.155	171.454	142.543
.31558E+09	216.240	200.893	200.209	173.072	172.383	144.234
.63115E+09	212.180	199.298	198.729	176.285	175.713	153.268
.94673E+09	207.613	196.594	196.113	177.098	176.616	158.014
.12623E+10	202.783	193.183	192.769	176.295	175.881	159.955
.15779E+10	197.808	189.389	189.030	174.632	174.274	160.447
.18935E+10	193.226	185.744	185.430	172.660	172.346	160.124
.22090E+10	189.180	182.471	182.192	170.755	170.477	159.552
.25246E+10	185.145	179.067	178.817	168.456	168.207	158.303
.28402E+10	181.843	176.268	176.042	166.541	166.314	157.225
.31558E+10	178.909	173.783	173.576	164.841	164.635	156.271
.63115E+10	164.435	161.282	161.160	155.780	155.658	150.463
.94673E+10	157.827	155.312	155.217	150.916	150.821	146.630
.12623E+11	153.966	151.832	151.753	148.097	148.018	144.438
.15779E+11	150.996	149.129	149.060	145.857	145.788	142.637
.18935E+11	148.008	146.359	146.299	143.464	143.404	140.602
.22090E+11	145.441	143.961	143.907	141.356	141.302	138.769
.25246E+11	143.166	141.835	141.787	139.489	139.441	137.148
.28402E+11	141.181	139.969	139.926	137.830	137.787	135.688
.31558E+11	139.458	138.346	138.307	136.381	136.342	134.407

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:09:51 MAR 25, 1995 CP= 69438.030
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4424 TEMP	4879 TEMP	1507 TEMP	1169 TEMP
	i01o135	o01o135	c02i135	c03i135
.10000E-05	27.6098	26.1375	180.582	180.843
.20000E-05	58.7801	57.3338	193.855	194.111
31.558	58.7801	57.3338	193.855	194.111
.31558E+07	80.4436	79.0146	204.079	204.229
.63116E+07	86.3673	84.9439	206.858	207.002
.94673E+07	90.2593	88.8425	208.557	208.697
.12623E+08	93.2611	91.8517	209.794	209.932
.15779E+08	95.7175	94.3143	210.746	210.881
.18935E+08	97.8075	96.4100	211.522	211.655
.22090E+08	99.6354	98.2438	212.161	212.293
.25246E+08	101.276	99.8895	212.710	212.840
.28402E+08	102.762	101.382	213.184	213.312
.31558E+08	104.136	102.761	213.605	213.732
.63115E+08	114.471	113.142	216.743	216.859
.94673E+08	121.335	120.046	218.349	218.455
.12623E+09	126.421	125.167	219.341	219.441
.15779E+09	130.518	129.294	220.152	220.248

***** ROUTINE COMPLETED ***** CP = 69438.040

```
NUMBER OF WARNING MESSAGES ENCOUNTERED= 42
NUMBER OF ERROR MESSAGES ENCOUNTERED= 0
```

```

*-----*
                ANSYS RUN COMPLETED
*-----*

                REV. 5.0 A                                HP 9000/7XX

CP TIME      (sec) =    69442.300          TIME  =  16:09:55
ELAPSED TIME (sec) =    72032.000          DATE   =  03/25/95

```

WELCOME TO THE ANSYS PROGRAM

***** ANSYS COMMAND LINE ARGUMENTS *****

JOB NAME = ma12w3
 MEMORY REQUESTED (MB) = 64.0
 BATCH MODE REQUESTED
 start.ans FILE

***** ANSYS DYNAMIC MEMORY ALLOCATION *****

WORK SPACE REQUESTED	=	16777216	64.000 MB	COMMAND LINE
MINIMUM WORK SPACE REQUIRED	=	4718592	18.000 MB	
MINIMUM WORK SPACE RECOMMENDED	=	6702496	25.568 MB	
WORK SPACE OBTAINED	=	16777214	64.000 MB	
BYTES PER WORD	=	4		

***** NOTICE ***** THIS IS THE ANSYS GENERAL PURPOSE
 FINITE ELEMENT COMPUTER PROGRAM. NEITHER SWANSON ANALYSIS
 SYSTEMS, INC. NOR THE DISTRIBUTOR SUPPLYING THIS PROGRAM
 ASSUME ANY RESPONSIBILITY FOR THE VALIDITY, ACCURACY, OR
 APPLICABILITY OF ANY RESULTS OBTAINED FROM THE ANSYS SYSTEM.
 USERS MUST VERIFY THEIR OWN RESULTS.

ANSYS(R) COPYRIGHT(C) 1971,1978,1982,1983,1985,1987,1989,1992,1993
 BY SWANSON ANALYSIS SYSTEMS, INC. AS AN UNPUBLISHED WORK.
 PROPRIETARY DATA - UNAUTHORIZED USE, DISTRIBUTION, OR DUPLICATION
 IS PROHIBITED. ALL RIGHTS RESERVED.

SWANSON ANALYSIS SYSTEMS, INC. IS ENDEAVORING TO MAKE THE
 ANSYS PROGRAM AS COMPLETE, ACCURATE, AND EASY TO USE AS
 POSSIBLE. SUGGESTIONS AND COMMENTS ARE WELCOMED. ANY
 ERRORS ENCOUNTERED IN EITHER THE DOCUMENTATION OR THE
 RESULTS SHOULD BE IMMEDIATELY BROUGHT TO OUR ATTENTION.

ENTER /SHOW,device TO SET THE GRAPHICS DISPLAY TO device(e.g. X11,4207,ETC.)
 ENTER /MENU,ON TO START THE ANSYS MENU SYSTEM
 ENTER HELP FOR GENERAL ANSYS HELP INFORMATION

1	/COM,	*****
2	/COM,	ANSYS REVISION 5.0A 3/24/1995
3	/COM,	2-D Model of 75 ton burnup credit MPC-DC R.Bahney III
4	/COM,	*****
5	/COM,	*
6	/COM,	* File name: ma12w3.inp *
7	/COM,	* 12 PWR MPC with Low T.L. Disposal Container *
8	/COM,	* Helium Fill Gas *
9	/COM,	* *
10	/COM,	* Material Property file: props01.dat *
11	/COM,	* *
12	/COM,	* SNF Conductivity file: pwr15e.parm *
13	/COM,	* 15x15 Mark-B4 PWR SNF Assembly *
14	/COM,	* *
15	/COM,	* SNF Heat Loads file: snf1048.dat *
16	/COM,	* SNF Type: 10 years old, 48 GWd/MTU *
17	/COM,	* *
18	/COM,	* Surface Temp. file: c12w5a.parm *

```

19 /COM, *      25 MTU/acre (6.18 kgU/m^2) AML (Low Thermal Loading) *
20 /COM, *      5.0 m Diameter Drift with Concrete Invert *
21 /COM, *      Drift spacing = 45.0 m *
22 /COM, *      WP c/c spacing = 18.475 m *
23 /COM, *
24 /COM, *****
25 /COM, Increase the number of database pages from 16 (256) to 32 Mb
26 /CONFIG,nvpag,512,
27 /COM, Work space must also be increased (-m 64)
28 /COM, *****
29 /TITLE, 12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF
30 /UNITS,SI,
31 /COM, *****
32 /COM, Read in average effective conductivities from SNF model
33 PARRES,CHANGE,pwr15e,param,
34 /COM, Read in surface temps. from repository model
35 PARRES,CHANGE,c12w5a,param,
36 /COM, *****
37 /COM, Define MPC/waste package parameters
38 /COM, (MPC dimensions converted from inches to meters)
39 /COM, MIRAD = inner radius of MPC shell (m)
40 /COM, MWALL = MPC shell thickness (m)
41 /COM, DCRAD = disposal container outer radius (m)
42 /COM, OWALL = outer barrier thickness (m)
43 /COM, IWALL = inner barrier thickness (m)
44 /COM, GCORN = corner guide width (m)
45 /COM, GLENW = side guide total width (m)
46 /COM, GLENH = side guide total height (m)
47 /COM, GWALL = guide thickness (m)
48 /COM, HCELL = 1/2 of basket cell opening (m)
49 /COM, SWALL = stainless tube thickness (m)
50 /COM, AWALL = Al/boron tube thickness (m)
51 /COM, FLENT = flux trap plate length (m)
52 /COM, FWALL = flux trap plate stainless thickness (m)
53 /COM, BWALL = flux trap plate Al/boron thickness (m)
54 /COM, TWALL = flux trap plate SS sheath thickness (m)
55 /COM, FSPAC = flux trap plate spacer width (m)
56 /COM, TSPAC = tube/tube spacer width (m)
57 /COM, ACTVL = active fuel length
58 /COM, PEAKF = assembly heat axial peaking factor
59 PI=3.141592654
60 MIRAD=47.870*2.54/100.0/2.0
61 MWALL=0.8750*2.54/100.0
62 DCRAD=1.4305/2.0
63 OWALL=0.0500
64 IWALL=0.0200
65 GCORN=10.086*2.54/100.0
66 GLENW=8.4340*2.54/100.0
67 GLENH=2.4960*2.54/100.0
68 GWALL=0.3750*2.54/100.0
69 HCELL=9.0000*2.54/100.0/2.0
70 SWALL=0.0940*2.54/100.0
71 AWALL=0.1070*2.54/100.0
72 FLENT=23.164*2.54/100.0
73 FWALL=0.5000*2.54/100.0
74 BWALL=0.2500*2.54/100.0
75 TWALL=0.0940*2.54/100.0
76 FSPAC=1.0000*2.54/100.0
77 TSPAC=0.9860*2.54/100.0
78 ACTVL=141.80*2.54/100.0
79 PEAKF=1.25
80 /COM, Define calculated parameters
81 /COM, ASSY = assembly heat production (W) f(yrs)
82 /COM, FUEL = volumetric heat production (W/m3) f(yrs)
83 /COM, FVOLL = assy_volume=cell_width^2*active_length
84 /COM, Q2 = side guide x coord. (see sketch)
85 /COM, GX## = x coord. of guide/shell contact (kp##)
86 /COM, GY## = y coord. of guide/shell contact (kp##)
87 /COM, ACX# = x coord. of center of assembly #
88 /COM, ACY# = y coord. of center of assembly #

```

```

89 /COM,          TM_START = start time (sec)
90 /COM,          TMI* = time increment for solution (sec)
91 /COM,          TME* = start and stop for time do-loops (sec)
92 /COM,          Note: 1 year = 3.15576e7 seconds
93 /COM,          QCELL = 1/4 of basket cell opening (m)
94 /COM,          SCELL = 1/2 of basket cell opening+SS wall(m)
95 /COM,          ACELL = 1/2 of basket cell opening+SS+AL (m)
96 /COM,          MI45 = x coord. MIRAD at 45 deg.
97 /COM,          MO45 = x coord. MIRAD+MWALL at 45 deg.
98 /COM,          DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
99 /COM,          DM45 = x coord. DCRAD-OWALL at 45 deg.
100 /COM,          DO45 = x coord. DCRAD at 45 deg.
101 /COM,          TMTMAX = time of maximum cladding temperature
102 *SET,ASSY,
103 *DIM,ASSY, TABLE,101,1,
104 *DIM,FUEL, TABLE,101,1
105 FVOLUME=4*HCELL*HCELL*ACTVL
106 Q2=1.969344*2.54/100.0
107 GX22=Q2-GWALL
108 GY22=SQRT(MIRAD*MIRAD-GX22*GX22)
109 GX23=Q2
110 GY23=SQRT(MIRAD*MIRAD-GX23*GX23)
111 GX24=Q2+GLENW-GWALL
112 GY24=SQRT(MIRAD*MIRAD-GX24*GX24)
113 GTMP=GCORN-GWALL
114 GX25=(SQRT(MIRAD*MIRAD-GTMP*GTMP/2.0)-GTMP/SQRT(2.0))/(SQRT(2.0))
115 GY25=SQRT(MIRAD*MIRAD-GX25*GX25)
116 ACX1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
117 ACY1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
118 ACX2=ACX1+2.0*(HCELL+SWALL+AWALL+SWALL)+TSPAC
119 ACY2=ACY1
120 ACX3=ACX1
121 ACY3=ACY2
122 TM_START=(1.0E-6)*(3.15576E7)
123 TMI0=0.1*3.15576E7
124 TMI1=1.0*3.15576E7
125 TMI10=10.0*3.15576E7
126 TMI100=100.0*3.15576E7
127 TMI1000=1000.0*3.15576E7
128 TME0=0.9*3.15576E7+TM_START
129 TME1=TMI1+TM_START
130 TME9=9.0*3.15576E7+TM_START
131 TME10=TMI10+TM_START
132 TME50=50.0*3.15576E7+TM_START
133 TME90=90.0*3.15576E7+TM_START
134 TME100=TMI100+TM_START
135 TME1000=TMI1000+TM_START
136 BCELL=FWALL+BWALL
137 QCELL=HCELL/2.0
138 SCELL=HCELL+SWALL
139 ACELL=HCELL+SWALL+AWALL
140 TCELL=HCELL+SWALL+AWALL+SWALL
141 MI45=MIRAD/SQRT(2.0)
142 MO45=(MIRAD+MWALL)/SQRT(2.0)
143 DI45=(DCRAD-OWALL-IWALL)/SQRT(2.0)
144 DM45=(DCRAD-OWALL)/SQRT(2.0)
145 DO45=DCRAD/SQRT(2.0)
146 /COM,          *****
147 /COM,          Define different element types
148 /PREP7
149 ETYPE
150 ET, 1,55,
151 ET, 2,70,
152 ET, 7,32,
153 ET, 16,57,
154 ET, 17,32,
155 ET, 18,50,1,
156 ET, 19,31,
157 ET, 27,32,
158 /COM,          *****

```



```

159 /COM,          File props01.dat describes material properties
160 /COM,          and thier reference numbers
161 MPREAD,props01,dat,
162 /COM,          Read in single assembly heat loads
163 /COM,          Calculate the volumetric heat generation
164 /COM,          (Assembly time is in years, FUEL is in seconds)
165 /INPUT,snf1048,dat
166 *VFACT,3.15576E7,
167 *MFUN,FUEL(1,0),COPY,ASSY(1,0),
168 *VFACT,(PEAKF/FVOLU),
169 *VFUN,FUEL(1),COPY,ASSY(1),
170 FUEL(0,1)=1.0
171 /COM,          *****
172 /COM,          Define new material 14 for SNF effective conductivity
173 /COM,          Density:      DENS      (kg/m^3)
174 /COM,          Conductivity: KXX      (W/m/K)
175 /COM,          Specific Heat: C      (J/kg/K)
176 MPTEMP
177 MPTEMP, 1, .00000E+00,
178 MPDATA,DENS,14, 1, .396004E+04,
179 MPDATA, C,14, 1, .27400E+03,
180 /COM,          Store average effective conductivities
181 IINC=1
182 TBSKT=25.0
183 MPTEMP
184 MPTEMP,IINC,TBSKT,
185 IINC=IINC+1
186 *DO,TBSKT,50.0,400.0,50.0,
187     MPTEMP,IINC,TBSKT,
188     IINC=IINC+1
189 *ENDDO
190 IINC=1
191 TBSKT=25.0
192 MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
193 IINC=IINC+1
194 *DO,TBSKT,50.0,400.0,50.0,
195     MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
196     IINC=IINC+1
197 *ENDDO
198 /COM,          *****
199 /COM,          Define new material 15 for low thermal loading
200 /COM,          outer barrier of 70/30 Copper Nickel (C71500)
201 /COM,          Density:      DENS      (kg/m^3)
202 /COM,          Conductivity: KXX      (W/m/K)
203 /COM,          Specific Heat: C      (J/kg/K)
204 MPTEMP
205 MPTEMP, 1, .00000E+00,
206 /COM,          Density (lb/in^3 converted to kg/m^3)
207 MPDATA,DENS,15, 1,(0.323*2.768E+04),
208 /COM,          Specific Heat (Btu/lb/F converted to J/kg/K)
209 MPDATA, C,15, 1,(0.09/2.3886E-04),
210 /COM,          Conductivity (Btu/hr/ft/F converted to W/m/K)
211 MPTEMP
212 MPTEMP, 1, (5.0/9.0*(68.0-32.0)), (5.0/9.0*(212.0-32.0)),
213 MPTEMP, 3, (5.0/9.0*(392.0-32.0)), (5.0/9.0*(572.0-32.0)),
214 MPTEMP, 5, (5.0/9.0*(752.0-32.0)), (5.0/9.0*(932.0-32.0)),
215 MPTEMP, 7, (5.0/9.0*(1112.0-32.0)), (5.0/9.0*(1292.0-32.0)),
216 MPDATA, KXX,15, 1, (17.0*1.7307), (16.9*1.7307),
217 MPDATA, KXX,15, 3, (19.7*1.7307), (22.3*1.7307),
218 MPDATA, KXX,15, 5, (24.9*1.7307), (27.8*1.7307),
219 MPDATA, KXX,15, 7, (30.7*1.7307), (33.6*1.7307),
220 /COM,          *****
221 /COM,          Construct geometry for Disposal Container
222 /COM,
223 /COM,          Define center and axis keypoints for waste package
224 /COM,          Also, create placeholder keypoints and lines
225 /COM,          (K's 1,2,3,4,5,6,7,8)
226 /COM,          (L's 1,2,3,4)
227 K,1,0.0,0.0,0.0,
228 K,2,0.0,0.0,1.0,

```

```

229 K,3,0.0,0.0,1.3,
230 K,4,0.0,0.0,1.4,
231 K,5,0.0,0.0,1.5,
232 K,6,0.0,0.0,1.6,
233 K,7,0.0,0.0,1.7,
234 K,8,0.0,0.0,1.8,
235 L,3,4,
236 L,4,5,
237 L,5,6,
238 L,6,7,
239 /COM,          Define disposal container and MPC outer radius
240 /COM,          (K's 9,10,11,12,13,14,15,16,17,18,19,20)
241 /COM,          (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
242 /COM,          (A's 1,2,3,4,5,6)
243 K, 9,          0.0,          (0.0-DCRAD),0.0,
244 K,10,          DCRAD,          0.0,0.0,
245 K,11,          0.0,          DCRAD,0.0,
246 K,12,          0.0,          (OWALL-DCRAD),0.0,
247 K,13,          (DCRAD-OWALL),          0.0,0.0,
248 K,14,          0.0,          (DCRAD-OWALL),0.0,
249 K,15,          0.0,(OWALL+IWALL-DCRAD),0.0,
250 K,16,(DCRAD-OWALL-IWALL),          0.0,0.0,
251 K,17,          0.0,(DCRAD-OWALL-IWALL),0.0,
252 K,18,          0.0,          (0.0-MIRAD-MWALL),0.0,
253 K,19,          (MIRAD+MWALL),          0.0,0.0,
254 K,20,          0.0,          (MIRAD+MWALL),0.0,
255 L,10,13,
256 L,13,16,
257 LARC,10, 9,1,          DCRAD,
258 LARC,11,10,1,          DCRAD,
259 LARC,13,12,1,          (DCRAD-OWALL),
260 LARC,14,13,1,          (DCRAD-OWALL),
261 L,11,14,
262 L, 9,12,
263 LARC,15,16,1,(DCRAD-OWALL-IWALL),
264 LARC,16,17,1,(DCRAD-OWALL-IWALL),
265 L,14,17,
266 L,12,15,
267 LARC,19,18,1,          (MIRAD+MWALL),
268 LARC,20,19,1,          (MIRAD+MWALL),
269 L,17,20,
270 L,15,18,
271 L,16,19,
272 AL, 5, 7,12, 9,
273 AL,11, 8, 5,10,
274 AL, 6, 9,16,13,
275 AL,15,10, 6,14,
276 AL,21,13,20,17,
277 AL,19,14,21,18,
278 /COM,          *****
279 /COM,          Define MPC shell inner edge and area
280 /COM,          (K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
281 /COM,          ( 38,39)
282 /COM,          (L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
283 /COM,          ( 39,40,41,42)
284 /COM,          (A's 7,8)
285 K,21, 0.0,          MIRAD,0.0,
286 K,22, GX22,          GY22,0.0,
287 K,23, GX23,          GY23,0.0,
288 K,24, GX24,          GY24,0.0,
289 K,25, GX25,          GY25,0.0,
290 K,26, GY25,          GX25,0.0,
291 K,27, GY24,          GX24,0.0,
292 K,28, GY23,          GX23,0.0,
293 K,29, GY22,          GX22,0.0,
294 K,30,MIRAD,          0.0,0.0,
295 K,31, GY22, (0.0-GX22),0.0,
296 K,32, GY23, (0.0-GX23),0.0,
297 K,33, GY24, (0.0-GX24),0.0,
298 K,34, GY25, (0.0-GX25),0.0,

```

```

299 K,35, GX25, (0.0-GY25),0.0,
300 K,36, GX24, (0.0-GY24),0.0,
301 K,37, GX23, (0.0-GY23),0.0,
302 K,38, GX22, (0.0-GY22),0.0,
303 K,39, 0.0,(0.0-MIRAD),0.0,
304 L,20,21,
305 LARC,22,21,1,MIRAD,
306 LARC,23,22,1,MIRAD,
307 LARC,24,23,1,MIRAD,
308 LARC,25,24,1,MIRAD,
309 LARC,26,25,1,MIRAD,
310 LARC,27,26,1,MIRAD,
311 LARC,28,27,1,MIRAD,
312 LARC,29,28,1,MIRAD,
313 LARC,30,29,1,MIRAD,
314 LARC,31,30,1,MIRAD,
315 LARC,32,31,1,MIRAD,
316 LARC,33,32,1,MIRAD,
317 LARC,34,33,1,MIRAD,
318 LARC,35,34,1,MIRAD,
319 LARC,36,35,1,MIRAD,
320 LARC,37,36,1,MIRAD,
321 LARC,38,37,1,MIRAD,
322 LARC,39,38,1,MIRAD,
323 L,18,39,
324 L,19,30,
325 LSEL,S,LINE,,32,42,1,
326 LSEL,A,LINE,,17,
327 AL,ALL,
328 LSEL,S,LINE,,22,31,1,
329 LSEL,A,LINE,,18,
330 LSEL,A,LINE,,42,
331 AL,ALL,
332 LSEL,ALL,
333 /COM, *****
334 /COM, Define tube guides
335 /COM, (K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)
336 /COM, ( 57,58,59)
337 /COM, (L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)
338 /COM, ( 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
339 /COM, ( 77,78,79,80)
340 /COM, (A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)
341 /COM, ( 26)
342 /COM,
343 /COM, top
344 K,40, GX23, GY24,0.0,
345 K,41, GX22,(GY24-GWALL),0.0,
346 K,42, GX24,(GY24-GWALL),0.0,
347 K,43,(GX25-GWALL), GY25,0.0,
348 K,44, GX25, GX25,0.0,
349 K,45,(GX25-GWALL),(GX25-GWALL),0.0,
350 K,46, GY25,(GX25-GWALL),0.0,
351 /COM, side
352 K,47,(GY24-GWALL), GX24,0.0,
353 K,48, GY24, GX23,0.0,
354 K,49,(GY24-GWALL), GX22,0.0,
355 K,50,(GY24-GWALL), (0.0-GX22),0.0,
356 K,51, GY24, (0.0-GX23),0.0,
357 K,52,(GY24-GWALL), (0.0-GX24),0.0,
358 /COM, bottom
359 K,53, GY25,(GWALL-GX25),0.0,
360 K,54,(GX25-GWALL),(GWALL-GX25),0.0,
361 K,55, GX25, (0.0-GX25),0.0,
362 K,56,(GX25-GWALL), (0.0-GY25),0.0,
363 K,57, GX24,(GWALL-GY24),0.0,
364 K,58, GX22,(GWALL-GY24),0.0,
365 K,59, GX23, (0.0-GY24),0.0,
366 /COM, top
367 L,41,22,
368 L,40,41,

```

```

369 L,40,24,
370 L,42,41,
371 L,24,42,
372 L,43,25,
373 L,45,43,
374 L,25,44,
375 L,44,45,
376 L,44,26,
377 L,46,45,
378 L,26,46,
379 /COM, side
380 L,47,27,
381 L,49,47,
382 L,27,48,
383 L,48,49,
384 L,48,28,
385 L,29,49,
386 L,50,31,
387 L,32,51,
388 L,50,51,
389 L,52,50,
390 L,51,33,
391 L,33,52,
392 /COM, bottom
393 L,53,34,
394 L,54,53,
395 L,34,55,
396 L,54,55,
397 L,56,54,
398 L,55,35,
399 L,35,56,
400 L,57,36,
401 L,58,57,
402 L,36,59,
403 L,58,59,
404 L,38,58,
405 L,59,37,
406 L,23,40,
407 /COM, air
408 AL,80,45,25,
409 AL,50,52,27,
410 AL,57,59,29,
411 AL,62,65,34,
412 AL,69,72,36,
413 AL,76,79,38,
414 /COM, guides
415 AL,24,43,44,80,
416 AL,45,44,46,47,
417 AL,48,49,51,50,
418 AL,52,51,53,54,
419 AL,55,56,58,57,
420 AL,59,58,60,30,
421 AL,61,63,62,33,
422 AL,63,64,66,65,
423 AL,68,70,69,67,
424 AL,70,71,73,72,
425 AL,75,77,76,74,
426 AL,77,78,39,79,
427 /COM, *****
428 /COM, Define top half tubes and flux trap plate
429 /COM, (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
430 /COM, ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
431 /COM, ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
432 /COM, ( 108,109,110,111,112,113,114,115,116,117,118,119)
433 /COM, ( 120,121,122,123,124,125,126,127,128,129,130,131)
434 /COM, ( 132,133,134,135,136,137,138,139,140,141,142,143)
435 /COM, ( 144,145,146,147,148,149,150,151,152,153,154,155)
436 /COM, ( 156,157,158,159,160,161,162,163,164,165,166,167)
437 /COM, (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
438 /COM, ( 98,99,100,101,102,103,104,105,106,107,108,109,110)

```

```

439 /COM,      ( 111,112,113,114,115,116,117,118,119,120,121,122)
440 /COM,      ( 123,124,125,126,127,128,129,130,131,132,133,134)
441 /COM,      ( 135,136,137,138,139,140,141,142,143,144,145,146)
442 /COM,      ( 147,...)
443 /COM,      (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
444 /COM,      ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
445 /COM,      ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
446 /COM,      ( 78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
447 /COM,      ( 95,96,97,98,99,100,101,102,103)
448 K, 60,      0.0,      (FSPAC/2.0),0.0,
449 K, 61,      0.0,      (1.5*FSPAC),0.0,
450 K, 62,      0.0,      (ACY1-FSPAC/2.0),0.0,
451 K, 63,      0.0,      (ACY1+FSPAC/2.0),0.0,
452 K, 64,      0.0,      (ACY1+HCELL+SWALL),0.0,
453 K, 65,      0.0,(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
454 K, 66,      0.0,(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
455 K, 67,      0.0,      (ACY3-HCELL-SWALL),0.0,
456 K, 68,      0.0,      (ACY3-FSPAC/2.0),0.0,
457 K, 69,      0.0,      (ACY3+FSPAC/2.0),0.0,
458 K, 70,      0.0,      (ACY3+HCELL+SWALL),0.0,
459 K, 71,      0.0,      (ACY3+HCELL+SWALL+FSPAC),0.0,
460 K, 72,      0.0,      (FSPAC/2.0+FLENT),0.0,
461 K, 73,      (FSPAC/2.0),      (FSPAC/2.0),0.0,
462 K, 74,      (FSPAC/2.0),      (1.5*FSPAC),0.0,
463 K, 75,      (FSPAC/2.0),      (ACY1-FSPAC/2.0),0.0,
464 K, 76,      (FSPAC/2.0),      (ACY1+FSPAC/2.0),0.0,
465 K, 77,      (FSPAC/2.0),      (ACY1+HCELL+SWALL),0.0,
466 K, 78,      (FSPAC/2.0),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
467 K, 79,      (FSPAC/2.0),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
468 K, 80,      (FSPAC/2.0),      (ACY3-HCELL-SWALL),0.0,
469 K, 81,      (FSPAC/2.0),      (ACY3-FSPAC/2.0),0.0,
470 K, 82,      (FSPAC/2.0),      (ACY3+FSPAC/2.0),0.0,
471 K, 83,      (FSPAC/2.0),      (ACY3+HCELL+SWALL),0.0,
472 K, 84,      (FSPAC/2.0),      (ACY3+HCELL+SWALL+FSPAC),0.0,
473 K, 85,      (FSPAC/2.0),      (FSPAC/2.0+FLENT),0.0,
474 K, 86,      (FSPAC/2.0+FWALL),      (FSPAC/2.0+FWALL),0.0,
475 K, 87,      (FSPAC/2.0+FWALL),      (ACY1+HCELL+SWALL),0.0,
476 K, 88,      (FSPAC/2.0+FWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
477 K, 89,      (FSPAC/2.0+FWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
478 K, 90,      (FSPAC/2.0+FWALL),      (ACY3-HCELL-SWALL),0.0,
479 K, 91,      (FSPAC/2.0+FWALL),      (ACY3+HCELL+SWALL),0.0,
480 K, 92,      (FSPAC/2.0+FWALL),      (FSPAC/2.0+FLENT),0.0,
481 K, 93,      (1.5*FSPAC),      (FSPAC/2.0),0.0,
482 K, 94,      (FSPAC/2.0+FWALL+BWALL),      (FSPAC/2.0+FWALL+BWALL),0.0,
483 K, 95,      (FSPAC/2.0+FWALL+BWALL),      (ACY1+HCELL+SWALL),0.0,
484 K, 96,      (FSPAC/2.0+FWALL+BWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
485 K, 97,      (FSPAC/2.0+FWALL+BWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
486 K, 98,      (FSPAC/2.0+FWALL+BWALL),      (ACY3-HCELL-SWALL),0.0,
487 K, 99,      (FSPAC/2.0+FWALL+BWALL),      (ACY3+HCELL+SWALL),0.0,
488 K,100,      (FSPAC/2.0+FWALL+BWALL),      (FSPAC/2.0+FLENT),0.0,
489 K,101,      (ACX1-HCELL-SWALL),      (ACY1-HCELL-SWALL),0.0,
490 K,102,      (ACX1-HCELL-SWALL),      (ACY1+HCELL+SWALL),0.0,
491 K,103,      (ACX1-HCELL-SWALL),      (ACY1+HCELL+SWALL+AWALL),0.0,
492 K,104,      (ACX1-HCELL-SWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
493 K,105,      (ACX3-HCELL-SWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
494 K,106,      (ACX3-HCELL-SWALL),      (ACY3-HCELL-SWALL-AWALL),0.0,
495 K,107,      (ACX3-HCELL-SWALL),      (ACY3-HCELL-SWALL),0.0,
496 K,108,      (ACX3-HCELL-SWALL),      (ACY3+HCELL+SWALL),0.0,
497 K,109,      (ACX3-HCELL-SWALL),      (FSPAC/2.0+FLENT),0.0,
498 K,110,      (ACX1-HCELL),      (ACY1-HCELL),0.0,
499 K,111,      (ACX1-HCELL),      (ACY1+HCELL),0.0,
500 K,112,      (ACX3-HCELL),      (ACY3-HCELL),0.0,
501 K,113,      (ACX3-HCELL),      (ACY3+HCELL),0.0,
502 K,114,      (ACX1-FSPAC/2.0),      (FSPAC/2.0),0.0,
503 K,115,      (ACX1+FSPAC/2.0),      (FSPAC/2.0),0.0,
504 K,116,      (ACX1+HCELL),      (ACY1-HCELL),0.0,
505 K,117,      (ACX1+HCELL),      (ACY1+HCELL),0.0,
506 K,118,      (ACX3+HCELL),      (ACY3-HCELL),0.0,
507 K,119,      (ACX3+HCELL),      (ACY3+HCELL),0.0,
508 K,120,      (ACX1+HCELL+SWALL),      (FSPAC/2.0),0.0,

```

```

509 K,121, (ACX1+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
510 K,122, (ACX1+HCELL+SWALL), (FSPAC/2.0+FWALL+BWall),0.0,
511 K,123, (ACX1+HCELL+SWALL), (ACY1-HCELL-SWALL),0.0,
512 K,124, (ACX1+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
513 K,125, (ACX3+HCELL+SWALL), (ACY3-HCELL-SWALL),0.0,
514 K,126, (ACX3+HCELL+SWALL), (ACY3+HCELL+SWALL),0.0,
515 K,127, (ACX1+HCELL+SWALL+AWALL), (ACY1-HCELL-SWALL),0.0,
516 K,128, (ACX1+HCELL+SWALL+AWALL), (ACY1+HCELL+SWALL+AWALL),0.0,
517 K,129, (ACX3+HCELL+SWALL+AWALL), (ACY3-HCELL-SWALL-AWALL),0.0,
518 K,130, (ACX3+HCELL+SWALL+AWALL), (ACY3+HCELL+SWALL),0.0,
519 K,131, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0),0.0,
520 K,132, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0+FWALL),0.0,
521 K,133, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0+FWALL+BWall),0.0,
522 K,134, (ACX1+HCELL+2.0*SWALL+AWALL), (ACY1-HCELL-SWALL),0.0,
523 K,135, (ACX1+HCELL+2.0*SWALL+AWALL), (ACY1+HCELL+2.0*SWALL+AWALL),0.0,
524 K,136, (ACX3+HCELL+2.0*SWALL+AWALL), (ACY3-HCELL-2.0*SWALL-AWALL),0.0,
525 K,137, (ACX3+HCELL+2.0*SWALL+AWALL), (ACY3+HCELL+SWALL),0.0,
526 K,138, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0),0.0,
527 K,139, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0+FWALL),0.0,
528 K,140, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0+FWALL+BWall),0.0,
529 K,141, (ACX2-HCELL-2.0*SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
530 K,142, (ACX2-HCELL-2.0*SWALL-AWALL), (ACY2+HCELL+2.0*SWALL+AWALL),0.0,
531 K,143, (ACX2-HCELL-SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
532 K,144, (ACX2-HCELL-SWALL-AWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
533 K,145, (ACX2-HCELL-SWALL), (FSPAC/2.0),0.0,
534 K,146, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL),0.0,
535 K,147, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL+BWall),0.0,
536 K,148, (ACX2-HCELL-SWALL), (ACY2-HCELL-SWALL),0.0,
537 K,149, (ACX2-HCELL-SWALL), (ACY1+HCELL+SWALL),0.0,
538 K,150, (ACX2-HCELL), (ACY2-HCELL),0.0,
539 K,151, (ACX2-HCELL), (ACY2+HCELL),0.0,
540 K,152, (ACX2-FSPAC/2.0), (FSPAC/2.0),0.0,
541 K,153, (ACX2+FSPAC/2.0), (FSPAC/2.0),0.0,
542 K,154, (ACX2+HCELL), (ACY2-HCELL),0.0,
543 K,155, (ACX2+HCELL), (ACY2+HCELL),0.0,
544 K,156, (ACX2+HCELL+SWALL), (FSPAC/2.0),0.0,
545 K,157, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
546 K,158, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL+BWall),0.0,
547 K,159, (ACX2+HCELL+SWALL), (ACY2-HCELL-SWALL),0.0,
548 K,160, (ACX2+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
549 K,161, (ACX2+HCELL+SWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
550 K,162, (ACX2+HCELL+SWALL), (ACY2+HCELL+2.0*SWALL+AWALL),0.0,
551 K,163, (ACX2+HCELL+SWALL+FSPAC), (FSPAC/2.0),0.0,
552 K,164, (FSPAC/2.0+FLENT), (FSPAC/2.0),0.0,
553 K,165, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL),0.0,
554 K,166, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL+BWall),0.0,
555 K,167, (FSPAC/2.0+FLENT), (ACY2-HCELL-SWALL),0.0,
556 /COM, create lines on perimeter and for lesize
557 L, 73, 60,
558 L, 73, 74,
559 L, 61, 74,
560 L, 74, 75,
561 L, 75, 62,
562 L, 75, 76,
563 L, 63, 76,
564 L, 76, 77,
565 L, 77, 78,
566 L, 78, 65,
567 L, 78, 79,
568 L, 66, 79,
569 L, 79, 80,
570 L, 80, 81,
571 L, 81, 68,
572 L, 81, 82,
573 L, 69, 82,
574 L, 82, 83,
575 L, 83, 70,
576 L, 83, 84,
577 L, 71, 84,
578 L, 84, 85,

```

579 L, 85, 92,
 580 L, 92, 100,
 581 L, 100, 109,
 582 L, 109, 108,
 583 L, 108, 126,
 584 L, 126, 130,
 585 L, 130, 137,
 586 L, 137, 136,
 587 L, 136, 105,
 588 L, 112, 107,
 589 L, 107, 106,
 590 L, 106, 105,
 591 L, 105, 104,
 592 L, 104, 103,
 593 L, 103, 102,
 594 L, 102, 111,
 595 L, 104, 135,
 596 L, 135, 134,
 597 L, 123, 127,
 598 L, 127, 134,
 599 L, 134, 141,
 600 L, 141, 143,
 601 L, 143, 148,
 602 L, 148, 150,
 603 L, 141, 142,
 604 L, 142, 162,
 605 L, 162, 161,
 606 L, 161, 160,
 607 L, 160, 159,
 608 L, 159, 167,
 609 L, 167, 166,
 610 L, 166, 165,
 611 L, 165, 164,
 612 L, 164, 163,
 613 L, 163, 156,
 614 L, 156, 153,
 615 L, 153, 152,
 616 L, 152, 145,
 617 L, 145, 138,
 618 L, 138, 131,
 619 L, 131, 120,
 620 L, 120, 115,
 621 L, 115, 114,
 622 L, 114, 93,
 623 L, 93, 73,
 624 /COM, tube spacers
 625 A, 71, 84, 83, 70,
 626 A, 69, 82, 81, 68,
 627 A, 66, 79, 78, 65,
 628 A, 63, 76, 75, 62,
 629 A, 61, 74, 73, 60,
 630 /COM, flux trap plate (stainless)
 631 A, 85, 92, 91, 83, 84,
 632 A, 83, 91, 90, 80, 81, 82,
 633 A, 80, 90, 89, 79,
 634 A, 79, 89, 88, 78,
 635 A, 78, 88, 87, 77,
 636 A, 77, 87, 86, 73, 74, 75, 76,
 637 A, 86, 121, 120, 115, 114, 93, 73,
 638 A, 121, 132, 131, 120,
 639 A, 132, 139, 138, 131,
 640 A, 139, 146, 145, 138,
 641 A, 146, 157, 156, 153, 152, 145,
 642 A, 157, 165, 164, 163, 156,
 643 /COM, flux trap plate (Al/boron)
 644 A, 92, 100, 99, 91,
 645 A, 91, 99, 98, 90,
 646 A, 90, 98, 97, 89,
 647 A, 89, 97, 96, 88,
 648 A, 88, 96, 95, 87,

```

649 A, 87, 95, 94, 86,
650 A, 94, 122, 121, 86,
651 A, 122, 133, 132, 121,
652 A, 133, 140, 139, 132,
653 A, 140, 147, 146, 139,
654 A, 147, 158, 157, 146,
655 A, 158, 166, 165, 157,
656 /COM, flux trap plate (sheath)
657 A, 100, 109, 108, 99,
658 A, 99, 108, 107, 98,
659 A, 98, 107, 106, 105, 97,
660 A, 97, 105, 104, 96,
661 A, 96, 104, 103, 102, 95,
662 A, 95, 102, 101, 94,
663 A, 101, 123, 122, 94,
664 A, 123, 127, 134, 133, 122,
665 A, 134, 141, 140, 133,
666 A, 141, 143, 148, 147, 140,
667 A, 148, 159, 158, 147,
668 A, 159, 167, 166, 158,
669 /COM, tube (sheath)
670 A, 130, 137, 136, 129,
671 A, 106, 129, 136, 105,
672 A, 104, 135, 128, 103,
673 A, 128, 135, 134, 127,
674 A, 142, 144, 143, 141,
675 A, 142, 162, 161, 144,
676 /COM, tube (Al/boron)
677 A, 126, 130, 129, 125,
678 A, 107, 125, 129, 106,
679 A, 103, 128, 124, 102,
680 A, 124, 128, 127, 123,
681 A, 144, 149, 148, 143,
682 A, 144, 161, 160, 149,
683 /COM, tube (stainless)
684 A, 108, 113, 112, 107,
685 A, 108, 126, 119, 113,
686 A, 119, 126, 125, 118,
687 A, 112, 118, 125, 107,
688 A, 102, 111, 110, 101,
689 A, 102, 124, 117, 111,
690 A, 117, 124, 123, 116,
691 A, 110, 116, 123, 101,
692 A, 149, 151, 150, 148,
693 A, 149, 160, 155, 151,
694 A, 155, 160, 159, 154,
695 A, 150, 154, 159, 148,
696 /COM, homogeneous assembly
697 A, 113, 119, 118, 112,
698 A, 111, 117, 116, 110,
699 A, 151, 155, 154, 150,
700 /COM, helium spaces
701 A, 72, 85, 84, 71,
702 A, 70, 83, 82, 69,
703 A, 68, 81, 80, 67,
704 A, 67, 80, 79, 66,
705 A, 65, 78, 77, 64,
706 A, 64, 77, 76, 63,
707 A, 62, 75, 74, 61,
708 A, 105, 136, 135, 104,
709 A, 135, 142, 141, 134,
710 NUMMRG,KP,
711 /COM, *****
712 /COM, Set element shapes and sizes for tubes and flux trap
713 /COM, 14x14 mesh in fuel with 1
714 /COM, division per tube layer
715 ESHAPE,2,
716 ESIZE,,1,
717 LSEL,S,LINE,, 81, 87,2,
718 LSEL,A,LINE,, 90, 92,2,

```



```

719 LSEL,A,LINE,, 95,101,2,
720 LESIZE,ALL,,, 2,
721 LSEL,S,LINE,,107,
722 LSEL,A,LINE,,110,111,1,
723 LSEL,A,LINE,,119,120,1,
724 LSEL,A,LINE,,127,128,1,
725 LSEL,A,LINE,,131,
726 LESIZE,ALL,,, 14,
727 LSEL,ALL,
728 LESIZE, 82,,, 2,
729 LESIZE, 84,,, 3,
730 LESIZE, 86,,, 4,
731 LESIZE, 88,,, 5,
732 LESIZE, 89,,, 2,
733 LESIZE, 91,,, 4,
734 LESIZE, 93,,, 2,
735 LESIZE, 94,,, 5,
736 LESIZE, 96,,, 4,
737 LESIZE, 98,,, 5,
738 LESIZE,100,,, 4,
739 LESIZE,102,,, 2,
740 LESIZE,103,,, 3,
741 LESIZE,104,,, 2,
742 LESIZE,136,,, 2,
743 LESIZE,137,,, 4,
744 LESIZE,138,,, 5,
745 LESIZE,139,,, 4,
746 LESIZE,140,,, 5,
747 LESIZE,141,,, 2,
748 LESIZE,142,,, 4,
749 LESIZE,143,,, 2,
750 LESIZE,144,,, 5,
751 LESIZE,145,,, 4,
752 LESIZE,146,,, 3,
753 LESIZE,147,,, 2,
754 /COM,          concatenate lines for mapped meshing
755 /COM,          (L's 265,266,267,268,269,270,271,272,273,274)
756 LSEL,S,LINE,, 82, 88,2,
757 LCCAT,ALL,
758 LSEL,S,LINE,, 94, 98,2,
759 LCCAT,ALL,
760 LSEL,S,LINE,,100,102,2,
761 LCCAT,ALL,
762 LSEL,S,LINE,,113,114,1,
763 LCCAT,ALL,
764 LSEL,S,LINE,,116,117,1,
765 LCCAT,ALL,
766 LSEL,S,LINE,,121,122,1,
767 LCCAT,ALL,
768 LSEL,S,LINE,,124,125,1,
769 LCCAT,ALL,
770 LSEL,S,LINE,,136,137,1,
771 LCCAT,ALL,
772 LSEL,S,LINE,,138,140,1,
773 LCCAT,ALL,
774 LSEL,S,LINE,,144,147,1,
775 LCCAT,ALL,
776 LSEL,ALL,
777 /COM,          Mesh areas
778 /COM,          first flux trap plate, then tubes
779 MAT, 1,
780 TYPE,1,
781 AMESH, 27, 43,1,
782 MAT,13,
783 TYPE,1,
784 AMESH, 44, 55,1,
785 MAT, 1,
786 TYPE,1,
787 AMESH, 56, 73,1,
788 MAT,13,

```

```

789 TYPE,1,
790 AMESH, 74, 79,1,
791 MAT, 1,
792 TYPE,1,
793 AMESH, 80, 91,1,
794 MAT,14,
795 TYPE,1,
796 AMESH, 92, 94,1,
797 /COM, Delete concatanated lines
798 /COM, (L's freed up 265,266,267,268,269,270,271,272,273,274)
799 LDELE,265,274,1,
800 /COM, *****
801 /COM, Copy tube mesh and connect top and bottom
802 ARSYM,Y,27,103,1,0,0,0,
803 /COM, flux trap plate spacers
804 /COM, (L's 449,450,451,452,453,454,455,456,457,458)
805 /COM, (A's 181,182,183,184,185)
806 A,186, 73, 93,202,
807 A,201,114,115,200,
808 A,204,131,138,206,
809 A,212,152,153,211,
810 A,210,156,163,215,
811 /COM, flux trap plate heluim gaps
812 /COM, (A's 186,187,188,189,190,191,192,193)
813 A,187, 60, 73,186,
814 A,202, 93,114,201,
815 A,200,115,120,199,
816 A,199,120,131,204,
817 A,206,138,145,208,
818 A,208,145,152,212,
819 A,211,153,156,210,
820 A,215,163,164,214,
821 /COM, tube/guide heluim gaps (flats)
822 /COM, (A's 194,195,196,197,198,199,200,201,202,203,204,205)
823 A,109, 22, 41,108,
824 A,108, 41, 42,126,
825 A,137, 43, 45,136,
826 A,142, 45, 46,162,
827 A,160, 47, 49,159,
828 A, 49, 29,167,159,
829 A,244,245, 31, 50,
830 A,244, 50, 52,260,
831 A,254, 53, 54,252,
832 A,248, 54, 56,247,
833 A,256, 57, 58,230,
834 A,230, 58, 38,229,
835 /COM, tube/guide heluim gaps (corners)
836 /COM, (A's 206,207,208,209,210,211,212,213,214,215,216,217)
837 /COM, ( 218)
838 A, 21, 85, 72,
839 A, 21, 22,109,100, 92, 85,
840 A, 24, 25, 43,137,130,126, 42,
841 A,136, 45,142,135,
842 A, 26, 27, 47,160,161,162, 46,
843 A,167, 29, 30,164,165,166,
844 A,164, 30,214,
845 A,214, 30, 31,245,228,213,
846 A, 52, 33, 34, 53,254,255,260,
847 A,250,252, 54,248,
848 A,256,246,247, 56, 35, 36, 57,
849 A,188,189,216,229, 38, 39,
850 A,273,188, 39,
851 /COM, mesh flux trap plate spacers
852 LSEL,S,LINE,,449,458,1,
853 LESIZE,ALL,,, 4,
854 LSEL,ALL,
855 MAT,1,
856 TYPE,1,
857 AMESH,181,185,1,
858 NUMMRG,NODE,

```

```

859 NUMMRG,KP,
860 /COM, *****
861 /COM, Create mesh in MPC shell and disposal container
862 /COM, Tube guides
863 ESIZE,,2,
864 LESIZE,43,,, 6,
865 LESIZE,46,,,14,
866 LESIZE,49,,,14,
867 LESIZE,53,,,14,
868 LESIZE,56,,,14,
869 LESIZE,60,,, 6,
870 LESIZE,61,,, 6,
871 LESIZE,64,,,14,
872 LESIZE,68,,,14,
873 LESIZE,71,,,14,
874 LESIZE,75,,,14,
875 LESIZE,78,,, 6,
876 MAT,1,
877 TYPE,1,
878 AMESH,15,26,1,
879 /COM, MPC shell
880 /COM, (L's 489,490)
881 LESIZE,23,,, 2,
882 LESIZE,25,,,14,
883 LESIZE,26,,, 3,
884 LESIZE,27,,,14,
885 LESIZE,28,,, 3,
886 LESIZE,29,,,14,
887 LESIZE,31,,, 2,
888 LESIZE,32,,, 2,
889 LESIZE,34,,,14,
890 LESIZE,35,,, 3,
891 LESIZE,36,,,14,
892 LESIZE,37,,, 3,
893 LESIZE,38,,,14,
894 LESIZE,40,,, 2,
895 LSEL,S,LINE,,23,31,1,
896 LCCAT,ALL,
897 LSEL,S,LINE,,32,40,1,
898 LCCAT,ALL,
899 LSEL,ALL,
900 LESIZE,17,,,56,
901 LESIZE,18,,,56,
902 LESIZE,22,,, 3,
903 LESIZE,41,,, 3,
904 MAT,1,
905 TYPE,1,
906 AMESH,7,8,1,
907 /COM, Assume vacuum between shell and inner barrier
908 LESIZE,13,,,56,
909 LESIZE,14,,,56,
910 LESIZE,19,,, 2,
911 LESIZE,20,,, 2,
912 /COM, No MAT,7,
913 /COM, No TYPE,1,
914 /COM, No AMESH,5,6,1,
915 /COM, Delete concatenated lines
916 /COM, (L's freed up 489,490)
917 LDELE,489,490,1,
918 /COM, Inner and outer barrier
919 LSEL,S,LINE,,7,10,1,
920 LESIZE,ALL,,,56,
921 LSEL,ALL,
922 LESIZE, 6,,, 3,
923 LESIZE,15,,, 3,
924 LESIZE,16,,, 3,
925 LESIZE, 5,,, 3,
926 LESIZE,11,,, 3,
927 LESIZE,12,,, 3,
928 MAT,2,

```

```

929 TYPE,1,
930 AMESH,3,4,1,
931 MAT,15,
932 TYPE,1,
933 AMESH,1,2,1,
934 /COM, Empty basket spaces
935 ESIZE,0.1,
936 ESHAPE,0,
937 MAT,7,
938 TYPE,1,
939 AMESH,9,14,1,
940 /COM, *****
941 /COM, Define mesh and radiation surface elements
942 /COM, Tube/guides gap
943 LSEL,S,LOC,X,0.0,0.0,
944 LSEL,A,LINE,,7,8,1,
945 LSEL,A,LINE,,13,14,1,
946 LSEL,A,LINE,,17,18,1,
947 NSLL,U,0,
948 LSEL,ALL,
949 MAT,1,
950 TYPE,7,
951 ESURF,
952 NSEL,ALL,
953 /COM, Basket spaces
954 MAT,1,
955 TYPE,17,
956 LMESH,25,29,2,
957 LMESH,34,38,2,
958 LMESH,80,
959 LMESH,45,
960 LMESH,50,52,2,
961 LMESH,57,59,2,
962 LMESH,62,65,3,
963 LMESH,69,72,3,
964 LMESH,76,79,3,
965 /COM, MPC shell/inner barrier gap
966 MAT,1,
967 TYPE,27,
968 LMESH,17,18,1,
969 MAT,2,
970 TYPE,27,
971 LMESH,13,14,1,
972 /COM, *****
973 /COM, Create mesh in helium spaces
974 ESIZE,,2,
975 ESHAPE,2,
976 MAT,7,
977 TYPE,1,
978 AMESH,95,103,1,
979 AMESH,172,180,1,
980 AMESH,186,205,1,
981 ESHAPE,0,
982 MAT,7,
983 TYPE,1,
984 AMESH,206,218,1,
985 /COM, Clear areas and mesh by hand difficult areas
986 ACLEAR,211,
987 E,5653,3453,3952,3952,
988 E,636,5653,3952,3952,
989 E,545,636,3952,3952,
990 E,551,545,3952,3952,
991 E,363,551,3952,3952,
992 E,370,363,3952,3952,
993 E,371,370,3952,3952,
994 E,369,371,3952,3952,
995 E,5747,369,3952,3952,
996 E,3782,5747,3952,3952,
997 ACLEAR,217,
998 E,3735,5763,3738,3738,

```

```

999 E,5763,1661,3738,3738,
1000 E,1661,1663,3738,3738,
1001 E,1663,1664,3738,3738,
1002 E,1664,1662,3738,3738,
1003 E,1662,1979,3738,3738,
1004 E,1979,1978,3738,3738,
1005 E,1978,2148,3738,3738,
1006 E,2148,5725,3738,3738,
1007 E,5725,3666,3738,3738,
1008 FINISH
1009 /COM, *****
1010 /COM,          Create element mesh plots to illustrate model
1011 /COM,          View mesh for entire model
1012 /RESET
1013 /TRIAD,OFF,
1014 /NUM, 1,
1015 /PNUM,MAT, 1,
1016 /TYPE,HIDP,
1017 /GLINE,,0,
1018 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1019 /TITLE, 12 PWR MPC/Waste Package - 1/2 FEM Model
1020 /SHOW,meshfull,grph,1,8,
1021 EPLT
1022 ESEL,U,MAT,, 7,
1023 /SHOW,meshgap,grph,1,8,
1024 EPLT
1025 /COM,          View mesh for radiation substructure
1026 /PNUM,MAT, 0,
1027 /PNUM,TYPE, 1,
1028 ESEL,S,TYPE,, 7,
1029 ESEL,A,TYPE,,17,
1030 ESEL,A,TYPE,,27,
1031 /TITLE, 12 PWR MPC/Waste Package - Radiation Matrix
1032 /SHOW,meshrad,grph,1,8,
1033 EPLT
1034 ESEL,ALL,
1035 /TITLE, 12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF
1036 /COM, *****
1037 /COM,          Generate super-elements
1038 /AUX12,
1039 ESEL,S,TYPE,,7,
1040 NSLE,S,
1041 STEF,5.67E-8,
1042 GEOM,1,0,
1043 VTYPE,0,800,
1044 WRITE,tubegap,
1045 ESEL,S,TYPE,,17,
1046 NSLE,S,
1047 STEF,5.67E-8,
1048 GEOM,1,0,
1049 VTYPE,0,800,
1050 WRITE,spaces,
1051 ESEL,S,TYPE,,27,
1052 NSLE,S,
1053 STEF,5.67E-8,
1054 GEOM,1,0,
1055 VTYPE,0,800,
1056 WRITE,shellgap,
1057 ESEL,ALL,
1058 NSEL,ALL,
1059 FINISH
1060 /PREP7,
1061 TYPE,18,
1062 SE,tubegap,
1063 SE,spaces,
1064 SE,shellgap,
1065 /COM,          Delete radiation edge elements
1066 ESEL,S,TYPE,,7,
1067 EDELE,ALL,
1068 ESEL,ALL,

```

```

1069 LSEL,S,TYPE,,17,
1070 LSEL,A,TYPE,,27,
1071 LCLEAR,ALL,
1072 LSEL,ALL,
1073 FINISH
1074 /COM, *****
1075 /COM,          Set solution parameters and apply B.C.'s
1076 /COM,
1077 /COM,          Solve steady-state for initial conditions
1078 /COM,          with WP surface equal to drift ambient
1079 /COM,          temperature from repository model.
1080 /SOLU
1081 ANTYPE,TRAN,NEW,
1082 NROPT,AUTO,
1083 TRNOPT,FULL,
1084 TOFFST,273.15,
1085 LSEL,S,LINE,,7,
1086 LSEL,A,LINE,,8,
1087 NSLL,S,1,
1088 D,ALL,TEMP,DFAMBT,
1089 LSEL,ALL,
1090 NSEL,ALL,
1091 ASEL,S,MAT,,14,
1092 ESLA,S,
1093 BFE,ALL,HGEN,,(FUEL(TM_START)),
1094 ASEL,ALL,
1095 ESEL,ALL,
1096 TIMINT,OFF,
1097 TIME,1e-6,
1098 AUTOTS,ON,
1099 KBC,0,
1100 SOLVE
1101 /COM,          Solve steady-state for initial conditions
1102 /COM,          with WP surface temperatures from repository
1103 /COM,          steady-state solution.
1104 LSEL,S,LINE,,7,
1105 LSEL,A,LINE,,8,
1106 NSLL,S,1,
1107 DDELE,ALL,TEMP,
1108 LSEL,ALL,
1109 NSEL,ALL,
1110 DK,11,TEMP,(WPTOP(TM_START)),,1,
1111 DK,10,TEMP,(WPSID(TM_START)),,1,
1112 DK, 9,TEMP,(WPBOT(TM_START)),,1,
1113 ASEL,S,MAT,,14,
1114 ESLA,S,
1115 BFE,ALL,HGEN,,(FUEL(TM_START)),
1116 ASEL,ALL,
1117 ESEL,ALL,
1118 TIMINT,OFF,
1119 TIME,2e-6,
1120 AUTOTS,ON,
1121 KBC,0,
1122 SOLVE
1123 /COM, *****
1124 /COM,          Set time integration parameters
1125 TIMINT,ON,
1126 AUTOTS,ON,
1127 /COM,          Time substep ranges from 10 sec to 1/4 loadstep
1128 NSUBST,10,40,4,ON
1129 /COM,          Begin Transient
1130 /COM,          Apply loads and solve for 0 to .9 years
1131 *DO,TM,TM_START,TMEO,TM10
1132     TIME,TM,
1133     ASEL,S,MAT,,14,
1134     ESLA,S,
1135     BFE,ALL,HGEN,,(FUEL(TM)),
1136     ASEL,ALL
1137     ESEL,ALL
1138     DK,11,TEMP,(WPTOP(TM)),,1,

```

```

1139      DK,10,TEMP,(WPSID(TM)),,1,
1140      DK, 9,TEMP,(WPBOT(TM)),,1,
1141      SOLVE
1142 *ENDDO
1143 /COM,          Apply loads and solve for 1 to 9 years
1144 *DO,TM,TME1,TME9,TM11
1145      TIME,TM,
1146      ASEL,S,MAT,,14,
1147      ESLA,S,
1148      BFE,ALL,HGEN,,(FUEL(TM)),
1149      ASEL,ALL
1150      ESEL,ALL
1151      DK,11,TEMP,(WPTOP(TM)),,1,
1152      DK,10,TEMP,(WPSID(TM)),,1,
1153      DK, 9,TEMP,(WPBOT(TM)),,1,
1154      SOLVE
1155 *ENDDO
1156 /COM,          Apply loads and solve for 10 to 90 years
1157 *DO,TM,TME10,TME90,TM110
1158      TIME,TM,
1159      ASEL,S,MAT,,14,
1160      ESLA,S,
1161      BFE,ALL,HGEN,,(FUEL(TM)),
1162      ASEL,ALL
1163      ESEL,ALL
1164      DK,11,TEMP,(WPTOP(TM)),,1,
1165      DK,10,TEMP,(WPSID(TM)),,1,
1166      DK, 9,TEMP,(WPBOT(TM)),,1,
1167      SOLVE
1168 *ENDDO
1169 /COM,          Apply loads and solve for 100 to 1000 years
1170 *DO,TM,TME100,TME1000,TM1100
1171      TIME,TM,
1172      ASEL,S,MAT,,14,
1173      ESLA,S,
1174      BFE,ALL,HGEN,,(FUEL(TM)),
1175      ASEL,ALL
1176      ESEL,ALL
1177      DK,11,TEMP,(WPTOP(TM)),,1,
1178      DK,10,TEMP,(WPSID(TM)),,1,
1179      DK, 9,TEMP,(WPBOT(TM)),,1,
1180      SOLVE
1181 *ENDDO
1182 FINISH
1183 SAVE,
1184 /COM,          *****
1185 /COM,          Create element contour plots of solution results
1186 /COM,
1187 /COM,          Sort through solution results for time of max temp.
1188 /POST26,
1189 NSOL,2,(NODE(ACX1,(0.0-ACY1),0.0)),TEMP,,peakclad,
1190 STORE,NEW,
1191 *GET,TMTMAX,VARI,2,EXTREM,TMAX,
1192 FINISH
1193 /POST1,
1194 /COM,          Create temperature contour plots of WP at peak
1195 /RESET
1196 /TRIAD,OFF,
1197 /NUM, 1,
1198 /PNUM,MAT, 1,
1199 /TYPE,HIDP,
1200 /GLINE,,-1,
1201 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1202 ESEL,U,MAT,,7,
1203 SET,NEAR,,,,TMTMAX,
1204 /TITLE, 12 PWR MPC/WP at Time of Peak Temp. (%TMTMAX/3.15576E7% years)
1205 /SHOW,solupk,grph,0,8,
1206 /CONTOUR,1,128,AUTO,
1207 PLNSOL,TEMP,
1208 /COM,          Create temperature contour plots at 10, 50, and 100 yrs

```

```

1209 SET,NEAR,,,,TME10,
1210 /TITLE, 12 PWR MPC/WP at 10 years
1211 /SHOW,solu10,grph,0,8,
1212 /CONTOUR,1,128,USER,
1213 PLNSOL,TEMP,
1214 SET,NEAR,,,,TME50,
1215 /TITLE, 12 PWR MPC/WP at 50 years
1216 /SHOW,solu50,grph,0,8,
1217 /CONTOUR,1,128,USER,
1218 PLNSOL,TEMP,
1219 SET,NEAR,,,,TME100,
1220 /TITLE, 12 PWR MPC/WP at 100 years
1221 /SHOW,solu100,grph,0,8,
1222 /CONTOUR,1,128,USER,
1223 PLNSOL,TEMP,
1224 ESEL,ALL,
1225 FINISH
1226 /COM, *****
1227 /COM,      Print time/temperature output at specific locations
1228 /COM,      Save profile from center to edge
1229 /COM,
1230 /COM,      Variable Legend: A01i000
1231 /COM,      x = center of waste package
1232 /COM,      f = flux trap plate stainless layer
1233 /COM,      w = flux trap plate SS sheath
1234 /COM,      c = center of assembly
1235 /COM,      h = halfway between center and tube
1236 /COM,      s = inside structural stainless tube layer
1237 /COM,      a = aluminum-born tube layer
1238 /COM,      t = stainless tube cladding
1239 /COM,      g = tube guide
1240 /COM,      m = mpc shell
1241 /COM,      i = inner barrier of DC
1242 /COM,      o = outer barrier of DC
1243 /COM,      ## = ID number of assembly (01 is center)
1244 /COM,      i = side of assembly toward center of WP
1245 /COM,      o = side of assembly toward edge of WP
1246 /COM,      000 = profile center down
1247 /COM,      045 = profile 45 deg down
1248 /COM,      090 = profile center side
1249 /COM,      135 = profile 45 deg up
1250 /COM,      180 = profile center up
1251 /POST26,
1252 NUMVAR,30,
1253 /COM,
1254 /COM, *****
1255 /COM, * Temperature Profile from center to lower right (45 deg.) *
1256 /COM, *****
1257 NSOL, 2,(NODE(      0.0,      0.0,0.0)),TEMP,,x04i045,
1258 NSOL, 3,(NODE(      (0.5*FSPAC),      (-.5*FSPAC),0.0)),TEMP,,f04i045,
1259 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(-.5*FSPAC-FWALL),0.0)),TEMP,,f04o045,
1260 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(-.5*FSPAC-BCELL),0.0)),TEMP,,w04i045,
1261 NSOL, 6,(NODE(      (ACX1-SCCELL),      (SCCELL-ACY1),0.0)),TEMP,,w04o045,
1262 NSOL, 7,(NODE(      (ACX1-HCELL),      (HCELL-ACY1),0.0)),TEMP,,s04i045,
1263 NSOL, 8,(NODE(      (ACX1-QCELL),      (QCELL-ACY1),0.0)),TEMP,,h04i045,
1264 NSOL, 9,(NODE(      ACX1,      (0.0-ACY1),0.0)),TEMP,,c04i045,
1265 NSOL,10,(NODE(      (ACX1+QCELL),      (0.0-ACY1-QCELL),0.0)),TEMP,,h04o045,
1266 NSOL,11,(NODE(      (ACX1+HCELL),      (0.0-ACY1-HCELL),0.0)),TEMP,,s04o045,
1267 NSOL,12,(NODE(      (ACX1+SCCELL),      (0.0-ACY1-SCCELL),0.0)),TEMP,,a04o045,
1268 NSOL,13,(NODE(      (ACX1+ACCELL),      (0.0-ACY1-ACCELL),0.0)),TEMP,,t04i045,
1269 NSOL,14,(NODE(      (ACX1+TCELL),      (0.0-ACY1-TCELL),0.0)),TEMP,,t04o045,
1270 NSOL,15,(NODE(      (GX25-GWALL),      (GWALL-GX25),0.0)),TEMP,,g04i045,
1271 NSOL,16,(NODE(      GX25,      (0.0-GX25),0.0)),TEMP,,g04o045,
1272 NSOL,17,(NODE(      MI45,      (0.0-MI45),0.0)),TEMP,,m04i045,
1273 NSOL,18,(NODE(      MO45,      (0.0-MO45),0.0)),TEMP,,m04o045,
1274 NSOL,19,(NODE(      DI45,      (0.0-DI45),0.0)),TEMP,,i04i045,
1275 NSOL,20,(NODE(      DM45,      (0.0-DM45),0.0)),TEMP,,i04o045,
1276 NSOL,21,(NODE(      DO45,      (0.0-DO45),0.0)),TEMP,,o04o045,
1277 /COM,      Add centers of assemblies 5 and 6
1278 NSOL,22,(NODE(      ACX2,      (0.0-ACY1),0.0)),TEMP,,c05i045,

```



```

1279 NSOL,23,(NODE(          ACX1,          (0.0-ACY3),0.0)),TEMP,,c06i045,
1280 PRVAR, 2, 3, 4, 5, 6, 7,
1281 PRVAR, 8, 9,10,11,12,13,
1282 PRVAR,14,15,16,17,18,19,
1283 PRVAR,20,21,22,23,
1284 /COM,
1285 /COM, *****
1286 /COM, * Temperature Profile from center to upper right (135 deg.) *
1287 /COM, *****
1288 NSOL, 2,(NODE(          0.0,          0.0,0.0)),TEMP,,x01i135,
1289 NSOL, 3,(NODE(          (0.5*FSPAC),          (0.5*FSPAC),0.0)),TEMP,,f01i135,
1290 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(0.5*FSPAC+FWALL),0.0)),TEMP,,f01o135,
1291 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(0.5*FSPAC+BCELL),0.0)),TEMP,,w01i135,
1292 NSOL, 6,(NODE(          (ACX1-SCELL),          (ACY1-SCELL),0.0)),TEMP,,w01o135,
1293 NSOL, 7,(NODE(          (ACX1-HCELL),          (ACY1-HCELL),0.0)),TEMP,,s01i135,
1294 NSOL, 8,(NODE(          (ACX1-QCELL),          (ACY1-QCELL),0.0)),TEMP,,h01i135,
1295 NSOL, 9,(NODE(          ACX1,          ACY1,0.0)),TEMP,,c01i135,
1296 NSOL,10,(NODE(          (ACX1+QCELL),          (ACY1+QCELL),0.0)),TEMP,,h01o135,
1297 NSOL,11,(NODE(          (ACX1+HCELL),          (ACY1+HCELL),0.0)),TEMP,,s01o135,
1298 NSOL,12,(NODE(          (ACX1+SCELL),          (ACY1+SCELL),0.0)),TEMP,,a01o135,
1299 NSOL,13,(NODE(          (ACX1+ACELL),          (ACY1+ACELL),0.0)),TEMP,,t01i135,
1300 NSOL,14,(NODE(          (ACX1+TCELL),          (ACY1+TCELL),0.0)),TEMP,,t01o135,
1301 NSOL,15,(NODE(          (GX25-GWALL),          (GX25-GWALL),0.0)),TEMP,,g01i135,
1302 NSOL,16,(NODE(          GX25,          GX25,0.0)),TEMP,,g01o135,
1303 NSOL,17,(NODE(          MI45,          MI45,0.0)),TEMP,,m01i135,
1304 NSOL,18,(NODE(          MO45,          MO45,0.0)),TEMP,,m01o135,
1305 NSOL,19,(NODE(          DI45,          DI45,0.0)),TEMP,,i01i135,
1306 NSOL,20,(NODE(          DM45,          DM45,0.0)),TEMP,,i01o135,
1307 NSOL,21,(NODE(          DO45,          DO45,0.0)),TEMP,,o01o135,
1308 /COM,          Add centers of assemblies 2 and 3
1309 NSOL,22,(NODE(          ACX2,          ACY2,0.0)),TEMP,,c02i135,
1310 NSOL,23,(NODE(          ACX3,          ACY3,0.0)),TEMP,,c03i135,
1311 PRVAR, 2, 3, 4, 5, 6, 7,
1312 PRVAR, 8, 9,10,11,12,13,
1313 PRVAR,14,15,16,17,18,19,
1314 PRVAR,20,21,22,23,
1315 /COM,
1316 FINISH
1317 /COM, *****
1318 /COM,          End of batch input file
1319 /COM, *****
1320 /EXIT,
1321 /EOF

```

RUN SETUP PROCEDURE FROM FILE= /ansys50a/docu/start.ans

```

/INPUT FILE= /ansys50a/docu/start.ans LINE=          0
*****
ANSYS STARTUP FILE start.ans
*****

```

```

ABBREVIATION= K1          /pnum,kp ,1,
ABBREVIATION= K0          /pnum,kp ,0,
ABBREVIATION= L1          /pnum,line,1,
ABBREVIATION= L0          /pnum,line,0,
ABBREVIATION= A1          /pnum,area,1,
ABBREVIATION= A0          /pnum,area,0,
ABBREVIATION= V1          /pnum,volu,1,
ABBREVIATION= V0          /pnum,volu,0,
ABBREVIATION= N1          /pnum,node,1,
ABBREVIATION= N0          /pnum,node,0,

```

ABBREVIATION= E1 /pnum,elem,1,
 ABBREVIATION= E0 /pnum,elem,0,
 ABBREVIATION= M1 /pnum,mat ,1,
 ABBREVIATION= M0 /pnum,mat ,0,
 ABBREVIATION= R1 /pnum,real,1,
 ABBREVIATION= R0 /pnum,real,0,
 ABBREVIATION= T1 /pnum,type,1,
 ABBREVIATION= T0 /pnum,type,0,
 ABBREVIATION= C1 /number,1,
 ABBREVIATION= C0 /number,0,
 ABBREVIATION= INP /input,,inp,
 ABBREVIATION= X3D /show,3d,
 ABBREVIATION= X11 /show,x11,
 ABBREVIATION= VEC /show,,1,
 ABBREVIATION= RAS /show,,0,
 ABBREVIATION= ON /menu,on,
 ABBREVIATION= OFF /menu,off,
 ABBREVIATION= NVP /config,nvpag,512,
 ABBREVIATION= QUIT /exit,nosav,
 XYZ TRIAD DISPLAY SET TO OFF

VIEW CONE ANGLE FOR WINDOW 1 25.00

 END start.ans

To start ANSYS menu:

type: x3d for console
 x11 for X-term

type: on

 ANSYS REVISION 5.0A 3/24/1995
 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III

 * *
 * File name: ma12w3.inp *
 * 12 PWR MPC with Low T.L. Disposal Container *
 * Helium Fill Gas *
 * *
 * Material Property file: props01.dat *
 * *
 * SNF Conductivity file: pwr15e.parm *
 * 15x15 Mark-B4 PWR SNF Assembly *
 * *
 * SNF Heat Loads file: snf1048.dat *
 * SNF Type: 10 years old, 48 GwD/MTU *
 * *

```
* Surface Temp. file:      c12w5a.parm      *
*      25 MTU/acre (6.18 kgU/m^2) AML (Low Thermal Loading) *
*      5.0 m Diameter Drift with Concrete Invert      *
*      Drift spacing = 45.0 m      *
*      WP c/c spacing = 18.475 m      *
*      *      *
```

Increase the number of database pages from 16 (256) to 32 Mb

NUMBER OF DATA BASE PAGES IN MEMORY(NVPAGE)= 512

Work space must also be increased (~m 64)

TITLE=

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

SI UNITS SPECIFIED

LENGTH = METERS(M)

MASS = KILOGRAMS(KG)

TIME = SECONDS(SEC)

TEMPERATURE = CENTIGRADE

CURRENT = AMPS

Read in average effective conductivities from SNF model

*** NOTE *** CP= .660 TIME= 21:31:50

Restore ANSYS parameters from file= pwr15e.parm.

/INPUT FILE= pwr15e.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Read in surface temps. from repository model

*** NOTE *** CP= .870 TIME= 21:31:51

Restore ANSYS parameters from file= c12w5a.parm.

/INPUT FILE= c12w5a.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Define MPC/waste package parameters

(MPC dimensions converted from inches to meters)

MIRAD = inner radius of MPC shell (m)

MWALL = MPC shell thickness (m)

DCRAD = disposal container outer radius (m)

OWALL = outer barrier thickness (m)

IWALL = inner barrier thickness (m)

GCORN = corner guide width (m)

GLENW = side guide total width (m)

GLENH = side guide total height (m)

GWALL = guide thickness (m)

HCELL = 1/2 of basket cell opening (m)

SWALL = stainless tube thickness (m)

AWALL = Al/boron tube thickness (m)

FLENT = flux trap plate length (m)

FWALL = flux trap plate stainless thickness (m)

BWALL = flux trap plate Al/boron thickness (m)

TWALL = flux trap plate SS sheath thickness (m)

FSPAC = flux trap plate spacer width (m)

TSPAC = tube/tube spacer width (m)

ACTVL = active fuel length

PEAKF = assembly heat axial peaking factor

PARAMETER PI = 3.141593

PARAMETER MIRAD = .6079490

PARAMETER MWALL = .2222500E-01

PARAMETER DCRAD = .7152500
 PARAMETER OWALL = .5000000E-01
 PARAMETER IWALL = .2000000E-01
 PARAMETER GCORN = .2561844
 PARAMETER GLENW = .2142236
 PARAMETER GLENH = .6339840E-01
 PARAMETER GWALL = .9525000E-02
 PARAMETER HCELL = .1143000
 PARAMETER SWALL = .2387600E-02
 PARAMETER AWALL = .2717800E-02
 PARAMETER FLENT = .5883656
 PARAMETER FWALL = .1270000E-01
 PARAMETER BWALL = .6350000E-02
 PARAMETER TWALL = .2387600E-02
 PARAMETER FSPAC = .2540000E-01
 PARAMETER TSPAC = .2504440E-01
 PARAMETER ACTVL = 3.601720

PARAMETER PEAKF = 1.250000

Define calculated parameters

ASSY = assembly heat production (W) f(yrs)
 FUEL = volumetric heat production (W/m³) f(yrs)
 FVOLUME = assy_volume=cell_width^2*active_length
 Q2 = side guide x coord. (see sketch)
 GX## = x coord. of guide/shell contact (kp##)
 GY## = y coord. of guide/shell contact (kp##)
 ACX# = x coord. of center of assembly #
 ACY# = y coord. of center of assembly #
 TM_START = start time (sec)
 TMI* = time increment for solution (sec)
 TME* = start and stop for time do-loops (sec)
 Note: 1 year = 3.15576e7 seconds
 QCELL = 1/4 of basket cell opening (m)
 SCELL = 1/2 of basket cell opening+SS wall(m)
 ACELL = 1/2 of basket cell opening+SS+AL (m)
 MI45 = x coord. MIRAD at 45 deg.
 MO45 = x coord. MIRAD+MWALL at 45 deg.
 DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
 DM45 = x coord. DCRAD-OWALL at 45 deg.
 DO45 = x coord. DCRAD at 45 deg.
 TMTMAX = time of maximum cladding temperature

ARRAY PARAMETER ASSY DELETED.

SET PARAMETER DIMENSIONS ON ASSY TYPE=TABL DIMENSIONS= 101 1 1

SET PARAMETER DIMENSIONS ON FUEL TYPE=TABL DIMENSIONS= 101 1 1

PARAMETER FVOLUME = .1882185

PARAMETER Q2 = .5002134E-01

PARAMETER GX22	=	.4049634E-01
PARAMETER GY22	=	.6065987
PARAMETER GX23	=	.5002134E-01
PARAMETER GY23	=	.6058877
PARAMETER GX24	=	.2547199
PARAMETER GY24	=	.5520143
PARAMETER GTMP	=	.2466594
PARAMETER GX25	=	.2884843
PARAMETER GY25	=	.5351437
PARAMETER ACX1	=	.1508252
PARAMETER ACY1	=	.1508252
PARAMETER ACX2	=	.4194556
PARAMETER ACY2	=	.1508252
PARAMETER ACX3	=	.1508252
PARAMETER ACY3	=	.4194556
PARAMETER TM_START	=	31.55760
PARAMETER TM10	=	3155760.
PARAMETER TM11	=	.3155760E+08
PARAMETER TM110	=	.3155760E+09
PARAMETER TM1100	=	.3155760E+10
PARAMETER TM11000	=	.3155760E+11
PARAMETER TME0	=	.2840187E+08
PARAMETER TME1	=	.3155763E+08
PARAMETER TME9	=	.2840184E+09
PARAMETER TME10	=	.3155760E+09
PARAMETER TME50	=	.1577880E+10
PARAMETER TME90	=	.2840184E+10
PARAMETER TME100	=	.3155760E+10
PARAMETER TME1000	=	.3155760E+11
PARAMETER BCELL	=	.1905000E-01
PARAMETER QCELL	=	.5715000E-01
PARAMETER SCELL	=	.1166876
PARAMETER ACELL	=	.1194054
PARAMETER TCELL	=	.1217930
PARAMETER M145	=	.4298849

PARAMETER M045 = .4456003

PARAMETER D145 = .4562607

PARAMETER DM45 = .4704028

PARAMETER D045 = .5057581

Define different element types

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:31:52 MAR 25, 1995 CP= 1.820
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE 1 IS PLANE55 2-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 TWO-DIMENSIONAL MODEL

ELEMENT TYPE 2 IS SOLID70 3-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 7 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 16 IS SHELL57 THERMAL SHELL
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 17 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 18 IS MATRIX50 SUBSTRUCTURE MATRIX
 KEYOPT(1-12)= 1 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 19 IS LINK31 RADIATION LINK
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 27 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

File props01.dat describes material properties
 and thier reference numbers

READ IN MATERIAL PROPERTY LIBRARY FROM FILE= props01.dat

```

/INPUT FILE= props01.dat LINE=      0
*****
**      ANSYS 5.0 MPC MATERIAL PROPERTY TABLES      **
*****
**      Filename: props01.dat                        **
**      Compiled by R. Bahney III on 1-30-95          **
*****

NUMBER MATERIAL      DESCRIPTION
1   Stainless Steel 316  Basket Structural Support
2   Incaloy 825         Inner Container (resistant)
3   A516 Mild Steel     Outer Container (allowance)
4   UO2 Pellet          SNF Uranium Oxide Pellet
5   Zircaloy 4          SNF Cladding
6   Oxidation Layer     Stably Oxidized Zircaloy Surface
7   Helium              Canister Fill Gas
8   Air                 Alternate Fill Gas
9   Nitrogen            Alternate Fill Gas
10  Argon               Alternate Fill Gas
11  Aluminum 6063       Thermal Conductor
12  Copper              Alternate Thermal Conductor
13  Aluminum-Boron      Aluminum Boron Criticality Matl

*****
**      Density:      DENS      (kg/m^3)      **
**      Emissivity    EMIS      **
**      Conductivity: KXX      (W/m/K)      **
**      Specific Heat: C      (J/kg/K)      **
*****

```

Define densities for all materials except gases

TEMPERATURE TABLE ERASED.

```

*** PROPERTY TEMPERATURE TABLE      NUM. TEMPS= 1 ***
SLOC= 1      .0000000E+00

```

```

PROPERTY TABLE DENS MAT= 1 NUM. POINTS= 1
SLOC= 1      8000.000

```

```

PROPERTY TABLE DENS MAT= 2 NUM. POINTS= 1
SLOC= 1      8137.900

```

```

PROPERTY TABLE DENS MAT= 3 NUM. POINTS= 1
SLOC= 1      8131.000

```

```

PROPERTY TABLE DENS MAT= 4 NUM. POINTS= 1
SLOC= 1      10970.00

```

```

PROPERTY TABLE DENS MAT= 5 NUM. POINTS= 1
SLOC= 1      6500.000

```

```

PROPERTY TABLE DENS MAT= 6 NUM. POINTS= 1
SLOC= 1      6500.000

```

```

PROPERTY TABLE DENS MAT= 11 NUM. POINTS= 1
SLOC= 1      2690.000

```

```

PROPERTY TABLE DENS MAT= 12 NUM. POINTS= 1
SLOC= 1      8933.000

```

```

PROPERTY TABLE DENS MAT= 13 NUM. POINTS= 1
SLOC= 1      2693.000

```

Define emissivities for all materials except gases

```

PROPERTY TABLE EMIS MAT= 1 NUM. POINTS= 1

```

SLOC= 1 .6000000

PROPERTY TABLE EMIS MAT= 2 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 3 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 4 NUM. POINTS= 1
SLOC= 1 .7900000

PROPERTY TABLE EMIS MAT= 5 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 6 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 11 NUM. POINTS= 1
SLOC= 1 .7000000E-01

PROPERTY TABLE EMIS MAT= 12 NUM. POINTS= 1
SLOC= 1 .5000000

PROPERTY TABLE EMIS MAT= 13 NUM. POINTS= 1
SLOC= 1 .7000000E-01

Define specific heat for matl. 4, 5, 6, 7, 11, 14, 15

PROPERTY TABLE C MAT= 4 NUM. POINTS= 1
SLOC= 1 247.0000

PROPERTY TABLE C MAT= 5 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 6 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 7 NUM. POINTS= 1
SLOC= 1 5193.000

PROPERTY TABLE C MAT= 11 NUM. POINTS= 1
SLOC= 1 900.0000

Define K and C for materials 1, 3

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 21.11000 37.78000 65.56000
93.33000 121.1100 148.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 176.6700 204.4400 232.2200
260.0000 287.7800 315.5600

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
SLOC= 13 343.3300 371.1100 398.8900
426.6700 454.4400 482.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
SLOC= 19 510.0000 537.7800 565.5600
593.3300 621.1100 648.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
SLOC= 25 676.6700 704.4400 732.2200
760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 6
SLOC= 1 13.33000 13.67000 14.19000 14.54000
15.06000 15.58000

PROPERTY TABLE KXX	MAT=	1	NUM. POINTS=	12	
SLOC= 7	15.92000	16.44000	16.96000	17.31000	
	17.83000	18.17000			
PROPERTY TABLE KXX	MAT=	1	NUM. POINTS=	18	
SLOC= 13	18.52000	19.04000	19.38000	19.90000	
	20.25000	20.77000			
PROPERTY TABLE KXX	MAT=	1	NUM. POINTS=	24	
SLOC= 19	21.11000	21.46000	21.98000	22.33000	
	22.67000	23.02000			
PROPERTY TABLE KXX	MAT=	1	NUM. POINTS=	30	
SLOC= 25	23.54000	23.88000	24.23000	24.58000	
	24.92000	25.27000			
PROPERTY TABLE C	MAT=	1	NUM. POINTS=	6	
SLOC= 1	481.6800	486.9200	498.0900	499.3800	
	509.9800	520.2900			
PROPERTY TABLE C	MAT=	1	NUM. POINTS=	12	
SLOC= 7	521.0700	527.3800	536.9200	537.3400	
	543.0200	543.3100			
PROPERTY TABLE C	MAT=	1	NUM. POINTS=	18	
SLOC= 13	546.9100	552.1400	552.2600	557.2200	
	557.2500	565.1100			
PROPERTY TABLE C	MAT=	1	NUM. POINTS=	24	
SLOC= 19	565.0100	564.9100	572.3500	572.1400	
	574.9200	574.6800			
PROPERTY TABLE C	MAT=	1	NUM. POINTS=	30	
SLOC= 25	581.6400	581.3000	583.8600	586.3600	
	585.9600	588.3900			
PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	6	
SLOC= 1	40.84000	41.36000	41.88000	42.23000	
	42.23000	42.23000			
PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	12	
SLOC= 7	42.06000	41.88000	41.36000	41.02000	
	40.50000	39.98000			
PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	18	
SLOC= 13	39.29000	38.77000	38.08000	37.56000	
	36.69000	36.17000			
PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	24	
SLOC= 19	35.48000	34.61000	33.92000	33.23000	
	32.36000	31.50000			
PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	30	
SLOC= 25	30.29000	28.90000	27.35000	26.48000	
	26.13000	26.13000			
PROPERTY TABLE C	MAT=	3	NUM. POINTS=	6	
SLOC= 1	428.7200	444.9500	460.9400	476.8700	
	486.0800	495.6600			
PROPERTY TABLE C	MAT=	3	NUM. POINTS=	12	
SLOC= 7	506.0900	517.0700	525.6400	536.9900	
	543.6300	550.6200			
PROPERTY TABLE C	MAT=	3	NUM. POINTS=	18	
SLOC= 13	562.2100	577.3200	589.1000	600.5700	
	611.3500	629.0900			
PROPERTY TABLE C	MAT=	3	NUM. POINTS=	24	

SLOC= 19	645.3200	665.1200	682.0700	694.5200
	724.0700	761.9500		

PROPERTY TABLE C MAT= 3 NUM. POINTS= 30				
SLOC= 25	806.3100	888.6000	1095.040	1638.780
	808.6800	736.9000		

Define K for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***				
SLOC= 1	93.33000	121.1100	148.8900	
	176.6700	204.4400	232.2200	

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***				
SLOC= 7	260.0000	287.7800	315.5600	
	343.3300	371.1100	398.8900	

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***				
SLOC= 13	426.6700	454.4400	482.2200	
	510.0000	537.7800	565.5600	

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***				
SLOC= 19	593.3300	621.1100	648.8900	
	676.6700	704.4400	732.2200	

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 27 ***				
SLOC= 25	760.0000	787.7800	815.5600	

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 6				
SLOC= 1	12.29000	12.63000	13.15000	13.67000
	14.02000	14.54000		

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 12				
SLOC= 7	14.88000	15.40000	15.75000	16.10000
	16.61000	16.96000		

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 18				
SLOC= 13	17.31000	17.65000	18.00000	18.52000
	18.86000	19.21000		

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 24				
SLOC= 19	19.73000	20.08000	20.42000	20.94000
	21.46000	21.98000		

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 27				
SLOC= 25	22.33000	23.02000	23.54000	

Define C for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***				
SLOC= 1	93.33000	121.1100	148.8900	
	176.6700	204.4400	232.2200	

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***				
SLOC= 7	260.0000	287.7800	315.5600	
	343.3300	371.1100	398.8900	

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 17 ***				
SLOC= 13	426.6700	454.4400	482.2200	
	510.0000	537.7800		

PROPERTY TABLE C MAT= 2 NUM. POINTS= 6				
SLOC= 1	460.6900	477.4200	501.0200	504.6500
	498.1200	520.4500		

PROPERTY TABLE C MAT= 2 NUM. POINTS= 12
 SLOC= 7 536.8800 559.8500 576.8300 576.2100
 581.6800 598.2000

PROPERTY TABLE C MAT= 2 NUM. POINTS= 17
 SLOC= 13 619.5800 636.7600 654.2000 678.2500
 696.2900

Define K for materials 4, 5, 6

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 .000000E+00 10.00000 20.00000
 30.00000 40.00000 50.00000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 60.00000 70.00000 80.00000
 90.00000 100.0000 110.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
 SLOC= 13 120.0000 130.0000 140.0000
 150.0000 160.0000 170.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
 SLOC= 19 180.0000 190.0000 200.0000
 210.0000 220.0000 230.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
 SLOC= 25 240.0000 250.0000 260.0000
 270.0000 280.0000 290.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 36 ***
 SLOC= 31 300.0000 310.0000 320.0000
 330.0000 340.0000 350.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 42 ***
 SLOC= 37 360.0000 370.0000 380.0000
 390.0000 400.0000 410.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 48 ***
 SLOC= 43 420.0000 430.0000 440.0000
 450.0000 460.0000 470.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 50 ***
 SLOC= 48 480.0000 490.0000 500.0000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 6
 SLOC= 1 8.720000 8.540000 8.360000 8.190000
 8.030000 7.870000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 12
 SLOC= 7 7.720000 7.580000 7.440000 7.310000
 7.180000 7.050000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 18
 SLOC= 13 6.930000 6.820000 6.700000 6.600000
 6.490000 6.390000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 24
 SLOC= 19 6.290000 6.190000 6.100000 6.010000
 5.920000 5.840000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 30
 SLOC= 25 5.760000 5.680000 5.600000 5.520000
 5.450000 5.380000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 36
 SLOC= 31 5.310000 5.240000 5.180000 5.110000

	5.050000	4.990000		
PROPERTY TABLE KXX MAT=	4	NUM. POINTS= 42		
SLOC= 37	4.930000	4.870000	4.810000	4.760000
	4.700000	4.650000		
PROPERTY TABLE KXX MAT=	4	NUM. POINTS= 48		
SLOC= 43	4.600000	4.550000	4.500000	4.450000
	4.400000	4.350000		
PROPERTY TABLE KXX MAT=	4	NUM. POINTS= 50		
SLOC= 48	4.310000	4.270000	4.220000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 6		
SLOC= 1	12.29000	12.44000	12.58000	12.72000
	12.87000	13.01000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 12		
SLOC= 7	13.15000	13.28000	13.42000	13.55000
	13.69000	13.82000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 18		
SLOC= 13	13.95000	14.08000	14.21000	14.34000
	14.46000	14.59000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 24		
SLOC= 19	14.72000	14.84000	14.96000	15.09000
	15.21000	15.33000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 30		
SLOC= 25	15.45000	15.57000	15.69000	15.81000
	15.93000	16.05000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 36		
SLOC= 31	16.17000	16.29000	16.40000	16.52000
	16.64000	16.76000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 42		
SLOC= 37	16.88000	16.99000	17.11000	17.23000
	17.35000	17.46000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 48		
SLOC= 43	17.58000	17.70000	17.82000	17.94000
	18.06000	18.18000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 50		
SLOC= 48	18.30000	18.42000	18.54000	
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 6		
SLOC= 1	1.940000	1.940000	1.940000	1.940000
	1.940000	1.940000		
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 12		
SLOC= 7	1.940000	1.950000	1.950000	1.950000
	1.950000	1.950000		
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 18		
SLOC= 13	1.950000	1.950000	1.960000	1.960000
	1.960000	1.960000		
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 24		
SLOC= 19	1.960000	1.970000	1.970000	1.970000
	1.970000	1.980000		
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 30		
SLOC= 25	1.980000	1.980000	1.980000	1.990000
	1.990000	1.990000		
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 36		
SLOC= 31	2.000000	2.000000	2.000000	2.010000

2.010000 2.010000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 42
SLOC= 37 2.020000 2.020000 2.020000 2.030000
2.030000 2.030000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 48
SLOC= 43 2.040000 2.040000 2.040000 2.050000
2.050000 2.060000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 50
SLOC= 48 2.060000 2.060000 2.070000

Define p, K, C for materials 7, 8, 9, ~10

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 -13.15000 6.850000 26.85000
76.85000 126.8500 176.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 226.8500 276.8500 326.8500
376.8500 426.8500 476.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 15 ***
SLOC= 13 526.8500 626.8500 726.8500

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 6
SLOC= 1 .1875000 .1750000 .1625000 .1422000
.1219000 .1097000

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 12
SLOC= 7 .9750000E-01 .9060000E-01 .8360000E-01 .7670000E-01
.6970000E-01 .6620000E-01

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 15
SLOC= 13 .6270000E-01 .5580000E-01 .4880000E-01

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 6
SLOC= 1 .1370000 .1450000 .1520000 .1700000
.1870000 .2040000

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 12
SLOC= 7 .2200000 .2360000 .2520000 .2640000
.2780000 .2910000

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 15
SLOC= 13 .3040000 .3300000 .3540000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 6
SLOC= 1 1.348000 1.254700 1.161400 .9950000
.8711000 .7740000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 12
SLOC= 7 .6964000 .6329000 .5804000 .5356000
.4975000 .4643000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 15
SLOC= 13 .4354000 .3868000 .3482000

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 6
SLOC= 1 .2300000E-01 .2500000E-01 .2600000E-01 .3000000E-01
.3400000E-01 .3700000E-01

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 12
SLOC= 7 .4100000E-01 .4400000E-01 .4700000E-01 .5000000E-01
.5200000E-01 .5500000E-01

PROPERTY TABLE KXX MAT=		8	NUM. POINTS=	15	
SLOC=	13	.5700000E-01	.6200000E-01	.6700000E-01	
PROPERTY TABLE C MAT=		8	NUM. POINTS=	6	
SLOC=	1	1006.200	1006.600	1007.000	1009.000
		1014.000	1021.000		
PROPERTY TABLE C MAT=		8	NUM. POINTS=	12	
SLOC=	7	1030.000	1040.000	1051.000	1063.000
		1075.000	1087.000		
PROPERTY TABLE C MAT=		8	NUM. POINTS=	15	
SLOC=	13	1099.000	1121.000	1141.000	
PROPERTY TABLE DENS MAT=		9	NUM. POINTS=	6	
SLOC=	1	1.303700	1.213500	1.123300	.9625000
		.8425000	.7485000		
PROPERTY TABLE DENS MAT=		9	NUM. POINTS=	12	
SLOC=	7	.6739000	.6124000	.5615000	.5214000
		.4812000	.4512000		
PROPERTY TABLE DENS MAT=		9	NUM. POINTS=	15	
SLOC=	13	.4211000	.3743000	.3368000	
PROPERTY TABLE KXX MAT=		9	NUM. POINTS=	6	
SLOC=	1	.2300000E-01	.2400000E-01	.2600000E-01	.2900000E-01
		.3300000E-01	.3600000E-01		
PROPERTY TABLE KXX MAT=		9	NUM. POINTS=	12	
SLOC=	7	.3900000E-01	.4200000E-01	.4500000E-01	.4700000E-01
		.5000000E-01	.5200000E-01		
PROPERTY TABLE KXX MAT=		9	NUM. POINTS=	15	
SLOC=	13	.5500000E-01	.6000000E-01	.6500000E-01	
PROPERTY TABLE C MAT=		9	NUM. POINTS=	6	
SLOC=	1	1041.800	1041.400	1041.000	1042.000
		1045.000	1050.000		
PROPERTY TABLE C MAT=		9	NUM. POINTS=	12	
SLOC=	7	1056.000	1065.000	1075.000	1086.500
		1098.000	1159.000		
PROPERTY TABLE C MAT=		9	NUM. POINTS=	15	
SLOC=	13	1220.000	1146.000	1167.000	
PROPERTY TABLE KXX MAT=		10	NUM. POINTS=	6	
SLOC=	1	.1700000E-01	.1700000E-01	.1800000E-01	.2100000E-01
		.2300000E-01	.2500000E-01		
PROPERTY TABLE KXX MAT=		10	NUM. POINTS=	12	
SLOC=	7	.2700000E-01	.2800000E-01	.3000000E-01	.3200000E-01
		.3400000E-01	.3600000E-01		
PROPERTY TABLE KXX MAT=		10	NUM. POINTS=	15	
SLOC=	13	.3700000E-01	.4100000E-01	.4400000E-01	

Define K and C for material 12

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***

SLOC=	1	-73.15000	26.85000	126.8500
		326.8500	526.8500	726.8500

PROPERTY TABLE KXX MAT=		12	NUM. POINTS=	6	
SLOC=	1	413.0000	401.0000	393.0000	379.0000
		366.0000	352.0000		

PROPERTY TABLE C MAT= 12 NUM. POINTS= 6
 SLOC= 1 356.0000 385.0000 397.0000 417.0000
 433.0000 451.0000

Define K and C for material 13

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 5 ***
 SLOC= 1 23.00000 50.00000 100.0000
 150.0000 200.0000

PROPERTY TABLE KXX MAT= 13 NUM. POINTS= 5
 SLOC= 1 182.5600 190.1700 199.2200 202.9100
 203.7200

PROPERTY TABLE C MAT= 13 NUM. POINTS= 5
 SLOC= 1 868.0000 903.0000 946.0000 976.0000
 998.0000

 ** End of Material Property List **

Read in single assembly heat loads
 Calculate the volumetric heat generation
 (Assembly time is in years, FUEL is in seconds)

/INPUT FILE= snf1048.dat LINE= 0

 ** History of SNF Assembly Heat Generation Rates **
 ** Output of PHIA, SCSI: 800000000-01717-1200-3000X Rev.00B **
 **
 ** Executable File Name: PHIA00B.EXE **
 ** Output File Name: snf1048.dat **
 ** Execution Date: 02/24/95 **
 ** Start Age (years): 10.0 **
 ** Decay Period (years): 10000 **
 ** Enrichment (percent): 4.20 **
 ** Burnup (Mwd/MTU): 48086 **
 ** Assembly Type: PWR **
 ** SNF U Mass (MTU/assy): 0.464 **
 **
 ** ASSY(#,1) is the SNF assembly heat in Watts. **
 ** ASSY(#,0) is the time post emplacement in years. **

PARAMETER ASSY(1,1) =	850.0100	849.6200	849.2300	848.8500
	848.4600	848.0800		
PARAMETER ASSY(7,1) =	847.6900	847.3100	846.9300	846.5400
	846.1600	844.2600		
PARAMETER ASSY(13,1) =	842.3700	840.5000	838.6300	836.7900
	834.9500	833.1300		
PARAMETER ASSY(19,1) =	831.3200	829.5200	827.7400	825.9600
	824.2000	822.4500		
PARAMETER ASSY(25,1) =	820.7200	818.9900	817.2800	815.5700
	813.8800	799.0100		
PARAMETER ASSY(31,1) =	785.0300	772.2000	760.0600	749.0400
	738.5700	729.5500		
PARAMETER ASSY(37,1) =	720.9500	710.2700	700.0700	691.8000
	683.8600	676.0300		
PARAMETER ASSY(43,1) =	668.5000	661.1300	654.0400	648.1900
	642.5500	580.1800		

PARAMETER ASSY(49,1) =	529.8600 380.7000	484.5200 352.1900	445.3600	410.5100
PARAMETER ASSY(55,1) =	327.7800 252.6500	305.8800 238.3100	286.2200	268.5700
PARAMETER ASSY(61,1) =	225.3500 185.0400	213.6600 130.6600	203.8500	193.7500
PARAMETER ASSY(67,1) =	105.0700 66.61000	90.10000 61.74000	80.32000	72.66000
PARAMETER ASSY(73,1) =	57.58000 44.98000	53.71000 42.50000	50.41000	47.54000
PARAMETER ASSY(79,1) =	40.31000 33.52000	38.35000 23.16000	36.59000	35.00000
PARAMETER ASSY(85,1) =	18.32000 12.84000	15.77000 12.37000	14.37000	13.53000
PARAMETER ASSY(91,1) =	11.96000 10.32000	11.47000 9.970000	11.04000	10.66000
PARAMETER ASSY(97,1) =	9.650000 8.610000	9.360000	9.090000	8.840000
PARAMETER ASSY(1,0) =	.1000000E-05 .4000000E-01	.1000000E-01 .5000000E-01	.2000000E-01	.3000000E-01
PARAMETER ASSY(7,0) =	.6000000E-01 .1000000	.7000000E-01 .1500000	.8000000E-01	.9000000E-01
PARAMETER ASSY(13,0) =	.2000000 .4000000	.2500000 .4500000	.3000000	.3500000
PARAMETER ASSY(19,0) =	.5000000 .7000000	.5500000 .7500000	.6000000	.6500000
PARAMETER ASSY(25,0) =	.8000000 1.000000	.8500000 1.500000	.9000000	.9500000
PARAMETER ASSY(31,0) =	2.000000 4.000000	2.500000 4.500000	3.000000	3.500000
PARAMETER ASSY(37,0) =	5.000000 7.000000	5.500000 7.500000	6.000000	6.500000
PARAMETER ASSY(43,0) =	8.000000 10.00000	8.500000 15.00000	9.000000	9.500000
PARAMETER ASSY(49,0) =	20.00000 40.00000	25.00000 45.00000	30.00000	35.00000
PARAMETER ASSY(55,0) =	50.00000 70.00000	55.00000 75.00000	60.00000	65.00000
PARAMETER ASSY(61,0) =	80.00000 100.0000	85.00000 150.0000	90.00000	95.00000
PARAMETER ASSY(67,0) =	200.0000 400.0000	250.0000 450.0000	300.0000	350.0000
PARAMETER ASSY(73,0) =	500.0000 700.0000	550.0000 750.0000	600.0000	650.0000
PARAMETER ASSY(79,0) =	800.0000 1000.000	850.0000 1500.000	900.0000	950.0000
PARAMETER ASSY(85,0) =	2000.000	2500.000	3000.000	3500.000

	4000.000	4500.000		
PARAMETER ASSY(91,0) =	5000.000	5500.000	6000.000	6500.000
	7000.000	7500.000		
PARAMETER ASSY(97,0) =	8000.000	8500.000	9000.000	9500.000
	10000.00			

PARAMETER ASSY(0,1) = 1.000000

FACTOR ON VECTOR OPERATION RESULT= .31558E+08
 FACTOR ON FIRST VECTOR PARAMETER = 1.0000
 FACTOR ON SECOND VECTOR PARAMETER= 1.0000
 FACTOR ON THIRD VECTOR PARAMETER = 1.0000

MATRIX COPY RESULT MATRIX= FUEL(1,0)
 INPUT MATRIX= ASSY(1,0)
 INPUT MATRIX SIZE= 101 ROWS BY 2 COLUMNS
 RESULT MATRIX SIZE= 101 ROWS BY 2 COLUMNS

FACTOR ON VECTOR OPERATION RESULT= 6.6412
 FACTOR ON FIRST VECTOR PARAMETER = 1.0000
 FACTOR ON SECOND VECTOR PARAMETER= 1.0000
 FACTOR ON THIRD VECTOR PARAMETER = 1.0000

VECTOR PARAMETER OPERATION *VFUN
 FUEL(1) = COPY ASSY(1)
 SCALE FACTORS RESULT= 6.6412 INPUT= 1.0000
 VECTOR LENGTH= 101

PARAMETER FUEL(0,1) = 1.000000

 Define new material 14 for SNF effective conductivity
 Density: DENS (kg/m^3)
 Conductivity: KXX (W/m/K)
 Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 14 NUM. POINTS= 1
 SLOC= 1 3960.040

PROPERTY TABLE C MAT= 14 NUM. POINTS= 1
 SLOC= 1 274.0000
 Store average effective conductivities

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 25.00000

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
 SLOC= 2 50.00000

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 1
SLOC= 1 .4617156

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 2
SLOC= 2 .5036997

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

Define new material 15 for low thermal loading
outer barrier of 70/30 Copper Nickel (C71500)
Density: DENS (kg/m³)
Conductivity: KXX (W/m/K)
Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .000000E+00
Density (lb/in³ converted to kg/m³)

PROPERTY TABLE DENS MAT= 15 NUM. POINTS= 1
SLOC= 1 8940.640
Specific Heat (Btu/lb/F converted to J/kg/K)

PROPERTY TABLE C MAT= 15 NUM. POINTS= 1
SLOC= 1 376.7898
Conductivity (Btu/hr/ft/F converted to W/m/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
SLOC= 1 20.00000 100.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 4 ***
SLOC= 3 200.0000 300.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 5 400.0000 500.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 8 ***
SLOC= 7 600.0000 700.0000

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 2
SLOC= 1 29.42190 29.24883

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 4
SLOC= 3 34.09479 38.59461

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 6
SLOC= 5 43.09443 48.11346

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 8
SLOC= 7 53.13249 58.15152

Construct geometry for Disposal Container

Define center and axis keypoints for waste package
Also, create placeholder keypoints and lines
(K's 1,2,3,4,5,6,7,8)
(L's 1,2,3,4)

KEYPOINT	1	X,Y,Z=	.000000E+00	.000000E+00	.000000E+00	IN CSYS=	0
KEYPOINT	2	X,Y,Z=	.000000E+00	.000000E+00	1.00000	IN CSYS=	0
KEYPOINT	3	X,Y,Z=	.000000E+00	.000000E+00	1.30000	IN CSYS=	0
KEYPOINT	4	X,Y,Z=	.000000E+00	.000000E+00	1.40000	IN CSYS=	0
KEYPOINT	5	X,Y,Z=	.000000E+00	.000000E+00	1.50000	IN CSYS=	0
KEYPOINT	6	X,Y,Z=	.000000E+00	.000000E+00	1.60000	IN CSYS=	0
KEYPOINT	7	X,Y,Z=	.000000E+00	.000000E+00	1.70000	IN CSYS=	0
KEYPOINT	8	X,Y,Z=	.000000E+00	.000000E+00	1.80000	IN CSYS=	0

LINE CONNECTS KEYPOINTS		3	4			
LINE NO.=	1	KP1=	3	TAN1=	.0000	.0000 -1.0000
		KP2=	4	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		4	5			
LINE NO.=	2	KP1=	4	TAN1=	.0000	.0000 -1.0000
		KP2=	5	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		5	6			
LINE NO.=	3	KP1=	5	TAN1=	.0000	.0000 -1.0000
		KP2=	6	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		6	7			
LINE NO.=	4	KP1=	6	TAN1=	.0000	.0000 -1.0000
		KP2=	7	TAN2=	.0000	.0000 1.0000

Define disposal container and MPC outer radius
 (K's 9,10,11,12,13,14,15,16,17,18,19,20)
 (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
 (A's 1,2,3,4,5,6)

KEYPOINT	9	X,Y,Z=	.000000E+00	-.715250	.000000E+00	IN CSYS=	0
KEYPOINT	10	X,Y,Z=	.715250	.000000E+00	.000000E+00	IN CSYS=	0
KEYPOINT	11	X,Y,Z=	.000000E+00	.715250	.000000E+00	IN CSYS=	0
KEYPOINT	12	X,Y,Z=	.000000E+00	-.665250	.000000E+00	IN CSYS=	0
KEYPOINT	13	X,Y,Z=	.665250	.000000E+00	.000000E+00	IN CSYS=	0
KEYPOINT	14	X,Y,Z=	.000000E+00	.665250	.000000E+00	IN CSYS=	0
KEYPOINT	15	X,Y,Z=	.000000E+00	-.645250	.000000E+00	IN CSYS=	0
KEYPOINT	16	X,Y,Z=	.645250	.000000E+00	.000000E+00	IN CSYS=	0
KEYPOINT	17	X,Y,Z=	.000000E+00	.645250	.000000E+00	IN CSYS=	0
KEYPOINT	18	X,Y,Z=	.000000E+00	-.630174	.000000E+00	IN CSYS=	0
KEYPOINT	19	X,Y,Z=	.630174	.000000E+00	.000000E+00	IN CSYS=	0
KEYPOINT	20	X,Y,Z=	.000000E+00	.630174	.000000E+00	IN CSYS=	0

LINE CONNECTS KEYPOINTS		10	13			
LINE NO.=	5	KP1=	10	TAN1=	1.0000	.0000 .0000
		KP2=	13	TAN2=	-1.0000	.0000 .0000

LINE CONNECTS KEYPOINTS		13	16			
LINE NO.=	6	KP1=	13	TAN1=	1.0000	.0000 .0000
		KP2=	16	TAN2=	-1.0000	.0000 .0000

ARC BETWEEN KEYPOINTS 10 AND 9 ORIENTATION KEYPOINT= 1

RADIUS= .71525
 LINE NO.= 7 KP1= 10 TAN1= .0000 1.0000 .0000
 KP2= 9 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 11 AND 10 ORIENTATION KEYPOINT= 1
 RADIUS= .71525
 LINE NO.= 8 KP1= 11 TAN1= -1.0000 .0000 .0000
 KP2= 10 TAN2= .0000 -1.0000 .0000

ARC BETWEEN KEYPOINTS 13 AND 12 ORIENTATION KEYPOINT= 1
 RADIUS= .66525
 LINE NO.= 9 KP1= 13 TAN1= .0000 1.0000 .0000
 KP2= 12 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 14 AND 13 ORIENTATION KEYPOINT= 1
 RADIUS= .66525
 LINE NO.= 10 KP1= 14 TAN1= -1.0000 .0000 .0000
 KP2= 13 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 11 14
 LINE NO.= 11 KP1= 11 TAN1= .0000 1.0000 .0000
 KP2= 14 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 9 12
 LINE NO.= 12 KP1= 9 TAN1= .0000 -1.0000 .0000
 KP2= 12 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 15 AND 16 ORIENTATION KEYPOINT= 1
 RADIUS= .64525
 LINE NO.= 13 KP1= 15 TAN1= -1.0000 .0000 .0000
 KP2= 16 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 16 AND 17 ORIENTATION KEYPOINT= 1
 RADIUS= .64525
 LINE NO.= 14 KP1= 16 TAN1= .0000 -1.0000 .0000
 KP2= 17 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 14 17
 LINE NO.= 15 KP1= 14 TAN1= .0000 1.0000 .0000
 KP2= 17 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 12 15
 LINE NO.= 16 KP1= 12 TAN1= .0000 -1.0000 .0000
 KP2= 15 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 19 AND 18 ORIENTATION KEYPOINT= 1
 RADIUS= .63017
 LINE NO.= 17 KP1= 19 TAN1= .0000 1.0000 .0000
 KP2= 18 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 20 AND 19 ORIENTATION KEYPOINT= 1
 RADIUS= .63017
 LINE NO.= 18 KP1= 20 TAN1= -1.0000 .0000 .0000
 KP2= 19 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 17 20
 LINE NO.= 19 KP1= 17 TAN1= .0000 1.0000 .0000
 KP2= 20 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 15 18
 LINE NO.= 20 KP1= 15 TAN1= .0000 -1.0000 .0000
 KP2= 18 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 16 19
 LINE NO.= 21 KP1= 16 TAN1= 1.0000 .0000 .0000
 KP2= 19 TAN2= -1.0000 .0000 .0000

DEFINE AREA BY LIST OF LINES
 LINE LIST = 5 7 12 9
 (TRAVERSED IN SAME DIRECTION AS LINE 5)

AREA NUMBER = 1

DEFINE AREA BY LIST OF LINES

LINE LIST = 11 8 5 10
(TRAVERSED IN SAME DIRECTION AS LINE 11)

AREA NUMBER = 2

DEFINE AREA BY LIST OF LINES

LINE LIST = 6 9 16 13
(TRAVERSED IN SAME DIRECTION AS LINE 6)

AREA NUMBER = 3

DEFINE AREA BY LIST OF LINES

LINE LIST = 15 10 6 14
(TRAVERSED IN SAME DIRECTION AS LINE 15)

AREA NUMBER = 4

DEFINE AREA BY LIST OF LINES

LINE LIST = 21 13 20 17
(TRAVERSED IN SAME DIRECTION AS LINE 21)

AREA NUMBER = 5

DEFINE AREA BY LIST OF LINES

LINE LIST = 19 14 21 18
(TRAVERSED IN SAME DIRECTION AS LINE 19)

AREA NUMBER = 6

Define MPC shell inner edge and area

(K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)

(38,39)

(L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)

(39,40,41,42)

(A's 7,8)

KEYPOINT	21	X,Y,Z=	.000000E+00	.607949	.000000E+00	IN CSYS= 0
KEYPOINT	22	X,Y,Z=	.404963E-01	.606599	.000000E+00	IN CSYS= 0
KEYPOINT	23	X,Y,Z=	.500213E-01	.605888	.000000E+00	IN CSYS= 0
KEYPOINT	24	X,Y,Z=	.254720	.552014	.000000E+00	IN CSYS= 0
KEYPOINT	25	X,Y,Z=	.288484	.535144	.000000E+00	IN CSYS= 0
KEYPOINT	26	X,Y,Z=	.535144	.288484	.000000E+00	IN CSYS= 0
KEYPOINT	27	X,Y,Z=	.552014	.254720	.000000E+00	IN CSYS= 0
KEYPOINT	28	X,Y,Z=	.605888	.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	29	X,Y,Z=	.606599	.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	30	X,Y,Z=	.607949	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	31	X,Y,Z=	.606599	-.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	32	X,Y,Z=	.605888	-.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	33	X,Y,Z=	.552014	-.254720	.000000E+00	IN CSYS= 0
KEYPOINT	34	X,Y,Z=	.535144	-.288484	.000000E+00	IN CSYS= 0
KEYPOINT	35	X,Y,Z=	.288484	-.535144	.000000E+00	IN CSYS= 0

KEYPOINT 36 X,Y,Z= .254720 -.552014 .000000E+00 IN CSYS= 0
 KEYPOINT 37 X,Y,Z= .500213E-01 -.605888 .000000E+00 IN CSYS= 0
 KEYPOINT 38 X,Y,Z= .404963E-01 -.606599 .000000E+00 IN CSYS= 0
 KEYPOINT 39 X,Y,Z= .000000E+00 -.607949 .000000E+00 IN CSYS= 0

LINE CONNECTS KEYPOINTS 20 21
 LINE NO.= 22 KP1= 20 TAN1= .0000 1.0000 .0000
 KP2= 21 TAN2= .0000 -1.0000 .0000

ARC BETWEEN KEYPOINTS 22 AND 21 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 23 KP1= 22 TAN1= .9978 -.0666 .0000
 KP2= 21 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 23 AND 22 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 24 KP1= 23 TAN1= .9966 -.0823 .0000
 KP2= 22 TAN2= -.9978 .0666 .0000

ARC BETWEEN KEYPOINTS 24 AND 23 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 25 KP1= 24 TAN1= .9080 -.4190 .0000
 KP2= 23 TAN2= -.9966 .0823 .0000

ARC BETWEEN KEYPOINTS 25 AND 24 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 26 KP1= 25 TAN1= .8802 -.4745 .0000
 KP2= 24 TAN2= -.9080 .4190 .0000

ARC BETWEEN KEYPOINTS 26 AND 25 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 27 KP1= 26 TAN1= .4745 -.8802 .0000
 KP2= 25 TAN2= -.8802 .4745 .0000

ARC BETWEEN KEYPOINTS 27 AND 26 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 28 KP1= 27 TAN1= .4190 -.9080 .0000
 KP2= 26 TAN2= -.4745 .8802 .0000

ARC BETWEEN KEYPOINTS 28 AND 27 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 29 KP1= 28 TAN1= .0823 -.9966 .0000
 KP2= 27 TAN2= -.4190 .9080 .0000

ARC BETWEEN KEYPOINTS 29 AND 28 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 30 KP1= 29 TAN1= .0666 -.9978 .0000
 KP2= 28 TAN2= -.0823 .9966 .0000

ARC BETWEEN KEYPOINTS 30 AND 29 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 31 KP1= 30 TAN1= .0000 -1.0000 .0000
 KP2= 29 TAN2= -.0666 .9978 .0000

ARC BETWEEN KEYPOINTS 31 AND 30 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 32 KP1= 31 TAN1= -.0666 -.9978 .0000
 KP2= 30 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 32 AND 31 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 33 KP1= 32 TAN1= -.0823 -.9966 .0000
 KP2= 31 TAN2= .0666 .9978 .0000

ARC BETWEEN KEYPOINTS 33 AND 32 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 34 KP1= 33 TAN1= -.4190 -.9080 .0000

```

      KP2=      32 TAN2=      .0823      .9966      .0000

ARC BETWEEN KEYPOINTS      34 AND      33 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      35 KP1=      34 TAN1=      -.4745      -.8802      .0000
      KP2=      33 TAN2=      .4190      .9080      .0000

ARC BETWEEN KEYPOINTS      35 AND      34 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      36 KP1=      35 TAN1=      -.8802      -.4745      .0000
      KP2=      34 TAN2=      .4745      .8802      .0000

ARC BETWEEN KEYPOINTS      36 AND      35 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      37 KP1=      36 TAN1=      -.9080      -.4190      .0000
      KP2=      35 TAN2=      .8802      .4745      .0000

ARC BETWEEN KEYPOINTS      37 AND      36 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      38 KP1=      37 TAN1=      -.9966      -.0823      .0000
      KP2=      36 TAN2=      .9080      .4190      .0000

ARC BETWEEN KEYPOINTS      38 AND      37 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      39 KP1=      38 TAN1=      -.9978      -.0666      .0000
      KP2=      37 TAN2=      .9966      .0823      .0000

ARC BETWEEN KEYPOINTS      39 AND      38 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      40 KP1=      39 TAN1=      -1.0000      .0000      .0000
      KP2=      38 TAN2=      .9978      .0666      .0000

LINE CONNECTS KEYPOINTS      18      39
LINE NO.=      41 KP1=      18 TAN1=      .0000      -1.0000      .0000
      KP2=      39 TAN2=      .0000      1.0000      .0000

LINE CONNECTS KEYPOINTS      19      30
LINE NO.=      42 KP1=      19 TAN1=      1.0000      .0000      .0000
      KP2=      30 TAN2=      -1.0000      .0000      .0000

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      32 TO      42 STEP      1

      11 LINES (OF      42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      17 TO      17 STEP      1

      12 LINES (OF      42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES
      LINE LIST = ALL SELECTED LINES
      (TRAVERSED IN SAME DIRECTION AS LINE      17)

      AREA NUMBER =      7

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      22 TO      31 STEP      1

      10 LINES (OF      42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      18 TO      18 STEP      1

      11 LINES (OF      42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      42 TO      42 STEP      1

      12 LINES (OF      42 DEFINED) SELECTED BY LSEL COMMAND.

```

DEFINE AREA BY LIST OF LINES
 LINE LIST = ALL SELECTED LINES
 (TRAVERSED IN SAME DIRECTION AS LINE 18)

AREA NUMBER = 8

ALL SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 1 TO 42 STEP 1

42 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

Define tube guides

(K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)

(57,58,59)

(L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)

(60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)

(77,78,79,80)

(A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)

(26)

top

KEYPOINT	40	X,Y,Z=	.500213E-01	.552014	.000000E+00	IN CSYS= 0
KEYPOINT	41	X,Y,Z=	.404963E-01	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	42	X,Y,Z=	.254720	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	43	X,Y,Z=	.278959	.535144	.000000E+00	IN CSYS= 0
KEYPOINT	44	X,Y,Z=	.288484	.288484	.000000E+00	IN CSYS= 0
KEYPOINT	45	X,Y,Z=	.278959	.278959	.000000E+00	IN CSYS= 0
KEYPOINT	46	X,Y,Z=	.535144	.278959	.000000E+00	IN CSYS= 0
		side				
KEYPOINT	47	X,Y,Z=	.542489	.254720	.000000E+00	IN CSYS= 0
KEYPOINT	48	X,Y,Z=	.552014	.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	49	X,Y,Z=	.542489	.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	50	X,Y,Z=	.542489	-.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	51	X,Y,Z=	.552014	-.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	52	X,Y,Z=	.542489	-.254720	.000000E+00	IN CSYS= 0
		bottom				
KEYPOINT	53	X,Y,Z=	.535144	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	54	X,Y,Z=	.278959	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	55	X,Y,Z=	.288484	-.288484	.000000E+00	IN CSYS= 0
KEYPOINT	56	X,Y,Z=	.278959	-.535144	.000000E+00	IN CSYS= 0
KEYPOINT	57	X,Y,Z=	.254720	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	58	X,Y,Z=	.404963E-01	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	59	X,Y,Z=	.500213E-01	-.552014	.000000E+00	IN CSYS= 0
		top				

LINE CONNECTS KEYPOINTS 41 22
 LINE NO.= 43 KP1= 41 TAN1= .0000 -1.0000 .0000
 KP2= 22 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS	40	41			
LINE NO.= 44 KP1=	40	TAN1=	.7071	.7071	.0000
KP2= 41	TAN2=	-.7071	-.7071	.0000	
LINE CONNECTS KEYPOINTS	40	24			
LINE NO.= 45 KP1=	40	TAN1=	-1.0000	.0000	.0000
KP2= 24	TAN2=	1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	42	41			
LINE NO.= 46 KP1=	42	TAN1=	1.0000	.0000	.0000
KP2= 41	TAN2=	-1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	24	42			
LINE NO.= 47 KP1=	24	TAN1=	.0000	1.0000	.0000
KP2= 42	TAN2=	.0000	-1.0000	.0000	
LINE CONNECTS KEYPOINTS	43	25			
LINE NO.= 48 KP1=	43	TAN1=	-1.0000	.0000	.0000
KP2= 25	TAN2=	1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	45	43			
LINE NO.= 49 KP1=	45	TAN1=	.0000	-1.0000	.0000
KP2= 43	TAN2=	.0000	1.0000	.0000	
LINE CONNECTS KEYPOINTS	25	44			
LINE NO.= 50 KP1=	25	TAN1=	.0000	1.0000	.0000
KP2= 44	TAN2=	.0000	-1.0000	.0000	
LINE CONNECTS KEYPOINTS	44	45			
LINE NO.= 51 KP1=	44	TAN1=	.7071	.7071	.0000
KP2= 45	TAN2=	-.7071	-.7071	.0000	
LINE CONNECTS KEYPOINTS	44	26			
LINE NO.= 52 KP1=	44	TAN1=	-1.0000	.0000	.0000
KP2= 26	TAN2=	1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	46	45			
LINE NO.= 53 KP1=	46	TAN1=	1.0000	.0000	.0000
KP2= 45	TAN2=	-1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	26	46			
LINE NO.= 54 KP1=	26	TAN1=	.0000	1.0000	.0000
KP2= 46	TAN2=	.0000	-1.0000	.0000	
side					
LINE CONNECTS KEYPOINTS	47	27			
LINE NO.= 55 KP1=	47	TAN1=	-1.0000	.0000	.0000
KP2= 27	TAN2=	1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	49	47			
LINE NO.= 56 KP1=	49	TAN1=	.0000	-1.0000	.0000
KP2= 47	TAN2=	.0000	1.0000	.0000	
LINE CONNECTS KEYPOINTS	27	48			
LINE NO.= 57 KP1=	27	TAN1=	.0000	1.0000	.0000
KP2= 48	TAN2=	.0000	-1.0000	.0000	
LINE CONNECTS KEYPOINTS	48	49			
LINE NO.= 58 KP1=	48	TAN1=	.7071	.7071	.0000
KP2= 49	TAN2=	-.7071	-.7071	.0000	
LINE CONNECTS KEYPOINTS	48	28			
LINE NO.= 59 KP1=	48	TAN1=	-1.0000	.0000	.0000
KP2= 28	TAN2=	1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	29	49			
LINE NO.= 60 KP1=	29	TAN1=	1.0000	.0000	.0000
KP2= 49	TAN2=	-1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	50	31			

LINE NO.= 61	KP1= 50	TAN1= -1.0000	.0000	.0000
	KP2= 31	TAN2= 1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 32 51				
LINE NO.= 62	KP1= 32	TAN1= 1.0000	.0000	.0000
	KP2= 51	TAN2= -1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 50 51				
LINE NO.= 63	KP1= 50	TAN1= -.7071	.7071	.0000
	KP2= 51	TAN2= .7071	-.7071	.0000
LINE CONNECTS KEYPOINTS 52 50				
LINE NO.= 64	KP1= 52	TAN1= .0000	-1.0000	.0000
	KP2= 50	TAN2= .0000	1.0000	.0000
LINE CONNECTS KEYPOINTS 51 33				
LINE NO.= 65	KP1= 51	TAN1= .0000	1.0000	.0000
	KP2= 33	TAN2= .0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 33 52				
LINE NO.= 66	KP1= 33	TAN1= 1.0000	.0000	.0000
	KP2= 52	TAN2= -1.0000	.0000	.0000
bottom				
LINE CONNECTS KEYPOINTS 53 34				
LINE NO.= 67	KP1= 53	TAN1= .0000	1.0000	.0000
	KP2= 34	TAN2= .0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 54 53				
LINE NO.= 68	KP1= 54	TAN1= -1.0000	.0000	.0000
	KP2= 53	TAN2= 1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 34 55				
LINE NO.= 69	KP1= 34	TAN1= 1.0000	.0000	.0000
	KP2= 55	TAN2= -1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 54 55				
LINE NO.= 70	KP1= 54	TAN1= -.7071	.7071	.0000
	KP2= 55	TAN2= .7071	-.7071	.0000
LINE CONNECTS KEYPOINTS 56 54				
LINE NO.= 71	KP1= 56	TAN1= .0000	-1.0000	.0000
	KP2= 54	TAN2= .0000	1.0000	.0000
LINE CONNECTS KEYPOINTS 55 35				
LINE NO.= 72	KP1= 55	TAN1= .0000	1.0000	.0000
	KP2= 35	TAN2= .0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 35 56				
LINE NO.= 73	KP1= 35	TAN1= 1.0000	.0000	.0000
	KP2= 56	TAN2= -1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 57 36				
LINE NO.= 74	KP1= 57	TAN1= .0000	1.0000	.0000
	KP2= 36	TAN2= .0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 58 57				
LINE NO.= 75	KP1= 58	TAN1= -1.0000	.0000	.0000
	KP2= 57	TAN2= 1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 36 59				
LINE NO.= 76	KP1= 36	TAN1= 1.0000	.0000	.0000
	KP2= 59	TAN2= -1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 58 59				
LINE NO.= 77	KP1= 58	TAN1= -.7071	.7071	.0000
	KP2= 59	TAN2= .7071	-.7071	.0000
LINE CONNECTS KEYPOINTS 38 58				
LINE NO.= 78	KP1= 38	TAN1= .0000	-1.0000	.0000

	KP2=	58	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS 59 37						
LINE NO.=	79	KP1=	59	TAN1=	.0000	1.0000
		KP2=	37	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 23 40						
LINE NO.=	80	KP1=	23	TAN1=	.0000	1.0000
		KP2=	40	TAN2=	.0000	-1.0000

air

DEFINE AREA BY LIST OF LINES
 LINE LIST = 80 45 25
 (TRAVERSED IN SAME DIRECTION AS LINE 80)

AREA NUMBER = 9

DEFINE AREA BY LIST OF LINES
 LINE LIST = 50 52 27
 (TRAVERSED IN SAME DIRECTION AS LINE 50)

AREA NUMBER = 10

DEFINE AREA BY LIST OF LINES
 LINE LIST = 57 59 29
 (TRAVERSED IN SAME DIRECTION AS LINE 57)

AREA NUMBER = 11

DEFINE AREA BY LIST OF LINES
 LINE LIST = 62 65 34
 (TRAVERSED IN SAME DIRECTION AS LINE 62)

AREA NUMBER = 12

DEFINE AREA BY LIST OF LINES
 LINE LIST = 69 72 36
 (TRAVERSED IN SAME DIRECTION AS LINE 69)

AREA NUMBER = 13

DEFINE AREA BY LIST OF LINES
 LINE LIST = 76 79 38
 (TRAVERSED IN SAME DIRECTION AS LINE 76)

AREA NUMBER = 14

guides

DEFINE AREA BY LIST OF LINES
 LINE LIST = 24 43 44 80
 (TRAVERSED IN SAME DIRECTION AS LINE 24)

AREA NUMBER = 15

DEFINE AREA BY LIST OF LINES
 LINE LIST = 45 44 46 47
 (TRAVERSED IN SAME DIRECTION AS LINE 45)

AREA NUMBER = 16

DEFINE AREA BY LIST OF LINES
 LINE LIST = 48 49 51 50
 (TRAVERSED IN SAME DIRECTION AS LINE 48)

AREA NUMBER = 17

DEFINE AREA BY LIST OF LINES
 LINE LIST = 52 51 53 54
 (TRAVERSED IN SAME DIRECTION AS LINE 52)

```

AREA NUMBER =      18

DEFINE AREA BY LIST OF LINES
  LINE LIST =      55  56  58  57
  (TRAVERSED IN SAME DIRECTION AS LINE      55)

AREA NUMBER =      19

DEFINE AREA BY LIST OF LINES
  LINE LIST =      59  58  60  30
  (TRAVERSED IN SAME DIRECTION AS LINE      59)

AREA NUMBER =      20

DEFINE AREA BY LIST OF LINES
  LINE LIST =      61  63  62  33
  (TRAVERSED IN SAME DIRECTION AS LINE      61)

AREA NUMBER =      21

DEFINE AREA BY LIST OF LINES
  LINE LIST =      63  64  66  65
  (TRAVERSED IN SAME DIRECTION AS LINE      63)

AREA NUMBER =      22

DEFINE AREA BY LIST OF LINES
  LINE LIST =      68  70  69  67
  (TRAVERSED IN SAME DIRECTION AS LINE      68)

AREA NUMBER =      23

DEFINE AREA BY LIST OF LINES
  LINE LIST =      70  71  73  72
  (TRAVERSED IN SAME DIRECTION AS LINE      70)

AREA NUMBER =      24

DEFINE AREA BY LIST OF LINES
  LINE LIST =      75  77  76  74
  (TRAVERSED IN SAME DIRECTION AS LINE      75)

AREA NUMBER =      25

DEFINE AREA BY LIST OF LINES
  LINE LIST =      77  78  39  79
  (TRAVERSED IN SAME DIRECTION AS LINE      77)

AREA NUMBER =      26
*****
  Define top half tubes and flux trap plate
  (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
  ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
  ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
  ( 108,109,110,111,112,113,114,115,116,117,118,119)
  ( 120,121,122,123,124,125,126,127,128,129,130,131)
  ( 132,133,134,135,136,137,138,139,140,141,142,143)
  ( 144,145,146,147,148,149,150,151,152,153,154,155)
  ( 156,157,158,159,160,161,162,163,164,165,166,167)
  (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
  ( 98,99,100,101,102,103,104,105,106,107,108,109,110)
  ( 111,112,113,114,115,116,117,118,119,120,121,122)
  ( 123,124,125,126,127,128,129,130,131,132,133,134)
  ( 135,136,137,138,139,140,141,142,143,144,145,146)
  ( 147,...)
  (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
  ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
  ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
  ( 78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
  ( 95,96,97,98,99,100,101,102,103)

```

KEYPOINT	60	X,Y,Z=	.000000E+00	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	61	X,Y,Z=	.000000E+00	.381000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	62	X,Y,Z=	.000000E+00	.138125	.000000E+00	IN CSYS= 0
KEYPOINT	63	X,Y,Z=	.000000E+00	.163525	.000000E+00	IN CSYS= 0
KEYPOINT	64	X,Y,Z=	.000000E+00	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	65	X,Y,Z=	.000000E+00	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	66	X,Y,Z=	.000000E+00	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	67	X,Y,Z=	.000000E+00	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	68	X,Y,Z=	.000000E+00	.406756	.000000E+00	IN CSYS= 0
KEYPOINT	69	X,Y,Z=	.000000E+00	.432156	.000000E+00	IN CSYS= 0
KEYPOINT	70	X,Y,Z=	.000000E+00	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	71	X,Y,Z=	.000000E+00	.561543	.000000E+00	IN CSYS= 0
KEYPOINT	72	X,Y,Z=	.000000E+00	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	73	X,Y,Z=	.127000E-01	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	74	X,Y,Z=	.127000E-01	.381000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	75	X,Y,Z=	.127000E-01	.138125	.000000E+00	IN CSYS= 0
KEYPOINT	76	X,Y,Z=	.127000E-01	.163525	.000000E+00	IN CSYS= 0
KEYPOINT	77	X,Y,Z=	.127000E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	78	X,Y,Z=	.127000E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	79	X,Y,Z=	.127000E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	80	X,Y,Z=	.127000E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	81	X,Y,Z=	.127000E-01	.406756	.000000E+00	IN CSYS= 0
KEYPOINT	82	X,Y,Z=	.127000E-01	.432156	.000000E+00	IN CSYS= 0
KEYPOINT	83	X,Y,Z=	.127000E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	84	X,Y,Z=	.127000E-01	.561543	.000000E+00	IN CSYS= 0
KEYPOINT	85	X,Y,Z=	.127000E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	86	X,Y,Z=	.254000E-01	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	87	X,Y,Z=	.254000E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	88	X,Y,Z=	.254000E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	89	X,Y,Z=	.254000E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	90	X,Y,Z=	.254000E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	91	X,Y,Z=	.254000E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	92	X,Y,Z=	.254000E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	93	X,Y,Z=	.381000E-01	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	94	X,Y,Z=	.317500E-01	.317500E-01	.000000E+00	IN CSYS= 0

KEYPOINT	95	X,Y,Z=	.317500E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	96	X,Y,Z=	.317500E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	97	X,Y,Z=	.317500E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	98	X,Y,Z=	.317500E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	99	X,Y,Z=	.317500E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	100	X,Y,Z=	.317500E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	101	X,Y,Z=	.341376E-01	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	102	X,Y,Z=	.341376E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	103	X,Y,Z=	.341376E-01	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	104	X,Y,Z=	.341376E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	105	X,Y,Z=	.341376E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	106	X,Y,Z=	.341376E-01	.300050	.000000E+00	IN CSYS= 0
KEYPOINT	107	X,Y,Z=	.341376E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	108	X,Y,Z=	.341376E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	109	X,Y,Z=	.341376E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	110	X,Y,Z=	.365252E-01	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	111	X,Y,Z=	.365252E-01	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	112	X,Y,Z=	.365252E-01	.305156	.000000E+00	IN CSYS= 0
KEYPOINT	113	X,Y,Z=	.365252E-01	.533756	.000000E+00	IN CSYS= 0
KEYPOINT	114	X,Y,Z=	.138125	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	115	X,Y,Z=	.163525	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	116	X,Y,Z=	.265125	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	117	X,Y,Z=	.265125	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	118	X,Y,Z=	.265125	.305156	.000000E+00	IN CSYS= 0
KEYPOINT	119	X,Y,Z=	.265125	.533756	.000000E+00	IN CSYS= 0
KEYPOINT	120	X,Y,Z=	.267513	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	121	X,Y,Z=	.267513	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	122	X,Y,Z=	.267513	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	123	X,Y,Z=	.267513	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	124	X,Y,Z=	.267513	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	125	X,Y,Z=	.267513	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	126	X,Y,Z=	.267513	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	127	X,Y,Z=	.270231	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	128	X,Y,Z=	.270231	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	129	X,Y,Z=	.270231	.300050	.000000E+00	IN CSYS= 0

KEYPOINT	130	X,Y,Z=	.270231	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	131	X,Y,Z=	.272618	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	132	X,Y,Z=	.272618	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	133	X,Y,Z=	.272618	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	134	X,Y,Z=	.272618	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	135	X,Y,Z=	.272618	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	136	X,Y,Z=	.272618	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	137	X,Y,Z=	.272618	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	138	X,Y,Z=	.297663	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	139	X,Y,Z=	.297663	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	140	X,Y,Z=	.297663	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	141	X,Y,Z=	.297663	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	142	X,Y,Z=	.297663	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	143	X,Y,Z=	.300050	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	144	X,Y,Z=	.300050	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	145	X,Y,Z=	.302768	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	146	X,Y,Z=	.302768	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	147	X,Y,Z=	.302768	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	148	X,Y,Z=	.302768	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	149	X,Y,Z=	.302768	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	150	X,Y,Z=	.305156	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	151	X,Y,Z=	.305156	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	152	X,Y,Z=	.406756	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	153	X,Y,Z=	.432156	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	154	X,Y,Z=	.533756	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	155	X,Y,Z=	.533756	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	156	X,Y,Z=	.536143	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	157	X,Y,Z=	.536143	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	158	X,Y,Z=	.536143	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	159	X,Y,Z=	.536143	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	160	X,Y,Z=	.536143	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	161	X,Y,Z=	.536143	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	162	X,Y,Z=	.536143	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	163	X,Y,Z=	.561543	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	164	X,Y,Z=	.601066	.127000E-01	.000000E+00	IN CSYS= 0

KEYPOINT 165 X,Y,Z= .601066 .254000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 166 X,Y,Z= .601066 .317500E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 167 X,Y,Z= .601066 .341376E-01 .000000E+00 IN CSYS= 0
 create lines on perimeter and for lesize

LINE CONNECTS KEYPOINTS 73 60
 LINE NO.= 81 KP1= 73 TAN1= 1.0000 .0000 .0000
 KP2= 60 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 73 74
 LINE NO.= 82 KP1= 73 TAN1= .0000 -1.0000 .0000
 KP2= 74 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 61 74
 LINE NO.= 83 KP1= 61 TAN1= -1.0000 .0000 .0000
 KP2= 74 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 74 75
 LINE NO.= 84 KP1= 74 TAN1= .0000 -1.0000 .0000
 KP2= 75 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 75 62
 LINE NO.= 85 KP1= 75 TAN1= 1.0000 .0000 .0000
 KP2= 62 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 75 76
 LINE NO.= 86 KP1= 75 TAN1= .0000 -1.0000 .0000
 KP2= 76 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 63 76
 LINE NO.= 87 KP1= 63 TAN1= -1.0000 .0000 .0000
 KP2= 76 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 76 77
 LINE NO.= 88 KP1= 76 TAN1= .0000 -1.0000 .0000
 KP2= 77 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 77 78
 LINE NO.= 89 KP1= 77 TAN1= .0000 -1.0000 .0000
 KP2= 78 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 78 65
 LINE NO.= 90 KP1= 78 TAN1= 1.0000 .0000 .0000
 KP2= 65 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 78 79
 LINE NO.= 91 KP1= 78 TAN1= .0000 -1.0000 .0000
 KP2= 79 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 66 79
 LINE NO.= 92 KP1= 66 TAN1= -1.0000 .0000 .0000
 KP2= 79 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 79 80
 LINE NO.= 93 KP1= 79 TAN1= .0000 -1.0000 .0000
 KP2= 80 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 80 81
 LINE NO.= 94 KP1= 80 TAN1= .0000 -1.0000 .0000
 KP2= 81 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 81 68
 LINE NO.= 95 KP1= 81 TAN1= 1.0000 .0000 .0000
 KP2= 68 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 81 82
 LINE NO.= 96 KP1= 81 TAN1= .0000 -1.0000 .0000

	KP2=	82	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		69	82			
LINE NO.= 97	KP1=	69	TAN1=	-1.0000	.0000	.0000
	KP2=	82	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		82	83			
LINE NO.= 98	KP1=	82	TAN1=	.0000	-1.0000	.0000
	KP2=	83	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		83	70			
LINE NO.= 99	KP1=	83	TAN1=	1.0000	.0000	.0000
	KP2=	70	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		83	84			
LINE NO.= 100	KP1=	83	TAN1=	.0000	-1.0000	.0000
	KP2=	84	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		71	84			
LINE NO.= 101	KP1=	71	TAN1=	-1.0000	.0000	.0000
	KP2=	84	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		84	85			
LINE NO.= 102	KP1=	84	TAN1=	.0000	-1.0000	.0000
	KP2=	85	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		85	92			
LINE NO.= 103	KP1=	85	TAN1=	-1.0000	.0000	.0000
	KP2=	92	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		92	100			
LINE NO.= 104	KP1=	92	TAN1=	-1.0000	.0000	.0000
	KP2=	100	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		100	109			
LINE NO.= 105	KP1=	100	TAN1=	-1.0000	.0000	.0000
	KP2=	109	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		109	108			
LINE NO.= 106	KP1=	109	TAN1=	.0000	1.0000	.0000
	KP2=	108	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		108	126			
LINE NO.= 107	KP1=	108	TAN1=	-1.0000	.0000	.0000
	KP2=	126	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		126	130			
LINE NO.= 108	KP1=	126	TAN1=	-1.0000	.0000	.0000
	KP2=	130	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		130	137			
LINE NO.= 109	KP1=	130	TAN1=	-1.0000	.0000	.0000
	KP2=	137	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		137	136			
LINE NO.= 110	KP1=	137	TAN1=	.0000	1.0000	.0000
	KP2=	136	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		136	105			
LINE NO.= 111	KP1=	136	TAN1=	1.0000	.0000	.0000
	KP2=	105	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		112	107			
LINE NO.= 112	KP1=	112	TAN1=	.7071	.7071	.0000
	KP2=	107	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		107	106			
LINE NO.= 113	KP1=	107	TAN1=	.0000	1.0000	.0000
	KP2=	106	TAN2=	.0000	-1.0000	.0000

LINE CONNECTS KEYPOINTS	106	105			
LINE NO.= 114 KP1=	106	TAN1=	.0000	1.0000	.0000
KP2=	105	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	105	104			
LINE NO.= 115 KP1=	105	TAN1=	.0000	1.0000	.0000
KP2=	104	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	104	103			
LINE NO.= 116 KP1=	104	TAN1=	.0000	1.0000	.0000
KP2=	103	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	103	102			
LINE NO.= 117 KP1=	103	TAN1=	.0000	1.0000	.0000
KP2=	102	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	102	111			
LINE NO.= 118 KP1=	102	TAN1=	-.7071	.7071	.0000
KP2=	111	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	104	135			
LINE NO.= 119 KP1=	104	TAN1=	-1.0000	.0000	.0000
KP2=	135	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	135	134			
LINE NO.= 120 KP1=	135	TAN1=	.0000	1.0000	.0000
KP2=	134	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	123	127			
LINE NO.= 121 KP1=	123	TAN1=	-1.0000	.0000	.0000
KP2=	127	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	127	134			
LINE NO.= 122 KP1=	127	TAN1=	-1.0000	.0000	.0000
KP2=	134	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	134	141			
LINE NO.= 123 KP1=	134	TAN1=	-1.0000	.0000	.0000
KP2=	141	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	141	143			
LINE NO.= 124 KP1=	141	TAN1=	-1.0000	.0000	.0000
KP2=	143	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	143	148			
LINE NO.= 125 KP1=	143	TAN1=	-1.0000	.0000	.0000
KP2=	148	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	148	150			
LINE NO.= 126 KP1=	148	TAN1=	-.7071	-.7071	.0000
KP2=	150	TAN2=	.7071	.7071	.0000
LINE CONNECTS KEYPOINTS	141	142			
LINE NO.= 127 KP1=	141	TAN1=	.0000	-1.0000	.0000
KP2=	142	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	142	162			
LINE NO.= 128 KP1=	142	TAN1=	-1.0000	.0000	.0000
KP2=	162	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	162	161			
LINE NO.= 129 KP1=	162	TAN1=	.0000	1.0000	.0000
KP2=	161	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	161	160			
LINE NO.= 130 KP1=	161	TAN1=	.0000	1.0000	.0000
KP2=	160	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	160	159			
LINE NO.= 131 KP1=	160	TAN1=	.0000	1.0000	.0000

	KP2=	159	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 159 167						
LINE NO.=	132	KP1=	159	TAN1=	-1.0000	.0000
		KP2=	167	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS 167 166						
LINE NO.=	133	KP1=	167	TAN1=	.0000	1.0000
		KP2=	166	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 166 165						
LINE NO.=	134	KP1=	166	TAN1=	.0000	1.0000
		KP2=	165	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 165 164						
LINE NO.=	135	KP1=	165	TAN1=	.0000	1.0000
		KP2=	164	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 164 163						
LINE NO.=	136	KP1=	164	TAN1=	1.0000	.0000
		KP2=	163	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 163 156						
LINE NO.=	137	KP1=	163	TAN1=	1.0000	.0000
		KP2=	156	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 156 153						
LINE NO.=	138	KP1=	156	TAN1=	1.0000	.0000
		KP2=	153	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 153 152						
LINE NO.=	139	KP1=	153	TAN1=	1.0000	.0000
		KP2=	152	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 152 145						
LINE NO.=	140	KP1=	152	TAN1=	1.0000	.0000
		KP2=	145	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 145 138						
LINE NO.=	141	KP1=	145	TAN1=	1.0000	.0000
		KP2=	138	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 138 131						
LINE NO.=	142	KP1=	138	TAN1=	1.0000	.0000
		KP2=	131	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 131 120						
LINE NO.=	143	KP1=	131	TAN1=	1.0000	.0000
		KP2=	120	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 120 115						
LINE NO.=	144	KP1=	120	TAN1=	1.0000	.0000
		KP2=	115	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 115 114						
LINE NO.=	145	KP1=	115	TAN1=	1.0000	.0000
		KP2=	114	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 114 93						
LINE NO.=	146	KP1=	114	TAN1=	1.0000	.0000
		KP2=	93	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 93 73						
LINE NO.=	147	KP1=	93	TAN1=	1.0000	.0000
		KP2=	73	TAN2=	-1.0000	.0000

tube spacers

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 71 84 83 70

```
AREA NUMBER = 27
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 69 82 81 68

AREA NUMBER = 28
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 66 79 78 65

AREA NUMBER = 29
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 63 76 75 62

AREA NUMBER = 30
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 61 74 73 60

AREA NUMBER = 31
flux trap plate (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 85 92 91 83 84

AREA NUMBER = 32
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 83 91 90 80 81 82

AREA NUMBER = 33
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 80 90 89 79

AREA NUMBER = 34
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 79 89 88 78

AREA NUMBER = 35
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 78 88 87 77

AREA NUMBER = 36
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 77 87 86 73 74 75 76

AREA NUMBER = 37
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 86 121 120 115 114 93 73

AREA NUMBER = 38
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 121 132 131 120

AREA NUMBER = 39
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 132 139 138 131

AREA NUMBER = 40
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 139 146 145 138
```

AREA NUMBER = 41
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 146 157 156 153 152 145
AREA NUMBER = 42
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 157 165 164 163 156
AREA NUMBER = 43
flux trap plate (Al/boron)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 92 100 99 91
AREA NUMBER = 44
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 91 99 98 90
AREA NUMBER = 45
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 90 98 97 89
AREA NUMBER = 46
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 89 97 96 88
AREA NUMBER = 47
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 88 96 95 87
AREA NUMBER = 48
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 87 95 94 86
AREA NUMBER = 49
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 94 122 121 86
AREA NUMBER = 50
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 122 133 132 121
AREA NUMBER = 51
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 133 140 139 132
AREA NUMBER = 52
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 140 147 146 139
AREA NUMBER = 53
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 147 158 157 146
AREA NUMBER = 54
DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 158 166 165 157

AREA NUMBER = 55
flux trap plate (sheath)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 100 109 108 99

AREA NUMBER = 56

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 99 108 107 98

AREA NUMBER = 57

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 98 107 106 105 97

AREA NUMBER = 58

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 97 105 104 96

AREA NUMBER = 59

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 96 104 103 102 95

AREA NUMBER = 60

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 95 102 101 94

AREA NUMBER = 61

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 101 123 122 94

AREA NUMBER = 62

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 123 127 134 133 122

AREA NUMBER = 63

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 134 141 140 133

AREA NUMBER = 64

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 141 143 148 147 140

AREA NUMBER = 65

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 148 159 158 147

AREA NUMBER = 66

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 159 167 166 158

AREA NUMBER = 67
tube (sheath)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 130 137 136 129

AREA NUMBER = 68

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 106 129 136 105

AREA NUMBER = 69

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 104 135 128 103

AREA NUMBER = 70

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 128 135 134 127

AREA NUMBER = 71

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 142 144 143 141

AREA NUMBER = 72

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 142 162 161 144

AREA NUMBER = 73
tube (Al/boron)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 126 130 129 125

AREA NUMBER = 74

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 107 125 129 106

AREA NUMBER = 75

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 103 128 124 102

AREA NUMBER = 76

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 124 128 127 123

AREA NUMBER = 77

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 144 149 148 143

AREA NUMBER = 78

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 144 161 160 149

AREA NUMBER = 79
tube (stainless)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 108 113 112 107

AREA NUMBER = 80

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 108 126 119 113

AREA NUMBER = 81

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 119 126 125 118

AREA NUMBER = 82
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 112 118 125 107
AREA NUMBER = 83
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 111 110 101
AREA NUMBER = 84
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 124 117 111
AREA NUMBER = 85
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 117 124 123 116
AREA NUMBER = 86
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 110 116 123 101
AREA NUMBER = 87
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 151 150 148
AREA NUMBER = 88
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 160 155 151
AREA NUMBER = 89
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 155 160 159 154
AREA NUMBER = 90
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 150 154 159 148
AREA NUMBER = 91
homogeneous assembly
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 113 119 118 112
AREA NUMBER = 92
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 111 117 116 110
AREA NUMBER = 93
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 151 155 154 150
AREA NUMBER = 94
helium spaces
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 72 85 84 71
AREA NUMBER = 95

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 70 83 82 69

AREA NUMBER = 96

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 68 81 80 67

AREA NUMBER = 97

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 67 80 79 66

AREA NUMBER = 98

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 65 78 77 64

AREA NUMBER = 99

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 64 77 76 63

AREA NUMBER = 100

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 62 75 74 61

AREA NUMBER = 101

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 105 136 135 104

AREA NUMBER = 102

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 135 142 141 134

AREA NUMBER = 103

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Set element shapes and sizes for tubes and flux trap
14x14 mesh in fuel with 1
division per tube layer

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

DEFAULT ELEMENT DIVISIONS PER LINE = 1 .

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 81 TO 87 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 90 TO 92 STEP 2

6 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 95 TO 101 STEP 2

10 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 2, SPACING RATIO = 1.000

SELECT FOR ITEM=LINE COMPONENT=

IN RANGE 107 TO 107 STEP 1

1 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 110 TO 111 STEP 1

3 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 119 TO 120 STEP 1

5 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 127 TO 128 STEP 1

7 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 131 TO 131 STEP 1

8 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 14, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 264 STEP 1

264 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 82 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 84 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 86 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 88 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 89 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 91 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 93 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 94 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 96 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 98 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 100 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 102 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 103 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 104 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 136 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 137 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 138 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 139 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 140 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 141 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 142 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 143 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 144 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 145 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 146 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 147 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000
concatenate lines for mapped meshing
(L's 265,266,267,268,269,270,271,272,273,274)

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 82 TO 88 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 265 KP1= 73 KP2= 77

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 94 TO 98 STEP 2

3 LINES (OF 265 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 266 KP1= 80 KP2= 83

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 100 TO 102 STEP 2

2 LINES (OF 266 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 267 KP1= 83 KP2= 85

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 113 TO 114 STEP 1

2 LINES (OF 267 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 268 KP1= 107 KP2= 105

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 116 TO 117 STEP 1

2 LINES (OF 268 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 269 KP1= 104 KP2= 102

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 121 TO 122 STEP 1

2 LINES (OF 269 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 270 KP1= 123 KP2= 134

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 124 TO 125 STEP 1

2 LINES (OF 270 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 271 KP1= 141 KP2= 148

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 136 TO 137 STEP 1

2 LINES (OF 271 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 272 KP1= 164 KP2= 156

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 138 TO 140 STEP 1

3 LINES (OF 272 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 273 KP1= 156 KP2= 145

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 144 TO 147 STEP 1

4 LINES (OF 273 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 274 KP1= 120 KP2= 73

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 274 STEP 1

274 LINES (OF 274 DEFINED) SELECTED BY LSEL COMMAND.

Mesh areas
first flux trap plate, then tubes

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 27 TO 43 IN STEPS OF 1

*** WARNING *** CP= 7.710 TIME= 21:32:01
Meshing of area 32 produced 6 poorly shaped elements.

*** NOTE *** CP= 7.710 TIME= 21:32:01
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
38 39 44 45 50 51

*** WARNING *** CP= 7.790 TIME= 21:32:01
Meshing of area 33 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.800 TIME= 21:32:01
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
58 59 60 63 64 65 72 73 74 77
78 79 86 87 88 91 92 93

*** WARNING *** CP= 7.960 TIME= 21:32:02
Meshing of area 37 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.960 TIME= 21:32:02
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
125 129 130 132 133 134 139 143 144 146
147 148 153 157 158 160 161 162

*** WARNING *** CP= 8.040 TIME= 21:32:02
Meshing of area 38 produced 18 poorly shaped elements.

*** NOTE *** CP= 8.040 TIME= 21:32:02
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
163 164 165 166 167 168 169 170 171 175
176 177 178 179 180 190 191 192

*** WARNING *** CP= 8.210 TIME= 21:32:02
Meshing of area 42 produced 18 poorly shaped elements.

*** NOTE *** CP= 8.210 TIME= 21:32:02
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
238 239 240 241 242 243 244 245 246 253
254 255 256 257 258 259 260 261

*** WARNING *** CP= 8.250 TIME= 21:32:02
Meshing of area 43 produced 6 poorly shaped elements.

*** NOTE *** CP= 8.250 TIME= 21:32:02
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
280 281 282 283 284 285

NUMBER OF AREAS MESHED = 17
MAXIMUM NODE NUMBER = 386
MAXIMUM ELEMENT NUMBER = 288

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 44 TO 55 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 556
MAXIMUM ELEMENT NUMBER = 456

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 56 TO 73 IN STEPS OF 1

NUMBER OF AREAS MESHED = 18
MAXIMUM NODE NUMBER = 807
MAXIMUM ELEMENT NUMBER = 624

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 74 TO 79 IN STEPS OF 1

NUMBER OF AREAS MESHED = 6
MAXIMUM NODE NUMBER = 890
MAXIMUM ELEMENT NUMBER = 708

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 80 TO 91 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 1084
MAXIMUM ELEMENT NUMBER = 876

MATERIAL NUMBER SET TO 14

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 92 TO 94 IN STEPS OF 1

NUMBER OF AREAS MESHED = 3
MAXIMUM NODE NUMBER = 1591
MAXIMUM ELEMENT NUMBER = 1464

Delete concatenated lines
(L's freed up 265,266,267,268,269,270,271,272,273,274)

DELETE SELECTED LINES FROM 265 TO 274 BY 1

DELETED 10 LINES

Copy tube mesh and connect top and bottom

SYMMETRY TRANSFORMATION OF AREAS USING COMPONENT Y
SET IS FROM 27 TO 103 IN STEPS OF 1

MAXIMUM NODE NUMBER = 3182

MAXIMUM ELEMENT NUMBER = 2928

flux trap plate spacers

(L's 449,450,451,452,453,454,455,456,457,458)

(A's 181,182,183,184,185)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 186 73 93 202

AREA NUMBER = 181

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 201 114 115 200

AREA NUMBER = 182

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 204 131 138 206

AREA NUMBER = 183

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 212 152 153 211

AREA NUMBER = 184

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 210 156 163 215

AREA NUMBER = 185

flux trap plate helium gaps

(A's 186,187,188,189,190,191,192,193)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 187 60 73 186

AREA NUMBER = 186

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 202 93 114 201

AREA NUMBER = 187

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 200 115 120 199

AREA NUMBER = 188

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 199 120 131 204

AREA NUMBER = 189

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 206 138 145 208

AREA NUMBER = 190

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 208 145 152 212

AREA NUMBER = 191

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 211 153 156 210

AREA NUMBER = 192

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 215 163 164 214

AREA NUMBER = 193
tube/guide helium gaps (flats)
(A's 194,195,196,197,198,199,200,201,202,203,204,205)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 109 22 41 108

AREA NUMBER = 194

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 41 42 126

AREA NUMBER = 195

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 137 43 45 136

AREA NUMBER = 196

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 45 46 162

AREA NUMBER = 197

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 160 47 49 159

AREA NUMBER = 198

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 49 29 167 159

AREA NUMBER = 199

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 244 245 31 50

AREA NUMBER = 200

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 244 50 52 260

AREA NUMBER = 201

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 254 53 54 252

AREA NUMBER = 202

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 248 54 56 247

AREA NUMBER = 203

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 256 57 58 230

AREA NUMBER = 204

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 230 58 38 229

AREA NUMBER = 205

tube/guide heluim gaps (corners)
(A's 206,207,208,209,210,211,212,213,214,215,216,217)
(218)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 85 72

AREA NUMBER = 206

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 22 109 100 92 85

AREA NUMBER = 207

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 24 25 43 137 130 126 42

AREA NUMBER = 208

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 136 45 142 135

AREA NUMBER = 209

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 26 27 47 160 161 162 46

AREA NUMBER = 210

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 167 29 30 164 165 166

AREA NUMBER = 211

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 164 30 214

AREA NUMBER = 212

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 214 30 31 245 228 213

AREA NUMBER = 213

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 52 33 34 53 254 255 260

AREA NUMBER = 214

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 250 252 54 248

AREA NUMBER = 215

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 246 247 56 35 36 57

AREA NUMBER = 216

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 188 189 216 229 38 39

AREA NUMBER = 217

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 273 188 39

AREA NUMBER = 218
mesh flux trap plate spacers

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 449 TO 458 STEP 1

10 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 4, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 488 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 181 TO 185 IN STEPS OF 1

NUMBER OF AREAS MESHED = 5
MAXIMUM NODE NUMBER = 3251
MAXIMUM ELEMENT NUMBER = 3000

MERGE COINCIDENT NODES WITHIN TOLERANCE OF .10000E-03

*** NOTE *** CP= 18.570 TIME= 21:32:12
Zero nodes were merged.

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Create mesh in MPC shell and disposal container
Tube guides

DEFAULT ELEMENT DIVISIONS PER LINE = 2

SET DIVISIONS ON LINE 43 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 46 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 49 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 53 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 56 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 60 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 61 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 64 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 68 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 71 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 75 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 78 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 15 TO 26 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 3677
MAXIMUM ELEMENT NUMBER = 3272
MPC shell
(L's 489.490)

SET DIVISIONS ON LINE 23 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 25 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 26 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 27 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 28 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 29 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 31 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 32 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 34 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 35 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 36 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 37 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 38 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 40 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 23 TO 31 STEP 1

9 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 489 KP1= 21 KP2= 30

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 32 TO 40 STEP 1

9 LINES (OF 489 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 490 KP1= 30 KP2= 39

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

490 LINES (OF 490 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 17 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 18 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 22 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 41 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 7 TO 8 IN STEPS OF 1

*** WARNING *** CP= 20.620 TIME= 21:32:14
Meshing of area 7 produced 112 poorly shaped elements.

*** NOTE *** CP= 20.620 TIME= 21:32:14
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3292	3293	3294	3295	3296	3297	3298	3299	3300	3301
3302	3303	3304	3305	3306	3307	3308	3309	3310	3311
3312	3313	3314	3315	3316	3317	3318	3319	3320	3321
3322	3323	3324	3325	3326	3327	3328	3329	3330	3331
3332	3333	3334	3335	3336	3337	3338	3339	3340	3341
3342	3343	3344	3345	3346	3347	3348	3349	3350	3351
3352	3353	3354	3355	3356	3357	3358	3359	3360	3361
3362	3363	3364	3365	3366	3367	3368	3369	3370	3371
3372	3373	3374	3375	3376	3377	3378	3379	3380	3381
3382	3383	3384	3385	3386	3387	3388	3389	3390	3391
3392	3393	3394	3395	3396	3397	3398	3399	3400	3401
3402	3403	3404	3405	3406	3407	3408	3409	3410	3411

*** LIST TERMINATED AFTER 100 ***

*** WARNING *** CP= 21.330 TIME= 21:32:15
Meshing of area 8 produced 112 poorly shaped elements.

*** NOTE *** CP= 21.330 TIME= 21:32:15
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3460	3461	3462	3463	3464	3465	3466	3467	3468	3469
3470	3471	3472	3473	3474	3475	3476	3477	3478	3479
3480	3481	3482	3483	3484	3485	3486	3487	3488	3489
3490	3491	3492	3493	3494	3495	3496	3497	3498	3499
3500	3501	3502	3503	3504	3505	3506	3507	3508	3509
3510	3511	3512	3513	3514	3515	3516	3517	3518	3519
3520	3521	3522	3523	3524	3525	3526	3527	3528	3529
3530	3531	3532	3533	3534	3535	3536	3537	3538	3539
3540	3541	3542	3543	3544	3545	3546	3547	3548	3549
3550	3551	3552	3553	3554	3555	3556	3557	3558	3559

3558 3559 3560 3561 3562 3563 3564 3565 3566 3567
 3568 3569 3570 3571 3572 3573 3574 3575 3576 3577
 *** LIST TERMINATED AFTER 100 ***

NUMBER OF AREAS MESHED = 2
 MAXIMUM NODE NUMBER = 4109
 MAXIMUM ELEMENT NUMBER = 3608

Assume vacuum between shell and inner barrier

SET DIVISIONS ON LINE 13 (IF SELECTED AND UNMESHED)
 TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 14 (IF SELECTED AND UNMESHED)
 TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 19 (IF SELECTED AND UNMESHED)
 TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 20 (IF SELECTED AND UNMESHED)
 TO NDIV = 2, SPACING RATIO = 1.000
 No MAT,7,
 No TYPE,1,
 No AMESH,5,6,1,
 Delete concatenated lines
 (L's freed up 489,490)

DELETE SELECTED LINES FROM 489 TO 490 BY 1

DELETED 2 LINES
 Inner and outer barrier

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 7 TO 10 STEP 1

4 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
 TO NDIV = 56, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 6 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 15 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 16 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 5 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 11 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 12 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 3 TO 4 IN STEPS OF 1

NUMBER OF AREAS MESHED = 2
 MAXIMUM NODE NUMBER = 4561
 MAXIMUM ELEMENT NUMBER = 3944

MATERIAL NUMBER SET TO 15

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 1 TO 2 IN STEPS OF 1

NUMBER OF AREAS MESHED = 2
 MAXIMUM NODE NUMBER = 4900
 MAXIMUM ELEMENT NUMBER = 4280
 Empty basket spaces

DEFAULT ELEMENT DIVISIONS PER LINE BASED ON ELEMENT SIZE = .100

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
 PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
 OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 9 TO 14 IN STEPS OF 1

** AREA 9 MESHED WITH 40 QUADRILATERALS, 10 TRIANGLES **
 ** AREA 11 MESHED WITH 41 QUADRILATERALS, 10 TRIANGLES **
 ** AREA 12 MESHED WITH 40 QUADRILATERALS, 10 TRIANGLES **
 ** AREA 14 MESHED WITH 41 QUADRILATERALS, 10 TRIANGLES **

NUMBER OF AREAS MESHED = 6
 MAXIMUM NODE NUMBER = 5272
 MAXIMUM ELEMENT NUMBER = 4776

Define mesh and radiation surface elements
 Tube/guides gap

SELECT FOR ITEM=LOC COMPONENT=X BETWEEN .00000E+00 AND .00000E+00
 KABS= 0. TOLERANCE= .100000E-05

39 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 7 TO 8 STEP 1

41 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 13 TO 14 STEP 1

43 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 17 TO 18 STEP 1

45 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

UNSELECT ONLY NODES INTERIOR TO SELECTED LINE SET.

4904 NODES (OF 5272 DEFINED) SELECTED FROM
 45 SELECTED LINES BY NSLL COMMAND.

ALL SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 7

GENERATE ELEMENTS ON SURFACE DEFINED BY SELECTED NODES
TYPE= 7 REAL= 1 MATERIAL= 1 ESYS= 0

NUMBER OF ELEMENTS GENERATED= 644

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5272 STEP 1

5272 NODES (OF 5272 DEFINED) SELECTED BY NSEL COMMAND.
Basket spaces

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 17

GENERATE NODES AND ELEMENTS
ON LINES 25 TO 29 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5462

GENERATE NODES AND ELEMENTS
ON LINES 34 TO 38 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5504

GENERATE NODES AND ELEMENTS
ON LINES 80 TO 80 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5510

GENERATE NODES AND ELEMENTS
ON LINES 45 TO 45 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5524

GENERATE NODES AND ELEMENTS
ON LINES 50 TO 52 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5552

GENERATE NODES AND ELEMENTS
ON LINES 57 TO 59 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5572

GENERATE NODES AND ELEMENTS
ON LINES 62 TO 65 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5592

GENERATE NODES AND ELEMENTS
ON LINES 69 TO 72 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
 MAXIMUM NODE NUMBER = 5272
 MAXIMUM ELEMENT NUMBER = 5620

GENERATE NODES AND ELEMENTS
 ON LINES 76 TO 79 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
 MAXIMUM NODE NUMBER = 5272
 MAXIMUM ELEMENT NUMBER = 5640
 MPC shell/inner barrier gap

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
 ON LINES 17 TO 18 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
 MAXIMUM NODE NUMBER = 5272
 MAXIMUM ELEMENT NUMBER = 5752

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
 ON LINES 13 TO 14 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
 MAXIMUM NODE NUMBER = 5272
 MAXIMUM ELEMENT NUMBER = 5864

Create mesh in helium spaces

DEFAULT ELEMENT DIVISIONS PER LINE = 2

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
 PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 95 TO 103 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
 MAXIMUM NODE NUMBER = 5396
 MAXIMUM ELEMENT NUMBER = 6024

GENERATE NODES AND ELEMENTS
 IN AREAS 172 TO 180 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
 MAXIMUM NODE NUMBER = 5520
 MAXIMUM ELEMENT NUMBER = 6184

GENERATE NODES AND ELEMENTS
 IN AREAS 186 TO 205 IN STEPS OF 1

*** WARNING *** CP= 28.130 TIME= 21:32:22
 Area 195 has a corner angle of 154 degrees. This is not recommended
 for quadrilateral elements.

*** WARNING *** CP= 28.180 TIME= 21:32:22
 Meshing of area 195 produced 10 poorly shaped elements.

*** NOTE *** CP= 28.190 TIME= 21:32:22
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6310 6311 6312 6313 6314 6324 6325 6326 6327 6328

*** WARNING *** CP= 28.190 TIME= 21:32:22
Area 196 has a corner angle of 19 degrees. This is not recommended for
quadrilateral elements.

*** WARNING *** CP= 28.240 TIME= 21:32:22
Meshing of area 196 produced 20 poorly shaped elements.

*** NOTE *** CP= 28.240 TIME= 21:32:22
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6333 6334 6335 6336 6337 6338 6339 6340 6341 6342
6347 6348 6349 6350 6351 6352 6353 6354 6355 6356

*** WARNING *** CP= 28.240 TIME= 21:32:22
Area 197 has a corner angle of 19 degrees. This is not recommended for
quadrilateral elements.

*** WARNING *** CP= 28.290 TIME= 21:32:22
Meshing of area 197 produced 20 poorly shaped elements.

*** NOTE *** CP= 28.300 TIME= 21:32:22
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6357 6358 6359 6360 6361 6362 6363 6364 6365 6366
6371 6372 6373 6374 6375 6376 6377 6378 6379 6380

*** WARNING *** CP= 28.300 TIME= 21:32:22
Area 198 has a corner angle of 154 degrees. This is not recommended
for quadrilateral elements.

*** WARNING *** CP= 28.350 TIME= 21:32:22
Meshing of area 198 produced 10 poorly shaped elements.

*** NOTE *** CP= 28.350 TIME= 21:32:22
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6385 6386 6387 6388 6389 6399 6400 6401 6402 6403

*** WARNING *** CP= 28.410 TIME= 21:32:22
Area 201 has a corner angle of 154 degrees. This is not recommended
for quadrilateral elements.

*** WARNING *** CP= 28.460 TIME= 21:32:23
Meshing of area 201 produced 10 poorly shaped elements.

*** NOTE *** CP= 28.460 TIME= 21:32:23
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6446 6447 6448 6449 6450 6460 6461 6462 6463 6464

*** WARNING *** CP= 28.460 TIME= 21:32:23
Area 202 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.510 TIME= 21:32:23
Meshing of area 202 produced 20 poorly shaped elements.

*** NOTE *** CP= 28.510 TIME= 21:32:23
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6469 6470 6471 6472 6473 6474 6475 6476 6477 6478
6483 6484 6485 6486 6487 6488 6489 6490 6491 6492

*** WARNING *** CP= 28.520 TIME= 21:32:23
Area 203 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.570 TIME= 21:32:23
Meshing of area 203 produced 20 poorly shaped elements.

*** NOTE *** CP= 28.570 TIME= 21:32:23
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6493 6494 6495 6496 6497 6498 6499 6500 6501 6502
6507 6508 6509 6510 6511 6512 6513 6514 6515 6516

*** WARNING *** CP= 28.570 TIME= 21:32:23
Area 204 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.620 TIME= 21:32:23
Meshing of area 204 produced 10 poorly shaped elements.

*** NOTE *** CP= 28.630 TIME= 21:32:23
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6521 6522 6523 6524 6525 6535 6536 6537 6538 6539

NUMBER OF AREAS MESHED = 20
MAXIMUM NODE NUMBER = 5730
MAXIMUM ELEMENT NUMBER = 6560

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 206 TO 218 IN STEPS OF 1
** AREA 206 MESHED WITH 1 QUADRILATERALS, 2 TRIANGLES **
** AREA 207 MESHED WITH 0 QUADRILATERALS, 10 TRIANGLES **

*** WARNING *** CP= 28.790 TIME= 21:32:23
Meshing of area 207 produced 1 poorly shaped elements.

*** NOTE *** CP= 28.790 TIME= 21:32:23
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 28.790 TIME= 21:32:23
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6570

** AREA	208 MESHED WITH	5 QUADRILATERALS,	11 TRIANGLES **
** AREA	209 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	210 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	211 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 29.090 TIME= 21:32:23
Meshing of area 211 produced 3 poorly shaped elements.

*** NOTE *** CP= 29.090 TIME= 21:32:23
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 29.090 TIME= 21:32:23
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6626 6627 6629

** AREA	212 MESHED WITH	2 QUADRILATERALS,	2 TRIANGLES **
** AREA	213 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 29.160 TIME= 21:32:23
Meshing of area 213 produced 1 poorly shaped elements.

*** NOTE *** CP= 29.160 TIME= 21:32:23
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 29.160 TIME= 21:32:23
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6641

** AREA	214 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	215 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	216 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	217 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 29.470 TIME= 21:32:24
Meshing of area 217 produced 2 poorly shaped elements.

*** NOTE *** CP= 29.470 TIME= 21:32:24
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 29.470 TIME= 21:32:24
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6699 6701

** AREA	218 MESHED WITH	1 QUADRILATERALS,	2 TRIANGLES **
---------	-----------------	-------------------	----------------

NUMBER OF AREAS MESHED = 13
MAXIMUM NODE NUMBER = 5764
MAXIMUM ELEMENT NUMBER = 6705

Clear areas and mesh by hand difficult areas

CLEAR NODES AND ELEMENTS
FROM AREAS 211 TO 211 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT 6706 5653 3453 3952 3952

ELEMENT 6707 636 5653 3952 3952

ELEMENT	6708	545	636	3952	3952
ELEMENT	6709	551	545	3952	3952
ELEMENT	6710	363	551	3952	3952
ELEMENT	6711	370	363	3952	3952
ELEMENT	6712	371	370	3952	3952
ELEMENT	6713	369	371	3952	3952
ELEMENT	6714	5747	369	3952	3952
ELEMENT	6715	3782	5747	3952	3952

CLEAR NODES AND ELEMENTS
FROM AREAS 217 TO 217 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT	6716	3735	5763	3738	3738
ELEMENT	6717	5763	1661	3738	3738
ELEMENT	6718	1661	1663	3738	3738
ELEMENT	6719	1663	1664	3738	3738
ELEMENT	6720	1664	1662	3738	3738
ELEMENT	6721	1662	1979	3738	3738
ELEMENT	6722	1979	1978	3738	3738
ELEMENT	6723	1978	2148	3738	3738
ELEMENT	6724	2148	5725	3738	3738
ELEMENT	6725	5725	3666	3738	3738

***** ROUTINE COMPLETED ***** CP = 29.550

Create element mesh plots to illustrate model
View mesh for entire model

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (CENTROIDAL SORT) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS 0 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

/SHOW SWITCH PLOTS TO FILE meshfull.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshfull.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

5368 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

/SHOW SWITCH PLOTS TO FILE meshgap.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshgap.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model
View mesh for radiation substructure

MAT NUMBERING KEY = 0

TYPE NUMBERING KEY = 1

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

864 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

1088 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

/SHOW SWITCH PLOTS TO FILE meshrad.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshrad.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6725 STEP 1

6705 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

Generate super-elements

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 21:32:31 MAR 25, 1995 CP= 36.290
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS RADIATION MATRIX UTILITY (AUX12) *****

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

655 NODES (OF 5764 DEFINED) SELECTED FROM
644 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= tubegap.sub

*** WARNING *** CP= 36.600 TIME= 21:32:31
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 644 NUMBER OF NODES= 655

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

220 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

220 NODES (OF 5764 DEFINED) SELECTED FROM
220 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= spaces.sub

*** WARNING *** CP= 86.230 TIME= 21:33:21
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 220 NUMBER OF NODES= 220

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

224 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

226 NODES (OF 5764 DEFINED) SELECTED FROM

224 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= shellgap.sub

*** WARNING *** CP= 94.420 TIME= 21:33:29
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 224 NUMBER OF NODES= 226

800 ZONES CREATE 1600 RAYS

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6725 STEP 1

6705 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1

5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 101.760

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 21:33:36 MAR 25, 1995 CP= 101.760
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE SET TO 18

SUPERELEMENT 6726 tubegap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6726

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6726

SUPERELEMENT 6727 spaces NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6727

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6727

SUPERELEMENT 6728 shellgap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6728

CURRENT NODAL DOF SET IS TEMP

THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6728

Delete radiation edge elements

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6708 DEFINED) SELECTED BY ESEL COMMAND.

DELETE ALL SELECTED ELEMENTS.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

6064 ELEMENTS (OF 6064 DEFINED) SELECTED BY ESEL COMMAND.

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

18 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

22 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CLEAR NODES AND ELEMENTS FROM ALL SELECTED LINES

*** NOTE *** CP= 102.370 TIME= 21:33:37
Nodes cannot be cleared from line 13 because area 3 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.390 TIME= 21:33:37
Nodes cannot be cleared from line 14 because area 4 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.410 TIME= 21:33:37
Nodes cannot be cleared from line 17 because area 7 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.420 TIME= 21:33:37
Nodes cannot be cleared from line 18 because area 8 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.430 TIME= 21:33:37
Nodes cannot be cleared from line 25 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.440 TIME= 21:33:37
Nodes cannot be cleared from line 27 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.450 TIME= 21:33:37
Nodes cannot be cleared from line 29 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.450 TIME= 21:33:37
Nodes cannot be cleared from line 34 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.460 TIME= 21:33:37
Nodes cannot be cleared from line 36 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.460 TIME= 21:33:37
Nodes cannot be cleared from line 38 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.470 TIME= 21:33:37

Nodes cannot be cleared from line 45 because area 9 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.470 TIME= 21:33:37
Nodes cannot be cleared from line 50 because area 10 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.480 TIME= 21:33:37
Nodes cannot be cleared from line 52 because area 10 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.480 TIME= 21:33:37
Nodes cannot be cleared from line 57 because area 11 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.490 TIME= 21:33:37
Nodes cannot be cleared from line 59 because area 11 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.490 TIME= 21:33:37
Nodes cannot be cleared from line 62 because area 12 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.490 TIME= 21:33:37
Nodes cannot be cleared from line 65 because area 12 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.500 TIME= 21:33:38
Nodes cannot be cleared from line 69 because area 13 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.510 TIME= 21:33:38
Nodes cannot be cleared from line 72 because area 13 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.510 TIME= 21:33:38
Nodes cannot be cleared from line 76 because area 14 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.520 TIME= 21:33:38
Nodes cannot be cleared from line 79 because area 14 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.520 TIME= 21:33:38
Nodes cannot be cleared from line 80 because area 9 is meshed. Only elements are deleted.

CLEARED 22 LINES, 0 KEYPOINTS

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 102.530

Set solution parameters and apply B.C.'s

Solve steady-state for initial conditions
with WP surface equal to drift ambient
temperature from repository model.

***** ANSYS SOLUTION ROUTINE *****

PERFORM A TRANSIENT ANALYSIS
THIS WILL BE A NEW ANALYSIS

USE THE DEFAULT NEWTON-RAPHSON OPTION FOR ALL DOFS
AND USE THE DEFAULT ADAPTIVE DESCENT OPTION

*** NOTE *** CP= 102.530 TIME= 21:33:38
Damping (if present) may be ignored only in reduced transient analyses.

PERFORM A FULL TRANSIENT ANALYSIS

TEMPERATURE OFFSET FROM ABSOLUTE ZERO= 273.150

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5764 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES 1 TO 5764 BY 1
REAL= 26.1398022 IMAG= .000000000E+00

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1

5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .10000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

*** WARNING *** CP= 104.080 TIME= 21:33:40
Element 6708 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 104.080 TIME= 21:33:40
Element 6708 has a poor shape angle of 7.74746071 degrees.

*** WARNING *** CP= 104.080 TIME= 21:33:40
Element 6723 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 104.090 TIME= 21:33:40
Element 6723 has a poor shape angle of 7.74746071 degrees.

*** NOTE *** CP= 104.090 TIME= 21:33:40
All shape tests were bypassed for elements associated with the solid model, because most of them were already done at AMESH or VMESH. Use CHECK if desired to perform all of the element tests.

*** NOTE *** CP= 104.090 TIME= 21:33:40
The model data was checked and warning messages were found.
Please review output or errors file (ma12w3.err) for these warning messages.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 21:33:40 MAR 25, 1995 CP= 104.090
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

SOLUTION OPTIONS

PROBLEM DIMENSIONALITY.3-D
DEGREES OF FREEDOM.TEMP
ANALYSIS TYPETRANSIENT
SOLUTION METHOD.FULL
OFFSET TEMPERATURE FROM ABSOLUTE ZERO 273.15
NEWTON-RAPHSON OPTIONPROGRAM CHOSEN

*** NOTE *** CP= 105.240 TIME= 21:33:41
This load step will be a static (steady-state) step.

*** NOTE *** CP= 105.700 TIME= 21:33:42
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution procedure) for ALL DOFs.

LOAD STEP OPTIONS

LOAD STEP NUMBER.1
TIME AT END OF THE LOAD STEP.10000E-05
AUTOMATIC TIME STEPPINGON
INITIAL NUMBER OF SUBSTEPS0
MAXIMUM NUMBER OF SUBSTEPS0
MINIMUM NUMBER OF SUBSTEPS1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONSNO
TRANSIENT (INERTIA) EFFECTSOFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

***** CENTROID, MASS, AND MASS MOMENTS OF INERTIA *****

CALCULATIONS ASSUME ELEMENT MASS AT ELEMENT CENTROID

TOTAL MASS = 3601.8

CENTROID	MOM. OF INERTIA ABOUT ORIGIN	MOM. OF INERTIA ABOUT CENTROID
XC = .32228	IXX = 527.2	IXX = 527.2
YC = .77163E-11	IYY = 527.2	IYY = 153.1
ZC = .00000E+00	IZZ = 1054.	IZZ = 680.2
	IXY = .5422E-09	IXY = .9499E-08
	IYZ = .0000E+00	IYZ = .0000E+00
	IZX = .0000E+00	IZX = .0000E+00

*** MASS SUMMARY BY ELEMENT TYPE ***

TYPE	MASS
1	3601.81

Range of element maximum matrix coefficients in global coordinates
Maximum= 483.62017 at element 2116.
Minimum= 1.026389896E-09 at element 6728.

*** WARNING *** CP= 127.630 TIME= 21:34:06
Coefficient ratio exceeds 1.0e8 - Check results.

*** ELEMENT MATRIX FORMULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5617	PLANE55	13.930	.002
18	3	MATRIX50	.630	.210

Time at end of element matrix formulation CP= 127.63.
HT FLOW CONVERGENCE VALUE= 9663. CRITERION= 9.663

Estimated number of active DOF= 5651.
Maximum wavefront= 912.

Time at end of matrix triangularization CP= 232.24.
Equation solver maximum pivot= 1269.32433 at node 2083 TEMP.
Equation solver minimum pivot= 0.186669206 at node 5523 TEMP.
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 387.8
HT FLOW CONVERGENCE VALUE= 691.6 CRITERION= .1742
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -146.6
HT FLOW CONVERGENCE VALUE= 117.4 CRITERION= .3405
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -32.63
HT FLOW CONVERGENCE VALUE= 29.93 CRITERION= .2043
EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.502
HT FLOW CONVERGENCE VALUE= 2.941 CRITERION= .1761
EQUIL ITER 5 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6490
HT FLOW CONVERGENCE VALUE= .3654 CRITERION= .1741
EQUIL ITER 6 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6119E-01
HT FLOW CONVERGENCE VALUE= .3619E-01 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 6

*** ELEMENT RESULT CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5617	PLANE55	8.280	.001
18	3	MATRIX50	.890	.297

*** NODAL LOAD CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5617	PLANE55	1.050	.000
18	3	MATRIX50	.000	.000

*** LOAD STEP 1 SUBSTEP 1 COMPLETED. CUM ITER = 6
*** TIME = .100000E-05 TIME INC = .100000E-05

*** PROBLEM STATISTICS

ACTUAL NO. OF ACTIVE DEGREES OF FREEDOM = 5651
R.M.S. WAVEFRONT SIZE = 443.2

*** ANSYS BINARY FILE STATISTICS

BUFFER SIZE USED= 4096

6.109 MB WRITTEN ON ELEMENT MATRIX FILE: ma12w3.emat
2.516 MB WRITTEN ON ELEMENT SAVED DATA FILE: ma12w3.esav
18.031 MB WRITTEN ON TRIANGULARIZED MATRIX FILE: ma12w3.tri
.031 MB WRITTEN ON SUBSTRUCTURE DOF SOLUTION FILE: ma12w3.dsub
3.063 MB WRITTEN ON RESULTS FILE: ma12w3.rth
Solve steady-state for initial conditions
with WP surface temperatures from repository
steady-state solution.

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5764 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

DELETE SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES
RANGE 1 TO 5764 BY 1

NUMBER OF SPECIFIED CONSTRAINTS DELETED= 113

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1

5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 56.921 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 56.946 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 56.972 .00000E+00 EXPANSION KEY = 1

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .20000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** WARNING *** CP= 883.740 TIME= 21:46:50
This load step will be a static (steady-state) step.

*** NOTE *** CP= 884.210 TIME= 21:46:50
The step data was checked and warning messages were found.
Please review output or errors file (ma12w3.err) for these warning
messages.

*** NOTE *** CP= 884.210 TIME= 21:46:50
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 21:46:50 MAR 25, 1995 CP= 884.210
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 2
TIME AT END OF THE LOAD STEP.20000E-05
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 0
MAXIMUM NUMBER OF SUBSTEPS 0
MINIMUM NUMBER OF SUBSTEPS 1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS OFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .1138E+05 CRITERION= 11.38
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 30.95
HT FLOW CONVERGENCE VALUE= 25.12 CRITERION= .1801

```

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -10.74
HT FLOW CONVERGENCE VALUE= 6.390 CRITERION= .1798
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.179
HT FLOW CONVERGENCE VALUE= .3578 CRITERION= .1745
EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1145
HT FLOW CONVERGENCE VALUE= .6983E-01 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 4
*** LOAD STEP 2 SUBSTEP 1 COMPLETED. CUM ITER = 10
*** TIME = .200000E-05 TIME INC = .100000E-05
*****
Set time integration parameters

```

INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

USE AUTOMATIC TIME STEPPING THIS LOAD STEP
Time substep ranges from 10 sec to 1/4 loadstep

USE 10 SUBSTEPS INITIALLY THIS LOAD STEP FOR ALL DOFS
FOR AUTOMATIC TIME STEPPING:

```

USE 40 SUBSTEPS AS A MAXIMUM
USE 4 SUBSTEPS AS A MINIMUM
USE THE FINAL TIME STEP SIZE OF THE PREVIOUS LOAD STEP
AS THE STARTING TIME STEP SIZE.
Begin Transient
Apply loads and solve for 0 to .9 years

```

*DO LOOP ON PARAMETER= TM FROM 31.558 TO .28402E+08 BY .31558E+07

TIME= 31.558

```

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

```

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

```

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

```

```

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

```

```

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

```

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

```

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

```

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

```

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 56.921 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 56.946 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 56.972 .00000E+00 EXPANSION KEY = 1

```

***** ANSYS SOLVE COMMAND *****

```

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

```

*** NOTE *** CP= 1118.360 TIME= 21:50:51
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 21:50:51 MAR 25, 1995 CP= 1118.360
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 3
TIME AT END OF THE LOAD STEP. 31.558
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .6983E-01 CRITERION= .1744
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1050E-03
HT FLOW CONVERGENCE VALUE= .6633E-05 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 1 COMPLETED. CUM ITER = 11
*** TIME = .788942 TIME INC = .788940
*** RESPONSE EIGENVALUE = .4247 OSCILLATION LIMIT = .3350
*** AUTO STEP TIME: NEXT TIME INC = .78894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .1263 CRITERION= .1744
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5964E-04
HT FLOW CONVERGENCE VALUE= .1032E-04 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 2 COMPLETED. CUM ITER = 12
*** TIME = 1.57788 TIME INC = .788940
*** RESPONSE EIGENVALUE = .2092 OSCILLATION LIMIT = .1651
*** AUTO TIME STEP: NEXT TIME INC = 2.3668 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= .1116 CRITERION= .1744
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9204E-04
HT FLOW CONVERGENCE VALUE= .2492E-04 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 3 COMPLETED. CUM ITER = 13
*** TIME = 3.94470 TIME INC = 2.36682
*** RESPONSE EIGENVALUE = .1051 OSCILLATION LIMIT = .2487
*** AUTO TIME STEP: NEXT TIME INC = 4.7589 INCREASED (FACTOR = 2.0107)

HT FLOW CONVERGENCE VALUE= .9232E-01 CRITERION= .1744
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1078E-03
HT FLOW CONVERGENCE VALUE= .3444E-04 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 4 COMPLETED. CUM ITER = 14
*** TIME = 8.70358 TIME INC = 4.75888
*** RESPONSE EIGENVALUE = .4324E-01 OSCILLATION LIMIT = .2058

*** AUTO TIME STEP: NEXT TIME INC = 7.8894 INCREASED (FACTOR = 1.6578)

HT FLOW CONVERGENCE VALUE= .8243E-01 CRITERION= .1744
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6925E-04
 HT FLOW CONVERGENCE VALUE= .3698E-04 CRITERION= .1744 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 5 COMPLETED. CUM ITER = 15
 *** TIME = 16.5930 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .1514E-01 OSCILLATION LIMIT = .1194
 *** AUTO STEP TIME: NEXT TIME INC = 7.8894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7738E-01 CRITERION= .1744
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4989E-04
 HT FLOW CONVERGENCE VALUE= .2720E-04 CRITERION= .1744 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 6 COMPLETED. CUM ITER = 16
 *** TIME = 24.4824 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .8144E-02 OSCILLATION LIMIT = .6425E-01
 *** AUTO TIME STEP: NEXT TIME INC = 7.0752 DECREASED (FACTOR = .8968)

HT FLOW CONVERGENCE VALUE= .7389E-01 CRITERION= .1744
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4053E-04
 HT FLOW CONVERGENCE VALUE= .2110E-04 CRITERION= .1744 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 7 COMPLETED. CUM ITER = 17
 *** TIME = 31.5576 TIME INC = 7.07522
 *** RESPONSE EIGENVALUE = .5943E-02 OSCILLATION LIMIT = .4205E-01

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:00:54 MAR 25, 1995 CP= 1702.860
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 164.1 CRITERION= .2395
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4802
 HT FLOW CONVERGENCE VALUE= .3041 CRITERION= .1738
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6962E-01
 HT FLOW CONVERGENCE VALUE= .5493E-01 CRITERION= .1739 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 1 COMPLETED. CUM ITER = 19
 *** TIME = 78925.6 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .2022E-05 OSCILLATION LIMIT = .1595
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 164.4 CRITERION= .2392
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4802
 HT FLOW CONVERGENCE VALUE= .3315 CRITERION= .1741
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7239E-01
 HT FLOW CONVERGENCE VALUE= .5228E-01 CRITERION= .1742 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 2 COMPLETED. CUM ITER = 21
 *** TIME = 157820. TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4219E-06 OSCILLATION LIMIT = .3329E-01
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 492.3 CRITERION= .5222
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.441
 HT FLOW CONVERGENCE VALUE= 1.036 CRITERION= .1738
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3339
 HT FLOW CONVERGENCE VALUE= .2135 CRITERION= .1739
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3706E-01
 HT FLOW CONVERGENCE VALUE= .9454E-02 CRITERION= .1737 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 3 COMPLETED. CUM ITER = 24
 *** TIME = 394502. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .3745E-06 OSCILLATION LIMIT = .8864E-01
 *** AUTO STEP TIME: NEXT TIME INC = .23668E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 492.5 CRITERION= .5222
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.441
 HT FLOW CONVERGENCE VALUE= 1.040 CRITERION= .1741
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3344
 HT FLOW CONVERGENCE VALUE= .2118 CRITERION= .1742
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3683E-01
 HT FLOW CONVERGENCE VALUE= .9379E-02 CRITERION= .1740 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 4 COMPLETED. CUM ITER = 27
 *** TIME = 631184. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .3427E-06 OSCILLATION LIMIT = .8111E-01
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 1477. CRITERION= 1.487
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 4.322
 HT FLOW CONVERGENCE VALUE= 3.168 CRITERION= .1739
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.213
 HT FLOW CONVERGENCE VALUE= .7257 CRITERION= .1741
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1450
 HT FLOW CONVERGENCE VALUE= .3323E-01 CRITERION= .1735 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 5 COMPLETED. CUM ITER = 30
 *** TIME = .134123E+07 TIME INC = 710046.
 *** RESPONSE EIGENVALUE = .3828E-06 OSCILLATION LIMIT = .2718
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 1641. CRITERION= 1.650
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 4.802
 HT FLOW CONVERGENCE VALUE= 3.515 CRITERION= .1741
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.342
 HT FLOW CONVERGENCE VALUE= .7861 CRITERION= .1743
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1578
 HT FLOW CONVERGENCE VALUE= .3583E-01 CRITERION= .1736 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 6 COMPLETED. CUM ITER = 33
 *** TIME = .213017E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3677E-06 OSCILLATION LIMIT = .2901
 *** AUTO TIME STEP: NEXT TIME INC = .51281E+06 DECREASED (FACTOR = .6500)

HT FLOW CONVERGENCE VALUE= 1066. CRITERION= 1.080
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 3.121
 HT FLOW CONVERGENCE VALUE= 2.268 CRITERION= .1734
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8183
 HT FLOW CONVERGENCE VALUE= .4783 CRITERION= .1735
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9316E-01
 HT FLOW CONVERGENCE VALUE= .2143E-01 CRITERION= .1732 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 7 COMPLETED. CUM ITER = 36
 *** TIME = .264298E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .3981E-06 OSCILLATION LIMIT = .2042
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1066. CRITERION= 1.080
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 3.121
 HT FLOW CONVERGENCE VALUE= 2.261 CRITERION= .1736
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8108
 HT FLOW CONVERGENCE VALUE= .4681 CRITERION= .1738
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9120E-01
 HT FLOW CONVERGENCE VALUE= .2087E-01 CRITERION= .1734 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 8 COMPLETED. CUM ITER = 39
 *** TIME = .315579E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .3677E-06 OSCILLATION LIMIT = .1886

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:24:02 MAR 25, 1995 CP= 3070.100
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 224.7 CRITERION= .2838
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6181
 HT FLOW CONVERGENCE VALUE= .5314 CRITERION= .1736
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1843
 HT FLOW CONVERGENCE VALUE= .9845E-01 CRITERION= .1737 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 1 COMPLETED. CUM ITER = 41
 *** TIME = .366860E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .5216E-06 OSCILLATION LIMIT = .2675
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 224.8 CRITERION= .2840
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6133
 HT FLOW CONVERGENCE VALUE= .4168 CRITERION= .1734
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1476
 HT FLOW CONVERGENCE VALUE= .9889E-01 CRITERION= .1733 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 2 COMPLETED. CUM ITER = 43
 *** TIME = .418141E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .1785E-05 OSCILLATION LIMIT = .9154
 *** AUTO TIME STEP: NEXT TIME INC = .28009E+06 DECREASED (FACTOR = .5462)

HT FLOW CONVERGENCE VALUE= 122.7 CRITERION= .2124
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3359
 HT FLOW CONVERGENCE VALUE= .2787 CRITERION= .1733
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8643E-01
 HT FLOW CONVERGENCE VALUE= .4812E-01 CRITERION= .1734 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 3 COMPLETED. CUM ITER = 45
 *** TIME = .446150E+07 TIME INC = 280091.
 *** RESPONSE EIGENVALUE = .3120E-06 OSCILLATION LIMIT = .8740E-01
 *** AUTO STEP TIME: NEXT TIME INC = .28009E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 122.8 CRITERION= .2124
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3350
 HT FLOW CONVERGENCE VALUE= .2321 CRITERION= .1732
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7337E-01
 HT FLOW CONVERGENCE VALUE= .4859E-01 CRITERION= .1732 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 4 COMPLETED. CUM ITER = 47
 *** TIME = .474160E+07 TIME INC = 280091.
 *** RESPONSE EIGENVALUE = .9851E-06 OSCILLATION LIMIT = .2759
 *** AUTO TIME STEP: NEXT TIME INC = .50759E+06 INCREASED (FACTOR = 1.8122)

HT FLOW CONVERGENCE VALUE= 222.4 CRITERION= .2819
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6071
 HT FLOW CONVERGENCE VALUE= .4648 CRITERION= .1732
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1619
 HT FLOW CONVERGENCE VALUE= .9676E-01 CRITERION= .1732 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 5 COMPLETED. CUM ITER = 49
 *** TIME = .524918E+07 TIME INC = 507586.
 *** RESPONSE EIGENVALUE = .9436E-06 OSCILLATION LIMIT = .4790
 *** AUTO STEP TIME: NEXT TIME INC = .50759E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 222.4 CRITERION= .2819
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6070
 HT FLOW CONVERGENCE VALUE= .4433 CRITERION= .1730
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1553
 HT FLOW CONVERGENCE VALUE= .9481E-01 CRITERION= .1730 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 5 SUBSTEP 6 COMPLETED. CUM ITER = 51
 *** TIME = .575677E+07 TIME INC = 507586.
 *** RESPONSE EIGENVALUE = .6961E-06 OSCILLATION LIMIT = .3534
 *** AUTO TIME STEP: NEXT TIME INC = .27739E+06 DECREASED (FACTOR = .5465)

HT FLOW CONVERGENCE VALUE= 121.5 CRITERION= .2114
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3317
 HT FLOW CONVERGENCE VALUE= .2514 CRITERION= .1729
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7840E-01
 HT FLOW CONVERGENCE VALUE= .4747E-01 CRITERION= .1729 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 5 SUBSTEP 7 COMPLETED. CUM ITER = 53
 *** TIME = .603416E+07 TIME INC = 277391.
 *** RESPONSE EIGENVALUE = .7439E-06 OSCILLATION LIMIT = .2064
 *** AUTO STEP TIME: NEXT TIME INC = .27739E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 121.6 CRITERION= .2114
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3317
 HT FLOW CONVERGENCE VALUE= .2406 CRITERION= .1728
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7519E-01
 HT FLOW CONVERGENCE VALUE= .4672E-01 CRITERION= .1728 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 5 SUBSTEP 8 COMPLETED. CUM ITER = 55
 *** TIME = .631155E+07 TIME INC = 277391.
 *** RESPONSE EIGENVALUE = .5311E-06 OSCILLATION LIMIT = .1473

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:42:17 MAR 25, 1995 CP= 4145.310
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 76.26 CRITERION= .1889
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2080
 HT FLOW CONVERGENCE VALUE= .1592 CRITERION= .1728 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 6 SUBSTEP 1 COMPLETED. CUM ITER = 56
 *** TIME = .658894E+07 TIME INC = 277391.
 *** RESPONSE EIGENVALUE = .5715E-06 OSCILLATION LIMIT = .1585
 *** AUTO STEP TIME: NEXT TIME INC = .27739E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 76.29 CRITERION= .1889
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2077
 HT FLOW CONVERGENCE VALUE= .1370 CRITERION= .1728 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 6 SUBSTEP 2 COMPLETED. CUM ITER = 57
 *** TIME = .686633E+07 TIME INC = 277391.
 *** RESPONSE EIGENVALUE = .6885E-06 OSCILLATION LIMIT = .1910
 *** AUTO TIME STEP: NEXT TIME INC = .72619E+06 INCREASED (FACTOR = 2.6179)

HT FLOW CONVERGENCE VALUE= 199.6 CRITERION= .2640
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5436
 HT FLOW CONVERGENCE VALUE= .3817 CRITERION= .1727
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1384
 HT FLOW CONVERGENCE VALUE= .8907E-01 CRITERION= .1726 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 6 SUBSTEP 3 COMPLETED. CUM ITER = 59
 *** TIME = .759252E+07 TIME INC = 726188.
 *** RESPONSE EIGENVALUE = .2127E-05 OSCILLATION LIMIT = 1.545
 *** AUTO TIME STEP: NEXT TIME INC = .24206E+06 DECREASED (FACTOR = .3333)

HT FLOW CONVERGENCE VALUE= 66.58 CRITERION= .1850
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1812
 HT FLOW CONVERGENCE VALUE= .1258 CRITERION= .1725 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 6 SUBSTEP 4 COMPLETED. CUM ITER = 60

```

*** TIME = .783459E+07    TIME INC = 242063.
*** RESPONSE EIGENVALUE = .5394E-06    OSCILLATION LIMIT = .1306
*** AUTO STEP TIME: NEXT TIME INC = .24206E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 66.55    CRITERION= .1849
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1823
    HT FLOW CONVERGENCE VALUE= .1280    CRITERION= .1725    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 6 SUBSTEP 5 COMPLETED.    CUM ITER = 61
*** TIME = .807665E+07    TIME INC = 242063.
*** RESPONSE EIGENVALUE = .1295E-05    OSCILLATION LIMIT = .3135
*** AUTO STEP TIME: NEXT TIME INC = .24206E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 66.57    CRITERION= .1849
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1812
    HT FLOW CONVERGENCE VALUE= .1154    CRITERION= .1724    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 6 SUBSTEP 6 COMPLETED.    CUM ITER = 62
*** TIME = .831871E+07    TIME INC = 242063.
*** RESPONSE EIGENVALUE = .1256E-05    OSCILLATION LIMIT = .3040
*** AUTO STEP TIME: NEXT TIME INC = .24206E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 66.54    CRITERION= .1848
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1814
    HT FLOW CONVERGENCE VALUE= .1223    CRITERION= .1724    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 6 SUBSTEP 7 COMPLETED.    CUM ITER = 63
*** TIME = .856077E+07    TIME INC = 242063.
*** RESPONSE EIGENVALUE = .1573E-05    OSCILLATION LIMIT = .3808
*** AUTO STEP TIME: NEXT TIME INC = .24206E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 66.57    CRITERION= .1848
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1812
    HT FLOW CONVERGENCE VALUE= .1171    CRITERION= .1723    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 6 SUBSTEP 8 COMPLETED.    CUM ITER = 64
*** TIME = .880284E+07    TIME INC = 242063.
*** RESPONSE EIGENVALUE = .8658E-06    OSCILLATION LIMIT = .2096
*** AUTO TIME STEP: NEXT TIME INC = .57752E+06    INCREASED (FACTOR = 2.3858)

    HT FLOW CONVERGENCE VALUE= 158.8    CRITERION= .2343
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4323
    HT FLOW CONVERGENCE VALUE= .3038    CRITERION= .1722
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1067
    HT FLOW CONVERGENCE VALUE= .6829E-01    CRITERION= .1722    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 9 COMPLETED.    CUM ITER = 66
*** TIME = .938035E+07    TIME INC = 577517.
*** RESPONSE EIGENVALUE = .1940E-05    OSCILLATION LIMIT = 1.120
*** AUTO TIME STEP: NEXT TIME INC = 86958.    DECREASED (FACTOR = .1506)

    HT FLOW CONVERGENCE VALUE= 23.93    CRITERION= .1739
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6510E-01
    HT FLOW CONVERGENCE VALUE= .4130E-01    CRITERION= .1721    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 6 SUBSTEP 10 COMPLETED.    CUM ITER = 67
*** TIME = .946731E+07    TIME INC = 86957.8
*** RESPONSE EIGENVALUE = .2607E-05    OSCILLATION LIMIT = .2267

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303    VERSION=HP 9000/7XX    22:58:37 MAR 25, 1995 CP= 5096.360
FOR SUPPORT CALL SUPPORT PERSON    PHONE SUPPORT PHONE    FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 17.73 CRITERION= .1730

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4957E-01
HT FLOW CONVERGENCE VALUE= .3655E-01 CRITERION= .1721 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 7 SUBSTEP 1 COMPLETED. CUM ITER = 68
*** TIME = .955427E+07 TIME INC = 86957.8
*** RESPONSE EIGENVALUE = .2185E-05 OSCILLATION LIMIT = .1900
*** AUTO STEP TIME: NEXT TIME INC = 86958. UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.75 CRITERION= .1730
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4827E-01
HT FLOW CONVERGENCE VALUE= .2979E-01 CRITERION= .1721 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 7 SUBSTEP 2 COMPLETED. CUM ITER = 69
*** TIME = .964123E+07 TIME INC = 86957.8
*** RESPONSE EIGENVALUE = .1818E-05 OSCILLATION LIMIT = .1581
*** AUTO TIME STEP: NEXT TIME INC = .26087E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 53.19 CRITERION= .1801
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1451
HT FLOW CONVERGENCE VALUE= .1006 CRITERION= .1721 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 7 SUBSTEP 3 COMPLETED. CUM ITER = 70
*** TIME = .990210E+07 TIME INC = 260874.
*** RESPONSE EIGENVALUE = .1940E-05 OSCILLATION LIMIT = .5062
*** AUTO STEP TIME: NEXT TIME INC = .26087E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 53.21 CRITERION= .1801
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1448
HT FLOW CONVERGENCE VALUE= .9425E-01 CRITERION= .1720 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 7 SUBSTEP 4 COMPLETED. CUM ITER = 71
*** TIME = .101630E+08 TIME INC = 260874.
*** RESPONSE EIGENVALUE = .1068E-05 OSCILLATION LIMIT = .2786
*** AUTO TIME STEP: NEXT TIME INC = .46824E+06 INCREASED (FACTOR = 1.7949)

HT FLOW CONVERGENCE VALUE= 95.47 CRITERION= .1967
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2599
HT FLOW CONVERGENCE VALUE= .1748 CRITERION= .1719
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5911E-01
HT FLOW CONVERGENCE VALUE= .4019E-01 CRITERION= .1719 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 7 SUBSTEP 5 COMPLETED. CUM ITER = 73
*** TIME = .106312E+08 TIME INC = 468238.
*** RESPONSE EIGENVALUE = .2761E-05 OSCILLATION LIMIT = 1.293
*** AUTO TIME STEP: NEXT TIME INC = .18109E+06 DECREASED (FACTOR = .3868)

HT FLOW CONVERGENCE VALUE= 36.94 CRITERION= .1758
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1005
HT FLOW CONVERGENCE VALUE= .6731E-01 CRITERION= .1718 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 7 SUBSTEP 6 COMPLETED. CUM ITER = 74
*** TIME = .108123E+08 TIME INC = 181092.
*** RESPONSE EIGENVALUE = .1322E-05 OSCILLATION LIMIT = .2394
*** AUTO STEP TIME: NEXT TIME INC = .18109E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 36.92 CRITERION= .1757
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1014
HT FLOW CONVERGENCE VALUE= .6974E-01 CRITERION= .1718 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 7 SUBSTEP 7 COMPLETED. CUM ITER = 75
*** TIME = .109934E+08 TIME INC = 181092.
*** RESPONSE EIGENVALUE = .1526E-05 OSCILLATION LIMIT = .2763
*** AUTO TIME STEP: NEXT TIME INC = .32766E+06 INCREASED (FACTOR = 1.8094)

HT FLOW CONVERGENCE VALUE= 66.82 CRITERION= .1843
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1819
HT FLOW CONVERGENCE VALUE= .1196 CRITERION= .1717 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 7 SUBSTEP 8 COMPLETED. CUM ITER = 76
*** TIME = .113211E+08 TIME INC = 327661.

```

*** RESPONSE EIGENVALUE = .1627E-05 OSCILLATION LIMIT = .5330
 *** AUTO STEP TIME: NEXT TIME INC = .32766E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 66.80 CRITERION= .1842
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1821
 HT FLOW CONVERGENCE VALUE= .1207 CRITERION= .1717 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 7 SUBSTEP 9 COMPLETED. CUM ITER = 77
 *** TIME = .116487E+08 TIME INC = 327661.
 *** RESPONSE EIGENVALUE = .1670E-05 OSCILLATION LIMIT = .5472
 *** AUTO STEP TIME: NEXT TIME INC = .32766E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 66.82 CRITERION= .1842
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1819
 HT FLOW CONVERGENCE VALUE= .1153 CRITERION= .1715 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 7 SUBSTEP 10 COMPLETED. CUM ITER = 78
 *** TIME = .119764E+08 TIME INC = 327661.
 *** RESPONSE EIGENVALUE = .1816E-05 OSCILLATION LIMIT = .5949
 *** AUTO STEP TIME: NEXT TIME INC = .32766E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 66.80 CRITERION= .1841
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1819
 HT FLOW CONVERGENCE VALUE= .1192 CRITERION= .1715 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 7 SUBSTEP 11 COMPLETED. CUM ITER = 79
 *** TIME = .123040E+08 TIME INC = 327661.
 *** RESPONSE EIGENVALUE = .1804E-05 OSCILLATION LIMIT = .5912
 *** AUTO TIME STEP: NEXT TIME INC = .31903E+06 DECREASED (FACTOR = .9737)

HT FLOW CONVERGENCE VALUE= 65.06 CRITERION= .1834
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1771
 HT FLOW CONVERGENCE VALUE= .1127 CRITERION= .1714 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 7 SUBSTEP 12 COMPLETED. CUM ITER = 80
 *** TIME = .126231E+08 TIME INC = 319030.
 *** RESPONSE EIGENVALUE = .1602E-05 OSCILLATION LIMIT = .5112

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:16:53 MAR 25, 1995 CP= 6168.020
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 51.99 CRITERION= .1791
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1417
 HT FLOW CONVERGENCE VALUE= .9036E-01 CRITERION= .1714 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 1 COMPLETED. CUM ITER = 81
 *** TIME = .129421E+08 TIME INC = 319030.
 *** RESPONSE EIGENVALUE = .2616E-05 OSCILLATION LIMIT = .8347
 *** AUTO TIME STEP: NEXT TIME INC = .19110E+06 DECREASED (FACTOR = .5990)

HT FLOW CONVERGENCE VALUE= 31.16 CRITERION= .1742
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8482E-01
 HT FLOW CONVERGENCE VALUE= .5086E-01 CRITERION= .1713 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 2 COMPLETED. CUM ITER = 82
 *** TIME = .131332E+08 TIME INC = 191103.
 *** RESPONSE EIGENVALUE = .2734E-05 OSCILLATION LIMIT = .5225
 *** AUTO STEP TIME: NEXT TIME INC = .19110E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.14 CRITERION= .1741
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8499E-01
 HT FLOW CONVERGENCE VALUE= .5414E-01 CRITERION= .1713 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP      8  SUBSTEP      3  COMPLETED.    CUM ITER =      83
*** TIME = .133243E+08    TIME INC = 191103.
*** RESPONSE EIGENVALUE = .3221E-05    OSCILLATION LIMIT = .6155
*** AUTO STEP TIME: NEXT TIME INC = .19110E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 31.16    CRITERION= .1741
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8482E-01
    HT FLOW CONVERGENCE VALUE= .5324E-01 CRITERION= .1712    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP      8  SUBSTEP      4  COMPLETED.    CUM ITER =      84
*** TIME = .135154E+08    TIME INC = 191103.
*** RESPONSE EIGENVALUE = .1894E-05    OSCILLATION LIMIT = .3620
*** AUTO STEP TIME: NEXT TIME INC = .19110E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 31.14    CRITERION= .1740
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8516E-01
    HT FLOW CONVERGENCE VALUE= .5477E-01 CRITERION= .1712    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP      8  SUBSTEP      5  COMPLETED.    CUM ITER =      85
*** TIME = .137065E+08    TIME INC = 191103.
*** RESPONSE EIGENVALUE = .3057E-05    OSCILLATION LIMIT = .5843
*** AUTO STEP TIME: NEXT TIME INC = .19110E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 31.16    CRITERION= .1740
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8482E-01
    HT FLOW CONVERGENCE VALUE= .5303E-01 CRITERION= .1711    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP      8  SUBSTEP      6  COMPLETED.    CUM ITER =      86
*** TIME = .138976E+08    TIME INC = 191103.
*** RESPONSE EIGENVALUE = .2183E-05    OSCILLATION LIMIT = .4172
*** AUTO STEP TIME: NEXT TIME INC = .19110E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 31.14    CRITERION= .1739
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8515E-01
    HT FLOW CONVERGENCE VALUE= .5472E-01 CRITERION= .1711    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP      8  SUBSTEP      7  COMPLETED.    CUM ITER =      87
*** TIME = .140887E+08    TIME INC = 191103.
*** RESPONSE EIGENVALUE = .2864E-05    OSCILLATION LIMIT = .5474
*** AUTO STEP TIME: NEXT TIME INC = .19110E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 31.16    CRITERION= .1739
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8482E-01
    HT FLOW CONVERGENCE VALUE= .5305E-01 CRITERION= .1710    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP      8  SUBSTEP      8  COMPLETED.    CUM ITER =      88
*** TIME = .142798E+08    TIME INC = 191103.
*** RESPONSE EIGENVALUE = .2255E-05    OSCILLATION LIMIT = .4310
*** AUTO STEP TIME: NEXT TIME INC = .19110E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 31.14    CRITERION= .1738
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8513E-01
    HT FLOW CONVERGENCE VALUE= .5467E-01 CRITERION= .1710    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP      8  SUBSTEP      9  COMPLETED.    CUM ITER =      89
*** TIME = .144709E+08    TIME INC = 191103.
*** RESPONSE EIGENVALUE = .2783E-05    OSCILLATION LIMIT = .5318
*** AUTO STEP TIME: NEXT TIME INC = .19110E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 31.16    CRITERION= .1738
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8482E-01
    HT FLOW CONVERGENCE VALUE= .5312E-01 CRITERION= .1709    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP      8  SUBSTEP     10  COMPLETED.    CUM ITER =      90
*** TIME = .146620E+08    TIME INC = 191103.
*** RESPONSE EIGENVALUE = .2299E-05    OSCILLATION LIMIT = .4393
*** AUTO STEP TIME: NEXT TIME INC = .19110E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 31.14    CRITERION= .1737
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8512E-01

```


HT FLOW CONVERGENCE VALUE= .5461E-01 CRITERION= .1709 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 11 COMPLETED. CUM ITER = 91
 *** TIME = .148531E+08 TIME INC = 191103.
 *** RESPONSE EIGENVALUE = .2719E-05 OSCILLATION LIMIT = .5197
 *** AUTO STEP TIME: NEXT TIME INC = .19110E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.16 CRITERION= .1737
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8482E-01
 HT FLOW CONVERGENCE VALUE= .5313E-01 CRITERION= .1708 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 12 COMPLETED. CUM ITER = 92
 *** TIME = .150442E+08 TIME INC = 191103.
 *** RESPONSE EIGENVALUE = .2334E-05 OSCILLATION LIMIT = .4460
 *** AUTO STEP TIME: NEXT TIME INC = .19110E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.14 CRITERION= .1736
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8511E-01
 HT FLOW CONVERGENCE VALUE= .5453E-01 CRITERION= .1708 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 13 COMPLETED. CUM ITER = 93
 *** TIME = .152353E+08 TIME INC = 191103.
 *** RESPONSE EIGENVALUE = .2665E-05 OSCILLATION LIMIT = .5093
 *** AUTO STEP TIME: NEXT TIME INC = .19110E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.16 CRITERION= .1736
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8482E-01
 HT FLOW CONVERGENCE VALUE= .5315E-01 CRITERION= .1707 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 14 COMPLETED. CUM ITER = 94
 *** TIME = .154264E+08 TIME INC = 191103.
 *** RESPONSE EIGENVALUE = .2363E-05 OSCILLATION LIMIT = .4515
 *** AUTO STEP TIME: NEXT TIME INC = .19110E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.14 CRITERION= .1735
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8510E-01
 HT FLOW CONVERGENCE VALUE= .5448E-01 CRITERION= .1707 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 15 COMPLETED. CUM ITER = 95
 *** TIME = .156175E+08 TIME INC = 191103.
 *** RESPONSE EIGENVALUE = .2618E-05 OSCILLATION LIMIT = .5003
 *** AUTO TIME STEP: NEXT TIME INC = .16129E+06 DECREASED (FACTOR = .8440)

HT FLOW CONVERGENCE VALUE= 26.30 CRITERION= .1727
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7159E-01
 HT FLOW CONVERGENCE VALUE= .4430E-01 CRITERION= .1706 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 16 COMPLETED. CUM ITER = 96
 *** TIME = .157788E+08 TIME INC = 161293.
 *** RESPONSE EIGENVALUE = .2510E-05 OSCILLATION LIMIT = .4048

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:41:06 MAR 25, 1995 CP= 7530.050
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1720
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5979E-01
 HT FLOW CONVERGENCE VALUE= .3749E-01 CRITERION= .1706 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 1 COMPLETED. CUM ITER = 97
 *** TIME = .159401E+08 TIME INC = 161293.
 *** RESPONSE EIGENVALUE = .3474E-05 OSCILLATION LIMIT = .5603
 *** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 21.78    CRITERION= .1720
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5938E-01
HT FLOW CONVERGENCE VALUE= .3622E-01 CRITERION= .1705    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 2 COMPLETED. CUM ITER = 98
*** TIME = .161014E+08 TIME INC = 161293.
*** RESPONSE EIGENVALUE = .3674E-05 OSCILLATION LIMIT = .5926
*** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77    CRITERION= .1719
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5978E-01
HT FLOW CONVERGENCE VALUE= .3779E-01 CRITERION= .1706    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 3 COMPLETED. CUM ITER = 99
*** TIME = .162627E+08 TIME INC = 161293.
*** RESPONSE EIGENVALUE = .3354E-05 OSCILLATION LIMIT = .5410
*** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.78    CRITERION= .1719
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5938E-01
HT FLOW CONVERGENCE VALUE= .3644E-01 CRITERION= .1705    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 4 COMPLETED. CUM ITER = 100
*** TIME = .164240E+08 TIME INC = 161293.
*** RESPONSE EIGENVALUE = .3416E-05 OSCILLATION LIMIT = .5509
*** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77    CRITERION= .1719
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5976E-01
HT FLOW CONVERGENCE VALUE= .3768E-01 CRITERION= .1705    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 5 COMPLETED. CUM ITER = 101
*** TIME = .165853E+08 TIME INC = 161293.
*** RESPONSE EIGENVALUE = .3425E-05 OSCILLATION LIMIT = .5524
*** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.78    CRITERION= .1719
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5938E-01
HT FLOW CONVERGENCE VALUE= .3648E-01 CRITERION= .1704    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 6 COMPLETED. CUM ITER = 102
*** TIME = .167466E+08 TIME INC = 161293.
*** RESPONSE EIGENVALUE = .3413E-05 OSCILLATION LIMIT = .5506
*** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77    CRITERION= .1718
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5975E-01
HT FLOW CONVERGENCE VALUE= .3767E-01 CRITERION= .1704    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 7 COMPLETED. CUM ITER = 103
*** TIME = .169079E+08 TIME INC = 161293.
*** RESPONSE EIGENVALUE = .3369E-05 OSCILLATION LIMIT = .5434
*** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.78    CRITERION= .1718
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5938E-01
HT FLOW CONVERGENCE VALUE= .3651E-01 CRITERION= .1703    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 8 COMPLETED. CUM ITER = 104
*** TIME = .170692E+08 TIME INC = 161293.
*** RESPONSE EIGENVALUE = .3433E-05 OSCILLATION LIMIT = .5538
*** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77    CRITERION= .1717
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5974E-01
HT FLOW CONVERGENCE VALUE= .3763E-01 CRITERION= .1703    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 9 COMPLETED. CUM ITER = 105
*** TIME = .172305E+08 TIME INC = 161293.
*** RESPONSE EIGENVALUE = .3315E-05 OSCILLATION LIMIT = .5347

```

*** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.78 CRITERION= .1717
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5938E-01
 HT FLOW CONVERGENCE VALUE= .3653E-01 CRITERION= .1702 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 10 COMPLETED. CUM ITER = 106
 *** TIME = .173918E+08 TIME INC = 161293.
 *** RESPONSE EIGENVALUE = .3449E-05 OSCILLATION LIMIT = .5564
 *** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1716
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5973E-01
 HT FLOW CONVERGENCE VALUE= .3761E-01 CRITERION= .1703 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 11 COMPLETED. CUM ITER = 107
 *** TIME = .175531E+08 TIME INC = 161293.
 *** RESPONSE EIGENVALUE = .3268E-05 OSCILLATION LIMIT = .5272
 *** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.78 CRITERION= .1716
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5938E-01
 HT FLOW CONVERGENCE VALUE= .3654E-01 CRITERION= .1702 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 12 COMPLETED. CUM ITER = 108
 *** TIME = .177144E+08 TIME INC = 161293.
 *** RESPONSE EIGENVALUE = .3461E-05 OSCILLATION LIMIT = .5582
 *** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1716
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5972E-01
 HT FLOW CONVERGENCE VALUE= .3757E-01 CRITERION= .1702 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 13 COMPLETED. CUM ITER = 109
 *** TIME = .178756E+08 TIME INC = 161293.
 *** RESPONSE EIGENVALUE = .3227E-05 OSCILLATION LIMIT = .5205
 *** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.78 CRITERION= .1716
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5938E-01
 HT FLOW CONVERGENCE VALUE= .3654E-01 CRITERION= .1701 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 14 COMPLETED. CUM ITER = 110
 *** TIME = .180369E+08 TIME INC = 161293.
 *** RESPONSE EIGENVALUE = .3469E-05 OSCILLATION LIMIT = .5596
 *** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1715
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5971E-01
 HT FLOW CONVERGENCE VALUE= .3754E-01 CRITERION= .1701 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 15 COMPLETED. CUM ITER = 111
 *** TIME = .181982E+08 TIME INC = 161293.
 *** RESPONSE EIGENVALUE = .3191E-05 OSCILLATION LIMIT = .5147
 *** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.78 CRITERION= .1715
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5938E-01
 HT FLOW CONVERGENCE VALUE= .3653E-01 CRITERION= .1700 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 16 COMPLETED. CUM ITER = 112
 *** TIME = .183595E+08 TIME INC = 161293.
 *** RESPONSE EIGENVALUE = .3474E-05 OSCILLATION LIMIT = .5604
 *** AUTO STEP TIME: NEXT TIME INC = .16129E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1714
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5970E-01
 HT FLOW CONVERGENCE VALUE= .3750E-01 CRITERION= .1700 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 17 COMPLETED. CUM ITER = 113

```

*** TIME = .185208E+08    TIME INC = 161293.
*** RESPONSE EIGENVALUE = .3160E-05    OSCILLATION LIMIT = .5096
*** AUTO STEP TIME: NEXT TIME INC = .16129E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.78    CRITERION= .1714
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5938E-01
    HT FLOW CONVERGENCE VALUE= .3653E-01    CRITERION= .1699    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 18 COMPLETED. CUM ITER = 114
*** TIME = .186821E+08    TIME INC = 161293.
*** RESPONSE EIGENVALUE = .3477E-05    OSCILLATION LIMIT = .5608
*** AUTO STEP TIME: NEXT TIME INC = .16129E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.77    CRITERION= .1713
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5969E-01
    HT FLOW CONVERGENCE VALUE= .3747E-01    CRITERION= .1700    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 19 COMPLETED. CUM ITER = 115
*** TIME = .188434E+08    TIME INC = 161293.
*** RESPONSE EIGENVALUE = .3131E-05    OSCILLATION LIMIT = .5051
*** AUTO STEP TIME: NEXT TIME INC = 91184.    DECREASED (FACTOR = .5653)

    HT FLOW CONVERGENCE VALUE= 12.32    CRITERION= .1704
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3357E-01
    HT FLOW CONVERGENCE VALUE= .1985E-01    CRITERION= .1699    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 20 COMPLETED. CUM ITER = 116
*** TIME = .189346E+08    TIME INC = 91183.5
*** RESPONSE EIGENVALUE = .4344E-05    OSCILLATION LIMIT = .3961

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303    VERSION=HP 9000/7XX    00:11:22 MAR 26, 1995 CP= 9228.370
FOR SUPPORT CALL SUPPORT PERSON    PHONE SUPPORT PHONE    FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

    HT FLOW CONVERGENCE VALUE= 10.58    CRITERION= .1702
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2932E-01
    HT FLOW CONVERGENCE VALUE= .1790E-01    CRITERION= .1699    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 1 COMPLETED. CUM ITER = 117
*** TIME = .190258E+08    TIME INC = 91183.5
*** RESPONSE EIGENVALUE = .5083E-05    OSCILLATION LIMIT = .4635
*** AUTO STEP TIME: NEXT TIME INC = 91184.    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.59    CRITERION= .1702
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
    HT FLOW CONVERGENCE VALUE= .1723E-01    CRITERION= .1698    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 2 COMPLETED. CUM ITER = 118
*** TIME = .191170E+08    TIME INC = 91183.5
*** RESPONSE EIGENVALUE = .6129E-05    OSCILLATION LIMIT = .5588
*** AUTO STEP TIME: NEXT TIME INC = 91184.    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.58    CRITERION= .1702
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2938E-01
    HT FLOW CONVERGENCE VALUE= .1820E-01    CRITERION= .1699    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 3 COMPLETED. CUM ITER = 119
*** TIME = .192081E+08    TIME INC = 91183.5
*** RESPONSE EIGENVALUE = .4502E-05    OSCILLATION LIMIT = .4105
*** AUTO STEP TIME: NEXT TIME INC = 91184.    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.59    CRITERION= .1702
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
    HT FLOW CONVERGENCE VALUE= .1732E-01    CRITERION= .1698    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 4 COMPLETED. CUM ITER = 120
*** TIME = .192993E+08 TIME INC = 91183.5
*** RESPONSE EIGENVALUE = .5862E-05 OSCILLATION LIMIT = .5345
*** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.58 CRITERION= .1701
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2936E-01
HT FLOW CONVERGENCE VALUE= .1818E-01 CRITERION= .1698 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 5 COMPLETED. CUM ITER = 121
*** TIME = .193905E+08 TIME INC = 91183.5
*** RESPONSE EIGENVALUE = .4481E-05 OSCILLATION LIMIT = .4086
*** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.59 CRITERION= .1702
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
HT FLOW CONVERGENCE VALUE= .1732E-01 CRITERION= .1698 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 6 COMPLETED. CUM ITER = 122
*** TIME = .194817E+08 TIME INC = 91183.5
*** RESPONSE EIGENVALUE = .5791E-05 OSCILLATION LIMIT = .5281
*** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.58 CRITERION= .1701
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2935E-01
HT FLOW CONVERGENCE VALUE= .1817E-01 CRITERION= .1698 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 7 COMPLETED. CUM ITER = 123
*** TIME = .195729E+08 TIME INC = 91183.5
*** RESPONSE EIGENVALUE = .4401E-05 OSCILLATION LIMIT = .4013
*** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.59 CRITERION= .1701
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
HT FLOW CONVERGENCE VALUE= .1732E-01 CRITERION= .1697 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 8 COMPLETED. CUM ITER = 124
*** TIME = .196641E+08 TIME INC = 91183.5
*** RESPONSE EIGENVALUE = .5720E-05 OSCILLATION LIMIT = .5215
*** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.58 CRITERION= .1700
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2933E-01
HT FLOW CONVERGENCE VALUE= .1815E-01 CRITERION= .1697 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 9 COMPLETED. CUM ITER = 125
*** TIME = .197552E+08 TIME INC = 91183.5
*** RESPONSE EIGENVALUE = .4331E-05 OSCILLATION LIMIT = .3949
*** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.59 CRITERION= .1701
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
HT FLOW CONVERGENCE VALUE= .1733E-01 CRITERION= .1697 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 10 COMPLETED. CUM ITER = 126
*** TIME = .198464E+08 TIME INC = 91183.5
*** RESPONSE EIGENVALUE = .5652E-05 OSCILLATION LIMIT = .5154
*** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.58 CRITERION= .1700
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2932E-01
HT FLOW CONVERGENCE VALUE= .1814E-01 CRITERION= .1697 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 11 COMPLETED. CUM ITER = 127
*** TIME = .199376E+08 TIME INC = 91183.5
*** RESPONSE EIGENVALUE = .4268E-05 OSCILLATION LIMIT = .3891
*** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.59 CRITERION= .1700

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
 HT FLOW CONVERGENCE VALUE= .1733E-01 CRITERION= .1696 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 12 COMPLETED. CUM ITER = 128
 *** TIME = .200288E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .5588E-05 OSCILLATION LIMIT = .5095
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.58 CRITERION= .1700
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2930E-01
 HT FLOW CONVERGENCE VALUE= .1812E-01 CRITERION= .1697 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 13 COMPLETED. CUM ITER = 129
 *** TIME = .201200E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .4210E-05 OSCILLATION LIMIT = .3839
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.59 CRITERION= .1700
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
 HT FLOW CONVERGENCE VALUE= .1734E-01 CRITERION= .1696 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 14 COMPLETED. CUM ITER = 130
 *** TIME = .202112E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .5526E-05 OSCILLATION LIMIT = .5039
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.58 CRITERION= .1699
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2929E-01
 HT FLOW CONVERGENCE VALUE= .1811E-01 CRITERION= .1696 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 15 COMPLETED. CUM ITER = 131
 *** TIME = .203023E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .4159E-05 OSCILLATION LIMIT = .3792
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.59 CRITERION= .1699
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
 HT FLOW CONVERGENCE VALUE= .1735E-01 CRITERION= .1696 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 16 COMPLETED. CUM ITER = 132
 *** TIME = .203935E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .5467E-05 OSCILLATION LIMIT = .4985
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.58 CRITERION= .1699
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2927E-01
 HT FLOW CONVERGENCE VALUE= .1810E-01 CRITERION= .1696 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 17 COMPLETED. CUM ITER = 133
 *** TIME = .204847E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .4112E-05 OSCILLATION LIMIT = .3749
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.59 CRITERION= .1699
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
 HT FLOW CONVERGENCE VALUE= .1735E-01 CRITERION= .1695 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 18 COMPLETED. CUM ITER = 134
 *** TIME = .205759E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .5410E-05 OSCILLATION LIMIT = .4933
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.57 CRITERION= .1698
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2926E-01
 HT FLOW CONVERGENCE VALUE= .1809E-01 CRITERION= .1695 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 19 COMPLETED. CUM ITER = 135
 *** TIME = .206671E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .4069E-05 OSCILLATION LIMIT = .3710
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.59 CRITERION= .1699
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
 HT FLOW CONVERGENCE VALUE= .1736E-01 CRITERION= .1695 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 20 COMPLETED. CUM ITER = 136
 *** TIME = .207583E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .5356E-05 OSCILLATION LIMIT = .4884
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.57 CRITERION= .1698
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2925E-01
 HT FLOW CONVERGENCE VALUE= .1807E-01 CRITERION= .1695 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 21 COMPLETED. CUM ITER = 137
 *** TIME = .208494E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .4030E-05 OSCILLATION LIMIT = .3675
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.59 CRITERION= .1698
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
 HT FLOW CONVERGENCE VALUE= .1736E-01 CRITERION= .1694 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 22 COMPLETED. CUM ITER = 138
 *** TIME = .209406E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .5304E-05 OSCILLATION LIMIT = .4836
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.57 CRITERION= .1698
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2923E-01
 HT FLOW CONVERGENCE VALUE= .1806E-01 CRITERION= .1694 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 23 COMPLETED. CUM ITER = 139
 *** TIME = .210318E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .3994E-05 OSCILLATION LIMIT = .3642
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.59 CRITERION= .1698
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
 HT FLOW CONVERGENCE VALUE= .1736E-01 CRITERION= .1694 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 24 COMPLETED. CUM ITER = 140
 *** TIME = .211230E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .5254E-05 OSCILLATION LIMIT = .4791
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.57 CRITERION= .1697
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2922E-01
 HT FLOW CONVERGENCE VALUE= .1805E-01 CRITERION= .1694 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 25 COMPLETED. CUM ITER = 141
 *** TIME = .212142E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .3961E-05 OSCILLATION LIMIT = .3612
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.59 CRITERION= .1697
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
 HT FLOW CONVERGENCE VALUE= .1736E-01 CRITERION= .1693 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 26 COMPLETED. CUM ITER = 142
 *** TIME = .213054E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .5206E-05 OSCILLATION LIMIT = .4747
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.57 CRITERION= .1697
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2921E-01
 HT FLOW CONVERGENCE VALUE= .1804E-01 CRITERION= .1694 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 27 COMPLETED. CUM ITER = 143
 *** TIME = .213965E+08 TIME INC = 91183.5

*** RESPONSE EIGENVALUE = .3931E-05 OSCILLATION LIMIT = .3585
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.59 CRITERION= .1697
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
 HT FLOW CONVERGENCE VALUE= .1737E-01 CRITERION= .1693 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 28 COMPLETED. CUM ITER = 144
 *** TIME = .214877E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .5160E-05 OSCILLATION LIMIT = .4705
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.57 CRITERION= .1696
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2920E-01
 HT FLOW CONVERGENCE VALUE= .1802E-01 CRITERION= .1693 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 29 COMPLETED. CUM ITER = 145
 *** TIME = .215789E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .3903E-05 OSCILLATION LIMIT = .3559
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.59 CRITERION= .1696
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
 HT FLOW CONVERGENCE VALUE= .1737E-01 CRITERION= .1693 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 30 COMPLETED. CUM ITER = 146
 *** TIME = .216701E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .5116E-05 OSCILLATION LIMIT = .4665
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.57 CRITERION= .1696
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2918E-01
 HT FLOW CONVERGENCE VALUE= .1801E-01 CRITERION= .1693 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 31 COMPLETED. CUM ITER = 147
 *** TIME = .217613E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .3878E-05 OSCILLATION LIMIT = .3536
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.59 CRITERION= .1696
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2884E-01
 HT FLOW CONVERGENCE VALUE= .1737E-01 CRITERION= .1692 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 32 COMPLETED. CUM ITER = 148
 *** TIME = .218525E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .5074E-05 OSCILLATION LIMIT = .4626
 *** AUTO STEP TIME: NEXT TIME INC = 91184. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.57 CRITERION= .1695
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2917E-01
 HT FLOW CONVERGENCE VALUE= .1801E-01 CRITERION= .1692 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 33 COMPLETED. CUM ITER = 149
 *** TIME = .219436E+08 TIME INC = 91183.5
 *** RESPONSE EIGENVALUE = .3854E-05 OSCILLATION LIMIT = .3514
 *** AUTO STEP TIME: NEXT TIME INC = 73352. DECREASED (FACTOR = .8044)

HT FLOW CONVERGENCE VALUE= 8.522 CRITERION= .1694
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2320E-01
 HT FLOW CONVERGENCE VALUE= .1378E-01 CRITERION= .1692 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 34 COMPLETED. CUM ITER = 150
 *** TIME = .220170E+08 TIME INC = 73351.7
 *** RESPONSE EIGENVALUE = .5540E-05 OSCILLATION LIMIT = .4064
 *** AUTO STEP TIME: NEXT TIME INC = 73352. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.506 CRITERION= .1694
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2355E-01
 HT FLOW CONVERGENCE VALUE= .1444E-01 CRITERION= .1692 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 10 SUBSTEP 35 COMPLETED. CUM ITER = 151
*** TIME = .220904E+08 TIME INC = 73351.7
*** RESPONSE EIGENVALUE = .4277E-05 OSCILLATION LIMIT = .3137

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 01:04:20 MAR 26, 1995 CP= 12193.760
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 8.018 CRITERION= .1694
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
HT FLOW CONVERGENCE VALUE= .1305E-01 CRITERION= .1692 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 1 COMPLETED. CUM ITER = 152
*** TIME = .221692E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6117E-05 OSCILLATION LIMIT = .4826
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.000 CRITERION= .1693
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2217E-01
HT FLOW CONVERGENCE VALUE= .1351E-01 CRITERION= .1692 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 2 COMPLETED. CUM ITER = 153
*** TIME = .222481E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4736E-05 OSCILLATION LIMIT = .3737
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.018 CRITERION= .1693
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
HT FLOW CONVERGENCE VALUE= .1298E-01 CRITERION= .1691 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 3 COMPLETED. CUM ITER = 154
*** TIME = .223270E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6621E-05 OSCILLATION LIMIT = .5223
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.999 CRITERION= .1693
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2216E-01
HT FLOW CONVERGENCE VALUE= .1352E-01 CRITERION= .1691 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 4 COMPLETED. CUM ITER = 155
*** TIME = .224059E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4624E-05 OSCILLATION LIMIT = .3648
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.018 CRITERION= .1693
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
HT FLOW CONVERGENCE VALUE= .1297E-01 CRITERION= .1691 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 5 COMPLETED. CUM ITER = 156
*** TIME = .224848E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6502E-05 OSCILLATION LIMIT = .5129
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.999 CRITERION= .1693
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2215E-01
HT FLOW CONVERGENCE VALUE= .1351E-01 CRITERION= .1691 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 6 COMPLETED. CUM ITER = 157
*** TIME = .225637E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4627E-05 OSCILLATION LIMIT = .3651
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.018 CRITERION= .1693
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01

```

HT FLOW CONVERGENCE VALUE= .1297E-01 CRITERION= .1690 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 7 COMPLETED. CUM ITER = 158
*** TIME = .226426E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6409E-05 OSCILLATION LIMIT = .5057
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.999 CRITERION= .1692
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2214E-01
HT FLOW CONVERGENCE VALUE= .1351E-01 CRITERION= .1690 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 8 COMPLETED. CUM ITER = 159
*** TIME = .227215E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4619E-05 OSCILLATION LIMIT = .3644
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.018 CRITERION= .1692
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
HT FLOW CONVERGENCE VALUE= .1297E-01 CRITERION= .1690 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 9 COMPLETED. CUM ITER = 160
*** TIME = .228004E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6330E-05 OSCILLATION LIMIT = .4994
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.999 CRITERION= .1692
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2213E-01
HT FLOW CONVERGENCE VALUE= .1350E-01 CRITERION= .1690 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 10 COMPLETED. CUM ITER = 161
*** TIME = .228793E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4606E-05 OSCILLATION LIMIT = .3634
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.018 CRITERION= .1692
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
HT FLOW CONVERGENCE VALUE= .1297E-01 CRITERION= .1690 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 11 COMPLETED. CUM ITER = 162
*** TIME = .229582E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6259E-05 OSCILLATION LIMIT = .4938
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.999 CRITERION= .1692
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2212E-01
HT FLOW CONVERGENCE VALUE= .1349E-01 CRITERION= .1690 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 12 COMPLETED. CUM ITER = 163
*** TIME = .230371E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4590E-05 OSCILLATION LIMIT = .3621
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.018 CRITERION= .1692
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
HT FLOW CONVERGENCE VALUE= .1297E-01 CRITERION= .1689 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 13 COMPLETED. CUM ITER = 164
*** TIME = .231160E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6195E-05 OSCILLATION LIMIT = .4887
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.999 CRITERION= .1691
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2211E-01
HT FLOW CONVERGENCE VALUE= .1348E-01 CRITERION= .1689 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 14 COMPLETED. CUM ITER = 165
*** TIME = .231949E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4572E-05 OSCILLATION LIMIT = .3607
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 8.019 CRITERION= .1691
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
 HT FLOW CONVERGENCE VALUE= .1298E-01 CRITERION= .1689 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 15 COMPLETED. CUM ITER = 166
 *** TIME = .232738E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6136E-05 OSCILLATION LIMIT = .4841
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.999 CRITERION= .1691
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2209E-01
 HT FLOW CONVERGENCE VALUE= .1348E-01 CRITERION= .1689 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 16 COMPLETED. CUM ITER = 167
 *** TIME = .233527E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4554E-05 OSCILLATION LIMIT = .3593
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.019 CRITERION= .1691
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
 HT FLOW CONVERGENCE VALUE= .1298E-01 CRITERION= .1689 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 17 COMPLETED. CUM ITER = 168
 *** TIME = .234315E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6081E-05 OSCILLATION LIMIT = .4797
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.999 CRITERION= .1691
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2209E-01
 HT FLOW CONVERGENCE VALUE= .1347E-01 CRITERION= .1689 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 18 COMPLETED. CUM ITER = 169
 *** TIME = .235104E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4536E-05 OSCILLATION LIMIT = .3579
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.019 CRITERION= .1691
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
 HT FLOW CONVERGENCE VALUE= .1298E-01 CRITERION= .1688 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 19 COMPLETED. CUM ITER = 170
 *** TIME = .235893E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6029E-05 OSCILLATION LIMIT = .4756
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.999 CRITERION= .1690
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2208E-01
 HT FLOW CONVERGENCE VALUE= .1346E-01 CRITERION= .1688 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 20 COMPLETED. CUM ITER = 171
 *** TIME = .236682E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4519E-05 OSCILLATION LIMIT = .3565
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.019 CRITERION= .1690
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
 HT FLOW CONVERGENCE VALUE= .1298E-01 CRITERION= .1688 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 21 COMPLETED. CUM ITER = 172
 *** TIME = .237471E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5980E-05 OSCILLATION LIMIT = .4718
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.999 CRITERION= .1690
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2207E-01
 HT FLOW CONVERGENCE VALUE= .1345E-01 CRITERION= .1688 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 22 COMPLETED. CUM ITER = 173
 *** TIME = .238260E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4503E-05 OSCILLATION LIMIT = .3552

*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.019 CRITERION= .1690
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
 HT FLOW CONVERGENCE VALUE= .1298E-01 CRITERION= .1688 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 23 COMPLETED. CUM ITER = 174
 *** TIME = .239049E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5933E-05 OSCILLATION LIMIT = .4681
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.999 CRITERION= .1690
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2206E-01
 HT FLOW CONVERGENCE VALUE= .1345E-01 CRITERION= .1688 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 24 COMPLETED. CUM ITER = 175
 *** TIME = .239838E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4487E-05 OSCILLATION LIMIT = .3540
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.019 CRITERION= .1689
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
 HT FLOW CONVERGENCE VALUE= .1298E-01 CRITERION= .1687 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 25 COMPLETED. CUM ITER = 176
 *** TIME = .240627E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5889E-05 OSCILLATION LIMIT = .4646
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.998 CRITERION= .1689
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2205E-01
 HT FLOW CONVERGENCE VALUE= .1344E-01 CRITERION= .1687 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 26 COMPLETED. CUM ITER = 177
 *** TIME = .241416E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4472E-05 OSCILLATION LIMIT = .3528
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.019 CRITERION= .1689
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
 HT FLOW CONVERGENCE VALUE= .1298E-01 CRITERION= .1687 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 27 COMPLETED. CUM ITER = 178
 *** TIME = .242205E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5847E-05 OSCILLATION LIMIT = .4613
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.998 CRITERION= .1689
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2204E-01
 HT FLOW CONVERGENCE VALUE= .1343E-01 CRITERION= .1687 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 28 COMPLETED. CUM ITER = 179
 *** TIME = .242994E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4458E-05 OSCILLATION LIMIT = .3517
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.019 CRITERION= .1689
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
 HT FLOW CONVERGENCE VALUE= .1299E-01 CRITERION= .1687 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 29 COMPLETED. CUM ITER = 180
 *** TIME = .243783E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5806E-05 OSCILLATION LIMIT = .4581
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.998 CRITERION= .1688
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2203E-01
 HT FLOW CONVERGENCE VALUE= .1342E-01 CRITERION= .1687 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 30 COMPLETED. CUM ITER = 181

*** TIME = .244572E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4445E-05 OSCILLATION LIMIT = .3507
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.019 CRITERION= .1688
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
 HT FLOW CONVERGENCE VALUE= .1299E-01 CRITERION= .1686 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 31 COMPLETED. CUM ITER = 182
 *** TIME = .245361E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5767E-05 OSCILLATION LIMIT = .4550
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.998 CRITERION= .1688
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2202E-01
 HT FLOW CONVERGENCE VALUE= .1341E-01 CRITERION= .1686 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 32 COMPLETED. CUM ITER = 183
 *** TIME = .246150E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4433E-05 OSCILLATION LIMIT = .3497
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.019 CRITERION= .1688
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
 HT FLOW CONVERGENCE VALUE= .1299E-01 CRITERION= .1686 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 33 COMPLETED. CUM ITER = 184
 *** TIME = .246939E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5730E-05 OSCILLATION LIMIT = .4521
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.998 CRITERION= .1688
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2201E-01
 HT FLOW CONVERGENCE VALUE= .1341E-01 CRITERION= .1686 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 34 COMPLETED. CUM ITER = 185
 *** TIME = .247727E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4422E-05 OSCILLATION LIMIT = .3488
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.019 CRITERION= .1688
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
 HT FLOW CONVERGENCE VALUE= .1299E-01 CRITERION= .1686 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 35 COMPLETED. CUM ITER = 186
 *** TIME = .248516E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5694E-05 OSCILLATION LIMIT = .4493
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.998 CRITERION= .1687
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2201E-01
 HT FLOW CONVERGENCE VALUE= .1340E-01 CRITERION= .1685 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 36 COMPLETED. CUM ITER = 187
 *** TIME = .249305E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4411E-05 OSCILLATION LIMIT = .3480
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.019 CRITERION= .1687
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
 HT FLOW CONVERGENCE VALUE= .1299E-01 CRITERION= .1685 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 37 COMPLETED. CUM ITER = 188
 *** TIME = .250094E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5660E-05 OSCILLATION LIMIT = .4465
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.998 CRITERION= .1687
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2200E-01
 HT FLOW CONVERGENCE VALUE= .1339E-01 CRITERION= .1685 <<< CONVERGED

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 38 COMPLETED. CUM ITER = 189
*** TIME = .250883E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4401E-05 OSCILLATION LIMIT = .3472
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.019 CRITERION= .1687
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2185E-01
HT FLOW CONVERGENCE VALUE= .1299E-01 CRITERION= .1685 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 39 COMPLETED. CUM ITER = 190
*** TIME = .251672E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5627E-05 OSCILLATION LIMIT = .4439
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.998 CRITERION= .1687
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2199E-01
HT FLOW CONVERGENCE VALUE= .1339E-01 CRITERION= .1685 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 40 COMPLETED. CUM ITER = 191
*** TIME = .252461E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4392E-05 OSCILLATION LIMIT = .3465
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 02:04:57 MAR 26, 1995 CP= 15583.060
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1686
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
HT FLOW CONVERGENCE VALUE= .1141E-01 CRITERION= .1684 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 1 COMPLETED. CUM ITER = 192
*** TIME = .253250E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6239E-05 OSCILLATION LIMIT = .4922
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.076 CRITERION= .1686
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1944E-01
HT FLOW CONVERGENCE VALUE= .1172E-01 CRITERION= .1684 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 2 COMPLETED. CUM ITER = 193
*** TIME = .254039E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5304E-05 OSCILLATION LIMIT = .4185
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1686
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .1684 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 3 COMPLETED. CUM ITER = 194
*** TIME = .254828E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6786E-05 OSCILLATION LIMIT = .5353
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.076 CRITERION= .1686
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1944E-01
HT FLOW CONVERGENCE VALUE= .1174E-01 CRITERION= .1684 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 4 COMPLETED. CUM ITER = 195
*** TIME = .255617E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5114E-05 OSCILLATION LIMIT = .4035
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1685
```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .1684 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 5 COMPLETED. CUM ITER = 196
*** TIME = .256406E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6716E-05 OSCILLATION LIMIT = .5298
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.076 CRITERION= .1685
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1943E-01
HT FLOW CONVERGENCE VALUE= .1173E-01 CRITERION= .1684 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 6 COMPLETED. CUM ITER = 197
*** TIME = .257195E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5140E-05 OSCILLATION LIMIT = .4055
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1685
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
HT FLOW CONVERGENCE VALUE= .1138E-01 CRITERION= .1683 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 7 COMPLETED. CUM ITER = 198
*** TIME = .257984E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6659E-05 OSCILLATION LIMIT = .5254
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.076 CRITERION= .1685
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1942E-01
HT FLOW CONVERGENCE VALUE= .1173E-01 CRITERION= .1683 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 8 COMPLETED. CUM ITER = 199
*** TIME = .258773E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5152E-05 OSCILLATION LIMIT = .4064
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1685
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
HT FLOW CONVERGENCE VALUE= .1138E-01 CRITERION= .1683 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 9 COMPLETED. CUM ITER = 200
*** TIME = .259562E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6611E-05 OSCILLATION LIMIT = .5216
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.075 CRITERION= .1685
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1942E-01
HT FLOW CONVERGENCE VALUE= .1172E-01 CRITERION= .1683 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 10 COMPLETED. CUM ITER = 201
*** TIME = .260351E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5157E-05 OSCILLATION LIMIT = .4069
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1684
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
HT FLOW CONVERGENCE VALUE= .1138E-01 CRITERION= .1683 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 11 COMPLETED. CUM ITER = 202
*** TIME = .261139E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6570E-05 OSCILLATION LIMIT = .5183
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.075 CRITERION= .1684
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1941E-01
HT FLOW CONVERGENCE VALUE= .1172E-01 CRITERION= .1683 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 12 COMPLETED. CUM ITER = 203
*** TIME = .261928E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5160E-05 OSCILLATION LIMIT = .4071
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1684
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
 HT FLOW CONVERGENCE VALUE= .1138E-01 CRITERION= .1682 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 13 COMPLETED. CUM ITER = 204
 *** TIME = .262717E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6532E-05 OSCILLATION LIMIT = .5154
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.075 CRITERION= .1684
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1941E-01
 HT FLOW CONVERGENCE VALUE= .1171E-01 CRITERION= .1682 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 14 COMPLETED. CUM ITER = 205
 *** TIME = .263506E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5159E-05 OSCILLATION LIMIT = .4070
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1684
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
 HT FLOW CONVERGENCE VALUE= .1138E-01 CRITERION= .1682 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 15 COMPLETED. CUM ITER = 206
 *** TIME = .264295E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6498E-05 OSCILLATION LIMIT = .5127
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.075 CRITERION= .1684
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1940E-01
 HT FLOW CONVERGENCE VALUE= .1171E-01 CRITERION= .1682 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 16 COMPLETED. CUM ITER = 207
 *** TIME = .265084E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5158E-05 OSCILLATION LIMIT = .4069
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1683
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
 HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .1682 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 17 COMPLETED. CUM ITER = 208
 *** TIME = .265873E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6466E-05 OSCILLATION LIMIT = .5102
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.075 CRITERION= .1683
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1939E-01
 HT FLOW CONVERGENCE VALUE= .1171E-01 CRITERION= .1682 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 18 COMPLETED. CUM ITER = 209
 *** TIME = .266662E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5156E-05 OSCILLATION LIMIT = .4068
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1683
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
 HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .1681 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 19 COMPLETED. CUM ITER = 210
 *** TIME = .267451E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6437E-05 OSCILLATION LIMIT = .5078
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.075 CRITERION= .1683
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1939E-01
 HT FLOW CONVERGENCE VALUE= .1170E-01 CRITERION= .1681 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 20 COMPLETED. CUM ITER = 211
 *** TIME = .268240E+08 TIME INC = 78894.0


```

*** RESPONSE EIGENVALUE = .5153E-05  OSCILLATION LIMIT = .4066
*** AUTO STEP TIME:  NEXT TIME INC = 78894.    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.098      CRITERION= .1683
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
    HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .1681    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 21 COMPLETED.  CUM ITER = 212
*** TIME = .269029E+08  TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6408E-05  OSCILLATION LIMIT = .5056
*** AUTO STEP TIME:  NEXT TIME INC = 78894.    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.075      CRITERION= .1682
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1938E-01
    HT FLOW CONVERGENCE VALUE= .1170E-01 CRITERION= .1681    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 22 COMPLETED.  CUM ITER = 213
*** TIME = .269818E+08  TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5150E-05  OSCILLATION LIMIT = .4063
*** AUTO STEP TIME:  NEXT TIME INC = 78894.    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.098      CRITERION= .1682
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
    HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .1681    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 23 COMPLETED.  CUM ITER = 214
*** TIME = .270607E+08  TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6381E-05  OSCILLATION LIMIT = .5034
*** AUTO STEP TIME:  NEXT TIME INC = 78894.    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.075      CRITERION= .1682
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1938E-01
    HT FLOW CONVERGENCE VALUE= .1169E-01 CRITERION= .1680    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 24 COMPLETED.  CUM ITER = 215
*** TIME = .271396E+08  TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5148E-05  OSCILLATION LIMIT = .4061
*** AUTO STEP TIME:  NEXT TIME INC = 78894.    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.098      CRITERION= .1682
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
    HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .1680    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 25 COMPLETED.  CUM ITER = 216
*** TIME = .272185E+08  TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6355E-05  OSCILLATION LIMIT = .5014
*** AUTO STEP TIME:  NEXT TIME INC = 78894.    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.075      CRITERION= .1682
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1937E-01
    HT FLOW CONVERGENCE VALUE= .1169E-01 CRITERION= .1680    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 26 COMPLETED.  CUM ITER = 217
*** TIME = .272974E+08  TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5145E-05  OSCILLATION LIMIT = .4059
*** AUTO STEP TIME:  NEXT TIME INC = 78894.    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.098      CRITERION= .1682
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
    HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .1680    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 27 COMPLETED.  CUM ITER = 218
*** TIME = .273762E+08  TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6331E-05  OSCILLATION LIMIT = .4995
*** AUTO STEP TIME:  NEXT TIME INC = 78894.    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.075      CRITERION= .1681
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1937E-01
    HT FLOW CONVERGENCE VALUE= .1168E-01 CRITERION= .1680    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

```

*** LOAD STEP 12 SUBSTEP 28 COMPLETED. CUM ITER = 219
*** TIME = .274551E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5142E-05 OSCILLATION LIMIT = .4057
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1681
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .1680 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 29 COMPLETED. CUM ITER = 220
*** TIME = .275340E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6307E-05 OSCILLATION LIMIT = .4976
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.075 CRITERION= .1681
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1936E-01
HT FLOW CONVERGENCE VALUE= .1168E-01 CRITERION= .1679 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 30 COMPLETED. CUM ITER = 221
*** TIME = .276129E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5140E-05 OSCILLATION LIMIT = .4055
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1681
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .1679 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 31 COMPLETED. CUM ITER = 222
*** TIME = .276918E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6284E-05 OSCILLATION LIMIT = .4958
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.075 CRITERION= .1681
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1936E-01
HT FLOW CONVERGENCE VALUE= .1167E-01 CRITERION= .1679 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 32 COMPLETED. CUM ITER = 223
*** TIME = .277707E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5138E-05 OSCILLATION LIMIT = .4053
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1681
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .1679 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 33 COMPLETED. CUM ITER = 224
*** TIME = .278496E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6262E-05 OSCILLATION LIMIT = .4940
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.075 CRITERION= .1680
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1935E-01
HT FLOW CONVERGENCE VALUE= .1167E-01 CRITERION= .1679 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 34 COMPLETED. CUM ITER = 225
*** TIME = .279285E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5136E-05 OSCILLATION LIMIT = .4052
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1680
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .1679 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 35 COMPLETED. CUM ITER = 226
*** TIME = .280074E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6240E-05 OSCILLATION LIMIT = .4923
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.075 CRITERION= .1680
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1935E-01

```

HT FLOW CONVERGENCE VALUE= .1166E-01 CRITERION= .1678 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 36 COMPLETED. CUM ITER = 227
 *** TIME = .280863E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5134E-05 OSCILLATION LIMIT = .4050
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1680
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
 HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .1678 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 37 COMPLETED. CUM ITER = 228
 *** TIME = .281652E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6220E-05 OSCILLATION LIMIT = .4907
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.075 CRITERION= .1680
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1934E-01
 HT FLOW CONVERGENCE VALUE= .1166E-01 CRITERION= .1678 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 38 COMPLETED. CUM ITER = 229
 *** TIME = .282441E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5132E-05 OSCILLATION LIMIT = .4049
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.098 CRITERION= .1679
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1933E-01
 HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .1678 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 39 COMPLETED. CUM ITER = 230
 *** TIME = .283230E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6200E-05 OSCILLATION LIMIT = .4891
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.075 CRITERION= .1679
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1934E-01
 HT FLOW CONVERGENCE VALUE= .1165E-01 CRITERION= .1678 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 40 COMPLETED. CUM ITER = 231
 *** TIME = .284019E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5131E-05 OSCILLATION LIMIT = .4048
 Apply loads and solve for 1 to 9 years

*DO LOOP ON PARAMETER= TM FROM .31558E+08 TO .28402E+09 BY .31558E+08
 TIME= .31558E+08

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 5405.15278 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 87.456 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 88.300 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 89.930 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 18970.740 TIME= 03:05:30
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 03:05:30 MAR 26, 1995 CP= 18970.740
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 13
TIME AT END OF THE LOAD STEP.31558E+08
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 6.480 CRITERION= .1679
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
HT FLOW CONVERGENCE VALUE= .1034E-01 CRITERION= .1677 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 1 COMPLETED. CUM ITER = 232
*** TIME = .284808E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6684E-05 OSCILLATION LIMIT = .5273
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1679
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
HT FLOW CONVERGENCE VALUE= .1056E-01 CRITERION= .1677 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 2 COMPLETED. CUM ITER = 233
*** TIME = .285597E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5877E-05 OSCILLATION LIMIT = .4637
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.480 CRITERION= .1679
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1033E-01 CRITERION= .1677 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 3 COMPLETED. CUM ITER = 234
 *** TIME = .286386E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .7077E-05 OSCILLATION LIMIT = .5583
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1678
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1057E-01 CRITERION= .1677 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 4 COMPLETED. CUM ITER = 235
 *** TIME = .287174E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5740E-05 OSCILLATION LIMIT = .4529
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.480 CRITERION= .1678
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1033E-01 CRITERION= .1677 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 5 COMPLETED. CUM ITER = 236
 *** TIME = .287963E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .7032E-05 OSCILLATION LIMIT = .5548
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1678
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1056E-01 CRITERION= .1677 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 6 COMPLETED. CUM ITER = 237
 *** TIME = .288752E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5766E-05 OSCILLATION LIMIT = .4549
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.480 CRITERION= .1678
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1033E-01 CRITERION= .1676 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 7 COMPLETED. CUM ITER = 238
 *** TIME = .289541E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6995E-05 OSCILLATION LIMIT = .5518
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1678
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1056E-01 CRITERION= .1676 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 8 COMPLETED. CUM ITER = 239
 *** TIME = .290330E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5780E-05 OSCILLATION LIMIT = .4560
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.480 CRITERION= .1677
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1033E-01 CRITERION= .1676 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 9 COMPLETED. CUM ITER = 240
 *** TIME = .291119E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6964E-05 OSCILLATION LIMIT = .5494
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1677
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1056E-01 CRITERION= .1676 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 10 COMPLETED. CUM ITER = 241
 *** TIME = .291908E+08 TIME INC = 78894.0

```

*** RESPONSE EIGENVALUE = .5789E-05  OSCILLATION LIMIT = .4567
*** AUTO STEP TIME: NEXT TIME INC = 78894.    UNCHANGED

  HT FLOW CONVERGENCE VALUE= 6.479    CRITERION= .1677
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
  HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1676    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 11 COMPLETED. CUM ITER = 242
*** TIME = .292697E+08    TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6937E-05  OSCILLATION LIMIT = .5473
*** AUTO STEP TIME: NEXT TIME INC = 78894.    UNCHANGED

  HT FLOW CONVERGENCE VALUE= 6.456    CRITERION= .1677
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
  HT FLOW CONVERGENCE VALUE= .1055E-01 CRITERION= .1676    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 12 COMPLETED. CUM ITER = 243
*** TIME = .293486E+08    TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5795E-05  OSCILLATION LIMIT = .4572
*** AUTO STEP TIME: NEXT TIME INC = 78894.    UNCHANGED

  HT FLOW CONVERGENCE VALUE= 6.479    CRITERION= .1677
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
  HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1675    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 13 COMPLETED. CUM ITER = 244
*** TIME = .294275E+08    TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6914E-05  OSCILLATION LIMIT = .5455
*** AUTO STEP TIME: NEXT TIME INC = 78894.    UNCHANGED

  HT FLOW CONVERGENCE VALUE= 6.456    CRITERION= .1677
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
  HT FLOW CONVERGENCE VALUE= .1055E-01 CRITERION= .1675    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 14 COMPLETED. CUM ITER = 245
*** TIME = .295064E+08    TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5799E-05  OSCILLATION LIMIT = .4575
*** AUTO STEP TIME: NEXT TIME INC = 78894.    UNCHANGED

  HT FLOW CONVERGENCE VALUE= 6.479    CRITERION= .1676
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
  HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1675    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 15 COMPLETED. CUM ITER = 246
*** TIME = .295853E+08    TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6893E-05  OSCILLATION LIMIT = .5438
*** AUTO STEP TIME: NEXT TIME INC = 78894.    UNCHANGED

  HT FLOW CONVERGENCE VALUE= 6.456    CRITERION= .1676
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
  HT FLOW CONVERGENCE VALUE= .1055E-01 CRITERION= .1675    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 16 COMPLETED. CUM ITER = 247
*** TIME = .296642E+08    TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5802E-05  OSCILLATION LIMIT = .4577
*** AUTO STEP TIME: NEXT TIME INC = 78894.    UNCHANGED

  HT FLOW CONVERGENCE VALUE= 6.479    CRITERION= .1676
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
  HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1675    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 17 COMPLETED. CUM ITER = 248
*** TIME = .297431E+08    TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6873E-05  OSCILLATION LIMIT = .5423
*** AUTO STEP TIME: NEXT TIME INC = 78894.    UNCHANGED

  HT FLOW CONVERGENCE VALUE= 6.456    CRITERION= .1676
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
  HT FLOW CONVERGENCE VALUE= .1054E-01 CRITERION= .1674    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

```

*** LOAD STEP 13 SUBSTEP 18 COMPLETED. CUM ITER = 249
*** TIME = .298220E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5804E-05 OSCILLATION LIMIT = .4579
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.479 CRITERION= .1676
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1674 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 19 COMPLETED. CUM ITER = 250
*** TIME = .299009E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6855E-05 OSCILLATION LIMIT = .5408
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1676
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
HT FLOW CONVERGENCE VALUE= .1054E-01 CRITERION= .1674 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 20 COMPLETED. CUM ITER = 251
*** TIME = .299798E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5805E-05 OSCILLATION LIMIT = .4580
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.479 CRITERION= .1675
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1674 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 21 COMPLETED. CUM ITER = 252
*** TIME = .300586E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6838E-05 OSCILLATION LIMIT = .5395
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1675
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
HT FLOW CONVERGENCE VALUE= .1053E-01 CRITERION= .1674 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 22 COMPLETED. CUM ITER = 253
*** TIME = .301375E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5806E-05 OSCILLATION LIMIT = .4581
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.479 CRITERION= .1675
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1674 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 23 COMPLETED. CUM ITER = 254
*** TIME = .302164E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6821E-05 OSCILLATION LIMIT = .5382
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1675
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
HT FLOW CONVERGENCE VALUE= .1053E-01 CRITERION= .1673 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 24 COMPLETED. CUM ITER = 255
*** TIME = .302953E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5807E-05 OSCILLATION LIMIT = .4581
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.479 CRITERION= .1675
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1673 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 25 COMPLETED. CUM ITER = 256
*** TIME = .303742E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6805E-05 OSCILLATION LIMIT = .5369
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1675
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01

```

HT FLOW CONVERGENCE VALUE= .1053E-01 CRITERION= .1673 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 26 COMPLETED. CUM ITER = 257
 *** TIME = .304531E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5808E-05 OSCILLATION LIMIT = .4582
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.479 CRITERION= .1674
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1673 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 27 COMPLETED. CUM ITER = 258
 *** TIME = .305320E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6790E-05 OSCILLATION LIMIT = .5357
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1674
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1052E-01 CRITERION= .1673 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 28 COMPLETED. CUM ITER = 259
 *** TIME = .306109E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5808E-05 OSCILLATION LIMIT = .4582
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.479 CRITERION= .1674
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1673 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 29 COMPLETED. CUM ITER = 260
 *** TIME = .306898E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6776E-05 OSCILLATION LIMIT = .5345
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1674
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1052E-01 CRITERION= .1672 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 30 COMPLETED. CUM ITER = 261
 *** TIME = .307687E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5809E-05 OSCILLATION LIMIT = .4583
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.479 CRITERION= .1674
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1672 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 31 COMPLETED. CUM ITER = 262
 *** TIME = .308476E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6761E-05 OSCILLATION LIMIT = .5334
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1674
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1052E-01 CRITERION= .1672 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 32 COMPLETED. CUM ITER = 263
 *** TIME = .309265E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5810E-05 OSCILLATION LIMIT = .4583
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.479 CRITERION= .1673
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1672 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 33 COMPLETED. CUM ITER = 264
 *** TIME = .310054E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6748E-05 OSCILLATION LIMIT = .5323
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1673
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1051E-01 CRITERION= .1672 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 34 COMPLETED. CUM ITER = 265
 *** TIME = .310843E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5810E-05 OSCILLATION LIMIT = .4584
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.479 CRITERION= .1673
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1672 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 35 COMPLETED. CUM ITER = 266
 *** TIME = .311632E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6734E-05 OSCILLATION LIMIT = .5313
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1673
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1051E-01 CRITERION= .1671 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 36 COMPLETED. CUM ITER = 267
 *** TIME = .312421E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5811E-05 OSCILLATION LIMIT = .4584
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.479 CRITERION= .1673
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1031E-01 CRITERION= .1671 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 37 COMPLETED. CUM ITER = 268
 *** TIME = .313209E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6721E-05 OSCILLATION LIMIT = .5303
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1672
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1051E-01 CRITERION= .1671 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 38 COMPLETED. CUM ITER = 269
 *** TIME = .313998E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5811E-05 OSCILLATION LIMIT = .4585
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.479 CRITERION= .1672
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1031E-01 CRITERION= .1671 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 39 COMPLETED. CUM ITER = 270
 *** TIME = .314787E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6708E-05 OSCILLATION LIMIT = .5293
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.456 CRITERION= .1672
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1766E-01
 HT FLOW CONVERGENCE VALUE= .1050E-01 CRITERION= .1671 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 40 COMPLETED. CUM ITER = 271
 *** TIME = .315576E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5812E-05 OSCILLATION LIMIT = .4585

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 04:06:53 MAR 26, 1995 CP= 22363.270
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1720
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6700E-01 CRITERION= .1670 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 1 COMPLETED. CUM ITER = 272
 *** TIME = .323466E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9354E-05 OSCILLATION LIMIT = 7.380
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.92 CRITERION= .1719
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6538E-01 CRITERION= .1668 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 2 COMPLETED. CUM ITER = 273
 *** TIME = .331355E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9119E-05 OSCILLATION LIMIT = 7.194
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1718
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6505E-01 CRITERION= .1667 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 3 COMPLETED. CUM ITER = 274
 *** TIME = .339245E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9227E-05 OSCILLATION LIMIT = 7.280
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.92 CRITERION= .1716
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6504E-01 CRITERION= .1665 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 4 COMPLETED. CUM ITER = 275
 *** TIME = .347134E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8614E-05 OSCILLATION LIMIT = 6.796
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1715
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6490E-01 CRITERION= .1664 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 5 COMPLETED. CUM ITER = 276
 *** TIME = .355023E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9171E-05 OSCILLATION LIMIT = 7.236
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.92 CRITERION= .1713
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6492E-01 CRITERION= .1662 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 6 COMPLETED. CUM ITER = 277
 *** TIME = .362913E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8713E-05 OSCILLATION LIMIT = 6.874
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1712
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6475E-01 CRITERION= .1661 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 7 COMPLETED. CUM ITER = 278
 *** TIME = .370802E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9114E-05 OSCILLATION LIMIT = 7.190
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.92 CRITERION= .1710
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6478E-01 CRITERION= .1659 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 8 COMPLETED. CUM ITER = 279
*** TIME = .378692E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8774E-05 OSCILLATION LIMIT = 6.922
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1709
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6466E-01 CRITERION= .1658 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 9 COMPLETED. CUM ITER = 280
*** TIME = .386581E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9082E-05 OSCILLATION LIMIT = 7.165
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.92 CRITERION= .1708
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6474E-01 CRITERION= .1656 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 10 COMPLETED. CUM ITER = 281
*** TIME = .394470E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8816E-05 OSCILLATION LIMIT = 6.956
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1706
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6456E-01 CRITERION= .1655 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 11 COMPLETED. CUM ITER = 282
*** TIME = .402360E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9067E-05 OSCILLATION LIMIT = 7.153
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1705
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6462E-01 CRITERION= .1653 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 12 COMPLETED. CUM ITER = 283
*** TIME = .410249E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8846E-05 OSCILLATION LIMIT = 6.979
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1703
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6437E-01 CRITERION= .1652 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 13 COMPLETED. CUM ITER = 284
*** TIME = .418139E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9061E-05 OSCILLATION LIMIT = 7.148
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1702
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6449E-01 CRITERION= .1650 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 14 COMPLETED. CUM ITER = 285
*** TIME = .426028E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8868E-05 OSCILLATION LIMIT = 6.997
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1700
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6431E-01 CRITERION= .1649 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 15 COMPLETED. CUM ITER = 286
*** TIME = .433917E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9063E-05 OSCILLATION LIMIT = 7.150
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1699

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6437E-01 CRITERION= .1647 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 16 COMPLETED. CUM ITER = 287
*** TIME = .441807E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8887E-05 OSCILLATION LIMIT = 7.011
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1697
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6411E-01 CRITERION= .1646 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 17 COMPLETED. CUM ITER = 288
*** TIME = .449696E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9066E-05 OSCILLATION LIMIT = 7.153
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1696
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6422E-01 CRITERION= .1644 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 18 COMPLETED. CUM ITER = 289
*** TIME = .457586E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8902E-05 OSCILLATION LIMIT = 7.023
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1695
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6401E-01 CRITERION= .1643 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 19 COMPLETED. CUM ITER = 290
*** TIME = .465475E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9075E-05 OSCILLATION LIMIT = 7.159
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1693
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6405E-01 CRITERION= .1642 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 20 COMPLETED. CUM ITER = 291
*** TIME = .473364E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8916E-05 OSCILLATION LIMIT = 7.034
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1692
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6403E-01 CRITERION= .1640 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 21 COMPLETED. CUM ITER = 292
*** TIME = .481254E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9085E-05 OSCILLATION LIMIT = 7.168
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1690
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6419E-01 CRITERION= .1639 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 22 COMPLETED. CUM ITER = 293
*** TIME = .489143E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8932E-05 OSCILLATION LIMIT = 7.047
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1689
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
HT FLOW CONVERGENCE VALUE= .6404E-01 CRITERION= .1637 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 23 COMPLETED. CUM ITER = 294
*** TIME = .497033E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9098E-05 OSCILLATION LIMIT = 7.178
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1687
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6412E-01 CRITERION= .1636 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 24 COMPLETED. CUM ITER = 295
 *** TIME = .504922E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8946E-05 OSCILLATION LIMIT = 7.058
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1686
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6386E-01 CRITERION= .1634 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 25 COMPLETED. CUM ITER = 296
 *** TIME = .512811E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9109E-05 OSCILLATION LIMIT = 7.186
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1685
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6392E-01 CRITERION= .1633 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 26 COMPLETED. CUM ITER = 297
 *** TIME = .520701E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8959E-05 OSCILLATION LIMIT = 7.068
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1683
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6381E-01 CRITERION= .1631 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 27 COMPLETED. CUM ITER = 298
 *** TIME = .528590E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9123E-05 OSCILLATION LIMIT = 7.197
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1682
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6393E-01 CRITERION= .1630 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 28 COMPLETED. CUM ITER = 299
 *** TIME = .536480E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8973E-05 OSCILLATION LIMIT = 7.079
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.94 CRITERION= .1680
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6366E-01 CRITERION= .1628 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 29 COMPLETED. CUM ITER = 300
 *** TIME = .544369E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9135E-05 OSCILLATION LIMIT = 7.207
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1679
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6373E-01 CRITERION= .1627 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 30 COMPLETED. CUM ITER = 301
 *** TIME = .552258E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8986E-05 OSCILLATION LIMIT = 7.089
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.93 CRITERION= .1677
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6376E-01 CRITERION= .1625 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 31 COMPLETED. CUM ITER = 302
 *** TIME = .560148E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .9152E-05 OSCILLATION LIMIT = 7.220
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1676
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6383E-01 CRITERION= .1624 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 32 COMPLETED. CUM ITER = 303
 *** TIME = .568037E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9004E-05 OSCILLATION LIMIT = 7.103
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.93 CRITERION= .1674
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6356E-01 CRITERION= .1622 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 33 COMPLETED. CUM ITER = 304
 *** TIME = .575927E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9164E-05 OSCILLATION LIMIT = 7.230
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1673
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6353E-01 CRITERION= .1621 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 34 COMPLETED. CUM ITER = 305
 *** TIME = .583816E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9014E-05 OSCILLATION LIMIT = 7.111
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.93 CRITERION= .1672
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6352E-01 CRITERION= .1619 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 35 COMPLETED. CUM ITER = 306
 *** TIME = .591705E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9178E-05 OSCILLATION LIMIT = 7.241
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1670
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6359E-01 CRITERION= .1618 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 36 COMPLETED. CUM ITER = 307
 *** TIME = .599595E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9028E-05 OSCILLATION LIMIT = 7.123
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.93 CRITERION= .1669
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6332E-01 CRITERION= .1616 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 37 COMPLETED. CUM ITER = 308
 *** TIME = .607484E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9189E-05 OSCILLATION LIMIT = 7.250
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1667
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6341E-01 CRITERION= .1615 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 38 COMPLETED. CUM ITER = 309
 *** TIME = .615374E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9037E-05 OSCILLATION LIMIT = 7.130
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.93 CRITERION= .1666
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6334E-01 CRITERION= .1614 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 39 COMPLETED. CUM ITER = 310
 *** TIME = .623263E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9202E-05 OSCILLATION LIMIT = 7.259
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.91 CRITERION= .1664
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .6341E-01 CRITERION= .1612 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 40 COMPLETED. CUM ITER = 311
 *** TIME = .631152E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9050E-05 OSCILLATION LIMIT = 7.140

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:08:07 MAR 26, 1995 CP= 25752.120
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1627
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7047E-01
 HT FLOW CONVERGENCE VALUE= .4177E-01 CRITERION= .1611 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 1 COMPLETED. CUM ITER = 312
 *** TIME = .639042E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1190E-04 OSCILLATION LIMIT = 9.392
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1625
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6490E-01
 HT FLOW CONVERGENCE VALUE= .3945E-01 CRITERION= .1609 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 2 COMPLETED. CUM ITER = 313
 *** TIME = .646931E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1303E-04 OSCILLATION LIMIT = 10.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1624
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .3757E-01 CRITERION= .1608 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 3 COMPLETED. CUM ITER = 314
 *** TIME = .654821E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1345E-04 OSCILLATION LIMIT = 10.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1623
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6479E-01
 HT FLOW CONVERGENCE VALUE= .3910E-01 CRITERION= .1607 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 4 COMPLETED. CUM ITER = 315
 *** TIME = .662710E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1336E-04 OSCILLATION LIMIT = 10.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1621
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .3780E-01 CRITERION= .1606 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 5 COMPLETED. CUM ITER = 316
 *** TIME = .670599E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1352E-04 OSCILLATION LIMIT = 10.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1620
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6346E-01

HT FLOW CONVERGENCE VALUE= .3879E-01 CRITERION= .1604 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 6 COMPLETED. CUM ITER = 317
 *** TIME = .678489E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1331E-04 OSCILLATION LIMIT = 10.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1619
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6023E-01
 HT FLOW CONVERGENCE VALUE= .3790E-01 CRITERION= .1603 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 7 COMPLETED. CUM ITER = 318
 *** TIME = .686378E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1359E-04 OSCILLATION LIMIT = 10.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1618
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6265E-01
 HT FLOW CONVERGENCE VALUE= .3857E-01 CRITERION= .1602 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 8 COMPLETED. CUM ITER = 319
 *** TIME = .694268E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1328E-04 OSCILLATION LIMIT = 10.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1616
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6084E-01
 HT FLOW CONVERGENCE VALUE= .3793E-01 CRITERION= .1600 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 9 COMPLETED. CUM ITER = 320
 *** TIME = .702157E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1364E-04 OSCILLATION LIMIT = 10.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1615
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6216E-01
 HT FLOW CONVERGENCE VALUE= .3840E-01 CRITERION= .1599 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 10 COMPLETED. CUM ITER = 321
 *** TIME = .710046E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1327E-04 OSCILLATION LIMIT = 10.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1614
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6120E-01
 HT FLOW CONVERGENCE VALUE= .3792E-01 CRITERION= .1598 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 11 COMPLETED. CUM ITER = 322
 *** TIME = .717936E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1367E-04 OSCILLATION LIMIT = 10.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1613
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6186E-01
 HT FLOW CONVERGENCE VALUE= .3827E-01 CRITERION= .1596 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 12 COMPLETED. CUM ITER = 323
 *** TIME = .725825E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1327E-04 OSCILLATION LIMIT = 10.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1611
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6141E-01
 HT FLOW CONVERGENCE VALUE= .3789E-01 CRITERION= .1595 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 13 COMPLETED. CUM ITER = 324
 *** TIME = .733715E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1369E-04 OSCILLATION LIMIT = 10.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1610
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6168E-01
 HT FLOW CONVERGENCE VALUE= .3816E-01 CRITERION= .1594 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 14 COMPLETED. CUM ITER = 325
 *** TIME = .741604E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1328E-04 OSCILLATION LIMIT = 10.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1609
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6154E-01
 HT FLOW CONVERGENCE VALUE= .3784E-01 CRITERION= .1593 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 15 COMPLETED. CUM ITER = 326
 *** TIME = .749493E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1370E-04 OSCILLATION LIMIT = 10.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1608
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6157E-01
 HT FLOW CONVERGENCE VALUE= .3806E-01 CRITERION= .1591 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 16 COMPLETED. CUM ITER = 327
 *** TIME = .757383E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1329E-04 OSCILLATION LIMIT = 10.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1606
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6160E-01
 HT FLOW CONVERGENCE VALUE= .3778E-01 CRITERION= .1590 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 17 COMPLETED. CUM ITER = 328
 *** TIME = .765272E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1372E-04 OSCILLATION LIMIT = 10.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1605
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6151E-01
 HT FLOW CONVERGENCE VALUE= .3797E-01 CRITERION= .1589 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 18 COMPLETED. CUM ITER = 329
 *** TIME = .773162E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1330E-04 OSCILLATION LIMIT = 10.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1604
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6163E-01
 HT FLOW CONVERGENCE VALUE= .3772E-01 CRITERION= .1588 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 19 COMPLETED. CUM ITER = 330
 *** TIME = .781051E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1373E-04 OSCILLATION LIMIT = 10.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1603
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6147E-01
 HT FLOW CONVERGENCE VALUE= .3789E-01 CRITERION= .1586 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 20 COMPLETED. CUM ITER = 331
 *** TIME = .788940E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1332E-04 OSCILLATION LIMIT = 10.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1601
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6164E-01
 HT FLOW CONVERGENCE VALUE= .3765E-01 CRITERION= .1585 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 21 COMPLETED. CUM ITER = 332
 *** TIME = .796830E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1374E-04 OSCILLATION LIMIT = 10.84

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1600
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6144E-01
 HT FLOW CONVERGENCE VALUE= .3781E-01 CRITERION= .1584 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 22 COMPLETED. CUM ITER = 333
 *** TIME = .804719E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1333E-04 OSCILLATION LIMIT = 10.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1599
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6164E-01
 HT FLOW CONVERGENCE VALUE= .3758E-01 CRITERION= .1582 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 23 COMPLETED. CUM ITER = 334
 *** TIME = .812609E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1375E-04 OSCILLATION LIMIT = 10.84
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1597
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6143E-01
 HT FLOW CONVERGENCE VALUE= .3773E-01 CRITERION= .1581 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 24 COMPLETED. CUM ITER = 335
 *** TIME = .820498E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1335E-04 OSCILLATION LIMIT = 10.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1596
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6164E-01
 HT FLOW CONVERGENCE VALUE= .3751E-01 CRITERION= .1580 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 25 COMPLETED. CUM ITER = 336
 *** TIME = .828387E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1375E-04 OSCILLATION LIMIT = 10.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1595
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6142E-01
 HT FLOW CONVERGENCE VALUE= .3764E-01 CRITERION= .1578 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 26 COMPLETED. CUM ITER = 337
 *** TIME = .836277E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1336E-04 OSCILLATION LIMIT = 10.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1593
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6162E-01
 HT FLOW CONVERGENCE VALUE= .3743E-01 CRITERION= .1577 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 27 COMPLETED. CUM ITER = 338
 *** TIME = .844166E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1376E-04 OSCILLATION LIMIT = 10.86
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1592
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6141E-01
 HT FLOW CONVERGENCE VALUE= .3757E-01 CRITERION= .1576 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 28 COMPLETED. CUM ITER = 339
 *** TIME = .852056E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1338E-04 OSCILLATION LIMIT = 10.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1591
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6161E-01
 HT FLOW CONVERGENCE VALUE= .3736E-01 CRITERION= .1575 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 29 COMPLETED. CUM ITER = 340

```

*** TIME = .859945E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1377E-04    OSCILLATION LIMIT = 10.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.88    CRITERION= .1590
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6141E-01
    HT FLOW CONVERGENCE VALUE= .3749E-01    CRITERION= .1573    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 30 COMPLETED.    CUM ITER = 341
*** TIME = .867834E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1340E-04    OSCILLATION LIMIT = 10.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.91    CRITERION= .1588
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6159E-01
    HT FLOW CONVERGENCE VALUE= .3729E-01    CRITERION= .1572    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 31 COMPLETED.    CUM ITER = 342
*** TIME = .875724E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1378E-04    OSCILLATION LIMIT = 10.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.88    CRITERION= .1587
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6141E-01
    HT FLOW CONVERGENCE VALUE= .3741E-01    CRITERION= .1571    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 32 COMPLETED.    CUM ITER = 343
*** TIME = .883613E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1341E-04    OSCILLATION LIMIT = 10.58
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.91    CRITERION= .1586
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6157E-01
    HT FLOW CONVERGENCE VALUE= .3721E-01    CRITERION= .1570    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 33 COMPLETED.    CUM ITER = 344
*** TIME = .891503E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1379E-04    OSCILLATION LIMIT = 10.88
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.88    CRITERION= .1585
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6140E-01
    HT FLOW CONVERGENCE VALUE= .3733E-01    CRITERION= .1568    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 34 COMPLETED.    CUM ITER = 345
*** TIME = .899392E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1343E-04    OSCILLATION LIMIT = 10.59
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.91    CRITERION= .1583
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6156E-01
    HT FLOW CONVERGENCE VALUE= .3714E-01    CRITERION= .1567    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 35 COMPLETED.    CUM ITER = 346
*** TIME = .907281E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1380E-04    OSCILLATION LIMIT = 10.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.88    CRITERION= .1582
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6140E-01
    HT FLOW CONVERGENCE VALUE= .3725E-01    CRITERION= .1566    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 36 COMPLETED.    CUM ITER = 347
*** TIME = .915171E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1344E-04    OSCILLATION LIMIT = 10.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.91    CRITERION= .1581
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6154E-01
    HT FLOW CONVERGENCE VALUE= .3707E-01    CRITERION= .1565    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 37 COMPLETED. CUM ITER = 348
*** TIME = .923060E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1381E-04 OSCILLATION LIMIT = 10.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1580
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6140E-01
HT FLOW CONVERGENCE VALUE= .3718E-01 CRITERION= .1563 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 38 COMPLETED. CUM ITER = 349
*** TIME = .930950E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1346E-04 OSCILLATION LIMIT = 10.62
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.91 CRITERION= .1578
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6152E-01
HT FLOW CONVERGENCE VALUE= .3699E-01 CRITERION= .1562 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 39 COMPLETED. CUM ITER = 350
*** TIME = .938839E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1382E-04 OSCILLATION LIMIT = 10.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .1577
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6139E-01
HT FLOW CONVERGENCE VALUE= .3710E-01 CRITERION= .1561 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 40 COMPLETED. CUM ITER = 351
*** TIME = .946728E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1348E-04 OSCILLATION LIMIT = 10.63

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 06:09:21 MAR 26, 1995 CP= 29145.820
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 14.09 CRITERION= .1567
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6328E-01
HT FLOW CONVERGENCE VALUE= .2993E-01 CRITERION= .1560 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 1 COMPLETED. CUM ITER = 352
*** TIME = .954618E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1283E-04 OSCILLATION LIMIT = 10.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06 CRITERION= .1566
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6026E-01
HT FLOW CONVERGENCE VALUE= .2861E-01 CRITERION= .1558 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 2 COMPLETED. CUM ITER = 353
*** TIME = .962507E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1351E-04 OSCILLATION LIMIT = 10.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09 CRITERION= .1564
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5860E-01
HT FLOW CONVERGENCE VALUE= .2779E-01 CRITERION= .1557 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 3 COMPLETED. CUM ITER = 354
*** TIME = .970397E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1425E-04 OSCILLATION LIMIT = 11.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06 CRITERION= .1564

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6045E-01
HT FLOW CONVERGENCE VALUE= .2849E-01 CRITERION= .1556 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 4 COMPLETED. CUM ITER = 355
*** TIME = .978286E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1368E-04 OSCILLATION LIMIT = 10.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09 CRITERION= .1562
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5906E-01
HT FLOW CONVERGENCE VALUE= .2787E-01 CRITERION= .1555 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 5 COMPLETED. CUM ITER = 356
*** TIME = .986175E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1422E-04 OSCILLATION LIMIT = 11.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06 CRITERION= .1561
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6009E-01
HT FLOW CONVERGENCE VALUE= .2835E-01 CRITERION= .1554 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 6 COMPLETED. CUM ITER = 357
*** TIME = .994065E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1369E-04 OSCILLATION LIMIT = 10.80
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09 CRITERION= .1560
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5935E-01
HT FLOW CONVERGENCE VALUE= .2789E-01 CRITERION= .1553 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 7 COMPLETED. CUM ITER = 358
*** TIME = .100195E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1422E-04 OSCILLATION LIMIT = 11.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06 CRITERION= .1559
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5987E-01
HT FLOW CONVERGENCE VALUE= .2825E-01 CRITERION= .1552 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 8 COMPLETED. CUM ITER = 359
*** TIME = .100984E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1371E-04 OSCILLATION LIMIT = 10.81
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09 CRITERION= .1558
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5953E-01
HT FLOW CONVERGENCE VALUE= .2789E-01 CRITERION= .1551 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 9 COMPLETED. CUM ITER = 360
*** TIME = .101773E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1422E-04 OSCILLATION LIMIT = 11.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06 CRITERION= .1557
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5975E-01
HT FLOW CONVERGENCE VALUE= .2818E-01 CRITERION= .1549 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 10 COMPLETED. CUM ITER = 361
*** TIME = .102562E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1372E-04 OSCILLATION LIMIT = 10.82
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09 CRITERION= .1556
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5963E-01
HT FLOW CONVERGENCE VALUE= .2788E-01 CRITERION= .1549 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 11 COMPLETED. CUM ITER = 362
*** TIME = .103351E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1422E-04 OSCILLATION LIMIT = 11.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 14.06    CRITERION= .1555
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5968E-01
HT FLOW CONVERGENCE VALUE= .2811E-01 CRITERION= .1547    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 12 COMPLETED. CUM ITER = 363
*** TIME = .104140E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1373E-04 OSCILLATION LIMIT = 10.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09    CRITERION= .1554
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5970E-01
HT FLOW CONVERGENCE VALUE= .2786E-01 CRITERION= .1546    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 13 COMPLETED. CUM ITER = 364
*** TIME = .104929E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1423E-04 OSCILLATION LIMIT = 11.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06    CRITERION= .1553
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5964E-01
HT FLOW CONVERGENCE VALUE= .2806E-01 CRITERION= .1545    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 14 COMPLETED. CUM ITER = 365
*** TIME = .105718E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1375E-04 OSCILLATION LIMIT = 10.85
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09    CRITERION= .1551
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5973E-01
HT FLOW CONVERGENCE VALUE= .2782E-01 CRITERION= .1544    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 15 COMPLETED. CUM ITER = 366
*** TIME = .106507E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1423E-04 OSCILLATION LIMIT = 11.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06    CRITERION= .1550
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5963E-01
HT FLOW CONVERGENCE VALUE= .2800E-01 CRITERION= .1543    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 16 COMPLETED. CUM ITER = 367
*** TIME = .107296E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1376E-04 OSCILLATION LIMIT = 10.86
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09    CRITERION= .1549
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5976E-01
HT FLOW CONVERGENCE VALUE= .2779E-01 CRITERION= .1542    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 17 COMPLETED. CUM ITER = 368
*** TIME = .108085E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1423E-04 OSCILLATION LIMIT = 11.23
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06    CRITERION= .1548
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5962E-01
HT FLOW CONVERGENCE VALUE= .2795E-01 CRITERION= .1541    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 18 COMPLETED. CUM ITER = 369
*** TIME = .108874E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1377E-04 OSCILLATION LIMIT = 10.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09    CRITERION= .1547
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5977E-01
HT FLOW CONVERGENCE VALUE= .2775E-01 CRITERION= .1540    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 19 COMPLETED. CUM ITER = 370
*** TIME = .109663E+09 TIME INC = 788940.

```

```

*** RESPONSE EIGENVALUE = .1423E-04  OSCILLATION LIMIT = 11.23
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.06  CRITERION= .1546
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5962E-01
  HT FLOW CONVERGENCE VALUE= .2790E-01 CRITERION= .1538  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 20 COMPLETED. CUM ITER = 371
*** TIME = .110452E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1379E-04  OSCILLATION LIMIT = 10.88
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.09  CRITERION= .1545
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5978E-01
  HT FLOW CONVERGENCE VALUE= .2771E-01 CRITERION= .1537  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 21 COMPLETED. CUM ITER = 372
*** TIME = .111241E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1424E-04  OSCILLATION LIMIT = 11.23
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.06  CRITERION= .1544
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5963E-01
  HT FLOW CONVERGENCE VALUE= .2785E-01 CRITERION= .1536  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 22 COMPLETED. CUM ITER = 373
*** TIME = .112030E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1380E-04  OSCILLATION LIMIT = 10.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.09  CRITERION= .1543
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5978E-01
  HT FLOW CONVERGENCE VALUE= .2767E-01 CRITERION= .1535  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 23 COMPLETED. CUM ITER = 374
*** TIME = .112818E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1424E-04  OSCILLATION LIMIT = 11.23
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.06  CRITERION= .1542
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5964E-01
  HT FLOW CONVERGENCE VALUE= .2780E-01 CRITERION= .1534  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 24 COMPLETED. CUM ITER = 375
*** TIME = .113607E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1381E-04  OSCILLATION LIMIT = 10.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.09  CRITERION= .1540
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5978E-01
  HT FLOW CONVERGENCE VALUE= .2763E-01 CRITERION= .1533  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 25 COMPLETED. CUM ITER = 376
*** TIME = .114396E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1424E-04  OSCILLATION LIMIT = 11.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.06  CRITERION= .1539
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5965E-01
  HT FLOW CONVERGENCE VALUE= .2776E-01 CRITERION= .1532  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 26 COMPLETED. CUM ITER = 377
*** TIME = .115185E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1382E-04  OSCILLATION LIMIT = 10.91
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 14.09  CRITERION= .1538
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5979E-01
  HT FLOW CONVERGENCE VALUE= .2758E-01 CRITERION= .1531  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 16 SUBSTEP 27 COMPLETED. CUM ITER = 378
 *** TIME = .115974E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1425E-04 OSCILLATION LIMIT = 11.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06 CRITERION= .1537
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5966E-01
 HT FLOW CONVERGENCE VALUE= .2771E-01 CRITERION= .1530 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 28 COMPLETED. CUM ITER = 379
 *** TIME = .116763E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1384E-04 OSCILLATION LIMIT = 10.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09 CRITERION= .1536
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5979E-01
 HT FLOW CONVERGENCE VALUE= .2754E-01 CRITERION= .1529 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 29 COMPLETED. CUM ITER = 380
 *** TIME = .117552E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1425E-04 OSCILLATION LIMIT = 11.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06 CRITERION= .1535
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5967E-01
 HT FLOW CONVERGENCE VALUE= .2766E-01 CRITERION= .1527 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 30 COMPLETED. CUM ITER = 381
 *** TIME = .118341E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1385E-04 OSCILLATION LIMIT = 10.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09 CRITERION= .1534
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5979E-01
 HT FLOW CONVERGENCE VALUE= .2750E-01 CRITERION= .1526 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 31 COMPLETED. CUM ITER = 382
 *** TIME = .119130E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1425E-04 OSCILLATION LIMIT = 11.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06 CRITERION= .1533
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5969E-01
 HT FLOW CONVERGENCE VALUE= .2762E-01 CRITERION= .1525 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 32 COMPLETED. CUM ITER = 383
 *** TIME = .119919E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1386E-04 OSCILLATION LIMIT = 10.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09 CRITERION= .1532
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5979E-01
 HT FLOW CONVERGENCE VALUE= .2746E-01 CRITERION= .1524 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 33 COMPLETED. CUM ITER = 384
 *** TIME = .120708E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1426E-04 OSCILLATION LIMIT = 11.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06 CRITERION= .1531
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5970E-01
 HT FLOW CONVERGENCE VALUE= .2757E-01 CRITERION= .1523 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 34 COMPLETED. CUM ITER = 385
 *** TIME = .121497E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1387E-04 OSCILLATION LIMIT = 10.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09 CRITERION= .1529
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5979E-01

HT FLOW CONVERGENCE VALUE= .2742E-01 CRITERION= .1522 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 35 COMPLETED. CUM ITER = 386
 *** TIME = .122286E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1426E-04 OSCILLATION LIMIT = 11.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06 CRITERION= .1528
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5971E-01
 HT FLOW CONVERGENCE VALUE= .2753E-01 CRITERION= .1521 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 36 COMPLETED. CUM ITER = 387
 *** TIME = .123075E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1388E-04 OSCILLATION LIMIT = 10.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09 CRITERION= .1527
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5979E-01
 HT FLOW CONVERGENCE VALUE= .2737E-01 CRITERION= .1520 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 37 COMPLETED. CUM ITER = 388
 *** TIME = .123864E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1427E-04 OSCILLATION LIMIT = 11.26
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06 CRITERION= .1526
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5972E-01
 HT FLOW CONVERGENCE VALUE= .2748E-01 CRITERION= .1519 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 38 COMPLETED. CUM ITER = 389
 *** TIME = .124653E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1389E-04 OSCILLATION LIMIT = 10.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.09 CRITERION= .1525
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5979E-01
 HT FLOW CONVERGENCE VALUE= .2733E-01 CRITERION= .1518 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 39 COMPLETED. CUM ITER = 390
 *** TIME = .125441E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1427E-04 OSCILLATION LIMIT = 11.26
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.06 CRITERION= .1524
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5973E-01
 HT FLOW CONVERGENCE VALUE= .2744E-01 CRITERION= .1516 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 40 COMPLETED. CUM ITER = 391
 *** TIME = .126230E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1390E-04 OSCILLATION LIMIT = 10.97

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 07:10:34 MAR 26, 1995 CP= 32540.290
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 10.12 CRITERION= .1520
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5300E-01
 HT FLOW CONVERGENCE VALUE= .2284E-01 CRITERION= .1516 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 1 COMPLETED. CUM ITER = 392
 *** TIME = .127019E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1284E-04 OSCILLATION LIMIT = 10.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1519
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5064E-01
 HT FLOW CONVERGENCE VALUE= .2177E-01 CRITERION= .1514 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 2 COMPLETED. CUM ITER = 393
 *** TIME = .127808E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1342E-04 OSCILLATION LIMIT = 10.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.12 CRITERION= .1518
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5118E-01
 HT FLOW CONVERGENCE VALUE= .2163E-01 CRITERION= .1514 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 3 COMPLETED. CUM ITER = 394
 *** TIME = .128597E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1402E-04 OSCILLATION LIMIT = 11.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1517
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5103E-01
 HT FLOW CONVERGENCE VALUE= .2179E-01 CRITERION= .1513 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 4 COMPLETED. CUM ITER = 395
 *** TIME = .129386E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1349E-04 OSCILLATION LIMIT = 10.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.12 CRITERION= .1516
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5118E-01
 HT FLOW CONVERGENCE VALUE= .2161E-01 CRITERION= .1512 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 5 COMPLETED. CUM ITER = 396
 *** TIME = .130175E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1401E-04 OSCILLATION LIMIT = 11.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1515
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5103E-01
 HT FLOW CONVERGENCE VALUE= .2176E-01 CRITERION= .1511 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 6 COMPLETED. CUM ITER = 397
 *** TIME = .130964E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1350E-04 OSCILLATION LIMIT = 10.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.12 CRITERION= .1514
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5119E-01
 HT FLOW CONVERGENCE VALUE= .2159E-01 CRITERION= .1510 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 7 COMPLETED. CUM ITER = 398
 *** TIME = .131753E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1401E-04 OSCILLATION LIMIT = 11.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1513
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5104E-01
 HT FLOW CONVERGENCE VALUE= .2173E-01 CRITERION= .1509 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 8 COMPLETED. CUM ITER = 399
 *** TIME = .132542E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1351E-04 OSCILLATION LIMIT = 10.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.11 CRITERION= .1512
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5119E-01
 HT FLOW CONVERGENCE VALUE= .2157E-01 CRITERION= .1508 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 9 COMPLETED. CUM ITER = 400
 *** TIME = .133331E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1401E-04 OSCILLATION LIMIT = 11.05

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1512
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5105E-01
 HT FLOW CONVERGENCE VALUE= .2170E-01 CRITERION= .1507 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 10 COMPLETED. CUM ITER = 401
 *** TIME = .134120E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1352E-04 OSCILLATION LIMIT = 10.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.11 CRITERION= .1511
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5119E-01
 HT FLOW CONVERGENCE VALUE= .2154E-01 CRITERION= .1507 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 11 COMPLETED. CUM ITER = 402
 *** TIME = .134909E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1401E-04 OSCILLATION LIMIT = 11.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1510
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5107E-01
 HT FLOW CONVERGENCE VALUE= .2167E-01 CRITERION= .1505 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 12 COMPLETED. CUM ITER = 403
 *** TIME = .135698E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1353E-04 OSCILLATION LIMIT = 10.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.11 CRITERION= .1509
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5120E-01
 HT FLOW CONVERGENCE VALUE= .2151E-01 CRITERION= .1505 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 13 COMPLETED. CUM ITER = 404
 *** TIME = .136487E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1401E-04 OSCILLATION LIMIT = 11.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1508
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5108E-01
 HT FLOW CONVERGENCE VALUE= .2163E-01 CRITERION= .1504 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 14 COMPLETED. CUM ITER = 405
 *** TIME = .137276E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1354E-04 OSCILLATION LIMIT = 10.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.11 CRITERION= .1507
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5120E-01
 HT FLOW CONVERGENCE VALUE= .2149E-01 CRITERION= .1503 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 15 COMPLETED. CUM ITER = 406
 *** TIME = .138065E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1401E-04 OSCILLATION LIMIT = 11.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1506
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5109E-01
 HT FLOW CONVERGENCE VALUE= .2161E-01 CRITERION= .1502 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 16 COMPLETED. CUM ITER = 407
 *** TIME = .138853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1355E-04 OSCILLATION LIMIT = 10.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.11 CRITERION= .1505
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5120E-01
 HT FLOW CONVERGENCE VALUE= .2146E-01 CRITERION= .1501 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 17 COMPLETED. CUM ITER = 408

```

*** TIME = .139642E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1401E-04    OSCILLATION LIMIT = 11.05
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.08    CRITERION= .1504
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5110E-01
    HT FLOW CONVERGENCE VALUE= .2158E-01    CRITERION= .1500    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 18 COMPLETED.    CUM ITER = 409
*** TIME = .140431E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1356E-04    OSCILLATION LIMIT = 10.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.11    CRITERION= .1503
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5120E-01
    HT FLOW CONVERGENCE VALUE= .2144E-01    CRITERION= .1499    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 19 COMPLETED.    CUM ITER = 410
*** TIME = .141220E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1401E-04    OSCILLATION LIMIT = 11.05
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.08    CRITERION= .1503
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5112E-01
    HT FLOW CONVERGENCE VALUE= .2155E-01    CRITERION= .1498    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 20 COMPLETED.    CUM ITER = 411
*** TIME = .142009E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1357E-04    OSCILLATION LIMIT = 10.71
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.11    CRITERION= .1502
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5121E-01
    HT FLOW CONVERGENCE VALUE= .2141E-01    CRITERION= .1498    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 21 COMPLETED.    CUM ITER = 412
*** TIME = .142798E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1401E-04    OSCILLATION LIMIT = 11.05
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.08    CRITERION= .1501
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5113E-01
    HT FLOW CONVERGENCE VALUE= .2152E-01    CRITERION= .1496    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 22 COMPLETED.    CUM ITER = 413
*** TIME = .143587E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1358E-04    OSCILLATION LIMIT = 10.71
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.11    CRITERION= .1500
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5121E-01
    HT FLOW CONVERGENCE VALUE= .2139E-01    CRITERION= .1496    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 23 COMPLETED.    CUM ITER = 414
*** TIME = .144376E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1401E-04    OSCILLATION LIMIT = 11.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.08    CRITERION= .1499
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5114E-01
    HT FLOW CONVERGENCE VALUE= .2149E-01    CRITERION= .1495    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 24 COMPLETED.    CUM ITER = 415
*** TIME = .145165E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1359E-04    OSCILLATION LIMIT = 10.72
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 10.11    CRITERION= .1498
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5121E-01
    HT FLOW CONVERGENCE VALUE= .2136E-01    CRITERION= .1494    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 25 COMPLETED. CUM ITER = 416
*** TIME = .145954E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1401E-04 OSCILLATION LIMIT = 11.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1497
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5115E-01
HT FLOW CONVERGENCE VALUE= .2146E-01 CRITERION= .1493 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 26 COMPLETED. CUM ITER = 417
*** TIME = .146743E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1360E-04 OSCILLATION LIMIT = 10.73
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.11 CRITERION= .1496
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5122E-01
HT FLOW CONVERGENCE VALUE= .2133E-01 CRITERION= .1492 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 27 COMPLETED. CUM ITER = 418
*** TIME = .147532E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1402E-04 OSCILLATION LIMIT = 11.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1495
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5116E-01
HT FLOW CONVERGENCE VALUE= .2144E-01 CRITERION= .1491 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 28 COMPLETED. CUM ITER = 419
*** TIME = .148321E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1361E-04 OSCILLATION LIMIT = 10.73
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.11 CRITERION= .1494
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5122E-01
HT FLOW CONVERGENCE VALUE= .2131E-01 CRITERION= .1490 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 29 COMPLETED. CUM ITER = 420
*** TIME = .149110E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1402E-04 OSCILLATION LIMIT = 11.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1494
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5117E-01
HT FLOW CONVERGENCE VALUE= .2141E-01 CRITERION= .1489 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 30 COMPLETED. CUM ITER = 421
*** TIME = .149899E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1361E-04 OSCILLATION LIMIT = 10.74
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.11 CRITERION= .1492
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5123E-01
HT FLOW CONVERGENCE VALUE= .2130E-01 CRITERION= .1488 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 31 COMPLETED. CUM ITER = 422
*** TIME = .150688E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1402E-04 OSCILLATION LIMIT = 11.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1492
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5118E-01
HT FLOW CONVERGENCE VALUE= .2140E-01 CRITERION= .1487 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 32 COMPLETED. CUM ITER = 423
*** TIME = .151477E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1362E-04 OSCILLATION LIMIT = 10.75
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.11 CRITERION= .1491

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5123E-01
 HT FLOW CONVERGENCE VALUE= .2129E-01 CRITERION= .1487 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 33 COMPLETED. CUM ITER = 424
 *** TIME = .152265E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1402E-04 OSCILLATION LIMIT = 11.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1490
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5120E-01
 HT FLOW CONVERGENCE VALUE= .2138E-01 CRITERION= .1486 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 34 COMPLETED. CUM ITER = 425
 *** TIME = .153054E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1363E-04 OSCILLATION LIMIT = 10.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.11 CRITERION= .1489
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5124E-01
 HT FLOW CONVERGENCE VALUE= .2127E-01 CRITERION= .1485 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 35 COMPLETED. CUM ITER = 426
 *** TIME = .153843E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1403E-04 OSCILLATION LIMIT = 11.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1488
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5121E-01
 HT FLOW CONVERGENCE VALUE= .2137E-01 CRITERION= .1484 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 36 COMPLETED. CUM ITER = 427
 *** TIME = .154632E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1364E-04 OSCILLATION LIMIT = 10.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.11 CRITERION= .1487
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5124E-01
 HT FLOW CONVERGENCE VALUE= .2125E-01 CRITERION= .1483 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 37 COMPLETED. CUM ITER = 428
 *** TIME = .155421E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1403E-04 OSCILLATION LIMIT = 11.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1486
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5122E-01
 HT FLOW CONVERGENCE VALUE= .2135E-01 CRITERION= .1482 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 38 COMPLETED. CUM ITER = 429
 *** TIME = .156210E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1365E-04 OSCILLATION LIMIT = 10.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.11 CRITERION= .1485
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5125E-01
 HT FLOW CONVERGENCE VALUE= .2124E-01 CRITERION= .1481 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 39 COMPLETED. CUM ITER = 430
 *** TIME = .156999E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1403E-04 OSCILLATION LIMIT = 11.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.08 CRITERION= .1485
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5123E-01
 HT FLOW CONVERGENCE VALUE= .2133E-01 CRITERION= .1480 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 40 COMPLETED. CUM ITER = 431
 *** TIME = .157788E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1365E-04 OSCILLATION LIMIT = 10.77

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:11:47 MAR 26, 1995 CP= 35934.700
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1482
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6754E-01
 HT FLOW CONVERGENCE VALUE= .2445E-01 CRITERION= .1479 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 1 COMPLETED. CUM ITER = 432
 *** TIME = .158577E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1228E-04 OSCILLATION LIMIT = 9.684
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1481
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6859E-01
 HT FLOW CONVERGENCE VALUE= .2511E-01 CRITERION= .1478 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 2 COMPLETED. CUM ITER = 433
 *** TIME = .159366E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1175E-04 OSCILLATION LIMIT = 9.269
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1480
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6525E-01
 HT FLOW CONVERGENCE VALUE= .2394E-01 CRITERION= .1477 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 3 COMPLETED. CUM ITER = 434
 *** TIME = .160155E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1227E-04 OSCILLATION LIMIT = 9.678
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1479
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6803E-01
 HT FLOW CONVERGENCE VALUE= .2485E-01 CRITERION= .1476 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 4 COMPLETED. CUM ITER = 435
 *** TIME = .160944E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1185E-04 OSCILLATION LIMIT = 9.348
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1478
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6590E-01
 HT FLOW CONVERGENCE VALUE= .2410E-01 CRITERION= .1475 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 5 COMPLETED. CUM ITER = 436
 *** TIME = .161733E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1224E-04 OSCILLATION LIMIT = 9.656
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1477
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6757E-01
 HT FLOW CONVERGENCE VALUE= .2468E-01 CRITERION= .1474 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 6 COMPLETED. CUM ITER = 437
 *** TIME = .162522E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1187E-04 OSCILLATION LIMIT = 9.363
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1476
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6629E-01
 HT FLOW CONVERGENCE VALUE= .2418E-01 CRITERION= .1473 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 7 COMPLETED. CUM ITER = 438
 *** TIME = .163311E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1222E-04 OSCILLATION LIMIT = 9.644
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1475
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6730E-01
 HT FLOW CONVERGENCE VALUE= .2456E-01 CRITERION= .1472 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 8 COMPLETED. CUM ITER = 439
 *** TIME = .164100E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1188E-04 OSCILLATION LIMIT = 9.373
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1474
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6654E-01
 HT FLOW CONVERGENCE VALUE= .2421E-01 CRITERION= .1471 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 9 COMPLETED. CUM ITER = 440
 *** TIME = .164888E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1222E-04 OSCILLATION LIMIT = 9.637
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1473
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6714E-01
 HT FLOW CONVERGENCE VALUE= .2449E-01 CRITERION= .1469 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 10 COMPLETED. CUM ITER = 441
 *** TIME = .165677E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1189E-04 OSCILLATION LIMIT = 9.381
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1471
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6671E-01
 HT FLOW CONVERGENCE VALUE= .2423E-01 CRITERION= .1469 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 11 COMPLETED. CUM ITER = 442
 *** TIME = .166466E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1221E-04 OSCILLATION LIMIT = 9.633
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1471
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6706E-01
 HT FLOW CONVERGENCE VALUE= .2443E-01 CRITERION= .1467 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 12 COMPLETED. CUM ITER = 443
 *** TIME = .167255E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1190E-04 OSCILLATION LIMIT = 9.387
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1469
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6681E-01
 HT FLOW CONVERGENCE VALUE= .2423E-01 CRITERION= .1466 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 13 COMPLETED. CUM ITER = 444
 *** TIME = .168044E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1221E-04 OSCILLATION LIMIT = 9.630
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1468
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6701E-01
 HT FLOW CONVERGENCE VALUE= .2439E-01 CRITERION= .1465 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 14 COMPLETED. CUM ITER = 445
 *** TIME = .168833E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1190E-04 OSCILLATION LIMIT = 9.392
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1467
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6688E-01
 HT FLOW CONVERGENCE VALUE= .2422E-01 CRITERION= .1464 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1


```

*** LOAD STEP 18 SUBSTEP 15 COMPLETED. CUM ITER = 446
*** TIME = .169622E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.628
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1466
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6700E-01
HT FLOW CONVERGENCE VALUE= .2435E-01 CRITERION= .1463 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 16 COMPLETED. CUM ITER = 447
*** TIME = .170411E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1191E-04 OSCILLATION LIMIT = 9.396
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1465
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6693E-01
HT FLOW CONVERGENCE VALUE= .2420E-01 CRITERION= .1462 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 17 COMPLETED. CUM ITER = 448
*** TIME = .171200E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.627
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1464
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6700E-01
HT FLOW CONVERGENCE VALUE= .2431E-01 CRITERION= .1461 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 18 COMPLETED. CUM ITER = 449
*** TIME = .171989E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1191E-04 OSCILLATION LIMIT = 9.400
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1463
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6697E-01
HT FLOW CONVERGENCE VALUE= .2418E-01 CRITERION= .1460 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 19 COMPLETED. CUM ITER = 450
*** TIME = .172778E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.626
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1462
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6700E-01
HT FLOW CONVERGENCE VALUE= .2428E-01 CRITERION= .1459 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 20 COMPLETED. CUM ITER = 451
*** TIME = .173567E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1192E-04 OSCILLATION LIMIT = 9.403
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1461
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6700E-01
HT FLOW CONVERGENCE VALUE= .2416E-01 CRITERION= .1458 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 21 COMPLETED. CUM ITER = 452
*** TIME = .174356E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.625
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1460
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6702E-01
HT FLOW CONVERGENCE VALUE= .2426E-01 CRITERION= .1457 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 22 COMPLETED. CUM ITER = 453
*** TIME = .175145E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1192E-04 OSCILLATION LIMIT = 9.406
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1459
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6702E-01

```

HT FLOW CONVERGENCE VALUE= .2414E-01 CRITERION= .1456 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 23 COMPLETED. CUM ITER = 454
 *** TIME = .175934E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.625
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1458
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6704E-01
 HT FLOW CONVERGENCE VALUE= .2422E-01 CRITERION= .1454 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 24 COMPLETED. CUM ITER = 455
 *** TIME = .176723E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1193E-04 OSCILLATION LIMIT = 9.409
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1456
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6705E-01
 HT FLOW CONVERGENCE VALUE= .2412E-01 CRITERION= .1454 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 25 COMPLETED. CUM ITER = 456
 *** TIME = .177512E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.624
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1456
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6706E-01
 HT FLOW CONVERGENCE VALUE= .2420E-01 CRITERION= .1452 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 26 COMPLETED. CUM ITER = 457
 *** TIME = .178300E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1193E-04 OSCILLATION LIMIT = 9.412
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1454
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6707E-01
 HT FLOW CONVERGENCE VALUE= .2409E-01 CRITERION= .1451 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 27 COMPLETED. CUM ITER = 458
 *** TIME = .179089E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.624
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1453
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6708E-01
 HT FLOW CONVERGENCE VALUE= .2416E-01 CRITERION= .1450 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 28 COMPLETED. CUM ITER = 459
 *** TIME = .179878E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1193E-04 OSCILLATION LIMIT = 9.414
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1452
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6709E-01
 HT FLOW CONVERGENCE VALUE= .2405E-01 CRITERION= .1449 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 29 COMPLETED. CUM ITER = 460
 *** TIME = .180667E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.625
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1451
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6710E-01
 HT FLOW CONVERGENCE VALUE= .2413E-01 CRITERION= .1448 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 30 COMPLETED. CUM ITER = 461
 *** TIME = .181456E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1194E-04 OSCILLATION LIMIT = 9.417
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1450
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6711E-01
 HT FLOW CONVERGENCE VALUE= .2402E-01 CRITERION= .1447 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 31 COMPLETED. CUM ITER = 462
 *** TIME = .182245E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.625
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1449
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6712E-01
 HT FLOW CONVERGENCE VALUE= .2409E-01 CRITERION= .1446 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 32 COMPLETED. CUM ITER = 463
 *** TIME = .183034E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1194E-04 OSCILLATION LIMIT = 9.420
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1448
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6713E-01
 HT FLOW CONVERGENCE VALUE= .2399E-01 CRITERION= .1445 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 33 COMPLETED. CUM ITER = 464
 *** TIME = .183823E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.625
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1447
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6714E-01
 HT FLOW CONVERGENCE VALUE= .2406E-01 CRITERION= .1444 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 34 COMPLETED. CUM ITER = 465
 *** TIME = .184612E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1194E-04 OSCILLATION LIMIT = 9.423
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1446
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6715E-01
 HT FLOW CONVERGENCE VALUE= .2396E-01 CRITERION= .1443 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 35 COMPLETED. CUM ITER = 466
 *** TIME = .185401E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.625
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1445
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6717E-01
 HT FLOW CONVERGENCE VALUE= .2403E-01 CRITERION= .1442 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 36 COMPLETED. CUM ITER = 467
 *** TIME = .186190E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1195E-04 OSCILLATION LIMIT = 9.425
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1444
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6717E-01
 HT FLOW CONVERGENCE VALUE= .2393E-01 CRITERION= .1441 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 37 COMPLETED. CUM ITER = 468
 *** TIME = .186979E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.625
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1443
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6719E-01
 HT FLOW CONVERGENCE VALUE= .2400E-01 CRITERION= .1439 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 38 COMPLETED. CUM ITER = 469
 *** TIME = .187768E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1195E-04 OSCILLATION LIMIT = 9.428

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.840 CRITERION= .1441
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6719E-01
 HT FLOW CONVERGENCE VALUE= .2391E-01 CRITERION= .1439 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 39 COMPLETED. CUM ITER = 470
 *** TIME = .188557E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.626
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.809 CRITERION= .1441
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6721E-01
 HT FLOW CONVERGENCE VALUE= .2396E-01 CRITERION= .1437 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 40 COMPLETED. CUM ITER = 471
 *** TIME = .189346E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1195E-04 OSCILLATION LIMIT = 9.430

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 09:12:59 MAR 26, 1995 CP= 39329.870
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .1439
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5299E-01
 HT FLOW CONVERGENCE VALUE= .1943E-01 CRITERION= .1437 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 1 COMPLETED. CUM ITER = 472
 *** TIME = .190135E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1146E-04 OSCILLATION LIMIT = 9.041
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.165 CRITERION= .1438
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5072E-01
 HT FLOW CONVERGENCE VALUE= .1825E-01 CRITERION= .1436 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 2 COMPLETED. CUM ITER = 473
 *** TIME = .190924E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1205E-04 OSCILLATION LIMIT = 9.507
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .1437
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5297E-01
 HT FLOW CONVERGENCE VALUE= .1874E-01 CRITERION= .1435 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 3 COMPLETED. CUM ITER = 474
 *** TIME = .191712E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1231E-04 OSCILLATION LIMIT = 9.713
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.165 CRITERION= .1436
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5133E-01
 HT FLOW CONVERGENCE VALUE= .1840E-01 CRITERION= .1434 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 4 COMPLETED. CUM ITER = 475
 *** TIME = .192501E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1202E-04 OSCILLATION LIMIT = 9.486
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .1435
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5262E-01
 HT FLOW CONVERGENCE VALUE= .1863E-01 CRITERION= .1433 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 5 COMPLETED. CUM ITER = 476

```

*** TIME = .193290E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1232E-04    OSCILLATION LIMIT = 9.720
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 6.165    CRITERION= .1435
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5162E-01
    HT FLOW CONVERGENCE VALUE= .1845E-01    CRITERION= .1432    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 6 COMPLETED. CUM ITER = 477
*** TIME = .194079E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1202E-04    OSCILLATION LIMIT = 9.481
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 6.196    CRITERION= .1434
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5242E-01
    HT FLOW CONVERGENCE VALUE= .1856E-01    CRITERION= .1432    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 7 COMPLETED. CUM ITER = 478
*** TIME = .194868E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1233E-04    OSCILLATION LIMIT = 9.728
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 6.165    CRITERION= .1433
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5180E-01
    HT FLOW CONVERGENCE VALUE= .1848E-01    CRITERION= .1431    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 8 COMPLETED. CUM ITER = 479
*** TIME = .195657E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1201E-04    OSCILLATION LIMIT = 9.478
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 6.196    CRITERION= .1432
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5230E-01
    HT FLOW CONVERGENCE VALUE= .1850E-01    CRITERION= .1430    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 9 COMPLETED. CUM ITER = 480
*** TIME = .196446E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1234E-04    OSCILLATION LIMIT = 9.732
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 6.165    CRITERION= .1431
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5191E-01
    HT FLOW CONVERGENCE VALUE= .1848E-01    CRITERION= .1429    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 10 COMPLETED. CUM ITER = 481
*** TIME = .197235E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1201E-04    OSCILLATION LIMIT = 9.478
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 6.196    CRITERION= .1430
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5223E-01
    HT FLOW CONVERGENCE VALUE= .1846E-01    CRITERION= .1428    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 11 COMPLETED. CUM ITER = 482
*** TIME = .198024E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1234E-04    OSCILLATION LIMIT = 9.735
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 6.165    CRITERION= .1430
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5199E-01
    HT FLOW CONVERGENCE VALUE= .1848E-01    CRITERION= .1427    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 12 COMPLETED. CUM ITER = 483
*** TIME = .198813E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1201E-04    OSCILLATION LIMIT = 9.479
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 6.196    CRITERION= .1429
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5220E-01
    HT FLOW CONVERGENCE VALUE= .1845E-01    CRITERION= .1427    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 13 COMPLETED. CUM ITER = 484
*** TIME = .199602E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1234E-04 OSCILLATION LIMIT = 9.737
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.166 CRITERION= .1428
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5204E-01
HT FLOW CONVERGENCE VALUE= .1849E-01 CRITERION= .1426 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 14 COMPLETED. CUM ITER = 485
*** TIME = .200391E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1202E-04 OSCILLATION LIMIT = 9.481
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .1427
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5218E-01
HT FLOW CONVERGENCE VALUE= .1844E-01 CRITERION= .1425 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 15 COMPLETED. CUM ITER = 486
*** TIME = .201180E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1234E-04 OSCILLATION LIMIT = 9.738
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.166 CRITERION= .1426
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5208E-01
HT FLOW CONVERGENCE VALUE= .1849E-01 CRITERION= .1424 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 16 COMPLETED. CUM ITER = 487
*** TIME = .201969E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1202E-04 OSCILLATION LIMIT = 9.483
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .1425
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5217E-01
HT FLOW CONVERGENCE VALUE= .1841E-01 CRITERION= .1423 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 17 COMPLETED. CUM ITER = 488
*** TIME = .202758E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1234E-04 OSCILLATION LIMIT = 9.739
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.166 CRITERION= .1425
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5211E-01
HT FLOW CONVERGENCE VALUE= .1847E-01 CRITERION= .1422 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 18 COMPLETED. CUM ITER = 489
*** TIME = .203547E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1202E-04 OSCILLATION LIMIT = 9.485
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .1424
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5217E-01
HT FLOW CONVERGENCE VALUE= .1840E-01 CRITERION= .1422 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 19 COMPLETED. CUM ITER = 490
*** TIME = .204335E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1234E-04 OSCILLATION LIMIT = 9.739
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.166 CRITERION= .1423
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5213E-01
HT FLOW CONVERGENCE VALUE= .1845E-01 CRITERION= .1421 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 20 COMPLETED. CUM ITER = 491
*** TIME = .205124E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1203E-04 OSCILLATION LIMIT = 9.487
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .1422

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5218E-01
 HT FLOW CONVERGENCE VALUE= .1838E-01 CRITERION= .1420 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 21 COMPLETED. CUM ITER = 492
 *** TIME = .205913E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1234E-04 OSCILLATION LIMIT = 9.739
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.166 CRITERION= .1421
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5215E-01
 HT FLOW CONVERGENCE VALUE= .1844E-01 CRITERION= .1419 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 22 COMPLETED. CUM ITER = 493
 *** TIME = .206702E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1203E-04 OSCILLATION LIMIT = 9.490
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.197 CRITERION= .1420
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5218E-01
 HT FLOW CONVERGENCE VALUE= .1836E-01 CRITERION= .1418 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 23 COMPLETED. CUM ITER = 494
 *** TIME = .207491E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1234E-04 OSCILLATION LIMIT = 9.739
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.166 CRITERION= .1420
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5217E-01
 HT FLOW CONVERGENCE VALUE= .1842E-01 CRITERION= .1417 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 24 COMPLETED. CUM ITER = 495
 *** TIME = .208280E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1203E-04 OSCILLATION LIMIT = 9.492
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.197 CRITERION= .1419
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5219E-01
 HT FLOW CONVERGENCE VALUE= .1834E-01 CRITERION= .1417 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 25 COMPLETED. CUM ITER = 496
 *** TIME = .209069E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1234E-04 OSCILLATION LIMIT = 9.739
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.166 CRITERION= .1418
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5218E-01
 HT FLOW CONVERGENCE VALUE= .1839E-01 CRITERION= .1416 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 26 COMPLETED. CUM ITER = 497
 *** TIME = .209858E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1203E-04 OSCILLATION LIMIT = 9.495
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.197 CRITERION= .1417
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5220E-01
 HT FLOW CONVERGENCE VALUE= .1831E-01 CRITERION= .1415 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 27 COMPLETED. CUM ITER = 498
 *** TIME = .210647E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1234E-04 OSCILLATION LIMIT = 9.739
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.166 CRITERION= .1416
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5220E-01
 HT FLOW CONVERGENCE VALUE= .1837E-01 CRITERION= .1414 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 28 COMPLETED. CUM ITER = 499
 *** TIME = .211436E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1204E-04 OSCILLATION LIMIT = 9.497
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.197 CRITERION= .1415
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5221E-01
 HT FLOW CONVERGENCE VALUE= .1829E-01 CRITERION= .1413 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 29 COMPLETED. CUM ITER = 500
 *** TIME = .212225E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1234E-04 OSCILLATION LIMIT = 9.739
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.166 CRITERION= .1415
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5221E-01
 HT FLOW CONVERGENCE VALUE= .1835E-01 CRITERION= .1412 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 30 COMPLETED. CUM ITER = 501
 *** TIME = .213014E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1204E-04 OSCILLATION LIMIT = 9.499
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.197 CRITERION= .1414
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5222E-01
 HT FLOW CONVERGENCE VALUE= .1828E-01 CRITERION= .1412 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 31 COMPLETED. CUM ITER = 502
 *** TIME = .213803E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1234E-04 OSCILLATION LIMIT = 9.739
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.166 CRITERION= .1413
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5223E-01
 HT FLOW CONVERGENCE VALUE= .1834E-01 CRITERION= .1411 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 32 COMPLETED. CUM ITER = 503
 *** TIME = .214592E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1204E-04 OSCILLATION LIMIT = 9.502
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.197 CRITERION= .1412
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5224E-01
 HT FLOW CONVERGENCE VALUE= .1826E-01 CRITERION= .1410 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 33 COMPLETED. CUM ITER = 504
 *** TIME = .215381E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1234E-04 OSCILLATION LIMIT = 9.739
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.166 CRITERION= .1411
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5224E-01
 HT FLOW CONVERGENCE VALUE= .1832E-01 CRITERION= .1409 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 34 COMPLETED. CUM ITER = 505
 *** TIME = .216170E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1205E-04 OSCILLATION LIMIT = 9.504
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.197 CRITERION= .1410
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5225E-01
 HT FLOW CONVERGENCE VALUE= .1824E-01 CRITERION= .1408 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 35 COMPLETED. CUM ITER = 506
 *** TIME = .216959E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1234E-04 OSCILLATION LIMIT = 9.739
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.166 CRITERION= .1410
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5226E-01
 HT FLOW CONVERGENCE VALUE= .1830E-01 CRITERION= .1407 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 36 COMPLETED. CUM ITER = 507
 *** TIME = .217747E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1205E-04 OSCILLATION LIMIT = 9.506
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.197 CRITERION= .1409
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5226E-01
 HT FLOW CONVERGENCE VALUE= .1823E-01 CRITERION= .1407 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 37 COMPLETED. CUM ITER = 508
 *** TIME = .218536E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1235E-04 OSCILLATION LIMIT = 9.740
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.167 CRITERION= .1408
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5227E-01
 HT FLOW CONVERGENCE VALUE= .1829E-01 CRITERION= .1406 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 38 COMPLETED. CUM ITER = 509
 *** TIME = .219325E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1205E-04 OSCILLATION LIMIT = 9.509
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.197 CRITERION= .1407
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5227E-01
 HT FLOW CONVERGENCE VALUE= .1821E-01 CRITERION= .1405 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 39 COMPLETED. CUM ITER = 510
 *** TIME = .220114E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1235E-04 OSCILLATION LIMIT = 9.740
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.167 CRITERION= .1406
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5228E-01
 HT FLOW CONVERGENCE VALUE= .1826E-01 CRITERION= .1404 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 40 COMPLETED. CUM ITER = 511
 *** TIME = .220903E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1206E-04 OSCILLATION LIMIT = 9.512

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:14:10 MAR 26, 1995 CP= 42725.380
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 6.089 CRITERION= .1405
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4932E-01
 HT FLOW CONVERGENCE VALUE= .1736E-01 CRITERION= .1403 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 1 COMPLETED. CUM ITER = 512
 *** TIME = .221692E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1238E-04 OSCILLATION LIMIT = 9.764
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.058 CRITERION= .1405
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4894E-01
 HT FLOW CONVERGENCE VALUE= .1721E-01 CRITERION= .1402 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 2 COMPLETED. CUM ITER = 513
 *** TIME = .222481E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1223E-04 OSCILLATION LIMIT = 9.652
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.089 CRITERION= .1404
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4945E-01
 HT FLOW CONVERGENCE VALUE= .1727E-01 CRITERION= .1402 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 3 COMPLETED. CUM ITER = 514
 *** TIME = .223270E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1251E-04 OSCILLATION LIMIT = 9.872
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.058 CRITERION= .1403
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4907E-01
 HT FLOW CONVERGENCE VALUE= .1723E-01 CRITERION= .1401 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 4 COMPLETED. CUM ITER = 515
 *** TIME = .224059E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1223E-04 OSCILLATION LIMIT = 9.645
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.089 CRITERION= .1402
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4937E-01
 HT FLOW CONVERGENCE VALUE= .1723E-01 CRITERION= .1400 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 5 COMPLETED. CUM ITER = 516
 *** TIME = .224848E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1252E-04 OSCILLATION LIMIT = 9.876
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.059 CRITERION= .1401
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4915E-01
 HT FLOW CONVERGENCE VALUE= .1722E-01 CRITERION= .1399 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 6 COMPLETED. CUM ITER = 517
 *** TIME = .225637E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1223E-04 OSCILLATION LIMIT = 9.645
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.089 CRITERION= .1400
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4933E-01
 HT FLOW CONVERGENCE VALUE= .1720E-01 CRITERION= .1399 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 7 COMPLETED. CUM ITER = 518
 *** TIME = .226426E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1252E-04 OSCILLATION LIMIT = 9.878
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.059 CRITERION= .1400
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4920E-01
 HT FLOW CONVERGENCE VALUE= .1722E-01 CRITERION= .1398 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 8 COMPLETED. CUM ITER = 519
 *** TIME = .227215E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1223E-04 OSCILLATION LIMIT = 9.646
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.089 CRITERION= .1399
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4931E-01
 HT FLOW CONVERGENCE VALUE= .1717E-01 CRITERION= .1397 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 9 COMPLETED. CUM ITER = 520
 *** TIME = .228004E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1252E-04 OSCILLATION LIMIT = 9.880
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.059 CRITERION= .1398
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4923E-01
 HT FLOW CONVERGENCE VALUE= .1720E-01 CRITERION= .1396 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 10 COMPLETED. CUM ITER = 521
 *** TIME = .228793E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1223E-04 OSCILLATION LIMIT = 9.647
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.089 CRITERION= .1397
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4930E-01

```

HT FLOW CONVERGENCE VALUE= .1715E-01 CRITERION= .1395 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 11 COMPLETED. CUM ITER = 522
*** TIME = .229582E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = 9.882
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.059 CRITERION= .1397
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4926E-01
HT FLOW CONVERGENCE VALUE= .1719E-01 CRITERION= .1394 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 12 COMPLETED. CUM ITER = 523
*** TIME = .230371E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1223E-04 OSCILLATION LIMIT = 9.649
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.089 CRITERION= .1396
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4930E-01
HT FLOW CONVERGENCE VALUE= .1713E-01 CRITERION= .1394 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 13 COMPLETED. CUM ITER = 524
*** TIME = .231159E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = 9.883
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.059 CRITERION= .1395
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4928E-01
HT FLOW CONVERGENCE VALUE= .1717E-01 CRITERION= .1393 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 14 COMPLETED. CUM ITER = 525
*** TIME = .231948E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1223E-04 OSCILLATION LIMIT = 9.651
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.090 CRITERION= .1394
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4930E-01
HT FLOW CONVERGENCE VALUE= .1711E-01 CRITERION= .1392 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 15 COMPLETED. CUM ITER = 526
*** TIME = .232737E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = 9.883
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.059 CRITERION= .1394
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4930E-01
HT FLOW CONVERGENCE VALUE= .1716E-01 CRITERION= .1391 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 16 COMPLETED. CUM ITER = 527
*** TIME = .233526E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1224E-04 OSCILLATION LIMIT = 9.653
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.090 CRITERION= .1393
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4931E-01
HT FLOW CONVERGENCE VALUE= .1710E-01 CRITERION= .1391 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 17 COMPLETED. CUM ITER = 528
*** TIME = .234315E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = 9.884
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.059 CRITERION= .1392
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4931E-01
HT FLOW CONVERGENCE VALUE= .1717E-01 CRITERION= .1390 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 18 COMPLETED. CUM ITER = 529
*** TIME = .235104E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1224E-04 OSCILLATION LIMIT = 9.655
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 6.090 CRITERION= .1391
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4932E-01
 HT FLOW CONVERGENCE VALUE= .1711E-01 CRITERION= .1389 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 19 COMPLETED. CUM ITER = 530
 *** TIME = .235893E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = 9.886
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.060 CRITERION= .1390
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4933E-01
 HT FLOW CONVERGENCE VALUE= .1715E-01 CRITERION= .1388 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 20 COMPLETED. CUM ITER = 531
 *** TIME = .236682E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1224E-04 OSCILLATION LIMIT = 9.658
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.090 CRITERION= .1389
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4933E-01
 HT FLOW CONVERGENCE VALUE= .1709E-01 CRITERION= .1388 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 21 COMPLETED. CUM ITER = 532
 *** TIME = .237471E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = 9.887
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.060 CRITERION= .1389
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4934E-01
 HT FLOW CONVERGENCE VALUE= .1714E-01 CRITERION= .1387 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 22 COMPLETED. CUM ITER = 533
 *** TIME = .238260E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1224E-04 OSCILLATION LIMIT = 9.660
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.090 CRITERION= .1388
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4934E-01
 HT FLOW CONVERGENCE VALUE= .1708E-01 CRITERION= .1386 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 23 COMPLETED. CUM ITER = 534
 *** TIME = .239049E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = 9.888
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.060 CRITERION= .1387
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4935E-01
 HT FLOW CONVERGENCE VALUE= .1715E-01 CRITERION= .1385 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 24 COMPLETED. CUM ITER = 535
 *** TIME = .239838E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1225E-04 OSCILLATION LIMIT = 9.663
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.090 CRITERION= .1386
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4935E-01
 HT FLOW CONVERGENCE VALUE= .1708E-01 CRITERION= .1384 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 25 COMPLETED. CUM ITER = 536
 *** TIME = .240627E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = 9.889
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.060 CRITERION= .1386
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4937E-01
 HT FLOW CONVERGENCE VALUE= .1713E-01 CRITERION= .1383 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 26 COMPLETED. CUM ITER = 537
 *** TIME = .241416E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1225E-04 OSCILLATION LIMIT = 9.665

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.090 CRITERION= .1385
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4936E-01
 HT FLOW CONVERGENCE VALUE= .1706E-01 CRITERION= .1383 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 27 COMPLETED. CUM ITER = 538
 *** TIME = .242205E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1254E-04 OSCILLATION LIMIT = 9.890
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.060 CRITERION= .1384
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4938E-01
 HT FLOW CONVERGENCE VALUE= .1710E-01 CRITERION= .1382 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 28 COMPLETED. CUM ITER = 539
 *** TIME = .242994E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1225E-04 OSCILLATION LIMIT = 9.667
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.091 CRITERION= .1383
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4937E-01
 HT FLOW CONVERGENCE VALUE= .1704E-01 CRITERION= .1381 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 29 COMPLETED. CUM ITER = 540
 *** TIME = .243782E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1254E-04 OSCILLATION LIMIT = 9.891
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.060 CRITERION= .1383
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4939E-01
 HT FLOW CONVERGENCE VALUE= .1708E-01 CRITERION= .1380 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 30 COMPLETED. CUM ITER = 541
 *** TIME = .244571E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 9.670
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.091 CRITERION= .1382
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4938E-01
 HT FLOW CONVERGENCE VALUE= .1701E-01 CRITERION= .1380 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 31 COMPLETED. CUM ITER = 542
 *** TIME = .245360E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1254E-04 OSCILLATION LIMIT = 9.892
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.060 CRITERION= .1381
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4940E-01
 HT FLOW CONVERGENCE VALUE= .1705E-01 CRITERION= .1379 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 32 COMPLETED. CUM ITER = 543
 *** TIME = .246149E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 9.672
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.091 CRITERION= .1380
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4939E-01
 HT FLOW CONVERGENCE VALUE= .1699E-01 CRITERION= .1378 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 33 COMPLETED. CUM ITER = 544
 *** TIME = .246938E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1254E-04 OSCILLATION LIMIT = 9.893
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.061 CRITERION= .1379
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4941E-01
 HT FLOW CONVERGENCE VALUE= .1703E-01 CRITERION= .1377 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 34 COMPLETED. CUM ITER = 545

*** TIME = .247727E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 9.674
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.091 CRITERION= .1378
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4940E-01
 HT FLOW CONVERGENCE VALUE= .1696E-01 CRITERION= .1377 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 35 COMPLETED. CUM ITER = 546
 *** TIME = .248516E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1254E-04 OSCILLATION LIMIT = 9.894
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.061 CRITERION= .1378
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4943E-01
 HT FLOW CONVERGENCE VALUE= .1700E-01 CRITERION= .1376 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 36 COMPLETED. CUM ITER = 547
 *** TIME = .249305E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1226E-04 OSCILLATION LIMIT = 9.676
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.091 CRITERION= .1377
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4941E-01
 HT FLOW CONVERGENCE VALUE= .1694E-01 CRITERION= .1375 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 37 COMPLETED. CUM ITER = 548
 *** TIME = .250094E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1254E-04 OSCILLATION LIMIT = 9.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.061 CRITERION= .1376
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4944E-01
 HT FLOW CONVERGENCE VALUE= .1698E-01 CRITERION= .1374 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 38 COMPLETED. CUM ITER = 549
 *** TIME = .250883E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1227E-04 OSCILLATION LIMIT = 9.678
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.091 CRITERION= .1375
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4942E-01
 HT FLOW CONVERGENCE VALUE= .1691E-01 CRITERION= .1373 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 39 COMPLETED. CUM ITER = 550
 *** TIME = .251672E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1254E-04 OSCILLATION LIMIT = 9.896
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.061 CRITERION= .1375
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4945E-01
 HT FLOW CONVERGENCE VALUE= .1695E-01 CRITERION= .1372 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 40 COMPLETED. CUM ITER = 551
 *** TIME = .252461E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1227E-04 OSCILLATION LIMIT = 9.680

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 11:15:24 MAR 26, 1995 CP= 46123.820
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= .7376 CRITERION= .1372
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5629E-01
 HT FLOW CONVERGENCE VALUE= .1878E-01 CRITERION= .1372 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 1 COMPLETED. CUM ITER = 552
*** TIME = .253250E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7708E-05 OSCILLATION LIMIT = 6.081
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7061 CRITERION= .1372
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5531E-01
HT FLOW CONVERGENCE VALUE= .1817E-01 CRITERION= .1371 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 2 COMPLETED. CUM ITER = 553
*** TIME = .254039E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7938E-05 OSCILLATION LIMIT = 6.263
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7368 CRITERION= .1371
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5304E-01
HT FLOW CONVERGENCE VALUE= .1724E-01 CRITERION= .1370 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 3 COMPLETED. CUM ITER = 554
*** TIME = .254828E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8336E-05 OSCILLATION LIMIT = 6.577
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7061 CRITERION= .1370
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5516E-01
HT FLOW CONVERGENCE VALUE= .1800E-01 CRITERION= .1369 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 4 COMPLETED. CUM ITER = 555
*** TIME = .255617E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8033E-05 OSCILLATION LIMIT = 6.337
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7368 CRITERION= .1369
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5355E-01
HT FLOW CONVERGENCE VALUE= .1739E-01 CRITERION= .1369 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 5 COMPLETED. CUM ITER = 556
*** TIME = .256406E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8322E-05 OSCILLATION LIMIT = 6.565
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7061 CRITERION= .1369
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5479E-01
HT FLOW CONVERGENCE VALUE= .1787E-01 CRITERION= .1368 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 6 COMPLETED. CUM ITER = 557
*** TIME = .257194E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8031E-05 OSCILLATION LIMIT = 6.336
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7368 CRITERION= .1368
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5387E-01
HT FLOW CONVERGENCE VALUE= .1747E-01 CRITERION= .1367 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 7 COMPLETED. CUM ITER = 558
*** TIME = .257983E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8318E-05 OSCILLATION LIMIT = 6.563
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7061 CRITERION= .1367
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5457E-01
HT FLOW CONVERGENCE VALUE= .1779E-01 CRITERION= .1366 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 8 COMPLETED. CUM ITER = 559
*** TIME = .258772E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8030E-05 OSCILLATION LIMIT = 6.335
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1366

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5406E-01
HT FLOW CONVERGENCE VALUE= .1751E-01 CRITERION= .1366 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 9 COMPLETED. CUM ITER = 560
*** TIME = .259561E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8314E-05 OSCILLATION LIMIT = 6.560
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7061 CRITERION= .1366
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5445E-01
HT FLOW CONVERGENCE VALUE= .1773E-01 CRITERION= .1365 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 10 COMPLETED. CUM ITER = 561
*** TIME = .260350E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8030E-05 OSCILLATION LIMIT = 6.335
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1365
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5419E-01
HT FLOW CONVERGENCE VALUE= .1753E-01 CRITERION= .1364 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 11 COMPLETED. CUM ITER = 562
*** TIME = .261139E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8311E-05 OSCILLATION LIMIT = 6.557
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7061 CRITERION= .1364
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5439E-01
HT FLOW CONVERGENCE VALUE= .1770E-01 CRITERION= .1363 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 12 COMPLETED. CUM ITER = 563
*** TIME = .261928E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8031E-05 OSCILLATION LIMIT = 6.336
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1363
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5427E-01
HT FLOW CONVERGENCE VALUE= .1754E-01 CRITERION= .1363 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 13 COMPLETED. CUM ITER = 564
*** TIME = .262717E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8307E-05 OSCILLATION LIMIT = 6.554
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7061 CRITERION= .1363
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5436E-01
HT FLOW CONVERGENCE VALUE= .1767E-01 CRITERION= .1362 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 14 COMPLETED. CUM ITER = 565
*** TIME = .263506E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8032E-05 OSCILLATION LIMIT = 6.336
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1362
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5432E-01
HT FLOW CONVERGENCE VALUE= .1754E-01 CRITERION= .1361 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 15 COMPLETED. CUM ITER = 566
*** TIME = .264295E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8304E-05 OSCILLATION LIMIT = 6.551
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7061 CRITERION= .1361
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5435E-01
HT FLOW CONVERGENCE VALUE= .1765E-01 CRITERION= .1361 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 16 COMPLETED. CUM ITER = 567
*** TIME = .265084E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8032E-05 OSCILLATION LIMIT = 6.337
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```


HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1360
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5436E-01
 HT FLOW CONVERGENCE VALUE= .1754E-01 CRITERION= .1360 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 17 COMPLETED. CUM ITER = 568
 *** TIME = .265873E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8300E-05 OSCILLATION LIMIT = 6.548
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7062 CRITERION= .1360
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5435E-01
 HT FLOW CONVERGENCE VALUE= .1764E-01 CRITERION= .1359 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 18 COMPLETED. CUM ITER = 569
 *** TIME = .266662E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8033E-05 OSCILLATION LIMIT = 6.337
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1359
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5439E-01
 HT FLOW CONVERGENCE VALUE= .1755E-01 CRITERION= .1359 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 19 COMPLETED. CUM ITER = 570
 *** TIME = .267451E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8297E-05 OSCILLATION LIMIT = 6.546
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7062 CRITERION= .1358
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5436E-01
 HT FLOW CONVERGENCE VALUE= .1763E-01 CRITERION= .1358 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 20 COMPLETED. CUM ITER = 571
 *** TIME = .268240E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8033E-05 OSCILLATION LIMIT = 6.338
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1358
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5441E-01
 HT FLOW CONVERGENCE VALUE= .1754E-01 CRITERION= .1357 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 21 COMPLETED. CUM ITER = 572
 *** TIME = .269029E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8293E-05 OSCILLATION LIMIT = 6.543
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7062 CRITERION= .1357
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5437E-01
 HT FLOW CONVERGENCE VALUE= .1762E-01 CRITERION= .1356 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 22 COMPLETED. CUM ITER = 573
 *** TIME = .269818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8034E-05 OSCILLATION LIMIT = 6.338
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1356
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5443E-01
 HT FLOW CONVERGENCE VALUE= .1754E-01 CRITERION= .1356 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 23 COMPLETED. CUM ITER = 574
 *** TIME = .270606E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8290E-05 OSCILLATION LIMIT = 6.540
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7062 CRITERION= .1356
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5439E-01
 HT FLOW CONVERGENCE VALUE= .1761E-01 CRITERION= .1355 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 24 COMPLETED. CUM ITER = 575
 *** TIME = .271395E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .8034E-05 OSCILLATION LIMIT = 6.339
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1355
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5445E-01
 HT FLOW CONVERGENCE VALUE= .1753E-01 CRITERION= .1354 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 25 COMPLETED. CUM ITER = 576
 *** TIME = .272184E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8287E-05 OSCILLATION LIMIT = 6.538
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7062 CRITERION= .1354
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5441E-01
 HT FLOW CONVERGENCE VALUE= .1760E-01 CRITERION= .1353 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 26 COMPLETED. CUM ITER = 577
 *** TIME = .272973E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8035E-05 OSCILLATION LIMIT = 6.339
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1353
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5447E-01
 HT FLOW CONVERGENCE VALUE= .1752E-01 CRITERION= .1353 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 27 COMPLETED. CUM ITER = 578
 *** TIME = .273762E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8284E-05 OSCILLATION LIMIT = 6.536
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7062 CRITERION= .1353
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5443E-01
 HT FLOW CONVERGENCE VALUE= .1758E-01 CRITERION= .1352 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 28 COMPLETED. CUM ITER = 579
 *** TIME = .274551E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8035E-05 OSCILLATION LIMIT = 6.339
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1352
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5448E-01
 HT FLOW CONVERGENCE VALUE= .1751E-01 CRITERION= .1351 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 29 COMPLETED. CUM ITER = 580
 *** TIME = .275340E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8282E-05 OSCILLATION LIMIT = 6.534
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7062 CRITERION= .1351
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5445E-01
 HT FLOW CONVERGENCE VALUE= .1757E-01 CRITERION= .1350 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 30 COMPLETED. CUM ITER = 581
 *** TIME = .276129E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8036E-05 OSCILLATION LIMIT = 6.340
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1350
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5450E-01
 HT FLOW CONVERGENCE VALUE= .1750E-01 CRITERION= .1350 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 31 COMPLETED. CUM ITER = 582
 *** TIME = .276918E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8279E-05 OSCILLATION LIMIT = 6.531
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7062 CRITERION= .1350
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5447E-01
 HT FLOW CONVERGENCE VALUE= .1756E-01 CRITERION= .1349 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 32 COMPLETED. CUM ITER = 583
 *** TIME = .277707E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8036E-05 OSCILLATION LIMIT = 6.340
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1349
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5452E-01
 HT FLOW CONVERGENCE VALUE= .1749E-01 CRITERION= .1348 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 33 COMPLETED. CUM ITER = 584
 *** TIME = .278496E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8276E-05 OSCILLATION LIMIT = 6.529
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7062 CRITERION= .1348
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5449E-01
 HT FLOW CONVERGENCE VALUE= .1755E-01 CRITERION= .1347 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 34 COMPLETED. CUM ITER = 585
 *** TIME = .279285E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8036E-05 OSCILLATION LIMIT = 6.340
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1347
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5453E-01
 HT FLOW CONVERGENCE VALUE= .1748E-01 CRITERION= .1347 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 35 COMPLETED. CUM ITER = 586
 *** TIME = .280074E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8273E-05 OSCILLATION LIMIT = 6.527
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7062 CRITERION= .1347
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5451E-01
 HT FLOW CONVERGENCE VALUE= .1753E-01 CRITERION= .1346 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 36 COMPLETED. CUM ITER = 587
 *** TIME = .280863E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8036E-05 OSCILLATION LIMIT = 6.340
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1346
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5455E-01
 HT FLOW CONVERGENCE VALUE= .1747E-01 CRITERION= .1345 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 37 COMPLETED. CUM ITER = 588
 *** TIME = .281652E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8270E-05 OSCILLATION LIMIT = 6.525
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7063 CRITERION= .1345
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5453E-01
 HT FLOW CONVERGENCE VALUE= .1753E-01 CRITERION= .1344 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 38 COMPLETED. CUM ITER = 589
 *** TIME = .282441E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8036E-05 OSCILLATION LIMIT = 6.340
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7367 CRITERION= .1344
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5456E-01
 HT FLOW CONVERGENCE VALUE= .1746E-01 CRITERION= .1344 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 21 SUBSTEP 39 COMPLETED. CUM ITER = 590
 *** TIME = .283229E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8268E-05 OSCILLATION LIMIT = 6.523
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7063 CRITERION= .1344
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5455E-01

HT FLOW CONVERGENCE VALUE= .1752E-01 CRITERION= .1343 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 40 COMPLETED. CUM ITER = 591
 *** TIME = .284018E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8036E-05 OSCILLATION LIMIT = 6.340
 Apply loads and solve for 10 to 90 years

*DO LOOP ON PARAMETER= TM FROM .31558E+09 TO .28402E+10 BY .31558E+09
 TIME= .31558E+09

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1
 6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 4267.31334 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1
 218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6728 STEP 1
 5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 99.493 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP
 VALUES = 100.19 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
 LOAD LABELS = TEMP
 VALUES = 101.56 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
 CONSTRAINTS TRANSFERRED FROM KEYPOINTS, = 113

*** NOTE *** CP= 49521.280 TIME= 12:16:37
 Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
 procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 12:16:37 MAR 26, 1995 CP= 49521.280
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 22
 TIME AT END OF THE LOAD STEP.31558E+09
 AUTOMATIC TIME STEPPING ON
 INITIAL NUMBER OF SUBSTEPS 10
 MAXIMUM NUMBER OF SUBSTEPS 40

```

MINIMUM NUMBER OF SUBSTEPS . . . . . 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS . . . . . NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS . . . . . ON
TRANSIENT INTEGRATION PARAMETERS
THETA. . . . . .50000
OSCILLATION LIMIT CRITERION. . . . . .50000
TOLERANCE. . . . . .20000
TERMINATE ANALYSIS IF NOT CONVERGED . . . . .YES (EXIT)
CONVERGENCE CONTROLS. . . . .USE DEFAULTS
PRINT OUTPUT CONTROLS . . . . .NO PRINTOUT
DATABASE OUTPUT CONTROLS. . . . .ALL DATA WRITTEN
FOR THE LAST SUBSTEP

```

```

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1343
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4233E-01
HT FLOW CONVERGENCE VALUE= .1376E-01 CRITERION= .1342 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 1 COMPLETED. CUM ITER = 592
*** TIME = .284807E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8731E-05 OSCILLATION LIMIT = 6.889
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 1.256 CRITERION= .1342
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4098E-01
HT FLOW CONVERGENCE VALUE= .1310E-01 CRITERION= .1341 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 2 COMPLETED. CUM ITER = 593
*** TIME = .285596E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8792E-05 OSCILLATION LIMIT = 6.937
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1342
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4334E-01
HT FLOW CONVERGENCE VALUE= .1374E-01 CRITERION= .1341 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 3 COMPLETED. CUM ITER = 594
*** TIME = .286385E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9022E-05 OSCILLATION LIMIT = 7.118
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 1.256 CRITERION= .1341
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4147E-01
HT FLOW CONVERGENCE VALUE= .1326E-01 CRITERION= .1340 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 4 COMPLETED. CUM ITER = 595
*** TIME = .287174E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8744E-05 OSCILLATION LIMIT = 6.898
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1340
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4293E-01
HT FLOW CONVERGENCE VALUE= .1361E-01 CRITERION= .1340 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 5 COMPLETED. CUM ITER = 596
*** TIME = .287963E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9025E-05 OSCILLATION LIMIT = 7.120
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 1.256 CRITERION= .1340
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4181E-01
HT FLOW CONVERGENCE VALUE= .1334E-01 CRITERION= .1339 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 6 COMPLETED. CUM ITER = 597
*** TIME = .288752E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8742E-05 OSCILLATION LIMIT = 6.897
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1339
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4269E-01
 HT FLOW CONVERGENCE VALUE= .1353E-01 CRITERION= .1339 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 7 COMPLETED. CUM ITER = 598
 *** TIME = .289541E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9027E-05 OSCILLATION LIMIT = 7.122
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.256 CRITERION= .1339
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4201E-01
 HT FLOW CONVERGENCE VALUE= .1339E-01 CRITERION= .1338 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 8 COMPLETED. CUM ITER = 599
 *** TIME = .290330E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8741E-05 OSCILLATION LIMIT = 6.896
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1338
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4255E-01
 HT FLOW CONVERGENCE VALUE= .1348E-01 CRITERION= .1338 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 9 COMPLETED. CUM ITER = 600
 *** TIME = .291119E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9027E-05 OSCILLATION LIMIT = 7.122
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.256 CRITERION= .1338
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4214E-01
 HT FLOW CONVERGENCE VALUE= .1341E-01 CRITERION= .1337 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 10 COMPLETED. CUM ITER = 601
 *** TIME = .291908E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8740E-05 OSCILLATION LIMIT = 6.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1337
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4247E-01
 HT FLOW CONVERGENCE VALUE= .1345E-01 CRITERION= .1336 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 11 COMPLETED. CUM ITER = 602
 *** TIME = .292697E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9026E-05 OSCILLATION LIMIT = 7.121
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.256 CRITERION= .1336
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4222E-01
 HT FLOW CONVERGENCE VALUE= .1342E-01 CRITERION= .1336 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 12 COMPLETED. CUM ITER = 603
 *** TIME = .293486E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8740E-05 OSCILLATION LIMIT = 6.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1336
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4242E-01
 HT FLOW CONVERGENCE VALUE= .1342E-01 CRITERION= .1335 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 13 COMPLETED. CUM ITER = 604
 *** TIME = .294275E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9025E-05 OSCILLATION LIMIT = 7.120
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.256 CRITERION= .1335
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4228E-01
 HT FLOW CONVERGENCE VALUE= .1342E-01 CRITERION= .1334 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 14 COMPLETED. CUM ITER = 605
 *** TIME = .295064E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .8740E-05 OSCILLATION LIMIT = 6.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1334
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4240E-01
 HT FLOW CONVERGENCE VALUE= .1341E-01 CRITERION= .1334 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 15 COMPLETED. CUM ITER = 606
 *** TIME = .295853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9024E-05 OSCILLATION LIMIT = 7.119
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.256 CRITERION= .1334
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4231E-01
 HT FLOW CONVERGENCE VALUE= .1342E-01 CRITERION= .1333 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 16 COMPLETED. CUM ITER = 607
 *** TIME = .296641E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8740E-05 OSCILLATION LIMIT = 6.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1333
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4239E-01
 HT FLOW CONVERGENCE VALUE= .1340E-01 CRITERION= .1333 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 17 COMPLETED. CUM ITER = 608
 *** TIME = .297430E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9022E-05 OSCILLATION LIMIT = 7.118
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.256 CRITERION= .1333
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4234E-01
 HT FLOW CONVERGENCE VALUE= .1342E-01 CRITERION= .1332 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 18 COMPLETED. CUM ITER = 609
 *** TIME = .298219E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8740E-05 OSCILLATION LIMIT = 6.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1332
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4239E-01
 HT FLOW CONVERGENCE VALUE= .1338E-01 CRITERION= .1332 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 19 COMPLETED. CUM ITER = 610
 *** TIME = .299008E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9021E-05 OSCILLATION LIMIT = 7.117
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.257 CRITERION= .1332
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4236E-01
 HT FLOW CONVERGENCE VALUE= .1341E-01 CRITERION= .1331 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 20 COMPLETED. CUM ITER = 611
 *** TIME = .299797E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8740E-05 OSCILLATION LIMIT = 6.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1331
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4239E-01
 HT FLOW CONVERGENCE VALUE= .1338E-01 CRITERION= .1331 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 21 COMPLETED. CUM ITER = 612
 *** TIME = .300586E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9019E-05 OSCILLATION LIMIT = 7.115
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.257 CRITERION= .1331
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4238E-01
 HT FLOW CONVERGENCE VALUE= .1341E-01 CRITERION= .1330 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 22 COMPLETED. CUM ITER = 613
 *** TIME = .301375E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8740E-05 OSCILLATION LIMIT = 6.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1330
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4239E-01
 HT FLOW CONVERGENCE VALUE= .1337E-01 CRITERION= .1329 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 23 COMPLETED. CUM ITER = 614
 *** TIME = .302164E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9017E-05 OSCILLATION LIMIT = 7.114
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.257 CRITERION= .1329
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4239E-01
 HT FLOW CONVERGENCE VALUE= .1340E-01 CRITERION= .1329 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 24 COMPLETED. CUM ITER = 615
 *** TIME = .302953E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8740E-05 OSCILLATION LIMIT = 6.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1329
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4240E-01
 HT FLOW CONVERGENCE VALUE= .1336E-01 CRITERION= .1328 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 25 COMPLETED. CUM ITER = 616
 *** TIME = .303742E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9015E-05 OSCILLATION LIMIT = 7.113
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.257 CRITERION= .1328
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4241E-01
 HT FLOW CONVERGENCE VALUE= .1339E-01 CRITERION= .1327 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 26 COMPLETED. CUM ITER = 617
 *** TIME = .304531E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8740E-05 OSCILLATION LIMIT = 6.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1327
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4241E-01
 HT FLOW CONVERGENCE VALUE= .1335E-01 CRITERION= .1327 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 27 COMPLETED. CUM ITER = 618
 *** TIME = .305320E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9014E-05 OSCILLATION LIMIT = 7.111
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.257 CRITERION= .1327
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4242E-01
 HT FLOW CONVERGENCE VALUE= .1339E-01 CRITERION= .1326 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 28 COMPLETED. CUM ITER = 619
 *** TIME = .306109E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8740E-05 OSCILLATION LIMIT = 6.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1326
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4242E-01
 HT FLOW CONVERGENCE VALUE= .1334E-01 CRITERION= .1326 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 29 COMPLETED. CUM ITER = 620
 *** TIME = .306898E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9012E-05 OSCILLATION LIMIT = 7.110
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.257 CRITERION= .1326
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4243E-01

HT FLOW CONVERGENCE VALUE= .1338E-01 CRITERION= .1325 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 30 COMPLETED. CUM ITER = 621
 *** TIME = .307687E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8739E-05 OSCILLATION LIMIT = 6.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1325
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4243E-01
 HT FLOW CONVERGENCE VALUE= .1334E-01 CRITERION= .1325 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 31 COMPLETED. CUM ITER = 622
 *** TIME = .308476E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9011E-05 OSCILLATION LIMIT = 7.109
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.257 CRITERION= .1325
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4244E-01
 HT FLOW CONVERGENCE VALUE= .1337E-01 CRITERION= .1324 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 32 COMPLETED. CUM ITER = 623
 *** TIME = .309265E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8739E-05 OSCILLATION LIMIT = 6.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1324
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4244E-01
 HT FLOW CONVERGENCE VALUE= .1333E-01 CRITERION= .1323 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 33 COMPLETED. CUM ITER = 624
 *** TIME = .310053E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9009E-05 OSCILLATION LIMIT = 7.108
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.257 CRITERION= .1323
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4245E-01
 HT FLOW CONVERGENCE VALUE= .1337E-01 CRITERION= .1323 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 34 COMPLETED. CUM ITER = 625
 *** TIME = .310842E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8739E-05 OSCILLATION LIMIT = 6.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1323
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4245E-01
 HT FLOW CONVERGENCE VALUE= .1332E-01 CRITERION= .1322 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 35 COMPLETED. CUM ITER = 626
 *** TIME = .311631E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9007E-05 OSCILLATION LIMIT = 7.106
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.257 CRITERION= .1322
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4247E-01
 HT FLOW CONVERGENCE VALUE= .1336E-01 CRITERION= .1321 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 36 COMPLETED. CUM ITER = 627
 *** TIME = .312420E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8739E-05 OSCILLATION LIMIT = 6.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1321
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4246E-01
 HT FLOW CONVERGENCE VALUE= .1332E-01 CRITERION= .1321 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 37 COMPLETED. CUM ITER = 628
 *** TIME = .313209E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9006E-05 OSCILLATION LIMIT = 7.105
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.257 CRITERION= .1321
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4248E-01
 HT FLOW CONVERGENCE VALUE= .1335E-01 CRITERION= .1320 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 38 COMPLETED. CUM ITER = 629
 *** TIME = .313998E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8739E-05 OSCILLATION LIMIT = 6.894
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.287 CRITERION= .1320
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4247E-01
 HT FLOW CONVERGENCE VALUE= .1331E-01 CRITERION= .1320 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 39 COMPLETED. CUM ITER = 630
 *** TIME = .314787E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9004E-05 OSCILLATION LIMIT = 7.104
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.257 CRITERION= .1320
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4249E-01
 HT FLOW CONVERGENCE VALUE= .1335E-01 CRITERION= .1319 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 40 COMPLETED. CUM ITER = 631
 *** TIME = .315576E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8739E-05 OSCILLATION LIMIT = 6.894

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 13:17:49 MAR 26, 1995 CP= 52920.930
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 3.232 CRITERION= .1319
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4639
 HT FLOW CONVERGENCE VALUE= .1349 CRITERION= .1314
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3593E-01
 HT FLOW CONVERGENCE VALUE= .5416E-02 CRITERION= .1313 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 1 COMPLETED. CUM ITER = 633
 *** TIME = .323465E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7671E-05 OSCILLATION LIMIT = 60.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.203 CRITERION= .1313
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4678
 HT FLOW CONVERGENCE VALUE= .1336 CRITERION= .1308
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3575E-01
 HT FLOW CONVERGENCE VALUE= .5388E-02 CRITERION= .1307 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 2 COMPLETED. CUM ITER = 635
 *** TIME = .331355E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7842E-05 OSCILLATION LIMIT = 61.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.232 CRITERION= .1307
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4681
 HT FLOW CONVERGENCE VALUE= .1331 CRITERION= .1303
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3572E-01
 HT FLOW CONVERGENCE VALUE= .5344E-02 CRITERION= .1302 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 3 COMPLETED. CUM ITER = 637
 *** TIME = .339244E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7866E-05 OSCILLATION LIMIT = 62.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.203 CRITERION= .1302
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4689
 HT FLOW CONVERGENCE VALUE= .1329 CRITERION= .1297
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3571E-01
 HT FLOW CONVERGENCE VALUE= .5319E-02 CRITERION= .1296 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 4 COMPLETED. CUM ITER = 639
 *** TIME = .347134E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7831E-05 OSCILLATION LIMIT = 61.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.232 CRITERION= .1296
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4692
 HT FLOW CONVERGENCE VALUE= .1324 CRITERION= .1291
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3568E-01
 HT FLOW CONVERGENCE VALUE= .5279E-02 CRITERION= .1290 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 5 COMPLETED. CUM ITER = 641
 *** TIME = .355023E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7856E-05 OSCILLATION LIMIT = 61.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.203 CRITERION= .1290
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4700
 HT FLOW CONVERGENCE VALUE= .1323 CRITERION= .1285
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3565E-01
 HT FLOW CONVERGENCE VALUE= .5254E-02 CRITERION= .1284 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 6 COMPLETED. CUM ITER = 643
 *** TIME = .362912E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7822E-05 OSCILLATION LIMIT = 61.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.232 CRITERION= .1284
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4703
 HT FLOW CONVERGENCE VALUE= .1318 CRITERION= .1280
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3561E-01
 HT FLOW CONVERGENCE VALUE= .5212E-02 CRITERION= .1279 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 7 COMPLETED. CUM ITER = 645
 *** TIME = .370802E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7847E-05 OSCILLATION LIMIT = 61.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.203 CRITERION= .1279
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4711
 HT FLOW CONVERGENCE VALUE= .1317 CRITERION= .1274
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3558E-01
 HT FLOW CONVERGENCE VALUE= .5188E-02 CRITERION= .1273 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 8 COMPLETED. CUM ITER = 647
 *** TIME = .378691E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7812E-05 OSCILLATION LIMIT = 61.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.232 CRITERION= .1273
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4714
 HT FLOW CONVERGENCE VALUE= .1312 CRITERION= .1268
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3552E-01
 HT FLOW CONVERGENCE VALUE= .5144E-02 CRITERION= .1267 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 9 COMPLETED. CUM ITER = 649
 *** TIME = .386581E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7837E-05 OSCILLATION LIMIT = 61.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.203 CRITERION= .1267
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4722
 HT FLOW CONVERGENCE VALUE= .1310 CRITERION= .1262

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3547E-01
 HT FLOW CONVERGENCE VALUE= .5117E-02 CRITERION= .1261 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 10 COMPLETED. CUM ITER = 651
 *** TIME = .394470E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7804E-05 OSCILLATION LIMIT = 61.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.233 CRITERION= .1261
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4725
 HT FLOW CONVERGENCE VALUE= .1305 CRITERION= .1257
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3540E-01
 HT FLOW CONVERGENCE VALUE= .5081E-02 CRITERION= .1256 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 11 COMPLETED. CUM ITER = 653
 *** TIME = .402359E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7829E-05 OSCILLATION LIMIT = 61.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.203 CRITERION= .1256
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4733
 HT FLOW CONVERGENCE VALUE= .1301 CRITERION= .1251
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3531E-01
 HT FLOW CONVERGENCE VALUE= .5050E-02 CRITERION= .1250 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 12 COMPLETED. CUM ITER = 655
 *** TIME = .410249E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7796E-05 OSCILLATION LIMIT = 61.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.233 CRITERION= .1250
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4736
 HT FLOW CONVERGENCE VALUE= .1294 CRITERION= .1245
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3514E-01
 HT FLOW CONVERGENCE VALUE= .5002E-02 CRITERION= .1244 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 13 COMPLETED. CUM ITER = 657
 *** TIME = .418138E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7822E-05 OSCILLATION LIMIT = 61.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.203 CRITERION= .1244
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4744
 HT FLOW CONVERGENCE VALUE= .1289 CRITERION= .1239
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3495E-01
 HT FLOW CONVERGENCE VALUE= .4974E-02 CRITERION= .1238 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 14 COMPLETED. CUM ITER = 659
 *** TIME = .426028E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7791E-05 OSCILLATION LIMIT = 61.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.233 CRITERION= .1238
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4748
 HT FLOW CONVERGENCE VALUE= .1284 CRITERION= .1233
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3488E-01
 HT FLOW CONVERGENCE VALUE= .4931E-02 CRITERION= .1232 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 15 COMPLETED. CUM ITER = 661
 *** TIME = .433917E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7815E-05 OSCILLATION LIMIT = 61.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.203 CRITERION= .1232
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4756
 HT FLOW CONVERGENCE VALUE= .1281 CRITERION= .1227
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3480E-01
 HT FLOW CONVERGENCE VALUE= .4903E-02 CRITERION= .1226 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 16 COMPLETED. CUM ITER = 663

*** TIME = .441806E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7782E-05 OSCILLATION LIMIT = 61.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.233 CRITERION= .1226
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4759
 HT FLOW CONVERGENCE VALUE= .1275 CRITERION= .1222
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3471E-01
 HT FLOW CONVERGENCE VALUE= .4858E-02 CRITERION= .1221 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 17 COMPLETED. CUM ITER = 665
 *** TIME = .449696E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7806E-05 OSCILLATION LIMIT = 61.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.203 CRITERION= .1221
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4767
 HT FLOW CONVERGENCE VALUE= .1270 CRITERION= .1216
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3455E-01
 HT FLOW CONVERGENCE VALUE= .4825E-02 CRITERION= .1215 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 18 COMPLETED. CUM ITER = 667
 *** TIME = .457585E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7775E-05 OSCILLATION LIMIT = 61.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.233 CRITERION= .1215
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4770
 HT FLOW CONVERGENCE VALUE= .1264 CRITERION= .1210
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3439E-01
 HT FLOW CONVERGENCE VALUE= .4783E-02 CRITERION= .1209 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 19 COMPLETED. CUM ITER = 669
 *** TIME = .465475E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7799E-05 OSCILLATION LIMIT = 61.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.203 CRITERION= .1209
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4778
 HT FLOW CONVERGENCE VALUE= .1262 CRITERION= .1204
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3433E-01
 HT FLOW CONVERGENCE VALUE= .4756E-02 CRITERION= .1203 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 20 COMPLETED. CUM ITER = 671
 *** TIME = .473364E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7766E-05 OSCILLATION LIMIT = 61.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.233 CRITERION= .1203
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4782
 HT FLOW CONVERGENCE VALUE= .1257 CRITERION= .1199
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3425E-01
 HT FLOW CONVERGENCE VALUE= .4716E-02 CRITERION= .1198 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 21 COMPLETED. CUM ITER = 673
 *** TIME = .481253E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7789E-05 OSCILLATION LIMIT = 61.45
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.203 CRITERION= .1198
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4789
 HT FLOW CONVERGENCE VALUE= .1254 CRITERION= .1193
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3419E-01
 HT FLOW CONVERGENCE VALUE= .4687E-02 CRITERION= .1192 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 22 COMPLETED. CUM ITER = 675
 *** TIME = .489143E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7756E-05 OSCILLATION LIMIT = 61.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 3.233    CRITERION= .1192
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4793
HT FLOW CONVERGENCE VALUE= .1249    CRITERION= .1187
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3411E-01
HT FLOW CONVERGENCE VALUE= .4644E-02 CRITERION= .1186    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 23 COMPLETED. CUM ITER = 677
*** TIME = .497032E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7779E-05    OSCILLATION LIMIT = 61.37
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.204    CRITERION= .1186
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4801
HT FLOW CONVERGENCE VALUE= .1246    CRITERION= .1181
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3400E-01
HT FLOW CONVERGENCE VALUE= .4615E-02 CRITERION= .1180    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 24 COMPLETED. CUM ITER = 679
*** TIME = .504922E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7747E-05    OSCILLATION LIMIT = 61.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.233    CRITERION= .1180
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4805
HT FLOW CONVERGENCE VALUE= .1242    CRITERION= .1176
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3384E-01
HT FLOW CONVERGENCE VALUE= .4568E-02 CRITERION= .1175    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 25 COMPLETED. CUM ITER = 681
*** TIME = .512811E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7771E-05    OSCILLATION LIMIT = 61.31
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.204    CRITERION= .1175
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4812
HT FLOW CONVERGENCE VALUE= .1240    CRITERION= .1170
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3364E-01
HT FLOW CONVERGENCE VALUE= .4538E-02 CRITERION= .1169    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 26 COMPLETED. CUM ITER = 683
*** TIME = .520700E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7740E-05    OSCILLATION LIMIT = 61.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.233    CRITERION= .1169
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4816
HT FLOW CONVERGENCE VALUE= .1237    CRITERION= .1164
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3356E-01
HT FLOW CONVERGENCE VALUE= .4496E-02 CRITERION= .1163    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 27 COMPLETED. CUM ITER = 685
*** TIME = .528590E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7762E-05    OSCILLATION LIMIT = 61.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.204    CRITERION= .1163
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4824
HT FLOW CONVERGENCE VALUE= .1234    CRITERION= .1158
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3345E-01
HT FLOW CONVERGENCE VALUE= .4467E-02 CRITERION= .1157    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 28 COMPLETED. CUM ITER = 687
*** TIME = .536479E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7730E-05    OSCILLATION LIMIT = 60.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.233    CRITERION= .1157
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4828
HT FLOW CONVERGENCE VALUE= .1229    CRITERION= .1152
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3328E-01

```

HT FLOW CONVERGENCE VALUE= .4423E-02 CRITERION= .1152 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 29 COMPLETED. CUM ITER = 689
 *** TIME = .544369E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7753E-05 OSCILLATION LIMIT = 61.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.204 CRITERION= .1151
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4836
 HT FLOW CONVERGENCE VALUE= .1226 CRITERION= .1146
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3315E-01
 HT FLOW CONVERGENCE VALUE= .4396E-02 CRITERION= .1145 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 30 COMPLETED. CUM ITER = 691
 *** TIME = .552258E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7722E-05 OSCILLATION LIMIT = 60.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.233 CRITERION= .1145
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4840
 HT FLOW CONVERGENCE VALUE= .1221 CRITERION= .1141
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3308E-01
 HT FLOW CONVERGENCE VALUE= .4353E-02 CRITERION= .1140 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 31 COMPLETED. CUM ITER = 693
 *** TIME = .560147E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7743E-05 OSCILLATION LIMIT = 61.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.204 CRITERION= .1140
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4847
 HT FLOW CONVERGENCE VALUE= .1218 CRITERION= .1135
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3300E-01
 HT FLOW CONVERGENCE VALUE= .4326E-02 CRITERION= .1134 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 32 COMPLETED. CUM ITER = 695
 *** TIME = .568037E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7712E-05 OSCILLATION LIMIT = 60.84
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.233 CRITERION= .1134
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4852
 HT FLOW CONVERGENCE VALUE= .1213 CRITERION= .1129
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3289E-01
 HT FLOW CONVERGENCE VALUE= .4283E-02 CRITERION= .1128 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 33 COMPLETED. CUM ITER = 697
 *** TIME = .575926E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7733E-05 OSCILLATION LIMIT = 61.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.204 CRITERION= .1128
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4859
 HT FLOW CONVERGENCE VALUE= .1209 CRITERION= .1123
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3272E-01
 HT FLOW CONVERGENCE VALUE= .4254E-02 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 34 COMPLETED. CUM ITER = 699
 *** TIME = .583816E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7703E-05 OSCILLATION LIMIT = 60.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.233 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4864
 HT FLOW CONVERGENCE VALUE= .1205 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3258E-01
 HT FLOW CONVERGENCE VALUE= .4215E-02 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 35 COMPLETED. CUM ITER = 701
 *** TIME = .591705E+09 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .7724E-05 OSCILLATION LIMIT = 60.94
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.204 CRITERION= .1117
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4871
HT FLOW CONVERGENCE VALUE= .1201 CRITERION= .1112
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3246E-01
HT FLOW CONVERGENCE VALUE= .4188E-02 CRITERION= .1111 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 36 COMPLETED. CUM ITER = 703
*** TIME = .599594E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7693E-05 OSCILLATION LIMIT = 60.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.234 CRITERION= .1111
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4875
HT FLOW CONVERGENCE VALUE= .1196 CRITERION= .1106
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3231E-01
HT FLOW CONVERGENCE VALUE= .4150E-02 CRITERION= .1105 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 37 COMPLETED. CUM ITER = 705
*** TIME = .607484E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7714E-05 OSCILLATION LIMIT = 60.86
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.204 CRITERION= .1105
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4883
HT FLOW CONVERGENCE VALUE= .1193 CRITERION= .1100
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3218E-01
HT FLOW CONVERGENCE VALUE= .4123E-02 CRITERION= .1099 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 38 COMPLETED. CUM ITER = 707
*** TIME = .615373E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7684E-05 OSCILLATION LIMIT = 60.62
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.234 CRITERION= .1099
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4887
HT FLOW CONVERGENCE VALUE= .1188 CRITERION= .1095
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3209E-01
HT FLOW CONVERGENCE VALUE= .4085E-02 CRITERION= .1094 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 39 COMPLETED. CUM ITER = 709
*** TIME = .623263E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7704E-05 OSCILLATION LIMIT = 60.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.204 CRITERION= .1094
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4895
HT FLOW CONVERGENCE VALUE= .1185 CRITERION= .1089
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3195E-01
HT FLOW CONVERGENCE VALUE= .4058E-02 CRITERION= .1088 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 40 COMPLETED. CUM ITER = 711
*** TIME = .631152E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7674E-05 OSCILLATION LIMIT = 60.54

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 14:49:33 MAR 26, 1995 CP= 58293.030
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 11.83 CRITERION= .1094
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4004
HT FLOW CONVERGENCE VALUE= .1007 CRITERION= .1084 <<< CONVERGED


```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 1 COMPLETED. CUM ITER = 712
*** TIME = .639041E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7002E-05 OSCILLATION LIMIT = 55.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.86 CRITERION= .1090
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3666
HT FLOW CONVERGENCE VALUE= .9887E-01 CRITERION= .1080 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 2 COMPLETED. CUM ITER = 713
*** TIME = .646931E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5988E-05 OSCILLATION LIMIT = 47.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.83 CRITERION= .1086
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3687
HT FLOW CONVERGENCE VALUE= .9856E-01 CRITERION= .1075 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 3 COMPLETED. CUM ITER = 714
*** TIME = .654820E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6070E-05 OSCILLATION LIMIT = 47.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.86 CRITERION= .1082
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3683
HT FLOW CONVERGENCE VALUE= .9815E-01 CRITERION= .1071 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 4 COMPLETED. CUM ITER = 715
*** TIME = .662710E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6040E-05 OSCILLATION LIMIT = 47.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.83 CRITERION= .1077
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3698
HT FLOW CONVERGENCE VALUE= .9815E-01 CRITERION= .1067 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 5 COMPLETED. CUM ITER = 716
*** TIME = .670599E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6064E-05 OSCILLATION LIMIT = 47.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.86 CRITERION= .1073
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3693
HT FLOW CONVERGENCE VALUE= .9770E-01 CRITERION= .1062 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 6 COMPLETED. CUM ITER = 717
*** TIME = .678488E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6033E-05 OSCILLATION LIMIT = 47.59
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.83 CRITERION= .1068
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3707
HT FLOW CONVERGENCE VALUE= .9736E-01 CRITERION= .1058 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 7 COMPLETED. CUM ITER = 718
*** TIME = .686378E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6057E-05 OSCILLATION LIMIT = 47.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.86 CRITERION= .1064
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3703
HT FLOW CONVERGENCE VALUE= .9669E-01 CRITERION= .1054 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 8 COMPLETED. CUM ITER = 719
*** TIME = .694267E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6025E-05 OSCILLATION LIMIT = 47.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.83 CRITERION= .1060

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3717
HT FLOW CONVERGENCE VALUE= .9665E-01 CRITERION= .1049 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 9 COMPLETED. CUM ITER = 720
*** TIME = .702157E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6049E-05 OSCILLATION LIMIT = 47.72
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.86 CRITERION= .1056
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3713
HT FLOW CONVERGENCE VALUE= .9620E-01 CRITERION= .1045 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 10 COMPLETED. CUM ITER = 721
*** TIME = .710046E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6018E-05 OSCILLATION LIMIT = 47.48
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.82 CRITERION= .1051
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3727
HT FLOW CONVERGENCE VALUE= .9601E-01 CRITERION= .1041 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 11 COMPLETED. CUM ITER = 722
*** TIME = .717935E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6041E-05 OSCILLATION LIMIT = 47.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.85 CRITERION= .1047
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3724
HT FLOW CONVERGENCE VALUE= .9559E-01 CRITERION= .1036 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 12 COMPLETED. CUM ITER = 723
*** TIME = .725825E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6011E-05 OSCILLATION LIMIT = 47.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.82 CRITERION= .1043
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3737
HT FLOW CONVERGENCE VALUE= .9553E-01 CRITERION= .1032 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 13 COMPLETED. CUM ITER = 724
*** TIME = .733714E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6034E-05 OSCILLATION LIMIT = 47.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.85 CRITERION= .1038
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3733
HT FLOW CONVERGENCE VALUE= .9513E-01 CRITERION= .1027 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 14 COMPLETED. CUM ITER = 725
*** TIME = .741604E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6004E-05 OSCILLATION LIMIT = 47.36
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.82 CRITERION= .1034
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3746
HT FLOW CONVERGENCE VALUE= .9505E-01 CRITERION= .1023 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 15 COMPLETED. CUM ITER = 726
*** TIME = .749493E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6026E-05 OSCILLATION LIMIT = 47.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.85 CRITERION= .1030
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3743
HT FLOW CONVERGENCE VALUE= .9466E-01 CRITERION= .1019 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 16 COMPLETED. CUM ITER = 727
*** TIME = .757382E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5996E-05 OSCILLATION LIMIT = 47.30
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 11.82 CRITERION= .1025
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3755
 HT FLOW CONVERGENCE VALUE= .9457E-01 CRITERION= .1015 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 17 COMPLETED. CUM ITER = 728
 *** TIME = .765272E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6018E-05 OSCILLATION LIMIT = 47.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.85 CRITERION= .1021
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3752
 HT FLOW CONVERGENCE VALUE= .9421E-01 CRITERION= .1010 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 18 COMPLETED. CUM ITER = 729
 *** TIME = .773161E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5988E-05 OSCILLATION LIMIT = 47.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.82 CRITERION= .1017
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3764
 HT FLOW CONVERGENCE VALUE= .9411E-01 CRITERION= .1006 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 19 COMPLETED. CUM ITER = 730
 *** TIME = .781051E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6010E-05 OSCILLATION LIMIT = 47.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.85 CRITERION= .1013
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3762
 HT FLOW CONVERGENCE VALUE= .9375E-01 CRITERION= .1001 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 20 COMPLETED. CUM ITER = 731
 *** TIME = .788940E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5981E-05 OSCILLATION LIMIT = 47.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.82 CRITERION= .1008
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3773
 HT FLOW CONVERGENCE VALUE= .9364E-01 CRITERION= .9974E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 21 COMPLETED. CUM ITER = 732
 *** TIME = .796829E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6003E-05 OSCILLATION LIMIT = 47.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.85 CRITERION= .1004
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3771
 HT FLOW CONVERGENCE VALUE= .9327E-01 CRITERION= .9928E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 22 COMPLETED. CUM ITER = 733
 *** TIME = .804719E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5974E-05 OSCILLATION LIMIT = 47.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.82 CRITERION= .9995E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3782
 HT FLOW CONVERGENCE VALUE= .9312E-01 CRITERION= .9887E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 23 COMPLETED. CUM ITER = 734
 *** TIME = .812608E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5995E-05 OSCILLATION LIMIT = 47.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.85 CRITERION= .9954E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3781
 HT FLOW CONVERGENCE VALUE= .9275E-01 CRITERION= .9841E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 24 COMPLETED. CUM ITER = 735
 *** TIME = .820498E+09 TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .5966E-05  OSCILLATION LIMIT = 47.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 11.82  CRITERION= .9909E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3791
  HT FLOW CONVERGENCE VALUE= .9258E-01 CRITERION= .9800E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 25 COMPLETED. CUM ITER = 736
*** TIME = .828387E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5987E-05  OSCILLATION LIMIT = 47.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 11.85  CRITERION= .9868E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3790
  HT FLOW CONVERGENCE VALUE= .9220E-01 CRITERION= .9755E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 26 COMPLETED. CUM ITER = 737
*** TIME = .836276E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5959E-05  OSCILLATION LIMIT = 47.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 11.82  CRITERION= .9822E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3801
  HT FLOW CONVERGENCE VALUE= .9198E-01 CRITERION= .9713E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 27 COMPLETED. CUM ITER = 738
*** TIME = .844166E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5980E-05  OSCILLATION LIMIT = 47.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 11.85  CRITERION= .9782E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3800
  HT FLOW CONVERGENCE VALUE= .9162E-01 CRITERION= .9668E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 28 COMPLETED. CUM ITER = 739
*** TIME = .852055E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5951E-05  OSCILLATION LIMIT = 46.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 11.82  CRITERION= .9736E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3810
  HT FLOW CONVERGENCE VALUE= .9146E-01 CRITERION= .9627E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 29 COMPLETED. CUM ITER = 740
*** TIME = .859945E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5972E-05  OSCILLATION LIMIT = 47.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 11.85  CRITERION= .9696E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3810
  HT FLOW CONVERGENCE VALUE= .9105E-01 CRITERION= .9581E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 30 COMPLETED. CUM ITER = 741
*** TIME = .867834E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5944E-05  OSCILLATION LIMIT = 46.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 11.82  CRITERION= .9650E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3820
  HT FLOW CONVERGENCE VALUE= .9091E-01 CRITERION= .9540E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 31 COMPLETED. CUM ITER = 742
*** TIME = .875723E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5964E-05  OSCILLATION LIMIT = 47.05
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 11.85  CRITERION= .9610E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3820
  HT FLOW CONVERGENCE VALUE= .9066E-01 CRITERION= .9494E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

```

*** LOAD STEP 24 SUBSTEP 32 COMPLETED. CUM ITER = 743
*** TIME = .883613E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5937E-05 OSCILLATION LIMIT = 46.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.82 CRITERION= .9564E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3829
HT FLOW CONVERGENCE VALUE= .9057E-01 CRITERION= .9453E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 33 COMPLETED. CUM ITER = 744
*** TIME = .891502E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5956E-05 OSCILLATION LIMIT = 46.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.85 CRITERION= .9523E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3829
HT FLOW CONVERGENCE VALUE= .9023E-01 CRITERION= .9408E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 34 COMPLETED. CUM ITER = 745
*** TIME = .899392E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5929E-05 OSCILLATION LIMIT = 46.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.82 CRITERION= .9478E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3839
HT FLOW CONVERGENCE VALUE= .9004E-01 CRITERION= .9366E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 35 COMPLETED. CUM ITER = 746
*** TIME = .907281E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5949E-05 OSCILLATION LIMIT = 46.93
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.85 CRITERION= .9437E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3839
HT FLOW CONVERGENCE VALUE= .8971E-01 CRITERION= .9321E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 36 COMPLETED. CUM ITER = 747
*** TIME = .915170E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5922E-05 OSCILLATION LIMIT = 46.72
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.81 CRITERION= .9392E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3849
HT FLOW CONVERGENCE VALUE= .8956E-01 CRITERION= .9280E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 37 COMPLETED. CUM ITER = 748
*** TIME = .923060E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5941E-05 OSCILLATION LIMIT = 46.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.85 CRITERION= .9351E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3849
HT FLOW CONVERGENCE VALUE= .8927E-01 CRITERION= .9234E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 38 COMPLETED. CUM ITER = 749
*** TIME = .930949E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5914E-05 OSCILLATION LIMIT = 46.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.81 CRITERION= .9306E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3858
HT FLOW CONVERGENCE VALUE= .8903E-01 CRITERION= .9193E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 39 COMPLETED. CUM ITER = 750
*** TIME = .938839E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5933E-05 OSCILLATION LIMIT = 46.81
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.84 CRITERION= .9265E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3859

```

```

HT FLOW CONVERGENCE VALUE= .8866E-01 CRITERION= .9147E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 40 COMPLETED. CUM ITER = 751
*** TIME = .946728E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5906E-05 OSCILLATION LIMIT = 46.59

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 15:50:25 MAR 26, 1995 CP= 61696.270
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .9403E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3196
HT FLOW CONVERGENCE VALUE= .7818E-01 CRITERION= .9115E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 1 COMPLETED. CUM ITER = 752
*** TIME = .954617E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4284E-05 OSCILLATION LIMIT = 33.80
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .9371E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3179
HT FLOW CONVERGENCE VALUE= .7601E-01 CRITERION= .9079E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 2 COMPLETED. CUM ITER = 753
*** TIME = .962507E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4474E-05 OSCILLATION LIMIT = 35.30
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .9336E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3204
HT FLOW CONVERGENCE VALUE= .7617E-01 CRITERION= .9048E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 3 COMPLETED. CUM ITER = 754
*** TIME = .970396E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4518E-05 OSCILLATION LIMIT = 35.64
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .9307E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3190
HT FLOW CONVERGENCE VALUE= .7566E-01 CRITERION= .9013E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 4 COMPLETED. CUM ITER = 755
*** TIME = .978286E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4477E-05 OSCILLATION LIMIT = 35.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .9272E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3210
HT FLOW CONVERGENCE VALUE= .7574E-01 CRITERION= .8982E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 5 COMPLETED. CUM ITER = 756
*** TIME = .986175E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4512E-05 OSCILLATION LIMIT = 35.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .9242E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3197
HT FLOW CONVERGENCE VALUE= .7519E-01 CRITERION= .8947E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 6 COMPLETED. CUM ITER = 757
*** TIME = .994064E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4474E-05 OSCILLATION LIMIT = 35.29
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 21.87    CRITERION= .9208E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3217
HT FLOW CONVERGENCE VALUE= .7522E-01 CRITERION= .8916E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 7 COMPLETED. CUM ITER = 758
*** TIME = .100195E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4507E-05 OSCILLATION LIMIT = 35.56
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90    CRITERION= .9178E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3205
HT FLOW CONVERGENCE VALUE= .7467E-01 CRITERION= .8880E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 8 COMPLETED. CUM ITER = 759
*** TIME = .100984E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4470E-05 OSCILLATION LIMIT = 35.27
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87    CRITERION= .9143E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3223
HT FLOW CONVERGENCE VALUE= .7465E-01 CRITERION= .8849E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 9 COMPLETED. CUM ITER = 760
*** TIME = .101773E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4503E-05 OSCILLATION LIMIT = 35.52
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90    CRITERION= .9113E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3212
HT FLOW CONVERGENCE VALUE= .7416E-01 CRITERION= .8814E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 10 COMPLETED. CUM ITER = 761
*** TIME = .102562E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4466E-05 OSCILLATION LIMIT = 35.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87    CRITERION= .9079E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3230
HT FLOW CONVERGENCE VALUE= .7414E-01 CRITERION= .8783E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 11 COMPLETED. CUM ITER = 762
*** TIME = .103351E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4498E-05 OSCILLATION LIMIT = 35.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90    CRITERION= .9049E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3219
HT FLOW CONVERGENCE VALUE= .7361E-01 CRITERION= .8748E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 12 COMPLETED. CUM ITER = 763
*** TIME = .104140E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4462E-05 OSCILLATION LIMIT = 35.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87    CRITERION= .9014E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3236
HT FLOW CONVERGENCE VALUE= .7359E-01 CRITERION= .8717E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 13 COMPLETED. CUM ITER = 764
*** TIME = .104929E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4493E-05 OSCILLATION LIMIT = 35.45
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90    CRITERION= .8985E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3227
HT FLOW CONVERGENCE VALUE= .7311E-01 CRITERION= .8681E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 14 COMPLETED. CUM ITER = 765
*** TIME = .105718E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4458E-05 OSCILLATION LIMIT = 35.17

```

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .8950E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3243
 HT FLOW CONVERGENCE VALUE= .7311E-01 CRITERION= .8650E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 15 COMPLETED. CUM ITER = 766
 *** TIME = .106507E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4489E-05 OSCILLATION LIMIT = 35.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .8920E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3234
 HT FLOW CONVERGENCE VALUE= .7269E-01 CRITERION= .8615E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 16 COMPLETED. CUM ITER = 767
 *** TIME = .107296E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4454E-05 OSCILLATION LIMIT = 35.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .8886E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3250
 HT FLOW CONVERGENCE VALUE= .7266E-01 CRITERION= .8584E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 17 COMPLETED. CUM ITER = 768
 *** TIME = .108085E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4484E-05 OSCILLATION LIMIT = 35.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .8856E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3242
 HT FLOW CONVERGENCE VALUE= .7222E-01 CRITERION= .8548E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 18 COMPLETED. CUM ITER = 769
 *** TIME = .108874E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4450E-05 OSCILLATION LIMIT = 35.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .8821E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3257
 HT FLOW CONVERGENCE VALUE= .7219E-01 CRITERION= .8517E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 19 COMPLETED. CUM ITER = 770
 *** TIME = .109663E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4480E-05 OSCILLATION LIMIT = 35.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .8792E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3249
 HT FLOW CONVERGENCE VALUE= .7180E-01 CRITERION= .8482E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 20 COMPLETED. CUM ITER = 771
 *** TIME = .110452E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4446E-05 OSCILLATION LIMIT = 35.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .8757E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3264
 HT FLOW CONVERGENCE VALUE= .7177E-01 CRITERION= .8451E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 21 COMPLETED. CUM ITER = 772
 *** TIME = .111241E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4475E-05 OSCILLATION LIMIT = 35.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .8727E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3257
 HT FLOW CONVERGENCE VALUE= .7132E-01 CRITERION= .8416E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 22 COMPLETED. CUM ITER = 773

*** TIME = .112029E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4442E-05 OSCILLATION LIMIT = 35.05
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .8693E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3271
HT FLOW CONVERGENCE VALUE= .7125E-01 CRITERION= .8385E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 23 COMPLETED. CUM ITER = 774
*** TIME = .112818E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4470E-05 OSCILLATION LIMIT = 35.27
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .8663E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3264
HT FLOW CONVERGENCE VALUE= .7088E-01 CRITERION= .8349E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 24 COMPLETED. CUM ITER = 775
*** TIME = .113607E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4438E-05 OSCILLATION LIMIT = 35.02
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .8628E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3278
HT FLOW CONVERGENCE VALUE= .7082E-01 CRITERION= .8318E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 25 COMPLETED. CUM ITER = 776
*** TIME = .114396E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4466E-05 OSCILLATION LIMIT = 35.23
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .8599E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3272
HT FLOW CONVERGENCE VALUE= .7040E-01 CRITERION= .8283E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 26 COMPLETED. CUM ITER = 777
*** TIME = .115185E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4434E-05 OSCILLATION LIMIT = 34.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .8564E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3285
HT FLOW CONVERGENCE VALUE= .7030E-01 CRITERION= .8252E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 27 COMPLETED. CUM ITER = 778
*** TIME = .115974E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4461E-05 OSCILLATION LIMIT = 35.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .8535E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3279
HT FLOW CONVERGENCE VALUE= .6993E-01 CRITERION= .8216E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 28 COMPLETED. CUM ITER = 779
*** TIME = .116763E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4430E-05 OSCILLATION LIMIT = 34.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .8500E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3292
HT FLOW CONVERGENCE VALUE= .6983E-01 CRITERION= .8186E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 29 COMPLETED. CUM ITER = 780
*** TIME = .117552E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4457E-05 OSCILLATION LIMIT = 35.16
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .8471E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3287
HT FLOW CONVERGENCE VALUE= .6943E-01 CRITERION= .8150E-01 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 30 COMPLETED. CUM ITER = 781
*** TIME = .118341E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4427E-05 OSCILLATION LIMIT = 34.92
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .8436E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3299
HT FLOW CONVERGENCE VALUE= .6932E-01 CRITERION= .8119E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 31 COMPLETED. CUM ITER = 782
*** TIME = .119130E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4453E-05 OSCILLATION LIMIT = 35.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .8406E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3295
HT FLOW CONVERGENCE VALUE= .6897E-01 CRITERION= .8084E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 32 COMPLETED. CUM ITER = 783
*** TIME = .119919E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4423E-05 OSCILLATION LIMIT = 34.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .8372E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3306
HT FLOW CONVERGENCE VALUE= .6880E-01 CRITERION= .8053E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 33 COMPLETED. CUM ITER = 784
*** TIME = .120708E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4449E-05 OSCILLATION LIMIT = 35.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .8342E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3302
HT FLOW CONVERGENCE VALUE= .6845E-01 CRITERION= .8017E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 34 COMPLETED. CUM ITER = 785
*** TIME = .121497E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4419E-05 OSCILLATION LIMIT = 34.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .8308E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3314
HT FLOW CONVERGENCE VALUE= .6830E-01 CRITERION= .7986E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 35 COMPLETED. CUM ITER = 786
*** TIME = .122286E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4445E-05 OSCILLATION LIMIT = 35.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .8278E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3310
HT FLOW CONVERGENCE VALUE= .6796E-01 CRITERION= .7951E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 36 COMPLETED. CUM ITER = 787
*** TIME = .123075E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4416E-05 OSCILLATION LIMIT = 34.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .8244E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3321
HT FLOW CONVERGENCE VALUE= .6778E-01 CRITERION= .7920E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 37 COMPLETED. CUM ITER = 788
*** TIME = .123864E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4441E-05 OSCILLATION LIMIT = 35.04
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .8214E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3318
 HT FLOW CONVERGENCE VALUE= .6742E-01 CRITERION= .7885E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 38 COMPLETED. CUM ITER = 789
 *** TIME = .124653E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4412E-05 OSCILLATION LIMIT = 34.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .8180E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3329
 HT FLOW CONVERGENCE VALUE= .6725E-01 CRITERION= .7854E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 39 COMPLETED. CUM ITER = 790
 *** TIME = .125441E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4436E-05 OSCILLATION LIMIT = 35.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .8150E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3326
 HT FLOW CONVERGENCE VALUE= .6688E-01 CRITERION= .7818E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 40 COMPLETED. CUM ITER = 791
 *** TIME = .126230E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4408E-05 OSCILLATION LIMIT = 34.78

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:51:33 MAR 26, 1995 CP= 65100.040
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .8070E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2740
 HT FLOW CONVERGENCE VALUE= .5600E-01 CRITERION= .7792E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 1 COMPLETED. CUM ITER = 792
 *** TIME = .127019E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4090E-05 OSCILLATION LIMIT = 32.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .8046E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2761
 HT FLOW CONVERGENCE VALUE= .5563E-01 CRITERION= .7763E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 2 COMPLETED. CUM ITER = 793
 *** TIME = .127808E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4169E-05 OSCILLATION LIMIT = 32.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .8017E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2785
 HT FLOW CONVERGENCE VALUE= .5587E-01 CRITERION= .7738E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 3 COMPLETED. CUM ITER = 794
 *** TIME = .128597E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4205E-05 OSCILLATION LIMIT = 33.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7993E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2766
 HT FLOW CONVERGENCE VALUE= .5536E-01 CRITERION= .7709E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 4 COMPLETED. CUM ITER = 795
 *** TIME = .129386E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4161E-05 OSCILLATION LIMIT = 32.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7964E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2790
 HT FLOW CONVERGENCE VALUE= .5556E-01 CRITERION= .7684E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 5 COMPLETED. CUM ITER = 796
 *** TIME = .130175E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4202E-05 OSCILLATION LIMIT = 33.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7941E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2772
 HT FLOW CONVERGENCE VALUE= .5505E-01 CRITERION= .7654E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 6 COMPLETED. CUM ITER = 797
 *** TIME = .130964E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4158E-05 OSCILLATION LIMIT = 32.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7912E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2795
 HT FLOW CONVERGENCE VALUE= .5519E-01 CRITERION= .7629E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 7 COMPLETED. CUM ITER = 798
 *** TIME = .131753E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4198E-05 OSCILLATION LIMIT = 33.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7888E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2778
 HT FLOW CONVERGENCE VALUE= .5472E-01 CRITERION= .7600E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 8 COMPLETED. CUM ITER = 799
 *** TIME = .132542E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4156E-05 OSCILLATION LIMIT = 32.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7859E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2800
 HT FLOW CONVERGENCE VALUE= .5486E-01 CRITERION= .7575E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 9 COMPLETED. CUM ITER = 800
 *** TIME = .133331E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4195E-05 OSCILLATION LIMIT = 33.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7836E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2784
 HT FLOW CONVERGENCE VALUE= .5444E-01 CRITERION= .7546E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 10 COMPLETED. CUM ITER = 801
 *** TIME = .134120E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4154E-05 OSCILLATION LIMIT = 32.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7807E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2804
 HT FLOW CONVERGENCE VALUE= .5454E-01 CRITERION= .7521E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 11 COMPLETED. CUM ITER = 802
 *** TIME = .134909E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4191E-05 OSCILLATION LIMIT = 33.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7783E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2789
 HT FLOW CONVERGENCE VALUE= .5412E-01 CRITERION= .7491E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 12 COMPLETED. CUM ITER = 803
 *** TIME = .135698E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .4151E-05 OSCILLATION LIMIT = 32.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7754E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2809
 HT FLOW CONVERGENCE VALUE= .5423E-01 CRITERION= .7466E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 13 COMPLETED. CUM ITER = 804
 *** TIME = .136487E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4188E-05 OSCILLATION LIMIT = 33.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7731E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2795
 HT FLOW CONVERGENCE VALUE= .5383E-01 CRITERION= .7437E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 14 COMPLETED. CUM ITER = 805
 *** TIME = .137276E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4148E-05 OSCILLATION LIMIT = 32.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7702E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2814
 HT FLOW CONVERGENCE VALUE= .5388E-01 CRITERION= .7412E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 15 COMPLETED. CUM ITER = 806
 *** TIME = .138065E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4184E-05 OSCILLATION LIMIT = 33.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7678E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2801
 HT FLOW CONVERGENCE VALUE= .5352E-01 CRITERION= .7383E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 16 COMPLETED. CUM ITER = 807
 *** TIME = .138853E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4145E-05 OSCILLATION LIMIT = 32.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7650E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2819
 HT FLOW CONVERGENCE VALUE= .5365E-01 CRITERION= .7358E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 17 COMPLETED. CUM ITER = 808
 *** TIME = .139642E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4180E-05 OSCILLATION LIMIT = 32.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7626E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2807
 HT FLOW CONVERGENCE VALUE= .5354E-01 CRITERION= .7328E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 18 COMPLETED. CUM ITER = 809
 *** TIME = .140431E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4143E-05 OSCILLATION LIMIT = 32.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7597E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2824
 HT FLOW CONVERGENCE VALUE= .5371E-01 CRITERION= .7303E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 19 COMPLETED. CUM ITER = 810
 *** TIME = .141220E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4176E-05 OSCILLATION LIMIT = 32.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7573E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2813
 HT FLOW CONVERGENCE VALUE= .5326E-01 CRITERION= .7274E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 26 SUBSTEP 20 COMPLETED. CUM ITER = 811
*** TIME = .142009E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4139E-05 OSCILLATION LIMIT = 32.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7545E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2829
HT FLOW CONVERGENCE VALUE= .5302E-01 CRITERION= .7249E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 21 COMPLETED. CUM ITER = 812
*** TIME = .142798E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4173E-05 OSCILLATION LIMIT = 32.92
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7521E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2819
HT FLOW CONVERGENCE VALUE= .5261E-01 CRITERION= .7220E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 22 COMPLETED. CUM ITER = 813
*** TIME = .143587E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4136E-05 OSCILLATION LIMIT = 32.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7492E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2834
HT FLOW CONVERGENCE VALUE= .5267E-01 CRITERION= .7195E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 23 COMPLETED. CUM ITER = 814
*** TIME = .144376E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4168E-05 OSCILLATION LIMIT = 32.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7469E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2825
HT FLOW CONVERGENCE VALUE= .5233E-01 CRITERION= .7165E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 24 COMPLETED. CUM ITER = 815
*** TIME = .145165E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4133E-05 OSCILLATION LIMIT = 32.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7440E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2840
HT FLOW CONVERGENCE VALUE= .5238E-01 CRITERION= .7140E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 25 COMPLETED. CUM ITER = 816
*** TIME = .145954E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4165E-05 OSCILLATION LIMIT = 32.86
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7416E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2830
HT FLOW CONVERGENCE VALUE= .5206E-01 CRITERION= .7111E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 26 COMPLETED. CUM ITER = 817
*** TIME = .146743E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4129E-05 OSCILLATION LIMIT = 32.58
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7388E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2845
HT FLOW CONVERGENCE VALUE= .5207E-01 CRITERION= .7086E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 27 COMPLETED. CUM ITER = 818
*** TIME = .147532E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4160E-05 OSCILLATION LIMIT = 32.82
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7364E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2836

```

HT FLOW CONVERGENCE VALUE= .5177E-01 CRITERION= .7057E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 28 COMPLETED. CUM ITER = 819
 *** TIME = .148321E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4126E-05 OSCILLATION LIMIT = 32.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7336E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2850
 HT FLOW CONVERGENCE VALUE= .5174E-01 CRITERION= .7032E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 29 COMPLETED. CUM ITER = 820
 *** TIME = .149110E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4156E-05 OSCILLATION LIMIT = 32.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7312E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2842
 HT FLOW CONVERGENCE VALUE= .5147E-01 CRITERION= .7002E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 30 COMPLETED. CUM ITER = 821
 *** TIME = .149899E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4123E-05 OSCILLATION LIMIT = 32.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7283E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2855
 HT FLOW CONVERGENCE VALUE= .5146E-01 CRITERION= .6978E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 31 COMPLETED. CUM ITER = 822
 *** TIME = .150688E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4153E-05 OSCILLATION LIMIT = 32.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7260E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2848
 HT FLOW CONVERGENCE VALUE= .5116E-01 CRITERION= .6948E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 32 COMPLETED. CUM ITER = 823
 *** TIME = .151476E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4121E-05 OSCILLATION LIMIT = 32.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7231E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2861
 HT FLOW CONVERGENCE VALUE= .5115E-01 CRITERION= .6923E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 33 COMPLETED. CUM ITER = 824
 *** TIME = .152265E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4150E-05 OSCILLATION LIMIT = 32.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7208E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2854
 HT FLOW CONVERGENCE VALUE= .5087E-01 CRITERION= .6894E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 34 COMPLETED. CUM ITER = 825
 *** TIME = .153054E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4118E-05 OSCILLATION LIMIT = 32.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7179E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2866
 HT FLOW CONVERGENCE VALUE= .5084E-01 CRITERION= .6869E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 35 COMPLETED. CUM ITER = 826
 *** TIME = .153843E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4146E-05 OSCILLATION LIMIT = 32.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7155E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2860
 HT FLOW CONVERGENCE VALUE= .5056E-01 CRITERION= .6839E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 36 COMPLETED. CUM ITER = 827
 *** TIME = .154632E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4114E-05 OSCILLATION LIMIT = 32.46
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7127E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2872
 HT FLOW CONVERGENCE VALUE= .5052E-01 CRITERION= .6815E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 37 COMPLETED. CUM ITER = 828
 *** TIME = .155421E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4142E-05 OSCILLATION LIMIT = 32.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7103E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2866
 HT FLOW CONVERGENCE VALUE= .5023E-01 CRITERION= .6785E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 38 COMPLETED. CUM ITER = 829
 *** TIME = .156210E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4111E-05 OSCILLATION LIMIT = 32.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.10 CRITERION= .7075E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2877
 HT FLOW CONVERGENCE VALUE= .5019E-01 CRITERION= .6760E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 39 COMPLETED. CUM ITER = 830
 *** TIME = .156999E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4139E-05 OSCILLATION LIMIT = 32.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.13 CRITERION= .7051E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2872
 HT FLOW CONVERGENCE VALUE= .4991E-01 CRITERION= .6731E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 40 COMPLETED. CUM ITER = 831
 *** TIME = .157788E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4109E-05 OSCILLATION LIMIT = 32.41

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:52:41 MAR 26, 1995 CP= 68504.910
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6954E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2266
 HT FLOW CONVERGENCE VALUE= .4011E-01 CRITERION= .6711E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 1 COMPLETED. CUM ITER = 832
 *** TIME = .158577E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3810E-05 OSCILLATION LIMIT = 30.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6935E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2284
 HT FLOW CONVERGENCE VALUE= .3983E-01 CRITERION= .6687E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 2 COMPLETED. CUM ITER = 833
 *** TIME = .159366E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3891E-05 OSCILLATION LIMIT = 30.70

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6912E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2311
 HT FLOW CONVERGENCE VALUE= .4010E-01 CRITERION= .6668E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 3 COMPLETED. CUM ITER = 834
 *** TIME = .160155E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3934E-05 OSCILLATION LIMIT = 31.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6894E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2288
 HT FLOW CONVERGENCE VALUE= .3964E-01 CRITERION= .6645E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 4 COMPLETED. CUM ITER = 835
 *** TIME = .160944E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3883E-05 OSCILLATION LIMIT = 30.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6870E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2314
 HT FLOW CONVERGENCE VALUE= .3987E-01 CRITERION= .6626E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 5 COMPLETED. CUM ITER = 836
 *** TIME = .161733E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3932E-05 OSCILLATION LIMIT = 31.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6852E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2292
 HT FLOW CONVERGENCE VALUE= .3943E-01 CRITERION= .6602E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 6 COMPLETED. CUM ITER = 837
 *** TIME = .162522E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3882E-05 OSCILLATION LIMIT = 30.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6829E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2317
 HT FLOW CONVERGENCE VALUE= .3962E-01 CRITERION= .6583E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 7 COMPLETED. CUM ITER = 838
 *** TIME = .163311E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3930E-05 OSCILLATION LIMIT = 31.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6811E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2296
 HT FLOW CONVERGENCE VALUE= .3920E-01 CRITERION= .6559E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 8 COMPLETED. CUM ITER = 839
 *** TIME = .164100E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3881E-05 OSCILLATION LIMIT = 30.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6788E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2320
 HT FLOW CONVERGENCE VALUE= .3939E-01 CRITERION= .6540E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 9 COMPLETED. CUM ITER = 840
 *** TIME = .164888E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3927E-05 OSCILLATION LIMIT = 30.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6770E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2301
 HT FLOW CONVERGENCE VALUE= .3898E-01 CRITERION= .6517E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 10 COMPLETED. CUM ITER = 841

```

*** TIME = .165677E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3880E-05    OSCILLATION LIMIT = 30.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.52    CRITERION= .6747E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2323
    HT FLOW CONVERGENCE VALUE= .3911E-01 CRITERION= .6498E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 11 COMPLETED. CUM ITER = 842
*** TIME = .166466E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3925E-05    OSCILLATION LIMIT = 30.97
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.55    CRITERION= .6729E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2305
    HT FLOW CONVERGENCE VALUE= .3874E-01 CRITERION= .6474E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 12 COMPLETED. CUM ITER = 843
*** TIME = .167255E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3879E-05    OSCILLATION LIMIT = 30.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.52    CRITERION= .6706E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2326
    HT FLOW CONVERGENCE VALUE= .3889E-01 CRITERION= .6455E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 13 COMPLETED. CUM ITER = 844
*** TIME = .168044E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3923E-05    OSCILLATION LIMIT = 30.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.55    CRITERION= .6688E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2309
    HT FLOW CONVERGENCE VALUE= .3853E-01 CRITERION= .6431E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 14 COMPLETED. CUM ITER = 845
*** TIME = .168833E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3878E-05    OSCILLATION LIMIT = 30.59
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.52    CRITERION= .6664E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2329
    HT FLOW CONVERGENCE VALUE= .3866E-01 CRITERION= .6412E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 15 COMPLETED. CUM ITER = 846
*** TIME = .169622E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3921E-05    OSCILLATION LIMIT = 30.93
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.55    CRITERION= .6646E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2314
    HT FLOW CONVERGENCE VALUE= .3833E-01 CRITERION= .6389E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 16 COMPLETED. CUM ITER = 847
*** TIME = .170411E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3877E-05    OSCILLATION LIMIT = 30.59
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.52    CRITERION= .6623E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2333
    HT FLOW CONVERGENCE VALUE= .3844E-01 CRITERION= .6370E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 17 COMPLETED. CUM ITER = 848
*** TIME = .171200E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3918E-05    OSCILLATION LIMIT = 30.91
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.55    CRITERION= .6605E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2318
    HT FLOW CONVERGENCE VALUE= .3810E-01 CRITERION= .6346E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 18 COMPLETED. CUM ITER = 849
*** TIME = .171989E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3876E-05 OSCILLATION LIMIT = 30.58
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6582E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2336
HT FLOW CONVERGENCE VALUE= .3815E-01 CRITERION= .6327E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 19 COMPLETED. CUM ITER = 850
*** TIME = .172778E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3916E-05 OSCILLATION LIMIT = 30.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6564E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2322
HT FLOW CONVERGENCE VALUE= .3773E-01 CRITERION= .6303E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 20 COMPLETED. CUM ITER = 851
*** TIME = .173567E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3875E-05 OSCILLATION LIMIT = 30.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6541E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2340
HT FLOW CONVERGENCE VALUE= .3776E-01 CRITERION= .6284E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 21 COMPLETED. CUM ITER = 852
*** TIME = .174356E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3915E-05 OSCILLATION LIMIT = 30.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6523E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2327
HT FLOW CONVERGENCE VALUE= .3740E-01 CRITERION= .6261E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 22 COMPLETED. CUM ITER = 853
*** TIME = .175145E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3875E-05 OSCILLATION LIMIT = 30.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6500E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2344
HT FLOW CONVERGENCE VALUE= .3739E-01 CRITERION= .6242E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 23 COMPLETED. CUM ITER = 854
*** TIME = .175934E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3914E-05 OSCILLATION LIMIT = 30.88
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6482E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2332
HT FLOW CONVERGENCE VALUE= .3707E-01 CRITERION= .6218E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 24 COMPLETED. CUM ITER = 855
*** TIME = .176723E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3876E-05 OSCILLATION LIMIT = 30.58
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6459E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2348
HT FLOW CONVERGENCE VALUE= .3709E-01 CRITERION= .6199E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 25 COMPLETED. CUM ITER = 856
*** TIME = .177512E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3914E-05 OSCILLATION LIMIT = 30.88
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6441E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2337
 HT FLOW CONVERGENCE VALUE= .3676E-01 CRITERION= .6175E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 26 COMPLETED. CUM ITER = 857
 *** TIME = .178300E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3876E-05 OSCILLATION LIMIT = 30.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6418E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2352
 HT FLOW CONVERGENCE VALUE= .3675E-01 CRITERION= .6156E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 27 COMPLETED. CUM ITER = 858
 *** TIME = .179089E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3913E-05 OSCILLATION LIMIT = 30.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6400E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2342
 HT FLOW CONVERGENCE VALUE= .3652E-01 CRITERION= .6133E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 28 COMPLETED. CUM ITER = 859
 *** TIME = .179878E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3876E-05 OSCILLATION LIMIT = 30.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6377E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2356
 HT FLOW CONVERGENCE VALUE= .3657E-01 CRITERION= .6114E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 29 COMPLETED. CUM ITER = 860
 *** TIME = .180667E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3912E-05 OSCILLATION LIMIT = 30.86
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6359E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2347
 HT FLOW CONVERGENCE VALUE= .3635E-01 CRITERION= .6090E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 30 COMPLETED. CUM ITER = 861
 *** TIME = .181456E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3875E-05 OSCILLATION LIMIT = 30.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6336E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2360
 HT FLOW CONVERGENCE VALUE= .3639E-01 CRITERION= .6071E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 31 COMPLETED. CUM ITER = 862
 *** TIME = .182245E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3910E-05 OSCILLATION LIMIT = 30.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6318E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2351
 HT FLOW CONVERGENCE VALUE= .3618E-01 CRITERION= .6047E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 32 COMPLETED. CUM ITER = 863
 *** TIME = .183034E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3874E-05 OSCILLATION LIMIT = 30.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6295E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2364
 HT FLOW CONVERGENCE VALUE= .3621E-01 CRITERION= .6028E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 33 COMPLETED. CUM ITER = 864
 *** TIME = .183823E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3908E-05 OSCILLATION LIMIT = 30.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6277E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2356
 HT FLOW CONVERGENCE VALUE= .3600E-01 CRITERION= .6005E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 34 COMPLETED. CUM ITER = 865
 *** TIME = .184612E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3873E-05 OSCILLATION LIMIT = 30.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6254E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2368
 HT FLOW CONVERGENCE VALUE= .3603E-01 CRITERION= .5986E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 35 COMPLETED. CUM ITER = 866
 *** TIME = .185401E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3907E-05 OSCILLATION LIMIT = 30.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6236E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2361
 HT FLOW CONVERGENCE VALUE= .3582E-01 CRITERION= .5962E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 36 COMPLETED. CUM ITER = 867
 *** TIME = .186190E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3872E-05 OSCILLATION LIMIT = 30.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6213E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2373
 HT FLOW CONVERGENCE VALUE= .3583E-01 CRITERION= .5943E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 37 COMPLETED. CUM ITER = 868
 *** TIME = .186979E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3906E-05 OSCILLATION LIMIT = 30.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.55 CRITERION= .6195E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2366
 HT FLOW CONVERGENCE VALUE= .3565E-01 CRITERION= .5919E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 38 COMPLETED. CUM ITER = 869
 *** TIME = .187768E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3872E-05 OSCILLATION LIMIT = 30.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.52 CRITERION= .6172E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2377
 HT FLOW CONVERGENCE VALUE= .3565E-01 CRITERION= .5900E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 39 COMPLETED. CUM ITER = 870
 *** TIME = .188557E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3904E-05 OSCILLATION LIMIT = 30.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.56 CRITERION= .6154E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2371
 HT FLOW CONVERGENCE VALUE= .3546E-01 CRITERION= .5877E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 40 COMPLETED. CUM ITER = 871
 *** TIME = .189346E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3871E-05 OSCILLATION LIMIT = 30.54

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:53:48 MAR 26, 1995 CP= 71908.780
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .6074E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1928
 HT FLOW CONVERGENCE VALUE= .2928E-01 CRITERION= .5861E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 1 COMPLETED. CUM ITER = 872
 *** TIME = .190135E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3649E-05 OSCILLATION LIMIT = 28.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .6059E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1936
 HT FLOW CONVERGENCE VALUE= .2908E-01 CRITERION= .5842E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 2 COMPLETED. CUM ITER = 873
 *** TIME = .190923E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3695E-05 OSCILLATION LIMIT = 29.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .6040E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1959
 HT FLOW CONVERGENCE VALUE= .2943E-01 CRITERION= .5827E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 3 COMPLETED. CUM ITER = 874
 *** TIME = .191712E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3742E-05 OSCILLATION LIMIT = 29.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .6026E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1939
 HT FLOW CONVERGENCE VALUE= .2939E-01 CRITERION= .5807E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 4 COMPLETED. CUM ITER = 875
 *** TIME = .192501E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3689E-05 OSCILLATION LIMIT = 29.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .6007E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1961
 HT FLOW CONVERGENCE VALUE= .2964E-01 CRITERION= .5792E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 5 COMPLETED. CUM ITER = 876
 *** TIME = .193290E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3741E-05 OSCILLATION LIMIT = 29.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5993E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1943
 HT FLOW CONVERGENCE VALUE= .2937E-01 CRITERION= .5773E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 6 COMPLETED. CUM ITER = 877
 *** TIME = .194079E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3689E-05 OSCILLATION LIMIT = 29.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5974E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1963
 HT FLOW CONVERGENCE VALUE= .2958E-01 CRITERION= .5758E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 7 COMPLETED. CUM ITER = 878
 *** TIME = .194868E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3739E-05 OSCILLATION LIMIT = 29.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5959E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1947
 HT FLOW CONVERGENCE VALUE= .2939E-01 CRITERION= .5739E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 8 COMPLETED. CUM ITER = 879
 *** TIME = .195657E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3689E-05 OSCILLATION LIMIT = 29.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5940E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1966
 HT FLOW CONVERGENCE VALUE= .2958E-01 CRITERION= .5724E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 9 COMPLETED. CUM ITER = 880
 *** TIME = .196446E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3738E-05 OSCILLATION LIMIT = 29.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5926E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1950
 HT FLOW CONVERGENCE VALUE= .2934E-01 CRITERION= .5704E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 10 COMPLETED. CUM ITER = 881
 *** TIME = .197235E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3689E-05 OSCILLATION LIMIT = 29.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5907E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1969
 HT FLOW CONVERGENCE VALUE= .2951E-01 CRITERION= .5689E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 11 COMPLETED. CUM ITER = 882
 *** TIME = .198024E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3737E-05 OSCILLATION LIMIT = 29.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5893E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1954
 HT FLOW CONVERGENCE VALUE= .2936E-01 CRITERION= .5670E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 12 COMPLETED. CUM ITER = 883
 *** TIME = .198813E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3689E-05 OSCILLATION LIMIT = 29.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5874E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1971
 HT FLOW CONVERGENCE VALUE= .2967E-01 CRITERION= .5655E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 13 COMPLETED. CUM ITER = 884
 *** TIME = .199602E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3735E-05 OSCILLATION LIMIT = 29.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5860E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1957
 HT FLOW CONVERGENCE VALUE= .2955E-01 CRITERION= .5635E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 14 COMPLETED. CUM ITER = 885
 *** TIME = .200391E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3688E-05 OSCILLATION LIMIT = 29.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5840E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1974
 HT FLOW CONVERGENCE VALUE= .2974E-01 CRITERION= .5620E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 15 COMPLETED. CUM ITER = 886
 *** TIME = .201180E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3733E-05 OSCILLATION LIMIT = 29.45
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5826E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1961

HT FLOW CONVERGENCE VALUE= .2954E-01 CRITERION= .5601E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 16 COMPLETED. CUM ITER = 887
 *** TIME = .201969E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3688E-05 OSCILLATION LIMIT = 29.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5807E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1977
 HT FLOW CONVERGENCE VALUE= .2966E-01 CRITERION= .5586E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 17 COMPLETED. CUM ITER = 888
 *** TIME = .202758E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3732E-05 OSCILLATION LIMIT = 29.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5793E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1965
 HT FLOW CONVERGENCE VALUE= .2946E-01 CRITERION= .5566E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 18 COMPLETED. CUM ITER = 889
 *** TIME = .203547E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3687E-05 OSCILLATION LIMIT = 29.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5774E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1980
 HT FLOW CONVERGENCE VALUE= .2957E-01 CRITERION= .5551E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 19 COMPLETED. CUM ITER = 890
 *** TIME = .204335E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3730E-05 OSCILLATION LIMIT = 29.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5760E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1968
 HT FLOW CONVERGENCE VALUE= .2940E-01 CRITERION= .5532E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 20 COMPLETED. CUM ITER = 891
 *** TIME = .205124E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3687E-05 OSCILLATION LIMIT = 29.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5741E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1982
 HT FLOW CONVERGENCE VALUE= .2954E-01 CRITERION= .5517E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 21 COMPLETED. CUM ITER = 892
 *** TIME = .205913E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3728E-05 OSCILLATION LIMIT = 29.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5727E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1972
 HT FLOW CONVERGENCE VALUE= .2937E-01 CRITERION= .5497E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 22 COMPLETED. CUM ITER = 893
 *** TIME = .206702E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3686E-05 OSCILLATION LIMIT = 29.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5708E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1985
 HT FLOW CONVERGENCE VALUE= .2947E-01 CRITERION= .5482E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 23 COMPLETED. CUM ITER = 894
 *** TIME = .207491E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3727E-05 OSCILLATION LIMIT = 29.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5694E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1975
 HT FLOW CONVERGENCE VALUE= .2932E-01 CRITERION= .5463E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 24 COMPLETED. CUM ITER = 895
 *** TIME = .208280E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3685E-05 OSCILLATION LIMIT = 29.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5674E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1988
 HT FLOW CONVERGENCE VALUE= .2944E-01 CRITERION= .5448E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 25 COMPLETED. CUM ITER = 896
 *** TIME = .209069E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3725E-05 OSCILLATION LIMIT = 29.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5660E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1979
 HT FLOW CONVERGENCE VALUE= .2925E-01 CRITERION= .5428E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 26 COMPLETED. CUM ITER = 897
 *** TIME = .209858E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3684E-05 OSCILLATION LIMIT = 29.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5641E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1991
 HT FLOW CONVERGENCE VALUE= .2930E-01 CRITERION= .5413E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 27 COMPLETED. CUM ITER = 898
 *** TIME = .210647E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3723E-05 OSCILLATION LIMIT = 29.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5627E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1982
 HT FLOW CONVERGENCE VALUE= .2912E-01 CRITERION= .5394E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 28 COMPLETED. CUM ITER = 899
 *** TIME = .211436E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3683E-05 OSCILLATION LIMIT = 29.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5608E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1994
 HT FLOW CONVERGENCE VALUE= .2916E-01 CRITERION= .5379E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 29 COMPLETED. CUM ITER = 900
 *** TIME = .212225E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3721E-05 OSCILLATION LIMIT = 29.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5594E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1986
 HT FLOW CONVERGENCE VALUE= .2899E-01 CRITERION= .5359E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 30 COMPLETED. CUM ITER = 901
 *** TIME = .213014E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3682E-05 OSCILLATION LIMIT = 29.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5575E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1996
 HT FLOW CONVERGENCE VALUE= .2903E-01 CRITERION= .5344E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 31 COMPLETED. CUM ITER = 902
 *** TIME = .213803E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3719E-05 OSCILLATION LIMIT = 29.34

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5561E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1989
 HT FLOW CONVERGENCE VALUE= .2886E-01 CRITERION= .5325E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 32 COMPLETED. CUM ITER = 903
 *** TIME = .214592E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3681E-05 OSCILLATION LIMIT = 29.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5542E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1999
 HT FLOW CONVERGENCE VALUE= .2889E-01 CRITERION= .5310E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 33 COMPLETED. CUM ITER = 904
 *** TIME = .215381E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3718E-05 OSCILLATION LIMIT = 29.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5528E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1992
 HT FLOW CONVERGENCE VALUE= .2873E-01 CRITERION= .5291E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 34 COMPLETED. CUM ITER = 905
 *** TIME = .216170E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3680E-05 OSCILLATION LIMIT = 29.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5509E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2002
 HT FLOW CONVERGENCE VALUE= .2875E-01 CRITERION= .5276E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 35 COMPLETED. CUM ITER = 906
 *** TIME = .216959E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3716E-05 OSCILLATION LIMIT = 29.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5495E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1995
 HT FLOW CONVERGENCE VALUE= .2860E-01 CRITERION= .5256E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 36 COMPLETED. CUM ITER = 907
 *** TIME = .217747E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3678E-05 OSCILLATION LIMIT = 29.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5476E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2004
 HT FLOW CONVERGENCE VALUE= .2861E-01 CRITERION= .5241E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 37 COMPLETED. CUM ITER = 908
 *** TIME = .218536E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3714E-05 OSCILLATION LIMIT = 29.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5462E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1998
 HT FLOW CONVERGENCE VALUE= .2847E-01 CRITERION= .5222E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 38 COMPLETED. CUM ITER = 909
 *** TIME = .219325E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3677E-05 OSCILLATION LIMIT = 29.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .5443E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2007
 HT FLOW CONVERGENCE VALUE= .2848E-01 CRITERION= .5207E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 39 COMPLETED. CUM ITER = 910

*** TIME = .220114E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3712E-05 OSCILLATION LIMIT = 29.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.42 CRITERION= .5429E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2002
 HT FLOW CONVERGENCE VALUE= .2834E-01 CRITERION= .5187E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 40 COMPLETED. CUM ITER = 911
 *** TIME = .220903E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3676E-05 OSCILLATION LIMIT = 29.00

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:54:47 MAR 26, 1995 CP= 75305.900
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5437E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1708
 HT FLOW CONVERGENCE VALUE= .2532E-01 CRITERION= .5175E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 1 COMPLETED. CUM ITER = 912
 *** TIME = .221692E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3087E-05 OSCILLATION LIMIT = 24.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .5426E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1704
 HT FLOW CONVERGENCE VALUE= .2504E-01 CRITERION= .5159E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 2 COMPLETED. CUM ITER = 913
 *** TIME = .222481E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3115E-05 OSCILLATION LIMIT = 24.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5410E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1720
 HT FLOW CONVERGENCE VALUE= .2515E-01 CRITERION= .5147E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 3 COMPLETED. CUM ITER = 914
 *** TIME = .223270E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3165E-05 OSCILLATION LIMIT = 24.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .5399E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1707
 HT FLOW CONVERGENCE VALUE= .2495E-01 CRITERION= .5131E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 4 COMPLETED. CUM ITER = 915
 *** TIME = .224059E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3114E-05 OSCILLATION LIMIT = 24.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5383E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1722
 HT FLOW CONVERGENCE VALUE= .2505E-01 CRITERION= .5119E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 5 COMPLETED. CUM ITER = 916
 *** TIME = .224848E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3164E-05 OSCILLATION LIMIT = 24.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .5373E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1709
 HT FLOW CONVERGENCE VALUE= .2486E-01 CRITERION= .5103E-01 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 6 COMPLETED. CUM ITER = 917
*** TIME = .225637E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3114E-05 OSCILLATION LIMIT = 24.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5357E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1723
HT FLOW CONVERGENCE VALUE= .2495E-01 CRITERION= .5091E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 7 COMPLETED. CUM ITER = 918
*** TIME = .226426E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3162E-05 OSCILLATION LIMIT = 24.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .5346E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1712
HT FLOW CONVERGENCE VALUE= .2476E-01 CRITERION= .5075E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 8 COMPLETED. CUM ITER = 919
*** TIME = .227215E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3114E-05 OSCILLATION LIMIT = 24.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5330E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1725
HT FLOW CONVERGENCE VALUE= .2484E-01 CRITERION= .5063E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 9 COMPLETED. CUM ITER = 920
*** TIME = .228004E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3161E-05 OSCILLATION LIMIT = 24.94
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .5319E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1714
HT FLOW CONVERGENCE VALUE= .2467E-01 CRITERION= .5047E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 10 COMPLETED. CUM ITER = 921
*** TIME = .228793E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3114E-05 OSCILLATION LIMIT = 24.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5303E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1727
HT FLOW CONVERGENCE VALUE= .2474E-01 CRITERION= .5035E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 11 COMPLETED. CUM ITER = 922
*** TIME = .229582E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3160E-05 OSCILLATION LIMIT = 24.93
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .5293E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1717
HT FLOW CONVERGENCE VALUE= .2458E-01 CRITERION= .5019E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 12 COMPLETED. CUM ITER = 923
*** TIME = .230370E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3114E-05 OSCILLATION LIMIT = 24.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5277E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1729
HT FLOW CONVERGENCE VALUE= .2464E-01 CRITERION= .5007E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 13 COMPLETED. CUM ITER = 924
*** TIME = .231159E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3158E-05 OSCILLATION LIMIT = 24.92
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .5266E-01

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1719
HT FLOW CONVERGENCE VALUE= .2448E-01 CRITERION= .4991E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 14 COMPLETED. CUM ITER = 925
*** TIME = .231948E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3113E-05 OSCILLATION LIMIT = 24.56
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5250E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1731
HT FLOW CONVERGENCE VALUE= .2454E-01 CRITERION= .4979E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 15 COMPLETED. CUM ITER = 926
*** TIME = .232737E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3157E-05 OSCILLATION LIMIT = 24.91
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .5239E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1722
HT FLOW CONVERGENCE VALUE= .2439E-01 CRITERION= .4963E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 16 COMPLETED. CUM ITER = 927
*** TIME = .233526E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3113E-05 OSCILLATION LIMIT = 24.56
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5224E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1733
HT FLOW CONVERGENCE VALUE= .2443E-01 CRITERION= .4951E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 17 COMPLETED. CUM ITER = 928
*** TIME = .234315E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3156E-05 OSCILLATION LIMIT = 24.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .5213E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1724
HT FLOW CONVERGENCE VALUE= .2429E-01 CRITERION= .4935E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 18 COMPLETED. CUM ITER = 929
*** TIME = .235104E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3113E-05 OSCILLATION LIMIT = 24.56
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5197E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1735
HT FLOW CONVERGENCE VALUE= .2433E-01 CRITERION= .4923E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 19 COMPLETED. CUM ITER = 930
*** TIME = .235893E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3155E-05 OSCILLATION LIMIT = 24.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .5186E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1727
HT FLOW CONVERGENCE VALUE= .2419E-01 CRITERION= .4907E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 20 COMPLETED. CUM ITER = 931
*** TIME = .236682E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3113E-05 OSCILLATION LIMIT = 24.56
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5170E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1736
HT FLOW CONVERGENCE VALUE= .2423E-01 CRITERION= .4895E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 21 COMPLETED. CUM ITER = 932
*** TIME = .237471E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3153E-05 OSCILLATION LIMIT = 24.88
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .5160E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1729
 HT FLOW CONVERGENCE VALUE= .2410E-01 CRITERION= .4879E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 22 COMPLETED. CUM ITER = 933
 *** TIME = .238260E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3112E-05 OSCILLATION LIMIT = 24.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5144E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1738
 HT FLOW CONVERGENCE VALUE= .2412E-01 CRITERION= .4867E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 23 COMPLETED. CUM ITER = 934
 *** TIME = .239049E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3152E-05 OSCILLATION LIMIT = 24.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .5133E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1732
 HT FLOW CONVERGENCE VALUE= .2400E-01 CRITERION= .4850E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 24 COMPLETED. CUM ITER = 935
 *** TIME = .239838E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3112E-05 OSCILLATION LIMIT = 24.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5117E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1740
 HT FLOW CONVERGENCE VALUE= .2402E-01 CRITERION= .4839E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 25 COMPLETED. CUM ITER = 936
 *** TIME = .240627E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3151E-05 OSCILLATION LIMIT = 24.86
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .5106E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1734
 HT FLOW CONVERGENCE VALUE= .2390E-01 CRITERION= .4822E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 26 COMPLETED. CUM ITER = 937
 *** TIME = .241416E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3111E-05 OSCILLATION LIMIT = 24.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5091E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1742
 HT FLOW CONVERGENCE VALUE= .2392E-01 CRITERION= .4811E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 27 COMPLETED. CUM ITER = 938
 *** TIME = .242205E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3150E-05 OSCILLATION LIMIT = 24.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .5080E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1737
 HT FLOW CONVERGENCE VALUE= .2380E-01 CRITERION= .4794E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 28 COMPLETED. CUM ITER = 939
 *** TIME = .242994E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3111E-05 OSCILLATION LIMIT = 24.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .5064E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1744
 HT FLOW CONVERGENCE VALUE= .2381E-01 CRITERION= .4783E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 29 COMPLETED. CUM ITER = 940
 *** TIME = .243782E+10 TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .3149E-05  OSCILLATION LIMIT = 24.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 16.36  CRITERION= .5053E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1739
  HT FLOW CONVERGENCE VALUE= .2370E-01 CRITERION= .4766E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 30 COMPLETED. CUM ITER = 941
*** TIME = .244571E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3111E-05  OSCILLATION LIMIT = 24.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 16.33  CRITERION= .5038E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1746
  HT FLOW CONVERGENCE VALUE= .2371E-01 CRITERION= .4755E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 31 COMPLETED. CUM ITER = 942
*** TIME = .245360E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3148E-05  OSCILLATION LIMIT = 24.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 16.36  CRITERION= .5027E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1742
  HT FLOW CONVERGENCE VALUE= .2360E-01 CRITERION= .4738E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 32 COMPLETED. CUM ITER = 943
*** TIME = .246149E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3110E-05  OSCILLATION LIMIT = 24.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 16.33  CRITERION= .5011E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1749
  HT FLOW CONVERGENCE VALUE= .2361E-01 CRITERION= .4727E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 33 COMPLETED. CUM ITER = 944
*** TIME = .246938E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3147E-05  OSCILLATION LIMIT = 24.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 16.36  CRITERION= .5000E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1744
  HT FLOW CONVERGENCE VALUE= .2350E-01 CRITERION= .4710E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 34 COMPLETED. CUM ITER = 945
*** TIME = .247727E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3110E-05  OSCILLATION LIMIT = 24.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 16.33  CRITERION= .4985E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1751
  HT FLOW CONVERGENCE VALUE= .2350E-01 CRITERION= .4699E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 35 COMPLETED. CUM ITER = 946
*** TIME = .248516E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3146E-05  OSCILLATION LIMIT = 24.82
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 16.36  CRITERION= .4974E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1746
  HT FLOW CONVERGENCE VALUE= .2340E-01 CRITERION= .4682E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 36 COMPLETED. CUM ITER = 947
*** TIME = .249305E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3109E-05  OSCILLATION LIMIT = 24.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 16.33  CRITERION= .4958E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1753
  HT FLOW CONVERGENCE VALUE= .2340E-01 CRITERION= .4671E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

```

*** LOAD STEP 29 SUBSTEP 37 COMPLETED. CUM ITER = 948
*** TIME = .250094E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3145E-05 OSCILLATION LIMIT = 24.81
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .4947E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1749
HT FLOW CONVERGENCE VALUE= .2330E-01 CRITERION= .4654E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 38 COMPLETED. CUM ITER = 949
*** TIME = .250883E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3109E-05 OSCILLATION LIMIT = 24.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.33 CRITERION= .4932E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1755
HT FLOW CONVERGENCE VALUE= .2329E-01 CRITERION= .4643E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 39 COMPLETED. CUM ITER = 950
*** TIME = .251672E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3144E-05 OSCILLATION LIMIT = 24.80
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.36 CRITERION= .4921E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1751
HT FLOW CONVERGENCE VALUE= .2320E-01 CRITERION= .4626E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 40 COMPLETED. CUM ITER = 951
*** TIME = .252461E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3108E-05 OSCILLATION LIMIT = 24.52

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:55:37 MAR 26, 1995 CP= 78701.500
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4789E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1355
HT FLOW CONVERGENCE VALUE= .1796E-01 CRITERION= .4617E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 1 COMPLETED. CUM ITER = 952
*** TIME = .253250E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3153E-05 OSCILLATION LIMIT = 24.88
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4781E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1365
HT FLOW CONVERGENCE VALUE= .1791E-01 CRITERION= .4604E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 2 COMPLETED. CUM ITER = 953
*** TIME = .254039E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3174E-05 OSCILLATION LIMIT = 25.04
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4768E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1382
HT FLOW CONVERGENCE VALUE= .1806E-01 CRITERION= .4595E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 3 COMPLETED. CUM ITER = 954
*** TIME = .254828E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3231E-05 OSCILLATION LIMIT = 25.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4760E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1366

```


HT FLOW CONVERGENCE VALUE= .1786E-01 CRITERION= .4582E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 4 COMPLETED. CUM ITER = 955
 *** TIME = .255617E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3168E-05 OSCILLATION LIMIT = 24.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4747E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1383
 HT FLOW CONVERGENCE VALUE= .1799E-01 CRITERION= .4573E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 5 COMPLETED. CUM ITER = 956
 *** TIME = .256406E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3229E-05 OSCILLATION LIMIT = 25.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4738E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1368
 HT FLOW CONVERGENCE VALUE= .1780E-01 CRITERION= .4560E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 6 COMPLETED. CUM ITER = 957
 *** TIME = .257194E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3168E-05 OSCILLATION LIMIT = 24.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4725E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1384
 HT FLOW CONVERGENCE VALUE= .1792E-01 CRITERION= .4551E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 7 COMPLETED. CUM ITER = 958
 *** TIME = .257983E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3228E-05 OSCILLATION LIMIT = 25.46
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4717E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1370
 HT FLOW CONVERGENCE VALUE= .1774E-01 CRITERION= .4538E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 8 COMPLETED. CUM ITER = 959
 *** TIME = .258772E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3168E-05 OSCILLATION LIMIT = 24.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4704E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1385
 HT FLOW CONVERGENCE VALUE= .1785E-01 CRITERION= .4529E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 9 COMPLETED. CUM ITER = 960
 *** TIME = .259561E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3226E-05 OSCILLATION LIMIT = 25.45
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4696E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1372
 HT FLOW CONVERGENCE VALUE= .1768E-01 CRITERION= .4516E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 10 COMPLETED. CUM ITER = 961
 *** TIME = .260350E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3168E-05 OSCILLATION LIMIT = 25.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4683E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1386
 HT FLOW CONVERGENCE VALUE= .1778E-01 CRITERION= .4507E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 11 COMPLETED. CUM ITER = 962
 *** TIME = .261139E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3225E-05 OSCILLATION LIMIT = 25.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4675E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1374
 HT FLOW CONVERGENCE VALUE= .1762E-01 CRITERION= .4494E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 12 COMPLETED. CUM ITER = 963
 *** TIME = .261928E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3168E-05 OSCILLATION LIMIT = 25.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4661E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1387
 HT FLOW CONVERGENCE VALUE= .1772E-01 CRITERION= .4485E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 13 COMPLETED. CUM ITER = 964
 *** TIME = .262717E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3224E-05 OSCILLATION LIMIT = 25.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4653E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1376
 HT FLOW CONVERGENCE VALUE= .1756E-01 CRITERION= .4472E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 14 COMPLETED. CUM ITER = 965
 *** TIME = .263506E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3168E-05 OSCILLATION LIMIT = 25.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4640E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1388
 HT FLOW CONVERGENCE VALUE= .1765E-01 CRITERION= .4463E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 15 COMPLETED. CUM ITER = 966
 *** TIME = .264295E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3222E-05 OSCILLATION LIMIT = 25.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4632E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1378
 HT FLOW CONVERGENCE VALUE= .1750E-01 CRITERION= .4449E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 16 COMPLETED. CUM ITER = 967
 *** TIME = .265084E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3168E-05 OSCILLATION LIMIT = 25.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4619E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1389
 HT FLOW CONVERGENCE VALUE= .1758E-01 CRITERION= .4441E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 17 COMPLETED. CUM ITER = 968
 *** TIME = .265873E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3221E-05 OSCILLATION LIMIT = 25.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4611E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1379
 HT FLOW CONVERGENCE VALUE= .1744E-01 CRITERION= .4427E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 18 COMPLETED. CUM ITER = 969
 *** TIME = .266662E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3168E-05 OSCILLATION LIMIT = 25.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4598E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1390
 HT FLOW CONVERGENCE VALUE= .1751E-01 CRITERION= .4419E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 19 COMPLETED. CUM ITER = 970
 *** TIME = .267451E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3220E-05 OSCILLATION LIMIT = 25.40

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4589E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1381
 HT FLOW CONVERGENCE VALUE= .1738E-01 CRITERION= .4405E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 20 COMPLETED. CUM ITER = 971
 *** TIME = .268240E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3168E-05 OSCILLATION LIMIT = 25.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4576E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1392
 HT FLOW CONVERGENCE VALUE= .1744E-01 CRITERION= .4396E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 21 COMPLETED. CUM ITER = 972
 *** TIME = .269029E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3219E-05 OSCILLATION LIMIT = 25.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4568E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1383
 HT FLOW CONVERGENCE VALUE= .1732E-01 CRITERION= .4383E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 22 COMPLETED. CUM ITER = 973
 *** TIME = .269817E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3168E-05 OSCILLATION LIMIT = 24.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4555E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1393
 HT FLOW CONVERGENCE VALUE= .1737E-01 CRITERION= .4374E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 23 COMPLETED. CUM ITER = 974
 *** TIME = .270606E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3217E-05 OSCILLATION LIMIT = 25.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4547E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1385
 HT FLOW CONVERGENCE VALUE= .1726E-01 CRITERION= .4361E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 24 COMPLETED. CUM ITER = 975
 *** TIME = .271395E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3168E-05 OSCILLATION LIMIT = 24.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4534E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1394
 HT FLOW CONVERGENCE VALUE= .1731E-01 CRITERION= .4352E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 25 COMPLETED. CUM ITER = 976
 *** TIME = .272184E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3216E-05 OSCILLATION LIMIT = 25.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4526E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1386
 HT FLOW CONVERGENCE VALUE= .1720E-01 CRITERION= .4339E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 26 COMPLETED. CUM ITER = 977
 *** TIME = .272973E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3168E-05 OSCILLATION LIMIT = 24.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4513E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1395
 HT FLOW CONVERGENCE VALUE= .1724E-01 CRITERION= .4330E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 27 COMPLETED. CUM ITER = 978

```

*** TIME = .273762E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3215E-05    OSCILLATION LIMIT = 25.37
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.45    CRITERION= .4505E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1388
    HT FLOW CONVERGENCE VALUE= .1713E-01    CRITERION= .4317E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 28 COMPLETED.    CUM ITER = 979
*** TIME = .274551E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3168E-05    OSCILLATION LIMIT = 24.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.42    CRITERION= .4491E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1396
    HT FLOW CONVERGENCE VALUE= .1717E-01    CRITERION= .4308E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 29 COMPLETED.    CUM ITER = 980
*** TIME = .275340E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3214E-05    OSCILLATION LIMIT = 25.36
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.45    CRITERION= .4483E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1390
    HT FLOW CONVERGENCE VALUE= .1707E-01    CRITERION= .4295E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 30 COMPLETED.    CUM ITER = 981
*** TIME = .276129E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3167E-05    OSCILLATION LIMIT = 24.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.42    CRITERION= .4470E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1398
    HT FLOW CONVERGENCE VALUE= .1710E-01    CRITERION= .4286E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 31 COMPLETED.    CUM ITER = 982
*** TIME = .276918E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3213E-05    OSCILLATION LIMIT = 25.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.45    CRITERION= .4462E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1391
    HT FLOW CONVERGENCE VALUE= .1701E-01    CRITERION= .4273E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 32 COMPLETED.    CUM ITER = 983
*** TIME = .277707E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3167E-05    OSCILLATION LIMIT = 24.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.42    CRITERION= .4449E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1399
    HT FLOW CONVERGENCE VALUE= .1703E-01    CRITERION= .4264E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 33 COMPLETED.    CUM ITER = 984
*** TIME = .278496E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3212E-05    OSCILLATION LIMIT = 25.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.45    CRITERION= .4441E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1393
    HT FLOW CONVERGENCE VALUE= .1694E-01    CRITERION= .4251E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 34 COMPLETED.    CUM ITER = 985
*** TIME = .279285E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3167E-05    OSCILLATION LIMIT = 24.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.42    CRITERION= .4428E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1400
    HT FLOW CONVERGENCE VALUE= .1697E-01    CRITERION= .4242E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 35 COMPLETED. CUM ITER = 986
*** TIME = .280074E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3211E-05 OSCILLATION LIMIT = 25.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4420E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1395
HT FLOW CONVERGENCE VALUE= .1688E-01 CRITERION= .4229E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 36 COMPLETED. CUM ITER = 987
*** TIME = .280863E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3167E-05 OSCILLATION LIMIT = 24.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4407E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1401
HT FLOW CONVERGENCE VALUE= .1690E-01 CRITERION= .4220E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 37 COMPLETED. CUM ITER = 988
*** TIME = .281652E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3210E-05 OSCILLATION LIMIT = 25.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4399E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1396
HT FLOW CONVERGENCE VALUE= .1682E-01 CRITERION= .4207E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 38 COMPLETED. CUM ITER = 989
*** TIME = .282441E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3166E-05 OSCILLATION LIMIT = 24.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.42 CRITERION= .4385E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1403
HT FLOW CONVERGENCE VALUE= .1683E-01 CRITERION= .4198E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 39 COMPLETED. CUM ITER = 990
*** TIME = .283229E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3209E-05 OSCILLATION LIMIT = 25.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.45 CRITERION= .4377E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1398
HT FLOW CONVERGENCE VALUE= .1675E-01 CRITERION= .4185E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 40 COMPLETED. CUM ITER = 991
*** TIME = .284018E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3166E-05 OSCILLATION LIMIT = 24.98
Apply loads and solve for 100 to 1000 years

*DO LOOP ON PARAMETER= TM FROM .31558E+10 TO .31558E+11 BY .31558E+10
TIME= .31558E+10

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
1228.89062 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

```

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 86.642 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 86.902 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 87.393 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 82098.210 TIME= 21:56:18
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 21:56:18 MAR 26, 1995 CP= 82098.210
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 31
TIME AT END OF THE LOAD STEP.31558E+10
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4319E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1218
HT FLOW CONVERGENCE VALUE= .1458E-01 CRITERION= .4177E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 1 COMPLETED. CUM ITER = 992
*** TIME = .284807E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3204E-05 OSCILLATION LIMIT = 25.28
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4312E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1218
 HT FLOW CONVERGENCE VALUE= .1451E-01 CRITERION= .4165E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 2 COMPLETED. CUM ITER = 993
 *** TIME = .285596E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3188E-05 OSCILLATION LIMIT = 25.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4300E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1230
 HT FLOW CONVERGENCE VALUE= .1459E-01 CRITERION= .4158E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 3 COMPLETED. CUM ITER = 994
 *** TIME = .286385E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3242E-05 OSCILLATION LIMIT = 25.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4294E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1220
 HT FLOW CONVERGENCE VALUE= .1446E-01 CRITERION= .4146E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 4 COMPLETED. CUM ITER = 995
 *** TIME = .287174E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3185E-05 OSCILLATION LIMIT = 25.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4282E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1230
 HT FLOW CONVERGENCE VALUE= .1453E-01 CRITERION= .4138E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 5 COMPLETED. CUM ITER = 996
 *** TIME = .287963E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3241E-05 OSCILLATION LIMIT = 25.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4275E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1221
 HT FLOW CONVERGENCE VALUE= .1442E-01 CRITERION= .4127E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 6 COMPLETED. CUM ITER = 997
 *** TIME = .288752E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3185E-05 OSCILLATION LIMIT = 25.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4263E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1231
 HT FLOW CONVERGENCE VALUE= .1448E-01 CRITERION= .4119E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 7 COMPLETED. CUM ITER = 998
 *** TIME = .289541E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3240E-05 OSCILLATION LIMIT = 25.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4256E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1222
 HT FLOW CONVERGENCE VALUE= .1437E-01 CRITERION= .4107E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 8 COMPLETED. CUM ITER = 999
 *** TIME = .290330E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3185E-05 OSCILLATION LIMIT = 25.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4244E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1232
 HT FLOW CONVERGENCE VALUE= .1442E-01 CRITERION= .4100E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 9 COMPLETED. CUM ITER = 1000
 *** TIME = .291119E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3239E-05 OSCILLATION LIMIT = 25.55

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4238E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1224
 HT FLOW CONVERGENCE VALUE= .1432E-01 CRITERION= .4088E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 10 COMPLETED. CUM ITER = 1001
 *** TIME = .291908E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3185E-05 OSCILLATION LIMIT = 25.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4226E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1233
 HT FLOW CONVERGENCE VALUE= .1437E-01 CRITERION= .4080E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 11 COMPLETED. CUM ITER = 1002
 *** TIME = .292697E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3238E-05 OSCILLATION LIMIT = 25.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4219E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1225
 HT FLOW CONVERGENCE VALUE= .1427E-01 CRITERION= .4069E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 12 COMPLETED. CUM ITER = 1003
 *** TIME = .293486E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3185E-05 OSCILLATION LIMIT = 25.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4207E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1234
 HT FLOW CONVERGENCE VALUE= .1432E-01 CRITERION= .4061E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 13 COMPLETED. CUM ITER = 1004
 *** TIME = .294275E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3237E-05 OSCILLATION LIMIT = 25.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4200E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1227
 HT FLOW CONVERGENCE VALUE= .1422E-01 CRITERION= .4049E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 14 COMPLETED. CUM ITER = 1005
 *** TIME = .295064E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3185E-05 OSCILLATION LIMIT = 25.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4188E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1235
 HT FLOW CONVERGENCE VALUE= .1426E-01 CRITERION= .4042E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 15 COMPLETED. CUM ITER = 1006
 *** TIME = .295853E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3236E-05 OSCILLATION LIMIT = 25.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4182E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1228
 HT FLOW CONVERGENCE VALUE= .1417E-01 CRITERION= .4030E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 16 COMPLETED. CUM ITER = 1007
 *** TIME = .296641E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3185E-05 OSCILLATION LIMIT = 25.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4170E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1236
 HT FLOW CONVERGENCE VALUE= .1421E-01 CRITERION= .4023E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 17 COMPLETED. CUM ITER = 1008

*** TIME = .297430E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3235E-05 OSCILLATION LIMIT = 25.52
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4163E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1229
HT FLOW CONVERGENCE VALUE= .1412E-01 CRITERION= .4011E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 18 COMPLETED. CUM ITER = 1009
*** TIME = .298219E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3185E-05 OSCILLATION LIMIT = 25.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4151E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1237
HT FLOW CONVERGENCE VALUE= .1416E-01 CRITERION= .4003E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 19 COMPLETED. CUM ITER = 1010
*** TIME = .299008E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3234E-05 OSCILLATION LIMIT = 25.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4144E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1231
HT FLOW CONVERGENCE VALUE= .1407E-01 CRITERION= .3991E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 20 COMPLETED. CUM ITER = 1011
*** TIME = .299797E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3185E-05 OSCILLATION LIMIT = 25.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4132E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1237
HT FLOW CONVERGENCE VALUE= .1410E-01 CRITERION= .3984E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 21 COMPLETED. CUM ITER = 1012
*** TIME = .300586E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3233E-05 OSCILLATION LIMIT = 25.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4126E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1232
HT FLOW CONVERGENCE VALUE= .1403E-01 CRITERION= .3972E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 22 COMPLETED. CUM ITER = 1013
*** TIME = .301375E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3184E-05 OSCILLATION LIMIT = 25.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4114E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1238
HT FLOW CONVERGENCE VALUE= .1405E-01 CRITERION= .3965E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 23 COMPLETED. CUM ITER = 1014
*** TIME = .302164E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3232E-05 OSCILLATION LIMIT = 25.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4107E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1234
HT FLOW CONVERGENCE VALUE= .1397E-01 CRITERION= .3953E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 24 COMPLETED. CUM ITER = 1015
*** TIME = .302953E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3184E-05 OSCILLATION LIMIT = 25.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4095E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1239
HT FLOW CONVERGENCE VALUE= .1399E-01 CRITERION= .3945E-01 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 25 COMPLETED. CUM ITER = 1016
*** TIME = .303742E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3231E-05 OSCILLATION LIMIT = 25.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4088E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1235
HT FLOW CONVERGENCE VALUE= .1392E-01 CRITERION= .3933E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 26 COMPLETED. CUM ITER = 1017
*** TIME = .304531E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3184E-05 OSCILLATION LIMIT = 25.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4077E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1240
HT FLOW CONVERGENCE VALUE= .1394E-01 CRITERION= .3926E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 27 COMPLETED. CUM ITER = 1018
*** TIME = .305320E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3230E-05 OSCILLATION LIMIT = 25.48
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4070E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1236
HT FLOW CONVERGENCE VALUE= .1387E-01 CRITERION= .3914E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 28 COMPLETED. CUM ITER = 1019
*** TIME = .306109E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3184E-05 OSCILLATION LIMIT = 25.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4058E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1241
HT FLOW CONVERGENCE VALUE= .1389E-01 CRITERION= .3907E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 29 COMPLETED. CUM ITER = 1020
*** TIME = .306898E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3229E-05 OSCILLATION LIMIT = 25.48
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4051E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1238
HT FLOW CONVERGENCE VALUE= .1382E-01 CRITERION= .3895E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 30 COMPLETED. CUM ITER = 1021
*** TIME = .307687E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3183E-05 OSCILLATION LIMIT = 25.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4039E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1242
HT FLOW CONVERGENCE VALUE= .1383E-01 CRITERION= .3887E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 31 COMPLETED. CUM ITER = 1022
*** TIME = .308476E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3228E-05 OSCILLATION LIMIT = 25.47
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4033E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1239
HT FLOW CONVERGENCE VALUE= .1377E-01 CRITERION= .3876E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 32 COMPLETED. CUM ITER = 1023
*** TIME = .309264E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3183E-05 OSCILLATION LIMIT = 25.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4021E-01

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1243
HT FLOW CONVERGENCE VALUE= .1378E-01 CRITERION= .3868E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 33 COMPLETED. CUM ITER = 1024
*** TIME = .310053E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3227E-05 OSCILLATION LIMIT = 25.46
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .4014E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1240
HT FLOW CONVERGENCE VALUE= .1372E-01 CRITERION= .3856E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 34 COMPLETED. CUM ITER = 1025
*** TIME = .310842E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3183E-05 OSCILLATION LIMIT = 25.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .4002E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1245
HT FLOW CONVERGENCE VALUE= .1373E-01 CRITERION= .3849E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 35 COMPLETED. CUM ITER = 1026
*** TIME = .311631E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3227E-05 OSCILLATION LIMIT = 25.46
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3995E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1241
HT FLOW CONVERGENCE VALUE= .1367E-01 CRITERION= .3837E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 36 COMPLETED. CUM ITER = 1027
*** TIME = .312420E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3183E-05 OSCILLATION LIMIT = 25.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .3983E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1246
HT FLOW CONVERGENCE VALUE= .1367E-01 CRITERION= .3829E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 37 COMPLETED. CUM ITER = 1028
*** TIME = .313209E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3226E-05 OSCILLATION LIMIT = 25.45
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3977E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1243
HT FLOW CONVERGENCE VALUE= .1362E-01 CRITERION= .3818E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 38 COMPLETED. CUM ITER = 1029
*** TIME = .313998E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3182E-05 OSCILLATION LIMIT = 25.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.73 CRITERION= .3965E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1247
HT FLOW CONVERGENCE VALUE= .1362E-01 CRITERION= .3810E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 39 COMPLETED. CUM ITER = 1030
*** TIME = .314787E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3225E-05 OSCILLATION LIMIT = 25.44
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.76 CRITERION= .3958E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1244
HT FLOW CONVERGENCE VALUE= .1357E-01 CRITERION= .3798E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 40 COMPLETED. CUM ITER = 1031
*** TIME = .315576E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3182E-05 OSCILLATION LIMIT = 25.10

```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:56:55 MAR 26, 1995 CP= 85494.540
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 57.46 CRITERION= .6887E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5827
 HT FLOW CONVERGENCE VALUE= .6357E-01 CRITERION= .3762E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3264E-01
 HT FLOW CONVERGENCE VALUE= .1936E-02 CRITERION= .3759E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 1 COMPLETED. CUM ITER = 1033
 *** TIME = .323465E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2670E-05 OSCILLATION LIMIT = 210.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.50 CRITERION= .6867E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5887
 HT FLOW CONVERGENCE VALUE= .6309E-01 CRITERION= .3718E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3244E-01
 HT FLOW CONVERGENCE VALUE= .1893E-02 CRITERION= .3715E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 2 COMPLETED. CUM ITER = 1035
 *** TIME = .331355E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2722E-05 OSCILLATION LIMIT = 214.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.47 CRITERION= .6842E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5921
 HT FLOW CONVERGENCE VALUE= .6276E-01 CRITERION= .3679E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3231E-01
 HT FLOW CONVERGENCE VALUE= .1860E-02 CRITERION= .3676E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 3 COMPLETED. CUM ITER = 1037
 *** TIME = .339244E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2736E-05 OSCILLATION LIMIT = 215.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.50 CRITERION= .6822E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5906
 HT FLOW CONVERGENCE VALUE= .6198E-01 CRITERION= .3636E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3198E-01
 HT FLOW CONVERGENCE VALUE= .1825E-02 CRITERION= .3633E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 4 COMPLETED. CUM ITER = 1039
 *** TIME = .347134E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2721E-05 OSCILLATION LIMIT = 214.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.47 CRITERION= .6798E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5941
 HT FLOW CONVERGENCE VALUE= .6165E-01 CRITERION= .3597E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3184E-01
 HT FLOW CONVERGENCE VALUE= .1792E-02 CRITERION= .3594E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 5 COMPLETED. CUM ITER = 1041
 *** TIME = .355023E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2735E-05 OSCILLATION LIMIT = 215.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.50 CRITERION= .6778E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5925
 HT FLOW CONVERGENCE VALUE= .6087E-01 CRITERION= .3554E-01

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3151E-01
 HT FLOW CONVERGENCE VALUE= .1757E-02 CRITERION= .3551E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 6 COMPLETED. CUM ITER = 1043
 *** TIME = .362912E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2720E-05 OSCILLATION LIMIT = 214.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.47 CRITERION= .6754E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5960
 HT FLOW CONVERGENCE VALUE= .6052E-01 CRITERION= .3515E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3136E-01
 HT FLOW CONVERGENCE VALUE= .1725E-02 CRITERION= .3512E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 7 COMPLETED. CUM ITER = 1045
 *** TIME = .370802E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2733E-05 OSCILLATION LIMIT = 215.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.50 CRITERION= .6735E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5945
 HT FLOW CONVERGENCE VALUE= .5974E-01 CRITERION= .3472E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3103E-01
 HT FLOW CONVERGENCE VALUE= .1691E-02 CRITERION= .3469E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 8 COMPLETED. CUM ITER = 1047
 *** TIME = .378691E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2719E-05 OSCILLATION LIMIT = 214.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.47 CRITERION= .6712E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5979
 HT FLOW CONVERGENCE VALUE= .5938E-01 CRITERION= .3433E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3088E-01
 HT FLOW CONVERGENCE VALUE= .1659E-02 CRITERION= .3430E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 9 COMPLETED. CUM ITER = 1049
 *** TIME = .386581E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2732E-05 OSCILLATION LIMIT = 215.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.50 CRITERION= .6693E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5964
 HT FLOW CONVERGENCE VALUE= .5861E-01 CRITERION= .3390E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3054E-01
 HT FLOW CONVERGENCE VALUE= .1624E-02 CRITERION= .3387E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 10 COMPLETED. CUM ITER = 1051
 *** TIME = .394470E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2718E-05 OSCILLATION LIMIT = 214.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.47 CRITERION= .6670E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5999
 HT FLOW CONVERGENCE VALUE= .5824E-01 CRITERION= .3351E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3038E-01
 HT FLOW CONVERGENCE VALUE= .1593E-02 CRITERION= .3348E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 11 COMPLETED. CUM ITER = 1053
 *** TIME = .402359E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2731E-05 OSCILLATION LIMIT = 215.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.50 CRITERION= .6652E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5984
 HT FLOW CONVERGENCE VALUE= .5746E-01 CRITERION= .3308E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3005E-01
 HT FLOW CONVERGENCE VALUE= .1559E-02 CRITERION= .3305E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 12 COMPLETED. CUM ITER = 1055

```

*** TIME = .410249E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2716E-05    OSCILLATION LIMIT = 214.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 57.47    CRITERION= .6629E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6019
    HT FLOW CONVERGENCE VALUE= .5708E-01    CRITERION= .3269E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2988E-01
    HT FLOW CONVERGENCE VALUE= .1528E-02    CRITERION= .3266E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 13 COMPLETED. CUM ITER = 1057
*** TIME = .418138E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2730E-05    OSCILLATION LIMIT = 215.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 57.50    CRITERION= .6611E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6004
    HT FLOW CONVERGENCE VALUE= .5630E-01    CRITERION= .3226E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2954E-01
    HT FLOW CONVERGENCE VALUE= .1495E-02    CRITERION= .3223E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 14 COMPLETED. CUM ITER = 1059
*** TIME = .426028E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2715E-05    OSCILLATION LIMIT = 214.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 57.47    CRITERION= .6588E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6039
    HT FLOW CONVERGENCE VALUE= .5591E-01    CRITERION= .3187E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2937E-01
    HT FLOW CONVERGENCE VALUE= .1464E-02    CRITERION= .3184E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 15 COMPLETED. CUM ITER = 1061
*** TIME = .433917E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2728E-05    OSCILLATION LIMIT = 215.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 57.50    CRITERION= .6571E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6025
    HT FLOW CONVERGENCE VALUE= .5514E-01    CRITERION= .3143E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2903E-01
    HT FLOW CONVERGENCE VALUE= .1431E-02    CRITERION= .3141E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 16 COMPLETED. CUM ITER = 1063
*** TIME = .441806E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2714E-05    OSCILLATION LIMIT = 214.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 57.47    CRITERION= .6549E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6060
    HT FLOW CONVERGENCE VALUE= .5474E-01    CRITERION= .3105E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2885E-01
    HT FLOW CONVERGENCE VALUE= .1401E-02    CRITERION= .3102E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 17 COMPLETED. CUM ITER = 1065
*** TIME = .449696E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2727E-05    OSCILLATION LIMIT = 215.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 57.51    CRITERION= .6532E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6045
    HT FLOW CONVERGENCE VALUE= .5396E-01    CRITERION= .3061E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2851E-01
    HT FLOW CONVERGENCE VALUE= .1368E-02    CRITERION= .3059E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 18 COMPLETED. CUM ITER = 1067
*** TIME = .457585E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2713E-05    OSCILLATION LIMIT = 214.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08    UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 57.48 CRITERION= .6510E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6080
 HT FLOW CONVERGENCE VALUE= .5355E-01 CRITERION= .3022E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2832E-01
 HT FLOW CONVERGENCE VALUE= .1338E-02 CRITERION= .3020E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 19 COMPLETED. CUM ITER = 1069
 *** TIME = .465475E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2726E-05 OSCILLATION LIMIT = 215.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.51 CRITERION= .6493E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6066
 HT FLOW CONVERGENCE VALUE= .5277E-01 CRITERION= .2979E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2797E-01
 HT FLOW CONVERGENCE VALUE= .1307E-02 CRITERION= .2977E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 20 COMPLETED. CUM ITER = 1071
 *** TIME = .473364E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2712E-05 OSCILLATION LIMIT = 214.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.48 CRITERION= .6472E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6101
 HT FLOW CONVERGENCE VALUE= .5235E-01 CRITERION= .2940E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2778E-01
 HT FLOW CONVERGENCE VALUE= .1277E-02 CRITERION= .2938E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 21 COMPLETED. CUM ITER = 1073
 *** TIME = .481253E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2725E-05 OSCILLATION LIMIT = 215.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.51 CRITERION= .6456E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6087
 HT FLOW CONVERGENCE VALUE= .5157E-01 CRITERION= .2897E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2743E-01
 HT FLOW CONVERGENCE VALUE= .1246E-02 CRITERION= .2895E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 22 COMPLETED. CUM ITER = 1075
 *** TIME = .489143E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2711E-05 OSCILLATION LIMIT = 213.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.48 CRITERION= .6435E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6122
 HT FLOW CONVERGENCE VALUE= .5113E-01 CRITERION= .2858E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2723E-01
 HT FLOW CONVERGENCE VALUE= .1216E-02 CRITERION= .2856E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 23 COMPLETED. CUM ITER = 1077
 *** TIME = .497032E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2724E-05 OSCILLATION LIMIT = 214.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.51 CRITERION= .6419E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6109
 HT FLOW CONVERGENCE VALUE= .5035E-01 CRITERION= .2815E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2688E-01
 HT FLOW CONVERGENCE VALUE= .1186E-02 CRITERION= .2813E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 24 COMPLETED. CUM ITER = 1079
 *** TIME = .504922E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2710E-05 OSCILLATION LIMIT = 213.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.48 CRITERION= .6398E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6144
 HT FLOW CONVERGENCE VALUE= .4991E-01 CRITERION= .2776E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2667E-01

HT FLOW CONVERGENCE VALUE= .1157E-02 CRITERION= .2774E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 25 COMPLETED. CUM ITER = 1081
 *** TIME = .512811E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2722E-05 OSCILLATION LIMIT = 214.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.51 CRITERION= .6383E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6130
 HT FLOW CONVERGENCE VALUE= .4913E-01 CRITERION= .2733E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2632E-01
 HT FLOW CONVERGENCE VALUE= .1127E-02 CRITERION= .2730E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 26 COMPLETED. CUM ITER = 1083
 *** TIME = .520700E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2709E-05 OSCILLATION LIMIT = 213.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.48 CRITERION= .6363E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6165
 HT FLOW CONVERGENCE VALUE= .4867E-01 CRITERION= .2694E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2610E-01
 HT FLOW CONVERGENCE VALUE= .1098E-02 CRITERION= .2692E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 27 COMPLETED. CUM ITER = 1085
 *** TIME = .528590E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2721E-05 OSCILLATION LIMIT = 214.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.51 CRITERION= .6348E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6152
 HT FLOW CONVERGENCE VALUE= .4789E-01 CRITERION= .2651E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2574E-01
 HT FLOW CONVERGENCE VALUE= .1069E-02 CRITERION= .2648E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 28 COMPLETED. CUM ITER = 1087
 *** TIME = .536479E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2708E-05 OSCILLATION LIMIT = 213.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.48 CRITERION= .6328E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6187
 HT FLOW CONVERGENCE VALUE= .4743E-01 CRITERION= .2612E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2552E-01
 HT FLOW CONVERGENCE VALUE= .1041E-02 CRITERION= .2609E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 29 COMPLETED. CUM ITER = 1089
 *** TIME = .544369E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2720E-05 OSCILLATION LIMIT = 214.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.51 CRITERION= .6314E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6174
 HT FLOW CONVERGENCE VALUE= .4664E-01 CRITERION= .2569E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2516E-01
 HT FLOW CONVERGENCE VALUE= .1012E-02 CRITERION= .2566E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 30 COMPLETED. CUM ITER = 1091
 *** TIME = .552258E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2707E-05 OSCILLATION LIMIT = 213.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.48 CRITERION= .6295E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6209
 HT FLOW CONVERGENCE VALUE= .4620E-01 CRITERION= .2530E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2493E-01
 HT FLOW CONVERGENCE VALUE= .9842E-03 CRITERION= .2527E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 31 COMPLETED. CUM ITER = 1093
 *** TIME = .560147E+10 TIME INC = .788940E+08

*** RESPONSE EIGENVALUE = .2719E-05 OSCILLATION LIMIT = 214.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.52 CRITERION= .6280E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6196
HT FLOW CONVERGENCE VALUE= .4553E-01 CRITERION= .2486E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2456E-01
HT FLOW CONVERGENCE VALUE= .9551E-03 CRITERION= .2484E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 32 SUBSTEP 32 COMPLETED. CUM ITER = 1095
*** TIME = .568037E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2706E-05 OSCILLATION LIMIT = 213.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.49 CRITERION= .6262E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6232
HT FLOW CONVERGENCE VALUE= .4508E-01 CRITERION= .2447E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2433E-01
HT FLOW CONVERGENCE VALUE= .9278E-03 CRITERION= .2445E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 32 SUBSTEP 33 COMPLETED. CUM ITER = 1097
*** TIME = .575926E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2718E-05 OSCILLATION LIMIT = 214.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.52 CRITERION= .6248E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6219
HT FLOW CONVERGENCE VALUE= .4430E-01 CRITERION= .2404E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2397E-01
HT FLOW CONVERGENCE VALUE= .8988E-03 CRITERION= .2402E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 32 SUBSTEP 34 COMPLETED. CUM ITER = 1099
*** TIME = .583816E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2705E-05 OSCILLATION LIMIT = 213.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.49 CRITERION= .6230E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6254
HT FLOW CONVERGENCE VALUE= .4381E-01 CRITERION= .2365E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2373E-01
HT FLOW CONVERGENCE VALUE= .8693E-03 CRITERION= .2363E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 32 SUBSTEP 35 COMPLETED. CUM ITER = 1101
*** TIME = .591705E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2717E-05 OSCILLATION LIMIT = 214.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.52 CRITERION= .6216E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6242
HT FLOW CONVERGENCE VALUE= .4314E-01 CRITERION= .2322E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2336E-01
HT FLOW CONVERGENCE VALUE= .8395E-03 CRITERION= .2320E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 32 SUBSTEP 36 COMPLETED. CUM ITER = 1103
*** TIME = .599594E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2705E-05 OSCILLATION LIMIT = 213.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.49 CRITERION= .6199E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6277
HT FLOW CONVERGENCE VALUE= .4283E-01 CRITERION= .2283E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2310E-01
HT FLOW CONVERGENCE VALUE= .8125E-03 CRITERION= .2281E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 32 SUBSTEP 37 COMPLETED. CUM ITER = 1105
*** TIME = .607484E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2717E-05 OSCILLATION LIMIT = 214.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.52 CRITERION= .6186E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6265
HT FLOW CONVERGENCE VALUE= .4199E-01 CRITERION= .2240E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2273E-01
HT FLOW CONVERGENCE VALUE= .7826E-03 CRITERION= .2238E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 38 COMPLETED. CUM ITER = 1107
*** TIME = .615373E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2705E-05 OSCILLATION LIMIT = 213.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.49 CRITERION= .6169E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6300
HT FLOW CONVERGENCE VALUE= .4122E-01 CRITERION= .2201E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2248E-01
HT FLOW CONVERGENCE VALUE= .7793E-03 CRITERION= .2199E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 39 COMPLETED. CUM ITER = 1109
*** TIME = .623263E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2716E-05 OSCILLATION LIMIT = 214.3
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.52 CRITERION= .6156E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6288
HT FLOW CONVERGENCE VALUE= .4050E-01 CRITERION= .2158E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2212E-01
HT FLOW CONVERGENCE VALUE= .7270E-03 CRITERION= .2156E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 40 COMPLETED. CUM ITER = 1111
*** TIME = .631152E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2704E-05 OSCILLATION LIMIT = 213.4

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 00:30:59 MAR 27, 1995 CP= 90917.310
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 26.49 CRITERION= .3416E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2199
HT FLOW CONVERGENCE VALUE= .1531E-01 CRITERION= .2146E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 33 SUBSTEP 1 COMPLETED. CUM ITER = 1112
*** TIME = .639041E+10 TIME INC = .788940E+08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.52 CRITERION= .3411E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2072
HT FLOW CONVERGENCE VALUE= .1476E-01 CRITERION= .2131E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 33 SUBSTEP 2 COMPLETED. CUM ITER = 1113
*** TIME = .646931E+10 TIME INC = .788940E+08
*** AUTO TIME STEP: NEXT TIME INC = .23668E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 79.51 CRITERION= .8232E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6472
HT FLOW CONVERGENCE VALUE= .4412E-01 CRITERION= .2096E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2545E-01
HT FLOW CONVERGENCE VALUE= .9636E-03 CRITERION= .2094E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 3 COMPLETED. CUM ITER = 1115
*** TIME = .670599E+10 TIME INC = .236682E+09
*** AUTO STEP TIME: NEXT TIME INC = .23668E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 79.55 CRITERION= .8224E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6537
HT FLOW CONVERGENCE VALUE= .4345E-01 CRITERION= .2056E-01

```

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2521E-01
 HT FLOW CONVERGENCE VALUE= .9238E-03 CRITERION= .2054E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 4 COMPLETED. CUM ITER = 1117
 *** TIME = .694267E+10 TIME INC = .236682E+09
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 238.6 CRITERION= .2395
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.971
 HT FLOW CONVERGENCE VALUE= .1195 CRITERION= .1947E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6999E-01
 HT FLOW CONVERGENCE VALUE= .2246E-02 CRITERION= .1942E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 5 COMPLETED. CUM ITER = 1119
 *** TIME = .765272E+10 TIME INC = .710046E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 265.1 CRITERION= .2658
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.200
 HT FLOW CONVERGENCE VALUE= .1245 CRITERION= .1818E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7140E-01
 HT FLOW CONVERGENCE VALUE= .2193E-02 CRITERION= .1813E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 6 COMPLETED. CUM ITER = 1121
 *** TIME = .844166E+10 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .51281E+09 DECREASED (FACTOR = .6500)

HT FLOW CONVERGENCE VALUE= 172.3 CRITERION= .1733
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.442
 HT FLOW CONVERGENCE VALUE= .8014E-01 CRITERION= .1736E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4471E-01
 HT FLOW CONVERGENCE VALUE= .1388E-02 CRITERION= .1732E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 7 COMPLETED. CUM ITER = 1123
 *** TIME = .895447E+10 TIME INC = .512811E+09
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 172.4 CRITERION= .1732
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.444
 HT FLOW CONVERGENCE VALUE= .7704E-01 CRITERION= .1651E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4250E-01
 HT FLOW CONVERGENCE VALUE= .1272E-02 CRITERION= .1648E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 8 COMPLETED. CUM ITER = 1125
 *** TIME = .946728E+10 TIME INC = .512811E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 00:48:07 MAR 27, 1995 CP= 91898.810
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 98.05 CRITERION= .9943E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8134
 HT FLOW CONVERGENCE VALUE= .4314E-01 CRITERION= .1606E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2397E-01
 HT FLOW CONVERGENCE VALUE= .7224E-03 CRITERION= .1604E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 1 COMPLETED. CUM ITER = 1127
 *** TIME = .998009E+10 TIME INC = .512811E+09
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 98.08 CRITERION= .9937E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8110
 HT FLOW CONVERGENCE VALUE= .4194E-01 CRITERION= .1558E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2331E-01

HT FLOW CONVERGENCE VALUE= .6879E-03 CRITERION= .1556E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 2 COMPLETED. CUM ITER = 1129
 *** TIME = .104929E+11 TIME INC = .512811E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.5385)

HT FLOW CONVERGENCE VALUE= 150.9 CRITERION= .1517
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.256
 HT FLOW CONVERGENCE VALUE= .6163E-01 CRITERION= .1491E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3398E-01
 HT FLOW CONVERGENCE VALUE= .9471E-03 CRITERION= .1488E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 3 COMPLETED. CUM ITER = 1131
 *** TIME = .112818E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 150.9 CRITERION= .1516
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.256
 HT FLOW CONVERGENCE VALUE= .5882E-01 CRITERION= .1418E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3253E-01
 HT FLOW CONVERGENCE VALUE= .8640E-03 CRITERION= .1416E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 4 COMPLETED. CUM ITER = 1133
 *** TIME = .120708E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .55226E+09 DECREASED (FACTOR = .7000)

HT FLOW CONVERGENCE VALUE= 105.6 CRITERION= .1066
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8863
 HT FLOW CONVERGENCE VALUE= .4043E-01 CRITERION= .1370E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2248E-01
 HT FLOW CONVERGENCE VALUE= .5830E-03 CRITERION= .1368E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 5 COMPLETED. CUM ITER = 1135
 *** TIME = .126230E+11 TIME INC = .552258E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 01:00:00 MAR 27, 1995 CP= 92575.740
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 79.72 CRITERION= .8087E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6084
 HT FLOW CONVERGENCE VALUE= .2817E-01 CRITERION= .1335E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1602E-01
 HT FLOW CONVERGENCE VALUE= .4341E-03 CRITERION= .1334E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 1 COMPLETED. CUM ITER = 1137
 *** TIME = .131753E+11 TIME INC = .552258E+09
 *** AUTO STEP TIME: NEXT TIME INC = .55226E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 79.69 CRITERION= .8080E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6135
 HT FLOW CONVERGENCE VALUE= .2767E-01 CRITERION= .1305E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1575E-01
 HT FLOW CONVERGENCE VALUE= .4146E-03 CRITERION= .1303E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 2 COMPLETED. CUM ITER = 1139
 *** TIME = .137276E+11 TIME INC = .552258E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.4286)

HT FLOW CONVERGENCE VALUE= 113.9 CRITERION= .1146
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8730
 HT FLOW CONVERGENCE VALUE= .3775E-01 CRITERION= .1257E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2151E-01
 HT FLOW CONVERGENCE VALUE= .5426E-03 CRITERION= .1255E-01 <<< CONVERGED

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 35 SUBSTEP 3 COMPLETED. CUM ITER = 1141
*** TIME = .145165E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 113.8 CRITERION= .1145
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8793
HT FLOW CONVERGENCE VALUE= .3657E-01 CRITERION= .1212E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2087E-01
HT FLOW CONVERGENCE VALUE= .5050E-03 CRITERION= .1211E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 35 SUBSTEP 4 COMPLETED. CUM ITER = 1143
*** TIME = .153054E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 68.34 CRITERION= .6939E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5257
HT FLOW CONVERGENCE VALUE= .2164E-01 CRITERION= .1182E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1242E-01
HT FLOW CONVERGENCE VALUE= .2989E-03 CRITERION= .1181E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 35 SUBSTEP 5 COMPLETED. CUM ITER = 1145
*** TIME = .157788E+11 TIME INC = .473364E+09
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 01:11:48 MAR 27, 1995 CP= 93251.090
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 69.09 CRITERION= .7010E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4608
HT FLOW CONVERGENCE VALUE= .1965E-01 CRITERION= .1162E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1160E-01
HT FLOW CONVERGENCE VALUE= .2970E-03 CRITERION= .1161E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 36 SUBSTEP 1 COMPLETED. CUM ITER = 1147
*** TIME = .162522E+11 TIME INC = .473364E+09
*** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 69.12 CRITERION= .7008E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4573
HT FLOW CONVERGENCE VALUE= .1919E-01 CRITERION= .1137E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1136E-01
HT FLOW CONVERGENCE VALUE= .2868E-03 CRITERION= .1137E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 36 SUBSTEP 2 COMPLETED. CUM ITER = 1149
*** TIME = .167255E+11 TIME INC = .473364E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 115.2 CRITERION= .1157
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7686
HT FLOW CONVERGENCE VALUE= .3082E-01 CRITERION= .1103E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1824E-01
HT FLOW CONVERGENCE VALUE= .4397E-03 CRITERION= .1102E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 36 SUBSTEP 3 COMPLETED. CUM ITER = 1151
*** TIME = .175145E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 115.2 CRITERION= .1157
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7662
HT FLOW CONVERGENCE VALUE= .2975E-01 CRITERION= .1064E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1767E-01
HT FLOW CONVERGENCE VALUE= .4129E-03 CRITERION= .1063E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
```

*** LOAD STEP 36 SUBSTEP 4 COMPLETED. CUM ITER = 1153
 *** TIME = .183034E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 92.13 CRITERION= .9275E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6180
 HT FLOW CONVERGENCE VALUE= .2341E-01 CRITERION= .1037E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1393E-01
 HT FLOW CONVERGENCE VALUE= .3170E-03 CRITERION= .1036E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 36 SUBSTEP 5 COMPLETED. CUM ITER = 1155
 *** TIME = .189346E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 01:23:36 MAR 27, 1995 CP= 93927.590
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 82.17 CRITERION= .8281E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4979
 HT FLOW CONVERGENCE VALUE= .1929E-01 CRITERION= .1012E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1171E-01
 HT FLOW CONVERGENCE VALUE= .2763E-03 CRITERION= .1011E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 37 SUBSTEP 1 COMPLETED. CUM ITER = 1157
 *** TIME = .195657E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 82.14 CRITERION= .8276E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5026
 HT FLOW CONVERGENCE VALUE= .1900E-01 CRITERION= .9918E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1153E-01
 HT FLOW CONVERGENCE VALUE= .2651E-03 CRITERION= .9912E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 37 SUBSTEP 2 COMPLETED. CUM ITER = 1159
 *** TIME = .201969E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 102.7 CRITERION= .1032
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6245
 HT FLOW CONVERGENCE VALUE= .2290E-01 CRITERION= .9620E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1395E-01
 HT FLOW CONVERGENCE VALUE= .3116E-03 CRITERION= .9613E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 37 SUBSTEP 3 COMPLETED. CUM ITER = 1161
 *** TIME = .209858E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 102.7 CRITERION= .1031
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6297
 HT FLOW CONVERGENCE VALUE= .2237E-01 CRITERION= .9362E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1364E-01
 HT FLOW CONVERGENCE VALUE= .2948E-03 CRITERION= .9355E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 37 SUBSTEP 4 COMPLETED. CUM ITER = 1163
 *** TIME = .217747E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 41.09 CRITERION= .4214E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2495
 HT FLOW CONVERGENCE VALUE= .8916E-02 CRITERION= .9226E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 37 SUBSTEP 5 COMPLETED. CUM ITER = 1164
 *** TIME = .220903E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 01:34:39 MAR 27, 1995 CP= 94555.680
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 37.33 CRITERION= .3846E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2184
 HT FLOW CONVERGENCE VALUE= .7883E-02 CRITERION= .9150E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 38 SUBSTEP 1 COMPLETED. CUM ITER = 1165
 *** TIME = .224059E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.36 CRITERION= .3846E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2149
 HT FLOW CONVERGENCE VALUE= .7721E-02 CRITERION= .9033E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 38 SUBSTEP 2 COMPLETED. CUM ITER = 1166
 *** TIME = .227215E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 93.35 CRITERION= .9379E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5523
 HT FLOW CONVERGENCE VALUE= .1886E-01 CRITERION= .8817E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1162E-01
 HT FLOW CONVERGENCE VALUE= .2423E-03 CRITERION= .8812E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 3 COMPLETED. CUM ITER = 1168
 *** TIME = .235104E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 93.38 CRITERION= .9379E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5539
 HT FLOW CONVERGENCE VALUE= .1837E-01 CRITERION= .8557E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1134E-01
 HT FLOW CONVERGENCE VALUE= .2299E-03 CRITERION= .8552E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 4 COMPLETED. CUM ITER = 1170
 *** TIME = .242994E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 56.01 CRITERION= .5666E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3362
 HT FLOW CONVERGENCE VALUE= .1102E-01 CRITERION= .8432E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6806E-02
 HT FLOW CONVERGENCE VALUE= .1360E-03 CRITERION= .8428E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 5 COMPLETED. CUM ITER = 1172
 *** TIME = .247727E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.04 CRITERION= .5666E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3323
 HT FLOW CONVERGENCE VALUE= .1076E-01 CRITERION= .8267E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6666E-02
 HT FLOW CONVERGENCE VALUE= .1318E-03 CRITERION= .8264E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 6 COMPLETED. CUM ITER = 1174
 *** TIME = .252461E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 01:47:05 MAR 27, 1995 CP= 95269.180

FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GMD/MTU SNF

HT FLOW CONVERGENCE VALUE= 49.87 CRITERION= .5056E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2827
 HT FLOW CONVERGENCE VALUE= .9236E-02 CRITERION= .8173E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5771E-02
 HT FLOW CONVERGENCE VALUE= .1153E-03 CRITERION= .8170E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 1 COMPLETED. CUM ITER = 1176
 *** TIME = .257194E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 49.90 CRITERION= .5056E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2786
 HT FLOW CONVERGENCE VALUE= .9033E-02 CRITERION= .8038E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5663E-02
 HT FLOW CONVERGENCE VALUE= .1125E-03 CRITERION= .8035E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 2 COMPLETED. CUM ITER = 1178
 *** TIME = .261928E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 83.13 CRITERION= .8352E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4704
 HT FLOW CONVERGENCE VALUE= .1472E-01 CRITERION= .7869E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9219E-02
 HT FLOW CONVERGENCE VALUE= .1770E-03 CRITERION= .7865E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 3 COMPLETED. CUM ITER = 1180
 *** TIME = .269817E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 83.16 CRITERION= .8352E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4668
 HT FLOW CONVERGENCE VALUE= .1432E-01 CRITERION= .7657E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8992E-02
 HT FLOW CONVERGENCE VALUE= .1696E-03 CRITERION= .7653E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 4 COMPLETED. CUM ITER = 1182
 *** TIME = .277707E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 66.50 CRITERION= .6695E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3777
 HT FLOW CONVERGENCE VALUE= .1138E-01 CRITERION= .7524E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7137E-02
 HT FLOW CONVERGENCE VALUE= .1319E-03 CRITERION= .7521E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 5 COMPLETED. CUM ITER = 1184
 *** TIME = .284018E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 01:58:58 MAR 27, 1995 CP= 95945.870
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GMD/MTU SNF

HT FLOW CONVERGENCE VALUE= 58.70 CRITERION= .5917E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3182
 HT FLOW CONVERGENCE VALUE= .9653E-02 CRITERION= .7377E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6106E-02
 HT FLOW CONVERGENCE VALUE= .1138E-03 CRITERION= .7375E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 40 SUBSTEP 1 COMPLETED. CUM ITER = 1186
*** TIME = .290330E+11 TIME INC = .631152E+09
*** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.67 CRITERION= .5914E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3227
HT FLOW CONVERGENCE VALUE= .9583E-02 CRITERION= .7271E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6053E-02
HT FLOW CONVERGENCE VALUE= .1104E-03 CRITERION= .7269E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 40 SUBSTEP 2 COMPLETED. CUM ITER = 1188
*** TIME = .296641E+11 TIME INC = .631152E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 73.37 CRITERION= .7372E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3990
HT FLOW CONVERGENCE VALUE= .1162E-01 CRITERION= .7094E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7360E-02
HT FLOW CONVERGENCE VALUE= .1318E-03 CRITERION= .7091E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 40 SUBSTEP 3 COMPLETED. CUM ITER = 1190
*** TIME = .304531E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 73.34 CRITERION= .7369E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4036
HT FLOW CONVERGENCE VALUE= .1145E-01 CRITERION= .6957E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7249E-02
HT FLOW CONVERGENCE VALUE= .1263E-03 CRITERION= .6954E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 40 SUBSTEP 4 COMPLETED. CUM ITER = 1192
*** TIME = .312420E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 29.36 CRITERION= .3016E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1587
HT FLOW CONVERGENCE VALUE= .4541E-02 CRITERION= .6872E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 40 SUBSTEP 5 COMPLETED. CUM ITER = 1193
*** TIME = .315576E+11 TIME INC = .315576E+09

FINISH SOLUTION PROCESSING

***** ROUTINE COMPLETED ***** CP = 96571.730

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12w3.db
FOR POSSIBLE RESUME FROM THIS POINT

Create element contour plots of solution results

Sort through solution results for time of max temp.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 02:10:24 MAR 27, 1995 CP= 96578.850
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

VARIABLE 2 IS AT NODE 2929 ITEM= TEMP COMP= NAME= peakclad

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES

VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2	NSOL	2929 TEMP	peakclad	79.00	.3156E+11	241.8	.1893E+08

*GET TMTMAX FROM VARI 2 ITEM=EXTR TMAX VALUE= 18934591.6

***** ROUTINE COMPLETED ***** CP = 96579.220

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 02:10:27 MAR 27, 1995 CP= 96579.250
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS RESULTS INTERPRETATION (POST1) *****
Create temperature contour plots of WP at peak

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (PRECISE) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS -1 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

4280 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .18935E+08

SET COMMAND GOT LOAD STEP= 9 SUBSTEP= 20 CUMULATIVE ITERATION= 116
TIME/FREQUENCY= .18935E+08

TITLE=
12 PWR MPC/WP at Time of Peak Temp. (.600001 years)

/SHOW SWITCH PLOTS TO FILE solupk.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 AUTOMATIC CONTOURS

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solupk.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at Time of Peak Temp. (.600001 years)

*** WARNING *** CP= 96612.050 TIME= 02:11:07
The selected element set contains mixed materials.
This could invalidate error estimation.
Create temperature contour plots at 10, 50, and 100 yrs

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+09

SET COMMAND GOT LOAD STEP= 22 SUBSTEP= 40 CUMULATIVE ITERATION= 631
TIME/FREQUENCY= .31558E+09

TITLE=
12 PWR MPC/WP at 10 years

/SHOW SWITCH PLOTS TO FILE solu10.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 85.336 BY 1.2322 TO 241.82

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu10.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 10 years

*** WARNING *** CP= 96653.110 TIME= 02:11:51
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .15779E+10

SET COMMAND GOT LOAD STEP= 26 SUBSTEP= 40 CUMULATIVE ITERATION= 831
TIME/FREQUENCY= .15779E+10

TITLE=
12 PWR MPC/WP at 50 years

/SHOW SWITCH PLOTS TO FILE solu50.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 85.336 BY 1.2322 TO 241.82

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu50.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 50 years

*** WARNING *** CP= 96694.740 TIME= 02:12:36
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+10

SET COMMAND GOT LOAD STEP= 31 SUBSTEP= 40 CUMULATIVE ITERATION= 1031
TIME/FREQUENCY= .31558E+10

TITLE=
12 PWR MPC/WP at 100 years

/SHOW SWITCH PLOTS TO FILE solu100.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 85.336 BY 1.2322 TO 241.82

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu100.grph - RASTER MODE.

DISPLAY TITLE=

12 PWR MPC/WP at 100 years

*** WARNING *** CP= 96737.260 TIME= 02:13:20

The selected element set contains mixed materials.

This could invalidate error estimation.

ALL SELECT FOR ITEM=ELEM COMPONENT=

IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

EXIT THE ANSYS POST1 DATABASE PROCESSOR

***** ROUTINE COMPLETED ***** CP = 96745.750

Print time/temperature output at specific locations
Save profile from center to edge

Variable Legend: A01i000

x = center of waste package
f = flux trap plate stainless layer
w = flux trap plate SS sheath
c = center of assembly
h = halfway between center and tube
s = inside structural stainless tube layer
a = aluminum-born tube layer
t = stainless tube cladding
g = tube guide
m = mpc shell
i = inner barrier of DC
o = outer barrier of DC

= ID number of assembly (01 is center)

i = side of assembly toward center of WP

o = side of assembly toward edge of WP

000 = profile center down

045 = profile 45 deg down

090 = profile center side

135 = profile 45 deg up

180 = profile center up

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****

900-38303 VERSION=HP 9000/7XX 02:13:29 MAR 27, 1995 CP= 96745.760

FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

MAXIMUM NUMBER OF VARIABLES= 30

* Temperature Profile from center to lower right (45 deg.) *

VARIABLE 2 IS AT NODE 5522 ITEM= TEMP COMP= NAME= x04i045

VARIABLE 3 IS AT NODE 1655 ITEM= TEMP COMP= NAME= f04i045

VARIABLE 4 IS AT NODE 1762 ITEM= TEMP COMP= NAME= f04o045
 VARIABLE 5 IS AT NODE 2036 ITEM= TEMP COMP= NAME= w04i045
 VARIABLE 6 IS AT NODE 2177 ITEM= TEMP COMP= NAME= w04o045
 VARIABLE 7 IS AT NODE 2552 ITEM= TEMP COMP= NAME= s04i045
 VARIABLE 8 IS AT NODE 2977 ITEM= TEMP COMP= NAME= h04i045
 VARIABLE 9 IS AT NODE 2929 ITEM= TEMP COMP= NAME= c04i045
 VARIABLE 10 IS AT NODE 2881 ITEM= TEMP COMP= NAME= h04o045
 VARIABLE 11 IS AT NODE 2566 ITEM= TEMP COMP= NAME= s04o045
 VARIABLE 12 IS AT NODE 2427 ITEM= TEMP COMP= NAME= a04o045
 VARIABLE 13 IS AT NODE 2303 ITEM= TEMP COMP= NAME= t04i045
 VARIABLE 14 IS AT NODE 2289 ITEM= TEMP COMP= NAME= t04o045
 VARIABLE 15 IS AT NODE 3528 ITEM= TEMP COMP= NAME= g04i045
 VARIABLE 16 IS AT NODE 3545 ITEM= TEMP COMP= NAME= g04o045
 VARIABLE 17 IS AT NODE 3760 ITEM= TEMP COMP= NAME= m04i045
 VARIABLE 18 IS AT NODE 3707 ITEM= TEMP COMP= NAME= m04o045
 VARIABLE 19 IS AT NODE 4142 ITEM= TEMP COMP= NAME= i04i045
 VARIABLE 20 IS AT NODE 4200 ITEM= TEMP COMP= NAME= i04o045
 VARIABLE 21 IS AT NODE 4595 ITEM= TEMP COMP= NAME= o04o045
 Add centers of assemblies 5 and 6
 VARIABLE 22 IS AT NODE 3098 ITEM= TEMP COMP= NAME= c05i045
 VARIABLE 23 IS AT NODE 2760 ITEM= TEMP COMP= NAME= c06i045

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES							
VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2	NSOL	5522 TEMP	x04i045	77.53	.3156E+11	221.1	.2209E+08
3	NSOL	1655 TEMP	f04i045	77.53	.3156E+11	221.2	.2209E+08
4	NSOL	1762 TEMP	f04o045	77.53	.3156E+11	221.2	.2209E+08
5	NSOL	2036 TEMP	w04i045	77.53	.3156E+11	221.2	.2209E+08
6	NSOL	2177 TEMP	w04o045	77.53	.3156E+11	221.2	.2209E+08
7	NSOL	2552 TEMP	s04i045	77.53	.3156E+11	221.2	.2209E+08
8	NSOL	2977 TEMP	h04i045	78.30	.3156E+11	232.5	.1893E+08
9	NSOL	2929 TEMP	c04i045	79.00	.3156E+11	241.8	.1893E+08
10	NSOL	2881 TEMP	h04o045	78.23	.3156E+11	229.1	.2209E+08
11	NSOL	2566 TEMP	s04o045	77.39	.3156E+11	215.2	.2525E+08
12	NSOL	2427 TEMP	a04o045	77.39	.3156E+11	215.2	.2525E+08
13	NSOL	2303 TEMP	t04i045	77.38	.3156E+11	215.1	.2525E+08
14	NSOL	2289 TEMP	t04o045	77.37	.3156E+11	214.9	.2525E+08
15	NSOL	3528 TEMP	g04i045	76.01	.3156E+11	192.0	.3156E+08
16	NSOL	3545 TEMP	g04o045	75.97	.3156E+11	191.0	.3156E+08
17	NSOL	3760 TEMP	m04i045	73.38	.3156E+11	149.1	.9467E+08
18	NSOL	3707 TEMP	m04o045	73.34	.3156E+11	148.1	.9467E+08
19	NSOL	4142 TEMP	i04i045	28.63	.1000E-05	102.7	.3156E+09
20	NSOL	4200 TEMP	i04o045	27.38	.1000E-05	101.9	.6312E+09
21	NSOL	4595 TEMP	o04o045	26.14	.1000E-05	101.1	.6312E+09
22	NSOL	3098 TEMP	c05i045	77.89	.3156E+11	222.0	.2209E+08
23	NSOL	2760 TEMP	c06i045	77.92	.3156E+11	222.4	.2209E+08

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 02:13:35 MAR 27, 1995 CP= 96749.390
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5522 TEMP x04i045	1655 TEMP f04i045	1762 TEMP f04o045	2036 TEMP w04i045	2177 TEMP w04o045	2552 TEMP s04i045
.10000E-05	198.068	198.068	198.069	198.069	198.070	198.077
.20000E-05	210.557	210.558	210.559	210.559	210.560	210.566
.31558E+07	210.557	210.558	210.559	210.559	210.560	210.566
.63116E+07	218.165	218.177	218.188	218.189	218.190	218.197
.94673E+07	219.627	219.640	219.651	219.652	219.653	219.660
.12623E+08	220.329	220.342	220.353	220.354	220.356	220.362
.15779E+08	220.769	220.782	220.793	220.794	220.795	220.802
.18935E+08	220.983	220.997	221.008	221.008	221.010	221.016
.22090E+08	221.101	221.115	221.126	221.127	221.129	221.135
.25246E+08	221.146	221.160	221.171	221.172	221.173	221.180
.28402E+08	221.141	221.155	221.166	221.167	221.169	221.175
.31558E+08	221.092	221.106	221.117	221.117	221.119	221.125
.63115E+08	221.014	221.028	221.039	221.040	221.041	221.047
.94673E+08	219.618	219.632	219.643	219.644	219.645	219.651
.12623E+09	217.621	217.635	217.646	217.647	217.649	217.654
.15779E+09	215.625	215.639	215.650	215.651	215.652	215.658
.18935E+09	213.900	213.914	213.925	213.926	213.927	213.933
.22090E+09	211.590	211.604	211.615	211.616	211.618	211.623
.25246E+09	209.797	209.811	209.821	209.822	209.824	209.829
.28402E+09	208.106	208.120	208.131	208.131	208.133	208.138
.31558E+09	206.177	206.191	206.201	206.202	206.203	206.208
.63115E+09	204.685	204.699	204.709	204.710	204.711	204.716
.94673E+09	189.036	189.048	189.057	189.058	189.059	189.063
.12623E+10	175.701	175.712	175.720	175.720	175.721	175.725
.15779E+10	164.078	164.088	164.095	164.095	164.096	164.099
.18935E+10	154.027	154.036	154.042	154.043	154.043	154.046
.22090E+10	145.733	145.741	145.747	145.748	145.748	145.751
.25246E+10	138.736	138.743	138.748	138.749	138.749	138.751
.28402E+10	132.571	132.577	132.582	132.583	132.583	132.585
.31558E+10	127.651	127.657	127.661	127.662	127.662	127.664
.63115E+10	123.279	123.285	123.289	123.289	123.290	123.291
.94673E+10	102.646	102.649	102.652	102.652	102.653	102.654
.12623E+11	95.0304	95.0335	95.0357	95.0359	95.0361	95.0368
.15779E+11	90.6645	90.6672	90.6691	90.6692	90.6694	90.6700
.18935E+11	87.6015	87.6038	87.6055	87.6056	87.6057	87.6063
.22090E+11	84.8855	84.8875	84.8890	84.8891	84.8892	84.8897
.25246E+11	82.6497	82.6516	82.6529	82.6530	82.6531	82.6535
.28402E+11	80.6649	80.6665	80.6677	80.6678	80.6679	80.6683
.31558E+11	78.9771	78.9786	78.9797	78.9798	78.9799	78.9802
	77.5285	77.5299	77.5309	77.5310	77.5311	77.5314

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 02:13:35 MAR 27, 1995 CP= 96749.410
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2977 TEMP h04i045	2929 TEMP c04i045	2881 TEMP h04o045	2566 TEMP s04o045	2427 TEMP a04o045	2303 TEMP t04i045
.10000E-05	210.641	221.116	207.432	192.223	192.179	192.132

.20000E-05	222.600	232.582	219.253	204.503	204.458	204.411
31.558	222.600	232.582	219.253	204.503	204.458	204.411
.31558E+07	229.880	239.553	226.513	212.118	212.073	212.026
.63116E+07	231.235	240.810	227.859	213.574	213.530	213.483
.94673E+07	231.862	241.374	228.494	214.293	214.249	214.202
.12623E+08	232.237	241.692	228.877	214.751	214.707	214.660
.15779E+08	232.393	241.801	229.045	214.988	214.944	214.897
.18935E+08	232.459	241.824	229.122	215.129	215.086	215.039
.22090E+08	232.453	241.780	229.130	215.198	215.155	215.109
.25246E+08	232.402	241.691	229.092	215.218	215.175	215.129
.28402E+08	232.308	241.561	229.012	215.194	215.150	215.105
.31558E+08	232.188	241.406	228.905	215.141	215.098	215.053
.63115E+08	230.452	239.404	227.293	213.969	213.928	213.884
.94673E+08	228.188	236.933	225.142	212.177	212.137	212.094
.12623E+09	225.968	234.541	223.021	210.359	210.320	210.279
.15779E+09	224.060	232.493	221.195	208.780	208.742	208.702
.18935E+09	221.539	229.811	218.774	206.647	206.610	206.571
.22090E+09	219.579	227.725	216.890	204.989	204.953	204.915
.25246E+09	217.729	225.752	215.112	203.426	203.391	203.354
.28402E+09	215.658	223.574	213.111	201.620	201.585	201.549
.31558E+09	214.051	221.880	211.558	200.224	200.190	200.155
.63115E+09	197.205	204.127	195.230	185.504	185.476	185.447
.94673E+09	182.883	189.025	181.293	172.845	172.822	172.798
.12623E+10	170.479	175.997	169.176	161.728	161.708	161.688
.15779E+10	159.749	164.714	158.672	152.076	152.059	152.042
.18935E+10	150.887	155.387	149.976	144.079	144.065	144.050
.22090E+10	143.396	147.488	142.615	137.313	137.300	137.286
.25246E+10	136.818	140.561	136.141	131.331	131.320	131.308
.28402E+10	131.561	135.017	130.963	126.552	126.541	126.531
.31558E+10	126.885	130.081	126.354	122.300	122.291	122.281
.63115E+10	104.860	106.847	104.591	102.141	102.136	102.131
.94673E+10	96.7705	98.3402	96.5742	94.6587	94.6548	94.6506
.12623E+11	92.1293	93.4538	91.9709	90.3631	90.3598	90.3563
.15779E+11	88.8814	90.0404	88.7471	87.3446	87.3418	87.3388
.18935E+11	86.0165	87.0423	85.9011	84.6639	84.6614	84.6588
.22090E+11	83.6662	84.5889	83.5646	82.4539	82.4517	82.4494
.25246E+11	81.5830	82.4173	81.4932	80.4913	80.4894	80.4873
.28402E+11	79.8154	80.5779	79.7350	78.8214	78.8196	78.8177
.31558E+11	78.3002	79.0025	78.2273	77.3868	77.3852	77.3834

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 02:13:35 MAR 27, 1995 CP= 96749.420
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2289 TEMP t04o045	3528 TEMP g04i045	3545 TEMP g04o045	3760 TEMP m04i045	3707 TEMP m04o045	4142 TEMP i04i045
.10000E-05	191.925	166.374	165.327	114.227	113.147	28.6285
.20000E-05	204.204	179.518	178.464	130.332	129.257	59.4517
31.558	204.204	179.518	178.464	130.332	129.257	59.4518
.31558E+07	211.821	187.842	186.794	140.821	139.756	77.8415
.63116E+07	213.279	189.488	188.445	142.994	141.934	81.5981
.94673E+07	213.999	190.361	189.321	144.266	143.211	83.9460
.12623E+08	214.458	190.952	189.917	145.189	144.138	85.6829
.15779E+08	214.696	191.310	190.280	145.846	144.801	87.0686
.18935E+08	214.839	191.565	190.538	146.371	145.330	88.2133
.22090E+08	214.909	191.741	190.719	146.800	145.764	89.1969
.25246E+08	214.930	191.863	190.845	147.157	146.126	90.0546
.28402E+08	214.906	191.936	190.923	147.454	146.427	90.8130
.31558E+08	214.855	191.979	190.970	147.712	146.689	91.5038
.63115E+08	213.693	191.570	190.597	148.974	147.989	95.8533
.94673E+08	211.909	190.395	189.453	149.100	148.147	98.1456
.12623E+09	210.099	189.097	188.182	148.875	147.949	99.6007

.15779E+09	208.527	187.943	187.050	148.589	147.686	100.636
.18935E+09	206.401	186.305	185.438	147.942	147.066	101.415
.22090E+09	204.748	185.034	184.187	147.446	146.591	102.029
.25246E+09	203.191	183.842	183.014	146.996	146.160	102.634
.28402E+09	201.389	182.369	181.560	146.173	145.355	102.655
.31558E+09	199.998	181.243	180.448	145.573	144.770	102.748
.63115E+09	185.317	169.235	168.582	138.816	138.155	102.674
.94673E+09	172.688	158.713	158.168	132.345	131.791	101.086
.12623E+10	161.594	149.285	148.821	126.066	125.593	98.4653
.15779E+10	151.961	141.087	140.689	120.556	120.150	96.0855
.18935E+10	143.979	134.276	133.928	115.941	115.586	94.0277
.22090E+10	137.224	128.500	128.194	112.002	111.689	92.2305
.25246E+10	131.252	123.344	123.070	108.367	108.088	90.3514
.28402E+10	126.480	119.233	118.986	105.494	105.242	88.9209
.31558E+10	122.234	115.581	115.357	102.954	102.725	87.6850
.63115E+10	102.104	98.1149	97.9881	90.4940	90.3647	81.1326
.94673E+10	94.6302	91.5160	91.4191	85.5509	85.4524	78.1550
.12623E+11	90.3394	87.7256	87.6454	82.7124	82.6309	76.4617
.15779E+11	87.3242	85.0453	84.9760	80.6691	80.5987	75.1881
.18935E+11	84.6460	82.6356	82.5751	78.7709	78.7093	73.9074
.22090E+11	82.4380	80.6336	80.5797	77.1601	77.1052	72.7696
.25246E+11	80.4770	78.8502	78.8019	75.7152	75.6660	71.7364
.28402E+11	78.8084	77.3248	77.2810	74.4635	74.4189	70.8187
.31558E+11	77.3749	76.0107	75.9705	73.3765	73.3357	70.0100

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 02:13:35 MAR 27, 1995 CP= 96749.430
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4200 TEMP	4595 TEMP	3098 TEMP	2760 TEMP
	i04o045	o04o045	c05i045	c06i045
.10000E-05	27.3839	26.1398	200.063	200.348
.20000E-05	58.2064	56.9590	211.930	212.209
31.558	58.2064	56.9590	211.930	212.209
.31558E+07	76.6043	75.3638	219.222	219.641
.63116E+07	80.3647	79.1275	220.583	221.007
.94673E+07	82.7180	81.4861	221.250	221.676
.12623E+08	84.4596	83.2323	221.661	222.087
.15779E+08	85.8508	84.6289	221.858	222.284
.18935E+08	87.0007	85.7839	221.964	222.389
.22090E+08	87.9893	86.7774	222.001	222.426
.25246E+08	88.8521	87.6453	221.991	222.415
.28402E+08	89.6156	88.4139	221.938	222.362
.31558E+08	90.3114	89.1146	221.859	222.282
.63115E+08	94.7052	93.5503	220.478	220.894
.94673E+08	97.0371	95.9192	218.527	218.936
.12623E+09	98.5255	97.4396	216.579	216.982
.15779E+09	99.5875	98.5277	214.895	215.293
.18935E+09	100.398	99.3694	212.641	213.032
.22090E+09	101.037	100.033	210.888	211.273
.25246E+09	101.665	100.685	209.232	209.613
.28402E+09	101.707	100.749	207.346	207.720
.31558E+09	101.817	100.876	205.885	206.254
.63115E+09	101.908	101.134	190.471	190.792
.94673E+09	100.442	99.7900	177.255	177.538
.12623E+10	97.9143	97.3579	165.707	165.955
.15779E+10	95.6105	95.1319	155.662	155.884
.18935E+10	93.6124	93.1948	147.316	147.517
.22090E+10	91.8639	91.4955	140.249	140.432
.25246E+10	90.0245	89.6961	134.018	134.184
.28402E+10	88.6254	88.3284	129.034	129.187
.31558E+10	87.4167	87.1473	124.597	124.739
.63115E+10	80.9803	80.8275	103.581	103.670

.94673E+10	78.0385	77.9217	95.7914	95.8618
.12623E+11	76.3652	76.2682	91.3177	91.3773
.15779E+11	75.1046	75.0208	88.1798	88.2318
.18935E+11	73.8344	73.7609	85.4029	85.4487
.22090E+11	72.7043	72.6388	83.1185	83.1595
.25246E+11	71.6779	71.6192	81.0927	81.1296
.28402E+11	70.7656	70.7123	79.3709	79.4048
.31558E+11	69.9613	69.9125	77.8929	77.9243

 * Temperature Profile from center to upper right (135 deg.) *

VARIABLE 2 IS AT NODE 5522 ITEM= TEMP COMP= NAME= x01i135

*** WARNING *** CP= 96749.600 TIME= 02:13:35

NSOL command erases all previously stored or calculated data
 unless STORE, MERGE is used.

VARIABLE 3 IS AT NODE 64 ITEM= TEMP COMP= NAME= f01i135

VARIABLE 4 IS AT NODE 171 ITEM= TEMP COMP= NAME= f01o135

VARIABLE 5 IS AT NODE 445 ITEM= TEMP COMP= NAME= w01i135

VARIABLE 6 IS AT NODE 586 ITEM= TEMP COMP= NAME= w01o135

VARIABLE 7 IS AT NODE 961 ITEM= TEMP COMP= NAME= s01i135

VARIABLE 8 IS AT NODE 1386 ITEM= TEMP COMP= NAME= h01i135

VARIABLE 9 IS AT NODE 1338 ITEM= TEMP COMP= NAME= c01i135

VARIABLE 10 IS AT NODE 1290 ITEM= TEMP COMP= NAME= h01o135

VARIABLE 11 IS AT NODE 975 ITEM= TEMP COMP= NAME= s01o135

VARIABLE 12 IS AT NODE 836 ITEM= TEMP COMP= NAME= a01o135

VARIABLE 13 IS AT NODE 712 ITEM= TEMP COMP= NAME= t01i135

VARIABLE 14 IS AT NODE 698 ITEM= TEMP COMP= NAME= t01o135

VARIABLE 15 IS AT NODE 3332 ITEM= TEMP COMP= NAME= g01i135

VARIABLE 16 IS AT NODE 3318 ITEM= TEMP COMP= NAME= g01o135

VARIABLE 17 IS AT NODE 3974 ITEM= TEMP COMP= NAME= m01i135

VARIABLE 18 IS AT NODE 3924 ITEM= TEMP COMP= NAME= m01o135

VARIABLE 19 IS AT NODE 4369 ITEM= TEMP COMP= NAME= i01i135

VARIABLE 20 IS AT NODE 4424 ITEM= TEMP COMP= NAME= i01o135

VARIABLE 21 IS AT NODE 4763 ITEM= TEMP COMP= NAME= o01o135

Add centers of assemblies 2 and 3

VARIABLE 22 IS AT NODE 1507 ITEM= TEMP COMP= NAME= c02i135

VARIABLE 23 IS AT NODE 1169 ITEM= TEMP COMP= NAME= c03i135

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES
 VARI TYPE IDENTIFIERS NAME MINIMUM AT TIME MAXIMUM AT TIME

2 NSOL	5522 TEMP	x01i135	77.53	.3156E+11	221.1	.2209E+08
3 NSOL	64 TEMP	f01i135	77.53	.3156E+11	221.1	.2209E+08
4 NSOL	171 TEMP	f01o135	77.53	.3156E+11	221.1	.2209E+08

5	NSOL	445	TEMP	w01i135	77.53	.3156E+11	221.1	.2209E+08
6	NSOL	586	TEMP	w01o135	77.53	.3156E+11	221.1	.2209E+08
7	NSOL	961	TEMP	s01i135	77.53	.3156E+11	221.1	.2209E+08
8	NSOL	1386	TEMP	h01i135	78.29	.3156E+11	232.4	.1893E+08
9	NSOL	1338	TEMP	c01i135	78.99	.3156E+11	241.7	.1893E+08
10	NSOL	1290	TEMP	h01o135	78.21	.3156E+11	229.0	.2209E+08
11	NSOL	975	TEMP	s01o135	77.37	.3156E+11	215.0	.2525E+08
12	NSOL	836	TEMP	a01o135	77.37	.3156E+11	215.0	.2525E+08
13	NSOL	712	TEMP	t01i135	77.37	.3156E+11	214.9	.2525E+08
14	NSOL	698	TEMP	t01o135	77.36	.3156E+11	214.7	.2525E+08
15	NSOL	3332	TEMP	g01i135	75.98	.3156E+11	191.6	.3156E+08
16	NSOL	3318	TEMP	g01o135	75.94	.3156E+11	190.6	.3156E+08
17	NSOL	3974	TEMP	m01i135	73.32	.3156E+11	148.5	.9467E+08
18	NSOL	3924	TEMP	m01o135	73.28	.3156E+11	147.5	.9467E+08
19	NSOL	4369	TEMP	i01i135	28.63	.1000E-05	101.8	.6312E+09
20	NSOL	4424	TEMP	i01o135	27.38	.1000E-05	101.0	.6312E+09
21	NSOL	4763	TEMP	o01o135	26.14	.1000E-05	100.3	.6312E+09
22	NSOL	1507	TEMP	c02i135	77.88	.3156E+11	221.9	.2209E+08
23	NSOL	1169	TEMP	c03i135	77.88	.3156E+11	222.0	.2209E+08

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 02:13:41 MAR 27, 1995 CP= 96753.070
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5522 TEMP x01i135	64 TEMP f01i135	171 TEMP f01o135	445 TEMP w01i135	586 TEMP w01o135	961 TEMP s01i135
.10000E-05	198.068	198.069	198.070	198.070	198.071	198.077
.20000E-05	210.557	210.558	210.559	210.559	210.560	210.566
31.558	210.557	210.558	210.559	210.559	210.560	210.566
.31558E+07	218.165	218.152	218.145	218.144	218.145	218.151
.63116E+07	219.627	219.614	219.606	219.605	219.606	219.612
.94673E+07	220.329	220.315	220.307	220.306	220.307	220.313
.12623E+08	220.769	220.755	220.747	220.746	220.747	220.753
.15779E+08	220.983	220.969	220.961	220.960	220.961	220.967
.18935E+08	221.101	221.088	221.080	221.079	221.080	221.085
.22090E+08	221.146	221.132	221.124	221.123	221.124	221.130
.25246E+08	221.141	221.127	221.119	221.118	221.119	221.125
.28402E+08	221.092	221.078	221.070	221.069	221.069	221.075
.31558E+08	221.014	221.000	220.992	220.991	220.992	220.997
.63115E+08	219.618	219.604	219.595	219.594	219.595	219.601
.94673E+08	217.621	217.607	217.599	217.598	217.598	217.604
.12623E+09	215.625	215.611	215.602	215.601	215.602	215.607
.15779E+09	213.900	213.886	213.877	213.876	213.877	213.882
.18935E+09	211.590	211.577	211.568	211.567	211.568	211.573
.22090E+09	209.797	209.783	209.774	209.774	209.774	209.779
.25246E+09	208.106	208.092	208.084	208.083	208.084	208.088
.28402E+09	206.177	206.164	206.156	206.155	206.155	206.160
.31558E+09	204.685	204.672	204.664	204.663	204.664	204.668
.63115E+09	189.036	189.024	189.016	189.016	189.016	189.020
.94673E+09	175.701	175.690	175.683	175.683	175.683	175.686
.12623E+10	164.078	164.069	164.062	164.062	164.062	164.065
.15779E+10	154.027	154.018	154.013	154.012	154.013	154.015
.18935E+10	145.733	145.726	145.720	145.720	145.720	145.722
.22090E+10	138.736	138.728	138.723	138.723	138.723	138.725
.25246E+10	132.571	132.564	132.559	132.559	132.559	132.561
.28402E+10	127.651	127.644	127.640	127.640	127.640	127.641
.31558E+10	123.279	123.273	123.269	123.269	123.269	123.270
.63115E+10	102.646	102.642	102.639	102.639	102.639	102.640
.94673E+10	95.0304	95.0273	95.0252	95.0250	95.0251	95.0257
.12623E+11	90.6645	90.6619	90.6601	90.6599	90.6600	90.6605
.15779E+11	87.6015	87.5992	87.5976	87.5975	87.5975	87.5980
.18935E+11	84.8855	84.8835	84.8821	84.8820	84.8820	84.8824

.22090E+11	82.6497	82.6479	82.6467	82.6466	82.6466	82.6470
.25246E+11	80.6649	80.6633	80.6622	80.6621	80.6621	80.6624
.28402E+11	78.9771	78.9756	78.9746	78.9745	78.9745	78.9748
.31558E+11	77.5285	77.5271	77.5262	77.5261	77.5261	77.5264

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 02:13:41 MAR 27, 1995 CP= 96753.080
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	1386 TEMP h01i135	1338 TEMP c01i135	1290 TEMP h01o135	975 TEMP s01o135	836 TEMP a01o135	712 TEMP t01i135
.10000E-05	210.642	221.118	207.436	192.228	192.184	192.138
.20000E-05	222.600	232.583	219.254	204.504	204.460	204.412
31.558	222.600	232.583	219.254	204.504	204.459	204.412
.31558E+07	229.808	239.440	226.353	211.930	211.886	211.838
.63116E+07	231.160	240.691	227.693	213.379	213.334	213.287
.94673E+07	231.785	241.253	228.324	214.094	214.049	214.002
.12623E+08	232.159	241.570	228.705	214.550	214.506	214.459
.15779E+08	232.315	241.678	228.872	214.785	214.741	214.694
.18935E+08	232.380	241.700	228.949	214.926	214.882	214.835
.22090E+08	232.375	241.656	228.956	214.994	214.950	214.904
.25246E+08	232.323	241.566	228.917	215.013	214.969	214.923
.28402E+08	232.229	241.436	228.836	214.988	214.944	214.898
.31558E+08	232.108	241.281	228.729	214.935	214.892	214.846
.63115E+08	230.372	239.278	227.115	213.761	213.720	213.676
.94673E+08	228.107	236.806	224.964	211.969	211.928	211.886
.12623E+09	225.887	234.415	222.844	210.152	210.113	210.071
.15779E+09	223.980	232.367	221.019	208.575	208.536	208.496
.18935E+09	221.460	229.686	218.598	206.443	206.405	206.366
.22090E+09	219.500	227.601	216.716	204.786	204.750	204.712
.25246E+09	217.650	225.628	214.939	203.224	203.189	203.152
.28402E+09	215.581	223.453	212.941	201.422	201.387	201.351
.31558E+09	213.975	221.760	211.391	200.029	199.995	199.960
.63115E+09	197.137	204.020	195.081	185.332	185.304	185.275
.94673E+09	182.822	188.929	181.160	172.692	172.669	172.645
.12623E+10	170.425	175.912	169.060	161.594	161.574	161.554
.15779E+10	159.700	164.638	158.567	151.956	151.939	151.922
.18935E+10	150.843	155.317	149.881	143.970	143.956	143.941
.22090E+10	143.355	147.423	142.527	137.213	137.200	137.186
.25246E+10	136.780	140.502	136.060	131.240	131.228	131.216
.28402E+10	131.526	134.962	130.887	126.466	126.456	126.445
.31558E+10	126.852	130.029	126.283	122.220	122.210	122.201
.63115E+10	104.838	106.813	104.546	102.090	102.085	102.080
.94673E+10	96.7532	98.3131	96.5380	94.6180	94.6141	94.6099
.12623E+11	92.1145	93.4307	91.9400	90.3284	90.3251	90.3216
.15779E+11	88.8685	90.0202	88.7201	87.3144	87.3116	87.3086
.18935E+11	86.0052	87.0246	85.8774	84.6374	84.6349	84.6323
.22090E+11	83.6560	84.5731	83.5435	82.4303	82.4281	82.4258
.25246E+11	81.5738	82.4030	81.4742	80.4701	80.4681	80.4660
.28402E+11	79.8070	80.5648	79.7175	78.8018	78.8000	78.7981
.31558E+11	78.2923	78.9902	78.2110	77.3686	77.3669	77.3652

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 02:13:41 MAR 27, 1995 CP= 96753.090
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	698 TEMP t01o135	3332 TEMP g01i135	3318 TEMP g01o135	3974 TEMP m01i135	3924 TEMP m01o135	4369 TEMP i01i135
.10000E-05	191.930	166.381	165.335	114.225	113.145	28.6284
.20000E-05	204.205	179.519	178.466	130.320	129.244	59.4261
31.558	204.205	179.519	178.466	130.320	129.244	59.4263
.31558E+07	211.632	187.529	186.477	140.238	139.170	76.6045
.63116E+07	213.082	189.164	188.115	142.393	141.329	80.3463
.94673E+07	213.798	190.030	188.986	143.656	142.597	82.6918
.12623E+08	214.255	190.618	189.578	144.576	143.521	84.4332
.15779E+08	214.492	190.974	189.939	145.230	144.180	85.8209
.18935E+08	214.634	191.227	190.196	145.753	144.708	86.9708
.22090E+08	214.703	191.403	190.376	146.180	145.140	87.9573
.25246E+08	214.723	191.523	190.501	146.537	145.501	88.8196
.28402E+08	214.699	191.596	190.577	146.833	145.801	89.5811
.31558E+08	214.647	191.637	190.623	147.090	146.063	90.2760
.63115E+08	213.484	191.226	190.248	148.352	147.363	94.6582
.94673E+08	211.700	190.051	189.104	148.481	147.524	96.9772
.12623E+09	209.890	188.755	187.834	148.260	147.331	98.4548
.15779E+09	208.319	187.603	186.705	147.980	147.073	99.5113
.18935E+09	206.195	185.966	185.094	147.338	146.458	100.310
.22090E+09	204.544	184.698	183.846	146.849	145.989	100.943
.25246E+09	202.987	183.507	182.675	146.403	145.563	101.565
.28402E+09	201.190	182.041	181.227	145.592	144.770	101.612
.31558E+09	199.802	180.920	180.120	145.001	144.194	101.726
.63115E+09	185.143	168.947	168.291	138.313	137.649	101.808
.94673E+09	172.534	158.456	157.907	131.899	131.342	100.335
.12623E+10	161.459	149.058	148.591	125.673	125.198	97.8158
.15779E+10	151.840	140.883	140.481	120.204	119.795	95.5103
.18935E+10	143.869	134.089	133.739	115.620	115.263	93.5102
.22090E+10	137.123	128.328	128.019	111.707	111.392	91.7590
.25246E+10	131.160	123.186	122.910	108.097	107.816	89.9227
.28402E+10	126.394	119.086	118.837	105.242	104.988	88.5231
.31558E+10	122.154	115.442	115.216	102.717	102.487	87.3132
.63115E+10	102.053	98.0249	97.8969	90.3416	90.2113	80.8987
.94673E+10	94.5893	91.4440	91.3463	85.4292	85.3299	77.9694
.12623E+11	90.3045	87.6640	87.5831	82.6085	82.5263	76.3037
.15779E+11	87.2938	84.9915	84.9216	80.5783	80.5073	75.0505
.18935E+11	84.6193	82.5884	82.5273	78.6911	78.6291	73.7867
.22090E+11	82.4142	80.5915	80.5370	77.0888	77.0335	72.6618
.25246E+11	80.4556	78.8122	78.7634	75.6509	75.6014	71.6393
.28402E+11	78.7887	77.2898	77.2455	74.4042	74.3593	70.7290
.31558E+11	77.3565	75.9780	75.9374	73.3212	73.2801	69.9264

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 02:13:41 MAR 27, 1995 CP= 96753.100
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4424 TEMP i01o135	4763 TEMP o01o135	1507 TEMP c02i135	1169 TEMP c03i135
.10000E-05	27.3838	26.1398	200.064	200.360
.20000E-05	58.1808	56.9334	211.929	212.213
31.558	58.1808	56.9334	211.929	212.213
.31558E+07	75.3630	74.1183	219.095	219.279
.63116E+07	79.1084	77.8670	220.451	220.629
.94673E+07	81.4593	80.2230	221.116	221.290
.12623E+08	83.2053	81.9736	221.526	221.698
.15779E+08	84.5986	83.3722	221.721	221.891
.18935E+08	85.7536	84.5324	221.827	221.995
.22090E+08	86.7451	85.5287	221.864	222.030
.25246E+08	87.6125	86.4012	221.853	222.018
.28402E+08	88.3791	87.1728	221.800	221.963

.31558E+08	89.0791	87.8777	221.720	221.882
.63115E+08	93.5041	92.3447	220.338	220.491
.94673E+08	95.8628	94.7404	218.386	218.532
.12623E+09	97.3739	96.2833	216.439	216.579
.15779E+09	98.4575	97.3931	214.755	214.891
.18935E+09	99.2876	98.2542	212.501	212.632
.22090E+09	99.9452	98.9360	210.749	210.876
.25246E+09	100.591	99.6046	209.095	209.217
.28402E+09	100.659	99.6949	207.211	207.331
.31558E+09	100.790	99.8431	205.751	205.870
.63115E+09	101.038	100.259	190.352	190.449
.94673E+09	99.6873	99.0321	177.148	177.229
.12623E+10	97.2616	96.7022	165.612	165.682
.15779E+10	95.0325	94.5513	155.576	155.636
.18935E+10	93.0924	92.6724	147.238	147.289
.22090E+10	91.3902	91.0197	140.177	140.221
.25246E+10	89.5939	89.2635	133.951	133.991
.28402E+10	88.2257	87.9269	128.971	129.006
.31558E+10	87.0433	86.7721	124.538	124.569
.63115E+10	80.7453	80.5914	103.542	103.558
.94673E+10	77.8521	77.7344	95.7607	95.7722
.12623E+11	76.2065	76.1088	91.2914	91.3006
.15779E+11	74.9664	74.8820	88.1569	88.1647
.18935E+11	73.7131	73.6391	85.3827	85.3897
.22090E+11	72.5960	72.5300	83.1005	83.1068
.25246E+11	71.5803	71.5212	81.0764	81.0821
.28402E+11	70.6756	70.6219	79.3559	79.3609
.31558E+11	69.8774	69.8282	77.8790	77.8834

***** ROUTINE COMPLETED ***** CP = 96753.110

 End of batch input file

PURGE ALL SOLUTION AND POST DATA
 SAVE ALL MODEL DATA

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12w3.db
 FOR POSSIBLE RESUME FROM THIS POINT

NUMBER OF WARNING MESSAGES ENCOUNTERED= 42
 NUMBER OF ERROR MESSAGES ENCOUNTERED= 0

```

*-----*
|                                     |
|               ANSYS RUN COMPLETED               |
|-----|
|               REV. 5.0 A               HP 9000/7XX               |
| CP TIME      (sec) =    96758.280    TIME = 02:13:47             |
| ELAPSED TIME (sec) =   103319.000    DATE  = 03/27/95             |
|-----|
*-----*
  
```

WELCOME TO THE ANSYS PROGRAM

***** ANSYS COMMAND LINE ARGUMENTS *****
 JOB NAME = ma12w2
 MEMORY REQUESTED (MB) = 64.0
 BATCH MODE REQUESTED
 start.ans FILE

***** ANSYS DYNAMIC MEMORY ALLOCATION *****
 WORK SPACE REQUESTED = 16777216 64.000 MB COMMAND LINE
 MINIMUM WORK SPACE REQUIRED = 4718592 18.000 MB
 MINIMUM WORK SPACE RECOMMENDED = 6702496 25.568 MB
 WORK SPACE OBTAINED = 16777214 64.000 MB
 BYTES PER WORD = 4

***** NOTICE ***** THIS IS THE ANSYS GENERAL PURPOSE
 FINITE ELEMENT COMPUTER PROGRAM. NEITHER SWANSON ANALYSIS
 SYSTEMS, INC. NOR THE DISTRIBUTOR SUPPLYING THIS PROGRAM
 ASSUME ANY RESPONSIBILITY FOR THE VALIDITY, ACCURACY, OR
 APPLICABILITY OF ANY RESULTS OBTAINED FROM THE ANSYS SYSTEM.
 USERS MUST VERIFY THEIR OWN RESULTS.

ANSYS(R) COPYRIGHT(C) 1971,1978,1982,1983,1985,1987,1989,1992,1993
 BY SWANSON ANALYSIS SYSTEMS, INC. AS AN UNPUBLISHED WORK.
 PROPRIETARY DATA - UNAUTHORIZED USE, DISTRIBUTION, OR DUPLICATION
 IS PROHIBITED. ALL RIGHTS RESERVED.

SWANSON ANALYSIS SYSTEMS, INC. IS ENDEAVORING TO MAKE THE
 ANSYS PROGRAM AS COMPLETE, ACCURATE, AND EASY TO USE AS
 POSSIBLE. SUGGESTIONS AND COMMENTS ARE WELCOMED. ANY
 ERRORS ENCOUNTERED IN EITHER THE DOCUMENTATION OR THE
 RESULTS SHOULD BE IMMEDIATELY BROUGHT TO OUR ATTENTION.

ENTER /SHOW,device TO SET THE GRAPHICS DISPLAY,TO device(e.g. X11,4207,ETC.)
 ENTER /MENU,ON TO START THE ANSYS MENU SYSTEM
 ENTER HELP FOR GENERAL ANSYS HELP INFORMATION
 1 /COM, *****
 2 /COM, ANSYS REVISION 5.0A 3/24/1995
 3 /COM, 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III
 4 /COM, *****
 5 /COM, *
 6 /COM, * File name: ma12w2.inp
 7 /COM, * 12 PWR MPC with Low T.L. Disposal Container
 8 /COM, * Helium Fill Gas
 9 /COM, *
 10 /COM, * Material Property file: props01.dat
 11 /COM, *
 12 /COM, * SNF Conductivity file: pwr15e.parm
 13 /COM, * 15x15 Mark-B4 PWR SNF Assembly
 14 /COM, *
 15 /COM, * SNF Heat Loads file: snf2040.dat
 16 /COM, * SNF Type: 20 years old, 40 GWd/MTU
 17 /COM, *
 18 /COM, * Surface Temp. file: c12w5a.parm

```

19 /COM, *      25 MTU/acre (6.18 kgU/m^2) AML (Low Thermal Loading) *
20 /COM, *      5.0 m Diameter Drift with Concrete Invert *
21 /COM, *      Drift spacing = 45.0 m *
22 /COM, *      WP c/c spacing = 18.475 m *
23 /COM, *
24 /COM, *****
25 /COM, Increase the number of database pages from 16 (256) to 32 Mb
26 /CONFIG,nvpag,512,
27 /COM, Work space must also be increased (-m 64)
28 /COM, *****
29 /TITLE, 12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF
30 /UNITS,SI,
31 /COM, *****
32 /COM, Read in average effective conductivities from SNF model
33 PARRES,CHANGE,pwr15e,parm,
34 /COM, Read in surface temps. from repository model
35 PARRES,CHANGE,c12w5a,parm,
36 /COM, *****
37 /COM, Define MPC/waste package parameters
38 /COM, (MPC dimensions converted from inches to meters)
39 /COM, MIRAD = inner radius of MPC shell (m)
40 /COM, MWALL = MPC shell thickness (m)
41 /COM, DCRAD = disposal container outer radius (m)
42 /COM, OWALL = outer barrier thickness (m)
43 /COM, IWALL = inner barrier thickness (m)
44 /COM, GCORN = corner guide width (m)
45 /COM, GLENW = side guide total width (m)
46 /COM, GLENH = side guide total height (m)
47 /COM, GWALL = guide thickness (m)
48 /COM, HCELL = 1/2 of basket cell opening (m)
49 /COM, SWALL = stainless tube thickness (m)
50 /COM, AWALL = Al/boron tube thickness (m)
51 /COM, FLENT = flux trap plate length (m)
52 /COM, FWALL = flux trap plate stainless thickness (m)
53 /COM, BWALL = flux trap plate Al/boron thickness (m)
54 /COM, TWALL = flux trap plate SS sheath thickness (m)
55 /COM, FSPAC = flux trap plate spacer width (m)
56 /COM, TSPAC = tube/tube spacer width (m)
57 /COM, ACTVL = active fuel length
58 /COM, PEAKF = assembly heat axial peaking factor
59 PI=3.141592654
60 MIRAD=47.870*2.54/100.0/2.0
61 MWALL=0.8750*2.54/100.0
62 DCRAD=1.4305/2.0
63 OWALL=0.0500
64 IWALL=0.0200
65 GCORN=10.086*2.54/100.0
66 GLENW=8.4340*2.54/100.0
67 GLENH=2.4960*2.54/100.0
68 GWALL=0.3750*2.54/100.0
69 HCELL=9.0000*2.54/100.0/2.0
70 SWALL=0.0940*2.54/100.0
71 AWALL=0.1070*2.54/100.0
72 FLENT=23.164*2.54/100.0
73 FWALL=0.5000*2.54/100.0
74 BWALL=0.2500*2.54/100.0
75 TWALL=0.0940*2.54/100.0
76 FSPAC=1.0000*2.54/100.0
77 TSPAC=0.9860*2.54/100.0
78 ACTVL=141.80*2.54/100.0
79 PEAKF=1.25
80 /COM, Define calculated parameters
81 /COM, ASSY = assembly heat production (W) f(yrs)
82 /COM, FUEL = volumetric heat production (W/m3) f(yrs)
83 /COM, FVOLU = assy_volume=cell_width^2*active_length
84 /COM, Q2 = side guide x coord. (see sketch)
85 /COM, GX## = x coord. of guide/shell contact (kp##)
86 /COM, GY## = y coord. of guide/shell contact (kp##)
87 /COM, ACX# = x coord. of center of assembly #
88 /COM, ACY# = y coord. of center of assembly #

```

```

89 /COM,          TM_START = start time (sec)
90 /COM,          TMI* = time increment for solution (sec)
91 /COM,          TME* = start and stop for time do-loops (sec)
92 /COM,          Note: 1 year = 3.15576e7 seconds
93 /COM,          QCELL = 1/4 of basket cell opening (m)
94 /COM,          SCELL = 1/2 of basket cell opening+SS wall(m)
95 /COM,          ACELL = 1/2 of basket cell opening+SS+AL (m)
96 /COM,          MI45 = x coord. MIRAD at 45 deg.
97 /COM,          MO45 = x coord. MIRAD+MWALL at 45 deg.
98 /COM,          DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
99 /COM,          DM45 = x coord. DCRAD-OWALL at 45 deg.
100 /COM,          DO45 = x coord. DCRAD at 45 deg.
101 /COM,          TMTMAX = time of maximum cladding temperature
102 *SET,ASSY,
103 *DIM,ASSY, TABLE,101,1,
104 *DIM,FUEL, TABLE,101,1
105 FVOLUME=4*HCELL*HCELL*ACTVL
106 Q2=1.969344*2.54/100.0
107 GX22=Q2-GWALL
108 GY22=SQRT(MIRAD*MIRAD-GX22*GX22)
109 GX23=Q2
110 GY23=SQRT(MIRAD*MIRAD-GX23*GX23)
111 GX24=Q2+GLENW-GWALL
112 GY24=SQRT(MIRAD*MIRAD-GX24*GX24)
113 GTMP=GCORN-GWALL
114 GX25=(SQRT(MIRAD*MIRAD-GTMP*GTMP/2.0)-GTMP/SQRT(2.0))/(SQRT(2.0))
115 GY25=SQRT(MIRAD*MIRAD-GX25*GX25)
116 ACX1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
117 ACY1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
118 ACX2=ACX1+2.0*(HCELL+SWALL+AWALL+SWALL)+TSPAC
119 ACY2=ACY1
120 ACX3=ACX1
121 ACY3=ACX2
122 TM_START=(1.0E-6)*(3.15576E7)
123 TMI0=0.1*3.15576E7
124 TMI1=1.0*3.15576E7
125 TMI10=10.0*3.15576E7
126 TMI100=100.0*3.15576E7
127 TMI1000=1000.0*3.15576E7
128 TME0=0.9*3.15576E7+TM_START
129 TME1=TMI1+TM_START
130 TME9=9.0*3.15576E7+TM_START
131 TME10=TMI10+TM_START
132 TME50=50.0*3.15576E7+TM_START
133 TME90=90.0*3.15576E7+TM_START
134 TME100=TMI100+TM_START
135 TME1000=TMI1000+TM_START
136 BCELL=FWALL+BWALL
137 QCELL=HCELL/2.0
138 SCELL=HCELL+SWALL
139 ACELL=HCELL+SWALL+AWALL
140 TCELL=HCELL+SWALL+AWALL+SWALL
141 MI45=MIRAD/SQRT(2.0)
142 MO45=(MIRAD+MWALL)/SQRT(2.0)
143 DI45=(DCRAD-OWALL-IWALL)/SQRT(2.0)
144 DM45=(DCRAD-OWALL)/SQRT(2.0)
145 DO45=DCRAD/SQRT(2.0)
146 /COM,          *****
147 /COM,          Define different element types
148 /PREP7
149 ETYPE
150 ET, 1,55,
151 ET, 2,70,
152 ET, 7,32,
153 ET, 16,57,
154 ET, 17,32,
155 ET, 18,50,1,
156 ET, 19,31,
157 ET, 27,32,
158 /COM,          *****

```



```

159 /COM,          File props01.dat describes material properties
160 /COM,          and thier reference numbers
161 MPREAD,props01,dat,
162 /COM,          Read in single assembly heat loads
163 /COM,          Calculate the volumetric heat generation
164 /COM,          (Assembly time is in years, FUEL is in seconds)
165 /INPUT,snf2040,dat
166 *VFACT,3.15576E7,
167 *MFUN,FUEL(1,0),COPY,ASSY(1,0),
168 *VFACT,(PEAKF/FVOLUME),
169 *VFUN,FUEL(1),COPY,ASSY(1),
170 FUEL(0,1)=1.0
171 /COM,          *****
172 /COM,          Define new material 14 for SNF effective conductivity
173 /COM,          Density:      DENS      (kg/m^3)
174 /COM,          Conductivity: KXX      (W/m/K)
175 /COM,          Specific Heat: C      (J/kg/K)
176 MPTEMP
177 MPTEMP, 1, .00000E+00,
178 MPDATA,DENS,14, 1, .396004E+04,
179 MPDATA, C,14, 1, .27400E+03,
180 /COM,          Store average effective conductivities
181 IINC=1
182 TBSKT=25.0
183 MPTEMP
184 MPTEMP,IINC,TBSKT,
185 IINC=IINC+1
186 *DO,TBSKT,50.0,400.0,50.0,
187     MPTEMP,IINC,TBSKT,
188     IINC=IINC+1
189 *ENDDO
190 IINC=1
191 TBSKT=25.0
192 MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
193 IINC=IINC+1
194 *DO,TBSKT,50.0,400.0,50.0,
195     MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
196     IINC=IINC+1
197 *ENDDO
198 /COM,          *****
199 /COM,          Define new material 15 for low thermal loading
200 /COM,          outer barrier of 70/30 Copper Nickel (C71500)
201 /COM,          Density:      DENS      (kg/m^3)
202 /COM,          Conductivity: KXX      (W/m/K)
203 /COM,          Specific Heat: C      (J/kg/K)
204 MPTEMP
205 MPTEMP, 1, .00000E+00,
206 /COM,          Density (lb/in^3 converted to kg/m^3)
207 MPDATA,DENS,15, 1,(0.323*2.768E+04),
208 /COM,          Specific Heat (Btu/lb/F converted to J/kg/K)
209 MPDATA, C,15, 1,(0.09/2.3886E-04),
210 /COM,          Conductivity (Btu/hr/ft/F converted to W/m/K)
211 MPTEMP
212 MPTEMP, 1, (5.0/9.0*(68.0-32.0)), (5.0/9.0*(212.0-32.0)),
213 MPTEMP, 3, (5.0/9.0*(392.0-32.0)), (5.0/9.0*(572.0-32.0)),
214 MPTEMP, 5, (5.0/9.0*(752.0-32.0)), (5.0/9.0*(932.0-32.0)),
215 MPTEMP, 7, (5.0/9.0*(1112.0-32.0)), (5.0/9.0*(1292.0-32.0)),
216 MPDATA, KXX,15, 1, (17.0*1.7307), (16.9*1.7307),
217 MPDATA, KXX,15, 3, (19.7*1.7307), (22.3*1.7307),
218 MPDATA, KXX,15, 5, (24.9*1.7307), (27.8*1.7307),
219 MPDATA, KXX,15, 7, (30.7*1.7307), (33.6*1.7307),
220 /COM,          *****
221 /COM,          Construct geometry for Disposal Container
222 /COM,
223 /COM,          Define center and axis keypoints for waste package
224 /COM,          Also, create placeholder keypoints and lines
225 /COM,          (K's 1,2,3,4,5,6,7,8)
226 /COM,          (L's 1,2,3,4)
227 K,1,0.0,0.0,0.0,
228 K,2,0.0,0.0,1.0,

```

```

229 K,3,0.0,0.0,1.3,
230 K,4,0.0,0.0,1.4,
231 K,5,0.0,0.0,1.5,
232 K,6,0.0,0.0,1.6,
233 K,7,0.0,0.0,1.7,
234 K,8,0.0,0.0,1.8,
235 L,3,4,
236 L,4,5,
237 L,5,6,
238 L,6,7,
239 /COM,          Define disposal container and MPC outer radius
240 /COM,          (K's 9,10,11,12,13,14,15,16,17,18,19,20)
241 /COM,          (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
242 /COM,          (A's 1,2,3,4,5,6)
243 K, 9,          0.0,          (0.0-DCRAD),0.0,
244 K,10,          DCRAD,          0.0,0.0,
245 K,11,          0.0,          DCRAD,0.0,
246 K,12,          0.0,          (OWALL-DCRAD),0.0,
247 K,13,          (DCRAD-OWALL),          0.0,0.0,
248 K,14,          0.0,          (DCRAD-OWALL),0.0,
249 K,15,          0.0,(OWALL+IWALL-DCRAD),0.0,
250 K,16,(DCRAD-OWALL-IWALL),          0.0,0.0,
251 K,17,          0.0,(DCRAD-OWALL-IWALL),0.0,
252 K,18,          0.0, (0.0-MIRAD-MWALL),0.0,
253 K,19,          (MIRAD+MWALL),          0.0,0.0,
254 K,20,          0.0,          (MIRAD+MWALL),0.0,
255 L,10,13,
256 L,13,16,
257 LARC,10, 9,1,          DCRAD,
258 LARC,11,10,1,          DCRAD,
259 LARC,13,12,1,          (DCRAD-OWALL),
260 LARC,14,13,1,          (DCRAD-OWALL),
261 L,11,14,
262 L, 9,12,
263 LARC,15,16,1,(DCRAD-OWALL-IWALL),
264 LARC,16,17,1,(DCRAD-OWALL-IWALL),
265 L,14,17,
266 L,12,15,
267 LARC,19,18,1,          (MIRAD+MWALL),
268 LARC,20,19,1,          (MIRAD+MWALL),
269 L,17,20,
270 L,15,18,
271 L,16,19,
272 AL, 5, 7,12, 9,
273 AL,11, 8, 5,10,
274 AL, 6, 9,16,13,
275 AL,15,10, 6,14,
276 AL,21,13,20,17,
277 AL,19,14,21,18,
278 /COM,          *****
279 /COM,          Define MPC shell inner edge and area
280 /COM,          (K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
281 /COM,          ( 38,39)
282 /COM,          (L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
283 /COM,          ( 39,40,41,42)
284 /COM,          (A's 7,8)
285 K,21, 0.0,          MIRAD,0.0,
286 K,22, GX22,          GY22,0.0,
287 K,23, GX23,          GY23,0.0,
288 K,24, GX24,          GY24,0.0,
289 K,25, GX25,          GY25,0.0,
290 K,26, GY25,          GX25,0.0,
291 K,27, GY24,          GX24,0.0,
292 K,28, GY23,          GX23,0.0,
293 K,29, GY22,          GX22,0.0,
294 K,30,MIRAD,          0.0,0.0,
295 K,31, GY22, (0.0-GX22),0.0,
296 K,32, GY23, (0.0-GX23),0.0,
297 K,33, GY24, (0.0-GX24),0.0,
298 K,34, GY25, (0.0-GX25),0.0,

```

```

299 K,35, GX25, (0.0-GY25),0.0,
300 K,36, GX24, (0.0-GY24),0.0,
301 K,37, GX23, (0.0-GY23),0.0,
302 K,38, GX22, (0.0-GY22),0.0,
303 K,39, 0.0,(0.0-MIRAD),0.0,
304 L,20,21,
305 LARC,22,21,1,MIRAD,
306 LARC,23,22,1,MIRAD,
307 LARC,24,23,1,MIRAD,
308 LARC,25,24,1,MIRAD,
309 LARC,26,25,1,MIRAD,
310 LARC,27,26,1,MIRAD,
311 LARC,28,27,1,MIRAD,
312 LARC,29,28,1,MIRAD,
313 LARC,30,29,1,MIRAD,
314 LARC,31,30,1,MIRAD,
315 LARC,32,31,1,MIRAD,
316 LARC,33,32,1,MIRAD,
317 LARC,34,33,1,MIRAD,
318 LARC,35,34,1,MIRAD,
319 LARC,36,35,1,MIRAD,
320 LARC,37,36,1,MIRAD,
321 LARC,38,37,1,MIRAD,
322 LARC,39,38,1,MIRAD,
323 L,18,39,
324 L,19,30,
325 LSEL,S,LINE,,32,42,1,
326 LSEL,A,LINE,,17,
327 AL,ALL,
328 LSEL,S,LINE,,22,31,1,
329 LSEL,A,LINE,,18,
330 LSEL,A,LINE,,42,
331 AL,ALL,
332 LSEL,ALL,
333 /COM, *****
334 /COM, Define tube guides
335 /COM, (K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)
336 /COM, ( 57,58,59)
337 /COM, (L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)
338 /COM, ( 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
339 /COM, ( 77,78,79,80)
340 /COM, (A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)
341 /COM, ( 26)
342 /COM,
343 /COM, top
344 K,40, GX23, GY24,0.0,
345 K,41, GX22,(GY24-GWALL),0.0,
346 K,42, GX24,(GY24-GWALL),0.0,
347 K,43,(GX25-GWALL), GY25,0.0,
348 K,44, GX25, GX25,0.0,
349 K,45,(GX25-GWALL),(GX25-GWALL),0.0,
350 K,46, GY25,(GX25-GWALL),0.0,
351 /COM, side
352 K,47,(GY24-GWALL), GX24,0.0,
353 K,48, GY24, GX23,0.0,
354 K,49,(GY24-GWALL), GX22,0.0,
355 K,50,(GY24-GWALL), (0.0-GX22),0.0,
356 K,51, GY24, (0.0-GX23),0.0,
357 K,52,(GY24-GWALL), (0.0-GX24),0.0,
358 /COM, bottom
359 K,53, GY25,(GWALL-GX25),0.0,
360 K,54,(GX25-GWALL),(GWALL-GX25),0.0,
361 K,55, GX25, (0.0-GX25),0.0,
362 K,56,(GX25-GWALL), (0.0-GY25),0.0,
363 K,57, GX24,(GWALL-GY24),0.0,
364 K,58, GX22,(GWALL-GY24),0.0,
365 K,59, GX23, (0.0-GY24),0.0,
366 /COM, top
367 L,41,22,
368 L,40,41,

```

```

369 L,40,24,
370 L,42,41,
371 L,24,42,
372 L,43,25,
373 L,45,43,
374 L,25,44,
375 L,44,45,
376 L,44,26,
377 L,46,45,
378 L,26,46,
379 /COM, side
380 L,47,27,
381 L,49,47,
382 L,27,48,
383 L,48,49,
384 L,48,28,
385 L,29,49,
386 L,50,31,
387 L,32,51,
388 L,50,51,
389 L,52,50,
390 L,51,33,
391 L,33,52,
392 /COM, bottom
393 L,53,34,
394 L,54,53,
395 L,34,55,
396 L,54,55,
397 L,56,54,
398 L,55,35,
399 L,35,56,
400 L,57,36,
401 L,58,57,
402 L,36,59,
403 L,58,59,
404 L,38,58,
405 L,59,37,
406 L,23,40,
407 /COM, air
408 AL,80,45,25,
409 AL,50,52,27,
410 AL,57,59,29,
411 AL,62,65,34,
412 AL,69,72,36,
413 AL,76,79,38,
414 /COM, guides
415 AL,24,43,44,80,
416 AL,45,44,46,47,
417 AL,48,49,51,50,
418 AL,52,51,53,54,
419 AL,55,56,58,57,
420 AL,59,58,60,30,
421 AL,61,63,62,33,
422 AL,63,64,66,65,
423 AL,68,70,69,67,
424 AL,70,71,73,72,
425 AL,75,77,76,74,
426 AL,77,78,39,79,
427 /COM, *****
428 /COM, Define top half tubes and flux trap plate
429 /COM, (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
430 /COM, ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
431 /COM, ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
432 /COM, ( 108,109,110,111,112,113,114,115,116,117,118,119)
433 /COM, ( 120,121,122,123,124,125,126,127,128,129,130,131)
434 /COM, ( 132,133,134,135,136,137,138,139,140,141,142,143)
435 /COM, ( 144,145,146,147,148,149,150,151,152,153,154,155)
436 /COM, ( 156,157,158,159,160,161,162,163,164,165,166,167)
437 /COM, (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
438 /COM, ( 98,99,100,101,102,103,104,105,106,107,108,109,110)

```

```

439 /COM, ( 111,112,113,114,115,116,117,118,119,120,121,122)
440 /COM, ( 123,124,125,126,127,128,129,130,131,132,133,134)
441 /COM, ( 135,136,137,138,139,140,141,142,143,144,145,146)
442 /COM, ( 147,...)
443 /COM, (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
444 /COM, ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
445 /COM, ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
446 /COM, ( 78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
447 /COM, ( 95,96,97,98,99,100,101,102,103)
448 K, 60, 0.0, (FSPAC/2.0),0.0,
449 K, 61, 0.0, (1.5*FSPAC),0.0,
450 K, 62, 0.0, (ACY1-FSPAC/2.0),0.0,
451 K, 63, 0.0, (ACY1+FSPAC/2.0),0.0,
452 K, 64, 0.0, (ACY1+HCELL+SWALL),0.0,
453 K, 65, 0.0,(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
454 K, 66, 0.0,(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
455 K, 67, 0.0, (ACY3-HCELL-SWALL),0.0,
456 K, 68, 0.0, (ACY3-FSPAC/2.0),0.0,
457 K, 69, 0.0, (ACY3+FSPAC/2.0),0.0,
458 K, 70, 0.0, (ACY3+HCELL+SWALL),0.0,
459 K, 71, 0.0, (ACY3+HCELL+SWALL+FSPAC),0.0,
460 K, 72, 0.0, (FSPAC/2.0+FLENT),0.0,
461 K, 73, (FSPAC/2.0), (FSPAC/2.0),0.0,
462 K, 74, (FSPAC/2.0), (1.5*FSPAC),0.0,
463 K, 75, (FSPAC/2.0), (ACY1-FSPAC/2.0),0.0,
464 K, 76, (FSPAC/2.0), (ACY1+FSPAC/2.0),0.0,
465 K, 77, (FSPAC/2.0), (ACY1+HCELL+SWALL),0.0,
466 K, 78, (FSPAC/2.0),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
467 K, 79, (FSPAC/2.0),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
468 K, 80, (FSPAC/2.0), (ACY3-HCELL-SWALL),0.0,
469 K, 81, (FSPAC/2.0), (ACY3-FSPAC/2.0),0.0,
470 K, 82, (FSPAC/2.0), (ACY3+FSPAC/2.0),0.0,
471 K, 83, (FSPAC/2.0), (ACY3+HCELL+SWALL),0.0,
472 K, 84, (FSPAC/2.0), (ACY3+HCELL+SWALL+FSPAC),0.0,
473 K, 85, (FSPAC/2.0), (FSPAC/2.0+FLENT),0.0,
474 K, 86, (FSPAC/2.0+FWALL), (FSPAC/2.0+FWALL),0.0,
475 K, 87, (FSPAC/2.0+FWALL), (ACY1+HCELL+SWALL),0.0,
476 K, 88, (FSPAC/2.0+FWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
477 K, 89, (FSPAC/2.0+FWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
478 K, 90, (FSPAC/2.0+FWALL), (ACY3-HCELL-SWALL),0.0,
479 K, 91, (FSPAC/2.0+FWALL), (ACY3+HCELL+SWALL),0.0,
480 K, 92, (FSPAC/2.0+FWALL), (FSPAC/2.0+FLENT),0.0,
481 K, 93, (1.5*FSPAC), (FSPAC/2.0),0.0,
482 K, 94, (FSPAC/2.0+FWALL+BWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
483 K, 95, (FSPAC/2.0+FWALL+BWALL), (ACY1+HCELL+SWALL),0.0,
484 K, 96, (FSPAC/2.0+FWALL+BWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
485 K, 97, (FSPAC/2.0+FWALL+BWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
486 K, 98, (FSPAC/2.0+FWALL+BWALL), (ACY3-HCELL-SWALL),0.0,
487 K, 99, (FSPAC/2.0+FWALL+BWALL), (ACY3+HCELL+SWALL),0.0,
488 K, 100, (FSPAC/2.0+FWALL+BWALL), (FSPAC/2.0+FLENT),0.0,
489 K, 101, (ACX1-HCELL-SWALL), (ACY1-HCELL-SWALL),0.0,
490 K, 102, (ACX1-HCELL-SWALL), (ACY1+HCELL+SWALL),0.0,
491 K, 103, (ACX1-HCELL-SWALL), (ACY1+HCELL+SWALL+AWALL),0.0,
492 K, 104, (ACX1-HCELL-SWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
493 K, 105, (ACX3-HCELL-SWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
494 K, 106, (ACX3-HCELL-SWALL), (ACY3-HCELL-SWALL-AWALL),0.0,
495 K, 107, (ACX3-HCELL-SWALL), (ACY3-HCELL-SWALL),0.0,
496 K, 108, (ACX3-HCELL-SWALL), (ACY3+HCELL+SWALL),0.0,
497 K, 109, (ACX3-HCELL-SWALL), (FSPAC/2.0+FLENT),0.0,
498 K, 110, (ACX1-HCELL), (ACY1-HCELL),0.0,
499 K, 111, (ACX1-HCELL), (ACY1+HCELL),0.0,
500 K, 112, (ACX3-HCELL), (ACY3-HCELL),0.0,
501 K, 113, (ACX3-HCELL), (ACY3+HCELL),0.0,
502 K, 114, (ACX1-FSPAC/2.0), (FSPAC/2.0),0.0,
503 K, 115, (ACX1+FSPAC/2.0), (FSPAC/2.0),0.0,
504 K, 116, (ACX1+HCELL), (ACY1-HCELL),0.0,
505 K, 117, (ACX1+HCELL), (ACY1+HCELL),0.0,
506 K, 118, (ACX3+HCELL), (ACY3-HCELL),0.0,
507 K, 119, (ACX3+HCELL), (ACY3+HCELL),0.0,
508 K, 120, (ACX1+HCELL+SWALL), (FSPAC/2.0),0.0,

```

```

509 K,121, (ACX1+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
510 K,122, (ACX1+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
511 K,123, (ACX1+HCELL+SWALL), (ACY1-HCELL-SWALL),0.0,
512 K,124, (ACX1+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
513 K,125, (ACX3+HCELL+SWALL), (ACY3-HCELL-SWALL),0.0,
514 K,126, (ACX3+HCELL+SWALL), (ACY3+HCELL+SWALL),0.0,
515 K,127, (ACX1+HCELL+SWALL+AWALL), (ACY1-HCELL-SWALL),0.0,
516 K,128, (ACX1+HCELL+SWALL+AWALL), (ACY1+HCELL+SWALL+AWALL),0.0,
517 K,129, (ACX3+HCELL+SWALL+AWALL), (ACY3-HCELL-SWALL-AWALL),0.0,
518 K,130, (ACX3+HCELL+SWALL+AWALL), (ACY3+HCELL+SWALL),0.0,
519 K,131, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0),0.0,
520 K,132, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0+FWALL),0.0,
521 K,133, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
522 K,134, (ACX1+HCELL+2.0*SWALL+AWALL), (ACY1-HCELL-SWALL),0.0,
523 K,135, (ACX1+HCELL+2.0*SWALL+AWALL), (ACY1+HCELL+2.0*SWALL+AWALL),0.0,
524 K,136, (ACX3+HCELL+2.0*SWALL+AWALL), (ACY3-HCELL-2.0*SWALL-AWALL),0.0,
525 K,137, (ACX3+HCELL+2.0*SWALL+AWALL), (ACY3+HCELL+SWALL),0.0,
526 K,138, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0),0.0,
527 K,139, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0+FWALL),0.0,
528 K,140, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
529 K,141, (ACX2-HCELL-2.0*SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
530 K,142, (ACX2-HCELL-2.0*SWALL-AWALL), (ACY2+HCELL+2.0*SWALL+AWALL),0.0,
531 K,143, (ACX2-HCELL-SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
532 K,144, (ACX2-HCELL-SWALL-AWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
533 K,145, (ACX2-HCELL-SWALL), (FSPAC/2.0),0.0,
534 K,146, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL),0.0,
535 K,147, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
536 K,148, (ACX2-HCELL-SWALL), (ACY2-HCELL-SWALL),0.0,
537 K,149, (ACX2-HCELL-SWALL), (ACY1+HCELL+SWALL),0.0,
538 K,150, (ACX2-HCELL), (ACY2-HCELL),0.0,
539 K,151, (ACX2-HCELL), (ACY2+HCELL),0.0,
540 K,152, (ACX2-FSPAC/2.0), (FSPAC/2.0),0.0,
541 K,153, (ACX2+FSPAC/2.0), (FSPAC/2.0),0.0,
542 K,154, (ACX2+HCELL), (ACY2-HCELL),0.0,
543 K,155, (ACX2+HCELL), (ACY2+HCELL),0.0,
544 K,156, (ACX2+HCELL+SWALL), (FSPAC/2.0),0.0,
545 K,157, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
546 K,158, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
547 K,159, (ACX2+HCELL+SWALL), (ACY2-HCELL-SWALL),0.0,
548 K,160, (ACX2+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
549 K,161, (ACX2+HCELL+SWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
550 K,162, (ACX2+HCELL+SWALL), (ACY2+HCELL+2.0*SWALL+AWALL),0.0,
551 K,163, (ACX2+HCELL+SWALL+FSPAC), (FSPAC/2.0),0.0,
552 K,164, (FSPAC/2.0+FLENT), (FSPAC/2.0),0.0,
553 K,165, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL),0.0,
554 K,166, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL+BWALL),0.0,
555 K,167, (FSPAC/2.0+FLENT), (ACY2-HCELL-SWALL),0.0,
556 /COM, create lines on perimeter and for lesize
557 L, 73, 60,
558 L, 73, 74,
559 L, 61, 74,
560 L, 74, 75,
561 L, 75, 62,
562 L, 75, 76,
563 L, 63, 76,
564 L, 76, 77,
565 L, 77, 78,
566 L, 78, 65,
567 L, 78, 79,
568 L, 66, 79,
569 L, 79, 80,
570 L, 80, 81,
571 L, 81, 68,
572 L, 81, 82,
573 L, 69, 82,
574 L, 82, 83,
575 L, 83, 70,
576 L, 83, 84,
577 L, 71, 84,
578 L, 84, 85,

```

579 L, 85, 92,
 580 L, 92, 100,
 581 L, 100, 109,
 582 L, 109, 108,
 583 L, 108, 126,
 584 L, 126, 130,
 585 L, 130, 137,
 586 L, 137, 136,
 587 L, 136, 105,
 588 L, 112, 107,
 589 L, 107, 106,
 590 L, 106, 105,
 591 L, 105, 104,
 592 L, 104, 103,
 593 L, 103, 102,
 594 L, 102, 111,
 595 L, 104, 135,
 596 L, 135, 134,
 597 L, 123, 127,
 598 L, 127, 134,
 599 L, 134, 141,
 600 L, 141, 143,
 601 L, 143, 148,
 602 L, 148, 150,
 603 L, 141, 142,
 604 L, 142, 162,
 605 L, 162, 161,
 606 L, 161, 160,
 607 L, 160, 159,
 608 L, 159, 167,
 609 L, 167, 166,
 610 L, 166, 165,
 611 L, 165, 164,
 612 L, 164, 163,
 613 L, 163, 156,
 614 L, 156, 153,
 615 L, 153, 152,
 616 L, 152, 145,
 617 L, 145, 138,
 618 L, 138, 131,
 619 L, 131, 120,
 620 L, 120, 115,
 621 L, 115, 114,
 622 L, 114, 93,
 623 L, 93, 73,
 624 /COM, tube spacers
 625 A, 71, 84, 83, 70,
 626 A, 69, 82, 81, 68,
 627 A, 66, 79, 78, 65,
 628 A, 63, 76, 75, 62,
 629 A, 61, 74, 73, 60,
 630 /COM, flux trap plate (stainless)
 631 A, 85, 92, 91, 83, 84,
 632 A, 83, 91, 90, 80, 81, 82,
 633 A, 80, 90, 89, 79,
 634 A, 79, 89, 88, 78,
 635 A, 78, 88, 87, 77,
 636 A, 77, 87, 86, 73, 74, 75, 76,
 637 A, 86, 121, 120, 115, 114, 93, 73,
 638 A, 121, 132, 131, 120,
 639 A, 132, 139, 138, 131,
 640 A, 139, 146, 145, 138,
 641 A, 146, 157, 156, 153, 152, 145,
 642 A, 157, 165, 164, 163, 156,
 643 /COM, flux trap plate (Al/boron)
 644 A, 92, 100, 99, 91,
 645 A, 91, 99, 98, 90,
 646 A, 90, 98, 97, 89,
 647 A, 89, 97, 96, 88,
 648 A, 88, 96, 95, 87,

```

649 A, 87, 95, 94, 86,
650 A, 94, 122, 121, 86,
651 A, 122, 133, 132, 121,
652 A, 133, 140, 139, 132,
653 A, 140, 147, 146, 139,
654 A, 147, 158, 157, 146,
655 A, 158, 166, 165, 157,
656 /COM, flux trap plate (sheath)
657 A, 100, 109, 108, 99,
658 A, 99, 108, 107, 98,
659 A, 98, 107, 106, 105, 97,
660 A, 97, 105, 104, 96,
661 A, 96, 104, 103, 102, 95,
662 A, 95, 102, 101, 94,
663 A, 101, 123, 122, 94,
664 A, 123, 127, 134, 133, 122,
665 A, 134, 141, 140, 133,
666 A, 141, 143, 148, 147, 140,
667 A, 148, 159, 158, 147,
668 A, 159, 167, 166, 158,
669 /COM, tube (sheath)
670 A, 130, 137, 136, 129,
671 A, 106, 129, 136, 105,
672 A, 104, 135, 128, 103,
673 A, 128, 135, 134, 127,
674 A, 142, 144, 143, 141,
675 A, 142, 162, 161, 144,
676 /COM, tube (Al/boron)
677 A, 126, 130, 129, 125,
678 A, 107, 125, 129, 106,
679 A, 103, 128, 124, 102,
680 A, 124, 128, 127, 123,
681 A, 144, 149, 148, 143,
682 A, 144, 161, 160, 149,
683 /COM, tube (stainless)
684 A, 108, 113, 112, 107,
685 A, 108, 126, 119, 113,
686 A, 119, 126, 125, 118,
687 A, 112, 118, 125, 107,
688 A, 102, 111, 110, 101,
689 A, 102, 124, 117, 111,
690 A, 117, 124, 123, 116,
691 A, 110, 116, 123, 101,
692 A, 149, 151, 150, 148,
693 A, 149, 160, 155, 151,
694 A, 155, 160, 159, 154,
695 A, 150, 154, 159, 148,
696 /COM, homogeneous assembly
697 A, 113, 119, 118, 112,
698 A, 111, 117, 116, 110,
699 A, 151, 155, 154, 150,
700 /COM, helium spaces
701 A, 72, 85, 84, 71,
702 A, 70, 83, 82, 69,
703 A, 68, 81, 80, 67,
704 A, 67, 80, 79, 66,
705 A, 65, 78, 77, 64,
706 A, 64, 77, 76, 63,
707 A, 62, 75, 74, 61,
708 A, 105, 136, 135, 104,
709 A, 135, 142, 141, 134,
710 NUMMRG,KP,
711 /COM, *****
712 /COM, Set element shapes and sizes for tubes and flux trap
713 /COM, 14x14 mesh in fuel with 1
714 /COM, division per tube layer
715 ESHAPE,2,
716 ESIZE,,1,
717 LSEL,S,LINE,, 81, 87,2,
718 LSEL,A,LINE,, 90, 92,2,

```



```

719 LSEL,A,LINE,, 95,101,2,
720 LESIZE,ALL,,, 2,
721 LSEL,S,LINE,,107,
722 LSEL,A,LINE,,110,111,1,
723 LSEL,A,LINE,,119,120,1,
724 LSEL,A,LINE,,127,128,1,
725 LSEL,A,LINE,,131,
726 LESIZE,ALL,,, 14,
727 LSEL,ALL,
728 LESIZE, 82,,, 2,
729 LESIZE, 84,,, 3,
730 LESIZE, 86,,, 4,
731 LESIZE, 88,,, 5,
732 LESIZE, 89,,, 2,
733 LESIZE, 91,,, 4,
734 LESIZE, 93,,, 2,
735 LESIZE, 94,,, 5,
736 LESIZE, 96,,, 4,
737 LESIZE, 98,,, 5,
738 LESIZE,100,,, 4,
739 LESIZE,102,,, 2,
740 LESIZE,103,,, 3,
741 LESIZE,104,,, 2,
742 LESIZE,136,,, 2,
743 LESIZE,137,,, 4,
744 LESIZE,138,,, 5,
745 LESIZE,139,,, 4,
746 LESIZE,140,,, 5,
747 LESIZE,141,,, 2,
748 LESIZE,142,,, 4,
749 LESIZE,143,,, 2,
750 LESIZE,144,,, 5,
751 LESIZE,145,,, 4,
752 LESIZE,146,,, 3,
753 LESIZE,147,,, 2,
754 /COM,          concatenate lines for mapped meshing
755 /COM,          (L's 265,266,267,268,269,270,271,272,273,274)
756 LSEL,S,LINE,, 82, 88,2,
757 LCCAT,ALL,
758 LSEL,S,LINE,, 94, 98,2,
759 LCCAT,ALL,
760 LSEL,S,LINE,,100,102,2,
761 LCCAT,ALL,
762 LSEL,S,LINE,,113,114,1,
763 LCCAT,ALL,
764 LSEL,S,LINE,,116,117,1,
765 LCCAT,ALL,
766 LSEL,S,LINE,,121,122,1,
767 LCCAT,ALL,
768 LSEL,S,LINE,,124,125,1,
769 LCCAT,ALL,
770 LSEL,S,LINE,,136,137,1,
771 LCCAT,ALL,
772 LSEL,S,LINE,,138,140,1,
773 LCCAT,ALL,
774 LSEL,S,LINE,,144,147,1,
775 LCCAT,ALL,
776 LSEL,ALL,
777 /COM,          Mesh areas
778 /COM,          first flux trap plate, then tubes
779 MAT, 1,
780 TYPE,1,
781 AMESH, 27, 43,1,
782 MAT,13,
783 TYPE,1,
784 AMESH, 44, 55,1,
785 MAT, 1,
786 TYPE,1,
787 AMESH, 56, 73,1,
788 MAT,13,

```

```

789 TYPE,1,
790 AMESH, 74, 79,1,
791 MAT, 1,
792 TYPE,1,
793 AMESH, 80, 91,1,
794 MAT,14,
795 TYPE,1,
796 AMESH, 92, 94,1,
797 /COM, Delete concatenated lines
798 /COM, (L's freed up 265,266,267,268,269,270,271,272,273,274)
799 LDELE,265,274,1,
800 /COM, *****
801 /COM, Copy tube mesh and connect top and bottom
802 ARSYM,Y,27,103,1,0,0,0,
803 /COM, flux trap plate spacers
804 /COM, (L's 449,450,451,452,453,454,455,456,457,458)
805 /COM, (A's 181,182,183,184,185)
806 A,186, 73, 93,202,
807 A,201,114,115,200,
808 A,204,131,138,206,
809 A,212,152,153,211,
810 A,210,156,163,215,
811 /COM, flux trap plate helium gaps
812 /COM, (A's 186,187,188,189,190,191,192,193)
813 A,187, 60, 73,186,
814 A,202, 93,114,201,
815 A,200,115,120,199,
816 A,199,120,131,204,
817 A,206,138,145,208,
818 A,208,145,152,212,
819 A,211,153,156,210,
820 A,215,163,164,214,
821 /COM, tube/guide helium gaps (flats)
822 /COM, (A's 194,195,196,197,198,199,200,201,202,203,204,205)
823 A,109, 22, 41,108,
824 A,108, 41, 42,126,
825 A,137, 43, 45,136,
826 A,142, 45, 46,162,
827 A,160, 47, 49,159,
828 A, 49, 29,167,159,
829 A,244,245, 31, 50,
830 A,244, 50, 52,260,
831 A,254, 53, 54,252,
832 A,248, 54, 56,247,
833 A,256, 57, 58,230,
834 A,230, 58, 38,229,
835 /COM, tube/guide helium gaps (corners)
836 /COM, (A's 206,207,208,209,210,211,212,213,214,215,216,217)
837 /COM, ( 218)
838 A, 21, 85, 72,
839 A, 21, 22,109,100, 92, 85,
840 A, 24, 25, 43,137,130,126, 42,
841 A,136, 45,142,135,
842 A, 26, 27, 47,160,161,162, 46,
843 A,167, 29, 30,164,165,166,
844 A,164, 30,214,
845 A,214, 30, 31,245,228,213,
846 A, 52, 33, 34, 53,254,255,260,
847 A,250,252, 54,248,
848 A,256,246,247, 56, 35, 36, 57,
849 A,188,189,216,229, 38, 39,
850 A,273,188, 39,
851 /COM, mesh flux trap plate spacers
852 LSEL,S,LINE,,449,458,1,
853 LESIZE,ALL,,, 4,
854 LSEL,ALL,
855 MAT,1,
856 TYPE,1,
857 AMESH,181,185,1,
858 NUMMRG,NODE,

```

```

859 NUMMRG,KP,
860 /COM, *****
861 /COM, Create mesh in MPC shell and disposal container
862 /COM, Tube guides
863 ESIZE,,2,
864 LESIZE,43,,,6,
865 LESIZE,46,,,14,
866 LESIZE,49,,,14,
867 LESIZE,53,,,14,
868 LESIZE,56,,,14,
869 LESIZE,60,,,6,
870 LESIZE,61,,,6,
871 LESIZE,64,,,14,
872 LESIZE,68,,,14,
873 LESIZE,71,,,14,
874 LESIZE,75,,,14,
875 LESIZE,78,,,6,
876 MAT,1,
877 TYPE,1,
878 AMESH,15,26,1,
879 /COM, MPC shell
880 /COM, (L's 489.490)
881 LESIZE,23,,,2,
882 LESIZE,25,,,14,
883 LESIZE,26,,,3,
884 LESIZE,27,,,14,
885 LESIZE,28,,,3,
886 LESIZE,29,,,14,
887 LESIZE,31,,,2,
888 LESIZE,32,,,2,
889 LESIZE,34,,,14,
890 LESIZE,35,,,3,
891 LESIZE,36,,,14,
892 LESIZE,37,,,3,
893 LESIZE,38,,,14,
894 LESIZE,40,,,2,
895 LSEL,S,LINE,,23,31,1,
896 LCCAT,ALL,
897 LSEL,S,LINE,,32,40,1,
898 LCCAT,ALL,
899 LSEL,ALL,
900 LESIZE,17,,,56,
901 LESIZE,18,,,56,
902 LESIZE,22,,,3,
903 LESIZE,41,,,3,
904 MAT,1,
905 TYPE,1,
906 AMESH,7,8,1,
907 /COM, Assume vacuum between shell and inner barrier
908 LESIZE,13,,,56,
909 LESIZE,14,,,56,
910 LESIZE,19,,,2,
911 LESIZE,20,,,2,
912 /COM, No MAT,7,
913 /COM, No TYPE,1,
914 /COM, No AMESH,5,6,1,
915 /COM, Delete concatenated lines
916 /COM, (L's freed up 489,490)
917 LDELE,489,490,1,
918 /COM, Inner and outer barrier
919 LSEL,S,LINE,,7,10,1,
920 LESIZE,ALL,,,56,
921 LSEL,ALL,
922 LESIZE,6,,,3,
923 LESIZE,15,,,3,
924 LESIZE,16,,,3,
925 LESIZE,5,,,3,
926 LESIZE,11,,,3,
927 LESIZE,12,,,3,
928 MAT,2,

```

```

929 TYPE,1,
930 AMESH,3,4,1,
931 MAT,15,
932 TYPE,1,
933 AMESH,1,2,1,
934 /COM, Empty basket spaces
935 ESIZE,0.1,
936 ESHAPE,0,
937 MAT,7,
938 TYPE,1,
939 AMESH,9,14,1,
940 /COM, *****
941 /COM, Define mesh and radiation surface elements
942 /COM, Tube/guides gap
943 LSEL,S,LOC,X,0.0,0.0,
944 LSEL,A,LINE,, 7, 8,1,
945 LSEL,A,LINE,,13,14,1,
946 LSEL,A,LINE,,17,18,1,
947 NSLL,U,0,
948 LSEL,ALL,
949 MAT,1,
950 TYPE,7,
951 ESURF,
952 NSEL,ALL,
953 /COM, Basket spaces
954 MAT,1,
955 TYPE,17,
956 LMESH,25,29,2,
957 LMESH,34,38,2,
958 LMESH,80,
959 LMESH,45,
960 LMESH,50,52,2,
961 LMESH,57,59,2,
962 LMESH,62,65,3,
963 LMESH,69,72,3,
964 LMESH,76,79,3,
965 /COM, MPC shell/inner barrier gap
966 MAT,1,
967 TYPE,27,
968 LMESH,17,18,1,
969 MAT,2,
970 TYPE,27,
971 LMESH,13,14,1,
972 /COM, *****
973 /COM, Create mesh in helium spaces
974 ESIZE,,2,
975 ESHAPE,2,
976 MAT,7,
977 TYPE,1,
978 AMESH, 95,103,1,
979 AMESH,172,180,1,
980 AMESH,186,205,1,
981 ESHAPE,0,
982 MAT,7,
983 TYPE,1,
984 AMESH,206,218,1,
985 /COM, Clear areas and mesh by hand difficult areas
986 ACLEAR,211,
987 E,5653,3453,3952,3952,
988 E, 636,5653,3952,3952,
989 E, 545, 636,3952,3952,
990 E, 551, 545,3952,3952,
991 E, 363, 551,3952,3952,
992 E, 370, 363,3952,3952,
993 E, 371, 370,3952,3952,
994 E, 369, 371,3952,3952,
995 E,5747, 369,3952,3952,
996 E,3782,5747,3952,3952,
997 ACLEAR,217,
998 E,3735,5763,3738,3738,

```

```

999 E,5763,1661,3738,3738,
1000 E,1661,1663,3738,3738,
1001 E,1663,1664,3738,3738,
1002 E,1664,1662,3738,3738,
1003 E,1662,1979,3738,3738,
1004 E,1979,1978,3738,3738,
1005 E,1978,2148,3738,3738,
1006 E,2148,5725,3738,3738,
1007 E,5725,3666,3738,3738,
1008 FINISH
1009 /COM, *****
1010 /COM,          Create element mesh plots to illustrate model
1011 /COM,          View mesh for entire model
1012 /RESET
1013 /TRIAD,OFF,
1014 /NUM, 1,
1015 /PNUM,MAT, 1,
1016 /TYPE,HIDP,
1017 /GLINE,,0,
1018 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1019 /TITLE, 12 PWR MPC/Waste Package - 1/2 FEM Model
1020 /SHOW,meshfull,grph,1,8,
1021 EPLOT
1022 ESEL,U,MAT,, 7,
1023 /SHOW,meshgap,grph,1,8,
1024 EPLOT
1025 /COM,          View mesh for radiation substructure
1026 /PNUM,MAT, 0,
1027 /PNUM,TYPE, 1,
1028 ESEL,S,TYPE,, 7,
1029 ESEL,A,TYPE,,17,
1030 ESEL,A,TYPE,,27,
1031 /TITLE, 12 PWR MPC/Waste Package - Radiation Matrix
1032 /SHOW,meshrad,grph,1,8,
1033 EPLOT
1034 ESEL,ALL,
1035 /TITLE, 12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF
1036 /COM, *****
1037 /COM,          Generate super-elements
1038 /AUX12,
1039 ESEL,S,TYPE,,7,
1040 NSLE,S,
1041 STEF,5.67E-8,
1042 GEOM,1,0,
1043 VTYPE,0,800,
1044 WRITE,tubegap,
1045 ESEL,S,TYPE,,17,
1046 NSLE,S,
1047 STEF,5.67E-8,
1048 GEOM,1,0,
1049 VTYPE,0,800,
1050 WRITE,spaces,
1051 ESEL,S,TYPE,,27,
1052 NSLE,S,
1053 STEF,5.67E-8,
1054 GEOM,1,0,
1055 VTYPE,0,800,
1056 WRITE,shellgap,
1057 ESEL,ALL,
1058 NSEL,ALL,
1059 FINISH
1060 /PREP7,
1061 TYPE,18,
1062 SE,tubegap,
1063 SE,spaces,
1064 SE,shellgap,
1065 /COM,          Delete radiation edge elements
1066 ESEL,S,TYPE,,7,
1067 EDELE,ALL,
1068 ESEL,ALL,

```

```

1069 LSEL,S,TYPE,,17,
1070 LSEL,A,TYPE,,27,
1071 LCLEAR,ALL,
1072 LSEL,ALL,
1073 FINISH
1074 /COM, *****
1075 /COM, Set solution parameters and apply B.C.'s
1076 /COM,
1077 /COM, Solve steady-state for initial conditions
1078 /COM, with WP surface equal to drift ambient
1079 /COM, temperature from repository model.
1080 /SOLU
1081 ANTYPE,TRAN,NEW,
1082 NROPT,AUTO,
1083 TRNOPT,FULL,
1084 TOFFST,273.15,
1085 LSEL,S,LINE,,7,
1086 LSEL,A,LINE,,8,
1087 NSLL,S,1,
1088 D,ALL,TEMP,DFAMBT,
1089 LSEL,ALL,
1090 NSEL,ALL,
1091 ASEL,S,MAT,,14,
1092 ESLA,S,
1093 BFE,ALL,HGEN,,(FUEL(TM_START)),
1094 ASEL,ALL,
1095 ESEL,ALL,
1096 TIMINT,OFF,
1097 TIME,1e-6,
1098 AUTOTS,ON,
1099 KBC,0,
1100 SOLVE
1101 /COM, Solve steady-state for initial conditions
1102 /COM, with WP surface temperatures from repository
1103 /COM, steady-state solution.
1104 LSEL,S,LINE,,7,
1105 LSEL,A,LINE,,8,
1106 NSLL,S,1,
1107 DDELE,ALL,TEMP,
1108 LSEL,ALL,
1109 NSEL,ALL,
1110 DK,11,TEMP,(WPTOP(TM_START)),,1,
1111 DK,10,TEMP,(WPSID(TM_START)),,1,
1112 DK,9,TEMP,(WPBOT(TM_START)),,1,
1113 ASEL,S,MAT,,14,
1114 ESLA,S,
1115 BFE,ALL,HGEN,,(FUEL(TM_START)),
1116 ASEL,ALL,
1117 ESEL,ALL,
1118 TIMINT,OFF,
1119 TIME,2e-6,
1120 AUTOTS,ON,
1121 KBC,0,
1122 SOLVE
1123 /COM, *****
1124 /COM, Set time integration parameters
1125 TIMINT,ON,
1126 AUTOTS,ON,
1127 /COM, Time substep ranges from 10 sec to 1/4 loadstep
1128 NSUBST,10,40,4,ON
1129 /COM, Begin Transient
1130 /COM, Apply loads and solve for 0 to .9 years
1131 *DO,TM,TM_START,TMEO,TMIO
1132 TIME,TM,
1133 ASEL,S,MAT,,14,
1134 ESLA,S,
1135 BFE,ALL,HGEN,,(FUEL(TM)),
1136 ASEL,ALL
1137 ESEL,ALL
1138 DK,11,TEMP,(WPTOP(TM)),,1,

```

```

1139      DK,10,TEMP,(WPSID(TM)),,1,
1140      DK, 9,TEMP,(WPBOT(TM)),,1,
1141      SOLVE
1142 *ENDDO
1143 /COM,          Apply loads and solve for 1 to 9 years
1144 *DO,TM,TME1,TME9,TMI1
1145      TIME,TM,
1146      ASEL,S,MAT,,14,
1147      ESLA,S,
1148      BFE,ALL,HGEN,,(FUEL(TM)),
1149      ASEL,ALL
1150      ESEL,ALL
1151      DK,11,TEMP,(WPTOP(TM)),,1,
1152      DK,10,TEMP,(WPSID(TM)),,1,
1153      DK, 9,TEMP,(WPBOT(TM)),,1,
1154      SOLVE
1155 *ENDDO
1156 /COM,          Apply loads and solve for 10 to 90 years
1157 *DO,TM,TME10,TME90,TMI10
1158      TIME,TM,
1159      ASEL,S,MAT,,14,
1160      ESLA,S,
1161      BFE,ALL,HGEN,,(FUEL(TM)),
1162      ASEL,ALL
1163      ESEL,ALL
1164      DK,11,TEMP,(WPTOP(TM)),,1,
1165      DK,10,TEMP,(WPSID(TM)),,1,
1166      DK, 9,TEMP,(WPBOT(TM)),,1,
1167      SOLVE
1168 *ENDDO
1169 /COM,          Apply loads and solve for 100 to 1000 years
1170 *DO,TM,TME100,TME1000,TMI100
1171      TIME,TM,
1172      ASEL,S,MAT,,14,
1173      ESLA,S,
1174      BFE,ALL,HGEN,,(FUEL(TM)),
1175      ASEL,ALL
1176      ESEL,ALL
1177      DK,11,TEMP,(WPTOP(TM)),,1,
1178      DK,10,TEMP,(WPSID(TM)),,1,
1179      DK, 9,TEMP,(WPBOT(TM)),,1,
1180      SOLVE
1181 *ENDDO
1182 FINISH
1183 SAVE,
1184 /COM,          *****
1185 /COM,          Create element contour plots of solution results
1186 /COM,
1187 /COM,          Sort through solution results for time of max temp.
1188 /POST26,
1189 NSOL,2,(NODE(ACX1,(0.0-ACY1),0.0)),TEMP,,peakclad,
1190 STORE,NEW,
1191 *GET,TMTMAX,VARI,2,EXTREM,TMAX,
1192 FINISH
1193 /POST1,
1194 /COM,          Create temperature contour plots of WP at peak
1195 /RESET
1196 /TRIAD,OFF,
1197 /NUM, 1,
1198 /PNUM,MAT, 1,
1199 /TYPE,HIDP,
1200 /GLINE,,-1,
1201 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1202 ESEL,U,MAT,,7,
1203 SET,NEAR,,,TMTMAX,
1204 /TITLE, 12 PWR MPC/WP at Time of Peak Temp. (%TMTMAX/3.15576E7% years)
1205 /SHOW,solupk,grph,0,8,
1206 /CONTOUR,1,128,AUTO,
1207 PLNSOL,TEMP,
1208 /COM,          Create temperature contour plots at 10, 50, and 100 yrs

```

```

1209 SET,NEAR,,,,TME10,
1210 /TITLE, 12 PWR MPC/WP at 10 years
1211 /SHOW,solu10,grph,0,8,
1212 /CONTOUR,1,128,USER,
1213 PLNSOL,TEMP,
1214 SET,NEAR,,,,TME50,
1215 /TITLE, 12 PWR MPC/WP at 50 years
1216 /SHOW,solu50,grph,0,8,
1217 /CONTOUR,1,128,USER,
1218 PLNSOL,TEMP,
1219 SET,NEAR,,,,TME100,
1220 /TITLE, 12 PWR MPC/WP at 100 years
1221 /SHOW,solu100,grph,0,8,
1222 /CONTOUR,1,128,USER,
1223 PLNSOL,TEMP,
1224 ESEL,ALL,
1225 FINISH
1226 /COM, *****
1227 /COM, Print time/temperature output at specific locations
1228 /COM, Save profile from center to edge
1229 /COM,
1230 /COM, Variable Legend: A01i000
1231 /COM, x = center of waste package
1232 /COM, f = flux trap plate stainless layer
1233 /COM, w = flux trap plate SS sheath
1234 /COM, c = center of assembly
1235 /COM, h = halfway between center and tube
1236 /COM, s = inside structural stainless tube layer
1237 /COM, a = aluminum-born tube layer
1238 /COM, t = stainless tube cladding
1239 /COM, g = tube guide
1240 /COM, m = mpc shell
1241 /COM, i = inner barrier of DC
1242 /COM, o = outer barrier of DC
1243 /COM, ## = ID number of assembly (01 is center)
1244 /COM, i = side of assembly toward center of WP
1245 /COM, o = side of assembly toward edge of WP
1246 /COM, 000 = profile center down
1247 /COM, 045 = profile 45 deg down
1248 /COM, 090 = profile center side
1249 /COM, 135 = profile 45 deg up
1250 /COM, 180 = profile center up
1251 /POST26,
1252 NUMVAR,30,
1253 /COM,
1254 /COM, *****
1255 /COM, * Temperature Profile from center to lower right (45 deg.) *
1256 /COM, *****
1257 NSOL, 2,(NODE( 0.0, 0.0,0.0)),TEMP,,x04i045,
1258 NSOL, 3,(NODE( (0.5*FSPAC), (-.5*FSPAC),0.0)),TEMP,,f04i045,
1259 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(-.5*FSPAC-FWALL),0.0)),TEMP,,f04o045,
1260 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(-.5*FSPAC-BCELL),0.0)),TEMP,,w04i045,
1261 NSOL, 6,(NODE( (ACX1-SCELL), (SCELL-ACY1),0.0)),TEMP,,w04o045,
1262 NSOL, 7,(NODE( (ACX1-HCELL), (HCELL-ACY1),0.0)),TEMP,,s04i045,
1263 NSOL, 8,(NODE( (ACX1-QCELL), (QCELL-ACY1),0.0)),TEMP,,h04i045,
1264 NSOL, 9,(NODE( ACX1, (0.0-ACY1),0.0)),TEMP,,c04i045,
1265 NSOL,10,(NODE( (ACX1+QCELL), (0.0-ACY1-QCELL),0.0)),TEMP,,h04o045,
1266 NSOL,11,(NODE( (ACX1+HCELL), (0.0-ACY1-HCELL),0.0)),TEMP,,s04o045,
1267 NSOL,12,(NODE( (ACX1+SCELL), (0.0-ACY1-SCELL),0.0)),TEMP,,a04o045,
1268 NSOL,13,(NODE( (ACX1+ACELL), (0.0-ACY1-ACELL),0.0)),TEMP,,t04i045,
1269 NSOL,14,(NODE( (ACX1+TCELL), (0.0-ACY1-TCELL),0.0)),TEMP,,t04o045,
1270 NSOL,15,(NODE( (GX25-GWALL), (GWALL-GX25),0.0)),TEMP,,g04i045,
1271 NSOL,16,(NODE( GX25, (0.0-GX25),0.0)),TEMP,,g04o045,
1272 NSOL,17,(NODE( MI45, (0.0-MI45),0.0)),TEMP,,m04i045,
1273 NSOL,18,(NODE( MO45, (0.0-MO45),0.0)),TEMP,,m04o045,
1274 NSOL,19,(NODE( DI45, (0.0-DI45),0.0)),TEMP,,i04i045,
1275 NSOL,20,(NODE( DM45, (0.0-DM45),0.0)),TEMP,,i04o045,
1276 NSOL,21,(NODE( DO45, (0.0-DO45),0.0)),TEMP,,o04o045,
1277 /COM, Add centers of assemblies 5 and 6
1278 NSOL,22,(NODE( ACX2, (0.0-ACY1),0.0)),TEMP,,c05i045,

```



```

1279 NSOL,23,(NODE(          ACX1,          (0.0-ACY3),0.0)),TEMP,,c06i045,
1280 PRVAR, 2, 3, 4, 5, 6, 7,
1281 PRVAR, 8, 9,10,11,12,13,
1282 PRVAR,14,15,16,17,18,19,
1283 PRVAR,20,21,22,23,
1284 /COM,
1285 /COM, *****
1286 /COM, * Temperature Profile from center to upper right (135 deg.) *
1287 /COM, *****
1288 NSOL, 2,(NODE(          0.0,          0.0,0.0)),TEMP,,x01i135,
1289 NSOL, 3,(NODE(          (0.5*FSPAC),          (0.5*FSPAC),0.0)),TEMP,,f01i135,
1290 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(0.5*FSPAC+FWALL),0.0)),TEMP,,f01o135,
1291 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(0.5*FSPAC+BCELL),0.0)),TEMP,,w01i135,
1292 NSOL, 6,(NODE(          (ACX1-SCCELL),          (ACY1-SCCELL),0.0)),TEMP,,w01o135,
1293 NSOL, 7,(NODE(          (ACX1-HCELL),          (ACY1-HCELL),0.0)),TEMP,,s01i135,
1294 NSOL, 8,(NODE(          (ACX1-QCELL),          (ACY1-QCELL),0.0)),TEMP,,h01i135,
1295 NSOL, 9,(NODE(          ACX1,          ACY1,0.0)),TEMP,,c01i135,
1296 NSOL,10,(NODE(          (ACX1+QCELL),          (ACY1+QCELL),0.0)),TEMP,,h01o135,
1297 NSOL,11,(NODE(          (ACX1+HCELL),          (ACY1+HCELL),0.0)),TEMP,,s01o135,
1298 NSOL,12,(NODE(          (ACX1+SCCELL),          (ACY1+SCCELL),0.0)),TEMP,,a01o135,
1299 NSOL,13,(NODE(          (ACX1+ACCELL),          (ACY1+ACCELL),0.0)),TEMP,,t01i135,
1300 NSOL,14,(NODE(          (ACX1+TCELL),          (ACY1+TCELL),0.0)),TEMP,,t01o135,
1301 NSOL,15,(NODE(          (GX25-GWALL),          (GX25-GWALL),0.0)),TEMP,,g01i135,
1302 NSOL,16,(NODE(          GX25,          GX25,0.0)),TEMP,,g01o135,
1303 NSOL,17,(NODE(          MI45,          MI45,0.0)),TEMP,,m01i135,
1304 NSOL,18,(NODE(          MO45,          MO45,0.0)),TEMP,,m01o135,
1305 NSOL,19,(NODE(          DI45,          DI45,0.0)),TEMP,,i01i135,
1306 NSOL,20,(NODE(          DM45,          DM45,0.0)),TEMP,,i01o135,
1307 NSOL,21,(NODE(          DO45,          DO45,0.0)),TEMP,,o01o135,
1308 /COM,          Add centers of assemblies 2 and 3
1309 NSOL,22,(NODE(          ACX2,          ACY2,0.0)),TEMP,,c02i135,
1310 NSOL,23,(NODE(          ACX3,          ACY3,0.0)),TEMP,,c03i135,
1311 PRVAR, 2, 3, 4, 5, 6, 7,
1312 PRVAR, 8, 9,10,11,12,13,
1313 PRVAR,14,15,16,17,18,19,
1314 PRVAR,20,21,22,23,
1315 /COM,
1316 FINISH
1317 /COM, *****
1318 /COM,          End of batch input file
1319 /COM, *****
1320 /EXIT,
1321 /EOF

```

RUN SETUP PROCEDURE FROM FILE= /ansys50a/docu/start.ans

```

/INPUT FILE= /ansys50a/docu/start.ans LINE=      0
*****
ANSYS STARTUP FILE start.ans
*****

```

```

ABBREVIATION= K1          /pnum,kp ,1,
ABBREVIATION= K0          /pnum,kp ,0,
ABBREVIATION= L1          /pnum,line,1,
ABBREVIATION= L0          /pnum,line,0,
ABBREVIATION= A1          /pnum,area,1,
ABBREVIATION= A0          /pnum,area,0,
ABBREVIATION= V1          /pnum,volu,1,
ABBREVIATION= V0          /pnum,volu,0,
ABBREVIATION= N1          /pnum,node,1,
ABBREVIATION= N0          /pnum,node,0,

```

```

ABBREVIATION= E1      /pnum,elem,1,
ABBREVIATION= E0      /pnum,elem,0,
ABBREVIATION= M1      /pnum,mat ,1,
ABBREVIATION= M0      /pnum,mat ,0,
ABBREVIATION= R1      /pnum,real,1,
ABBREVIATION= R0      /pnum,real,0,
ABBREVIATION= T1      /pnum,type,1,
ABBREVIATION= T0      /pnum,type,0,
ABBREVIATION= C1      /number,1,
ABBREVIATION= C0      /number,0,
ABBREVIATION= INP     /input,,inp,
ABBREVIATION= X3D      /show,3d,
ABBREVIATION= X11      /show,x11,
ABBREVIATION= VEC      /show,,,1,
ABBREVIATION= RAS      /show,,,0,
ABBREVIATION= ON       /menu,on,
ABBREVIATION= OFF      /menu,off,
ABBREVIATION= NVP      /config,nvpag,512,
ABBREVIATION= QUIT     /exit,nosav,
XYZ TRIAD DISPLAY SET TO OFF

```

VIEW CONE ANGLE FOR WINDOW 1 25.00

```

*****
END start.ans
*****

```

To start ANSYS menu:

```

type:  x3d  for console
       x11  for X-term

```

type: on

```

*****
*****
ANSYS REVISION  5.0A                      3/24/1995
2-D Model of 75 ton burnup credit MPC-DC    R.Bahney III
*****
*
* File name: ma12w2.inp
*      12 PWR MPC with Low T.L. Disposal Container
*      Helium Fill Gas
*
* Material Property file: props01.dat
*
* SNF Conductivity file:  pwr15e.parm
*      15x15 Mark-B4 PWR SNF Assembly
*
* SNF Heat Loads file:   snf2040.dat
*      SNF Type: 20 years old, 40 Gwd/MTU
*

```

```
* Surface Temp. file:      c12w5a.parm      *
*      25 MTU/acre (6.18 kgU/m^2) AML (Low Thermal Loading) *
*      5.0 m Diameter Drift with Concrete Invert      *
*      Drift spacing = 45.0 m      *
*      WP c/c spacing = 18.475 m      *
*      *      *
```

 Increase the number of database pages from 16 (256) to 32 Mb

NUMBER OF DATA BASE PAGES IN MEMORY(NVPAGE)= 512
 Work space must also be increased (-m 64)

TITLE=
 12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

SI UNITS SPECIFIED
 LENGTH = METERS(M)
 MASS = KILOGRAMS(KG)
 TIME = SECONDS(SEC)
 TEMPERATURE = CENTIGRADE
 CURRENT = AMPS

 Read in average effective conductivities from SNF model

*** NOTE *** CP= .660 TIME= 20:03:19
 Restore ANSYS parameters from file= pwr15e.parm.

/INPUT FILE= pwr15e.parm LINE= 0

PRINTOUT RESUMED BY /GOP
 Read in surface temps. from repository model

*** NOTE *** CP= .890 TIME= 20:03:20
 Restore ANSYS parameters from file= c12w5a.parm.

/INPUT FILE= c12w5a.parm LINE= 0

PRINTOUT RESUMED BY /GOP

 Define MPC/waste package parameters
 (MPC dimensions converted from inches to meters)
 MIRAD = inner radius of MPC shell (m)
 MWALL = MPC shell thickness (m)
 DCRAD = disposal container outer radius (m)
 OWALL = outer barrier thickness (m)
 IWALL = inner barrier thickness (m)
 GCORN = corner guide width (m)
 GLENW = side guide total width (m)
 GLENH = side guide total height (m)
 GWALL = guide thickness (m)
 HCELL = 1/2 of basket cell opening (m)
 SWALL = stainless tube thickness (m)
 AWALL = Al/boron tube thickness (m)
 FLENT = flux trap plate length (m)
 FWALL = flux trap plate stainless thickness (m)
 BWALL = flux trap plate Al/boron thickness (m)
 TWALL = flux trap plate SS sheath thickness (m)
 FSPAC = flux trap plate spacer width (m)
 TSPAC = tube/tube spacer width (m)
 ACTVL = active fuel length
 PEAKEF = assembly heat axial peaking factor

PARAMETER PI = 3.141593
 PARAMETER MIRAD = .6079490
 PARAMETER MWALL = .2222500E-01

PARAMETER DCRAD = .7152500
 PARAMETER OWALL = .5000000E-01
 PARAMETER IWALL = .2000000E-01
 PARAMETER GCORN = .2561844
 PARAMETER GLENW = .2142236
 PARAMETER GLENH = .6339840E-01
 PARAMETER GWALL = .9525000E-02
 PARAMETER HCELL = .1143000
 PARAMETER SWALL = .2387600E-02
 PARAMETER AWALL = .2717800E-02
 PARAMETER FLENT = .5883656
 PARAMETER FWALL = .1270000E-01
 PARAMETER BWALL = .6350000E-02
 PARAMETER TWALL = .2387600E-02
 PARAMETER FSPAC = .2540000E-01
 PARAMETER TSPAC = .2504440E-01
 PARAMETER ACTVL = 3.601720

PARAMETER PEAKF = 1.250000

Define calculated parameters

ASSY = assembly heat production (W) f(yrs)
 FUEL = volumetric heat production (W/m³) f(yrs)
 FVOLUME = assy_volume=cell_width^2*active_length
 Q2 = side guide x coord. (see sketch)
 GX## = x coord. of guide/shell contact (kp##)
 GY## = y coord. of guide/shell contact (kp##)
 ACX# = x coord. of center of assembly #
 ACY# = y coord. of center of assembly #
 TM_START = start time (sec)
 TMI* = time increment for solution (sec)
 TME* = start and stop for time do-loops (sec)
 Note: 1 year = 3.15576e7 seconds
 QCELL = 1/4 of basket cell opening (m)
 SCELL = 1/2 of basket cell opening+SS wall(m)
 ACELL = 1/2 of basket cell opening+SS+AL (m)
 MI45 = x coord. MIRAD at 45 deg.
 MO45 = x coord. MIRAD+MWALL at 45 deg.
 DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
 DM45 = x coord. DCRAD-OWALL at 45 deg.
 DO45 = x coord. DCRAD at 45 deg.
 TMTMAX = time of maximum cladding temperature

ARRAY PARAMETER ASSY DELETED.

SET PARAMETER DIMENSIONS ON ASSY TYPE=TABL DIMENSIONS= 101 1 1

SET PARAMETER DIMENSIONS ON FUEL TYPE=TABL DIMENSIONS= 101 1 1

PARAMETER FVOLUME = .1882185

PARAMETER Q2 = .5002134E-01

PARAMETER GX22 = .4049634E-01
PARAMETER GY22 = .6065987
PARAMETER GX23 = .5002134E-01
PARAMETER GY23 = .6058877
PARAMETER GX24 = .2547199
PARAMETER GY24 = .5520143
PARAMETER GTMP = .2466594
PARAMETER GX25 = .2884843
PARAMETER GY25 = .5351437
PARAMETER ACX1 = .1508252
PARAMETER ACY1 = .1508252
PARAMETER ACX2 = .4194556
PARAMETER ACY2 = .1508252
PARAMETER ACX3 = .1508252
PARAMETER ACY3 = .4194556
PARAMETER TM_START = 31.55760
PARAMETER TM10 = 3155760.
PARAMETER TM11 = .3155760E+08
PARAMETER TM110 = .3155760E+09
PARAMETER TM1100 = .3155760E+10
PARAMETER TM11000 = .3155760E+11
PARAMETER TME0 = .2840187E+08
PARAMETER TME1 = .3155763E+08
PARAMETER TME9 = .2840184E+09
PARAMETER TME10 = .3155760E+09
PARAMETER TME50 = .1577880E+10
PARAMETER TME90 = .2840184E+10
PARAMETER TME100 = .3155760E+10
PARAMETER TME1000 = .3155760E+11
PARAMETER BCELL = .1905000E-01
PARAMETER QCELL = .5715000E-01
PARAMETER SCELL = .1166876
PARAMETER ACELL = .1194054
PARAMETER TCELL = .1217930
PARAMETER M145 = .4298849

PARAMETER MO45 = .4456003

PARAMETER DI45 = .4562607

PARAMETER DM45 = .4704028

PARAMETER DO45 = .5057581

Define different element types

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:03:21 MAR 24, 1995 CP= 1.840
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE 1 IS PLANE55 2-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 TWO-DIMENSIONAL MODEL

ELEMENT TYPE 2 IS SOLID70 3-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 7 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 16 IS SHELL57 THERMAL SHELL
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 17 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 18 IS MATRIX50 SUBSTRUCTURE MATRIX
 KEYOPT(1-12)= 1 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 19 IS LINK31 RADIATION LINK
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 27 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

File props01.dat describes material properties
 and thier reference numbers

READ IN MATERIAL PROPERTY LIBRARY FROM FILE= props01.dat

```

/INPUT FILE= props01.dat LINE=      0
*****
**      ANSYS 5.0 MPC MATERIAL PROPERTY TABLES      **
*****
**      Filename: props01.dat                        **
**      Compiled by R. Bahney III on 1-30-95          **
*****

NUMBER MATERIAL          DESCRIPTION
1   Stainless Steel 316   Basket Structural Support
2   Incaloy 825           Inner Container (resistant)
3   A516 Mild Steel      Outer Container (allowance)
4   UO2 Pellet            SNF Uranium Oxide Pellet
5   Zircaloy 4            SNF Cladding
6   Oxidation Layer      Stably Oxidized Zircaloy Surface
7   Helium                Canister Fill Gas
8   Air                   Alternate Fill Gas
9   Nitrogen              Alternate Fill Gas
10  Argon                 Alternate Fill Gas
11  Aluminum 6063         Thermal Conductor
12  Copper                Alternate Thermal Conductor
13  Aluminum-Boron        Aluminum Boron Criticality Matl

*****
**      Density:      DENS      (kg/m^3)      **
**      Emissivity    EMIS      **
**      Conductivity: KXX      (W/m/K)      **
**      Specific Heat: C      (J/kg/K)      **
*****

```

Define densities for all materials except gases

TEMPERATURE TABLE ERASED.

```

*** PROPERTY TEMPERATURE TABLE  NUM. TEMPS= 1 ***
SLOC= 1      .0000000E+00

```

```

PROPERTY TABLE DENS MAT= 1 NUM. POINTS= 1
SLOC= 1      8000.000

```

```

PROPERTY TABLE DENS MAT= 2 NUM. POINTS= 1
SLOC= 1      8137.900

```

```

PROPERTY TABLE DENS MAT= 3 NUM. POINTS= 1
SLOC= 1      8131.000

```

```

PROPERTY TABLE DENS MAT= 4 NUM. POINTS= 1,
SLOC= 1      10970.00

```

```

PROPERTY TABLE DENS MAT= 5 NUM. POINTS= 1
SLOC= 1      6500.000

```

```

PROPERTY TABLE DENS MAT= 6 NUM. POINTS= 1
SLOC= 1      6500.000

```

```

PROPERTY TABLE DENS MAT= 11 NUM. POINTS= 1
SLOC= 1      2690.000

```

```

PROPERTY TABLE DENS MAT= 12 NUM. POINTS= 1
SLOC= 1      8933.000

```

```

PROPERTY TABLE DENS MAT= 13 NUM. POINTS= 1
SLOC= 1      2693.000

```

Define emissivities for all materials except gases

```

PROPERTY TABLE EMIS MAT= 1 NUM. POINTS= 1

```

SLOC= 1 .6000000

PROPERTY TABLE EMIS MAT= 2 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 3 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 4 NUM. POINTS= 1
SLOC= 1 .7900000

PROPERTY TABLE EMIS MAT= 5 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 6 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 11 NUM. POINTS= 1
SLOC= 1 .7000000E-01

PROPERTY TABLE EMIS MAT= 12 NUM. POINTS= 1
SLOC= 1 .5000000

PROPERTY TABLE EMIS MAT= 13 NUM. POINTS= 1
SLOC= 1 .7000000E-01

Define specific heat for matl. 4, 5, 6, 7, 11, 14, 15

PROPERTY TABLE C MAT= 4 NUM. POINTS= 1
SLOC= 1 247.0000

PROPERTY TABLE C MAT= 5 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 6 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 7 NUM. POINTS= 1
SLOC= 1 5193.000

PROPERTY TABLE C MAT= 11 NUM. POINTS= 1
SLOC= 1 900.0000

Define K and C for materials 1, 3

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 21.11000 37.78000 65.56000
93.33000 121.1100 148.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 176.6700 204.4400 232.2200
260.0000 287.7800 315.5600

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
SLOC= 13 343.3300 371.1100 398.8900
426.6700 454.4400 482.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
SLOC= 19 510.0000 537.7800 565.5600
593.3300 621.1100 648.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
SLOC= 25 676.6700 704.4400 732.2200
760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 6
SLOC= 1 13.33000 13.67000 14.19000 14.54000
15.06000 15.58000

PROPERTY TABLE KXX	MAT=	1	NUM. POINTS=	12	
SLOC= 7	15.92000	16.44000	16.96000	17.31000	
	17.83000	18.17000			
PROPERTY TABLE KXX	MAT=	1	NUM. POINTS=	18	
SLOC= 13	18.52000	19.04000	19.38000	19.90000	
	20.25000	20.77000			
PROPERTY TABLE KXX	MAT=	1	NUM. POINTS=	24	
SLOC= 19	21.11000	21.46000	21.98000	22.33000	
	22.67000	23.02000			
PROPERTY TABLE KXX	MAT=	1	NUM. POINTS=	30	
SLOC= 25	23.54000	23.88000	24.23000	24.58000	
	24.92000	25.27000			
PROPERTY TABLE C	MAT=	1	NUM. POINTS=	6	
SLOC= 1	481.6800	486.9200	498.0900	499.3800	
	509.9800	520.2900			
PROPERTY TABLE C	MAT=	1	NUM. POINTS=	12	
SLOC= 7	521.0700	527.3800	536.9200	537.3400	
	543.0200	543.3100			
PROPERTY TABLE C	MAT=	1	NUM. POINTS=	18	
SLOC= 13	546.9100	552.1400	552.2600	557.2200	
	557.2500	565.1100			
PROPERTY TABLE C	MAT=	1	NUM. POINTS=	24	
SLOC= 19	565.0100	564.9100	572.3500	572.1400	
	574.9200	574.6800			
PROPERTY TABLE C	MAT=	1	NUM. POINTS=	30	
SLOC= 25	581.6400	581.3000	583.8600	586.3600	
	585.9600	588.3900			
PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	6	
SLOC= 1	40.84000	41.36000	41.88000	42.23000	
	42.23000	42.23000			
PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	12	
SLOC= 7	42.06000	41.88000	41.36000	41.02000	
	40.50000	39.98000			
PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	18	
SLOC= 13	39.29000	38.77000	38.08000	37.56000	
	36.69000	36.17000			
PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	24	
SLOC= 19	35.48000	34.61000	33.92000	33.23000	
	32.36000	31.50000			
PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	30	
SLOC= 25	30.29000	28.90000	27.35000	26.48000	
	26.13000	26.13000			
PROPERTY TABLE C	MAT=	3	NUM. POINTS=	6	
SLOC= 1	428.7200	444.9500	460.9400	476.8700	
	486.0800	495.6600			
PROPERTY TABLE C	MAT=	3	NUM. POINTS=	12	
SLOC= 7	506.0900	517.0700	525.6400	536.9900	
	543.6300	550.6200			
PROPERTY TABLE C	MAT=	3	NUM. POINTS=	18	
SLOC= 13	562.2100	577.3200	589.1000	600.5700	
	611.3500	629.0900			
PROPERTY TABLE C	MAT=	3	NUM. POINTS=	24	

SLOC= 19	645.3200	665.1200	682.0700	694.5200
	724.0700	761.9500		

PROPERTY TABLE C	MAT= 3	NUM. POINTS= 30		
SLOC= 25	806.3100	888.6000	1095.040	1638.780
	808.6800	736.9000		

Define K for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 6 ***
SLOC= 1	93.33000 121.1100 148.8900
	176.6700 204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 12 ***
SLOC= 7	260.0000 287.7800 315.5600
	343.3300 371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 18 ***
SLOC= 13	426.6700 454.4400 482.2200
	510.0000 537.7800 565.5600

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 24 ***
SLOC= 19	593.3300 621.1100 648.8900
	676.6700 704.4400 732.2200

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 27 ***
SLOC= 25	760.0000 787.7800 815.5600

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 6	
SLOC= 1	12.29000	12.63000	13.15000 13.67000
	14.02000	14.54000	

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 12	
SLOC= 7	14.88000	15.40000	15.75000 16.10000
	16.61000	16.96000	

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 18	
SLOC= 13	17.31000	17.65000	18.00000 18.52000
	18.86000	19.21000	

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 24	
SLOC= 19	19.73000	20.08000	20.42000 20.94000
	21.46000	21.98000	

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 27	
SLOC= 25	22.33000	23.02000	23.54000

Define C for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 6 ***
SLOC= 1	93.33000 121.1100 148.8900
	176.6700 204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 12 ***
SLOC= 7	260.0000 287.7800 315.5600
	343.3300 371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 17 ***
SLOC= 13	426.6700 454.4400 482.2200
	510.0000 537.7800

PROPERTY TABLE C	MAT= 2	NUM. POINTS= 6	
SLOC= 1	460.6900	477.4200	501.0200 504.6500
	498.1200	520.4500	

PROPERTY TABLE C MAT= 2 NUM. POINTS= 12
 SLOC= 7 536.8800 559.8500 576.8300 576.2100
 581.6800 598.2000

PROPERTY TABLE C MAT= 2 NUM. POINTS= 17
 SLOC= 13 619.5800 636.7600 654.2000 678.2500
 696.2900

Define K for materials 4, 5, 6

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 .0000000E+00 10.00000 20.00000
 30.00000 40.00000 50.00000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 60.00000 70.00000 80.00000
 90.00000 100.0000 110.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
 SLOC= 13 120.0000 130.0000 140.0000
 150.0000 160.0000 170.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
 SLOC= 19 180.0000 190.0000 200.0000
 210.0000 220.0000 230.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
 SLOC= 25 240.0000 250.0000 260.0000
 270.0000 280.0000 290.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 36 ***
 SLOC= 31 300.0000 310.0000 320.0000
 330.0000 340.0000 350.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 42 ***
 SLOC= 37 360.0000 370.0000 380.0000
 390.0000 400.0000 410.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 48 ***
 SLOC= 43 420.0000 430.0000 440.0000
 450.0000 460.0000 470.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 50 ***
 SLOC= 48 480.0000 490.0000 500.0000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 6
 SLOC= 1 8.720000 8.540000 8.360000 8.190000
 8.030000 7.870000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 12
 SLOC= 7 7.720000 7.580000 7.440000 7.310000
 7.180000 7.050000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 18
 SLOC= 13 6.930000 6.820000 6.700000 6.600000
 6.490000 6.390000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 24
 SLOC= 19 6.290000 6.190000 6.100000 6.010000
 5.920000 5.840000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 30
 SLOC= 25 5.760000 5.680000 5.600000 5.520000
 5.450000 5.380000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 36
 SLOC= 31 5.310000 5.240000 5.180000 5.110000

	5.050000	4.990000	
PROPERTY TABLE KXX MAT=	4	NUM. POINTS= 42	
SLOC= 37	4.930000	4.870000	4.760000
	4.700000	4.650000	
PROPERTY TABLE KXX MAT=	4	NUM. POINTS= 48	
SLOC= 43	4.600000	4.550000	4.450000
	4.400000	4.350000	
PROPERTY TABLE KXX MAT=	4	NUM. POINTS= 50	
SLOC= 48	4.310000	4.270000	4.220000
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 6	
SLOC= 1	12.29000	12.44000	12.58000
	12.87000	13.01000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 12	
SLOC= 7	13.15000	13.28000	13.42000
	13.69000	13.82000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 18	
SLOC= 13	13.95000	14.08000	14.21000
	14.46000	14.59000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 24	
SLOC= 19	14.72000	14.84000	14.96000
	15.21000	15.33000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 30	
SLOC= 25	15.45000	15.57000	15.69000
	15.93000	16.05000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 36	
SLOC= 31	16.17000	16.29000	16.40000
	16.64000	16.76000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 42	
SLOC= 37	16.88000	16.99000	17.11000
	17.35000	17.46000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 48	
SLOC= 43	17.58000	17.70000	17.82000
	18.06000	18.18000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 50	
SLOC= 48	18.30000	18.42000	18.54000
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 6	
SLOC= 1	1.940000	1.940000	1.940000
	1.940000	1.940000	
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 12	
SLOC= 7	1.940000	1.950000	1.950000
	1.950000	1.950000	
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 18	
SLOC= 13	1.950000	1.950000	1.960000
	1.960000	1.960000	
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 24	
SLOC= 19	1.960000	1.970000	1.970000
	1.970000	1.980000	
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 30	
SLOC= 25	1.980000	1.980000	1.980000
	1.990000	1.990000	
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 36	
SLOC= 31	2.000000	2.000000	2.000000
			2.010000

2.010000 2.010000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 42
 SLOC= 37 2.020000 2.020000 2.020000 2.030000
 2.030000 2.030000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 48
 SLOC= 43 2.040000 2.040000 2.040000 2.050000
 2.050000 2.060000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 50
 SLOC= 48 2.060000 2.060000 2.070000

Define p, K, C for materials 7, 8, 9, ~10

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 -13.15000 6.850000 26.85000
 76.85000 126.8500 176.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 226.8500 276.8500 326.8500
 376.8500 426.8500 476.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 15 ***
 SLOC= 13 526.8500 626.8500 726.8500

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 6
 SLOC= 1 .1875000 .1750000 .1625000 .1422000
 .1219000 .1097000

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 12
 SLOC= 7 .9750000E-01 .9060000E-01 .8360000E-01 .7670000E-01
 .6970000E-01 .6620000E-01

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 15
 SLOC= 13 .6270000E-01 .5580000E-01 .4880000E-01

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 6
 SLOC= 1 .1370000 .1450000 .1520000 .1700000
 .1870000 .2040000

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 12
 SLOC= 7 .2200000 .2360000 .2520000 .2640000
 .2780000 .2910000

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 15
 SLOC= 13 .3040000 .3300000 .3540000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 6
 SLOC= 1 1.348000 1.254700 1.161400 .9950000
 .8711000 .7740000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 12
 SLOC= 7 .6964000 .6329000 .5804000 .5356000
 .4975000 .4643000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 15
 SLOC= 13 .4354000 .3868000 .3482000

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 6
 SLOC= 1 .2300000E-01 .2500000E-01 .2600000E-01 .3000000E-01
 .3400000E-01 .3700000E-01

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 12
 SLOC= 7 .4100000E-01 .4400000E-01 .4700000E-01 .5000000E-01
 .5200000E-01 .5500000E-01

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 15
 SLOC= 13 .5700000E-01 .6200000E-01 .6700000E-01

PROPERTY TABLE C MAT= 8 NUM. POINTS= 6
 SLOC= 1 1006.200 1006.600 1007.000 1009.000
 1014.000 1021.000

PROPERTY TABLE C MAT= 8 NUM. POINTS= 12
 SLOC= 7 1030.000 1040.000 1051.000 1063.000
 1075.000 1087.000

PROPERTY TABLE C MAT= 8 NUM. POINTS= 15
 SLOC= 13 1099.000 1121.000 1141.000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 6
 SLOC= 1 1.303700 1.213500 1.123300 .9625000
 .8425000 .7485000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 12
 SLOC= 7 .6739000 .6124000 .5615000 .5214000
 .4812000 .4512000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 15
 SLOC= 13 .4211000 .3743000 .3368000

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 6
 SLOC= 1 .2300000E-01 .2400000E-01 .2600000E-01 .2900000E-01
 .3300000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 12
 SLOC= 7 .3900000E-01 .4200000E-01 .4500000E-01 .4700000E-01
 .5000000E-01 .5200000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 15
 SLOC= 13 .5500000E-01 .6000000E-01 .6500000E-01

PROPERTY TABLE C MAT= 9 NUM. POINTS= 6
 SLOC= 1 1041.800 1041.400 1041.000 1042.000
 1045.000 1050.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 12
 SLOC= 7 1056.000 1065.000 1075.000 1086.500
 1098.000 1159.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 15
 SLOC= 13 1220.000 1146.000 1167.000

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 6
 SLOC= 1 .1700000E-01 .1700000E-01 .1800000E-01 .2100000E-01
 .2300000E-01 .2500000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 12
 SLOC= 7 .2700000E-01 .2800000E-01 .3000000E-01 .3200000E-01
 .3400000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 15
 SLOC= 13 .3700000E-01 .4100000E-01 .4400000E-01

Define K and C for material 12

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 -73.15000 26.85000 126.8500
 326.8500 526.8500 726.8500

PROPERTY TABLE KXX MAT= 12 NUM. POINTS= 6
 SLOC= 1 413.0000 401.0000 393.0000 379.0000
 366.0000 352.0000

PROPERTY TABLE C MAT= 12 NUM. POINTS= 6
 SLOC= 1 356.0000 385.0000 397.0000 417.0000
 433.0000 451.0000

Define K and C for material 13

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 5 ***
 SLOC= 1 23.00000 50.00000 100.0000
 150.0000 200.0000

PROPERTY TABLE KXX MAT= 13 NUM. POINTS= 5
 SLOC= 1 182.5600 190.1700 199.2200 202.9100
 203.7200

PROPERTY TABLE C MAT= 13 NUM. POINTS= 5
 SLOC= 1 868.0000 903.0000 946.0000 976.0000
 998.0000

 ** End of Material Property List **

Read in single assembly heat loads
 Calculate the volumetric heat generation
 (Assembly time is in years, FUEL is in seconds)

/INPUT FILE= snf2040.dat LINE= 0

 ** History of SNF Assembly Heat Generation Rates **
 ** Output of PHIA, SCSI: B00000000-01717-1200-3000X Rev.00B **
 **
 ** Executable File Name: PHIA00B.EXE **
 ** Output File Name: snf2040.dat **
 ** Execution Date: 02/23/95 **
 ** Start Age (years): 20.0 **
 ** Decay Period (years): 10000 **
 ** Enrichment (percent): 3.75 **
 ** Burnup (MWd/MTU): 40000 **
 ** Assembly Type: PWR **
 ** SNF U Mass (MTU/assy): 0.490 **
 **
 ** ASSY(#,1) is the SNF assembly heat in Watts. **
 ** ASSY(#,0) is the time post emplacement in years. **

PARAMETER ASSY(1,1) =	547.0300	546.9000	546.7800	546.6500
	546.5300	546.4000		
PARAMETER ASSY(7,1) =	546.2700	546.1500	546.0200	545.8900
	545.7700	545.1400		
PARAMETER ASSY(13,1) =	544.5100	543.8900	543.2700	542.6500
	542.0300	541.4200		
PARAMETER ASSY(19,1) =	540.8100	540.2000	539.5900	538.9800
	538.3800	537.7800		
PARAMETER ASSY(25,1) =	537.1800	536.5800	535.9900	535.3900
	534.8000	529.5700		
PARAMETER ASSY(31,1) =	524.5100	519.3000	514.2400	509.5200
	504.9400	500.2200		
PARAMETER ASSY(37,1) =	495.6400	491.0500	486.5900	482.1700
	477.8800	473.6100		
PARAMETER ASSY(43,1) =	469.4600	465.3200	461.2900	458.0100
	454.8100	417.0600		

PARAMETER ASSY(49,1) =	384.5900 286.4800	355.7100 268.0600	330.9300	307.0000
PARAMETER ASSY(55,1) =	251.5000 199.9800	236.5700 190.0400	223.1000	210.9500
PARAMETER ASSY(61,1) =	181.7600 152.9200	173.1900 114.4100	165.8000	159.0900
PARAMETER ASSY(67,1) =	95.04000 63.46000	83.37000 59.05000	75.26000	68.74000
PARAMETER ASSY(73,1) =	55.13000 43.17000	51.50000 40.75000	48.39000	45.68000
PARAMETER ASSY(79,1) =	38.61000 31.95000	36.70000 21.75000	34.99000	33.43000
PARAMETER ASSY(85,1) =	16.98000 11.76000	14.51000 11.34000	13.18000	12.40000
PARAMETER ASSY(91,1) =	10.97000 9.520000	10.54000 9.200000	10.16000	9.820000
PARAMETER ASSY(97,1) =	8.920000 7.990000	8.660000	8.420000	8.200000
PARAMETER ASSY(1,0) =	.1000000E-05 .4000000E-01	.1000000E-01 .5000000E-01	.2000000E-01	.3000000E-01
PARAMETER ASSY(7,0) =	.6000000E-01 .1000000	.7000000E-01 .1500000	.8000000E-01	.9000000E-01
PARAMETER ASSY(13,0) =	.2000000 .4000000	.2500000 .4500000	.3000000	.3500000
PARAMETER ASSY(19,0) =	.5000000 .7000000	.5500000 .7500000	.6000000	.6500000
PARAMETER ASSY(25,0) =	.8000000 1.000000	.8500000 1.500000	.9000000	.9500000
PARAMETER ASSY(31,0) =	2.000000 4.000000	2.500000 4.500000	3.000000	3.500000
PARAMETER ASSY(37,0) =	5.000000 7.000000	5.500000 7.500000	6.000000	6.500000
PARAMETER ASSY(43,0) =	8.000000 10.00000	8.500000 15.00000	9.000000	9.500000
PARAMETER ASSY(49,0) =	20.00000 40.00000	25.00000 45.00000	30.00000	35.00000
PARAMETER ASSY(55,0) =	50.00000 70.00000	55.00000 75.00000	60.00000	65.00000
PARAMETER ASSY(61,0) =	80.00000 100.0000	85.00000 150.0000	90.00000	95.00000
PARAMETER ASSY(67,0) =	200.0000 400.0000	250.0000 450.0000	300.0000	350.0000
PARAMETER ASSY(73,0) =	500.0000 700.0000	550.0000 750.0000	600.0000	650.0000
PARAMETER ASSY(79,0) =	800.0000 1000.000	850.0000 1500.000	900.0000	950.0000
PARAMETER ASSY(85,0) =	2000.000	2500.000	3000.000	3500.000

	4000.000	4500.000		
PARAMETER ASSY(91,0) =	5000.000	5500.000	6000.000	6500.000
	7000.000	7500.000		
PARAMETER ASSY(97,0) =	8000.000	8500.000	9000.000	9500.000
	10000.00			

PARAMETER ASSY(0,1) = 1.000000

FACTOR ON VECTOR OPERATION RESULT= .31558E+08
 FACTOR ON FIRST VECTOR PARAMETER = 1.0000
 FACTOR ON SECOND VECTOR PARAMETER= 1.0000
 FACTOR ON THIRD VECTOR PARAMETER = 1.0000

MATRIX COPY RESULT MATRIX= FUEL(1,0)
 INPUT MATRIX= ASSY(1,0)
 INPUT MATRIX SIZE= 101 ROWS BY 2 COLUMNS
 RESULT MATRIX SIZE= 101 ROWS BY 2 COLUMNS

FACTOR ON VECTOR OPERATION RESULT= 6.6412
 FACTOR ON FIRST VECTOR PARAMETER = 1.0000
 FACTOR ON SECOND VECTOR PARAMETER= 1.0000
 FACTOR ON THIRD VECTOR PARAMETER = 1.0000

VECTOR PARAMETER OPERATION *VFUN
 FUEL(1) = COPY ASSY(1)
 SCALE FACTORS RESULT= 6.6412 INPUT= 1.0000
 VECTOR LENGTH= 101

PARAMETER FUEL(0,1) = 1.000000

Define new material 14 for SNF effective conductivity
 Density: DENS (kg/m^3)
 Conductivity: KXX (W/m/K)
 Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 14 NUM. POINTS= 1
 SLOC= 1 3960.040

PROPERTY TABLE C MAT= 14 NUM. POINTS= 1
 SLOC= 1 274.0000
 Store average effective conductivities

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 25.00000

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
 SLOC= 2 50.00000

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 1
SLOC= 1 .4617156

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 2
SLOC= 2 .5036997

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

Define new material 15 for low thermal loading
outer barrier of 70/30 Copper Nickel (C71500)
Density: DENS (kg/m³)
Conductivity: KXX (W/m/K)
Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .0000000E+00
Density (lb/in³ converted to kg/m³)

PROPERTY TABLE DENS MAT= 15 NUM. POINTS= 1
SLOC= 1 8940.640
Specific Heat (Btu/lb/F converted to J/kg/K)

PROPERTY TABLE C MAT= 15 NUM. POINTS= 1
SLOC= 1 376.7898
Conductivity (Btu/hr/ft/F converted to W/m/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
SLOC= 1 20.00000 100.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 4 ***
SLOC= 3 200.0000 300.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 5 400.0000 500.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 8 ***
SLOC= 7 600.0000 700.0000

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 2
SLOC= 1 29.42190 29.24883

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 4
SLOC= 3 34.09479 38.59461

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 6
SLOC= 5 43.09443 48.11346

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 8
SLOC= 7 53.13249 58.15152

Construct geometry for Disposal Container

Define center and axis keypoints for waste package
Also, create placeholder keypoints and lines
(K's 1,2,3,4,5,6,7,8)
(L's 1,2,3,4)

KEYPOINT	1	X,Y,Z=	.000000E+00	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	2	X,Y,Z=	.000000E+00	.000000E+00	1.00000	IN CSYS= 0
KEYPOINT	3	X,Y,Z=	.000000E+00	.000000E+00	1.30000	IN CSYS= 0
KEYPOINT	4	X,Y,Z=	.000000E+00	.000000E+00	1.40000	IN CSYS= 0
KEYPOINT	5	X,Y,Z=	.000000E+00	.000000E+00	1.50000	IN CSYS= 0
KEYPOINT	6	X,Y,Z=	.000000E+00	.000000E+00	1.60000	IN CSYS= 0
KEYPOINT	7	X,Y,Z=	.000000E+00	.000000E+00	1.70000	IN CSYS= 0
KEYPOINT	8	X,Y,Z=	.000000E+00	.000000E+00	1.80000	IN CSYS= 0

LINE CONNECTS KEYPOINTS		3	4			
LINE NO.=	1	KP1=	3	TAN1=	.0000	.0000 -1.0000
		KP2=	4	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		4	5			
LINE NO.=	2	KP1=	4	TAN1=	.0000	.0000 -1.0000
		KP2=	5	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		5	6			
LINE NO.=	3	KP1=	5	TAN1=	.0000	.0000 -1.0000
		KP2=	6	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		6	7			
LINE NO.=	4	KP1=	6	TAN1=	.0000	.0000 -1.0000
		KP2=	7	TAN2=	.0000	.0000 1.0000

Define disposal container and MPC outer radius
 (K's 9,10,11,12,13,14,15,16,17,18,19,20)
 (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
 (A's 1,2,3,4,5,6)

KEYPOINT	9	X,Y,Z=	.000000E+00	-.715250	.000000E+00	IN CSYS= 0
KEYPOINT	10	X,Y,Z=	.715250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	11	X,Y,Z=	.000000E+00	.715250	.000000E+00	IN CSYS= 0
KEYPOINT	12	X,Y,Z=	.000000E+00	-.665250	.000000E+00	IN CSYS= 0
KEYPOINT	13	X,Y,Z=	.665250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	14	X,Y,Z=	.000000E+00	.665250	.000000E+00	IN CSYS= 0
KEYPOINT	15	X,Y,Z=	.000000E+00	-.645250	.000000E+00	IN CSYS= 0
KEYPOINT	16	X,Y,Z=	.645250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	17	X,Y,Z=	.000000E+00	.645250	.000000E+00	IN CSYS= 0
KEYPOINT	18	X,Y,Z=	.000000E+00	-.630174	.000000E+00	IN CSYS= 0
KEYPOINT	19	X,Y,Z=	.630174	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	20	X,Y,Z=	.000000E+00	.630174	.000000E+00	IN CSYS= 0

LINE CONNECTS KEYPOINTS		10	13			
LINE NO.=	5	KP1=	10	TAN1=	1.0000	.0000 .0000
		KP2=	13	TAN2=	-1.0000	.0000 .0000

LINE CONNECTS KEYPOINTS		13	16			
LINE NO.=	6	KP1=	13	TAN1=	1.0000	.0000 .0000
		KP2=	16	TAN2=	-1.0000	.0000 .0000

ARC BETWEEN KEYPOINTS 10 AND 9 ORIENTATION KEYPOINT= 1

```

RADIUS= .71525
LINE NO.= 7 KP1= 10 TAN1= .0000 1.0000 .0000
              KP2= 9 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 11 AND 10 ORIENTATION KEYPOINT= 1
RADIUS= .71525
LINE NO.= 8 KP1= 11 TAN1= -1.0000 .0000 .0000
              KP2= 10 TAN2= .0000 -1.0000 .0000

ARC BETWEEN KEYPOINTS 13 AND 12 ORIENTATION KEYPOINT= 1
RADIUS= .66525
LINE NO.= 9 KP1= 13 TAN1= .0000 1.0000 .0000
              KP2= 12 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 14 AND 13 ORIENTATION KEYPOINT= 1
RADIUS= .66525
LINE NO.= 10 KP1= 14 TAN1= -1.0000 .0000 .0000
              KP2= 13 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 11 14
LINE NO.= 11 KP1= 11 TAN1= .0000 1.0000 .0000
              KP2= 14 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 9 12
LINE NO.= 12 KP1= 9 TAN1= .0000 -1.0000 .0000
              KP2= 12 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 15 AND 16 ORIENTATION KEYPOINT= 1
RADIUS= .64525
LINE NO.= 13 KP1= 15 TAN1= -1.0000 .0000 .0000
              KP2= 16 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 16 AND 17 ORIENTATION KEYPOINT= 1
RADIUS= .64525
LINE NO.= 14 KP1= 16 TAN1= .0000 -1.0000 .0000
              KP2= 17 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 14 17
LINE NO.= 15 KP1= 14 TAN1= .0000 1.0000 .0000
              KP2= 17 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 12 15
LINE NO.= 16 KP1= 12 TAN1= .0000 -1.0000 .0000
              KP2= 15 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 19 AND 18 ORIENTATION KEYPOINT= 1
RADIUS= .63017
LINE NO.= 17 KP1= 19 TAN1= .0000 1.0000 .0000
              KP2= 18 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 20 AND 19 ORIENTATION KEYPOINT= 1
RADIUS= .63017
LINE NO.= 18 KP1= 20 TAN1= -1.0000 .0000 .0000
              KP2= 19 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 17 20
LINE NO.= 19 KP1= 17 TAN1= .0000 1.0000 .0000
              KP2= 20 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 15 18
LINE NO.= 20 KP1= 15 TAN1= .0000 -1.0000 .0000
              KP2= 18 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 16 19
LINE NO.= 21 KP1= 16 TAN1= 1.0000 .0000 .0000
              KP2= 19 TAN2= -1.0000 .0000 .0000

DEFINE AREA BY LIST OF LINES
LINE LIST = 5 7 12 9
            (TRAVERSED IN SAME DIRECTION AS LINE 5)

```

```

AREA NUMBER =      1

DEFINE AREA BY LIST OF LINES
  LINE LIST =      11      8      5      10
  (TRAVERSED IN SAME DIRECTION AS LINE      11)

AREA NUMBER =      2

DEFINE AREA BY LIST OF LINES
  LINE LIST =      6      9      16      13
  (TRAVERSED IN SAME DIRECTION AS LINE      6)

AREA NUMBER =      3

DEFINE AREA BY LIST OF LINES
  LINE LIST =      15      10      6      14
  (TRAVERSED IN SAME DIRECTION AS LINE      15)

AREA NUMBER =      4

DEFINE AREA BY LIST OF LINES
  LINE LIST =      21      13      20      17
  (TRAVERSED IN SAME DIRECTION AS LINE      21)

AREA NUMBER =      5

DEFINE AREA BY LIST OF LINES
  LINE LIST =      19      14      21      18
  (TRAVERSED IN SAME DIRECTION AS LINE      19)

AREA NUMBER =      6
*****
  Define MPC shell inner edge and area
  (K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
  (  38,39)
  (L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
  (  39,40,41,42)
  (A's 7,8)

KEYPOINT   21   X,Y,Z=   .000000E+00   .607949   .000000E+00 IN CSYS=  0
KEYPOINT   22   X,Y,Z=   .404963E-01   .606599   .000000E+00 IN CSYS=  0
KEYPOINT   23   X,Y,Z=   .500213E-01   .605888   .000000E+00 IN CSYS=  0
KEYPOINT   24   X,Y,Z=   .254720   .552014   .000000E+00 IN CSYS=  0
KEYPOINT   25   X,Y,Z=   .288484   .535144   .000000E+00 IN CSYS=  0
KEYPOINT   26   X,Y,Z=   .535144   .288484   .000000E+00 IN CSYS=  0
KEYPOINT   27   X,Y,Z=   .552014   .254720   .000000E+00 IN CSYS=  0
KEYPOINT   28   X,Y,Z=   .605888   .500213E-01   .000000E+00 IN CSYS=  0
KEYPOINT   29   X,Y,Z=   .606599   .404963E-01   .000000E+00 IN CSYS=  0
KEYPOINT   30   X,Y,Z=   .607949   .000000E+00   .000000E+00 IN CSYS=  0
KEYPOINT   31   X,Y,Z=   .606599   -.404963E-01   .000000E+00 IN CSYS=  0
KEYPOINT   32   X,Y,Z=   .605888   -.500213E-01   .000000E+00 IN CSYS=  0
KEYPOINT   33   X,Y,Z=   .552014   -.254720   .000000E+00 IN CSYS=  0
KEYPOINT   34   X,Y,Z=   .535144   -.288484   .000000E+00 IN CSYS=  0
KEYPOINT   35   X,Y,Z=   .288484   -.535144   .000000E+00 IN CSYS=  0

```

KEYPOINT 36 X,Y,Z= .254720 -.552014 .000000E+00 IN CSYS= 0
 KEYPOINT 37 X,Y,Z= .500213E-01 -.605888 .000000E+00 IN CSYS= 0
 KEYPOINT 38 X,Y,Z= .404963E-01 -.606599 .000000E+00 IN CSYS= 0
 KEYPOINT 39 X,Y,Z= .000000E+00 -.607949 .000000E+00 IN CSYS= 0

LINE CONNECTS KEYPOINTS 20 21
 LINE NO.= 22 KP1= 20 TAN1= .0000 1.0000 .0000
 KP2= 21 TAN2= .0000 -1.0000 .0000

ARC BETWEEN KEYPOINTS 22 AND 21 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 23 KP1= 22 TAN1= .9978 -.0666 .0000
 KP2= 21 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 23 AND 22 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 24 KP1= 23 TAN1= .9966 -.0823 .0000
 KP2= 22 TAN2= -.9978 .0666 .0000

ARC BETWEEN KEYPOINTS 24 AND 23 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 25 KP1= 24 TAN1= .9080 -.4190 .0000
 KP2= 23 TAN2= -.9966 .0823 .0000

ARC BETWEEN KEYPOINTS 25 AND 24 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 26 KP1= 25 TAN1= .8802 -.4745 .0000
 KP2= 24 TAN2= -.9080 .4190 .0000

ARC BETWEEN KEYPOINTS 26 AND 25 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 27 KP1= 26 TAN1= .4745 -.8802 .0000
 KP2= 25 TAN2= -.8802 .4745 .0000

ARC BETWEEN KEYPOINTS 27 AND 26 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 28 KP1= 27 TAN1= .4190 -.9080 .0000
 KP2= 26 TAN2= -.4745 .8802 .0000

ARC BETWEEN KEYPOINTS 28 AND 27 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 29 KP1= 28 TAN1= .0823 -.9966 .0000
 KP2= 27 TAN2= -.4190 .9080 .0000

ARC BETWEEN KEYPOINTS 29 AND 28 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 30 KP1= 29 TAN1= .0666 -.9978 .0000
 KP2= 28 TAN2= -.0823 .9966 .0000

ARC BETWEEN KEYPOINTS 30 AND 29 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 31 KP1= 30 TAN1= .0000 -1.0000 .0000
 KP2= 29 TAN2= -.0666 .9978 .0000

ARC BETWEEN KEYPOINTS 31 AND 30 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 32 KP1= 31 TAN1= -.0666 -.9978 .0000
 KP2= 30 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 32 AND 31 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 33 KP1= 32 TAN1= -.0823 -.9966 .0000
 KP2= 31 TAN2= .0666 .9978 .0000

ARC BETWEEN KEYPOINTS 33 AND 32 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 34 KP1= 33 TAN1= -.4190 -.9080 .0000

```

      KP2=      32 TAN2=      .0823      .9966      .0000
ARC BETWEEN KEYPOINTS      34 AND      33 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      35 KP1=      34 TAN1=      -.4745      -.8802      .0000
      KP2=      33 TAN2=      .4190      .9080      .0000

ARC BETWEEN KEYPOINTS      35 AND      34 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      36 KP1=      35 TAN1=      -.8802      -.4745      .0000
      KP2=      34 TAN2=      .4745      .8802      .0000

ARC BETWEEN KEYPOINTS      36 AND      35 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      37 KP1=      36 TAN1=      -.9080      -.4190      .0000
      KP2=      35 TAN2=      .8802      .4745      .0000

ARC BETWEEN KEYPOINTS      37 AND      36 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      38 KP1=      37 TAN1=      -.9966      -.0823      .0000
      KP2=      36 TAN2=      .9080      .4190      .0000

ARC BETWEEN KEYPOINTS      38 AND      37 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      39 KP1=      38 TAN1=      -.9978      -.0666      .0000
      KP2=      37 TAN2=      .9966      .0823      .0000

ARC BETWEEN KEYPOINTS      39 AND      38 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      40 KP1=      39 TAN1=      -1.0000      .0000      .0000
      KP2=      38 TAN2=      .9978      .0666      .0000

LINE CONNECTS KEYPOINTS      18      39
LINE NO.=      41 KP1=      18 TAN1=      .0000      -1.0000      .0000
      KP2=      39 TAN2=      .0000      1.0000      .0000

LINE CONNECTS KEYPOINTS      19      30
LINE NO.=      42 KP1=      19 TAN1=      1.0000      .0000      .0000
      KP2=      30 TAN2=      -1.0000      .0000      .0000

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      32 TO      42 STEP      1

```

11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

```

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      17 TO      17 STEP      1

```

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

```

DEFINE AREA BY LIST OF LINES
LINE LIST = ALL SELECTED LINES
(TRAVERSED IN SAME DIRECTION AS LINE 17)

```

AREA NUMBER = 7

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      22 TO      31 STEP      1

```

10 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

```

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      18 TO      18 STEP      1

```

11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

```

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      42 TO      42 STEP      1

```

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES
 LINE LIST = ALL SELECTED LINES
 (TRAVERSED IN SAME DIRECTION AS LINE 18)

AREA NUMBER = 8

ALL SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 1 TO 42 STEP 1

42 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

Define tube guides

(K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)

(57,58,59)

(L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)

(60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)

(77,78,79,80)

(A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)

(26)

top

KEYPOINT	40	X,Y,Z=	.500213E-01	.552014	.000000E+00	IN CSYS= 0
KEYPOINT	41	X,Y,Z=	.404963E-01	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	42	X,Y,Z=	.254720	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	43	X,Y,Z=	.278959	.535144	.000000E+00	IN CSYS= 0
KEYPOINT	44	X,Y,Z=	.288484	.288484	.000000E+00	IN CSYS= 0
KEYPOINT	45	X,Y,Z=	.278959	.278959	.000000E+00	IN CSYS= 0
KEYPOINT	46	X,Y,Z=	.535144	.278959	.000000E+00	IN CSYS= 0
	side					
KEYPOINT	47	X,Y,Z=	.542489	.254720	.000000E+00	IN CSYS= 0
KEYPOINT	48	X,Y,Z=	.552014	.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	49	X,Y,Z=	.542489	.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	50	X,Y,Z=	.542489	-.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	51	X,Y,Z=	.552014	-.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	52	X,Y,Z=	.542489	-.254720	.000000E+00	IN CSYS= 0
	bottom					
KEYPOINT	53	X,Y,Z=	.535144	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	54	X,Y,Z=	.278959	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	55	X,Y,Z=	.288484	-.288484	.000000E+00	IN CSYS= 0
KEYPOINT	56	X,Y,Z=	.278959	-.535144	.000000E+00	IN CSYS= 0
KEYPOINT	57	X,Y,Z=	.254720	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	58	X,Y,Z=	.404963E-01	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	59	X,Y,Z=	.500213E-01	-.552014	.000000E+00	IN CSYS= 0
	top					

LINE CONNECTS KEYPOINTS 41 22
 LINE NO.= 43 KP1= 41 TAN1= .0000 -1.0000 .0000
 KP2= 22 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS	40	41			
LINE NO.= 44 KP1=	40	TAN1=	.7071	.7071	.0000
KP2=	41	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	40	24			
LINE NO.= 45 KP1=	40	TAN1=	-1.0000	.0000	.0000
KP2=	24	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	42	41			
LINE NO.= 46 KP1=	42	TAN1=	1.0000	.0000	.0000
KP2=	41	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	24	42			
LINE NO.= 47 KP1=	24	TAN1=	.0000	1.0000	.0000
KP2=	42	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	43	25			
LINE NO.= 48 KP1=	43	TAN1=	-1.0000	.0000	.0000
KP2=	25	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	45	43			
LINE NO.= 49 KP1=	45	TAN1=	.0000	-1.0000	.0000
KP2=	43	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	25	44			
LINE NO.= 50 KP1=	25	TAN1=	.0000	1.0000	.0000
KP2=	44	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	44	45			
LINE NO.= 51 KP1=	44	TAN1=	.7071	.7071	.0000
KP2=	45	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	44	26			
LINE NO.= 52 KP1=	44	TAN1=	-1.0000	.0000	.0000
KP2=	26	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	46	45			
LINE NO.= 53 KP1=	46	TAN1=	1.0000	.0000	.0000
KP2=	45	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	26	46			
LINE NO.= 54 KP1=	26	TAN1=	.0000	1.0000	.0000
KP2=	46	TAN2=	.0000	-1.0000	.0000
side					
LINE CONNECTS KEYPOINTS	47	27			
LINE NO.= 55 KP1=	47	TAN1=	-1.0000	.0000	.0000
KP2=	27	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	49	47			
LINE NO.= 56 KP1=	49	TAN1=	.0000	-1.0000	.0000
KP2=	47	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	27	48			
LINE NO.= 57 KP1=	27	TAN1=	.0000	1.0000	.0000
KP2=	48	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	48	49			
LINE NO.= 58 KP1=	48	TAN1=	.7071	.7071	.0000
KP2=	49	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	48	28			
LINE NO.= 59 KP1=	48	TAN1=	-1.0000	.0000	.0000
KP2=	28	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	29	49			
LINE NO.= 60 KP1=	29	TAN1=	1.0000	.0000	.0000
KP2=	49	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	50	31			

LINE NO.=	61	KP1=	50	TAN1=	-1.0000	.0000	.0000
		KP2=	31	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 32 51							
LINE NO.=	62	KP1=	32	TAN1=	1.0000	.0000	.0000
		KP2=	51	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 50 51							
LINE NO.=	63	KP1=	50	TAN1=	-.7071	.7071	.0000
		KP2=	51	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS 52 50							
LINE NO.=	64	KP1=	52	TAN1=	.0000	-1.0000	.0000
		KP2=	50	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS 51 33							
LINE NO.=	65	KP1=	51	TAN1=	.0000	1.0000	.0000
		KP2=	33	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 33 52							
LINE NO.=	66	KP1=	33	TAN1=	1.0000	.0000	.0000
		KP2=	52	TAN2=	-1.0000	.0000	.0000
bottom							
LINE CONNECTS KEYPOINTS 53 34							
LINE NO.=	67	KP1=	53	TAN1=	.0000	1.0000	.0000
		KP2=	34	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 54 53							
LINE NO.=	68	KP1=	54	TAN1=	-1.0000	.0000	.0000
		KP2=	53	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 34 55							
LINE NO.=	69	KP1=	34	TAN1=	1.0000	.0000	.0000
		KP2=	55	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 54 55							
LINE NO.=	70	KP1=	54	TAN1=	-.7071	.7071	.0000
		KP2=	55	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS 56 54							
LINE NO.=	71	KP1=	56	TAN1=	.0000	-1.0000	.0000
		KP2=	54	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS 55 35							
LINE NO.=	72	KP1=	55	TAN1=	.0000	1.0000	.0000
		KP2=	35	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 35 56							
LINE NO.=	73	KP1=	35	TAN1=	1.0000	.0000	.0000
		KP2=	56	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 57 36							
LINE NO.=	74	KP1=	57	TAN1=	.0000	1.0000	.0000
		KP2=	36	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 58 57							
LINE NO.=	75	KP1=	58	TAN1=	-1.0000	.0000	.0000
		KP2=	57	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 36 59							
LINE NO.=	76	KP1=	36	TAN1=	1.0000	.0000	.0000
		KP2=	59	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 58 59							
LINE NO.=	77	KP1=	58	TAN1=	-.7071	.7071	.0000
		KP2=	59	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS 38 58							
LINE NO.=	78	KP1=	38	TAN1=	.0000	-1.0000	.0000

KP2= 58 TAN2= .0000 1.0000 .0000
 LINE CONNECTS KEYPOINTS 59 37
 LINE NO.= 79 KP1= 59 TAN1= .0000 1.0000 .0000
 KP2= 37 TAN2= .0000 -1.0000 .0000
 LINE CONNECTS KEYPOINTS 23 40
 LINE NO.= 80 KP1= 23 TAN1= .0000 1.0000 .0000
 KP2= 40 TAN2= .0000 -1.0000 .0000
 air

DEFINE AREA BY LIST OF LINES
 LINE LIST = 80 45 25
 (TRAVERSED IN SAME DIRECTION AS LINE 80)

AREA NUMBER = 9

DEFINE AREA BY LIST OF LINES
 LINE LIST = 50 52 27
 (TRAVERSED IN SAME DIRECTION AS LINE 50)

AREA NUMBER = 10

DEFINE AREA BY LIST OF LINES
 LINE LIST = 57 59 29
 (TRAVERSED IN SAME DIRECTION AS LINE 57)

AREA NUMBER = 11

DEFINE AREA BY LIST OF LINES
 LINE LIST = 62 65 34
 (TRAVERSED IN SAME DIRECTION AS LINE 62)

AREA NUMBER = 12

DEFINE AREA BY LIST OF LINES
 LINE LIST = 69 72 36
 (TRAVERSED IN SAME DIRECTION AS LINE 69)

AREA NUMBER = 13

DEFINE AREA BY LIST OF LINES
 LINE LIST = 76 79 38
 (TRAVERSED IN SAME DIRECTION AS LINE 76)

AREA NUMBER = 14
 guides

DEFINE AREA BY LIST OF LINES
 LINE LIST = 24 43 44 80
 (TRAVERSED IN SAME DIRECTION AS LINE 24)

AREA NUMBER = 15

DEFINE AREA BY LIST OF LINES
 LINE LIST = 45 44 46 47
 (TRAVERSED IN SAME DIRECTION AS LINE 45)

AREA NUMBER = 16

DEFINE AREA BY LIST OF LINES
 LINE LIST = 48 49 51 50
 (TRAVERSED IN SAME DIRECTION AS LINE 48)

AREA NUMBER = 17

DEFINE AREA BY LIST OF LINES
 LINE LIST = 52 51 53 54
 (TRAVERSED IN SAME DIRECTION AS LINE 52)

AREA NUMBER = 18

DEFINE AREA BY LIST OF LINES

LINE LIST = 55 56 58 57
(TRAVERSED IN SAME DIRECTION AS LINE 55)

AREA NUMBER = 19

DEFINE AREA BY LIST OF LINES

LINE LIST = 59 58 60 30
(TRAVERSED IN SAME DIRECTION AS LINE 59)

AREA NUMBER = 20

DEFINE AREA BY LIST OF LINES

LINE LIST = 61 63 62 33
(TRAVERSED IN SAME DIRECTION AS LINE 61)

AREA NUMBER = 21

DEFINE AREA BY LIST OF LINES

LINE LIST = 63 64 66 65
(TRAVERSED IN SAME DIRECTION AS LINE 63)

AREA NUMBER = 22

DEFINE AREA BY LIST OF LINES

LINE LIST = 68 70 69 67
(TRAVERSED IN SAME DIRECTION AS LINE 68)

AREA NUMBER = 23

DEFINE AREA BY LIST OF LINES

LINE LIST = 70 71 73 72
(TRAVERSED IN SAME DIRECTION AS LINE 70)

AREA NUMBER = 24

DEFINE AREA BY LIST OF LINES

LINE LIST = 75 77 76 74
(TRAVERSED IN SAME DIRECTION AS LINE 75)

AREA NUMBER = 25

DEFINE AREA BY LIST OF LINES

LINE LIST = 77 78 39 79
(TRAVERSED IN SAME DIRECTION AS LINE 77)

AREA NUMBER = 26

Define top half tubes and flux trap plate

(K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)

(77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)

(94,95,96,97,98,99,100,101,102,103,104,105,106,107)

(108,109,110,111,112,113,114,115,116,117,118,119)

(120,121,122,123,124,125,126,127,128,129,130,131)

(132,133,134,135,136,137,138,139,140,141,142,143)

(144,145,146,147,148,149,150,151,152,153,154,155)

(156,157,158,159,160,161,162,163,164,165,166,167)

(L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)

(98,99,100,101,102,103,104,105,106,107,108,109,110)

(111,112,113,114,115,116,117,118,119,120,121,122)

(123,124,125,126,127,128,129,130,131,132,133,134)

(135,136,137,138,139,140,141,142,143,144,145,146)

(147,...)

(A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)

(44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)

(61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)

(78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)

(95,96,97,98,99,100,101,102,103)

KEYPOINT	60	X,Y,Z=	.000000E+00	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	61	X,Y,Z=	.000000E+00	.381000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	62	X,Y,Z=	.000000E+00	.138125	.000000E+00	IN CSYS=	0
KEYPOINT	63	X,Y,Z=	.000000E+00	.163525	.000000E+00	IN CSYS=	0
KEYPOINT	64	X,Y,Z=	.000000E+00	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	65	X,Y,Z=	.000000E+00	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	66	X,Y,Z=	.000000E+00	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	67	X,Y,Z=	.000000E+00	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	68	X,Y,Z=	.000000E+00	.406756	.000000E+00	IN CSYS=	0
KEYPOINT	69	X,Y,Z=	.000000E+00	.432156	.000000E+00	IN CSYS=	0
KEYPOINT	70	X,Y,Z=	.000000E+00	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	71	X,Y,Z=	.000000E+00	.561543	.000000E+00	IN CSYS=	0
KEYPOINT	72	X,Y,Z=	.000000E+00	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	73	X,Y,Z=	.127000E-01	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	74	X,Y,Z=	.127000E-01	.381000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	75	X,Y,Z=	.127000E-01	.138125	.000000E+00	IN CSYS=	0
KEYPOINT	76	X,Y,Z=	.127000E-01	.163525	.000000E+00	IN CSYS=	0
KEYPOINT	77	X,Y,Z=	.127000E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	78	X,Y,Z=	.127000E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	79	X,Y,Z=	.127000E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	80	X,Y,Z=	.127000E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	81	X,Y,Z=	.127000E-01	.406756	.000000E+00	IN CSYS=	0
KEYPOINT	82	X,Y,Z=	.127000E-01	.432156	.000000E+00	IN CSYS=	0
KEYPOINT	83	X,Y,Z=	.127000E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	84	X,Y,Z=	.127000E-01	.561543	.000000E+00	IN CSYS=	0
KEYPOINT	85	X,Y,Z=	.127000E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	86	X,Y,Z=	.254000E-01	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	87	X,Y,Z=	.254000E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	88	X,Y,Z=	.254000E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	89	X,Y,Z=	.254000E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	90	X,Y,Z=	.254000E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	91	X,Y,Z=	.254000E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	92	X,Y,Z=	.254000E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	93	X,Y,Z=	.381000E-01	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	94	X,Y,Z=	.317500E-01	.317500E-01	.000000E+00	IN CSYS=	0

KEYPOINT	95	X,Y,Z=	.317500E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	96	X,Y,Z=	.317500E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	97	X,Y,Z=	.317500E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	98	X,Y,Z=	.317500E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	99	X,Y,Z=	.317500E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	100	X,Y,Z=	.317500E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	101	X,Y,Z=	.341376E-01	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	102	X,Y,Z=	.341376E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	103	X,Y,Z=	.341376E-01	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	104	X,Y,Z=	.341376E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	105	X,Y,Z=	.341376E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	106	X,Y,Z=	.341376E-01	.300050	.000000E+00	IN CSYS= 0
KEYPOINT	107	X,Y,Z=	.341376E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	108	X,Y,Z=	.341376E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	109	X,Y,Z=	.341376E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	110	X,Y,Z=	.365252E-01	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	111	X,Y,Z=	.365252E-01	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	112	X,Y,Z=	.365252E-01	.305156	.000000E+00	IN CSYS= 0
KEYPOINT	113	X,Y,Z=	.365252E-01	.533756	.000000E+00	IN CSYS= 0
KEYPOINT	114	X,Y,Z=	.138125	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	115	X,Y,Z=	.163525	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	116	X,Y,Z=	.265125	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	117	X,Y,Z=	.265125	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	118	X,Y,Z=	.265125	.305156	.000000E+00	IN CSYS= 0
KEYPOINT	119	X,Y,Z=	.265125	.533756	.000000E+00	IN CSYS= 0
KEYPOINT	120	X,Y,Z=	.267513	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	121	X,Y,Z=	.267513	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	122	X,Y,Z=	.267513	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	123	X,Y,Z=	.267513	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	124	X,Y,Z=	.267513	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	125	X,Y,Z=	.267513	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	126	X,Y,Z=	.267513	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	127	X,Y,Z=	.270231	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	128	X,Y,Z=	.270231	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	129	X,Y,Z=	.270231	.300050	.000000E+00	IN CSYS= 0

KEYPOINT	130	X,Y,Z=	.270231	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	131	X,Y,Z=	.272618	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	132	X,Y,Z=	.272618	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	133	X,Y,Z=	.272618	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	134	X,Y,Z=	.272618	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	135	X,Y,Z=	.272618	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	136	X,Y,Z=	.272618	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	137	X,Y,Z=	.272618	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	138	X,Y,Z=	.297663	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	139	X,Y,Z=	.297663	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	140	X,Y,Z=	.297663	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	141	X,Y,Z=	.297663	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	142	X,Y,Z=	.297663	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	143	X,Y,Z=	.300050	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	144	X,Y,Z=	.300050	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	145	X,Y,Z=	.302768	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	146	X,Y,Z=	.302768	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	147	X,Y,Z=	.302768	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	148	X,Y,Z=	.302768	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	149	X,Y,Z=	.302768	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	150	X,Y,Z=	.305156	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	151	X,Y,Z=	.305156	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	152	X,Y,Z=	.406756	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	153	X,Y,Z=	.432156	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	154	X,Y,Z=	.533756	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	155	X,Y,Z=	.533756	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	156	X,Y,Z=	.536143	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	157	X,Y,Z=	.536143	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	158	X,Y,Z=	.536143	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	159	X,Y,Z=	.536143	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	160	X,Y,Z=	.536143	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	161	X,Y,Z=	.536143	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	162	X,Y,Z=	.536143	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	163	X,Y,Z=	.561543	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	164	X,Y,Z=	.601066	.127000E-01	.000000E+00	IN CSYS= 0

KEYPOINT 165 X,Y,Z= .601066 .254000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 166 X,Y,Z= .601066 .317500E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 167 X,Y,Z= .601066 .341376E-01 .000000E+00 IN CSYS= 0
 create lines on perimeter and for lesize

LINE CONNECTS KEYPOINTS 73 60
 LINE NO.= 81 KP1= 73 TAN1= 1.0000 .0000 .0000
 KP2= 60 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 73 74
 LINE NO.= 82 KP1= 73 TAN1= .0000 -1.0000 .0000
 KP2= 74 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 61 74
 LINE NO.= 83 KP1= 61 TAN1= -1.0000 .0000 .0000
 KP2= 74 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 74 75
 LINE NO.= 84 KP1= 74 TAN1= .0000 -1.0000 .0000
 KP2= 75 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 75 62
 LINE NO.= 85 KP1= 75 TAN1= 1.0000 .0000 .0000
 KP2= 62 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 75 76
 LINE NO.= 86 KP1= 75 TAN1= .0000 -1.0000 .0000
 KP2= 76 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 63 76
 LINE NO.= 87 KP1= 63 TAN1= -1.0000 .0000 .0000
 KP2= 76 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 76 77
 LINE NO.= 88 KP1= 76 TAN1= .0000 -1.0000 .0000
 KP2= 77 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 77 78
 LINE NO.= 89 KP1= 77 TAN1= .0000 -1.0000 .0000
 KP2= 78 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 78 65
 LINE NO.= 90 KP1= 78 TAN1= 1.0000 .0000 .0000
 KP2= 65 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 78 79
 LINE NO.= 91 KP1= 78 TAN1= .0000 -1.0000 .0000
 KP2= 79 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 66 79
 LINE NO.= 92 KP1= 66 TAN1= -1.0000 .0000 .0000
 KP2= 79 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 79 80
 LINE NO.= 93 KP1= 79 TAN1= .0000 -1.0000 .0000
 KP2= 80 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 80 81
 LINE NO.= 94 KP1= 80 TAN1= .0000 -1.0000 .0000
 KP2= 81 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 81 68
 LINE NO.= 95 KP1= 81 TAN1= 1.0000 .0000 .0000
 KP2= 68 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 81 82
 LINE NO.= 96 KP1= 81 TAN1= .0000 -1.0000 .0000

	KP2=	82	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		69	82			
LINE NO.= 97	KP1=	69	TAN1=	-1.0000	.0000	.0000
	KP2=	82	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		82	83			
LINE NO.= 98	KP1=	82	TAN1=	.0000	-1.0000	.0000
	KP2=	83	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		83	70			
LINE NO.= 99	KP1=	83	TAN1=	1.0000	.0000	.0000
	KP2=	70	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		83	84			
LINE NO.= 100	KP1=	83	TAN1=	.0000	-1.0000	.0000
	KP2=	84	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		71	84			
LINE NO.= 101	KP1=	71	TAN1=	-1.0000	.0000	.0000
	KP2=	84	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		84	85			
LINE NO.= 102	KP1=	84	TAN1=	.0000	-1.0000	.0000
	KP2=	85	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		85	92			
LINE NO.= 103	KP1=	85	TAN1=	-1.0000	.0000	.0000
	KP2=	92	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		92	100			
LINE NO.= 104	KP1=	92	TAN1=	-1.0000	.0000	.0000
	KP2=	100	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		100	109			
LINE NO.= 105	KP1=	100	TAN1=	-1.0000	.0000	.0000
	KP2=	109	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		109	108			
LINE NO.= 106	KP1=	109	TAN1=	.0000	1.0000	.0000
	KP2=	108	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		108	126			
LINE NO.= 107	KP1=	108	TAN1=	-1.0000	.0000	.0000
	KP2=	126	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		126	130			
LINE NO.= 108	KP1=	126	TAN1=	-1.0000	.0000	.0000
	KP2=	130	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		130	137			
LINE NO.= 109	KP1=	130	TAN1=	-1.0000	.0000	.0000
	KP2=	137	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		137	136			
LINE NO.= 110	KP1=	137	TAN1=	.0000	1.0000	.0000
	KP2=	136	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		136	105			
LINE NO.= 111	KP1=	136	TAN1=	1.0000	.0000	.0000
	KP2=	105	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		112	107			
LINE NO.= 112	KP1=	112	TAN1=	.7071	.7071	.0000
	KP2=	107	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		107	106			
LINE NO.= 113	KP1=	107	TAN1=	.0000	1.0000	.0000
	KP2=	106	TAN2=	.0000	-1.0000	.0000

LINE CONNECTS KEYPOINTS	106	105			
LINE NO.= 114 KP1=	106	TAN1=	.0000	1.0000	.0000
KP2=	105	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	105	104			
LINE NO.= 115 KP1=	105	TAN1=	.0000	1.0000	.0000
KP2=	104	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	104	103			
LINE NO.= 116 KP1=	104	TAN1=	.0000	1.0000	.0000
KP2=	103	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	103	102			
LINE NO.= 117 KP1=	103	TAN1=	.0000	1.0000	.0000
KP2=	102	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	102	111			
LINE NO.= 118 KP1=	102	TAN1=	-.7071	.7071	.0000
KP2=	111	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	104	135			
LINE NO.= 119 KP1=	104	TAN1=	-1.0000	.0000	.0000
KP2=	135	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	135	134			
LINE NO.= 120 KP1=	135	TAN1=	.0000	1.0000	.0000
KP2=	134	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	123	127			
LINE NO.= 121 KP1=	123	TAN1=	-1.0000	.0000	.0000
KP2=	127	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	127	134			
LINE NO.= 122 KP1=	127	TAN1=	-1.0000	.0000	.0000
KP2=	134	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	134	141			
LINE NO.= 123 KP1=	134	TAN1=	-1.0000	.0000	.0000
KP2=	141	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	141	143			
LINE NO.= 124 KP1=	141	TAN1=	-1.0000	.0000	.0000
KP2=	143	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	143	148			
LINE NO.= 125 KP1=	143	TAN1=	-1.0000	.0000	.0000
KP2=	148	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	148	150			
LINE NO.= 126 KP1=	148	TAN1=	-.7071	-.7071	.0000
KP2=	150	TAN2=	.7071	.7071	.0000
LINE CONNECTS KEYPOINTS	141	142			
LINE NO.= 127 KP1=	141	TAN1=	.0000	-1.0000	.0000
KP2=	142	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	142	162			
LINE NO.= 128 KP1=	142	TAN1=	-1.0000	.0000	.0000
KP2=	162	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	162	161			
LINE NO.= 129 KP1=	162	TAN1=	.0000	1.0000	.0000
KP2=	161	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	161	160			
LINE NO.= 130 KP1=	161	TAN1=	.0000	1.0000	.0000
KP2=	160	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	160	159			
LINE NO.= 131 KP1=	160	TAN1=	.0000	1.0000	.0000

	KP2=	159	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 159 167						
LINE NO.=	132	KP1=	159	TAN1=	-1.0000	.0000
		KP2=	167	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS 167 166						
LINE NO.=	133	KP1=	167	TAN1=	.0000	1.0000
		KP2=	166	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 166 165						
LINE NO.=	134	KP1=	166	TAN1=	.0000	1.0000
		KP2=	165	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 165 164						
LINE NO.=	135	KP1=	165	TAN1=	.0000	1.0000
		KP2=	164	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 164 163						
LINE NO.=	136	KP1=	164	TAN1=	1.0000	.0000
		KP2=	163	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 163 156						
LINE NO.=	137	KP1=	163	TAN1=	1.0000	.0000
		KP2=	156	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 156 153						
LINE NO.=	138	KP1=	156	TAN1=	1.0000	.0000
		KP2=	153	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 153 152						
LINE NO.=	139	KP1=	153	TAN1=	1.0000	.0000
		KP2=	152	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 152 145						
LINE NO.=	140	KP1=	152	TAN1=	1.0000	.0000
		KP2=	145	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 145 138						
LINE NO.=	141	KP1=	145	TAN1=	1.0000	.0000
		KP2=	138	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 138 131						
LINE NO.=	142	KP1=	138	TAN1=	1.0000	.0000
		KP2=	131	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 131 120						
LINE NO.=	143	KP1=	131	TAN1=	1.0000	.0000
		KP2=	120	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 120 115						
LINE NO.=	144	KP1=	120	TAN1=	1.0000	.0000
		KP2=	115	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 115 114						
LINE NO.=	145	KP1=	115	TAN1=	1.0000	.0000
		KP2=	114	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 114 93						
LINE NO.=	146	KP1=	114	TAN1=	1.0000	.0000
		KP2=	93	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 93 73						
LINE NO.=	147	KP1=	93	TAN1=	1.0000	.0000
		KP2=	73	TAN2=	-1.0000	.0000

tube spacers

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 71 84 83 70

AREA NUMBER = 27
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 69 82 81 68
AREA NUMBER = 28
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 66 79 78 65
AREA NUMBER = 29
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 63 76 75 62
AREA NUMBER = 30
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 61 74 73 60
AREA NUMBER = 31
flux trap plate (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 85 92 91 83 84
AREA NUMBER = 32
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 83 91 90 80 81 82
AREA NUMBER = 33
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 80 90 89 79
AREA NUMBER = 34
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 79 89 88 78
AREA NUMBER = 35
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 78 88 87 77
AREA NUMBER = 36
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 77 87 86 73 74 75 76
AREA NUMBER = 37
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 86 121 120 115 114 93 73
AREA NUMBER = 38
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 121 132 131 120
AREA NUMBER = 39
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 132 139 138 131
AREA NUMBER = 40
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 139 146 145 138

```
AREA NUMBER = 41
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 146 157 156 153 152 145
AREA NUMBER = 42
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 157 165 164 163 156
AREA NUMBER = 43
flux trap plate (Al/boron)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 92 100 99 91
AREA NUMBER = 44
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 91 99 98 90
AREA NUMBER = 45
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 90 98 97 89
AREA NUMBER = 46
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 89 97 96 88
AREA NUMBER = 47
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 88 96 95 87
AREA NUMBER = 48
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 87 95 94 86
AREA NUMBER = 49
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 94 122 121 86
AREA NUMBER = 50
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 122 133 132 121
AREA NUMBER = 51
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 133 140 139 132
AREA NUMBER = 52
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 140 147 146 139
AREA NUMBER = 53
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 147 158 157 146
AREA NUMBER = 54
DEFINE AREA BY LIST OF KEYPOINTS
```

KEYPOINT LIST = 158 166 165 157
AREA NUMBER = 55
flux trap plate (sheath)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 100 109 108 99
AREA NUMBER = 56
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 99 108 107 98
AREA NUMBER = 57
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 98 107 106 105 97
AREA NUMBER = 58
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 97 105 104 96
AREA NUMBER = 59
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 96 104 103 102 95
AREA NUMBER = 60
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 95 102 101 94
AREA NUMBER = 61
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 101 123 122 94
AREA NUMBER = 62
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 123 127 134 133 122
AREA NUMBER = 63
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 134 141 140 133
AREA NUMBER = 64
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 141 143 148 147 140
AREA NUMBER = 65
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 148 159 158 147
AREA NUMBER = 66
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 159 167 166 158
AREA NUMBER = 67
tube (sheath)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 130 137 136 129
AREA NUMBER = 68

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 106 129 136 105

AREA NUMBER = 69

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 104 135 128 103

AREA NUMBER = 70

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 128 135 134 127

AREA NUMBER = 71

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 144 143 141

AREA NUMBER = 72

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 162 161 144

AREA NUMBER = 73
tube (Al/boron)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 126 130 129 125

AREA NUMBER = 74

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 107 125 129 106

AREA NUMBER = 75

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 103 128 124 102

AREA NUMBER = 76

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 124 128 127 123

AREA NUMBER = 77

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 149 148 143

AREA NUMBER = 78

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 161 160 149

AREA NUMBER = 79
tube (stainless)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 113 112 107

AREA NUMBER = 80

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 126 119 113

AREA NUMBER = 81

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 119 126 125 118

AREA NUMBER = 82
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 112 118 125 107
AREA NUMBER = 83
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 111 110 101
AREA NUMBER = 84
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 124 117 111
AREA NUMBER = 85
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 117 124 123 116
AREA NUMBER = 86
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 110 116 123 101
AREA NUMBER = 87
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 151 150 148
AREA NUMBER = 88
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 160 155 151
AREA NUMBER = 89
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 155 160 159 154
AREA NUMBER = 90
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 150 154 159 148
AREA NUMBER = 91
homogeneous assembly
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 113 119 118 112
AREA NUMBER = 92
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 111 117 116 110
AREA NUMBER = 93
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 151 155 154 150
AREA NUMBER = 94
helium spaces
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 72 85 84 71
AREA NUMBER = 95

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 70 83 82 69

AREA NUMBER = 96

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 68 81 80 67

AREA NUMBER = 97

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 67 80 79 66

AREA NUMBER = 98

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 65 78 77 64

AREA NUMBER = 99

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 64 77 76 63

AREA NUMBER = 100

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 62 75 74 61

AREA NUMBER = 101

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 105 136 135 104

AREA NUMBER = 102

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 135 142 141 134

AREA NUMBER = 103

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Set element shapes and sizes for tubes and flux trap
14x14 mesh in fuel with 1
division per tube layer

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

DEFAULT ELEMENT DIVISIONS PER LINE = 1

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 81 TO 87 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 90 TO 92 STEP 2

6 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 95 TO 101 STEP 2

10 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 2, SPACING RATIO = 1.000

SELECT FOR ITEM=LINE COMPONENT=

IN RANGE 107 TO 107 STEP 1

1 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 110 TO 111 STEP 1

3 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 119 TO 120 STEP 1

5 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 127 TO 128 STEP 1

7 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 131 TO 131 STEP 1

8 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 14, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 264 STEP 1

264 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 82 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 84 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 86 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 88 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 89 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 91 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 93 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 94 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 96 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 98 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 100 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 102 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 103 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

```
SET DIVISIONS ON LINE 104 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 136 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 137 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 138 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 139 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 140 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 141 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 142 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 143 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 144 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 145 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 146 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 147 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000
  concatenate lines for mapped meshing
  (L's 265,266,267,268,269,270,271,272,273,274)
```

```
SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    82 TO      88 STEP      2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.
```

```
CONCATENATE LINES
  LINE LIST = ALL SELECTED LINES
```

```
COMPOSITE LINE NO.= 265 KP1= 73 KP2= 77
```

```
SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    94 TO      98 STEP      2

3 LINES (OF 265 DEFINED) SELECTED BY LSEL COMMAND.
```

```
CONCATENATE LINES
  LINE LIST = ALL SELECTED LINES
```

```
COMPOSITE LINE NO.= 266 KP1= 80 KP2= 83
```

```
SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    100 TO     102 STEP      2

2 LINES (OF 266 DEFINED) SELECTED BY LSEL COMMAND.
```

```
CONCATENATE LINES
  LINE LIST = ALL SELECTED LINES
```

COMPOSITE LINE NO.= 267 KP1= 83 KP2= 85

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 113 TO 114 STEP 1

2 LINES (OF 267 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 268 KP1= 107 KP2= 105

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 116 TO 117 STEP 1

2 LINES (OF 268 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 269 KP1= 104 KP2= 102

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 121 TO 122 STEP 1

2 LINES (OF 269 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 270 KP1= 123 KP2= 134

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 124 TO 125 STEP 1

2 LINES (OF 270 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 271 KP1= 141 KP2= 148

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 136 TO 137 STEP 1

2 LINES (OF 271 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 272 KP1= 164 KP2= 156

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 138 TO 140 STEP 1

3 LINES (OF 272 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 273 KP1= 156 KP2= 145

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 144 TO 147 STEP 1

4 LINES (OF 273 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 274 KP1= 120 KP2= 73

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 274 STEP 1

274 LINES (OF 274 DEFINED) SELECTED BY LSEL COMMAND.

Mesh areas

first flux trap plate, then tubes

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 27 TO 43 IN STEPS OF 1

*** WARNING *** CP= 7.890 TIME= 20:03:27
Meshing of area 32 produced 6 poorly shaped elements.

*** NOTE *** CP= 7.890 TIME= 20:03:27
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
38 39 44 45 50 51

*** WARNING *** CP= 7.970 TIME= 20:03:27
Meshing of area 33 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.980 TIME= 20:03:27
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
58 59 60 63 64 65 72 73 74 77
78 79 86 87 88 91 92 93

*** WARNING *** CP= 8.130 TIME= 20:03:27
Meshing of area 37 produced 18 poorly shaped elements.

*** NOTE *** CP= 8.130 TIME= 20:03:27
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
125 129 130 132 133 134 139 143 144 146
147 148 153 157 158 160 161 162

*** WARNING *** CP= 8.220 TIME= 20:03:27
Meshing of area 38 produced 18 poorly shaped elements.

*** NOTE *** CP= 8.220 TIME= 20:03:27
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
163 164 165 166 167 168 169 170 171 175
176 177 178 179 180 190 191 192

*** WARNING *** CP= 8.380 TIME= 20:03:28
Meshing of area 42 produced 18 poorly shaped elements.

*** NOTE *** CP= 8.380 TIME= 20:03:28
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
238 239 240 241 242 243 244 245 246 253
254 255 256 257 258 259 260 261

*** WARNING *** CP= 8.430 TIME= 20:03:28
Meshing of area 43 produced 6 poorly shaped elements.

*** NOTE *** CP= 8.430 TIME= 20:03:28
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
280 281 282 283 284 285

NUMBER OF AREAS MESHED = 17
MAXIMUM NODE NUMBER = 386
MAXIMUM ELEMENT NUMBER = 288

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 44 TO 55 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 556
MAXIMUM ELEMENT NUMBER = 456

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 56 TO 73 IN STEPS OF 1

NUMBER OF AREAS MESHED = 18
MAXIMUM NODE NUMBER = 807
MAXIMUM ELEMENT NUMBER = 624

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 74 TO 79 IN STEPS OF 1

NUMBER OF AREAS MESHED = 6
MAXIMUM NODE NUMBER = 890
MAXIMUM ELEMENT NUMBER = 708

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 80 TO 91 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 1084
MAXIMUM ELEMENT NUMBER = 876

MATERIAL NUMBER SET TO 14

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 92 TO 94 IN STEPS OF 1

NUMBER OF AREAS MESHED = 3
MAXIMUM NODE NUMBER = 1591
MAXIMUM ELEMENT NUMBER = 1464

Delete concatenated lines
(L's freed up 265,266,267,268,269,270,271,272,273,274)

DELETE SELECTED LINES FROM 265 TO 274 BY 1

DELETED 10 LINES

Copy tube mesh and connect top and bottom

SYMMETRY TRANSFORMATION OF AREAS USING COMPONENT Y
SET IS FROM 27 TO 103 IN STEPS OF 1

MAXIMUM NODE NUMBER = 3182
MAXIMUM ELEMENT NUMBER = 2928
flux trap plate spacers
(L's 449,450,451,452,453,454,455,456,457,458)
(A's 181,182,183,184,185)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 186 73 93 202

AREA NUMBER = 181

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 201 114 115 200

AREA NUMBER = 182

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 204 131 138 206

AREA NUMBER = 183

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 212 152 153 211

AREA NUMBER = 184

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 210 156 163 215

AREA NUMBER = 185
flux trap plate helium gaps
(A's 186,187,188,189,190,191,192,193)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 187 60 73 186

AREA NUMBER = 186

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 202 93 114 201

AREA NUMBER = 187

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 200 115 120 199

AREA NUMBER = 188

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 199 120 131 204

AREA NUMBER = 189

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 206 138 145 208

AREA NUMBER = 190

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 208 145 152 212

AREA NUMBER = 191
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 211 153 156 210
AREA NUMBER = 192
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 215 163 164 214
AREA NUMBER = 193
tube/guide helium gaps (flats)
(A's 194,195,196,197,198,199,200,201,202,203,204,205)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 109 22 41 108
AREA NUMBER = 194
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 41 42 126
AREA NUMBER = 195
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 137 43 45 136
AREA NUMBER = 196
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 45 46 162
AREA NUMBER = 197
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 160 47 49 159
AREA NUMBER = 198
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 49 29 167 159
AREA NUMBER = 199
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 244 245 31 50
AREA NUMBER = 200
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 244 50 52 260
AREA NUMBER = 201
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 254 53 54 252
AREA NUMBER = 202
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 248 54 56 247
AREA NUMBER = 203
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 256 57 58 230
AREA NUMBER = 204

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 230 58 38 229

AREA NUMBER = 205

tube/guide heluim gaps (corners)
(A's 206,207,208,209,210,211,212,213,214,215,216,217)
(218)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 85 72

AREA NUMBER = 206

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 22 109 100 92 85

AREA NUMBER = 207

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 24 25 43 137 130 126 42

AREA NUMBER = 208

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 136 45 142 135

AREA NUMBER = 209

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 26 27 47 160 161 162 46

AREA NUMBER = 210

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 167 29 30 164 165 166

AREA NUMBER = 211

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 164 30 214

AREA NUMBER = 212

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 214 30 31 245 228 213

AREA NUMBER = 213

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 52 33 34 53 254 255 260

AREA NUMBER = 214

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 250 252 54 248

AREA NUMBER = 215

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 246 247 56 35 36 57

AREA NUMBER = 216

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 188 189 216 229 38 39

AREA NUMBER = 217

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 273 188 39

AREA NUMBER = 218
mesh flux trap plate spacers

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 449 TO 458 STEP 1

10 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 4, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 488 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 181 TO 185 IN STEPS OF 1

NUMBER OF AREAS MESHED = 5
MAXIMUM NODE NUMBER = 3251
MAXIMUM ELEMENT NUMBER = 3000

MERGE COINCIDENT NODES WITHIN TOLERANCE OF .10000E-03

*** NOTE *** CP= 18.780 TIME= 20:03:38
Zero nodes were merged.

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Create mesh in MPC shell and disposal container
Tube guides

DEFAULT ELEMENT DIVISIONS PER LINE = 2

SET DIVISIONS ON LINE 43 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 46 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 49 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 53 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 56 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 60 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 61 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 64 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 68 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 71 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 75 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 78 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 15 TO 26 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12

MAXIMUM NODE NUMBER = 3677

MAXIMUM ELEMENT NUMBER = 3272

MPC shell
(L's 489.490)

SET DIVISIONS ON LINE 23 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 25 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 26 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 27 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 28 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 29 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 31 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 32 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 34 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 35 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 36 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 37 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 38 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 40 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 23 TO 31 STEP 1

9 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 489 KP1= 21 KP2= 30

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 32 TO 40 STEP 1

9 LINES (OF 489 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 490 KP1= 30 KP2= 39

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

490 LINES (OF 490 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 17 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 18 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 22 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 41 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 7 TO 8 IN STEPS OF 1

*** WARNING *** CP= 20.830 TIME= 20:03:40
Meshing of area 7 produced 112 poorly shaped elements.

*** NOTE *** CP= 20.830 TIME= 20:03:40
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3292	3293	3294	3295	3296	3297	3298	3299	3300	3301
3302	3303	3304	3305	3306	3307	3308	3309	3310	3311
3312	3313	3314	3315	3316	3317	3318	3319	3320	3321
3322	3323	3324	3325	3326	3327	3328	3329	3330	3331
3332	3333	3334	3335	3336	3337	3338	3339	3340	3341
3342	3343	3344	3345	3346	3347	3348	3349	3350	3351
3352	3353	3354	3355	3356	3357	3358	3359	3360	3361
3362	3363	3364	3365	3366	3367	3368	3369	3370	3371
3372	3373	3374	3375	3376	3377	3378	3379	3380	3381
3382	3383	3384	3385	3386	3387	3388	3389	3390	3391
3392	3393	3394	3395	3396	3397	3398	3399	3400	3401
3402	3403	3404	3405	3406	3407	3408	3409	3410	3411

*** LIST TERMINATED AFTER 100 ***

*** WARNING *** CP= 21.550 TIME= 20:03:41
Meshing of area 8 produced 112 poorly shaped elements.

*** NOTE *** CP= 21.550 TIME= 20:03:41
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3460	3461	3462	3463	3464	3465	3466	3467	3468	3469
3470	3471	3472	3473	3474	3475	3476	3477	3478	3479
3480	3481	3482	3483	3484	3485	3486	3487	3488	3489
3490	3491	3492	3493	3494	3495	3496	3497	3498	3499
3500	3501	3502	3503	3504	3505	3506	3507	3508	3509
3510	3511	3512	3513	3514	3515	3516	3517	3518	3519
3520	3521	3522	3523	3524	3525	3526	3527	3528	3529
3530	3531	3532	3533	3534	3535	3536	3537	3538	3539
3540	3541	3542	3543	3544	3545	3546	3547	3548	3549
3550	3551	3552	3553	3554	3555	3556	3557	3558	3559

3558 3559 3560 3561 3562 3563 3564 3565 3566 3567
3568 3569 3570 3571 3572 3573 3574 3575 3576 3577
*** LIST TERMINATED AFTER 100 ***

NUMBER OF AREAS MESHED = 2
MAXIMUM NODE NUMBER = 4109
MAXIMUM ELEMENT NUMBER = 3608
Assume vacuum between shell and inner barrier

SET DIVISIONS ON LINE 13 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 14 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 19 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 20 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000
No MAT,7,
No TYPE,1,
No AMESH,5,6,1,
Delete concatenated lines
(L's freed up 489,490)

DELETE SELECTED LINES FROM 489 TO 490 BY 1

DELETED 2 LINES
Inner and outer barrier

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 10 STEP 1

4 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 56, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 6 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 15 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 16 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 5 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 11 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 12 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 3 TO 4 IN STEPS OF 1

NUMBER OF AREAS MESHED = 2
 MAXIMUM NODE NUMBER = 4561
 MAXIMUM ELEMENT NUMBER = 3944

MATERIAL NUMBER SET TO 15

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 1 TO 2 IN STEPS OF 1

NUMBER OF AREAS MESHED = 2
 MAXIMUM NODE NUMBER = 4900
 MAXIMUM ELEMENT NUMBER = 4280
 Empty basket spaces

DEFAULT ELEMENT DIVISIONS PER LINE BASED ON ELEMENT SIZE = .100

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
 PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
 OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 9 TO 14 IN STEPS OF 1
 ** AREA 9 MESHED WITH 40 QUADRILATERALS, 10 TRIANGLES **
 ** AREA 11 MESHED WITH 41 QUADRILATERALS, 10 TRIANGLES **
 ** AREA 12 MESHED WITH 40 QUADRILATERALS, 10 TRIANGLES **
 ** AREA 14 MESHED WITH 41 QUADRILATERALS, 10 TRIANGLES **

NUMBER OF AREAS MESHED = 6
 MAXIMUM NODE NUMBER = 5272
 MAXIMUM ELEMENT NUMBER = 4776

 Define mesh and radiation surface elements
 Tube/guides gap

SELECT FOR ITEM=LOC COMPONENT=X BETWEEN .00000E+00 AND .00000E+00
 KABS= 0. TOLERANCE= .100000E-05

39 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 7 TO 8 STEP 1

41 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 13 TO 14 STEP 1

43 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 17 TO 18 STEP 1

45 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

UNSELECT ONLY NODES INTERIOR TO SELECTED LINE SET.

4904 NODES (OF 5272 DEFINED) SELECTED FROM
 45 SELECTED LINES BY NSLL COMMAND.

ALL SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 7

GENERATE ELEMENTS ON SURFACE DEFINED BY SELECTED NODES
TYPE= 7 REAL= 1 MATERIAL= 1 ESYS= 0

NUMBER OF ELEMENTS GENERATED= 644

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5272 STEP 1

5272 NODES (OF 5272 DEFINED) SELECTED BY NSEL COMMAND.
Basket spaces

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 17

GENERATE NODES AND ELEMENTS
ON LINES 25 TO 29 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5462

GENERATE NODES AND ELEMENTS
ON LINES 34 TO 38 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5504

GENERATE NODES AND ELEMENTS
ON LINES 80 TO 80 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5510

GENERATE NODES AND ELEMENTS
ON LINES 45 TO 45 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5524

GENERATE NODES AND ELEMENTS
ON LINES 50 TO 52 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5552

GENERATE NODES AND ELEMENTS
ON LINES 57 TO 59 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5572

GENERATE NODES AND ELEMENTS
ON LINES 62 TO 65 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5592

GENERATE NODES AND ELEMENTS
ON LINES 69 TO 72 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5620

GENERATE NODES AND ELEMENTS
ON LINES 76 TO 79 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5640
MPC shell/inner barrier gap

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 17 TO 18 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5752

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 13 TO 14 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5864

Create mesh in helium spaces

DEFAULT ELEMENT DIVISIONS PER LINE = 2

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 95 TO 103 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5396
MAXIMUM ELEMENT NUMBER = 6024

GENERATE NODES AND ELEMENTS
IN AREAS 172 TO 180 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5520
MAXIMUM ELEMENT NUMBER = 6184

GENERATE NODES AND ELEMENTS
IN AREAS 186 TO 205 IN STEPS OF 1

*** WARNING *** CP= 28.340 TIME= 20:03:48
Area 195 has a corner angle of 154 degrees. This is not recommended
for quadrilateral elements.

*** WARNING *** CP= 28.390 TIME= 20:03:48
Meshing of area 195 produced 10 poorly shaped elements.

*** NOTE *** CP= 28.390 TIME= 20:03:48
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6310 6311 6312 6313 6314 6324 6325 6326 6327 6328

*** WARNING *** CP= 28.400 TIME= 20:03:48
Area 196 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.450 TIME= 20:03:48
Meshing of area 196 produced 20 poorly shaped elements.

*** NOTE *** CP= 28.450 TIME= 20:03:48
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6333 6334 6335 6336 6337 6338 6339 6340 6341 6342
6347 6348 6349 6350 6351 6352 6353 6354 6355 6356

*** WARNING *** CP= 28.450 TIME= 20:03:48
Area 197 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.500 TIME= 20:03:48
Meshing of area 197 produced 20 poorly shaped elements.

*** NOTE *** CP= 28.500 TIME= 20:03:48
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6357 6358 6359 6360 6361 6362 6363 6364 6365 6366
6371 6372 6373 6374 6375 6376 6377 6378 6379 6380

*** WARNING *** CP= 28.510 TIME= 20:03:48
Area 198 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.560 TIME= 20:03:48
Meshing of area 198 produced 10 poorly shaped elements.

*** NOTE *** CP= 28.560 TIME= 20:03:48
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6385 6386 6387 6388 6389 6399 6400 6401 6402 6403

*** WARNING *** CP= 28.620 TIME= 20:03:48
Area 201 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.670 TIME= 20:03:48
Meshing of area 201 produced 10 poorly shaped elements.

*** NOTE *** CP= 28.670 TIME= 20:03:48
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6446 6447 6448 6449 6450 6460 6461 6462 6463 6464

*** WARNING *** CP= 28.670 TIME= 20:03:48
Area 202 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.720 TIME= 20:03:48
Meshing of area 202 produced 20 poorly shaped elements.

*** NOTE *** CP= 28.720 TIME= 20:03:48
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6469 6470 6471 6472 6473 6474 6475 6476 6477 6478
6483 6484 6485 6486 6487 6488 6489 6490 6491 6492

*** WARNING *** CP= 28.730 TIME= 20:03:48
Area 203 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.780 TIME= 20:03:48
Meshing of area 203 produced 20 poorly shaped elements.

*** NOTE *** CP= 28.780 TIME= 20:03:48
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6493 6494 6495 6496 6497 6498 6499 6500 6501 6502
6507 6508 6509 6510 6511 6512 6513 6514 6515 6516

*** WARNING *** CP= 28.780 TIME= 20:03:48
Area 204 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.830 TIME= 20:03:48
Meshing of area 204 produced 10 poorly shaped elements.

*** NOTE *** CP= 28.830 TIME= 20:03:48
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6521 6522 6523 6524 6525 6535 6536 6537 6538 6539

NUMBER OF AREAS MESHED = 20
MAXIMUM NODE NUMBER = 5730
MAXIMUM ELEMENT NUMBER = 6560

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 206 TO 218 IN STEPS OF 1
** AREA 206 MESHED WITH 1 QUADRILATERALS, 2 TRIANGLES **
** AREA 207 MESHED WITH 0 QUADRILATERALS, 10 TRIANGLES **

*** WARNING *** CP= 29.000 TIME= 20:03:48
Meshing of area 207 produced 1 poorly shaped elements.

*** NOTE *** CP= 29.000 TIME= 20:03:48
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 29.000 TIME= 20:03:48
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6570

** AREA	208 MESHED WITH	5 QUADRILATERALS,	11 TRIANGLES **
** AREA	209 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	210 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	211 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 29.290 TIME= 20:03:48
Meshing of area 211 produced 3 poorly shaped elements.

*** NOTE *** CP= 29.290 TIME= 20:03:48
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 29.290 TIME= 20:03:48
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6626 6627 6629

** AREA	212 MESHED WITH	2 QUADRILATERALS,	2 TRIANGLES **
** AREA	213 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 29.370 TIME= 20:03:49
Meshing of area 213 produced 1 poorly shaped elements.

*** NOTE *** CP= 29.370 TIME= 20:03:49
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 29.370 TIME= 20:03:49
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6641

** AREA	214 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	215 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	216 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	217 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 29.670 TIME= 20:03:49
Meshing of area 217 produced 2 poorly shaped elements.

*** NOTE *** CP= 29.670 TIME= 20:03:49
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 29.670 TIME= 20:03:49
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6699 6701

** AREA	218 MESHED WITH	1 QUADRILATERALS,	2 TRIANGLES **
---------	-----------------	-------------------	----------------

NUMBER OF AREAS MESHED = 13
MAXIMUM NODE NUMBER = 5764
MAXIMUM ELEMENT NUMBER = 6705

Clear areas and mesh by hand difficult areas

CLEAR NODES AND ELEMENTS
FROM AREAS 211 TO 211 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT 6706 5653 3453 3952 3952

ELEMENT 6707 636 5653 3952 3952

ELEMENT	6708	545	636	3952	3952
ELEMENT	6709	551	545	3952	3952
ELEMENT	6710	363	551	3952	3952
ELEMENT	6711	370	363	3952	3952
ELEMENT	6712	371	370	3952	3952
ELEMENT	6713	369	371	3952	3952
ELEMENT	6714	5747	369	3952	3952
ELEMENT	6715	3782	5747	3952	3952

CLEAR NODES AND ELEMENTS
FROM AREAS 217 TO 217 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT	6716	3735	5763	3738	3738
ELEMENT	6717	5763	1661	3738	3738
ELEMENT	6718	1661	1663	3738	3738
ELEMENT	6719	1663	1664	3738	3738
ELEMENT	6720	1664	1662	3738	3738
ELEMENT	6721	1662	1979	3738	3738
ELEMENT	6722	1979	1978	3738	3738
ELEMENT	6723	1978	2148	3738	3738
ELEMENT	6724	2148	5725	3738	3738
ELEMENT	6725	5725	3666	3738	3738

***** ROUTINE COMPLETED ***** CP = 29.760

Create element mesh plots to illustrate model
View mesh for entire model

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (CENTROIDAL SORT) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS 0 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

/SHOW SWITCH PLOTS TO FILE meshfull.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshfull.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

5368 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

/SHOW SWITCH PLOTS TO FILE meshgap.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshgap.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model
View mesh for radiation substructure

MAT NUMBERING KEY = 0

TYPE NUMBERING KEY = 1

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

864 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

1088 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

/SHOW SWITCH PLOTS TO FILE meshrad.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshrad.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6725 STEP 1

6705 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

Generate super-elements

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:03:56 MAR 24, 1995 CP= 36.510
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS RADIATION MATRIX UTILITY (AUX12) *****

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

655 NODES (OF 5764 DEFINED) SELECTED FROM
644 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= tubegap.sub

*** WARNING *** CP= 36.820 TIME= 20:03:57
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 644 NUMBER OF NODES= 655

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

220 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

220 NODES (OF 5764 DEFINED) SELECTED FROM
220 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= spaces.sub

*** WARNING *** CP= 86.420 TIME= 20:04:47
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 220 NUMBER OF NODES= 220

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

224 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

226 NODES (OF 5764 DEFINED) SELECTED FROM

224 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= shellgap.sub

*** WARNING *** CP= 94.600 TIME= 20:04:55
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 224 NUMBER OF NODES= 226

800 ZONES CREATE 1600 RAYS

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6725 STEP 1

6705 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1

5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 101.930

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:05:03 MAR 24, 1995 CP= 101.930
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE SET TO 18

SUPERELEMENT 6726 tubegap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6726

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6726

SUPERELEMENT 6727 spaces NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6727

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6727

SUPERELEMENT 6728 shellgap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6728

CURRENT NODAL DOF SET IS TEMP

THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6728
Delete radiation edge elements

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6708 DEFINED) SELECTED BY ESEL COMMAND.

DELETE ALL SELECTED ELEMENTS.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

6064 ELEMENTS (OF 6064 DEFINED) SELECTED BY ESEL COMMAND.

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

18 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

22 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CLEAR NODES AND ELEMENTS FROM ALL SELECTED LINES

*** NOTE *** CP= 102.530 TIME= 20:05:03
Nodes cannot be cleared from line 13 because area 3 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.550 TIME= 20:05:03
Nodes cannot be cleared from line 14 because area 4 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.560 TIME= 20:05:03
Nodes cannot be cleared from line 17 because area 7 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.580 TIME= 20:05:03
Nodes cannot be cleared from line 18 because area 8 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.590 TIME= 20:05:03
Nodes cannot be cleared from line 25 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.600 TIME= 20:05:03
Nodes cannot be cleared from line 27 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.600 TIME= 20:05:03
Nodes cannot be cleared from line 29 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.610 TIME= 20:05:03
Nodes cannot be cleared from line 34 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.610 TIME= 20:05:03
Nodes cannot be cleared from line 36 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.620 TIME= 20:05:03
Nodes cannot be cleared from line 38 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.620 TIME= 20:05:03

Nodes cannot be cleared from line 45 because area 9 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.630 TIME= 20:05:03
Nodes cannot be cleared from line 50 because area 10 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.630 TIME= 20:05:03
Nodes cannot be cleared from line 52 because area 10 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.640 TIME= 20:05:03
Nodes cannot be cleared from line 57 because area 11 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.640 TIME= 20:05:03
Nodes cannot be cleared from line 59 because area 11 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.650 TIME= 20:05:03
Nodes cannot be cleared from line 62 because area 12 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.650 TIME= 20:05:03
Nodes cannot be cleared from line 65 because area 12 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.660 TIME= 20:05:03
Nodes cannot be cleared from line 69 because area 13 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.660 TIME= 20:05:03
Nodes cannot be cleared from line 72 because area 13 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.670 TIME= 20:05:03
Nodes cannot be cleared from line 76 because area 14 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.670 TIME= 20:05:03
Nodes cannot be cleared from line 79 because area 14 is meshed. Only elements are deleted.

*** NOTE *** CP= 102.680 TIME= 20:05:04
Nodes cannot be cleared from line 80 because area 9 is meshed. Only elements are deleted.

CLEARED 22 LINES, 0 KEYPOINTS

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 102.680

Set solution parameters and apply B.C.'s

Solve steady-state for initial conditions
with WP surface equal to drift ambient
temperature from repository model.

***** ANSYS SOLUTION ROUTINE *****

PERFORM A TRANSIENT ANALYSIS
THIS WILL BE A NEW ANALYSIS

USE THE DEFAULT NEWTON-RAPHSON OPTION FOR ALL DOFS
AND USE THE DEFAULT ADAPTIVE DESCENT OPTION

*** NOTE *** CP= 102.690 TIME= 20:05:04
Damping (if present) may be ignored only in reduced transient analyses.

PERFORM A FULL TRANSIENT ANALYSIS

TEMPERATURE OFFSET FROM ABSOLUTE ZERO= 273.150

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5764 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES 1 TO 5764 BY 1
REAL= 26.1398022 IMAG= .000000000E+00

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1

5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .10000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

*** WARNING *** CP= 104.240 TIME= 20:05:05
Element 6708 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 104.240 TIME= 20:05:05
Element 6708 has a poor shape angle of 7.74746071 degrees.

*** WARNING *** CP= 104.240 TIME= 20:05:05
Element 6723 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 104.240 TIME= 20:05:05
Element 6723 has a poor shape angle of 7.74746071 degrees.

*** NOTE *** CP= 104.250 TIME= 20:05:05
All shape tests were bypassed for elements associated with the solid model, because most of them were already done at AMESH or VMESH. Use CHECK if desired to perform all of the element tests.

*** NOTE *** CP= 104.250 TIME= 20:05:05
The model data was checked and warning messages were found.
Please review output or errors file (ma12w2.err) for these warning messages.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:05:05 MAR 24, 1995 CP= 104.250
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

SOLUTION OPTIONS

PROBLEM DIMENSIONALITY.3-D
DEGREES OF FREEDOM.TEMP
ANALYSIS TYPETRANSIENT
SOLUTION METHOD.FULL
OFFSET TEMPERATURE FROM ABSOLUTE ZERO 273.15
NEWTON-RAPHSON OPTIONPROGRAM CHOSEN

*** NOTE *** CP= 105.380 TIME= 20:05:06
This load step will be a static (steady-state) step.

*** NOTE *** CP= 105.840 TIME= 20:05:07
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution procedure) for ALL DOFs.

LOAD STEP OPTIONS

LOAD STEP NUMBER.1
TIME AT END OF THE LOAD STEP.10000E-05
AUTOMATIC TIME STEPPINGON
INITIAL NUMBER OF SUBSTEPS0
MAXIMUM NUMBER OF SUBSTEPS0
MINIMUM NUMBER OF SUBSTEPS1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONSNO
TRANSIENT (INERTIA) EFFECTSOFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

***** CENTROID, MASS, AND MASS MOMENTS OF INERTIA *****

CALCULATIONS ASSUME ELEMENT MASS AT ELEMENT CENTROID

TOTAL MASS = 3601.8

CENTROID	MOM. OF INERTIA ABOUT ORIGIN	MOM. OF INERTIA ABOUT CENTROID
XC = .32228	IXX = 527.2	IXX = 527.2
YC = .77163E-11	IYY = 527.2	IYY = 153.1
ZC = .00000E+00	IZZ = 1054.	IZZ = 680.2
	IXY = .5422E-09	IXY = .9499E-08
	IYZ = .0000E+00	IYZ = .0000E+00
	IZX = .0000E+00	IZX = .0000E+00

*** MASS SUMMARY BY ELEMENT TYPE ***

TYPE	MASS
1	3601.81

Range of element maximum matrix coefficients in global coordinates
 Maximum= 483.62017 at element 2116.
 Minimum= 1.026389896E-09 at element 6728.

*** WARNING *** CP= 127.710 TIME= 20:05:31
 Coefficient ratio exceeds 1.0e8 - Check results.

*** ELEMENT MATRIX FORMULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5617	PLANE55	14.010	.002
18	3	MATRIX50	.610	.203

Time at end of element matrix formulation CP= 127.72.
 HT FLOW CONVERGENCE VALUE= 9663. CRITERION= 9.663

Estimated number of active DOF= 5651.
 Maximum wavefront= 912.

Time at end of matrix triangularization CP= 231.57.
 Equation solver maximum pivot= 1269.32433 at node 2083 TEMP.
 Equation solver minimum pivot= 0.186669206 at node 5523 TEMP.
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 258.9
 HT FLOW CONVERGENCE VALUE= 261.4 CRITERION= .1121
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -85.88
 HT FLOW CONVERGENCE VALUE= 40.50 CRITERION= .1658
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -13.26
 HT FLOW CONVERGENCE VALUE= 7.672 CRITERION= .1191
 EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.238
 HT FLOW CONVERGENCE VALUE= .3309 CRITERION= .1123
 EQUIL ITER 5 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1339
 HT FLOW CONVERGENCE VALUE= .5756E-01 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 5

*** ELEMENT RESULT CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5617	PLANE55	7.870	.001
18	3	MATRIX50	.880	.293

*** NODAL LOAD CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5617	PLANE55	1.310	.000
18	3	MATRIX50	.000	.000

*** LOAD STEP 1 SUBSTEP 1 COMPLETED. CUM ITER = 5
 *** TIME = .100000E-05 TIME INC = .100000E-05

*** PROBLEM STATISTICS
ACTUAL NO. OF ACTIVE DEGREES OF FREEDOM = 5651
R.M.S. WAVEFRONT SIZE = 443.2

*** ANSYS BINARY FILE STATISTICS
BUFFER SIZE USED= 4096
6.109 MB WRITTEN ON ELEMENT MATRIX FILE: ma12w2.emat
2.516 MB WRITTEN ON ELEMENT SAVED DATA FILE: ma12w2.esav
18.031 MB WRITTEN ON TRIANGULARIZED MATRIX FILE: ma12w2.tri
.031 MB WRITTEN ON SUBSTRUCTURE DOF SOLUTION FILE: ma12w2.dsub
3.063 MB WRITTEN ON RESULTS FILE: ma12w2.rth
Solve steady-state for initial conditions
with WP surface temperatures from repository
steady-state solution.

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1
1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1
2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.
113 NODES (OF 5764 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

DELETE SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES
RANGE 1 TO 5764 BY 1

NUMBER OF SPECIFIED CONSTRAINTS DELETED= 113

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1
488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1
5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 56.921 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 56.946 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 56.972 .00000E+00 EXPANSION KEY = 1

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1
6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.
1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .20000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
 CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** WARNING *** CP= 763.050 TIME= 20:16:21
 This load step will be a static (steady-state) step.

*** NOTE *** CP= 763.520 TIME= 20:16:22
 The step data was checked and warning messages were found.
 Please review output or errors file (ma12w2.err) for these warning messages.

*** NOTE *** CP= 763.520 TIME= 20:16:22
 Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:16:22 MAR 24, 1995 CP= 763.520
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 2
 TIME AT END OF THE LOAD STEP.20000E-05
 AUTOMATIC TIME STEPPING ON
 INITIAL NUMBER OF SUBSTEPS 0
 MAXIMUM NUMBER OF SUBSTEPS 0
 MINIMUM NUMBER OF SUBSTEPS 1
 MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
 STEP CHANGE BOUNDARY CONDITIONS NO
 TRANSIENT (INERTIA) EFFECTS OFF
 TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
 CONVERGENCE CONTROLS.USE DEFAULTS
 PRINT OUTPUT CONTROLSNO PRINTOUT
 DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
 FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .1138E+05 CRITERION= 11.38
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 30.90
 HT FLOW CONVERGENCE VALUE= 16.81 CRITERION= .1154
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -8.773
 HT FLOW CONVERGENCE VALUE= 3.318 CRITERION= .1151

```

EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7141
HT FLOW CONVERGENCE VALUE= .1475 CRITERION= .1123
EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5192E-01
HT FLOW CONVERGENCE VALUE= .2013E-01 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 4
*** LOAD STEP 2 SUBSTEP 1 COMPLETED. CUM ITER = 9
*** TIME = .200000E-05 TIME INC = .100000E-05
*****

```

Set time integration parameters

INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

USE AUTOMATIC TIME STEPPING THIS LOAD STEP
Time substep ranges from 10 sec to 1/4 loadstep

USE 10 SUBSTEPS INITIALLY THIS LOAD STEP FOR ALL DOFS
FOR AUTOMATIC TIME STEPPING:

```

USE 40 SUBSTEPS AS A MAXIMUM
USE 4 SUBSTEPS AS A MINIMUM
USE THE FINAL TIME STEP SIZE OF THE PREVIOUS LOAD STEP
AS THE STARTING TIME STEP SIZE.
Begin Transient
Apply loads and solve for 0 to .9 years

```

*DO LOOP ON PARAMETER= TM FROM 31.558 TO .28402E+08 BY .31558E+07

TIME= 31.558

```

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

```

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

```

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

```

```

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

```

```

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

```

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

```

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

```

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

```

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 56.921 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 56.946 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 56.972 .00000E+00 EXPANSION KEY = 1

```

***** ANSYS SOLVE COMMAND *****

```

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

```

```

*** NOTE *** CP= 1000.030 TIME= 20:20:31
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution)

```

procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:20:31 MAR 24, 1995 CP= 1000.030
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 3
 TIME AT END OF THE LOAD STEP. 31.558
 AUTOMATIC TIME STEPPING ON
 INITIAL NUMBER OF SUBSTEPS 10
 MAXIMUM NUMBER OF SUBSTEPS 40
 MINIMUM NUMBER OF SUBSTEPS 4
 START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
 MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
 STEP CHANGE BOUNDARY CONDITIONS NO
 TRANSIENT (INERTIA) EFFECTS
 THERMAL DOFS ON
 TRANSIENT INTEGRATION PARAMETERS
 THETA.50000
 OSCILLATION LIMIT CRITERION.50000
 TOLERANCE.20000
 TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
 CONVERGENCE CONTROLS.USE DEFAULTS
 PRINT OUTPUT CONTROLSNO PRINTOUT
 DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
 FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .2013E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4096E-04
 HT FLOW CONVERGENCE VALUE= .1444E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 1 COMPLETED. CUM ITER = 10
 *** TIME = .788942 TIME INC = .788940
 *** RESPONSE EIGENVALUE = .3976 OSCILLATION LIMIT = .3136
 *** AUTO STEP TIME: NEXT TIME INC = .78894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3695E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2118E-04
 HT FLOW CONVERGENCE VALUE= .2061E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 2 COMPLETED. CUM ITER = 11
 *** TIME = 1.57788 TIME INC = .788940
 *** RESPONSE EIGENVALUE = .1955 OSCILLATION LIMIT = .1542
 *** AUTO TIME STEP: NEXT TIME INC = 2.3668 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= .3296E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3295E-04
 HT FLOW CONVERGENCE VALUE= .4967E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 3 COMPLETED. CUM ITER = 12
 *** TIME = 3.94470 TIME INC = 2.36682
 *** RESPONSE EIGENVALUE = .9946E-01 OSCILLATION LIMIT = .2354
 *** AUTO TIME STEP: NEXT TIME INC = 5.0272 INCREASED (FACTOR = 2.1240)

HT FLOW CONVERGENCE VALUE= .2758E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4246E-04
 HT FLOW CONVERGENCE VALUE= .7211E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 4 COMPLETED. CUM ITER = 13
 *** TIME = 8.97193 TIME INC = 5.02722
 *** RESPONSE EIGENVALUE = .4090E-01 OSCILLATION LIMIT = .2056
 *** AUTO TIME STEP: NEXT TIME INC = 7.8894 INCREASED (FACTOR = 1.5693)

HT FLOW CONVERGENCE VALUE= .2467E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2604E-04
 HT FLOW CONVERGENCE VALUE= .7291E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 5 COMPLETED. CUM ITER = 14
 *** TIME = 16.8613 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .1434E-01 OSCILLATION LIMIT = .1131
 *** AUTO STEP TIME: NEXT TIME INC = 7.8894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .2321E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1482E-04
 HT FLOW CONVERGENCE VALUE= .5425E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 6 COMPLETED. CUM ITER = 15
 *** TIME = 24.7507 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .7808E-02 OSCILLATION LIMIT = .6160E-01
 *** AUTO TIME STEP: NEXT TIME INC = 6.8069 DECREASED (FACTOR = .8628)

HT FLOW CONVERGENCE VALUE= .2221E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1108E-04
 HT FLOW CONVERGENCE VALUE= .4071E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 7 COMPLETED. CUM ITER = 16
 *** TIME = 31.5576 TIME INC = 6.80687
 *** RESPONSE EIGENVALUE = .5705E-02 OSCILLATION LIMIT = .3883E-01

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:30:33 MAR 24, 1995 CP= 1585.530
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 164.1 CRITERION= .1988
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4802
 HT FLOW CONVERGENCE VALUE= .1996 CRITERION= .1116
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5137E-01
 HT FLOW CONVERGENCE VALUE= .2591E-01 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 1 COMPLETED. CUM ITER = 18
 *** TIME = 78925.6 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1689E-05 OSCILLATION LIMIT = .1333
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 164.4 CRITERION= .1986
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4806
 HT FLOW CONVERGENCE VALUE= .2259 CRITERION= .1119
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5484E-01
 HT FLOW CONVERGENCE VALUE= .2478E-01 CRITERION= .1120 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 2 COMPLETED. CUM ITER = 20
 *** TIME = 157820. TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4864E-06 OSCILLATION LIMIT = .3837E-01
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 492.3 CRITERION= .5049
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.441
 HT FLOW CONVERGENCE VALUE= .6987 CRITERION= .1115
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2597
 HT FLOW CONVERGENCE VALUE= .1037 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 3 COMPLETED. CUM ITER = 22
 *** TIME = 394502. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .2768E-06 OSCILLATION LIMIT = .6552E-01
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 1477. CRITERION= 1.481
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 4.322
 HT FLOW CONVERGENCE VALUE= 2.139 CRITERION= .1120
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9689
 HT FLOW CONVERGENCE VALUE= .3675 CRITERION= .1122
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8610E-01
 HT FLOW CONVERGENCE VALUE= .1311E-01 CRITERION= .1119 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 4 COMPLETED. CUM ITER = 25
 *** TIME = .110455E+07 TIME INC = 710046.
 *** RESPONSE EIGENVALUE = .2065E-06 OSCILLATION LIMIT = .1466
 *** AUTO STEP TIME: NEXT TIME INC = .71005E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1476. CRITERION= 1.481
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 4.322
 HT FLOW CONVERGENCE VALUE= 2.130 CRITERION= .1116
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9508
 HT FLOW CONVERGENCE VALUE= .3569 CRITERION= .1117
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8300E-01
 HT FLOW CONVERGENCE VALUE= .1258E-01 CRITERION= .1114 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 5 COMPLETED. CUM ITER = 28
 *** TIME = .181459E+07 TIME INC = 710046.
 *** RESPONSE EIGENVALUE = .2193E-06 OSCILLATION LIMIT = .1557
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 1640. CRITERION= 1.644
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 4.802
 HT FLOW CONVERGENCE VALUE= 2.366 CRITERION= .1119
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.051
 HT FLOW CONVERGENCE VALUE= .3901 CRITERION= .1121
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9023E-01
 HT FLOW CONVERGENCE VALUE= .1357E-01 CRITERION= .1118 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 6 COMPLETED. CUM ITER = 31
 *** TIME = .260353E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2298E-06 OSCILLATION LIMIT = .1813
 *** AUTO TIME STEP: NEXT TIME INC = .55226E+06 DECREASED (FACTOR = .7000)

HT FLOW CONVERGENCE VALUE= 1148. CRITERION= 1.153
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 3.361
 HT FLOW CONVERGENCE VALUE= 1.645 CRITERION= .1114
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6911
 HT FLOW CONVERGENCE VALUE= .2561 CRITERION= .1115
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5729E-01
 HT FLOW CONVERGENCE VALUE= .8703E-02 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 7 COMPLETED. CUM ITER = 34
 *** TIME = .315579E+07 TIME INC = 552258.
 *** RESPONSE EIGENVALUE = .2208E-06 OSCILLATION LIMIT = .1219

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:49:54 MAR 24, 1995 CP= 2726.060
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 242.3 CRITERION= .2665
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7543
 HT FLOW CONVERGENCE VALUE= .4167 CRITERION= .1124
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1672
 HT FLOW CONVERGENCE VALUE= .5431E-01 CRITERION= .1125 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 1 COMPLETED. CUM ITER = 36
 *** TIME = .370805E+07 TIME INC = 552258.

```

*** RESPONSE EIGENVALUE = .3240E-06 OSCILLATION LIMIT = .1789
*** AUTO STEP TIME: NEXT TIME INC = .55226E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 241.8 CRITERION= .2668
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6605
HT FLOW CONVERGENCE VALUE= .3007 CRITERION= .1114
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1260
HT FLOW CONVERGENCE VALUE= .5367E-01 CRITERION= .1114 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 5 SUBSTEP 2 COMPLETED. CUM ITER = 38
*** TIME = .426031E+07 TIME INC = 552258.
*** RESPONSE EIGENVALUE = .1380E-05 OSCILLATION LIMIT = .7622
*** AUTO TIME STEP: NEXT TIME INC = .36229E+06 DECREASED (FACTOR = .6560)

HT FLOW CONVERGENCE VALUE= 159.0 CRITERION= .1940
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4413
HT FLOW CONVERGENCE VALUE= .2567 CRITERION= .1123
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9551E-01
HT FLOW CONVERGENCE VALUE= .3312E-01 CRITERION= .1123 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 5 SUBSTEP 3 COMPLETED. CUM ITER = 40
*** TIME = .462260E+07 TIME INC = 362288.
*** RESPONSE EIGENVALUE = .3474E-06 OSCILLATION LIMIT = .1259
*** AUTO STEP TIME: NEXT TIME INC = .36229E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 158.5 CRITERION= .1944
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4333
HT FLOW CONVERGENCE VALUE= .2048 CRITERION= .1114
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7906E-01
HT FLOW CONVERGENCE VALUE= .3240E-01 CRITERION= .1114 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 5 SUBSTEP 4 COMPLETED. CUM ITER = 42
*** TIME = .498488E+07 TIME INC = 362288.
*** RESPONSE EIGENVALUE = .8779E-06 OSCILLATION LIMIT = .3181
*** AUTO STEP TIME: NEXT TIME INC = .36229E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 159.0 CRITERION= .1940
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4399
HT FLOW CONVERGENCE VALUE= .2371 CRITERION= .1122
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8950E-01
HT FLOW CONVERGENCE VALUE= .3331E-01 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 5 SUBSTEP 5 COMPLETED. CUM ITER = 44
*** TIME = .534717E+07 TIME INC = 362288.
*** RESPONSE EIGENVALUE = .5381E-06 OSCILLATION LIMIT = .1949
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 2.1777)

HT FLOW CONVERGENCE VALUE= 345.4 CRITERION= .3633
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9435
HT FLOW CONVERGENCE VALUE= .4802 CRITERION= .1113
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2072
HT FLOW CONVERGENCE VALUE= .7807E-01 CRITERION= .1113 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 5 SUBSTEP 6 COMPLETED. CUM ITER = 46
*** TIME = .613611E+07 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3817E-06 OSCILLATION LIMIT = .3011
*** AUTO TIME STEP: NEXT TIME INC = .17544E+06 DECREASED (FACTOR = .2224)

HT FLOW CONVERGENCE VALUE= 77.12 CRITERION= .1354
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2153
HT FLOW CONVERGENCE VALUE= .1134 CRITERION= .1121
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3567E-01
HT FLOW CONVERGENCE VALUE= .1354E-01 CRITERION= .1121 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 5 SUBSTEP 7 COMPLETED. CUM ITER = 48
*** TIME = .631155E+07 TIME INC = 175440.
*** RESPONSE EIGENVALUE = .1049E-05 OSCILLATION LIMIT = .1840

```

***** ANSYS SOLVE COMMAND *****

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:05:56 MAR 24, 1995 CP= 3670.960
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 48.03 CRITERION= .1220
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1313
 HT FLOW CONVERGENCE VALUE= .6583E-01 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 1 COMPLETED. CUM ITER = 49
 *** TIME = .648699E+07 TIME INC = 175440.
 *** RESPONSE EIGENVALUE = .1994E-05 OSCILLATION LIMIT = .3499
 *** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.47 CRITERION= .1214
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1376
 HT FLOW CONVERGENCE VALUE= .6792E-01 CRITERION= .1121 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 2 COMPLETED. CUM ITER = 50
 *** TIME = .666243E+07 TIME INC = 175440.
 *** RESPONSE EIGENVALUE = .2893E-05 OSCILLATION LIMIT = .5075
 *** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.03 CRITERION= .1220
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1313
 HT FLOW CONVERGENCE VALUE= .5753E-01 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 3 COMPLETED. CUM ITER = 51
 *** TIME = .683787E+07 TIME INC = 175440.
 *** RESPONSE EIGENVALUE = .2792E-05 OSCILLATION LIMIT = .4899
 *** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.47 CRITERION= .1214
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1371
 HT FLOW CONVERGENCE VALUE= .6514E-01 CRITERION= .1120 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 4 COMPLETED. CUM ITER = 52
 *** TIME = .701331E+07 TIME INC = 175440.
 *** RESPONSE EIGENVALUE = .2812E-05 OSCILLATION LIMIT = .4933
 *** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.03 CRITERION= .1220
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1313
 HT FLOW CONVERGENCE VALUE= .5843E-01 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 5 COMPLETED. CUM ITER = 53
 *** TIME = .718875E+07 TIME INC = 175440.
 *** RESPONSE EIGENVALUE = .2566E-05 OSCILLATION LIMIT = .4502
 *** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.46 CRITERION= .1214
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1370
 HT FLOW CONVERGENCE VALUE= .6464E-01 CRITERION= .1120 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 6 COMPLETED. CUM ITER = 54
 *** TIME = .736419E+07 TIME INC = 175440.
 *** RESPONSE EIGENVALUE = .2681E-05 OSCILLATION LIMIT = .4704
 *** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.03 CRITERION= .1219
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1313
 HT FLOW CONVERGENCE VALUE= .5875E-01 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 7 COMPLETED. CUM ITER = 55
 *** TIME = .753963E+07 TIME INC = 175440.
 *** RESPONSE EIGENVALUE = .2492E-05 OSCILLATION LIMIT = .4373
 *** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.46 CRITERION= .1213
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1369
 HT FLOW CONVERGENCE VALUE= .6429E-01 CRITERION= .1120 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 8 COMPLETED. CUM ITER = 56
 *** TIME = .771507E+07 TIME INC = 175440.
 *** RESPONSE EIGENVALUE = .2545E-05 OSCILLATION LIMIT = .4464
 *** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.03 CRITERION= .1219
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1313
 HT FLOW CONVERGENCE VALUE= .5900E-01 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 9 COMPLETED. CUM ITER = 57
 *** TIME = .789051E+07 TIME INC = 175440.
 *** RESPONSE EIGENVALUE = .2439E-05 OSCILLATION LIMIT = .4279
 *** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.46 CRITERION= .1213
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1368
 HT FLOW CONVERGENCE VALUE= .6403E-01 CRITERION= .1120 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 10 COMPLETED. CUM ITER = 58
 *** TIME = .806595E+07 TIME INC = 175440.
 *** RESPONSE EIGENVALUE = .2432E-05 OSCILLATION LIMIT = .4267
 *** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.03 CRITERION= .1219
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1313
 HT FLOW CONVERGENCE VALUE= .5920E-01 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 11 COMPLETED. CUM ITER = 59
 *** TIME = .824139E+07 TIME INC = 175440.
 *** RESPONSE EIGENVALUE = .2394E-05 OSCILLATION LIMIT = .4200
 *** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.46 CRITERION= .1213
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1367
 HT FLOW CONVERGENCE VALUE= .6381E-01 CRITERION= .1119 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 12 COMPLETED. CUM ITER = 60
 *** TIME = .841683E+07 TIME INC = 175440.
 *** RESPONSE EIGENVALUE = .2337E-05 OSCILLATION LIMIT = .4101
 *** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.03 CRITERION= .1218
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1313
 HT FLOW CONVERGENCE VALUE= .5936E-01 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 13 COMPLETED. CUM ITER = 61
 *** TIME = .859227E+07 TIME INC = 175440.
 *** RESPONSE EIGENVALUE = .2353E-05 OSCILLATION LIMIT = .4128
 *** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.46 CRITERION= .1213
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1366
 HT FLOW CONVERGENCE VALUE= .6363E-01 CRITERION= .1119 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 14 COMPLETED. CUM ITER = 62
 *** TIME = .876771E+07 TIME INC = 175440.
 *** RESPONSE EIGENVALUE = .2255E-05 OSCILLATION LIMIT = .3957
 *** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.03 CRITERION= .1218
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1313
 HT FLOW CONVERGENCE VALUE= .5948E-01 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 6 SUBSTEP 15 COMPLETED. CUM ITER = 63
 *** TIME = .894314E+07 TIME INC = 175440.

```

*** RESPONSE EIGENVALUE = .2315E-05 OSCILLATION LIMIT = .4061
*** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.45 CRITERION= .1212
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1366
HT FLOW CONVERGENCE VALUE= .6349E-01 CRITERION= .1119 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 6 SUBSTEP 16 COMPLETED. CUM ITER = 64
*** TIME = .911858E+07 TIME INC = 175440.
*** RESPONSE EIGENVALUE = .2183E-05 OSCILLATION LIMIT = .3830
*** AUTO STEP TIME: NEXT TIME INC = .17544E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 48.03 CRITERION= .1218
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1313
HT FLOW CONVERGENCE VALUE= .5958E-01 CRITERION= .1112 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 6 SUBSTEP 17 COMPLETED. CUM ITER = 65
*** TIME = .929402E+07 TIME INC = 175440.
*** RESPONSE EIGENVALUE = .2277E-05 OSCILLATION LIMIT = .3995
*** AUTO TIME STEP: NEXT TIME INC = .17329E+06 DECREASED (FACTOR = .9877)

```

```

HT FLOW CONVERGENCE VALUE= 47.86 CRITERION= .1210
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1349
HT FLOW CONVERGENCE VALUE= .6257E-01 CRITERION= .1118 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 6 SUBSTEP 18 COMPLETED. CUM ITER = 66
*** TIME = .946731E+07 TIME INC = 173288.
*** RESPONSE EIGENVALUE = .2167E-05 OSCILLATION LIMIT = .3755

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 21:32:54 MAR 24, 1995 CP= 5204.610
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 35.14 CRITERION= .1172
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9619E-01
HT FLOW CONVERGENCE VALUE= .4341E-01 CRITERION= .1112 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 7 SUBSTEP 1 COMPLETED. CUM ITER = 67
*** TIME = .964060E+07 TIME INC = 173288.
*** RESPONSE EIGENVALUE = .3522E-05 OSCILLATION LIMIT = .6104
*** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 35.55 CRITERION= .1167
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1006
HT FLOW CONVERGENCE VALUE= .4538E-01 CRITERION= .1118 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 7 SUBSTEP 2 COMPLETED. CUM ITER = 68
*** TIME = .981389E+07 TIME INC = 173288.
*** RESPONSE EIGENVALUE = .3769E-05 OSCILLATION LIMIT = .6531
*** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 35.14 CRITERION= .1172
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9619E-01
HT FLOW CONVERGENCE VALUE= .4324E-01 CRITERION= .1111 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 7 SUBSTEP 3 COMPLETED. CUM ITER = 69
*** TIME = .998718E+07 TIME INC = 173288.
*** RESPONSE EIGENVALUE = .3773E-05 OSCILLATION LIMIT = .6538
*** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 35.55 CRITERION= .1167
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1006
HT FLOW CONVERGENCE VALUE= .4615E-01 CRITERION= .1118 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 7 SUBSTEP 4 COMPLETED. CUM ITER = 70
 *** TIME = .101605E+08 TIME INC = 173288.
 *** RESPONSE EIGENVALUE = .3372E-05 OSCILLATION LIMIT = .5844
 *** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.14 CRITERION= .1172
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9619E-01
 HT FLOW CONVERGENCE VALUE= .4307E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 7 SUBSTEP 5 COMPLETED. CUM ITER = 71
 *** TIME = .103338E+08 TIME INC = 173288.
 *** RESPONSE EIGENVALUE = .3817E-05 OSCILLATION LIMIT = .6614
 *** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.55 CRITERION= .1166
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1006
 HT FLOW CONVERGENCE VALUE= .4612E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 7 SUBSTEP 6 COMPLETED. CUM ITER = 72
 *** TIME = .105070E+08 TIME INC = 173288.
 *** RESPONSE EIGENVALUE = .3272E-05 OSCILLATION LIMIT = .5670
 *** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.14 CRITERION= .1172
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9619E-01
 HT FLOW CONVERGENCE VALUE= .4310E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 7 SUBSTEP 7 COMPLETED. CUM ITER = 73
 *** TIME = .106803E+08 TIME INC = 173288.
 *** RESPONSE EIGENVALUE = .3749E-05 OSCILLATION LIMIT = .6497
 *** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.54 CRITERION= .1166
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1005
 HT FLOW CONVERGENCE VALUE= .4608E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 7 SUBSTEP 8 COMPLETED. CUM ITER = 74
 *** TIME = .108536E+08 TIME INC = 173288.
 *** RESPONSE EIGENVALUE = .3196E-05 OSCILLATION LIMIT = .5538
 *** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.14 CRITERION= .1171
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9619E-01
 HT FLOW CONVERGENCE VALUE= .4312E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 7 SUBSTEP 9 COMPLETED. CUM ITER = 75
 *** TIME = .110269E+08 TIME INC = 173288.
 *** RESPONSE EIGENVALUE = .3679E-05 OSCILLATION LIMIT = .6375
 *** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.54 CRITERION= .1166
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1004
 HT FLOW CONVERGENCE VALUE= .4604E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 7 SUBSTEP 10 COMPLETED. CUM ITER = 76
 *** TIME = .112002E+08 TIME INC = 173288.
 *** RESPONSE EIGENVALUE = .3124E-05 OSCILLATION LIMIT = .5414
 *** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.14 CRITERION= .1171
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9619E-01
 HT FLOW CONVERGENCE VALUE= .4315E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 7 SUBSTEP 11 COMPLETED. CUM ITER = 77
 *** TIME = .113735E+08 TIME INC = 173288.
 *** RESPONSE EIGENVALUE = .3610E-05 OSCILLATION LIMIT = .6256
 *** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.54 CRITERION= .1166
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1004

HT FLOW CONVERGENCE VALUE= .4599E-01 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 7 SUBSTEP 12 COMPLETED. CUM ITER = 78
 *** TIME = .115468E+08 TIME INC = 173288.
 *** RESPONSE EIGENVALUE = .3056E-05 OSCILLATION LIMIT = .5295
 *** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.14 CRITERION= .1171
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9619E-01
 HT FLOW CONVERGENCE VALUE= .4317E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 7 SUBSTEP 13 COMPLETED. CUM ITER = 79
 *** TIME = .117201E+08 TIME INC = 173288.
 *** RESPONSE EIGENVALUE = .3542E-05 OSCILLATION LIMIT = .6138
 *** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.54 CRITERION= .1165
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1003
 HT FLOW CONVERGENCE VALUE= .4596E-01 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 7 SUBSTEP 14 COMPLETED. CUM ITER = 80
 *** TIME = .118933E+08 TIME INC = 173288.
 *** RESPONSE EIGENVALUE = .2990E-05 OSCILLATION LIMIT = .5181
 *** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.14 CRITERION= .1170
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9619E-01
 HT FLOW CONVERGENCE VALUE= .4319E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 7 SUBSTEP 15 COMPLETED. CUM ITER = 81
 *** TIME = .120666E+08 TIME INC = 173288.
 *** RESPONSE EIGENVALUE = .3476E-05 OSCILLATION LIMIT = .6023
 *** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.54 CRITERION= .1165
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1003
 HT FLOW CONVERGENCE VALUE= .4592E-01 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 7 SUBSTEP 16 COMPLETED. CUM ITER = 82
 *** TIME = .122399E+08 TIME INC = 173288.
 *** RESPONSE EIGENVALUE = .2926E-05 OSCILLATION LIMIT = .5070
 *** AUTO STEP TIME: NEXT TIME INC = .17329E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.14 CRITERION= .1170
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9619E-01
 HT FLOW CONVERGENCE VALUE= .4320E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 7 SUBSTEP 17 COMPLETED. CUM ITER = 83
 *** TIME = .124132E+08 TIME INC = 173288.
 *** RESPONSE EIGENVALUE = .3410E-05 OSCILLATION LIMIT = .5910
 *** AUTO STEP TIME: NEXT TIME INC = .10493E+06 DECREASED (FACTOR = .6055)

HT FLOW CONVERGENCE VALUE= 21.60 CRITERION= .1130
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6254E-01
 HT FLOW CONVERGENCE VALUE= .2747E-01 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 7 SUBSTEP 18 COMPLETED. CUM ITER = 84
 *** TIME = .125181E+08 TIME INC = 104933.
 *** RESPONSE EIGENVALUE = .7657E-05 OSCILLATION LIMIT = .8035
 *** AUTO STEP TIME: NEXT TIME INC = 52467. DECREASED (FACTOR = .5000)

HT FLOW CONVERGENCE VALUE= 10.51 CRITERION= .1121
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2912E-01
 HT FLOW CONVERGENCE VALUE= .1111E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 7 SUBSTEP 19 COMPLETED. CUM ITER = 85
 *** TIME = .125706E+08 TIME INC = 52466.6
 *** RESPONSE EIGENVALUE = .4071E-04 OSCILLATION LIMIT = 2.136
 *** AUTO STEP TIME: NEXT TIME INC = 52467. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.91 CRITERION= .1115
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3331E-01
 HT FLOW CONVERGENCE VALUE= .1425E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 7 SUBSTEP 20 COMPLETED. CUM ITER = 86
 *** TIME = .126231E+08 TIME INC = 52466.6
 *** RESPONSE EIGENVALUE = .2648E-04 OSCILLATION LIMIT = 1.389

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:03:17 MAR 24, 1995 CP= 6907.460
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 12.68 CRITERION= .1123
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
 HT FLOW CONVERGENCE VALUE= .1552E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 1 COMPLETED. CUM ITER = 87
 *** TIME = .127020E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1891E-04 OSCILLATION LIMIT = 1.492
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.06 CRITERION= .1117
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3915E-01
 HT FLOW CONVERGENCE VALUE= .1742E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 2 COMPLETED. CUM ITER = 88
 *** TIME = .127809E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1574E-04 OSCILLATION LIMIT = 1.242
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.68 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
 HT FLOW CONVERGENCE VALUE= .1499E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 3 COMPLETED. CUM ITER = 89
 *** TIME = .128598E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1998E-04 OSCILLATION LIMIT = 1.576
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.06 CRITERION= .1117
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3900E-01
 HT FLOW CONVERGENCE VALUE= .1724E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 4 COMPLETED. CUM ITER = 90
 *** TIME = .129386E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1535E-04 OSCILLATION LIMIT = 1.211
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.68 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
 HT FLOW CONVERGENCE VALUE= .1498E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 5 COMPLETED. CUM ITER = 91
 *** TIME = .130175E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1913E-04 OSCILLATION LIMIT = 1.509
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.05 CRITERION= .1117
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3889E-01
 HT FLOW CONVERGENCE VALUE= .1721E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 6 COMPLETED. CUM ITER = 92
 *** TIME = .130964E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1467E-04 OSCILLATION LIMIT = 1.158

```

*** AUTO STEP TIME: NEXT TIME INC = 78894.      UNCHANGED

  HT FLOW CONVERGENCE VALUE= 12.68      CRITERION= .1122
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
  HT FLOW CONVERGENCE VALUE= .1500E-01 CRITERION= .1109      <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 7 COMPLETED. CUM ITER = 93
*** TIME = .131753E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1823E-04 OSCILLATION LIMIT = 1.439
*** AUTO STEP TIME: NEXT TIME INC = 78894.      UNCHANGED

  HT FLOW CONVERGENCE VALUE= 13.05      CRITERION= .1117
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3879E-01
  HT FLOW CONVERGENCE VALUE= .1718E-01 CRITERION= .1115      <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 8 COMPLETED. CUM ITER = 94
*** TIME = .132542E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1403E-04 OSCILLATION LIMIT = 1.107
*** AUTO STEP TIME: NEXT TIME INC = 78894.      UNCHANGED

  HT FLOW CONVERGENCE VALUE= 12.68      CRITERION= .1122
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
  HT FLOW CONVERGENCE VALUE= .1503E-01 CRITERION= .1109      <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 9 COMPLETED. CUM ITER = 95
*** TIME = .133331E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1738E-04 OSCILLATION LIMIT = 1.372
*** AUTO STEP TIME: NEXT TIME INC = 78894.      UNCHANGED

  HT FLOW CONVERGENCE VALUE= 13.05      CRITERION= .1117
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3868E-01
  HT FLOW CONVERGENCE VALUE= .1715E-01 CRITERION= .1114      <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 10 COMPLETED. CUM ITER = 96
*** TIME = .134120E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1342E-04 OSCILLATION LIMIT = 1.059
*** AUTO STEP TIME: NEXT TIME INC = 78894.      UNCHANGED

  HT FLOW CONVERGENCE VALUE= 12.69      CRITERION= .1122
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
  HT FLOW CONVERGENCE VALUE= .1505E-01 CRITERION= .1109      <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 11 COMPLETED. CUM ITER = 97
*** TIME = .134909E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1658E-04 OSCILLATION LIMIT = 1.308
*** AUTO STEP TIME: NEXT TIME INC = 78894.      UNCHANGED

  HT FLOW CONVERGENCE VALUE= 13.05      CRITERION= .1117
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3858E-01
  HT FLOW CONVERGENCE VALUE= .1713E-01 CRITERION= .1114      <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 12 COMPLETED. CUM ITER = 98
*** TIME = .135698E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1283E-04 OSCILLATION LIMIT = 1.013
*** AUTO STEP TIME: NEXT TIME INC = 78894.      UNCHANGED

  HT FLOW CONVERGENCE VALUE= 12.69      CRITERION= .1122
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
  HT FLOW CONVERGENCE VALUE= .1508E-01 CRITERION= .1109      <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 13 COMPLETED. CUM ITER = 99
*** TIME = .136487E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1581E-04 OSCILLATION LIMIT = 1.247
*** AUTO STEP TIME: NEXT TIME INC = 78894.      UNCHANGED

  HT FLOW CONVERGENCE VALUE= 13.05      CRITERION= .1117
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3848E-01
  HT FLOW CONVERGENCE VALUE= .1709E-01 CRITERION= .1114      <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 14 COMPLETED. CUM ITER = 100

```

*** TIME = .137276E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1228E-04 OSCILLATION LIMIT = .9685
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.69 CRITERION= .1121
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
 HT FLOW CONVERGENCE VALUE= .1510E-01 CRITERION= .1109 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 8 SUBSTEP 15 COMPLETED. CUM ITER = 101
 *** TIME = .138065E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1508E-04 OSCILLATION LIMIT = 1.190
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.04 CRITERION= .1117
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3839E-01
 HT FLOW CONVERGENCE VALUE= .1706E-01 CRITERION= .1114 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 8 SUBSTEP 16 COMPLETED. CUM ITER = 102
 *** TIME = .138854E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1174E-04 OSCILLATION LIMIT = .9265
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.69 CRITERION= .1121
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
 HT FLOW CONVERGENCE VALUE= .1513E-01 CRITERION= .1109 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 8 SUBSTEP 17 COMPLETED. CUM ITER = 103
 *** TIME = .139643E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1439E-04 OSCILLATION LIMIT = 1.136
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.04 CRITERION= .1117
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3829E-01
 HT FLOW CONVERGENCE VALUE= .1703E-01 CRITERION= .1114 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 8 SUBSTEP 18 COMPLETED. CUM ITER = 104
 *** TIME = .140432E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1124E-04 OSCILLATION LIMIT = .8864
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.69 CRITERION= .1121
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
 HT FLOW CONVERGENCE VALUE= .1515E-01 CRITERION= .1109 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 8 SUBSTEP 19 COMPLETED. CUM ITER = 105
 *** TIME = .141221E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1374E-04 OSCILLATION LIMIT = 1.084
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.04 CRITERION= .1117
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3820E-01
 HT FLOW CONVERGENCE VALUE= .1700E-01 CRITERION= .1114 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 8 SUBSTEP 20 COMPLETED. CUM ITER = 106
 *** TIME = .142010E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1075E-04 OSCILLATION LIMIT = .8482
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.69 CRITERION= .1121
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
 HT FLOW CONVERGENCE VALUE= .1517E-01 CRITERION= .1109 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 8 SUBSTEP 21 COMPLETED. CUM ITER = 107
 *** TIME = .142798E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1312E-04 OSCILLATION LIMIT = 1.035
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.04 CRITERION= .1116
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3811E-01
 HT FLOW CONVERGENCE VALUE= .1698E-01 CRITERION= .1113 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 22 COMPLETED. CUM ITER = 108
*** TIME = .143587E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1029E-04 OSCILLATION LIMIT = .8117
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.69 CRITERION= .1121
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
HT FLOW CONVERGENCE VALUE= .1520E-01 CRITERION= .1109 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 23 COMPLETED. CUM ITER = 109
*** TIME = .144376E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1253E-04 OSCILLATION LIMIT = .9882
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.04 CRITERION= .1116
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3802E-01
HT FLOW CONVERGENCE VALUE= .1695E-01 CRITERION= .1113 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 24 COMPLETED. CUM ITER = 110
*** TIME = .145165E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .9849E-05 OSCILLATION LIMIT = .7770
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.70 CRITERION= .1121
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
HT FLOW CONVERGENCE VALUE= .1522E-01 CRITERION= .1109 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 25 COMPLETED. CUM ITER = 111
*** TIME = .145954E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1196E-04 OSCILLATION LIMIT = .9440
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.04 CRITERION= .1116
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3794E-01
HT FLOW CONVERGENCE VALUE= .1693E-01 CRITERION= .1113 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 26 COMPLETED. CUM ITER = 112
*** TIME = .146743E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .9429E-05 OSCILLATION LIMIT = .7439
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.70 CRITERION= .1120
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
HT FLOW CONVERGENCE VALUE= .1524E-01 CRITERION= .1109 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 27 COMPLETED. CUM ITER = 113
*** TIME = .147532E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1143E-04 OSCILLATION LIMIT = .9019
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.03 CRITERION= .1116
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3785E-01
HT FLOW CONVERGENCE VALUE= .1690E-01 CRITERION= .1113 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 28 COMPLETED. CUM ITER = 114
*** TIME = .148321E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .9028E-05 OSCILLATION LIMIT = .7123
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.70 CRITERION= .1120
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
HT FLOW CONVERGENCE VALUE= .1526E-01 CRITERION= .1109 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 29 COMPLETED. CUM ITER = 115
*** TIME = .149110E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1093E-04 OSCILLATION LIMIT = .8620
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.03 CRITERION= .1116

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3777E-01
HT FLOW CONVERGENCE VALUE= .1687E-01 CRITERION= .1113 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 30 COMPLETED. CUM ITER = 116
*** TIME = .149899E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .8646E-05 OSCILLATION LIMIT = .6821
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.70 CRITERION= .1120
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
HT FLOW CONVERGENCE VALUE= .1528E-01 CRITERION= .1108 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 31 COMPLETED. CUM ITER = 117
*** TIME = .150688E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1044E-04 OSCILLATION LIMIT = .8240
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.03 CRITERION= .1116
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3769E-01
HT FLOW CONVERGENCE VALUE= .1685E-01 CRITERION= .1113 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 32 COMPLETED. CUM ITER = 118
*** TIME = .151477E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .8282E-05 OSCILLATION LIMIT = .6534
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.70 CRITERION= .1120
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
HT FLOW CONVERGENCE VALUE= .1530E-01 CRITERION= .1108 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 33 COMPLETED. CUM ITER = 119
*** TIME = .152266E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .9988E-05 OSCILLATION LIMIT = .7880
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.03 CRITERION= .1116
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3762E-01
HT FLOW CONVERGENCE VALUE= .1683E-01 CRITERION= .1112 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 34 COMPLETED. CUM ITER = 120
*** TIME = .153055E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .7935E-05 OSCILLATION LIMIT = .6260
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.70 CRITERION= .1120
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
HT FLOW CONVERGENCE VALUE= .1532E-01 CRITERION= .1108 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 35 COMPLETED. CUM ITER = 121
*** TIME = .153844E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .9554E-05 OSCILLATION LIMIT = .7537
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.03 CRITERION= .1116
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3754E-01
HT FLOW CONVERGENCE VALUE= .1680E-01 CRITERION= .1112 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 36 COMPLETED. CUM ITER = 122
*** TIME = .154633E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .7604E-05 OSCILLATION LIMIT = .5999
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.70 CRITERION= .1120
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
HT FLOW CONVERGENCE VALUE= .1534E-01 CRITERION= .1108 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 37 COMPLETED. CUM ITER = 123
*** TIME = .155421E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .9141E-05 OSCILLATION LIMIT = .7212
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 13.03 CRITERION= .1116
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3747E-01
HT FLOW CONVERGENCE VALUE= .1678E-01 CRITERION= .1112 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 38 COMPLETED. CUM ITER = 124
*** TIME = .156210E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .7289E-05 OSCILLATION LIMIT = .5751
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.70 CRITERION= .1119
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3502E-01
HT FLOW CONVERGENCE VALUE= .1535E-01 CRITERION= .1108 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 39 COMPLETED. CUM ITER = 125
*** TIME = .156999E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .8749E-05 OSCILLATION LIMIT = .6902
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.03 CRITERION= .1116
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3740E-01
HT FLOW CONVERGENCE VALUE= .1676E-01 CRITERION= .1112 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 40 COMPLETED. CUM ITER = 126
*** TIME = .157788E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6988E-05 OSCILLATION LIMIT = .5513

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 23:03:33 MAR 24, 1995 CP= 10306.640
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 10.50 CRITERION= .1117
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
HT FLOW CONVERGENCE VALUE= .1284E-01 CRITERION= .1108 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 1 COMPLETED. CUM ITER = 127
*** TIME = .158577E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1082E-04 OSCILLATION LIMIT = .8539
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.81 CRITERION= .1113
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3115E-01
HT FLOW CONVERGENCE VALUE= .1378E-01 CRITERION= .1112 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 2 COMPLETED. CUM ITER = 128
*** TIME = .159366E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .9534E-05 OSCILLATION LIMIT = .7522
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.50 CRITERION= .1117
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
HT FLOW CONVERGENCE VALUE= .1255E-01 CRITERION= .1108 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 3 COMPLETED. CUM ITER = 129
*** TIME = .160155E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1166E-04 OSCILLATION LIMIT = .9196
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.81 CRITERION= .1113
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3109E-01
HT FLOW CONVERGENCE VALUE= .1381E-01 CRITERION= .1112 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 4 COMPLETED. CUM ITER = 130
*** TIME = .160944E+08 TIME INC = 78894.0

*** RESPONSE EIGENVALUE = .9013E-05 OSCILLATION LIMIT = .7110
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.50 CRITERION= .1117
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1256E-01 CRITERION= .1108 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 5 COMPLETED. CUM ITER = 131
 *** TIME = .161733E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1112E-04 OSCILLATION LIMIT = .8772
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.81 CRITERION= .1113
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3103E-01
 HT FLOW CONVERGENCE VALUE= .1380E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 6 COMPLETED. CUM ITER = 132
 *** TIME = .162522E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .8659E-05 OSCILLATION LIMIT = .6831
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.50 CRITERION= .1116
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1257E-01 CRITERION= .1108 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 7 COMPLETED. CUM ITER = 133
 *** TIME = .163311E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1065E-04 OSCILLATION LIMIT = .8400
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.81 CRITERION= .1113
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3097E-01
 HT FLOW CONVERGENCE VALUE= .1379E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 8 COMPLETED. CUM ITER = 134
 *** TIME = .164100E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .8317E-05 OSCILLATION LIMIT = .6562
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.50 CRITERION= .1116
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1258E-01 CRITERION= .1108 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 9 COMPLETED. CUM ITER = 135
 *** TIME = .164889E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1020E-04 OSCILLATION LIMIT = .8046
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.81 CRITERION= .1113
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3091E-01
 HT FLOW CONVERGENCE VALUE= .1377E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 10 COMPLETED. CUM ITER = 136
 *** TIME = .165678E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .7988E-05 OSCILLATION LIMIT = .6302
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.50 CRITERION= .1116
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1259E-01 CRITERION= .1108 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 11 COMPLETED. CUM ITER = 137
 *** TIME = .166467E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .9772E-05 OSCILLATION LIMIT = .7709
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.81 CRITERION= .1113
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3085E-01
 HT FLOW CONVERGENCE VALUE= .1375E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 9 SUBSTEP 12 COMPLETED. CUM ITER = 138
 *** TIME = .167256E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .7673E-05 OSCILLATION LIMIT = .6054
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.51 CRITERION= .1116
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1260E-01 CRITERION= .1108 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 9 SUBSTEP 13 COMPLETED. CUM ITER = 139
 *** TIME = .168045E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .9366E-05 OSCILLATION LIMIT = .7389
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.81 CRITERION= .1113
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3080E-01
 HT FLOW CONVERGENCE VALUE= .1374E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 9 SUBSTEP 14 COMPLETED. CUM ITER = 140
 *** TIME = .168833E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .7371E-05 OSCILLATION LIMIT = .5815
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.51 CRITERION= .1116
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1261E-01 CRITERION= .1108 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 9 SUBSTEP 15 COMPLETED. CUM ITER = 141
 *** TIME = .169622E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .8980E-05 OSCILLATION LIMIT = .7085
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.81 CRITERION= .1113
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3074E-01
 HT FLOW CONVERGENCE VALUE= .1372E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 9 SUBSTEP 16 COMPLETED. CUM ITER = 142
 *** TIME = .170411E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .7083E-05 OSCILLATION LIMIT = .5588
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.51 CRITERION= .1116
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1263E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 9 SUBSTEP 17 COMPLETED. CUM ITER = 143
 *** TIME = .171200E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .8614E-05 OSCILLATION LIMIT = .6796
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.80 CRITERION= .1113
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3069E-01
 HT FLOW CONVERGENCE VALUE= .1370E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 9 SUBSTEP 18 COMPLETED. CUM ITER = 144
 *** TIME = .171989E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6807E-05 OSCILLATION LIMIT = .5370
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.51 CRITERION= .1116
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1264E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 9 SUBSTEP 19 COMPLETED. CUM ITER = 145
 *** TIME = .172778E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .8265E-05 OSCILLATION LIMIT = .6521
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.80 CRITERION= .1113
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3064E-01

HT FLOW CONVERGENCE VALUE= .1369E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 20 COMPLETED. CUM ITER = 146
 *** TIME = .173567E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6544E-05 OSCILLATION LIMIT = .5163
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.51 CRITERION= .1115
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1265E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 21 COMPLETED. CUM ITER = 147
 *** TIME = .174356E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .7933E-05 OSCILLATION LIMIT = .6259
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.80 CRITERION= .1112
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3059E-01
 HT FLOW CONVERGENCE VALUE= .1367E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 22 COMPLETED. CUM ITER = 148
 *** TIME = .175145E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6293E-05 OSCILLATION LIMIT = .4965
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.51 CRITERION= .1115
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1266E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 23 COMPLETED. CUM ITER = 149
 *** TIME = .175934E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .7618E-05 OSCILLATION LIMIT = .6010
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.80 CRITERION= .1112
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3054E-01
 HT FLOW CONVERGENCE VALUE= .1365E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 24 COMPLETED. CUM ITER = 150
 *** TIME = .176723E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6053E-05 OSCILLATION LIMIT = .4776
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.51 CRITERION= .1115
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1268E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 25 COMPLETED. CUM ITER = 151
 *** TIME = .177512E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .7318E-05 OSCILLATION LIMIT = .5773
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.80 CRITERION= .1112
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3049E-01
 HT FLOW CONVERGENCE VALUE= .1364E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 26 COMPLETED. CUM ITER = 152
 *** TIME = .178301E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5825E-05 OSCILLATION LIMIT = .4595
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.51 CRITERION= .1115
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1269E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 27 COMPLETED. CUM ITER = 153
 *** TIME = .179090E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .7032E-05 OSCILLATION LIMIT = .5548
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.80 CRITERION= .1112
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3045E-01
 HT FLOW CONVERGENCE VALUE= .1362E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 28 COMPLETED. CUM ITER = 154
 *** TIME = .179879E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5607E-05 OSCILLATION LIMIT = .4423
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.51 CRITERION= .1115
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1270E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 29 COMPLETED. CUM ITER = 155
 *** TIME = .180668E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6761E-05 OSCILLATION LIMIT = .5334
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.80 CRITERION= .1112
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3040E-01
 HT FLOW CONVERGENCE VALUE= .1361E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 30 COMPLETED. CUM ITER = 156
 *** TIME = .181457E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5399E-05 OSCILLATION LIMIT = .4259
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.51 CRITERION= .1115
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1271E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 31 COMPLETED. CUM ITER = 157
 *** TIME = .182245E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6502E-05 OSCILLATION LIMIT = .5130
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.80 CRITERION= .1112
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3036E-01
 HT FLOW CONVERGENCE VALUE= .1359E-01 CRITERION= .1109 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 32 COMPLETED. CUM ITER = 158
 *** TIME = .183034E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5201E-05 OSCILLATION LIMIT = .4103
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.52 CRITERION= .1114
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1272E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 33 COMPLETED. CUM ITER = 159
 *** TIME = .183823E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6256E-05 OSCILLATION LIMIT = .4936
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.80 CRITERION= .1112
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3032E-01
 HT FLOW CONVERGENCE VALUE= .1358E-01 CRITERION= .1109 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 34 COMPLETED. CUM ITER = 160
 *** TIME = .184612E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5012E-05 OSCILLATION LIMIT = .3954
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.52 CRITERION= .1114
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
 HT FLOW CONVERGENCE VALUE= .1273E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 35 COMPLETED. CUM ITER = 161
 *** TIME = .185401E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .6022E-05 OSCILLATION LIMIT = .4751

```
*** AUTO STEP TIME: NEXT TIME INC = 78894.    UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.80    CRITERION= .1112
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3028E-01
HT FLOW CONVERGENCE VALUE= .1356E-01 CRITERION= .1109    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 36 COMPLETED.    CUM ITER = 162
*** TIME = .186190E+08    TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4832E-05    OSCILLATION LIMIT = .3812
*** AUTO STEP TIME: NEXT TIME INC = 78894.    UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 10.52    CRITERION= .1114
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
HT FLOW CONVERGENCE VALUE= .1274E-01 CRITERION= .1106    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 37 COMPLETED.    CUM ITER = 163
*** TIME = .186979E+08    TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5798E-05    OSCILLATION LIMIT = .4575
*** AUTO STEP TIME: NEXT TIME INC = 78894.    UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 10.79    CRITERION= .1112
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3024E-01
HT FLOW CONVERGENCE VALUE= .1355E-01 CRITERION= .1109    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 38 COMPLETED.    CUM ITER = 164
*** TIME = .187768E+08    TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4660E-05    OSCILLATION LIMIT = .3676
*** AUTO STEP TIME: NEXT TIME INC = 78894.    UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 10.52    CRITERION= .1114
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2905E-01
HT FLOW CONVERGENCE VALUE= .1275E-01 CRITERION= .1106    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 39 COMPLETED.    CUM ITER = 165
*** TIME = .188557E+08    TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5586E-05    OSCILLATION LIMIT = .4407
*** AUTO STEP TIME: NEXT TIME INC = 78894.    UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 10.79    CRITERION= .1112
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3021E-01
HT FLOW CONVERGENCE VALUE= .1354E-01 CRITERION= .1109    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 40 COMPLETED.    CUM ITER = 166
*** TIME = .189346E+08    TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4496E-05    OSCILLATION LIMIT = .3547
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303    VERSION=HP 9000/7XX    00:03:49 MAR 25, 1995 CP= 13705.440
FOR SUPPORT CALL SUPPORT PERSON    PHONE SUPPORT PHONE    FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 9.022    CRITERION= .1113
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2496E-01
HT FLOW CONVERGENCE VALUE= .1104E-01 CRITERION= .1106    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 1 COMPLETED.    CUM ITER = 167
*** TIME = .190135E+08    TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .6452E-05    OSCILLATION LIMIT = .5091
*** AUTO STEP TIME: NEXT TIME INC = 78894.    UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 9.293    CRITERION= .1110
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2611E-01
HT FLOW CONVERGENCE VALUE= .1152E-01 CRITERION= .1109    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 2 COMPLETED.    CUM ITER = 168
```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 10 COMPLETED, CUM ITER = 176
*** TIME = .197235E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4919E-05 OSCILLATION LIMIT = .3881
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.026 CRITERION= .1112
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2496E-01
HT FLOW CONVERGENCE VALUE= .1088E-01 CRITERION= .1106 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 11 COMPLETED, CUM ITER = 177
*** TIME = .198024E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5965E-05 OSCILLATION LIMIT = .4706
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.289 CRITERION= .1110
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2594E-01
HT FLOW CONVERGENCE VALUE= .1152E-01 CRITERION= .1108 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 12 COMPLETED, CUM ITER = 178
*** TIME = .198813E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4761E-05 OSCILLATION LIMIT = .3756
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.027 CRITERION= .1112
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2496E-01
HT FLOW CONVERGENCE VALUE= .1088E-01 CRITERION= .1106 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 13 COMPLETED, CUM ITER = 179
*** TIME = .199602E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5760E-05 OSCILLATION LIMIT = .4544
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.288 CRITERION= .1109
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2591E-01
HT FLOW CONVERGENCE VALUE= .1151E-01 CRITERION= .1108 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 14 COMPLETED, CUM ITER = 180
*** TIME = .200391E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4609E-05 OSCILLATION LIMIT = .3636
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.027 CRITERION= .1112
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2496E-01
HT FLOW CONVERGENCE VALUE= .1089E-01 CRITERION= .1106 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 15 COMPLETED, CUM ITER = 181
*** TIME = .201180E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5564E-05 OSCILLATION LIMIT = .4390
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.287 CRITERION= .1109
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2588E-01
HT FLOW CONVERGENCE VALUE= .1150E-01 CRITERION= .1108 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 16 COMPLETED, CUM ITER = 182
*** TIME = .201969E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4464E-05 OSCILLATION LIMIT = .3522
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.028 CRITERION= .1111
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2496E-01
HT FLOW CONVERGENCE VALUE= .1090E-01 CRITERION= .1105 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 17 COMPLETED, CUM ITER = 183
*** TIME = .202758E+08 TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .5379E-05 OSCILLATION LIMIT = .4243
*** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.287 CRITERION= .1109

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2585E-01
 HT FLOW CONVERGENCE VALUE= .1149E-01 CRITERION= .1108 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 18 COMPLETED. CUM ITER = 184
 *** TIME = .203547E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4325E-05 OSCILLATION LIMIT = .3412
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.029 CRITERION= .1111
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2496E-01
 HT FLOW CONVERGENCE VALUE= .1090E-01 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 19 COMPLETED. CUM ITER = 185
 *** TIME = .204336E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5202E-05 OSCILLATION LIMIT = .4104
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.286 CRITERION= .1109
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2582E-01
 HT FLOW CONVERGENCE VALUE= .1148E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 20 COMPLETED. CUM ITER = 186
 *** TIME = .205125E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4192E-05 OSCILLATION LIMIT = .3307
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.029 CRITERION= .1111
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2496E-01
 HT FLOW CONVERGENCE VALUE= .1091E-01 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 21 COMPLETED. CUM ITER = 187
 *** TIME = .205914E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .5033E-05 OSCILLATION LIMIT = .3971
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.285 CRITERION= .1109
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2580E-01
 HT FLOW CONVERGENCE VALUE= .1147E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 22 COMPLETED. CUM ITER = 188
 *** TIME = .206703E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4065E-05 OSCILLATION LIMIT = .3207
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.030 CRITERION= .1111
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2496E-01
 HT FLOW CONVERGENCE VALUE= .1092E-01 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 23 COMPLETED. CUM ITER = 189
 *** TIME = .207492E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4872E-05 OSCILLATION LIMIT = .3844
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.284 CRITERION= .1109
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2577E-01
 HT FLOW CONVERGENCE VALUE= .1146E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 24 COMPLETED. CUM ITER = 190
 *** TIME = .208280E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .3943E-05 OSCILLATION LIMIT = .3111
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.031 CRITERION= .1111
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2496E-01
 HT FLOW CONVERGENCE VALUE= .1093E-01 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 25 COMPLETED. CUM ITER = 191
 *** TIME = .209069E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4719E-05 OSCILLATION LIMIT = .3723
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.284 CRITERION= .1109
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2575E-01
 HT FLOW CONVERGENCE VALUE= .1145E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 26 COMPLETED. CUM ITER = 192
 *** TIME = .209858E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .3828E-05 OSCILLATION LIMIT = .3020
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.031 CRITERION= .1111
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2496E-01
 HT FLOW CONVERGENCE VALUE= .1093E-01 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 27 COMPLETED. CUM ITER = 193
 *** TIME = .210647E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4573E-05 OSCILLATION LIMIT = .3608
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.283 CRITERION= .1109
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2573E-01
 HT FLOW CONVERGENCE VALUE= .1144E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 28 COMPLETED. CUM ITER = 194
 *** TIME = .211436E+08 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .3717E-05 OSCILLATION LIMIT = .2933
 *** AUTO TIME STEP: NEXT TIME INC = .13451E+06 INCREASED (FACTOR = 1.7050)

HT FLOW CONVERGENCE VALUE= 15.48 CRITERION= .1118
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4255E-01
 HT FLOW CONVERGENCE VALUE= .1931E-01 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 29 COMPLETED. CUM ITER = 195
 *** TIME = .212781E+08 TIME INC = 134511.
 *** RESPONSE EIGENVALUE = .1923E-05 OSCILLATION LIMIT = .2587
 *** AUTO TIME STEP: NEXT TIME INC = .25997E+06 INCREASED (FACTOR = 1.9327)

HT FLOW CONVERGENCE VALUE= 30.28 CRITERION= .1145
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8291E-01
 HT FLOW CONVERGENCE VALUE= .3882E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 30 COMPLETED. CUM ITER = 196
 *** TIME = .215381E+08 TIME INC = 259970.
 *** RESPONSE EIGENVALUE = .7368E-06 OSCILLATION LIMIT = .1915
 *** AUTO TIME STEP: NEXT TIME INC = .55225E+06 INCREASED (FACTOR = 2.1243)

HT FLOW CONVERGENCE VALUE= 63.93 CRITERION= .1278
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1747
 HT FLOW CONVERGENCE VALUE= .8205E-01 CRITERION= .1104 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 31 COMPLETED. CUM ITER = 197
 *** TIME = .220904E+08 TIME INC = 552247.
 *** RESPONSE EIGENVALUE = .5923E-06 OSCILLATION LIMIT = .3271

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 00:50:56 MAR 25, 1995 CP= 16341.650
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 56.15 CRITERION= .1239
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1536
 HT FLOW CONVERGENCE VALUE= .6824E-01 CRITERION= .1106 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 1 COMPLETED. CUM ITER = 198
 *** TIME = .226426E+08 TIME INC = 552247.

*** RESPONSE EIGENVALUE = .9256E-06 OSCILLATION LIMIT = .5112
 *** AUTO STEP TIME: NEXT TIME INC = .55225E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 55.90 CRITERION= .1239
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1530
 HT FLOW CONVERGENCE VALUE= .6664E-01 CRITERION= .1103 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 2 COMPLETED. CUM ITER = 199
 *** TIME = .231948E+08 TIME INC = 552247.
 *** RESPONSE EIGENVALUE = .1199E-05 OSCILLATION LIMIT = .6622
 *** AUTO STEP TIME: NEXT TIME INC = .55225E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.15 CRITERION= .1238
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1535
 HT FLOW CONVERGENCE VALUE= .6858E-01 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 3 COMPLETED. CUM ITER = 200
 *** TIME = .237471E+08 TIME INC = 552247.
 *** RESPONSE EIGENVALUE = .7877E-06 OSCILLATION LIMIT = .4350
 *** AUTO STEP TIME: NEXT TIME INC = .55225E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 55.90 CRITERION= .1239
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1530
 HT FLOW CONVERGENCE VALUE= .6706E-01 CRITERION= .1103 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 4 COMPLETED. CUM ITER = 201
 *** TIME = .242993E+08 TIME INC = 552247.
 *** RESPONSE EIGENVALUE = .1097E-05 OSCILLATION LIMIT = .6058
 *** AUTO STEP TIME: NEXT TIME INC = .55225E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.15 CRITERION= .1237
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1535
 HT FLOW CONVERGENCE VALUE= .6823E-01 CRITERION= .1104 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 5 COMPLETED. CUM ITER = 202
 *** TIME = .248516E+08 TIME INC = 552247.
 *** RESPONSE EIGENVALUE = .8575E-06 OSCILLATION LIMIT = .4736
 *** AUTO TIME STEP: NEXT TIME INC = .39452E+06 DECREASED (FACTOR = .7144)

HT FLOW CONVERGENCE VALUE= 39.90 CRITERION= .1174
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1093
 HT FLOW CONVERGENCE VALUE= .4655E-01 CRITERION= .1102 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 6 COMPLETED. CUM ITER = 203
 *** TIME = .252461E+08 TIME INC = 394525.
 *** RESPONSE EIGENVALUE = .1367E-05 OSCILLATION LIMIT = .5393

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 01:00:04 MAR 25, 1995 CP= 16858.970
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 35.54 CRITERION= .1158
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9725E-01
 HT FLOW CONVERGENCE VALUE= .4224E-01 CRITERION= .1104 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 1 COMPLETED. CUM ITER = 204
 *** TIME = .256406E+08 TIME INC = 394525.
 *** RESPONSE EIGENVALUE = .1209E-05 OSCILLATION LIMIT = .4769
 *** AUTO STEP TIME: NEXT TIME INC = .39452E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.29 CRITERION= .1159
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9667E-01
 HT FLOW CONVERGENCE VALUE= .4205E-01 CRITERION= .1101 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 12 SUBSTEP 2 COMPLETED. CUM ITER = 205
 *** TIME = .260352E+08 TIME INC = 394525.
 *** RESPONSE EIGENVALUE = .1316E-05 OSCILLATION LIMIT = .5193
 *** AUTO STEP TIME: NEXT TIME INC = .39452E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.54 CRITERION= .1157
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9727E-01
 HT FLOW CONVERGENCE VALUE= .4275E-01 CRITERION= .1103 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 12 SUBSTEP 3 COMPLETED. CUM ITER = 206
 *** TIME = .264297E+08 TIME INC = 394525.
 *** RESPONSE EIGENVALUE = .1149E-05 OSCILLATION LIMIT = .4533
 *** AUTO STEP TIME: NEXT TIME INC = .39452E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.29 CRITERION= .1158
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9667E-01
 HT FLOW CONVERGENCE VALUE= .4207E-01 CRITERION= .1101 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 12 SUBSTEP 4 COMPLETED. CUM ITER = 207
 *** TIME = .268242E+08 TIME INC = 394525.
 *** RESPONSE EIGENVALUE = .1318E-05 OSCILLATION LIMIT = .5201
 *** AUTO STEP TIME: NEXT TIME INC = .39452E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.54 CRITERION= .1156
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9726E-01
 HT FLOW CONVERGENCE VALUE= .4269E-01 CRITERION= .1102 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 12 SUBSTEP 5 COMPLETED. CUM ITER = 208
 *** TIME = .272187E+08 TIME INC = 394525.
 *** RESPONSE EIGENVALUE = .1157E-05 OSCILLATION LIMIT = .4565
 *** AUTO STEP TIME: NEXT TIME INC = .39452E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.29 CRITERION= .1158
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9667E-01
 HT FLOW CONVERGENCE VALUE= .4207E-01 CRITERION= .1100 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 12 SUBSTEP 6 COMPLETED. CUM ITER = 209
 *** TIME = .276133E+08 TIME INC = 394525.
 *** RESPONSE EIGENVALUE = .1308E-05 OSCILLATION LIMIT = .5162
 *** AUTO STEP TIME: NEXT TIME INC = .39452E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.54 CRITERION= .1156
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9726E-01
 HT FLOW CONVERGENCE VALUE= .4266E-01 CRITERION= .1102 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 12 SUBSTEP 7 COMPLETED. CUM ITER = 210
 *** TIME = .280078E+08 TIME INC = 394525.
 *** RESPONSE EIGENVALUE = .1157E-05 OSCILLATION LIMIT = .4566
 *** AUTO TIME STEP: NEXT TIME INC = .39409E+06 DECREASED (FACTOR = .9989)

HT FLOW CONVERGENCE VALUE= 35.25 CRITERION= .1157
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9656E-01
 HT FLOW CONVERGENCE VALUE= .4201E-01 CRITERION= .1099 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 12 SUBSTEP 8 COMPLETED. CUM ITER = 211
 *** TIME = .284019E+08 TIME INC = 394087.
 *** RESPONSE EIGENVALUE = .1305E-05 OSCILLATION LIMIT = .5144
 Apply loads and solve for 1 to 9 years

*DO LOOP ON PARAMETER= TM FROM .31558E+08 TO .28402E+09 BY .31558E+08

TIME= .31558E+08

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3551.72231 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 87.456 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 88.300 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 89.930 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 17544.760 TIME= 01:12:13
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 01:12:13 MAR 25, 1995 CP= 17544.760
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 13
TIME AT END OF THE LOAD STEP.31558E+08
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 32.41 CRITERION= .1146

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8882E-01
 HT FLOW CONVERGENCE VALUE= .3855E-01 CRITERION= .1101 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 ** LOAD STEP 13 SUBSTEP 1 COMPLETED. CUM ITER = 212
 ** TIME = .287960E+08 TIME INC = 394087.
 ** RESPONSE EIGENVALUE = .1315E-05 OSCILLATION LIMIT = .5181
 ** AUTO STEP TIME: NEXT TIME INC = .39409E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.16 CRITERION= .1147
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8822E-01
 HT FLOW CONVERGENCE VALUE= .3782E-01 CRITERION= .1099 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 ** LOAD STEP 13 SUBSTEP 2 COMPLETED. CUM ITER = 213
 ** TIME = .291900E+08 TIME INC = 394087.
 ** RESPONSE EIGENVALUE = .1603E-05 OSCILLATION LIMIT = .6315
 ** AUTO STEP TIME: NEXT TIME INC = .39409E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.41 CRITERION= .1145
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8881E-01
 HT FLOW CONVERGENCE VALUE= .3871E-01 CRITERION= .1101 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 ** LOAD STEP 13 SUBSTEP 3 COMPLETED. CUM ITER = 214
 ** TIME = .295841E+08 TIME INC = 394087.
 ** RESPONSE EIGENVALUE = .1269E-05 OSCILLATION LIMIT = .5003
 ** AUTO STEP TIME: NEXT TIME INC = .39409E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.16 CRITERION= .1147
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8822E-01
 HT FLOW CONVERGENCE VALUE= .3794E-01 CRITERION= .1098 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 ** LOAD STEP 13 SUBSTEP 4 COMPLETED. CUM ITER = 215
 ** TIME = .299782E+08 TIME INC = 394087.
 ** RESPONSE EIGENVALUE = .1539E-05 OSCILLATION LIMIT = .6067
 ** AUTO STEP TIME: NEXT TIME INC = .39409E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.41 CRITERION= .1145
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8881E-01
 HT FLOW CONVERGENCE VALUE= .3861E-01 CRITERION= .1100 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 ** LOAD STEP 13 SUBSTEP 5 COMPLETED. CUM ITER = 216
 ** TIME = .303723E+08 TIME INC = 394087.
 ** RESPONSE EIGENVALUE = .1307E-05 OSCILLATION LIMIT = .5150
 ** AUTO STEP TIME: NEXT TIME INC = .39409E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.16 CRITERION= .1146
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8822E-01
 HT FLOW CONVERGENCE VALUE= .3796E-01 CRITERION= .1098 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 ** LOAD STEP 13 SUBSTEP 6 COMPLETED. CUM ITER = 217
 ** TIME = .307664E+08 TIME INC = 394087.
 ** RESPONSE EIGENVALUE = .1511E-05 OSCILLATION LIMIT = .5953
 ** AUTO STEP TIME: NEXT TIME INC = .39409E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.41 CRITERION= .1144
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8880E-01
 HT FLOW CONVERGENCE VALUE= .3856E-01 CRITERION= .1099 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 ** LOAD STEP 13 SUBSTEP 7 COMPLETED. CUM ITER = 218
 ** TIME = .311605E+08 TIME INC = 394087.
 ** RESPONSE EIGENVALUE = .1316E-05 OSCILLATION LIMIT = .5186
 ** AUTO STEP TIME: NEXT TIME INC = .39715E+06 INCREASED (FACTOR = 1.0078)

HT FLOW CONVERGENCE VALUE= 32.41 CRITERION= .1146
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8890E-01
 HT FLOW CONVERGENCE VALUE= .3828E-01 CRITERION= .1097 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 ** LOAD STEP 13 SUBSTEP 8 COMPLETED. CUM ITER = 219
 ** TIME = .315576E+08 TIME INC = 397151.
 ** RESPONSE EIGENVALUE = .1491E-05 OSCILLATION LIMIT = .5921

*** LOAD STEP 14 SUBSTEP 7 COMPLETED. CUM ITER = 226
 *** TIME = .370802E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1850E-05 OSCILLATION LIMIT = 1.460
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.80 CRITERION= .1169
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4653E-01 CRITERION= .1093 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 8 COMPLETED. CUM ITER = 227
 *** TIME = .378692E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2123E-05 OSCILLATION LIMIT = 1.675
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.06 CRITERION= .1167
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1125
 HT FLOW CONVERGENCE VALUE= .4729E-01 CRITERION= .1094 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 9 COMPLETED. CUM ITER = 228
 *** TIME = .386581E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1869E-05 OSCILLATION LIMIT = 1.475
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.80 CRITERION= .1168
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4651E-01 CRITERION= .1092 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 10 COMPLETED. CUM ITER = 229
 *** TIME = .394470E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2103E-05 OSCILLATION LIMIT = 1.659
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.06 CRITERION= .1166
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1125
 HT FLOW CONVERGENCE VALUE= .4722E-01 CRITERION= .1093 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 11 COMPLETED. CUM ITER = 230
 *** TIME = .402360E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1879E-05 OSCILLATION LIMIT = 1.482
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.80 CRITERION= .1167
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4649E-01 CRITERION= .1091 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 12 COMPLETED. CUM ITER = 231
 *** TIME = .410249E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2090E-05 OSCILLATION LIMIT = 1.649
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.06 CRITERION= .1165
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1125
 HT FLOW CONVERGENCE VALUE= .4715E-01 CRITERION= .1092 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 13 COMPLETED. CUM ITER = 232
 *** TIME = .418139E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1883E-05 OSCILLATION LIMIT = 1.485
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.80 CRITERION= .1166
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4645E-01 CRITERION= .1090 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 14 COMPLETED. CUM ITER = 233
 *** TIME = .426028E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2083E-05 OSCILLATION LIMIT = 1.643
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.05 CRITERION= .1164
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1125

HT FLOW CONVERGENCE VALUE= .4710E-01 CRITERION= .1091 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 15 COMPLETED. CUM ITER = 234
 *** TIME = .433917E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1884E-05 OSCILLATION LIMIT = 1.486
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.80 CRITERION= .1165
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4640E-01 CRITERION= .1089 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 16 COMPLETED. CUM ITER = 235
 *** TIME = .441807E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2078E-05 OSCILLATION LIMIT = 1.639
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.05 CRITERION= .1163
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1125
 HT FLOW CONVERGENCE VALUE= .4691E-01 CRITERION= .1090 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 17 COMPLETED. CUM ITER = 236
 *** TIME = .449696E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1882E-05 OSCILLATION LIMIT = 1.485
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.80 CRITERION= .1164
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4618E-01 CRITERION= .1088 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 18 COMPLETED. CUM ITER = 237
 *** TIME = .457586E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2074E-05 OSCILLATION LIMIT = 1.637
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.05 CRITERION= .1162
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1125
 HT FLOW CONVERGENCE VALUE= .4673E-01 CRITERION= .1089 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 19 COMPLETED. CUM ITER = 238
 *** TIME = .465475E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1880E-05 OSCILLATION LIMIT = 1.483
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.80 CRITERION= .1163
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4598E-01 CRITERION= .1087 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 20 COMPLETED. CUM ITER = 239
 *** TIME = .473364E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2072E-05 OSCILLATION LIMIT = 1.635
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.05 CRITERION= .1161
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1125
 HT FLOW CONVERGENCE VALUE= .4645E-01 CRITERION= .1088 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 21 COMPLETED. CUM ITER = 240
 *** TIME = .481254E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1878E-05 OSCILLATION LIMIT = 1.482
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.80 CRITERION= .1162
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4571E-01 CRITERION= .1085 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 22 COMPLETED. CUM ITER = 241
 *** TIME = .489143E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2070E-05 OSCILLATION LIMIT = 1.633
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.05 CRITERION= .1160
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1125
 HT FLOW CONVERGENCE VALUE= .4625E-01 CRITERION= .1087 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 23 COMPLETED. CUM ITER = 242
 *** TIME = .497033E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1875E-05 OSCILLATION LIMIT = 1.480
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.80 CRITERION= .1161
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4557E-01 CRITERION= .1084 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 24 COMPLETED. CUM ITER = 243
 *** TIME = .504922E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2069E-05 OSCILLATION LIMIT = 1.632
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.05 CRITERION= .1159
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1125
 HT FLOW CONVERGENCE VALUE= .4609E-01 CRITERION= .1086 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 25 COMPLETED. CUM ITER = 244
 *** TIME = .512811E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1873E-05 OSCILLATION LIMIT = 1.478
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.80 CRITERION= .1160
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4537E-01 CRITERION= .1083 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 26 COMPLETED. CUM ITER = 245
 *** TIME = .520701E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2068E-05 OSCILLATION LIMIT = 1.631
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.05 CRITERION= .1158
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1125
 HT FLOW CONVERGENCE VALUE= .4568E-01 CRITERION= .1085 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 27 COMPLETED. CUM ITER = 246
 *** TIME = .528590E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1871E-05 OSCILLATION LIMIT = 1.476
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.80 CRITERION= .1159
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4495E-01 CRITERION= .1082 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 28 COMPLETED. CUM ITER = 247
 *** TIME = .536480E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2067E-05 OSCILLATION LIMIT = 1.630
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.05 CRITERION= .1157
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1125
 HT FLOW CONVERGENCE VALUE= .4509E-01 CRITERION= .1084 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 29 COMPLETED. CUM ITER = 248
 *** TIME = .544369E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1868E-05 OSCILLATION LIMIT = 1.474
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.80 CRITERION= .1158
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4435E-01 CRITERION= .1081 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 30 COMPLETED. CUM ITER = 249
 *** TIME = .552258E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2066E-05 OSCILLATION LIMIT = 1.630

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.05 CRITERION= .1156
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1124
 HT FLOW CONVERGENCE VALUE= .4485E-01 CRITERION= .1083 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 31 COMPLETED. CUM ITER = 250
 *** TIME = .560148E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1867E-05 OSCILLATION LIMIT = 1.473
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.80 CRITERION= .1157
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4413E-01 CRITERION= .1080 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 32 COMPLETED. CUM ITER = 251
 *** TIME = .568037E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2065E-05 OSCILLATION LIMIT = 1.629
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.05 CRITERION= .1155
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1124
 HT FLOW CONVERGENCE VALUE= .4461E-01 CRITERION= .1082 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 33 COMPLETED. CUM ITER = 252
 *** TIME = .575927E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1865E-05 OSCILLATION LIMIT = 1.471
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.79 CRITERION= .1156
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4382E-01 CRITERION= .1079 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 34 COMPLETED. CUM ITER = 253
 *** TIME = .583816E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2064E-05 OSCILLATION LIMIT = 1.629
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.05 CRITERION= .1154
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1124
 HT FLOW CONVERGENCE VALUE= .4429E-01 CRITERION= .1081 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 35 COMPLETED. CUM ITER = 254
 *** TIME = .591705E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1863E-05 OSCILLATION LIMIT = 1.470
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.79 CRITERION= .1155
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4359E-01 CRITERION= .1078 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 36 COMPLETED. CUM ITER = 255
 *** TIME = .599595E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2063E-05 OSCILLATION LIMIT = 1.628
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.05 CRITERION= .1153
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1124
 HT FLOW CONVERGENCE VALUE= .4351E-01 CRITERION= .1080 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 37 COMPLETED. CUM ITER = 256
 *** TIME = .607484E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1861E-05 OSCILLATION LIMIT = 1.468
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 40.79 CRITERION= .1154
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
 HT FLOW CONVERGENCE VALUE= .4262E-01 CRITERION= .1077 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 38 COMPLETED. CUM ITER = 257

```

*** TIME = .615374E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2063E-05    OSCILLATION LIMIT = 1.627
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 41.05    CRITERION= .1152
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1124
    HT FLOW CONVERGENCE VALUE= .4311E-01    CRITERION= .1079    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 39 COMPLETED.    CUM ITER = 258
*** TIME = .623263E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1860E-05    OSCILLATION LIMIT = 1.467
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 40.79    CRITERION= .1153
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120
    HT FLOW CONVERGENCE VALUE= .4253E-01    CRITERION= .1076    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 40 COMPLETED.    CUM ITER = 259
*** TIME = .631152E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2062E-05    OSCILLATION LIMIT = 1.627

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303    VERSION=HP 9000/7XX    02:25:04 MAR 25, 1995 CP= 21634.910
FOR SUPPORT CALL SUPPORT PERSON    PHONE SUPPORT PHONE    FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

    HT FLOW CONVERGENCE VALUE= 22.03    CRITERION= .1098
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6064E-01
    HT FLOW CONVERGENCE VALUE= .2249E-01    CRITERION= .1078    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 1 COMPLETED.    CUM ITER = 260
*** TIME = .639042E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6030E-05    OSCILLATION LIMIT = 4.757
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.77    CRITERION= .1099
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
    HT FLOW CONVERGENCE VALUE= .2169E-01    CRITERION= .1075    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 2 COMPLETED.    CUM ITER = 261
*** TIME = .646931E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7736E-05    OSCILLATION LIMIT = 6.103
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.03    CRITERION= .1097
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6063E-01
    HT FLOW CONVERGENCE VALUE= .2245E-01    CRITERION= .1076    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 3 COMPLETED.    CUM ITER = 262
*** TIME = .654821E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4580E-05    OSCILLATION LIMIT = 3.614
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.77    CRITERION= .1098
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
    HT FLOW CONVERGENCE VALUE= .2167E-01    CRITERION= .1074    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 4 COMPLETED.    CUM ITER = 263
*** TIME = .662710E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7406E-05    OSCILLATION LIMIT = 5.843
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.03    CRITERION= .1096
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6062E-01
    HT FLOW CONVERGENCE VALUE= .2240E-01    CRITERION= .1075    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 5 COMPLETED. CUM ITER = 264
*** TIME = .670599E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5007E-05 OSCILLATION LIMIT = 3.951
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1097
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
HT FLOW CONVERGENCE VALUE= .2168E-01 CRITERION= .1073 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 6 COMPLETED. CUM ITER = 265
*** TIME = .678489E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7008E-05 OSCILLATION LIMIT = 5.529
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.03 CRITERION= .1095
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6061E-01
HT FLOW CONVERGENCE VALUE= .2236E-01 CRITERION= .1074 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 7 COMPLETED. CUM ITER = 266
*** TIME = .686378E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5262E-05 OSCILLATION LIMIT = 4.151
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1096
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
HT FLOW CONVERGENCE VALUE= .2166E-01 CRITERION= .1072 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 8 COMPLETED. CUM ITER = 267
*** TIME = .694268E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6778E-05 OSCILLATION LIMIT = 5.348
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.03 CRITERION= .1094
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6061E-01
HT FLOW CONVERGENCE VALUE= .2232E-01 CRITERION= .1073 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 9 COMPLETED. CUM ITER = 268
*** TIME = .702157E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5407E-05 OSCILLATION LIMIT = 4.266
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1095
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
HT FLOW CONVERGENCE VALUE= .2164E-01 CRITERION= .1071 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 10 COMPLETED. CUM ITER = 269
*** TIME = .710046E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6646E-05 OSCILLATION LIMIT = 5.243
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.03 CRITERION= .1093
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6061E-01
HT FLOW CONVERGENCE VALUE= .2229E-01 CRITERION= .1072 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 11 COMPLETED. CUM ITER = 270
*** TIME = .717936E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5488E-05 OSCILLATION LIMIT = 4.330
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1094
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
HT FLOW CONVERGENCE VALUE= .2162E-01 CRITERION= .1070 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 12 COMPLETED. CUM ITER = 271
*** TIME = .725825E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6569E-05 OSCILLATION LIMIT = 5.183
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.03 CRITERION= .1092

```


EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6060E-01
 HT FLOW CONVERGENCE VALUE= .2226E-01 CRITERION= .1071 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 13 COMPLETED. CUM ITER = 272
 *** TIME = .733715E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5531E-05 OSCILLATION LIMIT = 4.364
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1093
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .2160E-01 CRITERION= .1069 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 14 COMPLETED. CUM ITER = 273
 *** TIME = .741604E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6525E-05 OSCILLATION LIMIT = 5.148
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.03 CRITERION= .1091
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6060E-01
 HT FLOW CONVERGENCE VALUE= .2223E-01 CRITERION= .1070 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 15 COMPLETED. CUM ITER = 274
 *** TIME = .749493E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5553E-05 OSCILLATION LIMIT = 4.381
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1092
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .2158E-01 CRITERION= .1068 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 16 COMPLETED. CUM ITER = 275
 *** TIME = .757383E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6498E-05 OSCILLATION LIMIT = 5.127
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.02 CRITERION= .1090
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6060E-01
 HT FLOW CONVERGENCE VALUE= .2220E-01 CRITERION= .1069 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 17 COMPLETED. CUM ITER = 276
 *** TIME = .765272E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5562E-05 OSCILLATION LIMIT = 4.388
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1091
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .2155E-01 CRITERION= .1066 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 18 COMPLETED. CUM ITER = 277
 *** TIME = .773162E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6483E-05 OSCILLATION LIMIT = 5.115
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.02 CRITERION= .1089
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6060E-01
 HT FLOW CONVERGENCE VALUE= .2217E-01 CRITERION= .1068 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 19 COMPLETED. CUM ITER = 278
 *** TIME = .781051E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5564E-05 OSCILLATION LIMIT = 4.390
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1090
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .2153E-01 CRITERION= .1065 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 20 COMPLETED. CUM ITER = 279
 *** TIME = .788940E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6473E-05 OSCILLATION LIMIT = 5.107
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.02 CRITERION= .1088
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6059E-01
 HT FLOW CONVERGENCE VALUE= .2215E-01 CRITERION= .1067 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 21 COMPLETED. CUM ITER = 280
 *** TIME = .796830E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5562E-05 OSCILLATION LIMIT = 4.388
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1089
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .2151E-01 CRITERION= .1064 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 22 COMPLETED. CUM ITER = 281
 *** TIME = .804719E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6467E-05 OSCILLATION LIMIT = 5.102
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.02 CRITERION= .1087
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6059E-01
 HT FLOW CONVERGENCE VALUE= .2212E-01 CRITERION= .1066 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 23 COMPLETED. CUM ITER = 282
 *** TIME = .812609E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5557E-05 OSCILLATION LIMIT = 4.384
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1088
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .2148E-01 CRITERION= .1063 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 24 COMPLETED. CUM ITER = 283
 *** TIME = .820498E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6463E-05 OSCILLATION LIMIT = 5.099
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.02 CRITERION= .1086
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6059E-01
 HT FLOW CONVERGENCE VALUE= .2209E-01 CRITERION= .1065 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 25 COMPLETED. CUM ITER = 284
 *** TIME = .828387E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5552E-05 OSCILLATION LIMIT = 4.380
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1087
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .2146E-01 CRITERION= .1062 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 26 COMPLETED. CUM ITER = 285
 *** TIME = .836277E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6459E-05 OSCILLATION LIMIT = 5.096
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.02 CRITERION= .1085
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6059E-01
 HT FLOW CONVERGENCE VALUE= .2206E-01 CRITERION= .1064 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 27 COMPLETED. CUM ITER = 286
 *** TIME = .844166E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5545E-05 OSCILLATION LIMIT = 4.375
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1086
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .2143E-01 CRITERION= .1061 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 28 COMPLETED. CUM ITER = 287
 *** TIME = .852056E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .6456E-05 OSCILLATION LIMIT = 5.094
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.02 CRITERION= .1084
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6059E-01
 HT FLOW CONVERGENCE VALUE= .2204E-01 CRITERION= .1063 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 29 COMPLETED. CUM ITER = 288
 *** TIME = .859945E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5539E-05 OSCILLATION LIMIT = 4.370
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1085
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .2141E-01 CRITERION= .1060 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 30 COMPLETED. CUM ITER = 289
 *** TIME = .867834E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6454E-05 OSCILLATION LIMIT = 5.092
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.02 CRITERION= .1083
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6059E-01
 HT FLOW CONVERGENCE VALUE= .2201E-01 CRITERION= .1062 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 31 COMPLETED. CUM ITER = 290
 *** TIME = .875724E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5532E-05 OSCILLATION LIMIT = 4.365
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1084
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .2139E-01 CRITERION= .1059 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 32 COMPLETED. CUM ITER = 291
 *** TIME = .883613E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6451E-05 OSCILLATION LIMIT = 5.090
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.02 CRITERION= .1082
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6058E-01
 HT FLOW CONVERGENCE VALUE= .2198E-01 CRITERION= .1061 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 33 COMPLETED. CUM ITER = 292
 *** TIME = .891503E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5526E-05 OSCILLATION LIMIT = 4.359
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1083
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .2136E-01 CRITERION= .1058 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 34 COMPLETED. CUM ITER = 293
 *** TIME = .899392E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6449E-05 OSCILLATION LIMIT = 5.088
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.02 CRITERION= .1081
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6058E-01
 HT FLOW CONVERGENCE VALUE= .2196E-01 CRITERION= .1060 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 35 COMPLETED. CUM ITER = 294
 *** TIME = .907281E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5519E-05 OSCILLATION LIMIT = 4.354
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1082
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .2134E-01 CRITERION= .1057 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 36 COMPLETED. CUM ITER = 295
 *** TIME = .915171E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6446E-05 OSCILLATION LIMIT = 5.086
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.02 CRITERION= .1080
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6058E-01
 HT FLOW CONVERGENCE VALUE= .2193E-01 CRITERION= .1058 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 37 COMPLETED. CUM ITER = 296
 *** TIME = .923060E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5513E-05 OSCILLATION LIMIT = 4.349
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1081
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .2131E-01 CRITERION= .1056 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 38 COMPLETED. CUM ITER = 297
 *** TIME = .930950E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6443E-05 OSCILLATION LIMIT = 5.084
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.02 CRITERION= .1079
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6058E-01
 HT FLOW CONVERGENCE VALUE= .2190E-01 CRITERION= .1057 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 39 COMPLETED. CUM ITER = 298
 *** TIME = .938839E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5507E-05 OSCILLATION LIMIT = 4.345
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .1080
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-01
 HT FLOW CONVERGENCE VALUE= .2129E-01 CRITERION= .1055 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 40 COMPLETED. CUM ITER = 299
 *** TIME = .946728E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6441E-05 OSCILLATION LIMIT = 5.081

***** ANSYS SOLVE COMMAND *****

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 03:25:45 MAR 25, 1995 CP= 25043.110
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1064
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3926E-01
 HT FLOW CONVERGENCE VALUE= .1451E-01 CRITERION= .1056 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 1 COMPLETED. CUM ITER = 300
 *** TIME = .954618E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9978E-05 OSCILLATION LIMIT = 7.872
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1066
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
 HT FLOW CONVERGENCE VALUE= .1376E-01 CRITERION= .1054 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 2 COMPLETED. CUM ITER = 301
 *** TIME = .962507E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1271E-04 OSCILLATION LIMIT = 10.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1063
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3927E-01

HT FLOW CONVERGENCE VALUE= .1421E-01 CRITERION= .1055 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 3 COMPLETED. CUM ITER = 302
 *** TIME = .970397E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9405E-05 OSCILLATION LIMIT = 7.420
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1065
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
 HT FLOW CONVERGENCE VALUE= .1371E-01 CRITERION= .1053 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 4 COMPLETED. CUM ITER = 303
 *** TIME = .978286E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1260E-04 OSCILLATION LIMIT = 9.942
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1062
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3926E-01
 HT FLOW CONVERGENCE VALUE= .1422E-01 CRITERION= .1055 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 5 COMPLETED. CUM ITER = 304
 *** TIME = .986175E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9639E-05 OSCILLATION LIMIT = 7.605
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1064
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
 HT FLOW CONVERGENCE VALUE= .1367E-01 CRITERION= .1052 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 6 COMPLETED. CUM ITER = 305
 *** TIME = .994065E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1241E-04 OSCILLATION LIMIT = 9.788
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1061
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3926E-01
 HT FLOW CONVERGENCE VALUE= .1422E-01 CRITERION= .1054 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 7 COMPLETED. CUM ITER = 306
 *** TIME = .100195E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9773E-05 OSCILLATION LIMIT = 7.711
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1063
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
 HT FLOW CONVERGENCE VALUE= .1364E-01 CRITERION= .1051 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 8 COMPLETED. CUM ITER = 307
 *** TIME = .100984E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1229E-04 OSCILLATION LIMIT = 9.696
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1060
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3926E-01
 HT FLOW CONVERGENCE VALUE= .1422E-01 CRITERION= .1053 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 9 COMPLETED. CUM ITER = 308
 *** TIME = .101773E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9846E-05 OSCILLATION LIMIT = 7.768
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1062
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
 HT FLOW CONVERGENCE VALUE= .1362E-01 CRITERION= .1050 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 10 COMPLETED. CUM ITER = 309
 *** TIME = .102562E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1222E-04 OSCILLATION LIMIT = 9.642
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1060
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3925E-01
 HT FLOW CONVERGENCE VALUE= .1420E-01 CRITERION= .1052 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 11 COMPLETED. CUM ITER = 310
 *** TIME = .103351E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9884E-05 OSCILLATION LIMIT = 7.798
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1061
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
 HT FLOW CONVERGENCE VALUE= .1360E-01 CRITERION= .1049 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 12 COMPLETED. CUM ITER = 311
 *** TIME = .104140E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1218E-04 OSCILLATION LIMIT = 9.610
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1059
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3925E-01
 HT FLOW CONVERGENCE VALUE= .1419E-01 CRITERION= .1051 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 13 COMPLETED. CUM ITER = 312
 *** TIME = .104929E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9902E-05 OSCILLATION LIMIT = 7.812
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1060
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
 HT FLOW CONVERGENCE VALUE= .1358E-01 CRITERION= .1048 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 14 COMPLETED. CUM ITER = 313
 *** TIME = .105718E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1216E-04 OSCILLATION LIMIT = 9.591
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1058
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3925E-01
 HT FLOW CONVERGENCE VALUE= .1418E-01 CRITERION= .1050 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 15 COMPLETED. CUM ITER = 314
 *** TIME = .106507E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9908E-05 OSCILLATION LIMIT = 7.817
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1059
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
 HT FLOW CONVERGENCE VALUE= .1357E-01 CRITERION= .1047 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 16 COMPLETED. CUM ITER = 315
 *** TIME = .107296E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1214E-04 OSCILLATION LIMIT = 9.579
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1057
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3925E-01
 HT FLOW CONVERGENCE VALUE= .1416E-01 CRITERION= .1049 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 17 COMPLETED. CUM ITER = 316
 *** TIME = .108085E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9908E-05 OSCILLATION LIMIT = 7.817
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1058
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
 HT FLOW CONVERGENCE VALUE= .1355E-01 CRITERION= .1046 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 18 COMPLETED. CUM ITER = 317
 *** TIME = .108874E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1213E-04 OSCILLATION LIMIT = 9.572

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1056
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3925E-01
 HT FLOW CONVERGENCE VALUE= .1415E-01 CRITERION= .1048 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 19 COMPLETED. CUM ITER = 318
 *** TIME = .109663E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9904E-05 OSCILLATION LIMIT = 7.814
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1057
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
 HT FLOW CONVERGENCE VALUE= .1354E-01 CRITERION= .1045 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 20 COMPLETED. CUM ITER = 319
 *** TIME = .110452E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1213E-04 OSCILLATION LIMIT = 9.566
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1055
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3924E-01
 HT FLOW CONVERGENCE VALUE= .1413E-01 CRITERION= .1047 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 21 COMPLETED. CUM ITER = 320
 *** TIME = .111241E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9899E-05 OSCILLATION LIMIT = 7.809
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1056
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
 HT FLOW CONVERGENCE VALUE= .1352E-01 CRITERION= .1044 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 22 COMPLETED. CUM ITER = 321
 *** TIME = .112030E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1212E-04 OSCILLATION LIMIT = 9.562
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1054
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3924E-01
 HT FLOW CONVERGENCE VALUE= .1411E-01 CRITERION= .1046 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 23 COMPLETED. CUM ITER = 322
 *** TIME = .112818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9892E-05 OSCILLATION LIMIT = 7.804
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1055
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
 HT FLOW CONVERGENCE VALUE= .1351E-01 CRITERION= .1043 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 24 COMPLETED. CUM ITER = 323
 *** TIME = .113607E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1212E-04 OSCILLATION LIMIT = 9.559
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1053
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3924E-01
 HT FLOW CONVERGENCE VALUE= .1410E-01 CRITERION= .1045 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 25 COMPLETED. CUM ITER = 324
 *** TIME = .114396E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9885E-05 OSCILLATION LIMIT = 7.799
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1054
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
 HT FLOW CONVERGENCE VALUE= .1349E-01 CRITERION= .1042 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 26 COMPLETED. CUM ITER = 325

*** TIME = .115185E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1211E-04 OSCILLATION LIMIT = 9.556
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1052
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3924E-01
HT FLOW CONVERGENCE VALUE= .1408E-01 CRITERION= .1044 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 27 COMPLETED. CUM ITER = 326
*** TIME = .115974E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9878E-05 OSCILLATION LIMIT = 7.793
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1053
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
HT FLOW CONVERGENCE VALUE= .1348E-01 CRITERION= .1042 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 28 COMPLETED. CUM ITER = 327
*** TIME = .116763E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1211E-04 OSCILLATION LIMIT = 9.553
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1051
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3924E-01
HT FLOW CONVERGENCE VALUE= .1406E-01 CRITERION= .1043 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 29 COMPLETED. CUM ITER = 328
*** TIME = .117552E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9871E-05 OSCILLATION LIMIT = 7.787
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1052
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
HT FLOW CONVERGENCE VALUE= .1346E-01 CRITERION= .1041 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 30 COMPLETED. CUM ITER = 329
*** TIME = .118341E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1211E-04 OSCILLATION LIMIT = 9.551
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1050
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3924E-01
HT FLOW CONVERGENCE VALUE= .1405E-01 CRITERION= .1042 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 31 COMPLETED. CUM ITER = 330
*** TIME = .119130E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9864E-05 OSCILLATION LIMIT = 7.782
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1051
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
HT FLOW CONVERGENCE VALUE= .1345E-01 CRITERION= .1040 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 32 COMPLETED. CUM ITER = 331
*** TIME = .119919E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1210E-04 OSCILLATION LIMIT = 9.548
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1049
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3924E-01
HT FLOW CONVERGENCE VALUE= .1403E-01 CRITERION= .1041 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 33 COMPLETED. CUM ITER = 332
*** TIME = .120708E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9857E-05 OSCILLATION LIMIT = 7.776
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.95 CRITERION= .1050
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
HT FLOW CONVERGENCE VALUE= .1343E-01 CRITERION= .1039 <<< CONVERGED

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2839E-01
 HT FLOW CONVERGENCE VALUE= .1103E-01 CRITERION= .1037 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 1 COMPLETED. CUM ITER = 340
 *** TIME = .127019E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1394E-04 OSCILLATION LIMIT = 11.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.974 CRITERION= .1042
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
 HT FLOW CONVERGENCE VALUE= .1041E-01 CRITERION= .1035 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 2 COMPLETED. CUM ITER = 341
 *** TIME = .127808E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1779E-04 OSCILLATION LIMIT = 14.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.23 CRITERION= .1040
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2839E-01
 HT FLOW CONVERGENCE VALUE= .1073E-01 CRITERION= .1036 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 3 COMPLETED. CUM ITER = 342
 *** TIME = .128597E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1403E-04 OSCILLATION LIMIT = 11.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.974 CRITERION= .1041
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
 HT FLOW CONVERGENCE VALUE= .1034E-01 CRITERION= .1034 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 4 COMPLETED. CUM ITER = 343
 *** TIME = .129386E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1783E-04 OSCILLATION LIMIT = 14.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.23 CRITERION= .1039
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2838E-01
 HT FLOW CONVERGENCE VALUE= .1076E-01 CRITERION= .1035 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 5 COMPLETED. CUM ITER = 344
 *** TIME = .130175E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1411E-04 OSCILLATION LIMIT = 11.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.974 CRITERION= .1040
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
 HT FLOW CONVERGENCE VALUE= .1029E-01 CRITERION= .1033 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 6 COMPLETED. CUM ITER = 345
 *** TIME = .130964E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1779E-04 OSCILLATION LIMIT = 14.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.23 CRITERION= .1038
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2838E-01
 HT FLOW CONVERGENCE VALUE= .1077E-01 CRITERION= .1034 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 7 COMPLETED. CUM ITER = 346
 *** TIME = .131753E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1415E-04 OSCILLATION LIMIT = 11.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.974 CRITERION= .1039
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
 HT FLOW CONVERGENCE VALUE= .1026E-01 CRITERION= .1032 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 8 COMPLETED. CUM ITER = 347
 *** TIME = .132542E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1777E-04 OSCILLATION LIMIT = 14.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.23 CRITERION= .1037
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2838E-01
 HT FLOW CONVERGENCE VALUE= .1077E-01 CRITERION= .1033 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 9 COMPLETED. CUM ITER = 348
 *** TIME = .133331E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1417E-04 OSCILLATION LIMIT = 11.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.974 CRITERION= .1038
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
 HT FLOW CONVERGENCE VALUE= .1024E-01 CRITERION= .1031 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 10 COMPLETED. CUM ITER = 349
 *** TIME = .134120E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1775E-04 OSCILLATION LIMIT = 14.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.23 CRITERION= .1036
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2838E-01
 HT FLOW CONVERGENCE VALUE= .1077E-01 CRITERION= .1033 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 11 COMPLETED. CUM ITER = 350
 *** TIME = .134909E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1418E-04 OSCILLATION LIMIT = 11.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.974 CRITERION= .1037
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
 HT FLOW CONVERGENCE VALUE= .1022E-01 CRITERION= .1030 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 12 COMPLETED. CUM ITER = 351
 *** TIME = .135698E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1774E-04 OSCILLATION LIMIT = 13.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.23 CRITERION= .1035
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2838E-01
 HT FLOW CONVERGENCE VALUE= .1076E-01 CRITERION= .1032 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 13 COMPLETED. CUM ITER = 352
 *** TIME = .136487E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1419E-04 OSCILLATION LIMIT = 11.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.974 CRITERION= .1036
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
 HT FLOW CONVERGENCE VALUE= .1020E-01 CRITERION= .1029 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 14 COMPLETED. CUM ITER = 353
 *** TIME = .137276E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1773E-04 OSCILLATION LIMIT = 13.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.23 CRITERION= .1034
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2837E-01
 HT FLOW CONVERGENCE VALUE= .1075E-01 CRITERION= .1031 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 15 COMPLETED. CUM ITER = 354
 *** TIME = .138065E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1419E-04 OSCILLATION LIMIT = 11.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.974 CRITERION= .1035
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
 HT FLOW CONVERGENCE VALUE= .1019E-01 CRITERION= .1028 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 16 COMPLETED. CUM ITER = 355
 *** TIME = .138853E+09 TIME INC = 788940.

```

*** RESPONSE EIGENVALUE = .1772E-04  OSCILLATION LIMIT = 13.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 10.22  CRITERION= .1033
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2837E-01
  HT FLOW CONVERGENCE VALUE= .1074E-01 CRITERION= .1030  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 17 COMPLETED. CUM ITER = 356
*** TIME = .139642E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1418E-04  OSCILLATION LIMIT = 11.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 9.974  CRITERION= .1035
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
  HT FLOW CONVERGENCE VALUE= .1018E-01 CRITERION= .1027  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 18 COMPLETED. CUM ITER = 357
*** TIME = .140431E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1772E-04  OSCILLATION LIMIT = 13.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 10.22  CRITERION= .1032
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2837E-01
  HT FLOW CONVERGENCE VALUE= .1073E-01 CRITERION= .1029  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 19 COMPLETED. CUM ITER = 358
*** TIME = .141220E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1418E-04  OSCILLATION LIMIT = 11.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 9.974  CRITERION= .1034
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
  HT FLOW CONVERGENCE VALUE= .1016E-01 CRITERION= .1026  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 20 COMPLETED. CUM ITER = 359
*** TIME = .142009E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1772E-04  OSCILLATION LIMIT = 13.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 10.22  CRITERION= .1031
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2837E-01
  HT FLOW CONVERGENCE VALUE= .1072E-01 CRITERION= .1028  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 21 COMPLETED. CUM ITER = 360
*** TIME = .142798E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1417E-04  OSCILLATION LIMIT = 11.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 9.974  CRITERION= .1033
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
  HT FLOW CONVERGENCE VALUE= .1015E-01 CRITERION= .1025  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 22 COMPLETED. CUM ITER = 361
*** TIME = .143587E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1771E-04  OSCILLATION LIMIT = 13.97
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 10.22  CRITERION= .1030
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2837E-01
  HT FLOW CONVERGENCE VALUE= .1071E-01 CRITERION= .1027  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 23 COMPLETED. CUM ITER = 362
*** TIME = .144376E+09  TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1417E-04  OSCILLATION LIMIT = 11.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 9.974  CRITERION= .1032
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
  HT FLOW CONVERGENCE VALUE= .1014E-01 CRITERION= .1024  <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 17 SUBSTEP 24 COMPLETED. CUM ITER = 363
 *** TIME = .145165E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1771E-04 OSCILLATION LIMIT = 13.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.22 CRITERION= .1029
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2837E-01
 HT FLOW CONVERGENCE VALUE= .1069E-01 CRITERION= .1026 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 25 COMPLETED. CUM ITER = 364
 *** TIME = .145954E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1416E-04 OSCILLATION LIMIT = 11.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.974 CRITERION= .1031
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
 HT FLOW CONVERGENCE VALUE= .1013E-01 CRITERION= .1023 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 26 COMPLETED. CUM ITER = 365
 *** TIME = .146743E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1770E-04 OSCILLATION LIMIT = 13.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.22 CRITERION= .1028
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2837E-01
 HT FLOW CONVERGENCE VALUE= .1068E-01 CRITERION= .1025 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 27 COMPLETED. CUM ITER = 366
 *** TIME = .147532E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1416E-04 OSCILLATION LIMIT = 11.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.974 CRITERION= .1030
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
 HT FLOW CONVERGENCE VALUE= .1012E-01 CRITERION= .1022 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 28 COMPLETED. CUM ITER = 367
 *** TIME = .148321E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1770E-04 OSCILLATION LIMIT = 13.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.22 CRITERION= .1027
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2836E-01
 HT FLOW CONVERGENCE VALUE= .1067E-01 CRITERION= .1024 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 29 COMPLETED. CUM ITER = 368
 *** TIME = .149110E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1416E-04 OSCILLATION LIMIT = 11.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.975 CRITERION= .1029
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
 HT FLOW CONVERGENCE VALUE= .1011E-01 CRITERION= .1022 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 30 COMPLETED. CUM ITER = 369
 *** TIME = .149899E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1769E-04 OSCILLATION LIMIT = 13.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.22 CRITERION= .1027
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2836E-01
 HT FLOW CONVERGENCE VALUE= .1066E-01 CRITERION= .1023 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 31 COMPLETED. CUM ITER = 370
 *** TIME = .150688E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1415E-04 OSCILLATION LIMIT = 11.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.975 CRITERION= .1028
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01

HT FLOW CONVERGENCE VALUE= .1010E-01 CRITERION= .1021 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 32 COMPLETED. CUM ITER = 371
 *** TIME = .151477E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1769E-04 OSCILLATION LIMIT = 13.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.22 CRITERION= .1026
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2836E-01
 HT FLOW CONVERGENCE VALUE= .1064E-01 CRITERION= .1022 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 33 COMPLETED. CUM ITER = 372
 *** TIME = .152265E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1415E-04 OSCILLATION LIMIT = 11.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.975 CRITERION= .1027
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
 HT FLOW CONVERGENCE VALUE= .1009E-01 CRITERION= .1020 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 34 COMPLETED. CUM ITER = 373
 *** TIME = .153054E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1769E-04 OSCILLATION LIMIT = 13.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.22 CRITERION= .1025
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2836E-01
 HT FLOW CONVERGENCE VALUE= .1063E-01 CRITERION= .1021 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 35 COMPLETED. CUM ITER = 374
 *** TIME = .153843E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1414E-04 OSCILLATION LIMIT = 11.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.975 CRITERION= .1026
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
 HT FLOW CONVERGENCE VALUE= .1007E-01 CRITERION= .1019 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 36 COMPLETED. CUM ITER = 375
 *** TIME = .154632E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1768E-04 OSCILLATION LIMIT = 13.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.22 CRITERION= .1024
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2836E-01
 HT FLOW CONVERGENCE VALUE= .1062E-01 CRITERION= .1020 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 37 COMPLETED. CUM ITER = 376
 *** TIME = .155421E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1414E-04 OSCILLATION LIMIT = 11.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 9.975 CRITERION= .1025
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
 HT FLOW CONVERGENCE VALUE= .1006E-01 CRITERION= .1018 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 38 COMPLETED. CUM ITER = 377
 *** TIME = .156210E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1768E-04 OSCILLATION LIMIT = 13.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.22 CRITERION= .1023
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2836E-01
 HT FLOW CONVERGENCE VALUE= .1061E-01 CRITERION= .1019 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 39 COMPLETED. CUM ITER = 378
 *** TIME = .156999E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1414E-04 OSCILLATION LIMIT = 11.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 9.975      CRITERION= .1024
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2793E-01
HT FLOW CONVERGENCE VALUE= .1005E-01 CRITERION= .1017 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 40 COMPLETED. CUM ITER = 379
*** TIME = .157788E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1767E-04 OSCILLATION LIMIT = 13.94

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303      VERSION=HP 9000/7XX 05:27:31 MAR 25, 1995 CP= 31860.570
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 7.949      CRITERION= .1020
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2539E-01
HT FLOW CONVERGENCE VALUE= .9329E-02 CRITERION= .1018 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 1 COMPLETED. CUM ITER = 380
*** TIME = .158577E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1536E-04 OSCILLATION LIMIT = 12.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 7.700      CRITERION= .1021
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2536E-01
HT FLOW CONVERGENCE VALUE= .8753E-02 CRITERION= .1016 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 2 COMPLETED. CUM ITER = 381
*** TIME = .159366E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1956E-04 OSCILLATION LIMIT = 15.43
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 7.949      CRITERION= .1019
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2427E-01
HT FLOW CONVERGENCE VALUE= .9092E-02 CRITERION= .1017 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 3 COMPLETED. CUM ITER = 382
*** TIME = .160155E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1577E-04 OSCILLATION LIMIT = 12.44
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 7.700      CRITERION= .1020
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2519E-01
HT FLOW CONVERGENCE VALUE= .8704E-02 CRITERION= .1015 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 4 COMPLETED. CUM ITER = 383
*** TIME = .160944E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1965E-04 OSCILLATION LIMIT = 15.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 7.949      CRITERION= .1018
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2450E-01
HT FLOW CONVERGENCE VALUE= .9124E-02 CRITERION= .1016 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 5 COMPLETED. CUM ITER = 384
*** TIME = .161733E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1576E-04 OSCILLATION LIMIT = 12.43
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 7.700      CRITERION= .1019
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2501E-01
HT FLOW CONVERGENCE VALUE= .8687E-02 CRITERION= .1014 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 6 COMPLETED. CUM ITER = 385
*** TIME = .162522E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1967E-04 OSCILLATION LIMIT = 15.52

```

```

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.949 CRITERION= .1017
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2463E-01
HT FLOW CONVERGENCE VALUE= .9142E-02 CRITERION= .1015 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 7 COMPLETED. CUM ITER = 386
*** TIME = .163311E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1575E-04 OSCILLATION LIMIT = 12.43
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.700 CRITERION= .1018
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2490E-01
HT FLOW CONVERGENCE VALUE= .8669E-02 CRITERION= .1013 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 8 COMPLETED. CUM ITER = 387
*** TIME = .164100E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1968E-04 OSCILLATION LIMIT = 15.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.949 CRITERION= .1016
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2471E-01
HT FLOW CONVERGENCE VALUE= .9149E-02 CRITERION= .1014 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 9 COMPLETED. CUM ITER = 388
*** TIME = .164888E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1574E-04 OSCILLATION LIMIT = 12.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.700 CRITERION= .1017
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2485E-01
HT FLOW CONVERGENCE VALUE= .8657E-02 CRITERION= .1012 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 10 COMPLETED. CUM ITER = 389
*** TIME = .165677E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1969E-04 OSCILLATION LIMIT = 15.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.949 CRITERION= .1015
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2475E-01
HT FLOW CONVERGENCE VALUE= .9150E-02 CRITERION= .1014 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 11 COMPLETED. CUM ITER = 390
*** TIME = .166466E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1574E-04 OSCILLATION LIMIT = 12.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.700 CRITERION= .1016
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2481E-01
HT FLOW CONVERGENCE VALUE= .8648E-02 CRITERION= .1011 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 12 COMPLETED. CUM ITER = 391
*** TIME = .167255E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1968E-04 OSCILLATION LIMIT = 15.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.949 CRITERION= .1014
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2477E-01
HT FLOW CONVERGENCE VALUE= .9149E-02 CRITERION= .1013 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 13 COMPLETED. CUM ITER = 392
*** TIME = .168044E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1573E-04 OSCILLATION LIMIT = 12.41
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.700 CRITERION= .1016
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2479E-01
HT FLOW CONVERGENCE VALUE= .8642E-02 CRITERION= .1010 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 14 COMPLETED. CUM ITER = 393

```

```

*** TIME = .168833E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1968E-04    OSCILLATION LIMIT = 15.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.949    CRITERION= .1013
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2478E-01
    HT FLOW CONVERGENCE VALUE= .9145E-02    CRITERION= .1012    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 15 COMPLETED. CUM ITER = 394
*** TIME = .169622E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1573E-04    OSCILLATION LIMIT = 12.41
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.700    CRITERION= .1015
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2478E-01
    HT FLOW CONVERGENCE VALUE= .8638E-02    CRITERION= .1009    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 16 COMPLETED. CUM ITER = 395
*** TIME = .170411E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1968E-04    OSCILLATION LIMIT = 15.52
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.949    CRITERION= .1012
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2479E-01
    HT FLOW CONVERGENCE VALUE= .9142E-02    CRITERION= .1011    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 17 COMPLETED. CUM ITER = 396
*** TIME = .171200E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1572E-04    OSCILLATION LIMIT = 12.41
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.700    CRITERION= .1014
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2478E-01
    HT FLOW CONVERGENCE VALUE= .8628E-02    CRITERION= .1008    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 18 COMPLETED. CUM ITER = 397
*** TIME = .171989E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1967E-04    OSCILLATION LIMIT = 15.52
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.948    CRITERION= .1011
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2479E-01
    HT FLOW CONVERGENCE VALUE= .9137E-02    CRITERION= .1010    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 19 COMPLETED. CUM ITER = 398
*** TIME = .172778E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1572E-04    OSCILLATION LIMIT = 12.40
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.700    CRITERION= .1013
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2477E-01
    HT FLOW CONVERGENCE VALUE= .8628E-02    CRITERION= .1007    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 20 COMPLETED. CUM ITER = 399
*** TIME = .173567E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1967E-04    OSCILLATION LIMIT = 15.52
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.948    CRITERION= .1011
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2479E-01
    HT FLOW CONVERGENCE VALUE= .9134E-02    CRITERION= .1009    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 21 COMPLETED. CUM ITER = 400
*** TIME = .174356E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1572E-04    OSCILLATION LIMIT = 12.40
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.700    CRITERION= .1012
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2477E-01
    HT FLOW CONVERGENCE VALUE= .8624E-02    CRITERION= .1007    <<< CONVERGED

```



```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 22 COMPLETED. CUM ITER = 401
*** TIME = .175145E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1966E-04 OSCILLATION LIMIT = 15.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.948 CRITERION= .1010
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2479E-01
HT FLOW CONVERGENCE VALUE= .9133E-02 CRITERION= .1008 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 23 COMPLETED. CUM ITER = 402
*** TIME = .175934E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1571E-04 OSCILLATION LIMIT = 12.40
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.700 CRITERION= .1011
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2477E-01
HT FLOW CONVERGENCE VALUE= .8621E-02 CRITERION= .1006 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 24 COMPLETED. CUM ITER = 403
*** TIME = .176723E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1966E-04 OSCILLATION LIMIT = 15.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.948 CRITERION= .1009
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2479E-01
HT FLOW CONVERGENCE VALUE= .9131E-02 CRITERION= .1007 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 25 COMPLETED. CUM ITER = 404
*** TIME = .177512E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1571E-04 OSCILLATION LIMIT = 12.39
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.701 CRITERION= .1010
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2477E-01
HT FLOW CONVERGENCE VALUE= .8620E-02 CRITERION= .1005 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 26 COMPLETED. CUM ITER = 405
*** TIME = .178300E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1965E-04 OSCILLATION LIMIT = 15.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.948 CRITERION= .1008
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2479E-01
HT FLOW CONVERGENCE VALUE= .9125E-02 CRITERION= .1006 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 27 COMPLETED. CUM ITER = 406
*** TIME = .179089E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1571E-04 OSCILLATION LIMIT = 12.39
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.701 CRITERION= .1009
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2477E-01
HT FLOW CONVERGENCE VALUE= .8618E-02 CRITERION= .1004 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 28 COMPLETED. CUM ITER = 407
*** TIME = .179878E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1965E-04 OSCILLATION LIMIT = 15.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.948 CRITERION= .1007
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2478E-01
HT FLOW CONVERGENCE VALUE= .9121E-02 CRITERION= .1005 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 29 COMPLETED. CUM ITER = 408
*** TIME = .180667E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1570E-04 OSCILLATION LIMIT = 12.39
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.701 CRITERION= .1008

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2477E-01
HT FLOW CONVERGENCE VALUE= .8609E-02 CRITERION= .1003 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 30 COMPLETED. CUM ITER = 409
*** TIME = .181456E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1964E-04 OSCILLATION LIMIT = 15.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.948 CRITERION= .1006
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2478E-01
HT FLOW CONVERGENCE VALUE= .9105E-02 CRITERION= .1004 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 31 COMPLETED. CUM ITER = 410
*** TIME = .182245E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1570E-04 OSCILLATION LIMIT = 12.39
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.701 CRITERION= .1007
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2477E-01
HT FLOW CONVERGENCE VALUE= .8593E-02 CRITERION= .1002 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 32 COMPLETED. CUM ITER = 411
*** TIME = .183034E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1964E-04 OSCILLATION LIMIT = 15.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.948 CRITERION= .1005
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2478E-01
HT FLOW CONVERGENCE VALUE= .9091E-02 CRITERION= .1003 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 33 COMPLETED. CUM ITER = 412
*** TIME = .183823E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1570E-04 OSCILLATION LIMIT = 12.38
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.701 CRITERION= .1006
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2477E-01
HT FLOW CONVERGENCE VALUE= .8579E-02 CRITERION= .1001 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 34 COMPLETED. CUM ITER = 413
*** TIME = .184612E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1963E-04 OSCILLATION LIMIT = 15.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.948 CRITERION= .1004
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2478E-01
HT FLOW CONVERGENCE VALUE= .9074E-02 CRITERION= .1002 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 35 COMPLETED. CUM ITER = 414
*** TIME = .185401E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1569E-04 OSCILLATION LIMIT = 12.38
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.701 CRITERION= .1005
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2477E-01
HT FLOW CONVERGENCE VALUE= .8563E-02 CRITERION= .1000 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 36 COMPLETED. CUM ITER = 415
*** TIME = .186190E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1963E-04 OSCILLATION LIMIT = 15.48
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.948 CRITERION= .1003
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2477E-01
HT FLOW CONVERGENCE VALUE= .9058E-02 CRITERION= .1001 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 37 COMPLETED. CUM ITER = 416
*** TIME = .186979E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1569E-04 OSCILLATION LIMIT = 12.38
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 7.701 CRITERION= .1004
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2477E-01
 HT FLOW CONVERGENCE VALUE= .8555E-02 CRITERION= .9991E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 38 COMPLETED. CUM ITER = 417
 *** TIME = .187768E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1962E-04 OSCILLATION LIMIT = 15.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.948 CRITERION= .1002
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2477E-01
 HT FLOW CONVERGENCE VALUE= .9042E-02 CRITERION= .1001 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 39 COMPLETED. CUM ITER = 418
 *** TIME = .188557E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1569E-04 OSCILLATION LIMIT = 12.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.701 CRITERION= .1003
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2477E-01
 HT FLOW CONVERGENCE VALUE= .8538E-02 CRITERION= .9982E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 40 COMPLETED. CUM ITER = 419
 *** TIME = .189346E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1962E-04 OSCILLATION LIMIT = 15.48

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 06:28:21 MAR 25, 1995 CP= 35267.190
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .1000
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2663E-01
 HT FLOW CONVERGENCE VALUE= .8313E-02 CRITERION= .9996E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 1 COMPLETED. CUM ITER = 420
 *** TIME = .190135E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1548E-04 OSCILLATION LIMIT = 12.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.057 CRITERION= .1001
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2653E-01
 HT FLOW CONVERGENCE VALUE= .7782E-02 CRITERION= .9973E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 2 COMPLETED. CUM ITER = 421
 *** TIME = .190924E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1965E-04 OSCILLATION LIMIT = 15.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9992E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2585E-01
 HT FLOW CONVERGENCE VALUE= .8107E-02 CRITERION= .9987E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 3 COMPLETED. CUM ITER = 422
 *** TIME = .191712E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1595E-04 OSCILLATION LIMIT = 12.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.057 CRITERION= .1001
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2643E-01
 HT FLOW CONVERGENCE VALUE= .7746E-02 CRITERION= .9964E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 4 COMPLETED. CUM ITER = 423
 *** TIME = .192501E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1973E-04 OSCILLATION LIMIT = 15.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9983E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2600E-01
 HT FLOW CONVERGENCE VALUE= .8120E-02 CRITERION= .9978E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 5 COMPLETED. CUM ITER = 424
 *** TIME = .193290E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1592E-04 OSCILLATION LIMIT = 12.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.057 CRITERION= .9997E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2632E-01
 HT FLOW CONVERGENCE VALUE= .7719E-02 CRITERION= .9955E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 6 COMPLETED. CUM ITER = 425
 *** TIME = .194079E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1976E-04 OSCILLATION LIMIT = 15.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9974E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2608E-01
 HT FLOW CONVERGENCE VALUE= .8125E-02 CRITERION= .9969E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 7 COMPLETED. CUM ITER = 426
 *** TIME = .194868E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1590E-04 OSCILLATION LIMIT = 12.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.058 CRITERION= .9988E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2626E-01
 HT FLOW CONVERGENCE VALUE= .7699E-02 CRITERION= .9946E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 8 COMPLETED. CUM ITER = 427
 *** TIME = .195657E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1978E-04 OSCILLATION LIMIT = 15.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9965E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2613E-01
 HT FLOW CONVERGENCE VALUE= .8123E-02 CRITERION= .9960E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 9 COMPLETED. CUM ITER = 428
 *** TIME = .196446E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1589E-04 OSCILLATION LIMIT = 12.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.058 CRITERION= .9979E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2622E-01
 HT FLOW CONVERGENCE VALUE= .7685E-02 CRITERION= .9937E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 10 COMPLETED. CUM ITER = 429
 *** TIME = .197235E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1978E-04 OSCILLATION LIMIT = 15.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9957E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2616E-01
 HT FLOW CONVERGENCE VALUE= .8119E-02 CRITERION= .9951E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 11 COMPLETED. CUM ITER = 430
 *** TIME = .198024E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1588E-04 OSCILLATION LIMIT = 12.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.058 CRITERION= .9970E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2620E-01
 HT FLOW CONVERGENCE VALUE= .7676E-02 CRITERION= .9928E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 12 COMPLETED. CUM ITER = 431
 *** TIME = .198813E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1978E-04 OSCILLATION LIMIT = 15.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9948E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2617E-01
 HT FLOW CONVERGENCE VALUE= .8114E-02 CRITERION= .9942E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 13 COMPLETED. CUM ITER = 432
 *** TIME = .199602E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1587E-04 OSCILLATION LIMIT = 12.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.058 CRITERION= .9961E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .7667E-02 CRITERION= .9920E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 14 COMPLETED. CUM ITER = 433
 *** TIME = .200391E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1978E-04 OSCILLATION LIMIT = 15.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9939E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2618E-01
 HT FLOW CONVERGENCE VALUE= .8108E-02 CRITERION= .9934E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 15 COMPLETED. CUM ITER = 434
 *** TIME = .201180E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1586E-04 OSCILLATION LIMIT = 12.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.058 CRITERION= .9952E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .7659E-02 CRITERION= .9911E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 16 COMPLETED. CUM ITER = 435
 *** TIME = .201969E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1977E-04 OSCILLATION LIMIT = 15.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9930E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .8101E-02 CRITERION= .9925E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 17 COMPLETED. CUM ITER = 436
 *** TIME = .202758E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1586E-04 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.058 CRITERION= .9943E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2618E-01
 HT FLOW CONVERGENCE VALUE= .7650E-02 CRITERION= .9902E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 18 COMPLETED. CUM ITER = 437
 *** TIME = .203547E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1977E-04 OSCILLATION LIMIT = 15.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9921E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .8093E-02 CRITERION= .9916E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 19 COMPLETED. CUM ITER = 438
 *** TIME = .204335E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1585E-04 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.058 CRITERION= .9934E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2618E-01

HT FLOW CONVERGENCE VALUE= .7641E-02 CRITERION= .9893E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 20 COMPLETED. CUM ITER = 439
 *** TIME = .205124E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1976E-04 OSCILLATION LIMIT = 15.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9912E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .8084E-02 CRITERION= .9907E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 21 COMPLETED. CUM ITER = 440
 *** TIME = .205913E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1585E-04 OSCILLATION LIMIT = 12.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.058 CRITERION= .9925E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .7634E-02 CRITERION= .9884E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 22 COMPLETED. CUM ITER = 441
 *** TIME = .206702E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1975E-04 OSCILLATION LIMIT = 15.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9903E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .8074E-02 CRITERION= .9898E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 23 COMPLETED. CUM ITER = 442
 *** TIME = .207491E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1584E-04 OSCILLATION LIMIT = 12.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.058 CRITERION= .9916E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .7627E-02 CRITERION= .9875E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 24 COMPLETED. CUM ITER = 443
 *** TIME = .208280E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1975E-04 OSCILLATION LIMIT = 15.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9894E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .8066E-02 CRITERION= .9889E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 25 COMPLETED. CUM ITER = 444
 *** TIME = .209069E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1584E-04 OSCILLATION LIMIT = 12.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.058 CRITERION= .9907E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .7620E-02 CRITERION= .9866E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 26 COMPLETED. CUM ITER = 445
 *** TIME = .209858E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1974E-04 OSCILLATION LIMIT = 15.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9885E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .8058E-02 CRITERION= .9880E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 27 COMPLETED. CUM ITER = 446
 *** TIME = .210647E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1584E-04 OSCILLATION LIMIT = 12.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.059 CRITERION= .9898E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .7611E-02 CRITERION= .9857E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 28 COMPLETED. CUM ITER = 447
 *** TIME = .211436E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1973E-04 OSCILLATION LIMIT = 15.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9876E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .8050E-02 CRITERION= .9871E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 29 COMPLETED. CUM ITER = 448
 *** TIME = .212225E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1583E-04 OSCILLATION LIMIT = 12.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.059 CRITERION= .9889E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .7607E-02 CRITERION= .9848E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 30 COMPLETED. CUM ITER = 449
 *** TIME = .213014E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1972E-04 OSCILLATION LIMIT = 15.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9868E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2620E-01
 HT FLOW CONVERGENCE VALUE= .8046E-02 CRITERION= .9862E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 31 COMPLETED. CUM ITER = 450
 *** TIME = .213803E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1583E-04 OSCILLATION LIMIT = 12.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.059 CRITERION= .9880E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619E-01
 HT FLOW CONVERGENCE VALUE= .7606E-02 CRITERION= .9839E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 32 COMPLETED. CUM ITER = 451
 *** TIME = .214592E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1971E-04 OSCILLATION LIMIT = 15.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9859E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2620E-01
 HT FLOW CONVERGENCE VALUE= .8047E-02 CRITERION= .9853E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 33 COMPLETED. CUM ITER = 452
 *** TIME = .215381E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1582E-04 OSCILLATION LIMIT = 12.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.059 CRITERION= .9872E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2620E-01
 HT FLOW CONVERGENCE VALUE= .7606E-02 CRITERION= .9830E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 34 COMPLETED. CUM ITER = 453
 *** TIME = .216170E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1970E-04 OSCILLATION LIMIT = 15.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9850E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2620E-01
 HT FLOW CONVERGENCE VALUE= .8044E-02 CRITERION= .9844E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 35 COMPLETED. CUM ITER = 454
 *** TIME = .216959E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1582E-04 OSCILLATION LIMIT = 12.48

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.059 CRITERION= .9863E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2620E-01
 HT FLOW CONVERGENCE VALUE= .7602E-02 CRITERION= .9821E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 36 COMPLETED. CUM ITER = 455
 *** TIME = .217747E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1970E-04 OSCILLATION LIMIT = 15.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9841E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2620E-01
 HT FLOW CONVERGENCE VALUE= .8039E-02 CRITERION= .9835E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 37 COMPLETED. CUM ITER = 456
 *** TIME = .218536E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1582E-04 OSCILLATION LIMIT = 12.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.059 CRITERION= .9854E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2620E-01
 HT FLOW CONVERGENCE VALUE= .7599E-02 CRITERION= .9812E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 38 COMPLETED. CUM ITER = 457
 *** TIME = .219325E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1969E-04 OSCILLATION LIMIT = 15.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.304 CRITERION= .9832E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2620E-01
 HT FLOW CONVERGENCE VALUE= .8031E-02 CRITERION= .9826E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 39 COMPLETED. CUM ITER = 458
 *** TIME = .220114E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1582E-04 OSCILLATION LIMIT = 12.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.059 CRITERION= .9845E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2620E-01
 HT FLOW CONVERGENCE VALUE= .7591E-02 CRITERION= .9803E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 40 COMPLETED. CUM ITER = 459
 *** TIME = .220903E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1968E-04 OSCILLATION LIMIT = 15.53

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 07:29:12 MAR 25, 1995 CP= 38673.030
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .9822E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2523E-01
 HT FLOW CONVERGENCE VALUE= .7823E-02 CRITERION= .9817E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 1 COMPLETED. CUM ITER = 460
 *** TIME = .221692E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1588E-04 OSCILLATION LIMIT = 12.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.951 CRITERION= .9835E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2507E-01
 HT FLOW CONVERGENCE VALUE= .7336E-02 CRITERION= .9795E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 2 COMPLETED. CUM ITER = 461


```

*** TIME = .222481E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2004E-04    OSCILLATION LIMIT = 15.81
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 6.196    CRITERION= .9814E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2522E-01
    HT FLOW CONVERGENCE VALUE= .7793E-02    CRITERION= .9809E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 3 COMPLETED. CUM ITER = 462
*** TIME = .223270E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1598E-04    OSCILLATION LIMIT = 12.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.951    CRITERION= .9827E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2511E-01
    HT FLOW CONVERGENCE VALUE= .7335E-02    CRITERION= .9786E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 4 COMPLETED. CUM ITER = 463
*** TIME = .224059E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2002E-04    OSCILLATION LIMIT = 15.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 6.196    CRITERION= .9805E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2519E-01
    HT FLOW CONVERGENCE VALUE= .7781E-02    CRITERION= .9800E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 5 COMPLETED. CUM ITER = 464
*** TIME = .224848E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1598E-04    OSCILLATION LIMIT = 12.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.951    CRITERION= .9818E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2513E-01
    HT FLOW CONVERGENCE VALUE= .7330E-02    CRITERION= .9778E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 6 COMPLETED. CUM ITER = 465
*** TIME = .225637E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2000E-04    OSCILLATION LIMIT = 15.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 6.196    CRITERION= .9796E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2518E-01
    HT FLOW CONVERGENCE VALUE= .7770E-02    CRITERION= .9791E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 7 COMPLETED. CUM ITER = 466
*** TIME = .226426E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1598E-04    OSCILLATION LIMIT = 12.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.952    CRITERION= .9809E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2514E-01
    HT FLOW CONVERGENCE VALUE= .7324E-02    CRITERION= .9769E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 8 COMPLETED. CUM ITER = 467
*** TIME = .227215E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1999E-04    OSCILLATION LIMIT = 15.77
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 6.196    CRITERION= .9788E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2517E-01
    HT FLOW CONVERGENCE VALUE= .7757E-02    CRITERION= .9783E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 9 COMPLETED. CUM ITER = 468
*** TIME = .228004E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1598E-04    OSCILLATION LIMIT = 12.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 5.952    CRITERION= .9801E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2515E-01
    HT FLOW CONVERGENCE VALUE= .7320E-02    CRITERION= .9760E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 10 COMPLETED. CUM ITER = 469
*** TIME = .228793E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1998E-04 OSCILLATION LIMIT = 15.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .9779E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
HT FLOW CONVERGENCE VALUE= .7748E-02 CRITERION= .9774E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 11 COMPLETED. CUM ITER = 470
*** TIME = .229582E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1598E-04 OSCILLATION LIMIT = 12.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.952 CRITERION= .9792E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
HT FLOW CONVERGENCE VALUE= .7312E-02 CRITERION= .9752E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 12 COMPLETED. CUM ITER = 471
*** TIME = .230371E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1997E-04 OSCILLATION LIMIT = 15.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .9771E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
HT FLOW CONVERGENCE VALUE= .7741E-02 CRITERION= .9765E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 13 COMPLETED. CUM ITER = 472
*** TIME = .231159E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1598E-04 OSCILLATION LIMIT = 12.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.952 CRITERION= .9783E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
HT FLOW CONVERGENCE VALUE= .7307E-02 CRITERION= .9743E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 14 COMPLETED. CUM ITER = 473
*** TIME = .231948E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1996E-04 OSCILLATION LIMIT = 15.75
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .9762E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
HT FLOW CONVERGENCE VALUE= .7736E-02 CRITERION= .9757E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 15 COMPLETED. CUM ITER = 474
*** TIME = .232737E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1597E-04 OSCILLATION LIMIT = 12.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.952 CRITERION= .9775E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
HT FLOW CONVERGENCE VALUE= .7307E-02 CRITERION= .9734E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 16 COMPLETED. CUM ITER = 475
*** TIME = .233526E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1995E-04 OSCILLATION LIMIT = 15.74
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .9753E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
HT FLOW CONVERGENCE VALUE= .7732E-02 CRITERION= .9748E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 17 COMPLETED. CUM ITER = 476
*** TIME = .234315E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1597E-04 OSCILLATION LIMIT = 12.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.952 CRITERION= .9766E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
 HT FLOW CONVERGENCE VALUE= .7302E-02 CRITERION= .9726E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 18 COMPLETED. CUM ITER = 477
 *** TIME = .235104E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1994E-04 OSCILLATION LIMIT = 15.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .9745E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
 HT FLOW CONVERGENCE VALUE= .7723E-02 CRITERION= .9739E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 19 COMPLETED. CUM ITER = 478
 *** TIME = .235893E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1597E-04 OSCILLATION LIMIT = 12.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.953 CRITERION= .9758E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2517E-01
 HT FLOW CONVERGENCE VALUE= .7293E-02 CRITERION= .9717E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 20 COMPLETED. CUM ITER = 479
 *** TIME = .236682E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1993E-04 OSCILLATION LIMIT = 15.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .9736E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
 HT FLOW CONVERGENCE VALUE= .7715E-02 CRITERION= .9731E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 21 COMPLETED. CUM ITER = 480
 *** TIME = .237471E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1597E-04 OSCILLATION LIMIT = 12.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.953 CRITERION= .9749E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2517E-01
 HT FLOW CONVERGENCE VALUE= .7286E-02 CRITERION= .9709E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 22 COMPLETED. CUM ITER = 481
 *** TIME = .238260E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1992E-04 OSCILLATION LIMIT = 15.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .9728E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
 HT FLOW CONVERGENCE VALUE= .7704E-02 CRITERION= .9722E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 23 COMPLETED. CUM ITER = 482
 *** TIME = .239049E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1596E-04 OSCILLATION LIMIT = 12.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.953 CRITERION= .9740E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2517E-01
 HT FLOW CONVERGENCE VALUE= .7278E-02 CRITERION= .9700E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 24 COMPLETED. CUM ITER = 483
 *** TIME = .239838E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1991E-04 OSCILLATION LIMIT = 15.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .9719E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
 HT FLOW CONVERGENCE VALUE= .7695E-02 CRITERION= .9713E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 25 COMPLETED. CUM ITER = 484
 *** TIME = .240627E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1596E-04 OSCILLATION LIMIT = 12.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.953 CRITERION= .9732E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2517E-01
 HT FLOW CONVERGENCE VALUE= .7269E-02 CRITERION= .9691E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 26 COMPLETED. CUM ITER = 485
 *** TIME = .241416E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1990E-04 OSCILLATION LIMIT = 15.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .9710E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
 HT FLOW CONVERGENCE VALUE= .7684E-02 CRITERION= .9705E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 27 COMPLETED. CUM ITER = 486
 *** TIME = .242205E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1596E-04 OSCILLATION LIMIT = 12.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.953 CRITERION= .9723E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2517E-01
 HT FLOW CONVERGENCE VALUE= .7261E-02 CRITERION= .9683E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 28 COMPLETED. CUM ITER = 487
 *** TIME = .242994E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1990E-04 OSCILLATION LIMIT = 15.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.196 CRITERION= .9702E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
 HT FLOW CONVERGENCE VALUE= .7674E-02 CRITERION= .9696E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 29 COMPLETED. CUM ITER = 488
 *** TIME = .243782E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1596E-04 OSCILLATION LIMIT = 12.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.954 CRITERION= .9714E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2517E-01
 HT FLOW CONVERGENCE VALUE= .7251E-02 CRITERION= .9674E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 30 COMPLETED. CUM ITER = 489
 *** TIME = .244571E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1989E-04 OSCILLATION LIMIT = 15.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.197 CRITERION= .9693E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
 HT FLOW CONVERGENCE VALUE= .7663E-02 CRITERION= .9687E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 31 COMPLETED. CUM ITER = 490
 *** TIME = .245360E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1595E-04 OSCILLATION LIMIT = 12.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.954 CRITERION= .9706E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2517E-01
 HT FLOW CONVERGENCE VALUE= .7247E-02 CRITERION= .9665E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 32 COMPLETED. CUM ITER = 491
 *** TIME = .246149E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1988E-04 OSCILLATION LIMIT = 15.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.197 CRITERION= .9685E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
 HT FLOW CONVERGENCE VALUE= .7658E-02 CRITERION= .9679E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 33 COMPLETED. CUM ITER = 492
 *** TIME = .246938E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1595E-04 OSCILLATION LIMIT = 12.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.954 CRITERION= .9697E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2517E-01
 HT FLOW CONVERGENCE VALUE= .7248E-02 CRITERION= .9657E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 34 COMPLETED. CUM ITER = 493
 *** TIME = .247727E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1987E-04 OSCILLATION LIMIT = 15.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.197 CRITERION= .9676E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
 HT FLOW CONVERGENCE VALUE= .7658E-02 CRITERION= .9670E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 35 COMPLETED. CUM ITER = 494
 *** TIME = .248516E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1595E-04 OSCILLATION LIMIT = 12.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.954 CRITERION= .9688E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2517E-01
 HT FLOW CONVERGENCE VALUE= .7241E-02 CRITERION= .9648E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 36 COMPLETED. CUM ITER = 495
 *** TIME = .249305E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1986E-04 OSCILLATION LIMIT = 15.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.197 CRITERION= .9667E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
 HT FLOW CONVERGENCE VALUE= .7647E-02 CRITERION= .9662E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 37 COMPLETED. CUM ITER = 496
 *** TIME = .250094E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1595E-04 OSCILLATION LIMIT = 12.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.955 CRITERION= .9680E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2518E-01
 HT FLOW CONVERGENCE VALUE= .7231E-02 CRITERION= .9640E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 38 COMPLETED. CUM ITER = 497
 *** TIME = .250883E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1985E-04 OSCILLATION LIMIT = 15.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 6.197 CRITERION= .9659E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516E-01
 HT FLOW CONVERGENCE VALUE= .7636E-02 CRITERION= .9653E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 39 COMPLETED. CUM ITER = 498
 *** TIME = .251672E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1595E-04 OSCILLATION LIMIT = 12.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 5.955 CRITERION= .9671E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2518E-01
 HT FLOW CONVERGENCE VALUE= .7223E-02 CRITERION= .9631E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 40 COMPLETED. CUM ITER = 499
 *** TIME = .252461E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1985E-04 OSCILLATION LIMIT = 15.66

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:30:03 MAR 25, 1995 CP= 42080.220

FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= .8419 CRITERION= .9631E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3477E-01
 HT FLOW CONVERGENCE VALUE= .8340E-02 CRITERION= .9644E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 1 COMPLETED. CUM ITER = 500
 *** TIME = .253250E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8655E-05 OSCILLATION LIMIT = 6.829
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6064 CRITERION= .9644E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3509E-01
 HT FLOW CONVERGENCE VALUE= .8121E-02 CRITERION= .9622E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 2 COMPLETED. CUM ITER = 501
 *** TIME = .254039E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1077E-04 OSCILLATION LIMIT = 8.494
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8415 CRITERION= .9622E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3221E-01
 HT FLOW CONVERGENCE VALUE= .7534E-02 CRITERION= .9636E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 3 COMPLETED. CUM ITER = 502
 *** TIME = .254828E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9543E-05 OSCILLATION LIMIT = 7.529
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6065 CRITERION= .9636E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3459E-01
 HT FLOW CONVERGENCE VALUE= .7952E-02 CRITERION= .9614E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 4 COMPLETED. CUM ITER = 503
 *** TIME = .255617E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1095E-04 OSCILLATION LIMIT = 8.638
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8414 CRITERION= .9614E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3282E-01
 HT FLOW CONVERGENCE VALUE= .7667E-02 CRITERION= .9628E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 5 COMPLETED. CUM ITER = 504
 *** TIME = .256406E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9453E-05 OSCILLATION LIMIT = 7.458
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6065 CRITERION= .9627E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3415E-01
 HT FLOW CONVERGENCE VALUE= .7846E-02 CRITERION= .9606E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 6 COMPLETED. CUM ITER = 505
 *** TIME = .257194E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1102E-04 OSCILLATION LIMIT = 8.693
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8413 CRITERION= .9606E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3317E-01
 HT FLOW CONVERGENCE VALUE= .7738E-02 CRITERION= .9619E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 7 COMPLETED. CUM ITER = 506
 *** TIME = .257983E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9405E-05 OSCILLATION LIMIT = 7.420
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6066 CRITERION= .9619E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3389E-01

```

HT FLOW CONVERGENCE VALUE= .7780E-02 CRITERION= .9597E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 8 COMPLETED. CUM ITER = 507
*** TIME = .258772E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1106E-04 OSCILLATION LIMIT = 8.723
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8413 CRITERION= .9597E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3337E-01
HT FLOW CONVERGENCE VALUE= .7777E-02 CRITERION= .9611E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 9 COMPLETED. CUM ITER = 508
*** TIME = .259561E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9374E-05 OSCILLATION LIMIT = 7.395
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6066 CRITERION= .9611E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3375E-01
HT FLOW CONVERGENCE VALUE= .7739E-02 CRITERION= .9589E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 10 COMPLETED. CUM ITER = 509
*** TIME = .260350E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1108E-04 OSCILLATION LIMIT = 8.738
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8412 CRITERION= .9589E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3350E-01
HT FLOW CONVERGENCE VALUE= .7798E-02 CRITERION= .9602E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 11 COMPLETED. CUM ITER = 510
*** TIME = .261139E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9352E-05 OSCILLATION LIMIT = 7.379
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6067 CRITERION= .9602E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3367E-01
HT FLOW CONVERGENCE VALUE= .7715E-02 CRITERION= .9581E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 12 COMPLETED. CUM ITER = 511
*** TIME = .261928E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1108E-04 OSCILLATION LIMIT = 8.744
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8412 CRITERION= .9580E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3357E-01
HT FLOW CONVERGENCE VALUE= .7809E-02 CRITERION= .9594E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 13 COMPLETED. CUM ITER = 512
*** TIME = .262717E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9337E-05 OSCILLATION LIMIT = 7.366
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6067 CRITERION= .9594E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3363E-01
HT FLOW CONVERGENCE VALUE= .7698E-02 CRITERION= .9572E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 14 COMPLETED. CUM ITER = 513
*** TIME = .263506E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1108E-04 OSCILLATION LIMIT = 8.745
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8411 CRITERION= .9572E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3361E-01
HT FLOW CONVERGENCE VALUE= .7814E-02 CRITERION= .9586E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 15 COMPLETED. CUM ITER = 514
*** TIME = .264295E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9324E-05 OSCILLATION LIMIT = 7.356
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= .6068 CRITERION= .9585E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3361E-01
 HT FLOW CONVERGENCE VALUE= .7685E-02 CRITERION= .9564E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 16 COMPLETED. CUM ITER = 515
 *** TIME = .265084E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1108E-04 OSCILLATION LIMIT = 8.743
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8410 CRITERION= .9564E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3364E-01
 HT FLOW CONVERGENCE VALUE= .7811E-02 CRITERION= .9577E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 17 COMPLETED. CUM ITER = 516
 *** TIME = .265873E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9313E-05 OSCILLATION LIMIT = 7.348
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6068 CRITERION= .9577E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3360E-01
 HT FLOW CONVERGENCE VALUE= .7673E-02 CRITERION= .9555E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 18 COMPLETED. CUM ITER = 517
 *** TIME = .266662E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1108E-04 OSCILLATION LIMIT = 8.739
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8410 CRITERION= .9555E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3365E-01
 HT FLOW CONVERGENCE VALUE= .7809E-02 CRITERION= .9569E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 19 COMPLETED. CUM ITER = 518
 *** TIME = .267451E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9304E-05 OSCILLATION LIMIT = 7.340
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6069 CRITERION= .9569E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3360E-01
 HT FLOW CONVERGENCE VALUE= .7666E-02 CRITERION= .9547E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 20 COMPLETED. CUM ITER = 519
 *** TIME = .268240E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1107E-04 OSCILLATION LIMIT = 8.734
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8409 CRITERION= .9547E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3366E-01
 HT FLOW CONVERGENCE VALUE= .7807E-02 CRITERION= .9560E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 21 COMPLETED. CUM ITER = 520
 *** TIME = .269029E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9295E-05 OSCILLATION LIMIT = 7.333
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6069 CRITERION= .9560E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3361E-01
 HT FLOW CONVERGENCE VALUE= .7659E-02 CRITERION= .9539E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 22 COMPLETED. CUM ITER = 521
 *** TIME = .269818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1106E-04 OSCILLATION LIMIT = 8.728
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8408 CRITERION= .9539E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3367E-01
 HT FLOW CONVERGENCE VALUE= .7805E-02 CRITERION= .9552E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 23 COMPLETED. CUM ITER = 522
 *** TIME = .270606E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9287E-05 OSCILLATION LIMIT = 7.327

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6070 CRITERION= .9552E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3362E-01
 HT FLOW CONVERGENCE VALUE= .7654E-02 CRITERION= .9530E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 24 COMPLETED. CUM ITER = 523
 *** TIME = .271395E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1105E-04 OSCILLATION LIMIT = 8.721
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8408 CRITERION= .9530E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3368E-01
 HT FLOW CONVERGENCE VALUE= .7801E-02 CRITERION= .9543E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 25 COMPLETED. CUM ITER = 524
 *** TIME = .272184E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9280E-05 OSCILLATION LIMIT = 7.321
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6070 CRITERION= .9543E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3362E-01
 HT FLOW CONVERGENCE VALUE= .7648E-02 CRITERION= .9522E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 26 COMPLETED. CUM ITER = 525
 *** TIME = .272973E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1105E-04 OSCILLATION LIMIT = 8.715
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8407 CRITERION= .9522E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3368E-01
 HT FLOW CONVERGENCE VALUE= .7797E-02 CRITERION= .9535E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 27 COMPLETED. CUM ITER = 526
 *** TIME = .273762E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9272E-05 OSCILLATION LIMIT = 7.315
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6071 CRITERION= .9535E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3363E-01
 HT FLOW CONVERGENCE VALUE= .7643E-02 CRITERION= .9514E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 28 COMPLETED. CUM ITER = 527
 *** TIME = .274551E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1104E-04 OSCILLATION LIMIT = 8.708
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8407 CRITERION= .9513E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3369E-01
 HT FLOW CONVERGENCE VALUE= .7793E-02 CRITERION= .9527E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 29 COMPLETED. CUM ITER = 528
 *** TIME = .275340E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9265E-05 OSCILLATION LIMIT = 7.310
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6071 CRITERION= .9527E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3364E-01
 HT FLOW CONVERGENCE VALUE= .7638E-02 CRITERION= .9505E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 30 COMPLETED. CUM ITER = 529
 *** TIME = .276129E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1103E-04 OSCILLATION LIMIT = 8.701
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8406 CRITERION= .9505E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3369E-01
 HT FLOW CONVERGENCE VALUE= .7789E-02 CRITERION= .9518E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 31 COMPLETED. CUM ITER = 530

*** TIME = .276918E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9258E-05 OSCILLATION LIMIT = 7.304
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6072 CRITERION= .9518E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3365E-01
HT FLOW CONVERGENCE VALUE= .7634E-02 CRITERION= .9497E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 32 COMPLETED. CUM ITER = 531
*** TIME = .277707E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1102E-04 OSCILLATION LIMIT = 8.694
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8405 CRITERION= .9497E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3370E-01
HT FLOW CONVERGENCE VALUE= .7785E-02 CRITERION= .9510E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 33 COMPLETED. CUM ITER = 532
*** TIME = .278496E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9251E-05 OSCILLATION LIMIT = 7.299
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6072 CRITERION= .9510E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3366E-01
HT FLOW CONVERGENCE VALUE= .7628E-02 CRITERION= .9488E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 34 COMPLETED. CUM ITER = 533
*** TIME = .279285E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1101E-04 OSCILLATION LIMIT = 8.687
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8405 CRITERION= .9488E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3370E-01
HT FLOW CONVERGENCE VALUE= .7781E-02 CRITERION= .9501E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 35 COMPLETED. CUM ITER = 534
*** TIME = .280074E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9245E-05 OSCILLATION LIMIT = 7.293
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6073 CRITERION= .9501E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3367E-01
HT FLOW CONVERGENCE VALUE= .7625E-02 CRITERION= .9480E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 36 COMPLETED. CUM ITER = 535
*** TIME = .280863E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1100E-04 OSCILLATION LIMIT = 8.680
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8404 CRITERION= .9480E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3371E-01
HT FLOW CONVERGENCE VALUE= .7778E-02 CRITERION= .9493E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 37 COMPLETED. CUM ITER = 536
*** TIME = .281652E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9238E-05 OSCILLATION LIMIT = 7.288
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6073 CRITERION= .9493E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3368E-01
HT FLOW CONVERGENCE VALUE= .7621E-02 CRITERION= .9472E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 38 COMPLETED. CUM ITER = 537
*** TIME = .282441E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1099E-04 OSCILLATION LIMIT = 8.673
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .8404 CRITERION= .9472E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3371E-01
HT FLOW CONVERGENCE VALUE= .7775E-02 CRITERION= .9485E-01 <<< CONVERGED

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 39 COMPLETED. CUM ITER = 538
*** TIME = .283229E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9232E-05 OSCILLATION LIMIT = 7.283
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .6074 CRITERION= .9485E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3369E-01
HT FLOW CONVERGENCE VALUE= .7618E-02 CRITERION= .9463E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 40 COMPLETED. CUM ITER = 539
*** TIME = .284018E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1098E-04 OSCILLATION LIMIT = 8.665
Apply loads and solve for 10 to 90 years

*DO LOOP ON PARAMETER= TM FROM .31558E+09 TO .28402E+10 BY .31558E+09
TIME= .31558E+09

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3020.49145 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 99.493 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 100.19 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 101.56 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 45488.400 TIME= 09:30:56
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.
1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 09:30:56 MAR 25, 1995 CP= 45488.400
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF
```

LOAD STEP OPTIONS

LOAD STEP NUMBER. 22
 TIME AT END OF THE LOAD STEP.31558E+09
 AUTOMATIC TIME STEPPING ON
 INITIAL NUMBER OF SUBSTEPS 10
 MAXIMUM NUMBER OF SUBSTEPS 40
 MINIMUM NUMBER OF SUBSTEPS 4
 START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
 MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
 STEP CHANGE BOUNDARY CONDITIONS NO
 TRANSIENT (INERTIA) EFFECTS
 THERMAL DOFS ON
 TRANSIENT INTEGRATION PARAMETERS
 THETA.50000
 OSCILLATION LIMIT CRITERION.50000
 TOLERANCE.20000
 TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
 CONVERGENCE CONTROLS.USE DEFAULTS
 PRINT OUTPUT CONTROLSNO PRINTOUT
 DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
 FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 1.392 CRITERION= .9464E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2574E-01
 HT FLOW CONVERGENCE VALUE= .6056E-02 CRITERION= .9477E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 1 COMPLETED. CUM ITER = 540
 *** TIME = .284807E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1113E-04 OSCILLATION LIMIT = 8.784
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.153 CRITERION= .9477E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2458E-01
 HT FLOW CONVERGENCE VALUE= .5500E-02 CRITERION= .9456E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 2 COMPLETED. CUM ITER = 541
 *** TIME = .285596E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1466E-04 OSCILLATION LIMIT = 11.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.392 CRITERION= .9457E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2620E-01
 HT FLOW CONVERGENCE VALUE= .6052E-02 CRITERION= .9470E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 3 COMPLETED. CUM ITER = 542
 *** TIME = .286385E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1140E-04 OSCILLATION LIMIT = 8.996
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.153 CRITERION= .9471E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2495E-01
 HT FLOW CONVERGENCE VALUE= .5587E-02 CRITERION= .9450E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 4 COMPLETED. CUM ITER = 543
 *** TIME = .287174E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1443E-04 OSCILLATION LIMIT = 11.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.392 CRITERION= .9450E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2591E-01
 HT FLOW CONVERGENCE VALUE= .5987E-02 CRITERION= .9464E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 5 COMPLETED. CUM ITER = 544
 *** TIME = .287963E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1147E-04 OSCILLATION LIMIT = 9.048
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.154 CRITERION= .9464E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2518E-01
 HT FLOW CONVERGENCE VALUE= .5633E-02 CRITERION= .9443E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 6 COMPLETED. CUM ITER = 545
 *** TIME = .288752E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1432E-04 OSCILLATION LIMIT = 11.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.392 CRITERION= .9444E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2574E-01
 HT FLOW CONVERGENCE VALUE= .5949E-02 CRITERION= .9457E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 7 COMPLETED. CUM ITER = 546
 *** TIME = .289541E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1150E-04 OSCILLATION LIMIT = 9.075
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.154 CRITERION= .9457E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2531E-01
 HT FLOW CONVERGENCE VALUE= .5659E-02 CRITERION= .9437E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 8 COMPLETED. CUM ITER = 547
 *** TIME = .290330E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1425E-04 OSCILLATION LIMIT = 11.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.392 CRITERION= .9437E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2564E-01
 HT FLOW CONVERGENCE VALUE= .5926E-02 CRITERION= .9450E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 9 COMPLETED. CUM ITER = 548
 *** TIME = .291119E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1152E-04 OSCILLATION LIMIT = 9.089
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.154 CRITERION= .9451E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2539E-01
 HT FLOW CONVERGENCE VALUE= .5673E-02 CRITERION= .9430E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 10 COMPLETED. CUM ITER = 549
 *** TIME = .291908E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1420E-04 OSCILLATION LIMIT = 11.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.392 CRITERION= .9431E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2559E-01
 HT FLOW CONVERGENCE VALUE= .5911E-02 CRITERION= .9444E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 11 COMPLETED. CUM ITER = 550
 *** TIME = .292697E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1153E-04 OSCILLATION LIMIT = 9.094
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.154 CRITERION= .9444E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2544E-01
 HT FLOW CONVERGENCE VALUE= .5680E-02 CRITERION= .9423E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 12 COMPLETED. CUM ITER = 551
 *** TIME = .293486E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1416E-04 OSCILLATION LIMIT = 11.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.392 CRITERION= .9424E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2556E-01
 HT FLOW CONVERGENCE VALUE= .5901E-02 CRITERION= .9437E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 13 COMPLETED. CUM ITER = 552
 *** TIME = .294275E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1153E-04 OSCILLATION LIMIT = 9.094

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.154 CRITERION= .9437E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2547E-01
 HT FLOW CONVERGENCE VALUE= .5683E-02 CRITERION= .9417E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 14 COMPLETED. CUM ITER = 553
 *** TIME = .295064E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1414E-04 OSCILLATION LIMIT = 11.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.392 CRITERION= .9417E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2554E-01
 HT FLOW CONVERGENCE VALUE= .5894E-02 CRITERION= .9430E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 15 COMPLETED. CUM ITER = 554
 *** TIME = .295853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1152E-04 OSCILLATION LIMIT = 9.091
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.154 CRITERION= .9431E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2549E-01
 HT FLOW CONVERGENCE VALUE= .5684E-02 CRITERION= .9410E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 16 COMPLETED. CUM ITER = 555
 *** TIME = .296641E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1412E-04 OSCILLATION LIMIT = 11.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.392 CRITERION= .9411E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2553E-01
 HT FLOW CONVERGENCE VALUE= .5889E-02 CRITERION= .9424E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 17 COMPLETED. CUM ITER = 556
 *** TIME = .297430E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1152E-04 OSCILLATION LIMIT = 9.086
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.154 CRITERION= .9424E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2550E-01
 HT FLOW CONVERGENCE VALUE= .5684E-02 CRITERION= .9403E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 18 COMPLETED. CUM ITER = 557
 *** TIME = .298219E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1410E-04 OSCILLATION LIMIT = 11.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.392 CRITERION= .9404E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2553E-01
 HT FLOW CONVERGENCE VALUE= .5885E-02 CRITERION= .9417E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 19 COMPLETED. CUM ITER = 558
 *** TIME = .299008E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1151E-04 OSCILLATION LIMIT = 9.081
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.154 CRITERION= .9417E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2551E-01
 HT FLOW CONVERGENCE VALUE= .5682E-02 CRITERION= .9397E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 20 COMPLETED. CUM ITER = 559
 *** TIME = .299797E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1408E-04 OSCILLATION LIMIT = 11.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.391 CRITERION= .9397E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2553E-01
 HT FLOW CONVERGENCE VALUE= .5880E-02 CRITERION= .9410E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 21 COMPLETED. CUM ITER = 560

```

*** TIME = .300586E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1150E-04    OSCILLATION LIMIT = 9.075
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 1.154    CRITERION= .9411E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2552E-01
    HT FLOW CONVERGENCE VALUE= .5679E-02    CRITERION= .9390E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 22 COMPLETED. CUM ITER = 561
*** TIME = .301375E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1407E-04    OSCILLATION LIMIT = 11.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 1.391    CRITERION= .9391E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2553E-01
    HT FLOW CONVERGENCE VALUE= .5876E-02    CRITERION= .9404E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 23 COMPLETED. CUM ITER = 562
*** TIME = .302164E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1149E-04    OSCILLATION LIMIT = 9.069
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 1.154    CRITERION= .9404E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2553E-01
    HT FLOW CONVERGENCE VALUE= .5677E-02    CRITERION= .9383E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 24 COMPLETED. CUM ITER = 563
*** TIME = .302953E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1405E-04    OSCILLATION LIMIT = 11.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 1.391    CRITERION= .9384E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2553E-01
    HT FLOW CONVERGENCE VALUE= .5874E-02    CRITERION= .9397E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 25 COMPLETED. CUM ITER = 564
*** TIME = .303742E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1149E-04    OSCILLATION LIMIT = 9.063
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 1.154    CRITERION= .9397E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2553E-01
    HT FLOW CONVERGENCE VALUE= .5675E-02    CRITERION= .9377E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 26 COMPLETED. CUM ITER = 565
*** TIME = .304531E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1403E-04    OSCILLATION LIMIT = 11.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 1.391    CRITERION= .9377E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2553E-01
    HT FLOW CONVERGENCE VALUE= .5870E-02    CRITERION= .9390E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 27 COMPLETED. CUM ITER = 566
*** TIME = .305320E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1148E-04    OSCILLATION LIMIT = 9.056
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 1.154    CRITERION= .9391E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2554E-01
    HT FLOW CONVERGENCE VALUE= .5672E-02    CRITERION= .9370E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 28 COMPLETED. CUM ITER = 567
*** TIME = .306109E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1402E-04    OSCILLATION LIMIT = 11.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 1.391    CRITERION= .9371E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2554E-01
    HT FLOW CONVERGENCE VALUE= .5866E-02    CRITERION= .9384E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 29 COMPLETED. CUM ITER = 568
*** TIME = .306898E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1147E-04 OSCILLATION LIMIT = 9.050
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.154 CRITERION= .9384E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2554E-01
HT FLOW CONVERGENCE VALUE= .5669E-02 CRITERION= .9363E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 30 COMPLETED. CUM ITER = 569
*** TIME = .307687E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1400E-04 OSCILLATION LIMIT = 11.05
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.391 CRITERION= .9364E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2554E-01
HT FLOW CONVERGENCE VALUE= .5863E-02 CRITERION= .9377E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 31 COMPLETED. CUM ITER = 570
*** TIME = .308476E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1146E-04 OSCILLATION LIMIT = 9.044
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.154 CRITERION= .9377E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2555E-01
HT FLOW CONVERGENCE VALUE= .5666E-02 CRITERION= .9357E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 32 COMPLETED. CUM ITER = 571
*** TIME = .309265E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1399E-04 OSCILLATION LIMIT = 11.04
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.391 CRITERION= .9357E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2554E-01
HT FLOW CONVERGENCE VALUE= .5859E-02 CRITERION= .9370E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 33 COMPLETED. CUM ITER = 572
*** TIME = .310053E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1146E-04 OSCILLATION LIMIT = 9.037
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.154 CRITERION= .9371E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2555E-01
HT FLOW CONVERGENCE VALUE= .5663E-02 CRITERION= .9350E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 34 COMPLETED. CUM ITER = 573
*** TIME = .310842E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1397E-04 OSCILLATION LIMIT = 11.02
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.391 CRITERION= .9351E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2555E-01
HT FLOW CONVERGENCE VALUE= .5855E-02 CRITERION= .9364E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 35 COMPLETED. CUM ITER = 574
*** TIME = .311631E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1145E-04 OSCILLATION LIMIT = 9.031
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.154 CRITERION= .9364E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2555E-01
HT FLOW CONVERGENCE VALUE= .5659E-02 CRITERION= .9344E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 36 COMPLETED. CUM ITER = 575
*** TIME = .312420E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1396E-04 OSCILLATION LIMIT = 11.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.391 CRITERION= .9344E-01

```


EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2555E-01
 HT FLOW CONVERGENCE VALUE= .5851E-02 CRITERION= .9357E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 37 COMPLETED. CUM ITER = 576
 *** TIME = .313209E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1144E-04 OSCILLATION LIMIT = 9.025
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.155 CRITERION= .9357E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2556E-01
 HT FLOW CONVERGENCE VALUE= .5656E-02 CRITERION= .9337E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 38 COMPLETED. CUM ITER = 577
 *** TIME = .313998E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1394E-04 OSCILLATION LIMIT = 11.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.391 CRITERION= .9338E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2555E-01
 HT FLOW CONVERGENCE VALUE= .5848E-02 CRITERION= .9350E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 39 COMPLETED. CUM ITER = 578
 *** TIME = .314787E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1143E-04 OSCILLATION LIMIT = 9.019
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1.155 CRITERION= .9351E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2556E-01
 HT FLOW CONVERGENCE VALUE= .5655E-02 CRITERION= .9330E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 40 COMPLETED. CUM ITER = 579
 *** TIME = .315576E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1393E-04 OSCILLATION LIMIT = 10.99

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:31:48 MAR 25, 1995 CP= 48895.180
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 3.329 CRITERION= .9333E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3121
 HT FLOW CONVERGENCE VALUE= .6631E-01 CRITERION= .9315E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 1 COMPLETED. CUM ITER = 580
 *** TIME = .323465E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8622E-05 OSCILLATION LIMIT = 68.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.102 CRITERION= .9318E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2969
 HT FLOW CONVERGENCE VALUE= .6687E-01 CRITERION= .9263E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 2 COMPLETED. CUM ITER = 581
 *** TIME = .331355E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7760E-05 OSCILLATION LIMIT = 61.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .9265E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2956
 HT FLOW CONVERGENCE VALUE= .6631E-01 CRITERION= .9243E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 3 COMPLETED. CUM ITER = 582
 *** TIME = .339244E+09 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .7614E-05 OSCILLATION LIMIT = 60.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.102 CRITERION= .9246E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2974
 HT FLOW CONVERGENCE VALUE= .6632E-01 CRITERION= .9190E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 4 COMPLETED. CUM ITER = 583
 *** TIME = .347134E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7794E-05 OSCILLATION LIMIT = 61.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .9193E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2963
 HT FLOW CONVERGENCE VALUE= .6602E-01 CRITERION= .9171E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 5 COMPLETED. CUM ITER = 584
 *** TIME = .355023E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7610E-05 OSCILLATION LIMIT = 60.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.102 CRITERION= .9174E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2980
 HT FLOW CONVERGENCE VALUE= .6600E-01 CRITERION= .9118E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 6 COMPLETED. CUM ITER = 585
 *** TIME = .362912E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7787E-05 OSCILLATION LIMIT = 61.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .9121E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2969
 HT FLOW CONVERGENCE VALUE= .6566E-01 CRITERION= .9099E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 7 COMPLETED. CUM ITER = 586
 *** TIME = .370802E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7603E-05 OSCILLATION LIMIT = 59.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .9102E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2985
 HT FLOW CONVERGENCE VALUE= .6558E-01 CRITERION= .9046E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 8 COMPLETED. CUM ITER = 587
 *** TIME = .378691E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7780E-05 OSCILLATION LIMIT = 61.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .9049E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2975
 HT FLOW CONVERGENCE VALUE= .6525E-01 CRITERION= .9027E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 9 COMPLETED. CUM ITER = 588
 *** TIME = .386581E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7597E-05 OSCILLATION LIMIT = 59.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .9030E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2990
 HT FLOW CONVERGENCE VALUE= .6516E-01 CRITERION= .8974E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 10 COMPLETED. CUM ITER = 589
 *** TIME = .394470E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7772E-05 OSCILLATION LIMIT = 61.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .8977E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2981
 HT FLOW CONVERGENCE VALUE= .6483E-01 CRITERION= .8955E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 23 SUBSTEP 11 COMPLETED. CUM ITER = 590
*** TIME = .402359E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7590E-05 OSCILLATION LIMIT = 59.88
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .8958E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2996
HT FLOW CONVERGENCE VALUE= .6471E-01 CRITERION= .8902E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 12 COMPLETED. CUM ITER = 591
*** TIME = .410249E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7765E-05 OSCILLATION LIMIT = 61.26
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .8905E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2987
HT FLOW CONVERGENCE VALUE= .6440E-01 CRITERION= .8883E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 13 COMPLETED. CUM ITER = 592
*** TIME = .418138E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7583E-05 OSCILLATION LIMIT = 59.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .8885E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3001
HT FLOW CONVERGENCE VALUE= .6428E-01 CRITERION= .8830E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 14 COMPLETED. CUM ITER = 593
*** TIME = .426028E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7758E-05 OSCILLATION LIMIT = 61.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .8833E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2993
HT FLOW CONVERGENCE VALUE= .6398E-01 CRITERION= .8811E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 15 COMPLETED. CUM ITER = 594
*** TIME = .433917E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7577E-05 OSCILLATION LIMIT = 59.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .8813E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3007
HT FLOW CONVERGENCE VALUE= .6383E-01 CRITERION= .8758E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 16 COMPLETED. CUM ITER = 595
*** TIME = .441806E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7751E-05 OSCILLATION LIMIT = 61.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .8761E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2999
HT FLOW CONVERGENCE VALUE= .6350E-01 CRITERION= .8739E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 17 COMPLETED. CUM ITER = 596
*** TIME = .449696E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7570E-05 OSCILLATION LIMIT = 59.73
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .8741E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3012
HT FLOW CONVERGENCE VALUE= .6334E-01 CRITERION= .8686E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 18 COMPLETED. CUM ITER = 597
*** TIME = .457585E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7744E-05 OSCILLATION LIMIT = 61.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .8689E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3005

```

HT FLOW CONVERGENCE VALUE= .6301E-01 CRITERION= .8666E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 19 COMPLETED. CUM ITER = 598
 *** TIME = .465475E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7564E-05 OSCILLATION LIMIT = 59.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .8669E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3018
 HT FLOW CONVERGENCE VALUE= .6282E-01 CRITERION= .8614E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 20 COMPLETED. CUM ITER = 599
 *** TIME = .473364E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7738E-05 OSCILLATION LIMIT = 61.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .8617E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3011
 HT FLOW CONVERGENCE VALUE= .6253E-01 CRITERION= .8594E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 21 COMPLETED. CUM ITER = 600
 *** TIME = .481253E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7558E-05 OSCILLATION LIMIT = 59.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .8597E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3023
 HT FLOW CONVERGENCE VALUE= .6236E-01 CRITERION= .8542E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 22 COMPLETED. CUM ITER = 601
 *** TIME = .489143E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7731E-05 OSCILLATION LIMIT = 60.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .8545E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3017
 HT FLOW CONVERGENCE VALUE= .6206E-01 CRITERION= .8522E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 23 COMPLETED. CUM ITER = 602
 *** TIME = .497032E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7551E-05 OSCILLATION LIMIT = 59.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .8525E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3029
 HT FLOW CONVERGENCE VALUE= .6183E-01 CRITERION= .8469E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 24 COMPLETED. CUM ITER = 603
 *** TIME = .504922E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7724E-05 OSCILLATION LIMIT = 60.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .8473E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3023
 HT FLOW CONVERGENCE VALUE= .6157E-01 CRITERION= .8450E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 25 COMPLETED. CUM ITER = 604
 *** TIME = .512811E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7545E-05 OSCILLATION LIMIT = 59.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .8453E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3034
 HT FLOW CONVERGENCE VALUE= .6137E-01 CRITERION= .8397E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 26 COMPLETED. CUM ITER = 605
 *** TIME = .520700E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7717E-05 OSCILLATION LIMIT = 60.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .8401E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3029
 HT FLOW CONVERGENCE VALUE= .6113E-01 CRITERION= .8378E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 27 COMPLETED. CUM ITER = 606
 *** TIME = .528590E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7538E-05 OSCILLATION LIMIT = 59.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .8381E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3040
 HT FLOW CONVERGENCE VALUE= .6093E-01 CRITERION= .8325E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 28 COMPLETED. CUM ITER = 607
 *** TIME = .536479E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7710E-05 OSCILLATION LIMIT = 60.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .8329E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3035
 HT FLOW CONVERGENCE VALUE= .6068E-01 CRITERION= .8306E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 29 COMPLETED. CUM ITER = 608
 *** TIME = .544369E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7532E-05 OSCILLATION LIMIT = 59.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .8309E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3046
 HT FLOW CONVERGENCE VALUE= .6047E-01 CRITERION= .8253E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 30 COMPLETED. CUM ITER = 609
 *** TIME = .552258E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7703E-05 OSCILLATION LIMIT = 60.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .8257E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3041
 HT FLOW CONVERGENCE VALUE= .6022E-01 CRITERION= .8234E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 31 COMPLETED. CUM ITER = 610
 *** TIME = .560147E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7526E-05 OSCILLATION LIMIT = 59.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .8237E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3052
 HT FLOW CONVERGENCE VALUE= .6001E-01 CRITERION= .8181E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 32 COMPLETED. CUM ITER = 611
 *** TIME = .568037E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7697E-05 OSCILLATION LIMIT = 60.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .8185E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3048
 HT FLOW CONVERGENCE VALUE= .5981E-01 CRITERION= .8162E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 33 COMPLETED. CUM ITER = 612
 *** TIME = .575926E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7520E-05 OSCILLATION LIMIT = 59.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .8165E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3058
 HT FLOW CONVERGENCE VALUE= .5957E-01 CRITERION= .8109E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 34 COMPLETED. CUM ITER = 613
 *** TIME = .583816E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7690E-05 OSCILLATION LIMIT = 60.67

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .8112E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3054
 HT FLOW CONVERGENCE VALUE= .5934E-01 CRITERION= .8090E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 35 COMPLETED. CUM ITER = 614
 *** TIME = .591705E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7514E-05 OSCILLATION LIMIT = 59.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .8093E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3063
 HT FLOW CONVERGENCE VALUE= .5908E-01 CRITERION= .8037E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 36 COMPLETED. CUM ITER = 615
 *** TIME = .599594E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7684E-05 OSCILLATION LIMIT = 60.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .8040E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3060
 HT FLOW CONVERGENCE VALUE= .5888E-01 CRITERION= .8017E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 37 COMPLETED. CUM ITER = 616
 *** TIME = .607484E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7508E-05 OSCILLATION LIMIT = 59.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .8021E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3069
 HT FLOW CONVERGENCE VALUE= .5864E-01 CRITERION= .7965E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 38 COMPLETED. CUM ITER = 617
 *** TIME = .615373E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7677E-05 OSCILLATION LIMIT = 60.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.330 CRITERION= .7968E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3066
 HT FLOW CONVERGENCE VALUE= .5844E-01 CRITERION= .7945E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 39 COMPLETED. CUM ITER = 618
 *** TIME = .623263E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7502E-05 OSCILLATION LIMIT = 59.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 3.103 CRITERION= .7949E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3075
 HT FLOW CONVERGENCE VALUE= .5814E-01 CRITERION= .7892E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 40 COMPLETED. CUM ITER = 619
 *** TIME = .631152E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7671E-05 OSCILLATION LIMIT = 60.52

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 11:32:41 MAR 25, 1995 CP= 52302.200
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 11.72 CRITERION= .7978E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2647
 HT FLOW CONVERGENCE VALUE= .5349E-01 CRITERION= .7880E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 1 COMPLETED. CUM ITER = 620

```

*** TIME = .639041E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4917E-05    OSCILLATION LIMIT = 38.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.96    CRITERION= .7967E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2614
    HT FLOW CONVERGENCE VALUE= .5148E-01 CRITERION= .7836E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 2 COMPLETED. CUM ITER = 621
*** TIME = .646931E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5341E-05    OSCILLATION LIMIT = 42.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.72    CRITERION= .7921E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2622
    HT FLOW CONVERGENCE VALUE= .5141E-01 CRITERION= .7825E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 3 COMPLETED. CUM ITER = 622
*** TIME = .654820E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5204E-05    OSCILLATION LIMIT = 41.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.96    CRITERION= .7913E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2623
    HT FLOW CONVERGENCE VALUE= .5119E-01 CRITERION= .7781E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 4 COMPLETED. CUM ITER = 623
*** TIME = .662710E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5351E-05    OSCILLATION LIMIT = 42.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.72    CRITERION= .7867E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2626
    HT FLOW CONVERGENCE VALUE= .5109E-01 CRITERION= .7770E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 5 COMPLETED. CUM ITER = 624
*** TIME = .670599E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5199E-05    OSCILLATION LIMIT = 41.02
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.96    CRITERION= .7858E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2628
    HT FLOW CONVERGENCE VALUE= .5089E-01 CRITERION= .7725E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 6 COMPLETED. CUM ITER = 625
*** TIME = .678488E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5347E-05    OSCILLATION LIMIT = 42.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.72    CRITERION= .7813E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2631
    HT FLOW CONVERGENCE VALUE= .5079E-01 CRITERION= .7715E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 7 COMPLETED. CUM ITER = 626
*** TIME = .686378E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5195E-05    OSCILLATION LIMIT = 40.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.96    CRITERION= .7804E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2633
    HT FLOW CONVERGENCE VALUE= .5055E-01 CRITERION= .7670E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 8 COMPLETED. CUM ITER = 627
*** TIME = .694267E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5343E-05    OSCILLATION LIMIT = 42.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.72    CRITERION= .7758E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2636
    HT FLOW CONVERGENCE VALUE= .5046E-01 CRITERION= .7660E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 9 COMPLETED. CUM ITER = 628
*** TIME = .702157E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5192E-05 OSCILLATION LIMIT = 40.96
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.96 CRITERION= .7749E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2637
HT FLOW CONVERGENCE VALUE= .5024E-01 CRITERION= .7615E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 10 COMPLETED. CUM ITER = 629
*** TIME = .710046E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5339E-05 OSCILLATION LIMIT = 42.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.72 CRITERION= .7704E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2641
HT FLOW CONVERGENCE VALUE= .5014E-01 CRITERION= .7605E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 11 COMPLETED. CUM ITER = 630
*** TIME = .717935E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5188E-05 OSCILLATION LIMIT = 40.93
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.96 CRITERION= .7695E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2642
HT FLOW CONVERGENCE VALUE= .4990E-01 CRITERION= .7560E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 12 COMPLETED. CUM ITER = 631
*** TIME = .725825E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5335E-05 OSCILLATION LIMIT = 42.09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.72 CRITERION= .7649E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2645
HT FLOW CONVERGENCE VALUE= .4981E-01 CRITERION= .7549E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 13 COMPLETED. CUM ITER = 632
*** TIME = .733714E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5185E-05 OSCILLATION LIMIT = 40.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.96 CRITERION= .7640E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2647
HT FLOW CONVERGENCE VALUE= .4957E-01 CRITERION= .7505E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 14 COMPLETED. CUM ITER = 633
*** TIME = .741604E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5331E-05 OSCILLATION LIMIT = 42.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.72 CRITERION= .7595E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2650
HT FLOW CONVERGENCE VALUE= .4946E-01 CRITERION= .7494E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 15 COMPLETED. CUM ITER = 634
*** TIME = .749493E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5180E-05 OSCILLATION LIMIT = 40.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.96 CRITERION= .7586E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2652
HT FLOW CONVERGENCE VALUE= .4923E-01 CRITERION= .7450E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 16 COMPLETED. CUM ITER = 635
*** TIME = .757382E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5327E-05 OSCILLATION LIMIT = 42.03
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.72 CRITERION= .7540E-01

```


EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2655
 HT FLOW CONVERGENCE VALUE= .4911E-01 CRITERION= .7439E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 17 COMPLETED. CUM ITER = 636
 *** TIME = .765272E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5177E-05 OSCILLATION LIMIT = 40.84
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.95 CRITERION= .7532E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2657
 HT FLOW CONVERGENCE VALUE= .4889E-01 CRITERION= .7395E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 18 COMPLETED. CUM ITER = 637
 *** TIME = .773161E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5323E-05 OSCILLATION LIMIT = 42.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.72 CRITERION= .7486E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2660
 HT FLOW CONVERGENCE VALUE= .4878E-01 CRITERION= .7384E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 19 COMPLETED. CUM ITER = 638
 *** TIME = .781051E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5174E-05 OSCILLATION LIMIT = 40.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.95 CRITERION= .7477E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2662
 HT FLOW CONVERGENCE VALUE= .4858E-01 CRITERION= .7340E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 20 COMPLETED. CUM ITER = 639
 *** TIME = .788940E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5320E-05 OSCILLATION LIMIT = 41.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.71 CRITERION= .7432E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2665
 HT FLOW CONVERGENCE VALUE= .4848E-01 CRITERION= .7329E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 21 COMPLETED. CUM ITER = 640
 *** TIME = .796829E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5170E-05 OSCILLATION LIMIT = 40.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.95 CRITERION= .7423E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2667
 HT FLOW CONVERGENCE VALUE= .4829E-01 CRITERION= .7285E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 22 COMPLETED. CUM ITER = 641
 *** TIME = .804719E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5316E-05 OSCILLATION LIMIT = 41.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.71 CRITERION= .7377E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2670
 HT FLOW CONVERGENCE VALUE= .4817E-01 CRITERION= .7274E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 23 COMPLETED. CUM ITER = 642
 *** TIME = .812608E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5167E-05 OSCILLATION LIMIT = 40.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.95 CRITERION= .7368E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2672
 HT FLOW CONVERGENCE VALUE= .4794E-01 CRITERION= .7230E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 24 COMPLETED. CUM ITER = 643
 *** TIME = .820498E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5312E-05 OSCILLATION LIMIT = 41.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.71 CRITERION= .7323E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2675
 HT FLOW CONVERGENCE VALUE= .4785E-01 CRITERION= .7219E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 25 COMPLETED. CUM ITER = 644
 *** TIME = .828387E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5163E-05 OSCILLATION LIMIT = 40.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.95 CRITERION= .7314E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2677
 HT FLOW CONVERGENCE VALUE= .4765E-01 CRITERION= .7175E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 26 COMPLETED. CUM ITER = 645
 *** TIME = .836276E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5308E-05 OSCILLATION LIMIT = 41.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.71 CRITERION= .7268E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2680
 HT FLOW CONVERGENCE VALUE= .4756E-01 CRITERION= .7164E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 27 COMPLETED. CUM ITER = 646
 *** TIME = .844166E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5159E-05 OSCILLATION LIMIT = 40.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.95 CRITERION= .7260E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2682
 HT FLOW CONVERGENCE VALUE= .4734E-01 CRITERION= .7120E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 28 COMPLETED. CUM ITER = 647
 *** TIME = .852055E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5304E-05 OSCILLATION LIMIT = 41.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.71 CRITERION= .7214E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2685
 HT FLOW CONVERGENCE VALUE= .4726E-01 CRITERION= .7109E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 29 COMPLETED. CUM ITER = 648
 *** TIME = .859945E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5156E-05 OSCILLATION LIMIT = 40.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.95 CRITERION= .7205E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2687
 HT FLOW CONVERGENCE VALUE= .4705E-01 CRITERION= .7065E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 30 COMPLETED. CUM ITER = 649
 *** TIME = .867834E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5300E-05 OSCILLATION LIMIT = 41.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.71 CRITERION= .7160E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2690
 HT FLOW CONVERGENCE VALUE= .4696E-01 CRITERION= .7054E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 31 COMPLETED. CUM ITER = 650
 *** TIME = .875723E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5152E-05 OSCILLATION LIMIT = 40.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.95 CRITERION= .7151E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2691
 HT FLOW CONVERGENCE VALUE= .4674E-01 CRITERION= .7009E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 32 COMPLETED. CUM ITER = 651
 *** TIME = .883613E+09 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .5296E-05 OSCILLATION LIMIT = 41.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.71 CRITERION= .7105E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2695
 HT FLOW CONVERGENCE VALUE= .4666E-01 CRITERION= .6999E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 33 COMPLETED. CUM ITER = 652
 *** TIME = .891502E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5148E-05 OSCILLATION LIMIT = 40.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.95 CRITERION= .7097E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2696
 HT FLOW CONVERGENCE VALUE= .4650E-01 CRITERION= .6954E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 34 COMPLETED. CUM ITER = 653
 *** TIME = .899392E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5291E-05 OSCILLATION LIMIT = 41.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.71 CRITERION= .7051E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2700
 HT FLOW CONVERGENCE VALUE= .4656E-01 CRITERION= .6944E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 35 COMPLETED. CUM ITER = 654
 *** TIME = .907281E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5144E-05 OSCILLATION LIMIT = 40.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.95 CRITERION= .7042E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2701
 HT FLOW CONVERGENCE VALUE= .4653E-01 CRITERION= .6899E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 36 COMPLETED. CUM ITER = 655
 *** TIME = .915170E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5287E-05 OSCILLATION LIMIT = 41.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.71 CRITERION= .6997E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2705
 HT FLOW CONVERGENCE VALUE= .4643E-01 CRITERION= .6888E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 37 COMPLETED. CUM ITER = 656
 *** TIME = .923060E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5139E-05 OSCILLATION LIMIT = 40.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.95 CRITERION= .6988E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2707
 HT FLOW CONVERGENCE VALUE= .4596E-01 CRITERION= .6844E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 38 COMPLETED. CUM ITER = 657
 *** TIME = .930949E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5283E-05 OSCILLATION LIMIT = 41.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.71 CRITERION= .6942E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2710
 HT FLOW CONVERGENCE VALUE= .4574E-01 CRITERION= .6833E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 39 COMPLETED. CUM ITER = 658
 *** TIME = .938839E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5135E-05 OSCILLATION LIMIT = 40.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.95 CRITERION= .6934E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2712
 HT FLOW CONVERGENCE VALUE= .4556E-01 CRITERION= .6789E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 24 SUBSTEP 40 COMPLETED. CUM ITER = 659
*** TIME = .946728E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5278E-05 OSCILLATION LIMIT = 41.64

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 12:33:35 MAR 25, 1995 CP= 55708.960
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .7129E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2509
HT FLOW CONVERGENCE VALUE= .4531E-01 CRITERION= .6782E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 1 COMPLETED. CUM ITER = 660
*** TIME = .954617E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3490E-05 OSCILLATION LIMIT = 27.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .7127E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2483
HT FLOW CONVERGENCE VALUE= .4429E-01 CRITERION= .6743E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 2 COMPLETED. CUM ITER = 661
*** TIME = .962507E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3714E-05 OSCILLATION LIMIT = 29.30
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .7085E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2491
HT FLOW CONVERGENCE VALUE= .4422E-01 CRITERION= .6737E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 3 COMPLETED. CUM ITER = 662
*** TIME = .970396E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3600E-05 OSCILLATION LIMIT = 28.40
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .7083E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2490
HT FLOW CONVERGENCE VALUE= .4407E-01 CRITERION= .6697E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 4 COMPLETED. CUM ITER = 663
*** TIME = .978286E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3720E-05 OSCILLATION LIMIT = 29.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .7042E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2495
HT FLOW CONVERGENCE VALUE= .4402E-01 CRITERION= .6691E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 5 COMPLETED. CUM ITER = 664
*** TIME = .986175E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3598E-05 OSCILLATION LIMIT = 28.38
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .7040E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2494
HT FLOW CONVERGENCE VALUE= .4387E-01 CRITERION= .6652E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 6 COMPLETED. CUM ITER = 665
*** TIME = .994064E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3718E-05 OSCILLATION LIMIT = 29.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .6999E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2499

HT FLOW CONVERGENCE VALUE= .4377E-01 CRITERION= .6645E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 7 COMPLETED. CUM ITER = 666
*** TIME = .100195E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3596E-05 OSCILLATION LIMIT = 28.37
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .6997E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2499
HT FLOW CONVERGENCE VALUE= .4364E-01 CRITERION= .6606E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 8 COMPLETED. CUM ITER = 667
*** TIME = .100984E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3716E-05 OSCILLATION LIMIT = 29.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .6955E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2503
HT FLOW CONVERGENCE VALUE= .4353E-01 CRITERION= .6600E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 9 COMPLETED. CUM ITER = 668
*** TIME = .101773E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3594E-05 OSCILLATION LIMIT = 28.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .6953E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2503
HT FLOW CONVERGENCE VALUE= .4338E-01 CRITERION= .6560E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 10 COMPLETED. CUM ITER = 669
*** TIME = .102562E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3715E-05 OSCILLATION LIMIT = 29.31
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .6912E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2508
HT FLOW CONVERGENCE VALUE= .4328E-01 CRITERION= .6554E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 11 COMPLETED. CUM ITER = 670
*** TIME = .103351E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3593E-05 OSCILLATION LIMIT = 28.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .6910E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2508
HT FLOW CONVERGENCE VALUE= .4312E-01 CRITERION= .6515E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 12 COMPLETED. CUM ITER = 671
*** TIME = .104140E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3713E-05 OSCILLATION LIMIT = 29.29
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .6869E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2512
HT FLOW CONVERGENCE VALUE= .4304E-01 CRITERION= .6509E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 13 COMPLETED. CUM ITER = 672
*** TIME = .104929E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3591E-05 OSCILLATION LIMIT = 28.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .6867E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2512
HT FLOW CONVERGENCE VALUE= .4288E-01 CRITERION= .6469E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 14 COMPLETED. CUM ITER = 673
*** TIME = .105718E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3710E-05 OSCILLATION LIMIT = 29.27
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .6825E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516
 HT FLOW CONVERGENCE VALUE= .4280E-01 CRITERION= .6463E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 15 COMPLETED. CUM ITER = 674
 *** TIME = .106507E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3589E-05 OSCILLATION LIMIT = 28.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .6823E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2516
 HT FLOW CONVERGENCE VALUE= .4262E-01 CRITERION= .6423E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 16 COMPLETED. CUM ITER = 675
 *** TIME = .107296E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3708E-05 OSCILLATION LIMIT = 29.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .6782E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2521
 HT FLOW CONVERGENCE VALUE= .4255E-01 CRITERION= .6417E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 17 COMPLETED. CUM ITER = 676
 *** TIME = .108085E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3587E-05 OSCILLATION LIMIT = 28.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .6780E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2521
 HT FLOW CONVERGENCE VALUE= .4237E-01 CRITERION= .6378E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 18 COMPLETED. CUM ITER = 677
 *** TIME = .108874E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3706E-05 OSCILLATION LIMIT = 29.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .6739E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2525
 HT FLOW CONVERGENCE VALUE= .4229E-01 CRITERION= .6372E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 19 COMPLETED. CUM ITER = 678
 *** TIME = .109663E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3585E-05 OSCILLATION LIMIT = 28.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .6737E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2525
 HT FLOW CONVERGENCE VALUE= .4212E-01 CRITERION= .6332E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 20 COMPLETED. CUM ITER = 679
 *** TIME = .110452E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3705E-05 OSCILLATION LIMIT = 29.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .6696E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2529
 HT FLOW CONVERGENCE VALUE= .4203E-01 CRITERION= .6326E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 21 COMPLETED. CUM ITER = 680
 *** TIME = .111241E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3584E-05 OSCILLATION LIMIT = 28.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .6694E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2530
 HT FLOW CONVERGENCE VALUE= .4187E-01 CRITERION= .6286E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 22 COMPLETED. CUM ITER = 681
 *** TIME = .112029E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3703E-05 OSCILLATION LIMIT = 29.21

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .6653E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2534
 HT FLOW CONVERGENCE VALUE= .4175E-01 CRITERION= .6280E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 23 COMPLETED. CUM ITER = 682
 *** TIME = .112818E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3582E-05 OSCILLATION LIMIT = 28.26
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .6651E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2534
 HT FLOW CONVERGENCE VALUE= .4158E-01 CRITERION= .6241E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 24 COMPLETED. CUM ITER = 683
 *** TIME = .113607E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3701E-05 OSCILLATION LIMIT = 29.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .6610E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2538
 HT FLOW CONVERGENCE VALUE= .4147E-01 CRITERION= .6235E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 25 COMPLETED. CUM ITER = 684
 *** TIME = .114396E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3581E-05 OSCILLATION LIMIT = 28.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .6608E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2539
 HT FLOW CONVERGENCE VALUE= .4132E-01 CRITERION= .6195E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 26 COMPLETED. CUM ITER = 685
 *** TIME = .115185E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3700E-05 OSCILLATION LIMIT = 29.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .6567E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2543
 HT FLOW CONVERGENCE VALUE= .4119E-01 CRITERION= .6189E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 27 COMPLETED. CUM ITER = 686
 *** TIME = .115974E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3580E-05 OSCILLATION LIMIT = 28.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .6565E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2543
 HT FLOW CONVERGENCE VALUE= .4100E-01 CRITERION= .6150E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 28 COMPLETED. CUM ITER = 687
 *** TIME = .116763E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3699E-05 OSCILLATION LIMIT = 29.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .6524E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2547
 HT FLOW CONVERGENCE VALUE= .4089E-01 CRITERION= .6143E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 29 COMPLETED. CUM ITER = 688
 *** TIME = .117552E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3579E-05 OSCILLATION LIMIT = 28.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .6522E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2548
 HT FLOW CONVERGENCE VALUE= .4074E-01 CRITERION= .6104E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 30 COMPLETED. CUM ITER = 689

```
*** TIME = .118341E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3697E-05    OSCILLATION LIMIT = 29.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.76    CRITERION= .6481E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2552
    HT FLOW CONVERGENCE VALUE= .4063E-01 CRITERION= .6098E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 31 COMPLETED. CUM ITER = 690
*** TIME = .119130E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3578E-05    OSCILLATION LIMIT = 28.23
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.00    CRITERION= .6479E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2552
    HT FLOW CONVERGENCE VALUE= .4049E-01 CRITERION= .6058E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 32 COMPLETED. CUM ITER = 691
*** TIME = .119919E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3696E-05    OSCILLATION LIMIT = 29.16
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.77    CRITERION= .6438E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2556
    HT FLOW CONVERGENCE VALUE= .4038E-01 CRITERION= .6052E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 33 COMPLETED. CUM ITER = 692
*** TIME = .120708E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3577E-05    OSCILLATION LIMIT = 28.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.00    CRITERION= .6436E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2557
    HT FLOW CONVERGENCE VALUE= .4021E-01 CRITERION= .6013E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 34 COMPLETED. CUM ITER = 693
*** TIME = .121497E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3694E-05    OSCILLATION LIMIT = 29.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.77    CRITERION= .6395E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2561
    HT FLOW CONVERGENCE VALUE= .4004E-01 CRITERION= .6006E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 35 COMPLETED. CUM ITER = 694
*** TIME = .122286E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3576E-05    OSCILLATION LIMIT = 28.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.00    CRITERION= .6393E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2562
    HT FLOW CONVERGENCE VALUE= .3977E-01 CRITERION= .5967E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 36 COMPLETED. CUM ITER = 695
*** TIME = .123075E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3693E-05    OSCILLATION LIMIT = 29.14
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.77    CRITERION= .6352E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2566
    HT FLOW CONVERGENCE VALUE= .3958E-01 CRITERION= .5961E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 37 COMPLETED. CUM ITER = 696
*** TIME = .123864E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3575E-05    OSCILLATION LIMIT = 28.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 22.00    CRITERION= .6350E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2567
    HT FLOW CONVERGENCE VALUE= .3933E-01 CRITERION= .5921E-01 <<< CONVERGED
```



```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 38 COMPLETED. CUM ITER = 697
*** TIME = .124653E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3693E-05 OSCILLATION LIMIT = 29.14
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .6309E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2571
HT FLOW CONVERGENCE VALUE= .3917E-01 CRITERION= .5915E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 39 COMPLETED. CUM ITER = 698
*** TIME = .125441E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3576E-05 OSCILLATION LIMIT = 28.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 22.00 CRITERION= .6307E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2573
HT FLOW CONVERGENCE VALUE= .3897E-01 CRITERION= .5876E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 40 COMPLETED. CUM ITER = 699
*** TIME = .126230E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3694E-05 OSCILLATION LIMIT = 29.14
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 13:34:28 MAR 25, 1995 CP= 59116.540
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 19.99 CRITERION= .6207E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2064
HT FLOW CONVERGENCE VALUE= .3208E-01 CRITERION= .5874E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 1 COMPLETED. CUM ITER = 700
*** TIME = .127019E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3141E-05 OSCILLATION LIMIT = 24.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 20.23 CRITERION= .6209E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2080
HT FLOW CONVERGENCE VALUE= .3184E-01 CRITERION= .5839E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 2 COMPLETED. CUM ITER = 701
*** TIME = .127808E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3368E-05 OSCILLATION LIMIT = 26.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 19.99 CRITERION= .6173E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2097
HT FLOW CONVERGENCE VALUE= .3198E-01 CRITERION= .5838E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 3 COMPLETED. CUM ITER = 702
*** TIME = .128597E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3245E-05 OSCILLATION LIMIT = 25.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 20.23 CRITERION= .6175E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2083
HT FLOW CONVERGENCE VALUE= .3172E-01 CRITERION= .5803E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 4 COMPLETED. CUM ITER = 703
*** TIME = .129386E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3364E-05 OSCILLATION LIMIT = 26.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

HT FLOW CONVERGENCE VALUE= 19.99 CRITERION= .6139E-01

```
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2100
HT FLOW CONVERGENCE VALUE= .3184E-01 CRITERION= .5802E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 5 COMPLETED. CUM ITER = 704
*** TIME = .130175E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3244E-05 OSCILLATION LIMIT = 25.59
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23 CRITERION= .6141E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2087
HT FLOW CONVERGENCE VALUE= .3159E-01 CRITERION= .5767E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 6 COMPLETED. CUM ITER = 705
*** TIME = .130964E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3364E-05 OSCILLATION LIMIT = 26.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 19.99 CRITERION= .6105E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2103
HT FLOW CONVERGENCE VALUE= .3170E-01 CRITERION= .5766E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 7 COMPLETED. CUM ITER = 706
*** TIME = .131753E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3243E-05 OSCILLATION LIMIT = 25.58
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23 CRITERION= .6107E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2090
HT FLOW CONVERGENCE VALUE= .3146E-01 CRITERION= .5732E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 8 COMPLETED. CUM ITER = 707
*** TIME = .132542E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3363E-05 OSCILLATION LIMIT = 26.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 19.99 CRITERION= .6071E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2106
HT FLOW CONVERGENCE VALUE= .3155E-01 CRITERION= .5730E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 9 COMPLETED. CUM ITER = 708
*** TIME = .133331E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3242E-05 OSCILLATION LIMIT = 25.58
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23 CRITERION= .6074E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2094
HT FLOW CONVERGENCE VALUE= .3132E-01 CRITERION= .5696E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 10 COMPLETED. CUM ITER = 709
*** TIME = .134120E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3363E-05 OSCILLATION LIMIT = 26.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 19.99 CRITERION= .6037E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2109
HT FLOW CONVERGENCE VALUE= .3141E-01 CRITERION= .5694E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 11 COMPLETED. CUM ITER = 710
*** TIME = .134909E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3241E-05 OSCILLATION LIMIT = 25.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23 CRITERION= .6040E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2098
HT FLOW CONVERGENCE VALUE= .3119E-01 CRITERION= .5660E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 12 COMPLETED. CUM ITER = 711
*** TIME = .135698E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3363E-05 OSCILLATION LIMIT = 26.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```

HT FLOW CONVERGENCE VALUE= 19.99      CRITERION= .6003E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2113
HT FLOW CONVERGENCE VALUE= .3126E-01 CRITERION= .5658E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 13 COMPLETED. CUM ITER = 712
*** TIME = .136487E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3241E-05 OSCILLATION LIMIT = 25.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23      CRITERION= .6006E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2102
HT FLOW CONVERGENCE VALUE= .3105E-01 CRITERION= .5624E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 14 COMPLETED. CUM ITER = 713
*** TIME = .137276E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3363E-05 OSCILLATION LIMIT = 26.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 19.99      CRITERION= .5969E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2116
HT FLOW CONVERGENCE VALUE= .3112E-01 CRITERION= .5622E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 15 COMPLETED. CUM ITER = 714
*** TIME = .138065E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3240E-05 OSCILLATION LIMIT = 25.56
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23      CRITERION= .5972E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2106
HT FLOW CONVERGENCE VALUE= .3092E-01 CRITERION= .5588E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 16 COMPLETED. CUM ITER = 715
*** TIME = .138853E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3363E-05 OSCILLATION LIMIT = 26.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.00      CRITERION= .5935E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2119
HT FLOW CONVERGENCE VALUE= .3098E-01 CRITERION= .5587E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 17 COMPLETED. CUM ITER = 716
*** TIME = .139642E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3240E-05 OSCILLATION LIMIT = 25.56
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23      CRITERION= .5938E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2110
HT FLOW CONVERGENCE VALUE= .3078E-01 CRITERION= .5552E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 18 COMPLETED. CUM ITER = 717
*** TIME = .140431E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3363E-05 OSCILLATION LIMIT = 26.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.00      CRITERION= .5902E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2122
HT FLOW CONVERGENCE VALUE= .3083E-01 CRITERION= .5551E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 19 COMPLETED. CUM ITER = 718
*** TIME = .141220E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3238E-05 OSCILLATION LIMIT = 25.55
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23      CRITERION= .5904E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2114
HT FLOW CONVERGENCE VALUE= .3064E-01 CRITERION= .5516E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 20 COMPLETED. CUM ITER = 719
*** TIME = .142009E+10 TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .3362E-05 OSCILLATION LIMIT = 26.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.00 CRITERION= .5868E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2125
 HT FLOW CONVERGENCE VALUE= .3069E-01 CRITERION= .5515E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 21 COMPLETED. CUM ITER = 720
 *** TIME = .142798E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3238E-05 OSCILLATION LIMIT = 25.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23 CRITERION= .5871E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2118
 HT FLOW CONVERGENCE VALUE= .3051E-01 CRITERION= .5480E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 22 COMPLETED. CUM ITER = 721
 *** TIME = .143587E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3362E-05 OSCILLATION LIMIT = 26.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.00 CRITERION= .5834E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2129
 HT FLOW CONVERGENCE VALUE= .3055E-01 CRITERION= .5479E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 23 COMPLETED. CUM ITER = 722
 *** TIME = .144376E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3237E-05 OSCILLATION LIMIT = 25.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23 CRITERION= .5837E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2122
 HT FLOW CONVERGENCE VALUE= .3037E-01 CRITERION= .5444E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 24 COMPLETED. CUM ITER = 723
 *** TIME = .145165E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3361E-05 OSCILLATION LIMIT = 26.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.00 CRITERION= .5800E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2132
 HT FLOW CONVERGENCE VALUE= .3040E-01 CRITERION= .5443E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 25 COMPLETED. CUM ITER = 724
 *** TIME = .145954E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3236E-05 OSCILLATION LIMIT = 25.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23 CRITERION= .5803E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2126
 HT FLOW CONVERGENCE VALUE= .3023E-01 CRITERION= .5408E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 26 COMPLETED. CUM ITER = 725
 *** TIME = .146743E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3361E-05 OSCILLATION LIMIT = 26.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.00 CRITERION= .5767E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2136
 HT FLOW CONVERGENCE VALUE= .3026E-01 CRITERION= .5407E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 27 COMPLETED. CUM ITER = 726
 *** TIME = .147532E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3235E-05 OSCILLATION LIMIT = 25.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23 CRITERION= .5770E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2129
 HT FLOW CONVERGENCE VALUE= .3009E-01 CRITERION= .5372E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 26 SUBSTEP 28 COMPLETED. CUM ITER = 727
*** TIME = .148321E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3360E-05 OSCILLATION LIMIT = 26.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.00 CRITERION= .5733E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2139
HT FLOW CONVERGENCE VALUE= .3011E-01 CRITERION= .5371E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 29 COMPLETED. CUM ITER = 728
*** TIME = .149110E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3235E-05 OSCILLATION LIMIT = 25.52
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23 CRITERION= .5736E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2133
HT FLOW CONVERGENCE VALUE= .2995E-01 CRITERION= .5336E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 30 COMPLETED. CUM ITER = 729
*** TIME = .149899E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3359E-05 OSCILLATION LIMIT = 26.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.00 CRITERION= .5700E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2143
HT FLOW CONVERGENCE VALUE= .2997E-01 CRITERION= .5335E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 31 COMPLETED. CUM ITER = 730
*** TIME = .150688E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3234E-05 OSCILLATION LIMIT = 25.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23 CRITERION= .5702E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2137
HT FLOW CONVERGENCE VALUE= .2981E-01 CRITERION= .5301E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 32 COMPLETED. CUM ITER = 731
*** TIME = .151476E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3359E-05 OSCILLATION LIMIT = 26.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.00 CRITERION= .5666E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2146
HT FLOW CONVERGENCE VALUE= .2982E-01 CRITERION= .5299E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 33 COMPLETED. CUM ITER = 732
*** TIME = .152265E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3233E-05 OSCILLATION LIMIT = 25.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.23 CRITERION= .5669E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2141
HT FLOW CONVERGENCE VALUE= .2967E-01 CRITERION= .5265E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 34 COMPLETED. CUM ITER = 733
*** TIME = .153054E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3358E-05 OSCILLATION LIMIT = 26.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.00 CRITERION= .5632E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2150
HT FLOW CONVERGENCE VALUE= .2968E-01 CRITERION= .5263E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 35 COMPLETED. CUM ITER = 734
*** TIME = .153843E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3232E-05 OSCILLATION LIMIT = 25.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.24 CRITERION= .5635E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2145

```

HT FLOW CONVERGENCE VALUE= .2953E-01 CRITERION= .5229E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 36 COMPLETED. CUM ITER = 735
 *** TIME = .154632E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3357E-05 OSCILLATION LIMIT = 26.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.00 CRITERION= .5599E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2153
 HT FLOW CONVERGENCE VALUE= .2953E-01 CRITERION= .5227E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 37 COMPLETED. CUM ITER = 736
 *** TIME = .155421E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3231E-05 OSCILLATION LIMIT = 25.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.24 CRITERION= .5602E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2149
 HT FLOW CONVERGENCE VALUE= .2939E-01 CRITERION= .5193E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 38 COMPLETED. CUM ITER = 737
 *** TIME = .156210E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3356E-05 OSCILLATION LIMIT = 26.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.00 CRITERION= .5565E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2157
 HT FLOW CONVERGENCE VALUE= .2939E-01 CRITERION= .5191E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 39 COMPLETED. CUM ITER = 738
 *** TIME = .156999E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3230E-05 OSCILLATION LIMIT = 25.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 20.24 CRITERION= .5568E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2153
 HT FLOW CONVERGENCE VALUE= .2925E-01 CRITERION= .5157E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 40 COMPLETED. CUM ITER = 739
 *** TIME = .157788E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3355E-05 OSCILLATION LIMIT = 26.47

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 14:35:21 MAR 25, 1995 CP= 62523.920
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5444E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1762
 HT FLOW CONVERGENCE VALUE= .2429E-01 CRITERION= .5159E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 1 COMPLETED. CUM ITER = 740
 *** TIME = .158577E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3009E-05 OSCILLATION LIMIT = 23.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5449E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1770
 HT FLOW CONVERGENCE VALUE= .2417E-01 CRITERION= .5127E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 2 COMPLETED. CUM ITER = 741
 *** TIME = .159366E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3222E-05 OSCILLATION LIMIT = 25.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5416E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1788
 HT FLOW CONVERGENCE VALUE= .2432E-01 CRITERION= .5129E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 3 COMPLETED. CUM ITER = 742
 *** TIME = .160155E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3085E-05 OSCILLATION LIMIT = 24.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5422E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1772
 HT FLOW CONVERGENCE VALUE= .2408E-01 CRITERION= .5098E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 4 COMPLETED. CUM ITER = 743
 *** TIME = .160944E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3217E-05 OSCILLATION LIMIT = 25.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5388E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1789
 HT FLOW CONVERGENCE VALUE= .2421E-01 CRITERION= .5100E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 5 COMPLETED. CUM ITER = 744
 *** TIME = .161733E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3083E-05 OSCILLATION LIMIT = 24.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5394E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1775
 HT FLOW CONVERGENCE VALUE= .2399E-01 CRITERION= .5069E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 6 COMPLETED. CUM ITER = 745
 *** TIME = .162522E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3217E-05 OSCILLATION LIMIT = 25.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5361E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1791
 HT FLOW CONVERGENCE VALUE= .2411E-01 CRITERION= .5071E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 7 COMPLETED. CUM ITER = 746
 *** TIME = .163311E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3082E-05 OSCILLATION LIMIT = 24.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5367E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1777
 HT FLOW CONVERGENCE VALUE= .2389E-01 CRITERION= .5040E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 8 COMPLETED. CUM ITER = 747
 *** TIME = .164100E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3217E-05 OSCILLATION LIMIT = 25.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5333E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1793
 HT FLOW CONVERGENCE VALUE= .2401E-01 CRITERION= .5042E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 9 COMPLETED. CUM ITER = 748
 *** TIME = .164888E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3081E-05 OSCILLATION LIMIT = 24.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5339E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1780
 HT FLOW CONVERGENCE VALUE= .2380E-01 CRITERION= .5011E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 10 COMPLETED. CUM ITER = 749
 *** TIME = .165677E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3216E-05 OSCILLATION LIMIT = 25.38

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5306E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1795
 HT FLOW CONVERGENCE VALUE= .2390E-01 CRITERION= .5013E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 11 COMPLETED. CUM ITER = 750
 *** TIME = .166466E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3080E-05 OSCILLATION LIMIT = 24.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5312E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1783
 HT FLOW CONVERGENCE VALUE= .2371E-01 CRITERION= .4982E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 12 COMPLETED. CUM ITER = 751
 *** TIME = .167255E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3216E-05 OSCILLATION LIMIT = 25.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5278E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1797
 HT FLOW CONVERGENCE VALUE= .2380E-01 CRITERION= .4984E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 13 COMPLETED. CUM ITER = 752
 *** TIME = .168044E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3079E-05 OSCILLATION LIMIT = 24.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5284E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1786
 HT FLOW CONVERGENCE VALUE= .2361E-01 CRITERION= .4952E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 14 COMPLETED. CUM ITER = 753
 *** TIME = .168833E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3216E-05 OSCILLATION LIMIT = 25.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5251E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1799
 HT FLOW CONVERGENCE VALUE= .2370E-01 CRITERION= .4954E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 15 COMPLETED. CUM ITER = 754
 *** TIME = .169622E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3077E-05 OSCILLATION LIMIT = 24.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5257E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1788
 HT FLOW CONVERGENCE VALUE= .2352E-01 CRITERION= .4923E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 16 COMPLETED. CUM ITER = 755
 *** TIME = .170411E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3215E-05 OSCILLATION LIMIT = 25.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5223E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1801
 HT FLOW CONVERGENCE VALUE= .2360E-01 CRITERION= .4925E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 17 COMPLETED. CUM ITER = 756
 *** TIME = .171200E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3076E-05 OSCILLATION LIMIT = 24.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5229E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1791
 HT FLOW CONVERGENCE VALUE= .2342E-01 CRITERION= .4894E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 18 COMPLETED. CUM ITER = 757

*** TIME = .171989E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3215E-05 OSCILLATION LIMIT = 25.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5196E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1803
 HT FLOW CONVERGENCE VALUE= .2349E-01 CRITERION= .4896E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 19 COMPLETED. CUM ITER = 758
 *** TIME = .172778E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3075E-05 OSCILLATION LIMIT = 24.26
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5202E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1794
 HT FLOW CONVERGENCE VALUE= .2333E-01 CRITERION= .4865E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 20 COMPLETED. CUM ITER = 759
 *** TIME = .173567E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3214E-05 OSCILLATION LIMIT = 25.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5168E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1805
 HT FLOW CONVERGENCE VALUE= .2339E-01 CRITERION= .4867E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 21 COMPLETED. CUM ITER = 760
 *** TIME = .174356E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3074E-05 OSCILLATION LIMIT = 24.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5174E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1796
 HT FLOW CONVERGENCE VALUE= .2323E-01 CRITERION= .4836E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 22 COMPLETED. CUM ITER = 761
 *** TIME = .175145E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3214E-05 OSCILLATION LIMIT = 25.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5141E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1807
 HT FLOW CONVERGENCE VALUE= .2329E-01 CRITERION= .4838E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 23 COMPLETED. CUM ITER = 762
 *** TIME = .175934E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3073E-05 OSCILLATION LIMIT = 24.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5147E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1799
 HT FLOW CONVERGENCE VALUE= .2313E-01 CRITERION= .4807E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 24 COMPLETED. CUM ITER = 763
 *** TIME = .176723E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3213E-05 OSCILLATION LIMIT = 25.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5113E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1809
 HT FLOW CONVERGENCE VALUE= .2318E-01 CRITERION= .4809E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 25 COMPLETED. CUM ITER = 764
 *** TIME = .177512E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3072E-05 OSCILLATION LIMIT = 24.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5119E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1802
 HT FLOW CONVERGENCE VALUE= .2303E-01 CRITERION= .4778E-01 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 26 COMPLETED. CUM ITER = 765
*** TIME = .178300E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3213E-05 OSCILLATION LIMIT = 25.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5086E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1811
HT FLOW CONVERGENCE VALUE= .2308E-01 CRITERION= .4780E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 27 COMPLETED. CUM ITER = 766
*** TIME = .179089E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3071E-05 OSCILLATION LIMIT = 24.23
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5092E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1804
HT FLOW CONVERGENCE VALUE= .2294E-01 CRITERION= .4748E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 28 COMPLETED. CUM ITER = 767
*** TIME = .179878E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3212E-05 OSCILLATION LIMIT = 25.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5059E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1813
HT FLOW CONVERGENCE VALUE= .2297E-01 CRITERION= .4750E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 29 COMPLETED. CUM ITER = 768
*** TIME = .180667E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3071E-05 OSCILLATION LIMIT = 24.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5065E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1807
HT FLOW CONVERGENCE VALUE= .2284E-01 CRITERION= .4719E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 30 COMPLETED. CUM ITER = 769
*** TIME = .181456E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3211E-05 OSCILLATION LIMIT = 25.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5031E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1816
HT FLOW CONVERGENCE VALUE= .2287E-01 CRITERION= .4721E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 31 COMPLETED. CUM ITER = 770
*** TIME = .182245E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3070E-05 OSCILLATION LIMIT = 24.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5037E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1809
HT FLOW CONVERGENCE VALUE= .2274E-01 CRITERION= .4690E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 32 COMPLETED. CUM ITER = 771
*** TIME = .183034E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3211E-05 OSCILLATION LIMIT = 25.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .5004E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1818
HT FLOW CONVERGENCE VALUE= .2276E-01 CRITERION= .4692E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 33 COMPLETED. CUM ITER = 772
*** TIME = .183823E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3069E-05 OSCILLATION LIMIT = 24.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .5010E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1812
HT FLOW CONVERGENCE VALUE= .2263E-01 CRITERION= .4661E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 34 COMPLETED. CUM ITER = 773
*** TIME = .184612E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3210E-05 OSCILLATION LIMIT = 25.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .4977E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1820
HT FLOW CONVERGENCE VALUE= .2266E-01 CRITERION= .4663E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 35 COMPLETED. CUM ITER = 774
*** TIME = .185401E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3068E-05 OSCILLATION LIMIT = 24.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .4983E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1815
HT FLOW CONVERGENCE VALUE= .2253E-01 CRITERION= .4632E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 36 COMPLETED. CUM ITER = 775
*** TIME = .186190E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3210E-05 OSCILLATION LIMIT = 25.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .4949E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1822
HT FLOW CONVERGENCE VALUE= .2255E-01 CRITERION= .4634E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 37 COMPLETED. CUM ITER = 776
*** TIME = .186979E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3067E-05 OSCILLATION LIMIT = 24.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .4956E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1817
HT FLOW CONVERGENCE VALUE= .2244E-01 CRITERION= .4603E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 38 COMPLETED. CUM ITER = 777
*** TIME = .187768E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3209E-05 OSCILLATION LIMIT = 25.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.42 CRITERION= .4922E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1825
HT FLOW CONVERGENCE VALUE= .2262E-01 CRITERION= .4605E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 39 COMPLETED. CUM ITER = 778
*** TIME = .188557E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3067E-05 OSCILLATION LIMIT = 24.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.66 CRITERION= .4928E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1820
HT FLOW CONVERGENCE VALUE= .2273E-01 CRITERION= .4573E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 40 COMPLETED. CUM ITER = 779
*** TIME = .189346E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3209E-05 OSCILLATION LIMIT = 25.31

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 15:36:16 MAR 25, 1995 CP= 65929.740
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4823E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1499
 HT FLOW CONVERGENCE VALUE= .1905E-01 CRITERION= .4578E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 1 COMPLETED. CUM ITER = 780
 *** TIME = .190135E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2852E-05 OSCILLATION LIMIT = 22.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4831E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1502
 HT FLOW CONVERGENCE VALUE= .1896E-01 CRITERION= .4549E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 2 COMPLETED. CUM ITER = 781
 *** TIME = .190923E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3073E-05 OSCILLATION LIMIT = 24.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4800E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1518
 HT FLOW CONVERGENCE VALUE= .1914E-01 CRITERION= .4554E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 3 COMPLETED. CUM ITER = 782
 *** TIME = .191712E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2918E-05 OSCILLATION LIMIT = 23.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4809E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1504
 HT FLOW CONVERGENCE VALUE= .1901E-01 CRITERION= .4526E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 4 COMPLETED. CUM ITER = 783
 *** TIME = .192501E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3070E-05 OSCILLATION LIMIT = 24.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4778E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1520
 HT FLOW CONVERGENCE VALUE= .1914E-01 CRITERION= .4530E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 5 COMPLETED. CUM ITER = 784
 *** TIME = .193290E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2918E-05 OSCILLATION LIMIT = 23.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4786E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1506
 HT FLOW CONVERGENCE VALUE= .1899E-01 CRITERION= .4502E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 6 COMPLETED. CUM ITER = 785
 *** TIME = .194079E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3070E-05 OSCILLATION LIMIT = 24.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4755E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1521
 HT FLOW CONVERGENCE VALUE= .1912E-01 CRITERION= .4507E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 7 COMPLETED. CUM ITER = 786
 *** TIME = .194868E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2917E-05 OSCILLATION LIMIT = 23.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4764E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1508
 HT FLOW CONVERGENCE VALUE= .1911E-01 CRITERION= .4478E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 8 COMPLETED. CUM ITER = 787
 *** TIME = .195657E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .3070E-05 OSCILLATION LIMIT = 24.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4733E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1522
HT FLOW CONVERGENCE VALUE= .1926E-01 CRITERION= .4483E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 9 COMPLETED. CUM ITER = 788
*** TIME = .196446E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2916E-05 OSCILLATION LIMIT = 23.00
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4741E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1510
HT FLOW CONVERGENCE VALUE= .1918E-01 CRITERION= .4455E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 10 COMPLETED. CUM ITER = 789
*** TIME = .197235E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3070E-05 OSCILLATION LIMIT = 24.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4711E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1523
HT FLOW CONVERGENCE VALUE= .1931E-01 CRITERION= .4459E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 11 COMPLETED. CUM ITER = 790
*** TIME = .198024E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2915E-05 OSCILLATION LIMIT = 23.00
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4719E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1512
HT FLOW CONVERGENCE VALUE= .1919E-01 CRITERION= .4431E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 12 COMPLETED. CUM ITER = 791
*** TIME = .198813E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3070E-05 OSCILLATION LIMIT = 24.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4688E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1525
HT FLOW CONVERGENCE VALUE= .1928E-01 CRITERION= .4435E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 13 COMPLETED. CUM ITER = 792
*** TIME = .199602E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2914E-05 OSCILLATION LIMIT = 22.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4696E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1514
HT FLOW CONVERGENCE VALUE= .1916E-01 CRITERION= .4407E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 14 COMPLETED. CUM ITER = 793
*** TIME = .200391E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3070E-05 OSCILLATION LIMIT = 24.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4666E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1526
HT FLOW CONVERGENCE VALUE= .1924E-01 CRITERION= .4412E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 15 COMPLETED. CUM ITER = 794
*** TIME = .201180E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2913E-05 OSCILLATION LIMIT = 22.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4674E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1516
HT FLOW CONVERGENCE VALUE= .1914E-01 CRITERION= .4383E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 16 COMPLETED. CUM ITER = 795
 *** TIME = .201969E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3070E-05 OSCILLATION LIMIT = 24.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4643E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1528
 HT FLOW CONVERGENCE VALUE= .1923E-01 CRITERION= .4388E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 17 COMPLETED. CUM ITER = 796
 *** TIME = .202758E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2913E-05 OSCILLATION LIMIT = 22.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4652E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1519
 HT FLOW CONVERGENCE VALUE= .1914E-01 CRITERION= .4360E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 18 COMPLETED. CUM ITER = 797
 *** TIME = .203547E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3070E-05 OSCILLATION LIMIT = 24.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4621E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1529
 HT FLOW CONVERGENCE VALUE= .1921E-01 CRITERION= .4364E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 19 COMPLETED. CUM ITER = 798
 *** TIME = .204335E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2912E-05 OSCILLATION LIMIT = 22.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4629E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1521
 HT FLOW CONVERGENCE VALUE= .1913E-01 CRITERION= .4336E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 20 COMPLETED. CUM ITER = 799
 *** TIME = .205124E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3069E-05 OSCILLATION LIMIT = 24.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4599E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1530
 HT FLOW CONVERGENCE VALUE= .1920E-01 CRITERION= .4340E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 21 COMPLETED. CUM ITER = 800
 *** TIME = .205913E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2911E-05 OSCILLATION LIMIT = 22.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4607E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1523
 HT FLOW CONVERGENCE VALUE= .1910E-01 CRITERION= .4312E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 22 COMPLETED. CUM ITER = 801
 *** TIME = .206702E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3069E-05 OSCILLATION LIMIT = 24.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4576E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1532
 HT FLOW CONVERGENCE VALUE= .1912E-01 CRITERION= .4317E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 23 COMPLETED. CUM ITER = 802
 *** TIME = .207491E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2910E-05 OSCILLATION LIMIT = 22.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4585E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1524

HT FLOW CONVERGENCE VALUE= .1902E-01 CRITERION= .4288E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 24 COMPLETED. CUM ITER = 803
 *** TIME = .208280E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3069E-05 OSCILLATION LIMIT = 24.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4554E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1533
 HT FLOW CONVERGENCE VALUE= .1904E-01 CRITERION= .4293E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 25 COMPLETED. CUM ITER = 804
 *** TIME = .209069E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2909E-05 OSCILLATION LIMIT = 22.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4562E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1526
 HT FLOW CONVERGENCE VALUE= .1895E-01 CRITERION= .4265E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 26 COMPLETED. CUM ITER = 805
 *** TIME = .209858E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3068E-05 OSCILLATION LIMIT = 24.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4532E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1535
 HT FLOW CONVERGENCE VALUE= .1896E-01 CRITERION= .4269E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 27 COMPLETED. CUM ITER = 806
 *** TIME = .210647E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2909E-05 OSCILLATION LIMIT = 22.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4540E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1528
 HT FLOW CONVERGENCE VALUE= .1887E-01 CRITERION= .4241E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 28 COMPLETED. CUM ITER = 807
 *** TIME = .211436E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3068E-05 OSCILLATION LIMIT = 24.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4509E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1536
 HT FLOW CONVERGENCE VALUE= .1888E-01 CRITERION= .4246E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 29 COMPLETED. CUM ITER = 808
 *** TIME = .212225E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2908E-05 OSCILLATION LIMIT = 22.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4518E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1530
 HT FLOW CONVERGENCE VALUE= .1879E-01 CRITERION= .4217E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 30 COMPLETED. CUM ITER = 809
 *** TIME = .213014E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3068E-05 OSCILLATION LIMIT = 24.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4487E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1538
 HT FLOW CONVERGENCE VALUE= .1880E-01 CRITERION= .4222E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 31 COMPLETED. CUM ITER = 810
 *** TIME = .213803E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2907E-05 OSCILLATION LIMIT = 22.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4495E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1532
 HT FLOW CONVERGENCE VALUE= .1871E-01 CRITERION= .4193E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 32 COMPLETED. CUM ITER = 811
 *** TIME = .214592E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3067E-05 OSCILLATION LIMIT = 24.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4465E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1539
 HT FLOW CONVERGENCE VALUE= .1872E-01 CRITERION= .4198E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 33 COMPLETED. CUM ITER = 812
 *** TIME = .215381E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2907E-05 OSCILLATION LIMIT = 22.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4473E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1534
 HT FLOW CONVERGENCE VALUE= .1864E-01 CRITERION= .4170E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 34 COMPLETED. CUM ITER = 813
 *** TIME = .216170E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3067E-05 OSCILLATION LIMIT = 24.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4442E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1541
 HT FLOW CONVERGENCE VALUE= .1864E-01 CRITERION= .4174E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 35 COMPLETED. CUM ITER = 814
 *** TIME = .216959E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2906E-05 OSCILLATION LIMIT = 22.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4451E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1536
 HT FLOW CONVERGENCE VALUE= .1856E-01 CRITERION= .4146E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 36 COMPLETED. CUM ITER = 815
 *** TIME = .217747E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3066E-05 OSCILLATION LIMIT = 24.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4420E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1543
 HT FLOW CONVERGENCE VALUE= .1855E-01 CRITERION= .4151E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 37 COMPLETED. CUM ITER = 816
 *** TIME = .218536E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2905E-05 OSCILLATION LIMIT = 22.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4429E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1538
 HT FLOW CONVERGENCE VALUE= .1848E-01 CRITERION= .4122E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 38 COMPLETED. CUM ITER = 817
 *** TIME = .219325E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3066E-05 OSCILLATION LIMIT = 24.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .4398E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1544
 HT FLOW CONVERGENCE VALUE= .1847E-01 CRITERION= .4127E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 39 COMPLETED. CUM ITER = 818
 *** TIME = .220114E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2905E-05 OSCILLATION LIMIT = 22.92

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.53 CRITERION= .4406E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1540
HT FLOW CONVERGENCE VALUE= .1840E-01 CRITERION= .4098E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 40 COMPLETED. CUM ITER = 819
*** TIME = .220903E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3065E-05 OSCILLATION LIMIT = 24.18

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 16:37:12 MAR 25, 1995 CP= 69330.170
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4409E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1307
HT FLOW CONVERGENCE VALUE= .1660E-01 CRITERION= .4105E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 1 COMPLETED. CUM ITER = 820
*** TIME = .221692E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2242E-05 OSCILLATION LIMIT = 17.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .4420E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1302
HT FLOW CONVERGENCE VALUE= .1645E-01 CRITERION= .4080E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 2 COMPLETED. CUM ITER = 821
*** TIME = .222481E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2451E-05 OSCILLATION LIMIT = 19.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4392E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1315
HT FLOW CONVERGENCE VALUE= .1650E-01 CRITERION= .4087E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 3 COMPLETED. CUM ITER = 822
*** TIME = .223270E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2301E-05 OSCILLATION LIMIT = 18.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .4403E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1304
HT FLOW CONVERGENCE VALUE= .1640E-01 CRITERION= .4061E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 4 COMPLETED. CUM ITER = 823
*** TIME = .224059E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2451E-05 OSCILLATION LIMIT = 19.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4374E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1315
HT FLOW CONVERGENCE VALUE= .1644E-01 CRITERION= .4068E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 5 COMPLETED. CUM ITER = 824
*** TIME = .224848E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2300E-05 OSCILLATION LIMIT = 18.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .4386E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1306
HT FLOW CONVERGENCE VALUE= .1634E-01 CRITERION= .4042E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 6 COMPLETED. CUM ITER = 825

```
*** TIME = .225637E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2451E-05    OSCILLATION LIMIT = 19.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.23    CRITERION= .4357E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1316
    HT FLOW CONVERGENCE VALUE= .1638E-01    CRITERION= .4049E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 7 COMPLETED. CUM ITER = 826
*** TIME = .226426E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2300E-05    OSCILLATION LIMIT = 18.14
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.46    CRITERION= .4368E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1307
    HT FLOW CONVERGENCE VALUE= .1629E-01    CRITERION= .4023E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 8 COMPLETED. CUM ITER = 827
*** TIME = .227215E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2452E-05    OSCILLATION LIMIT = 19.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.23    CRITERION= .4340E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1317
    HT FLOW CONVERGENCE VALUE= .1632E-01    CRITERION= .4031E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 9 COMPLETED. CUM ITER = 828
*** TIME = .228004E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2299E-05    OSCILLATION LIMIT = 18.14
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.46    CRITERION= .4351E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1309
    HT FLOW CONVERGENCE VALUE= .1624E-01    CRITERION= .4005E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 10 COMPLETED. CUM ITER = 829
*** TIME = .228793E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2452E-05    OSCILLATION LIMIT = 19.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.23    CRITERION= .4322E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1318
    HT FLOW CONVERGENCE VALUE= .1626E-01    CRITERION= .4012E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 11 COMPLETED. CUM ITER = 830
*** TIME = .229582E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2298E-05    OSCILLATION LIMIT = 18.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.46    CRITERION= .4334E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1310
    HT FLOW CONVERGENCE VALUE= .1618E-01    CRITERION= .3986E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 12 COMPLETED. CUM ITER = 831
*** TIME = .230370E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2452E-05    OSCILLATION LIMIT = 19.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.23    CRITERION= .4305E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1319
    HT FLOW CONVERGENCE VALUE= .1620E-01    CRITERION= .3993E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 13 COMPLETED. CUM ITER = 832
*** TIME = .231159E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2298E-05    OSCILLATION LIMIT = 18.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.46    CRITERION= .4316E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1312
    HT FLOW CONVERGENCE VALUE= .1613E-01    CRITERION= .3967E-01 <<< CONVERGED
```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 14 COMPLETED. CUM ITER = 833
*** TIME = .231948E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2452E-05 OSCILLATION LIMIT = 19.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4288E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1320
HT FLOW CONVERGENCE VALUE= .1614E-01 CRITERION= .3974E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 15 COMPLETED. CUM ITER = 834
*** TIME = .232737E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2298E-05 OSCILLATION LIMIT = 18.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .4299E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1313
HT FLOW CONVERGENCE VALUE= .1607E-01 CRITERION= .3949E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 16 COMPLETED. CUM ITER = 835
*** TIME = .233526E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2452E-05 OSCILLATION LIMIT = 19.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4271E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1321
HT FLOW CONVERGENCE VALUE= .1608E-01 CRITERION= .3956E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 17 COMPLETED. CUM ITER = 836
*** TIME = .234315E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2297E-05 OSCILLATION LIMIT = 18.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .4282E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1315
HT FLOW CONVERGENCE VALUE= .1602E-01 CRITERION= .3930E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 18 COMPLETED. CUM ITER = 837
*** TIME = .235104E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2453E-05 OSCILLATION LIMIT = 19.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4253E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1322
HT FLOW CONVERGENCE VALUE= .1602E-01 CRITERION= .3937E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 19 COMPLETED. CUM ITER = 838
*** TIME = .235893E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2297E-05 OSCILLATION LIMIT = 18.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .4264E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1316
HT FLOW CONVERGENCE VALUE= .1596E-01 CRITERION= .3911E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 20 COMPLETED. CUM ITER = 839
*** TIME = .236682E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2453E-05 OSCILLATION LIMIT = 19.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4236E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1323
HT FLOW CONVERGENCE VALUE= .1596E-01 CRITERION= .3918E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 21 COMPLETED. CUM ITER = 840
*** TIME = .237471E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2296E-05 OSCILLATION LIMIT = 18.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .4247E-01
```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1318
HT FLOW CONVERGENCE VALUE= .1590E-01 CRITERION= .3892E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 22 COMPLETED. CUM ITER = 841
*** TIME = .238260E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2453E-05 OSCILLATION LIMIT = 19.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4219E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1325
HT FLOW CONVERGENCE VALUE= .1590E-01 CRITERION= .3900E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 23 COMPLETED. CUM ITER = 842
*** TIME = .239049E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2296E-05 OSCILLATION LIMIT = 18.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .4230E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1319
HT FLOW CONVERGENCE VALUE= .1585E-01 CRITERION= .3874E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 24 COMPLETED. CUM ITER = 843
*** TIME = .239838E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2453E-05 OSCILLATION LIMIT = 19.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4201E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1326
HT FLOW CONVERGENCE VALUE= .1584E-01 CRITERION= .3881E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 25 COMPLETED. CUM ITER = 844
*** TIME = .240627E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2296E-05 OSCILLATION LIMIT = 18.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .4213E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1321
HT FLOW CONVERGENCE VALUE= .1579E-01 CRITERION= .3855E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 26 COMPLETED. CUM ITER = 845
*** TIME = .241416E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2453E-05 OSCILLATION LIMIT = 19.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4184E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1327
HT FLOW CONVERGENCE VALUE= .1579E-01 CRITERION= .3862E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 27 COMPLETED. CUM ITER = 846
*** TIME = .242205E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2296E-05 OSCILLATION LIMIT = 18.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .4195E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1322
HT FLOW CONVERGENCE VALUE= .1574E-01 CRITERION= .3836E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 28 COMPLETED. CUM ITER = 847
*** TIME = .242994E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2453E-05 OSCILLATION LIMIT = 19.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4167E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1328
HT FLOW CONVERGENCE VALUE= .1573E-01 CRITERION= .3844E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 29 COMPLETED. CUM ITER = 848
*** TIME = .243782E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2295E-05 OSCILLATION LIMIT = 18.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .4178E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1324
HT FLOW CONVERGENCE VALUE= .1568E-01 CRITERION= .3818E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 30 COMPLETED. CUM ITER = 849
*** TIME = .244571E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2453E-05 OSCILLATION LIMIT = 19.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4150E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1329
HT FLOW CONVERGENCE VALUE= .1567E-01 CRITERION= .3825E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 31 COMPLETED. CUM ITER = 850
*** TIME = .245360E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2295E-05 OSCILLATION LIMIT = 18.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .4161E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1325
HT FLOW CONVERGENCE VALUE= .1562E-01 CRITERION= .3799E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 32 COMPLETED. CUM ITER = 851
*** TIME = .246149E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2453E-05 OSCILLATION LIMIT = 19.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4133E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1330
HT FLOW CONVERGENCE VALUE= .1561E-01 CRITERION= .3806E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 33 COMPLETED. CUM ITER = 852
*** TIME = .246938E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2295E-05 OSCILLATION LIMIT = 18.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .4144E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1327
HT FLOW CONVERGENCE VALUE= .1556E-01 CRITERION= .3780E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 34 COMPLETED. CUM ITER = 853
*** TIME = .247727E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2453E-05 OSCILLATION LIMIT = 19.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4115E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1331
HT FLOW CONVERGENCE VALUE= .1555E-01 CRITERION= .3787E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 35 COMPLETED. CUM ITER = 854
*** TIME = .248516E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2295E-05 OSCILLATION LIMIT = 18.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .4127E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1328
HT FLOW CONVERGENCE VALUE= .1551E-01 CRITERION= .3762E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 36 COMPLETED. CUM ITER = 855
*** TIME = .249305E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2453E-05 OSCILLATION LIMIT = 19.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4098E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1333
HT FLOW CONVERGENCE VALUE= .1549E-01 CRITERION= .3769E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 37 COMPLETED. CUM ITER = 856
*** TIME = .250094E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .2294E-05 OSCILLATION LIMIT = 18.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.47 CRITERION= .4110E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1329
 HT FLOW CONVERGENCE VALUE= .1545E-01 CRITERION= .3743E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 38 COMPLETED. CUM ITER = 857
 *** TIME = .250883E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2453E-05 OSCILLATION LIMIT = 19.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.23 CRITERION= .4081E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1334
 HT FLOW CONVERGENCE VALUE= .1543E-01 CRITERION= .3750E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 39 COMPLETED. CUM ITER = 858
 *** TIME = .251672E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2294E-05 OSCILLATION LIMIT = 18.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.47 CRITERION= .4092E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1331
 HT FLOW CONVERGENCE VALUE= .1539E-01 CRITERION= .3724E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 40 COMPLETED. CUM ITER = 859
 *** TIME = .252461E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2453E-05 OSCILLATION LIMIT = 19.35

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:37:09 MAR 25, 1995 CP= 72730.240
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 12.31 CRITERION= .3924E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1116
 HT FLOW CONVERGENCE VALUE= .1255E-01 CRITERION= .3732E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 1 COMPLETED. CUM ITER = 860
 *** TIME = .253250E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2574E-05 OSCILLATION LIMIT = 20.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3935E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1121
 HT FLOW CONVERGENCE VALUE= .1256E-01 CRITERION= .3708E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 2 COMPLETED. CUM ITER = 861
 *** TIME = .254039E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2803E-05 OSCILLATION LIMIT = 22.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.31 CRITERION= .3908E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1133
 HT FLOW CONVERGENCE VALUE= .1262E-01 CRITERION= .3716E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 3 COMPLETED. CUM ITER = 862
 *** TIME = .254828E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2608E-05 OSCILLATION LIMIT = 20.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3920E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1122
 HT FLOW CONVERGENCE VALUE= .1252E-01 CRITERION= .3691E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 4 COMPLETED. CUM ITER = 863
 *** TIME = .255617E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2799E-05 OSCILLATION LIMIT = 22.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.31 CRITERION= .3893E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1133
 HT FLOW CONVERGENCE VALUE= .1258E-01 CRITERION= .3700E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 5 COMPLETED. CUM ITER = 864
 *** TIME = .256406E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2607E-05 OSCILLATION LIMIT = 20.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3904E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1124
 HT FLOW CONVERGENCE VALUE= .1248E-01 CRITERION= .3675E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 6 COMPLETED. CUM ITER = 865
 *** TIME = .257194E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2799E-05 OSCILLATION LIMIT = 22.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.31 CRITERION= .3877E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1134
 HT FLOW CONVERGENCE VALUE= .1253E-01 CRITERION= .3683E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 7 COMPLETED. CUM ITER = 866
 *** TIME = .257983E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2606E-05 OSCILLATION LIMIT = 20.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3889E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1125
 HT FLOW CONVERGENCE VALUE= .1244E-01 CRITERION= .3659E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 8 COMPLETED. CUM ITER = 867
 *** TIME = .258772E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2799E-05 OSCILLATION LIMIT = 22.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.31 CRITERION= .3861E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1134
 HT FLOW CONVERGENCE VALUE= .1248E-01 CRITERION= .3667E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 9 COMPLETED. CUM ITER = 868
 *** TIME = .259561E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2606E-05 OSCILLATION LIMIT = 20.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3873E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1126
 HT FLOW CONVERGENCE VALUE= .1240E-01 CRITERION= .3642E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 10 COMPLETED. CUM ITER = 869
 *** TIME = .260350E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2799E-05 OSCILLATION LIMIT = 22.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.31 CRITERION= .3846E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1135
 HT FLOW CONVERGENCE VALUE= .1244E-01 CRITERION= .3650E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 11 COMPLETED. CUM ITER = 870
 *** TIME = .261139E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2605E-05 OSCILLATION LIMIT = 20.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3858E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1127

HT FLOW CONVERGENCE VALUE= .1236E-01 CRITERION= .3626E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 12 COMPLETED. CUM ITER = 871
 *** TIME = .261928E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2799E-05 OSCILLATION LIMIT = 22.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.31 CRITERION= .3830E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1136
 HT FLOW CONVERGENCE VALUE= .1239E-01 CRITERION= .3634E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 13 COMPLETED. CUM ITER = 872
 *** TIME = .262717E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2604E-05 OSCILLATION LIMIT = 20.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3842E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1129
 HT FLOW CONVERGENCE VALUE= .1232E-01 CRITERION= .3609E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 14 COMPLETED. CUM ITER = 873
 *** TIME = .263506E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2799E-05 OSCILLATION LIMIT = 22.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.31 CRITERION= .3815E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1137
 HT FLOW CONVERGENCE VALUE= .1235E-01 CRITERION= .3618E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 15 COMPLETED. CUM ITER = 874
 *** TIME = .264295E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2604E-05 OSCILLATION LIMIT = 20.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3827E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1130
 HT FLOW CONVERGENCE VALUE= .1228E-01 CRITERION= .3593E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 16 COMPLETED. CUM ITER = 875
 *** TIME = .265084E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2799E-05 OSCILLATION LIMIT = 22.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.31 CRITERION= .3799E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1137
 HT FLOW CONVERGENCE VALUE= .1230E-01 CRITERION= .3601E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 17 COMPLETED. CUM ITER = 876
 *** TIME = .265873E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2603E-05 OSCILLATION LIMIT = 20.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3811E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1131
 HT FLOW CONVERGENCE VALUE= .1224E-01 CRITERION= .3577E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 18 COMPLETED. CUM ITER = 877
 *** TIME = .266662E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2799E-05 OSCILLATION LIMIT = 22.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.31 CRITERION= .3784E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1138
 HT FLOW CONVERGENCE VALUE= .1226E-01 CRITERION= .3585E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 19 COMPLETED. CUM ITER = 878
 *** TIME = .267451E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2602E-05 OSCILLATION LIMIT = 20.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3796E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1132
HT FLOW CONVERGENCE VALUE= .1220E-01 CRITERION= .3560E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 20 COMPLETED. CUM ITER = 879
*** TIME = .268240E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2799E-05 OSCILLATION LIMIT = 22.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.31 CRITERION= .3768E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1139
HT FLOW CONVERGENCE VALUE= .1221E-01 CRITERION= .3568E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 21 COMPLETED. CUM ITER = 880
*** TIME = .269029E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2602E-05 OSCILLATION LIMIT = 20.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3780E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1133
HT FLOW CONVERGENCE VALUE= .1216E-01 CRITERION= .3544E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 22 COMPLETED. CUM ITER = 881
*** TIME = .269817E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2799E-05 OSCILLATION LIMIT = 22.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.31 CRITERION= .3753E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1140
HT FLOW CONVERGENCE VALUE= .1217E-01 CRITERION= .3552E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 23 COMPLETED. CUM ITER = 882
*** TIME = .270606E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2601E-05 OSCILLATION LIMIT = 20.52
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3765E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1134
HT FLOW CONVERGENCE VALUE= .1211E-01 CRITERION= .3527E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 24 COMPLETED. CUM ITER = 883
*** TIME = .271395E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2799E-05 OSCILLATION LIMIT = 22.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.31 CRITERION= .3738E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1140
HT FLOW CONVERGENCE VALUE= .1212E-01 CRITERION= .3536E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 25 COMPLETED. CUM ITER = 884
*** TIME = .272184E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2601E-05 OSCILLATION LIMIT = 20.52
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3749E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1136
HT FLOW CONVERGENCE VALUE= .1207E-01 CRITERION= .3511E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 26 COMPLETED. CUM ITER = 885
*** TIME = .272973E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2799E-05 OSCILLATION LIMIT = 22.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.31 CRITERION= .3722E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1141
HT FLOW CONVERGENCE VALUE= .1208E-01 CRITERION= .3519E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 27 COMPLETED. CUM ITER = 886
*** TIME = .273762E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2600E-05 OSCILLATION LIMIT = 20.52

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3734E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1137
 HT FLOW CONVERGENCE VALUE= .1203E-01 CRITERION= .3495E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 28 COMPLETED. CUM ITER = 887
 *** TIME = .274551E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2798E-05 OSCILLATION LIMIT = 22.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.32 CRITERION= .3707E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1142
 HT FLOW CONVERGENCE VALUE= .1203E-01 CRITERION= .3503E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 29 COMPLETED. CUM ITER = 888
 *** TIME = .275340E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2600E-05 OSCILLATION LIMIT = 20.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3718E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1138
 HT FLOW CONVERGENCE VALUE= .1199E-01 CRITERION= .3478E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 30 COMPLETED. CUM ITER = 889
 *** TIME = .276129E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2798E-05 OSCILLATION LIMIT = 22.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.32 CRITERION= .3691E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1143
 HT FLOW CONVERGENCE VALUE= .1199E-01 CRITERION= .3487E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 31 COMPLETED. CUM ITER = 890
 *** TIME = .276918E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2599E-05 OSCILLATION LIMIT = 20.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3703E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1139
 HT FLOW CONVERGENCE VALUE= .1195E-01 CRITERION= .3462E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 32 COMPLETED. CUM ITER = 891
 *** TIME = .277707E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2798E-05 OSCILLATION LIMIT = 22.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.32 CRITERION= .3676E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1144
 HT FLOW CONVERGENCE VALUE= .1194E-01 CRITERION= .3470E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 33 COMPLETED. CUM ITER = 892
 *** TIME = .278496E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2599E-05 OSCILLATION LIMIT = 20.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.55 CRITERION= .3688E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1140
 HT FLOW CONVERGENCE VALUE= .1190E-01 CRITERION= .3446E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 34 COMPLETED. CUM ITER = 893
 *** TIME = .279285E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2798E-05 OSCILLATION LIMIT = 22.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 12.32 CRITERION= .3660E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1145
 HT FLOW CONVERGENCE VALUE= .1190E-01 CRITERION= .3454E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 35 COMPLETED. CUM ITER = 894

```

*** TIME = .280074E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2599E-05    OSCILLATION LIMIT = 20.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.55    CRITERION= .3672E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1141
    HT FLOW CONVERGENCE VALUE= .1186E-01    CRITERION= .3429E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 36 COMPLETED. CUM ITER = 895
*** TIME = .280863E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2798E-05    OSCILLATION LIMIT = 22.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.32    CRITERION= .3645E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1145
    HT FLOW CONVERGENCE VALUE= .1185E-01    CRITERION= .3437E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 37 COMPLETED. CUM ITER = 896
*** TIME = .281652E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2598E-05    OSCILLATION LIMIT = 20.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.55    CRITERION= .3657E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1142
    HT FLOW CONVERGENCE VALUE= .1182E-01    CRITERION= .3413E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 38 COMPLETED. CUM ITER = 897
*** TIME = .282441E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2797E-05    OSCILLATION LIMIT = 22.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.32    CRITERION= .3630E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1146
    HT FLOW CONVERGENCE VALUE= .1181E-01    CRITERION= .3421E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 39 COMPLETED. CUM ITER = 898
*** TIME = .283229E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2598E-05    OSCILLATION LIMIT = 20.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 12.55    CRITERION= .3641E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1143
    HT FLOW CONVERGENCE VALUE= .1177E-01    CRITERION= .3396E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 40 COMPLETED. CUM ITER = 899
*** TIME = .284018E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2797E-05    OSCILLATION LIMIT = 22.07
    Apply loads and solve for 100 to 1000 years

*DO LOOP ON PARAMETER= TM    FROM .31558E+10 TO .31558E+11 BY .31558E+10

TIME= .31558E+10

SELECT    FOR ITEM=MAT    COMPONENT=
IN RANGE    14 TO    14 STEP    1

    6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT    ELEMENTS CREATED FROM SELECTED AREAS.

    1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
    6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION    1
1015.57476    .000000000E+00    .000000000E+00    .000000000E+00

ALL SELECT    FOR ITEM=AREA    COMPONENT=
IN RANGE    1 TO    218 STEP    1

    218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

```

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 86.642 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 86.902 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 87.393 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 76128.350 TIME= 18:38:08
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 18:38:08 MAR 25, 1995 CP= 76128.360
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 31
TIME AT END OF THE LOAD STEP.31558E+10
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3560E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9353E-01
HT FLOW CONVERGENCE VALUE= .9778E-02 CRITERION= .3406E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 1 COMPLETED. CUM ITER = 900
*** TIME = .284807E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2451E-05 OSCILLATION LIMIT = 19.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3573E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9358E-01

HT FLOW CONVERGENCE VALUE= .9737E-02 CRITERION= .3383E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 2 COMPLETED. CUM ITER = 901
 *** TIME = .285596E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2724E-05 OSCILLATION LIMIT = 21.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3547E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9459E-01
 HT FLOW CONVERGENCE VALUE= .9788E-02 CRITERION= .3393E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 3 COMPLETED. CUM ITER = 902
 *** TIME = .286385E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2501E-05 OSCILLATION LIMIT = 19.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3560E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9366E-01
 HT FLOW CONVERGENCE VALUE= .9711E-02 CRITERION= .3370E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 4 COMPLETED. CUM ITER = 903
 *** TIME = .287174E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2722E-05 OSCILLATION LIMIT = 21.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3535E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9462E-01
 HT FLOW CONVERGENCE VALUE= .9756E-02 CRITERION= .3380E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 5 COMPLETED. CUM ITER = 904
 *** TIME = .287963E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2500E-05 OSCILLATION LIMIT = 19.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3547E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9375E-01
 HT FLOW CONVERGENCE VALUE= .9683E-02 CRITERION= .3357E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 6 COMPLETED. CUM ITER = 905
 *** TIME = .288752E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2722E-05 OSCILLATION LIMIT = 21.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3522E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9466E-01
 HT FLOW CONVERGENCE VALUE= .9724E-02 CRITERION= .3366E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 7 COMPLETED. CUM ITER = 906
 *** TIME = .289541E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2500E-05 OSCILLATION LIMIT = 19.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3535E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9385E-01
 HT FLOW CONVERGENCE VALUE= .9656E-02 CRITERION= .3343E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 8 COMPLETED. CUM ITER = 907
 *** TIME = .290330E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2722E-05 OSCILLATION LIMIT = 21.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3509E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9470E-01
 HT FLOW CONVERGENCE VALUE= .9692E-02 CRITERION= .3353E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 9 COMPLETED. CUM ITER = 908
 *** TIME = .291119E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2499E-05 OSCILLATION LIMIT = 19.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3522E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9394E-01
 HT FLOW CONVERGENCE VALUE= .9628E-02 CRITERION= .3330E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 10 COMPLETED. CUM ITER = 909
 *** TIME = .291908E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2722E-05 OSCILLATION LIMIT = 21.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3497E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9474E-01
 HT FLOW CONVERGENCE VALUE= .9660E-02 CRITERION= .3340E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 11 COMPLETED. CUM ITER = 910
 *** TIME = .292697E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2498E-05 OSCILLATION LIMIT = 19.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3510E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9403E-01
 HT FLOW CONVERGENCE VALUE= .9601E-02 CRITERION= .3317E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 12 COMPLETED. CUM ITER = 911
 *** TIME = .293486E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2723E-05 OSCILLATION LIMIT = 21.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3484E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9478E-01
 HT FLOW CONVERGENCE VALUE= .9628E-02 CRITERION= .3327E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 13 COMPLETED. CUM ITER = 912
 *** TIME = .294275E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2498E-05 OSCILLATION LIMIT = 19.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3497E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9413E-01
 HT FLOW CONVERGENCE VALUE= .9572E-02 CRITERION= .3304E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 14 COMPLETED. CUM ITER = 913
 *** TIME = .295064E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2723E-05 OSCILLATION LIMIT = 21.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3472E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9483E-01
 HT FLOW CONVERGENCE VALUE= .9596E-02 CRITERION= .3313E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 15 COMPLETED. CUM ITER = 914
 *** TIME = .295853E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2497E-05 OSCILLATION LIMIT = 19.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3485E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9422E-01
 HT FLOW CONVERGENCE VALUE= .9544E-02 CRITERION= .3290E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 16 COMPLETED. CUM ITER = 915
 *** TIME = .296641E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2723E-05 OSCILLATION LIMIT = 21.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3459E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9488E-01
 HT FLOW CONVERGENCE VALUE= .9565E-02 CRITERION= .3300E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 17 COMPLETED. CUM ITER = 916
 *** TIME = .297430E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2496E-05 OSCILLATION LIMIT = 19.70

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3472E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9430E-01
 HT FLOW CONVERGENCE VALUE= .9516E-02 CRITERION= .3277E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 18 COMPLETED. CUM ITER = 917
 *** TIME = .298219E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2723E-05 OSCILLATION LIMIT = 21.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3446E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9492E-01
 HT FLOW CONVERGENCE VALUE= .9533E-02 CRITERION= .3287E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 19 COMPLETED. CUM ITER = 918
 *** TIME = .299008E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2496E-05 OSCILLATION LIMIT = 19.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3459E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9439E-01
 HT FLOW CONVERGENCE VALUE= .9487E-02 CRITERION= .3264E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 20 COMPLETED. CUM ITER = 919
 *** TIME = .299797E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2723E-05 OSCILLATION LIMIT = 21.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3434E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9497E-01
 HT FLOW CONVERGENCE VALUE= .9502E-02 CRITERION= .3274E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 21 COMPLETED. CUM ITER = 920
 *** TIME = .300586E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2495E-05 OSCILLATION LIMIT = 19.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3447E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9448E-01
 HT FLOW CONVERGENCE VALUE= .9459E-02 CRITERION= .3251E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 22 COMPLETED. CUM ITER = 921
 *** TIME = .301375E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2722E-05 OSCILLATION LIMIT = 21.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3421E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9502E-01
 HT FLOW CONVERGENCE VALUE= .9470E-02 CRITERION= .3261E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 23 COMPLETED. CUM ITER = 922
 *** TIME = .302164E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2495E-05 OSCILLATION LIMIT = 19.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3434E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9456E-01
 HT FLOW CONVERGENCE VALUE= .9430E-02 CRITERION= .3238E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 24 COMPLETED. CUM ITER = 923
 *** TIME = .302953E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2722E-05 OSCILLATION LIMIT = 21.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3409E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9508E-01
 HT FLOW CONVERGENCE VALUE= .9439E-02 CRITERION= .3247E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 25 COMPLETED. CUM ITER = 924

*** TIME = .303742E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2494E-05 OSCILLATION LIMIT = 19.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3422E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9465E-01
 HT FLOW CONVERGENCE VALUE= .9401E-02 CRITERION= .3224E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 26 COMPLETED. CUM ITER = 925
 *** TIME = .304531E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2722E-05 OSCILLATION LIMIT = 21.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3396E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9513E-01
 HT FLOW CONVERGENCE VALUE= .9407E-02 CRITERION= .3234E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 27 COMPLETED. CUM ITER = 926
 *** TIME = .305320E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2494E-05 OSCILLATION LIMIT = 19.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3409E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9473E-01
 HT FLOW CONVERGENCE VALUE= .9372E-02 CRITERION= .3211E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 28 COMPLETED. CUM ITER = 927
 *** TIME = .306109E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2722E-05 OSCILLATION LIMIT = 21.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3384E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9518E-01
 HT FLOW CONVERGENCE VALUE= .9376E-02 CRITERION= .3221E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 29 COMPLETED. CUM ITER = 928
 *** TIME = .306898E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2494E-05 OSCILLATION LIMIT = 19.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3397E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9481E-01
 HT FLOW CONVERGENCE VALUE= .9343E-02 CRITERION= .3198E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 30 COMPLETED. CUM ITER = 929
 *** TIME = .307687E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2722E-05 OSCILLATION LIMIT = 21.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3371E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9524E-01
 HT FLOW CONVERGENCE VALUE= .9345E-02 CRITERION= .3208E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 31 COMPLETED. CUM ITER = 930
 *** TIME = .308476E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2493E-05 OSCILLATION LIMIT = 19.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3384E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9489E-01
 HT FLOW CONVERGENCE VALUE= .9313E-02 CRITERION= .3185E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 32 COMPLETED. CUM ITER = 931
 *** TIME = .309264E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2722E-05 OSCILLATION LIMIT = 21.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3359E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9529E-01
 HT FLOW CONVERGENCE VALUE= .9313E-02 CRITERION= .3194E-01 <<< CONVERGED


```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 33 COMPLETED. CUM ITER = 932
*** TIME = .310053E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2493E-05 OSCILLATION LIMIT = 19.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3372E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9498E-01
HT FLOW CONVERGENCE VALUE= .9284E-02 CRITERION= .3171E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 34 COMPLETED. CUM ITER = 933
*** TIME = .310842E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2722E-05 OSCILLATION LIMIT = 21.47
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3346E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9535E-01
HT FLOW CONVERGENCE VALUE= .9282E-02 CRITERION= .3181E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 35 COMPLETED. CUM ITER = 934
*** TIME = .311631E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2492E-05 OSCILLATION LIMIT = 19.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3359E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9506E-01
HT FLOW CONVERGENCE VALUE= .9254E-02 CRITERION= .3158E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 36 COMPLETED. CUM ITER = 935
*** TIME = .312420E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2721E-05 OSCILLATION LIMIT = 21.47
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3333E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9541E-01
HT FLOW CONVERGENCE VALUE= .9251E-02 CRITERION= .3168E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 37 COMPLETED. CUM ITER = 936
*** TIME = .313209E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2492E-05 OSCILLATION LIMIT = 19.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3347E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9514E-01
HT FLOW CONVERGENCE VALUE= .9225E-02 CRITERION= .3145E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 38 COMPLETED. CUM ITER = 937
*** TIME = .313998E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2721E-05 OSCILLATION LIMIT = 21.47
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.62 CRITERION= .3321E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9547E-01
HT FLOW CONVERGENCE VALUE= .9220E-02 CRITERION= .3155E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 39 COMPLETED. CUM ITER = 938
*** TIME = .314787E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2492E-05 OSCILLATION LIMIT = 19.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 10.86 CRITERION= .3334E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9521E-01
HT FLOW CONVERGENCE VALUE= .9195E-02 CRITERION= .3132E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 40 COMPLETED. CUM ITER = 939
*** TIME = .315576E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2721E-05 OSCILLATION LIMIT = 21.47

*ENDDO INDEX= TM

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:39:02 MAR 25, 1995 CP= 79526.760
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 57.36 CRITERION= .6539E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4703
 HT FLOW CONVERGENCE VALUE= .4538E-01 CRITERION= .3120E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2476E-01
 HT FLOW CONVERGENCE VALUE= .1381E-02 CRITERION= .3118E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 1 COMPLETED. CUM ITER = 941
 *** TIME = .323465E+10 TIME INC = .788940E+08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 57.60 CRITERION= .6543E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4744
 HT FLOW CONVERGENCE VALUE= .4511E-01 CRITERION= .3074E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2469E-01
 HT FLOW CONVERGENCE VALUE= .1364E-02 CRITERION= .3072E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 2 COMPLETED. CUM ITER = 943
 *** TIME = .331355E+10 TIME INC = .788940E+08
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 172.3 CRITERION= .1751
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.428
 HT FLOW CONVERGENCE VALUE= .1303 CRITERION= .3004E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7128E-01
 HT FLOW CONVERGENCE VALUE= .3749E-02 CRITERION= .2999E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 3 COMPLETED. CUM ITER = 945
 *** TIME = .355023E+10 TIME INC = .236682E+09
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 517.5 CRITERION= .5183
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.297
 HT FLOW CONVERGENCE VALUE= .3431 CRITERION= .2731E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1873
 HT FLOW CONVERGENCE VALUE= .8429E-02 CRITERION= .2715E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 4 COMPLETED. CUM ITER = 947
 *** TIME = .426028E+10 TIME INC = .710046E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 574.8 CRITERION= .5755
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.835
 HT FLOW CONVERGENCE VALUE= .3408 CRITERION= .2451E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1872
 HT FLOW CONVERGENCE VALUE= .7291E-02 CRITERION= .2434E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 5 COMPLETED. CUM ITER = 949
 *** TIME = .504922E+10 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 575.1 CRITERION= .5755
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.899
 HT FLOW CONVERGENCE VALUE= .3021 CRITERION= .2136E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1674
 HT FLOW CONVERGENCE VALUE= .5528E-02 CRITERION= .2121E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 6 COMPLETED. CUM ITER = 951
 *** TIME = .583816E+10 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

```
HT FLOW CONVERGENCE VALUE= 344.9 CRITERION= .3456
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.983
HT FLOW CONVERGENCE VALUE= .1748 CRITERION= .1967E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9962E-01
HT FLOW CONVERGENCE VALUE= .3069E-02 CRITERION= .1959E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 7 COMPLETED. CUM ITER = 953
*** TIME = .631152E+10 TIME INC = .473364E+09
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 19:55:04 MAR 25, 1995 CP= 80471.650
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 159.2 CRITERION= .1603
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.134
HT FLOW CONVERGENCE VALUE= .7147E-01 CRITERION= .1885E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4312E-01
HT FLOW CONVERGENCE VALUE= .1511E-02 CRITERION= .1882E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 1 COMPLETED. CUM ITER = 955
*** TIME = .678488E+10 TIME INC = .473364E+09
*** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 158.9 CRITERION= .1601
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.138
HT FLOW CONVERGENCE VALUE= .6938E-01 CRITERION= .1840E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4148E-01
HT FLOW CONVERGENCE VALUE= .1427E-02 CRITERION= .1837E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 2 COMPLETED. CUM ITER = 957
*** TIME = .725825E+10 TIME INC = .473364E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)
```

```
HT FLOW CONVERGENCE VALUE= 265.2 CRITERION= .2658
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.901
HT FLOW CONVERGENCE VALUE= .1088 CRITERION= .1724E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6340E-01
HT FLOW CONVERGENCE VALUE= .2089E-02 CRITERION= .1719E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 3 COMPLETED. CUM ITER = 959
*** TIME = .804719E+10 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 265.0 CRITERION= .2656
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.913
HT FLOW CONVERGENCE VALUE= .1040 CRITERION= .1638E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5910E-01
HT FLOW CONVERGENCE VALUE= .1879E-02 CRITERION= .1634E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 4 COMPLETED. CUM ITER = 961
*** TIME = .883613E+10 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)
```

```
HT FLOW CONVERGENCE VALUE= 212.2 CRITERION= .2128
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.538
HT FLOW CONVERGENCE VALUE= .8059E-01 CRITERION= .1540E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4576E-01
HT FLOW CONVERGENCE VALUE= .1408E-02 CRITERION= .1537E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 5 COMPLETED. CUM ITER = 963
*** TIME = .946728E+10 TIME INC = .631152E+09
```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:06:37 MAR 25, 1995 CP= 81148.110
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 120.6 CRITERION= .1216
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9072
HT FLOW CONVERGENCE VALUE= .4648E-01 CRITERION= .1506E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2623E-01
HT FLOW CONVERGENCE VALUE= .7896E-03 CRITERION= .1505E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 1 COMPLETED. CUM ITER = 965
*** TIME = .100984E+11 TIME INC = .631152E+09
*** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 120.8 CRITERION= .1217
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9078
HT FLOW CONVERGENCE VALUE= .4524E-01 CRITERION= .1442E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2552E-01
HT FLOW CONVERGENCE VALUE= .7457E-03 CRITERION= .1440E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 2 COMPLETED. CUM ITER = 967
*** TIME = .107296E+11 TIME INC = .631152E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 150.8 CRITERION= .1515
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.139
HT FLOW CONVERGENCE VALUE= .5404E-01 CRITERION= .1398E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3050E-01
HT FLOW CONVERGENCE VALUE= .8443E-03 CRITERION= .1396E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 3 COMPLETED. CUM ITER = 969
*** TIME = .115185E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 151.0 CRITERION= .1516
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.142
HT FLOW CONVERGENCE VALUE= .5181E-01 CRITERION= .1321E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2936E-01
HT FLOW CONVERGENCE VALUE= .7784E-03 CRITERION= .1319E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 4 COMPLETED. CUM ITER = 971
*** TIME = .123075E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 60.24 CRITERION= .6172E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4593
HT FLOW CONVERGENCE VALUE= .2086E-01 CRITERION= .1312E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1187E-01
HT FLOW CONVERGENCE VALUE= .3153E-03 CRITERION= .1311E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 34 SUBSTEP 5 COMPLETED. CUM ITER = 973
*** TIME = .126230E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:18:11 MAR 25, 1995 CP= 81825.500
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 45.66 CRITERION= .4745E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3311
HT FLOW CONVERGENCE VALUE= .1514E-01 CRITERION= .1278E-01

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8728E-02
 HT FLOW CONVERGENCE VALUE= .2367E-03 CRITERION= .1277E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 1 COMPLETED. CUM ITER = 975
 *** TIME = .129386E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 45.43 CRITERION= .4724E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3328
 HT FLOW CONVERGENCE VALUE= .1500E-01 CRITERION= .1277E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8624E-02
 HT FLOW CONVERGENCE VALUE= .2292E-03 CRITERION= .1277E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 2 COMPLETED. CUM ITER = 977
 *** TIME = .132542E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 114.0 CRITERION= .1146
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8301
 HT FLOW CONVERGENCE VALUE= .3567E-01 CRITERION= .1219E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2055E-01
 HT FLOW CONVERGENCE VALUE= .5214E-03 CRITERION= .1218E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 3 COMPLETED. CUM ITER = 979
 *** TIME = .140431E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 113.7 CRITERION= .1144
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8336
 HT FLOW CONVERGENCE VALUE= .3454E-01 CRITERION= .1192E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1992E-01
 HT FLOW CONVERGENCE VALUE= .4859E-03 CRITERION= .1191E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 4 COMPLETED. CUM ITER = 981
 *** TIME = .148321E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 68.44 CRITERION= .6940E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5003
 HT FLOW CONVERGENCE VALUE= .2052E-01 CRITERION= .1150E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1190E-01
 HT FLOW CONVERGENCE VALUE= .2887E-03 CRITERION= .1149E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 5 COMPLETED. CUM ITER = 983
 *** TIME = .153054E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.20 CRITERION= .6922E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5024
 HT FLOW CONVERGENCE VALUE= .2013E-01 CRITERION= .1141E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1167E-01
 HT FLOW CONVERGENCE VALUE= .2754E-03 CRITERION= .1140E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 6 COMPLETED. CUM ITER = 985
 *** TIME = .157788E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:31:59 MAR 25, 1995 CP= 82637.600
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 69.22 CRITERION= .7009E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4422
 HT FLOW CONVERGENCE VALUE= .1836E-01 CRITERION= .1103E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1094E-01

HT FLOW CONVERGENCE VALUE= .2749E-03 CRITERION= .1103E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 1 COMPLETED. CUM ITER = 987
 *** TIME = .162522E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.99 CRITERION= .6992E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4442
 HT FLOW CONVERGENCE VALUE= .1807E-01 CRITERION= .1099E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1076E-01
 HT FLOW CONVERGENCE VALUE= .2641E-03 CRITERION= .1098E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 2 COMPLETED. CUM ITER = 989
 *** TIME = .167255E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 115.3 CRITERION= .1158
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7392
 HT FLOW CONVERGENCE VALUE= .2888E-01 CRITERION= .1048E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1726E-01
 HT FLOW CONVERGENCE VALUE= .4078E-03 CRITERION= .1047E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 3 COMPLETED. CUM ITER = 991
 *** TIME = .175145E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 115.1 CRITERION= .1156
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7422
 HT FLOW CONVERGENCE VALUE= .2801E-01 CRITERION= .1030E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1676E-01
 HT FLOW CONVERGENCE VALUE= .3818E-03 CRITERION= .1029E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 4 COMPLETED. CUM ITER = 993
 *** TIME = .183034E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 92.27 CRITERION= .9278E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5938
 HT FLOW CONVERGENCE VALUE= .2194E-01 CRITERION= .9859E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1318E-01
 HT FLOW CONVERGENCE VALUE= .2947E-03 CRITERION= .9852E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 5 COMPLETED. CUM ITER = 995
 *** TIME = .189346E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:43:27 MAR 25, 1995 CP= 83315.490
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 82.03 CRITERION= .8268E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4904
 HT FLOW CONVERGENCE VALUE= .1836E-01 CRITERION= .9806E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1119E-01
 HT FLOW CONVERGENCE VALUE= .2549E-03 CRITERION= .9801E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 1 COMPLETED. CUM ITER = 997
 *** TIME = .195657E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 82.27 CRITERION= .8279E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4896
 HT FLOW CONVERGENCE VALUE= .1796E-01 CRITERION= .9429E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1098E-01
 HT FLOW CONVERGENCE VALUE= .2458E-03 CRITERION= .9423E-02 <<< CONVERGED

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 2 COMPLETED. CUM ITER = 999
*** TIME = .201969E+11 TIME INC = .631152E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 102.6 CRITERION= .1031
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6144
HT FLOW CONVERGENCE VALUE= .2178E-01 CRITERION= .9325E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1331E-01
HT FLOW CONVERGENCE VALUE= .2876E-03 CRITERION= .9319E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 3 COMPLETED. CUM ITER = 1001
*** TIME = .209858E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 102.8 CRITERION= .1032
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6140
HT FLOW CONVERGENCE VALUE= .2116E-01 CRITERION= .8894E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1299E-01
HT FLOW CONVERGENCE VALUE= .2733E-03 CRITERION= .8888E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 4 COMPLETED. CUM ITER = 1003
*** TIME = .217747E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 40.96 CRITERION= .4197E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2471
HT FLOW CONVERGENCE VALUE= .8515E-02 CRITERION= .8946E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 37 SUBSTEP 5 COMPLETED. CUM ITER = 1004
*** TIME = .220903E+11 TIME INC = .315576E+09
```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:54:05 MAR 25, 1995 CP= 83943.180
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 37.46 CRITERION= .3846E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2132
HT FLOW CONVERGENCE VALUE= .7461E-02 CRITERION= .8689E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 38 SUBSTEP 1 COMPLETED. CUM ITER = 1005
*** TIME = .224059E+11 TIME INC = .315576E+09
*** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.23 CRITERION= .3828E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2154
HT FLOW CONVERGENCE VALUE= .7420E-02 CRITERION= .8759E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 38 SUBSTEP 2 COMPLETED. CUM ITER = 1006
*** TIME = .227215E+11 TIME INC = .315576E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 93.49 CRITERION= .9383E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5432
HT FLOW CONVERGENCE VALUE= .1791E-01 CRITERION= .8364E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1110E-01
HT FLOW CONVERGENCE VALUE= .2239E-03 CRITERION= .8359E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 38 SUBSTEP 3 COMPLETED. CUM ITER = 1008
*** TIME = .235104E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 93.25 CRITERION= .9368E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5501
```

HT FLOW CONVERGENCE VALUE= .1754E-01 CRITERION= .8294E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1085E-01
 HT FLOW CONVERGENCE VALUE= .2112E-03 CRITERION= .8288E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 4 COMPLETED. CUM ITER = 1010
 *** TIME = .242994E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 56.14 CRITERION= .5669E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3294
 HT FLOW CONVERGENCE VALUE= .1044E-01 CRITERION= .7988E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6485E-02
 HT FLOW CONVERGENCE VALUE= .1257E-03 CRITERION= .7985E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 5 COMPLETED. CUM ITER = 1012
 *** TIME = .247727E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 55.90 CRITERION= .5653E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3312
 HT FLOW CONVERGENCE VALUE= .1029E-01 CRITERION= .8011E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6381E-02
 HT FLOW CONVERGENCE VALUE= .1209E-03 CRITERION= .8008E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 6 COMPLETED. CUM ITER = 1014
 *** TIME = .252461E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:06:11 MAR 25, 1995 CP= 84656.320
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 50.00 CRITERION= .5058E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2762
 HT FLOW CONVERGENCE VALUE= .8735E-02 CRITERION= .7735E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5492E-02
 HT FLOW CONVERGENCE VALUE= .1066E-03 CRITERION= .7733E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 1 COMPLETED. CUM ITER = 1016
 *** TIME = .257194E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 49.77 CRITERION= .5042E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2778
 HT FLOW CONVERGENCE VALUE= .8644E-02 CRITERION= .7787E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5421E-02
 HT FLOW CONVERGENCE VALUE= .1031E-03 CRITERION= .7785E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 2 COMPLETED. CUM ITER = 1018
 *** TIME = .261928E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 83.26 CRITERION= .8357E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4614
 HT FLOW CONVERGENCE VALUE= .1395E-01 CRITERION= .7439E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8780E-02
 HT FLOW CONVERGENCE VALUE= .1632E-03 CRITERION= .7436E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 3 COMPLETED. CUM ITER = 1020
 *** TIME = .269817E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 83.03 CRITERION= .8342E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4635
 HT FLOW CONVERGENCE VALUE= .1366E-01 CRITERION= .7417E-02

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8590E-02
 HT FLOW CONVERGENCE VALUE= .1555E-03 CRITERION= .7413E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 4 COMPLETED. CUM ITER = 1022
 *** TIME = .277707E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 66.64 CRITERION= .6699E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3699
 HT FLOW CONVERGENCE VALUE= .1077E-01 CRITERION= .7104E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6791E-02
 HT FLOW CONVERGENCE VALUE= .1216E-03 CRITERION= .7101E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 5 COMPLETED. CUM ITER = 1024
 *** TIME = .284018E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:17:46 MAR 25, 1995 CP= 85333.980
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 58.57 CRITERION= .5905E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3198
 HT FLOW CONVERGENCE VALUE= .9263E-02 CRITERION= .7142E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5853E-02
 HT FLOW CONVERGENCE VALUE= .1039E-03 CRITERION= .7140E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 1 COMPLETED. CUM ITER = 1026
 *** TIME = .290330E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.80 CRITERION= .5917E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3186
 HT FLOW CONVERGENCE VALUE= .9097E-02 CRITERION= .6854E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5770E-02
 HT FLOW CONVERGENCE VALUE= .1013E-03 CRITERION= .6852E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 2 COMPLETED. CUM ITER = 1028
 *** TIME = .296641E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 73.24 CRITERION= .7362E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4003
 HT FLOW CONVERGENCE VALUE= .1111E-01 CRITERION= .6862E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7036E-02
 HT FLOW CONVERGENCE VALUE= .1199E-03 CRITERION= .6859E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 3 COMPLETED. CUM ITER = 1030
 *** TIME = .304531E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 73.48 CRITERION= .7373E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3992
 HT FLOW CONVERGENCE VALUE= .1085E-01 CRITERION= .6543E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6899E-02
 HT FLOW CONVERGENCE VALUE= .1154E-03 CRITERION= .6540E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 4 COMPLETED. CUM ITER = 1032
 *** TIME = .312420E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 29.22 CRITERION= .3000E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1609
 HT FLOW CONVERGENCE VALUE= .4366E-02 CRITERION= .6642E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 40 SUBSTEP 5 COMPLETED. CUM ITER = 1033
*** TIME = .315576E+11 TIME INC = .315576E+09

FINISH SOLUTION PROCESSING

***** ROUTINE COMPLETED ***** CP = 85960.000

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12w2.db
FOR POSSIBLE RESUME FROM THIS POINT

Create element contour plots of solution results

Sort through solution results for time of max temp.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 21:28:29 MAR 25, 1995 CP= 85967.090
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

VARIABLE 2 IS AT NODE 2929 ITEM= TEMP COMP= NAME= peakclad

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES

VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
------	------	-------------	------	---------	---------	---------	---------

2	NSOL	2929 TEMP	peakclad	78.58	.3156E+11	198.5	.6312E+08
---	------	-----------	----------	-------	-----------	-------	-----------

*GET TMTMAX FROM VARI 2 ITEM=EXTR TMAX VALUE= 63115231.6

***** ROUTINE COMPLETED ***** CP = 85967.380

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 21:28:31 MAR 25, 1995 CP= 85967.420
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS RESULTS INTERPRETATION (POST1) *****

Create temperature contour plots of WP at peak

GRAPHIC DISPLAY RESET

XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (PRECISE) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS -1 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

4280 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .63115E+08

SET COMMAND GOT LOAD STEP= 14 SUBSTEP= 40 CUMULATIVE ITERATION= 259
TIME/FREQUENCY= .63115E+08

TITLE=
12 PWR MPC/WP at Time of Peak Temp. (2.000001 years)

/SHOW SWITCH PLOTS TO FILE solupk.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 AUTOMATIC CONTOURS

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solupk.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at Time of Peak Temp. (2.000001 years)

*** WARNING *** CP= 85999.750 TIME= 21:29:16
The selected element set contains mixed materials.
This could invalidate error estimation.
Create temperature contour plots at 10, 50, and 100 yrs

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+09

SET COMMAND GOT LOAD STEP= 22 SUBSTEP= 40 CUMULATIVE ITERATION= 579
TIME/FREQUENCY= .31558E+09

TITLE=
12 PWR MPC/WP at 10 years

/SHOW SWITCH PLOTS TO FILE solu10.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 92.768 BY .83265 TO 198.51

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP= ,

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu10.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 10 years

*** WARNING *** CP= 86041.950 TIME= 21:30:01
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .15779E+10

SET COMMAND GOT LOAD STEP= 26 SUBSTEP= 40 CUMULATIVE ITERATION= 739
TIME/FREQUENCY= .15779E+10

TITLE=
12 PWR MPC/WP at 50 years

/SHOW SWITCH PLOTS TO FILE solu50.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 92.768 BY .83265 TO 198.51

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu50.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 50 years

*** WARNING *** CP= 86082.270 TIME= 21:30:42
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+10

SET COMMAND GOT LOAD STEP= 31 SUBSTEP= 40 CUMULATIVE ITERATION= 939
TIME/FREQUENCY= .31558E+10

TITLE=
12 PWR MPC/WP at 100 years

/SHOW SWITCH PLOTS TO FILE solu100.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 92.768 BY .83265 TO 198.51

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu100.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 100 years

*** WARNING *** CP= 86125.590 TIME= 21:31:26
The selected element set contains mixed materials.
This could invalidate error estimation.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

EXIT THE ANSYS POST1 DATABASE PROCESSOR

***** ROUTINE COMPLETED ***** CP = 86134.070

Print time/temperature output at specific locations
Save profile from center to edge

Variable Legend: A01i000

x = center of waste package
f = flux trap plate stainless layer
w = flux trap plate SS sheath
c = center of assembly
h = halfway between center and tube
s = inside structural stainless tube layer
a = aluminum-born tube layer
t = stainless tube cladding
g = tube guide
m = mpc shell
i = inner barrier of DC

o = outer barrier of DC
 ## = ID number of assembly (01 is center)
 i = side of assembly toward center of WP
 o = side of assembly toward edge of WP
 000 = profile center down
 045 = profile 45 deg down
 090 = profile center side
 135 = profile 45 deg up
 180 = profile center up

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:31:34 MAR 25, 1995 CP= 86134.080
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

MAXIMUM NUMBER OF VARIABLES= 30

 * Temperature Profile from center to lower right (45 deg.) *

VARIABLE 2	IS AT NODE	5522	ITEM= TEMP COMP=	NAME= x04i045
VARIABLE 3	IS AT NODE	1655	ITEM= TEMP COMP=	NAME= f04i045
VARIABLE 4	IS AT NODE	1762	ITEM= TEMP COMP=	NAME= f04o045
VARIABLE 5	IS AT NODE	2036	ITEM= TEMP COMP=	NAME= w04i045
VARIABLE 6	IS AT NODE	2177	ITEM= TEMP COMP=	NAME= w04o045
VARIABLE 7	IS AT NODE	2552	ITEM= TEMP COMP=	NAME= s04i045
VARIABLE 8	IS AT NODE	2977	ITEM= TEMP COMP=	NAME= h04i045
VARIABLE 9	IS AT NODE	2929	ITEM= TEMP COMP=	NAME= c04i045
VARIABLE 10	IS AT NODE	2881	ITEM= TEMP COMP=	NAME= h04o045
VARIABLE 11	IS AT NODE	2566	ITEM= TEMP COMP=	NAME= s04o045
VARIABLE 12	IS AT NODE	2427	ITEM= TEMP COMP=	NAME= a04o045
VARIABLE 13	IS AT NODE	2303	ITEM= TEMP COMP=	NAME= t04i045
VARIABLE 14	IS AT NODE	2289	ITEM= TEMP COMP=	NAME= t04o045
VARIABLE 15	IS AT NODE	3528	ITEM= TEMP COMP=	NAME= g04i045
VARIABLE 16	IS AT NODE	3545	ITEM= TEMP COMP=	NAME= g04o045
VARIABLE 17	IS AT NODE	3760	ITEM= TEMP COMP=	NAME= m04i045
VARIABLE 18	IS AT NODE	3707	ITEM= TEMP COMP=	NAME= m04o045
VARIABLE 19	IS AT NODE	4142	ITEM= TEMP COMP=	NAME= i04i045
VARIABLE 20	IS AT NODE	4200	ITEM= TEMP COMP=	NAME= i04o045
VARIABLE 21	IS AT NODE	4595	ITEM= TEMP COMP=	NAME= o04o045

Add centers of assemblies 5 and 6

VARIABLE 22 IS AT NODE 3098 ITEM= TEMP COMP= NAME= c05i045

VARIABLE 23 IS AT NODE 2760 ITEM= TEMP COMP= NAME= c06i045

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES						
VARI TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2 NSOL	5522 TEMP	x04i045	77.17	.3156E+11	183.3	.9467E+08
3 NSOL	1655 TEMP	f04i045	77.18	.3156E+11	183.3	.9467E+08
4 NSOL	1762 TEMP	f04o045	77.18	.3156E+11	183.3	.9467E+08
5 NSOL	2036 TEMP	w04i045	77.18	.3156E+11	183.3	.9467E+08
6 NSOL	2177 TEMP	w04o045	77.18	.3156E+11	183.3	.9467E+08
7 NSOL	2552 TEMP	s04i045	77.18	.3156E+11	183.3	.9467E+08
8 NSOL	2977 TEMP	h04i045	77.91	.3156E+11	191.5	.6312E+08
9 NSOL	2929 TEMP	c04i045	78.58	.3156E+11	198.5	.6312E+08
10 NSOL	2881 TEMP	h04o045	77.84	.3156E+11	189.6	.6312E+08
11 NSOL	2566 TEMP	s04o045	77.04	.3156E+11	179.9	.9467E+08
12 NSOL	2427 TEMP	a04o045	77.04	.3156E+11	179.9	.9467E+08
13 NSOL	2303 TEMP	t04i045	77.04	.3156E+11	179.9	.9467E+08
14 NSOL	2289 TEMP	t04o045	77.03	.3156E+11	179.7	.9467E+08
15 NSOL	3528 TEMP	g04i045	75.73	.3156E+11	163.9	.9467E+08
16 NSOL	3545 TEMP	g04o045	75.69	.3156E+11	163.3	.9467E+08
17 NSOL	3760 TEMP	m04i045	73.22	.3156E+11	134.7	.1893E+09
18 NSOL	3707 TEMP	m04o045	73.18	.3156E+11	134.1	.1893E+09
19 NSOL	4142 TEMP	i04i045	27.74	.1000E-05	102.2	.6312E+09
20 NSOL	4200 TEMP	i04o045	26.94	.1000E-05	101.7	.6312E+09
21 NSOL	4595 TEMP	o04o045	26.14	.1000E-05	101.1	.6312E+09
22 NSOL	3098 TEMP	c05i045	77.52	.3156E+11	184.9	.6312E+08
23 NSOL	2760 TEMP	c06i045	77.55	.3156E+11	185.2	.6312E+08

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:31:38 MAR 25, 1995 CP= 86137.730
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5522 TEMP x04i045	1655 TEMP f04i045	1762 TEMP f04o045	2036 TEMP w04i045	2177 TEMP w04o045	2552 TEMP s04i045
.10000E-05	149.506	149.505	149.506	149.506	149.507	149.511
.20000E-05	165.217	165.217	165.218	165.217	165.218	165.222
31.558	165.217	165.217	165.218	165.217	165.218	165.222
.31558E+07	174.991	175.006	175.018	175.019	175.020	175.024
.63116E+07	177.201	177.217	177.228	177.229	177.230	177.235
.94673E+07	178.486	178.502	178.513	178.514	178.516	178.520
.12623E+08	179.355	179.370	179.382	179.383	179.384	179.389
.15779E+08	180.032	180.048	180.060	180.061	180.062	180.066
.18935E+08	180.565	180.581	180.593	180.594	180.595	180.599
.22090E+08	181.028	181.044	181.056	181.057	181.058	181.062
.25246E+08	181.382	181.398	181.410	181.411	181.412	181.416
.28402E+08	181.683	181.699	181.711	181.712	181.713	181.717
.31558E+08	181.945	181.961	181.973	181.974	181.975	181.979
.63115E+08	183.248	183.264	183.276	183.277	183.279	183.283
.94673E+08	183.262	183.278	183.290	183.291	183.292	183.297
.12623E+09	182.889	182.904	182.916	182.917	182.918	182.922
.15779E+09	182.240	182.256	182.267	182.268	182.269	182.273
.18935E+09	181.468	181.484	181.495	181.496	181.497	181.501
.22090E+09	180.629	180.644	180.656	180.657	180.658	180.661
.25246E+09	179.826	179.841	179.852	179.853	179.854	179.858
.28402E+09	178.659	178.674	178.686	178.686	178.687	178.691
.31558E+09	177.785	177.800	177.811	177.812	177.813	177.817
.63115E+09	167.333	167.346	167.355	167.356	167.357	167.360
.94673E+09	157.945	157.956	157.965	157.965	157.966	157.969

.12623E+10	148.916	148.926	148.934	148.934	148.935	148.937
.15779E+10	141.355	141.364	141.370	141.371	141.371	141.373
.18935E+10	134.948	134.956	134.962	134.962	134.963	134.965
.22090E+10	129.513	129.520	129.526	129.526	129.527	129.529
.25246E+10	124.768	124.775	124.780	124.780	124.780	124.782
.28402E+10	120.714	120.720	120.725	120.725	120.725	120.727
.31558E+10	117.329	117.335	117.339	117.340	117.340	117.341
.63115E+10	100.633	100.637	100.639	100.640	100.640	100.641
.94673E+10	93.9815	93.9846	93.9869	93.9870	93.9872	93.9879
.12623E+11	89.9998	90.0024	90.0043	90.0045	90.0046	90.0052
.15779E+11	87.0754	87.0778	87.0794	87.0795	87.0797	87.0802
.18935E+11	84.4485	84.4506	84.4520	84.4521	84.4523	84.4527
.22090E+11	82.2517	82.2535	82.2548	82.2549	82.2550	82.2554
.25246E+11	80.2871	80.2888	80.2899	80.2900	80.2901	80.2905
.28402E+11	78.6212	78.6227	78.6238	78.6238	78.6239	78.6242
.31558E+11	77.1741	77.1755	77.1765	77.1766	77.1767	77.1770

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:31:38 MAR 25, 1995 CP= 86137.730
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2977 TEMP h04i045	2929 TEMP c04i045	2881 TEMP h04o045	2566 TEMP s04o045	2427 TEMP a04o045	2303 TEMP t04i045
.10000E-05	159.123	167.412	157.379	146.265	146.238	146.209
.20000E-05	174.312	182.106	172.431	161.775	161.747	161.718
31.558	174.312	182.106	172.431	161.775	161.747	161.718
.31558E+07	183.803	191.314	181.899	171.552	171.524	171.494
.63116E+07	185.932	193.365	184.012	173.739	173.711	173.682
.94673E+07	187.165	194.550	185.237	175.015	174.987	174.957
.12623E+08	187.988	195.331	186.057	175.881	175.853	175.824
.15779E+08	188.627	195.937	186.696	176.559	176.531	176.502
.18935E+08	189.126	196.405	187.195	177.094	177.066	177.036
.22090E+08	189.559	196.812	187.629	177.560	177.532	177.503
.25246E+08	189.883	197.110	187.954	177.917	177.889	177.860
.28402E+08	190.157	197.360	188.230	178.222	178.194	178.165
.31558E+08	190.394	197.574	188.469	178.489	178.462	178.432
.63115E+08	191.502	198.515	189.603	179.844	179.817	179.789
.94673E+08	191.356	198.235	189.492	179.924	179.897	179.869
.12623E+09	190.847	197.615	189.018	179.613	179.587	179.560
.15779E+09	190.071	196.734	188.278	179.031	179.005	178.978
.18935E+09	189.178	195.741	187.422	178.325	178.300	178.273
.22090E+09	188.223	194.693	186.503	177.549	177.524	177.498
.25246E+09	187.308	193.687	185.622	176.808	176.783	176.758
.28402E+09	186.041	192.340	184.390	175.703	175.679	175.654
.31558E+09	185.086	191.319	183.462	174.878	174.854	174.830
.63115E+09	173.736	179.244	172.412	164.954	164.935	164.914
.94673E+09	163.648	168.587	162.551	155.964	155.947	155.930
.12623E+10	154.024	158.474	153.108	147.256	147.242	147.227
.15779E+10	145.959	149.996	145.178	139.936	139.923	139.910
.18935E+10	139.124	142.800	138.450	133.719	133.708	133.696
.22090E+10	133.329	136.699	132.740	128.435	128.425	128.415
.25246E+10	128.295	131.419	127.772	123.807	123.798	123.788
.28402E+10	123.979	126.879	123.512	119.853	119.844	119.836
.31558E+10	120.379	123.092	119.955	116.547	116.539	116.531
.63115E+10	102.653	104.468	102.414	100.184	100.179	100.174
.94673E+10	95.6185	97.0960	95.4362	93.6362	93.6325	93.6286
.12623E+11	91.3989	92.6645	91.2490	89.7142	89.7111	89.7078
.15779E+11	88.3034	89.4157	88.1755	86.8309	86.8282	86.8254
.18935E+11	85.5363	86.5229	85.4259	84.2366	84.2343	84.2318
.22090E+11	83.2287	84.1159	83.1317	82.0647	82.0626	82.0604
.25246E+11	81.1678	81.9683	81.0823	80.1218	80.1199	80.1179
.28402E+11	79.4241	80.1545	79.3476	78.4728	78.4711	78.4692

1 .31558E+11 77.9107 78.5813 77.8417 77.0399 77.0383 77.0367

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:31:38 MAR 25, 1995 CP= 86137.750
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2289 TEMP t04o045	3528 TEMP g04i045	3545 TEMP g04o045	3760 TEMP m04i045	3707 TEMP m04o045	4142 TEMP i04i045
.10000E-05	146.074	127.472	126.808	89.4896	88.8005	27.7373
.20000E-05	161.583	143.772	143.106	108.510	107.822	58.5572
.31558E+07	161.582	143.772	143.106	108.510	107.822	58.5573
.63116E+07	171.360	154.167	153.502	120.764	120.084	76.9471
.94673E+07	173.547	156.483	155.818	123.449	122.769	80.7176
.12623E+08	174.824	157.851	157.187	125.076	124.398	83.0726
.15779E+08	175.690	158.799	158.136	126.240	125.564	84.8149
.18935E+08	176.369	159.548	158.887	127.174	126.498	86.2072
.22090E+08	176.904	160.147	159.487	127.934	127.261	87.3583
.25246E+08	177.370	160.671	160.012	128.601	127.929	88.3475
.28402E+08	177.727	161.084	160.426	129.151	128.481	89.2121
.31558E+08	178.033	161.442	160.786	129.636	128.967	89.9771
.63115E+08	178.301	161.760	161.105	130.073	129.406	90.6745
.94673E+08	179.659	163.503	162.860	132.706	132.052	95.0796
.12623E+09	179.743	163.911	163.280	133.820	133.179	97.4168
.15779E+09	179.435	163.881	163.261	134.374	133.745	98.9089
.18935E+09	178.856	163.566	162.958	134.607	133.990	99.9691
.22090E+09	178.153	163.116	162.519	134.672	134.067	100.784
.25246E+09	177.380	162.583	161.998	134.624	134.030	101.421
.28402E+09	176.642	162.078	161.503	134.590	134.006	102.048
.31558E+09	175.540	161.188	160.623	134.111	133.537	102.087
.63115E+09	174.717	160.535	159.978	133.791	133.226	102.195
.94673E+09	164.819	152.510	152.041	129.380	128.902	102.249
.12623E+10	155.848	145.001	144.599	124.627	124.217	100.750
.15779E+10	147.156	137.541	137.194	119.462	119.108	98.1890
.18935E+10	139.847	131.237	130.932	115.023	114.712	95.8619
.22090E+10	133.641	125.872	125.602	111.224	110.948	93.8427
.25246E+10	128.365	121.301	121.059	107.963	107.716	92.0761
.28402E+10	123.743	117.241	117.021	104.942	104.717	90.2237
.31558E+10	119.794	113.799	113.598	102.445	102.240	88.8095
.63115E+10	116.493	110.914	110.729	100.334	100.146	87.5909
.94673E+10	100.150	96.5239	96.4092	89.5988	89.4820	81.1036
.12623E+11	93.6096	90.6842	90.5935	85.0821	84.9899	78.1399
.15779E+11	89.6917	87.1976	87.1212	82.4144	82.3367	76.4528
.18935E+11	86.8114	84.6268	84.5606	80.4325	80.3651	75.1812
.22090E+11	84.2195	82.2878	82.2297	78.5740	78.5150	73.9013
.25246E+11	82.0494	80.3162	80.2644	76.9801	76.9275	72.7646
.28402E+11	80.1081	78.5487	78.5024	75.5440	75.4969	71.7317
.31558E+11	78.4604	77.0406	76.9987	74.3020	74.2594	70.8138
	77.0286	75.7274	75.6891	73.2152	73.1763	70.0057

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:31:38 MAR 25, 1995 CP= 86137.760
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4200 TEMP i04o045	4595 TEMP o04o045	3098 TEMP c05i045	2760 TEMP c06i045
------	----------------------	----------------------	----------------------	----------------------

.10000E-05	26.9385	26.1398	152.460	152.665
.20000E-05	57.7590	56.9590	167.555	167.754
31.558	57.7590	56.9590	167.555	167.754
.31558E+07	76.1557	75.3638	177.018	177.382
.63116E+07	79.9249	79.1275	179.126	179.496
.94673E+07	82.2816	81.4861	180.357	180.729
.12623E+08	84.0259	83.2323	181.186	181.559
.15779E+08	85.4201	84.6289	181.835	182.208
.18935E+08	86.5730	85.7839	182.344	182.716
.22090E+08	87.5639	86.7774	182.789	183.161
.25246E+08	88.4301	87.6453	183.122	183.495
.28402E+08	89.1969	88.4139	183.409	183.781
.31558E+08	89.8960	89.1146	183.657	184.029
.63115E+08	94.3170	93.5503	184.878	185.247
.94673E+08	96.6710	95.9192	184.854	185.218
.12623E+09	98.1777	97.4396	184.460	184.820
.15779E+09	99.2522	98.5277	183.799	184.155
.18935E+09	100.081	99.3694	183.020	183.371
.22090E+09	100.731	100.033	182.177	182.523
.25246E+09	101.370	100.685	181.368	181.710
.28402E+09	101.422	100.749	180.208	180.543
.31558E+09	101.539	100.876	179.336	179.667
.63115E+09	101.694	101.134	168.900	169.189
.94673E+09	100.273	99.7900	159.512	159.767
.12623E+10	97.7753	97.3579	150.449	150.674
.15779E+10	95.4981	95.1319	142.822	143.024
.18935E+10	93.5195	93.1948	136.347	136.530
.22090E+10	91.7864	91.4955	130.846	131.012
.25246E+10	89.9604	89.6961	126.044	126.197
.28402E+10	88.5694	88.3284	121.931	122.073
.31558E+10	87.3695	87.1473	118.494	118.626
.63115E+10	80.9660	80.8275	101.496	101.582
.94673E+10	78.0309	77.9217	94.7011	94.7696
.12623E+11	76.3609	76.2682	90.6257	90.6841
.15779E+11	75.1014	75.0208	87.6319	87.6829
.18935E+11	73.8311	73.7609	84.9471	84.9921
.22090E+11	72.7020	72.6388	82.7033	82.7436
.25246E+11	71.6758	71.6192	80.6984	80.7346
.28402E+11	70.7630	70.7123	78.9989	79.0322
.31558E+11	69.9594	69.9125	77.5227	77.5535

 * Temperature Profile from center to upper right (135 deg.) *

VARIABLE 2 IS AT NODE 5522 ITEM= TEMP COMP= NAME= x01i135

*** WARNING *** CP= 86137.930 TIME= 21:31:38
 NSOL command erases all previously stored or calculated data
 unless STORE, MERGE is used.

VARIABLE 3 IS AT NODE 64 ITEM= TEMP COMP= NAME= f01i135

VARIABLE 4 IS AT NODE 171 ITEM= TEMP COMP= NAME= f01o135

VARIABLE 5 IS AT NODE 445 ITEM= TEMP COMP= NAME= w01i135

VARIABLE 6 IS AT NODE 586 ITEM= TEMP COMP= NAME= w01o135

VARIABLE 7 IS AT NODE 961 ITEM= TEMP COMP= NAME= s01i135

VARIABLE 8 IS AT NODE 1386 ITEM= TEMP COMP= NAME= h01i135

VARIABLE 9 IS AT NODE 1338 ITEM= TEMP COMP= NAME= c01i135

VARIABLE 10 IS AT NODE 1290 ITEM= TEMP COMP= NAME= h01o135

VARIABLE 11 IS AT NODE 975 ITEM= TEMP COMP= NAME= s01o135

VARIABLE 12 IS AT NODE 836 ITEM= TEMP COMP= NAME= a01o135

VARIABLE 13 IS AT NODE 712 ITEM= TEMP COMP= NAME= t01i135
 VARIABLE 14 IS AT NODE 698 ITEM= TEMP COMP= NAME= t01o135
 VARIABLE 15 IS AT NODE 3332 ITEM= TEMP COMP= NAME= g01i135
 VARIABLE 16 IS AT NODE 3318 ITEM= TEMP COMP= NAME= g01o135
 VARIABLE 17 IS AT NODE 3974 ITEM= TEMP COMP= NAME= m01i135
 VARIABLE 18 IS AT NODE 3924 ITEM= TEMP COMP= NAME= m01o135
 VARIABLE 19 IS AT NODE 4369 ITEM= TEMP COMP= NAME= i01i135
 VARIABLE 20 IS AT NODE 4424 ITEM= TEMP COMP= NAME= i01o135
 VARIABLE 21 IS AT NODE 4763 ITEM= TEMP COMP= NAME= o01o135
 Add centers of assemblies 2 and 3
 VARIABLE 22 IS AT NODE 1507 ITEM= TEMP COMP= NAME= c02i135
 VARIABLE 23 IS AT NODE 1169 ITEM= TEMP COMP= NAME= c03i135
 STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES							
VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2	NSOL	5522 TEMP	x01i135	77.17	.3156E+11	183.3	.9467E+08
3	NSOL	64 TEMP	f01i135	77.17	.3156E+11	183.2	.9467E+08
4	NSOL	171 TEMP	f01o135	77.17	.3156E+11	183.2	.9467E+08
5	NSOL	445 TEMP	w01i135	77.17	.3156E+11	183.2	.9467E+08
6	NSOL	586 TEMP	w01o135	77.17	.3156E+11	183.2	.9467E+08
7	NSOL	961 TEMP	s01i135	77.17	.3156E+11	183.2	.9467E+08
8	NSOL	1386 TEMP	h01i135	77.90	.3156E+11	191.4	.6312E+08
9	NSOL	1338 TEMP	c01i135	78.57	.3156E+11	198.4	.6312E+08
10	NSOL	1290 TEMP	h01o135	77.83	.3156E+11	189.4	.6312E+08
11	NSOL	975 TEMP	s01o135	77.02	.3156E+11	179.7	.9467E+08
12	NSOL	836 TEMP	a01o135	77.02	.3156E+11	179.7	.9467E+08
13	NSOL	712 TEMP	t01i135	77.02	.3156E+11	179.6	.9467E+08
14	NSOL	698 TEMP	t01o135	77.01	.3156E+11	179.5	.9467E+08
15	NSOL	3332 TEMP	g01i135	75.69	.3156E+11	163.5	.9467E+08
16	NSOL	3918 TEMP	g01o135	75.66	.3156E+11	162.9	.9467E+08
17	NSOL	3974 TEMP	m01i135	73.16	.3156E+11	134.0	.1893E+09
18	NSOL	3924 TEMP	m01o135	73.12	.3156E+11	133.4	.1893E+09
19	NSOL	4369 TEMP	i01i135	27.74	.1000E-05	101.4	.6312E+09
20	NSOL	4424 TEMP	i01o135	26.94	.1000E-05	100.8	.6312E+09
21	NSOL	4763 TEMP	o01o135	26.14	.1000E-05	100.3	.6312E+09
22	NSOL	1507 TEMP	c02i135	77.51	.3156E+11	184.7	.6312E+08
23	NSOL	1169 TEMP	c03i135	77.51	.3156E+11	184.8	.6312E+08

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:31:42 MAR 25, 1995 CP= 86141.420
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
 12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5522 TEMP x01i135	64 TEMP f01i135	171 TEMP f01o135	445 TEMP w01i135	586 TEMP w01o135	961 TEMP s01i135
.10000E-05	149.506	149.506	149.507	149.507	149.507	149.512
.20000E-05	165.217	165.217	165.217	165.217	165.218	165.222
31.558	165.217	165.217	165.217	165.217	165.218	165.222
.31558E+07	174.991	174.977	174.967	174.966	174.967	174.970

.63116E+07	177.201	177.185	177.176	177.175	177.175	177.179
.94673E+07	178.486	178.470	178.460	178.459	178.459	178.463
.12623E+08	179.355	179.339	179.329	179.327	179.328	179.332
.15779E+08	180.032	180.016	180.006	180.005	180.005	180.009
.18935E+08	180.565	180.549	180.539	180.538	180.538	180.542
.22090E+08	181.028	181.012	181.001	181.000	181.001	181.005
.25246E+08	181.382	181.366	181.355	181.354	181.355	181.358
.28402E+08	181.683	181.667	181.656	181.655	181.655	181.659
.31558E+08	181.945	181.929	181.919	181.917	181.918	181.922
.63115E+08	183.248	183.232	183.222	183.221	183.221	183.225
.94673E+08	183.262	183.247	183.236	183.235	183.236	183.239
.12623E+09	182.889	182.873	182.863	182.861	182.862	182.865
.15779E+09	182.240	182.224	182.214	182.213	182.213	182.217
.18935E+09	181.468	181.453	181.443	181.442	181.442	181.445
.22090E+09	180.629	180.613	180.603	180.602	180.603	180.606
.25246E+09	179.826	179.810	179.800	179.799	179.800	179.803
.28402E+09	178.659	178.644	178.635	178.634	178.634	178.637
.31558E+09	177.785	177.771	177.761	177.760	177.760	177.764
.63115E+09	167.333	167.320	167.312	167.311	167.311	167.314
.94673E+09	157.945	157.933	157.926	157.925	157.925	157.928
.12623E+10	148.916	148.906	148.900	148.899	148.899	148.901
.15779E+10	141.355	141.346	141.340	141.339	141.339	141.341
.18935E+10	134.948	134.940	134.934	134.934	134.934	134.935
.22090E+10	129.513	129.505	129.500	129.500	129.500	129.501
.25246E+10	124.768	124.761	124.756	124.756	124.756	124.757
.28402E+10	120.714	120.707	120.703	120.702	120.702	120.704
.31558E+10	117.329	117.323	117.319	117.318	117.318	117.319
.63115E+10	100.633	100.629	100.626	100.626	100.626	100.627
.94673E+10	93.9815	93.9784	93.9763	93.9761	93.9762	93.9768
.12623E+11	89.9998	89.9971	89.9953	89.9951	89.9952	89.9957
.15779E+11	87.0754	87.0731	87.0716	87.0714	87.0715	87.0719
.18935E+11	84.4485	84.4465	84.4451	84.4450	84.4450	84.4454
.22090E+11	82.2517	82.2498	82.2486	82.2485	82.2485	82.2489
.25246E+11	80.2871	80.2855	80.2844	80.2843	80.2843	80.2846
.28402E+11	78.6212	78.6197	78.6186	78.6185	78.6186	78.6188
.31558E+11	77.1741	77.1727	77.1718	77.1717	77.1717	77.1719

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:31:42 MAR 25, 1995 CP= 86141.430
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	1386 TEMP h01i135	1338 TEMP c01i135	1290 TEMP h01o135	975 TEMP s01o135	836 TEMP a01o135	712 TEMP t01i135
.10000E-05	159.125	167.414	157.382	146.269	146.242	146.213
.20000E-05	174.311	182.105	172.430	161.775	161.747	161.717
.31558E-05	174.311	182.105	172.430	161.775	161.747	161.717
.31558E+07	183.719	191.183	181.717	171.341	171.313	171.283
.63116E+07	185.844	193.228	183.821	173.519	173.491	173.461
.94673E+07	187.076	194.410	185.044	174.792	174.763	174.734
.12623E+08	187.898	195.191	185.863	175.656	175.628	175.598
.15779E+08	188.537	195.796	186.500	176.333	176.305	176.275
.18935E+08	189.036	196.264	186.999	176.867	176.838	176.809
.22090E+08	189.469	196.670	187.432	177.332	177.304	177.274
.25246E+08	189.793	196.967	187.757	177.688	177.660	177.631
.28402E+08	190.067	197.218	188.032	177.993	177.965	177.936
.31558E+08	190.303	197.431	188.271	178.260	178.232	178.203
.63115E+08	191.411	198.372	189.404	179.615	179.588	179.559
.94673E+08	191.265	198.092	189.294	179.696	179.669	179.641
.12623E+09	190.758	197.474	188.822	179.387	179.361	179.333
.15779E+09	189.982	196.593	188.084	178.807	178.781	178.754
.18935E+09	189.089	195.602	187.229	178.103	178.077	178.051
.22090E+09	188.136	194.556	186.312	177.329	177.305	177.278

.25246E+09	187.221	193.550	185.433	176.590	176.565	176.539
.28402E+09	185.956	192.206	184.205	175.490	175.466	175.441
.31558E+09	185.002	191.187	183.281	174.668	174.645	174.620
.63115E+09	173.663	179.128	172.254	164.772	164.752	164.731
.94673E+09	163.584	168.485	162.410	155.804	155.787	155.769
.12623E+10	153.967	158.384	152.985	147.116	147.102	147.086
.15779E+10	145.908	149.916	145.068	139.811	139.798	139.785
.18935E+10	139.078	142.727	138.351	133.607	133.595	133.583
.22090E+10	133.286	136.632	132.649	128.332	128.322	128.312
.25246E+10	128.256	131.358	127.689	123.713	123.704	123.694
.28402E+10	123.943	126.822	123.435	119.765	119.757	119.748
.31558E+10	120.345	123.038	119.883	116.465	116.457	116.449
.63115E+10	102.631	104.434	102.368	100.132	100.128	100.123
.94673E+10	95.6011	97.0688	95.3998	93.5954	93.5917	93.5877
.12623E+11	91.3841	92.6412	91.2180	89.6795	89.6763	89.6730
.15779E+11	88.2904	89.3954	88.1485	86.8007	86.7979	86.7951
.18935E+11	85.5249	86.5051	85.4022	84.2101	84.2077	84.2052
.22090E+11	83.2185	84.1000	83.1105	82.0411	82.0390	82.0367
.25246E+11	81.1586	81.9540	81.0632	80.1005	80.0986	80.0966
.28402E+11	79.4157	80.1413	79.3300	78.4532	78.4514	78.4496
.31558E+11	77.9028	78.5690	77.8253	77.0216	77.0201	77.0184

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:31:42 MAR 25, 1995 CP= 86141.440
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	698 TEMP t01o135	3332 TEMP g01i135	3318 TEMP g01o135	3974 TEMP m01i135	3924 TEMP m01o135	4369 TEMP i01i135
.10000E-05	146.078	127.479	126.814	89.4873	88.7980	27.7372
.20000E-05	161.582	143.771	143.104	108.496	107.808	58.5317
31.558	161.582	143.771	143.104	108.496	107.808	58.5317
.31558E+07	171.148	153.808	153.138	120.118	119.433	75.7113
.63116E+07	173.326	156.110	155.440	122.782	122.097	79.4665
.94673E+07	174.599	157.473	156.804	124.402	123.719	81.8191
.12623E+08	175.463	158.418	157.750	125.563	124.882	83.5659
.15779E+08	176.140	159.166	158.499	126.494	125.814	84.9603
.18935E+08	176.675	159.764	159.098	127.254	126.576	86.1167
.22090E+08	177.140	160.287	159.622	127.920	127.243	87.1089
.25246E+08	177.497	160.699	160.036	128.470	127.795	87.9780
.28402E+08	177.803	161.056	160.394	128.954	128.280	88.7461
.31558E+08	178.070	161.374	160.713	129.391	128.720	89.4476
.63115E+08	179.428	163.118	162.469	132.029	131.371	93.8849
.94673E+08	179.513	163.528	162.892	133.150	132.505	96.2488
.12623E+09	179.207	163.501	162.876	133.711	133.078	97.7634
.15779E+09	178.630	163.190	162.577	133.953	133.331	98.8451
.18935E+09	177.929	162.743	162.141	134.025	133.416	99.6790
.22090E+09	177.159	162.215	161.624	133.985	133.387	100.335
.25246E+09	176.422	161.712	161.132	133.957	133.369	100.978
.28402E+09	175.326	160.830	160.260	133.492	132.914	101.044
.31558E+09	174.506	160.183	159.621	133.183	132.613	101.173
.63115E+09	164.635	152.202	151.729	128.851	128.371	101.383
.94673E+09	155.686	144.728	144.322	124.162	123.749	99.9992
.12623E+10	147.015	137.303	136.952	119.055	118.698	97.5396
.15779E+10	139.722	131.023	130.715	114.660	114.346	95.2868
.18935E+10	133.527	125.678	125.405	110.895	110.617	93.3253
.22090E+10	128.261	121.123	120.879	107.661	107.412	91.6047
.25246E+10	123.648	117.078	116.856	104.667	104.441	89.7951
.28402E+10	119.706	113.648	113.445	102.188	101.982	88.4118
.31558E+10	116.411	110.772	110.585	100.094	99.9039	87.2192
.63115E+10	100.098	96.4332	96.3173	89.4456	89.3279	80.8696
.94673E+10	93.5684	90.6119	90.5203	84.9601	84.8671	77.9544
.12623E+11	89.6567	87.1359	87.0587	82.3103	82.2320	76.2948

.15779E+11	86.7809	84.5730	84.5060	80.3416	80.2737	75.0436
.18935E+11	84.1928	82.2405	82.1818	78.4942	78.4347	73.7806
.22090E+11	82.0256	80.2740	80.2217	76.9088	76.8557	72.6568
.25246E+11	80.0867	78.5106	78.4639	75.4797	75.4322	71.6345
.28402E+11	78.4406	77.0055	76.9631	74.2427	74.1997	70.7241
.31558E+11	77.0102	75.6946	75.6560	73.1599	73.1207	69.9221

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:31:42 MAR 25, 1995 CP= 86141.460
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4424 TEMP	4763 TEMP	1507 TEMP	1169 TEMP
	1010135	0010135	c02i135	c03i135
.10000E-05	26.9385	26.1398	152.461	152.675
.20000E-05	57.7334	56.9334	167.553	167.755
31.558	57.7334	56.9334	167.553	167.755
.31558E+07	74.9151	74.1183	176.871	176.957
.63116E+07	78.6690	77.8670	178.974	179.053
.94673E+07	81.0232	80.2230	180.202	180.280
.12623E+08	82.7719	81.9736	181.030	181.106
.15779E+08	84.1682	83.3722	181.678	181.753
.18935E+08	85.3264	84.5324	182.186	182.260
.22090E+08	86.3202	85.5287	182.631	182.704
.25246E+08	87.1910	86.4012	182.964	183.036
.28402E+08	87.9609	87.1728	183.250	183.322
.31558E+08	88.6641	87.8777	183.498	183.569
.63115E+08	93.1164	92.3447	184.719	184.786
.94673E+08	95.4971	94.7404	184.696	184.760
.12623E+09	97.0264	96.2833	184.303	184.365
.15779E+09	98.1226	97.3931	183.644	183.704
.18935E+09	98.9703	98.2542	182.866	182.924
.22090E+09	99.6393	98.9360	182.024	182.080
.25246E+09	100.295	99.6046	181.217	181.271
.28402E+09	100.374	99.6949	180.059	180.114
.31558E+09	100.512	99.8431	179.191	179.244
.63115E+09	100.824	100.259	168.772	168.817
.94673E+09	99.5183	99.0321	159.398	159.436
.12623E+10	97.1227	96.7022	150.348	150.382
.15779E+10	94.9202	94.5513	142.732	142.762
.18935E+10	92.9995	92.6724	136.265	136.292
.22090E+10	91.3128	91.0197	130.771	130.794
.25246E+10	89.5298	89.2635	125.975	125.997
.28402E+10	88.1698	87.9269	121.867	121.886
.31558E+10	86.9960	86.7721	118.434	118.451
.63115E+10	80.7310	80.5914	101.458	101.469
.94673E+10	77.8445	77.7344	94.6704	94.6795
.12623E+11	76.2022	76.1088	90.5994	90.6071
.15779E+11	74.9631	74.8820	87.6089	87.6156
.18935E+11	73.7098	73.6391	84.9270	84.9330
.22090E+11	72.5937	72.5300	82.6853	82.6908
.25246E+11	71.5781	71.5212	80.6822	80.6870
.28402E+11	70.6729	70.6219	78.9840	78.9882
.31558E+11	69.8754	69.8282	77.5088	77.5125

***** ROUTINE COMPLETED ***** CP = 86141.470

 End of batch input file

PURGE ALL SOLUTION AND POST DATA
SAVE ALL MODEL DATA

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12w2.db
FOR POSSIBLE RESUME FROM THIS POINT

NUMBER OF WARNING MESSAGES ENCOUNTERED= 42
NUMBER OF ERROR MESSAGES ENCOUNTERED= 0

```
*-----*
|
|               ANSYS RUN COMPLETED
|
|-----|
|
|      REV. 5.0 A                      HP 9000/7XX
|
| CP TIME      (sec) =      86146.620    TIME = 21:31:47
| ELAPSED TIME (sec) =      91710.000    DATE  = 03/25/95
|
|-----|
|
|-----*
```

WELCOME TO THE ANSYS PROGRAM

***** ANSYS COMMAND LINE ARGUMENTS *****
JOB NAME = ma12j3
MEMORY REQUESTED (MB) = 64.0
BATCH MODE REQUESTED
start.ans FILE

***** ANSYS DYNAMIC MEMORY ALLOCATION *****
WORK SPACE REQUESTED = 16777216 64.000 MB COMMAND LINE
MINIMUM WORK SPACE REQUIRED = 4718592 18.000 MB
MINIMUM WORK SPACE RECOMMENDED = 6702496 25.568 MB
WORK SPACE OBTAINED = 16777214 64.000 MB
BYTES PER WORD = 4

***** NOTICE ***** THIS IS THE ANSYS GENERAL PURPOSE
FINITE ELEMENT COMPUTER PROGRAM. NEITHER SWANSON ANALYSIS
SYSTEMS, INC. NOR THE DISTRIBUTOR SUPPLYING THIS PROGRAM
ASSUME ANY RESPONSIBILITY FOR THE VALIDITY, ACCURACY, OR
APPLICABILITY OF ANY RESULTS OBTAINED FROM THE ANSYS SYSTEM.
USERS MUST VERIFY THEIR OWN RESULTS.

ANSYS(R) COPYRIGHT(C) 1971,1978,1982,1983,1985,1987,1989,1992,1993
BY SWANSON ANALYSIS SYSTEMS, INC. AS AN UNPUBLISHED WORK.
PROPRIETARY DATA - UNAUTHORIZED USE, DISTRIBUTION, OR DUPLICATION
IS PROHIBITED. ALL RIGHTS RESERVED.

SWANSON ANALYSIS SYSTEMS, INC. IS ENDEAVORING TO MAKE THE
ANSYS PROGRAM AS COMPLETE, ACCURATE, AND EASY TO USE AS
POSSIBLE. SUGGESTIONS AND COMMENTS ARE WELCOMED. ANY
ERRORS ENCOUNTERED IN EITHER THE DOCUMENTATION OR THE
RESULTS SHOULD BE IMMEDIATELY BROUGHT TO OUR ATTENTION.

ENTER /SHOW,device TO SET THE GRAPHICS DISPLAY TO device(e.g. X11,4207,ETC.)
ENTER /MENU,ON TO START THE ANSYS MENU SYSTEM
ENTER HELP FOR GENERAL ANSYS HELP INFORMATION

***** DOCUMENTATION FILE NOT AVAILABLE *****

```
1 /COM, *****
2 /COM, ANSYS REVISION 5.0A 3/24/1995
3 /COM, 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III
4 /COM, *****
5 /COM, *
6 /COM, * File name: ma12j3.inp *
7 /COM, * 12 PWR MPC with Low T.L. Disposal Container *
8 /COM, * Helium Fill Gas *
9 /COM, *
10 /COM, * Material Property file: props01.dat *
11 /COM, *
12 /COM, * SNF Conductivity file: pwr15e.parm *
13 /COM, * 15x15 Mark-B4 PWR SNF Assembly *
14 /COM, *
15 /COM, * SNF Heat Loads file: snf1048.dat *
16 /COM, * SNF Type: 20 years old, 40 Gwd/MTU *
```

```

17 /COM, *
18 /COM, * Surface Temp. file: c12j5a.parm
19 /COM, * 25 MTU/acre (6.18 kgU/m^2) AML (Low Thermal Loading)
20 /COM, * 5.0 m Diameter Drift with Concrete Invert
21 /COM, * Drift spacing = 67.5 m
22 /COM, * WP c/c spacing = 12.317 m
23 /COM, *
24 /COM, *****
25 /COM, Increase the number of database pages from 16 (256) to 32 Mb
26 /CONFIG,nvpag,512,
27 /COM, Work space must also be increased (-m 64)
28 /COM, *****
29 /TITLE, 12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF
30 /UNITS,SI,
31 /COM, *****
32 /COM, Read in average effective conductivities from SNF model
33 PARRES,CHANGE,pwr15e,parm,
34 /COM, Read in surface temps. from repository model
35 PARRES,CHANGE,c12j5a,parm,
36 /COM, *****
37 /COM, Define MPC/waste package parameters
38 /COM, (MPC dimensions converted from inches to meters)
39 /COM, MIRAD = inner radius of MPC shell (m)
40 /COM, MWALL = MPC shell thickness (m)
41 /COM, DCRAD = disposal container outer radius (m)
42 /COM, OWALL = outer barrier thickness (m)
43 /COM, IWALL = inner barrier thickness (m)
44 /COM, GCORN = corner guide width (m)
45 /COM, GLENW = side guide total width (m)
46 /COM, GLENH = side guide total height (m)
47 /COM, GWALL = guide thickness (m)
48 /COM, HCELL = 1/2 of basket cell opening (m)
49 /COM, SWALL = stainless tube thickness (m)
50 /COM, AWALL = Al/boron tube thickness (m)
51 /COM, FLENT = flux trap plate length (m)
52 /COM, FWALL = flux trap plate stainless thickness (m)
53 /COM, BWALL = flux trap plate Al/boron thickness (m)
54 /COM, TWALL = flux trap plate SS sheath thickness (m)
55 /COM, FSPAC = flux trap plate spacer width (m)
56 /COM, TSPAC = tube/tube spacer width (m)
57 /COM, ACTVL = active fuel length
58 /COM, PEAKF = assembly heat axial peaking factor
59 PI=3.141592654
60 MIRAD=47.870*2.54/100.0/2.0
61 MWALL=0.8750*2.54/100.0
62 DCRAD=1.4305/2.0
63 OWALL=0.0500
64 IWALL=0.0200
65 GCORN=10.086*2.54/100.0
66 GLENW=8.4340*2.54/100.0
67 GLENH=2.4960*2.54/100.0
68 GWALL=0.3750*2.54/100.0
69 HCELL=9.0000*2.54/100.0/2.0
70 SWALL=0.0940*2.54/100.0
71 AWALL=0.1070*2.54/100.0
72 FLENT=23.164*2.54/100.0
73 FWALL=0.5000*2.54/100.0
74 BWALL=0.2500*2.54/100.0
75 TWALL=0.0940*2.54/100.0
76 FSPAC=1.0000*2.54/100.0
77 TSPAC=0.9860*2.54/100.0
78 ACTVL=141.80*2.54/100.0
79 PEAKF=1.25
80 /COM, Define calculated parameters
81 /COM, ASSY = assembly heat production (W) f(yrs)
82 /COM, FUEL = volumetric heat production (W/m3) f(yrs)
83 /COM, FVOLU = assy_volume=cell_width^2*active_length
84 /COM, Q2 = side guide x coord. (see sketch)
85 /COM, GX## = x coord. of guide/shell contact (kp##)
86 /COM, GY## = y coord. of guide/shell contact (kp##)

```



```

87 /COM,          ACX# = x coord. of center of assembly #
88 /COM,          ACY# = y coord. of center of assembly #
89 /COM,          TM_START = start time (sec)
90 /COM,          TMI* = time increment for solution (sec)
91 /COM,          TME* = start and stop for time do-loops (sec)
92 /COM,          Note: 1 year = 3.15576e7 seconds
93 /COM,          QCELL = 1/4 of basket cell opening (m)
94 /COM,          SCELL = 1/2 of basket cell opening+SS wall(m)
95 /COM,          ACELL = 1/2 of basket cell opening+SS+AL (m)
96 /COM,          MI45 = x coord. MIRAD at 45 deg.
97 /COM,          MO45 = x coord. MIRAD+MWALL at 45 deg.
98 /COM,          DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
99 /COM,          DM45 = x coord. DCRAD-OWALL at 45 deg.
100 /COM,          DO45 = x coord. DCRAD at 45 deg.
101 /COM,          TMTMAX = time of maximum cladding temperature
102 *SET,ASSY,
103 *DIM,ASSY, TABLE,101,1,
104 *DIM,FUEL, TABLE,101,1
105 FVOLUME=4*HCELL*HCELL*ACTVL
106 Q2=1.969344*2.54/100.0
107 GX22=Q2-GWALL
108 GY22=SQRT(MIRAD*MIRAD-GX22*GX22)
109 GX23=Q2
110 GY23=SQRT(MIRAD*MIRAD-GX23*GX23)
111 GX24=Q2+GLENW-GWALL
112 GY24=SQRT(MIRAD*MIRAD-GX24*GX24)
113 GTMP=GCORN-GWALL
114 GX25=(SQRT(MIRAD*MIRAD-GTMP*GTMP/2.0)-GTMP/SQRT(2.0))/(SQRT(2.0))
115 GY25=SQRT(MIRAD*MIRAD-GX25*GX25)
116 ACX1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
117 ACY1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
118 ACX2=ACX1+2.0*(HCELL+SWALL+AWALL+SWALL)+TSPAC
119 ACY2=ACY1
120 ACX3=ACX1
121 ACY3=ACY2
122 TM_START=(1.0E-6)*(3.15576E7)
123 TMI0=0.1*3.15576E7
124 TMI1=1.0*3.15576E7
125 TMI10=10.0*3.15576E7
126 TMI100=100.0*3.15576E7
127 TMI1000=1000.0*3.15576E7
128 TME0=0.9*3.15576E7+TM_START
129 TME1=TMI1+TM_START
130 TME9=9.0*3.15576E7+TM_START
131 TME10=TMI10+TM_START
132 TME50=50.0*3.15576E7+TM_START
133 TME90=90.0*3.15576E7+TM_START
134 TME100=TMI100+TM_START
135 TME1000=TMI1000+TM_START
136 BCELL=FWALL+BWALL
137 QCELL=HCELL/2.0
138 SCELL=HCELL+SWALL
139 ACELL=HCELL+SWALL+AWALL
140 TCELL=HCELL+SWALL+AWALL+SWALL
141 MI45=MIRAD/SQRT(2.0)
142 MO45=(MIRAD+MWALL)/SQRT(2.0)
143 DI45=(DCRAD-OWALL-IWALL)/SQRT(2.0)
144 DM45=(DCRAD-OWALL)/SQRT(2.0)
145 DO45=DCRAD/SQRT(2.0)
146 /COM,          *****
147 /COM,          Define different element types
148 /PREP7
149 ETYPE
150 ET, 1,55,
151 ET, 2,70,
152 ET, 7,32,
153 ET, 16,57,
154 ET, 17,32,
155 ET, 18,50,1,
156 ET, 19,31,

```

```

157 ET, 27,32,
158 /COM, *****
159 /COM, File props01.dat describes material properties
160 /COM, and thier reference numbers
161 MPREAD,props01,dat,
162 /COM, Read in single assembly heat loads
163 /COM, Calculate the volumetric heat generation
164 /COM, (Assembly time is in years, FUEL is in seconds)
165 /INPUT,snf1048,dat
166 *VFACT,3.15576E7,
167 *MFUN,FUEL(1,0),COPY,ASSY(1,0),
168 *VFACT,(PEAKF/FVOLUME),
169 *VFUN,FUEL(1),COPY,ASSY(1),
170 FUEL(0,1)=1.0
171 /COM, *****
172 /COM, Define new material 14 for SNF effective conductivity
173 /COM, Density: DENS (kg/m^3)
174 /COM, Conductivity: KXX (W/m/K)
175 /COM, Specific Heat: C (J/kg/K)
176 MPTMP
177 MPTMP, 1, .00000E+00,
178 MPDATA,DENS,14, 1, .396004E+04,
179 MPDATA, C,14, 1, .27400E+03,
180 /COM, Store average effective conductivities
181 IINC=1
182 TBSKT=25.0
183 MPTMP
184 MPTMP,IINC,TBSKT,
185 IINC=IINC+1
186 *DO,TBSKT,50.0,400.0,50.0,
187 MPTMP,IINC,TBSKT,
188 IINC=IINC+1
189 *ENDDO
190 IINC=1
191 TBSKT=25.0
192 MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
193 IINC=IINC+1
194 *DO,TBSKT,50.0,400.0,50.0,
195 MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
196 IINC=IINC+1
197 *ENDDO
198 /COM, *****
199 /COM, Define new material 15 for low thermal loading
200 /COM, outer barrier of 70/30 Copper Nickel (C71500)
201 /COM, Density: DENS (kg/m^3)
202 /COM, Conductivity: KXX (W/m/K)
203 /COM, Specific Heat: C (J/kg/K)
204 MPTMP
205 MPTMP, 1, .00000E+00,
206 /COM, Density (lb/in^3 converted to kg/m^3)
207 MPDATA,DENS,15, 1,(0.323*2.768E+04),
208 /COM, Specific Heat (Btu/lb/F converted to J/kg/K)
209 MPDATA, C,15, 1,(0.09/2.3886E-04),
210 /COM, Conductivity (Btu/hr/ft/F converted to W/m/K)
211 MPTMP
212 MPTMP, 1, (5.0/9.0*(68.0-32.0)), (5.0/9.0*(212.0-32.0)),
213 MPTMP, 3, (5.0/9.0*(392.0-32.0)), (5.0/9.0*(572.0-32.0)),
214 MPTMP, 5, (5.0/9.0*(752.0-32.0)), (5.0/9.0*(932.0-32.0)),
215 MPTMP, 7, (5.0/9.0*(1112.0-32.0)), (5.0/9.0*(1292.0-32.0)),
216 MPDATA, KXX,15, 1, (17.0*1.7307), (16.9*1.7307),
217 MPDATA, KXX,15, 3, (19.7*1.7307), (22.3*1.7307),
218 MPDATA, KXX,15, 5, (24.9*1.7307), (27.8*1.7307),
219 MPDATA, KXX,15, 7, (30.7*1.7307), (33.6*1.7307),
220 /COM, *****
221 /COM, Construct geometry for Disposal Container
222 /COM,
223 /COM, Define center and axis keypoints for waste package
224 /COM, Also, create placeholder keypoints and lines
225 /COM, (K's 1,2,3,4,5,6,7,8)
226 /COM, (L's 1,2,3,4)

```

```

227 K,1,0.0,0.0,0.0,
228 K,2,0.0,0.0,1.0,
229 K,3,0.0,0.0,1.3,
230 K,4,0.0,0.0,1.4,
231 K,5,0.0,0.0,1.5,
232 K,6,0.0,0.0,1.6,
233 K,7,0.0,0.0,1.7,
234 K,8,0.0,0.0,1.8,
235 L,3,4,
236 L,4,5,
237 L,5,6,
238 L,6,7,
239 /COM,          Define disposal container and MPC outer radius
240 /COM,          (K's 9,10,11,12,13,14,15,16,17,18,19,20)
241 /COM,          (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
242 /COM,          (A's 1,2,3,4,5,6)
243 K, 9,          0.0,          (0.0-DCRAD),0.0,
244 K,10,          DCRAD,          0.0,0.0,
245 K,11,          0.0,          DCRAD,0.0,
246 K,12,          0.0,          (OWALL-DCRAD),0.0,
247 K,13,          (DCRAD-OWALL), 0.0,0.0,
248 K,14,          0.0,          (DCRAD-OWALL),0.0,
249 K,15,          0.0,(OWALL+IWALL-DCRAD),0.0,
250 K,16,(DCRAD-OWALL-IWALL), 0.0,0.0,
251 K,17,          0.0,(DCRAD-OWALL-IWALL),0.0,
252 K,18,          0.0, (0.0-MIRAD-MWALL),0.0,
253 K,19,          (MIRAD+MWALL), 0.0,0.0,
254 K,20,          0.0,          (MIRAD+MWALL),0.0,
255 L,10,13,
256 L,13,16,
257 LARC,10, 9,1,          DCRAD,
258 LARC,11,10,1,          DCRAD,
259 LARC,13,12,1,          (DCRAD-OWALL),
260 LARC,14,13,1,          (DCRAD-OWALL),
261 L,11,14,
262 L, 9,12,
263 LARC,15,16,1,(DCRAD-OWALL-IWALL),
264 LARC,16,17,1,(DCRAD-OWALL-IWALL),
265 L,14,17,
266 L,12,15,
267 LARC,19,18,1,          (MIRAD+MWALL),
268 LARC,20,19,1,          (MIRAD+MWALL),
269 L,17,20,
270 L,15,18,
271 L,16,19,
272 AL, 5, 7,12, 9,
273 AL,11, 8, 5,10,
274 AL, 6, 9,16,13,
275 AL,15,10, 6,14,
276 AL,21,13,20,17,
277 AL,19,14,21,18,
278 /COM,          *****
279 /COM,          Define MPC shell inner edge and area
280 /COM,          (K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
281 /COM,          ( 38,39)
282 /COM,          (L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
283 /COM,          ( 39,40,41,42)
284 /COM,          (A's 7,8)
285 K,21, 0.0,          MIRAD,0.0,
286 K,22, GX22,          GY22,0.0,
287 K,23, GX23,          GY23,0.0,
288 K,24, GX24,          GY24,0.0,
289 K,25, GX25,          GY25,0.0,
290 K,26, GY25,          GX25,0.0,
291 K,27, GY24,          GX24,0.0,
292 K,28, GY23,          GX23,0.0,
293 K,29, GY22,          GX22,0.0,
294 K,30,MIRAD,          0.0,0.0,
295 K,31, GY22, (0.0-GX22),0.0,
296 K,32, GY23, (0.0-GX23),0.0,

```

```

297 K,33, GY24, (0.0-GX24),0.0,
298 K,34, GY25, (0.0-GX25),0.0,
299 K,35, GX25, (0.0-GY25),0.0,
300 K,36, GX24, (0.0-GY24),0.0,
301 K,37, GX23, (0.0-GY23),0.0,
302 K,38, GX22, (0.0-GY22),0.0,
303 K,39, 0.0,(0.0-MIRAD),0.0,
304 L,20,21,
305 LARC,22,21,1,MIRAD,
306 LARC,23,22,1,MIRAD,
307 LARC,24,23,1,MIRAD,
308 LARC,25,24,1,MIRAD,
309 LARC,26,25,1,MIRAD,
310 LARC,27,26,1,MIRAD,
311 LARC,28,27,1,MIRAD,
312 LARC,29,28,1,MIRAD,
313 LARC,30,29,1,MIRAD,
314 LARC,31,30,1,MIRAD,
315 LARC,32,31,1,MIRAD,
316 LARC,33,32,1,MIRAD,
317 LARC,34,33,1,MIRAD,
318 LARC,35,34,1,MIRAD,
319 LARC,36,35,1,MIRAD,
320 LARC,37,36,1,MIRAD,
321 LARC,38,37,1,MIRAD,
322 LARC,39,38,1,MIRAD,
323 L,18,39,
324 L,19,30,
325 LSEL,S,LINE,,32,42,1,
326 LSEL,A,LINE,,17,
327 AL,ALL,
328 LSEL,S,LINE,,22,31,1,
329 LSEL,A,LINE,,18,
330 LSEL,A,LINE,,42,
331 AL,ALL,
332 LSEL,ALL,
333 /COM, *****
334 /COM, Define tube guides
335 /COM, (K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)
336 /COM, ( 57,58,59)
337 /COM, (L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)
338 /COM, ( 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
339 /COM, ( 77,78,79,80)
340 /COM, (A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)
341 /COM, ( 26)
342 /COM,
343 /COM, top
344 K,40, GX23, GY24,0.0,
345 K,41, GX22,(GY24-GWALL),0.0,
346 K,42, GX24,(GY24-GWALL),0.0,
347 K,43,(GX25-GWALL), GY25,0.0,
348 K,44, GX25, GX25,0.0,
349 K,45,(GX25-GWALL),(GX25-GWALL),0.0,
350 K,46, GY25,(GX25-GWALL),0.0,
351 /COM, side
352 K,47,(GY24-GWALL), GX24,0.0,
353 K,48, GY24, GX23,0.0,
354 K,49,(GY24-GWALL), GX22,0.0,
355 K,50,(GY24-GWALL), (0.0-GX22),0.0,
356 K,51, GY24, (0.0-GX23),0.0,
357 K,52,(GY24-GWALL), (0.0-GX24),0.0,
358 /COM, bottom
359 K,53, GY25,(GWALL-GX25),0.0,
360 K,54,(GX25-GWALL),(GWALL-GX25),0.0,
361 K,55, GX25, (0.0-GX25),0.0,
362 K,56,(GX25-GWALL), (0.0-GY25),0.0,
363 K,57, GX24,(GWALL-GY24),0.0,
364 K,58, GX22,(GWALL-GY24),0.0,
365 K,59, GX23, (0.0-GY24),0.0,
366 /COM, top

```

```

367 L,41,22,
368 L,40,41,
369 L,40,24,
370 L,42,41,
371 L,24,42,
372 L,43,25,
373 L,45,43,
374 L,25,44,
375 L,44,45,
376 L,44,26,
377 L,46,45,
378 L,26,46,
379 /COM, side
380 L,47,27,
381 L,49,47,
382 L,27,48,
383 L,48,49,
384 L,48,28,
385 L,29,49,
386 L,50,31,
387 L,32,51,
388 L,50,51,
389 L,52,50,
390 L,51,33,
391 L,33,52,
392 /COM, bottom
393 L,53,34,
394 L,54,53,
395 L,34,55,
396 L,54,55,
397 L,56,54,
398 L,55,35,
399 L,35,56,
400 L,57,36,
401 L,58,57,
402 L,36,59,
403 L,58,59,
404 L,38,58,
405 L,59,37,
406 L,23,40,
407 /COM, air
408 AL,80,45,25,
409 AL,50,52,27,
410 AL,57,59,29,
411 AL,62,65,34,
412 AL,69,72,36,
413 AL,76,79,38,
414 /COM, guides
415 AL,24,43,44,80,
416 AL,45,44,46,47,
417 AL,48,49,51,50,
418 AL,52,51,53,54,
419 AL,55,56,58,57,
420 AL,59,58,60,30,
421 AL,61,63,62,33,
422 AL,63,64,66,65,
423 AL,68,70,69,67,
424 AL,70,71,73,72,
425 AL,75,77,76,74,
426 AL,77,78,39,79,
427 /COM, *****
428 /COM, Define top half tubes and flux trap plate
429 /COM, (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
430 /COM, ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
431 /COM, ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
432 /COM, ( 108,109,110,111,112,113,114,115,116,117,118,119)
433 /COM, ( 120,121,122,123,124,125,126,127,128,129,130,131)
434 /COM, ( 132,133,134,135,136,137,138,139,140,141,142,143)
435 /COM, ( 144,145,146,147,148,149,150,151,152,153,154,155)
436 /COM, ( 156,157,158,159,160,161,162,163,164,165,166,167)

```

```

437 /COM, (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
438 /COM, ( 98,99,100,101,102,103,104,105,106,107,108,109,110)
439 /COM, ( 111,112,113,114,115,116,117,118,119,120,121,122)
440 /COM, ( 123,124,125,126,127,128,129,130,131,132,133,134)
441 /COM, ( 135,136,137,138,139,140,141,142,143,144,145,146)
442 /COM, ( 147,...)
443 /COM, (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
444 /COM, ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
445 /COM, ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
446 /COM, ( 78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
447 /COM, ( 95,96,97,98,99,100,101,102,103)
448 K, 60, 0.0, (FSPAC/2.0),0.0,
449 K, 61, 0.0, (1.5*FSPAC),0.0,
450 K, 62, 0.0, (ACY1-FSPAC/2.0),0.0,
451 K, 63, 0.0, (ACY1+FSPAC/2.0),0.0,
452 K, 64, 0.0, (ACY1+HCELL+SWALL),0.0,
453 K, 65, 0.0,(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
454 K, 66, 0.0,(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
455 K, 67, 0.0, (ACY3-HCELL-SWALL),0.0,
456 K, 68, 0.0, (ACY3-FSPAC/2.0),0.0,
457 K, 69, 0.0, (ACY3+FSPAC/2.0),0.0,
458 K, 70, 0.0, (ACY3+HCELL+SWALL),0.0,
459 K, 71, 0.0, (ACY3+HCELL+SWALL+FSPAC),0.0,
460 K, 72, 0.0, (FSPAC/2.0+FLENT),0.0,
461 K, 73, (FSPAC/2.0), (FSPAC/2.0),0.0,
462 K, 74, (FSPAC/2.0), (1.5*FSPAC),0.0,
463 K, 75, (FSPAC/2.0), (ACY1-FSPAC/2.0),0.0,
464 K, 76, (FSPAC/2.0), (ACY1+FSPAC/2.0),0.0,
465 K, 77, (FSPAC/2.0), (ACY1+HCELL+SWALL),0.0,
466 K, 78, (FSPAC/2.0),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
467 K, 79, (FSPAC/2.0),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
468 K, 80, (FSPAC/2.0), (ACY3-HCELL-SWALL),0.0,
469 K, 81, (FSPAC/2.0), (ACY3-FSPAC/2.0),0.0,
470 K, 82, (FSPAC/2.0), (ACY3+FSPAC/2.0),0.0,
471 K, 83, (FSPAC/2.0), (ACY3+HCELL+SWALL),0.0,
472 K, 84, (FSPAC/2.0), (ACY3+HCELL+SWALL+FSPAC),0.0,
473 K, 85, (FSPAC/2.0), (FSPAC/2.0+FLENT),0.0,
474 K, 86, (FSPAC/2.0+FWALL), (FSPAC/2.0+FWALL),0.0,
475 K, 87, (FSPAC/2.0+FWALL), (ACY1+HCELL+SWALL),0.0,
476 K, 88, (FSPAC/2.0+FWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
477 K, 89, (FSPAC/2.0+FWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
478 K, 90, (FSPAC/2.0+FWALL), (ACY3-HCELL-SWALL),0.0,
479 K, 91, (FSPAC/2.0+FWALL), (ACY3+HCELL+SWALL),0.0,
480 K, 92, (FSPAC/2.0+FWALL), (FSPAC/2.0+FLENT),0.0,
481 K, 93, (1.5*FSPAC), (FSPAC/2.0),0.0,
482 K, 94, (FSPAC/2.0+FWALL+BWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
483 K, 95, (FSPAC/2.0+FWALL+BWALL), (ACY1+HCELL+SWALL),0.0,
484 K, 96, (FSPAC/2.0+FWALL+BWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
485 K, 97, (FSPAC/2.0+FWALL+BWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
486 K, 98, (FSPAC/2.0+FWALL+BWALL), (ACY3-HCELL-SWALL),0.0,
487 K, 99, (FSPAC/2.0+FWALL+BWALL), (ACY3+HCELL+SWALL),0.0,
488 K,100, (FSPAC/2.0+FWALL+BWALL), (FSPAC/2.0+FLENT),0.0,
489 K,101, (ACX1-HCELL-SWALL), (ACY1-HCELL-SWALL),0.0,
490 K,102, (ACX1-HCELL-SWALL), (ACY1+HCELL+SWALL),0.0,
491 K,103, (ACX1-HCELL-SWALL), (ACY1+HCELL+SWALL+AWALL),0.0,
492 K,104, (ACX1-HCELL-SWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
493 K,105, (ACX3-HCELL-SWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
494 K,106, (ACX3-HCELL-SWALL), (ACY3-HCELL-SWALL-AWALL),0.0,
495 K,107, (ACX3-HCELL-SWALL), (ACY3-HCELL-SWALL),0.0,
496 K,108, (ACX3-HCELL-SWALL), (ACY3+HCELL+SWALL),0.0,
497 K,109, (ACX3-HCELL-SWALL), (FSPAC/2.0+FLENT),0.0,
498 K,110, (ACX1-HCELL), (ACY1-HCELL),0.0,
499 K,111, (ACX1-HCELL), (ACY1+HCELL),0.0,
500 K,112, (ACX3-HCELL), (ACY3-HCELL),0.0,
501 K,113, (ACX3-HCELL), (ACY3+HCELL),0.0,
502 K,114, (ACX1-FSPAC/2.0), (FSPAC/2.0),0.0,
503 K,115, (ACX1+FSPAC/2.0), (FSPAC/2.0),0.0,
504 K,116, (ACX1+HCELL), (ACY1-HCELL),0.0,
505 K,117, (ACX1+HCELL), (ACY1+HCELL),0.0,
506 K,118, (ACX3+HCELL), (ACY3-HCELL),0.0,

```

```

507 K,119, (ACX3+HCELL), (ACY3+HCELL),0.0,
508 K,120, (ACX1+HCELL+SWALL), (FSPAC/2.0),0.0,
509 K,121, (ACX1+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
510 K,122, (ACX1+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
511 K,123, (ACX1+HCELL+SWALL), (ACY1-HCELL-SWALL),0.0,
512 K,124, (ACX1+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
513 K,125, (ACX3+HCELL+SWALL), (ACY3-HCELL-SWALL),0.0,
514 K,126, (ACX3+HCELL+SWALL), (ACY3+HCELL+SWALL),0.0,
515 K,127, (ACX1+HCELL+SWALL+AWALL), (ACY1-HCELL-SWALL),0.0,
516 K,128, (ACX1+HCELL+SWALL+AWALL), (ACY1+HCELL+SWALL+AWALL),0.0,
517 K,129, (ACX3+HCELL+SWALL+AWALL), (ACY3-HCELL-SWALL+AWALL),0.0,
518 K,130, (ACX3+HCELL+SWALL+AWALL), (ACY3+HCELL+SWALL),0.0,
519 K,131, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0),0.0,
520 K,132, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0+FWALL),0.0,
521 K,133, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
522 K,134, (ACX1+HCELL+2.0*SWALL+AWALL), (ACY1-HCELL-SWALL),0.0,
523 K,135, (ACX1+HCELL+2.0*SWALL+AWALL), (ACY1+HCELL+2.0*SWALL+AWALL),0.0,
524 K,136, (ACX3+HCELL+2.0*SWALL+AWALL), (ACY3-HCELL-2.0*SWALL-AWALL),0.0,
525 K,137, (ACX3+HCELL+2.0*SWALL+AWALL), (ACY3+HCELL+SWALL),0.0,
526 K,138, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0),0.0,
527 K,139, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0+FWALL),0.0,
528 K,140, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
529 K,141, (ACX2-HCELL-2.0*SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
530 K,142, (ACX2-HCELL-2.0*SWALL-AWALL), (ACY2+HCELL+2.0*SWALL+AWALL),0.0,
531 K,143, (ACX2-HCELL-SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
532 K,144, (ACX2-HCELL-SWALL-AWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
533 K,145, (ACX2-HCELL-SWALL), (FSPAC/2.0),0.0,
534 K,146, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL),0.0,
535 K,147, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
536 K,148, (ACX2-HCELL-SWALL), (ACY2-HCELL-SWALL),0.0,
537 K,149, (ACX2-HCELL-SWALL), (ACY1+HCELL+SWALL),0.0,
538 K,150, (ACX2-HCELL), (ACY2-HCELL),0.0,
539 K,151, (ACX2-HCELL), (ACY2+HCELL),0.0,
540 K,152, (ACX2-FSPAC/2.0), (FSPAC/2.0),0.0,
541 K,153, (ACX2-FSPAC/2.0), (FSPAC/2.0),0.0,
542 K,154, (ACX2+HCELL), (ACY2-HCELL),0.0,
543 K,155, (ACX2+HCELL), (ACY2+HCELL),0.0,
544 K,156, (ACX2+HCELL+SWALL), (FSPAC/2.0),0.0,
545 K,157, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
546 K,158, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
547 K,159, (ACX2+HCELL+SWALL), (ACY2-HCELL-SWALL),0.0,
548 K,160, (ACX2+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
549 K,161, (ACX2+HCELL+SWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
550 K,162, (ACX2+HCELL+SWALL), (ACY2+HCELL+2.0*SWALL+AWALL),0.0,
551 K,163, (ACX2+HCELL+SWALL+FSPAC), (FSPAC/2.0),0.0,
552 K,164, (FSPAC/2.0+FLENT), (FSPAC/2.0),0.0,
553 K,165, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL),0.0,
554 K,166, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL+BWALL),0.0,
555 K,167, (FSPAC/2.0+FLENT), (ACY2-HCELL-SWALL),0.0,
556 /COM, create lines on perimeter and for lesize
557 L, 73, 60,
558 L, 73, 74,
559 L, 61, 74,
560 L, 74, 75,
561 L, 75, 62,
562 L, 75, 76,
563 L, 63, 76,
564 L, 76, 77,
565 L, 77, 78,
566 L, 78, 65,
567 L, 78, 79,
568 L, 66, 79,
569 L, 79, 80,
570 L, 80, 81,
571 L, 81, 68,
572 L, 81, 82,
573 L, 69, 82,
574 L, 82, 83,
575 L, 83, 70,
576 L, 83, 84,

```

577 L, 71, 84,
 578 L, 84, 85,
 579 L, 85, 92,
 580 L, 92, 100,
 581 L, 100, 109,
 582 L, 109, 108,
 583 L, 108, 126,
 584 L, 126, 130,
 585 L, 130, 137,
 586 L, 137, 136,
 587 L, 136, 105,
 588 L, 112, 107,
 589 L, 107, 106,
 590 L, 106, 105,
 591 L, 105, 104,
 592 L, 104, 103,
 593 L, 103, 102,
 594 L, 102, 111,
 595 L, 104, 135,
 596 L, 135, 134,
 597 L, 123, 127,
 598 L, 127, 134,
 599 L, 134, 141,
 600 L, 141, 143,
 601 L, 143, 148,
 602 L, 148, 150,
 603 L, 141, 142,
 604 L, 142, 162,
 605 L, 162, 161,
 606 L, 161, 160,
 607 L, 160, 159,
 608 L, 159, 167,
 609 L, 167, 166,
 610 L, 166, 165,
 611 L, 165, 164,
 612 L, 164, 163,
 613 L, 163, 156,
 614 L, 156, 153,
 615 L, 153, 152,
 616 L, 152, 145,
 617 L, 145, 138,
 618 L, 138, 131,
 619 L, 131, 120,
 620 L, 120, 115,
 621 L, 115, 114,
 622 L, 114, 93,
 623 L, 93, 73,
 624 /COM, tube spacers
 625 A, 71, 84, 83, 70,
 626 A, 69, 82, 81, 68,
 627 A, 66, 79, 78, 65,
 628 A, 63, 76, 75, 62,
 629 A, 61, 74, 73, 60,
 630 /COM, flux trap plate (stainless)
 631 A, 85, 92, 91, 83, 84,
 632 A, 83, 91, 90, 80, 81, 82,
 633 A, 80, 90, 89, 79,
 634 A, 79, 89, 88, 78,
 635 A, 78, 88, 87, 77,
 636 A, 77, 87, 86, 73, 74, 75, 76,
 637 A, 86, 121, 120, 115, 114, 93, 73,
 638 A, 121, 132, 131, 120,
 639 A, 132, 139, 138, 131,
 640 A, 139, 146, 145, 138,
 641 A, 146, 157, 156, 153, 152, 145,
 642 A, 157, 165, 164, 163, 156,
 643 /COM, flux trap plate (Al/boron)
 644 A, 92, 100, 99, 91,
 645 A, 91, 99, 98, 90,
 646 A, 90, 98, 97, 89,


```

647 A, 89, 97, 96, 88,
648 A, 88, 96, 95, 87,
649 A, 87, 95, 94, 86,
650 A, 94, 122, 121, 86,
651 A, 122, 133, 132, 121,
652 A, 133, 140, 139, 132,
653 A, 140, 147, 146, 139,
654 A, 147, 158, 157, 146,
655 A, 158, 166, 165, 157,
656 /COM, flux trap plate (sheath)
657 A, 100, 109, 108, 99,
658 A, 99, 108, 107, 98,
659 A, 98, 107, 106, 105, 97,
660 A, 97, 105, 104, 96,
661 A, 96, 104, 103, 102, 95,
662 A, 95, 102, 101, 94,
663 A, 101, 123, 122, 94,
664 A, 123, 127, 134, 133, 122,
665 A, 134, 141, 140, 133,
666 A, 141, 143, 148, 147, 140,
667 A, 148, 159, 158, 147,
668 A, 159, 167, 166, 158,
669 /COM, tube (sheath)
670 A, 130, 137, 136, 129,
671 A, 106, 129, 136, 105,
672 A, 104, 135, 128, 103,
673 A, 128, 135, 134, 127,
674 A, 142, 144, 143, 141,
675 A, 142, 162, 161, 144,
676 /COM, tube (Al/boron)
677 A, 126, 130, 129, 125,
678 A, 107, 125, 129, 106,
679 A, 103, 128, 124, 102,
680 A, 124, 128, 127, 123,
681 A, 144, 149, 148, 143,
682 A, 144, 161, 160, 149,
683 /COM, tube (stainless)
684 A, 108, 113, 112, 107,
685 A, 108, 126, 119, 113,
686 A, 119, 126, 125, 118,
687 A, 112, 118, 125, 107,
688 A, 102, 111, 110, 101,
689 A, 102, 124, 117, 111,
690 A, 117, 124, 123, 116,
691 A, 110, 116, 123, 101,
692 A, 149, 151, 150, 148,
693 A, 149, 160, 155, 151,
694 A, 155, 160, 159, 154,
695 A, 150, 154, 159, 148,
696 /COM, homogeneous assembly
697 A, 113, 119, 118, 112,
698 A, 111, 117, 116, 110,
699 A, 151, 155, 154, 150,
700 /COM, helium spaces
701 A, 72, 85, 84, 71,
702 A, 70, 83, 82, 69,
703 A, 68, 81, 80, 67,
704 A, 67, 80, 79, 66,
705 A, 65, 78, 77, 64,
706 A, 64, 77, 76, 63,
707 A, 62, 75, 74, 61,
708 A, 105, 136, 135, 104,
709 A, 135, 142, 141, 134,
710 NUMMRG, KP,
711 /COM, *****
712 /COM, Set element shapes and sizes for tubes and flux trap
713 /COM, 14x14 mesh in fuel with 1
714 /COM, division per tube layer
715 ESHAPE, 2,
716 ESIZE, 1,

```

```

717 LSEL,S,LINE,, 81, 87,2,
718 LSEL,A,LINE,, 90, 92,2,
719 LSEL,A,LINE,, 95,101,2,
720 LESIZE,ALL,,, 2,
721 LSEL,S,LINE,,107,
722 LSEL,A,LINE,,110,111,1,
723 LSEL,A,LINE,,119,120,1,
724 LSEL,A,LINE,,127,128,1,
725 LSEL,A,LINE,,131,
726 LESIZE,ALL,,, 14,
727 LSEL,ALL,
728 LESIZE, 82,,, 2,
729 LESIZE, 84,,, 3,
730 LESIZE, 86,,, 4,
731 LESIZE, 88,,, 5,
732 LESIZE, 89,,, 2,
733 LESIZE, 91,,, 4,
734 LESIZE, 93,,, 2,
735 LESIZE, 94,,, 5,
736 LESIZE, 96,,, 4,
737 LESIZE, 98,,, 5,
738 LESIZE,100,,, 4,
739 LESIZE,102,,, 2,
740 LESIZE,103,,, 3,
741 LESIZE,104,,, 2,
742 LESIZE,136,,, 2,
743 LESIZE,137,,, 4,
744 LESIZE,138,,, 5,
745 LESIZE,139,,, 4,
746 LESIZE,140,,, 5,
747 LESIZE,141,,, 2,
748 LESIZE,142,,, 4,
749 LESIZE,143,,, 2,
750 LESIZE,144,,, 5,
751 LESIZE,145,,, 4,
752 LESIZE,146,,, 3,
753 LESIZE,147,,, 2,
754 /COM,          concatenate lines for mapped meshing
755 /COM,          (L's 265,266,267,268,269,270,271,272,273,274)
756 LSEL,S,LINE,, 82, 88,2,
757 LCCAT,ALL,
758 LSEL,S,LINE,, 94, 98,2,
759 LCCAT,ALL,
760 LSEL,S,LINE,,100,102,2,
761 LCCAT,ALL,
762 LSEL,S,LINE,,113,114,1,
763 LCCAT,ALL,
764 LSEL,S,LINE,,116,117,1,
765 LCCAT,ALL,
766 LSEL,S,LINE,,121,122,1,
767 LCCAT,ALL,
768 LSEL,S,LINE,,124,125,1,
769 LCCAT,ALL,
770 LSEL,S,LINE,,136,137,1,
771 LCCAT,ALL,
772 LSEL,S,LINE,,138,140,1,
773 LCCAT,ALL,
774 LSEL,S,LINE,,144,147,1,
775 LCCAT,ALL,
776 LSEL,ALL,
777 /COM,          Mesh areas
778 /COM,          first flux trap plate, then tubes
779 MAT, 1,
780 TYPE,1,
781 AMESH, 27, 43,1,
782 MAT,13,
783 TYPE,1,
784 AMESH, 44, 55,1,
785 MAT, 1,
786 TYPE,1,

```

```

787 AMESH, 56, 73,1,
788 MAT,13,
789 TYPE,1,
790 AMESH, 74, 79,1,
791 MAT, 1,
792 TYPE,1,
793 AMESH, 80, 91,1,
794 MAT,14,
795 TYPE,1,
796 AMESH, 92, 94,1,
797 /COM, Delete concatanated lines
798 /COM, (L's freed up 265,266,267,268,269,270,271,272,273,274)
799 LDELE,265,274,1,
800 /COM, *****
801 /COM, Copy tube mesh and connect top and bottom
802 ARSYM,Y,27,103,1,0,0,0,
803 /COM, flux trap plate spacers
804 /COM, (L's 449,450,451,452,453,454,455,456,457,458)
805 /COM, (A's 181,182,183,184,185)
806 A,186, 73, 93,202,
807 A,201,114,115,200,
808 A,204,131,138,206,
809 A,212,152,153,211,
810 A,210,156,163,215,
811 /COM, flux trap plate heluim gaps
812 /COM, (A's 186,187,188,189,190,191,192,193)
813 A,187, 60, 73,186,
814 A,202, 93,114,201,
815 A,200,115,120,199,
816 A,199,120,131,204,
817 A,206,138,145,208,
818 A,208,145,152,212,
819 A,211,153,156,210,
820 A,215,163,164,214,
821 /COM, tube/guide heluim gaps (flats)
822 /COM, (A's 194,195,196,197,198,199,200,201,202,203,204,205)
823 A,109, 22, 41,108,
824 A,108, 41, 42,126,
825 A,137, 43, 45,136,
826 A,142, 45, 46,162,
827 A,160, 47, 49,159,
828 A, 49, 29,167,159,
829 A,244,245, 31, 50,
830 A,244, 50, 52,260,
831 A,254, 53, 54,252,
832 A,248, 54, 56,247,
833 A,256, 57, 58,230,
834 A,230, 58, 38,229,
835 /COM, tube/guide heluim gaps (corners)
836 /COM, (A's 206,207,208,209,210,211,212,213,214,215,216,217)
837 /COM, ( 218)
838 A, 21, 85, 72,
839 A, 21, 22,109,100, 92, 85,
840 A, 24, 25, 43,137,130,126, 42,
841 A,136, 45,142,135,
842 A, 26, 27, 47,160,161,162, 46,
843 A,167, 29, 30,164,165,166,
844 A,164, 30,214,
845 A,214, 30, 31,245,228,213,
846 A, 52, 33, 34, 53,254,255,260,
847 A,250,252, 54,248,
848 A,256,246,247, 56, 35, 36, 57,
849 A,188,189,216,229, 38, 39,
850 A,273,188, 39,
851 /COM, mesh flux trap plate spacers
852 LSEL,S,LINE,,449,458,1,
853 LESIZE,ALL,,, 4,
854 LSEL,ALL,
855 MAT,1,
856 TYPE,1,

```

```

857 AMESH,181,185,1,
858 NUMMRG,NODE,
859 NUMMRG,KP,
860 /COM, *****
861 /COM, Create mesh in MPC shell and disposal container
862 /COM, Tube guides
863 ESIZE,,2,
864 LESIZE,43,,,6,
865 LESIZE,46,,,14,
866 LESIZE,49,,,14,
867 LESIZE,53,,,14,
868 LESIZE,56,,,14,
869 LESIZE,60,,,6,
870 LESIZE,61,,,6,
871 LESIZE,64,,,14,
872 LESIZE,68,,,14,
873 LESIZE,71,,,14,
874 LESIZE,75,,,14,
875 LESIZE,78,,,6,
876 MAT,1,
877 TYPE,1,
878 AMESH,15,26,1,
879 /COM, MPC shell
880 /COM, (L's 489,490)
881 LESIZE,23,,,2,
882 LESIZE,25,,,14,
883 LESIZE,26,,,3,
884 LESIZE,27,,,14,
885 LESIZE,28,,,3,
886 LESIZE,29,,,14,
887 LESIZE,31,,,2,
888 LESIZE,32,,,2,
889 LESIZE,34,,,14,
890 LESIZE,35,,,3,
891 LESIZE,36,,,14,
892 LESIZE,37,,,3,
893 LESIZE,38,,,14,
894 LESIZE,40,,,2,
895 LSEL,S,LINE,,23,31,1,
896 LCCAT,ALL,
897 LSEL,S,LINE,,32,40,1,
898 LCCAT,ALL,
899 LSEL,ALL,
900 LESIZE,17,,,56,
901 LESIZE,18,,,56,
902 LESIZE,22,,,3,
903 LESIZE,41,,,3,
904 MAT,1,
905 TYPE,1,
906 AMESH,7,8,1,
907 /COM, Assume vacuum between shell and inner barrier
908 LESIZE,13,,,56,
909 LESIZE,14,,,56,
910 LESIZE,19,,,2,
911 LESIZE,20,,,2,
912 /COM, No MAT,7,
913 /COM, No TYPE,1,
914 /COM, No AMESH,5,6,1,
915 /COM, Delete concatenatd lines
916 /COM, (L's freed up 489,490)
917 LDELE,489,490,1,
918 /COM, Inner and outer barrier
919 LSEL,S,LINE,,7,10,1,
920 LESIZE,ALL,,,56,
921 LSEL,ALL,
922 LESIZE,6,,,3,
923 LESIZE,15,,,3,
924 LESIZE,16,,,3,
925 LESIZE,5,,,3,
926 LESIZE,11,,,3,

```

```

927 LESIZE,12,,, 3,
928 MAT,2,
929 TYPE,1,
930 AMESH,3,4,1,
931 MAT,15,
932 TYPE,1,
933 AMESH,1,2,1,
934 /COM, Empty basket spaces
935 ESIZE,0.1,
936 ESHAPE,0,
937 MAT,7,
938 TYPE,1,
939 AMESH,9,14,1,
940 /COM, *****
941 /COM, Define mesh and radiation surface elements
942 /COM, Tube/guides gap
943 LSEL,S,LOC,X,0.0,0.0,
944 LSEL,A,LINE,, 7, 8,1,
945 LSEL,A,LINE,,13,14,1,
946 LSEL,A,LINE,,17,18,1,
947 NSLL,U,0,
948 LSEL,ALL,
949 MAT,1,
950 TYPE,7,
951 ESURF,
952 NSEL,ALL,
953 /COM, Basket spaces
954 MAT,1,
955 TYPE,17,
956 LMESH,25,29,2,
957 LMESH,34,38,2,
958 LMESH,80,
959 LMESH,45,
960 LMESH,50,52,2,
961 LMESH,57,59,2,
962 LMESH,62,65,3,
963 LMESH,69,72,3,
964 LMESH,76,79,3,
965 /COM, MPC shell/inner barrier gap
966 MAT,1,
967 TYPE,27,
968 LMESH,17,18,1,
969 MAT,2,
970 TYPE,27,
971 LMESH,13,14,1,
972 /COM, *****
973 /COM, Create mesh in helium spaces
974 ESIZE,,2,
975 ESHAPE,2,
976 MAT,7,
977 TYPE,1,
978 AMESH, 95,103,1,
979 AMESH,172,180,1,
980 AMESH,186,205,1,
981 ESHAPE,0,
982 MAT,7,
983 TYPE,1,
984 AMESH,206,218,1,
985 /COM, Clear areas and mesh by hand difficult areas
986 ACLEAR,211,
987 E,5653,3453,3952,3952,
988 E, 636,5653,3952,3952,
989 E, 545, 636,3952,3952,
990 E, 551, 545,3952,3952,
991 E, 363, 551,3952,3952,
992 E, 370, 363,3952,3952,
993 E, 371, 370,3952,3952,
994 E, 369, 371,3952,3952,
995 E,5747, 369,3952,3952,
996 E,3782,5747,3952,3952,

```

```

997 ACLEAR,217,
998 E,3735,5763,3738,3738,
999 E,5763,1661,3738,3738,
1000 E,1661,1663,3738,3738,
1001 E,1663,1664,3738,3738,
1002 E,1664,1662,3738,3738,
1003 E,1662,1979,3738,3738,
1004 E,1979,1978,3738,3738,
1005 E,1978,2148,3738,3738,
1006 E,2148,5725,3738,3738,
1007 E,5725,3666,3738,3738,
1008 FINISH
1009 /COM, *****
1010 /COM, Create element mesh plots to illustrate model
1011 /COM, View mesh for entire model
1012 /RESET
1013 /TRIAD,OFF,
1014 /NUM, 1,
1015 /PNUM,MAT, 1,
1016 /TYPE,HIDP,
1017 /GLINE,,0,
1018 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1019 /TITLE, 12 PWR MPC/Waste Package - 1/2 FEM Model
1020 /SHOW,meshfull,grph,1,8,
1021 EPLOT
1022 ESEL,U,MAT,, 7,
1023 /SHOW,meshgap,grph,1,8,
1024 EPLOT
1025 /COM, View mesh for radiation substructure
1026 /PNUM,MAT, 0,
1027 /PNUM,TYPE, 1,
1028 ESEL,S,TYPE,, 7,
1029 ESEL,A,TYPE,,17,
1030 ESEL,A,TYPE,,27,
1031 /TITLE, 12 PWR MPC/Waste Package - Radiation Matrix
1032 /SHOW,meshrad,grph,1,8,
1033 EPLOT
1034 ESEL,ALL,
1035 /TITLE, 12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF
1036 /COM, *****
1037 /COM, Generate super-elements
1038 /AUX12,
1039 ESEL,S,TYPE,,7,
1040 NSLE,S,
1041 STEF,5.67E-8,
1042 GEOM,1,0,
1043 VTYPE,0,800,
1044 WRITE,tubegap,
1045 ESEL,S,TYPE,,17,
1046 NSLE,S,
1047 STEF,5.67E-8,
1048 GEOM,1,0,
1049 VTYPE,0,800,
1050 WRITE,spaces,
1051 ESEL,S,TYPE,,27,
1052 NSLE,S,
1053 STEF,5.67E-8,
1054 GEOM,1,0,
1055 VTYPE,0,800,
1056 WRITE,shellgap,
1057 ESEL,ALL,
1058 NSEL,ALL,
1059 FINISH
1060 /PREP7,
1061 TYPE,18,
1062 SE,tubegap,
1063 SE,spaces,
1064 SE,shellgap,
1065 /COM, Delete radiation edge elements
1066 ESEL,S,TYPE,,7,

```

```

1067 EDELE,ALL,
1068 ESEL,ALL,
1069 LSEL,S,TYPE,,17,
1070 LSEL,A,TYPE,,27,
1071 LCLEAR,ALL,
1072 LSEL,ALL,
1073 FINISH
1074 /COM, *****
1075 /COM,          Set solution parameters and apply B.C.'s
1076 /COM,
1077 /COM,          Solve steady-state for initial conditions
1078 /COM,          with WP surface equal to drift ambient
1079 /COM,          temperature from repository model.
1080 /SOLU
1081 ANTYPE,TRAN,NEW,
1082 NROPT,AUTO,
1083 TRNOPT,FULL,
1084 TOFFST,273.15,
1085 LSEL,S,LINE,,7,
1086 LSEL,A,LINE,,8,
1087 NSLL,S,1,
1088 D,ALL,TEMP,DFAMBT,
1089 LSEL,ALL,
1090 NSEL,ALL,
1091 ASEL,S,MAT,,14,
1092 ESLA,S,
1093 BFE,ALL,HGEN,,(FUEL(TM_START)),
1094 ASEL,ALL,
1095 ESEL,ALL,
1096 TIMINT,OFF,
1097 TIME,1e-6,
1098 AUTOTS,ON,
1099 KBC,0,
1100 SOLVE
1101 /COM,          Solve steady-state for initial conditions
1102 /COM,          with WP surface temperatures from repository
1103 /COM,          steady-state solution.
1104 LSEL,S,LINE,,7,
1105 LSEL,A,LINE,,8,
1106 NSLL,S,1,
1107 DDELE,ALL,TEMP,
1108 LSEL,ALL,
1109 NSEL,ALL,
1110 DK,11,TEMP,(WPTOP(TM_START)),,1,
1111 DK,10,TEMP,(WPSID(TM_START)),,1,
1112 DK, 9,TEMP,(WPBOT(TM_START)),,1,
1113 ASEL,S,MAT,,14,
1114 ESLA,S,
1115 BFE,ALL,HGEN,,(FUEL(TM_START)),
1116 ASEL,ALL,
1117 ESEL,ALL,
1118 TIMINT,OFF,
1119 TIME,2e-6,
1120 AUTOTS,ON,
1121 KBC,0,
1122 SOLVE
1123 /COM, *****
1124 /COM,          Set time integration parameters
1125 TIMINT,ON,
1126 AUTOTS,ON,
1127 /COM,          Time substep ranges from 10 sec to 1/4 loadstep
1128 NSUBST,10,40,4,ON
1129 /COM,          Begin Transient
1130 /COM,          Apply loads and solve for 0 to .9 years
1131 *DO,TM,TM_START,TME0,TM10
1132     TIME,TM,
1133     ASEL,S,MAT,,14,
1134     ESLA,S,
1135     BFE,ALL,HGEN,,(FUEL(TM)),
1136     ASEL,ALL

```

```

1137      ESEL,ALL
1138      DK,11,TEMP,(WPTOP(TM)),,1,
1139      DK,10,TEMP,(WPSID(TM)),,1,
1140      DK, 9,TEMP,(WPBOT(TM)),,1,
1141      SOLVE
1142 *ENDDO
1143 /COM,          Apply loads and solve for 1 to 9 years
1144 *DO,TM,TME1,TME9,TMI1
1145      TIME,TM,
1146      ASEL,S,MAT,,14,
1147      ESLA,S,
1148      BFE,ALL,HGEN,,(FUEL(TM)),
1149      ASEL,ALL
1150      ESEL,ALL
1151      DK,11,TEMP,(WPTOP(TM)),,1,
1152      DK,10,TEMP,(WPSID(TM)),,1,
1153      DK, 9,TEMP,(WPBOT(TM)),,1,
1154      SOLVE
1155 *ENDDO
1156 /COM,          Apply loads and solve for 10 to 90 years
1157 *DO,TM,TME10,TME90,TMI10
1158      TIME,TM,
1159      ASEL,S,MAT,,14,
1160      ESLA,S,
1161      BFE,ALL,HGEN,,(FUEL(TM)),
1162      ASEL,ALL
1163      ESEL,ALL
1164      DK,11,TEMP,(WPTOP(TM)),,1,
1165      DK,10,TEMP,(WPSID(TM)),,1,
1166      DK, 9,TEMP,(WPBOT(TM)),,1,
1167      SOLVE
1168 *ENDDO
1169 /COM,          Apply loads and solve for 100 to 1000 years
1170 *DO,TM,TME100,TME1000,TMI100
1171      TIME,TM,
1172      ASEL,S,MAT,,14,
1173      ESLA,S,
1174      BFE,ALL,HGEN,,(FUEL(TM)),
1175      ASEL,ALL
1176      ESEL,ALL
1177      DK,11,TEMP,(WPTOP(TM)),,1,
1178      DK,10,TEMP,(WPSID(TM)),,1,
1179      DK, 9,TEMP,(WPBOT(TM)),,1,
1180      SOLVE
1181 *ENDDO
1182 FINISH
1183 SAVE,
1184 /COM,          *****
1185 /COM,          Create element contour plots of solution results
1186 /COM,
1187 /COM,          Sort through solution results for time of max temp.
1188 /POST26,
1189 NSOL,2,(NODE(ACX1,(0.0-ACY1),0.0)),TEMP,,peakclad,
1190 STORE,NEW,
1191 *GET,TMTMAX,VARI,2,EXTREM,TMAX,
1192 FINISH
1193 /POST1,
1194 /COM,          Create temperature contour plots of WP at peak
1195 /RESET
1196 /TRIAD,OFF,
1197 /NUM, 1,
1198 /PNUM,MAT, 1,
1199 /TYPE,HIDP,
1200 /GLINE,,-1,
1201 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1202 ESEL,U,MAT,,7,
1203 SET,NEAR,,,TMTMAX,
1204 /TITLE, 12 PWR MPC/WP at Time of Peak Temp. (%TMTMAX/3.15576E7% years)
1205 /SHOW,solupk,grph,0,8,
1206 /CONTOUR,1,128,AUTO,

```



```

1207 PLNSOL,TEMP,
1208 /COM,          Create temperature contour plots at 10, 50, and 100 yrs
1209 SET,NEAR,,,,TME10,
1210 /TITLE, 12 PWR MPC/WP at 10 years
1211 /SHOW,solu10,grph,0,8,
1212 /CONTOUR,1,128,USER,
1213 PLNSOL,TEMP,
1214 SET,NEAR,,,,TME50,
1215 /TITLE, 12 PWR MPC/WP at 50 years
1216 /SHOW,solu50,grph,0,8,
1217 /CONTOUR,1,128,USER,
1218 PLNSOL,TEMP,
1219 SET,NEAR,,,,TME100,
1220 /TITLE, 12 PWR MPC/WP at 100 years
1221 /SHOW,solu100,grph,0,8,
1222 /CONTOUR,1,128,USER,
1223 PLNSOL,TEMP,
1224 ESEL,ALL,
1225 FINISH
1226 /COM,          *****
1227 /COM,          Print time/temperature output at specific locations
1228 /COM,          Save profile from center to edge
1229 /COM,
1230 /COM,          Variable Legend: A01i000
1231 /COM,          x = center of waste package
1232 /COM,          f = flux trap plate stainless layer
1233 /COM,          w = flux trap plate SS sheath
1234 /COM,          c = center of assembly
1235 /COM,          h = halfway between center and tube
1236 /COM,          s = inside structural stainless tube layer
1237 /COM,          a = aluminum-born tube layer
1238 /COM,          t = stainless tube cladding
1239 /COM,          g = tube guide
1240 /COM,          m = mpc shell
1241 /COM,          i = inner barrier of DC
1242 /COM,          o = outer barrier of DC
1243 /COM,          ## = ID number of assembly (01 is center)
1244 /COM,          i = side of assembly toward center of WP
1245 /COM,          o = side of assembly toward edge of WP
1246 /COM,          000 = profile center down
1247 /COM,          045 = profile 45 deg down
1248 /COM,          090 = profile center side
1249 /COM,          135 = profile 45 deg up
1250 /COM,          180 = profile center up
1251 /POST26,
1252 NUMVAR,30,
1253 /COM,
1254 /COM,          *****
1255 /COM,          * Temperature Profile from center to lower right (45 deg.) *
1256 /COM,          *****
1257 NSOL, 2,(NODE(      0.0,      0.0,0.0)),TEMP,,x04i045,
1258 NSOL, 3,(NODE(      (0.5*FSPAC),      (-.5*FSPAC),0.0)),TEMP,,f04i045,
1259 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(-.5*FSPAC-FWALL),0.0)),TEMP,,f04o045,
1260 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(-.5*FSPAC-BCELL),0.0)),TEMP,,w04i045,
1261 NSOL, 6,(NODE(      (ACX1-SCCELL),      (SCCELL-ACY1),0.0)),TEMP,,w04o045,
1262 NSOL, 7,(NODE(      (ACX1-HCELL),      (HCELL-ACY1),0.0)),TEMP,,s04i045,
1263 NSOL, 8,(NODE(      (ACX1-QCELL),      (QCELL-ACY1),0.0)),TEMP,,h04i045,
1264 NSOL, 9,(NODE(      ACX1,      (0.0-ACY1),0.0)),TEMP,,c04i045,
1265 NSOL,10,(NODE(      (ACX1+QCELL),      (0.0-ACY1-QCELL),0.0)),TEMP,,h04o045,
1266 NSOL,11,(NODE(      (ACX1+HCELL),      (0.0-ACY1-HCELL),0.0)),TEMP,,s04o045,
1267 NSOL,12,(NODE(      (ACX1+SCCELL),      (0.0-ACY1-SCCELL),0.0)),TEMP,,a04o045,
1268 NSOL,13,(NODE(      (ACX1+ACELL),      (0.0-ACY1-ACELL),0.0)),TEMP,,t04i045,
1269 NSOL,14,(NODE(      (ACX1+TCELL),      (0.0-ACY1-TCELL),0.0)),TEMP,,t04o045,
1270 NSOL,15,(NODE(      (GX25-GWALL),      (GWALL-GX25),0.0)),TEMP,,g04i045,
1271 NSOL,16,(NODE(      GX25,      (0.0-GX25),0.0)),TEMP,,g04o045,
1272 NSOL,17,(NODE(      MI45,      (0.0-MI45),0.0)),TEMP,,m04i045,
1273 NSOL,18,(NODE(      MO45,      (0.0-MO45),0.0)),TEMP,,m04o045,
1274 NSOL,19,(NODE(      DI45,      (0.0-DI45),0.0)),TEMP,,i04i045,
1275 NSOL,20,(NODE(      DM45,      (0.0-DM45),0.0)),TEMP,,i04o045,
1276 NSOL,21,(NODE(      DO45,      (0.0-DO45),0.0)),TEMP,,o04o045,

```

```

1277 /COM,          Add centers of assemblies 5 and 6
1278 NSOL,22,(NODE(          ACX2,          (0.0-ACY1),0.0)),TEMP,,c05i045,
1279 NSOL,23,(NODE(          ACX1,          (0.0-ACY3),0.0)),TEMP,,c06i045,
1280 PRVAR, 2, 3, 4, 5, 6, 7,
1281 PRVAR, 8, 9,10,11,12,13,
1282 PRVAR,14,15,16,17,18,19,
1283 PRVAR,20,21,22,23,
1284 /COM,
1285 /COM,          *****
1286 /COM,          * Temperature Profile from center to upper right (135 deg.) *
1287 /COM,          *****
1288 NSOL, 2,(NODE(          0.0,          0.0,0.0)),TEMP,,x01i135,
1289 NSOL, 3,(NODE(          (0.5*FSPAC),          (0.5*FSPAC),0.0)),TEMP,,f01i135,
1290 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(0.5*FSPAC+FWALL),0.0)),TEMP,,f01o135,
1291 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(0.5*FSPAC+BCELL),0.0)),TEMP,,w01i135,
1292 NSOL, 6,(NODE(          (ACX1-SCELL),          (ACY1-SCELL),0.0)),TEMP,,h01o135,
1293 NSOL, 7,(NODE(          (ACX1-HCELL),          (ACY1-HCELL),0.0)),TEMP,,s01i135,
1294 NSOL, 8,(NODE(          (ACX1-QCELL),          (ACY1-QCELL),0.0)),TEMP,,h01i135,
1295 NSOL, 9,(NODE(          ACX1,          ACY1,0.0)),TEMP,,c01i135,
1296 NSOL,10,(NODE(          (ACX1+QCELL),          (ACY1+QCELL),0.0)),TEMP,,h01o135,
1297 NSOL,11,(NODE(          (ACX1+HCELL),          (ACY1+HCELL),0.0)),TEMP,,s01o135,
1298 NSOL,12,(NODE(          (ACX1+SCELL),          (ACY1+SCELL),0.0)),TEMP,,a01o135,
1299 NSOL,13,(NODE(          (ACX1+ACELL),          (ACY1+ACELL),0.0)),TEMP,,t01i135,
1300 NSOL,14,(NODE(          (ACX1+TCELL),          (ACY1+TCELL),0.0)),TEMP,,t01o135,
1301 NSOL,15,(NODE(          (GX25-GWALL),          (GX25-GWALL),0.0)),TEMP,,g01i135,
1302 NSOL,16,(NODE(          GX25,          GX25,0.0)),TEMP,,g01o135,
1303 NSOL,17,(NODE(          MI45,          MI45,0.0)),TEMP,,m01i135,
1304 NSOL,18,(NODE(          MO45,          MO45,0.0)),TEMP,,m01o135,
1305 NSOL,19,(NODE(          DI45,          DI45,0.0)),TEMP,,i01i135,
1306 NSOL,20,(NODE(          DM45,          DM45,0.0)),TEMP,,i01o135,
1307 NSOL,21,(NODE(          DO45,          DO45,0.0)),TEMP,,o01o135,
1308 /COM,          Add centers of assemblies 2 and 3
1309 NSOL,22,(NODE(          ACX2,          ACY2,0.0)),TEMP,,c02i135,
1310 NSOL,23,(NODE(          ACX3,          ACY3,0.0)),TEMP,,c03i135,
1311 PRVAR, 2, 3, 4, 5, 6, 7,
1312 PRVAR, 8, 9,10,11,12,13,
1313 PRVAR,14,15,16,17,18,19,
1314 PRVAR,20,21,22,23,
1315 /COM,
1316 FINISH
1317 /COM,          *****
1318 /COM,          End of batch input file
1319 /COM,          *****
1320 /EXIT,
1321 /EOF

```

RUN SETUP PROCEDURE FROM FILE= /ansys50a/docu/start.ans

```

/INPUT FILE= /ansys50a/docu/start.ans LINE=      0
*****
ANSYS STARTUP FILE start.ans
*****

```

```

ABBREVIATION= K1          /pnum,kp ,1,
ABBREVIATION= K0          /pnum,kp ,0,
ABBREVIATION= L1          /pnum,line,1,
ABBREVIATION= L0          /pnum,line,0,
ABBREVIATION= A1          /pnum,area,1,
ABBREVIATION= A0          /pnum,area,0,
ABBREVIATION= V1          /pnum,volu,1,
ABBREVIATION= V0          /pnum,volu,0,
ABBREVIATION= N1          /pnum,node,1,

```

```

ABBREVIATION= N0      /pnum,node,0,
ABBREVIATION= E1      /pnum,elem,1,
ABBREVIATION= E0      /pnum,elem,0,
ABBREVIATION= M1      /pnum,mat ,1,
ABBREVIATION= M0      /pnum,mat ,0,
ABBREVIATION= R1      /pnum,real,1,
ABBREVIATION= R0      /pnum,real,0,
ABBREVIATION= T1      /pnum,type,1,
ABBREVIATION= T0      /pnum,type,0,
ABBREVIATION= C1      /number,1,
ABBREVIATION= C0      /number,0,
ABBREVIATION= INP     /input,,inp,
ABBREVIATION= X3D     /show,3d,
ABBREVIATION= X11     /show,x11,
ABBREVIATION= VEC     /show,,,1,
ABBREVIATION= RAS     /show,,,0,
ABBREVIATION= ON      /menu,on,
ABBREVIATION= OFF     /menu,off,
ABBREVIATION= NVP     /config,nvpag,512,

ABBREVIATION= QUIT    /exit,nosav,
XYZ TRIAD DISPLAY SET TO OFF

```

VIEW CONE ANGLE FOR WINDOW 1 25.00

```

*****
END start.ans
*****

```

To start ANSYS menu:

```

type:  x3d  for console
       x11  for X-term

```

type: on

```

*****
*****
ANSYS REVISION  5.0A                      3/24/1995
2-D Model of 75 ton burnup credit MPC-DC  R.Bahney III
*****
*
* File name: ma12j3.inp
*      12 PWR MPC with Low T.L. Disposal Container
*      Helium Fill Gas
*
* Material Property file: props01.dat
*
* SNF Conductivity file:  pwr15e.parm
*      15x15 Mark-B4 PWR SNF Assembly
*
* SNF Heat Loads file:   snf1048.dat
*

```

```
*      SNF Type: 20 years old, 40 GWD/MTU      *
*      *                                         *
* Surface Temp. file:      c12j5a.parm         *
*      25 MTU/acre (6.18 kgU/m^2) AML (Low Thermal Loading) *
*      5.0 m Diameter Drift with Concrete Invert *
*      Drift spacing = 67.5 m                  *
*      WP c/c spacing = 12.317 m              *
*      *                                         *
```

Increase the number of database pages from 16 (256) to 32 Mb

NUMBER OF DATA BASE PAGES IN MEMORY(NVPAGE)= 512

Work space must also be increased (-m 64)

TITLE=

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

SI UNITS SPECIFIED

```
LENGTH      = METERS(M)
MASS         = KILOGRAMS(KG)
TIME         = SECONDS(SEC)
TEMPERATURE  = CENTIGRADE
CURRENT      = AMPS
```

Read in average effective conductivities from SNF model

*** NOTE *** CP= .380 TIME= 23:17:17

Restore ANSYS parameters from file= pwr15e.parm.

/INPUT FILE= pwr15e.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Read in surface temps. from repository model

*** NOTE *** CP= .610 TIME= 23:17:18

Restore ANSYS parameters from file= c12j5a.parm.

/INPUT FILE= c12j5a.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Define MPC/waste package parameters

(MPC dimensions converted from inches to meters)

```
MIRAD = inner radius of MPC shell (m)
MWALL = MPC shell thickness (m)
DCRAD = disposal container outer radius (m)
OWALL = outer barrier thickness (m)
IWALL = inner barrier thickness (m)
GCORN = corner guide width (m)
GLENW = side guide total width (m)
GLENH = side guide total height (m)
GWALL = guide thickness (m)
HCELL = 1/2 of basket cell opening (m)
SWALL = stainless tube thickness (m)
AWALL = Al/boron tube thickness (m)
FLENT = flux trap plate length (m)
FWALL = flux trap plate stainless thickness (m)
BWALL = flux trap plate Al/boron thickness (m)
TWALL = flux trap plate SS sheath thickness (m)
FSPAC = flux trap plate spacer width (m)
TSPAC = tube/tube spacer width (m)
ACTVL = active fuel length
PEAKF = assembly heat axial peaking factor
```

PARAMETER PI = 3.141593

PARAMETER MIRAD = .6079490

PARAMETER MWALL = .2222500E-01
 PARAMETER DCRAD = .7152500
 PARAMETER OWALL = .5000000E-01
 PARAMETER IWALL = .2000000E-01
 PARAMETER GCORN = .2561844
 PARAMETER GLENW = .2142236
 PARAMETER GLENH = .6339840E-01
 PARAMETER GWALL = .9525000E-02
 PARAMETER HCELL = .1143000
 PARAMETER SWALL = .2387600E-02
 PARAMETER AWALL = .2717800E-02
 PARAMETER FLENT = .5883656
 PARAMETER FWALL = .1270000E-01
 PARAMETER BWALL = .6350000E-02
 PARAMETER TWALL = .2387600E-02
 PARAMETER FSPAC = .2540000E-01
 PARAMETER TSPAC = .2504440E-01
 PARAMETER ACTVL = 3.601720

PARAMETER PEAKF = 1.250000

Define calculated parameters

ASSY = assembly heat production (W) f(yrs)
 FUEL = volumetric heat production (W/m³) f(yrs)
 FVOLUME = assy_volume=cell_width^2*active_length
 Q2 = side guide x coord. (see sketch)
 GX## = x coord. of guide/shell contact (kp##)
 GY## = y coord. of guide/shell contact (kp##)
 ACX# = x coord. of center of assembly #
 ACY# = y coord. of center of assembly #
 TM START = start time (sec)
 TMT* = time increment for solution (sec)
 TME* = start and stop for time do-loops (sec)
 Note: 1 year = 3.15576e7 seconds
 QCELL = 1/4 of basket cell opening (m)
 SCELL = 1/2 of basket cell opening+SS wall(m)
 ACELL = 1/2 of basket cell opening+SS+AL (m)
 MI45 = x coord. MIRAD at 45 deg.
 MO45 = x coord. MIRAD+MWALL at 45 deg.
 DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
 DM45 = x coord. DCRAD-OWALL at 45 deg.
 DO45 = x coord. DCRAD at 45 deg.
 TMTMAX = time of maximum cladding temperature

ARRAY PARAMETER ASSY DELETED.

SET PARAMETER DIMENSIONS ON ASSY TYPE=TABL DIMENSIONS= 101 1 1

SET PARAMETER DIMENSIONS ON FUEL TYPE=TABL DIMENSIONS= 101 1 1

PARAMETER FVOLUME = .1882185

PARAMETER Q2 = .5002134E-01
PARAMETER GX22 = .4049634E-01
PARAMETER GY22 = .6065987
PARAMETER GX23 = .5002134E-01
PARAMETER GY23 = .6058877
PARAMETER GX24 = .2547199
PARAMETER GY24 = .5520143
PARAMETER GTMP = .2466594
PARAMETER GX25 = .2884843
PARAMETER GY25 = .5351437
PARAMETER ACX1 = .1508252
PARAMETER ACY1 = .1508252
PARAMETER ACX2 = .4194556
PARAMETER ACY2 = .1508252
PARAMETER ACX3 = .1508252
PARAMETER ACY3 = .4194556
PARAMETER TM_START = 31.55760
PARAMETER TMI0 = 3155760.
PARAMETER TMI1 = .3155760E+08
PARAMETER TMI10 = .3155760E+09
PARAMETER TMI100 = .3155760E+10
PARAMETER TMI1000 = .3155760E+11
PARAMETER TME0 = .2840187E+08
PARAMETER TME1 = .3155763E+08
PARAMETER TME9 = .2840184E+09
PARAMETER TME10 = .3155760E+09
PARAMETER TME50 = .1577880E+10
PARAMETER TME90 = .2840184E+10
PARAMETER TME100 = .3155760E+10
PARAMETER TME1000 = .3155760E+11
PARAMETER BCELL = .1905000E-01
PARAMETER QCELL = .5715000E-01
PARAMETER SCELL = .1166876
PARAMETER ACELL = .1194054
PARAMETER TCELL = .1217930

PARAMETER MI45 = .4298849
 PARAMETER MO45 = .4456003
 PARAMETER DI45 = .4562607
 PARAMETER DM45 = .4704028
 PARAMETER DO45 = .5057581

Define different element types

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:17:19 MAR 25, 1995 CP= 1.570
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE 1 IS PLANE55 2-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 TWO-DIMENSIONAL MODEL

ELEMENT TYPE 2 IS SOLID70 3-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 7 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 16 IS SHELL57 THERMAL SHELL
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 17 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 18 IS MATRIX50 SUBSTRUCTURE MATRIX
 KEYOPT(1-12)= 1 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 19 IS LINK31 RADIATION LINK
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 27 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS YEMP
 THREE-DIMENSIONAL MODEL

File props01.dat describes material properties
and thier reference numbers

READ IN MATERIAL PROPERTY LIBRARY FROM FILE= props01.dat

```

/INPUT FILE= props01.dat LINE=      0
*****
**      ANSYS 5.0 MPC MATERIAL PROPERTY TABLES      **
*****
**      Filename: props01.dat                          **
**      Compiled by R. Bahney III on 1-30-95          **
*****

NUMBER MATERIAL DESCRIPTION
1 Stainless Steel 316 Basket Structural Support
2 Incaloy 825 Inner Container (resistant)
3 A516 Mild Steel Outer Container (allowance)
4 UO2 Pellet SNF Uranium Oxide Pellet
5 Zircaloy 4 SNF Cladding
6 Oxidation Layer Stably Oxidized Zircaloy Surface
7 Helium Canister Fill Gas
8 Air Alternate Fill Gas
9 Nitrogen Alternate Fill Gas
10 Argon Alternate Fill Gas
11 Aluminum 6063 Thermal Conductor
12 Copper Alternate Thermal Conductor
13 Aluminum-Boron Aluminum Boron Criticality Matl

*****
**      Density: DENS (kg/m^3)                        **
**      Emissivity EMIS                                  **
**      Conductivity: KXX (W/m/K)                      **
**      Specific Heat: C (J/kg/K)                      **
*****

```

Define densities for all materials except gases

TEMPERATURE TABLE ERASED.

```

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 1 NUM. POINTS= 1
SLOC= 1 8000.000

PROPERTY TABLE DENS MAT= 2 NUM. POINTS= 1
SLOC= 1 8137.900

PROPERTY TABLE DENS MAT= 3 NUM. POINTS= 1
SLOC= 1 8131.000

PROPERTY TABLE DENS MAT= 4 NUM. POINTS= 1
SLOC= 1 10970.00

PROPERTY TABLE DENS MAT= 5 NUM. POINTS= 1
SLOC= 1 6500.000

PROPERTY TABLE DENS MAT= 6 NUM. POINTS= 1
SLOC= 1 6500.000

PROPERTY TABLE DENS MAT= 11 NUM. POINTS= 1
SLOC= 1 2690.000

PROPERTY TABLE DENS MAT= 12 NUM. POINTS= 1
SLOC= 1 8933.000

PROPERTY TABLE DENS MAT= 13 NUM. POINTS= 1
SLOC= 1 2693.000

```

Define emissivities for all materials except gases

PROPERTY TABLE EMIS MAT= 1 NUM. POINTS= 1
SLOC= 1 .6000000

PROPERTY TABLE EMIS MAT= 2 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 3 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 4 NUM. POINTS= 1
SLOC= 1 .7900000

PROPERTY TABLE EMIS MAT= 5 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 6 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 11 NUM. POINTS= 1
SLOC= 1 .7000000E-01

PROPERTY TABLE EMIS MAT= 12 NUM. POINTS= 1
SLOC= 1 .5000000

PROPERTY TABLE EMIS MAT= 13 NUM. POINTS= 1
SLOC= 1 .7000000E-01

Define specific heat for matl. 4, 5, 6, 7, 11, 14, 15

PROPERTY TABLE C MAT= 4 NUM. POINTS= 1
SLOC= 1 247.0000

PROPERTY TABLE C MAT= 5 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 6 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 7 NUM. POINTS= 1
SLOC= 1 5193.000

PROPERTY TABLE C MAT= 11 NUM. POINTS= 1
SLOC= 1 900.0000

Define K and C for materials 1, 3

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 21.11000 37.78000 65.56000
93.33000 121.1100 148.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 176.6700 204.4400 232.2200
260.0000 287.7800 315.5600

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
SLOC= 13 343.3300 371.1100 398.8900
426.6700 454.4400 482.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
SLOC= 19 510.0000 537.7800 565.5600
593.3300 621.1100 648.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
SLOC= 25 676.6700 704.4400 732.2200
760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 6

SLOC= 1	13.33000 15.06000	13.67000 15.58000	14.19000	14.54000
PROPERTY TABLE KXX MAT=	1	NUM. POINTS= 12		
SLOC= 7	15.92000 17.83000	16.44000 18.17000	16.96000	17.31000
PROPERTY TABLE KXX MAT=	1	NUM. POINTS= 18		
SLOC= 13	18.52000 20.25000	19.04000 20.77000	19.38000	19.90000
PROPERTY TABLE KXX MAT=	1	NUM. POINTS= 24		
SLOC= 19	21.11000 22.67000	21.46000 23.02000	21.98000	22.33000
PROPERTY TABLE KXX MAT=	1	NUM. POINTS= 30		
SLOC= 25	23.54000 24.92000	23.88000 25.27000	24.23000	24.58000
PROPERTY TABLE C MAT=	1	NUM. POINTS= 6		
SLOC= 1	481.6800 509.9800	486.9200 520.2900	498.0900	499.3800
PROPERTY TABLE C MAT=	1	NUM. POINTS= 12		
SLOC= 7	521.0700 543.0200	527.3800 543.3100	536.9200	537.3400
PROPERTY TABLE C MAT=	1	NUM. POINTS= 18		
SLOC= 13	546.9100 557.2500	552.1400 565.1100	552.2600	557.2200
PROPERTY TABLE C MAT=	1	NUM. POINTS= 24		
SLOC= 19	565.0100 574.9200	564.9100 574.6800	572.3500	572.1400
PROPERTY TABLE C MAT=	1	NUM. POINTS= 30		
SLOC= 25	581.6400 585.9600	581.3000 588.3900	583.8600	586.3600
PROPERTY TABLE KXX MAT=	3	NUM. POINTS= 6		
SLOC= 1	40.84000 42.23000	41.36000 42.23000	41.88000	42.23000
PROPERTY TABLE KXX MAT=	3	NUM. POINTS= 12		
SLOC= 7	42.06000 40.50000	41.88000 39.98000	41.36000	41.02000
PROPERTY TABLE KXX MAT=	3	NUM. POINTS= 18		
SLOC= 13	39.29000 36.69000	38.77000 36.17000	38.08000	37.56000
PROPERTY TABLE KXX MAT=	3	NUM. POINTS= 24		
SLOC= 19	35.48000 32.36000	34.61000 31.50000	33.92000	33.23000
PROPERTY TABLE KXX MAT=	3	NUM. POINTS= 30		
SLOC= 25	30.29000 26.13000	28.90000 26.13000	27.35000	26.48000
PROPERTY TABLE C MAT=	3	NUM. POINTS= 6		
SLOC= 1	428.7200 486.0800	444.9500 495.6600	460.9400	476.8700
PROPERTY TABLE C MAT=	3	NUM. POINTS= 12		
SLOC= 7	506.0900 543.6300	517.0700 550.6200	525.6400	536.9900
PROPERTY TABLE C MAT=	3	NUM. POINTS= 18		
SLOC= 13	562.2100 611.3500	577.3200 629.0900	589.1000	600.5700

PROPERTY TABLE C MAT= 3 NUM. POINTS= 24
 SLOC= 19 645.3200 665.1200 682.0700 694.5200
 724.0700 761.9500

PROPERTY TABLE C MAT= 3 NUM. POINTS= 30
 SLOC= 25 806.3100 888.6000 1095.040 1638.780
 808.6800 736.9000

Define K for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 93.33000 121.1100 148.8900
 176.6700 204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 260.0000 287.7800 315.5600
 343.3300 371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
 SLOC= 13 426.6700 454.4400 482.2200
 510.0000 537.7800 565.5600

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
 SLOC= 19 593.3300 621.1100 648.8900
 676.6700 704.4400 732.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 27 ***
 SLOC= 25 760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 6
 SLOC= 1 12.29000 12.63000 13.15000 13.67000
 14.02000 14.54000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 12
 SLOC= 7 14.88000 15.40000 15.75000 16.10000
 16.61000 16.96000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 18
 SLOC= 13 17.31000 17.65000 18.00000 18.52000
 18.86000 19.21000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 24
 SLOC= 19 19.73000 20.08000 20.42000 20.94000
 21.46000 21.98000

PROPERTY TABLE KXX MAT= 2 NUM. POINTS= 27
 SLOC= 25 22.33000 23.02000 23.54000

Define C for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 93.33000 121.1100 148.8900
 176.6700 204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 260.0000 287.7800 315.5600
 343.3300 371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 17 ***
 SLOC= 13 426.6700 454.4400 482.2200
 510.0000 537.7800

PROPERTY TABLE C MAT= 2 NUM. POINTS= 6
 SLOC= 1 460.6900 477.4200 501.0200 504.6500

498.1200 520.4500

PROPERTY TABLE C MAT= 2 NUM. POINTS= 12
SLOC= 7 536.8800 559.8500 576.8300 576.2100
581.6800 598.2000

PROPERTY TABLE C MAT= 2 NUM. POINTS= 17
SLOC= 13 619.5800 636.7600 654.2000 678.2500
696.2900

Define K for materials 4, 5, 6

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 .000000E+00 10.00000 20.00000
30.00000 40.00000 50.00000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 60.00000 70.00000 80.00000
90.00000 100.0000 110.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
SLOC= 13 120.0000 130.0000 140.0000
150.0000 160.0000 170.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
SLOC= 19 180.0000 190.0000 200.0000
210.0000 220.0000 230.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
SLOC= 25 240.0000 250.0000 260.0000
270.0000 280.0000 290.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 36 ***
SLOC= 31 300.0000 310.0000 320.0000
330.0000 340.0000 350.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 42 ***
SLOC= 37 360.0000 370.0000 380.0000
390.0000 400.0000 410.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 48 ***
SLOC= 43 420.0000 430.0000 440.0000
450.0000 460.0000 470.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 50 ***
SLOC= 48 480.0000 490.0000 500.0000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 6
SLOC= 1 8.720000 8.540000 8.360000 8.190000
8.030000 7.870000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 12
SLOC= 7 7.720000 7.580000 7.440000 7.310000
7.180000 7.050000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 18
SLOC= 13 6.930000 6.820000 6.700000 6.600000
6.490000 6.390000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 24
SLOC= 19 6.290000 6.190000 6.100000 6.010000
5.920000 5.840000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 30
SLOC= 25 5.760000 5.680000 5.600000 5.520000
5.450000 5.380000

PROPERTY TABLE KXX	MAT=	4	NUM. POINTS=	36	
SLOC= 31	5.310000	5.240000	5.180000	5.110000	
	5.050000	4.990000			
PROPERTY TABLE KXX	MAT=	4	NUM. POINTS=	42	
SLOC= 37	4.930000	4.870000	4.810000	4.760000	
	4.700000	4.650000			
PROPERTY TABLE KXX	MAT=	4	NUM. POINTS=	48	
SLOC= 43	4.600000	4.550000	4.500000	4.450000	
	4.400000	4.350000			
PROPERTY TABLE KXX	MAT=	4	NUM. POINTS=	50	
SLOC= 48	4.310000	4.270000	4.220000		
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	6	
SLOC= 1	12.290000	12.440000	12.580000	12.720000	
	12.870000	13.010000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	12	
SLOC= 7	13.150000	13.280000	13.420000	13.550000	
	13.690000	13.820000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	18	
SLOC= 13	13.950000	14.080000	14.210000	14.340000	
	14.460000	14.590000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	24	
SLOC= 19	14.720000	14.840000	14.960000	15.090000	
	15.210000	15.330000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	30	
SLOC= 25	15.450000	15.570000	15.690000	15.810000	
	15.930000	16.050000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	36	
SLOC= 31	16.170000	16.290000	16.400000	16.520000	
	16.640000	16.760000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	42	
SLOC= 37	16.880000	16.990000	17.110000	17.230000	
	17.350000	17.460000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	48	
SLOC= 43	17.580000	17.700000	17.820000	17.940000	
	18.060000	18.180000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	50	
SLOC= 48	18.300000	18.420000	18.540000		
PROPERTY TABLE KXX	MAT=	6	NUM. POINTS=	6	
SLOC= 1	1.940000	1.940000	1.940000	1.940000	
	1.940000	1.940000			
PROPERTY TABLE KXX	MAT=	6	NUM. POINTS=	12	
SLOC= 7	1.940000	1.950000	1.950000	1.950000	
	1.950000	1.950000			
PROPERTY TABLE KXX	MAT=	6	NUM. POINTS=	18	
SLOC= 13	1.950000	1.950000	1.960000	1.960000	
	1.960000	1.960000			
PROPERTY TABLE KXX	MAT=	6	NUM. POINTS=	24	
SLOC= 19	1.960000	1.970000	1.970000	1.970000	
	1.970000	1.980000			
PROPERTY TABLE KXX	MAT=	6	NUM. POINTS=	30	
SLOC= 25	1.980000	1.980000	1.980000	1.990000	
	1.990000	1.990000			

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 36
 SLOC= 31 2.000000 2.000000 2.000000 2.010000
 2.010000 2.010000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 42
 SLOC= 37 2.020000 2.020000 2.020000 2.030000
 2.030000 2.030000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 48
 SLOC= 43 2.040000 2.040000 2.040000 2.050000
 2.050000 2.060000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 50
 SLOC= 48 2.060000 2.060000 2.070000

Define p, K, C for materials 7, 8, 9, ~10

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 -13.15000 6.850000 26.85000
 76.85000 126.8500 176.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 226.8500 276.8500 326.8500
 376.8500 426.8500 476.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 15 ***
 SLOC= 13 526.8500 626.8500 726.8500

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 6
 SLOC= 1 .1875000 .1750000 .1625000 .1422000
 .1219000 .1097000

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 12
 SLOC= 7 .9750000E-01 .9060000E-01 .8360000E-01 .7670000E-01
 .6970000E-01 .6620000E-01

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 15
 SLOC= 13 .6270000E-01 .5580000E-01 .4880000E-01

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 6
 SLOC= 1 .1370000 .1450000 .1520000 .1700000
 .1870000 .2040000

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 12
 SLOC= 7 .2200000 .2360000 .2520000 .2640000
 .2780000 .2910000

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 15
 SLOC= 13 .3040000 .3300000 .3540000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 6
 SLOC= 1 1.348000 1.254700 1.161400 .9950000
 .8711000 .7740000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 12
 SLOC= 7 .6964000 .6329000 .5804000 .5356000
 .4975000 .4643000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 15
 SLOC= 13 .4354000 .3868000 .3482000

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 6
 SLOC= 1 .2300000E-01 .2500000E-01 .2600000E-01 .3000000E-01
 .3400000E-01 .3700000E-01

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 12
 SLOC= 7 .4100000E-01 .4400000E-01 .4700000E-01 .5000000E-01

.5200000E-01 .5500000E-01

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 15
 SLOC= 13 .5700000E-01 .6200000E-01 .6700000E-01

PROPERTY TABLE C MAT= 8 NUM. POINTS= 6
 SLOC= 1 1006.200 1006.600 1007.000 1009.000
 1014.000 1021.000

PROPERTY TABLE C MAT= 8 NUM. POINTS= 12
 SLOC= 7 1030.000 1040.000 1051.000 1063.000
 1075.000 1087.000

PROPERTY TABLE C MAT= 8 NUM. POINTS= 15
 SLOC= 13 1099.000 1121.000 1141.000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 6
 SLOC= 1 1.303700 1.213500 1.123300 .9625000
 .8425000 .7485000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 12
 SLOC= 7 .6739000 .6124000 .5615000 .5214000
 .4812000 .4512000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 15
 SLOC= 13 .4211000 .3743000 .3368000

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 6
 SLOC= 1 .2300000E-01 .2400000E-01 .2600000E-01 .2900000E-01
 .3300000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 12
 SLOC= 7 .3900000E-01 .4200000E-01 .4500000E-01 .4700000E-01
 .5000000E-01 .5200000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 15
 SLOC= 13 .5500000E-01 .6000000E-01 .6500000E-01

PROPERTY TABLE C MAT= 9 NUM. POINTS= 6
 SLOC= 1 1041.800 1041.400 1041.000 1042.000
 1045.000 1050.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 12
 SLOC= 7 1056.000 1065.000 1075.000 1086.500
 1098.000 1159.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 15
 SLOC= 13 1220.000 1146.000 1167.000

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 6
 SLOC= 1 .1700000E-01 .1700000E-01 .1800000E-01 .2100000E-01
 .2300000E-01 .2500000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 12
 SLOC= 7 .2700000E-01 .2800000E-01 .3000000E-01 .3200000E-01
 .3400000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 15
 SLOC= 13 .3700000E-01 .4100000E-01 .4400000E-01

Define K and C for material 12

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 -73.15000 26.85000 126.8500
 326.8500 526.8500 726.8500

PROPERTY TABLE KXX MAT= 12 NUM. POINTS= 6
 SLOC= 1 413.0000 401.0000 393.0000 379.0000

366.0000 352.0000

PROPERTY TABLE C MAT= 12 NUM. POINTS= 6
 SLOC= 1 356.0000 385.0000 397.0000 417.0000
 433.0000 451.0000

Define K and C for material 13

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 5 ***
 SLOC= 1 23.00000 50.00000 100.0000
 150.0000 200.0000

PROPERTY TABLE KXX MAT= 13 NUM. POINTS= 5
 SLOC= 1 182.5600 190.1700 199.2200 202.9100
 203.7200

PROPERTY TABLE C MAT= 13 NUM. POINTS= 5
 SLOC= 1 868.0000 903.0000 946.0000 976.0000
 998.0000

 ** End of Material Property List **

Read in single assembly heat loads
 Calculate the volumetric heat generation
 (Assembly time is in years, FUEL is in seconds)

/INPUT FILE= snf1048.dat LINE= 0

 ** History of SNF Assembly Heat Generation Rates **
 ** Output of PHIA, SCSI: B00000000-01717-1200-3000X Rev.00B **
 **
 ** Executable File Name: PHIA00B.EXE **
 ** Output File Name: snf1048.dat **
 ** Execution Date: 02/24/95 **
 ** Start Age (years): 10.0 **
 ** Decay Period (years): 10000 **
 ** Enrichment (percent): 4.20 **
 ** Burnup (MWd/MTU): 48086 **
 ** Assembly Type: PWR **
 ** SNF U Mass (MTU/assy): 0.464 **
 **
 ** ASSY(#,1) is the SNF assembly heat in Watts. **
 ** ASSY(#,0) is the time post emplacement in years. **

PARAMETER ASSY(1,1) =	850.0100 848.4600	849.6200 848.0800	849.2300	848.8500
PARAMETER ASSY(7,1) =	847.6900 846.1600	847.3100 844.2600	846.9300	846.5400
PARAMETER ASSY(13,1) =	842.3700 834.9500	840.5000 833.1300	838.6300	836.7900
PARAMETER ASSY(19,1) =	831.3200 824.2000	829.5200 822.4500	827.7400	825.9600
PARAMETER ASSY(25,1) =	820.7200 813.8800	818.9900 799.0100	817.2800	815.5700
PARAMETER ASSY(31,1) =	785.0300 738.5700	772.2000 729.5500	760.0600	749.0400
PARAMETER ASSY(37,1) =	720.9500 683.8600	710.2700 676.0300	700.0700	691.8000
PARAMETER ASSY(43,1) =	668.5000	661.1300	654.0400	648.1900

	642.5500	580.1800		
PARAMETER ASSY(49,1) =	529.8600 380.7000	484.5200 352.1900	445.3600	410.5100
PARAMETER ASSY(55,1) =	327.7800 252.6500	305.8800 238.3100	286.2200	268.5700
PARAMETER ASSY(61,1) =	225.3500 185.0400	213.6600 130.6600	203.8500	193.7500
PARAMETER ASSY(67,1) =	105.0700 66.61000	90.10000 61.74000	80.32000	72.66000
PARAMETER ASSY(73,1) =	57.58000 44.98000	53.71000 42.50000	50.41000	47.54000
PARAMETER ASSY(79,1) =	40.31000 33.52000	38.35000 23.16000	36.59000	35.00000
PARAMETER ASSY(85,1) =	18.32000 12.84000	15.77000 12.37000	14.37000	13.53000
PARAMETER ASSY(91,1) =	11.96000 10.32000	11.47000 9.970000	11.04000	10.66000
PARAMETER ASSY(97,1) =	9.650000 8.610000	9.360000	9.090000	8.840000
PARAMETER ASSY(1,0) =	.1000000E-05 .4000000E-01	.1000000E-01 .5000000E-01	.2000000E-01	.3000000E-01
PARAMETER ASSY(7,0) =	.6000000E-01 .1000000	.7000000E-01 .1500000	.8000000E-01	.9000000E-01
PARAMETER ASSY(13,0) =	.2000000 .4000000	.2500000 .4500000	.3000000	.3500000
PARAMETER ASSY(19,0) =	.5000000 .7000000	.5500000 .7500000	.6000000	.6500000
PARAMETER ASSY(25,0) =	.8000000 1.000000	.8500000 1.500000	.9000000	.9500000
PARAMETER ASSY(31,0) =	2.000000 4.000000	2.500000 4.500000	3.000000	3.500000
PARAMETER ASSY(37,0) =	5.000000 7.000000	5.500000 7.500000	6.000000	6.500000
PARAMETER ASSY(43,0) =	8.000000 10.00000	8.500000 15.00000	9.000000	9.500000
PARAMETER ASSY(49,0) =	20.00000 40.00000	25.00000 45.00000	30.00000	35.00000
PARAMETER ASSY(55,0) =	50.00000 70.00000	55.00000 75.00000	60.00000	65.00000
PARAMETER ASSY(61,0) =	80.00000 100.0000	85.00000 150.0000	90.00000	95.00000
PARAMETER ASSY(67,0) =	200.0000 400.0000	250.0000 450.0000	300.0000	350.0000
PARAMETER ASSY(73,0) =	500.0000 700.0000	550.0000 750.0000	600.0000	650.0000
PARAMETER ASSY(79,0) =	800.0000 1000.000	850.0000 1500.000	900.0000	950.0000

```

PARAMETER ASSY(85,0) =    2000.000    2500.000    3000.000    3500.000
                        4000.000    4500.000
PARAMETER ASSY(91,0) =    5000.000    5500.000    6000.000    6500.000
                        7000.000    7500.000
PARAMETER ASSY(97,0) =    8000.000    8500.000    9000.000    9500.000
                        10000.000

```

```

PARAMETER ASSY(0,1) =    1.000000
*****

```

```

FACTOR ON VECTOR OPERATION RESULT= .31558E+08
FACTOR ON FIRST VECTOR PARAMETER = 1.0000
FACTOR ON SECOND VECTOR PARAMETER= 1.0000
FACTOR ON THIRD VECTOR PARAMETER = 1.0000

```

```

MATRIX COPY RESULT MATRIX= FUEL(1,0)
INPUT MATRIX= ASSY(1,0)
INPUT MATRIX SIZE= 101 ROWS BY 2 COLUMNS
RESULT MATRIX SIZE= 101 ROWS BY 2 COLUMNS

```

```

FACTOR ON VECTOR OPERATION RESULT= 6.6412
FACTOR ON FIRST VECTOR PARAMETER = 1.0000
FACTOR ON SECOND VECTOR PARAMETER= 1.0000
FACTOR ON THIRD VECTOR PARAMETER = 1.0000

```

```

VECTOR PARAMETER OPERATION *VFUN
FUEL(1) = COPY ASSY(1)
SCALE FACTORS RESULT= 6.6412 INPUT= 1.0000
VECTOR LENGTH= 101

```

```

PARAMETER FUEL(0,1) =    1.000000
*****
      Define new material 14 for SNF effective conductivity
      Density:      DENS      (kg/m^3)
      Conductivity: KXX      (W/m/K)
      Specific Heat: C      (J/kg/K)

```

TEMPERATURE TABLE ERASED.

```

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .0000000E+00

```

```

PROPERTY TABLE DENS MAT= 14 NUM. POINTS= 1
SLOC= 1 3960.040

```

```

PROPERTY TABLE C MAT= 14 NUM. POINTS= 1
SLOC= 1 274.0000
      Store average effective conductivities

```

```

PARAMETER IINC = 1.000000

```

```

PARAMETER TBSKT = 25.00000

```

TEMPERATURE TABLE ERASED.

```

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 25.00000

```

```

PARAMETER IINC = 2.000000

```

```

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

```

```

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
SLOC= 2 50.00000

```

```

PARAMETER IINC = 3.000000

```

*ENDDO INDEX= TBSKT

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 1
SLOC= 1 .4617156

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 2
SLOC= 2 .5036997

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

Define new material 15 for low thermal loading
outer barrier of 70/30 Copper Nickel (C71500)
Density: DENS (kg/m³)
Conductivity: KXX (W/m/K)
Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .000000E+00
Density (lb/in³ converted to kg/m³)

PROPERTY TABLE DENS MAT= 15 NUM. POINTS= 1
SLOC= 1 8940.640
Specific Heat (Btu/lb/F converted to J/kg/K)

PROPERTY TABLE C MAT= 15 NUM. POINTS= 1
SLOC= 1 376.7898
Conductivity (Btu/hr/ft/F converted to W/m/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
SLOC= 1 20.0000 100.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 4 ***
SLOC= 3 200.0000 300.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 5 400.0000 500.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 8 ***
SLOC= 7 600.0000 700.0000

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 2
SLOC= 1 29.42190 29.24883

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 4
SLOC= 3 34.09479 38.59461

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 6
SLOC= 5 43.09443 48.11346

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 8
SLOC= 7 53.13249 58.15152

Construct geometry for Disposal Container

Define center and axis keypoints for waste package
Also, create placeholder keypoints and lines

(K's 1,2,3,4,5,6,7,8)
(L's 1,2,3,4)

KEYPOINT	1	X,Y,Z=	.000000E+00	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	2	X,Y,Z=	.000000E+00	.000000E+00	1.00000	IN CSYS= 0
KEYPOINT	3	X,Y,Z=	.000000E+00	.000000E+00	1.30000	IN CSYS= 0
KEYPOINT	4	X,Y,Z=	.000000E+00	.000000E+00	1.40000	IN CSYS= 0
KEYPOINT	5	X,Y,Z=	.000000E+00	.000000E+00	1.50000	IN CSYS= 0
KEYPOINT	6	X,Y,Z=	.000000E+00	.000000E+00	1.60000	IN CSYS= 0
KEYPOINT	7	X,Y,Z=	.000000E+00	.000000E+00	1.70000	IN CSYS= 0
KEYPOINT	8	X,Y,Z=	.000000E+00	.000000E+00	1.80000	IN CSYS= 0

LINE CONNECTS KEYPOINTS	3	4			
LINE NO.= 1	KP1= 3	TAN1=	.0000	.0000	-1.0000
	KP2= 4	TAN2=	.0000	.0000	1.0000

LINE CONNECTS KEYPOINTS	4	5			
LINE NO.= 2	KP1= 4	TAN1=	.0000	.0000	-1.0000
	KP2= 5	TAN2=	.0000	.0000	1.0000

LINE CONNECTS KEYPOINTS	5	6			
LINE NO.= 3	KP1= 5	TAN1=	.0000	.0000	-1.0000
	KP2= 6	TAN2=	.0000	.0000	1.0000

LINE CONNECTS KEYPOINTS	6	7			
LINE NO.= 4	KP1= 6	TAN1=	.0000	.0000	-1.0000
	KP2= 7	TAN2=	.0000	.0000	1.0000

Define disposal container and MPC outer radius
(K's 9,10,11,12,13,14,15,16,17,18,19,20)
(L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
(A's 1,2,3,4,5,6)

KEYPOINT	9	X,Y,Z=	.000000E+00	-.715250	.000000E+00	IN CSYS= 0
KEYPOINT	10	X,Y,Z=	.715250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	11	X,Y,Z=	.000000E+00	.715250	.000000E+00	IN CSYS= 0
KEYPOINT	12	X,Y,Z=	.000000E+00	-.665250	.000000E+00	IN CSYS= 0
KEYPOINT	13	X,Y,Z=	.665250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	14	X,Y,Z=	.000000E+00	.665250	.000000E+00	IN CSYS= 0
KEYPOINT	15	X,Y,Z=	.000000E+00	-.645250	.000000E+00	IN CSYS= 0
KEYPOINT	16	X,Y,Z=	.645250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	17	X,Y,Z=	.000000E+00	.645250	.000000E+00	IN CSYS= 0
KEYPOINT	18	X,Y,Z=	.000000E+00	-.630174	.000000E+00	IN CSYS= 0
KEYPOINT	19	X,Y,Z=	.630174	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	20	X,Y,Z=	.000000E+00	.630174	.000000E+00	IN CSYS= 0

LINE CONNECTS KEYPOINTS	10	13			
LINE NO.= 5	KP1= 10	TAN1=	1.0000	.0000	.0000
	KP2= 13	TAN2=	-1.0000	.0000	.0000

LINE CONNECTS KEYPOINTS	13	16			
LINE NO.= 6	KP1= 13	TAN1=	1.0000	.0000	.0000
	KP2= 16	TAN2=	-1.0000	.0000	.0000

```

ARC BETWEEN KEYPOINTS      10 AND      9 ORIENTATION KEYPOINT=      1
RADIUS= .71525
LINE NO.=      7 KP1=      10 TAN1=      .0000      1.0000      .0000
                  KP2=      9 TAN2=     -1.0000      .0000      .0000

ARC BETWEEN KEYPOINTS      11 AND     10 ORIENTATION KEYPOINT=      1
RADIUS= .71525
LINE NO.=      8 KP1=      11 TAN1=     -1.0000      .0000      .0000
                  KP2=     10 TAN2=      .0000     -1.0000      .0000

ARC BETWEEN KEYPOINTS      13 AND     12 ORIENTATION KEYPOINT=      1
RADIUS= .66525
LINE NO.=      9 KP1=      13 TAN1=      .0000      1.0000      .0000
                  KP2=     12 TAN2=     -1.0000      .0000      .0000

ARC BETWEEN KEYPOINTS      14 AND     13 ORIENTATION KEYPOINT=      1
RADIUS= .66525
LINE NO.=     10 KP1=      14 TAN1=     -1.0000      .0000      .0000
                  KP2=     13 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      11      14
LINE NO.=     11 KP1=      11 TAN1=      .0000      1.0000      .0000
                  KP2=      14 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      9      12
LINE NO.=     12 KP1=      9 TAN1=      .0000     -1.0000      .0000
                  KP2=     12 TAN2=      .0000      1.0000      .0000

ARC BETWEEN KEYPOINTS      15 AND     16 ORIENTATION KEYPOINT=      1
RADIUS= .64525
LINE NO.=     13 KP1=      15 TAN1=     -1.0000      .0000      .0000
                  KP2=     16 TAN2=      .0000      1.0000      .0000

ARC BETWEEN KEYPOINTS      16 AND     17 ORIENTATION KEYPOINT=      1
RADIUS= .64525
LINE NO.=     14 KP1=      16 TAN1=      .0000     -1.0000      .0000
                  KP2=     17 TAN2=     -1.0000      .0000      .0000

LINE CONNECTS KEYPOINTS      14      17
LINE NO.=     15 KP1=      14 TAN1=      .0000      1.0000      .0000
                  KP2=     17 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      12      15
LINE NO.=     16 KP1=      12 TAN1=      .0000     -1.0000      .0000
                  KP2=     15 TAN2=      .0000      1.0000      .0000

ARC BETWEEN KEYPOINTS      19 AND     18 ORIENTATION KEYPOINT=      1
RADIUS= .63017
LINE NO.=     17 KP1=      19 TAN1=      .0000      1.0000      .0000
                  KP2=     18 TAN2=     -1.0000      .0000      .0000

ARC BETWEEN KEYPOINTS      20 AND     19 ORIENTATION KEYPOINT=      1
RADIUS= .63017
LINE NO.=     18 KP1=     20 TAN1=     -1.0000      .0000      .0000
                  KP2=     19 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      17      20
LINE NO.=     19 KP1=      17 TAN1=      .0000      1.0000      .0000
                  KP2=     20 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      15      18
LINE NO.=     20 KP1=      15 TAN1=      .0000     -1.0000      .0000
                  KP2=     18 TAN2=      .0000      1.0000      .0000

LINE CONNECTS KEYPOINTS      16      19
LINE NO.=     21 KP1=      16 TAN1=      1.0000      .0000      .0000
                  KP2=     19 TAN2=     -1.0000      .0000      .0000

```

DEFINE AREA BY LIST OF LINES

```

LINE LIST =      5      7      12      9
(TRAVERSED IN SAME DIRECTION AS LINE      5)

AREA NUMBER =      1

DEFINE AREA BY LIST OF LINES
LINE LIST =      11      8      5      10
(TRAVERSED IN SAME DIRECTION AS LINE      11)

AREA NUMBER =      2

DEFINE AREA BY LIST OF LINES
LINE LIST =      6      9      16      13
(TRAVERSED IN SAME DIRECTION AS LINE      6)

AREA NUMBER =      3

DEFINE AREA BY LIST OF LINES
LINE LIST =      15      10      6      14
(TRAVERSED IN SAME DIRECTION AS LINE      15)

AREA NUMBER =      4

DEFINE AREA BY LIST OF LINES
LINE LIST =      21      13      20      17
(TRAVERSED IN SAME DIRECTION AS LINE      21)

AREA NUMBER =      5

DEFINE AREA BY LIST OF LINES
LINE LIST =      19      14      21      18
(TRAVERSED IN SAME DIRECTION AS LINE      19)

AREA NUMBER =      6
*****
Define MPC shell inner edge and area
(K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
(   38,39)
(L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
(   39,40,41,42)
(A's 7,8)

KEYPOINT    21    X,Y,Z=    .000000E+00    .607949    .000000E+00    IN CSYS=    0
KEYPOINT    22    X,Y,Z=    .404963E-01    .606599    .000000E+00    IN CSYS=    0
KEYPOINT    23    X,Y,Z=    .500213E-01    .605888    .000000E+00    IN CSYS=    0
KEYPOINT    24    X,Y,Z=    .254720    .552014    .000000E+00    IN CSYS=    0
KEYPOINT    25    X,Y,Z=    .288484    .535144    .000000E+00    IN CSYS=    0
KEYPOINT    26    X,Y,Z=    .535144    .288484    .000000E+00    IN CSYS=    0
KEYPOINT    27    X,Y,Z=    .552014    .254720    .000000E+00    IN CSYS=    0
KEYPOINT    28    X,Y,Z=    .605888    .500213E-01    .000000E+00    IN CSYS=    0
KEYPOINT    29    X,Y,Z=    .606599    .404963E-01    .000000E+00    IN CSYS=    0
KEYPOINT    30    X,Y,Z=    .607949    .000000E+00    .000000E+00    IN CSYS=    0
KEYPOINT    31    X,Y,Z=    .606599    -.404963E-01    .000000E+00    IN CSYS=    0
KEYPOINT    32    X,Y,Z=    .605888    -.500213E-01    .000000E+00    IN CSYS=    0
KEYPOINT    33    X,Y,Z=    .552014    -.254720    .000000E+00    IN CSYS=    0
KEYPOINT    34    X,Y,Z=    .535144    -.288484    .000000E+00    IN CSYS=    0

```

KEYPOINT	35	X,Y,Z=	.288484	-.535144	.000000E+00	IN CSYS=	0
KEYPOINT	36	X,Y,Z=	.254720	-.552014	.000000E+00	IN CSYS=	0
KEYPOINT	37	X,Y,Z=	.500213E-01	-.605888	.000000E+00	IN CSYS=	0
KEYPOINT	38	X,Y,Z=	.404963E-01	-.606599	.000000E+00	IN CSYS=	0
KEYPOINT	39	X,Y,Z=	.000000E+00	-.607949	.000000E+00	IN CSYS=	0

LINE CONNECTS KEYPOINTS	20	21				
LINE NO.=	22	KP1=	20	TAN1=	.0000	1.0000
		KP2=	21	TAN2=	.0000	-1.0000

ARC BETWEEN KEYPOINTS	22	AND	21	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	23	KP1=	22	TAN1=	.9978
		KP2=	21	TAN2=	-1.0000

ARC BETWEEN KEYPOINTS	23	AND	22	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	24	KP1=	23	TAN1=	.9966
		KP2=	22	TAN2=	-.9978

ARC BETWEEN KEYPOINTS	24	AND	23	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	25	KP1=	24	TAN1=	.9080
		KP2=	23	TAN2=	-.9966

ARC BETWEEN KEYPOINTS	25	AND	24	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	26	KP1=	25	TAN1=	.8802
		KP2=	24	TAN2=	-.9080

ARC BETWEEN KEYPOINTS	26	AND	25	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	27	KP1=	26	TAN1=	.4745
		KP2=	25	TAN2=	-.8802

ARC BETWEEN KEYPOINTS	27	AND	26	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	28	KP1=	27	TAN1=	.4190
		KP2=	26	TAN2=	-.4745

ARC BETWEEN KEYPOINTS	28	AND	27	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	29	KP1=	28	TAN1=	.0823
		KP2=	27	TAN2=	-.4190

ARC BETWEEN KEYPOINTS	29	AND	28	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	30	KP1=	29	TAN1=	.0666
		KP2=	28	TAN2=	-.0823

ARC BETWEEN KEYPOINTS	30	AND	29	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	31	KP1=	30	TAN1=	.0000
		KP2=	29	TAN2=	-.0666

ARC BETWEEN KEYPOINTS	31	AND	30	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	32	KP1=	31	TAN1=	-.0666
		KP2=	30	TAN2=	.0000

ARC BETWEEN KEYPOINTS	32	AND	31	ORIENTATION KEYPOINT=	1
RADIUS=	.60795				
LINE NO.=	33	KP1=	32	TAN1=	-.0823
		KP2=	31	TAN2=	.0666

ARC BETWEEN KEYPOINTS	33	AND	32	ORIENTATION KEYPOINT=	1
-----------------------	----	-----	----	-----------------------	---

RADIUS= .60795
 LINE NO.= 34 KP1= 33 TAN1= -.4190 -.9080 .0000
 KP2= 32 TAN2= .0823 .9966 .0000

ARC BETWEEN KEYPOINTS 34 AND 33 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 35 KP1= 34 TAN1= -.4745 -.8802 .0000
 KP2= 33 TAN2= .4190 .9080 .0000

ARC BETWEEN KEYPOINTS 35 AND 34 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 36 KP1= 35 TAN1= -.8802 -.4745 .0000
 KP2= 34 TAN2= .4745 .8802 .0000

ARC BETWEEN KEYPOINTS 36 AND 35 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 37 KP1= 36 TAN1= -.9080 -.4190 .0000
 KP2= 35 TAN2= .8802 .4745 .0000

ARC BETWEEN KEYPOINTS 37 AND 36 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 38 KP1= 37 TAN1= -.9966 -.0823 .0000
 KP2= 36 TAN2= .9080 .4190 .0000

ARC BETWEEN KEYPOINTS 38 AND 37 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 39 KP1= 38 TAN1= -.9978 -.0666 .0000
 KP2= 37 TAN2= .9966 .0823 .0000

ARC BETWEEN KEYPOINTS 39 AND 38 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 40 KP1= 39 TAN1= -1.0000 .0000 .0000
 KP2= 38 TAN2= .9978 .0666 .0000

LINE CONNECTS KEYPOINTS 18 39
 LINE NO.= 41 KP1= 18 TAN1= .0000 -1.0000 .0000
 KP2= 39 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 19 30
 LINE NO.= 42 KP1= 19 TAN1= 1.0000 .0000 .0000
 KP2= 30 TAN2= -1.0000 .0000 .0000

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 32 TO 42 STEP 1

11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 17 TO 17 STEP 1

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES
 LINE LIST = ALL SELECTED LINES
 (TRAVERSED IN SAME DIRECTION AS LINE 17)

AREA NUMBER = 7

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 22 TO 31 STEP 1

10 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 18 TO 18 STEP 1

11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 42 TO 42 STEP 1

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES

LINE LIST = ALL SELECTED LINES
(TRAVERSED IN SAME DIRECTION AS LINE 18)

AREA NUMBER = 8

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 42 STEP 1

42 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

Define tube guides

(K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)

(57,58,59)

(L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)

(60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)

(77,78,79,80)

(A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)

(26)

top

KEYPOINT	40	X,Y,Z=	.500213E-01	.552014	.000000E+00	IN CSYS= 0
KEYPOINT	41	X,Y,Z=	.404963E-01	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	42	X,Y,Z=	.254720	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	43	X,Y,Z=	.278959	.535144	.000000E+00	IN CSYS= 0
KEYPOINT	44	X,Y,Z=	.288484	.288484	.000000E+00	IN CSYS= 0
KEYPOINT	45	X,Y,Z=	.278959	.278959	.000000E+00	IN CSYS= 0
KEYPOINT	46	X,Y,Z=	.535144	.278959	.000000E+00	IN CSYS= 0
		side				
KEYPOINT	47	X,Y,Z=	.542489	.254720	.000000E+00	IN CSYS= 0
KEYPOINT	48	X,Y,Z=	.552014	.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	49	X,Y,Z=	.542489	.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	50	X,Y,Z=	.542489	-.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	51	X,Y,Z=	.552014	-.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	52	X,Y,Z=	.542489	-.254720	.000000E+00	IN CSYS= 0
		bottom				
KEYPOINT	53	X,Y,Z=	.535144	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	54	X,Y,Z=	.278959	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	55	X,Y,Z=	.288484	-.288484	.000000E+00	IN CSYS= 0
KEYPOINT	56	X,Y,Z=	.278959	-.535144	.000000E+00	IN CSYS= 0
KEYPOINT	57	X,Y,Z=	.254720	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	58	X,Y,Z=	.404963E-01	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	59	X,Y,Z=	.500213E-01	-.552014	.000000E+00	IN CSYS= 0
		top				

LINE CONNECTS KEYPOINTS 41 22
LINE NO.= 43 KP1= 41 TAN1= .0000 -1.0000 .0000

	KP2=	22	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		40	41			
LINE NO.= 44	KP1=	40	TAN1=	.7071	.7071	.0000
	KP2=	41	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		40	24			
LINE NO.= 45	KP1=	40	TAN1=	-1.0000	.0000	.0000
	KP2=	24	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		42	41			
LINE NO.= 46	KP1=	42	TAN1=	1.0000	.0000	.0000
	KP2=	41	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		24	42			
LINE NO.= 47	KP1=	24	TAN1=	.0000	1.0000	.0000
	KP2=	42	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		43	25			
LINE NO.= 48	KP1=	43	TAN1=	-1.0000	.0000	.0000
	KP2=	25	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		45	43			
LINE NO.= 49	KP1=	45	TAN1=	.0000	-1.0000	.0000
	KP2=	43	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		25	44			
LINE NO.= 50	KP1=	25	TAN1=	.0000	1.0000	.0000
	KP2=	44	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		44	45			
LINE NO.= 51	KP1=	44	TAN1=	.7071	.7071	.0000
	KP2=	45	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		44	26			
LINE NO.= 52	KP1=	44	TAN1=	-1.0000	.0000	.0000
	KP2=	26	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		46	45			
LINE NO.= 53	KP1=	46	TAN1=	1.0000	.0000	.0000
	KP2=	45	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		26	46			
LINE NO.= 54	KP1=	26	TAN1=	.0000	1.0000	.0000
	KP2=	46	TAN2=	.0000	-1.0000	.0000
side						
LINE CONNECTS KEYPOINTS		47	27			
LINE NO.= 55	KP1=	47	TAN1=	-1.0000	.0000	.0000
	KP2=	27	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		49	47			
LINE NO.= 56	KP1=	49	TAN1=	.0000	-1.0000	.0000
	KP2=	47	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		27	48			
LINE NO.= 57	KP1=	27	TAN1=	.0000	1.0000	.0000
	KP2=	48	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		48	49			
LINE NO.= 58	KP1=	48	TAN1=	.7071	.7071	.0000
	KP2=	49	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		48	28			
LINE NO.= 59	KP1=	48	TAN1=	-1.0000	.0000	.0000
	KP2=	28	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		29	49			
LINE NO.= 60	KP1=	29	TAN1=	1.0000	.0000	.0000
	KP2=	49	TAN2=	-1.0000	.0000	.0000

LINE CONNECTS KEYPOINTS	50	31			
LINE NO.= 61 KP1=	50	TAN1=	-1.0000	.0000	.0000
KP2=	31	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	32	51			
LINE NO.= 62 KP1=	32	TAN1=	1.0000	.0000	.0000
KP2=	51	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	50	51			
LINE NO.= 63 KP1=	50	TAN1=	-.7071	.7071	.0000
KP2=	51	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	52	50			
LINE NO.= 64 KP1=	52	TAN1=	.0000	-1.0000	.0000
KP2=	50	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	51	33			
LINE NO.= 65 KP1=	51	TAN1=	.0000	1.0000	.0000
KP2=	33	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	33	52			
LINE NO.= 66 KP1=	33	TAN1=	1.0000	.0000	.0000
KP2=	52	TAN2=	-1.0000	.0000	.0000
bottom					
LINE CONNECTS KEYPOINTS	53	34			
LINE NO.= 67 KP1=	53	TAN1=	.0000	1.0000	.0000
KP2=	34	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	54	53			
LINE NO.= 68 KP1=	54	TAN1=	-1.0000	.0000	.0000
KP2=	53	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	34	55			
LINE NO.= 69 KP1=	34	TAN1=	1.0000	.0000	.0000
KP2=	55	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	54	55			
LINE NO.= 70 KP1=	54	TAN1=	-.7071	.7071	.0000
KP2=	55	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	56	54			
LINE NO.= 71 KP1=	56	TAN1=	.0000	-1.0000	.0000
KP2=	54	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	55	35			
LINE NO.= 72 KP1=	55	TAN1=	.0000	1.0000	.0000
KP2=	35	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	35	56			
LINE NO.= 73 KP1=	35	TAN1=	1.0000	.0000	.0000
KP2=	56	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	57	36			
LINE NO.= 74 KP1=	57	TAN1=	.0000	1.0000	.0000
KP2=	36	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	58	57			
LINE NO.= 75 KP1=	58	TAN1=	-1.0000	.0000	.0000
KP2=	57	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	36	59			
LINE NO.= 76 KP1=	36	TAN1=	1.0000	.0000	.0000
KP2=	59	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	58	59			
LINE NO.= 77 KP1=	58	TAN1=	-.7071	.7071	.0000
KP2=	59	TAN2=	.7071	-.7071	.0000

LINE CONNECTS KEYPOINTS 38 58
 LINE NO.= 78 KP1= 38 TAN1= .0000 -1.0000 .0000
 KP2= 58 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 59 37
 LINE NO.= 79 KP1= 59 TAN1= .0000 1.0000 .0000
 KP2= 37 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 23 40
 LINE NO.= 80 KP1= 23 TAN1= .0000 1.0000 .0000
 KP2= 40 TAN2= .0000 -1.0000 .0000
 air

DEFINE AREA BY LIST OF LINES
 LINE LIST = 80 45 25
 (TRAVERSED IN SAME DIRECTION AS LINE 80)

AREA NUMBER = 9

DEFINE AREA BY LIST OF LINES
 LINE LIST = 50 52 27
 (TRAVERSED IN SAME DIRECTION AS LINE 50)

AREA NUMBER = 10

DEFINE AREA BY LIST OF LINES
 LINE LIST = 57 59 29
 (TRAVERSED IN SAME DIRECTION AS LINE 57)

AREA NUMBER = 11

DEFINE AREA BY LIST OF LINES
 LINE LIST = 62 65 34
 (TRAVERSED IN SAME DIRECTION AS LINE 62)

AREA NUMBER = 12

DEFINE AREA BY LIST OF LINES
 LINE LIST = 69 72 36
 (TRAVERSED IN SAME DIRECTION AS LINE 69)

AREA NUMBER = 13

DEFINE AREA BY LIST OF LINES
 LINE LIST = 76 79 38
 (TRAVERSED IN SAME DIRECTION AS LINE 76)

AREA NUMBER = 14
 guides

DEFINE AREA BY LIST OF LINES
 LINE LIST = 24 43 44 80
 (TRAVERSED IN SAME DIRECTION AS LINE 24)

AREA NUMBER = 15

DEFINE AREA BY LIST OF LINES
 LINE LIST = 45 44 46 47
 (TRAVERSED IN SAME DIRECTION AS LINE 45)

AREA NUMBER = 16

DEFINE AREA BY LIST OF LINES
 LINE LIST = 48 49 51 50
 (TRAVERSED IN SAME DIRECTION AS LINE 48)

AREA NUMBER = 17

DEFINE AREA BY LIST OF LINES
 LINE LIST = 52 51 53 54

```

        (TRAVERSED IN SAME DIRECTION AS LINE    52)

AREA NUMBER =      18

DEFINE AREA BY LIST OF LINES
  LINE LIST =      55  56  58  57
  (TRAVERSED IN SAME DIRECTION AS LINE    55)

AREA NUMBER =      19

DEFINE AREA BY LIST OF LINES
  LINE LIST =      59  58  60  30
  (TRAVERSED IN SAME DIRECTION AS LINE    59)

AREA NUMBER =      20

DEFINE AREA BY LIST OF LINES
  LINE LIST =      61  63  62  33
  (TRAVERSED IN SAME DIRECTION AS LINE    61)

AREA NUMBER =      21

DEFINE AREA BY LIST OF LINES
  LINE LIST =      63  64  66  65
  (TRAVERSED IN SAME DIRECTION AS LINE    63)

AREA NUMBER =      22

DEFINE AREA BY LIST OF LINES
  LINE LIST =      68  70  69  67
  (TRAVERSED IN SAME DIRECTION AS LINE    68)

AREA NUMBER =      23

DEFINE AREA BY LIST OF LINES
  LINE LIST =      70  71  73  72
  (TRAVERSED IN SAME DIRECTION AS LINE    70)

AREA NUMBER =      24

DEFINE AREA BY LIST OF LINES
  LINE LIST =      75  77  76  74
  (TRAVERSED IN SAME DIRECTION AS LINE    75)

AREA NUMBER =      25

DEFINE AREA BY LIST OF LINES
  LINE LIST =      77  78  39  79
  (TRAVERSED IN SAME DIRECTION AS LINE    77)

AREA NUMBER =      26
*****
  Define top half tubes and flux trap plate
  (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
  ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
  ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
  ( 108,109,110,111,112,113,114,115,116,117,118,119)
  ( 120,121,122,123,124,125,126,127,128,129,130,131)
  ( 132,133,134,135,136,137,138,139,140,141,142,143)
  ( 144,145,146,147,148,149,150,151,152,153,154,155)
  ( 156,157,158,159,160,161,162,163,164,165,166,167)
  (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
  ( 98,99,100,101,102,103,104,105,106,107,108,109,110)
  ( 111,112,113,114,115,116,117,118,119,120,121,122)
  ( 123,124,125,126,127,128,129,130,131,132,133,134)
  ( 135,136,137,138,139,140,141,142,143,144,145,146)
  ( 147,...)
  (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
  ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
  ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)

```

(78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
 (95,96,97,98,99,100,101,102,103)

KEYPOINT	60	X,Y,Z=	.000000E+00	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	61	X,Y,Z=	.000000E+00	.381000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	62	X,Y,Z=	.000000E+00	.138125	.000000E+00	IN CSYS=	0
KEYPOINT	63	X,Y,Z=	.000000E+00	.163525	.000000E+00	IN CSYS=	0
KEYPOINT	64	X,Y,Z=	.000000E+00	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	65	X,Y,Z=	.000000E+00	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	66	X,Y,Z=	.000000E+00	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	67	X,Y,Z=	.000000E+00	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	68	X,Y,Z=	.000000E+00	.406756	.000000E+00	IN CSYS=	0
KEYPOINT	69	X,Y,Z=	.000000E+00	.432156	.000000E+00	IN CSYS=	0
KEYPOINT	70	X,Y,Z=	.000000E+00	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	71	X,Y,Z=	.000000E+00	.561543	.000000E+00	IN CSYS=	0
KEYPOINT	72	X,Y,Z=	.000000E+00	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	73	X,Y,Z=	.127000E-01	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	74	X,Y,Z=	.127000E-01	.381000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	75	X,Y,Z=	.127000E-01	.138125	.000000E+00	IN CSYS=	0
KEYPOINT	76	X,Y,Z=	.127000E-01	.163525	.000000E+00	IN CSYS=	0
KEYPOINT	77	X,Y,Z=	.127000E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	78	X,Y,Z=	.127000E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	79	X,Y,Z=	.127000E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	80	X,Y,Z=	.127000E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	81	X,Y,Z=	.127000E-01	.406756	.000000E+00	IN CSYS=	0
KEYPOINT	82	X,Y,Z=	.127000E-01	.432156	.000000E+00	IN CSYS=	0
KEYPOINT	83	X,Y,Z=	.127000E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	84	X,Y,Z=	.127000E-01	.561543	.000000E+00	IN CSYS=	0
KEYPOINT	85	X,Y,Z=	.127000E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	86	X,Y,Z=	.254000E-01	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	87	X,Y,Z=	.254000E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	88	X,Y,Z=	.254000E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	89	X,Y,Z=	.254000E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	90	X,Y,Z=	.254000E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	91	X,Y,Z=	.254000E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	92	X,Y,Z=	.254000E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	93	X,Y,Z=	.381000E-01	.127000E-01	.000000E+00	IN CSYS=	0

KEYPOINT	94	X,Y,Z=	.317500E-01	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	95	X,Y,Z=	.317500E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	96	X,Y,Z=	.317500E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	97	X,Y,Z=	.317500E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	98	X,Y,Z=	.317500E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	99	X,Y,Z=	.317500E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	100	X,Y,Z=	.317500E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	101	X,Y,Z=	.341376E-01	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	102	X,Y,Z=	.341376E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	103	X,Y,Z=	.341376E-01	.270231	.000000E+00	IN CSYS=	0
KEYPOINT	104	X,Y,Z=	.341376E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	105	X,Y,Z=	.341376E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	106	X,Y,Z=	.341376E-01	.300050	.000000E+00	IN CSYS=	0
KEYPOINT	107	X,Y,Z=	.341376E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	108	X,Y,Z=	.341376E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	109	X,Y,Z=	.341376E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	110	X,Y,Z=	.365252E-01	.365252E-01	.000000E+00	IN CSYS=	0
KEYPOINT	111	X,Y,Z=	.365252E-01	.265125	.000000E+00	IN CSYS=	0
KEYPOINT	112	X,Y,Z=	.365252E-01	.305156	.000000E+00	IN CSYS=	0
KEYPOINT	113	X,Y,Z=	.365252E-01	.533756	.000000E+00	IN CSYS=	0
KEYPOINT	114	X,Y,Z=	.138125	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	115	X,Y,Z=	.163525	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	116	X,Y,Z=	.265125	.365252E-01	.000000E+00	IN CSYS=	0
KEYPOINT	117	X,Y,Z=	.265125	.265125	.000000E+00	IN CSYS=	0
KEYPOINT	118	X,Y,Z=	.265125	.305156	.000000E+00	IN CSYS=	0
KEYPOINT	119	X,Y,Z=	.265125	.533756	.000000E+00	IN CSYS=	0
KEYPOINT	120	X,Y,Z=	.267513	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	121	X,Y,Z=	.267513	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	122	X,Y,Z=	.267513	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	123	X,Y,Z=	.267513	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	124	X,Y,Z=	.267513	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	125	X,Y,Z=	.267513	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	126	X,Y,Z=	.267513	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	127	X,Y,Z=	.270231	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	128	X,Y,Z=	.270231	.270231	.000000E+00	IN CSYS=	0

KEYPOINT	129	X,Y,Z=	.270231	.300050	.000000E+00	IN CSYS= 0
KEYPOINT	130	X,Y,Z=	.270231	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	131	X,Y,Z=	.272618	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	132	X,Y,Z=	.272618	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	133	X,Y,Z=	.272618	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	134	X,Y,Z=	.272618	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	135	X,Y,Z=	.272618	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	136	X,Y,Z=	.272618	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	137	X,Y,Z=	.272618	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	138	X,Y,Z=	.297663	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	139	X,Y,Z=	.297663	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	140	X,Y,Z=	.297663	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	141	X,Y,Z=	.297663	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	142	X,Y,Z=	.297663	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	143	X,Y,Z=	.300050	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	144	X,Y,Z=	.300050	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	145	X,Y,Z=	.302768	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	146	X,Y,Z=	.302768	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	147	X,Y,Z=	.302768	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	148	X,Y,Z=	.302768	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	149	X,Y,Z=	.302768	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	150	X,Y,Z=	.305156	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	151	X,Y,Z=	.305156	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	152	X,Y,Z=	.406756	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	153	X,Y,Z=	.432156	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	154	X,Y,Z=	.533756	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	155	X,Y,Z=	.533756	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	156	X,Y,Z=	.536143	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	157	X,Y,Z=	.536143	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	158	X,Y,Z=	.536143	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	159	X,Y,Z=	.536143	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	160	X,Y,Z=	.536143	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	161	X,Y,Z=	.536143	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	162	X,Y,Z=	.536143	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	163	X,Y,Z=	.561543	.127000E-01	.000000E+00	IN CSYS= 0

KEYPOINT 164 X,Y,Z= .601066 .127000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 165 X,Y,Z= .601066 .254000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 166 X,Y,Z= .601066 .317500E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 167 X,Y,Z= .601066 .341376E-01 .000000E+00 IN CSYS= 0
 create lines on perimeter and for lesize

LINE CONNECTS KEYPOINTS 73 60
 LINE NO.= 81 KP1= 73 TAN1= 1.0000 .0000 .0000
 KP2= 60 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 73 74
 LINE NO.= 82 KP1= 73 TAN1= .0000 -1.0000 .0000
 KP2= 74 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 61 74
 LINE NO.= 83 KP1= 61 TAN1= -1.0000 .0000 .0000
 KP2= 74 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 74 75
 LINE NO.= 84 KP1= 74 TAN1= .0000 -1.0000 .0000
 KP2= 75 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 75 62
 LINE NO.= 85 KP1= 75 TAN1= 1.0000 .0000 .0000
 KP2= 62 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 75 76
 LINE NO.= 86 KP1= 75 TAN1= .0000 -1.0000 .0000
 KP2= 76 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 63 76
 LINE NO.= 87 KP1= 63 TAN1= -1.0000 .0000 .0000
 KP2= 76 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 76 77
 LINE NO.= 88 KP1= 76 TAN1= .0000 -1.0000 .0000
 KP2= 77 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 77 78
 LINE NO.= 89 KP1= 77 TAN1= .0000 -1.0000 .0000
 KP2= 78 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 78 65
 LINE NO.= 90 KP1= 78 TAN1= 1.0000 .0000 .0000
 KP2= 65 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 78 79
 LINE NO.= 91 KP1= 78 TAN1= .0000 -1.0000 .0000
 KP2= 79 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 66 79
 LINE NO.= 92 KP1= 66 TAN1= -1.0000 .0000 .0000
 KP2= 79 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 79 80
 LINE NO.= 93 KP1= 79 TAN1= .0000 -1.0000 .0000
 KP2= 80 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 80 81
 LINE NO.= 94 KP1= 80 TAN1= .0000 -1.0000 .0000
 KP2= 81 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 81 68
 LINE NO.= 95 KP1= 81 TAN1= 1.0000 .0000 .0000
 KP2= 68 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS	81	82			
LINE NO.= 96 KP1=	81	TAN1=	.0000	-1.0000	.0000
KP2=	82	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	69	82			
LINE NO.= 97 KP1=	69	TAN1=	-1.0000	.0000	.0000
KP2=	82	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	82	83			
LINE NO.= 98 KP1=	82	TAN1=	.0000	-1.0000	.0000
KP2=	83	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	83	70			
LINE NO.= 99 KP1=	83	TAN1=	1.0000	.0000	.0000
KP2=	70	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	83	84			
LINE NO.= 100 KP1=	83	TAN1=	.0000	-1.0000	.0000
KP2=	84	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	71	84			
LINE NO.= 101 KP1=	71	TAN1=	-1.0000	.0000	.0000
KP2=	84	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	84	85			
LINE NO.= 102 KP1=	84	TAN1=	.0000	-1.0000	.0000
KP2=	85	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	85	92			
LINE NO.= 103 KP1=	85	TAN1=	-1.0000	.0000	.0000
KP2=	92	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	92	100			
LINE NO.= 104 KP1=	92	TAN1=	-1.0000	.0000	.0000
KP2=	100	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	100	109			
LINE NO.= 105 KP1=	100	TAN1=	-1.0000	.0000	.0000
KP2=	109	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	109	108			
LINE NO.= 106 KP1=	109	TAN1=	.0000	1.0000	.0000
KP2=	108	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	108	126			
LINE NO.= 107 KP1=	108	TAN1=	-1.0000	.0000	.0000
KP2=	126	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	126	130			
LINE NO.= 108 KP1=	126	TAN1=	-1.0000	.0000	.0000
KP2=	130	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	130	137			
LINE NO.= 109 KP1=	130	TAN1=	-1.0000	.0000	.0000
KP2=	137	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	137	136			
LINE NO.= 110 KP1=	137	TAN1=	.0000	1.0000	.0000
KP2=	136	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	136	105			
LINE NO.= 111 KP1=	136	TAN1=	1.0000	.0000	.0000
KP2=	105	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	112	107			
LINE NO.= 112 KP1=	112	TAN1=	.7071	.7071	.0000
KP2=	107	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	107	106			
LINE NO.= 113 KP1=	107	TAN1=	.0000	1.0000	.0000

	KP2=	106	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		106	105			
LINE NO.= 114	KP1=	106	TAN1=	.0000	1.0000	.0000
	KP2=	105	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		105	104			
LINE NO.= 115	KP1=	105	TAN1=	.0000	1.0000	.0000
	KP2=	104	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		104	103			
LINE NO.= 116	KP1=	104	TAN1=	.0000	1.0000	.0000
	KP2=	103	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		103	102			
LINE NO.= 117	KP1=	103	TAN1=	.0000	1.0000	.0000
	KP2=	102	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		102	111			
LINE NO.= 118	KP1=	102	TAN1=	-.7071	.7071	.0000
	KP2=	111	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		104	135			
LINE NO.= 119	KP1=	104	TAN1=	-1.0000	.0000	.0000
	KP2=	135	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		135	134			
LINE NO.= 120	KP1=	135	TAN1=	.0000	1.0000	.0000
	KP2=	134	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		123	127			
LINE NO.= 121	KP1=	123	TAN1=	-1.0000	.0000	.0000
	KP2=	127	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		127	134			
LINE NO.= 122	KP1=	127	TAN1=	-1.0000	.0000	.0000
	KP2=	134	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		134	141			
LINE NO.= 123	KP1=	134	TAN1=	-1.0000	.0000	.0000
	KP2=	141	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		141	143			
LINE NO.= 124	KP1=	141	TAN1=	-1.0000	.0000	.0000
	KP2=	143	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		143	148			
LINE NO.= 125	KP1=	143	TAN1=	-1.0000	.0000	.0000
	KP2=	148	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		148	150			
LINE NO.= 126	KP1=	148	TAN1=	-.7071	-.7071	.0000
	KP2=	150	TAN2=	.7071	.7071	.0000
LINE CONNECTS KEYPOINTS		141	142			
LINE NO.= 127	KP1=	141	TAN1=	.0000	-1.0000	.0000
	KP2=	142	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		142	162			
LINE NO.= 128	KP1=	142	TAN1=	-1.0000	.0000	.0000
	KP2=	162	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		162	161			
LINE NO.= 129	KP1=	162	TAN1=	.0000	1.0000	.0000
	KP2=	161	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		161	160			
LINE NO.= 130	KP1=	161	TAN1=	.0000	1.0000	.0000
	KP2=	160	TAN2=	.0000	-1.0000	.0000

LINE CONNECTS KEYPOINTS	160	159			
LINE NO.= 131 KP1=	160	TAN1=	.0000	1.0000	.0000
KP2=	159	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	159	167			
LINE NO.= 132 KP1=	159	TAN1=	-1.0000	.0000	.0000
KP2=	167	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	167	166			
LINE NO.= 133 KP1=	167	TAN1=	.0000	1.0000	.0000
KP2=	166	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	166	165			
LINE NO.= 134 KP1=	166	TAN1=	.0000	1.0000	.0000
KP2=	165	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	165	164			
LINE NO.= 135 KP1=	165	TAN1=	.0000	1.0000	.0000
KP2=	164	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	164	163			
LINE NO.= 136 KP1=	164	TAN1=	1.0000	.0000	.0000
KP2=	163	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	163	156			
LINE NO.= 137 KP1=	163	TAN1=	1.0000	.0000	.0000
KP2=	156	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	156	153			
LINE NO.= 138 KP1=	156	TAN1=	1.0000	.0000	.0000
KP2=	153	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	153	152			
LINE NO.= 139 KP1=	153	TAN1=	1.0000	.0000	.0000
KP2=	152	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	152	145			
LINE NO.= 140 KP1=	152	TAN1=	1.0000	.0000	.0000
KP2=	145	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	145	138			
LINE NO.= 141 KP1=	145	TAN1=	1.0000	.0000	.0000
KP2=	138	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	138	131			
LINE NO.= 142 KP1=	138	TAN1=	1.0000	.0000	.0000
KP2=	131	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	131	120			
LINE NO.= 143 KP1=	131	TAN1=	1.0000	.0000	.0000
KP2=	120	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	120	115			
LINE NO.= 144 KP1=	120	TAN1=	1.0000	.0000	.0000
KP2=	115	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	115	114			
LINE NO.= 145 KP1=	115	TAN1=	1.0000	.0000	.0000
KP2=	114	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	114	93			
LINE NO.= 146 KP1=	114	TAN1=	1.0000	.0000	.0000
KP2=	93	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	93	73			
LINE NO.= 147 KP1=	93	TAN1=	1.0000	.0000	.0000
KP2=	73	TAN2=	-1.0000	.0000	.0000

tube spacers

DEFINE AREA BY LIST OF KEYPOINTS

```
KEYPOINT LIST = 71 84 83 70
AREA NUMBER = 27
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 69 82 81 68
AREA NUMBER = 28
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 66 79 78 65
AREA NUMBER = 29
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 63 76 75 62
AREA NUMBER = 30
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 61 74 73 60
AREA NUMBER = 31
flux trap plate (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 85 92 91 83 84
AREA NUMBER = 32
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 83 91 90 80 81 82
AREA NUMBER = 33
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 80 90 89 79
AREA NUMBER = 34
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 79 89 88 78
AREA NUMBER = 35
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 78 88 87 77
AREA NUMBER = 36
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 77 87 86 73 74 75 76
AREA NUMBER = 37
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 86 121 120 115 114 93 73
AREA NUMBER = 38
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 121 132 131 120
AREA NUMBER = 39
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 132 139 138 131
AREA NUMBER = 40
```

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 139 146 145 138

AREA NUMBER = 41

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 146 157 156 153 152 145

AREA NUMBER = 42

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 157 165 164 163 156

AREA NUMBER = 43
flux trap plate (Al/boron)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 92 100 99 91

AREA NUMBER = 44

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 91 99 98 90

AREA NUMBER = 45

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 90 98 97 89

AREA NUMBER = 46

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 89 97 96 88

AREA NUMBER = 47

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 88 96 95 87

AREA NUMBER = 48

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 87 95 94 86

AREA NUMBER = 49

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 94 122 121 86

AREA NUMBER = 50

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 122 133 132 121

AREA NUMBER = 51

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 133 140 139 132

AREA NUMBER = 52

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 140 147 146 139

AREA NUMBER = 53

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 147 158 157 146

AREA NUMBER = 54

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 158 166 165 157

AREA NUMBER = 55

flux trap plate (sheath)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 100 109 108 99

AREA NUMBER = 56

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 99 108 107 98

AREA NUMBER = 57

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 98 107 106 105 97

AREA NUMBER = 58

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 97 105 104 96

AREA NUMBER = 59

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 96 104 103 102 95

AREA NUMBER = 60

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 95 102 101 94

AREA NUMBER = 61

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 101 123 122 94

AREA NUMBER = 62

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 123 127 134 133 122

AREA NUMBER = 63

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 134 141 140 133

AREA NUMBER = 64

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 141 143 148 147 140

AREA NUMBER = 65

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 148 159 158 147

AREA NUMBER = 66

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 159 167 166 158

AREA NUMBER = 67

tube (sheath)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 130 137 136 129

AREA NUMBER = 68
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 106 129 136 105
AREA NUMBER = 69
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 104 135 128 103
AREA NUMBER = 70
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 128 135 134 127
AREA NUMBER = 71
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 144 143 141
AREA NUMBER = 72
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 162 161 144
AREA NUMBER = 73
tube (Al/boron)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 126 130 129 125
AREA NUMBER = 74
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 107 125 129 106
AREA NUMBER = 75
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 103 128 124 102
AREA NUMBER = 76
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 124 128 127 123
AREA NUMBER = 77
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 149 148 143
AREA NUMBER = 78
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 161 160 149
AREA NUMBER = 79
tube (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 113 112 107
AREA NUMBER = 80
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 126 119 113
AREA NUMBER = 81

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 119 126 125 118
AREA NUMBER = 82

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 112 118 125 107
AREA NUMBER = 83

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 111 110 101
AREA NUMBER = 84

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 124 117 111
AREA NUMBER = 85

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 117 124 123 116
AREA NUMBER = 86

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 110 116 123 101
AREA NUMBER = 87

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 151 150 148
AREA NUMBER = 88

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 160 155 151
AREA NUMBER = 89

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 155 160 159 154
AREA NUMBER = 90

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 150 154 159 148
AREA NUMBER = 91
homogeneous assembly

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 113 119 118 112
AREA NUMBER = 92

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 111 117 116 110
AREA NUMBER = 93

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 151 155 154 150
AREA NUMBER = 94
helium spaces

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 72 85 84 71

```
AREA NUMBER = 95
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 70 83 82 69

AREA NUMBER = 96
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 68 81 80 67

AREA NUMBER = 97
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 67 80 79 66

AREA NUMBER = 98
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 65 78 77 64

AREA NUMBER = 99
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 64 77 76 63

AREA NUMBER = 100
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 62 75 74 61

AREA NUMBER = 101
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 105 136 135 104

AREA NUMBER = 102
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 135 142 141 134

AREA NUMBER = 103

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03
*****
Set element shapes and sizes for tubes and flux trap
14x14 mesh in fuel with 1
division per tube layer

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

DEFAULT ELEMENT DIVISIONS PER LINE = 1

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 81 TO 87 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 90 TO 92 STEP 2

6 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 95 TO 101 STEP 2

10 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 2, SPACING RATIO = 1.000
```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    107 TO      107 STEP      1

      1 LINES (OF      264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    110 TO      111 STEP      1

      3 LINES (OF      264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    119 TO      120 STEP      1

      5 LINES (OF      264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    127 TO      128 STEP      1

      7 LINES (OF      264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    131 TO      131 STEP      1

      8 LINES (OF      264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
      TO NDIV = 14, SPACING RATIO = 1.000

ALL SELECT   FOR ITEM=LINE COMPONENT=
IN RANGE     1 TO      264 STEP      1

      264 LINES (OF      264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE      82 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      84 (IF SELECTED AND UNMESHED)
      TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      86 (IF SELECTED AND UNMESHED)
      TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      88 (IF SELECTED AND UNMESHED)
      TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      89 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      91 (IF SELECTED AND UNMESHED)
      TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      93 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      94 (IF SELECTED AND UNMESHED)
      TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      96 (IF SELECTED AND UNMESHED)
      TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE      98 (IF SELECTED AND UNMESHED)
      TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE     100 (IF SELECTED AND UNMESHED)
      TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE     102 (IF SELECTED AND UNMESHED)
      TO NDIV = 2, SPACING RATIO = 1.000

```

SET DIVISIONS ON LINE 103 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 104 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 136 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 137 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 138 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 139 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 140 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 141 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 142 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 143 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 144 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 145 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 146 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 147 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000
concatenate lines for mapped meshing
(L's 265,266,267,268,269,270,271,272,273,274)

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 82 TO 88 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 265 KP1= 73 KP2= 77

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 94 TO 98 STEP 2

3 LINES (OF 265 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 266 KP1= 80 KP2= 83

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 100 TO 102 STEP 2

2 LINES (OF 266 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 267 KP1= 83 KP2= 85

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 113 TO 114 STEP 1

2 LINES (OF 267 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 268 KP1= 107 KP2= 105

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 116 TO 117 STEP 1

2 LINES (OF 268 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 269 KP1= 104 KP2= 102

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 121 TO 122 STEP 1

2 LINES (OF 269 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 270 KP1= 123 KP2= 134

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 124 TO 125 STEP 1

2 LINES (OF 270 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 271 KP1= 141 KP2= 148

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 136 TO 137 STEP 1

2 LINES (OF 271 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 272 KP1= 164 KP2= 156

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 138 TO 140 STEP 1

3 LINES (OF 272 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 273 KP1= 156 KP2= 145

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 144 TO 147 STEP 1

4 LINES (OF 273 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 274 KP1= 120 KP2= 73

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 274 STEP 1

274 LINES (OF 274 DEFINED) SELECTED BY LSEL COMMAND.

Mesh areas
first flux trap plate, then tubes

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 27 TO 43 IN STEPS OF 1

*** WARNING *** CP= 7.680 TIME= 23:17:32
Meshing of area 32 produced 6 poorly shaped elements.

*** NOTE *** CP= 7.690 TIME= 23:17:32
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
38 39 44 45 50 51

*** WARNING *** CP= 7.780 TIME= 23:17:32
Meshing of area 33 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.780 TIME= 23:17:32
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
58 59 60 63 64 65 72 73 74 77
78 79 86 87 88 91 92 93

*** WARNING *** CP= 7.940 TIME= 23:17:32
Meshing of area 37 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.940 TIME= 23:17:32
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
125 129 130 132 133 134 139 143 144 146
147 148 153 157 158 160 161 162

*** WARNING *** CP= 8.020 TIME= 23:17:32
Meshing of area 38 produced 18 poorly shaped elements.

*** NOTE *** CP= 8.030 TIME= 23:17:32
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
163 164 165 166 167 168 169 170 171 175
176 177 178 179 180 190 191 192

*** WARNING *** CP= 8.180 TIME= 23:17:32
Meshing of area 42 produced 18 poorly shaped elements.

*** NOTE *** CP= 8.180 TIME= 23:17:32
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
238 239 240 241 242 243 244 245 246 253
254 255 256 257 258 259 260 261

*** WARNING *** CP= 8.230 TIME= 23:17:32
Meshing of area 43 produced 6 poorly shaped elements.

*** NOTE *** CP= 8.230 TIME= 23:17:32
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
280 281 282 283 284 285

NUMBER OF AREAS MESHED = 17
MAXIMUM NODE NUMBER = 386
MAXIMUM ELEMENT NUMBER = 288

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 44 TO 55 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 556
MAXIMUM ELEMENT NUMBER = 456

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 56 TO 73 IN STEPS OF 1

NUMBER OF AREAS MESHED = 18
MAXIMUM NODE NUMBER = 807
MAXIMUM ELEMENT NUMBER = 624

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 74 TO 79 IN STEPS OF 1

NUMBER OF AREAS MESHED = 6
MAXIMUM NODE NUMBER = 890
MAXIMUM ELEMENT NUMBER = 708

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 80 TO 91 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 1084
MAXIMUM ELEMENT NUMBER = 876

MATERIAL NUMBER SET TO 14

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 92 TO 94 IN STEPS OF 1

NUMBER OF AREAS MESHED = 3
MAXIMUM NODE NUMBER = 1591
MAXIMUM ELEMENT NUMBER = 1464

Delete concatenated lines
(L's freed up 265,266,267,268,269,270,271,272,273,274)

DELETE SELECTED LINES FROM 265 TO 274 BY 1

DELETED 10 LINES

Copy tube mesh and connect top and bottom

SYMMETRY TRANSFORMATION OF AREAS USING COMPONENT Y
SET IS FROM 27 TO 103 IN STEPS OF 1

MAXIMUM NODE NUMBER = 3182
MAXIMUM ELEMENT NUMBER = 2928
flux trap plate spacers
(L's 449,450,451,452,453,454,455,456,457,458)
(A's 181,182,183,184,185)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 186 73 93 202

AREA NUMBER = 181

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 201 114 115 200

AREA NUMBER = 182

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 204 131 138 206

AREA NUMBER = 183

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 212 152 153 211

AREA NUMBER = 184

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 210 156 163 215

AREA NUMBER = 185
flux trap plate helium gaps
(A's 186,187,188,189,190,191,192,193)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 187 60 73 186

AREA NUMBER = 186

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 202 93 114 201

AREA NUMBER = 187

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 200 115 120 199

AREA NUMBER = 188

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 199 120 131 204

AREA NUMBER = 189

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 206 138 145 208

AREA NUMBER = 190

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 208 145 152 212

AREA NUMBER = 191

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 211 153 156 210

AREA NUMBER = 192

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 215 163 164 214

AREA NUMBER = 193

tube/guide helium gaps (flats)

(A's 194,195,196,197,198,199,200,201,202,203,204,205)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 109 22 41 108

AREA NUMBER = 194

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 108 41 42 126

AREA NUMBER = 195

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 137 43 45 136

AREA NUMBER = 196

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 142 45 46 162

AREA NUMBER = 197

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 160 47 49 159

AREA NUMBER = 198

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 49 29 167 159

AREA NUMBER = 199

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 244 245 31 50

AREA NUMBER = 200

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 244 50 52 260

AREA NUMBER = 201

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 254 53 54 252

AREA NUMBER = 202

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 248 54 56 247

AREA NUMBER = 203

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 57 58 230

```
AREA NUMBER = 204

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 230 58 38 229

AREA NUMBER = 205
tube/guide heluim gaps (corners)
(A's 206,207,208,209,210,211,212,213,214,215,216,217)
( 218)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 21 85 72

AREA NUMBER = 206

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 21 22 109 100 92 85

AREA NUMBER = 207

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 24 25 43 137 130 126 42

AREA NUMBER = 208

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 136 45 142 135

AREA NUMBER = 209

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 26 27 47 160 161 162 46

AREA NUMBER = 210

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 167 29 30 164 165 166

AREA NUMBER = 211

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 164 30 214

AREA NUMBER = 212

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 214 30 31 245 228 213

AREA NUMBER = 213

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 52 33 34 53 254 255 260

AREA NUMBER = 214

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 250 252 54 248

AREA NUMBER = 215

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 256 246 247 56 35 36 57

AREA NUMBER = 216

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 188 189 216 229 38 39

AREA NUMBER = 217
```

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 273 188 39

AREA NUMBER = 218
mesh flux trap plate spacers

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 449 TO 458 STEP 1

10 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 4, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 488 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 181 TO 185 IN STEPS OF 1

NUMBER OF AREAS MESHED = 5
MAXIMUM NODE NUMBER = 3251
MAXIMUM ELEMENT NUMBER = 3000

MERGE COINCIDENT NODES WITHIN TOLERANCE OF .10000E-03

*** NOTE *** CP= 18.690 TIME= 23:17:44
Zero nodes were merged.

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Create mesh in MPC shell and disposal container
Tube guides

DEFAULT ELEMENT DIVISIONS PER LINE = 2

SET DIVISIONS ON LINE 43 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 46 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 49 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 53 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 56 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 60 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 61 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 64 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 68 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 71 (IF SELECTED AND UNMESHED)

```
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 75 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 78 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 15 TO 26 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 3677
MAXIMUM ELEMENT NUMBER = 3272
MPC shell
(L's 489.490)

SET DIVISIONS ON LINE 23 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 25 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 26 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 27 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 28 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 29 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 31 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 32 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 34 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 35 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 36 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 37 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 38 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 40 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 23 TO 31 STEP 1

9 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES
```

COMPOSITE LINE NO.= 489 KP1= 21 KP2= 30

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 32 TO 40 STEP 1

9 LINES (OF 489 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 490 KP1= 30 KP2= 39

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

490 LINES (OF 490 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 17 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 18 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 22 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 41 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 7 TO 8 IN STEPS OF 1

*** WARNING *** CP= 20.770 TIME= 23:17:46
Meshing of area 7 produced 112 poorly shaped elements.

*** NOTE *** CP= 20.780 TIME= 23:17:46
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3292	3293	3294	3295	3296	3297	3298	3299	3300	3301
3302	3303	3304	3305	3306	3307	3308	3309	3310	3311
3312	3313	3314	3315	3316	3317	3318	3319	3320	3321
3322	3323	3324	3325	3326	3327	3328	3329	3330	3331
3332	3333	3334	3335	3336	3337	3338	3339	3340	3341
3342	3343	3344	3345	3346	3347	3366	3367	3368	3369
3370	3371	3372	3373	3374	3375	3376	3377	3378	3379
3380	3381	3382	3383	3384	3385	3386	3387	3388	3389
3390	3391	3392	3393	3394	3395	3396	3397	3398	3399
3400	3401	3402	3403	3404	3405	3406	3407	3408	3409

*** LIST TERMINATED AFTER 100 ***

*** WARNING *** CP= 21.500 TIME= 23:17:46
Meshing of area 8 produced 112 poorly shaped elements.

*** NOTE *** CP= 21.500 TIME= 23:17:46
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3460	3461	3462	3463	3464	3465	3466	3467	3468	3469
3470	3471	3472	3473	3474	3475	3476	3477	3478	3479
3480	3481	3482	3483	3484	3485	3486	3487	3488	3489
3490	3491	3492	3493	3494	3495	3496	3497	3498	3499
3500	3501	3502	3503	3504	3505	3506	3507	3508	3509
3510	3511	3512	3513	3514	3515	3534	3535	3536	3537

```

3538 3539 3540 3541 3542 3543 3544 3545 3546 3547
3548 3549 3550 3551 3552 3553 3554 3555 3556 3557
3558 3559 3560 3561 3562 3563 3564 3565 3566 3567
3568 3569 3570 3571 3572 3573 3574 3575 3576 3577
*** LIST TERMINATED AFTER 100 ***

```

```

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER        =    4109
MAXIMUM ELEMENT NUMBER     =    3608
      Assume vacuum between shell and inner barrier

```

```

SET DIVISIONS ON LINE      13 (IF SELECTED AND UNMESHED)
  TO NDIV = 56, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      14 (IF SELECTED AND UNMESHED)
  TO NDIV = 56, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      19 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      20 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000
      No MAT,7,
      No TYPE,1,
      No AMESH,5,6,1,
      Delete concatenated lines
      (L's freed up 489,490)

```

```

DELETE SELECTED LINES FROM 489 TO 490 BY 1

```

```

DELETED      2 LINES
      Inner and outer barrier

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      7 TO      10 STEP      1

```

```

      4 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
  TO NDIV = 56, SPACING RATIO = 1.000

```

```

ALL SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      1 TO      490 STEP      1

```

```

      488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

SET DIVISIONS ON LINE      6 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      15 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      16 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      5 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      11 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      12 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

```

```

MATERIAL NUMBER SET TO      2

```

```

ELEMENT TYPE SET TO      1

```

```

GENERATE NODES AND ELEMENTS

```

```

      IN AREAS      3 TO      4 IN STEPS OF      1

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER      =      4561
MAXIMUM ELEMENT NUMBER      =      3944

MATERIAL NUMBER SET TO      15

ELEMENT TYPE SET TO      1

GENERATE NODES AND ELEMENTS
      IN AREAS      1 TO      2 IN STEPS OF      1

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER      =      4900
MAXIMUM ELEMENT NUMBER      =      4280
      Empty basket spaces

DEFAULT ELEMENT DIVISIONS PER LINE BASED ON ELEMENT SIZE = .100

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
      PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
      OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO      7

ELEMENT TYPE SET TO      1

GENERATE NODES AND ELEMENTS
      IN AREAS      9 TO      14 IN STEPS OF      1
** AREA      9 MESHED WITH      40 QUADRILATERALS,      10 TRIANGLES **
** AREA      11 MESHED WITH      41 QUADRILATERALS,      10 TRIANGLES **
** AREA      12 MESHED WITH      40 QUADRILATERALS,      10 TRIANGLES **
** AREA      14 MESHED WITH      41 QUADRILATERALS,      10 TRIANGLES **

NUMBER OF AREAS MESHED      =      6
MAXIMUM NODE NUMBER      =      5272
MAXIMUM ELEMENT NUMBER      =      4776
*****
      Define mesh and radiation surface elements
      Tube/guides gap

SELECT      FOR ITEM=LOC COMPONENT=X      BETWEEN .00000E+00 AND .00000E+00
KABS= 0. TOLERANCE= .100000E-05

      39 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      7 TO      8 STEP      1

      41 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      13 TO      14 STEP      1

      43 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      17 TO      18 STEP      1

      45 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

UNSELECT      ONLY NODES INTERIOR TO SELECTED LINE SET.

      4904 NODES (OF 5272 DEFINED) SELECTED FROM
      45 SELECTED LINES BY NSLL COMMAND.

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      1 TO      490 STEP      1

```

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 7

GENERATE ELEMENTS ON SURFACE DEFINED BY SELECTED NODES
TYPE= 7 REAL= 1 MATERIAL= 1 ESYS= 0

NUMBER OF ELEMENTS GENERATED= 644

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5272 STEP 1

5272 NODES (OF 5272 DEFINED) SELECTED BY NSEL COMMAND.
Basket spaces

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 17

GENERATE NODES AND ELEMENTS
ON LINES 25 TO 29 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5462

GENERATE NODES AND ELEMENTS
ON LINES 34 TO 38 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5504

GENERATE NODES AND ELEMENTS
ON LINES 80 TO 80 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5510

GENERATE NODES AND ELEMENTS
ON LINES 45 TO 45 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5524

GENERATE NODES AND ELEMENTS
ON LINES 50 TO 52 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5552

GENERATE NODES AND ELEMENTS
ON LINES 57 TO 59 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5572

GENERATE NODES AND ELEMENTS
ON LINES 62 TO 65 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5592

GENERATE NODES AND ELEMENTS
ON LINES 69 TO 72 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5620

GENERATE NODES AND ELEMENTS
ON LINES 76 TO 79 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5640
MPC shell/inner barrier gap

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 17 TO 18 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5752

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 13 TO 14 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5864

Create mesh in helium spaces

DEFAULT ELEMENT DIVISIONS PER LINE = 2

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 95 TO 103 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5396
MAXIMUM ELEMENT NUMBER = 6024

GENERATE NODES AND ELEMENTS
IN AREAS 172 TO 180 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5520
MAXIMUM ELEMENT NUMBER = 6184

GENERATE NODES AND ELEMENTS
IN AREAS 186 TO 205 IN STEPS OF 1

*** WARNING *** CP= 28.460 TIME= 23:17:54
Area 195 has a corner angle of 154 degrees. This is not recommended
for quadrilateral elements.

*** WARNING *** CP= 28.510 TIME= 23:17:54

Meshing of area 195 produced 10 poorly shaped elements.

*** NOTE *** CP= 28.510 TIME= 23:17:54
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6310 6311 6312 6313 6314 6324 6325 6326 6327 6328

*** WARNING *** CP= 28.510 TIME= 23:17:54
Area 196 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.570 TIME= 23:17:54
Meshing of area 196 produced 20 poorly shaped elements.

*** NOTE *** CP= 28.570 TIME= 23:17:54
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6333 6334 6335 6336 6337 6338 6339 6340 6341 6342
6347 6348 6349 6350 6351 6352 6353 6354 6355 6356

*** WARNING *** CP= 28.570 TIME= 23:17:54
Area 197 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.620 TIME= 23:17:54
Meshing of area 197 produced 20 poorly shaped elements.

*** NOTE *** CP= 28.620 TIME= 23:17:54
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6357 6358 6359 6360 6361 6362 6363 6364 6365 6366
6371 6372 6373 6374 6375 6376 6377 6378 6379 6380

*** WARNING *** CP= 28.630 TIME= 23:17:54
Area 198 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.680 TIME= 23:17:54
Meshing of area 198 produced 10 poorly shaped elements.

*** NOTE *** CP= 28.680 TIME= 23:17:54
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6385 6386 6387 6388 6389 6399 6400 6401 6402 6403

*** WARNING *** CP= 28.740 TIME= 23:17:54
Area 201 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.790 TIME= 23:17:54
Meshing of area 201 produced 10 poorly shaped elements.

*** NOTE *** CP= 28.790 TIME= 23:17:54
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6446 6447 6448 6449 6450 6460 6461 6462 6463 6464

*** WARNING *** CP= 28.800 TIME= 23:17:54
Area 202 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.850 TIME= 23:17:54
Meshing of area 202 produced 20 poorly shaped elements.

*** NOTE *** CP= 28.850 TIME= 23:17:54
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6469 6470 6471 6472 6473 6474 6475 6476 6477 6478
6483 6484 6485 6486 6487 6488 6489 6490 6491 6492

*** WARNING *** CP= 28.850 TIME= 23:17:54
Area 203 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.910 TIME= 23:17:55
Meshing of area 203 produced 20 poorly shaped elements.

*** NOTE *** CP= 28.910 TIME= 23:17:55
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6493 6494 6495 6496 6497 6498 6499 6500 6501 6502
6507 6508 6509 6510 6511 6512 6513 6514 6515 6516

*** WARNING *** CP= 28.910 TIME= 23:17:55
Area 204 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.960 TIME= 23:17:55
Meshing of area 204 produced 10 poorly shaped elements.

*** NOTE *** CP= 28.970 TIME= 23:17:55
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6521 6522 6523 6524 6525 6535 6536 6537 6538 6539

NUMBER OF AREAS MESHED = 20
MAXIMUM NODE NUMBER = 5730
MAXIMUM ELEMENT NUMBER = 6560

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 206 TO 218 IN STEPS OF 1
** AREA 206 MESHED WITH 1 QUADRILATERALS, 2 TRIANGLES **
** AREA 207 MESHED WITH 0 QUADRILATERALS, 10 TRIANGLES **

*** WARNING *** CP= 29.130 TIME= 23:17:55
Meshing of area 207 produced 1 poorly shaped elements.

*** NOTE *** CP= 29.130 TIME= 23:17:55

Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 29.130 TIME= 23:17:55
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6570

** AREA	208 MESHED WITH	5 QUADRILATERALS,	11 TRIANGLES **
** AREA	209 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	210 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	211 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 29.430 TIME= 23:17:55
Meshing of area 211 produced 3 poorly shaped elements.

*** NOTE *** CP= 29.430 TIME= 23:17:55
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 29.430 TIME= 23:17:55
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6626 6627 6629

** AREA	212 MESHED WITH	2 QUADRILATERALS,	2 TRIANGLES **
** AREA	213 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 29.510 TIME= 23:17:55
Meshing of area 213 produced 1 poorly shaped elements.

*** NOTE *** CP= 29.510 TIME= 23:17:55
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 29.510 TIME= 23:17:55
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6641

** AREA	214 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	215 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	216 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	217 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 29.820 TIME= 23:17:55
Meshing of area 217 produced 2 poorly shaped elements.

*** NOTE *** CP= 29.820 TIME= 23:17:55
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 29.820 TIME= 23:17:55
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6699 6701

** AREA	218 MESHED WITH	1 QUADRILATERALS,	2 TRIANGLES **
---------	-----------------	-------------------	----------------

NUMBER OF AREAS MESHED = 13
MAXIMUM NODE NUMBER = 5764
MAXIMUM ELEMENT NUMBER = 6705

Clear areas and mesh by hand difficult areas

CLEAR NODES AND ELEMENTS
FROM AREAS 211 TO 211 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT 6706 5653 3453 3952 3952

ELEMENT	6707	636	5653	3952	3952
ELEMENT	6708	545	636	3952	3952
ELEMENT	6709	551	545	3952	3952
ELEMENT	6710	363	551	3952	3952
ELEMENT	6711	370	363	3952	3952
ELEMENT	6712	371	370	3952	3952
ELEMENT	6713	369	371	3952	3952
ELEMENT	6714	5747	369	3952	3952
ELEMENT	6715	3782	5747	3952	3952

CLEAR NODES AND ELEMENTS
FROM AREAS 217 TO 217 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT	6716	3735	5763	3738	3738
ELEMENT	6717	5763	1661	3738	3738
ELEMENT	6718	1661	1663	3738	3738
ELEMENT	6719	1663	1664	3738	3738
ELEMENT	6720	1664	1662	3738	3738
ELEMENT	6721	1662	1979	3738	3738
ELEMENT	6722	1979	1978	3738	3738
ELEMENT	6723	1978	2148	3738	3738
ELEMENT	6724	2148	5725	3738	3738
ELEMENT	6725	5725	3666	3738	3738

***** ROUTINE COMPLETED ***** CP = 29.910

Create element mesh plots to illustrate model
View mesh for entire model

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (CENTROIDAL SORT) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS 0 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

/SHOW SWITCH PLOTS TO FILE meshfull.grph - VECTOR MODE.

- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshfull.grph - VECTOR MODE.
DISPLAY TITLE=

12 PWR MPC/Waste Package - 1/2 FEM Model

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

5368 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

/SHOW SWITCH PLOTS TO FILE meshgap.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshgap.grph - VECTOR MODE.
DISPLAY TITLE=

12 PWR MPC/Waste Package - 1/2 FEM Model
View mesh for radiation substructure

MAT NUMBERING KEY = 0

TYPE NUMBERING KEY = 1

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

864 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

1088 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

/SHOW SWITCH PLOTS TO FILE meshrad.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshrad.grph - VECTOR MODE.
DISPLAY TITLE=

12 PWR MPC/Waste Package - Radiation Matrix

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6725 STEP 1

6705 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

Generate super-elements

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 23:18:02 MAR 25, 1995 CP= 36.580
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS RADIATION MATRIX UTILITY (AUX12) *****

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

655 NODES (OF 5764 DEFINED) SELECTED FROM
644 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= tubegap.sub

*** WARNING *** CP= 36.890 TIME= 23:18:03
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 644 NUMBER OF NODES= 655

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

220 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

220 NODES (OF 5764 DEFINED) SELECTED FROM
220 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= spaces.sub

*** WARNING *** CP= 86.630 TIME= 23:18:53
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 220 NUMBER OF NODES= 220

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

224 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

226 NODES (OF 5764 DEFINED) SELECTED FROM
224 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= shellgap.sub

*** WARNING *** CP= 94.780 TIME= 23:19:02
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation
losses.

NUMBER OF ELEMENTS= 224 NUMBER OF NODES= 226

800 ZONES CREATE 1600 RAYS

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6725 STEP 1

6705 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1

5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 102.110

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 23:19:09 MAR 25, 1995 CP= 102.110
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE SET TO 18

SUPERELEMENT 6726 tubegap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6726

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6726

SUPERELEMENT 6727 spaces NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6727

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6727

SUPERELEMENT 6728 shellgap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6728

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6728
Delete radiation edge elements

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6708 DEFINED) SELECTED BY ESEL COMMAND.

DELETE ALL SELECTED ELEMENTS.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

6064 ELEMENTS (OF 6064 DEFINED) SELECTED BY ESEL COMMAND.

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

18 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

22 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CLEAR NODES AND ELEMENTS FROM ALL SELECTED LINES

*** NOTE *** CP= 102.730 TIME= 23:19:10
Nodes cannot be cleared from line 13 because area 3 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.750 TIME= 23:19:10
Nodes cannot be cleared from line 14 because area 4 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.760 TIME= 23:19:10
Nodes cannot be cleared from line 17 because area 7 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.780 TIME= 23:19:10
Nodes cannot be cleared from line 18 because area 8 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.800 TIME= 23:19:10
Nodes cannot be cleared from line 25 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.800 TIME= 23:19:10
Nodes cannot be cleared from line 27 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.810 TIME= 23:19:10
Nodes cannot be cleared from line 29 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.810 TIME= 23:19:10
Nodes cannot be cleared from line 34 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.820 TIME= 23:19:10
Nodes cannot be cleared from line 36 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.830 TIME= 23:19:10
Nodes cannot be cleared from line 38 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.830 TIME= 23:19:10
Nodes cannot be cleared from line 45 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.840 TIME= 23:19:10
Nodes cannot be cleared from line 50 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.840 TIME= 23:19:10
Nodes cannot be cleared from line 52 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.850 TIME= 23:19:10
Nodes cannot be cleared from line 57 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.850 TIME= 23:19:10
Nodes cannot be cleared from line 59 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.860 TIME= 23:19:10
Nodes cannot be cleared from line 62 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.860 TIME= 23:19:10
Nodes cannot be cleared from line 65 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.870 TIME= 23:19:10
Nodes cannot be cleared from line 69 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.870 TIME= 23:19:10
Nodes cannot be cleared from line 72 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.880 TIME= 23:19:10
Nodes cannot be cleared from line 76 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.880 TIME= 23:19:10
Nodes cannot be cleared from line 79 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.890 TIME= 23:19:10
Nodes cannot be cleared from line 80 because area 9 is meshed. Only
elements are deleted.

CLEARED 22 LINES, 0 KEYPOINTS

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 102.900

Set solution parameters and apply B.C.'s

Solve steady-state for initial conditions
with WP surface equal to drift ambient
temperature from repository model.

***** ANSYS SOLUTION ROUTINE *****

PERFORM A TRANSIENT ANALYSIS
THIS WILL BE A NEW ANALYSIS

USE THE DEFAULT NEWTON-RAPHSON OPTION FOR ALL DOFS
AND USE THE DEFAULT ADAPTIVE DESCENT OPTION

*** NOTE *** CP= 102.910 TIME= 23:19:11
Damping (if present) may be ignored only in reduced transient analyses.

PERFORM A FULL TRANSIENT ANALYSIS

TEMPERATURE OFFSET FROM ABSOLUTE ZERO= 273.150

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5764 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES 1 TO 5764 BY 1
REAL= 26.1406456 IMAG= .000000000E+00

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1

5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .10000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

*** WARNING *** CP= 104.490 TIME= 23:19:13
Element 6708 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 104.490 TIME= 23:19:13
Element 6708 has a poor shape angle of 7.74746071 degrees.

*** WARNING *** CP= 104.490 TIME= 23:19:13
Element 6723 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 104.500 TIME= 23:19:13
Element 6723 has a poor shape angle of 7.74746071 degrees.

*** NOTE *** CP= 104.500 TIME= 23:19:13
All shape tests were bypassed for elements associated with the solid model, because most of them were already done at AMESH or VMESH. Use CHECK if desired to perform all of the element tests.

*** NOTE *** CP= 104.500 TIME= 23:19:13
The model data was checked and warning messages were found.
Please review output or errors file (ma12j3.err) for these warning messages.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 23:19:13 MAR 25, 1995 CP= 104.500
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

SOLUTION OPTIONS

PROBLEM DIMENSIONALITY.3-D
DEGREES OF FREEDOM.TEMP
ANALYSIS TYPETRANSIENT
SOLUTION METHOD.FULL
OFFSET TEMPERATURE FROM ABSOLUTE ZERO 273.15
NEWTON-RAPHSON OPTIONPROGRAM CHOSEN

*** NOTE *** CP= 105.660 TIME= 23:19:14
This load step will be a static (steady-state) step.

*** NOTE *** CP= 106.130 TIME= 23:19:15
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution procedure) for ALL DOFs.

LOAD STEP OPTIONS

LOAD STEP NUMBER.1
TIME AT END OF THE LOAD STEP.10000E-05
AUTOMATIC TIME STEPPINGON
INITIAL NUMBER OF SUBSTEPS0
MAXIMUM NUMBER OF SUBSTEPS0
MINIMUM NUMBER OF SUBSTEPS1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONSNO
TRANSIENT (INERTIA) EFFECTSOFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

***** CENTROID, MASS, AND MASS MOMENTS OF INERTIA *****

CALCULATIONS ASSUME ELEMENT MASS AT ELEMENT CENTROID

TOTAL MASS = 3601.8

CENTROID	MOM. OF INERTIA ABOUT ORIGIN	MOM. OF INERTIA ABOUT CENTROID
XC = .32228	IXX = 527.2	IXX = 527.2
YC = .77163E-11	IYY = 527.2	IYY = 153.1
ZC = .00000E+00	IZZ = 1054.	IZZ = 680.2
	IXY = .5422E-09	IXY = .9499E-08
	IYZ = .0000E+00	IYZ = .0000E+00
	IZX = .0000E+00	IZX = .0000E+00

*** MASS SUMMARY BY ELEMENT TYPE ***

TYPE	MASS
1	3601.81

Range of element maximum matrix coefficients in global coordinates
 Maximum= 483.62017 at element 2116.
 Minimum= 1.026389896E-09 at element 6728.

*** WARNING *** CP= 128.960 TIME= 23:19:41
 Coefficient ratio exceeds 1.0e8 - Check results.

*** ELEMENT MATRIX FORMULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

1	5617	PLANE55	14.140	.003
18	3	MATRIX50	.810	.270

Time at end of element matrix formulation CP= 128.96.
 HT FLOW CONVERGENCE VALUE= 9663. CRITERION= 9.663

Estimated number of active DOF= 5651.
 Maximum wavefront= 912.

Time at end of matrix triangularization CP= 236.66.
 Equation solver maximum pivot= 1269.32433 at node 2083 TEMP.
 Equation solver minimum pivot= 0.186669206 at node 5523 TEMP.

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 387.8
HT FLOW CONVERGENCE VALUE= 691.6 CRITERION= .1742
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -146.6
HT FLOW CONVERGENCE VALUE= 117.4 CRITERION= .3405
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -32.63
HT FLOW CONVERGENCE VALUE= 29.93 CRITERION= .2043
EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.502
HT FLOW CONVERGENCE VALUE= 2.941 CRITERION= .1761
EQUIL ITER 5 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6490
HT FLOW CONVERGENCE VALUE= .3654 CRITERION= .1741
EQUIL ITER 6 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6119E-01
HT FLOW CONVERGENCE VALUE= .3619E-01 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 6

*** ELEMENT RESULT CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

1	5617	PLANE55	8.140	.001
18	3	MATRIX50	.880	.293

*** NODAL LOAD CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

```
1 5617 PLANE55 1.210 .000
18 3 MATRIX50 .000 .000
*** LOAD STEP 1 SUBSTEP 1 COMPLETED. CUM ITER = 6
*** TIME = .100000E-05 TIME INC = .100000E-05
```

*** PROBLEM STATISTICS
ACTUAL NO. OF ACTIVE DEGREES OF FREEDOM = 5651
R.M.S. WAVEFRONT SIZE = 443.2

*** ANSYS BINARY FILE STATISTICS

BUFFER SIZE USED= 4096
6.109 MB WRITTEN ON ELEMENT MATRIX FILE: ma12j3.emat
2.516 MB WRITTEN ON ELEMENT SAVED DATA FILE: ma12j3.esav
18.031 MB WRITTEN ON TRIANGULARIZED MATRIX FILE: ma12j3.tri
.031 MB WRITTEN ON SUBSTRUCTURE DOF SOLUTION FILE: ma12j3.dsub
3.063 MB WRITTEN ON RESULTS FILE: ma12j3.rth
Solve steady-state for initial conditions
with WP surface temperatures from repository
steady-state solution.

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1
1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1
2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.
113 NODES (OF 5764 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

DELETE SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES
RANGE 1 TO 5764 BY 1

NUMBER OF SPECIFIED CONSTRAINTS DELETED= 113

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1
488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1
5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.220 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.211 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.198 .00000E+00 EXPANSION KEY = 1

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1
6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .20000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** WARNING *** CP= 896.380 TIME= 23:34:32
This load step will be a static (steady-state) step.

*** NOTE *** CP= 896.860 TIME= 23:34:32
The step data was checked and warning messages were found.
Please review output or errors file (ma12j3.err) for these warning
messages.

*** NOTE *** CP= 896.860 TIME= 23:34:32
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 23:34:32 MAR 25, 1995 CP= 896.860
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 2
TIME AT END OF THE LOAD STEP.20000E-05
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 0
MAXIMUM NUMBER OF SUBSTEPS 0
MINIMUM NUMBER OF SUBSTEPS 1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS OFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .1148E+05 CRITERION= 11.48

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 31.20
HT FLOW CONVERGENCE VALUE= 25.32 CRITERION= .1802
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -10.82
HT FLOW CONVERGENCE VALUE= 6.430 CRITERION= .1799
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.185
HT FLOW CONVERGENCE VALUE= .3606 CRITERION= .1745
EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1151
HT FLOW CONVERGENCE VALUE= .7018E-01 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 4
*** LOAD STEP 2 SUBSTEP 1 COMPLETED. CUM ITER = 10
*** TIME = .200000E-05 TIME INC = .100000E-05
*****

```

Set time integration parameters

INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

Time substep ranges from 10 sec to 1/4 loadstep

USE 10 SUBSTEPS INITIALLY THIS LOAD STEP FOR ALL DOFS
FOR AUTOMATIC TIME STEPPING:

USE 40 SUBSTEPS AS A MAXIMUM

USE 4 SUBSTEPS AS A MINIMUM

USE THE FINAL TIME STEP SIZE OF THE PREVIOUS LOAD STEP

AS THE STARTING TIME STEP SIZE.

Begin Transient

Apply loads and solve for 0 to .9 years

*DO LOOP ON PARAMETER= TM FROM 31.558 TO .28402E+08 BY .31558E+07

TIME= 31.558

```

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

```

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

```

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

```

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

```

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

```

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

```

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.220 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.211 .00000E+00 EXPANSION KEY = 1

```

```

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.198 .00000E+00 EXPANSION KEY = 1

```

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL

CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 1140.370 TIME= 23:39:17
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 23:39:17 MAR 25, 1995 CP= 1140.370
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 3
TIME AT END OF THE LOAD STEP. 31.558
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .7018E-01 CRITERION= .1744
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1061E-03
HT FLOW CONVERGENCE VALUE= .6675E-05 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 1 COMPLETED. CUM ITER = 11
*** TIME = .788942 TIME INC = .788940
*** RESPONSE EIGENVALUE = .4268 OSCILLATION LIMIT = .3368
*** AUTO STEP TIME: NEXT TIME INC = .78894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .1270 CRITERION= .1744
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6013E-04
HT FLOW CONVERGENCE VALUE= .1037E-04 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 2 COMPLETED. CUM ITER = 12
*** TIME = 1.57788 TIME INC = .788940
*** RESPONSE EIGENVALUE = .2091 OSCILLATION LIMIT = .1650
*** AUTO TIME STEP: NEXT TIME INC = 2.3668 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= .1122 CRITERION= .1744
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9287E-04
HT FLOW CONVERGENCE VALUE= .2502E-04 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 3 COMPLETED. CUM ITER = 13
*** TIME = 3.94470 TIME INC = 2.36682
*** RESPONSE EIGENVALUE = .1051 OSCILLATION LIMIT = .2487
*** AUTO TIME STEP: NEXT TIME INC = 4.7593 INCREASED (FACTOR = 2.0109)

HT FLOW CONVERGENCE VALUE= .9279E-01 CRITERION= .1744
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1088E-03
HT FLOW CONVERGENCE VALUE= .3458E-04 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 4 COMPLETED. CUM ITER = 14

```

*** TIME = 8.70402      TIME INC = 4.75932
*** RESPONSE EIGENVALUE = .4324E-01  OSCILLATION LIMIT = .2058
*** AUTO TIME STEP: NEXT TIME INC = 7.8894      INCREASED (FACTOR = 1.6577)

  HT FLOW CONVERGENCE VALUE= .8283E-01  CRITERION= .1744
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6956E-04
  HT FLOW CONVERGENCE VALUE= .3711E-04  CRITERION= .1744    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 5 COMPLETED. CUM ITER = 15
*** TIME = 16.5934      TIME INC = 7.88940
*** RESPONSE EIGENVALUE = .1513E-01  OSCILLATION LIMIT = .1194
*** AUTO STEP TIME: NEXT TIME INC = 7.8894      UNCHANGED

  HT FLOW CONVERGENCE VALUE= .7775E-01  CRITERION= .1744
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5011E-04
  HT FLOW CONVERGENCE VALUE= .2730E-04  CRITERION= .1744    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 6 COMPLETED. CUM ITER = 16
*** TIME = 24.4828      TIME INC = 7.88940
*** RESPONSE EIGENVALUE = .8135E-02  OSCILLATION LIMIT = .6418E-01
*** AUTO TIME STEP: NEXT TIME INC = 7.0748      DECREASED (FACTOR = .8967)

  HT FLOW CONVERGENCE VALUE= .7425E-01  CRITERION= .1744
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4071E-04
  HT FLOW CONVERGENCE VALUE= .2117E-04  CRITERION= .1744    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 7 COMPLETED. CUM ITER = 17
*** TIME = 31.5576      TIME INC = 7.07478
*** RESPONSE EIGENVALUE = .5936E-02  OSCILLATION LIMIT = .4199E-01

```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303      VERSION=HP 9000/7XX 23:52:13 MAR 25, 1995 CP= 1750.700
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

  HT FLOW CONVERGENCE VALUE= 193.8      CRITERION= .2607
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5604
  HT FLOW CONVERGENCE VALUE= .3585      CRITERION= .1737
  EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8125E-01
  HT FLOW CONVERGENCE VALUE= .6452E-01  CRITERION= .1737    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 4 SUBSTEP 1 COMPLETED. CUM ITER = 19
*** TIME = 78925.6      TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .1910E-05  OSCILLATION LIMIT = .1507
*** AUTO STEP TIME: NEXT TIME INC = 78894.      UNCHANGED

  HT FLOW CONVERGENCE VALUE= 194.1      CRITERION= .2604
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5606
  HT FLOW CONVERGENCE VALUE= .3926      CRITERION= .1741
  EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8519E-01
  HT FLOW CONVERGENCE VALUE= .6154E-01  CRITERION= .1741    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 4 SUBSTEP 2 COMPLETED. CUM ITER = 21
*** TIME = 157820.      TIME INC = 78894.0
*** RESPONSE EIGENVALUE = .4331E-06  OSCILLATION LIMIT = .3417E-01
*** AUTO TIME STEP: NEXT TIME INC = .23668E+06 INCREASED (FACTOR = 3.0000)

  HT FLOW CONVERGENCE VALUE= 581.3      CRITERION= .6068
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.681
  HT FLOW CONVERGENCE VALUE= 1.224      CRITERION= .1737
  EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3923
  HT FLOW CONVERGENCE VALUE= .2505      CRITERION= .1738
  EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4344E-01

```

HT FLOW CONVERGENCE VALUE= .1110E-01 CRITERION= .1736 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 3 COMPLETED. CUM ITER = 24
 *** TIME = 394502. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .3467E-06 OSCILLATION LIMIT = .8205E-01
 *** AUTO STEP TIME: NEXT TIME INC = .23668E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 581.5 CRITERION= .6067
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.681
 HT FLOW CONVERGENCE VALUE= 1.231 CRITERION= .1740
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3929
 HT FLOW CONVERGENCE VALUE= .2484 CRITERION= .1742
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4313E-01
 HT FLOW CONVERGENCE VALUE= .1101E-01 CRITERION= .1740 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 4 COMPLETED. CUM ITER = 27
 *** TIME = 631184. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .3330E-06 OSCILLATION LIMIT = .7882E-01
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 1743. CRITERION= 1.752
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 5.044
 HT FLOW CONVERGENCE VALUE= 3.739 CRITERION= .1739
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.419
 HT FLOW CONVERGENCE VALUE= .8458 CRITERION= .1740
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1681
 HT FLOW CONVERGENCE VALUE= .3874E-01 CRITERION= .1734 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 5 COMPLETED. CUM ITER = 30
 *** TIME = .134123E+07 TIME INC = 710046.
 *** RESPONSE EIGENVALUE = .3611E-06 OSCILLATION LIMIT = .2564
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 1937. CRITERION= 1.944
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 5.604
 HT FLOW CONVERGENCE VALUE= 4.147 CRITERION= .1742
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.566
 HT FLOW CONVERGENCE VALUE= .9104 CRITERION= .1743
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1822
 HT FLOW CONVERGENCE VALUE= .4154E-01 CRITERION= .1736 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 6 COMPLETED. CUM ITER = 33
 *** TIME = .213017E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3517E-06 OSCILLATION LIMIT = .2775
 *** AUTO TIME STEP: NEXT TIME INC = .51281E+06 DECREASED (FACTOR = .6500)

HT FLOW CONVERGENCE VALUE= 1258. CRITERION= 1.270
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 3.643
 HT FLOW CONVERGENCE VALUE= 2.673 CRITERION= .1733
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9538
 HT FLOW CONVERGENCE VALUE= .5521 CRITERION= .1735
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1072
 HT FLOW CONVERGENCE VALUE= .2470E-01 CRITERION= .1730 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 7 COMPLETED. CUM ITER = 36
 *** TIME = .264298E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .3760E-06 OSCILLATION LIMIT = .1928
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1258. CRITERION= 1.270
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 3.643
 HT FLOW CONVERGENCE VALUE= 2.671 CRITERION= .1736
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9430
 HT FLOW CONVERGENCE VALUE= .5370 CRITERION= .1738
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1045
 HT FLOW CONVERGENCE VALUE= .2383E-01 CRITERION= .1733 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 8 COMPLETED. CUM ITER = 39
 *** TIME = .315579E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .3536E-06 OSCILLATION LIMIT = .1813

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 00:20:57 MAR 26, 1995 CP= 3174.120
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 322.7 CRITERION= .3663
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8848
 HT FLOW CONVERGENCE VALUE= .7530 CRITERION= .1736
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2576
 HT FLOW CONVERGENCE VALUE= .1369 CRITERION= .1737 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 1 COMPLETED. CUM ITER = 41
 *** TIME = .366860E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .4383E-06 OSCILLATION LIMIT = .2248
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 322.7 CRITERION= .3665
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8792
 HT FLOW CONVERGENCE VALUE= .6221 CRITERION= .1733
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2164
 HT FLOW CONVERGENCE VALUE= .1367 CRITERION= .1733 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 2 COMPLETED. CUM ITER = 43
 *** TIME = .418141E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .1232E-05 OSCILLATION LIMIT = .6318
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 322.6 CRITERION= .3662
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8801
 HT FLOW CONVERGENCE VALUE= .7117 CRITERION= .1733
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2428
 HT FLOW CONVERGENCE VALUE= .1346 CRITERION= .1733 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 3 COMPLETED. CUM ITER = 45
 *** TIME = .469422E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .3853E-06 OSCILLATION LIMIT = .1976
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.5385)

HT FLOW CONVERGENCE VALUE= 496.4 CRITERION= .5258
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.353
 HT FLOW CONVERGENCE VALUE= 1.011 CRITERION= .1731
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3639
 HT FLOW CONVERGENCE VALUE= .2144 CRITERION= .1731
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4328E-01
 HT FLOW CONVERGENCE VALUE= .9276E-02 CRITERION= .1729 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 4 COMPLETED. CUM ITER = 48
 *** TIME = .548316E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5788E-06 OSCILLATION LIMIT = .4566
 *** AUTO TIME STEP: NEXT TIME INC = .41419E+06 DECREASED (FACTOR = .5250)

HT FLOW CONVERGENCE VALUE= 260.5 CRITERION= .3127
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7118
 HT FLOW CONVERGENCE VALUE= .5684 CRITERION= .1729
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1852
 HT FLOW CONVERGENCE VALUE= .1049 CRITERION= .1730 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 5 COMPLETED. CUM ITER = 50
 *** TIME = .589736E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .7005E-06 OSCILLATION LIMIT = .2902
 *** AUTO STEP TIME: NEXT TIME INC = .41419E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 260.6 CRITERION= .3128
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7101

```

HT FLOW CONVERGENCE VALUE= .5267      CRITERION= .1728
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1734
HT FLOW CONVERGENCE VALUE= .1032      CRITERION= .1728    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 5 SUBSTEP 6 COMPLETED. CUM ITER = 52
*** TIME = .631155E+07 TIME INC = 414194.
*** RESPONSE EIGENVALUE = .6486E-06 OSCILLATION LIMIT = .2686

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303      VERSION=HP 9000/7XX 00:38:54 MAR 26, 1995 CP= 4066.160
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 169.6      CRITERION= .2421
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4618
HT FLOW CONVERGENCE VALUE= .3681      CRITERION= .1728
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1197
HT FLOW CONVERGENCE VALUE= .6713E-01 CRITERION= .1728    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 1 COMPLETED. CUM ITER = 54
*** TIME = .672575E+07 TIME INC = 414194.
*** RESPONSE EIGENVALUE = .5378E-06 OSCILLATION LIMIT = .2228
*** AUTO STEP TIME: NEXT TIME INC = .41419E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 169.6      CRITERION= .2421
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4617
HT FLOW CONVERGENCE VALUE= .3336      CRITERION= .1726
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1098
HT FLOW CONVERGENCE VALUE= .6663E-01 CRITERION= .1726    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 2 COMPLETED. CUM ITER = 56
*** TIME = .713994E+07 TIME INC = 414194.
*** RESPONSE EIGENVALUE = .8680E-06 OSCILLATION LIMIT = .3595
*** AUTO STEP TIME: NEXT TIME INC = .41419E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 169.5      CRITERION= .2420
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4617
HT FLOW CONVERGENCE VALUE= .3578      CRITERION= .1726
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1166
HT FLOW CONVERGENCE VALUE= .6704E-01 CRITERION= .1726    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 3 COMPLETED. CUM ITER = 58
*** TIME = .755413E+07 TIME INC = 414194.
*** RESPONSE EIGENVALUE = .8625E-06 OSCILLATION LIMIT = .3573
*** AUTO STEP TIME: NEXT TIME INC = .41419E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 169.6      CRITERION= .2420
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4617
HT FLOW CONVERGENCE VALUE= .3387      CRITERION= .1725
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1111
HT FLOW CONVERGENCE VALUE= .6589E-01 CRITERION= .1725    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 4 COMPLETED. CUM ITER = 60
*** TIME = .796833E+07 TIME INC = 414194.
*** RESPONSE EIGENVALUE = .6973E-06 OSCILLATION LIMIT = .2888
*** AUTO TIME STEP: NEXT TIME INC = .71701E+06 INCREASED (FACTOR = 1.7311)

```

```

HT FLOW CONVERGENCE VALUE= 293.5      CRITERION= .3404
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7993
HT FLOW CONVERGENCE VALUE= .6116      CRITERION= .1724
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2137
HT FLOW CONVERGENCE VALUE= .1223      CRITERION= .1724    <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 6 SUBSTEP 5 COMPLETED. CUM ITER = 62
*** TIME = .868534E+07 TIME INC = 717012.

```

*** RESPONSE EIGENVALUE = .1001E-05 OSCILLATION LIMIT = .7175
 *** AUTO TIME STEP: NEXT TIME INC = .49963E+06 DECREASED (FACTOR = .6968)

HT FLOW CONVERGENCE VALUE= 204.5 CRITERION= .2675
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5569
 HT FLOW CONVERGENCE VALUE= .4119 CRITERION= .1722
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1384
 HT FLOW CONVERGENCE VALUE= .8018E-01 CRITERION= .1722 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 6 COMPLETED. CUM ITER = 64
 *** TIME = .918497E+07 TIME INC = 499633.
 *** RESPONSE EIGENVALUE = .5922E-06 OSCILLATION LIMIT = .2959
 *** AUTO TIME STEP: NEXT TIME INC = .28234E+06 DECREASED (FACTOR = .5651)

HT FLOW CONVERGENCE VALUE= 115.6 CRITERION= .2073
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3147
 HT FLOW CONVERGENCE VALUE= .2393 CRITERION= .1721
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7232E-01
 HT FLOW CONVERGENCE VALUE= .4212E-01 CRITERION= .1721 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 7 COMPLETED. CUM ITER = 66
 *** TIME = .946731E+07 TIME INC = 282341.
 *** RESPONSE EIGENVALUE = .8357E-06 OSCILLATION LIMIT = .2360

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 00:58:35 MAR 26, 1995 CP= 5047.190
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 88.36 CRITERION= .1935
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2406
 HT FLOW CONVERGENCE VALUE= .1760 CRITERION= .1720
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5330E-01
 HT FLOW CONVERGENCE VALUE= .3151E-01 CRITERION= .1720 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 1 COMPLETED. CUM ITER = 68
 *** TIME = .974965E+07 TIME INC = 282341.
 *** RESPONSE EIGENVALUE = .4937E-06 OSCILLATION LIMIT = .1394
 *** AUTO STEP TIME: NEXT TIME INC = .28234E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.30 CRITERION= .1934
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2406
 HT FLOW CONVERGENCE VALUE= .1786 CRITERION= .1720
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5377E-01
 HT FLOW CONVERGENCE VALUE= .3255E-01 CRITERION= .1720 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 2 COMPLETED. CUM ITER = 70
 *** TIME = .100320E+08 TIME INC = 282341.
 *** RESPONSE EIGENVALUE = .1561E-05 OSCILLATION LIMIT = .4408
 *** AUTO STEP TIME: NEXT TIME INC = .28234E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.35 CRITERION= .1933
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2406
 HT FLOW CONVERGENCE VALUE= .1746 CRITERION= .1719
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5278E-01
 HT FLOW CONVERGENCE VALUE= .3154E-01 CRITERION= .1719 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 3 COMPLETED. CUM ITER = 72
 *** TIME = .103143E+08 TIME INC = 282341.
 *** RESPONSE EIGENVALUE = .6656E-06 OSCILLATION LIMIT = .1879
 *** AUTO TIME STEP: NEXT TIME INC = .75123E+06 INCREASED (FACTOR = 2.6607)

HT FLOW CONVERGENCE VALUE= 234.9 CRITERION= .2911
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6403
 HT FLOW CONVERGENCE VALUE= .4794 CRITERION= .1718

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1673
 HT FLOW CONVERGENCE VALUE= .9704E-01 CRITERION= .1718 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 4 COMPLETED. CUM ITER = 74
 *** TIME = .110656E+08 TIME INC = 751228.
 *** RESPONSE EIGENVALUE = .1365E-05 OSCILLATION LIMIT = 1.026
 *** AUTO TIME STEP: NEXT TIME INC = .36623E+06 DECREASED (FACTOR = .4875)

HT FLOW CONVERGENCE VALUE= 114.6 CRITERION= .2065
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3121
 HT FLOW CONVERGENCE VALUE= .2270 CRITERION= .1716
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7209E-01
 HT FLOW CONVERGENCE VALUE= .4220E-01 CRITERION= .1716 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 5 COMPLETED. CUM ITER = 76
 *** TIME = .114318E+08 TIME INC = 366228.
 *** RESPONSE EIGENVALUE = .5897E-06 OSCILLATION LIMIT = .2160
 *** AUTO STEP TIME: NEXT TIME INC = .36623E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 114.5 CRITERION= .2063
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3121
 HT FLOW CONVERGENCE VALUE= .2332 CRITERION= .1716
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7364E-01
 HT FLOW CONVERGENCE VALUE= .4326E-01 CRITERION= .1716 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 6 COMPLETED. CUM ITER = 78
 *** TIME = .117980E+08 TIME INC = 366228.
 *** RESPONSE EIGENVALUE = .1245E-05 OSCILLATION LIMIT = .4558
 *** AUTO STEP TIME: NEXT TIME INC = .36623E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 114.6 CRITERION= .2063
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3121
 HT FLOW CONVERGENCE VALUE= .2271 CRITERION= .1715
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7198E-01
 HT FLOW CONVERGENCE VALUE= .4238E-01 CRITERION= .1715 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 7 COMPLETED. CUM ITER = 80
 *** TIME = .121642E+08 TIME INC = 366228.
 *** RESPONSE EIGENVALUE = .8181E-06 OSCILLATION LIMIT = .2996
 *** AUTO TIME STEP: NEXT TIME INC = .45882E+06 INCREASED (FACTOR = 1.2528)

HT FLOW CONVERGENCE VALUE= 143.5 CRITERION= .2236
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3911
 HT FLOW CONVERGENCE VALUE= .2903 CRITERION= .1714
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9544E-01
 HT FLOW CONVERGENCE VALUE= .5554E-01 CRITERION= .1714 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 8 COMPLETED. CUM ITER = 82
 *** TIME = .126231E+08 TIME INC = 458823.
 *** RESPONSE EIGENVALUE = .1255E-05 OSCILLATION LIMIT = .5756

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 01:21:39 MAR 26, 1995 CP= 6166.940
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 116.0 CRITERION= .2069
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3163
 HT FLOW CONVERGENCE VALUE= .2273 CRITERION= .1713
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7541E-01
 HT FLOW CONVERGENCE VALUE= .4400E-01 CRITERION= .1713 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 1 COMPLETED. CUM ITER = 84
 *** TIME = .130819E+08 TIME INC = 458823.
 *** RESPONSE EIGENVALUE = .8997E-06 OSCILLATION LIMIT = .4128

*** AUTO STEP TIME: NEXT TIME INC = .45882E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 115.9 CRITERION= .2068
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3163
 HT FLOW CONVERGENCE VALUE= .2272 CRITERION= .1712
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7555E-01
 HT FLOW CONVERGENCE VALUE= .4473E-01 CRITERION= .1712 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 2 COMPLETED. CUM ITER = 86
 *** TIME = .135407E+08 TIME INC = 458823.
 *** RESPONSE EIGENVALUE = .1571E-05 OSCILLATION LIMIT = .7208
 *** AUTO STEP TIME: NEXT TIME INC = .31829E+06 DECREASED (FACTOR = .6937)

HT FLOW CONVERGENCE VALUE= 80.48 CRITERION= .1891
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2194
 HT FLOW CONVERGENCE VALUE= .1533 CRITERION= .1711 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 3 COMPLETED. CUM ITER = 87
 *** TIME = .138590E+08 TIME INC = 318292.
 *** RESPONSE EIGENVALUE = .4616E-06 OSCILLATION LIMIT = .1469
 *** AUTO STEP TIME: NEXT TIME INC = .31829E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.41 CRITERION= .1890
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2196
 HT FLOW CONVERGENCE VALUE= .1455 CRITERION= .1710 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 4 COMPLETED. CUM ITER = 88
 *** TIME = .141773E+08 TIME INC = 318292.
 *** RESPONSE EIGENVALUE = .1295E-05 OSCILLATION LIMIT = .4121
 *** AUTO STEP TIME: NEXT TIME INC = .31829E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.47 CRITERION= .1890
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2194
 HT FLOW CONVERGENCE VALUE= .1370 CRITERION= .1710 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 5 COMPLETED. CUM ITER = 89
 *** TIME = .144956E+08 TIME INC = 318292.
 *** RESPONSE EIGENVALUE = .1466E-05 OSCILLATION LIMIT = .4667
 *** AUTO STEP TIME: NEXT TIME INC = .31829E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.41 CRITERION= .1889
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2194
 HT FLOW CONVERGENCE VALUE= .1409 CRITERION= .1709 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 6 COMPLETED. CUM ITER = 90
 *** TIME = .148139E+08 TIME INC = 318292.
 *** RESPONSE EIGENVALUE = .1318E-05 OSCILLATION LIMIT = .4194
 *** AUTO STEP TIME: NEXT TIME INC = .31829E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.47 CRITERION= .1889
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2194
 HT FLOW CONVERGENCE VALUE= .1371 CRITERION= .1708 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 7 COMPLETED. CUM ITER = 91
 *** TIME = .151322E+08 TIME INC = 318292.
 *** RESPONSE EIGENVALUE = .1142E-05 OSCILLATION LIMIT = .3635
 *** AUTO STEP TIME: NEXT TIME INC = .31829E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.41 CRITERION= .1888
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2194
 HT FLOW CONVERGENCE VALUE= .1369 CRITERION= .1707 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 8 SUBSTEP 8 COMPLETED. CUM ITER = 92
 *** TIME = .154505E+08 TIME INC = 318292.
 *** RESPONSE EIGENVALUE = .1492E-05 OSCILLATION LIMIT = .4748
 *** AUTO STEP TIME: NEXT TIME INC = .16418E+06 DECREASED (FACTOR = .5158)

HT FLOW CONVERGENCE VALUE= 41.53 CRITERION= .1757
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1132
 HT FLOW CONVERGENCE VALUE= .6790E-01 CRITERION= .1707 <<< CONVERGED


```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 9 COMPLETED. CUM ITER = 93
*** TIME = .156147E+08 TIME INC = 164181.
*** RESPONSE EIGENVALUE = .1211E-05 OSCILLATION LIMIT = .1989
*** AUTO STEP TIME: NEXT TIME INC = .16418E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 41.47 CRITERION= .1757
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1132
HT FLOW CONVERGENCE VALUE= .6897E-01 CRITERION= .1706 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 8 SUBSTEP 10 COMPLETED. CUM ITER = 94
*** TIME = .157788E+08 TIME INC = 164181.
*** RESPONSE EIGENVALUE = .2494E-05 OSCILLATION LIMIT = .4095
```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 01:42:05 MAR 26, 1995 CP= 7160.370
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 35.04 CRITERION= .1742
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9544E-01
HT FLOW CONVERGENCE VALUE= .5881E-01 CRITERION= .1706 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 1 COMPLETED. CUM ITER = 95
*** TIME = .159430E+08 TIME INC = 164181.
*** RESPONSE EIGENVALUE = .7700E-06 OSCILLATION LIMIT = .1264
*** AUTO STEP TIME: NEXT TIME INC = .16418E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 34.97 CRITERION= .1742
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9544E-01
HT FLOW CONVERGENCE VALUE= .5839E-01 CRITERION= .1705 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 2 COMPLETED. CUM ITER = 96
*** TIME = .161072E+08 TIME INC = 164181.
*** RESPONSE EIGENVALUE = .2588E-05 OSCILLATION LIMIT = .4250
*** AUTO STEP TIME: NEXT TIME INC = .16418E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 35.04 CRITERION= .1741
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9544E-01
HT FLOW CONVERGENCE VALUE= .5859E-01 CRITERION= .1705 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 3 COMPLETED. CUM ITER = 97
*** TIME = .162714E+08 TIME INC = 164181.
*** RESPONSE EIGENVALUE = .1233E-05 OSCILLATION LIMIT = .2024
*** AUTO STEP TIME: NEXT TIME INC = .40567E+06 INCREASED (FACTOR = 2.4708)
```

```
HT FLOW CONVERGENCE VALUE= 86.44 CRITERION= .1912
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2358
HT FLOW CONVERGENCE VALUE= .1508 CRITERION= .1704 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 4 COMPLETED. CUM ITER = 98
*** TIME = .166770E+08 TIME INC = 405666.
*** RESPONSE EIGENVALUE = .1325E-05 OSCILLATION LIMIT = .5375
*** AUTO STEP TIME: NEXT TIME INC = .40567E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 86.50 CRITERION= .1911
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2358
HT FLOW CONVERGENCE VALUE= .1461 CRITERION= .1704 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 9 SUBSTEP 5 COMPLETED. CUM ITER = 99
*** TIME = .170827E+08 TIME INC = 405666.
*** RESPONSE EIGENVALUE = .1252E-05 OSCILLATION LIMIT = .5077
*** AUTO STEP TIME: NEXT TIME INC = .40567E+06 UNCHANGED
```

HT FLOW CONVERGENCE VALUE= 86.43 CRITERION= .1911

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2358
 HT FLOW CONVERGENCE VALUE= .1442 CRITERION= .1703 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 6 COMPLETED. CUM ITER = 100
 *** TIME = .174884E+08 TIME INC = 405666.
 *** RESPONSE EIGENVALUE = .1994E-05 OSCILLATION LIMIT = .8089
 *** AUTO TIME STEP: NEXT TIME INC = .25076E+06 DECREASED (FACTOR = .6181)

HT FLOW CONVERGENCE VALUE= 53.49 CRITERION= .1785
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1458
 HT FLOW CONVERGENCE VALUE= .8773E-01 CRITERION= .1702 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 7 COMPLETED. CUM ITER = 101
 *** TIME = .177391E+08 TIME INC = 250758.
 *** RESPONSE EIGENVALUE = .1439E-05 OSCILLATION LIMIT = .3608
 *** AUTO STEP TIME: NEXT TIME INC = .25076E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 53.42 CRITERION= .1784
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1458
 HT FLOW CONVERGENCE VALUE= .8837E-01 CRITERION= .1701 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 8 COMPLETED. CUM ITER = 102
 *** TIME = .179899E+08 TIME INC = 250758.
 *** RESPONSE EIGENVALUE = .2235E-05 OSCILLATION LIMIT = .5604
 *** AUTO STEP TIME: NEXT TIME INC = .25076E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 53.49 CRITERION= .1783
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1458
 HT FLOW CONVERGENCE VALUE= .9003E-01 CRITERION= .1701 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 9 COMPLETED. CUM ITER = 103
 *** TIME = .182406E+08 TIME INC = 250758.
 *** RESPONSE EIGENVALUE = .1137E-05 OSCILLATION LIMIT = .2852
 *** AUTO TIME STEP: NEXT TIME INC = .43965E+06 INCREASED (FACTOR = 1.7533)

HT FLOW CONVERGENCE VALUE= 93.67 CRITERION= .1942
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2556
 HT FLOW CONVERGENCE VALUE= .1607 CRITERION= .1700 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 10 COMPLETED. CUM ITER = 104
 *** TIME = .186803E+08 TIME INC = 439650.
 *** RESPONSE EIGENVALUE = .1432E-05 OSCILLATION LIMIT = .6298
 *** AUTO TIME STEP: NEXT TIME INC = .25429E+06 DECREASED (FACTOR = .5784)

HT FLOW CONVERGENCE VALUE= 54.24 CRITERION= .1784
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1478
 HT FLOW CONVERGENCE VALUE= .8893E-01 CRITERION= .1700 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 11 COMPLETED. CUM ITER = 105
 *** TIME = .189346E+08 TIME INC = 254293.
 *** RESPONSE EIGENVALUE = .1565E-05 OSCILLATION LIMIT = .3980

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 02:02:25 MAR 26, 1995 CP= 8142.580
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 46.63 CRITERION= .1762
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1273
 HT FLOW CONVERGENCE VALUE= .7596E-01 CRITERION= .1698 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 1 COMPLETED. CUM ITER = 106
 *** TIME = .191889E+08 TIME INC = 254293.
 *** RESPONSE EIGENVALUE = .2923E-05 OSCILLATION LIMIT = .7433
 *** AUTO TIME STEP: NEXT TIME INC = .17105E+06 DECREASED (FACTOR = .6727)

HT FLOW CONVERGENCE VALUE= 31.42 CRITERION= .1727
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8566E-01
 HT FLOW CONVERGENCE VALUE= .5140E-01 CRITERION= .1698 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 2 COMPLETED. CUM ITER = 107
 *** TIME = .193599E+08 TIME INC = 171051.
 *** RESPONSE EIGENVALUE = .1537E-05 OSCILLATION LIMIT = .2629
 *** AUTO STEP TIME: NEXT TIME INC = .17105E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.36 CRITERION= .1727
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8566E-01
 HT FLOW CONVERGENCE VALUE= .5155E-01 CRITERION= .1698 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 3 COMPLETED. CUM ITER = 108
 *** TIME = .195310E+08 TIME INC = 171051.
 *** RESPONSE EIGENVALUE = .2660E-05 OSCILLATION LIMIT = .4549
 *** AUTO STEP TIME: NEXT TIME INC = .17105E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.42 CRITERION= .1726
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8566E-01
 HT FLOW CONVERGENCE VALUE= .5217E-01 CRITERION= .1697 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 4 COMPLETED. CUM ITER = 109
 *** TIME = .197020E+08 TIME INC = 171051.
 *** RESPONSE EIGENVALUE = .1693E-05 OSCILLATION LIMIT = .2896
 *** AUTO TIME STEP: NEXT TIME INC = .29534E+06 INCREASED (FACTOR = 1.7266)

HT FLOW CONVERGENCE VALUE= 54.16 CRITERION= .1782
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1479
 HT FLOW CONVERGENCE VALUE= .9183E-01 CRITERION= .1697 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 5 COMPLETED. CUM ITER = 110
 *** TIME = .199974E+08 TIME INC = 295338.
 *** RESPONSE EIGENVALUE = .1743E-05 OSCILLATION LIMIT = .5148
 *** AUTO STEP TIME: NEXT TIME INC = .29534E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 54.22 CRITERION= .1781
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1479
 HT FLOW CONVERGENCE VALUE= .9041E-01 CRITERION= .1696 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 6 COMPLETED. CUM ITER = 111
 *** TIME = .202927E+08 TIME INC = 295338.
 *** RESPONSE EIGENVALUE = .1626E-05 OSCILLATION LIMIT = .4801
 *** AUTO STEP TIME: NEXT TIME INC = .29534E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 54.16 CRITERION= .1781
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1479
 HT FLOW CONVERGENCE VALUE= .8936E-01 CRITERION= .1695 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 7 COMPLETED. CUM ITER = 112
 *** TIME = .205880E+08 TIME INC = 295338.
 *** RESPONSE EIGENVALUE = .2189E-05 OSCILLATION LIMIT = .6464
 *** AUTO STEP TIME: NEXT TIME INC = .29534E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 54.22 CRITERION= .1780
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1479
 HT FLOW CONVERGENCE VALUE= .8974E-01 CRITERION= .1695 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 8 COMPLETED. CUM ITER = 113
 *** TIME = .208834E+08 TIME INC = 295338.
 *** RESPONSE EIGENVALUE = .1733E-05 OSCILLATION LIMIT = .5117
 *** AUTO STEP TIME: NEXT TIME INC = .29534E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 54.16 CRITERION= .1779
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1479
 HT FLOW CONVERGENCE VALUE= .8953E-01 CRITERION= .1694 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 9 COMPLETED. CUM ITER = 114
 *** TIME = .211787E+08 TIME INC = 295338.

```

*** RESPONSE EIGENVALUE = .1995E-05 OSCILLATION LIMIT = .5891
*** AUTO STEP TIME: NEXT TIME INC = .29534E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 54.22 CRITERION= .1779
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1479
HT FLOW CONVERGENCE VALUE= .8950E-01 CRITERION= .1694 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 10 COMPLETED. CUM ITER = 115
*** TIME = .214741E+08 TIME INC = 295338.
*** RESPONSE EIGENVALUE = .1823E-05 OSCILLATION LIMIT = .5385
*** AUTO STEP TIME: NEXT TIME INC = .29534E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 54.16 CRITERION= .1778
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1479
HT FLOW CONVERGENCE VALUE= .8951E-01 CRITERION= .1693 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 11 COMPLETED. CUM ITER = 116
*** TIME = .217694E+08 TIME INC = 295338.
*** RESPONSE EIGENVALUE = .1942E-05 OSCILLATION LIMIT = .5735
*** AUTO STEP TIME: NEXT TIME INC = .16048E+06 DECREASED (FACTOR = .5434)

```

```

HT FLOW CONVERGENCE VALUE= 29.48 CRITERION= .1718
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8036E-01
HT FLOW CONVERGENCE VALUE= .4746E-01 CRITERION= .1692 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 12 COMPLETED. CUM ITER = 117
*** TIME = .219299E+08 TIME INC = 160476.
*** RESPONSE EIGENVALUE = .2218E-05 OSCILLATION LIMIT = .3559
*** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 29.42 CRITERION= .1718
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8036E-01
HT FLOW CONVERGENCE VALUE= .4784E-01 CRITERION= .1692 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 13 COMPLETED. CUM ITER = 118
*** TIME = .220904E+08 TIME INC = 160476.
*** RESPONSE EIGENVALUE = .2689E-05 OSCILLATION LIMIT = .4316

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 02:26:15 MAR 26, 1995 CP= 9301.400
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 26.10 CRITERION= .1712
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
HT FLOW CONVERGENCE VALUE= .4302E-01 CRITERION= .1692 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 1 COMPLETED. CUM ITER = 119
*** TIME = .222508E+08 TIME INC = 160476.
*** RESPONSE EIGENVALUE = .1796E-05 OSCILLATION LIMIT = .2882
*** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 26.03 CRITERION= .1712
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
HT FLOW CONVERGENCE VALUE= .4256E-01 CRITERION= .1691 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 2 COMPLETED. CUM ITER = 120
*** TIME = .224113E+08 TIME INC = 160476.
*** RESPONSE EIGENVALUE = .2674E-05 OSCILLATION LIMIT = .4290
*** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 26.10 CRITERION= .1711
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
HT FLOW CONVERGENCE VALUE= .4277E-01 CRITERION= .1691 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 11 SUBSTEP 3 COMPLETED. CUM ITER = 121
 *** TIME = .225718E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2284E-05 OSCILLATION LIMIT = .3665
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.03 CRITERION= .1711
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4273E-01 CRITERION= .1690 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 11 SUBSTEP 4 COMPLETED. CUM ITER = 122
 *** TIME = .227323E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2350E-05 OSCILLATION LIMIT = .3771
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.10 CRITERION= .1710
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4268E-01 CRITERION= .1690 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 11 SUBSTEP 5 COMPLETED. CUM ITER = 123
 *** TIME = .228927E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2364E-05 OSCILLATION LIMIT = .3793
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.03 CRITERION= .1710
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4273E-01 CRITERION= .1689 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 11 SUBSTEP 6 COMPLETED. CUM ITER = 124
 *** TIME = .230532E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2318E-05 OSCILLATION LIMIT = .3720
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.10 CRITERION= .1709
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4264E-01 CRITERION= .1689 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 11 SUBSTEP 7 COMPLETED. CUM ITER = 125
 *** TIME = .232137E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2346E-05 OSCILLATION LIMIT = .3765
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.03 CRITERION= .1709
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4272E-01 CRITERION= .1689 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 11 SUBSTEP 8 COMPLETED. CUM ITER = 126
 *** TIME = .233742E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2312E-05 OSCILLATION LIMIT = .3710
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.10 CRITERION= .1709
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4260E-01 CRITERION= .1689 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 11 SUBSTEP 9 COMPLETED. CUM ITER = 127
 *** TIME = .235346E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2328E-05 OSCILLATION LIMIT = .3737
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.03 CRITERION= .1709
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4270E-01 CRITERION= .1688 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 11 SUBSTEP 10 COMPLETED. CUM ITER = 128
 *** TIME = .236951E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2307E-05 OSCILLATION LIMIT = .3701
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.10 CRITERION= .1708
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01

HT FLOW CONVERGENCE VALUE= .4257E-01 CRITERION= .1688 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 11 COMPLETED. CUM ITER = 129
 *** TIME = .238556E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2315E-05 OSCILLATION LIMIT = .3714
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.03 CRITERION= .1708
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4269E-01 CRITERION= .1687 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 12 COMPLETED. CUM ITER = 130
 *** TIME = .240161E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2300E-05 OSCILLATION LIMIT = .3691
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.10 CRITERION= .1707
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4254E-01 CRITERION= .1687 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 13 COMPLETED. CUM ITER = 131
 *** TIME = .241765E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2304E-05 OSCILLATION LIMIT = .3697
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.03 CRITERION= .1707
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4266E-01 CRITERION= .1687 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 14 COMPLETED. CUM ITER = 132
 *** TIME = .243370E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2294E-05 OSCILLATION LIMIT = .3681
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.10 CRITERION= .1707
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4251E-01 CRITERION= .1687 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 15 COMPLETED. CUM ITER = 133
 *** TIME = .244975E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2295E-05 OSCILLATION LIMIT = .3683
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.03 CRITERION= .1706
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4264E-01 CRITERION= .1686 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 16 COMPLETED. CUM ITER = 134
 *** TIME = .246580E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2287E-05 OSCILLATION LIMIT = .3670
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.10 CRITERION= .1706
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4248E-01 CRITERION= .1686 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 17 COMPLETED. CUM ITER = 135
 *** TIME = .248184E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2288E-05 OSCILLATION LIMIT = .3672
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.03 CRITERION= .1706
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4262E-01 CRITERION= .1685 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 18 COMPLETED. CUM ITER = 136
 *** TIME = .249789E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2279E-05 OSCILLATION LIMIT = .3658
 *** AUTO STEP TIME: NEXT TIME INC = .16048E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.10 CRITERION= .1705
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7110E-01
 HT FLOW CONVERGENCE VALUE= .4245E-01 CRITERION= .1685 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 19 COMPLETED. CUM ITER = 137
 *** TIME = .251394E+08 TIME INC = 160476.
 *** RESPONSE EIGENVALUE = .2282E-05 OSCILLATION LIMIT = .3662
 *** AUTO TIME STEP: NEXT TIME INC = .10672E+06 DECREASED (FACTOR = .6650)

HT FLOW CONVERGENCE VALUE= 17.30 CRITERION= .1694
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4728E-01
 HT FLOW CONVERGENCE VALUE= .2799E-01 CRITERION= .1685 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 20 COMPLETED. CUM ITER = 138
 *** TIME = .252461E+08 TIME INC = 106719.
 *** RESPONSE EIGENVALUE = .2594E-05 OSCILLATION LIMIT = .2769

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 03:02:47 MAR 26, 1995 CP= 11081.760
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 15.38 CRITERION= .1691
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4191E-01
 HT FLOW CONVERGENCE VALUE= .2460E-01 CRITERION= .1685 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 1 COMPLETED. CUM ITER = 139
 *** TIME = .253528E+08 TIME INC = 106719.
 *** RESPONSE EIGENVALUE = .3281E-05 OSCILLATION LIMIT = .3502
 *** AUTO STEP TIME: NEXT TIME INC = .10672E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .1692
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4189E-01
 HT FLOW CONVERGENCE VALUE= .2490E-01 CRITERION= .1684 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 2 COMPLETED. CUM ITER = 140
 *** TIME = .254596E+08 TIME INC = 106719.
 *** RESPONSE EIGENVALUE = .2957E-05 OSCILLATION LIMIT = .3156
 *** AUTO STEP TIME: NEXT TIME INC = .10672E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.38 CRITERION= .1691
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4192E-01
 HT FLOW CONVERGENCE VALUE= .2481E-01 CRITERION= .1684 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 3 COMPLETED. CUM ITER = 141
 *** TIME = .255663E+08 TIME INC = 106719.
 *** RESPONSE EIGENVALUE = .2906E-05 OSCILLATION LIMIT = .3101
 *** AUTO STEP TIME: NEXT TIME INC = .10672E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .1691
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4189E-01
 HT FLOW CONVERGENCE VALUE= .2494E-01 CRITERION= .1684 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 4 COMPLETED. CUM ITER = 142
 *** TIME = .256730E+08 TIME INC = 106719.
 *** RESPONSE EIGENVALUE = .2910E-05 OSCILLATION LIMIT = .3105
 *** AUTO STEP TIME: NEXT TIME INC = .10672E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.38 CRITERION= .1690
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4192E-01
 HT FLOW CONVERGENCE VALUE= .2480E-01 CRITERION= .1684 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 5 COMPLETED. CUM ITER = 143
 *** TIME = .257797E+08 TIME INC = 106719.
 *** RESPONSE EIGENVALUE = .2929E-05 OSCILLATION LIMIT = .3126

*** AUTO STEP TIME: NEXT TIME INC = .10672E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .1691
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4189E-01
 HT FLOW CONVERGENCE VALUE= .2493E-01 CRITERION= .1683 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 6 COMPLETED. CUM ITER = 144
 *** TIME = .258864E+08 TIME INC = 106719.
 *** RESPONSE EIGENVALUE = .2883E-05 OSCILLATION LIMIT = .3076
 *** AUTO STEP TIME: NEXT TIME INC = .10672E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.38 CRITERION= .1690
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4192E-01
 HT FLOW CONVERGENCE VALUE= .2479E-01 CRITERION= .1683 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 7 COMPLETED. CUM ITER = 145
 *** TIME = .259931E+08 TIME INC = 106719.
 *** RESPONSE EIGENVALUE = .2916E-05 OSCILLATION LIMIT = .3112
 *** AUTO STEP TIME: NEXT TIME INC = .10672E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .1690
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4189E-01
 HT FLOW CONVERGENCE VALUE= .2492E-01 CRITERION= .1683 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 8 COMPLETED. CUM ITER = 146
 *** TIME = .260999E+08 TIME INC = 106719.
 *** RESPONSE EIGENVALUE = .2861E-05 OSCILLATION LIMIT = .3053
 *** AUTO STEP TIME: NEXT TIME INC = .10672E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.38 CRITERION= .1690
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4192E-01
 HT FLOW CONVERGENCE VALUE= .2478E-01 CRITERION= .1683 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 9 COMPLETED. CUM ITER = 147
 *** TIME = .262066E+08 TIME INC = 106719.
 *** RESPONSE EIGENVALUE = .2904E-05 OSCILLATION LIMIT = .3099
 *** AUTO STEP TIME: NEXT TIME INC = .10672E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .1690
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4189E-01
 HT FLOW CONVERGENCE VALUE= .2491E-01 CRITERION= .1682 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 10 COMPLETED. CUM ITER = 148
 *** TIME = .263133E+08 TIME INC = 106719.
 *** RESPONSE EIGENVALUE = .2840E-05 OSCILLATION LIMIT = .3031
 *** AUTO STEP TIME: NEXT TIME INC = .10672E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.38 CRITERION= .1689
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4192E-01
 HT FLOW CONVERGENCE VALUE= .2477E-01 CRITERION= .1682 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 11 COMPLETED. CUM ITER = 149
 *** TIME = .264200E+08 TIME INC = 106719.
 *** RESPONSE EIGENVALUE = .2893E-05 OSCILLATION LIMIT = .3087
 *** AUTO STEP TIME: NEXT TIME INC = .10672E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .1689
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4189E-01
 HT FLOW CONVERGENCE VALUE= .2490E-01 CRITERION= .1682 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 12 COMPLETED. CUM ITER = 150
 *** TIME = .265267E+08 TIME INC = 106719.
 *** RESPONSE EIGENVALUE = .2821E-05 OSCILLATION LIMIT = .3011
 *** AUTO STEP TIME: NEXT TIME INC = .10672E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.38 CRITERION= .1689
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4192E-01
 HT FLOW CONVERGENCE VALUE= .2476E-01 CRITERION= .1682 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 13 COMPLETED. CUM ITER = 151


```

*** TIME = .266335E+08    TIME INC = 106719.
*** RESPONSE EIGENVALUE = .2883E-05    OSCILLATION LIMIT = .3077
*** AUTO STEP TIME: NEXT TIME INC = .10672E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.31    CRITERION= .1689
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4189E-01
    HT FLOW CONVERGENCE VALUE= .2489E-01    CRITERION= .1681    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 14 COMPLETED. CUM ITER = 152
*** TIME = .267402E+08    TIME INC = 106719.
*** RESPONSE EIGENVALUE = .2804E-05    OSCILLATION LIMIT = .2992
*** AUTO STEP TIME: NEXT TIME INC = .17833E+06    INCREASED (FACTOR = 1.6710)

    HT FLOW CONVERGENCE VALUE= 25.67    CRITERION= .1701
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7000E-01
    HT FLOW CONVERGENCE VALUE= .4208E-01    CRITERION= .1681    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 15 COMPLETED. CUM ITER = 153
*** TIME = .269185E+08    TIME INC = 178325.
*** RESPONSE EIGENVALUE = .2470E-05    OSCILLATION LIMIT = .4405
*** AUTO STEP TIME: NEXT TIME INC = .17833E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 25.60    CRITERION= .1700
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7000E-01
    HT FLOW CONVERGENCE VALUE= .4186E-01    CRITERION= .1680    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 16 COMPLETED. CUM ITER = 154
*** TIME = .270968E+08    TIME INC = 178325.
*** RESPONSE EIGENVALUE = .2305E-05    OSCILLATION LIMIT = .4110
*** AUTO STEP TIME: NEXT TIME INC = .17833E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 25.67    CRITERION= .1700
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7000E-01
    HT FLOW CONVERGENCE VALUE= .4132E-01    CRITERION= .1680    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 17 COMPLETED. CUM ITER = 155
*** TIME = .272752E+08    TIME INC = 178325.
*** RESPONSE EIGENVALUE = .2828E-05    OSCILLATION LIMIT = .5043
*** AUTO STEP TIME: NEXT TIME INC = .17833E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 25.60    CRITERION= .1700
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7000E-01
    HT FLOW CONVERGENCE VALUE= .4167E-01    CRITERION= .1680    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 18 COMPLETED. CUM ITER = 156
*** TIME = .274535E+08    TIME INC = 178325.
*** RESPONSE EIGENVALUE = .2538E-05    OSCILLATION LIMIT = .4526
*** AUTO STEP TIME: NEXT TIME INC = .17833E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 25.67    CRITERION= .1699
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7000E-01
    HT FLOW CONVERGENCE VALUE= .4151E-01    CRITERION= .1680    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 19 COMPLETED. CUM ITER = 157
*** TIME = .276318E+08    TIME INC = 178325.
*** RESPONSE EIGENVALUE = .2619E-05    OSCILLATION LIMIT = .4670
*** AUTO STEP TIME: NEXT TIME INC = .17833E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 25.60    CRITERION= .1699
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7000E-01
    HT FLOW CONVERGENCE VALUE= .4172E-01    CRITERION= .1679    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 20 COMPLETED. CUM ITER = 158
*** TIME = .278101E+08    TIME INC = 178325.
*** RESPONSE EIGENVALUE = .2595E-05    OSCILLATION LIMIT = .4628
*** AUTO STEP TIME: NEXT TIME INC = .17833E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 25.67    CRITERION= .1698
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7000E-01
    HT FLOW CONVERGENCE VALUE= .4160E-01    CRITERION= .1679    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 21 COMPLETED. CUM ITER = 159
*** TIME = .279885E+08 TIME INC = 178325.
*** RESPONSE EIGENVALUE = .2605E-05 OSCILLATION LIMIT = .4645
*** AUTO STEP TIME: NEXT TIME INC = .17833E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 25.60 CRITERION= .1698
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7000E-01
HT FLOW CONVERGENCE VALUE= .4180E-01 CRITERION= .1678 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 22 COMPLETED. CUM ITER = 160
*** TIME = .281668E+08 TIME INC = 178325.
*** RESPONSE EIGENVALUE = .2592E-05 OSCILLATION LIMIT = .4622
*** AUTO TIME STEP: NEXT TIME INC = .11754E+06 DECREASED (FACTOR = .6592)

HT FLOW CONVERGENCE VALUE= 16.94 CRITERION= .1687
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4615E-01
HT FLOW CONVERGENCE VALUE= .2715E-01 CRITERION= .1678 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 23 COMPLETED. CUM ITER = 161
*** TIME = .282843E+08 TIME INC = 117545.
*** RESPONSE EIGENVALUE = .2862E-05 OSCILLATION LIMIT = .3364
*** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.87 CRITERION= .1687
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4614E-01
HT FLOW CONVERGENCE VALUE= .2735E-01 CRITERION= .1677 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 24 COMPLETED. CUM ITER = 162
*** TIME = .284019E+08 TIME INC = 117545.
*** RESPONSE EIGENVALUE = .3184E-05 OSCILLATION LIMIT = .3743
Apply loads and solve for 1 to 9 years

*DO LOOP ON PARAMETER= TM FROM .31558E+08 TO .28402E+09 BY .31558E+08
TIME= .31558E+08

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5405.15278 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 98.188 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 98.935 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP

```

VALUES = 100.50 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 13216.250 TIME= 03:47:20
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 03:47:20 MAR 26, 1995 CP= 13216.250
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 13
TIME AT END OF THE LOAD STEP.31558E+08
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 15.44 CRITERION= .1684
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4206E-01
HT FLOW CONVERGENCE VALUE= .2506E-01 CRITERION= .1678 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 1 COMPLETED. CUM ITER = 163
*** TIME = .285194E+08 TIME INC = 117545.
*** RESPONSE EIGENVALUE = .2827E-05 OSCILLATION LIMIT = .3323
*** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .1685
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4203E-01
HT FLOW CONVERGENCE VALUE= .2503E-01 CRITERION= .1677 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 2 COMPLETED. CUM ITER = 164
*** TIME = .286370E+08 TIME INC = 117545.
*** RESPONSE EIGENVALUE = .3192E-05 OSCILLATION LIMIT = .3752
*** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.44 CRITERION= .1684
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4205E-01
HT FLOW CONVERGENCE VALUE= .2502E-01 CRITERION= .1677 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 3 COMPLETED. CUM ITER = 165
*** TIME = .287545E+08 TIME INC = 117545.
*** RESPONSE EIGENVALUE = .3217E-05 OSCILLATION LIMIT = .3781
*** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .1684
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4203E-01
 HT FLOW CONVERGENCE VALUE= .2510E-01 CRITERION= .1676 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 4 COMPLETED. CUM ITER = 166
 *** TIME = .288720E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .3000E-05 OSCILLATION LIMIT = .3526
 *** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.44 CRITERION= .1683
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4205E-01
 HT FLOW CONVERGENCE VALUE= .2503E-01 CRITERION= .1677 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 5 COMPLETED. CUM ITER = 167
 *** TIME = .289896E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .3234E-05 OSCILLATION LIMIT = .3801
 *** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .1684
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4203E-01
 HT FLOW CONVERGENCE VALUE= .2513E-01 CRITERION= .1676 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 6 COMPLETED. CUM ITER = 168
 *** TIME = .291071E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .3001E-05 OSCILLATION LIMIT = .3528
 *** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.44 CRITERION= .1683
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4205E-01
 HT FLOW CONVERGENCE VALUE= .2505E-01 CRITERION= .1676 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 7 COMPLETED. CUM ITER = 169
 *** TIME = .292247E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .3213E-05 OSCILLATION LIMIT = .3777
 *** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .1683
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4203E-01
 HT FLOW CONVERGENCE VALUE= .2516E-01 CRITERION= .1675 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 8 COMPLETED. CUM ITER = 170
 *** TIME = .293422E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .3003E-05 OSCILLATION LIMIT = .3530
 *** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.44 CRITERION= .1682
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4205E-01
 HT FLOW CONVERGENCE VALUE= .2507E-01 CRITERION= .1675 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 9 COMPLETED. CUM ITER = 171
 *** TIME = .294598E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .3197E-05 OSCILLATION LIMIT = .3758
 *** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .1682
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4203E-01
 HT FLOW CONVERGENCE VALUE= .2518E-01 CRITERION= .1675 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 10 COMPLETED. CUM ITER = 172
 *** TIME = .295773E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .3003E-05 OSCILLATION LIMIT = .3530
 *** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.44 CRITERION= .1682
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4205E-01
 HT FLOW CONVERGENCE VALUE= .2506E-01 CRITERION= .1675 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 11 COMPLETED. CUM ITER = 173
 *** TIME = .296949E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .3184E-05 OSCILLATION LIMIT = .3743

*** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .1682
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4203E-01
 HT FLOW CONVERGENCE VALUE= .2513E-01 CRITERION= .1674 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 12 COMPLETED. CUM ITER = 174
 *** TIME = .298124E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .3002E-05 OSCILLATION LIMIT = .3529
 *** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.44 CRITERION= .1681
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4205E-01
 HT FLOW CONVERGENCE VALUE= .2502E-01 CRITERION= .1674 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 13 COMPLETED. CUM ITER = 175
 *** TIME = .299300E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .3174E-05 OSCILLATION LIMIT = .3731
 *** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .1681
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4203E-01
 HT FLOW CONVERGENCE VALUE= .2512E-01 CRITERION= .1674 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 14 COMPLETED. CUM ITER = 176
 *** TIME = .300475E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .3001E-05 OSCILLATION LIMIT = .3527
 *** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.44 CRITERION= .1681
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4205E-01
 HT FLOW CONVERGENCE VALUE= .2504E-01 CRITERION= .1674 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 15 COMPLETED. CUM ITER = 177
 *** TIME = .301650E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .3166E-05 OSCILLATION LIMIT = .3721
 *** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .1681
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4203E-01
 HT FLOW CONVERGENCE VALUE= .2513E-01 CRITERION= .1673 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 16 COMPLETED. CUM ITER = 178
 *** TIME = .302826E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .2998E-05 OSCILLATION LIMIT = .3524
 *** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.44 CRITERION= .1680
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4205E-01
 HT FLOW CONVERGENCE VALUE= .2502E-01 CRITERION= .1673 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 17 COMPLETED. CUM ITER = 179
 *** TIME = .304001E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .3159E-05 OSCILLATION LIMIT = .3713
 *** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .1680
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4203E-01
 HT FLOW CONVERGENCE VALUE= .2511E-01 CRITERION= .1673 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 18 COMPLETED. CUM ITER = 180
 *** TIME = .305177E+08 TIME INC = 117545.
 *** RESPONSE EIGENVALUE = .2995E-05 OSCILLATION LIMIT = .3521
 *** AUTO STEP TIME: NEXT TIME INC = .11754E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.44 CRITERION= .1680
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4205E-01
 HT FLOW CONVERGENCE VALUE= .2499E-01 CRITERION= .1673 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 19 COMPLETED. CUM ITER = 181

```

*** TIME = .306352E+08    TIME INC = 117545.
*** RESPONSE EIGENVALUE = .3152E-05    OSCILLATION LIMIT = .3705
*** AUTO STEP TIME: NEXT TIME INC = .11754E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.37    CRITERION= .1680
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4203E-01
    HT FLOW CONVERGENCE VALUE= .2507E-01    CRITERION= .1672    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 20 COMPLETED.    CUM ITER = 182
*** TIME = .307528E+08    TIME INC = 117545.
*** RESPONSE EIGENVALUE = .2992E-05    OSCILLATION LIMIT = .3517
*** AUTO STEP TIME: NEXT TIME INC = .11754E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.44    CRITERION= .1679
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4205E-01
    HT FLOW CONVERGENCE VALUE= .2510E-01    CRITERION= .1672    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 21 COMPLETED.    CUM ITER = 183
*** TIME = .308703E+08    TIME INC = 117545.
*** RESPONSE EIGENVALUE = .3147E-05    OSCILLATION LIMIT = .3699
*** AUTO STEP TIME: NEXT TIME INC = .11754E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.37    CRITERION= .1679
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4203E-01
    HT FLOW CONVERGENCE VALUE= .2524E-01    CRITERION= .1672    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 22 COMPLETED.    CUM ITER = 184
*** TIME = .309879E+08    TIME INC = 117545.
*** RESPONSE EIGENVALUE = .2989E-05    OSCILLATION LIMIT = .3513
*** AUTO STEP TIME: NEXT TIME INC = .11754E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.44    CRITERION= .1679
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4205E-01
    HT FLOW CONVERGENCE VALUE= .2513E-01    CRITERION= .1672    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 23 COMPLETED.    CUM ITER = 185
*** TIME = .311054E+08    TIME INC = 117545.
*** RESPONSE EIGENVALUE = .3146E-05    OSCILLATION LIMIT = .3697
*** AUTO STEP TIME: NEXT TIME INC = .11754E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.37    CRITERION= .1679
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4203E-01
    HT FLOW CONVERGENCE VALUE= .2522E-01    CRITERION= .1671    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 24 COMPLETED.    CUM ITER = 186
*** TIME = .312229E+08    TIME INC = 117545.
*** RESPONSE EIGENVALUE = .2985E-05    OSCILLATION LIMIT = .3509
*** AUTO STEP TIME: NEXT TIME INC = .11754E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.44    CRITERION= .1678
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4205E-01
    HT FLOW CONVERGENCE VALUE= .2511E-01    CRITERION= .1671    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 25 COMPLETED.    CUM ITER = 187
*** TIME = .313405E+08    TIME INC = 117545.
*** RESPONSE EIGENVALUE = .3141E-05    OSCILLATION LIMIT = .3692
*** AUTO STEP TIME: NEXT TIME INC = .11754E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.37    CRITERION= .1678
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4203E-01
    HT FLOW CONVERGENCE VALUE= .2519E-01    CRITERION= .1671    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 26 COMPLETED.    CUM ITER = 188
*** TIME = .314580E+08    TIME INC = 117545.
*** RESPONSE EIGENVALUE = .2982E-05    OSCILLATION LIMIT = .3505
*** AUTO STEP TIME: NEXT TIME INC = 99603.    DECREASED (FACTOR = .8474)

    HT FLOW CONVERGENCE VALUE= 13.09    CRITERION= .1676
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3564E-01
    HT FLOW CONVERGENCE VALUE= .2115E-01    CRITERION= .1671    <<< CONVERGED

```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 27 COMPLETED. CUM ITER = 189
*** TIME = .315576E+08 TIME INC = 99602.9
*** RESPONSE EIGENVALUE = .3266E-05 OSCILLATION LIMIT = .3253
```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 04:36:43 MAR 26, 1995 CP= 15616.580
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 67.46 CRITERION= .1802
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .1125 CRITERION= .1670 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 1 COMPLETED. CUM ITER = 190
*** TIME = .323466E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3290E-05 OSCILLATION LIMIT = 2.596
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 67.53 CRITERION= .1801
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .1082 CRITERION= .1669 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 2 COMPLETED. CUM ITER = 191
*** TIME = .331355E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4459E-05 OSCILLATION LIMIT = 3.518
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 67.48 CRITERION= .1800
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .1077 CRITERION= .1667 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 3 COMPLETED. CUM ITER = 192
*** TIME = .339245E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4536E-05 OSCILLATION LIMIT = 3.579
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 67.55 CRITERION= .1798
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .1091 CRITERION= .1666 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 4 COMPLETED. CUM ITER = 193
*** TIME = .347134E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4106E-05 OSCILLATION LIMIT = 3.239
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 67.50 CRITERION= .1797
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .1080 CRITERION= .1664 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 5 COMPLETED. CUM ITER = 194
*** TIME = .355023E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4457E-05 OSCILLATION LIMIT = 3.516
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 67.57 CRITERION= .1796
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .1062 CRITERION= .1663 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 6 COMPLETED. CUM ITER = 195
*** TIME = .362913E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4209E-05 OSCILLATION LIMIT = 3.321
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

HT FLOW CONVERGENCE VALUE= 67.52 CRITERION= .1795
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .1057 CRITERION= .1661 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 7 COMPLETED. CUM ITER = 196
 *** TIME = .370802E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4400E-05 OSCILLATION LIMIT = 3.471
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.60 CRITERION= .1793
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .1040 CRITERION= .1660 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 8 COMPLETED. CUM ITER = 197
 *** TIME = .378692E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4274E-05 OSCILLATION LIMIT = 3.372
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.55 CRITERION= .1792
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .1024 CRITERION= .1658 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 9 COMPLETED. CUM ITER = 198
 *** TIME = .386581E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4365E-05 OSCILLATION LIMIT = 3.444
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.62 CRITERION= .1791
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .1021 CRITERION= .1657 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 10 COMPLETED. CUM ITER = 199
 *** TIME = .394470E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4312E-05 OSCILLATION LIMIT = 3.402
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.58 CRITERION= .1790
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .1021 CRITERION= .1655 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 11 COMPLETED. CUM ITER = 200
 *** TIME = .402360E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4341E-05 OSCILLATION LIMIT = 3.425
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.66 CRITERION= .1788
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .1018 CRITERION= .1654 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 12 COMPLETED. CUM ITER = 201
 *** TIME = .410249E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4331E-05 OSCILLATION LIMIT = 3.417
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.62 CRITERION= .1787
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .1019 CRITERION= .1652 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 13 COMPLETED. CUM ITER = 202
 *** TIME = .418139E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4322E-05 OSCILLATION LIMIT = 3.410
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.70 CRITERION= .1786
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .1016 CRITERION= .1651 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 14 COMPLETED. CUM ITER = 203
 *** TIME = .426028E+08 TIME INC = 788940.


```

*** RESPONSE EIGENVALUE = .4342E-05  OSCILLATION LIMIT = 3.426
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.66      CRITERION= .1784
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .1017      CRITERION= .1649    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 15 COMPLETED. CUM ITER = 204
*** TIME = .433917E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4310E-05  OSCILLATION LIMIT = 3.400
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.74      CRITERION= .1783
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .1014      CRITERION= .1648    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 16 COMPLETED. CUM ITER = 205
*** TIME = .441807E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4348E-05  OSCILLATION LIMIT = 3.430
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.70      CRITERION= .1782
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .1014      CRITERION= .1646    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 17 COMPLETED. CUM ITER = 206
*** TIME = .449696E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4301E-05  OSCILLATION LIMIT = 3.393
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.78      CRITERION= .1780
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .1011      CRITERION= .1645    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 18 COMPLETED. CUM ITER = 207
*** TIME = .457586E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4351E-05  OSCILLATION LIMIT = 3.433
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.74      CRITERION= .1779
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .1012      CRITERION= .1643    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 19 COMPLETED. CUM ITER = 208
*** TIME = .465475E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4295E-05  OSCILLATION LIMIT = 3.388
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.83      CRITERION= .1778
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .1009      CRITERION= .1642    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 20 COMPLETED. CUM ITER = 209
*** TIME = .473364E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4352E-05  OSCILLATION LIMIT = 3.433
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.79      CRITERION= .1777
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .1010      CRITERION= .1640    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 21 COMPLETED. CUM ITER = 210
*** TIME = .481254E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4290E-05  OSCILLATION LIMIT = 3.384
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.87      CRITERION= .1775
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .1007      CRITERION= .1639    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

```

*** LOAD STEP 14 SUBSTEP 22 COMPLETED. CUM ITER = 211
*** TIME = .489143E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4351E-05 OSCILLATION LIMIT = 3.433
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.83 CRITERION= .1774
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .1007 CRITERION= .1638 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 23 COMPLETED. CUM ITER = 212
*** TIME = .497033E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4286E-05 OSCILLATION LIMIT = 3.381
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.91 CRITERION= .1773
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .1004 CRITERION= .1636 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 24 COMPLETED. CUM ITER = 213
*** TIME = .504922E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4350E-05 OSCILLATION LIMIT = 3.432
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.87 CRITERION= .1771
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .1005 CRITERION= .1635 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 25 COMPLETED. CUM ITER = 214
*** TIME = .512811E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4282E-05 OSCILLATION LIMIT = 3.378
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.95 CRITERION= .1770
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .1002 CRITERION= .1633 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 26 COMPLETED. CUM ITER = 215
*** TIME = .520701E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4348E-05 OSCILLATION LIMIT = 3.431
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.91 CRITERION= .1769
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .1003 CRITERION= .1632 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 27 COMPLETED. CUM ITER = 216
*** TIME = .528590E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4279E-05 OSCILLATION LIMIT = 3.376
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.99 CRITERION= .1767
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .9996E-01 CRITERION= .1630 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 28 COMPLETED. CUM ITER = 217
*** TIME = .536480E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4346E-05 OSCILLATION LIMIT = 3.429
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.95 CRITERION= .1766
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .1000 CRITERION= .1629 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 29 COMPLETED. CUM ITER = 218
*** TIME = .544369E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4276E-05 OSCILLATION LIMIT = 3.373
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.03 CRITERION= .1765
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845

```

HT FLOW CONVERGENCE VALUE= .9973E-01 CRITERION= .1627 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 30 COMPLETED. CUM ITER = 219
 *** TIME = .552258E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4344E-05 OSCILLATION LIMIT = 3.427
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.99 CRITERION= .1764
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .9981E-01 CRITERION= .1626 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 31 COMPLETED. CUM ITER = 220
 *** TIME = .560148E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4272E-05 OSCILLATION LIMIT = 3.371
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.07 CRITERION= .1762
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .9949E-01 CRITERION= .1624 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 32 COMPLETED. CUM ITER = 221
 *** TIME = .568037E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4341E-05 OSCILLATION LIMIT = 3.425
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.03 CRITERION= .1761
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .9958E-01 CRITERION= .1623 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 33 COMPLETED. CUM ITER = 222
 *** TIME = .575927E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4269E-05 OSCILLATION LIMIT = 3.368
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.11 CRITERION= .1760
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .9927E-01 CRITERION= .1621 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 34 COMPLETED. CUM ITER = 223
 *** TIME = .583816E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4339E-05 OSCILLATION LIMIT = 3.423
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.07 CRITERION= .1759
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .9935E-01 CRITERION= .1620 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 35 COMPLETED. CUM ITER = 224
 *** TIME = .591705E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4267E-05 OSCILLATION LIMIT = 3.366
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.15 CRITERION= .1757
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .9904E-01 CRITERION= .1619 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 36 COMPLETED. CUM ITER = 225
 *** TIME = .599595E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4336E-05 OSCILLATION LIMIT = 3.421
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.11 CRITERION= .1756
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .9912E-01 CRITERION= .1617 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 37 COMPLETED. CUM ITER = 226
 *** TIME = .607484E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4263E-05 OSCILLATION LIMIT = 3.364
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.19 CRITERION= .1755
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .9881E-01 CRITERION= .1616 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 38 COMPLETED. CUM ITER = 227
 *** TIME = .615374E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4333E-05 OSCILLATION LIMIT = 3.419
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.15 CRITERION= .1753
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .9889E-01 CRITERION= .1614 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 39 COMPLETED. CUM ITER = 228
 *** TIME = .623263E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4260E-05 OSCILLATION LIMIT = 3.361
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.24 CRITERION= .1752
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .9859E-01 CRITERION= .1613 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 40 COMPLETED. CUM ITER = 229
 *** TIME = .631152E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4331E-05 OSCILLATION LIMIT = 3.417

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:50:41 MAR 26, 1995 CP= 19168.750
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 37.52 CRITERION= .1656
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5525E-01 CRITERION= .1611 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 1 COMPLETED. CUM ITER = 230
 *** TIME = .639042E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9120E-05 OSCILLATION LIMIT = 7.195
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.58 CRITERION= .1654
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5389E-01 CRITERION= .1610 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 2 COMPLETED. CUM ITER = 231
 *** TIME = .646931E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9610E-05 OSCILLATION LIMIT = 7.582
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.53 CRITERION= .1653
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5369E-01 CRITERION= .1608 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 3 COMPLETED. CUM ITER = 232
 *** TIME = .654821E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7759E-05 OSCILLATION LIMIT = 6.121
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.59 CRITERION= .1651
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5373E-01 CRITERION= .1607 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 4 COMPLETED. CUM ITER = 233
 *** TIME = .662710E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9695E-05 OSCILLATION LIMIT = 7.648

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.54 CRITERION= .1650
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5363E-01 CRITERION= .1606 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 5 COMPLETED. CUM ITER = 234
 *** TIME = .670599E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8139E-05 OSCILLATION LIMIT = 6.421
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.60 CRITERION= .1649
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5353E-01 CRITERION= .1605 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 6 COMPLETED. CUM ITER = 235
 *** TIME = .678489E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9395E-05 OSCILLATION LIMIT = 7.412
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.55 CRITERION= .1648
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5355E-01 CRITERION= .1603 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 7 COMPLETED. CUM ITER = 236
 *** TIME = .686378E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8387E-05 OSCILLATION LIMIT = 6.617
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.62 CRITERION= .1647
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5338E-01 CRITERION= .1602 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 8 COMPLETED. CUM ITER = 237
 *** TIME = .694268E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9210E-05 OSCILLATION LIMIT = 7.266
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.57 CRITERION= .1645
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5347E-01 CRITERION= .1601 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 9 COMPLETED. CUM ITER = 238
 *** TIME = .702157E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8540E-05 OSCILLATION LIMIT = 6.738
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.63 CRITERION= .1644
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5324E-01 CRITERION= .1599 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 10 COMPLETED. CUM ITER = 239
 *** TIME = .710046E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9097E-05 OSCILLATION LIMIT = 7.177
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.58 CRITERION= .1643
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5338E-01 CRITERION= .1598 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 11 COMPLETED. CUM ITER = 240
 *** TIME = .717936E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8635E-05 OSCILLATION LIMIT = 6.812
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.64 CRITERION= .1642
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5311E-01 CRITERION= .1597 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 12 COMPLETED. CUM ITER = 241

```

*** TIME = .725825E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9029E-05    OSCILLATION LIMIT = 7.123
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 37.59    CRITERION= .1640
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
    HT FLOW CONVERGENCE VALUE= .5328E-01    CRITERION= .1595    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 13 COMPLETED. CUM ITER = 242
*** TIME = .733715E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8693E-05    OSCILLATION LIMIT = 6.859
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 37.65    CRITERION= .1639
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
    HT FLOW CONVERGENCE VALUE= .5300E-01    CRITERION= .1594    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 14 COMPLETED. CUM ITER = 243
*** TIME = .741604E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8989E-05    OSCILLATION LIMIT = 7.092
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 37.60    CRITERION= .1638
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
    HT FLOW CONVERGENCE VALUE= .5318E-01    CRITERION= .1593    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 15 COMPLETED. CUM ITER = 244
*** TIME = .749493E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8729E-05    OSCILLATION LIMIT = 6.887
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 37.66    CRITERION= .1637
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
    HT FLOW CONVERGENCE VALUE= .5288E-01    CRITERION= .1592    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 16 COMPLETED. CUM ITER = 245
*** TIME = .757383E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8966E-05    OSCILLATION LIMIT = 7.074
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 37.62    CRITERION= .1635
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
    HT FLOW CONVERGENCE VALUE= .5307E-01    CRITERION= .1590    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 17 COMPLETED. CUM ITER = 246
*** TIME = .765272E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8751E-05    OSCILLATION LIMIT = 6.904
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 37.68    CRITERION= .1634
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
    HT FLOW CONVERGENCE VALUE= .5277E-01    CRITERION= .1589    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 18 COMPLETED. CUM ITER = 247
*** TIME = .773162E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8954E-05    OSCILLATION LIMIT = 7.064
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 37.63    CRITERION= .1633
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
    HT FLOW CONVERGENCE VALUE= .5297E-01    CRITERION= .1588    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 19 COMPLETED. CUM ITER = 248
*** TIME = .781051E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8764E-05    OSCILLATION LIMIT = 6.915
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 37.69    CRITERION= .1632
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
    HT FLOW CONVERGENCE VALUE= .5266E-01    CRITERION= .1587    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 20 COMPLETED. CUM ITER = 249
*** TIME = .788940E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8949E-05 OSCILLATION LIMIT = 7.060
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.64 CRITERION= .1631
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .5286E-01 CRITERION= .1585 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 21 COMPLETED. CUM ITER = 250
*** TIME = .796830E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8772E-05 OSCILLATION LIMIT = 6.921
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.70 CRITERION= .1629
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .5255E-01 CRITERION= .1584 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 22 COMPLETED. CUM ITER = 251
*** TIME = .804719E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8948E-05 OSCILLATION LIMIT = 7.060
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.65 CRITERION= .1628
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .5276E-01 CRITERION= .1583 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 23 COMPLETED. CUM ITER = 252
*** TIME = .812609E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8777E-05 OSCILLATION LIMIT = 6.925
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.71 CRITERION= .1627
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .5244E-01 CRITERION= .1581 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 24 COMPLETED. CUM ITER = 253
*** TIME = .820498E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8950E-05 OSCILLATION LIMIT = 7.061
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.67 CRITERION= .1626
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .5265E-01 CRITERION= .1580 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 25 COMPLETED. CUM ITER = 254
*** TIME = .828387E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8780E-05 OSCILLATION LIMIT = 6.927
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.73 CRITERION= .1624
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .5234E-01 CRITERION= .1579 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 26 COMPLETED. CUM ITER = 255
*** TIME = .836277E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8953E-05 OSCILLATION LIMIT = 7.063
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.68 CRITERION= .1623
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .5254E-01 CRITERION= .1577 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 27 COMPLETED. CUM ITER = 256
*** TIME = .844166E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8781E-05 OSCILLATION LIMIT = 6.928
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.74 CRITERION= .1622

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5223E-01 CRITERION= .1576 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 28 COMPLETED. CUM ITER = 257
 *** TIME = .852056E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8957E-05 OSCILLATION LIMIT = 7.067
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.69 CRITERION= .1621
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5244E-01 CRITERION= .1575 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 29 COMPLETED. CUM ITER = 258
 *** TIME = .859945E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8781E-05 OSCILLATION LIMIT = 6.928
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.75 CRITERION= .1619
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5212E-01 CRITERION= .1574 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 30 COMPLETED. CUM ITER = 259
 *** TIME = .867834E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8961E-05 OSCILLATION LIMIT = 7.070
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.70 CRITERION= .1618
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5233E-01 CRITERION= .1572 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 31 COMPLETED. CUM ITER = 260
 *** TIME = .875724E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8782E-05 OSCILLATION LIMIT = 6.928
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.76 CRITERION= .1617
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5202E-01 CRITERION= .1571 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 32 COMPLETED. CUM ITER = 261
 *** TIME = .883613E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8966E-05 OSCILLATION LIMIT = 7.074
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.72 CRITERION= .1616
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5222E-01 CRITERION= .1570 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 33 COMPLETED. CUM ITER = 262
 *** TIME = .891503E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8782E-05 OSCILLATION LIMIT = 6.928
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.78 CRITERION= .1614
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5191E-01 CRITERION= .1569 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 34 COMPLETED. CUM ITER = 263
 *** TIME = .899392E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8971E-05 OSCILLATION LIMIT = 7.077
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.73 CRITERION= .1613
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5212E-01 CRITERION= .1567 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 35 COMPLETED. CUM ITER = 264
 *** TIME = .907281E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8781E-05 OSCILLATION LIMIT = 6.928
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.79 CRITERION= .1612
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5180E-01 CRITERION= .1566 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 36 COMPLETED. CUM ITER = 265
 *** TIME = .915171E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8976E-05 OSCILLATION LIMIT = 7.081
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.74 CRITERION= .1611
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5201E-01 CRITERION= .1565 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 37 COMPLETED. CUM ITER = 266
 *** TIME = .923060E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8781E-05 OSCILLATION LIMIT = 6.928
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.80 CRITERION= .1610
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5170E-01 CRITERION= .1564 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 38 COMPLETED. CUM ITER = 267
 *** TIME = .930950E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8980E-05 OSCILLATION LIMIT = 7.085
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.75 CRITERION= .1608
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5190E-01 CRITERION= .1562 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 39 COMPLETED. CUM ITER = 268
 *** TIME = .938839E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8781E-05 OSCILLATION LIMIT = 6.928
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.81 CRITERION= .1607
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .5159E-01 CRITERION= .1561 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 40 COMPLETED. CUM ITER = 269
 *** TIME = .946728E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8985E-05 OSCILLATION LIMIT = 7.089

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 07:04:43 MAR 26, 1995 CP= 22722.930
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 24.03 CRITERION= .1579
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3522E-01 CRITERION= .1560 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 1 COMPLETED. CUM ITER = 270
 *** TIME = .954618E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1233E-04 OSCILLATION LIMIT = 9.728
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.08 CRITERION= .1578
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3415E-01 CRITERION= .1559 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 2 COMPLETED. CUM ITER = 271
 *** TIME = .962507E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1326E-04 OSCILLATION LIMIT = 10.46
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.03 CRITERION= .1577
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3384E-01 CRITERION= .1557 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 3 COMPLETED. CUM ITER = 272
 *** TIME = .970397E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1231E-04 OSCILLATION LIMIT = 9.716
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.09 CRITERION= .1576
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3402E-01 CRITERION= .1556 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 4 COMPLETED. CUM ITER = 273
 *** TIME = .978286E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1340E-04 OSCILLATION LIMIT = 10.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.04 CRITERION= .1575
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3387E-01 CRITERION= .1555 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 5 COMPLETED. CUM ITER = 274
 *** TIME = .986175E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1248E-04 OSCILLATION LIMIT = 9.842
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.09 CRITERION= .1574
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3388E-01 CRITERION= .1554 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 6 COMPLETED. CUM ITER = 275
 *** TIME = .994065E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1329E-04 OSCILLATION LIMIT = 10.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.04 CRITERION= .1573
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3387E-01 CRITERION= .1553 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 7 COMPLETED. CUM ITER = 276
 *** TIME = .100195E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1259E-04 OSCILLATION LIMIT = 9.929
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.10 CRITERION= .1571
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3377E-01 CRITERION= .1552 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 8 COMPLETED. CUM ITER = 277
 *** TIME = .100984E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1322E-04 OSCILLATION LIMIT = 10.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.05 CRITERION= .1570
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3384E-01 CRITERION= .1551 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 9 COMPLETED. CUM ITER = 278
 *** TIME = .101773E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1265E-04 OSCILLATION LIMIT = 9.983
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.10 CRITERION= .1569
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3368E-01 CRITERION= .1550 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 10 COMPLETED. CUM ITER = 279
 *** TIME = .102562E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1319E-04 OSCILLATION LIMIT = 10.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.05 CRITERION= .1568
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3380E-01 CRITERION= .1549 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 11 COMPLETED. CUM ITER = 280
 *** TIME = .103351E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1270E-04 OSCILLATION LIMIT = 10.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.11 CRITERION= .1567
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3360E-01 CRITERION= .1548 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 12 COMPLETED. CUM ITER = 281
 *** TIME = .104140E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1317E-04 OSCILLATION LIMIT = 10.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.06 CRITERION= .1566
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3376E-01 CRITERION= .1546 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 13 COMPLETED. CUM ITER = 282
 *** TIME = .104929E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1272E-04 OSCILLATION LIMIT = 10.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.11 CRITERION= .1565
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3352E-01 CRITERION= .1545 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 14 COMPLETED. CUM ITER = 283
 *** TIME = .105718E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1316E-04 OSCILLATION LIMIT = 10.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.06 CRITERION= .1564
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3371E-01 CRITERION= .1544 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 15 COMPLETED. CUM ITER = 284
 *** TIME = .106507E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1274E-04 OSCILLATION LIMIT = 10.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.12 CRITERION= .1563
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3346E-01 CRITERION= .1543 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 16 COMPLETED. CUM ITER = 285
 *** TIME = .107296E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1317E-04 OSCILLATION LIMIT = 10.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.07 CRITERION= .1562
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3365E-01 CRITERION= .1542 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 16 SUBSTEP 17 COMPLETED. CUM ITER = 286
 *** TIME = .108085E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1275E-04 OSCILLATION LIMIT = 10.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.12 CRITERION= .1561
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01

HT FLOW CONVERGENCE VALUE= .3339E-01 CRITERION= .1541 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 18 COMPLETED. CUM ITER = 287
 *** TIME = .108874E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1317E-04 OSCILLATION LIMIT = 10.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.07 CRITERION= .1560
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3360E-01 CRITERION= .1540 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 19 COMPLETED. CUM ITER = 288
 *** TIME = .109663E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1276E-04 OSCILLATION LIMIT = 10.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.13 CRITERION= .1558
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3333E-01 CRITERION= .1539 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 20 COMPLETED. CUM ITER = 289
 *** TIME = .110452E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1318E-04 OSCILLATION LIMIT = 10.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.08 CRITERION= .1557
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3354E-01 CRITERION= .1538 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 21 COMPLETED. CUM ITER = 290
 *** TIME = .111241E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1277E-04 OSCILLATION LIMIT = 10.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.13 CRITERION= .1556
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3326E-01 CRITERION= .1537 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 22 COMPLETED. CUM ITER = 291
 *** TIME = .112030E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1319E-04 OSCILLATION LIMIT = 10.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.08 CRITERION= .1555
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3348E-01 CRITERION= .1535 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 23 COMPLETED. CUM ITER = 292
 *** TIME = .112818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1277E-04 OSCILLATION LIMIT = 10.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.14 CRITERION= .1554
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3320E-01 CRITERION= .1534 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 24 COMPLETED. CUM ITER = 293
 *** TIME = .113607E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1320E-04 OSCILLATION LIMIT = 10.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.09 CRITERION= .1553
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3342E-01 CRITERION= .1533 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 25 COMPLETED. CUM ITER = 294
 *** TIME = .114396E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1278E-04 OSCILLATION LIMIT = 10.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.14 CRITERION= .1552
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3314E-01 CRITERION= .1532 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 26 COMPLETED. CUM ITER = 295
 *** TIME = .115185E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1321E-04 OSCILLATION LIMIT = 10.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.09 CRITERION= .1551
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3336E-01 CRITERION= .1531 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 27 COMPLETED. CUM ITER = 296
 *** TIME = .115974E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1278E-04 OSCILLATION LIMIT = 10.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.15 CRITERION= .1550
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3308E-01 CRITERION= .1530 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 28 COMPLETED. CUM ITER = 297
 *** TIME = .116763E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1322E-04 OSCILLATION LIMIT = 10.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.10 CRITERION= .1549
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3330E-01 CRITERION= .1529 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 29 COMPLETED. CUM ITER = 298
 *** TIME = .117552E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1278E-04 OSCILLATION LIMIT = 10.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.15 CRITERION= .1548
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3302E-01 CRITERION= .1528 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 30 COMPLETED. CUM ITER = 299
 *** TIME = .118341E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1324E-04 OSCILLATION LIMIT = 10.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.10 CRITERION= .1547
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3324E-01 CRITERION= .1526 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 31 COMPLETED. CUM ITER = 300
 *** TIME = .119130E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1279E-04 OSCILLATION LIMIT = 10.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.16 CRITERION= .1545
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3296E-01 CRITERION= .1526 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 32 COMPLETED. CUM ITER = 301
 *** TIME = .119919E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1325E-04 OSCILLATION LIMIT = 10.45
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.11 CRITERION= .1544
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3318E-01 CRITERION= .1524 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 33 COMPLETED. CUM ITER = 302
 *** TIME = .120708E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1279E-04 OSCILLATION LIMIT = 10.09

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.16 CRITERION= .1543
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3290E-01 CRITERION= .1523 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 34 COMPLETED. CUM ITER = 303
 *** TIME = .121497E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1326E-04 OSCILLATION LIMIT = 10.46
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.11 CRITERION= .1542
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3312E-01 CRITERION= .1522 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 35 COMPLETED. CUM ITER = 304
 *** TIME = .122286E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1279E-04 OSCILLATION LIMIT = 10.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.17 CRITERION= .1541
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3284E-01 CRITERION= .1521 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 36 COMPLETED. CUM ITER = 305
 *** TIME = .123075E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1327E-04 OSCILLATION LIMIT = 10.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.12 CRITERION= .1540
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3306E-01 CRITERION= .1520 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 37 COMPLETED. CUM ITER = 306
 *** TIME = .123864E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1280E-04 OSCILLATION LIMIT = 10.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.17 CRITERION= .1539
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3277E-01 CRITERION= .1519 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 38 COMPLETED. CUM ITER = 307
 *** TIME = .124653E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1328E-04 OSCILLATION LIMIT = 10.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.12 CRITERION= .1538
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3300E-01 CRITERION= .1518 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 39 COMPLETED. CUM ITER = 308
 *** TIME = .125441E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1280E-04 OSCILLATION LIMIT = 10.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.18 CRITERION= .1537
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .3271E-01 CRITERION= .1517 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 40 COMPLETED. CUM ITER = 309
 *** TIME = .126230E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1329E-04 OSCILLATION LIMIT = 10.49

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:18:43 MAR 26, 1995 CP= 26282.120
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .1526
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2455E-01 CRITERION= .1516 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 1 COMPLETED. CUM ITER = 310
 *** TIME = .127019E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1387E-04 OSCILLATION LIMIT = 10.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.51 CRITERION= .1524
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2356E-01 CRITERION= .1515 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 2 COMPLETED. CUM ITER = 311
 *** TIME = .127808E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1533E-04 OSCILLATION LIMIT = 12.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .1524
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2352E-01 CRITERION= .1514 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 3 COMPLETED. CUM ITER = 312
 *** TIME = .128597E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1460E-04 OSCILLATION LIMIT = 11.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.51 CRITERION= .1523
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2350E-01 CRITERION= .1513 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 4 COMPLETED. CUM ITER = 313
 *** TIME = .129386E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1547E-04 OSCILLATION LIMIT = 12.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .1522
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2353E-01 CRITERION= .1512 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 5 COMPLETED. CUM ITER = 314
 *** TIME = .130175E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1464E-04 OSCILLATION LIMIT = 11.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.51 CRITERION= .1521
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2343E-01 CRITERION= .1511 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 6 COMPLETED. CUM ITER = 315
 *** TIME = .130964E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1544E-04 OSCILLATION LIMIT = 12.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.46 CRITERION= .1520
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2353E-01 CRITERION= .1510 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 7 COMPLETED. CUM ITER = 316
 *** TIME = .131753E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1467E-04 OSCILLATION LIMIT = 11.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.52 CRITERION= .1519
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2337E-01 CRITERION= .1509 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 8 COMPLETED. CUM ITER = 317
*** TIME = .132542E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1544E-04 OSCILLATION LIMIT = 12.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.47 CRITERION= .1518
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .2352E-01 CRITERION= .1508 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 9 COMPLETED. CUM ITER = 318
*** TIME = .133331E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1469E-04 OSCILLATION LIMIT = 11.59
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.52 CRITERION= .1517
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .2332E-01 CRITERION= .1508 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 10 COMPLETED. CUM ITER = 319
*** TIME = .134120E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1544E-04 OSCILLATION LIMIT = 12.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.47 CRITERION= .1516
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .2349E-01 CRITERION= .1507 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 11 COMPLETED. CUM ITER = 320
*** TIME = .134909E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1471E-04 OSCILLATION LIMIT = 11.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.52 CRITERION= .1515
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .2327E-01 CRITERION= .1506 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 12 COMPLETED. CUM ITER = 321
*** TIME = .135698E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1544E-04 OSCILLATION LIMIT = 12.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.47 CRITERION= .1515
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .2347E-01 CRITERION= .1505 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 13 COMPLETED. CUM ITER = 322
*** TIME = .136487E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1472E-04 OSCILLATION LIMIT = 11.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.52 CRITERION= .1514
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .2323E-01 CRITERION= .1504 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 14 COMPLETED. CUM ITER = 323
*** TIME = .137276E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1545E-04 OSCILLATION LIMIT = 12.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.47 CRITERION= .1513
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .2344E-01 CRITERION= .1503 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 15 COMPLETED. CUM ITER = 324
*** TIME = .138065E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1473E-04 OSCILLATION LIMIT = 11.62
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.53 CRITERION= .1512

```


EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2319E-01 CRITERION= .1502 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 16 COMPLETED. CUM ITER = 325
 *** TIME = .138853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1546E-04 OSCILLATION LIMIT = 12.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.48 CRITERION= .1511
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2341E-01 CRITERION= .1501 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 17 COMPLETED. CUM ITER = 326
 *** TIME = .139642E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1473E-04 OSCILLATION LIMIT = 11.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.53 CRITERION= .1510
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2315E-01 CRITERION= .1500 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 18 COMPLETED. CUM ITER = 327
 *** TIME = .140431E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1547E-04 OSCILLATION LIMIT = 12.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.48 CRITERION= .1509
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2337E-01 CRITERION= .1499 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 19 COMPLETED. CUM ITER = 328
 *** TIME = .141220E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1473E-04 OSCILLATION LIMIT = 11.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.53 CRITERION= .1508
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2311E-01 CRITERION= .1498 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 20 COMPLETED. CUM ITER = 329
 *** TIME = .142009E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1548E-04 OSCILLATION LIMIT = 12.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.48 CRITERION= .1507
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2334E-01 CRITERION= .1497 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 21 COMPLETED. CUM ITER = 330
 *** TIME = .142798E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1474E-04 OSCILLATION LIMIT = 11.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.53 CRITERION= .1506
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2308E-01 CRITERION= .1497 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 22 COMPLETED. CUM ITER = 331
 *** TIME = .143587E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1550E-04 OSCILLATION LIMIT = 12.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.48 CRITERION= .1506
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2331E-01 CRITERION= .1496 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 23 COMPLETED. CUM ITER = 332
 *** TIME = .144376E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1474E-04 OSCILLATION LIMIT = 11.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.53 CRITERION= .1505
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2304E-01 CRITERION= .1495 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 24 COMPLETED. CUM ITER = 333
 *** TIME = .145165E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1551E-04 OSCILLATION LIMIT = 12.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.48 CRITERION= .1504
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2327E-01 CRITERION= .1494 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 25 COMPLETED. CUM ITER = 334
 *** TIME = .145954E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1475E-04 OSCILLATION LIMIT = 11.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.54 CRITERION= .1503
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2301E-01 CRITERION= .1493 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 26 COMPLETED. CUM ITER = 335
 *** TIME = .146743E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1552E-04 OSCILLATION LIMIT = 12.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.49 CRITERION= .1502
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2324E-01 CRITERION= .1492 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 27 COMPLETED. CUM ITER = 336
 *** TIME = .147532E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1475E-04 OSCILLATION LIMIT = 11.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.54 CRITERION= .1501
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2297E-01 CRITERION= .1491 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 28 COMPLETED. CUM ITER = 337
 *** TIME = .148321E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1554E-04 OSCILLATION LIMIT = 12.26
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.49 CRITERION= .1500
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2321E-01 CRITERION= .1490 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 29 COMPLETED. CUM ITER = 338
 *** TIME = .149110E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1475E-04 OSCILLATION LIMIT = 11.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.54 CRITERION= .1499
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2293E-01 CRITERION= .1489 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 30 COMPLETED. CUM ITER = 339
 *** TIME = .149899E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1555E-04 OSCILLATION LIMIT = 12.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.49 CRITERION= .1498
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2317E-01 CRITERION= .1488 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 31 COMPLETED. CUM ITER = 340
 *** TIME = .150688E+09 TIME INC = 788940.

```

*** RESPONSE EIGENVALUE = .1476E-04  OSCILLATION LIMIT = 11.64
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.54      CRITERION= .1498
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
    HT FLOW CONVERGENCE VALUE= .2290E-01 CRITERION= .1488    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 32 COMPLETED. CUM ITER = 341
*** TIME = .151477E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1556E-04  OSCILLATION LIMIT = 12.28
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.49      CRITERION= .1497
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
    HT FLOW CONVERGENCE VALUE= .2314E-01 CRITERION= .1487    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 33 COMPLETED. CUM ITER = 342
*** TIME = .152265E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1476E-04  OSCILLATION LIMIT = 11.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.55      CRITERION= .1496
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
    HT FLOW CONVERGENCE VALUE= .2286E-01 CRITERION= .1486    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 34 COMPLETED. CUM ITER = 343
*** TIME = .153054E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1557E-04  OSCILLATION LIMIT = 12.29
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.50      CRITERION= .1495
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
    HT FLOW CONVERGENCE VALUE= .2310E-01 CRITERION= .1485    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 35 COMPLETED. CUM ITER = 344
*** TIME = .153843E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1476E-04  OSCILLATION LIMIT = 11.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.55      CRITERION= .1494
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
    HT FLOW CONVERGENCE VALUE= .2283E-01 CRITERION= .1484    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 36 COMPLETED. CUM ITER = 345
*** TIME = .154632E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1558E-04  OSCILLATION LIMIT = 12.30
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.50      CRITERION= .1493
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
    HT FLOW CONVERGENCE VALUE= .2307E-01 CRITERION= .1483    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 37 COMPLETED. CUM ITER = 346
*** TIME = .155421E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1477E-04  OSCILLATION LIMIT = 11.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.55      CRITERION= .1492
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
    HT FLOW CONVERGENCE VALUE= .2279E-01 CRITERION= .1482    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 38 COMPLETED. CUM ITER = 347
*** TIME = .156210E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1560E-04  OSCILLATION LIMIT = 12.30
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 16.50      CRITERION= .1491
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
    HT FLOW CONVERGENCE VALUE= .2304E-01 CRITERION= .1481    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 17 SUBSTEP 39 COMPLETED. CUM ITER = 348
 *** TIME = .156999E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1477E-04 OSCILLATION LIMIT = 11.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.55 CRITERION= .1490
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .2276E-01 CRITERION= .1480 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 17 SUBSTEP 40 COMPLETED. CUM ITER = 349
 *** TIME = .157788E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1561E-04 OSCILLATION LIMIT = 12.31

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 09:31:48 MAR 26, 1995 CP= 29847.910
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 11.72 CRITERION= .1485
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5900E-01
 HT FLOW CONVERGENCE VALUE= .2264E-01 CRITERION= .1479 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 1 COMPLETED. CUM ITER = 350
 *** TIME = .158577E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1515E-04 OSCILLATION LIMIT = 11.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.77 CRITERION= .1484
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5983E-01
 HT FLOW CONVERGENCE VALUE= .2269E-01 CRITERION= .1478 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 2 COMPLETED. CUM ITER = 351
 *** TIME = .159366E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1580E-04 OSCILLATION LIMIT = 12.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.72 CRITERION= .1483
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5534E-01
 HT FLOW CONVERGENCE VALUE= .2174E-01 CRITERION= .1477 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 3 COMPLETED. CUM ITER = 352
 *** TIME = .160155E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1538E-04 OSCILLATION LIMIT = 12.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.77 CRITERION= .1482
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5921E-01
 HT FLOW CONVERGENCE VALUE= .2242E-01 CRITERION= .1476 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 4 COMPLETED. CUM ITER = 353
 *** TIME = .160944E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1598E-04 OSCILLATION LIMIT = 12.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.72 CRITERION= .1481
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5616E-01
 HT FLOW CONVERGENCE VALUE= .2189E-01 CRITERION= .1475 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 18 SUBSTEP 5 COMPLETED. CUM ITER = 354
 *** TIME = .161733E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1535E-04 OSCILLATION LIMIT = 12.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.77 CRITERION= .1480
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5857E-01

HT FLOW CONVERGENCE VALUE= .2224E-01 CRITERION= .1474 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 6 COMPLETED. CUM ITER = 355
 *** TIME = .162522E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1602E-04 OSCILLATION LIMIT = 12.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.72 CRITERION= .1479
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5667E-01
 HT FLOW CONVERGENCE VALUE= .2197E-01 CRITERION= .1473 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 7 COMPLETED. CUM ITER = 356
 *** TIME = .163311E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1534E-04 OSCILLATION LIMIT = 12.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1477
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5818E-01
 HT FLOW CONVERGENCE VALUE= .2211E-01 CRITERION= .1472 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 8 COMPLETED. CUM ITER = 357
 *** TIME = .164100E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1605E-04 OSCILLATION LIMIT = 12.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.73 CRITERION= .1476
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5700E-01
 HT FLOW CONVERGENCE VALUE= .2200E-01 CRITERION= .1471 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 9 COMPLETED. CUM ITER = 358
 *** TIME = .164888E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1533E-04 OSCILLATION LIMIT = 12.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1475
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5794E-01
 HT FLOW CONVERGENCE VALUE= .2201E-01 CRITERION= .1470 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 10 COMPLETED. CUM ITER = 359
 *** TIME = .165677E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1607E-04 OSCILLATION LIMIT = 12.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.73 CRITERION= .1474
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5720E-01
 HT FLOW CONVERGENCE VALUE= .2202E-01 CRITERION= .1469 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 11 COMPLETED. CUM ITER = 360
 *** TIME = .166466E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1533E-04 OSCILLATION LIMIT = 12.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1473
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5780E-01
 HT FLOW CONVERGENCE VALUE= .2194E-01 CRITERION= .1468 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 12 COMPLETED. CUM ITER = 361
 *** TIME = .167255E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1609E-04 OSCILLATION LIMIT = 12.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.73 CRITERION= .1472
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5733E-01
 HT FLOW CONVERGENCE VALUE= .2201E-01 CRITERION= .1466 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 13 COMPLETED. CUM ITER = 362
 *** TIME = .168044E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1532E-04 OSCILLATION LIMIT = 12.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1471
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5772E-01
 HT FLOW CONVERGENCE VALUE= .2188E-01 CRITERION= .1465 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 14 COMPLETED. CUM ITER = 363
 *** TIME = .168833E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1610E-04 OSCILLATION LIMIT = 12.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.73 CRITERION= .1470
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5741E-01
 HT FLOW CONVERGENCE VALUE= .2199E-01 CRITERION= .1464 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 15 COMPLETED. CUM ITER = 364
 *** TIME = .169622E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1532E-04 OSCILLATION LIMIT = 12.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1469
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5767E-01
 HT FLOW CONVERGENCE VALUE= .2183E-01 CRITERION= .1463 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 16 COMPLETED. CUM ITER = 365
 *** TIME = .170411E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1612E-04 OSCILLATION LIMIT = 12.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.73 CRITERION= .1468
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5746E-01
 HT FLOW CONVERGENCE VALUE= .2197E-01 CRITERION= .1462 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 17 COMPLETED. CUM ITER = 366
 *** TIME = .171200E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1532E-04 OSCILLATION LIMIT = 12.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1467
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5764E-01
 HT FLOW CONVERGENCE VALUE= .2179E-01 CRITERION= .1461 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 18 COMPLETED. CUM ITER = 367
 *** TIME = .171989E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1613E-04 OSCILLATION LIMIT = 12.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.73 CRITERION= .1466
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5750E-01
 HT FLOW CONVERGENCE VALUE= .2194E-01 CRITERION= .1460 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 19 COMPLETED. CUM ITER = 368
 *** TIME = .172778E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1533E-04 OSCILLATION LIMIT = 12.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1465
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5763E-01
 HT FLOW CONVERGENCE VALUE= .2175E-01 CRITERION= .1459 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 20 COMPLETED. CUM ITER = 369
 *** TIME = .173567E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1614E-04 OSCILLATION LIMIT = 12.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.73 CRITERION= .1464
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5752E-01
 HT FLOW CONVERGENCE VALUE= .2191E-01 CRITERION= .1458 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 21 COMPLETED. CUM ITER = 370
 *** TIME = .174356E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1533E-04 OSCILLATION LIMIT = 12.09

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1462
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5763E-01
 HT FLOW CONVERGENCE VALUE= .2171E-01 CRITERION= .1457 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 22 COMPLETED. CUM ITER = 371
 *** TIME = .175145E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1615E-04 OSCILLATION LIMIT = 12.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.73 CRITERION= .1461
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5754E-01
 HT FLOW CONVERGENCE VALUE= .2188E-01 CRITERION= .1456 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 23 COMPLETED. CUM ITER = 372
 *** TIME = .175934E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1533E-04 OSCILLATION LIMIT = 12.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.79 CRITERION= .1460
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5763E-01
 HT FLOW CONVERGENCE VALUE= .2167E-01 CRITERION= .1455 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 24 COMPLETED. CUM ITER = 373
 *** TIME = .176723E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1616E-04 OSCILLATION LIMIT = 12.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.74 CRITERION= .1459
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5755E-01
 HT FLOW CONVERGENCE VALUE= .2185E-01 CRITERION= .1454 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 25 COMPLETED. CUM ITER = 374
 *** TIME = .177512E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1533E-04 OSCILLATION LIMIT = 12.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.79 CRITERION= .1458
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5764E-01
 HT FLOW CONVERGENCE VALUE= .2163E-01 CRITERION= .1453 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 26 COMPLETED. CUM ITER = 375
 *** TIME = .178300E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1617E-04 OSCILLATION LIMIT = 12.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.74 CRITERION= .1457
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5756E-01
 HT FLOW CONVERGENCE VALUE= .2182E-01 CRITERION= .1451 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 27 COMPLETED. CUM ITER = 376
 *** TIME = .179089E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1534E-04 OSCILLATION LIMIT = 12.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.79 CRITERION= .1456
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5765E-01
 HT FLOW CONVERGENCE VALUE= .2160E-01 CRITERION= .1450 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 28 COMPLETED. CUM ITER = 377
 *** TIME = .179878E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1618E-04 OSCILLATION LIMIT = 12.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.74 CRITERION= .1455
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5757E-01
 HT FLOW CONVERGENCE VALUE= .2178E-01 CRITERION= .1449 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 29 COMPLETED. CUM ITER = 378

```

*** TIME = .180667E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1534E-04    OSCILLATION LIMIT = 12.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.79    CRITERION= .1454
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5765E-01
    HT FLOW CONVERGENCE VALUE= .2156E-01    CRITERION= .1448    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 30 COMPLETED.    CUM ITER = 379
*** TIME = .181456E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1619E-04    OSCILLATION LIMIT = 12.77
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.74    CRITERION= .1453
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5757E-01
    HT FLOW CONVERGENCE VALUE= .2175E-01    CRITERION= .1447    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 31 COMPLETED.    CUM ITER = 380
*** TIME = .182245E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1534E-04    OSCILLATION LIMIT = 12.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.79    CRITERION= .1452
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5766E-01
    HT FLOW CONVERGENCE VALUE= .2153E-01    CRITERION= .1446    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 32 COMPLETED.    CUM ITER = 381
*** TIME = .183034E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1619E-04    OSCILLATION LIMIT = 12.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.74    CRITERION= .1451
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5758E-01
    HT FLOW CONVERGENCE VALUE= .2172E-01    CRITERION= .1445    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 33 COMPLETED.    CUM ITER = 382
*** TIME = .183823E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1535E-04    OSCILLATION LIMIT = 12.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.79    CRITERION= .1450
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5767E-01
    HT FLOW CONVERGENCE VALUE= .2149E-01    CRITERION= .1444    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 34 COMPLETED.    CUM ITER = 383
*** TIME = .184612E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1620E-04    OSCILLATION LIMIT = 12.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.74    CRITERION= .1449
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5759E-01
    HT FLOW CONVERGENCE VALUE= .2168E-01    CRITERION= .1443    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 35 COMPLETED.    CUM ITER = 384
*** TIME = .185401E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1535E-04    OSCILLATION LIMIT = 12.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.79    CRITERION= .1448
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5768E-01
    HT FLOW CONVERGENCE VALUE= .2145E-01    CRITERION= .1442    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 36 COMPLETED.    CUM ITER = 385
*** TIME = .186190E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1621E-04    OSCILLATION LIMIT = 12.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.74    CRITERION= .1447
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5760E-01
    HT FLOW CONVERGENCE VALUE= .2165E-01    CRITERION= .1441    <<< CONVERGED

```



```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 37 COMPLETED. CUM ITER = 386
*** TIME = .186979E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1536E-04 OSCILLATION LIMIT = 12.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.79 CRITERION= .1445
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5769E-01
HT FLOW CONVERGENCE VALUE= .2142E-01 CRITERION= .1440 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 38 COMPLETED. CUM ITER = 387
*** TIME = .187768E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1622E-04 OSCILLATION LIMIT = 12.80
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.74 CRITERION= .1444
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5760E-01
HT FLOW CONVERGENCE VALUE= .2161E-01 CRITERION= .1438 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 39 COMPLETED. CUM ITER = 388
*** TIME = .188557E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1536E-04 OSCILLATION LIMIT = 12.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.79 CRITERION= .1443
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5771E-01
HT FLOW CONVERGENCE VALUE= .2138E-01 CRITERION= .1438 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 40 COMPLETED. CUM ITER = 389
*** TIME = .189346E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1623E-04 OSCILLATION LIMIT = 12.80

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 10:45:54 MAR 26, 1995 CP= 33411.220
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 8.530 CRITERION= .1440
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4705E-01
HT FLOW CONVERGENCE VALUE= .1749E-01 CRITERION= .1437 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 1 COMPLETED. CUM ITER = 390
*** TIME = .190135E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1382E-04 OSCILLATION LIMIT = 10.91
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.581 CRITERION= .1439
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4492E-01
HT FLOW CONVERGENCE VALUE= .1627E-01 CRITERION= .1436 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 2 COMPLETED. CUM ITER = 391
*** TIME = .190924E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1611E-04 OSCILLATION LIMIT = 12.71
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.531 CRITERION= .1438
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4608E-01
HT FLOW CONVERGENCE VALUE= .1668E-01 CRITERION= .1435 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 3 COMPLETED. CUM ITER = 392
*** TIME = .191712E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1505E-04 OSCILLATION LIMIT = 11.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.581 CRITERION= .1437

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4536E-01
 HT FLOW CONVERGENCE VALUE= .1633E-01 CRITERION= .1434 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 4 COMPLETED. CUM ITER = 393
 *** TIME = .192501E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1612E-04 OSCILLATION LIMIT = 12.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.532 CRITERION= .1437
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4593E-01
 HT FLOW CONVERGENCE VALUE= .1663E-01 CRITERION= .1433 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 5 COMPLETED. CUM ITER = 394
 *** TIME = .193290E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1504E-04 OSCILLATION LIMIT = 11.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.582 CRITERION= .1436
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4549E-01
 HT FLOW CONVERGENCE VALUE= .1633E-01 CRITERION= .1432 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 6 COMPLETED. CUM ITER = 395
 *** TIME = .194079E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1612E-04 OSCILLATION LIMIT = 12.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.532 CRITERION= .1435
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4584E-01
 HT FLOW CONVERGENCE VALUE= .1659E-01 CRITERION= .1432 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 7 COMPLETED. CUM ITER = 396
 *** TIME = .194868E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1505E-04 OSCILLATION LIMIT = 11.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.583 CRITERION= .1434
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4557E-01
 HT FLOW CONVERGENCE VALUE= .1633E-01 CRITERION= .1431 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 8 COMPLETED. CUM ITER = 397
 *** TIME = .195657E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1612E-04 OSCILLATION LIMIT = 12.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.533 CRITERION= .1433
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4578E-01
 HT FLOW CONVERGENCE VALUE= .1656E-01 CRITERION= .1430 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 9 COMPLETED. CUM ITER = 398
 *** TIME = .196446E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1505E-04 OSCILLATION LIMIT = 11.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.583 CRITERION= .1432
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4563E-01
 HT FLOW CONVERGENCE VALUE= .1632E-01 CRITERION= .1429 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 10 COMPLETED. CUM ITER = 399
 *** TIME = .197235E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1612E-04 OSCILLATION LIMIT = 12.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.534 CRITERION= .1432
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4575E-01
 HT FLOW CONVERGENCE VALUE= .1653E-01 CRITERION= .1428 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 11 COMPLETED. CUM ITER = 400
 *** TIME = .198024E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1505E-04 OSCILLATION LIMIT = 11.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.584 CRITERION= .1431
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4567E-01
 HT FLOW CONVERGENCE VALUE= .1630E-01 CRITERION= .1427 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 12 COMPLETED. CUM ITER = 401
 *** TIME = .198813E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1613E-04 OSCILLATION LIMIT = 12.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.534 CRITERION= .1430
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4573E-01
 HT FLOW CONVERGENCE VALUE= .1651E-01 CRITERION= .1427 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 13 COMPLETED. CUM ITER = 402
 *** TIME = .199602E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1506E-04 OSCILLATION LIMIT = 11.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.584 CRITERION= .1429
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4569E-01
 HT FLOW CONVERGENCE VALUE= .1628E-01 CRITERION= .1426 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 14 COMPLETED. CUM ITER = 403
 *** TIME = .200391E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1613E-04 OSCILLATION LIMIT = 12.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.535 CRITERION= .1428
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4572E-01
 HT FLOW CONVERGENCE VALUE= .1648E-01 CRITERION= .1425 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 15 COMPLETED. CUM ITER = 404
 *** TIME = .201180E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1506E-04 OSCILLATION LIMIT = 11.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.585 CRITERION= .1427
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4571E-01
 HT FLOW CONVERGENCE VALUE= .1627E-01 CRITERION= .1424 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 16 COMPLETED. CUM ITER = 405
 *** TIME = .201969E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1614E-04 OSCILLATION LIMIT = 12.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.535 CRITERION= .1427
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4571E-01
 HT FLOW CONVERGENCE VALUE= .1646E-01 CRITERION= .1423 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 17 COMPLETED. CUM ITER = 406
 *** TIME = .202758E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1506E-04 OSCILLATION LIMIT = 11.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.586 CRITERION= .1426
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4573E-01
 HT FLOW CONVERGENCE VALUE= .1625E-01 CRITERION= .1422 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 18 COMPLETED. CUM ITER = 407
 *** TIME = .203547E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1615E-04 OSCILLATION LIMIT = 12.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.536 CRITERION= .1425
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4571E-01
 HT FLOW CONVERGENCE VALUE= .1644E-01 CRITERION= .1422 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 19 COMPLETED. CUM ITER = 408
 *** TIME = .204335E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1506E-04 OSCILLATION LIMIT = 11.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.586 CRITERION= .1424
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4574E-01
 HT FLOW CONVERGENCE VALUE= .1623E-01 CRITERION= .1421 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 20 COMPLETED. CUM ITER = 409
 *** TIME = .205124E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1615E-04 OSCILLATION LIMIT = 12.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.537 CRITERION= .1423
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4571E-01
 HT FLOW CONVERGENCE VALUE= .1642E-01 CRITERION= .1420 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 21 COMPLETED. CUM ITER = 410
 *** TIME = .205913E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1506E-04 OSCILLATION LIMIT = 11.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.587 CRITERION= .1422
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4576E-01
 HT FLOW CONVERGENCE VALUE= .1621E-01 CRITERION= .1419 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 22 COMPLETED. CUM ITER = 411
 *** TIME = .206702E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1616E-04 OSCILLATION LIMIT = 12.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.537 CRITERION= .1422
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4571E-01
 HT FLOW CONVERGENCE VALUE= .1640E-01 CRITERION= .1418 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 23 COMPLETED. CUM ITER = 412
 *** TIME = .207491E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1506E-04 OSCILLATION LIMIT = 11.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.587 CRITERION= .1421
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4577E-01
 HT FLOW CONVERGENCE VALUE= .1619E-01 CRITERION= .1418 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 24 COMPLETED. CUM ITER = 413
 *** TIME = .208280E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1616E-04 OSCILLATION LIMIT = 12.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.538 CRITERION= .1420
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4571E-01
 HT FLOW CONVERGENCE VALUE= .1638E-01 CRITERION= .1417 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 25 COMPLETED. CUM ITER = 414
 *** TIME = .209069E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1506E-04 OSCILLATION LIMIT = 11.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.588 CRITERION= .1419
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4577E-01
 HT FLOW CONVERGENCE VALUE= .1617E-01 CRITERION= .1416 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 26 COMPLETED. CUM ITER = 415
 *** TIME = .209858E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1617E-04 OSCILLATION LIMIT = 12.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.539 CRITERION= .1418
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4572E-01
 HT FLOW CONVERGENCE VALUE= .1636E-01 CRITERION= .1415 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 27 COMPLETED. CUM ITER = 416
 *** TIME = .210647E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1507E-04 OSCILLATION LIMIT = 11.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.589 CRITERION= .1417
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4578E-01
 HT FLOW CONVERGENCE VALUE= .1615E-01 CRITERION= .1414 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 28 COMPLETED. CUM ITER = 417
 *** TIME = .211436E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1618E-04 OSCILLATION LIMIT = 12.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.539 CRITERION= .1417
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4572E-01
 HT FLOW CONVERGENCE VALUE= .1635E-01 CRITERION= .1413 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 29 COMPLETED. CUM ITER = 418
 *** TIME = .212225E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1507E-04 OSCILLATION LIMIT = 11.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.589 CRITERION= .1416
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4579E-01
 HT FLOW CONVERGENCE VALUE= .1613E-01 CRITERION= .1413 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 30 COMPLETED. CUM ITER = 419
 *** TIME = .213014E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1618E-04 OSCILLATION LIMIT = 12.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.540 CRITERION= .1415
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4573E-01
 HT FLOW CONVERGENCE VALUE= .1633E-01 CRITERION= .1412 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 31 COMPLETED. CUM ITER = 420
 *** TIME = .213803E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1507E-04 OSCILLATION LIMIT = 11.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.590 CRITERION= .1414
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4580E-01
 HT FLOW CONVERGENCE VALUE= .1611E-01 CRITERION= .1411 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 32 COMPLETED. CUM ITER = 421
 *** TIME = .214592E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1619E-04 OSCILLATION LIMIT = 12.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.540 CRITERION= .1413
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4573E-01
 HT FLOW CONVERGENCE VALUE= .1631E-01 CRITERION= .1410 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 33 COMPLETED. CUM ITER = 422
 *** TIME = .215381E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1507E-04 OSCILLATION LIMIT = 11.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.591 CRITERION= .1412
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4581E-01
 HT FLOW CONVERGENCE VALUE= .1609E-01 CRITERION= .1409 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 34 COMPLETED. CUM ITER = 423
 *** TIME = .216170E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1619E-04 OSCILLATION LIMIT = 12.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.541 CRITERION= .1412
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4574E-01

HT FLOW CONVERGENCE VALUE= .1629E-01 CRITERION= .1408 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 35 COMPLETED. CUM ITER = 424
 *** TIME = .216959E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1507E-04 OSCILLATION LIMIT = 11.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.591 CRITERION= .1411
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4581E-01
 HT FLOW CONVERGENCE VALUE= .1607E-01 CRITERION= .1408 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 36 COMPLETED. CUM ITER = 425
 *** TIME = .217747E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1620E-04 OSCILLATION LIMIT = 12.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.542 CRITERION= .1410
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4574E-01
 HT FLOW CONVERGENCE VALUE= .1627E-01 CRITERION= .1407 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 37 COMPLETED. CUM ITER = 426
 *** TIME = .218536E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1508E-04 OSCILLATION LIMIT = 11.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.592 CRITERION= .1409
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4582E-01
 HT FLOW CONVERGENCE VALUE= .1605E-01 CRITERION= .1406 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 38 COMPLETED. CUM ITER = 427
 *** TIME = .219325E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1620E-04 OSCILLATION LIMIT = 12.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.542 CRITERION= .1408
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4575E-01
 HT FLOW CONVERGENCE VALUE= .1625E-01 CRITERION= .1405 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 39 COMPLETED. CUM ITER = 428
 *** TIME = .220114E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1508E-04 OSCILLATION LIMIT = 11.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.592 CRITERION= .1407
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4583E-01
 HT FLOW CONVERGENCE VALUE= .1603E-01 CRITERION= .1404 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 40 COMPLETED. CUM ITER = 429
 *** TIME = .220903E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1621E-04 OSCILLATION LIMIT = 12.79

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 11:59:06 MAR 26, 1995 CP= 36976.310
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 7.168 CRITERION= .1406
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4531E-01
 HT FLOW CONVERGENCE VALUE= .1550E-01 CRITERION= .1403 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 1 COMPLETED. CUM ITER = 430
 *** TIME = .221692E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1409E-04 OSCILLATION LIMIT = 11.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.218 CRITERION= .1405
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4493E-01
 HT FLOW CONVERGENCE VALUE= .1507E-01 CRITERION= .1403 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 2 COMPLETED. CUM ITER = 431
 *** TIME = .222481E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1556E-04 OSCILLATION LIMIT = 12.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.168 CRITERION= .1404
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4468E-01
 HT FLOW CONVERGENCE VALUE= .1518E-01 CRITERION= .1402 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 3 COMPLETED. CUM ITER = 432
 *** TIME = .223270E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1448E-04 OSCILLATION LIMIT = 11.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.218 CRITERION= .1403
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4497E-01
 HT FLOW CONVERGENCE VALUE= .1505E-01 CRITERION= .1401 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 4 COMPLETED. CUM ITER = 433
 *** TIME = .224059E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1559E-04 OSCILLATION LIMIT = 12.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.169 CRITERION= .1403
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4474E-01
 HT FLOW CONVERGENCE VALUE= .1518E-01 CRITERION= .1400 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 5 COMPLETED. CUM ITER = 434
 *** TIME = .224848E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1447E-04 OSCILLATION LIMIT = 11.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.218 CRITERION= .1402
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4494E-01
 HT FLOW CONVERGENCE VALUE= .1502E-01 CRITERION= .1399 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 6 COMPLETED. CUM ITER = 435
 *** TIME = .225637E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1560E-04 OSCILLATION LIMIT = 12.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.169 CRITERION= .1401
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4478E-01
 HT FLOW CONVERGENCE VALUE= .1517E-01 CRITERION= .1399 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 7 COMPLETED. CUM ITER = 436
 *** TIME = .226426E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1447E-04 OSCILLATION LIMIT = 11.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.219 CRITERION= .1400
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4492E-01
 HT FLOW CONVERGENCE VALUE= .1499E-01 CRITERION= .1398 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 8 COMPLETED. CUM ITER = 437
 *** TIME = .227215E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1560E-04 OSCILLATION LIMIT = 12.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.170 CRITERION= .1400
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4480E-01
 HT FLOW CONVERGENCE VALUE= .1516E-01 CRITERION= .1397 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 9 COMPLETED. CUM ITER = 438
 *** TIME = .228004E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1447E-04 OSCILLATION LIMIT = 11.41

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.219 CRITERION= .1399
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4492E-01
 HT FLOW CONVERGENCE VALUE= .1497E-01 CRITERION= .1396 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 10 COMPLETED. CUM ITER = 439
 *** TIME = .228793E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1561E-04 OSCILLATION LIMIT = 12.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.170 CRITERION= .1398
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4482E-01
 HT FLOW CONVERGENCE VALUE= .1515E-01 CRITERION= .1395 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 11 COMPLETED. CUM ITER = 440
 *** TIME = .229582E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1447E-04 OSCILLATION LIMIT = 11.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.220 CRITERION= .1397
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4491E-01
 HT FLOW CONVERGENCE VALUE= .1495E-01 CRITERION= .1395 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 12 COMPLETED. CUM ITER = 441
 *** TIME = .230371E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1561E-04 OSCILLATION LIMIT = 12.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.170 CRITERION= .1396
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4484E-01
 HT FLOW CONVERGENCE VALUE= .1513E-01 CRITERION= .1394 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 13 COMPLETED. CUM ITER = 442
 *** TIME = .231159E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1447E-04 OSCILLATION LIMIT = 11.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.220 CRITERION= .1396
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4492E-01
 HT FLOW CONVERGENCE VALUE= .1493E-01 CRITERION= .1393 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 14 COMPLETED. CUM ITER = 443
 *** TIME = .231948E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1562E-04 OSCILLATION LIMIT = 12.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .1395
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4485E-01
 HT FLOW CONVERGENCE VALUE= .1512E-01 CRITERION= .1392 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 15 COMPLETED. CUM ITER = 444
 *** TIME = .232737E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1447E-04 OSCILLATION LIMIT = 11.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.221 CRITERION= .1394
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4492E-01
 HT FLOW CONVERGENCE VALUE= .1491E-01 CRITERION= .1392 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 16 COMPLETED. CUM ITER = 445
 *** TIME = .233526E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1562E-04 OSCILLATION LIMIT = 12.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.171 CRITERION= .1393
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4486E-01
 HT FLOW CONVERGENCE VALUE= .1510E-01 CRITERION= .1391 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 20 SUBSTEP 17 COMPLETED. CUM ITER = 446


```

*** TIME = .234315E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1447E-04    OSCILLATION LIMIT = 11.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.221    CRITERION= .1392
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4493E-01
    HT FLOW CONVERGENCE VALUE= .1490E-01    CRITERION= .1390    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 18 COMPLETED.    CUM ITER = 447
*** TIME = .235104E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1563E-04    OSCILLATION LIMIT = 12.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.172    CRITERION= .1392
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4486E-01
    HT FLOW CONVERGENCE VALUE= .1508E-01    CRITERION= .1389    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 19 COMPLETED.    CUM ITER = 448
*** TIME = .235893E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1447E-04    OSCILLATION LIMIT = 11.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.221    CRITERION= .1391
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4493E-01
    HT FLOW CONVERGENCE VALUE= .1488E-01    CRITERION= .1388    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 20 COMPLETED.    CUM ITER = 449
*** TIME = .236682E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1563E-04    OSCILLATION LIMIT = 12.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.172    CRITERION= .1390
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4487E-01
    HT FLOW CONVERGENCE VALUE= .1507E-01    CRITERION= .1388    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 21 COMPLETED.    CUM ITER = 450
*** TIME = .237471E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1447E-04    OSCILLATION LIMIT = 11.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.222    CRITERION= .1389
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4494E-01
    HT FLOW CONVERGENCE VALUE= .1486E-01    CRITERION= .1387    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 22 COMPLETED.    CUM ITER = 451
*** TIME = .238260E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1563E-04    OSCILLATION LIMIT = 12.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.173    CRITERION= .1389
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4488E-01
    HT FLOW CONVERGENCE VALUE= .1505E-01    CRITERION= .1386    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 23 COMPLETED.    CUM ITER = 452
*** TIME = .239049E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1447E-04    OSCILLATION LIMIT = 11.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.222    CRITERION= .1388
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4495E-01
    HT FLOW CONVERGENCE VALUE= .1485E-01    CRITERION= .1385    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 24 COMPLETED.    CUM ITER = 453
*** TIME = .239838E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1564E-04    OSCILLATION LIMIT = 12.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 7.173    CRITERION= .1387
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4489E-01
    HT FLOW CONVERGENCE VALUE= .1504E-01    CRITERION= .1384    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 25 COMPLETED. CUM ITER = 454
*** TIME = .240627E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1447E-04 OSCILLATION LIMIT = 11.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.223 CRITERION= .1386
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4496E-01
HT FLOW CONVERGENCE VALUE= .1483E-01 CRITERION= .1384 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 26 COMPLETED. CUM ITER = 455
*** TIME = .241416E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1564E-04 OSCILLATION LIMIT = 12.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.174 CRITERION= .1385
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4489E-01
HT FLOW CONVERGENCE VALUE= .1502E-01 CRITERION= .1383 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 27 COMPLETED. CUM ITER = 456
*** TIME = .242205E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1448E-04 OSCILLATION LIMIT = 11.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.223 CRITERION= .1385
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4496E-01
HT FLOW CONVERGENCE VALUE= .1481E-01 CRITERION= .1382 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 28 COMPLETED. CUM ITER = 457
*** TIME = .242994E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1565E-04 OSCILLATION LIMIT = 12.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.174 CRITERION= .1384
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4490E-01
HT FLOW CONVERGENCE VALUE= .1500E-01 CRITERION= .1381 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 29 COMPLETED. CUM ITER = 458
*** TIME = .243782E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1448E-04 OSCILLATION LIMIT = 11.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.224 CRITERION= .1383
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4497E-01
HT FLOW CONVERGENCE VALUE= .1479E-01 CRITERION= .1381 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 30 COMPLETED. CUM ITER = 459
*** TIME = .244571E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1565E-04 OSCILLATION LIMIT = 12.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.174 CRITERION= .1382
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4491E-01
HT FLOW CONVERGENCE VALUE= .1499E-01 CRITERION= .1380 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 31 COMPLETED. CUM ITER = 460
*** TIME = .245360E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1448E-04 OSCILLATION LIMIT = 11.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.224 CRITERION= .1381
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4498E-01
HT FLOW CONVERGENCE VALUE= .1478E-01 CRITERION= .1379 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 32 COMPLETED. CUM ITER = 461
*** TIME = .246149E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1565E-04 OSCILLATION LIMIT = 12.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.175 CRITERION= .1381

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4492E-01
 HT FLOW CONVERGENCE VALUE= .1497E-01 CRITERION= .1378 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 33 COMPLETED. CUM ITER = 462
 *** TIME = .246938E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1448E-04 OSCILLATION LIMIT = 11.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.225 CRITERION= .1380
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4499E-01
 HT FLOW CONVERGENCE VALUE= .1476E-01 CRITERION= .1377 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 34 COMPLETED. CUM ITER = 463
 *** TIME = .247727E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1566E-04 OSCILLATION LIMIT = 12.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.175 CRITERION= .1379
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4492E-01
 HT FLOW CONVERGENCE VALUE= .1495E-01 CRITERION= .1376 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 35 COMPLETED. CUM ITER = 464
 *** TIME = .248516E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1448E-04 OSCILLATION LIMIT = 11.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.225 CRITERION= .1378
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4500E-01
 HT FLOW CONVERGENCE VALUE= .1474E-01 CRITERION= .1376 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 36 COMPLETED. CUM ITER = 465
 *** TIME = .249305E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1566E-04 OSCILLATION LIMIT = 12.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.176 CRITERION= .1378
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4493E-01
 HT FLOW CONVERGENCE VALUE= .1494E-01 CRITERION= .1375 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 37 COMPLETED. CUM ITER = 466
 *** TIME = .250094E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1449E-04 OSCILLATION LIMIT = 11.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.225 CRITERION= .1377
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4500E-01
 HT FLOW CONVERGENCE VALUE= .1473E-01 CRITERION= .1374 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 38 COMPLETED. CUM ITER = 467
 *** TIME = .250883E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1566E-04 OSCILLATION LIMIT = 12.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.176 CRITERION= .1376
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4494E-01
 HT FLOW CONVERGENCE VALUE= .1492E-01 CRITERION= .1373 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 39 COMPLETED. CUM ITER = 468
 *** TIME = .251672E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1449E-04 OSCILLATION LIMIT = 11.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.226 CRITERION= .1375
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4501E-01
 HT FLOW CONVERGENCE VALUE= .1471E-01 CRITERION= .1373 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 40 COMPLETED. CUM ITER = 469
 *** TIME = .252461E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1567E-04 OSCILLATION LIMIT = 12.36

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 13:14:22 MAR 26, 1995 CP= 40545.220
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= .9041 CRITERION= .1373
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5368E-01
 HT FLOW CONVERGENCE VALUE= .1684E-01 CRITERION= .1372 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 1 COMPLETED. CUM ITER = 470
 *** TIME = .253250E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8242E-05 OSCILLATION LIMIT = 6.503
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9522 CRITERION= .1372
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5292E-01
 HT FLOW CONVERGENCE VALUE= .1621E-01 CRITERION= .1371 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 2 COMPLETED. CUM ITER = 471
 *** TIME = .254039E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9510E-05 OSCILLATION LIMIT = 7.502
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9041 CRITERION= .1371
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5023E-01
 HT FLOW CONVERGENCE VALUE= .1535E-01 CRITERION= .1370 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 3 COMPLETED. CUM ITER = 472
 *** TIME = .254828E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8898E-05 OSCILLATION LIMIT = 7.020
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9521 CRITERION= .1370
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5269E-01
 HT FLOW CONVERGENCE VALUE= .1603E-01 CRITERION= .1370 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 4 COMPLETED. CUM ITER = 473
 *** TIME = .255617E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9613E-05 OSCILLATION LIMIT = 7.584
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9041 CRITERION= .1370
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5078E-01
 HT FLOW CONVERGENCE VALUE= .1550E-01 CRITERION= .1369 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 5 COMPLETED. CUM ITER = 474
 *** TIME = .256406E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8885E-05 OSCILLATION LIMIT = 7.009
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9521 CRITERION= .1369
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5228E-01
 HT FLOW CONVERGENCE VALUE= .1590E-01 CRITERION= .1368 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 6 COMPLETED. CUM ITER = 475
 *** TIME = .257194E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9622E-05 OSCILLATION LIMIT = 7.591
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9041 CRITERION= .1368
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5113E-01
 HT FLOW CONVERGENCE VALUE= .1558E-01 CRITERION= .1367 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 7 COMPLETED. CUM ITER = 476
 *** TIME = .257983E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .8882E-05 OSCILLATION LIMIT = 7.007
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9521 CRITERION= .1367
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5204E-01
 HT FLOW CONVERGENCE VALUE= .1581E-01 CRITERION= .1367 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 8 COMPLETED. CUM ITER = 477
 *** TIME = .258772E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9627E-05 OSCILLATION LIMIT = 7.595
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9041 CRITERION= .1367
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5135E-01
 HT FLOW CONVERGENCE VALUE= .1563E-01 CRITERION= .1366 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 9 COMPLETED. CUM ITER = 478
 *** TIME = .259561E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8878E-05 OSCILLATION LIMIT = 7.004
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9521 CRITERION= .1366
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5189E-01
 HT FLOW CONVERGENCE VALUE= .1575E-01 CRITERION= .1365 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 10 COMPLETED. CUM ITER = 479
 *** TIME = .260350E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9631E-05 OSCILLATION LIMIT = 7.598
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9041 CRITERION= .1365
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5149E-01
 HT FLOW CONVERGENCE VALUE= .1566E-01 CRITERION= .1364 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 11 COMPLETED. CUM ITER = 480
 *** TIME = .261139E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8875E-05 OSCILLATION LIMIT = 7.002
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9521 CRITERION= .1364
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5181E-01
 HT FLOW CONVERGENCE VALUE= .1571E-01 CRITERION= .1364 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 12 COMPLETED. CUM ITER = 481
 *** TIME = .261928E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9634E-05 OSCILLATION LIMIT = 7.600
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9041 CRITERION= .1364
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5159E-01
 HT FLOW CONVERGENCE VALUE= .1567E-01 CRITERION= .1363 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 13 COMPLETED. CUM ITER = 482
 *** TIME = .262717E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8871E-05 OSCILLATION LIMIT = 6.999
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9521 CRITERION= .1363
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5176E-01
 HT FLOW CONVERGENCE VALUE= .1568E-01 CRITERION= .1362 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 14 COMPLETED. CUM ITER = 483
 *** TIME = .263506E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9635E-05 OSCILLATION LIMIT = 7.602
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9041 CRITERION= .1362
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5165E-01
 HT FLOW CONVERGENCE VALUE= .1567E-01 CRITERION= .1361 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 21 SUBSTEP 15 COMPLETED. CUM ITER = 484
*** TIME = .264295E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8867E-05 OSCILLATION LIMIT = 6.996
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9522 CRITERION= .1361
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5174E-01
HT FLOW CONVERGENCE VALUE= .1566E-01 CRITERION= .1361 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 16 COMPLETED. CUM ITER = 485
*** TIME = .265084E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9637E-05 OSCILLATION LIMIT = 7.603
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9042 CRITERION= .1361
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5169E-01
HT FLOW CONVERGENCE VALUE= .1567E-01 CRITERION= .1360 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 17 COMPLETED. CUM ITER = 486
*** TIME = .265873E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8864E-05 OSCILLATION LIMIT = 6.993
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9522 CRITERION= .1360
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5174E-01
HT FLOW CONVERGENCE VALUE= .1564E-01 CRITERION= .1359 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 18 COMPLETED. CUM ITER = 487
*** TIME = .266662E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9638E-05 OSCILLATION LIMIT = 7.604
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9042 CRITERION= .1359
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5172E-01
HT FLOW CONVERGENCE VALUE= .1566E-01 CRITERION= .1358 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 19 COMPLETED. CUM ITER = 488
*** TIME = .267451E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8861E-05 OSCILLATION LIMIT = 6.991
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9522 CRITERION= .1358
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5174E-01
HT FLOW CONVERGENCE VALUE= .1562E-01 CRITERION= .1358 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 20 COMPLETED. CUM ITER = 489
*** TIME = .268240E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9639E-05 OSCILLATION LIMIT = 7.604
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9042 CRITERION= .1358
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5175E-01
HT FLOW CONVERGENCE VALUE= .1566E-01 CRITERION= .1357 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 21 COMPLETED. CUM ITER = 490
*** TIME = .269029E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8858E-05 OSCILLATION LIMIT = 6.989
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9522 CRITERION= .1357
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5175E-01
HT FLOW CONVERGENCE VALUE= .1560E-01 CRITERION= .1356 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 22 COMPLETED. CUM ITER = 491
*** TIME = .269818E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9640E-05 OSCILLATION LIMIT = 7.605
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9042 CRITERION= .1356
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5177E-01

```

HT FLOW CONVERGENCE VALUE= .1565E-01 CRITERION= .1355 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 23 COMPLETED. CUM ITER = 492
 *** TIME = .270606E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8855E-05 OSCILLATION LIMIT = 6.986
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9522 CRITERION= .1355
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5176E-01
 HT FLOW CONVERGENCE VALUE= .1559E-01 CRITERION= .1355 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 24 COMPLETED. CUM ITER = 493
 *** TIME = .271395E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9640E-05 OSCILLATION LIMIT = 7.605
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9042 CRITERION= .1355
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5179E-01
 HT FLOW CONVERGENCE VALUE= .1564E-01 CRITERION= .1354 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 25 COMPLETED. CUM ITER = 494
 *** TIME = .272184E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8852E-05 OSCILLATION LIMIT = 6.984
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9522 CRITERION= .1354
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5178E-01
 HT FLOW CONVERGENCE VALUE= .1558E-01 CRITERION= .1353 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 26 COMPLETED. CUM ITER = 495
 *** TIME = .272973E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9640E-05 OSCILLATION LIMIT = 7.605
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9042 CRITERION= .1353
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5180E-01
 HT FLOW CONVERGENCE VALUE= .1563E-01 CRITERION= .1352 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 27 COMPLETED. CUM ITER = 496
 *** TIME = .273762E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8849E-05 OSCILLATION LIMIT = 6.981
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9522 CRITERION= .1352
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5180E-01
 HT FLOW CONVERGENCE VALUE= .1556E-01 CRITERION= .1352 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 28 COMPLETED. CUM ITER = 497
 *** TIME = .274551E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9640E-05 OSCILLATION LIMIT = 7.605
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9042 CRITERION= .1352
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5182E-01
 HT FLOW CONVERGENCE VALUE= .1562E-01 CRITERION= .1351 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 29 COMPLETED. CUM ITER = 498
 *** TIME = .275340E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8846E-05 OSCILLATION LIMIT = 6.979
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9522 CRITERION= .1351
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5181E-01
 HT FLOW CONVERGENCE VALUE= .1555E-01 CRITERION= .1350 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 30 COMPLETED. CUM ITER = 499
 *** TIME = .276129E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9639E-05 OSCILLATION LIMIT = 7.605
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9042 CRITERION= .1350
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5183E-01
 HT FLOW CONVERGENCE VALUE= .1561E-01 CRITERION= .1349 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 31 COMPLETED. CUM ITER = 500
 *** TIME = .276918E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8843E-05 OSCILLATION LIMIT = 6.977
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9522 CRITERION= .1349
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5183E-01
 HT FLOW CONVERGENCE VALUE= .1554E-01 CRITERION= .1349 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 32 COMPLETED. CUM ITER = 501
 *** TIME = .277707E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9639E-05 OSCILLATION LIMIT = 7.605
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9042 CRITERION= .1349
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5185E-01
 HT FLOW CONVERGENCE VALUE= .1560E-01 CRITERION= .1348 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 33 COMPLETED. CUM ITER = 502
 *** TIME = .278496E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8840E-05 OSCILLATION LIMIT = 6.975
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9522 CRITERION= .1348
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5185E-01
 HT FLOW CONVERGENCE VALUE= .1553E-01 CRITERION= .1347 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 34 COMPLETED. CUM ITER = 503
 *** TIME = .279285E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9639E-05 OSCILLATION LIMIT = 7.604
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9043 CRITERION= .1347
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5186E-01
 HT FLOW CONVERGENCE VALUE= .1559E-01 CRITERION= .1347 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 35 COMPLETED. CUM ITER = 504
 *** TIME = .280074E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8838E-05 OSCILLATION LIMIT = 6.973
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9522 CRITERION= .1346
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5187E-01
 HT FLOW CONVERGENCE VALUE= .1551E-01 CRITERION= .1346 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 36 COMPLETED. CUM ITER = 505
 *** TIME = .280863E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9639E-05 OSCILLATION LIMIT = 7.604
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9043 CRITERION= .1346
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5187E-01
 HT FLOW CONVERGENCE VALUE= .1558E-01 CRITERION= .1345 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 37 COMPLETED. CUM ITER = 506
 *** TIME = .281652E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8836E-05 OSCILLATION LIMIT = 6.971
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9522 CRITERION= .1345
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5188E-01
 HT FLOW CONVERGENCE VALUE= .1550E-01 CRITERION= .1344 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 38 COMPLETED. CUM ITER = 507
 *** TIME = .282441E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9638E-05 OSCILLATION LIMIT = 7.604

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9043 CRITERION= .1344
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5189E-01
 HT FLOW CONVERGENCE VALUE= .1557E-01 CRITERION= .1344 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 39 COMPLETED. CUM ITER = 508
 *** TIME = .283229E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8834E-05 OSCILLATION LIMIT = 6.969
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9522 CRITERION= .1344
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5190E-01
 HT FLOW CONVERGENCE VALUE= .1549E-01 CRITERION= .1343 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 40 COMPLETED. CUM ITER = 509
 *** TIME = .284018E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9638E-05 OSCILLATION LIMIT = 7.603
 Apply loads and solve for 10 to 90 years

*DO LOOP ON PARAMETER= TM FROM .31558E+09 TO .28402E+10 BY .31558E+09

TIME= .31558E+09

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 4267.31334 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 117.13 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP
 VALUES = 117.73 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
 LOAD LABELS = TEMP
 VALUES = 119.02 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
 CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 44114.610 TIME= 14:28:25
 Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
 procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****

900-38303 VERSION=HP 9000/7XX 14:28:25 MAR 26, 1995 CP= 44114.610
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 22
TIME AT END OF THE LOAD STEP.31558E+09
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1343
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4230E-01
HT FLOW CONVERGENCE VALUE= .1307E-01 CRITERION= .1342 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 1 COMPLETED. CUM ITER = 510
*** TIME = .284807E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7937E-05 OSCILLATION LIMIT = 6.262
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3708 CRITERION= .1342
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4100E-01
HT FLOW CONVERGENCE VALUE= .1232E-01 CRITERION= .1342 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 2 COMPLETED. CUM ITER = 511
*** TIME = .285596E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9352E-05 OSCILLATION LIMIT = 7.378
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1342
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4256E-01
HT FLOW CONVERGENCE VALUE= .1280E-01 CRITERION= .1341 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 3 COMPLETED. CUM ITER = 512
*** TIME = .286385E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8378E-05 OSCILLATION LIMIT = 6.610
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1341
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4136E-01
HT FLOW CONVERGENCE VALUE= .1242E-01 CRITERION= .1341 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 4 COMPLETED. CUM ITER = 513
*** TIME = .287174E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9331E-05 OSCILLATION LIMIT = 7.361
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1340
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4231E-01
HT FLOW CONVERGENCE VALUE= .1273E-01 CRITERION= .1340 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 22 SUBSTEP 5 COMPLETED. CUM ITER = 514
*** TIME = .287963E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8369E-05 OSCILLATION LIMIT = 6.603
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1340
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4157E-01
HT FLOW CONVERGENCE VALUE= .1246E-01 CRITERION= .1339 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 6 COMPLETED. CUM ITER = 515
*** TIME = .288752E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9327E-05 OSCILLATION LIMIT = 7.358
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1339
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4217E-01
HT FLOW CONVERGENCE VALUE= .1268E-01 CRITERION= .1339 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 7 COMPLETED. CUM ITER = 516
*** TIME = .289541E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8364E-05 OSCILLATION LIMIT = 6.599
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1339
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4171E-01
HT FLOW CONVERGENCE VALUE= .1248E-01 CRITERION= .1338 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 8 COMPLETED. CUM ITER = 517
*** TIME = .290330E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9324E-05 OSCILLATION LIMIT = 7.356
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1338
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4208E-01
HT FLOW CONVERGENCE VALUE= .1265E-01 CRITERION= .1337 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 9 COMPLETED. CUM ITER = 518
*** TIME = .291119E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8360E-05 OSCILLATION LIMIT = 6.596
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1337
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4180E-01
HT FLOW CONVERGENCE VALUE= .1250E-01 CRITERION= .1337 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 10 COMPLETED. CUM ITER = 519
*** TIME = .291908E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9323E-05 OSCILLATION LIMIT = 7.355
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1337
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4203E-01
HT FLOW CONVERGENCE VALUE= .1262E-01 CRITERION= .1336 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 11 COMPLETED. CUM ITER = 520
*** TIME = .292697E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8357E-05 OSCILLATION LIMIT = 6.593
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1336
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4185E-01
HT FLOW CONVERGENCE VALUE= .1250E-01 CRITERION= .1336 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 12 COMPLETED. CUM ITER = 521
*** TIME = .293486E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9321E-05 OSCILLATION LIMIT = 7.354
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1336
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4200E-01

```

HT FLOW CONVERGENCE VALUE= .1261E-01 CRITERION= .1335 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 13 COMPLETED. CUM ITER = 522
 *** TIME = .294275E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8354E-05 OSCILLATION LIMIT = 6.591
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1335
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4190E-01
 HT FLOW CONVERGENCE VALUE= .1250E-01 CRITERION= .1335 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 14 COMPLETED. CUM ITER = 523
 *** TIME = .295064E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9320E-05 OSCILLATION LIMIT = 7.353
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1335
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4199E-01
 HT FLOW CONVERGENCE VALUE= .1259E-01 CRITERION= .1334 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 15 COMPLETED. CUM ITER = 524
 *** TIME = .295853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8352E-05 OSCILLATION LIMIT = 6.589
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1334
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4193E-01
 HT FLOW CONVERGENCE VALUE= .1250E-01 CRITERION= .1333 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 16 COMPLETED. CUM ITER = 525
 *** TIME = .296641E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9319E-05 OSCILLATION LIMIT = 7.352
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1333
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4198E-01
 HT FLOW CONVERGENCE VALUE= .1258E-01 CRITERION= .1333 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 17 COMPLETED. CUM ITER = 526
 *** TIME = .297430E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8349E-05 OSCILLATION LIMIT = 6.587
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1333
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4195E-01
 HT FLOW CONVERGENCE VALUE= .1249E-01 CRITERION= .1332 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 18 COMPLETED. CUM ITER = 527
 *** TIME = .298219E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9318E-05 OSCILLATION LIMIT = 7.351
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1332
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4198E-01
 HT FLOW CONVERGENCE VALUE= .1257E-01 CRITERION= .1332 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 19 COMPLETED. CUM ITER = 528
 *** TIME = .299008E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8347E-05 OSCILLATION LIMIT = 6.585
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1332
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4197E-01
 HT FLOW CONVERGENCE VALUE= .1249E-01 CRITERION= .1331 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 20 COMPLETED. CUM ITER = 529
 *** TIME = .299797E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9317E-05 OSCILLATION LIMIT = 7.351
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1331
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4199E-01
 HT FLOW CONVERGENCE VALUE= .1256E-01 CRITERION= .1330 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 21 COMPLETED. CUM ITER = 530
 *** TIME = .300586E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8345E-05 OSCILLATION LIMIT = 6.584
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1330
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4198E-01
 HT FLOW CONVERGENCE VALUE= .1248E-01 CRITERION= .1330 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 22 COMPLETED. CUM ITER = 531
 *** TIME = .301375E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9316E-05 OSCILLATION LIMIT = 7.350
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1330
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4199E-01
 HT FLOW CONVERGENCE VALUE= .1256E-01 CRITERION= .1329 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 23 COMPLETED. CUM ITER = 532
 *** TIME = .302164E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8343E-05 OSCILLATION LIMIT = 6.582
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1329
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4200E-01
 HT FLOW CONVERGENCE VALUE= .1247E-01 CRITERION= .1329 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 24 COMPLETED. CUM ITER = 533
 *** TIME = .302953E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9315E-05 OSCILLATION LIMIT = 7.349
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1329
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4200E-01
 HT FLOW CONVERGENCE VALUE= .1255E-01 CRITERION= .1328 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 25 COMPLETED. CUM ITER = 534
 *** TIME = .303742E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8341E-05 OSCILLATION LIMIT = 6.580
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1328
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4201E-01
 HT FLOW CONVERGENCE VALUE= .1246E-01 CRITERION= .1328 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 26 COMPLETED. CUM ITER = 535
 *** TIME = .304531E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9314E-05 OSCILLATION LIMIT = 7.348
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1327
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4201E-01
 HT FLOW CONVERGENCE VALUE= .1254E-01 CRITERION= .1327 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 27 COMPLETED. CUM ITER = 536
 *** TIME = .305320E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8339E-05 OSCILLATION LIMIT = 6.579
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1327
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4202E-01
 HT FLOW CONVERGENCE VALUE= .1246E-01 CRITERION= .1326 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 28 COMPLETED. CUM ITER = 537
 *** TIME = .306109E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9313E-05 OSCILLATION LIMIT = 7.347

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1326
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4202E-01
 HT FLOW CONVERGENCE VALUE= .1253E-01 CRITERION= .1326 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 29 COMPLETED. CUM ITER = 538
 *** TIME = .306898E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8337E-05 OSCILLATION LIMIT = 6.577
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1326
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4204E-01
 HT FLOW CONVERGENCE VALUE= .1245E-01 CRITERION= .1325 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 30 COMPLETED. CUM ITER = 539
 *** TIME = .307687E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9312E-05 OSCILLATION LIMIT = 7.346
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1325
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4203E-01
 HT FLOW CONVERGENCE VALUE= .1253E-01 CRITERION= .1324 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 31 COMPLETED. CUM ITER = 540
 *** TIME = .308476E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8335E-05 OSCILLATION LIMIT = 6.576
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1324
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4205E-01
 HT FLOW CONVERGENCE VALUE= .1244E-01 CRITERION= .1324 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 32 COMPLETED. CUM ITER = 541
 *** TIME = .309265E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9311E-05 OSCILLATION LIMIT = 7.346
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1324
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4204E-01
 HT FLOW CONVERGENCE VALUE= .1252E-01 CRITERION= .1323 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 33 COMPLETED. CUM ITER = 542
 *** TIME = .310053E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8334E-05 OSCILLATION LIMIT = 6.575
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1323
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4206E-01
 HT FLOW CONVERGENCE VALUE= .1244E-01 CRITERION= .1323 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 34 COMPLETED. CUM ITER = 543
 *** TIME = .310842E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9310E-05 OSCILLATION LIMIT = 7.345
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3245 CRITERION= .1323
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4205E-01
 HT FLOW CONVERGENCE VALUE= .1251E-01 CRITERION= .1322 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 35 COMPLETED. CUM ITER = 544
 *** TIME = .311631E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8332E-05 OSCILLATION LIMIT = 6.574
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3707 CRITERION= .1322
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4207E-01
 HT FLOW CONVERGENCE VALUE= .1243E-01 CRITERION= .1322 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 36 COMPLETED. CUM ITER = 545

```

*** TIME = .312420E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9308E-05    OSCILLATION LIMIT = 7.344
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .3245    CRITERION= .1322
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4206E-01
    HT FLOW CONVERGENCE VALUE= .1251E-01    CRITERION= .1321    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 37 COMPLETED.    CUM ITER = 546
*** TIME = .313209E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8331E-05    OSCILLATION LIMIT = 6.573
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .3707    CRITERION= .1321
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4208E-01
    HT FLOW CONVERGENCE VALUE= .1242E-01    CRITERION= .1320    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 38 COMPLETED.    CUM ITER = 547
*** TIME = .313998E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9307E-05    OSCILLATION LIMIT = 7.343
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .3245    CRITERION= .1320
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4207E-01
    HT FLOW CONVERGENCE VALUE= .1250E-01    CRITERION= .1320    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 39 COMPLETED.    CUM ITER = 548
*** TIME = .314787E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8330E-05    OSCILLATION LIMIT = 6.571
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .3707    CRITERION= .1320
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4209E-01
    HT FLOW CONVERGENCE VALUE= .1242E-01    CRITERION= .1319    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 40 COMPLETED.    CUM ITER = 549
*** TIME = .315576E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9306E-05    OSCILLATION LIMIT = 7.342

```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303    VERSION=HP 9000/7XX    15:43:54 MAR 26, 1995 CP= 47685.100
FOR SUPPORT CALL SUPPORT PERSON    PHONE SUPPORT PHONE    FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

    HT FLOW CONVERGENCE VALUE= 14.20    CRITERION= .1326
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4791
    HT FLOW CONVERGENCE VALUE= .1378    CRITERION= .1314
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4284E-01
    HT FLOW CONVERGENCE VALUE= .4655E-02    CRITERION= .1313    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 1 COMPLETED.    CUM ITER = 551
*** TIME = .323465E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6604E-05    OSCILLATION LIMIT = 52.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.16    CRITERION= .1320
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4845
    HT FLOW CONVERGENCE VALUE= .1369    CRITERION= .1308
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4289E-01
    HT FLOW CONVERGENCE VALUE= .4609E-02    CRITERION= .1308    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 2 COMPLETED.    CUM ITER = 553
*** TIME = .331355E+09    TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .6863E-05 OSCILLATION LIMIT = 54.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1315
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4845
 HT FLOW CONVERGENCE VALUE= .1365 CRITERION= .1303
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4268E-01
 HT FLOW CONVERGENCE VALUE= .4560E-02 CRITERION= .1302 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 3 COMPLETED. CUM ITER = 555
 *** TIME = .339244E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6773E-05 OSCILLATION LIMIT = 53.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.15 CRITERION= .1309
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4856
 HT FLOW CONVERGENCE VALUE= .1363 CRITERION= .1297
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4278E-01
 HT FLOW CONVERGENCE VALUE= .4556E-02 CRITERION= .1296 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 4 COMPLETED. CUM ITER = 557
 *** TIME = .347134E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6852E-05 OSCILLATION LIMIT = 54.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1303
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4856
 HT FLOW CONVERGENCE VALUE= .1358 CRITERION= .1291
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4257E-01
 HT FLOW CONVERGENCE VALUE= .4505E-02 CRITERION= .1290 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 5 COMPLETED. CUM ITER = 559
 *** TIME = .355023E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6764E-05 OSCILLATION LIMIT = 53.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.15 CRITERION= .1297
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4867
 HT FLOW CONVERGENCE VALUE= .1356 CRITERION= .1285
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4266E-01
 HT FLOW CONVERGENCE VALUE= .4502E-02 CRITERION= .1284 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 6 COMPLETED. CUM ITER = 561
 *** TIME = .362912E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6844E-05 OSCILLATION LIMIT = 53.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1292
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4868
 HT FLOW CONVERGENCE VALUE= .1351 CRITERION= .1279
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4246E-01
 HT FLOW CONVERGENCE VALUE= .4451E-02 CRITERION= .1279 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 7 COMPLETED. CUM ITER = 563
 *** TIME = .370802E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6756E-05 OSCILLATION LIMIT = 53.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.15 CRITERION= .1286
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4878
 HT FLOW CONVERGENCE VALUE= .1349 CRITERION= .1274
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4255E-01
 HT FLOW CONVERGENCE VALUE= .4445E-02 CRITERION= .1273 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 8 COMPLETED. CUM ITER = 565
 *** TIME = .378691E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6835E-05 OSCILLATION LIMIT = 53.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1280

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4879
 HT FLOW CONVERGENCE VALUE= .1345 CRITERION= .1268
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4234E-01
 HT FLOW CONVERGENCE VALUE= .4393E-02 CRITERION= .1267 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 9 COMPLETED. CUM ITER = 567
 *** TIME = .386581E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6748E-05 OSCILLATION LIMIT = 53.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.15 CRITERION= .1274
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4889
 HT FLOW CONVERGENCE VALUE= .1343 CRITERION= .1262
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4241E-01
 HT FLOW CONVERGENCE VALUE= .4385E-02 CRITERION= .1261 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 10 COMPLETED. CUM ITER = 569
 *** TIME = .394470E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6827E-05 OSCILLATION LIMIT = 53.86
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.20 CRITERION= .1269
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4890
 HT FLOW CONVERGENCE VALUE= .1339 CRITERION= .1256
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4220E-01
 HT FLOW CONVERGENCE VALUE= .4334E-02 CRITERION= .1255 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 11 COMPLETED. CUM ITER = 571
 *** TIME = .402359E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6742E-05 OSCILLATION LIMIT = 53.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.15 CRITERION= .1263
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4900
 HT FLOW CONVERGENCE VALUE= .1337 CRITERION= .1251
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4228E-01
 HT FLOW CONVERGENCE VALUE= .4327E-02 CRITERION= .1250 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 12 COMPLETED. CUM ITER = 573
 *** TIME = .410249E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6820E-05 OSCILLATION LIMIT = 53.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.19 CRITERION= .1257
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4902
 HT FLOW CONVERGENCE VALUE= .1333 CRITERION= .1245
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4208E-01
 HT FLOW CONVERGENCE VALUE= .4279E-02 CRITERION= .1244 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 13 COMPLETED. CUM ITER = 575
 *** TIME = .418138E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6734E-05 OSCILLATION LIMIT = 53.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.15 CRITERION= .1251
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4911
 HT FLOW CONVERGENCE VALUE= .1330 CRITERION= .1239
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4216E-01
 HT FLOW CONVERGENCE VALUE= .4274E-02 CRITERION= .1238 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 14 COMPLETED. CUM ITER = 577
 *** TIME = .426028E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6811E-05 OSCILLATION LIMIT = 53.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.19 CRITERION= .1246
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4913
 HT FLOW CONVERGENCE VALUE= .1327 CRITERION= .1233
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4196E-01
 HT FLOW CONVERGENCE VALUE= .4227E-02 CRITERION= .1232 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 15 COMPLETED. CUM ITER = 579
*** TIME = .433917E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6725E-05 OSCILLATION LIMIT = 53.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.14 CRITERION= .1240
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4923
HT FLOW CONVERGENCE VALUE= .1326 CRITERION= .1227
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4204E-01
HT FLOW CONVERGENCE VALUE= .4220E-02 CRITERION= .1227 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 16 COMPLETED. CUM ITER = 581
*** TIME = .441806E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6802E-05 OSCILLATION LIMIT = 53.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.19 CRITERION= .1234
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4925
HT FLOW CONVERGENCE VALUE= .1322 CRITERION= .1222
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4184E-01
HT FLOW CONVERGENCE VALUE= .4171E-02 CRITERION= .1221 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 17 COMPLETED. CUM ITER = 583
*** TIME = .449696E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6717E-05 OSCILLATION LIMIT = 52.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.14 CRITERION= .1228
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4934
HT FLOW CONVERGENCE VALUE= .1320 CRITERION= .1216
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4191E-01
HT FLOW CONVERGENCE VALUE= .4164E-02 CRITERION= .1215 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 18 COMPLETED. CUM ITER = 585
*** TIME = .457585E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6794E-05 OSCILLATION LIMIT = 53.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.19 CRITERION= .1223
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4936
HT FLOW CONVERGENCE VALUE= .1316 CRITERION= .1210
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4172E-01
HT FLOW CONVERGENCE VALUE= .4116E-02 CRITERION= .1209 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 19 COMPLETED. CUM ITER = 587
*** TIME = .465475E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6710E-05 OSCILLATION LIMIT = 52.93
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.14 CRITERION= .1217
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4946
HT FLOW CONVERGENCE VALUE= .1314 CRITERION= .1204
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4180E-01
HT FLOW CONVERGENCE VALUE= .4109E-02 CRITERION= .1204 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 20 COMPLETED. CUM ITER = 589
*** TIME = .473364E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6785E-05 OSCILLATION LIMIT = 53.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.19 CRITERION= .1211
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4948
HT FLOW CONVERGENCE VALUE= .1309 CRITERION= .1198
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4160E-01
HT FLOW CONVERGENCE VALUE= .4057E-02 CRITERION= .1198 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 23 SUBSTEP 21 COMPLETED. CUM ITER = 591
*** TIME = .481253E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6702E-05 OSCILLATION LIMIT = 52.88

```

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.14 CRITERION= .1205
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4957
 HT FLOW CONVERGENCE VALUE= .1306 CRITERION= .1193
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4166E-01
 HT FLOW CONVERGENCE VALUE= .4046E-02 CRITERION= .1192 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 22 COMPLETED. CUM ITER = 593
 *** TIME = .489143E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6778E-05 OSCILLATION LIMIT = 53.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.19 CRITERION= .1200
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4960
 HT FLOW CONVERGENCE VALUE= .1303 CRITERION= .1187
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4146E-01
 HT FLOW CONVERGENCE VALUE= .3998E-02 CRITERION= .1186 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 23 COMPLETED. CUM ITER = 595
 *** TIME = .497032E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6695E-05 OSCILLATION LIMIT = 52.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.14 CRITERION= .1194
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4969
 HT FLOW CONVERGENCE VALUE= .1300 CRITERION= .1181
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4153E-01
 HT FLOW CONVERGENCE VALUE= .3989E-02 CRITERION= .1180 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 24 COMPLETED. CUM ITER = 597
 *** TIME = .504922E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6770E-05 OSCILLATION LIMIT = 53.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.18 CRITERION= .1188
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4972
 HT FLOW CONVERGENCE VALUE= .1296 CRITERION= .1175
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4134E-01
 HT FLOW CONVERGENCE VALUE= .3940E-02 CRITERION= .1174 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 25 COMPLETED. CUM ITER = 599
 *** TIME = .512811E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6688E-05 OSCILLATION LIMIT = 52.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.13 CRITERION= .1183
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4981
 HT FLOW CONVERGENCE VALUE= .1293 CRITERION= .1170
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4141E-01
 HT FLOW CONVERGENCE VALUE= .3931E-02 CRITERION= .1169 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 26 COMPLETED. CUM ITER = 601
 *** TIME = .520700E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6762E-05 OSCILLATION LIMIT = 53.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.18 CRITERION= .1177
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4984
 HT FLOW CONVERGENCE VALUE= .1288 CRITERION= .1164
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4122E-01
 HT FLOW CONVERGENCE VALUE= .3881E-02 CRITERION= .1163 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 27 COMPLETED. CUM ITER = 603
 *** TIME = .528590E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6680E-05 OSCILLATION LIMIT = 52.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.13 CRITERION= .1171
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4993

HT FLOW CONVERGENCE VALUE= .1285 CRITERION= .1158
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4129E-01
 HT FLOW CONVERGENCE VALUE= .3872E-02 CRITERION= .1157 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 28 COMPLETED. CUM ITER = 605
 *** TIME = .536479E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6754E-05 OSCILLATION LIMIT = 53.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.18 CRITERION= .1165
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4996
 HT FLOW CONVERGENCE VALUE= .1280 CRITERION= .1152
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4110E-01
 HT FLOW CONVERGENCE VALUE= .3824E-02 CRITERION= .1151 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 29 COMPLETED. CUM ITER = 607
 *** TIME = .544369E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6673E-05 OSCILLATION LIMIT = 52.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.13 CRITERION= .1160
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5005
 HT FLOW CONVERGENCE VALUE= .1276 CRITERION= .1146
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4116E-01
 HT FLOW CONVERGENCE VALUE= .3808E-02 CRITERION= .1146 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 30 COMPLETED. CUM ITER = 609
 *** TIME = .552258E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6747E-05 OSCILLATION LIMIT = 53.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.18 CRITERION= .1154
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5008
 HT FLOW CONVERGENCE VALUE= .1271 CRITERION= .1141
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4097E-01
 HT FLOW CONVERGENCE VALUE= .3756E-02 CRITERION= .1140 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 31 COMPLETED. CUM ITER = 611
 *** TIME = .560147E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6666E-05 OSCILLATION LIMIT = 52.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.13 CRITERION= .1148
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5017
 HT FLOW CONVERGENCE VALUE= .1268 CRITERION= .1135
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4103E-01
 HT FLOW CONVERGENCE VALUE= .3745E-02 CRITERION= .1134 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 32 COMPLETED. CUM ITER = 613
 *** TIME = .568037E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6739E-05 OSCILLATION LIMIT = 53.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.18 CRITERION= .1142
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5020
 HT FLOW CONVERGENCE VALUE= .1264 CRITERION= .1129
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4085E-01
 HT FLOW CONVERGENCE VALUE= .3700E-02 CRITERION= .1128 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 23 SUBSTEP 33 COMPLETED. CUM ITER = 615
 *** TIME = .575926E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6658E-05 OSCILLATION LIMIT = 52.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.13 CRITERION= .1137
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5029
 HT FLOW CONVERGENCE VALUE= .1260 CRITERION= .1123
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4091E-01
 HT FLOW CONVERGENCE VALUE= .3688E-02 CRITERION= .1123 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 34 COMPLETED. CUM ITER = 617
 *** TIME = .583816E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6730E-05 OSCILLATION LIMIT = 53.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.17 CRITERION= .1131
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5032
 HT FLOW CONVERGENCE VALUE= .1256 CRITERION= .1117
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4072E-01
 HT FLOW CONVERGENCE VALUE= .3645E-02 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 35 COMPLETED. CUM ITER = 619
 *** TIME = .591705E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6651E-05 OSCILLATION LIMIT = 52.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.13 CRITERION= .1125
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5041
 HT FLOW CONVERGENCE VALUE= .1253 CRITERION= .1112
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4075E-01
 HT FLOW CONVERGENCE VALUE= .3630E-02 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 36 COMPLETED. CUM ITER = 621
 *** TIME = .599594E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6723E-05 OSCILLATION LIMIT = 53.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.17 CRITERION= .1120
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5044
 HT FLOW CONVERGENCE VALUE= .1248 CRITERION= .1106
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4053E-01
 HT FLOW CONVERGENCE VALUE= .3579E-02 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 37 COMPLETED. CUM ITER = 623
 *** TIME = .607484E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6644E-05 OSCILLATION LIMIT = 52.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.12 CRITERION= .1114
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5053
 HT FLOW CONVERGENCE VALUE= .1244 CRITERION= .1100
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4054E-01
 HT FLOW CONVERGENCE VALUE= .3562E-02 CRITERION= .1099 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 38 COMPLETED. CUM ITER = 625
 *** TIME = .615373E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6716E-05 OSCILLATION LIMIT = 52.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.17 CRITERION= .1108
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5057
 HT FLOW CONVERGENCE VALUE= .1238 CRITERION= .1094
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4026E-01
 HT FLOW CONVERGENCE VALUE= .3498E-02 CRITERION= .1094 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 39 COMPLETED. CUM ITER = 627
 *** TIME = .623263E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6638E-05 OSCILLATION LIMIT = 52.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.12 CRITERION= .1102
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5065
 HT FLOW CONVERGENCE VALUE= .1231 CRITERION= .1089
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4012E-01
 HT FLOW CONVERGENCE VALUE= .3466E-02 CRITERION= .1088 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 23 SUBSTEP 40 COMPLETED. CUM ITER = 629
 *** TIME = .631152E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6712E-05 OSCILLATION LIMIT = 52.95

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:38:51 MAR 26, 1995 CP= 53313.900
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 30.37 CRITERION= .1129
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4255
 HT FLOW CONVERGENCE VALUE= .1118 CRITERION= .1084
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4130E-01
 HT FLOW CONVERGENCE VALUE= .5065E-02 CRITERION= .1083 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 1 COMPLETED. CUM ITER = 631
 *** TIME = .639041E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4681E-05 OSCILLATION LIMIT = 36.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.32 CRITERION= .1125
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4251
 HT FLOW CONVERGENCE VALUE= .1113 CRITERION= .1080
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4124E-01
 HT FLOW CONVERGENCE VALUE= .5063E-02 CRITERION= .1079 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 2 COMPLETED. CUM ITER = 633
 *** TIME = .646931E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4758E-05 OSCILLATION LIMIT = 37.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.36 CRITERION= .1121
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4269
 HT FLOW CONVERGENCE VALUE= .1113 CRITERION= .1075
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4114E-01
 HT FLOW CONVERGENCE VALUE= .4995E-02 CRITERION= .1075 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 3 COMPLETED. CUM ITER = 635
 *** TIME = .654820E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4689E-05 OSCILLATION LIMIT = 36.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.31 CRITERION= .1116
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4260
 HT FLOW CONVERGENCE VALUE= .1107 CRITERION= .1071
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4102E-01
 HT FLOW CONVERGENCE VALUE= .4988E-02 CRITERION= .1070 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 4 COMPLETED. CUM ITER = 637
 *** TIME = .662710E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4755E-05 OSCILLATION LIMIT = 37.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.36 CRITERION= .1112
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4277
 HT FLOW CONVERGENCE VALUE= .1105 CRITERION= .1066
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4082E-01
 HT FLOW CONVERGENCE VALUE= .4911E-02 CRITERION= .1066 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 5 COMPLETED. CUM ITER = 639
 *** TIME = .670599E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4688E-05 OSCILLATION LIMIT = 36.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.31 CRITERION= .1108
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4268
 HT FLOW CONVERGENCE VALUE= .1100 CRITERION= .1062
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4074E-01
 HT FLOW CONVERGENCE VALUE= .4922E-02 CRITERION= .1062 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 6 COMPLETED. CUM ITER = 641
*** TIME = .678488E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4753E-05 OSCILLATION LIMIT = 37.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.35 CRITERION= .1104
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4285
HT FLOW CONVERGENCE VALUE= .1101 CRITERION= .1058
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4064E-01
HT FLOW CONVERGENCE VALUE= .4861E-02 CRITERION= .1057 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 7 COMPLETED. CUM ITER = 643
*** TIME = .686378E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4684E-05 OSCILLATION LIMIT = 36.96
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.30 CRITERION= .1100
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4277
HT FLOW CONVERGENCE VALUE= .1096 CRITERION= .1054
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4058E-01
HT FLOW CONVERGENCE VALUE= .4875E-02 CRITERION= .1053 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 8 COMPLETED. CUM ITER = 645
*** TIME = .694267E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4749E-05 OSCILLATION LIMIT = 37.47
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.34 CRITERION= .1096
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4294
HT FLOW CONVERGENCE VALUE= .1096 CRITERION= .1049
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4048E-01
HT FLOW CONVERGENCE VALUE= .4809E-02 CRITERION= .1049 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 9 COMPLETED. CUM ITER = 647
*** TIME = .702157E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4681E-05 OSCILLATION LIMIT = 36.93
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.29 CRITERION= .1091
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4286
HT FLOW CONVERGENCE VALUE= .1089 CRITERION= .1045
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4039E-01
HT FLOW CONVERGENCE VALUE= .4821E-02 CRITERION= .1044 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 10 COMPLETED. CUM ITER = 649
*** TIME = .710046E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4745E-05 OSCILLATION LIMIT = 37.44
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.33 CRITERION= .1087
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4302
HT FLOW CONVERGENCE VALUE= .1089 CRITERION= .1040
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4025E-01
HT FLOW CONVERGENCE VALUE= .4759E-02 CRITERION= .1040 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 11 COMPLETED. CUM ITER = 651
*** TIME = .717935E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4677E-05 OSCILLATION LIMIT = 36.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.28 CRITERION= .1083
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4295
HT FLOW CONVERGENCE VALUE= .1082 CRITERION= .1036
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4009E-01
HT FLOW CONVERGENCE VALUE= .4768E-02 CRITERION= .1036 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 12 COMPLETED. CUM ITER = 653
*** TIME = .725825E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .4743E-05 OSCILLATION LIMIT = 37.42

```

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.33 CRITERION= .1079
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4310
 HT FLOW CONVERGENCE VALUE= .1081 CRITERION= .1032
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3994E-01
 HT FLOW CONVERGENCE VALUE= .4703E-02 CRITERION= .1031 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 13 COMPLETED. CUM ITER = 655
 *** TIME = .733714E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4675E-05 OSCILLATION LIMIT = 36.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.27 CRITERION= .1075
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4303
 HT FLOW CONVERGENCE VALUE= .1074 CRITERION= .1028
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3987E-01
 HT FLOW CONVERGENCE VALUE= .4711E-02 CRITERION= .1027 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 14 COMPLETED. CUM ITER = 657
 *** TIME = .741604E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4739E-05 OSCILLATION LIMIT = 37.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.32 CRITERION= .1071
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4318
 HT FLOW CONVERGENCE VALUE= .1074 CRITERION= .1023
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3970E-01
 HT FLOW CONVERGENCE VALUE= .4647E-02 CRITERION= .1023 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 15 COMPLETED. CUM ITER = 659
 *** TIME = .749493E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4671E-05 OSCILLATION LIMIT = 36.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.27 CRITERION= .1066
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4312
 HT FLOW CONVERGENCE VALUE= .1068 CRITERION= .1019
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3958E-01
 HT FLOW CONVERGENCE VALUE= .4654E-02 CRITERION= .1018 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 16 COMPLETED. CUM ITER = 661
 *** TIME = .757382E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4736E-05 OSCILLATION LIMIT = 37.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.31 CRITERION= .1062
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4327
 HT FLOW CONVERGENCE VALUE= .1067 CRITERION= .1014
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3945E-01
 HT FLOW CONVERGENCE VALUE= .4591E-02 CRITERION= .1014 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 17 COMPLETED. CUM ITER = 663
 *** TIME = .765272E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4668E-05 OSCILLATION LIMIT = 36.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.26 CRITERION= .1058
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4321
 HT FLOW CONVERGENCE VALUE= .1062 CRITERION= .1010
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3939E-01
 HT FLOW CONVERGENCE VALUE= .4596E-02 CRITERION= .1010 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 18 COMPLETED. CUM ITER = 665
 *** TIME = .773161E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4731E-05 OSCILLATION LIMIT = 37.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.30 CRITERION= .1054
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4335

HT FLOW CONVERGENCE VALUE= .1060 CRITERION= .1006
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3926E-01
 HT FLOW CONVERGENCE VALUE= .4529E-02 CRITERION= .1005 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 19 COMPLETED. CUM ITER = 667
 *** TIME = .781051E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4664E-05 OSCILLATION LIMIT = 36.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.25 CRITERION= .1050
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4330
 HT FLOW CONVERGENCE VALUE= .1055 CRITERION= .1002
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3913E-01
 HT FLOW CONVERGENCE VALUE= .4535E-02 CRITERION= .1001 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 20 COMPLETED. CUM ITER = 669
 *** TIME = .788940E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4728E-05 OSCILLATION LIMIT = 37.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.29 CRITERION= .1046
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4344
 HT FLOW CONVERGENCE VALUE= .1055 CRITERION= .9971E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3893E-01
 HT FLOW CONVERGENCE VALUE= .4471E-02 CRITERION= .9967E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 21 COMPLETED. CUM ITER = 671
 *** TIME = .796829E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4661E-05 OSCILLATION LIMIT = 36.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.24 CRITERION= .1041
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4339
 HT FLOW CONVERGENCE VALUE= .1050 CRITERION= .9929E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3884E-01
 HT FLOW CONVERGENCE VALUE= .4479E-02 CRITERION= .9924E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 22 COMPLETED. CUM ITER = 673
 *** TIME = .804719E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4725E-05 OSCILLATION LIMIT = 37.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.29 CRITERION= .1037
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4352
 HT FLOW CONVERGENCE VALUE= .1049 CRITERION= .9884E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3867E-01
 HT FLOW CONVERGENCE VALUE= .4417E-02 CRITERION= .9880E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 23 COMPLETED. CUM ITER = 675
 *** TIME = .812608E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4658E-05 OSCILLATION LIMIT = 36.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.23 CRITERION= .1033
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4348
 HT FLOW CONVERGENCE VALUE= .1043 CRITERION= .9842E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3856E-01
 HT FLOW CONVERGENCE VALUE= .4423E-02 CRITERION= .9838E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 24 COMPLETED. CUM ITER = 677
 *** TIME = .820498E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4721E-05 OSCILLATION LIMIT = 37.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.28 CRITERION= .1029
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4361
 HT FLOW CONVERGENCE VALUE= .1041 CRITERION= .9797E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3841E-01
 HT FLOW CONVERGENCE VALUE= .4362E-02 CRITERION= .9793E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 24 SUBSTEP 25 COMPLETED. CUM ITER = 679
 *** TIME = .828387E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4654E-05 OSCILLATION LIMIT = 36.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.23 CRITERION= .1025
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4357
 HT FLOW CONVERGENCE VALUE= .1036 CRITERION= .9755E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3834E-01
 HT FLOW CONVERGENCE VALUE= .4368E-02 CRITERION= .9751E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 24 SUBSTEP 26 COMPLETED. CUM ITER = 681
 *** TIME = .836276E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4717E-05 OSCILLATION LIMIT = 37.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.27 CRITERION= .1021
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4369
 HT FLOW CONVERGENCE VALUE= .1034 CRITERION= .9711E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3813E-01
 HT FLOW CONVERGENCE VALUE= .4302E-02 CRITERION= .9706E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 24 SUBSTEP 27 COMPLETED. CUM ITER = 683
 *** TIME = .844166E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4650E-05 OSCILLATION LIMIT = 36.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.22 CRITERION= .1016
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4366
 HT FLOW CONVERGENCE VALUE= .1028 CRITERION= .9668E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3804E-01
 HT FLOW CONVERGENCE VALUE= .4306E-02 CRITERION= .9664E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 24 SUBSTEP 28 COMPLETED. CUM ITER = 685
 *** TIME = .852055E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4713E-05 OSCILLATION LIMIT = 37.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.26 CRITERION= .1012
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4378
 HT FLOW CONVERGENCE VALUE= .1026 CRITERION= .9624E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3784E-01
 HT FLOW CONVERGENCE VALUE= .4245E-02 CRITERION= .9620E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 24 SUBSTEP 29 COMPLETED. CUM ITER = 687
 *** TIME = .859945E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4646E-05 OSCILLATION LIMIT = 36.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.21 CRITERION= .1008
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4375
 HT FLOW CONVERGENCE VALUE= .1021 CRITERION= .9582E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3778E-01
 HT FLOW CONVERGENCE VALUE= .4251E-02 CRITERION= .9577E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 24 SUBSTEP 30 COMPLETED. CUM ITER = 689
 *** TIME = .867834E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4708E-05 OSCILLATION LIMIT = 37.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.25 CRITERION= .1004
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4387
 HT FLOW CONVERGENCE VALUE= .1019 CRITERION= .9537E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3758E-01
 HT FLOW CONVERGENCE VALUE= .4194E-02 CRITERION= .9533E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 24 SUBSTEP 31 COMPLETED. CUM ITER = 691
 *** TIME = .875723E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4642E-05 OSCILLATION LIMIT = 36.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.20 CRITERION= .9997E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4384
 HT FLOW CONVERGENCE VALUE= .1014 CRITERION= .9495E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3749E-01
 HT FLOW CONVERGENCE VALUE= .4199E-02 CRITERION= .9491E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 32 COMPLETED. CUM ITER = 693
 *** TIME = .883613E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4704E-05 OSCILLATION LIMIT = 37.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.25 CRITERION= .9957E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4396
 HT FLOW CONVERGENCE VALUE= .1012 CRITERION= .9450E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3729E-01
 HT FLOW CONVERGENCE VALUE= .4139E-02 CRITERION= .9446E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 33 COMPLETED. CUM ITER = 695
 *** TIME = .891502E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4638E-05 OSCILLATION LIMIT = 36.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.19 CRITERION= .9914E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4393
 HT FLOW CONVERGENCE VALUE= .1007 CRITERION= .9408E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3721E-01
 HT FLOW CONVERGENCE VALUE= .4142E-02 CRITERION= .9404E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 34 COMPLETED. CUM ITER = 697
 *** TIME = .899392E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4700E-05 OSCILLATION LIMIT = 37.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.24 CRITERION= .9874E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4404
 HT FLOW CONVERGENCE VALUE= .1004 CRITERION= .9364E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3701E-01
 HT FLOW CONVERGENCE VALUE= .4084E-02 CRITERION= .9359E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 35 COMPLETED. CUM ITER = 699
 *** TIME = .907281E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4634E-05 OSCILLATION LIMIT = 36.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.19 CRITERION= .9831E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4402
 HT FLOW CONVERGENCE VALUE= .9999E-01 CRITERION= .9321E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3693E-01
 HT FLOW CONVERGENCE VALUE= .4089E-02 CRITERION= .9317E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 36 COMPLETED. CUM ITER = 701
 *** TIME = .915170E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4695E-05 OSCILLATION LIMIT = 37.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.23 CRITERION= .9792E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4413
 HT FLOW CONVERGENCE VALUE= .9982E-01 CRITERION= .9277E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3679E-01
 HT FLOW CONVERGENCE VALUE= .4033E-02 CRITERION= .9273E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 37 COMPLETED. CUM ITER = 703
 *** TIME = .923060E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4630E-05 OSCILLATION LIMIT = 36.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.18 CRITERION= .9748E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4412
 HT FLOW CONVERGENCE VALUE= .9938E-01 CRITERION= .9235E-01

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3677E-01
 HT FLOW CONVERGENCE VALUE= .4037E-02 CRITERION= .9230E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 38 COMPLETED. CUM ITER = 705
 *** TIME = .930949E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4691E-05 OSCILLATION LIMIT = 37.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.22 CRITERION= .9709E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4422
 HT FLOW CONVERGENCE VALUE= .9920E-01 CRITERION= .9190E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3664E-01
 HT FLOW CONVERGENCE VALUE= .3981E-02 CRITERION= .9186E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 39 COMPLETED. CUM ITER = 707
 *** TIME = .938839E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4625E-05 OSCILLATION LIMIT = 36.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.17 CRITERION= .9666E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4421
 HT FLOW CONVERGENCE VALUE= .9878E-01 CRITERION= .9148E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3662E-01
 HT FLOW CONVERGENCE VALUE= .3986E-02 CRITERION= .9144E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 40 COMPLETED. CUM ITER = 709
 *** TIME = .946728E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .4686E-05 OSCILLATION LIMIT = 36.97

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:34:15 MAR 26, 1995 CP= 58950.810
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 38.85 CRITERION= .9932E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3763
 HT FLOW CONVERGENCE VALUE= .8972E-01 CRITERION= .9112E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 1 COMPLETED. CUM ITER = 710
 *** TIME = .954617E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3852E-05 OSCILLATION LIMIT = 30.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.80 CRITERION= .9901E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3381
 HT FLOW CONVERGENCE VALUE= .8498E-01 CRITERION= .9079E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 2 COMPLETED. CUM ITER = 711
 *** TIME = .962507E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3319E-05 OSCILLATION LIMIT = 26.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.84 CRITERION= .9872E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3405
 HT FLOW CONVERGENCE VALUE= .8469E-01 CRITERION= .9045E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 3 COMPLETED. CUM ITER = 712
 *** TIME = .970396E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3314E-05 OSCILLATION LIMIT = 26.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.78 CRITERION= .9840E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3403
 HT FLOW CONVERGENCE VALUE= .8445E-01 CRITERION= .9013E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 25 SUBSTEP 4 COMPLETED. CUM ITER = 713
*** TIME = .978286E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3368E-05 OSCILLATION LIMIT = 26.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.82 CRITERION= .9811E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3412
HT FLOW CONVERGENCE VALUE= .8433E-01 CRITERION= .8979E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 5 COMPLETED. CUM ITER = 714
*** TIME = .986175E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3312E-05 OSCILLATION LIMIT = 26.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.77 CRITERION= .9778E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3410
HT FLOW CONVERGENCE VALUE= .8404E-01 CRITERION= .8947E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 6 COMPLETED. CUM ITER = 715
*** TIME = .994064E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3366E-05 OSCILLATION LIMIT = 26.56
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.81 CRITERION= .9749E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3420
HT FLOW CONVERGENCE VALUE= .8396E-01 CRITERION= .8912E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 7 COMPLETED. CUM ITER = 716
*** TIME = .100195E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3310E-05 OSCILLATION LIMIT = 26.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.76 CRITERION= .9717E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3418
HT FLOW CONVERGENCE VALUE= .8370E-01 CRITERION= .8880E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 8 COMPLETED. CUM ITER = 717
*** TIME = .100984E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3364E-05 OSCILLATION LIMIT = 26.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.80 CRITERION= .9688E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3427
HT FLOW CONVERGENCE VALUE= .8351E-01 CRITERION= .8846E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 9 COMPLETED. CUM ITER = 718
*** TIME = .101773E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3309E-05 OSCILLATION LIMIT = 26.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.74 CRITERION= .9655E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3425
HT FLOW CONVERGENCE VALUE= .8324E-01 CRITERION= .8814E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 10 COMPLETED. CUM ITER = 719
*** TIME = .102562E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3363E-05 OSCILLATION LIMIT = 26.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.79 CRITERION= .9627E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3434
HT FLOW CONVERGENCE VALUE= .8306E-01 CRITERION= .8780E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 11 COMPLETED. CUM ITER = 720
*** TIME = .103351E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3307E-05 OSCILLATION LIMIT = 26.09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.73 CRITERION= .9594E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3433

```

HT FLOW CONVERGENCE VALUE= .8280E-01 CRITERION= .8748E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 12 COMPLETED. CUM ITER = 721
 *** TIME = .104140E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3361E-05 OSCILLATION LIMIT = 26.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.77 CRITERION= .9565E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3442
 HT FLOW CONVERGENCE VALUE= .8266E-01 CRITERION= .8713E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 13 COMPLETED. CUM ITER = 722
 *** TIME = .104929E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3305E-05 OSCILLATION LIMIT = 26.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.72 CRITERION= .9533E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3441
 HT FLOW CONVERGENCE VALUE= .8238E-01 CRITERION= .8681E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 14 COMPLETED. CUM ITER = 723
 *** TIME = .105718E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3359E-05 OSCILLATION LIMIT = 26.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.76 CRITERION= .9504E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3449
 HT FLOW CONVERGENCE VALUE= .8224E-01 CRITERION= .8647E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 15 COMPLETED. CUM ITER = 724
 *** TIME = .106507E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3303E-05 OSCILLATION LIMIT = 26.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.71 CRITERION= .9472E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3448
 HT FLOW CONVERGENCE VALUE= .8196E-01 CRITERION= .8615E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 16 COMPLETED. CUM ITER = 725
 *** TIME = .107296E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3357E-05 OSCILLATION LIMIT = 26.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.75 CRITERION= .9443E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3457
 HT FLOW CONVERGENCE VALUE= .8178E-01 CRITERION= .8581E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 17 COMPLETED. CUM ITER = 726
 *** TIME = .108085E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3302E-05 OSCILLATION LIMIT = 26.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.69 CRITERION= .9411E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3456
 HT FLOW CONVERGENCE VALUE= .8153E-01 CRITERION= .8548E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 18 COMPLETED. CUM ITER = 727
 *** TIME = .108874E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3355E-05 OSCILLATION LIMIT = 26.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.73 CRITERION= .9382E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3465
 HT FLOW CONVERGENCE VALUE= .8102E-01 CRITERION= .8514E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 19 COMPLETED. CUM ITER = 728
 *** TIME = .109663E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3300E-05 OSCILLATION LIMIT = 26.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.68 CRITERION= .9350E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3464
 HT FLOW CONVERGENCE VALUE= .8063E-01 CRITERION= .8482E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 20 COMPLETED. CUM ITER = 729
 *** TIME = .110452E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3354E-05 OSCILLATION LIMIT = 26.46
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.72 CRITERION= .9321E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3472
 HT FLOW CONVERGENCE VALUE= .8044E-01 CRITERION= .8448E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 21 COMPLETED. CUM ITER = 730
 *** TIME = .111241E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3298E-05 OSCILLATION LIMIT = 26.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.67 CRITERION= .9289E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3472
 HT FLOW CONVERGENCE VALUE= .8009E-01 CRITERION= .8416E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 22 COMPLETED. CUM ITER = 731
 *** TIME = .112029E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3352E-05 OSCILLATION LIMIT = 26.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.71 CRITERION= .9260E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3480
 HT FLOW CONVERGENCE VALUE= .8002E-01 CRITERION= .8381E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 23 COMPLETED. CUM ITER = 732
 *** TIME = .112818E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3296E-05 OSCILLATION LIMIT = 26.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.65 CRITERION= .9228E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3480
 HT FLOW CONVERGENCE VALUE= .7986E-01 CRITERION= .8349E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 24 COMPLETED. CUM ITER = 733
 *** TIME = .113607E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3350E-05 OSCILLATION LIMIT = 26.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.69 CRITERION= .9199E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3488
 HT FLOW CONVERGENCE VALUE= .7972E-01 CRITERION= .8315E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 25 COMPLETED. CUM ITER = 734
 *** TIME = .114396E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3295E-05 OSCILLATION LIMIT = 25.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.64 CRITERION= .9167E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3488
 HT FLOW CONVERGENCE VALUE= .7950E-01 CRITERION= .8283E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 26 COMPLETED. CUM ITER = 735
 *** TIME = .115185E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3348E-05 OSCILLATION LIMIT = 26.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.68 CRITERION= .9139E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3496
 HT FLOW CONVERGENCE VALUE= .7937E-01 CRITERION= .8249E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 27 COMPLETED. CUM ITER = 736
 *** TIME = .115974E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3293E-05 OSCILLATION LIMIT = 25.98

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.63 CRITERION= .9106E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3496
 HT FLOW CONVERGENCE VALUE= .7919E-01 CRITERION= .8217E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 28 COMPLETED. CUM ITER = 737
 *** TIME = .116763E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3346E-05 OSCILLATION LIMIT = 26.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.67 CRITERION= .9078E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3503
 HT FLOW CONVERGENCE VALUE= .7906E-01 CRITERION= .8182E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 29 COMPLETED. CUM ITER = 738
 *** TIME = .117552E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3291E-05 OSCILLATION LIMIT = 25.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.61 CRITERION= .9046E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3504
 HT FLOW CONVERGENCE VALUE= .7880E-01 CRITERION= .8150E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 30 COMPLETED. CUM ITER = 739
 *** TIME = .118341E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3344E-05 OSCILLATION LIMIT = 26.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.65 CRITERION= .9017E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3511
 HT FLOW CONVERGENCE VALUE= .7861E-01 CRITERION= .8116E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 31 COMPLETED. CUM ITER = 740
 *** TIME = .119130E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3289E-05 OSCILLATION LIMIT = 25.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.60 CRITERION= .8985E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3512
 HT FLOW CONVERGENCE VALUE= .7834E-01 CRITERION= .8084E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 32 COMPLETED. CUM ITER = 741
 *** TIME = .119919E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3342E-05 OSCILLATION LIMIT = 26.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.64 CRITERION= .8957E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3519
 HT FLOW CONVERGENCE VALUE= .7815E-01 CRITERION= .8050E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 33 COMPLETED. CUM ITER = 742
 *** TIME = .120708E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3287E-05 OSCILLATION LIMIT = 25.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.59 CRITERION= .8925E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3520
 HT FLOW CONVERGENCE VALUE= .7786E-01 CRITERION= .8017E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 34 COMPLETED. CUM ITER = 743
 *** TIME = .121497E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3340E-05 OSCILLATION LIMIT = 26.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.63 CRITERION= .8897E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3527
 HT FLOW CONVERGENCE VALUE= .7768E-01 CRITERION= .7983E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 35 COMPLETED. CUM ITER = 744


```

*** TIME = .122286E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3285E-05    OSCILLATION LIMIT = 25.92
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.57    CRITERION= .8864E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3528
    HT FLOW CONVERGENCE VALUE= .7743E-01    CRITERION= .7951E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 36 COMPLETED.    CUM ITER = 745
*** TIME = .123075E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3338E-05    OSCILLATION LIMIT = 26.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.62    CRITERION= .8836E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3536
    HT FLOW CONVERGENCE VALUE= .7723E-01    CRITERION= .7917E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 37 COMPLETED.    CUM ITER = 746
*** TIME = .123864E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3283E-05    OSCILLATION LIMIT = 25.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.56    CRITERION= .8804E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3536
    HT FLOW CONVERGENCE VALUE= .7696E-01    CRITERION= .7885E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 38 COMPLETED.    CUM ITER = 747
*** TIME = .124653E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3336E-05    OSCILLATION LIMIT = 26.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.60    CRITERION= .8776E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3544
    HT FLOW CONVERGENCE VALUE= .7676E-01    CRITERION= .7850E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 39 COMPLETED.    CUM ITER = 748
*** TIME = .125441E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3282E-05    OSCILLATION LIMIT = 25.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.55    CRITERION= .8744E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3545
    HT FLOW CONVERGENCE VALUE= .7650E-01    CRITERION= .7818E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 40 COMPLETED.    CUM ITER = 749
*** TIME = .126230E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3334E-05    OSCILLATION LIMIT = 26.30

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303    VERSION=HP 9000/7XX    20:47:16 MAR 26, 1995 CP= 62535.210
FOR SUPPORT CALL SUPPORT PERSON    PHONE SUPPORT PHONE    FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

    HT FLOW CONVERGENCE VALUE= 33.92    CRITERION= .8520E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2910
    HT FLOW CONVERGENCE VALUE= .6384E-01    CRITERION= .7790E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 1 COMPLETED.    CUM ITER = 750
*** TIME = .127019E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3012E-05    OSCILLATION LIMIT = 23.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 33.87    CRITERION= .8493E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2944
    HT FLOW CONVERGENCE VALUE= .6379E-01    CRITERION= .7764E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 2 COMPLETED. CUM ITER = 751
*** TIME = .127808E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3155E-05 OSCILLATION LIMIT = 24.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.91 CRITERION= .8469E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2966
HT FLOW CONVERGENCE VALUE= .6398E-01 CRITERION= .7735E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 3 COMPLETED. CUM ITER = 752
*** TIME = .128597E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3104E-05 OSCILLATION LIMIT = 24.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.86 CRITERION= .8442E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2948
HT FLOW CONVERGENCE VALUE= .6348E-01 CRITERION= .7709E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 4 COMPLETED. CUM ITER = 753
*** TIME = .129386E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3147E-05 OSCILLATION LIMIT = 24.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.90 CRITERION= .8419E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2971
HT FLOW CONVERGENCE VALUE= .6362E-01 CRITERION= .7681E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 5 COMPLETED. CUM ITER = 754
*** TIME = .130175E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3102E-05 OSCILLATION LIMIT = 24.47
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.85 CRITERION= .8392E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2955
HT FLOW CONVERGENCE VALUE= .6311E-01 CRITERION= .7655E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 6 COMPLETED. CUM ITER = 755
*** TIME = .130964E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3146E-05 OSCILLATION LIMIT = 24.82
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.89 CRITERION= .8369E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2976
HT FLOW CONVERGENCE VALUE= .6321E-01 CRITERION= .7627E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 7 COMPLETED. CUM ITER = 756
*** TIME = .131753E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3100E-05 OSCILLATION LIMIT = 24.46
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.84 CRITERION= .8342E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2961
HT FLOW CONVERGENCE VALUE= .6274E-01 CRITERION= .7601E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 8 COMPLETED. CUM ITER = 757
*** TIME = .132542E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3145E-05 OSCILLATION LIMIT = 24.82
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.88 CRITERION= .8319E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2982
HT FLOW CONVERGENCE VALUE= .6282E-01 CRITERION= .7572E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 9 COMPLETED. CUM ITER = 758
*** TIME = .133331E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3098E-05 OSCILLATION LIMIT = 24.45
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.83 CRITERION= .8292E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2967
 HT FLOW CONVERGENCE VALUE= .6232E-01 CRITERION= .7546E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 10 COMPLETED. CUM ITER = 759
 *** TIME = .134120E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3145E-05 OSCILLATION LIMIT = 24.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.87 CRITERION= .8269E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2987
 HT FLOW CONVERGENCE VALUE= .6232E-01 CRITERION= .7518E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 11 COMPLETED. CUM ITER = 760
 *** TIME = .134909E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3097E-05 OSCILLATION LIMIT = 24.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.82 CRITERION= .8242E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2973
 HT FLOW CONVERGENCE VALUE= .6183E-01 CRITERION= .7492E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 12 COMPLETED. CUM ITER = 761
 *** TIME = .135698E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3144E-05 OSCILLATION LIMIT = 24.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.86 CRITERION= .8219E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2993
 HT FLOW CONVERGENCE VALUE= .6185E-01 CRITERION= .7464E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 13 COMPLETED. CUM ITER = 762
 *** TIME = .136487E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3096E-05 OSCILLATION LIMIT = 24.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.81 CRITERION= .8192E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2980
 HT FLOW CONVERGENCE VALUE= .6142E-01 CRITERION= .7438E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 14 COMPLETED. CUM ITER = 763
 *** TIME = .137276E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3143E-05 OSCILLATION LIMIT = 24.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.85 CRITERION= .8169E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2998
 HT FLOW CONVERGENCE VALUE= .6139E-01 CRITERION= .7409E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 15 COMPLETED. CUM ITER = 764
 *** TIME = .138065E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3094E-05 OSCILLATION LIMIT = 24.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.80 CRITERION= .8142E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2986
 HT FLOW CONVERGENCE VALUE= .6095E-01 CRITERION= .7383E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 16 COMPLETED. CUM ITER = 765
 *** TIME = .138853E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3142E-05 OSCILLATION LIMIT = 24.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.84 CRITERION= .8119E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3004
 HT FLOW CONVERGENCE VALUE= .6096E-01 CRITERION= .7355E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 17 COMPLETED. CUM ITER = 766
 *** TIME = .139642E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3092E-05 OSCILLATION LIMIT = 24.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.79 CRITERION= .8093E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2992
 HT FLOW CONVERGENCE VALUE= .6057E-01 CRITERION= .7329E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 18 COMPLETED. CUM ITER = 767
 *** TIME = .140431E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3141E-05 OSCILLATION LIMIT = 24.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.83 CRITERION= .8070E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3009
 HT FLOW CONVERGENCE VALUE= .6056E-01 CRITERION= .7301E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 19 COMPLETED. CUM ITER = 768
 *** TIME = .141220E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3091E-05 OSCILLATION LIMIT = 24.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.78 CRITERION= .8043E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2999
 HT FLOW CONVERGENCE VALUE= .6017E-01 CRITERION= .7275E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 20 COMPLETED. CUM ITER = 769
 *** TIME = .142009E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3140E-05 OSCILLATION LIMIT = 24.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.82 CRITERION= .8020E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3015
 HT FLOW CONVERGENCE VALUE= .6015E-01 CRITERION= .7246E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 21 COMPLETED. CUM ITER = 770
 *** TIME = .142798E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3090E-05 OSCILLATION LIMIT = 24.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.77 CRITERION= .7993E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3005
 HT FLOW CONVERGENCE VALUE= .5979E-01 CRITERION= .7220E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 22 COMPLETED. CUM ITER = 771
 *** TIME = .143587E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3139E-05 OSCILLATION LIMIT = 24.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.81 CRITERION= .7970E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3021
 HT FLOW CONVERGENCE VALUE= .5977E-01 CRITERION= .7192E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 23 COMPLETED. CUM ITER = 772
 *** TIME = .144376E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3089E-05 OSCILLATION LIMIT = 24.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.76 CRITERION= .7944E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3011
 HT FLOW CONVERGENCE VALUE= .5938E-01 CRITERION= .7166E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 24 COMPLETED. CUM ITER = 773
 *** TIME = .145165E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3138E-05 OSCILLATION LIMIT = 24.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.80 CRITERION= .7921E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3027
 HT FLOW CONVERGENCE VALUE= .5935E-01 CRITERION= .7138E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 25 COMPLETED. CUM ITER = 774
 *** TIME = .145954E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .3088E-05 OSCILLATION LIMIT = 24.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.75 CRITERION= .7894E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3018
 HT FLOW CONVERGENCE VALUE= .5900E-01 CRITERION= .7112E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 26 COMPLETED. CUM ITER = 775
 *** TIME = .146743E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3138E-05 OSCILLATION LIMIT = 24.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.79 CRITERION= .7871E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3032
 HT FLOW CONVERGENCE VALUE= .5895E-01 CRITERION= .7083E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 27 COMPLETED. CUM ITER = 776
 *** TIME = .147532E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3086E-05 OSCILLATION LIMIT = 24.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.74 CRITERION= .7844E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3024
 HT FLOW CONVERGENCE VALUE= .5856E-01 CRITERION= .7057E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 28 COMPLETED. CUM ITER = 777
 *** TIME = .148321E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3137E-05 OSCILLATION LIMIT = 24.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.78 CRITERION= .7822E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3038
 HT FLOW CONVERGENCE VALUE= .5852E-01 CRITERION= .7029E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 29 COMPLETED. CUM ITER = 778
 *** TIME = .149110E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3085E-05 OSCILLATION LIMIT = 24.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.73 CRITERION= .7795E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3031
 HT FLOW CONVERGENCE VALUE= .5817E-01 CRITERION= .7003E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 30 COMPLETED. CUM ITER = 779
 *** TIME = .149899E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3136E-05 OSCILLATION LIMIT = 24.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.77 CRITERION= .7772E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3044
 HT FLOW CONVERGENCE VALUE= .5809E-01 CRITERION= .6975E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 31 COMPLETED. CUM ITER = 780
 *** TIME = .150688E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3084E-05 OSCILLATION LIMIT = 24.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.72 CRITERION= .7746E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3037
 HT FLOW CONVERGENCE VALUE= .5774E-01 CRITERION= .6949E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 32 COMPLETED. CUM ITER = 781
 *** TIME = .151476E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3135E-05 OSCILLATION LIMIT = 24.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.76 CRITERION= .7723E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3050
 HT FLOW CONVERGENCE VALUE= .5765E-01 CRITERION= .6920E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 26 SUBSTEP 33 COMPLETED. CUM ITER = 782
*** TIME = .152265E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3083E-05 OSCILLATION LIMIT = 24.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.71 CRITERION= .7696E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3044
HT FLOW CONVERGENCE VALUE= .5731E-01 CRITERION= .6894E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 34 COMPLETED. CUM ITER = 783
*** TIME = .153054E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3135E-05 OSCILLATION LIMIT = 24.73
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.75 CRITERION= .7674E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3056
HT FLOW CONVERGENCE VALUE= .5722E-01 CRITERION= .6866E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 35 COMPLETED. CUM ITER = 784
*** TIME = .153843E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3083E-05 OSCILLATION LIMIT = 24.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.70 CRITERION= .7647E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3050
HT FLOW CONVERGENCE VALUE= .5686E-01 CRITERION= .6840E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 36 COMPLETED. CUM ITER = 785
*** TIME = .154632E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3134E-05 OSCILLATION LIMIT = 24.73
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.74 CRITERION= .7625E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3062
HT FLOW CONVERGENCE VALUE= .5678E-01 CRITERION= .6812E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 37 COMPLETED. CUM ITER = 786
*** TIME = .155421E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3082E-05 OSCILLATION LIMIT = 24.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.69 CRITERION= .7598E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3057
HT FLOW CONVERGENCE VALUE= .5642E-01 CRITERION= .6786E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 38 COMPLETED. CUM ITER = 787
*** TIME = .156210E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3134E-05 OSCILLATION LIMIT = 24.72
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.73 CRITERION= .7575E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3068
HT FLOW CONVERGENCE VALUE= .5631E-01 CRITERION= .6757E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 39 COMPLETED. CUM ITER = 788
*** TIME = .156999E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3081E-05 OSCILLATION LIMIT = 24.31
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.68 CRITERION= .7549E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3063
HT FLOW CONVERGENCE VALUE= .5595E-01 CRITERION= .6731E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 40 COMPLETED. CUM ITER = 789
*** TIME = .157788E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3133E-05 OSCILLATION LIMIT = 24.72

```

***** ANSYS SOLVE COMMAND *****

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:01:46 MAR 26, 1995 CP= 66119.710
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 27.98 CRITERION= .7288E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2403
 HT FLOW CONVERGENCE VALUE= .4455E-01 CRITERION= .6708E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 1 COMPLETED. CUM ITER = 790
 *** TIME = .158577E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2851E-05 OSCILLATION LIMIT = 22.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.93 CRITERION= .7265E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2430
 HT FLOW CONVERGENCE VALUE= .4446E-01 CRITERION= .6688E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 2 COMPLETED. CUM ITER = 791
 *** TIME = .159366E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3004E-05 OSCILLATION LIMIT = 23.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.97 CRITERION= .7248E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2458
 HT FLOW CONVERGENCE VALUE= .4473E-01 CRITERION= .6666E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 3 COMPLETED. CUM ITER = 792
 *** TIME = .160155E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2954E-05 OSCILLATION LIMIT = 23.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.92 CRITERION= .7226E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2434
 HT FLOW CONVERGENCE VALUE= .4424E-01 CRITERION= .6646E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 4 COMPLETED. CUM ITER = 793
 *** TIME = .160944E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2997E-05 OSCILLATION LIMIT = 23.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.96 CRITERION= .7208E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2462
 HT FLOW CONVERGENCE VALUE= .4448E-01 CRITERION= .6623E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 5 COMPLETED. CUM ITER = 794
 *** TIME = .161733E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2953E-05 OSCILLATION LIMIT = 23.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.91 CRITERION= .7186E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2438
 HT FLOW CONVERGENCE VALUE= .4399E-01 CRITERION= .6603E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 6 COMPLETED. CUM ITER = 795
 *** TIME = .162522E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2997E-05 OSCILLATION LIMIT = 23.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.96 CRITERION= .7168E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2465
 HT FLOW CONVERGENCE VALUE= .4419E-01 CRITERION= .6581E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 7 COMPLETED. CUM ITER = 796
 *** TIME = .163311E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2952E-05 OSCILLATION LIMIT = 23.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.90 CRITERION= .7147E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2443
 HT FLOW CONVERGENCE VALUE= .4374E-01 CRITERION= .6560E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 8 COMPLETED. CUM ITER = 797
 *** TIME = .164100E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2998E-05 OSCILLATION LIMIT = 23.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.95 CRITERION= .7129E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2468
 HT FLOW CONVERGENCE VALUE= .4396E-01 CRITERION= .6538E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 9 COMPLETED. CUM ITER = 798
 *** TIME = .164888E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2951E-05 OSCILLATION LIMIT = 23.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.90 CRITERION= .7107E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2448
 HT FLOW CONVERGENCE VALUE= .4353E-01 CRITERION= .6518E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 10 COMPLETED. CUM ITER = 799
 *** TIME = .165677E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2997E-05 OSCILLATION LIMIT = 23.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.94 CRITERION= .7089E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2472
 HT FLOW CONVERGENCE VALUE= .4371E-01 CRITERION= .6495E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 11 COMPLETED. CUM ITER = 800
 *** TIME = .166466E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2950E-05 OSCILLATION LIMIT = 23.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.89 CRITERION= .7068E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2452
 HT FLOW CONVERGENCE VALUE= .4331E-01 CRITERION= .6475E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 12 COMPLETED. CUM ITER = 801
 *** TIME = .167255E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2997E-05 OSCILLATION LIMIT = 23.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.93 CRITERION= .7050E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2475
 HT FLOW CONVERGENCE VALUE= .4346E-01 CRITERION= .6453E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 13 COMPLETED. CUM ITER = 802
 *** TIME = .168044E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2948E-05 OSCILLATION LIMIT = 23.26
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.88 CRITERION= .7028E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2457
 HT FLOW CONVERGENCE VALUE= .4307E-01 CRITERION= .6432E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 14 COMPLETED. CUM ITER = 803
 *** TIME = .168833E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2997E-05 OSCILLATION LIMIT = 23.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.93 CRITERION= .7010E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2479
 HT FLOW CONVERGENCE VALUE= .4321E-01 CRITERION= .6410E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 15 COMPLETED. CUM ITER = 804
 *** TIME = .169622E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2947E-05 OSCILLATION LIMIT = 23.25

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.88 CRITERION= .6989E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2462
 HT FLOW CONVERGENCE VALUE= .4301E-01 CRITERION= .6390E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 16 COMPLETED. CUM ITER = 805
 *** TIME = .170411E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2997E-05 OSCILLATION LIMIT = 23.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.92 CRITERION= .6971E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2482
 HT FLOW CONVERGENCE VALUE= .4330E-01 CRITERION= .6367E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 17 COMPLETED. CUM ITER = 806
 *** TIME = .171200E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2946E-05 OSCILLATION LIMIT = 23.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.87 CRITERION= .6949E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2466
 HT FLOW CONVERGENCE VALUE= .4293E-01 CRITERION= .6347E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 18 COMPLETED. CUM ITER = 807
 *** TIME = .171989E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2996E-05 OSCILLATION LIMIT = 23.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.91 CRITERION= .6932E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2486
 HT FLOW CONVERGENCE VALUE= .4278E-01 CRITERION= .6325E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 19 COMPLETED. CUM ITER = 808
 *** TIME = .172778E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2945E-05 OSCILLATION LIMIT = 23.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.86 CRITERION= .6910E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2471
 HT FLOW CONVERGENCE VALUE= .4235E-01 CRITERION= .6304E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 20 COMPLETED. CUM ITER = 809
 *** TIME = .173567E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2996E-05 OSCILLATION LIMIT = 23.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.91 CRITERION= .6892E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2490
 HT FLOW CONVERGENCE VALUE= .4248E-01 CRITERION= .6282E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 21 COMPLETED. CUM ITER = 810
 *** TIME = .174356E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2943E-05 OSCILLATION LIMIT = 23.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.86 CRITERION= .6871E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2475
 HT FLOW CONVERGENCE VALUE= .4215E-01 CRITERION= .6262E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 22 COMPLETED. CUM ITER = 811
 *** TIME = .175145E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2995E-05 OSCILLATION LIMIT = 23.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.90 CRITERION= .6853E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2494
 HT FLOW CONVERGENCE VALUE= .4227E-01 CRITERION= .6239E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 23 COMPLETED. CUM ITER = 812

```

*** TIME = .175934E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2942E-05    OSCILLATION LIMIT = 23.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 27.85    CRITERION= .6831E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2480
    HT FLOW CONVERGENCE VALUE= .4196E-01 CRITERION= .6219E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 24 COMPLETED. CUM ITER = 813
*** TIME = .176723E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2994E-05    OSCILLATION LIMIT = 23.62
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 27.89    CRITERION= .6814E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2497
    HT FLOW CONVERGENCE VALUE= .4204E-01 CRITERION= .6197E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 25 COMPLETED. CUM ITER = 814
*** TIME = .177512E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2940E-05    OSCILLATION LIMIT = 23.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 27.84    CRITERION= .6792E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2485
    HT FLOW CONVERGENCE VALUE= .4173E-01 CRITERION= .6176E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 26 COMPLETED. CUM ITER = 815
*** TIME = .178300E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2993E-05    OSCILLATION LIMIT = 23.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 27.89    CRITERION= .6775E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2501
    HT FLOW CONVERGENCE VALUE= .4179E-01 CRITERION= .6154E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 27 COMPLETED. CUM ITER = 816
*** TIME = .179089E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2939E-05    OSCILLATION LIMIT = 23.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 27.84    CRITERION= .6753E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2489
    HT FLOW CONVERGENCE VALUE= .4152E-01 CRITERION= .6134E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 28 COMPLETED. CUM ITER = 817
*** TIME = .179878E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2993E-05    OSCILLATION LIMIT = 23.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 27.88    CRITERION= .6736E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2505
    HT FLOW CONVERGENCE VALUE= .4157E-01 CRITERION= .6111E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 29 COMPLETED. CUM ITER = 818
*** TIME = .180667E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2937E-05    OSCILLATION LIMIT = 23.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 27.83    CRITERION= .6714E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2494
    HT FLOW CONVERGENCE VALUE= .4128E-01 CRITERION= .6091E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 30 COMPLETED. CUM ITER = 819
*** TIME = .181456E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2993E-05    OSCILLATION LIMIT = 23.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 27.87    CRITERION= .6696E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2509
    HT FLOW CONVERGENCE VALUE= .4134E-01 CRITERION= .6069E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 31 COMPLETED. CUM ITER = 820
*** TIME = .182245E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2937E-05 OSCILLATION LIMIT = 23.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.82 CRITERION= .6675E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2498
HT FLOW CONVERGENCE VALUE= .4107E-01 CRITERION= .6048E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 32 COMPLETED. CUM ITER = 821
*** TIME = .183034E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2992E-05 OSCILLATION LIMIT = 23.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.87 CRITERION= .6657E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2513
HT FLOW CONVERGENCE VALUE= .4110E-01 CRITERION= .6026E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 33 COMPLETED. CUM ITER = 822
*** TIME = .183823E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2936E-05 OSCILLATION LIMIT = 23.16
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.81 CRITERION= .6636E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2503
HT FLOW CONVERGENCE VALUE= .4084E-01 CRITERION= .6006E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 34 COMPLETED. CUM ITER = 823
*** TIME = .184612E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2991E-05 OSCILLATION LIMIT = 23.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.86 CRITERION= .6618E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2517
HT FLOW CONVERGENCE VALUE= .4086E-01 CRITERION= .5983E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 35 COMPLETED. CUM ITER = 824
*** TIME = .185401E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2934E-05 OSCILLATION LIMIT = 23.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.81 CRITERION= .6597E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2507
HT FLOW CONVERGENCE VALUE= .4059E-01 CRITERION= .5963E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 36 COMPLETED. CUM ITER = 825
*** TIME = .186190E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2991E-05 OSCILLATION LIMIT = 23.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.85 CRITERION= .6579E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2521
HT FLOW CONVERGENCE VALUE= .4061E-01 CRITERION= .5941E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 37 COMPLETED. CUM ITER = 826
*** TIME = .186979E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2933E-05 OSCILLATION LIMIT = 23.14
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.80 CRITERION= .6558E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2512
HT FLOW CONVERGENCE VALUE= .4035E-01 CRITERION= .5920E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 38 COMPLETED. CUM ITER = 827
*** TIME = .187768E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2990E-05 OSCILLATION LIMIT = 23.59
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.84 CRITERION= .6540E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2525
 HT FLOW CONVERGENCE VALUE= .4034E-01 CRITERION= .5898E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 39 COMPLETED. CUM ITER = 828
 *** TIME = .188557E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2933E-05 OSCILLATION LIMIT = 23.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.79 CRITERION= .6519E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2517
 HT FLOW CONVERGENCE VALUE= .4010E-01 CRITERION= .5878E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 40 COMPLETED. CUM ITER = 829
 *** TIME = .189346E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2990E-05 OSCILLATION LIMIT = 23.59

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:18:17 MAR 26, 1995 CP= 69723.800
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 23.58 CRITERION= .6331E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2038
 HT FLOW CONVERGENCE VALUE= .3286E-01 CRITERION= .5859E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 1 COMPLETED. CUM ITER = 830
 *** TIME = .190135E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2744E-05 OSCILLATION LIMIT = 21.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .6313E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2051
 HT FLOW CONVERGENCE VALUE= .3272E-01 CRITERION= .5843E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 2 COMPLETED. CUM ITER = 831
 *** TIME = .190923E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2883E-05 OSCILLATION LIMIT = 22.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.58 CRITERION= .6299E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2075
 HT FLOW CONVERGENCE VALUE= .3294E-01 CRITERION= .5825E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 3 COMPLETED. CUM ITER = 832
 *** TIME = .191712E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2827E-05 OSCILLATION LIMIT = 22.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .6281E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2053
 HT FLOW CONVERGENCE VALUE= .3255E-01 CRITERION= .5809E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 4 COMPLETED. CUM ITER = 833
 *** TIME = .192501E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2878E-05 OSCILLATION LIMIT = 22.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.57 CRITERION= .6267E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2078
 HT FLOW CONVERGENCE VALUE= .3274E-01 CRITERION= .5790E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 5 COMPLETED. CUM ITER = 834
 *** TIME = .193290E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2826E-05 OSCILLATION LIMIT = 22.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .6249E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2057
 HT FLOW CONVERGENCE VALUE= .3239E-01 CRITERION= .5774E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 6 COMPLETED. CUM ITER = 835
 *** TIME = .194079E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2879E-05 OSCILLATION LIMIT = 22.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.57 CRITERION= .6235E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2080
 HT FLOW CONVERGENCE VALUE= .3255E-01 CRITERION= .5756E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 7 COMPLETED. CUM ITER = 836
 *** TIME = .194868E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2825E-05 OSCILLATION LIMIT = 22.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .6217E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2060
 HT FLOW CONVERGENCE VALUE= .3218E-01 CRITERION= .5740E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 8 COMPLETED. CUM ITER = 837
 *** TIME = .195657E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2879E-05 OSCILLATION LIMIT = 22.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .6203E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2082
 HT FLOW CONVERGENCE VALUE= .3235E-01 CRITERION= .5721E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 9 COMPLETED. CUM ITER = 838
 *** TIME = .196446E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2825E-05 OSCILLATION LIMIT = 22.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .6185E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2064
 HT FLOW CONVERGENCE VALUE= .3202E-01 CRITERION= .5705E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 10 COMPLETED. CUM ITER = 839
 *** TIME = .197235E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2880E-05 OSCILLATION LIMIT = 22.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .6171E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2085
 HT FLOW CONVERGENCE VALUE= .3217E-01 CRITERION= .5687E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 11 COMPLETED. CUM ITER = 840
 *** TIME = .198024E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2824E-05 OSCILLATION LIMIT = 22.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .6153E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2067
 HT FLOW CONVERGENCE VALUE= .3186E-01 CRITERION= .5671E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 12 COMPLETED. CUM ITER = 841
 *** TIME = .198813E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2881E-05 OSCILLATION LIMIT = 22.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .6139E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2087
 HT FLOW CONVERGENCE VALUE= .3200E-01 CRITERION= .5652E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 13 COMPLETED. CUM ITER = 842
 *** TIME = .199602E+10 TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .2823E-05  OSCILLATION LIMIT = 22.28
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 23.50      CRITERION= .6121E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.2071
  HT FLOW CONVERGENCE VALUE= .3170E-01  CRITERION= .5636E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 14 COMPLETED.  CUM ITER = 843
*** TIME = .200391E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2881E-05  OSCILLATION LIMIT = 22.73
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 23.55      CRITERION= .6107E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.2090
  HT FLOW CONVERGENCE VALUE= .3181E-01  CRITERION= .5618E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 15 COMPLETED.  CUM ITER = 844
*** TIME = .201180E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2823E-05  OSCILLATION LIMIT = 22.27
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 23.50      CRITERION= .6089E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.2074
  HT FLOW CONVERGENCE VALUE= .3149E-01  CRITERION= .5602E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 16 COMPLETED.  CUM ITER = 845
*** TIME = .201969E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2882E-05  OSCILLATION LIMIT = 22.74
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 23.54      CRITERION= .6075E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.2092
  HT FLOW CONVERGENCE VALUE= .3153E-01  CRITERION= .5583E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 17 COMPLETED.  CUM ITER = 846
*** TIME = .202758E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2823E-05  OSCILLATION LIMIT = 22.27
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 23.49      CRITERION= .6057E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.2078
  HT FLOW CONVERGENCE VALUE= .3118E-01  CRITERION= .5567E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 18 COMPLETED.  CUM ITER = 847
*** TIME = .203547E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2883E-05  OSCILLATION LIMIT = 22.74
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 23.54      CRITERION= .6043E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.2095
  HT FLOW CONVERGENCE VALUE= .3122E-01  CRITERION= .5549E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 19 COMPLETED.  CUM ITER = 848
*** TIME = .204335E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2823E-05  OSCILLATION LIMIT = 22.27
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 23.49      CRITERION= .6025E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.2082
  HT FLOW CONVERGENCE VALUE= .3091E-01  CRITERION= .5533E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 20 COMPLETED.  CUM ITER = 849
*** TIME = .205124E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2885E-05  OSCILLATION LIMIT = 22.76
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 23.53      CRITERION= .6011E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.2099
  HT FLOW CONVERGENCE VALUE= .3098E-01  CRITERION= .5515E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 28 SUBSTEP 21 COMPLETED. CUM ITER = 850
 *** TIME = .205913E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2825E-05 OSCILLATION LIMIT = 22.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.48 CRITERION= .5993E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2086
 HT FLOW CONVERGENCE VALUE= .3069E-01 CRITERION= .5499E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 22 COMPLETED. CUM ITER = 851
 *** TIME = .206702E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2886E-05 OSCILLATION LIMIT = 22.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .5979E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2102
 HT FLOW CONVERGENCE VALUE= .3069E-01 CRITERION= .5480E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 23 COMPLETED. CUM ITER = 852
 *** TIME = .207491E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2825E-05 OSCILLATION LIMIT = 22.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.48 CRITERION= .5961E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2090
 HT FLOW CONVERGENCE VALUE= .3044E-01 CRITERION= .5464E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 24 COMPLETED. CUM ITER = 853
 *** TIME = .208280E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2888E-05 OSCILLATION LIMIT = 22.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .5947E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2105
 HT FLOW CONVERGENCE VALUE= .3053E-01 CRITERION= .5446E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 25 COMPLETED. CUM ITER = 854
 *** TIME = .209069E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2826E-05 OSCILLATION LIMIT = 22.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.47 CRITERION= .5929E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2094
 HT FLOW CONVERGENCE VALUE= .3031E-01 CRITERION= .5430E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 26 COMPLETED. CUM ITER = 855
 *** TIME = .209858E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2888E-05 OSCILLATION LIMIT = 22.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .5915E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2108
 HT FLOW CONVERGENCE VALUE= .3039E-01 CRITERION= .5411E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 27 COMPLETED. CUM ITER = 856
 *** TIME = .210647E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2825E-05 OSCILLATION LIMIT = 22.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.47 CRITERION= .5897E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2098
 HT FLOW CONVERGENCE VALUE= .3018E-01 CRITERION= .5395E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 28 COMPLETED. CUM ITER = 857
 *** TIME = .211436E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2889E-05 OSCILLATION LIMIT = 22.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .5883E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2111

HT FLOW CONVERGENCE VALUE= .3024E-01 CRITERION= .5377E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 29 COMPLETED. CUM ITER = 858
 *** TIME = .212225E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2825E-05 OSCILLATION LIMIT = 22.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.46 CRITERION= .5865E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2101
 HT FLOW CONVERGENCE VALUE= .3005E-01 CRITERION= .5361E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 30 COMPLETED. CUM ITER = 859
 *** TIME = .213014E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2889E-05 OSCILLATION LIMIT = 22.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .5852E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2114
 HT FLOW CONVERGENCE VALUE= .3010E-01 CRITERION= .5342E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 31 COMPLETED. CUM ITER = 860
 *** TIME = .213803E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2825E-05 OSCILLATION LIMIT = 22.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.46 CRITERION= .5834E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2105
 HT FLOW CONVERGENCE VALUE= .2991E-01 CRITERION= .5326E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 32 COMPLETED. CUM ITER = 861
 *** TIME = .214592E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2890E-05 OSCILLATION LIMIT = 22.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.50 CRITERION= .5820E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2117
 HT FLOW CONVERGENCE VALUE= .2996E-01 CRITERION= .5308E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 33 COMPLETED. CUM ITER = 862
 *** TIME = .215381E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2825E-05 OSCILLATION LIMIT = 22.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.45 CRITERION= .5802E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2109
 HT FLOW CONVERGENCE VALUE= .2980E-01 CRITERION= .5292E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 34 COMPLETED. CUM ITER = 863
 *** TIME = .216170E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2891E-05 OSCILLATION LIMIT = 22.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.50 CRITERION= .5788E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2121
 HT FLOW CONVERGENCE VALUE= .2990E-01 CRITERION= .5273E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 35 COMPLETED. CUM ITER = 864
 *** TIME = .216959E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2825E-05 OSCILLATION LIMIT = 22.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.45 CRITERION= .5770E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2113
 HT FLOW CONVERGENCE VALUE= .2976E-01 CRITERION= .5257E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 36 COMPLETED. CUM ITER = 865
 *** TIME = .217747E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2891E-05 OSCILLATION LIMIT = 22.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.49 CRITERION= .5757E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2124
 HT FLOW CONVERGENCE VALUE= .2984E-01 CRITERION= .5239E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 37 COMPLETED. CUM ITER = 866
 *** TIME = .218536E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2826E-05 OSCILLATION LIMIT = 22.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.45 CRITERION= .5739E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2117
 HT FLOW CONVERGENCE VALUE= .2973E-01 CRITERION= .5223E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 38 COMPLETED. CUM ITER = 867
 *** TIME = .219325E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2892E-05 OSCILLATION LIMIT = 22.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.49 CRITERION= .5725E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2127
 HT FLOW CONVERGENCE VALUE= .2971E-01 CRITERION= .5205E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 39 COMPLETED. CUM ITER = 868
 *** TIME = .220114E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2826E-05 OSCILLATION LIMIT = 22.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.44 CRITERION= .5707E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2120
 HT FLOW CONVERGENCE VALUE= .2956E-01 CRITERION= .5189E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 40 COMPLETED. CUM ITER = 869
 *** TIME = .220903E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2893E-05 OSCILLATION LIMIT = 22.83

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 00:40:37 MAR 27, 1995 CP= 73376.140
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5697E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1818
 HT FLOW CONVERGENCE VALUE= .2641E-01 CRITERION= .5173E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 1 COMPLETED. CUM ITER = 870
 *** TIME = .221692E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2297E-05 OSCILLATION LIMIT = 18.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .5682E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1816
 HT FLOW CONVERGENCE VALUE= .2618E-01 CRITERION= .5160E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 2 COMPLETED. CUM ITER = 871
 *** TIME = .222481E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2415E-05 OSCILLATION LIMIT = 19.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5671E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1834
 HT FLOW CONVERGENCE VALUE= .2630E-01 CRITERION= .5145E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 3 COMPLETED. CUM ITER = 872
 *** TIME = .223270E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2358E-05 OSCILLATION LIMIT = 18.61

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .5657E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1819
 HT FLOW CONVERGENCE VALUE= .2605E-01 CRITERION= .5132E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 4 COMPLETED. CUM ITER = 873
 *** TIME = .224059E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2416E-05 OSCILLATION LIMIT = 19.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5646E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1836
 HT FLOW CONVERGENCE VALUE= .2617E-01 CRITERION= .5117E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 5 COMPLETED. CUM ITER = 874
 *** TIME = .224848E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2359E-05 OSCILLATION LIMIT = 18.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .5631E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1822
 HT FLOW CONVERGENCE VALUE= .2597E-01 CRITERION= .5104E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 6 COMPLETED. CUM ITER = 875
 *** TIME = .225637E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2418E-05 OSCILLATION LIMIT = 19.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5620E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1838
 HT FLOW CONVERGENCE VALUE= .2608E-01 CRITERION= .5089E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 7 COMPLETED. CUM ITER = 876
 *** TIME = .226426E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2359E-05 OSCILLATION LIMIT = 18.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .5606E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1825
 HT FLOW CONVERGENCE VALUE= .2589E-01 CRITERION= .5076E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 8 COMPLETED. CUM ITER = 877
 *** TIME = .227215E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2419E-05 OSCILLATION LIMIT = 19.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5595E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1840
 HT FLOW CONVERGENCE VALUE= .2595E-01 CRITERION= .5061E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 9 COMPLETED. CUM ITER = 878
 *** TIME = .228004E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2359E-05 OSCILLATION LIMIT = 18.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .5580E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1828
 HT FLOW CONVERGENCE VALUE= .2576E-01 CRITERION= .5048E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 10 COMPLETED. CUM ITER = 879
 *** TIME = .228793E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2420E-05 OSCILLATION LIMIT = 19.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5570E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1843
 HT FLOW CONVERGENCE VALUE= .2581E-01 CRITERION= .5033E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 11 COMPLETED. CUM ITER = 880

```

*** TIME = .229582E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2359E-05    OSCILLATION LIMIT = 18.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.51    CRITERION= .5555E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1831
    HT FLOW CONVERGENCE VALUE= .2563E-01    CRITERION= .5020E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 12 COMPLETED.    CUM ITER = 881
*** TIME = .230370E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2421E-05    OSCILLATION LIMIT = 19.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.56    CRITERION= .5544E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1845
    HT FLOW CONVERGENCE VALUE= .2570E-01    CRITERION= .5005E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 13 COMPLETED.    CUM ITER = 882
*** TIME = .231159E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2359E-05    OSCILLATION LIMIT = 18.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.51    CRITERION= .5529E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1834
    HT FLOW CONVERGENCE VALUE= .2553E-01    CRITERION= .4992E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 14 COMPLETED.    CUM ITER = 883
*** TIME = .231948E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2422E-05    OSCILLATION LIMIT = 19.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.56    CRITERION= .5519E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1847
    HT FLOW CONVERGENCE VALUE= .2560E-01    CRITERION= .4977E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 15 COMPLETED.    CUM ITER = 884
*** TIME = .232737E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2359E-05    OSCILLATION LIMIT = 18.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.51    CRITERION= .5504E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1837
    HT FLOW CONVERGENCE VALUE= .2543E-01    CRITERION= .4964E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 16 COMPLETED.    CUM ITER = 885
*** TIME = .233526E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2422E-05    OSCILLATION LIMIT = 19.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.56    CRITERION= .5494E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1850
    HT FLOW CONVERGENCE VALUE= .2549E-01    CRITERION= .4949E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 17 COMPLETED.    CUM ITER = 886
*** TIME = .234315E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2359E-05    OSCILLATION LIMIT = 18.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.51    CRITERION= .5479E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1840
    HT FLOW CONVERGENCE VALUE= .2533E-01    CRITERION= .4936E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 18 COMPLETED.    CUM ITER = 887
*** TIME = .235104E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2423E-05    OSCILLATION LIMIT = 19.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.56    CRITERION= .5468E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1852
    HT FLOW CONVERGENCE VALUE= .2538E-01    CRITERION= .4921E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 19 COMPLETED. CUM ITER = 888
*** TIME = .235893E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2358E-05 OSCILLATION LIMIT = 18.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .5454E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1843
HT FLOW CONVERGENCE VALUE= .2523E-01 CRITERION= .4908E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 20 COMPLETED. CUM ITER = 889
*** TIME = .236682E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2423E-05 OSCILLATION LIMIT = 19.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5443E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1854
HT FLOW CONVERGENCE VALUE= .2528E-01 CRITERION= .4893E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 21 COMPLETED. CUM ITER = 890
*** TIME = .237471E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2358E-05 OSCILLATION LIMIT = 18.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .5428E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1846
HT FLOW CONVERGENCE VALUE= .2513E-01 CRITERION= .4880E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 22 COMPLETED. CUM ITER = 891
*** TIME = .238260E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2424E-05 OSCILLATION LIMIT = 19.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5418E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1857
HT FLOW CONVERGENCE VALUE= .2517E-01 CRITERION= .4865E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 23 COMPLETED. CUM ITER = 892
*** TIME = .239049E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2358E-05 OSCILLATION LIMIT = 18.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .5403E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1849
HT FLOW CONVERGENCE VALUE= .2503E-01 CRITERION= .4852E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 24 COMPLETED. CUM ITER = 893
*** TIME = .239838E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2424E-05 OSCILLATION LIMIT = 19.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5393E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1859
HT FLOW CONVERGENCE VALUE= .2507E-01 CRITERION= .4837E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 25 COMPLETED. CUM ITER = 894
*** TIME = .240627E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2358E-05 OSCILLATION LIMIT = 18.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .5378E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1852
HT FLOW CONVERGENCE VALUE= .2493E-01 CRITERION= .4824E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 26 COMPLETED. CUM ITER = 895
*** TIME = .241416E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2425E-05 OSCILLATION LIMIT = 19.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5367E-01

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1861
HT FLOW CONVERGENCE VALUE= .2496E-01 CRITERION= .4809E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 27 COMPLETED. CUM ITER = 896
*** TIME = .242205E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2358E-05 OSCILLATION LIMIT = 18.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .5353E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1854
HT FLOW CONVERGENCE VALUE= .2483E-01 CRITERION= .4796E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 28 COMPLETED. CUM ITER = 897
*** TIME = .242994E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2425E-05 OSCILLATION LIMIT = 19.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5342E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1863
HT FLOW CONVERGENCE VALUE= .2485E-01 CRITERION= .4781E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 29 COMPLETED. CUM ITER = 898
*** TIME = .243782E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2357E-05 OSCILLATION LIMIT = 18.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .5328E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1857
HT FLOW CONVERGENCE VALUE= .2473E-01 CRITERION= .4768E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 30 COMPLETED. CUM ITER = 899
*** TIME = .244571E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2425E-05 OSCILLATION LIMIT = 19.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5317E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1866
HT FLOW CONVERGENCE VALUE= .2475E-01 CRITERION= .4753E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 31 COMPLETED. CUM ITER = 900
*** TIME = .245360E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2357E-05 OSCILLATION LIMIT = 18.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .5302E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1860
HT FLOW CONVERGENCE VALUE= .2463E-01 CRITERION= .4740E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 32 COMPLETED. CUM ITER = 901
*** TIME = .246149E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2426E-05 OSCILLATION LIMIT = 19.14
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5292E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1868
HT FLOW CONVERGENCE VALUE= .2464E-01 CRITERION= .4725E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 33 COMPLETED. CUM ITER = 902
*** TIME = .246938E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2357E-05 OSCILLATION LIMIT = 18.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .5277E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1862
HT FLOW CONVERGENCE VALUE= .2453E-01 CRITERION= .4712E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 34 COMPLETED. CUM ITER = 903
*** TIME = .247727E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2426E-05 OSCILLATION LIMIT = 19.14
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5267E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1870
 HT FLOW CONVERGENCE VALUE= .2454E-01 CRITERION= .4697E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 35 COMPLETED. CUM ITER = 904
 *** TIME = .248516E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2357E-05 OSCILLATION LIMIT = 18.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .5252E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1865
 HT FLOW CONVERGENCE VALUE= .2442E-01 CRITERION= .4684E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 36 COMPLETED. CUM ITER = 905
 *** TIME = .249305E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2426E-05 OSCILLATION LIMIT = 19.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5242E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1872
 HT FLOW CONVERGENCE VALUE= .2443E-01 CRITERION= .4669E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 37 COMPLETED. CUM ITER = 906
 *** TIME = .250094E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2357E-05 OSCILLATION LIMIT = 18.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .5227E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1868
 HT FLOW CONVERGENCE VALUE= .2432E-01 CRITERION= .4656E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 38 COMPLETED. CUM ITER = 907
 *** TIME = .250883E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2426E-05 OSCILLATION LIMIT = 19.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5217E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1875
 HT FLOW CONVERGENCE VALUE= .2432E-01 CRITERION= .4641E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 39 COMPLETED. CUM ITER = 908
 *** TIME = .251672E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2357E-05 OSCILLATION LIMIT = 18.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .5202E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1870
 HT FLOW CONVERGENCE VALUE= .2422E-01 CRITERION= .4628E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 40 COMPLETED. CUM ITER = 909
 *** TIME = .252461E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2427E-05 OSCILLATION LIMIT = 19.14

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 02:04:29 MAR 27, 1995 CP= 76999.830
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4966E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1444
 HT FLOW CONVERGENCE VALUE= .1870E-01 CRITERION= .4616E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 1 COMPLETED. CUM ITER = 910
 *** TIME = .253250E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .2353E-05 OSCILLATION LIMIT = 18.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4953E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1456
 HT FLOW CONVERGENCE VALUE= .1869E-01 CRITERION= .4606E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 2 COMPLETED. CUM ITER = 911
 *** TIME = .254039E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2500E-05 OSCILLATION LIMIT = 19.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4945E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1476
 HT FLOW CONVERGENCE VALUE= .1885E-01 CRITERION= .4593E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 3 COMPLETED. CUM ITER = 912
 *** TIME = .254828E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2427E-05 OSCILLATION LIMIT = 19.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4933E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1458
 HT FLOW CONVERGENCE VALUE= .1863E-01 CRITERION= .4584E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 4 COMPLETED. CUM ITER = 913
 *** TIME = .255617E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2495E-05 OSCILLATION LIMIT = 19.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4924E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1476
 HT FLOW CONVERGENCE VALUE= .1878E-01 CRITERION= .4571E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 5 COMPLETED. CUM ITER = 914
 *** TIME = .256406E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2426E-05 OSCILLATION LIMIT = 19.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4912E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1460
 HT FLOW CONVERGENCE VALUE= .1857E-01 CRITERION= .4562E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 6 COMPLETED. CUM ITER = 915
 *** TIME = .257194E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2496E-05 OSCILLATION LIMIT = 19.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4904E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1478
 HT FLOW CONVERGENCE VALUE= .1871E-01 CRITERION= .4549E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 7 COMPLETED. CUM ITER = 916
 *** TIME = .257983E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2425E-05 OSCILLATION LIMIT = 19.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4891E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1462
 HT FLOW CONVERGENCE VALUE= .1851E-01 CRITERION= .4540E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 8 COMPLETED. CUM ITER = 917
 *** TIME = .258772E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2497E-05 OSCILLATION LIMIT = 19.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4883E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1479
 HT FLOW CONVERGENCE VALUE= .1864E-01 CRITERION= .4527E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 9 COMPLETED. CUM ITER = 918
 *** TIME = .259561E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2424E-05 OSCILLATION LIMIT = 19.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4871E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1464
 HT FLOW CONVERGENCE VALUE= .1845E-01 CRITERION= .4517E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 10 COMPLETED. CUM ITER = 919
 *** TIME = .260350E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2498E-05 OSCILLATION LIMIT = 19.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4863E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1480
 HT FLOW CONVERGENCE VALUE= .1857E-01 CRITERION= .4505E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 11 COMPLETED. CUM ITER = 920
 *** TIME = .261139E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2424E-05 OSCILLATION LIMIT = 19.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4850E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1466
 HT FLOW CONVERGENCE VALUE= .1839E-01 CRITERION= .4495E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 12 COMPLETED. CUM ITER = 921
 *** TIME = .261928E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2498E-05 OSCILLATION LIMIT = 19.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4842E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1481
 HT FLOW CONVERGENCE VALUE= .1850E-01 CRITERION= .4483E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 13 COMPLETED. CUM ITER = 922
 *** TIME = .262717E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2423E-05 OSCILLATION LIMIT = 19.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4830E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1468
 HT FLOW CONVERGENCE VALUE= .1833E-01 CRITERION= .4473E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 14 COMPLETED. CUM ITER = 923
 *** TIME = .263506E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2499E-05 OSCILLATION LIMIT = 19.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4822E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1482
 HT FLOW CONVERGENCE VALUE= .1843E-01 CRITERION= .4461E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 15 COMPLETED. CUM ITER = 924
 *** TIME = .264295E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2422E-05 OSCILLATION LIMIT = 19.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4810E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1470
 HT FLOW CONVERGENCE VALUE= .1827E-01 CRITERION= .4451E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 16 COMPLETED. CUM ITER = 925
 *** TIME = .265084E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2500E-05 OSCILLATION LIMIT = 19.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4801E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1483

HT FLOW CONVERGENCE VALUE= .1836E-01 CRITERION= .4439E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 17 COMPLETED. CUM ITER = 926
 *** TIME = .265873E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2422E-05 OSCILLATION LIMIT = 19.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4789E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1472
 HT FLOW CONVERGENCE VALUE= .1821E-01 CRITERION= .4429E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 18 COMPLETED. CUM ITER = 927
 *** TIME = .266662E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2500E-05 OSCILLATION LIMIT = 19.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4781E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1484
 HT FLOW CONVERGENCE VALUE= .1829E-01 CRITERION= .4417E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 19 COMPLETED. CUM ITER = 928
 *** TIME = .267451E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2421E-05 OSCILLATION LIMIT = 19.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4769E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1473
 HT FLOW CONVERGENCE VALUE= .1814E-01 CRITERION= .4407E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 20 COMPLETED. CUM ITER = 929
 *** TIME = .268240E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2501E-05 OSCILLATION LIMIT = 19.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4760E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1485
 HT FLOW CONVERGENCE VALUE= .1822E-01 CRITERION= .4395E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 21 COMPLETED. CUM ITER = 930
 *** TIME = .269029E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2421E-05 OSCILLATION LIMIT = 19.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4748E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1475
 HT FLOW CONVERGENCE VALUE= .1808E-01 CRITERION= .4385E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 22 COMPLETED. CUM ITER = 931
 *** TIME = .269817E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2501E-05 OSCILLATION LIMIT = 19.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4740E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1487
 HT FLOW CONVERGENCE VALUE= .1815E-01 CRITERION= .4373E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 23 COMPLETED. CUM ITER = 932
 *** TIME = .270606E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2420E-05 OSCILLATION LIMIT = 19.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4728E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1477
 HT FLOW CONVERGENCE VALUE= .1802E-01 CRITERION= .4363E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 24 COMPLETED. CUM ITER = 933
 *** TIME = .271395E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2502E-05 OSCILLATION LIMIT = 19.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4720E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1488
 HT FLOW CONVERGENCE VALUE= .1808E-01 CRITERION= .4351E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 25 COMPLETED. CUM ITER = 934
 *** TIME = .272184E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2420E-05 OSCILLATION LIMIT = 19.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4707E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1479
 HT FLOW CONVERGENCE VALUE= .1795E-01 CRITERION= .4341E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 26 COMPLETED. CUM ITER = 935
 *** TIME = .272973E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2502E-05 OSCILLATION LIMIT = 19.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4699E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1489
 HT FLOW CONVERGENCE VALUE= .1801E-01 CRITERION= .4329E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 27 COMPLETED. CUM ITER = 936
 *** TIME = .273762E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2419E-05 OSCILLATION LIMIT = 19.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4687E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1481
 HT FLOW CONVERGENCE VALUE= .1789E-01 CRITERION= .4319E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 28 COMPLETED. CUM ITER = 937
 *** TIME = .274551E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2503E-05 OSCILLATION LIMIT = 19.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4679E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1491
 HT FLOW CONVERGENCE VALUE= .1794E-01 CRITERION= .4307E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 29 COMPLETED. CUM ITER = 938
 *** TIME = .275340E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2419E-05 OSCILLATION LIMIT = 19.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4667E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1483
 HT FLOW CONVERGENCE VALUE= .1782E-01 CRITERION= .4297E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 30 COMPLETED. CUM ITER = 939
 *** TIME = .276129E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2503E-05 OSCILLATION LIMIT = 19.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4658E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1492
 HT FLOW CONVERGENCE VALUE= .1787E-01 CRITERION= .4284E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 31 COMPLETED. CUM ITER = 940
 *** TIME = .276918E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2419E-05 OSCILLATION LIMIT = 19.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4646E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1485
 HT FLOW CONVERGENCE VALUE= .1776E-01 CRITERION= .4275E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 32 COMPLETED. CUM ITER = 941
 *** TIME = .277707E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2503E-05 OSCILLATION LIMIT = 19.75

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4638E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1493
 HT FLOW CONVERGENCE VALUE= .1780E-01 CRITERION= .4262E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 33 COMPLETED. CUM ITER = 942
 *** TIME = .278496E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2418E-05 OSCILLATION LIMIT = 19.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4626E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1487
 HT FLOW CONVERGENCE VALUE= .1769E-01 CRITERION= .4253E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 34 COMPLETED. CUM ITER = 943
 *** TIME = .279285E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2504E-05 OSCILLATION LIMIT = 19.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4618E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1495
 HT FLOW CONVERGENCE VALUE= .1773E-01 CRITERION= .4240E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 35 COMPLETED. CUM ITER = 944
 *** TIME = .280074E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2418E-05 OSCILLATION LIMIT = 19.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4606E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1488
 HT FLOW CONVERGENCE VALUE= .1763E-01 CRITERION= .4231E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 36 COMPLETED. CUM ITER = 945
 *** TIME = .280863E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2504E-05 OSCILLATION LIMIT = 19.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4597E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1496
 HT FLOW CONVERGENCE VALUE= .1766E-01 CRITERION= .4218E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 37 COMPLETED. CUM ITER = 946
 *** TIME = .281652E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2418E-05 OSCILLATION LIMIT = 19.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4585E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1490
 HT FLOW CONVERGENCE VALUE= .1756E-01 CRITERION= .4208E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 38 COMPLETED. CUM ITER = 947
 *** TIME = .282441E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2504E-05 OSCILLATION LIMIT = 19.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.03 CRITERION= .4577E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1497
 HT FLOW CONVERGENCE VALUE= .1759E-01 CRITERION= .4196E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 39 COMPLETED. CUM ITER = 948
 *** TIME = .283229E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2418E-05 OSCILLATION LIMIT = 19.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.98 CRITERION= .4565E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1492
 HT FLOW CONVERGENCE VALUE= .1750E-01 CRITERION= .4186E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 40 COMPLETED. CUM ITER = 949

*** TIME = .284018E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2504E-05 OSCILLATION LIMIT = 19.76
 Apply loads and solve for 100 to 1000 years

*DO LOOP ON PARAMETER= TM FROM .31558E+10 TO .31558E+11 BY .31558E+10

TIME= .31558E+10

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 1228.89062 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 93.383 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP
 VALUES = 93.614 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
 LOAD LABELS = TEMP
 VALUES = 94.088 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
 CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 80580.520 TIME= 03:23:02
 Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
 procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 03:23:02 MAR 27, 1995 CP= 80580.520
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 31
 TIME AT END OF THE LOAD STEP.31558E+10
 AUTOMATIC TIME STEPPING ON
 INITIAL NUMBER OF SUBSTEPS 10
 MAXIMUM NUMBER OF SUBSTEPS 40
 MINIMUM NUMBER OF SUBSTEPS 4
 START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
 MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25

STEP CHANGE BOUNDARY CONDITIONS NO
 TRANSIENT (INERTIA) EFFECTS
 THERMAL DOFS ON
 TRANSIENT INTEGRATION PARAMETERS
 THETA.50000
 OSCILLATION LIMIT CRITERION.50000
 TOLERANCE.20000
 TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
 CONVERGENCE CONTROLS.USE DEFAULTS
 PRINT OUTPUT CONTROLSNO PRINTOUT
 DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
 FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4454E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1289
 HT FLOW CONVERGENCE VALUE= .1505E-01 CRITERION= .4175E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 1 COMPLETED. CUM ITER = 950
 *** TIME = .284807E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2458E-05 OSCILLATION LIMIT = 19.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4443E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1291
 HT FLOW CONVERGENCE VALUE= .1499E-01 CRITERION= .4167E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 2 COMPLETED. CUM ITER = 951
 *** TIME = .285596E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2588E-05 OSCILLATION LIMIT = 20.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4436E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1304
 HT FLOW CONVERGENCE VALUE= .1509E-01 CRITERION= .4156E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 3 COMPLETED. CUM ITER = 952
 *** TIME = .286385E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2495E-05 OSCILLATION LIMIT = 19.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4425E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1293
 HT FLOW CONVERGENCE VALUE= .1495E-01 CRITERION= .4148E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 4 COMPLETED. CUM ITER = 953
 *** TIME = .287174E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2586E-05 OSCILLATION LIMIT = 20.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4418E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1305
 HT FLOW CONVERGENCE VALUE= .1503E-01 CRITERION= .4137E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 5 COMPLETED. CUM ITER = 954
 *** TIME = .287963E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2494E-05 OSCILLATION LIMIT = 19.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4407E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1294
 HT FLOW CONVERGENCE VALUE= .1490E-01 CRITERION= .4128E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 6 COMPLETED. CUM ITER = 955
 *** TIME = .288752E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2587E-05 OSCILLATION LIMIT = 20.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4399E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1306

HT FLOW CONVERGENCE VALUE= .1498E-01 CRITERION= .4117E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 7 COMPLETED. CUM ITER = 956
 *** TIME = .289541E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2494E-05 OSCILLATION LIMIT = 19.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4388E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1296
 HT FLOW CONVERGENCE VALUE= .1485E-01 CRITERION= .4109E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 8 COMPLETED. CUM ITER = 957
 *** TIME = .290330E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2587E-05 OSCILLATION LIMIT = 20.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4381E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1307
 HT FLOW CONVERGENCE VALUE= .1492E-01 CRITERION= .4098E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 9 COMPLETED. CUM ITER = 958
 *** TIME = .291119E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2493E-05 OSCILLATION LIMIT = 19.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4370E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1297
 HT FLOW CONVERGENCE VALUE= .1480E-01 CRITERION= .4090E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 10 COMPLETED. CUM ITER = 959
 *** TIME = .291908E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2588E-05 OSCILLATION LIMIT = 20.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4363E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1308
 HT FLOW CONVERGENCE VALUE= .1487E-01 CRITERION= .4079E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 11 COMPLETED. CUM ITER = 960
 *** TIME = .292697E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2493E-05 OSCILLATION LIMIT = 19.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4352E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1299
 HT FLOW CONVERGENCE VALUE= .1475E-01 CRITERION= .4070E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 12 COMPLETED. CUM ITER = 961
 *** TIME = .293486E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2588E-05 OSCILLATION LIMIT = 20.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4345E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1309
 HT FLOW CONVERGENCE VALUE= .1481E-01 CRITERION= .4060E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 13 COMPLETED. CUM ITER = 962
 *** TIME = .294275E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2492E-05 OSCILLATION LIMIT = 19.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4334E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1300
 HT FLOW CONVERGENCE VALUE= .1470E-01 CRITERION= .4051E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 14 COMPLETED. CUM ITER = 963
 *** TIME = .295064E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2588E-05 OSCILLATION LIMIT = 20.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4327E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1310
 HT FLOW CONVERGENCE VALUE= .1476E-01 CRITERION= .4040E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 15 COMPLETED. CUM ITER = 964
 *** TIME = .295853E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2492E-05 OSCILLATION LIMIT = 19.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4316E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1302
 HT FLOW CONVERGENCE VALUE= .1465E-01 CRITERION= .4032E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 16 COMPLETED. CUM ITER = 965
 *** TIME = .296641E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2589E-05 OSCILLATION LIMIT = 20.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4309E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1311
 HT FLOW CONVERGENCE VALUE= .1470E-01 CRITERION= .4021E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 17 COMPLETED. CUM ITER = 966
 *** TIME = .297430E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2491E-05 OSCILLATION LIMIT = 19.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4298E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1303
 HT FLOW CONVERGENCE VALUE= .1460E-01 CRITERION= .4013E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 18 COMPLETED. CUM ITER = 967
 *** TIME = .298219E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2589E-05 OSCILLATION LIMIT = 20.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4291E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1312
 HT FLOW CONVERGENCE VALUE= .1465E-01 CRITERION= .4002E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 19 COMPLETED. CUM ITER = 968
 *** TIME = .299008E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2491E-05 OSCILLATION LIMIT = 19.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4280E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1305
 HT FLOW CONVERGENCE VALUE= .1455E-01 CRITERION= .3993E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 20 COMPLETED. CUM ITER = 969
 *** TIME = .299797E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2589E-05 OSCILLATION LIMIT = 20.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4273E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1313
 HT FLOW CONVERGENCE VALUE= .1460E-01 CRITERION= .3982E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 21 COMPLETED. CUM ITER = 970
 *** TIME = .300586E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2491E-05 OSCILLATION LIMIT = 19.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4262E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1306
 HT FLOW CONVERGENCE VALUE= .1450E-01 CRITERION= .3974E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 22 COMPLETED. CUM ITER = 971
 *** TIME = .301375E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2590E-05 OSCILLATION LIMIT = 20.43

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4255E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1314
 HT FLOW CONVERGENCE VALUE= .1454E-01 CRITERION= .3963E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 23 COMPLETED. CUM ITER = 972
 *** TIME = .302164E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2490E-05 OSCILLATION LIMIT = 19.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4244E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1308
 HT FLOW CONVERGENCE VALUE= .1445E-01 CRITERION= .3955E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 24 COMPLETED. CUM ITER = 973
 *** TIME = .302953E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2590E-05 OSCILLATION LIMIT = 20.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4237E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1315
 HT FLOW CONVERGENCE VALUE= .1449E-01 CRITERION= .3944E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 25 COMPLETED. CUM ITER = 974
 *** TIME = .303742E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2490E-05 OSCILLATION LIMIT = 19.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4226E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1309
 HT FLOW CONVERGENCE VALUE= .1440E-01 CRITERION= .3935E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 26 COMPLETED. CUM ITER = 975
 *** TIME = .304531E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2590E-05 OSCILLATION LIMIT = 20.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4219E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1316
 HT FLOW CONVERGENCE VALUE= .1443E-01 CRITERION= .3924E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 27 COMPLETED. CUM ITER = 976
 *** TIME = .305320E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2490E-05 OSCILLATION LIMIT = 19.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4208E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1311
 HT FLOW CONVERGENCE VALUE= .1435E-01 CRITERION= .3916E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 28 COMPLETED. CUM ITER = 977
 *** TIME = .306109E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2590E-05 OSCILLATION LIMIT = 20.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4201E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1317
 HT FLOW CONVERGENCE VALUE= .1438E-01 CRITERION= .3905E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 29 COMPLETED. CUM ITER = 978
 *** TIME = .306898E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2489E-05 OSCILLATION LIMIT = 19.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4190E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1312
 HT FLOW CONVERGENCE VALUE= .1430E-01 CRITERION= .3897E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 30 COMPLETED. CUM ITER = 979


```

*** TIME = .307687E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2591E-05    OSCILLATION LIMIT = 20.44
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.24    CRITERION= .4183E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1318
    HT FLOW CONVERGENCE VALUE= .1432E-01    CRITERION= .3886E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 31 COMPLETED.    CUM ITER = 980
*** TIME = .308476E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2489E-05    OSCILLATION LIMIT = 19.64
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.19    CRITERION= .4172E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1314
    HT FLOW CONVERGENCE VALUE= .1425E-01    CRITERION= .3877E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 32 COMPLETED.    CUM ITER = 981
*** TIME = .309264E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2591E-05    OSCILLATION LIMIT = 20.44
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.24    CRITERION= .4165E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1319
    HT FLOW CONVERGENCE VALUE= .1427E-01    CRITERION= .3866E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 33 COMPLETED.    CUM ITER = 982
*** TIME = .310053E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2489E-05    OSCILLATION LIMIT = 19.64
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.19    CRITERION= .4154E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1315
    HT FLOW CONVERGENCE VALUE= .1419E-01    CRITERION= .3858E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 34 COMPLETED.    CUM ITER = 983
*** TIME = .310842E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2591E-05    OSCILLATION LIMIT = 20.44
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.24    CRITERION= .4147E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1320
    HT FLOW CONVERGENCE VALUE= .1421E-01    CRITERION= .3847E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 35 COMPLETED.    CUM ITER = 984
*** TIME = .311631E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2489E-05    OSCILLATION LIMIT = 19.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.19    CRITERION= .4136E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1317
    HT FLOW CONVERGENCE VALUE= .1414E-01    CRITERION= .3839E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 36 COMPLETED.    CUM ITER = 985
*** TIME = .312420E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2591E-05    OSCILLATION LIMIT = 20.44
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.24    CRITERION= .4129E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1321
    HT FLOW CONVERGENCE VALUE= .1416E-01    CRITERION= .3828E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 37 COMPLETED.    CUM ITER = 986
*** TIME = .313209E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2488E-05    OSCILLATION LIMIT = 19.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 15.19    CRITERION= .4118E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1318
    HT FLOW CONVERGENCE VALUE= .1409E-01    CRITERION= .3819E-01 <<< CONVERGED

```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 38 COMPLETED. CUM ITER = 987
*** TIME = .313998E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2591E-05 OSCILLATION LIMIT = 20.44
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.24 CRITERION= .4111E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1323
HT FLOW CONVERGENCE VALUE= .1410E-01 CRITERION= .3809E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 39 COMPLETED. CUM ITER = 988
*** TIME = .314787E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2488E-05 OSCILLATION LIMIT = 19.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.19 CRITERION= .4100E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1319
HT FLOW CONVERGENCE VALUE= .1404E-01 CRITERION= .3800E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 40 COMPLETED. CUM ITER = 989
*** TIME = .315576E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2591E-05 OSCILLATION LIMIT = 20.44
```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 04:42:20 MAR 27, 1995 CP= 84161.160
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 80.79 CRITERION= .8926E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6290
HT FLOW CONVERGENCE VALUE= .6704E-01 CRITERION= .3760E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3799E-01
HT FLOW CONVERGENCE VALUE= .2557E-02 CRITERION= .3757E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 1 COMPLETED. CUM ITER = 991
*** TIME = .323465E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .1995E-05 OSCILLATION LIMIT = 157.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.74 CRITERION= .8905E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6360
HT FLOW CONVERGENCE VALUE= .6663E-01 CRITERION= .3720E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3786E-01
HT FLOW CONVERGENCE VALUE= .2514E-02 CRITERION= .3717E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 2 COMPLETED. CUM ITER = 993
*** TIME = .331355E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2068E-05 OSCILLATION LIMIT = 163.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.79 CRITERION= .8891E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6398
HT FLOW CONVERGENCE VALUE= .6619E-01 CRITERION= .3678E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3763E-01
HT FLOW CONVERGENCE VALUE= .2459E-02 CRITERION= .3675E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 3 COMPLETED. CUM ITER = 995
*** TIME = .339244E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2056E-05 OSCILLATION LIMIT = 162.2
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 80.75 CRITERION= .8871E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6381
```

HT FLOW CONVERGENCE VALUE= .6716E-01 CRITERION= .3638E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3731E-01
 HT FLOW CONVERGENCE VALUE= .2418E-02 CRITERION= .3635E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 4 COMPLETED. CUM ITER = 997
 *** TIME = .347134E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2070E-05 OSCILLATION LIMIT = 163.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.80 CRITERION= .8857E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6419
 HT FLOW CONVERGENCE VALUE= .6860E-01 CRITERION= .3596E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3706E-01
 HT FLOW CONVERGENCE VALUE= .2361E-02 CRITERION= .3593E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 5 COMPLETED. CUM ITER = 999
 *** TIME = .355023E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2058E-05 OSCILLATION LIMIT = 162.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.75 CRITERION= .8838E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6402
 HT FLOW CONVERGENCE VALUE= .6884E-01 CRITERION= .3556E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3674E-01
 HT FLOW CONVERGENCE VALUE= .2322E-02 CRITERION= .3553E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 6 COMPLETED. CUM ITER = 1001
 *** TIME = .362912E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2072E-05 OSCILLATION LIMIT = 163.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.80 CRITERION= .8824E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6440
 HT FLOW CONVERGENCE VALUE= .6885E-01 CRITERION= .3513E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3651E-01
 HT FLOW CONVERGENCE VALUE= .2271E-02 CRITERION= .3511E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 7 COMPLETED. CUM ITER = 1003
 *** TIME = .370802E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2059E-05 OSCILLATION LIMIT = 162.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.75 CRITERION= .8805E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6423
 HT FLOW CONVERGENCE VALUE= .6799E-01 CRITERION= .3474E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3619E-01
 HT FLOW CONVERGENCE VALUE= .2236E-02 CRITERION= .3471E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 8 COMPLETED. CUM ITER = 1005
 *** TIME = .378691E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2073E-05 OSCILLATION LIMIT = 163.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.80 CRITERION= .8792E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6461
 HT FLOW CONVERGENCE VALUE= .6756E-01 CRITERION= .3431E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3596E-01
 HT FLOW CONVERGENCE VALUE= .2186E-02 CRITERION= .3429E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 9 COMPLETED. CUM ITER = 1007
 *** TIME = .386581E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2060E-05 OSCILLATION LIMIT = 162.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.75 CRITERION= .8773E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6444
 HT FLOW CONVERGENCE VALUE= .6670E-01 CRITERION= .3392E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3564E-01
 HT FLOW CONVERGENCE VALUE= .2150E-02 CRITERION= .3389E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

```

*** LOAD STEP 32 SUBSTEP 10 COMPLETED. CUM ITER = 1009
*** TIME = .394470E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2074E-05 OSCILLATION LIMIT = 163.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.80 CRITERION= .8760E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6483
HT FLOW CONVERGENCE VALUE= .6625E-01 CRITERION= .3349E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3540E-01
HT FLOW CONVERGENCE VALUE= .2101E-02 CRITERION= .3346E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 11 COMPLETED. CUM ITER = 1011
*** TIME = .402359E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2062E-05 OSCILLATION LIMIT = 162.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.76 CRITERION= .8741E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6466
HT FLOW CONVERGENCE VALUE= .6539E-01 CRITERION= .3309E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3508E-01
HT FLOW CONVERGENCE VALUE= .2066E-02 CRITERION= .3307E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 12 COMPLETED. CUM ITER = 1013
*** TIME = .410249E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2075E-05 OSCILLATION LIMIT = 163.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.81 CRITERION= .8729E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6505
HT FLOW CONVERGENCE VALUE= .6493E-01 CRITERION= .3267E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3483E-01
HT FLOW CONVERGENCE VALUE= .2017E-02 CRITERION= .3264E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 13 COMPLETED. CUM ITER = 1015
*** TIME = .418138E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2063E-05 OSCILLATION LIMIT = 162.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.76 CRITERION= .8711E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6488
HT FLOW CONVERGENCE VALUE= .6407E-01 CRITERION= .3227E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3450E-01
HT FLOW CONVERGENCE VALUE= .1982E-02 CRITERION= .3225E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 14 COMPLETED. CUM ITER = 1017
*** TIME = .426028E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2076E-05 OSCILLATION LIMIT = 163.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.81 CRITERION= .8698E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6527
HT FLOW CONVERGENCE VALUE= .6360E-01 CRITERION= .3185E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3425E-01
HT FLOW CONVERGENCE VALUE= .1935E-02 CRITERION= .3182E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 15 COMPLETED. CUM ITER = 1019
*** TIME = .433917E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2064E-05 OSCILLATION LIMIT = 162.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.76 CRITERION= .8680E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6510
HT FLOW CONVERGENCE VALUE= .6273E-01 CRITERION= .3145E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3392E-01
HT FLOW CONVERGENCE VALUE= .1900E-02 CRITERION= .3143E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 16 COMPLETED. CUM ITER = 1021
*** TIME = .441806E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2077E-05 OSCILLATION LIMIT = 163.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 80.81 CRITERION= .8668E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6549
 HT FLOW CONVERGENCE VALUE= .6226E-01 CRITERION= .3103E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3366E-01
 HT FLOW CONVERGENCE VALUE= .1853E-02 CRITERION= .3100E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 17 COMPLETED. CUM ITER = 1023
 *** TIME = .449696E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2065E-05 OSCILLATION LIMIT = 162.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.76 CRITERION= .8651E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6533
 HT FLOW CONVERGENCE VALUE= .6139E-01 CRITERION= .3063E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3332E-01
 HT FLOW CONVERGENCE VALUE= .1818E-02 CRITERION= .3061E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 18 COMPLETED. CUM ITER = 1025
 *** TIME = .457585E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2078E-05 OSCILLATION LIMIT = 163.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.81 CRITERION= .8639E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6572
 HT FLOW CONVERGENCE VALUE= .6090E-01 CRITERION= .3021E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3305E-01
 HT FLOW CONVERGENCE VALUE= .1772E-02 CRITERION= .3018E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 19 COMPLETED. CUM ITER = 1027
 *** TIME = .465475E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2066E-05 OSCILLATION LIMIT = 163.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.77 CRITERION= .8622E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6556
 HT FLOW CONVERGENCE VALUE= .6003E-01 CRITERION= .2981E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3271E-01
 HT FLOW CONVERGENCE VALUE= .1738E-02 CRITERION= .2978E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 20 COMPLETED. CUM ITER = 1029
 *** TIME = .473364E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2079E-05 OSCILLATION LIMIT = 164.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.82 CRITERION= .8611E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6595
 HT FLOW CONVERGENCE VALUE= .5953E-01 CRITERION= .2938E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3244E-01
 HT FLOW CONVERGENCE VALUE= .1692E-02 CRITERION= .2936E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 21 COMPLETED. CUM ITER = 1031
 *** TIME = .481253E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2067E-05 OSCILLATION LIMIT = 163.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.77 CRITERION= .8594E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6579
 HT FLOW CONVERGENCE VALUE= .5866E-01 CRITERION= .2899E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3209E-01
 HT FLOW CONVERGENCE VALUE= .1658E-02 CRITERION= .2896E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 22 COMPLETED. CUM ITER = 1033
 *** TIME = .489143E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2080E-05 OSCILLATION LIMIT = 164.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.82 CRITERION= .8583E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6618
 HT FLOW CONVERGENCE VALUE= .5815E-01 CRITERION= .2856E-01

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3181E-01
 HT FLOW CONVERGENCE VALUE= .1614E-02 CRITERION= .2854E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 23 COMPLETED. CUM ITER = 1035
 *** TIME = .497032E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2068E-05 OSCILLATION LIMIT = 163.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.77 CRITERION= .8567E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6602
 HT FLOW CONVERGENCE VALUE= .5728E-01 CRITERION= .2817E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3146E-01
 HT FLOW CONVERGENCE VALUE= .1580E-02 CRITERION= .2814E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 24 COMPLETED. CUM ITER = 1037
 *** TIME = .504922E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2081E-05 OSCILLATION LIMIT = 164.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.82 CRITERION= .8556E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6642
 HT FLOW CONVERGENCE VALUE= .5676E-01 CRITERION= .2774E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3118E-01
 HT FLOW CONVERGENCE VALUE= .1536E-02 CRITERION= .2772E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 25 COMPLETED. CUM ITER = 1039
 *** TIME = .512811E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2069E-05 OSCILLATION LIMIT = 163.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.78 CRITERION= .8540E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6626
 HT FLOW CONVERGENCE VALUE= .5588E-01 CRITERION= .2735E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3082E-01
 HT FLOW CONVERGENCE VALUE= .1503E-02 CRITERION= .2732E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 26 COMPLETED. CUM ITER = 1041
 *** TIME = .520700E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2082E-05 OSCILLATION LIMIT = 164.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.82 CRITERION= .8530E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6665
 HT FLOW CONVERGENCE VALUE= .5535E-01 CRITERION= .2692E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3052E-01
 HT FLOW CONVERGENCE VALUE= .1460E-02 CRITERION= .2690E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 27 COMPLETED. CUM ITER = 1043
 *** TIME = .528590E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2071E-05 OSCILLATION LIMIT = 163.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.78 CRITERION= .8514E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6650
 HT FLOW CONVERGENCE VALUE= .5447E-01 CRITERION= .2652E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3016E-01
 HT FLOW CONVERGENCE VALUE= .1427E-02 CRITERION= .2650E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 28 COMPLETED. CUM ITER = 1045
 *** TIME = .536479E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .2083E-05 OSCILLATION LIMIT = 164.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.83 CRITERION= .8504E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6690
 HT FLOW CONVERGENCE VALUE= .5393E-01 CRITERION= .2610E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2986E-01
 HT FLOW CONVERGENCE VALUE= .1385E-02 CRITERION= .2608E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 29 COMPLETED. CUM ITER = 1047

```

*** TIME = .544369E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2072E-05    OSCILLATION LIMIT = 163.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 80.78    CRITERION= .8489E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6674
    HT FLOW CONVERGENCE VALUE= .5305E-01    CRITERION= .2570E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2949E-01
    HT FLOW CONVERGENCE VALUE= .1352E-02    CRITERION= .2568E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 30 COMPLETED.    CUM ITER = 1049
*** TIME = .552258E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2083E-05    OSCILLATION LIMIT = 164.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 80.83    CRITERION= .8479E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6714
    HT FLOW CONVERGENCE VALUE= .5249E-01    CRITERION= .2528E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2918E-01
    HT FLOW CONVERGENCE VALUE= .1311E-02    CRITERION= .2526E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 31 COMPLETED.    CUM ITER = 1051
*** TIME = .560147E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2073E-05    OSCILLATION LIMIT = 163.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 80.78    CRITERION= .8464E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6698
    HT FLOW CONVERGENCE VALUE= .5161E-01    CRITERION= .2488E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2881E-01
    HT FLOW CONVERGENCE VALUE= .1279E-02    CRITERION= .2486E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 32 COMPLETED.    CUM ITER = 1053
*** TIME = .568037E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2084E-05    OSCILLATION LIMIT = 164.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 80.83    CRITERION= .8455E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6739
    HT FLOW CONVERGENCE VALUE= .5105E-01    CRITERION= .2446E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2849E-01
    HT FLOW CONVERGENCE VALUE= .1239E-02    CRITERION= .2444E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 33 COMPLETED.    CUM ITER = 1055
*** TIME = .575926E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2074E-05    OSCILLATION LIMIT = 163.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 80.79    CRITERION= .8440E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6723
    HT FLOW CONVERGENCE VALUE= .5016E-01    CRITERION= .2406E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2811E-01
    HT FLOW CONVERGENCE VALUE= .1207E-02    CRITERION= .2404E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 34 COMPLETED.    CUM ITER = 1057
*** TIME = .583816E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2085E-05    OSCILLATION LIMIT = 164.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 80.83    CRITERION= .8431E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6764
    HT FLOW CONVERGENCE VALUE= .4958E-01    CRITERION= .2364E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2779E-01
    HT FLOW CONVERGENCE VALUE= .1167E-02    CRITERION= .2361E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 35 COMPLETED.    CUM ITER = 1059
*** TIME = .591705E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2075E-05    OSCILLATION LIMIT = 163.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08    UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 80.79 CRITERION= .8417E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6748
HT FLOW CONVERGENCE VALUE= .4869E-01 CRITERION= .2324E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2740E-01
HT FLOW CONVERGENCE VALUE= .1136E-02 CRITERION= .2322E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 36 COMPLETED. CUM ITER = 1061
*** TIME = .599594E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2086E-05 OSCILLATION LIMIT = 164.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.84 CRITERION= .8408E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6789
HT FLOW CONVERGENCE VALUE= .4810E-01 CRITERION= .2281E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2707E-01
HT FLOW CONVERGENCE VALUE= .1098E-02 CRITERION= .2279E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 37 COMPLETED. CUM ITER = 1063
*** TIME = .607484E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2076E-05 OSCILLATION LIMIT = 163.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.79 CRITERION= .8395E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6774
HT FLOW CONVERGENCE VALUE= .4721E-01 CRITERION= .2242E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2668E-01
HT FLOW CONVERGENCE VALUE= .1067E-02 CRITERION= .2240E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 38 COMPLETED. CUM ITER = 1065
*** TIME = .615373E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2087E-05 OSCILLATION LIMIT = 164.7
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.84 CRITERION= .8386E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6815
HT FLOW CONVERGENCE VALUE= .4661E-01 CRITERION= .2199E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2634E-01
HT FLOW CONVERGENCE VALUE= .1029E-02 CRITERION= .2197E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 39 COMPLETED. CUM ITER = 1067
*** TIME = .623263E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2077E-05 OSCILLATION LIMIT = 163.9
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.79 CRITERION= .8373E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6799
HT FLOW CONVERGENCE VALUE= .4571E-01 CRITERION= .2160E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2594E-01
HT FLOW CONVERGENCE VALUE= .9991E-03 CRITERION= .2158E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 40 COMPLETED. CUM ITER = 1069
*** TIME = .631152E+10 TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .2088E-05 OSCILLATION LIMIT = 164.8

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 06:43:23 MAR 27, 1995 CP= 89785.230
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 34.78 CRITERION= .4091E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2389
HT FLOW CONVERGENCE VALUE= .1716E-01 CRITERION= .2144E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 33 SUBSTEP 1 COMPLETED. CUM ITER = 1070
*** TIME = .639041E+10 TIME INC = .788940E+08


```

*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.73 CRITERION= .4082E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2242
HT FLOW CONVERGENCE VALUE= .1649E-01 CRITERION= .2133E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 33 SUBSTEP 2 COMPLETED. CUM ITER = 1071
*** TIME = .646931E+10 TIME INC = .788940E+08
*** AUTO TIME STEP: NEXT TIME INC = .23668E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 104.3 CRITERION= .1064
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7022
HT FLOW CONVERGENCE VALUE= .4924E-01 CRITERION= .2094E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2925E-01
HT FLOW CONVERGENCE VALUE= .1231E-02 CRITERION= .2093E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 3 COMPLETED. CUM ITER = 1073
*** TIME = .670599E+10 TIME INC = .236682E+09
*** AUTO STEP TIME: NEXT TIME INC = .23668E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 104.3 CRITERION= .1063
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7096
HT FLOW CONVERGENCE VALUE= .4863E-01 CRITERION= .2058E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2897E-01
HT FLOW CONVERGENCE VALUE= .1193E-02 CRITERION= .2056E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 4 COMPLETED. CUM ITER = 1075
*** TIME = .694267E+10 TIME INC = .236682E+09
*** AUTO TIME STEP: NEXT TIME INC = .71005E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 312.9 CRITERION= .3135
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.140
HT FLOW CONVERGENCE VALUE= .1352 CRITERION= .1945E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8047E-01
HT FLOW CONVERGENCE VALUE= .3077E-02 CRITERION= .1940E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 5 COMPLETED. CUM ITER = 1077
*** TIME = .765272E+10 TIME INC = .710046E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 347.6 CRITERION= .3481
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.388
HT FLOW CONVERGENCE VALUE= .1411 CRITERION= .1820E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8463E-01
HT FLOW CONVERGENCE VALUE= .2866E-02 CRITERION= .1815E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 6 COMPLETED. CUM ITER = 1079
*** TIME = .844166E+10 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .51281E+09 DECREASED (FACTOR = .6500)

HT FLOW CONVERGENCE VALUE= 226.0 CRITERION= .2267
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.567
HT FLOW CONVERGENCE VALUE= .8979E-01 CRITERION= .1734E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5442E-01
HT FLOW CONVERGENCE VALUE= .1731E-02 CRITERION= .1731E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 7 COMPLETED. CUM ITER = 1081
*** TIME = .895447E+10 TIME INC = .512811E+09
*** AUTO STEP TIME: NEXT TIME INC = .51281E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 225.9 CRITERION= .2266
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.568
HT FLOW CONVERGENCE VALUE= .8576E-01 CRITERION= .1653E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5131E-01
HT FLOW CONVERGENCE VALUE= .1602E-02 CRITERION= .1650E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 8 COMPLETED. CUM ITER = 1083
*** TIME = .946728E+10 TIME INC = .512811E+09

***** ANSYS SOLVE COMMAND *****

```

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 07:05:35 MAR 27, 1995 CP= 90812.730
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 128.5 CRITERION= .1296
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8852
 HT FLOW CONVERGENCE VALUE= .4860E-01 CRITERION= .1604E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2844E-01
 HT FLOW CONVERGENCE VALUE= .9052E-03 CRITERION= .1602E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 1 COMPLETED. CUM ITER = 1085
 *** TIME = .998009E+10 TIME INC = .512811E+09
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 128.5 CRITERION= .1295
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8821
 HT FLOW CONVERGENCE VALUE= .4750E-01 CRITERION= .1560E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2742E-01
 HT FLOW CONVERGENCE VALUE= .8686E-03 CRITERION= .1558E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 2 COMPLETED. CUM ITER = 1087
 *** TIME = .104929E+11 TIME INC = .512811E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.5385)

HT FLOW CONVERGENCE VALUE= 197.7 CRITERION= .1983
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.366
 HT FLOW CONVERGENCE VALUE= .6968E-01 CRITERION= .1489E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3992E-01
 HT FLOW CONVERGENCE VALUE= .1200E-02 CRITERION= .1486E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 3 COMPLETED. CUM ITER = 1089
 *** TIME = .112818E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 197.7 CRITERION= .1983
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.367
 HT FLOW CONVERGENCE VALUE= .6677E-01 CRITERION= .1420E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3823E-01
 HT FLOW CONVERGENCE VALUE= .1104E-02 CRITERION= .1417E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 4 COMPLETED. CUM ITER = 1091
 *** TIME = .120708E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .55226E+09 DECREASED (FACTOR = .7000)

HT FLOW CONVERGENCE VALUE= 138.4 CRITERION= .1391
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9647
 HT FLOW CONVERGENCE VALUE= .4609E-01 CRITERION= .1368E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2634E-01
 HT FLOW CONVERGENCE VALUE= .7489E-03 CRITERION= .1367E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 5 COMPLETED. CUM ITER = 1093
 *** TIME = .126230E+11 TIME INC = .552258E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 07:21:12 MAR 27, 1995 CP= 91521.700
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 102.7 CRITERION= .1036
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6633

HT FLOW CONVERGENCE VALUE= .3231E-01 CRITERION= .1337E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1871E-01
 HT FLOW CONVERGENCE VALUE= .5479E-03 CRITERION= .1336E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 1 COMPLETED. CUM ITER = 1095
 *** TIME = .131753E+11 TIME INC = .552258E+09
 *** AUTO STEP TIME: NEXT TIME INC = .55226E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 102.7 CRITERION= .1036
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6693
 HT FLOW CONVERGENCE VALUE= .3172E-01 CRITERION= .1303E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1837E-01
 HT FLOW CONVERGENCE VALUE= .5219E-03 CRITERION= .1302E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 2 COMPLETED. CUM ITER = 1097
 *** TIME = .137276E+11 TIME INC = .552258E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.4286)

HT FLOW CONVERGENCE VALUE= 146.7 CRITERION= .1473
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9519
 HT FLOW CONVERGENCE VALUE= .4327E-01 CRITERION= .1258E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2516E-01
 HT FLOW CONVERGENCE VALUE= .6877E-03 CRITERION= .1257E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 3 COMPLETED. CUM ITER = 1099
 *** TIME = .145165E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 146.8 CRITERION= .1473
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9593
 HT FLOW CONVERGENCE VALUE= .4190E-01 CRITERION= .1210E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2439E-01
 HT FLOW CONVERGENCE VALUE= .6392E-03 CRITERION= .1209E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 4 COMPLETED. CUM ITER = 1101
 *** TIME = .153054E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 88.02 CRITERION= .8885E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5733
 HT FLOW CONVERGENCE VALUE= .2482E-01 CRITERION= .1184E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1453E-01
 HT FLOW CONVERGENCE VALUE= .3784E-03 CRITERION= .1183E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 5 COMPLETED. CUM ITER = 1103
 *** TIME = .157788E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 07:36:15 MAR 27, 1995 CP= 92231.200
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 86.38 CRITERION= .8718E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5036
 HT FLOW CONVERGENCE VALUE= .2246E-01 CRITERION= .1160E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1339E-01
 HT FLOW CONVERGENCE VALUE= .3624E-03 CRITERION= .1159E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 1 COMPLETED. CUM ITER = 1105
 *** TIME = .162522E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 86.34 CRITERION= .8712E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4993
 HT FLOW CONVERGENCE VALUE= .2194E-01 CRITERION= .1139E-01

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1315E-01
 HT FLOW CONVERGENCE VALUE= .3516E-03 CRITERION= .1139E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 2 COMPLETED. CUM ITER = 1107
 *** TIME = .167255E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 144.0 CRITERION= .1444
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8398
 HT FLOW CONVERGENCE VALUE= .3522E-01 CRITERION= .1101E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2111E-01
 HT FLOW CONVERGENCE VALUE= .5389E-03 CRITERION= .1100E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 3 COMPLETED. CUM ITER = 1109
 *** TIME = .175145E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 143.9 CRITERION= .1443
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8368
 HT FLOW CONVERGENCE VALUE= .3401E-01 CRITERION= .1066E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2048E-01
 HT FLOW CONVERGENCE VALUE= .5080E-03 CRITERION= .1065E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 4 COMPLETED. CUM ITER = 1111
 *** TIME = .183034E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 115.2 CRITERION= .1157
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6754
 HT FLOW CONVERGENCE VALUE= .2676E-01 CRITERION= .1035E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1613E-01
 HT FLOW CONVERGENCE VALUE= .3886E-03 CRITERION= .1034E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 5 COMPLETED. CUM ITER = 1113
 *** TIME = .189346E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 07:51:37 MAR 27, 1995 CP= 92941.030
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 99.80 CRITERION= .1003
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5414
 HT FLOW CONVERGENCE VALUE= .2185E-01 CRITERION= .1014E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1337E-01
 HT FLOW CONVERGENCE VALUE= .3299E-03 CRITERION= .1013E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 1 COMPLETED. CUM ITER = 1115
 *** TIME = .195657E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 99.85 CRITERION= .1003
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5471
 HT FLOW CONVERGENCE VALUE= .2150E-01 CRITERION= .9900E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1315E-01
 HT FLOW CONVERGENCE VALUE= .3155E-03 CRITERION= .9895E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 2 COMPLETED. CUM ITER = 1117
 *** TIME = .201969E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 124.8 CRITERION= .1252
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6791
 HT FLOW CONVERGENCE VALUE= .2593E-01 CRITERION= .9638E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1594E-01

HT FLOW CONVERGENCE VALUE= .3727E-03 CRITERION= .9631E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 3 COMPLETED. CUM ITER = 1119
 *** TIME = .209858E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 124.8 CRITERION= .1252
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6854
 HT FLOW CONVERGENCE VALUE= .2531E-01 CRITERION= .9344E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1557E-01
 HT FLOW CONVERGENCE VALUE= .3518E-03 CRITERION= .9337E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 4 COMPLETED. CUM ITER = 1121
 *** TIME = .217747E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 49.89 CRITERION= .5077E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2712
 HT FLOW CONVERGENCE VALUE= .1010E-01 CRITERION= .9243E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6241E-02
 HT FLOW CONVERGENCE VALUE= .1420E-03 CRITERION= .9241E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 37 SUBSTEP 5 COMPLETED. CUM ITER = 1123
 *** TIME = .220903E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:06:42 MAR 27, 1995 CP= 93653.450
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 43.76 CRITERION= .4471E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2401
 HT FLOW CONVERGENCE VALUE= .8830E-02 CRITERION= .9132E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 38 SUBSTEP 1 COMPLETED. CUM ITER = 1124
 *** TIME = .224059E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 43.71 CRITERION= .4466E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2297
 HT FLOW CONVERGENCE VALUE= .8541E-02 CRITERION= .9051E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 38 SUBSTEP 2 COMPLETED. CUM ITER = 1125
 *** TIME = .227215E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 109.4 CRITERION= .1097
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5918
 HT FLOW CONVERGENCE VALUE= .2085E-01 CRITERION= .8800E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1292E-01
 HT FLOW CONVERGENCE VALUE= .2783E-03 CRITERION= .8794E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 3 COMPLETED. CUM ITER = 1127
 *** TIME = .235104E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.3 CRITERION= .1097
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5931
 HT FLOW CONVERGENCE VALUE= .2031E-01 CRITERION= .8575E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1263E-01
 HT FLOW CONVERGENCE VALUE= .2652E-03 CRITERION= .8570E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 4 COMPLETED. CUM ITER = 1129
 *** TIME = .242994E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 65.62 CRITERION= .6617E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3605
 HT FLOW CONVERGENCE VALUE= .1219E-01 CRITERION= .8414E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7563E-02
 HT FLOW CONVERGENCE VALUE= .1560E-03 CRITERION= .8411E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 5 COMPLETED. CUM ITER = 1131
 *** TIME = .247727E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 65.58 CRITERION= .6613E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3557
 HT FLOW CONVERGENCE VALUE= .1190E-01 CRITERION= .8285E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7425E-02
 HT FLOW CONVERGENCE VALUE= .1520E-03 CRITERION= .8282E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 6 COMPLETED. CUM ITER = 1133
 *** TIME = .252461E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:23:02 MAR 27, 1995 CP= 94403.570
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 58.31 CRITERION= .5888E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3042
 HT FLOW CONVERGENCE VALUE= .1024E-01 CRITERION= .8155E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6421E-02
 HT FLOW CONVERGENCE VALUE= .1319E-03 CRITERION= .8153E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 1 COMPLETED. CUM ITER = 1135
 *** TIME = .257194E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.27 CRITERION= .5884E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2993
 HT FLOW CONVERGENCE VALUE= .1001E-01 CRITERION= .8055E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6316E-02
 HT FLOW CONVERGENCE VALUE= .1293E-03 CRITERION= .8053E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 2 COMPLETED. CUM ITER = 1137
 *** TIME = .261928E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 97.17 CRITERION= .9749E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5061
 HT FLOW CONVERGENCE VALUE= .1629E-01 CRITERION= .7851E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1026E-01
 HT FLOW CONVERGENCE VALUE= .2024E-03 CRITERION= .7847E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 3 COMPLETED. CUM ITER = 1139
 *** TIME = .269817E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 97.13 CRITERION= .9746E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5016
 HT FLOW CONVERGENCE VALUE= .1584E-01 CRITERION= .7675E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1002E-01
 HT FLOW CONVERGENCE VALUE= .1944E-03 CRITERION= .7671E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 4 COMPLETED. CUM ITER = 1141
 *** TIME = .277707E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

```

HT FLOW CONVERGENCE VALUE= 77.75 CRITERION= .7811E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4065
HT FLOW CONVERGENCE VALUE= .1257E-01 CRITERION= .7507E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7937E-02
HT FLOW CONVERGENCE VALUE= .1502E-03 CRITERION= .7504E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 39 SUBSTEP 5 COMPLETED. CUM ITER = 1143
*** TIME = .284018E+11 TIME INC = .631152E+09

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 08:38:23 MAR 27, 1995 CP= 95116.650
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 66.94 CRITERION= .6737E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3386
HT FLOW CONVERGENCE VALUE= .1049E-01 CRITERION= .7395E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6682E-02
HT FLOW CONVERGENCE VALUE= .1270E-03 CRITERION= .7392E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 40 SUBSTEP 1 COMPLETED. CUM ITER = 1145
*** TIME = .290330E+11 TIME INC = .631152E+09
*** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 66.99 CRITERION= .6738E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3440
HT FLOW CONVERGENCE VALUE= .1041E-01 CRITERION= .7254E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6610E-02
HT FLOW CONVERGENCE VALUE= .1224E-03 CRITERION= .7251E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 40 SUBSTEP 2 COMPLETED. CUM ITER = 1147
*** TIME = .296641E+11 TIME INC = .631152E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

```

```

HT FLOW CONVERGENCE VALUE= 83.69 CRITERION= .8401E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4245
HT FLOW CONVERGENCE VALUE= .1262E-01 CRITERION= .7112E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8053E-02
HT FLOW CONVERGENCE VALUE= .1471E-03 CRITERION= .7109E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 40 SUBSTEP 3 COMPLETED. CUM ITER = 1149
*** TIME = .304531E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 83.73 CRITERION= .8402E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4302
HT FLOW CONVERGENCE VALUE= .1245E-01 CRITERION= .6939E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7924E-02
HT FLOW CONVERGENCE VALUE= .1408E-03 CRITERION= .6936E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 40 SUBSTEP 4 COMPLETED. CUM ITER = 1151
*** TIME = .312420E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

```

```

HT FLOW CONVERGENCE VALUE= 33.46 CRITERION= .3418E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1687
HT FLOW CONVERGENCE VALUE= .4946E-02 CRITERION= .6889E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 40 SUBSTEP 5 COMPLETED. CUM ITER = 1152
*** TIME = .315576E+11 TIME INC = .315576E+09

```

FINISH SOLUTION PROCESSING

***** ROUTINE COMPLETED ***** CP = 95775.030

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12j3.db
FOR POSSIBLE RESUME FROM THIS POINT

Create element contour plots of solution results

Sort through solution results for time of max temp.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 08:52:21 MAR 27, 1995 CP= 95782.720
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

VARIABLE 2 IS AT NODE 2929 ITEM= TEMP COMP= NAME= peakclad

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES
VARI TYPE IDENTIFIERS NAME MINIMUM AT TIME MAXIMUM AT TIME
2 NSOL 2929 TEMP peakclad 80.36 .3156E+11 246.7 .3156E+08

*GET TMTMAX FROM VARI 2 ITEM=EXTR TMAX VALUE= 31557631.6

***** ROUTINE COMPLETED ***** CP = 95783.050

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 08:52:23 MAR 27, 1995 CP= 95783.080
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS RESULTS INTERPRETATION (POST1) *****

Create temperature contour plots of WP at peak

GRAPHIC DISPLAY RESET

XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (PRECISE) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS -1 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

4280 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0

USE DATA SET FOR TIME OR FREQUENCY= .31558E+08

SET COMMAND GOT LOAD STEP= 13 SUBSTEP= 27 CUMULATIVE ITERATION= 189
TIME/FREQUENCY= .31558E+08

TITLE=
12 PWR MPC/WP at Time of Peak Temp. (1.000001 years)

/SHOW SWITCH PLOTS TO FILE solupk.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 AUTOMATIC CONTOURS

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solupk.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at Time of Peak Temp. (1.000001 years)

*** WARNING *** CP= 95827.610 TIME= 08:53:16
The selected element set contains mixed materials.
This could invalidate error estimation.
Create temperature contour plots at 10, 50, and 100 yrs

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+09

SET COMMAND GOT LOAD STEP= 22 SUBSTEP= 40 CUMULATIVE ITERATION= 549
TIME/FREQUENCY= .31558E+09

TITLE=
12 PWR MPC/WP at 10 years

/SHOW SWITCH PLOTS TO FILE solu10.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 99.348 BY 1.1606 TO 246.74

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu10.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 10 years

*** WARNING *** CP= 95881.950 TIME= 08:54:12
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .15779E+10

SET COMMAND GOT LOAD STEP= 26 SUBSTEP= 40 CUMULATIVE ITERATION= 789
TIME/FREQUENCY= .15779E+10

TITLE=
12 PWR MPC/WP at 50 years

/SHOW SWITCH PLOTS TO FILE solu50.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 99.348 BY 1.1606 TO 246.74

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu50.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 50 years

*** WARNING *** CP= 95935.580 TIME= 08:55:07
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+10

SET COMMAND GOT LOAD STEP= 31 SUBSTEP= 40 CUMULATIVE ITERATION= 989
TIME/FREQUENCY= .31558E+10

TITLE=
12 PWR MPC/WP at 100 years

/SHOW SWITCH PLOTS TO FILE solu100.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 99.348 BY 1.1606 TO 246.74

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu100.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 100 years

*** WARNING *** CP= 95989.300 TIME= 08:56:01
The selected element set contains mixed materials.
This could invalidate error estimation.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

EXIT THE ANSYS POST1 DATABASE PROCESSOR

***** ROUTINE COMPLETED ***** CP = 95997.910

Print time/temperature output at specific locations
Save profile from center to edge

Variable Legend: A01i000

x = center of waste package
f = flux trap plate stainless layer
w = flux trap plate SS sheath
c = center of assembly
h = halfway between center and tube
s = inside structural stainless tube layer
a = aluminum-born tube layer
t = stainless tube cladding
g = tube guide
m = mpc shell
i = inner barrier of DC
o = outer barrier of DC
= ID number of assembly (01 is center)
i = side of assembly toward center of WP
o = side of assembly toward edge of WP
000 = profile center down
045 = profile 45 deg down
090 = profile center side

135 = profile 45 deg up
180 = profile center up

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 08:56:10 MAR 27, 1995 CP= 95997.920
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

MAXIMUM NUMBER OF VARIABLES= 30

* Temperature Profile from center to lower right (45 deg.) *

VARIABLE 2	IS AT NODE 5522	ITEM= TEMP COMP=	NAME= x04i045
VARIABLE 3	IS AT NODE 1655	ITEM= TEMP COMP=	NAME= f04i045
VARIABLE 4	IS AT NODE 1762	ITEM= TEMP COMP=	NAME= f04o045
VARIABLE 5	IS AT NODE 2036	ITEM= TEMP COMP=	NAME= w04i045
VARIABLE 6	IS AT NODE 2177	ITEM= TEMP COMP=	NAME= w04o045
VARIABLE 7	IS AT NODE 2552	ITEM= TEMP COMP=	NAME= s04i045
VARIABLE 8	IS AT NODE 2977	ITEM= TEMP COMP=	NAME= h04i045
VARIABLE 9	IS AT NODE 2929	ITEM= TEMP COMP=	NAME= c04i045
VARIABLE 10	IS AT NODE 2881	ITEM= TEMP COMP=	NAME= h04o045
VARIABLE 11	IS AT NODE 2566	ITEM= TEMP COMP=	NAME= s04o045
VARIABLE 12	IS AT NODE 2427	ITEM= TEMP COMP=	NAME= a04o045
VARIABLE 13	IS AT NODE 2303	ITEM= TEMP COMP=	NAME= t04i045
VARIABLE 14	IS AT NODE 2289	ITEM= TEMP COMP=	NAME= t04o045
VARIABLE 15	IS AT NODE 3528	ITEM= TEMP COMP=	NAME= g04i045
VARIABLE 16	IS AT NODE 3545	ITEM= TEMP COMP=	NAME= g04o045
VARIABLE 17	IS AT NODE 3760	ITEM= TEMP COMP=	NAME= m04i045
VARIABLE 18	IS AT NODE 3707	ITEM= TEMP COMP=	NAME= m04o045
VARIABLE 19	IS AT NODE 4142	ITEM= TEMP COMP=	NAME= i04i045
VARIABLE 20	IS AT NODE 4200	ITEM= TEMP COMP=	NAME= i04o045
VARIABLE 21	IS AT NODE 4595	ITEM= TEMP COMP=	NAME= o04o045
Add centers of assemblies 5 and 6			
VARIABLE 22	IS AT NODE 3098	ITEM= TEMP COMP=	NAME= c05i045
VARIABLE 23	IS AT NODE 2760	ITEM= TEMP COMP=	NAME= c06i045

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES

VARI TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2 NSOL	5522 TEMP	x04i045	78.89	.3156E+11	227.2	.6312E+08
3 NSOL	1655 TEMP	f04i045	78.89	.3156E+11	227.2	.6312E+08
4 NSOL	1762 TEMP	f04o045	78.89	.3156E+11	227.2	.6312E+08
5 NSOL	2036 TEMP	w04i045	78.89	.3156E+11	227.2	.6312E+08
6 NSOL	2177 TEMP	w04o045	78.89	.3156E+11	227.2	.6312E+08
7 NSOL	2552 TEMP	s04i045	78.89	.3156E+11	227.2	.6312E+08
8 NSOL	2977 TEMP	h04i045	79.66	.3156E+11	237.8	.6312E+08
9 NSOL	2929 TEMP	c04i045	80.36	.3156E+11	246.7	.3156E+08
10 NSOL	2881 TEMP	h04o045	79.58	.3156E+11	234.5	.6312E+08
11 NSOL	2566 TEMP	s04o045	78.75	.3156E+11	221.4	.6312E+08
12 NSOL	2427 TEMP	a04o045	78.74	.3156E+11	221.4	.6312E+08
13 NSOL	2303 TEMP	t04i045	78.74	.3156E+11	221.4	.6312E+08
14 NSOL	2289 TEMP	t04o045	78.73	.3156E+11	221.2	.6312E+08
15 NSOL	3528 TEMP	g04i045	77.38	.3156E+11	199.5	.9467E+08
16 NSOL	3545 TEMP	g04o045	77.34	.3156E+11	198.6	.9467E+08
17 NSOL	3760 TEMP	m04i045	74.76	.3156E+11	160.7	.1578E+09
18 NSOL	3707 TEMP	m04o045	74.72	.3156E+11	159.8	.1578E+09
19 NSOL	4142 TEMP	i04i045	28.63	.1000E-05	120.2	.2840E+09
20 NSOL	4200 TEMP	i04o045	27.38	.1000E-05	119.3	.3156E+09
21 NSOL	4595 TEMP	o04o045	26.14	.1000E-05	118.4	.3156E+09
22 NSOL	3098 TEMP	c05i045	79.25	.3156E+11	227.7	.6312E+08
23 NSOL	2760 TEMP	c06i045	79.28	.3156E+11	228.1	.6312E+08

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:56:17 MAR 27, 1995 CP= 96001.600
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5522 TEMP x04i045	1655 TEMP f04i045	1762 TEMP f04o045	2036 TEMP w04i045	2177 TEMP w04o045	2552 TEMP s04i045
.10000E-05	198.068	198.068	198.069	198.069	198.071	198.077
.20000E-05	210.675	210.674	210.675	210.675	210.677	210.683
31.558	210.675	210.674	210.675	210.675	210.677	210.683
.31558E+07	219.848	219.860	219.870	219.871	219.873	219.879
.63116E+07	222.169	222.182	222.192	222.193	222.195	222.201
.94673E+07	223.520	223.534	223.544	223.545	223.547	223.553
.12623E+08	224.445	224.458	224.469	224.470	224.471	224.478
.15779E+08	225.147	225.161	225.171	225.172	225.174	225.180
.18935E+08	225.679	225.693	225.704	225.705	225.706	225.712
.22090E+08	226.044	226.058	226.069	226.070	226.071	226.078
.25246E+08	226.349	226.363	226.374	226.374	226.376	226.382
.28402E+08	226.576	226.590	226.601	226.602	226.603	226.610
.31558E+08	226.756	226.770	226.780	226.781	226.783	226.789
.63115E+08	227.209	227.223	227.234	227.235	227.237	227.243
.94673E+08	226.354	226.368	226.379	226.380	226.382	226.387
.12623E+09	225.133	225.147	225.157	225.158	225.160	225.165
.15779E+09	223.936	223.950	223.961	223.962	223.963	223.968
.18935E+09	222.018	222.032	222.043	222.044	222.045	222.051
.22090E+09	220.490	220.504	220.515	220.515	220.517	220.522
.25246E+09	218.979	218.993	219.004	219.005	219.006	219.011
.28402E+09	217.157	217.170	217.181	217.181	217.183	217.188
.31558E+09	215.676	215.689	215.699	215.700	215.701	215.706
.63115E+09	199.543	199.555	199.564	199.565	199.566	199.570
.94673E+09	185.384	185.395	185.403	185.403	185.404	185.408
.12623E+10	172.824	172.834	172.841	172.841	172.842	172.845
.15779E+10	161.971	161.979	161.985	161.986	161.987	161.989
.18935E+10	153.033	153.041	153.047	153.047	153.048	153.050
.22090E+10	145.516	145.523	145.528	145.529	145.529	145.531
.25246E+10	138.853	138.860	138.865	138.865	138.865	138.867
.28402E+10	133.540	133.546	133.550	133.550	133.551	133.553
.31558E+10	128.851	128.857	128.861	128.862	128.862	128.864

.63115E+10	106.361	106.364	106.367	106.367	106.368	106.368
.94673E+10	98.0162	98.0191	98.0213	98.0214	98.0216	98.0223
.12623E+11	93.2224	93.2249	93.2268	93.2269	93.2271	93.2277
.15779E+11	89.8512	89.8535	89.8550	89.8552	89.8553	89.8558
.18935E+11	86.8584	86.8603	86.8617	86.8618	86.8620	86.8624
.22090E+11	84.4117	84.4134	84.4147	84.4148	84.4149	84.4153
.25246E+11	82.2674	82.2689	82.2701	82.2701	82.2702	82.2706
.28402E+11	80.4406	80.4420	80.4431	80.4431	80.4432	80.4436
.31558E+11	78.8896	78.8909	78.8919	78.8920	78.8920	78.8923

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:56:17 MAR 27, 1995 CP= 96001.630
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2977 TEMP h04i045	2929 TEMP c04i045	2881 TEMP h04o045	2566 TEMP s04o045	2427 TEMP a04o045	2303 TEMP t04i045
.10000E-05	210.641	221.116	207.432	192.224	192.179	192.133
.20000E-05	222.711	232.689	219.362	204.616	204.571	204.524
31.558	222.711	232.689	219.361	204.615	204.571	204.524
.31558E+07	231.496	241.106	228.111	213.774	213.729	213.682
.63116E+07	233.674	243.152	230.271	216.075	216.031	215.984
.94673E+07	234.925	244.319	231.522	217.431	217.386	217.340
.12623E+08	235.766	245.088	232.367	218.367	218.323	218.276
.15779E+08	236.399	245.660	233.006	219.085	219.041	218.994
.18935E+08	236.867	246.071	233.482	219.635	219.591	219.544
.22090E+08	237.169	246.324	233.794	220.020	219.976	219.929
.25246E+08	237.417	246.524	234.052	220.344	220.301	220.255
.28402E+08	237.591	246.653	234.237	220.593	220.550	220.504
.31558E+08	237.719	246.739	234.376	220.795	220.751	220.706
.63115E+08	237.776	246.474	234.541	221.449	221.407	221.363
.94673E+08	236.619	245.077	233.488	220.785	220.745	220.702
.12623E+09	235.152	243.418	232.116	219.734	219.695	219.653
.15779E+09	233.759	241.872	230.802	218.679	218.641	218.600
.18935E+09	231.622	239.567	228.762	216.936	216.898	216.859
.22090E+09	229.924	237.737	227.139	215.542	215.505	215.467
.25246E+09	228.251	235.940	225.539	214.159	214.123	214.086
.28402E+09	226.286	233.868	223.644	212.459	212.425	212.388
.31558E+09	224.693	232.189	222.106	211.076	211.042	211.006
.63115E+09	207.432	214.068	205.387	195.899	195.871	195.842
.94673E+09	192.347	198.277	190.694	182.436	182.413	182.389
.12623E+10	179.034	184.366	177.680	170.397	170.378	170.357
.15779E+10	167.531	172.340	166.413	159.956	159.940	159.922
.18935E+10	158.054	162.422	157.113	151.331	151.317	151.302
.22090E+10	150.073	154.060	149.266	144.054	144.041	144.028
.25246E+10	143.012	146.667	142.312	137.580	137.569	137.557
.28402E+10	137.372	140.751	136.754	132.412	132.401	132.391
.31558E+10	132.388	135.516	131.840	127.847	127.838	127.828
.63115E+10	108.544	110.501	108.268	105.846	105.841	105.835
.94673E+10	99.7390	101.291	99.5386	97.6386	97.6346	97.6304
.12623E+11	94.6746	95.9864	94.5131	92.9161	92.9128	92.9094
.15779E+11	91.1212	92.2705	90.9844	89.5910	89.5881	89.5851
.18935E+11	87.9817	88.9998	87.8643	86.6336	86.6312	86.6286
.22090E+11	85.4226	86.3399	85.3194	84.2138	84.2116	84.2092
.25246E+11	83.1802	84.0094	83.0892	82.0921	82.0901	82.0880
.28402E+11	81.2745	82.0326	81.1930	80.2829	80.2811	80.2792
.31558E+11	79.6574	80.3560	79.5836	78.7466	78.7450	78.7433

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:56:17 MAR 27, 1995 CP= 96001.640
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2289 TEMP t04o045	3528 TEMP g04i045	3545 TEMP g04o045	3760 TEMP m04i045	3707 TEMP m04o045	4142 TEMP i04i045
.10000E-05	191.925	166.374	165.328	114.227	113.148	28.6293
.20000E-05	204.317	179.637	178.583	130.474	129.399	59.6972
31.558	204.317	179.637	178.583	130.474	129.399	59.6974
.31558E+07	213.477	189.610	188.563	142.958	141.895	81.2983
.63116E+07	215.780	192.160	191.116	146.214	145.155	86.6919
.94673E+07	217.136	193.707	192.667	148.279	147.225	90.1904
.12623E+08	218.074	194.808	193.772	149.814	148.765	92.8618
.15779E+08	218.793	195.671	194.639	151.047	150.002	95.0148
.18935E+08	219.344	196.354	195.327	152.064	151.023	96.8301
.22090E+08	219.730	196.867	195.844	152.893	151.857	98.3891
.25246E+08	220.056	197.312	196.293	153.626	152.595	99.7693
.28402E+08	220.306	197.675	196.660	154.261	153.234	100.989
.31558E+08	220.508	197.985	196.974	154.829	153.806	102.100
.63115E+08	221.173	199.500	198.524	158.299	157.312	109.321
.94673E+08	220.518	199.507	198.563	159.760	158.805	113.263
.12623E+09	219.474	199.007	198.090	160.420	159.493	115.754
.15779E+09	218.425	198.396	197.500	160.725	159.820	117.443
.18935E+09	216.689	197.154	196.285	160.492	159.614	118.617
.22090E+09	215.301	196.151	195.302	160.268	159.411	119.466
.25246E+09	213.923	195.138	194.308	159.988	159.151	120.173
.28402E+09	212.229	193.768	192.956	159.252	158.433	120.215
.31558E+09	210.850	192.648	191.851	158.634	157.830	120.207
.63115E+09	195.712	180.093	179.437	151.011	150.352	118.318
.94673E+09	182.279	168.669	168.121	143.362	142.809	114.812
.12623E+10	170.263	158.251	157.785	135.893	135.421	110.452
.15779E+10	159.841	149.202	148.803	129.373	128.967	106.634
.18935E+10	151.231	141.724	141.376	123.967	123.613	103.476
.22090E+10	143.965	135.405	135.098	119.390	119.077	100.806
.25246E+10	137.501	129.730	129.457	115.160	114.881	98.1462
.28402E+10	132.340	125.211	124.963	111.821	111.569	96.1099
.31558E+10	127.782	121.230	121.006	108.907	108.678	94.3882
.63115E+10	105.809	101.859	101.732	94.3601	94.2306	85.3039
.94673E+10	97.6101	94.5219	94.4249	88.6320	88.5333	81.4302
.12623E+11	92.8925	90.2978	90.2175	85.3384	85.2568	79.2286
.15779E+11	89.5705	87.3056	87.2363	82.9706	82.9001	77.5980
.18935E+11	86.6158	84.6168	84.5562	80.7839	80.7223	76.0052
.22090E+11	84.1978	82.4010	82.3470	78.9515	78.8966	74.6271
.25246E+11	82.0778	80.4578	80.4095	77.3438	77.2946	73.4212
.28402E+11	80.2699	78.7927	78.7488	75.9488	75.9042	72.3514
.31558E+11	78.7347	77.3753	77.3351	74.7561	74.7153	71.4301

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:56:17 MAR 27, 1995 CP= 96001.650
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4200 TEMP i04o045	4595 TEMP o04o045	3098 TEMP c05i045	2760 TEMP c06i045
.10000E-05	27.3847	26.1406	200.063	200.349
.20000E-05	58.4518	57.2044	212.040	212.316
31.558	58.4519	57.2044	212.040	212.316
.31558E+07	80.0611	78.8203	220.825	221.242
.63116E+07	85.4580	84.2199	222.999	223.421
.94673E+07	88.9611	87.7275	224.282	224.705
.12623E+08	91.6377	90.4091	225.156	225.579

.15779E+08	93.7971	92.5737	225.827	226.249
.18935E+08	95.6196	94.4008	226.329	226.752
.22090E+08	97.1858	95.9724	226.672	227.094
.25246E+08	98.5727	97.3643	226.958	227.380
.28402E+08	99.7990	98.5955	227.170	227.592
.31558E+08	100.916	99.7180	227.337	227.758
.63115E+08	108.187	107.044	227.735	228.150
.94673E+08	112.169	111.071	226.884	227.292
.12623E+09	114.694	113.631	225.685	226.087
.15779E+09	116.410	115.376	224.515	224.910
.18935E+09	117.616	116.614	222.644	223.034
.22090E+09	118.489	117.512	221.153	221.537
.25246E+09	119.219	118.265	219.678	220.057
.28402E+09	119.282	118.349	217.901	218.273
.31558E+09	119.291	118.375	216.457	216.823
.63115E+09	117.563	116.807	200.645	200.965
.94673E+09	114.177	113.539	186.660	186.940
.12623E+10	109.907	109.359	174.206	174.452
.15779E+10	106.164	105.690	163.408	163.627
.18935E+10	103.065	102.649	154.472	154.670
.22090E+10	100.442	100.074	146.910	147.089
.25246E+10	97.8210	97.4923	140.196	140.359
.28402E+10	95.8153	95.5182	134.830	134.981
.31558E+10	94.1203	93.8507	130.086	130.227
.63115E+10	85.1518	84.9990	107.258	107.346
.94673E+10	81.3139	81.1970	98.7588	98.8280
.12623E+11	79.1320	79.0351	93.8616	93.9204
.15779E+11	77.5146	77.4308	90.4185	90.4697
.18935E+11	75.9321	75.8587	87.3671	87.4122
.22090E+11	74.5619	74.4965	84.8743	84.9145
.25246E+11	73.3628	73.3041	82.6891	82.7256
.28402E+11	72.2982	72.2449	80.8293	80.8627
.31558E+11	71.3815	71.3327	79.2495	79.2804

 * Temperature Profile from center to upper right (135 deg.) *

VARIABLE 2 IS AT NODE 5522 ITEM= TEMP COMP= NAME= x01i135

*** WARNING *** CP= 96001.820 TIME= 08:56:17
 NSOL command erases all previously stored or calculated data
 unless STORE,MERGE is used.

VARIABLE 3 IS AT NODE 64 ITEM= TEMP COMP= NAME= f01i135

VARIABLE 4 IS AT NODE 171 ITEM= TEMP COMP= NAME= f01o135

VARIABLE 5 IS AT NODE 445 ITEM= TEMP COMP= NAME= w01i135

VARIABLE 6 IS AT NODE 586 ITEM= TEMP COMP= NAME= w01o135

VARIABLE 7 IS AT NODE 961 ITEM= TEMP COMP= NAME= s01i135

VARIABLE 8 IS AT NODE 1386 ITEM= TEMP COMP= NAME= h01i135

VARIABLE 9 IS AT NODE 1338 ITEM= TEMP COMP= NAME= c01i135

VARIABLE 10 IS AT NODE 1290 ITEM= TEMP COMP= NAME= h01o135

VARIABLE 11 IS AT NODE 975 ITEM= TEMP COMP= NAME= s01o135

VARIABLE 12 IS AT NODE 836 ITEM= TEMP COMP= NAME= a01o135

VARIABLE 13 IS AT NODE 712 ITEM= TEMP COMP= NAME= t01i135

VARIABLE 14 IS AT NODE 698 ITEM= TEMP COMP= NAME= t01o135

VARIABLE 15 IS AT NODE 3332 ITEM= TEMP COMP= NAME= g01i135

VARIABLE 16 IS AT NODE 3318 ITEM= TEMP COMP= NAME= g01o135
 VARIABLE 17 IS AT NODE 3974 ITEM= TEMP COMP= NAME= m01i135
 VARIABLE 18 IS AT NODE 3924 ITEM= TEMP COMP= NAME= m01o135
 VARIABLE 19 IS AT NODE 4369 ITEM= TEMP COMP= NAME= i01i135
 VARIABLE 20 IS AT NODE 4424 ITEM= TEMP COMP= NAME= i01o135
 VARIABLE 21 IS AT NODE 4763 ITEM= TEMP COMP= NAME= o01o135
 Add centers of assemblies 2 and 3
 VARIABLE 22 IS AT NODE 1507 ITEM= TEMP COMP= NAME= c02i135
 VARIABLE 23 IS AT NODE 1169 ITEM= TEMP COMP= NAME= c03i135

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES							
VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2	NSOL	5522 TEMP	x01i135	78.89	.3156E+11	227.2	.6312E+08
3	NSOL	64 TEMP	f01i135	78.89	.3156E+11	227.2	.6312E+08
4	NSOL	171 TEMP	f01o135	78.89	.3156E+11	227.2	.6312E+08
5	NSOL	445 TEMP	w01i135	78.89	.3156E+11	227.2	.6312E+08
6	NSOL	586 TEMP	w01o135	78.89	.3156E+11	227.2	.6312E+08
7	NSOL	961 TEMP	s01i135	78.89	.3156E+11	227.2	.6312E+08
8	NSOL	1386 TEMP	h01i135	79.65	.3156E+11	237.7	.6312E+08
9	NSOL	1338 TEMP	c01i135	80.34	.3156E+11	246.6	.3156E+08
10	NSOL	1290 TEMP	h01o135	79.57	.3156E+11	234.4	.6312E+08
11	NSOL	975 TEMP	s01o135	78.73	.3156E+11	221.2	.6312E+08
12	NSOL	836 TEMP	a01o135	78.73	.3156E+11	221.2	.6312E+08
13	NSOL	712 TEMP	t01i135	78.73	.3156E+11	221.2	.6312E+08
14	NSOL	698 TEMP	t01o135	78.72	.3156E+11	221.0	.6312E+08
15	NSOL	3332 TEMP	g01i135	77.34	.3156E+11	199.2	.9467E+08
16	NSOL	3318 TEMP	g01o135	77.30	.3156E+11	198.2	.9467E+08
17	NSOL	3974 TEMP	m01i135	74.70	.3156E+11	160.1	.1578E+09
18	NSOL	3924 TEMP	m01o135	74.66	.3156E+11	159.2	.1578E+09
19	NSOL	4369 TEMP	i01i135	28.63	.1000E-05	119.3	.3156E+09
20	NSOL	4424 TEMP	i01o135	27.38	.1000E-05	118.3	.3156E+09
21	NSOL	4763 TEMP	o01o135	26.14	.1000E-05	117.4	.3156E+09
22	NSOL	1507 TEMP	c02i135	79.24	.3156E+11	227.6	.6312E+08
23	NSOL	1169 TEMP	c03i135	79.24	.3156E+11	227.7	.6312E+08

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:56:23 MAR 27, 1995 CP= 96005.310
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5522 TEMP x01i135	64 TEMP f01i135	171 TEMP f01o135	445 TEMP w01i135	586 TEMP w01o135	961 TEMP s01i135
.10000E-05	198.068	198.069	198.070	198.070	198.072	198.078
.20000E-05	210.675	210.675	210.677	210.677	210.678	210.684
31.558	210.675	210.675	210.677	210.677	210.678	210.684
.31558E+07	219.848	219.835	219.828	219.828	219.829	219.834
.63116E+07	222.169	222.156	222.149	222.148	222.149	222.154
.94673E+07	223.520	223.507	223.500	223.499	223.500	223.505
.12623E+08	224.445	224.432	224.424	224.423	224.424	224.430
.15779E+08	225.147	225.134	225.126	225.125	225.126	225.132
.18935E+08	225.679	225.666	225.658	225.657	225.658	225.664
.22090E+08	226.044	226.031	226.023	226.022	226.023	226.029
.25246E+08	226.349	226.335	226.327	226.326	226.327	226.333

.28402E+08	226.576	226.563	226.555	226.554	226.555	226.560
.31558E+08	226.756	226.742	226.734	226.733	226.734	226.739
.63115E+08	227.209	227.196	227.187	227.186	227.187	227.192
.94673E+08	226.354	226.340	226.332	226.331	226.332	226.337
.12623E+09	225.133	225.119	225.110	225.109	225.110	225.115
.15779E+09	223.936	223.922	223.914	223.913	223.914	223.919
.18935E+09	222.018	222.005	221.996	221.995	221.996	222.001
.22090E+09	220.490	220.477	220.468	220.467	220.468	220.473
.25246E+09	218.979	218.966	218.958	218.957	218.957	218.962
.28402E+09	217.157	217.143	217.135	217.134	217.135	217.139
.31558E+09	215.676	215.663	215.655	215.654	215.654	215.659
.63115E+09	199.543	199.532	199.524	199.523	199.524	199.528
.94673E+09	185.384	185.374	185.367	185.366	185.367	185.370
.12623E+10	172.824	172.815	172.809	172.809	172.809	172.812
.15779E+10	161.971	161.962	161.957	161.957	161.957	161.959
.18935E+10	153.033	153.026	153.021	153.020	153.020	153.023
.22090E+10	145.516	145.509	145.504	145.504	145.504	145.506
.25246E+10	138.853	138.847	138.843	138.842	138.842	138.844
.28402E+10	133.540	133.534	133.530	133.529	133.529	133.531
.31558E+10	128.851	128.846	128.842	128.842	128.842	128.843
.63115E+10	106.361	106.357	106.354	106.354	106.354	106.355
.94673E+10	98.0162	98.0132	98.0112	98.0110	98.0111	98.0117
.12623E+11	93.2224	93.2198	93.2182	93.2180	93.2180	93.2185
.15779E+11	89.8512	89.8490	89.8475	89.8474	89.8474	89.8479
.18935E+11	86.8584	86.8564	86.8551	86.8550	86.8550	86.8554
.22090E+11	84.4117	84.4100	84.4088	84.4087	84.4087	84.4091
.25246E+11	82.2674	82.2658	82.2647	82.2646	82.2646	82.2650
.28402E+11	80.4406	80.4391	80.4382	80.4381	80.4381	80.4384
.31558E+11	78.8896	78.8882	78.8873	78.8872	78.8873	78.8875

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:56:23 MAR 27, 1995 CP= 96005.320
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	1386 TEMP h01i135	1338 TEMP c01i135	1290 TEMP h01o135	975 TEMP s01o135	836 TEMP a01o135	712 TEMP t01i135
.10000E-05	210.643	221.119	207.436	192.229	192.184	192.138
.20000E-05	222.713	232.692	219.367	204.622	204.577	204.530
31.558	222.713	232.692	219.367	204.622	204.577	204.530
.31558E+07	231.426	240.996	227.955	213.591	213.546	213.498
.63116E+07	233.600	243.036	230.108	215.884	215.839	215.792
.94673E+07	234.850	244.200	231.355	217.235	217.191	217.144
.12623E+08	235.690	244.968	232.197	218.169	218.124	218.077
.15779E+08	236.322	245.540	232.836	218.886	218.841	218.795
.18935E+08	236.790	245.949	233.310	219.434	219.390	219.343
.22090E+08	237.092	246.202	233.622	219.818	219.774	219.727
.25246E+08	237.339	246.401	233.879	220.141	220.098	220.051
.28402E+08	237.513	246.530	234.063	220.390	220.346	220.300
.31558E+08	237.641	246.615	234.202	220.590	220.547	220.501
.63115E+08	237.697	246.348	234.363	221.242	221.200	221.156
.94673E+08	236.539	244.951	233.310	220.577	220.537	220.494
.12623E+09	235.072	243.292	231.938	219.527	219.487	219.445
.15779E+09	233.680	241.746	230.625	218.473	218.434	218.393
.18935E+09	231.543	239.441	228.586	216.730	216.693	216.653
.22090E+09	229.845	237.612	226.964	215.338	215.301	215.263
.25246E+09	228.173	235.816	225.365	213.956	213.921	213.883
.28402E+09	226.210	233.746	223.474	212.261	212.226	212.189
.31558E+09	224.617	232.069	221.938	210.881	210.847	210.811
.63115E+09	207.365	213.962	205.239	195.728	195.700	195.670
.94673E+09	192.287	198.182	190.563	182.286	182.262	182.238
.12623E+10	178.981	184.282	177.565	170.266	170.246	170.225
.15779E+10	167.484	172.266	166.310	159.839	159.822	159.805

.18935E+10	158.011	162.354	157.020	151.225	151.211	151.195
.22090E+10	150.033	153.997	149.181	143.957	143.944	143.930
.25246E+10	142.975	146.610	142.234	137.492	137.480	137.468
.28402E+10	137.338	140.698	136.681	132.329	132.319	132.308
.31558E+10	132.356	135.466	131.772	127.770	127.760	127.751
.63115E+10	108.523	110.468	108.225	105.797	105.791	105.786
.94673E+10	99.7224	101.265	99.5037	97.5995	97.5955	97.5913
.12623E+11	94.6604	95.9642	94.4834	92.8828	92.8795	92.8760
.15779E+11	91.1088	92.2510	90.9585	89.5620	89.5591	89.5561
.18935E+11	87.9708	88.9827	87.8416	86.6082	86.6057	86.6031
.22090E+11	85.4129	86.3248	85.2993	84.1912	84.1890	84.1866
.25246E+11	83.1713	83.9956	83.0708	82.0716	82.0696	82.0675
.28402E+11	81.2664	82.0200	81.1762	80.2641	80.2623	80.2604
.31558E+11	79.6498	80.3442	79.5679	78.7291	78.7275	78.7257

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:56:23 MAR 27, 1995 CP= 96005.330
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	698 TEMP t01o135	3332 TEMP g01i135	3318 TEMP g01o135	3974 TEMP m01i135	3924 TEMP m01o135	4369 TEMP i01i135
.10000E-05	191.930	166.382	165.336	114.226	113.146	28.6292
.20000E-05	204.323	179.646	178.593	130.477	129.402	59.7079
31.558	204.323	179.646	178.593	130.477	129.402	59.7081
.31558E+07	213.293	189.306	188.254	142.392	141.325	80.1161
.63116E+07	215.587	191.842	190.793	145.629	144.566	85.5009
.94673E+07	216.939	193.383	192.338	147.687	146.629	89.0069
.12623E+08	217.874	194.481	193.440	149.217	148.164	91.6825
.15779E+08	218.592	195.342	194.305	150.448	149.399	93.8444
.18935E+08	219.142	196.023	194.991	151.463	150.418	95.6644
.22090E+08	219.527	196.535	195.507	152.291	151.251	97.2297
.25246E+08	219.851	196.977	195.953	153.022	151.986	98.6138
.28402E+08	220.101	197.339	196.320	153.656	152.625	99.8392
.31558E+08	220.303	197.648	196.633	154.223	153.196	100.954
.63115E+08	220.964	199.159	198.179	157.692	156.701	108.214
.94673E+08	220.308	199.166	198.217	159.156	158.197	112.186
.12623E+09	219.265	198.667	197.744	159.821	158.889	114.700
.15779E+09	218.217	198.057	197.157	160.131	159.223	116.410
.18935E+09	216.482	196.818	195.943	159.903	159.021	117.603
.22090E+09	215.095	195.817	194.963	159.686	158.825	118.469
.25246E+09	213.719	194.806	193.971	159.411	158.570	119.192
.28402E+09	212.029	193.443	192.626	158.687	157.864	119.259
.31558E+09	210.653	192.328	191.526	158.078	157.270	119.270
.63115E+09	195.539	179.811	179.151	150.526	149.863	117.521
.94673E+09	182.127	168.418	167.866	142.933	142.377	114.120
.12623E+10	170.130	158.030	157.561	135.516	135.042	109.850
.15779E+10	159.723	149.004	148.602	129.036	128.627	106.100
.18935E+10	151.124	141.544	141.193	123.660	123.303	102.994
.22090E+10	143.867	135.239	134.930	119.108	118.793	100.366
.25246E+10	137.412	129.578	129.302	114.902	114.621	97.7446
.28402E+10	132.257	125.069	124.819	111.580	111.327	95.7374
.31558E+10	127.704	121.096	120.870	108.681	108.451	94.0391
.63115E+10	105.759	101.773	101.645	94.2144	94.0840	85.0826
.94673E+10	97.5708	94.4530	94.3551	88.5157	88.4163	81.2542
.12623E+11	92.8589	90.2388	90.1578	85.2390	85.1567	79.0785
.15779E+11	89.5413	87.2541	87.1841	82.8838	82.8128	77.4672
.18935E+11	86.5902	84.5716	84.5104	80.7076	80.6455	75.8903
.22090E+11	84.1751	82.3608	82.3063	78.8836	78.8283	74.5249
.25246E+11	82.0571	80.4212	80.3724	77.2819	77.2324	73.3280
.28402E+11	80.2510	78.7591	78.7148	75.8919	75.8470	72.2657
.31558E+11	78.7171	77.3439	77.3034	74.7031	74.6619	71.3502

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 08:56:23 MAR 27, 1995 CP= 96005.340
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4424 TEMP	4763 TEMP	1507 TEMP	1169 TEMP
	i01o135	o01o135	c02i135	c03i135
.10000E-05	27.3847	26.1406	200.064	200.360
.20000E-05	58.4626	57.2152	212.042	212.329
.31558E+07	58.4627	57.2152	212.042	212.329
.63116E+07	78.8747	77.6299	220.702	220.888
.94673E+07	84.2626	83.0204	222.870	223.051
.12623E+08	87.7732	86.5354	224.150	224.327
.15779E+08	90.4539	89.2209	225.022	225.197
.18935E+08	92.6211	91.3933	225.693	225.865
.22090E+08	94.4479	93.2247	226.194	226.364
.25246E+08	96.0205	94.8026	226.537	226.705
.28402E+08	97.4113	96.1984	226.821	226.988
.31558E+08	98.6431	97.4351	227.034	227.199
.63115E+08	99.7648	98.5616	227.200	227.363
.94673E+08	107.074	105.925	227.596	227.749
.12623E+09	111.086	109.981	226.744	226.890
.15779E+09	113.635	112.565	225.546	225.685
.18935E+09	115.372	114.331	224.376	224.510
.22090E+09	116.596	115.588	222.506	222.635
.25246E+09	117.487	116.504	221.016	221.141
.28402E+09	118.232	117.273	219.541	219.663
.31558E+09	118.321	117.382	217.767	217.886
.63115E+09	118.348	117.427	216.324	216.442
.94673E+09	116.762	116.002	200.527	200.625
.12623E+10	113.481	112.840	186.555	186.637
.15779E+10	109.302	108.751	174.114	174.185
.18935E+10	105.627	105.150	163.325	163.387
.22090E+10	102.580	102.161	154.396	154.449
.25246E+10	99.9999	99.6291	146.840	146.886
.28402E+10	97.4174	97.0869	140.131	140.173
.31558E+10	95.4409	95.1420	134.770	134.807
.63115E+10	93.7695	93.4982	130.029	130.062
.94673E+10	84.9295	84.7756	107.222	107.239
.12623E+11	81.1371	81.0194	98.7294	98.7421
.15779E+11	77.3832	77.2988	90.3965	90.4054
.18935E+11	75.8166	75.7427	87.3478	87.3557
.22090E+11	74.4593	74.3933	84.8571	84.8643
.25246E+11	73.2692	73.2101	82.6735	82.6798
.28402E+11	72.2122	72.1585	80.8149	80.8206
.31558E+11	71.3013	71.2521	79.2361	79.2412

***** ROUTINE COMPLETED ***** CP = 96005.350

 End of batch input file

PURGE ALL SOLUTION AND POST DATA
 SAVE ALL MODEL DATA

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12j3.db
 FOR POSSIBLE RESUME FROM THIS POINT

NUMBER OF WARNING MESSAGES ENCOUNTERED= 42
NUMBER OF ERROR MESSAGES ENCOUNTERED= 0

```
*-----*
|                                     |
|               ANSYS RUN COMPLETED |
|-----|
|                                     |
|               REV. 5.0 A           |
|                                     |
| CP TIME      (sec) =      96010.850 |
| ELAPSED TIME (sec) =     121156.000 |
|                                     |
|               HP 9000/7XX          |
|                                     |
| TIME = 08:56:29                     |
| DATE = 03/27/95                     |
|                                     |
|-----|
|                                     |
|-----*
```

WELCOME TO THE ANSYS PROGRAM

***** ANSYS COMMAND LINE ARGUMENTS *****
 JOB NAME = ma12j2
 MEMORY REQUESTED (MB) = 64.0
 BATCH MODE REQUESTED
 start.ans FILE

***** ANSYS DYNAMIC MEMORY ALLOCATION *****
 WORK SPACE REQUESTED = 16777216 64.000 MB COMMAND LINE
 MINIMUM WORK SPACE REQUIRED = 4718592 18.000 MB
 MINIMUM WORK SPACE RECOMMENDED = 6702496 25.568 MB
 WORK SPACE OBTAINED = 16777214 64.000 MB
 BYTES PER WORD = 4

***** NOTICE ***** THIS IS THE ANSYS GENERAL PURPOSE
 FINITE ELEMENT COMPUTER PROGRAM. NEITHER SWANSON ANALYSIS
 SYSTEMS, INC. NOR THE DISTRIBUTOR SUPPLYING THIS PROGRAM
 ASSUME ANY RESPONSIBILITY FOR THE VALIDITY, ACCURACY, OR
 APPLICABILITY OF ANY RESULTS OBTAINED FROM THE ANSYS SYSTEM.
 USERS MUST VERIFY THEIR OWN RESULTS.

ANSYS(R) COPYRIGHT(C) 1971,1978,1982,1983,1985,1987,1989,1992,1993
 BY SWANSON ANALYSIS SYSTEMS, INC. AS AN UNPUBLISHED WORK.
 PROPRIETARY DATA - UNAUTHORIZED USE, DISTRIBUTION, OR DUPLICATION
 IS PROHIBITED. ALL RIGHTS RESERVED.

SWANSON ANALYSIS SYSTEMS, INC. IS ENDEAVORING TO MAKE THE
 ANSYS PROGRAM AS COMPLETE, ACCURATE, AND EASY TO USE AS
 POSSIBLE. SUGGESTIONS AND COMMENTS ARE WELCOMED. ANY
 ERRORS ENCOUNTERED IN EITHER THE DOCUMENTATION OR THE
 RESULTS SHOULD BE IMMEDIATELY BROUGHT TO OUR ATTENTION.

ENTER /SHOW,device TO SET THE GRAPHICS DISPLAY TO device(e.g. X11,4207,ETC.)
 ENTER /MENU,ON TO START THE ANSYS MENU SYSTEM
 ENTER HELP FOR GENERAL ANSYS HELP INFORMATION

***** DOCUMENTATION FILE NOT AVAILABLE *****
 1 /COM, *****
 2 /COM, ANSYS REVISION 5.0A 3/24/1995
 3 /COM, 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III
 4 /COM, *****
 5 /COM, *
 6 /COM, * File name: ma12j2.inp *
 7 /COM, * 12 PWR MPC with Low T.L. Disposal Container *
 8 /COM, * Helium Fill Gas *
 9 /COM, *
 10 /COM, * Material Property file: props01.dat *
 11 /COM, *
 12 /COM, * SNF Conductivity file: pwr15e.parm *
 13 /COM, * 15x15 Mark-B4 PWR SNF Assembly *
 14 /COM, *
 15 /COM, * SNF Heat Loads file: snf2040.dat *
 16 /COM, * SNF Type: 20 years old, 40 Gwd/MTU *

```

17 /COM, *
18 /COM, * Surface Temp. file: c12j5a.parm
19 /COM, * 25 MTU/acre (6.18 kgU/m^2) AML (Low Thermal Loading)
20 /COM, * 5.0 m Diameter Drift with Concrete Invert
21 /COM, * Drift spacing = 67.5 m
22 /COM, * WP c/c spacing = 12.317 m
23 /COM, *
24 /COM, *****
25 /COM, Increase the number of database pages from 16 (256) to 32 Mb
26 /CONFIG,nvpag,512,
27 /COM, Work space must also be increased (-m 64)
28 /COM, *****
29 /TITLE, 12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF
30 /UNITS,SI,
31 /COM, *****
32 /COM, Read in average effective conductivities from SNF model
33 PARRES,CHANGE,pwr15e.parm,
34 /COM, Read in surface temps. from repository model
35 PARRES,CHANGE,c12j5a.parm,
36 /COM, *****
37 /COM, Define MPC/waste package parameters
38 /COM, (MPC dimensions converted from inches to meters)
39 /COM, MIRAD = inner radius of MPC shell (m)
40 /COM, MWALL = MPC shell thickness (m)
41 /COM, DCRAD = disposal container outer radius (m)
42 /COM, OWALL = outer barrier thickness (m)
43 /COM, IWALL = inner barrier thickness (m)
44 /COM, GCORN = corner guide width (m)
45 /COM, GLENW = side guide total width (m)
46 /COM, GLENH = side guide total height (m)
47 /COM, GWALL = guide thickness (m)
48 /COM, HCELL = 1/2 of basket cell opening (m)
49 /COM, SWALL = stainless tube thickness (m)
50 /COM, AWALL = Al/boron tube thickness (m)
51 /COM, FLENT = flux trap plate length (m)
52 /COM, FWALL = flux trap plate stainless thickness (m)
53 /COM, BWALL = flux trap plate Al/boron thickness (m)
54 /COM, TWALL = flux trap plate SS sheath thickness (m)
55 /COM, FSPAC = flux trap plate spacer width (m)
56 /COM, TSPAC = tube/tube spacer width (m)
57 /COM, ACTVL = active fuel length
58 /COM, PEAKF = assembly heat axial peaking factor
59 PI=3.141592654
60 MIRAD=47.870*2.54/100.0/2.0
61 MWALL=0.8750*2.54/100.0
62 DCRAD=1.4305/2.0
63 OWALL=0.0500
64 IWALL=0.0200
65 GCORN=10.086*2.54/100.0
66 GLENW=8.4340*2.54/100.0
67 GLENH=2.4960*2.54/100.0
68 GWALL=0.3750*2.54/100.0
69 HCELL=9.0000*2.54/100.0/2.0
70 SWALL=0.0940*2.54/100.0
71 AWALL=0.1070*2.54/100.0
72 FLENT=23.164*2.54/100.0
73 FWALL=0.5000*2.54/100.0
74 BWALL=0.2500*2.54/100.0
75 TWALL=0.0940*2.54/100.0
76 FSPAC=1.0000*2.54/100.0
77 TSPAC=0.9860*2.54/100.0
78 ACTVL=141.80*2.54/100.0
79 PEAKF=1.25
80 /COM, Define calculated parameters
81 /COM, ASSY = assembly heat production (W) f(yrs)
82 /COM, FUEL = volumetric heat production (W/m3) f(yrs)
83 /COM, FVOLUME = assy_volume=cell_width^2*active_length
84 /COM, Q2 = side guide x coord. (see sketch)
85 /COM, GX## = x coord. of guide/shell contact (kp##)
86 /COM, GY## = y coord. of guide/shell contact (kp##)

```

```

87 /COM,          ACX# = x coord. of center of assembly #
88 /COM,          ACY# = y coord. of center of assembly #
89 /COM,          TM_START = start time (sec)
90 /COM,          TMI* = time increment for solution (sec)
91 /COM,          TME* = start and stop for time do-loops (sec)
92 /COM,          Note: 1 year = 3.15576e7 seconds
93 /COM,          QCELL = 1/4 of basket cell opening (m)
94 /COM,          SCELL = 1/2 of basket cell opening+SS wall(m)
95 /COM,          ACELL = 1/2 of basket cell opening+SS+AL (m)
96 /COM,          MI45 = x coord. MIRAD at 45 deg.
97 /COM,          MO45 = x coord. MIRAD+MWALL at 45 deg.
98 /COM,          DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
99 /COM,          DM45 = x coord. DCRAD-OWALL at 45 deg.
100 /COM,          DO45 = x coord. DCRAD at 45 deg.
101 /COM,          TMTMAX = time of maximum cladding temperature
102 *SET,ASSY,
103 *DIM,ASSY, TABLE,101,1,
104 *DIM,FUEL, TABLE,101,1
105 FVOLUME=4*HCELL*HCELL*ACTVL
106 Q2=1.969344*2.54/100.0
107 GX22=Q2-GWALL
108 GY22=SQRT(MIRAD*MIRAD-GX22*GX22)
109 GX23=Q2
110 GY23=SQRT(MIRAD*MIRAD-GX23*GX23)
111 GX24=Q2+GLENW-GWALL
112 GY24=SQRT(MIRAD*MIRAD-GX24*GX24)
113 GTMP=GCORN-GWALL
114 GX25=(SQRT(MIRAD*MIRAD-GTMP*GTMP/2.0)-GTMP/SQRT(2.0))/(SQRT(2.0))
115 GY25=SQRT(MIRAD*MIRAD-GX25*GX25)
116 ACX1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
117 ACY1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
118 ACX2=ACX1+2.0*(HCELL+SWALL+AWALL+SWALL)+TSPAC
119 ACY2=ACY1
120 ACX3=ACX1
121 ACY3=ACY2
122 TM_START=(1.0E-6)*(3.15576E7)
123 TMI0=0.1*3.15576E7
124 TMI1=1.0*3.15576E7
125 TMI10=10.0*3.15576E7
126 TMI100=100.0*3.15576E7
127 TMI1000=1000.0*3.15576E7
128 TME0=0.9*3.15576E7+TM_START
129 TME1=TMI1+TM_START
130 TME9=9.0*3.15576E7+TM_START
131 TME10=TMI10+TM_START
132 TME50=50.0*3.15576E7+TM_START
133 TME90=90.0*3.15576E7+TM_START
134 TME100=TMI100+TM_START
135 TME1000=TMI1000+TM_START
136 BCELL=FWALL+BWALL
137 QCELL=HCELL/2.0
138 SCELL=HCELL+SWALL
139 ACELL=HCELL+SWALL+AWALL
140 TCELL=HCELL+SWALL+AWALL+SWALL
141 MI45=MIRAD/SQRT(2.0)
142 MO45=(MIRAD+MWALL)/SQRT(2.0)
143 DI45=(DCRAD-OWALL-IWALL)/SQRT(2.0)
144 DM45=(DCRAD-OWALL)/SQRT(2.0)
145 DO45=DCRAD/SQRT(2.0)
146 /COM,          *****
147 /COM,          Define different element types
148 /PREP7
149 ETYPE
150 ET, 1,55,
151 ET, 2,70,
152 ET, 7,32,
153 ET, 16,57,
154 ET, 17,32,
155 ET, 18,50,1,
156 ET, 19,31,

```

```

157 ET, 27,32,
158 /COM, *****
159 /COM, File props01.dat describes material properties
160 /COM, and thier reference numbers
161 MPREAD,props01,dat,
162 /COM, Read in single assembly heat loads
163 /COM, Calculate the volumetric heat generation
164 /COM, (Assembly time is in years, FUEL is in seconds)
165 /INPUT,snf2040,dat
166 *VFACT,3.15576E7,
167 *MFUN,FUEL(1,0),COPY,ASSY(1,0),
168 *VFACT,(PEAKF/FVOLU),
169 *VFUN,FUEL(1),COPY,ASSY(1),
170 FUEL(0,1)=1.0
171 /COM, *****
172 /COM, Define new material 14 for SNF effective conductivity
173 /COM, Density: DENS (kg/m^3)
174 /COM, Conductivity: KXX (W/m/K)
175 /COM, Specific Heat: C (J/kg/K)
176 MPTEMP
177 MPTEMP, 1, .00000E+00,
178 MPDATA,DENS,14, 1, .396004E+04,
179 MPDATA, C,14, 1, .27400E+03,
180 /COM, Store average effective conductivities
181 IINC=1
182 TBSKT=25.0
183 MPTEMP
184 MPTEMP,IINC,TBSKT,
185 IINC=IINC+1
186 *DO,TBSKT,50.0,400.0,50.0,
187 MPTEMP,IINC,TBSKT,
188 IINC=IINC+1
189 *ENDDO
190 IINC=1
191 TBSKT=25.0
192 MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
193 IINC=IINC+1
194 *DO,TBSKT,50.0,400.0,50.0,
195 MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
196 IINC=IINC+1
197 *ENDDO
198 /COM, *****
199 /COM, Define new material 15 for low thermal loading
200 /COM, outer barrier of 70/30 Copper Nickel (C71500)
201 /COM, Density: DENS (kg/m^3)
202 /COM, Conductivity: KXX (W/m/K)
203 /COM, Specific Heat: C (J/kg/K)
204 MPTEMP
205 MPTEMP, 1, .00000E+00,
206 /COM, Density (lb/in^3 converted to kg/m^3)
207 MPDATA,DENS,15, 1,(0.323*2.768E+04),
208 /COM, Specific Heat (Btu/lb/F converted to J/kg/K)
209 MPDATA, C,15, 1,(0.09/2.3886E-04),
210 /COM, Conductivity (Btu/hr/ft/F converted to W/m/K)
211 MPTEMP
212 MPTEMP, 1, (5.0/9.0*(68.0-32.0)), (5.0/9.0*(212.0-32.0)),
213 MPTEMP, 3, (5.0/9.0*(392.0-32.0)), (5.0/9.0*(572.0-32.0)),
214 MPTEMP, 5, (5.0/9.0*(752.0-32.0)), (5.0/9.0*(932.0-32.0)),
215 MPTEMP, 7,(5.0/9.0*(1112.0-32.0)),(5.0/9.0*(1292.0-32.0)),
216 MPDATA, KXX,15, 1, (17.0*1.7307), (16.9*1.7307),
217 MPDATA, KXX,15, 3, (19.7*1.7307), (22.3*1.7307),
218 MPDATA, KXX,15, 5, (24.9*1.7307), (27.8*1.7307),
219 MPDATA, KXX,15, 7, (30.7*1.7307), (33.6*1.7307),
220 /COM, *****
221 /COM, Construct geometry for Disposal Container
222 /COM,
223 /COM, Define center and axis keypoints for waste package
224 /COM, Also, create placeholder keypoints and lines
225 /COM, (K's 1,2,3,4,5,6,7,8)
226 /COM, (L's 1,2,3,4)

```



```

227 K,1,0.0,0.0,0.0,
228 K,2,0.0,0.0,1.0,
229 K,3,0.0,0.0,1.3,
230 K,4,0.0,0.0,1.4,
231 K,5,0.0,0.0,1.5,
232 K,6,0.0,0.0,1.6,
233 K,7,0.0,0.0,1.7,
234 K,8,0.0,0.0,1.8,
235 L,3,4,
236 L,4,5,
237 L,5,6,
238 L,6,7,
239 /COM,          Define disposal container and MPC outer radius
240 /COM,          (K's 9,10,11,12,13,14,15,16,17,18,19,20)
241 /COM,          (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
242 /COM,          (A's 1,2,3,4,5,6)
243 K, 9,          0.0,          (0.0-DCRAD),0.0,
244 K,10,          DCRAD,          0.0,0.0,
245 K,11,          0.0,          DCRAD,0.0,
246 K,12,          0.0,          (OWALL-DCRAD),0.0,
247 K,13,          (DCRAD-OWALL), 0.0,0.0,
248 K,14,          0.0,          (DCRAD-OWALL),0.0,
249 K,15,          0.0, (OWALL+IWALL-DCRAD),0.0,
250 K,16, (DCRAD-OWALL-IWALL), 0.0,0.0,
251 K,17,          0.0, (DCRAD-OWALL-IWALL),0.0,
252 K,18,          0.0, (0.0-MIRAD-MWALL),0.0,
253 K,19,          (MIRAD+MWALL), 0.0,0.0,
254 K,20,          0.0,          (MIRAD+MWALL),0.0,
255 L,10,13,
256 L,13,16,
257 LARC,10, 9,1,          DCRAD,
258 LARC,11,10,1,          DCRAD,
259 LARC,13,12,1,          (DCRAD-OWALL),
260 LARC,14,13,1,          (DCRAD-OWALL),
261 L,11,14,
262 L, 9,12,
263 LARC,15,16,1, (DCRAD-OWALL-IWALL),
264 LARC,16,17,1, (DCRAD-OWALL-IWALL),
265 L,14,17,
266 L,12,15,
267 LARC,19,18,1,          (MIRAD+MWALL),
268 LARC,20,19,1,          (MIRAD+MWALL),
269 L,17,20,
270 L,15,18,
271 L,16,19,
272 AL, 5, 7,12, 9,
273 AL,11, 8, 5,10,
274 AL, 6, 9,16,13,
275 AL,15,10, 6,14,
276 AL,21,13,20,17,
277 AL,19,14,21,18,
278 /COM,          *****
279 /COM,          Define MPC shell inner edge and area
280 /COM,          (K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
281 /COM,          ( 38,39)
282 /COM,          (L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
283 /COM,          ( 39,40,41,42)
284 /COM,          (A's 7,8)
285 K,21, 0.0,          MIRAD,0.0,
286 K,22, GX22,          GY22,0.0,
287 K,23, GX23,          GY23,0.0,
288 K,24, GX24,          GY24,0.0,
289 K,25, GX25,          GY25,0.0,
290 K,26, GY25,          GX25,0.0,
291 K,27, GY24,          GX24,0.0,
292 K,28, GY23,          GX23,0.0,
293 K,29, GY22,          GX22,0.0,
294 K,30, MIRAD,          0.0,0.0,
295 K,31, GY22, (0.0-GX22),0.0,
296 K,32, GY23, (0.0-GX23),0.0,

```

```

297 K,33, GY24, (0.0-GX24),0.0,
298 K,34, GY25, (0.0-GX25),0.0,
299 K,35, GX25, (0.0-GY25),0.0,
300 K,36, GX24, (0.0-GY24),0.0,
301 K,37, GX23, (0.0-GY23),0.0,
302 K,38, GX22, (0.0-GY22),0.0,
303 K,39, 0.0,(0.0-MIRAD),0.0,
304 L,20,21,
305 LARC,22,21,1,MIRAD,
306 LARC,23,22,1,MIRAD,
307 LARC,24,23,1,MIRAD,
308 LARC,25,24,1,MIRAD,
309 LARC,26,25,1,MIRAD,
310 LARC,27,26,1,MIRAD,
311 LARC,28,27,1,MIRAD,
312 LARC,29,28,1,MIRAD,
313 LARC,30,29,1,MIRAD,
314 LARC,31,30,1,MIRAD,
315 LARC,32,31,1,MIRAD,
316 LARC,33,32,1,MIRAD,
317 LARC,34,33,1,MIRAD,
318 LARC,35,34,1,MIRAD,
319 LARC,36,35,1,MIRAD,
320 LARC,37,36,1,MIRAD,
321 LARC,38,37,1,MIRAD,
322 LARC,39,38,1,MIRAD,
323 L,18,39,
324 L,19,30,
325 LSEL,S,LINE,,32,42,1,
326 LSEL,A,LINE,,17,
327 AL,ALL,
328 LSEL,S,LINE,,22,31,1,
329 LSEL,A,LINE,,18,
330 LSEL,A,LINE,,42,
331 AL,ALL,
332 LSEL,ALL,
333 /COM, *****
334 /COM, Define tube guides
335 /COM, (K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)
336 /COM, ( 57,58,59)
337 /COM, (L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)
338 /COM, ( 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
339 /COM, ( 77,78,79,80)
340 /COM, (A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)
341 /COM, ( 26)
342 /COM,
343 /COM, top
344 K,40, GX23, GY24,0.0,
345 K,41, GX22,(GY24-GWALL),0.0,
346 K,42, GX24,(GY24-GWALL),0.0,
347 K,43,(GX25-GWALL), GY25,0.0,
348 K,44, GX25, GX25,0.0,
349 K,45,(GX25-GWALL),(GX25-GWALL),0.0,
350 K,46, GY25,(GX25-GWALL),0.0,
351 /COM, side
352 K,47,(GY24-GWALL), GX24,0.0,
353 K,48, GY24, GX23,0.0,
354 K,49,(GY24-GWALL), GX22,0.0,
355 K,50,(GY24-GWALL), (0.0-GX22),0.0,
356 K,51, GY24, (0.0-GX23),0.0,
357 K,52,(GY24-GWALL), (0.0-GX24),0.0,
358 /COM, bottom
359 K,53, GY25,(GWALL-GX25),0.0,
360 K,54,(GX25-GWALL),(GWALL-GX25),0.0,
361 K,55, GX25, (0.0-GX25),0.0,
362 K,56,(GX25-GWALL), (0.0-GY25),0.0,
363 K,57, GX24,(GWALL-GY24),0.0,
364 K,58, GX22,(GWALL-GY24),0.0,
365 K,59, GX23, (0.0-GY24),0.0,
366 /COM, top

```

```

367 L,41,22,
368 L,40,41,
369 L,40,24,
370 L,42,41,
371 L,24,42,
372 L,43,25,
373 L,45,43,
374 L,25,44,
375 L,44,45,
376 L,44,26,
377 L,46,45,
378 L,26,46,
379 /COM, side
380 L,47,27,
381 L,49,47,
382 L,27,48,
383 L,48,49,
384 L,48,28,
385 L,29,49,
386 L,50,31,
387 L,32,51,
388 L,50,51,
389 L,52,50,
390 L,51,33,
391 L,33,52,
392 /COM, bottom
393 L,53,34,
394 L,54,53,
395 L,34,55,
396 L,54,55,
397 L,56,54,
398 L,55,35,
399 L,35,56,
400 L,57,36,
401 L,58,57,
402 L,36,59,
403 L,58,59,
404 L,38,58,
405 L,59,37,
406 L,23,40,
407 /COM, air
408 AL,80,45,25,
409 AL,50,52,27,
410 AL,57,59,29,
411 AL,62,65,34,
412 AL,69,72,36,
413 AL,76,79,38,
414 /COM, guides
415 AL,24,43,44,80,
416 AL,45,44,46,47,
417 AL,48,49,51,50,
418 AL,52,51,53,54,
419 AL,55,56,58,57,
420 AL,59,58,60,30,
421 AL,61,63,62,33,
422 AL,63,64,66,65,
423 AL,68,70,69,67,
424 AL,70,71,73,72,
425 AL,75,77,76,74,
426 AL,77,78,39,79,
427 /COM, *****
428 /COM, Define top half tubes and flux trap plate
429 /COM, (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
430 /COM, ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
431 /COM, ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
432 /COM, ( 108,109,110,111,112,113,114,115,116,117,118,119)
433 /COM, ( 120,121,122,123,124,125,126,127,128,129,130,131)
434 /COM, ( 132,133,134,135,136,137,138,139,140,141,142,143)
435 /COM, ( 144,145,146,147,148,149,150,151,152,153,154,155)
436 /COM, ( 156,157,158,159,160,161,162,163,164,165,166,167)

```

```

437 /COM, (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
438 /COM, ( 98,99,100,101,102,103,104,105,106,107,108,109,110)
439 /COM, ( 111,112,113,114,115,116,117,118,119,120,121,122)
440 /COM, ( 123,124,125,126,127,128,129,130,131,132,133,134)
441 /COM, ( 135,136,137,138,139,140,141,142,143,144,145,146)
442 /COM, ( 147,...)
443 /COM, (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
444 /COM, ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
445 /COM, ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
446 /COM, ( 78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
447 /COM, ( 95,96,97,98,99,100,101,102,103)
448 K, 60, 0.0, (FSPAC/2.0),0.0,
449 K, 61, 0.0, (1.5*FSPAC),0.0,
450 K, 62, 0.0, (ACY1-FSPAC/2.0),0.0,
451 K, 63, 0.0, (ACY1+FSPAC/2.0),0.0,
452 K, 64, 0.0, (ACY1+HCELL+SWALL),0.0,
453 K, 65, 0.0,(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
454 K, 66, 0.0,(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
455 K, 67, 0.0, (ACY3-HCELL-SWALL),0.0,
456 K, 68, 0.0, (ACY3-FSPAC/2.0),0.0,
457 K, 69, 0.0, (ACY3+FSPAC/2.0),0.0,
458 K, 70, 0.0, (ACY3+HCELL+SWALL),0.0,
459 K, 71, 0.0, (ACY3+HCELL+SWALL+FSPAC),0.0,
460 K, 72, 0.0, (FSPAC/2.0+FLENT),0.0,
461 K, 73, (FSPAC/2.0), (FSPAC/2.0),0.0,
462 K, 74, (FSPAC/2.0), (1.5*FSPAC),0.0,
463 K, 75, (FSPAC/2.0), (ACY1-FSPAC/2.0),0.0,
464 K, 76, (FSPAC/2.0), (ACY1+FSPAC/2.0),0.0,
465 K, 77, (FSPAC/2.0), (ACY1+HCELL+SWALL),0.0,
466 K, 78, (FSPAC/2.0),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
467 K, 79, (FSPAC/2.0),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
468 K, 80, (FSPAC/2.0), (ACY3-HCELL-SWALL),0.0,
469 K, 81, (FSPAC/2.0), (ACY3-FSPAC/2.0),0.0,
470 K, 82, (FSPAC/2.0), (ACY3+FSPAC/2.0),0.0,
471 K, 83, (FSPAC/2.0), (ACY3+HCELL+SWALL),0.0,
472 K, 84, (FSPAC/2.0), (ACY3+HCELL+SWALL+FSPAC),0.0,
473 K, 85, (FSPAC/2.0), (FSPAC/2.0+FLENT),0.0,
474 K, 86, (FSPAC/2.0+FWALL), (FSPAC/2.0+FWALL),0.0,
475 K, 87, (FSPAC/2.0+FWALL), (ACY1+HCELL+SWALL),0.0,
476 K, 88, (FSPAC/2.0+FWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
477 K, 89, (FSPAC/2.0+FWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
478 K, 90, (FSPAC/2.0+FWALL), (ACY3-HCELL-SWALL),0.0,
479 K, 91, (FSPAC/2.0+FWALL), (ACY3+HCELL+SWALL),0.0,
480 K, 92, (FSPAC/2.0+FWALL), (FSPAC/2.0+FLENT),0.0,
481 K, 93, (1.5*FSPAC), (FSPAC/2.0),0.0,
482 K, 94, (FSPAC/2.0+FWALL+BWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
483 K, 95, (FSPAC/2.0+FWALL+BWALL), (ACY1+HCELL+SWALL),0.0,
484 K, 96, (FSPAC/2.0+FWALL+BWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
485 K, 97, (FSPAC/2.0+FWALL+BWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
486 K, 98, (FSPAC/2.0+FWALL+BWALL), (ACY3-HCELL-SWALL),0.0,
487 K, 99, (FSPAC/2.0+FWALL+BWALL), (ACY3+HCELL+SWALL),0.0,
488 K, 100, (FSPAC/2.0+FWALL+BWALL), (FSPAC/2.0+FLENT),0.0,
489 K, 101, (ACX1-HCELL-SWALL), (ACY1-HCELL-SWALL),0.0,
490 K, 102, (ACX1-HCELL-SWALL), (ACY1+HCELL+SWALL),0.0,
491 K, 103, (ACX1-HCELL-SWALL), (ACY1+HCELL+SWALL+AWALL),0.0,
492 K, 104, (ACX1-HCELL-SWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
493 K, 105, (ACX3-HCELL-SWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
494 K, 106, (ACX3-HCELL-SWALL), (ACY3-HCELL-SWALL-AWALL),0.0,
495 K, 107, (ACX3-HCELL-SWALL), (ACY3-HCELL-SWALL),0.0,
496 K, 108, (ACX3-HCELL-SWALL), (ACY3+HCELL+SWALL),0.0,
497 K, 109, (ACX3-HCELL-SWALL), (FSPAC/2.0+FLENT),0.0,
498 K, 110, (ACX1-HCELL), (ACY1-HCELL),0.0,
499 K, 111, (ACX1-HCELL), (ACY1+HCELL),0.0,
500 K, 112, (ACX3-HCELL), (ACY3-HCELL),0.0,
501 K, 113, (ACX3-HCELL), (ACY3+HCELL),0.0,
502 K, 114, (ACX1-FSPAC/2.0), (FSPAC/2.0),0.0,
503 K, 115, (ACX1+FSPAC/2.0), (FSPAC/2.0),0.0,
504 K, 116, (ACX1+HCELL), (ACY1-HCELL),0.0,
505 K, 117, (ACX1+HCELL), (ACY1+HCELL),0.0,
506 K, 118, (ACX3+HCELL), (ACY3-HCELL),0.0,

```

```

507 K,119, (ACX3+HCELL), (ACY3+HCELL),0.0,
508 K,120, (ACX1+HCELL+SWALL), (FSPAC/2.0),0.0,
509 K,121, (ACX1+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
510 K,122, (ACX1+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
511 K,123, (ACX1+HCELL+SWALL), (ACY1-HCELL-SWALL),0.0,
512 K,124, (ACX1+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
513 K,125, (ACX3+HCELL+SWALL), (ACY3-HCELL-SWALL),0.0,
514 K,126, (ACX3+HCELL+SWALL), (ACY3+HCELL+SWALL),0.0,
515 K,127, (ACX1+HCELL+SWALL+AWALL), (ACY1-HCELL-SWALL),0.0,
516 K,128, (ACX1+HCELL+SWALL+AWALL), (ACY1+HCELL+SWALL+AWALL),0.0,
517 K,129, (ACX3+HCELL+SWALL+AWALL), (ACY3-HCELL-SWALL+AWALL),0.0,
518 K,130, (ACX3+HCELL+SWALL+AWALL), (ACY3+HCELL+SWALL),0.0,
519 K,131, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0),0.0,
520 K,132, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0+FWALL),0.0,
521 K,133, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
522 K,134, (ACX1+HCELL+2.0*SWALL+AWALL), (ACY1-HCELL-SWALL),0.0,
523 K,135, (ACX1+HCELL+2.0*SWALL+AWALL), (ACY1+HCELL+2.0*SWALL+AWALL),0.0,
524 K,136, (ACX3+HCELL+2.0*SWALL+AWALL), (ACY3-HCELL-2.0*SWALL-AWALL),0.0,
525 K,137, (ACX3+HCELL+2.0*SWALL+AWALL), (ACY3+HCELL+SWALL),0.0,
526 K,138, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0),0.0,
527 K,139, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0+FWALL),0.0,
528 K,140, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
529 K,141, (ACX2-HCELL-2.0*SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
530 K,142, (ACX2-HCELL-2.0*SWALL-AWALL), (ACY2+HCELL+2.0*SWALL+AWALL),0.0,
531 K,143, (ACX2-HCELL-SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
532 K,144, (ACX2-HCELL-SWALL-AWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
533 K,145, (ACX2-HCELL-SWALL), (FSPAC/2.0),0.0,
534 K,146, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL),0.0,
535 K,147, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
536 K,148, (ACX2-HCELL-SWALL), (ACY2-HCELL-SWALL),0.0,
537 K,149, (ACX2-HCELL-SWALL), (ACY1+HCELL+SWALL),0.0,
538 K,150, (ACX2-HCELL), (ACY2-HCELL),0.0,
539 K,151, (ACX2-HCELL), (ACY2+HCELL),0.0,
540 K,152, (ACX2-FSPAC/2.0), (FSPAC/2.0),0.0,
541 K,153, (ACX2+FSPAC/2.0), (FSPAC/2.0),0.0,
542 K,154, (ACX2+HCELL), (ACY2-HCELL),0.0,
543 K,155, (ACX2+HCELL), (ACY2+HCELL),0.0,
544 K,156, (ACX2+HCELL+SWALL), (FSPAC/2.0),0.0,
545 K,157, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
546 K,158, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
547 K,159, (ACX2+HCELL+SWALL), (ACY2-HCELL-SWALL),0.0,
548 K,160, (ACX2+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
549 K,161, (ACX2+HCELL+SWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
550 K,162, (ACX2+HCELL+SWALL), (ACY2+HCELL+2.0*SWALL+AWALL),0.0,
551 K,163, (ACX2+HCELL+SWALL+FSPAC), (FSPAC/2.0),0.0,
552 K,164, (FSPAC/2.0+FLENT), (FSPAC/2.0),0.0,
553 K,165, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL),0.0,
554 K,166, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL+BWALL),0.0,
555 K,167, (FSPAC/2.0+FLENT), (ACY2-HCELL-SWALL),0.0,
556 /COM, create lines on perimeter and for lesize
557 L, 73, 60,
558 L, 73, 74,
559 L, 61, 74,
560 L, 74, 75,
561 L, 75, 62,
562 L, 75, 76,
563 L, 63, 76,
564 L, 76, 77,
565 L, 77, 78,
566 L, 78, 65,
567 L, 78, 79,
568 L, 66, 79,
569 L, 79, 80,
570 L, 80, 81,
571 L, 81, 68,
572 L, 81, 82,
573 L, 69, 82,
574 L, 82, 83,
575 L, 83, 70,
576 L, 83, 84,

```

577 L, 71, 84,
 578 L, 84, 85,
 579 L, 85, 92,
 580 L, 92, 100,
 581 L, 100, 109,
 582 L, 109, 108,
 583 L, 108, 126,
 584 L, 126, 130,
 585 L, 130, 137,
 586 L, 137, 136,
 587 L, 136, 105,
 588 L, 112, 107,
 589 L, 107, 106,
 590 L, 106, 105,
 591 L, 105, 104,
 592 L, 104, 103,
 593 L, 103, 102,
 594 L, 102, 111,
 595 L, 104, 135,
 596 L, 135, 134,
 597 L, 123, 127,
 598 L, 127, 134,
 599 L, 134, 141,
 600 L, 141, 143,
 601 L, 143, 148,
 602 L, 148, 150,
 603 L, 141, 142,
 604 L, 142, 162,
 605 L, 162, 161,
 606 L, 161, 160,
 607 L, 160, 159,
 608 L, 159, 167,
 609 L, 167, 166,
 610 L, 166, 165,
 611 L, 165, 164,
 612 L, 164, 163,
 613 L, 163, 156,
 614 L, 156, 153,
 615 L, 153, 152,
 616 L, 152, 145,
 617 L, 145, 138,
 618 L, 138, 131,
 619 L, 131, 120,
 620 L, 120, 115,
 621 L, 115, 114,
 622 L, 114, 93,
 623 L, 93, 73,
 624 /COM, tube spacers
 625 A, 71, 84, 83, 70,
 626 A, 69, 82, 81, 68,
 627 A, 66, 79, 78, 65,
 628 A, 63, 76, 75, 62,
 629 A, 61, 74, 73, 60,
 630 /COM, flux trap plate (stainless)
 631 A, 85, 92, 91, 83, 84,
 632 A, 83, 91, 90, 80, 81, 82,
 633 A, 80, 90, 89, 79,
 634 A, 79, 89, 88, 78,
 635 A, 78, 88, 87, 77,
 636 A, 77, 87, 86, 73, 74, 75, 76,
 637 A, 86, 121, 120, 115, 114, 93, 73,
 638 A, 121, 132, 131, 120,
 639 A, 132, 139, 138, 131,
 640 A, 139, 146, 145, 138,
 641 A, 146, 157, 156, 153, 152, 145,
 642 A, 157, 165, 164, 163, 156,
 643 /COM, flux trap plate (Al/boron)
 644 A, 92, 100, 99, 91,
 645 A, 91, 99, 98, 90,
 646 A, 90, 98, 97, 89,

```

647 A, 89, 97, 96, 88,
648 A, 88, 96, 95, 87,
649 A, 87, 95, 94, 86,
650 A, 94, 122, 121, 86,
651 A, 122, 133, 132, 121,
652 A, 133, 140, 139, 132,
653 A, 140, 147, 146, 139,
654 A, 147, 158, 157, 146,
655 A, 158, 166, 165, 157,
656 /COM, flux trap plate (sheath)
657 A, 100, 109, 108, 99,
658 A, 99, 108, 107, 98,
659 A, 98, 107, 106, 105, 97,
660 A, 97, 105, 104, 96,
661 A, 96, 104, 103, 102, 95,
662 A, 95, 102, 101, 94,
663 A, 101, 123, 122, 94,
664 A, 123, 127, 134, 133, 122,
665 A, 134, 141, 140, 133,
666 A, 141, 143, 148, 147, 140,
667 A, 148, 159, 158, 147,
668 A, 159, 167, 166, 158,
669 /COM, tube (sheath)
670 A, 130, 137, 136, 129,
671 A, 106, 129, 136, 105,
672 A, 104, 135, 128, 103,
673 A, 128, 135, 134, 127,
674 A, 142, 144, 143, 141,
675 A, 142, 162, 161, 144,
676 /COM, tube (Al/boron)
677 A, 126, 130, 129, 125,
678 A, 107, 125, 129, 106,
679 A, 103, 128, 124, 102,
680 A, 124, 128, 127, 123,
681 A, 144, 149, 148, 143,
682 A, 144, 161, 160, 149,
683 /COM, tube (stainless)
684 A, 108, 113, 112, 107,
685 A, 108, 126, 119, 113,
686 A, 119, 126, 125, 118,
687 A, 112, 118, 125, 107,
688 A, 102, 111, 110, 101,
689 A, 102, 124, 117, 111,
690 A, 117, 124, 123, 116,
691 A, 110, 116, 123, 101,
692 A, 149, 151, 150, 148,
693 A, 149, 160, 155, 151,
694 A, 155, 160, 159, 154,
695 A, 150, 154, 159, 148,
696 /COM, homogeneous assembly
697 A, 113, 119, 118, 112,
698 A, 111, 117, 116, 110,
699 A, 151, 155, 154, 150,
700 /COM, helium spaces
701 A, 72, 85, 84, 71,
702 A, 70, 83, 82, 69,
703 A, 68, 81, 80, 67,
704 A, 67, 80, 79, 66,
705 A, 65, 78, 77, 64,
706 A, 64, 77, 76, 63,
707 A, 62, 75, 74, 61,
708 A, 105, 136, 135, 104,
709 A, 135, 142, 141, 134,
710 NUMMRG, KP,
711 /COM, *****
712 /COM, Set element shapes and sizes for tubes and flux trap
713 /COM, 14x14 mesh in fuel with 1
714 /COM, division per tube layer
715 ESHAPE, 2,
716 ESIZE, 1,

```

```

717 LSEL,S,LINE,, 81, 87,2,
718 LSEL,A,LINE,, 90, 92,2,
719 LSEL,A,LINE,, 95,101,2,
720 LESIZE,ALL,,, 2,
721 LSEL,S,LINE,,107,
722 LSEL,A,LINE,,110,111,1,
723 LSEL,A,LINE,,119,120,1,
724 LSEL,A,LINE,,127,128,1,
725 LSEL,A,LINE,,131,
726 LESIZE,ALL,,, 14,
727 LSEL,ALL,
728 LESIZE, 82,,, 2,
729 LESIZE, 84,,, 3,
730 LESIZE, 86,,, 4,
731 LESIZE, 88,,, 5,
732 LESIZE, 89,,, 2,
733 LESIZE, 91,,, 4,
734 LESIZE, 93,,, 2,
735 LESIZE, 94,,, 5,
736 LESIZE, 96,,, 4,
737 LESIZE, 98,,, 5,
738 LESIZE,100,,, 4,
739 LESIZE,102,,, 2,
740 LESIZE,103,,, 3,
741 LESIZE,104,,, 2,
742 LESIZE,136,,, 2,
743 LESIZE,137,,, 4,
744 LESIZE,138,,, 5,
745 LESIZE,139,,, 4,
746 LESIZE,140,,, 5,
747 LESIZE,141,,, 2,
748 LESIZE,142,,, 4,
749 LESIZE,143,,, 2,
750 LESIZE,144,,, 5,
751 LESIZE,145,,, 4,
752 LESIZE,146,,, 3,
753 LESIZE,147,,, 2,
754 /COM,          concatenate lines for mapped meshing
755 /COM,          (L's 265,266,267,268,269,270,271,272,273,274)
756 LSEL,S,LINE,, 82, 88,2,
757 LCCAT,ALL,
758 LSEL,S,LINE,, 94, 98,2,
759 LCCAT,ALL,
760 LSEL,S,LINE,,100,102,2,
761 LCCAT,ALL,
762 LSEL,S,LINE,,113,114,1,
763 LCCAT,ALL,
764 LSEL,S,LINE,,116,117,1,
765 LCCAT,ALL,
766 LSEL,S,LINE,,121,122,1,
767 LCCAT,ALL,
768 LSEL,S,LINE,,124,125,1,
769 LCCAT,ALL,
770 LSEL,S,LINE,,136,137,1,
771 LCCAT,ALL,
772 LSEL,S,LINE,,138,140,1,
773 LCCAT,ALL,
774 LSEL,S,LINE,,144,147,1,
775 LCCAT,ALL,
776 LSEL,ALL,
777 /COM,          Mesh areas
778 /COM,          first flux trap plate, then tubes
779 MAT, 1,
780 TYPE,1,
781 AMESH, 27, 43,1,
782 MAT,13,
783 TYPE,1,
784 AMESH, 44, 55,1,
785 MAT, 1,
786 TYPE,1,

```



```

787 AMESH, 56, 73,1,
788 MAT,13,
789 TYPE,1,
790 AMESH, 74, 79,1,
791 MAT, 1,
792 TYPE,1,
793 AMESH, 80, 91,1,
794 MAT,14,
795 TYPE,1,
796 AMESH, 92, 94,1,
797 /COM, Delete concatenated lines
798 /COM, (L's freed up 265,266,267,268,269,270,271,272,273,274)
799 LDELETE,265,274,1,
800 /COM, *****
801 /COM, Copy tube mesh and connect top and bottom
802 ARSYM,Y,27,103,1,0,0,0,
803 /COM, flux trap plate spacers
804 /COM, (L's 449,450,451,452,453,454,455,456,457,458)
805 /COM, (A's 181,182,183,184,185)
806 A,186, 73, 93,202,
807 A,201,114,115,200,
808 A,204,131,138,206,
809 A,212,152,153,211,
810 A,210,156,163,215,
811 /COM, flux trap plate helium gaps
812 /COM, (A's 186,187,188,189,190,191,192,193)
813 A,187, 60, 73,186,
814 A,202, 93,114,201,
815 A,200,115,120,199,
816 A,199,120,131,204,
817 A,206,138,145,208,
818 A,208,145,152,212,
819 A,211,153,156,210,
820 A,215,163,164,214,
821 /COM, tube/guide helium gaps (flats)
822 /COM, (A's 194,195,196,197,198,199,200,201,202,203,204,205)
823 A,109, 22, 41,108,
824 A,108, 41, 42,126,
825 A,137, 43, 45,136,
826 A,142, 45, 46,162,
827 A,160, 47, 49,159,
828 A, 49, 29,167,159,
829 A,244,245, 31, 50,
830 A,244, 50, 52,260,
831 A,254, 53, 54,252,
832 A,248, 54, 56,247,
833 A,256, 57, 58,230,
834 A,230, 58, 38,229,
835 /COM, tube/guide helium gaps (corners)
836 /COM, (A's 206,207,208,209,210,211,212,213,214,215,216,217)
837 /COM, ( 218)
838 A, 21, 85, 72,
839 A, 21, 22,109,100, 92, 85,
840 A, 24, 25, 43,137,130,126, 42,
841 A,136, 45,142,135,
842 A, 26, 27, 47,160,161,162, 46,
843 A,167, 29, 30,164,165,166,
844 A,164, 30,214,
845 A,214, 30, 31,245,228,213,
846 A, 52, 33, 34, 53,254,255,260,
847 A,250,252, 54,248,
848 A,256,246,247, 56, 35, 36, 57,
849 A,188,189,216,229, 38, 39,
850 A,273,188, 39,
851 /COM, mesh flux trap plate spacers
852 LSEL,S,LINE,,449,458,1,
853 LESIZE,ALL,,, 4,
854 LSEL,ALL,
855 MAT,1,
856 TYPE,1,

```

```

857 AMESH,181,185,1,
858 NUMMRG,NODE,
859 NUMMRG,KP,
860 /COM, *****
861 /COM,          Create mesh in MPC shell and disposal container
862 /COM,          Tube guides
863 ESIZE,,2,
864 LESIZE,43,,, 6,
865 LESIZE,46,,,14,
866 LESIZE,49,,,14,
867 LESIZE,53,,,14,
868 LESIZE,56,,,14,
869 LESIZE,60,,, 6,
870 LESIZE,61,,, 6,
871 LESIZE,64,,,14,
872 LESIZE,68,,,14,
873 LESIZE,71,,,14,
874 LESIZE,75,,,14,
875 LESIZE,78,,, 6,
876 MAT,1,
877 TYPE,1,
878 AMESH,15,26,1,
879 /COM,          MPC shell
880 /COM,          (L's 489,490)
881 LESIZE,23,,, 2,
882 LESIZE,25,,,14,
883 LESIZE,26,,, 3,
884 LESIZE,27,,,14,
885 LESIZE,28,,, 3,
886 LESIZE,29,,,14,
887 LESIZE,31,,, 2,
888 LESIZE,32,,, 2,
889 LESIZE,34,,,14,
890 LESIZE,35,,, 3,
891 LESIZE,36,,,14,
892 LESIZE,37,,, 3,
893 LESIZE,38,,,14,
894 LESIZE,40,,, 2,
895 LSEL,S,LINE,,23,31,1,
896 LCCAT,ALL,
897 LSEL,S,LINE,,32,40,1,
898 LCCAT,ALL,
899 LSEL,ALL,
900 LESIZE,17,,,56,
901 LESIZE,18,,,56,
902 LESIZE,22,,, 3,
903 LESIZE,41,,, 3,
904 MAT,1,
905 TYPE,1,
906 AMESH,7,8,1,
907 /COM,          Assume vacuum between shell and inner barrier
908 LESIZE,13,,,56,
909 LESIZE,14,,,56,
910 LESIZE,19,,, 2,
911 LESIZE,20,,, 2,
912 /COM,          No MAT,7,
913 /COM,          No TYPE,1,
914 /COM,          No AMESH,5,6,1,
915 /COM,          Delete concatenatd lines
916 /COM,          (L's freed up 489,490)
917 LDELE,489,490,1,
918 /COM,          Inner and outer barrier
919 LSEL,S,LINE,,7,10,1,
920 LESIZE,ALL,,,56,
921 LSEL,ALL,
922 LESIZE, 6,,, 3,
923 LESIZE,15,,, 3,
924 LESIZE,16,,, 3,
925 LESIZE, 5,,, 3,
926 LESIZE,11,,, 3,

```

```

927 LESIZE,12,,, 3,
928 MAT,2,
929 TYPE,1,
930 AMESH,3,4,1,
931 MAT,15,
932 TYPE,1,
933 AMESH,1,2,1,
934 /COM, Empty basket spaces
935 ESIZE,0.1,
936 ESHAPE,0,
937 MAT,7,
938 TYPE,1,
939 AMESH,9,14,1,
940 /COM, *****
941 /COM, Define mesh and radiation surface elements
942 /COM, Tube/guides gap
943 LSEL,S,LOC,X,0.0,0.0,
944 LSEL,A,LINE,, 7, 8,1,
945 LSEL,A,LINE,,13,14,1,
946 LSEL,A,LINE,,17,18,1,
947 NSLL,U,0,
948 LSEL,ALL,
949 MAT,1,
950 TYPE,7,
951 ESURF,
952 NSEL,ALL,
953 /COM, Basket spaces
954 MAT,1,
955 TYPE,17,
956 LMESH,25,29,2,
957 LMESH,34,38,2,
958 LMESH,80,
959 LMESH,45,
960 LMESH,50,52,2,
961 LMESH,57,59,2,
962 LMESH,62,65,3,
963 LMESH,69,72,3,
964 LMESH,76,79,3,
965 /COM, MPC shell/inner barrier gap
966 MAT,1,
967 TYPE,27,
968 LMESH,17,18,1,
969 MAT,2,
970 TYPE,27,
971 LMESH,13,14,1,
972 /COM, *****
973 /COM, Create mesh in helium spaces
974 ESIZE,,2,
975 ESHAPE,2,
976 MAT,7,
977 TYPE,1,
978 AMESH, 95,103,1,
979 AMESH,172,180,1,
980 AMESH,186,205,1,
981 ESHAPE,0,
982 MAT,7,
983 TYPE,1,
984 AMESH,206,218,1,
985 /COM, Clear areas and mesh by hand difficult areas
986 ACLEAR,211,
987 E,5653,3453,3952,3952,
988 E, 636,5653,3952,3952,
989 E, 545, 636,3952,3952,
990 E, 551, 545,3952,3952,
991 E, 363, 551,3952,3952,
992 E, 370, 363,3952,3952,
993 E, 371, 370,3952,3952,
994 E, 369, 371,3952,3952,
995 E,5747, 369,3952,3952,
996 E,3782,5747,3952,3952,

```

```

997 ACLEAR,217,
998 E,3735,5763,3738,3738,
999 E,5763,1661,3738,3738,
1000 E,1661,1663,3738,3738,
1001 E,1663,1664,3738,3738,
1002 E,1664,1662,3738,3738,
1003 E,1662,1979,3738,3738,
1004 E,1979,1978,3738,3738,
1005 E,1978,2148,3738,3738,
1006 E,2148,5725,3738,3738,
1007 E,5725,3666,3738,3738,
1008 FINISH
1009 /COM, *****
1010 /COM,          Create element mesh plots to illustrate model
1011 /COM,          View mesh for entire model
1012 /RESET
1013 /TRIAD,OFF,
1014 /NUM, 1,
1015 /PNUM,MAT, 1,
1016 /TYPE,HIDP,
1017 /GLINE,,0,
1018 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1019 /TITLE, 12 PWR MPC/Waste Package - 1/2 FEM Model
1020 /SHOW,meshfull,grph,1,8,
1021 EPlot
1022 ESEL,U,MAT,, 7,
1023 /SHOW,meshgap,grph,1,8,
1024 EPlot
1025 /COM,          View mesh for radiation substructure
1026 /PNUM,MAT, 0,
1027 /PNUM,TYPE, 1,
1028 ESEL,S,TYPE,, 7,
1029 ESEL,A,TYPE,,17,
1030 ESEL,A,TYPE,,27,
1031 /TITLE, 12 PWR MPC/Waste Package - Radiation Matrix
1032 /SHOW,meshrad,grph,1,8,
1033 EPlot
1034 ESEL,ALL,
1035 /TITLE, 12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF
1036 /COM, *****
1037 /COM,          Generate super-elements
1038 /AUX12,
1039 ESEL,S,TYPE,,7,
1040 NSLE,S,
1041 STEF,5.67E-8,
1042 GEOM,1,0,
1043 VTYPE,0,800,
1044 WRITE,tubegap,
1045 ESEL,S,TYPE,,17,
1046 NSLE,S,
1047 STEF,5.67E-8,
1048 GEOM,1,0,
1049 VTYPE,0,800,
1050 WRITE,spaces,
1051 ESEL,S,TYPE,,27,
1052 NSLE,S,
1053 STEF,5.67E-8,
1054 GEOM,1,0,
1055 VTYPE,0,800,
1056 WRITE,shellgap,
1057 ESEL,ALL,
1058 NSEL,ALL,
1059 FINISH
1060 /PREP7,
1061 TYPE,18,
1062 SE,tubegap,
1063 SE,spaces,
1064 SE,shellgap,
1065 /COM,          Delete radiation edge elements
1066 ESEL,S,TYPE,,7,

```

```

1067 EDELE,ALL,
1068 ESEL,ALL,
1069 LSEL,S,TYPE,,17,
1070 LSEL,A,TYPE,,27,
1071 LCLEAR,ALL,
1072 LSEL,ALL,
1073 FINISH
1074 /COM, *****
1075 /COM, Set solution parameters and apply B.C.'s
1076 /COM,
1077 /COM, Solve steady-state for initial conditions
1078 /COM, with WP surface equal to drift ambient
1079 /COM, temperature from repository model.
1080 /SOLU
1081 ANTYPE,TRAN,NEW,
1082 NROPT,AUTO,
1083 TRNOPT,FULL,
1084 TOFFST,273.15,
1085 LSEL,S,LINE,,7,
1086 LSEL,A,LINE,,8,
1087 NSLL,S,1,
1088 D,ALL,TEMP,DFAMBT,
1089 LSEL,ALL,
1090 NSEL,ALL,
1091 ASEL,S,MAT,,14,
1092 ESLA,S,
1093 BFE,ALL,HGEN,,(FUEL(TM_START)),
1094 ASEL,ALL,
1095 ESEL,ALL,
1096 TIMINT,OFF,
1097 TIME,1e-6,
1098 AUTOTS,ON,
1099 KBC,0,
1100 SOLVE
1101 /COM, Solve steady-state for initial conditions
1102 /COM, with WP surface temperatures from repository
1103 /COM, steady-state solution.
1104 LSEL,S,LINE,,7,
1105 LSEL,A,LINE,,8,
1106 NSLL,S,1,
1107 DDELE,ALL,TEMP,
1108 LSEL,ALL,
1109 NSEL,ALL,
1110 DK,11,TEMP,(WPTOP(TM_START)),,1,
1111 DK,10,TEMP,(WPSID(TM_START)),,1,
1112 DK,9,TEMP,(WPBOT(TM_START)),,1,
1113 ASEL,S,MAT,,14,
1114 ESLA,S,
1115 BFE,ALL,HGEN,,(FUEL(TM_START)),
1116 ASEL,ALL,
1117 ESEL,ALL,
1118 TIMINT,OFF,
1119 TIME,2e-6,
1120 AUTOTS,ON,
1121 KBC,0,
1122 SOLVE
1123 /COM, *****
1124 /COM, Set time integration parameters
1125 TIMINT,ON,
1126 AUTOTS,ON,
1127 /COM, Time substep ranges from 10 sec to 1/4 loadstep
1128 NSUBST,10,40,4,ON
1129 /COM, Begin Transient
1130 /COM, Apply loads and solve for 0 to .9 years
1131 *DO,TM,TM_START,TME0,TM10
1132 TIME,TM,
1133 ASEL,S,MAT,,14,
1134 ESLA,S,
1135 BFE,ALL,HGEN,,(FUEL(TM)),
1136 ASEL,ALL

```

```

1137      ESEL,ALL
1138      DK,11,TEMP,(WPTOP(TM)),,1,
1139      DK,10,TEMP,(WPSID(TM)),,1,
1140      DK, 9,TEMP,(WPBOT(TM)),,1,
1141      SOLVE
1142 *ENDDO
1143 /COM,          Apply loads and solve for 1 to 9 years
1144 *DO,TM,TME1,TME9,TMI1
1145      TIME,TM,
1146      ASEL,S,MAT,,14,
1147      ESLA,S,
1148      BFE,ALL,HGEN,,(FUEL(TM)),
1149      ASEL,ALL
1150      ESEL,ALL
1151      DK,11,TEMP,(WPTOP(TM)),,1,
1152      DK,10,TEMP,(WPSID(TM)),,1,
1153      DK, 9,TEMP,(WPBOT(TM)),,1,
1154      SOLVE
1155 *ENDDO
1156 /COM,          Apply loads and solve for 10 to 90 years
1157 *DO,TM,TME10,TME90,TMI10
1158      TIME,TM,
1159      ASEL,S,MAT,,14,
1160      ESLA,S,
1161      BFE,ALL,HGEN,,(FUEL(TM)),
1162      ASEL,ALL
1163      ESEL,ALL
1164      DK,11,TEMP,(WPTOP(TM)),,1,
1165      DK,10,TEMP,(WPSID(TM)),,1,
1166      DK, 9,TEMP,(WPBOT(TM)),,1,
1167      SOLVE
1168 *ENDDO
1169 /COM,          Apply loads and solve for 100 to 1000 years
1170 *DO,TM,TME100,TME1000,TMI100
1171      TIME,TM,
1172      ASEL,S,MAT,,14,
1173      ESLA,S,
1174      BFE,ALL,HGEN,,(FUEL(TM)),
1175      ASEL,ALL
1176      ESEL,ALL
1177      DK,11,TEMP,(WPTOP(TM)),,1,
1178      DK,10,TEMP,(WPSID(TM)),,1,
1179      DK, 9,TEMP,(WPBOT(TM)),,1,
1180      SOLVE
1181 *ENDDO
1182 FINISH
1183 SAVE,
1184 /COM,          *****
1185 /COM,          Create element contour plots of solution results
1186 /COM,
1187 /COM,          Sort through solution results for time of max temp.
1188 /POST26,
1189 NSOL,2,(NODE(ACX1,(0.0-ACY1),0.0)),TEMP,,peakclad,
1190 STORE,NEW,
1191 *GET,TMTMAX,VARI,2,EXTREM,TMAX,
1192 FINISH
1193 /POST1,
1194 /COM,          Create temperature contour plots of WP at peak
1195 /RESET
1196 /TRIAD,OFF,
1197 /NUM, 1,
1198 /PNUM,MAT, 1,
1199 /TYPE,HIDP,
1200 /GLINE,,-1,
1201 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1202 ESEL,U,MAT,,7,
1203 SET,NEAR,,,TMTMAX,
1204 /TITLE, 12 PWR MPC/WP at Time of Peak Temp. (%TMTMAX/3.15576E7% years)
1205 /SHOW,solupk,grph,0,8,
1206 /CONTOUR,1,128,AUTO,

```

```

1207 PLNSOL,TEMP,
1208 /COM,          Create temperature contour plots at 10, 50, and 100 yrs
1209 SET,NEAR,,,,TME10,
1210 /TITLE, 12 PWR MPC/WP at 10 years
1211 /SHOW,solu10,grph,0,8,
1212 /CONTOUR,1,128,USER,
1213 PLNSOL,TEMP,
1214 SET,NEAR,,,,TME50,
1215 /TITLE, 12 PWR MPC/WP at 50 years
1216 /SHOW,solu50,grph,0,8,
1217 /CONTOUR,1,128,USER,
1218 PLNSOL,TEMP,
1219 SET,NEAR,,,,TME100,
1220 /TITLE, 12 PWR MPC/WP at 100 years
1221 /SHOW,solu100,grph,0,8,
1222 /CONTOUR,1,128,USER,
1223 PLNSOL,TEMP,
1224 ESEL,ALL,
1225 FINISH
1226 /COM,          *****
1227 /COM,          Print time/temperature output at specific locations
1228 /COM,          Save profile from center to edge
1229 /COM,
1230 /COM,          Variable Legend: A01i000
1231 /COM,          x = center of waste package
1232 /COM,          f = flux trap plate stainless layer
1233 /COM,          w = flux trap plate SS sheath
1234 /COM,          c = center of assembly
1235 /COM,          h = halfway between center and tube
1236 /COM,          s = inside structural stainless tube layer
1237 /COM,          a = aluminum-born tube layer
1238 /COM,          t = stainless tube cladding
1239 /COM,          g = tube guide
1240 /COM,          m = mpc shell
1241 /COM,          i = inner barrier of DC
1242 /COM,          o = outer barrier of DC
1243 /COM,          ## = ID number of assembly (01 is center)
1244 /COM,          i = side of assembly toward center of WP
1245 /COM,          o = side of assembly toward edge of WP
1246 /COM,          000 = profile center down
1247 /COM,          045 = profile 45 deg down
1248 /COM,          090 = profile center side
1249 /COM,          135 = profile 45 deg up
1250 /COM,          180 = profile center up
1251 /POST26,
1252 NUMVAR,30,
1253 /COM,
1254 /COM,          *****
1255 /COM,          * Temperature Profile from center to lower right (45 deg.) *
1256 /COM,          *****
1257 NSOL, 2,(NODE(      0.0,      0.0,0.0)),TEMP,,x04i045,
1258 NSOL, 3,(NODE(      (0.5*FSPAC),      (-.5*FSPAC),0.0)),TEMP,,f04i045,
1259 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(-.5*FSPAC-FWALL),0.0)),TEMP,,f04o045,
1260 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(-.5*FSPAC-BCELL),0.0)),TEMP,,w04i045,
1261 NSOL, 6,(NODE(      (ACX1-SCELL),      (SCELL-ACY1),0.0)),TEMP,,w04o045,
1262 NSOL, 7,(NODE(      (ACX1-HCELL),      (HCELL-ACY1),0.0)),TEMP,,s04i045,
1263 NSOL, 8,(NODE(      (ACX1-QCELL),      (QCELL-ACY1),0.0)),TEMP,,h04i045,
1264 NSOL, 9,(NODE(      ACX1,      (0.0-ACY1),0.0)),TEMP,,c04i045,
1265 NSOL,10,(NODE(      (ACX1+QCELL),      (0.0-ACY1-QCELL),0.0)),TEMP,,h04o045,
1266 NSOL,11,(NODE(      (ACX1+HCELL),      (0.0-ACY1-HCELL),0.0)),TEMP,,s04o045,
1267 NSOL,12,(NODE(      (ACX1+SCELL),      (0.0-ACY1-SCELL),0.0)),TEMP,,a04o045,
1268 NSOL,13,(NODE(      (ACX1+ACELL),      (0.0-ACY1-ACELL),0.0)),TEMP,,t04i045,
1269 NSOL,14,(NODE(      (ACX1+TCELL),      (0.0-ACY1-TCELL),0.0)),TEMP,,t04o045,
1270 NSOL,15,(NODE(      (GX25-GWALL),      (GWALL-GX25),0.0)),TEMP,,g04i045,
1271 NSOL,16,(NODE(      GX25,      (0.0-GX25),0.0)),TEMP,,g04o045,
1272 NSOL,17,(NODE(      MI45,      (0.0-MI45),0.0)),TEMP,,m04i045,
1273 NSOL,18,(NODE(      MO45,      (0.0-MO45),0.0)),TEMP,,m04o045,
1274 NSOL,19,(NODE(      DI45,      (0.0-DI45),0.0)),TEMP,,i04i045,
1275 NSOL,20,(NODE(      DM45,      (0.0-DM45),0.0)),TEMP,,i04o045,
1276 NSOL,21,(NODE(      DO45,      (0.0-DO45),0.0)),TEMP,,o04o045,

```

```

1277 /COM,          Add centers of assemblies 5 and 6
1278 NSOL,22,(NODE(          ACX2,          (0.0-ACY1),0.0)),TEMP,,c05i045,
1279 NSOL,23,(NODE(          ACX1,          (0.0-ACY3),0.0)),TEMP,,c06i045,
1280 PRVAR, 2, 3, 4, 5, 6, 7,
1281 PRVAR, 8, 9,10,11,12,13,
1282 PRVAR,14,15,16,17,18,19,
1283 PRVAR,20,21,22,23,
1284 /COM,
1285 /COM,          *****
1286 /COM,          *   Temperature Profile from center to upper right (135 deg.) *
1287 /COM,          *****
1288 NSOL, 2,(NODE(          0.0,          0.0,0.0)),TEMP,,x01i135,
1289 NSOL, 3,(NODE(          (0.5*FSPAC),          (0.5*FSPAC),0.0)),TEMP,,f01i135,
1290 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(0.5*FSPAC+FWALL),0.0)),TEMP,,f01o135,
1291 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(0.5*FSPAC+BCELL),0.0)),TEMP,,w01i135,
1292 NSOL, 6,(NODE(          (ACX1-SCCELL),          (ACY1-SCCELL),0.0)),TEMP,,w01o135,
1293 NSOL, 7,(NODE(          (ACX1-HCELL),          (ACY1-HCELL),0.0)),TEMP,,s01i135,
1294 NSOL, 8,(NODE(          (ACX1-QCELL),          (ACY1-QCELL),0.0)),TEMP,,h01i135,
1295 NSOL, 9,(NODE(          ACX1,          ACY1,0.0)),TEMP,,c01i135,
1296 NSOL,10,(NODE(          (ACX1+QCELL),          (ACY1+QCELL),0.0)),TEMP,,h01o135,
1297 NSOL,11,(NODE(          (ACX1+HCELL),          (ACY1+HCELL),0.0)),TEMP,,s01o135,
1298 NSOL,12,(NODE(          (ACX1+SCCELL),          (ACY1+SCCELL),0.0)),TEMP,,a01o135,
1299 NSOL,13,(NODE(          (ACX1+ACCELL),          (ACY1+ACCELL),0.0)),TEMP,,t01i135,
1300 NSOL,14,(NODE(          (ACX1+TCELL),          (ACY1+TCELL),0.0)),TEMP,,t01o135,
1301 NSOL,15,(NODE(          (GX25-GWALL),          (GX25-GWALL),0.0)),TEMP,,g01i135,
1302 NSOL,16,(NODE(          GX25,          GX25,0.0)),TEMP,,g01o135,
1303 NSOL,17,(NODE(          M145,          M145,0.0)),TEMP,,m01i135,
1304 NSOL,18,(NODE(          M045,          M045,0.0)),TEMP,,m01o135,
1305 NSOL,19,(NODE(          D145,          D145,0.0)),TEMP,,i01i135,
1306 NSOL,20,(NODE(          DM45,          DM45,0.0)),TEMP,,i01o135,
1307 NSOL,21,(NODE(          D045,          D045,0.0)),TEMP,,o01o135,
1308 /COM,          Add centers of assemblies 2 and 3
1309 NSOL,22,(NODE(          ACX2,          ACY2,0.0)),TEMP,,c02i135,
1310 NSOL,23,(NODE(          ACX3,          ACY3,0.0)),TEMP,,c03i135,
1311 PRVAR, 2, 3, 4, 5, 6, 7,
1312 PRVAR, 8, 9,10,11,12,13,
1313 PRVAR,14,15,16,17,18,19,
1314 PRVAR,20,21,22,23,
1315 /COM,
1316 FINISH
1317 /COM,          *****
1318 /COM,          End of batch input file
1319 /COM,          *****
1320 /EXIT,
1321 /EOF

```

RUN SETUP PROCEDURE FROM FILE= /ansys50a/docu/start.ans

```

/INPUT FILE= /ansys50a/docu/start.ans LINE=      0
*****
ANSYS STARTUP FILE start.ans
*****

```

```

ABBREVIATION= K1      /pnum,kp ,1,
ABBREVIATION= K0      /pnum,kp ,0,
ABBREVIATION= L1      /pnum,line,1,
ABBREVIATION= L0      /pnum,line,0,
ABBREVIATION= A1      /pnum,area,1,
ABBREVIATION= A0      /pnum,area,0,
ABBREVIATION= V1      /pnum,volu,1,
ABBREVIATION= V0      /pnum,volu,0,
ABBREVIATION= N1      /pnum,node,1,

```



```

ABBREVIATION= N0      /pnum,node,0,
ABBREVIATION= E1      /pnum,elem,1,
ABBREVIATION= E0      /pnum,elem,0,
ABBREVIATION= M1      /pnum,mat ,1,
ABBREVIATION= M0      /pnum,mat ,0,
ABBREVIATION= R1      /pnum,real,1,
ABBREVIATION= R0      /pnum,real,0,
ABBREVIATION= T1      /pnum,type,1,
ABBREVIATION= T0      /pnum,type,0,
ABBREVIATION= C1      /number,1,
ABBREVIATION= C0      /number,0,
ABBREVIATION= INP     /input,,inp,
ABBREVIATION= X3D     /show,3d,
ABBREVIATION= X11     /show,x11,
ABBREVIATION= VEC     /show,,,1,
ABBREVIATION= RAS     /show,,,0,
ABBREVIATION= ON      /menu,on,
ABBREVIATION= OFF     /menu,off,
ABBREVIATION= NVP     /config,nvpag,512,
ABBREVIATION= QUIT    /exit,nosav,
XYZ TRIAD DISPLAY SET TO OFF

```

VIEW CONE ANGLE FOR WINDOW 1 25.00

```

*****
END start.ans
*****

```

To start ANSYS menu:

```

type:  x3d  for console
       x11  for X-term

```

type: on

```

*****
*****
ANSYS REVISION  5.0A                      3/24/1995
2-D Model of 75 ton burnup credit MPC-DC    R.Bahney III
*****
*
* File name: ma12j2.inp                      *
*   12 PWR MPC with Low T.L. Disposal Container *
*   Helium Fill Gas                          *
*
* Material Property file: props01.dat        *
*
* SNF Conductivity file: pwr15e.parm         *
*   15x15 Mark-B4 PWR SNF Assembly          *
*
* SNF Heat Loads file:   snf2040.dat         *

```

```

*      SNF Type: 20 years old, 40 GWD/MTU      *
*      *                                         *
* Surface Temp. file:      c12j5a.parm          *
*      25 MTU/acre (6.18 kgU/m^2) AML (Low Thermal Loading) *
*      5.0 m Diameter Drift with Concrete Invert *
*      Drift spacing = 67.5 m                   *
*      WP c/c spacing = 12.317 m                *
*      *                                         *

```

Increase the number of database pages from 16 (256) to 32 Mb

NUMBER OF DATA BASE PAGES IN MEMORY(NVPAGE)= 512

Work space must also be increased (-m 64)

TITLE=

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

SI UNITS SPECIFIED

```

LENGTH      = METERS(M)
MASS         = KILOGRAMS(KG)
TIME         = SECONDS(SEC)
TEMPERATURE  = CENTIGRADE
CURRENT      = AMPS

```

Read in average effective conductivities from SNF model

```

*** NOTE ***                      CP=      .640   TIME= 20:11:32
Restore ANSYS parameters from file= pwr15e.parm.

```

/INPUT FILE= pwr15e.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Read in surface temps. from repository model

```

*** NOTE ***                      CP=      .860   TIME= 20:11:33
Restore ANSYS parameters from file= c12j5a.parm.

```

/INPUT FILE= c12j5a.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Define MPC/waste package parameters

(MPC dimensions converted from inches to meters)

```

MIRAD = inner radius of MPC shell (m)
MWALL = MPC shell thickness (m)
DCRAD = disposal container outer radius (m)
OWALL = outer barrier thickness (m)
IWALL = inner barrier thickness (m)
GCORN = corner guide width (m)
GLENW = side guide total width (m)
GLENH = side guide total height (m)
GWALL = guide thickness (m)
HCELL = 1/2 of basket cell opening (m)
SWALL = stainless tube thickness (m)
AWALL = Al/boron tube thickness (m)
FLENT = flux trap plate length (m)
FWALL = flux trap plate stainless thickness (m)
BWALL = flux trap plate Al/boron thickness (m)
TWALL = flux trap plate SS sheath thickness (m)
FSPAC = flux trap plate spacer width (m)
TSPAC = tube/tube spacer width (m)
ACTVL = active fuel length
PEAKF = assembly heat axial peaking factor

```

PARAMETER PI = 3.141593

PARAMETER MIRAD = .6079490

PARAMETER MWALL = .2222500E-01
 PARAMETER DCRAD = .7152500
 PARAMETER OWALL = .5000000E-01
 PARAMETER IWALL = .2000000E-01
 PARAMETER GCORN = .2561844
 PARAMETER GLENW = .2142236
 PARAMETER GLENH = .6339840E-01
 PARAMETER GWALL = .9525000E-02
 PARAMETER HCELL = .1143000
 PARAMETER SWALL = .2387600E-02
 PARAMETER AWALL = .2717800E-02
 PARAMETER FLENT = .5883656
 PARAMETER FWALL = .1270000E-01
 PARAMETER BWALL = .6350000E-02
 PARAMETER TWALL = .2387600E-02
 PARAMETER FSPAC = .2540000E-01
 PARAMETER TSPAC = .2504440E-01
 PARAMETER ACTVL = 3.601720

PARAMETER PEAKF = 1.250000

Define calculated parameters

ASSY = assembly heat production (W) f(yrs)
 FUEL = volumetric heat production (W/m³) f(yrs)
 FVOLU = assy_volume=cell_width^2*active_length
 Q2 = side guide x coord. (see sketch)
 GX## = x coord. of guide/shell contact (kp##)
 GY## = y coord. of guide/shell contact (kp##)
 ACX# = x coord. of center of assembly #
 ACY# = y coord. of center of assembly #
 TM_START = start time (sec)
 TMI* = time increment for solution (sec)
 TME* = start and stop for time do-loops (sec)
 Note: 1 year = 3.15576e7 seconds
 QCELL = 1/4 of basket cell opening (m)
 SCELL = 1/2 of basket cell opening+SS wall(m)
 ACELL = 1/2 of basket cell opening+SS+AL (m)
 MI45 = x coord. MIRAD at 45 deg.
 MO45 = x coord. MIRAD+MWALL at 45 deg.
 DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
 DM45 = x coord. DCRAD-OWALL at 45 deg.
 DO45 = x coord. DCRAD at 45 deg.
 TMTMAX = time of maximum cladding temperature

ARRAY PARAMETER ASSY DELETED.

SET PARAMETER DIMENSIONS ON ASSY TYPE=TABL DIMENSIONS= 101 1 1

SET PARAMETER DIMENSIONS ON FUEL TYPE=TABL DIMENSIONS= 101 1 1

PARAMETER FVOLU = .1882185

PARAMETER Q2	=	.5002134E-01
PARAMETER GX22	=	.4049634E-01
PARAMETER GY22	=	.6065987
PARAMETER GX23	=	.5002134E-01
PARAMETER GY23	=	.6058877
PARAMETER GX24	=	.2547199
PARAMETER GY24	=	.5520143
PARAMETER GTMP	=	.2466594
PARAMETER GX25	=	.2884843
PARAMETER GY25	=	.5351437
PARAMETER ACX1	=	.1508252
PARAMETER ACY1	=	.1508252
PARAMETER ACX2	=	.4194556
PARAMETER ACY2	=	.1508252
PARAMETER ACX3	=	.1508252
PARAMETER ACY3	=	.4194556
PARAMETER TM_START	=	31.55760
PARAMETER TMI0	=	3155760.
PARAMETER TMI1	=	.3155760E+08
PARAMETER TMI10	=	.3155760E+09
PARAMETER TMI100	=	.3155760E+10
PARAMETER TMI1000	=	.3155760E+11
PARAMETER TME0	=	.2840187E+08
PARAMETER TME1	=	.3155763E+08
PARAMETER TME9	=	.2840184E+09
PARAMETER TME10	=	.3155760E+09
PARAMETER TME50	=	.1577880E+10
PARAMETER TME90	=	.2840184E+10
PARAMETER TME100	=	.3155760E+10
PARAMETER TME1000	=	.3155760E+11
PARAMETER BCELL	=	.1905000E-01
PARAMETER QCELL	=	.5715000E-01
PARAMETER SCELL	=	.1166876
PARAMETER ACELL	=	.1194054
PARAMETER TCELL	=	.1217930

PARAMETER MI45 = .4298849
 PARAMETER MO45 = .4456003
 PARAMETER DI45 = .4562607
 PARAMETER DM45 = .4704028
 PARAMETER DO45 = .5057581

Define different element types

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:11:34 MAR 24, 1995 CP= 1.870
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE 1 IS PLANE55 2-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 TWO-DIMENSIONAL MODEL

ELEMENT TYPE 2 IS SOLID70 3-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 7 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 16 IS SHELL57 THERMAL SHELL
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 17 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 18 IS MATRIX50 SUBSTRUCTURE MATRIX
 KEYOPT(1-12)= 1 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 19 IS LINK31 RADIATION LINK
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 27 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

File props01.dat describes material properties
and thier reference numbers

READ IN MATERIAL PROPERTY LIBRARY FROM FILE= props01.dat

```
/INPUT FILE= props01.dat LINE=      0
*****
**      ANSYS 5.0 MPC MATERIAL PROPERTY TABLES      **
*****
**      Filename: props01.dat                          **
**      Compiled by R. Bahney III on 1-30-95            **
*****
```

NUMBER	MATERIAL	DESCRIPTION
1	Stainless Steel 316	Basket Structural Support
2	Incaloy 825	Inner Container (resistant)
3	A516 Mild Steel	Outer Container (allowance)
4	UO2 Pellet	SNF Uranium Oxide Pellet
5	Zircaloy 4	SNF Cladding
6	Oxidation Layer	Stably Oxidized Zircaloy Surface
7	Helium	Canister Fill Gas
8	Air	Alternate Fill Gas
9	Nitrogen	Alternate Fill Gas
10	Argon	Alternate Fill Gas
11	Aluminum 6063	Thermal Conductor
12	Copper	Alternate Thermal Conductor
13	Aluminum-Boron	Aluminum Boron Criticality Matl

```
*****
**      Density:      DENS      (kg/m^3)              **
**      Emissivity    EMIS              **
**      Conductivity: KXX      (W/m/K)              **
**      Specific Heat: C      (J/kg/K)              **
*****
```

Define densities for all materials except gases

TEMPERATURE TABLE ERASED.

```
*** PROPERTY TEMPERATURE TABLE      NUM. TEMPS= 1 ***
SLOC= 1      .0000000E+00
```

```
PROPERTY TABLE DENS  MAT= 1  NUM. POINTS= 1
SLOC= 1      8000.000
```

```
PROPERTY TABLE DENS  MAT= 2  NUM. POINTS= 1
SLOC= 1      8137.900
```

```
PROPERTY TABLE DENS  MAT= 3  NUM. POINTS= 1
SLOC= 1      8131.000
```

```
PROPERTY TABLE DENS  MAT= 4  NUM. POINTS= 1
SLOC= 1      10970.00
```

```
PROPERTY TABLE DENS  MAT= 5  NUM. POINTS= 1
SLOC= 1      6500.000
```

```
PROPERTY TABLE DENS  MAT= 6  NUM. POINTS= 1
SLOC= 1      6500.000
```

```
PROPERTY TABLE DENS  MAT= 11 NUM. POINTS= 1
SLOC= 1      2690.000
```

```
PROPERTY TABLE DENS  MAT= 12 NUM. POINTS= 1
SLOC= 1      8933.000
```

```
PROPERTY TABLE DENS  MAT= 13 NUM. POINTS= 1
SLOC= 1      2693.000
```

Define emissivities for all materials except gases

PROPERTY TABLE EMIS MAT= 1 NUM. POINTS= 1
SLOC= 1 .6000000

PROPERTY TABLE EMIS MAT= 2 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 3 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 4 NUM. POINTS= 1
SLOC= 1 .7900000

PROPERTY TABLE EMIS MAT= 5 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 6 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 11 NUM. POINTS= 1
SLOC= 1 .7000000E-01

PROPERTY TABLE EMIS MAT= 12 NUM. POINTS= 1
SLOC= 1 .5000000

PROPERTY TABLE EMIS MAT= 13 NUM. POINTS= 1
SLOC= 1 .7000000E-01

Define specific heat for matl. 4, 5, 6, 7, 11, 14, 15

PROPERTY TABLE C MAT= 4 NUM. POINTS= 1
SLOC= 1 247.0000

PROPERTY TABLE C MAT= 5 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 6 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 7 NUM. POINTS= 1
SLOC= 1 5193.000

PROPERTY TABLE C MAT= 11 NUM. POINTS= 1
SLOC= 1 900.0000

Define K and C for materials 1, 3

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 21.11000 37.78000 65.56000
93.33000 121.1100 148.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 176.6700 204.4400 232.2200
260.0000 287.7800 315.5600

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
SLOC= 13 343.3300 371.1100 398.8900
426.6700 454.4400 482.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
SLOC= 19 510.0000 537.7800 565.5600
593.3300 621.1100 648.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
SLOC= 25 676.6700 704.4400 732.2200
760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 6

SLOC= 1	13.33000	13.67000	14.19000	14.54000
	15.06000	15.58000		

PROPERTY TABLE KXX MAT=	1	NUM. POINTS= 12		
SLOC= 7	15.92000	16.44000	16.96000	17.31000
	17.83000	18.17000		

PROPERTY TABLE KXX MAT=	1	NUM. POINTS= 18		
SLOC= 13	18.52000	19.04000	19.38000	19.90000
	20.25000	20.77000		

PROPERTY TABLE KXX MAT=	1	NUM. POINTS= 24		
SLOC= 19	21.11000	21.46000	21.98000	22.33000
	22.67000	23.02000		

PROPERTY TABLE KXX MAT=	1	NUM. POINTS= 30		
SLOC= 25	23.54000	23.88000	24.23000	24.58000
	24.92000	25.27000		

PROPERTY TABLE C MAT=	1	NUM. POINTS= 6		
SLOC= 1	481.6800	486.9200	498.0900	499.3800
	509.9800	520.2900		

PROPERTY TABLE C MAT=	1	NUM. POINTS= 12		
SLOC= 7	521.0700	527.3800	536.9200	537.3400
	543.0200	543.3100		

PROPERTY TABLE C MAT=	1	NUM. POINTS= 18		
SLOC= 13	546.9100	552.1400	552.2600	557.2200
	557.2500	565.1100		

PROPERTY TABLE C MAT=	1	NUM. POINTS= 24		
SLOC= 19	565.0100	564.9100	572.3500	572.1400
	574.9200	574.6800		

PROPERTY TABLE C MAT=	1	NUM. POINTS= 30		
SLOC= 25	581.6400	581.3000	583.8600	586.3600
	585.9600	588.3900		

PROPERTY TABLE KXX MAT=	3	NUM. POINTS= 6		
SLOC= 1	40.84000	41.36000	41.88000	42.23000
	42.23000	42.23000		

PROPERTY TABLE KXX MAT=	3	NUM. POINTS= 12		
SLOC= 7	42.06000	41.88000	41.36000	41.02000
	40.50000	39.98000		

PROPERTY TABLE KXX MAT=	3	NUM. POINTS= 18		
SLOC= 13	39.29000	38.77000	38.08000	37.56000
	36.69000	36.17000		

PROPERTY TABLE KXX MAT=	3	NUM. POINTS= 24		
SLOC= 19	35.48000	34.61000	33.92000	33.23000
	32.36000	31.50000		

PROPERTY TABLE KXX MAT=	3	NUM. POINTS= 30		
SLOC= 25	30.29000	28.90000	27.35000	26.48000
	26.13000	26.13000		

PROPERTY TABLE C MAT=	3	NUM. POINTS= 6		
SLOC= 1	428.7200	444.9500	460.9400	476.8700
	486.0800	495.6600		

PROPERTY TABLE C MAT=	3	NUM. POINTS= 12		
SLOC= 7	506.0900	517.0700	525.6400	536.9900
	543.6300	550.6200		

PROPERTY TABLE C MAT=	3	NUM. POINTS= 18		
SLOC= 13	562.2100	577.3200	589.1000	600.5700
	611.3500	629.0900		

PROPERTY TABLE C	MAT=	3	NUM. POINTS=	24	
SLOC= 19	645.3200	665.1200	682.0700		694.5200
	724.0700	761.9500			

PROPERTY TABLE C	MAT=	3	NUM. POINTS=	30	
SLOC= 25	806.3100	888.6000	1095.040		1638.780
	808.6800	736.9000			

Define K for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS=	6 ***
SLOC= 1	93.33000	121.1100 148.8900
	176.6700	204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS=	12 ***
SLOC= 7	260.0000	287.7800 315.5600
	343.3300	371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS=	18 ***
SLOC= 13	426.6700	454.4400 482.2200
	510.0000	537.7800 565.5600

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS=	24 ***
SLOC= 19	593.3300	621.1100 648.8900
	676.6700	704.4400 732.2200

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS=	27 ***
SLOC= 25	760.0000	787.7800 815.5600

PROPERTY TABLE KXX	MAT=	2	NUM. POINTS=	6	
SLOC= 1	12.29000	12.63000	13.15000		13.67000
	14.02000	14.54000			

PROPERTY TABLE KXX	MAT=	2	NUM. POINTS=	12	
SLOC= 7	14.88000	15.40000	15.75000		16.10000
	16.61000	16.96000			

PROPERTY TABLE KXX	MAT=	2	NUM. POINTS=	18	
SLOC= 13	17.31000	17.65000	18.00000		18.52000
	18.86000	19.21000			

PROPERTY TABLE KXX	MAT=	2	NUM. POINTS=	24	
SLOC= 19	19.73000	20.08000	20.42000		20.94000
	21.46000	21.98000			

PROPERTY TABLE KXX	MAT=	2	NUM. POINTS=	27	
SLOC= 25	22.33000	23.02000	23.54000		

Define C for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS=	6 ***
SLOC= 1	93.33000	121.1100 148.8900
	176.6700	204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS=	12 ***
SLOC= 7	260.0000	287.7800 315.5600
	343.3300	371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS=	17 ***
SLOC= 13	426.6700	454.4400 482.2200
	510.0000	537.7800

PROPERTY TABLE C	MAT=	2	NUM. POINTS=	6	
SLOC= 1	460.6900	477.4200	501.0200		504.6500

498.1200 520.4500

PROPERTY TABLE C MAT= 2 NUM. POINTS= 12
SLOC= 7 536.8800 559.8500 576.8300 576.2100
581.6800 598.2000

PROPERTY TABLE C MAT= 2 NUM. POINTS= 17
SLOC= 13 619.5800 636.7600 654.2000 678.2500
696.2900

Define K for materials 4, 5, 6

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 .0000000E+00 10.00000 20.00000
30.00000 40.00000 50.00000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 60.00000 70.00000 80.00000
90.00000 100.0000 110.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
SLOC= 13 120.0000 130.0000 140.0000
150.0000 160.0000 170.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
SLOC= 19 180.0000 190.0000 200.0000
210.0000 220.0000 230.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
SLOC= 25 240.0000 250.0000 260.0000
270.0000 280.0000 290.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 36 ***
SLOC= 31 300.0000 310.0000 320.0000
330.0000 340.0000 350.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 42 ***
SLOC= 37 360.0000 370.0000 380.0000
390.0000 400.0000 410.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 48 ***
SLOC= 43 420.0000 430.0000 440.0000
450.0000 460.0000 470.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 50 ***
SLOC= 48 480.0000 490.0000 500.0000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 6
SLOC= 1 8.720000 8.540000 8.360000 8.190000
8.030000 7.870000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 12
SLOC= 7 7.720000 7.580000 7.440000 7.310000
7.180000 7.050000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 18
SLOC= 13 6.930000 6.820000 6.700000 6.600000
6.490000 6.390000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 24
SLOC= 19 6.290000 6.190000 6.100000 6.010000
5.920000 5.840000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 30
SLOC= 25 5.760000 5.680000 5.600000 5.520000
5.450000 5.380000

PROPERTY TABLE KXX	MAT=	4	NUM. POINTS=	36	
SLOC= 31	5.310000	5.240000	5.180000	5.110000	
	5.050000	4.990000			
PROPERTY TABLE KXX	MAT=	4	NUM. POINTS=	42	
SLOC= 37	4.930000	4.870000	4.810000	4.760000	
	4.700000	4.650000			
PROPERTY TABLE KXX	MAT=	4	NUM. POINTS=	48	
SLOC= 43	4.600000	4.550000	4.500000	4.450000	
	4.400000	4.350000			
PROPERTY TABLE KXX	MAT=	4	NUM. POINTS=	50	
SLOC= 48	4.310000	4.270000	4.220000		
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	6	
SLOC= 1	12.29000	12.44000	12.58000	12.72000	
	12.87000	13.01000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	12	
SLOC= 7	13.15000	13.28000	13.42000	13.55000	
	13.69000	13.82000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	18	
SLOC= 13	13.95000	14.08000	14.21000	14.34000	
	14.46000	14.59000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	24	
SLOC= 19	14.72000	14.84000	14.96000	15.09000	
	15.21000	15.33000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	30	
SLOC= 25	15.45000	15.57000	15.69000	15.81000	
	15.93000	16.05000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	36	
SLOC= 31	16.17000	16.29000	16.40000	16.52000	
	16.64000	16.76000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	42	
SLOC= 37	16.88000	16.99000	17.11000	17.23000	
	17.35000	17.46000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	48	
SLOC= 43	17.58000	17.70000	17.82000	17.94000	
	18.06000	18.18000			
PROPERTY TABLE KXX	MAT=	5	NUM. POINTS=	50	
SLOC= 48	18.30000	18.42000	18.54000		
PROPERTY TABLE KXX	MAT=	6	NUM. POINTS=	6	
SLOC= 1	1.940000	1.940000	1.940000	1.940000	
	1.940000	1.940000			
PROPERTY TABLE KXX	MAT=	6	NUM. POINTS=	12	
SLOC= 7	1.940000	1.950000	1.950000	1.950000	
	1.950000	1.950000			
PROPERTY TABLE KXX	MAT=	6	NUM. POINTS=	18	
SLOC= 13	1.950000	1.950000	1.960000	1.960000	
	1.960000	1.960000			
PROPERTY TABLE KXX	MAT=	6	NUM. POINTS=	24	
SLOC= 19	1.960000	1.970000	1.970000	1.970000	
	1.970000	1.980000			
PROPERTY TABLE KXX	MAT=	6	NUM. POINTS=	30	
SLOC= 25	1.980000	1.980000	1.980000	1.990000	
	1.990000	1.990000			

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 36
 SLOC= 31 2.000000 2.000000 2.000000 2.010000
 2.010000 2.010000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 42
 SLOC= 37 2.020000 2.020000 2.020000 2.030000
 2.030000 2.030000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 48
 SLOC= 43 2.040000 2.040000 2.040000 2.050000
 2.050000 2.060000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 50
 SLOC= 48 2.060000 2.060000 2.070000

Define p, K, C for materials 7, 8, 9, -10

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 -13.15000 6.850000 26.85000
 76.85000 126.8500 176.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 226.8500 276.8500 326.8500
 376.8500 426.8500 476.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 15 ***
 SLOC= 13 526.8500 626.8500 726.8500

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 6
 SLOC= 1 .1875000 .1750000 .1625000 .1422000
 .1219000 .1097000

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 12
 SLOC= 7 .9750000E-01 .9060000E-01 .8360000E-01 .7670000E-01
 .6970000E-01 .6620000E-01

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 15
 SLOC= 13 .6270000E-01 .5580000E-01 .4880000E-01

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 6
 SLOC= 1 .1370000 .1450000 .1520000 .1700000
 .1870000 .2040000

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 12
 SLOC= 7 .2200000 .2360000 .2520000 .2640000
 .2780000 .2910000

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 15
 SLOC= 13 .3040000 .3300000 .3540000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 6
 SLOC= 1 1.348000 1.254700 1.161400 .9950000
 .8711000 .7740000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 12
 SLOC= 7 .6964000 .6329000 .5804000 .5356000
 .4975000 .4643000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 15
 SLOC= 13 .4354000 .3868000 .3482000

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 6
 SLOC= 1 .2300000E-01 .2500000E-01 .2600000E-01 .3000000E-01
 .3400000E-01 .3700000E-01

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 12
 SLOC= 7 .4100000E-01 .4400000E-01 .4700000E-01 .5000000E-01

.5200000E-01 .5500000E-01

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 15
SLOC= 13 .5700000E-01 .6200000E-01 .6700000E-01

PROPERTY TABLE C MAT= 8 NUM. POINTS= 6
SLOC= 1 1006.200 1006.600 1007.000 1009.000
1014.000 1021.000

PROPERTY TABLE C MAT= 8 NUM. POINTS= 12
SLOC= 7 1030.000 1040.000 1051.000 1063.000
1075.000 1087.000

PROPERTY TABLE C MAT= 8 NUM. POINTS= 15
SLOC= 13 1099.000 1121.000 1141.000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 6
SLOC= 1 1.303700 1.213500 1.123300 .9625000
.8425000 .7485000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 12
SLOC= 7 .6739000 .6124000 .5615000 .5214000
.4812000 .4512000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 15
SLOC= 13 .4211000 .3743000 .3368000

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 6
SLOC= 1 .2300000E-01 .2400000E-01 .2600000E-01 .2900000E-01
.3300000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 12
SLOC= 7 .3900000E-01 .4200000E-01 .4500000E-01 .4700000E-01
.5000000E-01 .5200000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 15
SLOC= 13 .5500000E-01 .6000000E-01 .6500000E-01

PROPERTY TABLE C MAT= 9 NUM. POINTS= 6
SLOC= 1 1041.800 1041.400 1041.000 1042.000
1045.000 1050.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 12
SLOC= 7 1056.000 1065.000 1075.000 1086.500
1098.000 1159.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 15
SLOC= 13 1220.000 1146.000 1167.000

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 6
SLOC= 1 .1700000E-01 .1700000E-01 .1800000E-01 .2100000E-01
.2300000E-01 .2500000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 12
SLOC= 7 .2700000E-01 .2800000E-01 .3000000E-01 .3200000E-01
.3400000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 15
SLOC= 13 .3700000E-01 .4100000E-01 .4400000E-01

Define K and C for material 12

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 -73.15000 26.85000 126.8500
326.8500 526.8500 726.8500

PROPERTY TABLE KXX MAT= 12 NUM. POINTS= 6
SLOC= 1 413.0000 401.0000 393.0000 379.0000

366.0000 352.0000

PROPERTY TABLE C MAT= 12 NUM. POINTS= 6
 SLOC= 1 356.0000 385.0000 397.0000 417.0000
 433.0000 451.0000

Define K and C for material 13

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 5 ***
 SLOC= 1 23.00000 50.00000 100.0000
 150.0000 200.0000

PROPERTY TABLE KXX MAT= 13 NUM. POINTS= 5
 SLOC= 1 182.5600 190.1700 199.2200 202.9100
 203.7200

PROPERTY TABLE C MAT= 13 NUM. POINTS= 5
 SLOC= 1 868.0000 903.0000 946.0000 976.0000
 998.0000

 ** End of Material Property List **

 Read in single assembly heat loads
 Calculate the volumetric heat generation
 (Assembly time is in years, FUEL is in seconds)

/INPUT FILE= snf2040.dat LINE= 0

 ** History of SNF Assembly Heat Generation Rates **
 ** Output of PHIA, SCSI: B00000000-01717-1200-3000X Rev.00B **
 **
 ** Executable File Name: PHIA00B.EXE **
 ** Output File Name: snf2040.dat **
 ** Execution Date: 02/23/95 **
 ** Start Age (years): 20.0 **
 ** Decay Period (years): 10000 **
 ** Enrichment (percent): 3.75 **
 ** Burnup (MWd/MTU): 40000 **
 ** Assembly Type: PWR **
 ** SNF U Mass (MTU/assy): 0.490 **
 **
 ** ASSY(#,1) is the SNF assembly heat in Watts. **
 ** ASSY(#,0) is the time post emplacement in years. **

PARAMETER ASSY(1,1) =	547.0300	546.9000	546.7800	546.6500
	546.5300	546.4000		
PARAMETER ASSY(7,1) =	546.2700	546.1500	546.0200	545.8900
	545.7700	545.1400		
PARAMETER ASSY(13,1) =	544.5100	543.8900	543.2700	542.6500
	542.0300	541.4200		
PARAMETER ASSY(19,1) =	540.8100	540.2000	539.5900	538.9800
	538.3800	537.7800		
PARAMETER ASSY(25,1) =	537.1800	536.5800	535.9900	535.3900
	534.8000	529.5700		
PARAMETER ASSY(31,1) =	524.5100	519.3000	514.2400	509.5200
	504.9400	500.2200		
PARAMETER ASSY(37,1) =	495.6400	491.0500	486.5900	482.1700
	477.8800	473.6100		
PARAMETER ASSY(43,1) =	469.4600	465.3200	461.2900	458.0100

	454.8100	417.0600		
PARAMETER ASSY(49,1) =	384.5900 286.4800	355.7100 268.0600	330.9300	307.0000
PARAMETER ASSY(55,1) =	251.5000 199.9800	236.5700 190.0400	223.1000	210.9500
PARAMETER ASSY(61,1) =	181.7600 152.9200	173.1900 114.4100	165.8000	159.0900
PARAMETER ASSY(67,1) =	95.04000 63.46000	83.37000 59.05000	75.26000	68.74000
PARAMETER ASSY(73,1) =	55.13000 43.17000	51.50000 40.75000	48.39000	45.68000
PARAMETER ASSY(79,1) =	38.61000 31.95000	36.70000 21.75000	34.99000	33.43000
PARAMETER ASSY(85,1) =	16.98000 11.76000	14.51000 11.34000	13.18000	12.40000
PARAMETER ASSY(91,1) =	10.97000 9.520000	10.54000 9.200000	10.16000	9.820000
PARAMETER ASSY(97,1) =	8.920000 7.990000	8.660000	8.420000	8.200000
PARAMETER ASSY(1,0) =	.1000000E-05 .4000000E-01	.1000000E-01 .5000000E-01	.2000000E-01	.3000000E-01
PARAMETER ASSY(7,0) =	.6000000E-01 .1000000	.7000000E-01 .1500000	.8000000E-01	.9000000E-01
PARAMETER ASSY(13,0) =	.2000000 .4000000	.2500000 .4500000	.3000000	.3500000
PARAMETER ASSY(19,0) =	.5000000 .7000000	.5500000 .7500000	.6000000	.6500000
PARAMETER ASSY(25,0) =	.8000000 1.000000	.8500000 1.500000	.9000000	.9500000
PARAMETER ASSY(31,0) =	2.000000 4.000000	2.500000 4.500000	3.000000	3.500000
PARAMETER ASSY(37,0) =	5.000000 7.000000	5.500000 7.500000	6.000000	6.500000
PARAMETER ASSY(43,0) =	8.000000 10.00000	8.500000 15.00000	9.000000	9.500000
PARAMETER ASSY(49,0) =	20.00000 40.00000	25.00000 45.00000	30.00000	35.00000
PARAMETER ASSY(55,0) =	50.00000 70.00000	55.00000 75.00000	60.00000	65.00000
PARAMETER ASSY(61,0) =	80.00000 100.0000	85.00000 150.0000	90.00000	95.00000
PARAMETER ASSY(67,0) =	200.0000 400.0000	250.0000 450.0000	300.0000	350.0000
PARAMETER ASSY(73,0) =	500.0000 700.0000	550.0000 750.0000	600.0000	650.0000
PARAMETER ASSY(79,0) =	800.0000 1000.000	850.0000 1500.000	900.0000	950.0000

PARAMETER ASSY(85,0) = 2000.000 2500.000 3000.000 3500.000
4000.000 4500.000

PARAMETER ASSY(91,0) = 5000.000 5500.000 6000.000 6500.000
7000.000 7500.000

PARAMETER ASSY(97,0) = 8000.000 8500.000 9000.000 9500.000
10000.00

PARAMETER ASSY(0,1) = 1.000000

FACTOR ON VECTOR OPERATION RESULT= .31558E+08
FACTOR ON FIRST VECTOR PARAMETER = 1.0000
FACTOR ON SECOND VECTOR PARAMETER= 1.0000
FACTOR ON THIRD VECTOR PARAMETER = 1.0000

MATRIX COPY RESULT MATRIX= FUEL(1,0)
INPUT MATRIX= ASSY(1,0)
INPUT MATRIX SIZE= 101 ROWS BY 2 COLUMNS
RESULT MATRIX SIZE= 101 ROWS BY 2 COLUMNS

FACTOR ON VECTOR OPERATION RESULT= 6.6412
FACTOR ON FIRST VECTOR PARAMETER = 1.0000
FACTOR ON SECOND VECTOR PARAMETER= 1.0000
FACTOR ON THIRD VECTOR PARAMETER = 1.0000

VECTOR PARAMETER OPERATION *VFUN
FUEL(1) = COPY ASSY(1)
SCALE FACTORS RESULT= 6.6412 INPUT= 1.0000
VECTOR LENGTH= 101

PARAMETER FUEL(0,1) = 1.000000

Define new material 14 for SNF effective conductivity
Density: DENS (kg/m^3)
Conductivity: KXX (W/m/K)
Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 14 NUM. POINTS= 1
SLOC= 1 3960.040

PROPERTY TABLE C MAT= 14 NUM. POINTS= 1
SLOC= 1 274.0000
Store average effective conductivities

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 25.00000

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
SLOC= 2 50.00000

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 1
SLOC= 1 .4617156

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 2
SLOC= 2 .5036997

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

Define new material 15 for low thermal loading
outer barrier of 70/30 Copper Nickel (C71500)
Density: DENS (kg/m³)
Conductivity: KXX (W/m/K)
Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .0000000E+00
Density (lb/in³ converted to kg/m³)

PROPERTY TABLE DENS MAT= 15 NUM. POINTS= 1
SLOC= 1 8940.640
Specific Heat (Btu/lb/F converted to J/kg/K)

PROPERTY TABLE C MAT= 15 NUM. POINTS= 1
SLOC= 1 376.7898
Conductivity (Btu/hr/ft/F converted to W/m/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
SLOC= 1 20.00000 100.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 4 ***
SLOC= 3 200.0000 300.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 5 400.0000 500.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 8 ***
SLOC= 7 600.0000 700.0000

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 2
SLOC= 1 29.42190 29.24883

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 4
SLOC= 3 34.09479 38.59461

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 6
SLOC= 5 43.09443 48.11346

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 8
SLOC= 7 53.13249 58.15152

Construct geometry for Disposal Container

Define center and axis keypoints for waste package
Also, create placeholder keypoints and lines

(K's 1,2,3,4,5,6,7,8)
(L's 1,2,3,4)

KEYPOINT	1	X,Y,Z=	.000000E+00	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	2	X,Y,Z=	.000000E+00	.000000E+00	1.00000	IN CSYS= 0
KEYPOINT	3	X,Y,Z=	.000000E+00	.000000E+00	1.30000	IN CSYS= 0
KEYPOINT	4	X,Y,Z=	.000000E+00	.000000E+00	1.40000	IN CSYS= 0
KEYPOINT	5	X,Y,Z=	.000000E+00	.000000E+00	1.50000	IN CSYS= 0
KEYPOINT	6	X,Y,Z=	.000000E+00	.000000E+00	1.60000	IN CSYS= 0
KEYPOINT	7	X,Y,Z=	.000000E+00	.000000E+00	1.70000	IN CSYS= 0
KEYPOINT	8	X,Y,Z=	.000000E+00	.000000E+00	1.80000	IN CSYS= 0

LINE CONNECTS KEYPOINTS	3	4			
LINE NO.= 1	KP1= 3	TAN1=	.0000	.0000	-1.0000
	KP2= 4	TAN2=	.0000	.0000	1.0000

LINE CONNECTS KEYPOINTS	4	5			
LINE NO.= 2	KP1= 4	TAN1=	.0000	.0000	-1.0000
	KP2= 5	TAN2=	.0000	.0000	1.0000

LINE CONNECTS KEYPOINTS	5	6			
LINE NO.= 3	KP1= 5	TAN1=	.0000	.0000	-1.0000
	KP2= 6	TAN2=	.0000	.0000	1.0000

LINE CONNECTS KEYPOINTS	6	7			
LINE NO.= 4	KP1= 6	TAN1=	.0000	.0000	-1.0000
	KP2= 7	TAN2=	.0000	.0000	1.0000

Define disposal container and MPC outer radius

(K's 9,10,11,12,13,14,15,16,17,18,19,20)

(L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)

(A's 1,2,3,4,5,6)

KEYPOINT	9	X,Y,Z=	.000000E+00	-.715250	.000000E+00	IN CSYS= 0
KEYPOINT	10	X,Y,Z=	.715250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	11	X,Y,Z=	.000000E+00	.715250	.000000E+00	IN CSYS= 0
KEYPOINT	12	X,Y,Z=	.000000E+00	-.665250	.000000E+00	IN CSYS= 0
KEYPOINT	13	X,Y,Z=	.665250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	14	X,Y,Z=	.000000E+00	.665250	.000000E+00	IN CSYS= 0
KEYPOINT	15	X,Y,Z=	.000000E+00	-.645250	.000000E+00	IN CSYS= 0
KEYPOINT	16	X,Y,Z=	.645250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	17	X,Y,Z=	.000000E+00	.645250	.000000E+00	IN CSYS= 0
KEYPOINT	18	X,Y,Z=	.000000E+00	-.630174	.000000E+00	IN CSYS= 0
KEYPOINT	19	X,Y,Z=	.630174	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	20	X,Y,Z=	.000000E+00	.630174	.000000E+00	IN CSYS= 0

LINE CONNECTS KEYPOINTS	10	13			
LINE NO.= 5	KP1= 10	TAN1=	1.0000	.0000	.0000
	KP2= 13	TAN2=	-1.0000	.0000	.0000

LINE CONNECTS KEYPOINTS	13	16			
LINE NO.= 6	KP1= 13	TAN1=	1.0000	.0000	.0000
	KP2= 16	TAN2=	-1.0000	.0000	.0000

```

ARC BETWEEN KEYPOINTS      10 AND      9 ORIENTATION KEYPOINT=      1
RADIUS= .71525
LINE NO.=      7 KP1=      10 TAN1=      .0000      1.0000      .0000
                  KP2=      9 TAN2=     -1.0000      .0000      .0000

ARC BETWEEN KEYPOINTS      11 AND     10 ORIENTATION KEYPOINT=      1
RADIUS= .71525
LINE NO.=      8 KP1=      11 TAN1=     -1.0000      .0000      .0000
                  KP2=     10 TAN2=      .0000     -1.0000      .0000

ARC BETWEEN KEYPOINTS      13 AND     12 ORIENTATION KEYPOINT=      1
RADIUS= .66525
LINE NO.=      9 KP1=      13 TAN1=      .0000      1.0000      .0000
                  KP2=     12 TAN2=     -1.0000      .0000      .0000

ARC BETWEEN KEYPOINTS      14 AND     13 ORIENTATION KEYPOINT=      1
RADIUS= .66525
LINE NO.=     10 KP1=      14 TAN1=     -1.0000      .0000      .0000
                  KP2=     13 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      11      14
LINE NO.=     11 KP1=      11 TAN1=      .0000      1.0000      .0000
                  KP2=      14 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      9      12
LINE NO.=     12 KP1=      9 TAN1=      .0000     -1.0000      .0000
                  KP2=     12 TAN2=      .0000      1.0000      .0000

ARC BETWEEN KEYPOINTS      15 AND     16 ORIENTATION KEYPOINT=      1
RADIUS= .64525
LINE NO.=     13 KP1=      15 TAN1=     -1.0000      .0000      .0000
                  KP2=     16 TAN2=      .0000      1.0000      .0000

ARC BETWEEN KEYPOINTS      16 AND     17 ORIENTATION KEYPOINT=      1
RADIUS= .64525
LINE NO.=     14 KP1=      16 TAN1=      .0000     -1.0000      .0000
                  KP2=     17 TAN2=     -1.0000      .0000      .0000

LINE CONNECTS KEYPOINTS      14      17
LINE NO.=     15 KP1=      14 TAN1=      .0000      1.0000      .0000
                  KP2=     17 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      12      15
LINE NO.=     16 KP1=      12 TAN1=      .0000     -1.0000      .0000
                  KP2=     15 TAN2=      .0000      1.0000      .0000

ARC BETWEEN KEYPOINTS      19 AND     18 ORIENTATION KEYPOINT=      1
RADIUS= .63017
LINE NO.=     17 KP1=      19 TAN1=      .0000      1.0000      .0000
                  KP2=     18 TAN2=     -1.0000      .0000      .0000

ARC BETWEEN KEYPOINTS      20 AND     19 ORIENTATION KEYPOINT=      1
RADIUS= .63017
LINE NO.=     18 KP1=      20 TAN1=     -1.0000      .0000      .0000
                  KP2=     19 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      17      20
LINE NO.=     19 KP1=      17 TAN1=      .0000      1.0000      .0000
                  KP2=     20 TAN2=      .0000     -1.0000      .0000

LINE CONNECTS KEYPOINTS      15      18
LINE NO.=     20 KP1=      15 TAN1=      .0000     -1.0000      .0000
                  KP2=     18 TAN2=      .0000      1.0000      .0000

LINE CONNECTS KEYPOINTS      16      19
LINE NO.=     21 KP1=      16 TAN1=      1.0000      .0000      .0000
                  KP2=     19 TAN2=     -1.0000      .0000      .0000

```

DEFINE AREA BY LIST OF LINES

LINE LIST = 5 7 12 9
(TRAVERSED IN SAME DIRECTION AS LINE 5)

AREA NUMBER = 1

DEFINE AREA BY LIST OF LINES
LINE LIST = 11 8 5 10
(TRAVERSED IN SAME DIRECTION AS LINE 11)

AREA NUMBER = 2

DEFINE AREA BY LIST OF LINES
LINE LIST = 6 9 16 13
(TRAVERSED IN SAME DIRECTION AS LINE 6)

AREA NUMBER = 3

DEFINE AREA BY LIST OF LINES
LINE LIST = 15 10 6 14
(TRAVERSED IN SAME DIRECTION AS LINE 15)

AREA NUMBER = 4

DEFINE AREA BY LIST OF LINES
LINE LIST = 21 13 20 17
(TRAVERSED IN SAME DIRECTION AS LINE 21)

AREA NUMBER = 5

DEFINE AREA BY LIST OF LINES
LINE LIST = 19 14 21 18
(TRAVERSED IN SAME DIRECTION AS LINE 19)

AREA NUMBER = 6

Define MPC shell inner edge and area
(K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
(38,39)
(L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
(39,40,41,42)
(A's 7,8)

KEYPOINT	21	X,Y,Z=	.000000E+00	.607949	.000000E+00	IN CSYS= 0
KEYPOINT	22	X,Y,Z=	.404963E-01	.606599	.000000E+00	IN CSYS= 0
KEYPOINT	23	X,Y,Z=	.500213E-01	.605888	.000000E+00	IN CSYS= 0
KEYPOINT	24	X,Y,Z=	.254720	.552014	.000000E+00	IN CSYS= 0
KEYPOINT	25	X,Y,Z=	.288484	.535144	.000000E+00	IN CSYS= 0
KEYPOINT	26	X,Y,Z=	.535144	.288484	.000000E+00	IN CSYS= 0
KEYPOINT	27	X,Y,Z=	.552014	.254720	.000000E+00	IN CSYS= 0
KEYPOINT	28	X,Y,Z=	.605888	.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	29	X,Y,Z=	.606599	.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	30	X,Y,Z=	.607949	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	31	X,Y,Z=	.606599	-.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	32	X,Y,Z=	.605888	-.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	33	X,Y,Z=	.552014	-.254720	.000000E+00	IN CSYS= 0
KEYPOINT	34	X,Y,Z=	.535144	-.288484	.000000E+00	IN CSYS= 0

KEYPOINT 35 X,Y,Z= .288484 -.535144 .000000E+00 IN CSYS= 0
 KEYPOINT 36 X,Y,Z= .254720 -.552014 .000000E+00 IN CSYS= 0
 KEYPOINT 37 X,Y,Z= .500213E-01 -.605888 .000000E+00 IN CSYS= 0
 KEYPOINT 38 X,Y,Z= .404963E-01 -.606599 .000000E+00 IN CSYS= 0
 KEYPOINT 39 X,Y,Z= .000000E+00 -.607949 .000000E+00 IN CSYS= 0

LINE CONNECTS KEYPOINTS 20 21
 LINE NO.= 22 KP1= 20 TAN1= .0000 1.0000 .0000
 KP2= 21 TAN2= .0000 -1.0000 .0000

ARC BETWEEN KEYPOINTS 22 AND 21 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 23 KP1= 22 TAN1= .9978 -.0666 .0000
 KP2= 21 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 23 AND 22 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 24 KP1= 23 TAN1= .9966 -.0823 .0000
 KP2= 22 TAN2= -.9978 .0666 .0000

ARC BETWEEN KEYPOINTS 24 AND 23 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 25 KP1= 24 TAN1= .9080 -.4190 .0000
 KP2= 23 TAN2= -.9966 .0823 .0000

ARC BETWEEN KEYPOINTS 25 AND 24 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 26 KP1= 25 TAN1= .8802 -.4745 .0000
 KP2= 24 TAN2= -.9080 .4190 .0000

ARC BETWEEN KEYPOINTS 26 AND 25 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 27 KP1= 26 TAN1= .4745 -.8802 .0000
 KP2= 25 TAN2= -.8802 .4745 .0000

ARC BETWEEN KEYPOINTS 27 AND 26 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 28 KP1= 27 TAN1= .4190 -.9080 .0000
 KP2= 26 TAN2= -.4745 .8802 .0000

ARC BETWEEN KEYPOINTS 28 AND 27 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 29 KP1= 28 TAN1= .0823 -.9966 .0000
 KP2= 27 TAN2= -.4190 .9080 .0000

ARC BETWEEN KEYPOINTS 29 AND 28 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 30 KP1= 29 TAN1= .0666 -.9978 .0000
 KP2= 28 TAN2= -.0823 .9966 .0000

ARC BETWEEN KEYPOINTS 30 AND 29 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 31 KP1= 30 TAN1= .0000 -1.0000 .0000
 KP2= 29 TAN2= -.0666 .9978 .0000

ARC BETWEEN KEYPOINTS 31 AND 30 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 32 KP1= 31 TAN1= -.0666 -.9978 .0000
 KP2= 30 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 32 AND 31 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 33 KP1= 32 TAN1= -.0823 -.9966 .0000
 KP2= 31 TAN2= .0666 .9978 .0000

ARC BETWEEN KEYPOINTS 33 AND 32 ORIENTATION KEYPOINT= 1

RADIUS= .60795
 LINE NO.= 34 KP1= 33 TAN1= -.4190 -.9080 .0000
 KP2= 32 TAN2= .0823 .9966 .0000

ARC BETWEEN KEYPOINTS 34 AND 33 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 35 KP1= 34 TAN1= -.4745 -.8802 .0000
 KP2= 33 TAN2= .4190 .9080 .0000

ARC BETWEEN KEYPOINTS 35 AND 34 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 36 KP1= 35 TAN1= -.8802 -.4745 .0000
 KP2= 34 TAN2= .4745 .8802 .0000

ARC BETWEEN KEYPOINTS 36 AND 35 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 37 KP1= 36 TAN1= -.9080 -.4190 .0000
 KP2= 35 TAN2= .8802 .4745 .0000

ARC BETWEEN KEYPOINTS 37 AND 36 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 38 KP1= 37 TAN1= -.9966 -.0823 .0000
 KP2= 36 TAN2= .9080 .4190 .0000

ARC BETWEEN KEYPOINTS 38 AND 37 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 39 KP1= 38 TAN1= -.9978 -.0666 .0000
 KP2= 37 TAN2= .9966 .0823 .0000

ARC BETWEEN KEYPOINTS 39 AND 38 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 40 KP1= 39 TAN1= -1.0000 .0000 .0000
 KP2= 38 TAN2= .9978 .0666 .0000

LINE CONNECTS KEYPOINTS 18 39
 LINE NO.= 41 KP1= 18 TAN1= .0000 -1.0000 .0000
 KP2= 39 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 19 30
 LINE NO.= 42 KP1= 19 TAN1= 1.0000 .0000 .0000
 KP2= 30 TAN2= -1.0000 .0000 .0000

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 32 TO 42 STEP 1
 11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 17 TO 17 STEP 1
 12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES
 LINE LIST = ALL SELECTED LINES
 (TRAVERSED IN SAME DIRECTION AS LINE 17)

AREA NUMBER = 7

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 22 TO 31 STEP 1
 10 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 18 TO 18 STEP 1
 11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 42 TO 42 STEP 1

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES

LINE LIST = ALL SELECTED LINES
(TRAVERSED IN SAME DIRECTION AS LINE 18)

AREA NUMBER = 8

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 42 STEP 1

42 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

Define tube guides

(K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)
(57,58,59)

(L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)

(60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)

(77,78,79,80)

(A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)

(26)

top

KEYPOINT	40	X,Y,Z=	.500213E-01	.552014	.000000E+00	IN CSYS= 0
KEYPOINT	41	X,Y,Z=	.404963E-01	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	42	X,Y,Z=	.254720	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	43	X,Y,Z=	.278959	.535144	.000000E+00	IN CSYS= 0
KEYPOINT	44	X,Y,Z=	.288484	.288484	.000000E+00	IN CSYS= 0
KEYPOINT	45	X,Y,Z=	.278959	.278959	.000000E+00	IN CSYS= 0
KEYPOINT	46	X,Y,Z=	.535144	.278959	.000000E+00	IN CSYS= 0
		side				
KEYPOINT	47	X,Y,Z=	.542489	.254720	.000000E+00	IN CSYS= 0
KEYPOINT	48	X,Y,Z=	.552014	.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	49	X,Y,Z=	.542489	.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	50	X,Y,Z=	.542489	-.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	51	X,Y,Z=	.552014	-.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	52	X,Y,Z=	.542489	-.254720	.000000E+00	IN CSYS= 0
		bottom				
KEYPOINT	53	X,Y,Z=	.535144	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	54	X,Y,Z=	.278959	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	55	X,Y,Z=	.288484	-.288484	.000000E+00	IN CSYS= 0
KEYPOINT	56	X,Y,Z=	.278959	-.535144	.000000E+00	IN CSYS= 0
KEYPOINT	57	X,Y,Z=	.254720	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	58	X,Y,Z=	.404963E-01	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	59	X,Y,Z=	.500213E-01	-.552014	.000000E+00	IN CSYS= 0
		top				

LINE CONNECTS KEYPOINTS 41 22
LINE NO.= 43 KP1= 41 TAN1= .0000 -1.0000 .0000

	KP2=	22	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		40	41			
LINE NO.= 44	KP1=	40	TAN1=	.7071	.7071	.0000
	KP2=	41	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		40	24			
LINE NO.= 45	KP1=	40	TAN1=	-1.0000	.0000	.0000
	KP2=	24	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		42	41			
LINE NO.= 46	KP1=	42	TAN1=	1.0000	.0000	.0000
	KP2=	41	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		24	42			
LINE NO.= 47	KP1=	24	TAN1=	.0000	1.0000	.0000
	KP2=	42	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		43	25			
LINE NO.= 48	KP1=	43	TAN1=	-1.0000	.0000	.0000
	KP2=	25	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		45	43			
LINE NO.= 49	KP1=	45	TAN1=	.0000	-1.0000	.0000
	KP2=	43	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		25	44			
LINE NO.= 50	KP1=	25	TAN1=	.0000	1.0000	.0000
	KP2=	44	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		44	45			
LINE NO.= 51	KP1=	44	TAN1=	.7071	.7071	.0000
	KP2=	45	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		44	26			
LINE NO.= 52	KP1=	44	TAN1=	-1.0000	.0000	.0000
	KP2=	26	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		46	45			
LINE NO.= 53	KP1=	46	TAN1=	1.0000	.0000	.0000
	KP2=	45	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		26	46			
LINE NO.= 54	KP1=	26	TAN1=	.0000	1.0000	.0000
	KP2=	46	TAN2=	.0000	-1.0000	.0000
side						
LINE CONNECTS KEYPOINTS		47	27			
LINE NO.= 55	KP1=	47	TAN1=	-1.0000	.0000	.0000
	KP2=	27	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		49	47			
LINE NO.= 56	KP1=	49	TAN1=	.0000	-1.0000	.0000
	KP2=	47	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		27	48			
LINE NO.= 57	KP1=	27	TAN1=	.0000	1.0000	.0000
	KP2=	48	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		48	49			
LINE NO.= 58	KP1=	48	TAN1=	.7071	.7071	.0000
	KP2=	49	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		48	28			
LINE NO.= 59	KP1=	48	TAN1=	-1.0000	.0000	.0000
	KP2=	28	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		29	49			
LINE NO.= 60	KP1=	29	TAN1=	1.0000	.0000	.0000
	KP2=	49	TAN2=	-1.0000	.0000	.0000

LINE CONNECTS KEYPOINTS	50	31			
LINE NO.= 61 KP1=	50	TAN1=	-1.0000	.0000	.0000
KP2=	31	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	32	51			
LINE NO.= 62 KP1=	32	TAN1=	1.0000	.0000	.0000
KP2=	51	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	50	51			
LINE NO.= 63 KP1=	50	TAN1=	-.7071	.7071	.0000
KP2=	51	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	52	50			
LINE NO.= 64 KP1=	52	TAN1=	.0000	-1.0000	.0000
KP2=	50	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	51	33			
LINE NO.= 65 KP1=	51	TAN1=	.0000	1.0000	.0000
KP2=	33	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	33	52			
LINE NO.= 66 KP1=	33	TAN1=	1.0000	.0000	.0000
KP2=	52	TAN2=	-1.0000	.0000	.0000
bottom					
LINE CONNECTS KEYPOINTS	53	34			
LINE NO.= 67 KP1=	53	TAN1=	.0000	1.0000	.0000
KP2=	34	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	54	53			
LINE NO.= 68 KP1=	54	TAN1=	-1.0000	.0000	.0000
KP2=	53	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	34	55			
LINE NO.= 69 KP1=	34	TAN1=	1.0000	.0000	.0000
KP2=	55	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	54	55			
LINE NO.= 70 KP1=	54	TAN1=	-.7071	.7071	.0000
KP2=	55	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	56	54			
LINE NO.= 71 KP1=	56	TAN1=	.0000	-1.0000	.0000
KP2=	54	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	55	35			
LINE NO.= 72 KP1=	55	TAN1=	.0000	1.0000	.0000
KP2=	35	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	35	56			
LINE NO.= 73 KP1=	35	TAN1=	1.0000	.0000	.0000
KP2=	56	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	57	36			
LINE NO.= 74 KP1=	57	TAN1=	.0000	1.0000	.0000
KP2=	36	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	58	57			
LINE NO.= 75 KP1=	58	TAN1=	-1.0000	.0000	.0000
KP2=	57	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	36	59			
LINE NO.= 76 KP1=	36	TAN1=	1.0000	.0000	.0000
KP2=	59	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	58	59			
LINE NO.= 77 KP1=	58	TAN1=	-.7071	.7071	.0000
KP2=	59	TAN2=	.7071	-.7071	.0000

LINE CONNECTS KEYPOINTS 38 58
 LINE NO.= 78 KP1= 38 TAN1= .0000 -1.0000 .0000
 KP2= 58 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 59 37
 LINE NO.= 79 KP1= 59 TAN1= .0000 1.0000 .0000
 KP2= 37 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 23 40
 LINE NO.= 80 KP1= 23 TAN1= .0000 1.0000 .0000
 KP2= 40 TAN2= .0000 -1.0000 .0000

air

DEFINE AREA BY LIST OF LINES
 LINE LIST = 80 45 25
 (TRAVERSED IN SAME DIRECTION AS LINE 80)

AREA NUMBER = 9

DEFINE AREA BY LIST OF LINES
 LINE LIST = 50 52 27
 (TRAVERSED IN SAME DIRECTION AS LINE 50)

AREA NUMBER = 10

DEFINE AREA BY LIST OF LINES
 LINE LIST = 57 59 29
 (TRAVERSED IN SAME DIRECTION AS LINE 57)

AREA NUMBER = 11

DEFINE AREA BY LIST OF LINES
 LINE LIST = 62 65 34
 (TRAVERSED IN SAME DIRECTION AS LINE 62)

AREA NUMBER = 12

DEFINE AREA BY LIST OF LINES
 LINE LIST = 69 72 36
 (TRAVERSED IN SAME DIRECTION AS LINE 69)

AREA NUMBER = 13

DEFINE AREA BY LIST OF LINES
 LINE LIST = 76 79 38
 (TRAVERSED IN SAME DIRECTION AS LINE 76)

AREA NUMBER = 14
 guides

DEFINE AREA BY LIST OF LINES
 LINE LIST = 24 43 44 80
 (TRAVERSED IN SAME DIRECTION AS LINE 24)

AREA NUMBER = 15

DEFINE AREA BY LIST OF LINES
 LINE LIST = 45 44 46 47
 (TRAVERSED IN SAME DIRECTION AS LINE 45)

AREA NUMBER = 16

DEFINE AREA BY LIST OF LINES
 LINE LIST = 48 49 51 50
 (TRAVERSED IN SAME DIRECTION AS LINE 48)

AREA NUMBER = 17

DEFINE AREA BY LIST OF LINES
 LINE LIST = 52 51 53 54

```

        (TRAVERSED IN SAME DIRECTION AS LINE 52)

        AREA NUMBER = 18

    DEFINE AREA BY LIST OF LINES
        LINE LIST = 55 56 58 57
        (TRAVERSED IN SAME DIRECTION AS LINE 55)

        AREA NUMBER = 19

    DEFINE AREA BY LIST OF LINES
        LINE LIST = 59 58 60 30
        (TRAVERSED IN SAME DIRECTION AS LINE 59)

        AREA NUMBER = 20

    DEFINE AREA BY LIST OF LINES
        LINE LIST = 61 63 62 33
        (TRAVERSED IN SAME DIRECTION AS LINE 61)

        AREA NUMBER = 21

    DEFINE AREA BY LIST OF LINES
        LINE LIST = 63 64 66 65
        (TRAVERSED IN SAME DIRECTION AS LINE 63)

        AREA NUMBER = 22

    DEFINE AREA BY LIST OF LINES
        LINE LIST = 68 70 69 67
        (TRAVERSED IN SAME DIRECTION AS LINE 68)

        AREA NUMBER = 23

    DEFINE AREA BY LIST OF LINES
        LINE LIST = 70 71 73 72
        (TRAVERSED IN SAME DIRECTION AS LINE 70)

        AREA NUMBER = 24

    DEFINE AREA BY LIST OF LINES
        LINE LIST = 75 77 76 74
        (TRAVERSED IN SAME DIRECTION AS LINE 75)

        AREA NUMBER = 25

    DEFINE AREA BY LIST OF LINES
        LINE LIST = 77 78 39 79
        (TRAVERSED IN SAME DIRECTION AS LINE 77)

        AREA NUMBER = 26
    *****
        Define top half tubes and flux trap plate
        (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
        ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
        ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
        ( 108,109,110,111,112,113,114,115,116,117,118,119)
        ( 120,121,122,123,124,125,126,127,128,129,130,131)
        ( 132,133,134,135,136,137,138,139,140,141,142,143)
        ( 144,145,146,147,148,149,150,151,152,153,154,155)
        ( 156,157,158,159,160,161,162,163,164,165,166,167)
        (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
        ( 98,99,100,101,102,103,104,105,106,107,108,109,110)
        ( 111,112,113,114,115,116,117,118,119,120,121,122)
        ( 123,124,125,126,127,128,129,130,131,132,133,134)
        ( 135,136,137,138,139,140,141,142,143,144,145,146)
        ( 147,...)
        (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
        ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
        ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
    
```

(78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
 (95,96,97,98,99,100,101,102,103)

KEYPOINT	60	X,Y,Z=	.000000E+00	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	61	X,Y,Z=	.000000E+00	.381000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	62	X,Y,Z=	.000000E+00	.138125	.000000E+00	IN CSYS=	0
KEYPOINT	63	X,Y,Z=	.000000E+00	.163525	.000000E+00	IN CSYS=	0
KEYPOINT	64	X,Y,Z=	.000000E+00	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	65	X,Y,Z=	.000000E+00	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	66	X,Y,Z=	.000000E+00	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	67	X,Y,Z=	.000000E+00	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	68	X,Y,Z=	.000000E+00	.406756	.000000E+00	IN CSYS=	0
KEYPOINT	69	X,Y,Z=	.000000E+00	.432156	.000000E+00	IN CSYS=	0
KEYPOINT	70	X,Y,Z=	.000000E+00	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	71	X,Y,Z=	.000000E+00	.561543	.000000E+00	IN CSYS=	0
KEYPOINT	72	X,Y,Z=	.000000E+00	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	73	X,Y,Z=	.127000E-01	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	74	X,Y,Z=	.127000E-01	.381000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	75	X,Y,Z=	.127000E-01	.138125	.000000E+00	IN CSYS=	0
KEYPOINT	76	X,Y,Z=	.127000E-01	.163525	.000000E+00	IN CSYS=	0
KEYPOINT	77	X,Y,Z=	.127000E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	78	X,Y,Z=	.127000E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	79	X,Y,Z=	.127000E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	80	X,Y,Z=	.127000E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	81	X,Y,Z=	.127000E-01	.406756	.000000E+00	IN CSYS=	0
KEYPOINT	82	X,Y,Z=	.127000E-01	.432156	.000000E+00	IN CSYS=	0
KEYPOINT	83	X,Y,Z=	.127000E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	84	X,Y,Z=	.127000E-01	.561543	.000000E+00	IN CSYS=	0
KEYPOINT	85	X,Y,Z=	.127000E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	86	X,Y,Z=	.254000E-01	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	87	X,Y,Z=	.254000E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	88	X,Y,Z=	.254000E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	89	X,Y,Z=	.254000E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	90	X,Y,Z=	.254000E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	91	X,Y,Z=	.254000E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	92	X,Y,Z=	.254000E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	93	X,Y,Z=	.381000E-01	.127000E-01	.000000E+00	IN CSYS=	0

KEYPOINT	94	X,Y,Z=	.317500E-01	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	95	X,Y,Z=	.317500E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	96	X,Y,Z=	.317500E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	97	X,Y,Z=	.317500E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	98	X,Y,Z=	.317500E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	99	X,Y,Z=	.317500E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	100	X,Y,Z=	.317500E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	101	X,Y,Z=	.341376E-01	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	102	X,Y,Z=	.341376E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	103	X,Y,Z=	.341376E-01	.270231	.000000E+00	IN CSYS=	0
KEYPOINT	104	X,Y,Z=	.341376E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	105	X,Y,Z=	.341376E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	106	X,Y,Z=	.341376E-01	.300050	.000000E+00	IN CSYS=	0
KEYPOINT	107	X,Y,Z=	.341376E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	108	X,Y,Z=	.341376E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	109	X,Y,Z=	.341376E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	110	X,Y,Z=	.365252E-01	.365252E-01	.000000E+00	IN CSYS=	0
KEYPOINT	111	X,Y,Z=	.365252E-01	.265125	.000000E+00	IN CSYS=	0
KEYPOINT	112	X,Y,Z=	.365252E-01	.305156	.000000E+00	IN CSYS=	0
KEYPOINT	113	X,Y,Z=	.365252E-01	.533756	.000000E+00	IN CSYS=	0
KEYPOINT	114	X,Y,Z=	.138125	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	115	X,Y,Z=	.163525	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	116	X,Y,Z=	.265125	.365252E-01	.000000E+00	IN CSYS=	0
KEYPOINT	117	X,Y,Z=	.265125	.265125	.000000E+00	IN CSYS=	0
KEYPOINT	118	X,Y,Z=	.265125	.305156	.000000E+00	IN CSYS=	0
KEYPOINT	119	X,Y,Z=	.265125	.533756	.000000E+00	IN CSYS=	0
KEYPOINT	120	X,Y,Z=	.267513	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	121	X,Y,Z=	.267513	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	122	X,Y,Z=	.267513	.317500E-01	.000000E+00	IN CSYS=	0
KEYPOINT	123	X,Y,Z=	.267513	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	124	X,Y,Z=	.267513	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	125	X,Y,Z=	.267513	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	126	X,Y,Z=	.267513	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	127	X,Y,Z=	.270231	.341376E-01	.000000E+00	IN CSYS=	0
KEYPOINT	128	X,Y,Z=	.270231	.270231	.000000E+00	IN CSYS=	0

KEYPOINT	129	X,Y,Z=	.270231	.300050	.000000E+00	IN CSYS= 0
KEYPOINT	130	X,Y,Z=	.270231	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	131	X,Y,Z=	.272618	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	132	X,Y,Z=	.272618	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	133	X,Y,Z=	.272618	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	134	X,Y,Z=	.272618	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	135	X,Y,Z=	.272618	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	136	X,Y,Z=	.272618	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	137	X,Y,Z=	.272618	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	138	X,Y,Z=	.297663	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	139	X,Y,Z=	.297663	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	140	X,Y,Z=	.297663	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	141	X,Y,Z=	.297663	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	142	X,Y,Z=	.297663	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	143	X,Y,Z=	.300050	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	144	X,Y,Z=	.300050	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	145	X,Y,Z=	.302768	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	146	X,Y,Z=	.302768	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	147	X,Y,Z=	.302768	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	148	X,Y,Z=	.302768	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	149	X,Y,Z=	.302768	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	150	X,Y,Z=	.305156	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	151	X,Y,Z=	.305156	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	152	X,Y,Z=	.406756	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	153	X,Y,Z=	.432156	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	154	X,Y,Z=	.533756	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	155	X,Y,Z=	.533756	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	156	X,Y,Z=	.536143	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	157	X,Y,Z=	.536143	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	158	X,Y,Z=	.536143	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	159	X,Y,Z=	.536143	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	160	X,Y,Z=	.536143	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	161	X,Y,Z=	.536143	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	162	X,Y,Z=	.536143	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	163	X,Y,Z=	.561543	.127000E-01	.000000E+00	IN CSYS= 0

KEYPOINT 164 X,Y,Z= .601066 .127000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 165 X,Y,Z= .601066 .254000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 166 X,Y,Z= .601066 .317500E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 167 X,Y,Z= .601066 .341376E-01 .000000E+00 IN CSYS= 0
 create lines on perimeter and for lesize

LINE CONNECTS KEYPOINTS 73 60
 LINE NO.= 81 KP1= 73 TAN1= 1.0000 .0000 .0000
 KP2= 60 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 73 74
 LINE NO.= 82 KP1= 73 TAN1= .0000 -1.0000 .0000
 KP2= 74 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 61 74
 LINE NO.= 83 KP1= 61 TAN1= -1.0000 .0000 .0000
 KP2= 74 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 74 75
 LINE NO.= 84 KP1= 74 TAN1= .0000 -1.0000 .0000
 KP2= 75 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 75 62
 LINE NO.= 85 KP1= 75 TAN1= 1.0000 .0000 .0000
 KP2= 62 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 75 76
 LINE NO.= 86 KP1= 75 TAN1= .0000 -1.0000 .0000
 KP2= 76 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 63 76
 LINE NO.= 87 KP1= 63 TAN1= -1.0000 .0000 .0000
 KP2= 76 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 76 77
 LINE NO.= 88 KP1= 76 TAN1= .0000 -1.0000 .0000
 KP2= 77 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 77 78
 LINE NO.= 89 KP1= 77 TAN1= .0000 -1.0000 .0000
 KP2= 78 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 78 65
 LINE NO.= 90 KP1= 78 TAN1= 1.0000 .0000 .0000
 KP2= 65 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 78 79
 LINE NO.= 91 KP1= 78 TAN1= .0000 -1.0000 .0000
 KP2= 79 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 66 79
 LINE NO.= 92 KP1= 66 TAN1= -1.0000 .0000 .0000
 KP2= 79 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 79 80
 LINE NO.= 93 KP1= 79 TAN1= .0000 -1.0000 .0000
 KP2= 80 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 80 81
 LINE NO.= 94 KP1= 80 TAN1= .0000 -1.0000 .0000
 KP2= 81 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 81 68
 LINE NO.= 95 KP1= 81 TAN1= 1.0000 .0000 .0000
 KP2= 68 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS		81	82			
LINE NO.=	96	KP1=	81	TAN1=	.0000	-1.0000 .0000
		KP2=	82	TAN2=	.0000	1.0000 .0000
LINE CONNECTS KEYPOINTS		69	82			
LINE NO.=	97	KP1=	69	TAN1=	-1.0000	.0000 .0000
		KP2=	82	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		82	83			
LINE NO.=	98	KP1=	82	TAN1=	.0000	-1.0000 .0000
		KP2=	83	TAN2=	.0000	1.0000 .0000
LINE CONNECTS KEYPOINTS		83	70			
LINE NO.=	99	KP1=	83	TAN1=	1.0000	.0000 .0000
		KP2=	70	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		83	84			
LINE NO.=	100	KP1=	83	TAN1=	.0000	-1.0000 .0000
		KP2=	84	TAN2=	.0000	1.0000 .0000
LINE CONNECTS KEYPOINTS		71	84			
LINE NO.=	101	KP1=	71	TAN1=	-1.0000	.0000 .0000
		KP2=	84	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		84	85			
LINE NO.=	102	KP1=	84	TAN1=	.0000	-1.0000 .0000
		KP2=	85	TAN2=	.0000	1.0000 .0000
LINE CONNECTS KEYPOINTS		85	92			
LINE NO.=	103	KP1=	85	TAN1=	-1.0000	.0000 .0000
		KP2=	92	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		92	100			
LINE NO.=	104	KP1=	92	TAN1=	-1.0000	.0000 .0000
		KP2=	100	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		100	109			
LINE NO.=	105	KP1=	100	TAN1=	-1.0000	.0000 .0000
		KP2=	109	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		109	108			
LINE NO.=	106	KP1=	109	TAN1=	.0000	1.0000 .0000
		KP2=	108	TAN2=	.0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS		108	126			
LINE NO.=	107	KP1=	108	TAN1=	-1.0000	.0000 .0000
		KP2=	126	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		126	130			
LINE NO.=	108	KP1=	126	TAN1=	-1.0000	.0000 .0000
		KP2=	130	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		130	137			
LINE NO.=	109	KP1=	130	TAN1=	-1.0000	.0000 .0000
		KP2=	137	TAN2=	1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		137	136			
LINE NO.=	110	KP1=	137	TAN1=	.0000	1.0000 .0000
		KP2=	136	TAN2=	.0000	-1.0000 .0000
LINE CONNECTS KEYPOINTS		136	105			
LINE NO.=	111	KP1=	136	TAN1=	1.0000	.0000 .0000
		KP2=	105	TAN2=	-1.0000	.0000 .0000
LINE CONNECTS KEYPOINTS		112	107			
LINE NO.=	112	KP1=	112	TAN1=	.7071	.7071 .0000
		KP2=	107	TAN2=	-.7071	-.7071 .0000
LINE CONNECTS KEYPOINTS		107	106			
LINE NO.=	113	KP1=	107	TAN1=	.0000	1.0000 .0000

	KP2=	106	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		106	105			
LINE NO.= 114	KP1=	106	TAN1=	.0000	1.0000	.0000
	KP2=	105	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		105	104			
LINE NO.= 115	KP1=	105	TAN1=	.0000	1.0000	.0000
	KP2=	104	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		104	103			
LINE NO.= 116	KP1=	104	TAN1=	.0000	1.0000	.0000
	KP2=	103	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		103	102			
LINE NO.= 117	KP1=	103	TAN1=	.0000	1.0000	.0000
	KP2=	102	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		102	111			
LINE NO.= 118	KP1=	102	TAN1=	-.7071	.7071	.0000
	KP2=	111	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		104	135			
LINE NO.= 119	KP1=	104	TAN1=	-1.0000	.0000	.0000
	KP2=	135	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		135	134			
LINE NO.= 120	KP1=	135	TAN1=	.0000	1.0000	.0000
	KP2=	134	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		123	127			
LINE NO.= 121	KP1=	123	TAN1=	-1.0000	.0000	.0000
	KP2=	127	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		127	134			
LINE NO.= 122	KP1=	127	TAN1=	-1.0000	.0000	.0000
	KP2=	134	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		134	141			
LINE NO.= 123	KP1=	134	TAN1=	-1.0000	.0000	.0000
	KP2=	141	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		141	143			
LINE NO.= 124	KP1=	141	TAN1=	-1.0000	.0000	.0000
	KP2=	143	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		143	148			
LINE NO.= 125	KP1=	143	TAN1=	-1.0000	.0000	.0000
	KP2=	148	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		148	150			
LINE NO.= 126	KP1=	148	TAN1=	-.7071	-.7071	.0000
	KP2=	150	TAN2=	.7071	.7071	.0000
LINE CONNECTS KEYPOINTS		141	142			
LINE NO.= 127	KP1=	141	TAN1=	.0000	-1.0000	.0000
	KP2=	142	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		142	162			
LINE NO.= 128	KP1=	142	TAN1=	-1.0000	.0000	.0000
	KP2=	162	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		162	161			
LINE NO.= 129	KP1=	162	TAN1=	.0000	1.0000	.0000
	KP2=	161	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		161	160			
LINE NO.= 130	KP1=	161	TAN1=	.0000	1.0000	.0000
	KP2=	160	TAN2=	.0000	-1.0000	.0000

LINE CONNECTS KEYPOINTS	160	159			
LINE NO.= 131 KP1=	160	TAN1=	.0000	1.0000	.0000
KP2=	159	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	159	167			
LINE NO.= 132 KP1=	159	TAN1=	-1.0000	.0000	.0000
KP2=	167	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	167	166			
LINE NO.= 133 KP1=	167	TAN1=	.0000	1.0000	.0000
KP2=	166	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	166	165			
LINE NO.= 134 KP1=	166	TAN1=	.0000	1.0000	.0000
KP2=	165	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	165	164			
LINE NO.= 135 KP1=	165	TAN1=	.0000	1.0000	.0000
KP2=	164	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	164	163			
LINE NO.= 136 KP1=	164	TAN1=	1.0000	.0000	.0000
KP2=	163	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	163	156			
LINE NO.= 137 KP1=	163	TAN1=	1.0000	.0000	.0000
KP2=	156	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	156	153			
LINE NO.= 138 KP1=	156	TAN1=	1.0000	.0000	.0000
KP2=	153	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	153	152			
LINE NO.= 139 KP1=	153	TAN1=	1.0000	.0000	.0000
KP2=	152	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	152	145			
LINE NO.= 140 KP1=	152	TAN1=	1.0000	.0000	.0000
KP2=	145	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	145	138			
LINE NO.= 141 KP1=	145	TAN1=	1.0000	.0000	.0000
KP2=	138	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	138	131			
LINE NO.= 142 KP1=	138	TAN1=	1.0000	.0000	.0000
KP2=	131	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	131	120			
LINE NO.= 143 KP1=	131	TAN1=	1.0000	.0000	.0000
KP2=	120	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	120	115			
LINE NO.= 144 KP1=	120	TAN1=	1.0000	.0000	.0000
KP2=	115	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	115	114			
LINE NO.= 145 KP1=	115	TAN1=	1.0000	.0000	.0000
KP2=	114	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	114	93			
LINE NO.= 146 KP1=	114	TAN1=	1.0000	.0000	.0000
KP2=	93	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	93	73			
LINE NO.= 147 KP1=	93	TAN1=	1.0000	.0000	.0000
KP2=	73	TAN2=	-1.0000	.0000	.0000

tube spacers

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 71 84 83 70
AREA NUMBER = 27
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 69 82 81 68
AREA NUMBER = 28
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 66 79 78 65
AREA NUMBER = 29
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 63 76 75 62
AREA NUMBER = 30
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 61 74 73 60
AREA NUMBER = 31
flux trap plate (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 85 92 91 83 84
AREA NUMBER = 32
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 83 91 90 80 81 82
AREA NUMBER = 33
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 80 90 89 79
AREA NUMBER = 34
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 79 89 88 78
AREA NUMBER = 35
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 78 88 87 77
AREA NUMBER = 36
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 77 87 86 73 74 75 76
AREA NUMBER = 37
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 86 121 120 115 114 93 73
AREA NUMBER = 38
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 121 132 131 120
AREA NUMBER = 39
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 132 139 138 131
AREA NUMBER = 40

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 139 146 145 138

AREA NUMBER = 41

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 146 157 156 153 152 145

AREA NUMBER = 42

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 157 165 164 163 156

AREA NUMBER = 43
flux trap plate (Al/boron)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 92 100 99 91

AREA NUMBER = 44

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 91 99 98 90

AREA NUMBER = 45

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 90 98 97 89

AREA NUMBER = 46

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 89 97 96 88

AREA NUMBER = 47

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 88 96 95 87

AREA NUMBER = 48

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 87 95 94 86

AREA NUMBER = 49

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 94 122 121 86

AREA NUMBER = 50

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 122 133 132 121

AREA NUMBER = 51

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 133 140 139 132

AREA NUMBER = 52

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 140 147 146 139

AREA NUMBER = 53

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 147 158 157 146

AREA NUMBER = 54

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 158 166 165 157

AREA NUMBER = 55
flux trap plate (sheath)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 100 109 108 99

AREA NUMBER = 56

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 99 108 107 98

AREA NUMBER = 57

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 98 107 106 105 97

AREA NUMBER = 58

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 97 105 104 96

AREA NUMBER = 59

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 96 104 103 102 95

AREA NUMBER = 60

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 95 102 101 94

AREA NUMBER = 61

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 101 123 122 94

AREA NUMBER = 62

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 123 127 134 133 122

AREA NUMBER = 63

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 134 141 140 133

AREA NUMBER = 64

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 141 143 148 147 140

AREA NUMBER = 65

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 148 159 158 147

AREA NUMBER = 66

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 159 167 166 158

AREA NUMBER = 67
tube (sheath)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 130 137 136 129

AREA NUMBER = 68
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 106 129 136 105
AREA NUMBER = 69
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 104 135 128 103
AREA NUMBER = 70
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 128 135 134 127
AREA NUMBER = 71
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 144 143 141
AREA NUMBER = 72
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 162 161 144
AREA NUMBER = 73
tube (Al/boron)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 126 130 129 125
AREA NUMBER = 74
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 107 125 129 106
AREA NUMBER = 75
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 103 128 124 102
AREA NUMBER = 76
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 124 128 127 123
AREA NUMBER = 77
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 149 148 143
AREA NUMBER = 78
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 161 160 149
AREA NUMBER = 79
tube (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 113 112 107
AREA NUMBER = 80
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 126 119 113
AREA NUMBER = 81

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 119 126 125 118

AREA NUMBER = 82

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 112 118 125 107

AREA NUMBER = 83

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 111 110 101

AREA NUMBER = 84

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 124 117 111

AREA NUMBER = 85

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 117 124 123 116

AREA NUMBER = 86

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 110 116 123 101

AREA NUMBER = 87

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 151 150 148

AREA NUMBER = 88

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 160 155 151

AREA NUMBER = 89

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 155 160 159 154

AREA NUMBER = 90

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 150 154 159 148

AREA NUMBER = 91
homogeneous assembly

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 113 119 118 112

AREA NUMBER = 92

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 111 117 116 110

AREA NUMBER = 93

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 151 155 154 150

AREA NUMBER = 94
helium spaces

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 72 85 84 71

```
AREA NUMBER = 95
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 70 83 82 69

AREA NUMBER = 96
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 68 81 80 67

AREA NUMBER = 97
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 67 80 79 66

AREA NUMBER = 98
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 65 78 77 64

AREA NUMBER = 99
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 64 77 76 63

AREA NUMBER = 100
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 62 75 74 61

AREA NUMBER = 101
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 105 136 135 104

AREA NUMBER = 102
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 135 142 141 134

AREA NUMBER = 103
MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03
*****
Set element shapes and sizes for tubes and flux trap
14x14 mesh in fuel with 1
division per tube layer

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

DEFAULT ELEMENT DIVISIONS PER LINE = 1

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 81 TO 87 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 90 TO 92 STEP 2

6 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 95 TO 101 STEP 2

10 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 2, SPACING RATIO = 1.000
```


SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 107 TO 107 STEP 1
1 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 110 TO 111 STEP 1
3 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 119 TO 120 STEP 1
5 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 127 TO 128 STEP 1
7 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 131 TO 131 STEP 1
8 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 14, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 264 STEP 1
264 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 82 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 84 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 86 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 88 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 89 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 91 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 93 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 94 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 96 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 98 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 100 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 102 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

```

SET DIVISIONS ON LINE 103 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 104 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 136 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 137 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 138 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 139 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 140 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 141 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 142 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 143 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 144 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 145 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 146 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 147 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000
  concatenate lines for mapped meshing
  (L's 265,266,267,268,269,270,271,272,273,274)

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    82 TO      88 STEP      2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

```

```

CONCATENATE LINES
  LINE LIST = ALL SELECTED LINES

```

```

COMPOSITE LINE NO.= 265 KP1= 73 KP2= 77

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    94 TO      98 STEP      2

3 LINES (OF 265 DEFINED) SELECTED BY LSEL COMMAND.

```

```

CONCATENATE LINES
  LINE LIST = ALL SELECTED LINES

```

```

COMPOSITE LINE NO.= 266 KP1= 80 KP2= 83

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    100 TO     102 STEP      2

2 LINES (OF 266 DEFINED) SELECTED BY LSEL COMMAND.

```

```

CONCATENATE LINES

```

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 267 KP1= 83 KP2= 85

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 113 TO 114 STEP 1

2 LINES (OF 267 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 268 KP1= 107 KP2= 105

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 116 TO 117 STEP 1

2 LINES (OF 268 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 269 KP1= 104 KP2= 102

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 121 TO 122 STEP 1

2 LINES (OF 269 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 270 KP1= 123 KP2= 134

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 124 TO 125 STEP 1

2 LINES (OF 270 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 271 KP1= 141 KP2= 148

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 136 TO 137 STEP 1

2 LINES (OF 271 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 272 KP1= 164 KP2= 156

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 138 TO 140 STEP 1

3 LINES (OF 272 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 273 KP1= 156 KP2= 145

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 144 TO 147 STEP 1

4 LINES (OF 273 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES

LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 274 KP1= 120 KP2= 73

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 274 STEP 1

274 LINES (OF 274 DEFINED) SELECTED BY LSEL COMMAND.

Mesh areas
first flux trap plate, then tubes

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 27 TO 43 IN STEPS OF 1

*** WARNING *** CP= 8.050 TIME= 20:11:43
Meshing of area 32 produced 6 poorly shaped elements.

*** NOTE *** CP= 8.050 TIME= 20:11:43
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
38 39 44 45 50 51

*** WARNING *** CP= 8.130 TIME= 20:11:44
Meshing of area 33 produced 18 poorly shaped elements.

*** NOTE *** CP= 8.130 TIME= 20:11:44
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
58 59 60 63 64 65 72 73 74 77
78 79 86 87 88 91 92 93

*** WARNING *** CP= 8.290 TIME= 20:11:44
Meshing of area 37 produced 18 poorly shaped elements.

*** NOTE *** CP= 8.290 TIME= 20:11:44
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
125 129 130 132 133 134 139 143 144 146
147 148 153 157 158 160 161 162

*** WARNING *** CP= 8.380 TIME= 20:11:44
Meshing of area 38 produced 18 poorly shaped elements.

*** NOTE *** CP= 8.380 TIME= 20:11:44
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
163 164 165 166 167 168 169 170 171 175
176 177 178 179 180 190 191 192

*** WARNING *** CP= 8.550 TIME= 20:11:44
Meshing of area 42 produced 18 poorly shaped elements.

*** NOTE *** CP= 8.550 TIME= 20:11:44
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
238 239 240 241 242 243 244 245 246 253
254 255 256 257 258 259 260 261

*** WARNING *** CP= 8.590 TIME= 20:11:44
Meshing of area 43 produced 6 poorly shaped elements.

*** NOTE *** CP= 8.590 TIME= 20:11:44
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
280 281 282 283 284 285

NUMBER OF AREAS MESHED = 17
MAXIMUM NODE NUMBER = 386
MAXIMUM ELEMENT NUMBER = 288

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 44 TO 55 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 556
MAXIMUM ELEMENT NUMBER = 456

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 56 TO 73 IN STEPS OF 1

NUMBER OF AREAS MESHED = 18
MAXIMUM NODE NUMBER = 807
MAXIMUM ELEMENT NUMBER = 624

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 74 TO 79 IN STEPS OF 1

NUMBER OF AREAS MESHED = 6
MAXIMUM NODE NUMBER = 890
MAXIMUM ELEMENT NUMBER = 708

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 80 TO 91 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 1084
MAXIMUM ELEMENT NUMBER = 876

MATERIAL NUMBER SET TO 14

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 92 TO 94 IN STEPS OF 1

NUMBER OF AREAS MESHED = 3
MAXIMUM NODE NUMBER = 1591
MAXIMUM ELEMENT NUMBER = 1464

Delete concatenated lines
(L's freed up 265,266,267,268,269,270,271,272,273,274)

DELETE SELECTED LINES FROM 265 TO 274 BY 1

DELETED 10 LINES

Copy tube mesh and connect top and bottom

SYMMETRY TRANSFORMATION OF AREAS USING COMPONENT Y
SET IS FROM 27 TO 103 IN STEPS OF 1

MAXIMUM NODE NUMBER = 3182
MAXIMUM ELEMENT NUMBER = 2928
flux trap plate spacers
(L's 449,450,451,452,453,454,455,456,457,458)
(A's 181,182,183,184,185)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 186 73 93 202

AREA NUMBER = 181

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 201 114 115 200

AREA NUMBER = 182

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 204 131 138 206

AREA NUMBER = 183

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 212 152 153 211

AREA NUMBER = 184

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 210 156 163 215

AREA NUMBER = 185
flux trap plate heluim gaps
(A's 186,187,188,189,190,191,192,193)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 187 60 73 186

AREA NUMBER = 186

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 202 93 114 201

AREA NUMBER = 187

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 200 115 120 199

AREA NUMBER = 188

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 199 120 131 204

AREA NUMBER = 189

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 206 138 145 208

AREA NUMBER = 190

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 208 145 152 212

AREA NUMBER = 191

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 211 153 156 210

AREA NUMBER = 192

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 215 163 164 214

AREA NUMBER = 193

tube/guide heluim gaps (flats)

(A's 194,195,196,197,198,199,200,201,202,203,204,205)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 109 22 41 108

AREA NUMBER = 194

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 108 41 42 126

AREA NUMBER = 195

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 137 43 45 136

AREA NUMBER = 196

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 142 45 46 162

AREA NUMBER = 197

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 160 47 49 159

AREA NUMBER = 198

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 49 29 167 159

AREA NUMBER = 199

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 244 245 31 50

AREA NUMBER = 200

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 244 50 52 260

AREA NUMBER = 201

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 254 53 54 252

AREA NUMBER = 202

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 248 54 56 247

AREA NUMBER = 203

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 57 58 230

AREA NUMBER = 204

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 230 58 38 229

AREA NUMBER = 205

tube/guide heluim gaps (corners)

(A's 206,207,208,209,210,211,212,213,214,215,216,217)
(218)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 85 72

AREA NUMBER = 206

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 22 109 100 92 85

AREA NUMBER = 207

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 24 25 43 137 130 126 42

AREA NUMBER = 208

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 136 45 142 135

AREA NUMBER = 209

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 26 27 47 160 161 162 46

AREA NUMBER = 210

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 167 29 30 164 165 166

AREA NUMBER = 211

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 164 30 214

AREA NUMBER = 212

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 214 30 31 245 228 213

AREA NUMBER = 213

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 52 33 34 53 254 255 260

AREA NUMBER = 214

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 250 252 54 248

AREA NUMBER = 215

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 246 247 56 35 36 57

AREA NUMBER = 216

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 188 189 216 229 38 39

AREA NUMBER = 217

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 273 188 39

AREA NUMBER = 218

mesh flux trap plate spacers

SELECT FOR ITEM=LINE COMPONENT=

IN RANGE 449 TO 458 STEP 1

10 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES

TO NDIV = 4, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=

IN RANGE 1 TO 488 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS

IN AREAS 181 TO 185 IN STEPS OF 1

NUMBER OF AREAS MESHED = 5

MAXIMUM NODE NUMBER = 3251

MAXIMUM ELEMENT NUMBER = 3000

MERGE COINCIDENT NODES WITHIN TOLERANCE OF .10000E-03

*** NOTE ***

CP= 19.030 TIME= 20:11:55

Zero nodes were merged.

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Create mesh in MPC shell and disposal container

Tube guides

DEFAULT ELEMENT DIVISIONS PER LINE = 2

SET DIVISIONS ON LINE 43 (IF SELECTED AND UNMESHED)

TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 46 (IF SELECTED AND UNMESHED)

TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 49 (IF SELECTED AND UNMESHED)

TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 53 (IF SELECTED AND UNMESHED)

TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 56 (IF SELECTED AND UNMESHED)

TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 60 (IF SELECTED AND UNMESHED)

TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 61 (IF SELECTED AND UNMESHED)

TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 64 (IF SELECTED AND UNMESHED)

TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 68 (IF SELECTED AND UNMESHED)

TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 71 (IF SELECTED AND UNMESHED)

```
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 75 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 78 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 15 TO 26 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 3677
MAXIMUM ELEMENT NUMBER = 3272
MPC shell
(L's 489.490)

SET DIVISIONS ON LINE 23 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 25 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 26 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 27 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 28 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 29 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 31 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 32 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 34 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 35 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000 ,

SET DIVISIONS ON LINE 36 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 37 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 38 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 40 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 23 TO 31 STEP 1

9 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES
```

COMPOSITE LINE NO.= 489 KP1= 21 KP2= 30

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 32 TO 40 STEP 1

9 LINES (OF 489 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 490 KP1= 30 KP2= 39

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

490 LINES (OF 490 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 17 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 18 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 22 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 41 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 7 TO 8 IN STEPS OF 1

*** WARNING *** CP= 21.100 TIME= 20:11:57
Meshing of area 7 produced 112 poorly shaped elements.

*** NOTE *** CP= 21.100 TIME= 20:11:57
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3292	3293	3294	3295	3296	3297	3298	3299	3300	3301
3302	3303	3304	3305	3306	3307	3308	3309	3310	3311
3312	3313	3314	3315	3316	3317	3318	3319	3320	3321
3322	3323	3324	3325	3326	3327	3328	3329	3330	3331
3332	3333	3334	3335	3336	3337	3338	3339	3340	3341
3342	3343	3344	3345	3346	3347	3348	3349	3350	3351
3352	3353	3354	3355	3356	3357	3358	3359	3360	3361
3362	3363	3364	3365	3366	3367	3368	3369	3370	3371
3372	3373	3374	3375	3376	3377	3378	3379	3380	3381
3382	3383	3384	3385	3386	3387	3388	3389	3390	3391
3392	3393	3394	3395	3396	3397	3398	3399	3400	3401
3402	3403	3404	3405	3406	3407	3408	3409	3410	3411

*** LIST TERMINATED AFTER 100 ***

*** WARNING *** CP= 21.820 TIME= 20:11:58
Meshing of area 8 produced 112 poorly shaped elements.

*** NOTE *** CP= 21.830 TIME= 20:11:58
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3460	3461	3462	3463	3464	3465	3466	3467	3468	3469
3470	3471	3472	3473	3474	3475	3476	3477	3478	3479
3480	3481	3482	3483	3484	3485	3486	3487	3488	3489
3490	3491	3492	3493	3494	3495	3496	3497	3498	3499
3500	3501	3502	3503	3504	3505	3506	3507	3508	3509
3510	3511	3512	3513	3514	3515	3516	3517	3518	3519

```

3538 3539 3540 3541 3542 3543 3544 3545 3546 3547
3548 3549 3550 3551 3552 3553 3554 3555 3556 3557
3558 3559 3560 3561 3562 3563 3564 3565 3566 3567
3568 3569 3570 3571 3572 3573 3574 3575 3576 3577
*** LIST TERMINATED AFTER 100 ***

```

```

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER        =    4109
MAXIMUM ELEMENT NUMBER     =    3608
      Assume vacuum between shell and inner barrier

```

```

SET DIVISIONS ON LINE      13 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      14 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      19 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      20 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000
      No MAT,7,
      No TYPE,1,
      No AMESH,5,6,1,
      Delete concatenated lines
      (L's freed up 489,490)

```

```

DELETE SELECTED LINES FROM 489 TO 490 BY 1

```

```

DELETED      2 LINES
      Inner and outer barrier

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    7 TO      10 STEP      1

```

```

      4 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 56, SPACING RATIO = 1.000

```

```

ALL SELECT  FOR ITEM=LINE COMPONENT=
IN RANGE    1 TO      490 STEP      1

```

```

      488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

```

```

SET DIVISIONS ON LINE      6 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      15 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      16 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      5 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      11 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

```

```

SET DIVISIONS ON LINE      12 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

```

```

MATERIAL NUMBER SET TO      2

```

```

ELEMENT TYPE SET TO      1

```

```

GENERATE NODES AND ELEMENTS

```

```

      IN AREAS      3 TO      4 IN STEPS OF      1

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER      =      4561
MAXIMUM ELEMENT NUMBER      =      3944

MATERIAL NUMBER SET TO      15

ELEMENT TYPE SET TO      1

GENERATE NODES AND ELEMENTS
      IN AREAS      1 TO      2 IN STEPS OF      1

NUMBER OF AREAS MESHED      =      2
MAXIMUM NODE NUMBER      =      4900
MAXIMUM ELEMENT NUMBER      =      4280
      Empty basket spaces

DEFAULT ELEMENT DIVISIONS PER LINE BASED ON ELEMENT SIZE =      .100

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
      PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
      OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO      7

ELEMENT TYPE SET TO      1

GENERATE NODES AND ELEMENTS
      IN AREAS      9 TO      14 IN STEPS OF      1
** AREA      9 MESHED WITH      40 QUADRILATERALS,      10 TRIANGLES **
** AREA      11 MESHED WITH      41 QUADRILATERALS,      10 TRIANGLES **
** AREA      12 MESHED WITH      40 QUADRILATERALS,      10 TRIANGLES **
** AREA      14 MESHED WITH      41 QUADRILATERALS,      10 TRIANGLES **

NUMBER OF AREAS MESHED      =      6
MAXIMUM NODE NUMBER      =      5272
MAXIMUM ELEMENT NUMBER      =      4776
*****
      Define mesh and radiation surface elements
      Tube/guides gap

SELECT      FOR ITEM=LOC COMPONENT=X      BETWEEN .00000E+00 AND .00000E+00
KABS= 0. TOLERANCE= .100000E-05

      39 LINES (OF      488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      7 TO      8 STEP      1

      41 LINES (OF      488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      13 TO      14 STEP      1

      43 LINES (OF      488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      17 TO      18 STEP      1

      45 LINES (OF      488 DEFINED) SELECTED BY LSEL COMMAND.

UNSELECT      ONLY NODES INTERIOR TO SELECTED LINE SET.

      4904 NODES (OF      5272 DEFINED) SELECTED FROM
      45 SELECTED LINES BY NSLL COMMAND.

ALL SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      1 TO      490 STEP      1

```

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 7

GENERATE ELEMENTS ON SURFACE DEFINED BY SELECTED NODES
TYPE= 7 REAL= 1 MATERIAL= 1 ESYS= 0

NUMBER OF ELEMENTS GENERATED= 644

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5272 STEP 1

5272 NODES (OF 5272 DEFINED) SELECTED BY NSEL COMMAND.
Basket spaces

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 17

GENERATE NODES AND ELEMENTS
ON LINES 25 TO 29 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5462

GENERATE NODES AND ELEMENTS
ON LINES 34 TO 38 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5504

GENERATE NODES AND ELEMENTS
ON LINES 80 TO 80 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5510

GENERATE NODES AND ELEMENTS
ON LINES 45 TO 45 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5524

GENERATE NODES AND ELEMENTS
ON LINES 50 TO 52 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5552

GENERATE NODES AND ELEMENTS
ON LINES 57 TO 59 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5572

GENERATE NODES AND ELEMENTS
ON LINES 62 TO 65 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5592

GENERATE NODES AND ELEMENTS
ON LINES 69 TO 72 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5620

GENERATE NODES AND ELEMENTS
ON LINES 76 TO 79 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5640
MPC shell/inner barrier gap

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 17 TO 18 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5752

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 13 TO 14 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5864

Create mesh in helium spaces

DEFAULT ELEMENT DIVISIONS PER LINE = 2

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 95 TO 103 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5396
MAXIMUM ELEMENT NUMBER = 6024

GENERATE NODES AND ELEMENTS
IN AREAS 172 TO 180 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5520
MAXIMUM ELEMENT NUMBER = 6184

GENERATE NODES AND ELEMENTS
IN AREAS 186 TO 205 IN STEPS OF 1

*** WARNING *** CP= 28.750 TIME= 20:12:05
Area 195 has a corner angle of 154 degrees. This is not recommended
for quadrilateral elements.

*** WARNING *** CP= 28.800 TIME= 20:12:05

Meshing of area 195 produced 10 poorly shaped elements.

*** NOTE *** CP= 28.800 TIME= 20:12:05
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6310 6311 6312 6313 6314 6324 6325 6326 6327 6328

*** WARNING *** CP= 28.800 TIME= 20:12:05
Area 196 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.850 TIME= 20:12:05
Meshing of area 196 produced 20 poorly shaped elements.

*** NOTE *** CP= 28.860 TIME= 20:12:05
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6333 6334 6335 6336 6337 6338 6339 6340 6341 6342
6347 6348 6349 6350 6351 6352 6353 6354 6355 6356

*** WARNING *** CP= 28.860 TIME= 20:12:05
Area 197 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.910 TIME= 20:12:05
Meshing of area 197 produced 20 poorly shaped elements.

*** NOTE *** CP= 28.910 TIME= 20:12:05
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6357 6358 6359 6360 6361 6362 6363 6364 6365 6366
6371 6372 6373 6374 6375 6376 6377 6378 6379 6380

*** WARNING *** CP= 28.920 TIME= 20:12:05
Area 198 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 28.970 TIME= 20:12:05
Meshing of area 198 produced 10 poorly shaped elements.

*** NOTE *** CP= 28.970 TIME= 20:12:05
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6385 6386 6387 6388 6389 6399 6400 6401 6402 6403

*** WARNING *** CP= 29.030 TIME= 20:12:05
Area 201 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 29.080 TIME= 20:12:05
Meshing of area 201 produced 10 poorly shaped elements.

*** NOTE *** CP= 29.080 TIME= 20:12:05
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6446 6447 6448 6449 6450 6460 6461 6462 6463 6464

*** WARNING *** CP= 29.090 TIME= 20:12:05
Area 202 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 29.140 TIME= 20:12:05
Meshing of area 202 produced 20 poorly shaped elements.

*** NOTE *** CP= 29.140 TIME= 20:12:05
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6469 6470 6471 6472 6473 6474 6475 6476 6477 6478
6483 6484 6485 6486 6487 6488 6489 6490 6491 6492

*** WARNING *** CP= 29.140 TIME= 20:12:05
Area 203 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 29.190 TIME= 20:12:05
Meshing of area 203 produced 20 poorly shaped elements.

*** NOTE *** CP= 29.200 TIME= 20:12:05
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6493 6494 6495 6496 6497 6498 6499 6500 6501 6502
6507 6508 6509 6510 6511 6512 6513 6514 6515 6516

*** WARNING *** CP= 29.200 TIME= 20:12:05
Area 204 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 29.250 TIME= 20:12:05
Meshing of area 204 produced 10 poorly shaped elements.

*** NOTE *** CP= 29.250 TIME= 20:12:05
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6521 6522 6523 6524 6525 6535 6536 6537 6538 6539

NUMBER OF AREAS MESHED = 20
MAXIMUM NODE NUMBER = 5730
MAXIMUM ELEMENT NUMBER = 6560

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 206 TO 218 IN STEPS OF 1
** AREA 206 MESHED WITH 1 QUADRILATERALS, 2 TRIANGLES **
** AREA 207 MESHED WITH 0 QUADRILATERALS, 10 TRIANGLES **

*** WARNING *** CP= 29.420 TIME= 20:12:05
Meshing of area 207 produced 1 poorly shaped elements.

*** NOTE *** CP= 29.420 TIME= 20:12:05

Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 29.420 TIME= 20:12:05
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6570

** AREA	208 MESHED WITH	5 QUADRILATERALS,	11 TRIANGLES **
** AREA	209 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	210 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	211 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 29.720 TIME= 20:12:06
Meshing of area 211 produced 3 poorly shaped elements.

*** NOTE *** CP= 29.720 TIME= 20:12:06
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 29.720 TIME= 20:12:06
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6626 6627 6629

** AREA	212 MESHED WITH	2 QUADRILATERALS,	2 TRIANGLES **
** AREA	213 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 29.800 TIME= 20:12:06
Meshing of area 213 produced 1 poorly shaped elements.

*** NOTE *** CP= 29.800 TIME= 20:12:06
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 29.800 TIME= 20:12:06
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6641

** AREA	214 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	215 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	216 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	217 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 30.110 TIME= 20:12:06
Meshing of area 217 produced 2 poorly shaped elements.

*** NOTE *** CP= 30.110 TIME= 20:12:06
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 30.110 TIME= 20:12:06
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6699 6701

** AREA	218 MESHED WITH	1 QUADRILATERALS,	2 TRIANGLES **
---------	-----------------	-------------------	----------------

NUMBER OF AREAS MESHED = 13
MAXIMUM NODE NUMBER = 5764
MAXIMUM ELEMENT NUMBER = 6705
Clear areas and mesh by hand difficult areas

CLEAR NODES AND ELEMENTS
FROM AREAS 211 TO 211 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT 6706 5653 3453 3952 3952

ELEMENT	6707	636	5653	3952	3952
ELEMENT	6708	545	636	3952	3952
ELEMENT	6709	551	545	3952	3952
ELEMENT	6710	363	551	3952	3952
ELEMENT	6711	370	363	3952	3952
ELEMENT	6712	371	370	3952	3952
ELEMENT	6713	369	371	3952	3952
ELEMENT	6714	5747	369	3952	3952
ELEMENT	6715	3782	5747	3952	3952

CLEAR NODES AND ELEMENTS
FROM AREAS 217 TO 217 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT	6716	3735	5763	3738	3738
ELEMENT	6717	5763	1661	3738	3738
ELEMENT	6718	1661	1663	3738	3738
ELEMENT	6719	1663	1664	3738	3738
ELEMENT	6720	1664	1662	3738	3738
ELEMENT	6721	1662	1979	3738	3738
ELEMENT	6722	1979	1978	3738	3738
ELEMENT	6723	1978	2148	3738	3738
ELEMENT	6724	2148	5725	3738	3738
ELEMENT	6725	5725	3666	3738	3738

***** ROUTINE COMPLETED ***** CP = 30.190

Create element mesh plots to illustrate model
View mesh for entire model

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (CENTROIDAL SORT) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS 0 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

/SHOW SWITCH PLOTS TO FILE meshfull.grph - VECTOR MODE.

- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshfull.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

5368 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

/SHOW SWITCH PLOTS TO FILE meshgap.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshgap.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model
View mesh for radiation substructure

MAT NUMBERING KEY = 0

TYPE NUMBERING KEY = 1

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

864 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

1088 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

/SHOW SWITCH PLOTS TO FILE meshrad.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshrad.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6725 STEP 1

6705 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

Generate super-elements

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:12:14 MAR 24, 1995 CP= 36.860
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS RADIATION MATRIX UTILITY (AUX12) *****

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

655 NODES (OF 5764 DEFINED) SELECTED FROM
644 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= tubegap.sub

*** WARNING *** CP= 37.160 TIME= 20:12:14
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 644 NUMBER OF NODES= 655

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

220 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

220 NODES (OF 5764 DEFINED) SELECTED FROM
220 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= spaces.sub

*** WARNING *** CP= 86.820 TIME= 20:13:04
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 220 NUMBER OF NODES= 220

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

224 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

226 NODES (OF 5764 DEFINED) SELECTED FROM
224 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= shellgap.sub

*** WARNING *** CP= 94.980 TIME= 20:13:13
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 224 NUMBER OF NODES= 226

800 ZONES CREATE 1600 RAYS

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6725 STEP 1

6705 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1

5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 102.320

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:13:20 MAR 24, 1995 CP= 102.320
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE SET TO 18

SUPERELEMENT 6726 tubegap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6726

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6726

SUPERELEMENT 6727 spaces NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6727

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6727

SUPERELEMENT 6728 shellgap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6728

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6728
Delete radiation edge elements

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6708 DEFINED) SELECTED BY ESEL COMMAND.

DELETE ALL SELECTED ELEMENTS.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

6064 ELEMENTS (OF 6064 DEFINED) SELECTED BY ESEL COMMAND.

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

18 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

22 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CLEAR NODES AND ELEMENTS FROM ALL SELECTED LINES

*** NOTE *** CP= 102.940 TIME= 20:13:21
Nodes cannot be cleared from line 13 because area 3 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.960 TIME= 20:13:21
Nodes cannot be cleared from line 14 because area 4 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.970 TIME= 20:13:21
Nodes cannot be cleared from line 17 because area 7 is meshed. Only
elements are deleted.

*** NOTE *** CP= 102.990 TIME= 20:13:21
Nodes cannot be cleared from line 18 because area 8 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.010 TIME= 20:13:21
Nodes cannot be cleared from line 25 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.010 TIME= 20:13:21
Nodes cannot be cleared from line 27 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.020 TIME= 20:13:21
Nodes cannot be cleared from line 29 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.020 TIME= 20:13:21
Nodes cannot be cleared from line 34 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.030 TIME= 20:13:21
Nodes cannot be cleared from line 36 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.030 TIME= 20:13:21
Nodes cannot be cleared from line 38 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.040 TIME= 20:13:21
Nodes cannot be cleared from line 45 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.050 TIME= 20:13:21
Nodes cannot be cleared from line 50 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.050 TIME= 20:13:21
Nodes cannot be cleared from line 52 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.060 TIME= 20:13:21
Nodes cannot be cleared from line 57 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.060 TIME= 20:13:21
Nodes cannot be cleared from line 59 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.070 TIME= 20:13:21
Nodes cannot be cleared from line 62 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.070 TIME= 20:13:21
Nodes cannot be cleared from line 65 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.070 TIME= 20:13:21
Nodes cannot be cleared from line 69 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.080 TIME= 20:13:21
Nodes cannot be cleared from line 72 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.090 TIME= 20:13:21
Nodes cannot be cleared from line 76 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.090 TIME= 20:13:21
Nodes cannot be cleared from line 79 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 103.100 TIME= 20:13:21
Nodes cannot be cleared from line 80 because area 9 is meshed. Only
elements are deleted.

CLEARED 22 LINES, 0 KEYPOINTS

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 103.110

Set solution parameters and apply B.C.'s

Solve steady-state for initial conditions
with WP surface equal to drift ambient
temperature from repository model.

***** ANSYS SOLUTION ROUTINE *****

PERFORM A TRANSIENT ANALYSIS
THIS WILL BE A NEW ANALYSIS

USE THE DEFAULT NEWTON-RAPHSON OPTION FOR ALL DOFS
AND USE THE DEFAULT ADAPTIVE DESCENT OPTION

*** NOTE *** CP= 103.120 TIME= 20:13:21
Damping (if present) may be ignored only in reduced transient analyses.

PERFORM A FULL TRANSIENT ANALYSIS

TEMPERATURE OFFSET FROM ABSOLUTE ZERO= 273.150

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1
1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1
2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5764 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES 1 TO 5764 BY 1
REAL= 26.1406456 IMAG= .000000000E+00

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1
488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1
5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1
6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.
1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1
218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1
5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .10000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

*** WARNING *** CP= 104.690 TIME= 20:13:23
Element 6708 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 104.690 TIME= 20:13:23
Element 6708 has a poor shape angle of 7.74746071 degrees.

*** WARNING *** CP= 104.690 TIME= 20:13:23
Element 6723 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 104.690 TIME= 20:13:23
Element 6723 has a poor shape angle of 7.74746071 degrees.

*** NOTE *** CP= 104.700 TIME= 20:13:23
All shape tests were bypassed for elements associated with the solid model, because most of them were already done at AMESH or VMESH. Use CHECK if desired to perform all of the element tests.

*** NOTE *** CP= 104.700 TIME= 20:13:23
The model data was checked and warning messages were found.
Please review output or errors file (ma12j2.err) for these warning messages.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:13:23 MAR 24, 1995 CP= 104.700
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

SOLUTION OPTIONS

PROBLEM DIMENSIONALITY.3-D
DEGREES OF FREEDOM. TEMP
ANALYSIS TYPETRANSIENT
SOLUTION METHOD.FULL
OFFSET TEMPERATURE FROM ABSOLUTE ZERO 273.15
NEWTON-RAPHSON OPTIONPROGRAM CHOSEN

*** NOTE *** CP= 105.830 TIME= 20:13:24
This load step will be a static (steady-state) step.

*** NOTE *** CP= 106.300 TIME= 20:13:25
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution procedure) for ALL DOFs.

LOAD STEP OPTIONS

LOAD STEP NUMBER.1
TIME AT END OF THE LOAD STEP.10000E-05
AUTOMATIC TIME STEPPINGON
INITIAL NUMBER OF SUBSTEPS0
MAXIMUM NUMBER OF SUBSTEPS0
MINIMUM NUMBER OF SUBSTEPS1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONSNO
TRANSIENT (INERTIA) EFFECTSOFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

***** CENTROID, MASS, AND MASS MOMENTS OF INERTIA *****

CALCULATIONS ASSUME ELEMENT MASS AT ELEMENT CENTROID

TOTAL MASS = 3601.8

CENTROID	MOM. OF INERTIA ABOUT ORIGIN	MOM. OF INERTIA ABOUT CENTROID
XC = .32228	IXX = 527.2	IXX = 527.2
YC = .77163E-11	IYY = 527.2	IYY = 153.1
ZC = .00000E+00	IZZ = 1054.	IZZ = 680.2
	IXY = .5422E-09	IXY = .9499E-08
	IYZ = .0000E+00	IYZ = .0000E+00
	IZX = .0000E+00	IZX = .0000E+00

*** MASS SUMMARY BY ELEMENT TYPE ***

TYPE	MASS
1	3601.81

Range of element maximum matrix coefficients in global coordinates
Maximum= 483.62017 at element 2116.
Minimum= 1.026389896E-09 at element 6728.

*** WARNING *** CP= 128.900 TIME= 20:13:49
Coefficient ratio exceeds 1.0e8 - Check results.

*** ELEMENT MATRIX FORMULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

1	5617	PLANE55	14.190	.003
18	3	MATRIX50	.810	.270

Time at end of element matrix formulation CP= 128.9.

HT FLOW CONVERGENCE VALUE= 9663. CRITERION= 9.663

Estimated number of active DOF= 5651.

Maximum wavefront= 912.

Time at end of matrix triangularization CP= 243.69.

Equation solver maximum pivot= 1269.32433 at node 2083 TEMP.

Equation solver minimum pivot= 0.186669206 at node 5523 TEMP.

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 258.9

HT FLOW CONVERGENCE VALUE= 261.4 CRITERION= .1121

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -85.88

HT FLOW CONVERGENCE VALUE= 40.50 CRITERION= .1658

EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -13.26

HT FLOW CONVERGENCE VALUE= 7.672 CRITERION= .1191

EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.238

HT FLOW CONVERGENCE VALUE= .3309 CRITERION= .1123

EQUIL ITER 5 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1339

HT FLOW CONVERGENCE VALUE= .5756E-01 CRITERION= .1122 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 5

*** ELEMENT RESULT CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

1	5617	PLANE55	8.060	.001
18	3	MATRIX50	.900	.300

*** NODAL LOAD CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

1	5617	PLANE55	1.240	.000
18	3	MATRIX50	.000	.000

*** LOAD STEP 1 SUBSTEP 1 COMPLETED. CUM ITER = 5
*** TIME = .100000E-05 TIME INC = .100000E-05

*** PROBLEM STATISTICS
ACTUAL NO. OF ACTIVE DEGREES OF FREEDOM = 5651
R.M.S. WAVEFRONT SIZE = 443.2

*** ANSYS BINARY FILE STATISTICS

BUFFER SIZE USED= 4096
6.109 MB WRITTEN ON ELEMENT MATRIX FILE: ma12j2.emat
2.516 MB WRITTEN ON ELEMENT SAVED DATA FILE: ma12j2.esav
18.031 MB WRITTEN ON TRIANGULARIZED MATRIX FILE: ma12j2.tri
.031 MB WRITTEN ON SUBSTRUCTURE DOF SOLUTION FILE: ma12j2.dsub
3.063 MB WRITTEN ON RESULTS FILE: ma12j2.rth
Solve steady-state for initial conditions
with WP surface temperatures from repository
steady-state solution.

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5764 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

DELETE SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES
RANGE 1 TO 5764 BY 1

NUMBER OF SPECIFIED CONSTRAINTS DELETED= 113

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1

5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.220 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.211 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.198 .00000E+00 EXPANSION KEY = 1

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .20000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** WARNING *** CP= 813.160 TIME= 20:25:55
This load step will be a static (steady-state) step.

*** NOTE *** CP= 813.630 TIME= 20:25:56
The step data was checked and warning messages were found.
Please review output or errors file (ma12j2.err) for these warning
messages.

*** NOTE *** CP= 813.630 TIME= 20:25:56
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:25:56 MAR 24, 1995 CP= 813.630
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 2
TIME AT END OF THE LOAD STEP.20000E-05
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 0
MAXIMUM NUMBER OF SUBSTEPS 0
MINIMUM NUMBER OF SUBSTEPS 1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS OFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .1148E+05 CRITERION= 11.48
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 31.15
HT FLOW CONVERGENCE VALUE= 16.95 CRITERION= .1154

```

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -8.834
HT FLOW CONVERGENCE VALUE= 3.339 CRITERION= .1152
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7171
HT FLOW CONVERGENCE VALUE= .1487 CRITERION= .1123
EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5220E-01
HT FLOW CONVERGENCE VALUE= .2022E-01 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 4
*** LOAD STEP 2 SUBSTEP 1 COMPLETED. CUM ITER = 9
*** TIME = .200000E-05 TIME INC = .100000E-05
*****
Set time integration parameters

```

INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

USE AUTOMATIC TIME STEPPING THIS LOAD STEP
Time substep ranges from 10 sec to 1/4 loadstep

USE 10 SUBSTEPS INITIALLY THIS LOAD STEP FOR ALL DOFS
FOR AUTOMATIC TIME STEPPING:
USE 40 SUBSTEPS AS A MAXIMUM
USE 4 SUBSTEPS AS A MINIMUM
USE THE FINAL TIME STEP SIZE OF THE PREVIOUS LOAD STEP
AS THE STARTING TIME STEP SIZE.
Begin Transient
Apply loads and solve for 0 to .9 years

*DO LOOP ON PARAMETER= TM FROM 31.558 TO .28402E+08 BY .31558E+07

TIME= 31.558

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.220 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.211 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.198 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 1058.050 TIME= 20:30:22
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:30:22 MAR 24, 1995 CP= 1058.060
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 3
TIME AT END OF THE LOAD STEP. 31.558
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .2022E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4132E-04
HT FLOW CONVERGENCE VALUE= .1452E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 1 COMPLETED. CUM ITER = 10
*** TIME = .788942 TIME INC = .788940
*** RESPONSE EIGENVALUE = .3989 OSCILLATION LIMIT = .3147
*** AUTO STEP TIME: NEXT TIME INC = .78894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3711E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2134E-04
HT FLOW CONVERGENCE VALUE= .2067E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 2 COMPLETED. CUM ITER = 11
*** TIME = 1.57788 TIME INC = .788940
*** RESPONSE EIGENVALUE = .1957 OSCILLATION LIMIT = .1544
*** AUTO TIME STEP: NEXT TIME INC = 2.3668 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= .3310E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3321E-04
HT FLOW CONVERGENCE VALUE= .4981E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 3 COMPLETED. CUM ITER = 12
*** TIME = 3.94470 TIME INC = 2.36682
*** RESPONSE EIGENVALUE = .9947E-01 OSCILLATION LIMIT = .2354
*** AUTO TIME STEP: NEXT TIME INC = 5.0266 INCREASED (FACTOR = 2.1238)

HT FLOW CONVERGENCE VALUE= .2770E-01 CRITERION= .1122
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4279E-04
HT FLOW CONVERGENCE VALUE= .7232E-05 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 4 COMPLETED. CUM ITER = 13
*** TIME = 8.97130 TIME INC = 5.02660
*** RESPONSE EIGENVALUE = .4086E-01 OSCILLATION LIMIT = .2054

*** AUTO TIME STEP: NEXT TIME INC = 7.8894 INCREASED (FACTOR = 1.5695)

HT FLOW CONVERGENCE VALUE= .2478E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2623E-04
 HT FLOW CONVERGENCE VALUE= .7313E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 5 COMPLETED. CUM ITER = 14
 *** TIME = 16.8607 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .1431E-01 OSCILLATION LIMIT = .1129
 *** AUTO STEP TIME: NEXT TIME INC = 7.8894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .2332E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1488E-04
 HT FLOW CONVERGENCE VALUE= .5442E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 6 COMPLETED. CUM ITER = 15
 *** TIME = 24.7501 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .7791E-02 OSCILLATION LIMIT = .6146E-01
 *** AUTO TIME STEP: NEXT TIME INC = 6.8075 DECREASED (FACTOR = .8629)

HT FLOW CONVERGENCE VALUE= .2231E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1113E-04
 HT FLOW CONVERGENCE VALUE= .4085E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 7 COMPLETED. CUM ITER = 16
 *** TIME = 31.5576 TIME INC = 6.80750
 *** RESPONSE EIGENVALUE = .5692E-02 OSCILLATION LIMIT = .3875E-01

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:41:44 MAR 24, 1995 CP= 1669.900
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 193.8 CRITERION= .2239
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5604
 HT FLOW CONVERGENCE VALUE= .2352 CRITERION= .1115
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6000E-01
 HT FLOW CONVERGENCE VALUE= .3047E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 1 COMPLETED. CUM ITER = 18
 *** TIME = 78925.6 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1656E-05 OSCILLATION LIMIT = .1307
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 194.1 CRITERION= .2237
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5612
 HT FLOW CONVERGENCE VALUE= .2668 CRITERION= .1119
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6438E-01
 HT FLOW CONVERGENCE VALUE= .2915E-01 CRITERION= .1119 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 2 COMPLETED. CUM ITER = 20
 *** TIME = 157820. TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4854E-06 OSCILLATION LIMIT = .3830E-01
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 581.3 CRITERION= .5920
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.681
 HT FLOW CONVERGENCE VALUE= .8241 CRITERION= .1114
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3047
 HT FLOW CONVERGENCE VALUE= .1217 CRITERION= .1115
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2465E-01
 HT FLOW CONVERGENCE VALUE= .4235E-02 CRITERION= .1114 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 3 COMPLETED. CUM ITER = 23
 *** TIME = 394502. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .2038E-06 OSCILLATION LIMIT = .4823E-01
 *** AUTO STEP TIME: NEXT TIME INC = .23668E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 581.5 CRITERION= .5919
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.681
 HT FLOW CONVERGENCE VALUE= .8330 CRITERION= .1119
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3064
 HT FLOW CONVERGENCE VALUE= .1212 CRITERION= .1120
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2448E-01
 HT FLOW CONVERGENCE VALUE= .4213E-02 CRITERION= .1119 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 4 COMPLETED. CUM ITER = 26
 *** TIME = 631184. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .2281E-06 OSCILLATION LIMIT = .5399E-01
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 1743. CRITERION= 1.747
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 5.044
 HT FLOW CONVERGENCE VALUE= 2.514 CRITERION= .1115
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.123
 HT FLOW CONVERGENCE VALUE= .4241 CRITERION= .1116
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9842E-01
 HT FLOW CONVERGENCE VALUE= .1504E-01 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 5 COMPLETED. CUM ITER = 29
 *** TIME = .134123E+07 TIME INC = 710046.
 *** RESPONSE EIGENVALUE = .2110E-06 OSCILLATION LIMIT = .1498
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 1937. CRITERION= 1.940
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 5.604
 HT FLOW CONVERGENCE VALUE= 2.794 CRITERION= .1120
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.238
 HT FLOW CONVERGENCE VALUE= .4610 CRITERION= .1121
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1062
 HT FLOW CONVERGENCE VALUE= .1610E-01 CRITERION= .1118 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 6 COMPLETED. CUM ITER = 32
 *** TIME = .213017E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2177E-06 OSCILLATION LIMIT = .1718
 *** AUTO TIME STEP: NEXT TIME INC = .51281E+06 DECREASED (FACTOR = .6500)

HT FLOW CONVERGENCE VALUE= 1258. CRITERION= 1.263
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 3.643
 HT FLOW CONVERGENCE VALUE= 1.801 CRITERION= .1113
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7463
 HT FLOW CONVERGENCE VALUE= .2778 CRITERION= .1114
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6150E-01
 HT FLOW CONVERGENCE VALUE= .9438E-02 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 7 COMPLETED. CUM ITER = 35
 *** TIME = .264298E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .2131E-06 OSCILLATION LIMIT = .1093
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1258. CRITERION= 1.263
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 3.643
 HT FLOW CONVERGENCE VALUE= 1.803 CRITERION= .1117
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7373
 HT FLOW CONVERGENCE VALUE= .2720 CRITERION= .1119
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5979E-01
 HT FLOW CONVERGENCE VALUE= .9116E-02 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

*** LOAD STEP 4 SUBSTEP 8 COMPLETED. CUM ITER = 38
 *** TIME = .315579E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .2195E-06 OSCILLATION LIMIT = .1126

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:08:03 MAR 24, 1995 CP= 3098.890
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 322.7 CRITERION= .3415
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9643
 HT FLOW CONVERGENCE VALUE= .5347 CRITERION= .1119
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2108
 HT FLOW CONVERGENCE VALUE= .6909E-01 CRITERION= .1120 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 1 COMPLETED. CUM ITER = 40
 *** TIME = .366860E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .1590E-06 OSCILLATION LIMIT = .8155E-01
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 322.7 CRITERION= .3416
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8792
 HT FLOW CONVERGENCE VALUE= .4157 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1697
 HT FLOW CONVERGENCE VALUE= .6963E-01 CRITERION= .1118 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 2 COMPLETED. CUM ITER = 42
 *** TIME = .418141E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .8922E-06 OSCILLATION LIMIT = .4576
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 322.6 CRITERION= .3415
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8805
 HT FLOW CONVERGENCE VALUE= .4911 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1946
 HT FLOW CONVERGENCE VALUE= .6834E-01 CRITERION= .1119 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 3 COMPLETED. CUM ITER = 44
 *** TIME = .469422E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .1135E-06 OSCILLATION LIMIT = .5822E-01
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.5385)

HT FLOW CONVERGENCE VALUE= 496.4 CRITERION= .5088
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.353
 HT FLOW CONVERGENCE VALUE= .6848 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2907
 HT FLOW CONVERGENCE VALUE= .1101 CRITERION= .1118 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 4 COMPLETED. CUM ITER = 46
 *** TIME = .548316E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3968E-06 OSCILLATION LIMIT = .3130
 *** AUTO TIME STEP: NEXT TIME INC = .41419E+06 DECREASED (FACTOR = .5250)

HT FLOW CONVERGENCE VALUE= 260.6 CRITERION= .2835
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7101
 HT FLOW CONVERGENCE VALUE= .3846 CRITERION= .1117
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1457
 HT FLOW CONVERGENCE VALUE= .5261E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 5 COMPLETED. CUM ITER = 48
 *** TIME = .589736E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .1122E-06 OSCILLATION LIMIT = .4648E-01
 *** AUTO STEP TIME: NEXT TIME INC = .41419E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 260.6 CRITERION= .2835
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7101
 HT FLOW CONVERGENCE VALUE= .3588 CRITERION= .1117
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1377
 HT FLOW CONVERGENCE VALUE= .5273E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 5 SUBSTEP 6 COMPLETED. CUM ITER = 50
 *** TIME = .631155E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .2937E-06 OSCILLATION LIMIT = .1216

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:23:41 MAR 24, 1995 CP= 3942.470
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 169.6 CRITERION= .2030
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4620
 HT FLOW CONVERGENCE VALUE= .2536 CRITERION= .1117
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9525E-01
 HT FLOW CONVERGENCE VALUE= .3416E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 1 COMPLETED. CUM ITER = 52
 *** TIME = .672575E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .1558E-06 OSCILLATION LIMIT = .6452E-01
 *** AUTO STEP TIME: NEXT TIME INC = .41419E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 169.6 CRITERION= .2031
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4617
 HT FLOW CONVERGENCE VALUE= .2289 CRITERION= .1116
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8784E-01
 HT FLOW CONVERGENCE VALUE= .3411E-01 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 2 COMPLETED. CUM ITER = 54
 *** TIME = .713994E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .3517E-06 OSCILLATION LIMIT = .1457
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.9048)

HT FLOW CONVERGENCE VALUE= 322.9 CRITERION= .3417
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8794
 HT FLOW CONVERGENCE VALUE= .4647 CRITERION= .1116
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1931
 HT FLOW CONVERGENCE VALUE= .7042E-01 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 3 COMPLETED. CUM ITER = 56
 *** TIME = .792888E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3313E-06 OSCILLATION LIMIT = .2614
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 323.0 CRITERION= .3417
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8794
 HT FLOW CONVERGENCE VALUE= .4503 CRITERION= .1115
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1881
 HT FLOW CONVERGENCE VALUE= .6947E-01 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 4 COMPLETED. CUM ITER = 58
 *** TIME = .871782E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2831E-06 OSCILLATION LIMIT = .2233
 *** AUTO TIME STEP: NEXT TIME INC = .74949E+06 DECREASED (FACTOR = .9500)

HT FLOW CONVERGENCE VALUE= 306.8 CRITERION= .3264
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8355
 HT FLOW CONVERGENCE VALUE= .4386 CRITERION= .1115
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1801
 HT FLOW CONVERGENCE VALUE= .6550E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 5 COMPLETED. CUM ITER = 60
 *** TIME = .946731E+07 TIME INC = 749493.
 *** RESPONSE EIGENVALUE = .2988E-06 OSCILLATION LIMIT = .2240

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:36:58 MAR 24, 1995 CP= 4646.700
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 234.5 CRITERION= .2596
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6388
 HT FLOW CONVERGENCE VALUE= .3281 CRITERION= .1115
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1355
 HT FLOW CONVERGENCE VALUE= .4948E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 1 COMPLETED. CUM ITER = 62
 *** TIME = .102168E+08 TIME INC = 749493.
 *** RESPONSE EIGENVALUE = .2322E-06 OSCILLATION LIMIT = .1740
 *** AUTO STEP TIME: NEXT TIME INC = .74949E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 234.4 CRITERION= .2596
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6388
 HT FLOW CONVERGENCE VALUE= .3292 CRITERION= .1113
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1347
 HT FLOW CONVERGENCE VALUE= .4961E-01 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 2 COMPLETED. CUM ITER = 64
 *** TIME = .109663E+08 TIME INC = 749493.
 *** RESPONSE EIGENVALUE = .4104E-06 OSCILLATION LIMIT = .3076
 *** AUTO STEP TIME: NEXT TIME INC = .74949E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 234.5 CRITERION= .2595
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6388
 HT FLOW CONVERGENCE VALUE= .3271 CRITERION= .1113
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1344
 HT FLOW CONVERGENCE VALUE= .4902E-01 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 3 COMPLETED. CUM ITER = 66
 *** TIME = .117158E+08 TIME INC = 749493.
 *** RESPONSE EIGENVALUE = .2634E-06 OSCILLATION LIMIT = .1974
 *** AUTO TIME STEP: NEXT TIME INC = .45364E+06 DECREASED (FACTOR = .6053)

HT FLOW CONVERGENCE VALUE= 141.9 CRITERION= .1803
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3866
 HT FLOW CONVERGENCE VALUE= .1983 CRITERION= .1112
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7528E-01
 HT FLOW CONVERGENCE VALUE= .2794E-01 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 4 COMPLETED. CUM ITER = 68
 *** TIME = .121694E+08 TIME INC = 453641.
 *** RESPONSE EIGENVALUE = .3864E-06 OSCILLATION LIMIT = .1753
 *** AUTO STEP TIME: NEXT TIME INC = .45364E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 141.9 CRITERION= .1803
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3867
 HT FLOW CONVERGENCE VALUE= .1962 CRITERION= .1112
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7451E-01
 HT FLOW CONVERGENCE VALUE= .2767E-01 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 5 COMPLETED. CUM ITER = 70
 *** TIME = .126231E+08 TIME INC = 453641.
 *** RESPONSE EIGENVALUE = .2358E-06 OSCILLATION LIMIT = .1070

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:50:08 MAR 24, 1995 CP= 5350.690
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 114.6 CRITERION= .1597
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3127
 HT FLOW CONVERGENCE VALUE= .1619 CRITERION= .1112
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6113E-01
 HT FLOW CONVERGENCE VALUE= .2251E-01 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 1 COMPLETED. CUM ITER = 72
 *** TIME = .130767E+08 TIME INC = 453641.
 *** RESPONSE EIGENVALUE = .4145E-06 OSCILLATION LIMIT = .1880
 *** AUTO STEP TIME: NEXT TIME INC = .45364E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 114.7 CRITERION= .1597
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3127
 HT FLOW CONVERGENCE VALUE= .1552 CRITERION= .1112
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5924E-01
 HT FLOW CONVERGENCE VALUE= .2226E-01 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 2 COMPLETED. CUM ITER = 74
 *** TIME = .135304E+08 TIME INC = 453641.
 *** RESPONSE EIGENVALUE = .2965E-06 OSCILLATION LIMIT = .1345
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.7391)

HT FLOW CONVERGENCE VALUE= 199.3 CRITERION= .2283
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5438
 HT FLOW CONVERGENCE VALUE= .2755 CRITERION= .1111
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1139
 HT FLOW CONVERGENCE VALUE= .4155E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 3 COMPLETED. CUM ITER = 76
 *** TIME = .143193E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4649E-06 OSCILLATION LIMIT = .3668
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 199.4 CRITERION= .2282
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5438
 HT FLOW CONVERGENCE VALUE= .2672 CRITERION= .1111
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1125
 HT FLOW CONVERGENCE VALUE= .4103E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 4 COMPLETED. CUM ITER = 78
 *** TIME = .151082E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3201E-06 OSCILLATION LIMIT = .2525
 *** AUTO TIME STEP: NEXT TIME INC = .67060E+06 DECREASED (FACTOR = .8500)

HT FLOW CONVERGENCE VALUE= 169.4 CRITERION= .2026
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4622
 HT FLOW CONVERGENCE VALUE= .2242 CRITERION= .1110
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9432E-01
 HT FLOW CONVERGENCE VALUE= .3438E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 5 COMPLETED. CUM ITER = 80
 *** TIME = .157788E+08 TIME INC = 670599.
 *** RESPONSE EIGENVALUE = .4159E-06 OSCILLATION LIMIT = .2789

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:03:32 MAR 24, 1995 CP= 6055.350
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 143.0 CRITERION= .1810
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3898
 HT FLOW CONVERGENCE VALUE= .1838 CRITERION= .1110
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7880E-01

HT FLOW CONVERGENCE VALUE= .2872E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 1 COMPLETED. CUM ITER = 82
 *** TIME = .164494E+08 TIME INC = 670599.
 *** RESPONSE EIGENVALUE = .2914E-06 OSCILLATION LIMIT = .1954
 *** AUTO STEP TIME: NEXT TIME INC = .67060E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 142.9 CRITERION= .1809
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3898
 HT FLOW CONVERGENCE VALUE= .1788 CRITERION= .1109
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7841E-01
 HT FLOW CONVERGENCE VALUE= .2890E-01 CRITERION= .1109 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 2 COMPLETED. CUM ITER = 84
 *** TIME = .171200E+08 TIME INC = 670599.
 *** RESPONSE EIGENVALUE = .5371E-06 OSCILLATION LIMIT = .3602
 *** AUTO STEP TIME: NEXT TIME INC = .67060E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 143.0 CRITERION= .1809
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3898
 HT FLOW CONVERGENCE VALUE= .1770 CRITERION= .1109
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7844E-01
 HT FLOW CONVERGENCE VALUE= .2858E-01 CRITERION= .1109 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 3 COMPLETED. CUM ITER = 86
 *** TIME = .177906E+08 TIME INC = 670599.
 *** RESPONSE EIGENVALUE = .3225E-06 OSCILLATION LIMIT = .2163
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.1765)

HT FLOW CONVERGENCE VALUE= 168.1 CRITERION= .2014
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4586
 HT FLOW CONVERGENCE VALUE= .2102 CRITERION= .1108
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9422E-01
 HT FLOW CONVERGENCE VALUE= .3429E-01 CRITERION= .1108 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 4 COMPLETED. CUM ITER = 88
 *** TIME = .185796E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5175E-06 OSCILLATION LIMIT = .4083
 *** AUTO TIME STEP: NEXT TIME INC = .35502E+06 DECREASED (FACTOR = .4500)

HT FLOW CONVERGENCE VALUE= 75.70 CRITERION= .1341
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2064
 HT FLOW CONVERGENCE VALUE= .9285E-01 CRITERION= .1108 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 5 COMPLETED. CUM ITER = 89
 *** TIME = .189346E+08 TIME INC = 355023.
 *** RESPONSE EIGENVALUE = .6824E-07 OSCILLATION LIMIT = .2423E-01

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:16:09 MAR 24, 1995 CP= 6710.190
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 65.12 CRITERION= .1285
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1778
 HT FLOW CONVERGENCE VALUE= .7746E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 1 COMPLETED. CUM ITER = 90
 *** TIME = .192896E+08 TIME INC = 355023.
 *** RESPONSE EIGENVALUE = .4463E-06 OSCILLATION LIMIT = .1585
 *** AUTO STEP TIME: NEXT TIME INC = .35502E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 65.17 CRITERION= .1285
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1778
 HT FLOW CONVERGENCE VALUE= .7233E-01 CRITERION= .1107 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 2 COMPLETED. CUM ITER = 91
*** TIME = .196446E+08 TIME INC = 355023.
*** RESPONSE EIGENVALUE = .6027E-06 OSCILLATION LIMIT = .2140
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 2.2222)

HT FLOW CONVERGENCE VALUE= 144.7 CRITERION= .1822
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3951
HT FLOW CONVERGENCE VALUE= .1745 CRITERION= .1106
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7814E-01
HT FLOW CONVERGENCE VALUE= .2929E-01 CRITERION= .1106 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 3 COMPLETED. CUM ITER = 93
*** TIME = .204336E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7282E-06 OSCILLATION LIMIT = .5745
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 144.8 CRITERION= .1822
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3951
HT FLOW CONVERGENCE VALUE= .1757 CRITERION= .1106
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7878E-01
HT FLOW CONVERGENCE VALUE= .2897E-01 CRITERION= .1106 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 10 SUBSTEP 4 COMPLETED. CUM ITER = 95
*** TIME = .212225E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4892E-06 OSCILLATION LIMIT = .3859
*** AUTO TIME STEP: NEXT TIME INC = .43392E+06 DECREASED (FACTOR = .5500)

HT FLOW CONVERGENCE VALUE= 79.59 CRITERION= .1363
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2173
HT FLOW CONVERGENCE VALUE= .1003 CRITERION= .1105 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 5 COMPLETED. CUM ITER = 96
*** TIME = .216564E+08 TIME INC = 433917.
*** RESPONSE EIGENVALUE = .1366E-06 OSCILLATION LIMIT = .5926E-01
*** AUTO STEP TIME: NEXT TIME INC = .43392E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 79.63 CRITERION= .1362
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2175
HT FLOW CONVERGENCE VALUE= .9161E-01 CRITERION= .1105 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 10 SUBSTEP 6 COMPLETED. CUM ITER = 97
*** TIME = .220904E+08 TIME INC = 433917.
*** RESPONSE EIGENVALUE = .3374E-06 OSCILLATION LIMIT = .1464

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 22:28:21 MAR 24, 1995 CP= 7351.070
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 70.44 CRITERION= .1311
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1922
HT FLOW CONVERGENCE VALUE= .7950E-01 CRITERION= .1105 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 1 COMPLETED. CUM ITER = 98
*** TIME = .225243E+08 TIME INC = 433917.
*** RESPONSE EIGENVALUE = .8200E-06 OSCILLATION LIMIT = .3558
*** AUTO STEP TIME: NEXT TIME INC = .43392E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 70.48 CRITERION= .1310
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1923
HT FLOW CONVERGENCE VALUE= .7952E-01 CRITERION= .1105 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 2 COMPLETED. CUM ITER = 99
*** TIME = .229582E+08 TIME INC = 433917.

```

```

*** RESPONSE EIGENVALUE = .3693E-06 OSCILLATION LIMIT = .1602
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.8182)

HT FLOW CONVERGENCE VALUE= 128.1 CRITERION= .1691
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3495
HT FLOW CONVERGENCE VALUE= .1507 CRITERION= .1104
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6712E-01
HT FLOW CONVERGENCE VALUE= .2555E-01 CRITERION= .1104 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 3 COMPLETED. CUM ITER = 101
*** TIME = .237471E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9337E-06 OSCILLATION LIMIT = .7366
*** AUTO TIME STEP: NEXT TIME INC = .53551E+06 DECREASED (FACTOR = .6788)

```

```

HT FLOW CONVERGENCE VALUE= 86.97 CRITERION= .1405
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2373
HT FLOW CONVERGENCE VALUE= .1043 CRITERION= .1104 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 4 COMPLETED. CUM ITER = 102
*** TIME = .242826E+08 TIME INC = 535510.
*** RESPONSE EIGENVALUE = .1736E-06 OSCILLATION LIMIT = .9294E-01
*** AUTO STEP TIME: NEXT TIME INC = .53551E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 86.93 CRITERION= .1405
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2373
HT FLOW CONVERGENCE VALUE= .1018 CRITERION= .1103 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 5 COMPLETED. CUM ITER = 103
*** TIME = .248181E+08 TIME INC = 535510.
*** RESPONSE EIGENVALUE = .4329E-06 OSCILLATION LIMIT = .2318
*** AUTO TIME STEP: NEXT TIME INC = .42797E+06 DECREASED (FACTOR = .7992)

```

```

HT FLOW CONVERGENCE VALUE= 69.51 CRITERION= .1304
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1896
HT FLOW CONVERGENCE VALUE= .7569E-01 CRITERION= .1103 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 6 COMPLETED. CUM ITER = 104
*** TIME = .252461E+08 TIME INC = 427966.
*** RESPONSE EIGENVALUE = .7770E-06 OSCILLATION LIMIT = .3325

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 22:39:52 MAR 24, 1995 CP= 7941.070
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 61.50 CRITERION= .1263
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1680
HT FLOW CONVERGENCE VALUE= .7022E-01 CRITERION= .1102 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 1 COMPLETED. CUM ITER = 105
*** TIME = .256741E+08 TIME INC = 427966.
*** RESPONSE EIGENVALUE = .5605E-06 OSCILLATION LIMIT = .2399
*** AUTO STEP TIME: NEXT TIME INC = .42797E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 61.54 CRITERION= .1262
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1680
HT FLOW CONVERGENCE VALUE= .6824E-01 CRITERION= .1102 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 2 COMPLETED. CUM ITER = 106
*** TIME = .261020E+08 TIME INC = 427966.
*** RESPONSE EIGENVALUE = .5493E-06 OSCILLATION LIMIT = .2351
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.8435)

```

```

HT FLOW CONVERGENCE VALUE= 113.4 CRITERION= .1581
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3097

```


HT FLOW CONVERGENCE VALUE= .1331 CRITERION= .1101
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5906E-01
 HT FLOW CONVERGENCE VALUE= .2235E-01 CRITERION= .1101 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 12 SUBSTEP 3 COMPLETED. CUM ITER = 108
 *** TIME = .268910E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9393E-06 OSCILLATION LIMIT = .7410
 *** AUTO TIME STEP: NEXT TIME INC = .53232E+06 DECREASED (FACTOR = .6747)

HT FLOW CONVERGENCE VALUE= 76.54 CRITERION= .1341
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2090
 HT FLOW CONVERGENCE VALUE= .9061E-01 CRITERION= .1101 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 4 COMPLETED. CUM ITER = 109
 *** TIME = .274233E+08 TIME INC = 532320.
 *** RESPONSE EIGENVALUE = .2295E-06 OSCILLATION LIMIT = .1222
 *** AUTO STEP TIME: NEXT TIME INC = .53232E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 76.49 CRITERION= .1341
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2090
 HT FLOW CONVERGENCE VALUE= .8927E-01 CRITERION= .1101 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 5 COMPLETED. CUM ITER = 110
 *** TIME = .279556E+08 TIME INC = 532320.
 *** RESPONSE EIGENVALUE = .4527E-06 OSCILLATION LIMIT = .2410
 *** AUTO TIME STEP: NEXT TIME INC = .44625E+06 DECREASED (FACTOR = .8383)

HT FLOW CONVERGENCE VALUE= 64.16 CRITERION= .1274
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1752
 HT FLOW CONVERGENCE VALUE= .6952E-01 CRITERION= .1101 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 12 SUBSTEP 6 COMPLETED. CUM ITER = 111
 *** TIME = .284019E+08 TIME INC = 446248.
 *** RESPONSE EIGENVALUE = .8421E-06 OSCILLATION LIMIT = .3758
 Apply loads and solve for 1 to 9 years

*DO LOOP ON PARAMETER= TM FROM .31558E+08 TO .28402E+09 BY .31558E+08

TIME= .31558E+08

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 3551.72231 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 98.188 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP
 VALUES = 98.935 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 100.50 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 8530.700 TIME= 22:51:26
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 22:51:26 MAR 24, 1995 CP= 8530.700
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 13
TIME AT END OF THE LOAD STEP.31558E+08
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 58.43 CRITERION= .1246
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1596
HT FLOW CONVERGENCE VALUE= .6674E-01 CRITERION= .1100 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 1 COMPLETED. CUM ITER = 112
*** TIME = .288481E+08 TIME INC = 446248.
*** RESPONSE EIGENVALUE = .5893E-06 OSCILLATION LIMIT = .2630
*** AUTO STEP TIME: NEXT TIME INC = .44625E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.47 CRITERION= .1246
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1596
HT FLOW CONVERGENCE VALUE= .6478E-01 CRITERION= .1100 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 2 COMPLETED. CUM ITER = 113
*** TIME = .292944E+08 TIME INC = 446248.
*** RESPONSE EIGENVALUE = .6131E-06 OSCILLATION LIMIT = .2736
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.7679)

HT FLOW CONVERGENCE VALUE= 103.3 CRITERION= .1509
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2821
HT FLOW CONVERGENCE VALUE= .1214 CRITERION= .1099
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5313E-01
HT FLOW CONVERGENCE VALUE= .2022E-01 CRITERION= .1099 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 13 SUBSTEP 3 COMPLETED. CUM ITER = 115
 *** TIME = .300833E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1015E-05 OSCILLATION LIMIT = .8005
 *** AUTO TIME STEP: NEXT TIME INC = .49279E+06 DECREASED (FACTOR = .6246)

HT FLOW CONVERGENCE VALUE= 64.56 CRITERION= .1274
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1762
 HT FLOW CONVERGENCE VALUE= .7631E-01 CRITERION= .1099 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 13 SUBSTEP 4 COMPLETED. CUM ITER = 116
 *** TIME = .305761E+08 TIME INC = 492790.
 *** RESPONSE EIGENVALUE = .2690E-06 OSCILLATION LIMIT = .1326
 *** AUTO STEP TIME: NEXT TIME INC = .49279E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 64.52 CRITERION= .1274
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1762
 HT FLOW CONVERGENCE VALUE= .7547E-01 CRITERION= .1098 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 13 SUBSTEP 5 COMPLETED. CUM ITER = 117
 *** TIME = .310689E+08 TIME INC = 492790.
 *** RESPONSE EIGENVALUE = .4872E-06 OSCILLATION LIMIT = .2401
 *** AUTO TIME STEP: NEXT TIME INC = .48874E+06 DECREASED (FACTOR = .9918)

HT FLOW CONVERGENCE VALUE= 64.04 CRITERION= .1271
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1748
 HT FLOW CONVERGENCE VALUE= .7028E-01 CRITERION= .1098 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 13 SUBSTEP 6 COMPLETED. CUM ITER = 118
 *** TIME = .315576E+08 TIME INC = 488744.
 *** RESPONSE EIGENVALUE = .7954E-06 OSCILLATION LIMIT = .3887

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:03:07 MAR 24, 1995 CP= 9120.170
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 67.47 CRITERION= .1289
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7741E-01 CRITERION= .1098 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 1 COMPLETED. CUM ITER = 119
 *** TIME = .323466E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6205E-06 OSCILLATION LIMIT = .4895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.52 CRITERION= .1288
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7347E-01 CRITERION= .1097 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 2 COMPLETED. CUM ITER = 120
 *** TIME = .331355E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1058E-05 OSCILLATION LIMIT = .8349
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.48 CRITERION= .1288
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7646E-01 CRITERION= .1097 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 3 COMPLETED. CUM ITER = 121
 *** TIME = .339245E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7659E-06 OSCILLATION LIMIT = .6042
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.53 CRITERION= .1288
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7408E-01 CRITERION= .1096 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 4 COMPLETED. CUM ITER = 122
 *** TIME = .347134E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8969E-06 OSCILLATION LIMIT = .7076
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.50 CRITERION= .1287
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7588E-01 CRITERION= .1095 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 5 COMPLETED. CUM ITER = 123
 *** TIME = .355023E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8687E-06 OSCILLATION LIMIT = .6854
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.55 CRITERION= .1287
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7435E-01 CRITERION= .1095 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 6 COMPLETED. CUM ITER = 124
 *** TIME = .362913E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8174E-06 OSCILLATION LIMIT = .6449
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.52 CRITERION= .1287
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7527E-01 CRITERION= .1094 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 7 COMPLETED. CUM ITER = 125
 *** TIME = .370802E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9318E-06 OSCILLATION LIMIT = .7351
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.57 CRITERION= .1286
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7340E-01 CRITERION= .1094 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 8 COMPLETED. CUM ITER = 126
 *** TIME = .378692E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7761E-06 OSCILLATION LIMIT = .6123
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.55 CRITERION= .1286
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7366E-01 CRITERION= .1094 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 9 COMPLETED. CUM ITER = 127
 *** TIME = .386581E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9681E-06 OSCILLATION LIMIT = .7637
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.60 CRITERION= .1286
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7223E-01 CRITERION= .1093 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 10 COMPLETED. CUM ITER = 128
 *** TIME = .394470E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7535E-06 OSCILLATION LIMIT = .5944
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.58 CRITERION= .1285
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7317E-01 CRITERION= .1092 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 11 COMPLETED. CUM ITER = 129
 *** TIME = .402360E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9862E-06 OSCILLATION LIMIT = .7780

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.64 CRITERION= .1285
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7227E-01 CRITERION= .1092 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 12 COMPLETED. CUM ITER = 130
 *** TIME = .410249E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7412E-06 OSCILLATION LIMIT = .5848
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.63 CRITERION= .1285
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7303E-01 CRITERION= .1091 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 13 COMPLETED. CUM ITER = 131
 *** TIME = .418139E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9927E-06 OSCILLATION LIMIT = .7832
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.68 CRITERION= .1284
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7226E-01 CRITERION= .1091 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 14 COMPLETED. CUM ITER = 132
 *** TIME = .426028E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7351E-06 OSCILLATION LIMIT = .5799
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.67 CRITERION= .1284
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7291E-01 CRITERION= .1090 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 15 COMPLETED. CUM ITER = 133
 *** TIME = .433917E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9937E-06 OSCILLATION LIMIT = .7839
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.72 CRITERION= .1283
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7222E-01 CRITERION= .1090 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 16 COMPLETED. CUM ITER = 134
 *** TIME = .441807E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7326E-06 OSCILLATION LIMIT = .5780
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.71 CRITERION= .1283
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7281E-01 CRITERION= .1089 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 17 COMPLETED. CUM ITER = 135
 *** TIME = .449696E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9911E-06 OSCILLATION LIMIT = .7819
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.77 CRITERION= .1283
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7217E-01 CRITERION= .1089 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 18 COMPLETED. CUM ITER = 136
 *** TIME = .457586E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7323E-06 OSCILLATION LIMIT = .5778
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.75 CRITERION= .1283
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
 HT FLOW CONVERGENCE VALUE= .7279E-01 CRITERION= .1088 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 19 COMPLETED. CUM ITER = 137

```

*** TIME = .465475E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9868E-06    OSCILLATION LIMIT = .7785
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.81    CRITERION= .1282
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .7226E-01    CRITERION= .1088    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 20 COMPLETED.    CUM ITER = 138
*** TIME = .473364E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7331E-06    OSCILLATION LIMIT = .5784
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.79    CRITERION= .1282
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .7277E-01    CRITERION= .1087    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 21 COMPLETED.    CUM ITER = 139
*** TIME = .481254E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9814E-06    OSCILLATION LIMIT = .7742
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.85    CRITERION= .1281
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .7221E-01    CRITERION= .1087    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 22 COMPLETED.    CUM ITER = 140
*** TIME = .489143E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7343E-06    OSCILLATION LIMIT = .5793
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.83    CRITERION= .1281
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .7266E-01    CRITERION= .1086    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 23 COMPLETED.    CUM ITER = 141
*** TIME = .497033E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9756E-06    OSCILLATION LIMIT = .7697
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.89    CRITERION= .1281
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .7214E-01    CRITERION= .1086    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 24 COMPLETED.    CUM ITER = 142
*** TIME = .504922E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7363E-06    OSCILLATION LIMIT = .5809
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.87    CRITERION= .1281
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .7260E-01    CRITERION= .1085    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 25 COMPLETED.    CUM ITER = 143
*** TIME = .512811E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9696E-06    OSCILLATION LIMIT = .7650
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.93    CRITERION= .1280
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .7210E-01    CRITERION= .1085    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 26 COMPLETED.    CUM ITER = 144
*** TIME = .520701E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7377E-06    OSCILLATION LIMIT = .5820
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 67.91    CRITERION= .1280
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
    HT FLOW CONVERGENCE VALUE= .7251E-01    CRITERION= .1084    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 27 COMPLETED. CUM ITER = 145
*** TIME = .528590E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9635E-06 OSCILLATION LIMIT = .7602
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.97 CRITERION= .1279
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .7205E-01 CRITERION= .1084 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 28 COMPLETED. CUM ITER = 146
*** TIME = .536480E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7398E-06 OSCILLATION LIMIT = .5837
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.95 CRITERION= .1279
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .7243E-01 CRITERION= .1083 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 29 COMPLETED. CUM ITER = 147
*** TIME = .544369E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9579E-06 OSCILLATION LIMIT = .7557
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.01 CRITERION= .1279
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .7198E-01 CRITERION= .1083 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 30 COMPLETED. CUM ITER = 148
*** TIME = .552258E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7417E-06 OSCILLATION LIMIT = .5852
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 67.99 CRITERION= .1279
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .7235E-01 CRITERION= .1082 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 31 COMPLETED. CUM ITER = 149
*** TIME = .560148E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9521E-06 OSCILLATION LIMIT = .7512
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.05 CRITERION= .1278
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .7198E-01 CRITERION= .1082 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 32 COMPLETED. CUM ITER = 150
*** TIME = .568037E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7434E-06 OSCILLATION LIMIT = .5865
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.04 CRITERION= .1278
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .7236E-01 CRITERION= .1081 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 33 COMPLETED. CUM ITER = 151
*** TIME = .575927E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9464E-06 OSCILLATION LIMIT = .7466
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.09 CRITERION= .1277
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .7195E-01 CRITERION= .1081 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 34 COMPLETED. CUM ITER = 152
*** TIME = .583816E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7450E-06 OSCILLATION LIMIT = .5877
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.08 CRITERION= .1277

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .7227E-01 CRITERION= .1080 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 35 COMPLETED. CUM ITER = 153
*** TIME = .591705E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9411E-06 OSCILLATION LIMIT = .7425
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.13 CRITERION= .1277
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .7188E-01 CRITERION= .1080 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 36 COMPLETED. CUM ITER = 154
*** TIME = .599595E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7467E-06 OSCILLATION LIMIT = .5891
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.12 CRITERION= .1276
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .7221E-01 CRITERION= .1079 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 37 COMPLETED. CUM ITER = 155
*** TIME = .607484E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9361E-06 OSCILLATION LIMIT = .7385
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.18 CRITERION= .1276
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .7184E-01 CRITERION= .1078 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 38 COMPLETED. CUM ITER = 156
*** TIME = .615374E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7483E-06 OSCILLATION LIMIT = .5904
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.16 CRITERION= .1276
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .7212E-01 CRITERION= .1078 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 39 COMPLETED. CUM ITER = 157
*** TIME = .623263E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9311E-06 OSCILLATION LIMIT = .7346
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.22 CRITERION= .1275
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1845
HT FLOW CONVERGENCE VALUE= .7176E-01 CRITERION= .1077 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 40 COMPLETED. CUM ITER = 158
*** TIME = .631152E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7498E-06 OSCILLATION LIMIT = .5915

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 00:14:17 MAR 25, 1995 CP= 12664.690
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 37.52 CRITERION= .1141
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .3699E-01 CRITERION= .1077 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 1 COMPLETED. CUM ITER = 159
*** TIME = .639042E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2644E-05 OSCILLATION LIMIT = 2.086
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```


HT FLOW CONVERGENCE VALUE= 37.56 CRITERION= .1140
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3678E-01 CRITERION= .1076 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 2 COMPLETED. CUM ITER = 160
 *** TIME = .646931E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2413E-05 OSCILLATION LIMIT = 1.904
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.54 CRITERION= .1140
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3858E-01 CRITERION= .1076 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 3 COMPLETED. CUM ITER = 161
 *** TIME = .654821E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1651E-05 OSCILLATION LIMIT = 1.303
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.58 CRITERION= .1139
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3704E-01 CRITERION= .1075 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 4 COMPLETED. CUM ITER = 162
 *** TIME = .662710E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2234E-05 OSCILLATION LIMIT = 1.763
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.55 CRITERION= .1139
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3822E-01 CRITERION= .1074 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 5 COMPLETED. CUM ITER = 163
 *** TIME = .670599E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1882E-05 OSCILLATION LIMIT = 1.485
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.59 CRITERION= .1138
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3719E-01 CRITERION= .1074 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 6 COMPLETED. CUM ITER = 164
 *** TIME = .678489E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2026E-05 OSCILLATION LIMIT = 1.599
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.56 CRITERION= .1138
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3802E-01 CRITERION= .1073 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 7 COMPLETED. CUM ITER = 165
 *** TIME = .686378E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2026E-05 OSCILLATION LIMIT = 1.598
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.60 CRITERION= .1137
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3728E-01 CRITERION= .1073 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 8 COMPLETED. CUM ITER = 166
 *** TIME = .694268E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1912E-05 OSCILLATION LIMIT = 1.508
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.57 CRITERION= .1137
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3790E-01 CRITERION= .1072 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 9 COMPLETED. CUM ITER = 167
 *** TIME = .702157E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .2110E-05 OSCILLATION LIMIT = 1.665
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.61 CRITERION= .1136
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3735E-01 CRITERION= .1072 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 10 COMPLETED. CUM ITER = 168
 *** TIME = .710046E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1848E-05 OSCILLATION LIMIT = 1.458
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.59 CRITERION= .1136
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3780E-01 CRITERION= .1071 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 11 COMPLETED. CUM ITER = 169
 *** TIME = .717936E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2157E-05 OSCILLATION LIMIT = 1.701
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.62 CRITERION= .1135
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3736E-01 CRITERION= .1071 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 12 COMPLETED. CUM ITER = 170
 *** TIME = .725825E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1813E-05 OSCILLATION LIMIT = 1.430
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.60 CRITERION= .1135
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3773E-01 CRITERION= .1070 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 13 COMPLETED. CUM ITER = 171
 *** TIME = .733715E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2180E-05 OSCILLATION LIMIT = 1.720
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.64 CRITERION= .1134
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3736E-01 CRITERION= .1070 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 14 COMPLETED. CUM ITER = 172
 *** TIME = .741604E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1795E-05 OSCILLATION LIMIT = 1.416
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.61 CRITERION= .1134
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3766E-01 CRITERION= .1069 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 15 COMPLETED. CUM ITER = 173
 *** TIME = .749493E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2190E-05 OSCILLATION LIMIT = 1.728
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.65 CRITERION= .1133
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3733E-01 CRITERION= .1069 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 16 COMPLETED. CUM ITER = 174
 *** TIME = .757383E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1786E-05 OSCILLATION LIMIT = 1.409
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.62 CRITERION= .1133
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3760E-01 CRITERION= .1068 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 15 SUBSTEP 17 COMPLETED. CUM ITER = 175
*** TIME = .765272E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2192E-05 OSCILLATION LIMIT = 1.729
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.66 CRITERION= .1132
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .3731E-01 CRITERION= .1068 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 18 COMPLETED. CUM ITER = 176
*** TIME = .773162E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1783E-05 OSCILLATION LIMIT = 1.407
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.64 CRITERION= .1132
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .3755E-01 CRITERION= .1067 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 19 COMPLETED. CUM ITER = 177
*** TIME = .781051E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2189E-05 OSCILLATION LIMIT = 1.727
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.67 CRITERION= .1132
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .3728E-01 CRITERION= .1067 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 20 COMPLETED. CUM ITER = 178
*** TIME = .788940E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1783E-05 OSCILLATION LIMIT = 1.407
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.65 CRITERION= .1131
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .3749E-01 CRITERION= .1066 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 21 COMPLETED. CUM ITER = 179
*** TIME = .796830E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2183E-05 OSCILLATION LIMIT = 1.722
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.69 CRITERION= .1131
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .3724E-01 CRITERION= .1066 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 22 COMPLETED. CUM ITER = 180
*** TIME = .804719E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1785E-05 OSCILLATION LIMIT = 1.408
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.66 CRITERION= .1130
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .3746E-01 CRITERION= .1065 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 23 COMPLETED. CUM ITER = 181
*** TIME = .812609E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2176E-05 OSCILLATION LIMIT = 1.716
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.70 CRITERION= .1130
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .3725E-01 CRITERION= .1065 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 24 COMPLETED. CUM ITER = 182
*** TIME = .820498E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1788E-05 OSCILLATION LIMIT = 1.410
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.67 CRITERION= .1129
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017

```

HT FLOW CONVERGENCE VALUE= .3745E-01 CRITERION= .1064 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 25 COMPLETED. CUM ITER = 183
 *** TIME = .828387E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2168E-05 OSCILLATION LIMIT = 1.710
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.71 CRITERION= .1129
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3724E-01 CRITERION= .1064 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 26 COMPLETED. CUM ITER = 184
 *** TIME = .836277E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1791E-05 OSCILLATION LIMIT = 1.413
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.69 CRITERION= .1128
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3742E-01 CRITERION= .1063 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 27 COMPLETED. CUM ITER = 185
 *** TIME = .844166E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2159E-05 OSCILLATION LIMIT = 1.704
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.72 CRITERION= .1128
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3723E-01 CRITERION= .1063 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 28 COMPLETED. CUM ITER = 186
 *** TIME = .852056E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1795E-05 OSCILLATION LIMIT = 1.416
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.70 CRITERION= .1127
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3743E-01 CRITERION= .1062 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 29 COMPLETED. CUM ITER = 187
 *** TIME = .859945E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2151E-05 OSCILLATION LIMIT = 1.697
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.74 CRITERION= .1127
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3726E-01 CRITERION= .1061 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 30 COMPLETED. CUM ITER = 188
 *** TIME = .867834E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1798E-05 OSCILLATION LIMIT = 1.418
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.71 CRITERION= .1126
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3743E-01 CRITERION= .1061 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 31 COMPLETED. CUM ITER = 189
 *** TIME = .875724E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2142E-05 OSCILLATION LIMIT = 1.690
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.75 CRITERION= .1126
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3725E-01 CRITERION= .1060 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 32 COMPLETED. CUM ITER = 190
 *** TIME = .883613E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1801E-05 OSCILLATION LIMIT = 1.421
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.72 CRITERION= .1125
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3740E-01 CRITERION= .1060 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 33 COMPLETED. CUM ITER = 191
 *** TIME = .891503E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2134E-05 OSCILLATION LIMIT = 1.684
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.76 CRITERION= .1125
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3722E-01 CRITERION= .1059 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 34 COMPLETED. CUM ITER = 192
 *** TIME = .899392E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1804E-05 OSCILLATION LIMIT = 1.423
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.74 CRITERION= .1125
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3736E-01 CRITERION= .1059 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 35 COMPLETED. CUM ITER = 193
 *** TIME = .907281E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2126E-05 OSCILLATION LIMIT = 1.677
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.77 CRITERION= .1124
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3722E-01 CRITERION= .1058 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 36 COMPLETED. CUM ITER = 194
 *** TIME = .915171E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1807E-05 OSCILLATION LIMIT = 1.426
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.75 CRITERION= .1124
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3742E-01 CRITERION= .1058 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 37 COMPLETED. CUM ITER = 195
 *** TIME = .923060E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2118E-05 OSCILLATION LIMIT = 1.671
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.79 CRITERION= .1123
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3728E-01 CRITERION= .1057 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 38 COMPLETED. CUM ITER = 196
 *** TIME = .930950E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1810E-05 OSCILLATION LIMIT = 1.428
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.76 CRITERION= .1123
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3741E-01 CRITERION= .1056 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 39 COMPLETED. CUM ITER = 197
 *** TIME = .938839E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2111E-05 OSCILLATION LIMIT = 1.665
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 37.80 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
 HT FLOW CONVERGENCE VALUE= .3727E-01 CRITERION= .1056 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 40 COMPLETED. CUM ITER = 198
 *** TIME = .946728E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1813E-05 OSCILLATION LIMIT = 1.430

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 01:26:10 MAR 25, 1995 CP= 16207.570
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 24.04 CRITERION= .1083
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2270E-01 CRITERION= .1055 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 1 COMPLETED. CUM ITER = 199
 *** TIME = .954618E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4293E-05 OSCILLATION LIMIT = 3.387
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.07 CRITERION= .1083
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2263E-01 CRITERION= .1055 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 2 COMPLETED. CUM ITER = 200
 *** TIME = .962507E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3918E-05 OSCILLATION LIMIT = 3.091
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.04 CRITERION= .1082
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2320E-01 CRITERION= .1055 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 3 COMPLETED. CUM ITER = 201
 *** TIME = .970397E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3395E-05 OSCILLATION LIMIT = 2.679
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.08 CRITERION= .1082
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2271E-01 CRITERION= .1054 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 4 COMPLETED. CUM ITER = 202
 *** TIME = .978286E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3774E-05 OSCILLATION LIMIT = 2.977
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.05 CRITERION= .1081
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2311E-01 CRITERION= .1054 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 5 COMPLETED. CUM ITER = 203
 *** TIME = .986175E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3614E-05 OSCILLATION LIMIT = 2.851
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.08 CRITERION= .1081
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2278E-01 CRITERION= .1053 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 6 COMPLETED. CUM ITER = 204
 *** TIME = .994065E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3596E-05 OSCILLATION LIMIT = 2.837
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.05 CRITERION= .1080
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2307E-01 CRITERION= .1053 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 7 COMPLETED. CUM ITER = 205

```

*** TIME = .100195E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3745E-05    OSCILLATION LIMIT = 2.954
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.09    CRITERION= .1080
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
    HT FLOW CONVERGENCE VALUE= .2282E-01    CRITERION= .1052    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 8 COMPLETED. CUM ITER = 206
*** TIME = .100984E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3496E-05    OSCILLATION LIMIT = 2.758
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.06    CRITERION= .1079
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
    HT FLOW CONVERGENCE VALUE= .2304E-01    CRITERION= .1052    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 9 COMPLETED. CUM ITER = 207
*** TIME = .101773E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3819E-05    OSCILLATION LIMIT = 3.013
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.09    CRITERION= .1079
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
    HT FLOW CONVERGENCE VALUE= .2283E-01    CRITERION= .1051    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 10 COMPLETED. CUM ITER = 208
*** TIME = .102562E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3439E-05    OSCILLATION LIMIT = 2.713
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.06    CRITERION= .1078
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
    HT FLOW CONVERGENCE VALUE= .2300E-01    CRITERION= .1051    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 11 COMPLETED. CUM ITER = 209
*** TIME = .103351E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3858E-05    OSCILLATION LIMIT = 3.044
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.10    CRITERION= .1078
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
    HT FLOW CONVERGENCE VALUE= .2283E-01    CRITERION= .1050    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 12 COMPLETED. CUM ITER = 210
*** TIME = .104140E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3409E-05    OSCILLATION LIMIT = 2.689
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.07    CRITERION= .1078
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
    HT FLOW CONVERGENCE VALUE= .2298E-01    CRITERION= .1050    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 13 COMPLETED. CUM ITER = 211
*** TIME = .104929E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3877E-05    OSCILLATION LIMIT = 3.059
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.10    CRITERION= .1077
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
    HT FLOW CONVERGENCE VALUE= .2283E-01    CRITERION= .1049    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 14 COMPLETED. CUM ITER = 212
*** TIME = .105718E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3394E-05    OSCILLATION LIMIT = 2.677
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 24.07    CRITERION= .1077
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
    HT FLOW CONVERGENCE VALUE= .2295E-01    CRITERION= .1049    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 15 COMPLETED. CUM ITER = 213
*** TIME = .106507E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3883E-05 OSCILLATION LIMIT = 3.064
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.11 CRITERION= .1076
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
HT FLOW CONVERGENCE VALUE= .2282E-01 CRITERION= .1048 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 16 COMPLETED. CUM ITER = 214
*** TIME = .107296E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3387E-05 OSCILLATION LIMIT = 2.672
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.08 CRITERION= .1076
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
HT FLOW CONVERGENCE VALUE= .2293E-01 CRITERION= .1048 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 17 COMPLETED. CUM ITER = 215
*** TIME = .108085E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3883E-05 OSCILLATION LIMIT = 3.063
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.11 CRITERION= .1075
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
HT FLOW CONVERGENCE VALUE= .2281E-01 CRITERION= .1048 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 18 COMPLETED. CUM ITER = 216
*** TIME = .108874E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3386E-05 OSCILLATION LIMIT = 2.671
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.08 CRITERION= .1075
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
HT FLOW CONVERGENCE VALUE= .2292E-01 CRITERION= .1047 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 19 COMPLETED. CUM ITER = 217
*** TIME = .109663E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3877E-05 OSCILLATION LIMIT = 3.059
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.12 CRITERION= .1074
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
HT FLOW CONVERGENCE VALUE= .2282E-01 CRITERION= .1047 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 20 COMPLETED. CUM ITER = 218
*** TIME = .110452E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3388E-05 OSCILLATION LIMIT = 2.673
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.09 CRITERION= .1074
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
HT FLOW CONVERGENCE VALUE= .2292E-01 CRITERION= .1046 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 21 COMPLETED. CUM ITER = 219
*** TIME = .111241E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3870E-05 OSCILLATION LIMIT = 3.053
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.12 CRITERION= .1073
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
HT FLOW CONVERGENCE VALUE= .2281E-01 CRITERION= .1046 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 22 COMPLETED. CUM ITER = 220
*** TIME = .112030E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3391E-05 OSCILLATION LIMIT = 2.675
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.09 CRITERION= .1073

```


EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2291E-01 CRITERION= .1045 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 23 COMPLETED. CUM ITER = 221
 *** TIME = .112818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3861E-05 OSCILLATION LIMIT = 3.046
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.13 CRITERION= .1072
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2281E-01 CRITERION= .1045 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 24 COMPLETED. CUM ITER = 222
 *** TIME = .113607E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3395E-05 OSCILLATION LIMIT = 2.679
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.10 CRITERION= .1072
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2291E-01 CRITERION= .1044 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 25 COMPLETED. CUM ITER = 223
 *** TIME = .114396E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3852E-05 OSCILLATION LIMIT = 3.039
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.13 CRITERION= .1071
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2281E-01 CRITERION= .1044 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 26 COMPLETED. CUM ITER = 224
 *** TIME = .115185E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3400E-05 OSCILLATION LIMIT = 2.682
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.10 CRITERION= .1071
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2291E-01 CRITERION= .1043 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 27 COMPLETED. CUM ITER = 225
 *** TIME = .115974E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3842E-05 OSCILLATION LIMIT = 3.031
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.14 CRITERION= .1071
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2282E-01 CRITERION= .1043 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 28 COMPLETED. CUM ITER = 226
 *** TIME = .116763E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3405E-05 OSCILLATION LIMIT = 2.686
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.11 CRITERION= .1070
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2290E-01 CRITERION= .1042 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 29 COMPLETED. CUM ITER = 227
 *** TIME = .117552E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3832E-05 OSCILLATION LIMIT = 3.023
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.14 CRITERION= .1070
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2280E-01 CRITERION= .1042 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 30 COMPLETED. CUM ITER = 228
 *** TIME = .118341E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3409E-05 OSCILLATION LIMIT = 2.690
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.11 CRITERION= .1069
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2287E-01 CRITERION= .1041 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 31 COMPLETED. CUM ITER = 229
 *** TIME = .119130E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3823E-05 OSCILLATION LIMIT = 3.016
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.15 CRITERION= .1069
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2279E-01 CRITERION= .1041 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 32 COMPLETED. CUM ITER = 230
 *** TIME = .119919E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3414E-05 OSCILLATION LIMIT = 2.693
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.12 CRITERION= .1068
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2287E-01 CRITERION= .1040 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 33 COMPLETED. CUM ITER = 231
 *** TIME = .120708E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3813E-05 OSCILLATION LIMIT = 3.008
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.15 CRITERION= .1068
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2278E-01 CRITERION= .1040 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 34 COMPLETED. CUM ITER = 232
 *** TIME = .121497E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3418E-05 OSCILLATION LIMIT = 2.697
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.12 CRITERION= .1067
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2287E-01 CRITERION= .1039 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 35 COMPLETED. CUM ITER = 233
 *** TIME = .122286E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3804E-05 OSCILLATION LIMIT = 3.001
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.16 CRITERION= .1067
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2279E-01 CRITERION= .1039 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 36 COMPLETED. CUM ITER = 234
 *** TIME = .123075E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3422E-05 OSCILLATION LIMIT = 2.700
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.13 CRITERION= .1067
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2285E-01 CRITERION= .1038 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 37 COMPLETED. CUM ITER = 235
 *** TIME = .123864E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3795E-05 OSCILLATION LIMIT = 2.994
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.16 CRITERION= .1066
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
 HT FLOW CONVERGENCE VALUE= .2277E-01 CRITERION= .1038 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 38 COMPLETED. CUM ITER = 236
 *** TIME = .124653E+09 TIME INC = 788940.

```

*** RESPONSE EIGENVALUE = .3426E-05 OSCILLATION LIMIT = 2.703
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 24.13 CRITERION= .1066
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
HT FLOW CONVERGENCE VALUE= .2285E-01 CRITERION= .1037 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 39 COMPLETED. CUM ITER = 237
*** TIME = .125441E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3786E-05 OSCILLATION LIMIT = 2.987
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 24.17 CRITERION= .1065
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6483E-01
HT FLOW CONVERGENCE VALUE= .2278E-01 CRITERION= .1037 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 40 COMPLETED. CUM ITER = 238
*** TIME = .126230E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3430E-05 OSCILLATION LIMIT = 2.706

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 02:38:37 MAR 25, 1995 CP= 19758.710
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 16.47 CRITERION= .1050
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .1501E-01 CRITERION= .1036 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 1 COMPLETED. CUM ITER = 239
*** TIME = .127019E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7900E-05 OSCILLATION LIMIT = 6.233
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 16.50 CRITERION= .1049
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .1497E-01 CRITERION= .1036 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 2 COMPLETED. CUM ITER = 240
*** TIME = .127808E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7629E-05 OSCILLATION LIMIT = 6.019
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 16.47 CRITERION= .1049
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .1509E-01 CRITERION= .1035 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 3 COMPLETED. CUM ITER = 241
*** TIME = .128597E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6983E-05 OSCILLATION LIMIT = 5.509
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 16.50 CRITERION= .1048
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .1497E-01 CRITERION= .1035 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 4 COMPLETED. CUM ITER = 242
*** TIME = .129386E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7458E-05 OSCILLATION LIMIT = 5.884
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 16.47 CRITERION= .1048
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .1506E-01 CRITERION= .1034 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

```

*** LOAD STEP 17 SUBSTEP 5 COMPLETED. CUM ITER = 243
*** TIME = .130175E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7244E-05 OSCILLATION LIMIT = 5.715
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.50 CRITERION= .1047
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .1496E-01 CRITERION= .1034 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 6 COMPLETED. CUM ITER = 244
*** TIME = .130964E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7258E-05 OSCILLATION LIMIT = 5.726
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.47 CRITERION= .1047
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .1503E-01 CRITERION= .1033 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 7 COMPLETED. CUM ITER = 245
*** TIME = .131753E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7398E-05 OSCILLATION LIMIT = 5.836
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.50 CRITERION= .1047
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .1496E-01 CRITERION= .1033 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 8 COMPLETED. CUM ITER = 246
*** TIME = .132542E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7143E-05 OSCILLATION LIMIT = 5.636
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.48 CRITERION= .1046
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .1502E-01 CRITERION= .1033 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 9 COMPLETED. CUM ITER = 247
*** TIME = .133331E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7485E-05 OSCILLATION LIMIT = 5.905
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.51 CRITERION= .1046
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .1495E-01 CRITERION= .1032 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 10 COMPLETED. CUM ITER = 248
*** TIME = .134120E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7079E-05 OSCILLATION LIMIT = 5.585
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.48 CRITERION= .1045
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .1500E-01 CRITERION= .1032 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 11 COMPLETED. CUM ITER = 249
*** TIME = .134909E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7531E-05 OSCILLATION LIMIT = 5.942
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.51 CRITERION= .1045
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .1494E-01 CRITERION= .1031 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 12 COMPLETED. CUM ITER = 250
*** TIME = .135698E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .7044E-05 OSCILLATION LIMIT = 5.557
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.48 CRITERION= .1044
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01

```

HT FLOW CONVERGENCE VALUE= .1499E-01 CRITERION= .1031 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 13 COMPLETED. CUM ITER = 251
 *** TIME = .136487E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7554E-05 OSCILLATION LIMIT = 5.960
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.51 CRITERION= .1044
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1494E-01 CRITERION= .1030 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 14 COMPLETED. CUM ITER = 252
 *** TIME = .137276E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7027E-05 OSCILLATION LIMIT = 5.544
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.48 CRITERION= .1043
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1498E-01 CRITERION= .1030 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 15 COMPLETED. CUM ITER = 253
 *** TIME = .138065E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7562E-05 OSCILLATION LIMIT = 5.966
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.51 CRITERION= .1043
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1494E-01 CRITERION= .1029 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 16 COMPLETED. CUM ITER = 254
 *** TIME = .138853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7021E-05 OSCILLATION LIMIT = 5.539
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.49 CRITERION= .1042
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1498E-01 CRITERION= .1029 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 17 COMPLETED. CUM ITER = 255
 *** TIME = .139642E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7562E-05 OSCILLATION LIMIT = 5.966
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.51 CRITERION= .1042
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1493E-01 CRITERION= .1028 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 18 COMPLETED. CUM ITER = 256
 *** TIME = .140431E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7020E-05 OSCILLATION LIMIT = 5.539
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.49 CRITERION= .1041
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1496E-01 CRITERION= .1028 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 19 COMPLETED. CUM ITER = 257
 *** TIME = .141220E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7558E-05 OSCILLATION LIMIT = 5.963
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.52 CRITERION= .1041
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1492E-01 CRITERION= .1027 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 20 COMPLETED. CUM ITER = 258
 *** TIME = .142009E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7023E-05 OSCILLATION LIMIT = 5.541
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.49 CRITERION= .1041
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1495E-01 CRITERION= .1027 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 21 COMPLETED. CUM ITER = 259
 *** TIME = .142798E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7550E-05 OSCILLATION LIMIT = 5.957
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.52 CRITERION= .1040
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1490E-01 CRITERION= .1026 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 22 COMPLETED. CUM ITER = 260
 *** TIME = .143587E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7029E-05 OSCILLATION LIMIT = 5.545
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.49 CRITERION= .1040
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1493E-01 CRITERION= .1026 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 23 COMPLETED. CUM ITER = 261
 *** TIME = .144376E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7541E-05 OSCILLATION LIMIT = 5.949
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.52 CRITERION= .1039
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1489E-01 CRITERION= .1026 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 24 COMPLETED. CUM ITER = 262
 *** TIME = .145165E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7035E-05 OSCILLATION LIMIT = 5.550
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.49 CRITERION= .1039
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1491E-01 CRITERION= .1025 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 25 COMPLETED. CUM ITER = 263
 *** TIME = .145954E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7531E-05 OSCILLATION LIMIT = 5.942
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.52 CRITERION= .1038
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1487E-01 CRITERION= .1025 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 26 COMPLETED. CUM ITER = 264
 *** TIME = .146743E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7041E-05 OSCILLATION LIMIT = 5.555
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.50 CRITERION= .1038
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1490E-01 CRITERION= .1024 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 27 COMPLETED. CUM ITER = 265
 *** TIME = .147532E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7521E-05 OSCILLATION LIMIT = 5.934
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.53 CRITERION= .1037
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1486E-01 CRITERION= .1024 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 28 COMPLETED. CUM ITER = 266
 *** TIME = .148321E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7048E-05 OSCILLATION LIMIT = 5.561

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.50 CRITERION= .1037
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1489E-01 CRITERION= .1023 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 29 COMPLETED. CUM ITER = 267
 *** TIME = .149110E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7511E-05 OSCILLATION LIMIT = 5.926
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.53 CRITERION= .1036
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1485E-01 CRITERION= .1023 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 30 COMPLETED. CUM ITER = 268
 *** TIME = .149899E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7055E-05 OSCILLATION LIMIT = 5.566
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.50 CRITERION= .1036
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1487E-01 CRITERION= .1022 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 31 COMPLETED. CUM ITER = 269
 *** TIME = .150688E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7501E-05 OSCILLATION LIMIT = 5.918
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.53 CRITERION= .1035
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1483E-01 CRITERION= .1022 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 32 COMPLETED. CUM ITER = 270
 *** TIME = .151477E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7062E-05 OSCILLATION LIMIT = 5.571
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.50 CRITERION= .1035
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1486E-01 CRITERION= .1021 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 33 COMPLETED. CUM ITER = 271
 *** TIME = .152265E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7491E-05 OSCILLATION LIMIT = 5.910
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.53 CRITERION= .1034
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1482E-01 CRITERION= .1021 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 34 COMPLETED. CUM ITER = 272
 *** TIME = .153054E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7068E-05 OSCILLATION LIMIT = 5.576
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.51 CRITERION= .1034
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1484E-01 CRITERION= .1020 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 35 COMPLETED. CUM ITER = 273
 *** TIME = .153843E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7482E-05 OSCILLATION LIMIT = 5.903
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.54 CRITERION= .1033
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1480E-01 CRITERION= .1020 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 36 COMPLETED. CUM ITER = 274

*** TIME = .154632E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7074E-05 OSCILLATION LIMIT = 5.581
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.51 CRITERION= .1033
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1482E-01 CRITERION= .1019 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 37 COMPLETED. CUM ITER = 275
 *** TIME = .155421E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7472E-05 OSCILLATION LIMIT = 5.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.54 CRITERION= .1032
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1479E-01 CRITERION= .1019 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 38 COMPLETED. CUM ITER = 276
 *** TIME = .156210E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7080E-05 OSCILLATION LIMIT = 5.586
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.51 CRITERION= .1032
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1481E-01 CRITERION= .1018 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 39 COMPLETED. CUM ITER = 277
 *** TIME = .156999E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7463E-05 OSCILLATION LIMIT = 5.888
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 16.54 CRITERION= .1032
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
 HT FLOW CONVERGENCE VALUE= .1477E-01 CRITERION= .1018 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 40 COMPLETED. CUM ITER = 278
 *** TIME = .157788E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7086E-05 OSCILLATION LIMIT = 5.590

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 03:51:23 MAR 25, 1995 CP= 23308.360
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 11.73 CRITERION= .1025
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
 HT FLOW CONVERGENCE VALUE= .1057E-01 CRITERION= .1017 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 1 COMPLETED. CUM ITER = 279
 *** TIME = .158577E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1231E-04 OSCILLATION LIMIT = 9.709
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.76 CRITERION= .1024
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
 HT FLOW CONVERGENCE VALUE= .1055E-01 CRITERION= .1017 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 2 COMPLETED. CUM ITER = 280
 *** TIME = .159366E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1212E-04 OSCILLATION LIMIT = 9.560
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.73 CRITERION= .1024
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
 HT FLOW CONVERGENCE VALUE= .1047E-01 CRITERION= .1016 <<< CONVERGED


```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 3 COMPLETED. CUM ITER = 281
*** TIME = .160155E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1180E-04 OSCILLATION LIMIT = 9.312
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.76 CRITERION= .1023
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1052E-01 CRITERION= .1016 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 4 COMPLETED. CUM ITER = 282
*** TIME = .160944E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1204E-04 OSCILLATION LIMIT = 9.497
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.73 CRITERION= .1023
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1047E-01 CRITERION= .1015 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 5 COMPLETED. CUM ITER = 283
*** TIME = .161733E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1199E-04 OSCILLATION LIMIT = 9.462
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.76 CRITERION= .1022
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1050E-01 CRITERION= .1015 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 6 COMPLETED. CUM ITER = 284
*** TIME = .162522E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1190E-04 OSCILLATION LIMIT = 9.391
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.74 CRITERION= .1022
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1047E-01 CRITERION= .1014 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 7 COMPLETED. CUM ITER = 285
*** TIME = .163311E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1210E-04 OSCILLATION LIMIT = 9.549
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.76 CRITERION= .1021
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1048E-01 CRITERION= .1014 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 8 COMPLETED. CUM ITER = 286
*** TIME = .164100E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1183E-04 OSCILLATION LIMIT = 9.332
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.74 CRITERION= .1021
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1046E-01 CRITERION= .1014 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 9 COMPLETED. CUM ITER = 287
*** TIME = .164888E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1216E-04 OSCILLATION LIMIT = 9.597
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.76 CRITERION= .1020
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1046E-01 CRITERION= .1013 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 10 COMPLETED. CUM ITER = 288
*** TIME = .165677E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1179E-04 OSCILLATION LIMIT = 9.300
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.74 CRITERION= .1020

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1045E-01 CRITERION= .1013 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 11 COMPLETED. CUM ITER = 289
*** TIME = .166466E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.622
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.77 CRITERION= .1019
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1045E-01 CRITERION= .1012 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 12 COMPLETED. CUM ITER = 290
*** TIME = .167255E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1177E-04 OSCILLATION LIMIT = 9.285
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.74 CRITERION= .1019
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1044E-01 CRITERION= .1012 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 13 COMPLETED. CUM ITER = 291
*** TIME = .168044E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1221E-04 OSCILLATION LIMIT = 9.634
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.77 CRITERION= .1018
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1044E-01 CRITERION= .1011 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 14 COMPLETED. CUM ITER = 292
*** TIME = .168833E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1176E-04 OSCILLATION LIMIT = 9.279
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.74 CRITERION= .1018
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1043E-01 CRITERION= .1011 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 15 COMPLETED. CUM ITER = 293
*** TIME = .169622E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1222E-04 OSCILLATION LIMIT = 9.638
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.77 CRITERION= .1018
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1042E-01 CRITERION= .1010 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 16 COMPLETED. CUM ITER = 294
*** TIME = .170411E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1176E-04 OSCILLATION LIMIT = 9.280
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.74 CRITERION= .1017
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1043E-01 CRITERION= .1010 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 17 COMPLETED. CUM ITER = 295
*** TIME = .171200E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1222E-04 OSCILLATION LIMIT = 9.637
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.77 CRITERION= .1017
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1042E-01 CRITERION= .1010 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 18 COMPLETED. CUM ITER = 296
*** TIME = .171989E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1177E-04 OSCILLATION LIMIT = 9.284
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 11.74 CRITERION= .1016
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
 HT FLOW CONVERGENCE VALUE= .1042E-01 CRITERION= .1009 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 19 COMPLETED. CUM ITER = 297
 *** TIME = .172778E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1221E-04 OSCILLATION LIMIT = 9.634
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.77 CRITERION= .1016
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
 HT FLOW CONVERGENCE VALUE= .1040E-01 CRITERION= .1009 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 20 COMPLETED. CUM ITER = 298
 *** TIME = .173567E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1178E-04 OSCILLATION LIMIT = 9.290
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.74 CRITERION= .1015
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
 HT FLOW CONVERGENCE VALUE= .1041E-01 CRITERION= .1008 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 21 COMPLETED. CUM ITER = 299
 *** TIME = .174356E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1221E-04 OSCILLATION LIMIT = 9.629
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.77 CRITERION= .1015
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
 HT FLOW CONVERGENCE VALUE= .1040E-01 CRITERION= .1008 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 22 COMPLETED. CUM ITER = 300
 *** TIME = .175145E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1178E-04 OSCILLATION LIMIT = 9.297
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.74 CRITERION= .1014
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
 HT FLOW CONVERGENCE VALUE= .1040E-01 CRITERION= .1007 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 23 COMPLETED. CUM ITER = 301
 *** TIME = .175934E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1220E-04 OSCILLATION LIMIT = 9.624
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.77 CRITERION= .1014
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
 HT FLOW CONVERGENCE VALUE= .1038E-01 CRITERION= .1007 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 24 COMPLETED. CUM ITER = 302
 *** TIME = .176723E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1179E-04 OSCILLATION LIMIT = 9.305
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.75 CRITERION= .1014
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
 HT FLOW CONVERGENCE VALUE= .1039E-01 CRITERION= .1006 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 25 COMPLETED. CUM ITER = 303
 *** TIME = .177512E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1219E-04 OSCILLATION LIMIT = 9.618
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.77 CRITERION= .1013
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
 HT FLOW CONVERGENCE VALUE= .1038E-01 CRITERION= .1006 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 26 COMPLETED. CUM ITER = 304
 *** TIME = .178300E+09 TIME INC = 788940.

```

*** RESPONSE EIGENVALUE = .1180E-04 OSCILLATION LIMIT = 9.313
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.75 CRITERION= .1013
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
    HT FLOW CONVERGENCE VALUE= .1038E-01 CRITERION= .1005 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 27 COMPLETED. CUM ITER = 305
*** TIME = .179089E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1218E-04 OSCILLATION LIMIT = 9.612
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1012
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
    HT FLOW CONVERGENCE VALUE= .1036E-01 CRITERION= .1005 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 28 COMPLETED. CUM ITER = 306
*** TIME = .179878E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1181E-04 OSCILLATION LIMIT = 9.320
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.75 CRITERION= .1012
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
    HT FLOW CONVERGENCE VALUE= .1037E-01 CRITERION= .1004 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 29 COMPLETED. CUM ITER = 307
*** TIME = .180667E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1218E-04 OSCILLATION LIMIT = 9.606
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1011
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
    HT FLOW CONVERGENCE VALUE= .1035E-01 CRITERION= .1004 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 30 COMPLETED. CUM ITER = 308
*** TIME = .181456E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1182E-04 OSCILLATION LIMIT = 9.328
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.75 CRITERION= .1011
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
    HT FLOW CONVERGENCE VALUE= .1036E-01 CRITERION= .1003 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 31 COMPLETED. CUM ITER = 309
*** TIME = .182245E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1217E-04 OSCILLATION LIMIT = 9.600
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1010
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
    HT FLOW CONVERGENCE VALUE= .1034E-01 CRITERION= .1003 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 32 COMPLETED. CUM ITER = 310
*** TIME = .183034E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1183E-04 OSCILLATION LIMIT = 9.336
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.75 CRITERION= .1010
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
    HT FLOW CONVERGENCE VALUE= .1035E-01 CRITERION= .1002 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 33 COMPLETED. CUM ITER = 311
*** TIME = .183823E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1216E-04 OSCILLATION LIMIT = 9.595
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1009
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
    HT FLOW CONVERGENCE VALUE= .1033E-01 CRITERION= .1002 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

```

*** LOAD STEP 18 SUBSTEP 34 COMPLETED. CUM ITER = 312
*** TIME = .184612E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1184E-04 OSCILLATION LIMIT = 9.343
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.75 CRITERION= .1009
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1034E-01 CRITERION= .1001 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 35 COMPLETED. CUM ITER = 313
*** TIME = .185401E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1215E-04 OSCILLATION LIMIT = 9.589
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1008
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1001 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 36 COMPLETED. CUM ITER = 314
*** TIME = .186190E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1185E-04 OSCILLATION LIMIT = 9.350
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.75 CRITERION= .1008
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1033E-01 CRITERION= .1001 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 37 COMPLETED. CUM ITER = 315
*** TIME = .186979E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1215E-04 OSCILLATION LIMIT = 9.584
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1007
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1031E-01 CRITERION= .1000 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 38 COMPLETED. CUM ITER = 316
*** TIME = .187768E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1186E-04 OSCILLATION LIMIT = 9.357
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.75 CRITERION= .1007
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .9996E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 39 COMPLETED. CUM ITER = 317
*** TIME = .188557E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1214E-04 OSCILLATION LIMIT = 9.579
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.78 CRITERION= .1006
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3159E-01
HT FLOW CONVERGENCE VALUE= .1030E-01 CRITERION= .9993E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 40 COMPLETED. CUM ITER = 318
*** TIME = .189346E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1187E-04 OSCILLATION LIMIT = 9.364

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 05:04:02 MAR 25, 1995 CP= 26857.510
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 8.541 CRITERION= .1003
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01

```

HT FLOW CONVERGENCE VALUE= .8039E-02 CRITERION= .9987E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 1 COMPLETED. CUM ITER = 319
 *** TIME = .190135E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1562E-04 OSCILLATION LIMIT = 12.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.568 CRITERION= .1002
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .8021E-02 CRITERION= .9984E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 2 COMPLETED. CUM ITER = 320
 *** TIME = .190924E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1563E-04 OSCILLATION LIMIT = 12.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.542 CRITERION= .1002
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7874E-02 CRITERION= .9978E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 3 COMPLETED. CUM ITER = 321
 *** TIME = .191712E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1573E-04 OSCILLATION LIMIT = 12.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.569 CRITERION= .1001
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7983E-02 CRITERION= .9975E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 4 COMPLETED. CUM ITER = 322
 *** TIME = .192501E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1567E-04 OSCILLATION LIMIT = 12.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.542 CRITERION= .1001
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7889E-02 CRITERION= .9969E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 5 COMPLETED. CUM ITER = 323
 *** TIME = .193290E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1579E-04 OSCILLATION LIMIT = 12.46
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.570 CRITERION= .1001
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7955E-02 CRITERION= .9966E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 6 COMPLETED. CUM ITER = 324
 *** TIME = .194079E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1563E-04 OSCILLATION LIMIT = 12.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.543 CRITERION= .1000
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7895E-02 CRITERION= .9960E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 7 COMPLETED. CUM ITER = 325
 *** TIME = .194868E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1583E-04 OSCILLATION LIMIT = 12.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.570 CRITERION= .9996E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7935E-02 CRITERION= .9957E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 8 COMPLETED. CUM ITER = 326
 *** TIME = .195657E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1561E-04 OSCILLATION LIMIT = 12.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.544 CRITERION= .9993E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7895E-02 CRITERION= .9951E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 9 COMPLETED. CUM ITER = 327
 *** TIME = .196446E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1585E-04 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.571 CRITERION= .9987E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7919E-02 CRITERION= .9948E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 10 COMPLETED. CUM ITER = 328
 *** TIME = .197235E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1561E-04 OSCILLATION LIMIT = 12.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.544 CRITERION= .9984E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7893E-02 CRITERION= .9942E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 11 COMPLETED. CUM ITER = 329
 *** TIME = .198024E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1586E-04 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.572 CRITERION= .9979E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7906E-02 CRITERION= .9939E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 12 COMPLETED. CUM ITER = 330
 *** TIME = .198813E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1561E-04 OSCILLATION LIMIT = 12.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.545 CRITERION= .9975E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7888E-02 CRITERION= .9933E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 13 COMPLETED. CUM ITER = 331
 *** TIME = .199602E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1586E-04 OSCILLATION LIMIT = 12.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.572 CRITERION= .9970E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7894E-02 CRITERION= .9930E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 14 COMPLETED. CUM ITER = 332
 *** TIME = .200391E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1562E-04 OSCILLATION LIMIT = 12.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.545 CRITERION= .9966E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7882E-02 CRITERION= .9924E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 15 COMPLETED. CUM ITER = 333
 *** TIME = .201180E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1586E-04 OSCILLATION LIMIT = 12.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.573 CRITERION= .9961E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7884E-02 CRITERION= .9921E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 16 COMPLETED. CUM ITER = 334
 *** TIME = .201969E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1563E-04 OSCILLATION LIMIT = 12.33

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.546 CRITERION= .9958E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7875E-02 CRITERION= .9915E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 17 COMPLETED. CUM ITER = 335
 *** TIME = .202758E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1586E-04 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.573 CRITERION= .9952E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7874E-02 CRITERION= .9912E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 18 COMPLETED. CUM ITER = 336
 *** TIME = .203547E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1564E-04 OSCILLATION LIMIT = 12.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.547 CRITERION= .9949E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7868E-02 CRITERION= .9906E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 19 COMPLETED. CUM ITER = 337
 *** TIME = .204335E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1586E-04 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.574 CRITERION= .9943E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7865E-02 CRITERION= .9903E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 20 COMPLETED. CUM ITER = 338
 *** TIME = .205124E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1565E-04 OSCILLATION LIMIT = 12.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.547 CRITERION= .9940E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7860E-02 CRITERION= .9897E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 21 COMPLETED. CUM ITER = 339
 *** TIME = .205913E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1585E-04 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.575 CRITERION= .9934E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7856E-02 CRITERION= .9894E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 22 COMPLETED. CUM ITER = 340
 *** TIME = .206702E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1566E-04 OSCILLATION LIMIT = 12.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.548 CRITERION= .9931E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7852E-02 CRITERION= .9888E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 23 COMPLETED. CUM ITER = 341
 *** TIME = .207491E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1585E-04 OSCILLATION LIMIT = 12.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.575 CRITERION= .9925E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
 HT FLOW CONVERGENCE VALUE= .7847E-02 CRITERION= .9885E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 24 COMPLETED. CUM ITER = 342


```

*** TIME = .208280E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1567E-04    OSCILLATION LIMIT = 12.36
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 8.549    CRITERION= .9922E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
    HT FLOW CONVERGENCE VALUE= .7845E-02    CRITERION= .9880E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 25 COMPLETED.    CUM ITER = 343
*** TIME = .209069E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1585E-04    OSCILLATION LIMIT = 12.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 8.576    CRITERION= .9916E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
    HT FLOW CONVERGENCE VALUE= .7838E-02    CRITERION= .9876E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 26 COMPLETED.    CUM ITER = 344
*** TIME = .209858E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1568E-04    OSCILLATION LIMIT = 12.37
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 8.549    CRITERION= .9913E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
    HT FLOW CONVERGENCE VALUE= .7837E-02    CRITERION= .9871E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 27 COMPLETED.    CUM ITER = 345
*** TIME = .210647E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1584E-04    OSCILLATION LIMIT = 12.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 8.577    CRITERION= .9907E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
    HT FLOW CONVERGENCE VALUE= .7829E-02    CRITERION= .9868E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 28 COMPLETED.    CUM ITER = 346
*** TIME = .211436E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1570E-04    OSCILLATION LIMIT = 12.38
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 8.550    CRITERION= .9904E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
    HT FLOW CONVERGENCE VALUE= .7829E-02    CRITERION= .9862E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 29 COMPLETED.    CUM ITER = 347
*** TIME = .212225E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1584E-04    OSCILLATION LIMIT = 12.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 8.577    CRITERION= .9898E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
    HT FLOW CONVERGENCE VALUE= .7820E-02    CRITERION= .9859E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 30 COMPLETED.    CUM ITER = 348
*** TIME = .213014E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1571E-04    OSCILLATION LIMIT = 12.39
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 8.550    CRITERION= .9895E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
    HT FLOW CONVERGENCE VALUE= .7821E-02    CRITERION= .9853E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 31 COMPLETED.    CUM ITER = 349
*** TIME = .213803E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1584E-04    OSCILLATION LIMIT = 12.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 8.578    CRITERION= .9890E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
    HT FLOW CONVERGENCE VALUE= .7811E-02    CRITERION= .9850E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 32 COMPLETED. CUM ITER = 350
*** TIME = .214592E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1572E-04 OSCILLATION LIMIT = 12.40
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.551 CRITERION= .9886E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
HT FLOW CONVERGENCE VALUE= .7812E-02 CRITERION= .9844E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 33 COMPLETED. CUM ITER = 351
*** TIME = .215381E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1583E-04 OSCILLATION LIMIT = 12.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.578 CRITERION= .9881E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
HT FLOW CONVERGENCE VALUE= .7802E-02 CRITERION= .9841E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 34 COMPLETED. CUM ITER = 352
*** TIME = .216170E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1573E-04 OSCILLATION LIMIT = 12.41
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.552 CRITERION= .9877E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
HT FLOW CONVERGENCE VALUE= .7804E-02 CRITERION= .9835E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 35 COMPLETED. CUM ITER = 353
*** TIME = .216959E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1583E-04 OSCILLATION LIMIT = 12.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.579 CRITERION= .9872E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
HT FLOW CONVERGENCE VALUE= .7793E-02 CRITERION= .9832E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 36 COMPLETED. CUM ITER = 354
*** TIME = .217747E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1574E-04 OSCILLATION LIMIT = 12.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.552 CRITERION= .9869E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
HT FLOW CONVERGENCE VALUE= .7796E-02 CRITERION= .9826E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 37 COMPLETED. CUM ITER = 355
*** TIME = .218536E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1583E-04 OSCILLATION LIMIT = 12.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.580 CRITERION= .9863E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
HT FLOW CONVERGENCE VALUE= .7784E-02 CRITERION= .9823E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 38 COMPLETED. CUM ITER = 356
*** TIME = .219325E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1575E-04 OSCILLATION LIMIT = 12.43
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.553 CRITERION= .9860E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
HT FLOW CONVERGENCE VALUE= .7788E-02 CRITERION= .9817E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 39 COMPLETED. CUM ITER = 357
*** TIME = .220114E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1582E-04 OSCILLATION LIMIT = 12.48
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 8.580 CRITERION= .9854E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2303E-01
HT FLOW CONVERGENCE VALUE= .7775E-02 CRITERION= .9814E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 40 COMPLETED. CUM ITER = 358
*** TIME = .220903E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1576E-04 OSCILLATION LIMIT = 12.43

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 06:17:11 MAR 25, 1995 CP= 30406.830
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 7.179 CRITERION= .9840E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2132E-01
HT FLOW CONVERGENCE VALUE= .7002E-02 CRITERION= .9808E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 1 COMPLETED. CUM ITER = 359
*** TIME = .221692E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1653E-04 OSCILLATION LIMIT = 13.04
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.205 CRITERION= .9834E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2162E-01
HT FLOW CONVERGENCE VALUE= .6974E-02 CRITERION= .9805E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 2 COMPLETED. CUM ITER = 360
*** TIME = .222481E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1666E-04 OSCILLATION LIMIT = 13.14
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.179 CRITERION= .9831E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2075E-01
HT FLOW CONVERGENCE VALUE= .6906E-02 CRITERION= .9799E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 3 COMPLETED. CUM ITER = 361
*** TIME = .223270E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.206 CRITERION= .9826E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2154E-01
HT FLOW CONVERGENCE VALUE= .6954E-02 CRITERION= .9796E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 4 COMPLETED. CUM ITER = 362
*** TIME = .224059E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1670E-04 OSCILLATION LIMIT = 13.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.179 CRITERION= .9822E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2086E-01
HT FLOW CONVERGENCE VALUE= .6911E-02 CRITERION= .9791E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 5 COMPLETED. CUM ITER = 363
*** TIME = .224848E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.206 CRITERION= .9817E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2145E-01
HT FLOW CONVERGENCE VALUE= .6937E-02 CRITERION= .9788E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 6 COMPLETED. CUM ITER = 364
*** TIME = .225637E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1670E-04 OSCILLATION LIMIT = 13.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.180 CRITERION= .9814E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2093E-01
 HT FLOW CONVERGENCE VALUE= .6912E-02 CRITERION= .9782E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 7 COMPLETED. CUM ITER = 365
 *** TIME = .226426E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1674E-04 OSCILLATION LIMIT = 13.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.207 CRITERION= .9808E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2140E-01
 HT FLOW CONVERGENCE VALUE= .6925E-02 CRITERION= .9779E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 8 COMPLETED. CUM ITER = 366
 *** TIME = .227215E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1671E-04 OSCILLATION LIMIT = 13.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.180 CRITERION= .9805E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2097E-01
 HT FLOW CONVERGENCE VALUE= .6910E-02 CRITERION= .9774E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 9 COMPLETED. CUM ITER = 367
 *** TIME = .228004E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1674E-04 OSCILLATION LIMIT = 13.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.207 CRITERION= .9800E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2137E-01
 HT FLOW CONVERGENCE VALUE= .6914E-02 CRITERION= .9771E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 10 COMPLETED. CUM ITER = 368
 *** TIME = .228793E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1672E-04 OSCILLATION LIMIT = 13.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.181 CRITERION= .9797E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2099E-01
 HT FLOW CONVERGENCE VALUE= .6905E-02 CRITERION= .9765E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 11 COMPLETED. CUM ITER = 369
 *** TIME = .229582E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1674E-04 OSCILLATION LIMIT = 13.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.208 CRITERION= .9791E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2135E-01
 HT FLOW CONVERGENCE VALUE= .6904E-02 CRITERION= .9762E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 12 COMPLETED. CUM ITER = 370
 *** TIME = .230371E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.181 CRITERION= .9788E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2101E-01
 HT FLOW CONVERGENCE VALUE= .6900E-02 CRITERION= .9756E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 13 COMPLETED. CUM ITER = 371
 *** TIME = .231159E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1674E-04 OSCILLATION LIMIT = 13.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.208 CRITERION= .9782E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2134E-01
 HT FLOW CONVERGENCE VALUE= .6896E-02 CRITERION= .9753E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 14 COMPLETED. CUM ITER = 372
 *** TIME = .231948E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1674E-04 OSCILLATION LIMIT = 13.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.182 CRITERION= .9779E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2101E-01
 HT FLOW CONVERGENCE VALUE= .6894E-02 CRITERION= .9748E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 15 COMPLETED. CUM ITER = 373
 *** TIME = .232737E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1674E-04 OSCILLATION LIMIT = 13.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.209 CRITERION= .9774E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2133E-01
 HT FLOW CONVERGENCE VALUE= .6887E-02 CRITERION= .9745E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 16 COMPLETED. CUM ITER = 374
 *** TIME = .233526E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1675E-04 OSCILLATION LIMIT = 13.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.182 CRITERION= .9771E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2102E-01
 HT FLOW CONVERGENCE VALUE= .6888E-02 CRITERION= .9739E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 17 COMPLETED. CUM ITER = 375
 *** TIME = .234315E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.209 CRITERION= .9765E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2132E-01
 HT FLOW CONVERGENCE VALUE= .6879E-02 CRITERION= .9736E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 18 COMPLETED. CUM ITER = 376
 *** TIME = .235104E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1676E-04 OSCILLATION LIMIT = 13.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.183 CRITERION= .9762E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2102E-01
 HT FLOW CONVERGENCE VALUE= .6882E-02 CRITERION= .9730E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 19 COMPLETED. CUM ITER = 377
 *** TIME = .235893E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.209 CRITERION= .9757E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2132E-01
 HT FLOW CONVERGENCE VALUE= .6872E-02 CRITERION= .9727E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 20 COMPLETED. CUM ITER = 378
 *** TIME = .236682E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1677E-04 OSCILLATION LIMIT = 13.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.183 CRITERION= .9753E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2102E-01
 HT FLOW CONVERGENCE VALUE= .6875E-02 CRITERION= .9722E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 21 COMPLETED. CUM ITER = 379
 *** TIME = .237471E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.210 CRITERION= .9748E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2132E-01
 HT FLOW CONVERGENCE VALUE= .6864E-02 CRITERION= .9719E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 20 SUBSTEP 22 COMPLETED. CUM ITER = 380
*** TIME = .238260E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1678E-04 OSCILLATION LIMIT = 13.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.183 CRITERION= .9745E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2102E-01
HT FLOW CONVERGENCE VALUE= .6868E-02 CRITERION= .9713E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 23 COMPLETED. CUM ITER = 381
*** TIME = .239049E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.210 CRITERION= .9739E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2132E-01
HT FLOW CONVERGENCE VALUE= .6856E-02 CRITERION= .9710E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 24 COMPLETED. CUM ITER = 382
*** TIME = .239838E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1679E-04 OSCILLATION LIMIT = 13.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.184 CRITERION= .9736E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2102E-01
HT FLOW CONVERGENCE VALUE= .6861E-02 CRITERION= .9704E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 25 COMPLETED. CUM ITER = 383
*** TIME = .240627E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.211 CRITERION= .9731E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2131E-01
HT FLOW CONVERGENCE VALUE= .6848E-02 CRITERION= .9701E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 26 COMPLETED. CUM ITER = 384
*** TIME = .241416E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1680E-04 OSCILLATION LIMIT = 13.25
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.184 CRITERION= .9728E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2102E-01
HT FLOW CONVERGENCE VALUE= .6854E-02 CRITERION= .9696E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 27 COMPLETED. CUM ITER = 385
*** TIME = .242205E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.211 CRITERION= .9722E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2131E-01
HT FLOW CONVERGENCE VALUE= .6841E-02 CRITERION= .9693E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 28 COMPLETED. CUM ITER = 386
*** TIME = .242994E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1681E-04 OSCILLATION LIMIT = 13.26
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.185 CRITERION= .9719E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2102E-01
HT FLOW CONVERGENCE VALUE= .6847E-02 CRITERION= .9687E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 29 COMPLETED. CUM ITER = 387
*** TIME = .243782E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.212 CRITERION= .9714E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2131E-01

```

HT FLOW CONVERGENCE VALUE= .6833E-02 CRITERION= .9684E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 30 COMPLETED. CUM ITER = 388
 *** TIME = .244571E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1682E-04 OSCILLATION LIMIT = 13.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.185 CRITERION= .9710E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2102E-01
 HT FLOW CONVERGENCE VALUE= .6840E-02 CRITERION= .9678E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 31 COMPLETED. CUM ITER = 389
 *** TIME = .245360E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.212 CRITERION= .9705E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2131E-01
 HT FLOW CONVERGENCE VALUE= .6826E-02 CRITERION= .9675E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 32 COMPLETED. CUM ITER = 390
 *** TIME = .246149E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1682E-04 OSCILLATION LIMIT = 13.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.186 CRITERION= .9702E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2102E-01
 HT FLOW CONVERGENCE VALUE= .6834E-02 CRITERION= .9670E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 33 COMPLETED. CUM ITER = 391
 *** TIME = .246938E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.212 CRITERION= .9696E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2131E-01
 HT FLOW CONVERGENCE VALUE= .6819E-02 CRITERION= .9667E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 34 COMPLETED. CUM ITER = 392
 *** TIME = .247727E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1683E-04 OSCILLATION LIMIT = 13.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.186 CRITERION= .9693E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2102E-01
 HT FLOW CONVERGENCE VALUE= .6827E-02 CRITERION= .9661E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 35 COMPLETED. CUM ITER = 393
 *** TIME = .248516E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.213 CRITERION= .9688E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2131E-01
 HT FLOW CONVERGENCE VALUE= .6811E-02 CRITERION= .9658E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 36 COMPLETED. CUM ITER = 394
 *** TIME = .249305E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1684E-04 OSCILLATION LIMIT = 13.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.187 CRITERION= .9685E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2102E-01
 HT FLOW CONVERGENCE VALUE= .6820E-02 CRITERION= .9653E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 37 COMPLETED. CUM ITER = 395
 *** TIME = .250094E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.213 CRITERION= .9679E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2130E-01
 HT FLOW CONVERGENCE VALUE= .6804E-02 CRITERION= .9650E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 38 COMPLETED. CUM ITER = 396
 *** TIME = .250883E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1685E-04 OSCILLATION LIMIT = 13.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.187 CRITERION= .9676E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2102E-01
 HT FLOW CONVERGENCE VALUE= .6813E-02 CRITERION= .9644E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 39 COMPLETED. CUM ITER = 397
 *** TIME = .251672E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1673E-04 OSCILLATION LIMIT = 13.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 7.214 CRITERION= .9670E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2130E-01
 HT FLOW CONVERGENCE VALUE= .6797E-02 CRITERION= .9641E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 40 COMPLETED. CUM ITER = 398
 *** TIME = .252461E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1686E-04 OSCILLATION LIMIT = 13.30

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 07:29:59 MAR 25, 1995 CP= 33955.760
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= .9148 CRITERION= .9641E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3245E-01
 HT FLOW CONVERGENCE VALUE= .7256E-02 CRITERION= .9635E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 1 COMPLETED. CUM ITER = 399
 *** TIME = .253250E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8829E-05 OSCILLATION LIMIT = 6.965
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9636E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3325E-01
 HT FLOW CONVERGENCE VALUE= .7303E-02 CRITERION= .9632E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 2 COMPLETED. CUM ITER = 400
 *** TIME = .254039E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9306E-05 OSCILLATION LIMIT = 7.342
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9147 CRITERION= .9632E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2978E-01
 HT FLOW CONVERGENCE VALUE= .6478E-02 CRITERION= .9627E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 3 COMPLETED. CUM ITER = 401
 *** TIME = .254828E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9609E-05 OSCILLATION LIMIT = 7.581
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9627E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3272E-01
 HT FLOW CONVERGENCE VALUE= .7133E-02 CRITERION= .9624E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 4 COMPLETED. CUM ITER = 402
 *** TIME = .255617E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9455E-05 OSCILLATION LIMIT = 7.459

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9148 CRITERION= .9624E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3042E-01
 HT FLOW CONVERGENCE VALUE= .6614E-02 CRITERION= .9619E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 5 COMPLETED. CUM ITER = 403
 *** TIME = .256406E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9559E-05 OSCILLATION LIMIT = 7.541
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9619E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3223E-01
 HT FLOW CONVERGENCE VALUE= .7028E-02 CRITERION= .9615E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 6 COMPLETED. CUM ITER = 404
 *** TIME = .257194E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9484E-05 OSCILLATION LIMIT = 7.482
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9148 CRITERION= .9616E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3081E-01
 HT FLOW CONVERGENCE VALUE= .6694E-02 CRITERION= .9610E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 7 COMPLETED. CUM ITER = 405
 *** TIME = .257983E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9532E-05 OSCILLATION LIMIT = 7.520
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9610E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3195E-01
 HT FLOW CONVERGENCE VALUE= .6959E-02 CRITERION= .9607E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 8 COMPLETED. CUM ITER = 406
 *** TIME = .258772E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9505E-05 OSCILLATION LIMIT = 7.499
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9148 CRITERION= .9607E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3104E-01
 HT FLOW CONVERGENCE VALUE= .6738E-02 CRITERION= .9602E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 9 COMPLETED. CUM ITER = 407
 *** TIME = .259561E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9513E-05 OSCILLATION LIMIT = 7.505
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9602E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3178E-01
 HT FLOW CONVERGENCE VALUE= .6917E-02 CRITERION= .9599E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 10 COMPLETED. CUM ITER = 408
 *** TIME = .260350E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9520E-05 OSCILLATION LIMIT = 7.510
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9148 CRITERION= .9599E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3119E-01
 HT FLOW CONVERGENCE VALUE= .6764E-02 CRITERION= .9593E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 11 COMPLETED. CUM ITER = 409
 *** TIME = .261139E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9499E-05 OSCILLATION LIMIT = 7.495
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9593E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3169E-01
 HT FLOW CONVERGENCE VALUE= .6888E-02 CRITERION= .9590E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 12 COMPLETED. CUM ITER = 410

```

*** TIME = .261928E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9531E-05    OSCILLATION LIMIT = 7.519
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .9148    CRITERION= .9590E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3127E-01
    HT FLOW CONVERGENCE VALUE= .6780E-02    CRITERION= .9585E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 13 COMPLETED.    CUM ITER = 411
*** TIME = .262717E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9489E-05    OSCILLATION LIMIT = 7.486
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .9401    CRITERION= .9585E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3163E-01
    HT FLOW CONVERGENCE VALUE= .6873E-02    CRITERION= .9582E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 14 COMPLETED.    CUM ITER = 412
*** TIME = .263506E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9539E-05    OSCILLATION LIMIT = 7.526
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .9148    CRITERION= .9582E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3133E-01
    HT FLOW CONVERGENCE VALUE= .6790E-02    CRITERION= .9577E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 15 COMPLETED.    CUM ITER = 413
*** TIME = .264295E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9480E-05    OSCILLATION LIMIT = 7.479
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .9401    CRITERION= .9577E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3160E-01
    HT FLOW CONVERGENCE VALUE= .6859E-02    CRITERION= .9574E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 16 COMPLETED.    CUM ITER = 414
*** TIME = .265084E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9546E-05    OSCILLATION LIMIT = 7.531
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .9148    CRITERION= .9574E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3136E-01
    HT FLOW CONVERGENCE VALUE= .6792E-02    CRITERION= .9568E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 17 COMPLETED.    CUM ITER = 415
*** TIME = .265873E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9472E-05    OSCILLATION LIMIT = 7.473
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .9401    CRITERION= .9568E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3159E-01
    HT FLOW CONVERGENCE VALUE= .6847E-02    CRITERION= .9565E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 18 COMPLETED.    CUM ITER = 416
*** TIME = .266662E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9552E-05    OSCILLATION LIMIT = 7.536
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .9148    CRITERION= .9565E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3138E-01
    HT FLOW CONVERGENCE VALUE= .6792E-02    CRITERION= .9560E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 19 COMPLETED.    CUM ITER = 417
*** TIME = .267451E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9465E-05    OSCILLATION LIMIT = 7.467
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .9401    CRITERION= .9560E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3158E-01
    HT FLOW CONVERGENCE VALUE= .6838E-02    CRITERION= .9557E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 20 COMPLETED. CUM ITER = 418
*** TIME = .268240E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9557E-05 OSCILLATION LIMIT = 7.540
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9148 CRITERION= .9557E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3140E-01
HT FLOW CONVERGENCE VALUE= .6791E-02 CRITERION= .9551E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 21 COMPLETED. CUM ITER = 419
*** TIME = .269029E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9458E-05 OSCILLATION LIMIT = 7.462
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9552E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3159E-01
HT FLOW CONVERGENCE VALUE= .6830E-02 CRITERION= .9548E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 22 COMPLETED. CUM ITER = 420
*** TIME = .269818E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9561E-05 OSCILLATION LIMIT = 7.543
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9149 CRITERION= .9548E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3141E-01
HT FLOW CONVERGENCE VALUE= .6789E-02 CRITERION= .9543E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 23 COMPLETED. CUM ITER = 421
*** TIME = .270606E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9452E-05 OSCILLATION LIMIT = 7.457
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9543E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3159E-01
HT FLOW CONVERGENCE VALUE= .6824E-02 CRITERION= .9540E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 24 COMPLETED. CUM ITER = 422
*** TIME = .271395E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9565E-05 OSCILLATION LIMIT = 7.546
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9149 CRITERION= .9540E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3141E-01
HT FLOW CONVERGENCE VALUE= .6787E-02 CRITERION= .9535E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 25 COMPLETED. CUM ITER = 423
*** TIME = .272184E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9446E-05 OSCILLATION LIMIT = 7.453
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9535E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3159E-01
HT FLOW CONVERGENCE VALUE= .6819E-02 CRITERION= .9532E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 26 COMPLETED. CUM ITER = 424
*** TIME = .272973E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9569E-05 OSCILLATION LIMIT = 7.549
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9149 CRITERION= .9532E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3142E-01
HT FLOW CONVERGENCE VALUE= .6784E-02 CRITERION= .9526E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 27 COMPLETED. CUM ITER = 425
*** TIME = .273762E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9441E-05 OSCILLATION LIMIT = 7.449
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9526E-01

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3160E-01
HT FLOW CONVERGENCE VALUE= .6813E-02 CRITERION= .9523E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 28 COMPLETED. CUM ITER = 426
*** TIME = .274551E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9573E-05 OSCILLATION LIMIT = 7.552
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9149 CRITERION= .9523E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3143E-01
HT FLOW CONVERGENCE VALUE= .6781E-02 CRITERION= .9518E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 29 COMPLETED. CUM ITER = 427
*** TIME = .275340E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9436E-05 OSCILLATION LIMIT = 7.444
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9518E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3161E-01
HT FLOW CONVERGENCE VALUE= .6807E-02 CRITERION= .9515E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 30 COMPLETED. CUM ITER = 428
*** TIME = .276129E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9576E-05 OSCILLATION LIMIT = 7.555
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9149 CRITERION= .9515E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3143E-01
HT FLOW CONVERGENCE VALUE= .6778E-02 CRITERION= .9509E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 31 COMPLETED. CUM ITER = 429
*** TIME = .276918E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9431E-05 OSCILLATION LIMIT = 7.441
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9510E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3162E-01
HT FLOW CONVERGENCE VALUE= .6802E-02 CRITERION= .9506E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 32 COMPLETED. CUM ITER = 430
*** TIME = .277707E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9579E-05 OSCILLATION LIMIT = 7.557
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9149 CRITERION= .9506E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3144E-01
HT FLOW CONVERGENCE VALUE= .6774E-02 CRITERION= .9501E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 33 COMPLETED. CUM ITER = 431
*** TIME = .278496E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9426E-05 OSCILLATION LIMIT = 7.437
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9501E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3162E-01
HT FLOW CONVERGENCE VALUE= .6796E-02 CRITERION= .9498E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 34 COMPLETED. CUM ITER = 432
*** TIME = .279285E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9582E-05 OSCILLATION LIMIT = 7.559
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9149 CRITERION= .9498E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3144E-01
HT FLOW CONVERGENCE VALUE= .6770E-02 CRITERION= .9493E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 35 COMPLETED. CUM ITER = 433
*** TIME = .280074E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9422E-05 OSCILLATION LIMIT = 7.433
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9493E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3163E-01
 HT FLOW CONVERGENCE VALUE= .6789E-02 CRITERION= .9490E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 36 COMPLETED. CUM ITER = 434
 *** TIME = .280863E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9584E-05 OSCILLATION LIMIT = 7.562
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9149 CRITERION= .9490E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3145E-01
 HT FLOW CONVERGENCE VALUE= .6766E-02 CRITERION= .9484E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 37 COMPLETED. CUM ITER = 435
 *** TIME = .281652E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9418E-05 OSCILLATION LIMIT = 7.430
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9484E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3164E-01
 HT FLOW CONVERGENCE VALUE= .6787E-02 CRITERION= .9481E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 38 COMPLETED. CUM ITER = 436
 *** TIME = .282441E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9587E-05 OSCILLATION LIMIT = 7.563
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9149 CRITERION= .9481E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3145E-01
 HT FLOW CONVERGENCE VALUE= .6766E-02 CRITERION= .9476E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 39 COMPLETED. CUM ITER = 437
 *** TIME = .283229E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9414E-05 OSCILLATION LIMIT = 7.427
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .9401 CRITERION= .9476E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3165E-01
 HT FLOW CONVERGENCE VALUE= .6783E-02 CRITERION= .9473E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 40 COMPLETED. CUM ITER = 438
 *** TIME = .284018E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9589E-05 OSCILLATION LIMIT = 7.565
 Apply loads and solve for 10 to 90 years

*DO LOOP ON PARAMETER= TM FROM .31558E+09 TO .28402E+10 BY .31558E+09
 TIME= .31558E+09

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 3020.49145 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11

LOAD LABELS = TEMP

VALUES = 117.13 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10

LOAD LABELS = TEMP

VALUES = 117.73 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9

LOAD LABELS = TEMP

VALUES = 119.02 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL

CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE ***

CP= 37505.340 TIME= 08:43:12

Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****

900-38303 VERSION=HP 9000/7XX 08:43:12 MAR 25, 1995 CP= 37505.340
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 22
TIME AT END OF THE LOAD STEP.31558E+09
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .3339 CRITERION= .9473E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2607E-01
HT FLOW CONVERGENCE VALUE= .5782E-02 CRITERION= .9468E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 1 COMPLETED. CUM ITER = 439
*** TIME = .284807E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8255E-05 OSCILLATION LIMIT = 6.513
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3582 CRITERION= .9468E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2536E-01
HT FLOW CONVERGENCE VALUE= .5498E-02 CRITERION= .9466E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 2 COMPLETED. CUM ITER = 440

```

*** TIME = .285596E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8851E-05    OSCILLATION LIMIT = 6.983
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .3339    CRITERION= .9466E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2601E-01
    HT FLOW CONVERGENCE VALUE= .5642E-02    CRITERION= .9462E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 3 COMPLETED. CUM ITER = 441
*** TIME = .286385E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8629E-05    OSCILLATION LIMIT = 6.808
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .3582    CRITERION= .9461E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2556E-01
    HT FLOW CONVERGENCE VALUE= .5537E-02    CRITERION= .9459E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 4 COMPLETED. CUM ITER = 442
*** TIME = .287174E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8844E-05    OSCILLATION LIMIT = 6.978
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .3339    CRITERION= .9459E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2587E-01
    HT FLOW CONVERGENCE VALUE= .5612E-02    CRITERION= .9455E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 5 COMPLETED. CUM ITER = 443
*** TIME = .287963E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8626E-05    OSCILLATION LIMIT = 6.805
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .3582    CRITERION= .9455E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2568E-01
    HT FLOW CONVERGENCE VALUE= .5555E-02    CRITERION= .9453E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 6 COMPLETED. CUM ITER = 444
*** TIME = .288752E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8843E-05    OSCILLATION LIMIT = 6.977
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .3339    CRITERION= .9452E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2579E-01
    HT FLOW CONVERGENCE VALUE= .5592E-02    CRITERION= .9448E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 7 COMPLETED. CUM ITER = 445
*** TIME = .289541E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8623E-05    OSCILLATION LIMIT = 6.803
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .3582    CRITERION= .9448E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2575E-01
    HT FLOW CONVERGENCE VALUE= .5564E-02    CRITERION= .9446E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 8 COMPLETED. CUM ITER = 446
*** TIME = .290330E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8843E-05    OSCILLATION LIMIT = 6.977
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .3339    CRITERION= .9446E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2575E-01
    HT FLOW CONVERGENCE VALUE= .5577E-02    CRITERION= .9442E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 9 COMPLETED. CUM ITER = 447
*** TIME = .291119E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8620E-05    OSCILLATION LIMIT = 6.800
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= .3582    CRITERION= .9441E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2579E-01
    HT FLOW CONVERGENCE VALUE= .5567E-02    CRITERION= .9439E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 10 COMPLETED. CUM ITER = 448
*** TIME = .291908E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8844E-05 OSCILLATION LIMIT = 6.978
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3339 CRITERION= .9439E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2572E-01
HT FLOW CONVERGENCE VALUE= .5569E-02 CRITERION= .9435E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 11 COMPLETED. CUM ITER = 449
*** TIME = .292697E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8616E-05 OSCILLATION LIMIT = 6.797
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3582 CRITERION= .9435E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2582E-01
HT FLOW CONVERGENCE VALUE= .5569E-02 CRITERION= .9433E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 12 COMPLETED. CUM ITER = 450
*** TIME = .293486E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8846E-05 OSCILLATION LIMIT = 6.979
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3339 CRITERION= .9433E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2571E-01
HT FLOW CONVERGENCE VALUE= .5563E-02 CRITERION= .9428E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 13 COMPLETED. CUM ITER = 451
*** TIME = .294275E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8612E-05 OSCILLATION LIMIT = 6.795
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3582 CRITERION= .9428E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2584E-01
HT FLOW CONVERGENCE VALUE= .5568E-02 CRITERION= .9426E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 14 COMPLETED. CUM ITER = 452
*** TIME = .295064E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8848E-05 OSCILLATION LIMIT = 6.980
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3339 CRITERION= .9426E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2570E-01
HT FLOW CONVERGENCE VALUE= .5559E-02 CRITERION= .9422E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 15 COMPLETED. CUM ITER = 453
*** TIME = .295853E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8608E-05 OSCILLATION LIMIT = 6.792
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3582 CRITERION= .9421E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2585E-01
HT FLOW CONVERGENCE VALUE= .5567E-02 CRITERION= .9419E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 16 COMPLETED. CUM ITER = 454
*** TIME = .296641E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8850E-05 OSCILLATION LIMIT = 6.982
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3340 CRITERION= .9419E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2570E-01
HT FLOW CONVERGENCE VALUE= .5556E-02 CRITERION= .9415E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 17 COMPLETED. CUM ITER = 455
*** TIME = .297430E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8605E-05 OSCILLATION LIMIT = 6.789
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3581 CRITERION= .9415E-01

```



```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2586E-01
HT FLOW CONVERGENCE VALUE= .5565E-02 CRITERION= .9413E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 18 COMPLETED. CUM ITER = 456
*** TIME = .298219E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8852E-05 OSCILLATION LIMIT = 6.983
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3340 CRITERION= .9413E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2570E-01
HT FLOW CONVERGENCE VALUE= .5553E-02 CRITERION= .9408E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 19 COMPLETED. CUM ITER = 457
*** TIME = .299008E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8601E-05 OSCILLATION LIMIT = 6.786
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3581 CRITERION= .9408E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2587E-01
HT FLOW CONVERGENCE VALUE= .5562E-02 CRITERION= .9406E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 20 COMPLETED. CUM ITER = 458
*** TIME = .299797E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8854E-05 OSCILLATION LIMIT = 6.985
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3340 CRITERION= .9406E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2570E-01
HT FLOW CONVERGENCE VALUE= .5550E-02 CRITERION= .9402E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 21 COMPLETED. CUM ITER = 459
*** TIME = .300586E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8597E-05 OSCILLATION LIMIT = 6.783
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3581 CRITERION= .9401E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2588E-01
HT FLOW CONVERGENCE VALUE= .5559E-02 CRITERION= .9399E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 22 COMPLETED. CUM ITER = 460
*** TIME = .301375E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8855E-05 OSCILLATION LIMIT = 6.986
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3340 CRITERION= .9399E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2570E-01
HT FLOW CONVERGENCE VALUE= .5548E-02 CRITERION= .9395E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 23 COMPLETED. CUM ITER = 461
*** TIME = .302164E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8594E-05 OSCILLATION LIMIT = 6.780
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3581 CRITERION= .9395E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2589E-01
HT FLOW CONVERGENCE VALUE= .5556E-02 CRITERION= .9393E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 24 COMPLETED. CUM ITER = 462
*** TIME = .302953E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8857E-05 OSCILLATION LIMIT = 6.987
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3340 CRITERION= .9393E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2571E-01
HT FLOW CONVERGENCE VALUE= .5545E-02 CRITERION= .9388E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 25 COMPLETED. CUM ITER = 463
*** TIME = .303742E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8591E-05 OSCILLATION LIMIT = 6.777
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= .3581 CRITERION= .9388E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2589E-01
 HT FLOW CONVERGENCE VALUE= .5553E-02 CRITERION= .9386E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 26 COMPLETED. CUM ITER = 464
 *** TIME = .304531E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8858E-05 OSCILLATION LIMIT = 6.989
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3340 CRITERION= .9386E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2571E-01
 HT FLOW CONVERGENCE VALUE= .5542E-02 CRITERION= .9382E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 27 COMPLETED. CUM ITER = 465
 *** TIME = .305320E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8587E-05 OSCILLATION LIMIT = 6.775
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3581 CRITERION= .9381E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2590E-01
 HT FLOW CONVERGENCE VALUE= .5549E-02 CRITERION= .9380E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 28 COMPLETED. CUM ITER = 466
 *** TIME = .306109E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8860E-05 OSCILLATION LIMIT = 6.990
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3340 CRITERION= .9379E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2572E-01
 HT FLOW CONVERGENCE VALUE= .5540E-02 CRITERION= .9375E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 29 COMPLETED. CUM ITER = 467
 *** TIME = .306898E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8584E-05 OSCILLATION LIMIT = 6.772
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3581 CRITERION= .9375E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2590E-01
 HT FLOW CONVERGENCE VALUE= .5546E-02 CRITERION= .9373E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 30 COMPLETED. CUM ITER = 468
 *** TIME = .307687E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8861E-05 OSCILLATION LIMIT = 6.991
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3340 CRITERION= .9373E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2572E-01
 HT FLOW CONVERGENCE VALUE= .5538E-02 CRITERION= .9368E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 31 COMPLETED. CUM ITER = 469
 *** TIME = .308476E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8581E-05 OSCILLATION LIMIT = 6.770
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3581 CRITERION= .9368E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2591E-01
 HT FLOW CONVERGENCE VALUE= .5543E-02 CRITERION= .9366E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 32 COMPLETED. CUM ITER = 470
 *** TIME = .309265E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8862E-05 OSCILLATION LIMIT = 6.992
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3340 CRITERION= .9366E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2572E-01
 HT FLOW CONVERGENCE VALUE= .5535E-02 CRITERION= .9362E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 33 COMPLETED. CUM ITER = 471
 *** TIME = .310053E+09 TIME INC = 788940.

```

*** RESPONSE EIGENVALUE = .8578E-05  OSCILLATION LIMIT = 6.768
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= .3581      CRITERION= .9362E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2591E-01
  HT FLOW CONVERGENCE VALUE= .5540E-02 CRITERION= .9360E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 34 COMPLETED. CUM ITER = 472
*** TIME = .310842E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8863E-05  OSCILLATION LIMIT = 6.993
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= .3340      CRITERION= .9359E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2573E-01
  HT FLOW CONVERGENCE VALUE= .5533E-02 CRITERION= .9355E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 35 COMPLETED. CUM ITER = 473
*** TIME = .311631E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8575E-05  OSCILLATION LIMIT = 6.765
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= .3581      CRITERION= .9355E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2591E-01
  HT FLOW CONVERGENCE VALUE= .5537E-02 CRITERION= .9353E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 36 COMPLETED. CUM ITER = 474
*** TIME = .312420E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8864E-05  OSCILLATION LIMIT = 6.993
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= .3340      CRITERION= .9353E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2573E-01
  HT FLOW CONVERGENCE VALUE= .5530E-02 CRITERION= .9348E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 37 COMPLETED. CUM ITER = 475
*** TIME = .313209E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8572E-05  OSCILLATION LIMIT = 6.763
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= .3581      CRITERION= .9348E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2592E-01
  HT FLOW CONVERGENCE VALUE= .5533E-02 CRITERION= .9346E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 38 COMPLETED. CUM ITER = 476
*** TIME = .313998E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8865E-05  OSCILLATION LIMIT = 6.994
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= .3340      CRITERION= .9346E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2574E-01
  HT FLOW CONVERGENCE VALUE= .5528E-02 CRITERION= .9342E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 39 COMPLETED. CUM ITER = 477
*** TIME = .314787E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8570E-05  OSCILLATION LIMIT = 6.761
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06  UNCHANGED

  HT FLOW CONVERGENCE VALUE= .3581      CRITERION= .9342E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2592E-01
  HT FLOW CONVERGENCE VALUE= .5530E-02 CRITERION= .9340E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 40 COMPLETED. CUM ITER = 478
*** TIME = .315576E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8866E-05  OSCILLATION LIMIT = 6.995

```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 09:56:03 MAR 25, 1995 CP= 41053.800
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 14.19 CRITERION= .9444E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3339
HT FLOW CONVERGENCE VALUE= .7263E-01 CRITERION= .9306E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 1 COMPLETED. CUM ITER = 479
*** TIME = .323465E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6558E-05 OSCILLATION LIMIT = 51.74
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.17 CRITERION= .9410E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3131
HT FLOW CONVERGENCE VALUE= .7126E-01 CRITERION= .9271E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 2 COMPLETED. CUM ITER = 480
*** TIME = .331355E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5912E-05 OSCILLATION LIMIT = 46.64
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.19 CRITERION= .9376E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3115
HT FLOW CONVERGENCE VALUE= .7040E-01 CRITERION= .9234E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 3 COMPLETED. CUM ITER = 481
*** TIME = .339244E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5921E-05 OSCILLATION LIMIT = 46.71
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.16 CRITERION= .9339E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3143
HT FLOW CONVERGENCE VALUE= .7067E-01 CRITERION= .9198E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 4 COMPLETED. CUM ITER = 482
*** TIME = .347134E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5951E-05 OSCILLATION LIMIT = 46.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.19 CRITERION= .9304E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3123
HT FLOW CONVERGENCE VALUE= .6999E-01 CRITERION= .9161E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 5 COMPLETED. CUM ITER = 483
*** TIME = .355023E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5917E-05 OSCILLATION LIMIT = 46.68
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.16 CRITERION= .9267E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3150
HT FLOW CONVERGENCE VALUE= .7024E-01 CRITERION= .9126E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 6 COMPLETED. CUM ITER = 484
*** TIME = .362912E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5946E-05 OSCILLATION LIMIT = 46.91
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.19 CRITERION= .9233E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3131
HT FLOW CONVERGENCE VALUE= .6961E-01 CRITERION= .9089E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 7 COMPLETED. CUM ITER = 485
*** TIME = .370802E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5913E-05 OSCILLATION LIMIT = 46.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.16 CRITERION= .9196E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3156
 HT FLOW CONVERGENCE VALUE= .6982E-01 CRITERION= .9054E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 8 COMPLETED. CUM ITER = 486
 *** TIME = .378691E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5941E-05 OSCILLATION LIMIT = 46.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.18 CRITERION= .9162E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3139
 HT FLOW CONVERGENCE VALUE= .6919E-01 CRITERION= .9017E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 9 COMPLETED. CUM ITER = 487
 *** TIME = .386581E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5909E-05 OSCILLATION LIMIT = 46.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.16 CRITERION= .9125E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3163
 HT FLOW CONVERGENCE VALUE= .6939E-01 CRITERION= .8982E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 10 COMPLETED. CUM ITER = 488
 *** TIME = .394470E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5936E-05 OSCILLATION LIMIT = 46.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.18 CRITERION= .9090E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3146
 HT FLOW CONVERGENCE VALUE= .6881E-01 CRITERION= .8945E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 11 COMPLETED. CUM ITER = 489
 *** TIME = .402359E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5904E-05 OSCILLATION LIMIT = 46.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.16 CRITERION= .9054E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3170
 HT FLOW CONVERGENCE VALUE= .6897E-01 CRITERION= .8910E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 12 COMPLETED. CUM ITER = 490
 *** TIME = .410249E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5931E-05 OSCILLATION LIMIT = 46.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.18 CRITERION= .9019E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3153
 HT FLOW CONVERGENCE VALUE= .6839E-01 CRITERION= .8873E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 13 COMPLETED. CUM ITER = 491
 *** TIME = .418138E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5900E-05 OSCILLATION LIMIT = 46.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.16 CRITERION= .8982E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3176
 HT FLOW CONVERGENCE VALUE= .6857E-01 CRITERION= .8838E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 14 COMPLETED. CUM ITER = 492
 *** TIME = .426028E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5925E-05 OSCILLATION LIMIT = 46.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.18 CRITERION= .8948E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3160
 HT FLOW CONVERGENCE VALUE= .6803E-01 CRITERION= .8801E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 15 COMPLETED. CUM ITER = 493
 *** TIME = .433917E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5895E-05 OSCILLATION LIMIT = 46.51

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.15 CRITERION= .8911E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3182
 HT FLOW CONVERGENCE VALUE= .6818E-01 CRITERION= .8766E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 16 COMPLETED. CUM ITER = 494
 *** TIME = .441806E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5920E-05 OSCILLATION LIMIT = 46.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.18 CRITERION= .8877E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3167
 HT FLOW CONVERGENCE VALUE= .6764E-01 CRITERION= .8729E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 17 COMPLETED. CUM ITER = 495
 *** TIME = .449696E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5890E-05 OSCILLATION LIMIT = 46.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.15 CRITERION= .8840E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3188
 HT FLOW CONVERGENCE VALUE= .6777E-01 CRITERION= .8694E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 18 COMPLETED. CUM ITER = 496
 *** TIME = .457585E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5915E-05 OSCILLATION LIMIT = 46.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.18 CRITERION= .8806E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3174
 HT FLOW CONVERGENCE VALUE= .6726E-01 CRITERION= .8657E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 19 COMPLETED. CUM ITER = 497
 *** TIME = .465475E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5885E-05 OSCILLATION LIMIT = 46.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.15 CRITERION= .8769E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3194
 HT FLOW CONVERGENCE VALUE= .6734E-01 CRITERION= .8622E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 20 COMPLETED. CUM ITER = 498
 *** TIME = .473364E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5909E-05 OSCILLATION LIMIT = 46.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.17 CRITERION= .8734E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3181
 HT FLOW CONVERGENCE VALUE= .6685E-01 CRITERION= .8585E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 21 COMPLETED. CUM ITER = 499
 *** TIME = .481253E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5881E-05 OSCILLATION LIMIT = 46.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.15 CRITERION= .8698E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3200
 HT FLOW CONVERGENCE VALUE= .6693E-01 CRITERION= .8550E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 22 COMPLETED. CUM ITER = 500
 *** TIME = .489143E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5904E-05 OSCILLATION LIMIT = 46.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.17 CRITERION= .8663E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3188
 HT FLOW CONVERGENCE VALUE= .6646E-01 CRITERION= .8512E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 23 COMPLETED. CUM ITER = 501

```

*** TIME = .497032E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5876E-05    OSCILLATION LIMIT = 46.36
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.15    CRITERION= .8626E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3207
    HT FLOW CONVERGENCE VALUE= .6654E-01 CRITERION= .8477E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 24 COMPLETED. CUM ITER = 502
*** TIME = .504922E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5899E-05    OSCILLATION LIMIT = 46.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.17    CRITERION= .8592E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3195
    HT FLOW CONVERGENCE VALUE= .6608E-01 CRITERION= .8440E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 25 COMPLETED. CUM ITER = 503
*** TIME = .512811E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5871E-05    OSCILLATION LIMIT = 46.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.14    CRITERION= .8555E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3213
    HT FLOW CONVERGENCE VALUE= .6614E-01 CRITERION= .8405E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 26 COMPLETED. CUM ITER = 504
*** TIME = .520700E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5894E-05    OSCILLATION LIMIT = 46.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.17    CRITERION= .8521E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3202
    HT FLOW CONVERGENCE VALUE= .6571E-01 CRITERION= .8368E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 27 COMPLETED. CUM ITER = 505
*** TIME = .528590E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5867E-05    OSCILLATION LIMIT = 46.28
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.14    CRITERION= .8484E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3219
    HT FLOW CONVERGENCE VALUE= .6577E-01 CRITERION= .8333E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 28 COMPLETED. CUM ITER = 506
*** TIME = .536479E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5889E-05    OSCILLATION LIMIT = 46.46
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.17    CRITERION= .8450E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3209
    HT FLOW CONVERGENCE VALUE= .6535E-01 CRITERION= .8296E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 29 COMPLETED. CUM ITER = 507
*** TIME = .544369E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5862E-05    OSCILLATION LIMIT = 46.25
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.14    CRITERION= .8413E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3226
    HT FLOW CONVERGENCE VALUE= .6540E-01 CRITERION= .8261E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 30 COMPLETED. CUM ITER = 508
*** TIME = .552258E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5884E-05    OSCILLATION LIMIT = 46.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 14.17    CRITERION= .8379E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3216
    HT FLOW CONVERGENCE VALUE= .6499E-01 CRITERION= .8224E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 31 COMPLETED. CUM ITER = 509
*** TIME = .560147E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5857E-05 OSCILLATION LIMIT = 46.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.14 CRITERION= .8342E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3233
HT FLOW CONVERGENCE VALUE= .6504E-01 CRITERION= .8189E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 32 COMPLETED. CUM ITER = 510
*** TIME = .568037E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5878E-05 OSCILLATION LIMIT = 46.38
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.16 CRITERION= .8308E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3223
HT FLOW CONVERGENCE VALUE= .6464E-01 CRITERION= .8152E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 33 COMPLETED. CUM ITER = 511
*** TIME = .575926E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5852E-05 OSCILLATION LIMIT = 46.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.14 CRITERION= .8271E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3239
HT FLOW CONVERGENCE VALUE= .6464E-01 CRITERION= .8117E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 34 COMPLETED. CUM ITER = 512
*** TIME = .583816E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5873E-05 OSCILLATION LIMIT = 46.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.16 CRITERION= .8237E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3231
HT FLOW CONVERGENCE VALUE= .6424E-01 CRITERION= .8080E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 35 COMPLETED. CUM ITER = 513
*** TIME = .591705E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5848E-05 OSCILLATION LIMIT = 46.13
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.14 CRITERION= .8200E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3246
HT FLOW CONVERGENCE VALUE= .6428E-01 CRITERION= .8045E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 36 COMPLETED. CUM ITER = 514
*** TIME = .599594E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5868E-05 OSCILLATION LIMIT = 46.29
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.16 CRITERION= .8165E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3238
HT FLOW CONVERGENCE VALUE= .6390E-01 CRITERION= .8008E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 37 COMPLETED. CUM ITER = 515
*** TIME = .607484E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5842E-05 OSCILLATION LIMIT = 46.09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.13 CRITERION= .8129E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3252
HT FLOW CONVERGENCE VALUE= .6384E-01 CRITERION= .7973E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 38 COMPLETED. CUM ITER = 516
*** TIME = .615373E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .5862E-05 OSCILLATION LIMIT = 46.25
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.16 CRITERION= .8094E-01

```


EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3245
 HT FLOW CONVERGENCE VALUE= .6345E-01 CRITERION= .7936E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 39 COMPLETED. CUM ITER = 517
 *** TIME = .623263E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5837E-05 OSCILLATION LIMIT = 46.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 14.13 CRITERION= .8058E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3259
 HT FLOW CONVERGENCE VALUE= .6343E-01 CRITERION= .7901E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 40 COMPLETED. CUM ITER = 518
 *** TIME = .631152E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .5857E-05 OSCILLATION LIMIT = 46.20

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 11:08:20 MAR 25, 1995 CP= 44601.340
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 30.36 CRITERION= .8461E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2891
 HT FLOW CONVERGENCE VALUE= .6274E-01 CRITERION= .7870E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 1 COMPLETED. CUM ITER = 519
 *** TIME = .639041E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3387E-05 OSCILLATION LIMIT = 26.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.33 CRITERION= .8433E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2862
 HT FLOW CONVERGENCE VALUE= .6107E-01 CRITERION= .7844E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 2 COMPLETED. CUM ITER = 520
 *** TIME = .646931E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3536E-05 OSCILLATION LIMIT = 27.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.35 CRITERION= .8408E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2863
 HT FLOW CONVERGENCE VALUE= .6091E-01 CRITERION= .7815E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 3 COMPLETED. CUM ITER = 521
 *** TIME = .654820E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3529E-05 OSCILLATION LIMIT = 27.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.32 CRITERION= .8381E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2872
 HT FLOW CONVERGENCE VALUE= .6091E-01 CRITERION= .7789E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 4 COMPLETED. CUM ITER = 522
 *** TIME = .662710E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3546E-05 OSCILLATION LIMIT = 27.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.34 CRITERION= .8357E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2869
 HT FLOW CONVERGENCE VALUE= .6068E-01 CRITERION= .7760E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 5 COMPLETED. CUM ITER = 523
 *** TIME = .670599E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3527E-05 OSCILLATION LIMIT = 27.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.32 CRITERION= .8329E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2877
 HT FLOW CONVERGENCE VALUE= .6063E-01 CRITERION= .7734E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 6 COMPLETED. CUM ITER = 524
 *** TIME = .678488E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3544E-05 OSCILLATION LIMIT = 27.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.34 CRITERION= .8305E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2874
 HT FLOW CONVERGENCE VALUE= .6038E-01 CRITERION= .7705E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 7 COMPLETED. CUM ITER = 525
 *** TIME = .686378E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3526E-05 OSCILLATION LIMIT = 27.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.31 CRITERION= .8278E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2882
 HT FLOW CONVERGENCE VALUE= .6037E-01 CRITERION= .7679E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 8 COMPLETED. CUM ITER = 526
 *** TIME = .694267E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3542E-05 OSCILLATION LIMIT = 27.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.33 CRITERION= .8253E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2880
 HT FLOW CONVERGENCE VALUE= .6007E-01 CRITERION= .7650E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 9 COMPLETED. CUM ITER = 527
 *** TIME = .702157E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3525E-05 OSCILLATION LIMIT = 27.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.30 CRITERION= .8226E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2887
 HT FLOW CONVERGENCE VALUE= .5976E-01 CRITERION= .7623E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 10 COMPLETED. CUM ITER = 528
 *** TIME = .710046E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3540E-05 OSCILLATION LIMIT = 27.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.32 CRITERION= .8202E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2885
 HT FLOW CONVERGENCE VALUE= .5951E-01 CRITERION= .7595E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 11 COMPLETED. CUM ITER = 529
 *** TIME = .717935E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3523E-05 OSCILLATION LIMIT = 27.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.29 CRITERION= .8175E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2893
 HT FLOW CONVERGENCE VALUE= .5945E-01 CRITERION= .7568E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 12 COMPLETED. CUM ITER = 530
 *** TIME = .725825E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3539E-05 OSCILLATION LIMIT = 27.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.31 CRITERION= .8150E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2891
 HT FLOW CONVERGENCE VALUE= .5916E-01 CRITERION= .7540E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 13 COMPLETED. CUM ITER = 531
 *** TIME = .733714E+09 TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .3521E-05  OSCILLATION LIMIT = 27.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 30.28  CRITERION= .8123E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2898
  HT FLOW CONVERGENCE VALUE= .5905E-01 CRITERION= .7513E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 14 COMPLETED. CUM ITER = 532
*** TIME = .741604E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3537E-05  OSCILLATION LIMIT = 27.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 30.30  CRITERION= .8099E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2896
  HT FLOW CONVERGENCE VALUE= .5881E-01 CRITERION= .7485E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 15 COMPLETED. CUM ITER = 533
*** TIME = .749493E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3520E-05  OSCILLATION LIMIT = 27.77
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 30.28  CRITERION= .8072E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2903
  HT FLOW CONVERGENCE VALUE= .5875E-01 CRITERION= .7458E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 16 COMPLETED. CUM ITER = 534
*** TIME = .757382E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3535E-05  OSCILLATION LIMIT = 27.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 30.30  CRITERION= .8048E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2902
  HT FLOW CONVERGENCE VALUE= .5853E-01 CRITERION= .7430E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 17 COMPLETED. CUM ITER = 535
*** TIME = .765272E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3518E-05  OSCILLATION LIMIT = 27.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 30.27  CRITERION= .8021E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2909
  HT FLOW CONVERGENCE VALUE= .5846E-01 CRITERION= .7403E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 18 COMPLETED. CUM ITER = 536
*** TIME = .773161E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3533E-05  OSCILLATION LIMIT = 27.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 30.29  CRITERION= .7996E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2907
  HT FLOW CONVERGENCE VALUE= .5824E-01 CRITERION= .7375E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 19 COMPLETED. CUM ITER = 537
*** TIME = .781051E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3517E-05  OSCILLATION LIMIT = 27.74
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 30.26  CRITERION= .7969E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2914
  HT FLOW CONVERGENCE VALUE= .5817E-01 CRITERION= .7348E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 20 COMPLETED. CUM ITER = 538
*** TIME = .788940E+09  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3531E-05  OSCILLATION LIMIT = 27.86
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 30.28  CRITERION= .7945E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2913
  HT FLOW CONVERGENCE VALUE= .5794E-01 CRITERION= .7319E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

```
*** LOAD STEP 24 SUBSTEP 21 COMPLETED. CUM ITER = 539
*** TIME = .796829E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3515E-05 OSCILLATION LIMIT = 27.73
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.25 CRITERION= .7918E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2920
HT FLOW CONVERGENCE VALUE= .5785E-01 CRITERION= .7293E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 22 COMPLETED. CUM ITER = 540
*** TIME = .804719E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3529E-05 OSCILLATION LIMIT = 27.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.27 CRITERION= .7894E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2919
HT FLOW CONVERGENCE VALUE= .5762E-01 CRITERION= .7264E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 23 COMPLETED. CUM ITER = 541
*** TIME = .812608E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3514E-05 OSCILLATION LIMIT = 27.72
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.24 CRITERION= .7867E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2925
HT FLOW CONVERGENCE VALUE= .5753E-01 CRITERION= .7238E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 24 COMPLETED. CUM ITER = 542
*** TIME = .820498E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3528E-05 OSCILLATION LIMIT = 27.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.26 CRITERION= .7843E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2924
HT FLOW CONVERGENCE VALUE= .5729E-01 CRITERION= .7209E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 25 COMPLETED. CUM ITER = 543
*** TIME = .828387E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3512E-05 OSCILLATION LIMIT = 27.71
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.24 CRITERION= .7816E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2931
HT FLOW CONVERGENCE VALUE= .5717E-01 CRITERION= .7183E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 26 COMPLETED. CUM ITER = 544
*** TIME = .836276E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3526E-05 OSCILLATION LIMIT = 27.82
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.26 CRITERION= .7792E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2930
HT FLOW CONVERGENCE VALUE= .5696E-01 CRITERION= .7154E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 27 COMPLETED. CUM ITER = 545
*** TIME = .844166E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3510E-05 OSCILLATION LIMIT = 27.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.23 CRITERION= .7765E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2936
HT FLOW CONVERGENCE VALUE= .5687E-01 CRITERION= .7128E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 28 COMPLETED. CUM ITER = 546
*** TIME = .852055E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3524E-05 OSCILLATION LIMIT = 27.80
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.25 CRITERION= .7741E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2936
```

HT FLOW CONVERGENCE VALUE= .5664E-01 CRITERION= .7099E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 29 COMPLETED. CUM ITER = 547
 *** TIME = .859945E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3509E-05 OSCILLATION LIMIT = 27.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.22 CRITERION= .7714E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2942
 HT FLOW CONVERGENCE VALUE= .5653E-01 CRITERION= .7073E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 30 COMPLETED. CUM ITER = 548
 *** TIME = .867834E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3522E-05 OSCILLATION LIMIT = 27.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.24 CRITERION= .7690E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2942
 HT FLOW CONVERGENCE VALUE= .5631E-01 CRITERION= .7044E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 31 COMPLETED. CUM ITER = 549
 *** TIME = .875723E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3508E-05 OSCILLATION LIMIT = 27.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.21 CRITERION= .7663E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2948
 HT FLOW CONVERGENCE VALUE= .5620E-01 CRITERION= .7017E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 32 COMPLETED. CUM ITER = 550
 *** TIME = .883613E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3521E-05 OSCILLATION LIMIT = 27.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.23 CRITERION= .7639E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2947
 HT FLOW CONVERGENCE VALUE= .5597E-01 CRITERION= .6989E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 33 COMPLETED. CUM ITER = 551
 *** TIME = .891502E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3506E-05 OSCILLATION LIMIT = 27.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.20 CRITERION= .7612E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2954
 HT FLOW CONVERGENCE VALUE= .5586E-01 CRITERION= .6962E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 34 COMPLETED. CUM ITER = 552
 *** TIME = .899392E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3519E-05 OSCILLATION LIMIT = 27.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.23 CRITERION= .7588E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2953
 HT FLOW CONVERGENCE VALUE= .5564E-01 CRITERION= .6934E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 35 COMPLETED. CUM ITER = 553
 *** TIME = .907281E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3505E-05 OSCILLATION LIMIT = 27.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.20 CRITERION= .7561E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2959
 HT FLOW CONVERGENCE VALUE= .5552E-01 CRITERION= .6907E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 36 COMPLETED. CUM ITER = 554
 *** TIME = .915170E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3517E-05 OSCILLATION LIMIT = 27.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.22 CRITERION= .7537E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2959
 HT FLOW CONVERGENCE VALUE= .5529E-01 CRITERION= .6879E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 37 COMPLETED. CUM ITER = 555
 *** TIME = .923060E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3503E-05 OSCILLATION LIMIT = 27.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.19 CRITERION= .7510E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2965
 HT FLOW CONVERGENCE VALUE= .5514E-01 CRITERION= .6852E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 38 COMPLETED. CUM ITER = 556
 *** TIME = .930949E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3516E-05 OSCILLATION LIMIT = 27.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.21 CRITERION= .7486E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2965
 HT FLOW CONVERGENCE VALUE= .5488E-01 CRITERION= .6824E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 39 COMPLETED. CUM ITER = 557
 *** TIME = .938839E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3502E-05 OSCILLATION LIMIT = 27.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.18 CRITERION= .7459E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2971
 HT FLOW CONVERGENCE VALUE= .5474E-01 CRITERION= .6797E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 40 COMPLETED. CUM ITER = 558
 *** TIME = .946728E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3514E-05 OSCILLATION LIMIT = 27.72

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 12:21:07 MAR 25, 1995 CP= 48151.830
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 38.84 CRITERION= .7826E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2750
 HT FLOW CONVERGENCE VALUE= .5455E-01 CRITERION= .6772E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 1 COMPLETED. CUM ITER = 559
 *** TIME = .954617E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2345E-05 OSCILLATION LIMIT = 18.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.81 CRITERION= .7804E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2735
 HT FLOW CONVERGENCE VALUE= .5369E-01 CRITERION= .6751E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 2 COMPLETED. CUM ITER = 560
 *** TIME = .962507E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2401E-05 OSCILLATION LIMIT = 18.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.82 CRITERION= .7786E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2740
 HT FLOW CONVERGENCE VALUE= .5348E-01 CRITERION= .6727E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 3 COMPLETED. CUM ITER = 561
 *** TIME = .970396E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2398E-05 OSCILLATION LIMIT = 18.92

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.79 CRITERION= .7764E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2742
 HT FLOW CONVERGENCE VALUE= .5329E-01 CRITERION= .6705E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 4 COMPLETED. CUM ITER = 562
 *** TIME = .978286E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2406E-05 OSCILLATION LIMIT = 18.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.81 CRITERION= .7745E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2745
 HT FLOW CONVERGENCE VALUE= .5309E-01 CRITERION= .6681E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 5 COMPLETED. CUM ITER = 563
 *** TIME = .986175E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2398E-05 OSCILLATION LIMIT = 18.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.78 CRITERION= .7724E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2747
 HT FLOW CONVERGENCE VALUE= .5291E-01 CRITERION= .6659E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 6 COMPLETED. CUM ITER = 564
 *** TIME = .994064E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2406E-05 OSCILLATION LIMIT = 18.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.80 CRITERION= .7705E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2750
 HT FLOW CONVERGENCE VALUE= .5269E-01 CRITERION= .6636E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 7 COMPLETED. CUM ITER = 565
 *** TIME = .100195E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2398E-05 OSCILLATION LIMIT = 18.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.77 CRITERION= .7684E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2752
 HT FLOW CONVERGENCE VALUE= .5253E-01 CRITERION= .6614E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 8 COMPLETED. CUM ITER = 566
 *** TIME = .100984E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2406E-05 OSCILLATION LIMIT = 18.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.79 CRITERION= .7665E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2754
 HT FLOW CONVERGENCE VALUE= .5235E-01 CRITERION= .6590E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 9 COMPLETED. CUM ITER = 567
 *** TIME = .101773E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2398E-05 OSCILLATION LIMIT = 18.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.75 CRITERION= .7644E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2757
 HT FLOW CONVERGENCE VALUE= .5219E-01 CRITERION= .6568E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 10 COMPLETED. CUM ITER = 568
 *** TIME = .102562E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2406E-05 OSCILLATION LIMIT = 18.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.77 CRITERION= .7625E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2759
 HT FLOW CONVERGENCE VALUE= .5201E-01 CRITERION= .6544E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 11 COMPLETED. CUM ITER = 569

```

*** TIME = .103351E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2398E-05    OSCILLATION LIMIT = 18.92
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.74    CRITERION= .7604E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2762
    HT FLOW CONVERGENCE VALUE= .5185E-01    CRITERION= .6523E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 12 COMPLETED.    CUM ITER = 570
*** TIME = .104140E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2406E-05    OSCILLATION LIMIT = 18.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.76    CRITERION= .7585E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2764
    HT FLOW CONVERGENCE VALUE= .5167E-01    CRITERION= .6499E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 13 COMPLETED.    CUM ITER = 571
*** TIME = .104929E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2398E-05    OSCILLATION LIMIT = 18.92
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.73    CRITERION= .7564E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2767
    HT FLOW CONVERGENCE VALUE= .5152E-01    CRITERION= .6477E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 14 COMPLETED.    CUM ITER = 572
*** TIME = .105718E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2406E-05    OSCILLATION LIMIT = 18.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.75    CRITERION= .7545E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2769
    HT FLOW CONVERGENCE VALUE= .5133E-01    CRITERION= .6453E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 15 COMPLETED.    CUM ITER = 573
*** TIME = .106507E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2399E-05    OSCILLATION LIMIT = 18.92
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.71    CRITERION= .7524E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2772
    HT FLOW CONVERGENCE VALUE= .5116E-01    CRITERION= .6431E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 16 COMPLETED.    CUM ITER = 574
*** TIME = .107296E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2407E-05    OSCILLATION LIMIT = 18.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.73    CRITERION= .7506E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2774
    HT FLOW CONVERGENCE VALUE= .5099E-01    CRITERION= .6407E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 17 COMPLETED.    CUM ITER = 575
*** TIME = .108085E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2399E-05    OSCILLATION LIMIT = 18.93
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.70    CRITERION= .7484E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2777
    HT FLOW CONVERGENCE VALUE= .5082E-01    CRITERION= .6386E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 18 COMPLETED.    CUM ITER = 576
*** TIME = .108874E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2407E-05    OSCILLATION LIMIT = 18.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 38.72    CRITERION= .7466E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2779
    HT FLOW CONVERGENCE VALUE= .5062E-01    CRITERION= .6362E-01 <<< CONVERGED

```



```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 19 COMPLETED. CUM ITER = 577
*** TIME = .109663E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2399E-05 OSCILLATION LIMIT = 18.93
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.69 CRITERION= .7445E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2782
HT FLOW CONVERGENCE VALUE= .5048E-01 CRITERION= .6340E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 20 COMPLETED. CUM ITER = 578
*** TIME = .110452E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2407E-05 OSCILLATION LIMIT = 18.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.71 CRITERION= .7426E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2784
HT FLOW CONVERGENCE VALUE= .5027E-01 CRITERION= .6316E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 21 COMPLETED. CUM ITER = 579
*** TIME = .111241E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2400E-05 OSCILLATION LIMIT = 18.93
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.68 CRITERION= .7405E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2787
HT FLOW CONVERGENCE VALUE= .5011E-01 CRITERION= .6294E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 22 COMPLETED. CUM ITER = 580
*** TIME = .112029E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2408E-05 OSCILLATION LIMIT = 19.00
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.69 CRITERION= .7387E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2789
HT FLOW CONVERGENCE VALUE= .4990E-01 CRITERION= .6270E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 23 COMPLETED. CUM ITER = 581
*** TIME = .112818E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2400E-05 OSCILLATION LIMIT = 18.94
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.66 CRITERION= .7365E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2792
HT FLOW CONVERGENCE VALUE= .4974E-01 CRITERION= .6249E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 24 COMPLETED. CUM ITER = 582
*** TIME = .113607E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2408E-05 OSCILLATION LIMIT = 19.00
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.68 CRITERION= .7347E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2794
HT FLOW CONVERGENCE VALUE= .4954E-01 CRITERION= .6225E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 25 COMPLETED. CUM ITER = 583
*** TIME = .114396E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2401E-05 OSCILLATION LIMIT = 18.94
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.65 CRITERION= .7326E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2797
HT FLOW CONVERGENCE VALUE= .4936E-01 CRITERION= .6203E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 26 COMPLETED. CUM ITER = 584
*** TIME = .115185E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2409E-05 OSCILLATION LIMIT = 19.00
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.67 CRITERION= .7308E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2799
 HT FLOW CONVERGENCE VALUE= .4917E-01 CRITERION= .6179E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 27 COMPLETED. CUM ITER = 585
 *** TIME = .115974E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2401E-05 OSCILLATION LIMIT = 18.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.64 CRITERION= .7286E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2802
 HT FLOW CONVERGENCE VALUE= .4898E-01 CRITERION= .6157E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 28 COMPLETED. CUM ITER = 586
 *** TIME = .116763E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2409E-05 OSCILLATION LIMIT = 19.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.65 CRITERION= .7268E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2805
 HT FLOW CONVERGENCE VALUE= .4877E-01 CRITERION= .6134E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 29 COMPLETED. CUM ITER = 587
 *** TIME = .117552E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2402E-05 OSCILLATION LIMIT = 18.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.62 CRITERION= .7247E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2807
 HT FLOW CONVERGENCE VALUE= .4859E-01 CRITERION= .6112E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 30 COMPLETED. CUM ITER = 588
 *** TIME = .118341E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2410E-05 OSCILLATION LIMIT = 19.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.64 CRITERION= .7229E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2810
 HT FLOW CONVERGENCE VALUE= .4839E-01 CRITERION= .6088E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 31 COMPLETED. CUM ITER = 589
 *** TIME = .119130E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2402E-05 OSCILLATION LIMIT = 18.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.61 CRITERION= .7208E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2813
 HT FLOW CONVERGENCE VALUE= .4824E-01 CRITERION= .6066E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 32 COMPLETED. CUM ITER = 590
 *** TIME = .119919E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2410E-05 OSCILLATION LIMIT = 19.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.63 CRITERION= .7190E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2815
 HT FLOW CONVERGENCE VALUE= .4807E-01 CRITERION= .6042E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 33 COMPLETED. CUM ITER = 591
 *** TIME = .120708E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2403E-05 OSCILLATION LIMIT = 18.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.60 CRITERION= .7169E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2818
 HT FLOW CONVERGENCE VALUE= .4790E-01 CRITERION= .6021E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 34 COMPLETED. CUM ITER = 592
 *** TIME = .121497E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2411E-05 OSCILLATION LIMIT = 19.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.62 CRITERION= .7151E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2820
 HT FLOW CONVERGENCE VALUE= .4771E-01 CRITERION= .5997E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 35 COMPLETED. CUM ITER = 593
 *** TIME = .122286E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2404E-05 OSCILLATION LIMIT = 18.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.58 CRITERION= .7129E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2823
 HT FLOW CONVERGENCE VALUE= .4756E-01 CRITERION= .5975E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 36 COMPLETED. CUM ITER = 594
 *** TIME = .123075E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2412E-05 OSCILLATION LIMIT = 19.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.60 CRITERION= .7111E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2825
 HT FLOW CONVERGENCE VALUE= .4739E-01 CRITERION= .5951E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 37 COMPLETED. CUM ITER = 595
 *** TIME = .123864E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2404E-05 OSCILLATION LIMIT = 18.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.57 CRITERION= .7090E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2828
 HT FLOW CONVERGENCE VALUE= .4727E-01 CRITERION= .5929E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 38 COMPLETED. CUM ITER = 596
 *** TIME = .124653E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2412E-05 OSCILLATION LIMIT = 19.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.59 CRITERION= .7072E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2831
 HT FLOW CONVERGENCE VALUE= .4710E-01 CRITERION= .5905E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 39 COMPLETED. CUM ITER = 597
 *** TIME = .125441E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2404E-05 OSCILLATION LIMIT = 18.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 38.56 CRITERION= .7051E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2834
 HT FLOW CONVERGENCE VALUE= .4695E-01 CRITERION= .5884E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 40 COMPLETED. CUM ITER = 598
 *** TIME = .126230E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2412E-05 OSCILLATION LIMIT = 19.03

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 13:33:43 MAR 25, 1995 CP= 51703.680
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 33.91 CRITERION= .6789E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2274
 HT FLOW CONVERGENCE VALUE= .3872E-01 CRITERION= .5864E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 1 COMPLETED. CUM ITER = 599
 *** TIME = .127019E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .2083E-05 OSCILLATION LIMIT = 16.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.88 CRITERION= .6772E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2299
 HT FLOW CONVERGENCE VALUE= .3871E-01 CRITERION= .5847E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 2 COMPLETED. CUM ITER = 600
 *** TIME = .127808E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2150E-05 OSCILLATION LIMIT = 16.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.90 CRITERION= .6758E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2315
 HT FLOW CONVERGENCE VALUE= .3891E-01 CRITERION= .5828E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 3 COMPLETED. CUM ITER = 601
 *** TIME = .128597E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2158E-05 OSCILLATION LIMIT = 17.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.87 CRITERION= .6740E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2302
 HT FLOW CONVERGENCE VALUE= .3875E-01 CRITERION= .5812E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 4 COMPLETED. CUM ITER = 602
 *** TIME = .129386E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2146E-05 OSCILLATION LIMIT = 16.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.89 CRITERION= .6726E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2318
 HT FLOW CONVERGENCE VALUE= .3870E-01 CRITERION= .5792E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 5 COMPLETED. CUM ITER = 603
 *** TIME = .130175E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2157E-05 OSCILLATION LIMIT = 17.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.86 CRITERION= .6709E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2306
 HT FLOW CONVERGENCE VALUE= .3829E-01 CRITERION= .5776E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 6 COMPLETED. CUM ITER = 604
 *** TIME = .130964E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2148E-05 OSCILLATION LIMIT = 16.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.88 CRITERION= .6694E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2321
 HT FLOW CONVERGENCE VALUE= .3832E-01 CRITERION= .5756E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 7 COMPLETED. CUM ITER = 605
 *** TIME = .131753E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2157E-05 OSCILLATION LIMIT = 17.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.85 CRITERION= .6677E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2309
 HT FLOW CONVERGENCE VALUE= .3807E-01 CRITERION= .5740E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 8 COMPLETED. CUM ITER = 606
 *** TIME = .132542E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2148E-05 OSCILLATION LIMIT = 16.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.87 CRITERION= .6663E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2324
 HT FLOW CONVERGENCE VALUE= .3813E-01 CRITERION= .5721E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 26 SUBSTEP 9 COMPLETED. CUM ITER = 607
*** TIME = .133331E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2157E-05 OSCILLATION LIMIT = 17.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.84 CRITERION= .6646E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2313
HT FLOW CONVERGENCE VALUE= .3791E-01 CRITERION= .5704E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 10 COMPLETED. CUM ITER = 608
*** TIME = .134120E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2148E-05 OSCILLATION LIMIT = 16.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.86 CRITERION= .6632E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2327
HT FLOW CONVERGENCE VALUE= .3794E-01 CRITERION= .5685E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 11 COMPLETED. CUM ITER = 609
*** TIME = .134909E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2156E-05 OSCILLATION LIMIT = 17.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.83 CRITERION= .6614E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2317
HT FLOW CONVERGENCE VALUE= .3773E-01 CRITERION= .5668E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 12 COMPLETED. CUM ITER = 610
*** TIME = .135698E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2149E-05 OSCILLATION LIMIT = 16.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.85 CRITERION= .6600E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2330
HT FLOW CONVERGENCE VALUE= .3774E-01 CRITERION= .5649E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 13 COMPLETED. CUM ITER = 611
*** TIME = .136487E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2156E-05 OSCILLATION LIMIT = 17.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.82 CRITERION= .6583E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2321
HT FLOW CONVERGENCE VALUE= .3753E-01 CRITERION= .5632E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 14 COMPLETED. CUM ITER = 612
*** TIME = .137276E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2150E-05 OSCILLATION LIMIT = 16.96
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.84 CRITERION= .6569E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2334
HT FLOW CONVERGENCE VALUE= .3755E-01 CRITERION= .5613E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 15 COMPLETED. CUM ITER = 613
*** TIME = .138065E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2155E-05 OSCILLATION LIMIT = 17.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.81 CRITERION= .6552E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2325
HT FLOW CONVERGENCE VALUE= .3733E-01 CRITERION= .5596E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 16 COMPLETED. CUM ITER = 614
*** TIME = .138853E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2151E-05 OSCILLATION LIMIT = 16.97
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.83 CRITERION= .6538E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2337

```

HT FLOW CONVERGENCE VALUE= .3735E-01 CRITERION= .5577E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 17 COMPLETED. CUM ITER = 615
 *** TIME = .139642E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2156E-05 OSCILLATION LIMIT = 17.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.80 CRITERION= .6520E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2329
 HT FLOW CONVERGENCE VALUE= .3715E-01 CRITERION= .5560E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 18 COMPLETED. CUM ITER = 616
 *** TIME = .140431E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2151E-05 OSCILLATION LIMIT = 16.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.82 CRITERION= .6506E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2340
 HT FLOW CONVERGENCE VALUE= .3715E-01 CRITERION= .5541E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 19 COMPLETED. CUM ITER = 617
 *** TIME = .141220E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2156E-05 OSCILLATION LIMIT = 17.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.79 CRITERION= .6489E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2332
 HT FLOW CONVERGENCE VALUE= .3695E-01 CRITERION= .5524E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 20 COMPLETED. CUM ITER = 618
 *** TIME = .142009E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2152E-05 OSCILLATION LIMIT = 16.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.81 CRITERION= .6475E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2343
 HT FLOW CONVERGENCE VALUE= .3695E-01 CRITERION= .5505E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 21 COMPLETED. CUM ITER = 619
 *** TIME = .142798E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2155E-05 OSCILLATION LIMIT = 17.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.78 CRITERION= .6458E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2336
 HT FLOW CONVERGENCE VALUE= .3675E-01 CRITERION= .5488E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 22 COMPLETED. CUM ITER = 620
 *** TIME = .143587E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2152E-05 OSCILLATION LIMIT = 16.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.80 CRITERION= .6444E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2346
 HT FLOW CONVERGENCE VALUE= .3673E-01 CRITERION= .5469E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 23 COMPLETED. CUM ITER = 621
 *** TIME = .144376E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2155E-05 OSCILLATION LIMIT = 17.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.77 CRITERION= .6427E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2340
 HT FLOW CONVERGENCE VALUE= .3655E-01 CRITERION= .5452E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 24 COMPLETED. CUM ITER = 622
 *** TIME = .145165E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2153E-05 OSCILLATION LIMIT = 16.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.79 CRITERION= .6413E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2350
 HT FLOW CONVERGENCE VALUE= .3651E-01 CRITERION= .5433E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 25 COMPLETED. CUM ITER = 623
 *** TIME = .145954E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2156E-05 OSCILLATION LIMIT = 17.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.76 CRITERION= .6396E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2344
 HT FLOW CONVERGENCE VALUE= .3633E-01 CRITERION= .5416E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 26 COMPLETED. CUM ITER = 624
 *** TIME = .146743E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2154E-05 OSCILLATION LIMIT = 16.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.78 CRITERION= .6382E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2353
 HT FLOW CONVERGENCE VALUE= .3630E-01 CRITERION= .5397E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 27 COMPLETED. CUM ITER = 625
 *** TIME = .147532E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2156E-05 OSCILLATION LIMIT = 17.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.75 CRITERION= .6365E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2348
 HT FLOW CONVERGENCE VALUE= .3611E-01 CRITERION= .5381E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 28 COMPLETED. CUM ITER = 626
 *** TIME = .148321E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2155E-05 OSCILLATION LIMIT = 17.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.77 CRITERION= .6351E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2356
 HT FLOW CONVERGENCE VALUE= .3605E-01 CRITERION= .5361E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 29 COMPLETED. CUM ITER = 627
 *** TIME = .149110E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2157E-05 OSCILLATION LIMIT = 17.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.74 CRITERION= .6334E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2351
 HT FLOW CONVERGENCE VALUE= .3588E-01 CRITERION= .5345E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 30 COMPLETED. CUM ITER = 628
 *** TIME = .149899E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2156E-05 OSCILLATION LIMIT = 17.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.76 CRITERION= .6320E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2360
 HT FLOW CONVERGENCE VALUE= .3583E-01 CRITERION= .5326E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 31 COMPLETED. CUM ITER = 629
 *** TIME = .150688E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2157E-05 OSCILLATION LIMIT = 17.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.73 CRITERION= .6303E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2355
 HT FLOW CONVERGENCE VALUE= .3564E-01 CRITERION= .5309E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 32 COMPLETED. CUM ITER = 630
 *** TIME = .151476E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2157E-05 OSCILLATION LIMIT = 17.02

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.75 CRITERION= .6289E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2363
 HT FLOW CONVERGENCE VALUE= .3558E-01 CRITERION= .5290E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 33 COMPLETED. CUM ITER = 631
 *** TIME = .152265E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2158E-05 OSCILLATION LIMIT = 17.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.72 CRITERION= .6272E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2359
 HT FLOW CONVERGENCE VALUE= .3541E-01 CRITERION= .5273E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 34 COMPLETED. CUM ITER = 632
 *** TIME = .153054E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2158E-05 OSCILLATION LIMIT = 17.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.74 CRITERION= .6258E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2367
 HT FLOW CONVERGENCE VALUE= .3535E-01 CRITERION= .5254E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 35 COMPLETED. CUM ITER = 633
 *** TIME = .153843E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2159E-05 OSCILLATION LIMIT = 17.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.71 CRITERION= .6241E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2363
 HT FLOW CONVERGENCE VALUE= .3520E-01 CRITERION= .5237E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 36 COMPLETED. CUM ITER = 634
 *** TIME = .154632E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2159E-05 OSCILLATION LIMIT = 17.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.73 CRITERION= .6228E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2370
 HT FLOW CONVERGENCE VALUE= .3514E-01 CRITERION= .5218E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 37 COMPLETED. CUM ITER = 635
 *** TIME = .155421E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2159E-05 OSCILLATION LIMIT = 17.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.70 CRITERION= .6211E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2367
 HT FLOW CONVERGENCE VALUE= .3498E-01 CRITERION= .5201E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 38 COMPLETED. CUM ITER = 636
 *** TIME = .156210E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2161E-05 OSCILLATION LIMIT = 17.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.72 CRITERION= .6197E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2374
 HT FLOW CONVERGENCE VALUE= .3488E-01 CRITERION= .5182E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 39 COMPLETED. CUM ITER = 637
 *** TIME = .156999E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2160E-05 OSCILLATION LIMIT = 17.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.69 CRITERION= .6180E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2371
 HT FLOW CONVERGENCE VALUE= .3465E-01 CRITERION= .5165E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 40 COMPLETED. CUM ITER = 638

*** TIME = .157788E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2162E-05 OSCILLATION LIMIT = 17.06

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 14:46:48 MAR 25, 1995 CP= 55255.400
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 27.96 CRITERION= .5872E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1916
HT FLOW CONVERGENCE VALUE= .2816E-01 CRITERION= .5149E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 1 COMPLETED. CUM ITER = 639
*** TIME = .158577E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2061E-05 OSCILLATION LIMIT = 16.26
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.94 CRITERION= .5857E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1934
HT FLOW CONVERGENCE VALUE= .2809E-01 CRITERION= .5136E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 2 COMPLETED. CUM ITER = 640
*** TIME = .159366E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2111E-05 OSCILLATION LIMIT = 16.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.96 CRITERION= .5846E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1953
HT FLOW CONVERGENCE VALUE= .2819E-01 CRITERION= .5120E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 3 COMPLETED. CUM ITER = 641
*** TIME = .160155E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2126E-05 OSCILLATION LIMIT = 16.77
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.93 CRITERION= .5832E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1937
HT FLOW CONVERGENCE VALUE= .2791E-01 CRITERION= .5107E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 4 COMPLETED. CUM ITER = 642
*** TIME = .160944E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2109E-05 OSCILLATION LIMIT = 16.64
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.95 CRITERION= .5820E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1956
HT FLOW CONVERGENCE VALUE= .2797E-01 CRITERION= .5091E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 5 COMPLETED. CUM ITER = 643
*** TIME = .161733E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2126E-05 OSCILLATION LIMIT = 16.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.92 CRITERION= .5806E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1940
HT FLOW CONVERGENCE VALUE= .2768E-01 CRITERION= .5077E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 6 COMPLETED. CUM ITER = 644
*** TIME = .162522E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2111E-05 OSCILLATION LIMIT = 16.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.94 CRITERION= .5794E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1958
HT FLOW CONVERGENCE VALUE= .2779E-01 CRITERION= .5062E-01 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 7 COMPLETED. CUM ITER = 645
*** TIME = .163311E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2127E-05 OSCILLATION LIMIT = 16.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.92 CRITERION= .5780E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1944
HT FLOW CONVERGENCE VALUE= .2757E-01 CRITERION= .5048E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 8 COMPLETED. CUM ITER = 646
*** TIME = .164100E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2113E-05 OSCILLATION LIMIT = 16.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.94 CRITERION= .5768E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1960
HT FLOW CONVERGENCE VALUE= .2767E-01 CRITERION= .5033E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 9 COMPLETED. CUM ITER = 647
*** TIME = .164888E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2127E-05 OSCILLATION LIMIT = 16.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.91 CRITERION= .5754E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1947
HT FLOW CONVERGENCE VALUE= .2746E-01 CRITERION= .5019E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 10 COMPLETED. CUM ITER = 648
*** TIME = .165677E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2115E-05 OSCILLATION LIMIT = 16.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.93 CRITERION= .5743E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1963
HT FLOW CONVERGENCE VALUE= .2755E-01 CRITERION= .5003E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 11 COMPLETED. CUM ITER = 649
*** TIME = .166466E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2128E-05 OSCILLATION LIMIT = 16.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.90 CRITERION= .5728E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1950
HT FLOW CONVERGENCE VALUE= .2735E-01 CRITERION= .4990E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 12 COMPLETED. CUM ITER = 650
*** TIME = .167255E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2116E-05 OSCILLATION LIMIT = 16.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.92 CRITERION= .5717E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1965
HT FLOW CONVERGENCE VALUE= .2743E-01 CRITERION= .4974E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 13 COMPLETED. CUM ITER = 651
*** TIME = .168044E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2128E-05 OSCILLATION LIMIT = 16.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.89 CRITERION= .5702E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1953
HT FLOW CONVERGENCE VALUE= .2724E-01 CRITERION= .4961E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 14 COMPLETED. CUM ITER = 652
*** TIME = .168833E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2118E-05 OSCILLATION LIMIT = 16.71
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.92 CRITERION= .5691E-01

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1968
HT FLOW CONVERGENCE VALUE= .2731E-01 CRITERION= .4945E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 15 COMPLETED. CUM ITER = 653
*** TIME = .169622E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2128E-05 OSCILLATION LIMIT = 16.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.89 CRITERION= .5677E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1957
HT FLOW CONVERGENCE VALUE= .2713E-01 CRITERION= .4932E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 16 COMPLETED. CUM ITER = 654
*** TIME = .170411E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2120E-05 OSCILLATION LIMIT = 16.72
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.91 CRITERION= .5665E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1970
HT FLOW CONVERGENCE VALUE= .2719E-01 CRITERION= .4916E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 17 COMPLETED. CUM ITER = 655
*** TIME = .171200E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2129E-05 OSCILLATION LIMIT = 16.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.88 CRITERION= .5651E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1960
HT FLOW CONVERGENCE VALUE= .2702E-01 CRITERION= .4903E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 18 COMPLETED. CUM ITER = 656
*** TIME = .171989E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2121E-05 OSCILLATION LIMIT = 16.74
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.90 CRITERION= .5640E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1973
HT FLOW CONVERGENCE VALUE= .2707E-01 CRITERION= .4887E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 19 COMPLETED. CUM ITER = 657
*** TIME = .172778E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2129E-05 OSCILLATION LIMIT = 16.80
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.87 CRITERION= .5625E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1963
HT FLOW CONVERGENCE VALUE= .2690E-01 CRITERION= .4873E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 20 COMPLETED. CUM ITER = 658
*** TIME = .173567E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2123E-05 OSCILLATION LIMIT = 16.75
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.89 CRITERION= .5614E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1975
HT FLOW CONVERGENCE VALUE= .2695E-01 CRITERION= .4858E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 21 COMPLETED. CUM ITER = 659
*** TIME = .174356E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2129E-05 OSCILLATION LIMIT = 16.80
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.87 CRITERION= .5599E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1967
HT FLOW CONVERGENCE VALUE= .2679E-01 CRITERION= .4844E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 22 COMPLETED. CUM ITER = 660
*** TIME = .175145E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2124E-05 OSCILLATION LIMIT = 16.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 27.89 CRITERION= .5588E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1978
 HT FLOW CONVERGENCE VALUE= .2683E-01 CRITERION= .4828E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 23 COMPLETED. CUM ITER = 661
 *** TIME = .175934E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2130E-05 OSCILLATION LIMIT = 16.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.86 CRITERION= .5574E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1970
 HT FLOW CONVERGENCE VALUE= .2668E-01 CRITERION= .4815E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 24 COMPLETED. CUM ITER = 662
 *** TIME = .176723E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2125E-05 OSCILLATION LIMIT = 16.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.88 CRITERION= .5563E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1981
 HT FLOW CONVERGENCE VALUE= .2671E-01 CRITERION= .4799E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 25 COMPLETED. CUM ITER = 663
 *** TIME = .177512E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2130E-05 OSCILLATION LIMIT = 16.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.85 CRITERION= .5548E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1973
 HT FLOW CONVERGENCE VALUE= .2656E-01 CRITERION= .4786E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 26 COMPLETED. CUM ITER = 664
 *** TIME = .178300E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2126E-05 OSCILLATION LIMIT = 16.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.87 CRITERION= .5537E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1983
 HT FLOW CONVERGENCE VALUE= .2659E-01 CRITERION= .4770E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 27 COMPLETED. CUM ITER = 665
 *** TIME = .179089E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2131E-05 OSCILLATION LIMIT = 16.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.85 CRITERION= .5523E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1977
 HT FLOW CONVERGENCE VALUE= .2645E-01 CRITERION= .4757E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 28 COMPLETED. CUM ITER = 666
 *** TIME = .179878E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2128E-05 OSCILLATION LIMIT = 16.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.87 CRITERION= .5512E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1986
 HT FLOW CONVERGENCE VALUE= .2647E-01 CRITERION= .4741E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 29 COMPLETED. CUM ITER = 667
 *** TIME = .180667E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2131E-05 OSCILLATION LIMIT = 16.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.84 CRITERION= .5497E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1980
 HT FLOW CONVERGENCE VALUE= .2633E-01 CRITERION= .4728E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 30 COMPLETED. CUM ITER = 668
 *** TIME = .181456E+10 TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .2129E-05  OSCILLATION LIMIT = 16.79
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 27.86      CRITERION= .5486E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1989
  HT FLOW CONVERGENCE VALUE= .2634E-01  CRITERION= .4712E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 31 COMPLETED.  CUM ITER = 669
*** TIME = .182245E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2131E-05  OSCILLATION LIMIT = 16.81
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 27.83      CRITERION= .5472E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1983
  HT FLOW CONVERGENCE VALUE= .2622E-01  CRITERION= .4698E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 32 COMPLETED.  CUM ITER = 670
*** TIME = .183034E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2130E-05  OSCILLATION LIMIT = 16.80
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 27.85      CRITERION= .5461E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1992
  HT FLOW CONVERGENCE VALUE= .2622E-01  CRITERION= .4683E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 33 COMPLETED.  CUM ITER = 671
*** TIME = .183823E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2132E-05  OSCILLATION LIMIT = 16.82
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 27.83      CRITERION= .5446E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1986
  HT FLOW CONVERGENCE VALUE= .2610E-01  CRITERION= .4669E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 34 COMPLETED.  CUM ITER = 672
*** TIME = .184612E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2131E-05  OSCILLATION LIMIT = 16.81
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 27.85      CRITERION= .5435E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1995
  HT FLOW CONVERGENCE VALUE= .2610E-01  CRITERION= .4654E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 35 COMPLETED.  CUM ITER = 673
*** TIME = .185401E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2132E-05  OSCILLATION LIMIT = 16.82
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 27.82      CRITERION= .5421E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1990
  HT FLOW CONVERGENCE VALUE= .2599E-01  CRITERION= .4640E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 36 COMPLETED.  CUM ITER = 674
*** TIME = .186190E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2132E-05  OSCILLATION LIMIT = 16.82
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 27.84      CRITERION= .5410E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1997
  HT FLOW CONVERGENCE VALUE= .2598E-01  CRITERION= .4624E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 37 COMPLETED.  CUM ITER = 675
*** TIME = .186979E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2132E-05  OSCILLATION LIMIT = 16.82
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 27.81      CRITERION= .5396E-01
  EQUIL ITER 1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1993
  HT FLOW CONVERGENCE VALUE= .2587E-01  CRITERION= .4611E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 27 SUBSTEP 38 COMPLETED. CUM ITER = 676
 *** TIME = .187768E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2133E-05 OSCILLATION LIMIT = 16.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.83 CRITERION= .5384E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2000
 HT FLOW CONVERGENCE VALUE= .2586E-01 CRITERION= .4595E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 27 SUBSTEP 39 COMPLETED. CUM ITER = 677
 *** TIME = .188557E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2132E-05 OSCILLATION LIMIT = 16.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 27.80 CRITERION= .5370E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1996
 HT FLOW CONVERGENCE VALUE= .2575E-01 CRITERION= .4582E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 27 SUBSTEP 40 COMPLETED. CUM ITER = 678
 *** TIME = .189346E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2133E-05 OSCILLATION LIMIT = 16.83

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 15:59:42 MAR 25, 1995 CP= 58805.990
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 23.57 CRITERION= .5151E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1633
 HT FLOW CONVERGENCE VALUE= .2130E-01 CRITERION= .4569E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 1 COMPLETED. CUM ITER = 679
 *** TIME = .190135E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2003E-05 OSCILLATION LIMIT = 15.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.54 CRITERION= .5139E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1642
 HT FLOW CONVERGENCE VALUE= .2126E-01 CRITERION= .4558E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 2 COMPLETED. CUM ITER = 680
 *** TIME = .190923E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2043E-05 OSCILLATION LIMIT = 16.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5130E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1659
 HT FLOW CONVERGENCE VALUE= .2137E-01 CRITERION= .4545E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 3 COMPLETED. CUM ITER = 681
 *** TIME = .191712E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2057E-05 OSCILLATION LIMIT = 16.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.54 CRITERION= .5118E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1643
 HT FLOW CONVERGENCE VALUE= .2118E-01 CRITERION= .4534E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 4 COMPLETED. CUM ITER = 682
 *** TIME = .192501E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2041E-05 OSCILLATION LIMIT = 16.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .5109E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1660

HT FLOW CONVERGENCE VALUE= .2129E-01 CRITERION= .4521E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 5 COMPLETED. CUM ITER = 683
 *** TIME = .193290E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2057E-05 OSCILLATION LIMIT = 16.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .5096E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1646
 HT FLOW CONVERGENCE VALUE= .2111E-01 CRITERION= .4510E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 6 COMPLETED. CUM ITER = 684
 *** TIME = .194079E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2042E-05 OSCILLATION LIMIT = 16.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .5087E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1661
 HT FLOW CONVERGENCE VALUE= .2120E-01 CRITERION= .4497E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 7 COMPLETED. CUM ITER = 685
 *** TIME = .194868E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2056E-05 OSCILLATION LIMIT = 16.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .5075E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1648
 HT FLOW CONVERGENCE VALUE= .2103E-01 CRITERION= .4487E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 8 COMPLETED. CUM ITER = 686
 *** TIME = .195657E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2044E-05 OSCILLATION LIMIT = 16.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .5066E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1663
 HT FLOW CONVERGENCE VALUE= .2112E-01 CRITERION= .4474E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 9 COMPLETED. CUM ITER = 687
 *** TIME = .196446E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2056E-05 OSCILLATION LIMIT = 16.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .5054E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1650
 HT FLOW CONVERGENCE VALUE= .2095E-01 CRITERION= .4463E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 10 COMPLETED. CUM ITER = 688
 *** TIME = .197235E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2045E-05 OSCILLATION LIMIT = 16.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.54 CRITERION= .5045E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1664
 HT FLOW CONVERGENCE VALUE= .2103E-01 CRITERION= .4450E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 11 COMPLETED. CUM ITER = 689
 *** TIME = .198024E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2056E-05 OSCILLATION LIMIT = 16.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .5033E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1653
 HT FLOW CONVERGENCE VALUE= .2088E-01 CRITERION= .4439E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 12 COMPLETED. CUM ITER = 690
 *** TIME = .198813E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2046E-05 OSCILLATION LIMIT = 16.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.54 CRITERION= .5024E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1666
 HT FLOW CONVERGENCE VALUE= .2095E-01 CRITERION= .4426E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 13 COMPLETED. CUM ITER = 691
 *** TIME = .199602E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2055E-05 OSCILLATION LIMIT = 16.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .5011E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1655
 HT FLOW CONVERGENCE VALUE= .2080E-01 CRITERION= .4416E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 14 COMPLETED. CUM ITER = 692
 *** TIME = .200391E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2047E-05 OSCILLATION LIMIT = 16.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .5002E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1667
 HT FLOW CONVERGENCE VALUE= .2086E-01 CRITERION= .4402E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 15 COMPLETED. CUM ITER = 693
 *** TIME = .201180E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2055E-05 OSCILLATION LIMIT = 16.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .4990E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1657
 HT FLOW CONVERGENCE VALUE= .2072E-01 CRITERION= .4392E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 16 COMPLETED. CUM ITER = 694
 *** TIME = .201969E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2048E-05 OSCILLATION LIMIT = 16.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4981E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1669
 HT FLOW CONVERGENCE VALUE= .2078E-01 CRITERION= .4379E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 17 COMPLETED. CUM ITER = 695
 *** TIME = .202758E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2055E-05 OSCILLATION LIMIT = 16.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.50 CRITERION= .4969E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1660
 HT FLOW CONVERGENCE VALUE= .2064E-01 CRITERION= .4368E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 18 COMPLETED. CUM ITER = 696
 *** TIME = .203547E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2049E-05 OSCILLATION LIMIT = 16.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .4960E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1670
 HT FLOW CONVERGENCE VALUE= .2069E-01 CRITERION= .4355E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 19 COMPLETED. CUM ITER = 697
 *** TIME = .204335E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2055E-05 OSCILLATION LIMIT = 16.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.50 CRITERION= .4948E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1662
 HT FLOW CONVERGENCE VALUE= .2056E-01 CRITERION= .4344E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 20 COMPLETED. CUM ITER = 698
 *** TIME = .205124E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2050E-05 OSCILLATION LIMIT = 16.17

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .4939E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1672
 HT FLOW CONVERGENCE VALUE= .2061E-01 CRITERION= .4331E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 21 COMPLETED. CUM ITER = 699
 *** TIME = .205913E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2055E-05 OSCILLATION LIMIT = 16.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.49 CRITERION= .4927E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1664
 HT FLOW CONVERGENCE VALUE= .2048E-01 CRITERION= .4321E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 22 COMPLETED. CUM ITER = 700
 *** TIME = .206702E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2051E-05 OSCILLATION LIMIT = 16.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .4918E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1673
 HT FLOW CONVERGENCE VALUE= .2052E-01 CRITERION= .4308E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 23 COMPLETED. CUM ITER = 701
 *** TIME = .207491E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2055E-05 OSCILLATION LIMIT = 16.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.49 CRITERION= .4906E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1666
 HT FLOW CONVERGENCE VALUE= .2041E-01 CRITERION= .4297E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 24 COMPLETED. CUM ITER = 702
 *** TIME = .208280E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2052E-05 OSCILLATION LIMIT = 16.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .4897E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1675
 HT FLOW CONVERGENCE VALUE= .2044E-01 CRITERION= .4284E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 25 COMPLETED. CUM ITER = 703
 *** TIME = .209069E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2055E-05 OSCILLATION LIMIT = 16.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.48 CRITERION= .4885E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1668
 HT FLOW CONVERGENCE VALUE= .2032E-01 CRITERION= .4273E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 26 COMPLETED. CUM ITER = 704
 *** TIME = .209858E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2053E-05 OSCILLATION LIMIT = 16.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.50 CRITERION= .4876E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1677
 HT FLOW CONVERGENCE VALUE= .2035E-01 CRITERION= .4260E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 27 COMPLETED. CUM ITER = 705
 *** TIME = .210647E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2055E-05 OSCILLATION LIMIT = 16.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.48 CRITERION= .4864E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1671
 HT FLOW CONVERGENCE VALUE= .2024E-01 CRITERION= .4249E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 28 COMPLETED. CUM ITER = 706

```

*** TIME = .211436E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2054E-05    OSCILLATION LIMIT = 16.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.50    CRITERION= .4855E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1678
    HT FLOW CONVERGENCE VALUE= .2026E-01    CRITERION= .4236E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 29 COMPLETED.    CUM ITER = 707
*** TIME = .212225E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2055E-05    OSCILLATION LIMIT = 16.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.47    CRITERION= .4843E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1673
    HT FLOW CONVERGENCE VALUE= .2016E-01    CRITERION= .4226E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 30 COMPLETED.    CUM ITER = 708
*** TIME = .213014E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2054E-05    OSCILLATION LIMIT = 16.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.49    CRITERION= .4834E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1680
    HT FLOW CONVERGENCE VALUE= .2018E-01    CRITERION= .4213E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 31 COMPLETED.    CUM ITER = 709
*** TIME = .213803E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2055E-05    OSCILLATION LIMIT = 16.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.47    CRITERION= .4822E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1675
    HT FLOW CONVERGENCE VALUE= .2008E-01    CRITERION= .4202E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 32 COMPLETED.    CUM ITER = 710
*** TIME = .214592E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2055E-05    OSCILLATION LIMIT = 16.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.49    CRITERION= .4813E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1682
    HT FLOW CONVERGENCE VALUE= .2009E-01    CRITERION= .4189E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 33 COMPLETED.    CUM ITER = 711
*** TIME = .215381E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2055E-05    OSCILLATION LIMIT = 16.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.46    CRITERION= .4801E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1677
    HT FLOW CONVERGENCE VALUE= .2004E-01    CRITERION= .4178E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 34 COMPLETED.    CUM ITER = 712
*** TIME = .216170E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2056E-05    OSCILLATION LIMIT = 16.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.49    CRITERION= .4792E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1684
    HT FLOW CONVERGENCE VALUE= .2010E-01    CRITERION= .4165E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 35 COMPLETED.    CUM ITER = 713
*** TIME = .216959E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2055E-05    OSCILLATION LIMIT = 16.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 23.46    CRITERION= .4780E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1679
    HT FLOW CONVERGENCE VALUE= .2004E-01    CRITERION= .4155E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 36 COMPLETED. CUM ITER = 714
*** TIME = .217747E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2057E-05 OSCILLATION LIMIT = 16.23
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.48 CRITERION= .4771E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1685
HT FLOW CONVERGENCE VALUE= .2008E-01 CRITERION= .4142E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 37 COMPLETED. CUM ITER = 715
*** TIME = .218536E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2056E-05 OSCILLATION LIMIT = 16.22
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.46 CRITERION= .4759E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1682
HT FLOW CONVERGENCE VALUE= .1997E-01 CRITERION= .4131E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 38 COMPLETED. CUM ITER = 716
*** TIME = .219325E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2058E-05 OSCILLATION LIMIT = 16.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.48 CRITERION= .4750E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1687
HT FLOW CONVERGENCE VALUE= .1999E-01 CRITERION= .4118E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 39 COMPLETED. CUM ITER = 717
*** TIME = .220114E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2057E-05 OSCILLATION LIMIT = 16.23
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.45 CRITERION= .4738E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1684
HT FLOW CONVERGENCE VALUE= .1990E-01 CRITERION= .4107E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 40 COMPLETED. CUM ITER = 718
*** TIME = .220903E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2059E-05 OSCILLATION LIMIT = 16.25

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 17:12:58 MAR 25, 1995 CP= 62357.170
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4734E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1438
HT FLOW CONVERGENCE VALUE= .1795E-01 CRITERION= .4097E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 1 COMPLETED. CUM ITER = 719
*** TIME = .221692E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1541E-05 OSCILLATION LIMIT = 12.16
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4724E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1436
HT FLOW CONVERGENCE VALUE= .1781E-01 CRITERION= .4088E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 2 COMPLETED. CUM ITER = 720
*** TIME = .222481E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1571E-05 OSCILLATION LIMIT = 12.40
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4717E-01

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1448
HT FLOW CONVERGENCE VALUE= .1786E-01 CRITERION= .4078E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 3 COMPLETED. CUM ITER = 721
*** TIME = .223270E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1582E-05 OSCILLATION LIMIT = 12.48
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4707E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1438
HT FLOW CONVERGENCE VALUE= .1774E-01 CRITERION= .4070E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 4 COMPLETED. CUM ITER = 722
*** TIME = .224059E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1573E-05 OSCILLATION LIMIT = 12.41
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4701E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1449
HT FLOW CONVERGENCE VALUE= .1780E-01 CRITERION= .4059E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 5 COMPLETED. CUM ITER = 723
*** TIME = .224848E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1582E-05 OSCILLATION LIMIT = 12.48
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .4691E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1440
HT FLOW CONVERGENCE VALUE= .1770E-01 CRITERION= .4051E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 6 COMPLETED. CUM ITER = 724
*** TIME = .225637E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1574E-05 OSCILLATION LIMIT = 12.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4685E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1450
HT FLOW CONVERGENCE VALUE= .1777E-01 CRITERION= .4041E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 7 COMPLETED. CUM ITER = 725
*** TIME = .226426E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1583E-05 OSCILLATION LIMIT = 12.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .4675E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1441
HT FLOW CONVERGENCE VALUE= .1764E-01 CRITERION= .4032E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 8 COMPLETED. CUM ITER = 726
*** TIME = .227215E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1576E-05 OSCILLATION LIMIT = 12.43
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4669E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1451
HT FLOW CONVERGENCE VALUE= .1768E-01 CRITERION= .4022E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 9 COMPLETED. CUM ITER = 727
*** TIME = .228004E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1583E-05 OSCILLATION LIMIT = 12.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .4659E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1443
HT FLOW CONVERGENCE VALUE= .1755E-01 CRITERION= .4014E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 10 COMPLETED. CUM ITER = 728
*** TIME = .228793E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1577E-05 OSCILLATION LIMIT = 12.44
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4653E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1452
 HT FLOW CONVERGENCE VALUE= .1759E-01 CRITERION= .4003E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 11 COMPLETED. CUM ITER = 729
 *** TIME = .229582E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1583E-05 OSCILLATION LIMIT = 12.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .4643E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1445
 HT FLOW CONVERGENCE VALUE= .1750E-01 CRITERION= .3995E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 12 COMPLETED. CUM ITER = 730
 *** TIME = .230370E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1578E-05 OSCILLATION LIMIT = 12.45
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4636E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1453
 HT FLOW CONVERGENCE VALUE= .1753E-01 CRITERION= .3984E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 13 COMPLETED. CUM ITER = 731
 *** TIME = .231159E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1583E-05 OSCILLATION LIMIT = 12.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4627E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1446
 HT FLOW CONVERGENCE VALUE= .1744E-01 CRITERION= .3976E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 14 COMPLETED. CUM ITER = 732
 *** TIME = .231948E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1579E-05 OSCILLATION LIMIT = 12.46
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4620E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1454
 HT FLOW CONVERGENCE VALUE= .1747E-01 CRITERION= .3966E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 15 COMPLETED. CUM ITER = 733
 *** TIME = .232737E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1583E-05 OSCILLATION LIMIT = 12.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4611E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1448
 HT FLOW CONVERGENCE VALUE= .1738E-01 CRITERION= .3958E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 16 COMPLETED. CUM ITER = 734
 *** TIME = .233526E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1580E-05 OSCILLATION LIMIT = 12.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4604E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1455
 HT FLOW CONVERGENCE VALUE= .1740E-01 CRITERION= .3947E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 17 COMPLETED. CUM ITER = 735
 *** TIME = .234315E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1583E-05 OSCILLATION LIMIT = 12.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4595E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1450
 HT FLOW CONVERGENCE VALUE= .1732E-01 CRITERION= .3939E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 18 COMPLETED. CUM ITER = 736
 *** TIME = .235104E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .1581E-05 OSCILLATION LIMIT = 12.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4588E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1457
 HT FLOW CONVERGENCE VALUE= .1734E-01 CRITERION= .3928E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 19 COMPLETED. CUM ITER = 737
 *** TIME = .235893E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1583E-05 OSCILLATION LIMIT = 12.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4579E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1451
 HT FLOW CONVERGENCE VALUE= .1726E-01 CRITERION= .3920E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 20 COMPLETED. CUM ITER = 738
 *** TIME = .236682E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1582E-05 OSCILLATION LIMIT = 12.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4572E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1458
 HT FLOW CONVERGENCE VALUE= .1728E-01 CRITERION= .3910E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 21 COMPLETED. CUM ITER = 739
 *** TIME = .237471E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1584E-05 OSCILLATION LIMIT = 12.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4563E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1453
 HT FLOW CONVERGENCE VALUE= .1720E-01 CRITERION= .3901E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 22 COMPLETED. CUM ITER = 740
 *** TIME = .238260E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1583E-05 OSCILLATION LIMIT = 12.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4556E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1459
 HT FLOW CONVERGENCE VALUE= .1721E-01 CRITERION= .3891E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 23 COMPLETED. CUM ITER = 741
 *** TIME = .239049E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1584E-05 OSCILLATION LIMIT = 12.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4547E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1455
 HT FLOW CONVERGENCE VALUE= .1714E-01 CRITERION= .3883E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 24 COMPLETED. CUM ITER = 742
 *** TIME = .239838E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1584E-05 OSCILLATION LIMIT = 12.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4540E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1460
 HT FLOW CONVERGENCE VALUE= .1715E-01 CRITERION= .3872E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 25 COMPLETED. CUM ITER = 743
 *** TIME = .240627E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1584E-05 OSCILLATION LIMIT = 12.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4531E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1456
 HT FLOW CONVERGENCE VALUE= .1708E-01 CRITERION= .3864E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 29 SUBSTEP 26 COMPLETED. CUM ITER = 744
 *** TIME = .241416E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1585E-05 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4524E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1461
 HT FLOW CONVERGENCE VALUE= .1709E-01 CRITERION= .3853E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 29 SUBSTEP 27 COMPLETED. CUM ITER = 745
 *** TIME = .242205E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1584E-05 OSCILLATION LIMIT = 12.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4515E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1458
 HT FLOW CONVERGENCE VALUE= .1702E-01 CRITERION= .3845E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 29 SUBSTEP 28 COMPLETED. CUM ITER = 746
 *** TIME = .242994E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1586E-05 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4508E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1463
 HT FLOW CONVERGENCE VALUE= .1702E-01 CRITERION= .3835E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 29 SUBSTEP 29 COMPLETED. CUM ITER = 747
 *** TIME = .243782E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1584E-05 OSCILLATION LIMIT = 12.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4499E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1460
 HT FLOW CONVERGENCE VALUE= .1696E-01 CRITERION= .3827E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 29 SUBSTEP 30 COMPLETED. CUM ITER = 748
 *** TIME = .244571E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1587E-05 OSCILLATION LIMIT = 12.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4492E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1464
 HT FLOW CONVERGENCE VALUE= .1696E-01 CRITERION= .3816E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 29 SUBSTEP 31 COMPLETED. CUM ITER = 749
 *** TIME = .245360E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1585E-05 OSCILLATION LIMIT = 12.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4483E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1461
 HT FLOW CONVERGENCE VALUE= .1690E-01 CRITERION= .3808E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 29 SUBSTEP 32 COMPLETED. CUM ITER = 750
 *** TIME = .246149E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1588E-05 OSCILLATION LIMIT = 12.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4476E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1465
 HT FLOW CONVERGENCE VALUE= .1690E-01 CRITERION= .3797E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 29 SUBSTEP 33 COMPLETED. CUM ITER = 751
 *** TIME = .246938E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1585E-05 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4467E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1463

HT FLOW CONVERGENCE VALUE= .1684E-01 CRITERION= .3789E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 34 COMPLETED. CUM ITER = 752
 *** TIME = .247727E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1589E-05 OSCILLATION LIMIT = 12.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4460E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1467
 HT FLOW CONVERGENCE VALUE= .1684E-01 CRITERION= .3779E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 35 COMPLETED. CUM ITER = 753
 *** TIME = .248516E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1585E-05 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4451E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1464
 HT FLOW CONVERGENCE VALUE= .1678E-01 CRITERION= .3770E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 36 COMPLETED. CUM ITER = 754
 *** TIME = .249305E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1589E-05 OSCILLATION LIMIT = 12.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4445E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1468
 HT FLOW CONVERGENCE VALUE= .1677E-01 CRITERION= .3760E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 37 COMPLETED. CUM ITER = 755
 *** TIME = .250094E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1586E-05 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4435E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1466
 HT FLOW CONVERGENCE VALUE= .1672E-01 CRITERION= .3752E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 38 COMPLETED. CUM ITER = 756
 *** TIME = .250883E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1590E-05 OSCILLATION LIMIT = 12.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .4429E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1469
 HT FLOW CONVERGENCE VALUE= .1671E-01 CRITERION= .3741E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 39 COMPLETED. CUM ITER = 757
 *** TIME = .251672E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1586E-05 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .4419E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1468
 HT FLOW CONVERGENCE VALUE= .1666E-01 CRITERION= .3733E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 40 COMPLETED. CUM ITER = 758
 *** TIME = .252461E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1591E-05 OSCILLATION LIMIT = 12.55

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:26:32 MAR 25, 1995 CP= 65910.720
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .4144E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1215
 HT FLOW CONVERGENCE VALUE= .1342E-01 CRITERION= .3724E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 1 COMPLETED. CUM ITER = 759
 *** TIME = .253250E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1821E-05 OSCILLATION LIMIT = 14.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.99 CRITERION= .4135E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1224
 HT FLOW CONVERGENCE VALUE= .1345E-01 CRITERION= .3717E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 2 COMPLETED. CUM ITER = 760
 *** TIME = .254039E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1850E-05 OSCILLATION LIMIT = 14.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .4129E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1235
 HT FLOW CONVERGENCE VALUE= .1353E-01 CRITERION= .3707E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 3 COMPLETED. CUM ITER = 761
 *** TIME = .254828E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1857E-05 OSCILLATION LIMIT = 14.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.99 CRITERION= .4120E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1225
 HT FLOW CONVERGENCE VALUE= .1341E-01 CRITERION= .3700E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 4 COMPLETED. CUM ITER = 762
 *** TIME = .255617E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1847E-05 OSCILLATION LIMIT = 14.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .4115E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1236
 HT FLOW CONVERGENCE VALUE= .1348E-01 CRITERION= .3691E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 5 COMPLETED. CUM ITER = 763
 *** TIME = .256406E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1857E-05 OSCILLATION LIMIT = 14.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.99 CRITERION= .4106E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1226
 HT FLOW CONVERGENCE VALUE= .1337E-01 CRITERION= .3684E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 6 COMPLETED. CUM ITER = 764
 *** TIME = .257194E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1848E-05 OSCILLATION LIMIT = 14.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .4100E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1237
 HT FLOW CONVERGENCE VALUE= .1343E-01 CRITERION= .3674E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 7 COMPLETED. CUM ITER = 765
 *** TIME = .257983E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1856E-05 OSCILLATION LIMIT = 14.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.99 CRITERION= .4091E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1228
 HT FLOW CONVERGENCE VALUE= .1333E-01 CRITERION= .3667E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 8 COMPLETED. CUM ITER = 766
 *** TIME = .258772E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1849E-05 OSCILLATION LIMIT = 14.59

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .4085E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1237
 HT FLOW CONVERGENCE VALUE= .1338E-01 CRITERION= .3658E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 9 COMPLETED. CUM ITER = 767
 *** TIME = .259561E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1856E-05 OSCILLATION LIMIT = 14.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.99 CRITERION= .4076E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1229
 HT FLOW CONVERGENCE VALUE= .1329E-01 CRITERION= .3651E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 10 COMPLETED. CUM ITER = 768
 *** TIME = .260350E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1850E-05 OSCILLATION LIMIT = 14.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .4071E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1238
 HT FLOW CONVERGENCE VALUE= .1333E-01 CRITERION= .3642E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 11 COMPLETED. CUM ITER = 769
 *** TIME = .261139E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1856E-05 OSCILLATION LIMIT = 14.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.99 CRITERION= .4062E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1231
 HT FLOW CONVERGENCE VALUE= .1324E-01 CRITERION= .3635E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 12 COMPLETED. CUM ITER = 770
 *** TIME = .261928E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1851E-05 OSCILLATION LIMIT = 14.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .4056E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1239
 HT FLOW CONVERGENCE VALUE= .1329E-01 CRITERION= .3625E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 13 COMPLETED. CUM ITER = 771
 *** TIME = .262717E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1855E-05 OSCILLATION LIMIT = 14.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.99 CRITERION= .4047E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1232
 HT FLOW CONVERGENCE VALUE= .1320E-01 CRITERION= .3618E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 14 COMPLETED. CUM ITER = 772
 *** TIME = .263506E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1852E-05 OSCILLATION LIMIT = 14.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .4041E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1240
 HT FLOW CONVERGENCE VALUE= .1324E-01 CRITERION= .3609E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 15 COMPLETED. CUM ITER = 773
 *** TIME = .264295E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1855E-05 OSCILLATION LIMIT = 14.64
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.99 CRITERION= .4032E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1233
 HT FLOW CONVERGENCE VALUE= .1316E-01 CRITERION= .3602E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 16 COMPLETED. CUM ITER = 774

```

*** TIME = .265084E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1853E-05    OSCILLATION LIMIT = 14.62
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 18.02    CRITERION= .4027E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1240
    HT FLOW CONVERGENCE VALUE= .1319E-01    CRITERION= .3593E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 17 COMPLETED.    CUM ITER = 775
*** TIME = .265873E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1855E-05    OSCILLATION LIMIT = 14.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.99    CRITERION= .4018E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1235
    HT FLOW CONVERGENCE VALUE= .1311E-01    CRITERION= .3585E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 18 COMPLETED.    CUM ITER = 776
*** TIME = .266662E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1854E-05    OSCILLATION LIMIT = 14.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 18.02    CRITERION= .4012E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1241
    HT FLOW CONVERGENCE VALUE= .1314E-01    CRITERION= .3576E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 19 COMPLETED.    CUM ITER = 777
*** TIME = .267451E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1855E-05    OSCILLATION LIMIT = 14.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.99    CRITERION= .4003E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1236
    HT FLOW CONVERGENCE VALUE= .1307E-01    CRITERION= .3569E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 20 COMPLETED.    CUM ITER = 778
*** TIME = .268240E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1855E-05    OSCILLATION LIMIT = 14.64
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 18.02    CRITERION= .3997E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1242
    HT FLOW CONVERGENCE VALUE= .1310E-01    CRITERION= .3560E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 21 COMPLETED.    CUM ITER = 779
*** TIME = .269029E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1855E-05    OSCILLATION LIMIT = 14.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 18.00    CRITERION= .3988E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1237
    HT FLOW CONVERGENCE VALUE= .1303E-01    CRITERION= .3553E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 22 COMPLETED.    CUM ITER = 780
*** TIME = .269817E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1856E-05    OSCILLATION LIMIT = 14.64
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 18.02    CRITERION= .3983E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1243
    HT FLOW CONVERGENCE VALUE= .1305E-01    CRITERION= .3543E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 23 COMPLETED.    CUM ITER = 781
*** TIME = .270606E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1855E-05    OSCILLATION LIMIT = 14.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 18.00    CRITERION= .3974E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1239
    HT FLOW CONVERGENCE VALUE= .1298E-01    CRITERION= .3536E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 24 COMPLETED. CUM ITER = 782
*** TIME = .271395E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1857E-05 OSCILLATION LIMIT = 14.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .3968E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1244
HT FLOW CONVERGENCE VALUE= .1300E-01 CRITERION= .3527E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 25 COMPLETED. CUM ITER = 783
*** TIME = .272184E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1855E-05 OSCILLATION LIMIT = 14.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.00 CRITERION= .3959E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1240
HT FLOW CONVERGENCE VALUE= .1294E-01 CRITERION= .3520E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 26 COMPLETED. CUM ITER = 784
*** TIME = .272973E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1858E-05 OSCILLATION LIMIT = 14.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .3953E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1245
HT FLOW CONVERGENCE VALUE= .1295E-01 CRITERION= .3511E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 27 COMPLETED. CUM ITER = 785
*** TIME = .273762E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1855E-05 OSCILLATION LIMIT = 14.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.00 CRITERION= .3945E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1241
HT FLOW CONVERGENCE VALUE= .1289E-01 CRITERION= .3504E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 28 COMPLETED. CUM ITER = 786
*** TIME = .274551E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1858E-05 OSCILLATION LIMIT = 14.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .3939E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1246
HT FLOW CONVERGENCE VALUE= .1291E-01 CRITERION= .3494E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 29 COMPLETED. CUM ITER = 787
*** TIME = .275340E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1855E-05 OSCILLATION LIMIT = 14.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.00 CRITERION= .3930E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1242
HT FLOW CONVERGENCE VALUE= .1285E-01 CRITERION= .3487E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 30 COMPLETED. CUM ITER = 788
*** TIME = .276129E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1859E-05 OSCILLATION LIMIT = 14.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .3924E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1247
HT FLOW CONVERGENCE VALUE= .1286E-01 CRITERION= .3478E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 31 COMPLETED. CUM ITER = 789
*** TIME = .276918E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1855E-05 OSCILLATION LIMIT = 14.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.00 CRITERION= .3916E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1244
 HT FLOW CONVERGENCE VALUE= .1280E-01 CRITERION= .3471E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 32 COMPLETED. CUM ITER = 790
 *** TIME = .277707E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1860E-05 OSCILLATION LIMIT = 14.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .3910E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1247
 HT FLOW CONVERGENCE VALUE= .1281E-01 CRITERION= .3461E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 33 COMPLETED. CUM ITER = 791
 *** TIME = .278496E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1855E-05 OSCILLATION LIMIT = 14.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.00 CRITERION= .3901E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1245
 HT FLOW CONVERGENCE VALUE= .1276E-01 CRITERION= .3454E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 34 COMPLETED. CUM ITER = 792
 *** TIME = .279285E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1860E-05 OSCILLATION LIMIT = 14.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .3895E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1248
 HT FLOW CONVERGENCE VALUE= .1276E-01 CRITERION= .3445E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 35 COMPLETED. CUM ITER = 793
 *** TIME = .280074E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1855E-05 OSCILLATION LIMIT = 14.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.00 CRITERION= .3886E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1246
 HT FLOW CONVERGENCE VALUE= .1271E-01 CRITERION= .3438E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 36 COMPLETED. CUM ITER = 794
 *** TIME = .280863E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1861E-05 OSCILLATION LIMIT = 14.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .3881E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1249
 HT FLOW CONVERGENCE VALUE= .1272E-01 CRITERION= .3429E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 37 COMPLETED. CUM ITER = 795
 *** TIME = .281652E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1855E-05 OSCILLATION LIMIT = 14.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.00 CRITERION= .3872E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1247
 HT FLOW CONVERGENCE VALUE= .1267E-01 CRITERION= .3422E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 38 COMPLETED. CUM ITER = 796
 *** TIME = .282441E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1862E-05 OSCILLATION LIMIT = 14.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.02 CRITERION= .3866E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1250
 HT FLOW CONVERGENCE VALUE= .1267E-01 CRITERION= .3412E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 39 COMPLETED. CUM ITER = 797
 *** TIME = .283229E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1855E-05 OSCILLATION LIMIT = 14.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 18.00 CRITERION= .3857E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1249
 HT FLOW CONVERGENCE VALUE= .1262E-01 CRITERION= .3405E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 40 COMPLETED. CUM ITER = 798
 *** TIME = .284018E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1862E-05 OSCILLATION LIMIT = 14.69
 Apply loads and solve for 100 to 1000 years

*DO LOOP ON PARAMETER= TM FROM .31558E+10 TO .31558E+11 BY .31558E+10
 TIME= .31558E+10

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 1015.57476 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 93.383 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP
 VALUES = 93.614 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
 LOAD LABELS = TEMP
 VALUES = 94.088 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
 CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 69465.440 TIME= 19:40:07
 Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
 procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:40:07 MAR 25, 1995 CP= 69465.440
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 31
 TIME AT END OF THE LOAD STEP.31558E+10

```

AUTOMATIC TIME STEPPING . . . . . ON
  INITIAL NUMBER OF SUBSTEPS . . . . . 10
  MAXIMUM NUMBER OF SUBSTEPS . . . . . 40
  MINIMUM NUMBER OF SUBSTEPS . . . . . 4
  START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS . . . . . NO
TRANSIENT (INERTIA) EFFECTS
  THERMAL DOFS . . . . . ON
TRANSIENT INTEGRATION PARAMETERS
  THETA. . . . . .50000
  OSCILLATION LIMIT CRITERION. . . . . .50000
  TOLERANCE. . . . . .20000
TERMINATE ANALYSIS IF NOT CONVERGED . . . . .YES (EXIT)
CONVERGENCE CONTROLS. . . . .USE DEFAULTS
PRINT OUTPUT CONTROLS . . . . .NO PRINTOUT
DATABASE OUTPUT CONTROLS. . . . .ALL DATA WRITTEN
                                FOR THE LAST SUBSTEP

```

```

HT FLOW CONVERGENCE VALUE= 15.23      CRITERION= .3729E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1017
HT FLOW CONVERGENCE VALUE= .1041E-01 CRITERION= .3397E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 1 COMPLETED. CUM ITER = 799
*** TIME = .284807E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1733E-05 OSCILLATION LIMIT = 13.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 15.20      CRITERION= .3722E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1020
HT FLOW CONVERGENCE VALUE= .1038E-01 CRITERION= .3392E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 2 COMPLETED. CUM ITER = 800
*** TIME = .285596E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1768E-05 OSCILLATION LIMIT = 13.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 15.23      CRITERION= .3717E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1030
HT FLOW CONVERGENCE VALUE= .1044E-01 CRITERION= .3384E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 3 COMPLETED. CUM ITER = 801
*** TIME = .286385E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1775E-05 OSCILLATION LIMIT = 14.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 15.20      CRITERION= .3710E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1021
HT FLOW CONVERGENCE VALUE= .1036E-01 CRITERION= .3379E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 4 COMPLETED. CUM ITER = 802
*** TIME = .287174E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1767E-05 OSCILLATION LIMIT = 13.94
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 15.23      CRITERION= .3705E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1030
HT FLOW CONVERGENCE VALUE= .1041E-01 CRITERION= .3371E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 5 COMPLETED. CUM ITER = 803
*** TIME = .287963E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1775E-05 OSCILLATION LIMIT = 14.00
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 15.20      CRITERION= .3698E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1022
HT FLOW CONVERGENCE VALUE= .1033E-01 CRITERION= .3365E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 6 COMPLETED. CUM ITER = 804

```

*** TIME = .288752E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1769E-05 OSCILLATION LIMIT = 13.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3693E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1031
 HT FLOW CONVERGENCE VALUE= .1038E-01 CRITERION= .3358E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 7 COMPLETED. CUM ITER = 805
 *** TIME = .289541E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1774E-05 OSCILLATION LIMIT = 14.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3686E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1023
 HT FLOW CONVERGENCE VALUE= .1030E-01 CRITERION= .3352E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 8 COMPLETED. CUM ITER = 806
 *** TIME = .290330E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1770E-05 OSCILLATION LIMIT = 13.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3681E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1031
 HT FLOW CONVERGENCE VALUE= .1034E-01 CRITERION= .3344E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 9 COMPLETED. CUM ITER = 807
 *** TIME = .291119E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1774E-05 OSCILLATION LIMIT = 14.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3674E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1024
 HT FLOW CONVERGENCE VALUE= .1027E-01 CRITERION= .3339E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 10 COMPLETED. CUM ITER = 808
 *** TIME = .291908E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1771E-05 OSCILLATION LIMIT = 13.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3669E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1032
 HT FLOW CONVERGENCE VALUE= .1031E-01 CRITERION= .3331E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 11 COMPLETED. CUM ITER = 809
 *** TIME = .292697E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1774E-05 OSCILLATION LIMIT = 13.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3662E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1025
 HT FLOW CONVERGENCE VALUE= .1024E-01 CRITERION= .3326E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 12 COMPLETED. CUM ITER = 810
 *** TIME = .293486E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1772E-05 OSCILLATION LIMIT = 13.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3657E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1032
 HT FLOW CONVERGENCE VALUE= .1028E-01 CRITERION= .3318E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 13 COMPLETED. CUM ITER = 811
 *** TIME = .294275E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1773E-05 OSCILLATION LIMIT = 13.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3650E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1026
 HT FLOW CONVERGENCE VALUE= .1021E-01 CRITERION= .3313E-01 <<< CONVERGED


```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 14 COMPLETED. CUM ITER = 812
*** TIME = .295064E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1773E-05 OSCILLATION LIMIT = 13.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3645E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1033
HT FLOW CONVERGENCE VALUE= .1024E-01 CRITERION= .3305E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 15 COMPLETED. CUM ITER = 813
*** TIME = .295853E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1773E-05 OSCILLATION LIMIT = 13.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3638E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1027
HT FLOW CONVERGENCE VALUE= .1018E-01 CRITERION= .3299E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 16 COMPLETED. CUM ITER = 814
*** TIME = .296641E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1774E-05 OSCILLATION LIMIT = 13.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3633E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1033
HT FLOW CONVERGENCE VALUE= .1021E-01 CRITERION= .3292E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 17 COMPLETED. CUM ITER = 815
*** TIME = .297430E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1773E-05 OSCILLATION LIMIT = 13.99
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3626E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1028
HT FLOW CONVERGENCE VALUE= .1015E-01 CRITERION= .3286E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 18 COMPLETED. CUM ITER = 816
*** TIME = .298219E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1775E-05 OSCILLATION LIMIT = 14.00
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3621E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1034
HT FLOW CONVERGENCE VALUE= .1018E-01 CRITERION= .3278E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 19 COMPLETED. CUM ITER = 817
*** TIME = .299008E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1773E-05 OSCILLATION LIMIT = 13.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3614E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1029
HT FLOW CONVERGENCE VALUE= .1012E-01 CRITERION= .3273E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 20 COMPLETED. CUM ITER = 818
*** TIME = .299797E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1775E-05 OSCILLATION LIMIT = 14.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3609E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1034
HT FLOW CONVERGENCE VALUE= .1014E-01 CRITERION= .3265E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 21 COMPLETED. CUM ITER = 819
*** TIME = .300586E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1772E-05 OSCILLATION LIMIT = 13.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3602E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1030
 HT FLOW CONVERGENCE VALUE= .1009E-01 CRITERION= .3260E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 22 COMPLETED. CUM ITER = 820
 *** TIME = .301375E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1776E-05 OSCILLATION LIMIT = 14.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3597E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1035
 HT FLOW CONVERGENCE VALUE= .1011E-01 CRITERION= .3252E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 23 COMPLETED. CUM ITER = 821
 *** TIME = .302164E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1772E-05 OSCILLATION LIMIT = 13.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3590E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1031
 HT FLOW CONVERGENCE VALUE= .1006E-01 CRITERION= .3246E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 24 COMPLETED. CUM ITER = 822
 *** TIME = .302953E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1777E-05 OSCILLATION LIMIT = 14.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3585E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1035
 HT FLOW CONVERGENCE VALUE= .1008E-01 CRITERION= .3239E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 25 COMPLETED. CUM ITER = 823
 *** TIME = .303742E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1772E-05 OSCILLATION LIMIT = 13.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3578E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1032
 HT FLOW CONVERGENCE VALUE= .1003E-01 CRITERION= .3233E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 26 COMPLETED. CUM ITER = 824
 *** TIME = .304531E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1778E-05 OSCILLATION LIMIT = 14.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3573E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1036
 HT FLOW CONVERGENCE VALUE= .1005E-01 CRITERION= .3225E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 27 COMPLETED. CUM ITER = 825
 *** TIME = .305320E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1772E-05 OSCILLATION LIMIT = 13.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3566E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1033
 HT FLOW CONVERGENCE VALUE= .9999E-02 CRITERION= .3220E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 28 COMPLETED. CUM ITER = 826
 *** TIME = .306109E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1779E-05 OSCILLATION LIMIT = 14.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3561E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1036
 HT FLOW CONVERGENCE VALUE= .1001E-01 CRITERION= .3212E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 29 COMPLETED. CUM ITER = 827
 *** TIME = .306898E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1772E-05 OSCILLATION LIMIT = 13.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3554E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1034
 HT FLOW CONVERGENCE VALUE= .9969E-02 CRITERION= .3207E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 30 COMPLETED. CUM ITER = 828
 *** TIME = .307687E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1779E-05 OSCILLATION LIMIT = 14.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3549E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1037
 HT FLOW CONVERGENCE VALUE= .9980E-02 CRITERION= .3199E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 31 COMPLETED. CUM ITER = 829
 *** TIME = .308476E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1772E-05 OSCILLATION LIMIT = 13.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3542E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1035
 HT FLOW CONVERGENCE VALUE= .9938E-02 CRITERION= .3194E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 32 COMPLETED. CUM ITER = 830
 *** TIME = .309264E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1780E-05 OSCILLATION LIMIT = 14.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3537E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1038
 HT FLOW CONVERGENCE VALUE= .9947E-02 CRITERION= .3186E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 33 COMPLETED. CUM ITER = 831
 *** TIME = .310053E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1772E-05 OSCILLATION LIMIT = 13.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3530E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1036
 HT FLOW CONVERGENCE VALUE= .9907E-02 CRITERION= .3180E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 34 COMPLETED. CUM ITER = 832
 *** TIME = .310842E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1781E-05 OSCILLATION LIMIT = 14.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3525E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1038
 HT FLOW CONVERGENCE VALUE= .9914E-02 CRITERION= .3173E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 35 COMPLETED. CUM ITER = 833
 *** TIME = .311631E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1772E-05 OSCILLATION LIMIT = 13.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3518E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1037
 HT FLOW CONVERGENCE VALUE= .9876E-02 CRITERION= .3167E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 36 COMPLETED. CUM ITER = 834
 *** TIME = .312420E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1781E-05 OSCILLATION LIMIT = 14.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3513E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1039
 HT FLOW CONVERGENCE VALUE= .9881E-02 CRITERION= .3159E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 37 COMPLETED. CUM ITER = 835
 *** TIME = .313209E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .1772E-05 OSCILLATION LIMIT = 13.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3506E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1037
HT FLOW CONVERGENCE VALUE= .9845E-02 CRITERION= .3154E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 38 COMPLETED. CUM ITER = 836
*** TIME = .313998E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1782E-05 OSCILLATION LIMIT = 14.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.23 CRITERION= .3502E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1040
HT FLOW CONVERGENCE VALUE= .9848E-02 CRITERION= .3146E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 39 COMPLETED. CUM ITER = 837
*** TIME = .314787E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1772E-05 OSCILLATION LIMIT = 13.98
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.20 CRITERION= .3494E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1038
HT FLOW CONVERGENCE VALUE= .9814E-02 CRITERION= .3141E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 40 COMPLETED. CUM ITER = 838
*** TIME = .315576E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1782E-05 OSCILLATION LIMIT = 14.06

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:54:52 MAR 25, 1995 CP= 73019.230
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 80.78 CRITERION= .8665E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5200
HT FLOW CONVERGENCE VALUE= .4910E-01 CRITERION= .3111E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2954E-01
HT FLOW CONVERGENCE VALUE= .1830E-02 CRITERION= .3109E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 1 COMPLETED. CUM ITER = 840
*** TIME = .323465E+10 TIME INC = .788940E+08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 80.76 CRITERION= .8653E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5252
HT FLOW CONVERGENCE VALUE= .4883E-01 CRITERION= .3083E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2944E-01
HT FLOW CONVERGENCE VALUE= .1801E-02 CRITERION= .3081E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 2 COMPLETED. CUM ITER = 842
*** TIME = .331355E+10 TIME INC = .788940E+08
*** AUTO TIME STEP: NEXT TIME INC = .23668E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 242.3 CRITERION= .2443
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.580
HT FLOW CONVERGENCE VALUE= .1459 CRITERION= .2995E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8516E-01
HT FLOW CONVERGENCE VALUE= .4982E-02 CRITERION= .2990E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 3 COMPLETED. CUM ITER = 844
*** TIME = .355023E+10 TIME INC = .236682E+09
*** AUTO TIME STEP: NEXT TIME INC = .71005E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 726.9 CRITERION= .7276
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -4.756
 HT FLOW CONVERGENCE VALUE= .4001 CRITERION= .2739E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2253
 HT FLOW CONVERGENCE VALUE= .1150E-01 CRITERION= .2723E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 4 COMPLETED. CUM ITER = 846
 *** TIME = .426028E+10 TIME INC = .710046E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 807.9 CRITERION= .8083
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -5.353
 HT FLOW CONVERGENCE VALUE= .3965 CRITERION= .2441E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2263
 HT FLOW CONVERGENCE VALUE= .1011E-01 CRITERION= .2425E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 5 COMPLETED. CUM ITER = 848
 *** TIME = .504922E+10 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 808.0 CRITERION= .8083
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -5.425
 HT FLOW CONVERGENCE VALUE= .3509 CRITERION= .2144E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2031
 HT FLOW CONVERGENCE VALUE= .7856E-02 CRITERION= .2130E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 6 COMPLETED. CUM ITER = 850
 *** TIME = .583816E+10 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 484.9 CRITERION= .4853
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -3.305
 HT FLOW CONVERGENCE VALUE= .2030 CRITERION= .1958E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1198
 HT FLOW CONVERGENCE VALUE= .4388E-02 CRITERION= .1950E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 7 COMPLETED. CUM ITER = 852
 *** TIME = .631152E+10 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:14:52 MAR 25, 1995 CP= 74003.750
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 208.5 CRITERION= .2094
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.250
 HT FLOW CONVERGENCE VALUE= .8184E-01 CRITERION= .1893E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5002E-01
 HT FLOW CONVERGENCE VALUE= .1987E-02 CRITERION= .1891E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 1 COMPLETED. CUM ITER = 854
 *** TIME = .678488E+10 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 208.6 CRITERION= .2094
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.254
 HT FLOW CONVERGENCE VALUE= .7999E-01 CRITERION= .1831E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4891E-01
 HT FLOW CONVERGENCE VALUE= .1875E-02 CRITERION= .1829E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 2 COMPLETED. CUM ITER = 856
 *** TIME = .725825E+10 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 347.6 CRITERION= .3481
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.095
 HT FLOW CONVERGENCE VALUE= .1249 CRITERION= .1732E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7690E-01
 HT FLOW CONVERGENCE VALUE= .2662E-02 CRITERION= .1728E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 3 COMPLETED. CUM ITER = 858
 *** TIME = .804719E+10 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 347.6 CRITERION= .3481
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.108
 HT FLOW CONVERGENCE VALUE= .1178 CRITERION= .1629E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7273E-01
 HT FLOW CONVERGENCE VALUE= .2347E-02 CRITERION= .1625E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 4 COMPLETED. CUM ITER = 860
 *** TIME = .883613E+10 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 278.1 CRITERION= .2786
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.695
 HT FLOW CONVERGENCE VALUE= .9194E-01 CRITERION= .1548E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5501E-01
 HT FLOW CONVERGENCE VALUE= .1774E-02 CRITERION= .1546E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 5 COMPLETED. CUM ITER = 862
 *** TIME = .946728E+10 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:29:19 MAR 25, 1995 CP= 74707.820
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 158.2 CRITERION= .1589
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9965
 HT FLOW CONVERGENCE VALUE= .5320E-01 CRITERION= .1498E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3106E-01
 HT FLOW CONVERGENCE VALUE= .9890E-03 CRITERION= .1496E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 1 COMPLETED. CUM ITER = 864
 *** TIME = .100984E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 158.1 CRITERION= .1589
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9974
 HT FLOW CONVERGENCE VALUE= .5188E-01 CRITERION= .1450E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3020E-01
 HT FLOW CONVERGENCE VALUE= .9396E-03 CRITERION= .1449E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 2 COMPLETED. CUM ITER = 866
 *** TIME = .107296E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 197.7 CRITERION= .1982
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.252
 HT FLOW CONVERGENCE VALUE= .6211E-01 CRITERION= .1389E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3611E-01
 HT FLOW CONVERGENCE VALUE= .1074E-02 CRITERION= .1387E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 3 COMPLETED. CUM ITER = 868
 *** TIME = .115185E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 197.7 CRITERION= .1982

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.254
 HT FLOW CONVERGENCE VALUE= .5979E-01 CRITERION= .1330E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3472E-01
 HT FLOW CONVERGENCE VALUE= .1001E-02 CRITERION= .1328E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 4 COMPLETED. CUM ITER = 870
 *** TIME = .123075E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 79.10 CRITERION= .8020E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5047
 HT FLOW CONVERGENCE VALUE= .2419E-01 CRITERION= .1303E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1403E-01
 HT FLOW CONVERGENCE VALUE= .4042E-03 CRITERION= .1302E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 5 COMPLETED. CUM ITER = 872
 *** TIME = .126230E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:43:25 MAR 25, 1995 CP= 75411.940
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 58.68 CRITERION= .6011E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3630
 HT FLOW CONVERGENCE VALUE= .1748E-01 CRITERION= .1287E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1021E-01
 HT FLOW CONVERGENCE VALUE= .2965E-03 CRITERION= .1286E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 1 COMPLETED. CUM ITER = 874
 *** TIME = .129386E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.70 CRITERION= .6008E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3646
 HT FLOW CONVERGENCE VALUE= .1730E-01 CRITERION= .1268E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1011E-01
 HT FLOW CONVERGENCE VALUE= .2889E-03 CRITERION= .1268E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 2 COMPLETED. CUM ITER = 876
 *** TIME = .132542E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 146.7 CRITERION= .1473
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9099
 HT FLOW CONVERGENCE VALUE= .4112E-01 CRITERION= .1228E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2409E-01
 HT FLOW CONVERGENCE VALUE= .6581E-03 CRITERION= .1226E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 3 COMPLETED. CUM ITER = 878
 *** TIME = .140431E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 146.7 CRITERION= .1472
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9136
 HT FLOW CONVERGENCE VALUE= .3981E-01 CRITERION= .1184E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2339E-01
 HT FLOW CONVERGENCE VALUE= .6155E-03 CRITERION= .1182E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 4 COMPLETED. CUM ITER = 880
 *** TIME = .148321E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 88.03 CRITERION= .8882E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5486

HT FLOW CONVERGENCE VALUE= .2367E-01 CRITERION= .1159E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1395E-01
 HT FLOW CONVERGENCE VALUE= .3637E-03 CRITERION= .1158E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 5 COMPLETED. CUM ITER = 882
 *** TIME = .153054E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 88.05 CRITERION= .8880E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5506
 HT FLOW CONVERGENCE VALUE= .2322E-01 CRITERION= .1132E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1370E-01
 HT FLOW CONVERGENCE VALUE= .3485E-03 CRITERION= .1131E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 6 COMPLETED. CUM ITER = 884
 *** TIME = .157788E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:00:57 MAR 25, 1995 CP= 76255.630
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 86.35 CRITERION= .8709E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4849
 HT FLOW CONVERGENCE VALUE= .2107E-01 CRITERION= .1112E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1268E-01
 HT FLOW CONVERGENCE VALUE= .3353E-03 CRITERION= .1112E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 1 COMPLETED. CUM ITER = 886
 *** TIME = .162522E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 86.37 CRITERION= .8708E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4868
 HT FLOW CONVERGENCE VALUE= .2074E-01 CRITERION= .1090E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1249E-01
 HT FLOW CONVERGENCE VALUE= .3235E-03 CRITERION= .1090E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 2 COMPLETED. CUM ITER = 888
 *** TIME = .167255E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 143.9 CRITERION= .1443
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8105
 HT FLOW CONVERGENCE VALUE= .3313E-01 CRITERION= .1057E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2002E-01
 HT FLOW CONVERGENCE VALUE= .4996E-03 CRITERION= .1056E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 3 COMPLETED. CUM ITER = 890
 *** TIME = .175145E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 144.0 CRITERION= .1443
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8136
 HT FLOW CONVERGENCE VALUE= .3213E-01 CRITERION= .1021E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1947E-01
 HT FLOW CONVERGENCE VALUE= .4693E-03 CRITERION= .1020E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 4 COMPLETED. CUM ITER = 892
 *** TIME = .183034E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 115.1 CRITERION= .1156
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6511
 HT FLOW CONVERGENCE VALUE= .2518E-01 CRITERION= .9947E-02

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1530E-01
HT FLOW CONVERGENCE VALUE= .3611E-03 CRITERION= .9940E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 36 SUBSTEP 5 COMPLETED. CUM ITER = 894
*** TIME = .189346E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 22:15:33 MAR 25, 1995 CP= 76959.610
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 99.83 CRITERION= .1003
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5344
HT FLOW CONVERGENCE VALUE= .2083E-01 CRITERION= .9718E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1279E-01
HT FLOW CONVERGENCE VALUE= .3042E-03 CRITERION= .9713E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 1 COMPLETED. CUM ITER = 896
*** TIME = .195657E+11 TIME INC = .631152E+09
*** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 99.81 CRITERION= .1003
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5338
HT FLOW CONVERGENCE VALUE= .2037E-01 CRITERION= .9516E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1254E-01
HT FLOW CONVERGENCE VALUE= .2926E-03 CRITERION= .9511E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 2 COMPLETED. CUM ITER = 898
*** TIME = .201969E+11 TIME INC = .631152E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 124.8 CRITERION= .1251
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6696
HT FLOW CONVERGENCE VALUE= .2470E-01 CRITERION= .9237E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1523E-01
HT FLOW CONVERGENCE VALUE= .3438E-03 CRITERION= .9231E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 3 COMPLETED. CUM ITER = 900
*** TIME = .209858E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 124.8 CRITERION= .1251
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6694
HT FLOW CONVERGENCE VALUE= .2400E-01 CRITERION= .8981E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1485E-01
HT FLOW CONVERGENCE VALUE= .3261E-03 CRITERION= .8975E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 4 COMPLETED. CUM ITER = 902
*** TIME = .217747E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 49.93 CRITERION= .5072E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2693
HT FLOW CONVERGENCE VALUE= .9663E-02 CRITERION= .8858E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5977E-02
HT FLOW CONVERGENCE VALUE= .1307E-03 CRITERION= .8856E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 5 COMPLETED. CUM ITER = 904
*** TIME = .220903E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 22:29:38 MAR 25, 1995 CP= 77663.730

FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 43.72 CRITERION= .4461E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2344
HT FLOW CONVERGENCE VALUE= .8361E-02 CRITERION= .8777E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 38 SUBSTEP 1 COMPLETED. CUM ITER = 905
*** TIME = .224059E+11 TIME INC = .315576E+09
*** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 43.74 CRITERION= .4461E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2306
HT FLOW CONVERGENCE VALUE= .8215E-02 CRITERION= .8671E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 38 SUBSTEP 2 COMPLETED. CUM ITER = 906
*** TIME = .227215E+11 TIME INC = .315576E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 109.3 CRITERION= .1097
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5824
HT FLOW CONVERGENCE VALUE= .1982E-01 CRITERION= .8452E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1235E-01
HT FLOW CONVERGENCE VALUE= .2573E-03 CRITERION= .8447E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 38 SUBSTEP 3 COMPLETED. CUM ITER = 908
*** TIME = .235104E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 109.3 CRITERION= .1097
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5898
HT FLOW CONVERGENCE VALUE= .1940E-01 CRITERION= .8206E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1209E-01
HT FLOW CONVERGENCE VALUE= .2435E-03 CRITERION= .8201E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 38 SUBSTEP 4 COMPLETED. CUM ITER = 910
*** TIME = .242994E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 65.59 CRITERION= .6610E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3534
HT FLOW CONVERGENCE VALUE= .1155E-01 CRITERION= .8075E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7211E-02
HT FLOW CONVERGENCE VALUE= .1442E-03 CRITERION= .8072E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 38 SUBSTEP 5 COMPLETED. CUM ITER = 912
*** TIME = .247727E+11 TIME INC = .473364E+09
*** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 65.61 CRITERION= .6610E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3550
HT FLOW CONVERGENCE VALUE= .1139E-01 CRITERION= .7923E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7109E-02
HT FLOW CONVERGENCE VALUE= .1393E-03 CRITERION= .7920E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 38 SUBSTEP 6 COMPLETED. CUM ITER = 914
*** TIME = .252461E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 22:44:56 MAR 25, 1995 CP= 78405.480
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 58.28 CRITERION= .5882E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2974
 HT FLOW CONVERGENCE VALUE= .9690E-02 CRITERION= .7823E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6115E-02
 HT FLOW CONVERGENCE VALUE= .1218E-03 CRITERION= .7821E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 1 COMPLETED. CUM ITER = 916
 *** TIME = .257194E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 58.30 CRITERION= .5882E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2990
 HT FLOW CONVERGENCE VALUE= .9584E-02 CRITERION= .7699E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6047E-02
 HT FLOW CONVERGENCE VALUE= .1183E-03 CRITERION= .7697E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 2 COMPLETED. CUM ITER = 918
 *** TIME = .261928E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 97.14 CRITERION= .9745E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4968
 HT FLOW CONVERGENCE VALUE= .1545E-01 CRITERION= .7527E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9779E-02
 HT FLOW CONVERGENCE VALUE= .1865E-03 CRITERION= .7523E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 3 COMPLETED. CUM ITER = 920
 *** TIME = .269817E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 97.16 CRITERION= .9745E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4988
 HT FLOW CONVERGENCE VALUE= .1511E-01 CRITERION= .7329E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9574E-02
 HT FLOW CONVERGENCE VALUE= .1778E-03 CRITERION= .7325E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 4 COMPLETED. CUM ITER = 922
 *** TIME = .277707E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 77.71 CRITERION= .7806E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3983
 HT FLOW CONVERGENCE VALUE= .1189E-01 CRITERION= .7192E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7553E-02
 HT FLOW CONVERGENCE VALUE= .1382E-03 CRITERION= .7189E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 5 COMPLETED. CUM ITER = 924
 *** TIME = .284018E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:59:33 MAR 25, 1995 CP= 79109.520
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 66.98 CRITERION= .6736E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3406
 HT FLOW CONVERGENCE VALUE= .1006E-01 CRITERION= .7054E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6403E-02
 HT FLOW CONVERGENCE VALUE= .1158E-03 CRITERION= .7052E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 1 COMPLETED. CUM ITER = 926
 *** TIME = .290330E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 66.95 CRITERION= .6733E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3395
HT FLOW CONVERGENCE VALUE= .9881E-02 CRITERION= .6942E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6301E-02
HT FLOW CONVERGENCE VALUE= .1124E-03 CRITERION= .6939E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 40 SUBSTEP 2 COMPLETED. CUM ITER = 928
*** TIME = .296641E+11 TIME INC = .631152E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 83.72 CRITERION= .8400E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4263
HT FLOW CONVERGENCE VALUE= .1208E-01 CRITERION= .6774E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7701E-02
HT FLOW CONVERGENCE VALUE= .1339E-03 CRITERION= .6771E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 40 SUBSTEP 3 COMPLETED. CUM ITER = 930
*** TIME = .304531E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 83.70 CRITERION= .8398E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4254
HT FLOW CONVERGENCE VALUE= .1181E-01 CRITERION= .6630E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7548E-02
HT FLOW CONVERGENCE VALUE= .1289E-03 CRITERION= .6627E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 40 SUBSTEP 4 COMPLETED. CUM ITER = 932
*** TIME = .312420E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 33.50 CRITERION= .3414E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1713
HT FLOW CONVERGENCE VALUE= .4764E-02 CRITERION= .6554E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 40 SUBSTEP 5 COMPLETED. CUM ITER = 933
*** TIME = .315576E+11 TIME INC = .315576E+09

```

FINISH SOLUTION PROCESSING

***** ROUTINE COMPLETED ***** CP = 79760.650

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12j2.db

FOR POSSIBLE RESUME FROM THIS POINT

Create element contour plots of solution results

Sort through solution results for time of max temp.

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 23:13:20 MAR 25, 1995 CP= 79768.260
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

VARIABLE 2 IS AT NODE 2929 ITEM= TEMP COMP= NAME= peakclad

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES
VARI TYPE IDENTIFIERS NAME MINIMUM AT TIME MAXIMUM AT TIME

2 NSOL 2929 TEMP peakclad 79.94 .3156E+11 208.0 .1262E+09
*GET TMTMAX FROM VARI 2 ITEM=EXTR TMAX VALUE= 126230432.
***** ROUTINE COMPLETED ***** CP = 79768.700

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 23:13:22 MAR 25, 1995 CP= 79768.740
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS RESULTS INTERPRETATION (POST1) *****
Create temperature contour plots of WP at peak

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (PRECISE) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS -1 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

4280 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .12623E+09

SET COMMAND GOT LOAD STEP= 16 SUBSTEP= 40 CUMULATIVE ITERATION= 238
TIME/FREQUENCY= .12623E+09

TITLE=
12 PWR MPC/WP at Time of Peak Temp. (4.000001 years)

/SHOW SWITCH PLOTS TO FILE solupk.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 AUTOMATIC CONTOURS

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solupk.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at Time of Peak Temp. (4.000001 years)

*** WARNING *** CP= 79811.560 TIME= 23:14:14
The selected element set contains mixed materials.
This could invalidate error estimation.
Create temperature contour plots at 10, 50, and 100 yrs

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+09

SET COMMAND GOT LOAD STEP= 22 SUBSTEP= 40 CUMULATIVE ITERATION= 478

TIME/FREQUENCY= .31558E+09

TITLE=

12 PWR MPC/WP at 10 years

/SHOW SWITCH PLOTS TO FILE solu10.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 112.97 BY .74810 TO 207.98

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu10.grph - RASTER MODE.

DISPLAY TITLE=

12 PWR MPC/WP at 10 years

*** WARNING ***

CP= 79863.730 TIME= 23:15:07

The selected element set contains mixed materials.

This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0

USE DATA SET FOR TIME OR FREQUENCY= .15779E+10

SET COMMAND GOT LOAD STEP= 26 SUBSTEP= 40 CUMULATIVE ITERATION= 638
TIME/FREQUENCY= .15779E+10

TITLE=

12 PWR MPC/WP at 50 years

/SHOW SWITCH PLOTS TO FILE solu50.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 112.97 BY .74810 TO 207.98

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu50.grph - RASTER MODE.

DISPLAY TITLE=

12 PWR MPC/WP at 50 years

*** WARNING ***

CP= 79915.860 TIME= 23:16:00

The selected element set contains mixed materials.

This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0

USE DATA SET FOR TIME OR FREQUENCY= .31558E+10

SET COMMAND GOT LOAD STEP= 31 SUBSTEP= 40 CUMULATIVE ITERATION= 838
TIME/FREQUENCY= .31558E+10

TITLE=

12 PWR MPC/WP at 100 years

/SHOW SWITCH PLOTS TO FILE solu100.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 112.97 BY .74810 TO 207.98

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu100.grph - RASTER MODE.

DISPLAY TITLE=

12 PWR MPC/WP at 100 years

*** WARNING *** CP= 79966.630 TIME= 23:16:50
The selected element set contains mixed materials.
This could invalidate error estimation.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

EXIT THE ANSYS POST1 DATABASE PROCESSOR

***** ROUTINE COMPLETED ***** CP = 79975.090

Print time/temperature output at specific locations
Save profile from center to edge

Variable Legend: A01i000

x = center of waste package
f = flux trap plate stainless layer
w = flux trap plate SS sheath
c = center of assembly
h = halfway between center and tube
s = inside structural stainless tube layer
a = aluminum-born tube layer
t = stainless tube cladding
g = tube guide
m = mpc shell
i = inner barrier of DC
o = outer barrier of DC
= ID number of assembly (01 is center)
i = side of assembly toward center of WP
o = side of assembly toward edge of WP
000 = profile center down
045 = profile 45 deg down
090 = profile center side
135 = profile 45 deg up
180 = profile center up

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 23:16:59 MAR 25, 1995 CP= 79975.100
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

MAXIMUM NUMBER OF VARIABLES= 30

* Temperature Profile from center to lower right (45 deg.) *

VARIABLE 2 IS AT NODE 5522 ITEM= TEMP COMP= NAME= x04i045
VARIABLE 3 IS AT NODE 1655 ITEM= TEMP COMP= NAME= f04i045
VARIABLE 4 IS AT NODE 1762 ITEM= TEMP COMP= NAME= f04o045
VARIABLE 5 IS AT NODE 2036 ITEM= TEMP COMP= NAME= w04i045

VARIABLE 6 IS AT NODE 2177 ITEM= TEMP COMP= NAME= w04o045
 VARIABLE 7 IS AT NODE 2552 ITEM= TEMP COMP= NAME= s04i045
 VARIABLE 8 IS AT NODE 2977 ITEM= TEMP COMP= NAME= h04i045
 VARIABLE 9 IS AT NODE 2929 ITEM= TEMP COMP= NAME= c04i045
 VARIABLE 10 IS AT NODE 2881 ITEM= TEMP COMP= NAME= h04o045
 VARIABLE 11 IS AT NODE 2566 ITEM= TEMP COMP= NAME= s04o045
 VARIABLE 12 IS AT NODE 2427 ITEM= TEMP COMP= NAME= a04o045
 VARIABLE 13 IS AT NODE 2303 ITEM= TEMP COMP= NAME= t04i045
 VARIABLE 14 IS AT NODE 2289 ITEM= TEMP COMP= NAME= t04o045
 VARIABLE 15 IS AT NODE 3528 ITEM= TEMP COMP= NAME= g04i045
 VARIABLE 16 IS AT NODE 3545 ITEM= TEMP COMP= NAME= g04o045
 VARIABLE 17 IS AT NODE 3760 ITEM= TEMP COMP= NAME= m04i045
 VARIABLE 18 IS AT NODE 3707 ITEM= TEMP COMP= NAME= m04o045
 VARIABLE 19 IS AT NODE 4142 ITEM= TEMP COMP= NAME= i04i045
 VARIABLE 20 IS AT NODE 4200 ITEM= TEMP COMP= NAME= i04o045
 VARIABLE 21 IS AT NODE 4595 ITEM= TEMP COMP= NAME= o04o045
 Add centers of assemblies 5 and 6
 VARIABLE 22 IS AT NODE 3098 ITEM= TEMP COMP= NAME= c05i045
 VARIABLE 23 IS AT NODE 2760 ITEM= TEMP COMP= NAME= c06i045
 STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES						
VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM AT TIME
2	NSOL	5522 TEMP	x04i045	78.54	.3156E+11	193.8 .1262E+09
3	NSOL	1655 TEMP	f04i045	78.54	.3156E+11	193.8 .1262E+09
4	NSOL	1762 TEMP	f04o045	78.54	.3156E+11	193.8 .1262E+09
5	NSOL	2036 TEMP	w04i045	78.54	.3156E+11	193.8 .1262E+09
6	NSOL	2177 TEMP	w04o045	78.54	.3156E+11	193.8 .1262E+09
7	NSOL	2552 TEMP	s04i045	78.54	.3156E+11	193.8 .1262E+09
8	NSOL	2977 TEMP	h04i045	79.27	.3156E+11	201.5 .1262E+09
9	NSOL	2929 TEMP	c04i045	79.94	.3156E+11	208.0 .1262E+09
10	NSOL	2881 TEMP	h04o045	79.20	.3156E+11	199.6 .1262E+09
11	NSOL	2566 TEMP	s04o045	78.40	.3156E+11	190.4 .1262E+09
12	NSOL	2427 TEMP	a04o045	78.40	.3156E+11	190.4 .1262E+09
13	NSOL	2303 TEMP	t04i045	78.40	.3156E+11	190.4 .1262E+09
14	NSOL	2289 TEMP	t04o045	78.39	.3156E+11	190.2 .1262E+09
15	NSOL	3528 TEMP	g04i045	77.09	.3156E+11	175.4 .1578E+09
16	NSOL	3545 TEMP	g04o045	77.06	.3156E+11	174.8 .1578E+09
17	NSOL	3760 TEMP	m04i045	74.60	.3156E+11	148.6 .2525E+09
18	NSOL	3707 TEMP	m04o045	74.56	.3156E+11	148.0 .2525E+09
19	NSOL	4142 TEMP	i04i045	27.74	.1000E-05	119.7 .3156E+09
20	NSOL	4200 TEMP	i04o045	26.94	.1000E-05	119.0 .3156E+09
21	NSOL	4595 TEMP	o04o045	26.14	.1000E-05	118.4 .3156E+09
22	NSOL	3098 TEMP	c05i045	78.88	.3156E+11	195.0 .1262E+09
23	NSOL	2760 TEMP	c06i045	78.91	.3156E+11	195.4 .1262E+09

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:17:03 MAR 25, 1995 CP= 79978.790
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5522 TEMP x04i045	1655 TEMP f04i045	1762 TEMP f04o045	2036 TEMP w04i045	2177 TEMP w04o045	2552 TEMP s04i045
.10000E-05	149.506	149.506	149.506	149.506	149.507	149.511
.20000E-05	165.362	165.361	165.362	165.362	165.363	165.367
31.558	165.362	165.361	165.362	165.362	165.363	165.367
.31558E+07	177.028	177.043	177.054	177.055	177.056	177.061
.63116E+07	180.283	180.298	180.310	180.311	180.312	180.316
.94673E+07	182.303	182.318	182.330	182.331	182.332	182.336
.12623E+08	183.807	183.823	183.834	183.835	183.836	183.841
.15779E+08	184.996	185.012	185.024	185.025	185.026	185.030
.18935E+08	186.015	186.030	186.042	186.043	186.044	186.048
.22090E+08	186.861	186.876	186.888	186.889	186.890	186.894
.25246E+08	187.570	187.585	187.597	187.598	187.599	187.604
.28402E+08	188.192	188.207	188.219	188.220	188.221	188.226
.31558E+08	188.749	188.764	188.776	188.777	188.778	188.783
.63115E+08	192.115	192.131	192.143	192.143	192.145	192.149
.94673E+08	193.371	193.387	193.398	193.399	193.400	193.404
.12623E+09	193.815	193.830	193.842	193.843	193.844	193.848
.15779E+09	193.719	193.734	193.746	193.747	193.748	193.752
.18935E+09	193.317	193.332	193.344	193.345	193.346	193.350
.22090E+09	192.730	192.745	192.757	192.758	192.759	192.762
.25246E+09	192.085	192.100	192.111	192.112	192.113	192.117
.28402E+09	191.000	191.015	191.026	191.026	191.027	191.031
.31558E+09	190.108	190.122	190.133	190.134	190.135	190.139
.63115E+09	178.873	178.886	178.895	178.896	178.897	178.900
.94673E+09	168.403	168.414	168.422	168.423	168.424	168.426
.12623E+10	158.282	158.292	158.299	158.299	158.300	158.302
.15779E+10	149.774	149.783	149.789	149.789	149.790	149.792
.18935E+10	142.634	142.642	142.648	142.649	142.649	142.651
.22090E+10	136.605	136.612	136.617	136.618	136.618	136.620
.25246E+10	131.297	131.304	131.308	131.309	131.309	131.311
.28402E+10	126.810	126.816	126.820	126.821	126.821	126.823
.31558E+10	123.071	123.077	123.081	123.081	123.081	123.083
.63115E+10	104.387	104.391	104.393	104.393	104.394	104.395
.94673E+10	96.9842	96.9872	96.9894	96.9895	96.9897	96.9904
.12623E+11	92.5671	92.5697	92.5715	92.5716	92.5718	92.5724
.15779E+11	89.3314	89.3337	89.3353	89.3354	89.3355	89.3360
.18935E+11	86.4265	86.4284	86.4298	86.4299	86.4301	86.4305
.22090E+11	84.0171	84.0188	84.0201	84.0202	84.0203	84.0207
.25246E+11	81.8927	81.8943	81.8954	81.8955	81.8956	81.8959
.28402E+11	80.0878	80.0893	80.0903	80.0904	80.0905	80.0908
.31558E+11	78.5377	78.5390	78.5400	78.5401	78.5401	78.5404

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:17:03 MAR 25, 1995 CP= 79978.820
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2977 TEMP h04i045	2929 TEMP c04i045	2881 TEMP h04o045	2566 TEMP s04o045	2427 TEMP a04o045	2303 TEMP t04i045
.10000E-05	159.124	167.412	157.379	146.265	146.238	146.209
.20000E-05	174.451	182.240	172.568	161.915	161.887	161.858
31.558	174.451	182.240	172.568	161.915	161.887	161.858
.31558E+07	185.778	193.230	183.860	173.567	173.539	173.510
.63116E+07	188.922	196.268	186.975	176.781	176.753	176.723
.94673E+07	190.864	198.137	188.906	178.786	178.758	178.728

.12623E+08	192.312	199.533	190.346	180.280	180.252	180.222
.15779E+08	193.448	200.620	191.478	181.465	181.437	181.408
.18935E+08	194.427	201.562	192.454	182.481	182.453	182.423
.22090E+08	195.231	202.328	193.255	183.324	183.296	183.267
.25246E+08	195.901	202.962	193.925	184.034	184.006	183.977
.28402E+08	196.488	203.517	194.512	184.657	184.629	184.600
.31558E+08	197.013	204.011	195.036	185.216	185.188	185.159
.63115E+08	200.136	206.914	198.171	188.615	188.587	188.558
.94673E+08	201.204	207.819	199.268	189.925	189.898	189.870
.12623E+09	201.497	207.984	199.591	190.426	190.400	190.372
.15779E+09	201.263	207.637	199.392	190.393	190.367	190.339
.18935E+09	200.735	207.006	198.899	190.055	190.029	190.002
.22090E+09	200.031	206.208	198.230	189.531	189.506	189.479
.25246E+09	199.273	205.361	197.506	188.947	188.922	188.896
.28402E+09	198.089	204.099	196.358	187.925	187.900	187.875
.31558E+09	197.118	203.068	195.416	187.082	187.059	187.034
.63115E+09	185.029	190.296	183.638	176.395	176.375	176.354
.94673E+09	173.900	178.636	172.747	166.340	166.323	166.305
.12623E+10	163.219	167.501	162.260	156.558	156.543	156.528
.15779E+10	154.249	158.152	153.437	148.307	148.294	148.281
.18935E+10	146.705	150.276	146.004	141.366	141.355	141.343
.22090E+10	140.330	143.610	139.718	135.493	135.483	135.473
.25246E+10	134.746	137.792	134.203	130.307	130.298	130.288
.28402E+10	130.006	132.837	129.522	125.923	125.915	125.906
.31558E+10	126.059	128.711	125.621	122.266	122.259	122.251
.63115E+10	106.378	108.166	106.133	103.928	103.923	103.918
.94673E+10	98.6049	100.066	98.4187	96.6332	96.6295	96.6256
.12623E+11	93.9541	95.2076	93.8012	92.2771	92.2739	92.2706
.15779E+11	90.5498	91.6527	90.4196	89.0833	89.0806	89.0778
.18935E+11	87.5067	88.4859	87.3946	86.2119	86.2095	86.2070
.22090E+11	84.9888	85.8708	84.8903	83.8278	83.8257	83.8235
.25246E+11	82.7683	83.5640	82.6816	81.7254	81.7235	81.7215
.28402E+11	80.8866	81.6127	80.8090	79.9379	79.9362	79.9344
.31558E+11	79.2706	79.9376	79.2006	78.4019	78.4004	78.3987

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:17:03 MAR 25, 1995 CP= 79978.840
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2289 TEMP t04o045	3528 TEMP g04i045	3545 TEMP g04o045	3760 TEMP m04i045	3707 TEMP m04o045	4142 TEMP i04i045
.10000E-05	146.074	127.473	126.809	89.4901	88.8009	27.7381
.20000E-05	161.723	143.918	143.251	108.675	107.988	58.8027
31.558	161.723	143.918	143.251	108.675	107.988	58.8028
.31558E+07	173.376	156.288	155.623	123.208	122.528	80.4067
.63116E+07	176.589	159.671	159.005	127.096	126.416	85.8071
.94673E+07	178.594	161.811	161.146	129.605	128.927	89.3126
.12623E+08	180.089	163.408	162.743	131.490	130.814	91.9905
.15779E+08	181.274	164.691	164.028	133.028	132.353	94.1516
.18935E+08	182.291	165.784	165.122	134.328	133.655	95.9740
.22090E+08	183.134	166.703	166.041	135.439	134.768	97.5415
.25246E+08	183.845	167.486	166.826	136.406	135.737	98.9290
.28402E+08	184.468	168.175	167.516	137.260	136.593	100.156
.31558E+08	185.027	168.797	168.139	138.037	137.371	101.274
.63115E+08	188.429	172.668	172.021	143.028	142.375	108.556
.94673E+08	189.744	174.353	173.719	145.544	144.905	112.546
.12623E+09	190.248	175.161	174.538	147.007	146.380	115.075
.15779E+09	190.218	175.411	174.799	147.843	147.227	116.790
.18935E+09	189.883	175.336	174.735	148.299	147.695	117.999
.22090E+09	189.362	175.058	174.468	148.508	147.915	118.871
.25246E+09	188.781	174.709	174.129	148.622	148.039	119.599
.28402E+09	187.762	173.896	173.327	148.208	147.636	119.659

.31558E+09	186.922	173.220	172.659	147.846	147.282	119.666
.63115E+09	176.258	164.342	163.870	142.325	141.849	117.900
.94673E+09	166.223	155.686	155.282	136.211	135.802	114.483
.12623E+10	156.457	147.090	146.742	129.734	129.380	110.179
.15779E+10	148.219	139.809	139.503	124.180	123.869	106.413
.18935E+10	141.287	133.684	133.413	119.519	119.243	103.293
.22090E+10	135.423	128.497	128.255	115.565	115.318	100.653
.25246E+10	130.243	123.858	123.638	111.904	111.680	98.0191
.28402E+10	125.865	119.970	119.769	108.913	108.709	95.9990
.31558E+10	122.212	116.721	116.536	106.403	106.214	94.2945
.63115E+10	103.894	100.305	100.190	93.4916	93.3746	85.2748
.94673E+10	96.6065	93.7059	93.6151	88.1745	88.0821	81.4155
.12623E+11	92.2545	89.7786	89.7021	85.0469	84.9691	79.2194
.15779E+11	89.0638	86.8932	86.8268	82.7385	82.6710	77.5909
.18935E+11	86.1947	84.2735	84.2153	80.5903	80.5312	75.9992
.22090E+11	83.8125	82.0871	82.0352	78.7741	78.7214	74.6219
.25246E+11	81.7117	80.1594	80.1131	77.1749	77.1278	73.4163
.28402E+11	79.9255	78.5113	78.4693	75.7893	75.7467	72.3466
.31558E+11	78.3906	77.0945	77.0562	74.5967	74.5578	71.4256

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:17:03 MAR 25, 1995 CP= 79978.860
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4200 TEMP	4595 TEMP	3098 TEMP	2760 TEMP
	i04o045	o04o045	c05i045	c06i045
.10000E-05	26.9394	26.1406	152.461	152.666
.20000E-05	58.0044	57.2044	167.692	167.888
31.558	58.0044	57.2044	167.692	167.888
.31558E+07	79.6149	78.8203	178.984	179.344
.63116E+07	85.0151	84.2199	182.085	182.451
.94673E+07	88.5216	87.7275	184.025	184.394
.12623E+08	91.2015	90.4091	185.472	185.842
.15779E+08	93.3645	92.5737	186.617	186.986
.18935E+08	95.1900	94.4008	187.604	187.974
.22090E+08	96.7603	95.9724	188.414	188.784
.25246E+08	98.1505	97.3643	189.094	189.464
.28402E+08	99.3801	98.5955	189.691	190.061
.31558E+08	100.501	99.7180	190.225	190.596
.63115E+08	107.803	107.044	193.451	193.818
.94673E+08	111.810	111.071	194.636	194.999
.12623E+09	114.354	113.631	195.039	195.398
.15779E+09	116.084	115.376	194.920	195.274
.18935E+09	117.307	116.614	194.504	194.853
.22090E+09	118.191	117.512	193.909	194.254
.25246E+09	118.932	118.265	193.258	193.599
.28402E+09	119.004	118.349	192.179	192.514
.31558E+09	119.020	118.375	191.293	191.622
.63115E+09	117.354	116.807	180.122	180.408
.94673E+09	114.012	113.539	169.706	169.958
.12623E+10	109.770	109.359	159.617	159.839
.15779E+10	106.053	105.690	151.097	151.295
.18935E+10	102.973	102.649	143.910	144.090
.22090E+10	100.365	100.074	137.830	137.994
.25246E+10	97.7571	97.4923	132.479	132.630
.28402E+10	95.7596	95.5182	127.944	128.083
.31558E+10	94.0733	93.8507	124.161	124.291
.63115E+10	85.1372	84.9990	105.218	105.302
.94673E+10	81.3065	81.1970	97.6862	97.7536
.12623E+11	79.1274	79.0351	93.1796	93.2372
.15779E+11	77.5110	77.4308	89.8773	89.9276
.18935E+11	75.9291	75.8587	86.9166	86.9609
.22090E+11	74.5593	74.4965	84.4629	84.5024

.25246E+11	73.3603	73.3041	82.2983	82.3341
.28402E+11	72.2959	72.2449	80.4607	80.4934
.31558E+11	71.3792	71.3327	78.8821	78.9124

 * Temperature Profile from center to upper right (135 deg.) *

VARIABLE 2 IS AT NODE 5522 ITEM= TEMP COMP= NAME= x01i135

*** WARNING *** CP= 79979.030 TIME= 23:17:03
 NSOL command erases all previously stored or calculated data
 unless STORE, MERGE is used.

VARIABLE 3 IS AT NODE 64 ITEM= TEMP COMP= NAME= f01i135

VARIABLE 4 IS AT NODE 171 ITEM= TEMP COMP= NAME= f01o135

VARIABLE 5 IS AT NODE 445 ITEM= TEMP COMP= NAME= w01i135

VARIABLE 6 IS AT NODE 586 ITEM= TEMP COMP= NAME= w01o135

VARIABLE 7 IS AT NODE 961 ITEM= TEMP COMP= NAME= s01i135

VARIABLE 8 IS AT NODE 1386 ITEM= TEMP COMP= NAME= h01i135

VARIABLE 9 IS AT NODE 1338 ITEM= TEMP COMP= NAME= c01i135

VARIABLE 10 IS AT NODE 1290 ITEM= TEMP COMP= NAME= h01o135

VARIABLE 11 IS AT NODE 975 ITEM= TEMP COMP= NAME= s01o135

VARIABLE 12 IS AT NODE 836 ITEM= TEMP COMP= NAME= a01o135

VARIABLE 13 IS AT NODE 712 ITEM= TEMP COMP= NAME= t01i135

VARIABLE 14 IS AT NODE 698 ITEM= TEMP COMP= NAME= t01o135

VARIABLE 15 IS AT NODE 3332 ITEM= TEMP COMP= NAME= g01i135

VARIABLE 16 IS AT NODE 3318 ITEM= TEMP COMP= NAME= g01o135

VARIABLE 17 IS AT NODE 3974 ITEM= TEMP COMP= NAME= m01i135

VARIABLE 18 IS AT NODE 3924 ITEM= TEMP COMP= NAME= m01o135

VARIABLE 19 IS AT NODE 4369 ITEM= TEMP COMP= NAME= i01i135

VARIABLE 20 IS AT NODE 4424 ITEM= TEMP COMP= NAME= i01o135

VARIABLE 21 IS AT NODE 4763 ITEM= TEMP COMP= NAME= o01o135
 Add centers of assemblies 2 and 3

VARIABLE 22 IS AT NODE 1507 ITEM= TEMP COMP= NAME= c02i135

VARIABLE 23 IS AT NODE 1169 ITEM= TEMP COMP= NAME= c03i135

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES							
VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2	NSOL	5522 TEMP	x01i135	78.54	.3156E+11	193.8	.1262E+09
3	NSOL	64 TEMP	f01i135	78.54	.3156E+11	193.8	.1262E+09
4	NSOL	171 TEMP	f01o135	78.54	.3156E+11	193.8	.1262E+09
5	NSOL	445 TEMP	w01i135	78.54	.3156E+11	193.8	.1262E+09
6	NSOL	586 TEMP	w01o135	78.54	.3156E+11	193.8	.1262E+09
7	NSOL	961 TEMP	s01i135	78.54	.3156E+11	193.8	.1262E+09
8	NSOL	1386 TEMP	h01i135	79.26	.3156E+11	201.4	.1262E+09
9	NSOL	1338 TEMP	c01i135	79.93	.3156E+11	207.8	.1262E+09

10	NSOL	1290	TEMP	h01o135	79.18	.3156E+11	199.4	.1262E+09
11	NSOL	975	TEMP	s01o135	78.38	.3156E+11	190.2	.1262E+09
12	NSOL	836	TEMP	a01o135	78.38	.3156E+11	190.2	.1262E+09
13	NSOL	712	TEMP	t01i135	78.38	.3156E+11	190.1	.1262E+09
14	NSOL	698	TEMP	t01o135	78.37	.3156E+11	190.0	.1262E+09
15	NSOL	3332	TEMP	g01i135	77.06	.3156E+11	175.0	.1578E+09
16	NSOL	3318	TEMP	g01o135	77.02	.3156E+11	174.4	.1578E+09
17	NSOL	3974	TEMP	m01i135	74.54	.3156E+11	148.0	.2525E+09
18	NSOL	3924	TEMP	m01o135	74.50	.3156E+11	147.4	.2525E+09
19	NSOL	4369	TEMP	i01i135	27.74	.1000E-05	118.7	.3156E+09
20	NSOL	4424	TEMP	i01o135	26.94	.1000E-05	118.1	.3156E+09
21	NSOL	4763	TEMP	o01o135	26.14	.1000E-05	117.4	.3156E+09
22	NSOL	1507	TEMP	c02i135	78.87	.3156E+11	194.9	.1262E+09
23	NSOL	1169	TEMP	c03i135	78.87	.3156E+11	194.9	.1262E+09

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:17:07 MAR 25, 1995 CP= 79982.560
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5522 TEMP x01i135	64 TEMP f01i135	171 TEMP f01o135	445 TEMP w01i135	586 TEMP w01o135	961 TEMP s01i135
.10000E-05	149.506	149.506	149.507	149.507	149.508	149.512
.20000E-05	165.362	165.362	165.363	165.363	165.364	165.368
31.558	165.362	165.362	165.363	165.363	165.364	165.368
.31558E+07	177.028	177.014	177.005	177.004	177.005	177.008
.63116E+07	180.283	180.268	180.259	180.257	180.258	180.262
.94673E+07	182.303	182.288	182.278	182.277	182.277	182.281
.12623E+08	183.807	183.792	183.782	183.781	183.781	183.785
.15779E+08	184.996	184.981	184.971	184.970	184.970	184.974
.18935E+08	186.015	185.999	185.989	185.988	185.989	185.992
.22090E+08	186.861	186.845	186.835	186.834	186.834	186.838
.25246E+08	187.570	187.554	187.544	187.543	187.543	187.547
.28402E+08	188.192	188.176	188.166	188.165	188.165	188.169
.31558E+08	188.749	188.733	188.723	188.722	188.722	188.726
.63115E+08	192.115	192.099	192.089	192.088	192.088	192.092
.94673E+08	193.371	193.355	193.345	193.344	193.344	193.348
.12623E+09	193.815	193.799	193.789	193.788	193.788	193.792
.15779E+09	193.719	193.704	193.694	193.693	193.693	193.696
.18935E+09	193.317	193.302	193.292	193.291	193.291	193.295
.22090E+09	192.730	192.715	192.705	192.704	192.705	192.708
.25246E+09	192.085	192.070	192.060	192.059	192.059	192.062
.28402E+09	191.000	190.985	190.976	190.975	190.975	190.978
.31558E+09	190.108	190.093	190.084	190.083	190.083	190.087
.63115E+09	178.873	178.860	178.852	178.851	178.852	178.854
.94673E+09	168.403	168.392	168.384	168.384	168.384	168.386
.12623E+10	158.282	158.272	158.266	158.265	158.265	158.267
.15779E+10	149.774	149.765	149.759	149.759	149.759	149.761
.18935E+10	142.634	142.626	142.621	142.621	142.621	142.622
.22090E+10	136.605	136.598	136.593	136.592	136.592	136.594
.25246E+10	131.297	131.290	131.286	131.285	131.286	131.287
.28402E+10	126.810	126.804	126.799	126.799	126.799	126.800
.31558E+10	123.071	123.065	123.061	123.061	123.061	123.062
.63115E+10	104.387	104.383	104.381	104.380	104.380	104.381
.94673E+10	96.9842	96.9813	96.9793	96.9791	96.9791	96.9797
.12623E+11	92.5671	92.5646	92.5629	92.5627	92.5628	92.5632
.15779E+11	89.3314	89.3292	89.3277	89.3276	89.3276	89.3281
.18935E+11	86.4265	86.4245	86.4232	86.4231	86.4231	86.4235
.22090E+11	84.0171	84.0154	84.0142	84.0141	84.0141	84.0144
.25246E+11	81.8927	81.8911	81.8901	81.8900	81.8900	81.8903
.28402E+11	80.0878	80.0864	80.0854	80.0853	80.0853	80.0856
.31558E+11	78.5377	78.5363	78.5354	78.5353	78.5353	78.5356

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:17:07 MAR 25, 1995 CP= 79982.580
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	1386 TEMP h01i135	1338 TEMP c01i135	1290 TEMP h01o135	975 TEMP s01o135	836 TEMP a01o135	712 TEMP t01i135
.10000E-05	159.125	167.415	157.382	146.269	146.242	146.213
.20000E-05	174.453	182.243	172.572	161.921	161.893	161.863
31.558	174.453	182.243	172.572	161.921	161.893	161.863
.31558E+07	185.696	193.103	183.682	173.362	173.334	173.304
.63116E+07	188.837	196.134	186.790	176.566	176.538	176.508
.94673E+07	190.777	198.001	188.717	178.567	178.539	178.509
.12623E+08	192.225	199.395	190.155	180.059	180.031	180.001
.15779E+08	193.360	200.481	191.285	181.243	181.215	181.185
.18935E+08	194.339	201.423	192.261	182.258	182.229	182.200
.22090E+08	195.143	202.188	193.061	183.100	183.072	183.042
.25246E+08	195.812	202.822	193.730	183.809	183.781	183.751
.28402E+08	196.399	203.377	194.316	184.431	184.403	184.374
.31558E+08	196.923	203.870	194.840	184.990	184.962	184.932
.63115E+08	200.046	206.772	197.974	188.387	188.359	188.330
.94673E+08	201.114	207.677	199.071	189.698	189.671	189.642
.12623E+09	201.408	207.843	199.395	190.200	190.173	190.145
.15779E+09	201.175	207.498	199.198	190.169	190.143	190.115
.18935E+09	200.648	206.868	198.706	189.833	189.807	189.780
.22090E+09	199.944	206.071	198.039	189.311	189.286	189.259
.25246E+09	199.187	205.225	197.318	188.729	188.704	188.678
.28402E+09	198.004	203.966	196.173	187.712	187.688	187.662
.31558E+09	197.035	202.937	195.234	186.873	186.850	186.824
.63115E+09	184.957	190.182	183.481	176.214	176.194	176.173
.94673E+09	173.836	178.536	172.609	166.182	166.165	166.147
.12623E+10	163.163	167.414	162.140	156.421	156.406	156.391
.15779E+10	154.199	158.074	153.330	148.186	148.173	148.159
.18935E+10	146.660	150.205	145.908	141.256	141.245	141.233
.22090E+10	140.289	143.545	139.630	135.394	135.383	135.373
.25246E+10	134.708	137.733	134.123	130.216	130.207	130.197
.28402E+10	129.971	132.782	129.448	125.839	125.831	125.822
.31558E+10	126.026	128.660	125.551	122.187	122.180	122.172
.63115E+10	106.357	108.133	106.089	103.878	103.873	103.868
.94673E+10	98.5882	100.040	98.3837	96.5940	96.5902	96.5863
.12623E+11	93.9398	95.1852	93.7714	92.2437	92.2405	92.2372
.15779E+11	90.5373	91.6333	90.3937	89.0543	89.0516	89.0487
.18935E+11	87.4958	88.4688	87.3718	86.1864	86.1840	86.1815
.22090E+11	84.9791	85.8556	84.8701	83.8052	83.8031	83.8008
.25246E+11	82.7595	83.5502	82.6632	81.7049	81.7030	81.7009
.28402E+11	80.8784	81.6000	80.7921	79.9190	79.9173	79.9155
.31558E+11	79.2630	79.9258	79.1849	78.3844	78.3828	78.3811

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:17:07 MAR 25, 1995 CP= 79982.600
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	698 TEMP t01o135	3332 TEMP g01i135	3318 TEMP g01o135	3974 TEMP m01i135	3924 TEMP m01o135	4369 TEMP i01i135
.10000E-05	146.078	127.479	126.815	89.4878	88.7985	27.7380

.20000E-05	161.728	143.926	143.259	108.679	107.991	58.8135
31.558	161.728	143.926	143.259	108.679	107.991	58.8135
.31558E+07	173.169	155.938	155.268	122.581	121.897	79.2253
.63116E+07	176.373	159.308	158.637	126.449	125.765	84.6169
.94673E+07	178.374	161.442	160.772	128.952	128.270	88.1300
.12623E+08	179.866	163.036	162.366	130.834	130.153	90.8120
.15779E+08	181.051	164.318	163.649	132.370	131.691	92.9813
.18935E+08	182.066	165.409	164.742	133.669	132.992	94.8085
.22090E+08	182.909	166.327	165.660	134.780	134.105	96.3825
.25246E+08	183.618	167.109	166.443	135.746	135.072	97.7738
.28402E+08	184.241	167.797	167.133	136.600	135.928	99.0063
.31558E+08	184.799	168.418	167.755	137.376	136.706	100.129
.63115E+08	188.200	172.288	171.636	142.372	141.715	107.449
.94673E+08	189.515	173.976	173.336	144.895	144.251	111.468
.12623E+09	190.020	174.786	174.157	146.366	145.734	114.021
.15779E+09	189.992	175.040	174.423	147.209	146.589	115.756
.18935E+09	189.659	174.968	174.362	147.673	147.064	116.985
.22090E+09	189.141	174.694	174.099	147.890	147.292	117.874
.25246E+09	188.562	174.348	173.763	148.010	147.424	118.617
.28402E+09	187.547	173.544	172.969	147.611	147.034	118.703
.31558E+09	186.711	172.874	172.308	147.259	146.691	118.729
.63115E+09	176.076	164.040	163.564	141.817	141.338	117.104
.94673E+09	166.065	155.421	155.013	135.766	135.354	113.791
.12623E+10	156.319	146.859	146.507	129.345	128.988	109.578
.15779E+10	148.096	139.603	139.294	123.833	123.520	105.879
.18935E+10	141.177	133.497	133.224	119.204	118.926	102.810
.22090E+10	135.322	128.326	128.081	115.277	115.028	100.213
.25246E+10	130.152	123.701	123.479	111.641	111.415	97.6176
.28402E+10	125.780	119.825	119.622	108.669	108.463	95.6265
.31558E+10	122.133	116.585	116.398	106.174	105.984	93.9454
.63115E+10	103.844	100.218	100.102	93.3451	93.2272	85.0535
.94673E+10	96.5670	93.6367	93.5449	88.0579	87.9648	81.2395
.12623E+11	92.2209	89.7194	89.6422	84.9473	84.8690	79.0693
.15779E+11	89.0345	86.8416	86.7746	82.6516	82.5836	77.4601
.18935E+11	86.1690	84.2281	84.1694	80.5139	80.4543	75.8843
.22090E+11	83.7897	82.0468	81.9944	78.7062	78.6531	74.5197
.25246E+11	81.6910	80.1227	80.0759	77.1129	77.0655	73.3231
.28402E+11	79.9065	78.4776	78.4352	75.7324	75.6895	72.2610
.31558E+11	78.3729	77.0630	77.0244	74.5436	74.5044	71.3457

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:17:07 MAR 25, 1995 CP= 79982.610
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4424 TEMP	4763 TEMP	1507 TEMP	1169 TEMP
	i01o135	o01o135	c02i135	c03i135
.10000E-05	26.9393	26.1406	152.462	152.675
.20000E-05	58.0152	57.2152	167.694	167.900
31.558	58.0152	57.2152	167.694	167.900
.31558E+07	78.4290	77.6299	178.841	178.931
.63116E+07	83.8202	83.0204	181.936	182.020
.94673E+07	87.3342	86.5354	183.874	183.955
.12623E+08	90.0182	89.2209	185.319	185.399
.15779E+08	92.1889	91.3933	186.463	186.541
.18935E+08	94.0188	93.2247	187.450	187.527
.22090E+08	95.5954	94.8026	188.259	188.335
.25246E+08	96.9895	96.1984	188.938	189.014
.28402E+08	98.2247	97.4351	189.535	189.609
.31558E+08	99.3494	98.5616	190.069	190.143
.63115E+08	106.690	105.925	193.294	193.363
.94673E+08	110.727	109.981	194.479	194.545
.12623E+09	113.294	112.565	194.883	194.947
.15779E+09	115.045	114.331	194.765	194.826

.18935E+09	116.287	115.588	194.351	194.410
.22090E+09	117.189	116.504	193.757	193.815
.25246E+09	117.945	117.273	193.108	193.163
.28402E+09	118.043	117.382	192.032	192.087
.31558E+09	118.078	117.427	191.148	191.203
.63115E+09	116.553	116.002	179.996	180.043
.94673E+09	113.316	112.840	169.595	169.636
.12623E+10	109.165	108.751	159.520	159.556
.15779E+10	105.516	105.150	151.009	151.042
.18935E+10	102.487	102.161	143.831	143.860
.22090E+10	99.9227	99.6291	137.758	137.783
.25246E+10	97.3536	97.0869	132.413	132.437
.28402E+10	95.3852	95.1420	127.882	127.903
.31558E+10	93.7225	93.4982	124.103	124.122
.63115E+10	84.9148	84.7756	105.181	105.194
.94673E+10	81.1297	81.0194	97.6567	97.6672
.12623E+11	78.9766	78.8836	93.1544	93.1633
.15779E+11	77.3796	77.2988	89.8553	89.8631
.18935E+11	75.8136	75.7427	86.8972	86.9042
.22090E+11	74.4566	74.3933	84.4457	84.4520
.25246E+11	73.2667	73.2101	82.2826	82.2882
.28402E+11	72.2099	72.1585	80.4463	80.4512
.31558E+11	71.2990	71.2521	78.8687	78.8730

***** ROUTINE COMPLETED ***** CP = 79982.630

End of batch input file

PURGE ALL SOLUTION AND POST DATA
SAVE ALL MODEL DATA

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12j2.db
FOR POSSIBLE RESUME FROM THIS POINT

```
NUMBER OF WARNING MESSAGES ENCOUNTERED= 42
NUMBER OF ERROR MESSAGES ENCOUNTERED= 0
```

```

*-----*
                ANSYS RUN COMPLETED
*-----*

                REV. 5.0 A                                HP 9000/7XX

CP TIME          (sec) =      79988.080                TIME  = 23:17:12
ELAPSED TIME (sec) =      97543.000                   DATE   = 03/25/95

```


WELCOME TO THE ANSYS PROGRAM

***** ANSYS COMMAND LINE ARGUMENTS *****
 JOB NAME = ma12h3
 MEMORY REQUESTED (MB) = 64.0
 BATCH MODE REQUESTED
 start.ans FILE

***** ANSYS DYNAMIC MEMORY ALLOCATION *****
 WORK SPACE REQUESTED = 16777216 64.000 MB COMMAND LINE
 MINIMUM WORK SPACE REQUIRED = 4718592 18.000 MB
 MINIMUM WORK SPACE RECOMMENDED = 6702496 25.568 MB
 WORK SPACE OBTAINED = 16777214 64.000 MB
 BYTES PER WORD = 4

***** NOTICE ***** THIS IS THE ANSYS GENERAL PURPOSE
 FINITE ELEMENT COMPUTER PROGRAM. NEITHER SWANSON ANALYSIS
 SYSTEMS, INC. NOR THE DISTRIBUTOR SUPPLYING THIS PROGRAM
 ASSUME ANY RESPONSIBILITY FOR THE VALIDITY, ACCURACY, OR
 APPLICABILITY OF ANY RESULTS OBTAINED FROM THE ANSYS SYSTEM.
 USERS MUST VERIFY THEIR OWN RESULTS.

ANSYS(R) COPYRIGHT(C) 1971,1978,1982,1983,1985,1987,1989,1992,1993
 BY SWANSON ANALYSIS SYSTEMS, INC. AS AN UNPUBLISHED WORK.
 PROPRIETARY DATA - UNAUTHORIZED USE, DISTRIBUTION, OR DUPLICATION
 IS PROHIBITED. ALL RIGHTS RESERVED.

SWANSON ANALYSIS SYSTEMS, INC. IS ENDEAVORING TO MAKE THE
 ANSYS PROGRAM AS COMPLETE, ACCURATE, AND EASY TO USE AS
 POSSIBLE. SUGGESTIONS AND COMMENTS ARE WELCOMED. ANY
 ERRORS ENCOUNTERED IN EITHER THE DOCUMENTATION OR THE
 RESULTS SHOULD BE IMMEDIATELY BROUGHT TO OUR ATTENTION.

ENTER /SHOW,device TO SET THE GRAPHICS DISPLAY TO device(e.g. X11,4207,ETC.)
 ENTER /MENU,ON TO START THE ANSYS MENU SYSTEM
 ENTER HELP FOR GENERAL ANSYS HELP INFORMATION
 1 /COM, *****
 2 /COM, ANSYS REVISION 5.0A 3/24/1995
 3 /COM, 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III
 4 /COM, *****
 5 /COM, *
 6 /COM, * File name: ma12h3.inp *
 7 /COM, * 12 PWR MPC with Low T.L. Disposal Container *
 8 /COM, * Helium Fill Gas *
 9 /COM, *
 10 /COM, * Material Property file: props01.dat *
 11 /COM, *
 12 /COM, * SNF Conductivity file: pwr15e.parm *
 13 /COM, * 15x15 Mark-B4 PWR SNF Assembly *
 14 /COM, *
 15 /COM, * SNF Heat Loads file: snf1048.dat *
 16 /COM, * SNF Type: 10 years old, 48 Gwd/MTU *
 17 /COM, *
 18 /COM, * Surface Temp. file: c12h5a.parm *

```

19 /COM, *      25 MTU/acre (6.18 kgU/m^2) AML (Low Thermal Loading) *
20 /COM, *      5.0 m Diameter Drift with Concrete Invert *
21 /COM, *      Drift spacing = 90.0 m *
22 /COM, *      WP c/c spacing = 9.237 m *
23 /COM, *
24 /COM, *****
25 /COM, Increase the number of database pages from 16 (256) to 32 Mb
26 /CONFIG,nvpag,512,
27 /COM, Work space must also be increased (-m 64)
28 /COM, *****
29 /TITLE, 12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF
30 /UNITS,SI,
31 /COM, *****
32 /COM, Read in average effective conductivities from SNF model
33 PARRES,CHANGE,pwr15e,param,
34 /COM, Read in surface temps. from repository model
35 PARRES,CHANGE,c12h5a,param,
36 /COM, *****
37 /COM, Define MPC/waste package parameters
38 /COM, (MPC dimensions converted from inches to meters)
39 /COM, MIRAD = inner radius of MPC shell (m)
40 /COM, MWALL = MPC shell thickness (m)
41 /COM, DCRAD = disposal container outer radius (m)
42 /COM, OWALL = outer barrier thickness (m)
43 /COM, IWALL = inner barrier thickness (m)
44 /COM, GCORN = corner guide width (m)
45 /COM, GLENW = side guide total width (m)
46 /COM, GLENH = side guide total height (m)
47 /COM, GWALL = guide thickness (m)
48 /COM, HCELL = 1/2 of basket cell opening (m)
49 /COM, SWALL = stainless tube thickness (m)
50 /COM, AWALL = Al/boron tube thickness (m)
51 /COM, FLENT = flux trap plate length (m)
52 /COM, FWALL = flux trap plate stainless thickness (m)
53 /COM, BWALL = flux trap plate Al/boron thickness (m)
54 /COM, TWALL = flux trap plate SS sheath thickness (m)
55 /COM, FSPAC = flux trap plate spacer width (m)
56 /COM, TSPAC = tube/tube spacer width (m)
57 /COM, ACTVL = active fuel length
58 /COM, PEAKF = assembly heat axial peaking factor
59 PI=3.141592654
60 MIRAD=47.870*2.54/100.0/2.0
61 MWALL=0.8750*2.54/100.0
62 DCRAD=1.4305/2.0
63 OWALL=0.0500
64 IWALL=0.0200
65 GCORN=10.086*2.54/100.0
66 GLENW=8.4340*2.54/100.0
67 GLENH=2.4960*2.54/100.0
68 GWALL=0.3750*2.54/100.0
69 HCELL=9.0000*2.54/100.0/2.0
70 SWALL=0.0940*2.54/100.0
71 AWALL=0.1070*2.54/100.0
72 FLENT=23.164*2.54/100.0
73 FWALL=0.5000*2.54/100.0
74 BWALL=0.2500*2.54/100.0
75 TWALL=0.0940*2.54/100.0
76 FSPAC=1.0000*2.54/100.0
77 TSPAC=0.9860*2.54/100.0
78 ACTVL=141.80*2.54/100.0
79 PEAKF=1.25
80 /COM, Define calculated parameters
81 /COM, ASSY = assembly heat production (W) f(yrs)
82 /COM, FUEL = volumetric heat production (W/m3) f(yrs)
83 /COM, FVOLU = assy_volume=cell_width^2*active_length
84 /COM, Q2 = side guide x coord. (see sketch)
85 /COM, GX## = x coord. of guide/shell contact (kp##)
86 /COM, GY## = y coord. of guide/shell contact (kp##)
87 /COM, ACX# = x coord. of center of assembly #
88 /COM, ACY# = y coord. of center of assembly #

```

```

89 /COM,          TM_START = start time (sec)
90 /COM,          TMI* = time increment for solution (sec)
91 /COM,          TME* = start and stop for time do-loops (sec)
92 /COM,          Note: 1 year = 3.15576e7 seconds
93 /COM,          QCELL = 1/4 of basket cell opening (m)
94 /COM,          SCELL = 1/2 of basket cell opening+SS wall(m)
95 /COM,          ACELL = 1/2 of basket cell opening+SS+AL (m)
96 /COM,          MI45 = x coord. MIRAD at 45 deg.
97 /COM,          MO45 = x coord. MIRAD+MWALL at 45 deg.
98 /COM,          DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
99 /COM,          DM45 = x coord. DCRAD-OWALL at 45 deg.
100 /COM,          DO45 = x coord. DCRAD at 45 deg.
101 /COM,          TMTMAX = time of maximum cladding temperature
102 *SET,ASSY,
103 *DIM,ASSY, TABLE,101,1,
104 *DIM,FUEL, TABLE,101,1
105 FVOLUME=4*HCELL*HCELL*ACTVL
106 Q2=1.969344*2.54/100.0
107 GX22=Q2-GWALL
108 GY22=SQRT(MIRAD*MIRAD-GX22*GX22)
109 GX23=Q2
110 GY23=SQRT(MIRAD*MIRAD-GX23*GX23)
111 GX24=Q2+GLENW-GWALL
112 GY24=SQRT(MIRAD*MIRAD-GX24*GX24)
113 GTMP=GCORN-GWALL
114 GX25=(SQRT(MIRAD*MIRAD-GTMP*GTMP/2.0)-GTMP/SQRT(2.0))/(SQRT(2.0))
115 GY25=SQRT(MIRAD*MIRAD-GX25*GX25)
116 ACX1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
117 ACY1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
118 ACX2=ACX1+2.0*(HCELL+SWALL+AWALL+SWALL)+TSPAC
119 ACY2=ACY1
120 ACX3=ACX1
121 ACY3=ACY2
122 TM_START=(1.0E-6)*(3.15576E7)
123 TMI0=0.1*3.15576E7
124 TMI1=1.0*3.15576E7
125 TMI10=10.0*3.15576E7
126 TMI100=100.0*3.15576E7
127 TMI1000=1000.0*3.15576E7
128 TME0=0.9*3.15576E7+TM_START
129 TME1=TMI1+TM_START
130 TME9=9.0*3.15576E7+TM_START
131 TME10=TMI10+TM_START
132 TME50=50.0*3.15576E7+TM_START
133 TME90=90.0*3.15576E7+TM_START
134 TME100=TMI100+TM_START
135 TME1000=TMI1000+TM_START
136 BCELL=FWALL+BWALL
137 QCELL=HCELL/2.0
138 SCELL=HCELL+SWALL
139 ACELL=HCELL+SWALL+AWALL
140 TCELL=HCELL+SWALL+AWALL+SWALL
141 MI45=MIRAD/SQRT(2.0)
142 MO45=(MIRAD+MWALL)/SQRT(2.0)
143 DI45=(DCRAD-OWALL-IWALL)/SQRT(2.0)
144 DM45=(DCRAD-OWALL)/SQRT(2.0)
145 DO45=DCRAD/SQRT(2.0)
146 /COM,          *****
147 /COM,          Define different element types
148 /PREP7
149 ETYPE
150 ET, 1,55,
151 ET, 2,70,
152 ET, 7,32,
153 ET, 16,57,
154 ET, 17,32,
155 ET, 18,50,1,
156 ET, 19,31,
157 ET, 27,32,
158 /COM,          *****

```

```

159 /COM,          File props01.dat describes material properties
160 /COM,          and thier reference numbers
161 MPREAD,props01,dat,
162 /COM,          Read in single assembly heat loads
163 /COM,          Calculate the volumetric heat generation
164 /COM,          (Assembly time is in years, FUEL is in seconds)
165 /INPUT,snf1048,dat
166 *VFACT,3.15576E7,
167 *MFUN,FUEL(1,0),COPY,ASSY(1,0),
168 *VFACT,(PEAKF/FVOLU),
169 *VFUN,FUEL(1),COPY,ASSY(1),
170 FUEL(0,1)=1.0
171 /COM,          *****
172 /COM,          Define new material 14 for SNF effective conductivity
173 /COM,          Density:      DENS      (kg/m^3)
174 /COM,          Conductivity: KXX      (W/m/K)
175 /COM,          Specific Heat: C      (J/kg/K)
176 MPTEMP
177 MPTEMP, 1, .00000E+00,
178 MPDATA,DENS,14, 1, .396004E+04,
179 MPDATA, C,14, 1, .27400E+03,
180 /COM,          Store average effective conductivities
181 IINC=1
182 TBSKT=25.0
183 MPTEMP
184 MPTEMP,IINC,TBSKT,
185 IINC=IINC+1
186 *DO,TBSKT,50.0,400.0,50.0,
187     MPTEMP,IINC,TBSKT,
188     IINC=IINC+1
189 *ENDDO
190 IINC=1
191 TBSKT=25.0
192 MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
193 IINC=IINC+1
194 *DO,TBSKT,50.0,400.0,50.0,
195     MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
196     IINC=IINC+1
197 *ENDDO
198 /COM,          *****
199 /COM,          Define new material 15 for low thermal loading
200 /COM,          outer barrier of 70/30 Copper Nickel (C71500)
201 /COM,          Density:      DENS      (kg/m^3)
202 /COM,          Conductivity: KXX      (W/m/K)
203 /COM,          Specific Heat: C      (J/kg/K)
204 MPTEMP
205 MPTEMP, 1, .00000E+00,
206 /COM,          Density (lb/in^3 converted to kg/m^3)
207 MPDATA,DENS,15, 1,(0.323*2.768E+04),
208 /COM,          Specific Heat (Btu/lb/F converted to J/kg/K)
209 MPDATA, C,15, 1,(0.09/2.3886E-04),
210 /COM,          Conductivity (Btu/hr/ft/F converted to W/m/K)
211 MPTEMP
212 MPTEMP, 1, (5.0/9.0*(68.0-32.0)), (5.0/9.0*(212.0-32.0)),
213 MPTEMP, 3, (5.0/9.0*(392.0-32.0)), (5.0/9.0*(572.0-32.0)),
214 MPTEMP, 5, (5.0/9.0*(752.0-32.0)), (5.0/9.0*(932.0-32.0)),
215 MPTEMP, 7, (5.0/9.0*(1112.0-32.0)), (5.0/9.0*(1292.0-32.0)),
216 MPDATA, KXX,15, 1, (17.0*1.7307), (16.9*1.7307),
217 MPDATA, KXX,15, 3, (19.7*1.7307), (22.3*1.7307),
218 MPDATA, KXX,15, 5, (24.9*1.7307), (27.8*1.7307),
219 MPDATA, KXX,15, 7, (30.7*1.7307), (33.6*1.7307),
220 /COM,          *****
221 /COM,          Construct geometry for Disposal Container
222 /COM,
223 /COM,          Define center and axis keypoints for waste package
224 /COM,          Also, create placeholder keypoints and lines
225 /COM,          (K's 1,2,3,4,5,6,7,8)
226 /COM,          (L's 1,2,3,4)
227 K,1,0.0,0.0,0.0,
228 K,2,0.0,0.0,1.0,

```

```

229 K,3,0.0,0.0,1.3,
230 K,4,0.0,0.0,1.4,
231 K,5,0.0,0.0,1.5,
232 K,6,0.0,0.0,1.6,
233 K,7,0.0,0.0,1.7,
234 K,8,0.0,0.0,1.8,
235 L,3,4,
236 L,4,5,
237 L,5,6,
238 L,6,7,
239 /COM,          Define disposal container and MPC outer radius
240 /COM,          (K's 9,10,11,12,13,14,15,16,17,18,19,20)
241 /COM,          (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
242 /COM,          (A's 1,2,3,4,5,6)
243 K, 9,          0.0,          (0.0-DCRAD),0.0,
244 K,10,          DCRAD,          0.0,0.0,
245 K,11,          0.0,          DCRAD,0.0,
246 K,12,          0.0,          (OWALL-DCRAD),0.0,
247 K,13,          (DCRAD-OWALL),          0.0,0.0,
248 K,14,          0.0,          (DCRAD-OWALL),0.0,
249 K,15,          0.0,(OWALL+IWALL-DCRAD),0.0,
250 K,16,(DCRAD-OWALL-IWALL),          0.0,0.0,
251 K,17,          0.0,(DCRAD-OWALL-IWALL),0.0,
252 K,18,          0.0,          (0.0-MIRAD-MWALL),0.0,
253 K,19,          (MIRAD+MWALL),          0.0,0.0,
254 K,20,          0.0,          (MIRAD+MWALL),0.0,
255 L,10,13,
256 L,13,16,
257 LARC,10, 9,1,          DCRAD,
258 LARC,11,10,1,          DCRAD,
259 LARC,13,12,1,          (DCRAD-OWALL),
260 LARC,14,13,1,          (DCRAD-OWALL),
261 L,11,14,
262 L, 9,12,
263 LARC,15,16,1,(DCRAD-OWALL-IWALL),
264 LARC,16,17,1,(DCRAD-OWALL-IWALL),
265 L,14,17,
266 L,12,15,
267 LARC,19,18,1,          (MIRAD+MWALL),
268 LARC,20,19,1,          (MIRAD+MWALL),
269 L,17,20,
270 L,15,18,
271 L,16,19,
272 AL, 5, 7,12, 9,
273 AL,11, 8, 5,10,
274 AL, 6, 9,16,13,
275 AL,15,10, 6,14,
276 AL,21,13,20,17,
277 AL,19,14,21,18,
278 /COM,          *****
279 /COM,          Define MPC shell inner edge and area
280 /COM,          (K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
281 /COM,          ( 38,39)
282 /COM,          (L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
283 /COM,          ( 39,40,41,42)
284 /COM,          (A's 7,8)
285 K,21, 0.0,          MIRAD,0.0,
286 K,22, GX22,          GY22,0.0,
287 K,23, GX23,          GY23,0.0,
288 K,24, GX24,          GY24,0.0,
289 K,25, GX25,          GY25,0.0,
290 K,26, GY25,          GX25,0.0,
291 K,27, GY24,          GX24,0.0,
292 K,28, GY23,          GX23,0.0,
293 K,29, GY22,          GX22,0.0,
294 K,30,MIRAD,          0.0,0.0,
295 K,31, GY22, (0.0-GX22),0.0,
296 K,32, GY23, (0.0-GX23),0.0,
297 K,33, GY24, (0.0-GX24),0.0,
298 K,34, GY25, (0.0-GX25),0.0,

```

```

299 K,35, GX25, (0.0-GY25),0.0,
300 K,36, GX24, (0.0-GY24),0.0,
301 K,37, GX23, (0.0-GY23),0.0,
302 K,38, GX22, (0.0-GY22),0.0,
303 K,39, 0.0,(0.0-MIRAD),0.0,
304 L,20,21,
305 LARC,22,21,1,MIRAD,
306 LARC,23,22,1,MIRAD,
307 LARC,24,23,1,MIRAD,
308 LARC,25,24,1,MIRAD,
309 LARC,26,25,1,MIRAD,
310 LARC,27,26,1,MIRAD,
311 LARC,28,27,1,MIRAD,
312 LARC,29,28,1,MIRAD,
313 LARC,30,29,1,MIRAD,
314 LARC,31,30,1,MIRAD,
315 LARC,32,31,1,MIRAD,
316 LARC,33,32,1,MIRAD,
317 LARC,34,33,1,MIRAD,
318 LARC,35,34,1,MIRAD,
319 LARC,36,35,1,MIRAD,
320 LARC,37,36,1,MIRAD,
321 LARC,38,37,1,MIRAD,
322 LARC,39,38,1,MIRAD,
323 L,18,39,
324 L,19,30,
325 LSEL,S,LINE,,32,42,1,
326 LSEL,A,LINE,,17,
327 AL,ALL,
328 LSEL,S,LINE,,22,31,1,
329 LSEL,A,LINE,,18,
330 LSEL,A,LINE,,42,
331 AL,ALL,
332 LSEL,ALL,
333 /COM, *****
334 /COM, Define tube guides
335 /COM, (K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)
336 /COM, ( 57,58,59)
337 /COM, (L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)
338 /COM, ( 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
339 /COM, ( 77,78,79,80)
340 /COM, (A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)
341 /COM, ( 26)
342 /COM,
343 /COM, top
344 K,40, GX23, GY24,0.0,
345 K,41, GX22,(GY24-GWALL),0.0,
346 K,42, GX24,(GY24-GWALL),0.0,
347 K,43,(GX25-GWALL), GY25,0.0,
348 K,44, GX25, GX25,0.0,
349 K,45,(GX25-GWALL),(GX25-GWALL),0.0,
350 K,46, GY25,(GX25-GWALL),0.0,
351 /COM, side
352 K,47,(GY24-GWALL), GX24,0.0,
353 K,48, GY24, GX23,0.0,
354 K,49,(GY24-GWALL), GX22,0.0,
355 K,50,(GY24-GWALL), (0.0-GX22),0.0,
356 K,51, GY24, (0.0-GX23),0.0,
357 K,52,(GY24-GWALL), (0.0-GX24),0.0,
358 /COM, bottom
359 K,53, GY25,(GWALL-GX25),0.0,
360 K,54,(GX25-GWALL),(GWALL-GX25),0.0,
361 K,55, GX25, (0.0-GX25),0.0,
362 K,56,(GX25-GWALL), (0.0-GY25),0.0,
363 K,57, GX24,(GWALL-GY24),0.0,
364 K,58, GX22,(GWALL-GY24),0.0,
365 K,59, GX23, (0.0-GY24),0.0,
366 /COM, top
367 L,41,22,
368 L,40,41,

```

```

369 L,40,24,
370 L,42,41,
371 L,24,42,
372 L,43,25,
373 L,45,43,
374 L,25,44,
375 L,44,45,
376 L,44,26,
377 L,46,45,
378 L,26,46,
379 /COM, side
380 L,47,27,
381 L,49,47,
382 L,27,48,
383 L,48,49,
384 L,48,28,
385 L,29,49,
386 L,50,31,
387 L,32,51,
388 L,50,51,
389 L,52,50,
390 L,51,33,
391 L,33,52,
392 /COM, bottom
393 L,53,34,
394 L,54,53,
395 L,34,55,
396 L,54,55,
397 L,56,54,
398 L,55,35,
399 L,35,56,
400 L,57,36,
401 L,58,57,
402 L,36,59,
403 L,58,59,
404 L,38,58,
405 L,59,37,
406 L,23,40,
407 /COM, air
408 AL,80,45,25,
409 AL,50,52,27,
410 AL,57,59,29,
411 AL,62,65,34,
412 AL,69,72,36,
413 AL,76,79,38,
414 /COM, guides
415 AL,24,43,44,80,
416 AL,45,44,46,47,
417 AL,48,49,51,50,
418 AL,52,51,53,54,
419 AL,55,56,58,57,
420 AL,59,58,60,30,
421 AL,61,63,62,33,
422 AL,63,64,66,65,
423 AL,68,70,69,67,
424 AL,70,71,73,72,
425 AL,75,77,76,74,
426 AL,77,78,39,79,
427 /COM, *****
428 /COM, Define top half tubes and flux trap plate
429 /COM, (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
430 /COM, ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
431 /COM, ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
432 /COM, ( 108,109,110,111,112,113,114,115,116,117,118,119)
433 /COM, ( 120,121,122,123,124,125,126,127,128,129,130,131)
434 /COM, ( 132,133,134,135,136,137,138,139,140,141,142,143)
435 /COM, ( 144,145,146,147,148,149,150,151,152,153,154,155)
436 /COM, ( 156,157,158,159,160,161,162,163,164,165,166,167)
437 /COM, (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
438 /COM, ( 98,99,100,101,102,103,104,105,106,107,108,109,110)

```

```

439 /COM, ( 111,112,113,114,115,116,117,118,119,120,121,122)
440 /COM, ( 123,124,125,126,127,128,129,130,131,132,133,134)
441 /COM, ( 135,136,137,138,139,140,141,142,143,144,145,146)
442 /COM, ( 147,...)
443 /COM, (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
444 /COM, ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
445 /COM, ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
446 /COM, ( 78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
447 /COM, ( 95,96,97,98,99,100,101,102,103)
448 K, 60, 0.0, (FSPAC/2.0),0.0,
449 K, 61, 0.0, (1.5*FSPAC),0.0,
450 K, 62, 0.0, (ACY1-FSPAC/2.0),0.0,
451 K, 63, 0.0, (ACY1+FSPAC/2.0),0.0,
452 K, 64, 0.0, (ACY1+HCELL+SWALL),0.0,
453 K, 65, 0.0,(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
454 K, 66, 0.0,(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
455 K, 67, 0.0, (ACY3-HCELL-SWALL),0.0,
456 K, 68, 0.0, (ACY3-FSPAC/2.0),0.0,
457 K, 69, 0.0, (ACY3+FSPAC/2.0),0.0,
458 K, 70, 0.0, (ACY3+HCELL+SWALL),0.0,
459 K, 71, 0.0, (ACY3+HCELL+SWALL+FSPAC),0.0,
460 K, 72, 0.0, (FSPAC/2.0+FLENT),0.0,
461 K, 73, (FSPAC/2.0), (FSPAC/2.0),0.0,
462 K, 74, (FSPAC/2.0), (1.5*FSPAC),0.0,
463 K, 75, (FSPAC/2.0), (ACY1-FSPAC/2.0),0.0,
464 K, 76, (FSPAC/2.0), (ACY1+FSPAC/2.0),0.0,
465 K, 77, (FSPAC/2.0), (ACY1+HCELL+SWALL),0.0,
466 K, 78, (FSPAC/2.0),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
467 K, 79, (FSPAC/2.0),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
468 K, 80, (FSPAC/2.0), (ACY3-HCELL-SWALL),0.0,
469 K, 81, (FSPAC/2.0), (ACY3-FSPAC/2.0),0.0,
470 K, 82, (FSPAC/2.0), (ACY3+FSPAC/2.0),0.0,
471 K, 83, (FSPAC/2.0), (ACY3+HCELL+SWALL),0.0,
472 K, 84, (FSPAC/2.0), (ACY3+HCELL+SWALL+FSPAC),0.0,
473 K, 85, (FSPAC/2.0), (FSPAC/2.0+FLENT),0.0,
474 K, 86, (FSPAC/2.0+FWALL), (FSPAC/2.0+FWALL),0.0,
475 K, 87, (FSPAC/2.0+FWALL), (ACY1+HCELL+SWALL),0.0,
476 K, 88, (FSPAC/2.0+FWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
477 K, 89, (FSPAC/2.0+FWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
478 K, 90, (FSPAC/2.0+FWALL), (ACY3-HCELL-SWALL),0.0,
479 K, 91, (FSPAC/2.0+FWALL), (ACY3+HCELL+SWALL),0.0,
480 K, 92, (FSPAC/2.0+FWALL), (FSPAC/2.0+FLENT),0.0,
481 K, 93, (1.5*FSPAC), (FSPAC/2.0),0.0,
482 K, 94, (FSPAC/2.0+FWALL+BWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
483 K, 95, (FSPAC/2.0+FWALL+BWALL), (ACY1+HCELL+SWALL),0.0,
484 K, 96, (FSPAC/2.0+FWALL+BWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
485 K, 97, (FSPAC/2.0+FWALL+BWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
486 K, 98, (FSPAC/2.0+FWALL+BWALL), (ACY3-HCELL-SWALL),0.0,
487 K, 99, (FSPAC/2.0+FWALL+BWALL), (ACY3+HCELL+SWALL),0.0,
488 K,100, (FSPAC/2.0+FWALL+BWALL), (FSPAC/2.0+FLENT),0.0,
489 K,101, (ACX1-HCELL-SWALL), (ACY1-HCELL-SWALL),0.0,
490 K,102, (ACX1-HCELL-SWALL), (ACY1+HCELL+SWALL),0.0,
491 K,103, (ACX1-HCELL-SWALL), (ACY1+HCELL+SWALL+AWALL),0.0,
492 K,104, (ACX1-HCELL-SWALL),(ACY1+HCELL+2.0*SWALL+AWALL),0.0,
493 K,105, (ACX3-HCELL-SWALL),(ACY3-HCELL-2.0*SWALL-AWALL),0.0,
494 K,106, (ACX3-HCELL-SWALL), (ACY3-HCELL-SWALL-AWALL),0.0,
495 K,107, (ACX3-HCELL-SWALL), (ACY3-HCELL-SWALL),0.0,
496 K,108, (ACX3-HCELL-SWALL), (ACY3+HCELL+SWALL),0.0,
497 K,109, (ACX3-HCELL-SWALL), (FSPAC/2.0+FLENT),0.0,
498 K,110, (ACX1-HCELL), (ACY1-HCELL),0.0,
499 K,111, (ACX1-HCELL), (ACY1+HCELL),0.0,
500 K,112, (ACX3-HCELL), (ACY3-HCELL),0.0,
501 K,113, (ACX3-HCELL), (ACY3+HCELL),0.0,
502 K,114, (ACX1-FSPAC/2.0), (FSPAC/2.0),0.0,
503 K,115, (ACX1+FSPAC/2.0), (FSPAC/2.0),0.0,
504 K,116, (ACX1+HCELL), (ACY1-HCELL),0.0,
505 K,117, (ACX1+HCELL), (ACY1+HCELL),0.0,
506 K,118, (ACX3+HCELL), (ACY3-HCELL),0.0,
507 K,119, (ACX3+HCELL), (ACY3+HCELL),0.0,
508 K,120, (ACX1+HCELL+SWALL), (FSPAC/2.0),0.0,

```



```

509 K, 121, (ACX1+HCELL+SWALL), (FSPAC/2.0+FWALL), 0.0,
510 K, 122, (ACX1+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL), 0.0,
511 K, 123, (ACX1+HCELL+SWALL), (ACY1-HCELL-SWALL), 0.0,
512 K, 124, (ACX1+HCELL+SWALL), (ACY1+HCELL+SWALL), 0.0,
513 K, 125, (ACX3+HCELL+SWALL), (ACY3-HCELL-SWALL), 0.0,
514 K, 126, (ACX3+HCELL+SWALL), (ACY3+HCELL+SWALL), 0.0,
515 K, 127, (ACX1+HCELL+SWALL+AWALL), (ACY1-HCELL-SWALL), 0.0,
516 K, 128, (ACX1+HCELL+SWALL+AWALL), (ACY1+HCELL+SWALL+AWALL), 0.0,
517 K, 129, (ACX3+HCELL+SWALL+AWALL), (ACY3-HCELL-SWALL-AWALL), 0.0,
518 K, 130, (ACX3+HCELL+SWALL+AWALL), (ACY3+HCELL+SWALL), 0.0,
519 K, 131, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0), 0.0,
520 K, 132, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0+FWALL), 0.0,
521 K, 133, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0+FWALL+BWALL), 0.0,
522 K, 134, (ACX1+HCELL+2.0*SWALL+AWALL), (ACY1-HCELL-SWALL), 0.0,
523 K, 135, (ACX1+HCELL+2.0*SWALL+AWALL), (ACY1+HCELL+2.0*SWALL+AWALL), 0.0,
524 K, 136, (ACX3+HCELL+2.0*SWALL+AWALL), (ACY3-HCELL-2.0*SWALL-AWALL), 0.0,
525 K, 137, (ACX3+HCELL+2.0*SWALL+AWALL), (ACY3+HCELL+SWALL), 0.0,
526 K, 138, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0), 0.0,
527 K, 139, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0+FWALL), 0.0,
528 K, 140, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0+FWALL+BWALL), 0.0,
529 K, 141, (ACX2-HCELL-2.0*SWALL-AWALL), (ACY2-HCELL-SWALL), 0.0,
530 K, 142, (ACX2-HCELL-2.0*SWALL-AWALL), (ACY2+HCELL+2.0*SWALL+AWALL), 0.0,
531 K, 143, (ACX2-HCELL-SWALL-AWALL), (ACY2-HCELL-SWALL), 0.0,
532 K, 144, (ACX2-HCELL-SWALL-AWALL), (ACY2+HCELL+SWALL+AWALL), 0.0,
533 K, 145, (ACX2-HCELL-SWALL), (FSPAC/2.0), 0.0,
534 K, 146, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL), 0.0,
535 K, 147, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL+BWALL), 0.0,
536 K, 148, (ACX2-HCELL-SWALL), (ACY2-HCELL-SWALL), 0.0,
537 K, 149, (ACX2-HCELL-SWALL), (ACY1+HCELL+SWALL), 0.0,
538 K, 150, (ACX2-HCELL), (ACY2-HCELL), 0.0,
539 K, 151, (ACX2-HCELL), (ACY2+HCELL), 0.0,
540 K, 152, (ACX2-FSPAC/2.0), (FSPAC/2.0), 0.0,
541 K, 153, (ACX2+FSPAC/2.0), (FSPAC/2.0), 0.0,
542 K, 154, (ACX2+HCELL), (ACY2-HCELL), 0.0,
543 K, 155, (ACX2+HCELL), (ACY2+HCELL), 0.0,
544 K, 156, (ACX2+HCELL+SWALL), (FSPAC/2.0), 0.0,
545 K, 157, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL), 0.0,
546 K, 158, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL), 0.0,
547 K, 159, (ACX2+HCELL+SWALL), (ACY2-HCELL-SWALL), 0.0,
548 K, 160, (ACX2+HCELL+SWALL), (ACY1+HCELL+SWALL), 0.0,
549 K, 161, (ACX2+HCELL+SWALL), (ACY2+HCELL+SWALL+AWALL), 0.0,
550 K, 162, (ACX2+HCELL+SWALL), (ACY2+HCELL+2.0*SWALL+AWALL), 0.0,
551 K, 163, (ACX2+HCELL+SWALL+FSPAC), (FSPAC/2.0), 0.0,
552 K, 164, (FSPAC/2.0+FLENT), (FSPAC/2.0), 0.0,
553 K, 165, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL), 0.0,
554 K, 166, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL+BWALL), 0.0,
555 K, 167, (FSPAC/2.0+FLENT), (ACY2-HCELL-SWALL), 0.0,
556 /COM, create lines on perimeter and for lesize
557 L, 73, 60,
558 L, 73, 74,
559 L, 61, 74,
560 L, 74, 75,
561 L, 75, 62,
562 L, 75, 76,
563 L, 63, 76,
564 L, 76, 77,
565 L, 77, 78,
566 L, 78, 65,
567 L, 78, 79,
568 L, 66, 79,
569 L, 79, 80,
570 L, 80, 81,
571 L, 81, 68,
572 L, 81, 82,
573 L, 69, 82,
574 L, 82, 83,
575 L, 83, 70,
576 L, 83, 84,
577 L, 71, 84,
578 L, 84, 85,

```

579 L, 85, 92,
 580 L, 92, 100,
 581 L, 100, 109,
 582 L, 109, 108,
 583 L, 108, 126,
 584 L, 126, 130,
 585 L, 130, 137,
 586 L, 137, 136,
 587 L, 136, 105,
 588 L, 112, 107,
 589 L, 107, 106,
 590 L, 106, 105,
 591 L, 105, 104,
 592 L, 104, 103,
 593 L, 103, 102,
 594 L, 102, 111,
 595 L, 104, 135,
 596 L, 135, 134,
 597 L, 123, 127,
 598 L, 127, 134,
 599 L, 134, 141,
 600 L, 141, 143,
 601 L, 143, 148,
 602 L, 148, 150,
 603 L, 141, 142,
 604 L, 142, 162,
 605 L, 162, 161,
 606 L, 161, 160,
 607 L, 160, 159,
 608 L, 159, 167,
 609 L, 167, 166,
 610 L, 166, 165,
 611 L, 165, 164,
 612 L, 164, 163,
 613 L, 163, 156,
 614 L, 156, 153,
 615 L, 153, 152,
 616 L, 152, 145,
 617 L, 145, 138,
 618 L, 138, 131,
 619 L, 131, 120,
 620 L, 120, 115,
 621 L, 115, 114,
 622 L, 114, 93,
 623 L, 93, 73,
 624 /COM, tube spacers
 625 A, 71, 84, 83, 70,
 626 A, 69, 82, 81, 68,
 627 A, 66, 79, 78, 65,
 628 A, 63, 76, 75, 62,
 629 A, 61, 74, 73, 60,
 630 /COM, flux trap plate (stainless)
 631 A, 85, 92, 91, 83, 84,
 632 A, 83, 91, 90, 80, 81, 82,
 633 A, 80, 90, 89, 79,
 634 A, 79, 89, 88, 78,
 635 A, 78, 88, 87, 77,
 636 A, 77, 87, 86, 73, 74, 75, 76,
 637 A, 86, 121, 120, 115, 114, 93, 73,
 638 A, 121, 132, 131, 120,
 639 A, 132, 139, 138, 131,
 640 A, 139, 146, 145, 138,
 641 A, 146, 157, 156, 153, 152, 145,
 642 A, 157, 165, 164, 163, 156,
 643 /COM, flux trap plate (Al/boron)
 644 A, 92, 100, 99, 91,
 645 A, 91, 99, 98, 90,
 646 A, 90, 98, 97, 89,
 647 A, 89, 97, 96, 88,
 648 A, 88, 96, 95, 87,

```

649 A, 87, 95, 94, 86,
650 A, 94, 122, 121, 86,
651 A, 122, 133, 132, 121,
652 A, 133, 140, 139, 132,
653 A, 140, 147, 146, 139,
654 A, 147, 158, 157, 146,
655 A, 158, 166, 165, 157,
656 /COM, flux trap plate (sheath)
657 A, 100, 109, 108, 99,
658 A, 99, 108, 107, 98,
659 A, 98, 107, 106, 105, 97,
660 A, 97, 105, 104, 96,
661 A, 96, 104, 103, 102, 95,
662 A, 95, 102, 101, 94,
663 A, 101, 123, 122, 94,
664 A, 123, 127, 134, 133, 122,
665 A, 134, 141, 140, 133,
666 A, 141, 143, 148, 147, 140,
667 A, 148, 159, 158, 147,
668 A, 159, 167, 166, 158,
669 /COM, tube (sheath)
670 A, 130, 137, 136, 129,
671 A, 106, 129, 136, 105,
672 A, 104, 135, 128, 103,
673 A, 128, 135, 134, 127,
674 A, 142, 144, 143, 141,
675 A, 142, 162, 161, 144,
676 /COM, tube (Al/boron)
677 A, 126, 130, 129, 125,
678 A, 107, 125, 129, 106,
679 A, 103, 128, 124, 102,
680 A, 124, 128, 127, 123,
681 A, 144, 149, 148, 143,
682 A, 144, 161, 160, 149,
683 /COM, tube (stainless)
684 A, 108, 113, 112, 107,
685 A, 108, 126, 119, 113,
686 A, 119, 126, 125, 118,
687 A, 112, 118, 125, 107,
688 A, 102, 111, 110, 101,
689 A, 102, 124, 117, 111,
690 A, 117, 124, 123, 116,
691 A, 110, 116, 123, 101,
692 A, 149, 151, 150, 148,
693 A, 149, 160, 155, 151,
694 A, 155, 160, 159, 154,
695 A, 150, 154, 159, 148,
696 /COM, homogeneous assembly
697 A, 113, 119, 118, 112,
698 A, 111, 117, 116, 110,
699 A, 151, 155, 154, 150,
700 /COM, helium spaces
701 A, 72, 85, 84, 71,
702 A, 70, 83, 82, 69,
703 A, 68, 81, 80, 67,
704 A, 67, 80, 79, 66,
705 A, 65, 78, 77, 64,
706 A, 64, 77, 76, 63,
707 A, 62, 75, 74, 61,
708 A, 105, 136, 135, 104,
709 A, 135, 142, 141, 134,
710 NUMMRG,KP,
711 /COM, *****
712 /COM, Set element shapes and sizes for tubes and flux trap
713 /COM, 14x14 mesh in fuel with 1
714 /COM, division per tube layer
715 ESHAPE,2,
716 ESIZE,,1,
717 LSEL,S,LINE,, 81, 87,2,
718 LSEL,A,LINE,, 90, 92,2,

```

```

719 LSEL,A,LINE,, 95,101,2,
720 LESIZE,ALL,,, 2,
721 LSEL,S,LINE,,107,
722 LSEL,A,LINE,,110,111,1,
723 LSEL,A,LINE,,119,120,1,
724 LSEL,A,LINE,,127,128,1,
725 LSEL,A,LINE,,131,
726 LESIZE,ALL,,, 14,
727 LSEL,ALL,
728 LESIZE, 82,,, 2,
729 LESIZE, 84,,, 3,
730 LESIZE, 86,,, 4,
731 LESIZE, 88,,, 5,
732 LESIZE, 89,,, 2,
733 LESIZE, 91,,, 4,
734 LESIZE, 93,,, 2,
735 LESIZE, 94,,, 5,
736 LESIZE, 96,,, 4,
737 LESIZE, 98,,, 5,
738 LESIZE,100,,, 4,
739 LESIZE,102,,, 2,
740 LESIZE,103,,, 3,
741 LESIZE,104,,, 2,
742 LESIZE,136,,, 2,
743 LESIZE,137,,, 4,
744 LESIZE,138,,, 5,
745 LESIZE,139,,, 4,
746 LESIZE,140,,, 5,
747 LESIZE,141,,, 2,
748 LESIZE,142,,, 4,
749 LESIZE,143,,, 2,
750 LESIZE,144,,, 5,
751 LESIZE,145,,, 4,
752 LESIZE,146,,, 3,
753 LESIZE,147,,, 2,
754 /COM,          concatenate lines for mapped meshing
755 /COM,          (L's 265,266,267,268,269,270,271,272,273,274)
756 LSEL,S,LINE,, 82, 88,2,
757 LCCAT,ALL,
758 LSEL,S,LINE,, 94, 98,2,
759 LCCAT,ALL,
760 LSEL,S,LINE,,100,102,2,
761 LCCAT,ALL,
762 LSEL,S,LINE,,113,114,1,
763 LCCAT,ALL,
764 LSEL,S,LINE,,116,117,1,
765 LCCAT,ALL,
766 LSEL,S,LINE,,121,122,1,
767 LCCAT,ALL,
768 LSEL,S,LINE,,124,125,1,
769 LCCAT,ALL,
770 LSEL,S,LINE,,136,137,1,
771 LCCAT,ALL,
772 LSEL,S,LINE,,138,140,1,
773 LCCAT,ALL,
774 LSEL,S,LINE,,144,147,1,
775 LCCAT,ALL,
776 LSEL,ALL,
777 /COM,          Mesh areas
778 /COM,          first flux trap plate, then tubes
779 MAT, 1,
780 TYPE,1,
781 AMESH, 27, 43,1,
782 MAT,13,
783 TYPE,1,
784 AMESH, 44, 55,1,
785 MAT, 1,
786 TYPE,1,
787 AMESH, 56, 73,1,
788 MAT,13,

```

```

789 TYPE,1,
790 AMESH, 74, 79,1,
791 MAT, 1,
792 TYPE,1,
793 AMESH, 80, 91,1,
794 MAT,14,
795 TYPE,1,
796 AMESH, 92, 94,1,
797 /COM, Delete concatanated lines
798 /COM, (L's freed up 265,266,267,268,269,270,271,272,273,274)
799 LDELE,265,274,1,
800 /COM, *****
801 /COM, Copy tube mesh and connect top and bottom
802 ARSYM,Y,27,103,1,0,0,0,
803 /COM, flux trap plate spacers
804 /COM, (L's 449,450,451,452,453,454,455,456,457,458)
805 /COM, (A's 181,182,183,184,185)
806 A,186, 73, 93,202,
807 A,201,114,115,200,
808 A,204,131,138,206,
809 A,212,152,153,211,
810 A,210,156,163,215,
811 /COM, flux trap plate heluim gaps
812 /COM, (A's 186,187,188,189,190,191,192,193)
813 A,187, 60, 73,186,
814 A,202, 93,114,201,
815 A,200,115,120,199,
816 A,199,120,131,204,
817 A,206,138,145,208,
818 A,208,145,152,212,
819 A,211,153,156,210,
820 A,215,163,164,214,
821 /COM, tube/guide heluim gaps (flats)
822 /COM, (A's 194,195,196,197,198,199,200,201,202,203,204,205)
823 A,109, 22, 41,108,
824 A,108, 41, 42,126,
825 A,137, 43, 45,136,
826 A,142, 45, 46,162,
827 A,160, 47, 49,159,
828 A, 49, 29,167,159,
829 A,244,245, 31, 50,
830 A,244, 50, 52,260,
831 A,254, 53, 54,252,
832 A,248, 54, 56,247,
833 A,256, 57, 58,230,
834 A,230, 58, 38,229,
835 /COM, tube/guide heluim gaps (corners)
836 /COM, (A's 206,207,208,209,210,211,212,213,214,215,216,217)
837 /COM, ( 218)
838 A, 21, 85, 72,
839 A, 21, 22,109,100, 92, 85,
840 A, 24, 25, 43,137,130,126, 42,
841 A,136, 45,142,135,
842 A, 26, 27, 47,160,161,162, 46,
843 A,167, 29, 30,164,165,166,
844 A,164, 30,214,
845 A,214, 30, 31,245,228,213,
846 A, 52, 33, 34, 53,254,255,260,
847 A,250,252, 54,248,
848 A,256,246,247, 56, 35, 36, 57,
849 A,188,189,216,229, 38, 39,
850 A,273,188, 39,
851 /COM, mesh flux trap plate spacers
852 LSEL,S,LINE,,449,458,1,
853 LESIZE,ALL,,, 4,
854 LSEL,ALL,
855 MAT,1,
856 TYPE,1,
857 AMESH,181,185,1,
858 NUMMRG,NODE,

```

```

859 NUMMRG,KP,
860 /COM, *****
861 /COM, Create mesh in MPC shell and disposal container
862 /COM, Tube guides
863 ESIZE,,2,
864 LESIZE,43,,, 6,
865 LESIZE,46,,,14,
866 LESIZE,49,,,14,
867 LESIZE,53,,,14,
868 LESIZE,56,,,14,
869 LESIZE,60,,, 6,
870 LESIZE,61,,, 6,
871 LESIZE,64,,,14,
872 LESIZE,68,,,14,
873 LESIZE,71,,,14,
874 LESIZE,75,,,14,
875 LESIZE,78,,, 6,
876 MAT,1,
877 TYPE,1,
878 AMESH,15,26,1,
879 /COM, MPC shell
880 /COM, (L's 489,490)
881 LESIZE,23,,, 2,
882 LESIZE,25,,,14,
883 LESIZE,26,,, 3,
884 LESIZE,27,,,14,
885 LESIZE,28,,, 3,
886 LESIZE,29,,,14,
887 LESIZE,31,,, 2,
888 LESIZE,32,,, 2,
889 LESIZE,34,,,14,
890 LESIZE,35,,, 3,
891 LESIZE,36,,,14,
892 LESIZE,37,,, 3,
893 LESIZE,38,,,14,
894 LESIZE,40,,, 2,
895 LSEL,S,LINE,,23,31,1,
896 LCCAT,ALL,
897 LSEL,S,LINE,,32,40,1,
898 LCCAT,ALL,
899 LSEL,ALL,
900 LESIZE,17,,,56,
901 LESIZE,18,,,56,
902 LESIZE,22,,, 3,
903 LESIZE,41,,, 3,
904 MAT,1,
905 TYPE,1,
906 AMESH,7,8,1,
907 /COM, Assume vacuum between shell and inner barrier
908 LESIZE,13,,,56,
909 LESIZE,14,,,56,
910 LESIZE,19,,, 2,
911 LESIZE,20,,, 2,
912 /COM, No MAT,7,
913 /COM, No TYPE,1,
914 /COM, No AMESH,5,6,1,
915 /COM, Delete concatenated lines
916 /COM, (L's freed up 489,490)
917 LDELETE,489,490,1,
918 /COM, Inner and outer barrier
919 LSEL,S,LINE,,7,10,1,
920 LESIZE,ALL,,,56,
921 LSEL,ALL,
922 LESIZE, 6,,, 3,
923 LESIZE,15,,, 3,
924 LESIZE,16,,, 3,
925 LESIZE, 5,,, 3,
926 LESIZE,11,,, 3,
927 LESIZE,12,,, 3,
928 MAT,2,

```

```

929 TYPE,1,
930 AMESH,3,4,1,
931 MAT,15,
932 TYPE,1,
933 AMESH,1,2,1,
934 /COM, Empty basket spaces
935 ESIZE,0.1,
936 ESHAPE,0,
937 MAT,7,
938 TYPE,1,
939 AMESH,9,14,1,
940 /COM, *****
941 /COM, Define mesh and radiation surface elements
942 /COM, Tube/guides gap
943 LSEL,S,LOC,X,0.0,0.0,
944 LSEL,A,LINE,, 7, 8,1,
945 LSEL,A,LINE,,13,14,1,
946 LSEL,A,LINE,,17,18,1,
947 NSLL,U,0,
948 LSEL,ALL,
949 MAT,1,
950 TYPE,7,
951 ESURF,
952 NSEL,ALL,
953 /COM, Basket spaces
954 MAT,1,
955 TYPE,17,
956 LMESH,25,29,2,
957 LMESH,34,38,2,
958 LMESH,80,
959 LMESH,45,
960 LMESH,50,52,2,
961 LMESH,57,59,2,
962 LMESH,62,65,3,
963 LMESH,69,72,3,
964 LMESH,76,79,3,
965 /COM, MPC shell/inner barrier gap
966 MAT,1,
967 TYPE,27,
968 LMESH,17,18,1,
969 MAT,2,
970 TYPE,27,
971 LMESH,13,14,1,
972 /COM, *****
973 /COM, Create mesh in helium spaces
974 ESIZE,,2,
975 ESHAPE,2,
976 MAT,7,
977 TYPE,1,
978 AMESH, 95,103,1,
979 AMESH,172,180,1,
980 AMESH,186,205,1,
981 ESHAPE,0,
982 MAT,7,
983 TYPE,1,
984 AMESH,206,218,1,
985 /COM, Clear areas and mesh by hand difficult areas
986 ACLEAR,211,
987 E,5653,3453,3952,3952,
988 E, 636,5653,3952,3952,
989 E, 545, 636,3952,3952,
990 E, 551, 545,3952,3952,
991 E, 363, 551,3952,3952,
992 E, 370, 363,3952,3952,
993 E, 371, 370,3952,3952,
994 E, 369, 371,3952,3952,
995 E,5747, 369,3952,3952,
996 E,3782,5747,3952,3952,
997 ACLEAR,217,
998 E,3735,5763,3738,3738,

```

```

999 E,5763,1661,3738,3738,
1000 E,1661,1663,3738,3738,
1001 E,1663,1664,3738,3738,
1002 E,1664,1662,3738,3738,
1003 E,1662,1979,3738,3738,
1004 E,1979,1978,3738,3738,
1005 E,1978,2148,3738,3738,
1006 E,2148,5725,3738,3738,
1007 E,5725,3666,3738,3738,
1008 FINISH
1009 /COM, *****
1010 /COM,          Create element mesh plots to illustrate model
1011 /COM,          View mesh for entire model
1012 /RESET
1013 /TRIAD,OFF,
1014 /NUM, 1,
1015 /PNUM,MAT, 1,
1016 /TYPE,HIDP,
1017 /GLINE,,0,
1018 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1019 /TITLE, 12 PWR MPC/Waste Package - 1/2 FEM Model
1020 /SHOW,meshfull,grph,1,8,
1021 EPLOT
1022 ESEL,U,MAT,, 7,
1023 /SHOW,meshgap,grph,1,8,
1024 EPLOT
1025 /COM,          View mesh for radiation substructure
1026 /PNUM,MAT, 0,
1027 /PNUM,TYPE, 1,
1028 ESEL,S,TYPE,, 7,
1029 ESEL,A,TYPE,,17,
1030 ESEL,A,TYPE,,27,
1031 /TITLE, 12 PWR MPC/Waste Package - Radiation Matrix
1032 /SHOW,meshrad,grph,1,8,
1033 EPLOT
1034 ESEL,ALL,
1035 /TITLE, 12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF
1036 /COM, *****
1037 /COM,          Generate super-elements
1038 /AUX12,
1039 ESEL,S,TYPE,,7,
1040 NSLE,S,
1041 STEF,5.67E-8,
1042 GEOM,1,0,
1043 VTYPE,0,800,
1044 WRITE,tubegap,
1045 ESEL,S,TYPE,,17,
1046 NSLE,S,
1047 STEF,5.67E-8,
1048 GEOM,1,0,
1049 VTYPE,0,800,
1050 WRITE,spaces,
1051 ESEL,S,TYPE,,27,
1052 NSLE,S,
1053 STEF,5.67E-8,
1054 GEOM,1,0,
1055 VTYPE,0,800,
1056 WRITE,shellgap,
1057 ESEL,ALL,
1058 NSEL,ALL,
1059 FINISH
1060 /PREP7,
1061 TYPE,18,
1062 SE,tubegap,
1063 SE,spaces,
1064 SE,shellgap,
1065 /COM,          Delete radiation edge elements
1066 ESEL,S,TYPE,,7,
1067 EDELE,ALL,
1068 ESEL,ALL,

```



```

1069 LSEL,S,TYPE,,17,
1070 LSEL,A,TYPE,,27,
1071 LCLEAR,ALL,
1072 LSEL,ALL,
1073 FINISH
1074 /COM, *****
1075 /COM,          Set solution parameters and apply B.C.'s
1076 /COM,
1077 /COM,          Solve steady-state for initial conditions
1078 /COM,          with WP surface equal to drift ambient
1079 /COM,          temperature from repository model.
1080 /SOLU
1081 ANTYPE,TRAN,NEW,
1082 NROPT,AUTO,
1083 TRNOPT,FULL,
1084 TOFFST,273.15,
1085 LSEL,S,LINE,,7,
1086 LSEL,A,LINE,,8,
1087 NSLL,S,1,
1088 D,ALL,TEMP,DFAMBT,
1089 LSEL,ALL,
1090 NSEL,ALL,
1091 ASEL,S,MAT,,14,
1092 ESLA,S,
1093 BFE,ALL,HGEN,,(FUEL(TM_START)),
1094 ASEL,ALL,
1095 ESEL,ALL,
1096 TIMINT,OFF,
1097 TIME,1e-6,
1098 AUTOTS,ON,
1099 KBC,0,
1100 SOLVE
1101 /COM,          Solve steady-state for initial conditions
1102 /COM,          with WP surface temperatures from repository
1103 /COM,          steady-state solution.
1104 LSEL,S,LINE,,7,
1105 LSEL,A,LINE,,8,
1106 NSLL,S,1,
1107 DDELE,ALL,TEMP,
1108 LSEL,ALL,
1109 NSEL,ALL,
1110 DK,11,TEMP,(WPTOP(TM_START)),,1,
1111 DK,10,TEMP,(WPSID(TM_START)),,1,
1112 DK, 9,TEMP,(WPBOT(TM_START)),,1,
1113 ASEL,S,MAT,,14,
1114 ESLA,S,
1115 BFE,ALL,HGEN,,(FUEL(TM_START)),
1116 ASEL,ALL,
1117 ESEL,ALL,
1118 TIMINT,OFF,
1119 TIME,2e-6,
1120 AUTOTS,ON,
1121 KBC,0,
1122 SOLVE
1123 /COM, *****
1124 /COM,          Set time integration parameters
1125 TIMINT,ON,
1126 AUTOTS,ON,
1127 /COM,          Time substep ranges from 10 sec to 1/4 loadstep
1128 NSUBST,10,40,4,ON
1129 /COM,          Begin Transient
1130 /COM,          Apply loads and solve for 0 to .9 years
1131 *DO,TM,TM_START,TMEO,TMIO
1132     TIME,TM,
1133     ASEL,S,MAT,,14,
1134     ESLA,S,
1135     BFE,ALL,HGEN,,(FUEL(TM)),
1136     ASEL,ALL
1137     ESEL,ALL
1138     DK,11,TEMP,(WPTOP(TM)),,1,

```

```

1139      DK,10,TEMP,(WPSID(TM)),,1,
1140      DK, 9,TEMP,(WPBOT(TM)),,1,
1141      SOLVE
1142 *ENDDO
1143 /COM,          Apply loads and solve for 1 to 9 years
1144 *DO,TM,TME1,TME9,TM11
1145      TIME,TM,
1146      ASEL,S,MAT,,14,
1147      ESLA,S,
1148      BFE,ALL,HGEN,,(FUEL(TM)),
1149      ASEL,ALL
1150      ESEL,ALL
1151      DK,11,TEMP,(WPTOP(TM)),,1,
1152      DK,10,TEMP,(WPSID(TM)),,1,
1153      DK, 9,TEMP,(WPBOT(TM)),,1,
1154      SOLVE
1155 *ENDDO
1156 /COM,          Apply loads and solve for 10 to 90 years
1157 *DO,TM,TME10,TME90,TM110
1158      TIME,TM,
1159      ASEL,S,MAT,,14,
1160      ESLA,S,
1161      BFE,ALL,HGEN,,(FUEL(TM)),
1162      ASEL,ALL
1163      ESEL,ALL
1164      DK,11,TEMP,(WPTOP(TM)),,1,
1165      DK,10,TEMP,(WPSID(TM)),,1,
1166      DK, 9,TEMP,(WPBOT(TM)),,1,
1167      SOLVE
1168 *ENDDO
1169 /COM,          Apply loads and solve for 100 to 1000 years
1170 *DO,TM,TME100,TME1000,TM1100
1171      TIME,TM,
1172      ASEL,S,MAT,,14,
1173      ESLA,S,
1174      BFE,ALL,HGEN,,(FUEL(TM)),
1175      ASEL,ALL
1176      ESEL,ALL
1177      DK,11,TEMP,(WPTOP(TM)),,1,
1178      DK,10,TEMP,(WPSID(TM)),,1,
1179      DK, 9,TEMP,(WPBOT(TM)),,1,
1180      SOLVE
1181 *ENDDO
1182 FINISH
1183 SAVE,
1184 /COM,          *****
1185 /COM,          Create element contour plots of solution results
1186 /COM,
1187 /COM,          Sort through solution results for time of max temp.
1188 /POST26,
1189 NSOL,2,(NODE(ACX1,(0.0-ACY1),0.0)),TEMP,,peakclad,
1190 STORE,NEW,
1191 *GET,TMTMAX,VARI,2,EXTREM,TMAX,
1192 FINISH
1193 /POST1,
1194 /COM,          Create temperature contour plots of WP at peak
1195 /RESET
1196 /TRIAD,OFF,
1197 /NUM, 1,
1198 /PNUM,MAT, 1,
1199 /TYPE,HIDP,
1200 /GLINE,, -1,
1201 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1202 ESEL,U,MAT,,7,
1203 SET,NEAR,,,TMTMAX,
1204 /TITLE, 12 PWR MPC/WP at Time of Peak Temp. (%TMTMAX/3.15576E7% years)
1205 /SHOW,solupk,grph,0,8,
1206 /CONTOUR,1,128,AUTO,
1207 PLNSOL,TEMP,
1208 /COM,          Create temperature contour plots at 10, 50, and 100 yrs

```

```

1209 SET,NEAR,,,,TME10,
1210 /TITLE, 12 PWR MPC/WP at 10 years
1211 /SHOW,solu10,grph,0,8,
1212 /CONTOUR,1,128,USER,
1213 PLNSOL,TEMP,
1214 SET,NEAR,,,,TME50,
1215 /TITLE, 12 PWR MPC/WP at 50 years
1216 /SHOW,solu50,grph,0,8,
1217 /CONTOUR,1,128,USER,
1218 PLNSOL,TEMP,
1219 SET,NEAR,,,,TME100,
1220 /TITLE, 12 PWR MPC/WP at 100 years
1221 /SHOW,solu100,grph,0,8,
1222 /CONTOUR,1,128,USER,
1223 PLNSOL,TEMP,
1224 ESEL,ALL,
1225 FINISH
1226 /COM, *****
1227 /COM,          Print time/temperature output at specific locations
1228 /COM,          Save profile from center to edge
1229 /COM,
1230 /COM,          Variable Legend: A01i000
1231 /COM,          x = center of waste package
1232 /COM,          f = flux trap plate stainless layer
1233 /COM,          w = flux trap plate SS sheath
1234 /COM,          c = center of assembly
1235 /COM,          h = halfway between center and tube
1236 /COM,          s = inside structural stainless tube layer
1237 /COM,          a = aluminum-born tube layer
1238 /COM,          t = stainless tube cladding
1239 /COM,          g = tube guide
1240 /COM,          m = mpc shell
1241 /COM,          i = inner barrier of DC
1242 /COM,          o = outer barrier of DC
1243 /COM,          ## = ID number of assembly (01 is center)
1244 /COM,          i = side of assembly toward center of WP
1245 /COM,          o = side of assembly toward edge of WP
1246 /COM,          000 = profile center down
1247 /COM,          045 = profile 45 deg down
1248 /COM,          090 = profile center side
1249 /COM,          135 = profile 45 deg up
1250 /COM,          180 = profile center up
1251 /POST26,
1252 NUMVAR,30,
1253 /COM,
1254 /COM, *****
1255 /COM, * Temperature Profile from center to lower right (45 deg.) *
1256 /COM, *****
1257 NSOL, 2,(NODE(      0.0,      0.0,0.0)),TEMP,,x04i045,
1258 NSOL, 3,(NODE(      (0.5*FSPAC),      (-.5*FSPAC),0.0)),TEMP,,f04i045,
1259 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(-.5*FSPAC-FWALL),0.0)),TEMP,,f04o045,
1260 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(-.5*FSPAC-BCELL),0.0)),TEMP,,w04i045,
1261 NSOL, 6,(NODE(      (ACX1-SCCELL),      (SCCELL-ACY1),0.0)),TEMP,,w04o045,
1262 NSOL, 7,(NODE(      (ACX1-HCELL),      (HCELL-ACY1),0.0)),TEMP,,s04i045,
1263 NSOL, 8,(NODE(      (ACX1-QCELL),      (QCELL-ACY1),0.0)),TEMP,,h04i045,
1264 NSOL, 9,(NODE(      ACX1,      (0.0-ACY1),0.0)),TEMP,,c04i045,
1265 NSOL,10,(NODE(      (ACX1+QCELL), (0.0-ACY1-QCELL),0.0)),TEMP,,h04o045,
1266 NSOL,11,(NODE(      (ACX1+HCELL), (0.0-ACY1-HCELL),0.0)),TEMP,,s04o045,
1267 NSOL,12,(NODE(      (ACX1+SCCELL), (0.0-ACY1-SCCELL),0.0)),TEMP,,a04o045,
1268 NSOL,13,(NODE(      (ACX1+ACCELL), (0.0-ACY1-ACCELL),0.0)),TEMP,,t04i045,
1269 NSOL,14,(NODE(      (ACX1+TCELL), (0.0-ACY1-TCELL),0.0)),TEMP,,t04o045,
1270 NSOL,15,(NODE(      (GX25-GWALL),      (GWALL-GX25),0.0)),TEMP,,g04i045,
1271 NSOL,16,(NODE(      GX25,      (0.0-GX25),0.0)),TEMP,,g04o045,
1272 NSOL,17,(NODE(      MI45,      (0.0-MI45),0.0)),TEMP,,m04i045,
1273 NSOL,18,(NODE(      MO45,      (0.0-MO45),0.0)),TEMP,,m04o045,
1274 NSOL,19,(NODE(      DI45,      (0.0-DI45),0.0)),TEMP,,i04i045,
1275 NSOL,20,(NODE(      DM45,      (0.0-DM45),0.0)),TEMP,,i04o045,
1276 NSOL,21,(NODE(      DO45,      (0.0-DO45),0.0)),TEMP,,o04o045,
1277 /COM,          Add centers of assemblies 5 and 6
1278 NSOL,22,(NODE(      ACX2,      (0.0-ACY1),0.0)),TEMP,,c05i045,

```

```

1279 NSOL,23,(NODE(          ACX1,          (0.0-ACY3),0.0)),TEMP,,c06i045,
1280 PRVAR, 2, 3, 4, 5, 6, 7,
1281 PRVAR, 8, 9,10,11,12,13,
1282 PRVAR,14,15,16,17,18,19,
1283 PRVAR,20,21,22,23,
1284 /COM,
1285 /COM, *****
1286 /COM, * Temperature Profile from center to upper right (135 deg.) *
1287 /COM, *****
1288 NSOL, 2,(NODE(          0.0,          0.0,0.0)),TEMP,,x01i135,
1289 NSOL, 3,(NODE(          (0.5*FSPAC),          (0.5*FSPAC),0.0)),TEMP,,f01i135,
1290 NSOL, 4,(NODE((0.5*FSPAC+FWALL), (0.5*FSPAC+FWALL),0.0)),TEMP,,f01o135,
1291 NSOL, 5,(NODE((0.5*FSPAC+BCELL), (0.5*FSPAC+BCELL),0.0)),TEMP,,w01i135,
1292 NSOL, 6,(NODE(          (ACX1-SCELL),          (ACY1-SCELL),0.0)),TEMP,,w01o135,
1293 NSOL, 7,(NODE(          (ACX1-HCELL),          (ACY1-HCELL),0.0)),TEMP,,s01i135,
1294 NSOL, 8,(NODE(          (ACX1-QCELL),          (ACY1-QCELL),0.0)),TEMP,,h01i135,
1295 NSOL, 9,(NODE(          ACX1,          ACY1,0.0)),TEMP,,c01i135,
1296 NSOL,10,(NODE(          (ACX1+QCELL),          (ACY1+QCELL),0.0)),TEMP,,h01o135,
1297 NSOL,11,(NODE(          (ACX1+HCELL),          (ACY1+HCELL),0.0)),TEMP,,s01o135,
1298 NSOL,12,(NODE(          (ACX1+SCELL),          (ACY1+SCELL),0.0)),TEMP,,a01o135,
1299 NSOL,13,(NODE(          (ACX1+ACELL),          (ACY1+ACELL),0.0)),TEMP,,t01i135,
1300 NSOL,14,(NODE(          (ACX1+TCELL),          (ACY1+TCELL),0.0)),TEMP,,t01o135,
1301 NSOL,15,(NODE(          (GX25-GWALL),          (GX25-GWALL),0.0)),TEMP,,g01i135,
1302 NSOL,16,(NODE(          GX25,          GX25,0.0)),TEMP,,g01o135,
1303 NSOL,17,(NODE(          M145,          M145,0.0)),TEMP,,m01i135,
1304 NSOL,18,(NODE(          M045,          M045,0.0)),TEMP,,m01o135,
1305 NSOL,19,(NODE(          D145,          D145,0.0)),TEMP,,i01i135,
1306 NSOL,20,(NODE(          DM45,          DM45,0.0)),TEMP,,i01o135,
1307 NSOL,21,(NODE(          DO45,          DO45,0.0)),TEMP,,o01o135,
1308 /COM, Add centers of assemblies 2 and 3
1309 NSOL,22,(NODE(          ACX2,          ACY2,0.0)),TEMP,,c02i135,
1310 NSOL,23,(NODE(          ACX3,          ACY3,0.0)),TEMP,,c03i135,
1311 PRVAR, 2, 3, 4, 5, 6, 7,
1312 PRVAR, 8, 9,10,11,12,13,
1313 PRVAR,14,15,16,17,18,19,
1314 PRVAR,20,21,22,23,
1315 /COM,
1316 FINISH
1317 /COM, *****
1318 /COM, End of batch input file
1319 /COM, *****
1320 /EXIT,
1321 /EOF

```

RUN SETUP PROCEDURE FROM FILE= /ansys50a/docu/start.ans

```

/INPUT FILE= /ansys50a/docu/start.ans LINE= 0
*****
ANSYS STARTUP FILE start.ans
*****

```

```

ABBREVIATION= K1      /pnum,kp ,1,
ABBREVIATION= K0      /pnum,kp ,0,
ABBREVIATION= L1      /pnum,line,1,
ABBREVIATION= L0      /pnum,line,0,
ABBREVIATION= A1      /pnum,area,1,
ABBREVIATION= A0      /pnum,area,0,
ABBREVIATION= V1      /pnum,volu,1,
ABBREVIATION= V0      /pnum,volu,0,
ABBREVIATION= N1      /pnum,node,1,
ABBREVIATION= N0      /pnum,node,0,

```

```

ABBREVIATION= E1      /pnum,elem,1,
ABBREVIATION= E0      /pnum,elem,0,
ABBREVIATION= M1      /pnum,mat ,1,
ABBREVIATION= M0      /pnum,mat ,0,
ABBREVIATION= R1      /pnum,real,1,
ABBREVIATION= R0      /pnum,real,0,
ABBREVIATION= T1      /pnum,type,1,
ABBREVIATION= T0      /pnum,type,0,
ABBREVIATION= C1      /number,1,
ABBREVIATION= C0      /number,0,
ABBREVIATION= INP      /input,,inp,
ABBREVIATION= X3D      /show,3d,
ABBREVIATION= X11      /show,x11,
ABBREVIATION= VEC      /show,,,1,
ABBREVIATION= RAS      /show,,,0,
ABBREVIATION= ON       /menu,on,
ABBREVIATION= OFF      /menu,off,
ABBREVIATION= NVP      /config,nvpag,512,
ABBREVIATION= QUIT     /exit,nosav,
XYZ TRIAD DISPLAY SET TO OFF

```

VIEW CONE ANGLE FOR WINDOW 1 25.00

```

*****
END start.ans
*****

```

To start ANSYS menu:

```

type:  x3d  for console
       x11  for X-term

```

type: on

```

*****
*****
ANSYS REVISION  5.0A                      3/24/1995
2-D Model of 75 ton burnup credit MPC-DC    R.Bahney III
*****
*
* File name: ma12h3.inp
*      12 PWR MPC with Low T.L. Disposal Container
*      Helium Fill Gas
*
* Material Property file: props01.dat
*
* SNF Conductivity file:  pwr15e.parm
*      15x15 Mark-B4 PWR SNF Assembly
*
* SNF Heat Loads file:    snf1048.dat
*      SNF Type: 10 years old, 48 GWd/MTU
*

```

```
* Surface Temp. file:      c12h5a.parm      *
*      25 MTU/acre (6.18 kgU/m^2) AML (Low Thermal Loading) *
*      5.0 m Diameter Drift with Concrete Invert      *
*      Drift spacing = 90.0 m                      *
*      WP c/c spacing = 9.237 m                    *
*                                                    *
```

Increase the number of database pages from 16 (256) to 32 Mb

NUMBER OF DATA BASE PAGES IN MEMORY(NVPAGE)= 512

Work space must also be increased (-m 64)

TITLE=

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

SI UNITS SPECIFIED

```
LENGTH      = METERS(M)
MASS         = KILOGRAMS(KG)
TIME         = SECONDS(SEC)
TEMPERATURE  = CENTIGRADE
CURRENT      = AMPS
```

Read in average effective conductivities from SNF model

*** NOTE *** CP= .590 TIME= 18:21:25

Restore ANSYS parameters from file= pwr15e.parm.

/INPUT FILE= pwr15e.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Read in surface temps. from repository model

*** NOTE *** CP= .780 TIME= 18:21:25

Restore ANSYS parameters from file= c12h5a.parm.

/INPUT FILE= c12h5a.parm LINE= 0

PRINTOUT RESUMED BY /GOP

Define MPC/waste package parameters

(MPC dimensions converted from inches to meters)

```
MIRAD = inner radius of MPC shell (m)
MWALL = MPC shell thickness (m)
DCRAD = disposal container outer radius (m)
OWALL = outer barrier thickness (m)
IWALL = inner barrier thickness (m)
GCORN = corner guide width (m)
GLENW = side guide total width (m)
GLENH = side guide total height (m)
GWALL = guide thickness (m)
HCELL = 1/2 of basket cell opening (m)
SWALL = stainless tube thickness (m)
AWALL = Al/boron tube thickness (m)
FLENT = flux trap plate length (m)
FWALL = flux trap plate stainless thickness (m)
BWALL = flux trap plate Al/boron thickness (m)
TWALL = flux trap plate SS sheath thickness (m)
FSPAC = flux trap plate spacer width (m)
TSPAC = tube/tube spacer width (m)
ACTVL = active fuel length
PEAKF = assembly heat axial peaking factor
```

PARAMETER PI = 3.141593

PARAMETER MIRAD = .6079490

PARAMETER MWALL = .2222500E-01

PARAMETER DCRAD = .7152500
 PARAMETER OWALL = .5000000E-01
 PARAMETER IWALL = .2000000E-01
 PARAMETER GCORN = .2561844
 PARAMETER GLENW = .2142236
 PARAMETER GLENH = .6339840E-01
 PARAMETER GWALL = .9525000E-02
 PARAMETER HCELL = .1143000
 PARAMETER SWALL = .2387600E-02
 PARAMETER AWALL = .2717800E-02
 PARAMETER FLENT = .5883656
 PARAMETER FWALL = .1270000E-01
 PARAMETER BWALL = .6350000E-02
 PARAMETER TWALL = .2387600E-02
 PARAMETER FSPAC = .2540000E-01
 PARAMETER TSPAC = .2504440E-01
 PARAMETER ACTVL = 3.601720
 PARAMETER PEAKF = 1.250000

Define calculated parameters

ASSY = assembly heat production (W) f(yrs)
 FUEL = volumetric heat production (W/m3) f(yrs)
 FVOLU = assy_volume=cell_width^2*active_length
 Q2 = side guide x coord. (see sketch)
 GX## = x coord. of guide/shell contact (kp##)
 GY## = y coord. of guide/shell contact (kp##)
 ACX# = x coord. of center of assembly #
 ACY# = y coord. of center of assembly #
 TM_START = start time (sec)
 TMI* = time increment for solution (sec)
 TME* = start and stop for time do-loops (sec)
 Note: 1 year = 3.15576e7 seconds
 QCELL = 1/4 of basket cell opening (m)
 SCELL = 1/2 of basket cell opening+SS wall(m)
 ACELL = 1/2 of basket cell opening+SS+AL (m)
 MI45 = x coord. MIRAD at 45 deg.
 MO45 = x coord. MIRAD+MWALL at 45 deg.
 DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
 DM45 = x coord. DCRAD-OWALL at 45 deg.
 DO45 = x coord. DCRAD at 45 deg.
 TMTMAX = time of maximum cladding temperature

ARRAY PARAMETER ASSY DELETED.

SET PARAMETER DIMENSIONS ON ASSY TYPE=TABL DIMENSIONS= 101 1 1

SET PARAMETER DIMENSIONS ON FUEL TYPE=TABL DIMENSIONS= 101 1 1

PARAMETER FVOLU = .1882185

PARAMETER Q2 = .5002134E-01

PARAMETER GX22 = .4049634E-01
PARAMETER GY22 = .6065987
PARAMETER GX23 = .5002134E-01
PARAMETER GY23 = .6058877
PARAMETER GX24 = .2547199
PARAMETER GY24 = .5520143
PARAMETER GTMP = .2466594
PARAMETER GX25 = .2884843
PARAMETER GY25 = .5351437
PARAMETER ACX1 = .1508252
PARAMETER ACY1 = .1508252
PARAMETER ACX2 = .4194556
PARAMETER ACY2 = .1508252
PARAMETER ACX3 = .1508252
PARAMETER ACY3 = .4194556
PARAMETER TM_START = 31.55760
PARAMETER TM10 = 3155760.
PARAMETER TM11 = .3155760E+08
PARAMETER TM110 = .3155760E+09
PARAMETER TM1100 = .3155760E+10
PARAMETER TM11000 = .3155760E+11
PARAMETER TME0 = .2840187E+08
PARAMETER TME1 = .3155763E+08
PARAMETER TME9 = .2840184E+09
PARAMETER TME10 = .3155760E+09
PARAMETER TME50 = .1577880E+10
PARAMETER TME90 = .2840184E+10
PARAMETER TME100 = .3155760E+10
PARAMETER TME1000 = .3155760E+11
PARAMETER BCELL = .1905000E-01
PARAMETER QCELL = .5715000E-01
PARAMETER SCELL = .1166876
PARAMETER ACELL = .1194054
PARAMETER TCELL = .1217930
PARAMETER MI45 = .4298849

PARAMETER MO45 = .4456003

PARAMETER DI45 = .4562607

PARAMETER DM45 = .4704028

PARAMETER DO45 = .5057581

Define different element types

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:21:26 MAR 25, 1995 CP= 1.540
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE 1 IS PLANE55 2-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 TWO-DIMENSIONAL MODEL

ELEMENT TYPE 2 IS SOLID70 3-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 7 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 16 IS SHELL57 THERMAL SHELL
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 17 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 18 IS MATRIX50 SUBSTRUCTURE MATRIX
 KEYOPT(1-12)= 1 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 19 IS LINK31 RADIATION LINK
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 27 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

File props01.dat describes material properties
 and thier reference numbers

READ IN MATERIAL PROPERTY LIBRARY FROM FILE= props01.dat

```

/INPUT FILE= props01.dat LINE=      0
*****
**      ANSYS 5.0 MPC MATERIAL PROPERTY TABLES      **
*****
**      Filename: props01.dat                        **
**      Compiled by R. Bahney III on 1-30-95          **
*****

NUMBER  MATERIAL          DESCRIPTION
1      Stainless Steel 316  Basket Structural Support
2      Incaloy 825          Inner Container (resistant)
3      A516 Mild Steel      Outer Container (allowance)
4      UO2 Pellet           SNF Uranium Oxide Pellet
5      Zircaloy 4           SNF Cladding
6      Oxidation Layer      Stably Oxidized Zircaloy Surface
7      Helium               Canister Fill Gas
8      Air                  Alternate Fill Gas
9      Nitrogen             Alternate Fill Gas
10     Argon                Alternate Fill Gas
11     Aluminum 6063        Thermal Conductor
12     Copper               Alternate Thermal Conductor
13     Aluminum-Boron       Aluminum Boron Criticality Matl

*****
**      Density:      DENS      (kg/m^3)      **
**      Emissivity    EMIS      **
**      Conductivity: KXX      (W/m/K)      **
**      Specific Heat: C       (J/kg/K)      **
*****

```

Define densities for all materials except gases

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 1 NUM. POINTS= 1
SLOC= 1 8000.000

PROPERTY TABLE DENS MAT= 2 NUM. POINTS= 1
SLOC= 1 8137.900

PROPERTY TABLE DENS MAT= 3 NUM. POINTS= 1
SLOC= 1 8131.000

PROPERTY TABLE DENS MAT= 4 NUM. POINTS= 1
SLOC= 1 10970.00

PROPERTY TABLE DENS MAT= 5 NUM. POINTS= 1
SLOC= 1 6500.000

PROPERTY TABLE DENS MAT= 6 NUM. POINTS= 1
SLOC= 1 6500.000

PROPERTY TABLE DENS MAT= 11 NUM. POINTS= 1
SLOC= 1 2690.000

PROPERTY TABLE DENS MAT= 12 NUM. POINTS= 1
SLOC= 1 8933.000

PROPERTY TABLE DENS MAT= 13 NUM. POINTS= 1
SLOC= 1 2693.000

Define emissivities for all materials except gases

PROPERTY TABLE EMIS MAT= 1 NUM. POINTS= 1

SLOC= 1 .6000000

PROPERTY TABLE EMIS MAT= 2 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 3 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 4 NUM. POINTS= 1
SLOC= 1 .7900000

PROPERTY TABLE EMIS MAT= 5 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 6 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 11 NUM. POINTS= 1
SLOC= 1 .7000000E-01

PROPERTY TABLE EMIS MAT= 12 NUM. POINTS= 1
SLOC= 1 .5000000

PROPERTY TABLE EMIS MAT= 13 NUM. POINTS= 1
SLOC= 1 .7000000E-01

Define specific heat for matl. 4, 5, 6, 7, 11, 14, 15

PROPERTY TABLE C MAT= 4 NUM. POINTS= 1
SLOC= 1 247.0000

PROPERTY TABLE C MAT= 5 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 6 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 7 NUM. POINTS= 1
SLOC= 1 5193.000

PROPERTY TABLE C MAT= 11 NUM. POINTS= 1
SLOC= 1 900.0000

Define K and C for materials 1, 3

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 21.11000 37.78000 65.56000
93.33000 121.1100 148.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 176.6700 204.4400 232.2200
260.0000 287.7800 315.5600

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
SLOC= 13 343.3300 371.1100 398.8900
426.6700 454.4400 482.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
SLOC= 19 510.0000 537.7800 565.5600
593.3300 621.1100 648.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
SLOC= 25 676.6700 704.4400 732.2200
760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 6
SLOC= 1 13.33000 13.67000 14.19000 14.54000
15.06000 15.58000

PROPERTY TABLE KXX	MAT=	1	NUM. POINTS=	12	
SLOC= 7	15.92000	16.44000	16.96000	17.31000	
	17.83000	18.17000			

PROPERTY TABLE KXX	MAT=	1	NUM. POINTS=	18	
SLOC= 13	18.52000	19.04000	19.38000	19.90000	
	20.25000	20.77000			

PROPERTY TABLE KXX	MAT=	1	NUM. POINTS=	24	
SLOC= 19	21.11000	21.46000	21.98000	22.33000	
	22.67000	23.02000			

PROPERTY TABLE KXX	MAT=	1	NUM. POINTS=	30	
SLOC= 25	23.54000	23.88000	24.23000	24.58000	
	24.92000	25.27000			

PROPERTY TABLE C	MAT=	1	NUM. POINTS=	6	
SLOC= 1	481.6800	486.9200	498.0900	499.3800	
	509.9800	520.2900			

PROPERTY TABLE C	MAT=	1	NUM. POINTS=	12	
SLOC= 7	521.0700	527.3800	536.9200	537.3400	
	543.0200	543.3100			

PROPERTY TABLE C	MAT=	1	NUM. POINTS=	18	
SLOC= 13	546.9100	552.1400	552.2600	557.2200	
	557.2500	565.1100			

PROPERTY TABLE C	MAT=	1	NUM. POINTS=	24	
SLOC= 19	565.0100	564.9100	572.3500	572.1400	
	574.9200	574.6800			

PROPERTY TABLE C	MAT=	1	NUM. POINTS=	30	
SLOC= 25	581.6400	581.3000	583.8600	586.3600	
	585.9600	588.3900			

PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	6	
SLOC= 1	40.84000	41.36000	41.88000	42.23000	
	42.23000	42.23000			

PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	12	
SLOC= 7	42.06000	41.88000	41.36000	41.02000	
	40.50000	39.98000			

PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	18	
SLOC= 13	39.29000	38.77000	38.08000	37.56000	
	36.69000	36.17000			

PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	24	
SLOC= 19	35.48000	34.61000	33.92000	33.23000	
	32.36000	31.50000			

PROPERTY TABLE KXX	MAT=	3	NUM. POINTS=	30	
SLOC= 25	30.29000	28.90000	27.35000	26.48000	
	26.13000	26.13000			

PROPERTY TABLE C	MAT=	3	NUM. POINTS=	6	
SLOC= 1	428.7200	444.9500	460.9400	476.8700	
	486.0800	495.6600			

PROPERTY TABLE C	MAT=	3	NUM. POINTS=	12	
SLOC= 7	506.0900	517.0700	525.6400	536.9900	
	543.6300	550.6200			

PROPERTY TABLE C	MAT=	3	NUM. POINTS=	18	
SLOC= 13	562.2100	577.3200	589.1000	600.5700	
	611.3500	629.0900			

PROPERTY TABLE C	MAT=	3	NUM. POINTS=	24	
------------------	------	---	--------------	----	--

SLOC= 19	645.3200	665.1200	682.0700	694.5200
	724.0700	761.9500		

PROPERTY TABLE C	MAT= 3	NUM. POINTS= 30		
SLOC= 25	806.3100	888.6000	1095.040	1638.780
	808.6800	736.9000		

Define K for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 6 ***
SLOC= 1	93.33000 121.1100 148.8900
	176.6700 204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 12 ***
SLOC= 7	260.0000 287.7800 315.5600
	343.3300 371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 18 ***
SLOC= 13	426.6700 454.4400 482.2200
	510.0000 537.7800 565.5600

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 24 ***
SLOC= 19	593.3300 621.1100 648.8900
	676.6700 704.4400 732.2200

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 27 ***
SLOC= 25	760.0000 787.7800 815.5600

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 6		
SLOC= 1	12.29000	12.63000	13.15000	13.67000
	14.02000	14.54000		

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 12		
SLOC= 7	14.88000	15.40000	15.75000	16.10000
	16.61000	16.96000		

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 18		
SLOC= 13	17.31000	17.65000	18.00000	18.52000
	18.86000	19.21000		

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 24		
SLOC= 19	19.73000	20.08000	20.42000	20.94000
	21.46000	21.98000		

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 27		
SLOC= 25	22.33000	23.02000	23.54000	

Define C for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 6 ***
SLOC= 1	93.33000 121.1100 148.8900
	176.6700 204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 12 ***
SLOC= 7	260.0000 287.7800 315.5600
	343.3300 371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 17 ***
SLOC= 13	426.6700 454.4400 482.2200
	510.0000 537.7800

PROPERTY TABLE C	MAT= 2	NUM. POINTS= 6		
SLOC= 1	460.6900	477.4200	501.0200	504.6500
	498.1200	520.4500		

PROPERTY TABLE C MAT= 2 NUM. POINTS= 12
 SLOC= 7 536.8800 559.8500 576.8300 576.2100
 581.6800 598.2000

PROPERTY TABLE C MAT= 2 NUM. POINTS= 17
 SLOC= 13 619.5800 636.7600 654.2000 678.2500
 696.2900

Define K for materials 4, 5, 6

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 .000000E+00 10.00000 20.00000
 30.00000 40.00000 50.00000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 60.00000 70.00000 80.00000
 90.00000 100.0000 110.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
 SLOC= 13 120.0000 130.0000 140.0000
 150.0000 160.0000 170.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
 SLOC= 19 180.0000 190.0000 200.0000
 210.0000 220.0000 230.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
 SLOC= 25 240.0000 250.0000 260.0000
 270.0000 280.0000 290.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 36 ***
 SLOC= 31 300.0000 310.0000 320.0000
 330.0000 340.0000 350.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 42 ***
 SLOC= 37 360.0000 370.0000 380.0000
 390.0000 400.0000 410.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 48 ***
 SLOC= 43 420.0000 430.0000 440.0000
 450.0000 460.0000 470.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 50 ***
 SLOC= 48 480.0000 490.0000 500.0000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 6
 SLOC= 1 8.720000 8.540000 8.360000 8.190000
 8.030000 7.870000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 12
 SLOC= 7 7.720000 7.580000 7.440000 7.310000
 7.180000 7.050000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 18
 SLOC= 13 6.930000 6.820000 6.700000 6.600000
 6.490000 6.390000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 24
 SLOC= 19 6.290000 6.190000 6.100000 6.010000
 5.920000 5.840000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 30
 SLOC= 25 5.760000 5.680000 5.600000 5.520000
 5.450000 5.380000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 36
 SLOC= 31 5.310000 5.240000 5.180000 5.110000

	5.050000	4.990000		
PROPERTY TABLE KXX MAT=	4	NUM. POINTS= 42		
SLOC= 37	4.930000	4.870000	4.810000	4.760000
	4.700000	4.650000		
PROPERTY TABLE KXX MAT=	4	NUM. POINTS= 48		
SLOC= 43	4.600000	4.550000	4.500000	4.450000
	4.400000	4.350000		
PROPERTY TABLE KXX MAT=	4	NUM. POINTS= 50		
SLOC= 48	4.310000	4.270000	4.220000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 6		
SLOC= 1	12.29000	12.44000	12.58000	12.72000
	12.87000	13.01000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 12		
SLOC= 7	13.15000	13.28000	13.42000	13.55000
	13.69000	13.82000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 18		
SLOC= 13	13.95000	14.08000	14.21000	14.34000
	14.46000	14.59000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 24		
SLOC= 19	14.72000	14.84000	14.96000	15.09000
	15.21000	15.33000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 30		
SLOC= 25	15.45000	15.57000	15.69000	15.81000
	15.93000	16.05000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 36		
SLOC= 31	16.17000	16.29000	16.40000	16.52000
	16.64000	16.76000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 42		
SLOC= 37	16.88000	16.99000	17.11000	17.23000
	17.35000	17.46000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 48		
SLOC= 43	17.58000	17.70000	17.82000	17.94000
	18.06000	18.18000		
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 50		
SLOC= 48	18.30000	18.42000	18.54000	
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 6		
SLOC= 1	1.940000	1.940000	1.940000	1.940000
	1.940000	1.940000		
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 12		
SLOC= 7	1.940000	1.950000	1.950000	1.950000
	1.950000	1.950000		
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 18		
SLOC= 13	1.950000	1.950000	1.960000	1.960000
	1.960000	1.960000		
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 24		
SLOC= 19	1.960000	1.970000	1.970000	1.970000
	1.970000	1.980000		
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 30		
SLOC= 25	1.980000	1.980000	1.980000	1.990000
	1.990000	1.990000		
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 36		
SLOC= 31	2.000000	2.000000	2.000000	2.010000

2.010000 2.010000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 42
SLOC= 37 2.020000 2.020000 2.020000 2.030000
2.030000 2.030000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 48
SLOC= 43 2.040000 2.040000 2.040000 2.050000
2.050000 2.060000

PROPERTY TABLE KXX MAT= 6 NUM. POINTS= 50
SLOC= 48 2.060000 2.060000 2.070000

Define p, K, C for materials 7, 8, 9, ~10

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 -13.15000 6.850000 26.85000
76.85000 126.8500 176.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 226.8500 276.8500 326.8500
376.8500 426.8500 476.8500

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 15 ***
SLOC= 13 526.8500 626.8500 726.8500

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 6
SLOC= 1 .1875000 .1750000 .1625000 .1422000
.1219000 .1097000

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 12
SLOC= 7 .9750000E-01 .9060000E-01 .8360000E-01 .7670000E-01
.6970000E-01 .6620000E-01

PROPERTY TABLE DENS MAT= 7 NUM. POINTS= 15
SLOC= 13 .6270000E-01 .5580000E-01 .4880000E-01

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 6
SLOC= 1 .1370000 .1450000 .1520000 .1700000
.1870000 .2040000

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 12
SLOC= 7 .2200000 .2360000 .2520000 .2640000
.2780000 .2910000

PROPERTY TABLE KXX MAT= 7 NUM. POINTS= 15
SLOC= 13 .3040000 .3300000 .3540000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 6
SLOC= 1 1.348000 1.254700 1.161400 .9950000
.8711000 .7740000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 12
SLOC= 7 .6964000 .6329000 .5804000 .5356000
.4975000 .4643000

PROPERTY TABLE DENS MAT= 8 NUM. POINTS= 15
SLOC= 13 .4354000 .3868000 .3482000

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 6
SLOC= 1 .2300000E-01 .2500000E-01 .2600000E-01 .3000000E-01
.3400000E-01 .3700000E-01

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 12
SLOC= 7 .4100000E-01 .4400000E-01 .4700000E-01 .5000000E-01
.5200000E-01 .5500000E-01

PROPERTY TABLE KXX MAT= 8 NUM. POINTS= 15
SLOC= 13 .5700000E-01 .6200000E-01 .6700000E-01

PROPERTY TABLE C MAT= 8 NUM. POINTS= 6
SLOC= 1 1006.200 1006.600 1007.000 1009.000
1014.000 1021.000

PROPERTY TABLE C MAT= 8 NUM. POINTS= 12
SLOC= 7 1030.000 1040.000 1051.000 1063.000
1075.000 1087.000

PROPERTY TABLE C MAT= 8 NUM. POINTS= 15
SLOC= 13 1099.000 1121.000 1141.000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 6
SLOC= 1 1.303700 1.213500 1.123300 .9625000
.8425000 .7485000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 12
SLOC= 7 .6739000 .6124000 .5615000 .5214000
.4812000 .4512000

PROPERTY TABLE DENS MAT= 9 NUM. POINTS= 15
SLOC= 13 .4211000 .3743000 .3368000

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 6
SLOC= 1 .2300000E-01 .2400000E-01 .2600000E-01 .2900000E-01
.3300000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 12
SLOC= 7 .3900000E-01 .4200000E-01 .4500000E-01 .4700000E-01
.5000000E-01 .5200000E-01

PROPERTY TABLE KXX MAT= 9 NUM. POINTS= 15
SLOC= 13 .5500000E-01 .6000000E-01 .6500000E-01

PROPERTY TABLE C MAT= 9 NUM. POINTS= 6
SLOC= 1 1041.800 1041.400 1041.000 1042.000
1045.000 1050.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 12
SLOC= 7 1056.000 1065.000 1075.000 1086.500
1098.000 1159.000

PROPERTY TABLE C MAT= 9 NUM. POINTS= 15
SLOC= 13 1220.000 1146.000 1167.000

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 6
SLOC= 1 .1700000E-01 .1700000E-01 .1800000E-01 .2100000E-01
.2300000E-01 .2500000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 12
SLOC= 7 .2700000E-01 .2800000E-01 .3000000E-01 .3200000E-01
.3400000E-01 .3600000E-01

PROPERTY TABLE KXX MAT= 10 NUM. POINTS= 15
SLOC= 13 .3700000E-01 .4100000E-01 .4400000E-01

Define K and C for material 12

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 -73.15000 26.85000 126.8500
326.8500 526.8500 726.8500

PROPERTY TABLE KXX MAT= 12 NUM. POINTS= 6
SLOC= 1 413.0000 401.0000 393.0000 379.0000
366.0000 352.0000

PROPERTY TABLE C MAT= 12 NUM. POINTS= 6
 SLOC= 1 356.0000 385.0000 397.0000 417.0000
 433.0000 451.0000

Define K and C for material 13

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 5 ***
 SLOC= 1 23.00000 50.00000 100.0000
 150.0000 200.0000

PROPERTY TABLE KXX MAT= 13 NUM. POINTS= 5
 SLOC= 1 182.5600 190.1700 199.2200 202.9100
 203.7200

PROPERTY TABLE C MAT= 13 NUM. POINTS= 5
 SLOC= 1 868.0000 903.0000 946.0000 976.0000
 998.0000

 ** End of Material Property List **

 Read in single assembly heat loads
 Calculate the volumetric heat generation
 (Assembly time is in years, FUEL is in seconds)

/INPUT FILE= snf1048.dat LINE= 0

 ** History of SNF Assembly Heat Generation Rates **
 ** Output of PHIA, SCSI: B00000000-01717-1200-3000X Rev.00B **
 **
 ** Executable File Name: PHIA00B.EXE **
 ** Output File Name: snf1048.dat **
 ** Execution Date: 02/24/95 **
 ** Start Age (years): 10.0 **
 ** Decay Period (years): 10000 **
 ** Enrichment (percent): 4.20 **
 ** Burnup (MWd/MTU): 48086 **
 ** Assembly Type: PWR **
 ** SNF U Mass (MTU/assy): 0.464 **
 **
 ** ASSY(#,1) is the SNF assembly heat in Watts. **
 ** ASSY(#,0) is the time post emplacement in years. **

PARAMETER ASSY(1,1) =	850.0100 848.4600	849.6200 848.0800	849.2300	848.8500
PARAMETER ASSY(7,1) =	847.6900 846.1600	847.3100 844.2600	846.9300	846.5400
PARAMETER ASSY(13,1) =	842.3700 834.9500	840.5000 833.1300	838.6300	836.7900
PARAMETER ASSY(19,1) =	831.3200 824.2000	829.5200 822.4500	827.7400	825.9600
PARAMETER ASSY(25,1) =	820.7200 813.8800	818.9900 799.0100	817.2800	815.5700
PARAMETER ASSY(31,1) =	785.0300 738.5700	772.2000 729.5500	760.0600	749.0400
PARAMETER ASSY(37,1) =	720.9500 683.8600	710.2700 676.0300	700.0700	691.8000
PARAMETER ASSY(43,1) =	668.5000 642.5500	661.1300 580.1800	654.0400	648.1900

PARAMETER ASSY(49,1) =	529.8600 380.7000	484.5200 352.1900	445.3600	410.5100
PARAMETER ASSY(55,1) =	327.7800 252.6500	305.8800 238.3100	286.2200	268.5700
PARAMETER ASSY(61,1) =	225.3500 185.0400	213.6600 130.6600	203.8500	193.7500
PARAMETER ASSY(67,1) =	105.0700 66.61000	90.10000 61.74000	80.32000	72.66000
PARAMETER ASSY(73,1) =	57.58000 44.98000	53.71000 42.50000	50.41000	47.54000
PARAMETER ASSY(79,1) =	40.31000 33.52000	38.35000 23.16000	36.59000	35.00000
PARAMETER ASSY(85,1) =	18.32000 12.84000	15.77000 12.37000	14.37000	13.53000
PARAMETER ASSY(91,1) =	11.96000 10.32000	11.47000 9.970000	11.04000	10.66000
PARAMETER ASSY(97,1) =	9.650000 8.610000	9.360000	9.090000	8.840000
PARAMETER ASSY(1,0) =	.1000000E-05 .4000000E-01	.1000000E-01 .5000000E-01	.2000000E-01	.3000000E-01
PARAMETER ASSY(7,0) =	.6000000E-01 .1000000	.7000000E-01 .1500000	.8000000E-01	.9000000E-01
PARAMETER ASSY(13,0) =	.2000000 .4000000	.2500000 .4500000	.3000000	.3500000
PARAMETER ASSY(19,0) =	.5000000 .7000000	.5500000 .7500000	.6000000	.6500000
PARAMETER ASSY(25,0) =	.8000000 1.000000	.8500000 1.500000	.9000000	.9500000
PARAMETER ASSY(31,0) =	2.000000 4.000000	2.500000 4.500000	3.000000	3.500000
PARAMETER ASSY(37,0) =	5.000000 7.000000	5.500000 7.500000	6.000000	6.500000
PARAMETER ASSY(43,0) =	8.000000 10.00000	8.500000 15.00000	9.000000	9.500000
PARAMETER ASSY(49,0) =	20.00000 40.00000	25.00000 45.00000	30.00000	35.00000
PARAMETER ASSY(55,0) =	50.00000 70.00000	55.00000 75.00000	60.00000	65.00000
PARAMETER ASSY(61,0) =	80.00000 100.0000	85.00000 150.0000	90.00000	95.00000
PARAMETER ASSY(67,0) =	200.0000 400.0000	250.0000 450.0000	300.0000	350.0000
PARAMETER ASSY(73,0) =	500.0000 700.0000	550.0000 750.0000	600.0000	650.0000
PARAMETER ASSY(79,0) =	800.0000 1000.000	850.0000 1500.000	900.0000	950.0000
PARAMETER ASSY(85,0) =	2000.000	2500.000	3000.000	3500.000

	4000.000	4500.000		
PARAMETER ASSY(91,0) =	5000.000	5500.000	6000.000	6500.000
	7000.000	7500.000		
PARAMETER ASSY(97,0) =	8000.000	8500.000	9000.000	9500.000
	10000.00			

PARAMETER ASSY(0,1) = 1.000000

FACTOR ON VECTOR OPERATION RESULT= .31558E+08
 FACTOR ON FIRST VECTOR PARAMETER = 1.0000
 FACTOR ON SECOND VECTOR PARAMETER= 1.0000
 FACTOR ON THIRD VECTOR PARAMETER = 1.0000

MATRIX COPY RESULT MATRIX= FUEL(1,0)
 INPUT MATRIX= ASSY(1,0)
 INPUT MATRIX SIZE= 101 ROWS BY 2 COLUMNS
 RESULT MATRIX SIZE= 101 ROWS BY 2 COLUMNS

FACTOR ON VECTOR OPERATION RESULT= 6.6412
 FACTOR ON FIRST VECTOR PARAMETER = 1.0000
 FACTOR ON SECOND VECTOR PARAMETER= 1.0000
 FACTOR ON THIRD VECTOR PARAMETER = 1.0000

VECTOR PARAMETER OPERATION *VFUN
 FUEL(1) = COPY ASSY(1)
 SCALE FACTORS RESULT= 6.6412 INPUT= 1.0000
 VECTOR LENGTH= 101

PARAMETER FUEL(0,1) = 1.000000

Define new material 14 for SNF effective conductivity
 Density: DENS (kg/m^3)
 Conductivity: KXX (W/m/K)
 Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 14 NUM. POINTS= 1
 SLOC= 1 3960.040

PROPERTY TABLE C MAT= 14 NUM. POINTS= 1
 SLOC= 1 274.0000
 Store average effective conductivities

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 25.00000

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
 SLOC= 2 50.00000

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 1
SLOC= 1 .4617156

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 2
SLOC= 2 .5036997

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

Define new material 15 for low thermal loading
outer barrier of 70/30 Copper Nickel (C71500)
Density: DENS (kg/m³)
Conductivity: KXX (W/m/K)
Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
SLOC= 1 .0000000E+00
Density (lb/in³ converted to kg/m³)

PROPERTY TABLE DENS MAT= 15 NUM. POINTS= 1
SLOC= 1 8940.640
Specific Heat (Btu/lb/F converted to J/kg/K)

PROPERTY TABLE C MAT= 15 NUM. POINTS= 1
SLOC= 1 376.7898
Conductivity (Btu/hr/ft/F converted to W/m/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
SLOC= 1 20.00000 100.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 4 ***
SLOC= 3 200.0000 300.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 5 400.0000 500.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 8 ***
SLOC= 7 600.0000 700.0000

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 2
SLOC= 1 29.42190 29.24883

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 4
SLOC= 3 34.09479 38.59461

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 6
SLOC= 5 43.09443 48.11346

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 8
SLOC= 7 53.13249 58.15152

Construct geometry for Disposal Container

Define center and axis keypoints for waste package
Also, create placeholder keypoints and lines
(K's 1,2,3,4,5,6,7,8)
(L's 1,2,3,4)

KEYPOINT	1	X,Y,Z=	.000000E+00	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	2	X,Y,Z=	.000000E+00	.000000E+00	1.00000	IN CSYS= 0
KEYPOINT	3	X,Y,Z=	.000000E+00	.000000E+00	1.30000	IN CSYS= 0
KEYPOINT	4	X,Y,Z=	.000000E+00	.000000E+00	1.40000	IN CSYS= 0
KEYPOINT	5	X,Y,Z=	.000000E+00	.000000E+00	1.50000	IN CSYS= 0
KEYPOINT	6	X,Y,Z=	.000000E+00	.000000E+00	1.60000	IN CSYS= 0
KEYPOINT	7	X,Y,Z=	.000000E+00	.000000E+00	1.70000	IN CSYS= 0
KEYPOINT	8	X,Y,Z=	.000000E+00	.000000E+00	1.80000	IN CSYS= 0

LINE CONNECTS KEYPOINTS		3	4			
LINE NO.=	1	KP1=	3	TAN1=	.0000	.0000 -1.0000
		KP2=	4	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		4	5			
LINE NO.=	2	KP1=	4	TAN1=	.0000	.0000 -1.0000
		KP2=	5	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		5	6			
LINE NO.=	3	KP1=	5	TAN1=	.0000	.0000 -1.0000
		KP2=	6	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		6	7			
LINE NO.=	4	KP1=	6	TAN1=	.0000	.0000 -1.0000
		KP2=	7	TAN2=	.0000	.0000 1.0000

Define disposal container and MPC outer radius
 (K's 9,10,11,12,13,14,15,16,17,18,19,20)
 (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
 (A's 1,2,3,4,5,6)

KEYPOINT	9	X,Y,Z=	.000000E+00	-.715250	.000000E+00	IN CSYS= 0
KEYPOINT	10	X,Y,Z=	.715250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	11	X,Y,Z=	.000000E+00	.715250	.000000E+00	IN CSYS= 0
KEYPOINT	12	X,Y,Z=	.000000E+00	-.665250	.000000E+00	IN CSYS= 0
KEYPOINT	13	X,Y,Z=	.665250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	14	X,Y,Z=	.000000E+00	.665250	.000000E+00	IN CSYS= 0
KEYPOINT	15	X,Y,Z=	.000000E+00	-.645250	.000000E+00	IN CSYS= 0
KEYPOINT	16	X,Y,Z=	.645250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	17	X,Y,Z=	.000000E+00	.645250	.000000E+00	IN CSYS= 0
KEYPOINT	18	X,Y,Z=	.000000E+00	-.630174	.000000E+00	IN CSYS= 0
KEYPOINT	19	X,Y,Z=	.630174	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	20	X,Y,Z=	.000000E+00	.630174	.000000E+00	IN CSYS= 0

LINE CONNECTS KEYPOINTS		10	13			
LINE NO.=	5	KP1=	10	TAN1=	1.0000	.0000 .0000
		KP2=	13	TAN2=	-1.0000	.0000 .0000

LINE CONNECTS KEYPOINTS		13	16			
LINE NO.=	6	KP1=	13	TAN1=	1.0000	.0000 .0000
		KP2=	16	TAN2=	-1.0000	.0000 .0000

ARC BETWEEN KEYPOINTS 10 AND 9 ORIENTATION KEYPOINT= 1

RADIUS= .71525
 LINE NO.= 7 KP1= 10 TAN1= .0000 1.0000 .0000
 KP2= 9 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 11 AND 10 ORIENTATION KEYPOINT= 1
 RADIUS= .71525
 LINE NO.= 8 KP1= 11 TAN1= -1.0000 .0000 .0000
 KP2= 10 TAN2= .0000 -1.0000 .0000

ARC BETWEEN KEYPOINTS 13 AND 12 ORIENTATION KEYPOINT= 1
 RADIUS= .66525
 LINE NO.= 9 KP1= 13 TAN1= .0000 1.0000 .0000
 KP2= 12 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 14 AND 13 ORIENTATION KEYPOINT= 1
 RADIUS= .66525
 LINE NO.= 10 KP1= 14 TAN1= -1.0000 .0000 .0000
 KP2= 13 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 11 14
 LINE NO.= 11 KP1= 11 TAN1= .0000 1.0000 .0000
 KP2= 14 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 9 12
 LINE NO.= 12 KP1= 9 TAN1= .0000 -1.0000 .0000
 KP2= 12 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 15 AND 16 ORIENTATION KEYPOINT= 1
 RADIUS= .64525
 LINE NO.= 13 KP1= 15 TAN1= -1.0000 .0000 .0000
 KP2= 16 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 16 AND 17 ORIENTATION KEYPOINT= 1
 RADIUS= .64525
 LINE NO.= 14 KP1= 16 TAN1= .0000 -1.0000 .0000
 KP2= 17 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 14 17
 LINE NO.= 15 KP1= 14 TAN1= .0000 1.0000 .0000
 KP2= 17 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 12 15
 LINE NO.= 16 KP1= 12 TAN1= .0000 -1.0000 .0000
 KP2= 15 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 19 AND 18 ORIENTATION KEYPOINT= 1
 RADIUS= .63017
 LINE NO.= 17 KP1= 19 TAN1= .0000 1.0000 .0000
 KP2= 18 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 20 AND 19 ORIENTATION KEYPOINT= 1
 RADIUS= .63017
 LINE NO.= 18 KP1= 20 TAN1= -1.0000 .0000 .0000
 KP2= 19 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 17 20
 LINE NO.= 19 KP1= 17 TAN1= .0000 1.0000 .0000
 KP2= 20 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 15 18
 LINE NO.= 20 KP1= 15 TAN1= .0000 -1.0000 .0000
 KP2= 18 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 16 19
 LINE NO.= 21 KP1= 16 TAN1= 1.0000 .0000 .0000
 KP2= 19 TAN2= -1.0000 .0000 .0000

DEFINE AREA BY LIST OF LINES
 LINE LIST = 5 7 12 9
 (TRAVERSED IN SAME DIRECTION AS LINE 5)

```

AREA NUMBER =      1
DEFINE AREA BY LIST OF LINES
  LINE LIST =      11      8      5      10
  (TRAVERSED IN SAME DIRECTION AS LINE      11)

AREA NUMBER =      2
DEFINE AREA BY LIST OF LINES
  LINE LIST =      6      9      16      13
  (TRAVERSED IN SAME DIRECTION AS LINE      6)

AREA NUMBER =      3
DEFINE AREA BY LIST OF LINES
  LINE LIST =      15      10      6      14
  (TRAVERSED IN SAME DIRECTION AS LINE      15)

AREA NUMBER =      4
DEFINE AREA BY LIST OF LINES
  LINE LIST =      21      13      20      17
  (TRAVERSED IN SAME DIRECTION AS LINE      21)

AREA NUMBER =      5
DEFINE AREA BY LIST OF LINES
  LINE LIST =      19      14      21      18
  (TRAVERSED IN SAME DIRECTION AS LINE      19)

AREA NUMBER =      6
*****
  Define MPC shell inner edge and area
  (K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
  (   38,39)
  (L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
  (   39,40,41,42)
  (A's 7,8)

KEYPOINT   21   X,Y,Z=   .000000E+00   .607949   .000000E+00   IN CSYS=  0
KEYPOINT   22   X,Y,Z=   .404963E-01   .606599   .000000E+00   IN CSYS=  0
KEYPOINT   23   X,Y,Z=   .500213E-01   .605888   .000000E+00   IN CSYS=  0
KEYPOINT   24   X,Y,Z=   .254720       .552014   .000000E+00   IN CSYS=  0
KEYPOINT   25   X,Y,Z=   .288484       .535144   .000000E+00   IN CSYS=  0
KEYPOINT   26   X,Y,Z=   .535144       .288484   .000000E+00   IN CSYS=  0
KEYPOINT   27   X,Y,Z=   .552014       .254720   .000000E+00   IN CSYS=  0
KEYPOINT   28   X,Y,Z=   .605888       .500213E-01 .000000E+00   IN CSYS=  0
KEYPOINT   29   X,Y,Z=   .606599       .404963E-01 .000000E+00   IN CSYS=  0
KEYPOINT   30   X,Y,Z=   .607949       .000000E+00 .000000E+00   IN CSYS=  0
KEYPOINT   31   X,Y,Z=   .606599       -.404963E-01 .000000E+00   IN CSYS=  0
KEYPOINT   32   X,Y,Z=   .605888       -.500213E-01 .000000E+00   IN CSYS=  0
KEYPOINT   33   X,Y,Z=   .552014       -.254720   .000000E+00   IN CSYS=  0
KEYPOINT   34   X,Y,Z=   .535144       -.288484   .000000E+00   IN CSYS=  0
KEYPOINT   35   X,Y,Z=   .288484       -.535144   .000000E+00   IN CSYS=  0

```


KEYPOINT 36 X,Y,Z= .254720 -.552014 .000000E+00 IN CSYS= 0
 KEYPOINT 37 X,Y,Z= .500213E-01 -.605888 .000000E+00 IN CSYS= 0
 KEYPOINT 38 X,Y,Z= .404963E-01 -.606599 .000000E+00 IN CSYS= 0
 KEYPOINT 39 X,Y,Z= .000000E+00 -.607949 .000000E+00 IN CSYS= 0

LINE CONNECTS KEYPOINTS 20 21
 LINE NO.= 22 KP1= 20 TAN1= .0000 1.0000 .0000
 KP2= 21 TAN2= .0000 -1.0000 .0000

ARC BETWEEN KEYPOINTS 22 AND 21 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 23 KP1= 22 TAN1= .9978 -.0666 .0000
 KP2= 21 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 23 AND 22 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 24 KP1= 23 TAN1= .9966 -.0823 .0000
 KP2= 22 TAN2= -.9978 .0666 .0000

ARC BETWEEN KEYPOINTS 24 AND 23 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 25 KP1= 24 TAN1= .9080 -.4190 .0000
 KP2= 23 TAN2= -.9966 .0823 .0000

ARC BETWEEN KEYPOINTS 25 AND 24 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 26 KP1= 25 TAN1= .8802 -.4745 .0000
 KP2= 24 TAN2= -.9080 .4190 .0000

ARC BETWEEN KEYPOINTS 26 AND 25 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 27 KP1= 26 TAN1= .4745 -.8802 .0000
 KP2= 25 TAN2= -.8802 .4745 .0000

ARC BETWEEN KEYPOINTS 27 AND 26 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 28 KP1= 27 TAN1= .4190 -.9080 .0000
 KP2= 26 TAN2= -.4745 .8802 .0000

ARC BETWEEN KEYPOINTS 28 AND 27 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 29 KP1= 28 TAN1= .0823 -.9966 .0000
 KP2= 27 TAN2= -.4190 .9080 .0000

ARC BETWEEN KEYPOINTS 29 AND 28 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 30 KP1= 29 TAN1= .0666 -.9978 .0000
 KP2= 28 TAN2= -.0823 .9966 .0000

ARC BETWEEN KEYPOINTS 30 AND 29 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 31 KP1= 30 TAN1= .0000 -1.0000 .0000
 KP2= 29 TAN2= -.0666 .9978 .0000

ARC BETWEEN KEYPOINTS 31 AND 30 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 32 KP1= 31 TAN1= -.0666 -.9978 .0000
 KP2= 30 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 32 AND 31 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 33 KP1= 32 TAN1= -.0823 -.9966 .0000
 KP2= 31 TAN2= .0666 .9978 .0000

ARC BETWEEN KEYPOINTS 33 AND 32 ORIENTATION KEYPOINT= 1
 RADIUS= .60795
 LINE NO.= 34 KP1= 33 TAN1= -.4190 -.9080 .0000

```

      KP2=      32 TAN2=      .0823      .9966      .0000
ARC BETWEEN KEYPOINTS      34 AND      33 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      35 KP1=      34 TAN1=      -.4745      -.8802      .0000
      KP2=      33 TAN2=      .4190      .9080      .0000
ARC BETWEEN KEYPOINTS      35 AND      34 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      36 KP1=      35 TAN1=      -.8802      -.4745      .0000
      KP2=      34 TAN2=      .4745      .8802      .0000
ARC BETWEEN KEYPOINTS      36 AND      35 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      37 KP1=      36 TAN1=      -.9080      -.4190      .0000
      KP2=      35 TAN2=      .8802      .4745      .0000
ARC BETWEEN KEYPOINTS      37 AND      36 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      38 KP1=      37 TAN1=      -.9966      -.0823      .0000
      KP2=      36 TAN2=      .9080      .4190      .0000
ARC BETWEEN KEYPOINTS      38 AND      37 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      39 KP1=      38 TAN1=      -.9978      -.0666      .0000
      KP2=      37 TAN2=      .9966      .0823      .0000
ARC BETWEEN KEYPOINTS      39 AND      38 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      40 KP1=      39 TAN1=      -1.0000      .0000      .0000
      KP2=      38 TAN2=      .9978      .0666      .0000
LINE CONNECTS KEYPOINTS      18      39
LINE NO.=      41 KP1=      18 TAN1=      .0000      -1.0000      .0000
      KP2=      39 TAN2=      .0000      1.0000      .0000
LINE CONNECTS KEYPOINTS      19      30
LINE NO.=      42 KP1=      19 TAN1=      1.0000      .0000      .0000
      KP2=      30 TAN2=      -1.0000      .0000      .0000
SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      32 TO      42 STEP      1
      11 LINES (OF      42 DEFINED) SELECTED BY LSEL COMMAND.
ALSO SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      17 TO      17 STEP      1
      12 LINES (OF      42 DEFINED) SELECTED BY LSEL COMMAND.
DEFINE AREA BY LIST OF LINES
LINE LIST = ALL SELECTED LINES
      (TRAVERSED IN SAME DIRECTION AS LINE      17)
AREA NUMBER =      7
SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      22 TO      31 STEP      1
      10 LINES (OF      42 DEFINED) SELECTED BY LSEL COMMAND.
ALSO SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      18 TO      18 STEP      1
      11 LINES (OF      42 DEFINED) SELECTED BY LSEL COMMAND.
ALSO SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      42 TO      42 STEP      1
      12 LINES (OF      42 DEFINED) SELECTED BY LSEL COMMAND.

```

DEFINE AREA BY LIST OF LINES
 LINE LIST = ALL SELECTED LINES
 (TRAVERSED IN SAME DIRECTION AS LINE 18)

AREA NUMBER = 8

ALL SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 1 TO 42 STEP 1

42 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

Define tube guides

(K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)

(57,58,59)

(L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)

(60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)

(77,78,79,80)

(A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)

(26)

top

KEYPOINT 40 X,Y,Z= .500213E-01 .552014 .000000E+00 IN CSYS= 0

KEYPOINT 41 X,Y,Z= .404963E-01 .542489 .000000E+00 IN CSYS= 0

KEYPOINT 42 X,Y,Z= .254720 .542489 .000000E+00 IN CSYS= 0

KEYPOINT 43 X,Y,Z= .278959 .535144 .000000E+00 IN CSYS= 0

KEYPOINT 44 X,Y,Z= .288484 .288484 .000000E+00 IN CSYS= 0

KEYPOINT 45 X,Y,Z= .278959 .278959 .000000E+00 IN CSYS= 0

KEYPOINT 46 X,Y,Z= .535144 .278959 .000000E+00 IN CSYS= 0

side

KEYPOINT 47 X,Y,Z= .542489 .254720 .000000E+00 IN CSYS= 0

KEYPOINT 48 X,Y,Z= .552014 .500213E-01 .000000E+00 IN CSYS= 0

KEYPOINT 49 X,Y,Z= .542489 .404963E-01 .000000E+00 IN CSYS= 0

KEYPOINT 50 X,Y,Z= .542489 -.404963E-01 .000000E+00 IN CSYS= 0

KEYPOINT 51 X,Y,Z= .552014 -.500213E-01 .000000E+00 IN CSYS= 0

KEYPOINT 52 X,Y,Z= .542489 -.254720 .000000E+00 IN CSYS= 0

bottom

KEYPOINT 53 X,Y,Z= .535144 -.278959 .000000E+00 IN CSYS= 0

KEYPOINT 54 X,Y,Z= .278959 -.278959 .000000E+00 IN CSYS= 0

KEYPOINT 55 X,Y,Z= .288484 -.288484 .000000E+00 IN CSYS= 0

KEYPOINT 56 X,Y,Z= .278959 -.535144 .000000E+00 IN CSYS= 0

KEYPOINT 57 X,Y,Z= .254720 -.542489 .000000E+00 IN CSYS= 0

KEYPOINT 58 X,Y,Z= .404963E-01 -.542489 .000000E+00 IN CSYS= 0

KEYPOINT 59 X,Y,Z= .500213E-01 -.552014 .000000E+00 IN CSYS= 0

top

LINE CONNECTS KEYPOINTS 41 22
 LINE NO.= 43 KP1= 41 TAN1= .0000 -1.0000 .0000
 KP2= 22 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS	40	41			
LINE NO.= 44 KP1=	40	TAN1=	.7071	.7071	.0000
KP2=	41	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	40	24			
LINE NO.= 45 KP1=	40	TAN1=	-1.0000	.0000	.0000
KP2=	24	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	42	41			
LINE NO.= 46 KP1=	42	TAN1=	1.0000	.0000	.0000
KP2=	41	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	24	42			
LINE NO.= 47 KP1=	24	TAN1=	.0000	1.0000	.0000
KP2=	42	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	43	25			
LINE NO.= 48 KP1=	43	TAN1=	-1.0000	.0000	.0000
KP2=	25	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	45	43			
LINE NO.= 49 KP1=	45	TAN1=	.0000	-1.0000	.0000
KP2=	43	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	25	44			
LINE NO.= 50 KP1=	25	TAN1=	.0000	1.0000	.0000
KP2=	44	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	44	45			
LINE NO.= 51 KP1=	44	TAN1=	.7071	.7071	.0000
KP2=	45	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	44	26			
LINE NO.= 52 KP1=	44	TAN1=	-1.0000	.0000	.0000
KP2=	26	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	46	45			
LINE NO.= 53 KP1=	46	TAN1=	1.0000	.0000	.0000
KP2=	45	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	26	46			
LINE NO.= 54 KP1=	26	TAN1=	.0000	1.0000	.0000
KP2=	46	TAN2=	.0000	-1.0000	.0000
side					
LINE CONNECTS KEYPOINTS	47	27			
LINE NO.= 55 KP1=	47	TAN1=	-1.0000	.0000	.0000
KP2=	27	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	49	47			
LINE NO.= 56 KP1=	49	TAN1=	.0000	-1.0000	.0000
KP2=	47	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	27	48			
LINE NO.= 57 KP1=	27	TAN1=	.0000	1.0000	.0000
KP2=	48	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	48	49			
LINE NO.= 58 KP1=	48	TAN1=	.7071	.7071	.0000
KP2=	49	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	48	28			
LINE NO.= 59 KP1=	48	TAN1=	-1.0000	.0000	.0000
KP2=	28	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	29	49			
LINE NO.= 60 KP1=	29	TAN1=	1.0000	.0000	.0000
KP2=	49	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	50	31			

LINE NO.=	61	KP1=	50	TAN1=	-1.0000	.0000	.0000
		KP2=	31	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 32 51							
LINE NO.=	62	KP1=	32	TAN1=	1.0000	.0000	.0000
		KP2=	51	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 50 51							
LINE NO.=	63	KP1=	50	TAN1=	-.7071	.7071	.0000
		KP2=	51	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS 52 50							
LINE NO.=	64	KP1=	52	TAN1=	.0000	-1.0000	.0000
		KP2=	50	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS 51 33							
LINE NO.=	65	KP1=	51	TAN1=	.0000	1.0000	.0000
		KP2=	33	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 33 52							
LINE NO.=	66	KP1=	33	TAN1=	1.0000	.0000	.0000
		KP2=	52	TAN2=	-1.0000	.0000	.0000
bottom							
LINE CONNECTS KEYPOINTS 53 34							
LINE NO.=	67	KP1=	53	TAN1=	.0000	1.0000	.0000
		KP2=	34	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 54 53							
LINE NO.=	68	KP1=	54	TAN1=	-1.0000	.0000	.0000
		KP2=	53	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 34 55							
LINE NO.=	69	KP1=	34	TAN1=	1.0000	.0000	.0000
		KP2=	55	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 54 55							
LINE NO.=	70	KP1=	54	TAN1=	-.7071	.7071	.0000
		KP2=	55	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS 56 54							
LINE NO.=	71	KP1=	56	TAN1=	.0000	-1.0000	.0000
		KP2=	54	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS 55 35							
LINE NO.=	72	KP1=	55	TAN1=	.0000	1.0000	.0000
		KP2=	35	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 35 56							
LINE NO.=	73	KP1=	35	TAN1=	1.0000	.0000	.0000
		KP2=	56	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 57 36							
LINE NO.=	74	KP1=	57	TAN1=	.0000	1.0000	.0000
		KP2=	36	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 58 57							
LINE NO.=	75	KP1=	58	TAN1=	-1.0000	.0000	.0000
		KP2=	57	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 36 59							
LINE NO.=	76	KP1=	36	TAN1=	1.0000	.0000	.0000
		KP2=	59	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 58 59							
LINE NO.=	77	KP1=	58	TAN1=	-.7071	.7071	.0000
		KP2=	59	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS 38 58							
LINE NO.=	78	KP1=	38	TAN1=	.0000	-1.0000	.0000

KP2= 58 TAN2= .0000 1.0000 .0000
 LINE CONNECTS KEYPOINTS 59 37
 LINE NO.= 79 KP1= 59 TAN1= .0000 1.0000 .0000
 KP2= 37 TAN2= .0000 -1.0000 .0000
 LINE CONNECTS KEYPOINTS 23 40
 LINE NO.= 80 KP1= 23 TAN1= .0000 1.0000 .0000
 KP2= 40 TAN2= .0000 -1.0000 .0000

air

DEFINE AREA BY LIST OF LINES
 LINE LIST = 80 45 25
 (TRAVERSED IN SAME DIRECTION AS LINE 80)

AREA NUMBER = 9

DEFINE AREA BY LIST OF LINES
 LINE LIST = 50 52 27
 (TRAVERSED IN SAME DIRECTION AS LINE 50)

AREA NUMBER = 10

DEFINE AREA BY LIST OF LINES
 LINE LIST = 57 59 29
 (TRAVERSED IN SAME DIRECTION AS LINE 57)

AREA NUMBER = 11

DEFINE AREA BY LIST OF LINES
 LINE LIST = 62 65 34
 (TRAVERSED IN SAME DIRECTION AS LINE 62)

AREA NUMBER = 12

DEFINE AREA BY LIST OF LINES
 LINE LIST = 69 72 36
 (TRAVERSED IN SAME DIRECTION AS LINE 69)

AREA NUMBER = 13

DEFINE AREA BY LIST OF LINES
 LINE LIST = 76 79 38
 (TRAVERSED IN SAME DIRECTION AS LINE 76)

AREA NUMBER = 14
 guides

DEFINE AREA BY LIST OF LINES
 LINE LIST = 24 43 44 80
 (TRAVERSED IN SAME DIRECTION AS LINE 24)

AREA NUMBER = 15

DEFINE AREA BY LIST OF LINES
 LINE LIST = 45 44 46 47
 (TRAVERSED IN SAME DIRECTION AS LINE 45)

AREA NUMBER = 16

DEFINE AREA BY LIST OF LINES
 LINE LIST = 48 49 51 50
 (TRAVERSED IN SAME DIRECTION AS LINE 48)

AREA NUMBER = 17

DEFINE AREA BY LIST OF LINES
 LINE LIST = 52 51 53 54
 (TRAVERSED IN SAME DIRECTION AS LINE 52)

```

AREA NUMBER =      18
DEFINE AREA BY LIST OF LINES
  LINE LIST =      55  56  58  57
  (TRAVERSED IN SAME DIRECTION AS LINE      55)

AREA NUMBER =      19
DEFINE AREA BY LIST OF LINES
  LINE LIST =      59  58  60  30
  (TRAVERSED IN SAME DIRECTION AS LINE      59)

AREA NUMBER =      20
DEFINE AREA BY LIST OF LINES
  LINE LIST =      61  63  62  33
  (TRAVERSED IN SAME DIRECTION AS LINE      61)

AREA NUMBER =      21
DEFINE AREA BY LIST OF LINES
  LINE LIST =      63  64  66  65
  (TRAVERSED IN SAME DIRECTION AS LINE      63)

AREA NUMBER =      22
DEFINE AREA BY LIST OF LINES
  LINE LIST =      68  70  69  67
  (TRAVERSED IN SAME DIRECTION AS LINE      68)

AREA NUMBER =      23
DEFINE AREA BY LIST OF LINES
  LINE LIST =      70  71  73  72
  (TRAVERSED IN SAME DIRECTION AS LINE      70)

AREA NUMBER =      24
DEFINE AREA BY LIST OF LINES
  LINE LIST =      75  77  76  74
  (TRAVERSED IN SAME DIRECTION AS LINE      75)

AREA NUMBER =      25
DEFINE AREA BY LIST OF LINES
  LINE LIST =      77  78  39  79
  (TRAVERSED IN SAME DIRECTION AS LINE      77)

AREA NUMBER =      26
*****
Define top half tubes and flux trap plate
(K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
( 108,109,110,111,112,113,114,115,116,117,118,119)
( 120,121,122,123,124,125,126,127,128,129,130,131)
( 132,133,134,135,136,137,138,139,140,141,142,143)
( 144,145,146,147,148,149,150,151,152,153,154,155)
( 156,157,158,159,160,161,162,163,164,165,166,167)
(L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
( 98,99,100,101,102,103,104,105,106,107,108,109,110)
( 111,112,113,114,115,116,117,118,119,120,121,122)
( 123,124,125,126,127,128,129,130,131,132,133,134)
( 135,136,137,138,139,140,141,142,143,144,145,146)
( 147,...)
(A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
( 78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
( 95,96,97,98,99,100,101,102,103)

```

KEYPOINT	60	X,Y,Z=	.000000E+00	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	61	X,Y,Z=	.000000E+00	.381000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	62	X,Y,Z=	.000000E+00	.138125	.000000E+00	IN CSYS=	0
KEYPOINT	63	X,Y,Z=	.000000E+00	.163525	.000000E+00	IN CSYS=	0
KEYPOINT	64	X,Y,Z=	.000000E+00	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	65	X,Y,Z=	.000000E+00	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	66	X,Y,Z=	.000000E+00	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	67	X,Y,Z=	.000000E+00	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	68	X,Y,Z=	.000000E+00	.406756	.000000E+00	IN CSYS=	0
KEYPOINT	69	X,Y,Z=	.000000E+00	.432156	.000000E+00	IN CSYS=	0
KEYPOINT	70	X,Y,Z=	.000000E+00	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	71	X,Y,Z=	.000000E+00	.561543	.000000E+00	IN CSYS=	0
KEYPOINT	72	X,Y,Z=	.000000E+00	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	73	X,Y,Z=	.127000E-01	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	74	X,Y,Z=	.127000E-01	.381000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	75	X,Y,Z=	.127000E-01	.138125	.000000E+00	IN CSYS=	0
KEYPOINT	76	X,Y,Z=	.127000E-01	.163525	.000000E+00	IN CSYS=	0
KEYPOINT	77	X,Y,Z=	.127000E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	78	X,Y,Z=	.127000E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	79	X,Y,Z=	.127000E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	80	X,Y,Z=	.127000E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	81	X,Y,Z=	.127000E-01	.406756	.000000E+00	IN CSYS=	0
KEYPOINT	82	X,Y,Z=	.127000E-01	.432156	.000000E+00	IN CSYS=	0
KEYPOINT	83	X,Y,Z=	.127000E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	84	X,Y,Z=	.127000E-01	.561543	.000000E+00	IN CSYS=	0
KEYPOINT	85	X,Y,Z=	.127000E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	86	X,Y,Z=	.254000E-01	.254000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	87	X,Y,Z=	.254000E-01	.267513	.000000E+00	IN CSYS=	0
KEYPOINT	88	X,Y,Z=	.254000E-01	.272618	.000000E+00	IN CSYS=	0
KEYPOINT	89	X,Y,Z=	.254000E-01	.297663	.000000E+00	IN CSYS=	0
KEYPOINT	90	X,Y,Z=	.254000E-01	.302768	.000000E+00	IN CSYS=	0
KEYPOINT	91	X,Y,Z=	.254000E-01	.536143	.000000E+00	IN CSYS=	0
KEYPOINT	92	X,Y,Z=	.254000E-01	.601066	.000000E+00	IN CSYS=	0
KEYPOINT	93	X,Y,Z=	.381000E-01	.127000E-01	.000000E+00	IN CSYS=	0
KEYPOINT	94	X,Y,Z=	.317500E-01	.317500E-01	.000000E+00	IN CSYS=	0

KEYPOINT	95	X,Y,Z=	.317500E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	96	X,Y,Z=	.317500E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	97	X,Y,Z=	.317500E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	98	X,Y,Z=	.317500E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	99	X,Y,Z=	.317500E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	100	X,Y,Z=	.317500E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	101	X,Y,Z=	.341376E-01	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	102	X,Y,Z=	.341376E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	103	X,Y,Z=	.341376E-01	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	104	X,Y,Z=	.341376E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	105	X,Y,Z=	.341376E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	106	X,Y,Z=	.341376E-01	.300050	.000000E+00	IN CSYS= 0
KEYPOINT	107	X,Y,Z=	.341376E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	108	X,Y,Z=	.341376E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	109	X,Y,Z=	.341376E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	110	X,Y,Z=	.365252E-01	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	111	X,Y,Z=	.365252E-01	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	112	X,Y,Z=	.365252E-01	.305156	.000000E+00	IN CSYS= 0
KEYPOINT	113	X,Y,Z=	.365252E-01	.533756	.000000E+00	IN CSYS= 0
KEYPOINT	114	X,Y,Z=	.138125	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	115	X,Y,Z=	.163525	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	116	X,Y,Z=	.265125	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	117	X,Y,Z=	.265125	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	118	X,Y,Z=	.265125	.305156	.000000E+00	IN CSYS= 0
KEYPOINT	119	X,Y,Z=	.265125	.533756	.000000E+00	IN CSYS= 0
KEYPOINT	120	X,Y,Z=	.267513	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	121	X,Y,Z=	.267513	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	122	X,Y,Z=	.267513	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	123	X,Y,Z=	.267513	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	124	X,Y,Z=	.267513	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	125	X,Y,Z=	.267513	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	126	X,Y,Z=	.267513	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	127	X,Y,Z=	.270231	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	128	X,Y,Z=	.270231	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	129	X,Y,Z=	.270231	.300050	.000000E+00	IN CSYS= 0

KEYPOINT	130	X,Y,Z=	.270231	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	131	X,Y,Z=	.272618	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	132	X,Y,Z=	.272618	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	133	X,Y,Z=	.272618	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	134	X,Y,Z=	.272618	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	135	X,Y,Z=	.272618	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	136	X,Y,Z=	.272618	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	137	X,Y,Z=	.272618	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	138	X,Y,Z=	.297663	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	139	X,Y,Z=	.297663	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	140	X,Y,Z=	.297663	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	141	X,Y,Z=	.297663	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	142	X,Y,Z=	.297663	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	143	X,Y,Z=	.300050	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	144	X,Y,Z=	.300050	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	145	X,Y,Z=	.302768	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	146	X,Y,Z=	.302768	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	147	X,Y,Z=	.302768	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	148	X,Y,Z=	.302768	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	149	X,Y,Z=	.302768	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	150	X,Y,Z=	.305156	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	151	X,Y,Z=	.305156	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	152	X,Y,Z=	.406756	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	153	X,Y,Z=	.432156	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	154	X,Y,Z=	.533756	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	155	X,Y,Z=	.533756	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	156	X,Y,Z=	.536143	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	157	X,Y,Z=	.536143	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	158	X,Y,Z=	.536143	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	159	X,Y,Z=	.536143	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	160	X,Y,Z=	.536143	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	161	X,Y,Z=	.536143	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	162	X,Y,Z=	.536143	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	163	X,Y,Z=	.561543	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	164	X,Y,Z=	.601066	.127000E-01	.000000E+00	IN CSYS= 0

KEYPOINT 165 X,Y,Z= .601066 .254000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 166 X,Y,Z= .601066 .317500E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 167 X,Y,Z= .601066 .341376E-01 .000000E+00 IN CSYS= 0
 create lines on perimeter and for lesize

LINE CONNECTS KEYPOINTS 73 60
 LINE NO.= 81 KP1= 73 TAN1= 1.0000 .0000 .0000
 KP2= 60 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 73 74
 LINE NO.= 82 KP1= 73 TAN1= .0000 -1.0000 .0000
 KP2= 74 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 61 74
 LINE NO.= 83 KP1= 61 TAN1= -1.0000 .0000 .0000
 KP2= 74 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 74 75
 LINE NO.= 84 KP1= 74 TAN1= .0000 -1.0000 .0000
 KP2= 75 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 75 62
 LINE NO.= 85 KP1= 75 TAN1= 1.0000 .0000 .0000
 KP2= 62 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 75 76
 LINE NO.= 86 KP1= 75 TAN1= .0000 -1.0000 .0000
 KP2= 76 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 63 76
 LINE NO.= 87 KP1= 63 TAN1= -1.0000 .0000 .0000
 KP2= 76 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 76 77
 LINE NO.= 88 KP1= 76 TAN1= .0000 -1.0000 .0000
 KP2= 77 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 77 78
 LINE NO.= 89 KP1= 77 TAN1= .0000 -1.0000 .0000
 KP2= 78 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 78 65
 LINE NO.= 90 KP1= 78 TAN1= 1.0000 .0000 .0000
 KP2= 65 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 78 79
 LINE NO.= 91 KP1= 78 TAN1= .0000 -1.0000 .0000
 KP2= 79 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 66 79
 LINE NO.= 92 KP1= 66 TAN1= -1.0000 .0000 .0000
 KP2= 79 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 79 80
 LINE NO.= 93 KP1= 79 TAN1= .0000 -1.0000 .0000
 KP2= 80 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 80 81
 LINE NO.= 94 KP1= 80 TAN1= .0000 -1.0000 .0000
 KP2= 81 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 81 68
 LINE NO.= 95 KP1= 81 TAN1= 1.0000 .0000 .0000
 KP2= 68 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 81 82
 LINE NO.= 96 KP1= 81 TAN1= .0000 -1.0000 .0000

	KP2=	82	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	97	KP1=	69	TAN1=	-1.0000	.0000
		KP2=	82	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	98	KP1=	82	TAN1=	.0000	-1.0000
		KP2=	83	TAN2=	.0000	1.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	99	KP1=	83	TAN1=	1.0000	.0000
		KP2=	70	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	100	KP1=	83	TAN1=	.0000	-1.0000
		KP2=	84	TAN2=	.0000	1.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	101	KP1=	71	TAN1=	-1.0000	.0000
		KP2=	84	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	102	KP1=	84	TAN1=	.0000	-1.0000
		KP2=	85	TAN2=	.0000	1.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	103	KP1=	85	TAN1=	-1.0000	.0000
		KP2=	92	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	104	KP1=	92	TAN1=	-1.0000	.0000
		KP2=	100	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	105	KP1=	100	TAN1=	-1.0000	.0000
		KP2=	109	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	106	KP1=	109	TAN1=	.0000	1.0000
		KP2=	108	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	107	KP1=	108	TAN1=	-1.0000	.0000
		KP2=	126	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	108	KP1=	126	TAN1=	-1.0000	.0000
		KP2=	130	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	109	KP1=	130	TAN1=	-1.0000	.0000
		KP2=	137	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	110	KP1=	137	TAN1=	.0000	1.0000
		KP2=	136	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	111	KP1=	136	TAN1=	1.0000	.0000
		KP2=	105	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS						
LINE NO.=	112	KP1=	112	TAN1=	.7071	.7071
		KP2=	107	TAN2=	-.7071	-.7071
LINE CONNECTS KEYPOINTS						
LINE NO.=	113	KP1=	107	TAN1=	.0000	1.0000
		KP2=	106	TAN2=	.0000	-1.0000

LINE CONNECTS KEYPOINTS	106	105			
LINE NO.= 114 KP1=	106	TAN1=	.0000	1.0000	.0000
KP2=	105	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	105	104			
LINE NO.= 115 KP1=	105	TAN1=	.0000	1.0000	.0000
KP2=	104	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	104	103			
LINE NO.= 116 KP1=	104	TAN1=	.0000	1.0000	.0000
KP2=	103	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	103	102			
LINE NO.= 117 KP1=	103	TAN1=	.0000	1.0000	.0000
KP2=	102	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	102	111			
LINE NO.= 118 KP1=	102	TAN1=	-.7071	.7071	.0000
KP2=	111	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	104	135			
LINE NO.= 119 KP1=	104	TAN1=	-1.0000	.0000	.0000
KP2=	135	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	135	134			
LINE NO.= 120 KP1=	135	TAN1=	.0000	1.0000	.0000
KP2=	134	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	123	127			
LINE NO.= 121 KP1=	123	TAN1=	-1.0000	.0000	.0000
KP2=	127	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	127	134			
LINE NO.= 122 KP1=	127	TAN1=	-1.0000	.0000	.0000
KP2=	134	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	134	141			
LINE NO.= 123 KP1=	134	TAN1=	-1.0000	.0000	.0000
KP2=	141	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	141	143			
LINE NO.= 124 KP1=	141	TAN1=	-1.0000	.0000	.0000
KP2=	143	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	143	148			
LINE NO.= 125 KP1=	143	TAN1=	-1.0000	.0000	.0000
KP2=	148	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	148	150			
LINE NO.= 126 KP1=	148	TAN1=	-.7071	-.7071	.0000
KP2=	150	TAN2=	.7071	.7071	.0000
LINE CONNECTS KEYPOINTS	141	142			
LINE NO.= 127 KP1=	141	TAN1=	.0000	-1.0000	.0000
KP2=	142	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	142	162			
LINE NO.= 128 KP1=	142	TAN1=	-1.0000	.0000	.0000
KP2=	162	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	162	161			
LINE NO.= 129 KP1=	162	TAN1=	.0000	1.0000	.0000
KP2=	161	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	161	160			
LINE NO.= 130 KP1=	161	TAN1=	.0000	1.0000	.0000
KP2=	160	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	160	159			
LINE NO.= 131 KP1=	160	TAN1=	.0000	1.0000	.0000

	KP2=	159	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 159 167						
LINE NO.=	132	KP1=	159	TAN1=	-1.0000	.0000
		KP2=	167	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS 167 166						
LINE NO.=	133	KP1=	167	TAN1=	.0000	1.0000
		KP2=	166	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 166 165						
LINE NO.=	134	KP1=	166	TAN1=	.0000	1.0000
		KP2=	165	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 165 164						
LINE NO.=	135	KP1=	165	TAN1=	.0000	1.0000
		KP2=	164	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 164 163						
LINE NO.=	136	KP1=	164	TAN1=	1.0000	.0000
		KP2=	163	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 163 156						
LINE NO.=	137	KP1=	163	TAN1=	1.0000	.0000
		KP2=	156	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 156 153						
LINE NO.=	138	KP1=	156	TAN1=	1.0000	.0000
		KP2=	153	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 153 152						
LINE NO.=	139	KP1=	153	TAN1=	1.0000	.0000
		KP2=	152	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 152 145						
LINE NO.=	140	KP1=	152	TAN1=	1.0000	.0000
		KP2=	145	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 145 138						
LINE NO.=	141	KP1=	145	TAN1=	1.0000	.0000
		KP2=	138	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 138 131						
LINE NO.=	142	KP1=	138	TAN1=	1.0000	.0000
		KP2=	131	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 131 120						
LINE NO.=	143	KP1=	131	TAN1=	1.0000	.0000
		KP2=	120	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 120 115						
LINE NO.=	144	KP1=	120	TAN1=	1.0000	.0000
		KP2=	115	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 115 114						
LINE NO.=	145	KP1=	115	TAN1=	1.0000	.0000
		KP2=	114	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 114 93						
LINE NO.=	146	KP1=	114	TAN1=	1.0000	.0000
		KP2=	93	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 93 73						
LINE NO.=	147	KP1=	93	TAN1=	1.0000	.0000
		KP2=	73	TAN2=	-1.0000	.0000

tube spacers

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 71 84 83 70

AREA NUMBER = 27
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 69 82 81 68
AREA NUMBER = 28
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 66 79 78 65
AREA NUMBER = 29
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 63 76 75 62
AREA NUMBER = 30
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 61 74 73 60
AREA NUMBER = 31
flux trap plate (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 85 92 91 83 84
AREA NUMBER = 32
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 83 91 90 80 81 82
AREA NUMBER = 33
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 80 90 89 79
AREA NUMBER = 34
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 79 89 88 78
AREA NUMBER = 35
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 78 88 87 77
AREA NUMBER = 36
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 77 87 86 73 74 75 76
AREA NUMBER = 37
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 86 121 120 115 114 93 73
AREA NUMBER = 38
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 121 132 131 120
AREA NUMBER = 39
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 132 139 138 131
AREA NUMBER = 40
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 139 146 145 138

```
AREA NUMBER = 41
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 146 157 156 153 152 145

AREA NUMBER = 42
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 157 165 164 163 156

AREA NUMBER = 43
flux trap plate (Al/boron)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 92 100 99 91

AREA NUMBER = 44
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 91 99 98 90

AREA NUMBER = 45
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 90 98 97 89

AREA NUMBER = 46
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 89 97 96 88

AREA NUMBER = 47
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 88 96 95 87

AREA NUMBER = 48
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 87 95 94 86

AREA NUMBER = 49
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 94 122 121 86

AREA NUMBER = 50
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 122 133 132 121

AREA NUMBER = 51
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 133 140 139 132

AREA NUMBER = 52
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 140 147 146 139

AREA NUMBER = 53
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 147 158 157 146

AREA NUMBER = 54
DEFINE AREA BY LIST OF KEYPOINTS
```



```
KEYPOINT LIST = 158 166 165 157
AREA NUMBER = 55
    flux trap plate (sheath)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 100 109 108 99
AREA NUMBER = 56
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 99 108 107 98
AREA NUMBER = 57
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 98 107 106 105 97
AREA NUMBER = 58
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 97 105 104 96
AREA NUMBER = 59
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 96 104 103 102 95
AREA NUMBER = 60
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 95 102 101 94
AREA NUMBER = 61
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 101 123 122 94
AREA NUMBER = 62
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 123 127 134 133 122
AREA NUMBER = 63
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 134 141 140 133
AREA NUMBER = 64
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 141 143 148 147 140
AREA NUMBER = 65
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 148 159 158 147
AREA NUMBER = 66
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 159 167 166 158
AREA NUMBER = 67
    tube (sheath)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 130 137 136 129
AREA NUMBER = 68
```

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 106 129 136 105
AREA NUMBER = 69

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 104 135 128 103
AREA NUMBER = 70

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 128 135 134 127
AREA NUMBER = 71

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 144 143 141
AREA NUMBER = 72

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 162 161 144
AREA NUMBER = 73
tube (Al/boron)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 126 130 129 125
AREA NUMBER = 74

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 107 125 129 106
AREA NUMBER = 75

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 103 128 124 102
AREA NUMBER = 76

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 124 128 127 123
AREA NUMBER = 77

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 149 148 143
AREA NUMBER = 78

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 161 160 149
AREA NUMBER = 79
tube (stainless)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 113 112 107
AREA NUMBER = 80

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 126 119 113
AREA NUMBER = 81

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 119 126 125 118

AREA NUMBER = 82
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 112 118 125 107
AREA NUMBER = 83
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 111 110 101
AREA NUMBER = 84
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 124 117 111
AREA NUMBER = 85
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 117 124 123 116
AREA NUMBER = 86
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 110 116 123 101
AREA NUMBER = 87
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 151 150 148
AREA NUMBER = 88
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 160 155 151
AREA NUMBER = 89
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 155 160 159 154
AREA NUMBER = 90
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 150 154 159 148
AREA NUMBER = 91
homogeneous assembly
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 113 119 118 112
AREA NUMBER = 92
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 111 117 116 110
AREA NUMBER = 93
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 151 155 154 150
AREA NUMBER = 94
helium spaces
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 72 85 84 71
AREA NUMBER = 95

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 70 83 82 69

AREA NUMBER = 96

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 68 81 80 67

AREA NUMBER = 97

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 67 80 79 66

AREA NUMBER = 98

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 65 78 77 64

AREA NUMBER = 99

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 64 77 76 63

AREA NUMBER = 100

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 62 75 74 61

AREA NUMBER = 101

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 105 136 135 104

AREA NUMBER = 102

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 135 142 141 134

AREA NUMBER = 103

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Set element shapes and sizes for tubes and flux trap
14x14 mesh in fuel with 1
division per tube layer

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

DEFAULT ELEMENT DIVISIONS PER LINE = 1

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 81 TO 87 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 90 TO 92 STEP 2

6 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 95 TO 101 STEP 2

10 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 2, SPACING RATIO = 1.000

SELECT FOR ITEM=LINE COMPONENT=

IN RANGE 107 TO 107 STEP 1

1 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=

IN RANGE 110 TO 111 STEP 1

3 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=

IN RANGE 119 TO 120 STEP 1

5 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=

IN RANGE 127 TO 128 STEP 1

7 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=

IN RANGE 131 TO 131 STEP 1

8 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES

TO NDIV = 14, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=

IN RANGE 1 TO 264 STEP 1

264 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 82 (IF SELECTED AND UNMESHED)

TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 84 (IF SELECTED AND UNMESHED)

TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 86 (IF SELECTED AND UNMESHED)

TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 88 (IF SELECTED AND UNMESHED)

TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 89 (IF SELECTED AND UNMESHED)

TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 91 (IF SELECTED AND UNMESHED)

TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 93 (IF SELECTED AND UNMESHED)

TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 94 (IF SELECTED AND UNMESHED)

TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 96 (IF SELECTED AND UNMESHED)

TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 98 (IF SELECTED AND UNMESHED)

TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 100 (IF SELECTED AND UNMESHED)

TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 102 (IF SELECTED AND UNMESHED)

TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 103 (IF SELECTED AND UNMESHED)

TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 104 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 136 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 137 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 138 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 139 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 140 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 141 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 142 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 143 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 144 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 145 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 146 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 147 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000
concatenate lines for mapped meshing
(L's 265,266,267,268,269,270,271,272,273,274)

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 82 TO 88 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 265 KP1= 73 KP2= 77

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 94 TO 98 STEP 2

3 LINES (OF 265 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 266 KP1= 80 KP2= 83

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 100 TO 102 STEP 2

2 LINES (OF 266 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 267 KP1= 83 KP2= 85

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 113 TO 114 STEP 1

2 LINES (OF 267 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 268 KP1= 107 KP2= 105

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 116 TO 117 STEP 1

2 LINES (OF 268 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 269 KP1= 104 KP2= 102

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 121 TO 122 STEP 1

2 LINES (OF 269 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 270 KP1= 123 KP2= 134

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 124 TO 125 STEP 1

2 LINES (OF 270 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 271 KP1= 141 KP2= 148

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 136 TO 137 STEP 1

2 LINES (OF 271 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 272 KP1= 164 KP2= 156

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 138 TO 140 STEP 1

3 LINES (OF 272 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 273 KP1= 156 KP2= 145

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 144 TO 147 STEP 1

4 LINES (OF 273 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 274 KP1= 120 KP2= 73

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 274 STEP 1

274 LINES (OF 274 DEFINED) SELECTED BY LSEL COMMAND.

Mesh areas

first flux trap plate, then tubes

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 27 TO 43 IN STEPS OF 1

*** WARNING *** CP= 6.660 TIME= 18:21:38
Meshing of area 32 produced 6 poorly shaped elements.

*** NOTE *** CP= 6.660 TIME= 18:21:38
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
38 39 44 45 50 51

*** WARNING *** CP= 6.730 TIME= 18:21:38
Meshing of area 33 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.730 TIME= 18:21:38
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
58 59 60 63 64 65 72 73 74 77
78 79 86 87 88 91 92 93

*** WARNING *** CP= 6.860 TIME= 18:21:38
Meshing of area 37 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.860 TIME= 18:21:38
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
125 129 130 132 133 134 139 143 144 146
147 148 153 157 158 160 161 162

*** WARNING *** CP= 6.930 TIME= 18:21:38
Meshing of area 38 produced 18 poorly shaped elements.

*** NOTE *** CP= 6.930 TIME= 18:21:38
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
163 164 165 166 167 168 169 170 171 175
176 177 178 179 180 190 191 192

*** WARNING *** CP= 7.070 TIME= 18:21:39
Meshing of area 42 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.070 TIME= 18:21:39
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
238 239 240 241 242 243 244 245 246 253
254 255 256 257 258 259 260 261

*** WARNING *** CP= 7.110 TIME= 18:21:39
 Meshing of area 43 produced 6 poorly shaped elements.

*** NOTE *** CP= 7.110 TIME= 18:21:39
 Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
 280 281 282 283 284 285

NUMBER OF AREAS MESHED = 17
 MAXIMUM NODE NUMBER = 386
 MAXIMUM ELEMENT NUMBER = 288

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 44 TO 55 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
 MAXIMUM NODE NUMBER = 556
 MAXIMUM ELEMENT NUMBER = 456

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 56 TO 73 IN STEPS OF 1

NUMBER OF AREAS MESHED = 18
 MAXIMUM NODE NUMBER = 807
 MAXIMUM ELEMENT NUMBER = 624

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 74 TO 79 IN STEPS OF 1

NUMBER OF AREAS MESHED = 6
 MAXIMUM NODE NUMBER = 890
 MAXIMUM ELEMENT NUMBER = 708

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 80 TO 91 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
 MAXIMUM NODE NUMBER = 1084
 MAXIMUM ELEMENT NUMBER = 876

MATERIAL NUMBER SET TO 14

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 92 TO 94 IN STEPS OF 1

NUMBER OF AREAS MESHED = 3
 MAXIMUM NODE NUMBER = 1591
 MAXIMUM ELEMENT NUMBER = 1464

Delete concatenated lines
 (L's freed up 265,266,267,268,269,270,271,272,273,274)

DELETE SELECTED LINES FROM 265 TO 274 BY 1

DELETED 10 LINES

Copy tube mesh and connect top and bottom

SYMMETRY TRANSFORMATION OF AREAS USING COMPONENT Y
SET IS FROM 27 TO 103 IN STEPS OF 1

MAXIMUM NODE NUMBER = 3182
MAXIMUM ELEMENT NUMBER = 2928
flux trap plate spacers
(L's 449,450,451,452,453,454,455,456,457,458)
(A's 181,182,183,184,185)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 186 73 93 202

AREA NUMBER = 181

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 201 114 115 200

AREA NUMBER = 182

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 204 131 138 206

AREA NUMBER = 183

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 212 152 153 211

AREA NUMBER = 184

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 210 156 163 215

AREA NUMBER = 185
flux trap plate helium gaps
(A's 186,187,188,189,190,191,192,193)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 187 60 73 186

AREA NUMBER = 186

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 202 93 114 201

AREA NUMBER = 187

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 200 115 120 199

AREA NUMBER = 188

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 199 120 131 204

AREA NUMBER = 189

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 206 138 145 208

AREA NUMBER = 190

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 208 145 152 212

AREA NUMBER = 191
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 211 153 156 210
AREA NUMBER = 192
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 215 163 164 214
AREA NUMBER = 193
tube/guide heluim gaps (flats)
(A's 194,195,196,197,198,199,200,201,202,203,204,205)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 109 22 41 108
AREA NUMBER = 194
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 41 42 126
AREA NUMBER = 195
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 137 43 45 136
AREA NUMBER = 196
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 45 46 162
AREA NUMBER = 197
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 160 47 49 159
AREA NUMBER = 198
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 49 29 167 159
AREA NUMBER = 199
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 244 245 31 50
AREA NUMBER = 200
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 244 50 52 260
AREA NUMBER = 201
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 254 53 54 252
AREA NUMBER = 202
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 248 54 56 247
AREA NUMBER = 203
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 256 57 58 230
AREA NUMBER = 204

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 230 58 38 229

AREA NUMBER = 205

tube/guide helium gaps (corners)

(A's 206,207,208,209,210,211,212,213,214,215,216,217)

(218)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 85 72

AREA NUMBER = 206

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 22 109 100 92 85

AREA NUMBER = 207

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 24 25 43 137 130 126 42

AREA NUMBER = 208

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 136 45 142 135

AREA NUMBER = 209

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 26 27 47 160 161 162 46

AREA NUMBER = 210

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 167 29 30 164 165 166

AREA NUMBER = 211

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 164 30 214

AREA NUMBER = 212

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 214 30 31 245 228 213

AREA NUMBER = 213

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 52 33 34 53 254 255 260

AREA NUMBER = 214

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 250 252 54 248

AREA NUMBER = 215

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 246 247 56 35 36 57

AREA NUMBER = 216

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 188 189 216 229 38 39

AREA NUMBER = 217

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 273 188 39

AREA NUMBER = 218
mesh flux trap plate spacers

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 449 TO 458 STEP 1

10 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 4, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 488 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 181 TO 185 IN STEPS OF 1

NUMBER OF AREAS MESHED = 5
MAXIMUM NODE NUMBER = 3251
MAXIMUM ELEMENT NUMBER = 3000

MERGE COINCIDENT NODES WITHIN TOLERANCE OF .10000E-03

*** NOTE *** CP= 15.630 TIME= 18:21:48
Zero nodes were merged.

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Create mesh in MPC shell and disposal container
Tube guides

DEFAULT ELEMENT DIVISIONS PER LINE = 2

SET DIVISIONS ON LINE 43 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 46 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 49 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 53 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 56 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 60 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 61 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 64 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 68 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 71 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 75 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 78 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 15 TO 26 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 3677
MAXIMUM ELEMENT NUMBER = 3272
MPC shell
(L's 489.490)

SET DIVISIONS ON LINE 23 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 25 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 26 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 27 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 28 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 29 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 31 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 32 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 34 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 35 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 36 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 37 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 38 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 40 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 23 TO 31 STEP 1

9 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 489 KP1= 21 KP2= 30

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 32 TO 40 STEP 1

9 LINES (OF 489 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 490 KP1= 30 KP2= 39

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

490 LINES (OF 490 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 17 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 18 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 22 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 41 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 7 TO 8 IN STEPS OF 1

*** WARNING *** CP= 17.290 TIME= 18:21:49
Meshing of area 7 produced 112 poorly shaped elements.

*** NOTE *** CP= 17.290 TIME= 18:21:49
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
3292 3293 3294 3295 3296 3297 3298 3299 3300 3301
3302 3303 3304 3305 3306 3307 3308 3309 3310 3311
3312 3313 3314 3315 3316 3317 3318 3319 3320 3321
3322 3323 3324 3325 3326 3327 3328 3329 3330 3331
3332 3333 3334 3335 3336 3337 3338 3339 3340 3341
3342 3343 3344 3345 3346 3347 3348 3349 3350 3351
3352 3353 3354 3355 3356 3357 3358 3359 3360 3361
3362 3363 3364 3365 3366 3367 3368 3369 3370 3371
3372 3373 3374 3375 3376 3377 3378 3379 3380 3381
3382 3383 3384 3385 3386 3387 3388 3389 3390 3391
3392 3393 3394 3395 3396 3397 3398 3399 3400 3401
3402 3403 3404 3405 3406 3407 3408 3409
*** LIST TERMINATED AFTER 100 ***

*** WARNING *** CP= 17.860 TIME= 18:21:50
Meshing of area 8 produced 112 poorly shaped elements.

*** NOTE *** CP= 17.860 TIME= 18:21:50
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
3460 3461 3462 3463 3464 3465 3466 3467 3468 3469
3470 3471 3472 3473 3474 3475 3476 3477 3478 3479
3480 3481 3482 3483 3484 3485 3486 3487 3488 3489
3490 3491 3492 3493 3494 3495 3496 3497 3498 3499
3500 3501 3502 3503 3504 3505 3506 3507 3508 3509
3510 3511 3512 3513 3514 3515 3516 3517 3518 3519
3520 3521 3522 3523 3524 3525 3526 3527 3528 3529
3530 3531 3532 3533 3534 3535 3536 3537 3538 3539
3540 3541 3542 3543 3544 3545 3546 3547 3548 3549
3550 3551 3552 3553 3554 3555 3556 3557

3558 3559 3560 3561 3562 3563 3564 3565 3566 3567
 3568 3569 3570 3571 3572 3573 3574 3575 3576 3577
 *** LIST TERMINATED AFTER 100 ***

NUMBER OF AREAS MESHED = 2
 MAXIMUM NODE NUMBER = 4109
 MAXIMUM ELEMENT NUMBER = 3608

Assume vacuum between shell and inner barrier

SET DIVISIONS ON LINE 13 (IF SELECTED AND UNMESHED)
 TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 14 (IF SELECTED AND UNMESHED)
 TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 19 (IF SELECTED AND UNMESHED)
 TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 20 (IF SELECTED AND UNMESHED)
 TO NDIV = 2, SPACING RATIO = 1.000
 No MAT,7,
 No TYPE,1,
 No AMESH,5,6,1,
 Delete concatenated lines
 (L's freed up 489,490)

DELETE SELECTED LINES FROM 489 TO 490 BY 1

DELETED 2 LINES
 Inner and outer barrier

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 7 TO 10 STEP 1

4 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
 TO NDIV = 56, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 6 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 15 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 16 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 5 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 11 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 12 (IF SELECTED AND UNMESHED)
 TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 3 TO 4 IN STEPS OF 1

NUMBER OF AREAS MESHED = 2
 MAXIMUM NODE NUMBER = 4561
 MAXIMUM ELEMENT NUMBER = 3944

MATERIAL NUMBER SET TO 15

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 1 TO 2 IN STEPS OF 1

NUMBER OF AREAS MESHED = 2
 MAXIMUM NODE NUMBER = 4900
 MAXIMUM ELEMENT NUMBER = 4280
 Empty basket spaces

DEFAULT ELEMENT DIVISIONS PER LINE BASED ON ELEMENT SIZE = .100

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
 PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
 OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 9 TO 14 IN STEPS OF 1
 ** AREA 9 MESHED WITH 40 QUADRILATERALS, 10 TRIANGLES **
 ** AREA 11 MESHED WITH 41 QUADRILATERALS, 10 TRIANGLES **
 ** AREA 12 MESHED WITH 40 QUADRILATERALS, 10 TRIANGLES **
 ** AREA 14 MESHED WITH 41 QUADRILATERALS, 10 TRIANGLES **

NUMBER OF AREAS MESHED = 6
 MAXIMUM NODE NUMBER = 5272
 MAXIMUM ELEMENT NUMBER = 4776

Define mesh and radiation surface elements
 Tube/guides gap

SELECT FOR ITEM=LOC COMPONENT=X BETWEEN .00000E+00 AND .00000E+00
 KABS= 0. TOLERANCE= .100000E-05

39 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 7 TO 8 STEP 1

41 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 13 TO 14 STEP 1

43 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 17 TO 18 STEP 1

45 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

UNSELECT ONLY NODES INTERIOR TO SELECTED LINE SET.

4904 NODES (OF 5272 DEFINED) SELECTED FROM
 45 SELECTED LINES BY NSLL COMMAND.

ALL SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 7

GENERATE ELEMENTS ON SURFACE DEFINED BY SELECTED NODES
TYPE= 7 REAL= 1 MATERIAL= 1 ESYS= 0

NUMBER OF ELEMENTS GENERATED= 644

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5272 STEP 1

5272 NODES (OF 5272 DEFINED) SELECTED BY NSEL COMMAND.
Basket spaces

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 17

GENERATE NODES AND ELEMENTS
ON LINES 25 TO 29 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5462

GENERATE NODES AND ELEMENTS
ON LINES 34 TO 38 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5504

GENERATE NODES AND ELEMENTS
ON LINES 80 TO 80 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5510

GENERATE NODES AND ELEMENTS
ON LINES 45 TO 45 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5524

GENERATE NODES AND ELEMENTS
ON LINES 50 TO 52 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5552

GENERATE NODES AND ELEMENTS
ON LINES 57 TO 59 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5572

GENERATE NODES AND ELEMENTS
ON LINES 62 TO 65 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5592

GENERATE NODES AND ELEMENTS
ON LINES 69 TO 72 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5620

GENERATE NODES AND ELEMENTS
ON LINES 76 TO 79 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5640
MPC shell/inner barrier gap

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 17 TO 18 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5752

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
ON LINES 13 TO 14 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5864

Create mesh in helium spaces

DEFAULT ELEMENT DIVISIONS PER LINE = 2

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 95 TO 103 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5396
MAXIMUM ELEMENT NUMBER = 6024

GENERATE NODES AND ELEMENTS
IN AREAS 172 TO 180 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
MAXIMUM NODE NUMBER = 5520
MAXIMUM ELEMENT NUMBER = 6184

GENERATE NODES AND ELEMENTS
IN AREAS 186 TO 205 IN STEPS OF 1

*** WARNING *** CP= 23.410 TIME= 18:21:56
Area 195 has a corner angle of 154 degrees. This is not recommended
for quadrilateral elements.

*** WARNING *** CP= 23.450 TIME= 18:21:56
Meshing of area 195 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.450 TIME= 18:21:56
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6310 6311 6312 6313 6314 6324 6325 6326 6327 6328

*** WARNING *** CP= 23.460 TIME= 18:21:56
Area 196 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.500 TIME= 18:21:56
Meshing of area 196 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.500 TIME= 18:21:56
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6333 6334 6335 6336 6337 6338 6339 6340 6341 6342
6347 6348 6349 6350 6351 6352 6353 6354 6355 6356

*** WARNING *** CP= 23.500 TIME= 18:21:56
Area 197 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.540 TIME= 18:21:56
Meshing of area 197 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.540 TIME= 18:21:56
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6357 6358 6359 6360 6361 6362 6363 6364 6365 6366
6371 6372 6373 6374 6375 6376 6377 6378 6379 6380

*** WARNING *** CP= 23.550 TIME= 18:21:56
Area 198 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.590 TIME= 18:21:56
Meshing of area 198 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.590 TIME= 18:21:56
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6385 6386 6387 6388 6389 6399 6400 6401 6402 6403

*** WARNING *** CP= 23.650 TIME= 18:21:56
Area 201 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.690 TIME= 18:21:56
Meshing of area 201 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.690 TIME= 18:21:56
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6446 6447 6448 6449 6450 6460 6461 6462 6463 6464

*** WARNING *** CP= 23.700 TIME= 18:21:56
Area 202 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.740 TIME= 18:21:56
Meshing of area 202 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.740 TIME= 18:21:56
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6469 6470 6471 6472 6473 6474 6475 6476 6477 6478
6483 6484 6485 6486 6487 6488 6489 6490 6491 6492

*** WARNING *** CP= 23.740 TIME= 18:21:56
Area 203 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.790 TIME= 18:21:57
Meshing of area 203 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.790 TIME= 18:21:57
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6493 6494 6495 6496 6497 6498 6499 6500 6501 6502
6507 6508 6509 6510 6511 6512 6513 6514 6515 6516

*** WARNING *** CP= 23.790 TIME= 18:21:57
Area 204 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.830 TIME= 18:21:57
Meshing of area 204 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.840 TIME= 18:21:57
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6521 6522 6523 6524 6525 6535 6536 6537 6538 6539

NUMBER OF AREAS MESHED = 20
MAXIMUM NODE NUMBER = 5730
MAXIMUM ELEMENT NUMBER = 6560

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 206 TO 218 IN STEPS OF 1
** AREA 206 MESHED WITH 1 QUADRILATERALS, 2 TRIANGLES **
** AREA 207 MESHED WITH 0 QUADRILATERALS, 10 TRIANGLES **

*** WARNING *** CP= 23.970 TIME= 18:21:57
Meshing of area 207 produced 1 poorly shaped elements.

*** NOTE *** CP= 23.970 TIME= 18:21:57
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 23.970 TIME= 18:21:57
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6570

** AREA	208 MESHED WITH	5 QUADRILATERALS,	11 TRIANGLES **
** AREA	209 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	210 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	211 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.220 TIME= 18:21:57
Meshing of area 211 produced 3 poorly shaped elements.

*** NOTE *** CP= 24.220 TIME= 18:21:57
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 24.220 TIME= 18:21:57
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6626 6627 6629

** AREA	212 MESHED WITH	2 QUADRILATERALS,	2 TRIANGLES **
** AREA	213 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.280 TIME= 18:21:57
Meshing of area 213 produced 1 poorly shaped elements.

*** NOTE *** CP= 24.280 TIME= 18:21:57
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 24.280 TIME= 18:21:57
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6641

** AREA	214 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	215 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	216 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	217 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.530 TIME= 18:21:57
Meshing of area 217 produced 2 poorly shaped elements.

*** NOTE *** CP= 24.540 TIME= 18:21:57
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 24.540 TIME= 18:21:57
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6699 6701

** AREA	218 MESHED WITH	1 QUADRILATERALS,	2 TRIANGLES **
---------	-----------------	-------------------	----------------

NUMBER OF AREAS MESHED = 13
MAXIMUM NODE NUMBER = 5764
MAXIMUM ELEMENT NUMBER = 6705

Clear areas and mesh by hand difficult areas

CLEAR NODES AND ELEMENTS
FROM AREAS 211 TO 211 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT 6706 5653 3453 3952 3952

ELEMENT 6707 636 5653 3952 3952

ELEMENT	6708	545	636	3952	3952
ELEMENT	6709	551	545	3952	3952
ELEMENT	6710	363	551	3952	3952
ELEMENT	6711	370	363	3952	3952
ELEMENT	6712	371	370	3952	3952
ELEMENT	6713	369	371	3952	3952
ELEMENT	6714	5747	369	3952	3952
ELEMENT	6715	3782	5747	3952	3952

CLEAR NODES AND ELEMENTS
FROM AREAS 217 TO 217 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT	6716	3735	5763	3738	3738
ELEMENT	6717	5763	1661	3738	3738
ELEMENT	6718	1661	1663	3738	3738
ELEMENT	6719	1663	1664	3738	3738
ELEMENT	6720	1664	1662	3738	3738
ELEMENT	6721	1662	1979	3738	3738
ELEMENT	6722	1979	1978	3738	3738
ELEMENT	6723	1978	2148	3738	3738
ELEMENT	6724	2148	5725	3738	3738
ELEMENT	6725	5725	3666	3738	3738

***** ROUTINE COMPLETED ***** CP = 24.600

Create element mesh plots to illustrate model
View mesh for entire model

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (CENTROIDAL SORT) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS 0 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

/SHOW SWITCH PLOTS TO FILE meshfull.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshfull.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

5368 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

/SHOW SWITCH PLOTS TO FILE meshgap.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshgap.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model
View mesh for radiation substructure

MAT NUMBERING KEY = 0

TYPE NUMBERING KEY = 1

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

864 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

1088 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

/SHOW SWITCH PLOTS TO FILE meshrad.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshrad.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6725 STEP 1

6705 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

Generate super-elements

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 18:22:03 MAR 25, 1995 CP= 30.080
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS RADIATION MATRIX UTILITY (AUX12) *****

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

655 NODES (OF 5764 DEFINED) SELECTED FROM
644 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= tubegap.sub

*** WARNING *** CP= 30.330 TIME= 18:22:03
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 644 NUMBER OF NODES= 655

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

220 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

220 NODES (OF 5764 DEFINED) SELECTED FROM
220 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= spaces.sub

*** WARNING *** CP= 69.650 TIME= 18:22:44
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 220 NUMBER OF NODES= 220

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

224 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

226 NODES (OF 5764 DEFINED) SELECTED FROM

224 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= shellgap.sub

*** WARNING *** CP= 76.120 TIME= 18:22:50
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 224 NUMBER OF NODES= 226

800 ZONES CREATE 1600 RAYS

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6725 STEP 1

6705 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1

5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 81.940

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 18:22:57 MAR 25, 1995 CP= 81.940
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE SET TO 18

SUPERELEMENT 6726 tubegap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6726

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6726

SUPERELEMENT 6727 spaces NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6727

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6727

SUPERELEMENT 6728 shellgap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6728

CURRENT NODAL DOF SET IS TEMP

THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6728
Delete radiation edge elements

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6708 DEFINED) SELECTED BY ESEL COMMAND.

DELETE ALL SELECTED ELEMENTS.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

6064 ELEMENTS (OF 6064 DEFINED) SELECTED BY ESEL COMMAND.

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

18 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

22 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CLEAR NODES AND ELEMENTS FROM ALL SELECTED LINES

*** NOTE *** CP= 82.430 TIME= 18:22:57
Nodes cannot be cleared from line 13 because area 3 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.450 TIME= 18:22:57
Nodes cannot be cleared from line 14 because area 4 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.460 TIME= 18:22:57
Nodes cannot be cleared from line 17 because area 7 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.470 TIME= 18:22:57
Nodes cannot be cleared from line 18 because area 8 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.490 TIME= 18:22:58
Nodes cannot be cleared from line 25 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.490 TIME= 18:22:58
Nodes cannot be cleared from line 27 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.490 TIME= 18:22:58
Nodes cannot be cleared from line 29 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.500 TIME= 18:22:58
Nodes cannot be cleared from line 34 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.500 TIME= 18:22:58
Nodes cannot be cleared from line 36 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.510 TIME= 18:22:58
Nodes cannot be cleared from line 38 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.510 TIME= 18:22:58

Nodes cannot be cleared from line 45 because area 9 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.520 TIME= 18:22:58
Nodes cannot be cleared from line 50 because area 10 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.520 TIME= 18:22:58
Nodes cannot be cleared from line 52 because area 10 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.530 TIME= 18:22:58
Nodes cannot be cleared from line 57 because area 11 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.530 TIME= 18:22:58
Nodes cannot be cleared from line 59 because area 11 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.530 TIME= 18:22:58
Nodes cannot be cleared from line 62 because area 12 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.540 TIME= 18:22:58
Nodes cannot be cleared from line 65 because area 12 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.540 TIME= 18:22:58
Nodes cannot be cleared from line 69 because area 13 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.550 TIME= 18:22:58
Nodes cannot be cleared from line 72 because area 13 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.550 TIME= 18:22:58
Nodes cannot be cleared from line 76 because area 14 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.550 TIME= 18:22:58
Nodes cannot be cleared from line 79 because area 14 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.560 TIME= 18:22:58
Nodes cannot be cleared from line 80 because area 9 is meshed. Only elements are deleted.

CLEARED 22 LINES, 0 KEYPOINTS

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 82.570

Set solution parameters and apply B.C.'s

Solve steady-state for initial conditions
with WP surface equal to drift ambient
temperature from repository model.

***** ANSYS SOLUTION ROUTINE *****

PERFORM A TRANSIENT ANALYSIS
THIS WILL BE A NEW ANALYSIS

USE THE DEFAULT NEWTON-RAPHSON OPTION FOR ALL DOFS
AND USE THE DEFAULT ADAPTIVE DESCENT OPTION

*** NOTE *** CP= 82.570 TIME= 18:22:58
Damping (if present) may be ignored only in reduced transient analyses.

PERFORM A FULL TRANSIENT ANALYSIS

TEMPERATURE OFFSET FROM ABSOLUTE ZERO= 273.150

SELECT FOR ITEM=LINE COMPONENT= 1
IN RANGE 7 TO 7 STEP 1

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT= 1
IN RANGE 8 TO 8 STEP 1

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5764 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES 1 TO 5764 BY 1
REAL= 26.1413043 IMAG= .000000000E+00

ALL SELECT FOR ITEM=LINE COMPONENT= 1
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT= 1
IN RANGE 1 TO 5764 STEP 1

5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

SELECT FOR ITEM=MAT COMPONENT= 1
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT= 1
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT= 1
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .10000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

*** WARNING *** CP= 83.810 TIME= 18:23:00
Element 6708 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 83.810 TIME= 18:23:00
Element 6708 has a poor shape angle of 7.74746071 degrees.

*** WARNING *** CP= 83.810 TIME= 18:23:00
Element 6723 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 83.810 TIME= 18:23:00
Element 6723 has a poor shape angle of 7.74746071 degrees.

*** NOTE *** CP= 83.820 TIME= 18:23:00
All shape tests were bypassed for elements associated with the solid model, because most of them were already done at AMESH or VMESH. Use CHECK if desired to perform all of the element tests.

*** NOTE *** CP= 83.820 TIME= 18:23:00
The model data was checked and warning messages were found.
Please review output or errors file (ma12h3.err) for these warning messages.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 18:23:00 MAR 25, 1995 CP= 83.820
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

SOLUTION OPTIONS

PROBLEM DIMENSIONALITY.3-D
DEGREES OF FREEDOM.TEMP
ANALYSIS TYPETRANSIENT
SOLUTION METHOD.FULL
OFFSET TEMPERATURE FROM ABSOLUTE ZERO 273.15
NEWTON-RAPHSON OPTIONPROGRAM CHOSEN

*** NOTE *** CP= 84.740 TIME= 18:23:01
This load step will be a static (steady-state) step.

*** NOTE *** CP= 85.120 TIME= 18:23:02
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution procedure) for ALL DOFs.

LOAD STEP OPTIONS

LOAD STEP NUMBER.1
TIME AT END OF THE LOAD STEP.10000E-05
AUTOMATIC TIME STEPPINGON
INITIAL NUMBER OF SUBSTEPS0
MAXIMUM NUMBER OF SUBSTEPS0
MINIMUM NUMBER OF SUBSTEPS1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONSNO
TRANSIENT (INERTIA) EFFECTSOFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

***** CENTROID, MASS, AND MASS MOMENTS OF INERTIA *****

CALCULATIONS ASSUME ELEMENT MASS AT ELEMENT CENTROID

TOTAL MASS = 3601.8

CENTROID	MOM. OF INERTIA ABOUT ORIGIN	MOM. OF INERTIA ABOUT CENTROID
XC = .32228	IXX = 527.2	IXX = 527.2
YC = .77163E-11	IYY = 527.2	IYY = 153.1
ZC = .00000E+00	IZZ = 1054.	IZZ = 680.2
	IXY = .5422E-09	IXY = .9499E-08
	IYZ = .0000E+00	IYZ = .0000E+00
	IZX = .0000E+00	IZX = .0000E+00

*** MASS SUMMARY BY ELEMENT TYPE ***

TYPE	MASS
1	3601.81

Range of element maximum matrix coefficients in global coordinates
 Maximum= 483.62017 at element 2116.
 Minimum= 1.026389896E-09 at element 6728.

*** WARNING *** CP= 103.540 TIME= 18:23:24
 Coefficient ratio exceeds 1.0e8 - Check results.

*** ELEMENT MATRIX FORMULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

1	5617	PLANE55	11.560	.002
18	3	MATRIX50	.640	.213

Time at end of element matrix formulation CP= 103.54.
 HT FLOW CONVERGENCE VALUE= 9663. CRITERION= 9.663

Estimated number of active DOF= 5651.
 Maximum wavefront= 912.

Time at end of matrix triangularization CP= 204.59.
 Equation solver maximum pivot= 1269.32433 at node 2083 TEMP.
 Equation solver minimum pivot= 0.186669206 at node 5523 TEMP.

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC=	387.8
HT FLOW CONVERGENCE VALUE=	691.6 CRITERION= .1742
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC=	-146.6
HT FLOW CONVERGENCE VALUE=	117.4 CRITERION= .3405
EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC=	-32.63
HT FLOW CONVERGENCE VALUE=	29.93 CRITERION= .2043
EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC=	-4.502
HT FLOW CONVERGENCE VALUE=	2.941 CRITERION= .1761
EQUIL ITER 5 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC=	.6490
HT FLOW CONVERGENCE VALUE=	.3654 CRITERION= .1741
EQUIL ITER 6 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC=	.6119E-01
HT FLOW CONVERGENCE VALUE=	.3619E-01 CRITERION= .1744 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 6

*** ELEMENT RESULT CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

1	5617	PLANE55	6.370	.001
18	3	MATRIX50	.720	.240

*** NODAL LOAD CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
------	--------	-------	----------	--------

1	5617	PLANE55	.960	.000
18	3	MATRIX50	.000	.000

*** LOAD STEP 1 SUBSTEP 1 COMPLETED. CUM ITER = 6
 *** TIME = .100000E-05 TIME INC = .100000E-05

*** PROBLEM STATISTICS
 ACTUAL NO. OF ACTIVE DEGREES OF FREEDOM = 5651
 R.M.S. WAVEFRONT SIZE = 443.2

*** ANSYS BINARY FILE STATISTICS

BUFFER SIZE USED= 4096
 6.109 MB WRITTEN ON ELEMENT MATRIX FILE: ma12h3.emat
 2.516 MB WRITTEN ON ELEMENT SAVED DATA FILE: ma12h3.esav
 18.031 MB WRITTEN ON TRIANGULARIZED MATRIX FILE: ma12h3.tri
 .031 MB WRITTEN ON SUBSTRUCTURE DOF SOLUTION FILE: ma12h3.dsub
 3.063 MB WRITTEN ON RESULTS FILE: ma12h3.rth
 Solve steady-state for initial conditions
 with WP surface temperatures from repository
 steady-state solution.

SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 7 TO 7 STEP 1
 1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 8 TO 8 STEP 1
 2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
 RELATED TO SELECTED LINE SET.

113 NODES (OF 5764 DEFINED) SELECTED FROM
 2 SELECTED LINES BY NSLL COMMAND.

DELETE SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES
 RANGE 1 TO 5764 BY 1

NUMBER OF SPECIFIED CONSTRAINTS DELETED= 113

ALL SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 1 TO 490 STEP 1
 488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
 IN RANGE 1 TO 5764 STEP 1
 5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 57.859 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP
 VALUES = 57.782 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
 LOAD LABELS = TEMP
 VALUES = 57.678 .00000E+00 EXPANSION KEY = 1

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1
 6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .20000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** WARNING *** CP= 800.460 TIME= 18:37:00
This load step will be a static (steady-state) step.

*** NOTE *** CP= 800.830 TIME= 18:37:01
The step data was checked and warning messages were found.
Please review output or errors file (ma12h3.err) for these warning
messages.

*** NOTE *** CP= 800.830 TIME= 18:37:01
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 18:37:01 MAR 25, 1995 CP= 800.840
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 2
TIME AT END OF THE LOAD STEP.20000E-05
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 0
MAXIMUM NUMBER OF SUBSTEPS 0
MINIMUM NUMBER OF SUBSTEPS 1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS OFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .1169E+05 CRITERION= 11.69
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 31.84
HT FLOW CONVERGENCE VALUE= 25.76 CRITERION= .1803

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -10.98
 HT FLOW CONVERGENCE VALUE= 6.517 CRITERION= .1800
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.197
 HT FLOW CONVERGENCE VALUE= .3666 CRITERION= .1745
 EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1166
 HT FLOW CONVERGENCE VALUE= .7087E-01 CRITERION= .1744 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 4
 *** LOAD STEP 2 SUBSTEP 1 COMPLETED. CUM ITER = 10
 *** TIME = .200000E-05 TIME INC = .100000E-05

Set time integration parameters

INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

USE AUTOMATIC TIME STEPPING THIS LOAD STEP
 Time substep ranges from 10 sec to 1/4 loadstep

USE 10 SUBSTEPS INITIALLY THIS LOAD STEP FOR ALL DOFS
 FOR AUTOMATIC TIME STEPPING:
 USE 40 SUBSTEPS AS A MAXIMUM
 USE 4 SUBSTEPS AS A MINIMUM
 USE THE FINAL TIME STEP SIZE OF THE PREVIOUS LOAD STEP
 AS THE STARTING TIME STEP SIZE.

Begin Transient
 Apply loads and solve for 0 to .9 years

*DO LOOP ON PARAMETER= TM FROM 31.558 TO .28402E+08 BY .31558E+07

TIME= 31.558

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 5645.10011 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 57.859 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP
 VALUES = 57.782 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
 LOAD LABELS = TEMP
 VALUES = 57.678 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
 CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 997.160 TIME= 18:40:33
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 18:40:33 MAR 25, 1995 CP= 997.160
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 3
TIME AT END OF THE LOAD STEP. 31.558
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .7087E-01 CRITERION= .1744
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1085E-03
HT FLOW CONVERGENCE VALUE= .6745E-05 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 1 COMPLETED. CUM ITER = 11
*** TIME = .788942 TIME INC = .788940
*** RESPONSE EIGENVALUE = .4290 OSCILLATION LIMIT = .3384
*** AUTO STEP TIME: NEXT TIME INC = .78894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .1282 CRITERION= .1744
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6120E-04
HT FLOW CONVERGENCE VALUE= .1045E-04 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 2 COMPLETED. CUM ITER = 12
*** TIME = 1.57788 TIME INC = .788940
*** RESPONSE EIGENVALUE = .2092 OSCILLATION LIMIT = .1650
*** AUTO TIME STEP: NEXT TIME INC = 2.3668 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= .1133 CRITERION= .1744
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9465E-04
HT FLOW CONVERGENCE VALUE= .2522E-04 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 3 COMPLETED. CUM ITER = 13
*** TIME = 3.94470 TIME INC = 2.36682
*** RESPONSE EIGENVALUE = .1049 OSCILLATION LIMIT = .2483
*** AUTO TIME STEP: NEXT TIME INC = 4.7667 INCREASED (FACTOR = 2.0140)

HT FLOW CONVERGENCE VALUE= .9375E-01 CRITERION= .1744
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1110E-03
HT FLOW CONVERGENCE VALUE= .3489E-04 CRITERION= .1744 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 3 SUBSTEP 4 COMPLETED. CUM ITER = 14
*** TIME = 8.71140 TIME INC = 4.76669
*** RESPONSE EIGENVALUE = .4312E-01 OSCILLATION LIMIT = .2056

*** AUTO TIME STEP: NEXT TIME INC = 7.8894 INCREASED (FACTOR = 1.6551)

HT FLOW CONVERGENCE VALUE= .8369E-01 CRITERION= .1744
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7019E-04
 HT FLOW CONVERGENCE VALUE= .3739E-04 CRITERION= .1744 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 5 COMPLETED. CUM ITER = 15
 *** TIME = 16.6008 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .1509E-01 OSCILLATION LIMIT = .1191
 *** AUTO STEP TIME: NEXT TIME INC = 7.8894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .7856E-01 CRITERION= .1744
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5055E-04
 HT FLOW CONVERGENCE VALUE= .2751E-04 CRITERION= .1744 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 6 COMPLETED. CUM ITER = 16
 *** TIME = 24.4902 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .8116E-02 OSCILLATION LIMIT = .6403E-01
 *** AUTO TIME STEP: NEXT TIME INC = 7.0674 DECREASED (FACTOR = .8958)

HT FLOW CONVERGENCE VALUE= .7503E-01 CRITERION= .1744
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4102E-04
 HT FLOW CONVERGENCE VALUE= .2133E-04 CRITERION= .1744 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 7 COMPLETED. CUM ITER = 17
 *** TIME = 31.5576 TIME INC = 7.06740
 *** RESPONSE EIGENVALUE = .5920E-02 OSCILLATION LIMIT = .4184E-01

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:50:53 MAR 25, 1995 CP= 1485.910
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 230.0 CRITERION= .2886
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6592
 HT FLOW CONVERGENCE VALUE= .4247 CRITERION= .1736
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9536E-01
 HT FLOW CONVERGENCE VALUE= .7601E-01 CRITERION= .1736 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 1 COMPLETED. CUM ITER = 19
 *** TIME = 78925.6 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1826E-05 OSCILLATION LIMIT = .1440
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 230.3 CRITERION= .2883
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6598
 HT FLOW CONVERGENCE VALUE= .4673 CRITERION= .1740
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1008
 HT FLOW CONVERGENCE VALUE= .7265E-01 CRITERION= .1741 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 2 COMPLETED. CUM ITER = 21
 *** TIME = 157820. TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4459E-06 OSCILLATION LIMIT = .3518E-01
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 689.8 CRITERION= .7114
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.978
 HT FLOW CONVERGENCE VALUE= 1.453 CRITERION= .1735
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4630
 HT FLOW CONVERGENCE VALUE= .2944 CRITERION= .1737
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5108E-01
 HT FLOW CONVERGENCE VALUE= .1308E-01 CRITERION= .1734 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3

```

*** LOAD STEP      4  SUBSTEP      3  COMPLETED.    CUM ITER =    24
*** TIME =    394502.    TIME INC =    236682.
*** RESPONSE EIGENVALUE = .3257E-06  OSCILLATION LIMIT = .7708E-01
*** AUTO STEP TIME: NEXT TIME INC = .23668E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 690.1    CRITERION= .7114
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.978
    HT FLOW CONVERGENCE VALUE= 1.461    CRITERION= .1740
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4637
    HT FLOW CONVERGENCE VALUE= .2919    CRITERION= .1742
    EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5062E-01
    HT FLOW CONVERGENCE VALUE= .1294E-01 CRITERION= .1739    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
*** LOAD STEP      4  SUBSTEP      4  COMPLETED.    CUM ITER =    27
*** TIME =    631184.    TIME INC =    236682.
*** RESPONSE EIGENVALUE = .3270E-06  OSCILLATION LIMIT = .7740E-01
*** AUTO TIME STEP: NEXT TIME INC = .71005E+06  INCREASED (FACTOR = 3.0000)

    HT FLOW CONVERGENCE VALUE= 2069.    CRITERION= 2.076
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 5.933
    HT FLOW CONVERGENCE VALUE= 4.433    CRITERION= .1738
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.666
    HT FLOW CONVERGENCE VALUE= .9852    CRITERION= .1740
    EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1950
    HT FLOW CONVERGENCE VALUE= .4513E-01 CRITERION= .1732    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
*** LOAD STEP      4  SUBSTEP      5  COMPLETED.    CUM ITER =    30
*** TIME = .134123E+07    TIME INC = 710046.
*** RESPONSE EIGENVALUE = .3448E-06  OSCILLATION LIMIT = .2448
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06  INCREASED (FACTOR = 1.1111)

    HT FLOW CONVERGENCE VALUE= 2298.    CRITERION= 2.304
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 6.592
    HT FLOW CONVERGENCE VALUE= 4.912    CRITERION= .1742
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.833
    HT FLOW CONVERGENCE VALUE= 1.053    CRITERION= .1744
    EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2098
    HT FLOW CONVERGENCE VALUE= .4807E-01 CRITERION= .1735    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
*** LOAD STEP      4  SUBSTEP      6  COMPLETED.    CUM ITER =    33
*** TIME = .213017E+07    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3409E-06  OSCILLATION LIMIT = .2689
*** AUTO TIME STEP: NEXT TIME INC = .51281E+06  DECREASED (FACTOR = .6500)

    HT FLOW CONVERGENCE VALUE= 1493.    CRITERION= 1.503
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 4.285
    HT FLOW CONVERGENCE VALUE= 3.173    CRITERION= .1732
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.114
    HT FLOW CONVERGENCE VALUE= .6341    CRITERION= .1734
    EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1231
    HT FLOW CONVERGENCE VALUE= .2824E-01 CRITERION= .1729    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
*** LOAD STEP      4  SUBSTEP      7  COMPLETED.    CUM ITER =    36
*** TIME = .264298E+07    TIME INC = 512811.
*** RESPONSE EIGENVALUE = .3592E-06  OSCILLATION LIMIT = .1842
*** AUTO STEP TIME: NEXT TIME INC = .51281E+06  UNCHANGED

    HT FLOW CONVERGENCE VALUE= 1493.    CRITERION= 1.503
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 4.285
    HT FLOW CONVERGENCE VALUE= 3.197    CRITERION= .1736
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.099
    HT FLOW CONVERGENCE VALUE= .6140    CRITERION= .1738
    EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1196
    HT FLOW CONVERGENCE VALUE= .2723E-01 CRITERION= .1733    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
*** LOAD STEP      4  SUBSTEP      8  COMPLETED.    CUM ITER =    39
*** TIME = .315579E+07    TIME INC = 512811.
*** RESPONSE EIGENVALUE = .3435E-06  OSCILLATION LIMIT = .1762

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:13:12 MAR 25, 1995 CP= 2633.360
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 432.8 CRITERION= .4662
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.185
 HT FLOW CONVERGENCE VALUE= 1.010 CRITERION= .1735
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3379
 HT FLOW CONVERGENCE VALUE= .1765 CRITERION= .1737
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3498E-01
 HT FLOW CONVERGENCE VALUE= .8046E-02 CRITERION= .1735 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 1 COMPLETED. CUM ITER = 42
 *** TIME = .366860E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .2366E-06 OSCILLATION LIMIT = .1213
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 432.9 CRITERION= .4663
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.178
 HT FLOW CONVERGENCE VALUE= .8604 CRITERION= .1733
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2915
 HT FLOW CONVERGENCE VALUE= .1768 CRITERION= .1733
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3424E-01
 HT FLOW CONVERGENCE VALUE= .7505E-02 CRITERION= .1732 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 2 COMPLETED. CUM ITER = 45
 *** TIME = .418141E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .9701E-06 OSCILLATION LIMIT = .4975
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 432.7 CRITERION= .4661
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.182
 HT FLOW CONVERGENCE VALUE= .9619 CRITERION= .1732
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3201
 HT FLOW CONVERGENCE VALUE= .1742 CRITERION= .1733
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3427E-01
 HT FLOW CONVERGENCE VALUE= .7708E-02 CRITERION= .1732 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 3 COMPLETED. CUM ITER = 48
 *** TIME = .469422E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .3350E-06 OSCILLATION LIMIT = .1718
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.5385)

HT FLOW CONVERGENCE VALUE= 665.8 CRITERION= .6879
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.813
 HT FLOW CONVERGENCE VALUE= 1.382 CRITERION= .1731
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4842
 HT FLOW CONVERGENCE VALUE= .2764 CRITERION= .1731
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5576E-01
 HT FLOW CONVERGENCE VALUE= .1187E-01 CRITERION= .1729 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 4 COMPLETED. CUM ITER = 51
 *** TIME = .548316E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5887E-06 OSCILLATION LIMIT = .4644
 *** AUTO TIME STEP: NEXT TIME INC = .41419E+06 DECREASED (FACTOR = .5250)

HT FLOW CONVERGENCE VALUE= 349.4 CRITERION= .3899
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9537
 HT FLOW CONVERGENCE VALUE= .7666 CRITERION= .1729
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2440
 HT FLOW CONVERGENCE VALUE= .1345 CRITERION= .1730 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 5 COMPLETED. CUM ITER = 53
 *** TIME = .589736E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .6116E-06 OSCILLATION LIMIT = .2533

*** AUTO STEP TIME: NEXT TIME INC = .41419E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 349.5 CRITERION= .3899
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9517
 HT FLOW CONVERGENCE VALUE= .7148 CRITERION= .1728
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2308
 HT FLOW CONVERGENCE VALUE= .1323 CRITERION= .1728 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 6 COMPLETED. CUM ITER = 55
 *** TIME = .631155E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .5399E-06 OSCILLATION LIMIT = .2236

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:29:21 MAR 25, 1995 CP= 3474.690
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 230.8 CRITERION= .2883
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6288
 HT FLOW CONVERGENCE VALUE= .4962 CRITERION= .1728
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1606
 HT FLOW CONVERGENCE VALUE= .8715E-01 CRITERION= .1728 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 1 COMPLETED. CUM ITER = 57
 *** TIME = .672575E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .4126E-06 OSCILLATION LIMIT = .1709
 *** AUTO STEP TIME: NEXT TIME INC = .41419E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 230.8 CRITERION= .2883
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6288
 HT FLOW CONVERGENCE VALUE= .4418 CRITERION= .1726
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1488
 HT FLOW CONVERGENCE VALUE= .8664E-01 CRITERION= .1726 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 2 COMPLETED. CUM ITER = 59
 *** TIME = .713994E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .6909E-06 OSCILLATION LIMIT = .2862
 *** AUTO TIME STEP: NEXT TIME INC = .72369E+06 INCREASED (FACTOR = 1.7472)

HT FLOW CONVERGENCE VALUE= 403.2 CRITERION= .4386
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.099
 HT FLOW CONVERGENCE VALUE= .7839 CRITERION= .1725
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2939
 HT FLOW CONVERGENCE VALUE= .1615 CRITERION= .1726 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 3 COMPLETED. CUM ITER = 61
 *** TIME = .786363E+07 TIME INC = 723694.
 *** RESPONSE EIGENVALUE = .7397E-06 OSCILLATION LIMIT = .5353
 *** AUTO STEP TIME: NEXT TIME INC = .72369E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 403.2 CRITERION= .4386
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.099
 HT FLOW CONVERGENCE VALUE= .7619 CRITERION= .1723
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2850
 HT FLOW CONVERGENCE VALUE= .1585 CRITERION= .1723 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 4 COMPLETED. CUM ITER = 63
 *** TIME = .858733E+07 TIME INC = 723694.
 *** RESPONSE EIGENVALUE = .6109E-06 OSCILLATION LIMIT = .4421
 *** AUTO TIME STEP: NEXT TIME INC = .43999E+06 DECREASED (FACTOR = .6080)

HT FLOW CONVERGENCE VALUE= 245.1 CRITERION= .2996
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6679
 HT FLOW CONVERGENCE VALUE= .4746 CRITERION= .1722
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1662

HT FLOW CONVERGENCE VALUE= .9119E-01 CRITERION= .1722 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 5 COMPLETED. CUM ITER = 65
 *** TIME = .902732E+07 TIME INC = 439993.
 *** RESPONSE EIGENVALUE = .5564E-06 OSCILLATION LIMIT = .2448
 *** AUTO STEP TIME: NEXT TIME INC = .43999E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 245.1 CRITERION= .2996
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6679
 HT FLOW CONVERGENCE VALUE= .4606 CRITERION= .1721
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1611
 HT FLOW CONVERGENCE VALUE= .9013E-01 CRITERION= .1721 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 6 COMPLETED. CUM ITER = 67
 *** TIME = .946731E+07 TIME INC = 439993.
 *** RESPONSE EIGENVALUE = .5378E-06 OSCILLATION LIMIT = .2366

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:42:51 MAR 25, 1995 CP= 4152.340
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 188.2 CRITERION= .2550
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5133
 HT FLOW CONVERGENCE VALUE= .3637 CRITERION= .1720
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1270
 HT FLOW CONVERGENCE VALUE= .6985E-01 CRITERION= .1720 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 1 COMPLETED. CUM ITER = 69
 *** TIME = .990730E+07 TIME INC = 439993.
 *** RESPONSE EIGENVALUE = .7526E-06 OSCILLATION LIMIT = .3311
 *** AUTO STEP TIME: NEXT TIME INC = .43999E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 188.3 CRITERION= .2550
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5133
 HT FLOW CONVERGENCE VALUE= .3473 CRITERION= .1719
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1212
 HT FLOW CONVERGENCE VALUE= .6868E-01 CRITERION= .1719 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 2 COMPLETED. CUM ITER = 71
 *** TIME = .103473E+08 TIME INC = 439993.
 *** RESPONSE EIGENVALUE = .6740E-06 OSCILLATION LIMIT = .2966
 *** AUTO TIME STEP: NEXT TIME INC = .74183E+06 INCREASED (FACTOR = 1.6860)

HT FLOW CONVERGENCE VALUE= 317.3 CRITERION= .3609
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8654
 HT FLOW CONVERGENCE VALUE= .6058 CRITERION= .1718
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2250
 HT FLOW CONVERGENCE VALUE= .1234 CRITERION= .1718 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 3 COMPLETED. CUM ITER = 73
 *** TIME = .110891E+08 TIME INC = 741834.
 *** RESPONSE EIGENVALUE = .9423E-06 OSCILLATION LIMIT = .6990
 *** AUTO STEP TIME: NEXT TIME INC = .74183E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 317.3 CRITERION= .3608
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8654
 HT FLOW CONVERGENCE VALUE= .5924 CRITERION= .1716
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2199
 HT FLOW CONVERGENCE VALUE= .1208 CRITERION= .1716 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 4 COMPLETED. CUM ITER = 75
 *** TIME = .118310E+08 TIME INC = 741834.
 *** RESPONSE EIGENVALUE = .6831E-06 OSCILLATION LIMIT = .5068
 *** AUTO TIME STEP: NEXT TIME INC = .39605E+06 DECREASED (FACTOR = .5339)

HT FLOW CONVERGENCE VALUE= 169.4 CRITERION= .2411
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4620
HT FLOW CONVERGENCE VALUE= .3217 CRITERION= .1714
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1101
HT FLOW CONVERGENCE VALUE= .6040E-01 CRITERION= .1715 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 7 SUBSTEP 5 COMPLETED. CUM ITER = 77
*** TIME = .122270E+08 TIME INC = 396053.
*** RESPONSE EIGENVALUE = .7242E-06 OSCILLATION LIMIT = .2868
*** AUTO STEP TIME: NEXT TIME INC = .39605E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 169.4 CRITERION= .2410
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4620
HT FLOW CONVERGENCE VALUE= .3149 CRITERION= .1713
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1070
HT FLOW CONVERGENCE VALUE= .5951E-01 CRITERION= .1713 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 7 SUBSTEP 6 COMPLETED. CUM ITER = 79
*** TIME = .126231E+08 TIME INC = 396053.
*** RESPONSE EIGENVALUE = .5896E-06 OSCILLATION LIMIT = .2335

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 19:56:58 MAR 25, 1995 CP= 4830.420
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 138.0 CRITERION= .2200
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3765
HT FLOW CONVERGENCE VALUE= .2632 CRITERION= .1713
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8938E-01
HT FLOW CONVERGENCE VALUE= .4935E-01 CRITERION= .1713 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 1 COMPLETED. CUM ITER = 81
*** TIME = .130191E+08 TIME INC = 396053.
*** RESPONSE EIGENVALUE = .1020E-05 OSCILLATION LIMIT = .4041
*** AUTO STEP TIME: NEXT TIME INC = .39605E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 138.1 CRITERION= .2200
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3765
HT FLOW CONVERGENCE VALUE= .2534 CRITERION= .1712
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8560E-01
HT FLOW CONVERGENCE VALUE= .4828E-01 CRITERION= .1711 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 2 COMPLETED. CUM ITER = 83
*** TIME = .134152E+08 TIME INC = 396053.
*** RESPONSE EIGENVALUE = .7500E-06 OSCILLATION LIMIT = .2970
*** AUTO TIME STEP: NEXT TIME INC = .66669E+06 INCREASED (FACTOR = 1.6833)

HT FLOW CONVERGENCE VALUE= 232.4 CRITERION= .2886
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6338
HT FLOW CONVERGENCE VALUE= .4357 CRITERION= .1711
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1597
HT FLOW CONVERGENCE VALUE= .8763E-01 CRITERION= .1711 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 3 COMPLETED. CUM ITER = 85
*** TIME = .140819E+08 TIME INC = 666694.
*** RESPONSE EIGENVALUE = .1150E-05 OSCILLATION LIMIT = .7664
*** AUTO TIME STEP: NEXT TIME INC = .43496E+06 DECREASED (FACTOR = .6524)

HT FLOW CONVERGENCE VALUE= 151.7 CRITERION= .2286
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4135
HT FLOW CONVERGENCE VALUE= .2777 CRITERION= .1709
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9584E-01
HT FLOW CONVERGENCE VALUE= .5316E-01 CRITERION= .1709 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 4 COMPLETED. CUM ITER = 87
*** TIME = .145168E+08 TIME INC = 434957.
*** RESPONSE EIGENVALUE = .6765E-06 OSCILLATION LIMIT = .2942
*** AUTO STEP TIME: NEXT TIME INC = .43496E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 151.7 CRITERION= .2285
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4135
HT FLOW CONVERGENCE VALUE= .2814 CRITERION= .1709
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9861E-01
HT FLOW CONVERGENCE VALUE= .5426E-01 CRITERION= .1708 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 5 COMPLETED. CUM ITER = 89
*** TIME = .149518E+08 TIME INC = 434957.
*** RESPONSE EIGENVALUE = .1108E-05 OSCILLATION LIMIT = .4818
*** AUTO STEP TIME: NEXT TIME INC = .43496E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 151.8 CRITERION= .2285
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4135
HT FLOW CONVERGENCE VALUE= .2707 CRITERION= .1708
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9603E-01
HT FLOW CONVERGENCE VALUE= .5307E-01 CRITERION= .1707 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 6 COMPLETED. CUM ITER = 91
*** TIME = .153867E+08 TIME INC = 434957.
*** RESPONSE EIGENVALUE = .7695E-06 OSCILLATION LIMIT = .3347
*** AUTO TIME STEP: NEXT TIME INC = .39209E+06 DECREASED (FACTOR = .9014)

HT FLOW CONVERGENCE VALUE= 136.9 CRITERION= .2188
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3728
HT FLOW CONVERGENCE VALUE= .2493 CRITERION= .1707
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8701E-01
HT FLOW CONVERGENCE VALUE= .4790E-01 CRITERION= .1706 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 8 SUBSTEP 7 COMPLETED. CUM ITER = 93
*** TIME = .157788E+08 TIME INC = 392089.
*** RESPONSE EIGENVALUE = .1111E-05 OSCILLATION LIMIT = .4357

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:12:48 MAR 25, 1995 CP= 5621.440
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 115.6 CRITERION= .2061
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3144
HT FLOW CONVERGENCE VALUE= .2048 CRITERION= .1706
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7137E-01
HT FLOW CONVERGENCE VALUE= .3942E-01 CRITERION= .1705 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 9 SUBSTEP 1 COMPLETED. CUM ITER = 95
*** TIME = .161709E+08 TIME INC = 392089.
*** RESPONSE EIGENVALUE = .7409E-06 OSCILLATION LIMIT = .2905
*** AUTO STEP TIME: NEXT TIME INC = .39209E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 115.6 CRITERION= .2060
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3144
HT FLOW CONVERGENCE VALUE= .2069 CRITERION= .1705
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7218E-01
HT FLOW CONVERGENCE VALUE= .4033E-01 CRITERION= .1705 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 9 SUBSTEP 2 COMPLETED. CUM ITER = 97
*** TIME = .165630E+08 TIME INC = 392089.
*** RESPONSE EIGENVALUE = .1421E-05 OSCILLATION LIMIT = .5572
*** AUTO STEP TIME: NEXT TIME INC = .39209E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 115.7 CRITERION= .2060
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3144
 HT FLOW CONVERGENCE VALUE= .2039 CRITERION= .1704
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7097E-01
 HT FLOW CONVERGENCE VALUE= .3929E-01 CRITERION= .1703 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 3 COMPLETED. CUM ITER = 99
 *** TIME = .169551E+08 TIME INC = 392089.
 *** RESPONSE EIGENVALUE = .8333E-06 OSCILLATION LIMIT = .3267
 *** AUTO STEP TIME: NEXT TIME INC = .39209E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 115.7 CRITERION= .2059
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3144
 HT FLOW CONVERGENCE VALUE= .2069 CRITERION= .1703
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7209E-01
 HT FLOW CONVERGENCE VALUE= .4007E-01 CRITERION= .1703 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 4 COMPLETED. CUM ITER = 101
 *** TIME = .173472E+08 TIME INC = 392089.
 *** RESPONSE EIGENVALUE = .1360E-05 OSCILLATION LIMIT = .5333
 *** AUTO STEP TIME: NEXT TIME INC = .39209E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 115.8 CRITERION= .2059
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3144
 HT FLOW CONVERGENCE VALUE= .2034 CRITERION= .1702
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7072E-01
 HT FLOW CONVERGENCE VALUE= .3910E-01 CRITERION= .1701 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 5 COMPLETED. CUM ITER = 103
 *** TIME = .177393E+08 TIME INC = 392089.
 *** RESPONSE EIGENVALUE = .8654E-06 OSCILLATION LIMIT = .3393
 *** AUTO STEP TIME: NEXT TIME INC = .39209E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 115.8 CRITERION= .2058
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3144
 HT FLOW CONVERGENCE VALUE= .2066 CRITERION= .1702
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7191E-01
 HT FLOW CONVERGENCE VALUE= .3981E-01 CRITERION= .1701 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 6 COMPLETED. CUM ITER = 105
 *** TIME = .181314E+08 TIME INC = 392089.
 *** RESPONSE EIGENVALUE = .1325E-05 OSCILLATION LIMIT = .5194
 *** AUTO STEP TIME: NEXT TIME INC = .39209E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 115.9 CRITERION= .2058
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3144
 HT FLOW CONVERGENCE VALUE= .2031 CRITERION= .1700
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7056E-01
 HT FLOW CONVERGENCE VALUE= .3890E-01 CRITERION= .1700 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 7 COMPLETED. CUM ITER = 107
 *** TIME = .185235E+08 TIME INC = 392089.
 *** RESPONSE EIGENVALUE = .8854E-06 OSCILLATION LIMIT = .3472
 *** AUTO TIME STEP: NEXT TIME INC = .20557E+06 DECREASED (FACTOR = .5243)

HT FLOW CONVERGENCE VALUE= 60.78 CRITERION= .1805
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1649
 HT FLOW CONVERGENCE VALUE= .1076 CRITERION= .1700 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 8 COMPLETED. CUM ITER = 108
 *** TIME = .187290E+08 TIME INC = 205568.
 *** RESPONSE EIGENVALUE = .7053E-06 OSCILLATION LIMIT = .1450
 *** AUTO STEP TIME: NEXT TIME INC = .20557E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 60.84 CRITERION= .1805
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1649
 HT FLOW CONVERGENCE VALUE= .1010 CRITERION= .1699 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 9 SUBSTEP 9 COMPLETED. CUM ITER = 109
 *** TIME = .189346E+08 TIME INC = 205568.

*** RESPONSE EIGENVALUE = .4366E-06 OSCILLATION LIMIT = .8975E-01

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:31:50 MAR 25, 1995 CP= 6554.740
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 52.70 CRITERION= .1779
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1428
 HT FLOW CONVERGENCE VALUE= .8468E-01 CRITERION= .1699 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 1 COMPLETED. CUM ITER = 110
 *** TIME = .191402E+08 TIME INC = 205568.
 *** RESPONSE EIGENVALUE = .2335E-05 OSCILLATION LIMIT = .4800
 *** AUTO STEP TIME: NEXT TIME INC = .20557E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 52.75 CRITERION= .1779
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1428
 HT FLOW CONVERGENCE VALUE= .8391E-01 CRITERION= .1698 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 2 COMPLETED. CUM ITER = 111
 *** TIME = .193457E+08 TIME INC = 205568.
 *** RESPONSE EIGENVALUE = .9851E-06 OSCILLATION LIMIT = .2025
 *** AUTO TIME STEP: NEXT TIME INC = .50756E+06 INCREASED (FACTOR = 2.4691)

HT FLOW CONVERGENCE VALUE= 130.2 CRITERION= .2140
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3527
 HT FLOW CONVERGENCE VALUE= .2208 CRITERION= .1698
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7935E-01
 HT FLOW CONVERGENCE VALUE= .4574E-01 CRITERION= .1697 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 10 SUBSTEP 3 COMPLETED. CUM ITER = 113
 *** TIME = .198533E+08 TIME INC = 507563.
 *** RESPONSE EIGENVALUE = .1935E-05 OSCILLATION LIMIT = .9819
 *** AUTO TIME STEP: NEXT TIME INC = .25846E+06 DECREASED (FACTOR = .5092)

HT FLOW CONVERGENCE VALUE= 66.36 CRITERION= .1822
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1796
 HT FLOW CONVERGENCE VALUE= .1119 CRITERION= .1696 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 4 COMPLETED. CUM ITER = 114
 *** TIME = .201118E+08 TIME INC = 258461.
 *** RESPONSE EIGENVALUE = .6738E-06 OSCILLATION LIMIT = .1741
 *** AUTO STEP TIME: NEXT TIME INC = .25846E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 66.35 CRITERION= .1821
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1797
 HT FLOW CONVERGENCE VALUE= .1118 CRITERION= .1697 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 5 COMPLETED. CUM ITER = 115
 *** TIME = .203702E+08 TIME INC = 258461.
 *** RESPONSE EIGENVALUE = .9952E-06 OSCILLATION LIMIT = .2572
 *** AUTO TIME STEP: NEXT TIME INC = .50241E+06 INCREASED (FACTOR = 1.9438)

HT FLOW CONVERGENCE VALUE= 129.0 CRITERION= .2131
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3491
 HT FLOW CONVERGENCE VALUE= .2113 CRITERION= .1696
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7521E-01
 HT FLOW CONVERGENCE VALUE= .4440E-01 CRITERION= .1694 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 10 SUBSTEP 6 COMPLETED. CUM ITER = 117
 *** TIME = .208726E+08 TIME INC = 502405.
 *** RESPONSE EIGENVALUE = .1984E-05 OSCILLATION LIMIT = .9967
 *** AUTO TIME STEP: NEXT TIME INC = .25204E+06 DECREASED (FACTOR = .5017)

HT FLOW CONVERGENCE VALUE= 64.75 CRITERION= .1814
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1751
 HT FLOW CONVERGENCE VALUE= .1123 CRITERION= .1694 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 7 COMPLETED. CUM ITER = 118
 *** TIME = .211247E+08 TIME INC = 252042.
 *** RESPONSE EIGENVALUE = .7284E-06 OSCILLATION LIMIT = .1836
 *** AUTO STEP TIME: NEXT TIME INC = .25204E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 64.81 CRITERION= .1814
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1751
 HT FLOW CONVERGENCE VALUE= .1063 CRITERION= .1694 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 10 SUBSTEP 8 COMPLETED. CUM ITER = 119
 *** TIME = .213767E+08 TIME INC = 252042.
 *** RESPONSE EIGENVALUE = .6196E-06 OSCILLATION LIMIT = .1562
 *** AUTO TIME STEP: NEXT TIME INC = .71365E+06 INCREASED (FACTOR = 2.8315)

HT FLOW CONVERGENCE VALUE= 183.5 CRITERION= .2497
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4959
 HT FLOW CONVERGENCE VALUE= .3078 CRITERION= .1694
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1148
 HT FLOW CONVERGENCE VALUE= .6546E-01 CRITERION= .1692 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 10 SUBSTEP 9 COMPLETED. CUM ITER = 121
 *** TIME = .220904E+08 TIME INC = 713651.
 *** RESPONSE EIGENVALUE = .2066E-05 OSCILLATION LIMIT = 1.474

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:47:16 MAR 25, 1995 CP= 7323.920
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 162.0 CRITERION= .2343
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4377
 HT FLOW CONVERGENCE VALUE= .2801 CRITERION= .1691
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1046
 HT FLOW CONVERGENCE VALUE= .5661E-01 CRITERION= .1690 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 11 SUBSTEP 1 COMPLETED. CUM ITER = 123
 *** TIME = .228040E+08 TIME INC = 713651.
 *** RESPONSE EIGENVALUE = .1219E-05 OSCILLATION LIMIT = .8697
 *** AUTO TIME STEP: NEXT TIME INC = .41029E+06 DECREASED (FACTOR = .5749)

HT FLOW CONVERGENCE VALUE= 93.19 CRITERION= .1930
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2516
 HT FLOW CONVERGENCE VALUE= .1599 CRITERION= .1690 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 2 COMPLETED. CUM ITER = 124
 *** TIME = .232143E+08 TIME INC = 410293.
 *** RESPONSE EIGENVALUE = .6730E-06 OSCILLATION LIMIT = .2761
 *** AUTO STEP TIME: NEXT TIME INC = .41029E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 93.27 CRITERION= .1930
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2516
 HT FLOW CONVERGENCE VALUE= .1504 CRITERION= .1689 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 11 SUBSTEP 3 COMPLETED. CUM ITER = 125
 *** TIME = .236246E+08 TIME INC = 410293.
 *** RESPONSE EIGENVALUE = .9407E-06 OSCILLATION LIMIT = .3860
 *** AUTO STEP TIME: NEXT TIME INC = .41029E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 93.27 CRITERION= .1930
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2516
 HT FLOW CONVERGENCE VALUE= .1459 CRITERION= .1688 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 4 COMPLETED. CUM ITER = 126
*** TIME = .240349E+08 TIME INC = 410293.
*** RESPONSE EIGENVALUE = .2127E-05 OSCILLATION LIMIT = .8727
*** AUTO TIME STEP: NEXT TIME INC = .23507E+06 DECREASED (FACTOR = .5729)

HT FLOW CONVERGENCE VALUE= 53.50 CRITERION= .1771
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1442
HT FLOW CONVERGENCE VALUE= .8179E-01 CRITERION= .1687 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 5 COMPLETED. CUM ITER = 127
*** TIME = .242700E+08 TIME INC = 235070.
*** RESPONSE EIGENVALUE = .1215E-05 OSCILLATION LIMIT = .2856
*** AUTO STEP TIME: NEXT TIME INC = .23507E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 53.47 CRITERION= .1770
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1442
HT FLOW CONVERGENCE VALUE= .8296E-01 CRITERION= .1687 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 6 COMPLETED. CUM ITER = 128
*** TIME = .245050E+08 TIME INC = 235070.
*** RESPONSE EIGENVALUE = .2349E-05 OSCILLATION LIMIT = .5522
*** AUTO STEP TIME: NEXT TIME INC = .23507E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 53.52 CRITERION= .1770
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1442
HT FLOW CONVERGENCE VALUE= .8494E-01 CRITERION= .1686 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 11 SUBSTEP 7 COMPLETED. CUM ITER = 129
*** TIME = .247401E+08 TIME INC = 235070.
*** RESPONSE EIGENVALUE = .9408E-06 OSCILLATION LIMIT = .2212
*** AUTO TIME STEP: NEXT TIME INC = .50602E+06 INCREASED (FACTOR = 2.1526)

HT FLOW CONVERGENCE VALUE= 115.2 CRITERION= .2042
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3103
HT FLOW CONVERGENCE VALUE= .1887 CRITERION= .1686
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6724E-01
HT FLOW CONVERGENCE VALUE= .3884E-01 CRITERION= .1685 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 8 COMPLETED. CUM ITER = 131
*** TIME = .252461E+08 TIME INC = 506020.
*** RESPONSE EIGENVALUE = .2184E-05 OSCILLATION LIMIT = 1.105

```

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 21:00:51 MAR 25, 1995 CP= 7980.460
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 102.8 CRITERION= .1974
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2768
HT FLOW CONVERGENCE VALUE= .1728 CRITERION= .1684
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6191E-01
HT FLOW CONVERGENCE VALUE= .3400E-01 CRITERION= .1683 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 12 SUBSTEP 1 COMPLETED. CUM ITER = 133
*** TIME = .257521E+08 TIME INC = 506020.
*** RESPONSE EIGENVALUE = .1580E-05 OSCILLATION LIMIT = .7997
*** AUTO TIME STEP: NEXT TIME INC = .31636E+06 DECREASED (FACTOR = .6252)

HT FLOW CONVERGENCE VALUE= 64.28 CRITERION= .1802
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1730
HT FLOW CONVERGENCE VALUE= .1089 CRITERION= .1683 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 2 COMPLETED. CUM ITER = 134
*** TIME = .260685E+08 TIME INC = 316363.

```

```

*** RESPONSE EIGENVALUE = .7415E-06  OSCILLATION LIMIT = .2346
*** AUTO STEP TIME: NEXT TIME INC = .31636E+06 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 64.34  CRITERION= .1802
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1730
    HT FLOW CONVERGENCE VALUE= .1021  CRITERION= .1683  <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 3 COMPLETED. CUM ITER = 135
*** TIME = .263849E+08  TIME INC = 316363.
*** RESPONSE EIGENVALUE = .1159E-05  OSCILLATION LIMIT = .3667
*** AUTO STEP TIME: NEXT TIME INC = .31636E+06 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 64.32  CRITERION= .1801
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1730
    HT FLOW CONVERGENCE VALUE= .9940E-01 CRITERION= .1682  <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 4 COMPLETED. CUM ITER = 136
*** TIME = .267012E+08  TIME INC = 316363.
*** RESPONSE EIGENVALUE = .2255E-05  OSCILLATION LIMIT = .7133
*** AUTO TIME STEP: NEXT TIME INC = .22177E+06 DECREASED (FACTOR = .7010)

    HT FLOW CONVERGENCE VALUE= 45.14  CRITERION= .1742
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1213
    HT FLOW CONVERGENCE VALUE= .6887E-01 CRITERION= .1681  <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 5 COMPLETED. CUM ITER = 137
*** TIME = .269230E+08  TIME INC = 221769.
*** RESPONSE EIGENVALUE = .1455E-05  OSCILLATION LIMIT = .3226
*** AUTO STEP TIME: NEXT TIME INC = .22177E+06 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 45.10  CRITERION= .1741
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1213
    HT FLOW CONVERGENCE VALUE= .6952E-01 CRITERION= .1681  <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 6 COMPLETED. CUM ITER = 138
*** TIME = .271448E+08  TIME INC = 221769.
*** RESPONSE EIGENVALUE = .2207E-05  OSCILLATION LIMIT = .4894
*** AUTO STEP TIME: NEXT TIME INC = .22177E+06 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 45.16  CRITERION= .1740
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1213
    HT FLOW CONVERGENCE VALUE= .7027E-01 CRITERION= .1680  <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 7 COMPLETED. CUM ITER = 139
*** TIME = .273665E+08  TIME INC = 221769.
*** RESPONSE EIGENVALUE = .1329E-05  OSCILLATION LIMIT = .2947
*** AUTO TIME STEP: NEXT TIME INC = .37628E+06 INCREASED (FACTOR = 1.6967)

    HT FLOW CONVERGENCE VALUE= 76.57  CRITERION= .1846
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2058
    HT FLOW CONVERGENCE VALUE= .1223  CRITERION= .1680  <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 8 COMPLETED. CUM ITER = 140
*** TIME = .277428E+08  TIME INC = 376277.
*** RESPONSE EIGENVALUE = .1429E-05  OSCILLATION LIMIT = .5377
*** AUTO STEP TIME: NEXT TIME INC = .37628E+06 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 76.64  CRITERION= .1846
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2058
    HT FLOW CONVERGENCE VALUE= .1196  CRITERION= .1679  <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 12 SUBSTEP 9 COMPLETED. CUM ITER = 141
*** TIME = .281191E+08  TIME INC = 376277.
*** RESPONSE EIGENVALUE = .1369E-05  OSCILLATION LIMIT = .5152
*** AUTO TIME STEP: NEXT TIME INC = .28279E+06 DECREASED (FACTOR = .7516)

    HT FLOW CONVERGENCE VALUE= 57.58  CRITERION= .1775
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1547
    HT FLOW CONVERGENCE VALUE= .8740E-01 CRITERION= .1678  <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 12 SUBSTEP 10 COMPLETED. CUM ITER = 142
 *** TIME = .284019E+08 TIME INC = 282791.
 *** RESPONSE EIGENVALUE = .2260E-05 OSCILLATION LIMIT = .6391
 Apply loads and solve for 1 to 9 years

*DO LOOP ON PARAMETER= TM FROM .31558E+08 TO .28402E+09 BY .31558E+08
 TIME= .31558E+08

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1
 6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.
 1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 5405.15278 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1
 218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6728 STEP 1
 5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 110.46 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP
 VALUES = 111.11 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
 LOAD LABELS = TEMP
 VALUES = 112.60 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
 CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 8737.690 TIME= 21:16:44
 Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
 procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:16:44 MAR 25, 1995 CP= 8737.690
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 13
 TIME AT END OF THE LOAD STEP.31558E+08
 AUTOMATIC TIME STEPPING ON
 INITIAL NUMBER OF SUBSTEPS 10
 MAXIMUM NUMBER OF SUBSTEPS 40
 MINIMUM NUMBER OF SUBSTEPS 4
 START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES

MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
 STEP CHANGE BOUNDARY CONDITIONS NO
 TRANSIENT (INERTIA) EFFECTS
 THERMAL DOFS ON
 TRANSIENT INTEGRATION PARAMETERS
 THETA.50000
 OSCILLATION LIMIT CRITERION.50000
 TOLERANCE.20000
 TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
 CONVERGENCE CONTROLS.USE DEFAULTS
 PRINT OUTPUT CONTROLSNO PRINTOUT
 DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
 FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 52.06 CRITERION= .1757
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1397
 HT FLOW CONVERGENCE VALUE= .7939E-01 CRITERION= .1678 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 1 COMPLETED. CUM ITER = 143
 *** TIME = .286847E+08 TIME INC = 282791.
 *** RESPONSE EIGENVALUE = .1761E-05 OSCILLATION LIMIT = .4980
 *** AUTO STEP TIME: NEXT TIME INC = .28279E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 52.02 CRITERION= .1756
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1397
 HT FLOW CONVERGENCE VALUE= .8010E-01 CRITERION= .1677 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 2 COMPLETED. CUM ITER = 144
 *** TIME = .289675E+08 TIME INC = 282791.
 *** RESPONSE EIGENVALUE = .1940E-05 OSCILLATION LIMIT = .5487
 *** AUTO STEP TIME: NEXT TIME INC = .28279E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 52.08 CRITERION= .1756
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1397
 HT FLOW CONVERGENCE VALUE= .7986E-01 CRITERION= .1676 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 3 COMPLETED. CUM ITER = 145
 *** TIME = .292502E+08 TIME INC = 282791.
 *** RESPONSE EIGENVALUE = .1728E-05 OSCILLATION LIMIT = .4887
 *** AUTO STEP TIME: NEXT TIME INC = .28279E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 52.04 CRITERION= .1755
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1397
 HT FLOW CONVERGENCE VALUE= .8012E-01 CRITERION= .1676 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 4 COMPLETED. CUM ITER = 146
 *** TIME = .295330E+08 TIME INC = 282791.
 *** RESPONSE EIGENVALUE = .1916E-05 OSCILLATION LIMIT = .5419
 *** AUTO STEP TIME: NEXT TIME INC = .28279E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 52.10 CRITERION= .1755
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1397
 HT FLOW CONVERGENCE VALUE= .7971E-01 CRITERION= .1675 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 5 COMPLETED. CUM ITER = 147
 *** TIME = .298158E+08 TIME INC = 282791.
 *** RESPONSE EIGENVALUE = .1763E-05 OSCILLATION LIMIT = .4985
 *** AUTO STEP TIME: NEXT TIME INC = .28279E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 52.07 CRITERION= .1754
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1397
 HT FLOW CONVERGENCE VALUE= .7993E-01 CRITERION= .1674 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 6 COMPLETED. CUM ITER = 148
 *** TIME = .300986E+08 TIME INC = 282791.
 *** RESPONSE EIGENVALUE = .1887E-05 OSCILLATION LIMIT = .5336
 *** AUTO STEP TIME: NEXT TIME INC = .28279E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 52.13 CRITERION= .1754

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1397
 HT FLOW CONVERGENCE VALUE= .7940E-01 CRITERION= .1674 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 7 COMPLETED. CUM ITER = 149
 *** TIME = .303814E+08 TIME INC = 282791.
 *** RESPONSE EIGENVALUE = .1773E-05 OSCILLATION LIMIT = .5013
 *** AUTO STEP TIME: NEXT TIME INC = .28279E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 52.09 CRITERION= .1753
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1397
 HT FLOW CONVERGENCE VALUE= .7978E-01 CRITERION= .1673 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 8 COMPLETED. CUM ITER = 150
 *** TIME = .306642E+08 TIME INC = 282791.
 *** RESPONSE EIGENVALUE = .1873E-05 OSCILLATION LIMIT = .5297
 *** AUTO STEP TIME: NEXT TIME INC = .28279E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 52.15 CRITERION= .1752
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1397
 HT FLOW CONVERGENCE VALUE= .7926E-01 CRITERION= .1672 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 9 COMPLETED. CUM ITER = 151
 *** TIME = .309470E+08 TIME INC = 282791.
 *** RESPONSE EIGENVALUE = .1776E-05 OSCILLATION LIMIT = .5022
 *** AUTO STEP TIME: NEXT TIME INC = .28279E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 52.11 CRITERION= .1752
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1397
 HT FLOW CONVERGENCE VALUE= .7958E-01 CRITERION= .1672 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 10 COMPLETED. CUM ITER = 152
 *** TIME = .312298E+08 TIME INC = 282791.
 *** RESPONSE EIGENVALUE = .1863E-05 OSCILLATION LIMIT = .5268
 *** AUTO TIME STEP: NEXT TIME INC = .16393E+06 DECREASED (FACTOR = .5797)

HT FLOW CONVERGENCE VALUE= 30.26 CRITERION= .1699
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8101E-01
 HT FLOW CONVERGENCE VALUE= .4448E-01 CRITERION= .1671 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 11 COMPLETED. CUM ITER = 153
 *** TIME = .313937E+08 TIME INC = 163925.
 *** RESPONSE EIGENVALUE = .2271E-05 OSCILLATION LIMIT = .3723
 *** AUTO STEP TIME: NEXT TIME INC = .16393E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 30.21 CRITERION= .1698
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8101E-01
 HT FLOW CONVERGENCE VALUE= .4539E-01 CRITERION= .1671 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 13 SUBSTEP 12 COMPLETED. CUM ITER = 154
 *** TIME = .315576E+08 TIME INC = 163925.
 *** RESPONSE EIGENVALUE = .2479E-05 OSCILLATION LIMIT = .4064

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:34:54 MAR 25, 1995 CP= 9596.250
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 90.09 CRITERION= .1898
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1417 CRITERION= .1670 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 1 COMPLETED. CUM ITER = 155
 *** TIME = .323466E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1710E-05 OSCILLATION LIMIT = 1.349
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.07 CRITERION= .1898
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1337 CRITERION= .1669 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 2 COMPLETED. CUM ITER = 156
 *** TIME = .331355E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3210E-05 OSCILLATION LIMIT = 2.532
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.16 CRITERION= .1897
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1337 CRITERION= .1668 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 3 COMPLETED. CUM ITER = 157
 *** TIME = .339245E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2708E-05 OSCILLATION LIMIT = 2.137
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.14 CRITERION= .1896
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1335 CRITERION= .1666 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 4 COMPLETED. CUM ITER = 158
 *** TIME = .347134E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2820E-05 OSCILLATION LIMIT = 2.225
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.23 CRITERION= .1894
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1333 CRITERION= .1665 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 5 COMPLETED. CUM ITER = 159
 *** TIME = .355023E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2744E-05 OSCILLATION LIMIT = 2.165
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.21 CRITERION= .1893
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1330 CRITERION= .1663 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 6 COMPLETED. CUM ITER = 160
 *** TIME = .362913E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2794E-05 OSCILLATION LIMIT = 2.204
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.30 CRITERION= .1892
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1328 CRITERION= .1662 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 7 COMPLETED. CUM ITER = 161
 *** TIME = .370802E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2759E-05 OSCILLATION LIMIT = 2.177
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.28 CRITERION= .1891
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1327 CRITERION= .1660 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 8 COMPLETED. CUM ITER = 162
 *** TIME = .378692E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2775E-05 OSCILLATION LIMIT = 2.189
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.37 CRITERION= .1890
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1324 CRITERION= .1659 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 14 SUBSTEP 9 COMPLETED. CUM ITER = 163
*** TIME = .386581E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2767E-05 OSCILLATION LIMIT = 2.183
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.35 CRITERION= .1889
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
HT FLOW CONVERGENCE VALUE= .1324 CRITERION= .1657 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 10 COMPLETED. CUM ITER = 164
*** TIME = .394470E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2762E-05 OSCILLATION LIMIT = 2.179
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.44 CRITERION= .1888
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
HT FLOW CONVERGENCE VALUE= .1321 CRITERION= .1656 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 11 COMPLETED. CUM ITER = 165
*** TIME = .402360E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2770E-05 OSCILLATION LIMIT = 2.186
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.42 CRITERION= .1886
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
HT FLOW CONVERGENCE VALUE= .1320 CRITERION= .1654 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 12 COMPLETED. CUM ITER = 166
*** TIME = .410249E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2753E-05 OSCILLATION LIMIT = 2.172
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.51 CRITERION= .1885
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
HT FLOW CONVERGENCE VALUE= .1317 CRITERION= .1653 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 13 COMPLETED. CUM ITER = 167
*** TIME = .418139E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2771E-05 OSCILLATION LIMIT = 2.186
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.49 CRITERION= .1884
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
HT FLOW CONVERGENCE VALUE= .1318 CRITERION= .1651 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 14 COMPLETED. CUM ITER = 168
*** TIME = .426028E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2746E-05 OSCILLATION LIMIT = 2.166
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.58 CRITERION= .1883
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
HT FLOW CONVERGENCE VALUE= .1314 CRITERION= .1650 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 15 COMPLETED. CUM ITER = 169
*** TIME = .433917E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2769E-05 OSCILLATION LIMIT = 2.185
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.56 CRITERION= .1882
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
HT FLOW CONVERGENCE VALUE= .1315 CRITERION= .1648 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 16 COMPLETED. CUM ITER = 170
*** TIME = .441807E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2740E-05 OSCILLATION LIMIT = 2.161
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.65 CRITERION= .1881
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411

```

HT FLOW CONVERGENCE VALUE= .1311 CRITERION= .1647 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 17 COMPLETED. CUM ITER = 171
 *** TIME = .449696E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2767E-05 OSCILLATION LIMIT = 2.183
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.63 CRITERION= .1880
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1311 CRITERION= .1645 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 18 COMPLETED. CUM ITER = 172
 *** TIME = .457586E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2734E-05 OSCILLATION LIMIT = 2.157
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.72 CRITERION= .1879
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1307 CRITERION= .1644 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 19 COMPLETED. CUM ITER = 173
 *** TIME = .465475E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2763E-05 OSCILLATION LIMIT = 2.180
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.70 CRITERION= .1877
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1307 CRITERION= .1642 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 20 COMPLETED. CUM ITER = 174
 *** TIME = .473364E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2730E-05 OSCILLATION LIMIT = 2.154
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.79 CRITERION= .1876
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1303 CRITERION= .1641 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 21 COMPLETED. CUM ITER = 175
 *** TIME = .481254E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2760E-05 OSCILLATION LIMIT = 2.178
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.77 CRITERION= .1875
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1304 CRITERION= .1639 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 22 COMPLETED. CUM ITER = 176
 *** TIME = .489143E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2726E-05 OSCILLATION LIMIT = 2.151
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.86 CRITERION= .1874
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1300 CRITERION= .1638 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 23 COMPLETED. CUM ITER = 177
 *** TIME = .497033E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2756E-05 OSCILLATION LIMIT = 2.175
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.84 CRITERION= .1873
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1301 CRITERION= .1636 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 24 COMPLETED. CUM ITER = 178
 *** TIME = .504922E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2722E-05 OSCILLATION LIMIT = 2.147
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.93 CRITERION= .1872
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1298 CRITERION= .1635 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 25 COMPLETED. CUM ITER = 179
 *** TIME = .512811E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2752E-05 OSCILLATION LIMIT = 2.171
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.91 CRITERION= .1871
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1298 CRITERION= .1633 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 26 COMPLETED. CUM ITER = 180
 *** TIME = .520701E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2718E-05 OSCILLATION LIMIT = 2.144
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.00 CRITERION= .1870
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1294 CRITERION= .1632 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 27 COMPLETED. CUM ITER = 181
 *** TIME = .528590E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2749E-05 OSCILLATION LIMIT = 2.168
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.98 CRITERION= .1868
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1292 CRITERION= .1630 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 28 COMPLETED. CUM ITER = 182
 *** TIME = .536480E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2715E-05 OSCILLATION LIMIT = 2.142
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.07 CRITERION= .1867
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1288 CRITERION= .1629 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 29 COMPLETED. CUM ITER = 183
 *** TIME = .544369E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2745E-05 OSCILLATION LIMIT = 2.166
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.05 CRITERION= .1866
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1285 CRITERION= .1627 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 30 COMPLETED. CUM ITER = 184
 *** TIME = .552258E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2712E-05 OSCILLATION LIMIT = 2.140
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.15 CRITERION= .1865
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1274 CRITERION= .1626 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 31 COMPLETED. CUM ITER = 185
 *** TIME = .560148E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2743E-05 OSCILLATION LIMIT = 2.164
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.12 CRITERION= .1864
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1270 CRITERION= .1624 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 32 COMPLETED. CUM ITER = 186
 *** TIME = .568037E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2710E-05 OSCILLATION LIMIT = 2.138

```

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 91.22      CRITERION= .1863
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
  HT FLOW CONVERGENCE VALUE= .1263      CRITERION= .1623    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 33 COMPLETED. CUM ITER = 187
*** TIME = .575927E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2742E-05 OSCILLATION LIMIT = 2.163
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 91.19      CRITERION= .1862
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
  HT FLOW CONVERGENCE VALUE= .1258      CRITERION= .1621    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 34 COMPLETED. CUM ITER = 188
*** TIME = .583816E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2708E-05 OSCILLATION LIMIT = 2.137
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 91.29      CRITERION= .1861
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
  HT FLOW CONVERGENCE VALUE= .1241      CRITERION= .1620    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 35 COMPLETED. CUM ITER = 189
*** TIME = .591705E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2741E-05 OSCILLATION LIMIT = 2.163
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 91.26      CRITERION= .1859
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
  HT FLOW CONVERGENCE VALUE= .1237      CRITERION= .1618    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 36 COMPLETED. CUM ITER = 190
*** TIME = .599595E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2708E-05 OSCILLATION LIMIT = 2.137
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 91.36      CRITERION= .1858
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
  HT FLOW CONVERGENCE VALUE= .1230      CRITERION= .1617    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 37 COMPLETED. CUM ITER = 191
*** TIME = .607484E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2742E-05 OSCILLATION LIMIT = 2.163
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 91.33      CRITERION= .1857
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
  HT FLOW CONVERGENCE VALUE= .1222      CRITERION= .1616    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 38 COMPLETED. CUM ITER = 192
*** TIME = .615374E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2707E-05 OSCILLATION LIMIT = 2.135
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 91.43      CRITERION= .1856
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
  HT FLOW CONVERGENCE VALUE= .1216      CRITERION= .1614    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 39 COMPLETED. CUM ITER = 193
*** TIME = .623263E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2740E-05 OSCILLATION LIMIT = 2.162
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

  HT FLOW CONVERGENCE VALUE= 91.41      CRITERION= .1855
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
  HT FLOW CONVERGENCE VALUE= .1216      CRITERION= .1613    <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 40 COMPLETED. CUM ITER = 194

```

*** TIME = .631152E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2703E-05 OSCILLATION LIMIT = 2.133

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:34:54 MAR 25, 1995 CP= 12444.610
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 48.07 CRITERION= .1683
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6357E-01 CRITERION= .1611 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 1 COMPLETED. CUM ITER = 195
 *** TIME = .639042E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7328E-05 OSCILLATION LIMIT = 5.782
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.01 CRITERION= .1681
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6275E-01 CRITERION= .1609 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 2 COMPLETED. CUM ITER = 196
 *** TIME = .646931E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6986E-05 OSCILLATION LIMIT = 5.512
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.09 CRITERION= .1680
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6246E-01 CRITERION= .1609 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 3 COMPLETED. CUM ITER = 197
 *** TIME = .654821E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5193E-05 OSCILLATION LIMIT = 4.097
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.03 CRITERION= .1679
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6258E-01 CRITERION= .1607 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 4 COMPLETED. CUM ITER = 198
 *** TIME = .662710E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .7011E-05 OSCILLATION LIMIT = 5.531
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.11 CRITERION= .1677
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6228E-01 CRITERION= .1606 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 5 COMPLETED. CUM ITER = 199
 *** TIME = .670599E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5603E-05 OSCILLATION LIMIT = 4.420
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.05 CRITERION= .1676
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6240E-01 CRITERION= .1604 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 6 COMPLETED. CUM ITER = 200
 *** TIME = .678489E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6645E-05 OSCILLATION LIMIT = 5.243
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.12 CRITERION= .1675
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6213E-01 CRITERION= .1603 <<< CONVERGED


```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 7 COMPLETED. CUM ITER = 201
*** TIME = .686378E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5875E-05 OSCILLATION LIMIT = 4.635
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.07 CRITERION= .1674
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6225E-01 CRITERION= .1602 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 8 COMPLETED. CUM ITER = 202
*** TIME = .694268E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6418E-05 OSCILLATION LIMIT = 5.063
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.14 CRITERION= .1672
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6199E-01 CRITERION= .1601 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 9 COMPLETED. CUM ITER = 203
*** TIME = .702157E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6047E-05 OSCILLATION LIMIT = 4.771
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.09 CRITERION= .1671
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6211E-01 CRITERION= .1599 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 10 COMPLETED. CUM ITER = 204
*** TIME = .710046E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6274E-05 OSCILLATION LIMIT = 4.950
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.16 CRITERION= .1670
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6186E-01 CRITERION= .1598 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 11 COMPLETED. CUM ITER = 205
*** TIME = .717936E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6155E-05 OSCILLATION LIMIT = 4.856
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.11 CRITERION= .1669
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6195E-01 CRITERION= .1597 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 12 COMPLETED. CUM ITER = 206
*** TIME = .725825E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6184E-05 OSCILLATION LIMIT = 4.879
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.18 CRITERION= .1668
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6170E-01 CRITERION= .1596 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 13 COMPLETED. CUM ITER = 207
*** TIME = .733715E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6221E-05 OSCILLATION LIMIT = 4.908
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.13 CRITERION= .1667
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6182E-01 CRITERION= .1594 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 14 COMPLETED. CUM ITER = 208
*** TIME = .741604E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6126E-05 OSCILLATION LIMIT = 4.833
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.20 CRITERION= .1665

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6157E-01 CRITERION= .1593 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 15 COMPLETED. CUM ITER = 209
*** TIME = .749493E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6261E-05 OSCILLATION LIMIT = 4.939
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.15 CRITERION= .1664
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6168E-01 CRITERION= .1592 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 16 COMPLETED. CUM ITER = 210
*** TIME = .757383E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6090E-05 OSCILLATION LIMIT = 4.805
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.22 CRITERION= .1663
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6144E-01 CRITERION= .1591 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 17 COMPLETED. CUM ITER = 211
*** TIME = .765272E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6283E-05 OSCILLATION LIMIT = 4.957
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.17 CRITERION= .1662
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6156E-01 CRITERION= .1589 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 18 COMPLETED. CUM ITER = 212
*** TIME = .773162E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6067E-05 OSCILLATION LIMIT = 4.786
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.24 CRITERION= .1660
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6131E-01 CRITERION= .1588 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 19 COMPLETED. CUM ITER = 213
*** TIME = .781051E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6295E-05 OSCILLATION LIMIT = 4.967
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.19 CRITERION= .1659
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6143E-01 CRITERION= .1586 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 20 COMPLETED. CUM ITER = 214
*** TIME = .788940E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6052E-05 OSCILLATION LIMIT = 4.775
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.26 CRITERION= .1658
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6118E-01 CRITERION= .1585 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 21 COMPLETED. CUM ITER = 215
*** TIME = .796830E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6301E-05 OSCILLATION LIMIT = 4.971
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.21 CRITERION= .1657
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6130E-01 CRITERION= .1584 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 22 COMPLETED. CUM ITER = 216
*** TIME = .804719E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6042E-05 OSCILLATION LIMIT = 4.767
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 48.28 CRITERION= .1656
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6105E-01 CRITERION= .1583 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 23 COMPLETED. CUM ITER = 217
 *** TIME = .812609E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6302E-05 OSCILLATION LIMIT = 4.972
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.23 CRITERION= .1655
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6117E-01 CRITERION= .1581 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 24 COMPLETED. CUM ITER = 218
 *** TIME = .820498E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6036E-05 OSCILLATION LIMIT = 4.762
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.30 CRITERION= .1653
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6093E-01 CRITERION= .1580 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 25 COMPLETED. CUM ITER = 219
 *** TIME = .828387E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6300E-05 OSCILLATION LIMIT = 4.970
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.25 CRITERION= .1652
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6104E-01 CRITERION= .1579 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 26 COMPLETED. CUM ITER = 220
 *** TIME = .836277E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6032E-05 OSCILLATION LIMIT = 4.759
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.32 CRITERION= .1651
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6079E-01 CRITERION= .1578 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 27 COMPLETED. CUM ITER = 221
 *** TIME = .844166E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6296E-05 OSCILLATION LIMIT = 4.967
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.27 CRITERION= .1650
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6086E-01 CRITERION= .1576 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 28 COMPLETED. CUM ITER = 222
 *** TIME = .852056E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6028E-05 OSCILLATION LIMIT = 4.756
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.34 CRITERION= .1649
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6061E-01 CRITERION= .1575 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 29 COMPLETED. CUM ITER = 223
 *** TIME = .859945E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6292E-05 OSCILLATION LIMIT = 4.964
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.28 CRITERION= .1647
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6069E-01 CRITERION= .1574 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 30 COMPLETED. CUM ITER = 224
 *** TIME = .867834E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .6026E-05 OSCILLATION LIMIT = 4.754
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.36 CRITERION= .1646
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6045E-01 CRITERION= .1573 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 31 COMPLETED. CUM ITER = 225
 *** TIME = .875724E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6287E-05 OSCILLATION LIMIT = 4.960
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.30 CRITERION= .1645
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6057E-01 CRITERION= .1571 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 32 COMPLETED. CUM ITER = 226
 *** TIME = .883613E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6024E-05 OSCILLATION LIMIT = 4.753
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.38 CRITERION= .1644
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6033E-01 CRITERION= .1570 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 33 COMPLETED. CUM ITER = 227
 *** TIME = .891503E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6281E-05 OSCILLATION LIMIT = 4.955
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.32 CRITERION= .1643
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6044E-01 CRITERION= .1569 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 34 COMPLETED. CUM ITER = 228
 *** TIME = .899392E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6022E-05 OSCILLATION LIMIT = 4.751
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.40 CRITERION= .1641
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6020E-01 CRITERION= .1567 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 35 COMPLETED. CUM ITER = 229
 *** TIME = .907281E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6275E-05 OSCILLATION LIMIT = 4.951
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.34 CRITERION= .1640
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6031E-01 CRITERION= .1566 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 36 COMPLETED. CUM ITER = 230
 *** TIME = .915171E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6021E-05 OSCILLATION LIMIT = 4.750
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.42 CRITERION= .1639
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6007E-01 CRITERION= .1565 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 15 SUBSTEP 37 COMPLETED. CUM ITER = 231
 *** TIME = .923060E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6270E-05 OSCILLATION LIMIT = 4.946
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.36 CRITERION= .1638
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .6018E-01 CRITERION= .1563 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 15 SUBSTEP 38 COMPLETED. CUM ITER = 232
*** TIME = .930950E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6019E-05 OSCILLATION LIMIT = 4.749
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.43 CRITERION= .1637
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .5995E-01 CRITERION= .1562 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 39 COMPLETED. CUM ITER = 233
*** TIME = .938839E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6264E-05 OSCILLATION LIMIT = 4.942
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.38 CRITERION= .1635
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .6004E-01 CRITERION= .1561 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 40 COMPLETED. CUM ITER = 234
*** TIME = .946728E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6017E-05 OSCILLATION LIMIT = 4.747

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 23:35:02 MAR 25, 1995 CP= 15293.340
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 31.95 CRITERION= .1593
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .4035E-01 CRITERION= .1560 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 1 COMPLETED. CUM ITER = 235
*** TIME = .954618E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1023E-04 OSCILLATION LIMIT = 8.074
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.89 CRITERION= .1592
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .4002E-01 CRITERION= .1558 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 2 COMPLETED. CUM ITER = 236
*** TIME = .962507E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9687E-05 OSCILLATION LIMIT = 7.643
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.96 CRITERION= .1591
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .3947E-01 CRITERION= .1558 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 3 COMPLETED. CUM ITER = 237
*** TIME = .970397E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9209E-05 OSCILLATION LIMIT = 7.265
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.90 CRITERION= .1590
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .3990E-01 CRITERION= .1556 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 4 COMPLETED. CUM ITER = 238
*** TIME = .978286E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9749E-05 OSCILLATION LIMIT = 7.691
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.97 CRITERION= .1589
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01

```

HT FLOW CONVERGENCE VALUE= .3944E-01 CRITERION= .1555 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 5 COMPLETED. CUM ITER = 239
 *** TIME = .986175E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9434E-05 OSCILLATION LIMIT = 7.443
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.91 CRITERION= .1588
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3977E-01 CRITERION= .1554 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 6 COMPLETED. CUM ITER = 240
 *** TIME = .994065E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9568E-05 OSCILLATION LIMIT = 7.549
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.98 CRITERION= .1586
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3940E-01 CRITERION= .1553 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 7 COMPLETED. CUM ITER = 241
 *** TIME = .100195E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9580E-05 OSCILLATION LIMIT = 7.558
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.92 CRITERION= .1586
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3967E-01 CRITERION= .1552 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 8 COMPLETED. CUM ITER = 242
 *** TIME = .100984E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9455E-05 OSCILLATION LIMIT = 7.460
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.99 CRITERION= .1584
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3935E-01 CRITERION= .1551 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 9 COMPLETED. CUM ITER = 243
 *** TIME = .101773E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9672E-05 OSCILLATION LIMIT = 7.630
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.93 CRITERION= .1583
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3958E-01 CRITERION= .1550 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 10 COMPLETED. CUM ITER = 244
 *** TIME = .102562E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9385E-05 OSCILLATION LIMIT = 7.404
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.00 CRITERION= .1582
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3928E-01 CRITERION= .1549 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 11 COMPLETED. CUM ITER = 245
 *** TIME = .103351E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9728E-05 OSCILLATION LIMIT = 7.674
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.93 CRITERION= .1581
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3949E-01 CRITERION= .1547 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 12 COMPLETED. CUM ITER = 246
 *** TIME = .104140E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9342E-05 OSCILLATION LIMIT = 7.370
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.00 CRITERION= .1580
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3922E-01 CRITERION= .1547 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 13 COMPLETED. CUM ITER = 247
 *** TIME = .104929E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9761E-05 OSCILLATION LIMIT = 7.701
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.94 CRITERION= .1579
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3941E-01 CRITERION= .1545 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 14 COMPLETED. CUM ITER = 248
 *** TIME = .105718E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9316E-05 OSCILLATION LIMIT = 7.350
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.01 CRITERION= .1578
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3915E-01 CRITERION= .1544 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 15 COMPLETED. CUM ITER = 249
 *** TIME = .106507E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9780E-05 OSCILLATION LIMIT = 7.716
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.95 CRITERION= .1577
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3933E-01 CRITERION= .1543 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 16 COMPLETED. CUM ITER = 250
 *** TIME = .107296E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9301E-05 OSCILLATION LIMIT = 7.338
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.02 CRITERION= .1576
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3908E-01 CRITERION= .1542 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 17 COMPLETED. CUM ITER = 251
 *** TIME = .108085E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9791E-05 OSCILLATION LIMIT = 7.724
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.96 CRITERION= .1575
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3926E-01 CRITERION= .1541 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 18 COMPLETED. CUM ITER = 252
 *** TIME = .108874E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9293E-05 OSCILLATION LIMIT = 7.331
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.03 CRITERION= .1574
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3901E-01 CRITERION= .1540 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 19 COMPLETED. CUM ITER = 253
 *** TIME = .109663E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9795E-05 OSCILLATION LIMIT = 7.728
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.97 CRITERION= .1573
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3918E-01 CRITERION= .1539 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 20 COMPLETED. CUM ITER = 254
 *** TIME = .110452E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9289E-05 OSCILLATION LIMIT = 7.328

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.04 CRITERION= .1571
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3894E-01 CRITERION= .1538 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 21 COMPLETED. CUM ITER = 255
 *** TIME = .111241E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9796E-05 OSCILLATION LIMIT = 7.729
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.98 CRITERION= .1571
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3910E-01 CRITERION= .1536 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 22 COMPLETED. CUM ITER = 256
 *** TIME = .112030E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9288E-05 OSCILLATION LIMIT = 7.327
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.05 CRITERION= .1569
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3887E-01 CRITERION= .1536 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 23 COMPLETED. CUM ITER = 257
 *** TIME = .112818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9795E-05 OSCILLATION LIMIT = 7.728
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.98 CRITERION= .1568
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3902E-01 CRITERION= .1534 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 24 COMPLETED. CUM ITER = 258
 *** TIME = .113607E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9288E-05 OSCILLATION LIMIT = 7.328
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.05 CRITERION= .1567
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3876E-01 CRITERION= .1533 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 25 COMPLETED. CUM ITER = 259
 *** TIME = .114396E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9793E-05 OSCILLATION LIMIT = 7.726
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.99 CRITERION= .1566
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3892E-01 CRITERION= .1532 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 26 COMPLETED. CUM ITER = 260
 *** TIME = .115185E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9290E-05 OSCILLATION LIMIT = 7.329
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.06 CRITERION= .1565
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3867E-01 CRITERION= .1531 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 27 COMPLETED. CUM ITER = 261
 *** TIME = .115974E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9790E-05 OSCILLATION LIMIT = 7.723
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.00 CRITERION= .1564
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .3883E-01 CRITERION= .1530 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 28 COMPLETED. CUM ITER = 262


```

*** TIME = .116763E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9292E-05    OSCILLATION LIMIT = 7.331
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.07    CRITERION= .1563
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .3859E-01    CRITERION= .1529    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 29 COMPLETED. CUM ITER = 263
*** TIME = .117552E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9786E-05    OSCILLATION LIMIT = 7.721
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.01    CRITERION= .1562
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .3874E-01    CRITERION= .1528    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 30 COMPLETED. CUM ITER = 264
*** TIME = .118341E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9294E-05    OSCILLATION LIMIT = 7.333
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.08    CRITERION= .1561
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .3851E-01    CRITERION= .1527    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 31 COMPLETED. CUM ITER = 265
*** TIME = .119130E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9782E-05    OSCILLATION LIMIT = 7.717
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.02    CRITERION= .1560
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .3865E-01    CRITERION= .1525    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 32 COMPLETED. CUM ITER = 266
*** TIME = .119919E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9297E-05    OSCILLATION LIMIT = 7.335
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.09    CRITERION= .1559
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .3843E-01    CRITERION= .1525    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 33 COMPLETED. CUM ITER = 267
*** TIME = .120708E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9778E-05    OSCILLATION LIMIT = 7.714
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.03    CRITERION= .1558
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .3858E-01    CRITERION= .1523    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 34 COMPLETED. CUM ITER = 268
*** TIME = .121497E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9299E-05    OSCILLATION LIMIT = 7.337
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.10    CRITERION= .1556
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .3835E-01    CRITERION= .1522    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 35 COMPLETED. CUM ITER = 269
*** TIME = .122286E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9774E-05    OSCILLATION LIMIT = 7.711
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.04    CRITERION= .1556
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .3849E-01    CRITERION= .1521    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 36 COMPLETED. CUM ITER = 270
*** TIME = .123075E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9302E-05 OSCILLATION LIMIT = 7.339
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.10 CRITERION= .1554
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .3825E-01 CRITERION= .1520 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 37 COMPLETED. CUM ITER = 271
*** TIME = .123864E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9770E-05 OSCILLATION LIMIT = 7.708
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.04 CRITERION= .1553
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .3839E-01 CRITERION= .1519 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 38 COMPLETED. CUM ITER = 272
*** TIME = .124653E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9304E-05 OSCILLATION LIMIT = 7.341
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.11 CRITERION= .1552
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .3815E-01 CRITERION= .1518 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 39 COMPLETED. CUM ITER = 273
*** TIME = .125441E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9766E-05 OSCILLATION LIMIT = 7.705
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.05 CRITERION= .1551
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .3827E-01 CRITERION= .1517 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 40 COMPLETED. CUM ITER = 274
*** TIME = .126230E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9307E-05 OSCILLATION LIMIT = 7.342

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 00:35:00 MAR 26, 1995 CP= 18142.400
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .1535
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .2860E-01 CRITERION= .1516 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 1 COMPLETED. CUM ITER = 275
*** TIME = .127019E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1190E-04 OSCILLATION LIMIT = 9.386
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.45 CRITERION= .1534
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .2840E-01 CRITERION= .1515 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 2 COMPLETED. CUM ITER = 276
*** TIME = .127808E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1114E-04 OSCILLATION LIMIT = 8.791
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .1533

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2803E-01 CRITERION= .1514 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 3 COMPLETED. CUM ITER = 277
 *** TIME = .128597E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1146E-04 OSCILLATION LIMIT = 9.039
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.45 CRITERION= .1532
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2834E-01 CRITERION= .1513 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 4 COMPLETED. CUM ITER = 278
 *** TIME = .129386E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1124E-04 OSCILLATION LIMIT = 8.868
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .1531
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2801E-01 CRITERION= .1512 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 5 COMPLETED. CUM ITER = 279
 *** TIME = .130175E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1156E-04 OSCILLATION LIMIT = 9.120
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.46 CRITERION= .1530
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2827E-01 CRITERION= .1511 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 6 COMPLETED. CUM ITER = 280
 *** TIME = .130964E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1116E-04 OSCILLATION LIMIT = 8.802
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .1529
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2798E-01 CRITERION= .1510 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 7 COMPLETED. CUM ITER = 281
 *** TIME = .131753E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1163E-04 OSCILLATION LIMIT = 9.174
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.46 CRITERION= .1528
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2821E-01 CRITERION= .1509 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 8 COMPLETED. CUM ITER = 282
 *** TIME = .132542E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1111E-04 OSCILLATION LIMIT = 8.762
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .1527
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2795E-01 CRITERION= .1509 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 9 COMPLETED. CUM ITER = 283
 *** TIME = .133331E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1167E-04 OSCILLATION LIMIT = 9.207
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.46 CRITERION= .1527
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2816E-01 CRITERION= .1507 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 10 COMPLETED. CUM ITER = 284
 *** TIME = .134120E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1108E-04 OSCILLATION LIMIT = 8.738
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .1526
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2791E-01 CRITERION= .1507 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 11 COMPLETED. CUM ITER = 285
 *** TIME = .134909E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1169E-04 OSCILLATION LIMIT = 9.226
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.47 CRITERION= .1525
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2808E-01 CRITERION= .1506 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 12 COMPLETED. CUM ITER = 286
 *** TIME = .135698E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1106E-04 OSCILLATION LIMIT = 8.724
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.54 CRITERION= .1524
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2783E-01 CRITERION= .1505 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 13 COMPLETED. CUM ITER = 287
 *** TIME = .136487E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1171E-04 OSCILLATION LIMIT = 9.237
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.47 CRITERION= .1523
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2800E-01 CRITERION= .1504 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 14 COMPLETED. CUM ITER = 288
 *** TIME = .137276E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1105E-04 OSCILLATION LIMIT = 8.717
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.54 CRITERION= .1522
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2777E-01 CRITERION= .1503 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 15 COMPLETED. CUM ITER = 289
 *** TIME = .138065E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1172E-04 OSCILLATION LIMIT = 9.243
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.48 CRITERION= .1521
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2795E-01 CRITERION= .1502 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 16 COMPLETED. CUM ITER = 290
 *** TIME = .138853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1105E-04 OSCILLATION LIMIT = 8.714
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .1520
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2773E-01 CRITERION= .1501 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 17 COMPLETED. CUM ITER = 291
 *** TIME = .139642E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1172E-04 OSCILLATION LIMIT = 9.245
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.48 CRITERION= .1520
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2790E-01 CRITERION= .1500 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 18 COMPLETED. CUM ITER = 292
 *** TIME = .140431E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1104E-04 OSCILLATION LIMIT = 8.714
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .1518
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2768E-01 CRITERION= .1500 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 19 COMPLETED. CUM ITER = 293
 *** TIME = .141220E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1172E-04 OSCILLATION LIMIT = 9.246
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.49 CRITERION= .1518
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2785E-01 CRITERION= .1498 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 20 COMPLETED. CUM ITER = 294
 *** TIME = .142009E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1105E-04 OSCILLATION LIMIT = 8.715
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .1517
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2764E-01 CRITERION= .1498 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 21 COMPLETED. CUM ITER = 295
 *** TIME = .142798E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1172E-04 OSCILLATION LIMIT = 9.245
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.49 CRITERION= .1516
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2780E-01 CRITERION= .1497 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 22 COMPLETED. CUM ITER = 296
 *** TIME = .143587E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1105E-04 OSCILLATION LIMIT = 8.717
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .1515
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2759E-01 CRITERION= .1496 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 23 COMPLETED. CUM ITER = 297
 *** TIME = .144376E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1172E-04 OSCILLATION LIMIT = 9.243
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.50 CRITERION= .1514
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2776E-01 CRITERION= .1495 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 24 COMPLETED. CUM ITER = 298
 *** TIME = .145165E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1105E-04 OSCILLATION LIMIT = 8.719
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .1513
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2755E-01 CRITERION= .1494 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 25 COMPLETED. CUM ITER = 299
 *** TIME = .145954E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1171E-04 OSCILLATION LIMIT = 9.241
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.50 CRITERION= .1512
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2771E-01 CRITERION= .1493 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 17 SUBSTEP 26 COMPLETED. CUM ITER = 300
*** TIME = .146743E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1106E-04 OSCILLATION LIMIT = 8.722
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.57 CRITERION= .1511
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .2751E-01 CRITERION= .1492 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 27 COMPLETED. CUM ITER = 301
*** TIME = .147532E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1171E-04 OSCILLATION LIMIT = 9.239
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.50 CRITERION= .1511
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .2767E-01 CRITERION= .1491 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 28 COMPLETED. CUM ITER = 302
*** TIME = .148321E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1106E-04 OSCILLATION LIMIT = 8.725
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.57 CRITERION= .1510
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .2747E-01 CRITERION= .1491 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 29 COMPLETED. CUM ITER = 303
*** TIME = .149110E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1171E-04 OSCILLATION LIMIT = 9.236
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .1509
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .2763E-01 CRITERION= .1489 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 30 COMPLETED. CUM ITER = 304
*** TIME = .149899E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1106E-04 OSCILLATION LIMIT = 8.728
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.58 CRITERION= .1508
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .2742E-01 CRITERION= .1489 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 31 COMPLETED. CUM ITER = 305
*** TIME = .150688E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1170E-04 OSCILLATION LIMIT = 9.234
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .1507
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .2756E-01 CRITERION= .1487 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 32 COMPLETED. CUM ITER = 306
*** TIME = .151477E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1107E-04 OSCILLATION LIMIT = 8.731
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.58 CRITERION= .1506
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .2735E-01 CRITERION= .1487 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 33 COMPLETED. CUM ITER = 307
*** TIME = .152265E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1170E-04 OSCILLATION LIMIT = 9.231
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .1505
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01

```

HT FLOW CONVERGENCE VALUE= .2749E-01 CRITERION= .1486 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 34 COMPLETED. CUM ITER = 308
 *** TIME = .153054E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1107E-04 OSCILLATION LIMIT = 8.734
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.59 CRITERION= .1504
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2727E-01 CRITERION= .1485 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 35 COMPLETED. CUM ITER = 309
 *** TIME = .153843E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1170E-04 OSCILLATION LIMIT = 9.229
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .1504
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2742E-01 CRITERION= .1484 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 36 COMPLETED. CUM ITER = 310
 *** TIME = .154632E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1107E-04 OSCILLATION LIMIT = 8.737
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.59 CRITERION= .1502
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2722E-01 CRITERION= .1483 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 37 COMPLETED. CUM ITER = 311
 *** TIME = .155421E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1170E-04 OSCILLATION LIMIT = 9.227
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .1502
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2737E-01 CRITERION= .1482 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 38 COMPLETED. CUM ITER = 312
 *** TIME = .156210E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1108E-04 OSCILLATION LIMIT = 8.740
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.60 CRITERION= .1501
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2717E-01 CRITERION= .1481 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 39 COMPLETED. CUM ITER = 313
 *** TIME = .156999E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1169E-04 OSCILLATION LIMIT = 9.224
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .1500
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2732E-01 CRITERION= .1480 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 40 COMPLETED. CUM ITER = 314
 *** TIME = .157788E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1108E-04 OSCILLATION LIMIT = 8.743

***** ANSYS SOLVE COMMAND *****

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 01:35:06 MAR 26, 1995 CP= 20993.390
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 17.77 CRITERION= .1491
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4698E-01
 HT FLOW CONVERGENCE VALUE= .2376E-01 CRITERION= .1480 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 1 COMPLETED. CUM ITER = 315
 *** TIME = .158577E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1794E-04 OSCILLATION LIMIT = 14.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.70 CRITERION= .1490
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4668E-01
 HT FLOW CONVERGENCE VALUE= .2409E-01 CRITERION= .1478 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 2 COMPLETED. CUM ITER = 316
 *** TIME = .159366E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1710E-04 OSCILLATION LIMIT = 13.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.77 CRITERION= .1489
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2304E-01 CRITERION= .1477 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 3 COMPLETED. CUM ITER = 317
 *** TIME = .160155E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1781E-04 OSCILLATION LIMIT = 14.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.70 CRITERION= .1488
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2388E-01 CRITERION= .1476 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 4 COMPLETED. CUM ITER = 318
 *** TIME = .160944E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1719E-04 OSCILLATION LIMIT = 13.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.77 CRITERION= .1486
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2312E-01 CRITERION= .1475 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 5 COMPLETED. CUM ITER = 319
 *** TIME = .161733E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1789E-04 OSCILLATION LIMIT = 14.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.71 CRITERION= .1486
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2373E-01 CRITERION= .1474 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 6 COMPLETED. CUM ITER = 320
 *** TIME = .162522E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1714E-04 OSCILLATION LIMIT = 13.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.77 CRITERION= .1484
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2316E-01 CRITERION= .1473 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 7 COMPLETED. CUM ITER = 321
 *** TIME = .163311E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1795E-04 OSCILLATION LIMIT = 14.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.71 CRITERION= .1484
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2362E-01 CRITERION= .1472 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 8 COMPLETED. CUM ITER = 322
 *** TIME = .164100E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1712E-04 OSCILLATION LIMIT = 13.50

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.78 CRITERION= .1482
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2317E-01 CRITERION= .1471 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 9 COMPLETED. CUM ITER = 323
 *** TIME = .164888E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1799E-04 OSCILLATION LIMIT = 14.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.71 CRITERION= .1481
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2353E-01 CRITERION= .1470 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 10 COMPLETED. CUM ITER = 324
 *** TIME = .165677E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1710E-04 OSCILLATION LIMIT = 13.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.78 CRITERION= .1480
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2316E-01 CRITERION= .1469 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 11 COMPLETED. CUM ITER = 325
 *** TIME = .166466E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1801E-04 OSCILLATION LIMIT = 14.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.71 CRITERION= .1479
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2346E-01 CRITERION= .1467 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 12 COMPLETED. CUM ITER = 326
 *** TIME = .167255E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1710E-04 OSCILLATION LIMIT = 13.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.78 CRITERION= .1478
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2314E-01 CRITERION= .1467 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 13 COMPLETED. CUM ITER = 327
 *** TIME = .168044E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1803E-04 OSCILLATION LIMIT = 14.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.72 CRITERION= .1477
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2340E-01 CRITERION= .1465 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 14 COMPLETED. CUM ITER = 328
 *** TIME = .168833E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1710E-04 OSCILLATION LIMIT = 13.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.78 CRITERION= .1476
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2311E-01 CRITERION= .1465 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 15 COMPLETED. CUM ITER = 329
 *** TIME = .169622E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1804E-04 OSCILLATION LIMIT = 14.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.72 CRITERION= .1475
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2335E-01 CRITERION= .1463 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 16 COMPLETED. CUM ITER = 330

```

*** TIME = .170411E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1711E-04    OSCILLATION LIMIT = 13.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.79    CRITERION= .1474
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .2308E-01    CRITERION= .1462    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 17 COMPLETED.    CUM ITER = 331
*** TIME = .171200E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1805E-04    OSCILLATION LIMIT = 14.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.72    CRITERION= .1473
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .2329E-01    CRITERION= .1461    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 18 COMPLETED.    CUM ITER = 332
*** TIME = .171989E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1712E-04    OSCILLATION LIMIT = 13.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.79    CRITERION= .1472
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .2304E-01    CRITERION= .1460    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 19 COMPLETED.    CUM ITER = 333
*** TIME = .172778E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1806E-04    OSCILLATION LIMIT = 14.25
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.72    CRITERION= .1471
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .2325E-01    CRITERION= .1459    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 20 COMPLETED.    CUM ITER = 334
*** TIME = .173567E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1713E-04    OSCILLATION LIMIT = 13.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.79    CRITERION= .1470
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .2300E-01    CRITERION= .1458    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 21 COMPLETED.    CUM ITER = 335
*** TIME = .174356E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1807E-04    OSCILLATION LIMIT = 14.25
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.73    CRITERION= .1469
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .2320E-01    CRITERION= .1457    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 22 COMPLETED.    CUM ITER = 336
*** TIME = .175145E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1714E-04    OSCILLATION LIMIT = 13.52
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.79    CRITERION= .1467
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .2296E-01    CRITERION= .1456    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 23 COMPLETED.    CUM ITER = 337
*** TIME = .175934E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1807E-04    OSCILLATION LIMIT = 14.26
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.73    CRITERION= .1467
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .2315E-01    CRITERION= .1455    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 24 COMPLETED. CUM ITER = 338
*** TIME = .176723E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1715E-04 OSCILLATION LIMIT = 13.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.80 CRITERION= .1465
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .2292E-01 CRITERION= .1454 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 25 COMPLETED. CUM ITER = 339
*** TIME = .177512E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1808E-04 OSCILLATION LIMIT = 14.26
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.73 CRITERION= .1464
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .2311E-01 CRITERION= .1452 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 26 COMPLETED. CUM ITER = 340
*** TIME = .178300E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1717E-04 OSCILLATION LIMIT = 13.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.80 CRITERION= .1463
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .2288E-01 CRITERION= .1452 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 27 COMPLETED. CUM ITER = 341
*** TIME = .179089E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1808E-04 OSCILLATION LIMIT = 14.27
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.73 CRITERION= .1462
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .2306E-01 CRITERION= .1450 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 28 COMPLETED. CUM ITER = 342
*** TIME = .179878E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1718E-04 OSCILLATION LIMIT = 13.55
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.80 CRITERION= .1461
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .2284E-01 CRITERION= .1449 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 29 COMPLETED. CUM ITER = 343
*** TIME = .180667E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1809E-04 OSCILLATION LIMIT = 14.27
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.74 CRITERION= .1460
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .2302E-01 CRITERION= .1448 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 30 COMPLETED. CUM ITER = 344
*** TIME = .181456E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1719E-04 OSCILLATION LIMIT = 13.56
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.80 CRITERION= .1459
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .2280E-01 CRITERION= .1447 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 31 COMPLETED. CUM ITER = 345
*** TIME = .182245E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1809E-04 OSCILLATION LIMIT = 14.27
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.74 CRITERION= .1458

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2297E-01 CRITERION= .1446 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 32 COMPLETED. CUM ITER = 346
 *** TIME = .183034E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1720E-04 OSCILLATION LIMIT = 13.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.81 CRITERION= .1457
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2275E-01 CRITERION= .1445 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 33 COMPLETED. CUM ITER = 347
 *** TIME = .183823E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1810E-04 OSCILLATION LIMIT = 14.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.74 CRITERION= .1456
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2293E-01 CRITERION= .1444 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 34 COMPLETED. CUM ITER = 348
 *** TIME = .184612E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1722E-04 OSCILLATION LIMIT = 13.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.81 CRITERION= .1455
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2271E-01 CRITERION= .1443 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 35 COMPLETED. CUM ITER = 349
 *** TIME = .185401E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1810E-04 OSCILLATION LIMIT = 14.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.74 CRITERION= .1454
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2288E-01 CRITERION= .1442 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 36 COMPLETED. CUM ITER = 350
 *** TIME = .186190E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1723E-04 OSCILLATION LIMIT = 13.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.81 CRITERION= .1453
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2267E-01 CRITERION= .1441 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 37 COMPLETED. CUM ITER = 351
 *** TIME = .186979E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1811E-04 OSCILLATION LIMIT = 14.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.75 CRITERION= .1452
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2284E-01 CRITERION= .1440 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 38 COMPLETED. CUM ITER = 352
 *** TIME = .187768E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1724E-04 OSCILLATION LIMIT = 13.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.81 CRITERION= .1450
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .2263E-01 CRITERION= .1439 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 39 COMPLETED. CUM ITER = 353
 *** TIME = .188557E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1811E-04 OSCILLATION LIMIT = 14.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 17.75 CRITERION= .1450
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .2280E-01 CRITERION= .1437 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 40 COMPLETED. CUM ITER = 354
*** TIME = .189346E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1725E-04 OSCILLATION LIMIT = 13.61

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 02:34:20 MAR 26, 1995 CP= 23840.350
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 13.49 CRITERION= .1444
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3726E-01
HT FLOW CONVERGENCE VALUE= .1793E-01 CRITERION= .1437 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 1 COMPLETED. CUM ITER = 355
*** TIME = .190135E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1776E-04 OSCILLATION LIMIT = 14.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 13.43 CRITERION= .1443
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
HT FLOW CONVERGENCE VALUE= .1745E-01 CRITERION= .1436 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 2 COMPLETED. CUM ITER = 356
*** TIME = .190924E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1730E-04 OSCILLATION LIMIT = 13.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 13.49 CRITERION= .1442
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3578E-01
HT FLOW CONVERGENCE VALUE= .1728E-01 CRITERION= .1435 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 3 COMPLETED. CUM ITER = 357
*** TIME = .191712E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1865E-04 OSCILLATION LIMIT = 14.71
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 13.43 CRITERION= .1441
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
HT FLOW CONVERGENCE VALUE= .1745E-01 CRITERION= .1434 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 4 COMPLETED. CUM ITER = 358
*** TIME = .192501E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1741E-04 OSCILLATION LIMIT = 13.74
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 13.50 CRITERION= .1440
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3573E-01
HT FLOW CONVERGENCE VALUE= .1725E-01 CRITERION= .1433 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 5 COMPLETED. CUM ITER = 359
*** TIME = .193290E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1863E-04 OSCILLATION LIMIT = 14.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 13.43 CRITERION= .1440
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
HT FLOW CONVERGENCE VALUE= .1743E-01 CRITERION= .1432 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 6 COMPLETED. CUM ITER = 360
*** TIME = .194079E+09 TIME INC = 788940.

```

*** RESPONSE EIGENVALUE = .1743E-04 OSCILLATION LIMIT = 13.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.50 CRITERION= .1439
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3570E-01
 HT FLOW CONVERGENCE VALUE= .1722E-01 CRITERION= .1432 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 7 COMPLETED. CUM ITER = 361
 *** TIME = .194868E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1863E-04 OSCILLATION LIMIT = 14.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.43 CRITERION= .1438
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1740E-01 CRITERION= .1431 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 8 COMPLETED. CUM ITER = 362
 *** TIME = .195657E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1744E-04 OSCILLATION LIMIT = 13.76
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.50 CRITERION= .1437
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3568E-01
 HT FLOW CONVERGENCE VALUE= .1720E-01 CRITERION= .1430 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 9 COMPLETED. CUM ITER = 363
 *** TIME = .196446E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1863E-04 OSCILLATION LIMIT = 14.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.43 CRITERION= .1436
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1738E-01 CRITERION= .1429 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 10 COMPLETED. CUM ITER = 364
 *** TIME = .197235E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1746E-04 OSCILLATION LIMIT = 13.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.50 CRITERION= .1435
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3566E-01
 HT FLOW CONVERGENCE VALUE= .1717E-01 CRITERION= .1428 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 11 COMPLETED. CUM ITER = 365
 *** TIME = .198024E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1863E-04 OSCILLATION LIMIT = 14.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.43 CRITERION= .1435
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1735E-01 CRITERION= .1427 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 12 COMPLETED. CUM ITER = 366
 *** TIME = .198813E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1747E-04 OSCILLATION LIMIT = 13.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.50 CRITERION= .1434
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3565E-01
 HT FLOW CONVERGENCE VALUE= .1715E-01 CRITERION= .1427 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 13 COMPLETED. CUM ITER = 367
 *** TIME = .199602E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1863E-04 OSCILLATION LIMIT = 14.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.44 CRITERION= .1433
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1733E-01 CRITERION= .1426 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 14 COMPLETED. CUM ITER = 368
 *** TIME = .200391E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1748E-04 OSCILLATION LIMIT = 13.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.50 CRITERION= .1432
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3563E-01
 HT FLOW CONVERGENCE VALUE= .1712E-01 CRITERION= .1425 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 15 COMPLETED. CUM ITER = 369
 *** TIME = .201180E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1863E-04 OSCILLATION LIMIT = 14.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.44 CRITERION= .1431
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1730E-01 CRITERION= .1424 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 16 COMPLETED. CUM ITER = 370
 *** TIME = .201969E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1749E-04 OSCILLATION LIMIT = 13.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.50 CRITERION= .1430
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3562E-01
 HT FLOW CONVERGENCE VALUE= .1710E-01 CRITERION= .1423 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 17 COMPLETED. CUM ITER = 371
 *** TIME = .202758E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1863E-04 OSCILLATION LIMIT = 14.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.44 CRITERION= .1430
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1727E-01 CRITERION= .1422 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 18 COMPLETED. CUM ITER = 372
 *** TIME = .203547E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1750E-04 OSCILLATION LIMIT = 13.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.51 CRITERION= .1429
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3561E-01
 HT FLOW CONVERGENCE VALUE= .1707E-01 CRITERION= .1422 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 19 COMPLETED. CUM ITER = 373
 *** TIME = .204335E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1863E-04 OSCILLATION LIMIT = 14.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.44 CRITERION= .1428
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1725E-01 CRITERION= .1421 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 20 COMPLETED. CUM ITER = 374
 *** TIME = .205124E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1751E-04 OSCILLATION LIMIT = 13.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.51 CRITERION= .1427
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3560E-01
 HT FLOW CONVERGENCE VALUE= .1705E-01 CRITERION= .1420 <<< CONVERGED

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 19 SUBSTEP 21 COMPLETED. CUM ITER = 375
 *** TIME = .205913E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1864E-04 OSCILLATION LIMIT = 14.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.44 CRITERION= .1426
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01

HT FLOW CONVERGENCE VALUE= .1722E-01 CRITERION= .1419 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 22 COMPLETED. CUM ITER = 376
 *** TIME = .206702E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1753E-04 OSCILLATION LIMIT = 13.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.51 CRITERION= .1425
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3559E-01
 HT FLOW CONVERGENCE VALUE= .1703E-01 CRITERION= .1419 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 23 COMPLETED. CUM ITER = 377
 *** TIME = .207491E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1864E-04 OSCILLATION LIMIT = 14.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.44 CRITERION= .1425
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1720E-01 CRITERION= .1417 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 24 COMPLETED. CUM ITER = 378
 *** TIME = .208280E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1754E-04 OSCILLATION LIMIT = 13.84
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.51 CRITERION= .1424
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3558E-01
 HT FLOW CONVERGENCE VALUE= .1700E-01 CRITERION= .1417 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 25 COMPLETED. CUM ITER = 379
 *** TIME = .209069E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1864E-04 OSCILLATION LIMIT = 14.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.44 CRITERION= .1423
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1717E-01 CRITERION= .1416 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 26 COMPLETED. CUM ITER = 380
 *** TIME = .209858E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1755E-04 OSCILLATION LIMIT = 13.84
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.51 CRITERION= .1422
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3557E-01
 HT FLOW CONVERGENCE VALUE= .1698E-01 CRITERION= .1415 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 27 COMPLETED. CUM ITER = 381
 *** TIME = .210647E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1864E-04 OSCILLATION LIMIT = 14.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.45 CRITERION= .1421
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1714E-01 CRITERION= .1414 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 28 COMPLETED. CUM ITER = 382
 *** TIME = .211436E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1756E-04 OSCILLATION LIMIT = 13.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.51 CRITERION= .1420
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3556E-01
 HT FLOW CONVERGENCE VALUE= .1695E-01 CRITERION= .1414 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 29 COMPLETED. CUM ITER = 383
 *** TIME = .212225E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1864E-04 OSCILLATION LIMIT = 14.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.45 CRITERION= .1420
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1712E-01 CRITERION= .1412 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 30 COMPLETED. CUM ITER = 384
 *** TIME = .213014E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1757E-04 OSCILLATION LIMIT = 13.86
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.51 CRITERION= .1419
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3555E-01
 HT FLOW CONVERGENCE VALUE= .1693E-01 CRITERION= .1412 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 31 COMPLETED. CUM ITER = 385
 *** TIME = .213803E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1865E-04 OSCILLATION LIMIT = 14.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.45 CRITERION= .1418
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1709E-01 CRITERION= .1411 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 32 COMPLETED. CUM ITER = 386
 *** TIME = .214592E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1758E-04 OSCILLATION LIMIT = 13.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.52 CRITERION= .1417
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3554E-01
 HT FLOW CONVERGENCE VALUE= .1690E-01 CRITERION= .1410 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 33 COMPLETED. CUM ITER = 387
 *** TIME = .215381E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1865E-04 OSCILLATION LIMIT = 14.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.45 CRITERION= .1417
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1706E-01 CRITERION= .1409 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 34 COMPLETED. CUM ITER = 388
 *** TIME = .216170E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1759E-04 OSCILLATION LIMIT = 13.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.52 CRITERION= .1415
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3553E-01
 HT FLOW CONVERGENCE VALUE= .1688E-01 CRITERION= .1409 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 35 COMPLETED. CUM ITER = 389
 *** TIME = .216959E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1865E-04 OSCILLATION LIMIT = 14.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.45 CRITERION= .1415
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1704E-01 CRITERION= .1407 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 36 COMPLETED. CUM ITER = 390
 *** TIME = .217747E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1760E-04 OSCILLATION LIMIT = 13.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.52 CRITERION= .1414
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3552E-01
 HT FLOW CONVERGENCE VALUE= .1685E-01 CRITERION= .1407 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 37 COMPLETED. CUM ITER = 391
 *** TIME = .218536E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1865E-04 OSCILLATION LIMIT = 14.72

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.45 CRITERION= .1413
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1701E-01 CRITERION= .1406 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 38 COMPLETED. CUM ITER = 392
 *** TIME = .219325E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1761E-04 OSCILLATION LIMIT = 13.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.52 CRITERION= .1412
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3551E-01
 HT FLOW CONVERGENCE VALUE= .1683E-01 CRITERION= .1405 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 39 COMPLETED. CUM ITER = 393
 *** TIME = .220114E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1866E-04 OSCILLATION LIMIT = 14.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.46 CRITERION= .1412
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1699E-01 CRITERION= .1404 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 40 COMPLETED. CUM ITER = 394
 *** TIME = .220903E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1762E-04 OSCILLATION LIMIT = 13.90

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 03:33:45 MAR 26, 1995 CP= 26690.280
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 11.68 CRITERION= .1409
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3608E-01
 HT FLOW CONVERGENCE VALUE= .1550E-01 CRITERION= .1404 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 1 COMPLETED. CUM ITER = 395
 *** TIME = .221692E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1892E-04 OSCILLATION LIMIT = 14.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.61 CRITERION= .1408
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3485E-01
 HT FLOW CONVERGENCE VALUE= .1551E-01 CRITERION= .1402 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 2 COMPLETED. CUM ITER = 396
 *** TIME = .222481E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1802E-04 OSCILLATION LIMIT = 14.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.68 CRITERION= .1407
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3525E-01
 HT FLOW CONVERGENCE VALUE= .1523E-01 CRITERION= .1402 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 3 COMPLETED. CUM ITER = 397
 *** TIME = .223270E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1924E-04 OSCILLATION LIMIT = 15.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.61 CRITERION= .1407
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3486E-01
 HT FLOW CONVERGENCE VALUE= .1548E-01 CRITERION= .1401 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 4 COMPLETED. CUM ITER = 398

```

*** TIME = .224059E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1807E-04    OSCILLATION LIMIT = 14.26
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.68    CRITERION= .1406
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3533E-01
    HT FLOW CONVERGENCE VALUE= .1523E-01    CRITERION= .1400    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 5 COMPLETED. CUM ITER = 399
*** TIME = .224848E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1924E-04    OSCILLATION LIMIT = 15.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.61    CRITERION= .1405
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3478E-01
    HT FLOW CONVERGENCE VALUE= .1544E-01    CRITERION= .1399    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 6 COMPLETED. CUM ITER = 400
*** TIME = .225637E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1808E-04    OSCILLATION LIMIT = 14.26
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.68    CRITERION= .1404
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3538E-01
    HT FLOW CONVERGENCE VALUE= .1522E-01    CRITERION= .1399    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 7 COMPLETED. CUM ITER = 401
*** TIME = .226426E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1925E-04    OSCILLATION LIMIT = 15.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.61    CRITERION= .1404
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3474E-01
    HT FLOW CONVERGENCE VALUE= .1541E-01    CRITERION= .1398    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 8 COMPLETED. CUM ITER = 402
*** TIME = .227215E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1808E-04    OSCILLATION LIMIT = 14.27
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.68    CRITERION= .1402
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3542E-01
    HT FLOW CONVERGENCE VALUE= .1520E-01    CRITERION= .1397    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 9 COMPLETED. CUM ITER = 403
*** TIME = .228004E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1925E-04    OSCILLATION LIMIT = 15.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.62    CRITERION= .1402
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3471E-01
    HT FLOW CONVERGENCE VALUE= .1539E-01    CRITERION= .1396    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 10 COMPLETED. CUM ITER = 404
*** TIME = .228793E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1809E-04    OSCILLATION LIMIT = 14.27
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.68    CRITERION= .1401
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3543E-01
    HT FLOW CONVERGENCE VALUE= .1519E-01    CRITERION= .1396    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 11 COMPLETED. CUM ITER = 405
*** TIME = .229582E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1925E-04    OSCILLATION LIMIT = 15.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.62    CRITERION= .1400
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3470E-01
    HT FLOW CONVERGENCE VALUE= .1536E-01    CRITERION= .1395    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 12 COMPLETED. CUM ITER = 406
*** TIME = .230371E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1810E-04 OSCILLATION LIMIT = 14.28
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.68 CRITERION= .1399
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3544E-01
HT FLOW CONVERGENCE VALUE= .1517E-01 CRITERION= .1394 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 13 COMPLETED. CUM ITER = 407
*** TIME = .231159E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1926E-04 OSCILLATION LIMIT = 15.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.62 CRITERION= .1399
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3469E-01
HT FLOW CONVERGENCE VALUE= .1534E-01 CRITERION= .1393 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 14 COMPLETED. CUM ITER = 408
*** TIME = .231948E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1811E-04 OSCILLATION LIMIT = 14.29
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.68 CRITERION= .1398
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3544E-01
HT FLOW CONVERGENCE VALUE= .1515E-01 CRITERION= .1393 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 15 COMPLETED. CUM ITER = 409
*** TIME = .232737E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1926E-04 OSCILLATION LIMIT = 15.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.62 CRITERION= .1397
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3468E-01
HT FLOW CONVERGENCE VALUE= .1532E-01 CRITERION= .1391 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 16 COMPLETED. CUM ITER = 410
*** TIME = .233526E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1812E-04 OSCILLATION LIMIT = 14.29
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.69 CRITERION= .1396
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3544E-01
HT FLOW CONVERGENCE VALUE= .1513E-01 CRITERION= .1391 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 17 COMPLETED. CUM ITER = 411
*** TIME = .234315E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1926E-04 OSCILLATION LIMIT = 15.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.62 CRITERION= .1396
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3468E-01
HT FLOW CONVERGENCE VALUE= .1529E-01 CRITERION= .1390 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 18 COMPLETED. CUM ITER = 412
*** TIME = .235104E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1813E-04 OSCILLATION LIMIT = 14.30
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.69 CRITERION= .1395
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3544E-01
HT FLOW CONVERGENCE VALUE= .1511E-01 CRITERION= .1389 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 19 COMPLETED. CUM ITER = 413
*** TIME = .235893E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1926E-04 OSCILLATION LIMIT = 15.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.62 CRITERION= .1394

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3468E-01
 HT FLOW CONVERGENCE VALUE= .1527E-01 CRITERION= .1388 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 20 COMPLETED. CUM ITER = 414
 *** TIME = .236682E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1814E-04 OSCILLATION LIMIT = 14.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.69 CRITERION= .1393
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3544E-01
 HT FLOW CONVERGENCE VALUE= .1509E-01 CRITERION= .1388 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 21 COMPLETED. CUM ITER = 415
 *** TIME = .237471E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1927E-04 OSCILLATION LIMIT = 15.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.62 CRITERION= .1393
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3468E-01
 HT FLOW CONVERGENCE VALUE= .1525E-01 CRITERION= .1387 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 22 COMPLETED. CUM ITER = 416
 *** TIME = .238260E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1815E-04 OSCILLATION LIMIT = 14.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.69 CRITERION= .1391
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3544E-01
 HT FLOW CONVERGENCE VALUE= .1507E-01 CRITERION= .1386 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 23 COMPLETED. CUM ITER = 417
 *** TIME = .239049E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1927E-04 OSCILLATION LIMIT = 15.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.62 CRITERION= .1391
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3468E-01
 HT FLOW CONVERGENCE VALUE= .1523E-01 CRITERION= .1385 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 24 COMPLETED. CUM ITER = 418
 *** TIME = .239838E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1816E-04 OSCILLATION LIMIT = 14.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.69 CRITERION= .1390
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3543E-01
 HT FLOW CONVERGENCE VALUE= .1505E-01 CRITERION= .1385 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 25 COMPLETED. CUM ITER = 419
 *** TIME = .240627E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1927E-04 OSCILLATION LIMIT = 15.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.62 CRITERION= .1389
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3468E-01
 HT FLOW CONVERGENCE VALUE= .1521E-01 CRITERION= .1384 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 26 COMPLETED. CUM ITER = 420
 *** TIME = .241416E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1816E-04 OSCILLATION LIMIT = 14.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.69 CRITERION= .1388
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3543E-01
 HT FLOW CONVERGENCE VALUE= .1503E-01 CRITERION= .1383 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 27 COMPLETED. CUM ITER = 421
 *** TIME = .242205E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1928E-04 OSCILLATION LIMIT = 15.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.63 CRITERION= .1388
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3468E-01
 HT FLOW CONVERGENCE VALUE= .1518E-01 CRITERION= .1382 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 28 COMPLETED. CUM ITER = 422
 *** TIME = .242994E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1817E-04 OSCILLATION LIMIT = 14.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.69 CRITERION= .1387
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3542E-01
 HT FLOW CONVERGENCE VALUE= .1501E-01 CRITERION= .1381 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 29 COMPLETED. CUM ITER = 423
 *** TIME = .243782E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1928E-04 OSCILLATION LIMIT = 15.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.63 CRITERION= .1386
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3468E-01
 HT FLOW CONVERGENCE VALUE= .1516E-01 CRITERION= .1380 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 30 COMPLETED. CUM ITER = 424
 *** TIME = .244571E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1818E-04 OSCILLATION LIMIT = 14.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.69 CRITERION= .1385
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3542E-01
 HT FLOW CONVERGENCE VALUE= .1499E-01 CRITERION= .1380 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 31 COMPLETED. CUM ITER = 425
 *** TIME = .245360E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1928E-04 OSCILLATION LIMIT = 15.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.63 CRITERION= .1385
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3468E-01
 HT FLOW CONVERGENCE VALUE= .1514E-01 CRITERION= .1379 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 32 COMPLETED. CUM ITER = 426
 *** TIME = .246149E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1819E-04 OSCILLATION LIMIT = 14.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.69 CRITERION= .1384
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3541E-01
 HT FLOW CONVERGENCE VALUE= .1497E-01 CRITERION= .1378 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 33 COMPLETED. CUM ITER = 427
 *** TIME = .246938E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1929E-04 OSCILLATION LIMIT = 15.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.63 CRITERION= .1383
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3469E-01
 HT FLOW CONVERGENCE VALUE= .1512E-01 CRITERION= .1377 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 34 COMPLETED. CUM ITER = 428
 *** TIME = .247727E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1820E-04 OSCILLATION LIMIT = 14.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.70 CRITERION= .1382
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3541E-01
 HT FLOW CONVERGENCE VALUE= .1495E-01 CRITERION= .1377 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 35 COMPLETED. CUM ITER = 429
 *** TIME = .248516E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1929E-04 OSCILLATION LIMIT = 15.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.63 CRITERION= .1382
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3469E-01
 HT FLOW CONVERGENCE VALUE= .1510E-01 CRITERION= .1376 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 36 COMPLETED. CUM ITER = 430
 *** TIME = .249305E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1821E-04 OSCILLATION LIMIT = 14.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.70 CRITERION= .1381
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3540E-01
 HT FLOW CONVERGENCE VALUE= .1493E-01 CRITERION= .1375 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 37 COMPLETED. CUM ITER = 431
 *** TIME = .250094E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1929E-04 OSCILLATION LIMIT = 15.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.63 CRITERION= .1380
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3469E-01
 HT FLOW CONVERGENCE VALUE= .1508E-01 CRITERION= .1374 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 38 COMPLETED. CUM ITER = 432
 *** TIME = .250883E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1822E-04 OSCILLATION LIMIT = 14.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.70 CRITERION= .1379
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3540E-01
 HT FLOW CONVERGENCE VALUE= .1491E-01 CRITERION= .1374 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 39 COMPLETED. CUM ITER = 433
 *** TIME = .251672E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1930E-04 OSCILLATION LIMIT = 15.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.63 CRITERION= .1378
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3469E-01
 HT FLOW CONVERGENCE VALUE= .1506E-01 CRITERION= .1372 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 40 COMPLETED. CUM ITER = 434
 *** TIME = .252461E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1823E-04 OSCILLATION LIMIT = 14.38

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 04:33:31 MAR 26, 1995 CP= 29539.290
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 4.100 CRITERION= .1373
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4673E-01
 HT FLOW CONVERGENCE VALUE= .1402E-01 CRITERION= .1372 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 1 COMPLETED. CUM ITER = 435
 *** TIME = .253250E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1351E-04 OSCILLATION LIMIT = 10.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.033 CRITERION= .1373
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4536E-01
 HT FLOW CONVERGENCE VALUE= .1371E-01 CRITERION= .1371 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 21 SUBSTEP 2 COMPLETED. CUM ITER = 436
*** TIME = .254039E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1321E-04 OSCILLATION LIMIT = 10.43
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.100 CRITERION= .1371
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4293E-01
HT FLOW CONVERGENCE VALUE= .1256E-01 CRITERION= .1371 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 3 COMPLETED. CUM ITER = 437
*** TIME = .254828E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1499E-04 OSCILLATION LIMIT = 11.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.033 CRITERION= .1371
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4506E-01
HT FLOW CONVERGENCE VALUE= .1353E-01 CRITERION= .1369 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 4 COMPLETED. CUM ITER = 438
*** TIME = .255617E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1344E-04 OSCILLATION LIMIT = 10.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.100 CRITERION= .1370
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4353E-01
HT FLOW CONVERGENCE VALUE= .1271E-01 CRITERION= .1369 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 5 COMPLETED. CUM ITER = 439
*** TIME = .256406E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1489E-04 OSCILLATION LIMIT = 11.75
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.033 CRITERION= .1370
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4459E-01
HT FLOW CONVERGENCE VALUE= .1339E-01 CRITERION= .1368 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 6 COMPLETED. CUM ITER = 440
*** TIME = .257194E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1348E-04 OSCILLATION LIMIT = 10.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.100 CRITERION= .1369
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4393E-01
HT FLOW CONVERGENCE VALUE= .1280E-01 CRITERION= .1368 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 7 COMPLETED. CUM ITER = 441
*** TIME = .257983E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1483E-04 OSCILLATION LIMIT = 11.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.033 CRITERION= .1368
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4430E-01
HT FLOW CONVERGENCE VALUE= .1330E-01 CRITERION= .1366 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 8 COMPLETED. CUM ITER = 442
*** TIME = .258772E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1351E-04 OSCILLATION LIMIT = 10.66
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.100 CRITERION= .1367
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4418E-01
HT FLOW CONVERGENCE VALUE= .1285E-01 CRITERION= .1366 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 9 COMPLETED. CUM ITER = 443
*** TIME = .259561E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1480E-04 OSCILLATION LIMIT = 11.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.033 CRITERION= .1367
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4411E-01

```



```

HT FLOW CONVERGENCE VALUE= .1323E-01 CRITERION= .1365 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 10 COMPLETED. CUM ITER = 444
*** TIME = .260350E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1353E-04 OSCILLATION LIMIT = 10.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.100 CRITERION= .1366
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4434E-01
HT FLOW CONVERGENCE VALUE= .1288E-01 CRITERION= .1365 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 11 COMPLETED. CUM ITER = 445
*** TIME = .261139E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1477E-04 OSCILLATION LIMIT = 11.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.033 CRITERION= .1365
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4400E-01
HT FLOW CONVERGENCE VALUE= .1319E-01 CRITERION= .1364 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 12 COMPLETED. CUM ITER = 446
*** TIME = .261928E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1354E-04 OSCILLATION LIMIT = 10.68
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.101 CRITERION= .1364
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4444E-01
HT FLOW CONVERGENCE VALUE= .1289E-01 CRITERION= .1363 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 13 COMPLETED. CUM ITER = 447
*** TIME = .262717E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1475E-04 OSCILLATION LIMIT = 11.64
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.033 CRITERION= .1364
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4394E-01
HT FLOW CONVERGENCE VALUE= .1315E-01 CRITERION= .1362 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 14 COMPLETED. CUM ITER = 448
*** TIME = .263506E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1355E-04 OSCILLATION LIMIT = 10.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.101 CRITERION= .1363
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4451E-01
HT FLOW CONVERGENCE VALUE= .1290E-01 CRITERION= .1362 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 15 COMPLETED. CUM ITER = 449
*** TIME = .264295E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1474E-04 OSCILLATION LIMIT = 11.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.034 CRITERION= .1362
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4390E-01
HT FLOW CONVERGENCE VALUE= .1313E-01 CRITERION= .1361 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 16 COMPLETED. CUM ITER = 450
*** TIME = .265084E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1356E-04 OSCILLATION LIMIT = 10.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.101 CRITERION= .1361
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4455E-01
HT FLOW CONVERGENCE VALUE= .1290E-01 CRITERION= .1360 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 17 COMPLETED. CUM ITER = 451
*** TIME = .265873E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1473E-04 OSCILLATION LIMIT = 11.62
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 4.034 CRITERION= .1361
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4389E-01
 HT FLOW CONVERGENCE VALUE= .1310E-01 CRITERION= .1359 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 18 COMPLETED. CUM ITER = 452
 *** TIME = .266662E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1357E-04 OSCILLATION LIMIT = 10.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.101 CRITERION= .1360
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4458E-01
 HT FLOW CONVERGENCE VALUE= .1290E-01 CRITERION= .1359 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 19 COMPLETED. CUM ITER = 453
 *** TIME = .267451E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1472E-04 OSCILLATION LIMIT = 11.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.034 CRITERION= .1359
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4388E-01
 HT FLOW CONVERGENCE VALUE= .1308E-01 CRITERION= .1358 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 20 COMPLETED. CUM ITER = 454
 *** TIME = .268240E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1358E-04 OSCILLATION LIMIT = 10.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.101 CRITERION= .1358
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4460E-01
 HT FLOW CONVERGENCE VALUE= .1289E-01 CRITERION= .1357 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 21 COMPLETED. CUM ITER = 455
 *** TIME = .269029E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1471E-04 OSCILLATION LIMIT = 11.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.034 CRITERION= .1358
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4389E-01
 HT FLOW CONVERGENCE VALUE= .1307E-01 CRITERION= .1356 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 22 COMPLETED. CUM ITER = 456
 *** TIME = .269818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1358E-04 OSCILLATION LIMIT = 10.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.101 CRITERION= .1357
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4461E-01
 HT FLOW CONVERGENCE VALUE= .1288E-01 CRITERION= .1356 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 23 COMPLETED. CUM ITER = 457
 *** TIME = .270606E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1470E-04 OSCILLATION LIMIT = 11.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.034 CRITERION= .1356
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4389E-01
 HT FLOW CONVERGENCE VALUE= .1305E-01 CRITERION= .1355 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 24 COMPLETED. CUM ITER = 458
 *** TIME = .271395E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1358E-04 OSCILLATION LIMIT = 10.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.101 CRITERION= .1355
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4463E-01
 HT FLOW CONVERGENCE VALUE= .1287E-01 CRITERION= .1354 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 25 COMPLETED. CUM ITER = 459
 *** TIME = .272184E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1469E-04 OSCILLATION LIMIT = 11.59

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.034 CRITERION= .1355
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4390E-01
 HT FLOW CONVERGENCE VALUE= .1304E-01 CRITERION= .1353 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 26 COMPLETED. CUM ITER = 460
 *** TIME = .272973E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1359E-04 OSCILLATION LIMIT = 10.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.101 CRITERION= .1354
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4463E-01
 HT FLOW CONVERGENCE VALUE= .1286E-01 CRITERION= .1353 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 27 COMPLETED. CUM ITER = 461
 *** TIME = .273762E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1469E-04 OSCILLATION LIMIT = 11.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.034 CRITERION= .1353
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4392E-01
 HT FLOW CONVERGENCE VALUE= .1302E-01 CRITERION= .1352 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 28 COMPLETED. CUM ITER = 462
 *** TIME = .274551E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1359E-04 OSCILLATION LIMIT = 10.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.102 CRITERION= .1352
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4464E-01
 HT FLOW CONVERGENCE VALUE= .1285E-01 CRITERION= .1351 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 29 COMPLETED. CUM ITER = 463
 *** TIME = .275340E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1468E-04 OSCILLATION LIMIT = 11.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.035 CRITERION= .1352
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4393E-01
 HT FLOW CONVERGENCE VALUE= .1301E-01 CRITERION= .1350 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 30 COMPLETED. CUM ITER = 464
 *** TIME = .276129E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1360E-04 OSCILLATION LIMIT = 10.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.102 CRITERION= .1351
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4465E-01
 HT FLOW CONVERGENCE VALUE= .1284E-01 CRITERION= .1350 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 31 COMPLETED. CUM ITER = 465
 *** TIME = .276918E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1468E-04 OSCILLATION LIMIT = 11.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.035 CRITERION= .1350
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4394E-01
 HT FLOW CONVERGENCE VALUE= .1299E-01 CRITERION= .1349 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 32 COMPLETED. CUM ITER = 466
 *** TIME = .277707E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1360E-04 OSCILLATION LIMIT = 10.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.102 CRITERION= .1349
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4465E-01
 HT FLOW CONVERGENCE VALUE= .1283E-01 CRITERION= .1348 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 33 COMPLETED. CUM ITER = 467

```

*** TIME = .278496E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1467E-04    OSCILLATION LIMIT = 11.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 4.035    CRITERION= .1349
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4396E-01
    HT FLOW CONVERGENCE VALUE= .1298E-01    CRITERION= .1347    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 34 COMPLETED.    CUM ITER = 468
*** TIME = .279285E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1360E-04    OSCILLATION LIMIT = 10.73
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 4.102    CRITERION= .1348
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4466E-01
    HT FLOW CONVERGENCE VALUE= .1282E-01    CRITERION= .1347    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 35 COMPLETED.    CUM ITER = 469
*** TIME = .280074E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1467E-04    OSCILLATION LIMIT = 11.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 4.035    CRITERION= .1347
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4397E-01
    HT FLOW CONVERGENCE VALUE= .1297E-01    CRITERION= .1346    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 36 COMPLETED.    CUM ITER = 470
*** TIME = .280863E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1361E-04    OSCILLATION LIMIT = 10.73
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 4.102    CRITERION= .1346
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4466E-01
    HT FLOW CONVERGENCE VALUE= .1281E-01    CRITERION= .1345    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 37 COMPLETED.    CUM ITER = 471
*** TIME = .281652E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1466E-04    OSCILLATION LIMIT = 11.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 4.035    CRITERION= .1346
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4398E-01
    HT FLOW CONVERGENCE VALUE= .1295E-01    CRITERION= .1344    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 38 COMPLETED.    CUM ITER = 472
*** TIME = .282441E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1361E-04    OSCILLATION LIMIT = 10.74
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 4.102    CRITERION= .1345
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4467E-01
    HT FLOW CONVERGENCE VALUE= .1280E-01    CRITERION= .1344    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 39 COMPLETED.    CUM ITER = 473
*** TIME = .283229E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1466E-04    OSCILLATION LIMIT = 11.56
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 4.035    CRITERION= .1344
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4400E-01
    HT FLOW CONVERGENCE VALUE= .1294E-01    CRITERION= .1343    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 40 COMPLETED.    CUM ITER = 474
*** TIME = .284018E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1361E-04    OSCILLATION LIMIT = 10.74
    Apply loads and solve for 10 to 90 years

*DO LOOP ON PARAMETER= TM    FROM .31558E+09 TO .28402E+10 BY .31558E+09
TIME= .31558E+09

```

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
4267.31334 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 136.20 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 136.70 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 137.91 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 32388.270 TIME= 05:32:51
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 05:32:51 MAR 26, 1995 CP= 32388.270
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 22
TIME AT END OF THE LOAD STEP.31558E+09
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000

TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
 CONVERGENCE CONTROLS.USE DEFAULTS
 PRINT OUTPUT CONTROLSNO PRINTOUT
 DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
 FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 2.824 CRITERION= .1343
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3686E-01
 HT FLOW CONVERGENCE VALUE= .1069E-01 CRITERION= .1342 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 1 COMPLETED. CUM ITER = 475
 *** TIME = .284807E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1352E-04 OSCILLATION LIMIT = 10.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.757 CRITERION= .1343
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3499E-01
 HT FLOW CONVERGENCE VALUE= .1026E-01 CRITERION= .1342 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 2 COMPLETED. CUM ITER = 476
 *** TIME = .285596E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1300E-04 OSCILLATION LIMIT = 10.26
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.824 CRITERION= .1342
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3674E-01
 HT FLOW CONVERGENCE VALUE= .1036E-01 CRITERION= .1341 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 3 COMPLETED. CUM ITER = 477
 *** TIME = .286385E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1420E-04 OSCILLATION LIMIT = 11.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.757 CRITERION= .1342
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3526E-01
 HT FLOW CONVERGENCE VALUE= .1031E-01 CRITERION= .1340 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 4 COMPLETED. CUM ITER = 478
 *** TIME = .287174E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1299E-04 OSCILLATION LIMIT = 10.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.825 CRITERION= .1341
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3658E-01
 HT FLOW CONVERGENCE VALUE= .1031E-01 CRITERION= .1340 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 5 COMPLETED. CUM ITER = 479
 *** TIME = .287963E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1421E-04 OSCILLATION LIMIT = 11.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.758 CRITERION= .1340
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3540E-01
 HT FLOW CONVERGENCE VALUE= .1033E-01 CRITERION= .1339 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 6 COMPLETED. CUM ITER = 480
 *** TIME = .288752E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1298E-04 OSCILLATION LIMIT = 10.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.825 CRITERION= .1339
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3648E-01
 HT FLOW CONVERGENCE VALUE= .1028E-01 CRITERION= .1339 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 7 COMPLETED. CUM ITER = 481
 *** TIME = .289541E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1422E-04 OSCILLATION LIMIT = 11.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.758 CRITERION= .1339
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3549E-01
 HT FLOW CONVERGENCE VALUE= .1034E-01 CRITERION= .1338 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 8 COMPLETED. CUM ITER = 482
 *** TIME = .290330E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1298E-04 OSCILLATION LIMIT = 10.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.825 CRITERION= .1338
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3642E-01
 HT FLOW CONVERGENCE VALUE= .1026E-01 CRITERION= .1338 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 9 COMPLETED. CUM ITER = 483
 *** TIME = .291119E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1422E-04 OSCILLATION LIMIT = 11.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.758 CRITERION= .1338
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3555E-01
 HT FLOW CONVERGENCE VALUE= .1035E-01 CRITERION= .1337 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 10 COMPLETED. CUM ITER = 484
 *** TIME = .291908E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1298E-04 OSCILLATION LIMIT = 10.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.825 CRITERION= .1337
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3638E-01
 HT FLOW CONVERGENCE VALUE= .1024E-01 CRITERION= .1337 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 11 COMPLETED. CUM ITER = 485
 *** TIME = .292697E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1422E-04 OSCILLATION LIMIT = 11.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.758 CRITERION= .1337
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3560E-01
 HT FLOW CONVERGENCE VALUE= .1035E-01 CRITERION= .1336 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 12 COMPLETED. CUM ITER = 486
 *** TIME = .293486E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1297E-04 OSCILLATION LIMIT = 10.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.825 CRITERION= .1336
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3636E-01
 HT FLOW CONVERGENCE VALUE= .1023E-01 CRITERION= .1335 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 13 COMPLETED. CUM ITER = 487
 *** TIME = .294275E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1422E-04 OSCILLATION LIMIT = 11.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.758 CRITERION= .1336
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3563E-01
 HT FLOW CONVERGENCE VALUE= .1034E-01 CRITERION= .1334 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 14 COMPLETED. CUM ITER = 488
 *** TIME = .295064E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1298E-04 OSCILLATION LIMIT = 10.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.825 CRITERION= .1335
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3634E-01
 HT FLOW CONVERGENCE VALUE= .1021E-01 CRITERION= .1334 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 15 COMPLETED. CUM ITER = 489
 *** TIME = .295853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1421E-04 OSCILLATION LIMIT = 11.21

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.758 CRITERION= .1334
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3565E-01
 HT FLOW CONVERGENCE VALUE= .1033E-01 CRITERION= .1333 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 16 COMPLETED. CUM ITER = 490
 *** TIME = .296641E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1298E-04 OSCILLATION LIMIT = 10.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.825 CRITERION= .1334
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3633E-01
 HT FLOW CONVERGENCE VALUE= .1020E-01 CRITERION= .1333 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 17 COMPLETED. CUM ITER = 491
 *** TIME = .297430E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1421E-04 OSCILLATION LIMIT = 11.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.758 CRITERION= .1333
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3567E-01
 HT FLOW CONVERGENCE VALUE= .1033E-01 CRITERION= .1332 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 18 COMPLETED. CUM ITER = 492
 *** TIME = .298219E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1298E-04 OSCILLATION LIMIT = 10.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.825 CRITERION= .1332
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3633E-01
 HT FLOW CONVERGENCE VALUE= .1019E-01 CRITERION= .1332 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 19 COMPLETED. CUM ITER = 493
 *** TIME = .299008E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1420E-04 OSCILLATION LIMIT = 11.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.758 CRITERION= .1332
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3569E-01
 HT FLOW CONVERGENCE VALUE= .1032E-01 CRITERION= .1331 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 20 COMPLETED. CUM ITER = 494
 *** TIME = .299797E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1298E-04 OSCILLATION LIMIT = 10.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.825 CRITERION= .1331
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3633E-01
 HT FLOW CONVERGENCE VALUE= .1018E-01 CRITERION= .1331 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 21 COMPLETED. CUM ITER = 495
 *** TIME = .300586E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1420E-04 OSCILLATION LIMIT = 11.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.758 CRITERION= .1331
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3570E-01
 HT FLOW CONVERGENCE VALUE= .1031E-01 CRITERION= .1330 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 22 COMPLETED. CUM ITER = 496
 *** TIME = .301375E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1298E-04 OSCILLATION LIMIT = 10.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.825 CRITERION= .1330
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3633E-01
 HT FLOW CONVERGENCE VALUE= .1017E-01 CRITERION= .1329 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 23 COMPLETED. CUM ITER = 497


```

*** TIME = .302164E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1419E-04    OSCILLATION LIMIT = 11.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.758    CRITERION= .1330
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3572E-01
    HT FLOW CONVERGENCE VALUE= .1030E-01    CRITERION= .1329    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 24 COMPLETED.    CUM ITER = 498
*** TIME = .302953E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1298E-04    OSCILLATION LIMIT = 10.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.825    CRITERION= .1329
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3633E-01
    HT FLOW CONVERGENCE VALUE= .1016E-01    CRITERION= .1328    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 25 COMPLETED.    CUM ITER = 499
*** TIME = .303742E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1419E-04    OSCILLATION LIMIT = 11.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.758    CRITERION= .1329
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3573E-01
    HT FLOW CONVERGENCE VALUE= .1029E-01    CRITERION= .1327    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 26 COMPLETED.    CUM ITER = 500
*** TIME = .304531E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1298E-04    OSCILLATION LIMIT = 10.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.825    CRITERION= .1328
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3633E-01
    HT FLOW CONVERGENCE VALUE= .1016E-01    CRITERION= .1327    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 27 COMPLETED.    CUM ITER = 501
*** TIME = .305320E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1418E-04    OSCILLATION LIMIT = 11.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.758    CRITERION= .1327
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3574E-01
    HT FLOW CONVERGENCE VALUE= .1028E-01    CRITERION= .1326    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 28 COMPLETED.    CUM ITER = 502
*** TIME = .306109E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1299E-04    OSCILLATION LIMIT = 10.24
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.825    CRITERION= .1326
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3633E-01
    HT FLOW CONVERGENCE VALUE= .1015E-01    CRITERION= .1326    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 29 COMPLETED.    CUM ITER = 503
*** TIME = .306898E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1418E-04    OSCILLATION LIMIT = 11.19
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.758    CRITERION= .1326
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3575E-01
    HT FLOW CONVERGENCE VALUE= .1027E-01    CRITERION= .1325    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 30 COMPLETED.    CUM ITER = 504
*** TIME = .307687E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1299E-04    OSCILLATION LIMIT = 10.25
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.825    CRITERION= .1325
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3634E-01
    HT FLOW CONVERGENCE VALUE= .1014E-01    CRITERION= .1325    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 31 COMPLETED. CUM ITER = 505
*** TIME = .308476E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1417E-04 OSCILLATION LIMIT = 11.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.758 CRITERION= .1325
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3576E-01
HT FLOW CONVERGENCE VALUE= .1026E-01 CRITERION= .1324 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 32 COMPLETED. CUM ITER = 506
*** TIME = .309265E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1299E-04 OSCILLATION LIMIT = 10.25
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.825 CRITERION= .1324
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3634E-01
HT FLOW CONVERGENCE VALUE= .1014E-01 CRITERION= .1324 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 33 COMPLETED. CUM ITER = 507
*** TIME = .310053E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1417E-04 OSCILLATION LIMIT = 11.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.759 CRITERION= .1324
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3577E-01
HT FLOW CONVERGENCE VALUE= .1026E-01 CRITERION= .1323 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 34 COMPLETED. CUM ITER = 508
*** TIME = .310842E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1299E-04 OSCILLATION LIMIT = 10.25
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.825 CRITERION= .1323
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3634E-01
HT FLOW CONVERGENCE VALUE= .1013E-01 CRITERION= .1322 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 35 COMPLETED. CUM ITER = 509
*** TIME = .311631E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1416E-04 OSCILLATION LIMIT = 11.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.759 CRITERION= .1323
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3578E-01
HT FLOW CONVERGENCE VALUE= .1025E-01 CRITERION= .1321 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 36 COMPLETED. CUM ITER = 510
*** TIME = .312420E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1299E-04 OSCILLATION LIMIT = 10.25
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.825 CRITERION= .1322
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3635E-01
HT FLOW CONVERGENCE VALUE= .1012E-01 CRITERION= .1321 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 37 COMPLETED. CUM ITER = 511
*** TIME = .313209E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1416E-04 OSCILLATION LIMIT = 11.17
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.759 CRITERION= .1321
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3579E-01
HT FLOW CONVERGENCE VALUE= .1024E-01 CRITERION= .1320 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 38 COMPLETED. CUM ITER = 512
*** TIME = .313998E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1299E-04 OSCILLATION LIMIT = 10.25
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.825 CRITERION= .1321

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3635E-01
 HT FLOW CONVERGENCE VALUE= .1011E-01 CRITERION= .1320 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 39 COMPLETED. CUM ITER = 513
 *** TIME = .314787E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1415E-04 OSCILLATION LIMIT = 11.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.759 CRITERION= .1320
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3580E-01
 HT FLOW CONVERGENCE VALUE= .1023E-01 CRITERION= .1319 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 40 COMPLETED. CUM ITER = 514
 *** TIME = .315576E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1299E-04 OSCILLATION LIMIT = 10.25

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 06:32:14 MAR 26, 1995 CP= 35238.650
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 15.32 CRITERION= .1328
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4596
 HT FLOW CONVERGENCE VALUE= .1244 CRITERION= .1314 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 1 COMPLETED. CUM ITER = 515
 *** TIME = .323465E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .8182E-05 OSCILLATION LIMIT = 64.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.39 CRITERION= .1323
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4245
 HT FLOW CONVERGENCE VALUE= .1218 CRITERION= .1308 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 2 COMPLETED. CUM ITER = 516
 *** TIME = .331355E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7163E-05 OSCILLATION LIMIT = 56.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.32 CRITERION= .1317
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4237
 HT FLOW CONVERGENCE VALUE= .1203 CRITERION= .1303 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 3 COMPLETED. CUM ITER = 517
 *** TIME = .339244E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7299E-05 OSCILLATION LIMIT = 57.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.38 CRITERION= .1311
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4266
 HT FLOW CONVERGENCE VALUE= .1209 CRITERION= .1297 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 4 COMPLETED. CUM ITER = 518
 *** TIME = .347134E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7229E-05 OSCILLATION LIMIT = 57.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.32 CRITERION= .1305
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4249
 HT FLOW CONVERGENCE VALUE= .1198 CRITERION= .1291 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 5 COMPLETED. CUM ITER = 519
 *** TIME = .355023E+09 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .7293E-05 OSCILLATION LIMIT = 57.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.38 CRITERION= .1300
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4276
 HT FLOW CONVERGENCE VALUE= .1204 CRITERION= .1285 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 6 COMPLETED. CUM ITER = 520
 *** TIME = .362912E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7222E-05 OSCILLATION LIMIT = 56.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .1294
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4260
 HT FLOW CONVERGENCE VALUE= .1194 CRITERION= .1280 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 7 COMPLETED. CUM ITER = 521
 *** TIME = .370802E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7286E-05 OSCILLATION LIMIT = 57.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.38 CRITERION= .1288
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4287
 HT FLOW CONVERGENCE VALUE= .1199 CRITERION= .1273 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 8 COMPLETED. CUM ITER = 522
 *** TIME = .378691E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7215E-05 OSCILLATION LIMIT = 56.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .1282
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4272
 HT FLOW CONVERGENCE VALUE= .1189 CRITERION= .1268 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 9 COMPLETED. CUM ITER = 523
 *** TIME = .386581E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7279E-05 OSCILLATION LIMIT = 57.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.38 CRITERION= .1277
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4298
 HT FLOW CONVERGENCE VALUE= .1193 CRITERION= .1262 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 10 COMPLETED. CUM ITER = 524
 *** TIME = .394470E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7208E-05 OSCILLATION LIMIT = 56.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .1271
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4284
 HT FLOW CONVERGENCE VALUE= .1182 CRITERION= .1256 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 11 COMPLETED. CUM ITER = 525
 *** TIME = .402359E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7272E-05 OSCILLATION LIMIT = 57.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.38 CRITERION= .1265
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4308
 HT FLOW CONVERGENCE VALUE= .1185 CRITERION= .1250 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 12 COMPLETED. CUM ITER = 526
 *** TIME = .410249E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7201E-05 OSCILLATION LIMIT = 56.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .1259
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4295
 HT FLOW CONVERGENCE VALUE= .1175 CRITERION= .1245 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 23 SUBSTEP 13 COMPLETED. CUM ITER = 527
*** TIME = .418138E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7265E-05 OSCILLATION LIMIT = 57.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .1254
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4319
HT FLOW CONVERGENCE VALUE= .1178 CRITERION= .1239 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 14 COMPLETED. CUM ITER = 528
*** TIME = .426028E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7195E-05 OSCILLATION LIMIT = 56.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .1248
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4307
HT FLOW CONVERGENCE VALUE= .1167 CRITERION= .1233 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 15 COMPLETED. CUM ITER = 529
*** TIME = .433917E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7258E-05 OSCILLATION LIMIT = 57.26
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .1242
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4330
HT FLOW CONVERGENCE VALUE= .1170 CRITERION= .1227 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 16 COMPLETED. CUM ITER = 530
*** TIME = .441806E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7188E-05 OSCILLATION LIMIT = 56.71
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.30 CRITERION= .1236
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4319
HT FLOW CONVERGENCE VALUE= .1160 CRITERION= .1222 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 17 COMPLETED. CUM ITER = 531
*** TIME = .449696E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7252E-05 OSCILLATION LIMIT = 57.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .1231
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4341
HT FLOW CONVERGENCE VALUE= .1163 CRITERION= .1216 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 18 COMPLETED. CUM ITER = 532
*** TIME = .457585E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7181E-05 OSCILLATION LIMIT = 56.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.30 CRITERION= .1225
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4331
HT FLOW CONVERGENCE VALUE= .1152 CRITERION= .1210 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 19 COMPLETED. CUM ITER = 533
*** TIME = .465475E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7244E-05 OSCILLATION LIMIT = 57.15
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .1219
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4352
HT FLOW CONVERGENCE VALUE= .1154 CRITERION= .1204 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 20 COMPLETED. CUM ITER = 534
*** TIME = .473364E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .7174E-05 OSCILLATION LIMIT = 56.60
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.30 CRITERION= .1213
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4343

```

HT FLOW CONVERGENCE VALUE= .1144 CRITERION= .1199 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 21 COMPLETED. CUM ITER = 535
 *** TIME = .481253E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7238E-05 OSCILLATION LIMIT = 57.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .1208
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4364
 HT FLOW CONVERGENCE VALUE= .1146 CRITERION= .1192 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 22 COMPLETED. CUM ITER = 536
 *** TIME = .489143E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7168E-05 OSCILLATION LIMIT = 56.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.30 CRITERION= .1202
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4355
 HT FLOW CONVERGENCE VALUE= .1136 CRITERION= .1187 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 23 COMPLETED. CUM ITER = 537
 *** TIME = .497032E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7232E-05 OSCILLATION LIMIT = 57.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.36 CRITERION= .1196
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4375
 HT FLOW CONVERGENCE VALUE= .1136 CRITERION= .1181 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 24 COMPLETED. CUM ITER = 538
 *** TIME = .504922E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7162E-05 OSCILLATION LIMIT = 56.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.30 CRITERION= .1190
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4368
 HT FLOW CONVERGENCE VALUE= .1126 CRITERION= .1175 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 25 COMPLETED. CUM ITER = 539
 *** TIME = .512811E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7226E-05 OSCILLATION LIMIT = 57.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.36 CRITERION= .1185
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4387
 HT FLOW CONVERGENCE VALUE= .1127 CRITERION= .1169 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 26 COMPLETED. CUM ITER = 540
 *** TIME = .520700E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7156E-05 OSCILLATION LIMIT = 56.45
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .1179
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4380
 HT FLOW CONVERGENCE VALUE= .1118 CRITERION= .1164 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 27 COMPLETED. CUM ITER = 541
 *** TIME = .528590E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7218E-05 OSCILLATION LIMIT = 56.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.36 CRITERION= .1173
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4398
 HT FLOW CONVERGENCE VALUE= .1119 CRITERION= .1158 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 28 COMPLETED. CUM ITER = 542
 *** TIME = .536479E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7149E-05 OSCILLATION LIMIT = 56.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .1167
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4393
 HT FLOW CONVERGENCE VALUE= .1110 CRITERION= .1152 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 29 COMPLETED. CUM ITER = 543
 *** TIME = .544369E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7212E-05 OSCILLATION LIMIT = 56.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.36 CRITERION= .1162
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4410
 HT FLOW CONVERGENCE VALUE= .1111 CRITERION= .1146 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 30 COMPLETED. CUM ITER = 544
 *** TIME = .552258E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7143E-05 OSCILLATION LIMIT = 56.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .1156
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4405
 HT FLOW CONVERGENCE VALUE= .1102 CRITERION= .1141 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 31 COMPLETED. CUM ITER = 545
 *** TIME = .560147E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7205E-05 OSCILLATION LIMIT = 56.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.36 CRITERION= .1151
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4422
 HT FLOW CONVERGENCE VALUE= .1103 CRITERION= .1135 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 32 COMPLETED. CUM ITER = 546
 *** TIME = .568037E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7137E-05 OSCILLATION LIMIT = 56.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .1144
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4417
 HT FLOW CONVERGENCE VALUE= .1095 CRITERION= .1129 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 33 COMPLETED. CUM ITER = 547
 *** TIME = .575926E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7199E-05 OSCILLATION LIMIT = 56.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.35 CRITERION= .1139
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4434
 HT FLOW CONVERGENCE VALUE= .1095 CRITERION= .1123 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 34 COMPLETED. CUM ITER = 548
 *** TIME = .583816E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7131E-05 OSCILLATION LIMIT = 56.26
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .1133
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4430
 HT FLOW CONVERGENCE VALUE= .1087 CRITERION= .1118 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 35 COMPLETED. CUM ITER = 549
 *** TIME = .591705E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7193E-05 OSCILLATION LIMIT = 56.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.35 CRITERION= .1128
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4446
 HT FLOW CONVERGENCE VALUE= .1088 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 36 COMPLETED. CUM ITER = 550
 *** TIME = .599594E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7125E-05 OSCILLATION LIMIT = 56.21

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.28 CRITERION= .1121
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4443
 HT FLOW CONVERGENCE VALUE= .1081 CRITERION= .1106 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 37 COMPLETED. CUM ITER = 551
 *** TIME = .607484E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7186E-05 OSCILLATION LIMIT = 56.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.35 CRITERION= .1116
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4458
 HT FLOW CONVERGENCE VALUE= .1086 CRITERION= .1100 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 38 COMPLETED. CUM ITER = 552
 *** TIME = .615373E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7119E-05 OSCILLATION LIMIT = 56.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.28 CRITERION= .1110
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4455
 HT FLOW CONVERGENCE VALUE= .1078 CRITERION= .1094 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 39 COMPLETED. CUM ITER = 553
 *** TIME = .623263E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7180E-05 OSCILLATION LIMIT = 56.65
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.35 CRITERION= .1105
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4470
 HT FLOW CONVERGENCE VALUE= .1078 CRITERION= .1088 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 40 COMPLETED. CUM ITER = 554
 *** TIME = .631152E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .7112E-05 OSCILLATION LIMIT = 56.11

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 07:31:47 MAR 26, 1995 CP= 38089.420
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 47.29 CRITERION= .1186
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4060
 HT FLOW CONVERGENCE VALUE= .1118 CRITERION= .1084
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4451E-01
 HT FLOW CONVERGENCE VALUE= .6838E-02 CRITERION= .1084 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 1 COMPLETED. CUM ITER = 556
 *** TIME = .639041E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3154E-05 OSCILLATION LIMIT = 24.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.34 CRITERION= .1182
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4432
 HT FLOW CONVERGENCE VALUE= .1134 CRITERION= .1079
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4519E-01
 HT FLOW CONVERGENCE VALUE= .6527E-02 CRITERION= .1079 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 2 COMPLETED. CUM ITER = 558
 *** TIME = .646931E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3721E-05 OSCILLATION LIMIT = 29.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.27 CRITERION= .1178


```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4444
HT FLOW CONVERGENCE VALUE= .1130 CRITERION= .1075
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4518E-01
HT FLOW CONVERGENCE VALUE= .6511E-02 CRITERION= .1075 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 3 COMPLETED. CUM ITER = 560
*** TIME = .654820E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3783E-05 OSCILLATION LIMIT = 29.85
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.33 CRITERION= .1174
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4441
HT FLOW CONVERGENCE VALUE= .1127 CRITERION= .1071
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4504E-01
HT FLOW CONVERGENCE VALUE= .6449E-02 CRITERION= .1070 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 4 COMPLETED. CUM ITER = 562
*** TIME = .662710E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3720E-05 OSCILLATION LIMIT = 29.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.25 CRITERION= .1170
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4453
HT FLOW CONVERGENCE VALUE= .1124 CRITERION= .1067
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4504E-01
HT FLOW CONVERGENCE VALUE= .6435E-02 CRITERION= .1066 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 5 COMPLETED. CUM ITER = 564
*** TIME = .670599E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3783E-05 OSCILLATION LIMIT = 29.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.31 CRITERION= .1166
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4449
HT FLOW CONVERGENCE VALUE= .1122 CRITERION= .1062
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4490E-01
HT FLOW CONVERGENCE VALUE= .6372E-02 CRITERION= .1062 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 6 COMPLETED. CUM ITER = 566
*** TIME = .678488E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3719E-05 OSCILLATION LIMIT = 29.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.23 CRITERION= .1162
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4461
HT FLOW CONVERGENCE VALUE= .1118 CRITERION= .1058
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4489E-01
HT FLOW CONVERGENCE VALUE= .6358E-02 CRITERION= .1058 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 7 COMPLETED. CUM ITER = 568
*** TIME = .686378E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3782E-05 OSCILLATION LIMIT = 29.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.29 CRITERION= .1158
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4457
HT FLOW CONVERGENCE VALUE= .1116 CRITERION= .1053
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4476E-01
HT FLOW CONVERGENCE VALUE= .6298E-02 CRITERION= .1053 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 8 COMPLETED. CUM ITER = 570
*** TIME = .694267E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3720E-05 OSCILLATION LIMIT = 29.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.21 CRITERION= .1154
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4470
HT FLOW CONVERGENCE VALUE= .1112 CRITERION= .1049
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4475E-01
HT FLOW CONVERGENCE VALUE= .6283E-02 CRITERION= .1049 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 9 COMPLETED. CUM ITER = 572
*** TIME = .702157E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3782E-05 OSCILLATION LIMIT = 29.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.27 CRITERION= .1150
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4466
HT FLOW CONVERGENCE VALUE= .1111 CRITERION= .1045
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4461E-01
HT FLOW CONVERGENCE VALUE= .6224E-02 CRITERION= .1044 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 10 COMPLETED. CUM ITER = 574
*** TIME = .710046E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3720E-05 OSCILLATION LIMIT = 29.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.19 CRITERION= .1146
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4478
HT FLOW CONVERGENCE VALUE= .1107 CRITERION= .1041
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4460E-01
HT FLOW CONVERGENCE VALUE= .6211E-02 CRITERION= .1040 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 11 COMPLETED. CUM ITER = 576
*** TIME = .717935E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3782E-05 OSCILLATION LIMIT = 29.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.25 CRITERION= .1142
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4475
HT FLOW CONVERGENCE VALUE= .1105 CRITERION= .1036
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4447E-01
HT FLOW CONVERGENCE VALUE= .6150E-02 CRITERION= .1036 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 12 COMPLETED. CUM ITER = 578
*** TIME = .725825E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3719E-05 OSCILLATION LIMIT = 29.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.18 CRITERION= .1138
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4487
HT FLOW CONVERGENCE VALUE= .1101 CRITERION= .1032
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4446E-01
HT FLOW CONVERGENCE VALUE= .6136E-02 CRITERION= .1032 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 13 COMPLETED. CUM ITER = 580
*** TIME = .733714E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3781E-05 OSCILLATION LIMIT = 29.83
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.24 CRITERION= .1134
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4483
HT FLOW CONVERGENCE VALUE= .1100 CRITERION= .1027
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4433E-01
HT FLOW CONVERGENCE VALUE= .6078E-02 CRITERION= .1027 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 14 COMPLETED. CUM ITER = 582
*** TIME = .741604E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3719E-05 OSCILLATION LIMIT = 29.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.16 CRITERION= .1130
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4495
HT FLOW CONVERGENCE VALUE= .1096 CRITERION= .1023
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4432E-01
HT FLOW CONVERGENCE VALUE= .6061E-02 CRITERION= .1023 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 15 COMPLETED. CUM ITER = 584
*** TIME = .749493E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3780E-05 OSCILLATION LIMIT = 29.82

```

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.22 CRITERION= .1126
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4492
 HT FLOW CONVERGENCE VALUE= .1094 CRITERION= .1019
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4418E-01
 HT FLOW CONVERGENCE VALUE= .6001E-02 CRITERION= .1018 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 24 SUBSTEP 16 COMPLETED. CUM ITER = 586
 *** TIME = .757382E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3719E-05 OSCILLATION LIMIT = 29.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.14 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4504
 HT FLOW CONVERGENCE VALUE= .1090 CRITERION= .1015
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4417E-01
 HT FLOW CONVERGENCE VALUE= .5986E-02 CRITERION= .1014 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 24 SUBSTEP 17 COMPLETED. CUM ITER = 588
 *** TIME = .765272E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3780E-05 OSCILLATION LIMIT = 29.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.20 CRITERION= .1118
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4501
 HT FLOW CONVERGENCE VALUE= .1088 CRITERION= .1010
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4404E-01
 HT FLOW CONVERGENCE VALUE= .5927E-02 CRITERION= .1010 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 24 SUBSTEP 18 COMPLETED. CUM ITER = 590
 *** TIME = .773161E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3719E-05 OSCILLATION LIMIT = 29.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.12 CRITERION= .1114
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4513
 HT FLOW CONVERGENCE VALUE= .1084 CRITERION= .1006
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4402E-01
 HT FLOW CONVERGENCE VALUE= .5909E-02 CRITERION= .1006 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 24 SUBSTEP 19 COMPLETED. CUM ITER = 592
 *** TIME = .781051E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3780E-05 OSCILLATION LIMIT = 29.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.18 CRITERION= .1110
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4510
 HT FLOW CONVERGENCE VALUE= .1082 CRITERION= .1001
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4389E-01
 HT FLOW CONVERGENCE VALUE= .5850E-02 CRITERION= .1001 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 24 SUBSTEP 20 COMPLETED. CUM ITER = 594
 *** TIME = .788940E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3719E-05 OSCILLATION LIMIT = 29.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.10 CRITERION= .1106
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4522
 HT FLOW CONVERGENCE VALUE= .1078 CRITERION= .9973E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4388E-01
 HT FLOW CONVERGENCE VALUE= .5835E-02 CRITERION= .9969E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 24 SUBSTEP 21 COMPLETED. CUM ITER = 596
 *** TIME = .796829E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3779E-05 OSCILLATION LIMIT = 29.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.16 CRITERION= .1102
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4519

HT FLOW CONVERGENCE VALUE= .1076 CRITERION= .9925E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4375E-01
 HT FLOW CONVERGENCE VALUE= .5774E-02 CRITERION= .9922E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 22 COMPLETED. CUM ITER = 598
 *** TIME = .804719E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3719E-05 OSCILLATION LIMIT = 29.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.09 CRITERION= .1098
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4531
 HT FLOW CONVERGENCE VALUE= .1073 CRITERION= .9886E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4373E-01
 HT FLOW CONVERGENCE VALUE= .5762E-02 CRITERION= .9883E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 23 COMPLETED. CUM ITER = 600
 *** TIME = .812608E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3779E-05 OSCILLATION LIMIT = 29.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.14 CRITERION= .1095
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4528
 HT FLOW CONVERGENCE VALUE= .1071 CRITERION= .9839E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4360E-01
 HT FLOW CONVERGENCE VALUE= .5703E-02 CRITERION= .9835E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 24 COMPLETED. CUM ITER = 602
 *** TIME = .820498E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3719E-05 OSCILLATION LIMIT = 29.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.07 CRITERION= .1090
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4540
 HT FLOW CONVERGENCE VALUE= .1068 CRITERION= .9799E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4359E-01
 HT FLOW CONVERGENCE VALUE= .5686E-02 CRITERION= .9796E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 25 COMPLETED. CUM ITER = 604
 *** TIME = .828387E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3778E-05 OSCILLATION LIMIT = 29.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.13 CRITERION= .1087
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4537
 HT FLOW CONVERGENCE VALUE= .1066 CRITERION= .9752E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4346E-01
 HT FLOW CONVERGENCE VALUE= .5628E-02 CRITERION= .9749E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 26 COMPLETED. CUM ITER = 606
 *** TIME = .836276E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3720E-05 OSCILLATION LIMIT = 29.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.05 CRITERION= .1082
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4549
 HT FLOW CONVERGENCE VALUE= .1062 CRITERION= .9712E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4344E-01
 HT FLOW CONVERGENCE VALUE= .5610E-02 CRITERION= .9709E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 27 COMPLETED. CUM ITER = 608
 *** TIME = .844166E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3778E-05 OSCILLATION LIMIT = 29.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.11 CRITERION= .1079
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4546
 HT FLOW CONVERGENCE VALUE= .1061 CRITERION= .9665E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4331E-01
 HT FLOW CONVERGENCE VALUE= .5557E-02 CRITERION= .9662E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

```

*** LOAD STEP 24 SUBSTEP 28 COMPLETED. CUM ITER = 610
*** TIME = .852055E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3720E-05 OSCILLATION LIMIT = 29.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.03 CRITERION= .1074
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4558
HT FLOW CONVERGENCE VALUE= .1058 CRITERION= .9626E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4329E-01
HT FLOW CONVERGENCE VALUE= .5543E-02 CRITERION= .9623E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 29 COMPLETED. CUM ITER = 612
*** TIME = .859945E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3778E-05 OSCILLATION LIMIT = 29.80
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.09 CRITERION= .1071
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4555
HT FLOW CONVERGENCE VALUE= .1057 CRITERION= .9578E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4316E-01
HT FLOW CONVERGENCE VALUE= .5490E-02 CRITERION= .9575E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 30 COMPLETED. CUM ITER = 614
*** TIME = .867834E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3720E-05 OSCILLATION LIMIT = 29.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.01 CRITERION= .1066
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4567
HT FLOW CONVERGENCE VALUE= .1053 CRITERION= .9539E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4314E-01
HT FLOW CONVERGENCE VALUE= .5475E-02 CRITERION= .9536E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 31 COMPLETED. CUM ITER = 616
*** TIME = .875723E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3777E-05 OSCILLATION LIMIT = 29.80
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.07 CRITERION= .1063
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4564
HT FLOW CONVERGENCE VALUE= .1051 CRITERION= .9492E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4299E-01
HT FLOW CONVERGENCE VALUE= .5414E-02 CRITERION= .9489E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 32 COMPLETED. CUM ITER = 618
*** TIME = .883613E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3720E-05 OSCILLATION LIMIT = 29.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.00 CRITERION= .1059
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4576
HT FLOW CONVERGENCE VALUE= .1047 CRITERION= .9452E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4294E-01
HT FLOW CONVERGENCE VALUE= .5396E-02 CRITERION= .9449E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 33 COMPLETED. CUM ITER = 620
*** TIME = .891502E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3777E-05 OSCILLATION LIMIT = 29.80
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.05 CRITERION= .1055
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4573
HT FLOW CONVERGENCE VALUE= .1045 CRITERION= .9405E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4276E-01
HT FLOW CONVERGENCE VALUE= .5329E-02 CRITERION= .9402E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 24 SUBSTEP 34 COMPLETED. CUM ITER = 622
*** TIME = .899392E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .3721E-05 OSCILLATION LIMIT = 29.36
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 46.98 CRITERION= .1051
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4585
 HT FLOW CONVERGENCE VALUE= .1040 CRITERION= .9366E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4265E-01
 HT FLOW CONVERGENCE VALUE= .5292E-02 CRITERION= .9362E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 35 COMPLETED. CUM ITER = 624
 *** TIME = .907281E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3779E-05 OSCILLATION LIMIT = 29.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.04 CRITERION= .1047
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4582
 HT FLOW CONVERGENCE VALUE= .1035 CRITERION= .9318E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4236E-01
 HT FLOW CONVERGENCE VALUE= .5228E-02 CRITERION= .9315E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 36 COMPLETED. CUM ITER = 626
 *** TIME = .915170E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3724E-05 OSCILLATION LIMIT = 29.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 46.96 CRITERION= .1043
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4594
 HT FLOW CONVERGENCE VALUE= .1032 CRITERION= .9279E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4229E-01
 HT FLOW CONVERGENCE VALUE= .5213E-02 CRITERION= .9276E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 37 COMPLETED. CUM ITER = 628
 *** TIME = .923060E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3779E-05 OSCILLATION LIMIT = 29.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.02 CRITERION= .1040
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4592
 HT FLOW CONVERGENCE VALUE= .1030 CRITERION= .9232E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4211E-01
 HT FLOW CONVERGENCE VALUE= .5153E-02 CRITERION= .9228E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 38 COMPLETED. CUM ITER = 630
 *** TIME = .930949E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3724E-05 OSCILLATION LIMIT = 29.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 46.94 CRITERION= .1035
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4604
 HT FLOW CONVERGENCE VALUE= .1024 CRITERION= .9192E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4200E-01
 HT FLOW CONVERGENCE VALUE= .5115E-02 CRITERION= .9189E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 39 COMPLETED. CUM ITER = 632
 *** TIME = .938839E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3780E-05 OSCILLATION LIMIT = 29.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.00 CRITERION= .1032
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4601
 HT FLOW CONVERGENCE VALUE= .1021 CRITERION= .9145E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4174E-01
 HT FLOW CONVERGENCE VALUE= .5065E-02 CRITERION= .9142E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 24 SUBSTEP 40 COMPLETED. CUM ITER = 634
 *** TIME = .946728E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .3726E-05 OSCILLATION LIMIT = 29.39

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****

900-38303 VERSION=HP 9000/7XX 09:01:05 MAR 26, 1995 CP= 42595.680
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 56.64 CRITERION= .1075
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4012
HT FLOW CONVERGENCE VALUE= .9601E-01 CRITERION= .9114E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4165E-01
HT FLOW CONVERGENCE VALUE= .6132E-02 CRITERION= .9112E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 25 SUBSTEP 1 COMPLETED. CUM ITER = 636
*** TIME = .954617E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2491E-05 OSCILLATION LIMIT = 19.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.69 CRITERION= .1073
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3998
HT FLOW CONVERGENCE VALUE= .9572E-01 CRITERION= .9077E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4146E-01
HT FLOW CONVERGENCE VALUE= .6086E-02 CRITERION= .9075E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 25 SUBSTEP 2 COMPLETED. CUM ITER = 638
*** TIME = .962507E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2434E-05 OSCILLATION LIMIT = 19.20
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.61 CRITERION= .1069
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4021
HT FLOW CONVERGENCE VALUE= .9575E-01 CRITERION= .9048E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4152E-01
HT FLOW CONVERGENCE VALUE= .6084E-02 CRITERION= .9046E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 25 SUBSTEP 3 COMPLETED. CUM ITER = 640
*** TIME = .970396E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2495E-05 OSCILLATION LIMIT = 19.68
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.66 CRITERION= .1067
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4005
HT FLOW CONVERGENCE VALUE= .9550E-01 CRITERION= .9010E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4130E-01
HT FLOW CONVERGENCE VALUE= .6038E-02 CRITERION= .9009E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 25 SUBSTEP 4 COMPLETED. CUM ITER = 642
*** TIME = .978286E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2435E-05 OSCILLATION LIMIT = 19.21
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.58 CRITERION= .1064
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4027
HT FLOW CONVERGENCE VALUE= .9546E-01 CRITERION= .8981E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4131E-01
HT FLOW CONVERGENCE VALUE= .6029E-02 CRITERION= .8979E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 25 SUBSTEP 5 COMPLETED. CUM ITER = 644
*** TIME = .986175E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2496E-05 OSCILLATION LIMIT = 19.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.64 CRITERION= .1061
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4012
HT FLOW CONVERGENCE VALUE= .9516E-01 CRITERION= .8944E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4103E-01
HT FLOW CONVERGENCE VALUE= .5986E-02 CRITERION= .8942E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 25 SUBSTEP 6 COMPLETED. CUM ITER = 646
*** TIME = .994064E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2438E-05 OSCILLATION LIMIT = 19.23

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.56 CRITERION= .1058
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4033
 HT FLOW CONVERGENCE VALUE= .9514E-01 CRITERION= .8915E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4104E-01
 HT FLOW CONVERGENCE VALUE= .5977E-02 CRITERION= .8913E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 25 SUBSTEP 7 COMPLETED. CUM ITER = 648
 *** TIME = .100195E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2498E-05 OSCILLATION LIMIT = 19.71
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.61 CRITERION= .1056
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4018
 HT FLOW CONVERGENCE VALUE= .9486E-01 CRITERION= .8878E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4083E-01
 HT FLOW CONVERGENCE VALUE= .5931E-02 CRITERION= .8876E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 25 SUBSTEP 8 COMPLETED. CUM ITER = 650
 *** TIME = .100984E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2439E-05 OSCILLATION LIMIT = 19.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.53 CRITERION= .1052
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4040
 HT FLOW CONVERGENCE VALUE= .9481E-01 CRITERION= .8848E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4080E-01
 HT FLOW CONVERGENCE VALUE= .5924E-02 CRITERION= .8847E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 25 SUBSTEP 9 COMPLETED. CUM ITER = 652
 *** TIME = .101773E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2499E-05 OSCILLATION LIMIT = 19.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.59 CRITERION= .1050
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4025
 HT FLOW CONVERGENCE VALUE= .9454E-01 CRITERION= .8811E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4057E-01
 HT FLOW CONVERGENCE VALUE= .5880E-02 CRITERION= .8810E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 25 SUBSTEP 10 COMPLETED. CUM ITER = 654
 *** TIME = .102562E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2441E-05 OSCILLATION LIMIT = 19.26
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.50 CRITERION= .1046
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4046
 HT FLOW CONVERGENCE VALUE= .9451E-01 CRITERION= .8782E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4060E-01
 HT FLOW CONVERGENCE VALUE= .5872E-02 CRITERION= .8780E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 25 SUBSTEP 11 COMPLETED. CUM ITER = 656
 *** TIME = .103351E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2500E-05 OSCILLATION LIMIT = 19.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.56 CRITERION= .1044
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4032
 HT FLOW CONVERGENCE VALUE= .9422E-01 CRITERION= .8745E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4040E-01
 HT FLOW CONVERGENCE VALUE= .5828E-02 CRITERION= .8743E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 25 SUBSTEP 12 COMPLETED. CUM ITER = 658
 *** TIME = .104140E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2443E-05 OSCILLATION LIMIT = 19.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.48 CRITERION= .1041
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4052

HT FLOW CONVERGENCE VALUE= .9418E-01 CRITERION= .8716E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4039E-01
 HT FLOW CONVERGENCE VALUE= .5821E-02 CRITERION= .8714E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 13 COMPLETED. CUM ITER = 660
 *** TIME = .104929E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2501E-05 OSCILLATION LIMIT = 19.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.53 CRITERION= .1038
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4039
 HT FLOW CONVERGENCE VALUE= .9394E-01 CRITERION= .8679E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4014E-01
 HT FLOW CONVERGENCE VALUE= .5778E-02 CRITERION= .8677E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 14 COMPLETED. CUM ITER = 662
 *** TIME = .105718E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2445E-05 OSCILLATION LIMIT = 19.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.45 CRITERION= .1035
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4059
 HT FLOW CONVERGENCE VALUE= .9387E-01 CRITERION= .8649E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4012E-01
 HT FLOW CONVERGENCE VALUE= .5767E-02 CRITERION= .8648E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 15 COMPLETED. CUM ITER = 664
 *** TIME = .106507E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2502E-05 OSCILLATION LIMIT = 19.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.51 CRITERION= .1033
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4046
 HT FLOW CONVERGENCE VALUE= .9365E-01 CRITERION= .8612E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3991E-01
 HT FLOW CONVERGENCE VALUE= .5728E-02 CRITERION= .8611E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 16 COMPLETED. CUM ITER = 666
 *** TIME = .107296E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2446E-05 OSCILLATION LIMIT = 19.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.43 CRITERION= .1029
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4065
 HT FLOW CONVERGENCE VALUE= .9358E-01 CRITERION= .8583E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3988E-01
 HT FLOW CONVERGENCE VALUE= .5719E-02 CRITERION= .8581E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 17 COMPLETED. CUM ITER = 668
 *** TIME = .108085E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2503E-05 OSCILLATION LIMIT = 19.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.48 CRITERION= .1027
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4053
 HT FLOW CONVERGENCE VALUE= .9331E-01 CRITERION= .8546E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3968E-01
 HT FLOW CONVERGENCE VALUE= .5673E-02 CRITERION= .8544E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 18 COMPLETED. CUM ITER = 670
 *** TIME = .108874E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2447E-05 OSCILLATION LIMIT = 19.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.40 CRITERION= .1024
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4072
 HT FLOW CONVERGENCE VALUE= .9317E-01 CRITERION= .8517E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3968E-01
 HT FLOW CONVERGENCE VALUE= .5662E-02 CRITERION= .8515E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

```

*** LOAD STEP 25 SUBSTEP 19 COMPLETED. CUM ITER = 672
*** TIME = .109663E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2504E-05 OSCILLATION LIMIT = 19.75
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.45 CRITERION= .1021
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4060
HT FLOW CONVERGENCE VALUE= .9288E-01 CRITERION= .8479E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3943E-01
HT FLOW CONVERGENCE VALUE= .5616E-02 CRITERION= .8478E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 25 SUBSTEP 20 COMPLETED. CUM ITER = 674
*** TIME = .110452E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2449E-05 OSCILLATION LIMIT = 19.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.37 CRITERION= .1018
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4078
HT FLOW CONVERGENCE VALUE= .9274E-01 CRITERION= .8450E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3941E-01
HT FLOW CONVERGENCE VALUE= .5603E-02 CRITERION= .8449E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 25 SUBSTEP 21 COMPLETED. CUM ITER = 676
*** TIME = .111241E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2504E-05 OSCILLATION LIMIT = 19.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.43 CRITERION= .1016
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4067
HT FLOW CONVERGENCE VALUE= .9242E-01 CRITERION= .8413E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3919E-01
HT FLOW CONVERGENCE VALUE= .5556E-02 CRITERION= .8411E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 25 SUBSTEP 22 COMPLETED. CUM ITER = 678
*** TIME = .112029E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2450E-05 OSCILLATION LIMIT = 19.33
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.35 CRITERION= .1012
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4085
HT FLOW CONVERGENCE VALUE= .9225E-01 CRITERION= .8384E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3917E-01
HT FLOW CONVERGENCE VALUE= .5540E-02 CRITERION= .8382E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 25 SUBSTEP 23 COMPLETED. CUM ITER = 680
*** TIME = .112818E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2505E-05 OSCILLATION LIMIT = 19.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.40 CRITERION= .1010
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4074
HT FLOW CONVERGENCE VALUE= .9195E-01 CRITERION= .8347E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3894E-01
HT FLOW CONVERGENCE VALUE= .5495E-02 CRITERION= .8345E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 25 SUBSTEP 24 COMPLETED. CUM ITER = 682
*** TIME = .113607E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2451E-05 OSCILLATION LIMIT = 19.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.32 CRITERION= .1007
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4092
HT FLOW CONVERGENCE VALUE= .9187E-01 CRITERION= .8317E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3890E-01
HT FLOW CONVERGENCE VALUE= .5483E-02 CRITERION= .8316E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 25 SUBSTEP 25 COMPLETED. CUM ITER = 684
*** TIME = .114396E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2506E-05 OSCILLATION LIMIT = 19.77
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 56.38 CRITERION= .1004
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4081
 HT FLOW CONVERGENCE VALUE= .9162E-01 CRITERION= .8280E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3868E-01
 HT FLOW CONVERGENCE VALUE= .5440E-02 CRITERION= .8279E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 26 COMPLETED. CUM ITER = 686
 *** TIME = .115185E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2453E-05 OSCILLATION LIMIT = 19.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.29 CRITERION= .1001
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4098
 HT FLOW CONVERGENCE VALUE= .9150E-01 CRITERION= .8251E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3863E-01
 HT FLOW CONVERGENCE VALUE= .5427E-02 CRITERION= .8249E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 27 COMPLETED. CUM ITER = 688
 *** TIME = .115974E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2507E-05 OSCILLATION LIMIT = 19.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.35 CRITERION= .9987E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4088
 HT FLOW CONVERGENCE VALUE= .9122E-01 CRITERION= .8214E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3841E-01
 HT FLOW CONVERGENCE VALUE= .5380E-02 CRITERION= .8212E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 28 COMPLETED. CUM ITER = 690
 *** TIME = .116763E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2454E-05 OSCILLATION LIMIT = 19.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.27 CRITERION= .9954E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4105
 HT FLOW CONVERGENCE VALUE= .9103E-01 CRITERION= .8185E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3841E-01
 HT FLOW CONVERGENCE VALUE= .5367E-02 CRITERION= .8183E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 29 COMPLETED. CUM ITER = 692
 *** TIME = .117552E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2507E-05 OSCILLATION LIMIT = 19.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.32 CRITERION= .9931E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4095
 HT FLOW CONVERGENCE VALUE= .9071E-01 CRITERION= .8148E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3825E-01
 HT FLOW CONVERGENCE VALUE= .5316E-02 CRITERION= .8146E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 30 COMPLETED. CUM ITER = 694
 *** TIME = .118341E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2455E-05 OSCILLATION LIMIT = 19.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.24 CRITERION= .9898E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4112
 HT FLOW CONVERGENCE VALUE= .9047E-01 CRITERION= .8118E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3826E-01
 HT FLOW CONVERGENCE VALUE= .5300E-02 CRITERION= .8117E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 31 COMPLETED. CUM ITER = 696
 *** TIME = .119130E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2508E-05 OSCILLATION LIMIT = 19.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.30 CRITERION= .9875E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4102
 HT FLOW CONVERGENCE VALUE= .9015E-01 CRITERION= .8081E-01

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3811E-01
 HT FLOW CONVERGENCE VALUE= .5252E-02 CRITERION= .8080E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 32 COMPLETED. CUM ITER = 698
 *** TIME = .119919E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2456E-05 OSCILLATION LIMIT = 19.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.22 CRITERION= .9842E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4119
 HT FLOW CONVERGENCE VALUE= .8996E-01 CRITERION= .8052E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3812E-01
 HT FLOW CONVERGENCE VALUE= .5239E-02 CRITERION= .8050E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 33 COMPLETED. CUM ITER = 700
 *** TIME = .120708E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2508E-05 OSCILLATION LIMIT = 19.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.27 CRITERION= .9819E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4109
 HT FLOW CONVERGENCE VALUE= .8968E-01 CRITERION= .8015E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3797E-01
 HT FLOW CONVERGENCE VALUE= .5192E-02 CRITERION= .8013E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 34 COMPLETED. CUM ITER = 702
 *** TIME = .121497E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2457E-05 OSCILLATION LIMIT = 19.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.19 CRITERION= .9786E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4126
 HT FLOW CONVERGENCE VALUE= .8947E-01 CRITERION= .7986E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3798E-01
 HT FLOW CONVERGENCE VALUE= .5179E-02 CRITERION= .7984E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 35 COMPLETED. CUM ITER = 704
 *** TIME = .122286E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2509E-05 OSCILLATION LIMIT = 19.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.24 CRITERION= .9763E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4117
 HT FLOW CONVERGENCE VALUE= .8918E-01 CRITERION= .7948E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3783E-01
 HT FLOW CONVERGENCE VALUE= .5132E-02 CRITERION= .7947E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 36 COMPLETED. CUM ITER = 706
 *** TIME = .123075E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2458E-05 OSCILLATION LIMIT = 19.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.16 CRITERION= .9730E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4133
 HT FLOW CONVERGENCE VALUE= .8894E-01 CRITERION= .7919E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3783E-01
 HT FLOW CONVERGENCE VALUE= .5120E-02 CRITERION= .7918E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 37 COMPLETED. CUM ITER = 708
 *** TIME = .123864E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2509E-05 OSCILLATION LIMIT = 19.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.22 CRITERION= .9707E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4124
 HT FLOW CONVERGENCE VALUE= .8861E-01 CRITERION= .7882E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3768E-01
 HT FLOW CONVERGENCE VALUE= .5075E-02 CRITERION= .7880E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 38 COMPLETED. CUM ITER = 710

*** TIME = .124653E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2459E-05 OSCILLATION LIMIT = 19.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.14 CRITERION= .9674E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4140
 HT FLOW CONVERGENCE VALUE= .8821E-01 CRITERION= .7853E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3769E-01
 HT FLOW CONVERGENCE VALUE= .5058E-02 CRITERION= .7851E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 39 COMPLETED. CUM ITER = 712
 *** TIME = .125441E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2510E-05 OSCILLATION LIMIT = 19.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.19 CRITERION= .9652E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4131
 HT FLOW CONVERGENCE VALUE= .8773E-01 CRITERION= .7816E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3754E-01
 HT FLOW CONVERGENCE VALUE= .5008E-02 CRITERION= .7814E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 25 SUBSTEP 40 COMPLETED. CUM ITER = 714
 *** TIME = .126230E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2460E-05 OSCILLATION LIMIT = 19.41

***** ANSYS SOLVE COMMAND *****

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 10:31:17 MAR 26, 1995 CP= 47106.910
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 50.66 CRITERION= .9312E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3515
 HT FLOW CONVERGENCE VALUE= .7538E-01 CRITERION= .7792E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 1 COMPLETED. CUM ITER = 715
 *** TIME = .127019E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2665E-05 OSCILLATION LIMIT = 21.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.72 CRITERION= .9295E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3155
 HT FLOW CONVERGENCE VALUE= .7103E-01 CRITERION= .7761E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 2 COMPLETED. CUM ITER = 716
 *** TIME = .127808E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2170E-05 OSCILLATION LIMIT = 17.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.64 CRITERION= .9266E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3186
 HT FLOW CONVERGENCE VALUE= .7083E-01 CRITERION= .7737E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 3 COMPLETED. CUM ITER = 717
 *** TIME = .128597E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2264E-05 OSCILLATION LIMIT = 17.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.70 CRITERION= .9248E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3174
 HT FLOW CONVERGENCE VALUE= .7053E-01 CRITERION= .7706E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 4 COMPLETED. CUM ITER = 718
 *** TIME = .129386E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2208E-05 OSCILLATION LIMIT = 17.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.62 CRITERION= .9219E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3192
 HT FLOW CONVERGENCE VALUE= .7036E-01 CRITERION= .7683E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 5 COMPLETED. CUM ITER = 719
 *** TIME = .130175E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2265E-05 OSCILLATION LIMIT = 17.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.68 CRITERION= .9201E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3181
 HT FLOW CONVERGENCE VALUE= .7012E-01 CRITERION= .7652E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 6 COMPLETED. CUM ITER = 720
 *** TIME = .130964E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2209E-05 OSCILLATION LIMIT = 17.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.60 CRITERION= .9173E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3198
 HT FLOW CONVERGENCE VALUE= .6997E-01 CRITERION= .7629E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 7 COMPLETED. CUM ITER = 721
 *** TIME = .131753E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2265E-05 OSCILLATION LIMIT = 17.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.66 CRITERION= .9155E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3187
 HT FLOW CONVERGENCE VALUE= .6967E-01 CRITERION= .7598E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 8 COMPLETED. CUM ITER = 722
 *** TIME = .132542E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2210E-05 OSCILLATION LIMIT = 17.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.58 CRITERION= .9126E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3204
 HT FLOW CONVERGENCE VALUE= .6945E-01 CRITERION= .7574E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 9 COMPLETED. CUM ITER = 723
 *** TIME = .133331E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2266E-05 OSCILLATION LIMIT = 17.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.64 CRITERION= .9108E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3194
 HT FLOW CONVERGENCE VALUE= .6910E-01 CRITERION= .7543E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 10 COMPLETED. CUM ITER = 724
 *** TIME = .134120E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2211E-05 OSCILLATION LIMIT = 17.45
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.56 CRITERION= .9080E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3210
 HT FLOW CONVERGENCE VALUE= .6885E-01 CRITERION= .7520E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 11 COMPLETED. CUM ITER = 725
 *** TIME = .134909E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2266E-05 OSCILLATION LIMIT = 17.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.61 CRITERION= .9062E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3200
 HT FLOW CONVERGENCE VALUE= .6855E-01 CRITERION= .7489E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 12 COMPLETED. CUM ITER = 726
 *** TIME = .135698E+10 TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .2212E-05  OSCILLATION LIMIT = 17.45
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.54  CRITERION= .9034E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3216
  HT FLOW CONVERGENCE VALUE= .6831E-01 CRITERION= .7466E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 13 COMPLETED.  CUM ITER = 727
*** TIME = .136487E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2267E-05  OSCILLATION LIMIT = 17.88
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.59  CRITERION= .9016E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3206
  HT FLOW CONVERGENCE VALUE= .6800E-01 CRITERION= .7435E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 14 COMPLETED.  CUM ITER = 728
*** TIME = .137276E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2213E-05  OSCILLATION LIMIT = 17.46
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.51  CRITERION= .8988E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3222
  HT FLOW CONVERGENCE VALUE= .6775E-01 CRITERION= .7411E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 15 COMPLETED.  CUM ITER = 729
*** TIME = .138065E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2267E-05  OSCILLATION LIMIT = 17.88
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.57  CRITERION= .8970E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3213
  HT FLOW CONVERGENCE VALUE= .6747E-01 CRITERION= .7380E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 16 COMPLETED.  CUM ITER = 730
*** TIME = .138853E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2214E-05  OSCILLATION LIMIT = 17.47
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.49  CRITERION= .8941E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3228
  HT FLOW CONVERGENCE VALUE= .6726E-01 CRITERION= .7357E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 17 COMPLETED.  CUM ITER = 731
*** TIME = .139642E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2267E-05  OSCILLATION LIMIT = 17.89
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.55  CRITERION= .8924E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3219
  HT FLOW CONVERGENCE VALUE= .6699E-01 CRITERION= .7326E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 18 COMPLETED.  CUM ITER = 732
*** TIME = .140431E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2215E-05  OSCILLATION LIMIT = 17.47
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.47  CRITERION= .8895E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3234
  HT FLOW CONVERGENCE VALUE= .6683E-01 CRITERION= .7303E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 19 COMPLETED.  CUM ITER = 733
*** TIME = .141220E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2267E-05  OSCILLATION LIMIT = 17.89
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.53  CRITERION= .8878E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3226
  HT FLOW CONVERGENCE VALUE= .6660E-01 CRITERION= .7272E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

```

*** LOAD STEP 26 SUBSTEP 20 COMPLETED. CUM ITER = 734
*** TIME = .142009E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2216E-05 OSCILLATION LIMIT = 17.48
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.45 CRITERION= .8850E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3241
HT FLOW CONVERGENCE VALUE= .6643E-01 CRITERION= .7248E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 21 COMPLETED. CUM ITER = 735
*** TIME = .142798E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2268E-05 OSCILLATION LIMIT = 17.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.51 CRITERION= .8832E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3232
HT FLOW CONVERGENCE VALUE= .6631E-01 CRITERION= .7217E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 22 COMPLETED. CUM ITER = 736
*** TIME = .143587E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2217E-05 OSCILLATION LIMIT = 17.49
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.43 CRITERION= .8804E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3247
HT FLOW CONVERGENCE VALUE= .6624E-01 CRITERION= .7194E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 23 COMPLETED. CUM ITER = 737
*** TIME = .144376E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2268E-05 OSCILLATION LIMIT = 17.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.49 CRITERION= .8786E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3239
HT FLOW CONVERGENCE VALUE= .6607E-01 CRITERION= .7163E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 24 COMPLETED. CUM ITER = 738
*** TIME = .145165E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2218E-05 OSCILLATION LIMIT = 17.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.41 CRITERION= .8758E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3253
HT FLOW CONVERGENCE VALUE= .6591E-01 CRITERION= .7140E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 25 COMPLETED. CUM ITER = 739
*** TIME = .145954E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2268E-05 OSCILLATION LIMIT = 17.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.46 CRITERION= .8740E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3245
HT FLOW CONVERGENCE VALUE= .6575E-01 CRITERION= .7109E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 26 COMPLETED. CUM ITER = 740
*** TIME = .146743E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2219E-05 OSCILLATION LIMIT = 17.50
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.39 CRITERION= .8713E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3260
HT FLOW CONVERGENCE VALUE= .6561E-01 CRITERION= .7085E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 27 COMPLETED. CUM ITER = 741
*** TIME = .147532E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2269E-05 OSCILLATION LIMIT = 17.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.44 CRITERION= .8695E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3252

```


HT FLOW CONVERGENCE VALUE= .6543E-01 CRITERION= .7054E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 28 COMPLETED. CUM ITER = 742
 *** TIME = .148321E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2219E-05 OSCILLATION LIMIT = 17.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.36 CRITERION= .8667E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3266
 HT FLOW CONVERGENCE VALUE= .6534E-01 CRITERION= .7031E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 29 COMPLETED. CUM ITER = 743
 *** TIME = .149110E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2269E-05 OSCILLATION LIMIT = 17.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.42 CRITERION= .8649E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3258
 HT FLOW CONVERGENCE VALUE= .6515E-01 CRITERION= .7000E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 30 COMPLETED. CUM ITER = 744
 *** TIME = .149899E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2220E-05 OSCILLATION LIMIT = 17.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.34 CRITERION= .8622E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3272
 HT FLOW CONVERGENCE VALUE= .6502E-01 CRITERION= .6977E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 31 COMPLETED. CUM ITER = 745
 *** TIME = .150688E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2269E-05 OSCILLATION LIMIT = 17.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.40 CRITERION= .8604E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3265
 HT FLOW CONVERGENCE VALUE= .6549E-01 CRITERION= .6946E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 32 COMPLETED. CUM ITER = 746
 *** TIME = .151476E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2220E-05 OSCILLATION LIMIT = 17.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.32 CRITERION= .8576E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3279
 HT FLOW CONVERGENCE VALUE= .6568E-01 CRITERION= .6923E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 33 COMPLETED. CUM ITER = 747
 *** TIME = .152265E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2269E-05 OSCILLATION LIMIT = 17.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.38 CRITERION= .8559E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3272
 HT FLOW CONVERGENCE VALUE= .6570E-01 CRITERION= .6891E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 34 COMPLETED. CUM ITER = 748
 *** TIME = .153054E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2222E-05 OSCILLATION LIMIT = 17.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.30 CRITERION= .8531E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3285
 HT FLOW CONVERGENCE VALUE= .6611E-01 CRITERION= .6868E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 35 COMPLETED. CUM ITER = 749
 *** TIME = .153843E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2270E-05 OSCILLATION LIMIT = 17.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.36 CRITERION= .8514E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3278
 HT FLOW CONVERGENCE VALUE= .6610E-01 CRITERION= .6837E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 36 COMPLETED. CUM ITER = 750
 *** TIME = .154632E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2223E-05 OSCILLATION LIMIT = 17.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.28 CRITERION= .8486E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3292
 HT FLOW CONVERGENCE VALUE= .6598E-01 CRITERION= .6814E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 37 COMPLETED. CUM ITER = 751
 *** TIME = .155421E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2270E-05 OSCILLATION LIMIT = 17.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.34 CRITERION= .8469E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3285
 HT FLOW CONVERGENCE VALUE= .6566E-01 CRITERION= .6783E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 38 COMPLETED. CUM ITER = 752
 *** TIME = .156210E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2223E-05 OSCILLATION LIMIT = 17.54
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.26 CRITERION= .8441E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3298
 HT FLOW CONVERGENCE VALUE= .6562E-01 CRITERION= .6760E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 39 COMPLETED. CUM ITER = 753
 *** TIME = .156999E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2271E-05 OSCILLATION LIMIT = 17.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.31 CRITERION= .8424E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3292
 HT FLOW CONVERGENCE VALUE= .6535E-01 CRITERION= .6729E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 40 COMPLETED. CUM ITER = 754
 *** TIME = .157788E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2224E-05 OSCILLATION LIMIT = 17.54

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 11:30:38 MAR 26, 1995 CP= 49965.210
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 42.55 CRITERION= .7960E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2615
 HT FLOW CONVERGENCE VALUE= .5291E-01 CRITERION= .6711E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 1 COMPLETED. CUM ITER = 755
 *** TIME = .158577E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2031E-05 OSCILLATION LIMIT = 16.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.61 CRITERION= .7947E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2642
 HT FLOW CONVERGENCE VALUE= .5300E-01 CRITERION= .6686E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 2 COMPLETED. CUM ITER = 756
 *** TIME = .159366E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2035E-05 OSCILLATION LIMIT = 16.06

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.53 CRITERION= .7923E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2672
 HT FLOW CONVERGENCE VALUE= .5317E-01 CRITERION= .6668E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 3 COMPLETED. CUM ITER = 757
 *** TIME = .160155E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2108E-05 OSCILLATION LIMIT = 16.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.59 CRITERION= .7910E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2645
 HT FLOW CONVERGENCE VALUE= .5278E-01 CRITERION= .6643E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 4 COMPLETED. CUM ITER = 758
 *** TIME = .160944E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2030E-05 OSCILLATION LIMIT = 16.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.52 CRITERION= .7886E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2676
 HT FLOW CONVERGENCE VALUE= .5293E-01 CRITERION= .6625E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 5 COMPLETED. CUM ITER = 759
 *** TIME = .161733E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2107E-05 OSCILLATION LIMIT = 16.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.58 CRITERION= .7873E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2650
 HT FLOW CONVERGENCE VALUE= .5256E-01 CRITERION= .6600E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 6 COMPLETED. CUM ITER = 760
 *** TIME = .162522E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2032E-05 OSCILLATION LIMIT = 16.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.50 CRITERION= .7850E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2679
 HT FLOW CONVERGENCE VALUE= .5268E-01 CRITERION= .6583E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 7 COMPLETED. CUM ITER = 761
 *** TIME = .163311E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2107E-05 OSCILLATION LIMIT = 16.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.56 CRITERION= .7836E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2655
 HT FLOW CONVERGENCE VALUE= .5231E-01 CRITERION= .6558E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 8 COMPLETED. CUM ITER = 762
 *** TIME = .164100E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2033E-05 OSCILLATION LIMIT = 16.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.49 CRITERION= .7813E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2683
 HT FLOW CONVERGENCE VALUE= .5240E-01 CRITERION= .6540E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 9 COMPLETED. CUM ITER = 763
 *** TIME = .164888E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2107E-05 OSCILLATION LIMIT = 16.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.55 CRITERION= .7800E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2660
 HT FLOW CONVERGENCE VALUE= .5205E-01 CRITERION= .6515E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 10 COMPLETED. CUM ITER = 764

```

*** TIME = .165677E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2034E-05    OSCILLATION LIMIT = 16.05
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.47    CRITERION= .7776E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2687
    HT FLOW CONVERGENCE VALUE= .5212E-01 CRITERION= .6497E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 11 COMPLETED. CUM ITER = 765
*** TIME = .166466E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2106E-05    OSCILLATION LIMIT = 16.62
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.53    CRITERION= .7763E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2665
    HT FLOW CONVERGENCE VALUE= .5178E-01 CRITERION= .6472E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 12 COMPLETED. CUM ITER = 766
*** TIME = .167255E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2035E-05    OSCILLATION LIMIT = 16.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.46    CRITERION= .7740E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2691
    HT FLOW CONVERGENCE VALUE= .5186E-01 CRITERION= .6455E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 13 COMPLETED. CUM ITER = 767
*** TIME = .168044E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2106E-05    OSCILLATION LIMIT = 16.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.51    CRITERION= .7727E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2670
    HT FLOW CONVERGENCE VALUE= .5153E-01 CRITERION= .6430E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 14 COMPLETED. CUM ITER = 768
*** TIME = .168833E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2036E-05    OSCILLATION LIMIT = 16.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.44    CRITERION= .7703E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2695
    HT FLOW CONVERGENCE VALUE= .5158E-01 CRITERION= .6412E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 15 COMPLETED. CUM ITER = 769
*** TIME = .169622E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2106E-05    OSCILLATION LIMIT = 16.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.50    CRITERION= .7690E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2675
    HT FLOW CONVERGENCE VALUE= .5126E-01 CRITERION= .6387E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 16 COMPLETED. CUM ITER = 770
*** TIME = .170411E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2038E-05    OSCILLATION LIMIT = 16.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.42    CRITERION= .7667E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2699
    HT FLOW CONVERGENCE VALUE= .5130E-01 CRITERION= .6369E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 17 COMPLETED. CUM ITER = 771
*** TIME = .171200E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2106E-05    OSCILLATION LIMIT = 16.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.48    CRITERION= .7654E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2680
    HT FLOW CONVERGENCE VALUE= .5099E-01 CRITERION= .6344E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 18 COMPLETED. CUM ITER = 772
*** TIME = .171989E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2039E-05 OSCILLATION LIMIT = 16.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.41 CRITERION= .7631E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2703
HT FLOW CONVERGENCE VALUE= .5103E-01 CRITERION= .6327E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 19 COMPLETED. CUM ITER = 773
*** TIME = .172778E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2105E-05 OSCILLATION LIMIT = 16.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.47 CRITERION= .7618E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2684
HT FLOW CONVERGENCE VALUE= .5073E-01 CRITERION= .6302E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 20 COMPLETED. CUM ITER = 774
*** TIME = .173567E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2040E-05 OSCILLATION LIMIT = 16.09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.39 CRITERION= .7594E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2707
HT FLOW CONVERGENCE VALUE= .5074E-01 CRITERION= .6284E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 21 COMPLETED. CUM ITER = 775
*** TIME = .174356E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2105E-05 OSCILLATION LIMIT = 16.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.45 CRITERION= .7581E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2689
HT FLOW CONVERGENCE VALUE= .5043E-01 CRITERION= .6259E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 22 COMPLETED. CUM ITER = 776
*** TIME = .175145E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2041E-05 OSCILLATION LIMIT = 16.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.38 CRITERION= .7558E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2712
HT FLOW CONVERGENCE VALUE= .5040E-01 CRITERION= .6242E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 23 COMPLETED. CUM ITER = 777
*** TIME = .175934E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2105E-05 OSCILLATION LIMIT = 16.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.44 CRITERION= .7545E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2694
HT FLOW CONVERGENCE VALUE= .5009E-01 CRITERION= .6216E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 24 COMPLETED. CUM ITER = 778
*** TIME = .176723E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2042E-05 OSCILLATION LIMIT = 16.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.36 CRITERION= .7522E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2716
HT FLOW CONVERGENCE VALUE= .5004E-01 CRITERION= .6199E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 25 COMPLETED. CUM ITER = 779
*** TIME = .177512E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2105E-05 OSCILLATION LIMIT = 16.61
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.42 CRITERION= .7509E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2699
 HT FLOW CONVERGENCE VALUE= .4970E-01 CRITERION= .6174E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 26 COMPLETED. CUM ITER = 780
 *** TIME = .178300E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2043E-05 OSCILLATION LIMIT = 16.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.35 CRITERION= .7486E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2720
 HT FLOW CONVERGENCE VALUE= .4962E-01 CRITERION= .6156E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 27 COMPLETED. CUM ITER = 781
 *** TIME = .179089E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2105E-05 OSCILLATION LIMIT = 16.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.41 CRITERION= .7473E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2704
 HT FLOW CONVERGENCE VALUE= .4930E-01 CRITERION= .6131E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 28 COMPLETED. CUM ITER = 782
 *** TIME = .179878E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2044E-05 OSCILLATION LIMIT = 16.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.33 CRITERION= .7450E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2724
 HT FLOW CONVERGENCE VALUE= .4924E-01 CRITERION= .6114E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 29 COMPLETED. CUM ITER = 783
 *** TIME = .180667E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2105E-05 OSCILLATION LIMIT = 16.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.39 CRITERION= .7437E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2709
 HT FLOW CONVERGENCE VALUE= .4892E-01 CRITERION= .6088E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 30 COMPLETED. CUM ITER = 784
 *** TIME = .181456E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2045E-05 OSCILLATION LIMIT = 16.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.32 CRITERION= .7414E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2729
 HT FLOW CONVERGENCE VALUE= .4885E-01 CRITERION= .6071E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 31 COMPLETED. CUM ITER = 785
 *** TIME = .182245E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2106E-05 OSCILLATION LIMIT = 16.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.38 CRITERION= .7401E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2714
 HT FLOW CONVERGENCE VALUE= .4857E-01 CRITERION= .6046E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 32 COMPLETED. CUM ITER = 786
 *** TIME = .183034E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2046E-05 OSCILLATION LIMIT = 16.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.30 CRITERION= .7378E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2733
 HT FLOW CONVERGENCE VALUE= .4850E-01 CRITERION= .6028E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 33 COMPLETED. CUM ITER = 787
 *** TIME = .183823E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2106E-05 OSCILLATION LIMIT = 16.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.36 CRITERION= .7365E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2719
 HT FLOW CONVERGENCE VALUE= .4825E-01 CRITERION= .6003E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 34 COMPLETED. CUM ITER = 788
 *** TIME = .184612E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2048E-05 OSCILLATION LIMIT = 16.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.29 CRITERION= .7342E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2737
 HT FLOW CONVERGENCE VALUE= .4816E-01 CRITERION= .5986E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 35 COMPLETED. CUM ITER = 789
 *** TIME = .185401E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2106E-05 OSCILLATION LIMIT = 16.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.35 CRITERION= .7330E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2724
 HT FLOW CONVERGENCE VALUE= .4791E-01 CRITERION= .5960E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 36 COMPLETED. CUM ITER = 790
 *** TIME = .186190E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2049E-05 OSCILLATION LIMIT = 16.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.27 CRITERION= .7307E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2742
 HT FLOW CONVERGENCE VALUE= .4784E-01 CRITERION= .5943E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 37 COMPLETED. CUM ITER = 791
 *** TIME = .186979E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2106E-05 OSCILLATION LIMIT = 16.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.33 CRITERION= .7294E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2729
 HT FLOW CONVERGENCE VALUE= .4758E-01 CRITERION= .5918E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 38 COMPLETED. CUM ITER = 792
 *** TIME = .187768E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2050E-05 OSCILLATION LIMIT = 16.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.26 CRITERION= .7271E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2746
 HT FLOW CONVERGENCE VALUE= .4749E-01 CRITERION= .5900E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 39 COMPLETED. CUM ITER = 793
 *** TIME = .188557E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2107E-05 OSCILLATION LIMIT = 16.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.31 CRITERION= .7258E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2734
 HT FLOW CONVERGENCE VALUE= .4726E-01 CRITERION= .5875E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 40 COMPLETED. CUM ITER = 794
 *** TIME = .189346E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2051E-05 OSCILLATION LIMIT = 16.18

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 12:30:22 MAR 26, 1995 CP= 52822.750
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 35.58 CRITERION= .6868E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2221
 HT FLOW CONVERGENCE VALUE= .3872E-01 CRITERION= .5861E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 1 COMPLETED. CUM ITER = 795
 *** TIME = .190135E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1967E-05 OSCILLATION LIMIT = 15.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.65 CRITERION= .6858E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2234
 HT FLOW CONVERGENCE VALUE= .3869E-01 CRITERION= .5840E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 2 COMPLETED. CUM ITER = 796
 *** TIME = .190923E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1948E-05 OSCILLATION LIMIT = 15.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.57 CRITERION= .6838E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2264
 HT FLOW CONVERGENCE VALUE= .3884E-01 CRITERION= .5827E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 3 COMPLETED. CUM ITER = 797
 *** TIME = .191712E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2029E-05 OSCILLATION LIMIT = 16.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.63 CRITERION= .6828E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2236
 HT FLOW CONVERGENCE VALUE= .3847E-01 CRITERION= .5806E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 4 COMPLETED. CUM ITER = 798
 *** TIME = .192501E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1945E-05 OSCILLATION LIMIT = 15.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.56 CRITERION= .6808E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2267
 HT FLOW CONVERGENCE VALUE= .3858E-01 CRITERION= .5793E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 5 COMPLETED. CUM ITER = 799
 *** TIME = .193290E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2029E-05 OSCILLATION LIMIT = 16.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.62 CRITERION= .6798E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2240
 HT FLOW CONVERGENCE VALUE= .3822E-01 CRITERION= .5772E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 6 COMPLETED. CUM ITER = 800
 *** TIME = .194079E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1947E-05 OSCILLATION LIMIT = 15.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.55 CRITERION= .6778E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2269
 HT FLOW CONVERGENCE VALUE= .3835E-01 CRITERION= .5758E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 7 COMPLETED. CUM ITER = 801
 *** TIME = .194868E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2029E-05 OSCILLATION LIMIT = 16.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.61 CRITERION= .6768E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2244
 HT FLOW CONVERGENCE VALUE= .3800E-01 CRITERION= .5737E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1


```

*** LOAD STEP 28 SUBSTEP 8 COMPLETED. CUM ITER = 802
*** TIME = .195657E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1949E-05 OSCILLATION LIMIT = 15.38
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.54 CRITERION= .6748E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2272
HT FLOW CONVERGENCE VALUE= .3807E-01 CRITERION= .5724E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 9 COMPLETED. CUM ITER = 803
*** TIME = .196446E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2029E-05 OSCILLATION LIMIT = 16.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.60 CRITERION= .6738E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2248
HT FLOW CONVERGENCE VALUE= .3776E-01 CRITERION= .5703E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 10 COMPLETED. CUM ITER = 804
*** TIME = .197235E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1951E-05 OSCILLATION LIMIT = 15.39
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.53 CRITERION= .6719E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2275
HT FLOW CONVERGENCE VALUE= .3784E-01 CRITERION= .5689E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 11 COMPLETED. CUM ITER = 805
*** TIME = .198024E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2029E-05 OSCILLATION LIMIT = 16.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.59 CRITERION= .6709E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2252
HT FLOW CONVERGENCE VALUE= .3751E-01 CRITERION= .5668E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 12 COMPLETED. CUM ITER = 806
*** TIME = .198813E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1952E-05 OSCILLATION LIMIT = 15.40
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.52 CRITERION= .6689E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2278
HT FLOW CONVERGENCE VALUE= .3757E-01 CRITERION= .5655E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 13 COMPLETED. CUM ITER = 807
*** TIME = .199602E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2029E-05 OSCILLATION LIMIT = 16.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.58 CRITERION= .6679E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2255
HT FLOW CONVERGENCE VALUE= .3726E-01 CRITERION= .5634E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 14 COMPLETED. CUM ITER = 808
*** TIME = .200391E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1954E-05 OSCILLATION LIMIT = 15.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.51 CRITERION= .6659E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2280
HT FLOW CONVERGENCE VALUE= .3732E-01 CRITERION= .5620E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 28 SUBSTEP 15 COMPLETED. CUM ITER = 809
*** TIME = .201180E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2029E-05 OSCILLATION LIMIT = 16.01
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.57 CRITERION= .6649E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2259

```

HT FLOW CONVERGENCE VALUE= .3704E-01 CRITERION= .5599E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 16 COMPLETED. CUM ITER = 810
 *** TIME = .201969E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1956E-05 OSCILLATION LIMIT = 15.43
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.50 CRITERION= .6629E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2283
 HT FLOW CONVERGENCE VALUE= .3709E-01 CRITERION= .5586E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 17 COMPLETED. CUM ITER = 811
 *** TIME = .202758E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2030E-05 OSCILLATION LIMIT = 16.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.56 CRITERION= .6619E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2263
 HT FLOW CONVERGENCE VALUE= .3683E-01 CRITERION= .5565E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 18 COMPLETED. CUM ITER = 812
 *** TIME = .203547E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1958E-05 OSCILLATION LIMIT = 15.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.48 CRITERION= .6600E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2286
 HT FLOW CONVERGENCE VALUE= .3686E-01 CRITERION= .5551E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 19 COMPLETED. CUM ITER = 813
 *** TIME = .204335E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2030E-05 OSCILLATION LIMIT = 16.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.55 CRITERION= .6590E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2267
 HT FLOW CONVERGENCE VALUE= .3659E-01 CRITERION= .5530E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 20 COMPLETED. CUM ITER = 814
 *** TIME = .205124E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1959E-05 OSCILLATION LIMIT = 15.46
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.47 CRITERION= .6570E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2289
 HT FLOW CONVERGENCE VALUE= .3666E-01 CRITERION= .5517E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 21 COMPLETED. CUM ITER = 815
 *** TIME = .205913E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2030E-05 OSCILLATION LIMIT = 16.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.54 CRITERION= .6560E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2270
 HT FLOW CONVERGENCE VALUE= .3643E-01 CRITERION= .5496E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 22 COMPLETED. CUM ITER = 816
 *** TIME = .206702E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1961E-05 OSCILLATION LIMIT = 15.47
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.46 CRITERION= .6540E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2292
 HT FLOW CONVERGENCE VALUE= .3645E-01 CRITERION= .5482E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 23 COMPLETED. CUM ITER = 817
 *** TIME = .207491E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2030E-05 OSCILLATION LIMIT = 16.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.52 CRITERION= .6531E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2274
 HT FLOW CONVERGENCE VALUE= .3624E-01 CRITERION= .5461E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 24 COMPLETED. CUM ITER = 818
 *** TIME = .208280E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1962E-05 OSCILLATION LIMIT = 15.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.45 CRITERION= .6511E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2295
 HT FLOW CONVERGENCE VALUE= .3624E-01 CRITERION= .5448E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 25 COMPLETED. CUM ITER = 819
 *** TIME = .209069E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2030E-05 OSCILLATION LIMIT = 16.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.51 CRITERION= .6501E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2278
 HT FLOW CONVERGENCE VALUE= .3603E-01 CRITERION= .5427E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 26 COMPLETED. CUM ITER = 820
 *** TIME = .209858E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1963E-05 OSCILLATION LIMIT = 15.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.44 CRITERION= .6481E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2298
 HT FLOW CONVERGENCE VALUE= .3614E-01 CRITERION= .5414E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 27 COMPLETED. CUM ITER = 821
 *** TIME = .210647E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2030E-05 OSCILLATION LIMIT = 16.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.50 CRITERION= .6472E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2281
 HT FLOW CONVERGENCE VALUE= .3606E-01 CRITERION= .5392E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 28 COMPLETED. CUM ITER = 822
 *** TIME = .211436E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1964E-05 OSCILLATION LIMIT = 15.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.43 CRITERION= .6452E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2301
 HT FLOW CONVERGENCE VALUE= .3606E-01 CRITERION= .5379E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 29 COMPLETED. CUM ITER = 823
 *** TIME = .212225E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2029E-05 OSCILLATION LIMIT = 16.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.49 CRITERION= .6442E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2285
 HT FLOW CONVERGENCE VALUE= .3564E-01 CRITERION= .5358E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 30 COMPLETED. CUM ITER = 824
 *** TIME = .213014E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1966E-05 OSCILLATION LIMIT = 15.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.42 CRITERION= .6423E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2304
 HT FLOW CONVERGENCE VALUE= .3559E-01 CRITERION= .5345E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 31 COMPLETED. CUM ITER = 825
 *** TIME = .213803E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2029E-05 OSCILLATION LIMIT = 16.01

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.48 CRITERION= .6413E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2288
 HT FLOW CONVERGENCE VALUE= .3542E-01 CRITERION= .5324E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 32 COMPLETED. CUM ITER = 826
 *** TIME = .214592E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1966E-05 OSCILLATION LIMIT = 15.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.41 CRITERION= .6393E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2307
 HT FLOW CONVERGENCE VALUE= .3541E-01 CRITERION= .5310E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 33 COMPLETED. CUM ITER = 827
 *** TIME = .215381E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2029E-05 OSCILLATION LIMIT = 16.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.47 CRITERION= .6384E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2292
 HT FLOW CONVERGENCE VALUE= .3524E-01 CRITERION= .5289E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 34 COMPLETED. CUM ITER = 828
 *** TIME = .216170E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1967E-05 OSCILLATION LIMIT = 15.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.40 CRITERION= .6364E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2310
 HT FLOW CONVERGENCE VALUE= .3523E-01 CRITERION= .5276E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 35 COMPLETED. CUM ITER = 829
 *** TIME = .216959E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2029E-05 OSCILLATION LIMIT = 16.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.46 CRITERION= .6354E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2296
 HT FLOW CONVERGENCE VALUE= .3506E-01 CRITERION= .5255E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 36 COMPLETED. CUM ITER = 830
 *** TIME = .217747E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1968E-05 OSCILLATION LIMIT = 15.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.39 CRITERION= .6335E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2313
 HT FLOW CONVERGENCE VALUE= .3503E-01 CRITERION= .5241E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 37 COMPLETED. CUM ITER = 831
 *** TIME = .218536E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2028E-05 OSCILLATION LIMIT = 16.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.45 CRITERION= .6325E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2299
 HT FLOW CONVERGENCE VALUE= .3488E-01 CRITERION= .5220E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 38 COMPLETED. CUM ITER = 832
 *** TIME = .219325E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1969E-05 OSCILLATION LIMIT = 15.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.38 CRITERION= .6306E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2316
 HT FLOW CONVERGENCE VALUE= .3484E-01 CRITERION= .5207E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 39 COMPLETED. CUM ITER = 833

*** TIME = .220114E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2029E-05 OSCILLATION LIMIT = 16.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.44 CRITERION= .6296E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2303
 HT FLOW CONVERGENCE VALUE= .3468E-01 CRITERION= .5186E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 40 COMPLETED. CUM ITER = 834
 *** TIME = .220903E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1970E-05 OSCILLATION LIMIT = 15.54

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 13:30:15 MAR 26, 1995 CP= 55680.490
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 34.03 CRITERION= .6203E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1986
 HT FLOW CONVERGENCE VALUE= .3093E-01 CRITERION= .5175E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 1 COMPLETED. CUM ITER = 835
 *** TIME = .221692E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1641E-05 OSCILLATION LIMIT = 12.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.09 CRITERION= .6195E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1980
 HT FLOW CONVERGENCE VALUE= .3076E-01 CRITERION= .5157E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 2 COMPLETED. CUM ITER = 836
 *** TIME = .222481E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1610E-05 OSCILLATION LIMIT = 12.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.02 CRITERION= .6178E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2005
 HT FLOW CONVERGENCE VALUE= .3084E-01 CRITERION= .5147E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 3 COMPLETED. CUM ITER = 837
 *** TIME = .223270E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1684E-05 OSCILLATION LIMIT = 13.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.08 CRITERION= .6171E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1983
 HT FLOW CONVERGENCE VALUE= .3062E-01 CRITERION= .5129E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 4 COMPLETED. CUM ITER = 838
 *** TIME = .224059E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1610E-05 OSCILLATION LIMIT = 12.70
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.01 CRITERION= .6154E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2007
 HT FLOW CONVERGENCE VALUE= .3069E-01 CRITERION= .5119E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 5 COMPLETED. CUM ITER = 839
 *** TIME = .224848E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1683E-05 OSCILLATION LIMIT = 13.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.07 CRITERION= .6147E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1986
 HT FLOW CONVERGENCE VALUE= .3048E-01 CRITERION= .5101E-01 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 6 COMPLETED. CUM ITER = 840
*** TIME = .225637E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1611E-05 OSCILLATION LIMIT = 12.71
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.00 CRITERION= .6131E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2009
HT FLOW CONVERGENCE VALUE= .3054E-01 CRITERION= .5091E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 7 COMPLETED. CUM ITER = 841
*** TIME = .226426E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1683E-05 OSCILLATION LIMIT = 13.28
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.06 CRITERION= .6124E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1989
HT FLOW CONVERGENCE VALUE= .3033E-01 CRITERION= .5073E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 8 COMPLETED. CUM ITER = 842
*** TIME = .227215E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1613E-05 OSCILLATION LIMIT = 12.72
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.99 CRITERION= .6107E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2011
HT FLOW CONVERGENCE VALUE= .3038E-01 CRITERION= .5063E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 9 COMPLETED. CUM ITER = 843
*** TIME = .228004E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1684E-05 OSCILLATION LIMIT = 13.28
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.05 CRITERION= .6100E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1992
HT FLOW CONVERGENCE VALUE= .3018E-01 CRITERION= .5045E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 10 COMPLETED. CUM ITER = 844
*** TIME = .228793E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1615E-05 OSCILLATION LIMIT = 12.74
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.98 CRITERION= .6083E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2013
HT FLOW CONVERGENCE VALUE= .3022E-01 CRITERION= .5035E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 11 COMPLETED. CUM ITER = 845
*** TIME = .229582E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1684E-05 OSCILLATION LIMIT = 13.28
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.04 CRITERION= .6076E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1995
HT FLOW CONVERGENCE VALUE= .3003E-01 CRITERION= .5017E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 12 COMPLETED. CUM ITER = 846
*** TIME = .230370E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1616E-05 OSCILLATION LIMIT = 12.75
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.97 CRITERION= .6059E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2015
HT FLOW CONVERGENCE VALUE= .3006E-01 CRITERION= .5007E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 13 COMPLETED. CUM ITER = 847
*** TIME = .231159E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1684E-05 OSCILLATION LIMIT = 13.29
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.03 CRITERION= .6052E-01

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1997
HT FLOW CONVERGENCE VALUE= .2986E-01 CRITERION= .4989E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 14 COMPLETED. CUM ITER = 848
*** TIME = .231948E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1618E-05 OSCILLATION LIMIT = 12.76
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.96 CRITERION= .6035E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2018
HT FLOW CONVERGENCE VALUE= .2989E-01 CRITERION= .4979E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 15 COMPLETED. CUM ITER = 849
*** TIME = .232737E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1685E-05 OSCILLATION LIMIT = 13.29
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.02 CRITERION= .6028E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2000
HT FLOW CONVERGENCE VALUE= .2970E-01 CRITERION= .4961E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 16 COMPLETED. CUM ITER = 850
*** TIME = .233526E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1620E-05 OSCILLATION LIMIT = 12.78
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.95 CRITERION= .6012E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2020
HT FLOW CONVERGENCE VALUE= .2970E-01 CRITERION= .4951E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 17 COMPLETED. CUM ITER = 851
*** TIME = .234315E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1685E-05 OSCILLATION LIMIT = 13.29
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.01 CRITERION= .6005E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2003
HT FLOW CONVERGENCE VALUE= .2953E-01 CRITERION= .4933E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 18 COMPLETED. CUM ITER = 852
*** TIME = .235104E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1622E-05 OSCILLATION LIMIT = 12.79
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.94 CRITERION= .5988E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2022
HT FLOW CONVERGENCE VALUE= .2954E-01 CRITERION= .4923E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 19 COMPLETED. CUM ITER = 853
*** TIME = .235893E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1685E-05 OSCILLATION LIMIT = 13.30
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.00 CRITERION= .5981E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2006
HT FLOW CONVERGENCE VALUE= .2937E-01 CRITERION= .4905E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 20 COMPLETED. CUM ITER = 854
*** TIME = .236682E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1623E-05 OSCILLATION LIMIT = 12.81
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.93 CRITERION= .5964E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2024
HT FLOW CONVERGENCE VALUE= .2939E-01 CRITERION= .4895E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 21 COMPLETED. CUM ITER = 855
*** TIME = .237471E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1686E-05 OSCILLATION LIMIT = 13.30
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 33.99 CRITERION= .5957E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2009
 HT FLOW CONVERGENCE VALUE= .2923E-01 CRITERION= .4877E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 22 COMPLETED. CUM ITER = 856
 *** TIME = .238260E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1625E-05 OSCILLATION LIMIT = 12.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.92 CRITERION= .5941E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2026
 HT FLOW CONVERGENCE VALUE= .2923E-01 CRITERION= .4867E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 23 COMPLETED. CUM ITER = 857
 *** TIME = .239049E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1686E-05 OSCILLATION LIMIT = 13.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.98 CRITERION= .5934E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2012
 HT FLOW CONVERGENCE VALUE= .2907E-01 CRITERION= .4849E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 24 COMPLETED. CUM ITER = 858
 *** TIME = .239838E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1626E-05 OSCILLATION LIMIT = 12.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.91 CRITERION= .5917E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2029
 HT FLOW CONVERGENCE VALUE= .2902E-01 CRITERION= .4839E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 25 COMPLETED. CUM ITER = 859
 *** TIME = .240627E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1687E-05 OSCILLATION LIMIT = 13.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.97 CRITERION= .5910E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2015
 HT FLOW CONVERGENCE VALUE= .2880E-01 CRITERION= .4821E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 26 COMPLETED. CUM ITER = 860
 *** TIME = .241416E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1629E-05 OSCILLATION LIMIT = 12.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.90 CRITERION= .5894E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2031
 HT FLOW CONVERGENCE VALUE= .2871E-01 CRITERION= .4811E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 27 COMPLETED. CUM ITER = 861
 *** TIME = .242205E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1688E-05 OSCILLATION LIMIT = 13.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.96 CRITERION= .5887E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2018
 HT FLOW CONVERGENCE VALUE= .2855E-01 CRITERION= .4793E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 28 COMPLETED. CUM ITER = 862
 *** TIME = .242994E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1631E-05 OSCILLATION LIMIT = 12.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.89 CRITERION= .5870E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2035
 HT FLOW CONVERGENCE VALUE= .2851E-01 CRITERION= .4783E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 29 COMPLETED. CUM ITER = 863
 *** TIME = .243782E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .1690E-05 OSCILLATION LIMIT = 13.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.95 CRITERION= .5863E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2021
 HT FLOW CONVERGENCE VALUE= .2832E-01 CRITERION= .4765E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 30 COMPLETED. CUM ITER = 864
 *** TIME = .244571E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1633E-05 OSCILLATION LIMIT = 12.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.88 CRITERION= .5847E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2037
 HT FLOW CONVERGENCE VALUE= .2827E-01 CRITERION= .4755E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 31 COMPLETED. CUM ITER = 865
 *** TIME = .245360E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1691E-05 OSCILLATION LIMIT = 13.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.94 CRITERION= .5840E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2025
 HT FLOW CONVERGENCE VALUE= .2815E-01 CRITERION= .4737E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 32 COMPLETED. CUM ITER = 866
 *** TIME = .246149E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1636E-05 OSCILLATION LIMIT = 12.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.87 CRITERION= .5823E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2040
 HT FLOW CONVERGENCE VALUE= .2814E-01 CRITERION= .4727E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 33 COMPLETED. CUM ITER = 867
 *** TIME = .246938E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1692E-05 OSCILLATION LIMIT = 13.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.93 CRITERION= .5817E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2028
 HT FLOW CONVERGENCE VALUE= .2803E-01 CRITERION= .4709E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 34 COMPLETED. CUM ITER = 868
 *** TIME = .247727E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1637E-05 OSCILLATION LIMIT = 12.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.86 CRITERION= .5800E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2043
 HT FLOW CONVERGENCE VALUE= .2802E-01 CRITERION= .4699E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 35 COMPLETED. CUM ITER = 869
 *** TIME = .248516E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1693E-05 OSCILLATION LIMIT = 13.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.92 CRITERION= .5793E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2031
 HT FLOW CONVERGENCE VALUE= .2791E-01 CRITERION= .4681E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 36 COMPLETED. CUM ITER = 870
 *** TIME = .249305E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1639E-05 OSCILLATION LIMIT = 12.93
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.85 CRITERION= .5777E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2045
 HT FLOW CONVERGENCE VALUE= .2789E-01 CRITERION= .4671E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 29 SUBSTEP 37 COMPLETED. CUM ITER = 871
 *** TIME = .250094E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1694E-05 OSCILLATION LIMIT = 13.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.91 CRITERION= .5770E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2034
 HT FLOW CONVERGENCE VALUE= .2779E-01 CRITERION= .4653E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 38 COMPLETED. CUM ITER = 872
 *** TIME = .250883E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1640E-05 OSCILLATION LIMIT = 12.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.84 CRITERION= .5753E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2048
 HT FLOW CONVERGENCE VALUE= .2777E-01 CRITERION= .4643E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 39 COMPLETED. CUM ITER = 873
 *** TIME = .251672E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1695E-05 OSCILLATION LIMIT = 13.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.90 CRITERION= .5747E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2038
 HT FLOW CONVERGENCE VALUE= .2767E-01 CRITERION= .4625E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 40 COMPLETED. CUM ITER = 874
 *** TIME = .252461E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1642E-05 OSCILLATION LIMIT = 12.96

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 14:30:31 MAR 26, 1995 CP= 58537.390
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 26.56 CRITERION= .5333E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1588
 HT FLOW CONVERGENCE VALUE= .2158E-01 CRITERION= .4618E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 1 COMPLETED. CUM ITER = 875
 *** TIME = .253250E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1668E-05 OSCILLATION LIMIT = 13.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.62 CRITERION= .5328E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1597
 HT FLOW CONVERGENCE VALUE= .2162E-01 CRITERION= .4603E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 2 COMPLETED. CUM ITER = 876
 *** TIME = .254039E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1641E-05 OSCILLATION LIMIT = 12.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.55 CRITERION= .5314E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1624
 HT FLOW CONVERGENCE VALUE= .2175E-01 CRITERION= .4596E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 3 COMPLETED. CUM ITER = 877
 *** TIME = .254828E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 13.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.61 CRITERION= .5309E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1599

HT FLOW CONVERGENCE VALUE= .2155E-01 CRITERION= .4581E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 4 COMPLETED. CUM ITER = 878
 *** TIME = .255617E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1638E-05 OSCILLATION LIMIT = 12.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.54 CRITERION= .5294E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1625
 HT FLOW CONVERGENCE VALUE= .2167E-01 CRITERION= .4574E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 5 COMPLETED. CUM ITER = 879
 *** TIME = .256406E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 13.63
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.61 CRITERION= .5290E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1601
 HT FLOW CONVERGENCE VALUE= .2148E-01 CRITERION= .4559E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 6 COMPLETED. CUM ITER = 880
 *** TIME = .257194E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1640E-05 OSCILLATION LIMIT = 12.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.54 CRITERION= .5275E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1627
 HT FLOW CONVERGENCE VALUE= .2159E-01 CRITERION= .4551E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 7 COMPLETED. CUM ITER = 881
 *** TIME = .257983E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 13.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.60 CRITERION= .5270E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1604
 HT FLOW CONVERGENCE VALUE= .2140E-01 CRITERION= .4537E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 8 COMPLETED. CUM ITER = 882
 *** TIME = .258772E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1642E-05 OSCILLATION LIMIT = 12.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.53 CRITERION= .5256E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1628
 HT FLOW CONVERGENCE VALUE= .2151E-01 CRITERION= .4529E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 9 COMPLETED. CUM ITER = 883
 *** TIME = .259561E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 13.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.59 CRITERION= .5251E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1606
 HT FLOW CONVERGENCE VALUE= .2133E-01 CRITERION= .4515E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 10 COMPLETED. CUM ITER = 884
 *** TIME = .260350E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1644E-05 OSCILLATION LIMIT = 12.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.52 CRITERION= .5236E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1630
 HT FLOW CONVERGENCE VALUE= .2143E-01 CRITERION= .4507E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 11 COMPLETED. CUM ITER = 885
 *** TIME = .261139E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 13.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.59 CRITERION= .5231E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1609
 HT FLOW CONVERGENCE VALUE= .2126E-01 CRITERION= .4493E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 12 COMPLETED. CUM ITER = 886
 *** TIME = .261928E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1646E-05 OSCILLATION LIMIT = 12.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.52 CRITERION= .5217E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1631
 HT FLOW CONVERGENCE VALUE= .2135E-01 CRITERION= .4485E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 13 COMPLETED. CUM ITER = 887
 *** TIME = .262717E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 13.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.58 CRITERION= .5212E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1611
 HT FLOW CONVERGENCE VALUE= .2119E-01 CRITERION= .4470E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 14 COMPLETED. CUM ITER = 888
 *** TIME = .263506E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1647E-05 OSCILLATION LIMIT = 13.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.51 CRITERION= .5198E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1633
 HT FLOW CONVERGENCE VALUE= .2127E-01 CRITERION= .4463E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 15 COMPLETED. CUM ITER = 889
 *** TIME = .264295E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 13.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.58 CRITERION= .5193E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1613
 HT FLOW CONVERGENCE VALUE= .2111E-01 CRITERION= .4448E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 16 COMPLETED. CUM ITER = 890
 *** TIME = .265084E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1649E-05 OSCILLATION LIMIT = 13.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.51 CRITERION= .5178E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1634
 HT FLOW CONVERGENCE VALUE= .2118E-01 CRITERION= .4441E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 17 COMPLETED. CUM ITER = 891
 *** TIME = .265873E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 13.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.57 CRITERION= .5174E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1616
 HT FLOW CONVERGENCE VALUE= .2104E-01 CRITERION= .4426E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 18 COMPLETED. CUM ITER = 892
 *** TIME = .266662E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1650E-05 OSCILLATION LIMIT = 13.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.50 CRITERION= .5159E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1636
 HT FLOW CONVERGENCE VALUE= .2110E-01 CRITERION= .4419E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 19 COMPLETED. CUM ITER = 893
 *** TIME = .267451E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 13.62

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.56 CRITERION= .5154E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1618
 HT FLOW CONVERGENCE VALUE= .2097E-01 CRITERION= .4404E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 20 COMPLETED. CUM ITER = 894
 *** TIME = .268240E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1652E-05 OSCILLATION LIMIT = 13.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.49 CRITERION= .5140E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1637
 HT FLOW CONVERGENCE VALUE= .2102E-01 CRITERION= .4397E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 21 COMPLETED. CUM ITER = 895
 *** TIME = .269029E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 13.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.56 CRITERION= .5135E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1620
 HT FLOW CONVERGENCE VALUE= .2089E-01 CRITERION= .4382E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 22 COMPLETED. CUM ITER = 896
 *** TIME = .269817E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1653E-05 OSCILLATION LIMIT = 13.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.49 CRITERION= .5121E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1639
 HT FLOW CONVERGENCE VALUE= .2094E-01 CRITERION= .4375E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 23 COMPLETED. CUM ITER = 897
 *** TIME = .270606E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 13.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.55 CRITERION= .5116E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1623
 HT FLOW CONVERGENCE VALUE= .2082E-01 CRITERION= .4360E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 24 COMPLETED. CUM ITER = 898
 *** TIME = .271395E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1655E-05 OSCILLATION LIMIT = 13.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.48 CRITERION= .5101E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1641
 HT FLOW CONVERGENCE VALUE= .2086E-01 CRITERION= .4353E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 25 COMPLETED. CUM ITER = 899
 *** TIME = .272184E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 13.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.54 CRITERION= .5097E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1625
 HT FLOW CONVERGENCE VALUE= .2074E-01 CRITERION= .4338E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 26 COMPLETED. CUM ITER = 900
 *** TIME = .272973E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1656E-05 OSCILLATION LIMIT = 13.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.47 CRITERION= .5082E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1642
 HT FLOW CONVERGENCE VALUE= .2078E-01 CRITERION= .4331E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 27 COMPLETED. CUM ITER = 901

```

*** TIME = .273762E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1727E-05    OSCILLATION LIMIT = 13.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 26.54    CRITERION= .5078E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1627
    HT FLOW CONVERGENCE VALUE= .2067E-01    CRITERION= .4316E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 28 COMPLETED.    CUM ITER = 902
*** TIME = .274551E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1657E-05    OSCILLATION LIMIT = 13.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 26.47    CRITERION= .5063E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1644
    HT FLOW CONVERGENCE VALUE= .2070E-01    CRITERION= .4309E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 29 COMPLETED.    CUM ITER = 903
*** TIME = .275340E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1727E-05    OSCILLATION LIMIT = 13.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 26.53    CRITERION= .5058E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1629
    HT FLOW CONVERGENCE VALUE= .2059E-01    CRITERION= .4294E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 30 COMPLETED.    CUM ITER = 904
*** TIME = .276129E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1659E-05    OSCILLATION LIMIT = 13.09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 26.46    CRITERION= .5044E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1646
    HT FLOW CONVERGENCE VALUE= .2062E-01    CRITERION= .4287E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 31 COMPLETED.    CUM ITER = 905
*** TIME = .276918E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1727E-05    OSCILLATION LIMIT = 13.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 26.53    CRITERION= .5039E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1631
    HT FLOW CONVERGENCE VALUE= .2052E-01    CRITERION= .4272E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 32 COMPLETED.    CUM ITER = 906
*** TIME = .277707E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1660E-05    OSCILLATION LIMIT = 13.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 26.46    CRITERION= .5025E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1647
    HT FLOW CONVERGENCE VALUE= .2054E-01    CRITERION= .4265E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 33 COMPLETED.    CUM ITER = 907
*** TIME = .278496E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1727E-05    OSCILLATION LIMIT = 13.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 26.52    CRITERION= .5020E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1634
    HT FLOW CONVERGENCE VALUE= .2044E-01    CRITERION= .4250E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 34 COMPLETED.    CUM ITER = 908
*** TIME = .279285E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1661E-05    OSCILLATION LIMIT = 13.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 26.45    CRITERION= .5006E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1649
    HT FLOW CONVERGENCE VALUE= .2046E-01    CRITERION= .4243E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 35 COMPLETED. CUM ITER = 909
*** TIME = .280074E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1727E-05 OSCILLATION LIMIT = 13.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.51 CRITERION= .5001E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1636
HT FLOW CONVERGENCE VALUE= .2037E-01 CRITERION= .4228E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 36 COMPLETED. CUM ITER = 910
*** TIME = .280863E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1662E-05 OSCILLATION LIMIT = 13.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.44 CRITERION= .4987E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1650
HT FLOW CONVERGENCE VALUE= .2038E-01 CRITERION= .4220E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 37 COMPLETED. CUM ITER = 911
*** TIME = .281652E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1728E-05 OSCILLATION LIMIT = 13.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.51 CRITERION= .4982E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1638
HT FLOW CONVERGENCE VALUE= .2029E-01 CRITERION= .4206E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 38 COMPLETED. CUM ITER = 912
*** TIME = .282441E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1663E-05 OSCILLATION LIMIT = 13.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.44 CRITERION= .4968E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1652
HT FLOW CONVERGENCE VALUE= .2030E-01 CRITERION= .4198E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 39 COMPLETED. CUM ITER = 913
*** TIME = .283229E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1728E-05 OSCILLATION LIMIT = 13.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.50 CRITERION= .4963E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1640
HT FLOW CONVERGENCE VALUE= .2022E-01 CRITERION= .4184E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 40 COMPLETED. CUM ITER = 914
*** TIME = .284018E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1665E-05 OSCILLATION LIMIT = 13.13
Apply loads and solve for 100 to 1000 years

*DO LOOP ON PARAMETER= TM FROM .31558E+10 TO .31558E+11 BY .31558E+10
TIME= .31558E+10

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
1228.89062 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

```

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 101.86 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 102.06 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 102.52 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 61390.990 TIME= 15:30:07
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 15:30:07 MAR 26, 1995 CP= 61390.990
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 31
TIME AT END OF THE LOAD STEP.31558E+10
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 21.83 CRITERION= .4719E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1405
HT FLOW CONVERGENCE VALUE= .1705E-01 CRITERION= .4178E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 1 COMPLETED. CUM ITER = 915
*** TIME = .284807E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1829E-05 OSCILLATION LIMIT = 14.43
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.90 CRITERION= .4715E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1403
 HT FLOW CONVERGENCE VALUE= .1704E-01 CRITERION= .4164E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 2 COMPLETED. CUM ITER = 916
 *** TIME = .285596E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1775E-05 OSCILLATION LIMIT = 14.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.83 CRITERION= .4702E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1424
 HT FLOW CONVERGENCE VALUE= .1712E-01 CRITERION= .4158E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 3 COMPLETED. CUM ITER = 917
 *** TIME = .286385E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1862E-05 OSCILLATION LIMIT = 14.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.89 CRITERION= .4698E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1405
 HT FLOW CONVERGENCE VALUE= .1698E-01 CRITERION= .4145E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 4 COMPLETED. CUM ITER = 918
 *** TIME = .287174E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1773E-05 OSCILLATION LIMIT = 13.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.83 CRITERION= .4685E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1425
 HT FLOW CONVERGENCE VALUE= .1706E-01 CRITERION= .4139E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 5 COMPLETED. CUM ITER = 919
 *** TIME = .287963E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1861E-05 OSCILLATION LIMIT = 14.69
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.89 CRITERION= .4681E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1406
 HT FLOW CONVERGENCE VALUE= .1693E-01 CRITERION= .4126E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 6 COMPLETED. CUM ITER = 920
 *** TIME = .288752E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1775E-05 OSCILLATION LIMIT = 14.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.82 CRITERION= .4667E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1426
 HT FLOW CONVERGENCE VALUE= .1700E-01 CRITERION= .4120E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 7 COMPLETED. CUM ITER = 921
 *** TIME = .289541E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1861E-05 OSCILLATION LIMIT = 14.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.89 CRITERION= .4663E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1408
 HT FLOW CONVERGENCE VALUE= .1687E-01 CRITERION= .4106E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 8 COMPLETED. CUM ITER = 922
 *** TIME = .290330E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1776E-05 OSCILLATION LIMIT = 14.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.82 CRITERION= .4650E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1427
 HT FLOW CONVERGENCE VALUE= .1694E-01 CRITERION= .4100E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 9 COMPLETED. CUM ITER = 923
 *** TIME = .291119E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1861E-05 OSCILLATION LIMIT = 14.68

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .4646E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1410
 HT FLOW CONVERGENCE VALUE= .1682E-01 CRITERION= .4087E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 10 COMPLETED. CUM ITER = 924
 *** TIME = .291908E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1778E-05 OSCILLATION LIMIT = 14.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.81 CRITERION= .4633E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1428
 HT FLOW CONVERGENCE VALUE= .1688E-01 CRITERION= .4081E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 11 COMPLETED. CUM ITER = 925
 *** TIME = .292697E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1860E-05 OSCILLATION LIMIT = 14.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.88 CRITERION= .4629E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1411
 HT FLOW CONVERGENCE VALUE= .1676E-01 CRITERION= .4068E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 12 COMPLETED. CUM ITER = 926
 *** TIME = .293486E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1779E-05 OSCILLATION LIMIT = 14.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.81 CRITERION= .4616E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1429
 HT FLOW CONVERGENCE VALUE= .1681E-01 CRITERION= .4062E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 13 COMPLETED. CUM ITER = 927
 *** TIME = .294275E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1860E-05 OSCILLATION LIMIT = 14.68
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .4612E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1413
 HT FLOW CONVERGENCE VALUE= .1671E-01 CRITERION= .4048E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 14 COMPLETED. CUM ITER = 928
 *** TIME = .295064E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1780E-05 OSCILLATION LIMIT = 14.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.80 CRITERION= .4598E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1430
 HT FLOW CONVERGENCE VALUE= .1675E-01 CRITERION= .4043E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 15 COMPLETED. CUM ITER = 929
 *** TIME = .295853E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1860E-05 OSCILLATION LIMIT = 14.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .4595E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1415
 HT FLOW CONVERGENCE VALUE= .1665E-01 CRITERION= .4029E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 16 COMPLETED. CUM ITER = 930
 *** TIME = .296641E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1781E-05 OSCILLATION LIMIT = 14.05
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.80 CRITERION= .4581E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1431
 HT FLOW CONVERGENCE VALUE= .1669E-01 CRITERION= .4023E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 17 COMPLETED. CUM ITER = 931

```

*** TIME = .297430E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1860E-05    OSCILLATION LIMIT = 14.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.87    CRITERION= .4577E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1416
    HT FLOW CONVERGENCE VALUE= .1659E-01 CRITERION= .4010E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 18 COMPLETED. CUM ITER = 932
*** TIME = .298219E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1782E-05    OSCILLATION LIMIT = 14.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.80    CRITERION= .4564E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1432
    HT FLOW CONVERGENCE VALUE= .1663E-01 CRITERION= .4004E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 19 COMPLETED. CUM ITER = 933
*** TIME = .299008E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1860E-05    OSCILLATION LIMIT = 14.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.86    CRITERION= .4560E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1418
    HT FLOW CONVERGENCE VALUE= .1653E-01 CRITERION= .3990E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 20 COMPLETED. CUM ITER = 934
*** TIME = .299797E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1784E-05    OSCILLATION LIMIT = 14.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.79    CRITERION= .4547E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1434
    HT FLOW CONVERGENCE VALUE= .1657E-01 CRITERION= .3985E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 21 COMPLETED. CUM ITER = 935
*** TIME = .300586E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1860E-05    OSCILLATION LIMIT = 14.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.86    CRITERION= .4543E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1420
    HT FLOW CONVERGENCE VALUE= .1648E-01 CRITERION= .3971E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 22 COMPLETED. CUM ITER = 936
*** TIME = .301375E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1785E-05    OSCILLATION LIMIT = 14.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.79    CRITERION= .4530E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1435
    HT FLOW CONVERGENCE VALUE= .1650E-01 CRITERION= .3965E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 23 COMPLETED. CUM ITER = 937
*** TIME = .302164E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1860E-05    OSCILLATION LIMIT = 14.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.85    CRITERION= .4526E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1421
    HT FLOW CONVERGENCE VALUE= .1642E-01 CRITERION= .3952E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 24 COMPLETED. CUM ITER = 938
*** TIME = .302953E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1786E-05    OSCILLATION LIMIT = 14.09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.78    CRITERION= .4513E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1436
    HT FLOW CONVERGENCE VALUE= .1644E-01 CRITERION= .3946E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 25 COMPLETED. CUM ITER = 939
*** TIME = .303742E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1859E-05 OSCILLATION LIMIT = 14.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.85 CRITERION= .4509E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1423
HT FLOW CONVERGENCE VALUE= .1636E-01 CRITERION= .3932E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 26 COMPLETED. CUM ITER = 940
*** TIME = .304531E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1787E-05 OSCILLATION LIMIT = 14.10
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.78 CRITERION= .4495E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1437
HT FLOW CONVERGENCE VALUE= .1638E-01 CRITERION= .3927E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 27 COMPLETED. CUM ITER = 941
*** TIME = .305320E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1859E-05 OSCILLATION LIMIT = 14.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.84 CRITERION= .4492E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1425
HT FLOW CONVERGENCE VALUE= .1630E-01 CRITERION= .3913E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 28 COMPLETED. CUM ITER = 942
*** TIME = .306109E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1788E-05 OSCILLATION LIMIT = 14.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .4478E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1438
HT FLOW CONVERGENCE VALUE= .1632E-01 CRITERION= .3907E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 29 COMPLETED. CUM ITER = 943
*** TIME = .306898E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1859E-05 OSCILLATION LIMIT = 14.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.84 CRITERION= .4475E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1426
HT FLOW CONVERGENCE VALUE= .1624E-01 CRITERION= .3894E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 30 COMPLETED. CUM ITER = 944
*** TIME = .307687E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1789E-05 OSCILLATION LIMIT = 14.11
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .4461E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1439
HT FLOW CONVERGENCE VALUE= .1626E-01 CRITERION= .3888E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 31 COMPLETED. CUM ITER = 945
*** TIME = .308476E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1859E-05 OSCILLATION LIMIT = 14.67
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.84 CRITERION= .4458E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1428
HT FLOW CONVERGENCE VALUE= .1619E-01 CRITERION= .3875E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 32 COMPLETED. CUM ITER = 946
*** TIME = .309264E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1790E-05 OSCILLATION LIMIT = 14.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.77 CRITERION= .4444E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1441
 HT FLOW CONVERGENCE VALUE= .1619E-01 CRITERION= .3869E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 33 COMPLETED. CUM ITER = 947
 *** TIME = .310053E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1860E-05 OSCILLATION LIMIT = 14.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.83 CRITERION= .4441E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1429
 HT FLOW CONVERGENCE VALUE= .1613E-01 CRITERION= .3855E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 34 COMPLETED. CUM ITER = 948
 *** TIME = .310842E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1791E-05 OSCILLATION LIMIT = 14.13
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .4427E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1442
 HT FLOW CONVERGENCE VALUE= .1613E-01 CRITERION= .3849E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 35 COMPLETED. CUM ITER = 949
 *** TIME = .311631E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1860E-05 OSCILLATION LIMIT = 14.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.83 CRITERION= .4424E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1431
 HT FLOW CONVERGENCE VALUE= .1607E-01 CRITERION= .3836E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 36 COMPLETED. CUM ITER = 950
 *** TIME = .312420E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1792E-05 OSCILLATION LIMIT = 14.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .4410E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1443
 HT FLOW CONVERGENCE VALUE= .1607E-01 CRITERION= .3830E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 37 COMPLETED. CUM ITER = 951
 *** TIME = .313209E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1860E-05 OSCILLATION LIMIT = 14.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.82 CRITERION= .4407E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1432
 HT FLOW CONVERGENCE VALUE= .1601E-01 CRITERION= .3817E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 38 COMPLETED. CUM ITER = 952
 *** TIME = .313998E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1793E-05 OSCILLATION LIMIT = 14.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.75 CRITERION= .4393E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1444
 HT FLOW CONVERGENCE VALUE= .1601E-01 CRITERION= .3811E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 39 COMPLETED. CUM ITER = 953
 *** TIME = .314787E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1860E-05 OSCILLATION LIMIT = 14.67
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.82 CRITERION= .4390E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1434
 HT FLOW CONVERGENCE VALUE= .1595E-01 CRITERION= .3797E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 40 COMPLETED. CUM ITER = 954
 *** TIME = .315576E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1794E-05 OSCILLATION LIMIT = 14.15

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:29:41 MAR 26, 1995 CP= 64248.440
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 111.1 CRITERION= .1174
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6904
 HT FLOW CONVERGENCE VALUE= .7639E-01 CRITERION= .3760E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4437E-01
 HT FLOW CONVERGENCE VALUE= .3254E-02 CRITERION= .3760E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 1 COMPLETED. CUM ITER = 956
 *** TIME = .323465E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1420E-05 OSCILLATION LIMIT = 112.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 111.1 CRITERION= .1173
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6983
 HT FLOW CONVERGENCE VALUE= .7603E-01 CRITERION= .3716E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4417E-01
 HT FLOW CONVERGENCE VALUE= .3187E-02 CRITERION= .3715E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 2 COMPLETED. CUM ITER = 958
 *** TIME = .331355E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1450E-05 OSCILLATION LIMIT = 114.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 111.0 CRITERION= .1170
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7029
 HT FLOW CONVERGENCE VALUE= .7559E-01 CRITERION= .3678E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4400E-01
 HT FLOW CONVERGENCE VALUE= .3138E-02 CRITERION= .3677E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 3 COMPLETED. CUM ITER = 960
 *** TIME = .339244E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1473E-05 OSCILLATION LIMIT = 116.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 111.0 CRITERION= .1169
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7005
 HT FLOW CONVERGENCE VALUE= .7471E-01 CRITERION= .3634E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4358E-01
 HT FLOW CONVERGENCE VALUE= .3079E-02 CRITERION= .3633E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 4 COMPLETED. CUM ITER = 962
 *** TIME = .347134E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1454E-05 OSCILLATION LIMIT = 114.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.9 CRITERION= .1167
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7052
 HT FLOW CONVERGENCE VALUE= .7426E-01 CRITERION= .3596E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4341E-01
 HT FLOW CONVERGENCE VALUE= .3030E-02 CRITERION= .3595E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 5 COMPLETED. CUM ITER = 964
 *** TIME = .355023E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1476E-05 OSCILLATION LIMIT = 116.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.9 CRITERION= .1165
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7028
 HT FLOW CONVERGENCE VALUE= .7338E-01 CRITERION= .3552E-01

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4298E-01
 HT FLOW CONVERGENCE VALUE= .2972E-02 CRITERION= .3551E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 6 COMPLETED. CUM ITER = 966
 *** TIME = .362912E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1457E-05 OSCILLATION LIMIT = 114.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1163
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7075
 HT FLOW CONVERGENCE VALUE= .7300E-01 CRITERION= .3514E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4280E-01
 HT FLOW CONVERGENCE VALUE= .2922E-02 CRITERION= .3513E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 7 COMPLETED. CUM ITER = 968
 *** TIME = .370802E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1479E-05 OSCILLATION LIMIT = 116.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1162
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7052
 HT FLOW CONVERGENCE VALUE= .7218E-01 CRITERION= .3471E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4231E-01
 HT FLOW CONVERGENCE VALUE= .2858E-02 CRITERION= .3469E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 8 COMPLETED. CUM ITER = 970
 *** TIME = .378691E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1462E-05 OSCILLATION LIMIT = 115.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.7 CRITERION= .1160
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7098
 HT FLOW CONVERGENCE VALUE= .7195E-01 CRITERION= .3434E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4207E-01
 HT FLOW CONVERGENCE VALUE= .2804E-02 CRITERION= .3431E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 9 COMPLETED. CUM ITER = 972
 *** TIME = .386581E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1484E-05 OSCILLATION LIMIT = 117.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1159
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7075
 HT FLOW CONVERGENCE VALUE= .7116E-01 CRITERION= .3389E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4162E-01
 HT FLOW CONVERGENCE VALUE= .2746E-02 CRITERION= .3386E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 10 COMPLETED. CUM ITER = 974
 *** TIME = .394470E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1466E-05 OSCILLATION LIMIT = 115.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.7 CRITERION= .1158
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7122
 HT FLOW CONVERGENCE VALUE= .7067E-01 CRITERION= .3352E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4142E-01
 HT FLOW CONVERGENCE VALUE= .2698E-02 CRITERION= .3349E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 11 COMPLETED. CUM ITER = 976
 *** TIME = .402359E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1487E-05 OSCILLATION LIMIT = 117.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1157
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7099
 HT FLOW CONVERGENCE VALUE= .6978E-01 CRITERION= .3307E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4098E-01
 HT FLOW CONVERGENCE VALUE= .2641E-02 CRITERION= .3304E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 12 COMPLETED. CUM ITER = 978

```

*** TIME = .410249E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .1469E-05    OSCILLATION LIMIT = 115.9
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 110.7    CRITERION= .1155
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7146
    HT FLOW CONVERGENCE VALUE= .6928E-01 CRITERION= .3270E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4078E-01
    HT FLOW CONVERGENCE VALUE= .2594E-02 CRITERION= .3267E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 13 COMPLETED. CUM ITER = 980
*** TIME = .418138E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .1490E-05    OSCILLATION LIMIT = 117.5
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 110.8    CRITERION= .1155
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7123
    HT FLOW CONVERGENCE VALUE= .6839E-01 CRITERION= .3225E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4034E-01
    HT FLOW CONVERGENCE VALUE= .2538E-02 CRITERION= .3222E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 14 COMPLETED. CUM ITER = 982
*** TIME = .426028E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .1472E-05    OSCILLATION LIMIT = 116.1
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 110.7    CRITERION= .1153
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7170
    HT FLOW CONVERGENCE VALUE= .6787E-01 CRITERION= .3187E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4012E-01
    HT FLOW CONVERGENCE VALUE= .2491E-02 CRITERION= .3185E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 15 COMPLETED. CUM ITER = 984
*** TIME = .433917E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .1493E-05    OSCILLATION LIMIT = 117.8
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 110.8    CRITERION= .1152
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7148
    HT FLOW CONVERGENCE VALUE= .6698E-01 CRITERION= .3143E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3968E-01
    HT FLOW CONVERGENCE VALUE= .2435E-02 CRITERION= .3140E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 16 COMPLETED. CUM ITER = 986
*** TIME = .441806E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .1475E-05    OSCILLATION LIMIT = 116.4
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 110.7    CRITERION= .1151
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7194
    HT FLOW CONVERGENCE VALUE= .6646E-01 CRITERION= .3105E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3946E-01
    HT FLOW CONVERGENCE VALUE= .2388E-02 CRITERION= .3103E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 17 COMPLETED. CUM ITER = 988
*** TIME = .449696E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .1495E-05    OSCILLATION LIMIT = 118.0
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 110.8    CRITERION= .1150
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7173
    HT FLOW CONVERGENCE VALUE= .6556E-01 CRITERION= .3060E-01
    EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3901E-01
    HT FLOW CONVERGENCE VALUE= .2334E-02 CRITERION= .3058E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 18 COMPLETED. CUM ITER = 990
*** TIME = .457585E+10    TIME INC = .788940E+08
*** RESPONSE EIGENVALUE = .1478E-05    OSCILLATION LIMIT = 116.6
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

```


HT FLOW CONVERGENCE VALUE= 110.7 CRITERION= .1149
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7219
 HT FLOW CONVERGENCE VALUE= .6502E-01 CRITERION= .3023E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3878E-01
 HT FLOW CONVERGENCE VALUE= .2287E-02 CRITERION= .3021E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 19 COMPLETED. CUM ITER = 992
 *** TIME = .465475E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1498E-05 OSCILLATION LIMIT = 118.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1148
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7198
 HT FLOW CONVERGENCE VALUE= .6413E-01 CRITERION= .2978E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3832E-01
 HT FLOW CONVERGENCE VALUE= .2234E-02 CRITERION= .2976E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 20 COMPLETED. CUM ITER = 994
 *** TIME = .473364E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1481E-05 OSCILLATION LIMIT = 116.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.7 CRITERION= .1147
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7244
 HT FLOW CONVERGENCE VALUE= .6358E-01 CRITERION= .2941E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3808E-01
 HT FLOW CONVERGENCE VALUE= .2188E-02 CRITERION= .2939E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 21 COMPLETED. CUM ITER = 996
 *** TIME = .481253E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1501E-05 OSCILLATION LIMIT = 118.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1146
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7223
 HT FLOW CONVERGENCE VALUE= .6268E-01 CRITERION= .2896E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3762E-01
 HT FLOW CONVERGENCE VALUE= .2135E-02 CRITERION= .2894E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 22 COMPLETED. CUM ITER = 998
 *** TIME = .489143E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1485E-05 OSCILLATION LIMIT = 117.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.7 CRITERION= .1145
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7270
 HT FLOW CONVERGENCE VALUE= .6212E-01 CRITERION= .2859E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3737E-01
 HT FLOW CONVERGENCE VALUE= .2089E-02 CRITERION= .2857E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 23 COMPLETED. CUM ITER = 1000
 *** TIME = .497032E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1504E-05 OSCILLATION LIMIT = 118.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1144
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7249
 HT FLOW CONVERGENCE VALUE= .6122E-01 CRITERION= .2814E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3691E-01
 HT FLOW CONVERGENCE VALUE= .2037E-02 CRITERION= .2812E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 24 COMPLETED. CUM ITER = 1002
 *** TIME = .504922E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1488E-05 OSCILLATION LIMIT = 117.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.7 CRITERION= .1143
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7296
 HT FLOW CONVERGENCE VALUE= .6064E-01 CRITERION= .2777E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3664E-01

HT FLOW CONVERGENCE VALUE= .1991E-02 CRITERION= .2775E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 25 COMPLETED. CUM ITER = 1004
 *** TIME = .512811E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1506E-05 OSCILLATION LIMIT = 118.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1142
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7276
 HT FLOW CONVERGENCE VALUE= .5974E-01 CRITERION= .2732E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3618E-01
 HT FLOW CONVERGENCE VALUE= .1940E-02 CRITERION= .2730E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 26 COMPLETED. CUM ITER = 1006
 *** TIME = .520700E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1491E-05 OSCILLATION LIMIT = 117.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.7 CRITERION= .1141
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7322
 HT FLOW CONVERGENCE VALUE= .5915E-01 CRITERION= .2695E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3590E-01
 HT FLOW CONVERGENCE VALUE= .1895E-02 CRITERION= .2692E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 27 COMPLETED. CUM ITER = 1008
 *** TIME = .528590E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1509E-05 OSCILLATION LIMIT = 119.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1140
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7302
 HT FLOW CONVERGENCE VALUE= .5825E-01 CRITERION= .2650E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3543E-01
 HT FLOW CONVERGENCE VALUE= .1845E-02 CRITERION= .2648E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 28 COMPLETED. CUM ITER = 1010
 *** TIME = .536479E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1494E-05 OSCILLATION LIMIT = 117.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1139
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7349
 HT FLOW CONVERGENCE VALUE= .5765E-01 CRITERION= .2612E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3515E-01
 HT FLOW CONVERGENCE VALUE= .1800E-02 CRITERION= .2610E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 29 COMPLETED. CUM ITER = 1012
 *** TIME = .544369E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1512E-05 OSCILLATION LIMIT = 119.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1138
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7329
 HT FLOW CONVERGENCE VALUE= .5669E-01 CRITERION= .2568E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3467E-01
 HT FLOW CONVERGENCE VALUE= .1749E-02 CRITERION= .2566E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 30 COMPLETED. CUM ITER = 1014
 *** TIME = .552258E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1497E-05 OSCILLATION LIMIT = 118.1
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1137
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7375
 HT FLOW CONVERGENCE VALUE= .5869E-01 CRITERION= .2530E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3434E-01
 HT FLOW CONVERGENCE VALUE= .1700E-02 CRITERION= .2528E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 31 COMPLETED. CUM ITER = 1016
 *** TIME = .560147E+10 TIME INC = .788940E+08

*** RESPONSE EIGENVALUE = .1516E-05 OSCILLATION LIMIT = 119.6
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1136
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7356
 HT FLOW CONVERGENCE VALUE= .5968E-01 CRITERION= .2486E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3384E-01
 HT FLOW CONVERGENCE VALUE= .1649E-02 CRITERION= .2483E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 32 COMPLETED. CUM ITER = 1018
 *** TIME = .568037E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1501E-05 OSCILLATION LIMIT = 118.4
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1135
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7403
 HT FLOW CONVERGENCE VALUE= .5919E-01 CRITERION= .2448E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3353E-01
 HT FLOW CONVERGENCE VALUE= .1606E-02 CRITERION= .2446E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 33 COMPLETED. CUM ITER = 1020
 *** TIME = .575926E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1519E-05 OSCILLATION LIMIT = 119.8
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1135
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7384
 HT FLOW CONVERGENCE VALUE= .5819E-01 CRITERION= .2403E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3304E-01
 HT FLOW CONVERGENCE VALUE= .1558E-02 CRITERION= .2401E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 34 COMPLETED. CUM ITER = 1022
 *** TIME = .583816E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1504E-05 OSCILLATION LIMIT = 118.7
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1133
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7430
 HT FLOW CONVERGENCE VALUE= .5749E-01 CRITERION= .2366E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3272E-01
 HT FLOW CONVERGENCE VALUE= .1516E-02 CRITERION= .2364E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 35 COMPLETED. CUM ITER = 1024
 *** TIME = .591705E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1522E-05 OSCILLATION LIMIT = 120.0
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1133
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7412
 HT FLOW CONVERGENCE VALUE= .5649E-01 CRITERION= .2321E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3223E-01
 HT FLOW CONVERGENCE VALUE= .1469E-02 CRITERION= .2319E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 36 COMPLETED. CUM ITER = 1026
 *** TIME = .599594E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1507E-05 OSCILLATION LIMIT = 118.9
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1132
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7458
 HT FLOW CONVERGENCE VALUE= .5577E-01 CRITERION= .2284E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3190E-01
 HT FLOW CONVERGENCE VALUE= .1427E-02 CRITERION= .2282E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 37 COMPLETED. CUM ITER = 1028
 *** TIME = .607484E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1524E-05 OSCILLATION LIMIT = 120.3
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1131

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7440
 HT FLOW CONVERGENCE VALUE= .5477E-01 CRITERION= .2239E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3140E-01
 HT FLOW CONVERGENCE VALUE= .1382E-02 CRITERION= .2237E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 38 COMPLETED. CUM ITER = 1030
 *** TIME = .615373E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1510E-05 OSCILLATION LIMIT = 119.2
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1130
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7487
 HT FLOW CONVERGENCE VALUE= .5404E-01 CRITERION= .2202E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3106E-01
 HT FLOW CONVERGENCE VALUE= .1341E-02 CRITERION= .2200E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 39 COMPLETED. CUM ITER = 1032
 *** TIME = .623263E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1527E-05 OSCILLATION LIMIT = 120.5
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 110.8 CRITERION= .1130
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7469
 HT FLOW CONVERGENCE VALUE= .5303E-01 CRITERION= .2157E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3056E-01
 HT FLOW CONVERGENCE VALUE= .1296E-02 CRITERION= .2155E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 32 SUBSTEP 40 COMPLETED. CUM ITER = 1034
 *** TIME = .631152E+10 TIME INC = .788940E+08
 *** RESPONSE EIGENVALUE = .1513E-05 OSCILLATION LIMIT = 119.4

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:59:22 MAR 26, 1995 CP= 68756.180
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 45.19 CRITERION= .5008E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2632
 HT FLOW CONVERGENCE VALUE= .1985E-01 CRITERION= .2147E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 33 SUBSTEP 1 COMPLETED. CUM ITER = 1035
 *** TIME = .639041E+10 TIME INC = .788940E+08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED

HT FLOW CONVERGENCE VALUE= 45.26 CRITERION= .5007E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2463
 HT FLOW CONVERGENCE VALUE= .1911E-01 CRITERION= .2130E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 33 SUBSTEP 2 COMPLETED. CUM ITER = 1036
 *** TIME = .646931E+10 TIME INC = .788940E+08
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 135.6 CRITERION= .1373
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7728
 HT FLOW CONVERGENCE VALUE= .5710E-01 CRITERION= .2097E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3395E-01
 HT FLOW CONVERGENCE VALUE= .1528E-02 CRITERION= .2095E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 3 COMPLETED. CUM ITER = 1038
 *** TIME = .670599E+10 TIME INC = .236682E+09
 *** AUTO STEP TIME: NEXT TIME INC = .23668E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 135.7 CRITERION= .1373
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7815
 HT FLOW CONVERGENCE VALUE= .5642E-01 CRITERION= .2055E-01

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3358E-01
 HT FLOW CONVERGENCE VALUE= .1478E-02 CRITERION= .2054E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 4 COMPLETED. CUM ITER = 1040
 *** TIME = .694267E+10 TIME INC = .236682E+09
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+09 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 407.0 CRITERION= .4076
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.357
 HT FLOW CONVERGENCE VALUE= .1558 CRITERION= .1948E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9358E-01
 HT FLOW CONVERGENCE VALUE= .3805E-02 CRITERION= .1943E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 5 COMPLETED. CUM ITER = 1042
 *** TIME = .765272E+10 TIME INC = .710046E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 452.4 CRITERION= .4528
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.630
 HT FLOW CONVERGENCE VALUE= .1615 CRITERION= .1817E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9798E-01
 HT FLOW CONVERGENCE VALUE= .3695E-02 CRITERION= .1812E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 6 COMPLETED. CUM ITER = 1044
 *** TIME = .844166E+10 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .51281E+09 DECREASED (FACTOR = .6500)

HT FLOW CONVERGENCE VALUE= 294.0 CRITERION= .2946
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.726
 HT FLOW CONVERGENCE VALUE= .1022 CRITERION= .1736E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6295E-01
 HT FLOW CONVERGENCE VALUE= .2276E-02 CRITERION= .1733E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 7 COMPLETED. CUM ITER = 1046
 *** TIME = .895447E+10 TIME INC = .512811E+09
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 294.1 CRITERION= .2946
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.728
 HT FLOW CONVERGENCE VALUE= .9753E-01 CRITERION= .1650E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6073E-01
 HT FLOW CONVERGENCE VALUE= .2074E-02 CRITERION= .1647E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 33 SUBSTEP 8 COMPLETED. CUM ITER = 1048
 *** TIME = .946728E+10 TIME INC = .512811E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:15:52 MAR 26, 1995 CP= 69578.910
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 166.4 CRITERION= .1672
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9748
 HT FLOW CONVERGENCE VALUE= .5551E-01 CRITERION= .1607E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3439E-01
 HT FLOW CONVERGENCE VALUE= .1149E-02 CRITERION= .1605E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 1 COMPLETED. CUM ITER = 1050
 *** TIME = .998009E+10 TIME INC = .512811E+09
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 166.4 CRITERION= .1672
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9716
 HT FLOW CONVERGENCE VALUE= .5382E-01 CRITERION= .1557E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3367E-01

HT FLOW CONVERGENCE VALUE= .1065E-02 CRITERION= .1556E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 2 COMPLETED. CUM ITER = 1052
 *** TIME = .104929E+11 TIME INC = .512811E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.5385)

HT FLOW CONVERGENCE VALUE= 256.0 CRITERION= .2565
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.505
 HT FLOW CONVERGENCE VALUE= .7842E-01 CRITERION= .1491E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4871E-01
 HT FLOW CONVERGENCE VALUE= .1461E-02 CRITERION= .1489E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 3 COMPLETED. CUM ITER = 1054
 *** TIME = .112818E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 256.1 CRITERION= .2565
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.506
 HT FLOW CONVERGENCE VALUE= .7535E-01 CRITERION= .1417E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4566E-01
 HT FLOW CONVERGENCE VALUE= .1354E-02 CRITERION= .1415E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 4 COMPLETED. CUM ITER = 1056
 *** TIME = .120708E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .55226E+09 DECREASED (FACTOR = .7000)

HT FLOW CONVERGENCE VALUE= 179.2 CRITERION= .1798
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.063
 HT FLOW CONVERGENCE VALUE= .5251E-01 CRITERION= .1371E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3109E-01
 HT FLOW CONVERGENCE VALUE= .9210E-03 CRITERION= .1369E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 5 COMPLETED. CUM ITER = 1058
 *** TIME = .126230E+11 TIME INC = .552258E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:27:03 MAR 26, 1995 CP= 70146.010
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 131.1 CRITERION= .1318
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7318
 HT FLOW CONVERGENCE VALUE= .3692E-01 CRITERION= .1334E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2192E-01
 HT FLOW CONVERGENCE VALUE= .6628E-03 CRITERION= .1333E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 1 COMPLETED. CUM ITER = 1060
 *** TIME = .131753E+11 TIME INC = .552258E+09
 *** AUTO STEP TIME: NEXT TIME INC = .55226E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 131.1 CRITERION= .1318
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7381
 HT FLOW CONVERGENCE VALUE= .3641E-01 CRITERION= .1305E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2154E-01
 HT FLOW CONVERGENCE VALUE= .6392E-03 CRITERION= .1304E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 2 COMPLETED. CUM ITER = 1062
 *** TIME = .137276E+11 TIME INC = .552258E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.4286)

HT FLOW CONVERGENCE VALUE= 187.3 CRITERION= .1878
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.050
 HT FLOW CONVERGENCE VALUE= .4976E-01 CRITERION= .1256E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2947E-01
 HT FLOW CONVERGENCE VALUE= .8441E-03 CRITERION= .1254E-01 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 35 SUBSTEP 3 COMPLETED. CUM ITER = 1064
*** TIME = .145165E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 187.3 CRITERION= .1877
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.058
HT FLOW CONVERGENCE VALUE= .4833E-01 CRITERION= .1213E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2859E-01
HT FLOW CONVERGENCE VALUE= .7969E-03 CRITERION= .1212E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 35 SUBSTEP 4 COMPLETED. CUM ITER = 1066
*** TIME = .153054E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 112.4 CRITERION= .1131
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6326
HT FLOW CONVERGENCE VALUE= .2879E-01 CRITERION= .1181E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1700E-01
HT FLOW CONVERGENCE VALUE= .4687E-03 CRITERION= .1180E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 35 SUBSTEP 5 COMPLETED. CUM ITER = 1068
*** TIME = .157788E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****
1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 18:38:22 MAR 26, 1995 CP= 70713.300
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 107.6 CRITERION= .1082
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5561
HT FLOW CONVERGENCE VALUE= .2592E-01 CRITERION= .1162E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1554E-01
HT FLOW CONVERGENCE VALUE= .4397E-03 CRITERION= .1162E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 36 SUBSTEP 1 COMPLETED. CUM ITER = 1070
*** TIME = .162522E+11 TIME INC = .473364E+09
*** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 107.6 CRITERION= .1082
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5516
HT FLOW CONVERGENCE VALUE= .2535E-01 CRITERION= .1137E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1524E-01
HT FLOW CONVERGENCE VALUE= .4246E-03 CRITERION= .1136E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 36 SUBSTEP 2 COMPLETED. CUM ITER = 1072
*** TIME = .167255E+11 TIME INC = .473364E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 179.3 CRITERION= .1797
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9274
HT FLOW CONVERGENCE VALUE= .4065E-01 CRITERION= .1104E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2452E-01
HT FLOW CONVERGENCE VALUE= .6557E-03 CRITERION= .1103E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 36 SUBSTEP 3 COMPLETED. CUM ITER = 1074
*** TIME = .175145E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 179.4 CRITERION= .1797
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9244
HT FLOW CONVERGENCE VALUE= .3927E-01 CRITERION= .1063E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2379E-01
HT FLOW CONVERGENCE VALUE= .6165E-03 CRITERION= .1062E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

```

*** LOAD STEP 36 SUBSTEP 4 COMPLETED. CUM ITER = 1076
 *** TIME = .183034E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 143.5 CRITERION= .1439
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7459
 HT FLOW CONVERGENCE VALUE= .3090E-01 CRITERION= .1037E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1875E-01
 HT FLOW CONVERGENCE VALUE= .4736E-03 CRITERION= .1037E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 36 SUBSTEP 5 COMPLETED. CUM ITER = 1078
 *** TIME = .189346E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:50:05 MAR 26, 1995 CP= 71280.760
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 121.0 CRITERION= .1214
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5938
 HT FLOW CONVERGENCE VALUE= .2489E-01 CRITERION= .1011E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1525E-01
 HT FLOW CONVERGENCE VALUE= .3884E-03 CRITERION= .1011E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 37 SUBSTEP 1 COMPLETED. CUM ITER = 1080
 *** TIME = .195657E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 120.9 CRITERION= .1213
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5997
 HT FLOW CONVERGENCE VALUE= .2448E-01 CRITERION= .9926E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1503E-01
 HT FLOW CONVERGENCE VALUE= .3736E-03 CRITERION= .9921E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 37 SUBSTEP 2 COMPLETED. CUM ITER = 1082
 *** TIME = .201969E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 151.2 CRITERION= .1515
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7449
 HT FLOW CONVERGENCE VALUE= .2953E-01 CRITERION= .9612E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1820E-01
 HT FLOW CONVERGENCE VALUE= .4400E-03 CRITERION= .9605E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 37 SUBSTEP 3 COMPLETED. CUM ITER = 1084
 *** TIME = .209858E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 151.1 CRITERION= .1515
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7514
 HT FLOW CONVERGENCE VALUE= .2883E-01 CRITERION= .9370E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1781E-01
 HT FLOW CONVERGENCE VALUE= .4174E-03 CRITERION= .9363E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 37 SUBSTEP 4 COMPLETED. CUM ITER = 1086
 *** TIME = .217747E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 60.50 CRITERION= .6121E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2976
 HT FLOW CONVERGENCE VALUE= .1152E-01 CRITERION= .9218E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7124E-02
 HT FLOW CONVERGENCE VALUE= .1672E-03 CRITERION= .9215E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 37 SUBSTEP 5 COMPLETED. CUM ITER = 1088

*** TIME = .220903E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:01:06 MAR 26, 1995 CP= 71848.270
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 52.12 CRITERION= .5294E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2612
 HT FLOW CONVERGENCE VALUE= .9945E-02 CRITERION= .9158E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6148E-02
 HT FLOW CONVERGENCE VALUE= .1422E-03 CRITERION= .9156E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 1 COMPLETED. CUM ITER = 1090
 *** TIME = .224059E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 52.18 CRITERION= .5296E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2562
 HT FLOW CONVERGENCE VALUE= .9746E-02 CRITERION= .9026E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6040E-02
 HT FLOW CONVERGENCE VALUE= .1392E-03 CRITERION= .9024E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 2 COMPLETED. CUM ITER = 1092
 *** TIME = .227215E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 130.3 CRITERION= .1307
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6499
 HT FLOW CONVERGENCE VALUE= .2359E-01 CRITERION= .8826E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1466E-01
 HT FLOW CONVERGENCE VALUE= .3249E-03 CRITERION= .8820E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 3 COMPLETED. CUM ITER = 1094
 *** TIME = .235104E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 130.4 CRITERION= .1307
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6457
 HT FLOW CONVERGENCE VALUE= .2289E-01 CRITERION= .8549E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1427E-01
 HT FLOW CONVERGENCE VALUE= .3088E-03 CRITERION= .8544E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 4 COMPLETED. CUM ITER = 1096
 *** TIME = .242994E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 78.20 CRITERION= .7868E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3923
 HT FLOW CONVERGENCE VALUE= .1373E-01 CRITERION= .8440E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8561E-02
 HT FLOW CONVERGENCE VALUE= .1826E-03 CRITERION= .8437E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 5 COMPLETED. CUM ITER = 1098
 *** TIME = .247727E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 78.27 CRITERION= .7870E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3874
 HT FLOW CONVERGENCE VALUE= .1342E-01 CRITERION= .8260E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8388E-02
 HT FLOW CONVERGENCE VALUE= .1767E-03 CRITERION= .8257E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 6 COMPLETED. CUM ITER = 1100
 *** TIME = .252461E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 19:14:43 MAR 26, 1995 CP= 72528.040
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 68.18 CRITERION= .6869E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3292
HT FLOW CONVERGENCE VALUE= .1142E-01 CRITERION= .8181E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7180E-02
HT FLOW CONVERGENCE VALUE= .1515E-03 CRITERION= .8178E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 39 SUBSTEP 1 COMPLETED. CUM ITER = 1102
*** TIME = .257194E+11 TIME INC = .473364E+09
*** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.24 CRITERION= .6871E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3242
HT FLOW CONVERGENCE VALUE= .1118E-01 CRITERION= .8030E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7047E-02
HT FLOW CONVERGENCE VALUE= .1474E-03 CRITERION= .8028E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 39 SUBSTEP 2 COMPLETED. CUM ITER = 1104
*** TIME = .261928E+11 TIME INC = .473364E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 113.7 CRITERION= .1140
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5477
HT FLOW CONVERGENCE VALUE= .1818E-01 CRITERION= .7877E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1148E-01
HT FLOW CONVERGENCE VALUE= .2326E-03 CRITERION= .7873E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 39 SUBSTEP 3 COMPLETED. CUM ITER = 1106
*** TIME = .269817E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 113.7 CRITERION= .1140
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5432
HT FLOW CONVERGENCE VALUE= .1768E-01 CRITERION= .7649E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1120E-01
HT FLOW CONVERGENCE VALUE= .2222E-03 CRITERION= .7646E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 39 SUBSTEP 4 COMPLETED. CUM ITER = 1108
*** TIME = .277707E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 90.92 CRITERION= .9126E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4399
HT FLOW CONVERGENCE VALUE= .1402E-01 CRITERION= .7532E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8882E-02
HT FLOW CONVERGENCE VALUE= .1727E-03 CRITERION= .7529E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 39 SUBSTEP 5 COMPLETED. CUM ITER = 1110
*** TIME = .284018E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 19:26:00 MAR 26, 1995 CP= 73096.030
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 77.48      CRITERION= .7783E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3649
HT FLOW CONVERGENCE VALUE= .1162E-01 CRITERION= .7369E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7397E-02
HT FLOW CONVERGENCE VALUE= .1432E-03 CRITERION= .7367E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 40 SUBSTEP 1 COMPLETED. CUM ITER = 1112
*** TIME = .290330E+11 TIME INC = .631152E+09
*** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 77.41      CRITERION= .7778E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3705
HT FLOW CONVERGENCE VALUE= .1152E-01 CRITERION= .7280E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7333E-02
HT FLOW CONVERGENCE VALUE= .1390E-03 CRITERION= .7277E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 40 SUBSTEP 2 COMPLETED. CUM ITER = 1114
*** TIME = .296641E+11 TIME INC = .631152E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 96.84      CRITERION= .9710E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4576
HT FLOW CONVERGENCE VALUE= .1396E-01 CRITERION= .7086E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8915E-02
HT FLOW CONVERGENCE VALUE= .1657E-03 CRITERION= .7083E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 40 SUBSTEP 3 COMPLETED. CUM ITER = 1116
*** TIME = .304531E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 96.78      CRITERION= .9705E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4633
HT FLOW CONVERGENCE VALUE= .1374E-01 CRITERION= .6965E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8785E-02
HT FLOW CONVERGENCE VALUE= .1592E-03 CRITERION= .6962E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 40 SUBSTEP 4 COMPLETED. CUM ITER = 1118
*** TIME = .312420E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 38.76      CRITERION= .3936E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1819
HT FLOW CONVERGENCE VALUE= .5463E-02 CRITERION= .6864E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 40 SUBSTEP 5 COMPLETED. CUM ITER = 1119
*** TIME = .315576E+11 TIME INC = .315576E+09

```

FINISH SOLUTION PROCESSING

***** ROUTINE COMPLETED ***** CP = 73620.030

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12h3.db
FOR POSSIBLE RESUME FROM THIS POINT

Create element contour plots of solution results

Sort through solution results for time of max temp.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 19:37:30 MAR 26, 1995 CP= 73626.140
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

VARIABLE 2 IS AT NODE 2929 ITEM= TEMP COMP= NAME= peakclad

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES

VARI TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2 NSOL	2929 TEMP	peakclad	82.02	.3156E+11	254.4	.6312E+08

*GET TMTMAX FROM VARI 2 ITEM=EXTR TMAX VALUE= 63115231.6

***** ROUTINE COMPLETED ***** CP = 73626.450

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 19:37:33 MAR 26, 1995 CP= 73626.480
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 10 yr old, 48 GWD/MTU SNF

***** ANSYS RESULTS INTERPRETATION (POST1) *****
Create temperature contour plots of WP at peak

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (PRECISE) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS -1 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

4280 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .63115E+08

SET COMMAND GOT LOAD STEP= 14 SUBSTEP= 40 CUMULATIVE ITERATION= 194
TIME/FREQUENCY= .63115E+08

TITLE=
12 PWR MPC/WP at Time of Peak Temp. (2.000001 years)

/SHOW SWITCH PLOTS TO FILE solupk.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 AUTOMATIC CONTOURS

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solupk.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at Time of Peak Temp. (2.000001 years)

*** WARNING *** CP= 73658.740 TIME= 19:38:14
The selected element set contains mixed materials.
This could invalidate error estimation.
Create temperature contour plots at 10, 50, and 100 yrs

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+09

SET COMMAND GOT LOAD STEP= 22 SUBSTEP= 40 CUMULATIVE ITERATION= 514
TIME/FREQUENCY= .31558E+09

TITLE=
12 PWR MPC/WP at 10 years

/SHOW SWITCH PLOTS TO FILE solu10.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 121.16 BY 1.0492 TO 254.41

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu10.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 10 years

*** WARNING *** CP= 73697.810 TIME= 19:38:54
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .15779E+10

SET COMMAND GOT LOAD STEP= 26 SUBSTEP= 40 CUMULATIVE ITERATION= 754
TIME/FREQUENCY= .15779E+10

TITLE=
12 PWR MPC/WP at 50 years

/SHOW SWITCH PLOTS TO FILE solu50.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 121.16 BY 1.0492 TO 254.41

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu50.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 50 years

*** WARNING *** CP= 73736.090 TIME= 19:39:32
The selected element set contains mixed materials.
This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+10

SET COMMAND GOT LOAD STEP= 31 SUBSTEP= 40 CUMULATIVE ITERATION= 954
TIME/FREQUENCY= .31558E+10

TITLE=
12 PWR MPC/WP at 100 years

/SHOW SWITCH PLOTS TO FILE solu100.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 121.16 BY 1.0492 TO 254.41

DISPLAY MODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu100.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at 100 years

*** WARNING *** CP= 73775.310 TIME= 19:40:11
The selected element set contains mixed materials.
This could invalidate error estimation.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

EXIT THE ANSYS POST1 DATABASE PROCESSOR

***** ROUTINE COMPLETED ***** CP = 73782.070

Print time/temperature output at specific locations
Save profile from center to edge

Variable Legend: A01i000

x = center of waste package
f = flux trap plate stainless layer
w = flux trap plate SS sheath
c = center of assembly
h = halfway between center and tube
s = inside structural stainless tube layer
a = aluminum-born tube layer
t = stainless tube cladding
g = tube guide
m = mpc shell
i = inner barrier of DC
o = outer barrier of DC
= ID number of assembly (01 is center)
i = side of assembly toward center of WP
o = side of assembly toward edge of WP
000 = profile center down
045 = profile 45 deg down
090 = profile center side
135 = profile 45 deg up
180 = profile center up

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 19:40:18 MAR 26, 1995 CP= 73782.070
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

MAXIMUM NUMBER OF VARIABLES= 30

* Temperature Profile from center to lower right (45 deg.) *

VARIABLE 2 IS AT NODE 5522 ITEM= TEMP COMP= NAME= x04i045
 VARIABLE 3 IS AT NODE 1655 ITEM= TEMP COMP= NAME= f04i045
 VARIABLE 4 IS AT NODE 1762 ITEM= TEMP COMP= NAME= f04o045
 VARIABLE 5 IS AT NODE 2036 ITEM= TEMP COMP= NAME= w04i045
 VARIABLE 6 IS AT NODE 2177 ITEM= TEMP COMP= NAME= w04o045
 VARIABLE 7 IS AT NODE 2552 ITEM= TEMP COMP= NAME= s04i045
 VARIABLE 8 IS AT NODE 2977 ITEM= TEMP COMP= NAME= h04i045
 VARIABLE 9 IS AT NODE 2929 ITEM= TEMP COMP= NAME= c04i045
 VARIABLE 10 IS AT NODE 2881 ITEM= TEMP COMP= NAME= h04o045
 VARIABLE 11 IS AT NODE 2566 ITEM= TEMP COMP= NAME= s04o045
 VARIABLE 12 IS AT NODE 2427 ITEM= TEMP COMP= NAME= a04o045
 VARIABLE 13 IS AT NODE 2303 ITEM= TEMP COMP= NAME= t04i045
 VARIABLE 14 IS AT NODE 2289 ITEM= TEMP COMP= NAME= t04o045
 VARIABLE 15 IS AT NODE 3528 ITEM= TEMP COMP= NAME= g04i045
 VARIABLE 16 IS AT NODE 3545 ITEM= TEMP COMP= NAME= g04o045
 VARIABLE 17 IS AT NODE 3760 ITEM= TEMP COMP= NAME= m04i045
 VARIABLE 18 IS AT NODE 3707 ITEM= TEMP COMP= NAME= m04o045
 VARIABLE 19 IS AT NODE 4142 ITEM= TEMP COMP= NAME= i04i045
 VARIABLE 20 IS AT NODE 4200 ITEM= TEMP COMP= NAME= i04o045
 VARIABLE 21 IS AT NODE 4595 ITEM= TEMP COMP= NAME= o04o045
 Add centers of assemblies 5 and 6
 VARIABLE 22 IS AT NODE 3098 ITEM= TEMP COMP= NAME= c05i045
 VARIABLE 23 IS AT NODE 2760 ITEM= TEMP COMP= NAME= c06i045
 STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES						
VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM AT TIME
2	NSOL	5522 TEMP	x04i045	80.56	.3156E+11	235.7 .6312E+08
3	NSOL	1655 TEMP	f04i045	80.56	.3156E+11	235.7 .6312E+08
4	NSOL	1762 TEMP	f04o045	80.57	.3156E+11	235.7 .6312E+08
5	NSOL	2036 TEMP	w04i045	80.57	.3156E+11	235.7 .6312E+08
6	NSOL	2177 TEMP	w04o045	80.57	.3156E+11	235.7 .6312E+08
7	NSOL	2552 TEMP	s04i045	80.57	.3156E+11	235.7 .6312E+08
8	NSOL	2977 TEMP	h04i045	81.33	.3156E+11	246.0 .6312E+08
9	NSOL	2929 TEMP	c04i045	82.02	.3156E+11	254.4 .6312E+08
10	NSOL	2881 TEMP	h04o045	81.25	.3156E+11	242.7 .6312E+08
11	NSOL	2566 TEMP	s04o045	80.42	.3156E+11	230.0 .9467E+08
12	NSOL	2427 TEMP	a04o045	80.42	.3156E+11	230.0 .9467E+08
13	NSOL	2303 TEMP	t04i045	80.42	.3156E+11	229.9 .9467E+08
14	NSOL	2289 TEMP	t04o045	80.41	.3156E+11	229.7 .9467E+08
15	NSOL	3528 TEMP	g04i045	79.05	.3156E+11	209.4 .1262E+09
16	NSOL	3545 TEMP	g04o045	79.01	.3156E+11	208.5 .1578E+09
17	NSOL	3760 TEMP	m04i045	76.45	.3156E+11	174.2 .2525E+09
18	NSOL	3707 TEMP	m04o045	76.41	.3156E+11	173.3 .2525E+09

```

19 NSOL 4142 TEMP      i04i045      28.63      .1000E-05  139.1      .3156E+09
20 NSOL 4200 TEMP      i04o045      27.39      .1000E-05  138.2      .3156E+09
21 NSOL 4595 TEMP      o04o045      26.14      .1000E-05  137.3      .3156E+09
22 NSOL 3098 TEMP      c05i045      80.92      .3156E+11  235.9      .6312E+08
23 NSOL 2760 TEMP      c06i045      80.95      .3156E+11  236.3      .6312E+08

```

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303      VERSION=HP 9000/7XX  19:40:21 MAR 26, 1995 CP= 73785.030
FOR SUPPORT CALL SUPPORT PERSON  PHONE SUPPORT PHONE  FAX SUPPORT FAX

```

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5522 TEMP x04i045	1655 TEMP f04i045	1762 TEMP f04o045	2036 TEMP w04i045	2177 TEMP w04o045	2552 TEMP s04i045
.10000E-05	198.069	198.069	198.070	198.070	198.071	198.077
.20000E-05	210.926	210.925	210.926	210.926	210.927	210.933
31.558	210.926	210.925	210.926	210.926	210.927	210.933
.31558E+07	222.062	222.074	222.084	222.085	222.086	222.092
.63116E+07	225.419	225.431	225.442	225.442	225.444	225.450
.94673E+07	227.503	227.515	227.526	227.527	227.528	227.534
.12623E+08	229.023	229.036	229.046	229.047	229.049	229.055
.15779E+08	230.199	230.213	230.223	230.224	230.226	230.232
.18935E+08	231.188	231.202	231.212	231.213	231.215	231.221
.22090E+08	231.915	231.928	231.939	231.940	231.941	231.947
.25246E+08	232.573	232.586	232.597	232.598	232.600	232.606
.28402E+08	233.152	233.165	233.176	233.177	233.179	233.185
.31558E+08	233.599	233.613	233.624	233.624	233.626	233.632
.63115E+08	235.705	235.719	235.730	235.731	235.732	235.738
.94673E+08	235.692	235.706	235.717	235.718	235.719	235.725
.12623E+09	235.126	235.140	235.151	235.152	235.153	235.159
.15779E+09	234.510	234.524	234.535	234.535	234.537	234.542
.18935E+09	233.128	233.141	233.152	233.153	233.154	233.159
.22090E+09	232.039	232.052	232.063	232.064	232.065	232.070
.25246E+09	230.937	230.950	230.961	230.961	230.963	230.968
.28402E+09	229.425	229.438	229.448	229.449	229.450	229.455
.31558E+09	228.190	228.203	228.213	228.214	228.215	228.220
.63115E+09	212.745	212.756	212.765	212.766	212.767	212.771
.94673E+09	197.945	197.955	197.963	197.963	197.964	197.968
.12623E+10	184.486	184.495	184.502	184.502	184.503	184.506
.15779E+10	172.634	172.643	172.649	172.649	172.650	172.652
.18935E+10	162.775	162.782	162.788	162.788	162.789	162.791
.22090E+10	154.456	154.462	154.467	154.468	154.468	154.470
.25246E+10	147.062	147.068	147.073	147.073	147.074	147.075
.28402E+10	141.122	141.128	141.132	141.132	141.133	141.134
.31558E+10	135.943	135.948	135.952	135.953	135.953	135.955
.63115E+10	110.995	110.999	111.001	111.002	111.002	111.003
.94673E+10	101.711	101.714	101.716	101.716	101.716	101.717
.12623E+11	96.3802	96.3826	96.3843	96.3845	96.3846	96.3852
.15779E+11	92.6255	92.6277	92.6292	92.6294	92.6295	92.6300
.18935E+11	89.2912	89.2930	89.2943	89.2944	89.2945	89.2950
.22090E+11	86.5864	86.5881	86.5893	86.5894	86.5895	86.5899
.25246E+11	84.2354	84.2369	84.2380	84.2381	84.2382	84.2386
.28402E+11	82.2455	82.2468	82.2478	82.2479	82.2480	82.2483
.31558E+11	80.5635	80.5648	80.5657	80.5658	80.5659	80.5662

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303      VERSION=HP 9000/7XX  19:40:21 MAR 26, 1995 CP= 73785.030
FOR SUPPORT CALL SUPPORT PERSON  PHONE SUPPORT PHONE  FAX SUPPORT FAX

```

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2977 TEMP h04i045	2929 TEMP c04i045	2881 TEMP h04o045	2566 TEMP s04o045	2427 TEMP a04o045	2303 TEMP t04i045
.10000E-05	210.641	221.116	207.432	192.224	192.180	192.133
.20000E-05	222.950	232.917	219.595	204.858	204.813	204.766
31.558	222.950	232.917	219.595	204.857	204.813	204.766
.31558E+07	233.623	243.152	230.213	215.952	215.907	215.860
.63116E+07	236.798	246.158	233.359	219.272	219.227	219.180
.94673E+07	238.759	248.009	235.311	221.349	221.304	221.257
.12623E+08	240.178	249.338	236.728	222.873	222.828	222.781
.15779E+08	241.262	250.344	237.815	224.058	224.014	223.967
.18935E+08	242.178	251.194	238.735	225.059	225.015	224.968
.22090E+08	242.824	251.773	239.387	225.800	225.755	225.709
.25246E+08	243.416	252.308	239.986	226.473	226.429	226.383
.28402E+08	243.933	252.773	240.512	227.070	227.026	226.980
.31558E+08	244.321	253.110	240.909	227.536	227.492	227.446
.63115E+08	245.985	254.408	242.669	229.825	229.783	229.739
.94673E+08	245.650	253.814	242.433	229.995	229.955	229.911
.12623E+09	244.825	252.784	241.699	229.595	229.555	229.513
.15779E+09	243.999	251.794	240.949	229.115	229.076	229.036
.18935E+09	242.387	250.003	239.432	227.903	227.865	227.826
.22090E+09	241.119	248.596	238.238	226.946	226.909	226.870
.25246E+09	239.848	247.193	237.037	225.969	225.933	225.895
.28402E+09	238.189	245.420	235.446	224.578	224.543	224.506
.31558E+09	236.837	243.980	234.149	223.441	223.406	223.370
.63115E+09	220.264	226.547	218.127	208.960	208.932	208.902
.94673E+09	204.626	210.269	202.900	194.882	194.859	194.834
.12623E+10	190.464	195.569	189.045	181.962	181.942	181.921
.15779E+10	177.992	182.602	176.819	170.539	170.522	170.504
.18935E+10	167.623	171.821	166.637	161.005	160.991	160.975
.22090E+10	158.869	162.713	158.029	152.941	152.928	152.915
.25246E+10	151.108	154.650	150.381	145.746	145.735	145.723
.28402E+10	144.857	148.142	144.215	139.957	139.947	139.936
.31558E+10	139.395	142.440	138.826	134.907	134.898	134.888
.63115E+10	113.141	115.062	112.857	110.467	110.462	110.456
.94673E+10	103.410	104.939	103.205	101.325	101.321	101.317
.12623E+11	97.8171	99.1134	97.6520	96.0688	96.0655	96.0621
.15779E+11	93.8835	95.0212	93.7440	92.3607	92.3579	92.3549
.18935E+11	90.4051	91.4136	90.2855	89.0633	89.0609	89.0582
.22090E+11	87.5896	88.4997	87.4847	86.3855	86.3833	86.3809
.25246E+11	85.1418	85.9651	85.0493	84.0575	84.0555	84.0534
.28402E+11	83.0741	83.8267	82.9913	82.0861	82.0843	82.0824
.31558E+11	81.3266	82.0209	81.2517	80.4185	80.4168	80.4151

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:40:21 MAR 26, 1995 CP= 73785.040
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2289 TEMP t04o045	3528 TEMP g04i045	3545 TEMP g04o045	3760 TEMP m04i045	3707 TEMP m04o045	4142 TEMP i04i045
.10000E-05	191.925	166.374	165.328	114.228	113.148	28.6300
.20000E-05	204.559	179.892	178.838	130.778	129.703	60.2231
31.558	204.558	179.892	178.838	130.778	129.703	60.2233
.31558E+07	215.655	191.936	190.888	145.761	144.699	85.7577
.63116E+07	218.976	195.567	194.522	150.293	149.234	92.9946
.94673E+07	221.054	197.875	196.834	153.248	152.193	97.7579
.12623E+08	222.579	199.597	198.560	155.504	154.454	101.411
.15779E+08	223.766	200.964	199.931	157.341	156.295	104.383
.18935E+08	224.768	202.118	201.089	158.889	157.847	106.884
.22090E+08	225.510	203.015	201.991	160.179	159.141	109.051

.25246E+08	226.184	203.825	202.805	161.328	160.295	110.961
.28402E+08	226.782	204.551	203.535	162.369	161.340	112.665
.31558E+08	227.249	205.143	204.131	163.263	162.239	114.201
.63115E+08	229.549	208.374	207.397	168.665	167.677	123.697
.94673E+08	229.728	209.249	208.303	171.074	170.118	128.642
.12623E+09	229.335	209.423	208.503	172.460	171.531	131.887
.15779E+09	228.861	209.405	208.508	173.406	172.499	134.252
.18935E+09	227.656	208.709	207.838	173.749	172.869	136.011
.22090E+09	226.705	208.153	207.302	173.997	173.138	137.339
.25246E+09	225.733	207.555	206.723	174.152	173.312	138.482
.28402E+09	224.347	206.498	205.685	173.738	172.917	138.845
.31558E+09	223.214	205.626	204.827	173.375	172.569	139.090
.63115E+09	208.773	193.717	193.060	166.222	165.561	137.141
.94673E+09	194.724	181.582	181.031	157.571	157.017	132.001
.12623E+10	181.827	170.194	169.725	148.895	148.424	125.916
.15779E+10	170.423	160.098	159.696	141.147	140.741	120.442
.18935E+10	160.904	151.651	151.301	134.624	134.270	115.814
.22090E+10	152.852	144.505	144.197	129.098	128.786	111.919
.25246E+10	145.667	138.073	137.799	124.013	123.735	108.184
.28402E+10	139.886	132.907	132.659	119.951	119.699	105.253
.31558E+10	134.842	128.419	128.194	116.469	116.240	102.827
.63115E+10	110.430	106.531	106.404	99.1805	99.0511	90.4852
.94673E+10	101.297	98.2412	98.1442	92.4441	92.3453	85.4732
.12623E+11	96.0452	93.4732	93.3928	88.5796	88.4979	82.6372
.15779E+11	92.3403	90.0937	90.0243	85.8090	85.7384	80.5664
.18935E+11	89.0454	87.0595	86.9989	83.2657	83.2040	78.5883
.22090E+11	86.3695	84.5843	84.5302	81.1660	81.1110	76.9243
.25246E+11	84.0432	82.4327	82.3842	79.3440	79.2948	75.4893
.28402E+11	82.0731	80.6027	80.5588	77.7802	77.7356	74.2397
.31558E+11	80.4066	79.0541	79.0139	76.4531	76.4122	73.1765

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:40:21 MAR 26, 1995 CP= 73785.050
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4200 TEMP	4595 TEMP	3098 TEMP	2760 TEMP
	i04o045	o04o045	c05i045	c06i045
.10000E-05	27.3854	26.1413	200.063	200.349
.20000E-05	58.9776	57.7299	212.275	212.543
31.558	58.9776	57.7299	212.275	212.543
.31558E+07	84.5205	83.2794	222.935	223.348
.63116E+07	91.7600	90.5209	226.092	226.510
.94673E+07	96.5329	95.2983	228.073	228.493
.12623E+08	100.195	98.9657	229.521	229.941
.15779E+08	103.176	101.956	230.640	231.060
.18935E+08	105.685	104.475	231.590	232.009
.22090E+08	107.859	106.659	232.269	232.689
.25246E+08	109.776	108.584	232.896	233.315
.28402E+08	111.487	110.303	233.452	233.871
.31558E+08	113.030	111.854	233.877	234.295
.63115E+08	122.577	121.459	235.872	236.286
.94673E+08	127.567	126.493	235.838	236.244
.12623E+09	130.847	129.809	235.278	235.678
.15779E+09	133.241	132.232	234.672	235.065
.18935E+09	135.031	134.055	233.325	233.710
.22090E+09	136.384	135.433	232.263	232.643
.25246E+09	137.551	136.622	231.188	231.562
.28402E+09	137.935	137.027	229.716	230.083
.31558E+09	138.196	137.305	228.514	228.876
.63115E+09	136.403	135.668	213.420	213.733
.94673E+09	131.378	130.757	198.881	199.157
.12623E+10	125.380	124.845	185.574	185.817
.15779E+10	119.978	119.514	173.811	174.027

.18935E+10	115.407	114.999	164.001	164.195
.22090E+10	111.559	111.197	155.692	155.868
.25246E+10	107.862	107.538	148.276	148.437
.28402E+10	104.961	104.666	142.300	142.449
.31558E+10	102.561	102.293	137.078	137.216
.63115E+10	90.3330	90.1801	111.847	111.933
.94673E+10	85.3568	85.2400	102.430	102.498
.12623E+11	82.5408	82.4439	97.0028	97.0605
.15779E+11	80.4829	80.3992	93.1799	93.2304
.18935E+11	78.5154	78.4419	89.7892	89.8335
.22090E+11	76.8590	76.7936	87.0407	87.0805
.25246E+11	75.4308	75.3721	84.6503	84.6861
.28402E+11	74.1867	74.1333	82.6279	82.6607
.31558E+11	73.1278	73.0790	80.9183	80.9488

 * Temperature Profile from center to upper right (135 deg.) *

VARIABLE 2 IS AT NODE 5522 ITEM= TEMP COMP= NAME= x01i135

*** WARNING *** CP= 73785.190 TIME= 19:40:21
 NSOL command erases all previously stored or calculated data
 unless STORE, MERGE is used.

VARIABLE 3 IS AT NODE 64 ITEM= TEMP COMP= NAME= f01i135

VARIABLE 4 IS AT NODE 171 ITEM= TEMP COMP= NAME= f01o135

VARIABLE 5 IS AT NODE 445 ITEM= TEMP COMP= NAME= w01i135

VARIABLE 6 IS AT NODE 586 ITEM= TEMP COMP= NAME= w01o135

VARIABLE 7 IS AT NODE 961 ITEM= TEMP COMP= NAME= s01i135

VARIABLE 8 IS AT NODE 1386 ITEM= TEMP COMP= NAME= h01i135

VARIABLE 9 IS AT NODE 1338 ITEM= TEMP COMP= NAME= c01i135

VARIABLE 10 IS AT NODE 1290 ITEM= TEMP COMP= NAME= h01o135

VARIABLE 11 IS AT NODE 975 ITEM= TEMP COMP= NAME= s01o135

VARIABLE 12 IS AT NODE 836 ITEM= TEMP COMP= NAME= a01o135

VARIABLE 13 IS AT NODE 712 ITEM= TEMP COMP= NAME= t01i135

VARIABLE 14 IS AT NODE 698 ITEM= TEMP COMP= NAME= t01o135

VARIABLE 15 IS AT NODE 3332 ITEM= TEMP COMP= NAME= g01i135

VARIABLE 16 IS AT NODE 3318 ITEM= TEMP COMP= NAME= g01o135

VARIABLE 17 IS AT NODE 3974 ITEM= TEMP COMP= NAME= m01i135

VARIABLE 18 IS AT NODE 3924 ITEM= TEMP COMP= NAME= m01o135

VARIABLE 19 IS AT NODE 4369 ITEM= TEMP COMP= NAME= i01i135

VARIABLE 20 IS AT NODE 4424 ITEM= TEMP COMP= NAME= i01o135

VARIABLE 21 IS AT NODE 4763 ITEM= TEMP COMP= NAME= o01o135

Add centers of assemblies 2 and 3

VARIABLE 22 IS AT NODE 1507 ITEM= TEMP COMP= NAME= c02i135

VARIABLE 23 IS AT NODE 1169 ITEM= TEMP COMP= NAME= c03i135

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES						
VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM AT TIME
2	NSOL	5522 TEMP	x01i135	80.56	.3156E+11	235.7 .6312E+08
3	NSOL	64 TEMP	f01i135	80.56	.3156E+11	235.7 .6312E+08
4	NSOL	171 TEMP	f01o135	80.56	.3156E+11	235.7 .6312E+08
5	NSOL	445 TEMP	w01i135	80.56	.3156E+11	235.7 .6312E+08
6	NSOL	586 TEMP	w01o135	80.56	.3156E+11	235.7 .6312E+08
7	NSOL	961 TEMP	s01i135	80.56	.3156E+11	235.7 .6312E+08
8	NSOL	1386 TEMP	h01i135	81.32	.3156E+11	245.9 .6312E+08
9	NSOL	1338 TEMP	c01i135	82.01	.3156E+11	254.3 .6312E+08
10	NSOL	1290 TEMP	h01o135	81.24	.3156E+11	242.5 .6312E+08
11	NSOL	975 TEMP	s01o135	80.40	.3156E+11	229.8 .9467E+08
12	NSOL	836 TEMP	a01o135	80.40	.3156E+11	229.7 .9467E+08
13	NSOL	712 TEMP	t01i135	80.40	.3156E+11	229.7 .9467E+08
14	NSOL	698 TEMP	t01o135	80.39	.3156E+11	229.5 .9467E+08
15	NSOL	3332 TEMP	g01i135	79.02	.3156E+11	209.1 .1262E+09
16	NSOL	3318 TEMP	g01o135	78.98	.3156E+11	208.2 .1578E+09
17	NSOL	3974 TEMP	m01i135	76.40	.3156E+11	173.6 .2525E+09
18	NSOL	3924 TEMP	m01o135	76.36	.3156E+11	172.8 .2525E+09
19	NSOL	4369 TEMP	i01i135	28.63	.1000E-05	138.2 .3156E+09
20	NSOL	4424 TEMP	i01o135	27.39	.1000E-05	137.3 .3156E+09
21	NSOL	4763 TEMP	o01o135	26.14	.1000E-05	136.4 .3156E+09
22	NSOL	1507 TEMP	c02i135	80.91	.3156E+11	235.7 .6312E+08
23	NSOL	1169 TEMP	c03i135	80.91	.3156E+11	235.9 .6312E+08

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:40:24 MAR 26, 1995 CP= 73787.990
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5522 TEMP x01i135	64 TEMP f01i135	171 TEMP f01o135	445 TEMP w01i135	586 TEMP w01o135	961 TEMP s01i135
.10000E-05	198.069	198.069	198.071	198.071	198.072	198.078
.20000E-05	210.926	210.927	210.930	210.930	210.931	210.937
31.558	210.926	210.927	210.930	210.930	210.931	210.937
.31558E+07	222.062	222.050	222.043	222.043	222.044	222.049
.63116E+07	225.419	225.406	225.399	225.398	225.399	225.405
.94673E+07	227.503	227.490	227.483	227.482	227.483	227.488
.12623E+08	229.023	229.010	229.003	229.002	229.003	229.008
.15779E+08	230.199	230.186	230.179	230.178	230.179	230.185
.18935E+08	231.188	231.175	231.168	231.167	231.168	231.173
.22090E+08	231.915	231.902	231.894	231.893	231.894	231.900
.25246E+08	232.573	232.560	232.552	232.551	232.552	232.558
.28402E+08	233.152	233.139	233.131	233.130	233.131	233.136
.31558E+08	233.599	233.586	233.578	233.577	233.578	233.584
.63115E+08	235.705	235.691	235.683	235.682	235.683	235.688
.94673E+08	235.692	235.678	235.670	235.669	235.670	235.675
.12623E+09	235.126	235.113	235.105	235.104	235.105	235.110
.15779E+09	234.510	234.497	234.489	234.488	234.489	234.493
.18935E+09	233.128	233.115	233.107	233.106	233.106	233.111
.22090E+09	232.039	232.026	232.018	232.017	232.018	232.022
.25246E+09	230.937	230.924	230.916	230.915	230.916	230.920
.28402E+09	229.425	229.412	229.404	229.403	229.404	229.408
.31558E+09	228.190	228.178	228.170	228.169	228.170	228.174
.63115E+09	212.745	212.733	212.726	212.726	212.726	212.730
.94673E+09	197.945	197.935	197.928	197.928	197.928	197.931
.12623E+10	184.486	184.477	184.471	184.471	184.471	184.474
.15779E+10	172.634	172.626	172.621	172.621	172.621	172.623
.18935E+10	162.775	162.768	162.763	162.762	162.763	162.765
.22090E+10	154.456	154.449	154.445	154.444	154.444	154.446
.25246E+10	147.062	147.056	147.052	147.051	147.051	147.053
.28402E+10	141.122	141.116	141.112	141.112	141.112	141.114

.31558E+10	135.943	135.937	135.934	135.933	135.934	135.935
.63115E+10	110.995	110.992	110.989	110.989	110.989	110.990
.94673E+10	101.711	101.708	101.706	101.706	101.706	101.706
.12623E+11	96.3802	96.3778	96.3761	96.3759	96.3760	96.3765
.15779E+11	92.6255	92.6234	92.6220	92.6219	92.6219	92.6224
.18935E+11	89.2912	89.2893	89.2880	89.2879	89.2879	89.2883
.22090E+11	86.5864	86.5848	86.5837	86.5836	86.5836	86.5840
.25246E+11	84.2354	84.2339	84.2329	84.2328	84.2329	84.2332
.28402E+11	82.2455	82.2441	82.2431	82.2430	82.2431	82.2434
.31558E+11	80.5635	80.5622	80.5613	80.5613	80.5613	80.5615

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:40:24 MAR 26, 1995 CP= 73788.000
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	1386 TEMP h01i135	1338 TEMP c01i135	1290 TEMP h01o135	975 TEMP s01o135	836 TEMP a01o135	712 TEMP t01i135
.10000E-05	210.643	221.119	207.436	192.229	192.185	192.138
.20000E-05	222.956	232.927	219.610	204.875	204.830	204.783
31.558	222.956	232.927	219.610	204.875	204.830	204.783
.31558E+07	233.555	243.045	230.063	215.776	215.731	215.683
.63116E+07	236.726	246.045	233.200	219.086	219.041	218.993
.94673E+07	238.686	247.893	235.149	221.158	221.113	221.066
.12623E+08	240.103	249.221	236.563	222.679	222.635	222.587
.15779E+08	241.187	250.226	237.648	223.863	223.818	223.771
.18935E+08	242.102	251.075	238.567	224.862	224.818	224.771
.22090E+08	242.748	251.653	239.218	225.601	225.557	225.510
.25246E+08	243.339	252.187	239.816	226.273	226.229	226.183
.28402E+08	243.856	252.652	240.341	226.869	226.825	226.779
.31558E+08	244.244	252.988	240.737	227.334	227.291	227.244
.63115E+08	245.906	254.282	242.491	229.618	229.575	229.531
.94673E+08	245.571	253.688	242.255	229.788	229.747	229.704
.12623E+09	244.746	252.658	241.522	229.389	229.349	229.306
.15779E+09	243.921	251.669	240.774	228.911	228.872	228.831
.18935E+09	242.310	249.879	239.258	227.700	227.663	227.623
.22090E+09	241.043	248.473	238.065	226.745	226.708	226.669
.25246E+09	239.772	247.071	236.865	225.770	225.734	225.695
.28402E+09	238.114	245.301	235.278	224.383	224.348	224.311
.31558E+09	236.764	243.862	233.984	223.249	223.214	223.177
.63115E+09	220.199	226.443	217.982	208.792	208.764	208.734
.94673E+09	204.568	210.177	202.771	194.734	194.710	194.686
.12623E+10	190.412	195.488	188.933	181.833	181.813	181.792
.15779E+10	177.946	182.529	176.719	170.424	170.407	170.389
.18935E+10	167.581	171.755	166.546	160.902	160.887	160.872
.22090E+10	158.831	162.652	157.946	152.847	152.834	152.820
.25246E+10	151.073	154.595	150.305	145.661	145.649	145.637
.28402E+10	144.825	148.090	144.145	139.878	139.867	139.856
.31558E+10	139.364	142.391	138.760	134.832	134.823	134.813
.63115E+10	113.122	115.031	112.815	110.420	110.415	110.409
.94673E+10	103.394	104.915	103.172	101.288	101.284	101.279
.12623E+11	97.8035	99.0922	97.6235	96.0369	96.0336	96.0301
.15779E+11	93.8716	95.0025	93.7190	92.3328	92.3299	92.3269
.18935E+11	90.3947	91.3973	90.2637	89.0390	89.0365	89.0339
.22090E+11	87.5803	88.4851	87.4653	86.3637	86.3615	86.3591
.25246E+11	85.1334	85.9519	85.0318	84.0379	84.0359	84.0338
.28402E+11	83.0664	83.8146	82.9752	82.0681	82.0663	82.0644
.31558E+11	81.3194	82.0096	81.2366	80.4017	80.4000	80.3983

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:40:24 MAR 26, 1995 CP= 73788.020
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	698 TEMP t01o135	3332 TEMP g01i135	3318 TEMP g01o135	3974 TEMP m01i135	3924 TEMP m01o135	4369 TEMP i01i135
.10000E-05	191.930	166.382	165.336	114.226	113.146	28.6299
.20000E-05	204.576	179.920	178.866	130.816	129.741	60.3130
31.558	204.576	179.920	178.866	130.816	129.741	60.3132
.31558E+07	215.477	191.642	190.590	145.218	144.152	84.6461
.63116E+07	218.789	195.259	194.209	149.729	148.667	91.8781
.94673E+07	220.862	197.561	196.515	152.677	151.619	96.6508
.12623E+08	222.384	199.279	198.238	154.929	153.875	100.313
.15779E+08	223.569	200.643	199.605	156.762	155.712	103.294
.18935E+08	224.570	201.795	200.761	158.309	157.263	105.803
.22090E+08	225.310	202.690	201.660	159.596	158.555	107.976
.25246E+08	225.983	203.498	202.473	160.745	159.708	109.892
.28402E+08	226.580	204.223	203.202	161.784	160.751	111.601
.31558E+08	227.047	204.814	203.796	162.678	161.649	113.143
.63115E+08	229.340	208.036	207.054	168.072	167.079	122.666
.94673E+08	229.519	208.912	207.961	170.487	169.527	127.646
.12623E+09	229.127	209.088	208.163	171.880	170.947	130.918
.15779E+09	228.656	209.074	208.172	172.836	171.925	133.310
.18935E+09	227.452	208.381	207.504	173.185	172.301	135.089
.22090E+09	226.502	207.828	206.972	173.440	172.577	136.436
.25246E+09	225.532	207.232	206.395	173.601	172.757	137.595
.28402E+09	224.151	206.182	205.364	173.199	172.375	137.982
.31558E+09	223.020	205.315	204.511	172.845	172.035	138.244
.63115E+09	208.604	193.444	192.782	165.761	165.096	136.421
.94673E+09	194.575	181.339	180.784	157.162	156.606	131.372
.12623E+10	181.697	169.981	169.508	148.537	148.063	125.367
.15779E+10	170.307	159.906	159.502	140.826	140.419	119.952
.18935E+10	160.800	151.477	151.125	134.332	133.977	115.370
.22090E+10	152.757	144.345	144.035	128.830	128.516	111.512
.25246E+10	145.581	137.928	137.652	123.768	123.488	107.813
.28402E+10	139.805	132.770	132.521	119.722	119.469	104.907
.31558E+10	134.766	128.291	128.064	116.254	116.024	102.502
.63115E+10	110.382	106.448	106.320	99.0420	98.9117	90.2774
.94673E+10	101.259	98.1751	98.0772	92.3329	92.2334	85.3065
.12623E+11	96.0131	93.4169	93.3358	88.4850	88.4027	82.4956
.15779E+11	92.3122	90.0443	89.9742	85.7259	85.6548	80.4420
.18935E+11	89.0210	87.0164	86.9552	83.1930	83.1309	78.4796
.22090E+11	86.3476	84.5456	84.4910	81.1009	81.0455	76.8267
.25246E+11	84.0234	82.3978	82.3489	79.2851	79.2355	75.4010
.28402E+11	82.0550	80.5706	80.5263	77.7261	77.6811	74.1585
.31558E+11	80.3897	79.0241	78.9835	76.4024	76.3612	73.1004

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 19:40:24 MAR 26, 1995 CP= 73788.030
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4424 TEMP i01o135	4763 TEMP o01o135	1507 TEMP c02i135	1169 TEMP c03i135
.10000E-05	27.3853	26.1413	200.064	200.360
.20000E-05	59.0678	57.8205	212.285	212.579
31.558	59.0679	57.8205	212.285	212.579
.31558E+07	83.4049	82.1598	222.816	223.007
.63116E+07	90.6393	89.3960	225.967	226.151
.94673E+07	95.4202	94.1814	227.945	228.126

.12623E+08	99.0923	97.8583	229.391	229.569
.15779E+08	102.081	100.854	230.509	230.684
.18935E+08	104.598	103.382	231.458	231.631
.22090E+08	106.778	105.571	232.137	232.307
.25246E+08	108.702	107.503	232.763	232.932
.28402E+08	110.417	109.227	233.318	233.486
.31558E+08	111.966	110.784	233.742	233.908
.63115E+08	121.540	120.416	235.734	235.887
.94673E+08	126.564	125.485	235.700	235.845
.12623E+09	129.872	128.828	235.140	235.280
.15779E+09	132.293	131.278	234.536	234.672
.18935E+09	134.104	133.122	233.189	233.320
.22090E+09	135.475	134.518	232.128	232.255
.25246E+09	136.658	135.724	231.054	231.177
.28402E+09	137.066	136.153	229.584	229.705
.31558E+09	137.344	136.448	228.384	228.504
.63115E+09	135.679	134.940	213.305	213.404
.94673E+09	130.745	130.121	198.778	198.862
.12623E+10	124.828	124.290	185.484	185.557
.15779E+10	119.485	119.018	173.730	173.794
.18935E+10	114.961	114.550	163.928	163.983
.22090E+10	111.149	110.785	155.624	155.673
.25246E+10	107.489	107.162	148.214	148.258
.28402E+10	104.613	104.316	142.242	142.281
.31558E+10	102.235	101.964	137.023	137.058
.63115E+10	90.1242	89.9703	111.812	111.831
.94673E+10	85.1894	85.0718	102.402	102.416
.12623E+11	82.3985	82.3008	96.9787	96.9903
.15779E+11	80.3579	80.2736	93.1588	93.1687
.18935E+11	78.4061	78.3322	89.7708	89.7796
.22090E+11	76.7609	76.6951	87.0242	87.0322
.25246E+11	75.3421	75.2830	84.6353	84.6425
.28402E+11	74.1051	74.0514	82.6142	82.6206
.31558E+11	73.0514	73.0022	80.9055	80.9112

***** ROUTINE COMPLETED ***** CP = 73788.040

End of batch input file

PURGE ALL SOLUTION AND POST DATA
SAVE ALL MODEL DATA

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12h3.db
FOR POSSIBLE RESUME FROM THIS POINT

```
NUMBER OF WARNING MESSAGES ENCOUNTERED== 42
NUMBER OF ERROR MESSAGES ENCOUNTERED== 0
```

```

*-----*
*                                ANSYS RUN COMPLETED                                *
*-----*
*
*                                REV. 5.0 A                                HP 9000/7XX
*
* CP TIME      (sec) =      73792.420      TIME = 19:40:29
* ELAPSED TIME (sec) =      91149.000      DATE  = 03/26/95
*

```

WELCOME TO THE ANSYS PROGRAM

***** ANSYS COMMAND LINE ARGUMENTS *****
 JOB NAME = ma12h2
 MEMORY REQUESTED (MB) = 64.0
 BATCH MODE REQUESTED
 start.ans FILE

***** ANSYS DYNAMIC MEMORY ALLOCATION *****
 WORK SPACE REQUESTED = 16777216 64.000 MB COMMAND LINE
 MINIMUM WORK SPACE REQUIRED = 4718592 18.000 MB
 MINIMUM WORK SPACE RECOMMENDED = 6702496 25.568 MB
 WORK SPACE OBTAINED = 16777214 64.000 MB
 BYTES PER WORD = 4

***** NOTICE ***** THIS IS THE ANSYS GENERAL PURPOSE
 FINITE ELEMENT COMPUTER PROGRAM. NEITHER SWANSON ANALYSIS
 SYSTEMS, INC. NOR THE DISTRIBUTOR SUPPLYING THIS PROGRAM
 ASSUME ANY RESPONSIBILITY FOR THE VALIDITY, ACCURACY, OR
 APPLICABILITY OF ANY RESULTS OBTAINED FROM THE ANSYS SYSTEM.
 USERS MUST VERIFY THEIR OWN RESULTS.

ANSYS(R) COPYRIGHT(C) 1971,1978,1982,1983,1985,1987,1989,1992,1993
 BY SWANSON ANALYSIS SYSTEMS, INC. AS AN UNPUBLISHED WORK.
 PROPRIETARY DATA - UNAUTHORIZED USE, DISTRIBUTION, OR DUPLICATION
 IS PROHIBITED. ALL RIGHTS RESERVED.

SWANSON ANALYSIS SYSTEMS, INC. IS ENDEAVORING TO MAKE THE
 ANSYS PROGRAM AS COMPLETE, ACCURATE, AND EASY TO USE AS
 POSSIBLE. SUGGESTIONS AND COMMENTS ARE WELCOMED. ANY
 ERRORS ENCOUNTERED IN EITHER THE DOCUMENTATION OR THE
 RESULTS SHOULD BE IMMEDIATELY BROUGHT TO OUR ATTENTION.

ENTER /SHOW,device TO SET THE GRAPHICS DISPLAY TO device(e.g. X11,4207,ETC.)
 ENTER /MENU,ON TO START THE ANSYS MENU SYSTEM
 ENTER HELP FOR GENERAL ANSYS HELP INFORMATION
 1 /COM, *****
 2 /COM, ANSYS REVISION 5.0A 3/24/1995
 3 /COM, 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III
 4 /COM, *****
 5 /COM, *
 6 /COM, * File name: ma12h2.inp
 7 /COM, * 12 PWR MPC with Low T.L. Disposal Container
 8 /COM, * Helium Fill Gas
 9 /COM, *
 10 /COM, * Material Property file: props01.dat
 11 /COM, *
 12 /COM, * SNF Conductivity file: pwr15e.parm
 13 /COM, * 15x15 Mark-B4 PWR SNF Assembly
 14 /COM, *
 15 /COM, * SNF Heat Loads file: snf2040.dat
 16 /COM, * SNF Type: 20 years old, 40 Gwd/MTU
 17 /COM, *
 18 /COM, * Surface Temp. file: c12h5a.parm


```

19 /COM, *      25 MTU/acre (6.18 kgU/m^2) AML (Low Thermal Loading) *
20 /COM, *      5.0 m Diameter Drift with Concrete Invert *
21 /COM, *      Drift spacing = 90.0 m *
22 /COM, *      WP c/c spacing = 9.237 m *
23 /COM, * *
24 /COM, *****
25 /COM, Increase the number of database pages from 16 (256) to 32 Mb
26 /CONFIG,nvpag,512,
27 /COM, Work space must also be increased (-m 64)
28 /COM, *****
29 /TITLE, 12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF
30 /UNITS,SI,
31 /COM, *****
32 /COM, Read in average effective conductivities from SNF model
33 PARRES,CHANGE,pwr15e,parm,
34 /COM, Read in surface temps. from repository model
35 PARRES,CHANGE,c12h5a,parm,
36 /COM, *****
37 /COM, Define MPC/waste package parameters
38 /COM, (MPC dimensions converted from inches to meters)
39 /COM, MIRAD = inner radius of MPC shell (m)
40 /COM, MWALL = MPC shell thickness (m)
41 /COM, DCRAD = disposal container outer radius (m)
42 /COM, OWALL = outer barrier thickness (m)
43 /COM, IWALL = inner barrier thickness (m)
44 /COM, GCORN = corner guide width (m)
45 /COM, GLENW = side guide total width (m)
46 /COM, GLENH = side guide total height (m)
47 /COM, GWALL = guide thickness (m)
48 /COM, HCELL = 1/2 of basket cell opening (m)
49 /COM, SWALL = stainless tube thickness (m)
50 /COM, AWALL = Al/boron tube thickness (m)
51 /COM, FLENT = flux trap plate length (m)
52 /COM, FWALL = flux trap plate stainless thickness (m)
53 /COM, BWALL = flux trap plate Al/boron thickness (m)
54 /COM, TWALL = flux trap plate SS sheath thickness (m)
55 /COM, FSPAC = flux trap plate spacer width (m)
56 /COM, TSPAC = tube/tube spacer width (m)
57 /COM, ACTVL = active fuel length
58 /COM, PEAKF = assembly heat axial peaking factor
59 PI=3.141592654
60 MIRAD=47.870*2.54/100.0/2.0
61 MWALL=0.8750*2.54/100.0
62 DCRAD=1.4305/2.0
63 OWALL=0.0500
64 IWALL=0.0200
65 GCORN=10.086*2.54/100.0
66 GLENW=8.4340*2.54/100.0
67 GLENH=2.4960*2.54/100.0
68 GWALL=0.3750*2.54/100.0
69 HCELL=9.0000*2.54/100.0/2.0
70 SWALL=0.0940*2.54/100.0
71 AWALL=0.1070*2.54/100.0
72 FLENT=23.164*2.54/100.0
73 FWALL=0.5000*2.54/100.0
74 BWALL=0.2500*2.54/100.0
75 TWALL=0.0940*2.54/100.0
76 FSPAC=1.0000*2.54/100.0
77 TSPAC=0.9860*2.54/100.0
78 ACTVL=141.80*2.54/100.0
79 PEAKF=1.25
80 /COM, Define calculated parameters
81 /COM, ASSY = assembly heat production (W) f(yrs)
82 /COM, FUEL = volumetric heat production (W/m3) f(yrs)
83 /COM, FVOLUME = assy_volume=cell_width^2*active_length
84 /COM, Q2 = side guide x coord. (see sketch)
85 /COM, GX## = x coord. of guide/shell contact (kp##)
86 /COM, GY## = y coord. of guide/shell contact (kp##)
87 /COM, ACX# = x coord. of center of assembly #
88 /COM, ACY# = y coord. of center of assembly #

```

```

89 /COM, TM_START = start time (sec)
90 /COM, TMI* = time increment for solution (sec)
91 /COM, TME* = start and stop for time do-loops (sec)
92 /COM, Note: 1 year = 3.15576e7 seconds
93 /COM, QCELL = 1/4 of basket cell opening (m)
94 /COM, SCELL = 1/2 of basket cell opening+SS wall(m)
95 /COM, ACELL = 1/2 of basket cell opening+SS+AL (m)
96 /COM, MI45 = x coord. MIRAD at 45 deg.
97 /COM, MO45 = x coord. MIRAD+MWALL at 45 deg.
98 /COM, DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
99 /COM, DM45 = x coord. DCRAD-OWALL at 45 deg.
100 /COM, DO45 = x coord. DCRAD at 45 deg.
101 /COM, TMTMAX = time of maximum cladding temperature
102 *SET, ASSY,
103 *DIM, ASSY, TABLE, 101, 1,
104 *DIM, FUEL, TABLE, 101, 1
105 FVOLUME=4*HCELL*HCELL*ACTVL
106 Q2=1.969344*2.54/100.0
107 GX22=Q2-GWALL
108 GY22=SQRT(MIRAD*MIRAD-GX22*GX22)
109 GX23=Q2
110 GY23=SQRT(MIRAD*MIRAD-GX23*GX23)
111 GX24=Q2+GLENW-GWALL
112 GY24=SQRT(MIRAD*MIRAD-GX24*GX24)
113 GTMP=GCORN-GWALL
114 GX25=(SQRT(MIRAD*MIRAD-GTMP*GTMP/2.0)-GTMP/SQRT(2.0))/(SQRT(2.0))
115 GY25=SQRT(MIRAD*MIRAD-GX25*GX25)
116 ACX1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
117 ACY1=FSPAC/2.0+FWALL+BWALL+TWALL+SWALL+HCELL
118 ACX2=ACX1+2.0*(HCELL+SWALL+AWALL+SWALL)+TSPAC
119 ACY2=ACY1
120 ACX3=ACX1
121 ACY3=ACY2
122 TM_START=(1.0E-6)*(3.15576E7)
123 TMI0=0.1*3.15576E7
124 TMI1=1.0*3.15576E7
125 TMI10=10.0*3.15576E7
126 TMI100=100.0*3.15576E7
127 TMI1000=1000.0*3.15576E7
128 TME0=0.9*3.15576E7+TM_START
129 TME1=TMI1+TM_START
130 TME9=9.0*3.15576E7+TM_START
131 TME10=TMI10+TM_START
132 TME50=50.0*3.15576E7+TM_START
133 TME90=90.0*3.15576E7+TM_START
134 TME100=TMI100+TM_START
135 TME1000=TMI1000+TM_START
136 BCELL=FWALL+BWALL
137 QCELL=HCELL/2.0
138 SCELL=HCELL+SWALL
139 ACELL=HCELL+SWALL+AWALL
140 TCELL=HCELL+SWALL+AWALL+SWALL
141 MI45=MIRAD/SQRT(2.0)
142 MO45=(MIRAD+MWALL)/SQRT(2.0)
143 DI45=(DCRAD-OWALL-IWALL)/SQRT(2.0)
144 DM45=(DCRAD-OWALL)/SQRT(2.0)
145 DO45=DCRAD/SQRT(2.0)
146 /COM, *****
147 /COM, Define different element types
148 /PREP7
149 ETYPE
150 ET, 1, 55,
151 ET, 2, 70,
152 ET, 7, 32,
153 ET, 16, 57,
154 ET, 17, 32,
155 ET, 18, 50, 1,
156 ET, 19, 31,
157 ET, 27, 32,
158 /COM, *****

```

```

159 /COM,          File props01.dat describes material properties
160 /COM,          and thier reference numbers
161 MPREAD,props01,dat,
162 /COM,          Read in single assembly heat loads
163 /COM,          Calculate the volumetric heat generation
164 /COM,          (Assembly time is in years, FUEL is in seconds)
165 /INPUT,snf2040,dat
166 *VFACT,3.15576E7,
167 *MFUN,FUEL(1,0),COPY,ASSY(1,0),
168 *VFACT,(PEAKF/FVOLU),
169 *VFUN,FUEL(1),COPY,ASSY(1),
170 FUEL(0,1)=1.0
171 /COM,          *****
172 /COM,          Define new material 14 for SNF effective conductivity
173 /COM,          Density:      DENS      (kg/m^3)
174 /COM,          Conductivity: KXX      (W/m/K)
175 /COM,          Specific Heat: C      (J/kg/K)
176 MPTEMP
177 MPTEMP, 1, .00000E+00,
178 MPDATA,DENS,14, 1, .396004E+04,
179 MPDATA, C,14, 1, .27400E+03,
180 /COM,          Store average effective conductivities
181 IINC=1
182 TBSKT=25.0
183 MPTEMP
184 MPTEMP,IINC,TBSKT,
185 IINC=IINC+1
186 *DO,TBSKT,50.0,400.0,50.0,
187   MPTEMP,IINC,TBSKT,
188   IINC=IINC+1
189 *ENDDO
190 IINC=1
191 TBSKT=25.0
192 MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
193 IINC=IINC+1
194 *DO,TBSKT,50.0,400.0,50.0,
195   MPDATA,KXX,14,IINC,KEFFAV(TBSKT),
196   IINC=IINC+1
197 *ENDDO
198 /COM,          *****
199 /COM,          Define new material 15 for low thermal loading
200 /COM,          outer barrier of 70/30 Copper Nickel (c71500)
201 /COM,          Density:      DENS      (kg/m^3)
202 /COM,          Conductivity: KXX      (W/m/K)
203 /COM,          Specific Heat: C      (J/kg/K)
204 MPTEMP
205 MPTEMP, 1, .00000E+00,
206 /COM,          Density (lb/in^3 converted to kg/m^3)
207 MPDATA,DENS,15, 1,(0.323*2.768E+04),
208 /COM,          Specific Heat (Btu/lb/F converted to J/kg/K)
209 MPDATA, C,15, 1,(0.09/2.3886E-04),
210 /COM,          Conductivity (Btu/hr/ft/F converted to W/m/K)
211 MPTEMP
212 MPTEMP, 1, (5.0/9.0*(68.0-32.0)), (5.0/9.0*(212.0-32.0)),
213 MPTEMP, 3, (5.0/9.0*(392.0-32.0)), (5.0/9.0*(572.0-32.0)),
214 MPTEMP, 5, (5.0/9.0*(752.0-32.0)), (5.0/9.0*(932.0-32.0)),
215 MPTEMP, 7, (5.0/9.0*(1112.0-32.0)), (5.0/9.0*(1292.0-32.0)),
216 MPDATA, KXX,15, 1, (17.0*1.7307), (16.9*1.7307),
217 MPDATA, KXX,15, 3, (19.7*1.7307), (22.3*1.7307),
218 MPDATA, KXX,15, 5, (24.9*1.7307), (27.8*1.7307),
219 MPDATA, KXX,15, 7, (30.7*1.7307), (33.6*1.7307),
220 /COM,          *****
221 /COM,          Construct geometry for Disposal Container
222 /COM,
223 /COM,          Define center and axis keypoints for waste package
224 /COM,          Also, create placeholder keypoints and lines
225 /COM,          (K's 1,2,3,4,5,6,7,8)
226 /COM,          (L's 1,2,3,4)
227 K,1,0.0,0.0,0.0,
228 K,2,0.0,0.0,1.0,

```

```

229 K,3,0.0,0.0,1.3,
230 K,4,0.0,0.0,1.4,
231 K,5,0.0,0.0,1.5,
232 K,6,0.0,0.0,1.6,
233 K,7,0.0,0.0,1.7,
234 K,8,0.0,0.0,1.8,
235 L,3,4,
236 L,4,5,
237 L,5,6,
238 L,6,7,
239 /COM,          Define disposal container and MPC outer radius
240 /COM,          (K's 9,10,11,12,13,14,15,16,17,18,19,20)
241 /COM,          (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
242 /COM,          (A's 1,2,3,4,5,6)
243 K, 9,          0.0,          (0.0-DCRAD),0.0,
244 K,10,          DCRAD,          0.0,0.0,
245 K,11,          0.0,          DCRAD,0.0,
246 K,12,          0.0,          (OWALL-DCRAD),0.0,
247 K,13,          (DCRAD-OWALL), 0.0,0.0,
248 K,14,          0.0,          (DCRAD-OWALL),0.0,
249 K,15,          0.0,(OWALL+IWALL-DCRAD),0.0,
250 K,16,(DCRAD-OWALL-IWALL), 0.0,0.0,
251 K,17,          0.0,(DCRAD-OWALL-IWALL),0.0,
252 K,18,          0.0, (0.0-MIRAD-MWALL),0.0,
253 K,19,          (MIRAD+MWALL), 0.0,0.0,
254 K,20,          0.0,          (MIRAD+MWALL),0.0,
255 L,10,13,
256 L,13,16,
257 LARC,10, 9,1,          DCRAD,
258 LARC,11,10,1,          DCRAD,
259 LARC,13,12,1,          (DCRAD-OWALL),
260 LARC,14,13,1,          (DCRAD-OWALL),
261 L,11,14,
262 L, 9,12,
263 LARC,15,16,1,(DCRAD-OWALL-IWALL),
264 LARC,16,17,1,(DCRAD-OWALL-IWALL),
265 L,14,17,
266 L,12,15,
267 LARC,19,18,1,          (MIRAD+MWALL),
268 LARC,20,19,1,          (MIRAD+MWALL),
269 L,17,20,
270 L,15,18,
271 L,16,19,
272 AL, 5, 7,12, 9,
273 AL,11, 8, 5,10,
274 AL, 6, 9,16,13,
275 AL,15,10, 6,14,
276 AL,21,13,20,17,
277 AL,19,14,21,18,
278 /COM,          *****
279 /COM,          Define MPC shell inner edge and area
280 /COM,          (K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)
281 /COM,          ( 38,39)
282 /COM,          (L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)
283 /COM,          ( 39,40,41,42)
284 /COM,          (A's 7,8)
285 K,21, 0.0,          MIRAD,0.0,
286 K,22, GX22,          GY22,0.0,
287 K,23, GX23,          GY23,0.0,
288 K,24, GX24,          GY24,0.0,
289 K,25, GX25,          GY25,0.0,
290 K,26, GY25,          GX25,0.0,
291 K,27, GY24,          GX24,0.0,
292 K,28, GY23,          GX23,0.0,
293 K,29, GY22,          GX22,0.0,
294 K,30,MIRAD,          0.0,0.0,
295 K,31, GY22, (0.0-GX22),0.0,
296 K,32, GY23, (0.0-GX23),0.0,
297 K,33, GY24, (0.0-GX24),0.0,
298 K,34, GY25, (0.0-GX25),0.0,

```

```

299 K,35, GX25, (0.0-GY25),0.0,
300 K,36, GX24, (0.0-GY24),0.0,
301 K,37, GX23, (0.0-GY23),0.0,
302 K,38, GX22, (0.0-GY22),0.0,
303 K,39, 0.0,(0.0-MIRAD),0.0,
304 L,20,21,
305 LARC,22,21,1,MIRAD,
306 LARC,23,22,1,MIRAD,
307 LARC,24,23,1,MIRAD,
308 LARC,25,24,1,MIRAD,
309 LARC,26,25,1,MIRAD,
310 LARC,27,26,1,MIRAD,
311 LARC,28,27,1,MIRAD,
312 LARC,29,28,1,MIRAD,
313 LARC,30,29,1,MIRAD,
314 LARC,31,30,1,MIRAD,
315 LARC,32,31,1,MIRAD,
316 LARC,33,32,1,MIRAD,
317 LARC,34,33,1,MIRAD,
318 LARC,35,34,1,MIRAD,
319 LARC,36,35,1,MIRAD,
320 LARC,37,36,1,MIRAD,
321 LARC,38,37,1,MIRAD,
322 LARC,39,38,1,MIRAD,
323 L,18,39,
324 L,19,30,
325 LSEL,S,LINE,,32,42,1,
326 LSEL,A,LINE,,17,
327 AL,ALL,
328 LSEL,S,LINE,,22,31,1,
329 LSEL,A,LINE,,18,
330 LSEL,A,LINE,,42,
331 AL,ALL,
332 LSEL,ALL,
333 /COM, *****
334 /COM, Define tube guides
335 /COM, (K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)
336 /COM, ( 57,58,59)
337 /COM, (L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)
338 /COM, ( 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
339 /COM, ( 77,78,79,80)
340 /COM, (A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)
341 /COM, ( 26)
342 /COM,
343 /COM, top
344 K,40, GX23, GY24,0.0,
345 K,41, GX22,(GY24-GWALL),0.0,
346 K,42, GX24,(GY24-GWALL),0.0,
347 K,43,(GX25-GWALL), GY25,0.0,
348 K,44, GX25, GX25,0.0,
349 K,45,(GX25-GWALL),(GX25-GWALL),0.0,
350 K,46, GY25,(GX25-GWALL),0.0,
351 /COM, side
352 K,47,(GY24-GWALL), GX24,0.0,
353 K,48, GY24, GX23,0.0,
354 K,49,(GY24-GWALL), GX22,0.0,
355 K,50,(GY24-GWALL), (0.0-GX22),0.0,
356 K,51, GY24, (0.0-GX23),0.0,
357 K,52,(GY24-GWALL), (0.0-GX24),0.0,
358 /COM, bottom
359 K,53, GY25,(GWALL-GX25),0.0,
360 K,54,(GX25-GWALL),(GWALL-GX25),0.0,
361 K,55, GX25, (0.0-GX25),0.0,
362 K,56,(GX25-GWALL), (0.0-GY25),0.0,
363 K,57, GX24,(GWALL-GY24),0.0,
364 K,58, GX22,(GWALL-GY24),0.0,
365 K,59, GX23, (0.0-GY24),0.0,
366 /COM, top
367 L,41,22,
368 L,40,41,

```

```

369 L,40,24,
370 L,42,41,
371 L,24,42,
372 L,43,25,
373 L,45,43,
374 L,25,44,
375 L,44,45,
376 L,44,26,
377 L,46,45,
378 L,26,46,
379 /COM, side
380 L,47,27,
381 L,49,47,
382 L,27,48,
383 L,48,49,
384 L,48,28,
385 L,29,49,
386 L,50,31,
387 L,32,51,
388 L,50,51,
389 L,52,50,
390 L,51,33,
391 L,33,52,
392 /COM, bottom
393 L,53,34,
394 L,54,53,
395 L,34,55,
396 L,54,55,
397 L,56,54,
398 L,55,35,
399 L,35,56,
400 L,57,36,
401 L,58,57,
402 L,36,59,
403 L,58,59,
404 L,38,58,
405 L,59,37,
406 L,23,40,
407 /COM, air
408 AL,80,45,25,
409 AL,50,52,27,
410 AL,57,59,29,
411 AL,62,65,34,
412 AL,69,72,36,
413 AL,76,79,38,
414 /COM, guides
415 AL,24,43,44,80,
416 AL,45,44,46,47,
417 AL,48,49,51,50,
418 AL,52,51,53,54,
419 AL,55,56,58,57,
420 AL,59,58,60,30,
421 AL,61,63,62,33,
422 AL,63,64,66,65,
423 AL,68,70,69,67,
424 AL,70,71,73,72,
425 AL,75,77,76,74,
426 AL,77,78,39,79,
427 /COM, *****
428 /COM, Define top half tubes and flux trap plate
429 /COM, (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
430 /COM, ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
431 /COM, ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
432 /COM, ( 108,109,110,111,112,113,114,115,116,117,118,119)
433 /COM, ( 120,121,122,123,124,125,126,127,128,129,130,131)
434 /COM, ( 132,133,134,135,136,137,138,139,140,141,142,143)
435 /COM, ( 144,145,146,147,148,149,150,151,152,153,154,155)
436 /COM, ( 156,157,158,159,160,161,162,163,164,165,166,167)
437 /COM, (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
438 /COM, ( 98,99,100,101,102,103,104,105,106,107,108,109,110)

```

```

439 /COM,      ( 111,112,113,114,115,116,117,118,119,120,121,122)
440 /COM,      ( 123,124,125,126,127,128,129,130,131,132,133,134)
441 /COM,      ( 135,136,137,138,139,140,141,142,143,144,145,146)
442 /COM,      ( 147,...)
443 /COM,      (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
444 /COM,      ( 44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
445 /COM,      ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
446 /COM,      ( 78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
447 /COM,      ( 95,96,97,98,99,100,101,102,103)
448 K, 60,      0.0,      (FSPAC/2.0),0.0,
449 K, 61,      0.0,      (1.5*FSPAC),0.0,
450 K, 62,      0.0,      (ACY1-FSPAC/2.0),0.0,
451 K, 63,      0.0,      (ACY1+FSPAC/2.0),0.0,
452 K, 64,      0.0,      (ACY1+HCELL+SWALL),0.0,
453 K, 65,      0.0, (ACY1+HCELL+2.0*SWALL+AWALL),0.0,
454 K, 66,      0.0, (ACY3-HCELL-2.0*SWALL-AWALL),0.0,
455 K, 67,      0.0,      (ACY3-HCELL-SWALL),0.0,
456 K, 68,      0.0,      (ACY3-FSPAC/2.0),0.0,
457 K, 69,      0.0,      (ACY3+FSPAC/2.0),0.0,
458 K, 70,      0.0,      (ACY3+HCELL+SWALL),0.0,
459 K, 71,      0.0,      (ACY3+HCELL+SWALL+FSPAC),0.0,
460 K, 72,      0.0,      (FSPAC/2.0+FLENT),0.0,
461 K, 73,      (FSPAC/2.0),      (FSPAC/2.0),0.0,
462 K, 74,      (FSPAC/2.0),      (1.5*FSPAC),0.0,
463 K, 75,      (FSPAC/2.0),      (ACY1-FSPAC/2.0),0.0,
464 K, 76,      (FSPAC/2.0),      (ACY1+FSPAC/2.0),0.0,
465 K, 77,      (FSPAC/2.0),      (ACY1+HCELL+SWALL),0.0,
466 K, 78,      (FSPAC/2.0), (ACY1+HCELL+2.0*SWALL+AWALL),0.0,
467 K, 79,      (FSPAC/2.0), (ACY3-HCELL-2.0*SWALL-AWALL),0.0,
468 K, 80,      (FSPAC/2.0),      (ACY3-HCELL-SWALL),0.0,
469 K, 81,      (FSPAC/2.0),      (ACY3-FSPAC/2.0),0.0,
470 K, 82,      (FSPAC/2.0),      (ACY3+FSPAC/2.0),0.0,
471 K, 83,      (FSPAC/2.0),      (ACY3+HCELL+SWALL),0.0,
472 K, 84,      (FSPAC/2.0),      (ACY3+HCELL+SWALL+FSPAC),0.0,
473 K, 85,      (FSPAC/2.0),      (FSPAC/2.0+FLENT),0.0,
474 K, 86,      (FSPAC/2.0+FWALL),      (FSPAC/2.0+FWALL),0.0,
475 K, 87,      (FSPAC/2.0+FWALL),      (ACY1+HCELL+SWALL),0.0,
476 K, 88,      (FSPAC/2.0+FWALL), (ACY1+HCELL+2.0*SWALL+AWALL),0.0,
477 K, 89,      (FSPAC/2.0+FWALL), (ACY3-HCELL-2.0*SWALL-AWALL),0.0,
478 K, 90,      (FSPAC/2.0+FWALL),      (ACY3-HCELL-SWALL),0.0,
479 K, 91,      (FSPAC/2.0+FWALL),      (ACY3+HCELL+SWALL),0.0,
480 K, 92,      (FSPAC/2.0+FWALL),      (FSPAC/2.0+FLENT),0.0,
481 K, 93,      (1.5*FSPAC),      (FSPAC/2.0),0.0,
482 K, 94,      (FSPAC/2.0+FWALL+BWALL),      (FSPAC/2.0+FWALL+BWALL),0.0,
483 K, 95,      (FSPAC/2.0+FWALL+BWALL),      (ACY1+HCELL+SWALL),0.0,
484 K, 96,      (FSPAC/2.0+FWALL+BWALL), (ACY1+HCELL+2.0*SWALL+AWALL),0.0,
485 K, 97,      (FSPAC/2.0+FWALL+BWALL), (ACY3-HCELL-2.0*SWALL-AWALL),0.0,
486 K, 98,      (FSPAC/2.0+FWALL+BWALL),      (ACY3-HCELL-SWALL),0.0,
487 K, 99,      (FSPAC/2.0+FWALL+BWALL),      (ACY3+HCELL+SWALL),0.0,
488 K, 100,      (FSPAC/2.0+FWALL+BWALL),      (FSPAC/2.0+FLENT),0.0,
489 K, 101,      (ACX1-HCELL-SWALL),      (ACY1-HCELL-SWALL),0.0,
490 K, 102,      (ACX1-HCELL-SWALL),      (ACY1+HCELL+SWALL),0.0,
491 K, 103,      (ACX1-HCELL-SWALL),      (ACY1+HCELL+SWALL+AWALL),0.0,
492 K, 104,      (ACX1-HCELL-SWALL), (ACY1+HCELL+2.0*SWALL+AWALL),0.0,
493 K, 105,      (ACX3-HCELL-SWALL), (ACY3-HCELL-2.0*SWALL-AWALL),0.0,
494 K, 106,      (ACX3-HCELL-SWALL),      (ACY3-HCELL-SWALL-AWALL),0.0,
495 K, 107,      (ACX3-HCELL-SWALL),      (ACY3-HCELL-SWALL),0.0,
496 K, 108,      (ACX3-HCELL-SWALL),      (ACY3+HCELL+SWALL),0.0,
497 K, 109,      (ACX3-HCELL-SWALL),      (FSPAC/2.0+FLENT),0.0,
498 K, 110,      (ACX1-HCELL),      (ACY1-HCELL),0.0,
499 K, 111,      (ACX1-HCELL),      (ACY1+HCELL),0.0,
500 K, 112,      (ACX3-HCELL),      (ACY3-HCELL),0.0,
501 K, 113,      (ACX3-HCELL),      (ACY3+HCELL),0.0,
502 K, 114,      (ACX1-FSPAC/2.0),      (FSPAC/2.0),0.0,
503 K, 115,      (ACX1+FSPAC/2.0),      (FSPAC/2.0),0.0,
504 K, 116,      (ACX1+HCELL),      (ACY1-HCELL),0.0,
505 K, 117,      (ACX1+HCELL),      (ACY1+HCELL),0.0,
506 K, 118,      (ACX3+HCELL),      (ACY3-HCELL),0.0,
507 K, 119,      (ACX3+HCELL),      (ACY3+HCELL),0.0,
508 K, 120,      (ACX1+HCELL+SWALL),      (FSPAC/2.0),0.0,

```

```

509 K,121, (ACX1+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
510 K,122, (ACX1+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
511 K,123, (ACX1+HCELL+SWALL), (ACY1-HCELL-SWALL),0.0,
512 K,124, (ACX1+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
513 K,125, (ACX3+HCELL+SWALL), (ACY3-HCELL-SWALL),0.0,
514 K,126, (ACX3+HCELL+SWALL), (ACY3+HCELL+SWALL),0.0,
515 K,127, (ACX1+HCELL+SWALL+AWALL), (ACY1-HCELL-SWALL),0.0,
516 K,128, (ACX1+HCELL+SWALL+AWALL), (ACY1+HCELL+SWALL+AWALL),0.0,
517 K,129, (ACX3+HCELL+SWALL+AWALL), (ACY3-HCELL-SWALL-AWALL),0.0,
518 K,130, (ACX3+HCELL+SWALL+AWALL), (ACY3+HCELL+SWALL),0.0,
519 K,131, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0),0.0,
520 K,132, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0+FWALL),0.0,
521 K,133, (ACX1+HCELL+2.0*SWALL+AWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
522 K,134, (ACX1+HCELL+2.0*SWALL+AWALL), (ACY1-HCELL-SWALL),0.0,
523 K,135, (ACX1+HCELL+2.0*SWALL+AWALL), (ACY1+HCELL+2.0*SWALL+AWALL),0.0,
524 K,136, (ACX3+HCELL+2.0*SWALL+AWALL), (ACY3-HCELL-2.0*SWALL-AWALL),0.0,
525 K,137, (ACX3+HCELL+2.0*SWALL+AWALL), (ACY3+HCELL+SWALL),0.0,
526 K,138, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0),0.0,
527 K,139, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0+FWALL),0.0,
528 K,140, (ACX2-HCELL-2.0*SWALL-AWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
529 K,141, (ACX2-HCELL-2.0*SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
530 K,142, (ACX2-HCELL-2.0*SWALL-AWALL), (ACY2+HCELL+2.0*SWALL+AWALL),0.0,
531 K,143, (ACX2-HCELL-SWALL-AWALL), (ACY2-HCELL-SWALL),0.0,
532 K,144, (ACX2-HCELL-SWALL-AWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
533 K,145, (ACX2-HCELL-SWALL), (FSPAC/2.0),0.0,
534 K,146, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL),0.0,
535 K,147, (ACX2-HCELL-SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
536 K,148, (ACX2-HCELL-SWALL), (ACY2-HCELL-SWALL),0.0,
537 K,149, (ACX2-HCELL-SWALL), (ACY1+HCELL+SWALL),0.0,
538 K,150, (ACX2-HCELL), (ACY2-HCELL),0.0,
539 K,151, (ACX2-HCELL), (ACY2+HCELL),0.0,
540 K,152, (ACX2-FSPAC/2.0), (FSPAC/2.0),0.0,
541 K,153, (ACX2+FSPAC/2.0), (FSPAC/2.0),0.0,
542 K,154, (ACX2+HCELL), (ACY2-HCELL),0.0,
543 K,155, (ACX2+HCELL), (ACY2+HCELL),0.0,
544 K,156, (ACX2+HCELL+SWALL), (FSPAC/2.0),0.0,
545 K,157, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL),0.0,
546 K,158, (ACX2+HCELL+SWALL), (FSPAC/2.0+FWALL+BWALL),0.0,
547 K,159, (ACX2+HCELL+SWALL), (ACY2-HCELL-SWALL),0.0,
548 K,160, (ACX2+HCELL+SWALL), (ACY1+HCELL+SWALL),0.0,
549 K,161, (ACX2+HCELL+SWALL), (ACY2+HCELL+SWALL+AWALL),0.0,
550 K,162, (ACX2+HCELL+SWALL), (ACY2+HCELL+2.0*SWALL+AWALL),0.0,
551 K,163, (ACX2+HCELL+SWALL+FSPAC), (FSPAC/2.0),0.0,
552 K,164, (FSPAC/2.0+FLENT), (FSPAC/2.0),0.0,
553 K,165, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL),0.0,
554 K,166, (FSPAC/2.0+FLENT), (FSPAC/2.0+FWALL+BWALL),0.0,
555 K,167, (FSPAC/2.0+FLENT), (ACY2-HCELL-SWALL),0.0,
556 /COM, create lines on perimeter and for lesize
557 L, 73, 60,
558 L, 73, 74,
559 L, 61, 74,
560 L, 74, 75,
561 L, 75, 62,
562 L, 75, 76,
563 L, 63, 76,
564 L, 76, 77,
565 L, 77, 78,
566 L, 78, 65,
567 L, 78, 79,
568 L, 66, 79,
569 L, 79, 80,
570 L, 80, 81,
571 L, 81, 68,
572 L, 81, 82,
573 L, 69, 82,
574 L, 82, 83,
575 L, 83, 70,
576 L, 83, 84,
577 L, 71, 84,
578 L, 84, 85,

```


579 L, 85, 92,
 580 L, 92, 100,
 581 L, 100, 109,
 582 L, 109, 108,
 583 L, 108, 126,
 584 L, 126, 130,
 585 L, 130, 137,
 586 L, 137, 136,
 587 L, 136, 105,
 588 L, 112, 107,
 589 L, 107, 106,
 590 L, 106, 105,
 591 L, 105, 104,
 592 L, 104, 103,
 593 L, 103, 102,
 594 L, 102, 111,
 595 L, 104, 135,
 596 L, 135, 134,
 597 L, 123, 127,
 598 L, 127, 134,
 599 L, 134, 141,
 600 L, 141, 143,
 601 L, 143, 148,
 602 L, 148, 150,
 603 L, 141, 142,
 604 L, 142, 162,
 605 L, 162, 161,
 606 L, 161, 160,
 607 L, 160, 159,
 608 L, 159, 167,
 609 L, 167, 166,
 610 L, 166, 165,
 611 L, 165, 164,
 612 L, 164, 163,
 613 L, 163, 156,
 614 L, 156, 153,
 615 L, 153, 152,
 616 L, 152, 145,
 617 L, 145, 138,
 618 L, 138, 131,
 619 L, 131, 120,
 620 L, 120, 115,
 621 L, 115, 114,
 622 L, 114, 93,
 623 L, 93, 73,
 624 /COM, tube spacers
 625 A, 71, 84, 83, 70,
 626 A, 69, 82, 81, 68,
 627 A, 66, 79, 78, 65,
 628 A, 63, 76, 75, 62,
 629 A, 61, 74, 73, 60,
 630 /COM, flux trap plate (stainless)
 631 A, 85, 92, 91, 83, 84,
 632 A, 83, 91, 90, 80, 81, 82,
 633 A, 80, 90, 89, 79,
 634 A, 79, 89, 88, 78,
 635 A, 78, 88, 87, 77,
 636 A, 77, 87, 86, 73, 74, 75, 76,
 637 A, 86, 121, 120, 115, 114, 93, 73,
 638 A, 121, 132, 131, 120,
 639 A, 132, 139, 138, 131,
 640 A, 139, 146, 145, 138,
 641 A, 146, 157, 156, 153, 152, 145,
 642 A, 157, 165, 164, 163, 156,
 643 /COM, flux trap plate (Al/boron)
 644 A, 92, 100, 99, 91,
 645 A, 91, 99, 98, 90,
 646 A, 90, 98, 97, 89,
 647 A, 89, 97, 96, 88,
 648 A, 88, 96, 95, 87,

```

649 A, 87, 95, 94, 86,
650 A, 94, 122, 121, 86,
651 A, 122, 133, 132, 121,
652 A, 133, 140, 139, 132,
653 A, 140, 147, 146, 139,
654 A, 147, 158, 157, 146,
655 A, 158, 166, 165, 157,
656 /COM, flux trap plate (sheath)
657 A, 100, 109, 108, 99,
658 A, 99, 108, 107, 98,
659 A, 98, 107, 106, 105, 97,
660 A, 97, 105, 104, 96,
661 A, 96, 104, 103, 102, 95,
662 A, 95, 102, 101, 94,
663 A, 101, 123, 122, 94,
664 A, 123, 127, 134, 133, 122,
665 A, 134, 141, 140, 133,
666 A, 141, 143, 148, 147, 140,
667 A, 148, 159, 158, 147,
668 A, 159, 167, 166, 158,
669 /COM, tube (sheath)
670 A, 130, 137, 136, 129,
671 A, 106, 129, 136, 105,
672 A, 104, 135, 128, 103,
673 A, 128, 135, 134, 127,
674 A, 142, 144, 143, 141,
675 A, 142, 162, 161, 144,
676 /COM, tube (Al/boron)
677 A, 126, 130, 129, 125,
678 A, 107, 125, 129, 106,
679 A, 103, 128, 124, 102,
680 A, 124, 128, 127, 123,
681 A, 144, 149, 148, 143,
682 A, 144, 161, 160, 149,
683 /COM, tube (stainless)
684 A, 108, 113, 112, 107,
685 A, 108, 126, 119, 113,
686 A, 119, 126, 125, 118,
687 A, 112, 118, 125, 107,
688 A, 102, 111, 110, 101,
689 A, 102, 124, 117, 111,
690 A, 117, 124, 123, 116,
691 A, 110, 116, 123, 101,
692 A, 149, 151, 150, 148,
693 A, 149, 160, 155, 151,
694 A, 155, 160, 159, 154,
695 A, 150, 154, 159, 148,
696 /COM, homogeneous assembly
697 A, 113, 119, 118, 112,
698 A, 111, 117, 116, 110,
699 A, 151, 155, 154, 150,
700 /COM, helium spaces
701 A, 72, 85, 84, 71,
702 A, 70, 83, 82, 69,
703 A, 68, 81, 80, 67,
704 A, 67, 80, 79, 66,
705 A, 65, 78, 77, 64,
706 A, 64, 77, 76, 63,
707 A, 62, 75, 74, 61,
708 A, 105, 136, 135, 104,
709 A, 135, 142, 141, 134,
710 NUMMRG, KP,
711 /COM, *****
712 /COM, Set element shapes and sizes for tubes and flux trap
713 /COM, 14x14 mesh in fuel with 1
714 /COM, division per tube layer
715 ESHAPE, 2,
716 ESIZE, 1,
717 LSEL, S, LINE, , 81, 87, 2,
718 LSEL, A, LINE, , 90, 92, 2,

```

```

719 LSEL,A,LINE,, 95,101,2,
720 LESIZE,ALL,,, 2,
721 LSEL,S,LINE,,107,
722 LSEL,A,LINE,,110,111,1,
723 LSEL,A,LINE,,119,120,1,
724 LSEL,A,LINE,,127,128,1,
725 LSEL,A,LINE,,131,
726 LESIZE,ALL,,, 14,
727 LSEL,ALL,
728 LESIZE, 82,,, 2,
729 LESIZE, 84,,, 3,
730 LESIZE, 86,,, 4,
731 LESIZE, 88,,, 5,
732 LESIZE, 89,,, 2,
733 LESIZE, 91,,, 4,
734 LESIZE, 93,,, 2,
735 LESIZE, 94,,, 5,
736 LESIZE, 96,,, 4,
737 LESIZE, 98,,, 5,
738 LESIZE,100,,, 4,
739 LESIZE,102,,, 2,
740 LESIZE,103,,, 3,
741 LESIZE,104,,, 2,
742 LESIZE,136,,, 2,
743 LESIZE,137,,, 4,
744 LESIZE,138,,, 5,
745 LESIZE,139,,, 4,
746 LESIZE,140,,, 5,
747 LESIZE,141,,, 2,
748 LESIZE,142,,, 4,
749 LESIZE,143,,, 2,
750 LESIZE,144,,, 5,
751 LESIZE,145,,, 4,
752 LESIZE,146,,, 3,
753 LESIZE,147,,, 2,
754 /COM,          concatenate lines for mapped meshing
755 /COM,          (L's 265,266,267,268,269,270,271,272,273,274)
756 LSEL,S,LINE,, 82, 88,2,
757 LCCAT,ALL,
758 LSEL,S,LINE,, 94, 98,2,
759 LCCAT,ALL,
760 LSEL,S,LINE,,100,102,2,
761 LCCAT,ALL,
762 LSEL,S,LINE,,113,114,1,
763 LCCAT,ALL,
764 LSEL,S,LINE,,116,117,1,
765 LCCAT,ALL,
766 LSEL,S,LINE,,121,122,1,
767 LCCAT,ALL,
768 LSEL,S,LINE,,124,125,1,
769 LCCAT,ALL,
770 LSEL,S,LINE,,136,137,1,
771 LCCAT,ALL,
772 LSEL,S,LINE,,138,140,1,
773 LCCAT,ALL,
774 LSEL,S,LINE,,144,147,1,
775 LCCAT,ALL,
776 LSEL,ALL,
777 /COM,          Mesh areas
778 /COM,          first flux trap plate, then tubes
779 MAT, 1,
780 TYPE,1,
781 AMESH, 27, 43,1,
782 MAT,13,
783 TYPE,1,
784 AMESH, 44, 55,1,
785 MAT, 1,
786 TYPE,1,
787 AMESH, 56, 73,1,
788 MAT,13,

```

```

789 TYPE,1,
790 AMESH, 74, 79,1,
791 MAT, 1,
792 TYPE,1,
793 AMESH, 80, 91,1,
794 MAT,14,
795 TYPE,1,
796 AMESH, 92, 94,1,
797 /COM,          Delete concatanated lines
798 /COM,          (L's freed up 265,266,267,268,269,270,271,272,273,274)
799 LDELE,265,274,1,
800 /COM,          *****
801 /COM,          Copy tube mesh and connect top and bottom
802 ARSYM,Y,27,103,1,0,0,0,
803 /COM,          flux trap plate spacers
804 /COM,          (L's 449,450,451,452,453,454,455,456,457,458)
805 /COM,          (A's 181,182,183,184,185)
806 A,186, 73, 93,202,
807 A,201,114,115,200,
808 A,204,131,138,206,
809 A,212,152,153,211,
810 A,210,156,163,215,
811 /COM,          flux trap plate heluim gaps
812 /COM,          (A's 186,187,188,189,190,191,192,193)
813 A,187, 60, 73,186,
814 A,202, 93,114,201,
815 A,200,115,120,199,
816 A,199,120,131,204,
817 A,206,138,145,208,
818 A,208,145,152,212,
819 A,211,153,156,210,
820 A,215,163,164,214,
821 /COM,          tube/guide heluim gaps (flats)
822 /COM,          (A's 194,195,196,197,198,199,200,201,202,203,204,205)
823 A,109, 22, 41,108,
824 A,108, 41, 42,126,
825 A,137, 43, 45,136,
826 A,142, 45, 46,162,
827 A,160, 47, 49,159,
828 A, 49, 29,167,159,
829 A,244,245, 31, 50,
830 A,244, 50, 52,260,
831 A,254, 53, 54,252,
832 A,248, 54, 56,247,
833 A,256, 57, 58,230,
834 A,230, 58, 38,229,
835 /COM,          tube/guide heluim gaps (corners)
836 /COM,          (A's 206,207,208,209,210,211,212,213,214,215,216,217)
837 /COM,          ( 218)
838 A, 21, 85, 72,
839 A, 21, 22,109,100, 92, 85,
840 A, 24, 25, 43,137,130,126, 42,
841 A,136, 45,142,135,
842 A, 26, 27, 47,160,161,162, 46,
843 A,167, 29, 30,164,165,166,
844 A,164, 30,214,
845 A,214, 30, 31,245,228,213,
846 A, 52, 33, 34, 53,254,255,260,
847 A,250,252, 54,248,
848 A,256,246,247, 56, 35, 36, 57,
849 A,188,189,216,229, 38, 39,
850 A,273,188, 39,
851 /COM,          mesh flux trap plate spacers
852 LSEL,S,LINE,,449,458,1,
853 LESIZE,ALL,,, 4,
854 LSEL,ALL,
855 MAT,1,
856 TYPE,1,
857 AMESH,181,185,1,
858 NUMMRG,NODE,

```

```

859 NUMMRG,KP,
860 /COM, *****
861 /COM, Create mesh in MPC shell and disposal container
862 /COM, Tube guides
863 ESIZE,,2,
864 LESIZE,43,,,6,
865 LESIZE,46,,,14,
866 LESIZE,49,,,14,
867 LESIZE,53,,,14,
868 LESIZE,56,,,14,
869 LESIZE,60,,,6,
870 LESIZE,61,,,6,
871 LESIZE,64,,,14,
872 LESIZE,68,,,14,
873 LESIZE,71,,,14,
874 LESIZE,75,,,14,
875 LESIZE,78,,,6,
876 MAT,1,
877 TYPE,1,
878 AMESH,15,26,1,
879 /COM, MPC shell
880 /COM, (L's 489,490)
881 LESIZE,23,,,2,
882 LESIZE,25,,,14,
883 LESIZE,26,,,3,
884 LESIZE,27,,,14,
885 LESIZE,28,,,3,
886 LESIZE,29,,,14,
887 LESIZE,31,,,2,
888 LESIZE,32,,,2,
889 LESIZE,34,,,14,
890 LESIZE,35,,,3,
891 LESIZE,36,,,14,
892 LESIZE,37,,,3,
893 LESIZE,38,,,14,
894 LESIZE,40,,,2,
895 LSEL,S,LINE,,23,31,1,
896 LCCAT,ALL,
897 LSEL,S,LINE,,32,40,1,
898 LCCAT,ALL,
899 LSEL,ALL,
900 LESIZE,17,,,56,
901 LESIZE,18,,,56,
902 LESIZE,22,,,3,
903 LESIZE,41,,,3,
904 MAT,1,
905 TYPE,1,
906 AMESH,7,8,1,
907 /COM, Assume vacuum between shell and inner barrier
908 LESIZE,13,,,56,
909 LESIZE,14,,,56,
910 LESIZE,19,,,2,
911 LESIZE,20,,,2,
912 /COM, No MAT,7,
913 /COM, No TYPE,1,
914 /COM, No AMESH,5,6,1,
915 /COM, Delete concatenated lines
916 /COM, (L's freed up 489,490)
917 LDELE,489,490,1,
918 /COM, Inner and outer barrier
919 LSEL,S,LINE,,7,10,1,
920 LESIZE,ALL,,,56,
921 LSEL,ALL,
922 LESIZE,6,,,3,
923 LESIZE,15,,,3,
924 LESIZE,16,,,3,
925 LESIZE,5,,,3,
926 LESIZE,11,,,3,
927 LESIZE,12,,,3,
928 MAT,2,

```

```

929 TYPE,1,
930 AMESH,3,4,1,
931 MAT,15,
932 TYPE,1,
933 AMESH,1,2,1,
934 /COM, Empty basket spaces
935 ESIZE,0.1,
936 ESHAPE,0,
937 MAT,7,
938 TYPE,1,
939 AMESH,9,14,1,
940 /COM, *****
941 /COM, Define mesh and radiation surface elements
942 /COM, Tube/guides gap
943 LSEL,S,LOC,X,0.0,0.0,
944 LSEL,A,LINE,, 7, 8,1,
945 LSEL,A,LINE,,13,14,1,
946 LSEL,A,LINE,,17,18,1,
947 NSLL,U,0,
948 LSEL,ALL,
949 MAT,1,
950 TYPE,7,
951 ESURF,
952 NSEL,ALL,
953 /COM, Basket spaces
954 MAT,1,
955 TYPE,17,
956 LMESH,25,29,2,
957 LMESH,34,38,2,
958 LMESH,80,
959 LMESH,45,
960 LMESH,50,52,2,
961 LMESH,57,59,2,
962 LMESH,62,65,3,
963 LMESH,69,72,3,
964 LMESH,76,79,3,
965 /COM, MPC shell/inner barrier gap
966 MAT,1,
967 TYPE,27,
968 LMESH,17,18,1,
969 MAT,2,
970 TYPE,27,
971 LMESH,13,14,1,
972 /COM, *****
973 /COM, Create mesh in helium spaces
974 ESIZE,,2,
975 ESHAPE,2,
976 MAT,7,
977 TYPE,1,
978 AMESH, 95,103,1,
979 AMESH,172,180,1,
980 AMESH,186,205,1,
981 ESHAPE,0,
982 MAT,7,
983 TYPE,1,
984 AMESH,206,218,1,
985 /COM, Clear areas and mesh by hand difficult areas
986 ACLEAR,211,
987 E,5653,3453,3952,3952,
988 E, 636,5653,3952,3952,
989 E, 545, 636,3952,3952,
990 E, 551, 545,3952,3952,
991 E, 363, 551,3952,3952,
992 E, 370, 363,3952,3952,
993 E, 371, 370,3952,3952,
994 E, 369, 371,3952,3952,
995 E,5747, 369,3952,3952,
996 E,3782,5747,3952,3952,
997 ACLEAR,217,
998 E,3735,5763,3738,3738,

```

```

999 E,5763,1661,3738,3738,
1000 E,1661,1663,3738,3738,
1001 E,1663,1664,3738,3738,
1002 E,1664,1662,3738,3738,
1003 E,1662,1979,3738,3738,
1004 E,1979,1978,3738,3738,
1005 E,1978,2148,3738,3738,
1006 E,2148,5725,3738,3738,
1007 E,5725,3666,3738,3738,
1008 FINISH
1009 /COM, *****
1010 /COM,          Create element mesh plots to illustrate model
1011 /COM,          View mesh for entire model
1012 /RESET
1013 /TRIAD,OFF,
1014 /NUM, 1,
1015 /PNUM,MAT, 1,
1016 /TYPE,HIDP,
1017 /GLINE,,0,
1018 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1019 /TITLE, 12 PWR MPC/Waste Package - 1/2 FEM Model
1020 /SHOW,meshfull,grph,1,8,
1021 EPLOT
1022 ESEL,U,MAT,, 7,
1023 /SHOW,meshgap,grph,1,8,
1024 EPLOT
1025 /COM,          View mesh for radiation substructure
1026 /PNUM,MAT, 0,
1027 /PNUM,TYPE, 1,
1028 ESEL,S,TYPE,, 7,
1029 ESEL,A,TYPE,,17,
1030 ESEL,A,TYPE,,27,
1031 /TITLE, 12 PWR MPC/Waste Package - Radiation Matrix
1032 /SHOW,meshrad,grph,1,8,
1033 EPLOT
1034 ESEL,ALL,
1035 /TITLE, 12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF
1036 /COM, *****
1037 /COM,          Generate super-elements
1038 /AUX12,
1039 ESEL,S,TYPE,,7,
1040 NSLE,S,
1041 STEF,5.67E-8,
1042 GEOM,1,0,
1043 VTYPE,0,800,
1044 WRITE,tubegap,
1045 ESEL,S,TYPE,,17,
1046 NSLE,S,
1047 STEF,5.67E-8,
1048 GEOM,1,0,
1049 VTYPE,0,800,
1050 WRITE,spaces,
1051 ESEL,S,TYPE,,27,
1052 NSLE,S,
1053 STEF,5.67E-8,
1054 GEOM,1,0,
1055 VTYPE,0,800,
1056 WRITE,shellgap,
1057 ESEL,ALL,
1058 NSEL,ALL,
1059 FINISH
1060 /PREP7,
1061 TYPE,18,
1062 SE,tubegap,
1063 SE,spaces,
1064 SE,shellgap,
1065 /COM,          Delete radiation edge elements
1066 ESEL,S,TYPE,,7,
1067 EDELE,ALL,
1068 ESEL,ALL,

```

```

1069 LSEL,S,TYPE,,17,
1070 LSEL,A,TYPE,,27,
1071 LCLEAR,ALL,
1072 LSEL,ALL,
1073 FINISH
1074 /COM, *****
1075 /COM,      Set solution parameters and apply B.C.'s
1076 /COM,
1077 /COM,      Solve steady-state for initial conditions
1078 /COM,      with WP surface equal to drift ambient
1079 /COM,      temperature from repository model.
1080 /SOLU
1081 ANTYPE,TRAN,NEW,
1082 NROPT,AUTO,
1083 TRNOPT,FULL,
1084 TOFFST,273.15,
1085 LSEL,S,LINE,,7,
1086 LSEL,A,LINE,,8,
1087 NSLL,S,1,
1088 D,ALL,TEMP,DFAMBT,
1089 LSEL,ALL,
1090 NSEL,ALL,
1091 ASEL,S,MAT,,14,
1092 ESLA,S,
1093 BFE,ALL,HGEN,,(FUEL(TM_START)),
1094 ASEL,ALL,
1095 ESEL,ALL,
1096 TIMINT,OFF,
1097 TIME,1e-6,
1098 AUTOTS,ON,
1099 KBC,0,
1100 SOLVE
1101 /COM,      Solve steady-state for initial conditions
1102 /COM,      with WP surface temperatures from repository
1103 /COM,      steady-state solution.
1104 LSEL,S,LINE,,7,
1105 LSEL,A,LINE,,8,
1106 NSLL,S,1,
1107 DDELE,ALL,TEMP,
1108 LSEL,ALL,
1109 NSEL,ALL,
1110 DK,11,TEMP,(WPTOP(TM_START)),,1,
1111 DK,10,TEMP,(WPSID(TM_START)),,1,
1112 DK, 9,TEMP,(WPBOT(TM_START)),,1,
1113 ASEL,S,MAT,,14,
1114 ESLA,S,
1115 BFE,ALL,HGEN,,(FUEL(TM_START)),
1116 ASEL,ALL,
1117 ESEL,ALL,
1118 TIMINT,OFF,
1119 TIME,2e-6,
1120 AUTOTS,ON,
1121 KBC,0,
1122 SOLVE
1123 /COM, *****
1124 /COM,      Set time integration parameters
1125 TIMINT,ON,
1126 AUTOTS,ON,
1127 /COM,      Time substep ranges from 10 sec to 1/4 loadstep
1128 NSUBST,10,40,4,ON
1129 /COM,      Begin Transient
1130 /COM,      Apply loads and solve for 0 to .9 years
1131 *DO,TM,TM_START,TME0,TM10
1132     TIME,TM,
1133     ASEL,S,MAT,,14,
1134     ESLA,S,
1135     BFE,ALL,HGEN,,(FUEL(TM)),
1136     ASEL,ALL
1137     ESEL,ALL
1138     DK,11,TEMP,(WPTOP(TM)),,1,

```



```

1139      DK,10,TEMP,(WPSID(TM)),,1,
1140      DK, 9,TEMP,(WPBOT(TM)),,1,
1141      SOLVE
1142 *ENDDO
1143 /COM,          Apply loads and solve for 1 to 9 years
1144 *DO,TM,TME1,TME9,TMI1
1145      TIME,TM,
1146      ASEL,S,MAT,,14,
1147      ESLA,S,
1148      BFE,ALL,HGEN,,(FUEL(TM)),
1149      ASEL,ALL
1150      ESEL,ALL
1151      DK,11,TEMP,(WPTOP(TM)),,1,
1152      DK,10,TEMP,(WPSID(TM)),,1,
1153      DK, 9,TEMP,(WPBOT(TM)),,1,
1154      SOLVE
1155 *ENDDO
1156 /COM,          Apply loads and solve for 10 to 90 years
1157 *DO,TM,TME10,TME90,TMI10
1158      TIME,TM,
1159      ASEL,S,MAT,,14,
1160      ESLA,S,
1161      BFE,ALL,HGEN,,(FUEL(TM)),
1162      ASEL,ALL
1163      ESEL,ALL
1164      DK,11,TEMP,(WPTOP(TM)),,1,
1165      DK,10,TEMP,(WPSID(TM)),,1,
1166      DK, 9,TEMP,(WPBOT(TM)),,1,
1167      SOLVE
1168 *ENDDO
1169 /COM,          Apply loads and solve for 100 to 1000 years
1170 *DO,TM,TME100,TME1000,TMI100
1171      TIME,TM,
1172      ASEL,S,MAT,,14,
1173      ESLA,S,
1174      BFE,ALL,HGEN,,(FUEL(TM)),
1175      ASEL,ALL
1176      ESEL,ALL
1177      DK,11,TEMP,(WPTOP(TM)),,1,
1178      DK,10,TEMP,(WPSID(TM)),,1,
1179      DK, 9,TEMP,(WPBOT(TM)),,1,
1180      SOLVE
1181 *ENDDO
1182 FINISH
1183 SAVE,
1184 /COM,          *****
1185 /COM,          Create element contour plots of solution results
1186 /COM,
1187 /COM,          Sort through solution results for time of max temp.
1188 /POST26,
1189 NSOL,2,(NODE(ACX1,(0.0-ACY1),0.0)),TEMP,,peakclad,
1190 STORE,NEW,
1191 *GET,TMTMAX,VARI,2,EXTREM,TMAX,
1192 FINISH
1193 /POST1,
1194 /COM,          Create temperature contour plots of WP at peak
1195 /RESET
1196 /TRIAD,OFF,
1197 /NUM, 1,
1198 /PNUM,MAT, 1,
1199 /TYPE,HIDP,
1200 /GLINE,,-1,
1201 /FOCUS,1,(WPRAD/10.0),0.0,0.0,0,
1202 ESEL,U,MAT,,7,
1203 SET,NEAR,,,TMTMAX,
1204 /TITLE, 12 PWR MPC/WP at Time of Peak Temp. (%TMTMAX/3.15576E7% years)
1205 /SHOW,solupk,grph,0,8,
1206 /CONTOUR,1,128,AUTO,
1207 PLNSOL,TEMP,
1208 /COM,          Create temperature contour plots at 10, 50, and 100 yrs

```

```

1209 SET,NEAR,,,,TME10,
1210 /TITLE, 12 PWR MPC/WP at 10 years
1211 /SHOW,solu10,grph,0,8,
1212 /CONTOUR,1,128,USER,
1213 PLNSOL,TEMP,
1214 SET,NEAR,,,,TME50,
1215 /TITLE, 12 PWR MPC/WP at 50 years
1216 /SHOW,solu50,grph,0,8,
1217 /CONTOUR,1,128,USER,
1218 PLNSOL,TEMP,
1219 SET,NEAR,,,,TME100,
1220 /TITLE, 12 PWR MPC/WP at 100 years
1221 /SHOW,solu100,grph,0,8,
1222 /CONTOUR,1,128,USER,
1223 PLNSOL,TEMP,
1224 ESEL,ALL,
1225 FINISH
1226 /COM, *****
1227 /COM,      Print time/temperature output at specific locations
1228 /COM,      Save profile from center to edge
1229 /COM,
1230 /COM,      Variable Legend: A01i000
1231 /COM,      x = center of waste package
1232 /COM,      f = flux trap plate stainless layer
1233 /COM,      w = flux trap plate SS sheath
1234 /COM,      c = center of assembly
1235 /COM,      h = halfway between center and tube
1236 /COM,      s = inside structural stainless tube layer
1237 /COM,      a = aluminum-born tube layer
1238 /COM,      t = stainless tube cladding
1239 /COM,      g = tube guide
1240 /COM,      m = mpc shell
1241 /COM,      i = inner barrier of DC
1242 /COM,      o = outer barrier of DC
1243 /COM,      ## = ID number of assembly (01 is center)
1244 /COM,      i = side of assembly toward center of WP
1245 /COM,      o = side of assembly toward edge of WP
1246 /COM,      000 = profile center down
1247 /COM,      045 = profile 45 deg down
1248 /COM,      090 = profile center side
1249 /COM,      135 = profile 45 deg up
1250 /COM,      180 = profile center up
1251 /POST26,
1252 NUMVAR,30,
1253 /COM,
1254 /COM, *****
1255 /COM, * Temperature Profile from center to lower right (45 deg.) *
1256 /COM, *****
1257 NSOL, 2,(NODE( 0.0, 0.0,0.0)),TEMP,,x04i045,
1258 NSOL, 3,(NODE( (0.5*FSPAC), (-.5*FSPAC),0.0)),TEMP,,f04i045,
1259 NSOL, 4,(NODE((0.5*FSPAC+FWALL),(-.5*FSPAC-FWALL),0.0)),TEMP,,f04o045,
1260 NSOL, 5,(NODE((0.5*FSPAC+BCELL),(-.5*FSPAC-BCELL),0.0)),TEMP,,w04i045,
1261 NSOL, 6,(NODE( (ACX1-SCCELL), (SCCELL-ACY1),0.0)),TEMP,,w04o045,
1262 NSOL, 7,(NODE( (ACX1-HCELL), (HCELL-ACY1),0.0)),TEMP,,s04i045,
1263 NSOL, 8,(NODE( (ACX1-QCELL), (QCELL-ACY1),0.0)),TEMP,,h04i045,
1264 NSOL, 9,(NODE( ACX1, (0.0-ACY1),0.0)),TEMP,,c04i045,
1265 NSOL,10,(NODE( (ACX1+QCELL), (0.0-ACY1-QCELL),0.0)),TEMP,,h04o045,
1266 NSOL,11,(NODE( (ACX1+HCELL), (0.0-ACY1-HCELL),0.0)),TEMP,,s04o045,
1267 NSOL,12,(NODE( (ACX1+SCCELL), (0.0-ACY1-SCCELL),0.0)),TEMP,,a04o045,
1268 NSOL,13,(NODE( (ACX1+ACCELL), (0.0-ACY1-ACCELL),0.0)),TEMP,,t04i045,
1269 NSOL,14,(NODE( (ACX1+TCELL), (0.0-ACY1-TCELL),0.0)),TEMP,,t04o045,
1270 NSOL,15,(NODE( (GX25-GWALL), (GWALL-GX25),0.0)),TEMP,,g04i045,
1271 NSOL,16,(NODE( GX25, (0.0-GX25),0.0)),TEMP,,g04o045,
1272 NSOL,17,(NODE( MI45, (0.0-MI45),0.0)),TEMP,,m04i045,
1273 NSOL,18,(NODE( MO45, (0.0-MO45),0.0)),TEMP,,m04o045,
1274 NSOL,19,(NODE( DI45, (0.0-DI45),0.0)),TEMP,,i04i045,
1275 NSOL,20,(NODE( DM45, (0.0-DM45),0.0)),TEMP,,i04o045,
1276 NSOL,21,(NODE( DO45, (0.0-DO45),0.0)),TEMP,,o04o045,
1277 /COM,      Add centers of assemblies 5 and 6
1278 NSOL,22,(NODE( ACX2, (0.0-ACY1),0.0)),TEMP,,c05i045,

```

```

1279 NSOL,23,(NODE(          ACX1,          (0.0-ACY3),0.0)),TEMP,,c06i045,
1280 PRVAR, 2, 3, 4, 5, 6, 7,
1281 PRVAR, 8, 9,10,11,12,13,
1282 PRVAR,14,15,16,17,18,19,
1283 PRVAR,20,21,22,23,
1284 /COM,
1285 /COM, *****
1286 /COM, * Temperature Profile from center to upper right (135 deg.) *
1287 /COM, *****
1288 NSOL, 2,(NODE(          0.0,          0.0,0.0)),TEMP,,x01i135,
1289 NSOL, 3,(NODE(          (0.5*FSPAC),          (0.5*FSPAC),0.0)),TEMP,,f01i135,
1290 NSOL, 4,(NODE((0.5*FSPAC+FWALL), (0.5*FSPAC+FWALL),0.0)),TEMP,,f01o135,
1291 NSOL, 5,(NODE((0.5*FSPAC+BCELL), (0.5*FSPAC+BCELL),0.0)),TEMP,,w01i135,
1292 NSOL, 6,(NODE(          (ACX1-SCCELL),          (ACY1-SCCELL),0.0)),TEMP,,w01o135,
1293 NSOL, 7,(NODE(          (ACX1-HCELL),          (ACY1-HCELL),0.0)),TEMP,,s01i135,
1294 NSOL, 8,(NODE(          (ACX1-QCELL),          (ACY1-QCELL),0.0)),TEMP,,h01i135,
1295 NSOL, 9,(NODE(          ACX1,          ACY1,0.0)),TEMP,,c01i135,
1296 NSOL,10,(NODE(          (ACX1+QCELL),          (ACY1+QCELL),0.0)),TEMP,,h01o135,
1297 NSOL,11,(NODE(          (ACX1+HCELL),          (ACY1+HCELL),0.0)),TEMP,,s01o135,
1298 NSOL,12,(NODE(          (ACX1+SCCELL),          (ACY1+SCCELL),0.0)),TEMP,,a01o135,
1299 NSOL,13,(NODE(          (ACX1+ACCELL),          (ACY1+ACCELL),0.0)),TEMP,,t01i135,
1300 NSOL,14,(NODE(          (ACX1+TCELL),          (ACY1+TCELL),0.0)),TEMP,,t01o135,
1301 NSOL,15,(NODE(          (GX25-GWALL),          (GX25-GWALL),0.0)),TEMP,,g01i135,
1302 NSOL,16,(NODE(          GX25,          GX25,0.0)),TEMP,,g01o135,
1303 NSOL,17,(NODE(          MI45,          MI45,0.0)),TEMP,,m01i135,
1304 NSOL,18,(NODE(          MO45,          MO45,0.0)),TEMP,,m01o135,
1305 NSOL,19,(NODE(          DI45,          DI45,0.0)),TEMP,,i01i135,
1306 NSOL,20,(NODE(          DM45,          DM45,0.0)),TEMP,,i01o135,
1307 NSOL,21,(NODE(          DO45,          DO45,0.0)),TEMP,,o01o135,
1308 /COM, Add centers of assemblies 2 and 3
1309 NSOL,22,(NODE(          ACX2,          ACY2,0.0)),TEMP,,c02i135,
1310 NSOL,23,(NODE(          ACX3,          ACY3,0.0)),TEMP,,c03i135,
1311 PRVAR, 2, 3, 4, 5, 6, 7,
1312 PRVAR, 8, 9,10,11,12,13,
1313 PRVAR,14,15,16,17,18,19,
1314 PRVAR,20,21,22,23,
1315 /COM,
1316 FINISH *****
1317 /COM, End of batch input file
1318 /COM, *****
1319 /COM,
1320 /EXIT,
1321 /EOF

```

RUN SETUP PROCEDURE FROM FILE= /ansys50a/docu/start.ans

```

/INPUT FILE= /ansys50a/docu/start.ans LINE= 0
*****
ANSYS STARTUP FILE start.ans
*****

```

```

ABBREVIATION= K1      /pnum,kp ,1,
ABBREVIATION= K0      /pnum,kp ,0,
ABBREVIATION= L1      /pnum,line,1,
ABBREVIATION= L0      /pnum,line,0,
ABBREVIATION= A1      /pnum,area,1,
ABBREVIATION= A0      /pnum,area,0,
ABBREVIATION= V1      /pnum,volu,1,
ABBREVIATION= V0      /pnum,volu,0,
ABBREVIATION= N1      /pnum,node,1,
ABBREVIATION= N0      /pnum,node,0,

```

ABBREVIATION= E1 /pnum,elem,1,
 ABBREVIATION= E0 /pnum,elem,0,
 ABBREVIATION= M1 /pnum,mat ,1,
 ABBREVIATION= M0 /pnum,mat ,0,
 ABBREVIATION= R1 /pnum,real,1,
 ABBREVIATION= R0 /pnum,real,0,
 ABBREVIATION= T1 /pnum,type,1,
 ABBREVIATION= T0 /pnum,type,0,
 ABBREVIATION= C1 /number,1,
 ABBREVIATION= C0 /number,0,
 ABBREVIATION= INP /input,,inp,
 ABBREVIATION= X3D /show,3d,
 ABBREVIATION= X11 /show,x11,
 ABBREVIATION= VEC /show,,,1,
 ABBREVIATION= RAS /show,,,0,
 ABBREVIATION= ON /menu,on,
 ABBREVIATION= OFF /menu,off,
 ABBREVIATION= NVP /config,nvpag,512,
 ABBREVIATION= QUIT /exit,nosav,
 XYZ TRIAD DISPLAY SET TO OFF

VIEW CONE ANGLE FOR WINDOW 1 25.00

 END start.ans

To start ANSYS menu:

type: x3d for console
 x11 for X-term

type: on

 ANSYS REVISION 5.0A 3/24/1995
 2-D Model of 75 ton burnup credit MPC-DC R.Bahney III

 * *
 * File name: ma12h2.inp *
 * 12 PWR MPC with Low T.L. Disposal Container *
 * Helium Fill Gas *
 * *
 * Material Property file: props01.dat *
 * *
 * SNF Conductivity file: pwr15e.parm *
 * 15x15 Mark-B4 PWR SNF Assembly *
 * *
 * SNF Heat Loads file: snf2040.dat *
 * SNF Type: 20 years old, 40 GWd/MTU *
 * *

```
* Surface Temp. file:      c12h5a.parm      *
*      25 MTU/acre (6.18 kgU/m^2) AML (Low Thermal Loading) *
*      5.0 m Diameter Drift with Concrete Invert      *
*      Drift spacing = 90.0 m      *
*      WP c/c spacing = 9.237 m      *
*      *      *
```

```
*****
Increase the number of database pages from 16 (256) to 32 Mb
```

```
NUMBER OF DATA BASE PAGES IN MEMORY(NVPAGE)= 512
Work space must also be increased (-m 64)
*****
```

```
TITLE=
12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF
```

```
SI UNITS SPECIFIED
LENGTH      = METERS(M)
MASS        = KILOGRAMS(KG)
TIME        = SECONDS(SEC)
TEMPERATURE = CENTIGRADE
CURRENT     = AMPS
*****
Read in average effective conductivities from SNF model
```

```
*** NOTE ***          CP=      .820   TIME= 20:19:20
Restore ANSYS parameters from file= pwr15e.parm.
```

```
/INPUT FILE= pwr15e.parm LINE=      0
```

```
PRINTOUT RESUMED BY /GOP
Read in surface temps. from repository model
```

```
*** NOTE ***          CP=      1.030   TIME= 20:19:21
Restore ANSYS parameters from file= c12h5a.parm.
```

```
/INPUT FILE= c12h5a.parm LINE=      0
```

```
PRINTOUT RESUMED BY /GOP
*****
Define MPC/waste package parameters
(MPC dimensions converted from inches to meters)
MIRAD = inner radius of MPC shell (m)
MWALL = MPC shell thickness (m)
DCRAD = disposal container outer radius (m)
OWALL = outer barrier thickness (m)
IWALL = inner barrier thickness (m)
GCORN = corner guide width (m)
GLENW = side guide total width (m)
GLENH = side guide total height (m)
GWALL = guide thickness (m)
HCELL = 1/2 of basket cell opening (m)
SWALL = stainless tube thickness (m)
AWALL = Al/boron tube thickness (m)
FLENT = flux trap plate length (m)
FWALL = flux trap plate stainless thickness (m)
BWALL = flux trap plate Al/boron thickness (m)
TWALL = flux trap plate SS sheath thickness (m)
FSPAC = flux trap plate spacer width (m)
TSPAC = tube/tube spacer width (m)
ACTVL = active fuel length
PEAKF = assembly heat axial peaking factor
```

```
PARAMETER PI      =      3.141593
PARAMETER MIRAD   =      .6079490
PARAMETER MWALL   =      .2222500E-01
```

PARAMETER DCRAD = .7152500
 PARAMETER OWALL = .5000000E-01
 PARAMETER IWALL = .2000000E-01
 PARAMETER GCORN = .2561844
 PARAMETER GLENW = .2142236
 PARAMETER GLENH = .6339840E-01
 PARAMETER GWALL = .9525000E-02
 PARAMETER HCELL = .1143000
 PARAMETER SWALL = .2387600E-02
 PARAMETER AWALL = .2717800E-02
 PARAMETER FLENT = .5883656
 PARAMETER FWALL = .1270000E-01
 PARAMETER BWALL = .6350000E-02
 PARAMETER TWALL = .2387600E-02
 PARAMETER FSPAC = .2540000E-01
 PARAMETER TSPAC = .2504440E-01
 PARAMETER ACTVL = 3.601720
 PARAMETER PEAKF = 1.250000
 Define calculated parameters
 ASSY = assembly heat production (W) f(yrs)
 FUEL = volumetric heat production (W/m3) f(yrs)
 FVOLU = assy_volume=cell_width^2*active_length
 Q2 = side guide x coord. (see sketch)
 GX## = x coord. of guide/shell contact (kp##)
 GY## = y coord. of guide/shell contact (kp##)
 ACX# = x coord. of center of assembly #
 ACY# = y coord. of center of assembly #
 TM START = start time (sec)
 TMI* = time increment for solution (sec)
 TME* = start and stop for time do-loops (sec)
 Note: 1 year = 3.15576e7 seconds
 QCELL = 1/4 of basket cell opening (m)
 SCELL = 1/2 of basket cell opening+SS wall(m)
 ACELL = 1/2 of basket cell opening+SS+AL (m)
 MI45 = x coord. MIRAD at 45 deg.
 MO45 = x coord. MIRAD+MWALL at 45 deg.
 DI45 = x coord. DCRAD-OWALL-IWALL at 45 deg.
 DM45 = x coord. DCRAD-OWALL at 45 deg.
 DO45 = x coord. DCRAD at 45 deg.
 TMTMAX = time of maximum cladding temperature

ARRAY PARAMETER ASSY DELETED.

SET PARAMETER DIMENSIONS ON ASSY TYPE=TABL DIMENSIONS= 101 1 1

SET PARAMETER DIMENSIONS ON FUEL TYPE=TABL DIMENSIONS= 101 1 1

PARAMETER FVOLU = .1882185

PARAMETER Q2 = .5002134E-01

PARAMETER GX22 = .4049634E-01
PARAMETER GY22 = .6065987
PARAMETER GX23 = .5002134E-01
PARAMETER GY23 = .6058877
PARAMETER GX24 = .2547199
PARAMETER GY24 = .5520143
PARAMETER GTMP = .2466594
PARAMETER GX25 = .2884843
PARAMETER GY25 = .5351437
PARAMETER ACX1 = .1508252
PARAMETER ACY1 = .1508252
PARAMETER ACX2 = .4194556
PARAMETER ACY2 = .1508252
PARAMETER ACX3 = .1508252
PARAMETER ACY3 = .4194556
PARAMETER TM_START = 31.55760
PARAMETER TM10 = 3155760.
PARAMETER TM11 = .3155760E+08
PARAMETER TM110 = .3155760E+09
PARAMETER TM1100 = .3155760E+10
PARAMETER TM11000 = .3155760E+11
PARAMETER TME0 = .2840187E+08
PARAMETER TME1 = .3155763E+08
PARAMETER TME9 = .2840184E+09
PARAMETER TME10 = .3155760E+09
PARAMETER TME50 = .1577880E+10
PARAMETER TME90 = .2840184E+10
PARAMETER TME100 = .3155760E+10
PARAMETER TME1000 = .3155760E+11
PARAMETER BCELL = .1905000E-01
PARAMETER QCELL = .5715000E-01
PARAMETER SCELL = .1166876
PARAMETER ACELL = .1194054
PARAMETER TCELL = .1217930
PARAMETER MI45 = .4298849

PARAMETER M045 = .4456003

PARAMETER D145 = .4562607

PARAMETER DM45 = .4704028

PARAMETER D045 = .5057581

Define different element types

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:19:22 MAR 24, 1995 CP= 1.830
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE 1 IS PLANE55 2-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 TWO-DIMENSIONAL MODEL

ELEMENT TYPE 2 IS SOLID70 3-D THERMAL SOLID
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 7 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 16 IS SHELL57 THERMAL SHELL
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 17 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 18 IS MATRIX50 SUBSTRUCTURE MATRIX
 KEYOPT(1-12)= 1 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 19 IS LINK31 RADIATION LINK
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

ELEMENT TYPE 27 IS LINK32 2-D CONDUCTING BAR
 KEYOPT(1-12)= 0 0 0 0 0 0 0 0 0 0 0 0

CURRENT NODAL DOF SET IS TEMP
 THREE-DIMENSIONAL MODEL

File props01.dat describes material properties
 and thier reference numbers

READ IN MATERIAL PROPERTY LIBRARY FROM FILE= props01.dat

```

/INPUT FILE= props01.dat LINE=      0
*****
**      ANSYS 5.0 MPC MATERIAL PROPERTY TABLES      **
*****
**      Filename: props01.dat                        **
**      Compiled by R. Bahney III on 1-30-95          **
*****

NUMBER MATERIAL          DESCRIPTION
  1  Stainless Steel 316  Basket Structural Support
  2  Incaloy 825          Inner Container (resistant)
  3  A516 Mild Steel      Outer Container (allowance)
  4  UO2 Pellet           SNF Uranium Oxide Pellet
  5  Zircaloy 4           SNF Cladding
  6  Oxidation Layer      Stably Oxidized Zircaloy Surface
  7  Helium               Canister Fill Gas
  8  Air                  Alternate Fill Gas
  9  Nitrogen             Alternate Fill Gas
 10  Argon                Alternate Fill Gas
 11  Aluminum 6063        Thermal Conductor
 12  Copper               Alternate Thermal Conductor
 13  Aluminum-Boron       Aluminum Boron Criticality Matl

*****
**      Density:      DENS      (kg/m^3)            **
**      Emissivity    EMIS      **
**      Conductivity: KXX      (W/m/K)             **
**      Specific Heat: C        (J/kg/K)           **
*****

```

Define densities for all materials except gases

TEMPERATURE TABLE ERASED.

```

*** PROPERTY TEMPERATURE TABLE  NUM. TEMPS= 1 ***
SLOC=  1      .0000000E+00

PROPERTY TABLE DENS  MAT=  1  NUM. POINTS=  1
SLOC=  1      8000.000

PROPERTY TABLE DENS  MAT=  2  NUM. POINTS=  1
SLOC=  1      8137.900

PROPERTY TABLE DENS  MAT=  3  NUM. POINTS=  1
SLOC=  1      8131.000

PROPERTY TABLE DENS  MAT=  4  NUM. POINTS=  1
SLOC=  1      10970.00

PROPERTY TABLE DENS  MAT=  5  NUM. POINTS=  1
SLOC=  1      6500.000

PROPERTY TABLE DENS  MAT=  6  NUM. POINTS=  1
SLOC=  1      6500.000

PROPERTY TABLE DENS  MAT= 11  NUM. POINTS=  1
SLOC=  1      2690.000

PROPERTY TABLE DENS  MAT= 12  NUM. POINTS=  1
SLOC=  1      8933.000

PROPERTY TABLE DENS  MAT= 13  NUM. POINTS=  1
SLOC=  1      2693.000

```

Define emissivities for all materials except gases

```

PROPERTY TABLE EMIS  MAT=  1  NUM. POINTS=  1

```

SLOC= 1 .6000000

PROPERTY TABLE EMIS MAT= 2 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 3 NUM. POINTS= 1
SLOC= 1 .8000000

PROPERTY TABLE EMIS MAT= 4 NUM. POINTS= 1
SLOC= 1 .7900000

PROPERTY TABLE EMIS MAT= 5 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 6 NUM. POINTS= 1
SLOC= 1 .8060000

PROPERTY TABLE EMIS MAT= 11 NUM. POINTS= 1
SLOC= 1 .7000000E-01

PROPERTY TABLE EMIS MAT= 12 NUM. POINTS= 1
SLOC= 1 .5000000

PROPERTY TABLE EMIS MAT= 13 NUM. POINTS= 1
SLOC= 1 .7000000E-01

Define specific heat for matl. 4, 5, 6, 7, 11, 14, 15

PROPERTY TABLE C MAT= 4 NUM. POINTS= 1
SLOC= 1 247.0000

PROPERTY TABLE C MAT= 5 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 6 NUM. POINTS= 1
SLOC= 1 330.0000

PROPERTY TABLE C MAT= 7 NUM. POINTS= 1
SLOC= 1 5193.000

PROPERTY TABLE C MAT= 11 NUM. POINTS= 1
SLOC= 1 900.0000

Define K and C for materials 1, 3

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
SLOC= 1 21.11000 37.78000 65.56000
93.33000 121.1100 148.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
SLOC= 7 176.6700 204.4400 232.2200
260.0000 287.7800 315.5600

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
SLOC= 13 343.3300 371.1100 398.8900
426.6700 454.4400 482.2200

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
SLOC= 19 510.0000 537.7800 565.5600
593.3300 621.1100 648.8900

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
SLOC= 25 676.6700 704.4400 732.2200
760.0000 787.7800 815.5600

PROPERTY TABLE KXX MAT= 1 NUM. POINTS= 6
SLOC= 1 13.33000 13.67000 14.19000 14.54000
15.06000 15.58000

PROPERTY TABLE KXX	MAT=	1	NUM. POINTS= 12	
SLOC= 7	15.92000	16.44000	16.96000	17.31000
	17.83000	18.17000		

PROPERTY TABLE KXX	MAT=	1	NUM. POINTS= 18	
SLOC= 13	18.52000	19.04000	19.38000	19.90000
	20.25000	20.77000		

PROPERTY TABLE KXX	MAT=	1	NUM. POINTS= 24	
SLOC= 19	21.11000	21.46000	21.98000	22.33000
	22.67000	23.02000		

PROPERTY TABLE KXX	MAT=	1	NUM. POINTS= 30	
SLOC= 25	23.54000	23.88000	24.23000	24.58000
	24.92000	25.27000		

PROPERTY TABLE C	MAT=	1	NUM. POINTS= 6	
SLOC= 1	481.6800	486.9200	498.0900	499.3800
	509.9800	520.2900		

PROPERTY TABLE C	MAT=	1	NUM. POINTS= 12	
SLOC= 7	521.0700	527.3800	536.9200	537.3400
	543.0200	543.3100		

PROPERTY TABLE C	MAT=	1	NUM. POINTS= 18	
SLOC= 13	546.9100	552.1400	552.2600	557.2200
	557.2500	565.1100		

PROPERTY TABLE C	MAT=	1	NUM. POINTS= 24	
SLOC= 19	565.0100	564.9100	572.3500	572.1400
	574.9200	574.6800		

PROPERTY TABLE C	MAT=	1	NUM. POINTS= 30	
SLOC= 25	581.6400	581.3000	583.8600	586.3600
	585.9600	588.3900		

PROPERTY TABLE KXX	MAT=	3	NUM. POINTS= 6	
SLOC= 1	40.84000	41.36000	41.88000	42.23000
	42.23000	42.23000		

PROPERTY TABLE KXX	MAT=	3	NUM. POINTS= 12	
SLOC= 7	42.06000	41.88000	41.36000	41.02000
	40.50000	39.98000		

PROPERTY TABLE KXX	MAT=	3	NUM. POINTS= 18	
SLOC= 13	39.29000	38.77000	38.08000	37.56000
	36.69000	36.17000		

PROPERTY TABLE KXX	MAT=	3	NUM. POINTS= 24	
SLOC= 19	35.48000	34.61000	33.92000	33.23000
	32.36000	31.50000		

PROPERTY TABLE KXX	MAT=	3	NUM. POINTS= 30	
SLOC= 25	30.29000	28.90000	27.35000	26.48000
	26.13000	26.13000		

PROPERTY TABLE C	MAT=	3	NUM. POINTS= 6	
SLOC= 1	428.7200	444.9500	460.9400	476.8700
	486.0800	495.6600		

PROPERTY TABLE C	MAT=	3	NUM. POINTS= 12	
SLOC= 7	506.0900	517.0700	525.6400	536.9900
	543.6300	550.6200		

PROPERTY TABLE C	MAT=	3	NUM. POINTS= 18	
SLOC= 13	562.2100	577.3200	589.1000	600.5700
	611.3500	629.0900		

PROPERTY TABLE C	MAT=	3	NUM. POINTS= 24	
------------------	------	---	-----------------	--

SLOC= 19	645.3200	665.1200	682.0700	694.5200
	724.0700	761.9500		

PROPERTY TABLE C	MAT= 3	NUM. POINTS= 30		
SLOC= 25	806.3100	888.6000	1095.040	1638.780
	808.6800	736.9000		

Define K for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 6 ***
SLOC= 1	93.33000 121.1100 148.8900
	176.6700 204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 12 ***
SLOC= 7	260.0000 287.7800 315.5600
	343.3300 371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 18 ***
SLOC= 13	426.6700 454.4400 482.2200
	510.0000 537.7800 565.5600

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 24 ***
SLOC= 19	593.3300 621.1100 648.8900
	676.6700 704.4400 732.2200

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 27 ***
SLOC= 25	760.0000 787.7800 815.5600

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 6		
SLOC= 1	12.29000	12.63000	13.15000	13.67000
	14.02000	14.54000		

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 12		
SLOC= 7	14.88000	15.40000	15.75000	16.10000
	16.61000	16.96000		

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 18		
SLOC= 13	17.31000	17.65000	18.00000	18.52000
	18.86000	19.21000		

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 24		
SLOC= 19	19.73000	20.08000	20.42000	20.94000
	21.46000	21.98000		

PROPERTY TABLE KXX	MAT= 2	NUM. POINTS= 27		
SLOC= 25	22.33000	23.02000	23.54000	

Define C for material 2

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 6 ***
SLOC= 1	93.33000 121.1100 148.8900
	176.6700 204.4400 232.2200

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 12 ***
SLOC= 7	260.0000 287.7800 315.5600
	343.3300 371.1100 398.8900

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 17 ***
SLOC= 13	426.6700 454.4400 482.2200
	510.0000 537.7800

PROPERTY TABLE C	MAT= 2	NUM. POINTS= 6		
SLOC= 1	460.6900	477.4200	501.0200	504.6500
	498.1200	520.4500		

PROPERTY TABLE C MAT= 2 NUM. POINTS= 12
 SLOC= 7 536.8800 559.8500 576.8300 576.2100
 581.6800 598.2000

PROPERTY TABLE C MAT= 2 NUM. POINTS= 17
 SLOC= 13 619.5800 636.7600 654.2000 678.2500
 696.2900

Define K for materials 4, 5, 6

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***
 SLOC= 1 .000000E+00 10.00000 20.00000
 30.00000 40.00000 50.00000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 12 ***
 SLOC= 7 60.00000 70.00000 80.00000
 90.00000 100.0000 110.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 18 ***
 SLOC= 13 120.0000 130.0000 140.0000
 150.0000 160.0000 170.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 24 ***
 SLOC= 19 180.0000 190.0000 200.0000
 210.0000 220.0000 230.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 30 ***
 SLOC= 25 240.0000 250.0000 260.0000
 270.0000 280.0000 290.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 36 ***
 SLOC= 31 300.0000 310.0000 320.0000
 330.0000 340.0000 350.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 42 ***
 SLOC= 37 360.0000 370.0000 380.0000
 390.0000 400.0000 410.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 48 ***
 SLOC= 43 420.0000 430.0000 440.0000
 450.0000 460.0000 470.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 50 ***
 SLOC= 48 480.0000 490.0000 500.0000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 6
 SLOC= 1 8.720000 8.540000 8.360000 8.190000
 8.030000 7.870000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 12
 SLOC= 7 7.720000 7.580000 7.440000 7.310000
 7.180000 7.050000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 18
 SLOC= 13 6.930000 6.820000 6.700000 6.600000
 6.490000 6.390000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 24
 SLOC= 19 6.290000 6.190000 6.100000 6.010000
 5.920000 5.840000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 30
 SLOC= 25 5.760000 5.680000 5.600000 5.520000
 5.450000 5.380000

PROPERTY TABLE KXX MAT= 4 NUM. POINTS= 36
 SLOC= 31 5.310000 5.240000 5.180000 5.110000

	5.050000	4.990000	
PROPERTY TABLE KXX MAT=	4	NUM. POINTS= 42	
SLOC= 37	4.930000	4.870000	4.760000
	4.700000	4.650000	
PROPERTY TABLE KXX MAT=	4	NUM. POINTS= 48	
SLOC= 43	4.600000	4.550000	4.450000
	4.400000	4.350000	
PROPERTY TABLE KXX MAT=	4	NUM. POINTS= 50	
SLOC= 48	4.310000	4.270000	4.220000
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 6	
SLOC= 1	12.29000	12.44000	12.58000
	12.87000	13.01000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 12	
SLOC= 7	13.15000	13.28000	13.42000
	13.69000	13.82000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 18	
SLOC= 13	13.95000	14.08000	14.21000
	14.46000	14.59000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 24	
SLOC= 19	14.72000	14.84000	14.96000
	15.21000	15.33000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 30	
SLOC= 25	15.45000	15.57000	15.69000
	15.93000	16.05000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 36	
SLOC= 31	16.17000	16.29000	16.40000
	16.64000	16.76000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 42	
SLOC= 37	16.88000	16.99000	17.11000
	17.35000	17.46000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 48	
SLOC= 43	17.58000	17.70000	17.82000
	18.06000	18.18000	
PROPERTY TABLE KXX MAT=	5	NUM. POINTS= 50	
SLOC= 48	18.30000	18.42000	18.54000
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 6	
SLOC= 1	1.940000	1.940000	1.940000
	1.940000	1.940000	
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 12	
SLOC= 7	1.940000	1.950000	1.950000
	1.950000	1.950000	
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 18	
SLOC= 13	1.950000	1.950000	1.960000
	1.960000	1.960000	
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 24	
SLOC= 19	1.960000	1.970000	1.970000
	1.970000	1.980000	
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 30	
SLOC= 25	1.980000	1.980000	1.980000
	1.990000	1.990000	
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 36	
SLOC= 31	2.000000	2.000000	2.000000
			2.010000

	2.010000	2.010000	
PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 42	
SLOC= 37	2.020000	2.020000	2.030000
	2.030000	2.030000	

PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 48	
SLOC= 43	2.040000	2.040000	2.050000
	2.050000	2.060000	

PROPERTY TABLE KXX MAT=	6	NUM. POINTS= 50	
SLOC= 48	2.060000	2.060000	2.070000

Define p, K, C for materials 7, 8, 9, ~10

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 6 ***
SLOC= 1	-13.15000 6.850000 26.85000
	76.85000 126.8500 176.8500

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 12 ***
SLOC= 7	226.8500 276.8500 326.8500
	376.8500 426.8500 476.8500

*** PROPERTY TEMPERATURE TABLE	NUM. TEMPS= 15 ***
SLOC= 13	526.8500 626.8500 726.8500

PROPERTY TABLE DENS MAT=	7	NUM. POINTS= 6	
SLOC= 1	.1875000 .1750000 .1625000	.1422000	
	.1219000 .1097000		

PROPERTY TABLE DENS MAT=	7	NUM. POINTS= 12	
SLOC= 7	.9750000E-01 .9060000E-01 .8360000E-01	.7670000E-01	
	.6970000E-01 .6620000E-01		

PROPERTY TABLE DENS MAT=	7	NUM. POINTS= 15	
SLOC= 13	.6270000E-01 .5580000E-01 .4880000E-01		

PROPERTY TABLE KXX MAT=	7	NUM. POINTS= 6	
SLOC= 1	.1370000 .1450000 .1520000	.1700000	
	.1870000 .2040000		

PROPERTY TABLE KXX MAT=	7	NUM. POINTS= 12	
SLOC= 7	.2200000 .2360000 .2520000	.2640000	
	.2780000 .2910000		

PROPERTY TABLE KXX MAT=	7	NUM. POINTS= 15	
SLOC= 13	.3040000 .3300000 .3540000		

PROPERTY TABLE DENS MAT=	8	NUM. POINTS= 6	
SLOC= 1	1.348000 1.254700 1.161400	.9950000	
	.8711000 .7740000		

PROPERTY TABLE DENS MAT=	8	NUM. POINTS= 12	
SLOC= 7	.6964000 .6329000 .5804000	.5356000	
	.4975000 .4643000		

PROPERTY TABLE DENS MAT=	8	NUM. POINTS= 15	
SLOC= 13	.4354000 .3868000 .3482000		

PROPERTY TABLE KXX MAT=	8	NUM. POINTS= 6	
SLOC= 1	.2300000E-01 .2500000E-01 .2600000E-01	.3000000E-01	
	.3400000E-01 .3700000E-01		

PROPERTY TABLE KXX MAT=	8	NUM. POINTS= 12	
SLOC= 7	.4100000E-01 .4400000E-01 .4700000E-01	.5000000E-01	
	.5200000E-01 .5500000E-01		

PROPERTY TABLE KXX MAT=		8	NUM. POINTS=	15	
SLOC=	13	.5700000E-01	.6200000E-01	.6700000E-01	
PROPERTY TABLE C MAT=		8	NUM. POINTS=	6	
SLOC=	1	1006.200	1006.600	1007.000	1009.000
		1014.000	1021.000		
PROPERTY TABLE C MAT=		8	NUM. POINTS=	12	
SLOC=	7	1030.000	1040.000	1051.000	1063.000
		1075.000	1087.000		
PROPERTY TABLE C MAT=		8	NUM. POINTS=	15	
SLOC=	13	1099.000	1121.000	1141.000	
PROPERTY TABLE DENS MAT=		9	NUM. POINTS=	6	
SLOC=	1	1.303700	1.213500	1.123300	.9625000
		.8425000	.7485000		
PROPERTY TABLE DENS MAT=		9	NUM. POINTS=	12	
SLOC=	7	.6739000	.6124000	.5615000	.5214000
		.4812000	.4512000		
PROPERTY TABLE DENS MAT=		9	NUM. POINTS=	15	
SLOC=	13	.4211000	.3743000	.3368000	
PROPERTY TABLE KXX MAT=		9	NUM. POINTS=	6	
SLOC=	1	.2300000E-01	.2400000E-01	.2600000E-01	.2900000E-01
		.3300000E-01	.3600000E-01		
PROPERTY TABLE KXX MAT=		9	NUM. POINTS=	12	
SLOC=	7	.3900000E-01	.4200000E-01	.4500000E-01	.4700000E-01
		.5000000E-01	.5200000E-01		
PROPERTY TABLE KXX MAT=		9	NUM. POINTS=	15	
SLOC=	13	.5500000E-01	.6000000E-01	.6500000E-01	
PROPERTY TABLE C MAT=		9	NUM. POINTS=	6	
SLOC=	1	1041.800	1041.400	1041.000	1042.000
		1045.000	1050.000		
PROPERTY TABLE C MAT=		9	NUM. POINTS=	12	
SLOC=	7	1056.000	1065.000	1075.000	1086.500
		1098.000	1159.000		
PROPERTY TABLE C MAT=		9	NUM. POINTS=	15	
SLOC=	13	1220.000	1146.000	1167.000	
PROPERTY TABLE KXX MAT=		10	NUM. POINTS=	6	
SLOC=	1	.1700000E-01	.1700000E-01	.1800000E-01	.2100000E-01
		.2300000E-01	.2500000E-01		
PROPERTY TABLE KXX MAT=		10	NUM. POINTS=	12	
SLOC=	7	.2700000E-01	.2800000E-01	.3000000E-01	.3200000E-01
		.3400000E-01	.3600000E-01		
PROPERTY TABLE KXX MAT=		10	NUM. POINTS=	15	
SLOC=	13	.3700000E-01	.4100000E-01	.4400000E-01	

Define K and C for material 12

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***

SLOC=	1	-73.15000	26.85000	126.8500
		326.8500	526.8500	726.8500

PROPERTY TABLE KXX MAT=		12	NUM. POINTS=	6	
SLOC=	1	413.0000	401.0000	393.0000	379.0000
		366.0000	352.0000		

PROPERTY TABLE C MAT= 12 NUM. POINTS= 6
 SLOC= 1 356.0000 385.0000 397.0000 417.0000
 433.0000 451.0000

Define K and C for material 13

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 5 ***
 SLOC= 1 23.0000 50.0000 100.0000
 150.0000 200.0000

PROPERTY TABLE KXX MAT= 13 NUM. POINTS= 5
 SLOC= 1 182.5600 190.1700 199.2200 202.9100
 203.7200

PROPERTY TABLE C MAT= 13 NUM. POINTS= 5
 SLOC= 1 868.0000 903.0000 946.0000 976.0000
 998.0000

 ** End of Material Property List **

 Read in single assembly heat loads
 Calculate the volumetric heat generation
 (Assembly time is in years, FUEL is in seconds)

/INPUT FILE= snf2040.dat LINE= 0

 ** History of SNF Assembly Heat Generation Rates **
 ** Output of PHIA, SCSI: B00000000-01717-1200-3000X Rev.00B **
 ** Executable File Name: PHIA00B.EXE **
 ** Output File Name: snf2040.dat **
 ** Execution Date: 02/23/95 **
 ** Start Age (years): 20.0 **
 ** Decay Period (years): 10000 **
 ** Enrichment (percent): 3.75 **
 ** Burnup (MWd/MTU): 40000 **
 ** Assembly Type: PWR **
 ** SNF U Mass (MTU/assy): 0.490 **
 ** ASSY(#,1) is the SNF assembly heat in Watts. **
 ** ASSY(#,0) is the time post emplacement in years. **

PARAMETER ASSY(1,1) =	547.0300 546.5300	546.9000 546.4000	546.7800	546.6500
PARAMETER ASSY(7,1) =	546.2700 545.7700	546.1500 545.1400	546.0200	545.8900
PARAMETER ASSY(13,1) =	544.5100 542.0300	543.8900 541.4200	543.2700	542.6500
PARAMETER ASSY(19,1) =	540.8100 538.3800	540.2000 537.7800	539.5900	538.9800
PARAMETER ASSY(25,1) =	537.1800 534.8000	536.5800 529.5700	535.9900	535.3900
PARAMETER ASSY(31,1) =	524.5100 504.9400	519.3000 500.2200	514.2400	509.5200
PARAMETER ASSY(37,1) =	495.6400 477.8800	491.0500 473.6100	486.5900	482.1700
PARAMETER ASSY(43,1) =	469.4600 454.8100	465.3200 417.0600	461.2900	458.0100

PARAMETER ASSY(49,1) =	384.5900 286.4800	355.7100 268.0600	330.9300	307.0000
PARAMETER ASSY(55,1) =	251.5000 199.9800	236.5700 190.0400	223.1000	210.9500
PARAMETER ASSY(61,1) =	181.7600 152.9200	173.1900 114.4100	165.8000	159.0900
PARAMETER ASSY(67,1) =	95.04000 63.46000	83.37000 59.05000	75.26000	68.74000
PARAMETER ASSY(73,1) =	55.13000 43.17000	51.50000 40.75000	48.39000	45.68000
PARAMETER ASSY(79,1) =	38.61000 31.95000	36.70000 21.75000	34.99000	33.43000
PARAMETER ASSY(85,1) =	16.98000 11.76000	14.51000 11.34000	13.18000	12.40000
PARAMETER ASSY(91,1) =	10.97000 9.520000	10.54000 9.200000	10.16000	9.820000
PARAMETER ASSY(97,1) =	8.920000 7.990000	8.660000	8.420000	8.200000
PARAMETER ASSY(1,0) =	.1000000E-05 .4000000E-01	.1000000E-01 .5000000E-01	.2000000E-01	.3000000E-01
PARAMETER ASSY(7,0) =	.6000000E-01 .1000000	.7000000E-01 .1500000	.8000000E-01	.9000000E-01
PARAMETER ASSY(13,0) =	.2000000 .4000000	.2500000 .4500000	.3000000	.3500000
PARAMETER ASSY(19,0) =	.5000000 .7000000	.5500000 .7500000	.6000000	.6500000
PARAMETER ASSY(25,0) =	.8000000 1.000000	.8500000 1.500000	.9000000	.9500000
PARAMETER ASSY(31,0) =	2.000000 4.000000	2.500000 4.500000	3.000000	3.500000
PARAMETER ASSY(37,0) =	5.000000 7.000000	5.500000 7.500000	6.000000	6.500000
PARAMETER ASSY(43,0) =	8.000000 10.00000	8.500000 15.00000	9.000000	9.500000
PARAMETER ASSY(49,0) =	20.00000 40.00000	25.00000 45.00000	30.00000	35.00000
PARAMETER ASSY(55,0) =	50.00000 70.00000	55.00000 75.00000	60.00000	65.00000
PARAMETER ASSY(61,0) =	80.00000 100.0000	85.00000 150.0000	90.00000	95.00000
PARAMETER ASSY(67,0) =	200.0000 400.0000	250.0000 450.0000	300.0000	350.0000
PARAMETER ASSY(73,0) =	500.0000 700.0000	550.0000 750.0000	600.0000	650.0000
PARAMETER ASSY(79,0) =	800.0000 1000.000	850.0000 1500.000	900.0000	950.0000
PARAMETER ASSY(85,0) =	2000.000	2500.000	3000.000	3500.000

	4000.000	4500.000		
PARAMETER ASSY(91,0) =	5000.000	5500.000	6000.000	6500.000
	7000.000	7500.000		
PARAMETER ASSY(97,0) =	8000.000	8500.000	9000.000	9500.000
	10000.00			

PARAMETER ASSY(0,1) = 1.000000

FACTOR ON VECTOR OPERATION RESULT= .31558E+08
 FACTOR ON FIRST VECTOR PARAMETER = 1.0000
 FACTOR ON SECOND VECTOR PARAMETER= 1.0000
 FACTOR ON THIRD VECTOR PARAMETER = 1.0000

MATRIX COPY RESULT MATRIX= FUEL(1,0)
 INPUT MATRIX= ASSY(1,0)
 INPUT MATRIX SIZE= 101 ROWS BY 2 COLUMNS
 RESULT MATRIX SIZE= 101 ROWS BY 2 COLUMNS

FACTOR ON VECTOR OPERATION RESULT= 6.6412
 FACTOR ON FIRST VECTOR PARAMETER = 1.0000
 FACTOR ON SECOND VECTOR PARAMETER= 1.0000
 FACTOR ON THIRD VECTOR PARAMETER = 1.0000

VECTOR PARAMETER OPERATION *VFUN
 FUEL(1) = COPY ASSY(1)
 SCALE FACTORS RESULT= 6.6412 INPUT= 1.0000
 VECTOR LENGTH= 101

PARAMETER FUEL(0,1) = 1.000000

Define new material 14 for SNF effective conductivity
 Density: DENS (kg/m^3)
 Conductivity: KXX (W/m/K)
 Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 .0000000E+00

PROPERTY TABLE DENS MAT= 14 NUM. POINTS= 1
 SLOC= 1 3960.040

PROPERTY TABLE C MAT= 14 NUM. POINTS= 1
 SLOC= 1 274.0000
 Store average effective conductivities

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***
 SLOC= 1 25.00000

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***
 SLOC= 2 50.00000

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

PARAMETER IINC = 1.000000

PARAMETER TBSKT = 25.00000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 1
SLOC= 1 .4617156

PARAMETER IINC = 2.000000

*DO LOOP ON PARAMETER= TBSKT FROM 50.000 TO 400.00 BY 50.000

PROPERTY TABLE KXX MAT= 14 NUM. POINTS= 2
SLOC= 2 .5036997

PARAMETER IINC = 3.000000

*ENDDO INDEX= TBSKT

Define new material 15 for low thermal loading
outer barrier of 70/30 Copper Nickel (C71500)
Density: DENS (kg/m³)
Conductivity: KXX (W/m/K)
Specific Heat: C (J/kg/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 1 ***

SLOC= 1 .000000E+00
Density (lb/in³ converted to kg/m³)

PROPERTY TABLE DENS MAT= 15 NUM. POINTS= 1

SLOC= 1 8940.640
Specific Heat (Btu/lb/F converted to J/kg/K)

PROPERTY TABLE C MAT= 15 NUM. POINTS= 1

SLOC= 1 376.7898
Conductivity (Btu/hr/ft/F converted to W/m/K)

TEMPERATURE TABLE ERASED.

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 2 ***

SLOC= 1 20.00000 100.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 4 ***

SLOC= 3 200.0000 300.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 6 ***

SLOC= 5 400.0000 500.0000

*** PROPERTY TEMPERATURE TABLE NUM. TEMPS= 8 ***

SLOC= 7 600.0000 700.0000

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 2

SLOC= 1 29.42190 29.24883

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 4

SLOC= 3 34.09479 38.59461

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 6

SLOC= 5 43.09443 48.11346

PROPERTY TABLE KXX MAT= 15 NUM. POINTS= 8

SLOC= 7 53.13249 58.15152

Construct geometry for Disposal Container

Define center and axis keypoints for waste package
Also, create placeholder keypoints and lines
(K's 1,2,3,4,5,6,7,8)
(L's 1,2,3,4)

KEYPOINT	1	X,Y,Z=	.000000E+00	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	2	X,Y,Z=	.000000E+00	.000000E+00	1.00000	IN CSYS= 0
KEYPOINT	3	X,Y,Z=	.000000E+00	.000000E+00	1.30000	IN CSYS= 0
KEYPOINT	4	X,Y,Z=	.000000E+00	.000000E+00	1.40000	IN CSYS= 0
KEYPOINT	5	X,Y,Z=	.000000E+00	.000000E+00	1.50000	IN CSYS= 0
KEYPOINT	6	X,Y,Z=	.000000E+00	.000000E+00	1.60000	IN CSYS= 0
KEYPOINT	7	X,Y,Z=	.000000E+00	.000000E+00	1.70000	IN CSYS= 0
KEYPOINT	8	X,Y,Z=	.000000E+00	.000000E+00	1.80000	IN CSYS= 0

LINE CONNECTS KEYPOINTS		3	4			
LINE NO.=	1	KP1=	3	TAN1=	.0000	.0000 -1.0000
		KP2=	4	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		4	5			
LINE NO.=	2	KP1=	4	TAN1=	.0000	.0000 -1.0000
		KP2=	5	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		5	6			
LINE NO.=	3	KP1=	5	TAN1=	.0000	.0000 -1.0000
		KP2=	6	TAN2=	.0000	.0000 1.0000

LINE CONNECTS KEYPOINTS		6	7			
LINE NO.=	4	KP1=	6	TAN1=	.0000	.0000 -1.0000
		KP2=	7	TAN2=	.0000	.0000 1.0000

Define disposal container and MPC outer radius
 (K's 9,10,11,12,13,14,15,16,17,18,19,20)
 (L's 5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21)
 (A's 1,2,3,4,5,6)

KEYPOINT	9	X,Y,Z=	.000000E+00	-.715250	.000000E+00	IN CSYS= 0
KEYPOINT	10	X,Y,Z=	.715250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	11	X,Y,Z=	.000000E+00	.715250	.000000E+00	IN CSYS= 0
KEYPOINT	12	X,Y,Z=	.000000E+00	-.665250	.000000E+00	IN CSYS= 0
KEYPOINT	13	X,Y,Z=	.665250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	14	X,Y,Z=	.000000E+00	.665250	.000000E+00	IN CSYS= 0
KEYPOINT	15	X,Y,Z=	.000000E+00	-.645250	.000000E+00	IN CSYS= 0
KEYPOINT	16	X,Y,Z=	.645250	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	17	X,Y,Z=	.000000E+00	.645250	.000000E+00	IN CSYS= 0
KEYPOINT	18	X,Y,Z=	.000000E+00	-.630174	.000000E+00	IN CSYS= 0
KEYPOINT	19	X,Y,Z=	.630174	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	20	X,Y,Z=	.000000E+00	.630174	.000000E+00	IN CSYS= 0

LINE CONNECTS KEYPOINTS		10	13			
LINE NO.=	5	KP1=	10	TAN1=	1.0000	.0000 .0000
		KP2=	13	TAN2=	-1.0000	.0000 .0000

LINE CONNECTS KEYPOINTS		13	16			
LINE NO.=	6	KP1=	13	TAN1=	1.0000	.0000 .0000
		KP2=	16	TAN2=	-1.0000	.0000 .0000

ARC BETWEEN KEYPOINTS 10 AND 9 ORIENTATION KEYPOINT= 1

```

RADIUS= .71525
LINE NO.= 7 KP1= 10 TAN1= .0000 1.0000 .0000
          KP2= 9 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 11 AND 10 ORIENTATION KEYPOINT= 1
RADIUS= .71525
LINE NO.= 8 KP1= 11 TAN1= -1.0000 .0000 .0000
          KP2= 10 TAN2= .0000 -1.0000 .0000

ARC BETWEEN KEYPOINTS 13 AND 12 ORIENTATION KEYPOINT= 1
RADIUS= .66525
LINE NO.= 9 KP1= 13 TAN1= .0000 1.0000 .0000
          KP2= 12 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 14 AND 13 ORIENTATION KEYPOINT= 1
RADIUS= .66525
LINE NO.= 10 KP1= 14 TAN1= -1.0000 .0000 .0000
          KP2= 13 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 11 14
LINE NO.= 11 KP1= 11 TAN1= .0000 1.0000 .0000
          KP2= 14 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 9 12
LINE NO.= 12 KP1= 9 TAN1= .0000 -1.0000 .0000
          KP2= 12 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 15 AND 16 ORIENTATION KEYPOINT= 1
RADIUS= .64525
LINE NO.= 13 KP1= 15 TAN1= -1.0000 .0000 .0000
          KP2= 16 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 16 AND 17 ORIENTATION KEYPOINT= 1
RADIUS= .64525
LINE NO.= 14 KP1= 16 TAN1= .0000 -1.0000 .0000
          KP2= 17 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 14 17
LINE NO.= 15 KP1= 14 TAN1= .0000 1.0000 .0000
          KP2= 17 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 12 15
LINE NO.= 16 KP1= 12 TAN1= .0000 -1.0000 .0000
          KP2= 15 TAN2= .0000 1.0000 .0000

ARC BETWEEN KEYPOINTS 19 AND 18 ORIENTATION KEYPOINT= 1
RADIUS= .63017
LINE NO.= 17 KP1= 19 TAN1= .0000 1.0000 .0000
          KP2= 18 TAN2= -1.0000 .0000 .0000

ARC BETWEEN KEYPOINTS 20 AND 19 ORIENTATION KEYPOINT= 1
RADIUS= .63017
LINE NO.= 18 KP1= 20 TAN1= -1.0000 .0000 .0000
          KP2= 19 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 17 20
LINE NO.= 19 KP1= 17 TAN1= .0000 1.0000 .0000
          KP2= 20 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 15 18
LINE NO.= 20 KP1= 15 TAN1= .0000 -1.0000 .0000
          KP2= 18 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 16 19
LINE NO.= 21 KP1= 16 TAN1= 1.0000 .0000 .0000
          KP2= 19 TAN2= -1.0000 .0000 .0000

```

DEFINE AREA BY LIST OF LINES

```

LINE LIST = 5 7 12 9
            (TRAVERSED IN SAME DIRECTION AS LINE 5)

```

AREA NUMBER = 1

DEFINE AREA BY LIST OF LINES

LINE LIST = 11 8 5 10
(TRAVERSED IN SAME DIRECTION AS LINE 11)

AREA NUMBER = 2

DEFINE AREA BY LIST OF LINES

LINE LIST = 6 9 16 13
(TRAVERSED IN SAME DIRECTION AS LINE 6)

AREA NUMBER = 3

DEFINE AREA BY LIST OF LINES

LINE LIST = 15 10 6 14
(TRAVERSED IN SAME DIRECTION AS LINE 15)

AREA NUMBER = 4

DEFINE AREA BY LIST OF LINES

LINE LIST = 21 13 20 17
(TRAVERSED IN SAME DIRECTION AS LINE 21)

AREA NUMBER = 5

DEFINE AREA BY LIST OF LINES

LINE LIST = 19 14 21 18
(TRAVERSED IN SAME DIRECTION AS LINE 19)

AREA NUMBER = 6

Define MPC shell inner edge and area

(K's 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37)

(38,39)

(L's 22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38)

(39,40,41,42)

(A's 7,8)

KEYPOINT	21	X,Y,Z=	.000000E+00	.607949	.000000E+00	IN CSYS= 0
KEYPOINT	22	X,Y,Z=	.404963E-01	.606599	.000000E+00	IN CSYS= 0
KEYPOINT	23	X,Y,Z=	.500213E-01	.605888	.000000E+00	IN CSYS= 0
KEYPOINT	24	X,Y,Z=	.254720	.552014	.000000E+00	IN CSYS= 0
KEYPOINT	25	X,Y,Z=	.288484	.535144	.000000E+00	IN CSYS= 0
KEYPOINT	26	X,Y,Z=	.535144	.288484	.000000E+00	IN CSYS= 0
KEYPOINT	27	X,Y,Z=	.552014	.254720	.000000E+00	IN CSYS= 0
KEYPOINT	28	X,Y,Z=	.605888	.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	29	X,Y,Z=	.606599	.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	30	X,Y,Z=	.607949	.000000E+00	.000000E+00	IN CSYS= 0
KEYPOINT	31	X,Y,Z=	.606599	-.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	32	X,Y,Z=	.605888	-.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	33	X,Y,Z=	.552014	-.254720	.000000E+00	IN CSYS= 0
KEYPOINT	34	X,Y,Z=	.535144	-.288484	.000000E+00	IN CSYS= 0
KEYPOINT	35	X,Y,Z=	.288484	-.535144	.000000E+00	IN CSYS= 0

```

KEYPOINT    36  X,Y,Z=   .254720   -.552014   .000000E+00  IN CSYS=  0
KEYPOINT    37  X,Y,Z=   .500213E-01  -.605888   .000000E+00  IN CSYS=  0
KEYPOINT    38  X,Y,Z=   .404963E-01  -.606599   .000000E+00  IN CSYS=  0
KEYPOINT    39  X,Y,Z=   .000000E+00  -.607949   .000000E+00  IN CSYS=  0

LINE CONNECTS KEYPOINTS      20      21
LINE NO.=    22  KP1=      20  TAN1=   .0000   1.0000   .0000
                  KP2=      21  TAN2=   .0000  -1.0000   .0000

ARC BETWEEN KEYPOINTS      22 AND      21  ORIENTATION KEYPOINT=      1
RADIUS=   .60795
LINE NO.=    23  KP1=      22  TAN1=   .9978  -.0666   .0000
                  KP2=      21  TAN2=  -1.0000   .0000   .0000

ARC BETWEEN KEYPOINTS      23 AND      22  ORIENTATION KEYPOINT=      1
RADIUS=   .60795
LINE NO.=    24  KP1=      23  TAN1=   .9966  -.0823   .0000
                  KP2=      22  TAN2=  -.9978   .0666   .0000

ARC BETWEEN KEYPOINTS      24 AND      23  ORIENTATION KEYPOINT=      1
RADIUS=   .60795
LINE NO.=    25  KP1=      24  TAN1=   .9080  -.4190   .0000
                  KP2=      23  TAN2=  -.9966   .0823   .0000

ARC BETWEEN KEYPOINTS      25 AND      24  ORIENTATION KEYPOINT=      1
RADIUS=   .60795
LINE NO.=    26  KP1=      25  TAN1=   .8802  -.4745   .0000
                  KP2=      24  TAN2=  -.9080   .4190   .0000

ARC BETWEEN KEYPOINTS      26 AND      25  ORIENTATION KEYPOINT=      1
RADIUS=   .60795
LINE NO.=    27  KP1=      26  TAN1=   .4745  -.8802   .0000
                  KP2=      25  TAN2=  -.8802   .4745   .0000

ARC BETWEEN KEYPOINTS      27 AND      26  ORIENTATION KEYPOINT=      1
RADIUS=   .60795
LINE NO.=    28  KP1=      27  TAN1=   .4190  -.9080   .0000
                  KP2=      26  TAN2=  -.4745   .8802   .0000

ARC BETWEEN KEYPOINTS      28 AND      27  ORIENTATION KEYPOINT=      1
RADIUS=   .60795
LINE NO.=    29  KP1=      28  TAN1=   .0823  -.9966   .0000
                  KP2=      27  TAN2=  -.4190   .9080   .0000

ARC BETWEEN KEYPOINTS      29 AND      28  ORIENTATION KEYPOINT=      1
RADIUS=   .60795
LINE NO.=    30  KP1=      29  TAN1=   .0666  -.9978   .0000
                  KP2=      28  TAN2=  -.0823   .9966   .0000

ARC BETWEEN KEYPOINTS      30 AND      29  ORIENTATION KEYPOINT=      1
RADIUS=   .60795
LINE NO.=    31  KP1=      30  TAN1=   .0000 -1.0000   .0000
                  KP2=      29  TAN2=  -.0666   .9978   .0000

ARC BETWEEN KEYPOINTS      31 AND      30  ORIENTATION KEYPOINT=      1
RADIUS=   .60795
LINE NO.=    32  KP1=      31  TAN1=  -.0666  -.9978   .0000
                  KP2=      30  TAN2=   .0000   1.0000   .0000

ARC BETWEEN KEYPOINTS      32 AND      31  ORIENTATION KEYPOINT=      1
RADIUS=   .60795
LINE NO.=    33  KP1=      32  TAN1=  -.0823  -.9966   .0000
                  KP2=      31  TAN2=   .0666   .9978   .0000

ARC BETWEEN KEYPOINTS      33 AND      32  ORIENTATION KEYPOINT=      1
RADIUS=   .60795
LINE NO.=    34  KP1=      33  TAN1=  -.4190  -.9080   .0000

```



```

      KP2=      32 TAN2=      .0823      .9966      .0000
ARC BETWEEN KEYPOINTS      34 AND      33 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      35 KP1=      34 TAN1=      -.4745      -.8802      .0000
      KP2=      33 TAN2=      .4190      .9080      .0000

ARC BETWEEN KEYPOINTS      35 AND      34 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      36 KP1=      35 TAN1=      -.8802      -.4745      .0000
      KP2=      34 TAN2=      .4745      .8802      .0000

ARC BETWEEN KEYPOINTS      36 AND      35 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      37 KP1=      36 TAN1=      -.9080      -.4190      .0000
      KP2=      35 TAN2=      .8802      .4745      .0000

ARC BETWEEN KEYPOINTS      37 AND      36 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      38 KP1=      37 TAN1=      -.9966      -.0823      .0000
      KP2=      36 TAN2=      .9080      .4190      .0000

ARC BETWEEN KEYPOINTS      38 AND      37 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      39 KP1=      38 TAN1=      -.9978      -.0666      .0000
      KP2=      37 TAN2=      .9966      .0823      .0000

ARC BETWEEN KEYPOINTS      39 AND      38 ORIENTATION KEYPOINT=      1
RADIUS=      .60795
LINE NO.=      40 KP1=      39 TAN1=      -1.0000      .0000      .0000
      KP2=      38 TAN2=      .9978      .0666      .0000

LINE CONNECTS KEYPOINTS      18      39
LINE NO.=      41 KP1=      18 TAN1=      .0000      -1.0000      .0000
      KP2=      39 TAN2=      .0000      1.0000      .0000

LINE CONNECTS KEYPOINTS      19      30
LINE NO.=      42 KP1=      19 TAN1=      1.0000      .0000      .0000
      KP2=      30 TAN2=      -1.0000      .0000      .0000

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      32 TO      42 STEP      1

```

11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

```

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      17 TO      17 STEP      1

```

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

```

DEFINE AREA BY LIST OF LINES
LINE LIST = ALL SELECTED LINES
(TRAVERSED IN SAME DIRECTION AS LINE 17)

```

AREA NUMBER = 7

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE      22 TO      31 STEP      1

```

10 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

```

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      18 TO      18 STEP      1

```

11 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

```

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE      42 TO      42 STEP      1

```

12 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

DEFINE AREA BY LIST OF LINES
 LINE LIST = ALL SELECTED LINES
 (TRAVERSED IN SAME DIRECTION AS LINE 18)

AREA NUMBER = 8

ALL SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 1 TO 42 STEP 1

42 LINES (OF 42 DEFINED) SELECTED BY LSEL COMMAND.

Define tube guides

(K's 40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56)

(57,58,59)

(L's 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59)

(60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)

(77,78,79,80)

(A's 9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25)

(26)

top

KEYPOINT	40	X,Y,Z=	.500213E-01	.552014	.000000E+00	IN CSYS= 0
KEYPOINT	41	X,Y,Z=	.404963E-01	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	42	X,Y,Z=	.254720	.542489	.000000E+00	IN CSYS= 0
KEYPOINT	43	X,Y,Z=	.278959	.535144	.000000E+00	IN CSYS= 0
KEYPOINT	44	X,Y,Z=	.288484	.288484	.000000E+00	IN CSYS= 0
KEYPOINT	45	X,Y,Z=	.278959	.278959	.000000E+00	IN CSYS= 0
KEYPOINT	46	X,Y,Z=	.535144	.278959	.000000E+00	IN CSYS= 0
		side				
KEYPOINT	47	X,Y,Z=	.542489	.254720	.000000E+00	IN CSYS= 0
KEYPOINT	48	X,Y,Z=	.552014	.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	49	X,Y,Z=	.542489	.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	50	X,Y,Z=	.542489	-.404963E-01	.000000E+00	IN CSYS= 0
KEYPOINT	51	X,Y,Z=	.552014	-.500213E-01	.000000E+00	IN CSYS= 0
KEYPOINT	52	X,Y,Z=	.542489	-.254720	.000000E+00	IN CSYS= 0
		bottom				
KEYPOINT	53	X,Y,Z=	.535144	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	54	X,Y,Z=	.278959	-.278959	.000000E+00	IN CSYS= 0
KEYPOINT	55	X,Y,Z=	.288484	-.288484	.000000E+00	IN CSYS= 0
KEYPOINT	56	X,Y,Z=	.278959	-.535144	.000000E+00	IN CSYS= 0
KEYPOINT	57	X,Y,Z=	.254720	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	58	X,Y,Z=	.404963E-01	-.542489	.000000E+00	IN CSYS= 0
KEYPOINT	59	X,Y,Z=	.500213E-01	-.552014	.000000E+00	IN CSYS= 0
		top				

LINE CONNECTS KEYPOINTS 41 22
 LINE NO.= 43 KP1= 41 TAN1= .0000 -1.0000 .0000
 KP2= 22 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS	40	41			
LINE NO.= 44 KP1=	40	TAN1=	.7071	.7071	.0000
KP2= 41	TAN2=	-.7071	-.7071	.0000	
LINE CONNECTS KEYPOINTS	40	24			
LINE NO.= 45 KP1=	40	TAN1=	-1.0000	.0000	.0000
KP2= 24	TAN2=	1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	42	41			
LINE NO.= 46 KP1=	42	TAN1=	1.0000	.0000	.0000
KP2= 41	TAN2=	-1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	24	42			
LINE NO.= 47 KP1=	24	TAN1=	.0000	1.0000	.0000
KP2= 42	TAN2=	.0000	-1.0000	.0000	
LINE CONNECTS KEYPOINTS	43	25			
LINE NO.= 48 KP1=	43	TAN1=	-1.0000	.0000	.0000
KP2= 25	TAN2=	1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	45	43			
LINE NO.= 49 KP1=	45	TAN1=	.0000	-1.0000	.0000
KP2= 43	TAN2=	.0000	1.0000	.0000	
LINE CONNECTS KEYPOINTS	25	44			
LINE NO.= 50 KP1=	25	TAN1=	.0000	1.0000	.0000
KP2= 44	TAN2=	.0000	-1.0000	.0000	
LINE CONNECTS KEYPOINTS	44	45			
LINE NO.= 51 KP1=	44	TAN1=	.7071	.7071	.0000
KP2= 45	TAN2=	-.7071	-.7071	.0000	
LINE CONNECTS KEYPOINTS	44	26			
LINE NO.= 52 KP1=	44	TAN1=	-1.0000	.0000	.0000
KP2= 26	TAN2=	1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	46	45			
LINE NO.= 53 KP1=	46	TAN1=	1.0000	.0000	.0000
KP2= 45	TAN2=	-1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	26	46			
LINE NO.= 54 KP1=	26	TAN1=	.0000	1.0000	.0000
KP2= 46	TAN2=	.0000	-1.0000	.0000	
side					
LINE CONNECTS KEYPOINTS	47	27			
LINE NO.= 55 KP1=	47	TAN1=	-1.0000	.0000	.0000
KP2= 27	TAN2=	1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	49	47			
LINE NO.= 56 KP1=	49	TAN1=	.0000	-1.0000	.0000
KP2= 47	TAN2=	.0000	1.0000	.0000	
LINE CONNECTS KEYPOINTS	27	48			
LINE NO.= 57 KP1=	27	TAN1=	.0000	1.0000	.0000
KP2= 48	TAN2=	.0000	-1.0000	.0000	
LINE CONNECTS KEYPOINTS	48	49			
LINE NO.= 58 KP1=	48	TAN1=	.7071	.7071	.0000
KP2= 49	TAN2=	-.7071	-.7071	.0000	
LINE CONNECTS KEYPOINTS	48	28			
LINE NO.= 59 KP1=	48	TAN1=	-1.0000	.0000	.0000
KP2= 28	TAN2=	1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	29	49			
LINE NO.= 60 KP1=	29	TAN1=	1.0000	.0000	.0000
KP2= 49	TAN2=	-1.0000	.0000	.0000	
LINE CONNECTS KEYPOINTS	50	31			

LINE NO.=	61	KP1=	50	TAN1=	-1.0000	.0000	.0000
		KP2=	31	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 32 51							
LINE NO.=	62	KP1=	32	TAN1=	1.0000	.0000	.0000
		KP2=	51	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 50 51							
LINE NO.=	63	KP1=	50	TAN1=	-.7071	.7071	.0000
		KP2=	51	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS 52 50							
LINE NO.=	64	KP1=	52	TAN1=	.0000	-1.0000	.0000
		KP2=	50	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS 51 33							
LINE NO.=	65	KP1=	51	TAN1=	.0000	1.0000	.0000
		KP2=	33	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 33 52							
LINE NO.=	66	KP1=	33	TAN1=	1.0000	.0000	.0000
		KP2=	52	TAN2=	-1.0000	.0000	.0000
bottom							
LINE CONNECTS KEYPOINTS 53 34							
LINE NO.=	67	KP1=	53	TAN1=	.0000	1.0000	.0000
		KP2=	34	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 54 53							
LINE NO.=	68	KP1=	54	TAN1=	-1.0000	.0000	.0000
		KP2=	53	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 34 55							
LINE NO.=	69	KP1=	34	TAN1=	1.0000	.0000	.0000
		KP2=	55	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 54 55							
LINE NO.=	70	KP1=	54	TAN1=	-.7071	.7071	.0000
		KP2=	55	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS 56 54							
LINE NO.=	71	KP1=	56	TAN1=	.0000	-1.0000	.0000
		KP2=	54	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS 55 35							
LINE NO.=	72	KP1=	55	TAN1=	.0000	1.0000	.0000
		KP2=	35	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 35 56							
LINE NO.=	73	KP1=	35	TAN1=	1.0000	.0000	.0000
		KP2=	56	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 57 36							
LINE NO.=	74	KP1=	57	TAN1=	.0000	1.0000	.0000
		KP2=	36	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 58 57							
LINE NO.=	75	KP1=	58	TAN1=	-1.0000	.0000	.0000
		KP2=	57	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 36 59							
LINE NO.=	76	KP1=	36	TAN1=	1.0000	.0000	.0000
		KP2=	59	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS 58 59							
LINE NO.=	77	KP1=	58	TAN1=	-.7071	.7071	.0000
		KP2=	59	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS 38 58							
LINE NO.=	78	KP1=	38	TAN1=	.0000	-1.0000	.0000

KP2= 58 TAN2= .0000 1.0000 .0000
 LINE CONNECTS KEYPOINTS 59 37
 LINE NO.= 79 KP1= 59 TAN1= .0000 1.0000 .0000
 KP2= 37 TAN2= .0000 -1.0000 .0000

LINE CONNECTS KEYPOINTS 23 40
 LINE NO.= 80 KP1= 23 TAN1= .0000 1.0000 .0000
 KP2= 40 TAN2= .0000 -1.0000 .0000

air

DEFINE AREA BY LIST OF LINES
 LINE LIST = 80 45 25
 (TRAVERSED IN SAME DIRECTION AS LINE 80)

AREA NUMBER = 9

DEFINE AREA BY LIST OF LINES
 LINE LIST = 50 52 27
 (TRAVERSED IN SAME DIRECTION AS LINE 50)

AREA NUMBER = 10

DEFINE AREA BY LIST OF LINES
 LINE LIST = 57 59 29
 (TRAVERSED IN SAME DIRECTION AS LINE 57)

AREA NUMBER = 11

DEFINE AREA BY LIST OF LINES
 LINE LIST = 62 65 34
 (TRAVERSED IN SAME DIRECTION AS LINE 62)

AREA NUMBER = 12

DEFINE AREA BY LIST OF LINES
 LINE LIST = 69 72 36
 (TRAVERSED IN SAME DIRECTION AS LINE 69)

AREA NUMBER = 13

DEFINE AREA BY LIST OF LINES
 LINE LIST = 76 79 38
 (TRAVERSED IN SAME DIRECTION AS LINE 76)

AREA NUMBER = 14
 guides

DEFINE AREA BY LIST OF LINES
 LINE LIST = 24 43 44 80
 (TRAVERSED IN SAME DIRECTION AS LINE 24)

AREA NUMBER = 15

DEFINE AREA BY LIST OF LINES
 LINE LIST = 45 44 46 47
 (TRAVERSED IN SAME DIRECTION AS LINE 45)

AREA NUMBER = 16

DEFINE AREA BY LIST OF LINES
 LINE LIST = 48 49 51 50
 (TRAVERSED IN SAME DIRECTION AS LINE 48)

AREA NUMBER = 17

DEFINE AREA BY LIST OF LINES
 LINE LIST = 52 51 53 54
 (TRAVERSED IN SAME DIRECTION AS LINE 52)

```

AREA NUMBER =      18

DEFINE AREA BY LIST OF LINES
  LINE LIST =      55  56  58  57
  (TRAVERSED IN SAME DIRECTION AS LINE      55)

AREA NUMBER =      19

DEFINE AREA BY LIST OF LINES
  LINE LIST =      59  58  60  30
  (TRAVERSED IN SAME DIRECTION AS LINE      59)

AREA NUMBER =      20

DEFINE AREA BY LIST OF LINES
  LINE LIST =      61  63  62  33
  (TRAVERSED IN SAME DIRECTION AS LINE      61)

AREA NUMBER =      21

DEFINE AREA BY LIST OF LINES
  LINE LIST =      63  64  66  65
  (TRAVERSED IN SAME DIRECTION AS LINE      63)

AREA NUMBER =      22

DEFINE AREA BY LIST OF LINES
  LINE LIST =      68  70  69  67
  (TRAVERSED IN SAME DIRECTION AS LINE      68)

AREA NUMBER =      23

DEFINE AREA BY LIST OF LINES
  LINE LIST =      70  71  73  72
  (TRAVERSED IN SAME DIRECTION AS LINE      70)

AREA NUMBER =      24

DEFINE AREA BY LIST OF LINES
  LINE LIST =      75  77  76  74
  (TRAVERSED IN SAME DIRECTION AS LINE      75)

AREA NUMBER =      25

DEFINE AREA BY LIST OF LINES
  LINE LIST =      77  78  39  79
  (TRAVERSED IN SAME DIRECTION AS LINE      77)

AREA NUMBER =      26
*****
  Define top half tubes and flux trap plate
  (K's 60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76)
  ( 77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93)
  ( 94,95,96,97,98,99,100,101,102,103,104,105,106,107)
  (108,109,110,111,112,113,114,115,116,117,118,119)
  (120,121,122,123,124,125,126,127,128,129,130,131)
  (132,133,134,135,136,137,138,139,140,141,142,143)
  (144,145,146,147,148,149,150,151,152,153,154,155)
  (156,157,158,159,160,161,162,163,164,165,166,167)
  (L's 81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97)
  ( 98,99,100,101,102,103,104,105,106,107,108,109,110)
  (111,112,113,114,115,116,117,118,119,120,121,122)
  (123,124,125,126,127,128,129,130,131,132,133,134)
  (135,136,137,138,139,140,141,142,143,144,145,146)
  (147,...)
  (A's 27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43)
  (44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60)
  ( 61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77)
  ( 78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94)
  ( 95,96,97,98,99,100,101,102,103)

```

KEYPOINT	60	X,Y,Z=	.000000E+00	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	61	X,Y,Z=	.000000E+00	.381000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	62	X,Y,Z=	.000000E+00	.138125	.000000E+00	IN CSYS= 0
KEYPOINT	63	X,Y,Z=	.000000E+00	.163525	.000000E+00	IN CSYS= 0
KEYPOINT	64	X,Y,Z=	.000000E+00	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	65	X,Y,Z=	.000000E+00	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	66	X,Y,Z=	.000000E+00	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	67	X,Y,Z=	.000000E+00	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	68	X,Y,Z=	.000000E+00	.406756	.000000E+00	IN CSYS= 0
KEYPOINT	69	X,Y,Z=	.000000E+00	.432156	.000000E+00	IN CSYS= 0
KEYPOINT	70	X,Y,Z=	.000000E+00	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	71	X,Y,Z=	.000000E+00	.561543	.000000E+00	IN CSYS= 0
KEYPOINT	72	X,Y,Z=	.000000E+00	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	73	X,Y,Z=	.127000E-01	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	74	X,Y,Z=	.127000E-01	.381000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	75	X,Y,Z=	.127000E-01	.138125	.000000E+00	IN CSYS= 0
KEYPOINT	76	X,Y,Z=	.127000E-01	.163525	.000000E+00	IN CSYS= 0
KEYPOINT	77	X,Y,Z=	.127000E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	78	X,Y,Z=	.127000E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	79	X,Y,Z=	.127000E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	80	X,Y,Z=	.127000E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	81	X,Y,Z=	.127000E-01	.406756	.000000E+00	IN CSYS= 0
KEYPOINT	82	X,Y,Z=	.127000E-01	.432156	.000000E+00	IN CSYS= 0
KEYPOINT	83	X,Y,Z=	.127000E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	84	X,Y,Z=	.127000E-01	.561543	.000000E+00	IN CSYS= 0
KEYPOINT	85	X,Y,Z=	.127000E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	86	X,Y,Z=	.254000E-01	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	87	X,Y,Z=	.254000E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	88	X,Y,Z=	.254000E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	89	X,Y,Z=	.254000E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	90	X,Y,Z=	.254000E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	91	X,Y,Z=	.254000E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	92	X,Y,Z=	.254000E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	93	X,Y,Z=	.381000E-01	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	94	X,Y,Z=	.317500E-01	.317500E-01	.000000E+00	IN CSYS= 0

KEYPOINT	95	X,Y,Z=	.317500E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	96	X,Y,Z=	.317500E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	97	X,Y,Z=	.317500E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	98	X,Y,Z=	.317500E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	99	X,Y,Z=	.317500E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	100	X,Y,Z=	.317500E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	101	X,Y,Z=	.341376E-01	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	102	X,Y,Z=	.341376E-01	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	103	X,Y,Z=	.341376E-01	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	104	X,Y,Z=	.341376E-01	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	105	X,Y,Z=	.341376E-01	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	106	X,Y,Z=	.341376E-01	.300050	.000000E+00	IN CSYS= 0
KEYPOINT	107	X,Y,Z=	.341376E-01	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	108	X,Y,Z=	.341376E-01	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	109	X,Y,Z=	.341376E-01	.601066	.000000E+00	IN CSYS= 0
KEYPOINT	110	X,Y,Z=	.365252E-01	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	111	X,Y,Z=	.365252E-01	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	112	X,Y,Z=	.365252E-01	.305156	.000000E+00	IN CSYS= 0
KEYPOINT	113	X,Y,Z=	.365252E-01	.533756	.000000E+00	IN CSYS= 0
KEYPOINT	114	X,Y,Z=	.138125	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	115	X,Y,Z=	.163525	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	116	X,Y,Z=	.265125	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	117	X,Y,Z=	.265125	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	118	X,Y,Z=	.265125	.305156	.000000E+00	IN CSYS= 0
KEYPOINT	119	X,Y,Z=	.265125	.533756	.000000E+00	IN CSYS= 0
KEYPOINT	120	X,Y,Z=	.267513	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	121	X,Y,Z=	.267513	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	122	X,Y,Z=	.267513	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	123	X,Y,Z=	.267513	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	124	X,Y,Z=	.267513	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	125	X,Y,Z=	.267513	.302768	.000000E+00	IN CSYS= 0
KEYPOINT	126	X,Y,Z=	.267513	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	127	X,Y,Z=	.270231	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	128	X,Y,Z=	.270231	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	129	X,Y,Z=	.270231	.300050	.000000E+00	IN CSYS= 0

KEYPOINT	130	X,Y,Z=	.270231	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	131	X,Y,Z=	.272618	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	132	X,Y,Z=	.272618	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	133	X,Y,Z=	.272618	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	134	X,Y,Z=	.272618	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	135	X,Y,Z=	.272618	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	136	X,Y,Z=	.272618	.297663	.000000E+00	IN CSYS= 0
KEYPOINT	137	X,Y,Z=	.272618	.536143	.000000E+00	IN CSYS= 0
KEYPOINT	138	X,Y,Z=	.297663	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	139	X,Y,Z=	.297663	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	140	X,Y,Z=	.297663	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	141	X,Y,Z=	.297663	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	142	X,Y,Z=	.297663	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	143	X,Y,Z=	.300050	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	144	X,Y,Z=	.300050	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	145	X,Y,Z=	.302768	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	146	X,Y,Z=	.302768	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	147	X,Y,Z=	.302768	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	148	X,Y,Z=	.302768	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	149	X,Y,Z=	.302768	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	150	X,Y,Z=	.305156	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	151	X,Y,Z=	.305156	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	152	X,Y,Z=	.406756	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	153	X,Y,Z=	.432156	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	154	X,Y,Z=	.533756	.365252E-01	.000000E+00	IN CSYS= 0
KEYPOINT	155	X,Y,Z=	.533756	.265125	.000000E+00	IN CSYS= 0
KEYPOINT	156	X,Y,Z=	.536143	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	157	X,Y,Z=	.536143	.254000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	158	X,Y,Z=	.536143	.317500E-01	.000000E+00	IN CSYS= 0
KEYPOINT	159	X,Y,Z=	.536143	.341376E-01	.000000E+00	IN CSYS= 0
KEYPOINT	160	X,Y,Z=	.536143	.267513	.000000E+00	IN CSYS= 0
KEYPOINT	161	X,Y,Z=	.536143	.270231	.000000E+00	IN CSYS= 0
KEYPOINT	162	X,Y,Z=	.536143	.272618	.000000E+00	IN CSYS= 0
KEYPOINT	163	X,Y,Z=	.561543	.127000E-01	.000000E+00	IN CSYS= 0
KEYPOINT	164	X,Y,Z=	.601066	.127000E-01	.000000E+00	IN CSYS= 0

KEYPOINT 165 X,Y,Z= .601066 .254000E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 166 X,Y,Z= .601066 .317500E-01 .000000E+00 IN CSYS= 0
 KEYPOINT 167 X,Y,Z= .601066 .341376E-01 .000000E+00 IN CSYS= 0
 create lines on perimeter and for lesize

LINE CONNECTS KEYPOINTS 73 60
 LINE NO.= 81 KP1= 73 TAN1= 1.0000 .0000 .0000
 KP2= 60 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 73 74
 LINE NO.= 82 KP1= 73 TAN1= .0000 -1.0000 .0000
 KP2= 74 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 61 74
 LINE NO.= 83 KP1= 61 TAN1= -1.0000 .0000 .0000
 KP2= 74 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 74 75
 LINE NO.= 84 KP1= 74 TAN1= .0000 -1.0000 .0000
 KP2= 75 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 75 62
 LINE NO.= 85 KP1= 75 TAN1= 1.0000 .0000 .0000
 KP2= 62 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 75 76
 LINE NO.= 86 KP1= 75 TAN1= .0000 -1.0000 .0000
 KP2= 76 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 63 76
 LINE NO.= 87 KP1= 63 TAN1= -1.0000 .0000 .0000
 KP2= 76 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 76 77
 LINE NO.= 88 KP1= 76 TAN1= .0000 -1.0000 .0000
 KP2= 77 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 77 78
 LINE NO.= 89 KP1= 77 TAN1= .0000 -1.0000 .0000
 KP2= 78 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 78 65
 LINE NO.= 90 KP1= 78 TAN1= 1.0000 .0000 .0000
 KP2= 65 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 78 79
 LINE NO.= 91 KP1= 78 TAN1= .0000 -1.0000 .0000
 KP2= 79 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 66 79
 LINE NO.= 92 KP1= 66 TAN1= -1.0000 .0000 .0000
 KP2= 79 TAN2= 1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 79 80
 LINE NO.= 93 KP1= 79 TAN1= .0000 -1.0000 .0000
 KP2= 80 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 80 81
 LINE NO.= 94 KP1= 80 TAN1= .0000 -1.0000 .0000
 KP2= 81 TAN2= .0000 1.0000 .0000

LINE CONNECTS KEYPOINTS 81 68
 LINE NO.= 95 KP1= 81 TAN1= 1.0000 .0000 .0000
 KP2= 68 TAN2= -1.0000 .0000 .0000

LINE CONNECTS KEYPOINTS 81 82
 LINE NO.= 96 KP1= 81 TAN1= .0000 -1.0000 .0000

	KP2=	82	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		69	82			
LINE NO.= 97	KP1=	69	TAN1=	-1.0000	.0000	.0000
	KP2=	82	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		82	83			
LINE NO.= 98	KP1=	82	TAN1=	.0000	-1.0000	.0000
	KP2=	83	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		83	70			
LINE NO.= 99	KP1=	83	TAN1=	1.0000	.0000	.0000
	KP2=	70	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		83	84			
LINE NO.= 100	KP1=	83	TAN1=	.0000	-1.0000	.0000
	KP2=	84	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		71	84			
LINE NO.= 101	KP1=	71	TAN1=	-1.0000	.0000	.0000
	KP2=	84	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		84	85			
LINE NO.= 102	KP1=	84	TAN1=	.0000	-1.0000	.0000
	KP2=	85	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS		85	92			
LINE NO.= 103	KP1=	85	TAN1=	-1.0000	.0000	.0000
	KP2=	92	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		92	100			
LINE NO.= 104	KP1=	92	TAN1=	-1.0000	.0000	.0000
	KP2=	100	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		100	109			
LINE NO.= 105	KP1=	100	TAN1=	-1.0000	.0000	.0000
	KP2=	109	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		109	108			
LINE NO.= 106	KP1=	109	TAN1=	.0000	1.0000	.0000
	KP2=	108	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		108	126			
LINE NO.= 107	KP1=	108	TAN1=	-1.0000	.0000	.0000
	KP2=	126	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		126	130			
LINE NO.= 108	KP1=	126	TAN1=	-1.0000	.0000	.0000
	KP2=	130	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		130	137			
LINE NO.= 109	KP1=	130	TAN1=	-1.0000	.0000	.0000
	KP2=	137	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		137	136			
LINE NO.= 110	KP1=	137	TAN1=	.0000	1.0000	.0000
	KP2=	136	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS		136	105			
LINE NO.= 111	KP1=	136	TAN1=	1.0000	.0000	.0000
	KP2=	105	TAN2=	-1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS		112	107			
LINE NO.= 112	KP1=	112	TAN1=	.7071	.7071	.0000
	KP2=	107	TAN2=	-.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS		107	106			
LINE NO.= 113	KP1=	107	TAN1=	.0000	1.0000	.0000
	KP2=	106	TAN2=	.0000	-1.0000	.0000

LINE CONNECTS KEYPOINTS	106	105			
LINE NO.= 114 KP1=	106	TAN1=	.0000	1.0000	.0000
KP2=	105	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	105	104			
LINE NO.= 115 KP1=	105	TAN1=	.0000	1.0000	.0000
KP2=	104	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	104	103			
LINE NO.= 116 KP1=	104	TAN1=	.0000	1.0000	.0000
KP2=	103	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	103	102			
LINE NO.= 117 KP1=	103	TAN1=	.0000	1.0000	.0000
KP2=	102	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	102	111			
LINE NO.= 118 KP1=	102	TAN1=	-.7071	.7071	.0000
KP2=	111	TAN2=	.7071	-.7071	.0000
LINE CONNECTS KEYPOINTS	104	135			
LINE NO.= 119 KP1=	104	TAN1=	-1.0000	.0000	.0000
KP2=	135	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	135	134			
LINE NO.= 120 KP1=	135	TAN1=	.0000	1.0000	.0000
KP2=	134	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	123	127			
LINE NO.= 121 KP1=	123	TAN1=	-1.0000	.0000	.0000
KP2=	127	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	127	134			
LINE NO.= 122 KP1=	127	TAN1=	-1.0000	.0000	.0000
KP2=	134	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	134	141			
LINE NO.= 123 KP1=	134	TAN1=	-1.0000	.0000	.0000
KP2=	141	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	141	143			
LINE NO.= 124 KP1=	141	TAN1=	-1.0000	.0000	.0000
KP2=	143	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	143	148			
LINE NO.= 125 KP1=	143	TAN1=	-1.0000	.0000	.0000
KP2=	148	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	148	150			
LINE NO.= 126 KP1=	148	TAN1=	-.7071	-.7071	.0000
KP2=	150	TAN2=	.7071	.7071	.0000
LINE CONNECTS KEYPOINTS	141	142			
LINE NO.= 127 KP1=	141	TAN1=	.0000	-1.0000	.0000
KP2=	142	TAN2=	.0000	1.0000	.0000
LINE CONNECTS KEYPOINTS	142	162			
LINE NO.= 128 KP1=	142	TAN1=	-1.0000	.0000	.0000
KP2=	162	TAN2=	1.0000	.0000	.0000
LINE CONNECTS KEYPOINTS	162	161			
LINE NO.= 129 KP1=	162	TAN1=	.0000	1.0000	.0000
KP2=	161	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	161	160			
LINE NO.= 130 KP1=	161	TAN1=	.0000	1.0000	.0000
KP2=	160	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS	160	159			
LINE NO.= 131 KP1=	160	TAN1=	.0000	1.0000	.0000

	KP2=	159	TAN2=	.0000	-1.0000	.0000
LINE CONNECTS KEYPOINTS 159 167						
LINE NO.=	132	KP1=	159	TAN1=	-1.0000	.0000
		KP2=	167	TAN2=	1.0000	.0000
LINE CONNECTS KEYPOINTS 167 166						
LINE NO.=	133	KP1=	167	TAN1=	.0000	1.0000
		KP2=	166	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 166 165						
LINE NO.=	134	KP1=	166	TAN1=	.0000	1.0000
		KP2=	165	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 165 164						
LINE NO.=	135	KP1=	165	TAN1=	.0000	1.0000
		KP2=	164	TAN2=	.0000	-1.0000
LINE CONNECTS KEYPOINTS 164 163						
LINE NO.=	136	KP1=	164	TAN1=	1.0000	.0000
		KP2=	163	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 163 156						
LINE NO.=	137	KP1=	163	TAN1=	1.0000	.0000
		KP2=	156	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 156 153						
LINE NO.=	138	KP1=	156	TAN1=	1.0000	.0000
		KP2=	153	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 153 152						
LINE NO.=	139	KP1=	153	TAN1=	1.0000	.0000
		KP2=	152	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 152 145						
LINE NO.=	140	KP1=	152	TAN1=	1.0000	.0000
		KP2=	145	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 145 138						
LINE NO.=	141	KP1=	145	TAN1=	1.0000	.0000
		KP2=	138	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 138 131						
LINE NO.=	142	KP1=	138	TAN1=	1.0000	.0000
		KP2=	131	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 131 120						
LINE NO.=	143	KP1=	131	TAN1=	1.0000	.0000
		KP2=	120	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 120 115						
LINE NO.=	144	KP1=	120	TAN1=	1.0000	.0000
		KP2=	115	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 115 114						
LINE NO.=	145	KP1=	115	TAN1=	1.0000	.0000
		KP2=	114	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 114 93						
LINE NO.=	146	KP1=	114	TAN1=	1.0000	.0000
		KP2=	93	TAN2=	-1.0000	.0000
LINE CONNECTS KEYPOINTS 93 73						
LINE NO.=	147	KP1=	93	TAN1=	1.0000	.0000
		KP2=	73	TAN2=	-1.0000	.0000

tube spacers

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 71 84 83 70

AREA NUMBER = 27
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 69 82 81 68
AREA NUMBER = 28
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 66 79 78 65
AREA NUMBER = 29
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 63 76 75 62
AREA NUMBER = 30
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 61 74 73 60
AREA NUMBER = 31
flux trap plate (stainless)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 85 92 91 83 84
AREA NUMBER = 32
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 83 91 90 80 81 82
AREA NUMBER = 33
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 80 90 89 79
AREA NUMBER = 34
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 79 89 88 78
AREA NUMBER = 35
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 78 88 87 77
AREA NUMBER = 36
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 77 87 86 73 74 75 76
AREA NUMBER = 37
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 86 121 120 115 114 93 73
AREA NUMBER = 38
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 121 132 131 120
AREA NUMBER = 39
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 132 139 138 131
AREA NUMBER = 40
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 139 146 145 138

AREA NUMBER = 41
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 146 157 156 153 152 145
AREA NUMBER = 42
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 157 165 164 163 156
AREA NUMBER = 43
flux trap plate (Al/boron)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 92 100 99 91
AREA NUMBER = 44
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 91 99 98 90
AREA NUMBER = 45
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 90 98 97 89
AREA NUMBER = 46
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 89 97 96 88
AREA NUMBER = 47
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 88 96 95 87
AREA NUMBER = 48
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 87 95 94 86
AREA NUMBER = 49
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 94 122 121 86
AREA NUMBER = 50
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 122 133 132 121
AREA NUMBER = 51
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 133 140 139 132
AREA NUMBER = 52
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 140 147 146 139
AREA NUMBER = 53
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 147 158 157 146
AREA NUMBER = 54
DEFINE AREA BY LIST OF KEYPOINTS

```
KEYPOINT LIST = 158 166 165 157
AREA NUMBER = 55
flux trap plate (sheath)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 100 109 108 99
AREA NUMBER = 56
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 99 108 107 98
AREA NUMBER = 57
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 98 107 106 105 97
AREA NUMBER = 58
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 97 105 104 96
AREA NUMBER = 59
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 96 104 103 102 95
AREA NUMBER = 60
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 95 102 101 94
AREA NUMBER = 61
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 101 123 122 94
AREA NUMBER = 62
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 123 127 134 133 122
AREA NUMBER = 63
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 134 141 140 133
AREA NUMBER = 64
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 141 143 148 147 140
AREA NUMBER = 65
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 148 159 158 147
AREA NUMBER = 66
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 159 167 166 158
AREA NUMBER = 67
tube (sheath)
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 130 137 136 129
AREA NUMBER = 68
```


DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 106 129 136 105

AREA NUMBER = 69

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 104 135 128 103

AREA NUMBER = 70

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 128 135 134 127

AREA NUMBER = 71

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 144 143 141

AREA NUMBER = 72

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 162 161 144

AREA NUMBER = 73
tube (Al/boron)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 126 130 129 125

AREA NUMBER = 74

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 107 125 129 106

AREA NUMBER = 75

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 103 128 124 102

AREA NUMBER = 76

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 124 128 127 123

AREA NUMBER = 77

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 149 148 143

AREA NUMBER = 78

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 144 161 160 149

AREA NUMBER = 79
tube (stainless)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 113 112 107

AREA NUMBER = 80

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 126 119 113

AREA NUMBER = 81

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 119 126 125 118

AREA NUMBER = 82
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 112 118 125 107
AREA NUMBER = 83
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 111 110 101
AREA NUMBER = 84
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 102 124 117 111
AREA NUMBER = 85
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 117 124 123 116
AREA NUMBER = 86
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 110 116 123 101
AREA NUMBER = 87
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 151 150 148
AREA NUMBER = 88
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 149 160 155 151
AREA NUMBER = 89
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 155 160 159 154
AREA NUMBER = 90
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 150 154 159 148
AREA NUMBER = 91
homogeneous assembly
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 113 119 118 112
AREA NUMBER = 92
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 111 117 116 110
AREA NUMBER = 93
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 151 155 154 150
AREA NUMBER = 94
helium spaces
DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 72 85 84 71
AREA NUMBER = 95

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 70 83 82 69

AREA NUMBER = 96

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 68 81 80 67

AREA NUMBER = 97

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 67 80 79 66

AREA NUMBER = 98

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 65 78 77 64

AREA NUMBER = 99

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 64 77 76 63

AREA NUMBER = 100

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 62 75 74 61

AREA NUMBER = 101

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 105 136 135 104

AREA NUMBER = 102

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 135 142 141 134

AREA NUMBER = 103

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Set element shapes and sizes for tubes and flux trap
14x14 mesh in fuel with 1
division per tube layer

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

DEFAULT ELEMENT DIVISIONS PER LINE = 1

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 81 TO 87 STEP 2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 90 TO 92 STEP 2

6 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 95 TO 101 STEP 2

10 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 2, SPACING RATIO = 1.000

SELECT FOR ITEM=LINE COMPONENT=

IN RANGE 107 TO 107 STEP 1
1 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 110 TO 111 STEP 1

3 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 119 TO 120 STEP 1

5 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 127 TO 128 STEP 1

7 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 131 TO 131 STEP 1

8 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 14, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 264 STEP 1

264 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 82 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 84 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 86 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 88 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 89 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 91 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 93 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 94 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 96 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 98 (IF SELECTED AND UNMESHED)
TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 100 (IF SELECTED AND UNMESHED)
TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 102 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 103 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

```

SET DIVISIONS ON LINE 104 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 136 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 137 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 138 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 139 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 140 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 141 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 142 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 143 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 144 (IF SELECTED AND UNMESHED)
  TO NDIV = 5, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 145 (IF SELECTED AND UNMESHED)
  TO NDIV = 4, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 146 (IF SELECTED AND UNMESHED)
  TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 147 (IF SELECTED AND UNMESHED)
  TO NDIV = 2, SPACING RATIO = 1.000
  concatenate lines for mapped meshing
  (L's 265,266,267,268,269,270,271,272,273,274)

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    82 TO      88 STEP      2

4 LINES (OF 264 DEFINED) SELECTED BY LSEL COMMAND.

```

```

CONCATENATE LINES
  LINE LIST = ALL SELECTED LINES

```

```

COMPOSITE LINE NO.= 265 KP1= 73 KP2= 77

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    94 TO      98 STEP      2

3 LINES (OF 265 DEFINED) SELECTED BY LSEL COMMAND.

```

```

CONCATENATE LINES
  LINE LIST = ALL SELECTED LINES

```

```

COMPOSITE LINE NO.= 266 KP1= 80 KP2= 83

```

```

SELECT      FOR ITEM=LINE COMPONENT=
IN RANGE    100 TO     102 STEP      2

2 LINES (OF 266 DEFINED) SELECTED BY LSEL COMMAND.

```

```

CONCATENATE LINES
  LINE LIST = ALL SELECTED LINES

```

COMPOSITE LINE NO.= 267 KP1= 83 KP2= 85

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 113 TO 114 STEP 1

2 LINES (OF 267 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 268 KP1= 107 KP2= 105

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 116 TO 117 STEP 1

2 LINES (OF 268 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 269 KP1= 104 KP2= 102

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 121 TO 122 STEP 1

2 LINES (OF 269 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 270 KP1= 123 KP2= 134

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 124 TO 125 STEP 1

2 LINES (OF 270 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 271 KP1= 141 KP2= 148

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 136 TO 137 STEP 1

2 LINES (OF 271 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 272 KP1= 164 KP2= 156

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 138 TO 140 STEP 1

3 LINES (OF 272 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 273 KP1= 156 KP2= 145

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 144 TO 147 STEP 1

4 LINES (OF 273 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 274 KP1= 120 KP2= 73

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 274 STEP 1

274 LINES (OF 274 DEFINED) SELECTED BY LSEL COMMAND.
Mesh areas
first flux trap plate, then tubes

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 27 TO 43 IN STEPS OF 1

*** WARNING *** CP= 7.020 TIME= 20:19:39
Meshing of area 32 produced 6 poorly shaped elements.

*** NOTE *** CP= 7.020 TIME= 20:19:39
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
38 39 44 45 50 51

*** WARNING *** CP= 7.090 TIME= 20:19:39
Meshing of area 33 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.090 TIME= 20:19:39
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
58 59 60 63 64 65 72 73 74 77
78 79 86 87 88 91 92 93

*** WARNING *** CP= 7.220 TIME= 20:19:39
Meshing of area 37 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.220 TIME= 20:19:39
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
125 129 130 132 133 134 139 143 144 146
147 148 153 157 158 160 161 162

*** WARNING *** CP= 7.290 TIME= 20:19:39
Meshing of area 38 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.290 TIME= 20:19:39
Worst shape angle is 31 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
163 164 165 166 167 168 169 170 171 175
176 177 178 179 180 190 191 192

*** WARNING *** CP= 7.420 TIME= 20:19:39
Meshing of area 42 produced 18 poorly shaped elements.

*** NOTE *** CP= 7.420 TIME= 20:19:39
Worst shape angle is 34 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
238 239 240 241 242 243 244 245 246 253
254 255 256 257 258 259 260 261

*** WARNING *** CP= 7.460 TIME= 20:19:39
Meshing of area 43 produced 6 poorly shaped elements.

*** NOTE *** CP= 7.460 TIME= 20:19:39
Worst shape angle is 39 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
280 281 282 283 284 285

NUMBER OF AREAS MESHED = 17
MAXIMUM NODE NUMBER = 386
MAXIMUM ELEMENT NUMBER = 288

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 44 TO 55 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 556
MAXIMUM ELEMENT NUMBER = 456

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 56 TO 73 IN STEPS OF 1

NUMBER OF AREAS MESHED = 18
MAXIMUM NODE NUMBER = 807
MAXIMUM ELEMENT NUMBER = 624

MATERIAL NUMBER SET TO 13

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 74 TO 79 IN STEPS OF 1

NUMBER OF AREAS MESHED = 6
MAXIMUM NODE NUMBER = 890
MAXIMUM ELEMENT NUMBER = 708

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 80 TO 91 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 1084
MAXIMUM ELEMENT NUMBER = 876

MATERIAL NUMBER SET TO 14

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 92 TO 94 IN STEPS OF 1

NUMBER OF AREAS MESHED = 3
MAXIMUM NODE NUMBER = 1591
MAXIMUM ELEMENT NUMBER = 1464

Delete concatenated lines
(L's freed up 265,266,267,268,269,270,271,272,273,274)

DELETE SELECTED LINES FROM 265 TO 274 BY 1

DELETED 10 LINES

Copy tube mesh and connect top and bottom

SYMMETRY TRANSFORMATION OF AREAS USING COMPONENT Y
SET IS FROM 27 TO 103 IN STEPS OF 1

MAXIMUM NODE NUMBER = 3182
MAXIMUM ELEMENT NUMBER = 2928
flux trap plate spacers
(L's 449,450,451,452,453,454,455,456,457,458)
(A's 181,182,183,184,185)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 186 73 93 202

AREA NUMBER = 181

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 201 114 115 200

AREA NUMBER = 182

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 204 131 138 206

AREA NUMBER = 183

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 212 152 153 211

AREA NUMBER = 184

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 210 156 163 215

AREA NUMBER = 185
flux trap plate helium gaps
(A's 186,187,188,189,190,191,192,193)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 187 60 73 186

AREA NUMBER = 186

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 202 93 114 201

AREA NUMBER = 187

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 200 115 120 199

AREA NUMBER = 188

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 199 120 131 204

AREA NUMBER = 189

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 206 138 145 208

AREA NUMBER = 190

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 208 145 152 212

AREA NUMBER = 191

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 211 153 156 210

AREA NUMBER = 192

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 215 163 164 214

AREA NUMBER = 193
tube/guide helium gaps (flats)
(A's 194,195,196,197,198,199,200,201,202,203,204,205)

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 109 22 41 108

AREA NUMBER = 194

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 108 41 42 126

AREA NUMBER = 195

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 137 43 45 136

AREA NUMBER = 196

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 142 45 46 162

AREA NUMBER = 197

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 160 47 49 159

AREA NUMBER = 198

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 49 29 167 159

AREA NUMBER = 199

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 244 245 31 50

AREA NUMBER = 200

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 244 50 52 260

AREA NUMBER = 201

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 254 53 54 252

AREA NUMBER = 202

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 248 54 56 247

AREA NUMBER = 203

DEFINE AREA BY LIST OF KEYPOINTS
KEYPOINT LIST = 256 57 58 230

AREA NUMBER = 204

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 230 58 38 229

AREA NUMBER = 205

tube/guide helium gaps (corners)

(A's 206,207,208,209,210,211,212,213,214,215,216,217)

(218)

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 85 72

AREA NUMBER = 206

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 21 22 109 100 92 85

AREA NUMBER = 207

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 24 25 43 137 130 126 42

AREA NUMBER = 208

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 136 45 142 135

AREA NUMBER = 209

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 26 27 47 160 161 162 46

AREA NUMBER = 210

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 167 29 30 164 165 166

AREA NUMBER = 211

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 164 30 214

AREA NUMBER = 212

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 214 30 31 245 228 213

AREA NUMBER = 213

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 52 33 34 53 254 255 260

AREA NUMBER = 214

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 250 252 54 248

AREA NUMBER = 215

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 256 246 247 56 35 36 57

AREA NUMBER = 216

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 188 189 216 229 38 39

AREA NUMBER = 217

DEFINE AREA BY LIST OF KEYPOINTS

KEYPOINT LIST = 273 188 39

AREA NUMBER = 218
mesh flux trap plate spacers

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 449 TO 458 STEP 1

10 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 4, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 488 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 181 TO 185 IN STEPS OF 1

NUMBER OF AREAS MESHED = 5
MAXIMUM NODE NUMBER = 3251
MAXIMUM ELEMENT NUMBER = 3000

MERGE COINCIDENT NODES WITHIN TOLERANCE OF .10000E-03

*** NOTE *** CP= 15.900 TIME= 20:19:48
Zero nodes were merged.

MERGE COINCIDENT KEYPOINTS WITHIN TOLERANCE OF .10000E-03

Create mesh in MPC shell and disposal container
Tube guides

DEFAULT ELEMENT DIVISIONS PER LINE = 2

SET DIVISIONS ON LINE 43 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 46 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 49 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 53 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 56 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 60 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 61 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 64 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 68 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 71 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 75 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 78 (IF SELECTED AND UNMESHED)
TO NDIV = 6, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 15 TO 26 IN STEPS OF 1

NUMBER OF AREAS MESHED = 12
MAXIMUM NODE NUMBER = 3677
MAXIMUM ELEMENT NUMBER = 3272
MPC shell
(L's 489.490)

SET DIVISIONS ON LINE 23 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 25 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 26 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 27 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 28 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 29 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 31 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 32 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 34 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 35 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 36 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 37 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 38 (IF SELECTED AND UNMESHED)
TO NDIV = 14, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 40 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 23 TO 31 STEP 1

9 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 489 KP1= 21 KP2= 30

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 32 TO 40 STEP 1

9 LINES (OF 489 DEFINED) SELECTED BY LSEL COMMAND.

CONCATENATE LINES
LINE LIST = ALL SELECTED LINES

COMPOSITE LINE NO.= 490 KP1= 30 KP2= 39

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

490 LINES (OF 490 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 17 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 18 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 22 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 41 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 7 TO 8 IN STEPS OF 1

*** WARNING *** CP= 17.550 TIME= 20:19:50
Meshing of area 7 produced 112 poorly shaped elements.

*** NOTE *** CP= 17.550 TIME= 20:19:50
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3292	3293	3294	3295	3296	3297	3298	3299	3300	3301
3302	3303	3304	3305	3306	3307	3308	3309	3310	3311
3312	3313	3314	3315	3316	3317	3318	3319	3320	3321
3322	3323	3324	3325	3326	3327	3328	3329	3330	3331
3332	3333	3334	3335	3336	3337	3338	3339	3340	3341
3342	3343	3344	3345	3346	3347	3348	3349	3350	3351
3352	3353	3354	3355	3356	3357	3358	3359	3360	3361
3362	3363	3364	3365	3366	3367	3368	3369	3370	3371
3372	3373	3374	3375	3376	3377	3378	3379	3380	3381
3382	3383	3384	3385	3386	3387	3388	3389	3390	3391
3392	3393	3394	3395	3396	3397	3398	3399	3400	3401
3402	3403	3404	3405	3406	3407	3408	3409	3410	3411

*** LIST TERMINATED AFTER 100 ***

*** WARNING *** CP= 18.130 TIME= 20:19:51
Meshing of area 8 produced 112 poorly shaped elements.

*** NOTE *** CP= 18.130 TIME= 20:19:51
Worst shape angle is 20 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***

3460	3461	3462	3463	3464	3465	3466	3467	3468	3469
3470	3471	3472	3473	3474	3475	3476	3477	3478	3479
3480	3481	3482	3483	3484	3485	3486	3487	3488	3489
3490	3491	3492	3493	3494	3495	3496	3497	3498	3499
3500	3501	3502	3503	3504	3505	3506	3507	3508	3509
3510	3511	3512	3513	3514	3515	3516	3517	3518	3519
3520	3521	3522	3523	3524	3525	3526	3527	3528	3529
3530	3531	3532	3533	3534	3535	3536	3537	3538	3539
3540	3541	3542	3543	3544	3545	3546	3547	3548	3549
3550	3551	3552	3553	3554	3555	3556	3557	3558	3559

3558 3559 3560 3561 3562 3563 3564 3565 3566 3567
3568 3569 3570 3571 3572 3573 3574 3575 3576 3577
*** LIST TERMINATED AFTER 100 ***

NUMBER OF AREAS MESHED = 2
MAXIMUM NODE NUMBER = 4109
MAXIMUM ELEMENT NUMBER = 3608

Assume vacuum between shell and inner barrier

SET DIVISIONS ON LINE 13 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 14 (IF SELECTED AND UNMESHED)
TO NDIV = 56, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 19 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 20 (IF SELECTED AND UNMESHED)
TO NDIV = 2, SPACING RATIO = 1.000

No MAT,7,
No TYPE,1,
No AMESH,5,6,1,
Delete concatenated lines
(L's freed up 489,490)

DELETE SELECTED LINES FROM 489 TO 490 BY 1

DELETED 2 LINES
Inner and outer barrier

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 10 STEP 1

4 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON ALL SELECTED UNMESHED LINES
TO NDIV = 56, SPACING RATIO = 1.000

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SET DIVISIONS ON LINE 6 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 15 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 16 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 5 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 11 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

SET DIVISIONS ON LINE 12 (IF SELECTED AND UNMESHED)
TO NDIV = 3, SPACING RATIO = 1.000

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 3 TO 4 IN STEPS OF 1

NUMBER OF AREAS MESHED = 2
 MAXIMUM NODE NUMBER = 4561
 MAXIMUM ELEMENT NUMBER = 3944

MATERIAL NUMBER SET TO 15

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 1 TO 2 IN STEPS OF 1

NUMBER OF AREAS MESHED = 2
 MAXIMUM NODE NUMBER = 4900
 MAXIMUM ELEMENT NUMBER = 4280
 Empty basket spaces

DEFAULT ELEMENT DIVISIONS PER LINE BASED ON ELEMENT SIZE = .100

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
 PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
 OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 9 TO 14 IN STEPS OF 1
 ** AREA 9 MESHED WITH 40 QUADRILATERALS, 10 TRIANGLES **
 ** AREA 11 MESHED WITH 41 QUADRILATERALS, 10 TRIANGLES **
 ** AREA 12 MESHED WITH 40 QUADRILATERALS, 10 TRIANGLES **
 ** AREA 14 MESHED WITH 41 QUADRILATERALS, 10 TRIANGLES **

NUMBER OF AREAS MESHED = 6
 MAXIMUM NODE NUMBER = 5272
 MAXIMUM ELEMENT NUMBER = 4776

Define mesh and radiation surface elements
 Tube/guides gap

SELECT FOR ITEM=LOC COMPONENT=X BETWEEN .00000E+00 AND .00000E+00
 KABS= 0. TOLERANCE= .10000E-05

39 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 7 TO 8 STEP 1

41 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 13 TO 14 STEP 1

43 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 17 TO 18 STEP 1

45 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

UNSELECT ONLY NODES INTERIOR TO SELECTED LINE SET.

4904 NODES (OF 5272 DEFINED) SELECTED FROM
 45 SELECTED LINES BY NSLL COMMAND.

ALL SELECT FOR ITEM=LINE COMPONENT=
 IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 7

GENERATE ELEMENTS ON SURFACE DEFINED BY SELECTED NODES
TYPE= 7 REAL= 1 MATERIAL= 1 ESYS= 0

NUMBER OF ELEMENTS GENERATED= 644

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5272 STEP 1

5272 NODES (OF 5272 DEFINED) SELECTED BY NSEL COMMAND.
Basket spaces

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 17

GENERATE NODES AND ELEMENTS
ON LINES 25 TO 29 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5462

GENERATE NODES AND ELEMENTS
ON LINES 34 TO 38 IN STEPS OF 2

NUMBER OF LINES MESHED = 3
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5504

GENERATE NODES AND ELEMENTS
ON LINES 80 TO 80 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5510

GENERATE NODES AND ELEMENTS
ON LINES 45 TO 45 IN STEPS OF 1

NUMBER OF LINES MESHED = 1
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5524

GENERATE NODES AND ELEMENTS
ON LINES 50 TO 52 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5552

GENERATE NODES AND ELEMENTS
ON LINES 57 TO 59 IN STEPS OF 2

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5572

GENERATE NODES AND ELEMENTS
ON LINES 62 TO 65 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
MAXIMUM NODE NUMBER = 5272
MAXIMUM ELEMENT NUMBER = 5592

GENERATE NODES AND ELEMENTS
ON LINES 69 TO 72 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
 MAXIMUM NODE NUMBER = 5272
 MAXIMUM ELEMENT NUMBER = 5620

GENERATE NODES AND ELEMENTS
 ON LINES 76 TO 79 IN STEPS OF 3

NUMBER OF LINES MESHED = 2
 MAXIMUM NODE NUMBER = 5272
 MAXIMUM ELEMENT NUMBER = 5640
 MPC shell/inner barrier gap

MATERIAL NUMBER SET TO 1

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
 ON LINES 17 TO 18 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
 MAXIMUM NODE NUMBER = 5272
 MAXIMUM ELEMENT NUMBER = 5752

MATERIAL NUMBER SET TO 2

ELEMENT TYPE SET TO 27

GENERATE NODES AND ELEMENTS
 ON LINES 13 TO 14 IN STEPS OF 1

NUMBER OF LINES MESHED = 2
 MAXIMUM NODE NUMBER = 5272
 MAXIMUM ELEMENT NUMBER = 5864

Create mesh in helium spaces

DEFAULT ELEMENT DIVISIONS PER LINE = 2

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
 PRODUCE ALL QUADRILATERAL OR BRICK ELEMENTS.

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
 IN AREAS 95 TO 103 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
 MAXIMUM NODE NUMBER = 5396
 MAXIMUM ELEMENT NUMBER = 6024

GENERATE NODES AND ELEMENTS
 IN AREAS 172 TO 180 IN STEPS OF 1

NUMBER OF AREAS MESHED = 9
 MAXIMUM NODE NUMBER = 5520
 MAXIMUM ELEMENT NUMBER = 6184

GENERATE NODES AND ELEMENTS
 IN AREAS 186 TO 205 IN STEPS OF 1

*** WARNING *** CP= 23.670 TIME= 20:19:57
 Area 195 has a corner angle of 154 degrees. This is not recommended
 for quadrilateral elements.

*** WARNING *** CP= 23.710 TIME= 20:19:57
 Meshing of area 195 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.710 TIME= 20:19:57
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6310 6311 6312 6313 6314 6324 6325 6326 6327 6328

*** WARNING *** CP= 23.720 TIME= 20:19:57
Area 196 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.760 TIME= 20:19:57
Meshing of area 196 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.760 TIME= 20:19:57
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6333 6334 6335 6336 6337 6338 6339 6340 6341 6342
6347 6348 6349 6350 6351 6352 6353 6354 6355 6356

*** WARNING *** CP= 23.760 TIME= 20:19:57
Area 197 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.800 TIME= 20:19:57
Meshing of area 197 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.800 TIME= 20:19:57
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6357 6358 6359 6360 6361 6362 6363 6364 6365 6366
6371 6372 6373 6374 6375 6376 6377 6378 6379 6380

*** WARNING *** CP= 23.810 TIME= 20:19:57
Area 198 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.850 TIME= 20:19:57
Meshing of area 198 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.850 TIME= 20:19:57
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6385 6386 6387 6388 6389 6399 6400 6401 6402 6403

*** WARNING *** CP= 23.900 TIME= 20:19:57
Area 201 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.940 TIME= 20:19:57
Meshing of area 201 produced 10 poorly shaped elements.

*** NOTE *** CP= 23.940 TIME= 20:19:57
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6446 6447 6448 6449 6450 6460 6461 6462 6463 6464

*** WARNING *** CP= 23.940 TIME= 20:19:57
Area 202 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 23.980 TIME= 20:19:57
Meshing of area 202 produced 20 poorly shaped elements.

*** NOTE *** CP= 23.990 TIME= 20:19:57
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6469 6470 6471 6472 6473 6474 6475 6476 6477 6478
6483 6484 6485 6486 6487 6488 6489 6490 6491 6492

*** WARNING *** CP= 23.990 TIME= 20:19:57
Area 203 has a corner angle of 19 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 24.030 TIME= 20:19:57
Meshing of area 203 produced 20 poorly shaped elements.

*** NOTE *** CP= 24.030 TIME= 20:19:57
Worst shape angle is 19 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6493 6494 6495 6496 6497 6498 6499 6500 6501 6502
6507 6508 6509 6510 6511 6512 6513 6514 6515 6516

*** WARNING *** CP= 24.040 TIME= 20:19:57
Area 204 has a corner angle of 154 degrees. This is not recommended for quadrilateral elements.

*** WARNING *** CP= 24.080 TIME= 20:19:57
Meshing of area 204 produced 10 poorly shaped elements.

*** NOTE *** CP= 24.080 TIME= 20:19:57
Worst shape angle is 28 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6521 6522 6523 6524 6525 6535 6536 6537 6538 6539

NUMBER OF AREAS MESHED = 20
MAXIMUM NODE NUMBER = 5730
MAXIMUM ELEMENT NUMBER = 6560

FOR ELEMENT TYPE(S) ALLOWING MULTIPLE SHAPES:
PRODUCE MIXED ELEMENT SHAPES. (MAY PRODUCE ALL QUADRILATERAL
OR ALL BRICK ELEMENTS UNDER CERTAIN CONDITIONS.)

MATERIAL NUMBER SET TO 7

ELEMENT TYPE SET TO 1

GENERATE NODES AND ELEMENTS
IN AREAS 206 TO 218 IN STEPS OF 1
** AREA 206 MESHED WITH 1 QUADRILATERALS, 2 TRIANGLES **
** AREA 207 MESHED WITH 0 QUADRILATERALS, 10 TRIANGLES **

*** WARNING *** CP= 24.210 TIME= 20:19:58
Meshing of area 207 produced 1 poorly shaped elements.

*** NOTE *** CP= 24.210 TIME= 20:19:58
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 24.210 TIME= 20:19:58
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6570

** AREA	208 MESHED WITH	5 QUADRILATERALS,	11 TRIANGLES **
** AREA	209 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	210 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	211 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.460 TIME= 20:19:58
Meshing of area 211 produced 3 poorly shaped elements.

*** NOTE *** CP= 24.460 TIME= 20:19:58
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 24.460 TIME= 20:19:58
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6626 6627 6629

** AREA	212 MESHED WITH	2 QUADRILATERALS,	2 TRIANGLES **
** AREA	213 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.520 TIME= 20:19:58
Meshing of area 213 produced 1 poorly shaped elements.

*** NOTE *** CP= 24.520 TIME= 20:19:58
Worst aspect ratio is 26.0727178 : 1.

*** NOTE *** CP= 24.520 TIME= 20:19:58
Worst shape angle is 8 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6641

** AREA	214 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	215 MESHED WITH	4 QUADRILATERALS,	10 TRIANGLES **
** AREA	216 MESHED WITH	4 QUADRILATERALS,	13 TRIANGLES **
** AREA	217 MESHED WITH	0 QUADRILATERALS,	10 TRIANGLES **

*** WARNING *** CP= 24.770 TIME= 20:19:58
Meshing of area 217 produced 2 poorly shaped elements.

*** NOTE *** CP= 24.780 TIME= 20:19:58
Worst aspect ratio is 27.9122523 : 1.

*** NOTE *** CP= 24.780 TIME= 20:19:58
Worst shape angle is 7 degrees.

*** LIST OF ELEMENTS WITH POOR SHAPE ***
6699 6701

** AREA	218 MESHED WITH	1 QUADRILATERALS,	2 TRIANGLES **
---------	-----------------	-------------------	----------------

NUMBER OF AREAS MESHED = 13
MAXIMUM NODE NUMBER = 5764
MAXIMUM ELEMENT NUMBER = 6705

Clear areas and mesh by hand difficult areas

CLEAR NODES AND ELEMENTS
FROM AREAS 211 TO 211 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT 6706 5653 3453 3952 3952

ELEMENT 6707 636 5653 3952 3952

ELEMENT	6708	545	636	3952	3952
ELEMENT	6709	551	545	3952	3952
ELEMENT	6710	363	551	3952	3952
ELEMENT	6711	370	363	3952	3952
ELEMENT	6712	371	370	3952	3952
ELEMENT	6713	369	371	3952	3952
ELEMENT	6714	5747	369	3952	3952
ELEMENT	6715	3782	5747	3952	3952

CLEAR NODES AND ELEMENTS
FROM AREAS 217 TO 217 IN STEPS OF 1

CLEARED 1 AREAS, 0 LINES, 0 KEYPOINTS

ELEMENT	6716	3735	5763	3738	3738
ELEMENT	6717	5763	1661	3738	3738
ELEMENT	6718	1661	1663	3738	3738
ELEMENT	6719	1663	1664	3738	3738
ELEMENT	6720	1664	1662	3738	3738
ELEMENT	6721	1662	1979	3738	3738
ELEMENT	6722	1979	1978	3738	3738
ELEMENT	6723	1978	2148	3738	3738
ELEMENT	6724	2148	5725	3738	3738
ELEMENT	6725	5725	3666	3738	3738

***** ROUTINE COMPLETED ***** CP = 24.840

Create element mesh plots to illustrate model
View mesh for entire model

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (CENTROIDAL SORT) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS 0 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

/SHOW SWITCH PLOTS TO FILE meshfull.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshfull.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

5368 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

/SHOW SWITCH PLOTS TO FILE meshgap.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshgap.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - 1/2 FEM Model
View mesh for radiation substructure

MAT NUMBERING KEY = 0

TYPE NUMBERING KEY = 1

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

864 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

1088 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

/SHOW SWITCH PLOTS TO FILE meshrad.grph - VECTOR MODE.
- GRAPHIC PLANES = 8.

PRODUCE ELEMENT PLOT IN DSYS = 0

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE meshrad.grph - VECTOR MODE.
DISPLAY TITLE=
12 PWR MPC/Waste Package - Radiation Matrix

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6725 STEP 1

6705 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

TITLE=
12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

Generate super-elements

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:20:05 MAR 24, 1995 CP= 30.370
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS RADIATION MATRIX UTILITY (AUX12) *****

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

655 NODES (OF 5764 DEFINED) SELECTED FROM
644 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= tubegap.sub

*** WARNING *** CP= 30.620 TIME= 20:20:06
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 644 NUMBER OF NODES= 655

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

220 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

220 NODES (OF 5764 DEFINED) SELECTED FROM
220 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= spaces.sub

*** WARNING *** CP= 69.980 TIME= 20:20:46
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 220 NUMBER OF NODES= 220

800 ZONES CREATE 1600 RAYS

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

224 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

SELECT ALL NODES HAVING ANY ELEMENT IN ELEMENT SET.

226 NODES (OF 5764 DEFINED) SELECTED FROM

224 SELECTED ELEMENTS BY NSLE COMMAND.

STEFAN-BOLTZMANN CONSTANT= .56700E-07

TWO DIMENSIONAL PLANE GEOMETRY (UNIT THICKNESS)

HIDDEN SURFACE (SLOW) METHOD
NUMBER OF ZONES= 800

WRITE RADIATION MATRIX TO FILE= shellgap.sub

*** WARNING *** CP= 76.430 TIME= 20:20:53
No space node defined. An enclosed system need not have a space node.
For an open system a space node is required to account for radiation losses.

NUMBER OF ELEMENTS= 224 NUMBER OF NODES= 226

800 ZONES CREATE 1600 RAYS

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6725 STEP 1

6705 ELEMENTS (OF 6705 DEFINED) SELECTED BY ESEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1

5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 82.270

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:20:59 MAR 24, 1995 CP= 82.270
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS ANALYSIS DEFINITION (PREP7) *****

ELEMENT TYPE SET TO 18

SUPERELEMENT 6726 tubegap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6726

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6726

SUPERELEMENT 6727 spaces NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6727

CURRENT NODAL DOF SET IS TEMP
THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6727

SUPERELEMENT 6728 shellgap NODE TOLERANCE = .10000E-03

STORE DOFS OF SUPERELEMENT 6728

CURRENT NODAL DOF SET IS TEMP

THREE-DIMENSIONAL MODEL

STORE NODES OF SUPERELEMENT 6728

Delete radiation edge elements

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 7 TO 7 STEP 1

644 ELEMENTS (OF 6708 DEFINED) SELECTED BY ESEL COMMAND.

DELETE ALL SELECTED ELEMENTS.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

6064 ELEMENTS (OF 6064 DEFINED) SELECTED BY ESEL COMMAND.

SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 17 TO 17 STEP 1

18 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=TYPE COMPONENT=
IN RANGE 27 TO 27 STEP 1

22 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

CLEAR NODES AND ELEMENTS FROM ALL SELECTED LINES

*** NOTE *** CP= 82.750 TIME= 20:21:00
Nodes cannot be cleared from line 13 because area 3 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.770 TIME= 20:21:00
Nodes cannot be cleared from line 14 because area 4 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.780 TIME= 20:21:00
Nodes cannot be cleared from line 17 because area 7 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.790 TIME= 20:21:00
Nodes cannot be cleared from line 18 because area 8 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.810 TIME= 20:21:00
Nodes cannot be cleared from line 25 because area 9 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.810 TIME= 20:21:00
Nodes cannot be cleared from line 27 because area 10 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.810 TIME= 20:21:00
Nodes cannot be cleared from line 29 because area 11 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.820 TIME= 20:21:00
Nodes cannot be cleared from line 34 because area 12 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.820 TIME= 20:21:00
Nodes cannot be cleared from line 36 because area 13 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.830 TIME= 20:21:00
Nodes cannot be cleared from line 38 because area 14 is meshed. Only
elements are deleted.

*** NOTE *** CP= 82.830 TIME= 20:21:00

Nodes cannot be cleared from line 45 because area 9 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.840 TIME= 20:21:00
Nodes cannot be cleared from line 50 because area 10 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.840 TIME= 20:21:00
Nodes cannot be cleared from line 52 because area 10 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.850 TIME= 20:21:00
Nodes cannot be cleared from line 57 because area 11 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.850 TIME= 20:21:00
Nodes cannot be cleared from line 59 because area 11 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.850 TIME= 20:21:00
Nodes cannot be cleared from line 62 because area 12 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.860 TIME= 20:21:00
Nodes cannot be cleared from line 65 because area 12 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.860 TIME= 20:21:00
Nodes cannot be cleared from line 69 because area 13 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.860 TIME= 20:21:00
Nodes cannot be cleared from line 72 because area 13 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.870 TIME= 20:21:00
Nodes cannot be cleared from line 76 because area 14 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.870 TIME= 20:21:00
Nodes cannot be cleared from line 79 because area 14 is meshed. Only elements are deleted.

*** NOTE *** CP= 82.880 TIME= 20:21:00
Nodes cannot be cleared from line 80 because area 9 is meshed. Only elements are deleted.

CLEARED 22 LINES, 0 KEYPOINTS

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

***** ROUTINE COMPLETED ***** CP = 82.880

Set solution parameters and apply B.C.'s

Solve steady-state for initial conditions
with WP surface equal to drift ambient
temperature from repository model.

***** ANSYS SOLUTION ROUTINE *****

PERFORM A TRANSIENT ANALYSIS
THIS WILL BE A NEW ANALYSIS

USE THE DEFAULT NEWTON-RAPHSON OPTION FOR ALL DOFS
AND USE THE DEFAULT ADAPTIVE DESCENT OPTION

*** NOTE *** CP= 82.890 TIME= 20:21:00
Damping (if present) may be ignored only in reduced transient analyses.

PERFORM A FULL TRANSIENT ANALYSIS

TEMPERATURE OFFSET FROM ABSOLUTE ZERO= 273.150

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5764 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES 1 TO 5764 BY 1
REAL= 26.1413043 IMAG= .000000000E+00

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1

5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .10000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

*** WARNING *** CP= 84.140 TIME= 20:21:02
Element 6708 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 84.140 TIME= 20:21:02
Element 6708 has a poor shape angle of 7.74746071 degrees.

*** WARNING *** CP= 84.140 TIME= 20:21:02
Element 6723 has a poor aspect ratio of 26.0727178 : 1.

*** WARNING *** CP= 84.150 TIME= 20:21:02
Element 6723 has a poor shape angle of 7.74746071 degrees.

*** NOTE *** CP= 84.150 TIME= 20:21:02
All shape tests were bypassed for elements associated with the solid model, because most of them were already done at AMESH or VMESH. Use CHECK if desired to perform all of the element tests.

*** NOTE *** CP= 84.150 TIME= 20:21:02
The model data was checked and warning messages were found.
Please review output or errors file (ma12h2.err) for these warning messages.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 20:21:02 MAR 24, 1995 CP= 84.150
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

SOLUTION OPTIONS

PROBLEM DIMENSIONALITY.3-D
DEGREES OF FREEDOM. TEMP
ANALYSIS TYPETRANSIENT
SOLUTION METHOD.FULL
OFFSET TEMPERATURE FROM ABSOLUTE ZERO 273.15
NEWTON-RAPHSON OPTIONPROGRAM CHOSEN

*** NOTE *** CP= 85.060 TIME= 20:21:03
This load step will be a static (steady-state) step.

*** NOTE *** CP= 85.440 TIME= 20:21:04
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution procedure) for ALL DOFs.

LOAD STEP OPTIONS

LOAD STEP NUMBER. 1
TIME AT END OF THE LOAD STEP.10000E-05
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 0
MAXIMUM NUMBER OF SUBSTEPS 0
MINIMUM NUMBER OF SUBSTEPS 1
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS OFF
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

***** CENTROID, MASS, AND MASS MOMENTS OF INERTIA *****

CALCULATIONS ASSUME ELEMENT MASS AT ELEMENT CENTROID

TOTAL MASS = 3601.8

CENTROID	MOM. OF INERTIA ABOUT ORIGIN	MOM. OF INERTIA ABOUT CENTROID
XC = .32228	IXX = 527.2	IXX = 527.2
YC = .77163E-11	IYY = 527.2	IYY = 153.1
ZC = .00000E+00	IZZ = 1054.	IZZ = 680.2
	IXY = .5422E-09	IXY = .9499E-08
	IYZ = .0000E+00	IYZ = .0000E+00
	IZX = .0000E+00	IZX = .0000E+00

*** MASS SUMMARY BY ELEMENT TYPE ***

TYPE	MASS
1	3601.81

Range of element maximum matrix coefficients in global coordinates
 Maximum= 483.62017 at element 2116.
 Minimum= 1.026389896E-09 at element 6728.

*** WARNING *** CP= 103.650 TIME= 20:21:26
 Coefficient ratio exceeds 1.0e8 - Check results.

*** ELEMENT MATRIX FORMULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5617	PLANE55	11.470	.002
18	3	MATRIX50	.670	.223

Time at end of element matrix formulation CP= 103.65.
 HT FLOW CONVERGENCE VALUE= 9663. CRITERION= 9.663

Estimated number of active DOF= 5651.
 Maximum wavefront= 912.

Time at end of matrix triangularization CP= 204.49.
 Equation solver maximum pivot= 1269.32433 at node 2083 TEMP.
 Equation solver minimum pivot= 0.186669206 at node 5523 TEMP.
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 258.9
 HT FLOW CONVERGENCE VALUE= 261.4 CRITERION= .1121
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -85.88
 HT FLOW CONVERGENCE VALUE= 40.50 CRITERION= .1658
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -13.26
 HT FLOW CONVERGENCE VALUE= 7.672 CRITERION= .1191
 EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.238
 HT FLOW CONVERGENCE VALUE= .3309 CRITERION= .1123
 EQUIL ITER 5 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1339
 HT FLOW CONVERGENCE VALUE= .5756E-01 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 5

*** ELEMENT RESULT CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5617	PLANE55	6.650	.001
18	3	MATRIX50	.710	.237

*** NODAL LOAD CALCULATION TIMES

TYPE	NUMBER	ENAME	TOTAL CP	AVE CP
1	5617	PLANE55	.820	.000
18	3	MATRIX50	.000	.000

*** LOAD STEP 1 SUBSTEP 1 COMPLETED. CUM ITER = 5
 *** TIME = .100000E-05 TIME INC = .100000E-05

*** PROBLEM STATISTICS
ACTUAL NO. OF ACTIVE DEGREES OF FREEDOM = 5651
R.M.S. WAVEFRONT SIZE = 443.2

*** ANSYS BINARY FILE STATISTICS

BUFFER SIZE USED= 4096
6.109 MB WRITTEN ON ELEMENT MATRIX FILE: ma12h2.emat
2.516 MB WRITTEN ON ELEMENT SAVED DATA FILE: ma12h2.esav
18.031 MB WRITTEN ON TRIANGULARIZED MATRIX FILE: ma12h2.tri
.031 MB WRITTEN ON SUBSTRUCTURE DOF SOLUTION FILE: ma12h2.dsub
3.063 MB WRITTEN ON RESULTS FILE: ma12h2.rth
Solve steady-state for initial conditions
with WP surface temperatures from repository
steady-state solution.

SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 7 TO 7 STEP 1

1 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALSO SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 8 TO 8 STEP 1

2 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

SELECT ALL NODES (INTERIOR TO LINE, AND AT KEYPOINTS)
RELATED TO SELECTED LINE SET.

113 NODES (OF 5764 DEFINED) SELECTED FROM
2 SELECTED LINES BY NSLL COMMAND.

DELETE SPECIFIED CONSTRAINT TEMP FOR SELECTED NODES
RANGE 1 TO 5764 BY 1

NUMBER OF SPECIFIED CONSTRAINTS DELETED= 113

ALL SELECT FOR ITEM=LINE COMPONENT=
IN RANGE 1 TO 490 STEP 1

488 LINES (OF 488 DEFINED) SELECTED BY LSEL COMMAND.

ALL SELECT FOR ITEM=NODE COMPONENT=
IN RANGE 1 TO 5764 STEP 1

5764 NODES (OF 5764 DEFINED) SELECTED BY NSEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.859 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.782 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.678 .00000E+00 EXPANSION KEY = 1

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

DO NOT INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

TIME= .20000E-05

USE AUTOMATIC TIME STEPPING THIS LOAD STEP

STEP BOUNDARY CONDITION KEY= 0

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
 CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** WARNING *** CP= 692.210 TIME= 20:31:44
 This load step will be a static (steady-state) step.

*** NOTE *** CP= 692.580 TIME= 20:31:45
 The step data was checked and warning messages were found.
 Please review output or errors file (ma12h2.err) for these warning
 messages.

*** NOTE *** CP= 692.590 TIME= 20:31:45
 Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
 procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:31:45 MAR 24, 1995 CP= 692.590
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 2
 TIME AT END OF THE LOAD STEP.20000E-05
 AUTOMATIC TIME STEPPING ON
 INITIAL NUMBER OF SUBSTEPS 0
 MAXIMUM NUMBER OF SUBSTEPS 0
 MINIMUM NUMBER OF SUBSTEPS 1
 MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. 25
 STEP CHANGE BOUNDARY CONDITIONS NO
 TRANSIENT (INERTIA) EFFECTS OFF
 TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
 CONVERGENCE CONTROLS.USE DEFAULTS
 PRINT OUTPUT CONTROLSNO PRINTOUT
 DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
 FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .1169E+05 CRITERION= 11.69
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 31.79
 HT FLOW CONVERGENCE VALUE= 17.23 CRITERION= .1155
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -8.967
 HT FLOW CONVERGENCE VALUE= 3.385 CRITERION= .1152

EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7235
HT FLOW CONVERGENCE VALUE= .1510 CRITERION= .1123
EQUIL ITER 4 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5281E-01
HT FLOW CONVERGENCE VALUE= .2041E-01 CRITERION= .1122 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 4
*** LOAD STEP 2 SUBSTEP 1 COMPLETED. CUM ITER = 9
*** TIME = .200000E-05 TIME INC = .100000E-05

Set time integration parameters

INCLUDE TRANSIENT EFFECTS FOR ALL DOFS THIS LOAD STEP

USE AUTOMATIC TIME STEPPING THIS LOAD STEP
Time substep ranges from 10 sec to 1/4 loadstep

USE 10 SUBSTEPS INITIALLY THIS LOAD STEP FOR ALL DOFS
FOR AUTOMATIC TIME STEPPING:

USE 40 SUBSTEPS AS A MAXIMUM
USE 4 SUBSTEPS AS A MINIMUM
USE THE FINAL TIME STEP SIZE OF THE PREVIOUS LOAD STEP
AS THE STARTING TIME STEP SIZE.
Begin Transient
Apply loads and solve for 0 to .9 years

*DO LOOP ON PARAMETER= TM FROM 31.558 TO .28402E+08 BY .31558E+07

TIME= 31.558

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3632.94445 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 57.859 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 57.782 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 57.678 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 888.080 TIME= 20:35:11
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution)

procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:35:11 MAR 24, 1995 CP= 888.080
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 3
 TIME AT END OF THE LOAD STEP. 31.558
 AUTOMATIC TIME STEPPING ON
 INITIAL NUMBER OF SUBSTEPS 10
 MAXIMUM NUMBER OF SUBSTEPS 40
 MINIMUM NUMBER OF SUBSTEPS 4
 START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
 MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
 STEP CHANGE BOUNDARY CONDITIONS NO
 TRANSIENT (INERTIA) EFFECTS
 THERMAL DOFS ON
 TRANSIENT INTEGRATION PARAMETERS
 THETA.50000
 OSCILLATION LIMIT CRITERION.50000
 TOLERANCE.20000
 TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
 CONVERGENCE CONTROLS.USE DEFAULTS
 PRINT OUTPUT CONTROLSNO PRINTOUT
 DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
 FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= .2041E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4212E-04
 HT FLOW CONVERGENCE VALUE= .1471E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 1 COMPLETED. CUM ITER = 10
 *** TIME = .788942 TIME INC = .788940
 *** RESPONSE EIGENVALUE = .4023 OSCILLATION LIMIT = .3174
 *** AUTO STEP TIME: NEXT TIME INC = .78894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .3746E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2170E-04
 HT FLOW CONVERGENCE VALUE= .2081E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 2 COMPLETED. CUM ITER = 11
 *** TIME = 1.57788 TIME INC = .788940
 *** RESPONSE EIGENVALUE = .1963 OSCILLATION LIMIT = .1549
 *** AUTO TIME STEP: NEXT TIME INC = 2.3668 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= .3340E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3378E-04
 HT FLOW CONVERGENCE VALUE= .5013E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 3 COMPLETED. CUM ITER = 12
 *** TIME = 3.94470 TIME INC = 2.36682
 *** RESPONSE EIGENVALUE = .9937E-01 OSCILLATION LIMIT = .2352
 *** AUTO TIME STEP: NEXT TIME INC = 5.0317 INCREASED (FACTOR = 2.1259)

HT FLOW CONVERGENCE VALUE= .2795E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4353E-04
 HT FLOW CONVERGENCE VALUE= .7284E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 4 COMPLETED. CUM ITER = 13
 *** TIME = 8.97640 TIME INC = 5.03170
 *** RESPONSE EIGENVALUE = .4074E-01 OSCILLATION LIMIT = .2050
 *** AUTO TIME STEP: NEXT TIME INC = 7.8894 INCREASED (FACTOR = 1.5679)

HT FLOW CONVERGENCE VALUE= .2502E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2661E-04
 HT FLOW CONVERGENCE VALUE= .7359E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 5 COMPLETED. CUM ITER = 14
 *** TIME = 16.8658 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .1426E-01 OSCILLATION LIMIT = .1125
 *** AUTO STEP TIME: NEXT TIME INC = 7.8894 UNCHANGED

HT FLOW CONVERGENCE VALUE= .2355E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1500E-04
 HT FLOW CONVERGENCE VALUE= .5480E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 6 COMPLETED. CUM ITER = 15
 *** TIME = 24.7552 TIME INC = 7.88940
 *** RESPONSE EIGENVALUE = .7766E-02 OSCILLATION LIMIT = .6127E-01
 *** AUTO TIME STEP: NEXT TIME INC = 6.8024 DECREASED (FACTOR = .8622)

HT FLOW CONVERGENCE VALUE= .2253E-01 CRITERION= .1122
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1123E-04
 HT FLOW CONVERGENCE VALUE= .4113E-05 CRITERION= .1122 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 3 SUBSTEP 7 COMPLETED. CUM ITER = 16
 *** TIME = 31.5576 TIME INC = 6.80240
 *** RESPONSE EIGENVALUE = .5675E-02 OSCILLATION LIMIT = .3861E-01

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 20:44:48 MAR 24, 1995 CP= 1371.740
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 230.0 CRITERION= .2559
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6592
 HT FLOW CONVERGENCE VALUE= .2785 CRITERION= .1113
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7046E-01
 HT FLOW CONVERGENCE VALUE= .3594E-01 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 1 COMPLETED. CUM ITER = 18
 *** TIME = 78925.6 TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .1634E-05 OSCILLATION LIMIT = .1289
 *** AUTO STEP TIME: NEXT TIME INC = 78894. UNCHANGED

HT FLOW CONVERGENCE VALUE= 230.3 CRITERION= .2556
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6605
 HT FLOW CONVERGENCE VALUE= .3164 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7604E-01
 HT FLOW CONVERGENCE VALUE= .3439E-01 CRITERION= .1119 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 4 SUBSTEP 2 COMPLETED. CUM ITER = 20
 *** TIME = 157820. TIME INC = 78894.0
 *** RESPONSE EIGENVALUE = .4863E-06 OSCILLATION LIMIT = .3837E-01
 *** AUTO TIME STEP: NEXT TIME INC = .23668E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 689.8 CRITERION= .6988
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.978
 HT FLOW CONVERGENCE VALUE= .9766 CRITERION= .1112
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3592
 HT FLOW CONVERGENCE VALUE= .1433 CRITERION= .1113
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2893E-01
 HT FLOW CONVERGENCE VALUE= .4971E-02 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 3 COMPLETED. CUM ITER = 23
 *** TIME = 394502. TIME INC = 236682.

*** RESPONSE EIGENVALUE = .1953E-06 OSCILLATION LIMIT = .4623E-01
 *** AUTO STEP TIME: NEXT TIME INC = .23668E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 690.1 CRITERION= .6988
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.978
 HT FLOW CONVERGENCE VALUE= .9874 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3609
 HT FLOW CONVERGENCE VALUE= .1426 CRITERION= .1119
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2867E-01
 HT FLOW CONVERGENCE VALUE= .4937E-02 CRITERION= .1118 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 4 COMPLETED. CUM ITER = 26
 *** TIME = 631184. TIME INC = 236682.
 *** RESPONSE EIGENVALUE = .2231E-06 OSCILLATION LIMIT = .5281E-01
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+06 INCREASED (FACTOR = 3.0000)

HT FLOW CONVERGENCE VALUE= 2069. CRITERION= 2.072
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 5.933
 HT FLOW CONVERGENCE VALUE= 2.976 CRITERION= .1114
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.316
 HT FLOW CONVERGENCE VALUE= .4955 CRITERION= .1115
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1139
 HT FLOW CONVERGENCE VALUE= .1749E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 5 COMPLETED. CUM ITER = 29
 *** TIME = .134123E+07 TIME INC = 710046.
 *** RESPONSE EIGENVALUE = .2038E-06 OSCILLATION LIMIT = .1447
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 2298. CRITERION= 2.301
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 6.592
 HT FLOW CONVERGENCE VALUE= 3.307 CRITERION= .1119
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.445
 HT FLOW CONVERGENCE VALUE= .5351 CRITERION= .1121
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1217
 HT FLOW CONVERGENCE VALUE= .1853E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 6 COMPLETED. CUM ITER = 32
 *** TIME = .213017E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2114E-06 OSCILLATION LIMIT = .1668
 *** AUTO TIME STEP: NEXT TIME INC = .51281E+06 DECREASED (FACTOR = .6500)

HT FLOW CONVERGENCE VALUE= 1493. CRITERION= 1.497
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 4.285
 HT FLOW CONVERGENCE VALUE= 2.132 CRITERION= .1111
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2686
 HT FLOW CONVERGENCE VALUE= .3207 CRITERION= .1113
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7026E-01
 HT FLOW CONVERGENCE VALUE= .1075E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 7 COMPLETED. CUM ITER = 35
 *** TIME = .264298E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .2052E-06 OSCILLATION LIMIT = .1052
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1493. CRITERION= 1.497
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 4.285
 HT FLOW CONVERGENCE VALUE= 2.134 CRITERION= .1117
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8554
 HT FLOW CONVERGENCE VALUE= .3133 CRITERION= .1119
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6797E-01
 HT FLOW CONVERGENCE VALUE= .1027E-01 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 4 SUBSTEP 8 COMPLETED. CUM ITER = 38
 *** TIME = .315579E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .2126E-06 OSCILLATION LIMIT = .1090

***** ANSYS SOLVE COMMAND *****

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:05:59 MAR 24, 1995 CP= 2511.020
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 432.8 CRITERION= .4470
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.248
 HT FLOW CONVERGENCE VALUE= .7040 CRITERION= .1119
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2730
 HT FLOW CONVERGENCE VALUE= .9016E-01 CRITERION= .1120 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 1 COMPLETED. CUM ITER = 40
 *** TIME = .366860E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .1365E-06 OSCILLATION LIMIT = .6998E-01
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 432.9 CRITERION= .4471
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.178
 HT FLOW CONVERGENCE VALUE= .5657 CRITERION= .1118
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2259
 HT FLOW CONVERGENCE VALUE= .9027E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 2 COMPLETED. CUM ITER = 42
 *** TIME = .418141E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .7225E-06 OSCILLATION LIMIT = .3705
 *** AUTO STEP TIME: NEXT TIME INC = .51281E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 432.7 CRITERION= .4469
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.180
 HT FLOW CONVERGENCE VALUE= .6548 CRITERION= .1117
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2540
 HT FLOW CONVERGENCE VALUE= .8872E-01 CRITERION= .1118 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 3 COMPLETED. CUM ITER = 44
 *** TIME = .469422E+07 TIME INC = 512811.
 *** RESPONSE EIGENVALUE = .1097E-06 OSCILLATION LIMIT = .5623E-01
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.5385)

HT FLOW CONVERGENCE VALUE= 665.8 CRITERION= .6751
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.813
 HT FLOW CONVERGENCE VALUE= .9238 CRITERION= .1117
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3828
 HT FLOW CONVERGENCE VALUE= .1420 CRITERION= .1117
 EQUIL ITER 3 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3172E-01
 HT FLOW CONVERGENCE VALUE= .4467E-02 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 3
 *** LOAD STEP 5 SUBSTEP 4 COMPLETED. CUM ITER = 47
 *** TIME = .548316E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2745E-06 OSCILLATION LIMIT = .2166
 *** AUTO TIME STEP: NEXT TIME INC = .41419E+06 DECREASED (FACTOR = .5250)

HT FLOW CONVERGENCE VALUE= 349.4 CRITERION= .3668
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9527
 HT FLOW CONVERGENCE VALUE= .5159 CRITERION= .1116
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1905
 HT FLOW CONVERGENCE VALUE= .6826E-01 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 5 SUBSTEP 5 COMPLETED. CUM ITER = 49
 *** TIME = .589736E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .2044E-06 OSCILLATION LIMIT = .8465E-01
 *** AUTO STEP TIME: NEXT TIME INC = .41419E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 349.5 CRITERION= .3669
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9517
 HT FLOW CONVERGENCE VALUE= .4818 CRITERION= .1116
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1802
 HT FLOW CONVERGENCE VALUE= .6768E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 5 SUBSTEP 6 COMPLETED. CUM ITER = 51
 *** TIME = .631155E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .2864E-06 OSCILLATION LIMIT = .1186

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:19:21 MAR 24, 1995 CP= 3224.350
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 230.8 CRITERION= .2564
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6291
 HT FLOW CONVERGENCE VALUE= .3438 CRITERION= .1116
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1267
 HT FLOW CONVERGENCE VALUE= .4433E-01 CRITERION= .1117 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 1 COMPLETED. CUM ITER = 53
 *** TIME = .672575E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .1207E-06 OSCILLATION LIMIT = .4999E-01
 *** AUTO STEP TIME: NEXT TIME INC = .41419E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 230.8 CRITERION= .2564
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6288
 HT FLOW CONVERGENCE VALUE= .3073 CRITERION= .1116
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1168
 HT FLOW CONVERGENCE VALUE= .4430E-01 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 2 COMPLETED. CUM ITER = 55
 *** TIME = .713994E+07 TIME INC = 414194.
 *** RESPONSE EIGENVALUE = .3347E-06 OSCILLATION LIMIT = .1386
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.9048)

HT FLOW CONVERGENCE VALUE= 439.5 CRITERION= .4535
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.198
 HT FLOW CONVERGENCE VALUE= .5973 CRITERION= .1115
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2566
 HT FLOW CONVERGENCE VALUE= .9098E-01 CRITERION= .1116 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 3 COMPLETED. CUM ITER = 57
 *** TIME = .792888E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2747E-06 OSCILLATION LIMIT = .2167
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 439.6 CRITERION= .4535
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.198
 HT FLOW CONVERGENCE VALUE= .5532 CRITERION= .1115
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2505
 HT FLOW CONVERGENCE VALUE= .8972E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 4 COMPLETED. CUM ITER = 59
 *** TIME = .871782E+07 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2602E-06 OSCILLATION LIMIT = .2053
 *** AUTO TIME STEP: NEXT TIME INC = .74949E+06 DECREASED (FACTOR = .9500)

HT FLOW CONVERGENCE VALUE= 417.5 CRITERION= .4321
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= 1.138
 HT FLOW CONVERGENCE VALUE= .5399 CRITERION= .1114
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2397
 HT FLOW CONVERGENCE VALUE= .8426E-01 CRITERION= .1114 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 6 SUBSTEP 5 COMPLETED. CUM ITER = 61
 *** TIME = .946731E+07 TIME INC = 749493.
 *** RESPONSE EIGENVALUE = .2487E-06 OSCILLATION LIMIT = .1864

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:30:07 MAR 24, 1995 CP= 3785.810
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 320.7 CRITERION= .3395
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8743
 HT FLOW CONVERGENCE VALUE= .4080 CRITERION= .1114
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1817
 HT FLOW CONVERGENCE VALUE= .6395E-01 CRITERION= .1115 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 1 COMPLETED. CUM ITER = 63
 *** TIME = .102168E+08 TIME INC = 749493.
 *** RESPONSE EIGENVALUE = .2082E-06 OSCILLATION LIMIT = .1560
 *** AUTO STEP TIME: NEXT TIME INC = .74949E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 320.6 CRITERION= .3394
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8743
 HT FLOW CONVERGENCE VALUE= .4077 CRITERION= .1113
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1802
 HT FLOW CONVERGENCE VALUE= .6391E-01 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 2 COMPLETED. CUM ITER = 65
 *** TIME = .109663E+08 TIME INC = 749493.
 *** RESPONSE EIGENVALUE = .3312E-06 OSCILLATION LIMIT = .2482
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.0526)

HT FLOW CONVERGENCE VALUE= 337.5 CRITERION= .3554
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .9204
 HT FLOW CONVERGENCE VALUE= .4284 CRITERION= .1113
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1907
 HT FLOW CONVERGENCE VALUE= .6679E-01 CRITERION= .1113 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 3 COMPLETED. CUM ITER = 67
 *** TIME = .117552E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2386E-06 OSCILLATION LIMIT = .1883
 *** AUTO TIME STEP: NEXT TIME INC = .43392E+06 DECREASED (FACTOR = .5500)

HT FLOW CONVERGENCE VALUE= 185.6 CRITERION= .2164
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5062
 HT FLOW CONVERGENCE VALUE= .2353 CRITERION= .1112
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9490E-01
 HT FLOW CONVERGENCE VALUE= .3427E-01 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 4 COMPLETED. CUM ITER = 69
 *** TIME = .121892E+08 TIME INC = 433917.
 *** RESPONSE EIGENVALUE = .2982E-06 OSCILLATION LIMIT = .1294
 *** AUTO STEP TIME: NEXT TIME INC = .43392E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 185.6 CRITERION= .2164
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5063
 HT FLOW CONVERGENCE VALUE= .2344 CRITERION= .1112
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9495E-01
 HT FLOW CONVERGENCE VALUE= .3400E-01 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 7 SUBSTEP 5 COMPLETED. CUM ITER = 71
 *** TIME = .126231E+08 TIME INC = 433917.
 *** RESPONSE EIGENVALUE = .2126E-06 OSCILLATION LIMIT = .9227E-01

***** ANSYS SOLVE COMMAND *****
 1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:40:55 MAR 24, 1995 CP= 4347.730
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 151.2 CRITERION= .1877
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4125
 HT FLOW CONVERGENCE VALUE= .1949 CRITERION= .1111
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7796E-01
 HT FLOW CONVERGENCE VALUE= .2776E-01 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 1 COMPLETED. CUM ITER = 73
 *** TIME = .130570E+08 TIME INC = 433917.
 *** RESPONSE EIGENVALUE = .3136E-06 OSCILLATION LIMIT = .1361
 *** AUTO STEP TIME: NEXT TIME INC = .43392E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 151.3 CRITERION= .1877
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4126
 HT FLOW CONVERGENCE VALUE= .1887 CRITERION= .1112
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7606E-01
 HT FLOW CONVERGENCE VALUE= .2752E-01 CRITERION= .1112 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 2 COMPLETED. CUM ITER = 75
 *** TIME = .134909E+08 TIME INC = 433917.
 *** RESPONSE EIGENVALUE = .2624E-06 OSCILLATION LIMIT = .1138
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.8182)

HT FLOW CONVERGENCE VALUE= 275.0 CRITERION= .2966
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7501
 HT FLOW CONVERGENCE VALUE= .3495 CRITERION= .1111
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1540
 HT FLOW CONVERGENCE VALUE= .5377E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 3 COMPLETED. CUM ITER = 77
 *** TIME = .142798E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3669E-06 OSCILLATION LIMIT = .2895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 275.2 CRITERION= .2967
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7501
 HT FLOW CONVERGENCE VALUE= .3444 CRITERION= .1112
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1527
 HT FLOW CONVERGENCE VALUE= .5322E-01 CRITERION= .1111 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 4 COMPLETED. CUM ITER = 79
 *** TIME = .150688E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2752E-06 OSCILLATION LIMIT = .2171
 *** AUTO TIME STEP: NEXT TIME INC = .71005E+06 DECREASED (FACTOR = .9000)

HT FLOW CONVERGENCE VALUE= 247.8 CRITERION= .2716
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6751
 HT FLOW CONVERGENCE VALUE= .3108 CRITERION= .1110
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1364
 HT FLOW CONVERGENCE VALUE= .4731E-01 CRITERION= .1109 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 8 SUBSTEP 5 COMPLETED. CUM ITER = 81
 *** TIME = .157788E+08 TIME INC = 710046.
 *** RESPONSE EIGENVALUE = .3316E-06 OSCILLATION LIMIT = .2355

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 21:51:49 MAR 24, 1995 CP= 4909.450
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 209.2 CRITERION= .2368
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5695
 HT FLOW CONVERGENCE VALUE= .2601 CRITERION= .1111
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1142

HT FLOW CONVERGENCE VALUE= .3953E-01 CRITERION= .1110 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 1 COMPLETED. CUM ITER = 83
 *** TIME = .164889E+08 TIME INC = 710046.
 *** RESPONSE EIGENVALUE = .2462E-06 OSCILLATION LIMIT = .1748
 *** AUTO STEP TIME: NEXT TIME INC = .71005E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 209.3 CRITERION= .2369
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5694
 HT FLOW CONVERGENCE VALUE= .2594 CRITERION= .1109
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1132
 HT FLOW CONVERGENCE VALUE= .3953E-01 CRITERION= .1108 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 2 COMPLETED. CUM ITER = 85
 *** TIME = .171989E+08 TIME INC = 710046.
 *** RESPONSE EIGENVALUE = .4111E-06 OSCILLATION LIMIT = .2919
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 232.9 CRITERION= .2579
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6328
 HT FLOW CONVERGENCE VALUE= .2883 CRITERION= .1110
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1276
 HT FLOW CONVERGENCE VALUE= .4394E-01 CRITERION= .1109 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 3 COMPLETED. CUM ITER = 87
 *** TIME = .179879E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2804E-06 OSCILLATION LIMIT = .2212
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+06 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 139.8 CRITERION= .1785
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3796
 HT FLOW CONVERGENCE VALUE= .1724 CRITERION= .1108
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7056E-01
 HT FLOW CONVERGENCE VALUE= .2485E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 4 COMPLETED. CUM ITER = 89
 *** TIME = .184612E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .3838E-06 OSCILLATION LIMIT = .1817
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 140.0 CRITERION= .1785
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3798
 HT FLOW CONVERGENCE VALUE= .1719 CRITERION= .1108
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7063E-01
 HT FLOW CONVERGENCE VALUE= .2466E-01 CRITERION= .1108 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 9 SUBSTEP 5 COMPLETED. CUM ITER = 91
 *** TIME = .189346E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .2497E-06 OSCILLATION LIMIT = .1182

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:02:44 MAR 24, 1995 CP= 5471.270
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 121.3 CRITERION= .1643
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3289
 HT FLOW CONVERGENCE VALUE= .1504 CRITERION= .1107
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6132E-01
 HT FLOW CONVERGENCE VALUE= .2144E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 10 SUBSTEP 1 COMPLETED. CUM ITER = 93
 *** TIME = .194080E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .4053E-06 OSCILLATION LIMIT = .1918
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 121.5 CRITERION= .1643
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3290
 HT FLOW CONVERGENCE VALUE= .1472 CRITERION= .1107
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6032E-01
 HT FLOW CONVERGENCE VALUE= .2125E-01 CRITERION= .1107 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 10 SUBSTEP 2 COMPLETED. CUM ITER = 95
 *** TIME = .198813E+08 TIME INC = 473364.
 *** RESPONSE EIGENVALUE = .2990E-06 OSCILLATION LIMIT = .1415
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 202.4 CRITERION= .2307
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5482
 HT FLOW CONVERGENCE VALUE= .2499 CRITERION= .1107
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1094
 HT FLOW CONVERGENCE VALUE= .3757E-01 CRITERION= .1106 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 10 SUBSTEP 3 COMPLETED. CUM ITER = 97
 *** TIME = .206703E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4307E-06 OSCILLATION LIMIT = .3398
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 202.7 CRITERION= .2309
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5482
 HT FLOW CONVERGENCE VALUE= .2471 CRITERION= .1107
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1085
 HT FLOW CONVERGENCE VALUE= .3715E-01 CRITERION= .1106 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 10 SUBSTEP 4 COMPLETED. CUM ITER = 99
 *** TIME = .214592E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3174E-06 OSCILLATION LIMIT = .2504
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+06 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 162.2 CRITERION= .1963
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4385
 HT FLOW CONVERGENCE VALUE= .1993 CRITERION= .1105
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8462E-01
 HT FLOW CONVERGENCE VALUE= .2903E-01 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 10 SUBSTEP 5 COMPLETED. CUM ITER = 101
 *** TIME = .220904E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .3907E-06 OSCILLATION LIMIT = .2466

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 22:13:48 MAR 24, 1995 CP= 6032.420
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 143.3 CRITERION= .1809
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3872
 HT FLOW CONVERGENCE VALUE= .1743 CRITERION= .1106
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7423E-01
 HT FLOW CONVERGENCE VALUE= .2542E-01 CRITERION= .1105 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 11 SUBSTEP 1 COMPLETED. CUM ITER = 103
 *** TIME = .227215E+08 TIME INC = 631152.
 *** RESPONSE EIGENVALUE = .2891E-06 OSCILLATION LIMIT = .1825
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 143.3 CRITERION= .1810
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3871
 HT FLOW CONVERGENCE VALUE= .1740 CRITERION= .1104
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7378E-01
 HT FLOW CONVERGENCE VALUE= .2545E-01 CRITERION= .1104 <<< CONVERGED

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 2 COMPLETED. CUM ITER = 105
*** TIME = .233527E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .4780E-06 OSCILLATION LIMIT = .3017
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 143.5 CRITERION= .1810
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3872
HT FLOW CONVERGENCE VALUE= .1737 CRITERION= .1105
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7387E-01
HT FLOW CONVERGENCE VALUE= .2524E-01 CRITERION= .1104 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 3 COMPLETED. CUM ITER = 107
*** TIME = .239838E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .3099E-06 OSCILLATION LIMIT = .1956
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 179.4 CRITERION= .2106
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4838
HT FLOW CONVERGENCE VALUE= .2183 CRITERION= .1103
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9478E-01
HT FLOW CONVERGENCE VALUE= .3222E-01 CRITERION= .1103 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 4 COMPLETED. CUM ITER = 109
*** TIME = .247727E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4617E-06 OSCILLATION LIMIT = .3642
*** AUTO TIME STEP: NEXT TIME INC = .47336E+06 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 107.8 CRITERION= .1542
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2904
HT FLOW CONVERGENCE VALUE= .1300 CRITERION= .1103
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5261E-01
HT FLOW CONVERGENCE VALUE= .1806E-01 CRITERION= .1103 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 11 SUBSTEP 5 COMPLETED. CUM ITER = 111
*** TIME = .252461E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .2590E-06 OSCILLATION LIMIT = .1226

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 22:24:50 MAR 24, 1995 CP= 6593.600
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

HT FLOW CONVERGENCE VALUE= 96.12 CRITERION= .1463
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2589
HT FLOW CONVERGENCE VALUE= .1172 CRITERION= .1102
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4707E-01
HT FLOW CONVERGENCE VALUE= .1618E-01 CRITERION= .1102 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 12 SUBSTEP 1 COMPLETED. CUM ITER = 113
*** TIME = .257195E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .4660E-06 OSCILLATION LIMIT = .2206
*** AUTO STEP TIME: NEXT TIME INC = .47336E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 96.23 CRITERION= .1463
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2590
HT FLOW CONVERGENCE VALUE= .1152 CRITERION= .1103
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4630E-01
HT FLOW CONVERGENCE VALUE= .1607E-01 CRITERION= .1102 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 12 SUBSTEP 2 COMPLETED. CUM ITER = 115
*** TIME = .261928E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .3517E-06 OSCILLATION LIMIT = .1665
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.6667)

```

HT FLOW CONVERGENCE VALUE= 160.3 CRITERION= .1946
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4315
HT FLOW CONVERGENCE VALUE= .1958 CRITERION= .1102
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8396E-01
HT FLOW CONVERGENCE VALUE= .2837E-01 CRITERION= .1101 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 12 SUBSTEP 3 COMPLETED. CUM ITER = 117
*** TIME = .269818E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4896E-06 OSCILLATION LIMIT = .3862
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 160.5 CRITERION= .1946
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4315
HT FLOW CONVERGENCE VALUE= .1945 CRITERION= .1102
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8336E-01
HT FLOW CONVERGENCE VALUE= .2811E-01 CRITERION= .1101 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 12 SUBSTEP 4 COMPLETED. CUM ITER = 119
*** TIME = .277707E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3700E-06 OSCILLATION LIMIT = .2919
*** AUTO TIME STEP: NEXT TIME INC = .63115E+06 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 128.5 CRITERION= .1692
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3452
HT FLOW CONVERGENCE VALUE= .1569 CRITERION= .1100
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6508E-01
HT FLOW CONVERGENCE VALUE= .2196E-01 CRITERION= .1100 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 12 SUBSTEP 5 COMPLETED. CUM ITER = 121
*** TIME = .284019E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .4502E-06 OSCILLATION LIMIT = .2841
Apply loads and solve for 1 to 9 years

*DO LOOP ON PARAMETER= TM FROM .31558E+08 TO .28402E+09 BY .31558E+08

TIME= .31558E+08

SELECT FOR ITEM=MAT COMPONENT=
IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
3551.72231 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
LOAD LABELS = TEMP
VALUES = 110.46 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 111.11 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP

VALUES = 112.60 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 7154.770 TIME= 22:36:09
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 22:36:09 MAR 24, 1995 CP= 7154.770
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 13
TIME AT END OF THE LOAD STEP.31558E+08
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 116.1 CRITERION= .1599
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3120
HT FLOW CONVERGENCE VALUE= .1409 CRITERION= .1101
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5838E-01
HT FLOW CONVERGENCE VALUE= .1971E-01 CRITERION= .1100 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 13 SUBSTEP 1 COMPLETED. CUM ITER = 123
*** TIME = .290330E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .3501E-06 OSCILLATION LIMIT = .2210
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 116.1 CRITERION= .1600
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3119
HT FLOW CONVERGENCE VALUE= .1410 CRITERION= .1099
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5810E-01
HT FLOW CONVERGENCE VALUE= .1974E-01 CRITERION= .1099 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 13 SUBSTEP 2 COMPLETED. CUM ITER = 125
*** TIME = .296642E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .5406E-06 OSCILLATION LIMIT = .3412
*** AUTO STEP TIME: NEXT TIME INC = .63115E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 116.3 CRITERION= .1599
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3120
HT FLOW CONVERGENCE VALUE= .1411 CRITERION= .1100
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5811E-01
HT FLOW CONVERGENCE VALUE= .1959E-01 CRITERION= .1099 <<< CONVERGED

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 13 SUBSTEP 3 COMPLETED. CUM ITER = 127
*** TIME = .302953E+08 TIME INC = 631152.
*** RESPONSE EIGENVALUE = .3682E-06 OSCILLATION LIMIT = .2324
*** AUTO TIME STEP: NEXT TIME INC = .78894E+06 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 145.3 CRITERION= .1822
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3899
HT FLOW CONVERGENCE VALUE= .1772 CRITERION= .1098
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7462E-01
HT FLOW CONVERGENCE VALUE= .2501E-01 CRITERION= .1098 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 13 SUBSTEP 4 COMPLETED. CUM ITER = 129
*** TIME = .310843E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5257E-06 OSCILLATION LIMIT = .4147
*** AUTO TIME STEP: NEXT TIME INC = .47336E+06 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 87.30 CRITERION= .1402
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2340
HT FLOW CONVERGENCE VALUE= .1056 CRITERION= .1098 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 13 SUBSTEP 5 COMPLETED. CUM ITER = 130
*** TIME = .315576E+08 TIME INC = 473364.
*** RESPONSE EIGENVALUE = .1023E-06 OSCILLATION LIMIT = .4843E-01
```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 22:47:01 MAR 24, 1995 CP= 7675.480
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 90.02 CRITERION= .1420
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
HT FLOW CONVERGENCE VALUE= .1046 CRITERION= .1098 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 1 COMPLETED. CUM ITER = 131
*** TIME = .323466E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4203E-06 OSCILLATION LIMIT = .3316
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.12 CRITERION= .1420
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
HT FLOW CONVERGENCE VALUE= .9664E-01 CRITERION= .1098 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 2 COMPLETED. CUM ITER = 132
*** TIME = .331355E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9295E-06 OSCILLATION LIMIT = .7334
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.09 CRITERION= .1420
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
HT FLOW CONVERGENCE VALUE= .1024 CRITERION= .1097 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 3 COMPLETED. CUM ITER = 133
*** TIME = .339245E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4432E-06 OSCILLATION LIMIT = .3497
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.19 CRITERION= .1420
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
HT FLOW CONVERGENCE VALUE= .9770E-01 CRITERION= .1097 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 14 SUBSTEP 4 COMPLETED. CUM ITER = 134
*** TIME = .347134E+08 TIME INC = 788940.
```

*** RESPONSE EIGENVALUE = .7380E-06 OSCILLATION LIMIT = .5823
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.16 CRITERION= .1420
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1015 CRITERION= .1096 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 5 COMPLETED. CUM ITER = 135
 *** TIME = .355023E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5414E-06 OSCILLATION LIMIT = .4271
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.26 CRITERION= .1419
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9836E-01 CRITERION= .1096 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 6 COMPLETED. CUM ITER = 136
 *** TIME = .362913E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6384E-06 OSCILLATION LIMIT = .5037
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.23 CRITERION= .1419
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1008 CRITERION= .1094 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 7 COMPLETED. CUM ITER = 137
 *** TIME = .370802E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6048E-06 OSCILLATION LIMIT = .4771
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.33 CRITERION= .1419
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9881E-01 CRITERION= .1095 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 8 COMPLETED. CUM ITER = 138
 *** TIME = .378692E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5838E-06 OSCILLATION LIMIT = .4606
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.30 CRITERION= .1419
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1006 CRITERION= .1093 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 9 COMPLETED. CUM ITER = 139
 *** TIME = .386581E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6433E-06 OSCILLATION LIMIT = .5075
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.40 CRITERION= .1419
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9918E-01 CRITERION= .1094 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 10 COMPLETED. CUM ITER = 140
 *** TIME = .394470E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5531E-06 OSCILLATION LIMIT = .4363
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.37 CRITERION= .1419
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1006 CRITERION= .1092 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 11 COMPLETED. CUM ITER = 141
 *** TIME = .402360E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6654E-06 OSCILLATION LIMIT = .5250
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.47 CRITERION= .1418
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9954E-01 CRITERION= .1093 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 12 COMPLETED. CUM ITER = 142
 *** TIME = .410249E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5359E-06 OSCILLATION LIMIT = .4228
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.44 CRITERION= .1418
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1006 CRITERION= .1091 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 13 COMPLETED. CUM ITER = 143
 *** TIME = .418139E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6775E-06 OSCILLATION LIMIT = .5345
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.54 CRITERION= .1418
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9977E-01 CRITERION= .1091 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 14 COMPLETED. CUM ITER = 144
 *** TIME = .426028E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5263E-06 OSCILLATION LIMIT = .4152
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.51 CRITERION= .1418
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1006 CRITERION= .1090 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 15 COMPLETED. CUM ITER = 145
 *** TIME = .433917E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6830E-06 OSCILLATION LIMIT = .5389
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.61 CRITERION= .1417
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9992E-01 CRITERION= .1090 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 16 COMPLETED. CUM ITER = 146
 *** TIME = .441807E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5211E-06 OSCILLATION LIMIT = .4111
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.58 CRITERION= .1418
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1005 CRITERION= .1089 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 17 COMPLETED. CUM ITER = 147
 *** TIME = .449696E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6846E-06 OSCILLATION LIMIT = .5401
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.68 CRITERION= .1417
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9984E-01 CRITERION= .1089 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 18 COMPLETED. CUM ITER = 148
 *** TIME = .457586E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5185E-06 OSCILLATION LIMIT = .4091
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.65 CRITERION= .1417
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1003 CRITERION= .1088 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 14 SUBSTEP 19 COMPLETED. CUM ITER = 149
 *** TIME = .465475E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6839E-06 OSCILLATION LIMIT = .5396
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.75 CRITERION= .1417
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411

HT FLOW CONVERGENCE VALUE= .9972E-01 CRITERION= .1088 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 20 COMPLETED. CUM ITER = 150
 *** TIME = .473364E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5173E-06 OSCILLATION LIMIT = .4081
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.72 CRITERION= .1417
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .1001 CRITERION= .1087 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 21 COMPLETED. CUM ITER = 151
 *** TIME = .481254E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6820E-06 OSCILLATION LIMIT = .5380
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.82 CRITERION= .1416
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9959E-01 CRITERION= .1087 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 22 COMPLETED. CUM ITER = 152
 *** TIME = .489143E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5170E-06 OSCILLATION LIMIT = .4079
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.79 CRITERION= .1417
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9997E-01 CRITERION= .1086 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 23 COMPLETED. CUM ITER = 153
 *** TIME = .497033E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6791E-06 OSCILLATION LIMIT = .5357
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.89 CRITERION= .1416
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9947E-01 CRITERION= .1086 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 24 COMPLETED. CUM ITER = 154
 *** TIME = .504922E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5172E-06 OSCILLATION LIMIT = .4081
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.86 CRITERION= .1416
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9982E-01 CRITERION= .1085 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 25 COMPLETED. CUM ITER = 155
 *** TIME = .512811E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6760E-06 OSCILLATION LIMIT = .5333
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.96 CRITERION= .1416
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9937E-01 CRITERION= .1085 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 26 COMPLETED. CUM ITER = 156
 *** TIME = .520701E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5180E-06 OSCILLATION LIMIT = .4087
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 90.93 CRITERION= .1416
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9967E-01 CRITERION= .1084 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 27 COMPLETED. CUM ITER = 157
 *** TIME = .528590E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6731E-06 OSCILLATION LIMIT = .5310
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.03 CRITERION= .1415
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9923E-01 CRITERION= .1084 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 28 COMPLETED. CUM ITER = 158
 *** TIME = .536480E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5188E-06 OSCILLATION LIMIT = .4093
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.00 CRITERION= .1415
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9948E-01 CRITERION= .1083 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 29 COMPLETED. CUM ITER = 159
 *** TIME = .544369E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6698E-06 OSCILLATION LIMIT = .5284
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.10 CRITERION= .1415
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9890E-01 CRITERION= .1083 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 30 COMPLETED. CUM ITER = 160
 *** TIME = .552258E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5196E-06 OSCILLATION LIMIT = .4099
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.08 CRITERION= .1415
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9892E-01 CRITERION= .1082 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 31 COMPLETED. CUM ITER = 161
 *** TIME = .560148E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6665E-06 OSCILLATION LIMIT = .5258
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.17 CRITERION= .1415
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9826E-01 CRITERION= .1082 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 32 COMPLETED. CUM ITER = 162
 *** TIME = .568037E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5204E-06 OSCILLATION LIMIT = .4106
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.15 CRITERION= .1415
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9816E-01 CRITERION= .1081 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 33 COMPLETED. CUM ITER = 163
 *** TIME = .575927E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6633E-06 OSCILLATION LIMIT = .5233
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.24 CRITERION= .1414
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9723E-01 CRITERION= .1081 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 34 COMPLETED. CUM ITER = 164
 *** TIME = .583816E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5215E-06 OSCILLATION LIMIT = .4114
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.22 CRITERION= .1414
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9659E-01 CRITERION= .1080 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 35 COMPLETED. CUM ITER = 165
 *** TIME = .591705E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6604E-06 OSCILLATION LIMIT = .5210

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.31 CRITERION= .1414
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9588E-01 CRITERION= .1080 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 36 COMPLETED. CUM ITER = 166
 *** TIME = .599595E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5226E-06 OSCILLATION LIMIT = .4123
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.29 CRITERION= .1414
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9534E-01 CRITERION= .1079 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 37 COMPLETED. CUM ITER = 167
 *** TIME = .607484E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6577E-06 OSCILLATION LIMIT = .5189
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.38 CRITERION= .1414
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9390E-01 CRITERION= .1079 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 38 COMPLETED. CUM ITER = 168
 *** TIME = .615374E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5238E-06 OSCILLATION LIMIT = .4133
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.36 CRITERION= .1414
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9352E-01 CRITERION= .1078 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 39 COMPLETED. CUM ITER = 169
 *** TIME = .623263E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6554E-06 OSCILLATION LIMIT = .5171
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 91.46 CRITERION= .1413
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2411
 HT FLOW CONVERGENCE VALUE= .9292E-01 CRITERION= .1078 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 14 SUBSTEP 40 COMPLETED. CUM ITER = 170
 *** TIME = .631152E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5253E-06 OSCILLATION LIMIT = .4144

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 23:45:01 MAR 24, 1995 CP= 10494.860
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 48.00 CRITERION= .1180
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4566E-01 CRITERION= .1077 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 1 COMPLETED. CUM ITER = 171
 *** TIME = .639042E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1879E-05 OSCILLATION LIMIT = 1.483
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.07 CRITERION= .1179
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4550E-01 CRITERION= .1076 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 2 COMPLETED. CUM ITER = 172

```

*** TIME = .646931E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1724E-05    OSCILLATION LIMIT = 1.360
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.02    CRITERION= .1179
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
    HT FLOW CONVERGENCE VALUE= .4788E-01    CRITERION= .1075    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 3 COMPLETED. CUM ITER = 173
*** TIME = .654821E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1033E-05    OSCILLATION LIMIT = .8147
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.09    CRITERION= .1178
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
    HT FLOW CONVERGENCE VALUE= .4587E-01    CRITERION= .1075    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 4 COMPLETED. CUM ITER = 174
*** TIME = .662710E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1567E-05    OSCILLATION LIMIT = 1.236
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.04    CRITERION= .1178
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
    HT FLOW CONVERGENCE VALUE= .4737E-01    CRITERION= .1074    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 5 COMPLETED. CUM ITER = 175
*** TIME = .670599E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1214E-05    OSCILLATION LIMIT = .9574
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.11    CRITERION= .1177
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
    HT FLOW CONVERGENCE VALUE= .4607E-01    CRITERION= .1074    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 6 COMPLETED. CUM ITER = 176
*** TIME = .678489E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1388E-05    OSCILLATION LIMIT = 1.095
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.06    CRITERION= .1177
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
    HT FLOW CONVERGENCE VALUE= .4705E-01    CRITERION= .1073    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 7 COMPLETED. CUM ITER = 177
*** TIME = .686378E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1332E-05    OSCILLATION LIMIT = 1.051
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.13    CRITERION= .1176
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
    HT FLOW CONVERGENCE VALUE= .4620E-01    CRITERION= .1073    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 8 COMPLETED. CUM ITER = 178
*** TIME = .694268E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1288E-05    OSCILLATION LIMIT = 1.016
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.08    CRITERION= .1176
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
    HT FLOW CONVERGENCE VALUE= .4683E-01    CRITERION= .1072    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 9 COMPLETED. CUM ITER = 179
*** TIME = .702157E+08    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1405E-05    OSCILLATION LIMIT = 1.109
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 48.15    CRITERION= .1175
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
    HT FLOW CONVERGENCE VALUE= .4625E-01    CRITERION= .1072    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 10 COMPLETED. CUM ITER = 180
*** TIME = .710046E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1230E-05 OSCILLATION LIMIT = .9704
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.10 CRITERION= .1175
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .4668E-01 CRITERION= .1071 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 11 COMPLETED. CUM ITER = 181
*** TIME = .717936E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1448E-05 OSCILLATION LIMIT = 1.142
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.16 CRITERION= .1174
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .4627E-01 CRITERION= .1071 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 12 COMPLETED. CUM ITER = 182
*** TIME = .725825E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1197E-05 OSCILLATION LIMIT = .9443
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.12 CRITERION= .1174
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .4656E-01 CRITERION= .1070 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 13 COMPLETED. CUM ITER = 183
*** TIME = .733715E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1472E-05 OSCILLATION LIMIT = 1.161
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.18 CRITERION= .1173
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .4626E-01 CRITERION= .1070 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 14 COMPLETED. CUM ITER = 184
*** TIME = .741604E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1178E-05 OSCILLATION LIMIT = .9296
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.14 CRITERION= .1173
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .4646E-01 CRITERION= .1069 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 15 COMPLETED. CUM ITER = 185
*** TIME = .749493E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1484E-05 OSCILLATION LIMIT = 1.170
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.20 CRITERION= .1173
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .4622E-01 CRITERION= .1069 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 16 COMPLETED. CUM ITER = 186
*** TIME = .757383E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1168E-05 OSCILLATION LIMIT = .9216
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.16 CRITERION= .1173
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
HT FLOW CONVERGENCE VALUE= .4636E-01 CRITERION= .1068 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 15 SUBSTEP 17 COMPLETED. CUM ITER = 187
*** TIME = .765272E+08 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1488E-05 OSCILLATION LIMIT = 1.174
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.22 CRITERION= .1172

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4618E-01 CRITERION= .1068 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 18 COMPLETED. CUM ITER = 188
 *** TIME = .773162E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1163E-05 OSCILLATION LIMIT = .9176
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.18 CRITERION= .1172
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4628E-01 CRITERION= .1067 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 19 COMPLETED. CUM ITER = 189
 *** TIME = .781051E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1488E-05 OSCILLATION LIMIT = 1.174
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.24 CRITERION= .1171
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4614E-01 CRITERION= .1067 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 20 COMPLETED. CUM ITER = 190
 *** TIME = .788940E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1161E-05 OSCILLATION LIMIT = .9160
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.20 CRITERION= .1171
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4621E-01 CRITERION= .1066 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 21 COMPLETED. CUM ITER = 191
 *** TIME = .796830E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1485E-05 OSCILLATION LIMIT = 1.172
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.26 CRITERION= .1170
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4609E-01 CRITERION= .1066 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 22 COMPLETED. CUM ITER = 192
 *** TIME = .804719E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1161E-05 OSCILLATION LIMIT = .9157
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.22 CRITERION= .1170
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4614E-01 CRITERION= .1065 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 23 COMPLETED. CUM ITER = 193
 *** TIME = .812609E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1481E-05 OSCILLATION LIMIT = 1.169
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.28 CRITERION= .1169
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4603E-01 CRITERION= .1065 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 24 COMPLETED. CUM ITER = 194
 *** TIME = .820498E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1161E-05 OSCILLATION LIMIT = .9162
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.23 CRITERION= .1169
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4607E-01 CRITERION= .1064 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 25 COMPLETED. CUM ITER = 195
 *** TIME = .828387E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1476E-05 OSCILLATION LIMIT = 1.165
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.30 CRITERION= .1168
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4598E-01 CRITERION= .1064 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 26 COMPLETED. CUM ITER = 196
 *** TIME = .836277E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1163E-05 OSCILLATION LIMIT = .9171
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.25 CRITERION= .1168
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4601E-01 CRITERION= .1063 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 27 COMPLETED. CUM ITER = 197
 *** TIME = .844166E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1471E-05 OSCILLATION LIMIT = 1.160
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.32 CRITERION= .1167
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4593E-01 CRITERION= .1063 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 28 COMPLETED. CUM ITER = 198
 *** TIME = .852056E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1164E-05 OSCILLATION LIMIT = .9184
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.27 CRITERION= .1167
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4594E-01 CRITERION= .1062 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 29 COMPLETED. CUM ITER = 199
 *** TIME = .859945E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1465E-05 OSCILLATION LIMIT = 1.156
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.34 CRITERION= .1166
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4588E-01 CRITERION= .1062 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 30 COMPLETED. CUM ITER = 200
 *** TIME = .867834E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1166E-05 OSCILLATION LIMIT = .9198
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.29 CRITERION= .1166
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4588E-01 CRITERION= .1061 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 31 COMPLETED. CUM ITER = 201
 *** TIME = .875724E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1459E-05 OSCILLATION LIMIT = 1.151
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.36 CRITERION= .1166
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4582E-01 CRITERION= .1061 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 32 COMPLETED. CUM ITER = 202
 *** TIME = .883613E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1167E-05 OSCILLATION LIMIT = .9211
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.31 CRITERION= .1165
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4581E-01 CRITERION= .1060 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 33 COMPLETED. CUM ITER = 203
 *** TIME = .891503E+08 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1454E-05 OSCILLATION LIMIT = 1.147
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.38 CRITERION= .1165
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4576E-01 CRITERION= .1060 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 34 COMPLETED. CUM ITER = 204
 *** TIME = .899392E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1169E-05 OSCILLATION LIMIT = .9224
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.33 CRITERION= .1165
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4574E-01 CRITERION= .1058 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 35 COMPLETED. CUM ITER = 205
 *** TIME = .907281E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1448E-05 OSCILLATION LIMIT = 1.143
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.40 CRITERION= .1164
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4570E-01 CRITERION= .1059 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 36 COMPLETED. CUM ITER = 206
 *** TIME = .915171E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1171E-05 OSCILLATION LIMIT = .9236
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.35 CRITERION= .1164
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4567E-01 CRITERION= .1057 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 37 COMPLETED. CUM ITER = 207
 *** TIME = .923060E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1443E-05 OSCILLATION LIMIT = 1.138
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.42 CRITERION= .1163
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4564E-01 CRITERION= .1057 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 38 COMPLETED. CUM ITER = 208
 *** TIME = .930950E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1172E-05 OSCILLATION LIMIT = .9248
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.37 CRITERION= .1163
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4562E-01 CRITERION= .1056 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 39 COMPLETED. CUM ITER = 209
 *** TIME = .938839E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1437E-05 OSCILLATION LIMIT = 1.134
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 48.44 CRITERION= .1162
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1270
 HT FLOW CONVERGENCE VALUE= .4559E-01 CRITERION= .1056 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 15 SUBSTEP 40 COMPLETED. CUM ITER = 210
 *** TIME = .946728E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1174E-05 OSCILLATION LIMIT = .9259

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 00:43:17 MAR 25, 1995 CP= 13313.110

FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 31.89 CRITERION= .1103
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2883E-01 CRITERION= .1055 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 1 COMPLETED. CUM ITER = 211
 *** TIME = .954618E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2679E-05 OSCILLATION LIMIT = 2.114
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.95 CRITERION= .1103
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2885E-01 CRITERION= .1055 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 2 COMPLETED. CUM ITER = 212
 *** TIME = .962507E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2313E-05 OSCILLATION LIMIT = 1.825
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.90 CRITERION= .1103
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2949E-01 CRITERION= .1054 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 3 COMPLETED. CUM ITER = 213
 *** TIME = .970397E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2059E-05 OSCILLATION LIMIT = 1.624
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.96 CRITERION= .1102
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2895E-01 CRITERION= .1054 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 4 COMPLETED. CUM ITER = 214
 *** TIME = .978286E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2215E-05 OSCILLATION LIMIT = 1.747
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.91 CRITERION= .1102
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2933E-01 CRITERION= .1053 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 5 COMPLETED. CUM ITER = 215
 *** TIME = .986175E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2199E-05 OSCILLATION LIMIT = 1.735
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.96 CRITERION= .1101
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2900E-01 CRITERION= .1053 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 6 COMPLETED. CUM ITER = 216
 *** TIME = .994065E+08 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2098E-05 OSCILLATION LIMIT = 1.655
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.92 CRITERION= .1101
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2922E-01 CRITERION= .1052 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 7 COMPLETED. CUM ITER = 217
 *** TIME = .100195E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2286E-05 OSCILLATION LIMIT = 1.804
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.97 CRITERION= .1100
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01

HT FLOW CONVERGENCE VALUE= .2901E-01 CRITERION= .1053 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 8 COMPLETED. CUM ITER = 218
 *** TIME = .100984E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2030E-05 OSCILLATION LIMIT = 1.601
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.92 CRITERION= .1100
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2914E-01 CRITERION= .1052 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 9 COMPLETED. CUM ITER = 219
 *** TIME = .101773E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2337E-05 OSCILLATION LIMIT = 1.844
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.98 CRITERION= .1099
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2902E-01 CRITERION= .1052 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 10 COMPLETED. CUM ITER = 220
 *** TIME = .102562E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1990E-05 OSCILLATION LIMIT = 1.570
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.93 CRITERION= .1099
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2908E-01 CRITERION= .1051 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 11 COMPLETED. CUM ITER = 221
 *** TIME = .103351E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2366E-05 OSCILLATION LIMIT = 1.866
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.99 CRITERION= .1098
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2900E-01 CRITERION= .1051 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 12 COMPLETED. CUM ITER = 222
 *** TIME = .104140E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1967E-05 OSCILLATION LIMIT = 1.552
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.94 CRITERION= .1098
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2902E-01 CRITERION= .1050 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 13 COMPLETED. CUM ITER = 223
 *** TIME = .104929E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2380E-05 OSCILLATION LIMIT = 1.878
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.00 CRITERION= .1097
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2898E-01 CRITERION= .1050 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 14 COMPLETED. CUM ITER = 224
 *** TIME = .105718E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1955E-05 OSCILLATION LIMIT = 1.542
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.95 CRITERION= .1097
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2898E-01 CRITERION= .1049 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 15 COMPLETED. CUM ITER = 225
 *** TIME = .106507E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2386E-05 OSCILLATION LIMIT = 1.882
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.01 CRITERION= .1096
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .2896E-01 CRITERION= .1049 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 16 COMPLETED. CUM ITER = 226
*** TIME = .107296E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1949E-05 OSCILLATION LIMIT = 1.537
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.96 CRITERION= .1096
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .2894E-01 CRITERION= .1048 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 17 COMPLETED. CUM ITER = 227
*** TIME = .108085E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2386E-05 OSCILLATION LIMIT = 1.883
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.02 CRITERION= .1095
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .2893E-01 CRITERION= .1048 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 18 COMPLETED. CUM ITER = 228
*** TIME = .108874E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1946E-05 OSCILLATION LIMIT = 1.535
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.97 CRITERION= .1095
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .2890E-01 CRITERION= .1047 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 19 COMPLETED. CUM ITER = 229
*** TIME = .109663E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2384E-05 OSCILLATION LIMIT = 1.881
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.02 CRITERION= .1095
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .2890E-01 CRITERION= .1047 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 20 COMPLETED. CUM ITER = 230
*** TIME = .110452E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1946E-05 OSCILLATION LIMIT = 1.535
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.98 CRITERION= .1095
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .2885E-01 CRITERION= .1046 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 21 COMPLETED. CUM ITER = 231
*** TIME = .111241E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2379E-05 OSCILLATION LIMIT = 1.877
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.03 CRITERION= .1094
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .2887E-01 CRITERION= .1046 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 22 COMPLETED. CUM ITER = 232
*** TIME = .112030E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1947E-05 OSCILLATION LIMIT = 1.536
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.98 CRITERION= .1094
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .2882E-01 CRITERION= .1045 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 23 COMPLETED. CUM ITER = 233
*** TIME = .112818E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2373E-05 OSCILLATION LIMIT = 1.872

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.04 CRITERION= .1093
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2884E-01 CRITERION= .1045 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 24 COMPLETED. CUM ITER = 234
 *** TIME = .113607E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1948E-05 OSCILLATION LIMIT = 1.537
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 31.99 CRITERION= .1093
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2878E-01 CRITERION= .1044 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 25 COMPLETED. CUM ITER = 235
 *** TIME = .114396E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2367E-05 OSCILLATION LIMIT = 1.868
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.05 CRITERION= .1092
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2881E-01 CRITERION= .1044 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 26 COMPLETED. CUM ITER = 236
 *** TIME = .115185E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1950E-05 OSCILLATION LIMIT = 1.538
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.00 CRITERION= .1092
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2874E-01 CRITERION= .1043 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 27 COMPLETED. CUM ITER = 237
 *** TIME = .115974E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2361E-05 OSCILLATION LIMIT = 1.862
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.06 CRITERION= .1091
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2877E-01 CRITERION= .1043 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 28 COMPLETED. CUM ITER = 238
 *** TIME = .116763E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1952E-05 OSCILLATION LIMIT = 1.540
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.01 CRITERION= .1091
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2870E-01 CRITERION= .1042 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 29 COMPLETED. CUM ITER = 239
 *** TIME = .117552E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .2354E-05 OSCILLATION LIMIT = 1.857
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.07 CRITERION= .1090
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2873E-01 CRITERION= .1042 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 30 COMPLETED. CUM ITER = 240
 *** TIME = .118341E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1954E-05 OSCILLATION LIMIT = 1.542
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.02 CRITERION= .1090
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
 HT FLOW CONVERGENCE VALUE= .2866E-01 CRITERION= .1041 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 16 SUBSTEP 31 COMPLETED. CUM ITER = 241

```

*** TIME = .119130E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2347E-05    OSCILLATION LIMIT = 1.852
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.07    CRITERION= .1089
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .2870E-01    CRITERION= .1041    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 32 COMPLETED. CUM ITER = 242
*** TIME = .119919E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1956E-05    OSCILLATION LIMIT = 1.544
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.03    CRITERION= .1089
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .2863E-01    CRITERION= .1040    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 33 COMPLETED. CUM ITER = 243
*** TIME = .120708E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2341E-05    OSCILLATION LIMIT = 1.847
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.08    CRITERION= .1088
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .2867E-01    CRITERION= .1040    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 34 COMPLETED. CUM ITER = 244
*** TIME = .121497E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1958E-05    OSCILLATION LIMIT = 1.545
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.03    CRITERION= .1088
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .2860E-01    CRITERION= .1039    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 35 COMPLETED. CUM ITER = 245
*** TIME = .122286E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2334E-05    OSCILLATION LIMIT = 1.842
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.09    CRITERION= .1087
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .2864E-01    CRITERION= .1039    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 36 COMPLETED. CUM ITER = 246
*** TIME = .123075E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1960E-05    OSCILLATION LIMIT = 1.547
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.04    CRITERION= .1087
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .2856E-01    CRITERION= .1038    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 37 COMPLETED. CUM ITER = 247
*** TIME = .123864E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2328E-05    OSCILLATION LIMIT = 1.837
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.10    CRITERION= .1087
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .2861E-01    CRITERION= .1038    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 38 COMPLETED. CUM ITER = 248
*** TIME = .124653E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1962E-05    OSCILLATION LIMIT = 1.548
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 32.05    CRITERION= .1087
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
    HT FLOW CONVERGENCE VALUE= .2853E-01    CRITERION= .1037    <<< CONVERGED

```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 39 COMPLETED. CUM ITER = 249
*** TIME = .125441E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .2322E-05 OSCILLATION LIMIT = 1.832
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 32.11 CRITERION= .1086
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8380E-01
HT FLOW CONVERGENCE VALUE= .2858E-01 CRITERION= .1037 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 16 SUBSTEP 40 COMPLETED. CUM ITER = 250
*** TIME = .126230E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1964E-05 OSCILLATION LIMIT = 1.549
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 01:41:24 MAR 25, 1995 CP= 16138.200
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 23.45 CRITERION= .1063
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .2009E-01 CRITERION= .1036 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 1 COMPLETED. CUM ITER = 251
*** TIME = .127019E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .4296E-05 OSCILLATION LIMIT = 3.389
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 23.50 CRITERION= .1063
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .2015E-01 CRITERION= .1036 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 2 COMPLETED. CUM ITER = 252
*** TIME = .127808E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3859E-05 OSCILLATION LIMIT = 3.044
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 23.45 CRITERION= .1062
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .2031E-01 CRITERION= .1035 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 3 COMPLETED. CUM ITER = 253
*** TIME = .128597E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3691E-05 OSCILLATION LIMIT = 2.912
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .1062
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .2017E-01 CRITERION= .1035 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 4 COMPLETED. CUM ITER = 254
*** TIME = .129386E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3748E-05 OSCILLATION LIMIT = 2.957
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 23.46 CRITERION= .1062
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .2024E-01 CRITERION= .1034 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 5 COMPLETED. CUM ITER = 255
*** TIME = .130175E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3840E-05 OSCILLATION LIMIT = 3.030
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED
```

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .1061

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2018E-01 CRITERION= .1034 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 6 COMPLETED. CUM ITER = 256
 *** TIME = .130964E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3629E-05 OSCILLATION LIMIT = 2.863
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.46 CRITERION= .1061
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2019E-01 CRITERION= .1033 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 7 COMPLETED. CUM ITER = 257
 *** TIME = .131753E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3931E-05 OSCILLATION LIMIT = 3.101
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .1060
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2018E-01 CRITERION= .1033 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 8 COMPLETED. CUM ITER = 258
 *** TIME = .132542E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3558E-05 OSCILLATION LIMIT = 2.807
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.47 CRITERION= .1060
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2015E-01 CRITERION= .1032 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 9 COMPLETED. CUM ITER = 259
 *** TIME = .133331E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3983E-05 OSCILLATION LIMIT = 3.143
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .1059
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2017E-01 CRITERION= .1032 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 10 COMPLETED. CUM ITER = 260
 *** TIME = .134120E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3516E-05 OSCILLATION LIMIT = 2.774
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.47 CRITERION= .1059
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2011E-01 CRITERION= .1031 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 11 COMPLETED. CUM ITER = 261
 *** TIME = .134909E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4013E-05 OSCILLATION LIMIT = 3.166
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .1058
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2016E-01 CRITERION= .1031 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 12 COMPLETED. CUM ITER = 262
 *** TIME = .135698E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3492E-05 OSCILLATION LIMIT = 2.755
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.48 CRITERION= .1058
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2008E-01 CRITERION= .1030 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 13 COMPLETED. CUM ITER = 263
 *** TIME = .136487E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4027E-05 OSCILLATION LIMIT = 3.177
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .1057
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2014E-01 CRITERION= .1031 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 14 COMPLETED. CUM ITER = 264
 *** TIME = .137276E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3478E-05 OSCILLATION LIMIT = 2.744
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.48 CRITERION= .1057
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2006E-01 CRITERION= .1030 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 15 COMPLETED. CUM ITER = 265
 *** TIME = .138065E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4033E-05 OSCILLATION LIMIT = 3.182
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .1056
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2012E-01 CRITERION= .1030 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 16 COMPLETED. CUM ITER = 266
 *** TIME = .138853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3471E-05 OSCILLATION LIMIT = 2.739
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.49 CRITERION= .1056
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2003E-01 CRITERION= .1029 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 17 COMPLETED. CUM ITER = 267
 *** TIME = .139642E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4033E-05 OSCILLATION LIMIT = 3.182
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.54 CRITERION= .1055
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2010E-01 CRITERION= .1029 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 18 COMPLETED. CUM ITER = 268
 *** TIME = .140431E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3468E-05 OSCILLATION LIMIT = 2.736
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.49 CRITERION= .1055
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2001E-01 CRITERION= .1028 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 19 COMPLETED. CUM ITER = 269
 *** TIME = .141220E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4030E-05 OSCILLATION LIMIT = 3.179
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.54 CRITERION= .1054
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2008E-01 CRITERION= .1028 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 20 COMPLETED. CUM ITER = 270
 *** TIME = .142009E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3467E-05 OSCILLATION LIMIT = 2.736
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.49 CRITERION= .1054
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .1998E-01 CRITERION= .1027 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 21 COMPLETED. CUM ITER = 271
 *** TIME = .142798E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .4024E-05 OSCILLATION LIMIT = 3.175
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .1053
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2006E-01 CRITERION= .1027 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 22 COMPLETED. CUM ITER = 272
 *** TIME = .143587E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3468E-05 OSCILLATION LIMIT = 2.736
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.50 CRITERION= .1053
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .1996E-01 CRITERION= .1026 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 23 COMPLETED. CUM ITER = 273
 *** TIME = .144376E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4018E-05 OSCILLATION LIMIT = 3.170
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.55 CRITERION= .1052
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2004E-01 CRITERION= .1026 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 24 COMPLETED. CUM ITER = 274
 *** TIME = .145165E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3470E-05 OSCILLATION LIMIT = 2.737
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.50 CRITERION= .1052
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .1993E-01 CRITERION= .1025 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 25 COMPLETED. CUM ITER = 275
 *** TIME = .145954E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4011E-05 OSCILLATION LIMIT = 3.164
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .1051
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2002E-01 CRITERION= .1025 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 26 COMPLETED. CUM ITER = 276
 *** TIME = .146743E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3472E-05 OSCILLATION LIMIT = 2.739
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .1051
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .1991E-01 CRITERION= .1024 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 27 COMPLETED. CUM ITER = 277
 *** TIME = .147532E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .4003E-05 OSCILLATION LIMIT = 3.158
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.56 CRITERION= .1051
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .2000E-01 CRITERION= .1024 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 28 COMPLETED. CUM ITER = 278
 *** TIME = .148321E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3474E-05 OSCILLATION LIMIT = 2.740
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.51 CRITERION= .1050
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .1989E-01 CRITERION= .1023 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 17 SUBSTEP 29 COMPLETED. CUM ITER = 279
*** TIME = .149110E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3996E-05 OSCILLATION LIMIT = 3.153
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.57 CRITERION= .1050
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .1997E-01 CRITERION= .1023 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 30 COMPLETED. CUM ITER = 280
*** TIME = .149899E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3476E-05 OSCILLATION LIMIT = 2.742
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .1050
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .1987E-01 CRITERION= .1022 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 31 COMPLETED. CUM ITER = 281
*** TIME = .150688E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3988E-05 OSCILLATION LIMIT = 3.147
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.57 CRITERION= .1049
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .1995E-01 CRITERION= .1022 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 32 COMPLETED. CUM ITER = 282
*** TIME = .151477E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3478E-05 OSCILLATION LIMIT = 2.744
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.52 CRITERION= .1049
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .1985E-01 CRITERION= .1021 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 33 COMPLETED. CUM ITER = 283
*** TIME = .152265E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3981E-05 OSCILLATION LIMIT = 3.141
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.57 CRITERION= .1048
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .1993E-01 CRITERION= .1021 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 34 COMPLETED. CUM ITER = 284
*** TIME = .153054E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3480E-05 OSCILLATION LIMIT = 2.745
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .1048
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .1983E-01 CRITERION= .1020 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 35 COMPLETED. CUM ITER = 285
*** TIME = .153843E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3973E-05 OSCILLATION LIMIT = 3.135
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.58 CRITERION= .1047
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
HT FLOW CONVERGENCE VALUE= .1991E-01 CRITERION= .1020 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 17 SUBSTEP 36 COMPLETED. CUM ITER = 286
*** TIME = .154632E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .3482E-05 OSCILLATION LIMIT = 2.747
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.53 CRITERION= .1047
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01

```

HT FLOW CONVERGENCE VALUE= .1980E-01 CRITERION= .1019 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 37 COMPLETED. CUM ITER = 287
 *** TIME = .155421E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3966E-05 OSCILLATION LIMIT = 3.129
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.58 CRITERION= .1046
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .1989E-01 CRITERION= .1019 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 38 COMPLETED. CUM ITER = 288
 *** TIME = .156210E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3484E-05 OSCILLATION LIMIT = 2.748
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.54 CRITERION= .1046
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .1978E-01 CRITERION= .1018 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 39 COMPLETED. CUM ITER = 289
 *** TIME = .156999E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3959E-05 OSCILLATION LIMIT = 3.124
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 23.59 CRITERION= .1045
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6149E-01
 HT FLOW CONVERGENCE VALUE= .1987E-01 CRITERION= .1018 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 17 SUBSTEP 40 COMPLETED. CUM ITER = 290
 *** TIME = .157788E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .3485E-05 OSCILLATION LIMIT = 2.750

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 02:39:31 MAR 25, 1995 CP= 18964.000
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 17.71 CRITERION= .1033
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1448E-01 CRITERION= .1017 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 1 COMPLETED. CUM ITER = 291
 *** TIME = .158577E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6698E-05 OSCILLATION LIMIT = 5.285
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.76 CRITERION= .1032
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1458E-01 CRITERION= .1017 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 2 COMPLETED. CUM ITER = 292
 *** TIME = .159366E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6125E-05 OSCILLATION LIMIT = 4.832
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.71 CRITERION= .1032
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1455E-01 CRITERION= .1016 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 3 COMPLETED. CUM ITER = 293
 *** TIME = .160155E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6058E-05 OSCILLATION LIMIT = 4.779
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.76 CRITERION= .1032
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1458E-01 CRITERION= .1016 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 4 COMPLETED. CUM ITER = 294
 *** TIME = .160944E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6010E-05 OSCILLATION LIMIT = 4.742
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.71 CRITERION= .1032
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1451E-01 CRITERION= .1015 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 5 COMPLETED. CUM ITER = 295
 *** TIME = .161733E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6220E-05 OSCILLATION LIMIT = 4.907
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.76 CRITERION= .1031
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1457E-01 CRITERION= .1015 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 6 COMPLETED. CUM ITER = 296
 *** TIME = .162522E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5882E-05 OSCILLATION LIMIT = 4.641
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.71 CRITERION= .1031
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1449E-01 CRITERION= .1014 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 7 COMPLETED. CUM ITER = 297
 *** TIME = .163311E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6319E-05 OSCILLATION LIMIT = 4.985
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.76 CRITERION= .1030
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1456E-01 CRITERION= .1014 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 8 COMPLETED. CUM ITER = 298
 *** TIME = .164100E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5806E-05 OSCILLATION LIMIT = 4.580
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.72 CRITERION= .1030
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1447E-01 CRITERION= .1013 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 9 COMPLETED. CUM ITER = 299
 *** TIME = .164888E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6376E-05 OSCILLATION LIMIT = 5.030
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.77 CRITERION= .1029
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1455E-01 CRITERION= .1013 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 10 COMPLETED. CUM ITER = 300
 *** TIME = .165677E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5760E-05 OSCILLATION LIMIT = 4.544
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.72 CRITERION= .1029
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1445E-01 CRITERION= .1012 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 11 COMPLETED. CUM ITER = 301
 *** TIME = .166466E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6408E-05 OSCILLATION LIMIT = 5.056

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.77 CRITERION= .1028
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1454E-01 CRITERION= .1012 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 12 COMPLETED. CUM ITER = 302
 *** TIME = .167255E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5734E-05 OSCILLATION LIMIT = 4.523
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.72 CRITERION= .1028
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1443E-01 CRITERION= .1012 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 13 COMPLETED. CUM ITER = 303
 *** TIME = .168044E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6424E-05 OSCILLATION LIMIT = 5.068
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.77 CRITERION= .1027
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1453E-01 CRITERION= .1012 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 14 COMPLETED. CUM ITER = 304
 *** TIME = .168833E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5719E-05 OSCILLATION LIMIT = 4.512
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.72 CRITERION= .1027
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1441E-01 CRITERION= .1011 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 15 COMPLETED. CUM ITER = 305
 *** TIME = .169622E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6431E-05 OSCILLATION LIMIT = 5.073
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.78 CRITERION= .1026
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1451E-01 CRITERION= .1011 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 16 COMPLETED. CUM ITER = 306
 *** TIME = .170411E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5711E-05 OSCILLATION LIMIT = 4.506
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.73 CRITERION= .1026
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1440E-01 CRITERION= .1010 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 17 COMPLETED. CUM ITER = 307
 *** TIME = .171200E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6431E-05 OSCILLATION LIMIT = 5.074
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.78 CRITERION= .1025
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1450E-01 CRITERION= .1010 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 18 COMPLETED. CUM ITER = 308
 *** TIME = .171989E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5708E-05 OSCILLATION LIMIT = 4.503
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.73 CRITERION= .1025
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1438E-01 CRITERION= .1009 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 19 COMPLETED. CUM ITER = 309

```

*** TIME = .172778E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6428E-05    OSCILLATION LIMIT = 5.071
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.78    CRITERION= .1024
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .1448E-01    CRITERION= .1009    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 20 COMPLETED.    CUM ITER = 310
*** TIME = .173567E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5707E-05    OSCILLATION LIMIT = 4.503
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.73    CRITERION= .1024
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .1437E-01    CRITERION= .1008    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 21 COMPLETED.    CUM ITER = 311
*** TIME = .174356E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6422E-05    OSCILLATION LIMIT = 5.067
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.78    CRITERION= .1023
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .1447E-01    CRITERION= .1008    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 22 COMPLETED.    CUM ITER = 312
*** TIME = .175145E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5708E-05    OSCILLATION LIMIT = 4.504
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.73    CRITERION= .1023
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .1435E-01    CRITERION= .1007    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 23 COMPLETED.    CUM ITER = 313
*** TIME = .175934E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6416E-05    OSCILLATION LIMIT = 5.062
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.79    CRITERION= .1022
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .1445E-01    CRITERION= .1007    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 24 COMPLETED.    CUM ITER = 314
*** TIME = .176723E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5710E-05    OSCILLATION LIMIT = 4.505
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.74    CRITERION= .1022
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .1434E-01    CRITERION= .1006    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 25 COMPLETED.    CUM ITER = 315
*** TIME = .177512E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6408E-05    OSCILLATION LIMIT = 5.056
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.79    CRITERION= .1022
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .1444E-01    CRITERION= .1006    <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 26 COMPLETED.    CUM ITER = 316
*** TIME = .178300E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5712E-05    OSCILLATION LIMIT = 4.507
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 17.74    CRITERION= .1021
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
    HT FLOW CONVERGENCE VALUE= .1432E-01    CRITERION= .1005    <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 27 COMPLETED. CUM ITER = 317
*** TIME = .179089E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6401E-05 OSCILLATION LIMIT = 5.050
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.79 CRITERION= .1021
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .1442E-01 CRITERION= .1005 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 28 COMPLETED. CUM ITER = 318
*** TIME = .179878E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5715E-05 OSCILLATION LIMIT = 4.508
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.74 CRITERION= .1021
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .1431E-01 CRITERION= .1004 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 29 COMPLETED. CUM ITER = 319
*** TIME = .180667E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6393E-05 OSCILLATION LIMIT = 5.043
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.79 CRITERION= .1020
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .1441E-01 CRITERION= .1004 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 30 COMPLETED. CUM ITER = 320
*** TIME = .181456E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5717E-05 OSCILLATION LIMIT = 4.510
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.74 CRITERION= .1020
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .1429E-01 CRITERION= .1003 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 31 COMPLETED. CUM ITER = 321
*** TIME = .182245E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6385E-05 OSCILLATION LIMIT = 5.037
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.80 CRITERION= .1019
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .1439E-01 CRITERION= .1003 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 32 COMPLETED. CUM ITER = 322
*** TIME = .183034E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5720E-05 OSCILLATION LIMIT = 4.512
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.75 CRITERION= .1019
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .1428E-01 CRITERION= .1002 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 33 COMPLETED. CUM ITER = 323
*** TIME = .183823E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .6377E-05 OSCILLATION LIMIT = 5.031
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.80 CRITERION= .1018
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
HT FLOW CONVERGENCE VALUE= .1438E-01 CRITERION= .1002 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 18 SUBSTEP 34 COMPLETED. CUM ITER = 324
*** TIME = .184612E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .5722E-05 OSCILLATION LIMIT = 4.514
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.75 CRITERION= .1018

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1426E-01 CRITERION= .1001 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 35 COMPLETED. CUM ITER = 325
 *** TIME = .185401E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6369E-05 OSCILLATION LIMIT = 5.025
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.80 CRITERION= .1017
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1436E-01 CRITERION= .1001 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 36 COMPLETED. CUM ITER = 326
 *** TIME = .186190E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5724E-05 OSCILLATION LIMIT = 4.516
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.75 CRITERION= .1017
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1425E-01 CRITERION= .1000 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 37 COMPLETED. CUM ITER = 327
 *** TIME = .186979E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6361E-05 OSCILLATION LIMIT = 5.019
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.80 CRITERION= .1016
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1435E-01 CRITERION= .1000 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 38 COMPLETED. CUM ITER = 328
 *** TIME = .187768E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5726E-05 OSCILLATION LIMIT = 4.518
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.76 CRITERION= .1016
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1423E-01 CRITERION= .9995E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 39 COMPLETED. CUM ITER = 329
 *** TIME = .188557E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .6354E-05 OSCILLATION LIMIT = 5.013
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 17.81 CRITERION= .1015
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4626E-01
 HT FLOW CONVERGENCE VALUE= .1433E-01 CRITERION= .9995E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 18 SUBSTEP 40 COMPLETED. CUM ITER = 330
 *** TIME = .189346E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .5729E-05 OSCILLATION LIMIT = 4.519

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 03:37:39 MAR 25, 1995 CP= 21789.550
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 13.43 CRITERION= .1008
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1064E-01 CRITERION= .9986E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 1 COMPLETED. CUM ITER = 331
 *** TIME = .190135E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1015E-04 OSCILLATION LIMIT = 8.011
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.48 CRITERION= .1008
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1075E-01 CRITERION= .9986E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 2 COMPLETED. CUM ITER = 332
 *** TIME = .190924E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9388E-05 OSCILLATION LIMIT = 7.406
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.44 CRITERION= .1008
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1062E-01 CRITERION= .9977E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 3 COMPLETED. CUM ITER = 333
 *** TIME = .191712E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9522E-05 OSCILLATION LIMIT = 7.513
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.48 CRITERION= .1007
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1074E-01 CRITERION= .9977E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 4 COMPLETED. CUM ITER = 334
 *** TIME = .192501E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9278E-05 OSCILLATION LIMIT = 7.320
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.44 CRITERION= .1007
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1061E-01 CRITERION= .9968E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 5 COMPLETED. CUM ITER = 335
 *** TIME = .193290E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9694E-05 OSCILLATION LIMIT = 7.648
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.49 CRITERION= .1006
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1073E-01 CRITERION= .9968E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 6 COMPLETED. CUM ITER = 336
 *** TIME = .194079E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9147E-05 OSCILLATION LIMIT = 7.216
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.44 CRITERION= .1006
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1060E-01 CRITERION= .9959E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 7 COMPLETED. CUM ITER = 337
 *** TIME = .194868E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9798E-05 OSCILLATION LIMIT = 7.730
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.49 CRITERION= .1005
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1072E-01 CRITERION= .9959E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 8 COMPLETED. CUM ITER = 338
 *** TIME = .195657E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9069E-05 OSCILLATION LIMIT = 7.155
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.44 CRITERION= .1005
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1059E-01 CRITERION= .9950E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 9 COMPLETED. CUM ITER = 339
 *** TIME = .196446E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .9859E-05 OSCILLATION LIMIT = 7.778
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.49 CRITERION= .1004
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1070E-01 CRITERION= .9950E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 10 COMPLETED. CUM ITER = 340
 *** TIME = .197235E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9022E-05 OSCILLATION LIMIT = 7.118
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.44 CRITERION= .1004
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1058E-01 CRITERION= .9941E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 11 COMPLETED. CUM ITER = 341
 *** TIME = .198024E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9893E-05 OSCILLATION LIMIT = 7.805
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.49 CRITERION= .1003
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1069E-01 CRITERION= .9941E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 12 COMPLETED. CUM ITER = 342
 *** TIME = .198813E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8996E-05 OSCILLATION LIMIT = 7.097
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.44 CRITERION= .1003
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1057E-01 CRITERION= .9932E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 13 COMPLETED. CUM ITER = 343
 *** TIME = .199602E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9910E-05 OSCILLATION LIMIT = 7.819
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.49 CRITERION= .1002
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1068E-01 CRITERION= .9932E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 14 COMPLETED. CUM ITER = 344
 *** TIME = .200391E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8981E-05 OSCILLATION LIMIT = 7.086
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.44 CRITERION= .1002
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1056E-01 CRITERION= .9923E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 15 COMPLETED. CUM ITER = 345
 *** TIME = .201180E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9918E-05 OSCILLATION LIMIT = 7.824
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.49 CRITERION= .1001
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1067E-01 CRITERION= .9923E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 16 COMPLETED. CUM ITER = 346
 *** TIME = .201969E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8974E-05 OSCILLATION LIMIT = 7.080
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.45 CRITERION= .1001
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1055E-01 CRITERION= .9914E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 19 SUBSTEP 17 COMPLETED. CUM ITER = 347
*** TIME = .202758E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9919E-05 OSCILLATION LIMIT = 7.825
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.50 CRITERION= .1001
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
HT FLOW CONVERGENCE VALUE= .1066E-01 CRITERION= .9914E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 18 COMPLETED. CUM ITER = 348
*** TIME = .203547E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8972E-05 OSCILLATION LIMIT = 7.078
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.45 CRITERION= .1000
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
HT FLOW CONVERGENCE VALUE= .1054E-01 CRITERION= .9905E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 19 COMPLETED. CUM ITER = 349
*** TIME = .204335E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9916E-05 OSCILLATION LIMIT = 7.823
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.50 CRITERION= .9996E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
HT FLOW CONVERGENCE VALUE= .1065E-01 CRITERION= .9905E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 20 COMPLETED. CUM ITER = 350
*** TIME = .205124E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8973E-05 OSCILLATION LIMIT = 7.079
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.45 CRITERION= .9996E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
HT FLOW CONVERGENCE VALUE= .1053E-01 CRITERION= .9896E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 21 COMPLETED. CUM ITER = 351
*** TIME = .205913E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9911E-05 OSCILLATION LIMIT = 7.819
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.50 CRITERION= .9987E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
HT FLOW CONVERGENCE VALUE= .1063E-01 CRITERION= .9896E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 22 COMPLETED. CUM ITER = 352
*** TIME = .206702E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8975E-05 OSCILLATION LIMIT = 7.081
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.45 CRITERION= .9987E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
HT FLOW CONVERGENCE VALUE= .1051E-01 CRITERION= .9887E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 23 COMPLETED. CUM ITER = 353
*** TIME = .207491E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .9905E-05 OSCILLATION LIMIT = 7.814
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.50 CRITERION= .9979E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
HT FLOW CONVERGENCE VALUE= .1062E-01 CRITERION= .9887E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 19 SUBSTEP 24 COMPLETED. CUM ITER = 354
*** TIME = .208280E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .8978E-05 OSCILLATION LIMIT = 7.083
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.45 CRITERION= .9978E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01

```

HT FLOW CONVERGENCE VALUE= .1050E-01 CRITERION= .9878E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 25 COMPLETED. CUM ITER = 355
 *** TIME = .209069E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9898E-05 OSCILLATION LIMIT = 7.809
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.50 CRITERION= .9970E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1061E-01 CRITERION= .9878E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 26 COMPLETED. CUM ITER = 356
 *** TIME = .209858E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8981E-05 OSCILLATION LIMIT = 7.086
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.45 CRITERION= .9969E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1049E-01 CRITERION= .9870E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 27 COMPLETED. CUM ITER = 357
 *** TIME = .210647E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9891E-05 OSCILLATION LIMIT = 7.803
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.50 CRITERION= .9961E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1060E-01 CRITERION= .9869E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 28 COMPLETED. CUM ITER = 358
 *** TIME = .211436E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8985E-05 OSCILLATION LIMIT = 7.089
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.46 CRITERION= .9961E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1048E-01 CRITERION= .9861E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 29 COMPLETED. CUM ITER = 359
 *** TIME = .212225E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9883E-05 OSCILLATION LIMIT = 7.797
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.50 CRITERION= .9952E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1059E-01 CRITERION= .9861E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 30 COMPLETED. CUM ITER = 360
 *** TIME = .213014E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8989E-05 OSCILLATION LIMIT = 7.092
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.46 CRITERION= .9952E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1047E-01 CRITERION= .9852E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 31 COMPLETED. CUM ITER = 361
 *** TIME = .213803E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9876E-05 OSCILLATION LIMIT = 7.791
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.51 CRITERION= .9943E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1058E-01 CRITERION= .9852E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 32 COMPLETED. CUM ITER = 362
 *** TIME = .214592E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8993E-05 OSCILLATION LIMIT = 7.095
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.46 CRITERION= .9943E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1046E-01 CRITERION= .9843E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 33 COMPLETED. CUM ITER = 363
 *** TIME = .215381E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9868E-05 OSCILLATION LIMIT = 7.785
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.51 CRITERION= .9934E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1057E-01 CRITERION= .9843E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 34 COMPLETED. CUM ITER = 364
 *** TIME = .216170E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .8997E-05 OSCILLATION LIMIT = 7.098
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.46 CRITERION= .9934E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1045E-01 CRITERION= .9834E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 35 COMPLETED. CUM ITER = 365
 *** TIME = .216959E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9861E-05 OSCILLATION LIMIT = 7.779
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.51 CRITERION= .9926E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1056E-01 CRITERION= .9834E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 36 COMPLETED. CUM ITER = 366
 *** TIME = .217747E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9000E-05 OSCILLATION LIMIT = 7.101
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.46 CRITERION= .9925E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1044E-01 CRITERION= .9825E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 37 COMPLETED. CUM ITER = 367
 *** TIME = .218536E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9853E-05 OSCILLATION LIMIT = 7.774
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.51 CRITERION= .9917E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1054E-01 CRITERION= .9825E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 38 COMPLETED. CUM ITER = 368
 *** TIME = .219325E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9004E-05 OSCILLATION LIMIT = 7.103
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.46 CRITERION= .9916E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1043E-01 CRITERION= .9816E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 39 COMPLETED. CUM ITER = 369
 *** TIME = .220114E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9846E-05 OSCILLATION LIMIT = 7.768
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 13.51 CRITERION= .9908E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3505E-01
 HT FLOW CONVERGENCE VALUE= .1053E-01 CRITERION= .9816E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 19 SUBSTEP 40 COMPLETED. CUM ITER = 370
 *** TIME = .220903E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .9007E-05 OSCILLATION LIMIT = 7.106

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 04:36:17 MAR 25, 1995 CP= 24616.100
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 11.62 CRITERION= .9884E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .9020E-02 CRITERION= .9807E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 1 COMPLETED. CUM ITER = 371
 *** TIME = .221692E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1203E-04 OSCILLATION LIMIT = 9.490
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.67 CRITERION= .9876E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .9126E-02 CRITERION= .9807E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 2 COMPLETED. CUM ITER = 372
 *** TIME = .222481E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1109E-04 OSCILLATION LIMIT = 8.751
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.62 CRITERION= .9875E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8994E-02 CRITERION= .9798E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 3 COMPLETED. CUM ITER = 373
 *** TIME = .223270E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1176E-04 OSCILLATION LIMIT = 9.280
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.67 CRITERION= .9867E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .9114E-02 CRITERION= .9798E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 4 COMPLETED. CUM ITER = 374
 *** TIME = .224059E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1105E-04 OSCILLATION LIMIT = 8.719
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.62 CRITERION= .9867E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8987E-02 CRITERION= .9790E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 5 COMPLETED. CUM ITER = 375
 *** TIME = .224848E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1183E-04 OSCILLATION LIMIT = 9.336
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.67 CRITERION= .9859E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .9102E-02 CRITERION= .9790E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 6 COMPLETED. CUM ITER = 376
 *** TIME = .225637E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1100E-04 OSCILLATION LIMIT = 8.676
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.62 CRITERION= .9858E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8979E-02 CRITERION= .9781E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 7 COMPLETED. CUM ITER = 377

```

*** TIME = .226426E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1188E-04    OSCILLATION LIMIT = 9.369
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.67    CRITERION= .9850E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
    HT FLOW CONVERGENCE VALUE= .9091E-02    CRITERION= .9781E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 8 COMPLETED. CUM ITER = 378
*** TIME = .227215E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1097E-04    OSCILLATION LIMIT = 8.651
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.62    CRITERION= .9850E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
    HT FLOW CONVERGENCE VALUE= .8971E-02    CRITERION= .9772E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 9 COMPLETED. CUM ITER = 379
*** TIME = .228004E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1190E-04    OSCILLATION LIMIT = 9.387
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.67    CRITERION= .9841E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
    HT FLOW CONVERGENCE VALUE= .9081E-02    CRITERION= .9772E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 10 COMPLETED. CUM ITER = 380
*** TIME = .228793E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1095E-04    OSCILLATION LIMIT = 8.638
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.62    CRITERION= .9841E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
    HT FLOW CONVERGENCE VALUE= .8963E-02    CRITERION= .9764E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 11 COMPLETED. CUM ITER = 381
*** TIME = .229582E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1191E-04    OSCILLATION LIMIT = 9.396
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.67    CRITERION= .9833E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
    HT FLOW CONVERGENCE VALUE= .9071E-02    CRITERION= .9764E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 12 COMPLETED. CUM ITER = 382
*** TIME = .230371E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1094E-04    OSCILLATION LIMIT = 8.630
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.63    CRITERION= .9833E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
    HT FLOW CONVERGENCE VALUE= .8954E-02    CRITERION= .9755E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 13 COMPLETED. CUM ITER = 383
*** TIME = .231159E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1191E-04    OSCILLATION LIMIT = 9.400
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.67    CRITERION= .9824E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
    HT FLOW CONVERGENCE VALUE= .9061E-02    CRITERION= .9755E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 14 COMPLETED. CUM ITER = 384
*** TIME = .231948E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1094E-04    OSCILLATION LIMIT = 8.627
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 11.63    CRITERION= .9824E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
    HT FLOW CONVERGENCE VALUE= .8946E-02    CRITERION= .9747E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 15 COMPLETED. CUM ITER = 385
*** TIME = .232737E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1191E-04 OSCILLATION LIMIT = 9.400
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.67 CRITERION= .9816E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
HT FLOW CONVERGENCE VALUE= .9051E-02 CRITERION= .9747E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 16 COMPLETED. CUM ITER = 386
*** TIME = .233526E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1093E-04 OSCILLATION LIMIT = 8.627
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.63 CRITERION= .9815E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
HT FLOW CONVERGENCE VALUE= .8937E-02 CRITERION= .9738E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 17 COMPLETED. CUM ITER = 387
*** TIME = .234315E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1191E-04 OSCILLATION LIMIT = 9.398
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.68 CRITERION= .9807E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
HT FLOW CONVERGENCE VALUE= .9041E-02 CRITERION= .9738E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 18 COMPLETED. CUM ITER = 388
*** TIME = .235104E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1094E-04 OSCILLATION LIMIT = 8.628
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.63 CRITERION= .9807E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
HT FLOW CONVERGENCE VALUE= .8928E-02 CRITERION= .9729E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 19 COMPLETED. CUM ITER = 389
*** TIME = .235893E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1191E-04 OSCILLATION LIMIT = 9.395
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.68 CRITERION= .9799E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
HT FLOW CONVERGENCE VALUE= .9032E-02 CRITERION= .9729E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 20 COMPLETED. CUM ITER = 390
*** TIME = .236682E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1094E-04 OSCILLATION LIMIT = 8.630
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.63 CRITERION= .9798E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
HT FLOW CONVERGENCE VALUE= .8919E-02 CRITERION= .9721E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 21 COMPLETED. CUM ITER = 391
*** TIME = .237471E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1190E-04 OSCILLATION LIMIT = 9.391
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.68 CRITERION= .9790E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
HT FLOW CONVERGENCE VALUE= .9022E-02 CRITERION= .9721E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 20 SUBSTEP 22 COMPLETED. CUM ITER = 392
*** TIME = .238260E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1094E-04 OSCILLATION LIMIT = 8.633
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.63 CRITERION= .9790E-01

```


EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8910E-02 CRITERION= .9712E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 23 COMPLETED. CUM ITER = 393
 *** TIME = .239049E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1190E-04 OSCILLATION LIMIT = 9.386
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.68 CRITERION= .9781E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .9012E-02 CRITERION= .9712E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 24 COMPLETED. CUM ITER = 394
 *** TIME = .239838E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1095E-04 OSCILLATION LIMIT = 8.636
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.63 CRITERION= .9781E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8902E-02 CRITERION= .9703E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 25 COMPLETED. CUM ITER = 395
 *** TIME = .240627E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1189E-04 OSCILLATION LIMIT = 9.382
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.68 CRITERION= .9773E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .9003E-02 CRITERION= .9703E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 26 COMPLETED. CUM ITER = 396
 *** TIME = .241416E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1095E-04 OSCILLATION LIMIT = 8.639
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.63 CRITERION= .9773E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8893E-02 CRITERION= .9695E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 27 COMPLETED. CUM ITER = 397
 *** TIME = .242205E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1189E-04 OSCILLATION LIMIT = 9.377
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.68 CRITERION= .9764E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8993E-02 CRITERION= .9695E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 28 COMPLETED. CUM ITER = 398
 *** TIME = .242994E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1095E-04 OSCILLATION LIMIT = 8.642
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.63 CRITERION= .9764E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8884E-02 CRITERION= .9686E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 29 COMPLETED. CUM ITER = 399
 *** TIME = .243782E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1188E-04 OSCILLATION LIMIT = 9.372
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.68 CRITERION= .9756E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8984E-02 CRITERION= .9686E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 30 COMPLETED. CUM ITER = 400
 *** TIME = .244571E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1096E-04 OSCILLATION LIMIT = 8.645
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.64 CRITERION= .9755E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8875E-02 CRITERION= .9677E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 31 COMPLETED. CUM ITER = 401
 *** TIME = .245360E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1187E-04 OSCILLATION LIMIT = 9.368
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.68 CRITERION= .9747E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8974E-02 CRITERION= .9677E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 32 COMPLETED. CUM ITER = 402
 *** TIME = .246149E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1096E-04 OSCILLATION LIMIT = 8.648
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.64 CRITERION= .9747E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8866E-02 CRITERION= .9669E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 33 COMPLETED. CUM ITER = 403
 *** TIME = .246938E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1187E-04 OSCILLATION LIMIT = 9.363
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.68 CRITERION= .9739E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8965E-02 CRITERION= .9669E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 34 COMPLETED. CUM ITER = 404
 *** TIME = .247727E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1096E-04 OSCILLATION LIMIT = 8.650
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.64 CRITERION= .9738E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8857E-02 CRITERION= .9660E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 35 COMPLETED. CUM ITER = 405
 *** TIME = .248516E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1186E-04 OSCILLATION LIMIT = 9.359
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.69 CRITERION= .9730E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8955E-02 CRITERION= .9660E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 36 COMPLETED. CUM ITER = 406
 *** TIME = .249305E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1097E-04 OSCILLATION LIMIT = 8.653
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.64 CRITERION= .9730E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8848E-02 CRITERION= .9652E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 37 COMPLETED. CUM ITER = 407
 *** TIME = .250094E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1186E-04 OSCILLATION LIMIT = 9.354
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.69 CRITERION= .9722E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8946E-02 CRITERION= .9651E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 38 COMPLETED. CUM ITER = 408
 *** TIME = .250883E+09 TIME INC = 788940.

*** RESPONSE EIGENVALUE = .1097E-04 OSCILLATION LIMIT = 8.656
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.64 CRITERION= .9721E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8839E-02 CRITERION= .9643E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 39 COMPLETED. CUM ITER = 409
 *** TIME = .251672E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1185E-04 OSCILLATION LIMIT = 9.350
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 11.69 CRITERION= .9713E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3029E-01
 HT FLOW CONVERGENCE VALUE= .8936E-02 CRITERION= .9643E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 20 SUBSTEP 40 COMPLETED. CUM ITER = 410
 *** TIME = .252461E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1097E-04 OSCILLATION LIMIT = 8.659

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 05:34:31 MAR 25, 1995 CP= 27442.180
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 4.043 CRITERION= .9651E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2497E-01
 HT FLOW CONVERGENCE VALUE= .5632E-02 CRITERION= .9635E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 1 COMPLETED. CUM ITER = 411
 *** TIME = .253250E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1682E-04 OSCILLATION LIMIT = 13.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.089 CRITERION= .9643E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2602E-01
 HT FLOW CONVERGENCE VALUE= .5814E-02 CRITERION= .9634E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 2 COMPLETED. CUM ITER = 412
 *** TIME = .254039E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1594E-04 OSCILLATION LIMIT = 12.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.043 CRITERION= .9642E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2206E-01
 HT FLOW CONVERGENCE VALUE= .4996E-02 CRITERION= .9626E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 3 COMPLETED. CUM ITER = 413
 *** TIME = .254828E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1873E-04 OSCILLATION LIMIT = 14.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.089 CRITERION= .9634E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2542E-01
 HT FLOW CONVERGENCE VALUE= .5668E-02 CRITERION= .9626E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 4 COMPLETED. CUM ITER = 414
 *** TIME = .255617E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1630E-04 OSCILLATION LIMIT = 12.86
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.043 CRITERION= .9634E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2275E-01
 HT FLOW CONVERGENCE VALUE= .5105E-02 CRITERION= .9618E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

*** LOAD STEP 21 SUBSTEP 5 COMPLETED. CUM ITER = 415
*** TIME = .256406E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1849E-04 OSCILLATION LIMIT = 14.58
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.089 CRITERION= .9626E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2488E-01
HT FLOW CONVERGENCE VALUE= .5571E-02 CRITERION= .9617E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 6 COMPLETED. CUM ITER = 416
*** TIME = .257194E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1643E-04 OSCILLATION LIMIT = 12.96
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.043 CRITERION= .9625E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2318E-01
HT FLOW CONVERGENCE VALUE= .5171E-02 CRITERION= .9609E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 7 COMPLETED. CUM ITER = 417
*** TIME = .257983E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1834E-04 OSCILLATION LIMIT = 14.47
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.089 CRITERION= .9618E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2454E-01
HT FLOW CONVERGENCE VALUE= .5508E-02 CRITERION= .9609E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 8 COMPLETED. CUM ITER = 418
*** TIME = .258772E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1652E-04 OSCILLATION LIMIT = 13.04
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.043 CRITERION= .9617E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2345E-01
HT FLOW CONVERGENCE VALUE= .5211E-02 CRITERION= .9601E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 9 COMPLETED. CUM ITER = 419
*** TIME = .259561E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1824E-04 OSCILLATION LIMIT = 14.39
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.089 CRITERION= .9609E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2434E-01
HT FLOW CONVERGENCE VALUE= .5467E-02 CRITERION= .9601E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 10 COMPLETED. CUM ITER = 420
*** TIME = .260350E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1658E-04 OSCILLATION LIMIT = 13.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.044 CRITERION= .9609E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2361E-01
HT FLOW CONVERGENCE VALUE= .5235E-02 CRITERION= .9592E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 11 COMPLETED. CUM ITER = 421
*** TIME = .261139E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1818E-04 OSCILLATION LIMIT = 14.34
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.089 CRITERION= .9601E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2421E-01
HT FLOW CONVERGENCE VALUE= .5440E-02 CRITERION= .9592E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 12 COMPLETED. CUM ITER = 422
*** TIME = .261928E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1663E-04 OSCILLATION LIMIT = 13.12
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.044 CRITERION= .9600E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2371E-01

```

HT FLOW CONVERGENCE VALUE= .5249E-02 CRITERION= .9584E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 13 COMPLETED. CUM ITER = 423
 *** TIME = .262717E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1814E-04 OSCILLATION LIMIT = 14.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.089 CRITERION= .9592E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2414E-01
 HT FLOW CONVERGENCE VALUE= .5421E-02 CRITERION= .9584E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 14 COMPLETED. CUM ITER = 424
 *** TIME = .263506E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1666E-04 OSCILLATION LIMIT = 13.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.044 CRITERION= .9592E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2378E-01
 HT FLOW CONVERGENCE VALUE= .5256E-02 CRITERION= .9576E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 15 COMPLETED. CUM ITER = 425
 *** TIME = .264295E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1811E-04 OSCILLATION LIMIT = 14.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.090 CRITERION= .9584E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2409E-01
 HT FLOW CONVERGENCE VALUE= .5406E-02 CRITERION= .9575E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 16 COMPLETED. CUM ITER = 426
 *** TIME = .265084E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1669E-04 OSCILLATION LIMIT = 13.16
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.044 CRITERION= .9584E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2381E-01
 HT FLOW CONVERGENCE VALUE= .5259E-02 CRITERION= .9567E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 17 COMPLETED. CUM ITER = 427
 *** TIME = .265873E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1809E-04 OSCILLATION LIMIT = 14.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.090 CRITERION= .9576E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2407E-01
 HT FLOW CONVERGENCE VALUE= .5395E-02 CRITERION= .9567E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 18 COMPLETED. CUM ITER = 428
 *** TIME = .266662E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1671E-04 OSCILLATION LIMIT = 13.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.044 CRITERION= .9575E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2384E-01
 HT FLOW CONVERGENCE VALUE= .5259E-02 CRITERION= .9559E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 19 COMPLETED. CUM ITER = 429
 *** TIME = .267451E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1807E-04 OSCILLATION LIMIT = 14.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.090 CRITERION= .9567E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2406E-01
 HT FLOW CONVERGENCE VALUE= .5386E-02 CRITERION= .9559E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 20 COMPLETED. CUM ITER = 430
 *** TIME = .268240E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1672E-04 OSCILLATION LIMIT = 13.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.044 CRITERION= .9567E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2385E-01
 HT FLOW CONVERGENCE VALUE= .5259E-02 CRITERION= .9550E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 21 COMPLETED. CUM ITER = 431
 *** TIME = .269029E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1805E-04 OSCILLATION LIMIT = 14.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.090 CRITERION= .9559E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2405E-01
 HT FLOW CONVERGENCE VALUE= .5378E-02 CRITERION= .9550E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 22 COMPLETED. CUM ITER = 432
 *** TIME = .269818E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1674E-04 OSCILLATION LIMIT = 13.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.044 CRITERION= .9558E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2386E-01
 HT FLOW CONVERGENCE VALUE= .5257E-02 CRITERION= .9542E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 23 COMPLETED. CUM ITER = 433
 *** TIME = .270606E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1804E-04 OSCILLATION LIMIT = 14.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.090 CRITERION= .9550E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2405E-01
 HT FLOW CONVERGENCE VALUE= .5371E-02 CRITERION= .9542E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 24 COMPLETED. CUM ITER = 434
 *** TIME = .271395E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1675E-04 OSCILLATION LIMIT = 13.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.045 CRITERION= .9550E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2386E-01
 HT FLOW CONVERGENCE VALUE= .5254E-02 CRITERION= .9534E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 25 COMPLETED. CUM ITER = 435
 *** TIME = .272184E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1803E-04 OSCILLATION LIMIT = 14.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.090 CRITERION= .9542E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2405E-01
 HT FLOW CONVERGENCE VALUE= .5365E-02 CRITERION= .9533E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 26 COMPLETED. CUM ITER = 436
 *** TIME = .272973E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1676E-04 OSCILLATION LIMIT = 13.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.045 CRITERION= .9542E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2387E-01
 HT FLOW CONVERGENCE VALUE= .5251E-02 CRITERION= .9525E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 27 COMPLETED. CUM ITER = 437
 *** TIME = .273762E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1802E-04 OSCILLATION LIMIT = 14.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.090 CRITERION= .9534E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2405E-01
 HT FLOW CONVERGENCE VALUE= .5358E-02 CRITERION= .9525E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 28 COMPLETED. CUM ITER = 438
 *** TIME = .274551E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1678E-04 OSCILLATION LIMIT = 13.24

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.045 CRITERION= .9533E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2387E-01
 HT FLOW CONVERGENCE VALUE= .5247E-02 CRITERION= .9517E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 29 COMPLETED. CUM ITER = 439
 *** TIME = .275340E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1801E-04 OSCILLATION LIMIT = 14.21
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.090 CRITERION= .9525E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2405E-01
 HT FLOW CONVERGENCE VALUE= .5352E-02 CRITERION= .9517E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 30 COMPLETED. CUM ITER = 440
 *** TIME = .276129E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1679E-04 OSCILLATION LIMIT = 13.24
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.045 CRITERION= .9525E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2387E-01
 HT FLOW CONVERGENCE VALUE= .5243E-02 CRITERION= .9509E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 31 COMPLETED. CUM ITER = 441
 *** TIME = .276918E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1800E-04 OSCILLATION LIMIT = 14.20
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.091 CRITERION= .9517E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2406E-01
 HT FLOW CONVERGENCE VALUE= .5345E-02 CRITERION= .9508E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 32 COMPLETED. CUM ITER = 442
 *** TIME = .277707E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1680E-04 OSCILLATION LIMIT = 13.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.045 CRITERION= .9517E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2387E-01
 HT FLOW CONVERGENCE VALUE= .5238E-02 CRITERION= .9500E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 33 COMPLETED. CUM ITER = 443
 *** TIME = .278496E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1799E-04 OSCILLATION LIMIT = 14.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.091 CRITERION= .9509E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2406E-01
 HT FLOW CONVERGENCE VALUE= .5339E-02 CRITERION= .9500E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 34 COMPLETED. CUM ITER = 444
 *** TIME = .279285E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1681E-04 OSCILLATION LIMIT = 13.26
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.045 CRITERION= .9508E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2387E-01
 HT FLOW CONVERGENCE VALUE= .5234E-02 CRITERION= .9492E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 35 COMPLETED. CUM ITER = 445
 *** TIME = .280074E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1798E-04 OSCILLATION LIMIT = 14.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 4.091 CRITERION= .9500E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2406E-01
 HT FLOW CONVERGENCE VALUE= .5333E-02 CRITERION= .9491E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 21 SUBSTEP 36 COMPLETED. CUM ITER = 446

```

*** TIME = .280863E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1682E-04    OSCILLATION LIMIT = 13.27
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 4.045    CRITERION= .9500E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2387E-01
    HT FLOW CONVERGENCE VALUE= .5230E-02    CRITERION= .9483E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 37 COMPLETED.    CUM ITER = 447
*** TIME = .281652E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1798E-04    OSCILLATION LIMIT = 14.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 4.091    CRITERION= .9492E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2407E-01
    HT FLOW CONVERGENCE VALUE= .5327E-02    CRITERION= .9483E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 38 COMPLETED.    CUM ITER = 448
*** TIME = .282441E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1683E-04    OSCILLATION LIMIT = 13.28
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 4.046    CRITERION= .9491E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2387E-01
    HT FLOW CONVERGENCE VALUE= .5226E-02    CRITERION= .9475E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 39 COMPLETED.    CUM ITER = 449
*** TIME = .283229E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1797E-04    OSCILLATION LIMIT = 14.18
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 4.091    CRITERION= .9483E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2407E-01
    HT FLOW CONVERGENCE VALUE= .5321E-02    CRITERION= .9475E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 21 SUBSTEP 40 COMPLETED.    CUM ITER = 450
*** TIME = .284018E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1684E-04    OSCILLATION LIMIT = 13.28
    Apply loads and solve for 10 to 90 years

*DO LOOP ON PARAMETER= TM    FROM .31558E+09 TO .28402E+10 BY .31558E+09

TIME= .31558E+09

SELECT    FOR ITEM=MAT    COMPONENT=
IN RANGE    14 TO    14 STEP    1

    6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT    ELEMENTS CREATED FROM SELECTED AREAS.

    1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
    6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION    1
    3020.49145    .000000000E+00    .000000000E+00    .000000000E+00

ALL SELECT    FOR ITEM=AREA COMPONENT=
IN RANGE    1 TO    218 STEP    1

    218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT    FOR ITEM=ELEM COMPONENT=
IN RANGE    1 TO    6728 STEP    1

    5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT    11
    LOAD LABELS = TEMP
    VALUES =    136.20    .00000E+00    EXPANSION KEY = 1

```


CONSTRAINT AT KEYPOINT 10
LOAD LABELS = TEMP
VALUES = 136.70 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
LOAD LABELS = TEMP
VALUES = 137.91 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 30269.910 TIME= 06:33:33
Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
procedure) for ALL DOFs.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 06:33:33 MAR 25, 1995 CP= 30269.910
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 22
TIME AT END OF THE LOAD STEP.31558E+09
AUTOMATIC TIME STEPPING ON
INITIAL NUMBER OF SUBSTEPS 10
MAXIMUM NUMBER OF SUBSTEPS 40
MINIMUM NUMBER OF SUBSTEPS 4
START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25
STEP CHANGE BOUNDARY CONDITIONS NO
TRANSIENT (INERTIA) EFFECTS
THERMAL DOFS ON
TRANSIENT INTEGRATION PARAMETERS
THETA.50000
OSCILLATION LIMIT CRITERION.50000
TOLERANCE.20000
TERMINATE ANALYSIS IF NOT CONVERGEDYES (EXIT)
CONVERGENCE CONTROLS.USE DEFAULTS
PRINT OUTPUT CONTROLSNO PRINTOUT
DATABASE OUTPUT CONTROLS.ALL DATA WRITTEN
FOR THE LAST SUBSTEP

HT FLOW CONVERGENCE VALUE= 2.768 CRITERION= .9478E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2016E-01
HT FLOW CONVERGENCE VALUE= .4321E-02 CRITERION= .9467E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 1 COMPLETED. CUM ITER = 451
*** TIME = .284807E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1627E-04 OSCILLATION LIMIT = 12.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.813 CRITERION= .9471E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1966E-01
HT FLOW CONVERGENCE VALUE= .4211E-02 CRITERION= .9468E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 2 COMPLETED. CUM ITER = 452
*** TIME = .285596E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1585E-04 OSCILLATION LIMIT = 12.51
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.768 CRITERION= .9472E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1987E-01

HT FLOW CONVERGENCE VALUE= .4168E-02 CRITERION= .9461E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 3 COMPLETED. CUM ITER = 453
 *** TIME = .286385E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1712E-04 OSCILLATION LIMIT = 13.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.813 CRITERION= .9465E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1977E-01
 HT FLOW CONVERGENCE VALUE= .4223E-02 CRITERION= .9461E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 4 COMPLETED. CUM ITER = 454
 *** TIME = .287174E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1586E-04 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.768 CRITERION= .9465E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1981E-01
 HT FLOW CONVERGENCE VALUE= .4158E-02 CRITERION= .9454E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 5 COMPLETED. CUM ITER = 455
 *** TIME = .287963E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1713E-04 OSCILLATION LIMIT = 13.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.813 CRITERION= .9458E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1982E-01
 HT FLOW CONVERGENCE VALUE= .4226E-02 CRITERION= .9455E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 6 COMPLETED. CUM ITER = 456
 *** TIME = .288752E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1586E-04 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.768 CRITERION= .9458E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1978E-01
 HT FLOW CONVERGENCE VALUE= .4150E-02 CRITERION= .9447E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 7 COMPLETED. CUM ITER = 457
 *** TIME = .289541E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1713E-04 OSCILLATION LIMIT = 13.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.813 CRITERION= .9451E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1985E-01
 HT FLOW CONVERGENCE VALUE= .4226E-02 CRITERION= .9448E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 8 COMPLETED. CUM ITER = 458
 *** TIME = .290330E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1586E-04 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.768 CRITERION= .9452E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1976E-01
 HT FLOW CONVERGENCE VALUE= .4145E-02 CRITERION= .9441E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 9 COMPLETED. CUM ITER = 459
 *** TIME = .291119E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1713E-04 OSCILLATION LIMIT = 13.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.813 CRITERION= .9445E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1987E-01
 HT FLOW CONVERGENCE VALUE= .4225E-02 CRITERION= .9441E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 10 COMPLETED. CUM ITER = 460
 *** TIME = .291908E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1586E-04 OSCILLATION LIMIT = 12.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.768 CRITERION= .9445E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1975E-01
 HT FLOW CONVERGENCE VALUE= .4141E-02 CRITERION= .9434E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 11 COMPLETED. CUM ITER = 461
 *** TIME = .292697E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1712E-04 OSCILLATION LIMIT = 13.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.813 CRITERION= .9438E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1988E-01
 HT FLOW CONVERGENCE VALUE= .4223E-02 CRITERION= .9435E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 12 COMPLETED. CUM ITER = 462
 *** TIME = .293486E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1587E-04 OSCILLATION LIMIT = 12.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.768 CRITERION= .9438E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1974E-01
 HT FLOW CONVERGENCE VALUE= .4137E-02 CRITERION= .9427E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 13 COMPLETED. CUM ITER = 463
 *** TIME = .294275E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1711E-04 OSCILLATION LIMIT = 13.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.813 CRITERION= .9431E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1989E-01
 HT FLOW CONVERGENCE VALUE= .4221E-02 CRITERION= .9428E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 14 COMPLETED. CUM ITER = 464
 *** TIME = .295064E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1588E-04 OSCILLATION LIMIT = 12.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.768 CRITERION= .9432E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1973E-01
 HT FLOW CONVERGENCE VALUE= .4134E-02 CRITERION= .9421E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 15 COMPLETED. CUM ITER = 465
 *** TIME = .295853E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1711E-04 OSCILLATION LIMIT = 13.50
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.813 CRITERION= .9425E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1990E-01
 HT FLOW CONVERGENCE VALUE= .4218E-02 CRITERION= .9421E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 16 COMPLETED. CUM ITER = 466
 *** TIME = .296641E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1588E-04 OSCILLATION LIMIT = 12.53
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.768 CRITERION= .9425E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1973E-01
 HT FLOW CONVERGENCE VALUE= .4131E-02 CRITERION= .9414E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 17 COMPLETED. CUM ITER = 467
 *** TIME = .297430E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1710E-04 OSCILLATION LIMIT = 13.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.813 CRITERION= .9418E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1990E-01
 HT FLOW CONVERGENCE VALUE= .4214E-02 CRITERION= .9415E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 22 SUBSTEP 18 COMPLETED. CUM ITER = 468
 *** TIME = .298219E+09 TIME INC = 788940.
 *** RESPONSE EIGENVALUE = .1589E-04 OSCILLATION LIMIT = 12.54

*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.769 CRITERION= .9418E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1973E-01
HT FLOW CONVERGENCE VALUE= .4129E-02 CRITERION= .9407E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 19 COMPLETED. CUM ITER = 469
*** TIME = .299008E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1709E-04 OSCILLATION LIMIT = 13.48
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.814 CRITERION= .9411E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1991E-01
HT FLOW CONVERGENCE VALUE= .4211E-02 CRITERION= .9408E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 20 COMPLETED. CUM ITER = 470
*** TIME = .299797E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1590E-04 OSCILLATION LIMIT = 12.54
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.769 CRITERION= .9412E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1973E-01
HT FLOW CONVERGENCE VALUE= .4126E-02 CRITERION= .9401E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 21 COMPLETED. CUM ITER = 471
*** TIME = .300586E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1708E-04 OSCILLATION LIMIT = 13.48
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.814 CRITERION= .9405E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1991E-01
HT FLOW CONVERGENCE VALUE= .4207E-02 CRITERION= .9401E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 22 COMPLETED. CUM ITER = 472
*** TIME = .301375E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 12.55
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.769 CRITERION= .9405E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1973E-01
HT FLOW CONVERGENCE VALUE= .4123E-02 CRITERION= .9394E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 23 COMPLETED. CUM ITER = 473
*** TIME = .302164E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1707E-04 OSCILLATION LIMIT = 13.47
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.814 CRITERION= .9398E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1992E-01
HT FLOW CONVERGENCE VALUE= .4203E-02 CRITERION= .9395E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 24 COMPLETED. CUM ITER = 474
*** TIME = .302953E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1591E-04 OSCILLATION LIMIT = 12.56
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.769 CRITERION= .9398E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1973E-01
HT FLOW CONVERGENCE VALUE= .4121E-02 CRITERION= .9387E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 25 COMPLETED. CUM ITER = 475
*** TIME = .303742E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1707E-04 OSCILLATION LIMIT = 13.46
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.814 CRITERION= .9391E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1992E-01
HT FLOW CONVERGENCE VALUE= .4200E-02 CRITERION= .9388E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 22 SUBSTEP 26 COMPLETED. CUM ITER = 476

```

*** TIME = .304531E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1592E-04    OSCILLATION LIMIT = 12.56
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.769    CRITERION= .9392E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1973E-01
    HT FLOW CONVERGENCE VALUE= .4118E-02    CRITERION= .9381E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 27 COMPLETED.    CUM ITER = 477
*** TIME = .305320E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1706E-04    OSCILLATION LIMIT = 13.46
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.814    CRITERION= .9385E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1992E-01
    HT FLOW CONVERGENCE VALUE= .4196E-02    CRITERION= .9381E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 28 COMPLETED.    CUM ITER = 478
*** TIME = .306109E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1593E-04    OSCILLATION LIMIT = 12.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.769    CRITERION= .9385E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1973E-01
    HT FLOW CONVERGENCE VALUE= .4116E-02    CRITERION= .9374E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 29 COMPLETED.    CUM ITER = 479
*** TIME = .306898E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1705E-04    OSCILLATION LIMIT = 13.45
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.814    CRITERION= .9378E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1992E-01
    HT FLOW CONVERGENCE VALUE= .4193E-02    CRITERION= .9375E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 30 COMPLETED.    CUM ITER = 480
*** TIME = .307687E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1594E-04    OSCILLATION LIMIT = 12.57
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.769    CRITERION= .9378E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1973E-01
    HT FLOW CONVERGENCE VALUE= .4114E-02    CRITERION= .9368E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 31 COMPLETED.    CUM ITER = 481
*** TIME = .308476E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1704E-04    OSCILLATION LIMIT = 13.45
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.814    CRITERION= .9371E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1992E-01
    HT FLOW CONVERGENCE VALUE= .4189E-02    CRITERION= .9368E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 32 COMPLETED.    CUM ITER = 482
*** TIME = .309265E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1594E-04    OSCILLATION LIMIT = 12.58
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.769    CRITERION= .9372E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1973E-01
    HT FLOW CONVERGENCE VALUE= .4111E-02    CRITERION= .9361E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 33 COMPLETED.    CUM ITER = 483
*** TIME = .310053E+09    TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1704E-04    OSCILLATION LIMIT = 13.44
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 2.814    CRITERION= .9365E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1993E-01
    HT FLOW CONVERGENCE VALUE= .4186E-02    CRITERION= .9361E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 34 COMPLETED. CUM ITER = 484
*** TIME = .310842E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1595E-04 OSCILLATION LIMIT = 12.58
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.769 CRITERION= .9365E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1973E-01
HT FLOW CONVERGENCE VALUE= .4109E-02 CRITERION= .9354E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 35 COMPLETED. CUM ITER = 485
*** TIME = .311631E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1703E-04 OSCILLATION LIMIT = 13.44
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.814 CRITERION= .9358E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1993E-01
HT FLOW CONVERGENCE VALUE= .4182E-02 CRITERION= .9355E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 36 COMPLETED. CUM ITER = 486
*** TIME = .312420E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1596E-04 OSCILLATION LIMIT = 12.59
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.769 CRITERION= .9358E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1973E-01
HT FLOW CONVERGENCE VALUE= .4106E-02 CRITERION= .9348E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 37 COMPLETED. CUM ITER = 487
*** TIME = .313209E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1702E-04 OSCILLATION LIMIT = 13.43
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.814 CRITERION= .9352E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1993E-01
HT FLOW CONVERGENCE VALUE= .4179E-02 CRITERION= .9348E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 38 COMPLETED. CUM ITER = 488
*** TIME = .313998E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1596E-04 OSCILLATION LIMIT = 12.59
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.769 CRITERION= .9352E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1974E-01
HT FLOW CONVERGENCE VALUE= .4104E-02 CRITERION= .9341E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 39 COMPLETED. CUM ITER = 489
*** TIME = .314787E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1702E-04 OSCILLATION LIMIT = 13.43
*** AUTO STEP TIME: NEXT TIME INC = .78894E+06 UNCHANGED

HT FLOW CONVERGENCE VALUE= 2.814 CRITERION= .9345E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1993E-01
HT FLOW CONVERGENCE VALUE= .4175E-02 CRITERION= .9341E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 22 SUBSTEP 40 COMPLETED. CUM ITER = 490
*** TIME = .315576E+09 TIME INC = 788940.
*** RESPONSE EIGENVALUE = .1597E-04 OSCILLATION LIMIT = 12.60

```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 07:32:18 MAR 25, 1995 CP= 33097.970
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .9464E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3190
 HT FLOW CONVERGENCE VALUE= .6460E-01 CRITERION= .9305E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 1 COMPLETED. CUM ITER = 491
 *** TIME = .323465E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6907E-05 OSCILLATION LIMIT = 54.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.33 CRITERION= .9427E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2997
 HT FLOW CONVERGENCE VALUE= .6338E-01 CRITERION= .9272E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 2 COMPLETED. CUM ITER = 492
 *** TIME = .331355E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6229E-05 OSCILLATION LIMIT = 49.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .9395E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2969
 HT FLOW CONVERGENCE VALUE= .6235E-01 CRITERION= .9232E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 3 COMPLETED. CUM ITER = 493
 *** TIME = .339244E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6284E-05 OSCILLATION LIMIT = 49.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.33 CRITERION= .9356E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3009
 HT FLOW CONVERGENCE VALUE= .6291E-01 CRITERION= .9200E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 4 COMPLETED. CUM ITER = 494
 *** TIME = .347134E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6270E-05 OSCILLATION LIMIT = 49.46
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .9324E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2975
 HT FLOW CONVERGENCE VALUE= .6199E-01 CRITERION= .9160E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 5 COMPLETED. CUM ITER = 495
 *** TIME = .355023E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6282E-05 OSCILLATION LIMIT = 49.56
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.32 CRITERION= .9285E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3014
 HT FLOW CONVERGENCE VALUE= .6250E-01 CRITERION= .9128E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 6 COMPLETED. CUM ITER = 496
 *** TIME = .362912E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6267E-05 OSCILLATION LIMIT = 49.44
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .9253E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2982
 HT FLOW CONVERGENCE VALUE= .6167E-01 CRITERION= .9088E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 7 COMPLETED. CUM ITER = 497
 *** TIME = .370802E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6280E-05 OSCILLATION LIMIT = 49.55
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.32 CRITERION= .9214E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3018
 HT FLOW CONVERGENCE VALUE= .6219E-01 CRITERION= .9056E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 8 COMPLETED. CUM ITER = 498
 *** TIME = .378691E+09 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .6263E-05 OSCILLATION LIMIT = 49.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.37 CRITERION= .9182E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2988
 HT FLOW CONVERGENCE VALUE= .6138E-01 CRITERION= .9016E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 9 COMPLETED. CUM ITER = 499
 *** TIME = .386581E+09 TIME INC = .78894E+07
 *** RESPONSE EIGENVALUE = .6277E-05 OSCILLATION LIMIT = 49.52
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.32 CRITERION= .9142E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3024
 HT FLOW CONVERGENCE VALUE= .6185E-01 CRITERION= .8983E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 10 COMPLETED. CUM ITER = 500
 *** TIME = .394470E+09 TIME INC = .78894E+07
 *** RESPONSE EIGENVALUE = .6259E-05 OSCILLATION LIMIT = 49.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.36 CRITERION= .9111E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2995
 HT FLOW CONVERGENCE VALUE= .6109E-01 CRITERION= .8944E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 11 COMPLETED. CUM ITER = 501
 *** TIME = .402359E+09 TIME INC = .78894E+07
 *** RESPONSE EIGENVALUE = .6275E-05 OSCILLATION LIMIT = 49.51
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.32 CRITERION= .9071E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3029
 HT FLOW CONVERGENCE VALUE= .6153E-01 CRITERION= .8911E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 12 COMPLETED. CUM ITER = 502
 *** TIME = .410249E+09 TIME INC = .78894E+07
 *** RESPONSE EIGENVALUE = .6256E-05 OSCILLATION LIMIT = 49.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.36 CRITERION= .9040E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3001
 HT FLOW CONVERGENCE VALUE= .6080E-01 CRITERION= .8872E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 13 COMPLETED. CUM ITER = 503
 *** TIME = .418138E+09 TIME INC = .78894E+07
 *** RESPONSE EIGENVALUE = .6273E-05 OSCILLATION LIMIT = 49.49
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.32 CRITERION= .9000E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3034
 HT FLOW CONVERGENCE VALUE= .6121E-01 CRITERION= .8839E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 14 COMPLETED. CUM ITER = 504
 *** TIME = .426028E+09 TIME INC = .78894E+07
 *** RESPONSE EIGENVALUE = .6253E-05 OSCILLATION LIMIT = 49.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.36 CRITERION= .8969E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3008
 HT FLOW CONVERGENCE VALUE= .6044E-01 CRITERION= .8800E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 15 COMPLETED. CUM ITER = 505
 *** TIME = .433917E+09 TIME INC = .78894E+07
 *** RESPONSE EIGENVALUE = .6271E-05 OSCILLATION LIMIT = 49.48
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .8929E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3040
 HT FLOW CONVERGENCE VALUE= .6073E-01 CRITERION= .8767E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1


```

*** LOAD STEP 23 SUBSTEP 16 COMPLETED. CUM ITER = 506
*** TIME = .441806E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6251E-05 OSCILLATION LIMIT = 49.32
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.36 CRITERION= .8897E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3016
HT FLOW CONVERGENCE VALUE= .6000E-01 CRITERION= .8728E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 17 COMPLETED. CUM ITER = 507
*** TIME = .449696E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6272E-05 OSCILLATION LIMIT = 49.48
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .8858E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3046
HT FLOW CONVERGENCE VALUE= .6035E-01 CRITERION= .8695E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 18 COMPLETED. CUM ITER = 508
*** TIME = .457585E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6250E-05 OSCILLATION LIMIT = 49.31
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.36 CRITERION= .8826E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3023
HT FLOW CONVERGENCE VALUE= .5965E-01 CRITERION= .8655E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 19 COMPLETED. CUM ITER = 509
*** TIME = .465475E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6270E-05 OSCILLATION LIMIT = 49.47
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .8787E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3052
HT FLOW CONVERGENCE VALUE= .5995E-01 CRITERION= .8623E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 20 COMPLETED. CUM ITER = 510
*** TIME = .473364E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6247E-05 OSCILLATION LIMIT = 49.29
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.35 CRITERION= .8755E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3030
HT FLOW CONVERGENCE VALUE= .5926E-01 CRITERION= .8583E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 21 COMPLETED. CUM ITER = 511
*** TIME = .481253E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6268E-05 OSCILLATION LIMIT = 49.45
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .8716E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3058
HT FLOW CONVERGENCE VALUE= .5950E-01 CRITERION= .8551E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 22 COMPLETED. CUM ITER = 512
*** TIME = .489143E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6245E-05 OSCILLATION LIMIT = 49.27
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.35 CRITERION= .8684E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3038
HT FLOW CONVERGENCE VALUE= .5888E-01 CRITERION= .8511E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 23 COMPLETED. CUM ITER = 513
*** TIME = .497032E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6267E-05 OSCILLATION LIMIT = 49.45
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .8645E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3064

```

HT FLOW CONVERGENCE VALUE= .5920E-01 CRITERION= .8479E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 24 COMPLETED. CUM ITER = 514
 *** TIME = .504922E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6243E-05 OSCILLATION LIMIT = 49.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.35 CRITERION= .8613E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3044
 HT FLOW CONVERGENCE VALUE= .5863E-01 CRITERION= .8439E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 25 COMPLETED. CUM ITER = 515
 *** TIME = .512811E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6264E-05 OSCILLATION LIMIT = 49.42
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.31 CRITERION= .8574E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3070
 HT FLOW CONVERGENCE VALUE= .5893E-01 CRITERION= .8407E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 26 COMPLETED. CUM ITER = 516
 *** TIME = .520700E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6239E-05 OSCILLATION LIMIT = 49.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.35 CRITERION= .8542E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3051
 HT FLOW CONVERGENCE VALUE= .5837E-01 CRITERION= .8367E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 27 COMPLETED. CUM ITER = 517
 *** TIME = .528590E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6261E-05 OSCILLATION LIMIT = 49.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.30 CRITERION= .8503E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3076
 HT FLOW CONVERGENCE VALUE= .5860E-01 CRITERION= .8334E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 28 COMPLETED. CUM ITER = 518
 *** TIME = .536479E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6235E-05 OSCILLATION LIMIT = 49.19
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.35 CRITERION= .8471E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3058
 HT FLOW CONVERGENCE VALUE= .5806E-01 CRITERION= .8295E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 29 COMPLETED. CUM ITER = 519
 *** TIME = .544369E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6259E-05 OSCILLATION LIMIT = 49.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.30 CRITERION= .8432E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3083
 HT FLOW CONVERGENCE VALUE= .5832E-01 CRITERION= .8262E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 30 COMPLETED. CUM ITER = 520
 *** TIME = .552258E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6233E-05 OSCILLATION LIMIT = 49.17
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.34 CRITERION= .8401E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3066
 HT FLOW CONVERGENCE VALUE= .5781E-01 CRITERION= .8223E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 31 COMPLETED. CUM ITER = 521
 *** TIME = .560147E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6257E-05 OSCILLATION LIMIT = 49.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.30 CRITERION= .8361E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3089
 HT FLOW CONVERGENCE VALUE= .5801E-01 CRITERION= .8190E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 32 COMPLETED. CUM ITER = 522
 *** TIME = .568037E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6229E-05 OSCILLATION LIMIT = 49.15
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.34 CRITERION= .8330E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3073
 HT FLOW CONVERGENCE VALUE= .5750E-01 CRITERION= .8151E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 33 COMPLETED. CUM ITER = 523
 *** TIME = .575926E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6254E-05 OSCILLATION LIMIT = 49.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.30 CRITERION= .8290E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3095
 HT FLOW CONVERGENCE VALUE= .5775E-01 CRITERION= .8118E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 34 COMPLETED. CUM ITER = 524
 *** TIME = .583816E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6226E-05 OSCILLATION LIMIT = 49.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.34 CRITERION= .8259E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3080
 HT FLOW CONVERGENCE VALUE= .5728E-01 CRITERION= .8079E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 35 COMPLETED. CUM ITER = 525
 *** TIME = .591705E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6251E-05 OSCILLATION LIMIT = 49.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.30 CRITERION= .8219E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3101
 HT FLOW CONVERGENCE VALUE= .5745E-01 CRITERION= .8046E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 36 COMPLETED. CUM ITER = 526
 *** TIME = .599594E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6223E-05 OSCILLATION LIMIT = 49.09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.34 CRITERION= .8188E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3087
 HT FLOW CONVERGENCE VALUE= .5698E-01 CRITERION= .8006E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 37 COMPLETED. CUM ITER = 527
 *** TIME = .607484E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6248E-05 OSCILLATION LIMIT = 49.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .8149E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3108
 HT FLOW CONVERGENCE VALUE= .5717E-01 CRITERION= .7974E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 38 COMPLETED. CUM ITER = 528
 *** TIME = .615373E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6219E-05 OSCILLATION LIMIT = 49.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.34 CRITERION= .8117E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3094
 HT FLOW CONVERGENCE VALUE= .5671E-01 CRITERION= .7934E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 23 SUBSTEP 39 COMPLETED. CUM ITER = 529
 *** TIME = .623263E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .6245E-05 OSCILLATION LIMIT = 49.27

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 15.29 CRITERION= .8078E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3115
HT FLOW CONVERGENCE VALUE= .5686E-01 CRITERION= .7902E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 23 SUBSTEP 40 COMPLETED. CUM ITER = 530
*** TIME = .631152E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .6216E-05 OSCILLATION LIMIT = 49.04

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 08:31:03 MAR 25, 1995 CP= 35930.210
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 47.34 CRITERION= .9209E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3137
HT FLOW CONVERGENCE VALUE= .6880E-01 CRITERION= .7869E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 1 COMPLETED. CUM ITER = 531
*** TIME = .639041E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2462E-05 OSCILLATION LIMIT = 19.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.29 CRITERION= .9179E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3068
HT FLOW CONVERGENCE VALUE= .6669E-01 CRITERION= .7845E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 2 COMPLETED. CUM ITER = 532
*** TIME = .646931E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2499E-05 OSCILLATION LIMIT = 19.72
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.32 CRITERION= .9159E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3053
HT FLOW CONVERGENCE VALUE= .6618E-01 CRITERION= .7814E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 3 COMPLETED. CUM ITER = 533
*** TIME = .654820E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2512E-05 OSCILLATION LIMIT = 19.81
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.27 CRITERION= .9131E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3080
HT FLOW CONVERGENCE VALUE= .6649E-01 CRITERION= .7790E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 4 COMPLETED. CUM ITER = 534
*** TIME = .662710E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2517E-05 OSCILLATION LIMIT = 19.86
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.30 CRITERION= .9111E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3060
HT FLOW CONVERGENCE VALUE= .6600E-01 CRITERION= .7759E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 5 COMPLETED. CUM ITER = 535
*** TIME = .670599E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2513E-05 OSCILLATION LIMIT = 19.82
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.25 CRITERION= .9083E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3086
HT FLOW CONVERGENCE VALUE= .6629E-01 CRITERION= .7734E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 6 COMPLETED. CUM ITER = 536

```

*** TIME = .678488E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2518E-05    OSCILLATION LIMIT = 19.86
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 47.28    CRITERION= .9063E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3067
    HT FLOW CONVERGENCE VALUE= .6581E-01    CRITERION= .7703E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 7 COMPLETED. CUM ITER = 537
*** TIME = .686378E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2515E-05    OSCILLATION LIMIT = 19.84
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 47.23    CRITERION= .9035E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3092
    HT FLOW CONVERGENCE VALUE= .6609E-01    CRITERION= .7679E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 8 COMPLETED. CUM ITER = 538
*** TIME = .694267E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2518E-05    OSCILLATION LIMIT = 19.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 47.27    CRITERION= .9015E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3074
    HT FLOW CONVERGENCE VALUE= .6563E-01    CRITERION= .7648E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 9 COMPLETED. CUM ITER = 539
*** TIME = .702157E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2516E-05    OSCILLATION LIMIT = 19.85
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 47.21    CRITERION= .8987E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3098
    HT FLOW CONVERGENCE VALUE= .6588E-01    CRITERION= .7624E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 10 COMPLETED. CUM ITER = 540
*** TIME = .710046E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2519E-05    OSCILLATION LIMIT = 19.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 47.25    CRITERION= .8967E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3081
    HT FLOW CONVERGENCE VALUE= .6540E-01    CRITERION= .7593E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 11 COMPLETED. CUM ITER = 541
*** TIME = .717935E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2518E-05    OSCILLATION LIMIT = 19.86
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 47.20    CRITERION= .8939E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3104
    HT FLOW CONVERGENCE VALUE= .6560E-01    CRITERION= .7569E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 12 COMPLETED. CUM ITER = 542
*** TIME = .725825E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2519E-05    OSCILLATION LIMIT = 19.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 47.23    CRITERION= .8919E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3088
    HT FLOW CONVERGENCE VALUE= .6513E-01    CRITERION= .7538E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 13 COMPLETED. CUM ITER = 543
*** TIME = .733714E+09    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2519E-05    OSCILLATION LIMIT = 19.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 47.18    CRITERION= .8891E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3110
    HT FLOW CONVERGENCE VALUE= .6531E-01    CRITERION= .7514E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 14 COMPLETED. CUM ITER = 544
*** TIME = .741604E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2519E-05 OSCILLATION LIMIT = 19.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.21 CRITERION= .8872E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3095
HT FLOW CONVERGENCE VALUE= .6483E-01 CRITERION= .7483E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 15 COMPLETED. CUM ITER = 545
*** TIME = .749493E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2520E-05 OSCILLATION LIMIT = 19.88
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.16 CRITERION= .8844E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3116
HT FLOW CONVERGENCE VALUE= .6499E-01 CRITERION= .7459E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 16 COMPLETED. CUM ITER = 546
*** TIME = .757382E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2519E-05 OSCILLATION LIMIT = 19.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.19 CRITERION= .8824E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3101
HT FLOW CONVERGENCE VALUE= .6453E-01 CRITERION= .7428E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 17 COMPLETED. CUM ITER = 547
*** TIME = .765272E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2522E-05 OSCILLATION LIMIT = 19.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.14 CRITERION= .8796E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3122
HT FLOW CONVERGENCE VALUE= .6475E-01 CRITERION= .7404E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 18 COMPLETED. CUM ITER = 548
*** TIME = .773161E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2520E-05 OSCILLATION LIMIT = 19.88
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.18 CRITERION= .8777E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3107
HT FLOW CONVERGENCE VALUE= .6433E-01 CRITERION= .7373E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 19 COMPLETED. CUM ITER = 549
*** TIME = .781051E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2523E-05 OSCILLATION LIMIT = 19.91
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.12 CRITERION= .8749E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3127
HT FLOW CONVERGENCE VALUE= .6449E-01 CRITERION= .7349E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 20 COMPLETED. CUM ITER = 550
*** TIME = .788940E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2520E-05 OSCILLATION LIMIT = 19.88
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.16 CRITERION= .8729E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3114
HT FLOW CONVERGENCE VALUE= .6407E-01 CRITERION= .7318E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 21 COMPLETED. CUM ITER = 551
*** TIME = .796829E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2525E-05 OSCILLATION LIMIT = 19.92
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.10 CRITERION= .8702E-01

```

```
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3133
HT FLOW CONVERGENCE VALUE= .6419E-01 CRITERION= .7294E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 22 COMPLETED. CUM ITER = 552
*** TIME = .804719E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2521E-05 OSCILLATION LIMIT = 19.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.14 CRITERION= .8682E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3120
HT FLOW CONVERGENCE VALUE= .6376E-01 CRITERION= .7263E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 23 COMPLETED. CUM ITER = 553
*** TIME = .812608E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2526E-05 OSCILLATION LIMIT = 19.93
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.09 CRITERION= .8654E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3138
HT FLOW CONVERGENCE VALUE= .6382E-01 CRITERION= .7239E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 24 COMPLETED. CUM ITER = 554
*** TIME = .820498E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2521E-05 OSCILLATION LIMIT = 19.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.12 CRITERION= .8635E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3126
HT FLOW CONVERGENCE VALUE= .6340E-01 CRITERION= .7208E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 25 COMPLETED. CUM ITER = 555
*** TIME = .828387E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2527E-05 OSCILLATION LIMIT = 19.94
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.07 CRITERION= .8607E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3144
HT FLOW CONVERGENCE VALUE= .6347E-01 CRITERION= .7184E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 26 COMPLETED. CUM ITER = 556
*** TIME = .836276E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2522E-05 OSCILLATION LIMIT = 19.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.10 CRITERION= .8588E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3133
HT FLOW CONVERGENCE VALUE= .6308E-01 CRITERION= .7153E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 27 COMPLETED. CUM ITER = 557
*** TIME = .844166E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2529E-05 OSCILLATION LIMIT = 19.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.05 CRITERION= .8560E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3150
HT FLOW CONVERGENCE VALUE= .6316E-01 CRITERION= .7128E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 28 COMPLETED. CUM ITER = 558
*** TIME = .852055E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2522E-05 OSCILLATION LIMIT = 19.90
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.09 CRITERION= .8541E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3139
HT FLOW CONVERGENCE VALUE= .6276E-01 CRITERION= .7097E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 24 SUBSTEP 29 COMPLETED. CUM ITER = 559
*** TIME = .859945E+09 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .2530E-05 OSCILLATION LIMIT = 19.96
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

HT FLOW CONVERGENCE VALUE= 47.03 CRITERION= .8513E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3155
 HT FLOW CONVERGENCE VALUE= .6282E-01 CRITERION= .7073E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 30 COMPLETED. CUM ITER = 560
 *** TIME = .867834E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2523E-05 OSCILLATION LIMIT = 19.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.07 CRITERION= .8494E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3146
 HT FLOW CONVERGENCE VALUE= .6243E-01 CRITERION= .7042E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 31 COMPLETED. CUM ITER = 561
 *** TIME = .875723E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2531E-05 OSCILLATION LIMIT = 19.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.01 CRITERION= .8466E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3161
 HT FLOW CONVERGENCE VALUE= .6249E-01 CRITERION= .7018E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 32 COMPLETED. CUM ITER = 562
 *** TIME = .883613E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2523E-05 OSCILLATION LIMIT = 19.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.05 CRITERION= .8447E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3152
 HT FLOW CONVERGENCE VALUE= .6211E-01 CRITERION= .6987E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 33 COMPLETED. CUM ITER = 563
 *** TIME = .891502E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2533E-05 OSCILLATION LIMIT = 19.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.00 CRITERION= .8419E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3167
 HT FLOW CONVERGENCE VALUE= .6216E-01 CRITERION= .6963E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 34 COMPLETED. CUM ITER = 564
 *** TIME = .899392E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2524E-05 OSCILLATION LIMIT = 19.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.03 CRITERION= .8400E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3158
 HT FLOW CONVERGENCE VALUE= .6179E-01 CRITERION= .6932E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 35 COMPLETED. CUM ITER = 565
 *** TIME = .907281E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2534E-05 OSCILLATION LIMIT = 19.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 46.98 CRITERION= .8373E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3173
 HT FLOW CONVERGENCE VALUE= .6184E-01 CRITERION= .6908E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 36 COMPLETED. CUM ITER = 566
 *** TIME = .915170E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2524E-05 OSCILLATION LIMIT = 19.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 47.01 CRITERION= .8354E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3165
 HT FLOW CONVERGENCE VALUE= .6148E-01 CRITERION= .6877E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 37 COMPLETED. CUM ITER = 567
 *** TIME = .923060E+09 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .2535E-05 OSCILLATION LIMIT = 20.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 46.96 CRITERION= .8326E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3179
 HT FLOW CONVERGENCE VALUE= .6151E-01 CRITERION= .6853E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 38 COMPLETED. CUM ITER = 568
 *** TIME = .930949E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2525E-05 OSCILLATION LIMIT = 19.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 46.99 CRITERION= .8307E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3171
 HT FLOW CONVERGENCE VALUE= .6116E-01 CRITERION= .6822E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 39 COMPLETED. CUM ITER = 569
 *** TIME = .938839E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2536E-05 OSCILLATION LIMIT = 20.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 46.94 CRITERION= .8280E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3185
 HT FLOW CONVERGENCE VALUE= .6118E-01 CRITERION= .6798E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 24 SUBSTEP 40 COMPLETED. CUM ITER = 570
 *** TIME = .946728E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .2526E-05 OSCILLATION LIMIT = 19.92

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 09:30:16 MAR 25, 1995 CP= 38762.020
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 56.69 CRITERION= .8849E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3003
 HT FLOW CONVERGENCE VALUE= .6256E-01 CRITERION= .6771E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 1 COMPLETED. CUM ITER = 571
 *** TIME = .954617E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1605E-05 OSCILLATION LIMIT = 12.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.63 CRITERION= .8826E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2995
 HT FLOW CONVERGENCE VALUE= .6199E-01 CRITERION= .6752E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 2 COMPLETED. CUM ITER = 572
 *** TIME = .962507E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1615E-05 OSCILLATION LIMIT = 12.74
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.66 CRITERION= .8812E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2991
 HT FLOW CONVERGENCE VALUE= .6172E-01 CRITERION= .6725E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 3 COMPLETED. CUM ITER = 573
 *** TIME = .970396E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1629E-05 OSCILLATION LIMIT = 12.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.61 CRITERION= .8790E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3002
 HT FLOW CONVERGENCE VALUE= .6173E-01 CRITERION= .6706E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 25 SUBSTEP 4 COMPLETED. CUM ITER = 574
 *** TIME = .978286E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1620E-05 OSCILLATION LIMIT = 12.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.64 CRITERION= .8775E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2996
 HT FLOW CONVERGENCE VALUE= .6146E-01 CRITERION= .6680E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 25 SUBSTEP 5 COMPLETED. CUM ITER = 575
 *** TIME = .986175E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1630E-05 OSCILLATION LIMIT = 12.86
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.58 CRITERION= .8753E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3007
 HT FLOW CONVERGENCE VALUE= .6147E-01 CRITERION= .6660E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 25 SUBSTEP 6 COMPLETED. CUM ITER = 576
 *** TIME = .994064E+09 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1621E-05 OSCILLATION LIMIT = 12.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.61 CRITERION= .8739E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3002
 HT FLOW CONVERGENCE VALUE= .6120E-01 CRITERION= .6634E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 25 SUBSTEP 7 COMPLETED. CUM ITER = 577
 *** TIME = .100195E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1632E-05 OSCILLATION LIMIT = 12.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.55 CRITERION= .8717E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3012
 HT FLOW CONVERGENCE VALUE= .6118E-01 CRITERION= .6615E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 25 SUBSTEP 8 COMPLETED. CUM ITER = 578
 *** TIME = .100984E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1623E-05 OSCILLATION LIMIT = 12.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.58 CRITERION= .8703E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3007
 HT FLOW CONVERGENCE VALUE= .6086E-01 CRITERION= .6588E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 25 SUBSTEP 9 COMPLETED. CUM ITER = 579
 *** TIME = .101773E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1634E-05 OSCILLATION LIMIT = 12.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.53 CRITERION= .8680E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3017
 HT FLOW CONVERGENCE VALUE= .6069E-01 CRITERION= .6569E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 25 SUBSTEP 10 COMPLETED. CUM ITER = 580
 *** TIME = .102562E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1624E-05 OSCILLATION LIMIT = 12.81
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.56 CRITERION= .8666E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3013
 HT FLOW CONVERGENCE VALUE= .6027E-01 CRITERION= .6543E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 25 SUBSTEP 11 COMPLETED. CUM ITER = 581
 *** TIME = .103351E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1635E-05 OSCILLATION LIMIT = 12.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.50 CRITERION= .8644E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3022

HT FLOW CONVERGENCE VALUE= .6009E-01 CRITERION= .6523E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 12 COMPLETED. CUM ITER = 582
 *** TIME = .104140E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1625E-05 OSCILLATION LIMIT = 12.82
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.53 CRITERION= .8630E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3018
 HT FLOW CONVERGENCE VALUE= .5966E-01 CRITERION= .6497E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 13 COMPLETED. CUM ITER = 583
 *** TIME = .104929E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1637E-05 OSCILLATION LIMIT = 12.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.48 CRITERION= .8608E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3027
 HT FLOW CONVERGENCE VALUE= .5961E-01 CRITERION= .6478E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 14 COMPLETED. CUM ITER = 584
 *** TIME = .105718E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1626E-05 OSCILLATION LIMIT = 12.83
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.51 CRITERION= .8594E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3023
 HT FLOW CONVERGENCE VALUE= .5932E-01 CRITERION= .6451E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 15 COMPLETED. CUM ITER = 585
 *** TIME = .106507E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1638E-05 OSCILLATION LIMIT = 12.92
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.45 CRITERION= .8572E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3032
 HT FLOW CONVERGENCE VALUE= .5930E-01 CRITERION= .6432E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 16 COMPLETED. CUM ITER = 586
 *** TIME = .107296E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1627E-05 OSCILLATION LIMIT = 12.84
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.48 CRITERION= .8558E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3029
 HT FLOW CONVERGENCE VALUE= .5899E-01 CRITERION= .6406E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 17 COMPLETED. CUM ITER = 587
 *** TIME = .108085E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1640E-05 OSCILLATION LIMIT = 12.94
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.42 CRITERION= .8536E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3037
 HT FLOW CONVERGENCE VALUE= .5884E-01 CRITERION= .6387E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 18 COMPLETED. CUM ITER = 588
 *** TIME = .108874E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1628E-05 OSCILLATION LIMIT = 12.85
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.45 CRITERION= .8522E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3034
 HT FLOW CONVERGENCE VALUE= .5850E-01 CRITERION= .6360E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 19 COMPLETED. CUM ITER = 589
 *** TIME = .109663E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1641E-05 OSCILLATION LIMIT = 12.95
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.40 CRITERION= .8500E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3042
 HT FLOW CONVERGENCE VALUE= .5832E-01 CRITERION= .6341E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 20 COMPLETED. CUM ITER = 590
 *** TIME = .110452E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1630E-05 OSCILLATION LIMIT = 12.86
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.43 CRITERION= .8486E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3040
 HT FLOW CONVERGENCE VALUE= .5796E-01 CRITERION= .6315E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 21 COMPLETED. CUM ITER = 591
 *** TIME = .111241E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1643E-05 OSCILLATION LIMIT = 12.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.37 CRITERION= .8464E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3048
 HT FLOW CONVERGENCE VALUE= .5775E-01 CRITERION= .6295E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 22 COMPLETED. CUM ITER = 592
 *** TIME = .112029E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1631E-05 OSCILLATION LIMIT = 12.86
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.40 CRITERION= .8450E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3045
 HT FLOW CONVERGENCE VALUE= .5736E-01 CRITERION= .6269E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 23 COMPLETED. CUM ITER = 593
 *** TIME = .112818E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1644E-05 OSCILLATION LIMIT = 12.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.34 CRITERION= .8428E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3053
 HT FLOW CONVERGENCE VALUE= .5721E-01 CRITERION= .6250E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 24 COMPLETED. CUM ITER = 594
 *** TIME = .113607E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1632E-05 OSCILLATION LIMIT = 12.87
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.37 CRITERION= .8414E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3051
 HT FLOW CONVERGENCE VALUE= .5686E-01 CRITERION= .6223E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 25 COMPLETED. CUM ITER = 595
 *** TIME = .114396E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1645E-05 OSCILLATION LIMIT = 12.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.32 CRITERION= .8393E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3058
 HT FLOW CONVERGENCE VALUE= .5673E-01 CRITERION= .6204E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 26 COMPLETED. CUM ITER = 596
 *** TIME = .115185E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1632E-05 OSCILLATION LIMIT = 12.88
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.35 CRITERION= .8379E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3056
 HT FLOW CONVERGENCE VALUE= .5647E-01 CRITERION= .6178E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 27 COMPLETED. CUM ITER = 597
 *** TIME = .115974E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1646E-05 OSCILLATION LIMIT = 12.99

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.29 CRITERION= .8357E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3063
 HT FLOW CONVERGENCE VALUE= .5636E-01 CRITERION= .6158E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 28 COMPLETED. CUM ITER = 598
 *** TIME = .116763E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1633E-05 OSCILLATION LIMIT = 12.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.32 CRITERION= .8343E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3062
 HT FLOW CONVERGENCE VALUE= .5610E-01 CRITERION= .6132E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 29 COMPLETED. CUM ITER = 599
 *** TIME = .117552E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1647E-05 OSCILLATION LIMIT = 13.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.26 CRITERION= .8322E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3069
 HT FLOW CONVERGENCE VALUE= .5604E-01 CRITERION= .6113E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 30 COMPLETED. CUM ITER = 600
 *** TIME = .118341E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1634E-05 OSCILLATION LIMIT = 12.89
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.30 CRITERION= .8308E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3067
 HT FLOW CONVERGENCE VALUE= .5580E-01 CRITERION= .6086E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 31 COMPLETED. CUM ITER = 601
 *** TIME = .119130E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1649E-05 OSCILLATION LIMIT = 13.01
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.24 CRITERION= .8286E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3074
 HT FLOW CONVERGENCE VALUE= .5570E-01 CRITERION= .6067E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 32 COMPLETED. CUM ITER = 602
 *** TIME = .119919E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1636E-05 OSCILLATION LIMIT = 12.90
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.27 CRITERION= .8273E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3073
 HT FLOW CONVERGENCE VALUE= .5545E-01 CRITERION= .6041E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 33 COMPLETED. CUM ITER = 603
 *** TIME = .120708E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1650E-05 OSCILLATION LIMIT = 13.02
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.21 CRITERION= .8251E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3079
 HT FLOW CONVERGENCE VALUE= .5535E-01 CRITERION= .6021E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 34 COMPLETED. CUM ITER = 604
 *** TIME = .121497E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1636E-05 OSCILLATION LIMIT = 12.91
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 56.24 CRITERION= .8237E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3078
 HT FLOW CONVERGENCE VALUE= .5515E-01 CRITERION= .5995E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 25 SUBSTEP 35 COMPLETED. CUM ITER = 605

```

*** TIME = .122286E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1651E-05    OSCILLATION LIMIT = 13.03
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 56.19    CRITERION= .8216E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3085
    HT FLOW CONVERGENCE VALUE= .5498E-01 CRITERION= .5976E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 36 COMPLETED. CUM ITER = 606
*** TIME = .123075E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1637E-05    OSCILLATION LIMIT = 12.92
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 56.22    CRITERION= .8202E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3084
    HT FLOW CONVERGENCE VALUE= .5472E-01 CRITERION= .5950E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 37 COMPLETED. CUM ITER = 607
*** TIME = .123864E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1652E-05    OSCILLATION LIMIT = 13.03
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 56.16    CRITERION= .8181E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3090
    HT FLOW CONVERGENCE VALUE= .5461E-01 CRITERION= .5930E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 38 COMPLETED. CUM ITER = 608
*** TIME = .124653E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1638E-05    OSCILLATION LIMIT = 12.92
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 56.19    CRITERION= .8167E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3089
    HT FLOW CONVERGENCE VALUE= .5432E-01 CRITERION= .5904E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 39 COMPLETED. CUM ITER = 609
*** TIME = .125441E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1653E-05    OSCILLATION LIMIT = 13.04
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 56.13    CRITERION= .8146E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3095
    HT FLOW CONVERGENCE VALUE= .5421E-01 CRITERION= .5885E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 25 SUBSTEP 40 COMPLETED. CUM ITER = 610
*** TIME = .126230E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1639E-05    OSCILLATION LIMIT = 12.93

```

***** ANSYS SOLVE COMMAND *****

1

```

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303    VERSION=HP 9000/7XX    10:28:59 MAR 25, 1995 CP= 41595.470
FOR SUPPORT CALL SUPPORT PERSON    PHONE SUPPORT PHONE    FAX SUPPORT FAX

```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```

    HT FLOW CONVERGENCE VALUE= 50.72    CRITERION= .7767E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2540
    HT FLOW CONVERGENCE VALUE= .4591E-01 CRITERION= .5863E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 1 COMPLETED. CUM ITER = 611
*** TIME = .127019E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1335E-05    OSCILLATION LIMIT = 10.53
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

    HT FLOW CONVERGENCE VALUE= 50.66    CRITERION= .7748E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2567
    HT FLOW CONVERGENCE VALUE= .4592E-01 CRITERION= .5848E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 2 COMPLETED. CUM ITER = 612
*** TIME = .127808E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1357E-05 OSCILLATION LIMIT = 10.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.70 CRITERION= .7738E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2580
HT FLOW CONVERGENCE VALUE= .4571E-01 CRITERION= .5827E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 3 COMPLETED. CUM ITER = 613
*** TIME = .128597E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1387E-05 OSCILLATION LIMIT = 10.94
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.64 CRITERION= .7720E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2570
HT FLOW CONVERGENCE VALUE= .4541E-01 CRITERION= .5813E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 4 COMPLETED. CUM ITER = 614
*** TIME = .129386E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1355E-05 OSCILLATION LIMIT = 10.69
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.68 CRITERION= .7710E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2583
HT FLOW CONVERGENCE VALUE= .4541E-01 CRITERION= .5791E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 5 COMPLETED. CUM ITER = 615
*** TIME = .130175E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1388E-05 OSCILLATION LIMIT = 10.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.62 CRITERION= .7691E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2574
HT FLOW CONVERGENCE VALUE= .4513E-01 CRITERION= .5777E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 6 COMPLETED. CUM ITER = 616
*** TIME = .130964E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1357E-05 OSCILLATION LIMIT = 10.70
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.65 CRITERION= .7681E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2587
HT FLOW CONVERGENCE VALUE= .4511E-01 CRITERION= .5755E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 7 COMPLETED. CUM ITER = 617
*** TIME = .131753E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1388E-05 OSCILLATION LIMIT = 10.95
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.60 CRITERION= .7663E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2578
HT FLOW CONVERGENCE VALUE= .4492E-01 CRITERION= .5741E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 8 COMPLETED. CUM ITER = 618
*** TIME = .132542E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1358E-05 OSCILLATION LIMIT = 10.71
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.63 CRITERION= .7653E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2590
HT FLOW CONVERGENCE VALUE= .4492E-01 CRITERION= .5719E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 9 COMPLETED. CUM ITER = 619
*** TIME = .133331E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1389E-05 OSCILLATION LIMIT = 10.96
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.58 CRITERION= .7634E-01

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2582
 HT FLOW CONVERGENCE VALUE= .4473E-01 CRITERION= .5705E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 10 COMPLETED. CUM ITER = 620
 *** TIME = .134120E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1359E-05 OSCILLATION LIMIT = 10.72
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.61 CRITERION= .7624E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2593
 HT FLOW CONVERGENCE VALUE= .4471E-01 CRITERION= .5683E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 11 COMPLETED. CUM ITER = 621
 *** TIME = .134909E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1390E-05 OSCILLATION LIMIT = 10.96
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.56 CRITERION= .7606E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2586
 HT FLOW CONVERGENCE VALUE= .4451E-01 CRITERION= .5669E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 12 COMPLETED. CUM ITER = 622
 *** TIME = .135698E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1361E-05 OSCILLATION LIMIT = 10.73
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.59 CRITERION= .7596E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2597
 HT FLOW CONVERGENCE VALUE= .4448E-01 CRITERION= .5647E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 13 COMPLETED. CUM ITER = 623
 *** TIME = .136487E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1390E-05 OSCILLATION LIMIT = 10.97
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.54 CRITERION= .7578E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2590
 HT FLOW CONVERGENCE VALUE= .4427E-01 CRITERION= .5633E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 14 COMPLETED. CUM ITER = 624
 *** TIME = .137276E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1362E-05 OSCILLATION LIMIT = 10.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.57 CRITERION= .7568E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2601
 HT FLOW CONVERGENCE VALUE= .4422E-01 CRITERION= .5611E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 15 COMPLETED. CUM ITER = 625
 *** TIME = .138065E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1391E-05 OSCILLATION LIMIT = 10.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.51 CRITERION= .7550E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2594
 HT FLOW CONVERGENCE VALUE= .4404E-01 CRITERION= .5597E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 16 COMPLETED. CUM ITER = 626
 *** TIME = .138853E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1363E-05 OSCILLATION LIMIT = 10.75
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.55 CRITERION= .7540E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2604
 HT FLOW CONVERGENCE VALUE= .4400E-01 CRITERION= .5576E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 17 COMPLETED. CUM ITER = 627
 *** TIME = .139642E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1392E-05 OSCILLATION LIMIT = 10.98
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.49 CRITERION= .7522E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2598
 HT FLOW CONVERGENCE VALUE= .4381E-01 CRITERION= .5561E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 18 COMPLETED. CUM ITER = 628
 *** TIME = .140431E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1365E-05 OSCILLATION LIMIT = 10.77
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.53 CRITERION= .7512E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2608
 HT FLOW CONVERGENCE VALUE= .4375E-01 CRITERION= .5540E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 19 COMPLETED. CUM ITER = 629
 *** TIME = .141220E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1393E-05 OSCILLATION LIMIT = 10.99
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.47 CRITERION= .7494E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2602
 HT FLOW CONVERGENCE VALUE= .4357E-01 CRITERION= .5525E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 20 COMPLETED. CUM ITER = 630
 *** TIME = .142009E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1366E-05 OSCILLATION LIMIT = 10.78
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.50 CRITERION= .7484E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2611
 HT FLOW CONVERGENCE VALUE= .4350E-01 CRITERION= .5504E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 21 COMPLETED. CUM ITER = 631
 *** TIME = .142798E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1394E-05 OSCILLATION LIMIT = 11.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.45 CRITERION= .7466E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2606
 HT FLOW CONVERGENCE VALUE= .4334E-01 CRITERION= .5489E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 22 COMPLETED. CUM ITER = 632
 *** TIME = .143587E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1367E-05 OSCILLATION LIMIT = 10.79
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.48 CRITERION= .7456E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2615
 HT FLOW CONVERGENCE VALUE= .4326E-01 CRITERION= .5468E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 23 COMPLETED. CUM ITER = 633
 *** TIME = .144376E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1395E-05 OSCILLATION LIMIT = 11.00
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.43 CRITERION= .7438E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2610
 HT FLOW CONVERGENCE VALUE= .4307E-01 CRITERION= .5453E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 24 COMPLETED. CUM ITER = 634
 *** TIME = .145165E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1369E-05 OSCILLATION LIMIT = 10.80
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.46 CRITERION= .7428E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619
 HT FLOW CONVERGENCE VALUE= .4295E-01 CRITERION= .5432E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 26 SUBSTEP 25 COMPLETED. CUM ITER = 635
 *** TIME = .145954E+10 TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .1395E-05  OSCILLATION LIMIT = 11.01
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.41  CRITERION= .7410E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2614
  HT FLOW CONVERGENCE VALUE= .4274E-01 CRITERION= .5417E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 26 COMPLETED. CUM ITER = 636
*** TIME = .146743E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1370E-05  OSCILLATION LIMIT = 10.81
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.44  CRITERION= .7400E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2623
  HT FLOW CONVERGENCE VALUE= .4260E-01 CRITERION= .5396E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 27 COMPLETED. CUM ITER = 637
*** TIME = .147532E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1396E-05  OSCILLATION LIMIT = 11.02
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.39  CRITERION= .7382E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2619
  HT FLOW CONVERGENCE VALUE= .4242E-01 CRITERION= .5382E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 28 COMPLETED. CUM ITER = 638
*** TIME = .148321E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1371E-05  OSCILLATION LIMIT = 10.82
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.42  CRITERION= .7373E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2627
  HT FLOW CONVERGENCE VALUE= .4233E-01 CRITERION= .5360E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 29 COMPLETED. CUM ITER = 639
*** TIME = .149110E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1398E-05  OSCILLATION LIMIT = 11.03
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.36  CRITERION= .7355E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2623
  HT FLOW CONVERGENCE VALUE= .4251E-01 CRITERION= .5346E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 30 COMPLETED. CUM ITER = 640
*** TIME = .149899E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1373E-05  OSCILLATION LIMIT = 10.83
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.40  CRITERION= .7345E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2630
  HT FLOW CONVERGENCE VALUE= .4278E-01 CRITERION= .5324E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 31 COMPLETED. CUM ITER = 641
*** TIME = .150688E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1399E-05  OSCILLATION LIMIT = 11.04
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.34  CRITERION= .7327E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2627
  HT FLOW CONVERGENCE VALUE= .4279E-01 CRITERION= .5310E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 32 COMPLETED. CUM ITER = 642
*** TIME = .151476E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1375E-05  OSCILLATION LIMIT = 10.85
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 50.38  CRITERION= .7317E-01
  EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2634
  HT FLOW CONVERGENCE VALUE= .4309E-01 CRITERION= .5288E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

```

```

*** LOAD STEP 26 SUBSTEP 33 COMPLETED. CUM ITER = 643
*** TIME = .152265E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1400E-05 OSCILLATION LIMIT = 11.05
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.32 CRITERION= .7300E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2631
HT FLOW CONVERGENCE VALUE= .4317E-01 CRITERION= .5274E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 34 COMPLETED. CUM ITER = 644
*** TIME = .153054E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1377E-05 OSCILLATION LIMIT = 10.86
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.35 CRITERION= .7290E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2638
HT FLOW CONVERGENCE VALUE= .4315E-01 CRITERION= .5252E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 35 COMPLETED. CUM ITER = 645
*** TIME = .153843E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1402E-05 OSCILLATION LIMIT = 11.06
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.30 CRITERION= .7272E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2636
HT FLOW CONVERGENCE VALUE= .4313E-01 CRITERION= .5238E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 36 COMPLETED. CUM ITER = 646
*** TIME = .154632E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1378E-05 OSCILLATION LIMIT = 10.87
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.33 CRITERION= .7262E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2642
HT FLOW CONVERGENCE VALUE= .4314E-01 CRITERION= .5216E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 37 COMPLETED. CUM ITER = 647
*** TIME = .155421E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1403E-05 OSCILLATION LIMIT = 11.07
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.28 CRITERION= .7245E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2640
HT FLOW CONVERGENCE VALUE= .4298E-01 CRITERION= .5202E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 38 COMPLETED. CUM ITER = 648
*** TIME = .156210E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1380E-05 OSCILLATION LIMIT = 10.89
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.31 CRITERION= .7235E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2646
HT FLOW CONVERGENCE VALUE= .4285E-01 CRITERION= .5181E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 39 COMPLETED. CUM ITER = 649
*** TIME = .156999E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1404E-05 OSCILLATION LIMIT = 11.08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 50.26 CRITERION= .7217E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2644
HT FLOW CONVERGENCE VALUE= .4267E-01 CRITERION= .5166E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 26 SUBSTEP 40 COMPLETED. CUM ITER = 650
*** TIME = .157788E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1381E-05 OSCILLATION LIMIT = 10.90

```

***** ANSYS SOLVE COMMAND *****

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 11:28:18 MAR 25, 1995 CP= 44428.550
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 42.60 CRITERION= .6694E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2160
 HT FLOW CONVERGENCE VALUE= .3528E-01 CRITERION= .5148E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 1 COMPLETED. CUM ITER = 651
 *** TIME = .158577E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1291E-05 OSCILLATION LIMIT = 10.18
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.55 CRITERION= .6678E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2180
 HT FLOW CONVERGENCE VALUE= .3530E-01 CRITERION= .5137E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 2 COMPLETED. CUM ITER = 652
 *** TIME = .159366E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1297E-05 OSCILLATION LIMIT = 10.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.59 CRITERION= .6671E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2199
 HT FLOW CONVERGENCE VALUE= .3535E-01 CRITERION= .5119E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 3 COMPLETED. CUM ITER = 653
 *** TIME = .160155E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1340E-05 OSCILLATION LIMIT = 10.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.53 CRITERION= .6655E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2182
 HT FLOW CONVERGENCE VALUE= .3506E-01 CRITERION= .5108E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 4 COMPLETED. CUM ITER = 654
 *** TIME = .160944E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1295E-05 OSCILLATION LIMIT = 10.22
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.57 CRITERION= .6648E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2201
 HT FLOW CONVERGENCE VALUE= .3513E-01 CRITERION= .5090E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 5 COMPLETED. CUM ITER = 655
 *** TIME = .161733E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1340E-05 OSCILLATION LIMIT = 10.57
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.52 CRITERION= .6632E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2186
 HT FLOW CONVERGENCE VALUE= .3485E-01 CRITERION= .5079E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 6 COMPLETED. CUM ITER = 656
 *** TIME = .162522E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1297E-05 OSCILLATION LIMIT = 10.23
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.56 CRITERION= .6624E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2204
 HT FLOW CONVERGENCE VALUE= .3488E-01 CRITERION= .5060E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 7 COMPLETED. CUM ITER = 657
 *** TIME = .163311E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1341E-05 OSCILLATION LIMIT = 10.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.50 CRITERION= .6608E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2189
 HT FLOW CONVERGENCE VALUE= .3462E-01 CRITERION= .5049E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 8 COMPLETED. CUM ITER = 658
 *** TIME = .164100E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1299E-05 OSCILLATION LIMIT = 10.25
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.54 CRITERION= .6601E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2206
 HT FLOW CONVERGENCE VALUE= .3465E-01 CRITERION= .5031E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 9 COMPLETED. CUM ITER = 659
 *** TIME = .164888E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1342E-05 OSCILLATION LIMIT = 10.58
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.49 CRITERION= .6585E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2192
 HT FLOW CONVERGENCE VALUE= .3439E-01 CRITERION= .5020E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 10 COMPLETED. CUM ITER = 660
 *** TIME = .165677E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1301E-05 OSCILLATION LIMIT = 10.27
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.52 CRITERION= .6578E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2208
 HT FLOW CONVERGENCE VALUE= .3440E-01 CRITERION= .5002E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 11 COMPLETED. CUM ITER = 661
 *** TIME = .166466E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1342E-05 OSCILLATION LIMIT = 10.59
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.47 CRITERION= .6562E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2195
 HT FLOW CONVERGENCE VALUE= .3416E-01 CRITERION= .4991E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 12 COMPLETED. CUM ITER = 662
 *** TIME = .167255E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1303E-05 OSCILLATION LIMIT = 10.28
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.51 CRITERION= .6554E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2211
 HT FLOW CONVERGENCE VALUE= .3417E-01 CRITERION= .4973E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 13 COMPLETED. CUM ITER = 663
 *** TIME = .168044E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1343E-05 OSCILLATION LIMIT = 10.60
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.46 CRITERION= .6539E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2199
 HT FLOW CONVERGENCE VALUE= .3395E-01 CRITERION= .4962E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 14 COMPLETED. CUM ITER = 664
 *** TIME = .168833E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1305E-05 OSCILLATION LIMIT = 10.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.49 CRITERION= .6531E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2213
 HT FLOW CONVERGENCE VALUE= .3396E-01 CRITERION= .4944E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 15 COMPLETED. CUM ITER = 665
 *** TIME = .169622E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1344E-05 OSCILLATION LIMIT = 10.60

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.44 CRITERION= .6516E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2202
 HT FLOW CONVERGENCE VALUE= .3374E-01 CRITERION= .4933E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 16 COMPLETED. CUM ITER = 666
 *** TIME = .170411E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1307E-05 OSCILLATION LIMIT = 10.31
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.48 CRITERION= .6508E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2216
 HT FLOW CONVERGENCE VALUE= .3375E-01 CRITERION= .4915E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 17 COMPLETED. CUM ITER = 667
 *** TIME = .171200E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1345E-05 OSCILLATION LIMIT = 10.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.43 CRITERION= .6492E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2205
 HT FLOW CONVERGENCE VALUE= .3357E-01 CRITERION= .4904E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 18 COMPLETED. CUM ITER = 668
 *** TIME = .171989E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1308E-05 OSCILLATION LIMIT = 10.32
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.46 CRITERION= .6485E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2218
 HT FLOW CONVERGENCE VALUE= .3358E-01 CRITERION= .4885E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 19 COMPLETED. CUM ITER = 669
 *** TIME = .172778E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1345E-05 OSCILLATION LIMIT = 10.61
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.41 CRITERION= .6469E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2208
 HT FLOW CONVERGENCE VALUE= .3341E-01 CRITERION= .4874E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 20 COMPLETED. CUM ITER = 670
 *** TIME = .173567E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1310E-05 OSCILLATION LIMIT = 10.33
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.45 CRITERION= .6462E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2221
 HT FLOW CONVERGENCE VALUE= .3340E-01 CRITERION= .4856E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 21 COMPLETED. CUM ITER = 671
 *** TIME = .174356E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1346E-05 OSCILLATION LIMIT = 10.62
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.40 CRITERION= .6446E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2212
 HT FLOW CONVERGENCE VALUE= .3322E-01 CRITERION= .4845E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 22 COMPLETED. CUM ITER = 672
 *** TIME = .175145E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1311E-05 OSCILLATION LIMIT = 10.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.43 CRITERION= .6439E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2223
 HT FLOW CONVERGENCE VALUE= .3331E-01 CRITERION= .4827E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 23 COMPLETED. CUM ITER = 673

```

*** TIME = .175934E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1346E-05    OSCILLATION LIMIT = 10.62
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.38    CRITERION= .6423E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2215
    HT FLOW CONVERGENCE VALUE= .3323E-01    CRITERION= .4816E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 24 COMPLETED.    CUM ITER = 674
*** TIME = .176723E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1312E-05    OSCILLATION LIMIT = 10.35
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.42    CRITERION= .6416E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2226
    HT FLOW CONVERGENCE VALUE= .3308E-01    CRITERION= .4798E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 25 COMPLETED.    CUM ITER = 675
*** TIME = .177512E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1347E-05    OSCILLATION LIMIT = 10.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.37    CRITERION= .6401E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2218
    HT FLOW CONVERGENCE VALUE= .3281E-01    CRITERION= .4787E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 26 COMPLETED.    CUM ITER = 676
*** TIME = .178300E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1314E-05    OSCILLATION LIMIT = 10.37
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.40    CRITERION= .6393E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2229
    HT FLOW CONVERGENCE VALUE= .3280E-01    CRITERION= .4769E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 27 COMPLETED.    CUM ITER = 677
*** TIME = .179089E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1347E-05    OSCILLATION LIMIT = 10.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.35    CRITERION= .6378E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2221
    HT FLOW CONVERGENCE VALUE= .3264E-01    CRITERION= .4758E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 28 COMPLETED.    CUM ITER = 678
*** TIME = .179878E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1315E-05    OSCILLATION LIMIT = 10.37
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.39    CRITERION= .6370E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2231
    HT FLOW CONVERGENCE VALUE= .3264E-01    CRITERION= .4740E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 29 COMPLETED.    CUM ITER = 679
*** TIME = .180667E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1348E-05    OSCILLATION LIMIT = 10.63
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.33    CRITERION= .6355E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2224
    HT FLOW CONVERGENCE VALUE= .3249E-01    CRITERION= .4729E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 30 COMPLETED.    CUM ITER = 680
*** TIME = .181456E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1316E-05    OSCILLATION LIMIT = 10.38
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 42.37    CRITERION= .6348E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2234
    HT FLOW CONVERGENCE VALUE= .3247E-01    CRITERION= .4711E-01 <<< CONVERGED

```

```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 31 COMPLETED. CUM ITER = 681
*** TIME = .182245E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1348E-05 OSCILLATION LIMIT = 10.64
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.32 CRITERION= .6332E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2227
HT FLOW CONVERGENCE VALUE= .3231E-01 CRITERION= .4700E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 32 COMPLETED. CUM ITER = 682
*** TIME = .183034E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1317E-05 OSCILLATION LIMIT = 10.39
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.36 CRITERION= .6325E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2236
HT FLOW CONVERGENCE VALUE= .3230E-01 CRITERION= .4681E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 33 COMPLETED. CUM ITER = 683
*** TIME = .183823E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1349E-05 OSCILLATION LIMIT = 10.64
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.30 CRITERION= .6310E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2230
HT FLOW CONVERGENCE VALUE= .3215E-01 CRITERION= .4670E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 34 COMPLETED. CUM ITER = 684
*** TIME = .184612E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1318E-05 OSCILLATION LIMIT = 10.40
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.34 CRITERION= .6302E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2239
HT FLOW CONVERGENCE VALUE= .3212E-01 CRITERION= .4652E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 35 COMPLETED. CUM ITER = 685
*** TIME = .185401E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1350E-05 OSCILLATION LIMIT = 10.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.29 CRITERION= .6287E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2233
HT FLOW CONVERGENCE VALUE= .3199E-01 CRITERION= .4641E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 36 COMPLETED. CUM ITER = 686
*** TIME = .186190E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1320E-05 OSCILLATION LIMIT = 10.41
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.32 CRITERION= .6280E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2242
HT FLOW CONVERGENCE VALUE= .3194E-01 CRITERION= .4623E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 37 COMPLETED. CUM ITER = 687
*** TIME = .186979E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1351E-05 OSCILLATION LIMIT = 10.65
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.27 CRITERION= .6264E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2237
HT FLOW CONVERGENCE VALUE= .3182E-01 CRITERION= .4612E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 27 SUBSTEP 38 COMPLETED. CUM ITER = 688
*** TIME = .187768E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1321E-05 OSCILLATION LIMIT = 10.42
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.31 CRITERION= .6257E-01

```


EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2244
 HT FLOW CONVERGENCE VALUE= .3176E-01 CRITERION= .4594E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 39 COMPLETED. CUM ITER = 689
 *** TIME = .188557E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1351E-05 OSCILLATION LIMIT = 10.66
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 42.26 CRITERION= .6242E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2240
 HT FLOW CONVERGENCE VALUE= .3162E-01 CRITERION= .4583E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 27 SUBSTEP 40 COMPLETED. CUM ITER = 690
 *** TIME = .189346E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1322E-05 OSCILLATION LIMIT = 10.43

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 12:27:56 MAR 25, 1995 CP= 47260.150
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 35.64 CRITERION= .5804E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1833
 HT FLOW CONVERGENCE VALUE= .2616E-01 CRITERION= .4567E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 1 COMPLETED. CUM ITER = 691
 *** TIME = .190135E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1259E-05 OSCILLATION LIMIT = 9.931
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.59 CRITERION= .5790E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1845
 HT FLOW CONVERGENCE VALUE= .2613E-01 CRITERION= .4559E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 2 COMPLETED. CUM ITER = 692
 *** TIME = .190923E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1254E-05 OSCILLATION LIMIT = 9.895
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.63 CRITERION= .5785E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1864
 HT FLOW CONVERGENCE VALUE= .2623E-01 CRITERION= .4544E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 3 COMPLETED. CUM ITER = 693
 *** TIME = .191712E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1304E-05 OSCILLATION LIMIT = 10.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.58 CRITERION= .5771E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1847
 HT FLOW CONVERGENCE VALUE= .2602E-01 CRITERION= .4535E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 4 COMPLETED. CUM ITER = 694
 *** TIME = .192501E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1253E-05 OSCILLATION LIMIT = 9.887
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.62 CRITERION= .5765E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1865
 HT FLOW CONVERGENCE VALUE= .2609E-01 CRITERION= .4520E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 5 COMPLETED. CUM ITER = 695
 *** TIME = .193290E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1304E-05 OSCILLATION LIMIT = 10.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.57 CRITERION= .5751E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1849
 HT FLOW CONVERGENCE VALUE= .2588E-01 CRITERION= .4512E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 6 COMPLETED. CUM ITER = 696
 *** TIME = .194079E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1255E-05 OSCILLATION LIMIT = 9.901
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.60 CRITERION= .5746E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1867
 HT FLOW CONVERGENCE VALUE= .2594E-01 CRITERION= .4496E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 7 COMPLETED. CUM ITER = 697
 *** TIME = .194868E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1305E-05 OSCILLATION LIMIT = 10.29
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.56 CRITERION= .5732E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1852
 HT FLOW CONVERGENCE VALUE= .2575E-01 CRITERION= .4488E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 8 COMPLETED. CUM ITER = 698
 *** TIME = .195657E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1257E-05 OSCILLATION LIMIT = 9.916
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.59 CRITERION= .5727E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1868
 HT FLOW CONVERGENCE VALUE= .2580E-01 CRITERION= .4472E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 9 COMPLETED. CUM ITER = 699
 *** TIME = .196446E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1305E-05 OSCILLATION LIMIT = 10.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.54 CRITERION= .5713E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1854
 HT FLOW CONVERGENCE VALUE= .2560E-01 CRITERION= .4464E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 10 COMPLETED. CUM ITER = 700
 *** TIME = .197235E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1259E-05 OSCILLATION LIMIT = 9.931
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.58 CRITERION= .5707E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1870
 HT FLOW CONVERGENCE VALUE= .2565E-01 CRITERION= .4449E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 11 COMPLETED. CUM ITER = 701
 *** TIME = .198024E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1306E-05 OSCILLATION LIMIT = 10.30
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.53 CRITERION= .5694E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1857
 HT FLOW CONVERGENCE VALUE= .2547E-01 CRITERION= .4440E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 12 COMPLETED. CUM ITER = 702
 *** TIME = .198813E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1261E-05 OSCILLATION LIMIT = 9.945
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.57 CRITERION= .5688E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1872
 HT FLOW CONVERGENCE VALUE= .2551E-01 CRITERION= .4425E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 13 COMPLETED. CUM ITER = 703
 *** TIME = .199602E+10 TIME INC = .788940E+07

```

*** RESPONSE EIGENVALUE = .1306E-05  OSCILLATION LIMIT = 10.31
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 35.52      CRITERION= .5674E-01
  EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1859
  HT FLOW CONVERGENCE VALUE= .2535E-01  CRITERION= .4417E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1
*** LOAD STEP  28  SUBSTEP  14 COMPLETED.  CUM ITER =  704
*** TIME = .200391E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1262E-05  OSCILLATION LIMIT = 9.959
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 35.56      CRITERION= .5669E-01
  EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1873
  HT FLOW CONVERGENCE VALUE= .2539E-01  CRITERION= .4401E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1
*** LOAD STEP  28  SUBSTEP  15 COMPLETED.  CUM ITER =  705
*** TIME = .201180E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1307E-05  OSCILLATION LIMIT = 10.31
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 35.51      CRITERION= .5655E-01
  EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1862
  HT FLOW CONVERGENCE VALUE= .2522E-01  CRITERION= .4393E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1
*** LOAD STEP  28  SUBSTEP  16 COMPLETED.  CUM ITER =  706
*** TIME = .201969E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1264E-05  OSCILLATION LIMIT = 9.973
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 35.55      CRITERION= .5650E-01
  EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1875
  HT FLOW CONVERGENCE VALUE= .2523E-01  CRITERION= .4378E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1
*** LOAD STEP  28  SUBSTEP  17 COMPLETED.  CUM ITER =  707
*** TIME = .202758E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1308E-05  OSCILLATION LIMIT = 10.32
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 35.50      CRITERION= .5636E-01
  EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1864
  HT FLOW CONVERGENCE VALUE= .2504E-01  CRITERION= .4369E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1
*** LOAD STEP  28  SUBSTEP  18 COMPLETED.  CUM ITER =  708
*** TIME = .203547E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1266E-05  OSCILLATION LIMIT = 9.989
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 35.54      CRITERION= .5631E-01
  EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1877
  HT FLOW CONVERGENCE VALUE= .2498E-01  CRITERION= .4354E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1
*** LOAD STEP  28  SUBSTEP  19 COMPLETED.  CUM ITER =  709
*** TIME = .204335E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1309E-05  OSCILLATION LIMIT = 10.32
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 35.49      CRITERION= .5617E-01
  EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1867
  HT FLOW CONVERGENCE VALUE= .2479E-01  CRITERION= .4346E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1
*** LOAD STEP  28  SUBSTEP  20 COMPLETED.  CUM ITER =  710
*** TIME = .205124E+10  TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1269E-05  OSCILLATION LIMIT = 10.01
*** AUTO STEP TIME:  NEXT TIME INC = .78894E+07  UNCHANGED

  HT FLOW CONVERGENCE VALUE= 35.53      CRITERION= .5612E-01
  EQUIL ITER  1 COMPLETED.  NEW TRIANG MATRIX.  MAX DOF INC= -.1879
  HT FLOW CONVERGENCE VALUE= .2480E-01  CRITERION= .4330E-01 <<< CONVERGED
  >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION  1

```

*** LOAD STEP 28 SUBSTEP 21 COMPLETED. CUM ITER = 711
 *** TIME = .205913E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1310E-05 OSCILLATION LIMIT = 10.34
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.48 CRITERION= .5598E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1870
 HT FLOW CONVERGENCE VALUE= .2462E-01 CRITERION= .4322E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 22 COMPLETED. CUM ITER = 712
 *** TIME = .206702E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1271E-05 OSCILLATION LIMIT = 10.03
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.52 CRITERION= .5593E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1882
 HT FLOW CONVERGENCE VALUE= .2459E-01 CRITERION= .4306E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 23 COMPLETED. CUM ITER = 713
 *** TIME = .207491E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1311E-05 OSCILLATION LIMIT = 10.35
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.47 CRITERION= .5579E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1873
 HT FLOW CONVERGENCE VALUE= .2445E-01 CRITERION= .4298E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 24 COMPLETED. CUM ITER = 714
 *** TIME = .208280E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1273E-05 OSCILLATION LIMIT = 10.04
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.51 CRITERION= .5574E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1884
 HT FLOW CONVERGENCE VALUE= .2447E-01 CRITERION= .4283E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 25 COMPLETED. CUM ITER = 715
 *** TIME = .209069E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1313E-05 OSCILLATION LIMIT = 10.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.46 CRITERION= .5560E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1876
 HT FLOW CONVERGENCE VALUE= .2436E-01 CRITERION= .4274E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 26 COMPLETED. CUM ITER = 716
 *** TIME = .209858E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1275E-05 OSCILLATION LIMIT = 10.06
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.50 CRITERION= .5555E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1886
 HT FLOW CONVERGENCE VALUE= .2437E-01 CRITERION= .4259E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 27 COMPLETED. CUM ITER = 717
 *** TIME = .210647E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1313E-05 OSCILLATION LIMIT = 10.36
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.45 CRITERION= .5541E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1878
 HT FLOW CONVERGENCE VALUE= .2426E-01 CRITERION= .4251E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 28 SUBSTEP 28 COMPLETED. CUM ITER = 718
 *** TIME = .211436E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1276E-05 OSCILLATION LIMIT = 10.07
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.48 CRITERION= .5536E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1888

HT FLOW CONVERGENCE VALUE= .2426E-01 CRITERION= .4235E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 29 COMPLETED. CUM ITER = 719
 *** TIME = .212225E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1314E-05 OSCILLATION LIMIT = 10.37
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.44 CRITERION= .5522E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1881
 HT FLOW CONVERGENCE VALUE= .2416E-01 CRITERION= .4227E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 30 COMPLETED. CUM ITER = 720
 *** TIME = .213014E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1278E-05 OSCILLATION LIMIT = 10.08
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.47 CRITERION= .5517E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1890
 HT FLOW CONVERGENCE VALUE= .2416E-01 CRITERION= .4211E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 31 COMPLETED. CUM ITER = 721
 *** TIME = .213803E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1315E-05 OSCILLATION LIMIT = 10.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.42 CRITERION= .5503E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1884
 HT FLOW CONVERGENCE VALUE= .2406E-01 CRITERION= .4203E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 32 COMPLETED. CUM ITER = 722
 *** TIME = .214592E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1280E-05 OSCILLATION LIMIT = 10.10
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.46 CRITERION= .5498E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1892
 HT FLOW CONVERGENCE VALUE= .2405E-01 CRITERION= .4188E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 33 COMPLETED. CUM ITER = 723
 *** TIME = .215381E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1316E-05 OSCILLATION LIMIT = 10.38
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.41 CRITERION= .5484E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1887
 HT FLOW CONVERGENCE VALUE= .2396E-01 CRITERION= .4179E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 34 COMPLETED. CUM ITER = 724
 *** TIME = .216170E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1282E-05 OSCILLATION LIMIT = 10.11
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.45 CRITERION= .5479E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1895
 HT FLOW CONVERGENCE VALUE= .2395E-01 CRITERION= .4164E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 35 COMPLETED. CUM ITER = 725
 *** TIME = .216959E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1317E-05 OSCILLATION LIMIT = 10.39
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.40 CRITERION= .5465E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1889
 HT FLOW CONVERGENCE VALUE= .2386E-01 CRITERION= .4156E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 36 COMPLETED. CUM ITER = 726
 *** TIME = .217747E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1283E-05 OSCILLATION LIMIT = 10.12
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.44 CRITERION= .5460E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1897
 HT FLOW CONVERGENCE VALUE= .2385E-01 CRITERION= .4140E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 37 COMPLETED. CUM ITER = 727
 *** TIME = .218536E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1318E-05 OSCILLATION LIMIT = 10.40
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.39 CRITERION= .5447E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1892
 HT FLOW CONVERGENCE VALUE= .2376E-01 CRITERION= .4132E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 38 COMPLETED. CUM ITER = 728
 *** TIME = .219325E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1285E-05 OSCILLATION LIMIT = 10.14
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.43 CRITERION= .5441E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1899
 HT FLOW CONVERGENCE VALUE= .2374E-01 CRITERION= .4116E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 39 COMPLETED. CUM ITER = 729
 *** TIME = .220114E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1319E-05 OSCILLATION LIMIT = 10.41
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 35.38 CRITERION= .5428E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1895
 HT FLOW CONVERGENCE VALUE= .2365E-01 CRITERION= .4108E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 28 SUBSTEP 40 COMPLETED. CUM ITER = 730
 *** TIME = .220903E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1286E-05 OSCILLATION LIMIT = 10.15

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 13:27:44 MAR 25, 1995 CP= 50091.480
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 34.08 CRITERION= .5337E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1627
 HT FLOW CONVERGENCE VALUE= .2131E-01 CRITERION= .4095E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 1 COMPLETED. CUM ITER = 731
 *** TIME = .221692E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9775E-06 OSCILLATION LIMIT = 7.712
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.04 CRITERION= .5325E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1627
 HT FLOW CONVERGENCE VALUE= .2120E-01 CRITERION= .4089E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 2 COMPLETED. CUM ITER = 732
 *** TIME = .222481E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9622E-06 OSCILLATION LIMIT = 7.592
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.07 CRITERION= .5322E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1640
 HT FLOW CONVERGENCE VALUE= .2126E-01 CRITERION= .4076E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 3 COMPLETED. CUM ITER = 733
 *** TIME = .223270E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1006E-05 OSCILLATION LIMIT = 7.935

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.03 CRITERION= .5310E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1629
 HT FLOW CONVERGENCE VALUE= .2114E-01 CRITERION= .4071E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 4 COMPLETED. CUM ITER = 734
 *** TIME = .224059E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9632E-06 OSCILLATION LIMIT = 7.599
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.06 CRITERION= .5307E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1642
 HT FLOW CONVERGENCE VALUE= .2119E-01 CRITERION= .4058E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 5 COMPLETED. CUM ITER = 735
 *** TIME = .224848E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1006E-05 OSCILLATION LIMIT = 7.938
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.01 CRITERION= .5295E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1631
 HT FLOW CONVERGENCE VALUE= .2107E-01 CRITERION= .4052E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 6 COMPLETED. CUM ITER = 736
 *** TIME = .225637E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9647E-06 OSCILLATION LIMIT = 7.611
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.05 CRITERION= .5292E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1643
 HT FLOW CONVERGENCE VALUE= .2111E-01 CRITERION= .4039E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 7 COMPLETED. CUM ITER = 737
 *** TIME = .226426E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1007E-05 OSCILLATION LIMIT = 7.941
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.00 CRITERION= .5280E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1633
 HT FLOW CONVERGENCE VALUE= .2100E-01 CRITERION= .4033E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 8 COMPLETED. CUM ITER = 738
 *** TIME = .227215E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9662E-06 OSCILLATION LIMIT = 7.623
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.04 CRITERION= .5277E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1644
 HT FLOW CONVERGENCE VALUE= .2104E-01 CRITERION= .4020E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 9 COMPLETED. CUM ITER = 739
 *** TIME = .228004E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1007E-05 OSCILLATION LIMIT = 7.944
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.99 CRITERION= .5265E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1635
 HT FLOW CONVERGENCE VALUE= .2093E-01 CRITERION= .4014E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 10 COMPLETED. CUM ITER = 740
 *** TIME = .228793E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .9677E-06 OSCILLATION LIMIT = 7.635
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 34.03 CRITERION= .5262E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1646
 HT FLOW CONVERGENCE VALUE= .2096E-01 CRITERION= .4002E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 29 SUBSTEP 11 COMPLETED. CUM ITER = 741

```

*** TIME = .229582E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1007E-05    OSCILLATION LIMIT = 7.947
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 33.98    CRITERION= .5250E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1637
    HT FLOW CONVERGENCE VALUE= .2086E-01    CRITERION= .3996E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 12 COMPLETED. CUM ITER = 742
*** TIME = .230370E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9691E-06    OSCILLATION LIMIT = 7.646
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 34.02    CRITERION= .5247E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1647
    HT FLOW CONVERGENCE VALUE= .2089E-01    CRITERION= .3983E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 13 COMPLETED. CUM ITER = 743
*** TIME = .231159E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1008E-05    OSCILLATION LIMIT = 7.951
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 33.97    CRITERION= .5235E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1639
    HT FLOW CONVERGENCE VALUE= .2079E-01    CRITERION= .3977E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 14 COMPLETED. CUM ITER = 744
*** TIME = .231948E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9705E-06    OSCILLATION LIMIT = 7.657
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 34.01    CRITERION= .5232E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1649
    HT FLOW CONVERGENCE VALUE= .2081E-01    CRITERION= .3964E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 15 COMPLETED. CUM ITER = 745
*** TIME = .232737E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1008E-05    OSCILLATION LIMIT = 7.954
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 33.96    CRITERION= .5220E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1641
    HT FLOW CONVERGENCE VALUE= .2072E-01    CRITERION= .3958E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 16 COMPLETED. CUM ITER = 746
*** TIME = .233526E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9718E-06    OSCILLATION LIMIT = 7.667
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 34.00    CRITERION= .5217E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1650
    HT FLOW CONVERGENCE VALUE= .2074E-01    CRITERION= .3945E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 17 COMPLETED. CUM ITER = 747
*** TIME = .234315E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1009E-05    OSCILLATION LIMIT = 7.958
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 33.95    CRITERION= .5205E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1643
    HT FLOW CONVERGENCE VALUE= .2065E-01    CRITERION= .3940E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 18 COMPLETED. CUM ITER = 748
*** TIME = .235104E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9731E-06    OSCILLATION LIMIT = 7.677
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07    UNCHANGED

    HT FLOW CONVERGENCE VALUE= 33.99    CRITERION= .5202E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1652
    HT FLOW CONVERGENCE VALUE= .2066E-01    CRITERION= .3927E-01 <<< CONVERGED

```



```

>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 19 COMPLETED. CUM ITER = 749
*** TIME = .235893E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1009E-05 OSCILLATION LIMIT = 7.962
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.94 CRITERION= .5191E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1645
HT FLOW CONVERGENCE VALUE= .2058E-01 CRITERION= .3921E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 20 COMPLETED. CUM ITER = 750
*** TIME = .236682E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9744E-06 OSCILLATION LIMIT = 7.687
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.98 CRITERION= .5187E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1653
HT FLOW CONVERGENCE VALUE= .2059E-01 CRITERION= .3908E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 21 COMPLETED. CUM ITER = 751
*** TIME = .237471E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1010E-05 OSCILLATION LIMIT = 7.965
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.93 CRITERION= .5176E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1647
HT FLOW CONVERGENCE VALUE= .2051E-01 CRITERION= .3902E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 22 COMPLETED. CUM ITER = 752
*** TIME = .238260E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9756E-06 OSCILLATION LIMIT = 7.697
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.97 CRITERION= .5173E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1654
HT FLOW CONVERGENCE VALUE= .2052E-01 CRITERION= .3889E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 23 COMPLETED. CUM ITER = 753
*** TIME = .239049E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1010E-05 OSCILLATION LIMIT = 7.969
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.92 CRITERION= .5161E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1649
HT FLOW CONVERGENCE VALUE= .2044E-01 CRITERION= .3884E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 24 COMPLETED. CUM ITER = 754
*** TIME = .239838E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9768E-06 OSCILLATION LIMIT = 7.706
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.96 CRITERION= .5158E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1656
HT FLOW CONVERGENCE VALUE= .2044E-01 CRITERION= .3871E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 25 COMPLETED. CUM ITER = 755
*** TIME = .240627E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1011E-05 OSCILLATION LIMIT = 7.973
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.91 CRITERION= .5146E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1651
HT FLOW CONVERGENCE VALUE= .2036E-01 CRITERION= .3865E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 26 COMPLETED. CUM ITER = 756
*** TIME = .241416E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9780E-06 OSCILLATION LIMIT = 7.716
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.95 CRITERION= .5143E-01

```

```

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1657
HT FLOW CONVERGENCE VALUE= .2037E-01 CRITERION= .3852E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 27 COMPLETED. CUM ITER = 757
*** TIME = .242205E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1011E-05 OSCILLATION LIMIT = 7.978
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.90 CRITERION= .5132E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1652
HT FLOW CONVERGENCE VALUE= .2029E-01 CRITERION= .3846E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 28 COMPLETED. CUM ITER = 758
*** TIME = .242994E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9792E-06 OSCILLATION LIMIT = 7.725
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.94 CRITERION= .5128E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1659
HT FLOW CONVERGENCE VALUE= .2029E-01 CRITERION= .3833E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 29 COMPLETED. CUM ITER = 759
*** TIME = .243782E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1012E-05 OSCILLATION LIMIT = 7.982
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.89 CRITERION= .5117E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1654
HT FLOW CONVERGENCE VALUE= .2022E-01 CRITERION= .3827E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 30 COMPLETED. CUM ITER = 760
*** TIME = .244571E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9803E-06 OSCILLATION LIMIT = 7.734
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.93 CRITERION= .5114E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1660
HT FLOW CONVERGENCE VALUE= .2022E-01 CRITERION= .3814E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 31 COMPLETED. CUM ITER = 761
*** TIME = .245360E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1012E-05 OSCILLATION LIMIT = 7.987
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.88 CRITERION= .5102E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1656
HT FLOW CONVERGENCE VALUE= .2015E-01 CRITERION= .3809E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 32 COMPLETED. CUM ITER = 762
*** TIME = .246149E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9815E-06 OSCILLATION LIMIT = 7.743
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.92 CRITERION= .5099E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1662
HT FLOW CONVERGENCE VALUE= .2014E-01 CRITERION= .3796E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 33 COMPLETED. CUM ITER = 763
*** TIME = .246938E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1013E-05 OSCILLATION LIMIT = 7.991
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.87 CRITERION= .5088E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1658
HT FLOW CONVERGENCE VALUE= .2008E-01 CRITERION= .3790E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 34 COMPLETED. CUM ITER = 764
*** TIME = .247727E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9826E-06 OSCILLATION LIMIT = 7.752
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

HT FLOW CONVERGENCE VALUE= 33.91 CRITERION= .5084E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1663
HT FLOW CONVERGENCE VALUE= .2007E-01 CRITERION= .3777E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 35 COMPLETED. CUM ITER = 765
*** TIME = .248516E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1014E-05 OSCILLATION LIMIT = 7.996
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.86 CRITERION= .5073E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1660
HT FLOW CONVERGENCE VALUE= .2000E-01 CRITERION= .3771E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 36 COMPLETED. CUM ITER = 766
*** TIME = .249305E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9837E-06 OSCILLATION LIMIT = 7.761
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.90 CRITERION= .5070E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1664
HT FLOW CONVERGENCE VALUE= .1999E-01 CRITERION= .3758E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 37 COMPLETED. CUM ITER = 767
*** TIME = .250094E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1014E-05 OSCILLATION LIMIT = 8.001
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.85 CRITERION= .5058E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1661
HT FLOW CONVERGENCE VALUE= .1993E-01 CRITERION= .3753E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 38 COMPLETED. CUM ITER = 768
*** TIME = .250883E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9848E-06 OSCILLATION LIMIT = 7.770
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.89 CRITERION= .5055E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1666
HT FLOW CONVERGENCE VALUE= .1992E-01 CRITERION= .3740E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 39 COMPLETED. CUM ITER = 769
*** TIME = .251672E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1015E-05 OSCILLATION LIMIT = 8.006
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 33.84 CRITERION= .5044E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1663
HT FLOW CONVERGENCE VALUE= .1986E-01 CRITERION= .3734E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 29 SUBSTEP 40 COMPLETED. CUM ITER = 770
*** TIME = .252461E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .9859E-06 OSCILLATION LIMIT = 7.778

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 14:27:03 MAR 25, 1995 CP= 52922.900
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 26.61 CRITERION= .4584E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1374
HT FLOW CONVERGENCE VALUE= .1604E-01 CRITERION= .3722E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 30 SUBSTEP 1 COMPLETED. CUM ITER = 771
*** TIME = .253250E+10 TIME INC = .788940E+07

*** RESPONSE EIGENVALUE = .1164E-05 OSCILLATION LIMIT = 9.186
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.56 CRITERION= .4573E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1385
 HT FLOW CONVERGENCE VALUE= .1608E-01 CRITERION= .3718E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 2 COMPLETED. CUM ITER = 772
 *** TIME = .254039E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1146E-05 OSCILLATION LIMIT = 9.040
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.60 CRITERION= .4570E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1398
 HT FLOW CONVERGENCE VALUE= .1615E-01 CRITERION= .3706E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 3 COMPLETED. CUM ITER = 773
 *** TIME = .254828E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1199E-05 OSCILLATION LIMIT = 9.458
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.56 CRITERION= .4559E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1386
 HT FLOW CONVERGENCE VALUE= .1603E-01 CRITERION= .3701E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 4 COMPLETED. CUM ITER = 774
 *** TIME = .255617E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1145E-05 OSCILLATION LIMIT = 9.029
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.60 CRITERION= .4557E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1399
 HT FLOW CONVERGENCE VALUE= .1609E-01 CRITERION= .3689E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 5 COMPLETED. CUM ITER = 775
 *** TIME = .256406E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1199E-05 OSCILLATION LIMIT = 9.457
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.55 CRITERION= .4546E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1387
 HT FLOW CONVERGENCE VALUE= .1598E-01 CRITERION= .3685E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 6 COMPLETED. CUM ITER = 776
 *** TIME = .257194E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1146E-05 OSCILLATION LIMIT = 9.041
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.59 CRITERION= .4543E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1400
 HT FLOW CONVERGENCE VALUE= .1603E-01 CRITERION= .3673E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 7 COMPLETED. CUM ITER = 777
 *** TIME = .257983E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1199E-05 OSCILLATION LIMIT = 9.457
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.54 CRITERION= .4532E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1389
 HT FLOW CONVERGENCE VALUE= .1593E-01 CRITERION= .3668E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 8 COMPLETED. CUM ITER = 778
 *** TIME = .258772E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1147E-05 OSCILLATION LIMIT = 9.053
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.59 CRITERION= .4529E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1400
 HT FLOW CONVERGENCE VALUE= .1598E-01 CRITERION= .3657E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 9 COMPLETED. CUM ITER = 779
 *** TIME = .259561E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1199E-05 OSCILLATION LIMIT = 9.457
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.54 CRITERION= .4518E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1390
 HT FLOW CONVERGENCE VALUE= .1587E-01 CRITERION= .3652E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 10 COMPLETED. CUM ITER = 780
 *** TIME = .260350E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1149E-05 OSCILLATION LIMIT = 9.064
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.58 CRITERION= .4516E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1401
 HT FLOW CONVERGENCE VALUE= .1592E-01 CRITERION= .3640E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 11 COMPLETED. CUM ITER = 781
 *** TIME = .261139E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1199E-05 OSCILLATION LIMIT = 9.458
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.53 CRITERION= .4505E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1392
 HT FLOW CONVERGENCE VALUE= .1582E-01 CRITERION= .3636E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 12 COMPLETED. CUM ITER = 782
 *** TIME = .261928E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1150E-05 OSCILLATION LIMIT = 9.075
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.57 CRITERION= .4502E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1402
 HT FLOW CONVERGENCE VALUE= .1586E-01 CRITERION= .3624E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 13 COMPLETED. CUM ITER = 783
 *** TIME = .262717E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1199E-05 OSCILLATION LIMIT = 9.458
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.53 CRITERION= .4491E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1394
 HT FLOW CONVERGENCE VALUE= .1577E-01 CRITERION= .3619E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 14 COMPLETED. CUM ITER = 784
 *** TIME = .263506E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1152E-05 OSCILLATION LIMIT = 9.085
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.57 CRITERION= .4488E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1403
 HT FLOW CONVERGENCE VALUE= .1581E-01 CRITERION= .3607E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 15 COMPLETED. CUM ITER = 785
 *** TIME = .264295E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1199E-05 OSCILLATION LIMIT = 9.460
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.52 CRITERION= .4477E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1395
 HT FLOW CONVERGENCE VALUE= .1572E-01 CRITERION= .3603E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1

*** LOAD STEP 30 SUBSTEP 16 COMPLETED. CUM ITER = 786
 *** TIME = .265084E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1153E-05 OSCILLATION LIMIT = 9.095
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.56 CRITERION= .4475E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1404

HT FLOW CONVERGENCE VALUE= .1575E-01 CRITERION= .3591E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 17 COMPLETED. CUM ITER = 787
 *** TIME = .265873E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1199E-05 OSCILLATION LIMIT = 9.461
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.51 CRITERION= .4464E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1397
 HT FLOW CONVERGENCE VALUE= .1567E-01 CRITERION= .3586E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 18 COMPLETED. CUM ITER = 788
 *** TIME = .266662E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1154E-05 OSCILLATION LIMIT = 9.105
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.55 CRITERION= .4461E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1405
 HT FLOW CONVERGENCE VALUE= .1570E-01 CRITERION= .3575E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 19 COMPLETED. CUM ITER = 789
 *** TIME = .267451E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1199E-05 OSCILLATION LIMIT = 9.462
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.51 CRITERION= .4450E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1398
 HT FLOW CONVERGENCE VALUE= .1562E-01 CRITERION= .3570E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 20 COMPLETED. CUM ITER = 790
 *** TIME = .268240E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1155E-05 OSCILLATION LIMIT = 9.115
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.55 CRITERION= .4448E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1406
 HT FLOW CONVERGENCE VALUE= .1564E-01 CRITERION= .3558E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 21 COMPLETED. CUM ITER = 791
 *** TIME = .269029E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1200E-05 OSCILLATION LIMIT = 9.464
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.50 CRITERION= .4437E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1400
 HT FLOW CONVERGENCE VALUE= .1556E-01 CRITERION= .3554E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 22 COMPLETED. CUM ITER = 792
 *** TIME = .269817E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1157E-05 OSCILLATION LIMIT = 9.125
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.54 CRITERION= .4434E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1407
 HT FLOW CONVERGENCE VALUE= .1558E-01 CRITERION= .3542E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 23 COMPLETED. CUM ITER = 793
 *** TIME = .270606E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1200E-05 OSCILLATION LIMIT = 9.466
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.50 CRITERION= .4423E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1401
 HT FLOW CONVERGENCE VALUE= .1551E-01 CRITERION= .3537E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 24 COMPLETED. CUM ITER = 794
 *** TIME = .271395E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1158E-05 OSCILLATION LIMIT = 9.134
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.54 CRITERION= .4421E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1408
 HT FLOW CONVERGENCE VALUE= .1553E-01 CRITERION= .3525E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 25 COMPLETED. CUM ITER = 795
 *** TIME = .272184E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1200E-05 OSCILLATION LIMIT = 9.469
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.49 CRITERION= .4410E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1402
 HT FLOW CONVERGENCE VALUE= .1546E-01 CRITERION= .3521E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 26 COMPLETED. CUM ITER = 796
 *** TIME = .272973E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1159E-05 OSCILLATION LIMIT = 9.143
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.53 CRITERION= .4407E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1409
 HT FLOW CONVERGENCE VALUE= .1547E-01 CRITERION= .3509E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 27 COMPLETED. CUM ITER = 797
 *** TIME = .273762E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1200E-05 OSCILLATION LIMIT = 9.471
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.48 CRITERION= .4396E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1404
 HT FLOW CONVERGENCE VALUE= .1540E-01 CRITERION= .3505E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 28 COMPLETED. CUM ITER = 798
 *** TIME = .274551E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1160E-05 OSCILLATION LIMIT = 9.152
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.52 CRITERION= .4394E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1410
 HT FLOW CONVERGENCE VALUE= .1541E-01 CRITERION= .3493E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 29 COMPLETED. CUM ITER = 799
 *** TIME = .275340E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1201E-05 OSCILLATION LIMIT = 9.474
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.48 CRITERION= .4383E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1405
 HT FLOW CONVERGENCE VALUE= .1535E-01 CRITERION= .3488E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 30 COMPLETED. CUM ITER = 800
 *** TIME = .276129E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1161E-05 OSCILLATION LIMIT = 9.161
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.52 CRITERION= .4380E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1411
 HT FLOW CONVERGENCE VALUE= .1536E-01 CRITERION= .3476E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 31 COMPLETED. CUM ITER = 801
 *** TIME = .276918E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1201E-05 OSCILLATION LIMIT = 9.476
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.47 CRITERION= .4370E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1407
 HT FLOW CONVERGENCE VALUE= .1530E-01 CRITERION= .3472E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 32 COMPLETED. CUM ITER = 802
 *** TIME = .277707E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1162E-05 OSCILLATION LIMIT = 9.169

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.51 CRITERION= .4367E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1412
 HT FLOW CONVERGENCE VALUE= .1530E-01 CRITERION= .3460E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 33 COMPLETED. CUM ITER = 803
 *** TIME = .278496E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1202E-05 OSCILLATION LIMIT = 9.479
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.46 CRITERION= .4356E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1408
 HT FLOW CONVERGENCE VALUE= .1524E-01 CRITERION= .3455E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 34 COMPLETED. CUM ITER = 804
 *** TIME = .279285E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1163E-05 OSCILLATION LIMIT = 9.178
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.50 CRITERION= .4354E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1413
 HT FLOW CONVERGENCE VALUE= .1525E-01 CRITERION= .3444E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 35 COMPLETED. CUM ITER = 805
 *** TIME = .280074E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1202E-05 OSCILLATION LIMIT = 9.483
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.46 CRITERION= .4343E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1410
 HT FLOW CONVERGENCE VALUE= .1519E-01 CRITERION= .3439E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 36 COMPLETED. CUM ITER = 806
 *** TIME = .280863E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1164E-05 OSCILLATION LIMIT = 9.186
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.50 CRITERION= .4340E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1414
 HT FLOW CONVERGENCE VALUE= .1519E-01 CRITERION= .3427E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 37 COMPLETED. CUM ITER = 807
 *** TIME = .281652E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1202E-05 OSCILLATION LIMIT = 9.486
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.45 CRITERION= .4329E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1411
 HT FLOW CONVERGENCE VALUE= .1514E-01 CRITERION= .3423E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 38 COMPLETED. CUM ITER = 808
 *** TIME = .282441E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1165E-05 OSCILLATION LIMIT = 9.194
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.49 CRITERION= .4327E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1415
 HT FLOW CONVERGENCE VALUE= .1513E-01 CRITERION= .3411E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 39 COMPLETED. CUM ITER = 809
 *** TIME = .283229E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1203E-05 OSCILLATION LIMIT = 9.489
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 26.45 CRITERION= .4316E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1413
 HT FLOW CONVERGENCE VALUE= .1508E-01 CRITERION= .3406E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 30 SUBSTEP 40 COMPLETED. CUM ITER = 810

*** TIME = .284018E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1166E-05 OSCILLATION LIMIT = 9.202
 Apply loads and solve for 100 to 1000 years

*DO LOOP ON PARAMETER= TM FROM .31558E+10 TO .31558E+11 BY .31558E+10

TIME= .31558E+10

SELECT FOR ITEM=MAT COMPONENT=
 IN RANGE 14 TO 14 STEP 1

6 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

SELECT ELEMENTS CREATED FROM SELECTED AREAS.

1176 ELEMENTS (OF 5620 DEFINED) SELECTED FROM
 6 SELECTED AREAS BY ESLA COMMAND.

SPECIFIED BODY FORCE HGEN FOR ALL SELECTED ELEMENTS AT STARTING LOCATION 1
 1015.57476 .000000000E+00 .000000000E+00 .000000000E+00

ALL SELECT FOR ITEM=AREA COMPONENT=
 IN RANGE 1 TO 218 STEP 1

218 AREAS (OF 218 DEFINED) SELECTED BY ASEL COMMAND.

ALL SELECT FOR ITEM=ELEM COMPONENT=
 IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

CONSTRAINT AT KEYPOINT 11
 LOAD LABELS = TEMP
 VALUES = 101.86 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 10
 LOAD LABELS = TEMP
 VALUES = 102.06 .00000E+00 EXPANSION KEY = 1

CONSTRAINT AT KEYPOINT 9
 LOAD LABELS = TEMP
 VALUES = 102.52 .00000E+00 EXPANSION KEY = 1

***** ANSYS SOLVE COMMAND *****

TRANSFER SOLID MODEL BOUNDARY CONDITIONS TO FINITE ELEMENT MODEL
 CONSTRAINTS TRANSFERRED FROM KEYPOINTS = 113

*** NOTE *** CP= 55756.520 TIME= 15:26:47
 Nonlinear analysis, NROPT set to 1 (full Newton-Raphson solution
 procedure) for ALL DOFs.

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 15:26:47 MAR 25, 1995 CP= 55756.520
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

LOAD STEP OPTIONS

LOAD STEP NUMBER. 31
 TIME AT END OF THE LOAD STEP.31558E+10
 AUTOMATIC TIME STEPPING ON
 INITIAL NUMBER OF SUBSTEPS 10
 MAXIMUM NUMBER OF SUBSTEPS 40
 MINIMUM NUMBER OF SUBSTEPS 4
 START WITH TIME STEP FROM PREVIOUS SUBSTEP . YES
 MAXIMUM NUMBER OF EQUILIBRIUM ITERATIONS. . . . 25

```

STEP CHANGE BOUNDARY CONDITIONS . . . . . NO
TRANSIENT (INERTIA) EFFECTS
  THERMAL DOFS . . . . . ON
TRANSIENT INTEGRATION PARAMETERS
  THETA. . . . . .50000
  OSCILLATION LIMIT CRITERION. . . . . .50000
  TOLERANCE. . . . . .20000
TERMINATE ANALYSIS IF NOT CONVERGED . . . . .YES (EXIT)
CONVERGENCE CONTROLS. . . . .USE DEFAULTS
PRINT OUTPUT CONTROLS . . . . .NO PRINTOUT
DATABASE OUTPUT CONTROLS. . . . .ALL DATA WRITTEN
                                FOR THE LAST SUBSTEP

```

```

HT FLOW CONVERGENCE VALUE= 21.89      CRITERION= .4048E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1143
HT FLOW CONVERGENCE VALUE= .1231E-01 CRITERION= .3396E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 1 COMPLETED. CUM ITER = 811
*** TIME = .284807E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1145E-05 OSCILLATION LIMIT = 9.030
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 21.84      CRITERION= .4038E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1148
HT FLOW CONVERGENCE VALUE= .1230E-01 CRITERION= .3393E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 2 COMPLETED. CUM ITER = 812
*** TIME = .285596E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1121E-05 OSCILLATION LIMIT = 8.844
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 21.89      CRITERION= .4036E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1160
HT FLOW CONVERGENCE VALUE= .1236E-01 CRITERION= .3383E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 3 COMPLETED. CUM ITER = 813
*** TIME = .286385E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1181E-05 OSCILLATION LIMIT = 9.318
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 21.84      CRITERION= .4027E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1149
HT FLOW CONVERGENCE VALUE= .1226E-01 CRITERION= .3380E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 4 COMPLETED. CUM ITER = 814
*** TIME = .287174E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1120E-05 OSCILLATION LIMIT = 8.840
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 21.88      CRITERION= .4025E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1160
HT FLOW CONVERGENCE VALUE= .1232E-01 CRITERION= .3369E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 5 COMPLETED. CUM ITER = 815
*** TIME = .287963E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1181E-05 OSCILLATION LIMIT = 9.316
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 21.84      CRITERION= .4015E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1150
HT FLOW CONVERGENCE VALUE= .1223E-01 CRITERION= .3367E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 6 COMPLETED. CUM ITER = 816
*** TIME = .288752E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1122E-05 OSCILLATION LIMIT = 8.851
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

```

```

HT FLOW CONVERGENCE VALUE= 21.88      CRITERION= .4014E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1161

```

HT FLOW CONVERGENCE VALUE= .1228E-01 CRITERION= .3356E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 7 COMPLETED. CUM ITER = 817
 *** TIME = .289541E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1181E-05 OSCILLATION LIMIT = 9.314
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.83 CRITERION= .4004E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1151
 HT FLOW CONVERGENCE VALUE= .1219E-01 CRITERION= .3353E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 8 COMPLETED. CUM ITER = 818
 *** TIME = .290330E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1123E-05 OSCILLATION LIMIT = 8.862
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .4002E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1161
 HT FLOW CONVERGENCE VALUE= .1224E-01 CRITERION= .3343E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 9 COMPLETED. CUM ITER = 819
 *** TIME = .291119E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1180E-05 OSCILLATION LIMIT = 9.313
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.83 CRITERION= .3993E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1153
 HT FLOW CONVERGENCE VALUE= .1216E-01 CRITERION= .3340E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 10 COMPLETED. CUM ITER = 820
 *** TIME = .291908E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1125E-05 OSCILLATION LIMIT = 8.873
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.87 CRITERION= .3991E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1162
 HT FLOW CONVERGENCE VALUE= .1220E-01 CRITERION= .3330E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 11 COMPLETED. CUM ITER = 821
 *** TIME = .292697E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1180E-05 OSCILLATION LIMIT = 9.312
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.82 CRITERION= .3981E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1154
 HT FLOW CONVERGENCE VALUE= .1213E-01 CRITERION= .3327E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 12 COMPLETED. CUM ITER = 822
 *** TIME = .293486E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1126E-05 OSCILLATION LIMIT = 8.883
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.86 CRITERION= .3980E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1162
 HT FLOW CONVERGENCE VALUE= .1217E-01 CRITERION= .3317E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 13 COMPLETED. CUM ITER = 823
 *** TIME = .294275E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1180E-05 OSCILLATION LIMIT = 9.311
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.82 CRITERION= .3970E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1155
 HT FLOW CONVERGENCE VALUE= .1209E-01 CRITERION= .3314E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 14 COMPLETED. CUM ITER = 824
 *** TIME = .295064E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1127E-05 OSCILLATION LIMIT = 8.893
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.86 CRITERION= .3969E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1163
 HT FLOW CONVERGENCE VALUE= .1213E-01 CRITERION= .3303E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 15 COMPLETED. CUM ITER = 825
 *** TIME = .295853E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1180E-05 OSCILLATION LIMIT = 9.311
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.81 CRITERION= .3959E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1156
 HT FLOW CONVERGENCE VALUE= .1206E-01 CRITERION= .3300E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 16 COMPLETED. CUM ITER = 826
 *** TIME = .296641E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1128E-05 OSCILLATION LIMIT = 8.903
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.86 CRITERION= .3957E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1164
 HT FLOW CONVERGENCE VALUE= .1209E-01 CRITERION= .3290E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 17 COMPLETED. CUM ITER = 827
 *** TIME = .297430E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1180E-05 OSCILLATION LIMIT = 9.310
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.81 CRITERION= .3948E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1157
 HT FLOW CONVERGENCE VALUE= .1202E-01 CRITERION= .3287E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 18 COMPLETED. CUM ITER = 828
 *** TIME = .298219E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1130E-05 OSCILLATION LIMIT = 8.912
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.85 CRITERION= .3946E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1164
 HT FLOW CONVERGENCE VALUE= .1205E-01 CRITERION= .3277E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 19 COMPLETED. CUM ITER = 829
 *** TIME = .299008E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1180E-05 OSCILLATION LIMIT = 9.311
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.81 CRITERION= .3936E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1158
 HT FLOW CONVERGENCE VALUE= .1198E-01 CRITERION= .3274E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 20 COMPLETED. CUM ITER = 830
 *** TIME = .299797E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1131E-05 OSCILLATION LIMIT = 8.921
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.85 CRITERION= .3935E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1165
 HT FLOW CONVERGENCE VALUE= .1201E-01 CRITERION= .3264E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 21 COMPLETED. CUM ITER = 831
 *** TIME = .300586E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1180E-05 OSCILLATION LIMIT = 9.311
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.80 CRITERION= .3925E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1159
 HT FLOW CONVERGENCE VALUE= .1195E-01 CRITERION= .3261E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 22 COMPLETED. CUM ITER = 832
 *** TIME = .301375E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1132E-05 OSCILLATION LIMIT = 8.930

*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.84 CRITERION= .3924E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1165
 HT FLOW CONVERGENCE VALUE= .1197E-01 CRITERION= .3250E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 23 COMPLETED. CUM ITER = 833
 *** TIME = .302164E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1180E-05 OSCILLATION LIMIT = 9.312
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.80 CRITERION= .3914E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1160
 HT FLOW CONVERGENCE VALUE= .1191E-01 CRITERION= .3247E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 24 COMPLETED. CUM ITER = 834
 *** TIME = .302953E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1133E-05 OSCILLATION LIMIT = 8.939
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.84 CRITERION= .3912E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1166
 HT FLOW CONVERGENCE VALUE= .1193E-01 CRITERION= .3237E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 25 COMPLETED. CUM ITER = 835
 *** TIME = .303742E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1180E-05 OSCILLATION LIMIT = 9.313
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.79 CRITERION= .3903E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1161
 HT FLOW CONVERGENCE VALUE= .1188E-01 CRITERION= .3234E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 26 COMPLETED. CUM ITER = 836
 *** TIME = .304531E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1134E-05 OSCILLATION LIMIT = 8.947
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.83 CRITERION= .3901E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1167
 HT FLOW CONVERGENCE VALUE= .1189E-01 CRITERION= .3224E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 27 COMPLETED. CUM ITER = 837
 *** TIME = .305320E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1181E-05 OSCILLATION LIMIT = 9.314
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.79 CRITERION= .3891E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1163
 HT FLOW CONVERGENCE VALUE= .1184E-01 CRITERION= .3221E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 28 COMPLETED. CUM ITER = 838
 *** TIME = .306109E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1135E-05 OSCILLATION LIMIT = 8.955
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.83 CRITERION= .3890E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1167
 HT FLOW CONVERGENCE VALUE= .1186E-01 CRITERION= .3211E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 29 COMPLETED. CUM ITER = 839
 *** TIME = .306898E+10 TIME INC = .788940E+07
 *** RESPONSE EIGENVALUE = .1181E-05 OSCILLATION LIMIT = 9.315
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.78 CRITERION= .3880E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1164
 HT FLOW CONVERGENCE VALUE= .1181E-01 CRITERION= .3208E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 31 SUBSTEP 30 COMPLETED. CUM ITER = 840

```

*** TIME = .307687E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1136E-05    OSCILLATION LIMIT = 8.963
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.83    CRITERION= .3879E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1168
    HT FLOW CONVERGENCE VALUE= .1182E-01 CRITERION= .3198E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 31 COMPLETED.    CUM ITER = 841
*** TIME = .308476E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1181E-05    OSCILLATION LIMIT = 9.317
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.78    CRITERION= .3869E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1165
    HT FLOW CONVERGENCE VALUE= .1177E-01 CRITERION= .3195E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 32 COMPLETED.    CUM ITER = 842
*** TIME = .309264E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1137E-05    OSCILLATION LIMIT = 8.971
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.82    CRITERION= .3868E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1169
    HT FLOW CONVERGENCE VALUE= .1178E-01 CRITERION= .3184E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 33 COMPLETED.    CUM ITER = 843
*** TIME = .310053E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1181E-05    OSCILLATION LIMIT = 9.318
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.78    CRITERION= .3858E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1166
    HT FLOW CONVERGENCE VALUE= .1173E-01 CRITERION= .3181E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 34 COMPLETED.    CUM ITER = 844
*** TIME = .310842E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1138E-05    OSCILLATION LIMIT = 8.979
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.82    CRITERION= .3856E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1169
    HT FLOW CONVERGENCE VALUE= .1174E-01 CRITERION= .3171E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 35 COMPLETED.    CUM ITER = 845
*** TIME = .311631E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1181E-05    OSCILLATION LIMIT = 9.320
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.77    CRITERION= .3847E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1167
    HT FLOW CONVERGENCE VALUE= .1170E-01 CRITERION= .3168E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 36 COMPLETED.    CUM ITER = 846
*** TIME = .312420E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1139E-05    OSCILLATION LIMIT = 8.986
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.81    CRITERION= .3845E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1170
    HT FLOW CONVERGENCE VALUE= .1170E-01 CRITERION= .3158E-01 <<< CONVERGED
    >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 37 COMPLETED.    CUM ITER = 847
*** TIME = .313209E+10    TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1182E-05    OSCILLATION LIMIT = 9.322
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

    HT FLOW CONVERGENCE VALUE= 21.77    CRITERION= .3836E-01
    EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1168
    HT FLOW CONVERGENCE VALUE= .1166E-01 CRITERION= .3155E-01 <<< CONVERGED

```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 38 COMPLETED. CUM ITER = 848
*** TIME = .313998E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1140E-05 OSCILLATION LIMIT = 8.994
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED

HT FLOW CONVERGENCE VALUE= 21.81 CRITERION= .3834E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1171
HT FLOW CONVERGENCE VALUE= .1166E-01 CRITERION= .3145E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 39 COMPLETED. CUM ITER = 849
*** TIME = .314787E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1182E-05 OSCILLATION LIMIT = 9.325
*** AUTO STEP TIME: NEXT TIME INC = .78894E+07 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 21.76 CRITERION= .3825E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1169
HT FLOW CONVERGENCE VALUE= .1162E-01 CRITERION= .3142E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
*** LOAD STEP 31 SUBSTEP 40 COMPLETED. CUM ITER = 850
*** TIME = .315576E+10 TIME INC = .788940E+07
*** RESPONSE EIGENVALUE = .1141E-05 OSCILLATION LIMIT = 9.001
```

*ENDDO INDEX= TM

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 16:26:33 MAR 25, 1995 CP= 58589.290
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 111.2 CRITERION= .1155
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5855
HT FLOW CONVERGENCE VALUE= .5763E-01 CRITERION= .3108E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3513E-01
HT FLOW CONVERGENCE VALUE= .2317E-02 CRITERION= .3108E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 1 COMPLETED. CUM ITER = 852
*** TIME = .323465E+10 TIME INC = .788940E+08
*** AUTO STEP TIME: NEXT TIME INC = .78894E+08 UNCHANGED
```

```
HT FLOW CONVERGENCE VALUE= 111.1 CRITERION= .1153
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5918
HT FLOW CONVERGENCE VALUE= .5740E-01 CRITERION= .3082E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3503E-01
HT FLOW CONVERGENCE VALUE= .2281E-02 CRITERION= .3082E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 2 COMPLETED. CUM ITER = 854
*** TIME = .331355E+10 TIME INC = .788940E+08
*** AUTO TIME STEP: NEXT TIME INC = .23668E+09 INCREASED (FACTOR = 3.0000)
```

```
HT FLOW CONVERGENCE VALUE= 333.1 CRITERION= .3345
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.781
HT FLOW CONVERGENCE VALUE= .1649 CRITERION= .2990E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1017
HT FLOW CONVERGENCE VALUE= .6381E-02 CRITERION= .2989E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 3 COMPLETED. CUM ITER = 856
*** TIME = .355023E+10 TIME INC = .236682E+09
*** AUTO TIME STEP: NEXT TIME INC = .71005E+09 INCREASED (FACTOR = 3.0000)
```

```
HT FLOW CONVERGENCE VALUE= 997.7 CRITERION= .9981
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -5.358
HT FLOW CONVERGENCE VALUE= .4261 CRITERION= .2736E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2706
HT FLOW CONVERGENCE VALUE= .1504E-01 CRITERION= .2725E-01 <<< CONVERGED
```

```
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 4 COMPLETED. CUM ITER = 858
*** TIME = .426028E+10 TIME INC = .710046E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.1111)

HT FLOW CONVERGENCE VALUE= 1108. CRITERION= 1.108
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -6.031
HT FLOW CONVERGENCE VALUE= .4259 CRITERION= .2439E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2730
HT FLOW CONVERGENCE VALUE= .1340E-01 CRITERION= .2424E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 5 COMPLETED. CUM ITER = 860
*** TIME = .504922E+10 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 1108. CRITERION= 1.108
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -6.112
HT FLOW CONVERGENCE VALUE= .3889 CRITERION= .2144E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2461
HT FLOW CONVERGENCE VALUE= .1051E-01 CRITERION= .2131E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 6 COMPLETED. CUM ITER = 862
*** TIME = .583816E+10 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 664.8 CRITERION= .6651
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -3.724
HT FLOW CONVERGENCE VALUE= .2422 CRITERION= .1957E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1449
HT FLOW CONVERGENCE VALUE= .5848E-02 CRITERION= .1949E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 32 SUBSTEP 7 COMPLETED. CUM ITER = 864
*** TIME = .631152E+10 TIME INC = .473364E+09
```

***** ANSYS SOLVE COMMAND *****

1

```
***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 16:42:44 MAR 25, 1995 CP= 59376.820
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX
```

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

```
HT FLOW CONVERGENCE VALUE= 271.3 CRITERION= .2720
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.399
HT FLOW CONVERGENCE VALUE= .9633E-01 CRITERION= .1894E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5862E-01
HT FLOW CONVERGENCE VALUE= .2484E-02 CRITERION= .1892E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 1 COMPLETED. CUM ITER = 866
*** TIME = .678488E+10 TIME INC = .473364E+09
*** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 271.4 CRITERION= .2720
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.403
HT FLOW CONVERGENCE VALUE= .9365E-01 CRITERION= .1830E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5727E-01
HT FLOW CONVERGENCE VALUE= .2351E-02 CRITERION= .1827E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 33 SUBSTEP 2 COMPLETED. CUM ITER = 868
*** TIME = .725825E+10 TIME INC = .473364E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 452.3 CRITERION= .4527
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.344
HT FLOW CONVERGENCE VALUE= .1450 CRITERION= .1733E-01
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8972E-01
HT FLOW CONVERGENCE VALUE= .3435E-02 CRITERION= .1729E-01 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
```


*** LOAD STEP 33 SUBSTEP 3 COMPLETED. CUM ITER = 870
 *** TIME = .804719E+10 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 452.4 CRITERION= .4527
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -2.358
 HT FLOW CONVERGENCE VALUE= .1358 CRITERION= .1628E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8583E-01
 HT FLOW CONVERGENCE VALUE= .3119E-02 CRITERION= .1624E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 33 SUBSTEP 4 COMPLETED. CUM ITER = 872
 *** TIME = .883613E+10 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 361.9 CRITERION= .3623
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.896
 HT FLOW CONVERGENCE VALUE= .1056 CRITERION= .1550E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6721E-01
 HT FLOW CONVERGENCE VALUE= .2246E-02 CRITERION= .1547E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 33 SUBSTEP 5 COMPLETED. CUM ITER = 874
 *** TIME = .946728E+10 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 16:53:58 MAR 25, 1995 CP= 59939.250
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 204.8 CRITERION= .2054
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.109
 HT FLOW CONVERGENCE VALUE= .6067E-01 CRITERION= .1496E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3844E-01
 HT FLOW CONVERGENCE VALUE= .1201E-02 CRITERION= .1495E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 34 SUBSTEP 1 COMPLETED. CUM ITER = 876
 *** TIME = .100984E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 204.8 CRITERION= .2053
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.110
 HT FLOW CONVERGENCE VALUE= .5898E-01 CRITERION= .1452E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .3691E-01
 HT FLOW CONVERGENCE VALUE= .1135E-02 CRITERION= .1450E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 34 SUBSTEP 2 COMPLETED. CUM ITER = 878
 *** TIME = .107296E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 256.0 CRITERION= .2564
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.392
 HT FLOW CONVERGENCE VALUE= .7074E-01 CRITERION= .1388E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4346E-01
 HT FLOW CONVERGENCE VALUE= .1313E-02 CRITERION= .1386E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 34 SUBSTEP 3 COMPLETED. CUM ITER = 880
 *** TIME = .115185E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 256.0 CRITERION= .2564
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.396
 HT FLOW CONVERGENCE VALUE= .6875E-01 CRITERION= .1331E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .4127E-01
 HT FLOW CONVERGENCE VALUE= .1230E-02 CRITERION= .1329E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2

*** LOAD STEP 34 SUBSTEP 4 COMPLETED. CUM ITER = 882

*** TIME = .123075E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 102.4 CRITERION= .1033
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5616
 HT FLOW CONVERGENCE VALUE= .2799E-01 CRITERION= .1302E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1665E-01
 HT FLOW CONVERGENCE VALUE= .4966E-03 CRITERION= .1301E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 34 SUBSTEP 5 COMPLETED. CUM ITER = 884
 *** TIME = .126230E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:05:25 MAR 25, 1995 CP= 60501.520
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 74.89 CRITERION= .7602E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4024
 HT FLOW CONVERGENCE VALUE= .2014E-01 CRITERION= .1288E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1200E-01
 HT FLOW CONVERGENCE VALUE= .3606E-03 CRITERION= .1288E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 1 COMPLETED. CUM ITER = 886
 *** TIME = .129386E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 74.94 CRITERION= .7602E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4042
 HT FLOW CONVERGENCE VALUE= .2001E-01 CRITERION= .1267E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1188E-01
 HT FLOW CONVERGENCE VALUE= .3522E-03 CRITERION= .1267E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 2 COMPLETED. CUM ITER = 888
 *** TIME = .132542E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 187.3 CRITERION= .1877
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.009
 HT FLOW CONVERGENCE VALUE= .4754E-01 CRITERION= .1229E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2832E-01
 HT FLOW CONVERGENCE VALUE= .8077E-03 CRITERION= .1228E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 3 COMPLETED. CUM ITER = 890
 *** TIME = .140431E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 187.3 CRITERION= .1877
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -1.013
 HT FLOW CONVERGENCE VALUE= .4617E-01 CRITERION= .1182E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2748E-01
 HT FLOW CONVERGENCE VALUE= .7649E-03 CRITERION= .1181E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 4 COMPLETED. CUM ITER = 892
 *** TIME = .148321E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 112.4 CRITERION= .1130
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6082
 HT FLOW CONVERGENCE VALUE= .2759E-01 CRITERION= .1160E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1638E-01
 HT FLOW CONVERGENCE VALUE= .4507E-03 CRITERION= .1159E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 5 COMPLETED. CUM ITER = 894
 *** TIME = .153054E+11 TIME INC = .473364E+09

*** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 112.4 CRITERION= .1130
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6105
 HT FLOW CONVERGENCE VALUE= .2706E-01 CRITERION= .1131E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1610E-01
 HT FLOW CONVERGENCE VALUE= .4327E-03 CRITERION= .1130E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 35 SUBSTEP 6 COMPLETED. CUM ITER = 896
 *** TIME = .157788E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:19:17 MAR 25, 1995 CP= 61175.390
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 107.6 CRITERION= .1082
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5374
 HT FLOW CONVERGENCE VALUE= .2441E-01 CRITERION= .1113E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1472E-01
 HT FLOW CONVERGENCE VALUE= .4053E-03 CRITERION= .1113E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 1 COMPLETED. CUM ITER = 898
 *** TIME = .162522E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 107.6 CRITERION= .1082
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5396
 HT FLOW CONVERGENCE VALUE= .2402E-01 CRITERION= .1089E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1452E-01
 HT FLOW CONVERGENCE VALUE= .3918E-03 CRITERION= .1088E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 2 COMPLETED. CUM ITER = 900
 *** TIME = .167255E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 179.3 CRITERION= .1797
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.8984
 HT FLOW CONVERGENCE VALUE= .3836E-01 CRITERION= .1058E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2329E-01
 HT FLOW CONVERGENCE VALUE= .6062E-03 CRITERION= .1057E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 3 COMPLETED. CUM ITER = 902
 *** TIME = .175145E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 179.4 CRITERION= .1797
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.9018
 HT FLOW CONVERGENCE VALUE= .3721E-01 CRITERION= .1020E-01
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .2267E-01
 HT FLOW CONVERGENCE VALUE= .5706E-03 CRITERION= .1019E-01 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 4 COMPLETED. CUM ITER = 904
 *** TIME = .183034E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 143.5 CRITERION= .1438
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7217
 HT FLOW CONVERGENCE VALUE= .2917E-01 CRITERION= .9959E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1782E-01
 HT FLOW CONVERGENCE VALUE= .4387E-03 CRITERION= .9952E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 36 SUBSTEP 5 COMPLETED. CUM ITER = 906
 *** TIME = .189346E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 17:30:42 MAR 25, 1995 CP= 61737.540
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 120.9 CRITERION= .1213
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5872
HT FLOW CONVERGENCE VALUE= .2376E-01 CRITERION= .9706E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1462E-01
HT FLOW CONVERGENCE VALUE= .3592E-03 CRITERION= .9701E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 1 COMPLETED. CUM ITER = 908
*** TIME = .195657E+11 TIME INC = .631152E+09
*** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 120.9 CRITERION= .1213
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5864
HT FLOW CONVERGENCE VALUE= .2324E-01 CRITERION= .9529E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1434E-01
HT FLOW CONVERGENCE VALUE= .3454E-03 CRITERION= .9523E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 2 COMPLETED. CUM ITER = 910
*** TIME = .201969E+11 TIME INC = .631152E+09
*** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 151.2 CRITERION= .1515
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7357
HT FLOW CONVERGENCE VALUE= .2817E-01 CRITERION= .9225E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1743E-01
HT FLOW CONVERGENCE VALUE= .4068E-03 CRITERION= .9219E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 3 COMPLETED. CUM ITER = 912
*** TIME = .209858E+11 TIME INC = .788940E+09
*** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 151.1 CRITERION= .1514
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.7354
HT FLOW CONVERGENCE VALUE= .2738E-01 CRITERION= .8994E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1699E-01
HT FLOW CONVERGENCE VALUE= .3859E-03 CRITERION= .8988E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 4 COMPLETED. CUM ITER = 914
*** TIME = .217747E+11 TIME INC = .788940E+09
*** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 60.49 CRITERION= .6114E-01
EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2959
HT FLOW CONVERGENCE VALUE= .1103E-01 CRITERION= .8846E-02
EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6841E-02
HT FLOW CONVERGENCE VALUE= .1546E-03 CRITERION= .8844E-02 <<< CONVERGED
>>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
*** LOAD STEP 37 SUBSTEP 5 COMPLETED. CUM ITER = 916
*** TIME = .220903E+11 TIME INC = .315576E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 17:42:05 MAR 25, 1995 CP= 62299.960
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 52.13 CRITERION= .5288E-01

EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2553
 HT FLOW CONVERGENCE VALUE= .9433E-02 CRITERION= .8789E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5855E-02
 HT FLOW CONVERGENCE VALUE= .1312E-03 CRITERION= .8787E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 1 COMPLETED. CUM ITER = 918
 *** TIME = .224059E+11 TIME INC = .315576E+09
 *** AUTO STEP TIME: NEXT TIME INC = .31558E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 52.17 CRITERION= .5290E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.2570
 HT FLOW CONVERGENCE VALUE= .9371E-02 CRITERION= .8659E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .5818E-02
 HT FLOW CONVERGENCE VALUE= .1286E-03 CRITERION= .8657E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 2 COMPLETED. CUM ITER = 920
 *** TIME = .227215E+11 TIME INC = .315576E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 2.5000)

HT FLOW CONVERGENCE VALUE= 130.4 CRITERION= .1307
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6402
 HT FLOW CONVERGENCE VALUE= .2245E-01 CRITERION= .8464E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1400E-01
 HT FLOW CONVERGENCE VALUE= .2995E-03 CRITERION= .8459E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 3 COMPLETED. CUM ITER = 922
 *** TIME = .235104E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 130.4 CRITERION= .1307
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.6427
 HT FLOW CONVERGENCE VALUE= .2188E-01 CRITERION= .8193E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1368E-01
 HT FLOW CONVERGENCE VALUE= .2843E-03 CRITERION= .8188E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 4 COMPLETED. CUM ITER = 924
 *** TIME = .242994E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .47336E+09 DECREASED (FACTOR = .6000)

HT FLOW CONVERGENCE VALUE= 78.21 CRITERION= .7865E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3850
 HT FLOW CONVERGENCE VALUE= .1303E-01 CRITERION= .8088E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8156E-02
 HT FLOW CONVERGENCE VALUE= .1680E-03 CRITERION= .8085E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 5 COMPLETED. CUM ITER = 926
 *** TIME = .247727E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 78.26 CRITERION= .7866E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3869
 HT FLOW CONVERGENCE VALUE= .1285E-01 CRITERION= .7911E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8048E-02
 HT FLOW CONVERGENCE VALUE= .1626E-03 CRITERION= .7908E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 38 SUBSTEP 6 COMPLETED. CUM ITER = 928
 *** TIME = .252461E+11 TIME INC = .473364E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 17:55:50 MAR 25, 1995 CP= 62973.810
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 68.19 CRITERION= .6865E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3223

HT FLOW CONVERGENCE VALUE= .1083E-01 CRITERION= .7835E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6831E-02
 HT FLOW CONVERGENCE VALUE= .1392E-03 CRITERION= .7833E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 1 COMPLETED. CUM ITER = 930
 *** TIME = .257194E+11 TIME INC = .473364E+09
 *** AUTO STEP TIME: NEXT TIME INC = .47336E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 68.23 CRITERION= .6867E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3240
 HT FLOW CONVERGENCE VALUE= .1071E-01 CRITERION= .7687E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6761E-02
 HT FLOW CONVERGENCE VALUE= .1356E-03 CRITERION= .7685E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 2 COMPLETED. CUM ITER = 932
 *** TIME = .261928E+11 TIME INC = .473364E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.6667)

HT FLOW CONVERGENCE VALUE= 113.7 CRITERION= .1139
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5384
 HT FLOW CONVERGENCE VALUE= .1725E-01 CRITERION= .7539E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1093E-01
 HT FLOW CONVERGENCE VALUE= .2135E-03 CRITERION= .7536E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 3 COMPLETED. CUM ITER = 934
 *** TIME = .269817E+11 TIME INC = .788940E+09
 *** AUTO STEP TIME: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 113.7 CRITERION= .1139
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.5406
 HT FLOW CONVERGENCE VALUE= .1687E-01 CRITERION= .7317E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .1071E-01
 HT FLOW CONVERGENCE VALUE= .2039E-03 CRITERION= .7313E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 4 COMPLETED. CUM ITER = 936
 *** TIME = .277707E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .63115E+09 DECREASED (FACTOR = .8000)

HT FLOW CONVERGENCE VALUE= 90.93 CRITERION= .9123E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4317
 HT FLOW CONVERGENCE VALUE= .1328E-01 CRITERION= .7204E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8446E-02
 HT FLOW CONVERGENCE VALUE= .1583E-03 CRITERION= .7201E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 39 SUBSTEP 5 COMPLETED. CUM ITER = 938
 *** TIME = .284018E+11 TIME INC = .631152E+09

***** ANSYS SOLVE COMMAND *****

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:07:14 MAR 25, 1995 CP= 63536.270
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

HT FLOW CONVERGENCE VALUE= 77.47 CRITERION= .7779E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3671
 HT FLOW CONVERGENCE VALUE= .1114E-01 CRITERION= .7042E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .7098E-02
 HT FLOW CONVERGENCE VALUE= .1310E-03 CRITERION= .7040E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 1 COMPLETED. CUM ITER = 940
 *** TIME = .290330E+11 TIME INC = .631152E+09
 *** AUTO STEP TIME: NEXT TIME INC = .63115E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 77.42 CRITERION= .7775E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.3659
 HT FLOW CONVERGENCE VALUE= .1093E-01 CRITERION= .6954E-02

EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .6979E-02
 HT FLOW CONVERGENCE VALUE= .1269E-03 CRITERION= .6952E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 2 COMPLETED. CUM ITER = 942
 *** TIME = .296641E+11 TIME INC = .631152E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 INCREASED (FACTOR = 1.2500)

HT FLOW CONVERGENCE VALUE= 96.83 CRITERION= .9707E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4595
 HT FLOW CONVERGENCE VALUE= .1334E-01 CRITERION= .6762E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8534E-02
 HT FLOW CONVERGENCE VALUE= .1512E-03 CRITERION= .6759E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 3 COMPLETED. CUM ITER = 944
 *** TIME = .304531E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .78894E+09 UNCHANGED

HT FLOW CONVERGENCE VALUE= 96.79 CRITERION= .9703E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.4584
 HT FLOW CONVERGENCE VALUE= .1303E-01 CRITERION= .6642E-02
 EQUIL ITER 2 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= .8353E-02
 HT FLOW CONVERGENCE VALUE= .1449E-03 CRITERION= .6640E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 2
 *** LOAD STEP 40 SUBSTEP 4 COMPLETED. CUM ITER = 946
 *** TIME = .312420E+11 TIME INC = .788940E+09
 *** AUTO TIME STEP: NEXT TIME INC = .31558E+09 DECREASED (FACTOR = .4000)

HT FLOW CONVERGENCE VALUE= 38.75 CRITERION= .3930E-01
 EQUIL ITER 1 COMPLETED. NEW TRIANG MATRIX. MAX DOF INC= -.1847
 HT FLOW CONVERGENCE VALUE= .5250E-02 CRITERION= .6542E-02 <<< CONVERGED
 >>> SOLUTION CONVERGED AFTER EQUILIBRIUM ITERATION 1
 *** LOAD STEP 40 SUBSTEP 5 COMPLETED. CUM ITER = 947
 *** TIME = .315576E+11 TIME INC = .315576E+09

FINISH SOLUTION PROCESSING

***** ROUTINE COMPLETED ***** CP = 64055.830

ALL CURRENT ANSYS DATA WRITTEN TO FILE NAME= ma12h2.db
 FOR POSSIBLE RESUME FROM THIS POINT

Create element contour plots of solution results

Sort through solution results for time of max temp.

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:18:03 MAR 25, 1995 CP= 64061.880
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

VARIABLE 2 IS AT NODE 2929 ITEM= TEMP COMP= NAME= peakclad

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES

VARI TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2 NSOL	2929 TEMP	peakclad	81.61	.3156E+11	219.0	.1578E+09

*GET TMTMAX FROM VARI 2 ITEM=EXTR TMAX VALUE= 157788032.

***** ROUTINE COMPLETED ***** CP = 64062.250

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 18:18:04 MAR 25, 1995 CP= 64062.280
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/Waste Package with 20 yr old, 40 GWD/MTU SNF

***** ANSYS RESULTS INTERPRETATION (POST1) *****
Create temperature contour plots of WP at peak

GRAPHIC DISPLAY RESET
XYZ TRIAD DISPLAY SET TO OFF

NUMBER KEY SET TO 1 -1=NONE 0=BOTH 1=COLOR 2=NUMBER

MAT NUMBERING KEY = 1

HIDDEN DISPLAY (PRECISE) IN WINDOW 1

ELEMENT OUTLINE STYLE FOR WINDOW 1 IS -1 0=DEFAULT, 1=ALTERNATE, -1=NONE

FOCUS POINT FOR WINDOW 1 .76525E-01 .00000E+00 .00000E+00

UNSELECT FOR ITEM=MAT COMPONENT=
IN RANGE 7 TO 7 STEP 1

4280 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .15779E+09

SET COMMAND GOT LOAD STEP= 17 SUBSTEP= 40 CUMULATIVE ITERATION= 290
TIME/FREQUENCY= .15779E+09

TITLE=
12 PWR MPC/WP at Time of Peak Temp. (5.000001 years)

/SHOW SWITCH PLOTS TO FILE solupk.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 AUTOMATIC CONTOURS

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solupk.grph - RASTER MODE.
DISPLAY TITLE=
12 PWR MPC/WP at Time of Peak Temp. (5.000001 years)

*** WARNING *** CP= 64095.750 TIME= 18:19:02
The selected element set contains mixed materials.
This could invalidate error estimation.
Create temperature contour plots at 10, 50, and 100 yrs

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0
USE DATA SET FOR TIME OR FREQUENCY= .31558E+09

SET COMMAND GOT LOAD STEP= 22 SUBSTEP= 40 CUMULATIVE ITERATION= 490
TIME/FREQUENCY= .31558E+09

TITLE=

12 PWR MPC/WP at 10 years

/SHOW SWITCH PLOTS TO FILE solu10.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 131.69 BY .68760 TO 219.01

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu10.grph - RASTER MODE.

DISPLAY TITLE=

12 PWR MPC/WP at 10 years

*** WARNING ***

CP= 64136.610 TIME= 18:19:43

The selected element set contains mixed materials.

This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0

USE DATA SET FOR TIME OR FREQUENCY= .15779E+10

SET COMMAND GOT LOAD STEP= 26 SUBSTEP= 40 CUMULATIVE ITERATION= 650
TIME/FREQUENCY= .15779E+10

TITLE=

12 PWR MPC/WP at 50 years

/SHOW SWITCH PLOTS TO FILE solu50.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 131.69 BY .68760 TO 219.01

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu50.grph - RASTER MODE.

DISPLAY TITLE=

12 PWR MPC/WP at 50 years

*** WARNING ***

CP= 64176.170 TIME= 18:20:23

The selected element set contains mixed materials.

This could invalidate error estimation.

USE NEAREST SUBSTEP ON RESULT FILE FOR LOAD CASE 0

USE DATA SET FOR TIME OR FREQUENCY= .31558E+10

SET COMMAND GOT LOAD STEP= 31 SUBSTEP= 40 CUMULATIVE ITERATION= 850
TIME/FREQUENCY= .31558E+10

TITLE=

12 PWR MPC/WP at 100 years

/SHOW SWITCH PLOTS TO FILE solu100.grph - RASTER MODE.
- GRAPHIC PLANES = 8.

WINDOW 1 HAS 128 CONTOURS DEFINED BY PREVIOUS PLOT ACTION
FROM 131.69 BY .68760 TO 219.01

DISPLAY NODAL SOLUTION, ITEM=TEMP COMP=

CUMULATIVE DISPLAY NUMBER 1 WRITTEN TO FILE solu100.grph - RASTER MODE.

DISPLAY TITLE=

12 PWR MPC/WP at 100 years

*** WARNING *** CP= 64215.700 TIME= 18:21:03
The selected element set contains mixed materials.
This could invalidate error estimation.

ALL SELECT FOR ITEM=ELEM COMPONENT=
IN RANGE 1 TO 6728 STEP 1

5620 ELEMENTS (OF 5620 DEFINED) SELECTED BY ESEL COMMAND.

EXIT THE ANSYS POST1 DATABASE PROCESSOR

***** ROUTINE COMPLETED ***** CP = 64222.310

Print time/temperature output at specific locations
Save profile from center to edge

Variable Legend: A01i000

x = center of waste package
f = flux trap plate stainless layer
w = flux trap plate SS sheath
c = center of assembly
h = halfway between center and tube
s = inside structural stainless tube layer
a = aluminum-born tube layer
t = stainless tube cladding
g = tube guide
m = mpc shell
i = inner barrier of DC
o = outer barrier of DC
= ID number of assembly (01 is center)
i = side of assembly toward center of WP
o = side of assembly toward edge of WP
000 = profile center down
045 = profile 45 deg down
090 = profile center side
135 = profile 45 deg up
180 = profile center up

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
900-38303 VERSION=HP 9000/7XX 18:21:09 MAR 25, 1995 CP= 64222.320
FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** TIME-HISTORY POSTPROCESSOR (POST26) *****

ALL POST26 SPECIFICATIONS ARE RESET TO INITIAL DEFAULTS

MAXIMUM NUMBER OF VARIABLES= 30

* Temperature Profile from center to lower right (45 deg.) *

VARIABLE 2 IS AT NODE 5522 ITEM= TEMP COMP= NAME= x04i045
VARIABLE 3 IS AT NODE 1655 ITEM= TEMP COMP= NAME= f04i045
VARIABLE 4 IS AT NODE 1762 ITEM= TEMP COMP= NAME= f04o045
VARIABLE 5 IS AT NODE 2036 ITEM= TEMP COMP= NAME= w04i045
VARIABLE 6 IS AT NODE 2177 ITEM= TEMP COMP= NAME= w04o045

VARIABLE 7 IS AT NODE 2552 ITEM= TEMP COMP= NAME= s04i045
 VARIABLE 8 IS AT NODE 2977 ITEM= TEMP COMP= NAME= h04i045
 VARIABLE 9 IS AT NODE 2929 ITEM= TEMP COMP= NAME= c04i045
 VARIABLE 10 IS AT NODE 2881 ITEM= TEMP COMP= NAME= h04o045
 VARIABLE 11 IS AT NODE 2566 ITEM= TEMP COMP= NAME= s04o045
 VARIABLE 12 IS AT NODE 2427 ITEM= TEMP COMP= NAME= a04o045
 VARIABLE 13 IS AT NODE 2303 ITEM= TEMP COMP= NAME= t04i045
 VARIABLE 14 IS AT NODE 2289 ITEM= TEMP COMP= NAME= t04o045
 VARIABLE 15 IS AT NODE 3528 ITEM= TEMP COMP= NAME= g04i045
 VARIABLE 16 IS AT NODE 3545 ITEM= TEMP COMP= NAME= g04o045
 VARIABLE 17 IS AT NODE 3760 ITEM= TEMP COMP= NAME= m04i045
 VARIABLE 18 IS AT NODE 3707 ITEM= TEMP COMP= NAME= m04o045
 VARIABLE 19 IS AT NODE 4142 ITEM= TEMP COMP= NAME= i04i045
 VARIABLE 20 IS AT NODE 4200 ITEM= TEMP COMP= NAME= i04o045
 VARIABLE 21 IS AT NODE 4595 ITEM= TEMP COMP= NAME= o04o045
 Add centers of assemblies 5 and 6
 VARIABLE 22 IS AT NODE 3098 ITEM= TEMP COMP= NAME= c05i045
 VARIABLE 23 IS AT NODE 2760 ITEM= TEMP COMP= NAME= c06i045

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES						
VARI TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2 NSOL	5522 TEMP	x04i045	80.22	.3156E+11	205.8	.1893E+09
3 NSOL	1655 TEMP	f04i045	80.22	.3156E+11	205.8	.1893E+09
4 NSOL	1762 TEMP	f04o045	80.22	.3156E+11	205.9	.1893E+09
5 NSOL	2036 TEMP	w04i045	80.22	.3156E+11	205.9	.1893E+09
6 NSOL	2177 TEMP	w04o045	80.22	.3156E+11	205.9	.1893E+09
7 NSOL	2552 TEMP	s04i045	80.22	.3156E+11	205.9	.1893E+09
8 NSOL	2977 TEMP	h04i045	80.94	.3156E+11	212.9	.1578E+09
9 NSOL	2929 TEMP	c04i045	81.61	.3156E+11	219.0	.1578E+09
10 NSOL	2881 TEMP	h04o045	80.87	.3156E+11	211.0	.1893E+09
11 NSOL	2566 TEMP	s04o045	80.08	.3156E+11	202.4	.1893E+09
12 NSOL	2427 TEMP	a04o045	80.08	.3156E+11	202.4	.1893E+09
13 NSOL	2303 TEMP	t04i045	80.07	.3156E+11	202.4	.1893E+09
14 NSOL	2289 TEMP	t04o045	80.07	.3156E+11	202.3	.1893E+09
15 NSOL	3528 TEMP	g04i045	78.78	.3156E+11	188.4	.2525E+09
16 NSOL	3545 TEMP	g04o045	78.74	.3156E+11	187.9	.2525E+09
17 NSOL	3760 TEMP	m04i045	76.30	.3156E+11	163.8	.2525E+09
18 NSOL	3707 TEMP	m04o045	76.26	.3156E+11	163.2	.2525E+09
19 NSOL	4142 TEMP	i04i045	27.74	.1000E-05	138.6	.3156E+09
20 NSOL	4200 TEMP	i04o045	26.94	.1000E-05	137.9	.3156E+09
21 NSOL	4595 TEMP	o04o045	26.14	.1000E-05	137.3	.3156E+09
22 NSOL	3098 TEMP	c05i045	80.55	.3156E+11	206.7	.1893E+09
23 NSOL	2760 TEMP	c06i045	80.58	.3156E+11	207.0	.1893E+09

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:21:12 MAR 25, 1995 CP= 64225.260
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5522 TEMP x04i045	1655 TEMP f04i045	1762 TEMP f04o045	2036 TEMP w04i045	2177 TEMP w04o045	2552 TEMP s04i045
.10000E-05	149.506	149.506	149.507	149.507	149.507	149.512
.20000E-05	165.674	165.673	165.672	165.672	165.673	165.677
31.558	165.674	165.673	165.672	165.672	165.673	165.677
.31558E+07	179.704	179.718	179.729	179.730	179.731	179.735
.63116E+07	184.186	184.200	184.211	184.212	184.213	184.218
.94673E+07	187.076	187.091	187.102	187.103	187.104	187.109
.12623E+08	189.265	189.280	189.292	189.293	189.294	189.298
.15779E+08	191.032	191.047	191.058	191.059	191.060	191.065
.18935E+08	192.517	192.532	192.543	192.544	192.545	192.550
.22090E+08	193.786	193.801	193.813	193.814	193.815	193.819
.25246E+08	194.901	194.916	194.928	194.929	194.930	194.934
.28402E+08	195.883	195.898	195.909	195.910	195.912	195.916
.31558E+08	196.794	196.810	196.821	196.822	196.823	196.828
.63115E+08	201.956	201.972	201.984	201.985	201.986	201.990
.94673E+08	204.086	204.101	204.113	204.114	204.115	204.119
.12623E+09	205.197	205.213	205.224	205.225	205.226	205.230
.15779E+09	205.703	205.718	205.729	205.730	205.731	205.735
.18935E+09	205.826	205.841	205.852	205.853	205.854	205.857
.22090E+09	205.681	205.695	205.706	205.707	205.708	205.712
.25246E+09	205.443	205.458	205.468	205.469	205.470	205.474
.28402E+09	204.663	204.677	204.688	204.689	204.690	204.694
.31558E+09	204.012	204.026	204.036	204.037	204.038	204.042
.63115E+09	193.277	193.289	193.298	193.299	193.300	193.303
.94673E+09	181.901	181.912	181.920	181.920	181.921	181.924
.12623E+10	170.678	170.687	170.694	170.695	170.695	170.698
.15779E+10	161.030	161.038	161.044	161.045	161.045	161.047
.18935E+10	152.842	152.850	152.855	152.856	152.856	152.858
.22090E+10	145.926	145.933	145.938	145.938	145.939	145.940
.25246E+10	139.808	139.815	139.819	139.820	139.820	139.822
.28402E+10	134.644	134.650	134.654	134.654	134.655	134.656
.31558E+10	130.366	130.372	130.376	130.376	130.376	130.378
.63115E+10	109.069	109.073	109.075	109.076	109.076	109.077
.94673E+10	100.699	100.702	100.704	100.704	100.704	100.705
.12623E+11	95.7360	95.7384	95.7402	95.7403	95.7404	95.7410
.15779E+11	92.1137	92.1159	92.1174	92.1175	92.1177	92.1182
.18935E+11	88.8649	88.8668	88.8681	88.8682	88.8683	88.8688
.22090E+11	86.1967	86.1984	86.1996	86.1997	86.1998	86.2002
.25246E+11	83.8650	83.8665	83.8676	83.8677	83.8678	83.8682
.28402E+11	81.8961	81.8975	81.8985	81.8986	81.8987	81.8990
.31558E+11	80.2150	80.2163	80.2173	80.2173	80.2174	80.2177

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:21:12 MAR 25, 1995 CP= 64225.270
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2977 TEMP h04i045	2929 TEMP c04i045	2881 TEMP h04o045	2566 TEMP s04o045	2427 TEMP a04o045	2303 TEMP t04i045
.10000E-05	159.124	167.413	157.379	146.266	146.238	146.209
.20000E-05	174.751	182.529	172.862	162.217	162.189	162.160
31.558	174.751	182.529	172.862	162.217	162.189	162.160
.31558E+07	188.373	195.750	186.434	176.211	176.183	176.154
.63116E+07	192.711	199.948	190.733	180.637	180.609	180.579
.94673E+07	195.502	202.643	193.506	183.503	183.475	183.445
.12623E+08	197.619	204.689	195.610	185.674	185.646	185.617
.15779E+08	199.317	206.322	197.301	187.432	187.403	187.374

.18935E+08	200.748	207.697	198.724	188.907	188.879	188.849
.22090E+08	201.964	208.862	199.937	190.172	190.144	190.114
.25246E+08	203.033	209.886	201.003	191.283	191.254	191.225
.28402E+08	203.969	210.781	201.938	192.262	192.234	192.205
.31558E+08	204.845	211.623	202.813	193.174	193.146	193.116
.63115E+08	209.714	216.229	207.687	198.353	198.326	198.297
.94673E+08	211.634	217.970	209.631	200.530	200.503	200.474
.12623E+09	212.582	218.778	210.605	201.694	201.667	201.639
.15779E+09	212.940	219.013	210.994	202.257	202.231	202.203
.18935E+09	212.929	218.891	211.016	202.440	202.415	202.388
.22090E+09	212.661	218.523	210.783	202.356	202.331	202.305
.25246E+09	212.308	218.075	210.462	202.179	202.154	202.128
.28402E+09	211.428	217.115	209.617	201.461	201.436	201.411
.31558E+09	210.698	216.322	208.915	200.859	200.835	200.809
.63115E+09	199.148	204.133	197.680	190.682	190.662	190.641
.94673E+09	187.151	191.645	185.932	179.739	179.722	179.703
.12623E+10	175.403	179.479	174.389	168.870	168.856	168.840
.15779E+10	165.325	169.053	164.468	159.495	159.482	159.468
.18935E+10	156.770	160.197	156.036	151.522	151.510	151.498
.22090E+10	149.537	152.703	148.897	144.771	144.761	144.751
.25246E+10	143.159	146.109	142.592	138.782	138.773	138.763
.28402E+10	137.755	140.503	137.250	133.726	133.718	133.709
.31558E+10	133.279	135.858	132.823	129.534	129.527	129.519
.63115E+10	111.027	112.780	110.773	108.598	108.593	108.588
.94673E+10	102.299	103.738	102.108	100.341	100.338	100.334
.12623E+11	97.1082	98.3470	96.9518	95.4406	95.4375	95.4342
.15779E+11	93.3206	94.4121	93.1877	91.8616	91.8588	91.8560
.18935E+11	89.9361	90.9062	89.8217	88.6470	88.6446	88.6421
.22090E+11	87.1611	88.0358	87.0609	86.0048	86.0027	86.0005
.25246E+11	84.7345	85.5242	84.6464	83.6955	83.6936	83.6916
.28402E+11	82.6897	83.4108	82.6109	81.7443	81.7425	81.7407
.31558E+11	80.9435	81.6061	80.8725	80.0777	80.0761	80.0744

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:21:12 MAR 25, 1995 CP= 64225.280
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	2289 TEMP t04o045	3528 TEMP g04i045	3545 TEMP g04o045	3760 TEMP m04i045	3707 TEMP m04o045	4142 TEMP i04i045
.10000E-05	146.074	127.473	126.809	89.4905	88.8013	27.7388
.20000E-05	162.025	144.230	143.563	109.030	108.342	59.3286
31.558	162.025	144.230	143.563	109.030	108.342	59.3287
.31558E+07	176.019	159.065	158.399	126.395	125.716	84.8653
.63116E+07	180.445	163.715	163.047	131.707	131.028	92.1085
.94673E+07	183.311	166.753	166.086	135.220	134.543	96.8818
.12623E+08	185.483	169.056	168.389	137.894	137.219	100.543
.15779E+08	187.241	170.937	170.271	140.098	139.425	103.524
.18935E+08	188.717	172.512	171.847	141.944	141.272	106.035
.22090E+08	189.982	173.875	173.211	143.556	142.886	108.211
.25246E+08	191.093	175.070	174.407	144.969	144.301	110.130
.28402E+08	192.073	176.132	175.470	146.238	145.571	111.841
.31558E+08	192.985	177.114	176.453	147.397	146.732	113.387
.63115E+08	198.168	182.829	182.180	154.404	153.751	122.945
.94673E+08	200.348	185.405	184.768	157.873	157.233	127.939
.12623E+09	201.515	186.893	186.268	160.058	159.430	131.222
.15779E+09	202.082	187.754	187.140	161.540	160.923	133.614
.18935E+09	202.269	188.212	187.610	162.557	161.952	135.407
.22090E+09	202.187	188.383	187.791	163.235	162.640	136.759
.25246E+09	202.013	188.447	187.866	163.777	163.193	137.922
.28402E+09	201.297	187.943	187.372	163.680	163.106	138.304
.31558E+09	200.698	187.511	186.947	163.566	163.001	138.562
.63115E+09	190.546	179.098	178.623	158.355	157.878	136.733

.94673E+09	179.621	169.475	169.068	151.064	150.656	131.679
.12623E+10	168.769	159.721	159.370	143.249	142.896	125.649
.15779E+10	159.406	151.255	150.949	136.362	136.052	120.224
.18935E+10	151.443	144.054	143.783	130.499	130.224	115.633
.22090E+10	144.701	137.954	137.711	125.531	125.285	111.767
.25246E+10	138.718	132.483	132.262	120.961	120.737	108.059
.28402E+10	133.668	127.901	127.699	117.212	117.007	105.143
.31558E+10	129.480	124.099	123.914	114.101	113.913	102.734
.63115E+10	108.564	105.021	104.906	98.3439	98.2269	90.4558
.94673E+10	100.315	97.4443	97.3534	92.0003	91.9078	85.4585
.12623E+11	95.4181	92.9644	92.8878	88.2956	88.2177	82.6280
.15779E+11	91.8420	89.6885	89.6220	85.5822	85.5147	80.5592
.18935E+11	88.6298	86.7216	86.6634	83.0759	83.0167	78.5826
.22090E+11	85.9895	84.2747	84.2228	80.9919	80.9392	76.9189
.25246E+11	83.6818	82.1380	82.0916	79.1780	79.1308	75.4842
.28402E+11	81.7318	80.3247	80.2827	77.6231	77.5804	74.2351
.31558E+11	80.0663	78.7763	78.7380	76.2960	76.2571	73.1718

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:21:12 MAR 25, 1995 CP= 64225.290
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4200 TEMP	4595 TEMP	3098 TEMP	2760 TEMP
	i04o045	o04o045	c05i045	c06i045
.10000E-05	26.9400	26.1413	152.461	152.666
.20000E-05	58.5302	57.7299	167.988	168.174
31.558	58.5302	57.7299	167.988	168.174
.31558E+07	84.0738	83.2794	181.562	181.917
.63116E+07	91.3164	90.5209	185.844	186.207
.94673E+07	96.0930	95.2983	188.627	188.993
.12623E+08	99.7590	98.9657	190.738	191.104
.15779E+08	102.744	101.956	192.443	192.811
.18935E+08	105.259	104.475	193.875	194.242
.22090E+08	107.438	106.659	195.101	195.469
.25246E+08	109.360	108.584	196.176	196.544
.28402E+08	111.074	110.303	197.124	197.492
.31558E+08	112.622	111.854	198.013	198.381
.63115E+08	122.202	121.459	202.991	203.357
.94673E+08	127.215	126.493	205.029	205.390
.12623E+09	130.515	129.809	206.086	206.441
.15779E+09	132.922	132.232	206.556	206.906
.18935E+09	134.730	134.055	206.656	207.001
.22090E+09	136.095	135.433	206.497	206.837
.25246E+09	137.271	136.622	206.249	206.585
.28402E+09	137.664	137.027	205.472	205.802
.31558E+09	137.932	137.305	204.825	205.149
.63115E+09	136.199	135.668	194.174	194.457
.94673E+09	131.218	130.757	182.890	183.139
.12623E+10	125.247	124.845	171.743	171.961
.15779E+10	119.869	119.514	162.139	162.334
.18935E+10	115.317	114.999	153.961	154.137
.22090E+10	111.483	111.197	147.020	147.181
.25246E+10	107.799	107.538	140.876	141.024
.28402E+10	104.906	104.666	135.677	135.815
.31558E+10	102.514	102.293	131.367	131.495
.63115E+10	90.3183	90.1801	109.858	109.940
.94673E+10	85.3496	85.2400	101.380	101.446
.12623E+11	82.5361	82.4439	96.3326	96.3891
.15779E+11	80.4793	80.3992	92.6470	92.6965
.18935E+11	78.5124	78.4419	89.3449	89.3884
.22090E+11	76.8563	76.7936	86.6343	86.6733
.25246E+11	75.4282	75.3721	84.2638	84.2989
.28402E+11	74.1844	74.1333	82.2631	82.2953

.31558E+11 73.1254 73.0790 80.5544 80.5842

 * Temperature Profile from center to upper right (135 deg.) *

VARIABLE 2 IS AT NODE 5522 ITEM= TEMP COMP= NAME= x01i135

*** WARNING *** CP= 64225.430 TIME= 18:21:13
 NSOL command erases all previously stored or calculated data
 unless STORE, MERGE is used.

VARIABLE 3 IS AT NODE 64 ITEM= TEMP COMP= NAME= f01i135

VARIABLE 4 IS AT NODE 171 ITEM= TEMP COMP= NAME= f01o135

VARIABLE 5 IS AT NODE 445 ITEM= TEMP COMP= NAME= w01i135

VARIABLE 6 IS AT NODE 586 ITEM= TEMP COMP= NAME= w01o135

VARIABLE 7 IS AT NODE 961 ITEM= TEMP COMP= NAME= s01i135

VARIABLE 8 IS AT NODE 1386 ITEM= TEMP COMP= NAME= h01i135

VARIABLE 9 IS AT NODE 1338 ITEM= TEMP COMP= NAME= c01i135

VARIABLE 10 IS AT NODE 1290 ITEM= TEMP COMP= NAME= h01o135

VARIABLE 11 IS AT NODE 975 ITEM= TEMP COMP= NAME= s01o135

VARIABLE 12 IS AT NODE 836 ITEM= TEMP COMP= NAME= a01o135

VARIABLE 13 IS AT NODE 712 ITEM= TEMP COMP= NAME= t01i135

VARIABLE 14 IS AT NODE 698 ITEM= TEMP COMP= NAME= t01o135

VARIABLE 15 IS AT NODE 3332 ITEM= TEMP COMP= NAME= g01i135

VARIABLE 16 IS AT NODE 3318 ITEM= TEMP COMP= NAME= g01o135

VARIABLE 17 IS AT NODE 3974 ITEM= TEMP COMP= NAME= m01i135

VARIABLE 18 IS AT NODE 3924 ITEM= TEMP COMP= NAME= m01o135

VARIABLE 19 IS AT NODE 4369 ITEM= TEMP COMP= NAME= i01i135

VARIABLE 20 IS AT NODE 4424 ITEM= TEMP COMP= NAME= i01o135

VARIABLE 21 IS AT NODE 4763 ITEM= TEMP COMP= NAME= o01o135
 Add centers of assemblies 2 and 3 ,

VARIABLE 22 IS AT NODE 1507 ITEM= TEMP COMP= NAME= c02i135

VARIABLE 23 IS AT NODE 1169 ITEM= TEMP COMP= NAME= c03i135

STORAGE COMPLETE FOR 40 DATA POINTS

SUMMARY OF VARIABLES STORED THIS STEP AND EXTREME VALUES							
VARI	TYPE	IDENTIFIERS	NAME	MINIMUM	AT TIME	MAXIMUM	AT TIME
2	NSOL	5522 TEMP	x01i135	80.22	.3156E+11	205.8	.1893E+09
3	NSOL	64 TEMP	f01i135	80.21	.3156E+11	205.8	.1893E+09
4	NSOL	171 TEMP	f01o135	80.21	.3156E+11	205.8	.1893E+09
5	NSOL	445 TEMP	w01i135	80.21	.3156E+11	205.8	.1893E+09
6	NSOL	586 TEMP	w01o135	80.21	.3156E+11	205.8	.1893E+09
7	NSOL	961 TEMP	s01i135	80.21	.3156E+11	205.8	.1893E+09
8	NSOL	1386 TEMP	h01i135	80.94	.3156E+11	212.9	.1578E+09
9	NSOL	1338 TEMP	c01i135	81.59	.3156E+11	218.9	.1578E+09
10	NSOL	1290 TEMP	h01o135	80.86	.3156E+11	210.8	.1893E+09
11	NSOL	975 TEMP	s01o135	80.06	.3156E+11	202.2	.1893E+09

12	NSOL	836	TEMP	a01o135	80.06	.3156E+11	202.2	.1893E+09
13	NSOL	712	TEMP	t01i135	80.06	.3156E+11	202.2	.1893E+09
14	NSOL	698	TEMP	t01o135	80.05	.3156E+11	202.0	.1893E+09
15	NSOL	3332	TEMP	g01i135	78.75	.3156E+11	188.1	.2525E+09
16	NSOL	3318	TEMP	g01o135	78.71	.3156E+11	187.5	.2525E+09
17	NSOL	3974	TEMP	m01i135	76.25	.3156E+11	163.2	.2525E+09
18	NSOL	3924	TEMP	m01o135	76.21	.3156E+11	162.6	.2525E+09
19	NSOL	4369	TEMP	i01i135	27.74	.1000E-05	137.7	.3156E+09
20	NSOL	4424	TEMP	i01o135	26.94	.1000E-05	137.1	.3156E+09
21	NSOL	4763	TEMP	o01o135	26.14	.1000E-05	136.4	.3156E+09
22	NSOL	1507	TEMP	c02i135	80.54	.3156E+11	206.5	.1893E+09
23	NSOL	1169	TEMP	c03i135	80.55	.3156E+11	206.6	.1893E+09

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:21:15 MAR 25, 1995 CP= 64228.240
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	5522 TEMP x01i135	64 TEMP f01i135	171 TEMP f01o135	445 TEMP w01i135	586 TEMP w01o135	961 TEMP s01i135
.10000E-05	149.506	149.507	149.507	149.507	149.508	149.512
.20000E-05	165.674	165.675	165.677	165.677	165.677	165.682
31.558	165.674	165.675	165.677	165.677	165.677	165.682
.31558E+07	179.704	179.690	179.682	179.681	179.681	179.685
.63116E+07	184.186	184.171	184.162	184.161	184.161	184.165
.94673E+07	187.076	187.061	187.052	187.051	187.051	187.055
.12623E+08	189.265	189.251	189.241	189.240	189.240	189.244
.15779E+08	191.032	191.017	191.007	191.006	191.007	191.010
.18935E+08	192.517	192.502	192.492	192.491	192.491	192.495
.22090E+08	193.786	193.771	193.761	193.760	193.761	193.764
.25246E+08	194.901	194.886	194.876	194.875	194.875	194.879
.28402E+08	195.883	195.867	195.858	195.857	195.857	195.861
.31558E+08	196.794	196.779	196.770	196.768	196.769	196.773
.63115E+08	201.956	201.941	201.931	201.930	201.930	201.934
.94673E+08	204.086	204.070	204.061	204.059	204.060	204.063
.12623E+09	205.197	205.182	205.172	205.171	205.172	205.175
.15779E+09	205.703	205.688	205.678	205.677	205.678	205.681
.18935E+09	205.826	205.811	205.801	205.800	205.801	205.804
.22090E+09	205.681	205.666	205.657	205.656	205.656	205.659
.25246E+09	205.443	205.429	205.419	205.418	205.419	205.422
.28402E+09	204.663	204.649	204.640	204.639	204.639	204.643
.31558E+09	204.012	203.998	203.989	203.988	203.988	203.991
.63115E+09	193.277	193.265	193.257	193.256	193.256	193.259
.94673E+09	181.901	181.890	181.883	181.882	181.883	181.885
.12623E+10	170.678	170.668	170.662	170.661	170.662	170.664
.15779E+10	161.030	161.021	161.016	161.015	161.015	161.017
.18935E+10	152.842	152.834	152.829	152.829	152.829	152.831
.22090E+10	145.926	145.919	145.914	145.914	145.914	145.915
.25246E+10	139.808	139.802	139.798	139.797	139.798	139.799
.28402E+10	134.644	134.638	134.634	134.634	134.634	134.635
.31558E+10	130.366	130.361	130.357	130.356	130.357	130.358
.63115E+10	109.069	109.066	109.063	109.063	109.063	109.064
.94673E+10	100.699	100.696	100.694	100.694	100.694	100.695
.12623E+11	95.7360	95.7335	95.7319	95.7318	95.7318	95.7323
.15779E+11	92.1137	92.1116	92.1102	92.1101	92.1101	92.1105
.18935E+11	88.8649	88.8631	88.8618	88.8617	88.8617	88.8621
.22090E+11	86.1967	86.1951	86.1940	86.1939	86.1939	86.1942
.25246E+11	83.8650	83.8635	83.8625	83.8624	83.8625	83.8628
.28402E+11	81.8961	81.8948	81.8938	81.8937	81.8938	81.8940
.31558E+11	80.2150	80.2138	80.2129	80.2128	80.2128	80.2131

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****

900-38303 VERSION=HP 9000/7XX 18:21:15 MAR 25, 1995 CP= 64228.250
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	1386 TEMP h01i135	1338 TEMP c01i135	1290 TEMP h01o135	975 TEMP s01o135	836 TEMP a01o135	712 TEMP t01i135
.10000E-05	159.125	167.415	157.382	146.270	146.242	146.213
.20000E-05	174.758	182.540	172.877	162.235	162.207	162.177
31.558	174.758	182.540	172.877	162.235	162.207	162.177
.31558E+07	188.294	195.626	186.263	176.013	175.985	175.955
.63116E+07	192.629	199.818	190.553	180.428	180.400	180.370
.94673E+07	195.417	202.511	193.322	183.289	183.261	183.231
.12623E+08	197.534	204.555	195.424	185.459	185.431	185.401
.15779E+08	199.231	206.186	197.113	187.214	187.186	187.156
.18935E+08	200.662	207.561	198.535	188.689	188.660	188.630
.22090E+08	201.877	208.726	199.746	189.952	189.924	189.894
.25246E+08	202.946	209.749	200.811	191.062	191.033	191.004
.28402E+08	203.882	210.644	201.746	192.041	192.012	191.983
.31558E+08	204.758	211.485	202.621	192.952	192.924	192.894
.63115E+08	209.625	216.089	207.491	198.126	198.098	198.069
.94673E+08	211.546	217.830	209.436	200.304	200.277	200.248
.12623E+09	212.494	218.639	210.412	201.470	201.443	201.415
.15779E+09	212.854	218.876	210.804	202.037	202.011	201.983
.18935E+09	212.844	218.756	210.828	202.223	202.197	202.169
.22090E+09	212.577	218.390	210.596	202.141	202.116	202.089
.25246E+09	212.225	217.943	210.278	201.966	201.941	201.914
.28402E+09	211.347	216.985	209.437	201.252	201.228	201.202
.31558E+09	210.618	216.195	208.738	200.654	200.630	200.604
.63115E+09	199.078	204.022	197.526	190.505	190.485	190.463
.94673E+09	187.089	191.547	185.797	179.584	179.567	179.548
.12623E+10	175.350	179.394	174.272	168.737	168.722	168.706
.15779E+10	165.277	168.977	164.364	159.377	159.364	159.350
.18935E+10	156.727	160.129	155.943	151.415	151.404	151.392
.22090E+10	149.497	152.641	148.811	144.674	144.664	144.653
.25246E+10	143.123	146.052	142.515	138.694	138.685	138.675
.28402E+10	137.722	140.449	137.178	133.645	133.636	133.628
.31558E+10	133.248	135.808	132.756	129.458	129.450	129.442
.63115E+10	111.006	112.748	110.731	108.551	108.546	108.541
.94673E+10	102.283	103.713	102.075	100.303	100.300	100.296
.12623E+11	97.0945	98.3257	96.9232	95.4087	95.4055	95.4022
.15779E+11	93.3086	94.3934	93.1627	91.8336	91.8308	91.8279
.18935E+11	89.9257	90.8899	89.7999	88.6226	88.6202	88.6177
.22090E+11	87.1517	88.0212	87.0414	85.9831	85.9809	85.9787
.25246E+11	84.7261	85.5110	84.6288	83.6759	83.6740	83.6719
.28402E+11	82.6820	83.3987	82.5948	81.7262	81.7245	81.7227
.31558E+11	80.9362	81.5948	80.8574	80.0608	80.0593	80.0576

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:21:15 MAR 25, 1995 CP= 64228.260
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	698 TEMP t01o135	3332 TEMP g01i135	3318 TEMP g01o135	3974 TEMP m01i135	3924 TEMP m01o135	4369 TEMP i01i135
.10000E-05	146.078	127.479	126.815	89.4882	88.7989	27.7387
.20000E-05	162.042	144.260	143.593	109.072	108.384	59.4185
31.558	162.042	144.260	143.593	109.072	108.384	59.4185

.31558E+07	175.820	158.729	158.059	125.795	125.112	83.7545
.63116E+07	180.235	163.364	162.691	131.086	130.403	90.9928
.94673E+07	183.096	166.395	165.723	134.592	133.911	95.7750
.12623E+08	185.267	168.696	168.024	137.264	136.585	99.4459
.15779E+08	187.022	170.573	169.902	139.466	138.788	102.435
.18935E+08	188.497	172.148	171.478	141.311	140.635	104.954
.22090E+08	189.761	173.509	172.840	142.922	142.247	107.135
.25246E+08	190.871	174.703	174.034	144.335	143.662	109.061
.28402E+08	191.850	175.764	175.097	145.602	144.931	110.777
.31558E+08	192.762	176.746	176.079	146.762	146.093	112.329
.63115E+08	197.939	182.455	181.801	153.766	153.109	121.914
.94673E+08	200.121	185.035	184.393	157.246	156.602	126.942
.12623E+09	201.290	186.526	185.896	159.442	158.809	130.252
.15779E+09	201.860	187.394	186.775	160.936	160.314	132.671
.18935E+09	202.049	187.856	187.248	161.962	161.352	134.485
.22090E+09	201.971	188.031	187.434	162.647	162.048	135.855
.25246E+09	201.798	188.099	187.512	163.197	162.609	137.034
.28402E+09	201.088	187.603	187.027	163.114	162.536	137.440
.31558E+09	200.491	187.176	186.608	163.010	162.441	137.716
.63115E+09	190.368	178.808	178.328	157.876	157.395	136.013
.94673E+09	179.466	169.220	168.808	150.643	150.231	131.050
.12623E+10	168.634	159.498	159.144	142.881	142.525	125.100
.15779E+10	159.287	151.057	150.747	136.034	135.721	119.734
.18935E+10	151.336	143.875	143.601	130.201	129.924	115.189
.22090E+10	144.603	137.789	137.544	125.258	125.010	111.360
.25246E+10	138.630	132.333	132.111	120.712	120.486	107.687
.28402E+10	133.586	127.761	127.558	116.980	116.774	104.797
.31558E+10	129.404	123.969	123.782	113.884	113.694	102.409
.63115E+10	108.517	104.938	104.822	98.2047	98.0869	90.2480
.94673E+10	100.277	97.3779	97.2861	91.8889	91.7957	85.2919
.12623E+11	95.3860	92.9080	92.8307	88.2009	88.1224	82.4863
.15779E+11	91.8138	89.6389	89.5718	85.4990	85.4310	80.4348
.18935E+11	88.6053	86.6784	86.6196	83.0032	82.9436	78.4738
.22090E+11	85.9676	84.2359	84.1835	80.9267	80.8736	76.8213
.25246E+11	83.6620	82.1030	82.0562	79.1190	79.0715	75.3959
.28402E+11	81.7137	80.2925	80.2501	77.5689	77.5259	74.1539
.31558E+11	80.0494	78.7462	78.7075	76.2453	76.2061	73.0957

1

***** ANSYS - ENGINEERING ANALYSIS SYSTEM REVISION 5.0A *****
 900-38303 VERSION=HP 9000/7XX 18:21:15 MAR 25, 1995 CP= 64228.270
 FOR SUPPORT CALL SUPPORT PERSON PHONE SUPPORT PHONE FAX SUPPORT FAX

12 PWR MPC/WP at 100 years

***** ANSYS POST26 VARIABLE LISTING *****

TIME	4424 TEMP	4763 TEMP	1507 TEMP	1169 TEMP
	i01o135	o01o135	c02i135	c03i135
.10000E-05	26.9400	26.1413	152.462	152.675
.20000E-05	58.6204	57.8205	167.999	168.211
31.558	58.6204	57.8205	167.999	168.211
.31558E+07	82.9586	82.1598	181.424	181.520
.63116E+07	90.1961	89.3960	185.700	185.789
.94673E+07	94.9806	94.1814	188.480	188.566
.12623E+08	98.6563	97.8583	190.589	190.674
.15779E+08	101.649	100.854	192.293	192.376
.18935E+08	104.172	103.382	193.724	193.806
.22090E+08	106.356	105.571	194.949	195.030
.25246E+08	108.285	107.503	196.024	196.104
.28402E+08	110.004	109.227	196.972	197.050
.31558E+08	111.558	110.784	197.860	197.938
.63115E+08	121.165	120.416	202.835	202.906
.94673E+08	126.213	125.485	204.874	204.943
.12623E+09	129.539	128.828	205.933	205.999
.15779E+09	131.974	131.278	206.405	206.470
.18935E+09	133.802	133.122	206.507	206.570
.22090E+09	135.185	134.518	206.350	206.411

```

*-----*
                        ANSYS RUN COMPLETED
*-----*

                REV. 5.0 A                                HP 9000/7XX

CP TIME          (sec) =      64232.630                TIME = 18:21:20
ELAPSED TIME (sec) =      79330.000                   DATE  = 03/25/95

```