Hanford Site Environmental Data for Calendar Year 1989—Ground Water

Prepared for the U.S. Department of Energy
under Contract DE-AC06-76RLO 1830

Pacific Northwest Laboratory
Operated for the U.S. Department of Energy
by Battelle Memorial Institute

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor Battelle Memorial Institute, nor any of their employees, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PACIFIC NORTHWEST LABORATORY
operated by
BATTELLE MEMORIAL INSTITUTE
for the
UNITED STATES DEPARTMENT OF ENERGY
under Contract DE-AC06-76RLO 1830

Printed in the United States of America

Available to DOE and DOE contractors from the
Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831;
prices available from (615) 576-8401. FTS 626-8401.

Available to the public from the National Technical Information Service,
U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161.

NTIS Price Codes, Microfiche A01

Printed Copy

Price Code	Page Range	Price Code	Page Range
A02	1- 10	A15	326-350
A03	11- 50	A16	351-375
A04	51- 75	A17	376-400
A05	76-100	A18	401-425
A06	101-125	A19	426-450
A07	126-150	A20	451-475
A08	151-175	A21	476-500
A09	176-200	A22	501-525
A10	201-225	A23	526-550
A11	226-250	A24	551-575
A12	251-275	A25	576-600
A13	276-300	A99	601-Up
A14	301-325		

HANFORD SITE ENVIRONMENTAL DATA FOR
CALENDAR YEAR 1989 - GROUND WATER

R. W. Bryce
W. R. Gorst

December 1990

Prepared for
the U.S. Department of Energy
under Contract DE-AC06-76RLO 1830

Pacific Northwest Laboratory
Richland, Washington 99352

INTRODUCTION

In a continuing effort for the U.S. Department of Energy, Pacific Northwest Laboratory (PNL) is conducting ground-water monitoring at the Hanford Site, near Richland, Washington. This document contains the data listing of monitoring results obtained by PNL and Westinghouse Hanford Company during the period January through December 1989.

Samples taken during 1989 were analyzed and reported by United States Testing Company, Inc., Richland, Washington. Table 1 is a key to the constituent names used throughout the data listing. Some constituents appear more than once in the list in different forms. The constituents U and U-CHEM are both total uranium, but in units of pCi/L and ppb,^(a) respectively. The constituent names CHROMUM and FCHROMI represent chromium analyses done on unfiltered and filtered samples, respectively.

The data listing contains all chemical results (above contractual reporting limits) and radiochemical results (for which the result is larger than two times the total error). Blank spaces in the listing or constituents missing from the first column indicate that the results did not meet these criteria. The letters "NR" in the listing indicate that the analysis was not requested.

Discussions of sample collection, sample analysis, and ground-water monitoring results for 1989 are included in Hanford Site Ground-Water Surveillance for 1989 (Evans et al. 1990) and Environmental Monitoring at Hanford 1989 (Jaquish and Bryce 1990). Both of these documents are available in the DOE Public Reading Room, Federal Building, Richland, Washington.

(a) The conversion from ppb uranium to pCi/L uranium is approximately 0.699 for natural uranium. Other conversion factors may be calculated where the isotopic composition has been measured [e.g., Law, Serkowski, and Schatz (1987) report a conversion factor of 0.679 for their data].

TABLE 1. Key to Constituent Names Used in Data Listing

Constituent Abbreviation	Units	Constituent Full Name
1,1,1-T	PPB	1,1,1-trichloroethane
1,1,2-T	PPB	1,1,2-trichloroethane
1,1-DCL	PPB	1,1-dichloroethane
1,1-DIC	PPB	1,1-dichloroethane
1,1-DIM	PPB	1,1-dimethylhydrazine
1,2-DCL	PPB	1,2-dichloroethane
1,2-DIC	PPB	1,2-dichloroethane
1,2-DIM	PPB	1,2-dimethylhydrazine
1-napha	PPB	1-naphthylamine
1112-tc	PPB	1,1,1,2-tetrachlorethane
111TCLE	PPB	1,1,1-trichloroethane
1122-tc	PPB	1,1,2,2-tetrachlorethane
112TCLE	PPB	1,1,2-trichloroethane
12-dben	PPB	1,2-dichlorobenzene
123-trp	PPB	1,2,3-trichloropropane
1234TE	PPB	1,2,3,4-tetrachlorobenzene
1235TE	PPB	1,2,3,5-tetrachlorobenzene
123TRI	PPB	1,2,3-trichlorobenzene
12DCLBV	PPB	1,2-dichlorobenzene (by VOA)
13-dben	PPB	1,3-dichlorobenzene
135TRI	PPB	1,3,5-trichlorobenzene
13DCANE	PPB	1,3-dichloropropane
13DCLB	PPB	1,3-dichlorobenzene (by VOA)
14-dben	PPB	p-dichlorobenzene
14DBEN	PPB	p-dichlorobenzene
1BUTYN	PPB	1-butyne
1PROPAN	PPB	1-propanol
2,4,5-T	PPB	2,4,5-T
2,4,5TP	PPB	2,4,5-TP silvex
2,4-D	PPB	2,4-D
2-napha	PPB	2-naphthylamine
2378TCD	PPB	2,3,7,8-TCDD
24-dchp	PPB	2,4-dichlorophenol
24-dint	PPB	2,4-dinitrotoluene
245-trp	PPB	2,4,5-trichlorophenol
246-trp	PPB	2,4,6-trichlorophenol
26-dchp	PPB	2,6-dichlorophenol
26-dint	PPB	2,6-dinitrotoluene
2HEXANO	PPB	2-hexanone
2MENAPH	PPB	2-methylnaphthalene
2NITPH	PPB	o-nitrophenol
4NITQUI	PPB	4-nitroquinoline 1-oxide
ACEFENE	PPB	2-acetylaminofluorene
ACENAPH	PPB	Acenaphthene
ACENATL	PPB	Acenaphthalene
ACETAME	PPB	Acetic acid, methyl ester
ACETILE	PPB	Acetonitrile

TABLE 1. (contd)

Constituent Abbreviation	Units	Constituent Full Name
ACETONE	PPB	Acetone by VOA
ACETOPH	PPB	Acetophenone
ACETREA	PPB	1-acetyl-2-thiourea
ACROLIN	PPB	Acrolein
ACRYIDE	PPB	Acrylamide
ACRYILE	PPB	Acrylonitrile
ACTONE	PPB	Acetone (by ABN)
ALDRIN	PPB	Aldrin
ALKALIN		Alkalinity
ALLYLAL	PPB	Allyl alcohol
ALLYLCL	PPB	Allyl chloride
ALPHA	PCI/L	Gross alpha
ALPHAHI	PCI/L	Alpha, high detection level
ALUMNUM	PPB	Aluminum
AM-241	PCI/L	Americium-241
AMIISOX	PPB	5-(aminomethyl)-3-isoxazolol
AMINOYL	PPB	4-aminobiphenyl
AMITROL	PPB	Amitrole
AMMONIU	PPB	Ammonium ion
ANILINE	PPB	Aniline
ANTHRA	PPB	Anthracene
ANTIONY	PPB	Antimony
AR1016	PPB	Arochlor 1016
AR1221	PPB	Arochlor 1221
AR1232	PPB	Arochlor 1232
AR1242	PPB	Arochlor 1242
AR1248	PPB	Arochlor 1248
AR1254	PPB	Arochlor 1254
AR1260	PPB	Arochlor 1260
ARAMITE	PPB	Aramite
ARSENIC	PPB	Arsenic
AURAMIN	PPB	Auramine
B2CLMEE	PPB	Bis(2-chloro-1-methylethyl)ether
BARIUM	PPB	Barium
BCM	PPB	Bromochloromethane
BDCM	PPB	Bromodichloromethane
BENDICM	PPB	Benzene, dichloromethyl
BENDINE	PPB	Benzidine
BENTHOL	PPB	Benzenethiol
BENZAAN	PPB	Benz[a]anthracene
BENZALC	PPB	Benzyl alcohol
BENZBFL	PPB	Benzo[b]fluoranthene
BENZCAC	PPB	Benz[c]acridine
BENZCHL	PPB	Benzyl chloride
BENZENE	PPB	Benzene
BENZJFL	PPB	Benzo[j]fluoranthene
BENZOPY	PPB	Benzo[a]pyrene

TABLE 1. (contd)

Constituent Abbreviation	Units	Constituent Full Name
BERYLUM	PPB	Beryllium
BETA	PCI/L	Gross beta
BGHIPER	PPB	Benzo(ghi)perylene
BHT	PPB	2,6-bis(1,1-dimethylethyl)-4-methyl phen
BIS2CHE	PPB	Bis(2-chloroethyl) ether
BIS2CHM	PPB	Bis(2-chloroethoxy) methane
BIS2EPH	PPB	Bis(2-ethylhexyl) phthalate
BIS2ETH	PPB	Bis(2-chloroisopropyl) ether
BISTHER	PPB	Bis(chloromethyl) ether
BNZKFLU	PPB	Benzo(k)fluoranthene
BORON	PPB	Boron
BROBENZ	PPB	Bromobenzene
BROMIDE	PPB	Bromide
BROMONE	PPB	Bromoacetone
BROMORM	PPB	Bromoform
BROPHEN	PPB	4-bromophenyl phenyl ether
BUTANOL	PPB	1-butanol
BUTBENP	PPB	Butyl benzyl phthalate
BUTDINP	PPB	2-sec-butyl-4,6-dinitrophenol
C 14	PCI/L	Carbon-14
CADMIUM	PPB	Cadmium
CALCIUM	PPB	Calcium
CARBIDE	PPB	Carbon disulfide
CARBPHT	PPB	Carbophenothion
CARBTET	PPB	Carbon tetrachloride (by GC)
CHALETH	PPB	Chloroalkyl ethers
CHLACET	PPB	Chloroacetaldehyde
CHLANIL	PPB	P-chloroaniline
CHLBENZ	PPB	Chlorobenzene
CHLCRES	PPB	P-chloro-m-cresol
CHLEPOX	PPB	1-chloro-2,3-epoxypropane
CHLFORM	PPB	Chloroform
CHLLATE	PPB	Chlorobenzilate
CHLNAPH	PPB	2-chloronaphthalene
CHLNAPZ	PPB	Chlornaphazine
CHLOANE	PPB	Chlordane
CHLOFM	PPB	Chloroform
CHLOREA	PPB	1-(o-chlorophenyl) thiourea
CHLORID	PPB	Chloride
CHLPHEN	PPB	2-chlorophenol
CHLPROP	PPB	3-chloropropionitrile
CHLROB	PPB	Chlorobenzene (by ABN)
CHLTHER	PPB	2-chloroethyl vinyl ether
CHLTOL	PPB	Chlorotoluene
CHMTHER	PPB	Chloromethyl methyl ether
CHROMUM	PPB	Chromium
CHRYSEN	PPB	Chrysene

TABLE 1. (contd)

Constituent Abbreviation	Units	Constituent Full Name
CITRUSR	PPB	Citrus red
CLETHAN	PPB	Chloroethane
CO-60	PCI/L	Cobalt-60
COBALT	PPB	Cobalt
COLIFRM	MPN	Coliform bacteria
COLIMF	PPB	Coliform (membrane filter)
CONDFLD	UMHO	Specific conductance
CONDLAB	UMHO	Conductivity, laboratory
COPPER	PPB	Copper
CRESOLS	PPB	Cresols
CROTONA	PPB	Crotonaldehyde
CS-137	PCI/L	Cesium-137
CYANIDE	PPB	Cyanide
CYCHDIN	PPB	2-cyclohexyl-4,6-dinitrophenol
CYCSILX	PPB	Cyclotetrasiloxane, octamethyl
DBCM	PPB	Dibromochloromethane
DBP	PPB	Dibutyl phosphate
DCLBVOA	PPB	Dichlorobenzenes (by VOA)
DDD	PPB	DDD
DDE	PPB	DDE
DDT	PPB	DDT
DIALLAT	PPB	Diallate
DIBAEPY	PPB	Dibenzo[a,e]pyrene
DIBAHAC	PPB	Dibenz[a,h]acridine
DIBAHAN	PPB	Dibenz[a,h]anthracene
DIBAHPY	PPB	Dibenzo[a,h]pyrene
DIBAIPY	PPB	Dibenzo[a,i]pyrene
DIBAJAC	PPB	Dibenz[a,j]acridine
DIBCGCA	PPB	7H-dibenzo[c,g]carbazole
DIBENFR	PPB	Dibenzofuran
DIBPHTH	PPB	Di-n-butyl phthalate
DIBRCHL	PPB	1,2-dibromo-3-chloropropane
DIBRETH	PPB	1,2-dibromoethane
DIBRMET	PPB	Dibromomethane
DIBUTEN	PPB	1,4-dichloro-2-butene
DICDIFM	PPB	Dichlorodifluoromethane
DICETHY	PPB	1,1-dichloroethylene
DICHBEN	PPB	3,3'-dichlorobenzidine
DICPANE	PPB	1,2-dichloropropane
DICPENE	PPB	1,3-dichloropropene
DIELRIN	PPB	Dieldrin
DIEPHTH	PPB	Diethyl phthalate
DIETROL	PPB	Diethylstilbesterol
DIHYSAF	PPB	Dihydrosafrole
DIMBENZ	PPB	7,12-dimethylbenz[a]anthracene
DIMEAMB	PPB	P-dimethylaminoazobenzene
DIMETHB	PPB	3,3'-dimethoxybenzidine

TABLE 1. (contd)

Constituent Abbreviation	Units	Constituent Full Name
DIMETHO	PPB	Dimethoate
DIMEYLB	PPB	3,3'-dimethylbenzidine
DIMPHAM	PPB	Alpha,alpha-dimethylphenethylamine
DIMPHEN	PPB	2,4-dimethylphenol
DIMPTH	PPB	Dimethyl phthalate
DINBENZ	PPB	Dinitrobenzene
DINCRES	PPB	4,6-dinitro-o-cresol and salts
DINOSEB	PPB	Dinoseb
DINPHEN	PPB	2,4-dinitrophenol
DIOPHTH	PPB	Di-n-octyl phthalate
DIOXANE	PPB	1,4-dioxane
DIPHAMI	PPB	Diphenylamine
DIPHHYD	PPB	1,2-diphenylhydrazine
DIPHOS	PPB	0,0-diethyl-0,2-pyrazinyl phosphorothion
DIPRNT	PPB	Di-n-propylnitrosamine
DISULFO	PPB	Disulfoton
DMEBENZ	PPB	1,1-dimethylethyl benzene
ENDO1	PPB	Endosulfan I
ENDO2	PPB	Endosulfan II
ENDRIN	PPB	Endrin
ENDSFAN	PPB	Endosulfan sulfate
ETHANOL	PPB	Ethanol
ETHBENZ	PPB	Ethyl benzene
ETHCARB	PPB	Ethyl carbamate
ETHCYAN	PPB	Ethyl cyanide
ETHGLYC	PPB	Ethylene glycol
ETHMETH	PPB	Ethyl methacrylate
ETHMETS	PPB	Ethyl methanesulfonate
ETHMINE	PPB	Ethyleneimine
ETHOXID	PPB	Ethylene oxide
ETHYGLY	PPB	Ethylene glycol
ETHYREA	PPB	Ethylenethiourea
FALUMIN	PPB	Aluminum, filtered
FANTIMO	PPB	Antimony, filtered
FARSENI	PPB	Arsenic, filtered
FBARIUM	PPB	Barium, filtered
FBERYLL	PPB	Beryllium, filtered
FBORON	PPB	Boron, filtered
FCADMIU	PPB	Cadmium, filtered
FCALCIU	PPB	Calcium, filtered
FCHROMI	PPB	Chromium, filtered
FCOBALT	PPB	Cobalt, filtered
FCOPPER	PPB	Copper, filtered
FERROCN	PPB	Ferrocyanide
FIRON	PPB	Iron, filtered
FLEAD	PPB	Lead, filtered
FLITHIU	PPB	Lithium, filtered

TABLE 1. (contd)

Constituent Abbreviation	Units	Constituent Full Name
FLRENE	PPB	Fluorene
FLUORAN	PPB	Fluoranthene
FLUORID	PPB	Fluoride
FMAGNES	PPB	Magnesium, filtered
FMANGAN	PPB	Manganese, filtered
FMERCUR	PPB	Mercury, filtered
FMOLY	PPB	Molybdenum, filtered
FNICKEL	PPB	Nickel, filtered
FORMALN	PPB	Formalin
FPOTASS	PPB	Potassium, filtered
FSELENI	PPB	Selenium, filtered
FSILICO	PPB	Silicon, filtered
FSILVER	PPB	Silver, filtered
FSDIUM	PPB	Sodium, filtered
FSTRONT	PPB	Strontium, filtered
FTHALLI	PPB	Thallium, filtered
FTIN	PPB	Tin, filtered
FTITAN	PPB	Titanium, filtered
FVANADI	PPB	Vanadium, filtered
FZINC	PPB	Zinc, filtered
FZIRCON	PPB	Zirconium, filtered
HEPTIDE	PPB	Heptachlor epoxide
HEPTLOR	PPB	Heptachlor
HEXACHL	PPB	Hexachlorophene
HEXAENE	PPB	Hexachloropropene
HEXANE	PPB	Hexane
HEXC BEN	PPB	Hexachlorobenzene
HEXC BUT	PPB	Hexachlorobutadiene
HEXC CYC	PPB	Hexachlorocyclopentadiene
HEXC ETH	PPB	Hexachloroethane
HEXONE	PPB	Methyl isobutyl ketone
HNITRAT	PPB	Nitrate, high detection level
I-129	PCI/L	Iodine-129
I-129DW	PCI/L	Iodine-129 (drinking water standard)
INDENOP	PPB	Indeno(1,2,3-cd)pyrene
IODOMET	PPB	Iodomethane
IRON	PPB	Iron
ISOBUTY	PPB	Isobutyl alcohol
ISODRIN	PPB	Isodrin
ISOPHER	PPB	Isopherone
ISOSOLE	PPB	Isosafrole
KEPONE	PPB	Kepone
KEROSEN	PPB	Kerosene
LEADGF	PPB	Lead (graphite furnace)
LFLUORD	PPB	Fluoride, low detection level
LHYDRAZ	PPB	Hydrazine, low detection level
LITHIUM	PPB	Lithium

TABLE 1. (contd)

Constituent Abbreviation	Units	Constituent Full Name
LPHENOL	PPB	Phenol, low detection level
MAGNES	PPB	Magnesium
MALHYDR	PPB	Maleic hydrazide
MALOILE	PPB	Malononitrile
MANGESE	PPB	Manganese
MBP	PPB	Monobutyl phosphate
MELPHAL	PPB	Melphalan
MERCURY	PPB	Mercury
METACRY	PPB	Methyl methacrylate
METACTO	PPB	2-methylactonitrile
METAZIR	PPB	2-methylaziridine
METBISC	PPB	4,4'-methylenebis(2-chloroaniline)
METCHAN	PPB	3-methylcholanthrene
METHACR	PPB	Methacrylonitrile
METHAPY	PPB	Methapyrilene
METHBRO	PPB	Methyl bromide
METHCHL	PPB	Methyl chloride
METHIOU	PPB	Methylthiouracil
METHLOR	PPB	Methoxychlor
METHNYL	PPB	Metholonyl
METHONE	PPB	Methyl ethyl ketone
METHPAR	PPB	Methyl parathion
METHTHI	PPB	Methanethiol
METHYCH	PPB	Methylene chloride (by VOA GC/MS)
METHYCL	PPB	Methylene chloride (by VOA GC)
METMSUL	PPB	Methyl methanesulfonate
METPROP	PPB	2-methyl-2-(methylthio) propionaldehyde-
MNITANI	PPB	m-nitroaniline
MOLY	PPB	Molybdenum
M-XYLE	PPB	Xylene-m
NAPHQUI	PPB	1,4-naphthoquinone
NAPHREA	PPB	1-naphthyl-2-thiourea
NAPHTHA	PPB	Naphthalene
NI-63	PCI/L	Nickel-63
NICKEL	PPB	Nickel
NICOTIN	PPB	Nicotinic acid
NITBENZ	PPB	Nitrobenzene
NITPHEN	PPB	p-nitrophenol
NITRANI	PPB	p-nitroaniline
NITRATE	PPB	Nitrate
NITRITE	PPB	Nitrite
NITRPYR	PPB	Nitrosopyrrolidine
NITRTOL	PPB	5-nitro-o-toluidine
NNDIEHY	PPB	N,N-diethylhydrazine
NNDIPHA	PPB	N-nitrosodiphenylamine
NNIBUTY	PPB	N-nitrosodi-n-butylamine
NNIDIEA	PPB	N-nitrosodiethanolamine

TABLE 1. (contd)

Constituent Abbreviation	Units	Constituent Full Name
NNIDIEY	PPB	N-nitrosodiethylamine
NNIDIME	PPB	N-nitrosodimethylamine
NNIMETH	PPB	N-nitrosomethylethylamine
NNIMORP	PPB	N-nitrosomorpholine
NNINICO	PPB	N-nitrosornicotine
NNIPIPE	PPB	N-nitrosopiperidine
NNIURET	PPB	N-nitroso-N-methylurethane
NNIVINY	PPB	N-nitrosomethylvinylamine
ONITANI	PPB	o-nitroaniline
OPXYLE	PPB	Xylene-o,p
OTOLHYD	PPB	O-toluidine hydrochloride
PARALDE	PPB	Paraldehyde
PARATHI	PPB	Parathion
PBENZQU	PPB	P benzoquinone
PCDD's	PPB	Pcdd's
PCDF's	PPB	Pcdf's
PENTACH	PPB	Pentachloroethane
PENTCHB	PPB	Pentachlorobenzene
PENTCHN	PPB	Pentachloronitrobenzene
PENTCHP	PPB	Pentachlorophenol
PERCENE	PPB	Tetrachloroethylene
PERCHLO	PPB	Perchlorate
PHENANT	PPB	Phenanthrene
PHENINE	PPB	Phenylenediamine
PHENOL	PPB	Phenol
PHENREA	PPB	N-phenylthiourea
PHENTIN	PPB	Phenacetin
PHFIELD		pH, field measurement
PH-LAB		pH, laboratory measurement
PHORATE	PPB	Phorate
PHOSPHA	PPB	Phosphate
PHTHEST	PPB	Phthalic acid esters
PICOLIN	PPB	2-picoline
POTASUM	PPB	Potassium
PRONIDE	PPB	Pronamide
PROPCN	PPB	Propionitrile
PROPYLA	PPB	N-propylamine
PROPYNO	PPB	2-propyn-1-ol
PU-238	PCI/L	Plutonium-238
PU39-40	PCI/L	Plutonium-239/40
PYRENE	PPB	Pyrene
PYRIDIN	PPB	Pyridine
RADIUM	PCI/L	Radium
RESERPI	PPB	Reserpine
RESORCI	PPB	Resorcinol
RU-106	PCI/L	Ruthenium-106
SAFROL	PPB	Safrol

TABLE 1. (contd)

Constituent Abbreviation	Units	Constituent Full Name
SB 125	PCI/L	Antimony-125
SELENUM	PPB	Selenium
SILICON	PPB	Silicon
SILVER	PPB	Silver
SODIUM	PPB	Sodium
SR 90	PCI/L	Strontium-90
STRONUM	PPB	Strontium
STRYCHN	PPB	Strychnine
STYRENE	PPB	Styrene
SULFATE	PPB	Sulfate
SULFUR	PPB	Sulfur
SULFIDE	PPB	Sulfide
SYMTRIN	PPB	Sym-trinitrobenzene
TAF	PPB	Tetrahydrofuran
TC	PPB	Total carbon
TC-99	PCI/L	Technetium-99
TCFMET	PPB	Trichlorofluoromethane
TDCLELE	PPB	Trans-1,2-dichloroethylene
TDS		Total dissolved solids
TETCLET	PPB	Tetrachloroethylene
TETEPYR	PPB	Tetraethylpyrophosphate
TETRANE	PPB	Carbon tetrachloride (by GC/MS)
TETRCHB	PPB	1,2,4,5-tetrachlorobenzene
TETRCHP	PPB	2,3,4,6-tetrachlorophenol
THALIUM	PPB	Thallium
THIONOX	PPB	Thiofanox
THIOURA	PPB	Thiourea
THIURAM	PPB	Thiuram
TIN	BPB	Tin
TITAN	PPB	Titanium
TOC	PPB	Total organic carbon
TOLUDIA	PPB	Toluenediamine
TOLUENE	PPB	Toluene
TOXAENE	PPB	Toxaphene
TOXLDL	PPB	Total organic halogen, low detection level
TRANDCE	PPB	Trans-1,2-dichloroethene
TRCMEOL	PPB	Trichloromethanethiol
TRCMFLM	PPB	Trichloromonofluoromethane
TRIBUPH	PPB	Tributylphosphoric acid
TRICELN	PPB	Trichloroethylene
TRICENE	PPB	Trichloroethylene
TRICHLB	PPB	1,2,4-trichlorobenzene
TRIPHOS	PPB	0,0,0-triethyl phosphorothioate
TRISPHO	PPB	Tris(2,3-dibromopropyl) phosphate
TRITIUM	PCI/L	Tritium
TURBID	NTU	Turbidity
U	PCI/L	Uranium

TABLE 1. (contd)

Constituent Abbreviation	Units	Constituent Full Name
U-234	PCI/L	Uranium-234
U-235	PCI/L	Uranium-235
U-238	PCI/L	Uranium-238
U-CHEM	UG/L	Natural uranium
UHALC	PPB	Unknown halogenated hydrocarbon
UNCOMP	PPB	Unknown composite
UNKALI	PPB	Unknown aliphatic hydrocarbon
UNKAMID	PPB	Unknown amide
UNKARO	PPB	Unknown aromatic hydrocarbon
UNKASB	PPB	Unknown aliphatic substituted benzene
UNKC6	PPB	Unknown aliphatic substituted clohexan
UNKNOWN	PPB	Unknown
UNKPAH	PPB	Unknown polycyclic aromatic hydrocarbon
VANADUM	PPB	Vanadium
VINYIDE	PPB	Vinyl chloride
VINYLAC	PPB	Vinyl acetate
VINYLCL	PPB	Vinyl chloride
WARFRIN	PPB	Warfarin
ZINC	PPB	Zinc
ZIRCON	PPB	Zirconium
a-BHC	PPB	Alpha-BHC
b-BHC	PPB	Beta-BHC
d-BHC	PPB	Delta-BHC
g-BHC	PPB	Gamma-BHC
p-DCLBE	PPB	p-dichlorobenzene

REFERENCES

Evans, J. C., R. W. Bryce, D. J. Bates, and M. L. Kemner. 1990. Hanford Site Ground-Water Surveillance for 1989. PNL-7396, Pacific Northwest Laboratory, Richland, Washington.

Jaquish, R. E. and R. W. Bryce. 1990. Hanford Site Environmental Report for Calendar Year 1989. PNL-7346, Pacific Northwest Laboratory, Richland, Washington.

Law, A. G., J. A. Serkowski, and A. L. Schatz. 1987. Results of the Separations Area Ground-Water Monitoring Network for 1986. RHO-RE-SR-87-24 P, Rockwell Hanford Operations, Richland, Washington.

Symbols used in the following data list are defined here.

- * - Value exceeds primary drinking water standard.
 - # - Value exceeds proposed primary drinking water standard.
 - + - Value exceeds screening level for further investigation.
 - @ - Detection limit was not available for comparison.
 - NR - Analysis not requested.
- Values in () are counting errors for radionuclides.
Water standard(s) in parentheses are proposed only.

HANFORD SITE ENVIRONMENTAL DATA FOR CALENDAR YEAR 1989 - GROUND WATER (100 Area Wells)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-B3-1	SAMPLE DATE	1-B4-1	SAMPLE DATE	1-B4-2
ALKALIN BETA	PCI/L	20000.00 8.00	50.00	02/13/89 05/30/89 10/19/89	107000.00 105.00 + (7.54) 105.00 + (7.46)	02/13/89 05/30/89 10/19/89	106000.00 51.60 + (5.33) 60.20 + (5.70) 9000.00	06/13/89 10/24/89	NR 48.40 (5.27) 78.80 + (6.78) NR
CHLORID CO-60	PPB PCI/L	500.00 22.50	250000.00 100.00	02/13/89	8100.00 NR NR	02/13/89 05/30/89 10/19/89	7.29 (7.13)	06/13/89 10/24/89	NR 8.30 (8.12)
COND FLD	UMHO	1.00	700.00	02/13/89	433.00	02/13/89	376.00		NR
FBARIUM	PPB	6.00	1000.00	02/13/89	38.00	02/13/89	31.00		NR
FBORON	PPB	10.00		02/13/89	14.00	02/13/89	16.00		NR
FCALCIU	PPB	50.00		02/13/89	53800.00	02/13/89	47600.00		NR
FCHROMI	PPB	10.00	50.00	02/13/89	18.00	02/13/89			NR
FMAGNES	PPB	50.00		02/13/89	9290.00	02/13/89	5900.00		NR
FPOTASS	PPB	100.00		02/13/89	2080.00	02/13/89	4260.00		NR
FSILICO	PPB	50.00		02/13/89	9230.00	02/13/89	18100.00		NR
FSDIUM	PPB	200.00		02/13/89	11100.00	02/13/89	11200.00		NR
FSTRONT	PPB	10.00		02/13/89	273.00	02/13/89	224.00		NR
FVANADI	PPB	5.00		02/13/89	6.00	02/13/89	8.00		NR
HNITRAT	PPB	2500.00	45000.00	05/30/89 10/19/89	41900.00 31000.00	05/30/89 10/19/89	15300.00 15000.00	06/13/89 10/24/89	13900.00 14000.00
NITRATE	PPB	500.00	45000.00	02/13/89	48400.00 *	02/13/89	13900.00		NR
PH-LAB		0.01	8.50	02/13/89	8.00	02/13/89	8.00		NR
PHFIELD		0.10	8.50	02/13/89	8.10	02/13/89	8.10		NR
SR 90	PCI/L	5.00	8.00	05/30/89 10/19/89	52.60 * (3.89) 48.30 *	05/30/89 10/19/89	21.60 * (2.61) 24.50 *	06/13/89 10/24/89	19.90 * (2.44) 53.50 *
					(3.56)		(2.64)		(3.77)
SULFATE	PPB	500.00	250000.00	02/13/89	49400.00	02/13/89	39800.00		NR
TC	PPB	1000.00		02/13/89	25000.00	02/13/89	25600.00		NR
TC-99	PCI/L	15.00	900.00	05/30/89	179.00 (2.72)	05/30/89	108.00 (2.21)	06/13/89	170.00 (2.62)
TRITIUM	PCI/L	500.00	20000.00	05/30/89 10/19/89	4090.00 (243.00) 4450.00 (255.00)	05/30/89 10/19/89	42900.00 * (705.00) 16100.00 (453.00)	06/13/89 10/24/89	3480.00 (231.00) 4290.00 (248.00)
U	PCI/L	0.50	600.00	05/30/89 10/19/89	2.21 2.42	05/30/89 10/19/89	1.40 1.45	06/13/89 10/24/89	0.93 14.40

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-B4-3	SAMPLE DATE	1-B4-4	SAMPLE DATE	1-B5-1
ALKALIN BETA	PCI/L	20000.00 8.00	50.00	06/13/89	NR 49.50 (5.26) 10/24/89 (43.30 (4.94)	02/13/89 05/30/89 10/19/89	107000.00 55.50 + (5.55) 62.20 + (5.85)	05/30/89 10/19/89	NR 17.70 (3.51) 17.40 (3.42)
CHLORID CO-60	PPB PCI/L	500.00 22.50	250000.00 100.00	06/13/89	NR 12.70 (7.65)	02/13/89 05/30/89 10/19/89	8000.00 5.76 (5.49)	05/30/89 10/19/89	NR 8.12 (5.27)
COND FLD	UMHO	1.00	700.00		NR	02/13/89	374.00		NR
FBARIUM	PPB	6.00	1000.00		NR	02/13/89	23.00		NR
FBORON	PPB	10.00			NR	02/13/89	15.00		NR
FCALCIU	PPB	50.00			NR	02/13/89	46000.00		NR
FMAGNES	PPB	50.00			NR	02/13/89	7420.00		NR
FPOTASS	PPB	100.00			NR	02/13/89	5030.00		NR
FSILICO	PPB	50.00			NR	02/13/89	20000.00		NR
FSODIUM	PPB	200.00			NR	02/13/89	11800.00		NR
FSTRONT	PPB	10.00			NR	02/13/89	199.00		NR
FVANADI	PPB	5.00			NR	02/13/89	8.00		NR
FZINC	PPB	5.00	5000.00		NR	02/13/89	6.00		NR
HNITRAT	PPB	2500.00	45000.00	06/13/89	14600.00	05/30/89	13200.00	05/30/89	13900.00
				10/24/89	15000.00	10/19/89	14500.00	10/19/89	14000.00
NITRATE	PPB	500.00	45000.00		NR	02/13/89	12900.00		NR
PH-LAB		0.01	8.50		NR	02/13/89	8.00		NR
PHFIELD		0.10	8.50		NR	02/13/89	8.30		NR
SR 90	PCI/L	5.00	8.00	06/13/89	16.70 *	05/30/89	29.10 *	05/30/89	
				10/24/89	(2.21) 20.00 *	10/19/89	(3.02) 25.40 *	10/19/89	1.55 (0.85)
					(2.28)		(2.66)		
SULFATE	PPB	500.00	250000.00		NR	02/13/89	39400.00		NR
TC	PPB	1000.00			NR	02/13/89	25900.00		NR
TC-99	PCI/L	15.00	900.00	06/13/89	120.00 (2.28)	05/30/89	112.00 (2.21)	05/30/89	91.50 (2.10)
TRITIUM	PCI/L	500.00	20000.00	06/13/89	11500.00 (393.00)	05/30/89	2390.00 (200.00)	05/30/89	1980.00 (190.00)
				10/24/89	21600.00 * (515.00)	10/19/89	2850.00 (216.00)	10/19/89	2360.00 (205.00)
U	PCI/L	0.50	600.00	06/13/89	1.19	05/30/89	1.28	05/30/89	1.07
				10/24/89	1.01	10/19/89	0.77	10/19/89	0.88

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-89-1	SAMPLE DATE	1-D2-5	SAMPLE DATE	1-D5-12
ALKALIN		20000.00		02/13/89	107000.00	02/10/89	106000.00	02/10/89	90000.00
ALPHAHI	PCI/L	4.00	15.00	10/11/89	3.33		NR		NR
					(1.94)				
BETA	PCI/L	8.00	50.00	05/30/89	20.20	06/01/89	7.10	06/01/89	94.70 +
					(3.75)		(2.77)		(7.30)
				10/11/89	8.18	10/17/89	5.14	10/17/89	90.60 +
					(2.81)		(2.45)		(7.13)
				10/18/89	23.10		NR		NR
					(3.93)				
CHLORID	PPB	500.00	250000.00	02/13/89	14300.00	02/10/89	23600.00	02/10/89	38700.00
CONDFLD	UMHO	1.00	700.00	02/13/89	495.00	02/10/89	608.00	02/10/89	915.00 *
FBARIUM	PPB	6.00	1000.00	02/13/89	12.00	02/10/89	89.00	02/10/89	167.00
FBORON	PPB	10.00		02/13/89	12.00	02/10/89	27.00	02/10/89	29.00
FCALCIU	PPB	50.00		02/13/89	49200.00	02/10/89	86100.00	02/10/89	140000.00
FCHROMI	PPB	10.00	50.00	02/13/89	14.00	02/10/89	169.00 *	02/10/89	692.00 *
FMAGNES	PPB	50.00		02/13/89	10700.00	02/10/89	25200.00	02/10/89	29200.00
FPOTASS	PPB	100.00		02/13/89	6970.00	02/10/89	5510.00	02/10/89	6180.00
FSILICO	PPB	50.00		02/13/89	21600.00	02/10/89	16500.00	02/10/89	16000.00
FSODIUM	PPB	200.00		02/13/89	12900.00	02/10/89	13900.00	02/10/89	17600.00
FSTRONT	PPB	10.00		02/13/89	190.00	02/10/89	588.00	02/10/89	812.00
FVANADI	PPB	5.00		02/13/89	14.00	02/10/89	12.00	02/10/89	7.00
FZINC	PPB	5.00	5000.00	02/13/89	14.00	02/10/89		02/10/89	
HNITRAT	PPB	2500.00	45000.00	05/30/89	28900.00	06/01/89	65700.00 *	06/01/89	94300.00 *
				10/18/89	24500.00	10/17/89	57000.00 *	10/17/89	104000.00 *
NITRATE	PPB	500.00	45000.00	02/13/89	24600.00	02/10/89	72000.00 *	02/10/89	122000.00 *
PH-LAB		0.01	8.50	02/13/89	8.00	02/10/89	7.90	02/10/89	7.70
PHFIELD		0.10	8.50	02/13/89	8.40	02/10/89	7.70	02/10/89	7.40
SR 90	PCI/L	5.00	8.00	05/30/89	1.67	06/01/89		06/01/89	45.20 *
					(1.11)				(3.41)
				10/18/89	1.91	10/17/89		10/17/89	44.60 *
					(1.13)				(3.51)
SULFATE	PPB	500.00	250000.00	02/13/89	65200.00	02/10/89	165000.00	02/10/89	281000.00 *
TC	PPB	1000.00		02/13/89	25900.00	02/10/89	25200.00	02/10/89	22900.00
TC-99	PCI/L	15.00	900.00	05/30/89	99.60	06/01/89		03/16/89	
					(2.18)				
				10/11/89			NR		NR
TOC	PPB	2000.00		02/13/89		02/10/89		02/10/89	2000.00
TRITIUM	PCI/L	500.00	20000.00	05/30/89	2120.00	06/01/89	28200.00 *	06/01/89	53300.00 *
					(195.00)		(458.00)		(628.00)
				10/18/89	2220.00	10/17/89	27800.00 *	10/17/89	35200.00 *
					(196.00)		(561.00)		(621.00)
U	PCI/L	0.50	600.00	05/30/89	1.14	06/01/89	1.43	06/01/89	2.39
				10/11/89	3.14	10/17/89	1.40	10/17/89	1.69
				10/18/89	0.86		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-D8-3	SAMPLE DATE	1-F5-1	SAMPLE DATE	1-F5-3
ALKALIN BETA	PCI/L	20000.00 8.00	50.00	02/10/89 06/01/89 10/19/89	51000.00 13.20 (3.24) 16.50 (3.53)	02/09/89 06/01/89	76000.00 88.00 + (6.74) NR	06/01/89 10/17/89	NR 271.00 + (11.50) 271.00 + (11.40) NR
CHLORID CO-60	PPB PCI/L	500.00 22.50	250000.00 100.00	02/10/89 06/01/89 10/19/89	19100.00 10.90 (7.28)	02/09/89 06/01/89	1000.00 NR	06/01/89 10/17/89	NR
CONDFLD CS-137	UMHO PCI/L	1.00 20.00	700.00 200.00	02/10/89 06/01/89 10/19/89	436.00 7.01 (6.13)	02/09/89 06/01/89	1665.00 * NR	06/01/89 10/17/89	NR
FBARIUM FBORON FCALCIU FCHROMI FMAGNES FPOTASS FSILICO FSODIUM FSTROMT FZINC HNITRAT	PPB PPB PPB PPB PPB PPB PPB PPB PPB PPB PPB	6.00 10.00 50.00 10.00 50.00 100.00 50.00 200.00 10.00 5.00 2500.00	1000.00 50.00	02/10/89 02/10/89 02/10/89 02/10/89 02/10/89 02/10/89 02/10/89 02/10/89 02/10/89 02/10/89 06/01/89 10/19/89	65.00 14.00 53300.00 120.00 * 9730.00 5120.00 14300.00 6430.00 296.00 82300.00 * 98500.00 *	02/09/89 02/09/89 02/09/89 02/09/89 02/09/89 02/09/89 02/09/89 02/09/89 02/09/89 06/01/89 10/17/89	23.00 13.00 25800.00 4310.00 2070.00 9740.00 3200.00 128.00 5.00 NR	NR NR NR NR NR NR NR NR NR 06/01/89 10/17/89	
NITRATE PH-LAB PHFIELO SR 90	PPB PCI/L	500.00 0.01 0.10 5.00	45000.00 8.50 8.50 8.00	02/10/89 02/10/89 02/10/89 06/01/89 10/19/89	69500.00 * 7.90 7.90 3.78 (1.13) 2.63 (0.99)	02/09/89 02/09/89 02/09/89 06/01/89	2200.00 7.60 7.40 41.40 * (3.18) NR	06/01/89 10/17/89	NR NR NR 118.00 * (5.41) 244.00 * (8.31) NR NR
SULFATE TC TRITIUM	PPB PPB PCI/L	500.00 1000.00 500.00	250000.00 20000.00	02/10/89 02/10/89 06/01/89 10/19/89	67100.00 13000.00 4230.00 (199.00) 3690.00 (236.00)	02/09/89 02/09/89 06/01/89	13600.00 18900.00 NR	06/01/89 10/17/89	189.00 (99.10) 486.00 (145.00)
U	PCI/L	0.50	600.00	06/01/89 10/19/89	1.82 0.57	06/01/89	1.05 NR	06/01/89 10/17/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-F5-4	SAMPLE DATE	1-F5-6	SAMPLE DATE	1-F7-1
ALKALIN BETA	PCI/L	20000.00 8.00	50.00	02/09/89 06/02/89 10/16/89	196000.00 9.18 (2.79) 6.37 (2.69)	02/09/89 06/02/89 10/16/89	96000.00 10.80 (3.10) 7.32 (2.65)	06/02/89 10/16/89	NR 7.24 (2.76) 5.14 (2.60)
CHLORID	PPB	500.00	250000.00	02/09/89	37200.00	02/09/89	7200.00		NR
COND FLD	UMHO	1.00	700.00	02/09/89	634.00	02/09/89	229.00		NR
FBARIUM	PPB	6.00	1000.00	02/09/89	55.00	02/09/89			NR
FBORON	PPB	10.00		02/09/89	33.00	02/09/89	21.00		NR
FCALCIU	PPB	50.00		02/09/89	102000.00	02/09/89	17500.00		NR
FCHROMI	PPB	10.00	50.00	02/09/89	13.00	02/09/89			NR
FIRON	PPB	30.00	300.00	02/09/89		02/09/89	635.00 *		NR
FMAGNES	PPB	50.00		02/09/89	25000.00	02/09/89	5720.00		NR
FMANGAN	PPB	5.00	50.00	02/09/89		02/09/89	19.00		NR
FPOTASS	PPB	100.00		02/09/89	6500.00	02/09/89	4640.00		NR
FSILICO	PPB	50.00		02/09/89	12800.00	02/09/89	2080.00		NR
FSODIUM	PPB	200.00		02/09/89	24900.00	02/09/89	22900.00		NR
FSTRONT	PPB	10.00		02/09/89	769.00	02/09/89	186.00		NR
HNITRAT	PPB	2500.00	45000.00	06/02/89 10/16/89	64300.00 * 78500.00 *	06/02/89 10/16/89	3700.00	06/02/89 10/16/89	89500.00 * 92000.00 *
NITRATE	PPB	500.00	45000.00	02/09/89	73300.00 *	02/09/89			NR
PH-LAB		0.01	8.50	02/09/89	7.80	02/09/89	8.20		NR
PHFIELD		0.10	8.50	02/09/89	7.60	02/09/89	7.40		NR
SR 90	PCI/L	5.00	8.00	06/02/89 10/16/89		06/02/89 10/16/89	1.69 (0.92) 2.23 (0.98)	06/02/89 10/16/89	
SULFATE	PPB	500.00	250000.00	02/09/89	106000.00	02/09/89	13700.00		NR
TC	PPB	1000.00		02/09/89	47900.00	02/09/89	24600.00		NR
TOC	PPB	2000.00		02/09/89	2000.00	02/09/89			NR
TRITIUM	PCI/L	500.00	20000.00	06/02/89 10/16/89	9550.00 (281.00) 7970.00 (317.00)	06/02/89 10/16/89	1110.00 (130.00) 1440.00 (178.00)	06/02/89 10/16/89	486.00 (111.00) 1210.00 (171.00)
U	PCI/L	0.50	600.00	06/02/89 10/16/89	7.11 6.68	06/02/89 10/16/89	0.52	06/02/89 10/16/89	4.23 4.27

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-F8-1	SAMPLE DATE	1-F8-2	SAMPLE DATE	1-H3-1
ALKALIN		20000.00		02/09/89	340000.00		NR	05/24/89	132000.00
ALPHAHI	PCI/L	4.00	15.00		NR		NR	05/24/89	1.61
									(1.31)
BARIUM	PPB	6.00	1000.00		NR		NR	05/24/89	30.00
BETA	PCI/L	8.00	50.00	03/03/89	29.30	06/02/89	22.10	05/24/89	7.32
					(4.37)		(3.78)		(2.70)
				10/16/89	23.70	10/16/89	12.20		NR
					(4.03)		(3.12)		
BORON	PPB	10.00			NR		NR	05/24/89	28.00
CALCIUM	PPB	50.00			NR		NR	05/24/89	45500.00
CHLFORM	PPB	5.00	100.00		NR		NR	05/24/89	19.00
CHLORID	PPB	500.00	250000.00	02/09/89	14100.00		NR	05/24/89	8400.00
CHROMIUM	PPB	10.00	50.00		NR		NR	05/24/89	19.00
CONDFLD	UMHO	1.00	700.00	02/09/89	842.00 *		NR	05/24/89	347.00
FBARIUM	PPB	6.00	1000.00	02/09/89	112.00		NR	05/24/89	32.00
FBORON	PPB	10.00		02/09/89	105.00		NR	05/24/89	25.00
FCALCIU	PPB	50.00		02/09/89	120000.00		NR	05/24/89	47600.00
FCHROMI	PPB	10.00	50.00	02/09/89			NR	05/24/89	15.00
FLITHIU	PPB	10.00		02/09/89	18.00		NR	05/24/89	
FMAGNES	PPB	50.00		02/09/89	32100.00		NR	05/24/89	11500.00
FPOTASS	PPB	100.00		02/09/89	7250.00		NR	05/24/89	5120.00
FSILICO	PPB	50.00		02/09/89	16500.00		NR	05/24/89	17000.00
FSODIUM	PPB	200.00		02/09/89	54000.00		NR	05/24/89	16600.00
FSTRONT	PPB	10.00		02/09/89	1080.00		NR	05/24/89	295.00
FVANADI	PPB	5.00		02/09/89	7.00		NR	05/24/89	8.00
HNITRAT	PPB	2500.00	45000.00	03/03/89	152000.00 *	06/02/89	167000.00 *		NR
				10/16/89	122000.00 *	10/16/89	150000.00 *		NR
IRON	PPB	30.00	300.00		NR		NR	05/24/89	148.00
MAGNES	PPB	50.00			NR		NR	05/24/89	11400.00
MANGESE	PPB	5.00	50.00		NR		NR	05/24/89	9.00
NITRATE	PPB	500.00	45000.00	02/09/89	151000.00 *		NR	05/24/89	23300.00
PH-LAB		0.01	8.50	02/09/89	7.70		NR	05/24/89	7.80
PHFIELD		0.10	8.50	02/09/89	7.40		NR	05/24/89	7.70
POTASUM	PPB	100.00			NR		NR	05/24/89	5120.00
RU-106	PCI/L	172.50	30.00	03/03/89		06/02/89			NR
				10/16/89		10/16/89	66.20 *		NR
							(58.40)		
SILICON	PPB	50.00			NR		NR	05/24/89	16000.00
SODIUM	PPB	200.00			NR		NR	05/24/89	16700.00
STRONUM	PPB	10.00			NR		NR	05/24/89	292.00
SULFATE	PPB	500.00	250000.00	02/09/89	60100.00		NR	05/24/89	40400.00
TC	PPB	1000.00		02/09/89	85500.00		NR	05/24/89	29500.00
TOC	PPB	2000.00		02/09/89	2600.00		NR	05/24/89	
TOXLDL	PPB	10.00			NR		NR	05/24/89	44.00
TRITIUM	PCI/L	500.00	20000.00	03/03/89	5290.00	06/02/89	2140.00	05/24/89	1670.00
					(302.00)		(159.00)		(181.00)
				10/16/89	4810.00	10/16/89	3640.00	10/18/89	3890.00
					(286.00)		(232.00)		(239.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-F8-1	SAMPLE DATE	1-F8-2	SAMPLE DATE	1-H3-1
TURBID	NTU	0.10	1.00		NR		NR	05/24/89	0.60
U	PCI/L	0.50	600.00	03/03/89	143.00	06/02/89	51.50	05/24/89	2.39
				10/16/89	91.00	10/16/89	42.20		NR
VANADUM	PPB	5.00			NR		NR	05/24/89	7.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H3-2A	SAMPLE DATE	1-H3-2B	SAMPLE DATE	1-H3-2C
ALKALIN		20000.00		01/06/89	130000.00	05/26/89	132000.00	06/01/89	101000.00
				05/26/89	145000.00		NR		NR
				08/02/89	121000.00		NR		NR
				10/11/89	112000.00		NR		NR
ALPHA	PCI/L	4.00	15.00	01/06/89	2.75		NR		NR
					(2.22)				
ALPHAHI	PCI/L	4.00	15.00	05/26/89	4.08	05/26/89	2.19	06/01/89	
					(2.18)		(1.72)		
				08/02/89	2.69	05/26/89	5.52		NR
					(1.71)		(2.58)		
				10/11/89	1.96		NR		NR
					(1.40)				
ARSENIC	PPB	5.00	50.00	05/26/89	5.00	05/26/89		06/01/89	7.00
					NR	05/26/89			NR
BARIUM	PPB	6.00	1000.00	01/06/89	29.00	05/26/89	35.00	06/01/89	12.00
				05/26/89	41.00	05/26/89	41.00		NR
				08/02/89	30.00		NR		NR
				10/11/89	24.00		NR		NR
BETA	PCI/L	8.00	50.00	01/06/89	7.57	05/26/89	6.78	06/01/89	
					(2.65)		(2.66)		
				05/26/89	8.51	05/26/89	4.77		NR
					(2.76)		(2.60)		
				08/02/89	8.67		NR		NR
					(2.79)				
				10/11/89	5.57		NR		NR
					(2.44)				
BISZEPH	PPB	10.00		05/26/89		05/26/89		06/01/89	19.00
BORON	PPB	10.00		01/06/89	28.00	05/26/89	33.00	06/01/89	24.00
				05/26/89	47.00	05/26/89	39.00		NR
				08/02/89	32.00		NR		NR
				10/11/89	30.00		NR		NR
CALCIUM	PPB	50.00		01/06/89	54100.00	05/26/89	54200.00	06/01/89	28300.00
				05/26/89	68800.00	05/26/89	60000.00		NR
				08/02/89	52300.00		NR		NR
				10/11/89	41600.00		NR		NR
CHLFORM	PPB	5.00	100.00	05/26/89	7.00	05/26/89	11.00	06/01/89	
					NR	05/26/89	10.00		NR
CHLORID	PPB	500.00	250000.00	01/06/89	8400.00	05/26/89	8700.00	06/01/89	3700.00
				05/26/89	10500.00	05/26/89	8800.00		NR
				08/02/89	8000.00		NR		NR
				10/11/89	6900.00		NR		NR
CHROMIUM	PPB	10.00	50.00	01/06/89	66.00 *	05/26/89	73.00 *	06/01/89	15.00
				05/26/89	110.00 *	05/26/89	81.00 *		NR
				08/02/89	72.00 *		NR		NR
				10/11/89	46.00		NR		NR
CONDFLD	UMHO	1.00	700.00	01/06/89	254.00	05/26/89	383.00	06/01/89	252.00
				05/26/89	440.00		NR		NR
				08/02/89	400.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H3-2A	SAMPLE DATE	1-H3-2B	SAMPLE DATE	1-H3-2C
CONDFLD COPPER	UMHO PPB	1.00 10.00	700.00 (1300.0)	10/11/89 01/06/89 05/26/89 08/02/89 10/11/89 05/26/89	360.00 33.00	05/26/89 05/26/89	NR 13.00 NR NR	06/01/89	NR NR NR NR
FARSEN	PPB	5.00	50.00	05/26/89	NR	05/26/89	NR	06/01/89	7.00
FBARIUM	PPB	6.00	1000.00	01/06/89 05/26/89 08/02/89 10/11/89	31.00 30.00 30.00 24.00	05/26/89 05/26/89	30.00 34.00 NR NR	06/01/89	NR 8.00 NR NR
FBERYLL	PPB	5.00		01/06/89 05/26/89 08/02/89 10/11/89		05/26/89 05/26/89	5.00 NR NR	06/01/89	NR NR NR
FBORON	PPB	10.00		01/06/89 05/26/89 08/02/89 10/11/89	36.00 41.00 24.00 14.00	05/26/89 05/26/89	33.00 32.00 NR NR	06/01/89	22.00 NR NR NR
FCALCIU	PPB	50.00		01/06/89 05/26/89 08/02/89 10/11/89	54200.00 56800.00 52800.00 44300.00	05/26/89 05/26/89	50500.00 53600.00 NR NR	06/01/89	26600.00 NR NR NR
FCHROMI	PPB	10.00	50.00	01/06/89 05/26/89 08/02/89 10/11/89	67.00 * 94.00 * 75.00 * 39.00	05/26/89 05/26/89	61.00 * 70.00 * NR NR	06/01/89	12.00 NR NR NR
FMAGNES	PPB	50.00		01/06/89 05/26/89 08/02/89 10/11/89	11800.00 12800.00 11700.00 9760.00	05/26/89 05/26/89	12100.00 12800.00 NR NR	06/01/89	8330.00 NR NR NR
FMANGAN	PPB	5.00	50.00	01/06/89 05/26/89 08/02/89 10/11/89		05/26/89 05/26/89	10.00 9.00 NR NR	06/01/89	NR NR NR
FPOTASS	PPB	100.00		01/06/89 05/26/89 08/02/89 10/11/89	5.00 5190.00 5310.00 5280.00 4490.00	05/26/89 05/26/89	5480.00 5780.00 NR NR	06/01/89	4350.00 NR NR NR
FSILICO	PPB	50.00		01/06/89 05/26/89 08/02/89 10/11/89	14000.00 13100.00 15000.00 15400.00	05/26/89 05/26/89	11500.00 12000.00 NR NR	06/01/89	21300.00 NR NR NR
FSCODIUM	PPB	200.00		01/06/89 05/26/89 08/02/89 10/11/89	13800.00 16500.00 16200.00 13700.00	05/26/89 05/26/89	13900.00 14700.00 NR NR	06/01/89	16300.00 NR NR NR
FSTROWT	PPB	10.00		01/06/89 05/26/89	289.00 317.00	05/26/89 05/26/89	303.00 325.00	06/01/89	173.00 NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H3-2A	SAMPLE DATE	1-H3-2B	SAMPLE DATE	1-H3-2C
FSTRONT	PPB	10.00		08/02/89	291.00		NR		NR
				10/11/89	243.00		NR		NR
FVANADI	PPB	5.00		01/06/89	8.00	05/26/89	7.00	06/01/89	22.00
				05/26/89	7.00	05/26/89	6.00		NR
				08/02/89	6.00		NR		NR
				10/11/89			NR		NR
FZINC	PPB	5.00	5000.00	01/06/89	7.00	05/26/89		06/01/89	
				05/26/89		05/26/89			NR
				08/02/89			NR		NR
				10/11/89	9.00		NR		NR
IRON	PPB	30.00	300.00	01/06/89	54.00	05/26/89		06/01/89	
				05/26/89	40.00	05/26/89			NR
				08/02/89			NR		NR
				10/11/89	59.00		NR		NR
MAGNES	PPB	50.00		01/06/89	11600.00	05/26/89	12600.00	06/01/89	9240.00
				05/26/89	14700.00	05/26/89	13900.00		NR
				08/02/89	11100.00		NR		NR
				10/11/89	9340.00		NR		NR
MANGESE	PPB	5.00	50.00	01/06/89		05/26/89	9.00	06/01/89	6.00
				05/26/89		05/26/89	9.00		NR
				08/02/89			NR		NR
				10/11/89			NR		NR
NITRATE	PPB	500.00	45000.00	01/06/89	29000.00	05/26/89	28200.00	06/01/89	4600.00
				05/26/89	35300.00	05/26/89	28100.00		NR
				08/02/89	26300.00		NR		NR
				10/11/89	18100.00		NR		NR
PH-LAB		0.01	8.50	01/06/89	7.70	05/26/89	8.00	06/01/89	8.30
				05/26/89	7.80		NR		NR
				08/02/89	7.90		NR		NR
				10/11/89	8.00		NR		NR
PHFIELD		0.10	8.50	01/06/89	7.90	05/26/89	7.90	06/01/89	7.84
				05/26/89	7.71		NR		NR
				08/02/89	7.85		NR		NR
				10/11/89	8.03		NR		NR
POTASUM	PPB	100.00		01/06/89	4960.00	05/26/89	5660.00	06/01/89	4780.00
				05/26/89	6080.00	05/26/89	6240.00		NR
				08/02/89	5100.00		NR		NR
				10/11/89	4450.00		NR		NR
RADIUM	PCI/L	1.00	5.00	05/26/89		05/26/89		06/01/89	
					NR	05/26/89	0.20 (0.15)		NR
SILICON	PPB	50.00		01/06/89	13700.00	05/26/89	11100.00	06/01/89	22900.00
				05/26/89	14500.00	05/26/89	12700.00		NR
				08/02/89	14800.00		NR		NR
				10/11/89	14000.00		NR		NR
SODIUM	PPB	200.00		01/06/89	13500.00	05/26/89	14700.00	06/01/89	19600.00
				05/26/89	19300.00	05/26/89	16300.00		NR
				08/02/89	15700.00		NR		NR
				10/11/89	13100.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H3-2A	SAMPLE DATE	1-H3-2B	SAMPLE DATE	1-H3-2C
STRONUM	PPB	10.00		01/06/89	279.00	05/26/89	317.00	06/01/89	194.00
				05/26/89	375.00	05/26/89	352.00		NR
				08/02/89	279.00		NR		NR
				10/11/89	221.00		NR		NR
SULFATE	PPB	500.00	250000.00	01/06/89	53900.00	05/26/89	59000.00	06/01/89	37800.00
				05/26/89	72200.00	05/26/89	59400.00		NR
				08/02/89	51000.00		NR		NR
				10/11/89	38000.00		NR		NR
TC	PPB	1000.00		05/26/89	32600.00	05/26/89	29200.00	06/01/89	23600.00
TC-99	PCI/L	15.00	900.00	01/06/89		05/26/89		06/01/89	
				05/26/89			NR		NR
				08/02/89	271.00		NR		NR
					(3.11)				
				10/11/89			NR		NR
TOXLDL	PPB	10.00		01/06/89	13.00	05/26/89	12.00	06/01/89	13.00
				05/26/89	10.00		NR		NR
				08/02/89	15.00		NR		NR
				10/11/89	18.00		NR		NR
TURBID	NTU	0.10	1.00	05/26/89	0.20	05/26/89	0.10	06/01/89	0.20
				08/02/89	0.10		NR		NR
				10/11/89	0.20		NR		NR
U	PCI/L	0.50	600.00	01/06/89	2.51	05/26/89	3.11	06/01/89	0.74
				05/26/89	3.68		NR		NR
				08/02/89	3.06		NR		NR
				10/11/89	2.08		NR		NR
VANADUM	PPB	5.00		01/06/89		05/26/89		06/01/89	18.00
				05/26/89	6.00	05/26/89	8.00		NR
				08/02/89	9.00		NR		NR
				10/11/89	13.00		NR		NR
ZINC	PPB	5.00	5000.00	01/06/89	20.00	05/26/89	7.00	06/01/89	
				05/26/89		05/26/89	7.00		NR
				08/02/89			NR		NR
				10/11/89			NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-3	SAMPLE DATE	1-H4-4	SAMPLE DATE	1-H4-5
ALKALIN		20000.00		01/09/89	156000.00	01/09/89	103000.00	01/06/89	146000.00
				05/25/89	157000.00	05/25/89	85200.00	01/06/89	144000.00
				08/03/89	161000.00	08/03/89	135000.00	06/20/89	147000.00
				10/11/89	156000.00	10/11/89	140000.00	10/11/89	147000.00
				10/11/89	156000.00		NR		NR
ALPHA	PCI/L	4.00	15.00	01/09/89	51.10 + (7.84) NR	01/09/89	2.77 (1.98) NR	01/06/89	2.26 (2.15)
ALPHAHI	PCI/L	4.00	15.00	05/25/89	133.00 * (18.60)	05/25/89	3.82 (2.22)	06/20/89	4.06 (1.99)
				08/03/89	81.50 * (10.60)	08/03/89	33.40 * (5.89)		NR
				09/29/89	87.10 * (10.80)	10/11/89	73.50 * (10.30)		NR
				10/11/89	82.30 * (10.00)	11/28/89	41.10 * (7.44)		NR
				10/11/89	64.60 * (9.00)	12/27/89	74.90 * (9.92)		NR
				11/28/89	42.30 * (7.50)		NR		NR
				12/27/89	61.10 * (8.67)		NR		NR
ALUMNUM	PPB	150.00		01/09/89	414.00	01/09/89		01/06/89	
				05/25/89	239.00	05/25/89		01/06/89	
				08/03/89		08/03/89		06/20/89	
				09/29/89	2040.00	10/11/89		10/11/89	
				10/11/89	478.00	11/28/89			NR
				10/11/89	285.00	12/27/89			NR
				11/28/89			NR		NR
				12/27/89			NR		NR
AMMONIU	PPB	50.00		05/25/89	108.00	05/25/89		06/20/89	
ARSENIC	PPB	5.00	50.00	05/25/89		05/25/89		06/20/89	5.00
BARIUM	PPB	6.00	1000.00	01/09/89	33.00	01/09/89	32.00	01/06/89	62.00
				05/25/89	69.00	05/25/89	27.00	01/06/89	66.00
				08/03/89	57.00	08/03/89	75.00	06/20/89	64.00
				09/29/89	119.00	10/11/89	76.00	10/11/89	69.00
				10/11/89	24.00	11/28/89	59.00		NR
				10/11/89	25.00	12/27/89	49.00		NR
				11/28/89	22.00		NR		NR
				12/27/89	19.00		NR		NR
BETA	PCI/L	8.00	50.00	01/09/89	95.70 + (7.28)	01/09/89	8.37 (2.61)	01/06/89	7.02 (2.69)
				05/25/89	250.00 + (11.60)	05/25/89	6.86 (2.51)	01/06/89	5.93 (2.52)
				08/03/89	207.00 + (10.50)	08/03/89	168.00 + (9.46)	06/20/89	8.97 (2.86)
				09/29/89	133.00 + (8.52)	10/11/89	202.00 + (10.40)		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-3	SAMPLE DATE	1-H4-4	SAMPLE DATE	1-H4-5
BETA	PCI/L	8.00	50.00	10/11/89	83.00 + (6.81)	11/28/89	134.00 + (8.51)		NR
				10/11/89	85.00 + (6.94)	12/27/89	131.00 + (8.49)		NR
				11/28/89	62.20 + (5.95)		NR		NR
				12/27/89	69.30 + (6.24)		NR		NR
BORON	PPB	10.00		01/09/89	53.00	01/09/89	29.00	01/06/89	70.00
				05/25/89	59.00	05/25/89	15.00	01/06/89	71.00
				08/03/89	67.00	08/03/89	34.00	06/20/89	63.00
				09/29/89	49.00	10/11/89	45.00	10/11/89	88.00
				10/11/89	56.00	11/28/89	40.00		NR
				10/11/89	56.00	12/27/89	38.00		NR
				11/28/89	54.00		NR		NR
				12/27/89	48.00		NR		NR
CADMIUM	PPB	2.00	10.00	01/09/89		01/09/89		01/06/89	
				05/25/89		05/25/89		01/06/89	
				08/03/89		08/03/89		06/20/89	
				09/29/89	11.00 *	10/11/89		10/11/89	
				10/11/89		11/28/89			NR
				10/11/89		12/27/89			NR
				11/28/89			NR		NR
				12/27/89			NR		NR
CALCIUM	PPB	50.00		01/09/89	21600.00	01/09/89	41300.00	01/06/89	71000.00
				05/25/89	51700.00	05/25/89	29600.00	01/06/89	75900.00
				08/03/89	42700.00	08/03/89	50400.00	06/20/89	90500.00
				09/29/89	41100.00	10/11/89	53800.00	10/11/89	75500.00
				10/11/89	19300.00	11/28/89	43200.00		NR
				10/11/89	20200.00	12/27/89	37200.00		NR
				11/28/89	20300.00		NR		NR
				12/27/89	19800.00		NR		NR
CHLFORM	PPB	5.00	100.00	05/25/89	14.00	05/25/89		06/20/89	11.00
CHLORID	PPB	500.00	250000.00	01/09/89	10000.00	01/09/89	4200.00	01/06/89	8600.00
				05/25/89	9000.00	05/25/89	2000.00	01/06/89	8500.00
				08/03/89	11000.00	08/03/89	8000.00	06/20/89	6600.00
				09/29/89	10000.00	10/11/89	8000.00	10/11/89	8000.00
				10/11/89	10000.00	11/28/89	7600.00		NR
				10/11/89	11000.00	12/27/89	6900.00		NR
				11/28/89	9700.00		NR		NR
				12/27/89	10100.00		NR		NR
CHROMIUM	PPB	10.00	50.00	01/09/89	179.00 *	01/09/89	58.00 *	01/06/89	333.00 *
				05/25/89	256.00 *	05/25/89	25.00	01/06/89	117.00 *
				08/03/89	264.00 *	08/03/89	199.00 *	06/20/89	86.00 *
				09/29/89	789.00 *	10/11/89	177.00 *	10/11/89	90.00 *
				10/11/89	149.00 *	11/28/89	142.00 *		NR
				10/11/89	147.00 *	12/27/89	131.00 *		NR
				11/28/89	137.00 *		NR		NR
				12/27/89	140.00 *		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-3	SAMPLE DATE	1-H4-4	SAMPLE DATE	1-H4-5
CO-60	PCI/L	22.50	100.00	05/25/89 10/19/89		05/25/89 10/18/89	7.44 (6.07)	10/18/89	NR
COND FLD	UMHO	1.00	700.00	01/09/89 05/25/89 08/03/89 09/29/89 10/11/89 11/28/89 12/27/89	873.00 * 1355.00 * 1200.00 * 883.00 * 833.00 * 858.00 * 819.00 *	01/09/89 05/25/89 08/03/89 10/11/89 11/28/89 12/27/89	343.00 179.00 995.00 * 1085.00 * 887.00 * 754.00 * NR	01/06/89 06/20/89 10/11/89	473.00 517.00 541.00 NR NR NR NR
COPPER	PPB	10.00	(1300.0)	01/09/89 05/25/89 08/03/89 09/29/89 10/11/89 10/11/89 11/28/89 12/27/89	13.00 14.00 19.00 34.00	01/09/89 05/25/89 08/03/89 10/11/89 11/28/89 12/27/89		01/06/89 01/06/89 06/20/89 10/11/89	
FALUMIN	PPB	150.00		01/09/89 05/25/89 08/03/89 09/29/89 10/11/89 10/11/89 11/28/89 12/27/89	1390.00	01/09/89 05/25/89 08/03/89 10/11/89 11/28/89 12/27/89	NR NR	01/06/89 01/06/89 06/20/89 10/11/89	NR NR NR NR
FARSEN I	PPB	5.00	50.00	05/25/89		05/25/89		06/20/89	5.00
FBARIUM	PPB	6.00	1000.00	01/09/89 05/25/89 08/03/89 09/29/89 10/11/89 10/11/89 11/28/89 12/27/89	23.00 53.00 59.00 42.00 19.00 19.00 22.00 22.00	01/09/89 05/25/89 08/03/89 10/11/89 11/28/89 12/27/89	38.00 17.00 87.00 71.00 59.00 46.00 NR NR	01/06/89 01/06/89 06/20/89 10/11/89	75.00 67.00 68.00 77.00 NR NR NR NR
FBORON	PPB	10.00		01/09/89 05/25/89 08/03/89 09/29/89 10/11/89 10/11/89 11/28/89 12/27/89	65.00 56.00 82.00 65.00 47.00 53.00 64.00 48.00	01/09/89 05/25/89 08/03/89 10/11/89 11/28/89 12/27/89	29.00 22.00 48.00 30.00 35.00 26.00 NR NR	01/06/89 01/06/89 06/20/89 10/11/89	73.00 115.00 60.00 55.00 NR NR NR NR
FCADMIU	PPB	2.00	10.00	01/09/89 05/25/89 08/03/89 09/29/89 10/11/89	3.00	01/09/89 05/25/89 08/03/89 10/11/89 11/28/89		01/06/89 01/06/89 06/20/89 10/11/89	NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-3	SAMPLE DATE	1-H4-4	SAMPLE DATE	1-H4-5
FCADMIU	PPB	2.00	10.00	10/11/89		12/27/89			NR
				11/28/89			NR		NR
				12/27/89			NR		NR
FCALCIU	PPB	50.00		01/09/89	19100.00	01/09/89	46400.00	01/06/89	84500.00
				05/25/89	45700.00	05/25/89	27600.00	01/06/89	75500.00
				08/03/89	47700.00	08/03/89	57400.00	06/20/89	72800.00
				09/29/89	23800.00	10/11/89	54200.00	10/11/89	78000.00
				10/11/89	17400.00	11/28/89	44300.00		NR
				10/11/89	17900.00	12/27/89	36100.00		NR
				11/28/89	21400.00		NR		NR
				12/27/89	21200.00		NR		NR
FCHROMI	PPB	10.00	50.00	01/09/89	159.00 *	01/09/89	70.00 *	01/06/89	129.00 *
				05/25/89	146.00 *	05/25/89	18.00	01/06/89	114.00 *
				08/03/89	172.00 *	08/03/89	198.00 *	06/20/89	88.00 *
				09/29/89	208.00 *	10/11/89	164.00 *	10/11/89	81.00 *
				10/11/89	117.00 *	11/28/89	137.00 *		NR
				10/11/89	123.00 *	12/27/89	119.00 *		NR
				11/28/89	129.00 *		NR		NR
				12/27/89	137.00 *		NR		NR
FCOPPER	PPB	10.00	(1300.0)	01/09/89		01/09/89		01/06/89	
				05/25/89	15.00	05/25/89	10.00	01/06/89	
				08/03/89	20.00	08/03/89		06/20/89	
				09/29/89		10/11/89		10/11/89	
				10/11/89		11/28/89			NR
				10/11/89		12/27/89			NR
				11/28/89			NR		NR
				12/27/89			NR		NR
FIRON	PPB	30.00	300.00	01/09/89	33.00	01/09/89		01/06/89	
				05/25/89		05/25/89		01/06/89	
				08/03/89	38.00	08/03/89		06/20/89	
				09/29/89	7210.00 *	10/11/89		10/11/89	
				10/11/89		11/28/89			NR
				10/11/89		12/27/89			NR
				11/28/89			NR		NR
				12/27/89			NR		NR
FLUORID	PPB	500.00	4000.00	01/09/89		01/09/89		01/06/89	
				05/25/89	1100.00	05/25/89		01/06/89	
				08/03/89	1100.00	08/03/89	900.00	06/20/89	
				09/29/89	600.00	10/11/89	600.00	10/11/89	
				10/11/89	600.00	11/28/89			NR
				10/11/89	600.00	12/27/89			NR
				11/28/89			NR		NR
				12/27/89			NR		NR
FMAGNES	PPB	50.00		01/09/89	3190.00	01/09/89	8030.00	01/06/89	13600.00
				05/25/89	7850.00	05/25/89	5060.00	01/06/89	12000.00
				08/03/89	8170.00	08/03/89	8760.00	06/20/89	11600.00
				09/29/89	4600.00	10/11/89	8230.00	10/11/89	13400.00
				10/11/89	3090.00	11/28/89	6880.00		NR
				10/11/89	3120.00	12/27/89	5400.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-3	SAMPLE DATE	1-H4-4	SAMPLE DATE	1-H4-5
FMAGNES	PPB	50.00		11/28/89	3890.00		NR		NR
				12/27/89	3560.00		NR		NR
FMANGAN	PPB	5.00	50.00	01/09/89		01/09/89		01/06/89	
				05/25/89	11.00	05/25/89		01/06/89	
				08/03/89	6.00	08/03/89		06/20/89	
				09/29/89	51.00 *	10/11/89		10/11/89	
				10/11/89		11/28/89			NR
				10/11/89		12/27/89			NR
				11/28/89	7.00		NR		NR
				12/27/89			NR		NR
FNICKEL	PPB	10.00		01/09/89		01/09/89		01/06/89	
				05/25/89	14.00	05/25/89		01/06/89	
				08/03/89	22.00	08/03/89	15.00	06/20/89	
				09/29/89	12.00	10/11/89	10.00	10/11/89	
				10/11/89		11/28/89			NR
				10/11/89		12/27/89			NR
				11/28/89			NR		NR
				12/27/89			NR		NR
FPOTASS	PPB	100.00		01/09/89	4410.00	01/09/89	4380.00	01/06/89	5840.00
				05/25/89	6980.00	05/25/89	3040.00	01/06/89	5140.00
				08/03/89	7240.00	08/03/89	6780.00	06/20/89	4900.00
				09/29/89	4900.00	10/11/89	6140.00	10/11/89	5330.00
				10/11/89	3630.00	11/28/89	6050.00		NR
				10/11/89	3570.00	12/27/89	5130.00		NR
				11/28/89	4730.00		NR		NR
				12/27/89	4270.00		NR		NR
FSILICO	PPB	50.00		01/09/89	14600.00	01/09/89	13900.00	01/06/89	15900.00
				05/25/89	14500.00	05/25/89	11200.00	01/06/89	13400.00
				08/03/89	17500.00	08/03/89	15700.00	06/20/89	13200.00
				09/29/89	18300.00	10/11/89	14300.00	10/11/89	15200.00
				10/11/89	13400.00	11/28/89	14200.00		NR
				10/11/89	13800.00	12/27/89	13000.00		NR
				11/28/89	15400.00		NR		NR
				12/27/89	14800.00		NR		NR
FSODIUM	PPB	200.00		01/09/89	169000.00	01/09/89	15000.00	01/06/89	13600.00
				05/25/89	254000.00	05/25/89	8310.00	01/06/89	12100.00
				08/03/89	291000.00	08/03/89	191000.00	06/20/89	11800.00
				09/29/89	165000.00	10/11/89	158000.00	10/11/89	13500.00
				10/11/89	132000.00	11/28/89	133000.00		NR
				10/11/89	133000.00	12/27/89	116000.00		NR
				11/28/89	140000.00		NR		NR
				12/27/89	135000.00		NR		NR
FSRONT	PPB	10.00		01/09/89	103.00	01/09/89	222.00	01/06/89	379.00
				05/25/89	267.00	05/25/89	135.00	01/06/89	335.00
				08/03/89	267.00	08/03/89	317.00	06/20/89	331.00
				09/29/89	141.00	10/11/89	291.00	10/11/89	374.00
				10/11/89	94.00	11/28/89	245.00		NR
				10/11/89	95.00	12/27/89	195.00		NR
				11/28/89	118.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-3	SAMPLE DATE	1-H4-4	SAMPLE DATE	1-H4-5
FSTRONT	PPB	10.00		12/27/89	113.00		NR		NR
FTITAN	PPB	60.00		01/09/89		01/09/89		01/06/89	
				05/25/89		05/25/89		01/06/89	
				08/03/89		08/03/89		06/20/89	
				09/29/89	68.00	10/11/89		10/11/89	
				10/11/89		11/28/89			NR
				10/11/89		12/27/89			NR
				11/28/89			NR		NR
				12/27/89			NR		NR
FVANADI	PPB	5.00		01/09/89	6.00	01/09/89	6.00	01/06/89	
				05/25/89	8.00	05/25/89		01/06/89	
				08/03/89	7.00	08/03/89	5.00	06/20/89	6.00
				09/29/89	16.00	10/11/89		10/11/89	8.00
				10/11/89		11/28/89	8.00		NR
				10/11/89	6.00	12/27/89			NR
				11/28/89	9.00		NR		NR
				12/27/89	7.00		NR		NR
FZINC	PPB	5.00	5000.00	01/09/89	10.00	01/09/89	53.00	01/06/89	110.00
				05/25/89		05/25/89	7.00	01/06/89	103.00
				08/03/89	10.00	08/03/89	75.00	06/20/89	43.00
				09/29/89	9.00	10/11/89	41.00	10/11/89	53.00
				10/11/89		11/28/89	32.00		NR
				10/11/89		12/27/89	31.00		NR
				11/28/89			NR		NR
				12/27/89			NR		NR
HNITRAT	PPB	2500.00	45000.00		NR	05/25/89	9700.00		NR
IRON	PPB	30.00	300.00	01/09/89	2350.00 *	01/09/89	233.00	01/06/89	1610.00 *
				05/25/89	16400.00 *	05/25/89	350.00 *	01/06/89	113.00
				08/03/89	2560.00 *	08/03/89	1140.00 *	06/20/89	503.00 *
				09/29/89	37400.00 *	10/11/89	201.00	10/11/89	120.00
				10/11/89	984.00 *	11/28/89	112.00		NR
				10/11/89	708.00 *	12/27/89	178.00		NR
				11/28/89	118.00		NR		NR
				12/27/89	83.00		NR		NR
LEADGF	PPB	5.00	50.00	05/25/89	6.00	05/25/89		06/20/89	
MAGNES	PPB	50.00		01/09/89	3660.00	01/09/89	7000.00	01/06/89	11500.00
				05/25/89	9050.00	05/25/89	5340.00	01/06/89	12100.00
				08/03/89	7160.00	08/03/89	7560.00	06/20/89	11900.00
				09/29/89	7270.00	10/11/89	8140.00	10/11/89	12700.00
				10/11/89	3520.00	11/28/89	6730.00		NR
				10/11/89	3620.00	12/27/89	5440.00		NR
				11/28/89	3660.00		NR		NR
				12/27/89	3410.00		NR		NR
MANGESE	PPB	5.00	50.00	01/09/89	62.00 *	01/09/89		01/06/89	10.00
				05/25/89	44.00	05/25/89		01/06/89	
				08/03/89	16.00	08/03/89		06/20/89	
				09/29/89	480.00 *	10/11/89		10/11/89	
				10/11/89	11.00	11/28/89			NR
				10/11/89	10.00	12/27/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-3	SAMPLE DATE	1-H4-4	SAMPLE DATE	1-H4-5
MANGESE	PPB	5.00	50.00	11/28/89	6.00		NR		NR
				12/27/89			NR		NR
NICKEL	PPB	10.00		01/09/89		01/09/89		01/06/89	202.00
				05/25/89	74.00	05/25/89		01/06/89	
				08/03/89	18.00	08/03/89	12.00	06/20/89	44800.00
				09/29/89	21.00	10/11/89	17.00	10/11/89	
				10/11/89		11/28/89			NR
				10/11/89	10.00	12/27/89	10.00		NR
				11/28/89			NR		NR
				12/27/89			NR		NR
NITRATE	PPB	500.00	45000.00	01/09/89	191000.00 *	01/09/89	26300.00	01/06/89	39500.00
				05/25/89	524000.00 *	05/25/89	10400.00	01/06/89	40600.00
				08/03/89	474000.00 *	08/03/89	392000.00 *	06/20/89	44800.00
				09/29/89	242000.00 *	10/11/89	368000.00 *	10/11/89	39000.00
				10/11/89	172000.00 *	11/28/89	253000.00 *		NR
				10/11/89	176000.00 *	12/27/89	185000.00 *		NR
				11/28/89	127000.00 *		NR		NR
				12/27/89	158000.00 *		NR		NR
PH-LAB		0.01	8.50	01/09/89	8.00	01/09/89	7.90	01/06/89	7.60
				05/25/89	7.70	05/25/89	8.00	06/20/89	7.80
				08/03/89	7.90	08/03/89	7.80	10/11/89	7.80
				10/11/89	8.00	10/11/89	7.90		NR
PHFIELD		0.10	8.50	01/09/89	7.90	01/09/89	8.00	01/06/89	7.60
				05/25/89	7.56	05/25/89	7.68	06/20/89	7.54
				08/03/89	7.68	08/03/89	7.85	10/11/89	7.43
				09/29/89	7.62	10/11/89	8.10		NR
				10/11/89	7.99	11/28/89	7.61		NR
				11/28/89	8.00	12/27/89	8.43		NR
				12/27/89	8.24		NR		NR
POTASUM	PPB	100.00		01/09/89	4450.00	01/09/89	3690.00	01/06/89	4850.00
				05/25/89	6920.00	05/25/89	3210.00	01/06/89	5090.00
				08/03/89	6450.00	08/03/89	5900.00	06/20/89	5020.00
				09/29/89	5750.00	10/11/89	6080.00	10/11/89	5120.00
				10/11/89	3980.00	11/28/89	6040.00		NR
				10/11/89	4040.00	12/27/89	5170.00		NR
				11/28/89	4820.00		NR		NR
				12/27/89	4280.00		NR		NR
SILICON	PPB	50.00		01/09/89	15500.00	01/09/89	12400.00	01/06/89	13500.00
				05/25/89	15100.00	05/25/89	11400.00	01/06/89	13700.00
				08/03/89	15700.00	08/03/89	13700.00	06/20/89	13500.00
				09/29/89	23800.00	10/11/89	14300.00	10/11/89	14400.00
				10/11/89	15900.00	11/28/89	13900.00		NR
				10/11/89	16100.00	12/27/89	13400.00		NR
				11/28/89	15400.00		NR		NR
				12/27/89	14300.00		NR		NR
SODIUM	PPB	200.00		01/09/89	166000.00	01/09/89	13100.00	01/06/89	11600.00
				05/25/89	254000.00	05/25/89	8980.00	01/06/89	12200.00
				08/03/89	256000.00	08/03/89	167000.00	06/20/89	11800.00
				09/29/89	176000.00	10/11/89	153000.00	10/11/89	12600.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-3	SAMPLE DATE	1-H4-4	SAMPLE DATE	1-H4-5
SODIUM	PPB	200.00		10/11/89	133000.00	11/28/89	134000.00		NR
				10/11/89	146000.00	12/27/89	115000.00		NR
				11/28/89	138000.00		NR		NR
				12/27/89	130000.00		NR		NR
STRONUM	PPB	10.00		01/09/89	112.00	01/09/89	187.00	01/06/89	310.00
				05/25/89	298.00	05/25/89	145.00	01/06/89	331.00
				08/03/89	234.00	08/03/89	274.00	06/20/89	344.00
				09/29/89	233.00	10/11/89	295.00	10/11/89	343.00
				10/11/89	104.00	11/28/89	242.00		NR
				10/11/89	110.00	12/27/89	198.00		NR
				11/28/89	112.00		NR		NR
				12/27/89	106.00		NR		NR
SULFATE	PPB	500.00	250000.00	01/09/89	83700.00	01/09/89	35400.00	01/06/89	70200.00
				05/25/89	98000.00	05/25/89	20600.00	01/06/89	71800.00
				08/03/89	108000.00	08/03/89	78000.00	06/20/89	74100.00
				09/29/89	92000.00	10/11/89	78000.00	10/11/89	74000.00
				10/11/89	88000.00	11/28/89	70700.00		NR
				10/11/89	89000.00	12/27/89	61200.00		NR
				11/28/89	80900.00		NR		NR
				12/27/89	84100.00		NR		NR
TC	PPB	1000.00		05/25/89	35300.00	05/25/89	19600.00	06/20/89	34300.00
TC-99	PCI/L	15.00	900.00	01/09/89	1100.00 *	01/09/89	18.10	01/06/89	
					(6.35)		(1.47)		
				05/25/89	3650.00 *	05/25/89		01/06/89	
					(10.80)				
				08/03/89	3250.00 *	08/03/89	2270.00 *	06/20/89	
					(10.10)		(8.53)		
				10/11/89	844.00	10/11/89	2440.00 *		NR
					(5.24)		(8.85)		
				10/11/89	830.00		NR		NR
					(5.27)				
TITAN	PPB	60.00		01/09/89		01/09/89		01/06/89	
				05/25/89		05/25/89		01/06/89	
				08/03/89		08/03/89		06/20/89	
				09/29/89	92.00	10/11/89		10/11/89	
				10/11/89		11/28/89			NR
				10/11/89		12/27/89			NR
				11/28/89			NR		NR
				12/27/89			NR		NR
TOXLDL	PPB	10.00		01/09/89	29.00	01/09/89		01/06/89	15.00
				05/25/89	30.00	05/25/89	10.00	06/20/89	17.00
				08/03/89	15.00	08/03/89	12.00	10/11/89	13.00
				10/11/89	18.00	10/11/89	16.00		NR
				10/11/89	25.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	05/25/89	1730.00	05/25/89	498.00	10/18/89	1960.00
					(181.00)		(140.00)		(191.00)
				10/19/89	3610.00	10/18/89	1800.00		NR
					(236.00)		(188.00)		
TURBID	NTU	0.10	1.00	05/25/89	13.30 *	05/25/89	6.40 *	06/20/89	0.40

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-3	SAMPLE DATE	1-H4-4	SAMPLE DATE	1-H4-5
TURBID	NTU	0.10	1.00	08/03/89	20.50 *	08/03/89	1.00	10/11/89	0.50
				10/11/89	10.00 *	10/11/89	2.00 *		NR
U	PCI/L	0.50	600.00	01/09/89	53.20	01/09/89	3.58	01/06/89	2.91
				05/25/89	71.70	05/25/89	1.67	01/06/89	2.79
				08/03/89	145.00	08/03/89	88.80	06/20/89	3.62
				10/11/89	40.40	10/11/89	64.10		NR
				10/11/89	52.30		NR		NR
VANADUM	PPB	5.00		01/09/89		01/09/89		01/06/89	
				05/25/89	10.00	05/25/89		01/06/89	
				08/03/89	9.00	08/03/89	8.00	06/20/89	6.00
				09/29/89	20.00	10/11/89	7.00	10/11/89	8.00
				10/11/89	7.00	11/28/89	8.00		NR
				10/11/89	9.00	12/27/89			NR
				11/28/89	10.00		NR		NR
				12/27/89			NR		NR
ZINC	PPB	5.00	5000.00	01/09/89		01/09/89	51.00	01/06/89	97.00
				05/25/89		05/25/89	75.00	01/06/89	116.00
				08/03/89	5.00	08/03/89	179.00	06/20/89	95.00
				09/29/89	25.00	10/11/89	60.00	10/11/89	48.00
				10/11/89	9.00	11/28/89	39.00		NR
				10/11/89		12/27/89	42.00		NR
				11/28/89			NR		NR
				12/27/89			NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-6	SAMPLE DATE	1-H4-7	SAMPLE DATE	1-H4-8
ALKALIN		20000.00		01/09/89	147000.00	06/06/89	148000.00	05/12/89	158000.00
				05/24/89	150000.00	10/18/89	140000.00		NR
				08/04/89	145000.00		NR		NR
				08/04/89	145000.00		NR		NR
				10/11/89	145000.00		NR		NR
ALPHA	PCI/L	4.00	15.00	01/09/89	5.65		NR		NR
					(2.40)				
ALPHAHI	PCI/L	4.00	15.00	05/24/89	2.08	06/06/89	2.89	05/12/89	2.12
					(1.63)		(1.42)		(1.85)
				08/04/89	3.25	10/18/89	3.02		NR
					(1.97)		(2.08)		
				08/04/89	2.15	11/30/89	3.74		NR
					(1.11)		(2.33)		
				10/11/89	5.00		NR		NR
					(2.41)				
BARIUM	PPB	6.00	1000.00	01/09/89	42.00	06/06/89	47.00	05/12/89	53.00
				05/24/89	49.00	10/18/89	43.00		NR
				08/04/89	54.00	11/30/89	45.00		NR
				08/04/89	48.00		NR		NR
				10/11/89	45.00		NR		NR
BERYLUM	PPB	5.00		01/09/89		06/06/89	8.00	05/12/89	
				05/24/89		10/18/89			NR
				08/04/89		11/30/89			NR
				08/04/89			NR		NR
				10/11/89			NR		NR
BETA	PCI/L	8.00	50.00	01/09/89	7.49	06/06/89	3.18	05/12/89	7.06
					(2.78)		(2.37)		(2.78)
				05/24/89	4.43	10/18/89	4.45		NR
					(2.50)		(2.56)		
				08/04/89	6.97	11/30/89	6.37		NR
					(2.71)		(2.68)		
				08/04/89	7.60		NR		NR
					(2.77)				
				10/11/89	9.18		NR		NR
					(2.99)				
BISZEPH	PPB	10.00		05/24/89		06/06/89		05/12/89	11.00
BORON	PPB	10.00		01/09/89	80.00	06/06/89	97.00	05/12/89	89.00
				05/24/89	61.00	10/18/89	34.00		NR
				08/04/89	43.00	11/30/89	51.00		NR
				08/04/89	62.00		NR		NR
				10/11/89	56.00		NR		NR
CALCIUM	PPB	50.00		01/09/89	65600.00	06/06/89	73300.00	05/12/89	83200.00
				05/24/89	70800.00	10/18/89	60600.00		NR
				08/04/89	75300.00	11/30/89	63600.00		NR
				08/04/89	71200.00		NR		NR
				10/11/89	64000.00		NR		NR
CHLFORM	PPB	5.00	100.00	05/24/89		06/06/89	9.00	05/12/89	8.00
CHLORID	PPB	500.00	250000.00	01/09/89	12300.00	06/06/89	9600.00	05/12/89	9900.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-6	SAMPLE DATE	1-H4-7	SAMPLE DATE	1-H4-8
CHLORID	PPB	500.00	250000.00	05/24/89	12000.00	10/18/89	11000.00		NR
				08/04/89	12000.00	11/30/89	13100.00		NR
				08/04/89	12500.00		NR		NR
				10/11/89	13000.00		NR		NR
CHROMIUM	PPB	10.00	50.00	01/09/89	72.00 *	06/06/89	76.00 *	05/12/89	70.00 *
				05/24/89	92.00 *	10/18/89	113.00 *		NR
				08/04/89	76.00 *	11/30/89	122.00 *		NR
				08/04/89	103.00 *		NR		NR
				10/11/89	109.00 *		NR		NR
CONDFLD	UMHO	1.00	700.00	01/09/89	600.00	06/06/89	560.00	05/12/89	469.00
				05/24/89	484.00	10/18/89	515.00		NR
				08/04/89	535.00	11/30/89	513.00		NR
				10/11/89	559.00		NR		NR
CS-137	PCI/L	20.00	200.00	05/24/89	6.20		NR		NR
					(4.22)				
				10/18/89			NR		NR
FARSEN	PPB	5.00	50.00	05/24/89		06/06/89	5.00	05/12/89	
FBARIUM	PPB	6.00	1000.00	01/09/89	48.00	06/06/89	49.00	05/12/89	54.00
				05/24/89	53.00	10/18/89	46.00		NR
				08/04/89	52.00	11/30/89	44.00		NR
				08/04/89	51.00		NR		NR
				10/11/89	49.00		NR		NR
FBORON	PPB	10.00		01/09/89	67.00	06/06/89	107.00	05/12/89	87.00
				05/24/89	56.00	10/18/89	30.00		NR
				08/04/89	68.00	11/30/89	40.00		NR
				08/04/89	59.00		NR		NR
				10/11/89	51.00		NR		NR
FCALCIU	PPB	50.00		01/09/89	70100.00	06/06/89	76100.00	05/12/89	86800.00
				05/24/89	68200.00	10/18/89	61900.00		NR
				08/04/89	74500.00	11/30/89	67200.00		NR
				08/04/89	68300.00		NR		NR
				10/11/89	65700.00		NR		NR
FCHROMI	PPB	10.00	50.00	01/09/89	78.00 *	06/06/89	77.00 *	05/12/89	63.00 *
				05/24/89	89.00 *	10/18/89	109.00 *		NR
				08/04/89	101.00 *	11/30/89	114.00 *		NR
				08/04/89	95.00 *		NR		NR
				10/11/89	83.00 *		NR		NR
FIRON	PPB	30.00	300.00	01/09/89	33.00	06/06/89		05/12/89	
				05/24/89		10/18/89	93.00		NR
				08/04/89		11/30/89			NR
				08/04/89			NR		NR
				10/11/89	41.00		NR		NR
FMAGNES	PPB	50.00		01/09/89	14900.00	06/06/89	14500.00	05/12/89	15000.00
				05/24/89	15000.00	10/18/89	12500.00		NR
				08/04/89	16000.00	11/30/89	12600.00		NR
				08/04/89	15100.00		NR		NR
				10/11/89	14800.00		NR		NR
FMANGAN	PPB	5.00	50.00	01/09/89	73.00 *	06/06/89		05/12/89	
				05/24/89	36.00	10/18/89	8.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-6	SAMPLE DATE	1-H4-7	SAMPLE DATE	1-H4-8
FMANGAN	PPB	5.00	50.00	08/04/89	70.00 *	11/30/89			NR
				08/04/89	65.00 *		NR		NR
				10/11/89	86.00 *		NR		NR
FPOTASS	PPB	100.00		01/09/89	6660.00	06/06/89	5860.00	05/12/89	5670.00
				05/24/89	6580.00	10/18/89	5360.00		NR
				08/04/89	7180.00	11/30/89	5860.00		NR
				08/04/89	6710.00		NR		NR
				10/11/89	6370.00		NR		NR
FSILICO	PPB	50.00		01/09/89	14400.00	06/06/89	12800.00	05/12/89	14800.00
				05/24/89	14100.00	10/18/89	14600.00		NR
				08/04/89	16100.00	11/30/89	13700.00		NR
				08/04/89	15300.00		NR		NR
				10/11/89	14600.00		NR		NR
FSDIUM	PPB	200.00		01/09/89	26300.00	06/06/89	22000.00	05/12/89	14800.00
				05/24/89	25700.00	10/18/89	15500.00		NR
				08/04/89	27900.00	11/30/89	16100.00		NR
				08/04/89	26200.00		NR		NR
				10/11/89	25800.00		NR		NR
FSTRONT	PPB	10.00		01/09/89	369.00	06/06/89	373.00	05/12/89	402.00
				05/24/89	357.00	10/18/89	313.00		NR
				08/04/89	396.00	11/30/89	317.00		NR
				08/04/89	376.00		NR		NR
				10/11/89	368.00		NR		NR
FVANADI	PPB	5.00		01/09/89		06/06/89		05/12/89	
				05/24/89	7.00	10/18/89	11.00		NR
				08/04/89	16.00	11/30/89	8.00		NR
				08/04/89	7.00		NR		NR
				10/11/89	6.00		NR		NR
FZINC	PPB	5.00	5000.00	01/09/89	187.00	06/06/89	6.00	05/12/89	
				05/24/89	131.00	10/18/89	8.00		NR
				08/04/89	217.00	11/30/89			NR
				08/04/89	219.00		NR		NR
				10/11/89	56.00		NR		NR
IRON	PPB	30.00	300.00	01/09/89	404.00 *	06/06/89	141.00	05/12/89	115.00
				05/24/89	195.00	10/18/89	202.00		NR
				08/04/89	204.00	11/30/89	129.00		NR
				08/04/89	126.00		NR		NR
				10/11/89	176.00		NR		NR
MAGNES	PPB	50.00		01/09/89	13700.00	06/06/89	14200.00	05/12/89	14400.00
				05/24/89	15800.00	10/18/89	11900.00		NR
				08/04/89	17500.00	11/30/89	12400.00		NR
				08/04/89	15800.00		NR		NR
				10/11/89	14600.00		NR		NR
MANGESE	PPB	5.00	50.00	01/09/89	67.00 *	06/06/89	5.00	05/12/89	5.00
				05/24/89	53.00 *	10/18/89	8.00		NR
				08/04/89	77.00 *	11/30/89			NR
				08/04/89	70.00 *		NR		NR
				10/11/89	83.00 *		NR		NR
NITRATE	PPB	500.00	45000.00	01/09/89	39100.00	06/06/89	56800.00 *	05/12/89	39400.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-6	SAMPLE DATE	1-H4-7	SAMPLE DATE	1-H4-8
NITRATE	PPB	500.00	45000.00	05/24/89	36700.00	10/18/89	36000.00		NR
				08/04/89	38000.00	11/30/89	35300.00		NR
				08/04/89	38000.00		NR		NR
				10/11/89	38000.00		NR		NR
PH-LAB		0.01	8.50	01/09/89	7.80	06/06/89	7.90	05/12/89	7.70
				05/24/89	7.70	10/18/89	7.90		NR
				08/04/89	7.90		NR		NR
				10/11/89	8.10		NR		NR
PHFIELD		0.10	8.50	01/09/89	8.20	06/06/89	7.41	05/12/89	7.30
				05/24/89	7.50	10/18/89	7.22		NR
				08/04/89	7.85	11/30/89	7.75		NR
				10/11/89	7.87		NR		NR
POTASUM	PPB	100.00		01/09/89	6040.00	06/06/89	5870.00	05/12/89	5470.00
				05/24/89	6990.00	10/18/89	5080.00		NR
				08/04/89	8360.00	11/30/89	5710.00		NR
				08/04/89	7700.00		NR		NR
				10/11/89	6320.00		NR		NR
RADIUM	PC1/L	1.00	5.00	05/24/89		06/06/89	0.45	05/12/89	
							(0.22)		
SILICON	PPB	50.00		01/09/89	13400.00	06/06/89	12500.00	05/12/89	14300.00
				05/24/89	14500.00	10/18/89	14100.00		NR
				08/04/89	365.00	11/30/89	14300.00		NR
				08/04/89	14400.00		NR		NR
				10/11/89	14500.00		NR		NR
SODIUM	PPB	200.00		01/09/89	24300.00	06/06/89	21800.00	05/12/89	14600.00
				05/24/89	27900.00	10/18/89	14300.00		NR
				08/04/89	32400.00	11/30/89	15700.00		NR
				08/04/89	30100.00		NR		NR
				10/11/89	24800.00		NR		NR
STRONUM	PPB	10.00		01/09/89	330.00	06/06/89	364.00	05/12/89	391.00
				05/24/89	387.00	10/18/89	287.00		NR
				08/04/89	427.00	11/30/89	316.00		NR
				08/04/89	399.00		NR		NR
				10/11/89	352.00		NR		NR
SULFATE	PPB	500.00	250000.00	01/09/89	88900.00	06/06/89	104000.00	05/12/89	91200.00
				05/24/89	90000.00	10/18/89	76000.00		NR
				08/04/89	89000.00	11/30/89	73700.00		NR
				08/04/89	89000.00		NR		NR
				10/11/89	87000.00		NR		NR
TC	PPB	1000.00		05/24/89	33500.00	06/06/89	36900.00	05/12/89	37300.00
TOXL0L	PPB	10.00		01/09/89	16.00	06/06/89	16.00	05/12/89	17.00
				05/24/89	15.00	10/18/89	12.00		NR
				08/04/89			NR		NR
				08/04/89			NR		NR
				10/11/89			NR		NR
TRITIUM	PC1/L	500.00	20000.00	05/24/89	5060.00	06/06/89	3100.00	05/22/89	2120.00
					(264.00)		(218.00)		(195.00)
				10/18/89	5280.00	10/18/89	4680.00	10/18/89	4580.00
					(267.00)		(254.00)		(249.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-6	SAMPLE DATE	1-H4-7	SAMPLE DATE	1-H4-8
TURBID	NTU	0.10	1.00	05/24/89	0.60	06/06/89	0.50	05/12/89	0.80
				08/04/89	3.10 *	10/18/89	5.10 *		NR
				10/11/89	1.50 *		NR		NR
U	PCI/L	0.50	600.00	01/09/89	4.46	06/06/89	4.95	05/12/89	3.97
				05/24/89	2.98	10/18/89	3.26		NR
				08/04/89	3.82		NR		NR
				08/04/89	5.91		NR		NR
				10/11/89	4.24		NR		NR
VANADUM	PPB	5.00		01/09/89		06/06/89		05/12/89	6.00
				05/24/89		10/18/89	12.00		NR
				08/04/89	8.00	11/30/89	9.00		NR
				08/04/89	5.00		NR		NR
				10/11/89	11.00		NR		NR
ZINC	PPB	5.00	5000.00	01/09/89	197.00	06/06/89		05/12/89	
				05/24/89	184.00	10/18/89			NR
				08/04/89	218.00	11/30/89			NR
				08/04/89	195.00		NR		NR
				10/11/89	43.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-9	SAMPLE DATE	1-H4-10	SAMPLE DATE	1-H4-11
ALKALIN		20000.00		01/06/89	162000.00	05/18/89	79000.00	05/12/89	112000.00
				05/15/89	173000.00		NR		NR
ALPHA	PCI/L	4.00	15.00	01/06/89	5.04		NR		NR
					(2.32)				
ALPHAHI	PCI/L	4.00	15.00	05/15/89	6.31	05/18/89		05/12/89	4.62
					(2.86)				(2.23)
				12/27/89	7.12		NR		NR
					(2.94)				
ARSENIC	PPB	5.00	50.00	05/15/89	13.00	05/18/89		05/12/89	
BARIUM	PPB	6.00	1000.00	01/06/89	51.00	05/18/89	35.00	05/12/89	39.00
				05/15/89	54.00		NR		NR
				12/27/89	65.00		NR		NR
BETA	PCI/L	8.00	50.00	01/06/89	21.50	05/18/89	2.66	05/12/89	61.10 +
					(3.85)		(2.16)		(5.91)
				05/15/89	27.60		NR		NR
					(4.24)				
				12/27/89	26.40		NR		NR
					(4.24)				
BISSEPH	PPB	10.00		05/15/89		05/18/89		05/12/89	23.00
BORON	PPB	10.00		01/06/89	119.00	05/18/89	16.00	05/12/89	25.00
				05/15/89	52.00		NR		NR
				12/27/89	76.00		NR		NR
CALCIUM	PPB	50.00		01/06/89	76000.00	05/18/89	27300.00	05/12/89	53800.00
				05/15/89	75900.00		NR		NR
				12/27/89	81100.00		NR		NR
CHLFORM	PPB	5.00	100.00	05/15/89	10.00	05/18/89		05/12/89	17.00
CHLORID	PPB	500.00	250000.00	01/06/89	9900.00	05/18/89	1800.00	05/12/89	5200.00
				05/15/89	10200.00		NR		NR
				12/27/89	11800.00		NR		NR
CHROMIUM	PPB	10.00	50.00	01/06/89	106.00 *	05/18/89	13.00	05/12/89	136.00 *
				05/15/89	43.00		NR		NR
				12/27/89	93.00 *		NR		NR
CONDFO	UMHO	1.00	700.00	01/06/89	555.00	05/18/89	160.00	05/12/89	303.00
				05/15/89	481.00		NR		NR
				12/27/89	644.00		NR		NR
FARSENI	PPB	5.00	50.00	05/15/89	9.00	05/18/89		05/12/89	
FBARIUM	PPB	6.00	1000.00	01/06/89	53.00	05/18/89	37.00	05/12/89	36.00
				05/15/89	62.00		NR		NR
				12/27/89	61.00		NR		NR
FBORON	PPB	10.00		01/06/89	306.00	05/18/89	11.00	05/12/89	21.00
				05/15/89	63.00		NR		NR
				12/27/89	74.00		NR		NR
FCALCIU	PPB	50.00		01/06/89	75200.00	05/18/89	25700.00	05/12/89	52300.00
				05/15/89	84700.00		NR		NR
				12/27/89	80000.00		NR		NR
FCHROMI	PPB	10.00	50.00	01/06/89	110.00 *	05/18/89	17.00	05/12/89	132.00 *
				05/15/89	49.00		NR		NR
				12/27/89	88.00 *		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-9	SAMPLE DATE	1-H4-10	SAMPLE DATE	1-H4-11
FMAGNES	PPB	50.00		01/06/89	13600.00	05/18/89	6060.00	05/12/89	7930.00
				05/15/89	16800.00		NR		NR
				12/27/89	14400.00		NR		NR
FPOTASS	PPB	100.00		01/06/89	5310.00	05/18/89	2700.00	05/12/89	2970.00
				05/15/89	5830.00		NR		NR
				12/27/89	5410.00		NR		NR
FSILICO	PPB	50.00		01/06/89	14400.00	05/18/89	9920.00	05/12/89	12900.00
				05/15/89	15900.00		NR		NR
				12/27/89	14700.00		NR		NR
FSODIUM	PPB	200.00		01/06/89	24600.00	05/18/89	6780.00	05/12/89	12500.00
				05/15/89	27300.00		NR		NR
				12/27/89	27300.00		NR		NR
FSTRONT	PPB	10.00		01/06/89	352.00	05/18/89	127.00	05/12/89	243.00
				05/15/89	408.00		NR		NR
				12/27/89	375.00		NR		NR
FVANADI	PPB	5.00		01/06/89	6.00	05/18/89	6.00	05/12/89	
				05/15/89	7.00		NR		NR
				12/27/89			NR		NR
FZINC	PPB	5.00	5000.00	01/06/89	8.00	05/18/89		05/12/89	
				05/15/89			NR		NR
				12/27/89	10.00		NR		NR
IRON	PPB	30.00	300.00	01/06/89	101.00	05/18/89		05/12/89	163.00
				05/15/89	75.00		NR		NR
				12/27/89	224.00		NR		NR
MAGNES	PPB	50.00		01/06/89	13400.00	05/18/89	5960.00	05/12/89	7970.00
				05/15/89	13900.00		NR		NR
				12/27/89	14900.00		NR		NR
MANGESE	PPB	5.00	50.00	01/06/89		05/18/89		05/12/89	7.00
				05/15/89			NR		NR
				12/27/89	6.00		NR		NR
NITRATE	PPB	500.00	45000.00	01/06/89	58000.00 *	05/18/89	12700.00	05/12/89	32000.00
				05/15/89	69300.00 *		NR		NR
				12/27/89	68500.00 *		NR		NR
PH-LAB		0.01	8.50	01/06/89	7.70	05/18/89	7.40	05/12/89	7.90
				05/15/89	7.80		NR		NR
PHFIELD		0.10	8.50	01/06/89	7.30	05/18/89	7.20	05/12/89	7.40
				05/15/89	7.40		NR		NR
				12/27/89	7.99		NR		NR
POTASUM	PPB	100.00		01/06/89	5150.00	05/18/89	2620.00	05/12/89	3050.00
				05/15/89	4990.00		NR		NR
				12/27/89	5570.00		NR		NR
SILICON	PPB	50.00		01/06/89	14700.00	05/18/89	10000.00	05/12/89	12900.00
				05/15/89	13100.00		NR		NR
				12/27/89	15200.00		NR		NR
SODIUM	PPB	200.00		01/06/89	24700.00	05/18/89	6560.00	05/12/89	12700.00
				05/15/89	23900.00		NR		NR
				12/27/89	28200.00		NR		NR
STRONUM	PPB	10.00		01/06/89	335.00	05/18/89	128.00	05/12/89	246.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-9	SAMPLE DATE	1-H4-10	SAMPLE DATE	1-H4-11
STRONUM	PPB	10.00		05/15/89	358.00		NR		NR
				12/27/89	389.00		NR		NR
SULFATE	PPB	500.00	250000.00	01/06/89	80100.00	05/18/89	19000.00	05/12/89	40600.00
				05/15/89	72000.00		NR		NR
				12/27/89	86200.00		NR		NR
TC	PPB	1000.00		05/15/89	39900.00	05/18/89	19300.00	05/12/89	26300.00
TC-99	PCI/L	15.00	900.00	01/06/89	157.00	05/18/89		05/12/89	88.90
					(2.60)				(2.04)
				05/15/89	235.00		NR		NR
					(3.04)				
TOXLDL	PPB	10.00		01/06/89	17.00	05/18/89		05/12/89	24.00
				05/15/89	23.00		NR		NR
TRCMFLM	PPB	10.00		05/15/89		05/18/89		05/12/89	13.00
TRITIUM	PCI/L	500.00	20000.00	05/15/89	1360.00	05/18/89	429.00	05/25/89	989.00
					(137.00)		(137.00)		(158.00)
				10/18/89	2970.00	10/18/89	3630.00	10/18/89	1700.00
					(221.00)		(232.00)		(184.00)
TURBID	NTU	0.10	1.00	05/15/89	0.30	05/18/89		05/12/89	0.40
U	PCI/L	0.50	600.00	01/06/89	4.85	05/18/89		05/12/89	5.26
				05/15/89	6.18		NR		NR
VANADIUM	PPB	5.00		01/06/89		05/18/89		05/12/89	9.00
				05/15/89	6.00		NR		NR
				12/27/89			NR		NR
ZINC	PPB	5.00	5000.00	01/06/89		05/18/89		05/12/89	
				05/15/89	33.00		NR		NR
				12/27/89	8.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-12A	SAMPLE DATE	1-H4-12B	SAMPLE DATE	1-H4-12C
ALKALIN		20000.00		01/06/89	123000.00	01/06/89	137000.00	01/06/89	106000.00
				05/23/89	88500.00	05/22/89	110000.00	05/22/89	105000.00
				08/02/89	147000.00	08/02/89	144000.00	08/02/89	100000.00
				10/11/89	150000.00		NR	10/11/89	102000.00
ALPHA	PCI/L	4.00	15.00	01/06/89	6.28	01/06/89	5.22	01/06/89	1.32
					(2.80)		(2.94)		(1.29)
ALPHAHI	PCI/L	4.00	15.00	05/23/89	1.35	05/22/89	3.12	05/22/89	0.90
					(1.05)		(1.71)		(0.82)
				08/02/89	21.70 *	08/02/89	6.60	08/02/89	
					(5.33)		(2.35)		
				10/11/89	11.10		NR	10/11/89	1.09
					(3.34)				(0.98)
ARSENIC	PPB	5.00	50.00	05/23/89	6.00	05/22/89		05/22/89	5.00
BARIUM	PPB	6.00	1000.00	01/06/89	49.00	01/06/89	100.00	01/06/89	
				05/23/89	36.00	05/22/89	79.00	05/22/89	6.00
				08/02/89	79.00	08/02/89	113.00	08/02/89	7.00
				10/11/89	67.00		NR	10/11/89	9.00
BETA	PCI/L	8.00	50.00	01/06/89	10.90	01/06/89	10.40	01/06/89	3.92
					(3.00)		(2.87)		(2.15)
				05/23/89		05/22/89	5.98	05/22/89	2.73
							(2.49)		(2.20)
				08/02/89	32.60	08/02/89	33.30	08/02/89	5.70
					(4.48)		(6.90)		(2.51)
				10/11/89	16.10		NR	10/11/89	4.72
					(3.42)				(2.41)
BORON	PPB	10.00		01/06/89	42.00	01/06/89	48.00	01/06/89	13.00
				05/23/89	23.00	05/22/89	42.00	05/22/89	16.00
				08/02/89	33.00	08/02/89	45.00	08/02/89	
				10/11/89	39.00		NR	10/11/89	12.00
CADMIUM	PPB	2.00	10.00	01/06/89		01/06/89		01/06/89	
				05/23/89		05/22/89		05/22/89	
				08/02/89		08/02/89		08/02/89	
				10/11/89	2.00		NR	10/11/89	
CALCIUM	PPB	50.00		01/06/89	53600.00	01/06/89	69800.00	01/06/89	30300.00
				05/23/89	39400.00	05/22/89	50100.00	05/22/89	29700.00
				08/02/89	81400.00	08/02/89	74200.00	08/02/89	29700.00
				10/11/89	72700.00		NR	10/11/89	29200.00
CHLFORM	PPB	5.00	100.00	05/23/89		05/22/89		05/22/89	9.00
CHLORID	PPB	500.00	250000.00	01/06/89	5900.00	01/06/89	7200.00	01/06/89	2500.00
				05/23/89	3000.00	05/22/89	6700.00	05/22/89	2500.00
				08/02/89	9000.00	08/02/89	9000.00	08/02/89	2500.00
				10/11/89	8800.00		NR	10/11/89	2700.00
CHROMIUM	PPB	10.00	50.00	01/06/89	94.00 *	01/06/89	128.00 *	01/06/89	279.00 *
				05/23/89	28.00	05/22/89	72.00 *	05/22/89	265.00 *
				08/02/89	98.00 *	08/02/89	86.00 *	08/02/89	299.00 *
				10/11/89	72.00 *		NR	10/11/89	299.00 *
COND FLD	UMHO	1.00	700.00	01/06/89	252.00	01/06/89	289.00	01/06/89	150.00
				05/23/89	304.00	05/22/89	380.00	05/22/89	273.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-12A	SAMPLE DATE	1-H4-12B	SAMPLE DATE	1-H4-12C
CONDFLD	UMHO	1.00	700.00	08/02/89	590.00	08/02/89	284.00	08/02/89	150.00
				10/11/89	536.00		NR	10/11/89	268.00
COPPER	PPB	10.00	(1300.0)	01/06/89		01/06/89	67.00	01/06/89	
				05/23/89		05/22/89		05/22/89	
				08/02/89		08/02/89		08/02/89	
				10/11/89			NR	10/11/89	
FARSENI	PPB	5.00	50.00	05/23/89		05/22/89		05/22/89	5.00
FBARIUM	PPB	6.00	1000.00	01/06/89	48.00	01/06/89	103.00	01/06/89	6.00
				05/23/89	35.00	05/22/89	86.00	05/22/89	7.00
				08/02/89	80.00	08/02/89	120.00	08/02/89	7.00
				10/11/89	60.00		NR	10/11/89	7.00
FBERYLL	PPB	5.00		01/06/89		01/06/89		01/06/89	
				05/23/89		05/22/89		05/22/89	
				08/02/89		08/02/89	8.00	08/02/89	
				10/11/89	7.00		NR	10/11/89	
FBORON	PPB	10.00		01/06/89	98.00	01/06/89	65.00	01/06/89	46.00
				05/23/89	21.00	05/22/89	58.00	05/22/89	14.00
				08/02/89	42.00	08/02/89	55.00	08/02/89	12.00
				10/11/89	39.00		NR	10/11/89	
FCALCIU	PPB	50.00		01/06/89	51600.00	01/06/89	72100.00	01/06/89	31200.00
				05/23/89	38800.00	05/22/89	54900.00	05/22/89	34200.00
				08/02/89	83600.00	08/02/89	79200.00	08/02/89	34900.00
				10/11/89	65500.00		NR	10/11/89	29400.00
FCHROMI	PPB	10.00	50.00	01/06/89	94.00 *	01/06/89	128.00 *	01/06/89	284.00 *
				05/23/89	31.00	05/22/89	81.00 *	05/22/89	318.00 *
				08/02/89	98.00 *	08/02/89	90.00 *	08/02/89	349.00 *
				10/11/89	63.00 *		NR	10/11/89	295.00 *
FIRON	PPB	30.00	300.00	01/06/89		01/06/89		01/06/89	37.00
				05/23/89		05/22/89		05/22/89	
				08/02/89		08/02/89		08/02/89	
				10/11/89			NR	10/11/89	
FMAGNES	PPB	50.00		01/06/89	8260.00	01/06/89	11200.00	01/06/89	10700.00
				05/23/89	6930.00	05/22/89	8990.00	05/22/89	11900.00
				08/02/89	12600.00	08/02/89	12600.00	08/02/89	12400.00
				10/11/89	10400.00		NR	10/11/89	10300.00
FNICKEL	PPB	10.00		01/06/89		01/06/89		01/06/89	22.00
				05/23/89		05/22/89		05/22/89	31.00
				08/02/89		08/02/89		08/02/89	20.00
				10/11/89			NR	10/11/89	16.00
FPOTASS	PPB	100.00		01/06/89	4350.00	01/06/89	5270.00	01/06/89	4700.00
				05/23/89	3960.00	05/22/89	4870.00	05/22/89	5210.00
				08/02/89	6210.00	08/02/89	6020.00	08/02/89	5380.00
				10/11/89	4650.00		NR	10/11/89	4080.00
FSILICO	PPB	50.00		01/06/89	12700.00	01/06/89	14100.00	01/06/89	27400.00
				05/23/89	12600.00	05/22/89	14200.00	05/22/89	30600.00
				08/02/89	14600.00	08/02/89	15300.00	08/02/89	34100.00
				10/11/89	12700.00		NR	10/11/89	29200.00
FSODIUM	PPB	200.00		01/06/89	12400.00	01/06/89	12500.00	01/06/89	5010.00
				05/23/89	9880.00	05/22/89	12700.00	05/22/89	4840.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-12A	SAMPLE DATE	1-H4-12B	SAMPLE DATE	1-H4-12C
FSCDIUM	PPB	200.00		08/02/89	29300.00	08/02/89	18300.00	08/02/89	5050.00
				10/11/89	15200.00		NR	10/11/89	3820.00
FSTRONT	PPB	10.00		01/06/89	245.00	01/06/89	332.00	01/06/89	219.00
				05/23/89	188.00	05/22/89	272.00	05/22/89	243.00
				08/02/89	397.00	08/02/89	385.00	08/02/89	254.00
				10/11/89	307.00		NR	10/11/89	204.00
FVANADI	PPB	5.00		01/06/89	5.00	01/06/89		01/06/89	24.00
				05/23/89	8.00	05/22/89	8.00	05/22/89	29.00
				08/02/89		08/02/89	8.00	08/02/89	29.00
				10/11/89			NR	10/11/89	33.00
FZINC	PPB	5.00	5000.00	01/06/89	7.00	01/06/89	12.00	01/06/89	9.00
				05/23/89	7.00	05/22/89		05/22/89	
				08/02/89	7.00	08/02/89		08/02/89	
				10/11/89			NR	10/11/89	
IRON	PPB	30.00	300.00	01/06/89		01/06/89	84.00	01/06/89	65.00
				05/23/89		05/22/89		05/22/89	
				08/02/89		08/02/89		08/02/89	
				10/11/89			NR	10/11/89	33.00
MAGNES	PPB	50.00		01/06/89	8540.00	01/06/89	10800.00	01/06/89	10400.00
				05/23/89	7160.00	05/22/89	8530.00	05/22/89	10800.00
				08/02/89	11800.00	08/02/89	11400.00	08/02/89	10100.00
				10/11/89	11500.00		NR	10/11/89	10300.00
NICKEL	PPB	10.00		01/06/89		01/06/89		01/06/89	22.00
				05/23/89		05/22/89		05/22/89	32.00
				08/02/89		08/02/89		08/02/89	18.00
				10/11/89			NR	10/11/89	18.00
NITRATE	PPB	500.00	45000.00	01/06/89	29100.00	01/06/89	39000.00	01/06/89	6400.00
				05/23/89	30200.00	05/22/89	27400.00	05/22/89	6400.00
				08/02/89	82000.00 *	08/02/89	49000.00 *	08/02/89	6800.00
				10/11/89	59000.00 *		NR	10/11/89	6300.00
PH-LAB		0.01	8.50	01/06/89	7.80	01/06/89	7.90	01/06/89	7.80
				05/23/89	8.00	05/22/89	8.00	05/22/89	8.00
				08/02/89	7.90	08/02/89	7.90	08/02/89	8.00
				10/11/89	7.90		NR	10/11/89	8.00
PHFIELD		0.10	8.50	01/06/89	8.00	01/06/89	8.10	01/06/89	9.00 *
				05/23/89	7.82	05/22/89	7.83	05/22/89	7.81
				08/02/89	7.85	08/02/89	7.89	08/02/89	8.01
				10/11/89	7.86		NR	10/11/89	8.02
POTASUM	PPB	100.00		01/06/89	4410.00	01/06/89	5030.00	01/06/89	4500.00
				05/23/89	3840.00	05/22/89	4480.00	05/22/89	4550.00
				08/02/89	5840.00	08/02/89	5490.00	08/02/89	4310.00
				10/11/89	5160.00		NR	10/11/89	4320.00
RADIUM	PCI/L	1.00	5.00	05/23/89	0.57	05/22/89		05/22/89	
					(0.28)				
SILICON	PPB	50.00		01/06/89	13300.00	01/06/89	13800.00	01/06/89	26700.00
				05/23/89	13100.00	05/22/89	13200.00	05/22/89	27100.00
				08/02/89	14400.00	08/02/89	14300.00	08/02/89	29000.00
				10/11/89	13800.00		NR	10/11/89	29000.00
SODIUM	PPB	200.00		01/06/89	12500.00	01/06/89	12000.00	01/06/89	4860.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-12A	SAMPLE DATE	1-H4-12B	SAMPLE DATE	1-H4-12C
SODIUM	PPB	200.00		05/23/89	9600.00	05/22/89	11500.00	05/22/89	4200.00
				08/02/89	28300.00	08/02/89	16700.00	08/02/89	4040.00
				10/11/89	17100.00		NR	10/11/89	3910.00
STRONUM	PPB	10.00		01/06/89	245.00	01/06/89	313.00	01/06/89	206.00
				05/23/89	184.00	05/22/89	241.00	05/22/89	208.00
				08/02/89	376.00	08/02/89	351.00	08/02/89	208.00
				10/11/89	346.00		NR	10/11/89	204.00
SULFATE	PPB	500.00	250000.00	01/06/89	48100.00	01/06/89	59300.00	01/06/89	24200.00
				05/23/89	33000.00	05/22/89	44000.00	05/22/89	24700.00
				08/02/89	70000.00	08/02/89	58000.00	08/02/89	24400.00
				10/11/89	61000.00		NR	10/11/89	23900.00
TC	PPB	1000.00		05/23/89	20100.00	05/22/89	26400.00	05/22/89	23400.00
TC-99	PCI/L	15.00	900.00	01/06/89	34.60	01/06/89	58.40	01/06/89	
					(1.66)		(1.90)		
				05/23/89	91.30	05/22/89	26.30	05/22/89	
					(2.05)		(1.45)		
				08/02/89		08/02/89	87.40	08/02/89	
							(1.98)		
				10/11/89	154.00		NR	10/11/89	
					(2.46)				
TOXLDL	PPB	10.00		01/06/89	12.00	01/06/89	14.00	01/06/89	15.00
				05/23/89		05/22/89		05/22/89	
				08/02/89	12.00	08/02/89	12.00	08/02/89	
				10/11/89	14.00		NR	10/11/89	
TURBID	NTU	0.10	1.00	05/23/89		05/22/89	0.10	05/22/89	
				08/02/89	0.70	08/02/89	0.20	08/02/89	0.10
				10/11/89	0.20		NR	10/11/89	0.20
U	PCI/L	0.50	600.00	01/06/89	4.50	01/06/89	4.30	01/06/89	1.09
				05/23/89	1.68	05/22/89	2.48	05/22/89	2.19
				08/02/89	20.80	08/02/89	5.60	08/02/89	1.06
				10/11/89	7.07		NR	10/11/89	0.89
VANADUM	PPB	5.00		01/06/89		01/06/89		01/06/89	17.00
				05/23/89	11.00	05/22/89	10.00	05/22/89	25.00
				08/02/89		08/02/89	7.00	08/02/89	26.00
				10/11/89	6.00		NR	10/11/89	35.00
ZINC	PPB	5.00	5000.00	01/06/89		01/06/89	42.00	01/06/89	
				05/23/89		05/22/89		05/22/89	
				08/02/89		08/02/89		08/02/89	7.00
				10/11/89			NR	10/11/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-13	SAMPLE DATE	1-H4-14	SAMPLE DATE	1-H4-15A
ALKALIN		20000.00		05/23/89	93800.00 NR	05/18/89 10/17/89	103000.00 104000.00	05/25/89	98400.00 NR
ALPHAHI	PCI/L	4.00	15.00	05/23/89		05/18/89	1.48 (1.15)	05/25/89	1.37 (1.34)
				05/23/89	1.72 (1.19)	10/17/89	3.16 (1.68)		NR
BARIUM	PPB	6.00	1000.00	05/23/89	27.00	05/18/89	19.00	05/25/89	60.00
BETA	PCI/L	8.00	50.00	05/23/89	26.00	10/17/89	23.00		NR
				05/23/89	48.70 (5.15)	05/18/89	6.36 (2.65)	05/25/89	4.58 (2.42)
				05/23/89	50.20 + (5.23)	10/17/89	5.93 (2.60)		NR
BISZEPH	PPB	10.00		05/23/89		05/18/89		05/25/89	20.00
BORON	PPB	10.00		05/23/89	22.00	05/18/89	19.00	05/25/89	25.00
				05/23/89	24.00	10/17/89	19.00		NR
CALCIUM	PPB	50.00		05/23/89	41200.00	05/18/89	44100.00	05/25/89	45300.00
				05/23/89	42400.00	10/17/89	44600.00		NR
CHLFORM	PPB	5.00	100.00	05/23/89	17.00	05/18/89	28.00	05/25/89	
				05/23/89	18.00		NR		NR
CHLORID	PPB	500.00	250000.00	05/23/89	3800.00	05/18/89	5100.00	05/25/89	4800.00
				05/23/89	3800.00	10/17/89	5800.00		NR
CHROMIUM	PPB	10.00	50.00	05/23/89	51.00 *	05/18/89	378.00 *	05/25/89	53.00 *
				05/23/89	51.00 *	10/17/89	375.00 *		NR
CONDFLD	UMHO	1.00	700.00	05/23/89	289.00	05/18/89	280.00	05/25/89	360.00
					NR	10/17/89	358.00		NR
FBARIUM	PPB	6.00	1000.00	05/23/89	21.00	05/18/89	22.00	05/25/89	53.00
				05/23/89	23.00	10/17/89	30.00		NR
FBORON	PPB	10.00		05/23/89	13.00	05/18/89	18.00	05/25/89	26.00
				05/23/89	13.00	10/17/89	13.00		NR
FCALCIU	PPB	50.00		05/23/89	41300.00	05/18/89	42600.00	05/25/89	42500.00
				05/23/89	38300.00	10/17/89	49600.00		NR
FCHROMI	PPB	10.00	50.00	05/23/89	56.00 *	05/18/89	358.00 *	05/25/89	47.00
				05/23/89	48.00	10/17/89	420.00 *		NR
FMAGNES	PPB	50.00		05/23/89	6860.00	05/18/89	8530.00	05/25/89	8870.00
				05/23/89	6380.00	10/17/89	9550.00		NR
FPOTASS	PPB	100.00		05/23/89	2320.00	05/18/89	4250.00	05/25/89	4260.00
				05/23/89	2110.00	10/17/89	4450.00		NR
FSILICO	PPB	50.00		05/23/89	12500.00	05/18/89	13500.00	05/25/89	14600.00
				05/23/89	11600.00	10/17/89	14900.00		NR
FSODIUM	PPB	200.00		05/23/89	6540.00	05/18/89	8260.00	05/25/89	9580.00
				05/23/89	6020.00	10/17/89	8790.00		NR
FSTRONT	PPB	10.00		05/23/89	190.00	05/18/89	219.00	05/25/89	220.00
				05/23/89	178.00	10/17/89	253.00		NR
FVANADI	PPB	5.00		05/23/89		05/18/89	5.00	05/25/89	7.00
				05/23/89		10/17/89	11.00		NR
FZINC	PPB	5.00	5000.00	05/23/89		05/18/89		05/25/89	
				05/23/89	5.00	10/17/89			NR
IRON	PPB	30.00	300.00	05/23/89	36.00	05/18/89		05/25/89	31.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-13	SAMPLE DATE	1-H4-14	SAMPLE DATE	1-H4-15A
IRON	PPB	30.00	300.00	05/23/89	31.00	10/17/89			NR
MAGNES	PPB	50.00		05/23/89	7070.00	05/18/89	8130.00	05/25/89	9260.00
				05/23/89	7200.00	10/17/89	8650.00		NR
NITRATE	PPB	500.00	45000.00	05/23/89	15800.00	05/18/89	18600.00	05/25/89	41400.00
				05/23/89	16200.00	10/17/89	21700.00		NR
PH-LAB		0.01	8.50	05/23/89	7.70	05/18/89	7.80	05/25/89	7.50
					NR	10/17/89	7.80		NR
PHFIELD		0.10	8.50	05/23/89	7.44	05/18/89	7.70	05/25/89	7.40
					NR	10/17/89	7.40		NR
POTASUM	PPB	100.00		05/23/89	2230.00	05/18/89	3930.00	05/25/89	4480.00
				05/23/89	2250.00	10/17/89	4130.00		NR
RADIUM	PCI/L	1.00	5.00	05/23/89	0.18	05/18/89		05/25/89	
					(0.17)				
				05/23/89	0.36		NR		NR
					(0.21)				
SILICON	PPB	50.00		05/23/89	12800.00	05/18/89	13200.00	05/25/89	15200.00
				05/23/89	13100.00	10/17/89	13400.00		NR
SODIUM	PPB	200.00		05/23/89	6310.00	05/18/89	7760.00	05/25/89	10300.00
				05/23/89	6410.00	10/17/89	7940.00		NR
STRONUM	PPB	10.00		05/23/89	187.00	05/18/89	215.00	05/25/89	233.00
				05/23/89	192.00	10/17/89	221.00		NR
SULFATE	PPB	500.00	250000.00	05/23/89	31900.00	05/18/89	40300.00	05/25/89	49200.00
				05/23/89	32100.00	10/17/89	44000.00		NR
TC	PPB	1000.00		05/23/89	22300.00	05/18/89	23100.00	05/25/89	23100.00
TOXLDL	PPB	10.00		05/23/89	19.00	05/18/89	24.00	05/25/89	
					NR	10/17/89	28.00		NR
TRITIUM	PCI/L	500.00	20000.00		NR	05/18/89	1050.00		NR
							(161.00)		
					NR	10/18/89	1550.00		NR
							(177.00)		
TURBID	NTU	0.10	1.00	05/23/89	0.30	05/18/89		05/25/89	0.30
					NR	10/17/89	0.70		NR
U	PCI/L	0.50	600.00	05/23/89	1.43	05/18/89	1.12	05/25/89	1.22
					NR	10/17/89	1.72		NR
VANADIUM	PPB	5.00		05/23/89	5.00	05/18/89	10.00	05/25/89	6.00
				05/23/89		10/17/89	12.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-15B	SAMPLE DATE	1-H4-16	SAMPLE DATE	1-H4-17
ALKALIN		20000.00		05/25/89	120000.00	05/23/89	106000.00	05/23/89	147000.00
ALPHAHI	PCI/L	4.00	15.00	05/25/89		05/23/89	2.18	05/23/89	2.83
							(1.23)		(1.95)
ALUMNUM	PPB	150.00		05/25/89		05/23/89		05/23/89	518.00
ARSENIC	PPB	5.00	50.00	05/25/89	5.00	05/23/89		05/23/89	
BARIUM	PPB	6.00	1000.00	05/25/89	117.00	05/23/89	21.00	05/23/89	64.00
BETA	PCI/L	8.00	50.00	05/25/89	5.13	05/23/89	15.40	05/23/89	10.10
					(2.55)		(3.34)		(2.98)
BORON	PPB	10.00		05/25/89	26.00	05/23/89	18.00	05/23/89	41.00
CALCIUM	PPB	50.00		05/25/89	47700.00	05/23/89	47000.00	05/23/89	74800.00
CHLFORM	PPB	5.00	100.00	05/25/89		05/23/89	26.00	05/23/89	7.00
CHLORID	PPB	500.00	250000.00	05/25/89	5800.00	05/23/89	5000.00	05/23/89	9800.00
CHROMIUM	PPB	10.00	50.00	05/25/89	90.00 *	05/23/89	13.00	05/23/89	86.00 *
CONOFLD	UMHO	1.00	700.00	05/25/89	386.00	05/23/89	265.00	05/23/89	512.00
FBARIUM	PPB	6.00	1000.00	05/25/89	109.00	05/23/89	19.00	05/23/89	66.00
FBORON	PPB	10.00		05/25/89	27.00	05/23/89	21.00	05/23/89	46.00
FCALCIU	PPB	50.00		05/25/89	44100.00	05/23/89	44100.00	05/23/89	83300.00
FCHROMI	PPB	10.00	50.00	05/25/89	81.00 *	05/23/89	14.00	05/23/89	97.00 *
FMAGNES	PPB	50.00		05/25/89	10200.00	05/23/89	5300.00	05/23/89	16000.00
FNICKEL	PPB	10.00		05/25/89	13.00	05/23/89		05/23/89	
FPOTASS	PPB	100.00		05/25/89	5060.00	05/23/89	2780.00	05/23/89	7550.00
FSILICO	PPB	50.00		05/25/89	18400.00	05/23/89	10600.00	05/23/89	17000.00
FSCDIUM	PPB	200.00		05/25/89	10600.00	05/23/89	4660.00	05/23/89	16400.00
FSTRONT	PPB	10.00		05/25/89	246.00	05/23/89	201.00	05/23/89	398.00
FVANADI	PPB	5.00		05/25/89	9.00	05/23/89		05/23/89	
FZINC	PPB	5.00	5000.00	05/25/89	9.00	05/23/89		05/23/89	
IRON	PPB	30.00	300.00	05/25/89		05/23/89		05/23/89	849.00 *
MAGNES	PPB	50.00		05/25/89	10800.00	05/23/89	5690.00	05/23/89	15100.00
MANGESE	PPB	5.00	50.00	05/25/89		05/23/89		05/23/89	26.00
NITRATE	PPB	500.00	45000.00	05/25/89	22500.00	05/23/89	13900.00	05/23/89	51200.00 *
PH-LAB		0.01	8.50	05/25/89	7.70	05/23/89	8.00	05/23/89	7.50
PHFIELD		0.10	8.50	05/25/89	7.57	05/23/89	7.70	05/23/89	7.40
POTASUM	PPB	100.00		05/25/89	5260.00	05/23/89	2790.00	05/23/89	6970.00
RADIUM	PCI/L	1.00	5.00	05/25/89	0.23	05/23/89		05/23/89	0.76
					(0.16)				(0.28)
SILICON	PPB	50.00		05/25/89	18700.00	05/23/89	10900.00	05/23/89	16300.00
SODIUM	PPB	200.00		05/25/89	11400.00	05/23/89	4680.00	05/23/89	14600.00
STRONIUM	PPB	10.00		05/25/89	263.00	05/23/89	208.00	05/23/89	349.00
SULFATE	PPB	500.00	250000.00	05/25/89	48000.00	05/23/89	30900.00	05/23/89	93600.00
TC	PPB	1000.00		05/25/89	27700.00	05/23/89	23400.00	05/23/89	34700.00
TOXLDL	PPB	10.00		05/25/89	13.00	05/23/89	32.00	05/23/89	20.00
TRITIUM	PCI/L	500.00	20000.00		NR	05/23/89	641.00	05/23/89	3610.00
							(147.00)		(232.00)
					NR	10/18/89	583.00	10/18/89	4170.00
							(148.00)		(248.00)
TURBID	NTU	0.10	1.00	05/25/89		05/23/89	0.10	05/23/89	21.50 *
U	PCI/L	0.50	600.00	05/25/89	1.34	05/23/89	1.04	05/23/89	4.17
VANADUM	PPB	5.00		05/25/89	6.00	05/23/89	10.00	05/23/89	8.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-15B	SAMPLE DATE	1-H4-16	SAMPLE DATE	1-H4-17
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ZINC	PPB	5.00	5000.00	05/25/89	19.00	05/23/89		05/23/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-18	SAMPLE DATE	1-K-11	SAMPLE DATE	1-K-19
ALKALIN		20000.00		01/06/89	120000.00	02/16/89	122000.00	02/16/89	82000.00
				05/23/89	122000.00		NR		NR
				08/02/89	119000.00		NR		NR
				10/11/89	121000.00		NR		NR
ALPHAHI	PCI/L	4.00	15.00	05/23/89	3.45		NR		NR
					(1.66)				
				08/02/89	4.02		NR		NR
					(1.90)				
				10/11/89	3.42		NR		NR
					(1.65)				
ALUMNUM	PPB	150.00		01/06/89			NR		NR
				05/23/89			NR		NR
				08/02/89	243.00		NR		NR
				10/11/89			NR		NR
BARIUM	PPB	6.00	1000.00	01/06/89	33.00		NR		NR
				05/23/89	35.00		NR		NR
				08/02/89	34.00		NR		NR
				10/11/89	32.00		NR		NR
BETA	PCI/L	8.00	50.00	01/06/89	10.80	06/12/89	5.05		NR
					(2.99)		(2.52)		
				05/23/89	16.30	10/16/89	7.23		NR
					(3.46)		(2.75)		
				08/02/89	10.40		NR		NR
					(2.99)				
				10/11/89	9.05		NR		NR
					(2.76)				
BORON	PPB	10.00		01/06/89	40.00		NR		NR
				05/23/89	27.00		NR		NR
				08/02/89	26.00		NR		NR
				10/11/89	27.00		NR		NR
CALCIUM	PPB	50.00		01/06/89	54100.00		NR		NR
				05/23/89	52800.00		NR		NR
				08/02/89	51800.00		NR		NR
				10/11/89	50000.00		NR		NR
CHLFORM	PPB	5.00	100.00	05/23/89	21.00		NR		NR
CHLORID	PPB	500.00	250000.00	01/06/89	6900.00	02/16/89	6000.00	02/16/89	7000.00
				05/23/89	5700.00		NR		NR
				08/02/89	5900.00		NR		NR
				10/11/89	6200.00		NR		NR
CHROMIUM	PPB	10.00	50.00	01/06/89	121.00 *		NR		NR
				05/23/89	159.00 *		NR		NR
				08/02/89	186.00 *		NR		NR
				10/11/89	191.00 *		NR		NR
CONDFLD	UMHO	1.00	700.00	01/06/89	374.00	02/16/89	435.00	02/16/89	400.00
				05/23/89	333.00		NR		NR
				08/02/89	380.00		NR		NR
				10/11/89	381.00		NR		NR
FBARIUM	PPB	6.00	1000.00	01/06/89	33.00	02/16/89	28.00	02/16/89	25.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-18	SAMPLE DATE	1-K-11	SAMPLE DATE	1-K-19
FBARIUM	PPB	6.00	1000.00	05/23/89	38.00		NR		NR
				08/02/89	36.00		NR		NR
				10/11/89	32.00		NR		NR
FBORON	PPB	10.00		01/06/89	78.00	02/16/89	18.00	02/16/89	NR
				05/23/89	30.00		NR		NR
				08/02/89	29.00		NR		NR
				10/11/89	20.00		NR		NR
FCADMIU	PPB	2.00	10.00	01/06/89		02/16/89		02/16/89	
				05/23/89			NR		NR
				08/02/89	2.00		NR		NR
				10/11/89			NR		NR
FCALCIU	PPB	50.00		01/06/89	56600.00	02/16/89	35900.00	02/16/89	57800.00
				05/23/89	54300.00		NR		NR
				08/02/89	56400.00		NR		NR
				10/11/89	48600.00		NR		NR
FCHROMI	PPB	10.00	50.00	01/06/89	135.00 *	02/16/89	20.00	02/16/89	112.00 *
				05/23/89	162.00 *		NR		NR
				08/02/89	201.00 *		NR		NR
				10/11/89	179.00 *		NR		NR
FMAGNES	PPB	50.00		01/06/89	9460.00	02/16/89	10100.00	02/16/89	8030.00
				05/23/89	9250.00		NR		NR
				08/02/89	9760.00		NR		NR
				10/11/89	8500.00		NR		NR
FPOTASS	PPB	100.00		01/06/89	4620.00	02/16/89	5580.00	02/16/89	2570.00
				05/23/89	4480.00		NR		NR
				08/02/89	4960.00		NR		NR
				10/11/89	3860.00		NR		NR
FSILICO	PPB	50.00		01/06/89	14300.00	02/16/89	16300.00	02/16/89	7440.00
				05/23/89	13600.00		NR		NR
				08/02/89	15200.00		NR		NR
				10/11/89	13400.00		NR		NR
FSODIUM	PPB	200.00		01/06/89	11800.00	02/16/89	32100.00	02/16/89	5710.00
				05/23/89	11900.00		NR		NR
				08/02/89	12400.00		NR		NR
				10/11/89	9510.00		NR		NR
FSTRONT	PPB	10.00		01/06/89	264.00	02/16/89	196.00	02/16/89	274.00
				05/23/89	262.00		NR		NR
				08/02/89	278.00		NR		NR
				10/11/89	236.00		NR		NR
FVANADI	PPB	5.00		01/06/89		02/16/89	27.00	02/16/89	7.00
				05/23/89			NR		NR
				08/02/89			NR		NR
				10/11/89	6.00		NR		NR
FZINC	PPB	5.00	5000.00	01/06/89	5.00	02/16/89		02/16/89	113.00
				05/23/89			NR		NR
				08/02/89			NR		NR
				10/11/89	6.00		NR		NR
HNITRAT	PPB	2500.00	45000.00		NR	06/12/89	37000.00		NR
					NR	10/16/89	38000.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-18	SAMPLE DATE	1-K-11	SAMPLE DATE	1-K-19
IRON	PPB	30.00	300.00	01/06/89	37.00		NR		NR
				05/23/89	39.00		NR		NR
				08/02/89	357.00 *		NR		NR
				10/11/89			NR		NR
MAGNES	PPB	50.00		01/06/89	8890.00		NR		NR
				05/23/89	9270.00		NR		NR
				08/02/89	8640.00		NR		NR
				10/11/89	8810.00		NR		NR
MANGESE	PPB	5.00	50.00	01/06/89			NR		NR
				05/23/89			NR		NR
				08/02/89	7.00		NR		NR
				10/11/89			NR		NR
NITRATE	PPB	500.00	45000.00	01/06/89	27600.00	02/16/89	38000.00	02/16/89	51300.00 *
				05/23/89	31500.00		NR		NR
				08/02/89	27000.00		NR		NR
				10/11/89	23500.00		NR		NR
PH-LAB		0.01	8.50	01/06/89	7.70	02/16/89	7.90	02/16/89	8.00
				05/23/89	7.90		NR		NR
				08/02/89	7.80		NR		NR
				10/11/89	7.80		NR		NR
PHFIELD		0.10	8.50	01/06/89	7.80	02/16/89	8.00	02/16/89	7.90
				05/23/89	7.47		NR		NR
				08/02/89	7.75		NR		NR
				10/11/89	7.68		NR		NR
POTASUM	PPB	100.00		01/06/89	4200.00		NR		NR
				05/23/89	4390.00		NR		NR
				08/02/89	4210.00		NR		NR
				10/11/89	4130.00		NR		NR
SILICON	PPB	50.00		01/06/89	13700.00		NR		NR
				05/23/89	13500.00		NR		NR
				08/02/89	14300.00		NR		NR
				10/11/89	13800.00		NR		NR
SODIUM	PPB	200.00		01/06/89	11000.00		NR		NR
				05/23/89	11300.00		NR		NR
				08/02/89	10700.00		NR		NR
				10/11/89	9810.00		NR		NR
STRONUM	PPB	10.00		01/06/89	244.00		NR		NR
				05/23/89	247.00		NR		NR
				08/02/89	244.00		NR		NR
				10/11/89	235.00		NR		NR
SULFATE	PPB	500.00	250000.00	01/06/89	48600.00	02/16/89	42600.00	02/16/89	57900.00
				05/23/89	47600.00		NR		NR
				08/02/89	44000.00		NR		NR
				10/11/89	43000.00		NR		NR
TC	PPB	1000.00		05/23/89	27700.00	02/16/89	28900.00	02/16/89	19000.00
TC-99	PCI/L	15.00	900.00	01/06/89	25.20	06/12/89			NR
					(1.49)				
				05/23/89	65.50		NR		NR
					(1.81)				

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-H4-18	SAMPLE DATE	1-K-11	SAMPLE DATE	1-K-19
TC-99	PCI/L	15.00	900.00	08/02/89	22.70		NR		NR
					(1.39)				
				10/11/89	20.10		NR		NR
					(1.32)				
TOXLDL	PPB	10.00		01/06/89	26.00		NR		NR
				05/23/89	22.00		NR		NR
				08/02/89	24.00		NR		NR
				10/11/89	35.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	05/23/89	1400.00	06/12/89	3660.00		NR
					(174.00)		(235.00)		
				10/19/89	1580.00	10/16/89	1680.00		NR
					(180.00)		(182.00)		
TURBID	NTU	0.10	1.00	05/23/89	0.60		NR		NR
				08/02/89	4.60 *		NR		NR
				10/11/89	0.50		NR		NR
U	PCI/L	0.50	600.00	01/06/89	1.57	06/12/89	2.75		NR
				05/23/89	3.65	10/16/89	3.43		NR
				08/02/89	3.27		NR		NR
				10/11/89	2.11		NR		NR
VANADUM	PPB	5.00		01/06/89			NR		NR
				05/23/89	14.00		NR		NR
				08/02/89	8.00		NR		NR
				10/11/89	14.00		NR		NR
ZINC	PPB	5.00	5000.00	01/06/89	7.00		NR		NR
				05/23/89			NR		NR
				08/02/89	20.00		NR		NR
				10/11/89			NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-K-20	SAMPLE DATE	1-K-22	SAMPLE DATE	1-K-27
ALKALIN BETA	PCI/L	20000.00 8.00	50.00	02/16/89	82000.00 NR	02/16/89 10/17/89	88000.00 7.63 (2.70) NR	02/14/89 06/13/89 10/16/89	118000.00 29.80 (4.30) 15.20 (3.35) 3100.00
CHLORID CO-60	PPB PCI/L	500.00 22.50	250000.00 100.00	02/16/89	4400.00 NR NR	02/16/89 10/17/89	3900.00 NR	02/14/89 06/13/89 06/13/89	5.68 (5.08)
COND FLD	UMHD	1.00	700.00	02/16/89	322.00	02/16/89	294.00	10/16/89	311.00
FBARIUM	PPB	6.00	1000.00	02/16/89	19.00	02/16/89	19.00	02/14/89	24.00
FBORON	PPB	10.00		02/16/89		02/16/89		02/14/89	190.00
FCALCIU	PPB	50.00		02/16/89	45500.00	02/16/89	36400.00	02/14/89	35100.00
FCHROMI	PPB	10.00	50.00	02/16/89	160.00 *	02/16/89	98.00 *	02/14/89	
FMAGNES	PPB	50.00		02/16/89	7760.00	02/16/89	6670.00	02/14/89	7810.00
FPOTASS	PPB	100.00		02/16/89	3230.00	02/16/89	2300.00	02/14/89	4290.00
FSILICO	PPB	50.00		02/16/89	10400.00	02/16/89	6430.00	02/14/89	10600.00
FSODIUM	PPB	200.00		02/16/89	4480.00	02/16/89	5280.00	02/14/89	6230.00
FSTRONT	PPB	10.00		02/16/89	220.00	02/16/89	193.00	02/14/89	174.00
FVANADI	PPB	5.00		02/16/89	9.00	02/16/89		02/14/89	15.00
FZINC	PPB	5.00	5000.00	02/16/89		02/16/89	626.00	02/14/89	17.00
HNITRAT	PPB	2500.00	45000.00		NR	10/17/89	4500.00	06/13/89	7700.00
					NR		NR	10/16/89	9000.00
NITRATE	PPB	500.00	45000.00	02/16/89	19000.00	02/16/89	4400.00	02/14/89	3000.00
PH-LAB		0.01	8.50	02/16/89	8.10	02/16/89	7.90	02/14/89	7.90
PHFIELD		0.10	8.50	02/16/89	8.00	02/16/89	8.00	02/14/89	8.30
SB 125	PCI/L	48.00	300.00		NR		NR	06/13/89	142.00
SR 90	PCI/L	5.00	8.00		NR	10/17/89	3.39 (1.19)	06/13/89	(39.90)
					NR		NR	10/16/89	
SULFATE	PPB	500.00	250000.00	02/16/89	51800.00	02/16/89	42200.00	02/14/89	18800.00
TC	PPB	1000.00		02/16/89	18900.00	02/16/89	21000.00	02/14/89	29200.00
TC-99	PCI/L	15.00	900.00		NR		NR	06/13/89	18.90
									(1.32)
TRITIUM	PCI/L	500.00	20000.00		NR	10/17/89	491.00 (145.00)	06/13/89	52600.00 *
					NR		NR	06/13/89	(775.00)
					NR		NR	06/13/89	53700.00 *
					NR		NR	10/16/89	(771.00)
									172000.00 *
									(1390.00)
U	PCI/L	0.50	600.00		NR	10/17/89	1.14	06/13/89	3.16
					NR		NR	10/16/89	5.89

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-K-28	SAMPLE DATE	1-K-29	SAMPLE DATE	1-K-30
ALKALIN BETA	PCI/L	20000.00 8.00	50.00	02/14/89 06/12/89 10/16/89	157000.00 12.90 (3.24) 8.80 (2.78)	02/14/89 06/12/89 10/16/89	102000.00 5.87 (2.52) 3.40 (2.33)	02/14/89 06/12/89 10/17/89	100000.00 5.79 (2.49) 6.71 (2.62)
CHLORID	PPB	500.00	250000.00	02/14/89	14900.00	02/14/89	13400.00	02/14/89	3600.00
CONDFO	UMHO	1.00	700.00	02/14/89	484.00	02/14/89	343.00	02/14/89	400.00
FBARIUM	PPB	6.00	1000.00	02/14/89	35.00	02/14/89	20.00	02/14/89	24.00
FBORON	PPB	10.00		02/14/89	24.00	02/14/89	11.00	02/14/89	10.00
FCALCIU	PPB	50.00		02/14/89	56400.00	02/14/89	35300.00	02/14/89	43200.00
FMAGNES	PPB	50.00		02/14/89	12300.00	02/14/89	8750.00	02/14/89	9740.00
FPOTASS	PPB	100.00		02/14/89	5680.00	02/14/89	4180.00	02/14/89	4840.00
FSILICO	PPB	50.00		02/14/89	13500.00	02/14/89	11600.00	02/14/89	13100.00
FSODIUM	PPB	200.00		02/14/89	11800.00	02/14/89	7530.00	02/14/89	9750.00
FSTRONT	PPB	10.00		02/14/89	292.00	02/14/89	172.00	02/14/89	232.00
FVANADI	PPB	5.00		02/14/89	8.00	02/14/89	8.00	02/14/89	8.00
FZINC	PPB	5.00	5000.00	02/14/89		02/14/89		02/14/89	8.00
HNITRAT	PPB	2500.00	45000.00	06/12/89 10/16/89	23500.00 25000.00	06/12/89 10/16/89	8100.00 8000.00	06/12/89 10/17/89	42900.00 66000.00 *
NITRATE	PPB	500.00	45000.00	02/14/89	22600.00	02/14/89	9100.00	02/14/89	43400.00
PH-LAB		0.01	8.50	02/14/89	7.80	02/14/89	8.00	02/14/89	8.00
PHFIELD		0.10	8.50	02/14/89	8.00	02/14/89	8.30	02/14/89	8.60 *
SULFATE	PPB	500.00	250000.00	02/14/89	27300.00	02/14/89	22000.00	02/14/89	30500.00
TC	PPB	1000.00		02/14/89	40500.00	02/14/89		02/14/89	23200.00
TC-99	PCI/L	15.00	900.00	06/12/89		06/12/89		06/12/89	11.60 (1.30)
TRITIUM	PCI/L	500.00	20000.00	06/12/89 06/12/89 10/16/89 10/16/89	2290.00 (204.00) 2290.00 (201.00) 2200.00 (197.00)	06/12/89 06/12/89 10/16/89 10/16/89	11000.00 (369.00) 11200.00 (375.00) 8530.00 (327.00)	06/12/89 06/12/89 10/17/89	587000.00 * (2530.00) 570000.00 * (2480.00) 882000.00 * (3070.00)
U	PCI/L	0.50	600.00	06/12/89 10/16/89	4.41 4.29	06/12/89 10/16/89	1.84 2.22	06/12/89 10/17/89	1.73 1.98

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-2	SAMPLE DATE	1-N-3	SAMPLE DATE	1-N-4
ALKALIN ALPHAHI	PCI/L	20000.00 4.00	15.00	08/15/89 03/09/89	66000.00	08/15/89 03/09/89	77000.00	08/15/89 03/09/89	67000.00 1.00 (0.90)
				07/26/89 12/21/89		07/26/89 09/29/89	1.36 (1.04)	06/26/89 09/29/89	
ALUMNUM	PPB	150.00		03/09/89 07/26/89 08/15/89 12/21/89	NR	11/08/89 03/09/89 07/26/89 08/15/89 09/29/89	354.00	11/08/89 03/09/89 06/26/89 08/15/89 09/29/89	170.00
BARIUM	PPB	6.00	1000.00	03/09/89 07/26/89 08/15/89 12/21/89	NR 20.00 21.00 19.00 18.00	11/08/89 03/09/89 07/26/89 08/15/89 09/29/89 11/08/89	100.00 38.00 36.00 42.00 28.00	11/08/89 03/09/89 06/26/89 08/15/89 09/29/89 11/08/89	24.00 21.00 21.00 19.00 14.00
BERYLUM	PPB	5.00		03/09/89 07/26/89 08/15/89 12/21/89	NR	03/09/89 07/26/89 08/15/89 09/29/89 11/08/89		03/09/89 06/26/89 08/15/89 09/29/89 11/08/89	5.00
BETA	PCI/L	8.00	50.00	03/09/89 07/26/89 12/21/89	NR 4180.00 + (45.10) 4080.00 + (99.60) 3610.00 + (41.30) NR	03/09/89 07/26/89 09/29/89 11/08/89	2820.00 + (37.00) 1250.00 + (55.00) 1010.00 + (22.10) 1220.00 + (24.30)	03/09/89 06/26/89 09/29/89 11/08/89	40.90 (4.78) 39.00 (4.65) 34.40 (4.35) 30.20 (4.20)
BORON	PPB	10.00		03/09/89 07/26/89 08/15/89 12/21/89	14.00 20.00 27.00 20.00 NR	03/09/89 07/26/89 08/15/89 09/29/89 11/08/89	14.00 13.00 26.00 24.00 18.00	03/09/89 06/26/89 08/15/89 09/29/89 11/08/89	28.00 27.00 21.00 22.00 21.00
CADMIUM	PPB	2.00	10.00	03/09/89 07/26/89 08/15/89 12/21/89	NR	03/09/89 07/26/89 08/15/89 09/29/89 11/08/89		03/09/89 06/26/89 08/15/89 09/29/89 11/08/89	2.00
CALCIUM	PPB	50.00		03/09/89 07/26/89 08/15/89 12/21/89	NR 27600.00 29100.00 26800.00 25300.00	03/09/89 07/26/89 08/15/89 09/29/89 11/08/89	83000.00 33500.00 33500.00 29900.00 27200.00	03/09/89 06/26/89 08/15/89 09/29/89 11/08/89	28800.00 25900.00 24800.00 22700.00 21500.00
CHLFORM	PPB	5.00	100.00	03/09/89 07/26/89 12/21/89	NR 5.00	03/09/89 07/26/89 09/29/89	5.00	03/09/89 06/26/89 09/29/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-2	SAMPLE DATE	1-N-3	SAMPLE DATE	1-N-4
CHLFORM	PPB	5.00	100.00		NR	11/08/89		11/08/89	8.00
CHLORID	PPB	500.00	250000.00	03/09/89	900.00	03/09/89	5700.00	03/09/89	2600.00
				07/26/89	1300.00	07/26/89	5700.00	06/26/89	2200.00
				08/15/89	1700.00	08/15/89	4800.00	08/15/89	1800.00
				12/21/89	1400.00	09/29/89	3000.00	09/29/89	1600.00
					NR	11/08/89	2500.00	11/08/89	1700.00
CO-60	PCI/L	22.50	100.00	03/09/89	57.00	03/09/89	24.00	03/09/89	32.70
					(17.30)		(11.90)		(13.80)
				07/26/89	26.90	07/26/89	18.90	06/26/89	25.40
					(11.00)		(13.70)		(14.30)
				12/21/89		09/29/89		09/29/89	11.90
					NR	11/08/89	6.07	11/08/89	14.70
							(5.43)		(9.98)
COND FLD	UMHO	1.00	700.00	03/09/89	212.00	03/09/89	607.00	03/09/89	204.00
				03/09/89	211.00	03/09/89	607.00	03/09/89	204.00
				03/09/89	211.00	03/09/89	607.00	03/09/89	204.00
				03/09/89	211.00	03/09/89	606.00	03/09/89	204.00
				07/26/89	120.00	03/14/89	633.00	06/26/89	172.00
				07/26/89	120.00	03/14/89	647.00	06/26/89	171.00
				07/26/89	120.00	03/14/89	638.00	06/26/89	171.00
				07/26/89	120.00	03/14/89	642.00	06/26/89	171.00
				08/15/89	194.00	07/26/89	161.00	08/15/89	182.00
				08/15/89	193.00	07/26/89	161.00	08/15/89	183.00
				08/15/89	210.00	07/26/89	161.00	08/15/89	183.00
				08/15/89	207.00	07/26/89	161.00	08/15/89	183.00
				12/21/89	177.00	08/15/89	262.00	09/29/89	167.00
				12/21/89	187.00	08/15/89	263.00	09/29/89	165.00
				12/21/89	187.00	08/15/89	262.00	09/29/89	167.00
					NR	08/15/89	262.00	09/29/89	166.00
					NR	09/29/89	274.00	11/08/89	161.00
					NR	09/29/89	269.00	11/08/89	161.00
					NR	09/29/89	244.00	11/08/89	161.00
					NR	09/29/89	241.00	11/08/89	161.00
					NR	11/08/89	268.00		NR
					NR	11/08/89	231.00		NR
					NR	11/08/89	226.00		NR
					NR	11/08/89	225.00		NR
CONDLAB	UMHO		700.00	03/09/89	192.00 a	03/09/89	561.00 a	03/09/89	188.00 a
				03/09/89	192.00 a	03/09/89	554.00 a	03/09/89	192.00 a
				03/09/89	192.00 a	03/09/89	563.00 a	03/09/89	192.00 a
				03/09/89	191.00 a	03/09/89	563.00 a	03/09/89	191.00 a
				07/26/89	186.00 a	07/26/89	254.00 a	06/26/89	169.00 a
				07/26/89	188.00 a	07/26/89	255.00 a	06/26/89	168.00 a
				07/26/89	189.00 a	07/26/89	254.00 a	06/26/89	169.00 a
				07/26/89	188.00 a	07/26/89	256.00 a	06/26/89	167.00 a
				08/15/89	191.00 a	08/15/89	238.00 a	08/15/89	168.00 a
				08/15/89	193.00 a	08/15/89	240.00 a	08/15/89	168.00 a
				08/15/89	195.00 a	08/15/89	239.00 a	08/15/89	171.00 a

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-2	SAMPLE DATE	1-N-3	SAMPLE DATE	1-N-4
CONDLAB	UMHO		700.00	08/15/89	191.00 @	08/15/89	238.00 @	08/15/89	169.00 @
				12/21/89	177.00 @	09/29/89	236.00 @	09/29/89	179.00 @
				12/21/89	179.00 @	09/29/89	238.00 @	09/29/89	179.00 @
				12/21/89	176.00 @	09/29/89	239.00 @	09/29/89	172.00 @
				12/21/89	183.00 @	09/29/89	246.00 @	09/29/89	175.00 @
					NR	11/08/89	220.00 @	11/08/89	164.00 @
					NR	11/08/89	220.00 @	11/08/89	164.00 @
					NR	11/08/89	221.00 @	11/08/89	164.00 @
					NR	11/08/89	221.00 @	11/08/89	163.00 @
FBARIUM	PPB	6.00	1000.00	03/09/89	20.00	03/09/89	103.00	03/09/89	19.00
				07/26/89	17.00	07/26/89	38.00	06/26/89	17.00
				08/15/89	18.00	08/15/89	36.00	08/15/89	18.00
				12/21/89	17.00	09/29/89	33.00	09/29/89	18.00
					NR	11/08/89	30.00	11/08/89	13.00
FBORON	PPB	10.00		03/09/89	14.00	03/09/89	14.00	03/09/89	27.00
				07/26/89	21.00	07/26/89	23.00	06/26/89	22.00
				08/15/89	23.00	08/15/89	12.00	08/15/89	18.00
				12/21/89	15.00	09/29/89	18.00	09/29/89	18.00
					NR	11/08/89	27.00	11/08/89	26.00
FCADMIU	PPB	2.00	10.00	03/09/89		03/09/89		03/09/89	
				07/26/89		07/26/89		06/26/89	
				08/15/89	2.00	08/15/89		08/15/89	2.00
				12/21/89		09/29/89		09/29/89	
					NR	11/08/89		11/08/89	
FCALCIU	PPB	50.00		03/09/89	28500.00	03/09/89	87100.00	03/09/89	28000.00
				07/26/89	29500.00	07/26/89	35400.00	06/26/89	24300.00
				08/15/89	26500.00	08/15/89	35400.00	08/15/89	24700.00
				12/21/89	24400.00	09/29/89	27400.00	09/29/89	21700.00
					NR	11/08/89	27900.00	11/08/89	21200.00
FIRON	PPB	30.00	300.00	03/09/89		03/09/89	32.00	03/09/89	
				07/26/89		07/26/89		06/26/89	
				08/15/89		08/15/89		08/15/89	
				12/21/89		09/29/89		09/29/89	
					NR	11/08/89		11/08/89	
FMAGNES	PPB	50.00		03/09/89	5010.00	03/09/89	15100.00	03/09/89	5000.00
				07/26/89	4680.00	07/26/89	5850.00	06/26/89	4030.00
				08/15/89	4140.00	08/15/89	5880.00	08/15/89	4090.00
				12/21/89	3960.00	09/29/89	4750.00	09/29/89	3640.00
					NR	11/08/89	4680.00	11/08/89	3530.00
FPOYASS	PPB	100.00		03/09/89	1630.00	03/09/89	3340.00	03/09/89	2790.00
				07/26/89	1690.00	07/26/89	2230.00	06/26/89	2480.00
				08/15/89	1500.00	08/15/89	2180.00	08/15/89	2420.00
				12/21/89	1420.00	09/29/89	1990.00	09/29/89	2280.00
					NR	11/08/89	1940.00	11/08/89	2220.00
FSILICO	PPB	50.00		03/09/89	7330.00	03/09/89	10600.00	03/09/89	11300.00
				07/26/89	7880.00	07/26/89	11100.00	06/26/89	9880.00
				08/15/89	6880.00	08/15/89	11600.00	08/15/89	10300.00
				12/21/89	6950.00	09/29/89	10100.00	09/29/89	9800.00
					NR	11/08/89	10900.00	11/08/89	9980.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-2	SAMPLE DATE	1-N-3	SAMPLE DATE	1-N-4
FSCDIUM	PPB	200.00		03/09/89	2870.00	03/09/89	16900.00	03/09/89	3820.00
				07/26/89	2950.00	07/26/89	8220.00	06/26/89	3380.00
				08/15/89	2520.00	08/15/89	7650.00	08/15/89	3320.00
				12/21/89	2480.00	09/29/89	6820.00	09/29/89	3280.00
					NR	11/08/89	6720.00	11/08/89	3230.00
FSTRONT	PPB	10.00		03/09/89	130.00	03/09/89	386.00	03/09/89	140.00
				07/26/89	117.00	07/26/89	140.00	06/26/89	111.00
				08/15/89	101.00	08/15/89	133.00	08/15/89	105.00
				12/21/89	97.00	09/29/89	118.00	09/29/89	103.00
					NR	11/08/89	111.00	11/08/89	94.00
FVANADI	PPB	5.00		03/09/89		03/09/89		03/09/89	10.00
				07/26/89		07/26/89		06/26/89	5.00
				08/15/89	6.00	08/15/89		08/15/89	13.00
				12/21/89		09/29/89	8.00	09/29/89	16.00
					NR	11/08/89	10.00	11/08/89	13.00
FZINC	PPB	5.00	5000.00	03/09/89		03/09/89	31.00	03/09/89	9.00
				07/26/89		07/26/89		06/26/89	
				08/15/89		08/15/89		08/15/89	6.00
				12/21/89		09/29/89		09/29/89	
					NR	11/08/89		11/08/89	
HNITRAT	PPB	2500.00	45000.00		NR		NR	06/27/89	8100.00
					NR		NR	10/09/89	3000.00
IRON	PPB	30.00	300.00	03/09/89	82.00	03/09/89	390.00 *	03/09/89	1270.00 *
				07/26/89		07/26/89	205.00	06/26/89	1380.00 *
				08/15/89	201.00	08/15/89	205.00	08/15/89	1400.00 *
				12/21/89	65.00	09/29/89	1620.00 *	09/29/89	145.00
					NR	11/08/89	229.00	11/08/89	220.00
MAGNES	PPB	50.00		03/09/89	4970.00	03/09/89	14200.00	03/09/89	5210.00
				07/26/89	4690.00	07/26/89	5660.00	06/26/89	4290.00
				08/15/89	4330.00	08/15/89	5680.00	08/15/89	4190.00
				12/21/89	4050.00	09/29/89	5240.00	09/29/89	3840.00
					NR	11/08/89	4590.00	11/08/89	3580.00
MANGESE	PPB	5.00	50.00	03/09/89		03/09/89	26.00	03/09/89	47.00
				07/26/89		07/26/89	12.00	06/26/89	61.00 *
				08/15/89	5.00	08/15/89	13.00	08/15/89	49.00
				12/21/89		09/29/89	70.00 *	09/29/89	5.00
					NR	11/08/89	13.00	11/08/89	8.00
METHONE	PPB	10.00		03/09/89		03/09/89		03/09/89	
				07/26/89		07/26/89		06/26/89	
				12/21/89		09/29/89	11.00	09/29/89	
					NR	11/08/89		11/08/89	
NITRATE	PPB	500.00	45000.00	03/09/89	30700.00	03/09/89	23400.00	03/09/89	18600.00
				07/26/89	22000.00	07/26/89	13500.00	06/26/89	7700.00
				08/15/89	20100.00	08/15/89	10400.00	08/15/89	5100.00
				12/21/89	9300.00	09/29/89	7500.00	09/29/89	2800.00
					NR	11/08/89	7100.00	11/08/89	3700.00
PH-LAB		0.01	8.50	03/09/89	8.00	03/09/89	7.50	03/09/89	7.90
				03/09/89	8.00	03/09/89	7.50	03/09/89	7.90

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-2	SAMPLE DATE	1-N-3	SAMPLE DATE	1-N-4
PH-LAB		0.01	8.50	03/09/89	8.00	03/09/89	7.50	03/09/89	7.90
				03/09/89	8.00	03/09/89	7.50	03/09/89	7.90
				07/26/89	7.90	07/26/89	7.70	06/26/89	7.90
				07/26/89	8.00	07/26/89	7.70	06/26/89	8.00
				07/26/89	8.00	07/26/89	7.70	06/26/89	8.00
				07/26/89	8.00	07/26/89	7.70	06/26/89	8.00
				08/15/89	8.00	08/15/89	7.70	08/15/89	8.00
				08/15/89	8.00	08/15/89	7.70	08/15/89	8.00
				08/15/89	8.10	08/15/89	7.70	08/15/89	8.00
				08/15/89	8.00	08/15/89	7.70	08/15/89	8.00
				12/21/89	7.90	09/29/89	7.50	09/29/89	8.00
				12/21/89	7.90	09/29/89	7.60	09/29/89	8.00
				12/21/89	7.90	09/29/89	7.60	09/29/89	8.00
				12/21/89	7.90	09/29/89	7.60	09/29/89	8.00
				NR		11/08/89	7.60	11/08/89	8.00
				NR		11/08/89	7.60	11/08/89	8.00
				NR		11/08/89	7.60	11/08/89	8.00
				NR		11/08/89	7.60	11/08/89	8.00
PHFIELD		0.10	8.50	03/09/89	8.00	03/09/89	7.40	03/09/89	7.70
				03/09/89	8.00	03/09/89	7.40	03/09/89	7.70
				03/09/89	8.10	03/09/89	7.40	03/09/89	7.60
				03/09/89	8.00	03/09/89	7.40	03/09/89	7.70
				07/26/89	8.05	03/14/89	7.30	06/26/89	7.61
				07/26/89	8.06	03/14/89	7.50	06/26/89	7.63
				07/26/89	8.05	03/14/89	7.50	06/26/89	7.64
				07/26/89	8.06	03/14/89	7.50	06/26/89	7.64
				08/15/89	8.08	07/26/89	7.69	08/15/89	7.88
				08/15/89	8.07	07/26/89	7.66	08/15/89	7.90
				08/15/89	8.06	07/26/89	7.68	08/15/89	7.89
				08/15/89	8.04	07/26/89	7.69	08/15/89	7.89
				12/21/89	8.30	08/15/89	7.72	09/29/89	7.70
				12/21/89	8.27	08/15/89	7.69	09/29/89	7.66
				12/21/89	8.25	08/15/89	7.69	09/29/89	7.63
				12/21/89	8.25	08/15/89	7.68	09/29/89	7.62
				NR		09/29/89	7.35	11/08/89	8.21
				NR		09/29/89	7.31	11/08/89	8.20
				NR		09/29/89	7.26	11/08/89	8.19
				NR		09/29/89	7.24	11/08/89	8.19
POTASUM	PPB	100.00		NR		11/08/89	7.71		NR
				NR		11/08/89	7.70		NR
				NR		11/08/89	7.71		NR
				NR		11/08/89	7.71		NR
				NR		11/08/89	7.71		NR
POTASUM	PPB	100.00		03/09/89	1680.00	03/09/89	3180.00	03/09/89	2950.00
				07/26/89	1690.00	07/26/89	2150.00	06/26/89	2660.00
				08/15/89	1510.00	08/15/89	2120.00	08/15/89	2430.00
				12/21/89	1460.00	09/29/89	2210.00	09/29/89	2530.00
RADIUM	PCI/L	1.00	5.00	NR		11/08/89	1910.00	11/08/89	2260.00
				03/09/89		03/09/89	0.17	03/09/89	0.18
							(0.15)		(0.15)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-2	SAMPLE DATE	1-N-3	SAMPLE DATE	1-N-4
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
RADIUM	PCI/L	1.00	5.00	07/26/89 12/21/89		07/26/89 09/29/89	0.18 (0.15)	06/26/89 09/29/89	
					NR	11/08/89	0.26 (0.19)	11/08/89	
SILICON	PPB	50.00		03/09/89 07/26/89 08/15/89 12/21/89	7210.00 7710.00 6920.00 7310.00	03/09/89 07/26/89 08/15/89 09/29/89	10000.00 10400.00 11100.00 11600.00	03/09/89 06/26/89 08/15/89 09/29/89	11900.00 10600.00 10700.00 10300.00
					NR	11/08/89	10700.00	11/08/89	10200.00
SODIUM	PPB	200.00		03/09/89 07/26/89 08/15/89 12/21/89	2880.00 3020.00 2520.00 2540.00	03/09/89 07/26/89 08/15/89 09/29/89	16300.00 8030.00 7460.00 7300.00	03/09/89 06/26/89 08/15/89 09/29/89	3980.00 3590.00 3350.00 3530.00
					NR	11/08/89	6500.00	11/08/89	3290.00
SR 90	PCI/L	5.00	8.00	03/09/89 07/26/89 12/21/89	2550.00 * (119.00) 3610.00 * (153.00) 1840.00 * (97.50)	03/09/89 07/26/89 09/29/89	2640.00 * (120.00) 1090.00 * (85.70) 629.00 * (57.80)	03/09/89 06/26/89 09/29/89	9.25 * (1.74) 7.92 (1.55) 7.26 (1.53)
					NR	11/08/89	541.00 * (56.60)	11/08/89	6.92 (1.57)
STRONUM	PPB	10.00		03/09/89 07/26/89 08/15/89 12/21/89	129.00 114.00 103.00 102.00	03/09/89 07/26/89 08/15/89 09/29/89	363.00 132.00 132.00 127.00	03/09/89 06/26/89 08/15/89 09/29/89	148.00 119.00 110.00 106.00
					NR	11/08/89	109.00	11/08/89	95.00
SULFATE	PPB	500.00	250000.00	03/09/89 07/26/89 08/15/89 12/21/89	9700.00 13100.00 14200.00 13400.00	03/09/89 07/26/89 08/15/89 09/29/89	180000.00 34900.00 31000.00 26000.00	03/09/89 06/26/89 08/15/89 09/29/89	12700.00 18400.00 15300.00 12700.00
					NR	11/08/89	24800.00	11/08/89	12400.00
SULFIDE	PPB	1000.00		03/09/89		03/09/89	1350.00	03/09/89	
TC	PPB	1000.00		03/09/89	14800.00	03/09/89	22200.00	03/09/89	16500.00
TC-99	PCI/L	15.00	900.00		NR		NR	06/27/89	9.03 (1.20)
					NR		NR	10/09/89	
TOXLDL	PPB	10.00		03/09/89 03/09/89 03/09/89 03/09/89 07/26/89 07/26/89 07/26/89 07/26/89 12/21/89 12/21/89 12/21/89		03/09/89 03/09/89 03/09/89 03/09/89 07/26/89 07/26/89 07/26/89 07/26/89 09/29/89 09/29/89 09/29/89		03/09/89 03/09/89 03/09/89 03/09/89 06/26/89 06/26/89 06/26/89 06/26/89 09/29/89 09/29/89 09/29/89	4690.00 5000.00 5190.00 5140.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-2	SAMPLE DATE	1-N-3	SAMPLE DATE	1-N-4
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
TOXLDL	PPB	10.00		12/21/89		09/29/89		09/29/89	
					NR	11/08/89		11/08/89	23.00
					NR	11/08/89		11/08/89	
					NR	11/08/89		11/08/89	10.00
					NR	11/08/89		11/08/89	10.00
TRITIUM	PCI/L	500.00	20000.00	03/09/89	95600.00 *	03/09/89	47100.00 *	03/09/89	88900.00 *
					(1040.00)		(738.00)		(998.00)
				07/26/89	66300.00 *	07/26/89	34100.00 *	06/26/89	35000.00 *
					(823.00)		(599.00)		(609.00)
				12/21/89	54200.00 *	09/29/89	23100.00 *	09/29/89	22100.00 *
					(753.00)		(518.00)		(536.00)
					NR	11/08/89	22600.00 *	11/08/89	36000.00 *
							(501.00)		(620.00)
TURBID	NTU	0.10	1.00	08/15/89	0.60	08/15/89	1.40 *	08/15/89	7.90 *
				12/21/89	0.20	09/29/89	6.80 *	09/29/89	1.50 *
					NR	11/08/89	2.00 *	11/08/89	3.10 *
U	PCI/L	0.50	600.00	03/09/89		03/09/89	0.82	03/09/89	0.76
				07/26/89		07/26/89		06/26/89	
				12/21/89		09/29/89		09/29/89	
					NR	11/08/89	0.81	11/08/89	
VANADUM	PPB	5.00		03/09/89		03/09/89		03/09/89	11.00
				07/26/89		07/26/89		06/26/89	14.00
				08/15/89		08/15/89		08/15/89	10.00
				12/21/89		09/29/89	13.00	09/29/89	18.00
					NR	11/08/89	8.00	11/08/89	14.00
ZINC	PPB	5.00	5000.00	03/09/89	10.00	03/09/89	9.00	03/09/89	33.00
				07/26/89		07/26/89		06/26/89	24.00
				08/15/89	7.00	08/15/89		08/15/89	16.00
				12/21/89	7.00	09/29/89	10.00	09/29/89	13.00
					NR	11/08/89		11/08/89	6.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-5	SAMPLE DATE	1-N-6	SAMPLE DATE	1-N-14
ALKALIN ALPHAHI	PCI/L	20000.00 4.00	15.00		NR NR NR NR		NR NR NR NR	08/15/89 03/09/89 07/27/89 09/26/89	64000.00 0.96 (0.92) 0.89 (0.80)
BARIUM	PPB	6.00	1000.00		NR NR NR NR NR NR NR NR NR		NR NR NR NR NR NR NR NR NR	09/26/89 11/14/89 11/14/89 03/09/89 07/27/89 08/15/89 09/26/89 09/26/89 11/14/89 11/14/89	 15.00 22.00 16.00 15.00 13.00 14.00 14.00
BETA	PCI/L	8.00	50.00	06/15/89	665.00 + (56.90) NR	06/09/89	97.10 + (6.97) NR	03/09/89	1080.00 + (22.30) 1940.00 + (68.40) 2030.00 + (31.20) 1840.00 + (29.60) 2140.00 + (50.70) 2000.00 + (48.50)
BORON	PPB	10.00			NR NR NR NR NR NR NR		NR NR NR NR NR NR NR	03/09/89 07/27/89 08/15/89 09/26/89 09/26/89 11/14/89 11/14/89	15.00 22.00 20.00 24.00 23.00 23.00 20.00
C 14	PCI/L	20.00	2000.00		NR NR		NR NR	06/08/89 10/09/89	52.20 61.50 (3.00)
CALCIUM	PPB	50.00			NR NR NR NR NR NR NR		NR NR NR NR NR NR NR	03/09/89 07/27/89 08/15/89 09/26/89 09/26/89 11/14/89 11/14/89	26300.00 35400.00 28400.00 25900.00 25900.00 25300.00 25100.00
CHLORID	PPB	500.00	250000.00		NR NR		NR NR	03/09/89 07/27/89	700.00 8100.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-5	SAMPLE DATE	1-N-6	SAMPLE DATE	1-N-14
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
CHLORID	PPB	500.00	250000.00		NR		NR	08/15/89	3700.00
					NR		NR	09/26/89	2600.00
					NR		NR	09/26/89	2700.00
					NR		NR	11/14/89	2400.00
					NR		NR	11/14/89	2500.00
CO-60	PCI/L	22.50	100.00	06/15/89	18.90	06/09/89	17.20	03/09/89	47.30
					(12.70)		(10.20)		(15.10)
					NR		NR	07/27/89	
					NR		NR	09/26/89	17.50
									(12.70)
					NR		NR	09/26/89	13.70
									(9.82)
					NR		NR	11/14/89	11.10
									(7.82)
COND FLD	UMHO	1.00	700.00		NR		NR	01/05/89	198.00
					NR		NR	03/09/89	223.00
					NR		NR	03/09/89	222.00
					NR		NR	03/09/89	222.00
					NR		NR	03/09/89	221.00
					NR		NR	07/27/89	149.00
					NR		NR	07/27/89	149.00
					NR		NR	07/27/89	148.00
					NR		NR	07/27/89	147.00
					NR		NR	08/15/89	209.00
					NR		NR	08/15/89	210.00
					NR		NR	08/15/89	210.00
					NR		NR	08/15/89	209.00
					NR		NR	09/26/89	184.00
					NR		NR	09/26/89	184.00
					NR		NR	09/26/89	181.00
					NR		NR	09/26/89	180.00
					NR		NR	11/14/89	187.00
					NR		NR	11/14/89	187.00
					NR		NR	11/14/89	187.00
					NR		NR	11/14/89	187.00
COND LAB	UMHO		700.00		NR		NR	03/09/89	197.00 a
					NR		NR	03/09/89	199.00 a
					NR		NR	03/09/89	199.00 a
					NR		NR	03/09/89	200.00 a
					NR		NR	07/27/89	205.00 a
					NR		NR	07/27/89	203.00 a
					NR		NR	07/27/89	204.00 a
					NR		NR	07/27/89	204.00 a
					NR		NR	08/15/89	191.00 a
					NR		NR	08/15/89	191.00 a
					NR		NR	08/15/89	191.00 a
					NR		NR	08/15/89	191.00 a
					NR		NR	09/26/89	192.00 a
					NR		NR	09/26/89	192.00 a

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-5	SAMPLE DATE	1-N-6	SAMPLE DATE	1-N-14
CONDLAB	UMHO		700.00		NR		NR	09/26/89	192.00 a
					NR		NR	09/26/89	190.00 a
					NR		NR	11/14/89	184.00 a
					NR		NR	11/14/89	185.00 a
					NR		NR	11/14/89	185.00 a
					NR		NR	11/14/89	185.00 a
CYCSILX	PPB				NR		NR	03/09/89	60.00 a
FBARIUM	PPB	6.00	1000.00		NR		NR	03/09/89	16.00
					NR		NR	07/27/89	19.00
					NR		NR	08/15/89	17.00
					NR		NR	09/26/89	16.00
					NR		NR	09/26/89	11.00
					NR		NR	11/14/89	14.00
					NR		NR	11/14/89	15.00
FBORON	PPB	10.00			NR		NR	03/09/89	14.00
					NR		NR	07/27/89	26.00
					NR		NR	08/15/89	25.00
					NR		NR	09/26/89	22.00
					NR		NR	09/26/89	22.00
					NR		NR	11/14/89	31.00
					NR		NR	11/14/89	34.00
FCALCIU	PPB	50.00			NR		NR	03/09/89	28200.00
					NR		NR	07/27/89	32700.00
					NR		NR	08/15/89	31600.00
					NR		NR	09/26/89	27200.00
					NR		NR	09/26/89	23900.00
					NR		NR	11/14/89	24500.00
					NR		NR	11/14/89	25500.00
FMAGNES	PPB	50.00			NR		NR	03/09/89	4800.00
					NR		NR	07/27/89	5110.00
					NR		NR	08/15/89	5050.00
					NR		NR	09/26/89	4410.00
					NR		NR	09/26/89	3850.00
					NR		NR	11/14/89	3870.00
					NR		NR	11/14/89	4020.00
FPOTASS	PPB	100.00			NR		NR	03/09/89	1850.00
					NR		NR	07/27/89	1810.00
					NR		NR	08/15/89	1970.00
					NR		NR	09/26/89	2030.00
					NR		NR	09/26/89	1690.00
					NR		NR	11/14/89	1590.00
					NR		NR	11/14/89	1660.00
FSILICO	PPB	50.00			NR		NR	03/09/89	7830.00
					NR		NR	07/27/89	7730.00
					NR		NR	08/15/89	8850.00
					NR		NR	09/26/89	8400.00
					NR		NR	09/26/89	7340.00
					NR		NR	11/14/89	7220.00
					NR		NR	11/14/89	7850.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-5	SAMPLE DATE	1-N-6	SAMPLE DATE	1-N-14
FSODIUM	PPB	200.00			NR		NR	03/09/89	3580.00
					NR		NR	07/27/89	3380.00
					NR		NR	08/15/89	3700.00
					NR		NR	09/26/89	3380.00
					NR		NR	09/26/89	2900.00
					NR		NR	11/14/89	3020.00
					NR		NR	11/14/89	3150.00
FSTRONT	PPB	10.00			NR		NR	03/09/89	152.00
					NR		NR	07/27/89	153.00
					NR		NR	08/15/89	144.00
					NR		NR	09/26/89	136.00
					NR		NR	09/26/89	119.00
					NR		NR	11/14/89	125.00
					NR		NR	11/14/89	127.00
FVANADI	PPB	5.00			NR		NR	03/09/89	7.00
					NR		NR	07/27/89	
					NR		NR	08/15/89	8.00
					NR		NR	09/26/89	6.00
					NR		NR	09/26/89	
					NR		NR	11/14/89	7.00
					NR		NR	11/14/89	8.00
FZINC	PPB	5.00	5000.00		NR		NR	03/09/89	6.00
					NR		NR	07/27/89	
					NR		NR	08/15/89	
					NR		NR	09/26/89	
					NR		NR	09/26/89	7.00
					NR		NR	11/14/89	7.00
					NR		NR	11/14/89	8.00
HNITRAT	PPB	2500.00	45000.00	06/15/89	16900.00	06/09/89	NR	06/08/89	18000.00
					NR		NR	10/09/89	8000.00
IRON	PPB	30.00	300.00		NR		NR	03/09/89	81.00
					NR		NR	07/27/89	233.00
					NR		NR	08/15/89	758.00 *
					NR		NR	09/26/89	169.00
					NR		NR	09/26/89	158.00
					NR		NR	11/14/89	61.00
					NR		NR	11/14/89	537.00 *
MAGNES	PPB	50.00			NR		NR	03/09/89	4530.00
					NR		NR	07/27/89	5630.00
					NR		NR	08/15/89	4570.00
					NR		NR	09/26/89	4180.00
					NR		NR	09/26/89	4230.00
					NR		NR	11/14/89	3970.00
					NR		NR	11/14/89	3940.00
MARGESE	PPB	5.00	50.00		NR		NR	03/09/89	
					NR		NR	07/27/89	
					NR		NR	08/15/89	15.00
					NR		NR	09/26/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-5	SAMPLE DATE	1-N-6	SAMPLE DATE	1-N-14
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
MANGESE	PPB	5.00	50.00		NR		NR	09/26/89	6.00
					NR		NR	11/14/89	
					NR		NR	11/14/89	
NI-63	PCI/L	10.00	50.00		NR		NR	06/08/89	
					NR		NR	10/09/89	12.80
									(3.80)
NITRATE	PPB	500.00	45000.00		NR		NR	03/09/89	30900.00
					NR		NR	07/27/89	17800.00
					NR		NR	08/15/89	11800.00
					NR		NR	09/26/89	8700.00
					NR		NR	09/26/89	8800.00
					NR		NR	11/14/89	8300.00
					NR		NR	11/14/89	8500.00
PH-LAB		0.01	8.50		NR		NR	03/09/89	8.30
					NR		NR	03/09/89	8.30
					NR		NR	03/09/89	8.30
					NR		NR	03/09/89	8.30
					NR		NR	07/27/89	8.30
					NR		NR	07/27/89	8.30
					NR		NR	07/27/89	8.30
					NR		NR	07/27/89	8.30
					NR		NR	08/15/89	7.20
					NR		NR	08/15/89	7.20
					NR		NR	08/15/89	7.20
					NR		NR	08/15/89	7.20
					NR		NR	09/26/89	8.10
					NR		NR	09/26/89	8.20
					NR		NR	09/26/89	8.20
					NR		NR	09/26/89	8.20
					NR		NR	11/14/89	8.10
					NR		NR	11/14/89	8.20
					NR		NR	11/14/89	8.20
					NR		NR	11/14/89	8.20
PHFIELD		0.10	8.50		NR		NR	01/05/89	8.20
					NR		NR	03/09/89	8.20
					NR		NR	03/09/89	8.20
					NR		NR	03/09/89	8.20
					NR		NR	03/09/89	8.20
					NR		NR	07/27/89	8.18
					NR		NR	07/27/89	8.19
					NR		NR	07/27/89	8.18
					NR		NR	07/27/89	8.20
					NR		NR	08/15/89	8.23
					NR		NR	08/15/89	8.21
					NR		NR	08/15/89	8.24
					NR		NR	08/15/89	8.25
					NR		NR	09/26/89	7.77
					NR		NR	09/26/89	7.83
					NR		NR	09/26/89	7.86

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-5	SAMPLE DATE	1-N-6	SAMPLE DATE	1-N-14
PHFIELD		0.10	8.50		NR		NR	09/26/89	7.85
					NR		NR	11/14/89	8.17
					NR		NR	11/14/89	8.15
					NR		NR	11/14/89	8.14
					NR		NR	11/14/89	8.14
POTASUM	PPB	100.00			NR		NR	03/09/89	1830.00
					NR		NR	07/27/89	1960.00
					NR		NR	08/15/89	1630.00
					NR		NR	09/26/89	1930.00
					NR		NR	09/26/89	1960.00
					NR		NR	11/14/89	1620.00
RADIUM	PCI/L	1.00	5.00		NR		NR	11/14/89	1630.00
					NR		NR	03/09/89	
					NR		NR	07/27/89	0.20
									(0.17)
					NR		NR	09/26/89	
					NR		NR	09/26/89	
					NR		NR	11/14/89	
					NR		NR	11/14/89	
SILICON	PPB	50.00			NR		NR	03/09/89	7350.00
					NR		NR	07/27/89	8370.00
					NR		NR	08/15/89	7920.00
					NR		NR	09/26/89	8070.00
					NR		NR	09/26/89	8040.00
					NR		NR	11/14/89	7750.00
					NR		NR	11/14/89	7670.00
SODIUM	PPB	200.00			NR		NR	03/09/89	3420.00
					NR		NR	07/27/89	3810.00
					NR		NR	08/15/89	3250.00
					NR		NR	09/26/89	3190.00
					NR		NR	09/26/89	3280.00
					NR		NR	11/14/89	3110.00
					NR		NR	11/14/89	3020.00
SR 90	PCI/L	5.00	8.00	06/15/89	492.00 *	06/09/89	40.80 *	03/09/89	1040.00 *
					(49.90)		(3.34)		(53.30)
					NR		NR	07/27/89	1110.00 *
									(56.20)
					NR		NR	09/26/89	1010.00 *
									(57.10)
					NR		NR	09/26/89	1110.00 *
									(56.30)
					NR		NR	11/14/89	1090.00 *
									(50.00)
STRONUM	PPB	10.00			NR		NR	03/09/89	145.00
					NR		NR	07/27/89	169.00
					NR		NR	08/15/89	131.00
					NR		NR	09/26/89	130.00
					NR		NR	09/26/89	134.00
					NR		NR	11/14/89	126.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-5	SAMPLE DATE	1-N-6	SAMPLE DATE	1-N-14
STRONTIUM	PPB	10.00			NR		NR	11/14/89	123.00
SULFATE	PPB	500.00	250000.00		NR		NR	03/09/89	8800.00
					NR		NR	07/27/89	28600.00
					NR		NR	08/15/89	18600.00
					NR		NR	09/26/89	15400.00
					NR		NR	09/26/89	15400.00
					NR		NR	11/14/89	15500.00
					NR		NR	11/14/89	15600.00
					NR		NR	03/09/89	15000.00
TC	PPB	1000.00							
TC-99	PCI/L	15.00	900.00	06/15/89	10.20	06/09/89		06/08/89	10.80
					(1.20)				(1.25)
TRITIUM	PCI/L	500.00	20000.00	06/15/89	51200.00 *	06/09/89	8910.00	03/09/89	93100.00 *
					(772.00)		(342.00)		(1020.00)
					NR		NR	07/27/89	43500.00 *
					NR		NR	09/26/89	(671.00)
					NR		NR	09/26/89	34600.00 *
					NR		NR	09/26/89	(653.00)
					NR		NR	11/14/89	34900.00 *
					NR		NR	11/14/89	(657.00)
					NR		NR	11/14/89	36200.00 *
					NR		NR		(623.00)
TURBID	NTU	0.10	1.00		NR		NR	08/15/89	3.90 *
					NR		NR	09/26/89	1.80 *
					NR		NR	11/14/89	0.60
U	PCI/L	0.50	600.00	06/15/89		06/09/89	0.56	03/09/89	
					NR		NR	07/27/89	
					NR		NR	09/26/89	
					NR		NR	09/26/89	
					NR		NR	11/14/89	0.79
					NR		NR	11/14/89	0.83
UNKC6	PPB				NR		NR	03/09/89	21.00 a
UNKNOWN	PPB	0.00			NR		NR	03/09/89	28.00
					NR		NR	03/09/89	18.00
VANADIUM	PPB	5.00			NR		NR	03/09/89	
					NR		NR	07/27/89	9.00
					NR		NR	08/15/89	8.00
					NR		NR	09/26/89	6.00
					NR		NR	09/26/89	11.00
					NR		NR	11/14/89	7.00
					NR		NR	11/14/89	7.00
ZINC	PPB	5.00	5000.00		NR		NR	03/09/89	18.00
					NR		NR	07/27/89	
					NR		NR	08/15/89	8.00
					NR		NR	09/26/89	5.00
					NR		NR	09/26/89	10.00
					NR		NR	11/14/89	8.00
					NR		NR	11/14/89	9.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-16	SAMPLE DATE	1-N-17	SAMPLE DATE	1-N-18
ALKALIN		20000.00		06/20/89	211000.00	06/20/89	413000.00	06/20/89	637000.00
				08/18/89	247000.00	08/18/89	288000.00		NR
				09/28/89	236000.00	09/26/89	222000.00		NR
AMMONIU	PPB	50.00		11/13/89	222.00	11/10/89			NR
ARSENIC	PPB	5.00	50.00	06/20/89		06/20/89	12.00	06/20/89	6.00
				08/18/89		08/18/89			NR
				09/28/89		09/26/89			NR
				11/13/89		11/10/89			NR
BARIUM	PPB	6.00	1000.00	06/20/89	163.00	06/20/89	58.00	06/20/89	244.00
				08/18/89	88.00	08/18/89	126.00		NR
				09/28/89	146.00	09/26/89	90.00		NR
				11/13/89	152.00	11/10/89	66.00		NR
BETA	PCI/L	8.00	50.00	06/20/89	12.90	11/10/89	226.00 +	06/20/89	1200.00 +
				11/13/89	(3.20)		(10.80)		(76.30)
					8.57		NR		NR
					(2.86)				
BORON	PPB	10.00		06/20/89	26.00	06/20/89	222.00	06/20/89	45.00
				08/18/89	30.00	08/18/89	41.00		NR
				09/28/89	28.00	09/26/89	29.00		NR
				11/13/89	28.00	11/10/89	19.00		NR
CADMIUM	PPB	2.00	10.00	06/20/89	32.00 *	06/20/89	11.00 *	06/20/89	19.00 *
				08/18/89		08/18/89			NR
				09/28/89		09/26/89			NR
				11/13/89		11/10/89			NR
CALCIUM	PPB	50.00		06/20/89	144000.00	06/20/89	131000.00	06/20/89	212000.00
				08/18/89	75200.00	08/18/89	90400.00		NR
				09/28/89	103000.00	09/26/89	73900.00		NR
				11/13/89	109000.00	11/10/89	57300.00		NR
CHLORID	PPB	500.00	250000.00	06/20/89	54600.00	06/20/89	8700.00	06/20/89	10800.00
				08/18/89	31000.00	08/18/89	8000.00		NR
				09/28/89	30000.00	09/26/89	7000.00		NR
				11/13/89	19800.00	11/10/89	5600.00		NR
CONDFLD	UMHD	1.00	700.00	06/20/89	1291.00 *	06/20/89	821.00 *	06/20/89	1148.00 *
				08/18/89	899.00 *	08/18/89	681.00		NR
				08/18/89	900.00 *	08/18/89	672.00		NR
				08/18/89	899.00 *	08/18/89	658.00		NR
				08/18/89	897.00 *	08/18/89	660.00		NR
				09/28/89	1240.00 *	09/26/89	580.00		NR
				09/28/89	1238.00 *	09/26/89	579.00		NR
				09/28/89	1238.00 *	09/26/89	576.00		NR
				09/28/89	1238.00 *	09/26/89	571.00		NR
				11/13/89	1546.00 *	11/10/89	502.00		NR
				11/13/89	1544.00 *	11/10/89	502.00		NR
				11/13/89	1550.00 *	11/10/89	502.00		NR
				11/13/89	1558.00 *	11/10/89	502.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-16	SAMPLE DATE	1-N-17	SAMPLE DATE	1-N-18
COND LAB	UMHO		700.00	06/20/89	1020.00 *	06/20/89	671.00 a	06/20/89	839.00 *
				06/20/89	1030.00 *	06/20/89	697.00 a	06/20/89	873.00 *
				06/20/89	982.00 *	06/20/89	683.00 a	06/20/89	898.00 *
			700.00	06/20/89	990.00 *	06/20/89	670.00 a	06/20/89	884.00 *
				08/18/89	787.00 *	08/18/89	841.00 *		NR
				08/18/89	834.00 *	08/18/89	845.00 *		NR
				08/18/89	846.00 *	08/18/89	848.00 *		NR
				08/18/89	848.00 *	08/18/89	847.00 *		NR
				09/28/89	1280.00 *	09/26/89	591.00 a		NR
				09/28/89	1270.00 *	09/26/89	600.00 a		NR
				09/28/89	1280.00 *	09/26/89	588.00 a		NR
				09/28/89	1290.00 *	09/26/89	585.00 a		NR
COPPER	PPB	10.00	(1300.0)	06/20/89		06/20/89		06/20/89	20.00
				08/18/89		08/18/89			NR
				09/28/89		09/26/89			NR
				11/13/89		11/10/89			NR
FBARIUM	PPB	6.00	1000.00	08/18/89	79.00	08/18/89	119.00		NR
				09/28/89	161.00	09/26/89	83.00		NR
				11/13/89	153.00	11/10/89	67.00		NR
FBORON	PPB	10.00		08/18/89	21.00	08/18/89	16.00		NR
				09/28/89	31.00	09/26/89	19.00		NR
				11/13/89	29.00	11/10/89	22.00		NR
FCALCIU	PPB	50.00		08/18/89	59000.00	08/18/89	78600.00		NR
				09/28/89	108000.00	09/26/89	69000.00		NR
				11/13/89	107000.00	11/10/89	56400.00		NR
FIRON	PPB	30.00	300.00	08/18/89	129.00	08/18/89	659.00 *		NR
				09/28/89	1170.00 *	09/26/89	393.00 *		NR
				11/13/89	2350.00 *	11/10/89	222.00		NR
FLUORID	PPB	500.00	4000.00	06/20/89	1300.00	06/20/89		06/20/89	
				08/18/89	600.00	08/18/89	500.00		NR
				09/28/89	1600.00	09/26/89			NR
				11/13/89	1600.00	11/10/89			NR
FMAGNES	PPB	50.00		08/18/89	11600.00	08/18/89	12500.00		NR
				09/28/89	18500.00	09/26/89	10400.00		NR
				11/13/89	17800.00	11/10/89	8360.00		NR
FMANGAN	PPB	5.00	50.00	08/18/89	874.00 *	08/18/89	1180.00 *		NR
				09/28/89	2230.00 *	09/26/89	1100.00 *		NR
				11/13/89	2860.00 *	11/10/89	820.00 *		NR
FPOTASS	PPB	100.00		08/18/89	6900.00	08/18/89	4370.00		NR
				09/28/89	9720.00	09/26/89	4130.00		NR
				11/13/89	9060.00	11/10/89	3390.00		NR
FSILICO	PPB	50.00		08/18/89	18400.00	08/18/89	15200.00		NR
				09/28/89	19800.00	09/26/89	14800.00		NR
				11/13/89	20800.00	11/10/89	14100.00		NR
FSODIUM	PPB	200.00		08/18/89	111000.00	08/18/89	51400.00		NR
				09/28/89	189000.00	09/26/89	37200.00		NR
				11/13/89	179000.00	11/10/89	30900.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-16	SAMPLE DATE	1-N-17	SAMPLE DATE	1-N-18
FSTRONT	PPB	10.00		08/18/89	275.00	08/18/89	326.00		NR
				09/28/89	494.00	09/26/89	284.00		NR
				11/13/89	462.00	11/10/89	233.00		NR
FVANADI	PPB	5.00		08/18/89	6.00	08/18/89			NR
				09/28/89	8.00	09/26/89			NR
FVANADI	PPB	5.00		11/13/89		11/10/89			NR
FZINC	PPB	5.00	5000.00	08/18/89	11.00	08/18/89	7.00		NR
				09/28/89	27.00	09/26/89	12.00		NR
				11/13/89	15.00	11/10/89	15.00		NR
IRON	PPB	30.00	300.00	06/20/89	3630.00 *	06/20/89	27700.00 *	06/20/89	28900.00 *
				08/18/89	352.00 *	08/18/89	3990.00 *		NR
				09/28/89	983.00 *	09/26/89	1240.00 *		NR
				11/13/89	4560.00 *	11/10/89	551.00 *		NR
LEADGF	PPB	5.00	50.00	06/20/89	5.00	06/20/89		06/20/89	6.00
				08/18/89		08/18/89			NR
				09/28/89		09/26/89			NR
				11/13/89		11/10/89			NR
LFLUORD	PPB	20.00	4000.00	11/13/89	407.00	11/10/89	232.00		NR
LITHIUM	PPB	10.00		06/20/89	13.00	06/20/89	12.00	06/20/89	12.00
				08/18/89		08/18/89			NR
				09/28/89		09/26/89			NR
				11/13/89		11/10/89			NR
MAGNES	PPB	50.00		06/20/89	18600.00	06/20/89	17100.00	06/20/89	34800.00
				08/18/89	12600.00	08/18/89	13200.00		NR
				09/28/89	17100.00	09/26/89	11100.00		NR
				11/13/89	18600.00	11/10/89	8240.00		NR
MANGESE	PPB	5.00	50.00	06/20/89	1660.00 *	06/20/89	242.00 *	06/20/89	4380.00 *
				08/18/89	1030.00 *	08/18/89	1260.00 *		NR
				09/28/89	2050.00 *	09/26/89	1160.00 *		NR
				11/13/89	2760.00 *	11/10/89	813.00 *		NR
NITRATE	PPB	500.00	45000.00	06/20/89		06/20/89		06/20/89	
				08/18/89		08/18/89	1800.00		NR
				09/28/89		09/26/89	3800.00		NR
				11/13/89		11/10/89	2400.00		NR
PH-LAB		0.01	8.50	06/20/89	7.70	06/20/89	7.20	06/20/89	7.10
				06/20/89	7.70	06/20/89	7.20	06/20/89	7.10
				06/20/89	7.60	06/20/89	7.20	06/20/89	7.10
				06/20/89	7.60	06/20/89	7.20	06/20/89	7.10
				08/18/89	7.70	08/18/89	7.30		NR
				08/18/89	7.70	08/18/89	7.30		NR
				08/18/89	7.70	08/18/89	7.30		NR
				08/18/89	7.80	08/18/89	7.30		NR
				09/28/89	7.40	09/26/89	7.40		NR
				09/28/89	7.40	09/26/89	7.40		NR
				09/28/89	7.40	09/26/89	7.40		NR
				09/28/89	7.40	09/26/89	7.40		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-16	SAMPLE DATE	1-N-17	SAMPLE DATE	1-N-18
PHFIELD		0.10	8.50	06/20/89	6.80	06/20/89	6.31	06/20/89	6.11
				08/18/89	7.39	08/18/89	7.18		NR
				08/18/89	7.39	08/18/89	7.17		NR
				08/18/89	7.39	08/18/89	7.17		NR
				08/18/89	7.39	08/18/89	7.17		NR
				09/28/89	7.35	09/26/89	6.87		NR
				09/28/89	7.35	09/26/89	6.85		NR
				09/28/89	7.34	09/26/89	6.84		NR
		0.10	8.50	09/28/89	7.35	09/26/89	6.83		NR
				11/13/89	6.56	11/10/89	6.68		NR
				11/13/89	6.51	11/10/89	6.67		NR
				11/13/89	6.50	11/10/89	6.67		NR
				11/13/89	6.48	11/10/89	6.67		NR
POTASUM	PPB	100.00		06/20/89	9640.00	06/20/89	5490.00	06/20/89	5380.00
				08/18/89	7640.00	08/18/89	4810.00		NR
				09/28/89	9220.00	09/26/89	4360.00		NR
				11/13/89	9300.00	11/10/89	3370.00		NR
RADIUM	PCI/L	1.00	5.00	11/13/89	0.40	11/10/89	0.21		NR
					(0.26)		(0.16)		
RU-106	PCI/L	172.50	30.00	11/13/89		11/10/89	95.80 *	06/20/89	
							(59.50)		
SILICON	PPB	50.00		06/20/89	16600.00	06/20/89	6210.00	06/20/89	16200.00
				08/18/89	20400.00	08/18/89	16100.00		NR
				09/28/89	18500.00	09/26/89	15900.00		NR
				11/13/89	20700.00	11/10/89	14100.00		NR
SODIUM	PPB	200.00		06/20/89	176000.00	06/20/89	71300.00	06/20/89	64500.00
				08/18/89	125000.00	08/18/89	57100.00		NR
				09/28/89	178000.00	09/26/89	39500.00		NR
				11/13/89	189000.00	11/10/89	29900.00		NR
SR 90	PCI/L	5.00	8.00	06/20/89		11/10/89	111.00 *	06/20/89	415.00 *
							(5.32)		(46.20)
				11/13/89			NR		NR
STRONUM	PPB	10.00		06/20/89	501.00	06/20/89	402.00	06/20/89	804.00
				08/18/89	309.00	08/18/89	352.00		NR
				09/28/89	456.00	09/26/89	301.00		NR
				11/13/89	478.00	11/10/89	229.00		NR
SULFATE	PPB	500.00	250000.00	06/20/89	463000.00 *	06/20/89	128000.00	06/20/89	109000.00
				08/18/89	168000.00	08/18/89	69000.00		NR
				09/28/89	392000.00 *	09/26/89	68000.00		NR
				11/13/89	283000.00 *	11/10/89	64000.00		NR
				11/13/89	30.00 a		NR		NR
SULFER	PPB			11/13/89	110000.00	11/10/89	43600.00		NR
TC	PPB	1000.00		11/13/89	892000.00 *	11/10/89	274000.00		NR
TDS		5000.00	500000.00	11/13/89	5500.00	11/10/89			NR
TOC	PPB	2000.00		11/13/89	5400.00	11/10/89			NR
				11/13/89	5600.00	11/10/89			NR
				11/13/89	5000.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-16	SAMPLE DATE	1-N-17	SAMPLE DATE	1-N-18
TOXLDL	PPB	10.00		11/13/89	12.00	11/10/89			NR
				11/13/89	15.00	11/10/89			NR
				11/13/89		11/10/89			NR
				11/13/89		11/10/89			NR
TRITIUM	PCI/L	500.00	20000.00	06/20/89	1130.00	11/10/89	19400.00	06/20/89	8660.00
					(168.00)		(463.00)		(337.00)
				11/13/89	3010.00		NR		NR
					(219.00)				
TURBID	NTU	0.10	1.00	06/20/89	7.30 *	06/20/89	38.50 *	06/20/89	200.00 *
				08/18/89	100.00 *	08/18/89	30.00 *		NR
		0.10	1.00	09/28/89	45.00 *	09/26/89	14.00 *		NR
				11/13/89	21.00 *	11/10/89	3.50 *		NR
U	PCI/L	0.50	600.00	06/20/89	3.96	11/10/89	0.78	06/20/89	0.53
				11/13/89	1.77		NR		NR
UNKARO	PPB			11/13/89	25.00 a		NR		NR
				11/13/89	22.00 a		NR		NR
UNKNOWN	PPB	0.00		11/13/89	21.00		NR		NR
				11/13/89	41.00		NR		NR
				11/13/89	25.00		NR		NR
VANADUM	PPB	5.00		06/20/89	8.00	06/20/89		06/20/89	
				08/18/89	8.00	08/18/89			NR
				09/28/89	5.00	09/26/89	6.00		NR
				11/13/89		11/10/89			NR
ZINC	PPB	5.00	5000.00	06/20/89	90.00	06/20/89	84.00	06/20/89	22.00
				08/18/89	19.00	08/18/89	6.00		NR
				09/28/89	24.00	09/26/89	12.00		NR
				11/13/89	25.00	11/10/89	14.00		NR
ALKALIN		20000.00			NR	07/17/89	150000.00		NR
					NR	08/21/89	124000.00		NR
					NR	09/28/89	119000.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-20	SAMPLE DATE	1-N-21	SAMPLE DATE	1-N-22
ALUMNUM	PPB	150.00			NR	07/17/89			NR
					NR	08/21/89	372.00		NR
					NR	09/28/89			NR
					NR	11/13/89			NR
BARIUM	PPB	6.00	1000.00		NR	07/17/89	70.00		NR
					NR	08/21/89	71.00		NR
					NR	09/28/89	50.00		NR
					NR	11/13/89	60.00		NR
BETA	PCI/L	8.00	50.00	06/14/89	31.40	11/13/89	11.60	06/14/89	8.01
					(4.49)		(3.17)		(2.85)
BORON	PPB	10.00			NR	07/17/89	22.00		NR
					NR	08/21/89	29.00		NR
					NR	09/28/89	23.00		NR
					NR	11/13/89	32.00		NR
CALCIUM	PPB	50.00			NR	07/17/89	92400.00		NR
					NR	08/21/89	54300.00		NR
					NR	09/28/89	32800.00		NR
					NR	11/13/89	59100.00		NR
CHLORID	PPB	500.00	250000.00		NR	07/17/89	18000.00		NR
					NR	08/21/89	13000.00		NR
					NR	09/28/89	7000.00		NR
					NR	11/13/89	10800.00		NR
CHROMUM	PPB	10.00	50.00		NR	07/17/89			NR
					NR	08/21/89	22.00		NR
					NR	09/28/89			NR
					NR	11/13/89			NR
CO-60	PCI/L	22.50	100.00	06/14/89	8.36	11/13/89	5.67	06/14/89	
					(7.44)		(5.07)		
CONDFLD	UMHO	1.00	700.00		NR	07/17/89	955.00 *		NR
					NR	07/17/89	939.00 *		NR
					NR	07/17/89	940.00 *		NR
					NR	07/17/89	938.00 *		NR
					NR	08/21/89	669.00		NR
					NR	08/21/89	668.00		NR
					NR	08/21/89	666.00		NR
					NR	08/21/89	667.00		NR
					NR	09/28/89	564.00		NR
					NR	09/28/89	566.00		NR
					NR	09/28/89	566.00		NR
					NR	09/28/89	565.00		NR
					NR	11/13/89	794.00 *		NR
					NR	11/13/89	795.00 *		NR
					NR	11/13/89	795.00 *		NR
					NR	11/13/89	797.00 *		NR
CONDLAB	UMHO		700.00		NR	07/17/89	909.00 *		NR
			700.00		NR	07/17/89	895.00 *		NR
					NR	07/17/89	902.00 *		NR
					NR	07/17/89	897.00 *		NR
					NR	08/21/89	620.00 @		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-20	SAMPLE DATE	1-N-21	SAMPLE DATE	1-N-22
CONDLAB	UMHO				NR	08/21/89	622.00 a		NR
					NR	08/21/89	619.00 a		NR
					NR	08/21/89	642.00 a		NR
					NR	09/28/89	561.00 a		NR
					NR	09/28/89	556.00 a		NR
					NR	09/28/89	552.00 a		NR
					NR	09/28/89	557.00 a		NR
FBARIUM	PPB	6.00	1000.00		NR	07/17/89	42.00		NR
					NR	08/21/89	35.00		NR
					NR	09/28/89	43.00		NR
					NR	11/13/89	54.00		NR
FBORON	PPB	10.00			NR	07/17/89	25.00		NR
					NR	08/21/89	17.00		NR
					NR	09/28/89	20.00		NR
					NR	11/13/89	21.00		NR
FCALCIU	PPB	50.00			NR	07/17/89	88200.00		NR
					NR	08/21/89	44000.00		NR
					NR	09/28/89	33700.00		NR
					NR	11/13/89	66300.00		NR
FIRON	PPB	30.00	300.00		NR	07/17/89			NR
					NR	08/21/89			NR
					NR	09/28/89			NR
					NR	11/13/89	43.00		NR
FLUORID	PPB	500.00	4000.00		NR	07/17/89	720.00		NR
					NR	08/21/89			NR
					NR	09/28/89			NR
					NR	11/13/89	800.00		NR
FMAGNES	PPB	50.00			NR	07/17/89	15900.00		NR
					NR	08/21/89	8660.00		NR
					NR	09/28/89	6480.00		NR
					NR	11/13/89	11100.00		NR
FMANGAN	PPB	5.00	50.00		NR	07/17/89			NR
					NR	08/21/89	6.00		NR
					NR	09/28/89			NR
					NR	11/13/89			NR
FPOTASS	PPB	100.00			NR	07/17/89	6190.00		NR
					NR	08/21/89	4500.00		NR
					NR	09/28/89	4300.00		NR
					NR	11/13/89	5190.00		NR
					NR	08/21/89	74800.00		NR
FSILICO	PPB	50.00			NR	07/17/89	13000.00		NR
					NR	08/21/89	13000.00		NR
					NR	09/28/89	13400.00		NR
					NR	11/13/89	14200.00		NR
		200.00			NR	07/17/89	98900.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-20	SAMPLE DATE	1-N-21	SAMPLE DATE	1-N-22
FSODIUM	PPB	200.00			NR	09/28/89	69100.00		NR
					NR	11/13/89	88000.00		NR
FSTRONT	PPB	10.00			NR	07/17/89	433.00		NR
					NR	08/21/89	226.00		NR
					NR	09/28/89	187.00		NR
					NR	11/13/89	323.00		NR
FVANADI	PPB	5.00			NR	07/17/89	6.00		NR
					NR	08/21/89	5.00		NR
					NR	09/28/89	14.00		NR
					NR	11/13/89	11.00		NR
FZINC	PPB	5.00	5000.00		NR	07/17/89	13.00		NR
					NR	08/21/89	10.00		NR
					NR	09/28/89	14.00		NR
					NR	11/13/89	13.00		NR
HNITRAT	PPB	2500.00	45000.00	06/14/89	20200.00		NR	06/14/89	31200.00
IRON	PPB	30.00	300.00		NR	07/17/89	608.00 *		NR
					NR	08/21/89	1400.00 *		NR
					NR	09/28/89	547.00 *		NR
					NR	11/13/89	432.00 *		NR
LFLUORD	PPB	20.00	4000.00		NR	11/13/89	299.00		NR
MAGNES	PPB	50.00			NR	07/17/89	15900.00		NR
					NR	08/21/89	10200.00		NR
					NR	09/28/89	6350.00		NR
					NR	11/13/89	10700.00		NR
MANGESE	PPB	5.00	50.00		NR	07/17/89	19.00		NR
					NR	08/21/89	43.00		NR
					NR	09/28/89	24.00		NR
					NR	11/13/89	15.00		NR
NICKEL	PPB	10.00			NR	07/17/89			NR
					NR	08/21/89	12.00		NR
					NR	09/28/89			NR
					NR	11/13/89			NR
NITRATE	PPB	500.00	45000.00		NR	07/17/89	24100.00		NR
					NR	08/21/89	17800.00		NR
					NR	09/28/89	11000.00		NR
					NR	11/13/89	10600.00		NR
PH-LAB		0.01	8.50		NR	07/17/89	7.80		NR
					NR	07/17/89	7.80		NR
					NR	07/17/89	7.80		NR
					NR	07/17/89	7.80		NR
					NR	08/21/89	7.90		NR
					NR	08/21/89	7.90		NR
					NR	08/21/89	7.90		NR
					NR	08/21/89	7.90		NR
					NR	09/28/89	7.90		NR
					NR	09/28/89	7.90		NR
					NR	09/28/89	7.90		NR
					NR	09/28/89	7.90		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-20	SAMPLE DATE	1-N-21	SAMPLE DATE	1-N-22
PHFIELD		0.10	8.50		NR	07/17/89	7.69		NR
		0.10	8.50		NR	07/17/89	7.76		NR
					NR	07/17/89	7.67		NR
					NR	07/17/89	7.67		NR
					NR	08/21/89	7.93		NR
					NR	08/21/89	7.94		NR
					NR	08/21/89	7.93		NR
					NR	08/21/89	7.93		NR
					NR	09/28/89	7.88		NR
					NR	09/28/89	7.88		NR
					NR	09/28/89	7.88		NR
					NR	09/28/89	7.87		NR
					NR	11/13/89	7.21		NR
					NR	11/13/89	7.20		NR
					NR	11/13/89	7.21		NR
POTASUM	PPB	100.00			NR	11/13/89	7.22		NR
					NR	07/17/89	6290.00		NR
					NR	08/21/89	5510.00		NR
					NR	09/28/89	4280.00		NR
					NR	11/13/89	5120.00		NR
RADIUM	PCI/L	1.00	5.00		NR	11/13/89	0.45		NR
RU-106	PCI/L	172.50	30.00	06/14/89	51.90 *	11/13/89	0.22	06/14/89	
SILICON	PPB	50.00			(45.40)				
					NR	07/17/89	13400.00		NR
					NR	08/21/89	15100.00		NR
					NR	09/28/89	13300.00		NR
					NR	11/13/89	13900.00		NR
SODIUM	PPB	200.00			NR	07/17/89	105000.00		NR
					NR	08/21/89	88900.00		NR
					NR	09/28/89	69000.00		NR
					NR	11/13/89	79600.00		NR
SR 90	PCI/L	5.00	8.00	06/14/89	13.10 *	11/13/89	3.21	06/14/89	
STRONUM	PPB	10.00			(2.03)		(1.12)		
					NR	07/17/89	435.00		NR
					NR	08/21/89	269.00		NR
					NR	09/28/89	186.00		NR
					NR	11/13/89	309.00		NR
SULFATE	PPB	500.00	250000.00		NR	07/17/89	312000.00 *		NR
					NR	08/21/89	168000.00		NR
					NR	09/28/89	129000.00		NR
					NR	11/13/89	213000.00		NR
					NR	11/13/89	32900.00		NR
TC	PPB	1000.00							
TC-99	PCI/L	15.00	900.00	06/14/89	8.32		NR	06/14/89	
TDS					(1.21)				
					NR	11/13/89	463000.00		NR
					NR	11/13/89	17.00		NR
					NR	11/13/89	10.00		NR
					NR	11/13/89			NR
TOXLDL	PPB	5000.00	500000.00						
		10.00							

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-20	SAMPLE DATE	1-N-21	SAMPLE DATE	1-N-22
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
TRITIUM	PCI/L	500.00	20000.00	06/14/89	1020.00 (193.00)	11/13/89	13600.00 (396.00)	06/14/89	2750.00 (215.00)
TURBID	NTU	0.10	1.00		NR	07/17/89	2.50 *		NR
					NR	08/21/89	8.30 *		NR
					NR	09/28/89	6.60 *		NR
					NR	11/13/89	1.80 *		NR
U	PCI/L	0.50	600.00	06/14/89	1.07	11/13/89	1.50	06/14/89	4.59
VANADUM	PPB	5.00			NR	07/17/89	6.00		NR
					NR	08/21/89	11.00		NR
					NR	09/28/89	14.00		NR
					NR	11/13/89	11.00		NR
ZINC	PPB	5.00	5000.00		NR	07/17/89	19.00		NR
					NR	08/21/89	18.00		NR
					NR	09/28/89	16.00		NR
					NR	11/13/89	15.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-23	SAMPLE DATE	1-N-24	SAMPLE DATE	1-N-25
ACETONE	PPB	10.00		12/11/89		12/06/89		12/06/89	10.00
ALKALIN		20000.00		08/22/89	240000.00	08/21/89	24000.00	08/21/89	98000.00
				09/20/89	236000.00	09/20/89	362000.00	09/20/89	106000.00
ALPHAHI	PCI/L	4.00	15.00	12/11/89	7.51	12/06/89	2.03	12/06/89	
					(3.36)		(1.27)		
ALUMNUM	PPB	150.00		08/22/89	2920.00	08/21/89	232.00	08/21/89	314.00
				09/20/89	195.00	09/20/89	217.00	09/20/89	
				12/11/89	5110.00	12/06/89		12/06/89	164.00
AMMONIU	PPB	50.00		12/11/89		12/06/89	79.00	12/06/89	
ARSENIC	PPB	5.00	50.00	08/22/89	16.00	08/21/89		08/21/89	9.00
				09/20/89	5.00	09/20/89		09/20/89	
				12/11/89	14.00	12/06/89		12/06/89	5.00
BARILUM	PPB	6.00	1000.00	08/22/89	873.00	08/21/89	176.00	08/21/89	80.00
				09/20/89	77.00	09/20/89	140.00	09/20/89	41.00
				12/11/89	1010.00 *	12/06/89	52.00	12/06/89	67.00
BETA	PCI/L	8.00	50.00	10/19/89	8.22	10/09/89	37.70	10/09/89	29.20
					(2.90)		(4.82)		(4.44)
				12/11/89	11.60	12/06/89	17.40	12/06/89	11.10
					(3.25)		(3.43)		(3.11)
BORON	PPB	10.00		08/22/89		08/21/89	20.00	08/21/89	20.00
				09/20/89	27.00	09/20/89	38.00	09/20/89	19.00
				12/11/89	26.00	12/06/89	17.00	12/06/89	26.00
CADMIUM	PPB	2.00	10.00	08/22/89	45.00 *	08/21/89	11.00 *	08/21/89	27.00 *
				09/20/89	8.00	09/20/89	7.00	09/20/89	
				12/11/89	102.00 *	12/06/89	9.00	12/06/89	31.00 *
CALCIUM	PPB	50.00		08/22/89	79300.00	08/21/89	116000.00	08/21/89	35100.00
				09/20/89	73600.00	09/20/89	79800.00	09/20/89	35000.00
				12/11/89	74900.00	12/06/89	29600.00	12/06/89	34700.00
CHLDRID	PPB	500.00	250000.00	08/22/89	15000.00	08/21/89	8300.00	08/21/89	8000.00
				09/20/89	14000.00	09/20/89	15000.00	09/20/89	8000.00
				12/11/89	17600.00	12/06/89	5500.00	12/06/89	11300.00
CHROMIUM	PPB	10.00	50.00	08/22/89	11.00	08/21/89		08/21/89	42.00
				09/20/89		09/20/89		09/20/89	
				12/11/89	28.00	12/06/89		12/06/89	35.00
COLIFRM	MPN	2.20	1.00	12/11/89		12/06/89	63.00 *	12/06/89	
CONDFLD	UMHO	1.00	700.00	08/22/89	831.00 *	08/21/89	1135.00 *	08/21/89	790.00 *
				09/20/89	894.00 *	09/20/89	1051.00 *	09/20/89	1000.00 *
				12/11/89	1050.00 *	12/06/89	276.00	12/06/89	737.00 *
CONDLAB	UMHO		700.00	08/22/89	893.00 *	08/21/89	992.00 *	08/21/89	738.00 *
				08/22/89	898.00 *	08/21/89	997.00 *	08/21/89	738.00 *
				08/22/89	896.00 *	08/21/89	1040.00 *	08/21/89	739.00 *
				08/22/89	890.00 *	08/21/89	1000.00 *	08/21/89	738.00 *
				09/20/89	861.00 *	09/20/89	960.00 *	09/20/89	1010.00 *
				09/20/89	859.00 *	09/20/89	961.00 *	09/20/89	1020.00 *
				09/20/89	859.00 *	09/20/89	966.00 *	09/20/89	1040.00 *
				09/20/89	863.00 *	09/20/89	967.00 *	09/20/89	1010.00 *
				12/11/89	898.00 *	12/06/89	350.00 a	12/06/89	880.00 *
COPPER	PPB	10.00	(1300.0)	08/22/89	66.00	08/21/89		08/21/89	24.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-23	SAMPLE DATE	1-N-24	SAMPLE DATE	1-N-25
COPPER	PPB	10.00	(1300.0)	09/20/89		09/20/89		09/20/89	
				12/11/89	33.00	12/06/89		12/06/89	26.00
CS-137	PCI/L	20.00	200.00	10/19/89		10/09/89		10/09/89	9.19
									(8.36)
FLUORID	PPB	500.00	4000.00	12/11/89		12/06/89		12/06/89	
				08/22/89	800.00	08/21/89	900.00	08/21/89	600.00
				09/20/89		09/20/89		09/20/89	
				12/11/89		12/06/89		12/06/89	
HNITRAT	PPB	2500.00	45000.00	10/19/89		10/09/89	4500.00	10/09/89	5300.00
IRON	PPB	30.00	300.00	08/22/89	134000.00 *	08/21/89	28400.00 *	08/21/89	37300.00 *
				09/20/89	14300.00 *	09/20/89	26700.00 *	09/20/89	938.00 *
				12/11/89	348000.00 *	12/06/89	11600.00 *	12/06/89	16300.00 *
LEADGF	PPB	5.00	50.00	08/22/89	12.00	08/21/89	9.00	08/21/89	16.00
				09/20/89		09/20/89		09/20/89	
				12/11/89	10.00	12/06/89	5.00	12/06/89	8.00
LFLUORD	PPB	20.00	4000.00	12/11/89	277.00	12/06/89	239.00	12/06/89	182.00
MAGNES	PPB	50.00		08/22/89	16000.00	08/21/89	21100.00	08/21/89	12000.00
				09/20/89	14700.00	09/20/89	15400.00	09/20/89	16600.00
				12/11/89	14500.00	12/06/89	5920.00	12/06/89	13600.00
MANGESE	PPB	5.00	50.00	08/22/89	1070.00 *	08/21/89	419.00 *	08/21/89	148.00 *
				09/20/89	101.00 *	09/20/89	170.00 *	09/20/89	24.00
				12/11/89	1620.00 *	12/06/89	105.00 *	12/06/89	183.00 *
NICKEL	PPB	10.00		08/22/89	58.00	08/21/89		08/21/89	10.00
				09/20/89		09/20/89		09/20/89	
				12/11/89	23.00	12/06/89		12/06/89	18.00
NITRATE	PPB	500.00	45000.00	08/22/89		08/21/89	3700.00	08/21/89	12700.00
				09/20/89		09/20/89	1700.00	09/20/89	5200.00
				12/11/89	1700.00	12/06/89	3700.00	12/06/89	15300.00
PH-LAB		0.01	8.50	08/22/89	7.60	08/21/89	7.60	08/21/89	8.80 *
				08/22/89	7.60	08/21/89	7.60	08/21/89	8.90 *
				08/22/89	7.60	08/21/89	7.70	08/21/89	8.90 *
				08/22/89	7.70	08/21/89	7.60	08/21/89	8.80 *
				09/20/89	7.70	09/20/89	8.10	09/20/89	8.70 *
				09/20/89	7.80	09/20/89	8.00	09/20/89	8.70 *
				09/20/89	7.80	09/20/89	7.80	09/20/89	8.70 *
				09/20/89	7.90	09/20/89	7.80	09/20/89	8.70 *
				12/11/89	7.60	12/06/89	7.80	12/06/89	8.20
PHFIELD		0.10	8.50	08/22/89	7.20	08/21/89	7.83	08/21/89	9.00 *
				09/20/89	6.70	09/20/89	6.86	09/20/89	8.70 *
				12/11/89	7.90	12/06/89	8.03	12/06/89	8.54 *
POTASUM	PPB	100.00		08/22/89	6730.00	08/21/89	7300.00	08/21/89	5150.00
				09/20/89	7590.00	09/20/89	7810.00	09/20/89	6360.00
				12/11/89	6970.00	12/06/89	3610.00	12/06/89	5820.00
RADIUM	PCI/L	1.00	5.00	12/11/89	0.25	12/06/89		12/06/89	
					(0.16)				
SILICON	PPB	50.00		08/22/89	28000.00	08/21/89	11600.00	08/21/89	15000.00
				09/20/89	16700.00	09/20/89	14800.00	09/20/89	10300.00
				12/11/89	50400.00	12/06/89	9780.00	12/06/89	13100.00
SODIUM	PPB	200.00		08/22/89	118000.00	08/21/89	102000.00	08/21/89	121000.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-W-23	SAMPLE DATE	1-W-24	SAMPLE DATE	1-W-25
SODIUM	PPB	200.00		09/20/89	129000.00	09/20/89	146000.00	09/20/89	154000.00
				12/11/89	130000.00	12/06/89	14600.00	12/06/89	111000.00
SR 90	PC1/L	5.00	8.00	10/19/89	1.15	10/09/89	11.70 *	10/09/89	8.04 *
					(0.85)		(1.84)		(1.59)
				12/11/89	1.96	12/06/89	4.55	12/06/89	
					(1.02)		(1.21)		
STRONUM	PPB	10.00		08/22/89	414.00	08/21/89	515.00	08/21/89	270.00
				09/20/89	339.00	09/20/89	359.00	09/20/89	317.00
				12/11/89	439.00	12/06/89	157.00	12/06/89	305.00
SULFATE	PPB	500.00	250000.00	08/22/89	231000.00	08/21/89	345000.00 *	08/21/89	257000.00 *
				09/20/89	221000.00	09/20/89	180000.00	09/20/89	408000.00 *
				12/11/89	222000.00	12/06/89	37200.00	12/06/89	278000.00 *
TC	PPB	1000.00		12/11/89	56600.00	12/06/89	32200.00	12/06/89	28800.00
TDS		5000.00	500000.00	12/11/89	580000.00 *	12/06/89	199000.00	12/06/89	554000.00 *
TITAN	PPB	60.00		08/22/89	186.00	08/21/89		08/21/89	
				09/20/89		09/20/89		09/20/89	
				12/11/89	322.00	12/06/89		12/06/89	
TOXLDL	PPB	10.00		12/11/89	22.00	12/06/89	10.00	12/06/89	12.00
TRITIUM	PCI/L	500.00	20000.00	10/19/89	15700.00	10/09/89		10/09/89	
					(424.00)				
				12/11/89	15000.00	12/06/89	368.00	12/06/89	
					(424.00)		(143.00)		
TURBID	NTU	0.10	1.00	08/22/89	90.00 *	08/21/89	200.00 *	08/21/89	200.00 *
				09/20/89	200.00 *	09/20/89	84.00 *	09/20/89	19.20 *
				12/11/89	200.00 *	12/06/89	17.80 *	12/06/89	47.00 *
U	PC1/L	0.50	600.00	10/19/89		10/09/89	4.23	10/09/89	3.84
				12/11/89	6.41	12/06/89	1.02	12/06/89	1.71
VANADUM	PPB	5.00		08/22/89	90.00	08/21/89	15.00	08/21/89	32.00
				09/20/89	28.00	09/20/89	10.00	09/20/89	7.00
				12/11/89	218.00	12/06/89	7.00	12/06/89	13.00
ZINC	PPB	5.00	5000.00	08/22/89	239.00	08/21/89	16.00	08/21/89	29.00
				09/20/89	17.00	09/20/89	9.00	09/20/89	6.00
				12/11/89	22.00	12/06/89	70.00	12/06/89	27.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-26	SAMPLE DATE	1-N-27	SAMPLE DATE	1-N-28
ALKALIN		20000.00		08/22/89	159000.00		NR		NR
				09/18/89	151000.00		NR		NR
ALPHAH	PCI/L	4.00	15.00	12/12/89	6.49	03/06/89			NR
					(3.17)				
					NR	06/27/89			NR
					NR	12/12/89			NR
ALUMNUM	PPB	150.00		08/22/89		03/06/89			NR
				09/18/89		06/27/89			NR
				12/12/89	1060.00	12/12/89	168.00		NR
AMMONIU	PPB	50.00		12/12/89		03/06/89	90.00		NR
					NR	06/27/89			NR
					NR	12/12/89			NR
ARSENIC	PPB	5.00	50.00	08/22/89		03/06/89	6.00		NR
				09/18/89		06/27/89			NR
				12/12/89	12.00	12/12/89			NR
BARIUM	PPB	6.00	1000.00	08/22/89	76.00	03/06/89	10.00		NR
				09/18/89	75.00	06/27/89	11.00		NR
				12/12/89	337.00	12/12/89	16.00		NR
BETA	PCI/L	8.00	50.00	12/12/89	8.84	03/06/89	393.00 +	06/08/89	80.80 +
					(2.87)		(13.60)		(6.53)
					NR	06/27/89	104.00 +		NR
					NR	12/12/89	(7.22)		
							580.00 +		NR
							(16.40)		
BORON	PPB	10.00		08/22/89	36.00	03/06/89	17.00		NR
				09/18/89	28.00	06/27/89	18.00		NR
				12/12/89	33.00	12/12/89	36.00		NR
CADMIUM	PPB	2.00	10.00	08/22/89	9.00	03/06/89			NR
				09/18/89		06/27/89			NR
				12/12/89	103.00 *	12/12/89			NR
CALCIUM	PPB	50.00		08/22/89	40000.00	03/06/89	18600.00		NR
				09/18/89	41400.00	06/27/89	17900.00		NR
				12/12/89	63700.00	12/12/89	20100.00		NR
CHLFORM	PPB	5.00	100.00	12/12/89		03/06/89			NR
					NR	06/27/89			NR
					NR	12/12/89	9.00		NR
CHLORID	PPB	500.00	250000.00	08/22/89	7000.00	03/06/89	800.00		NR
				09/18/89	6000.00	06/27/89	900.00		NR
				12/12/89	5900.00	12/12/89	1000.00		NR
CHROMIUM	PPB	10.00	50.00	08/22/89		03/06/89			NR
				09/18/89		06/27/89			NR
				12/12/89	520.00 *	12/12/89			NR
CO-60	PCI/L	22.50	100.00	12/12/89		03/06/89	33.40	06/08/89	18.20
					NR		(12.90)		(9.40)
					NR	06/27/89	29.50		NR
							(13.70)		
						12/12/89	20.30		NR
							(14.40)		

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-26	SAMPLE DATE	1-N-27	SAMPLE DATE	1-N-28
CONDFLD	UMHO	1.00	700.00	08/22/89	480.00	03/06/89	139.40		NR
				09/18/89	491.00	03/06/89	139.30		NR
				12/12/89	809.00 *	03/06/89	139.40		NR
					NR	03/06/89	139.30		NR
					NR	05/05/89	137.00		NR
					NR	05/05/89	138.00		NR
					NR	05/05/89	139.00		NR
					NR	05/05/89	139.00		NR
					NR	05/05/89	180.00		NR
					NR	05/05/89	181.00		NR
					NR	05/05/89	180.00		NR
					NR	05/05/89	179.00		NR
					NR	06/27/89	123.00		NR
					NR	06/27/89	123.00		NR
					NR	06/27/89	123.00		NR
					NR	06/27/89	123.00		NR
					NR	11/29/89	138.00		NR
					NR	12/12/89	168.00		NR
CONDLAB	UMHO		700.00	08/22/89	474.00 @	03/06/89	130.00 @		NR
				08/22/89	477.00 @	03/06/89	145.00 @		NR
				08/22/89	475.00 @	03/06/89	146.00 @		NR
				08/22/89	476.00 @	03/06/89	146.00 @		NR
				09/18/89	476.00 @	05/05/89	158.20 @		NR
				09/18/89	479.00 @	06/27/89	190.00 @		NR
				09/18/89	475.00 @	06/27/89	184.00 @		NR
				09/18/89	473.00 @	06/27/89	190.00 @		NR
				12/12/89	671.00 @	06/27/89	186.00 @		NR
					NR	12/12/89	149.00 @		NR
					NR	12/12/89	150.00 @		NR
					NR	12/12/89	150.00 @		NR
					NR	12/12/89	149.00 @		NR
COPPER	PPB	10.00	(1300.0)	08/22/89		03/06/89			NR
				09/18/89	10.00	06/27/89			NR
				12/12/89	121.00	12/12/89			NR
FBARIUM	PPB	6.00	1000.00		NR	03/06/89	12.00		NR
					NR	06/27/89	9.00		NR
					NR	12/12/89	10.00		NR
FBORON	PPB	10.00			NR	03/06/89	19.00		NR
					NR	06/27/89	11.00		NR
					NR	12/12/89	36.00		NR
FCALCIU	PPB	50.00			NR	03/06/89	21300.00		NR
					NR	06/27/89	17300.00		NR
					NR	12/12/89	19600.00		NR
FLUORID	PPB	500.00	4000.00	08/22/89	900.00	03/06/89			NR
				09/18/89	700.00	06/27/89			NR
				12/12/89	700.00	12/12/89			NR
FMAGNES	PPB	50.00			NR	03/06/89	4060.00		NR
					NR	06/27/89	3480.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-26	SAMPLE DATE	1-N-27	SAMPLE DATE	1-N-28
FMAGNES	PPB	50.00			NR	12/12/89	3650.00		NR
FPOTASS	PPB	100.00			NR	03/06/89	2040.00		NR
					NR	06/27/89	2710.00		NR
					NR	12/12/89	2210.00		NR
FSILICO	PPB	50.00			NR	03/06/89	7100.00		NR
					NR	06/27/89	5210.00		NR
					NR	12/12/89	6430.00		NR
FSDIUM	PPB	200.00			NR	03/06/89	2550.00		NR
					NR	06/27/89	4740.00		NR
					NR	12/12/89	2890.00		NR
FSTRONT	PPB	10.00			NR	03/06/89	101.00		NR
					NR	06/27/89	70.00		NR
					NR	12/12/89	87.00		NR
FVANAD1	PPB	5.00			NR	03/06/89	6.00		NR
					NR	06/27/89	6.00		NR
					NR	12/12/89	7.00		NR
FZINC	PPB	5.00	5000.00		NR	03/06/89			NR
					NR	06/27/89	8.00		NR
					NR	12/12/89			NR
IRON	PPB	30.00	300.00	08/22/89	4360.00 *	03/06/89	60.00		NR
				09/18/89	1490.00 *	06/27/89	40.00		NR
				12/12/89	164000.00 *	12/12/89	374.00 *		NR
LEADGF	PPB	5.00	50.00	08/22/89		03/06/89			NR
				09/18/89		06/27/89			NR
				12/12/89	14.00	12/12/89			NR
LFLUORD	PPB	20.00	4000.00	12/12/89	729.00	12/12/89	167.00		NR
MAGNES	PPB	50.00		08/22/89	9380.00	03/06/89	3530.00		NR
				09/18/89	9710.00	06/27/89	3570.00		NR
				12/12/89	11000.00	12/12/89	3810.00		NR
MANGESE	PPB	5.00	50.00	08/22/89	154.00 *	03/06/89			NR
				09/18/89	64.00 *	06/27/89			NR
				12/12/89	3230.00 *	12/12/89	42.00		NR
NICKEL	PPB	10.00		08/22/89		03/06/89			NR
				09/18/89	14.00	06/27/89			NR
				12/12/89	134.00	12/12/89			NR
NITRATE	PPB	500.00	45000.00	08/22/89	28100.00	03/06/89	9100.00		NR
				09/18/89	25300.00	06/27/89	500.00		NR
				12/12/89	11600.00	12/12/89	6100.00		NR
PH-LAB		0.01	8.50	08/22/89	7.80	03/06/89	8.27		NR
				08/22/89	7.80	03/06/89	8.30		NR
				08/22/89	7.90	03/06/89	8.26		NR
				08/22/89	7.80	03/06/89	8.26		NR
				09/18/89	7.90	06/27/89	8.20		NR
				09/18/89	7.80	06/27/89	8.20		NR
				09/18/89	7.90	06/27/89	8.30		NR
				09/18/89	7.90	06/27/89	8.30		NR
				12/12/89	7.70	12/12/89	8.10		NR
					NR	12/12/89	8.10		NR
					NR	12/12/89	8.10		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-26	SAMPLE DATE	1-N-27	SAMPLE DATE	1-N-28
PH-LAB		0.01	8.50		NR	12/12/89	8.10		NR
PHFIELD		0.10	8.50	08/22/89	7.41	03/06/89	8.10		NR
				09/18/89	7.81	03/06/89	8.10		NR
				12/12/89	7.68	03/06/89	8.20		NR
					NR	03/06/89	8.10		NR
					NR	05/05/89	7.90		NR
					NR	05/05/89	8.01		NR
					NR	05/05/89	8.05		NR
					NR	05/05/89	8.10		NR
					NR	05/05/89	8.02		NR
					NR	05/05/89	8.07		NR
					NR	05/05/89	8.08		NR
					NR	05/05/89	8.12		NR
					NR	06/27/89	7.20		NR
					NR	06/27/89	7.34		NR
					NR	06/27/89	7.35		NR
					NR	06/27/89	7.35		NR
					NR	11/29/89	8.45		NR
					NR	12/12/89	8.11		NR
POTASUM	PPB	100.00		08/22/89	5010.00	03/06/89	1750.00		NR
				09/18/89	5180.00	06/27/89	2750.00		NR
				12/12/89	5920.00	12/12/89	2280.00		NR
RADIUM	PCI/L	1.00	5.00	12/12/89	1.75	03/06/89			NR
					(0.41)				
					NR	06/27/89			NR
					NR	12/12/89	0.20		NR
							(0.16)		
SILICON	PPB	50.00		08/22/89	19300.00	03/06/89	6330.00		NR
				09/18/89	19600.00	06/27/89	5370.00		NR
				12/12/89	39800.00	12/12/89	6760.00		NR
SODIUM	PPB	200.00		08/22/89	47500.00	03/06/89	2190.00		NR
				09/18/89	39300.00	06/27/89	4830.00		NR
				12/12/89	68400.00	12/12/89	2940.00		NR
SR 90	PCI/L	5.00	8.00	12/12/89		03/06/89	325.00 *	06/08/89	26.90 *
							(13.40)		(2.72)
					NR	06/27/89	38.40 *		NR
							(4.60)		
					NR	12/12/89	253.00 *		NR
							(11.00)		
STRONUM	PPB	10.00		08/22/89	184.00	03/06/89	89.00		NR
				09/18/89	194.00	06/27/89	72.00		NR
				12/12/89	286.00	12/12/89	90.00		NR
SULFATE	PPB	500.00	250000.00	08/22/89	59000.00	03/06/89	11800.00		NR
				09/18/89	57000.00	06/27/89	11900.00		NR
				12/12/89	190000.00	12/12/89	8200.00		NR
TC	PPB	1000.00		12/12/89	26700.00	03/06/89	13000.00		NR
					NR	12/12/89	14100.00		NR
TDS		5000.00	500000.00	12/12/89	431000.00	12/12/89	82000.00		NR
TOLUENE	PPB	5.00	(2000.0)	12/12/89	6.00	03/06/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-26	SAMPLE DATE	1-N-27	SAMPLE DATE	1-N-28
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
TOLUENE	PPB	5.00	(2000.0)		NR	06/27/89			NR
					NR	12/12/89			NR
TOXLDL	PPB	10.00		12/12/89		03/06/89	23.00		NR
					NR	03/06/89	22.00		NR
					NR	03/06/89	20.00		NR
					NR	03/06/89	20.00		NR
					NR	06/27/89	10.00		NR
					NR	06/27/89	10.00		NR
					NR	06/27/89	10.00		NR
					NR	06/27/89			NR
					NR	12/12/89	10.00		NR
					NR	12/12/89	11.00		NR
					NR	12/12/89	10.00		NR
					NR	12/12/89	13.00		NR
TRITIUM	PCI/L	500.00	20000.00	12/12/89	585.00	03/06/89	40200.00 *	06/08/89	8530.00
					(149.00)		(683.00)		(327.00)
					NR	06/27/89	7880.00		NR
							(310.00)		
					NR	12/12/89	189000.00 *		NR
							(1450.00)		
TURBID	NTU	0.10	1.00	08/22/89	31.00 *	06/27/89			NR
				09/18/89	5.40 *	12/12/89	2.90 *		NR
				12/12/89	200.00 *		NR		NR
U	PCI/L	0.50	600.00	12/12/89	1.39	03/06/89	0.56	06/08/89	1.22
					NR	06/27/89	0.59		NR
					NR	12/12/89	0.56		NR
VANADUM	PPB	5.00		08/22/89		03/06/89			NR
				09/18/89		06/27/89	7.00		NR
				12/12/89	86.00	12/12/89	8.00		NR
ZINC	PPB	5.00	5000.00	08/22/89	9.00	03/06/89			NR
				09/18/89		06/27/89			NR
				12/12/89	37.00	12/12/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-29	SAMPLE DATE	1-N-31	SAMPLE DATE	1-N-32
ALPHAHI	PCI/L	4.00	15.00	03/06/89		03/06/89		03/06/89	1.28
				06/27/89	1.68	08/01/89		07/17/89	(1.09)
				11/29/89	(0.99)	09/28/89	1.01	09/20/89	
					1.19		(0.81)		
					(0.84)	09/28/89	1.16	11/30/89	1.70
					NR		(0.84)	(1.03)	
					NR	12/01/89		NR	
ARSENIC	PPB	5.00	50.00	03/06/89		03/06/89		03/06/89	5.00
				06/27/89		08/01/89		07/17/89	
				11/29/89		09/28/89		09/20/89	
					NR	09/28/89		11/30/89	
					NR	12/01/89			NR
BARIUM	PPB	6.00	1000.00	03/06/89	8.00	03/06/89	10.00	03/06/89	13.00
				06/27/89	9.00	08/01/89	13.00	07/17/89	7.00
				11/29/89	11.00	09/28/89	10.00	09/20/89	12.00
					NR	09/28/89	10.00	11/30/89	11.00
					NR	12/01/89	12.00		NR
BERYLIUM	PPB	5.00		03/06/89		03/06/89		03/06/89	
				06/27/89		08/01/89		07/17/89	
				11/29/89		09/28/89		09/20/89	
					NR	09/28/89	7.00	11/30/89	
					NR	12/01/89			NR
BETA	PCI/L	8.00	50.00	03/06/89	463.00 +	03/06/89	51.60 +	03/06/89	55.30 +
				06/27/89	(14.90)		(5.11)	(5.43)	
				11/29/89	2970.00 +	08/01/89	147.00 +	07/17/89	380.00 +
					(59.80)		(8.46)	(13.50)	
					2540.00 +	09/28/89	137.00 +	09/20/89	75.10 +
					(78.00)		(8.05)	(6.15)	
					NR	09/28/89	138.00 +	11/30/89	83.80 +
					NR		(8.18)	(6.44)	
					NR	12/01/89	130.00 +		NR
							(7.92)		
BORON	PPB	10.00		03/06/89	18.00	03/06/89	19.00	03/06/89	28.00
				06/27/89	20.00	08/01/89	10.00	07/17/89	13.00
				11/29/89	27.00	09/28/89	22.00	09/20/89	15.00
					NR	09/28/89	20.00	11/30/89	31.00
					NR	12/01/89	48.00		NR
CALCIUM	PPB	50.00		03/06/89	19400.00	03/06/89	18400.00	03/06/89	19700.00
				06/27/89	22000.00	08/01/89	23700.00	07/17/89	18600.00
				11/29/89	23800.00	09/28/89	20000.00	09/20/89	18400.00
					NR	09/28/89	20000.00	11/30/89	17100.00
					NR	12/01/89	18000.00		NR
CHLFORM	PPB	5.00	100.00	03/06/89		03/06/89		03/06/89	
				06/27/89		08/01/89		07/17/89	
				11/29/89	14.00	09/28/89	21.00	09/20/89	8.00
					NR	09/28/89	20.00	11/30/89	8.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-29	SAMPLE DATE	1-N-31	SAMPLE DATE	1-N-32
CHLFORM	PPB	5.00	100.00		NR	12/01/89	9.00		NR
CHLORID	PPB	500.00	250000.00	03/06/89	900.00	03/06/89	1000.00	03/06/89	700.00
				06/27/89	1200.00	08/01/89	1400.00	07/17/89	1100.00
				11/29/89	1500.00	09/28/89	1800.00	09/20/89	1700.00
					NR	09/28/89	1800.00	11/30/89	1000.00
					NR	12/01/89	800.00		NR
CO-60	PCI/L	22.50	100.00	03/06/89	31.30	03/06/89	10.60	03/06/89	20.20
					(13.00)		(9.25)		(12.80)
				06/27/89	24.20	08/01/89	9.43	07/17/89	20.40
					(11.40)		(7.75)		(9.63)
				11/29/89		09/28/89	8.67	09/20/89	16.90
							(6.55)		(9.58)
					NR	09/28/89	13.00	11/30/89	17.80
							(12.00)		(11.70)
					NR	12/01/89	18.10		NR
							(9.07)		
COND FLD	UMHO	1.00	700.00	01/06/89	98.00	01/05/89	114.00	01/05/89	186.00
				03/06/89	114.40	03/06/89	133.00	03/06/89	145.00
				03/06/89	114.60	03/06/89	133.00	03/06/89	146.00
				03/06/89	114.60	03/06/89	133.00	03/06/89	145.00
				03/06/89	114.60	03/06/89	134.00	03/06/89	145.00
				05/05/89	128.00	08/01/89	190.00	07/17/89	128.00
				05/05/89	128.00	08/01/89	130.00	07/17/89	128.00
				05/05/89	127.00	08/01/89	160.00	07/17/89	127.00
				05/05/89	126.00	08/01/89	171.00	07/17/89	127.00
				05/05/89	169.00	09/28/89	148.00	09/20/89	140.00
				05/05/89	172.00	09/28/89	149.00	09/20/89	139.00
				05/05/89	167.00	09/28/89	149.00	09/20/89	138.00
				05/05/89	167.00	09/28/89	150.00	09/20/89	139.00
				06/27/89	137.00	12/01/89	155.00	11/30/89	131.00
				06/27/89	137.00	12/01/89	158.00		NR
				06/27/89	136.00	12/01/89	158.00		NR
				06/27/89	137.00	12/01/89	158.00		NR
				11/29/89	188.00		NR		NR
				11/29/89	188.00		NR		NR
				11/29/89	185.00		NR		NR
				11/29/89	183.00		NR		NR
COND LAB	UMHO		700.00	03/06/89	133.00 a	03/06/89	124.00 a	03/06/89	144.00 a
				03/06/89	131.00 a	03/06/89	126.00 a	03/06/89	144.00 a
				03/06/89	133.00 a	03/06/89	126.00 a	03/06/89	145.00 a
				03/06/89	131.00 a	03/06/89	125.00 a	03/06/89	142.00 a
				05/05/89	152.20 a	08/01/89	150.00 a	07/17/89	129.00 a
				06/27/89	135.00 a	08/01/89	148.00 a	07/17/89	127.00 a
				06/27/89	131.00 a	08/01/89	147.00 a	07/17/89	127.00 a
				06/27/89	135.00 a	08/01/89	148.00 a	07/17/89	128.00 a
				06/27/89	140.00 a	09/28/89	154.00 a	09/20/89	135.00 a
				11/29/89	161.00 a	09/28/89	149.00 a	09/20/89	134.00 a
				11/29/89	163.00 a	09/28/89	152.00 a	09/20/89	133.00 a
				11/29/89	162.00 a	09/28/89	152.00 a	09/20/89	132.00 a

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-29	SAMPLE DATE	1-N-31	SAMPLE DATE	1-N-32
CONOLAB	UMHO		700.00	11/29/89	163.00 a	12/01/89	141.00 a	11/30/89	145.00 a
FBARIUM	PPB	6.00	1000.00	03/06/89	9.00	03/06/89	10.00	03/06/89	14.00
				06/27/89	8.00	08/01/89	12.00	07/17/89	7.00
				11/29/89	10.00	09/28/89	10.00	09/20/89	11.00
					NR	09/28/89	10.00	11/30/89	11.00
					NR	12/01/89	11.00		NR
FBERYLL	PPB	5.00		03/06/89		03/06/89		03/06/89	
				06/27/89		08/01/89		07/17/89	
				11/29/89		09/28/89	8.00	09/20/89	
					NR	09/28/89		11/30/89	
					NR	12/01/89			NR
FBORON	PPB	10.00		03/06/89	20.00	03/06/89	20.00	03/06/89	24.00
				06/27/89	17.00	08/01/89		07/17/89	13.00
				11/29/89	27.00	09/28/89	26.00	09/20/89	16.00
					NR	09/28/89	26.00	11/30/89	38.00
					NR	12/01/89	45.00		NR
FCALCIU	PPB	50.00		03/06/89	20100.00	03/06/89	18500.00	03/06/89	18500.00
				06/27/89	22000.00	08/01/89	22900.00	07/17/89	17700.00
				11/29/89	22700.00	09/28/89	22200.00	09/20/89	19700.00
					NR	09/28/89	20000.00	11/30/89	18100.00
					NR	12/01/89	19100.00		NR
FMAGNES	PPB	50.00		03/06/89	3290.00	03/06/89	3070.00	03/06/89	3910.00
				06/27/89	3180.00	08/01/89	3720.00	07/17/89	3280.00
				11/29/89	3400.00	09/28/89	3480.00	09/20/89	3560.00
					NR	09/28/89	3150.00	11/30/89	3500.00
					NR	12/01/89	2980.00		NR
FPOTASS	PPB	100.00		03/06/89	1420.00	03/06/89	1730.00	03/06/89	2270.00
				06/27/89	1320.00	08/01/89	2160.00	07/17/89	2060.00
				11/29/89	1600.00	09/28/89	2320.00	09/20/89	2670.00
					NR	09/28/89	2100.00	11/30/89	2260.00
					NR	12/01/89	2030.00		NR
FSILICO	PPB	50.00		03/06/89	5100.00	03/06/89	5480.00	03/06/89	8600.00
				06/27/89	5150.00	08/01/89	7130.00	07/17/89	4540.00
				11/29/89	5700.00	09/28/89	7950.00	09/20/89	7340.00
					NR	09/28/89	7170.00	11/30/89	8040.00
					NR	12/01/89	7400.00		NR
FSCDIUM	PPB	200.00		03/06/89	1230.00	03/06/89	1310.00	03/06/89	1960.00
				06/27/89	2060.00	08/01/89	2440.00	07/17/89	2830.00
				11/29/89	1960.00	09/28/89	2270.00	09/20/89	2810.00
					NR	09/28/89	2040.00	11/30/89	2540.00
					NR	12/01/89	1960.00		NR
FSTRONT	PPB	10.00		03/06/89	86.00	03/06/89	78.00	03/06/89	102.00
				06/27/89	86.00	08/01/89	100.00	07/17/89	72.00
				11/29/89	90.00	09/28/89	95.00	09/20/89	100.00
					NR	09/28/89	83.00	11/30/89	94.00
					NR	12/01/89	81.00		NR
FVANADI	PPB	5.00		03/06/89	6.00	03/06/89		03/06/89	
				06/27/89	9.00	08/01/89		07/17/89	
				11/29/89	8.00	09/28/89		09/20/89	9.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-29	SAMPLE DATE	1-N-31	SAMPLE DATE	1-N-32
FVANADI	PPB	5.00			NR NR	09/28/89 12/01/89	6.00 9.00	11/30/89	12.00 NR
FZINC	PPB	5.00	5000.00	03/06/89 06/27/89 11/29/89		03/06/89 08/01/89 09/28/89 09/28/89 12/01/89		03/06/89 07/17/89 09/20/89 11/30/89	6.00
IRON	PPB	30.00	300.00	03/06/89 06/27/89 11/29/89	73.00 105.00 NR NR	03/06/89 08/01/89 09/28/89 09/28/89 12/01/89	101.00 48.00	03/06/89 07/17/89 09/20/89 11/30/89	43.00 33.00 40.00
LFLUORD	PPB	20.00	4000.00	11/29/89	155.00	12/01/89	40.00	11/30/89	NR
MAGNES	PPB	50.00		03/06/89 06/27/89 11/29/89	3100.00 3160.00 3610.00 NR NR	03/06/89 08/01/89 09/28/89 09/28/89 12/01/89	2990.00 3680.00 3180.00 3150.00 2910.00	03/06/89 07/17/89 09/20/89 11/30/89	189.00 4140.00 3440.00 3310.00 3380.00
N1-63	PCI/L	10.00	50.00	06/27/89	5.01 1.34	12/01/89	NR		NR
NICKEL	PPB	10.00		03/06/89 06/27/89 11/29/89		03/06/89 08/01/89 09/28/89 09/28/89 12/01/89		03/06/89 07/17/89 09/20/89 11/30/89	479.00
NITRATE	PPB	500.00	45000.00	03/06/89 06/27/89 11/29/89	5400.00 2200.00 6700.00 NR NR	03/06/89 08/01/89 09/28/89 09/28/89 12/01/89	2600.00 1500.00 2400.00 2400.00 4900.00	03/06/89 07/17/89 09/20/89 11/30/89	7100.00 507.00 1400.00 3400.00
PH-LAB		0.01	8.50	03/06/89 03/06/89 03/06/89 03/06/89 06/27/89 06/27/89 06/27/89 06/27/89 11/29/89 11/29/89 11/29/89 11/29/89	8.17 8.20 8.19 8.19 8.20 8.20 8.20 8.20 7.90 8.00 8.00 8.00	03/06/89 03/06/89 03/06/89 03/06/89 08/01/89 08/01/89 08/01/89 08/01/89 09/28/89 09/28/89 09/28/89 09/28/89	8.49 8.53 * 8.52 * 8.53 * 8.40 8.40 8.40 8.40 8.20 8.20 8.20 8.20	03/06/89 03/06/89 03/06/89 03/06/89 07/17/89 07/17/89 07/17/89 07/17/89 09/20/89 09/20/89 09/20/89 09/20/89	8.26 8.31 8.31 8.27 8.30 8.30 8.30 8.30 8.20 8.20 8.10 8.20
PHFIELD		0.10	8.50	01/06/89 03/06/89 03/06/89 03/06/89 03/06/89 05/05/89	7.50 8.10 8.10 8.10 8.10 8.00	01/05/89 03/06/89 03/06/89 03/06/89 03/06/89 08/01/89	8.20 8.90 * 9.00 * 8.90 * 9.00 * 8.41	01/05/89 03/06/89 03/06/89 03/06/89 03/06/89 07/17/89	8.10 8.30 8.30 8.40 8.40 8.20

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-29	SAMPLE DATE	1-N-31	SAMPLE DATE	1-N-32
PHFIELD		0.10	8.50	05/05/89	8.10	08/01/89	8.42	07/17/89	8.21
				05/05/89	8.10	08/01/89	8.43	07/17/89	8.20
				05/05/89	8.10	08/01/89	8.46	07/17/89	8.20
				05/05/89	7.85	09/28/89	7.94	09/20/89	8.01
				05/05/89	7.92	09/28/89	7.95	09/20/89	8.01
				05/05/89	7.98	09/28/89	7.95	09/20/89	8.01
				05/05/89	8.05	09/28/89	7.95	09/20/89	8.02
				06/27/89	8.48	12/01/89	8.47	11/30/89	8.14
				06/27/89	8.68 *	12/01/89	8.45		NR
				06/27/89	8.75 *	12/01/89	8.44		NR
				06/27/89	8.71 *	12/01/89	8.43		NR
				11/29/89	7.98		NR		NR
				11/29/89	7.97		NR		NR
				11/29/89	7.95		NR		NR
				11/29/89	7.97		NR		NR
POTASUM	PPB	100.00		03/06/89	1330.00	03/06/89	1670.00	03/06/89	2470.00
				06/27/89	1330.00	08/01/89	2050.00	07/17/89	2140.00
				11/29/89	1740.00	09/28/89	2150.00	09/20/89	2480.00
					NR	09/28/89	2100.00	11/30/89	2170.00
					NR	12/01/89	2040.00		NR
SB 125	PC1/L	48.00	300.00		NR		NR	03/06/89	93.60
SILICON	PPB	50.00		03/06/89	4900.00	03/06/89	5420.00	03/06/89	8950.00
				06/27/89	5130.00	08/01/89	7440.00	07/17/89	4800.00
				11/29/89	6070.00	09/28/89	7210.00	09/20/89	6800.00
					NR	09/28/89	7160.00	11/30/89	7600.00
					NR	12/01/89	7080.00		NR
SODIUM	PPB	200.00		03/06/89	1140.00	03/06/89	1230.00	03/06/89	2090.00
				06/27/89	2030.00	08/01/89	2340.00	07/17/89	2910.00
				11/29/89	2110.00	09/28/89	2100.00	09/20/89	2580.00
					NR	09/28/89	2050.00	11/30/89	2440.00
					NR	12/01/89	2000.00		NR
SR 90	PC1/L	5.00	8.00	03/06/89	591.00 *	03/06/89	36.60 *	03/06/89	11.20 *
					(40.50)		(3.11)		(1.86)
				06/27/89	1750.00 *	08/01/89	60.90 *	07/17/89	195.00 *
					(65.30)		(4.18)		(6.89)
				11/29/89	1670.00 *	09/28/89	56.40 *	09/20/89	25.70 *
					(67.10)		(3.80)		(2.61)
					NR	09/28/89	59.50 *	11/30/89	26.10 *
					NR		(3.91)		(2.76)
					NR	12/01/89	50.60 *		NR
							(3.60)		
STRONUM	PPB	10.00		03/06/89	82.00	03/06/89	76.00	03/06/89	109.00
				06/27/89	85.00	08/01/89	96.00	07/17/89	77.00
				11/29/89	95.00	09/28/89	85.00	09/20/89	94.00
					NR	09/28/89	86.00	11/30/89	90.00
					NR	12/01/89	77.00		NR
SULFATE	PPB	500.00	250000.00	03/06/89	12500.00	03/06/89	12500.00	03/06/89	11200.00
				06/27/89	10600.00	08/01/89	12600.00	07/17/89	10700.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-29	SAMPLE DATE	1-N-31	SAMPLE DATE	1-N-32
SULFATE	PPB	500.00	250000.00	11/29/89	11300.00	09/28/89	11500.00	09/20/89	11100.00
					NR	09/28/89	11500.00	11/30/89	8700.00
					NR	12/01/89	7300.00		NR
TC	PPB	1000.00		03/06/89	12000.00	03/06/89	11500.00	03/06/89	13300.00
				11/29/89	14900.00	12/01/89	22700.00	11/30/89	13500.00
TDS		5000.00	500000.00	11/29/89	75000.00	12/01/89	81000.00	11/30/89	70000.00
TOXLDL	PPB	10.00		03/06/89	90.00	03/06/89	12.00	03/06/89	
				03/06/89	97.00	03/06/89	11.00	03/06/89	
				03/06/89	90.00	03/06/89	12.00	03/06/89	
				03/06/89	82.00	03/06/89	11.00	03/06/89	
				05/05/89	10.00	08/01/89		07/17/89	
				05/05/89	18.00	08/01/89		07/17/89	
				05/05/89	17.00	08/01/89		07/17/89	
				05/05/89	15.00	08/01/89		07/17/89	
				06/27/89		09/28/89	22.00	09/20/89	21.00
				06/27/89		09/28/89	23.00	09/20/89	18.00
				06/27/89		09/28/89	28.00	09/20/89	15.00
				06/27/89		09/28/89	28.00	09/20/89	15.00
				11/29/89	21.00	12/01/89	16.00	11/30/89	13.00
				11/29/89	18.00	12/01/89	10.00	11/30/89	14.00
				11/29/89	19.00	12/01/89	12.00	11/30/89	24.00
				11/29/89	11.00	12/01/89	12.00	11/30/89	12.00
TRITIUM	PCI/L	500.00	20000.00	03/06/89	38900.00 *	03/06/89	27200.00 *	03/06/89	67800.00 *
					(675.00)		(564.00)		(875.00)
				06/27/89	4890.00	08/01/89	10500.00	07/17/89	7800.00
					(257.00)		(258.00)		(309.00)
				11/29/89	67200.00 *	09/28/89	87400.00 *	09/20/89	30600.00 *
					(837.00)		(975.00)		(558.00)
					NR	09/28/89	85800.00 *	11/30/89	164000.00 *
					NR	12/01/89	218000.00 *		(1300.00)
							(1520.00)		NR
TURBID	NTU	0.10	1.00	06/27/89		08/01/89	0.20	07/17/89	0.30
				11/29/89	0.10	09/28/89	0.10	09/20/89	0.30
					NR	12/01/89	0.20	11/30/89	0.30
U	PCI/L	0.50	600.00	03/06/89		03/06/89		03/06/89	0.58
				06/27/89	0.60	08/01/89	0.76	07/17/89	
				11/29/89	0.60	09/28/89		09/20/89	0.71
					NR	09/28/89		11/30/89	
					NR	12/01/89			NR
VANADUM	PPB	5.00		03/06/89		03/06/89		03/06/89	12.00
				06/27/89	7.00	08/01/89	7.00	07/17/89	
				11/29/89	9.00	09/28/89	9.00	09/20/89	9.00
					NR	09/28/89	10.00	11/30/89	13.00
					NR	12/01/89	8.00		NR
ZINC	PPB	5.00	5000.00	03/06/89		03/06/89		03/06/89	
				06/27/89		08/01/89		07/17/89	
				11/29/89		09/28/89		09/20/89	8800.00 *
					NR	09/28/89		11/30/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-29	SAMPLE DATE	1-N-31	SAMPLE DATE	1-N-32
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ZINC	PPB	5.00	5000.00		NR	12/01/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-33	SAMPLE DATE	1-N-36	SAMPLE DATE	1-N-37
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ACETONE	PPB	10.00		03/06/89		03/07/89			NR
				05/05/89		03/07/89			NR
				07/14/89		06/27/89	45.00		NR
				07/14/89		09/19/89			NR
				12/21/89		12/01/89			NR
				12/21/89			NR		NR
ALPHAHI	PCI/L	4.00	15.00	03/06/89		03/07/89			NR
				07/14/89		03/07/89			NR
				07/14/89		06/27/89			NR
				12/21/89	1.10	09/19/89	1.65		NR
					(0.85)		(1.00)		
				12/21/89		12/01/89			NR
AMMONIU	PPB	50.00		01/05/89		01/05/89			NR
				03/06/89		03/07/89			NR
				07/14/89		03/07/89			NR
				07/14/89		06/27/89	65.00		NR
				12/21/89		09/19/89			NR
				12/21/89		12/01/89			NR
AR1016	PPB	1.00	(0.0)	03/06/89	4.90 #	03/07/89			NR
				05/05/89	7.13 #	03/07/89			NR
				05/08/89	9.75 #	12/01/89			NR
				07/14/89	82.00 #		NR		NR
				07/14/89	148.00 #		NR		NR
				07/21/89	22.00 #		NR		NR
				07/21/89			NR		NR
				12/21/89			NR		NR
				12/21/89			NR		NR
AR1221	PPB	1.00	(0.0)	03/06/89		03/07/89			NR
				05/05/89		03/07/89			NR
				07/14/89		12/01/89			NR
				07/14/89			NR		NR
				07/21/89			NR		NR
				07/21/89	3.21 #		NR		NR
				12/21/89			NR		NR
				12/21/89			NR		NR
ARSENIC	PPB	5.00	50.00	03/06/89		03/07/89			NR
				07/14/89		03/07/89			NR
				07/14/89		06/27/89	6.00		NR
				12/21/89		09/19/89			NR
				12/21/89		12/01/89			NR
BARIUM	PPB	6.00	1000.00	03/06/89	13.00	03/07/89	8.00		NR
				07/14/89	11.00	03/07/89	8.00		NR
				07/14/89	12.00	06/27/89	15.00		NR
				12/21/89	13.00	09/19/89	11.00		NR
				12/21/89	13.00	12/01/89	11.00		NR
BERYLUM	PPB	5.00		03/06/89		03/07/89			NR
				07/14/89		03/07/89			NR
				07/14/89		06/27/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-33	SAMPLE DATE	1-N-36	SAMPLE DATE	1-N-37
BERYLUM	PPB	5.00		12/21/89		09/19/89	6.00		NR
BETA	PC1/L	8.00	50.00	12/21/89		12/01/89			NR
				03/06/89	332.00 +	03/07/89	313.00 +	06/07/89	135.00 +
					(12.60)		(12.30)		(8.06)
				07/14/89	420.00 +	03/07/89	294.00 +		NR
					(14.20)		(11.80)		
				07/14/89	470.00 +	06/27/89	120.00 +		NR
					(15.20)		(7.84)		
				12/21/89	380.00 +	09/19/89	388.00 +		NR
					(13.50)		(13.60)		
				12/21/89	395.00 +	12/01/89	408.00 +		NR
					(13.60)		(14.00)		
BISZEPH	PPB	10.00		03/06/89	14.00	03/07/89			NR
				12/21/89		03/07/89			NR
				12/21/89		12/01/89			NR
BORON	PPB	10.00		03/06/89	29.00	03/07/89	20.00		NR
				07/14/89	16.00	03/07/89	19.00		NR
				07/14/89	18.00	06/27/89	16.00		NR
				12/21/89	29.00	09/19/89	27.00		NR
				12/21/89	33.00	12/01/89	37.00		NR
CALCIUM	PPB	50.00		03/06/89	22300.00	03/07/89	17200.00		NR
				07/14/89	23300.00	03/07/89	17100.00		NR
				07/14/89	23100.00	06/27/89	20500.00		NR
				12/21/89	21600.00	09/19/89	18100.00		NR
				12/21/89	19900.00	12/01/89	18300.00		NR
CHLFORM	PPB	5.00	100.00	03/06/89		03/07/89			NR
				05/05/89		03/07/89			NR
				07/14/89		06/27/89			NR
				07/14/89		09/19/89	15.00		NR
				12/21/89	11.00	12/01/89	8.00		NR
				12/21/89	11.00		NR		NR
CHLORID	PPB	500.00	250000.00	03/06/89	700.00	03/07/89	900.00		NR
				07/14/89	1710.00	03/07/89	900.00		NR
				07/14/89	1870.00	06/27/89	1500.00		NR
				12/21/89	1000.00	09/19/89	1800.00		NR
				12/21/89	1000.00	12/01/89	900.00		NR
CO-60	PC1/L	22.50	100.00	03/06/89	26.20	03/07/89	16.40	06/07/89	18.40
					(14.20)		(8.79)		(10.50)
				07/14/89	12.70	06/27/89			NR
					(7.55)				
				07/14/89	13.90	09/19/89	21.30		NR
					(9.07)		(15.50)		
				12/21/89	27.40	12/01/89	21.90		NR
					(12.60)		(12.80)		
COND FLD	UMHO	1.00	700.00	01/05/89	173.00	01/05/89	124.00		NR
				03/06/89	158.00	03/07/89	135.00		NR
				03/06/89	159.00	03/07/89	134.00		NR
				03/06/89	159.00	03/07/89	135.00		NR
				03/06/89	159.00	03/07/89	135.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-33	SAMPLE DATE	1-N-36	SAMPLE DATE	1-N-37
CONDFLD	UMHO	1.00	700.00	05/05/89	139.00	06/27/89	142.00		NR
				07/14/89	153.00	06/27/89	142.00		NR
				07/14/89	154.00	06/27/89	140.00		NR
				07/14/89	153.00	06/27/89	141.00		NR
				07/14/89	153.00	09/19/89	148.00		NR
				12/21/89	161.00	09/19/89	148.00		NR
					NR	09/19/89	148.00		NR
					NR	09/19/89	148.00		NR
					NR	12/01/89	147.00		NR
					NR	12/01/89	147.00		NR
					NR	12/01/89	147.00		NR
					NR	12/01/89	147.00		NR
CONDLAB	UMHO		700.00	03/06/89	152.00 @	03/07/89	120.00 @		NR
				03/06/89	153.00 @	03/07/89	119.00 @		NR
				03/06/89	152.00 @	03/07/89	106.00 @		NR
				03/06/89	156.00 @	03/07/89	118.00 @		NR
				07/14/89	154.00 @	06/27/89	126.00 @		NR
				07/14/89	152.00 @	06/27/89	127.00 @		NR
				07/14/89	154.00 @	06/27/89	131.00 @		NR
				07/14/89	153.00 @	06/27/89	130.00 @		NR
				12/21/89	157.00 @	09/19/89	148.00 @		NR
				12/21/89	157.00 @	09/19/89	148.00 @		NR
				12/21/89	162.00 @	09/19/89	147.00 @		NR
				12/21/89	158.00 @	09/19/89	147.00 @		NR
					NR	12/01/89	147.00 @		NR
					NR	12/01/89	148.00 @		NR
					NR	12/01/89	147.00 @		NR
					NR	12/01/89	146.00 @		NR
FBARIUM	PPB	6.00	1000.00	03/06/89	15.00	03/07/89	8.00		NR
				07/14/89	12.00	03/07/89	8.00		NR
				07/14/89	13.00	06/27/89	12.00		NR
				12/21/89	12.00	09/19/89	12.00		NR
				12/21/89	12.00	12/01/89	11.00		NR
FBORON	PPB	10.00		03/06/89	36.00	03/07/89	16.00		NR
				07/14/89	19.00	03/07/89	15.00		NR
				07/14/89	20.00	06/27/89	11.00		NR
				12/21/89	33.00	09/19/89	23.00		NR
				12/21/89	31.00	12/01/89	38.00		NR
FCALCIU	PPB	50.00		03/06/89	24300.00	03/07/89	16600.00		NR
				07/14/89	23100.00	03/07/89	16800.00		NR
				07/14/89	23200.00	06/27/89	19000.00		NR
				12/21/89	21300.00	09/19/89	19800.00		NR
				12/21/89	21200.00	12/01/89	19400.00		NR
FMAGNES	PPB	50.00		03/06/89	4150.00	03/07/89	3260.00		NR
				07/14/89	3770.00	03/07/89	3280.00		NR
				07/14/89	3840.00	06/27/89	3540.00		NR
				12/21/89	3520.00	09/19/89	3510.00		NR
				12/21/89	3480.00	12/01/89	3360.00		NR
FPOTASS	PPB	100.00		03/06/89	2440.00	03/07/89	1550.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-33	SAMPLE DATE	1-N-36	SAMPLE DATE	1-N-37
FPOTASS	PPB	100.00		07/14/89	1850.00	03/07/89	1560.00		NR
				07/14/89	1860.00	06/27/89	2040.00		NR
				12/21/89	2010.00	09/19/89	1950.00		NR
				12/21/89	1970.00	12/01/89	1880.00		NR
FSILICO	PPB	50.00		03/06/89	9060.00	03/07/89	6350.00		NR
				07/14/89	6790.00	03/07/89	6420.00		NR
				07/14/89	6540.00	06/27/89	7860.00		NR
				12/21/89	7710.00	09/19/89	6950.00		NR
				12/21/89	7630.00	12/01/89	7060.00		NR
FSCODIUM	PPB	200.00		03/06/89	2500.00	03/07/89	1650.00		NR
				07/14/89	1910.00	03/07/89	1660.00		NR
				07/14/89	1940.00	06/27/89	3790.00		NR
				12/21/89	2230.00	09/19/89	2610.00		NR
				12/21/89	2190.00	12/01/89	2400.00		NR
FSTRONT	PPB	10.00		03/06/89	110.00	03/07/89	90.00		NR
				07/14/89	102.00	03/07/89	90.00		NR
				07/14/89	104.00	06/27/89	96.00		NR
				12/21/89	95.00	09/19/89	99.00		NR
				12/21/89	95.00	12/01/89	92.00		NR
FVANADI	PPB	5.00		03/06/89	11.00	03/07/89			NR
				07/14/89	8.00	03/07/89	7.00		NR
				07/14/89	7.00	06/27/89	14.00		NR
				12/21/89	8.00	09/19/89	10.00		NR
				12/21/89	7.00	12/01/89	11.00		NR
FZINC	PPB	5.00	5000.00	03/06/89		03/07/89			NR
				07/14/89	8.00	03/07/89			NR
				07/14/89		06/27/89			NR
				12/21/89		09/19/89			NR
				12/21/89		12/01/89			NR
HNITRAT	PPB	2500.00	45000.00	06/07/89	2600.00	06/07/89	3400.00	06/07/89	NR
IRON	PPB	30.00	300.00	03/06/89	38.00	03/07/89	35.00		NR
				07/14/89	46.00	03/07/89	76.00		NR
				07/14/89	48.00	06/27/89	2240.00 *		NR
				12/21/89	155.00	09/19/89	189.00		NR
				12/21/89	356.00 *	12/01/89	72.00		NR
LFLUORD	PPB	20.00	4000.00	12/21/89	175.00	12/01/89	185.00		NR
				12/21/89	173.00		NR		NR
MAGNES	PPB	50.00		03/06/89	3870.00	03/07/89	3290.00		NR
				07/14/89	4050.00	03/07/89	3260.00		NR
				07/14/89	4000.00	06/27/89	4030.00		NR
				12/21/89	3510.00	09/19/89	3240.00		NR
				12/21/89	3280.00	12/01/89	3260.00		NR
MANGESE	PPB	5.00	50.00	03/06/89		03/07/89			NR
				07/14/89	6.00	03/07/89			NR
				07/14/89		06/27/89	11.00		NR
				12/21/89		09/19/89			NR
				12/21/89	11.00	12/01/89			NR
METHONE	PPB	10.00		03/06/89		03/07/89			NR
				05/05/89		03/07/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-33	SAMPLE DATE	1-N-36	SAMPLE DATE	1-N-37
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
METHONE	PPB	10.00		07/14/89		06/27/89			NR
				07/14/89		09/19/89	15.00		NR
				12/21/89		12/01/89			NR
				12/21/89			NR		NR
NITRATE	PPB	500.00	45000.00	03/06/89	6300.00	03/07/89	4800.00		NR
				07/14/89	1960.00	03/07/89	4600.00		NR
				07/14/89	2130.00	06/27/89	1300.00		NR
				12/21/89	5600.00	09/19/89	2300.00		NR
				12/21/89	5500.00	12/01/89	4900.00		NR
PH-LAB		0.01	8.50	03/06/89	8.26	03/07/89	8.31		NR
				03/06/89	8.27	03/07/89	8.32		NR
				03/06/89	8.25	03/07/89	8.28		NR
				03/06/89	8.29	03/07/89	8.28		NR
				07/14/89	8.20	06/27/89	8.10		NR
				07/14/89	8.20	06/27/89	8.20		NR
				07/14/89	8.20	06/27/89	8.20		NR
				07/14/89	8.20	06/27/89	8.20		NR
				12/21/89	8.10	09/19/89	8.10		NR
				12/21/89	8.10	09/19/89	8.20		NR
				12/21/89	8.10	09/19/89	8.20		NR
				12/21/89	8.10	09/19/89	8.20		NR
					NR	12/01/89	8.00		NR
					NR	12/01/89	8.00		NR
					NR	12/01/89	8.10		NR
					NR	12/01/89	8.10		NR
PHFIELD		0.10	8.50	01/05/89	8.10	01/05/89	8.20		NR
				03/06/89	8.20	03/07/89	7.50		NR
				03/06/89	8.20	03/07/89	7.50		NR
				03/06/89	8.30	03/07/89	7.60		NR
				03/06/89	8.20	03/07/89	7.60		NR
				05/05/89	7.60	06/27/89	8.14		NR
				07/14/89	8.18	06/27/89	8.14		NR
				07/14/89	8.18	06/27/89	8.14		NR
				07/14/89	8.19	06/27/89	8.14		NR
				07/14/89	8.19	09/19/89	7.49		NR
				12/21/89	8.47	09/19/89	7.53		NR
					NR	09/19/89	7.59		NR
					NR	09/19/89	7.60		NR
					NR	12/01/89	7.97		NR
					NR	12/01/89	7.95		NR
					NR	12/01/89	7.97		NR
					NR	12/01/89	7.97		NR
POTASUM	PPB	100.00		03/06/89	2250.00	03/07/89	1590.00		NR
				07/14/89	2120.00	03/07/89	1590.00		NR
				07/14/89	2030.00	06/27/89	2560.00		NR
				12/21/89	2000.00	09/19/89	1760.00		NR
				12/21/89	1990.00	12/01/89	1830.00		NR
SILICON	PPB	50.00		03/06/89	8300.00	03/07/89	6500.00		NR
				07/14/89	6990.00	03/07/89	6450.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-33	SAMPLE DATE	1-N-36	SAMPLE DATE	1-N-37
SILICON	PPB	50.00		07/14/89	7000.00	06/27/89	10700.00		NR
				12/21/89	7670.00	09/19/89	6560.00		NR
				12/21/89	6960.00	12/01/89	6740.00		NR
SODIUM	PPB	200.00		03/06/89	2320.00	03/07/89	1640.00		NR
				07/14/89	2230.00	03/07/89	1650.00		NR
				07/14/89	2170.00	06/27/89	5410.00		NR
				12/21/89	2200.00	09/19/89	2490.00		NR
				12/21/89	2360.00	12/01/89	2360.00		NR
SR 90	PCI/L	5.00	8.00	03/06/89	285.00 *	03/07/89	173.00 *	06/07/89	58.10 *
					(19.50)		(9.66)		(3.88)
				07/14/89	232.00 *	06/27/89	65.50 *		NR
					(17.10)		(5.75)		
				07/14/89	220.00 *	09/19/89	183.00 *		NR
					(16.80)		(10.30)		
				12/21/89	209.00 *	12/01/89	224.00 *		NR
					(16.30)		(11.10)		
STRONTIUM	PPB	10.00		03/06/89	101.00	03/07/89	90.00		NR
				07/14/89	112.00	03/07/89	89.00		NR
				07/14/89	110.00	06/27/89	102.00		NR
				12/21/89	96.00	09/19/89	90.00		NR
				12/21/89	88.00	12/01/89	88.00		NR
SULFATE	PPB	500.00	250000.00	03/06/89	10700.00	03/07/89	11600.00		NR
				07/14/89	15500.00	03/07/89	11600.00		NR
				07/14/89	15700.00	06/27/89	13400.00		NR
				12/21/89	8500.00	09/19/89	11700.00		NR
				12/21/89	8500.00	12/01/89	8000.00		NR
TC	PPB	1000.00		03/06/89	14900.00	03/07/89	11400.00		NR
				12/21/89	14800.00	03/07/89	11500.00		NR
					NR	12/01/89	13400.00		NR
TDS		5000.00	500000.00	12/21/89	79500.00	12/01/89	88000.00		NR
TOC	PPB	2000.00		03/06/89		03/07/89			NR
				03/06/89		03/07/89			NR
				03/06/89		03/07/89			NR
				03/06/89		03/07/89			NR
				07/14/89		06/27/89			NR
				07/14/89	2300.00	06/27/89			NR
				07/14/89		06/27/89			NR
				07/14/89		06/27/89			NR
				12/21/89		09/19/89			NR
				12/21/89		09/19/89			NR
				12/21/89		09/19/89			NR
				12/21/89		09/19/89			NR
					NR	12/01/89			NR
					NR	12/01/89			NR
					NR	12/01/89			NR
					NR	12/01/89			NR
TOXLDL	PPB	10.00		03/06/89		03/07/89			NR
				03/06/89		03/07/89			NR
				03/06/89		03/07/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-33	SAMPLE DATE	1-N-36	SAMPLE DATE	1-N-37
TOXLDL	PPB	10.00		03/06/89		03/07/89			NR
				07/14/89	10.00	06/27/89			NR
				07/14/89		06/27/89			NR
				07/14/89		06/27/89			NR
				07/14/89		06/27/89			NR
				12/21/89		09/19/89	28.00		NR
				12/21/89	10.00	09/19/89	17.00		NR
				12/21/89		09/19/89	18.00		NR
				12/21/89	12.00	09/19/89	18.00		NR
					NR	12/01/89	11.00		NR
					NR	12/01/89	10.00		NR
					NR	12/01/89	10.00		NR
					NR	12/01/89	26.00		NR
TRITIUM	PCI/L	500.00	20000.00	03/06/89	57200.00 *	03/07/89	43600.00 *	06/07/89	8460.00
					(813.00)		(710.00)		(352.00)
				07/14/89	11500.00	06/27/89	6440.00		NR
					(363.00)		(286.00)		
				07/14/89	11300.00	09/19/89	60600.00 *		NR
					(362.00)		(778.00)		
				12/21/89	170000.00 *	12/01/89	209000.00 *		NR
					(1340.00)		(1520.00)		
				12/21/89	163000.00 *		NR		NR
					(1310.00)				
TURBID	NTU	0.10	1.00	07/14/89	0.40	06/27/89	1.50 *		NR
				07/14/89	2.60 *	09/19/89	0.60		NR
				12/21/89	1.30 *	12/01/89	0.30		NR
U	PCI/L	0.50	600.00	03/06/89	0.64	03/07/89		06/07/89	0.56
				07/14/89	0.78	03/07/89			NR
				07/14/89	0.88	06/27/89	0.78		NR
				12/21/89	0.68	09/19/89	0.60		NR
				12/21/89	0.50	12/01/89			NR
UNCOMP	PPB			12/21/89	4300.00 @		NR		NR
UNKALI	PPB			03/06/89	36.00 @		NR		NR
				03/06/89	26.00 @		NR		NR
				03/06/89	26.00 @		NR		NR
				03/06/89	29.00 @		NR		NR
				03/06/89	26.00 @		NR		NR
				03/06/89	38.00 @		NR		NR
				03/06/89	58.00 @		NR		NR
				03/06/89	32.00 @		NR		NR
				03/06/89	30.00 @		NR		NR
				03/06/89	21.00 @		NR		NR
				03/06/89	33.00 @		NR		NR
				03/06/89	23.00 @		NR		NR
UNKNOWN	PPB	0.00		03/06/89	24.00		NR		NR
				03/06/89	33.00		NR		NR
				03/06/89	24.00		NR		NR
VANADUM	PPB	5.00		03/06/89	5.00	03/07/89	9.00		NR
				07/14/89	6.00	03/07/89	9.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-33	SAMPLE DATE	1-N-36	SAMPLE DATE	1-N-37
VANADUM	PPB	5.00		07/14/89	10.00	06/27/89	20.00		NR
				12/21/89	9.00	09/19/89	12.00		NR
				12/21/89		12/01/89	9.00		NR
ZINC	PPB	5.00	5000.00	03/06/89	5.00	03/07/89			NR
				07/14/89		03/07/89	6.00		NR
				07/14/89	8.00	06/27/89	9.00		NR
				12/21/89		09/19/89			NR
				12/21/89	59.00	12/01/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-39	SAMPLE DATE	1-N-41	SAMPLE DATE	1-N-42
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ALPHAHI	PCI/L	4.00	15.00	12/21/89	1.00	03/08/89		03/07/89	
				12/21/89	(0.87)	06/27/89		07/19/89	2.49
					NR	09/19/89		09/20/89	(1.46)
					NR	11/29/89	0.89	11/29/89	1.65
							(0.81)		(1.04)
ALUMNUM	PPB	150.00		12/21/89		03/08/89		03/07/89	259.00
				12/21/89		06/27/89		07/19/89	1000.00
					NR	09/19/89		09/20/89	5550.00
					NR	11/29/89		11/29/89	772.00
ARSENIC	PPB	5.00	50.00	12/21/89		03/08/89	5.00	03/07/89	8.00
				12/21/89		06/27/89	6.00	07/19/89	7.20
					NR	09/19/89	8.00	09/20/89	14.00
					NR	11/29/89	9.00	11/29/89	9.00
BARILM	PPB	6.00	1000.00	12/21/89	13.00	03/08/89	19.00	03/07/89	21.00
				12/21/89	14.00	06/27/89	18.00	07/19/89	31.00
					NR	09/19/89	14.00	09/20/89	71.00
					NR	11/29/89	13.00	11/29/89	21.00
BETA	PCI/L	8.00	50.00	12/21/89	952.00 +	03/08/89	31.00	03/07/89	34.40
					(21.30)		(4.31)		(4.56)
				12/21/89	971.00 +	06/27/89	15.00	07/19/89	21.80
					(21.30)		(3.29)		(3.79)
					NR	09/19/89	9.44	09/20/89	11.50
					NR	11/29/89	(2.81)	11/29/89	(3.00)
							11.20	11/29/89	15.70
							(2.92)		(3.29)
BORON	PPB	10.00		12/21/89	18.00	03/08/89	23.00	03/07/89	22.00
				12/21/89	20.00	06/27/89	22.00	07/19/89	23.00
					NR	09/19/89	20.00	09/20/89	22.00
					NR	11/29/89	16.00	11/29/89	18.00
CALCIUM	PPB	50.00		12/21/89	21600.00	03/08/89	25100.00	03/07/89	23500.00
				12/21/89	21900.00	06/27/89	24200.00	07/19/89	31800.00
					NR	09/19/89	18400.00	09/20/89	25900.00
					NR	11/29/89	17800.00	11/29/89	19700.00
CHLFORM	PPB	5.00	100.00	12/21/89	11.00	03/08/89		03/07/89	
				12/21/89	9.00	06/27/89		07/19/89	
					NR	09/19/89		09/20/89	
					NR	11/29/89		11/29/89	
CHLORID	PPB	500.00	250000.00	12/21/89	1400.00	03/08/89	1000.00	03/07/89	1000.00
				12/21/89	1400.00	06/27/89	4200.00	07/19/89	10300.00
					NR	09/19/89	2100.00	09/20/89	3500.00
					NR	11/29/89	1600.00	11/29/89	1800.00
CHROMUM	PPB	10.00	50.00	12/21/89		03/08/89		03/07/89	
				12/21/89		06/27/89		07/19/89	
					NR	09/19/89		09/20/89	16.00
					NR	11/29/89		11/29/89	
CO-60	PCI/L	22.50	100.00	12/21/89	17.10	03/08/89	30.70	03/07/89	51.50
					(10.90)		(15.20)		(15.90)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-39	SAMPLE DATE	1-N-41	SAMPLE DATE	1-N-42
CO-60	PCI/L	22.50	100.00		NR	06/27/89	20.60 (12.50)	07/19/89	22.60 (12.70)
					NR	09/19/89	13.40 (8.05)	09/20/89	25.20 (12.10)
					NR	11/29/89		11/29/89	12.10 (7.68)
COND FLD	UMHO	1.00	700.00	12/21/89	161.00	01/05/89	211.00	03/07/89	242.00
				12/21/89	168.00	03/08/89	211.00	03/07/89	242.00
				12/21/89	168.00	03/08/89	211.00	03/07/89	242.00
				12/21/89	168.00	03/08/89	211.00	03/07/89	242.00
					NR	03/08/89	211.00	07/19/89	271.00
					NR	05/05/89	145.00	07/19/89	272.00
					NR	05/05/89	145.00	07/19/89	271.00
					NR	05/05/89	146.00	07/19/89	270.00
					NR	05/05/89	145.00	09/20/89	175.00
					NR	06/27/89	191.00	09/20/89	176.00
					NR	06/27/89	190.00	09/20/89	175.00
					NR	06/27/89	191.00	09/20/89	176.00
					NR	06/27/89	191.00	11/29/89	201.00
					NR	09/19/89	155.00	11/29/89	202.00
					NR	09/19/89	154.00	11/29/89	201.00
					NR	09/19/89	153.00	11/29/89	202.00
					NR	09/19/89	154.00		NR
					NR	11/29/89	175.00		NR
					NR	11/29/89	174.00		NR
					NR	11/29/89	176.00		NR
					NR	11/29/89	175.00		NR
CONDLAB	UMHO		700.00	12/21/89	168.00 a	03/08/89	185.00 a	03/07/89	172.00 a
				12/21/89	169.00 a	03/08/89	185.00 a	03/07/89	175.00 a
				12/21/89	170.00 a	03/08/89	190.00 a	03/07/89	172.00 a
				12/21/89	169.00 a	03/08/89	185.00 a	03/07/89	173.00 a
					NR	06/27/89	139.00 a	07/19/89	255.00 a
					NR	06/27/89	142.00 a	07/19/89	253.00 a
					NR	06/27/89	137.00 a	07/19/89	255.00 a
					NR	06/27/89	138.00 a	07/19/89	253.00 a
					NR	09/19/89	154.00 a	09/20/89	175.00 a
					NR	09/19/89	155.00 a	09/20/89	172.00 a
					NR	09/19/89	157.00 a	09/20/89	173.00 a
					NR	09/19/89	156.00 a	09/20/89	173.00 a
					NR	11/29/89	155.00 a	11/29/89	167.00 a
COPPER	PPB	10.00	(1300.0)	12/21/89		03/08/89		03/07/89	
				12/21/89		06/27/89		07/19/89	
					NR	09/19/89		09/20/89	17.00
					NR	11/29/89		11/29/89	
FARSEN I	PPB	5.00	50.00	12/21/89		03/08/89		03/07/89	5.00
				12/21/89		06/27/89	6.00	07/19/89	5.70
					NR	09/19/89	7.00	09/20/89	6.00
					NR	11/29/89	7.00	11/29/89	7.00
FBARIUM	PPB	6.00	1000.00	12/21/89	13.00	03/08/89	17.00	03/07/89	13.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-39	SAMPLE DATE	1-N-41	SAMPLE DATE	1-N-42
FBARIUM	PPB	6.00	1000.00	12/21/89	13.00 NR NR	06/27/89 09/19/89 11/29/89	24.00 12.00 12.00	07/19/89 09/20/89 11/29/89	21.00 14.00 13.00
FBORON	PPB	10.00		12/21/89 12/21/89	15.00 17.00 NR NR	03/08/89 06/27/89 09/19/89 11/29/89	21.00 18.00 26.00 16.00	03/07/89 07/19/89 09/20/89 11/29/89	50.00 41.00 23.00 16.00
FCALCIU	PPB	50.00		12/21/89 12/21/89	21600.00 21900.00 NR NR	03/08/89 06/27/89 09/19/89 11/29/89	24700.00 25900.00 17600.00 19000.00	03/07/89 07/19/89 09/20/89 11/29/89	23100.00 32600.00 21600.00 20000.00
FMAGNES	PPB	50.00		12/21/89 12/21/89	3960.00 3990.00 NR NR	03/08/89 06/27/89 09/19/89 11/29/89	5900.00 5540.00 3810.00 4150.00	03/07/89 07/19/89 09/20/89 11/29/89	5800.00 6850.00 5280.00 4750.00
FPOTASS	PPB	100.00		12/21/89 12/21/89	2240.00 2250.00 NR NR	03/08/89 06/27/89 09/19/89 11/29/89	3280.00 3640.00 2600.00 2740.00	03/07/89 07/19/89 09/20/89 11/29/89	3360.00 3920.00 3680.00 3280.00
FSILICO	PPB	50.00		12/21/89 12/21/89	7870.00 7990.00 NR NR	03/08/89 06/27/89 09/19/89 11/29/89	12300.00 15600.00 12300.00 12400.00	03/07/89 07/19/89 09/20/89 11/29/89	14400.00 15500.00 15100.00 14800.00
FSODIUM	PPB	200.00		12/21/89 12/21/89	2850.00 2880.00 NR NR	03/08/89 06/27/89 09/19/89 11/29/89	5190.00 8080.00 5160.00 4750.00	03/07/89 07/19/89 09/20/89 11/29/89	6390.00 8320.00 5740.00 5170.00
FSTRONT	PPB	10.00		12/21/89 12/21/89	105.00 108.00 NR NR	03/08/89 06/27/89 09/19/89 11/29/89	158.00 151.00 103.00 105.00	03/07/89 07/19/89 09/20/89 11/29/89	174.00 194.00 153.00 132.00
FVANADI	PPB	5.00		12/21/89 12/21/89	12.00 12.00 NR NR	03/08/89 06/27/89 09/19/89 11/29/89	22.00 22.00 27.00 29.00	03/07/89 07/19/89 09/20/89 11/29/89	28.00 26.00 25.00 33.00
FZINC	PPB	5.00	5000.00	12/21/89 12/21/89		03/08/89 06/27/89 09/19/89 11/29/89	12.00	03/07/89 07/19/89 09/20/89 11/29/89	
IRON	PPB	30.00	300.00	12/21/89 12/21/89	44.00 75.00 NR NR	03/08/89 06/27/89 09/19/89 11/29/89	185.00 318.00 * 223.00 1020.00 *	03/07/89 07/19/89 09/20/89 11/29/89	4490.00 * 2070.00 * 13500.00 * 4790.00 *
LEADGF	PPB	5.00	50.00	12/21/89 12/21/89		03/08/89 06/27/89 09/19/89 11/29/89		03/07/89 07/19/89 09/20/89 11/29/89	
LFLUORD	PPB	20.00	4000.00		NR NR NR	11/29/89 11/29/89 03/08/89	231.00	11/29/89 11/29/89 03/07/89	280.00 5820.00
MAGNES	PPB	50.00		12/21/89	4050.00	03/08/89	5810.00	03/07/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-39	SAMPLE DATE	1-N-41	SAMPLE DATE	1-N-42
MAGNES	PPB	50.00		12/21/89	4050.00	06/27/89	5190.00	07/19/89	7050.00
					NR	09/19/89	3880.00	09/20/89	8430.00
					NR	11/29/89	3960.00	11/29/89	5060.00
MANGESE	PPB	5.00	50.00	12/21/89		03/08/89		03/07/89	21.00
				12/21/89		06/27/89	14.00	07/19/89	57.00 *
					NR	09/19/89		09/20/89	240.00 *
					NR	11/29/89	10.00	11/29/89	48.00
METHONE	PPB	10.00		12/21/89		03/08/89		03/07/89	
				12/21/89		06/27/89		07/19/89	
					NR	09/19/89	17.00	09/20/89	18.00
					NR	11/29/89		11/29/89	
NITRATE	PPB	500.00	45000.00	12/21/89	6500.00	03/08/89	22700.00	03/07/89	16000.00
				12/21/89	6500.00	06/27/89	4800.00	07/19/89	14500.00
					NR	09/19/89	1000.00	09/20/89	3300.00
					NR	11/29/89	1000.00	11/29/89	1100.00
PH-LAB		0.01	8.50	12/21/89	8.10	03/08/89	8.20	03/07/89	8.25
				12/21/89	8.10	03/08/89	8.20	03/07/89	8.26
				12/21/89	8.10	03/08/89	8.20	03/07/89	8.25
				12/21/89	8.10	03/08/89	8.20	03/07/89	8.22
					NR	06/27/89	8.20	07/19/89	8.10
					NR	06/27/89	8.20	07/19/89	8.10
					NR	06/27/89	8.20	07/19/89	8.10
					NR	06/27/89	8.20	07/19/89	8.10
					NR	09/19/89	8.00	09/20/89	8.10
					NR	09/19/89	8.10	09/20/89	8.20
					NR	09/19/89	8.10	09/20/89	8.20
					NR	09/19/89	8.10	09/20/89	8.20
					NR	11/29/89	8.10	11/29/89	8.00
PHFIELD		0.10	8.50	12/21/89	8.36	01/05/89	8.00	03/07/89	8.20
				12/21/89	8.36	03/08/89	8.10	03/07/89	8.20
				12/21/89	8.36	03/08/89	8.10	03/07/89	8.20
					NR	03/08/89	8.10	03/07/89	8.20
					NR	03/08/89	8.10	07/19/89	7.69
					NR	05/05/89	7.50	07/19/89	7.71
					NR	05/05/89	7.50	07/19/89	7.72
					NR	05/08/89	7.50	07/19/89	7.72
					NR	05/08/89	7.60	09/20/89	7.80
					NR	06/27/89	8.04	09/20/89	7.81
					NR	06/27/89	8.04	09/20/89	7.81
					NR	06/27/89	8.04	09/20/89	7.82
					NR	06/27/89	8.04	11/29/89	8.02
					NR	09/19/89	7.99	11/29/89	8.03
					NR	09/19/89	8.00	11/29/89	8.01
					NR	09/19/89	7.94	11/29/89	8.00
					NR	09/19/89	7.93		NR
					NR	11/29/89	8.12		NR
					NR	11/29/89	8.13		NR
					NR	11/29/89	8.12		NR
					NR	11/29/89	8.11		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-39	SAMPLE DATE	1-N-41	SAMPLE DATE	1-N-42
POTASUM	PPB	100.00		12/21/89	2310.00	03/08/89	3230.00	03/07/89	3320.00
				12/21/89	2290.00	06/27/89	3390.00	07/19/89	3790.00
					NR	09/19/89	2680.00	09/20/89	4650.00
					NR	11/29/89	2710.00	11/29/89	3390.00
RADIUM	PCI/L	1.00	5.00	12/21/89		03/08/89		03/07/89	
					NR	06/27/89		07/19/89	
					NR	09/19/89		09/20/89	0.47
									(0.21)
					NR	11/29/89		11/29/89	
SILICON	PPB	50.00		12/21/89	7940.00	03/08/89	12400.00	03/07/89	15300.00
				12/21/89	8030.00	06/27/89	14500.00	07/19/89	16900.00
					NR	09/19/89	12700.00	09/20/89	27300.00
					NR	11/29/89	11900.00	11/29/89	16300.00
SODIUM	PPB	200.00		12/21/89	2960.00	03/08/89	4990.00	03/07/89	6200.00
				12/21/89	2960.00	06/27/89	7500.00	07/19/89	8050.00
					NR	09/19/89	5320.00	09/20/89	6130.00
					NR	11/29/89	4660.00	11/29/89	5140.00
SR 90	PCI/L	5.00	8.00	11/13/89	526.00 *	03/08/89		03/07/89	
					(37.30)				
				12/21/89	454.00 *	06/27/89		07/19/89	
					(10.70)				
					NR	09/19/89		09/20/89	
					NR	11/29/89		11/29/89	
STRONUM	PPB	10.00		12/21/89	111.00	03/08/89	151.00	03/07/89	171.00
				12/21/89	112.00	06/27/89	140.00	07/19/89	189.00
					NR	09/19/89	104.00	09/20/89	185.00
					NR	11/29/89	100.00	11/29/89	133.00
SULFATE	PPB	500.00	250000.00	12/21/89	10800.00	03/08/89	10100.00	03/07/89	10000.00
				12/21/89	10800.00	06/27/89	24300.00	07/19/89	37600.00
					NR	09/19/89	12700.00	09/20/89	19400.00
					NR	11/29/89	12100.00	11/29/89	14800.00
TC	PPB	1000.00			NR	03/08/89	16800.00	03/07/89	11600.00
					NR	11/29/89	15100.00	11/29/89	16000.00
IDS		5000.00	500000.00		NR	11/29/89	84000.00	11/29/89	99000.00
TITAN	PPB	60.00		12/21/89		03/08/89		03/07/89	
				12/21/89		06/27/89		07/19/89	67.00
					NR	09/19/89		09/20/89	420.00
					NR	11/29/89		11/29/89	
TOXLDL	PPB	10.00		12/21/89	11.00	03/08/89	449.00	03/07/89	15.00
				12/21/89		03/08/89	430.00	03/07/89	13.00
				12/21/89	10.00	03/08/89	431.00	03/07/89	13.00
				12/21/89	15.00	03/08/89	394.00	03/07/89	14.00
					NR	05/08/89	15.00	07/19/89	
					NR	05/08/89	10.00	07/19/89	16.00
					NR	05/08/89	10.00	07/19/89	
					NR	05/08/89	17.00	07/19/89	
					NR	06/27/89	10.00	09/20/89	
					NR	06/27/89	13.00	09/20/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-39	SAMPLE DATE	1-N-41	SAMPLE DATE	1-N-42
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
TOXLDL	PPB	10.00			NR	06/27/89	14.00	09/20/89	
					NR	06/27/89	10.00	09/20/89	13.00
					NR	09/19/89		11/29/89	
					NR	09/19/89		11/29/89	
					NR	09/19/89		11/29/89	11.00
					NR	09/19/89	11.00	11/29/89	
					NR	11/29/89			NR
					NR	11/29/89			NR
					NR	11/29/89	16.00		NR
					NR	11/29/89			NR
TRITIUM	PCI/L	500.00	20000.00	12/21/89	51300.00 *	03/08/89	66600.00 *	03/07/89	71900.00 *
					(738.00)		(881.00)		(912.00)
					NR	06/27/89	13100.00	07/19/89	25900.00 *
							(394.00)		(533.00)
					NR	09/19/89	7280.00	09/20/89	9820.00
							(302.00)		(347.00)
					NR	11/29/89	7650.00	11/29/89	8880.00
							(311.00)		(329.00)
TURBID	NTU	0.10	1.00	12/21/89	0.30	06/27/89	2.70 *	07/19/89	200.00 *
					NR	09/19/89	2.10 *	09/20/89	64.00 *
					NR	11/29/89	1.70 *	11/29/89	26.00 *
U	PCI/L	0.50	600.00	12/21/89	0.52	03/08/89		03/07/89	0.55
				12/21/89		06/27/89		07/19/89	0.66
					NR	09/19/89		09/20/89	0.72
					NR	11/29/89		11/29/89	
UNKNOWN	PPB	0.00			NR		NR	03/07/89	20.00
VANADIUM	PPB	5.00		12/21/89	14.00	03/08/89	24.00	03/07/89	36.00
				12/21/89	12.00	06/27/89	27.00	07/19/89	33.00
					NR	09/19/89	24.00	09/20/89	58.00
					NR	11/29/89	32.00	11/29/89	40.00
ZINC	PPB	5.00	5000.00	12/21/89	7.00	03/08/89	22.00	03/07/89	85.00
				12/21/89		06/27/89	7.00	07/19/89	8.00
					NR	09/19/89	11.00	09/20/89	48.00
					NR	11/29/89	50.00	11/29/89	16.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-47	SAMPLE DATE	1-N-50	SAMPLE DATE	1-N-51
ALKALIN		20000.00		08/21/89	530000.00		NR		NR
				09/18/89	318000.00		NR		NR
ALPHAHI	PCI/L	4.00	15.00	12/11/89	6.40		NR		NR
					(3.13)				
BARIUM	PPB	6.00	1000.00	08/21/89	45.00		NR		NR
				09/18/89	46.00		NR		NR
				12/11/89	47.00		NR		NR
BERYLUM	PPB	5.00		08/21/89			NR		NR
				09/18/89	7.00		NR		NR
				12/11/89			NR		NR
BETA	PCI/L	8.00	50.00	12/11/89	6.96	06/08/89	27.10	06/08/89	22.40
					(2.64)		(4.10)		(3.74)
BISZEPH	PPB	10.00		12/11/89	26.00		NR		NR
BORON	PPB	10.00		08/21/89	44.00		NR		NR
				09/18/89	37.00		NR		NR
				12/11/89	31.00		NR		NR
CALCIUM	PPB	50.00		08/21/89	167000.00		NR		NR
				09/18/89	93500.00		NR		NR
				12/11/89	77700.00		NR		NR
CHLORID	PPB	500.00	250000.00	08/21/89	30000.00		NR		NR
				09/18/89	26000.00		NR		NR
				12/11/89	17600.00		NR		NR
CO-60	PCI/L	22.50	100.00	12/11/89		06/08/89	21.70	06/08/89	33.30
							(10.80)		(13.70)
COND FLD	UMHO	1.00	700.00	08/21/89	1541.00 *		NR		NR
				08/21/89	1539.00 *		NR		NR
				08/21/89	1545.00 *		NR		NR
				08/21/89	1541.00 *		NR		NR
				09/18/89	994.00 *		NR		NR
				12/11/89	1027.00 *		NR		NR
CONDLAB	UMHO		700.00	08/21/89	1410.00 *		NR		NR
				08/21/89	1410.00 *		NR		NR
				08/21/89	1410.00 *		NR		NR
				08/21/89	1410.00 *		NR		NR
				09/18/89	961.00 *		NR		NR
				09/18/89	966.00 *		NR		NR
				09/18/89	967.00 *		NR		NR
				09/18/89	968.00 *		NR		NR
				12/11/89	926.00 *		NR		NR
COPPER	PPB	10.00	(1300.0)	08/21/89			NR		NR
				09/18/89	74.00		NR		NR
				12/11/89	29.00		NR		NR
FLUORID	PPB	500.00	4000.00	08/21/89	1300.00		NR		NR
				09/18/89			NR		NR
				12/11/89			NR		NR
HNITRAT	PPB	2500.00	45000.00		NR	06/08/89	38800.00	06/08/89	35400.00
IRON	PPB	30.00	300.00	08/21/89	42.00		NR		NR
				09/18/89	2080.00 *		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-47	SAMPLE DATE	1-N-50	SAMPLE DATE	1-N-51
IRON	PPB	30.00	300.00	12/11/89	227.00		NR		NR
FLUORIDE	PPB	20.00	4000.00	12/11/89	290.00		NR		NR
MAGNESIUM	PPB	50.00		08/21/89	32800.00		NR		NR
				09/18/89	17300.00		NR		NR
				12/11/89	15000.00		NR		NR
MANGANESE	PPB	5.00	50.00	08/21/89			NR		NR
				09/18/89	12.00		NR		NR
				12/11/89	10.00		NR		NR
NITRATE	PPB	500.00	45000.00	08/21/89	4200.00		NR		NR
				09/18/89	6900.00		NR		NR
				12/11/89	3300.00		NR		NR
PH-LAB		0.01	8.50	08/21/89	7.50		NR		NR
				08/21/89	7.60		NR		NR
				08/21/89	7.60		NR		NR
				08/21/89	7.60		NR		NR
				09/18/89	7.60		NR		NR
				09/18/89	7.60		NR		NR
				09/18/89	7.70		NR		NR
				09/18/89	7.60		NR		NR
				12/11/89	7.70		NR		NR
PH-FIELD		0.10	8.50	08/21/89	7.43		NR		NR
				08/21/89	7.45		NR		NR
				08/21/89	7.45		NR		NR
				08/21/89	7.42		NR		NR
				09/18/89	7.63		NR		NR
				12/11/89	7.67		NR		NR
POTASSIUM	PPB	100.00		08/21/89	9510.00		NR		NR
				09/18/89	7280.00		NR		NR
				12/11/89	6840.00		NR		NR
SILICON	PPB	50.00		08/21/89	14900.00		NR		NR
				09/18/89	13800.00		NR		NR
				12/11/89	13400.00		NR		NR
SODIUM	PPB	200.00		08/21/89	173000.00		NR		NR
				09/18/89	119000.00		NR		NR
				12/11/89	115000.00		NR		NR
STRONTIUM	PPB	10.00		08/21/89	521.00		NR		NR
				09/18/89	314.00		NR		NR
				12/11/89	297.00		NR		NR
SULFATE	PPB	500.00	250000.00	08/21/89	276000.00 *		NR		NR
				09/18/89	164000.00		NR		NR
				12/11/89	191000.00		NR		NR
TANIN	PPB	10.00		12/11/89	60.00		NR		NR
TC	PPB	1000.00		12/11/89	64400.00		NR		NR
TC-99	PCI/L	15.00	900.00		NR	06/08/89	11.10	06/08/89	10.90
							(1.26)		(1.28)
TDS		5000.00	500000.00	12/11/89	599000.00 *		NR		NR
TDC	PPB	2000.00		12/11/89	3900.00		NR		NR
TOX-LDL	PPB	10.00		12/11/89	10.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	12/11/89	15800.00	06/08/89	92600.00 *	06/08/89	95800.00 *
					(431.00)		(1020.00)		(1030.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-47	SAMPLE DATE	1-N-50	SAMPLE DATE	1-N-51
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
TURBID	NTU	0.10	1.00	08/21/89	0.40		NR		NR
				09/18/89	4.30 *		NR		NR
				12/11/89	1.50 *		NR		NR
U	PCI/L	0.50	600.00	12/11/89	4.56	06/08/89		06/08/89	
VANADUM	PPB	5.00		08/21/89			NR		NR
				09/18/89	7.00		NR		NR
				12/11/89			NR		NR
ZINC	PPB	5.00	5000.00	08/21/89	10.00		NR		NR
				09/18/89	15.00		NR		NR
				12/11/89	12.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-52	SAMPLE DATE	1-N-54	SAMPLE DATE	1-N-55
ALKALIN		20000.00			NR	06/21/89	101000.00	06/21/89	91400.00
					NR	08/15/89	82000.00	06/21/89	90600.00
					NR	10/02/89	108000.00	08/15/89	81000.00
					NR		NR	10/02/89	80000.00
ALPHAHI	PCI/L	4.00	15.00	03/08/89		11/01/89		11/01/89	
				06/29/89			NR		NR
				09/20/89	2.19		NR		NR
					(1.23)				
				12/01/89	1.12		NR		NR
					(0.95)				
ALUMNUM	PPB	150.00		03/08/89		06/21/89	162.00	06/21/89	
				06/29/89		08/15/89		06/21/89	
				09/20/89		10/02/89		08/15/89	
				12/01/89		11/01/89		10/02/89	
					NR		NR	11/01/89	
ARSENIC	PPB	5.00	50.00	03/08/89	5.00	06/21/89		06/21/89	
				06/29/89	6.00	08/15/89		06/21/89	
				09/20/89	7.00	10/02/89		08/15/89	
				12/01/89	6.00	11/01/89		10/02/89	
					NR		NR	11/01/89	
BARIUM	PPB	6.00	1000.00	03/08/89	15.00	06/21/89	55.00	06/21/89	43.00
				06/29/89	25.00	08/15/89	48.00	06/21/89	44.00
				09/20/89	20.00	10/02/89	59.00	08/15/89	51.00
				12/01/89	21.00	11/01/89	57.00	10/02/89	51.00
					NR		NR	11/01/89	50.00
BETA	PCI/L	8.00	50.00	03/08/89	26.30	11/01/89	314.00 +	11/01/89	64.20 +
					(4.11)		(12.30)		(5.90)
				06/29/89	16.20		NR		NR
					(3.32)				
				09/20/89	15.90		NR		NR
					(3.34)				
				12/01/89	17.40		NR		NR
					(3.46)				
BORON	PPB	10.00		03/08/89	25.00	06/21/89	23.00	06/21/89	23.00
				06/29/89	28.00	08/15/89	21.00	06/21/89	23.00
				09/20/89	14.00	10/02/89	40.00	08/15/89	14.00
				12/01/89	18.00	11/01/89	27.00	10/02/89	21.00
					NR		NR	11/01/89	21.00
CALCIUM	PPB	50.00		03/08/89	20100.00	06/21/89	57800.00	06/21/89	78400.00
				06/29/89	25000.00	08/15/89	43600.00	06/21/89	77800.00
				09/20/89	19800.00	10/02/89	42500.00	08/15/89	48400.00
				12/01/89	21900.00	11/01/89	33000.00	10/02/89	49400.00
					NR		NR	11/01/89	55000.00
CHLORID	PPB	500.00	250000.00	03/08/89	900.00	06/21/89	5900.00	06/21/89	7600.00
				06/29/89	3900.00	08/15/89	6300.00	06/21/89	7400.00
				09/20/89	1800.00	10/02/89	4800.00	08/15/89	5900.00
				12/01/89	2100.00	11/01/89	3700.00	10/02/89	4200.00
					NR		NR	11/01/89	4200.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-52	SAMPLE DATE	1-N-54	SAMPLE DATE	1-N-55
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
CHROMIUM	PPB	10.00	50.00	03/08/89		06/21/89		06/21/89	
				06/29/89		08/15/89		06/21/89	
				09/20/89		10/02/89		08/15/89	10.00
				12/01/89		11/01/89		10/02/89	19.00
					NR		NR	11/01/89	
CO-60	PCI/L	22.50	100.00	03/08/89	34.70	11/01/89	15.90	11/01/89	8.32
				06/29/89	(13.10)		(9.37)		(8.13)
				09/20/89	(15.50)		NR		NR
				12/01/89	(12.10)		NR		NR
					12.90		NR		NR
					(10.70)		NR		NR
CONDFLD	UMHO	1.00	700.00	03/08/89	167.00	06/21/89	316.00	06/21/89	459.00
				03/08/89	168.00	06/21/89	316.00	06/21/89	462.00
				03/08/89	168.00	06/21/89	317.00	06/21/89	461.00
				03/08/89	168.00	06/21/89	317.00	06/21/89	460.00
				05/08/89	145.00	08/15/89	276.00	08/15/89	355.00
				05/08/89	145.00	08/15/89	265.00	08/15/89	359.00
				05/08/89	145.00	08/15/89	269.00	08/15/89	359.00
				05/08/89	145.00	08/15/89	266.00	08/15/89	359.00
				06/29/89	203.00	10/02/89	345.00	10/02/89	398.00
				06/29/89	204.00	10/02/89	328.00	10/02/89	412.00
				06/29/89	204.00	10/02/89	340.00	10/02/89	407.00
				06/29/89	204.00	10/02/89	348.00	10/02/89	405.00
				09/20/89	175.00	11/01/89	302.00	11/01/89	443.00
				09/20/89	169.00	11/01/89	300.00	11/01/89	444.00
				09/20/89	170.00	11/01/89	301.00	11/01/89	444.00
				09/20/89	170.00	11/01/89	302.00	11/01/89	443.00
				12/01/89	210.00		NR		NR
				12/01/89	211.00		NR		NR
				12/01/89	212.00		NR		NR
				12/01/89	212.00		NR		NR
CONDLAB	UMHO		700.00	03/08/89	171.00 @	06/21/89	330.00 @	06/21/89	473.00 @
				03/08/89	173.00 @	06/21/89	326.00 @	06/21/89	460.00 @
				03/08/89	170.00 @	06/21/89	325.00 @	06/21/89	468.00 @
				03/08/89	169.00 @	06/21/89	347.00 @	06/21/89	478.00 @
				06/29/89	214.00 @	08/15/89	312.00 @	08/15/89	389.00 @
				06/29/89	214.00 @	08/15/89	312.00 @	08/15/89	395.00 @
				06/29/89	215.00 @	08/15/89	313.00 @	08/15/89	391.00 @
				06/29/89	215.00 @	08/15/89	316.00 @	08/15/89	391.00 @
				09/20/89	172.00 @	10/02/89	363.00 @	10/02/89	433.00 @
				09/20/89	169.00 @	10/02/89	363.00 @	10/02/89	464.00 @
				09/20/89	169.00 @	10/02/89	364.00 @	10/02/89	435.00 @
				09/20/89	171.00 @	10/02/89	383.00 @	10/02/89	451.00 @
				12/01/89	215.00 @		NR		NR
				12/01/89	210.00 @		NR		NR
				12/01/89	209.00 @		NR		NR
				12/01/89	208.00 @		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-52	SAMPLE DATE	1-N-54	SAMPLE DATE	1-N-55
FARSEN	PPB	5.00	50.00	03/08/89	5.00	06/21/89		06/21/89	
				06/29/89	6.00	08/15/89		06/21/89	
				09/20/89	7.00	10/02/89		08/15/89	
				12/01/89	6.00	11/01/89		10/02/89	
					NR		NR	11/01/89	
FBARIUM	PPB	6.00	1000.00	03/08/89	19.00	06/21/89	42.00	06/21/89	43.00
				06/29/89	27.00	08/15/89	38.00	06/21/89	40.00
				09/20/89	20.00	10/02/89	57.00	08/15/89	49.00
				12/01/89	20.00	11/01/89	56.00	10/02/89	53.00
					NR		NR	11/01/89	44.00
FBERYLL	PPB	5.00		03/08/89		06/21/89		06/21/89	
				06/29/89		08/15/89		06/21/89	
				09/20/89		10/02/89		08/15/89	
				12/01/89		11/01/89		10/02/89	8.00
					NR		NR	11/01/89	
FBORON	PPB	10.00		03/08/89	22.00	06/21/89	16.00	06/21/89	19.00
				06/29/89	17.00	08/15/89	25.00	06/21/89	19.00
				09/20/89	23.00	10/02/89	17.00	08/15/89	36.00
				12/01/89	19.00	11/01/89	20.00	10/02/89	53.00
					NR		NR	11/01/89	18.00
FCADMIU	PPB	2.00	10.00	03/08/89		06/21/89	5.00	06/21/89	
				06/29/89		08/15/89		06/21/89	
				09/20/89		10/02/89		08/15/89	
				12/01/89		11/01/89		10/02/89	
					NR		NR	11/01/89	
FCALCIU	PPB	50.00		03/08/89	20300.00	06/21/89	55100.00	06/21/89	78000.00
				06/29/89	24700.00	08/15/89	36200.00	06/21/89	72300.00
				09/20/89	21100.00	10/02/89	42600.00	08/15/89	49800.00
				12/01/89	22100.00	11/01/89	32800.00	10/02/89	49800.00
					NR		NR	11/01/89	51500.00
FLUORID	PPB	500.00	4000.00	03/08/89		06/21/89		06/21/89	500.00
				06/29/89		08/15/89		06/21/89	
				09/20/89		10/02/89		08/15/89	
				12/01/89		11/01/89		10/02/89	
					NR		NR	11/01/89	
FMAGNES	PPB	50.00		03/08/89	6010.00	06/21/89	8260.00	06/21/89	13500.00
				06/29/89	6050.00	08/15/89	5470.00	06/21/89	12400.00
				09/20/89	5360.00	10/02/89	6250.00	08/15/89	8870.00
				12/01/89	5950.00	11/01/89	4830.00	10/02/89	9110.00
					NR		NR	11/01/89	9600.00
FPOTASS	PPB	100.00		03/08/89	3400.00	06/21/89	3460.00	06/21/89	4700.00
				06/29/89	3920.00	08/15/89	2820.00	06/21/89	4320.00
				09/20/89	3780.00	10/02/89	3170.00	08/15/89	3750.00
				12/01/89	3310.00	11/01/89	3010.00	10/02/89	3710.00
					NR		NR	11/01/89	3940.00
FSILICO	PPB	50.00		03/08/89	14200.00	06/21/89	10500.00	06/21/89	12400.00
				06/29/89	15000.00	08/15/89	9920.00	06/21/89	11500.00
				09/20/89	14600.00	10/02/89	11000.00	08/15/89	11700.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-52	SAMPLE DATE	1-N-54	SAMPLE DATE	1-N-55
FSILICO	PPB	50.00		12/01/89	13300.00	11/01/89	10600.00	10/02/89	12300.00
					NR		NR	11/01/89	11900.00
FSODIUM	PPB	200.00		03/08/89	6180.00	06/21/89	17400.00	06/21/89	35000.00
				06/29/89	9910.00	08/15/89	12100.00	06/21/89	32400.00
				09/20/89	7380.00	10/02/89	17500.00	08/15/89	19200.00
				12/01/89	6030.00	11/01/89	19700.00	10/02/89	19200.00
					NR		NR	11/01/89	20200.00
FSTRONT	PPB	10.00		03/08/89	146.00	06/21/89	210.00	06/21/89	327.00
				06/29/89	143.00	08/15/89	142.00	06/21/89	301.00
				09/20/89	121.00	10/02/89	189.00	08/15/89	223.00
				12/01/89	136.00	11/01/89	154.00	10/02/89	245.00
					NR		NR	11/01/89	248.00
FVANADI	PPB	5.00		03/08/89	26.00	06/21/89		06/21/89	7.00
				06/29/89	29.00	08/15/89		06/21/89	8.00
				09/20/89	27.00	10/02/89	7.00	08/15/89	11.00
				12/01/89	27.00	11/01/89		10/02/89	15.00
					NR		NR	11/01/89	10.00
FZINC	PPB	5.00	5000.00	03/08/89		06/21/89		06/21/89	
				06/29/89		08/15/89		06/21/89	
				09/20/89	40.00	10/02/89	7.00	08/15/89	
				12/01/89		11/01/89		10/02/89	8.00
					NR		NR	11/01/89	
HNITRAT	PPB	2500.00	45000.00	06/29/89	8800.00				NR
IRON	PPB	30.00	300.00	03/08/89	68.00	06/21/89	309.00 *	06/21/89	37.00
				06/29/89		08/15/89	189.00	06/21/89	43.00
				09/20/89	99.00	10/02/89	94.00	08/15/89	97.00
				12/01/89		11/01/89	38.00	10/02/89	55.00
					NR		NR	11/01/89	39.00
LFLUORD	PPB	20.00	4000.00	12/01/89	259.00	11/01/89	235.00	11/01/89	261.00
MAGNES	PPB	50.00		03/08/89	5710.00	06/21/89	8950.00	06/21/89	13600.00
				06/29/89	6060.00	08/15/89	6740.00	06/21/89	13700.00
				09/20/89	4990.00	10/02/89	6280.00	08/15/89	8820.00
				12/01/89	5980.00	11/01/89	4830.00	10/02/89	9220.00
					NR		NR	11/01/89	10000.00
MANGESE	PPB	5.00	50.00	03/08/89		06/21/89	32.00	06/21/89	
				06/29/89		08/15/89	12.00	06/21/89	
				09/20/89		10/02/89	9.00	08/15/89	
				12/01/89		11/01/89		10/02/89	6.00
					NR		NR	11/01/89	
NICKEL	PPB	10.00		03/08/89		06/21/89		06/21/89	
				06/29/89		08/15/89		06/21/89	
				09/20/89		10/02/89		08/15/89	13.00
				12/01/89		11/01/89		10/02/89	
					NR		NR	11/01/89	
NITRATE	PPB	500.00	45000.00	03/08/89	17200.00	06/21/89	22600.00	06/21/89	21400.00
				06/29/89	9100.00	08/15/89	15200.00	06/21/89	21400.00
				09/20/89	7700.00	10/02/89	11900.00	08/15/89	10200.00
				12/01/89	9800.00	11/01/89	9500.00	10/02/89	8700.00
					NR		NR	11/01/89	93000.00 *

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-52	SAMPLE DATE	1-N-54	SAMPLE DATE	1-N-55
PH-LAB		0.01	8.50	03/08/89	8.20	06/21/89	7.40	06/21/89	7.70
				03/08/89	8.20	06/21/89	7.50	06/21/89	7.70
				03/08/89	8.20	06/21/89	7.50	06/21/89	7.70
				03/08/89	8.20	06/21/89	7.50	06/21/89	7.70
				06/29/89	8.10	08/15/89	7.70	08/15/89	7.70
				06/29/89	8.20	08/15/89	7.70	08/15/89	7.70
				06/29/89	8.20	08/15/89	7.70	08/15/89	7.70
				06/29/89	8.20	08/15/89	7.70	08/15/89	7.70
				09/20/89	8.20	10/02/89	7.50	10/02/89	7.70
				09/20/89	8.20	10/02/89	7.60	10/02/89	7.80
				09/20/89	8.10	10/02/89	7.50	10/02/89	7.70
				09/20/89	8.20	10/02/89	7.50	10/02/89	7.70
				12/01/89	8.10		NR		NR
				12/01/89	8.10		NR		NR
				12/01/89	8.10		NR		NR
				12/01/89	8.10		NR		NR
PHFIELD		0.10	8.50	03/08/89	7.50	06/21/89	6.82	06/21/89	7.16
				03/08/89	7.50	06/21/89	6.82	06/21/89	7.16
				03/08/89	7.50	06/21/89	6.82	06/21/89	7.16
				03/08/89	7.50	06/21/89	6.82	06/21/89	7.16
				05/08/89	7.70	08/15/89	7.65	08/15/89	7.67
				05/08/89	7.70	08/15/89	7.60	08/15/89	7.62
				05/08/89	7.70	08/15/89	7.59	08/15/89	7.60
				05/08/89	7.70	08/15/89	7.60	08/15/89	7.59
				06/29/89	7.84	10/02/89	7.58	10/02/89	7.90
				06/29/89	7.82	10/02/89	7.56	10/02/89	7.89
				06/29/89	7.81	10/02/89	7.58	10/02/89	7.88
				06/29/89	7.81	10/02/89	7.57	10/02/89	7.89
				09/20/89	8.20	11/01/89	7.69	11/01/89	7.76
				09/20/89	8.20	11/01/89	7.69	11/01/89	7.75
				09/20/89	8.20	11/01/89	7.68	11/01/89	7.75
				09/20/89	8.20	11/01/89	7.67	11/01/89	7.75
				12/01/89	8.00		NR		NR
				12/01/89	8.00		NR		NR
				12/01/89	7.99		NR		NR
				12/01/89	7.97		NR		NR
POTASUM	PPB	100.00		03/08/89	3160.00	06/21/89	3950.00	06/21/89	4830.00
				06/29/89	3950.00	08/15/89	3270.00	06/21/89	4970.00
				09/20/89	3520.00	10/02/89	3260.00	08/15/89	3510.00
				12/01/89	3300.00	11/01/89	2920.00	10/02/89	3930.00
					NR		NR	11/01/89	4050.00
RADIUM	PCI/L	1.00	5.00	03/08/89		11/01/89	0.25	11/01/89	
				06/29/89			(0.18)		
				09/20/89			NR		NR
				12/01/89			NR		NR
							NR		NR
SILICON	PPB	50.00		03/08/89	13600.00	06/21/89	11500.00	06/21/89	12300.00
				06/29/89	15200.00	08/15/89	12100.00	06/21/89	12400.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-52	SAMPLE DATE	1-N-54	SAMPLE DATE	1-N-55
SILICON	PPB	50.00		09/20/89	13700.00	10/02/89	10800.00	08/15/89	12000.00
				12/01/89	13000.00	11/01/89	10800.00	10/02/89	12400.00
					NR		NR	11/01/89	12700.00
SODIUM	PPB	200.00		03/08/89	5710.00	06/21/89	19800.00	06/21/89	36000.00
				06/29/89	9980.00	08/15/89	14000.00	06/21/89	37200.00
				09/20/89	6910.00	10/02/89	17100.00	08/15/89	17900.00
				12/01/89	6010.00	11/01/89	19700.00	10/02/89	19900.00
					NR		NR	11/01/89	21200.00
SR 90	PCI/L	5.00	8.00	03/08/89		11/01/89	171.00 *	11/01/89	44.10 *
							(6.66 }		(3.43 }
				06/29/89			NR		NR
				09/20/89			NR		NR
				12/01/89			NR		NR
STRONUM	PPB	10.00		03/08/89	136.00	06/21/89	234.00	06/21/89	335.00
				06/29/89	144.00	08/15/89	175.00	06/21/89	343.00
				09/20/89	115.00	10/02/89	188.00	08/15/89	221.00
				12/01/89	137.00	11/01/89	156.00	10/02/89	244.00
					NR		NR	11/01/89	265.00
SULFATE	PPB	500.00	250000.00	03/08/89	10500.00	06/21/89	99900.00	06/21/89	212000.00
				06/29/89	32000.00	08/15/89	56000.00	06/21/89	211000.00
				09/20/89	14500.00	10/02/89	51000.00	08/15/89	106000.00
				12/01/89	17900.00	11/01/89	42100.00	10/02/89	114000.00
					NR		NR	11/01/89	122000.00
TC	PPB	1000.00		03/08/89	15900.00	11/01/89	23600.00	11/01/89	20000.00
				12/01/89	16600.00		NR		NR
TDS		5000.00	500000.00	12/01/89	137000.00	11/01/89	158000.00	11/01/89	270000.00
TOXLDL	PPB	10.00		03/08/89	496.00	11/01/89	13.00	11/01/89	
				03/08/89	477.00		NR		NR
				03/08/89	498.00		NR		NR
				03/08/89	455.00		NR		NR
				05/08/89			NR		NR
				05/08/89	16.00		NR		NR
				05/08/89	11.00		NR		NR
				05/08/89	13.00		NR		NR
				06/29/89			NR		NR
				06/29/89			NR		NR
				06/29/89			NR		NR
				06/29/89			NR		NR
				09/20/89			NR		NR
				09/20/89	15.00		NR		NR
				09/20/89			NR		NR
				09/20/89			NR		NR
				12/01/89	13.00		NR		NR
				12/01/89			NR		NR
				12/01/89	13.00		NR		NR
				12/01/89	10.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	03/08/89	80800.00 *	11/01/89	19700.00	11/01/89	19700.00
					(960.00 }		(470.00 }		(477.00 }
				06/29/89	17300.00		NR		NR
					(447.00 }				

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-52	SAMPLE DATE	1-N-54	SAMPLE DATE	1-N-55
TRITIUM	PCI/L	500.00	20000.00	09/20/89	16000.00 (428.00)		NR		NR
				12/01/89	24400.00 * (522.00)		NR		NR
TURBID	NTU	0.10	1.00	06/29/89	0.20	06/21/89	5.30 *	06/21/89	0.90
				09/20/89	4.80 *	08/15/89	2.30 *	06/21/89	1.00
				12/01/89	0.10	10/02/89	1.80 *	08/15/89	0.60
					NR	11/01/89	0.60	10/02/89	0.30
U	PCI/L	0.50	600.00	03/08/89	NR		NR	11/01/89	0.30
				06/29/89	0.53	11/01/89		11/01/89	0.73
				09/20/89	0.86		NR		NR
				12/01/89	0.77		NR		NR
VANADUM	PPB	5.00		03/08/89	0.68		NR		NR
				06/29/89	23.00	06/21/89		06/21/89	9.00
				09/20/89	26.00	08/15/89	7.00	06/21/89	7.00
				12/01/89	25.00	10/02/89	10.00	08/15/89	9.00
					26.00	11/01/89		10/02/89	15.00
ZINC	PPB	5.00	5000.00	03/08/89	NR		NR	11/01/89	9.00
				06/29/89	7.00	06/21/89	10.00	06/21/89	
				09/20/89		08/15/89	7.00	06/21/89	
				12/01/89	9.00	10/02/89	5.00	08/15/89	
					NR	11/01/89	7.00	10/02/89	
							NR	11/01/89	7.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-56	SAMPLE DATE	1-N-57	SAMPLE DATE	1-N-58
ZMENAPH	PPB	10.00		11/01/89	26.00 NR	11/02/89	NR	03/02/89 07/25/89 08/14/89	
ALKALIN		20000.00		06/21/89 08/15/89 10/02/89	311000.00 176000.00 193000.00	06/20/89 08/16/89 10/02/89	85400.00 86000.00 86000.00		84000.00 NR NR
ARSENIC	PPB	5.00	50.00	06/21/89 08/15/89 10/02/89 11/01/89	6.00 NR	06/20/89 08/16/89 10/02/89 11/02/89		03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	
BARIUM	PPB	6.00	1000.00	06/21/89 08/15/89 10/02/89 11/01/89	117.00 43.00 65.00 63.00 NR	06/20/89 08/16/89 10/02/89 11/02/89	47.00 48.00 53.00 57.00 NR	03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	48.00 33.00 34.00 35.00 45.00
BERYLUM	PPB	5.00		06/21/89 08/15/89 10/02/89 11/01/89		06/20/89 08/16/89 10/02/89 11/02/89		03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	8.00 5.00
BETA	PC/L	8.00	50.00	11/01/89	NR 691.00 + (18.90) NR	11/02/89	NR 39.10 (4.68) NR	03/02/89 07/25/89 09/18/89 11/15/89	4.05 (2.48) (4.96) (3.04) (2.38) (2.80) (2.27)
BORON	PPB	10.00		06/21/89 08/15/89 10/02/89 11/01/89	36.00 21.00 27.00 19.00 NR	06/20/89 08/16/89 10/02/89 11/02/89	17.00 18.00 28.00 15.00 NR	03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	14.00 11.00 25.00 18.00 20.00
CALCIUM	PPB	50.00		06/21/89 08/15/89 10/02/89 11/01/89	174000.00 57800.00 71000.00 73800.00 NR	06/20/89 08/16/89 10/02/89 11/02/89	51000.00 40500.00 34100.00 34500.00 NR	03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	121000.00 139000.00 137000.00 130000.00 202000.00
CHLFORM	PPB	5.00	100.00	11/01/89	NR	11/02/89	NR	03/02/89 07/25/89 11/15/89	6.00 15.00
CHLORID	PPB	500.00	250000.00	06/21/89 08/15/89 10/02/89 11/01/89	14200.00 7800.00 6000.00 6200.00 NR	06/20/89 08/16/89 10/02/89 11/02/89	7500.00 6600.00 3300.00 3200.00 NR	03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	4800.00 6460.00 4800.00 6200.00 10500.00
CHROMIUM	PPB	10.00	50.00	06/21/89 08/15/89		06/20/89 08/16/89		03/02/89 07/25/89	10.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-56	SAMPLE DATE	1-N-57	SAMPLE DATE	1-N-58
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
CHROMIUM	PPB	10.00	50.00	10/02/89		10/02/89		08/14/89	
				11/01/89	12.00	11/02/89		09/18/89	13.00
					NR		NR	11/15/89	19.00
CO-60	PCI/L	22.50	100.00	11/01/89	19.30	11/02/89	7.31	03/02/89	
					(10.90)		(7.15)		
					NR		NR	07/25/89	
					NR		NR	09/18/89	6.07
								(5.43)	
					NR		NR	11/15/89	
CONDFLD	UMHO	1.00	700.00	06/21/89	809.00 *	06/20/89	448.00	03/02/89	2150.00 *
				06/21/89	810.00 *	06/20/89	447.00	03/02/89	2100.00 *
				06/21/89	810.00 *	06/20/89	446.00	03/02/89	2100.00 *
				06/21/89	810.00 *	06/20/89	447.00	03/02/89	2090.00 *
				08/15/89	420.00	08/16/89	348.00	07/25/89	2400.00 *
				08/15/89	405.00	08/16/89	343.00	07/25/89	2400.00 *
				08/15/89	391.00	08/16/89	340.00	07/25/89	2410.00 *
				08/15/89	393.00	08/16/89	341.00	07/25/89	2410.00 *
				10/02/89	495.00	10/02/89	274.00	08/14/89	2250.00 *
				10/02/89	493.00	10/02/89	271.00	08/14/89	2250.00 *
				10/02/89	490.00	10/02/89	273.00	08/14/89	2260.00 *
				10/02/89	491.00	10/02/89	275.00	08/14/89	2260.00 *
				11/01/89	517.00	11/02/89	317.00	09/18/89	2570.00 *
				11/01/89	517.00		NR	09/18/89	2590.00 *
				11/01/89	517.00		NR	09/18/89	2600.00 *
				11/01/89	516.00		NR	09/18/89	2610.00 *
					NR		NR	11/15/89	3360.00 *
					NR		NR	11/15/89	3390.00 *
					NR		NR	11/15/89	3350.00 *
					NR		NR	11/15/89	3390.00 *
CONDLAB	UMHO		700.00	06/21/89	864.00 *	06/20/89	339.00 @	03/02/89	2260.00 *
				06/21/89	834.00 *	06/20/89	330.00 @	03/02/89	2270.00 *
				06/21/89	827.00 *	06/20/89	326.00 @	03/02/89	2290.00 *
				06/21/89	852.00 *	06/20/89	331.00 @	03/02/89	2280.00 *
				08/15/89	446.00 @	08/16/89	312.00 @	07/25/89	2410.00 *
				08/15/89	450.00 @	08/16/89	311.00 @	07/25/89	2350.00 *
				08/15/89	446.00 @	08/16/89	304.00 @	07/25/89	2380.00 *
				08/15/89	444.00 @	08/16/89	309.00 @	07/25/89	2390.00 *
				10/02/89	531.00 @	10/02/89	323.00 @	08/14/89	2230.00 *
				10/02/89	546.00 @	10/02/89	324.00 @	08/14/89	2250.00 *
				10/02/89	530.00 @	10/02/89	322.00 @	08/14/89	2230.00 *
				10/02/89	531.00 @	10/02/89	320.00 @	08/14/89	2250.00 *
					NR		NR	09/18/89	2410.00 *
					NR		NR	09/18/89	2420.00 *
					NR		NR	09/18/89	2410.00 *
					NR		NR	09/18/89	2420.00 *
					NR		NR	11/15/89	
					NR		NR	11/15/89	
					NR		NR	11/15/89	
					NR		NR	11/15/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-56	SAMPLE DATE	1-N-57	SAMPLE DATE	1-N-58
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
COPPER	PPB	10.00	(1300.0)	06/21/89 08/15/89 10/02/89 11/01/89	NR 113.00 48.00 68.00 62.00	06/20/89 08/16/89 10/02/89 11/02/89	NR 46.00 49.00 46.00 52.00	03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	12.00 48.00 30.00 36.00 29.00 46.00
FBARIUM	PPB	6.00	1000.00	06/21/89 08/15/89 10/02/89 11/01/89	NR 113.00 48.00 68.00 62.00	06/20/89 08/16/89 10/02/89 11/02/89	NR 46.00 49.00 46.00 52.00	03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	48.00 30.00 36.00 29.00 46.00
FBORON	PPB	10.00		06/21/89 08/15/89 10/02/89 11/01/89	NR 28.00 21.00 35.00 25.00	06/20/89 08/16/89 10/02/89 11/02/89	NR 19.00 30.00 18.00 13.00	03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	17.00 17.00 13.00 26.00 25.00
FCALCIU	PPB	50.00		06/21/89 08/15/89 10/02/89 11/01/89	NR 175000.00 59300.00 70200.00 72900.00	06/20/89 08/16/89 10/02/89 11/02/89	NR 55700.00 38700.00 30100.00 33300.00	03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	119000.00 139000.00 134000.00 130000.00 205000.00
FIRON	PPB	30.00	300.00	06/21/89 08/15/89 10/02/89 11/01/89	NR 33.00 203.00 NR	06/20/89 08/16/89 10/02/89 11/02/89	NR NR NR NR	03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	
FLUORID	PPB	500.00	4000.00	06/21/89 08/15/89 10/02/89 11/01/89	NR 900.00 NR NR	06/20/89 08/16/89 10/02/89 11/02/89	NR NR NR NR	03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	2390.00 2200.00 2900.00 3300.00
FMAGNES	PPB	50.00		06/21/89 08/15/89 10/02/89 11/01/89	NR 24900.00 8670.00 10400.00 10400.00	06/20/89 08/16/89 10/02/89 11/02/89	NR 9130.00 6650.00 5690.00 6290.00	03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	24700.00 29000.00 25600.00 20000.00 37800.00
FMANGAN	PPB	5.00	50.00	06/21/89 08/15/89 10/02/89 11/01/89	NR 10.00 49.00 9.00 6.00	06/20/89 08/16/89 10/02/89 11/02/89	NR NR NR NR	03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	138.00 *
FPOTASS	PPB	100.00		06/21/89 08/15/89 10/02/89 11/01/89	NR 4890.00 3130.00 3420.00 3490.00	06/20/89 08/16/89 10/02/89 11/02/89	NR 4430.00 3650.00 3240.00 3530.00	03/02/89 07/25/89 08/14/89 09/18/89 11/15/89	5720.00 5380.00 5060.00 4220.00 5380.00
FSILICO	PPB	50.00		06/21/89 08/15/89 10/02/89	NR 12700.00 11400.00 12100.00	06/20/89 08/16/89 10/02/89	NR 12500.00 12500.00 11400.00	03/02/89 07/25/89 08/14/89	12500.00 13700.00 11900.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-56	SAMPLE DATE	1-N-57	SAMPLE DATE	1-N-58
FSILICO	PPB	50.00		11/01/89	11600.00 NR	11/02/89	12200.00 NR	09/18/89	8610.00
FSODIUM	PPB	200.00		06/21/89	54500.00	06/20/89	26400.00	11/15/89	10400.00
				08/15/89	24000.00	08/16/89	15100.00	03/02/89	341000.00
				10/02/89	21600.00	10/02/89	13000.00	07/25/89	479000.00
				11/01/89	25000.00	11/02/89	16400.00	08/14/89	479000.00
					NR			09/18/89	427000.00
FSTRONT	PPB	10.00		06/21/89	560.00	06/20/89	226.00	11/15/89	583000.00
				08/15/89	218.00	08/16/89	170.00	03/02/89	551.00
				10/02/89	287.00	10/02/89	149.00	07/25/89	521.00
				11/01/89	297.00	11/02/89	161.00	08/14/89	462.00
					NR			09/18/89	428.00
FVANADI	PPB	5.00		06/21/89		06/20/89	7.00	11/15/89	704.00
				08/15/89		08/16/89	7.00	03/02/89	
				10/02/89		10/02/89	9.00	07/25/89	
				11/01/89		11/02/89	9.00	08/14/89	
					NR			09/18/89	
FZINC	PPB	5.00	5000.00	06/21/89		06/20/89		11/15/89	
				08/15/89		08/16/89		03/02/89	
				10/02/89	30.00	10/02/89		07/25/89	17.00
				11/01/89	8.00	11/02/89		08/14/89	
					NR			09/18/89	
IRON	PPB	30.00	300.00	06/21/89	111.00	06/20/89	282.00	11/15/89	8.00
				08/15/89	73.00	08/16/89	66.00	03/02/89	158.00
				10/02/89	59.00	10/02/89	117.00	07/25/89	
				11/01/89	77.00	11/02/89	39.00	08/14/89	34.00
					NR			09/18/89	321.00 *
								11/15/89	117.00
LFLUORD	PPB	20.00	4000.00	11/01/89	115.00	11/02/89	300.00		NR
MAGNES	PPB	50.00		06/21/89	25400.00	06/20/89	8420.00	03/02/89	25400.00
				08/15/89	8580.00	08/16/89	7110.00	07/25/89	29800.00
				10/02/89	10500.00	10/02/89	6470.00	08/14/89	27500.00
				11/01/89	10500.00	11/02/89	6600.00	09/18/89	24300.00
					NR			11/15/89	37900.00
MANGESE	PPB	5.00	50.00	06/21/89	10.00	06/20/89	8.00	03/02/89	8.00
				08/15/89	47.00	08/16/89		07/25/89	142.00 *
				10/02/89	6.00	10/02/89		08/14/89	
				11/01/89	7.00	11/02/89		09/18/89	15.00
					NR			11/15/89	8.00
NAPHTHA	PPB	10.00		11/01/89	12.00	11/02/89	NR	03/02/89	
					NR			07/25/89	
NICKEL	PPB	10.00		06/21/89		06/20/89		03/02/89	
				08/15/89		08/16/89		07/25/89	
				10/02/89		10/02/89		08/14/89	
				11/01/89	11.00	11/02/89		09/18/89	11.00
					NR			11/15/89	
NITRATE	PPB	500.00	45000.00	06/21/89	63600.00 *	06/20/89	24700.00	03/02/89	3500.00
				08/15/89	8100.00	08/16/89	10400.00	07/25/89	3310.00
				10/02/89	9000.00	10/02/89	8100.00	08/14/89	2400.00
				11/01/89	8400.00	11/02/89	8800.00	09/18/89	2800.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-56	SAMPLE DATE	1-N-57	SAMPLE DATE	1-N-58
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
NITRATE	PPB	500.00	45000.00		NR		NR	11/15/89	5200.00
NITRITE	PPB	1000.00		06/21/89	4500.00	06/20/89		03/02/89	
				08/15/89		08/16/89		07/25/89	
				10/02/89		10/02/89		08/14/89	
				11/01/89		11/02/89		09/18/89	
					NR		NR	11/15/89	
PH-LAB		0.01	8.50	06/21/89	7.10	06/20/89	7.60	03/02/89	7.23
				06/21/89	7.10	06/20/89	7.60	03/02/89	7.33
				06/21/89	7.10	06/20/89	7.60	03/02/89	7.32
				06/21/89	7.10	06/20/89	7.70	03/02/89	7.14
				08/15/89	7.20	08/16/89	7.60	07/25/89	6.70
				08/15/89	7.20	08/16/89	7.60	07/25/89	6.70
				08/15/89	7.20	08/16/89	7.60	07/25/89	6.70
				08/15/89	7.20	08/16/89	8.30	07/25/89	6.70
				10/02/89	7.40	10/02/89	7.80	08/14/89	7.60
				10/02/89	7.40	10/02/89	7.80	08/14/89	7.60
				10/02/89	7.40	10/02/89	7.80	08/14/89	7.60
				10/02/89	7.40	10/02/89	7.80	08/14/89	7.60
					NR		NR	09/18/89	8.00
					NR		NR	09/18/89	8.00
					NR		NR	09/18/89	8.00
					NR		NR	09/18/89	8.00
					NR		NR	11/15/89	7.50
					NR		NR	11/15/89	7.40
					NR		NR	11/15/89	7.40
					NR		NR	11/15/89	7.50
PHFIELD		0.10	8.50	06/21/89	6.54	06/20/89	7.34	03/02/89	6.90
				06/21/89	6.58	06/20/89	7.32	03/02/89	6.80
				06/21/89	6.58	06/20/89	7.30	03/02/89	6.80
				06/21/89	6.59	06/20/89	7.30	03/02/89	6.80
				08/15/89	7.11	08/16/89	7.26	07/25/89	7.00
				08/15/89	7.12	08/16/89	7.25	07/25/89	7.00
				08/15/89	7.12	08/16/89	7.25	07/25/89	7.00
				08/15/89	7.12	08/16/89	7.25	07/25/89	7.00
				10/02/89	7.49	10/02/89	7.70	08/14/89	7.39
				10/02/89	7.47	10/02/89	7.71	08/14/89	7.42
				10/02/89	7.47	10/02/89	7.70	08/14/89	7.42
				10/02/89	7.45	10/02/89	7.70	08/14/89	7.42
				11/01/89	7.41	11/02/89	8.09	09/18/89	7.68
				11/01/89	7.40		NR	09/18/89	7.66
				11/01/89	7.40		NR	09/18/89	7.68
				11/01/89	7.40		NR	09/18/89	7.67
					NR		NR	11/15/89	7.76
					NR		NR	11/15/89	7.76
					NR		NR	11/15/89	7.74
					NR		NR	11/15/89	7.68
PHOSPHA	PPB	1000.00		06/21/89	4600.00	06/20/89		03/02/89	
				08/15/89	2600.00	08/16/89		07/25/89	
				10/02/89	1300.00	10/02/89		08/14/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-56	SAMPLE DATE	1-N-57	SAMPLE DATE	1-N-58
PHOSPHA	PPB	1000.00		11/01/89	1400.00	11/02/89		09/18/89	
					NR		NR	11/15/89	
POTASUM	PPB	100.00		06/21/89	5270.00	06/20/89	4010.00	03/02/89	5700.00
				08/15/89	2860.00	08/16/89	3650.00	07/25/89	5380.00
				10/02/89	3350.00	10/02/89	3790.00	08/14/89	5400.00
				11/01/89	3540.00	11/02/89	3720.00	09/18/89	4560.00
					NR		NR	11/15/89	5380.00
RADIUM	PCI/L	1.00	5.00	11/01/89		11/02/89		03/02/89	0.59
					NR		NR	07/25/89	(0.26)
					NR		NR	09/18/89	(0.41)
					NR		NR	11/15/89	(0.21)
					NR		NR	03/02/89	(0.36)
					NR		NR	07/25/89	(0.20)
SILICON	PPB	50.00		06/21/89	12600.00	06/20/89	11500.00	11/15/89	
				08/15/89	11000.00	08/16/89	12900.00	03/02/89	12000.00
				10/02/89	12100.00	10/02/89	13000.00	07/25/89	13400.00
				11/01/89	12100.00	11/02/89	12300.00	08/14/89	12600.00
					NR		NR	09/18/89	9870.00
SODIUM	PPB	200.00		06/21/89	58300.00	06/20/89	23600.00	11/15/89	10400.00
				08/15/89	22100.00	08/16/89	14900.00	03/02/89	347000.00
				10/02/89	20800.00	10/02/89	14900.00	07/25/89	503000.00
				11/01/89	25500.00	11/02/89	16300.00	08/14/89	481000.00
					NR		NR	09/18/89	427000.00
SR 90	PCI/L	5.00	8.00	11/01/89	364.00 *	11/02/89	18.50 *	11/15/89	588000.00
					(9.67)		(2.39)	03/02/89	
					NR		NR	07/25/89	1.35
					NR		NR	09/18/89	(1.22)
					NR		NR	11/15/89	1.11
					NR		NR		(0.84)
STRONUM	PPB	10.00		06/21/89	595.00	06/20/89	212.00	03/02/89	549.00
				08/15/89	217.00	08/16/89	179.00	07/25/89	537.00
				10/02/89	293.00	10/02/89	169.00	08/14/89	483.00
				11/01/89	308.00	11/02/89	172.00	09/18/89	463.00
					NR		NR	11/15/89	692.00
SULFATE	PPB	500.00	250000.00	06/21/89	227000.00	06/20/89	117000.00	03/02/89	1180000.00 *
				08/15/89	47000.00	08/16/89	57000.00	07/25/89	1350000.00 *
				10/02/89	59000.00	10/02/89	50000.00	08/14/89	1140000.00 *
				11/01/89	73000.00	11/02/89	56200.00	09/18/89	1180000.00 *
					NR		NR	11/15/89	1560000.00 *
TC	PPB	1000.00		11/01/89	46400.00	11/02/89	19800.00		NR
TDS		5000.00	500000.00	11/01/89	301000.00	11/02/89	173000.00		NR
TOXLDL	PPB	10.00		11/01/89		11/02/89		03/02/89	10.00
					NR		NR	03/02/89	11.00
					NR		NR	03/02/89	13.00
					NR		NR	03/02/89	10.00
					NR		NR	07/25/89	17.00
					NR		NR	07/25/89	12.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-56	SAMPLE DATE	1-N-57	SAMPLE DATE	1-N-58
TOXLDL	PPB	10.00			NR		NR	07/25/89	14.00
					NR		NR	07/25/89	18.00
					NR		NR	09/18/89	15.00
					NR		NR	09/18/89	15.00
					NR		NR	09/18/89	14.00
					NR		NR	09/18/89	22.00
					NR		NR	11/15/89	31.00
					NR		NR	11/15/89	30.00
					NR		NR	11/15/89	21.00
					NR		NR	11/15/89	23.00
TRITIUM	PCI/L	500.00	20000.00	11/01/89	31100.00 * (599.00)	11/02/89	21800.00 * (507.00)	03/02/89	
					NR		NR	07/25/89	
					NR		NR	09/18/89	
					NR		NR	11/15/89	
TURBID	NTU	0.10	1.00	06/21/89	0.60	06/20/89	1.80 *	08/14/89	0.40
				08/15/89	0.60	08/16/89	0.90	09/18/89	2.30 *
				10/02/89	0.20	10/02/89	0.90	11/15/89	0.70
				11/01/89	0.70	11/02/89	0.40		NR
U	PCI/L	0.50	600.00	11/01/89	0.53	11/02/89	0.91	03/02/89	2.21
					NR		NR	07/25/89	1.37
					NR		NR	09/18/89	2.40
					NR		NR	11/15/89	1.62
UNKPAH	PPB			11/01/89	28.00 @		NR		NR
VANADUM	PPB	5.00		06/21/89	7.00	06/20/89		03/02/89	
				08/15/89	7.00	08/16/89	9.00	07/25/89	
				10/02/89		10/02/89	8.00	08/14/89	5.00
				11/01/89		11/02/89	6.00	09/18/89	
					NR		NR	11/15/89	
ZINC	PPB	5.00	5000.00	06/21/89	7.00	06/20/89	9.00	03/02/89	
				08/15/89		08/16/89		07/25/89	20.00
				10/02/89		10/02/89		08/14/89	7.00
				11/01/89	12.00	11/02/89	32.00	09/18/89	
					NR		NR	11/15/89	10.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-59	SAMPLE DATE	1-N-60	SAMPLE DATE	1-N-61
ALKALIN ALPHAHI	PCI/L	20000.00 4.00	15.00	08/14/89 03/01/89 03/01/89 07/17/89 09/18/89 11/16/89	46000.00	08/14/89 03/02/89 08/01/89 08/01/89 09/18/89 11/16/89	94000.00 5.53 (3.77) 1.61 (1.46)	08/14/89 03/02/89 07/28/89 09/19/89 09/19/89 11/16/89	52000.00
ALUMNUM	PPB	150.00		03/01/89 03/01/89 07/17/89 08/14/89 09/18/89 11/16/89	315.00 379.00 209.00	03/02/89 08/01/89 08/01/89 08/14/89 09/18/89 11/16/89		03/02/89 07/28/89 08/14/89 09/19/89 09/19/89 11/16/89	
BARIUM	PPB	6.00	1000.00	03/01/89 03/01/89 07/17/89 08/14/89 09/18/89 11/16/89	NR 18.00 20.00 27.00 35.00 38.00 15.00	03/02/89 08/01/89 08/01/89 08/14/89 09/18/89 11/16/89	30.00 34.00 40.00 33.00 31.00 31.00 32.00	03/02/89 07/28/89 08/14/89 09/19/89 09/19/89 11/16/89	NR 11.00 49.00 53.00 37.00 41.00 51.00 NR
BERYLUM	PPB	5.00		03/01/89 03/01/89 07/17/89 08/14/89 09/18/89 11/16/89	NR	03/02/89 08/01/89 08/01/89 08/14/89 09/18/89 11/16/89		03/02/89 07/28/89 08/14/89 09/19/89 09/19/89 11/16/89	8.00
BETA	PCI/L	8.00	50.00	03/01/89 03/01/89 07/17/89 09/18/89 11/16/89	NR 3.01 (2.38) 4.80 (2.62) 5.05 (2.55) 4.15 (2.52)	03/02/89 08/01/89 08/01/89 09/18/89 11/16/89	2.95 (2.28) 11.70 (5.37) 6.11 (2.76) 11.70 (5.31)	03/02/89 07/28/89 09/19/89 09/19/89 11/16/89	NR 5.52 (2.62) 5.11 (2.50)
BISZEPH	PPB	10.00		03/01/89 03/01/89 07/17/89		03/02/89 08/01/89 08/01/89		03/02/89 07/28/89	11.00 15.00 NR
BORON	PPB	10.00		03/01/89 03/01/89 07/17/89 08/14/89 09/18/89 11/16/89	20.00 16.00 16.00 28.00 22.00 20.00	03/02/89 08/01/89 08/01/89 08/14/89 09/18/89 11/16/89	16.00 17.00 17.00 25.00 16.00 23.00	03/02/89 07/28/89 08/14/89 09/19/89 09/19/89 11/16/89	11.00 37.00 38.00 39.00 23.00 16.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-59	SAMPLE DATE	1-N-60	SAMPLE DATE	1-N-61
BORON	PPB	10.00			NR	11/16/89	16.00		NR
CALCIUM	PPB	50.00		03/01/89	46400.00	03/02/89	88800.00	03/02/89	24000.00
				03/01/89	48700.00	08/01/89	141000.00	07/28/89	168000.00
				07/17/89	113000.00	08/01/89	143000.00	08/14/89	183000.00
				08/14/89	179000.00	08/14/89	146000.00	09/19/89	142000.00
				09/18/89	302000.00	09/18/89	112000.00	09/19/89	155000.00
				11/16/89	105000.00	11/16/89	155000.00	11/16/89	49400.00
					NR	11/16/89	168000.00		NR
CHLFORM	PPB	5.00	100.00	03/01/89		03/02/89	5.00	03/02/89	5.00
				03/01/89		08/01/89		07/28/89	15.00
				07/17/89	5.00	08/01/89	9.00	11/16/89	10.00
				11/16/89	6.00	11/16/89	9.00		NR
					NR	11/16/89	10.00		NR
CHLORID	PPB	500.00	250000.00	03/01/89	3900.00	03/02/89	5000.00	03/02/89	2500.00
				03/01/89	3900.00	08/01/89	5300.00	07/28/89	13400.00
				07/17/89	5540.00	08/01/89	5300.00	08/14/89	12000.00
				08/14/89	8400.00	08/14/89	4800.00	09/19/89	14000.00
				09/18/89	8000.00	09/18/89	6500.00	09/19/89	14000.00
				11/16/89	7700.00	11/16/89	9300.00	11/16/89	5200.00
					NR	11/16/89	9200.00		NR
CHROMIUM	PPB	10.00	50.00	03/01/89		03/02/89		03/02/89	
				03/01/89		08/01/89	22.00	07/28/89	11.00
				07/17/89		08/01/89	26.00	08/14/89	
				08/14/89		08/14/89		09/19/89	13.00
				09/18/89	14.00	09/18/89		09/19/89	15.00
				11/16/89	14.00	11/16/89	13.00	11/16/89	12.00
					NR	11/16/89	12.00		NR
COLIMF	PPB	1.00	1.00	09/18/89		08/01/89	2.00 *	07/28/89	
				11/16/89		08/01/89		09/19/89	
					NR	09/18/89		11/16/89	
					NR	11/16/89			NR
COND FLD	UMHO	1.00	700.00	03/01/89	1838.00 *	03/02/89	1629.00 *	03/02/89	1037.00 *
				03/01/89	1829.00 *	03/02/89	1619.00 *	03/02/89	1042.00 *
				03/01/89	1815.00 *	03/02/89	1622.00 *	03/02/89	1039.00 *
				03/01/89	1825.00 *	03/02/89	1628.00 *	03/02/89	1040.00 *
				07/17/89	2310.00 *	08/01/89	1779.00 *	07/28/89	3850.00 *
				07/17/89	2300.00 *	08/01/89	1830.00 *	07/28/89	3910.00 *
				07/17/89	2320.00 *	08/01/89	1791.00 *	07/28/89	3900.00 *
				07/17/89	2340.00 *	08/01/89	1771.00 *	07/28/89	3900.00 *
				08/14/89	2870.00 *	08/14/89	1315.00 *	08/14/89	1650.00 *
				08/14/89	2840.00 *	08/14/89	1290.00 *	08/14/89	1654.00 *
				08/14/89	2800.00 *	08/14/89	1394.00 *	08/14/89	1660.00 *
				08/14/89	2830.00 *	08/14/89	1340.00 *	08/14/89	1646.00 *
				09/18/89	3460.00 *	09/18/89	2450.00 *	09/19/89	3740.00 *
				09/18/89	3460.00 *	09/18/89	2450.00 *	09/19/89	3690.00 *
				09/18/89	3450.00 *	09/18/89	2430.00 *	09/19/89	3740.00 *
				09/18/89	3460.00 *	09/18/89	2450.00 *	09/19/89	3740.00 *
				11/16/89	2130.00 *	11/16/89	3070.00 *	11/16/89	2060.00 *
				11/16/89	2150.00 *	11/16/89	2700.00 *	11/16/89	2060.00 *

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-59	SAMPLE DATE	1-N-60	SAMPLE DATE	1-N-61
COND FLD	UMHO	1.00	700.00	11/16/89	2160.00 *	11/16/89	2740.00 *	11/16/89	2070.00 *
				11/16/89	2150.00 *	11/16/89	2740.00 *	11/16/89	2070.00 *
COND LAB	UMHO		700.00	03/01/89	1580.00 *	03/02/89	1720.00 *	03/02/89	1130.00 *
				03/01/89	1560.00 *	03/02/89	1690.00 *	03/02/89	1130.00 *
				03/01/89	1570.00 *	03/02/89	1710.00 *	03/02/89	1120.00 *
				03/01/89	1580.00 *	03/02/89	1680.00 *	03/02/89	1130.00 *
				07/17/89	2180.00 *	08/01/89	2240.00 *	07/28/89	3270.00 *
				07/17/89	2180.00 *	08/01/89	2210.00 *	07/28/89	3280.00 *
				07/17/89	2150.00 *	08/01/89	2220.00 *	07/28/89	3290.00 *
				07/17/89	2190.00 *	08/01/89	2220.00 *	07/28/89	3300.00 *
				08/14/89	2790.00 *	08/14/89	2220.00 *	08/14/89	3880.00 *
				08/14/89	2780.00 *	08/14/89	2240.00 *	08/14/89	3890.00 *
				08/14/89	2780.00 *	08/14/89	2220.00 *	08/14/89	3860.00 *
				08/14/89	2760.00 *	08/14/89	2240.00 *	08/14/89	3880.00 *
				09/18/89	3310.00 *	09/18/89	2320.00 *	09/19/89	3740.00 *
				09/18/89	3290.00 *	09/18/89	2330.00 *	09/19/89	3730.00 *
				09/18/89	3310.00 *	09/18/89	2330.00 *	09/19/89	3720.00 *
				09/18/89	3300.00 *	09/18/89	2330.00 *	09/19/89	3720.00 *
				11/16/89		11/16/89		11/16/89	
				11/16/89		11/16/89		11/16/89	
				11/16/89		11/16/89		11/16/89	
				11/16/89		11/16/89		11/16/89	
COPPER	PPB	10.00	(1300.0)	03/01/89		03/02/89		03/02/89	
				03/01/89		08/01/89		07/28/89	
				07/17/89		08/01/89		08/14/89	
				08/14/89		08/14/89		09/19/89	
				09/18/89		09/18/89	12.00	09/19/89	
				11/16/89		11/16/89		11/16/89	
					NR	11/16/89			NR
FALUMIN	PPB	150.00		03/01/89	302.00	03/02/89		03/02/89	
				03/01/89	296.00	08/01/89		07/28/89	
				07/17/89		08/01/89		08/14/89	
				08/14/89		08/14/89		09/19/89	
				09/18/89		09/18/89		09/19/89	
				11/16/89		11/16/89		11/16/89	
					NR	11/16/89			NR
FBARIUM	PPB	6.00	1000.00	03/01/89	18.00	03/02/89	30.00	03/02/89	13.00
				03/01/89	20.00	08/01/89	36.00	07/28/89	51.00
				07/17/89	29.00	08/01/89	38.00	08/14/89	52.00
				08/14/89	37.00	08/14/89	36.00	09/19/89	41.00
				09/18/89	34.00	09/18/89	32.00	09/19/89	41.00
				11/16/89	14.00	11/16/89	32.00	11/16/89	52.00
					NR	11/16/89	34.00		NR
FBERYLL	PPB	5.00		03/01/89		03/02/89		03/02/89	
				03/01/89		08/01/89		07/28/89	
				07/17/89		08/01/89		08/14/89	
				08/14/89		08/14/89		09/19/89	
				09/18/89	6.00	09/18/89		09/19/89	
				11/16/89		11/16/89		11/16/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-59	SAMPLE DATE	1-N-60	SAMPLE DATE	1-N-61
FBERYLL	PPB	5.00			NR	11/16/89			NR
FBORON	PPB	10.00		03/01/89	19.00	03/02/89	20.00	03/02/89	13.00
				03/01/89	22.00	08/01/89	17.00	07/28/89	27.00
				07/17/89	21.00	08/01/89	19.00	08/14/89	26.00
				08/14/89	20.00	08/14/89		09/19/89	35.00
				09/18/89	17.00	09/18/89	14.00	09/19/89	27.00
				11/16/89	18.00	11/16/89	19.00	11/16/89	15.00
					NR	11/16/89	21.00		NR
FCADMIU	PPB	2.00	10.00	03/01/89		03/02/89		03/02/89	
				03/01/89		08/01/89		07/28/89	
				07/17/89		08/01/89		08/14/89	
				08/14/89		08/14/89		09/19/89	
				09/18/89	3.00	09/18/89		09/19/89	
				11/16/89		11/16/89		11/16/89	
					NR	11/16/89			NR
FCALCIU	PPB	50.00		03/01/89	45800.00	03/02/89	86600.00	03/02/89	25600.00
				03/01/89	47500.00	08/01/89	145000.00	07/28/89	156000.00
				07/17/89	119000.00	08/01/89	152000.00	08/14/89	162000.00
				08/14/89	169000.00	08/14/89	145000.00	09/19/89	150000.00
				09/18/89	292000.00	09/18/89	123000.00	09/19/89	136000.00
				11/16/89	105000.00	11/16/89	166000.00	11/16/89	52900.00
					NR	11/16/89	178000.00		NR
FIRON	PPB	30.00	300.00	03/01/89		03/02/89		03/02/89	
				03/01/89		08/01/89		07/28/89	
				07/17/89		08/01/89		08/14/89	
				08/14/89		08/14/89	31.00	09/19/89	
				09/18/89		09/18/89		09/19/89	
				11/16/89		11/16/89		11/16/89	50.00
					NR	11/16/89			NR
FLITHIU	PPB	10.00		03/01/89		03/02/89		03/02/89	
				03/01/89		08/01/89		07/28/89	
				07/17/89		08/01/89	11.00	08/14/89	
				08/14/89		08/14/89	11.00	09/19/89	
				09/18/89	12.00	09/18/89		09/19/89	
				11/16/89		11/16/89		11/16/89	
					NR	11/16/89			NR
FLUORID	PPB	500.00	4000.00	03/01/89		03/02/89		03/02/89	800.00
				03/01/89		08/01/89	2100.00	07/28/89	3400.00
				07/17/89	2110.00	08/01/89	2100.00	08/14/89	3500.00
				08/14/89	2600.00	08/14/89	2100.00	09/19/89	3900.00
				09/18/89	3500.00	09/18/89	2700.00	09/19/89	3800.00
				11/16/89	2100.00	11/16/89	2800.00	11/16/89	2400.00
					NR	11/16/89	2700.00		NR
FMAGNES	PPB	50.00		03/01/89	11800.00	03/02/89	16700.00	03/02/89	7100.00
				03/01/89	12100.00	08/01/89	27600.00	07/28/89	37100.00
				07/17/89	24200.00	08/01/89	28900.00	08/14/89	38400.00
				08/14/89	36600.00	08/14/89	27500.00	09/19/89	36000.00
				09/18/89	53200.00	09/18/89	22600.00	09/19/89	33000.00
				11/16/89	18100.00	11/16/89	30300.00	11/16/89	12400.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-59	SAMPLE DATE	1-N-60	SAMPLE DATE	1-N-61
FMAGNES	PPB	50.00			NR	11/16/89	32000.00		NR
FMANGAN	PPB	5.00	50.00	03/01/89	195.00 *	03/02/89	27.00	03/02/89	
				03/01/89	195.00 *	08/01/89		07/28/89	
				07/17/89	70.00 *	08/01/89		08/14/89	
				08/14/89	208.00 *	08/14/89		09/19/89	
				09/18/89		09/18/89		09/19/89	
				11/16/89	40.00	11/16/89		11/16/89	
					NR	11/16/89			NR
FPOTASS	PPB	100.00		03/01/89	3180.00	03/02/89	5110.00	03/02/89	1650.00
				03/01/89	3270.00	08/01/89	7480.00	07/28/89	5000.00
				07/17/89	5340.00	08/01/89	7900.00	08/14/89	5260.00
				08/14/89	6570.00	08/14/89	7580.00	09/19/89	4600.00
				09/18/89	9510.00	09/18/89	6550.00	09/19/89	4630.00
				11/16/89	4100.00	11/16/89	6380.00	11/16/89	2680.00
					NR	11/16/89	6360.00		NR
FSILICO	PPB	50.00		03/01/89	12400.00	03/02/89	16600.00	03/02/89	5950.00
				03/01/89	12700.00	08/01/89	17500.00	07/28/89	9320.00
				07/17/89	13800.00	08/01/89	18400.00	08/14/89	9800.00
				08/14/89	16100.00	08/14/89	18700.00	09/19/89	9600.00
				09/18/89	16200.00	09/18/89	15400.00	09/19/89	9570.00
				11/16/89	14000.00	11/16/89	13500.00	11/16/89	9240.00
					NR	11/16/89	14500.00		NR
FSODIUM	PPB	200.00		03/01/89	312000.00	03/02/89	298000.00	03/02/89	236000.00
				03/01/89	324000.00	08/01/89	418000.00	07/28/89	972000.00
				07/17/89	397000.00	08/01/89	430000.00	08/14/89	886000.00
				08/14/89	565000.00	08/14/89	428000.00	09/19/89	774000.00
				09/18/89	513000.00	09/18/89	362000.00	09/19/89	707000.00
				11/16/89	331000.00	11/16/89	459000.00	11/16/89	365000.00
					NR	11/16/89	467000.00		NR
FSTRONT	PPB	10.00		03/01/89	239.00	03/02/89	369.00	03/02/89	135.00
				03/01/89	247.00	08/01/89	579.00	07/28/89	622.00
				07/17/89	485.00	08/01/89	625.00	08/14/89	695.00
				08/14/89	705.00	08/14/89	568.00	09/19/89	593.00
				09/18/89	995.00	09/18/89	496.00	09/19/89	586.00
				11/16/89	380.00	11/16/89	569.00	11/16/89	258.00
					NR	11/16/89	606.00		NR
FVANADI	PPB	5.00		03/01/89		03/02/89		03/02/89	
				03/01/89		08/01/89		07/28/89	
				07/17/89		08/01/89	8.00	08/14/89	
				08/14/89		08/14/89	6.00	09/19/89	
				09/18/89		09/18/89		09/19/89	
				11/16/89		11/16/89		11/16/89	
					NR	11/16/89			NR
FZINC	PPB	5.00	5000.00	03/01/89	24.00	03/02/89		03/02/89	
				03/01/89	25.00	08/01/89		07/28/89	
				07/17/89	15.00	08/01/89		08/14/89	5.00
				08/14/89	20.00	08/14/89		09/19/89	
				09/18/89		09/18/89		09/19/89	
				11/16/89	12.00	11/16/89		11/16/89	7.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-59	SAMPLE DATE	1-N-60	SAMPLE DATE	1-N-61
FZINC	PPB	5.00	5000.00		NR	11/16/89	8.00		NR
IRON	PPB	30.00	300.00	03/01/89		03/02/89	91.00	03/02/89	34.00
				03/01/89		08/01/89	103.00	07/28/89	89.00
				07/17/89	33.00	08/01/89	116.00	08/14/89	175.00
				08/14/89		08/14/89	34.00	09/19/89	
				09/18/89	65.00	09/18/89	33.00	09/19/89	68.00
				11/16/89	46.00	11/16/89	55.00	11/16/89	43.00
					NR	11/16/89	53.00		NR
LITHIUM	PPB	10.00		03/01/89		03/02/89		03/02/89	
				03/01/89		08/01/89		07/28/89	
				07/17/89		08/01/89	11.00	08/14/89	
				08/14/89		08/14/89	10.00	09/19/89	
				09/18/89	14.00	09/18/89		09/19/89	
				11/16/89		11/16/89		11/16/89	
					NR	11/16/89			NR
MAGNES	PPB	50.00		03/01/89	11800.00	03/02/89	17000.00	03/02/89	6740.00
				03/01/89	12400.00	08/01/89	25800.00	07/28/89	39100.00
				07/17/89	23100.00	08/01/89	26400.00	08/14/89	45400.00
				08/14/89	39800.00	08/14/89	28400.00	09/19/89	34100.00
				09/18/89	55000.00	09/18/89	20800.00	09/19/89	37700.00
				11/16/89	17800.00	11/16/89	29200.00	11/16/89	11800.00
					NR	11/16/89	28800.00		NR
MANGESE	PPB	5.00	50.00	03/01/89	188.00 *	03/02/89	24.00	03/02/89	
				03/01/89	202.00 *	08/01/89		07/28/89	
				07/17/89	68.00 *	08/01/89		08/14/89	13.00
				08/14/89	212.00 *	08/14/89		09/19/89	
				09/18/89		09/18/89		09/19/89	5.00
				11/16/89	42.00	11/16/89		11/16/89	
					NR	11/16/89			NR
NICKEL	PPB	10.00		03/01/89		03/02/89		03/02/89	
				03/01/89		08/01/89		07/28/89	
				07/17/89		08/01/89		08/14/89	
				08/14/89	13.00	08/14/89		09/19/89	
				09/18/89		09/18/89		09/19/89	11.00
				11/16/89		11/16/89		11/16/89	
					NR	11/16/89			NR
NITRATE	PPB	500.00	45000.00	03/01/89	3000.00	03/02/89	2900.00	03/02/89	1800.00
				03/01/89	3100.00	08/01/89	2100.00	07/28/89	3000.00
				07/17/89	3200.00	08/01/89	2100.00	08/14/89	2400.00
				08/14/89	3000.00	08/14/89	1900.00	09/19/89	4300.00
				09/18/89	3100.00	09/18/89	2800.00	09/19/89	4200.00
				11/16/89	4000.00	11/16/89	3500.00	11/16/89	1600.00
					NR	11/16/89	3600.00		NR
PK-LAB		0.01	8.50	03/01/89	5.89	03/02/89	6.99	03/02/89	7.20
				03/01/89	5.86	03/02/89	7.09	03/02/89	7.26
				03/01/89	5.97	03/02/89	7.02	03/02/89	7.24
				03/01/89	5.92	03/02/89	7.17	03/02/89	7.21
				07/17/89	6.70	08/01/89	7.90	07/28/89	7.00
				07/17/89	6.70	08/01/89	7.90	07/28/89	7.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-59	SAMPLE DATE	1-N-60	SAMPLE DATE	1-N-61
PH-LAB		0.01	8.50	07/17/89	6.70	08/01/89	7.90	07/28/89	7.00
				07/17/89	6.80	08/01/89	7.90	07/28/89	7.00
				08/14/89	6.60	08/14/89	7.80	08/14/89	6.90
				08/14/89	6.50	08/14/89	7.80	08/14/89	6.90
				08/14/89	6.50	08/14/89	7.80	08/14/89	6.90
				08/14/89	6.50	08/14/89	7.90	08/14/89	6.90
				09/18/89	7.90	09/18/89	8.00	09/19/89	6.90
				09/18/89	7.90	09/18/89	8.00	09/19/89	6.90
				09/18/89	7.90	09/18/89	8.00	09/19/89	6.90
				09/18/89	7.80	09/18/89	8.00	09/19/89	6.80
				11/16/89	6.50	11/16/89	7.50	11/16/89	6.90
				11/16/89	6.50	11/16/89	7.50	11/16/89	6.90
				11/16/89	6.50	11/16/89	7.50	11/16/89	6.90
				11/16/89	6.60	11/16/89	7.50	11/16/89	6.90
PHFIELD		0.10	8.50	03/01/89	6.90	03/02/89	6.90	03/02/89	6.80
				03/01/89	7.60	03/02/89	6.80	03/02/89	6.80
				03/01/89	7.20	03/02/89	6.70	03/02/89	6.80
				03/01/89	7.20	03/02/89	6.70	03/02/89	6.80
				07/17/89	6.89	08/01/89	7.75	07/28/89	7.09
				07/17/89	6.92	08/01/89	7.70	07/28/89	7.07
				07/17/89	6.93	08/01/89	7.72	07/28/89	7.07
				07/17/89	6.93	08/01/89	7.77	07/28/89	7.03
				08/14/89	6.47	08/14/89	7.62	08/14/89	7.09
				08/14/89	6.46	08/14/89	7.63	08/14/89	7.07
				08/14/89	6.46	08/14/89	7.64	08/14/89	7.04
				08/14/89	6.47	08/14/89	7.65	08/14/89	7.03
				09/18/89	7.59	09/18/89	7.80	09/19/89	6.61
				09/18/89	7.57	09/18/89	7.82	09/19/89	6.60
				09/18/89	7.57	09/18/89	7.80	09/19/89	6.59
				09/18/89	7.57	09/18/89	7.81	09/19/89	6.60
				11/16/89	6.92	11/16/89	7.73	11/16/89	6.89
				11/16/89	6.86	11/16/89	7.74	11/16/89	6.87
				11/16/89	6.84	11/16/89	7.73	11/16/89	6.86
				11/16/89	6.83	11/16/89	7.70	11/16/89	6.86
POTASUM	PPB	100.00		03/01/89	3190.00	03/02/89	5300.00	03/02/89	1540.00
				03/01/89	3310.00	08/01/89	6640.00	07/28/89	4630.00
				07/17/89	5000.00	08/01/89	7470.00	08/14/89	5370.00
				08/14/89	6140.00	08/14/89	7080.00	09/19/89	4720.00
				09/18/89	10100.00	09/18/89	6780.00	09/19/89	4840.00
				11/16/89	4130.00	11/16/89	6880.00	11/16/89	2680.00
					NR	11/16/89	6330.00		NR
RADIUM	PCI/L	1.00	5.00	03/01/89	0.19	03/02/89	0.68	03/02/89	
					(0.16)		(0.27)		
				03/01/89	0.32	08/01/89	0.47	07/28/89	
					(0.20)		(0.23)		
				07/17/89	0.49	08/01/89	0.62	09/19/89	0.60
					(0.23)		(0.26)		(0.25)
				09/18/89	0.95	09/18/89	0.25	09/19/89	0.32
					(0.31)		(0.17)		(0.18)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-59	SAMPLE DATE	1-N-60	SAMPLE DATE	1-N-61
RADIUM	PCI/L	1.00	5.00	11/16/89	0.20	11/16/89		11/16/89	0.22
					(0.16)				(0.17)
RU-106	PCI/L	172.50	30.00	03/01/89	63.50 *	03/02/89		03/02/89	
					(56.10)				
				07/17/89		08/01/89		07/28/89	
				09/18/89		08/01/89	50.80 *	09/19/89	
							(40.50)		
				11/16/89		09/18/89		09/19/89	
					NR	11/16/89		11/16/89	
SILICON	PPB	50.00		03/01/89	12300.00	03/02/89	17000.00	03/02/89	5570.00
				03/01/89	12900.00	08/01/89	16200.00	07/28/89	8990.00
				07/17/89	13000.00	08/01/89	17900.00	08/14/89	10400.00
				08/14/89	15500.00	08/14/89	18200.00	09/19/89	9800.00
				09/18/89	17100.00	09/18/89	15400.00	09/19/89	9920.00
				11/16/89	14000.00	11/16/89	14200.00	11/16/89	8890.00
					NR	11/16/89	14500.00		NR
SODIUM	PPB	200.00		03/01/89	325000.00	03/02/89	304000.00	03/02/89	218000.00
				03/01/89	341000.00	08/01/89	392000.00	07/28/89	1010000.00
				07/17/89	379000.00	08/01/89	398000.00	08/14/89	979000.00
				08/14/89	567000.00	08/14/89	415000.00	09/19/89	723000.00
				09/18/89	537000.00	09/18/89	341000.00	09/19/89	797000.00
				11/16/89	351000.00	11/16/89	469000.00	11/16/89	342000.00
					NR	11/16/89	429000.00		NR
SR 90	PCI/L	5.00	8.00	03/01/89		03/02/89		03/02/89	
				07/17/89		08/01/89		07/28/89	
				09/18/89		08/01/89		09/19/89	0.48
									(0.42)
				11/16/89		09/18/89		09/19/89	
					NR	11/16/89		11/16/89	
STRONTIUM	PPB	10.00		03/01/89	242.00	03/02/89	379.00	03/02/89	127.00
				03/01/89	252.00	08/01/89	529.00	07/28/89	596.00
				07/17/89	455.00	08/01/89	585.00	08/14/89	730.00
				08/14/89	680.00	08/14/89	553.00	09/19/89	594.00
				09/18/89	1050.00	09/18/89	490.00	09/19/89	610.00
				11/16/89	382.00	11/16/89	570.00	11/16/89	252.00
					NR	11/16/89	591.00		NR
SULFATE	PPB	500.00	250000.00	03/01/89	742000.00 *	03/02/89	833000.00 *	03/02/89	495000.00 *
				03/01/89	754000.00 *	08/01/89	1180000.00 *	07/28/89	2030000.00 *
				07/17/89	1170000.00 *	08/01/89	1170000.00 *	08/14/89	2180000.00 *
				08/14/89	1550000.00 *	08/14/89	1150000.00 *	09/19/89	1840000.00 *
				09/18/89	1760000.00 *	09/18/89	1100000.00 *	09/19/89	1850000.00 *
				11/16/89	1010000.00 *	11/16/89	1430000.00 *	11/16/89	991000.00 *
					NR	11/16/89	1440000.00 *		NR
TOC	PPB	2000.00		03/01/89		03/02/89		03/02/89	
				03/01/89		03/02/89		03/02/89	
				03/01/89		03/02/89		03/02/89	
				03/01/89		03/02/89		03/02/89	
				07/17/89		08/01/89		07/28/89	2200.00
				07/17/89		08/01/89		07/28/89	2100.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-59	SAMPLE DATE	1-N-60	SAMPLE DATE	1-N-61
TOC	PPB	2000.00		07/17/89		08/01/89		07/28/89	2200.00
				07/17/89		08/01/89		07/28/89	2000.00
				09/18/89		09/18/89		09/19/89	2100.00
				09/18/89		09/18/89		09/19/89	
				09/18/89		09/18/89		09/19/89	
				09/18/89		09/18/89		09/19/89	2300.00
				11/16/89		11/16/89		11/16/89	
				11/16/89		11/16/89		11/16/89	
				11/16/89		11/16/89		11/16/89	
				11/16/89		11/16/89		11/16/89	
TOXLDL	PPB	10.00		03/01/89	13.00	03/02/89	12.00	03/02/89	15.00
				03/01/89	13.00	03/02/89	12.00	03/02/89	20.00
				03/01/89	13.00	03/02/89		03/02/89	20.00
				03/01/89	14.00	03/02/89	12.00	03/02/89	19.00
				07/17/89	14.00	08/01/89	14.00	07/28/89	33.00
				07/17/89	10.00	08/01/89	14.00	07/28/89	32.00
				07/17/89		08/01/89	13.00	07/28/89	37.00
				07/17/89	10.00	08/01/89	16.00	07/28/89	37.00
				09/18/89	12.00	09/18/89	18.00	09/19/89	39.00
				09/18/89	12.00	09/18/89	25.00	09/19/89	33.00
				09/18/89	65.00	09/18/89	37.00	09/19/89	40.00
				09/18/89	20.00	09/18/89	19.00	09/19/89	34.00
				11/16/89	19.00	11/16/89	24.00	11/16/89	29.00
				11/16/89	19.00	11/16/89	21.00	11/16/89	26.00
				11/16/89	24.00	11/16/89	20.00	11/16/89	26.00
				11/16/89	23.00	11/16/89	26.00	11/16/89	25.00
TURBID	NTU	0.10	1.00	08/14/89	0.20	08/14/89	0.40	08/14/89	1.80 *
				09/18/89	0.60	09/18/89	0.30	09/19/89	0.40
				11/16/89	0.20	11/16/89	1.80 *	11/16/89	0.20
U	PCI/L	0.50	600.00	03/01/89	0.84	03/02/89	1.35	03/02/89	0.79
				03/01/89	1.19	08/01/89	0.94	07/28/89	1.09
				07/17/89	1.68	08/01/89	0.83	09/19/89	1.89
				09/18/89	1.60	09/18/89	3.01	09/19/89	2.92
				11/16/89	0.82	11/16/89	2.65	11/16/89	0.62
VANADUM	PPB	5.00		03/01/89		03/02/89		03/02/89	
				03/01/89		08/01/89		07/28/89	
				07/17/89		08/01/89		08/14/89	
				08/14/89		08/14/89		09/19/89	
				09/18/89		09/18/89	5.00	09/19/89	
				11/16/89		11/16/89		11/16/89	
ZINC	PPB	5.00	5000.00		NR				NR
				03/01/89	23.00	03/02/89		03/02/89	
				03/01/89	19.00	08/01/89		07/28/89	9.00
				07/17/89	13.00	08/01/89	5.00	08/14/89	9.00
				08/14/89	27.00	08/14/89	8.00	09/19/89	
				09/18/89	5.00	09/18/89		09/19/89	5.00
				11/16/89	13.00	11/16/89	9.00	11/16/89	
					NR				NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-66	SAMPLE DATE	1-N-67	SAMPLE DATE	1-N-69
ALKALIN		20000.00		08/16/89	63000.00	08/16/89	64000.00	08/16/89	61000.00
ALPHAHI	PCI/L	4.00	15.00	03/08/89		03/08/89		03/08/89	
				08/02/89		08/02/89		08/02/89	
				09/29/89	1.08	10/02/89		10/02/89	
					(0.88)				
				11/08/89		11/08/89		11/08/89	
ALUMNUM	PPB	150.00		03/08/89		03/08/89		03/08/89	
				08/02/89	152.00	08/02/89		08/02/89	
				08/16/89	2790.00	08/16/89		08/16/89	
				09/29/89		10/02/89		10/02/89	
				11/08/89	196.00	11/08/89		11/08/89	
BARIUM	PPB	6.00	1000.00	03/08/89	13.00	03/08/89	35.00	03/08/89	24.00
				08/02/89	22.00	08/02/89	25.00	08/02/89	21.00
				08/16/89	48.00	08/16/89	26.00	08/16/89	21.00
				09/29/89	16.00	10/02/89	26.00	10/02/89	21.00
				11/08/89	19.00	11/08/89	23.00	11/08/89	19.00
BETA	PCI/L	8.00	50.00	03/08/89	36.00	03/08/89	39000.00 +	03/08/89	18.40
					(4.60)		(139.00)		(3.46)
				08/02/89	16.60	08/02/89	25500.00 +	08/02/89	19.40
					(3.33)		(778.00)		(3.51)
				09/29/89	31.40	10/02/89	25700.00 +	10/02/89	22.10
					(4.28)		(196.00)		(3.75)
				11/08/89	28.90	11/08/89	24100.00 +	11/08/89	19.30
					(4.06)		(746.00)		(3.45)
BORON	PPB	10.00		03/08/89	33.00	03/08/89	14.00	03/08/89	13.00
				08/02/89	21.00	08/02/89	23.00	08/02/89	20.00
				08/16/89	18.00	08/16/89	24.00	08/16/89	18.00
				09/29/89	29.00	10/02/89	28.00	10/02/89	21.00
				11/08/89	20.00	11/08/89	29.00	11/08/89	20.00
CALCIUM	PPB	50.00		03/08/89	23500.00	03/08/89	42200.00	03/08/89	27000.00
				08/02/89	27300.00	08/02/89	28900.00	08/02/89	25100.00
				08/16/89	26200.00	08/16/89	29300.00	08/16/89	28300.00
				09/29/89	22200.00	10/02/89	28300.00	10/02/89	24200.00
				11/08/89	23100.00	11/08/89	28400.00	11/08/89	24500.00
CHLFORM	PPB	5.00	100.00	03/08/89		03/08/89		03/08/89	
				08/02/89		08/02/89		08/02/89	
				09/29/89	6.00	10/02/89		10/02/89	
				11/08/89	10.00	11/08/89		11/08/89	
CHLORID	PPB	500.00	250000.00	03/08/89	900.00	03/08/89	1100.00	03/08/89	900.00
				08/02/89	2500.00	08/02/89	1900.00	08/02/89	1000.00
				08/16/89	1500.00	08/16/89	3800.00	08/16/89	1000.00
				09/29/89	1600.00	10/02/89	5700.00	10/02/89	1200.00
				11/08/89	1600.00	11/08/89	6200.00	11/08/89	1100.00
CHROMUM	PPB	10.00	50.00	03/08/89		03/08/89		03/08/89	
				08/02/89		08/02/89	10.00	08/02/89	
				08/16/89		08/16/89		08/16/89	
				09/29/89	15.00	10/02/89	12.00	10/02/89	13.00
				11/08/89		11/08/89		11/08/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-66	SAMPLE DATE	1-N-67	SAMPLE DATE	1-N-69
CO-60	PCI/L	22.50	100.00	03/08/89	25.60	03/08/89	36.40	03/08/89	28.10
				08/02/89	(13.40)	08/02/89	(13.10)	08/02/89	(14.90)
				09/29/89	12.30	10/02/89	22.00	10/02/89	24.70
				11/08/89	(10.60)		(10.40)		(12.50)
					13.10				19.30
					(9.44)				(10.20)
									23.10
									(10.30)
COND FLD	UMHO	1.00	700.00	03/08/89	161.00	03/08/89	312.00	03/08/89	196.00
				03/08/89	160.00	03/08/89	308.00	03/08/89	195.00
				03/08/89	161.00	03/08/89	309.00	03/08/89	195.00
				03/08/89	160.00	03/08/89	310.00	03/08/89	196.00
				08/02/89	190.00	08/02/89	191.00	08/02/89	202.00
				08/02/89	190.00	08/02/89	191.00	08/02/89	202.00
				08/02/89	190.00	08/02/89	191.00	08/02/89	202.00
				08/02/89	189.00	08/02/89	192.00	08/02/89	202.00
				08/16/89	164.00	10/02/89	218.00	08/16/89	201.00
				08/16/89	164.00	10/02/89	218.00	08/16/89	206.00
				08/16/89	164.00	10/02/89	219.00	08/16/89	208.00
				08/16/89	162.00	10/02/89	219.00	08/16/89	207.00
				09/29/89	1764.00 *	11/08/89	199.00	10/02/89	197.00
				09/29/89	1741.00 *	11/08/89	200.00	10/02/89	197.00
				09/29/89	1735.00 *	11/08/89	200.00	10/02/89	197.00
				09/29/89	1740.00 *	11/08/89	199.00	10/02/89	197.00
				11/08/89	159.00		NR	11/08/89	186.00
				11/08/89	160.00		NR	11/08/89	185.00
				11/08/89	157.00		NR	11/08/89	186.00
				11/08/89	159.00		NR	11/08/89	185.00
COND LAB	UMHO		700.00	03/08/89	148.00 a	03/08/89	295.00 a	03/08/89	188.00 a
				03/08/89	147.00 a	03/08/89	292.00 a	03/08/89	184.00 a
				03/08/89	146.00 a	03/08/89	282.00 a	03/08/89	185.00 a
				03/08/89	148.00 a	03/08/89	291.00 a	03/08/89	184.00 a
				08/02/89	169.00 a	08/02/89	168.00 a	08/02/89	169.00 a
				08/02/89	170.00 a	08/02/89	163.00 a	08/02/89	170.00 a
				08/02/89	171.00 a	08/02/89	169.00 a	08/02/89	170.00 a
				08/02/89	171.00 a	08/02/89	168.00 a	08/02/89	170.00 a
				08/16/89	150.00 a	08/16/89	205.00 a	08/16/89	187.00 a
				08/16/89	151.00 a	08/16/89	205.00 a	08/16/89	187.00 a
				08/16/89	151.00 a	08/16/89	205.00 a	08/16/89	186.00 a
				08/16/89	151.00 a	08/16/89	204.00 a	08/16/89	186.00 a
				09/29/89	170.00 a	10/02/89	218.00 a	10/02/89	201.00 a
				09/29/89	167.00 a	10/02/89	217.00 a	10/02/89	201.00 a
				09/29/89	179.00 a	10/02/89	216.00 a	10/02/89	201.00 a
				09/29/89	166.00 a	10/02/89	217.00 a	10/02/89	198.00 a
				11/08/89	158.00 a	11/08/89	205.00 a	11/08/89	189.00 a
				11/08/89	158.00 a	11/08/89	205.00 a	11/08/89	190.00 a
				11/08/89	158.00 a	11/08/89	206.00 a	11/08/89	189.00 a
				11/08/89	158.00 a	11/08/89	206.00 a	11/08/89	188.00 a

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-66	SAMPLE DATE	1-N-67	SAMPLE DATE	1-N-69
COPPER	PPB	10.00	(1300.0)	03/08/89		03/08/89		03/08/89	
				08/02/89		08/02/89		08/02/89	
				08/16/89	13.00	08/16/89		08/16/89	
				09/29/89		10/02/89		10/02/89	
				11/08/89		11/08/89		11/08/89	
FALUMIN	PPB	150.00		03/08/89		03/08/89		03/08/89	
				08/02/89		08/02/89		08/02/89	
				08/16/89	460.00	08/16/89		08/16/89	
				09/29/89		10/02/89		10/02/89	
				11/08/89		11/08/89		11/08/89	
FBARIUM	PPB	6.00	1000.00	03/08/89	13.00	03/08/89	37.00	03/08/89	23.00
				08/02/89	15.00	08/02/89	24.00	08/02/89	24.00
				08/16/89	26.00	08/16/89	30.00	08/16/89	23.00
				09/29/89	14.00	10/02/89	25.00	10/02/89	20.00
				11/08/89	17.00	11/08/89	24.00	11/08/89	17.00
FBERYLL	PPB	5.00		03/08/89		03/08/89		03/08/89	
				08/02/89	8.00	08/02/89		08/02/89	
				08/16/89		08/16/89		08/16/89	
				09/29/89		10/02/89		10/02/89	
				11/08/89		11/08/89		11/08/89	
FBORON	PPB	10.00		03/08/89	30.00	03/08/89	15.00	03/08/89	14.00
				08/02/89	21.00	08/02/89	34.00	08/02/89	21.00
				08/16/89	29.00	08/16/89	25.00	08/16/89	12.00
				09/29/89	17.00	10/02/89	23.00	10/02/89	16.00
				11/08/89	27.00	11/08/89	27.00	11/08/89	21.00
FCALCIU	PPB	50.00		03/08/89	21800.00	03/08/89	43800.00	03/08/89	26100.00
				08/02/89	27600.00	08/02/89	30200.00	08/02/89	28400.00
				08/16/89	23300.00	08/16/89	31300.00	08/16/89	24000.00
				09/29/89	21500.00	10/02/89	27100.00	10/02/89	23900.00
				11/08/89	23300.00	11/08/89	28100.00	11/08/89	24300.00
FCOPPER	PPB	10.00	(1300.0)	03/08/89		03/08/89		03/08/89	
				08/02/89		08/02/89	11.00	08/02/89	
				08/16/89	13.00	08/16/89		08/16/89	
				09/29/89		10/02/89		10/02/89	
				11/08/89		11/08/89		11/08/89	
FIRON	PPB	30.00	300.00	03/08/89		03/08/89		03/08/89	
				08/02/89		08/02/89		08/02/89	
				08/16/89	776.00 *	08/16/89		08/16/89	
				09/29/89	37.00	10/02/89		10/02/89	
				11/08/89		11/08/89		11/08/89	
FMAGNES	PPB	50.00		03/08/89	3690.00	03/08/89	7140.00	03/08/89	5590.00
				08/02/89	4530.00	08/02/89	4290.00	08/02/89	5890.00
				08/16/89	3750.00	08/16/89	4570.00	08/16/89	4830.00
				09/29/89	3470.00	10/02/89	4330.00	10/02/89	5080.00
				11/08/89	3640.00	11/08/89	4340.00	11/08/89	4970.00
FMANGAN	PPB	5.00	50.00	03/08/89		03/08/89		03/08/89	
				08/02/89		08/02/89	9.00	08/02/89	
				08/16/89	22.00	08/16/89		08/16/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-66	SAMPLE DATE	1-N-67	SAMPLE DATE	1-N-69
FMANGAN	PPB	5.00	50.00	09/29/89		10/02/89		10/02/89	
				11/08/89		11/08/89		11/08/89	
FNICKEL	PPB	10.00		03/08/89		03/08/89		03/08/89	
				08/02/89		08/02/89		08/02/89	
				08/16/89		08/16/89		08/16/89	11.00
				09/29/89		10/02/89		10/02/89	
				11/08/89		11/08/89		11/08/89	
FPOTASS	PPB	100.00		03/08/89	2220.00	03/08/89	1690.00	03/08/89	2110.00
				08/02/89	2720.00	08/02/89	1540.00	08/02/89	2300.00
				08/16/89	2250.00	08/16/89	1580.00	08/16/89	1990.00
				09/29/89	1830.00	10/02/89	1500.00	10/02/89	2090.00
				11/08/89	2010.00	11/08/89	1460.00	11/08/89	1950.00
FSILICO	PPB	50.00		03/08/89	9270.00	03/08/89	7310.00	03/08/89	7900.00
				08/02/89	10400.00	08/02/89	8280.00	08/02/89	9150.00
				08/16/89	9860.00	08/16/89	6950.00	08/16/89	7820.00
				09/29/89	7300.00	10/02/89	7550.00	10/02/89	8280.00
				11/08/89	7840.00	11/08/89	7840.00	11/08/89	8350.00
FSDIUM	PPB	200.00		03/08/89	2820.00	03/08/89	3360.00	03/08/89	2890.00
				08/02/89	4170.00	08/02/89	3050.00	08/02/89	3480.00
				08/16/89	2870.00	08/16/89	3150.00	08/16/89	2910.00
				09/29/89	2040.00	10/02/89	2760.00	10/02/89	2930.00
				11/08/89	2300.00	11/08/89	2890.00	11/08/89	2820.00
FSTRONT	PPB	10.00		03/08/89	108.00	03/08/89	188.00	03/08/89	179.00
				08/02/89	120.00	08/02/89	113.00	08/02/89	176.00
				08/16/89	101.00	08/16/89	117.00	08/16/89	146.00
				09/29/89	100.00	10/02/89	109.00	10/02/89	152.00
				11/08/89	102.00	11/08/89	109.00	11/08/89	148.00
FVANADI	PPB	5.00		03/08/89	12.00	03/08/89		03/08/89	
				08/02/89	8.00	08/02/89		08/02/89	5.00
				08/16/89	12.00	08/16/89	7.00	08/16/89	16.00
				09/29/89	15.00	10/02/89		10/02/89	5.00
				11/08/89	13.00	11/08/89	5.00	11/08/89	8.00
FZINC	PPB	5.00	5000.00	03/08/89		03/08/89		03/08/89	
				08/02/89		08/02/89		08/02/89	
				08/16/89	13.00	08/16/89		08/16/89	
				09/29/89		10/02/89		10/02/89	
				11/08/89	7.00	11/08/89		11/08/89	
IRON	PPB	30.00	300.00	03/08/89	48.00	03/08/89		03/08/89	87.00
				08/02/89	316.00 *	08/02/89	221.00	08/02/89	47.00
				08/16/89	5360.00 *	08/16/89	256.00	08/16/89	36.00
				09/29/89	186.00	10/02/89	102.00	10/02/89	71.00
				11/08/89	469.00 *	11/08/89	171.00	11/08/89	32.00
MAGNES	PPB	50.00		03/08/89	3900.00	03/08/89	6780.00	03/08/89	5700.00
				08/02/89	4310.00	08/02/89	4000.00	08/02/89	4970.00
				08/16/89	4910.00	08/16/89	4390.00	08/16/89	5770.00
				09/29/89	3600.00	10/02/89	4480.00	10/02/89	5110.00
				11/08/89	3600.00	11/08/89	4380.00	11/08/89	4980.00
MANGESE	PPB	5.00	50.00	03/08/89		03/08/89		03/08/89	
				08/02/89	8.00	08/02/89	6.00	08/02/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-66	SAMPLE DATE	1-N-67	SAMPLE DATE	1-N-69
MANGESE	PPB	5.00	50.00	08/16/89	109.00 *	08/16/89	6.00	08/16/89	
				09/29/89	8.00	10/02/89		10/02/89	
				11/08/89	8.00	11/08/89		11/08/89	
NICKEL	PPB	10.00		03/08/89		03/08/89		03/08/89	11.00
				08/02/89		08/02/89		08/02/89	
				08/16/89	15.00	08/16/89		08/16/89	
				09/29/89	11.00	10/02/89		10/02/89	
				11/08/89		11/08/89		11/08/89	
NITRATE	PPB	500.00	45000.00	03/08/89	8600.00	03/08/89	87900.00 *	03/08/89	30300.00
				08/02/89	3100.00	08/02/89	19200.00	08/02/89	29300.00
				08/16/89	1600.00	08/16/89	23500.00	08/16/89	28000.00
				09/29/89	2400.00	10/02/89	12100.00	10/02/89	24500.00
				11/08/89	3000.00	11/08/89	10300.00	11/08/89	22900.00
PH-LAB		0.01	8.50	03/08/89	8.23	03/08/89	7.56	03/08/89	8.50
				03/08/89	8.27	03/08/89	7.67	03/08/89	8.51 *
				03/08/89	8.28	03/08/89	7.63	03/08/89	8.47
				03/08/89	8.27	03/08/89	7.66	03/08/89	8.48
				08/02/89	8.10	08/02/89	7.60	08/02/89	8.40
				08/02/89	8.10	08/02/89	7.60	08/02/89	8.40
				08/02/89	8.20	08/02/89	7.70	08/02/89	8.40
				08/02/89	8.20	08/02/89	7.70	08/02/89	8.30
				08/16/89	8.30	08/16/89	7.70	08/16/89	8.30
				08/16/89	8.30	08/16/89	7.60	08/16/89	8.30
				08/16/89	8.30	08/16/89	7.70	08/16/89	8.30
				08/16/89	8.30	08/16/89	7.70	08/16/89	8.30
				09/29/89	8.20	10/02/89	7.70	10/02/89	8.30
				09/29/89	8.20	10/02/89	7.70	10/02/89	8.40
				09/29/89	8.10	10/02/89	7.70	10/02/89	8.40
				09/29/89	8.20	10/02/89	7.70	10/02/89	8.40
				11/08/89	8.20	11/08/89	7.60	11/08/89	8.30
				11/08/89	8.20	11/08/89	7.60	11/08/89	8.30
				11/08/89	8.20	11/08/89	7.60	11/08/89	8.30
				11/08/89	8.20	11/08/89	7.60	11/08/89	8.30
PHFIELD		0.10	8.50	03/08/89	8.30	03/08/89	7.70	03/08/89	8.50
				03/08/89	8.30	03/08/89	7.70	03/08/89	8.60 *
				03/08/89	8.40	03/08/89	7.70	03/08/89	8.60 *
				03/08/89	8.30	03/08/89	7.60	03/08/89	8.60 *
				08/02/89	8.19	08/02/89	7.76	08/02/89	8.35
				08/02/89	8.20	08/02/89	7.76	08/02/89	8.35
				08/02/89	8.20	08/02/89	7.76	08/02/89	8.35
				08/02/89	8.19	08/02/89	7.75	08/02/89	8.35
				08/16/89	8.16	08/16/89	7.77	08/16/89	8.30
				08/16/89	8.17	08/16/89	7.75	08/16/89	8.29
				08/16/89	8.18	08/16/89	7.74	08/16/89	8.29
				08/16/89	8.18	08/16/89	7.72	08/16/89	8.28
				09/29/89	8.09	10/02/89	7.71	10/02/89	8.41
				09/29/89	8.11	10/02/89	7.70	10/02/89	8.40
				09/29/89	8.11	10/02/89	7.69	10/02/89	8.40
				09/29/89	8.11	10/02/89	7.70	10/02/89	8.41

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-66	SAMPLE DATE	1-N-67	SAMPLE DATE	1-N-69
PRFIELD		0.10	8.50	11/08/89	7.54	11/08/89	7.86	11/08/89	8.10
				11/08/89	7.56	11/08/89	7.86	11/08/89	8.12
				11/08/89	7.57	11/08/89	7.86	11/08/89	8.14
				11/08/89	7.58	11/08/89	7.85	11/08/89	8.15
POTASUM	PPB	100.00		03/08/89	2340.00	03/08/89	1650.00	03/08/89	2150.00
				08/02/89	2570.00	08/02/89	1390.00	08/02/89	1890.00
				08/16/89	2510.00	08/16/89	1420.00	08/16/89	2110.00
				09/29/89	1930.00	10/02/89	1530.00	10/02/89	2100.00
				11/08/89	2020.00	11/08/89	1460.00	11/08/89	1900.00
RADIUM	PCI/L	1.00	5.00	03/08/89		03/08/89		03/08/89	
				08/02/89		08/02/89	0.20	08/02/89	
							(0.17)		
				09/29/89		10/02/89		10/02/89	
				11/08/89	0.40	11/08/89		11/08/89	
					(0.23)				
RU-106	PCI/L	172.50	30.00	03/08/89		03/08/89		03/08/89	
				08/02/89		08/02/89		08/02/89	
				09/29/89		10/02/89		10/02/89	69.10 *
								(45.20)	
				11/08/89		11/08/89		11/08/89	
SILICON	PPB	50.00		03/08/89	9930.00	03/08/89	7290.00	03/08/89	8020.00
				08/02/89	10400.00	08/02/89	8040.00	08/02/89	7970.00
				08/16/89	14900.00	08/16/89	7710.00	08/16/89	9270.00
				09/29/89	7700.00	10/02/89	7890.00	10/02/89	8360.00
				11/08/89	7900.00	11/08/89	7800.00	11/08/89	7640.00
SODIUM	PPB	200.00		03/08/89	2980.00	03/08/89	3300.00	03/08/89	2960.00
				08/02/89	3900.00	08/02/89	2770.00	08/02/89	2900.00
				08/16/89	3110.00	08/16/89	2790.00	08/16/89	3210.00
				09/29/89	2160.00	10/02/89	2830.00	10/02/89	2950.00
				11/08/89	2250.00	11/08/89	2730.00	11/08/89	2770.00
SR 90	PCI/L	5.00	8.00	03/08/89		03/08/89	23400.00 *	03/08/89	
							(1150.00)		
				08/02/89		08/02/89	14100.00 *	08/02/89	
							(861.00)		
				09/29/89	2.18	10/02/89	13000.00 *	10/02/89	0.84
					(0.96)		(790.00)		(0.79)
				11/08/89	1.67	11/08/89	11600.00 *	11/08/89	
					(0.90)		(766.00)		
STRONIUM	PPB	10.00		03/08/89	116.00	03/08/89	180.00	03/08/89	184.00
				08/02/89	115.00	08/02/89	102.00	08/02/89	150.00
				08/16/89	120.00	08/16/89	110.00	08/16/89	171.00
				09/29/89	102.00	10/02/89	113.00	10/02/89	155.00
				11/08/89	98.00	11/08/89	110.00	11/08/89	147.00
SULFATE	PPB	500.00	250000.00	03/08/89	12400.00	03/08/89	11900.00	03/08/89	9900.00
				08/02/89	15900.00	08/02/89	13600.00	08/02/89	11400.00
				08/16/89	12200.00	08/16/89	16000.00	08/16/89	11300.00
				09/29/89	12100.00	10/02/89	19900.00	10/02/89	11500.00
				11/08/89	11300.00	11/08/89	19500.00	11/08/89	11000.00
TC	PPB	1000.00		03/08/89	13700.00	03/08/89	16000.00	03/08/89	14400.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-66	SAMPLE DATE	1-N-67	SAMPLE DATE	1-N-69
TITAN	PPB	60.00		03/08/89		03/08/89		03/08/89	
				08/02/89		08/02/89		08/02/89	
				08/16/89	234.00	08/16/89		08/16/89	
				09/29/89		10/02/89		10/02/89	
				11/08/89		11/08/89		11/08/89	
TOXLDL	PPB	10.00		03/08/89		03/08/89		03/08/89	
				03/08/89		03/08/89		03/08/89	
				03/08/89		03/08/89		03/08/89	
				03/08/89	10.00	03/08/89		03/08/89	
				08/02/89		08/02/89		08/02/89	
				08/02/89		08/02/89		08/02/89	
				08/02/89		08/02/89		08/02/89	
				08/02/89		08/02/89		08/02/89	
				09/29/89	12.00	10/02/89		10/02/89	
				09/29/89		10/02/89		10/02/89	
				09/29/89	12.00	10/02/89		10/02/89	
				09/29/89	16.00	10/02/89		10/02/89	
				11/08/89	15.00	11/08/89	18.00	11/08/89	
				11/08/89	14.00	11/08/89		11/08/89	
				11/08/89	12.00	11/08/89		11/08/89	
				11/08/89	11.00	11/08/89		11/08/89	
TRITIUM	PCI/L	500.00	20000.00	03/08/89	52400.00 *	03/08/89	77300.00 *	03/08/89	85100.00 *
					(782.00)		(938.00)		(977.00)
				08/02/89	12200.00	08/02/89	71800.00 *	08/02/89	92700.00 *
					(284.00)		(658.00)		(745.00)
				09/29/89	27700.00 *	10/02/89	45300.00 *	10/02/89	75100.00 *
					(563.00)		(707.00)		(925.00)
				11/08/89	52400.00 *	11/08/89	42600.00 *	11/08/89	78400.00 *
					(758.00)		(670.00)		(940.00)
TURBID	NTU	0.10	1.00	08/16/89	55.00 *	08/16/89	4.80 *	08/16/89	0.50
				09/29/89	2.40 *	10/02/89	0.40	10/02/89	0.40
				11/08/89	5.80 *	11/08/89	1.50 *	11/08/89	0.20
U	PCI/L	0.50	600.00	03/08/89		03/08/89		03/08/89	
				08/02/89	0.80	08/02/89		08/02/89	
				09/29/89	0.59	10/02/89		10/02/89	
				11/08/89	0.65	11/08/89		11/08/89	
VANADIUM	PPB	5.00		03/08/89	8.00	03/08/89		03/08/89	
				08/02/89	9.00	08/02/89		08/02/89	
				08/16/89	18.00	08/16/89		08/16/89	6.00
				09/29/89	16.00	10/02/89		10/02/89	
				11/08/89	11.00	11/08/89	8.00	11/08/89	7.00
ZINC	PPB	5.00	5000.00	03/08/89	5.00	03/08/89		03/08/89	25.00
				08/02/89	9.00	08/02/89	6.00	08/02/89	5.00
				08/16/89	54.00	08/16/89		08/16/89	
				09/29/89		10/02/89		10/02/89	
				11/08/89	11.00	11/08/89		11/08/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-70
ALKALIN		20000.00		11/29/89	64000.00
ARSENIC	PPB	5.00	50.00	03/08/89	
				07/18/89	5.80
				09/29/89	6.00
				11/29/89	6.00
BARIUM	PPB	6.00	1000.00	03/08/89	23.00
				07/18/89	17.00
				09/29/89	21.00
				11/29/89	17.00
BETA	PC1/L	8.00	50.00	03/08/89	47.40
					(5.09)
				07/18/89	29.10
					(4.14)
				09/29/89	18.10
					(3.35)
				11/29/89	15.40
					(3.30)
BORON	PPB	10.00		03/08/89	18.00
				07/18/89	30.00
				09/29/89	25.00
				11/29/89	22.00
CALCIUM	PPB	50.00		03/08/89	22000.00
				07/18/89	21200.00
				09/29/89	19400.00
				11/29/89	18800.00
CHLDRID	PPB	500.00	250000.00	03/08/89	700.00
				07/18/89	1290.00
				09/29/89	1300.00
				11/29/89	1200.00
CHROMIUM	PPB	10.00	50.00	03/08/89	
				07/18/89	
				09/29/89	16.00
				11/29/89	12.00
CO-60	PC1/L	22.50	100.00	03/08/89	51.00
					(17.00)
				07/18/89	20.50
					(13.00)
				09/29/89	14.90
					(8.58)
				11/29/89	24.80
					(11.10)
CONDFLD	UMHO	1.00	700.00	01/05/89	189.00
				03/08/89	196.00
				03/08/89	196.00
				03/08/89	196.00
				03/08/89	196.00
				05/08/89	152.00
				05/08/89	152.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-70
CONDFLD	UMHO	1.00	700.00	05/08/89	152.00
				05/08/89	152.00
				07/18/89	170.10
				07/18/89	170.10
				07/18/89	168.30
				07/18/89	171.20
				09/29/89	168.20
				09/29/89	172.20
				09/29/89	175.50
				09/29/89	176.50
				11/29/89	138.00
CONDLAB	UMHO		700.00	03/08/89	181.00 a
				03/08/89	181.00 a
				03/08/89	180.00 a
				03/08/89	185.00 a
				07/18/89	157.00 a
				07/18/89	157.00 a
				07/18/89	156.00 a
				07/18/89	158.00 a
				09/29/89	175.00 a
				09/29/89	187.00 a
				09/29/89	176.00 a
				09/29/89	176.00 a
				11/29/89	171.00 a
FARSEN I	PPB	5.00	50.00	03/08/89	
				07/18/89	5.40
				09/29/89	
				11/29/89	6.00
FBARIUM	PPB	6.00	1000.00	03/08/89	20.00
				07/18/89	18.00
				09/29/89	20.00
				11/29/89	17.00
FBORON	PPB	10.00		03/08/89	14.00
				07/18/89	33.00
				09/29/89	24.00
				11/29/89	23.00
FCALCTU	PPB	50.00		03/08/89	21100.00
				07/18/89	21800.00
				09/29/89	18500.00
				11/29/89	18600.00
FCHROMI	PPB	10.00	50.00	03/08/89	
				07/18/89	
				09/29/89	
				11/29/89	39.00
FIRON	PPB	30.00	300.00	03/08/89	33.00
				07/18/89	39.00
				09/29/89	33.00
				11/29/89	174.00
FMAGNES	PPB	50.00		03/08/89	6430.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-70
FMAGNES	PPB	50.00		07/18/89	5710.00
				09/29/89	5270.00
				11/29/89	5270.00
FMANGAN	PPB	5.00	50.00	03/08/89	8.00
				07/18/89	
				09/29/89	
				11/29/89	
FNICKEL	PPB	10.00		03/08/89	
				07/18/89	
				09/29/89	
				11/29/89	19.00
FPOTASS	PPB	100.00		03/08/89	2970.00
				07/18/89	2790.00
				09/29/89	2720.00
				11/29/89	2770.00
FSILICO	PPB	50.00		03/08/89	12100.00
				07/18/89	12600.00
				09/29/89	12100.00
				11/29/89	12300.00
FSODIUM	PPB	200.00		03/08/89	5500.00
				07/18/89	5150.00
				09/29/89	4890.00
				11/29/89	5130.00
FSTRONT	PPB	10.00		03/08/89	170.00
				07/18/89	148.00
				09/29/89	140.00
				11/29/89	132.00
FVANADI	PPB	5.00		03/08/89	20.00
				07/18/89	22.00
				09/29/89	25.00
				11/29/89	23.00
FZINC	PPB	5.00	5000.00	03/08/89	6.00
				07/18/89	
				09/29/89	
				11/29/89	6.00
HNITRAT	PPB	2500.00	45000.00	07/18/89	12100.00
IRON	PPB	30.00	300.00	03/08/89	103.00
				07/18/89	104.00
				09/29/89	103.00
				11/29/89	80.00
MAGNES	PPB	50.00		03/08/89	6580.00
				07/18/89	5640.00
				09/29/89	5450.00
				11/29/89	5350.00
MANGESE	PPB	5.00	50.00	03/08/89	
				07/18/89	
				09/29/89	5.00
				11/29/89	
NICKEL	PPB	10.00		03/08/89	10.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-70
NICKEL	PPB	10.00		07/18/89	
				09/29/89	13.00
				11/29/89	
NITRATE	PPB	500.00	45000.00	03/08/89	28800.00
				07/18/89	12600.00
				09/29/89	9100.00
				11/29/89	10200.00
PH-LAB		0.01	8.50	03/08/89	8.20
				03/08/89	8.20
				03/08/89	8.20
				03/08/89	8.20
				07/18/89	8.20
				07/18/89	8.10
				07/18/89	8.20
				07/18/89	8.20
				09/29/89	8.20
				09/29/89	8.20
				09/29/89	8.20
				09/29/89	8.20
				11/29/89	7.90
PHFIELD		0.10	8.50	01/05/89	8.10
				03/08/89	8.20
				03/08/89	8.20
				03/08/89	8.20
				03/08/89	8.20
				05/08/89	7.80
				05/08/89	7.80
				05/08/89	7.80
				05/08/89	7.80
				07/18/89	7.37
				07/18/89	7.37
				07/18/89	7.38
				07/18/89	7.37
				09/29/89	8.09
				09/29/89	8.08
				09/29/89	8.10
				09/29/89	8.11
				11/29/89	8.45
POTASUM	PPB	100.00		03/08/89	3070.00
				07/18/89	2810.00
				09/29/89	2890.00
				11/29/89	2760.00
RADIUM	PC1/L	1.00	5.00	03/08/89	
				07/18/89	0.26
					(0.19)
				09/29/89	0.27
					(0.17)
				11/29/89	
SILICON	PPB	50.00		03/08/89	12500.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-70
SILICON	PPB	50.00		07/18/89	12200.00
				09/29/89	12700.00
				11/29/89	12400.00
SODIUM	PPB	200.00		03/08/89	5640.00
				07/18/89	5190.00
				09/29/89	5080.00
				11/29/89	5190.00
STRONTIUM	PPB	10.00		03/08/89	174.00
				07/18/89	144.00
				09/29/89	146.00
				11/29/89	134.00
SULFATE	PPB	500.00	250000.00	03/08/89	8800.00
				07/18/89	14000.00
				09/29/89	11900.00
				11/29/89	11400.00
TC	PPB	1000.00		03/08/89	15100.00
TDS		5000.00	500000.00	11/29/89	100000.00
TOXLDL	PPB	10.00		03/08/89	133.00
				03/08/89	
				03/08/89	102.00
				03/08/89	148.00
				05/08/89	
				05/08/89	
				05/08/89	
				05/08/89	
				07/18/89	
				07/18/89	
				07/18/89	
				07/18/89	
				09/29/89	
				09/29/89	
				09/29/89	
				09/29/89	
				11/29/89	
TRITIUM	PCI/L	500.00	20000.00	03/08/89	120000.00 *
					(1160.00)
				07/18/89	47900.00 *
					(710.00)
				09/29/89	37200.00 *
					(642.00)
				11/29/89	32500.00 *
					(587.00)
TURBID	NTU	0.10	1.00	07/18/89	0.40
				09/29/89	0.60
				11/29/89	0.70
VANADIUM	PPB	5.00		03/08/89	18.00
				07/18/89	22.00
				09/29/89	25.00
				11/29/89	25.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	1-N-70
ZINC	PPB	5.00	5000.00	03/08/89	27.00
				07/18/89	10.00
				09/29/89	16.00
				11/29/89	7.00

HANFORD SITE ENVIRONMENTAL DATA FOR CALENDAR YEAR 1989 - GRDUND WATER (200E Area Wells)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E13-5	SAMPLE DATE	2-E13-8	SAMPLE DATE	2-E13-14
BETA	PCI/L	8.00	50.00	01/30/89	5.95 (2.65) NR	01/30/89	7.59 (2.72) 8.50 (2.77)	01/30/89	3.73 (2.27) NR
HNITRAT	PPB	2500.00	45000.00		NR	06/02/89	18700.00		NR
U	PCI/L	0.50	600.00		NR	06/02/89	2.51		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E13-19	SAMPLE DATE	2-E16-2	SAMPLE DATE	2-E17-1
ALPHA	PCI/L	4.00	15.00		NR	01/10/89	6.41 (2.60)	01/26/89	3.33 (1.94)
ALPHAH1	PCI/L	4.00	15.00		NR	02/10/89	4.75 (2.27)	06/19/89	
					NR	03/02/89	6.96 (3.49)	06/19/89	3.19 (1.81)
					NR	10/19/89		08/15/89	2.11 (1.59)
					NR	12/14/89	3.69 (1.90)		NR
ALUMINUM	PPB	150.00			NR	12/14/89	14000.00	06/19/89	
					NR		NR	08/15/89	
AMMONIUM	PPB	50.00			NR	12/14/89	93.00		NR
ARSENIC	PPB	5.00	50.00		NR	12/14/89	38.00	06/19/89	5.00
					NR		NR	08/15/89	
BARIUM	PPB	6.00	1000.00		NR	12/14/89	269.00	06/19/89	45.00
					NR		NR	08/15/89	45.00
BETA	PCI/L	8.00	50.00	01/30/89	4.38	01/10/89	13.60	01/26/89	28.00
				09/08/89	(2.48)		(3.29)		(4.28)
					(4.70)	02/10/89	19.70	06/19/89	26.20
					(2.50)		(3.78)		(4.11)
					NR	03/02/89	8.80	06/19/89	24.00
					NR		(3.20)		(4.00)
					NR	10/19/89	10.90	08/15/89	30.00
					NR		(2.95)		(4.39)
					NR	12/14/89	12.40 (3.14)		NR
BORON	PPB	10.00			NR	12/14/89	12.00	06/19/89	24.00
					NR		NR	08/15/89	17.00
CADMIUM	PPB	2.00	10.00		NR	12/14/89	42.00 *	06/19/89	
					NR		NR	08/15/89	
CALCIUM	PPB	50.00			NR	12/14/89	29200.00	06/19/89	48400.00
					NR		NR	08/15/89	49400.00
CHLORIDE	PPB	500.00	250000.00		NR	12/14/89	1300.00	06/19/89	3700.00
					NR		NR	08/15/89	3900.00
CHROMIUM	PPB	10.00	50.00		NR	12/14/89	55.00 *	06/19/89	
					NR		NR	08/15/89	
CO-60	PCI/L	22.50	100.00		NR	01/10/89		01/26/89	
					NR	02/10/89		06/19/89	6.07 (5.43)
					NR	03/02/89			NR
					NR	10/19/89			NR
					NR	12/14/89			NR
COBALT	PPB	20.00			NR	12/14/89	21.00	06/19/89	
					NR		NR	08/15/89	
COND FLD	UMHO	1.00	700.00		NR	12/14/89	246.00	06/19/89	479.00
					NR		NR	06/19/89	480.00
					NR		NR	06/19/89	480.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E13-19	SAMPLE DATE	2-E16-2	SAMPLE DATE	2-E17-1
CONDFO	UMHO	1.00	700.00		NR		NR	06/19/89	480.00
					NR		NR	08/15/89	511.00
					NR		NR	08/15/89	510.00
					NR		NR	08/15/89	509.00
					NR		NR	08/15/89	508.00
CONDLAB	UMHO		700.00		NR	12/14/89	238.00 a	06/19/89	368.00 a
					NR		NR	08/15/89	482.00 a
COPPER	PPB	10.00	(1300.0)		NR	12/14/89	47.00	06/19/89	
					NR		NR	08/15/89	
FARSEN	PPB	5.00	50.00		NR		NR	06/19/89	5.00
					NR		NR	08/15/89	
FBARIUM	PPB	6.00	1000.00		NR		NR	06/19/89	45.00
					NR		NR	08/15/89	49.00
FBORON	PPB	10.00			NR		NR	06/19/89	18.00
					NR		NR	08/15/89	12.00
FCALCIU	PPB	50.00			NR		NR	06/19/89	48700.00
					NR		NR	08/15/89	54800.00
FIRON	PPB	30.00	300.00		NR		NR	06/19/89	
					NR		NR	08/15/89	32.00
FLUORID	PPB	500.00	4000.00		NR	12/14/89	600.00	06/19/89	500.00
					NR		NR	08/15/89	500.00
FMAGNES	PPB	50.00			NR		NR	06/19/89	14800.00
					NR		NR	08/15/89	16100.00
FMANGAN	PPB	5.00	50.00		NR		NR	06/19/89	
					NR		NR	08/15/89	10.00
FPOTASS	PPB	100.00			NR		NR	06/19/89	7580.00
					NR		NR	08/15/89	8280.00
FSILICO	PPB	50.00			NR		NR	06/19/89	18900.00
					NR		NR	08/15/89	21600.00
FSCDIUM	PPB	200.00			NR		NR	06/19/89	23900.00
					NR		NR	08/15/89	25200.00
FSTRONT	PPB	10.00			NR		NR	06/19/89	284.00
					NR		NR	08/15/89	306.00
FVANADI	PPB	5.00			NR		NR	06/19/89	18.00
					NR		NR	08/15/89	17.00
FZINC	PPB	5.00	5000.00		NR		NR	06/19/89	9.00
					NR		NR	08/15/89	7.00
HNITRAT	PPB	2500.00	45000.00		NR	01/10/89		01/26/89	212000.00 *
					NR	02/10/89			NR
					NR	03/02/89			NR
1-129DW	PCI/L	1.00	1.00		NR		NR	01/26/89	6.42 *
									(0.64)
IRON	PPB	30.00	300.00		NR	12/14/89	116000.00 *	06/19/89	494.00 *
					NR		NR	08/15/89	504.00 *
LEADGF	PPB	5.00	50.00		NR	12/14/89	50.00	06/19/89	
					NR		NR	08/15/89	
LITHIUM	PPB	10.00			NR	12/14/89	19.00	06/19/89	
					NR		NR	08/15/89	
MAGNES	PPB	50.00			NR	12/14/89	12400.00	06/19/89	14300.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E13-19	SAMPLE DATE	2-E16-2	SAMPLE DATE	2-E17-1
MAGNES	PPB	50.00			NR		NR	08/15/89	14600.00
MANGESE	PPB	5.00	50.00		NR	12/14/89	3330.00 *	06/19/89	7.00
					NR		NR	08/15/89	20.00
NICKEL	PPB	10.00			NR	12/14/89	44.00	06/19/89	
					NR		NR	08/15/89	
NITRATE	PPB	500.00	45000.00		NR	12/14/89	1200.00	06/19/89	151000.00 *
					NR		NR	08/15/89	147000.00 *
PH-LAB		0.01	8.50		NR	12/14/89	7.50	06/19/89	8.10
					NR		NR	08/15/89	8.00
PHFIELD		0.10	8.50		NR	12/14/89	8.48	06/19/89	7.50
					NR		NR	06/19/89	7.50
					NR		NR	06/19/89	7.50
					NR		NR	06/19/89	7.50
					NR		NR	08/15/89	7.73
					NR		NR	08/15/89	7.75
					NR		NR	08/15/89	7.76
					NR		NR	08/15/89	7.76
POTASUM	PPB	100.00			NR	12/14/89	9850.00	06/19/89	7240.00
					NR		NR	08/15/89	7380.00
RADIUM	PCI/L	1.00	5.00		NR	12/14/89	1.19	08/15/89	
							(0.33)		
RU-106	PCI/L	172.50	30.00		NR	01/10/89		01/26/89	
					NR	02/10/89		06/19/89	
					NR	03/02/89			NR
					NR	10/19/89			NR
					NR	12/14/89	56.40 *		NR
							(53.70)		
SILICON	PPB	50.00			NR	12/14/89	54300.00	06/19/89	18500.00
					NR		NR	08/15/89	19300.00
SODIUM	PPB	200.00			NR	12/14/89	17400.00	06/19/89	23300.00
					NR		NR	08/15/89	22200.00
SR 90	PCI/L	5.00	8.00		NR	01/10/89		01/26/89	3.18
									(1.12)
					NR	10/19/89		06/19/89	3.39
									(1.13)
					NR	12/14/89			NR
STRONUM	PPB	10.00			NR	12/14/89	189.00	06/19/89	281.00
					NR		NR	08/15/89	280.00
SULFATE	PPB	500.00	250000.00		NR	12/14/89	17900.00	06/19/89	31000.00
					NR		NR	08/15/89	31000.00
TC	PPB	1000.00			NR	12/14/89	24500.00	06/19/89	21300.00
					NR		NR	08/15/89	22000.00
TITAN	PPB	60.00			NR	12/14/89	1120.00	06/19/89	
					NR		NR	08/15/89	
TOLUENE	PPB	5.00	(2000.0)		NR	12/14/89	37.00	06/19/89	
					NR		NR	08/15/89	
TOXLDL	PPB	10.00			NR	12/14/89		06/19/89	
					NR		NR	06/19/89	
					NR		NR	06/19/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E13-19	SAMPLE DATE	2-E16-2	SAMPLE DATE	2-E17-1
TOXLDL	PPB	10.00			NR		NR	06/19/89	
					NR		NR	08/15/89	
					NR		NR	08/15/89	
					NR		NR	08/15/89	16.00
					NR		NR	08/15/89	11.00
TRITIUM	PCI/L	500.00	20000.00		NR	01/10/89	1600.00	01/26/89	5360000.00 *
							(205.00)		(7500.00)
					NR	02/10/89	6640.00	06/19/89	3300000.00 *
							(305.00)		(6000.00)
					NR	03/02/89		06/19/89	3410000.00 *
									(6040.00)
					NR	10/19/89	586.00	08/15/89	3370000.00 *
							(148.00)		(4370.00)
					NR	12/14/89	470.00		NR
							(145.00)		
TURBID	NTU	0.10	1.00		NR	12/14/89	200.00 *	06/19/89	1.10 *
					NR		NR	08/15/89	2.30 *
U	PCI/L	0.50	600.00		NR	12/14/89	1.05	06/19/89	2.05
					NR		NR	08/15/89	2.15
VANADUM	PPB	5.00			NR	12/14/89	249.00	06/19/89	18.00
					NR		NR	08/15/89	19.00
ZINC	PPB	5.00	5000.00		NR	12/14/89	79.00	06/19/89	12.00
					NR		NR	08/15/89	15.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-2	SAMPLE DATE	2-E17-5	SAMPLE DATE	2-E17-6
ALPHA	PCI/L	4.00	15.00	01/09/89	6.78	01/09/89	3.22		NR
					(3.03)		(2.38)		
ALPHAHI	PCI/L	4.00	15.00	02/10/89	5.38	02/10/89	3.98	05/16/89	
					(2.29)		(2.40)		
				03/07/89	3.56	03/06/89	3.39	08/21/89	4.09
					(2.31)		(1.96)		(2.16)
				08/23/89	4.41	05/16/89	4.36	09/25/89	1.15
					(2.58)		(2.07)		(1.11)
				10/03/89	12.10	06/22/89	4.31		NR
					(3.54)		(1.90)		
					NR	09/21/89	2.18		NR
							(1.54)		
					NR	10/03/89	4.66		NR
							(1.93)		
ARSENIC	PPB	5.00	50.00		NR	05/16/89	8.00	05/16/89	
					NR	06/22/89	7.00	08/21/89	
					NR	09/21/89	7.00	09/25/89	
BARIUM	PPB	6.00	1000.00		NR	05/16/89	38.00	05/16/89	66.00
					NR	06/22/89	36.00	08/21/89	86.00
					NR	09/21/89	37.00	09/25/89	82.00
BETA	PCI/L	8.00	50.00	01/09/89	68.20 +	01/09/89	394.00 +	01/26/89	15.00
					(6.13)		(14.00)		(3.31)
				02/10/89	42.50	02/10/89	273.00 +	05/16/89	8.07
					(4.97)		(11.80)		(2.68)
				03/07/89	63.40 +	03/06/89	250.00 +	05/16/89	4.87
					(5.69)		(11.30)		(2.55)
				08/23/89	52.40 +	05/16/89	293.00 +	08/21/89	123.00 +
					(5.46)		(12.30)		(7.98)
				10/03/89	104.00 +	06/22/89	134.00 +	09/25/89	37.90
					(7.57)		(8.27)		(4.77)
					NR	09/21/89	46.70		NR
							(5.07)		
					NR	10/03/89	50.70 +		NR
							(5.32)		
BORON	PPB	10.00			NR	05/16/89	16.00	05/16/89	22.00
					NR	06/22/89	21.00	08/21/89	18.00
					NR	09/21/89	17.00	09/25/89	22.00
C 14	PCI/L	20.00	2000.00		NR	05/16/89	6.40		NR
							(2.19)		
					NR	10/03/89	28.20		NR
							(2.53)		
CALCIUM	PPB	50.00			NR	05/16/89	41600.00	05/16/89	31500.00
					NR	06/22/89	35200.00	08/21/89	45500.00
					NR	09/21/89	35600.00	09/25/89	40700.00
CHLORID	PPB	500.00	250000.00		NR	05/16/89	3500.00	05/16/89	3100.00
					NR	06/22/89	3700.00	08/21/89	3600.00
					NR	09/21/89	3900.00	09/25/89	3600.00
CO-60	PCI/L	22.50	100.00	01/09/89	20.60	01/09/89	24.40		NR
					(10.60)		(12.90)		

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-2	SAMPLE DATE	2-E17-5	SAMPLE DATE	2-E17-6
CO-60	PCI/L	22.50	100.00	08/23/89 10/03/89	(13.20 10.90)	02/10/89 03/06/89	(21.00 10.20)		NR NR
					NR	05/16/89	(25.80 12.40)		NR
					NR	06/22/89	(16.10 9.57)		NR
					NR	09/21/89			NR
					NR	10/03/89			NR
CONDFLD	UMHO	1.00	700.00		NR	05/16/89	426.00	05/16/89	323.00
					NR	05/16/89	428.00	05/16/89	323.00
					NR	05/16/89	428.00	05/16/89	323.00
					NR	05/16/89	428.00	05/16/89	323.00
					NR	06/22/89	353.00	08/21/89	484.00
					NR	06/22/89	353.00	08/21/89	476.00
					NR	06/22/89	353.00	08/21/89	475.00
					NR	06/22/89	353.00	08/21/89	475.00
					NR	09/21/89	394.00	09/25/89	434.00
					NR	09/21/89	392.00	09/25/89	434.00
					NR	09/21/89	389.00	09/25/89	438.00
					NR	09/21/89	389.00	09/25/89	437.00
CONDLAB	UMHO		700.00		NR	05/16/89	403.00 a	08/21/89	486.00 a
					NR	06/22/89	364.00 a	09/25/89	453.00 a
					NR	09/21/89	386.00 a		NR
FARSEN	PPB	5.00	50.00		NR	05/16/89	7.00	05/16/89	
					NR	06/22/89	6.00	08/21/89	
					NR	09/21/89	7.00	09/25/89	
FBARIUM	PPB	6.00	1000.00		NR	05/16/89	43.00	05/16/89	71.00
					NR	06/22/89	36.00	08/21/89	85.00
					NR	09/21/89	36.00	09/25/89	78.00
FBORON	PPB	10.00			NR	05/16/89	20.00	05/16/89	21.00
					NR	06/22/89	16.00	08/21/89	19.00
					NR	09/21/89	18.00	09/25/89	18.00
FCALCIU	PPB	50.00			NR	05/16/89	42200.00	05/16/89	33000.00
					NR	06/22/89	35200.00	08/21/89	43600.00
					NR	09/21/89	34900.00	09/25/89	38800.00
FCOPPER	PPB	10.00	(1300.0)		NR	05/16/89	16.00	05/16/89	13.00
					NR	06/22/89		08/21/89	
					NR	09/21/89		09/25/89	
FIRON	PPB	30.00	300.00		NR	05/16/89		05/16/89	387.00 *
					NR	06/22/89		08/21/89	
					NR	09/21/89		09/25/89	
FLITHIU	PPB	10.00			NR	05/16/89		05/16/89	12.00
					NR	06/22/89		08/21/89	
					NR	09/21/89		09/25/89	11.00
FLUORID	PPB	500.00	4000.00		NR	05/16/89	500.00	05/16/89	
					NR	06/22/89	600.00	08/21/89	600.00
					NR	09/21/89	600.00	09/25/89	
FMAGNES	PPB	50.00			NR	05/16/89	12000.00	05/16/89	11900.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-2	SAMPLE DATE	2-E17-5	SAMPLE DATE	2-E17-6
FMAGNES	PPB	50.00			NR	06/22/89	10200.00	08/21/89	14700.00
					NR	09/21/89	10400.00	09/25/89	13700.00
FMANGAN	PPB	5.00	50.00		NR	05/16/89		05/16/89	88.00 *
					NR	06/22/89		08/21/89	54.00 *
					NR	09/21/89		09/25/89	54.00 *
FPOTASS	PPB	100.00			NR	05/16/89	6170.00	05/16/89	6280.00
					NR	06/22/89	5610.00	08/21/89	6990.00
					NR	09/21/89	6210.00	09/25/89	7470.00
FSILICO	PPB	50.00			NR	05/16/89	18600.00	05/16/89	26300.00
					NR	06/22/89	17300.00	08/21/89	20300.00
					NR	09/21/89	18600.00	09/25/89	22100.00
FSODIUM	PPB	200.00			NR	05/16/89	21800.00	05/16/89	17600.00
					NR	06/22/89	20000.00	08/21/89	23700.00
					NR	09/21/89	19600.00	09/25/89	21900.00
FSTROMT	PPB	10.00			NR	05/16/89	236.00	05/16/89	221.00
					NR	06/22/89	198.00	08/21/89	267.00
					NR	09/21/89	201.00	09/25/89	251.00
FVANADI	PPB	5.00			NR	05/16/89	23.00	05/16/89	
					NR	06/22/89	21.00	08/21/89	
					NR	09/21/89	21.00	09/25/89	
FZINC	PPB	5.00	5000.00		NR	05/16/89		05/16/89	
					NR	06/22/89		08/21/89	
					NR	09/21/89	8.00	09/25/89	7.00
HNITRAT	PPB	2500.00	45000.00	01/09/89	67200.00 *	01/09/89	126000.00 *	01/26/89	
				02/10/89	39700.00	02/10/89	98400.00 *	05/16/89	
				03/07/89	76800.00 *	03/06/89	89200.00 *		NR
				08/23/89	111000.00 *	10/03/89	74000.00 *		NR
				10/03/89	115000.00 *		NR		NR
I-129	PCI/L	15.00	1.00		NR	05/16/89	13.20 *		NR
							(3.50)		
I-129DW	PCI/L	1.00	1.00	03/22/89	1.00	03/22/89	2.24 *	01/26/89	
					(0.15)		(0.27)		
				08/23/89	0.73	10/03/89	1.99 *		NR
					(0.12)		(0.23)		
IRON	PPB	30.00	300.00		NR	05/16/89	44.00	05/16/89	503.00 *
					NR	06/22/89		08/21/89	89.00
					NR	09/21/89		09/25/89	56.00
LITHIUM	PPB	10.00			NR	05/16/89		05/16/89	12.00
					NR	06/22/89		08/21/89	
					NR	09/21/89		09/25/89	11.00
MAGNES	PPB	50.00			NR	05/16/89	11900.00	05/16/89	11400.00
					NR	06/22/89	10300.00	08/21/89	15000.00
					NR	09/21/89	10700.00	09/25/89	14200.00
MANGESE	PPB	5.00	50.00		NR	05/16/89		05/16/89	88.00 *
					NR	06/22/89		08/21/89	52.00 *
					NR	09/21/89		09/25/89	57.00 *
NITRATE	PPB	500.00	45000.00		NR	05/16/89	97400.00 *	05/16/89	3100.00
					NR	06/22/89	82600.00 *	08/21/89	115000.00 *
					NR	09/21/89	76000.00 *	09/25/89	82000.00 *

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-2	SAMPLE DATE	2-E17-5	SAMPLE DATE	2-E17-6
PH-LAB		0.01	8.50		NR	05/16/89	8.00	08/21/89	7.90
					NR	06/22/89	7.90	09/25/89	7.80
					NR	09/21/89	8.00		NR
PHFIELD		0.10	8.50		NR	05/16/89	8.23	05/16/89	7.85
					NR	05/16/89	8.18	05/16/89	7.78
					NR	05/16/89	8.21	05/16/89	7.78
					NR	05/16/89	8.20	05/16/89	7.73
					NR	06/22/89	7.37	08/21/89	8.10
					NR	06/22/89	7.58	08/21/89	8.10
					NR	06/22/89	7.55	08/21/89	8.09
					NR	06/22/89	7.54	08/21/89	8.08
					NR	09/21/89	7.87	09/25/89	7.47
					NR	09/21/89	7.87	09/25/89	7.45
					NR	09/21/89	7.87	09/25/89	7.43
					NR	09/21/89	7.88	09/25/89	7.47
POTASUM	PPB	100.00			NR	05/16/89	6000.00	05/16/89	6070.00
					NR	06/22/89	5820.00	08/21/89	7270.00
					NR	09/21/89	6470.00	09/25/89	7690.00
RU-106	PCI/L	172.50	30.00	01/09/89		01/09/89	270.00 *		NR
							(95.70)		
				08/23/89		02/10/89	172.00 *		NR
							(88.00)		
				10/03/89		03/06/89	152.00 *		NR
							(71.90)		
					NR	05/16/89	225.00 *		NR
							(103.00)		
					NR	06/22/89			NR
					NR	09/21/89			NR
					NR	10/03/89			NR
SILICON	PPB	50.00			NR	05/16/89	18600.00	05/16/89	25800.00
					NR	06/22/89	17300.00	08/21/89	20100.00
					NR	09/21/89	19000.00	09/25/89	23400.00
SODIUM	PPB	200.00			NR	05/16/89	21500.00	05/16/89	16600.00
					NR	06/22/89	20500.00	08/21/89	24700.00
					NR	09/21/89	20300.00	09/25/89	22400.00
SR 90	PCI/L	5.00	8.00	01/09/89	2.43	01/09/89	4.21		NR
					(1.06)		(3.22)		
				08/23/89	2.06	05/16/89	3.36		NR
					(0.90)		(1.23)		
				10/03/89	2.05	10/03/89	2.61		NR
					(0.97)		(1.06)		
STRONUM	PPB	10.00			NR	05/16/89	230.00	05/16/89	208.00
					NR	06/22/89	204.00	08/21/89	265.00
					NR	09/21/89	205.00	09/25/89	261.00
SULFATE	PPB	500.00	250000.00		NR	05/16/89	28500.00	05/16/89	20800.00
					NR	06/22/89	29800.00	08/21/89	27100.00
					NR	09/21/89	26900.00	09/25/89	24600.00
TC	PPB	1000.00			NR	05/16/89	21100.00	05/16/89	32800.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-2	SAMPLE DATE	2-E17-5	SAMPLE DATE	2-E17-6
TC	PPB	1000.00			NR	06/22/89	21400.00	08/21/89	24700.00
					NR	09/21/89	19600.00	09/25/89	24700.00
TC-99	PCI/L	15.00	900.00		NR	05/16/89	199.00		NR
							(2.83)		
TOXLDL	PPB	10.00			NR	05/16/89		05/16/89	
					NR	05/16/89	10.00	05/16/89	11.00
					NR	05/16/89	14.00	05/16/89	
					NR	05/16/89		05/16/89	20.00
					NR	06/22/89		08/21/89	
					NR	06/22/89		08/21/89	
					NR	06/22/89		08/21/89	10.00
					NR	06/22/89		08/21/89	
					NR	09/21/89		09/25/89	
					NR	09/21/89		09/25/89	
					NR	09/21/89		09/25/89	
					NR	09/21/89		09/25/89	
TRITIUM	PCI/L	500.00	20000.00	01/09/89	28100.00 *	01/09/89	187000.00 *	01/26/89	
					(565.00)		(1420.00)		
				02/10/89	28400.00 *	02/10/89	146000.00 *	05/16/89	
					(569.00)		(1240.00)		
				03/07/89	26700.00 *	03/06/89	134000.00 *		NR
					(569.00)		(1220.00)		
				08/23/89	34400.00 *	05/16/89	125000.00 *		NR
					(592.00)		(957.00)		
				10/03/89	43200.00 *	06/22/89	118000.00 *		NR
					(722.00)		(1140.00)		
					NR	09/21/89	1230000.00 *		NR
							(3600.00)		
					NR	10/03/89	1260000.00 *		NR
							(3750.00)		
TURBID	NTU	0.10	1.00		NR	05/16/89		05/16/89	0.60
					NR	06/22/89	0.20	08/21/89	0.40
					NR	09/21/89	0.20	09/25/89	0.30
U-CHEM	UG/L	0.73		01/09/89	10.40	01/09/89	7.20		NR
				08/23/89	11.20	02/10/89	7.06		NR
				10/03/89	13.50	03/06/89	8.47		NR
					NR	10/03/89	6.15		NR
VANADUM	PPB	5.00			NR	05/16/89	26.00	05/16/89	
					NR	06/22/89	24.00	08/21/89	
					NR	09/21/89	21.00	09/25/89	
ZINC	PPB	5.00	5000.00		NR	05/16/89	8.00	05/16/89	6.00
					NR	06/22/89		08/21/89	
					NR	09/21/89	12.00	09/25/89	7.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-8	SAMPLE DATE	2-E17-9	SAMPLE DATE	2-E17-12
ALPHA	PCI/L	4.00	15.00		NR	01/06/89		01/09/89	2.98 (1.99)
					NR	01/09/89	2.82 (2.23)		NR
ALPHAHI	PCI/L	4.00	15.00		NR	02/10/89	2.02 (1.56)	02/09/89	2.88 (1.73)
					NR	03/07/89	3.83 (2.28)	03/06/89	3.85 (2.31)
					NR	05/16/89	1.48 (1.42)		NR
					NR	06/22/89	2.05 (1.46)		NR
					NR	09/28/89	2.85 (1.74)		NR
					NR	10/03/89	1.40 (1.37)		NR
ARSENIC	PPB	5.00	50.00		NR	05/16/89	13.00		NR
					NR	06/22/89	11.00		NR
					NR	09/28/89	13.00		NR
BARIUM	PPB	6.00	1000.00		NR	05/16/89	60.00		NR
					NR	06/22/89	64.00		NR
					NR	09/28/89	62.00		NR
BETA	PCI/L	8.00	50.00	01/26/89	25.10 (4.06)	01/06/89	33.20 (4.53)	01/09/89	63.10 + (5.78)
					NR	01/09/89	29.00 (4.30)	02/09/89	48.60 (5.22)
					NR	02/10/89	29.30 (4.24)	03/06/89	48.30 (5.18)
					NR	03/07/89	35.30 (4.61)		NR
					NR	05/16/89	28.70 (4.27)		NR
					NR	06/22/89	27.50 (4.34)		NR
					NR	09/28/89	20.90 (3.89)		NR
					NR	10/03/89	18.30 (3.61)		NR
BORON	PPB	10.00			NR	05/16/89	22.00		NR
					NR	06/22/89	25.00		NR
					NR	09/28/89	29.00		NR
C 14	PCI/L	20.00	2000.00	03/22/89	4.86 (2.35)		NR		NR
CALCIUM	PPB	50.00			NR	05/16/89	48300.00		NR
					NR	06/22/89	48200.00		NR
					NR	09/28/89	45300.00		NR
CHLORID	PPB	500.00	250000.00		NR	05/16/89	5500.00		NR
					NR	06/22/89	6000.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-8	SAMPLE DATE	2-E17-9	SAMPLE DATE	2-E17-12
CHLORID CO-60	PPB PCI/L	500.00 22.50	250000.00 100.00	01/26/89	NR	09/28/89 01/06/89	5800.00	01/09/89	NR 9.23 (8.87)
					NR	01/09/89		02/09/89	
					NR	02/10/89		03/06/89	10.60 (9.25)
					NR	03/07/89			NR
					NR	05/16/89			NR
					NR	06/22/89			NR
					NR	09/28/89			NR
					NR	10/03/89			NR
COND FLD	UMHO	1.00	700.00		NR	05/16/89	534.00		NR
					NR	05/16/89	534.00		NR
					NR	05/16/89	532.00		NR
					NR	05/16/89	533.00		NR
					NR	06/22/89	416.00		NR
					NR	06/22/89	417.00		NR
					NR	06/22/89	419.00		NR
					NR	06/22/89	421.00		NR
					NR	09/28/89	490.00		NR
					NR	09/28/89	481.00		NR
					NR	09/28/89	481.00		NR
					NR	09/28/89	481.00		NR
COND LAB	UMHO		700.00		NR	05/16/89	485.00 a		NR
					NR	06/22/89	466.00 a		NR
					NR	09/28/89	504.00 a		NR
CS-137	PCI/L	20.00	200.00	01/26/89		01/06/89	5.77 (4.08)	01/09/89	
					NR	01/09/89		02/09/89	
					NR	02/10/89		03/06/89	
					NR	03/07/89			NR
					NR	05/16/89			NR
					NR	06/22/89			NR
					NR	09/28/89			NR
					NR	10/03/89			NR
FARSEN I	PPB	5.00	50.00		NR	05/16/89	12.00		NR
					NR	06/22/89	13.00		NR
					NR	09/28/89	9.00		NR
FBARIUM	PPB	6.00	1000.00		NR	05/16/89	62.00		NR
					NR	06/22/89	66.00		NR
					NR	09/28/89	65.00		NR
FBORON	PPB	10.00			NR	05/16/89	25.00		NR
					NR	06/22/89	23.00		NR
					NR	09/28/89	28.00		NR
FCADMIU	PPB	2.00	10.00		NR	05/16/89	7.00		NR
					NR	06/22/89			NR
					NR	09/28/89			NR
FCALCIU	PPB	50.00			NR	05/16/89	50200.00		NR
					NR	06/22/89	50700.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-8	SAMPLE DATE	2-E17-9	SAMPLE DATE	2-E17-12
FCALCIU	PPB	50.00			NR	09/28/89	47400.00		NR
FCOPPER	PPB	10.00	(1300.0)		NR	05/16/89	15.00		NR
					NR	06/22/89			NR
					NR	09/28/89	12.00		NR
FLUORID	PPB	500.00	4000.00		NR	05/16/89	600.00		NR
					NR	06/22/89	600.00		NR
					NR	09/28/89	700.00		NR
FMAGNES	PPB	50.00			NR	05/16/89	15100.00		NR
					NR	06/22/89	15000.00		NR
					NR	09/28/89	14100.00		NR
FMANGAN	PPB	5.00	50.00		NR	05/16/89	6.00		NR
					NR	06/22/89			NR
					NR	09/28/89			NR
FPOTASS	PPB	100.00			NR	05/16/89	6740.00		NR
					NR	06/22/89	6890.00		NR
					NR	09/28/89	7220.00		NR
FSILICO	PPB	50.00			NR	05/16/89	21300.00		NR
					NR	06/22/89	21200.00		NR
					NR	09/28/89	21600.00		NR
FSODIUM	PPB	200.00			NR	05/16/89	28200.00		NR
					NR	06/22/89	29100.00		NR
					NR	09/28/89	27900.00		NR
FSTRONT	PPB	10.00			NR	05/16/89	296.00		NR
					NR	06/22/89	303.00		NR
					NR	09/28/89	286.00		NR
FVANADI	PPB	5.00			NR	05/16/89	37.00		NR
					NR	06/22/89	25.00		NR
					NR	09/28/89	22.00		NR
FZINC	PPB	5.00	5000.00		NR	05/16/89	9.00		NR
					NR	06/22/89	5.00		NR
					NR	09/28/89	14.00		NR
HNITRAT	PPB	2500.00	45000.00	01/26/89	134000.00 *	01/06/89	132000.00 *	01/09/89	30400.00
					NR	01/09/89	130000.00 *	02/09/89	28000.00
					NR	02/10/89	137000.00 *	03/06/89	28100.00
					NR	03/07/89	136000.00 *		NR
					NR	10/03/89	104000.00 *		NR
I-129	PCI/L	15.00	1.00		NR	05/16/89	16.00 *		NR
							(3.69)		
I-129DW	PCI/L	1.00	1.00	03/22/89	5.01 *		NR	01/26/89	1.65 *
					(0.53)				(0.20)
IRON	PPB	30.00	300.00		NR	05/16/89			NR
					NR	06/22/89			NR
					NR	09/28/89	60.00		NR
MAGNES	PPB	50.00			NR	05/16/89	14600.00		NR
					NR	06/22/89	14400.00		NR
					NR	09/28/89	13600.00		NR
MANGESE	PPB	5.00	50.00		NR	05/16/89	6.00		NR
					NR	06/22/89			NR
					NR	09/28/89	6.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-8	SAMPLE DATE	2-E17-9	SAMPLE DATE	2-E17-12
NITRATE	PPB	500.00	45000.00		NR	05/16/89	121000.00 *		NR
					NR	06/22/89	123000.00 *		NR
					NR	09/28/89	109000.00 *		NR
PH-LAB		0.01	8.50		NR	05/16/89	8.00		NR
					NR	06/22/89	7.90		NR
					NR	09/28/89	7.90		NR
PHFIELD		0.10	8.50		NR	05/16/89	7.85		NR
					NR	05/16/89	7.87		NR
					NR	05/16/89	7.85		NR
					NR	05/16/89	7.87		NR
					NR	06/22/89	7.78		NR
					NR	06/22/89	7.79		NR
					NR	06/22/89	7.80		NR
					NR	06/22/89	7.80		NR
					NR	09/28/89	7.98		NR
					NR	09/28/89	7.96		NR
					NR	09/28/89	7.95		NR
					NR	09/28/89	7.96		NR
POTASUM	PPB	100.00			NR	05/16/89	6600.00		NR
					NR	06/22/89	7120.00		NR
					NR	09/28/89	7130.00		NR
RAOUM	PCI/L	1.00	5.00		NR	05/16/89			NR
						06/22/89	0.16		NR
							(0.15)		
					NR	09/28/89	0.23		NR
							(0.17)		
RU-106	PCI/L	172.50	30.00	01/26/89		01/06/89		01/09/89	65.20 *
									(60.50)
					NR	01/09/89		02/09/89	
					NR	02/10/89		03/06/89	
					NR	03/07/89			NR
					NR	05/16/89			NR
					NR	06/22/89			NR
					NR	09/28/89			NR
					NR	10/03/89			NR
SILICON	PPB	50.00			NR	05/16/89	20400.00		NR
					NR	06/22/89	20100.00		NR
					NR	09/28/89	20700.00		NR
SODIUM	PPB	200.00			NR	05/16/89	27500.00		NR
					NR	06/22/89	29900.00		NR
					NR	09/28/89	27200.00		NR
SR 90	PCI/L	5.00	8.00	01/26/89	2.92	01/09/89	2.37	01/09/89	
					(1.13)		(1.05)		
					NR	05/16/89	4.02	02/09/89	
							(1.29)		
					NR	10/03/89	3.34	03/06/89	
							(1.12)		
STRONUM	PPB	10.00			NR	05/16/89	282.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-8	SAMPLE DATE	2-E17-9	SAMPLE DATE	2-E17-12
STRONUM	PPB	10.00			NR	06/22/89	298.00		NR
					NR	09/28/89	277.00		NR
SULFATE	PPB	500.00	250000.00		NR	05/16/89	36900.00		NR
					NR	06/22/89	40500.00		NR
					NR	09/28/89	39000.00		NR
TC	PPB	1000.00			NR	05/16/89	23600.00		NR
					NR	06/22/89	22500.00		NR
					NR	09/28/89	23000.00		NR
TC-99	PCI/L	15.00	900.00		NR	05/16/89	92.20		NR
							(2.13)		
TOXLDL	PPB	10.00			NR	05/16/89	10.00		NR
					NR	05/16/89			NR
					NR	05/16/89			NR
					NR	05/16/89			NR
					NR	06/22/89			NR
					NR	06/22/89			NR
					NR	06/22/89			NR
					NR	06/22/89			NR
					NR	09/28/89	11.00		NR
					NR	09/28/89			NR
					NR	09/28/89			NR
					NR	09/28/89			NR
TRITIUM	PCI/L	500.00	20000.00	01/26/89	3420000.00 *	01/06/89	4650000.00 *	01/09/89	982000.00 *
					(6020.00)		(7010.00)		(3210.00)
					NR	01/09/89	4590000.00 *	02/09/89	1100000.00 *
							(6950.00)		(3400.00)
					NR	02/10/89	5200000.00 *	03/06/89	1500000.00 *
							(7360.00)		(4060.00)
					NR	03/07/89	4830000.00 *		NR
							(7270.00)		
					NR	05/16/89	3980000.00 *		NR
							(11500.00)		
					NR	06/22/89	3950000.00 *		NR
							(6610.00)		
					NR	09/28/89	3710000.00 *		NR
							(6300.00)		
					NR	10/03/89	3550000.00 *		NR
							(6300.00)		
TURBID	NTU	0.10	1.00		NR	05/16/89	0.10		NR
					NR	06/22/89	0.90		NR
					NR	09/28/89	1.10 *		NR
U-234	PCI/L	0.10	20.00		NR		NR	01/09/89	1.46
									(0.11)
					NR		NR	02/09/89	1.44
									(0.26)
					NR		NR	03/06/89	1.70
									(0.13)
U-235	PCI/L	0.10	24.00		NR		NR	01/09/89	0.04
									(0.02)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-8	SAMPLE DATE	2-E17-9	SAMPLE DATE	2-E17-12
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-235	PCI/L	0.10	24.00		NR		NR	02/09/89	
					NR		NR	03/06/89	0.05
U-238	PCI/L	0.10	24.00		NR		NR	01/09/89	(0.03}
					NR		NR	02/09/89	(0.12}
					NR		NR	03/06/89	(0.24}
U-CHEM	UG/L	0.73			NR	01/06/89		01/09/89	(0.12}
					NR	01/09/89	3.47	02/09/89	4.52
					NR	02/10/89	4.56	03/06/89	4.49
					NR	03/07/89	5.52		5.37
					NR	10/03/89	3.91		NR
VANADUM	PPB	5.00			NR	05/16/89	24.00		NR
					NR	06/22/89	27.00		NR
					NR	09/28/89	27.00		NR
ZINC	PPB	5.00	5000.00		NR	05/16/89	7.00		NR
					NR	06/22/89	19.00		NR
					NR	09/28/89	9.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-13	SAMPLE DATE	2-E17-14	SAMPLE DATE	2-E17-15
ALPHA	PCI/L	4.00	15.00	01/09/89	2.57 (1.91)		NR		NR
ALPHAHI	PCI/L	4.00	15.00	02/09/89	2.46 (1.72)	05/15/89	16.50 *	05/17/89	2.89 (2.26)
				03/06/89	6.42 (3.07)	06/26/89	(4.35) 3.95	05/17/89	(2.01) 3.81
				10/03/89	3.53 (1.62)	06/26/89	(1.64) 6.01	07/27/89	(2.07) 3.28
				11/30/89	2.59 (1.55)	09/27/89	(2.46) 3.62	09/21/89	(2.07) 6.18
ARSENIC	PPB	5.00	50.00	11/30/89	10.00 NR NR NR	05/15/89	(2.10) 10.00	05/17/89	(2.57) 8.00
					NR	06/26/89	7.00	05/17/89	8.00
					NR	06/26/89	7.00	07/27/89	8.00
BARIUM	PPB	6.00	1000.00	11/30/89	35.00 NR NR NR	09/27/89	7.00	09/21/89	7.00
					NR	05/15/89	64.00	05/17/89	53.00
					NR	06/26/89	70.00	05/17/89	64.00
					NR	06/26/89	73.00	07/27/89	51.00
					NR	09/27/89	48.00	09/21/89	57.00
BETA	PCI/L	8.00	50.00	01/09/89	66.10 + (5.98)	05/15/89	289.00 + (12.40)	05/17/89	836.00 + (20.70)
				02/09/89	56.90 + (5.56)	06/26/89	257.00 + (11.60)	05/17/89	845.00 + (20.90)
				03/06/89	71.70 + (6.18)	06/26/89	203.00 + (10.40)	07/27/89	699.00 + (18.90)
				10/03/89	18.30 (3.52)	09/27/89	126.00 + (8.15)	09/21/89	456.00 + (15.40)
				11/30/89	15.30 (3.33)		NR		NR
BISZEPH	PPB	10.00		11/30/89	NR	05/15/89	NR	05/17/89	12.00
BORON	PPB	10.00		11/30/89	13.00 NR NR NR	05/15/89	16.00	05/17/89	22.00
					NR	06/26/89	21.00	05/17/89	27.00
					NR	06/26/89	24.00	07/27/89	15.00
					NR	09/27/89	17.00	09/21/89	17.00
CALCIUM	PPB	50.00		11/30/89	26500.00 NR NR NR	05/15/89	74300.00	05/17/89	83400.00
					NR	06/26/89	85600.00	05/17/89	97000.00
					NR	06/26/89	86800.00	07/27/89	70400.00
					NR	09/27/89	54400.00	09/21/89	70700.00
CHLORID	PPB	500.00	250000.00	11/30/89	4000.00 NR NR NR	05/15/89	4100.00	05/17/89	3300.00
					NR	06/26/89	4300.00	05/17/89	3300.00
					NR	06/26/89	4200.00	07/27/89	3400.00
					NR	09/27/89	4100.00	09/21/89	4000.00
CHROMIUM	PPB	10.00	50.00	11/30/89	NR NR NR	05/15/89	12.00	05/17/89	23.00
					NR	06/26/89	14.00	05/17/89	22.00
					NR	06/26/89	13.00	07/27/89	92.00 *
					NR	09/27/89	18.00	09/21/89	29.00
CO-60	PCI/L	22.50	100.00	01/09/89		05/15/89	40.90 (14.90)	07/27/89	23.10 (13.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-13	SAMPLE DATE	2-E17-14	SAMPLE DATE	2-E17-15
CO-60	PC1/L	22.50	100.00	02/09/89		06/26/89	54.40	09/21/89	43.70
				03/06/89		06/26/89	(15.70)		(18.10)
				10/03/89		09/27/89	(14.30)		NR
				11/30/89			(9.92)		NR
					5.67		NR		NR
					(5.07)				
CONDFLD	UMHO	1.00	700.00	11/30/89	384.00	05/15/89	663.00	05/17/89	617.00
				11/30/89	386.00	05/15/89	663.00	05/17/89	618.00
				11/30/89	383.00	05/15/89	663.00	05/17/89	617.00
				11/30/89	388.00	05/15/89	663.00	05/17/89	616.00
					NR	06/26/89	590.00	07/27/89	332.00
					NR	06/26/89	590.00	07/27/89	332.00
					NR	06/26/89	590.00	07/27/89	332.00
					NR	06/26/89	591.00	07/27/89	331.00
					NR	09/27/89	560.00	09/21/89	672.00
					NR	09/27/89	562.00	09/21/89	675.00
					NR	09/27/89	562.00	09/21/89	673.00
					NR	09/27/89	560.00	09/21/89	674.00
CONDLAB	UMHO		700.00		NR	05/15/89	670.00 a	05/17/89	728.00 *
					NR	06/26/89	736.00 *	05/17/89	735.00 *
					NR	06/26/89	728.00 *	07/27/89	568.00 a
					NR	09/27/89	571.00 a	09/21/89	834.00 *
COPPER	PPB	10.00	(1300.0)	11/30/89	19.00	05/15/89	19.00	05/17/89	22.00
					NR	06/26/89	14.00	05/17/89	26.00
					NR	06/26/89		07/27/89	
					NR	09/27/89		09/21/89	11.00
FARSEN	PPB	5.00	50.00	11/30/89	9.00	05/15/89	5.00	05/17/89	6.00
				11/30/89	9.00	06/26/89	6.00	05/17/89	6.00
					NR	06/26/89	6.00	07/27/89	8.00
					NR	09/27/89	6.00	09/21/89	7.00
FBARIUM	PPB	6.00	1000.00	11/30/89	36.00	05/15/89	70.00	05/17/89	57.00
				11/30/89	38.00	06/26/89	74.00	05/17/89	58.00
					NR	06/26/89	73.00	07/27/89	52.00
					NR	09/27/89	50.00	09/21/89	70.00
FBERYLL	PPB	5.00		11/30/89		05/15/89		05/17/89	
				11/30/89		06/26/89		05/17/89	
					NR	06/26/89	6.00	07/27/89	
					NR	09/27/89		09/21/89	
FBORON	PPB	10.00		11/30/89	16.00	05/15/89	28.00	05/17/89	17.00
				11/30/89	15.00	06/26/89	16.00	05/17/89	17.00
					NR	06/26/89	28.00	07/27/89	16.00
					NR	09/27/89	20.00	09/21/89	18.00
FCADMIU	PPB	2.00	10.00	11/30/89		05/15/89		05/17/89	
				11/30/89		06/26/89		05/17/89	
					NR	06/26/89	4.00	07/27/89	6.00
					NR	09/27/89		09/21/89	
FCALCIU	PPB	50.00		11/30/89	27800.00	05/15/89	79400.00	05/17/89	78800.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-13	SAMPLE DATE	2-E17-14	SAMPLE DATE	2-E17-15
FCALCIU	PPB	50.00		11/30/89	29000.00 NR NR	06/26/89 06/26/89 09/27/89	89300.00 89800.00 54800.00	05/17/89 07/27/89 09/21/89	80200.00 66400.00 90400.00
FCOPPER	PPB	10.00	(1300.0)	11/30/89 11/30/89	NR NR	05/15/89 06/26/89 06/26/89	13.00	05/17/89 05/17/89 07/27/89	13.00 11.00 13.00
FLUORID	PPB	500.00	4000.00	11/30/89	NR NR	09/27/89 05/15/89	10.00 500.00	09/21/89 05/17/89	
FMAGNES	PPB	50.00		11/30/89 11/30/89	NR NR NR	06/26/89 06/26/89 09/27/89	600.00 600.00 700.00	05/17/89 05/17/89 07/27/89	600.00 600.00 600.00
FMANGAN	PPB	5.00	50.00	11/30/89 11/30/89	8160.00 8620.00 NR NR	05/15/89 06/26/89 06/26/89 09/27/89	24300.00 23800.00 23800.00 16400.00	05/17/89 05/17/89 07/27/89 09/21/89	19500.00 20900.00 16800.00 22500.00
FNICKEL	PPB	10.00		11/30/89 11/30/89	NR NR	05/15/89 06/26/89 06/26/89	6.00	05/17/89 05/17/89 07/27/89	5.00 5.00
FPOTASS	PPB	100.00		11/30/89 11/30/89	NR NR NR	09/27/89 05/15/89 06/26/89	6.00	09/21/89 05/17/89 05/17/89	13.00 12.00
FSILICO	PPB	50.00		11/30/89 11/30/89	4840.00 5250.00 NR NR	05/15/89 06/26/89 06/26/89 09/27/89	7420.00 7500.00 7510.00 6390.00	05/17/89 05/17/89 07/27/89 09/21/89	6090.00 6380.00 6370.00 8030.00
FSODIUM	PPB	200.00		11/30/89 11/30/89	18000.00 18600.00 NR NR	05/15/89 06/26/89 06/26/89 09/27/89	19600.00 19300.00 18900.00 18900.00	05/17/89 05/17/89 07/27/89 09/21/89	17700.00 18200.00 17800.00 18700.00
FSTRONT	PPB	10.00		11/30/89 11/30/89	18100.00 19500.00 NR NR	05/15/89 06/26/89 06/26/89 09/27/89	28900.00 31600.00 32000.00 22100.00	05/17/89 05/17/89 07/27/89 09/21/89	31400.00 32500.00 28700.00 34500.00
FVANADI	PPB	5.00		11/30/89 11/30/89	140.00 148.00 NR NR	05/15/89 06/26/89 06/26/89 09/27/89	443.00 505.00 503.00 323.00	05/17/89 05/17/89 07/27/89 09/21/89	368.00 375.00 317.00 445.00
FZINC	PPB	5.00	5000.00	11/30/89 11/30/89	30.00 30.00 NR NR	05/15/89 06/26/89 06/26/89 09/27/89	21.00 25.00 27.00 21.00	05/17/89 05/17/89 07/27/89 09/21/89	23.00 23.00 24.00 20.00
HNITRAT	PPB	2500.00	45000.00	01/09/89 02/09/89	11.00 NR NR	05/15/89 06/26/89 06/26/89 09/27/89	6.00 NR NR	05/17/89 07/27/89 09/21/89	6.00 NR NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-13	SAMPLE DATE	2-E17-14	SAMPLE DATE	2-E17-15
HNITRAT	PPB	2500.00	45000.00	03/06/89	42800.00		NR		NR
				10/03/89	34000.00		NR		NR
I-129	PCI/L	15.00	1.00		NR	05/15/89	14.00 *		NR
							(3.28)		
I-129DW	PCI/L	1.00	1.00	01/26/89	2.04 *		NR		NR
					(0.25)				
				10/03/89	1.59 *		NR		NR
					(0.20)				
				11/30/89	1.33 *		NR		NR
					(0.16)				
IRON	PPB	30.00	300.00	11/30/89	373.00 *	05/15/89	78.00	05/17/89	124.00
					NR	06/26/89	60.00	05/17/89	138.00
					NR	06/26/89	55.00	07/27/89	492.00 *
					NR	09/27/89	66.00	09/21/89	183.00
							NR		NR
LFLUCRD	PPB	20.00	4000.00	11/30/89	531.00	05/15/89	21600.00	05/17/89	21500.00
MAGNES	PPB	50.00		11/30/89	8130.00	06/26/89	22800.00	05/17/89	25900.00
					NR	06/26/89	23200.00	07/27/89	17500.00
					NR	09/27/89	16300.00	09/21/89	16500.00
MANGESE	PPB	5.00	50.00	11/30/89	6.00	05/15/89	6.00	05/17/89	6.00
					NR	06/26/89	5.00	05/17/89	8.00
					NR	06/26/89	5.00	07/27/89	10.00
					NR	09/27/89		09/21/89	
NICKEL	PPB	10.00		11/30/89		05/15/89	11.00	05/17/89	16.00
					NR	06/26/89	15.00	05/17/89	19.00
					NR	06/26/89		07/27/89	44.00
					NR	09/27/89	10.00	09/21/89	18.00
NITRATE	PPB	500.00	45000.00	11/30/89	28800.00	05/15/89	257000.00 *	05/17/89	287000.00 *
					NR	06/26/89	284000.00 *	05/17/89	288000.00 *
					NR	06/26/89	300000.00 *	07/27/89	242000.00 *
					NR	09/27/89	165000.00 *	09/21/89	354000.00 *
PH-LAB		0.01	8.50		NR	05/15/89	7.80	05/17/89	7.90
					NR	06/26/89	7.80	05/17/89	7.90
					NR	06/26/89	7.80	07/27/89	7.90
					NR	09/27/89	7.70	09/21/89	7.90
PHFIELD		0.10	8.50	11/30/89	8.21	05/15/89	7.30	05/17/89	7.63
				11/30/89	8.17	05/15/89	7.40	05/17/89	7.65
				11/30/89	8.16	05/15/89	7.40	05/17/89	7.63
				11/30/89	8.14	05/15/89	7.30	05/17/89	7.65
					NR	06/26/89	7.08	07/27/89	7.84
					NR	06/26/89	7.08	07/27/89	7.86
					NR	06/26/89	7.09	07/27/89	7.86
					NR	06/26/89	7.09	07/27/89	7.87
					NR	09/27/89	7.39	09/21/89	7.60
					NR	09/27/89	7.39	09/21/89	7.60
					NR	09/27/89	7.38	09/21/89	7.60
					NR	09/27/89	7.37	09/21/89	7.61
POTASUM	PPB	100.00		11/30/89	4990.00	05/15/89	6720.00	05/17/89	6310.00
					NR	06/26/89	7170.00	05/17/89	6760.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-13	SAMPLE DATE	2-E17-14	SAMPLE DATE	2-E17-15
POTASUM	PPB	100.00			NR	06/26/89	7430.00	07/27/89	6450.00
					NR	09/27/89	6320.00	09/21/89	6840.00
RADIUM	PCI/L	1.00	5.00	11/30/89		05/15/89	0.19	05/17/89	0.30
							(0.16)		(0.19)
					NR	06/26/89	1.08	05/17/89	0.21
					NR	06/26/89	(0.32)		(0.16)
					NR	06/26/89	1.01	07/27/89	
					NR	09/27/89	(0.31)	09/21/89	0.22
							0.52		(0.16)
RU-106	PCI/L	172.50	30.00	01/09/89		05/15/89	(0.24)	07/27/89	547.00 *
				02/09/89		06/26/89	(54.40)	09/21/89	(135.00)
				03/06/89	80.10 *	06/26/89	(112.00 *)		257.00 *
				10/03/89	(69.70)		(65.60)		(94.80)
				11/30/89		09/27/89	65.50 *		NR
				11/30/89	17100.00		(57.90)		NR
SILICON	PPB	50.00			NR	05/15/89	NR	05/17/89	17300.00
					NR	06/26/89	18100.00	05/17/89	17900.00
					NR	06/26/89	18200.00	07/27/89	18700.00
					NR	09/27/89	18800.00	09/21/89	18000.00
SODIUM	PPB	200.00		11/30/89	18600.00	05/15/89	18700.00	05/17/89	18000.00
					NR	06/26/89	26300.00	05/17/89	33100.00
					NR	06/26/89	30300.00	05/17/89	39100.00
					NR	06/26/89	31200.00	07/27/89	29200.00
					NR	09/27/89	22000.00	09/21/89	25000.00
SR 90	PCI/L	5.00	8.00	01/09/89		05/15/89	28.10 *		NR
				02/09/89			(2.88)		NR
				03/06/89			NR		NR
				10/03/89			NR		NR
				11/30/89			NR		NR
STRONTIUM	PPB	10.00		11/30/89	137.00	05/15/89	413.00	05/17/89	376.00
					NR	06/26/89	477.00	05/17/89	451.00
					NR	06/26/89	488.00	07/27/89	332.00
					NR	09/27/89	317.00	09/21/89	349.00
SULFATE	PPB	500.00	250000.00	11/30/89	35400.00	05/15/89	36400.00	05/17/89	38700.00
					NR	06/26/89	37600.00	05/17/89	39300.00
					NR	06/26/89	40000.00	07/27/89	33400.00
					NR	09/27/89	30000.00	09/21/89	35000.00
TC	PPB	1000.00		11/30/89	22000.00	05/15/89	23700.00	05/17/89	21200.00
					NR	06/26/89	23900.00	05/17/89	21300.00
					NR	06/26/89	24100.00	07/27/89	22600.00
					NR	09/27/89	23000.00	09/21/89	21000.00
TC-99	PCI/L	15.00	900.00		NR	05/15/89	599.00		NR
							(4.50)		
TDS		5000.00	500000.00	11/30/89	201000.00		NR		NR
TOXLDL	PPB	10.00		11/30/89		05/15/89		05/17/89	11.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-13	SAMPLE DATE	2-E17-14	SAMPLE DATE	2-E17-15
TOXLDL	PPB	10.00			NR	05/15/89	10.00	05/17/89	
					NR	05/15/89		05/17/89	
					NR	05/15/89		05/17/89	
					NR	06/26/89		07/27/89	13.00
					NR	06/26/89		07/27/89	10.00
					NR	06/26/89		07/27/89	10.00
					NR	06/26/89		07/27/89	
					NR	09/27/89		09/21/89	12.00
					NR	09/27/89		09/21/89	13.00
					NR	09/27/89		09/21/89	
					NR	09/27/89		09/21/89	
TRITIUM	PCI/L	500.00	20000.00	01/09/89	866000.00 *	05/15/89	1920000.00 *	07/27/89	236000.00 *
					(2970.00)		(5550.00)		(1150.00)
				02/09/89	2450000.00 *	06/26/89	2570000.00 *	09/21/89	1300000.00 *
					(5080.00)		(5280.00)		(3710.00)
				03/06/89	3340000.00 *	06/26/89	2700000.00 *		NR
					(6070.00)		(5430.00)		
				10/03/89	932000.00 *	09/27/89	264000.00 *		NR
					(3230.00)		(1690.00)		
				11/30/89	1060000.00 *		NR		NR
					(3290.00)				
TURBID	NTU	0.10	1.00	11/30/89	0.70	05/15/89	0.40	05/17/89	0.40
					NR	06/26/89	0.60	05/17/89	0.40
					NR	06/26/89	0.60	07/27/89	0.90
					NR	09/27/89	0.90	09/21/89	1.20 *
U	PCI/L	0.50	600.00	11/30/89	2.90		NR		NR
U-234	PCI/L	0.10	20.00	01/09/89	1.69		NR		NR
					(0.12)				
				02/09/89	1.64		NR		NR
					(0.27)				
				03/06/89	1.79		NR		NR
					(0.13)				
				10/03/89	1.73		NR		NR
					(0.14)				
U-235	PCI/L	0.10	24.00	01/09/89	0.05		NR		NR
					(0.02)				
				02/09/89	0.58		NR		NR
					(0.16)				
				03/06/89	0.06		NR		NR
					(0.03)				
				10/03/89	0.05		NR		NR
					(0.03)				
U-238	PCI/L	0.10	24.00	01/09/89	1.40		NR		NR
					(0.11)				
				02/09/89	2.08		NR		NR
					(0.30)				
				03/06/89	1.66		NR		NR
					(0.13)				
				10/03/89	1.55		NR		NR
					(0.13)				

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-13	SAMPLE DATE	2-E17-14	SAMPLE DATE	2-E17-15
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-CHEM	UG/L	0.73		01/09/89	4.68		NR		NR
				02/09/89	4.72		NR		NR
				03/06/89	5.35		NR		NR
				10/03/89	6.22		NR		NR
VANADIUM	PPB	5.00		11/30/89	28.00	05/15/89	19.00	05/17/89	23.00
					NR	06/26/89	16.00	05/17/89	22.00
					NR	06/26/89	21.00	07/27/89	28.00
					NR	09/27/89	25.00	09/21/89	19.00
ZINC	PPB	5.00	5000.00	11/30/89	13.00	05/15/89	6.00	05/17/89	
					NR	06/26/89		05/17/89	
					NR	06/26/89	7.00	07/27/89	9.00
					NR	09/27/89		09/21/89	18.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-16	SAMPLE DATE	2-E17-17	SAMPLE DATE	2-E17-18
ALPHAHI	PCI/L	4.00	15.00	05/15/89	5.26 (2.55)	05/12/89	3.36 (2.50)	05/19/89	2.91 (1.84)
				06/26/89	3.96 (2.47)	06/23/89	2.77 (1.80)	06/23/89	3.66 (1.68)
				09/25/89	4.07 (1.91)	09/21/89	5.24 (2.15)	09/27/89	1.17 (0.98)
					NR		NR	09/27/89	2.79 (1.52)
ARSENIC	PPB	5.00	50.00	05/15/89	15.00	05/12/89	6.00	05/19/89	11.00
				06/26/89	10.00	06/23/89	6.00	06/23/89	11.00
				09/25/89	11.00 NR	09/21/89	7.00 NR	09/27/89	11.00 10.00
BARIUM	PPB	6.00	1000.00	05/15/89	41.00	05/12/89	44.00	05/19/89	33.00
				06/26/89	30.00	06/23/89	43.00	06/23/89	35.00
				09/25/89	31.00 NR	09/21/89	43.00 NR	09/27/89	35.00 30.00
BETA	PCI/L	8.00	50.00	05/15/89	21.20 (3.75)	05/12/89	152.00 + (8.88)	05/19/89	4.95 (2.48)
				06/26/89	52.10 + (5.51)	06/23/89	112.00 + (7.74)	06/23/89	7.62 (2.74)
				09/25/89	20.00 (3.69)	09/21/89	93.80 + (7.07)	09/27/89	9.31 (2.84)
					NR		NR	09/27/89	8.74 (2.71)
BORON	PPB	10.00		05/15/89	14.00	05/12/89	17.00	05/19/89	21.00
				06/26/89	21.00	06/23/89	18.00	06/23/89	21.00
				09/25/89	15.00 NR	09/21/89	16.00 NR	09/27/89	19.00 21.00
CALCIUM	PPB	50.00		05/15/89	47100.00	05/12/89	35100.00	05/19/89	22500.00
				06/26/89	34200.00	06/23/89	32700.00	06/23/89	24300.00
				09/25/89	34600.00 NR	09/21/89	30100.00 NR	09/27/89	23600.00 21900.00
CHLORID	PPB	500.00	250000.00	05/15/89	24000.00	05/12/89	3800.00	05/19/89	2900.00
				06/26/89	9400.00	06/23/89	3700.00	06/23/89	3200.00
				09/25/89	11100.00 NR	09/21/89	3800.00 NR	09/27/89	3500.00 3400.00
CHROMIUM	PPB	10.00	50.00	05/15/89	16.00	05/12/89	23.00	05/19/89	15.00
				06/26/89	16.00	06/23/89	21.00	06/23/89	17.00
				09/25/89	33.00 NR	09/21/89	31.00 NR	09/27/89	29.00 29.00
CO-60	PCI/L	22.50	100.00	05/15/89	18.90 (10.90)	05/12/89	10.80 (10.30)	05/19/89	
				06/26/89		06/23/89		06/23/89	
				09/25/89	22.40 (13.60)	09/21/89	13.00 (7.83)	09/27/89	
					NR		NR	09/27/89	
CONDFLD	UMHO	1.00	700.00	05/15/89	359.00	05/12/89	230.00	05/19/89	224.00
				05/15/89	360.00	05/12/89	230.00	05/19/89	224.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-16	SAMPLE DATE	2-E17-17	SAMPLE DATE	2-E17-18
COND FLD	UMHO	1.00	700.00	05/15/89	362.00	05/12/89	230.00	05/19/89	224.00
				05/15/89	362.00	05/12/89	230.00	05/19/89	224.00
				06/26/89	334.00	06/23/89	316.00	06/23/89	236.00
				06/26/89	333.00	06/23/89	316.00	06/23/89	236.00
				06/26/89	333.00	06/23/89	317.00	06/23/89	236.00
				06/26/89	333.00	06/23/89	317.00	06/23/89	236.00
				09/25/89	370.00	09/21/89	343.00	09/27/89	257.00
				09/25/89	362.00	09/21/89	342.00	09/27/89	257.00
				09/25/89	359.00	09/21/89	342.00	09/27/89	256.00
				09/25/89	363.00	09/21/89	343.00	09/27/89	255.00
CONDLAB	UMHO		700.00	05/15/89	509.00 a	05/12/89	373.00 a	05/19/89	255.00 a
				06/26/89	434.00 a	06/23/89	337.00 a	06/23/89	240.00 a
				09/25/89	390.00 a	09/21/89	347.00 a	09/27/89	260.00 a
COPPER	PPB	10.00	(1300.0)	05/15/89		05/12/89	14.00	05/19/89	11.00
				06/26/89		06/23/89		06/23/89	
				09/25/89	13.00	09/21/89		09/27/89	
					NR		NR	09/27/89	
FARSEN	PPB	5.00	50.00	05/15/89	9.00	05/12/89	7.00	05/19/89	11.00
				06/26/89	10.00	06/23/89	6.00	06/23/89	10.00
				09/25/89	9.00	09/21/89	6.00	09/27/89	10.00
					NR		NR	09/27/89	9.00
FBARIUM	PPB	6.00	1000.00	05/15/89	46.00	05/12/89	42.00	05/19/89	32.00
				06/26/89	31.00	06/23/89	44.00	06/23/89	34.00
				09/25/89	30.00	09/21/89	41.00	09/27/89	29.00
					NR		NR	09/27/89	30.00
FBORON	PPB	10.00		05/15/89	22.00	05/12/89	20.00	05/19/89	12.00
				06/26/89	20.00	06/23/89	17.00	06/23/89	24.00
				09/25/89	23.00	09/21/89	17.00	09/27/89	11.00
					NR		NR	09/27/89	22.00
FCALCIU	PPB	50.00		05/15/89	49300.00	05/12/89	33500.00	05/19/89	21900.00
				06/26/89	35700.00	06/23/89	34200.00	06/23/89	24800.00
				09/25/89	34200.00	09/21/89	29500.00	09/27/89	21200.00
					NR		NR	09/27/89	21700.00
FCOPPER	PPB	10.00	(1300.0)	05/15/89		05/12/89	12.00	05/19/89	
				06/26/89		06/23/89		06/23/89	
				09/25/89		09/21/89		09/27/89	
					NR		NR	09/27/89	
FIRON	PPB	30.00	300.00	05/15/89		05/12/89		05/19/89	32.00
				06/26/89		06/23/89	38.00	06/23/89	45.00
				09/25/89		09/21/89		09/27/89	
					NR		NR	09/27/89	34.00
FLUORID	PPB	500.00	4000.00	05/15/89	500.00	05/12/89	600.00	05/19/89	500.00
				06/26/89	600.00	06/23/89	600.00	06/23/89	700.00
				09/25/89	500.00	09/21/89	600.00	09/27/89	500.00
					NR		NR	09/27/89	500.00
FMAGNES	PPB	50.00		05/15/89	21000.00	05/12/89	10300.00	05/19/89	6820.00
				06/26/89	11300.00	06/23/89	9830.00	06/23/89	7230.00
				09/25/89	12200.00	09/21/89	8890.00	09/27/89	6350.00
					NR		NR	09/27/89	6470.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-16	SAMPLE DATE	2-E17-17	SAMPLE DATE	2-E17-18
FMANGAN	PPB	5.00	50.00	05/15/89 06/26/89 09/25/89	6.00 NR 13.00	05/12/89 06/23/89 09/21/89	NR	05/19/89 06/23/89 09/27/89	
FNICKEL	PPB	10.00		05/15/89 06/26/89 09/25/89	12.00 NR 7020.00	05/12/89 06/23/89 09/21/89	NR	05/19/89 06/23/89 09/27/89	12.00
FPOTASS	PPB	100.00		05/15/89 06/26/89 09/25/89	5440.00 5850.00 NR	05/12/89 06/23/89 09/21/89	5800.00 6120.00 6040.00	05/19/89 06/23/89 09/27/89	4520.00 5350.00 4560.00
FSELENI	PPB	5.00	10.00	05/15/89 06/26/89 09/25/89	9.00 NR 20100.00	05/12/89 06/23/89 09/21/89	NR	05/19/89 06/23/89 09/27/89	4690.00
FSILICO	PPB	50.00		05/15/89 06/26/89 09/25/89	18200.00 18900.00 NR	05/12/89 06/23/89 09/21/89	18900.00 19300.00 18200.00	05/19/89 06/23/89 09/27/89	18400.00 20400.00 18200.00
FSODIUM	PPB	200.00		05/15/89 06/26/89 09/25/89	36200.00 23100.00 23000.00	05/12/89 06/23/89 09/21/89	22200.00 22700.00 19800.00	05/19/89 06/23/89 09/27/89	18000.00 20800.00 16300.00
FSTRONT	PPB	10.00		05/15/89 06/26/89 09/25/89	256.00 191.00 180.00	05/12/89 06/23/89 09/21/89	186.00 186.00 167.00	05/19/89 06/23/89 09/27/89	119.00 133.00 114.00
FVANADI	PPB	5.00		05/15/89 06/26/89 09/25/89	NR 33.00 26.00	05/12/89 06/23/89 09/21/89	NR 22.00 24.00	05/19/89 06/23/89 09/27/89	118.00 26.00 33.00
FZINC	PPB	5.00	5000.00	05/15/89 06/26/89 09/25/89	28.00 NR 12.00	05/12/89 06/23/89 09/21/89	20.00 NR 6.00	05/19/89 06/23/89 09/27/89	31.00 30.00
I-129	PCI/L	15.00	1.00	05/15/89	6.00 NR 2.03 *	05/12/89	5.00 NR 8.22 *	05/19/89	6.00 3.60 *
IRON	PPB	30.00	300.00	05/15/89 06/26/89 09/25/89	(1.62) 83.00 95.00	(2.96) 90.00 106.00		(2.14) 76.00 107.00	
MAGNES	PPB	50.00		05/15/89 06/26/89 09/25/89	154.00 NR 19200.00	05/12/89 06/23/89 09/21/89	141.00 NR 10700.00	05/19/89 06/23/89 09/27/89	101.00 120.00 6910.00
MANGESE	PPB	5.00	50.00	05/15/89 06/26/89	10500.00 11500.00	05/12/89 06/23/89	9550.00 9090.00	06/23/89 09/27/89	7170.00 6990.00
					NR 9.00		NR 5.00	09/27/89 05/19/89	6480.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-16	SAMPLE DATE	2-E17-17	SAMPLE DATE	2-E17-18
MANGESE	PPB	5.00	50.00	09/25/89	6.00 NR	09/21/89	NR	09/27/89	
NICKEL	PPB	10.00		05/15/89	21.00	05/12/89	11.00	05/19/89	13.00
				06/26/89	11.00	06/23/89	10.00	06/23/89	
				09/25/89	22.00	09/21/89	22.00	09/27/89	15.00
					NR		NR	09/27/89	19.00
NITRATE	PPB	500.00	45000.00	05/15/89	56700.00 *	05/12/89	67600.00 *	05/19/89	4900.00
				06/26/89	24500.00	06/23/89	65900.00 *	06/23/89	6200.00
				09/25/89	32000.00	09/21/89	53000.00 *	09/27/89	11100.00
					NR		NR	09/27/89	10700.00
PH-LAB		0.01	8.50	05/15/89	8.00	05/12/89	8.00	05/19/89	8.10
				06/26/89	8.10	06/23/89	8.00	06/23/89	8.10
				09/25/89	7.90	09/21/89	7.70	09/27/89	8.00
PHFIELD		0.10	8.50	05/15/89	7.50	05/12/89	7.90	05/19/89	7.40
				05/15/89	7.50	05/12/89	8.00	05/19/89	7.42
				05/15/89	7.50	05/12/89	8.04	05/19/89	7.43
				05/15/89	7.50	05/12/89	8.05	05/19/89	7.43
				06/26/89	8.12	06/23/89	7.71	06/23/89	7.75
				06/26/89	8.10	06/23/89	7.76	06/23/89	7.76
				06/26/89	8.10	06/23/89	7.75	06/23/89	7.78
				06/26/89	8.10	06/23/89	7.76	06/23/89	7.77
				09/25/89	7.43	09/21/89	7.64	09/27/89	7.79
				09/25/89	7.48	09/21/89	7.64	09/27/89	7.76
				09/25/89	7.47	09/21/89	7.63	09/27/89	7.78
				09/25/89	7.47	09/21/89	7.64	09/27/89	7.78
POTASUM	PPB	100.00		05/15/89	6310.00	05/12/89	6260.00	05/19/89	4650.00
				06/26/89	5410.00	06/23/89	5920.00	06/23/89	5190.00
				09/25/89	5600.00	09/21/89	6140.00	09/27/89	5080.00
					NR		NR	09/27/89	4690.00
RADIUM	PCI/L	1.00	5.00	05/15/89	0.27	05/12/89	0.40	05/19/89	
					(0.19)		(0.22)		
				06/26/89	0.41	06/23/89	0.15	06/23/89	0.40
					(0.20)		(0.14)		(0.21)
				09/25/89	0.19	09/21/89		09/27/89	0.41
					(0.15)				(0.22)
					NR		NR	09/27/89	0.58
									(0.24)
RU-106	PCI/L	172.50	30.00	05/15/89		05/12/89		05/19/89	
				06/26/89		06/23/89		06/23/89	
				09/25/89	58.10 *	09/21/89		09/27/89	
					(50.80)				
					NR		NR	09/27/89	
SELENUM	PPB	5.00	10.00	05/15/89		05/12/89		05/19/89	
				06/26/89		06/23/89		06/23/89	
				09/25/89	6.00	09/21/89		09/27/89	
					NR		NR	09/27/89	
SILICON	PPB	50.00		05/15/89	17800.00	05/12/89	19200.00	05/19/89	18500.00
				06/26/89	17600.00	06/23/89	18500.00	06/23/89	19900.00
				09/25/89	18000.00	09/21/89	18600.00	09/27/89	20100.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-16	SAMPLE DATE	2-E17-17	SAMPLE DATE	2-E17-18
SILICON	PPB	50.00			NR		NR	09/27/89	18800.00
SODIUM	PPB	200.00		05/15/89	33900.00	05/12/89	23600.00	05/19/89	18200.00
				06/26/89	22000.00	06/23/89	22100.00	06/23/89	20500.00
				09/25/89	21200.00	09/21/89	20300.00	09/27/89	17900.00
					NR		NR	09/27/89	16600.00
SR 90	PCI/L	5.00	8.00	05/15/89	3.62	05/12/89		05/19/89	
					(1.20)				
STRONTIUM	PPB	10.00		05/15/89	242.00	05/12/89	193.00	05/19/89	122.00
				06/26/89	182.00	06/23/89	186.00	06/23/89	136.00
				09/25/89	181.00	09/21/89	171.00	09/27/89	128.00
					NR		NR	09/27/89	119.00
SULFATE	PPB	500.00	250000.00	05/15/89	102000.00	05/12/89	28800.00	05/19/89	24500.00
				06/26/89	62300.00	06/23/89	29000.00	06/23/89	24700.00
				09/25/89	60000.00	09/21/89	26400.00	09/27/89	23200.00
					NR		NR	09/27/89	23200.00
TC	PPB	1000.00		05/15/89	20700.00	05/12/89	21700.00	05/19/89	22400.00
				06/26/89	20300.00	06/23/89	21300.00	06/23/89	22200.00
				09/25/89	17900.00	09/21/89	20300.00	09/27/89	21000.00
					NR		NR	09/27/89	21000.00
TC-99	PCI/L	15.00	900.00	05/15/89	14.10	05/12/89	164.00	05/19/89	
					(1.29)		(2.59)		
TRCMFLM	PPB	10.00		05/15/89		05/12/89	13.00	05/19/89	
TRITIUM	PCI/L	500.00	20000.00	05/15/89	54500.00 *	05/12/89	334000.00 *	05/19/89	41100.00 *
					(629.00)		(1550.00)		(682.00)
				06/26/89	42300.00 *	06/23/89	215000.00 *	06/23/89	38600.00 *
					(698.00)		(1540.00)		(658.00)
				09/25/89	27400.00 *	09/21/89	201000.00 *	09/27/89	36400.00 *
					(553.00)		(1470.00)		(655.00)
					NR		NR	09/27/89	35600.00 *
									(637.00)
TURBID	NTU	0.10	1.00	05/15/89	0.40	05/12/89	0.40	05/19/89	0.70
				06/26/89	0.60	06/23/89	1.00	06/23/89	1.40 *
				09/25/89	1.10 *	09/21/89	0.90	09/27/89	0.60
VANADIUM	PPB	5.00		05/15/89	21.00	05/12/89	27.00	05/19/89	33.00
				06/26/89	30.00	06/23/89	24.00	06/23/89	35.00
				09/25/89	24.00	09/21/89	20.00	09/27/89	36.00
					NR		NR	09/27/89	30.00
ZINC	PPB	5.00	5000.00	05/15/89	13.00	05/12/89		05/19/89	
				06/26/89	11.00	06/23/89		06/23/89	10.00
				09/25/89	15.00	09/21/89	9.00	09/27/89	10.00
					NR		NR	09/27/89	5.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-19	SAMPLE DATE	2-E17-20	SAMPLE DATE	2-E18-1
ACETONE	PPB	10.00		02/15/89 07/14/89 08/14/89 08/14/89	23.00	02/15/89 06/16/89 06/16/89 08/15/89		02/15/89 05/26/89 08/08/89 10/31/89	
ALKALIN		20000.00			NR NR NR		NR NR NR	05/26/89 08/08/89 11/29/89	102000.00 108000.00 102000.00
ALPHAHI	PCI/L	4.00	15.00	02/15/89 07/14/89 08/14/89 08/14/89 08/14/89	4.91 (2.38) 4.50 (2.15) 5.25 (2.32) 2.07 (1.51)	02/15/89 06/16/89 06/16/89 08/15/89	2.72 (1.61) 2.81 (2.07) 3.10 (1.84) 3.37 (1.95)	02/15/89 05/26/89 08/08/89 10/31/89	4.87 (2.38) 5.53 (2.69) 5.53 (2.64) 4.52 (2.39)
ALUMNUM	PPB	150.00		02/15/89 07/14/89 08/14/89 08/14/89		02/15/89 06/16/89 06/16/89 08/15/89		02/15/89 05/26/89 08/08/89 10/31/89	244.00 0.03 (0.02)
AM-241	PCI/L	0.10	30.00		NR		NR	10/31/89	
ARSENIC	PPB	5.00	50.00	02/15/89 07/14/89 08/14/89 08/14/89	8.00 7.00 6.00 6.00	02/15/89 06/16/89 06/16/89 08/15/89	6.00 6.00 6.00 6.00	02/15/89 05/26/89 08/08/89 10/31/89	
BARIUM	PPB	6.00	1000.00	02/15/89 07/14/89 08/14/89 08/14/89	55.00 47.00 55.00 56.00	02/15/89 06/16/89 06/16/89 08/15/89	55.00 73.00 71.00 80.00	02/15/89 05/26/89 08/08/89 10/31/89	29.00 28.00 25.00 29.00
BETA	PCI/L	8.00	50.00	02/15/89 07/14/89 08/14/89 08/14/89 08/14/89	1150.00 + (24.20) 18.70 (3.63) 19.80 (3.71) 13.20 (3.16)	02/15/89 06/16/89 06/16/89 08/15/89	28.40 (4.32) 36.60 (4.71) 47.30 (5.30) 60.50 + (5.81)	02/15/89 05/26/89 08/08/89 10/31/89	6.85 (2.69) 6.58 (2.65) 7.46 (2.70) 8.50 (2.86)
BORON	PPB	10.00		02/15/89 07/14/89 08/14/89 08/14/89	11.00 12.00 17.00 28.00	02/15/89 06/16/89 06/16/89 08/15/89	18.00 23.00 21.00 19.00	02/15/89 05/26/89 08/08/89 10/31/89	33.00 37.00 38.00 31.00
CADMIUM	PPB	2.00	10.00	02/15/89 07/14/89 08/14/89 08/14/89	2.00	02/15/89 06/16/89 06/16/89 08/15/89	6.00 3.00	02/15/89 05/26/89 08/08/89 10/31/89	
CALCIUM	PPB	50.00		02/15/89 07/14/89 08/14/89	78800.00 36200.00 39800.00	02/15/89 06/16/89 06/16/89	65000.00 69300.00 70200.00	02/15/89 05/26/89 08/08/89	55700.00 58000.00 57000.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-19	SAMPLE DATE	2-E17-20	SAMPLE DATE	2-E18-1
CALCIUM	PPB	50.00		08/14/89	42900.00	08/15/89	75600.00	10/31/89	56900.00
CHLORID	PPB	500.00	250000.00	02/15/89	3500.00	02/15/89	3700.00	02/15/89	6900.00
				07/14/89	3930.00	06/16/89	3500.00	05/26/89	7100.00
				08/14/89	3800.00	06/16/89	3500.00	08/08/89	6000.00
				08/14/89	3900.00	08/15/89	3700.00	10/31/89	8000.00
CHROMIUM	PPB	10.00	50.00	02/15/89	27.00	02/15/89	19.00	02/15/89	22.00
				07/14/89	34.00	06/16/89	49.00	05/26/89	20.00
				08/14/89	58.00 *	06/16/89	36.00	08/08/89	100.00 *
				08/14/89	64.00 *	08/15/89	49.00	10/31/89	39.00
CONDFLD	UMHO	1.00	700.00	02/15/89	844.00 *	02/15/89	648.00	02/15/89	537.00
				02/15/89	853.00 *	02/15/89	649.00	02/15/89	534.00
				02/15/89	846.00 *	02/15/89	648.00	02/15/89	532.00
				02/15/89	842.00 *	02/15/89	647.00	02/15/89	531.00
				07/14/89	401.00	06/16/89	495.00	05/26/89	550.00
				07/14/89	403.00	06/16/89	497.00	05/26/89	549.00
				07/14/89	402.00	06/16/89	494.00	05/26/89	549.00
				07/14/89	399.00	06/16/89	495.00	05/26/89	549.00
				08/14/89	320.00	08/15/89	626.00	08/08/89	564.00
				08/14/89	319.00	08/15/89	624.00	08/08/89	567.00
				08/14/89	318.00	08/15/89	625.00	08/08/89	568.00
				08/14/89	319.00	08/15/89	626.00	08/08/89	567.00
					NR		NR	10/31/89	552.00
					NR		NR	11/29/89	563.00
					NR		NR	11/29/89	562.00
					NR		NR	11/29/89	561.00
					NR		NR	11/29/89	560.00
CONDLAB	UMHO		700.00	02/15/89	771.00 *	02/15/89	621.00 @	02/15/89	514.00 @
				07/14/89	390.00 @	06/16/89	555.00 @	02/15/89	512.00 @
				08/14/89	405.00 @	08/15/89	485.00 @	02/15/89	510.00 @
					NR		NR	02/15/89	517.00 @
					NR		NR	05/26/89	503.00 @
					NR		NR	05/26/89	474.00 @
					NR		NR	05/26/89	484.00 @
					NR		NR	05/26/89	498.00 @
					NR		NR	08/08/89	533.00 @
					NR		NR	08/08/89	532.00 @
					NR		NR	08/08/89	534.00 @
					NR		NR	08/08/89	535.00 @
					NR		NR	11/29/89	542.00 @
					NR		NR	11/29/89	543.00 @
					NR		NR	11/29/89	550.00 @
					NR		NR	11/29/89	552.00 @
COPPER	PPB	10.00	(1300.0)	02/15/89	11.00	02/15/89		02/15/89	
				07/14/89		06/16/89		05/26/89	
				08/14/89		06/16/89		08/08/89	
				08/14/89		08/15/89		10/31/89	
FARSEN	PPB	5.00	50.00	02/15/89	8.00	02/15/89	6.00	02/15/89	
				07/14/89	5.40	06/16/89	6.00	05/26/89	
				08/14/89	6.00	06/16/89	6.00	08/08/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-19	SAMPLE DATE	2-E17-20	SAMPLE DATE	2-E18-1
FARSEN	PPB	5.00	50.00	08/14/89	6.00	08/15/89	5.00	10/31/89	
FBARIUM	PPB	6.00	1000.00	02/15/89	58.00	02/15/89	63.00	02/15/89	31.00
				07/14/89	53.00	06/16/89	72.00	05/26/89	25.00
				08/14/89	58.00	06/16/89	70.00	08/08/89	34.00
				08/14/89	60.00	08/15/89	75.00	10/31/89	28.00
FBORON	PPB	10.00		02/15/89	19.00	02/15/89	24.00	02/15/89	38.00
				07/14/89	17.00	06/16/89	20.00	05/26/89	34.00
				08/14/89	19.00	06/16/89	17.00	08/08/89	42.00
				08/14/89	14.00	08/15/89		10/31/89	30.00
FCALCIU	PPB	50.00		02/15/89	81800.00	02/15/89	67300.00	02/15/89	57600.00
				07/14/89	42900.00	06/16/89	69200.00	05/26/89	60400.00
				08/14/89	44700.00	06/16/89	66800.00	08/08/89	69500.00
				08/14/89	45800.00	08/15/89	68500.00	10/31/89	64400.00
FIRON	PPB	30.00	300.00	02/15/89		02/15/89		02/15/89	
				07/14/89	49.00	06/16/89		05/26/89	
				08/14/89	50.00	06/16/89		08/08/89	
				08/14/89	98.00	08/15/89	50.00	10/31/89	35.00
FLUORID	PPB	500.00	4000.00	02/15/89	900.00	02/15/89		02/15/89	
				07/14/89		06/16/89		05/26/89	500.00
				08/14/89	600.00	06/16/89		08/08/89	600.00
				08/14/89	500.00	08/15/89	500.00	10/31/89	500.00
FMAGNES	PPB	50.00		02/15/89	22500.00	02/15/89	19700.00	02/15/89	14400.00
				07/14/89	13100.00	06/16/89	21200.00	05/26/89	15100.00
				08/14/89	13900.00	06/16/89	19600.00	08/08/89	16200.00
				08/14/89	14300.00	08/15/89	20400.00	10/31/89	15500.00
FMANGAN	PPB	5.00	50.00	02/15/89		02/15/89		02/15/89	
				07/14/89	6.00	06/16/89	6.00	05/26/89	
				08/14/89		06/16/89	6.00	08/08/89	
				08/14/89		08/15/89		10/31/89	
FNICKEL	PPB	10.00		02/15/89		02/15/89		02/15/89	
				07/14/89	11.00	06/16/89		05/26/89	
				08/14/89		06/16/89	12.00	08/08/89	
				08/14/89	11.00	08/15/89		10/31/89	
FPOTASS	PPB	100.00		02/15/89	6850.00	02/15/89	7980.00	02/15/89	5800.00
				07/14/89	6610.00	06/16/89	8290.00	05/26/89	5810.00
				08/14/89	7020.00	06/16/89	7810.00	08/08/89	6210.00
				08/14/89	7240.00	08/15/89	8240.00	10/31/89	5790.00
FSELENI	PPB	5.00	10.00	02/15/89		02/15/89		02/15/89	7.00
				07/14/89		06/16/89		05/26/89	7.00
				08/14/89		06/16/89		08/08/89	7.00
				08/14/89		08/15/89		10/31/89	6.00
FSILICO	PPB	50.00		02/15/89	17300.00	02/15/89	19100.00	02/15/89	14000.00
				07/14/89	836.00	06/16/89	19500.00	05/26/89	15400.00
				08/14/89	21300.00	06/16/89	18900.00	08/08/89	17300.00
				08/14/89	21900.00	08/15/89	20900.00	10/31/89	16900.00
FSCODIUM	PPB	200.00		02/15/89	34400.00	02/15/89	24100.00	02/15/89	27100.00
				07/14/89	20000.00	06/16/89	24500.00	05/26/89	28500.00
				08/14/89	21200.00	06/16/89	23400.00	08/08/89	30500.00
				08/14/89	21900.00	08/15/89	23500.00	10/31/89	27800.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-19	SAMPLE DATE	2-E17-20	SAMPLE DATE	2-E18-1
FSTRONT	PPB	10.00		02/15/89	384.00	02/15/89	363.00	02/15/89	241.00
				07/14/89	257.00	06/16/89	388.00	05/26/89	259.00
				08/14/89	270.00	06/16/89	378.00	08/08/89	283.00
				08/14/89	277.00	08/15/89	385.00	10/31/89	265.00
FVANADI	PPB	5.00		02/15/89	20.00	02/15/89	18.00	02/15/89	6.00
				07/14/89	22.00	06/16/89	22.00	05/26/89	14.00
				08/14/89	24.00	06/16/89	19.00	08/08/89	14.00
				08/14/89	24.00	08/15/89	23.00	10/31/89	8.00
FZINC	PPB	5.00	5000.00	02/15/89		02/15/89	12.00	02/15/89	30.00
				07/14/89	9.00	06/16/89	7.00	05/26/89	12.00
				08/14/89		06/16/89	7.00	08/08/89	19.00
				08/14/89		08/15/89		10/31/89	7.00
IRON	PPB	30.00	300.00	02/15/89	178.00	02/15/89	165.00	02/15/89	162.00
				07/14/89	610.00 *	06/16/89	243.00	05/26/89	546.00 *
				08/14/89	526.00 *	06/16/89	205.00	08/08/89	531.00 *
				08/14/89	735.00 *	08/15/89	268.00	10/31/89	802.00 *
LITHIUM	PPB	10.00		02/15/89		02/15/89		02/15/89	
				07/14/89		06/16/89		05/26/89	
				08/14/89		06/16/89		08/08/89	
				08/14/89		08/15/89	12.00	10/31/89	
MAGNES	PPB	50.00		02/15/89	21700.00	02/15/89	18700.00	02/15/89	13900.00
				07/14/89	11500.00	06/16/89	19500.00	05/26/89	14600.00
				08/14/89	12900.00	06/16/89	20900.00	08/08/89	13700.00
				08/14/89	13700.00	08/15/89	22600.00	10/31/89	14700.00
MANGESE	PPB	5.00	50.00	02/15/89	6.00	02/15/89		02/15/89	
				07/14/89	13.00	06/16/89	8.00	05/26/89	12.00
				08/14/89	13.00	06/16/89	5.00	08/08/89	12.00
				08/14/89	13.00	08/15/89	8.00	10/31/89	18.00
NICKEL	PPB	10.00		02/15/89	14.00	02/15/89	11.00	02/15/89	
				07/14/89	17.00	06/16/89	21.00	05/26/89	13.00
				08/14/89	37.00	06/16/89	26.00	08/08/89	44.00
				08/14/89	40.00	08/15/89	32.00	10/31/89	22.00
NITRATE	PPB	500.00	45000.00	02/15/89	316000.00 *	02/15/89	225000.00 *	02/15/89	11400.00
				07/14/89	88800.00 *	06/16/89	228000.00 *	05/26/89	12000.00
				08/14/89	91000.00 *	06/16/89	228000.00 *	08/08/89	12500.00
				08/14/89	91000.00 *	08/15/89	217000.00 *	10/31/89	12200.00
PH-LAB		0.01	8.50	02/15/89	7.80	02/15/89	7.80	02/15/89	7.90
				07/14/89	7.80	06/16/89	7.80	02/15/89	7.80
				08/14/89	7.80	08/15/89	7.80	02/15/89	7.70
				NR		NR		02/15/89	7.80
				NR		NR		05/26/89	8.00
				NR		NR		05/26/89	8.00
				NR		NR		05/26/89	8.00
				NR		NR		05/26/89	8.00
				NR		NR		08/08/89	8.00
				NR		NR		08/08/89	8.00
				NR		NR		08/08/89	8.00
				NR		NR		08/08/89	8.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-19	SAMPLE DATE	2-E17-20	SAMPLE DATE	2-E18-1
PH-LAB		0.01	8.50		NR		NR	11/29/89	7.30
					NR		NR	11/29/89	7.80
					NR		NR	11/29/89	7.80
					NR		NR	11/29/89	7.80
PHFIELD		0.10	8.50	02/15/89	8.00	02/15/89	7.70	02/15/89	7.00
				02/15/89	8.00	02/15/89	7.80	02/15/89	7.00
				02/15/89	8.00	02/15/89	7.80	02/15/89	6.90
				02/15/89	8.00	02/15/89	7.80	02/15/89	6.90
				07/14/89	7.79	06/16/89	7.41	05/26/89	7.89
				07/14/89	7.78	06/16/89	7.38	05/26/89	7.89
				07/14/89	7.78	06/16/89	7.37	05/26/89	7.89
				07/14/89	7.77	06/16/89	7.37	05/26/89	7.89
				08/14/89	7.86	08/15/89	7.74	08/08/89	7.89
				08/14/89	7.87	08/15/89	7.74	08/08/89	7.89
				08/14/89	7.86	08/15/89	7.75	08/08/89	7.88
				08/14/89	7.86	08/15/89	7.75	08/08/89	7.88
					NR		NR	10/31/89	7.95
					NR		NR	11/29/89	8.09
					NR		NR	11/29/89	8.08
					NR		NR	11/29/89	8.09
					NR		NR	11/29/89	8.10
POTASUM	PPB	100.00		02/15/89	6330.00	02/15/89	7400.00	02/15/89	5570.00
				07/14/89	6320.00	06/16/89	7860.00	05/26/89	5780.00
				08/14/89	6510.00	06/16/89	7990.00	08/08/89	5340.00
				08/14/89	6880.00	08/15/89	8630.00	10/31/89	5460.00
RADIUM	PCI/L	1.00	5.00	08/14/89	0.38	08/15/89	0.56	02/15/89	0.25
					(0.19)		(0.22)		(0.19)
				08/14/89	0.32		NR	05/26/89	0.47
					(0.19)				(0.25)
					NR		NR	08/08/89	0.31
									(0.20)
					NR		NR	10/31/89	0.25
									(0.16)
SELENUM	PPB	5.00	10.00	02/15/89		02/15/89		02/15/89	7.00
				07/14/89		06/16/89		05/26/89	6.00
				08/14/89		06/16/89		08/08/89	7.00
				08/14/89		08/15/89		10/31/89	6.00
SILICON	PPB	50.00		02/15/89	16700.00	02/15/89	18500.00	02/15/89	13600.00
				07/14/89	17900.00	06/16/89	19100.00	05/26/89	15000.00
				08/14/89	19500.00	06/16/89	19700.00	08/08/89	14900.00
				08/14/89	21100.00	08/15/89	22300.00	10/31/89	16200.00
SODIUM	PPB	200.00		02/15/89	32600.00	02/15/89	22500.00	02/15/89	25800.00
				07/14/89	19300.00	06/16/89	23500.00	05/26/89	27800.00
				08/14/89	19300.00	06/16/89	24100.00	08/08/89	26100.00
				08/14/89	20500.00	08/15/89	25000.00	10/31/89	25900.00
STRONUM	PPB	10.00		02/15/89	393.00	02/15/89	360.00	02/15/89	240.00
				07/14/89	238.00	06/16/89	383.00	05/26/89	257.00
				08/14/89	246.00	06/16/89	395.00	08/08/89	231.00
				08/14/89	264.00	08/15/89	425.00	10/31/89	250.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E17-19	SAMPLE DATE	2-E17-20	SAMPLE DATE	2-E18-1
SULFATE	PPB	500.00	250000.00	02/15/89	34600.00	02/15/89	33200.00	02/15/89	149000.00
				07/14/89	33000.00	06/16/89	33800.00	05/26/89	151000.00
				08/14/89	33000.00	06/16/89	33800.00	08/08/89	153000.00
				08/14/89	33000.00	08/15/89	32000.00	10/31/89	148000.00
TC	PPB	1000.00		02/15/89	22100.00	02/15/89	21500.00	02/15/89	23800.00
				07/14/89	23000.00	06/16/89	20100.00	08/08/89	24200.00
				08/14/89	23000.00	08/15/89	21000.00	10/31/89	24600.00
TDS		5000.00	500000.00		NR		NR	10/31/89	347000.00
TOXLDL	PPB	10.00		02/15/89		02/15/89		02/15/89	
				02/15/89		02/15/89		02/15/89	
				02/15/89		02/15/89		02/15/89	
				02/15/89		02/15/89		02/15/89	
				07/14/89	20.00	06/16/89		05/26/89	
				07/14/89		06/16/89		05/26/89	
				07/14/89		06/16/89		05/26/89	
				07/14/89	18.00	06/16/89		05/26/89	
				08/14/89		08/15/89		08/08/89	
				08/14/89		08/15/89		08/08/89	
				08/14/89	10.00	08/15/89	15.00	08/08/89	
				08/14/89		08/15/89		08/08/89	
					NR		NR	10/31/89	
					NR		NR	11/29/89	
					NR		NR	11/29/89	
					NR		NR	11/29/89	
					NR		NR	11/29/89	
TRITIUM	PCI/L	500.00	20000.00	02/15/89	261000.00 *	02/15/89	4600000.00 *	02/15/89	
					(1710.00)		(7120.00)		
				07/14/89	2560000.00 *	06/16/89	4590000.00 *	08/08/89	
					(5090.00)		(7040.00)		
				08/14/89	2620000.00 *	08/15/89	4210000.00 *	10/31/89	
					(3830.00)		(6550.00)		
TURBID	NTU	0.10	1.00	02/15/89	0.85	02/15/89	1.30 *	02/15/89	1.40 *
				07/14/89	3.80 *	06/16/89	1.30 *	05/26/89	19.50 *
				08/14/89	3.90 *	08/15/89	1.40 *	05/26/89	19.20 *
					NR		NR	08/08/89	3.00 *
					NR		NR	10/31/89	11.00 *
U	PCI/L	0.50	600.00	02/15/89	4.55	02/15/89	3.76	10/31/89	4.56
				07/14/89	3.40	06/16/89	3.38		NR
				08/14/89	3.04	06/16/89	3.65		NR
				08/14/89	3.90	08/15/89	3.75		NR
VANADUM	PPB	5.00		02/15/89	20.00	02/15/89	20.00	02/15/89	
				07/14/89	19.00	06/16/89	19.00	05/26/89	6.00
				08/14/89	21.00	06/16/89	22.00	08/08/89	12.00
				08/14/89	21.00	08/15/89	24.00	10/31/89	9.00
ZINC	PPB	5.00	5000.00	02/15/89	11.00	02/15/89	16.00	02/15/89	23.00
				07/14/89	27.00	06/16/89	9.00	05/26/89	30.00
				08/14/89	18.00	06/16/89	17.00	08/08/89	22.00
				08/14/89	22.00	08/15/89	7.00	10/31/89	25.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E18-2	SAMPLE DATE	2-E18-3	SAMPLE DATE	2-E18-4
ALKALIN		20000.00		06/01/89	90500.00	06/01/89	96600.00	05/26/89	105000.00
				08/11/89	90000.00	08/08/89	98000.00	08/08/89	105000.00
				11/27/89	91000.00	11/27/89	104000.00	11/21/89	98000.00
					NR	11/27/89	105000.00		NR
ALPHAHI	PCI/L	4.00	15.00	02/16/89	1.72	02/16/89	2.42	02/15/89	
					(1.61)		(1.77)		
				02/16/89		06/01/89	0.93	05/26/89	2.33
							(0.86)		(1.45)
				06/01/89	3.01	06/01/89	1.10	08/08/89	1.88
					(2.17)		(0.93)		(1.19)
				08/11/89	2.20	08/08/89		08/08/89	3.49
					(1.53)				(1.59)
				11/27/89	1.32	11/27/89	2.81	11/21/89	3.77
					(1.13)		(1.39)		(2.06)
					NR	11/27/89	2.28		NR
							(1.23)		
ARSENIC	PPB	5.00	50.00	02/16/89	6.00	02/16/89	13.00	02/15/89	11.00
				02/16/89	6.00	06/01/89	14.00	05/26/89	11.00
				06/01/89	7.00	06/01/89	13.00	08/08/89	10.00
				08/11/89	6.00	08/08/89	11.00	08/08/89	10.00
				11/27/89	7.00	11/27/89	13.00	11/21/89	10.00
					NR	11/27/89	14.00		NR
BARIUM	PPB	6.00	1000.00	02/16/89	60.00	02/16/89	62.00	02/15/89	51.00
				02/16/89	61.00	06/01/89	53.00	05/26/89	57.00
				06/01/89	61.00	06/01/89	53.00	08/08/89	59.00
				08/11/89	56.00	08/08/89	54.00	08/08/89	57.00
				11/27/89	57.00	11/27/89	57.00	11/21/89	57.00
					NR	11/27/89	56.00		NR
BETA	PCI/L	8.00	50.00	02/16/89	5.46	02/16/89	5.12	02/15/89	5.85
					(2.48)		(2.57)		(2.46)
				02/16/89		06/01/89	6.81	05/26/89	6.08
							(2.74)		(2.54)
				06/01/89	4.70	06/01/89	5.36	08/08/89	3.37
					(2.49)		(2.45)		(2.34)
				08/11/89	9.44	08/08/89	10.60	08/08/89	6.64
					(2.94)		(3.01)		(2.64)
				11/27/89	4.71	11/27/89	4.71	11/21/89	4.92
					(2.42)		(2.40)		(2.30)
					NR	11/27/89	5.95		NR
							(2.53)		
BORON	PPB	10.00		02/16/89	24.00	02/16/89	14.00	02/15/89	
				02/16/89	13.00	06/01/89	18.00	05/26/89	17.00
				06/01/89	19.00	06/01/89	13.00	08/08/89	15.00
				08/11/89	19.00	08/08/89	13.00	08/08/89	15.00
				11/27/89	18.00	11/27/89	11.00	11/21/89	14.00
					NR	11/27/89	14.00		NR
CALCIUM	PPB	50.00		02/16/89	25700.00	02/16/89	29600.00	02/15/89	27800.00
				02/16/89	25400.00	06/01/89	27800.00	05/26/89	31600.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E18-2	SAMPLE DATE	2-E18-3	SAMPLE DATE	2-E18-4
CALCIUM	PPB	50.00		06/01/89	27700.00	06/01/89	27700.00	08/08/89	32300.00
				08/11/89	27100.00	08/08/89	27100.00	08/08/89	32000.00
				11/27/89	27100.00	11/27/89	29200.00	11/21/89	30200.00
					NR	11/27/89	28400.00		NR
CHLFORM	PPB	5.00	100.00	11/27/89		11/27/89		11/21/89	
					NR	11/27/89	25.00		NR
CHLORID	PPB	500.00	250000.00	02/16/89	4900.00	02/16/89	6500.00	02/15/89	9500.00
				06/01/89	8000.00	06/01/89	7000.00	05/26/89	14600.00
				08/11/89	7000.00	06/01/89	6900.00	08/08/89	7000.00
					NR	08/08/89	5800.00	08/08/89	7000.00
					NR	11/27/89	5400.00	11/21/89	9800.00
					NR	11/27/89	5400.00		NR
CHROMIUM	PPB	10.00	50.00	02/16/89	50.00	02/16/89	104.00 *	02/15/89	42.00
				02/16/89	79.00 *	06/01/89	30.00	05/26/89	24.00
				06/01/89	28.00	06/01/89	36.00	08/08/89	65.00 *
				08/11/89	18.00	08/08/89	95.00 *	08/08/89	80.00 *
				11/27/89	16.00	11/27/89	58.00 *	11/21/89	64.00 *
					NR	11/27/89	33.00		NR
COLIMF	PPB	1.00	1.00	08/11/89	1.00	11/27/89		11/21/89	
CONDFLD	UMHO	1.00	700.00	02/16/89	256.00	02/16/89	207.00	02/15/89	248.00
				02/16/89	256.00	02/16/89	206.00	02/15/89	248.00
				02/16/89	256.00	02/16/89	205.00	02/15/89	248.00
				02/16/89	256.00	02/16/89	205.00	02/15/89	248.00
				06/01/89	244.00	06/01/89	176.00	05/26/89	255.00
				06/01/89	244.00	06/01/89	176.00	05/26/89	255.00
				06/01/89	243.00	06/01/89	178.00	05/26/89	255.00
				06/01/89	244.00	06/01/89	176.00	05/26/89	255.00
				08/11/89	288.00	08/08/89	156.00	08/08/89	171.00
				08/11/89	285.00	08/08/89	156.00	08/08/89	171.00
				08/11/89	285.00	08/08/89	156.00	08/08/89	171.00
				08/11/89	286.00	08/08/89	157.00	08/08/89	171.00
				11/27/89	278.00	11/27/89	238.00	11/21/89	236.00
				11/27/89	283.00	11/27/89	233.00	11/21/89	239.00
				11/27/89	285.00	11/27/89	235.00	11/21/89	234.00
				11/27/89	281.00	11/27/89	230.00	11/21/89	236.00
CONDLAB	UMHO		700.00	02/16/89	252.00 a	02/16/89	235.00 a	02/15/89	228.00 a
				02/16/89	263.00 a	02/16/89	232.00 a	02/15/89	263.00 a
				02/16/89	256.00 a	02/16/89	224.00 a	02/15/89	261.00 a
				02/16/89	258.00 a	02/16/89	230.00 a	02/15/89	242.00 a
				06/01/89	247.00 a	06/01/89	183.00 a	05/26/89	296.00 a
				06/01/89	223.00 a	06/01/89	178.00 a	05/26/89	262.00 a
				06/01/89	249.00 a	06/01/89	178.00 a	05/26/89	294.00 a
				06/01/89	252.00 a	06/01/89	201.00 a	05/26/89	293.00 a
				08/11/89	285.00 a	08/08/89	232.00 a	08/08/89	253.00 a
				08/11/89	284.00 a	08/08/89	233.00 a	08/08/89	254.00 a
				08/11/89	288.00 a	08/08/89	232.00 a	08/08/89	254.00 a
				08/11/89	288.00 a	08/08/89	234.00 a	08/08/89	251.00 a
					NR	11/27/89	247.00 a	11/21/89	278.00 a
					NR	11/27/89	245.00 a	11/21/89	286.00 a

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E18-2	SAMPLE DATE	2-E18-3	SAMPLE DATE	2-E18-4
CONDLAB	UMHO		700.00		NR	11/27/89	247.00 @	11/21/89	287.00 @
					NR	11/27/89	248.00 @	11/21/89	285.00 @
COPPER	PPB	10.00	(1300.0)	02/16/89	12.00	02/16/89		02/15/89	13.00
				02/16/89		06/01/89		05/26/89	18.00
				06/01/89	15.00	06/01/89		08/08/89	
				08/11/89		08/08/89		08/08/89	
				11/27/89		11/27/89		11/21/89	
					NR	11/27/89			NR
FARSEN	PPB	5.00	50.00	02/16/89	6.00	02/16/89	12.00	02/15/89	10.00
				02/16/89	6.00	06/01/89	14.00	05/26/89	12.00
				06/01/89	5.00	06/01/89	13.00	08/08/89	10.00
				08/11/89	6.00	08/08/89	11.00	08/08/89	9.00
				11/27/89		11/27/89	11.00	11/21/89	9.00
					NR	11/27/89	12.00		NR
FBARIUM	PPB	6.00	1000.00	02/16/89	59.00	02/16/89	63.00	02/15/89	52.00
				02/16/89	62.00	06/01/89	55.00	05/26/89	57.00
				06/01/89	56.00	06/01/89	58.00	08/08/89	64.00
				08/11/89	73.00	08/08/89	61.00	08/08/89	65.00
				11/27/89	57.00	11/27/89	56.00	11/21/89	57.00
					NR	11/27/89	57.00		NR
FBERYLL	PPB	5.00		02/16/89		02/16/89		02/15/89	
				02/16/89		06/01/89		05/26/89	
				06/01/89		06/01/89		08/08/89	5.00
				08/11/89		08/08/89		08/08/89	
				11/27/89		11/27/89		11/21/89	
					NR	11/27/89			NR
FBORON	PPB	10.00		02/16/89	16.00	02/16/89		02/15/89	14.00
				02/16/89	34.00	06/01/89		05/26/89	16.00
				06/01/89	23.00	06/01/89	11.00	08/08/89	14.00
				08/11/89	29.00	08/08/89	20.00	08/08/89	19.00
				11/27/89	19.00	11/27/89	12.00	11/21/89	14.00
					NR	11/27/89	14.00		NR
FCADMIU	PPB	2.00	10.00	02/16/89		02/16/89	2.00	02/15/89	
				02/16/89		06/01/89		05/26/89	
				06/01/89		06/01/89		08/08/89	
				08/11/89		08/08/89		08/08/89	
				11/27/89		11/27/89		11/21/89	
					NR	11/27/89			NR
FCALCIU	PPB	50.00		02/16/89	25300.00	02/16/89	29800.00	02/15/89	27400.00
				02/16/89	26800.00	06/01/89	28500.00	05/26/89	31700.00
				06/01/89	26300.00	06/01/89	27900.00	08/08/89	35000.00
				08/11/89	32300.00	08/08/89	29900.00	08/08/89	34900.00
				11/27/89	27100.00	11/27/89	29100.00	11/21/89	29100.00
					NR	11/27/89	29000.00		NR
FCHROMI	PPB	10.00	50.00	02/16/89		02/16/89		02/15/89	
				02/16/89		06/01/89		05/26/89	
				06/01/89		06/01/89	12.00	08/08/89	
				08/11/89		08/08/89		08/08/89	
				11/27/89		11/27/89		11/21/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E18-2	SAMPLE DATE	2-E18-3	SAMPLE DATE	2-E18-4
FCHROMI	PPB	10.00	50.00		NR	11/27/89			NR
FCOPPER	PPB	10.00	(1300.0)	02/16/89		02/16/89		02/15/89	11.00
				02/16/89		06/01/89		05/26/89	11.00
				06/01/89		06/01/89		08/08/89	11.00
				08/11/89		08/08/89		08/08/89	
				11/27/89		11/27/89		11/21/89	
					NR	11/27/89			NR
FIRON	PPB	30.00	300.00	02/16/89	39.00	02/16/89	41.00	02/15/89	
				02/16/89	40.00	06/01/89	39.00	05/26/89	32.00
				06/01/89		06/01/89	31.00	08/08/89	31.00
				08/11/89		08/08/89		08/08/89	32.00
				11/27/89		11/27/89		11/21/89	
					NR	11/27/89			NR
FLUORID	PPB	500.00	4000.00	02/16/89	700.00	02/16/89		02/15/89	
				06/01/89	700.00	06/01/89		05/26/89	
				08/11/89	700.00	06/01/89		08/08/89	
					NR	08/08/89		08/08/89	
					NR	11/27/89		11/21/89	
					NR	11/27/89			NR
FMAGNES	PPB	50.00		02/16/89	7150.00	02/16/89	8270.00	02/15/89	7850.00
				02/16/89	7510.00	06/01/89	7740.00	05/26/89	9350.00
				06/01/89	7140.00	06/01/89	7600.00	08/08/89	9060.00
				08/11/89	8670.00	08/08/89	8000.00	08/08/89	8970.00
				11/27/89	7280.00	11/27/89	7910.00	11/21/89	7970.00
					NR	11/27/89	7800.00		NR
FMANGAN	PPB	5.00	50.00	02/16/89		02/16/89		02/15/89	
				02/16/89		06/01/89		05/26/89	6.00
				06/01/89		06/01/89		08/08/89	
				08/11/89		08/08/89		08/08/89	5.00
				11/27/89		11/27/89		11/21/89	
					NR	11/27/89			NR
FNICKEL	PPB	10.00		02/16/89		02/16/89	13.00	02/15/89	
				02/16/89		06/01/89	12.00	05/26/89	17.00
				06/01/89		06/01/89		08/08/89	11.00
				08/11/89		08/08/89		08/08/89	
				11/27/89		11/27/89		11/21/89	
					NR	11/27/89			NR
FPOTASS	PPB	100.00		02/16/89	5100.00	02/16/89	5310.00	02/15/89	5390.00
				02/16/89	5350.00	06/01/89	5050.00	05/26/89	5980.00
				06/01/89	4790.00	06/01/89	5010.00	08/08/89	5570.00
				08/11/89	5770.00	08/08/89	5100.00	08/08/89	5480.00
				11/27/89	4850.00	11/27/89	5030.00	11/21/89	5450.00
					NR	11/27/89	4780.00		NR
FSILICO	PPB	50.00		02/16/89	19600.00	02/16/89	19000.00	02/15/89	17200.00
				02/16/89	20700.00	06/01/89	18100.00	05/26/89	17800.00
				06/01/89	18300.00	06/01/89	17600.00	08/08/89	20200.00
				08/11/89	22600.00	08/08/89	19300.00	08/08/89	20300.00
				11/27/89	18400.00	11/27/89	17200.00	11/21/89	17300.00
					NR	11/27/89	17400.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E18-2	SAMPLE DATE	2-E18-3	SAMPLE DATE	2-E18-4
FSCDIUM	PPB	200.00		02/16/89	18700.00	02/16/89	6460.00	02/15/89	9640.00
				02/16/89	19800.00	06/01/89	5980.00	05/26/89	14400.00
				06/01/89	17400.00	06/01/89	5890.00	08/08/89	6250.00
				08/11/89	20800.00	08/08/89	5800.00	08/08/89	6180.00
				11/27/89	16300.00	11/27/89	5700.00	11/21/89	9260.00
					NR	11/27/89	5710.00		NR
FSTRONT	PPB	10.00		02/16/89	146.00	02/16/89	156.00	02/15/89	145.00
				02/16/89	153.00	06/01/89	148.00	05/26/89	171.00
				06/01/89	147.00	06/01/89	143.00	08/08/89	183.00
				08/11/89	184.00	08/08/89	156.00	08/08/89	181.00
				11/27/89	149.00	11/27/89	147.00	11/21/89	154.00
					NR	11/27/89	147.00		NR
FVANADI	PPB	5.00		02/16/89	24.00	02/16/89	31.00	02/15/89	22.00
				02/16/89	27.00	06/01/89	35.00	05/26/89	25.00
				06/01/89	25.00	06/01/89	34.00	08/08/89	32.00
				08/11/89	26.00	08/08/89	34.00	08/08/89	32.00
				11/27/89	22.00	11/27/89	27.00	11/21/89	28.00
					NR	11/27/89	28.00		NR
FZINC	PPB	5.00	5000.00	02/16/89	11.00	02/16/89	5.00	02/15/89	6.00
				02/16/89	20.00	06/01/89		05/26/89	
				06/01/89		06/01/89		08/08/89	16.00
				08/11/89	11.00	08/08/89	6.00	08/08/89	14.00
				11/27/89		11/27/89		11/21/89	
					NR	11/27/89			NR
IRON	PPB	30.00	300.00	02/16/89	303.00 *	02/16/89	858.00 *	02/15/89	325.00 *
				02/16/89	423.00 *	06/01/89	284.00	05/26/89	121.00
				06/01/89	124.00	06/01/89	294.00	08/08/89	412.00 *
				08/11/89	156.00	08/08/89	574.00 *	08/08/89	465.00 *
				11/27/89	77.00	11/27/89	407.00 *	11/21/89	323.00 *
					NR	11/27/89	185.00		NR
MAGNES	PPB	50.00		02/16/89	7190.00	02/16/89	8320.00	02/15/89	7930.00
				02/16/89	7220.00	06/01/89	7720.00	05/26/89	8650.00
				06/01/89	7800.00	06/01/89	7790.00	08/08/89	8580.00
				08/11/89	7330.00	08/08/89	7400.00	08/08/89	8470.00
				11/27/89	7510.00	11/27/89	7960.00	11/21/89	8100.00
					NR	11/27/89	7670.00		NR
MANGESE	PPB	5.00	50.00	02/16/89	8.00	02/16/89	18.00	02/15/89	10.00
				02/16/89	9.00	06/01/89	7.00	05/26/89	
				06/01/89	9.00	06/01/89	7.00	08/08/89	10.00
				08/11/89		08/08/89	12.00	08/08/89	12.00
				11/27/89		11/27/89	12.00	11/21/89	8.00
					NR	11/27/89			NR
METHYCK	PPB	5.00		11/27/89	5.00	11/27/89		11/21/89	
					NR	11/27/89	75.00		NR
NICKEL	PPB	10.00		02/16/89	28.00	02/16/89	54.00	02/15/89	21.00
				02/16/89	40.00	06/01/89	21.00	05/26/89	12.00
				06/01/89	11.00	06/01/89	22.00	08/08/89	35.00
				08/11/89	18.00	08/08/89	49.00	08/08/89	41.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E18-2	SAMPLE DATE	2-E18-3	SAMPLE DATE	2-E18-4
WICKEL	PPB	10.00		11/27/89	NR	11/27/89	30.00	11/21/89	33.00
					NR	11/27/89	19.00		NR
NITRATE	PPB	500.00	45000.00	02/16/89	600.00	02/16/89	500.00	02/15/89	800.00
				06/01/89	600.00	06/01/89		05/26/89	1000.00
				08/11/89	NR	06/01/89		08/08/89	
					NR	08/08/89		08/08/89	570.00
					NR	11/27/89	600.00	11/21/89	
					NR	11/27/89	500.00		NR
PH-LAB		0.01	8.50	02/16/89	8.10	02/16/89	8.20	02/15/89	8.10
				02/16/89	8.10	02/16/89	8.20	02/15/89	8.10
				02/16/89	8.10	02/16/89	8.20	02/15/89	8.00
				02/16/89	8.10	02/16/89	8.10	02/15/89	8.00
				06/01/89	8.10	06/01/89	8.10	05/26/89	8.20
				06/01/89	8.10	06/01/89	8.20	05/26/89	8.10
				06/01/89	8.10	06/01/89	8.10	05/26/89	8.10
				06/01/89	8.10	06/01/89	8.20	05/26/89	8.10
				08/11/89	7.90	08/08/89	8.10	08/08/89	8.00
				08/11/89	8.00	08/08/89	8.10	08/08/89	8.10
				08/11/89	8.00	08/08/89	8.10	08/08/89	8.00
				08/11/89	8.00	08/08/89	8.20	08/08/89	8.10
					NR	11/27/89	8.00	11/21/89	7.90
					NR	11/27/89	8.00	11/21/89	8.00
					NR	11/27/89	8.00	11/21/89	8.00
					NR	11/27/89	8.10	11/21/89	8.00
PHFIELD		0.10	8.50	02/16/89	8.00	02/16/89	8.00	02/15/89	7.00
				02/16/89	8.00	02/16/89	8.00	02/15/89	7.00
				02/16/89	8.00	02/16/89	8.00	02/15/89	7.00
				02/16/89	8.00	02/16/89	8.00	02/15/89	7.00
				06/01/89	7.45	06/01/89	7.39	05/26/89	8.05
				06/01/89	7.46	06/01/89	7.40	05/26/89	8.05
				06/01/89	7.46	06/01/89	7.40	05/26/89	8.05
				06/01/89	7.46	06/01/89	7.41	05/26/89	8.05
				08/11/89	8.01	08/08/89	8.20	08/08/89	8.09
				08/11/89	8.00	08/08/89	8.20	08/08/89	8.08
				08/11/89	8.00	08/08/89	8.20	08/08/89	8.08
				08/11/89	8.00	08/08/89	8.20	08/08/89	8.09
				11/27/89	8.14	11/27/89	8.08	11/21/89	8.09
				11/27/89	8.12	11/27/89	8.09	11/21/89	8.11
				11/27/89	8.13	11/27/89	8.09	11/21/89	8.10
				11/27/89	8.11	11/27/89	8.12	11/21/89	8.10
POTASUM	PPB	100.00		02/16/89	5210.00	02/16/89	5500.00	02/15/89	5370.00
				02/16/89	5220.00	06/01/89	4960.00	05/26/89	5490.00
				06/01/89	5150.00	06/01/89	5100.00	08/08/89	5650.00
				08/11/89	4920.00	08/08/89	5020.00	08/08/89	5460.00
				11/27/89	5080.00	11/27/89	4850.00	11/21/89	5510.00
					NR	11/27/89	4660.00		NR
RADIUM	PCI/L	1.00	5.00	02/16/89	0.22	02/16/89	0.30	02/15/89	0.28
					(0.16)		(0.19)		(0.19)
				02/16/89	0.34	06/01/89	0.25	05/26/89	
					(0.20)		(0.16)		

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E18-2	SAMPLE DATE	2-E18-3	SAMPLE DATE	2-E18-4
RADIUM	PCI/L	1.00	5.00	06/01/89		06/01/89	0.14	08/08/89	0.38
				08/11/89	0.76	08/08/89	(0.13)	08/08/89	(0.19)
				11/27/89	(0.27)	11/27/89	(0.17)	11/21/89	0.20
					0.37				(0.15)
					(0.21)				
					NR	11/27/89			NR
SILICON	PPB	50.00		02/16/89	19800.00	02/16/89	19600.00	02/15/89	17100.00
				02/16/89	19600.00	06/01/89	17600.00	05/26/89	18300.00
				06/01/89	19800.00	06/01/89	18100.00	08/08/89	19100.00
				08/11/89	18900.00	08/08/89	17500.00	08/08/89	18800.00
				11/27/89	18200.00	11/27/89	17200.00	11/21/89	17500.00
					NR	11/27/89	17000.00		NR
SODIUM	PPB	200.00		02/16/89	19200.00	02/16/89	6560.00	02/15/89	11400.00
				02/16/89	19000.00	06/01/89	5710.00	05/26/89	6790.00
				06/01/89	18700.00	06/01/89	5930.00	08/08/89	6130.00
				08/11/89	17500.00	08/08/89	5640.00	08/08/89	5900.00
				11/27/89	17100.00	11/27/89	5410.00	11/21/89	10600.00
					NR	11/27/89	5550.00		NR
STRONTIUM	PPB	10.00		02/16/89	146.00	02/16/89	161.00	02/15/89	150.00
				02/16/89	147.00	06/01/89	148.00	05/26/89	173.00
				06/01/89	161.00	06/01/89	149.00	08/08/89	169.00
				08/11/89	147.00	08/08/89	141.00	08/08/89	165.00
				11/27/89	153.00	11/27/89	150.00	11/21/89	158.00
					NR	11/27/89	146.00		NR
SULFATE	PPB	500.00	250000.00	02/16/89	31600.00	02/16/89	12500.00	02/15/89	22100.00
				06/01/89	44000.00	06/01/89	12500.00	05/26/89	35400.00
				08/11/89	45000.00	06/01/89	12600.00	08/08/89	14900.00
					NR	08/08/89	13900.00	08/08/89	14800.00
					NR	11/27/89	15500.00	11/21/89	23900.00
					NR	11/27/89	15500.00		NR
TC	PPB	1000.00		11/27/89	21500.00	11/27/89	24800.00	11/21/89	23800.00
					NR	11/27/89	25000.00		NR
TOXLDL	PPB	10.00		02/16/89		02/16/89		02/15/89	
				02/16/89		02/16/89		02/15/89	
				02/16/89		02/16/89	12.00	02/15/89	
				02/16/89		02/16/89	11.00	02/15/89	
				06/01/89	15.00	06/01/89	11.00	05/26/89	
				06/01/89	14.00	06/01/89		05/26/89	
				06/01/89	12.00	06/01/89	21.00	05/26/89	12.00
				06/01/89	13.00	06/01/89	15.00	05/26/89	16.00
				08/11/89		08/08/89		08/08/89	
				08/11/89	13.00	08/08/89		08/08/89	10.00
				08/11/89	12.00	08/08/89		08/08/89	
				08/11/89	13.00	08/08/89		08/08/89	14.00
				11/27/89		11/27/89		11/21/89	
				11/27/89		11/27/89		11/21/89	
				11/27/89		11/27/89		11/21/89	11.00
				11/27/89		11/27/89		11/21/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E18-2	SAMPLE DATE	2-E18-3	SAMPLE DATE	2-E18-4
TURBID	NTU	0.10	1.00	06/01/89	0.90	06/01/89	3.00 *	05/26/89	1.40 *
				08/11/89	2.70 *	08/08/89	2.20 *	08/08/89	2.10 *
				11/27/89	0.70	11/27/89	2.10 *	11/21/89	1.10 *
VANADIUM	PPB	5.00		02/16/89	29.00	02/16/89	32.00	02/15/89	22.00
				02/16/89	20.00	06/01/89	31.00	05/26/89	27.00
				06/01/89	27.00	06/01/89	29.00	08/08/89	29.00
				08/11/89	24.00	08/08/89	30.00	08/08/89	29.00
				11/27/89	20.00	11/27/89	28.00	11/21/89	27.00
					NR	11/27/89	27.00		NR
ZINC	PPB	5.00	5000.00	02/16/89	27.00	02/16/89	22.00	02/15/89	9.00
				02/16/89	22.00	06/01/89	22.00	05/26/89	8.00
				06/01/89	10.00	06/01/89	9.00	08/08/89	12.00
				08/11/89	16.00	08/08/89	24.00	08/08/89	12.00
				11/27/89	5.00	11/27/89	15.00	11/21/89	6.00
					NR	11/27/89	6.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E24-1	SAMPLE DATE	2-E24-2	SAMPLE DATE	2-E24-4
ALPHA	PCI/L	4.00	15.00		NR	01/27/89	2.41		NR
ALPHAHI	PCI/L	4.00	15.00	10/04/89	3.28 (1.85) NR	02/13/89 06/22/89	(1.84) 3.26 (2.02) 3.10		NR NR
					NR	06/22/89	(1.61) 2.13		NR
					NR	08/14/89	(1.40) 2.55 (1.66)		NR
ARSENIC	PPB	5.00	50.00		NR	02/13/89	10.00		NR
					NR	06/22/89	9.00		NR
BARIUM	PPB	6.00	1000.00		NR	08/14/89	9.00		NR
					NR	02/13/89	36.00		NR
					NR	06/22/89	46.00		NR
BETA	PCI/L	8.00	50.00	01/11/89	43.40 (4.71)	01/27/89	35.30 (4.52)	01/27/89	6.42 (2.48)
				02/23/89	26.20 (4.01)	02/13/89	42.60 (5.08)		NR
				03/07/89	31.80 (4.47)	06/22/89	20.80 (3.68)		NR
				08/24/89	36.70 (4.66)	06/22/89	16.10 (3.55)		NR
				10/04/89	38.10 (4.84)	08/14/89	16.80 (3.45)		NR
BORON	PPB	10.00			NR	02/13/89			NR
					NR	06/22/89	14.00		NR
					NR	08/14/89	20.00		NR
C 14	PCI/L	20.00	2000.00	10/04/89	34.10 (2.63)		NR		NR
CADMIUM	PPB	2.00	10.00		NR	02/13/89	2.00		NR
					NR	06/22/89			NR
					NR	08/14/89			NR
CALCIUM	PPB	50.00			NR	02/13/89	33600.00		NR
					NR	06/22/89	41400.00		NR
					NR	08/14/89	43100.00		NR
CHLORID	PPB	500.00	250000.00		NR	02/13/89	3600.00		NR
					NR	06/22/89	3700.00		NR
					NR	08/14/89	3900.00		NR
CO-60	PCI/L	22.50	100.00	01/11/89 08/24/89		01/27/89 06/22/89		01/27/89	
				10/04/89			5.67 (5.07)		NR
COND FLD	UMHO	1.00	700.00		NR	02/13/89	304.00		NR
					NR	02/13/89	306.00		NR
					NR	02/13/89	306.00		NR
					NR	02/13/89	306.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E24-1	SAMPLE DATE	2-E24-2	SAMPLE DATE	2-E24-4
CONDFLD	UMHO	1.00	700.00		NR	06/22/89	358.00		NR
					NR	06/22/89	359.00		NR
					NR	06/22/89	359.00		NR
					NR	06/22/89	359.00		NR
					NR	08/14/89	309.00		NR
					NR	08/14/89	310.00		NR
					NR	08/14/89	310.00		NR
					NR	08/14/89	310.00		NR
CONDLAB	UMHO		700.00		NR	02/13/89	329.00 a		NR
					NR	06/22/89	382.00 a		NR
					NR	08/14/89	396.00 a		NR
FARSEN1	PPB	5.00	50.00		NR	02/13/89	10.00		NR
					NR	06/22/89	10.00		NR
					NR	08/14/89	9.00		NR
FBARIUM	PPB	6.00	1000.00		NR	02/13/89	37.00		NR
					NR	06/22/89	44.00		NR
					NR	08/14/89	50.00		NR
FBORON	PPB	10.00			NR	02/13/89	16.00		NR
					NR	06/22/89			NR
					NR	08/14/89	12.00		NR
FCALCIU	PPB	50.00			NR	02/13/89	31600.00		NR
					NR	06/22/89	40600.00		NR
					NR	08/14/89	46600.00		NR
FMAGNES	PPB	50.00			NR	02/13/89	9670.00		NR
					NR	06/22/89	11700.00		NR
					NR	08/14/89	13800.00		NR
FPOTASS	PPB	100.00			NR	02/13/89	4810.00		NR
					NR	06/22/89	5380.00		NR
					NR	08/14/89	6140.00		NR
FSILICO	PPB	50.00			NR	02/13/89	17200.00		NR
					NR	06/22/89	17600.00		NR
					NR	08/14/89	20300.00		NR
FSODIUM	PPB	200.00			NR	02/13/89	15800.00		NR
					NR	06/22/89	17300.00		NR
					NR	08/14/89	18400.00		NR
FSTRONT	PPB	10.00			NR	02/13/89	177.00		NR
					NR	06/22/89	218.00		NR
					NR	08/14/89	244.00		NR
FVANADI	PPB	5.00			NR	02/13/89	35.00		NR
					NR	06/22/89	26.00		NR
					NR	08/14/89	40.00		NR
FZINC	PPB	5.00	5000.00		NR	02/13/89			NR
					NR	06/22/89	8.00		NR
					NR	08/14/89	8.00		NR
HNITRAT	PPB	2500.00	45000.00	01/11/89	89800.00 *	01/27/89	73900.00 *	01/27/89	4400.00
				02/23/89	95300.00 *	06/22/89	111000.00 *		NR
				03/07/89	99600.00 *		NR		NR
				08/24/89	169000.00 *		NR		NR
				10/04/89	162000.00 *		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E24-1	SAMPLE DATE	2-E24-2	SAMPLE DATE	2-E24-4
IRON	PPB	30.00	300.00		NR	02/13/89	92.00		NR
					NR	06/22/89			NR
					NR	08/14/89			NR
MAGNES	PPB	50.00			NR	02/13/89	10000.00		NR
					NR	06/22/89	12200.00		NR
					NR	08/14/89	13200.00		NR
MANGESE	PPB	5.00	50.00		NR	02/13/89	7.00		NR
					NR	06/22/89			NR
					NR	08/14/89			NR
NITRATE	PPB	500.00	45000.00		NR	02/13/89	69800.00 *		NR
					NR	06/22/89	109000.00 *		NR
					NR	08/14/89	105000.00 *		NR
PH-LAB		0.01	8.50		NR	02/13/89	7.90		NR
					NR	06/22/89	7.90		NR
					NR	08/14/89	7.90		NR
PHFIELD		0.10	8.50		NR	02/13/89	7.90		NR
					NR	02/13/89	7.90		NR
					NR	02/13/89	7.90		NR
					NR	06/22/89	7.62		NR
					NR	06/22/89	7.66		NR
					NR	06/22/89	7.67		NR
					NR	06/22/89	7.67		NR
					NR	08/14/89	7.89		NR
					NR	08/14/89	7.89		NR
					NR	08/14/89	7.89		NR
					NR	08/14/89	7.90		NR
POTASUM	PPB	100.00			NR	02/13/89	4820.00		NR
					NR	06/22/89	5700.00		NR
					NR	08/14/89	5920.00		NR
SILICON	PPB	50.00			NR	02/13/89	17800.00		NR
					NR	06/22/89	18000.00		NR
					NR	08/14/89	19400.00		NR
SODIUM	PPB	200.00			NR	02/13/89	16000.00		NR
					NR	06/22/89	18100.00		NR
					NR	08/14/89	17600.00		NR
SR 90	PCI/L	5.00	8.00	01/11/89	5.36	01/27/89	2.93	01/27/89	
					(1.36)		(1.10)		
				08/24/89	9.15 *	06/22/89	3.01		NR
					(1.57)		(1.06)		
STRONUM	PPB	10.00			NR	02/13/89	176.00		NR
					NR	06/22/89	230.00		NR
					NR	08/14/89	231.00		NR
SULFATE	PPB	500.00	250000.00		NR	02/13/89	23300.00		NR
					NR	06/22/89	24600.00		NR
					NR	08/14/89	26000.00		NR
TC	PPB	1000.00			NR	02/13/89	19800.00		NR
					NR	06/22/89	19100.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E24-1	SAMPLE DATE	2-E24-2	SAMPLE DATE	2-E24-4
TC	PPB	1000.00			NR	08/14/89	20000.00		NR
TRITIUM	PCI/L	500.00	20000.00	01/11/89	1930000.00 *	01/27/89	1650000.00 *	01/27/89	8710.00
					(4490.00)		(4180.00)		(341.00)
				02/23/89	2010000.00 *	02/13/89	1370000.00 *		NR
					(4590.00)		(3730.00)		
				03/07/89	1950000.00 *	06/22/89	1980000.00 *		NR
					(4600.00)		(4720.00)		
				08/24/89	2730000.00 *	06/22/89	2010000.00 *		NR
					(7910.00)		(4650.00)		
				10/04/89	2880000.00 *	08/14/89	2560000.00 *		NR
					(5660.00)		(3810.00)		
TURBID	NTU	0.10	1.00		NR	02/13/89			NR
					NR	06/22/89	0.10		NR
					NR	08/14/89	0.10		NR
U	PCI/L	0.50	600.00		NR	02/13/89	3.17		NR
					NR	06/22/89	2.43		NR
					NR	06/22/89	2.36		NR
					NR	08/14/89	3.05		NR
VANADUM	PPB	5.00			NR	02/13/89	34.00		NR
					NR	06/22/89	32.00		NR
					NR	08/14/89	31.00		NR
ZINC	PPB	5.00	5000.00		NR	02/13/89	10.00		NR
					NR	06/22/89	12.00		NR
					NR	08/14/89	18.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E24-7	SAMPLE DATE	2-E24-8	SAMPLE DATE	2-E24-11
BETA	PCI/L	8.00	50.00		NR	01/27/89	8.71 (2.85)	01/09/89	39.00 (4.91)
					NR		NR	02/10/89	35.40 (4.61)
					NR		NR	03/07/89	31.00 (4.43)
					NR		NR	08/24/89	15.10 (3.38)
					NR		NR	10/03/89	15.70 (3.39)
HNITRAT	PPB	2500.00	45000.00	06/01/89	24900.00 NR NR	01/27/89	4200.00 NR NR	01/09/89	127000.00 *
I-129DW	PCI/L	1.00	1.00	06/01/89	1.46 * (0.19)		NR	08/24/89	126000.00 *
SR 90	PCI/L	5.00	8.00		NR		NR	10/03/89	98500.00 *
					NR		NR		NR
					NR		NR	01/09/89	1.27 (0.95)
					NR		NR	08/24/89	0.95 (0.67)
					NR		NR	10/03/89	1.00 (0.82)
TRITIUM	PCI/L	500.00	20000.00	06/01/89	1320000.00 * (3780.00)	01/27/89	14300.00 (416.00)	01/09/89	4310000.00 *
					NR		NR	08/24/89	2960000.00 *
					NR		NR	10/03/89	2680000.00 *
									(5460.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E24-12	SAMPLE DATE	2-E24-13	SAMPLE DATE	2-E24-16
ALPHAHI	PCI/L	4.00	15.00		NR		NR	02/14/89	5.57
					NR		NR	02/14/89	(2.27)
					NR		NR	02/14/89	1.54
					NR		NR	06/19/89	(1.39)
					NR		NR	06/19/89	2.82
					NR		NR	08/14/89	(1.52)
					NR		NR	08/14/89	3.06
					NR		NR	08/14/89	(1.85)
ARSENIC	PPB	5.00	50.00		NR		NR	02/14/89	8.00
					NR		NR	02/14/89	8.00
					NR		NR	06/19/89	11.00
					NR		NR	08/14/89	10.00
BARIUM	PPB	6.00	1000.00		NR		NR	02/14/89	51.00
					NR		NR	02/14/89	47.00
					NR		NR	06/19/89	49.00
					NR		NR	08/14/89	54.00
BETA	PCI/L	8.00	50.00	01/11/89	167.00 +	02/07/89	5.71	02/14/89	35.20
					(9.36)		(2.49)		(4.61)
				02/23/89	105.00 +	06/09/89	9.00	02/14/89	31.00
					(7.37)		(2.86)		(4.31)
				03/07/89	141.00 +		NR	06/19/89	46.30
					(8.61)		NR		(5.17)
					NR		NR	08/14/89	37.40
					NR		NR		(4.75)
BORON	PPB	10.00			NR		NR	02/14/89	19.00
					NR		NR	02/14/89	13.00
					NR		NR	06/19/89	17.00
					NR		NR	08/14/89	14.00
CALCIUM	PPB	50.00			NR		NR	02/14/89	41200.00
					NR		NR	02/14/89	38300.00
					NR		NR	06/19/89	41500.00
					NR		NR	08/14/89	46300.00
CHLORID	PPB	500.00	250000.00		NR		NR	02/14/89	3700.00
					NR		NR	02/14/89	3700.00
					NR		NR	06/19/89	3600.00
					NR		NR	08/14/89	3600.00
CHROMIUM	PPB	10.00	50.00		NR		NR	02/14/89	49.00
					NR		NR	02/14/89	47.00
					NR		NR	06/19/89	43.00
					NR		NR	08/14/89	53.00 *
CO-60	PCI/L	22.50	100.00	01/11/89	9.92	06/08/89	8.69		NR
					(7.01)		(7.98)		
				02/23/89			NR		NR
				03/07/89			NR		NR
CONDFLD	UMHO	1.00	700.00		NR		NR	02/14/89	360.00
					NR		NR	02/14/89	360.00
					NR		NR	02/14/89	359.00
					NR		NR	02/14/89	360.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E24-12	SAMPLE DATE	2-E24-13	SAMPLE DATE	2-E24-16
COND FLD	UMHO	1.00	700.00		NR		NR	06/19/89	335.00
					NR		NR	06/19/89	332.00
					NR		NR	06/19/89	335.00
					NR		NR	06/19/89	334.00
					NR		NR	08/14/89	303.00
					NR		NR	08/14/89	302.00
					NR		NR	08/14/89	305.00
					NR		NR	08/14/89	307.00
CONDLAB	UMHO		700.00		NR		NR	02/14/89	432.00 a
					NR		NR	06/19/89	323.00 a
					NR		NR	08/14/89	412.00 a
FARSEN	PPB	5.00	50.00		NR		NR	02/14/89	9.00
					NR		NR	02/14/89	6.00
					NR		NR	06/19/89	10.00
					NR		NR	08/14/89	10.00
FBARIUM	PPB	6.00	1000.00		NR		NR	02/14/89	50.00
					NR		NR	02/14/89	49.00
					NR		NR	06/19/89	49.00
					NR		NR	08/14/89	52.00
FBORON	PPB	10.00			NR		NR	02/14/89	17.00
					NR		NR	02/14/89	17.00
					NR		NR	06/19/89	14.00
					NR		NR	08/14/89	
FCADMIU	PPB	2.00	10.00		NR		NR	02/14/89	
					NR		NR	02/14/89	
					NR		NR	06/19/89	2.00
					NR		NR	08/14/89	
FCALCIU	PPB	50.00			NR		NR	02/14/89	41100.00
					NR		NR	02/14/89	42900.00
					NR		NR	06/19/89	41900.00
					NR		NR	08/14/89	46500.00
FCOPPER	PPB	10.00	(1300.0)		NR		NR	02/14/89	
					NR		NR	02/14/89	13.00
					NR		NR	06/19/89	
					NR		NR	08/14/89	17.00
FIRON	PPB	30.00	300.00		NR		NR	02/14/89	47.00
					NR		NR	02/14/89	35.00
					NR		NR	06/19/89	41.00
					NR		NR	08/14/89	82.00
FMAGNES	PPB	50.00			NR		NR	02/14/89	13000.00
					NR		NR	02/14/89	13500.00
					NR		NR	06/19/89	13300.00
					NR		NR	08/14/89	14400.00
FPOTASS	PPB	100.00			NR		NR	02/14/89	5430.00
					NR		NR	02/14/89	5600.00
					NR		NR	06/19/89	5620.00
					NR		NR	08/14/89	6340.00
FSILICO	PPB	50.00			NR		NR	02/14/89	17200.00
					NR		NR	02/14/89	17700.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E24-12	SAMPLE DATE	2-E24-13	SAMPLE DATE	2-E24-16
FSILICO	PPB	50.00			NR		NR	06/19/89	17900.00
					NR		NR	08/14/89	20200.00
FSODIUM	PPB	200.00			NR		NR	02/14/89	18200.00
					NR		NR	02/14/89	18700.00
					NR		NR	06/19/89	18500.00
					NR		NR	08/14/89	20300.00
FSTRONT	PPB	10.00			NR		NR	02/14/89	242.00
					NR		NR	02/14/89	250.00
					NR		NR	06/19/89	249.00
					NR		NR	08/14/89	268.00
FVANADI	PPB	5.00			NR		NR	02/14/89	28.00
					NR		NR	02/14/89	28.00
					NR		NR	06/19/89	29.00
					NR		NR	08/14/89	33.00
FZINC	PPB	5.00	5000.00		NR		NR	02/14/89	6.00
					NR		NR	02/14/89	8.00
					NR		NR	06/19/89	
					NR		NR	08/14/89	
HNITRAT	PPB	2500.00	45000.00	01/11/89	93900.00 *	02/07/89	4300.00		NR
				02/23/89	87400.00 *		NR		NR
				03/07/89	89400.00 *		NR		NR
I-129DW	PC1/L	1.00	1.00		NR	06/08/89	2.22 *		NR
							(0.26)		
IRON	PPB	30.00	300.00		NR		NR	02/14/89	239.00
					NR		NR	02/14/89	223.00
					NR		NR	06/19/89	259.00
					NR		NR	08/14/89	312.00 *
MAGNES	PPB	50.00			NR		NR	02/14/89	13100.00
					NR		NR	02/14/89	12100.00
					NR		NR	06/19/89	12900.00
					NR		NR	08/14/89	14700.00
MANGESE	PPB	5.00	50.00		NR		NR	02/14/89	
					NR		NR	02/14/89	7.00
					NR		NR	06/19/89	6.00
					NR		NR	08/14/89	7.00
NICKEL	PPB	10.00			NR		NR	02/14/89	23.00
					NR		NR	02/14/89	19.00
					NR		NR	06/19/89	24.00
					NR		NR	08/14/89	32.00
NITRATE	PPB	500.00	45000.00		NR		NR	02/14/89	113000.00 *
					NR		NR	02/14/89	113000.00 *
					NR		NR	06/19/89	108000.00 *
					NR		NR	08/14/89	114000.00 *
PH-LAB		0.01	8.50		NR		NR	02/14/89	7.80
					NR		NR	06/19/89	8.90 *
					NR		NR	08/14/89	7.90
PHFIELD		0.10	8.50		NR		NR	02/14/89	7.90
					NR		NR	02/14/89	7.90
					NR		NR	02/14/89	7.80

185

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E24-12	SAMPLE DATE	2-E24-13	SAMPLE DATE	2-E24-16
TOXLDL	PPB	10.00			NR		NR	08/14/89	
					NR		NR	08/14/89	
					NR		NR	08/14/89	
					NR		NR	08/14/89	
TRITIUM	PCI/L	500.00	20000.00	01/11/89	50700.00 *	06/08/89	6310.00	02/14/89	3050000.00 *
					(746.00)		(292.00)		(5630.00)
				02/23/89	48400.00 *		NR	06/19/89	2660000.00 *
					(726.00)				(5400.00)
				03/07/89	45000.00 *		NR	08/14/89	2580000.00 *
					(727.00)				(5290.00)
TURBID	NTU	0.10	1.00		NR		NR	02/14/89	1.30 *
					NR		NR	06/19/89	1.60 *
					NR		NR	08/14/89	1.90 *
U	PCI/L	0.50	600.00		NR		NR	02/14/89	3.44
					NR		NR	02/14/89	3.48
					NR		NR	06/19/89	3.50
					NR		NR	08/14/89	3.00
VANADIUM	PPB	5.00			NR		NR	02/14/89	31.00
					NR		NR	02/14/89	26.00
					NR		NR	06/19/89	29.00
					NR		NR	08/14/89	29.00
ZINC	PPB	5.00	5000.00		NR		NR	02/14/89	9.00
					NR		NR	02/14/89	16.00
					NR		NR	06/19/89	6.00
					NR		NR	08/14/89	15.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E24-17	SAMPLE DATE	2-E24-18	SAMPLE DATE	2-E25-2
ALPHAHI	PCI/L	4.00	15.00	02/13/89	2.73	02/14/89	3.75		NR
				06/19/89	(1.41)	06/19/89	(1.89)		NR
				08/10/89	3.62	08/11/89	1.90		NR
					(1.67)		(1.83)		NR
					1.77		2.45		NR
					(1.29)		(1.45)		NR
ARSENIC	PPB	5.00	50.00	02/13/89	8.00	02/14/89	5.00		NR
				06/19/89	11.00	06/19/89	7.00		NR
				08/10/89	9.00	08/11/89	6.00		NR
BARIUM	PPB	6.00	1000.00	02/13/89	50.00	02/14/89	47.00		NR
				06/19/89	51.00	06/19/89	46.00		NR
				08/10/89	52.00	08/11/89	41.00		NR
BERYLUM	PPB	5.00		02/13/89		02/14/89			NR
				06/19/89	5.00	06/19/89			NR
				08/10/89		08/11/89			NR
BETA	PCI/L	8.00	50.00	02/13/89	30.10	02/14/89	18.10	03/22/89	8.71
					(4.21)		(3.47)		(2.80)
				06/19/89	41.30	06/19/89	15.00		NR
					(5.01)		(3.25)		NR
				08/10/89	25.80	08/11/89	17.40		NR
					(4.09)		(3.53)		NR
BORON	PPB	10.00		02/13/89	21.00	02/14/89	20.00		NR
				06/19/89	20.00	06/19/89	21.00		NR
				08/10/89	17.00	08/11/89	20.00		NR
CALCIUM	PPB	50.00		02/13/89	40400.00	02/14/89	31500.00		NR
				06/19/89	38500.00	06/19/89	31100.00		NR
				08/10/89	39900.00	08/11/89	30600.00		NR
CHLORID	PPB	500.00	250000.00	02/13/89	3700.00	02/14/89	3600.00		NR
				06/19/89	3500.00	06/19/89	3600.00		NR
				08/10/89	3500.00	08/11/89	3900.00		NR
CHROMIUM	PPB	10.00	50.00	02/13/89	32.00	02/14/89	51.00 *		NR
				06/19/89	103.00 *	06/19/89	104.00 *		NR
				08/10/89	93.00 *	08/11/89	21.00		NR
COND FLD	UMHO	1.00	700.00	02/13/89	394.00	02/14/89	323.00		NR
				02/13/89	393.00	02/14/89	323.00		NR
				02/13/89	394.00	02/14/89	323.00		NR
				02/13/89	394.00	02/14/89	322.00		NR
				06/19/89	319.00	06/19/89	274.00		NR
				06/19/89	319.00	06/19/89	274.00		NR
				06/19/89	320.00	06/19/89	274.00		NR
				06/19/89	319.00	06/19/89	274.00		NR
				08/10/89	410.00	08/11/89	338.00		NR
				08/10/89	412.00	08/11/89	335.00		NR
				08/10/89	413.00	08/11/89	334.00		NR
				08/10/89	412.00	08/11/89	335.00		NR
COND LAB	UMHO		700.00	02/13/89	403.00 @	02/14/89	333.00 @		NR
				06/19/89	294.00 @	06/19/89	252.00 @		NR
				08/10/89	391.00 @	08/11/89	328.00 @		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E24-17	SAMPLE DATE	2-E24-18	SAMPLE DATE	2-E25-2
COPPER	PPB	10.00	(1300.0)	02/13/89		02/14/89	14.00		NR
				06/19/89		06/19/89			NR
				08/10/89		08/11/89	13.00		NR
FARSEN	PPB	5.00	50.00	02/13/89	9.00	02/14/89	6.00		NR
				06/19/89	11.00	06/19/89	7.00		NR
				08/10/89	9.00	08/11/89	7.00		NR
FBARIUM	PPB	6.00	1000.00	02/13/89	60.00	02/14/89	47.00		NR
				06/19/89	51.00	06/19/89	42.00		NR
				08/10/89	66.00	08/11/89	55.00		NR
FBORON	PPB	10.00		02/13/89	18.00	02/14/89	13.00		NR
				06/19/89	15.00	06/19/89	13.00		NR
				08/10/89	19.00	08/11/89	20.00		NR
FCALCIU	PPB	50.00		02/13/89	43000.00	02/14/89	31800.00		NR
				06/19/89	37800.00	06/19/89	30100.00		NR
				08/10/89	46300.00	08/11/89	34200.00		NR
FIRON	PPB	30.00	300.00	02/13/89	40.00	02/14/89	41.00		NR
				06/19/89		06/19/89			NR
				08/10/89	54.00	08/11/89			NR
FLUORID	PPB	500.00	4000.00	02/13/89		02/14/89	500.00		NR
				06/19/89		06/19/89	600.00		NR
				08/10/89		08/11/89	600.00		NR
FMAGNES	PPB	50.00		02/13/89	13300.00	02/14/89	9630.00		NR
				06/19/89	11500.00	06/19/89	9400.00		NR
				08/10/89	13600.00	08/11/89	10200.00		NR
FHANGAN	PPB	5.00	50.00	02/13/89	6.00	02/14/89	6.00		NR
				06/19/89	6.00	06/19/89	6.00		NR
				08/10/89	6.00	08/11/89			NR
FNICKEL	PPB	10.00		02/13/89	12.00	02/14/89	13.00		NR
				06/19/89		06/19/89			NR
				08/10/89	13.00	08/11/89			NR
FPOTASS	PPB	100.00		02/13/89	6220.00	02/14/89	5750.00		NR
				06/19/89	5520.00	06/19/89	5620.00		NR
				08/10/89	6660.00	08/11/89	6210.00		NR
FSILICO	PPB	50.00		02/13/89	19400.00	02/14/89	18600.00		NR
				06/19/89	17400.00	06/19/89	17100.00		NR
				08/10/89	21400.00	08/11/89	20100.00		NR
FSODIUM	PPB	200.00		02/13/89	20200.00	02/14/89	18100.00		NR
				06/19/89	17600.00	06/19/89	17600.00		NR
				08/10/89	21700.00	08/11/89	19800.00		NR
FSTRONT	PPB	10.00		02/13/89	254.00	02/14/89	164.00		NR
				06/19/89	214.00	06/19/89	159.00		NR
				08/10/89	266.00	08/11/89	183.00		NR
FVANADI	PPB	5.00		02/13/89	32.00	02/14/89	18.00		NR
				06/19/89	30.00	06/19/89	17.00		NR
				08/10/89	34.00	08/11/89	26.00		NR
FZINC	PPB	5.00	5000.00	02/13/89		02/14/89	9.00		NR
				06/19/89	6.00	06/19/89			NR
				08/10/89	9.00	08/11/89	6.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E24-17	SAMPLE DATE	2-E24-18	SAMPLE DATE	2-E25-2
IRON	PPB	30.00	300.00	02/13/89	175.00	02/14/89	376.00 *		NR
				06/19/89	520.00 *	06/19/89	475.00 *		NR
				08/10/89	440.00 *	08/11/89	141.00		NR
MAGNES	PPB	50.00		02/13/89	12200.00	02/14/89	9600.00		NR
				06/19/89	11500.00	06/19/89	9380.00		NR
				08/10/89	11700.00	08/11/89	9000.00		NR
MANGESE	PPB	5.00	50.00	02/13/89	10.00	02/14/89	10.00		NR
				06/19/89	10.00	06/19/89	11.00		NR
				08/10/89	12.00	08/11/89			NR
NICKEL	PPB	10.00		02/13/89	21.00	02/14/89	34.00		NR
				06/19/89	59.00	06/19/89	50.00		NR
				08/10/89	49.00	08/11/89	16.00		NR
NITRATE	PPB	500.00	45000.00	02/13/89	107000.00 *	02/14/89	57300.00 *		NR
				06/19/89	97300.00 *	06/19/89	58100.00 *		NR
				08/10/89	104000.00 *	08/11/89	59000.00 *		NR
PH-LAB		0.01	8.50	02/13/89	7.90	02/14/89	8.40		NR
				06/19/89	7.90	06/19/89	8.00		NR
				08/10/89	7.90	08/11/89	8.00		NR
PHFIELD		0.10	8.50	02/13/89	7.90	02/14/89	8.50		NR
				02/13/89	7.80	02/14/89	8.50		NR
				02/13/89	7.90	02/14/89	8.50		NR
				02/13/89	7.80	02/14/89	8.50		NR
				06/19/89	7.50	06/19/89	7.63		NR
				06/19/89	7.49	06/19/89	7.63		NR
				06/19/89	7.49	06/19/89	7.63		NR
				06/19/89	7.49	06/19/89	7.63		NR
				08/10/89	7.80	08/11/89	7.96		NR
				08/10/89	7.90	08/11/89	7.95		NR
				08/10/89	7.89	08/11/89	7.95		NR
				08/10/89	7.89	08/11/89	7.95		NR
POTASUM	PPB	100.00		02/13/89	5470.00	02/14/89	5610.00		NR
				06/19/89	5630.00	06/19/89	5610.00		NR
				08/10/89	5610.00	08/11/89	5310.00		NR
RADIUM	PCI/L	1.00	5.00	08/10/89	0.44	08/11/89	0.61		NR
					(0.20)		(0.24)		
SILICON	PPB	50.00		02/13/89	17800.00	02/14/89	18600.00		NR
				06/19/89	17600.00	06/19/89	17500.00		NR
				08/10/89	18400.00	08/11/89	17700.00		NR
SODIUM	PPB	200.00		02/13/89	17900.00	02/14/89	17700.00		NR
				06/19/89	17900.00	06/19/89	17700.00		NR
				08/10/89	18000.00	08/11/89	16400.00		NR
STRONUM	PPB	10.00		02/13/89	221.00	02/14/89	169.00		NR
				06/19/89	218.00	06/19/89	164.00		NR
				08/10/89	216.00	08/11/89	156.00		NR
SULFATE	PPB	500.00	250000.00	02/13/89	28100.00	02/14/89	25600.00		NR
				06/19/89	26900.00	06/19/89	27800.00		NR
				08/10/89	26300.00	08/11/89	26500.00		NR
TC	PPB	1000.00		02/13/89	20800.00	02/14/89	21000.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E24-17	SAMPLE DATE	2-E24-18	SAMPLE DATE	2-E25-2
TC	PPB	1000.00		06/19/89	19300.00	06/19/89	20500.00		NR
				08/10/89	19900.00	08/11/89	21200.00		NR
TOXLDL	PPB	10.00		02/13/89		02/14/89			NR
				02/13/89		02/14/89			NR
				02/13/89		02/14/89			NR
				02/13/89		02/14/89			NR
				06/19/89		06/19/89			NR
				06/19/89		06/19/89			NR
				06/19/89		06/19/89			NR
				06/19/89		06/19/89			NR
				08/10/89		08/11/89			NR
				08/10/89		08/11/89			NR
				08/10/89		08/11/89			NR
				08/10/89		08/11/89	10.00		NR
TRITIUM	PCI/L	500.00	20000.00	02/13/89	2990000.00 *	02/14/89	1430000.00 *	03/22/89	9650.00
					(5550.00)		(3810.00)		(366.00)
				06/19/89	2490000.00 *	06/19/89	1370000.00 *		NR
					(5220.00)		(3830.00)		
				08/10/89	2350000.00 *	08/11/89	1430000.00 *		NR
					(4850.00)		(3800.00)		
TURBID	NTU	0.10	1.00	02/13/89	1.00	02/14/89	1.70 *		NR
				06/19/89	1.70 *	06/19/89	1.50 *		NR
				08/10/89	2.20 *	08/11/89	1.90 *		NR
U	PCI/L	0.50	600.00	02/13/89	2.96	02/14/89	3.28		NR
				06/19/89	2.72	06/19/89	3.35		NR
				08/10/89	2.67	08/11/89	3.37		NR
VANADUM	PPB	5.00		02/13/89	31.00	02/14/89	19.00		NR
				06/19/89	28.00	06/19/89	19.00		NR
				08/10/89	25.00	08/11/89	20.00		NR
ZINC	PPB	5.00	5000.00	02/13/89	11.00	02/14/89	8.00		NR
				06/19/89	11.00	06/19/89	5.00		NR
				08/10/89	10.00	08/11/89	6.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-3	SAMPLE DATE	2-E25-6	SAMPLE DATE	2-E25-9
ALPHA	PCI/L	4.00	15.00		NR	01/10/89	1.73 (1.18)	01/05/89	
					NR		NR	01/10/89	1.63 (1.23)
ALPHAHI	PCI/L	4.00	15.00		NR	02/08/89	2.35 (1.41)	02/08/89	1.60 (1.11)
					NR	03/02/89	2.78 (1.97)	03/02/89	
					NR	10/05/89	3.55 (1.85)	10/05/89	3.43 (1.60)
BETA	PCI/L	8.00	50.00	02/08/89	4.45 (2.28)	01/10/89	3.65 (2.20)	01/05/89	4.63 (2.25)
				06/02/89	7.53 (2.93)	02/08/89	4.87 (2.40)	01/10/89	3.98 (2.34)
				09/01/89	3.80 (2.30)	03/02/89	4.98 (2.75)	02/08/89	3.05 (2.27)
					NR	10/05/89	8.18 (2.78)	03/02/89	5.74 (2.65)
					NR		NR	10/05/89	5.56 (2.45)
HNITRAT	PPB	2500.00	45000.00	06/02/89	NR	01/30/89		01/30/89	
1-1290W	PCI/L	1.00	1.00	06/02/89	1.31 * (0.17)	10/05/89	3500.00 NR	10/05/89	NR
TRITIUM	PCI/L	500.00	20000.00	06/02/89	3940.00 (194.00)	01/10/89	6560.00 (306.00)	01/10/89	2840.00 (236.00)
					NR	02/08/89	5340.00 (284.00)	10/05/89	2600.00 (208.00)
					NR	03/02/89	8620.00 (355.00)		NR
					NR	10/05/89	5060.00 (294.00)		NR
U-CHEM	UG/L	0.73			NR		NR	01/10/89	3.76
					NR		NR	10/05/89	2.27

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-11	SAMPLE DATE	2-E25-13	SAMPLE DATE	2-E25-17
ALPHA	PCI/L	4.00	15.00	01/09/89	3.19 (2.50)		NR	01/10/89	
ALPHAHI	PCI/L	4.00	15.00	02/10/89			NR	02/10/89	9.00
				03/06/89			NR	03/02/89	(3.35)
				08/23/89			NR	10/06/89	(4.48)
				10/03/89	1.52 (1.23)		NR		(2.73)
				12/14/89			NR		5.89
ALUMNUM	PPB	150.00		12/14/89	2030.00		NR		(2.88)
ARSENIC	PPB	5.00	50.00	12/14/89	14.00		NR		NR
BARIUM	PPB	6.00	1000.00	12/14/89	100.00		NR		NR
BETA	PCI/L	8.00	50.00	01/09/89	15.70	02/10/89	12.40	01/10/89	NR
				02/10/89	(3.27)		(3.27)	02/10/89	10.20
				03/06/89	10.50 (3.01)		NR		(2.98)
				08/23/89	12.00 (3.11)		NR	03/02/89	15.20
				10/03/89	14.60 (3.16)		NR	10/06/89	(3.46)
				12/14/89	8.88 (2.85)		NR		10.30
					10.80 (3.07)		NR		(3.31)
BISZEPH	PPB	10.00		12/14/89	16.00		NR		11.30
BORON	PPB	10.00		12/14/89	24.00		NR		(2.96)
CADMIUM	PPB	2.00	10.00	12/14/89	21.00 *		NR		NR
CALCIUM	PPB	50.00		12/14/89	30000.00		NR		NR
CHLORID	PPB	500.00	250000.00	12/14/89	2700.00		NR		NR
CHROMIUM	PPB	10.00	50.00	12/14/89	49.00		NR		NR
CONDFLD	UMHO	1.00	700.00	12/14/89	309.00		NR		NR
CONDLAB	UMHO		700.00	12/14/89	308.00 a		NR		NR
COPPER	PPB	10.00	(1300.0)	12/14/89	78.00		NR		NR
CS-137	PCI/L	20.00	200.00	01/09/89			NR	01/10/89	NR
				02/10/89			NR	10/06/89	NR
				03/06/89			NR		NR
				08/23/89	6.76 (5.82)		NR		NR
				10/03/89			NR		NR
				12/14/89			NR		NR
HNITRAT	PPB	2500.00	45000.00	01/09/89	47300.00 *	02/10/89	237000.00 *	01/10/89	24300.00
				02/10/89	45600.00 *		NR	02/10/89	38900.00
				03/06/89	39400.00		NR	03/02/89	41300.00
				08/23/89	32500.00		NR	10/06/89	35000.00
				10/03/89	36000.00		NR		NR
IRON	PPB	30.00	300.00	12/14/89	44200.00 *		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-11	SAMPLE DATE	2-E25-13	SAMPLE DATE	2-E25-17
LEADGF	PPB	5.00	50.00	12/14/89	15.00		NR		NR
MAGNES	PPB	50.00		12/14/89	7510.00		NR		NR
MANGESE	PPB	5.00	50.00	12/14/89	1880.00 *		NR		NR
NICKEL	PPB	10.00		12/14/89	32.00		NR		NR
NITRATE	PPB	500.00	45000.00	12/14/89	43300.00		NR		NR
PH-LAB		0.01	8.50	12/14/89	7.90		NR		NR
PHFIELD		0.10	8.50	12/14/89	8.63 *		NR		NR
POTASUM	PPB	100.00		12/14/89	7710.00		NR		NR
RADIUM	PCI/L	1.00	5.00	12/14/89	0.29		NR		NR
					(0.18)				
SILICON	PPB	50.00		12/14/89	28700.00		NR		NR
SODIUM	PPB	200.00		12/14/89	21000.00		NR		NR
STRONUM	PPB	10.00		12/14/89	164.00		NR		NR
SULFATE	PPB	500.00	250000.00	12/14/89	19400.00		NR		NR
TC	PPB	1000.00		12/14/89	23000.00		NR		NR
TC-99	PCI/L	15.00	900.00	12/14/89	7.62		NR		NR
					(1.16)				
TITAN	PPB	60.00		12/14/89	228.00		NR		NR
TOXLDL	PPB	10.00		12/14/89	12.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	01/09/89	657000.00 *		NR	01/10/89	397000.00 *
					(2620.00)				(2050.00)
				02/10/89	615000.00 *		NR	02/10/89	538000.00 *
					(2540.00)				(2380.00)
				03/06/89	538000.00 *		NR	03/02/89	555000.00 *
					(2420.00)				(2480.00)
				08/23/89	344000.00 *		NR	10/06/89	418000.00 *
					(1840.00)				(2160.00)
				10/03/89	381000.00 *		NR		NR
					(2060.00)				
				12/14/89	471000.00 *		NR		NR
					(2260.00)				
TURBID	NTU	0.10	1.00	12/14/89	44.00 *		NR		NR
U	PCI/L	0.50	600.00	12/14/89	0.95		NR		NR
VANADUM	PPB	5.00		12/14/89	84.00		NR		NR
ZINC	PPB	5.00	5000.00	12/14/89	70.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-18	SAMPLE DATE	2-E25-19	SAMPLE DATE	2-E25-20
ALPHA	PCI/L	4.00	15.00	02/01/89	2.18	02/01/89		02/01/89	1.32
					(1.62)				(0.98)
ALPHAHI	PCI/L	4.00	15.00	02/28/89			NR	02/28/89	1.57
				06/23/89			NR	06/21/89	(1.55)
				08/30/89			NR	08/31/89	(1.91)
									(1.96)
ARSENIC	PPB	5.00	50.00	02/28/89	11.00		NR	02/28/89	7.00
				06/23/89	8.00		NR	06/21/89	7.00
				08/30/89	7.00		NR	08/31/89	
BARIUM	PPB	6.00	1000.00	02/28/89	13.00		NR	02/28/89	57.00
				06/23/89	20.00		NR	06/21/89	59.00
				08/30/89	17.00		NR	08/31/89	69.00
BETA	PCI/L	8.00	50.00	02/01/89	9.05	02/01/89	9.18	02/01/89	16.90
					(2.86)		(2.91)		(3.48)
				02/28/89	6.83		NR	02/28/89	13.30
					(2.54)				(3.25)
				06/23/89	9.33		NR	06/21/89	16.40
					(2.85)				(3.53)
				08/30/89	8.89		NR	08/31/89	16.30
					(2.79)				(3.64)
BORON	PPB	10.00		02/28/89	13.00		NR	02/28/89	44.00
				06/23/89	16.00		NR	06/21/89	37.00
				08/30/89	73.00		NR	08/31/89	40.00
CALCIUM	PPB	50.00		02/28/89	25200.00		NR	02/28/89	59200.00
				06/23/89	33900.00		NR	06/21/89	59200.00
				08/30/89	33000.00		NR	08/31/89	68500.00
CHLORID	PPB	500.00	250000.00	02/28/89	3300.00		NR	02/28/89	5100.00
				06/23/89	3400.00		NR	06/21/89	5000.00
				08/30/89	3400.00		NR	08/31/89	4700.00
CONDFLD	UMHO	1.00	700.00	02/28/89	258.00		NR	02/28/89	690.00
				02/28/89	258.00		NR	02/28/89	690.00
				02/28/89	257.00		NR	02/28/89	690.00
				02/28/89	258.00		NR	02/28/89	689.00
				06/23/89	348.00		NR	06/21/89	712.00 *
				06/23/89	351.00		NR	06/21/89	711.00 *
				06/23/89	351.00		NR	06/21/89	711.00 *
				06/23/89	350.00		NR	06/21/89	711.00 *
				08/30/89	348.00		NR	08/31/89	740.00 *
				08/30/89	348.00		NR	08/31/89	741.00 *
				08/30/89	333.00		NR	08/31/89	741.00 *
				08/30/89	345.00		NR	08/31/89	741.00 *
CS-137	PCI/L	20.00	200.00	02/01/89	7.64	02/01/89		02/01/89	
					(5.59)				
FARSEN I	PPB	5.00	50.00	02/28/89	11.00		NR	02/28/89	7.00
				06/23/89	9.00		NR	06/21/89	8.00
				08/30/89	6.00		NR	08/31/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-18	SAMPLE DATE	2-E25-19	SAMPLE DATE	2-E25-20
FBARIUM	PPB	6.00	1000.00	02/28/89	13.00		NR	02/28/89	62.00
				06/23/89	19.00		NR	06/21/89	63.00
				08/30/89	18.00		NR	08/31/89	61.00
FBORON	PPB	10.00		02/28/89	18.00		NR	02/28/89	47.00
				06/23/89	13.00		NR	06/21/89	42.00
				08/30/89	13.00		NR	08/31/89	39.00
FCALCIU	PPB	50.00		02/28/89	24800.00		NR	02/28/89	66800.00
				06/23/89	33900.00		NR	06/21/89	59200.00
				08/30/89	34700.00		NR	08/31/89	65900.00
FLITHIU	PPB	10.00		02/28/89			NR	02/28/89	10.00
				06/23/89			NR	06/21/89	11.00
				08/30/89			NR	08/31/89	11.00
FLUORID	PPB	500.00	4000.00	02/28/89			NR	02/28/89	700.00
				06/23/89			NR	06/21/89	800.00
				08/30/89	600.00		NR	08/31/89	1000.00
FMAGNES	PPB	50.00		02/28/89	7320.00		NR	02/28/89	17900.00
				06/23/89	9110.00		NR	06/21/89	15600.00
				08/30/89	9510.00		NR	08/31/89	16700.00
FMANGAN	PPB	5.00	50.00	02/28/89			NR	02/28/89	
				06/23/89	6.00		NR	06/21/89	
				08/30/89			NR	08/31/89	
FPOTASS	PPB	100.00		02/28/89	5340.00		NR	02/28/89	12300.00
				06/23/89	5860.00		NR	06/21/89	11100.00
				08/30/89	6330.00		NR	08/31/89	12600.00
FSILICO	PPB	50.00		02/28/89	18200.00		NR	02/28/89	28300.00
				06/23/89	17800.00		NR	06/21/89	23200.00
				08/30/89	18700.00		NR	08/31/89	26400.00
FSODIUM	PPB	200.00		02/28/89	18000.00		NR	02/28/89	56700.00
				06/23/89	20000.00		NR	06/21/89	50300.00
				08/30/89	19400.00		NR	08/31/89	51300.00
FSTRONT	PPB	10.00		02/28/89	132.00		NR	02/28/89	336.00
				06/23/89	170.00		NR	06/21/89	304.00
				08/30/89	167.00		NR	08/31/89	328.00
FVANADI	PPB	5.00		02/28/89	32.00		NR	02/28/89	40.00
				06/23/89	33.00		NR	06/21/89	35.00
				08/30/89	31.00		NR	08/31/89	35.00
FZINC	PPB	5.00	5000.00	02/28/89	8.00		NR	02/28/89	9.00
				06/23/89	17.00		NR	06/21/89	
				08/30/89	9.00		NR	08/31/89	
HNITRAT	PPB	2500.00	45000.00	02/01/89	28700.00	02/01/89	68000.00 *	02/01/89	186000.00 *
IRON	PPB	30.00	300.00	02/28/89	44.00		NR	02/28/89	83.00
				06/23/89	36.00		NR	06/21/89	55.00
				08/30/89	178.00		NR	08/31/89	72.00
LITHIUM	PPB	10.00		02/28/89			NR	02/28/89	
				06/23/89			NR	06/21/89	12.00
				08/30/89			NR	08/31/89	11.00
MAGNES	PPB	50.00		02/28/89	7280.00		NR	02/28/89	16800.00
				06/23/89	9280.00		NR	06/21/89	15700.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-18	SAMPLE DATE	2-E25-19	SAMPLE DATE	2-E25-20
MAGNES	PPB	50.00		08/30/89	9100.00		NR	08/31/89	17600.00
MANGESE	PPB	5.00	50.00	02/28/89			NR	02/28/89	
				06/23/89	7.00		NR	06/21/89	
				08/30/89	9.00		NR	08/31/89	
NITRATE	PPB	500.00	45000.00	02/28/89	29700.00		NR	02/28/89	195000.00 *
				06/23/89	88700.00 *		NR	06/21/89	224000.00 *
				08/30/89	87000.00 *		NR	08/31/89	235000.00 *
PHFIELD		0.10	8.50	02/28/89	8.10		NR	02/28/89	7.80
				02/28/89	8.10		NR	02/28/89	7.80
				02/28/89	8.10		NR	02/28/89	7.80
				02/28/89	8.10		NR	02/28/89	7.90
				06/23/89	8.04		NR	06/21/89	7.49
				06/23/89	8.03		NR	06/21/89	7.48
				06/23/89	8.03		NR	06/21/89	7.48
				06/23/89	8.03		NR	06/21/89	7.48
				08/30/89	8.05		NR	08/31/89	7.69
				08/30/89	8.01		NR	08/31/89	7.68
				08/30/89	7.99		NR	08/31/89	7.69
				08/30/89	7.96		NR	08/31/89	7.69
POTASUM	PPB	100.00		02/28/89	5190.00		NR	02/28/89	11400.00
				06/23/89	5890.00		NR	06/21/89	11100.00
				08/30/89	5640.00		NR	08/31/89	13100.00
RADIUM	PCI/L	1.00	5.00	02/28/89			NR	02/28/89	
				06/23/89	0.28		NR	06/21/89	0.17
					(0.19)				(0.13)
				08/30/89			NR	08/31/89	
SILICON	PPB	50.00		02/28/89	18500.00		NR	02/28/89	25600.00
				06/23/89	18000.00		NR	06/21/89	23100.00
				08/30/89	18100.00		NR	08/31/89	27500.00
SODIUM	PPB	200.00		02/28/89	17400.00		NR	02/28/89	52600.00
				06/23/89	20300.00		NR	06/21/89	48400.00
				08/30/89	17900.00		NR	08/31/89	53500.00
STRONUM	PPB	10.00		02/28/89	131.00		NR	02/28/89	309.00
				06/23/89	178.00		NR	06/21/89	310.00
				08/30/89	163.00		NR	08/31/89	352.00
SULFATE	PPB	500.00	250000.00	02/28/89	26900.00		NR	02/28/89	73500.00
				06/23/89	26300.00		NR	06/21/89	78400.00
				08/30/89	23700.00		NR	08/31/89	68000.00
TRITIUM	PCI/L	500.00	20000.00	02/01/89	254000.00 *	02/01/89	966000.00 *	02/01/89	1380000.00 *
					(1640.00)		(3200.00)		(3810.00)
VANADUM	PPB	5.00		02/28/89	39.00		NR	02/28/89	39.00
				06/23/89	33.00		NR	06/21/89	34.00
				08/30/89	32.00		NR	08/31/89	36.00
ZINC	PPB	5.00	5000.00	02/28/89	14.00		NR	02/28/89	15.00
				06/23/89	31.00		NR	06/21/89	13.00
				08/30/89	33.00		NR	08/31/89	11.00

[illegible]

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-21	SAMPLE DATE	2-E25-22	SAMPLE DATE	2-E25-23
COND FLD	UMHO	1.00	700.00		NR	08/30/89	213.00		NR
					NR	12/14/89	227.00		NR
CONDLAB	UMHO		700.00		NR	12/14/89	225.00 @		NR
FARSENI	PPB	5.00	50.00		NR	02/28/89	10.00		NR
					NR	08/18/89	9.00		NR
					NR	08/30/89	8.00		NR
					NR	12/14/89	8.00		NR
FBARIIUM	PPB	6.00	1000.00		NR	02/28/89	13.00		NR
					NR	08/18/89	13.00		NR
					NR	08/30/89	15.00		NR
					NR	12/14/89	13.00		NR
FBORON	PPB	10.00			NR	02/28/89	21.00		NR
					NR	08/18/89	16.00		NR
					NR	08/30/89			NR
					NR	12/14/89	27.00		NR
FCALCIU	PPB	50.00			NR	02/28/89	19900.00		NR
					NR	08/18/89	17900.00		NR
					NR	08/30/89	21900.00		NR
					NR	12/14/89	19900.00		NR
FMAGNES	PPB	50.00			NR	02/28/89	5840.00		NR
					NR	08/18/89	5230.00		NR
					NR	08/30/89	5770.00		NR
					NR	12/14/89	5520.00		NR
FMANGAN	PPB	5.00	50.00		NR	02/28/89			NR
					NR	08/18/89			NR
					NR	08/30/89	5.00		NR
					NR	12/14/89			NR
FPOTASS	PPB	100.00			NR	02/28/89	5300.00		NR
					NR	08/18/89	4780.00		NR
					NR	08/30/89	5860.00		NR
					NR	12/14/89	5420.00		NR
FSILICO	PPB	50.00			NR	02/28/89	19400.00		NR
					NR	08/18/89	17800.00		NR
					NR	08/30/89	21100.00		NR
					NR	12/14/89	18400.00		NR
FSCDIUM	PPB	200.00			NR	02/28/89	16800.00		NR
					NR	08/18/89	13900.00		NR
					NR	08/30/89	16600.00		NR
					NR	12/14/89	15100.00		NR
FSTRONT	PPB	10.00			NR	02/28/89	111.00		NR
					NR	08/18/89	96.00		NR
					NR	08/30/89	112.00		NR
					NR	12/14/89	106.00		NR
FVANADI	PPB	5.00			NR	02/28/89	43.00		NR
					NR	08/18/89	39.00		NR
					NR	08/30/89	43.00		NR
					NR	12/14/89	42.00		NR
FZINC	PPB	5.00	5000.00		NR	02/28/89	7.00		NR
					NR	08/18/89	7.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-21	SAMPLE DATE	2-E25-22	SAMPLE DATE	2-E25-23
FZINC	PPB	5.00	5000.00		NR	08/30/89	10.00		NR
					NR	12/14/89			NR
HNITRAT	PPB	2500.00	45000.00	02/01/89	6270.00	02/01/89	4800.00	02/01/89	
IRON	PPB	30.00	300.00		NR	02/28/89			NR
					NR	08/18/89	34.00		NR
					NR	08/30/89			NR
					NR	12/14/89	59.00		NR
MAGNES	PPB	50.00			NR	02/28/89	5490.00		NR
					NR	08/18/89	5650.00		NR
					NR	08/30/89	6000.00		NR
					NR	12/14/89	5560.00		NR
NITRATE	PPB	500.00	45000.00		NR	02/28/89	3800.00		NR
					NR	08/18/89	3300.00		NR
					NR	08/30/89	3100.00		NR
					NR	12/14/89	3800.00		NR
PH-LAB		0.01	8.50		NR	12/14/89	8.00		NR
PHFIELD		0.10	8.50		NR	02/28/89	8.20		NR
					NR	02/28/89	8.20		NR
					NR	02/28/89	8.20		NR
					NR	02/28/89	8.30		NR
					NR	08/18/89	8.08		NR
					NR	08/18/89	8.09		NR
					NR	08/18/89	8.09		NR
					NR	08/18/89	8.10		NR
					NR	08/30/89	8.22		NR
					NR	08/30/89	8.21		NR
					NR	08/30/89	8.20		NR
					NR	08/30/89	8.20		NR
					NR	12/14/89	8.33		NR
POTASUM	PPB	100.00			NR	02/28/89	4920.00		NR
					NR	08/18/89	5250.00		NR
					NR	08/30/89	5400.00		NR
					NR	12/14/89	5370.00		NR
RADIUM	PCI/L	1.00	5.00		NR	02/28/89	0.18		NR
							(0.15)		
					NR	08/18/89			NR
					NR	08/30/89			NR
					NR	12/14/89			NR
SILICON	PPB	50.00			NR	02/28/89	18300.00		NR
					NR	08/18/89	19700.00		NR
					NR	08/30/89	21200.00		NR
					NR	12/14/89	18500.00		NR
SODIUM	PPB	200.00			NR	02/28/89	15400.00		NR
					NR	08/18/89	15300.00		NR
					NR	08/30/89	15500.00		NR
					NR	12/14/89	14900.00		NR
STRONUM	PPB	10.00			NR	02/28/89	103.00		NR
					NR	08/18/89	108.00		NR
					NR	08/30/89	113.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-21	SAMPLE DATE	2-E25-22	SAMPLE DATE	2-E25-23
STRONTIUM	PPB	10.00			NR	12/14/89	106.00		NR
SULFATE	PPB	500.00	250000.00		NR	02/28/89	21300.00		NR
					NR	08/18/89	20900.00		NR
					NR	08/30/89	21500.00		NR
					NR	12/14/89	21900.00		NR
TC	PPB	1000.00			NR	12/14/89	19800.00		NR
TC-99	PCI/L	15.00	900.00		NR	12/14/89	7.82		NR
							(1.18)		
TOXLDL	PPB	10.00			NR	02/28/89			NR
					NR	02/28/89			NR
					NR	02/28/89			NR
					NR	02/28/89			NR
					NR	08/18/89			NR
					NR	08/18/89			NR
					NR	08/18/89	15.00		NR
					NR	08/18/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	12/14/89			NR
TRITIUM	PCI/L	500.00	20000.00	02/01/89	2940.00 (235.00)	02/01/89	5240.00 (280.00)	02/01/89	
					NR	12/14/89	10100.00 (355.00)		NR
TURBID	NTU	0.10	1.00		NR	12/14/89	0.40		NR
U	PCI/L	0.50	600.00		NR	12/14/89	0.83		NR
VANADIUM	PPB	5.00			NR	02/28/89	42.00		NR
					NR	08/18/89	45.00		NR
					NR	08/30/89	46.00		NR
					NR	12/14/89	42.00		NR
ZINC	PPB	5.00	5000.00		NR	02/28/89	7.00		NR
					NR	08/18/89	8.00		NR
					NR	08/30/89			NR
					NR	12/14/89	7.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-24	SAMPLE DATE	2-E25-25	SAMPLE DATE	2-E25-26
ALPHAHI	PCI/L	4.00	15.00	02/28/89		02/28/89		02/28/89	1.16 (0.94)
				06/21/89		06/21/89		07/12/89	
				08/30/89		08/30/89	1.26 (1.12)	08/11/89	1.12 (0.98)
				12/20/89	1.36 (1.24) NR	12/13/89		08/29/89	
							NR	11/01/89	1.14 (0.94)
ARSENIC	PPB	5.00	50.00	02/28/89	19.00	01/03/89		02/28/89	7.00
				06/21/89	18.00	02/28/89		07/12/89	6.00
				08/30/89	16.00	06/21/89		08/11/89	5.00
				12/20/89	15.00	06/21/89		08/29/89	
					NR	06/21/89		11/01/89	6.00
					NR	06/21/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
BARIUM	PPB	6.00	1000.00	02/28/89	24.00	01/03/89	15.00	02/28/89	9.00
				06/21/89	27.00	02/28/89	10.00	07/12/89	12.00
				08/30/89	26.00	06/21/89	15.00	08/11/89	9.00
				12/20/89	33.00	06/21/89	14.00	08/29/89	13.00
					NR	06/21/89	12.00	11/01/89	12.00
					NR	06/21/89	14.00		NR
					NR	08/30/89	13.00		NR
					NR	08/30/89	13.00		NR
					NR	08/30/89	14.00		NR
					NR	08/30/89	13.00		NR
					NR	12/13/89	15.00		NR
					NR	12/13/89	13.00		NR
					NR	12/13/89	14.00		NR
					NR	12/13/89	14.00		NR
BETA	PCI/L	8.00	50.00	02/01/89	7.92 (2.74)	01/03/89	5.69 (2.38)	02/28/89	
				02/28/89	7.99 (2.74)	02/28/89	3.59 (2.24)	07/12/89	3.73 (2.32)
				06/21/89	8.44 (2.93)	06/21/89	8.26 (2.62)	08/11/89	8.34 (2.76)
				08/30/89	7.00 (2.75)	08/30/89	6.73 (2.68)	08/29/89	5.16 (2.38)
				12/20/89	9.40 (2.93)	12/13/89	5.29 (2.35)	11/01/89	3.02 (2.20)
81S2EPH	PPB	10.00		12/20/89			NR	07/12/89	14.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-24	SAMPLE DATE	2-E25-25	SAMPLE DATE	2-E25-26
BISZEPH	PPB	10.00			NR		NR	11/01/89	
BORON	PPB	10.00		02/28/89	14.00	01/03/89		02/28/89	15.00
				06/21/89	12.00	02/28/89	17.00	07/12/89	12.00
				08/30/89	22.00	06/21/89		08/11/89	17.00
				12/20/89	21.00	06/21/89		08/29/89	13.00
					NR	06/21/89		11/01/89	
					NR	06/21/89			NR
					NR	08/30/89	18.00		NR
					NR	08/30/89	13.00		NR
					NR	08/30/89	14.00		NR
					NR	08/30/89	16.00		NR
					NR	12/13/89			NR
					NR	12/13/89	12.00		NR
					NR	12/13/89	13.00		NR
					NR	12/13/89			NR
CADMIUM	PPB	2.00	10.00	02/28/89		01/03/89		02/28/89	
				06/21/89		02/28/89		07/12/89	
				08/30/89		06/21/89		08/11/89	
				12/20/89		06/21/89		08/29/89	
					NR	06/21/89		11/01/89	
					NR	06/21/89	2.00		NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
CALCIUM	PPB	50.00		02/28/89	20500.00	01/03/89	18900.00	02/28/89	18400.00
				06/21/89	23100.00	02/28/89	17400.00	07/12/89	23000.00
				08/30/89	23800.00	06/21/89	19800.00	08/11/89	19400.00
				12/20/89	28500.00	06/21/89	19300.00	08/29/89	20700.00
					NR	06/21/89	19000.00	11/01/89	20100.00
					NR	06/21/89	19900.00		NR
					NR	08/30/89	19100.00		NR
					NR	08/30/89	18200.00		NR
					NR	08/30/89	19500.00		NR
					NR	08/30/89	19600.00		NR
					NR	12/13/89	18900.00		NR
					NR	12/13/89	17800.00		NR
					NR	12/13/89	18500.00		NR
					NR	12/13/89	18400.00		NR
CHLORID	PPB	500.00	250000.00	02/28/89	1000.00	01/03/89	2900.00	02/28/89	2800.00
				06/21/89	1400.00	02/28/89	3100.00	07/12/89	3110.00
				08/30/89	1300.00	06/21/89	3300.00	08/11/89	3000.00
				12/20/89	1300.00	08/30/89	2800.00	08/29/89	2900.00
					NR	12/13/89	3100.00	11/01/89	2900.00
CHROMIUM	PPB	10.00	50.00	02/28/89		01/03/89	59.00 *	02/28/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-24	SAMPLE DATE	2-E25-25	SAMPLE DATE	2-E25-26
CHROMIUM	PPB	10.00	50.00	06/21/89 08/30/89 12/20/89		02/28/89 06/21/89 06/21/89 06/21/89 06/21/89 08/30/89 08/30/89 08/30/89 08/30/89 12/13/89 12/13/89 12/13/89 12/13/89	17.00 41.00	07/12/89 08/11/89 08/29/89 11/01/89	
				NR NR NR NR NR NR NR NR NR NR NR NR		37.00 19.00 15.00 13.00 12.00 21.00 81.00 * 18.00 24.00			NR NR NR NR NR NR NR NR
CONDFLD	UMHO	1.00	700.00	02/28/89 02/28/89 02/28/89 02/28/89 06/21/89 06/21/89 06/21/89 06/21/89 08/30/89 08/30/89 08/30/89 08/30/89 12/20/89	328.00 324.00 325.00 324.00 241.00 241.00 241.00 241.00 257.00 241.00 249.00 255.00 299.00	01/03/89 01/03/89 01/03/89 01/03/89 02/28/89 02/28/89 02/28/89 02/28/89 06/21/89 06/21/89 06/21/89 06/21/89 06/23/89 06/23/89 06/23/89 08/30/89 08/30/89 08/30/89 12/13/89 12/13/89 12/13/89 12/13/89	164.00 171.00 172.00 171.00 170.00 170.00 169.00 169.00 106.00 105.00 106.00 106.00 169.00 169.00 169.00 149.00 149.00 148.00 149.00 170.00 170.00 169.00	02/28/89 02/28/89 02/28/89 02/28/89 07/12/89 07/12/89 07/12/89 07/12/89 08/11/89 08/11/89 08/11/89 08/11/89 08/29/89 08/29/89 08/29/89 11/01/89	193.00 193.00 194.00 192.00 154.00 154.00 154.00 154.00 209.00 209.00 208.00 208.00 180.00 179.00 179.00 182.00 188.00
				NR NR					NR NR
CONDLAB	UMHO		700.00	12/20/89	305.00 a	12/13/89	169.00 a	02/28/89 08/11/89 08/29/89	178.00 a 187.00 a 183.00 a
				NR NR			NR NR		
COPPER	PPB	10.00	(1300.0)	02/28/89 06/21/89 08/30/89 12/20/89		01/03/89 02/28/89 06/21/89 06/21/89 06/21/89 06/21/89 08/30/89 08/30/89 08/30/89		02/28/89 07/12/89 08/11/89 08/29/89 11/01/89	20.00
				NR NR NR NR NR					NR NR NR NR NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-24	SAMPLE DATE	2-E25-25	SAMPLE DATE	2-E25-26
COPPER	PPB	10.00	(1300.0)		NR	08/30/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
FARSEN1	PPB	5.00	50.00	02/28/89	19.00	01/03/89		02/28/89	7.00
				06/21/89	19.00	02/28/89		07/12/89	5.00
				08/30/89	15.00	06/21/89		08/11/89	
				12/20/89	15.00	06/21/89		08/29/89	5.00
					NR	06/21/89		11/01/89	7.00
					NR	06/21/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
FBARIUM	PPB	6.00	1000.00	02/28/89	24.00	01/03/89	13.00	02/28/89	12.00
				06/21/89	25.00	02/28/89	14.00	07/12/89	12.00
				08/30/89	27.00	06/21/89	12.00	08/11/89	16.00
				12/20/89	28.00	06/21/89	13.00	08/29/89	13.00
					NR	06/21/89	12.00	11/01/89	12.00
					NR	06/21/89	11.00		NR
					NR	08/30/89	13.00		NR
					NR	08/30/89	13.00		NR
					NR	08/30/89	12.00		NR
					NR	08/30/89	13.00		NR
					NR	12/13/89	13.00		NR
					NR	12/13/89	14.00		NR
					NR	12/13/89	13.00		NR
					NR	12/13/89	13.00		NR
FBORON	PPB	10.00		02/28/89	16.00	01/03/89	11.00	02/28/89	12.00
				06/21/89	15.00	02/28/89	14.00	07/12/89	13.00
				08/30/89	13.00	06/21/89		08/11/89	
				12/20/89	16.00	06/21/89		08/29/89	
					NR	06/21/89		11/01/89	22.00
					NR	06/21/89			NR
					NR	08/30/89	11.00		NR
					NR	08/30/89	13.00		NR
					NR	08/30/89	13.00		NR
					NR	08/30/89	10.00		NR
					NR	12/13/89			NR
					NR	12/13/89	11.00		NR
					NR	12/13/89	13.00		NR
					NR	12/13/89	37.00		NR
FCALCIU	PPB	50.00		02/28/89	20900.00	01/03/89	18100.00	02/28/89	20400.00
				06/21/89	22600.00	02/28/89	18500.00	07/12/89	21400.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-24	SAMPLE DATE	2-E25-25	SAMPLE DATE	2-E25-26
FCALCIU	PPB	50.00		08/30/89 12/20/89	24100.00 27900.00 NR NR NR NR NR NR NR NR NR NR	06/21/89 06/21/89 06/21/89 08/30/89 08/30/89 08/30/89 08/30/89 12/13/89 12/13/89 12/13/89 12/13/89	19900.00 18700.00 18400.00 18500.00 19300.00 18500.00 17200.00 18400.00 17500.00 17600.00 18100.00 17800.00	08/11/89 08/29/89 11/01/89	22500.00 21500.00 19600.00 NR NR NR NR NR NR NR NR NR
FCHROMI	PPB	10.00	50.00	02/28/89 06/21/89 08/30/89 12/20/89	NR NR NR NR NR NR NR NR NR NR NR	01/03/89 02/28/89 06/21/89 06/21/89 06/21/89 08/30/89 08/30/89 08/30/89 12/13/89 12/13/89 12/13/89 12/13/89		02/28/89 07/12/89 08/11/89 08/29/89 11/01/89	NR NR NR NR NR NR NR NR NR NR NR
FCOPPER	PPB	10.00	(1300.0)	02/28/89 06/21/89 08/30/89 12/20/89	NR NR NR NR NR NR NR NR NR NR NR	01/03/89 02/28/89 06/21/89 06/21/89 06/21/89 08/30/89 08/30/89 08/30/89 12/13/89 12/13/89 12/13/89 12/13/89	12.00 19.00	02/28/89 07/12/89 08/11/89 08/29/89 11/01/89	13.00 12.00 NR NR NR NR NR NR NR NR NR
FIRON	PPB	30.00	300.00	02/28/89 06/21/89 08/30/89 12/20/89	NR NR NR NR NR NR NR NR NR NR NR	01/03/89 02/28/89 06/21/89 06/21/89 06/21/89 08/30/89 08/30/89 08/30/89 12/13/89 12/13/89 12/13/89 12/13/89	33.00 74.00	02/28/89 07/12/89 08/11/89 08/29/89 11/01/89	NR NR NR NR NR NR NR NR NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-24	SAMPLE DATE	2-E25-25	SAMPLE DATE	2-E25-26
FIRON	PPB	30.00	300.00		NR	08/30/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
					NR	12/13/89	53.00		NR
					NR	12/13/89	102.00		NR
FLUORID	PPB	500.00	4000.00	02/28/89	700.00	01/03/89		02/28/89	
				06/21/89	600.00	02/28/89		07/12/89	
				08/30/89	617.00	06/21/89		08/11/89	
				12/20/89		08/30/89		08/29/89	
					NR	12/13/89		11/01/89	
FMAGNES	PPB	50.00		02/28/89	4880.00	01/03/89	4980.00	02/28/89	5740.00
				06/21/89	4880.00	02/28/89	5460.00	07/12/89	5480.00
				08/30/89	4950.00	06/21/89	5450.00	08/11/89	6040.00
				12/20/89	6250.00	06/21/89	5130.00	08/29/89	5630.00
					NR	06/21/89	5070.00	11/01/89	5400.00
					NR	06/21/89	5090.00		NR
					NR	08/30/89	5240.00		NR
					NR	08/30/89	5020.00		NR
					NR	08/30/89	4680.00		NR
					NR	08/30/89	5050.00		NR
					NR	12/13/89	4960.00		NR
					NR	12/13/89	5060.00		NR
					NR	12/13/89	5140.00		NR
					NR	12/13/89	5040.00		NR
FMANGAN	PPB	5.00	50.00	02/28/89		01/03/89		02/28/89	
				06/21/89		02/28/89		07/12/89	
				08/30/89		06/21/89		08/11/89	
				12/20/89	5.00	06/21/89		08/29/89	
					NR	06/21/89		11/01/89	
					NR	06/21/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	08/30/89	5.00		NR
					NR	08/30/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
FPOTASS	PPB	100.00		02/28/89	7980.00	01/03/89	4210.00	02/28/89	4410.00
				06/21/89	7630.00	02/28/89	4120.00	07/12/89	4190.00
				08/30/89	8390.00	06/21/89	3490.00	08/11/89	4730.00
				12/20/89	8130.00	06/21/89	3240.00	08/29/89	4620.00
					NR	06/21/89	3270.00	11/01/89	4200.00
					NR	06/21/89	3290.00		NR
					NR	08/30/89	3940.00		NR
					NR	08/30/89	3830.00		NR
					NR	08/30/89	3630.00		NR
					NR	08/30/89	3900.00		NR
					NR	12/13/89	4020.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-24	SAMPLE DATE	2-E25-25	SAMPLE DATE	2-E25-26
FPOTASS	PPB	100.00			NR	12/13/89	4430.00		NR
					NR	12/13/89	4310.00		NR
					NR	12/13/89	4230.00		NR
FSILICO	PPB	50.00		02/28/89	31000.00	01/03/89	11100.00	02/28/89	15800.00
				06/21/89	29300.00	02/28/89	9550.00	07/12/89	13600.00
				08/30/89	31400.00	06/21/89	7620.00	08/11/89	15400.00
				12/20/89	32400.00	06/21/89	7200.00	08/29/89	14600.00
					NR	06/21/89	7060.00	11/01/89	13000.00
					NR	06/21/89	7100.00		NR
					NR	08/30/89	9020.00		NR
					NR	08/30/89	8680.00		NR
					NR	08/30/89	8060.00		NR
					NR	08/30/89	8630.00		NR
					NR	12/13/89	8630.00		NR
					NR	12/13/89	8310.00		NR
					NR	12/13/89	8600.00		NR
					NR	12/13/89	8770.00		NR
FSODIUM	PPB	200.00		02/28/89	23100.00	01/03/89	6230.00	02/28/89	10600.00
				06/21/89	17700.00	02/28/89	5710.00	07/12/89	9280.00
				08/30/89	17800.00	06/21/89	4620.00	08/11/89	10600.00
				12/20/89	16200.00	06/21/89	4340.00	08/29/89	10000.00
					NR	06/21/89	4310.00	11/01/89	8790.00
					NR	06/21/89	4320.00		NR
					NR	08/30/89	5070.00		NR
					NR	08/30/89	4870.00		NR
					NR	08/30/89	4550.00		NR
					NR	08/30/89	4970.00		NR
					NR	12/13/89	4910.00		NR
					NR	12/13/89	5280.00		NR
					NR	12/13/89	5220.00		NR
					NR	12/13/89	5200.00		NR
FSTRONT	PPB	10.00		02/28/89	125.00	01/03/89	109.00	02/28/89	113.00
				06/21/89	127.00	02/28/89	114.00	07/12/89	111.00
				08/30/89	128.00	06/21/89	115.00	08/11/89	123.00
				12/20/89	157.00	06/21/89	106.00	08/29/89	113.00
					NR	06/21/89	105.00	11/01/89	110.00
					NR	06/21/89	107.00		NR
					NR	08/30/89	107.00		NR
					NR	08/30/89	103.00		NR
					NR	08/30/89	95.00		NR
					NR	08/30/89	105.00		NR
					NR	12/13/89	103.00		NR
					NR	12/13/89	105.00		NR
					NR	12/13/89	108.00		NR
					NR	12/13/89	106.00		NR
FVANADI	PPB	5.00		02/28/89	132.00	01/03/89	14.00	02/28/89	29.00
				06/21/89	129.00	02/28/89	13.00	07/12/89	26.00
				08/30/89	130.00	06/21/89	10.00	08/11/89	28.00
				12/20/89	123.00	06/21/89		08/29/89	24.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-24	SAMPLE DATE	2-E25-25	SAMPLE DATE	2-E25-26
FVANADI	PPB	5.00			NR	06/21/89	6.00	11/01/89	19.00
					NR	06/21/89	5.00		NR
					NR	08/30/89	8.00		NR
					NR	08/30/89	11.00		NR
					NR	08/30/89	7.00		NR
					NR	08/30/89	8.00		NR
					NR	12/13/89	10.00		NR
					NR	12/13/89	13.00		NR
					NR	12/13/89	12.00		NR
					NR	12/13/89	11.00		NR
FZINC	PPB	5.00	5000.00	02/28/89		01/03/89		02/28/89	19.00
				06/21/89		02/28/89	5.00	07/12/89	8.00
				08/30/89		06/21/89		08/11/89	7.00
				12/20/89		06/21/89		08/29/89	7.00
					NR	06/21/89		11/01/89	5.00
					NR	06/21/89			NR
					NR	08/30/89	7.00		NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR
IRON	PPB	30.00	300.00	02/28/89	75.00	01/03/89	474.00 *	02/28/89	50.00
				06/21/89	222.00	02/28/89	269.00	07/12/89	130.00
				08/30/89	182.00	06/21/89	152.00	08/11/89	53.00
				12/20/89	296.00	06/21/89	238.00	08/29/89	35.00
					NR	06/21/89	104.00	11/01/89	78.00
					NR	06/21/89	287.00		NR
					NR	08/30/89	159.00		NR
					NR	08/30/89	143.00		NR
					NR	08/30/89	171.00		NR
					NR	08/30/89	111.00		NR
					NR	12/13/89	135.00		NR
					NR	12/13/89	353.00 *		NR
					NR	12/13/89	108.00		NR
					NR	12/13/89	152.00		NR
MAGNES	PPB	50.00		02/28/89	4760.00	01/03/89	5210.00	02/28/89	5240.00
				06/21/89	5040.00	02/28/89	5230.00	07/12/89	5910.00
				08/30/89	5350.00	06/21/89	5560.00	08/11/89	5130.00
				12/20/89	6460.00	06/21/89	5410.00	08/29/89	5570.00
					NR	06/21/89	5290.00	11/01/89	5560.00
					NR	06/21/89	5550.00		NR
					NR	08/30/89	5400.00		NR
					NR	08/30/89	5160.00		NR
					NR	08/30/89	5540.00		NR
					NR	08/30/89	5510.00		NR
					NR	12/13/89	5450.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-24	SAMPLE DATE	2-E25-25	SAMPLE DATE	2-E25-26
MAGNES	PPB	50.00			NR	12/13/89	5050.00		NR
					NR	12/13/89	5240.00		NR
					NR	12/13/89	5190.00		NR
MANGESE	PPB	5.00	50.00	02/28/89	6.00	01/03/89	8.00	02/28/89	
				06/21/89	20.00	02/28/89	6.00	07/12/89	
				08/30/89	12.00	06/21/89		08/11/89	
				12/20/89	20.00	06/21/89	5.00	08/29/89	
					NR	06/21/89		11/01/89	
					NR	06/21/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	12/13/89			NR
					NR	12/13/89	7.00		NR
					NR	12/13/89			NR
					NR	12/13/89			NR
NICKEL	PPB	10.00		02/28/89		01/03/89	34.00	02/28/89	
				06/21/89		02/28/89		07/12/89	
				08/30/89		06/21/89	11.00	08/11/89	
				12/20/89		06/21/89	22.00	08/29/89	
					NR	06/21/89		11/01/89	
					NR	06/21/89	24.00		NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	08/30/89			NR
					NR	12/13/89			NR
					NR	12/13/89	38.00		NR
					NR	12/13/89			NR
					NR	12/13/89	14.00		NR
NITRATE	PPB	500.00	45000.00	02/28/89	1100.00	01/03/89	700.00	02/28/89	1400.00
				06/21/89	1300.00	02/28/89	700.00	07/12/89	1600.00
				08/30/89	1200.00	06/21/89	800.00	08/11/89	1500.00
				12/20/89	1600.00	08/30/89	900.00	08/29/89	1400.00
					NR	12/13/89	900.00	11/01/89	1100.00
PH-LAB		0.01	8.50	12/20/89	7.60	12/13/89	8.10	02/28/89	8.23
					NR		NR	08/11/89	8.20
					NR		NR	08/29/89	8.10
PHFIELD		0.10	8.50	02/28/89	8.00	01/03/89	8.50	02/28/89	8.20
				02/28/89	7.90	01/03/89	8.60 *	02/28/89	8.30
				02/28/89	7.90	01/03/89	8.50	02/28/89	8.40
				02/28/89	7.90	01/03/89	8.50	02/28/89	8.30
				06/21/89	7.33	02/28/89	8.70 *	07/12/89	7.22
				06/21/89	7.30	02/28/89	8.70 *	07/12/89	7.22
				06/21/89	7.29	02/28/89	8.70 *	07/12/89	7.22
				06/21/89	7.29	02/28/89	8.70 *	07/12/89	7.22
				08/30/89	7.88	06/21/89	7.89	08/11/89	8.24
				08/30/89	7.74	06/21/89	7.90	08/11/89	8.26

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-24	SAMPLE DATE	2-E25-25	SAMPLE DATE	2-E25-26
PHFIELD		0.10	8.50	08/30/89	7.72	06/21/89	7.90	08/11/89	8.26
				08/30/89	7.72	06/21/89	7.89	08/11/89	8.26
				12/20/89	7.94	06/23/89	8.40	08/29/89	8.17
					NR	06/23/89	8.41	08/29/89	8.16
					NR	06/23/89	8.41	08/29/89	8.16
					NR	06/23/89	8.41	08/29/89	8.15
					NR	08/30/89	8.28	11/01/89	8.26
					NR	08/30/89	8.28		NR
					NR	08/30/89	8.28		NR
					NR	08/30/89	8.27		NR
					NR	12/13/89	8.36		NR
					NR	12/13/89	8.32		NR
					NR	12/13/89	8.35		NR
					NR	12/13/89	8.36		NR
POTASUM	PPB	100.00		02/28/89	7750.00	01/03/89	4520.00	02/28/89	4060.00
				06/21/89	8080.00	02/28/89	4020.00	07/12/89	4560.00
				08/30/89	8380.00	06/21/89	3760.00	08/11/89	3860.00
				12/20/89	8540.00	06/21/89	3540.00	08/29/89	4090.00
					NR	06/21/89	3500.00	11/01/89	4350.00
					NR	06/21/89	3630.00		NR
					NR	08/30/89	3690.00		NR
					NR	08/30/89	3560.00		NR
					NR	08/30/89	3830.00		NR
					NR	08/30/89	3760.00		NR
					NR	12/13/89	4540.00		NR
					NR	12/13/89	4370.00		NR
					NR	12/13/89	4340.00		NR
					NR	12/13/89	4290.00		NR
RADIUM	PCI/L	1.00	5.00	02/28/89		01/03/89		02/28/89	
				06/21/89		02/28/89		07/12/89	
				08/30/89		06/21/89		08/11/89	
				12/20/89		08/30/89		08/29/89	0.19
					NR	12/13/89			(0.17)
SILICON	PPB	50.00		02/28/89	30200.00	01/03/89	11500.00	11/01/89	
				06/21/89	30000.00	02/28/89	9190.00	02/28/89	14400.00
				08/30/89	32200.00	06/21/89	7550.00	07/12/89	14800.00
				12/20/89	32600.00	06/21/89	7450.00	08/11/89	13200.00
					NR	06/21/89	7340.00	08/29/89	14000.00
					NR	06/21/89	7660.00	11/01/89	13500.00
					NR	08/30/89	8960.00		NR
					NR	08/30/89	8510.00		NR
					NR	08/30/89	9120.00		NR
					NR	08/30/89	9130.00		NR
					NR	12/13/89	9390.00		NR
					NR	12/13/89	8770.00		NR
					NR	12/13/89	8840.00		NR
					NR	12/13/89	8670.00		NR
SODIUM	PPB	200.00		02/28/89	22300.00	01/03/89	6730.00	02/28/89	9660.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-24	SAMPLE DATE	2-E25-25	SAMPLE DATE	2-E25-26
SODIUM	PPB	200.00		06/21/89	18200.00	02/28/89	5500.00	07/12/89	10100.00
				08/30/89	18200.00	06/21/89	4710.00	08/11/89	8740.00
				12/20/89	16700.00	06/21/89	4540.00	08/29/89	9070.00
					NR	06/21/89	4460.00	11/01/89	9060.00
					NR	06/21/89	4650.00		NR
					NR	08/30/89	4860.00		NR
					NR	08/30/89	4580.00		NR
					NR	08/30/89	4970.00		NR
					NR	08/30/89	4940.00		NR
					NR	12/13/89	5510.00		NR
					NR	12/13/89	5190.00		NR
					NR	12/13/89	5260.00		NR
					NR	12/13/89	5220.00		NR
STRONUM	PPB	10.00		02/28/89	122.00	01/03/89	114.00	02/28/89	102.00
				06/21/89	131.00	02/28/89	107.00	07/12/89	119.00
				08/30/89	133.00	06/21/89	114.00	08/11/89	99.00
				12/20/89	163.00	06/21/89	112.00	08/29/89	108.00
					NR	06/21/89	111.00	11/01/89	113.00
					NR	06/21/89	118.00		NR
					NR	08/30/89	110.00		NR
					NR	08/30/89	104.00		NR
					NR	08/30/89	111.00		NR
					NR	08/30/89	112.00		NR
					NR	12/13/89	116.00		NR
					NR	12/13/89	107.00		NR
					NR	12/13/89	110.00		NR
					NR	12/13/89	109.00		NR
SULFATE	PPB	500.00	250000.00	02/28/89	22700.00	01/03/89	11700.00	02/28/89	14800.00
				06/21/89	22700.00	02/28/89	13000.00	07/12/89	17500.00
				08/30/89	20800.00	06/21/89	14000.00	08/11/89	15700.00
				12/20/89	29300.00	08/30/89	11600.00	08/29/89	15300.00
					NR	12/13/89	12100.00	11/01/89	12900.00
TC	PPB	1000.00		12/20/89	28000.00	12/13/89	16300.00	02/28/89	16700.00
					NR		NR	07/12/89	17500.00
					NR		NR	08/11/89	18500.00
					NR		NR	08/29/89	18000.00
					NR		NR	11/01/89	18900.00
TC-99	PCI/L	15.00	900.00	12/20/89		01/03/89	0.10		NR
							(0.22)		
					NR	02/28/89	0.79		NR
							(0.10)		
TDS		5000.00	500000.00		NR		NR	11/01/89	95000.00
TOXLDL	PPB	10.00		02/28/89		01/03/89		02/28/89	
				02/28/89		01/03/89		02/28/89	
				02/28/89		01/03/89		02/28/89	
				02/28/89		01/03/89		02/28/89	
				06/21/89		02/28/89		07/12/89	
				06/21/89		02/28/89		07/12/89	
				06/21/89		02/28/89		07/12/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-24	SAMPLE DATE	2-E25-25	SAMPLE DATE	2-E25-26
TOXLDL	PPB	10.00		06/21/89 08/30/89 08/30/89 08/30/89 08/30/89 12/20/89		02/28/89 06/21/89 06/21/89 06/21/89 06/21/89 08/30/89 08/30/89 08/30/89 08/30/89 12/13/89 12/13/89 12/13/89 12/13/89 12/13/89		07/12/89 08/11/89 08/11/89 08/11/89 08/11/89 08/29/89 08/29/89 08/29/89 08/29/89 11/01/89	
					NR NR NR NR NR NR		11.00 10.00 14.00 17.00 14.00 16.00		12.00 10.00
TRITIUM	PCI/L	500.00	20000.00	02/01/89 12/20/89		01/03/89	442.00 (167.00)	08/11/89 11/01/89	3590.00 (169.00) 2730.00 (211.00)
					453.00 (139.00)		NR		
TURBID	NTU	0.10	1.00	12/20/89	1.20 *	08/30/89 12/13/89	1.10 * 0.60	02/28/89 07/12/89 08/11/89 08/29/89 11/01/89 08/11/89 11/01/89	0.15 0.40 0.50 0.30 0.20 0.98 1.04
					NR NR NR NR		NR NR NR NR		
U	PCI/L	0.50	600.00	12/20/89	0.71		NR	08/11/89	0.98
					NR		NR	11/01/89	1.04
VANADUM	PPB	5.00		02/28/89 06/21/89 08/30/89 12/20/89	126.00 129.00 139.00 131.00	01/03/89 02/28/89 06/21/89 06/21/89 06/21/89 08/30/89 08/30/89 08/30/89 08/30/89 12/13/89 12/13/89 12/13/89 12/13/89	16.00 11.00 11.00 11.00 7.00 12.00 11.00 11.00 10.00 10.00 11.00 11.00 11.00	02/28/89 07/12/89 08/11/89 08/29/89 11/01/89	32.00 32.00 15.00 21.00 24.00
					NR NR NR NR NR NR NR NR NR NR NR				NR NR NR NR NR NR NR NR NR NR NR
ZINC	PPB	5.00	5000.00	02/28/89 06/21/89 08/30/89 12/20/89	8.00 6.00	01/03/89 02/28/89 06/21/89 06/21/89 06/21/89 08/30/89 08/30/89 08/30/89 08/30/89 12/13/89	10.00 6.00	02/28/89 07/12/89 08/11/89 08/29/89 11/01/89	26.00 23.00 13.00 10.00 15.00
					13.00 NR NR NR NR NR NR NR				NR NR NR NR NR NR NR NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-24	SAMPLE DATE	2-E25-25	SAMPLE DATE	2-E25-26
ZINC	PPB	5.00	5000.00		NR	12/13/89			NR
					NR	12/13/89			NR
					NR	12/13/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-27	SAMPLE DATE	2-E25-28	SAMPLE DATE	2-E25-29P
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ALPHAHI	PCI/L	4.00	15.00	02/28/89		02/24/89		02/27/89	
				07/12/89	0.80	07/20/89	1.36	07/14/89	1.44
					(0.75)		(1.02)		(1.28)
				08/31/89		08/29/89		08/30/89	1.39
									(1.36)
					NR	10/27/89	1.06	12/12/89	2.31
							(1.00)		(1.42)
					NR		NR	12/12/89	
ARSENIC	PPB	5.00	50.00	02/28/89	6.00	02/24/89	10.00	01/03/89	12.00
				07/12/89	5.00	07/20/89	8.80	02/27/89	14.00
				08/31/89		08/29/89	8.00	07/14/89	12.10
					NR	08/29/89	9.00	08/17/89	12.00
					NR	10/27/89	9.00	08/17/89	13.00
					NR		NR	08/17/89	12.00
					NR		NR	08/17/89	12.00
					NR		NR	08/30/89	11.00
					NR		NR	08/30/89	10.00
					NR		NR	08/30/89	10.00
					NR		NR	08/30/89	11.00
					NR		NR	12/12/89	12.00
					NR		NR	12/12/89	13.00
					NR		NR	12/12/89	12.00
					NR		NR	12/12/89	13.00
BARIUM	PPB	6.00	1000.00	02/28/89	10.00	02/24/89	14.00	01/03/89	18.00
				07/12/89	11.00	07/20/89	12.00	02/27/89	23.00
				08/31/89	11.00	08/29/89	15.00	07/14/89	24.00
					NR	08/29/89	14.00	08/17/89	20.00
					NR	10/27/89	13.00	08/17/89	22.00
					NR		NR	08/17/89	20.00
					NR		NR	08/17/89	23.00
					NR		NR	08/30/89	16.00
					NR		NR	08/30/89	20.00
					NR		NR	08/30/89	17.00
					NR		NR	08/30/89	17.00
					NR		NR	12/12/89	19.00
					NR		NR	12/12/89	18.00
					NR		NR	12/12/89	19.00
					NR		NR	12/12/89	19.00
BETA	PCI/L	8.00	50.00	02/28/89		02/24/89		01/03/89	3.93
									(2.37)
				07/12/89	4.84	07/20/89	10.50	02/27/89	4.80
					(2.40)		(2.96)		(2.49)
				08/31/89	9.51	08/29/89	3.51	07/14/89	3.44
					(2.77)		(2.20)		(2.42)
					NR	10/27/89	14.10	08/30/89	3.00
							(3.16)		(2.04)
					NR		NR	12/12/89	4.84
									(2.36)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-27	SAMPLE DATE	2-E25-28	SAMPLE DATE	2-E25-29P
BETA	PCI/L	8.00	50.00		NR		NR	12/12/89	6.23
BIS2EPH	PPB	10.00			NR	10/27/89		07/14/89	(2.51)
BORON	PPB	10.00		02/28/89	11.00	02/24/89	13.00	01/03/89	14.00
				07/12/89	13.00	07/20/89	12.00	02/27/89	17.00
				08/31/89		08/29/89	12.00	07/14/89	18.00
					NR	08/29/89	14.00	08/17/89	15.00
					NR	10/27/89		08/17/89	20.00
					NR		NR	08/17/89	19.00
					NR		NR	08/17/89	22.00
					NR		NR	08/30/89	32.00
					NR		NR	08/30/89	13.00
					NR		NR	08/30/89	16.00
					NR		NR	08/30/89	19.00
					NR		NR	12/12/89	13.00
					NR		NR	12/12/89	27.00
					NR		NR	12/12/89	18.00
					NR		NR	12/12/89	27.00
CADMIUM	PPB	2.00	10.00	02/28/89		02/24/89		01/03/89	
				07/12/89		07/20/89		02/27/89	
				08/31/89		08/29/89		07/14/89	
					NR	08/29/89		08/17/89	
					NR	10/27/89		08/17/89	
					NR		NR	08/17/89	2.00
					NR		NR	08/17/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
CALCIUM	PPB	50.00		02/28/89	17200.00	02/24/89	18500.00	01/03/89	21700.00
				07/12/89	20900.00	07/20/89	18800.00	02/27/89	24400.00
				08/31/89	18300.00	08/29/89	21000.00	07/14/89	23700.00
					NR	08/29/89	20100.00	08/17/89	22800.00
					NR	10/27/89	17700.00	08/17/89	25400.00
					NR		NR	08/17/89	24100.00
					NR		NR	08/17/89	26200.00
					NR		NR	08/30/89	23700.00
					NR		NR	08/30/89	23100.00
					NR		NR	08/30/89	25200.00
					NR		NR	08/30/89	23800.00
					NR		NR	12/12/89	21300.00
					NR		NR	12/12/89	20200.00
					NR		NR	12/12/89	21200.00
					NR		NR	12/12/89	21000.00
CHLORID	PPB	500.00	250000.00	02/28/89	3100.00	02/24/89	2800.00	01/03/89	2800.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-27	SAMPLE DATE	2-E25-28	SAMPLE DATE	2-E25-29P
CHLORID	PPB	500.00	250000.00	07/12/89 08/31/89	3470.00 3300.00 NR NR NR	07/20/89 08/29/89 08/29/89 10/27/89	2990.00 3300.00 3300.00 3100.00 NR	02/27/89 07/14/89 08/30/89 12/12/89 12/12/89	2900.00 2940.00 2800.00 3100.00 3100.00
CHROMIUM	PPB	10.00	50.00	02/28/89 07/12/89 08/31/89	NR NR NR NR NR NR NR NR NR NR NR NR NR NR NR	02/24/89 07/20/89 08/29/89 08/29/89 10/27/89	NR NR NR NR NR NR NR NR NR NR NR NR NR NR NR	01/03/89 02/27/89 07/14/89 08/17/89 08/17/89 08/17/89 08/30/89 08/30/89 08/30/89 12/12/89 12/12/89 12/12/89 12/12/89 12/12/89	149.00 * 24.00 41.00 15.00 20.00 13.00 12.00 18.00 54.00 * 59.00 * 78.00 *
COLIFRM	MPN	2.20	1.00	02/28/89	NR NR NR	02/24/89 10/27/89	NR NR	01/03/89 02/27/89 07/14/89 08/30/89	2400.00 *
COND FLD	UMHO	1.00	700.00	02/28/89 02/28/89 02/28/89 02/28/89 07/12/89 07/12/89 07/12/89 07/12/89 08/31/89 08/31/89 08/31/89 NR NR NR NR NR NR NR NR NR NR	172.00 172.00 172.00 172.00 1112.00 * 1108.00 * 1111.00 * 1119.00 * 180.00 179.00 180.00 180.00 180.00 190.00 187.00 186.00 186.00 191.00 NR NR NR NR NR	02/24/89 02/24/89 02/24/89 02/24/89 07/20/89 07/20/89 07/20/89 07/20/89 07/24/89 07/24/89 07/24/89 08/29/89 08/29/89 08/29/89 08/29/89 10/27/89	100.00 100.00 100.00 100.00 150.00 147.00 146.00 148.00 140.00 140.00 140.00 140.00 140.00 140.00 187.00 186.00 186.00 191.00 NR NR NR NR NR	01/03/89 01/03/89 01/03/89 01/03/89 02/27/89 02/27/89 02/27/89 02/27/89 07/14/89 07/14/89 07/14/89 08/17/89 08/30/89 08/30/89 08/30/89 08/30/89 12/12/89 12/12/89 12/12/89 12/12/89 12/12/89	237.00 236.00 237.00 238.00 297.00 279.00 273.00 270.00 302.00 302.00 302.00 289.00 259.00 258.00 260.00 260.00 276.00 278.00 279.00 279.00 258.00 a
CONDLAB	UMHO		700.00		NR NR	02/24/89 08/29/89	176.00 a 183.00 a	12/12/89	NR
COPPER	PPB	10.00	(1300.0)	02/28/89 07/12/89		02/24/89 07/20/89	52.00	01/03/89 02/27/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-27	SAMPLE DATE	2-E25-28	SAMPLE DATE	2-E25-29P
COPPER	PPB	10.00	(1300.0)	08/31/89		08/29/89		07/14/89	
					NR	08/29/89		08/17/89	
					NR	10/27/89		08/17/89	
					NR		NR	08/17/89	
					NR		NR	08/17/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
DMETHO	PPB	2.00			NR	07/24/89		07/14/89	803.00
					NR	10/27/89		12/12/89	
					NR		NR	12/12/89	
FARSEN	PPB	5.00	50.00	02/28/89	6.00	02/24/89	10.00	01/03/89	13.00
				07/12/89		07/20/89	9.30	02/27/89	14.00
				08/31/89		08/29/89	10.00	07/14/89	11.50
					NR	08/29/89	9.00	08/17/89	13.00
					NR	10/27/89	8.00	08/17/89	13.00
					NR		NR	08/17/89	12.00
					NR		NR	08/17/89	13.00
					NR		NR	08/30/89	12.00
					NR		NR	08/30/89	11.00
					NR		NR	08/30/89	11.00
					NR		NR	12/12/89	12.00
					NR		NR	12/12/89	12.00
					NR		NR	12/12/89	12.00
					NR		NR	12/12/89	13.00
FBARIUM	PPB	6.00	1000.00	02/28/89	10.00	02/24/89	14.00	01/03/89	23.00
				07/12/89	11.00	07/20/89	12.00	02/27/89	22.00
				08/31/89	12.00	08/29/89	13.00	07/14/89	22.00
					NR	08/29/89	12.00	08/17/89	26.00
					NR	10/27/89	13.00	08/17/89	25.00
					NR		NR	08/17/89	24.00
					NR		NR	08/17/89	26.00
					NR		NR	08/30/89	23.00
					NR		NR	08/30/89	22.00
					NR		NR	08/30/89	20.00
					NR		NR	08/30/89	20.00
					NR		NR	12/12/89	18.00
					NR		NR	12/12/89	19.00
					NR		NR	12/12/89	19.00
					NR		NR	12/12/89	18.00
FBORON	PPB	10.00		02/28/89	15.00	02/24/89	29.00	01/03/89	15.00
				07/12/89	12.00	07/20/89	14.00	02/27/89	20.00
				08/31/89	11.00	08/29/89	54.00	07/14/89	18.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-27	SAMPLE DATE	2-E25-28	SAMPLE DATE	2-E25-29P
FBORON	PPB	10.00			NR	08/29/89		08/17/89	21.00
					NR	10/27/89		08/17/89	18.00
					NR		NR	08/17/89	21.00
					NR		NR	08/17/89	22.00
					NR		NR	08/30/89	12.00
					NR		NR	08/30/89	26.00
					NR		NR	08/30/89	16.00
					NR		NR	08/30/89	19.00
					NR		NR	12/12/89	13.00
					NR		NR	12/12/89	12.00
					NR		NR	12/12/89	15.00
					NR		NR	12/12/89	12.00
FCALCIU	PPB	50.00		02/28/89	17100.00	02/24/89	18800.00	01/03/89	25600.00
				07/12/89	21400.00	07/20/89	19900.00	02/27/89	23500.00
				08/31/89	18200.00	08/29/89	19400.00	07/14/89	25300.00
					NR	08/29/89	18400.00	08/17/89	26700.00
					NR	10/27/89	17600.00	08/17/89	26000.00
					NR		NR	08/17/89	24700.00
					NR		NR	08/17/89	26600.00
					NR		NR	08/30/89	26700.00
					NR		NR	08/30/89	25900.00
					NR		NR	08/30/89	24100.00
					NR		NR	08/30/89	22700.00
					NR		NR	12/12/89	20400.00
					NR		NR	12/12/89	21500.00
					NR		NR	12/12/89	21500.00
					NR		NR	12/12/89	20700.00
FIRON	PPB	30.00	300.00	02/28/89		02/24/89		01/03/89	90.00
				07/12/89	38.00	07/20/89		02/27/89	
				08/31/89		08/29/89		07/14/89	
					NR	08/29/89		08/17/89	
					NR	10/27/89		08/17/89	32.00
					NR		NR	08/17/89	
					NR		NR	08/17/89	
					NR		NR	08/30/89	103.00
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
FLEAD	PPB	5.00	50.00	02/28/89		02/24/89		01/03/89	
				07/12/89		07/20/89		02/27/89	
				08/31/89		08/29/89		07/14/89	
					NR	08/29/89		08/30/89	6.00
					NR	10/27/89		12/12/89	
FLUORID	PPB	500.00	4000.00	02/28/89		02/24/89		01/03/89	
				07/12/89		07/20/89		02/27/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-27	SAMPLE DATE	2-E25-28	SAMPLE DATE	2-E25-29P
FLUORID	PPB	500.00	4000.00	08/31/89		08/29/89		07/14/89	534.00
					NR	08/29/89		08/30/89	500.00
					NR	10/27/89		12/12/89	
					NR		NR	12/12/89	
FMAGNES	PPB	50.00		02/28/89	5470.00	02/24/89	5580.00	01/03/89	6280.00
				07/12/89	6080.00	07/20/89	5430.00	02/27/89	6440.00
				08/31/89	5490.00	08/29/89	5410.00	07/14/89	6370.00
					NR	08/29/89	5120.00	08/17/89	6710.00
					NR	10/27/89	5440.00	08/17/89	6520.00
					NR		NR	08/17/89	6200.00
					NR		NR	08/17/89	6660.00
					NR		NR	08/30/89	5930.00
					NR		NR	08/30/89	6070.00
					NR		NR	08/30/89	5500.00
					NR		NR	08/30/89	5820.00
					NR		NR	12/12/89	5350.00
					NR		NR	12/12/89	5550.00
					NR		NR	12/12/89	5480.00
					NR		NR	12/12/89	5350.00
FMANGAN	PPB	5.00	50.00	02/28/89		02/24/89		01/03/89	
				07/12/89	8.00	07/20/89		02/27/89	
				08/31/89		08/29/89		07/14/89	
					NR	08/29/89		08/17/89	
					NR	10/27/89		08/17/89	
					NR		NR	08/17/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
FNICKEL	PPB	10.00		02/28/89		02/24/89		01/03/89	
				07/12/89		07/20/89		02/27/89	
				08/31/89	11.00	08/29/89		07/14/89	
					NR	08/29/89		08/17/89	
					NR	10/27/89		08/17/89	
					NR		NR	08/17/89	
					NR		NR	08/17/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-27	SAMPLE DATE	2-E25-28	SAMPLE DATE	2-E25-29P
FPOTASS	PPB	100.00		02/28/89	4000.00	02/24/89	3800.00	01/03/89	4950.00
				07/12/89	4430.00	07/20/89	3730.00	02/27/89	4930.00
				08/31/89	4360.00	08/29/89	4000.00	07/14/89	4800.00
					NR	08/29/89	3800.00	08/17/89	5120.00
					NR	10/27/89	3610.00	08/17/89	5030.00
					NR		NR	08/17/89	4820.00
					NR		NR	08/17/89	5210.00
					NR		NR	08/30/89	4850.00
					NR		NR	08/30/89	5020.00
					NR		NR	08/30/89	4590.00
					NR		NR	08/30/89	4850.00
					NR		NR	12/12/89	4920.00
					NR		NR	12/12/89	4990.00
					NR		NR	12/12/89	4950.00
					NR		NR	12/12/89	4770.00
FSILICO	PPB	50.00		02/28/89	13600.00	02/24/89	16300.00	01/03/89	20700.00
				07/12/89	14300.00	07/20/89	16000.00	02/27/89	18600.00
				08/31/89	13600.00	08/29/89	16500.00	07/14/89	17600.00
					NR	08/29/89	15700.00	08/17/89	21000.00
					NR	10/27/89	15900.00	08/17/89	20400.00
					NR		NR	08/17/89	19300.00
					NR		NR	08/17/89	20700.00
					NR		NR	08/30/89	19800.00
					NR		NR	08/30/89	19600.00
					NR		NR	08/30/89	18100.00
					NR		NR	08/30/89	18500.00
					NR		NR	12/12/89	17500.00
					NR		NR	12/12/89	18400.00
					NR		NR	12/12/89	18400.00
					NR		NR	12/12/89	17800.00
FSODIUM	PPB	200.00		02/28/89	9690.00	02/24/89	10900.00	01/03/89	26000.00
				07/12/89	9840.00	07/20/89	10300.00	02/27/89	24500.00
				08/31/89	8830.00	08/29/89	10800.00	07/14/89	24500.00
					NR	08/29/89	10100.00	08/17/89	26000.00
					NR	10/27/89	9700.00	08/17/89	25500.00
					NR		NR	08/17/89	24300.00
					NR		NR	08/17/89	26100.00
					NR		NR	08/30/89	22300.00
					NR		NR	08/30/89	23600.00
					NR		NR	08/30/89	21300.00
					NR		NR	08/30/89	22400.00
					NR		NR	12/12/89	21300.00
					NR		NR	12/12/89	22000.00
					NR		NR	12/12/89	22000.00
					NR		NR	12/12/89	21200.00
FSTRONT	PPB	10.00		02/28/89	103.00	02/24/89	102.00	01/03/89	125.00
				07/12/89	120.00	07/20/89	102.00	02/27/89	122.00
				08/31/89	105.00	08/29/89	97.00	07/14/89	126.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-27	SAMPLE DATE	2-E25-28	SAMPLE DATE	2-E25-29P
FSTRONT	PPB	10.00			NR	08/29/89	92.00	08/17/89	133.00
					NR	10/27/89	99.00	08/17/89	129.00
					NR		NR	08/17/89	123.00
					NR		NR	08/17/89	132.00
					NR		NR	08/30/89	114.00
					NR		NR	08/30/89	119.00
					NR		NR	08/30/89	108.00
					NR		NR	08/30/89	111.00
					NR		NR	12/12/89	103.00
					NR		NR	12/12/89	108.00
					NR		NR	12/12/89	108.00
					NR		NR	12/12/89	103.00
FVANADI	PPB	5.00		02/28/89	21.00	02/24/89	41.00	01/03/89	41.00
				07/12/89	25.00	07/20/89	42.00	02/27/89	33.00
				08/31/89	19.00	08/29/89	37.00	07/14/89	35.00
					NR	08/29/89	36.00	08/17/89	44.00
					NR	10/27/89	38.00	08/17/89	43.00
					NR		NR	08/17/89	40.00
					NR		NR	08/17/89	40.00
					NR		NR	08/30/89	30.00
					NR		NR	08/30/89	34.00
					NR		NR	08/30/89	27.00
					NR		NR	08/30/89	36.00
					NR		NR	12/12/89	37.00
					NR		NR	12/12/89	36.00
					NR		NR	12/12/89	36.00
					NR		NR	12/12/89	36.00
FZINC	PPB	5.00	5000.00	02/28/89	6.00	02/24/89	11.00	01/03/89	
				07/12/89	14.00	07/20/89		02/27/89	
				08/31/89	12.00	08/29/89	10.00	07/14/89	5.00
					NR	08/29/89	10.00	08/17/89	
					NR	10/27/89	12.00	08/17/89	
					NR		NR	08/17/89	
					NR		NR	08/17/89	6.00
					NR		NR	08/30/89	7.00
					NR		NR	08/30/89	
					NR		NR	08/30/89	5.00
					NR		NR	08/30/89	6.00
					NR		NR	12/12/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
IRON	PPB	30.00	300.00	02/28/89	104.00	02/24/89		01/03/89	661.00 *
				07/12/89	114.00	07/20/89		02/27/89	171.00
				08/31/89		08/29/89		07/14/89	312.00 *
					NR	08/29/89		08/17/89	137.00
					NR	10/27/89	38.00	08/17/89	136.00
					NR		NR	08/17/89	152.00
					NR		NR	08/17/89	126.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-27	SAMPLE DATE	2-E25-28	SAMPLE DATE	2-E25-29P
NICKEL	PPB	10.00			NR		NR	08/17/89	12.00
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	08/30/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	24.00
					NR		NR	12/12/89	28.00
					NR		NR	12/12/89	34.00
NITRATE	PPB	500.00	45000.00	02/28/89	2200.00	02/24/89	900.00	01/03/89	6800.00
				07/12/89	2270.00	07/20/89	996.00	02/27/89	8800.00
				08/31/89	2200.00	08/29/89	1000.00	07/14/89	12900.00
					NR	08/29/89	900.00	08/30/89	9100.00
					NR	10/27/89	1600.00	12/12/89	7100.00
					NR		NR	12/12/89	7100.00
PH-LAB		0.01	8.50		NR	02/24/89	8.20	12/12/89	8.10
					NR	08/29/89	8.00		NR
PHFIELD		0.10	8.50	02/28/89	8.20	02/24/89	8.80 *	01/03/89	8.30
				02/28/89	8.20	02/24/89	8.80 *	01/03/89	8.40
				02/28/89	8.20	02/24/89	8.80 *	01/03/89	8.30
				02/28/89	8.20	02/24/89	8.80 *	01/03/89	8.30
				07/12/89	7.95	07/20/89	8.21	02/27/89	8.40
				07/12/89	8.11	07/20/89	8.20	02/27/89	8.40
				07/12/89	8.13	07/20/89	8.19	02/27/89	8.40
				07/12/89	8.10	07/20/89	8.21	02/27/89	8.30
				08/31/89	8.12	07/24/89	8.17	07/14/89	8.07
				08/31/89	8.11	07/24/89	8.17	07/14/89	8.10
				08/31/89	8.12	07/24/89	8.16	07/14/89	8.10
				08/31/89	8.12	07/24/89	8.14	07/14/89	8.11
					NR	08/29/89	8.20	08/17/89	8.17
					NR	08/29/89	8.20	08/30/89	8.21
					NR	08/29/89	8.21	08/30/89	8.18
					NR	08/29/89	8.21	08/30/89	8.18
					NR	10/27/89	7.97	08/30/89	8.17
					NR		NR	12/12/89	8.25
					NR		NR	12/12/89	8.26
					NR		NR	12/12/89	8.26
					NR		NR	12/12/89	8.28
POTASUM	PPB	100.00		02/28/89	3980.00	02/24/89	3830.00	01/03/89	4210.00
				07/12/89	4410.00	07/20/89	3620.00	02/27/89	4920.00
				08/31/89	4290.00	08/29/89	4120.00	07/14/89	5950.00
					NR	08/29/89	3960.00	08/17/89	4510.00
					NR	10/27/89	3670.00	08/17/89	4730.00
					NR		NR	08/17/89	4680.00
					NR		NR	08/17/89	4960.00
					NR		NR	08/30/89	4420.00
					NR		NR	08/30/89	4740.00
					NR		NR	08/30/89	5240.00
					NR		NR	08/30/89	4900.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-27	SAMPLE DATE	2-E25-28	SAMPLE DATE	2-E25-29P
POTASUM	PPB	100.00			NR		NR	12/12/89	4960.00
					NR		NR	12/12/89	4780.00
					NR		NR	12/12/89	4820.00
					NR		NR	12/12/89	4820.00
RADIUM	PCI/L	1.00	5.00	02/28/89		02/24/89		01/03/89	0.27
				07/12/89		07/20/89	0.19	02/27/89	0.50
				08/31/89		08/29/89	(0.16)	07/14/89	0.31
					NR	10/27/89		08/30/89	0.26
								(0.18)	
SILICON	PPB	50.00		02/28/89	13600.00	02/24/89	15800.00	12/12/89	
				07/12/89	14100.00	07/20/89	15200.00	01/03/89	17500.00
				08/31/89	13700.00	08/29/89	17900.00	02/27/89	18700.00
					NR	08/29/89	17200.00	07/14/89	17500.00
					NR	10/27/89	16000.00	08/17/89	17700.00
					NR			08/17/89	18900.00
					NR			08/17/89	18800.00
					NR			08/17/89	20000.00
					NR			08/30/89	18700.00
					NR			08/30/89	18200.00
					NR			08/30/89	19900.00
					NR			08/30/89	18400.00
					NR			12/12/89	18300.00
					NR			12/12/89	17600.00
					NR			12/12/89	18300.00
					NR			12/12/89	18200.00
SODIUM	PPB	200.00		02/28/89	9450.00	02/24/89	10900.00	01/03/89	21400.00
				07/12/89	9820.00	07/20/89	10100.00	02/27/89	24800.00
				08/31/89	8920.00	08/29/89	11500.00	07/14/89	34300.00
					NR	08/29/89	11000.00	08/17/89	22700.00
					NR	10/27/89	9780.00	08/17/89	23800.00
					NR			08/17/89	23500.00
					NR			08/17/89	25100.00
					NR			08/30/89	21300.00
					NR			08/30/89	22700.00
					NR			08/30/89	24600.00
					NR			08/30/89	23100.00
					NR			12/12/89	21700.00
					NR			12/12/89	22600.00
					NR			12/12/89	22900.00
					NR			12/12/89	23100.00
STRONUM	PPB	10.00		02/28/89	102.00	02/24/89	102.00	01/03/89	107.00
				07/12/89	117.00	07/20/89	95.00	02/27/89	126.00
				08/31/89	107.00	08/29/89	110.00	07/14/89	138.00
					NR	08/29/89	105.00	08/17/89	115.00
					NR	10/27/89	99.00	08/17/89	124.00
					NR			08/17/89	121.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-27	SAMPLE DATE	2-E25-28	SAMPLE DATE	2-E25-29P
STRONUM	PPB	10.00			NR		NR	08/17/89	130.00
					NR		NR	08/30/89	114.00
					NR		NR	08/30/89	113.00
					NR		NR	08/30/89	125.00
					NR		NR	08/30/89	117.00
					NR		NR	12/12/89	108.00
					NR		NR	12/12/89	101.00
					NR		NR	12/12/89	107.00
					NR		NR	12/12/89	107.00
SULFATE	PPB	500.00	250000.00	02/28/89	17300.00	02/24/89	12400.00	01/03/89	36100.00
				07/12/89	19300.00	07/20/89	13800.00	02/27/89	35800.00
				08/31/89	16700.00	08/29/89	14100.00	07/14/89	50800.00
					NR	08/29/89	14200.00	08/30/89	35000.00
					NR	10/27/89	12500.00	12/12/89	31000.00
					NR		NR	12/12/89	31500.00
TC	PPB	1000.00			NR	02/24/89	17900.00	12/12/89	20600.00
					NR	07/24/89	18700.00		NR
					NR	08/29/89	18300.00		NR
					NR	08/29/89	18200.00		NR
					NR	10/27/89	19000.00		NR
TC-99	PCI/L	15.00	900.00		NR		NR	01/03/89	0.73
					NR		NR	02/27/89	(0.13)
									1.14
									(0.23)
TDS		5000.00	500000.00		NR	10/27/89	129000.00		NR
TOXLDL	PPB	10.00		02/28/89		02/24/89		01/03/89	34.00
				02/28/89		02/24/89		01/03/89	47.00
				02/28/89		02/24/89		01/03/89	40.00
				02/28/89		02/24/89		01/03/89	20.00
				07/12/89		07/20/89		02/27/89	312.00
				07/12/89		07/20/89		02/27/89	374.00
				07/12/89		07/20/89		02/27/89	308.00
				07/12/89		07/20/89		02/27/89	371.00
				08/31/89		08/29/89	14.00	07/14/89	1160.00
				08/31/89	11.00	08/29/89		07/14/89	1460.00
				08/31/89		08/29/89		07/14/89	412.00
				08/31/89	17.00	08/29/89		07/14/89	230.00
					NR	10/27/89		08/30/89	123.00
					NR		NR	08/30/89	79.00
					NR		NR	08/30/89	106.00
					NR		NR	08/30/89	81.00
					NR		NR	12/12/89	160.00
					NR		NR	12/12/89	147.00
					NR		NR	12/12/89	227.00
					NR		NR	12/12/89	192.00
TRITIUM	PCI/L	500.00	20000.00		NR	10/27/89	1350.00	01/03/89	36700.00 *
							(173.00)		(637.00)
					NR		NR	07/14/89	85700.00 *
									(944.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-27	SAMPLE DATE	2-E25-28	SAMPLE DATE	2-E25-29P
TURBID	NTU	0.10	1.00		NR	02/24/89	0.10	08/30/89	2.10 *
					NR	07/24/89	0.10	12/12/89	1.20 *
					NR	08/29/89			NR
					NR	08/29/89	0.10		NR
					NR	10/27/89	0.20		NR
					NR	10/27/89	0.93		NR
U	PC1/L	0.50	600.00	02/28/89	25.00	02/24/89	41.00	01/03/89	38.00
VANADUM	PPB	5.00		07/12/89	25.00	07/20/89	36.00	02/27/89	34.00
				08/31/89	18.00	08/29/89	40.00	07/14/89	36.00
					NR	08/29/89	39.00	08/17/89	35.00
					NR	10/27/89	37.00	08/17/89	38.00
					NR		NR	08/17/89	38.00
					NR		NR	08/17/89	37.00
					NR		NR	08/30/89	34.00
					NR		NR	08/30/89	32.00
					NR		NR	08/30/89	39.00
					NR		NR	08/30/89	33.00
					NR		NR	12/12/89	37.00
					NR		NR	12/12/89	36.00
					NR		NR	12/12/89	35.00
					NR		NR	12/12/89	36.00
ZINC	PPB	5.00	5000.00	02/28/89	10.00	02/24/89	16.00	01/03/89	
				07/12/89	11.00	07/20/89	9.00	02/27/89	
				08/31/89	9.00	08/29/89	11.00	07/14/89	6.00
					NR	08/29/89	9.00	08/17/89	
					NR	10/27/89	16.00	08/17/89	
					NR		NR	08/17/89	
					NR		NR	08/17/89	
					NR		NR	08/30/89	18.00
					NR		NR	08/30/89	7.00
					NR		NR	08/30/89	5.00
					NR		NR	08/30/89	10.00
					NR		NR	12/12/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	
					NR		NR	12/12/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-30P	SAMPLE DATE	2-E25-31	SAMPLE DATE	2-E25-32P
ALPHA	PCI/L	4.00	15.00		NR	01/03/89		01/04/89	1.41
					NR	01/03/89			(1.22)
ALPHAHI	PCI/L	4.00	15.00	02/27/89	1.88	02/27/89		02/24/89	NR
				02/27/89	(1.63)	07/14/89	2.43	07/13/89	(1.29)
				07/18/89		08/30/89	(1.72)	07/13/89	1.09
				08/29/89		12/12/89		08/29/89	(0.87)
					NR		NR	10/31/89	
					NR		NR	12/12/89	1.20
AMMONIU	PPB	50.00			NR	07/14/89	67.00	02/24/89	(0.98)
					NR		NR	07/13/89	
					NR		NR	08/29/89	
					NR		NR	10/31/89	
ARSENIC	PPB	5.00	50.00	02/27/89	28.00	01/03/89	9.00	01/04/89	
				02/27/89	28.00	01/03/89	9.00	02/24/89	
				07/18/89	18.30	02/27/89	10.00	07/13/89	
				08/29/89	15.00	07/14/89	10.10	07/13/89	
					NR	08/17/89	9.00	07/13/89	
					NR	08/17/89	9.00	07/13/89	
					NR	08/17/89	9.00	08/29/89	
					NR	08/17/89	10.00	08/30/89	
					NR	08/30/89	8.00	08/30/89	
					NR	08/30/89	9.00	08/30/89	
					NR	08/30/89	9.00	10/31/89	
					NR	08/30/89	10.00	12/12/89	
					NR	12/12/89	10.00	12/12/89	
					NR	12/12/89	9.00	12/12/89	
					NR	12/12/89	9.00	12/12/89	
					NR	12/12/89	9.00		NR
BARIUM	PPB	6.00	1000.00	02/27/89	17.00	01/03/89	27.00	01/04/89	12.00
				02/27/89	15.00	01/03/89	25.00	02/24/89	14.00
				07/18/89	23.00	02/27/89	30.00	07/13/89	13.00
				08/29/89	33.00	07/14/89	33.00	07/13/89	13.00
					NR	08/17/89	31.00	07/13/89	13.00
					NR	08/17/89	29.00	07/13/89	10.00
					NR	08/17/89	29.00	08/29/89	13.00
					NR	08/17/89	30.00	08/30/89	11.00
					NR	08/30/89	36.00	08/30/89	12.00
					NR	08/30/89	40.00	08/30/89	12.00
					NR	08/30/89	40.00	10/31/89	13.00
					NR	08/30/89	37.00	12/12/89	13.00
					NR	12/12/89	34.00	12/12/89	13.00
					NR	12/12/89	33.00	12/12/89	13.00
					NR	12/12/89	30.00	12/12/89	13.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-30P	SAMPLE DATE	2-E25-31	SAMPLE DATE	2-E25-32P
BARIUM BETA	PPB PC1/L	6.00 8.00	1000.00 50.00		NR	12/12/89	34.00		NR
				02/27/89	5.19	01/03/89	5.56	01/04/89	6.77
					(2.51)		(2.36)		(2.53)
				02/27/89	6.40	01/03/89	6.78	02/24/89	3.00
					(2.61)		(2.60)		(2.19)
				07/18/89	9.01	02/27/89	5.30	07/13/89	10.20
					(2.87)		(2.42)		(2.96)
				08/29/89	7.92	07/14/89	5.95	07/13/89	23.00
					(2.77)		(2.90)		(3.74)
					NR	08/30/89	2.81	08/29/89	6.63
					NR		(2.19)		(2.58)
					NR	12/12/89	6.35	10/31/89	2.62
							(2.43)		(2.09)
					NR		NR	12/12/89	5.67
									(2.46)
BORON	PPB	10.00		02/27/89	33.00	01/03/89	11.00	01/04/89	15.00
				02/27/89	36.00	01/03/89	17.00	02/24/89	13.00
				07/18/89	37.00	02/27/89	15.00	07/13/89	
				08/29/89	34.00	07/14/89	17.00	07/13/89	
					NR	08/17/89	16.00	07/13/89	
					NR	08/17/89	15.00	07/13/89	
					NR	08/17/89	17.00	08/29/89	15.00
					NR	08/17/89	27.00	08/30/89	
					NR	08/30/89	14.00	08/30/89	19.00
					NR	08/30/89	15.00	08/30/89	12.00
					NR	08/30/89	20.00	10/31/89	
					NR	08/30/89	13.00	12/12/89	13.00
					NR	12/12/89	12.00	12/12/89	
					NR	12/12/89	16.00	12/12/89	
					NR	12/12/89	13.00	12/12/89	
					NR	12/12/89	15.00		NR
CALCIUM	PPB	50.00		02/27/89	11800.00	01/03/89	21900.00	01/04/89	19000.00
				02/27/89	11000.00	01/03/89	20900.00	02/24/89	18800.00
				07/18/89	15200.00	02/27/89	20800.00	07/13/89	20900.00
				08/29/89	20600.00	07/14/89	22200.00	07/13/89	19800.00
					NR	08/17/89	23700.00	07/13/89	20600.00
					NR	08/17/89	24100.00	07/13/89	16800.00
					NR	08/17/89	23900.00	08/29/89	20000.00
					NR	08/17/89	23100.00	08/30/89	19400.00
					NR	08/30/89	28300.00	08/30/89	19000.00
					NR	08/30/89	31000.00	08/30/89	19700.00
					NR	08/30/89	31100.00	10/31/89	17200.00
					NR	08/30/89	29500.00	12/12/89	19100.00
					NR	12/12/89	27200.00	12/12/89	19000.00
					NR	12/12/89	26300.00	12/12/89	18400.00
					NR	12/12/89	24100.00	12/12/89	18900.00
					NR	12/12/89	26600.00		NR
CHLORID	PPB	500.00	250000.00	02/27/89	1700.00	01/03/89	2700.00	01/04/89	2800.00
				02/27/89	1700.00	01/03/89	2800.00	02/24/89	2900.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-30P	SAMPLE DATE	2-E25-31	SAMPLE DATE	2-E25-32P
CHLORID	PPB	500.00	250000.00	07/18/89	2270.00	02/27/89	2700.00	07/13/89	2950.00
				08/29/89	2200.00	07/14/89	3490.00	07/13/89	2930.00
					NR	08/30/89	4700.00	08/29/89	2900.00
					NR	12/12/89	4600.00	10/31/89	2900.00
					NR		NR	12/12/89	3000.00
CHROMIUM	PPB	10.00	50.00	02/27/89	190.00 *	01/03/89	36.00	01/04/89	40.00
				02/27/89	85.00 *	01/03/89	33.00	02/24/89	24.00
				07/18/89	420.00 *	02/27/89	12.00	07/13/89	70.00 *
				08/29/89	305.00 *	07/14/89	32.00	07/13/89	49.00
					NR	08/17/89	14.00	07/13/89	41.00
					NR	08/17/89	26.00	07/13/89	25.00
					NR	08/17/89		08/29/89	33.00
					NR	08/17/89	19.00	08/30/89	43.00
					NR	08/30/89	16.00	08/30/89	18.00
					NR	08/30/89	37.00	08/30/89	31.00
					NR	08/30/89	41.00	10/31/89	33.00
					NR	08/30/89	23.00	12/12/89	61.00 *
					NR	12/12/89	41.00	12/12/89	59.00 *
					NR	12/12/89	26.00	12/12/89	89.00 *
					NR	12/12/89	35.00	12/12/89	63.00 *
					NR	12/12/89	29.00		NR
COND FLD	UMHO	1.00	700.00	02/27/89	473.00	01/03/89	254.00	01/04/89	151.00
				02/27/89	468.00	01/03/89	254.00	01/04/89	150.00
				02/27/89	467.00	01/03/89	254.00	01/04/89	150.00
				02/27/89	467.00	01/03/89	254.00	01/04/89	150.00
				07/18/89	232.00	02/27/89	237.00	02/24/89	100.00
				07/18/89	232.00	02/27/89	236.00	02/24/89	100.00
				07/18/89	232.00	02/27/89	236.00	02/24/89	100.00
				07/18/89	232.00	02/27/89	236.00	02/24/89	100.00
				08/29/89	467.00	07/14/89	227.00	07/13/89	174.00
				08/29/89	462.00	07/14/89	228.00	07/13/89	173.00
				08/29/89	469.00	07/14/89	228.00	07/13/89	172.00
				08/29/89	469.00	07/14/89	228.00	07/13/89	173.00
					NR	08/17/89	262.00	08/29/89	142.00
					NR	08/30/89	268.00	08/29/89	136.00
					NR	08/30/89	273.00	08/29/89	139.00
					NR	08/30/89	283.00	08/29/89	134.00
					NR	08/30/89	287.00	10/31/89	166.00
					NR	12/12/89	322.00	12/12/89	173.00
					NR	12/12/89	321.00	12/12/89	173.00
					NR	12/12/89	324.00	12/12/89	173.00
					NR	12/12/89	324.00	12/12/89	174.00
COND LAB	UMHO		700.00		NR	12/12/89	302.00 a	02/24/89	168.00 a
					NR		NR	08/29/89	160.00 a
					NR		NR	12/12/89	172.00 a
COPPER	PPB	10.00	(1300.0)	02/27/89		01/03/89		01/04/89	
				02/27/89		01/03/89		02/24/89	
				07/18/89		02/27/89		07/13/89	
				08/29/89		07/14/89		07/13/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-30P	SAMPLE DATE	2-E25-31	SAMPLE DATE	2-E25-32P
COPPER	PPB	10.00	(1300.0)		NR	08/17/89		07/13/89	
					NR	08/17/89	11.00	07/13/89	
					NR	08/17/89		08/29/89	
					NR	08/17/89		08/30/89	
					NR	08/30/89		08/30/89	
					NR	08/30/89		08/30/89	
					NR	08/30/89		10/31/89	
					NR	08/30/89		12/12/89	
					NR	12/12/89		12/12/89	
					NR	12/12/89		12/12/89	
					NR	12/12/89		12/12/89	
					NR	12/12/89			NR
DIMETHO	PPB	2.00			NR	07/14/89	349.00	07/13/89	
					NR	12/12/89		10/31/89	
FARSEN	PPB	5.00	50.00	02/27/89	27.00	01/03/89	9.00	01/04/89	
				02/27/89	27.00	01/03/89	9.00	02/24/89	
				07/18/89	18.70	02/27/89	9.00	07/13/89	
				08/29/89	15.00	07/14/89	8.10	07/13/89	
					NR	08/17/89	8.00	07/13/89	
					NR	08/17/89	9.00	07/13/89	
					NR	08/17/89	9.00	08/29/89	
					NR	08/17/89	9.00	08/30/89	
					NR	08/30/89	8.00	08/30/89	
					NR	08/30/89	8.00	08/30/89	
					NR	08/30/89	10.00	10/31/89	
					NR	08/30/89	8.00	12/12/89	
					NR	12/12/89	8.00	12/12/89	
					NR	12/12/89	8.00	12/12/89	
					NR	12/12/89	8.00	12/12/89	
					NR	12/12/89	8.00		NR
FBARIUM	PPB	6.00	1000.00	02/27/89	16.00	01/03/89	30.00	01/04/89	13.00
				02/27/89	15.00	01/03/89	26.00	02/24/89	14.00
				07/18/89	26.00	02/27/89	31.00	07/13/89	11.00
				08/29/89	31.00	07/14/89	31.00	07/13/89	13.00
					NR	08/17/89	37.00	07/13/89	11.00
					NR	08/17/89	36.00	07/13/89	12.00
					NR	08/17/89	33.00	08/29/89	11.00
					NR	08/17/89	36.00	08/30/89	12.00
					NR	08/30/89	37.00	08/30/89	12.00
					NR	08/30/89	35.00	08/30/89	11.00
					NR	08/30/89	34.00	10/31/89	13.00
					NR	08/30/89	36.00	12/12/89	12.00
					NR	12/12/89	32.00	12/12/89	11.00
					NR	12/12/89	32.00	12/12/89	13.00
					NR	12/12/89	34.00	12/12/89	11.00
					NR	12/12/89	34.00		NR
FBORON	PPB	10.00		02/27/89	40.00	01/03/89	13.00	01/04/89	
				02/27/89	30.00	01/03/89	13.00	02/24/89	11.00
				07/18/89	47.00	02/27/89	21.00	07/13/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-30P	SAMPLE DATE	2-E25-31	SAMPLE DATE	2-E25-32P
FBORON	PPB	10.00		08/29/89	32.00	07/14/89	14.00	07/13/89	
					NR	08/17/89	15.00	07/13/89	
					NR	08/17/89	12.00	07/13/89	
					NR	08/17/89	15.00	08/29/89	
					NR	08/17/89	14.00	08/30/89	11.00
					NR	08/30/89		08/30/89	12.00
					NR	08/30/89	14.00	08/30/89	12.00
					NR	08/30/89	13.00	10/31/89	
					NR	08/30/89	15.00	12/12/89	10.00
					NR	12/12/89	14.00	12/12/89	
					NR	12/12/89	13.00	12/12/89	
					NR	12/12/89	15.00	12/12/89	
					NR	12/12/89	15.00		NR
FCALCIU	PPB	50.00		02/27/89	11800.00	01/03/89	24700.00	01/04/89	18500.00
				02/27/89	11200.00	01/03/89	20900.00	02/24/89	20100.00
				07/18/89	18200.00	02/27/89	22800.00	07/13/89	18500.00
				08/29/89	21800.00	07/14/89	24200.00	07/13/89	19600.00
					NR	08/17/89	26100.00	07/13/89	19200.00
					NR	08/17/89	26300.00	07/13/89	19100.00
					NR	08/17/89	24000.00	08/29/89	19000.00
					NR	08/17/89	25900.00	08/30/89	18800.00
					NR	08/30/89	29000.00	08/30/89	19200.00
					NR	08/30/89	29500.00	08/30/89	18300.00
					NR	08/30/89	28200.00	10/31/89	19300.00
					NR	08/30/89	29300.00	12/12/89	19200.00
					NR	12/12/89	26200.00	12/12/89	18400.00
					NR	12/12/89	24700.00	12/12/89	19200.00
					NR	12/12/89	26900.00	12/12/89	18600.00
					NR	12/12/89	26800.00		NR
FCHROMI	PPB	10.00	50.00	02/27/89	32.00	01/03/89	11.00	01/04/89	
				02/27/89		01/03/89		02/24/89	
				07/18/89	18.00	02/27/89		07/13/89	
				08/29/89		07/14/89		07/13/89	
					NR	08/17/89		07/13/89	
					NR	08/17/89		07/13/89	
					NR	08/17/89		08/29/89	
					NR	08/17/89		08/30/89	
					NR	08/30/89		08/30/89	
					NR	08/30/89		08/30/89	
					NR	08/30/89		10/31/89	
					NR	08/30/89		12/12/89	
					NR	12/12/89		12/12/89	
					NR	12/12/89	42.00	12/12/89	
					NR	12/12/89		12/12/89	
					NR	12/12/89			NR
FIRON	PPB	30.00	300.00	02/27/89	148.00	01/03/89	37.00	01/04/89	
				02/27/89		01/03/89		02/24/89	
				07/18/89	99.00	02/27/89		07/13/89	33.00
				08/29/89	44.00	07/14/89		07/13/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-30P	SAMPLE DATE	2-E25-31	SAMPLE DATE	2-E25-32P
IRON	PPB	30.00	300.00		NR	08/17/89		07/13/89	
					NR	08/17/89		07/13/89	33.00
					NR	08/17/89		08/29/89	34.00
					NR	08/17/89		08/30/89	
					NR	08/30/89		08/30/89	38.00
					NR	08/30/89		08/30/89	
					NR	08/30/89		10/31/89	
					NR	08/30/89		12/12/89	33.00
					NR	12/12/89		12/12/89	33.00
					NR	12/12/89	365.00 *	12/12/89	30.00
					NR	12/12/89		12/12/89	
					NR	12/12/89			NR
FLUORID	PPB	500.00	4000.00	02/27/89	500.00	01/03/89		01/04/89	
				02/27/89		01/03/89		02/24/89	
				07/18/89		02/27/89		07/13/89	
				08/29/89	700.00	07/14/89		07/13/89	
					NR	08/30/89	600.00	08/29/89	
					NR	12/12/89		10/31/89	
					NR		NR	12/12/89	
FMAGNES	PPB	50.00		02/27/89	5210.00	01/03/89	6680.00	01/04/89	4890.00
				02/27/89	4970.00	01/03/89	5750.00	02/24/89	5730.00
				07/18/89	6800.00	02/27/89	6680.00	07/13/89	5420.00
				08/29/89	7310.00	07/14/89	6580.00	07/13/89	5750.00
					NR	08/17/89	7210.00	07/13/89	5580.00
					NR	08/17/89	7220.00	07/13/89	5610.00
					NR	08/17/89	6650.00	08/29/89	5130.00
					NR	08/17/89	7110.00	08/30/89	5260.00
					NR	08/30/89	7840.00	08/30/89	5340.00
					NR	08/30/89	7990.00	08/30/89	5050.00
					NR	08/30/89	7610.00	10/31/89	5570.00
					NR	08/30/89	7920.00	12/12/89	5270.00
					NR	12/12/89	7330.00	12/12/89	5140.00
					NR	12/12/89	7190.00	12/12/89	5350.00
					NR	12/12/89	7680.00	12/12/89	5200.00
					NR	12/12/89	7740.00		NR
FMANGAN	PPB	5.00	50.00	02/27/89	6.00	01/03/89		01/04/89	
				02/27/89		01/03/89		02/24/89	
				07/18/89	7.00	02/27/89		07/13/89	5.00
				08/29/89	6.00	07/14/89		07/13/89	
					NR	08/17/89		07/13/89	
					NR	08/17/89		07/13/89	6.00
					NR	08/17/89		08/29/89	
					NR	08/17/89		08/30/89	
					NR	08/30/89		08/30/89	
					NR	08/30/89		08/30/89	
					NR	08/30/89		10/31/89	
					NR	08/30/89		12/12/89	
					NR	12/12/89		12/12/89	
					NR	12/12/89	8.00	12/12/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-30P	SAMPLE DATE	2-E25-31	SAMPLE DATE	2-E25-32P
FMANGAN	PPB	5.00	50.00		NR	12/12/89		12/12/89	
					NR	12/12/89			NR
FNICKEL	PPB	10.00		02/27/89	17.00	01/03/89		01/04/89	
				02/27/89		01/03/89		02/24/89	
				07/18/89	20.00	02/27/89		07/13/89	
				08/29/89	16.00	07/14/89		07/13/89	
					NR	08/17/89		07/13/89	
					NR	08/17/89		07/13/89	
					NR	08/17/89		08/29/89	
					NR	08/17/89		08/30/89	
					NR	08/30/89		08/30/89	
					NR	08/30/89		08/30/89	
					NR	08/30/89		10/31/89	
					NR	08/30/89		12/12/89	
					NR	12/12/89		12/12/89	
					NR	12/12/89	18.00	12/12/89	
					NR	12/12/89		12/12/89	
					NR	12/12/89			NR
FPOTASS	PPB	100.00		02/27/89	6950.00	01/03/89	5440.00	01/04/89	4270.00
				02/27/89	6760.00	01/03/89	4810.00	02/24/89	4740.00
				07/18/89	8840.00	02/27/89	5250.00	07/13/89	3980.00
				08/29/89	10100.00	07/14/89	5090.00	07/13/89	4160.00
					NR	08/17/89	5750.00	07/13/89	4040.00
					NR	08/17/89	5550.00	07/13/89	4090.00
					NR	08/17/89	5180.00	08/29/89	4000.00
					NR	08/17/89	5500.00	08/30/89	3900.00
					NR	08/30/89	5850.00	08/30/89	3960.00
					NR	08/30/89	5970.00	08/30/89	3770.00
					NR	08/30/89	5700.00	10/31/89	4060.00
					NR	08/30/89	5860.00	12/12/89	4150.00
					NR	12/12/89	4870.00	12/12/89	4040.00
					NR	12/12/89	5580.00	12/12/89	4350.00
					NR	12/12/89	5540.00	12/12/89	4210.00
					NR	12/12/89	5430.00		NR
FSILICO	PPB	50.00		02/27/89	26100.00	01/03/89	18200.00	01/04/89	12000.00
				02/27/89	24800.00	01/03/89	15500.00	02/24/89	12000.00
				07/18/89	28400.00	02/27/89	18000.00	07/13/89	9660.00
				08/29/89	31000.00	07/14/89	17400.00	07/13/89	9500.00
					NR	08/17/89	19900.00	07/13/89	9300.00
					NR	08/17/89	19900.00	07/13/89	9390.00
					NR	08/17/89	17900.00	08/29/89	9460.00
					NR	08/17/89	19300.00	08/30/89	9620.00
					NR	08/30/89	19400.00	08/30/89	9850.00
					NR	08/30/89	19600.00	08/30/89	9290.00
					NR	08/30/89	19000.00	10/31/89	10900.00
					NR	08/30/89	19500.00	12/12/89	10000.00
					NR	12/12/89	16700.00	12/12/89	9710.00
					NR	12/12/89	16700.00	12/12/89	10100.00
					NR	12/12/89	17400.00	12/12/89	9620.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-30P	SAMPLE DATE	2-E25-31	SAMPLE DATE	2-E25-32P
FSILICO	PPB	50.00			NR	12/12/89	17400.00		NR
FSODIUM	PPB	200.00		02/27/89	80000.00	01/03/89	21500.00	01/04/89	6970.00
				02/27/89	74800.00	01/03/89	18700.00	02/24/89	7310.00
				07/18/89	83700.00	02/27/89	20500.00	07/13/89	6030.00
				08/29/89	68200.00	07/14/89	18800.00	07/13/89	6330.00
					NR	08/17/89	21500.00	07/13/89	6070.00
					NR	08/17/89	20900.00	07/13/89	6270.00
					NR	08/17/89	19500.00	08/29/89	5790.00
					NR	08/17/89	20600.00	08/30/89	5620.00
					NR	08/30/89	21400.00	08/30/89	5660.00
					NR	08/30/89	21800.00	08/30/89	5400.00
					NR	08/30/89	20800.00	10/31/89	5870.00
					NR	08/30/89	21600.00	12/12/89	5860.00
					NR	12/12/89	18200.00	12/12/89	5670.00
					NR	12/12/89	20100.00	12/12/89	6130.00
					NR	12/12/89	20400.00	12/12/89	5870.00
					NR	12/12/89	20000.00		NR
FSTRONT	PPB	10.00		02/27/89	133.00	01/03/89	120.00	01/04/89	105.00
				02/27/89	126.00	01/03/89	101.00	02/24/89	121.00
				07/18/89	189.00	02/27/89	119.00	07/13/89	119.00
				08/29/89	211.00	07/14/89	124.00	07/13/89	125.00
					NR	08/17/89	135.00	07/13/89	120.00
					NR	08/17/89	133.00	07/13/89	120.00
					NR	08/17/89	122.00	08/29/89	105.00
					NR	08/17/89	131.00	08/30/89	104.00
					NR	08/30/89	145.00	08/30/89	105.00
					NR	08/30/89	145.00	08/30/89	100.00
					NR	08/30/89	139.00	10/31/89	115.00
					NR	08/30/89	146.00	12/12/89	108.00
					NR	12/12/89	130.00	12/12/89	103.00
					NR	12/12/89	129.00	12/12/89	110.00
					NR	12/12/89	138.00	12/12/89	104.00
					NR	12/12/89	138.00		NR
FVANADI	PPB	5.00		02/27/89	81.00	01/03/89	35.00	01/04/89	18.00
				02/27/89	80.00	01/03/89	30.00	02/24/89	20.00
				07/18/89	79.00	02/27/89	33.00	07/13/89	9.00
				08/29/89	79.00	07/14/89	35.00	07/13/89	15.00
					NR	08/17/89	40.00	07/13/89	14.00
					NR	08/17/89	39.00	07/13/89	11.00
					NR	08/17/89	34.00	08/29/89	8.00
					NR	08/17/89	39.00	08/30/89	12.00
					NR	08/30/89	32.00	08/30/89	9.00
					NR	08/30/89	33.00	08/30/89	9.00
					NR	08/30/89	30.00	10/31/89	14.00
					NR	08/30/89	30.00	12/12/89	12.00
					NR	12/12/89	27.00	12/12/89	12.00
					NR	12/12/89	30.00	12/12/89	13.00
					NR	12/12/89	31.00	12/12/89	14.00
					NR	12/12/89	33.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-30P	SAMPLE DATE	2-E25-31	SAMPLE DATE	2-E25-32P
FZINC	PPB	5.00	5000.00	02/27/89 02/27/89 07/18/89 08/29/89		01/03/89 01/03/89 02/27/89 07/14/89 08/17/89 08/17/89 08/17/89 08/17/89 08/30/89 08/30/89 08/30/89 08/30/89 12/12/89 12/12/89 12/12/89 12/12/89 12/12/89	7.00	01/04/89 02/24/89 07/13/89 07/13/89 07/13/89 07/13/89 08/29/89 08/30/89 08/30/89 08/30/89 10/31/89 12/12/89 12/12/89 12/12/89 12/12/89	
					NR NR NR NR NR NR NR NR NR NR NR NR NR NR NR				5.00 8.00 5.00
IRON	PPB	30.00	300.00	02/27/89 02/27/89 07/18/89 08/29/89	790.00 * 385.00 * 2010.00 * 1280.00 *	01/03/89 01/03/89 02/27/89 07/14/89 08/17/89 08/17/89 08/17/89 08/17/89 08/30/89 08/30/89 08/30/89 08/30/89 12/12/89 12/12/89 12/12/89 12/12/89 12/12/89	294.00 262.00 165.00 609.00 * 179.00 323.00 * 95.00 217.00 137.00 232.00 262.00 178.00 385.00 * 242.00 369.00 * 242.00	01/04/89 02/24/89 07/13/89 07/13/89 07/13/89 07/13/89 08/29/89 08/30/89 08/30/89 08/30/89 10/31/89 12/12/89 12/12/89 12/12/89 12/12/89	185.00 82.00 373.00 * 297.00 268.00 167.00 164.00 205.00 112.00 166.00 196.00 361.00 * 443.00 * 589.00 * 395.00 * NR
LEADGF	PPB	5.00	50.00	02/27/89 02/27/89 07/18/89 08/29/89		01/03/89 01/03/89 02/27/89 07/14/89 08/30/89 12/12/89		01/04/89 02/24/89 07/13/89 07/13/89 08/29/89 10/31/89 12/12/89	
					NR NR NR				6.00
MAGNES	PPB	50.00		02/27/89 02/27/89 07/18/89 08/29/89	5370.00 5110.00 5840.00 7360.00	01/03/89 01/03/89 02/27/89 07/14/89 08/17/89 08/17/89 08/17/89 08/17/89 08/30/89	5960.00 5740.00 6140.00 6660.00 6620.00 6740.00 6680.00 6510.00 8050.00	01/04/89 02/24/89 07/13/89 07/13/89 07/13/89 07/13/89 08/29/89 08/30/89 08/30/89	5060.00 5380.00 6000.00 5680.00 5940.00 4850.00 5540.00 5160.00 5060.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-30P	SAMPLE DATE	2-E25-31	SAMPLE DATE	2-E25-32P
MAGNES	PPB	50.00			NR	08/30/89	8850.00	08/30/89	5270.00
					NR	08/30/89	8890.00	10/31/89	5060.00
					NR	08/30/89	8380.00	12/12/89	5320.00
					NR	12/12/89	7700.00	12/12/89	5290.00
					NR	12/12/89	7400.00	12/12/89	5170.00
					NR	12/12/89	6810.00	12/12/89	5260.00
					NR	12/12/89	7550.00		NR
MANGESE	PPB	5.00	50.00	02/27/89	18.00	01/03/89		01/04/89	
				02/27/89	9.00	01/03/89		02/24/89	
				07/18/89	46.00	02/27/89		07/13/89	9.00
				08/29/89	34.00	07/14/89	11.00	07/13/89	7.00
					NR	08/17/89		07/13/89	7.00
					NR	08/17/89	9.00	07/13/89	
					NR	08/17/89		08/29/89	
					NR	08/17/89	6.00	08/30/89	
					NR	08/30/89		08/30/89	
					NR	08/30/89	6.00	08/30/89	
					NR	08/30/89	7.00	10/31/89	
					NR	08/30/89	5.00	12/12/89	9.00
					NR	12/12/89	8.00	12/12/89	10.00
					NR	12/12/89	5.00	12/12/89	12.00
					NR	12/12/89	7.00	12/12/89	9.00
					NR	12/12/89	6.00		NR
NICKEL	PPB	10.00		02/27/89	98.00	01/03/89	23.00	01/04/89	20.00
				02/27/89	40.00	01/03/89	15.00	02/24/89	13.00
				07/18/89	206.00	02/27/89		07/13/89	43.00
				08/29/89	156.00	07/14/89	22.00	07/13/89	28.00
					NR	08/17/89	14.00	07/13/89	25.00
					NR	08/17/89	21.00	07/13/89	16.00
					NR	08/17/89	11.00	08/29/89	21.00
					NR	08/17/89		08/30/89	24.00
					NR	08/30/89	11.00	08/30/89	13.00
					NR	08/30/89	23.00	08/30/89	18.00
					NR	08/30/89	22.00	10/31/89	22.00
					NR	08/30/89	14.00	12/12/89	26.00
					NR	12/12/89	16.00	12/12/89	28.00
					NR	12/12/89	12.00	12/12/89	40.00
					NR	12/12/89	16.00	12/12/89	30.00
					NR	12/12/89	12.00		NR
NITRATE	PPB	500.00	45000.00	02/27/89	3600.00	01/03/89	7100.00	01/04/89	800.00
				02/27/89	3500.00	01/03/89	7100.00	02/24/89	700.00
				07/18/89	8400.00	02/27/89	8900.00	07/13/89	1270.00
				08/29/89	8700.00	07/14/89	11100.00	07/13/89	1020.00
					NR	08/30/89	22400.00	08/29/89	800.00
					NR	12/12/89	20600.00	10/31/89	1100.00
					NR		NR	12/12/89	700.00
PH-LAB		0.01	8.50		NR	12/12/89	8.10	02/24/89	8.20
					NR		NR	08/29/89	8.10
					NR		NR	12/12/89	8.10

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-30P	SAMPLE DATE	2-E25-31	SAMPLE DATE	2-E25-32P
PHFIELD		0.10	8.50	02/27/89	8.00	01/03/89	8.30	01/04/89	8.30
				02/27/89	8.00	01/03/89	8.30	01/04/89	8.30
				02/27/89	8.00	01/03/89	8.30	01/04/89	8.30
				02/27/89	8.00	01/03/89	8.90 *	01/04/89	8.30
				07/18/89	8.40	02/27/89	7.90	02/24/89	8.70 *
				07/18/89	8.39	02/27/89	7.80	02/24/89	8.80 *
				07/18/89	8.40	02/27/89	7.80	02/24/89	8.70 *
				07/18/89	8.39	02/27/89	7.80	02/24/89	8.70 *
				08/29/89	8.19	07/14/89	7.80	07/13/89	6.92
				08/29/89	8.19	07/14/89	7.80	07/13/89	6.96
				08/29/89	8.19	07/14/89	7.80	07/13/89	7.01
				08/29/89	8.19	07/14/89	7.80	07/13/89	7.00
					NR	08/17/89	7.99	08/29/89	8.22
					NR	08/30/89	8.06	08/29/89	8.21
					NR	08/30/89	8.05	08/29/89	8.22
					NR	08/30/89	8.04	08/29/89	8.22
					NR	08/30/89	8.04	10/31/89	7.01
					NR	12/12/89	8.15	12/12/89	8.32
					NR	12/12/89	8.15	12/12/89	8.32
					NR	12/12/89	8.14	12/12/89	8.31
					NR	12/12/89	8.13	12/12/89	8.30
PHOSPHA	PPB	1000.00		02/27/89	8500.00	01/03/89		01/04/89	
				02/27/89	8400.00	01/03/89		02/24/89	
				07/18/89	3260.00	02/27/89		07/13/89	
				08/29/89	1700.00	07/14/89		07/13/89	
					NR	08/30/89		08/29/89	
					NR	12/12/89		10/31/89	
					NR			12/12/89	
POTASUM	PPB	100.00		02/27/89	7070.00	01/03/89	4890.00	01/04/89	4420.00
				02/27/89	6750.00	01/03/89	4710.00	02/24/89	4450.00
				07/18/89	7440.00	02/27/89	4850.00	07/13/89	4290.00
				08/29/89	9270.00	07/14/89	5970.00	07/13/89	4020.00
					NR	08/17/89	5090.00	07/13/89	4320.00
					NR	08/17/89	5220.00	07/13/89	3530.00
					NR	08/17/89	5140.00	08/29/89	3860.00
					NR	08/17/89	5150.00	08/30/89	3930.00
					NR	08/30/89	5370.00	08/30/89	3890.00
					NR	08/30/89	5890.00	08/30/89	4060.00
					NR	08/30/89	5950.00	10/31/89	3710.00
					NR	08/30/89	5570.00	12/12/89	4210.00
					NR	12/12/89	5360.00	12/12/89	4270.00
					NR	12/12/89	4940.00	12/12/89	4200.00
					NR	12/12/89	4770.00	12/12/89	4230.00
					NR	12/12/89	4970.00		NR
RADIUM	PCI/L	1.00	5.00	02/27/89	0.52	01/03/89		01/04/89	
					(0.24)				
				02/27/89	0.34	01/03/89	0.38	02/24/89	
					(0.20)		(0.21)		

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-30P	SAMPLE DATE	2-E25-31	SAMPLE DATE	2-E25-32P
RADIUM	PCI/L	1.00	5.00	07/18/89	0.41	02/27/89	0.54	07/13/89	
				08/29/89	(0.22)	07/14/89	(0.24)	07/13/89	0.17
					(0.20)			(0.15)	
					NR	08/30/89		08/29/89	
					NR	12/12/89		10/31/89	
					NR		NR	12/12/89	
SILICON	PPB	50.00		02/27/89	27400.00	01/03/89	16500.00	01/04/89	12400.00
				02/27/89	25500.00	01/03/89	15800.00	02/24/89	11200.00
				07/18/89	23800.00	02/27/89	16800.00	07/13/89	10100.00
				08/29/89	29300.00	07/14/89	17400.00	07/13/89	9550.00
					NR	08/17/89	18300.00	07/13/89	9900.00
					NR	08/17/89	18800.00	07/13/89	8140.00
					NR	08/17/89	18300.00	08/29/89	10000.00
					NR	08/17/89	17900.00	08/30/89	9650.00
					NR	08/30/89	17900.00	08/30/89	9490.00
					NR	08/30/89	20000.00	08/30/89	9810.00
					NR	08/30/89	20200.00	10/31/89	9710.00
					NR	08/30/89	19300.00	12/12/89	9970.00
					NR	12/12/89	16800.00	12/12/89	9940.00
					NR	12/12/89	16100.00	12/12/89	9620.00
					NR	12/12/89	15900.00	12/12/89	9820.00
					NR	12/12/89	16500.00		NR
SODIUM	PPB	200.00		02/27/89	85600.00	01/03/89	19400.00	01/04/89	7220.00
				02/27/89	81700.00	01/03/89	18500.00	02/24/89	6850.00
				07/18/89	77100.00	02/27/89	19100.00	07/13/89	6430.00
				08/29/89	66400.00	07/14/89	22400.00	07/13/89	6020.00
					NR	08/17/89	18600.00	07/13/89	6480.00
					NR	08/17/89	19000.00	07/13/89	5260.00
					NR	08/17/89	18700.00	08/29/89	5760.00
					NR	08/17/89	18700.00	08/30/89	5820.00
					NR	08/30/89	20100.00	08/30/89	5740.00
					NR	08/30/89	21900.00	08/30/89	5970.00
					NR	08/30/89	22200.00	10/31/89	5390.00
					NR	08/30/89	20800.00	12/12/89	5970.00
					NR	12/12/89	19700.00	12/12/89	6010.00
					NR	12/12/89	18300.00	12/12/89	5970.00
					NR	12/12/89	17500.00	12/12/89	5910.00
					NR	12/12/89	18700.00		NR
STRONUM	PPB	10.00		02/27/89	137.00	01/03/89	105.00	01/04/89	109.00
				02/27/89	127.00	01/03/89	101.00	02/24/89	113.00
				07/18/89	156.00	02/27/89	111.00	07/13/89	131.00
				08/29/89	207.00	07/14/89	129.00	07/13/89	124.00
					NR	08/17/89	120.00	07/13/89	130.00
					NR	08/17/89	122.00	07/13/89	106.00
					NR	08/17/89	120.00	08/29/89	112.00
					NR	08/17/89	118.00	08/30/89	106.00
					NR	08/30/89	143.00	08/30/89	105.00
					NR	08/30/89	157.00	08/30/89	109.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-30P	SAMPLE DATE	2-E25-31	SAMPLE DATE	2-E25-32P
STRONUM	PPB	10.00			NR	08/30/89	157.00	10/31/89	104.00
					NR	08/30/89	149.00	12/12/89	110.00
					NR	12/12/89	135.00	12/12/89	108.00
					NR	12/12/89	130.00	12/12/89	107.00
					NR	12/12/89	118.00	12/12/89	107.00
					NR	12/12/89	133.00		NR
SULFATE	PPB	500.00	250000.00	02/27/89	62600.00	01/03/89	25200.00	01/04/89	12000.00
				02/27/89	58100.00	01/03/89	25100.00	02/24/89	13000.00
				07/18/89	84200.00	02/27/89	27100.00	07/13/89	13300.00
				08/29/89	79000.00	07/14/89	29200.00	07/13/89	13300.00
					NR	08/30/89	30000.00	08/29/89	11800.00
					NR	12/12/89	31900.00	10/31/89	11700.00
					NR		NR	12/12/89	12500.00
TC	PPB	1000.00			NR	12/12/89	23000.00	02/24/89	16700.00
					NR		NR	07/13/89	17600.00
					NR		NR	08/29/89	16300.00
					NR		NR	10/31/89	17100.00
					NR		NR	12/12/89	16500.00
TC-99	PCI/L	15.00	900.00		NR	01/03/89	2.44	01/04/89	1.99
					NR		(1.40)		(0.02)
					NR	02/27/89	0.32	02/24/89	0.54
							(0.02)		(0.23)
TDS		5000.00	500000.00		NR		NR	10/31/89	25000.00
TOXLDL	PPB	10.00		02/27/89	11.00	01/03/89	587.00	01/04/89	
				02/27/89	10.00	01/03/89	512.00	01/04/89	
				02/27/89	12.00	01/03/89	498.00	01/04/89	
				02/27/89	13.00	01/03/89	512.00	01/04/89	
				07/18/89		02/27/89	159.00	02/24/89	
				07/18/89		02/27/89	196.00	02/24/89	
				07/18/89		02/27/89	112.00	02/24/89	
				07/18/89		02/27/89	143.00	02/24/89	
				08/29/89		07/14/89	125.00	07/13/89	
				08/29/89		07/14/89	122.00	07/13/89	
				08/29/89		07/14/89	119.00	07/13/89	
				08/29/89		07/14/89	125.00	07/13/89	
					NR	08/30/89	199.00	08/29/89	
					NR	08/30/89	208.00	08/29/89	
					NR	08/30/89	199.00	08/29/89	
					NR	08/30/89	206.00	08/29/89	
					NR	12/12/89	174.00	10/31/89	
					NR	12/12/89	211.00	12/12/89	
					NR	12/12/89	190.00	12/12/89	
					NR	12/12/89	218.00	12/12/89	
					NR		NR	12/12/89	
TRITIUM	PCI/L	500.00	20000.00		NR	01/03/89	18600.00	01/04/89	670.00
							(467.00)		(175.00)
					NR	01/03/89	16600.00	10/31/89	1040.00
							(440.00)		(164.00)
					NR	07/14/89	19100.00		NR
							(462.00)		

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-30P	SAMPLE DATE	2-E25-31	SAMPLE DATE	2-E25-32P
TURBID	NTU	0.10	1.00		NR	08/30/89	2.10 *	02/24/89	0.55
					NR	12/12/89	3.20 *	07/13/89	0.50
					NR			08/29/89	0.90
					NR			08/29/89	1.60 *
					NR			10/31/89	0.70
					NR			12/12/89	2.00 *
					NR			10/31/89	0.68
U VANADIUM	PCI/L PPB	0.50 5.00	600.00	02/27/89	84.00	01/03/89	32.00	01/04/89	20.00
				02/27/89	78.00	01/03/89	33.00	02/24/89	16.00
				07/18/89	66.00	02/27/89	27.00	07/13/89	12.00
				08/29/89	78.00	07/14/89	36.00	07/13/89	12.00
					NR	08/17/89	35.00	07/13/89	12.00
					NR	08/17/89	31.00	07/13/89	11.00
					NR	08/17/89	32.00	08/29/89	10.00
					NR	08/17/89	33.00	08/30/89	
					NR	08/30/89	36.00	08/30/89	11.00
					NR	08/30/89	39.00	08/30/89	8.00
					NR	08/30/89	38.00	10/31/89	13.00
					NR	08/30/89	38.00	12/12/89	14.00
					NR	12/12/89	27.00	12/12/89	13.00
					NR	12/12/89	28.00	12/12/89	13.00
					NR	12/12/89	28.00	12/12/89	15.00
					NR	12/12/89	28.00	12/12/89	NR
ZINC	PPB	5.00	5000.00	02/27/89		01/03/89	9.00	01/04/89	
				02/27/89		01/03/89	9.00	02/24/89	
				07/18/89		02/27/89	13.00	07/13/89	6.00
				08/29/89	7.00	07/14/89	15.00	07/13/89	9.00
					NR	08/17/89	6.00	07/13/89	6.00
					NR	08/17/89	9.00	07/13/89	8.00
					NR	08/17/89		08/29/89	7.00
					NR	08/17/89	7.00	08/30/89	8.00
					NR	08/30/89		08/30/89	13.00
					NR	08/30/89	5.00	08/30/89	
					NR	08/30/89	7.00	10/31/89	
					NR	08/30/89	6.00	12/12/89	
					NR	12/12/89	8.00	12/12/89	6.00
					NR	12/12/89	7.00	12/12/89	7.00
					NR	12/12/89	6.00	12/12/89	5.00
					NR	12/12/89	7.00	12/12/89	NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-33	SAMPLE DATE	2-E25-34	SAMPLE DATE	2-E25-35
ALPHA	PCI/L	4.00	15.00	01/31/89	2.68		NR		NR
					(1.52)				
ALPHAHI	PCI/L	4.00	15.00	03/02/89	1.78	02/27/89		02/27/89	3.67
					(1.34)				(2.28)
				07/27/89	1.48	02/27/89		07/17/89	3.66
					(1.28)				(2.35)
				08/31/89	2.39	07/17/89		07/17/89	2.05
					(1.73)				(1.80)
				12/12/89	2.46	08/30/89		08/30/89	2.78
					(1.56)				(2.08)
					NR	10/31/89	1.98	10/30/89	1.91
							(1.16)		(1.78)
ALUMNUM	PPB	150.00		01/31/89	203.00	02/27/89		02/27/89	
				03/02/89		02/27/89		07/17/89	
				07/27/89		07/17/89		07/17/89	
				07/27/89	153.00	08/30/89		08/30/89	
				07/27/89	166.00	10/31/89		10/30/89	
				07/27/89	156.00		NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
AM-241	PCI/L	0.10	30.00		NR	10/31/89	0.02	10/30/89	
							(0.02)		
ARSENIC	PPB	5.00	50.00	01/31/89	9.00	02/27/89	9.00	02/27/89	11.00
				03/02/89	8.00	02/27/89	7.00	07/17/89	9.90
				07/27/89	12.00	07/17/89	7.30	07/17/89	10.00
				07/27/89	11.00	08/30/89	5.00	08/30/89	9.00
				07/27/89	11.00	10/31/89	8.00	10/30/89	10.00
				07/27/89	11.00		NR		NR
				08/31/89	12.00		NR		NR
				08/31/89	12.00		NR		NR
				08/31/89	13.00		NR		NR
				08/31/89	11.00		NR		NR
				12/12/89	10.00		NR		NR
				12/12/89	11.00		NR		NR
				12/12/89	10.00		NR		NR
				12/12/89	10.00		NR		NR
BARIUM	PPB	6.00	1000.00	01/31/89	32.00	02/27/89	19.00	02/27/89	33.00
				03/02/89	36.00	02/27/89	17.00	07/17/89	27.00
				07/27/89	32.00	07/17/89	19.00	07/17/89	27.00
				07/27/89	32.00	08/30/89	22.00	08/30/89	36.00
				07/27/89	31.00	10/31/89	20.00	10/30/89	30.00
				07/27/89	30.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-33	SAMPLE DATE	2-E25-34	SAMPLE DATE	2-E25-35
BARIUM	PPB	6.00	1000.00	08/31/89	32.00		NR		NR
				08/31/89	29.00		NR		NR
				08/31/89	33.00		NR		NR
				08/31/89	34.00		NR		NR
				12/12/89	30.00		NR		NR
				12/12/89	30.00		NR		NR
				12/12/89	30.00		NR		NR
				12/12/89	29.00		NR		NR
BERYLUM	PPB	5.00		01/31/89		02/27/89		02/27/89	
				03/02/89		02/27/89		07/17/89	
				07/27/89		07/17/89		07/17/89	
				07/27/89		08/30/89	6.00	08/30/89	5.00
				07/27/89		10/31/89		10/30/89	
				07/27/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
BETA	PC/L	8.00	50.00	01/31/89	4.73	02/27/89	2.70	02/27/89	5.37
					(2.34)		(2.14)		(2.58)
				03/02/89	4.89	02/27/89		07/17/89	3.37
					(2.40)				(2.44)
				07/27/89	6.88	07/17/89	3.97	07/17/89	7.51
					(2.62)		(2.31)		(2.83)
				08/31/89	4.33	08/30/89	5.48	08/30/89	6.89
					(2.39)		(2.44)		(2.65)
				12/12/89		10/31/89	4.66	10/30/89	9.38
							(2.35)		(2.96)
BORON	PPB	10.00		01/31/89	23.00	02/27/89	13.00	02/27/89	37.00
				03/02/89	20.00	02/27/89	11.00	07/17/89	22.00
				07/27/89	23.00	07/17/89	19.00	07/17/89	21.00
				07/27/89	19.00	08/30/89	12.00	08/30/89	25.00
				07/27/89	18.00	10/31/89		10/30/89	19.00
				07/27/89	19.00		NR		NR
				08/31/89	28.00		NR		NR
				08/31/89	24.00		NR		NR
				08/31/89	23.00		NR		NR
				08/31/89	59.00		NR		NR
				12/12/89	25.00		NR		NR
				12/12/89	24.00		NR		NR
				12/12/89	28.00		NR		NR
				12/12/89	23.00		NR		NR
CALCIUM	PPB	50.00		01/31/89	29600.00	02/27/89	19000.00	02/27/89	62700.00
				03/02/89	34400.00	02/27/89	18000.00	07/17/89	51800.00
				07/27/89	28400.00	07/17/89	20200.00	07/17/89	53200.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-33	SAMPLE DATE	2-E25-34	SAMPLE DATE	2-E25-35
CALCIUM	PPB	50.00		07/27/89	28300.00	08/30/89	20800.00	08/30/89	75100.00
				07/27/89	27300.00	10/31/89	20900.00	10/30/89	51800.00
				07/27/89	26400.00		NR		NR
				08/31/89	29700.00		NR		NR
				08/31/89	29400.00		NR		NR
				08/31/89	29900.00		NR		NR
				08/31/89	31400.00		NR		NR
				12/12/89	27000.00		NR		NR
				12/12/89	26700.00		NR		NR
				12/12/89	26500.00		NR		NR
				12/12/89	26100.00		NR		NR
CHLORID	PPB	500.00	250000.00	01/31/89	4200.00	02/27/89	2800.00	02/27/89	7200.00
				03/02/89	4100.00	07/17/89	3190.00	07/17/89	6190.00
				07/27/89	4500.00	08/30/89	3300.00	07/17/89	6820.00
				08/31/89	4200.00	10/31/89	3100.00	08/30/89	8000.00
				12/12/89	4500.00		NR	10/30/89	6900.00
CHROMIUM	PPB	10.00	50.00	01/31/89	37.00	02/27/89	27.00	02/27/89	27.00
				03/02/89	16.00	02/27/89	13.00	07/17/89	123.00 *
				07/27/89	51.00 *	07/17/89	91.00 *	07/17/89	49.00
				07/27/89	62.00 *	08/30/89	31.00	08/30/89	31.00
				07/27/89	66.00 *	10/31/89	76.00 *	10/30/89	38.00
				07/27/89	41.00		NR		NR
				08/31/89	11.00		NR		NR
				08/31/89	17.00		NR		NR
				08/31/89	13.00		NR		NR
				08/31/89	15.00		NR		NR
				12/12/89	17.00		NR		NR
				12/12/89	16.00		NR		NR
				12/12/89	19.00		NR		NR
				12/12/89	12.00		NR		NR
CONDFLD	UMHO	1.00	700.00	01/31/89	309.00	02/27/89	180.00	02/27/89	605.00
				01/31/89	308.00	07/17/89	130.00	07/17/89	330.00
				01/31/89	309.00	07/17/89	129.00	07/17/89	330.00
				01/31/89	309.00	07/17/89	128.00	07/17/89	330.00
				03/02/89	398.00	07/17/89	129.00	07/17/89	330.00
				03/02/89	399.00	08/30/89	192.00	08/30/89	731.00 *
				03/02/89	398.00	08/30/89	191.00	08/30/89	729.00 *
				03/02/89	398.00	08/30/89	191.00	08/30/89	734.00 *
				07/27/89	200.00	08/30/89	190.00	08/30/89	736.00 *
				07/27/89	200.00	10/31/89	198.00	10/30/89	682.00
				07/27/89	199.00		NR		NR
				07/27/89	200.00		NR		NR
				08/31/89	320.00		NR		NR
				08/31/89	320.00		NR		NR
				08/31/89	319.00		NR		NR
				08/31/89	321.00		NR		NR
				12/12/89	324.00		NR		NR
				12/12/89	326.00		NR		NR
				12/12/89	330.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-33	SAMPLE DATE	2-E25-34	SAMPLE DATE	2-E25-35
CONDFLD	UMHO	1.00	700.00	12/12/89	328.00		NR		NR
CONDLAB	UMHO		700.00	12/12/89	315.00 a	02/27/89	655.00 a	02/27/89	628.00 a
					NR	07/17/89	183.00 a	07/17/89	506.00 a
					NR	08/30/89	674.00 a	08/30/89	185.00 a
FARSEN1	PPB	5.00	50.00	01/31/89	9.00	02/27/89	9.00	02/27/89	11.00
				03/02/89	8.00	02/27/89	9.00	07/17/89	10.40
				07/27/89	10.00	07/17/89	8.50	07/17/89	10.40
				07/27/89	11.00	08/30/89	6.00	08/30/89	8.00
				07/27/89	11.00	10/31/89	8.00	10/30/89	10.00
				07/27/89	10.00		NR		NR
				08/31/89	13.00		NR		NR
				08/31/89	11.00		NR		NR
				08/31/89	11.00		NR		NR
				08/31/89	11.00		NR		NR
				12/12/89	11.00		NR		NR
				12/12/89	10.00		NR		NR
				12/12/89	10.00		NR		NR
				12/12/89	11.00		NR		NR
FBAR1UM	PPB	6.00	1000.00	01/31/89	29.00	02/27/89	19.00	02/27/89	32.00
				03/02/89	34.00	02/27/89	20.00	07/17/89	24.00
				07/27/89	29.00	07/17/89	19.00	07/17/89	25.00
				07/27/89	30.00	08/30/89	19.00	08/30/89	34.00
				07/27/89	32.00	10/31/89	20.00	10/30/89	29.00
				07/27/89	31.00		NR		NR
				08/31/89	33.00		NR		NR
				08/31/89	28.00		NR		NR
				08/31/89	34.00		NR		NR
				08/31/89	31.00		NR		NR
				12/12/89	28.00		NR		NR
				12/12/89	29.00		NR		NR
				12/12/89	28.00		NR		NR
				12/12/89	29.00		NR		NR
FBERYLL	PPB	5.00		01/31/89		02/27/89		02/27/89	
				03/02/89		02/27/89		07/17/89	
				07/27/89		07/17/89		07/17/89	
				07/27/89		08/30/89	6.00	08/30/89	
				07/27/89		10/31/89		10/30/89	
				07/27/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-33	SAMPLE DATE	2-E25-34	SAMPLE DATE	2-E25-35
FBORDN	PPB	10.00		01/31/89	19.00	02/27/89	18.00	02/27/89	33.00
				03/02/89	19.00	02/27/89	20.00	07/17/89	21.00
				07/27/89	24.00	07/17/89	17.00	07/17/89	20.00
		10.00		07/27/89	22.00	08/30/89		08/30/89	24.00
				07/27/89	23.00	10/31/89		10/30/89	37.00
				07/27/89	25.00		NR		NR
				08/31/89	24.00		NR		NR
				08/31/89	23.00		NR		NR
				08/31/89	21.00		NR		NR
				08/31/89	24.00		NR		NR
				12/12/89	20.00		NR		NR
				12/12/89	23.00		NR		NR
				12/12/89	20.00		NR		NR
				12/12/89	22.00		NR		NR
FCALCIU	PPB	50.00		01/31/89	26400.00	02/27/89	19000.00	02/27/89	63200.00
				03/02/89	31800.00	02/27/89	20300.00	07/17/89	46600.00
				07/27/89	28300.00	07/17/89	20900.00	07/17/89	47200.00
				07/27/89	28700.00	08/30/89	19200.00	08/30/89	72800.00
				07/27/89	28200.00	10/31/89	21600.00	10/30/89	55800.00
				07/27/89	28900.00		NR		NR
				08/31/89	30100.00		NR		NR
				08/31/89	28600.00		NR		NR
				08/31/89	28000.00		NR		NR
				08/31/89	28200.00		NR		NR
				12/12/89	26100.00		NR		NR
				12/12/89	25900.00		NR		NR
				12/12/89	25800.00		NR		NR
				12/12/89	26200.00		NR		NR
FCHROMI	PPB	10.00	50.00	01/31/89	10.00	02/27/89		02/27/89	
				03/02/89		02/27/89		07/17/89	
				07/27/89		07/17/89		07/17/89	10.00
				07/27/89		08/30/89		08/30/89	
				07/27/89		10/31/89		10/30/89	
				07/27/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
FCOPPER	PPB	10.00	(1300.0)	01/31/89		02/27/89		02/27/89	
				03/02/89		02/27/89		07/17/89	
				07/27/89		07/17/89		07/17/89	
				07/27/89		08/30/89		08/30/89	
				07/27/89		10/31/89		10/30/89	
				07/27/89	24.00		NR		NR
				08/31/89	23.00		NR		NR
				08/31/89			NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-33	SAMPLE DATE	2-E25-34	SAMPLE DATE	2-E25-35
FCOPPER	PPB	10.00	(1300.0)	08/31/89			NR		NR
				08/31/89	11.00		NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
FIRON	PPB	30.00	300.00	01/31/89	184.00	02/27/89		02/27/89	39.00
				03/02/89		02/27/89	38.00	07/17/89	45.00
				07/27/89		07/17/89		07/17/89	61.00
				07/27/89		08/30/89		08/30/89	
				07/27/89		10/31/89		10/30/89	40.00
				07/27/89	87.00		NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
FLUORID	PPB	500.00	4000.00	01/31/89	700.00	02/27/89		02/27/89	600.00
				03/02/89	600.00	07/17/89		07/17/89	588.00
				07/27/89	700.00	08/30/89		07/17/89	616.00
				08/31/89	700.00	10/31/89		08/30/89	1000.00
				12/12/89	600.00		NR	10/30/89	700.00
FMAGNES	PPB	50.00		01/31/89	6940.00	02/27/89	5620.00	02/27/89	24900.00
				03/02/89	8640.00	02/27/89	6040.00	07/17/89	16900.00
				07/27/89	7060.00	07/17/89	5620.00	07/17/89	17100.00
				07/27/89	7170.00	08/30/89	5130.00	08/30/89	25100.00
				07/27/89	7060.00	10/31/89	6260.00	10/30/89	21400.00
				07/27/89	7180.00		NR		NR
				08/31/89	7060.00		NR		NR
				08/31/89	6880.00		NR		NR
				08/31/89	6670.00		NR		NR
				08/31/89	7180.00		NR		NR
				12/12/89	6610.00		NR		NR
				12/12/89	6480.00		NR		NR
				12/12/89	6460.00		NR		NR
				12/12/89	6530.00		NR		NR
FMANGAN	PPB	5.00	50.00	01/31/89	6.00	02/27/89		02/27/89	
				03/02/89		02/27/89		07/17/89	
				07/27/89		07/17/89		07/17/89	
				07/27/89		08/30/89	6.00	08/30/89	
				07/27/89		10/31/89		10/30/89	
				07/27/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				12/12/89			NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-33	SAMPLE DATE	2-E25-34	SAMPLE DATE	2-E25-35
FMANGAN	PPB	5.00	50.00	12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
FPOTASS	PPB	100.00		01/31/89	4840.00	02/27/89	4170.00	02/27/89	5960.00
				03/02/89	5200.00	02/27/89	4510.00	07/17/89	4880.00
				07/27/89	5080.00	07/17/89	3980.00	07/17/89	4930.00
				07/27/89	5120.00	08/30/89	4040.00	08/30/89	6460.00
				07/27/89	5020.00	10/31/89	4190.00	10/30/89	5420.00
				07/27/89	5080.00		NR		NR
				08/31/89	5400.00		NR		NR
				08/31/89	5260.00		NR		NR
				08/31/89	5100.00		NR		NR
				08/31/89	5370.00		NR		NR
				12/12/89	4780.00		NR		NR
				12/12/89	4580.00		NR		NR
				12/12/89	4470.00		NR		NR
				12/12/89	4460.00		NR		NR
FSILICO	PPB	50.00		01/31/89	19700.00	02/27/89	14700.00	02/27/89	17800.00
				03/02/89	19500.00	02/27/89	16100.00	07/17/89	18400.00
				07/27/89	19900.00	07/17/89	15000.00	07/17/89	18800.00
				07/27/89	20100.00	08/30/89	13700.00	08/30/89	18500.00
				07/27/89	19800.00	10/31/89	16300.00	10/30/89	18900.00
				07/27/89	20400.00		NR		NR
				08/31/89	19600.00		NR		NR
				08/31/89	19600.00		NR		NR
				08/31/89	18900.00		NR		NR
				08/31/89	20100.00		NR		NR
				12/12/89	18500.00		NR		NR
				12/12/89	18300.00		NR		NR
				12/12/89	18300.00		NR		NR
				12/12/89	18600.00		NR		NR
FSODIUM	PPB	200.00		01/31/89	26000.00	02/27/89	10500.00	02/27/89	45100.00
				03/02/89	28300.00	02/27/89	11400.00	07/17/89	33900.00
				07/27/89	27800.00	07/17/89	9600.00	07/17/89	34400.00
				07/27/89	28000.00	08/30/89	9420.00	08/30/89	44900.00
				07/27/89	27500.00	10/31/89	9590.00	10/30/89	45900.00
				07/27/89	27900.00		NR		NR
				08/31/89	26100.00		NR		NR
				08/31/89	25300.00		NR		NR
				08/31/89	24200.00		NR		NR
				08/31/89	27000.00		NR		NR
				12/12/89	25800.00		NR		NR
				12/12/89	24800.00		NR		NR
				12/12/89	24300.00		NR		NR
				12/12/89	24500.00		NR		NR
FSTRONT	PPB	10.00		01/31/89	134.00	02/27/89	106.00	02/27/89	345.00
				03/02/89	171.00	02/27/89	113.00	07/17/89	255.00
				07/27/89	137.00	07/17/89	112.00	07/17/89	259.00
				07/27/89	138.00	08/30/89	99.00	08/30/89	359.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-33	SAMPLE DATE	2-E25-34	SAMPLE DATE	2-E25-35
FSTRONT	PPB	10.00		07/27/89	137.00	10/31/89	121.00	10/30/89	307.00
				07/27/89	140.00		NR		NR
				08/31/89	135.00		NR		NR
				08/31/89	129.00		NR		NR
				08/31/89	124.00		NR		NR
				08/31/89	141.00		NR		NR
				12/12/89	123.00		NR		NR
				12/12/89	122.00		NR		NR
				12/12/89	120.00		NR		NR
				12/12/89	123.00		NR		NR
FVANADI	PPB	5.00		01/31/89	28.00	02/27/89	38.00	02/27/89	20.00
				03/02/89	27.00	02/27/89	38.00	07/17/89	23.00
				07/27/89	29.00	07/17/89	34.00	07/17/89	23.00
				07/27/89	30.00	08/30/89	29.00	08/30/89	17.00
				07/27/89	32.00	10/31/89	34.00	10/30/89	23.00
				07/27/89	33.00		NR		NR
				08/31/89	34.00		NR		NR
				08/31/89	29.00		NR		NR
				08/31/89	27.00		NR		NR
				08/31/89	26.00		NR		NR
				12/12/89	28.00		NR		NR
				12/12/89	28.00		NR		NR
				12/12/89	27.00		NR		NR
				12/12/89	27.00		NR		NR
FZINC	PPB	5.00	5000.00	01/31/89		02/27/89		02/27/89	9.00
				03/02/89		02/27/89		07/17/89	
				07/27/89		07/17/89		07/17/89	6.00
				07/27/89	9.00	08/30/89		08/30/89	
				07/27/89		10/31/89		10/30/89	
				07/27/89			NR		NR
				08/31/89	37.00		NR		NR
				08/31/89			NR		NR
				08/31/89			NR		NR
				08/31/89	6.00		NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
IRON	PPB	30.00	300.00	01/31/89	686.00 *	02/27/89	169.00	02/27/89	144.00
				03/02/89	154.00	02/27/89	104.00	07/17/89	804.00 *
				07/27/89	586.00 *	07/17/89	791.00 *	07/17/89	473.00 *
				07/27/89	623.00 *	08/30/89	177.00	08/30/89	329.00 *
				07/27/89	701.00 *	10/31/89	385.00 *	10/30/89	244.00
				07/27/89	585.00 *		NR		NR
				08/31/89	78.00		NR		NR
				08/31/89	107.00		NR		NR
				08/31/89	77.00		NR		NR
				08/31/89	76.00		NR		NR
				12/12/89	179.00		NR		NR
				12/12/89	166.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-33	SAMPLE DATE	2-E25-34	SAMPLE DATE	2-E25-35
IRON	PPB	30.00	300.00	12/12/89	228.00		NR		NR
				12/12/89	171.00		NR		NR
LEADGF	PPB	5.00	50.00	01/31/89	6.00	02/27/89		02/27/89	
				03/02/89		02/27/89		07/17/89	
				07/27/89		07/17/89		07/17/89	
				08/31/89		08/30/89		08/30/89	
				12/12/89		10/31/89		10/30/89	
MAGNES	PPB	50.00		01/31/89	7280.00	02/27/89	5640.00	02/27/89	24800.00
				03/02/89	9280.00	02/27/89	5320.00	07/17/89	18900.00
				07/27/89	7010.00	07/17/89	5460.00	07/17/89	19400.00
				07/27/89	6960.00	08/30/89	5680.00	08/30/89	27300.00
				07/27/89	6710.00	10/31/89	6130.00	10/30/89	20000.00
				07/27/89	6520.00		NR		NR
				08/31/89	7140.00		NR		NR
				08/31/89	7060.00		NR		NR
				08/31/89	7200.00		NR		NR
				08/31/89	7550.00		NR		NR
				12/12/89	6780.00		NR		NR
				12/12/89	6770.00		NR		NR
				12/12/89	6720.00		NR		NR
				12/12/89	6600.00		NR		NR
MANGESE	PPB	5.00	50.00	01/31/89	14.00	02/27/89		02/27/89	6.00
				03/02/89		02/27/89		07/17/89	23.00
				07/27/89	13.00	07/17/89	14.00	07/17/89	16.00
				07/27/89	14.00	08/30/89		08/30/89	27.00
				07/27/89	14.00	10/31/89	9.00	10/30/89	9.00
				07/27/89	12.00		NR		NR
				08/31/89			NR		NR
				08/31/89	7.00		NR		NR
				08/31/89	7.00		NR		NR
				08/31/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
NICKEL	PPB	10.00		01/31/89	19.00	02/27/89	15.00	02/27/89	11.00
				03/02/89		02/27/89		07/17/89	60.00
				07/27/89	27.00	07/17/89	46.00	07/17/89	26.00
				07/27/89	31.00	08/30/89	13.00	08/30/89	20.00
				07/27/89	32.00	10/31/89	39.00	10/30/89	17.00
				07/27/89	19.00		NR		NR
				08/31/89			NR		NR
				08/31/89	10.00		NR		NR
				08/31/89	12.00		NR		NR
				08/31/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-33	SAMPLE DATE	2-E25-34	SAMPLE DATE	2-E25-35
NITRATE	PPB	500.00	45000.00	01/31/89	8600.00	02/27/89	1100.00	02/27/89	7800.00
				03/02/89	11900.00	07/17/89	1090.00	07/17/89	5960.00
				07/27/89	7800.00	08/30/89	1200.00	07/17/89	6830.00
				08/31/89	7400.00	10/31/89	1200.00	08/30/89	6300.00
				12/12/89	7000.00		NR	10/30/89	6800.00
PH-LAB		0.01	8.50	12/12/89	8.00	02/27/89	8.10	02/27/89	7.86
					NR	07/17/89	8.20	07/17/89	8.00
					NR	08/30/89	8.00	08/30/89	7.80
PHFIELD		0.10	8.50	01/31/89	8.10	02/27/89	8.10	02/27/89	7.50
				01/31/89	8.10	07/17/89	7.89	07/17/89	7.54
				01/31/89	8.10	07/17/89	7.88	07/17/89	7.57
				01/31/89	8.10	07/17/89	7.89	07/17/89	7.58
				03/02/89	8.70 *	07/17/89	7.89	07/17/89	7.59
				03/02/89	8.70 *	08/30/89	8.00	08/30/89	7.80
				03/02/89	8.70 *	08/30/89	8.04	08/30/89	7.79
				03/02/89	8.70 *	08/30/89	8.07	08/30/89	7.79
				07/27/89	8.09	08/30/89	8.08	08/30/89	7.81
				07/27/89	8.07	10/31/89	7.68	10/30/89	7.77
				07/27/89	8.07		NR		NR
				07/27/89	8.08		NR		NR
				08/31/89	7.90		NR		NR
				08/31/89	7.90		NR		NR
				08/31/89	7.89		NR		NR
				08/31/89	7.90		NR		NR
				12/12/89	7.94		NR		NR
				12/12/89	7.89		NR		NR
				12/12/89	7.86		NR		NR
				12/12/89	7.84		NR		NR
POTASUM	PPB	100.00		01/31/89	5300.00	02/27/89	4100.00	02/27/89	5710.00
				03/02/89	5510.00	02/27/89	3830.00	07/17/89	5240.00
				07/27/89	4910.00	07/17/89	3950.00	07/17/89	5130.00
				07/27/89	4850.00	08/30/89	3920.00	08/30/89	6040.00
				07/27/89	4670.00	10/31/89	4200.00	10/30/89	5280.00
				07/27/89	4600.00		NR		NR
				08/31/89	5330.00		NR		NR
				08/31/89	5180.00		NR		NR
				08/31/89	5340.00		NR		NR
				08/31/89	5620.00		NR		NR
				12/12/89	4780.00		NR		NR
				12/12/89	4870.00		NR		NR
				12/12/89	5140.00		NR		NR
				12/12/89	4820.00		NR		NR
PU39-40	PC1/L	17.00	1.20		NR	10/31/89		10/30/89	0.01
RADIUM	PC1/L	1.00	5.00	01/31/89	0.19	02/27/89	0.50	02/27/89	(0.01)
					(0.16)		(0.22)		(0.13)
				03/02/89	0.26	02/27/89	0.21	07/17/89	0.27
					(0.18)		(0.18)		(0.19)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-33	SAMPLE DATE	2-E25-34	SAMPLE DATE	2-E25-35
RADIUM	PCI/L	1.00	5.00	07/27/89		07/17/89		07/17/89	0.27
				08/31/89		08/30/89		08/30/89	(0.18)
				12/12/89		10/31/89		10/30/89	0.55
									(0.24)
									0.38
									(0.21)
SILICON	PPB	50.00		01/31/89	20300.00	02/27/89	15000.00	02/27/89	17000.00
				03/02/89	20600.00	02/27/89	14200.00	07/17/89	18400.00
				07/27/89	19700.00	07/17/89	14700.00	07/17/89	17400.00
				07/27/89	19700.00	08/30/89	15400.00	08/30/89	19300.00
				07/27/89	19000.00	10/31/89	15700.00	10/30/89	17300.00
				07/27/89	18300.00		NR		NR
				08/31/89	20400.00		NR		NR
				08/31/89	20300.00		NR		NR
				08/31/89	20600.00		NR		NR
				08/31/89	21500.00		NR		NR
				12/12/89	18900.00		NR		NR
				12/12/89	18800.00		NR		NR
				12/12/89	18600.00		NR		NR
				12/12/89	18200.00		NR		NR
SODIUM	PPB	200.00		01/31/89	28600.00	02/27/89	10300.00	02/27/89	43700.00
				03/02/89	29700.00	02/27/89	9680.00	07/17/89	37100.00
				07/27/89	27000.00	07/17/89	9400.00	07/17/89	36200.00
				07/27/89	26800.00	08/30/89	9300.00	08/30/89	43400.00
				07/27/89	25700.00	10/31/89	9500.00	10/30/89	45000.00
				07/27/89	25200.00		NR		NR
				08/31/89	28800.00		NR		NR
				08/31/89	28400.00		NR		NR
				08/31/89	28900.00		NR		NR
				08/31/89	30400.00		NR		NR
				12/12/89	26000.00		NR		NR
				12/12/89	26400.00		NR		NR
				12/12/89	27300.00		NR		NR
				12/12/89	25900.00		NR		NR
STRONTIUM	PPB	10.00		01/31/89	143.00	02/27/89	106.00	02/27/89	347.00
				03/02/89	175.00	02/27/89	101.00	07/17/89	288.00
				07/27/89	138.00	07/17/89	110.00	07/17/89	293.00
				07/27/89	137.00	08/30/89	107.00	08/30/89	382.00
				07/27/89	132.00	10/31/89	119.00	10/30/89	297.00
				07/27/89	127.00		NR		NR
				08/31/89	141.00		NR		NR
				08/31/89	138.00		NR		NR
				08/31/89	140.00		NR		NR
				08/31/89	149.00		NR		NR
				12/12/89	127.00		NR		NR
				12/12/89	126.00		NR		NR
				12/12/89	128.00		NR		NR
				12/12/89	123.00		NR		NR
SULFATE	PPB	500.00	250000.00	01/31/89	47400.00	02/27/89	13400.00	02/27/89	201000.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-33	SAMPLE DATE	2-E25-34	SAMPLE DATE	2-E25-35
SULFATE	PPB	500.00	250000.00	03/02/89	58800.00	07/17/89	15000.00	07/17/89	142000.00
				07/27/89	44900.00	08/30/89	14700.00	07/17/89	165000.00
				08/31/89	44000.00	10/31/89	12600.00	08/30/89	221000.00
				12/12/89	43000.00		NR	10/30/89	19000.00
TC	PPB	1000.00		12/12/89	24200.00	02/27/89	17300.00	02/27/89	29800.00
					NR	02/27/89	17500.00	07/17/89	30000.00
					NR	07/17/89	18300.00	07/17/89	28900.00
					NR	08/30/89	18300.00	08/30/89	30500.00
					NR	10/31/89	20000.00	10/30/89	33700.00
TC-99	PCI/L	15.00	900.00	01/31/89	0.70		NR		NR
				03/02/89	(0.10)		NR		NR
					(0.10)				
					(0.10)				
TDS		5000.00	500000.00		NR	10/31/89	117000.00	10/30/89	444000.00
TOXLDL	PPB	10.00		01/31/89		02/27/89		02/27/89	
				01/31/89		02/27/89		02/27/89	
				01/31/89		02/27/89		02/27/89	
				01/31/89		02/27/89		02/27/89	
				03/02/89		07/17/89		07/17/89	10.00
				03/02/89		07/17/89		07/17/89	
				03/02/89		07/17/89		07/17/89	
				03/02/89		07/17/89		07/17/89	
				07/27/89		08/30/89		08/30/89	
				07/27/89		08/30/89		08/30/89	
				07/27/89		08/30/89	21.00	08/30/89	
				07/27/89		08/30/89		08/30/89	
				08/31/89		10/31/89		10/30/89	
				08/31/89			NR		NR
				08/31/89			NR		NR
				08/31/89	10.00		NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
TRITIUM	PCI/L	500.00	20000.00	01/31/89	19800.00	02/27/89	922.00	02/27/89	69900.00 *
					(478.00)		(154.00)		(893.00)
					NR	02/27/89	989.00	07/17/89	51500.00 *
							(156.00)		(733.00)
					NR	07/17/89	1410.00	07/17/89	60800.00 *
							(188.00)		(800.00)
					NR	08/30/89	1520.00	08/30/89	62400.00 *
							(177.00)		(794.00)
					NR	10/31/89	1570.00	10/30/89	60300.00 *
							(178.00)		(823.00)
TURBID	NTU	0.10	1.00	08/31/89	0.40	02/27/89	0.70	02/27/89	1.20 *
				12/12/89	1.80 *	07/17/89	2.00 *	07/17/89	1.30 *
					NR	08/30/89	1.10 *	07/17/89	1.90 *
					NR	10/31/89	0.80	08/30/89	5.20 *
					NR		NR	10/30/89	2.30 *

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-33	SAMPLE DATE	2-E25-34	SAMPLE DATE	2-E25-35
U	PCI/L	0.50	600.00		NR	10/31/89	0.83	10/30/89	2.56
VANADUM	PPB	5.00		01/31/89	33.00	02/27/89	38.00	02/27/89	21.00
				03/02/89	29.00	02/27/89	35.00	07/17/89	26.00
				07/27/89	32.00	07/17/89	35.00	07/17/89	24.00
				07/27/89	31.00	08/30/89	31.00	08/30/89	16.00
				07/27/89	30.00	10/31/89	35.00	10/30/89	20.00
				07/27/89	28.00		NR		NR
				08/31/89	28.00		NR		NR
				08/31/89	27.00		NR		NR
				08/31/89	24.00		NR		NR
				08/31/89	34.00		NR		NR
				12/12/89	28.00		NR		NR
				12/12/89	28.00		NR		NR
				12/12/89	31.00		NR		NR
				12/12/89	28.00		NR		NR
ZINC	PPB	5.00	5000.00	01/31/89	13.00	02/27/89		02/27/89	10.00
				03/02/89		02/27/89	8.00	07/17/89	15.00
				07/27/89		07/17/89	12.00	07/17/89	13.00
				07/27/89		08/30/89	15.00	08/30/89	17.00
				07/27/89		10/31/89		10/30/89	6.00
				07/27/89			NR		NR
				08/31/89	6.00		NR		NR
				08/31/89	6.00		NR		NR
				08/31/89	7.00		NR		NR
				08/31/89	9.00		NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR
				12/12/89			NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-36	SAMPLE DATE	2-E25-37	SAMPLE DATE	2-E25-38
ALPHAHT	PCI/L	4.00	15.00	02/14/89	1.14 (0.98)	12/21/89	1.41 (1.11)	12/20/89	1.22 (1.11)
				06/19/89	NR		NR		NR
				10/24/89	NR		NR		NR
ALUMNUM	PPB	150.00		02/14/89		12/21/89		12/20/89	184.00
				06/19/89		12/21/89		12/20/89	184.00
				10/24/89		12/21/89		12/20/89	175.00
					NR	12/21/89		12/20/89	208.00
ARSENIC	PPB	5.00	50.00	02/14/89	8.00	12/21/89	7.00	12/20/89	10.00
				06/19/89	9.00	12/21/89	6.00	12/20/89	9.00
				10/24/89	6.00	12/21/89	7.00	12/20/89	10.00
					NR	12/21/89	8.00	12/20/89	10.00
BARIUM	PPB	6.00	1000.00	02/14/89	21.00	12/21/89	15.00	12/20/89	20.00
				06/19/89	19.00	12/21/89	14.00	12/20/89	19.00
				10/24/89	17.00	12/21/89	14.00	12/20/89	20.00
					NR	12/21/89	14.00	12/20/89	22.00
BETA	PCI/L	8.00	50.00	02/14/89	6.89	12/21/89	7.19	12/20/89	4.97
					(2.65)		(2.64)		(2.34)
				06/19/89	5.51		NR		NR
					(2.49)				
				10/24/89	7.04		NR		NR
					(2.54)				
BORON	PPB	10.00		02/14/89		12/21/89	12.00	12/20/89	
				06/19/89	15.00	12/21/89		12/20/89	
				10/24/89	18.00	12/21/89		12/20/89	
					NR	12/21/89		12/20/89	
CALCIUM	PPB	50.00		02/14/89	20800.00	12/21/89	20200.00	12/20/89	17500.00
				06/19/89	23500.00	12/21/89	19600.00	12/20/89	18100.00
				10/24/89	22700.00	12/21/89	20300.00	12/20/89	18300.00
					NR	12/21/89	19500.00	12/20/89	18600.00
CHLORID	PPB	500.00	250000.00	02/14/89	3300.00	12/21/89	2700.00	12/20/89	3300.00
				06/19/89	3600.00		NR		NR
				10/24/89	3800.00		NR		NR
CHROMUM	PPB	10.00	50.00	02/14/89	28.00	12/21/89	38.00	12/20/89	50.00
				06/19/89	118.00 *	12/21/89	13.00	12/20/89	50.00
				10/24/89	30.00	12/21/89	121.00 *	12/20/89	49.00
					NR	12/21/89	24.00	12/20/89	80.00 *
COLIFRM	MPN	2.20	1.00	02/14/89		12/21/89	31.00 *	12/20/89	
				06/19/89			NR		NR
CONDFLD	UMHO	1.00	700.00	02/14/89	194.00	12/21/89	208.00	12/20/89	193.00
				02/14/89	194.00	12/21/89	210.00	12/20/89	196.00
				02/14/89	194.00	12/21/89	210.00	12/20/89	198.00
				02/14/89	194.00	12/21/89	211.00	12/20/89	200.00
				06/19/89	232.00		NR		NR
				06/19/89	233.00		NR		NR
				06/19/89	235.00		NR		NR
				06/19/89	236.00		NR		NR
				10/24/89	239.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-36	SAMPLE DATE	2-E25-37	SAMPLE DATE	2-E25-38
CONDLAB	UMHO		700.00	02/14/89	217.00 a	12/21/89	210.00 a	12/20/89	209.00 a
				06/19/89	183.00 a		NR		NR
				10/24/89	245.00 a		NR		NR
FARSEN	PPB	5.00	50.00	02/14/89	9.00	12/21/89	6.00	12/20/89	10.00
				06/19/89	9.00	12/21/89	6.00	12/20/89	10.00
				10/24/89	9.00	12/21/89	6.00	12/20/89	9.00
					NR	12/21/89	6.00	12/20/89	11.00
FBARIUM	PPB	6.00	1000.00	02/14/89	20.00	12/21/89	13.00	12/20/89	18.00
				06/19/89	18.00	12/21/89	13.00	12/20/89	19.00
				10/24/89	15.00	12/21/89	14.00	12/20/89	20.00
					NR	12/21/89	14.00	12/20/89	18.00
FBORON	PPB	10.00		02/14/89	15.00	12/21/89	11.00	12/20/89	15.00
				06/19/89	12.00	12/21/89	11.00	12/20/89	14.00
				10/24/89	21.00	12/21/89	17.00	12/20/89	12.00
					NR	12/21/89	13.00	12/20/89	
FCALCIU	PPB	50.00		02/14/89	22800.00	12/21/89	20400.00	12/20/89	18700.00
				06/19/89	23000.00	12/21/89	19800.00	12/20/89	18500.00
				10/24/89	20300.00	12/21/89	20500.00	12/20/89	19400.00
					NR	12/21/89	20000.00	12/20/89	18300.00
FCHROM	PPB	10.00	50.00	02/14/89		12/21/89		12/20/89	
				06/19/89		12/21/89		12/20/89	
				10/24/89		12/21/89		12/20/89	35.00
					NR	12/21/89	13.00	12/20/89	
FIRON	PPB	30.00	300.00	02/14/89	35.00	12/21/89		12/20/89	
				06/19/89	32.00	12/21/89	61.00	12/20/89	
				10/24/89		12/21/89	30.00	12/20/89	479.00 *
					NR	12/21/89	140.00	12/20/89	
FMAGNES	PPB	50.00		02/14/89	6170.00	12/21/89	5610.00	12/20/89	5000.00
				06/19/89	6110.00	12/21/89	5350.00	12/20/89	5050.00
				10/24/89	5440.00	12/21/89	5490.00	12/20/89	5220.00
					NR	12/21/89	5380.00	12/20/89	5060.00
FMANGAN	PPB	5.00	50.00	02/14/89		12/21/89		12/20/89	
				06/19/89		12/21/89		12/20/89	
				10/24/89		12/21/89		12/20/89	12.00
					NR	12/21/89		12/20/89	
FNICKEL	PPB	10.00		02/14/89		12/21/89		12/20/89	
				06/19/89		12/21/89		12/20/89	
				10/24/89		12/21/89		12/20/89	17.00
					NR	12/21/89	11.00	12/20/89	
FPOTASS	PPB	100.00		02/14/89	4770.00	12/21/89	4050.00	12/20/89	3840.00
				06/19/89	4620.00	12/21/89	3860.00	12/20/89	3950.00
				10/24/89	3780.00	12/21/89	3960.00	12/20/89	4180.00
					NR	12/21/89	3840.00	12/20/89	3980.00
FSILICO	PPB	50.00		02/14/89	17800.00	12/21/89	15100.00	12/20/89	17000.00
				06/19/89	16400.00	12/21/89	14500.00	12/20/89	16700.00
				10/24/89	15800.00	12/21/89	15200.00	12/20/89	17300.00
					NR	12/21/89	14800.00	12/20/89	16500.00
FSCDIUM	PPB	200.00		02/14/89	14900.00	12/21/89	11600.00	12/20/89	11200.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-36	SAMPLE DATE	2-E25-37	SAMPLE DATE	2-E25-38
FSCDIUM	PPB	200.00		06/19/89	14700.00	12/21/89	10800.00	12/20/89	11800.00
				10/24/89	11800.00	12/21/89	11100.00	12/20/89	12200.00
					NR	12/21/89	10800.00	12/20/89	11900.00
FSTRONT	PPB	10.00		02/14/89	111.00	12/21/89	101.00	12/20/89	93.00
				06/19/89	114.00	12/21/89	97.00	12/20/89	97.00
				10/24/89	99.00	12/21/89	101.00	12/20/89	101.00
					NR	12/21/89	97.00	12/20/89	95.00
FVANADI	PPB	5.00		02/14/89	37.00	12/21/89	24.00	12/20/89	37.00
				06/19/89	32.00	12/21/89	26.00	12/20/89	34.00
				10/24/89	25.00	12/21/89	28.00	12/20/89	37.00
					NR	12/21/89	27.00	12/20/89	34.00
FZINC	PPB	5.00	5000.00	02/14/89	12.00	12/21/89	6.00	12/20/89	
				06/19/89		12/21/89	7.00	12/20/89	7.00
				10/24/89		12/21/89		12/20/89	13.00
					NR	12/21/89	8.00	12/20/89	
IRON	PPB	30.00	300.00	02/14/89	195.00	12/21/89	487.00 *	12/20/89	903.00 *
				06/19/89	564.00 *	12/21/89	309.00 *	12/20/89	764.00 *
				10/24/89	242.00	12/21/89	703.00 *	12/20/89	789.00 *
					NR	12/21/89	335.00 *	12/20/89	962.00 *
MAGNES	PPB	50.00		02/14/89	5620.00	12/21/89	5660.00	12/20/89	4950.00
				06/19/89	6350.00	12/21/89	5460.00	12/20/89	5130.00
				10/24/89	6060.00	12/21/89	5680.00	12/20/89	5140.00
					NR	12/21/89	5470.00	12/20/89	5220.00
MANGESE	PPB	5.00	50.00	02/14/89	7.00	12/21/89	12.00	12/20/89	27.00
				06/19/89	13.00	12/21/89	7.00	12/20/89	26.00
				10/24/89	6.00	12/21/89	15.00	12/20/89	26.00
					NR	12/21/89	7.00	12/20/89	29.00
METHONE	PPB	10.00		02/14/89			NR		NR
				06/19/89			NR		NR
				10/24/89	10.00		NR		NR
NICKEL	PPB	10.00		02/14/89	14.00	12/21/89	16.00	12/20/89	23.00
				06/19/89	55.00	12/21/89		12/20/89	19.00
				10/24/89	17.00	12/21/89	59.00	12/20/89	15.00
					NR	12/21/89	12.00	12/20/89	36.00
NITRATE	PPB	500.00	45000.00	02/14/89	3400.00	12/21/89	2000.00	12/20/89	1900.00
				06/19/89	5300.00		NR		NR
				10/24/89	6200.00		NR		NR
PH-LAB		0.01	8.50	02/14/89	8.40	12/21/89	8.10	12/20/89	8.00
				06/19/89	8.20		NR		NR
				10/24/89	8.00		NR		NR
PHFIELD		0.10	8.50	02/14/89	8.40	12/21/89	8.34	12/20/89	8.30
				02/14/89	8.40	12/21/89	8.34	12/20/89	8.31
				02/14/89	8.40	12/21/89	8.35	12/20/89	8.31
				02/14/89	8.40	12/21/89	8.35	12/20/89	8.31
				06/19/89	8.01		NR		NR
				06/19/89	8.11		NR		NR
				06/19/89	8.05		NR		NR
				06/19/89	8.06		NR		NR
				10/24/89	7.63		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E25-36	SAMPLE DATE	2-E25-37	SAMPLE DATE	2-E25-38
POTASUM	PPB	100.00		02/14/89	4290.00	12/21/89	4110.00	12/20/89	3750.00
				06/19/89	4680.00	12/21/89	3980.00	12/20/89	4090.00
				10/24/89	4230.00	12/21/89	4120.00	12/20/89	4020.00
					NR	12/21/89	3950.00	12/20/89	4070.00
RADIUM	PC1/L	1.00	5.00	10/24/89		12/21/89		12/20/89	0.20
									(0.17)
SILICON	PPB	50.00		02/14/89	16600.00	12/21/89	14800.00	12/20/89	16300.00
				06/19/89	16900.00	12/21/89	14400.00	12/20/89	16600.00
				10/24/89	17500.00	12/21/89	14800.00	12/20/89	16400.00
					NR	12/21/89	14500.00	12/20/89	17200.00
SODIUM	PPB	200.00		02/14/89	13500.00	12/21/89	11600.00	12/20/89	11000.00
				06/19/89	14900.00	12/21/89	11300.00	12/20/89	11700.00
				10/24/89	13100.00	12/21/89	11600.00	12/20/89	11900.00
					NR	12/21/89	11300.00	12/20/89	12000.00
STRONUM	PPB	10.00		02/14/89	106.00	12/21/89	101.00	12/20/89	91.00
				06/19/89	117.00	12/21/89	99.00	12/20/89	95.00
				10/24/89	110.00	12/21/89	101.00	12/20/89	96.00
					NR	12/21/89	98.00	12/20/89	99.00
SULFATE	PPB	500.00	250000.00	02/14/89	24200.00	12/21/89	16100.00	12/20/89	17900.00
				06/19/89	28600.00		NR		NR
				10/24/89	24300.00		NR		NR
TC	PPB	1000.00		02/14/89	19100.00	12/21/89	19900.00	12/20/89	18300.00
				06/19/89	19400.00		NR		NR
				10/24/89	20000.00		NR		NR
TRITIUM	PC1/L	500.00	20000.00	02/14/89	5260.00		NR		NR
					(280.00)				
				06/19/89	4720.00		NR		NR
					(257.00)				
				10/24/89	5360.00		NR		NR
					(270.00)				
TURBID	NTU	0.10	1.00	02/14/89	0.90	12/21/89	3.60 *	12/20/89	8.70 *
				06/19/89	1.90 *		NR		NR
				10/24/89	1.20 *		NR		NR
U	PC1/L	0.50	600.00	02/14/89	0.93		NR		NR
				06/19/89	1.40		NR		NR
				10/24/89	0.98		NR		NR
VANADUM	PPB	5.00		02/14/89	34.00	12/21/89	27.00	12/20/89	35.00
				06/19/89	37.00	12/21/89	27.00	12/20/89	36.00
				10/24/89	33.00	12/21/89	29.00	12/20/89	36.00
					NR	12/21/89	26.00	12/20/89	36.00
ZINC	PPB	5.00	5000.00	02/14/89	6.00	12/21/89	14.00	12/20/89	26.00
				06/19/89	6.00	12/21/89	12.00	12/20/89	23.00
				10/24/89		12/21/89	16.00	12/20/89	23.00
					NR	12/21/89	13.00	12/20/89	25.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E26-1	SAMPLE DATE	2-E26-2	SAMPLE DATE	2-E26-4
BETA	PCI/L	8.00	50.00		NR	01/30/89	8.02 (2.87)	01/30/89	5.77 (2.56)
					NR	06/02/89	4.53 (2.41)	06/02/89	8.20 (2.88)
					NR	09/01/89	4.48 (2.40)	09/01/89	4.89 (2.46)
I-129DW	PCI/L	1.00	1.00	06/06/89	0.40 (0.07)	06/02/89	0.98 (0.13)	06/02/89	1.16 * (0.16)
TRITIUM	PCI/L	500.00	20000.00	06/06/89	12700.00 (397.00)	01/30/89	3370.00 (239.00)	01/30/89	16400.00 (446.00)
					NR	06/02/89	2200.00 (155.00)	06/02/89	30900.00 * (606.00)
					NR	09/01/89	1600.00 (180.00)	09/01/89	21400.00 * (472.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E26-6	SAMPLE DATE	2-E26-8	SAMPLE DATE	2-E27-5
ALPHA	PCI/L	4.00	15.00	01/27/89	2.44 (1.40)		NR		NR
BETA	PCI/L	8.00	50.00	01/27/89	3.79 (2.26)	06/02/89	9.67 (3.00)	03/22/89	7.79 (2.84)
TRITIUM	PCI/L	500.00	20000.00	01/27/89	1300.00 (188.00) NR	03/17/89			NR
						09/01/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E27-7	SAMPLE DATE	2-E27-8	SAMPLE DATE	2-E27-9
ALPHA	PCI/L	4.00	15.00	03/22/89	1.59		NR		NR
					(1.18)				
ALPHAH	PCI/L	4.00	15.00		NR	03/13/89		03/13/89	3.18
					NR	07/27/89		03/13/89	(1.69)
					NR	09/08/89	2.13	07/27/89	(1.41)
					NR		(1.47)		(1.28)
					NR		NR	09/06/89	3.23
								(1.77)	
ALUMNUM	PPB	150.00			NR	03/13/89		03/13/89	
					NR	07/27/89		03/13/89	
					NR	09/08/89		07/27/89	296.00
					NR		NR	09/06/89	
ARSENIC	PPB	5.00	50.00		NR	03/13/89	7.00	03/13/89	7.00
					NR	07/27/89	8.00	03/13/89	8.00
					NR	09/08/89	8.00	07/27/89	9.00
					NR		NR	09/06/89	8.00
BARIUM	PPB	6.00	1000.00		NR	03/13/89	34.00	03/13/89	42.00
					NR	07/27/89	33.00	03/13/89	38.00
					NR	09/08/89	36.00	07/27/89	42.00
					NR		NR	09/06/89	37.00
BETA	PCI/L	8.00	50.00	03/22/89	4.79	03/13/89	5.74	03/13/89	6.21
					(2.57)		(2.52)	(2.62)	
					NR	07/27/89	5.68	03/13/89	4.74
							(2.55)	(2.66)	
					NR	09/08/89	7.59	07/27/89	8.22
							(2.64)	(2.82)	
					NR		NR	09/06/89	6.74
								(2.68)	
BORON	PPB	10.00			NR	03/13/89	17.00	03/13/89	21.00
					NR	07/27/89		03/13/89	19.00
					NR	09/08/89	16.00	07/27/89	16.00
					NR		NR	09/06/89	14.00
CALCIUM	PPB	50.00			NR	03/13/89	36700.00	03/13/89	39400.00
					NR	07/27/89	36000.00	03/13/89	37300.00
					NR	09/08/89	39500.00	07/27/89	39100.00
					NR		NR	09/06/89	36300.00
CHLORID	PPB	500.00	250000.00		NR	03/13/89	6900.00	03/13/89	7700.00
					NR	07/27/89	7500.00	03/13/89	7700.00
					NR	09/08/89	8000.00	07/27/89	7600.00
					NR		NR	09/06/89	7000.00
CHROMUM	PPB	10.00	50.00		NR	03/13/89	41.00	03/13/89	63.00 *
					NR	07/27/89	31.00	03/13/89	30.00
					NR	09/08/89	50.00	07/27/89	50.00
					NR		NR	09/06/89	36.00
CONDFLD	UMHO	1.00	700.00		NR	03/13/89	357.00	03/13/89	373.00
					NR	07/27/89	333.00	07/27/89	341.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E27-7	SAMPLE DATE	2-E27-8	SAMPLE DATE	2-E27-9
CONDFLD	UMHO	1.00	700.00		NR	07/27/89	332.00	07/27/89	343.00
					NR	07/27/89	332.00	07/27/89	342.00
					NR	07/27/89	332.00	07/27/89	342.00
					NR	09/08/89	349.00	09/06/89	342.00
					NR	09/08/89	348.00	09/06/89	342.00
					NR	09/08/89	349.00	09/06/89	341.00
					NR	09/08/89	348.00	09/06/89	341.00
CONDLAB	UMHO		700.00		NR	03/13/89	321.00 a	03/13/89	337.00 a
					NR	03/13/89	320.00 a	03/13/89	333.00 a
					NR	03/13/89	319.00 a	03/13/89	335.00 a
					NR	03/13/89	321.00 a	03/13/89	336.00 a
					NR	07/27/89	287.00 a	07/27/89	298.00 a
					NR	07/27/89	286.00 a	07/27/89	298.00 a
					NR	07/27/89	286.00 a	07/27/89	298.00 a
					NR	07/27/89	286.00 a	07/27/89	297.00 a
					NR	09/08/89	342.00 a	09/06/89	337.00 a
					NR	09/08/89	341.00 a	09/06/89	339.00 a
					NR	09/08/89	341.00 a	09/06/89	338.00 a
					NR	09/08/89	341.00 a	09/06/89	339.00 a
FARSEN	PPB	5.00	50.00		NR	03/13/89	7.00	03/13/89	7.00
					NR	07/27/89	7.00	03/13/89	8.00
					NR	09/08/89	8.00	07/27/89	7.00
					NR			09/06/89	8.00
FBARIUM	PPB	6.00	1000.00		NR	03/13/89	31.00	03/13/89	36.00
					NR	07/27/89	33.00	03/13/89	38.00
					NR	09/08/89	35.00	07/27/89	34.00
					NR			09/06/89	36.00
FBORON	PPB	10.00			NR	03/13/89	19.00	03/13/89	17.00
					NR	07/27/89	17.00	03/13/89	20.00
					NR	09/08/89	17.00	07/27/89	15.00
					NR			09/06/89	14.00
FCALCIU	PPB	50.00			NR	03/13/89	35900.00	03/13/89	35900.00
					NR	07/27/89	38500.00	03/13/89	37500.00
					NR	09/08/89	40000.00	07/27/89	36300.00
					NR			09/06/89	36200.00
FIRON	PPB	30.00	300.00		NR	03/13/89	55.00	03/13/89	48.00
					NR	07/27/89	32.00	03/13/89	38.00
					NR	09/08/89		07/27/89	35.00
					NR			09/06/89	42.00
FMAGNES	PPB	50.00			NR	03/13/89	10300.00	03/13/89	10500.00
					NR	07/27/89	10200.00	03/13/89	10900.00
					NR	09/08/89	10800.00	07/27/89	9960.00
					NR			09/06/89	10200.00
FNICKEL	PPB	10.00			NR	03/13/89		03/13/89	
					NR	07/27/89		03/13/89	
					NR	09/08/89		07/27/89	
					NR			09/06/89	19.00
FPOTASS	PPB	100.00			NR	03/13/89	6520.00	03/13/89	6380.00
					NR	07/27/89	7010.00	03/13/89	6670.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E27-7	SAMPLE DATE	2-E27-8	SAMPLE DATE	2-E27-9
FPOTASS	PPB	100.00			NR	09/08/89	7760.00	07/27/89	6480.00
					NR		NR	09/06/89	6760.00
FSILICO	PPB	50.00			NR	03/13/89	19600.00	03/13/89	20000.00
					NR	07/27/89	20900.00	03/13/89	20800.00
					NR	09/08/89	21700.00	07/27/89	20500.00
					NR		NR	09/06/89	20700.00
FSDIUM	PPB	200.00			NR	03/13/89	14400.00	03/13/89	16900.00
					NR	07/27/89	15500.00	03/13/89	17600.00
					NR	09/08/89	15800.00	07/27/89	16500.00
					NR		NR	09/06/89	15700.00
FSTRONT	PPB	10.00			NR	03/13/89	184.00	03/13/89	187.00
					NR	07/27/89	187.00	03/13/89	192.00
					NR	09/08/89	199.00	07/27/89	175.00
					NR		NR	09/06/89	179.00
FVANADI	PPB	5.00			NR	03/13/89	25.00	03/13/89	28.00
					NR	07/27/89	27.00	03/13/89	31.00
					NR	09/08/89	31.00	07/27/89	27.00
					NR		NR	09/06/89	26.00
FZINC	PPB	5.00	5000.00		NR	03/13/89		03/13/89	
					NR	07/27/89		03/13/89	7.00
					NR	09/08/89		07/27/89	
					NR		NR	09/06/89	11.00
IRON	PPB	30.00	300.00		NR	03/13/89	211.00	03/13/89	320.00 *
					NR	07/27/89	188.00	03/13/89	181.00
					NR	09/08/89	221.00	07/27/89	813.00 *
					NR		NR	09/06/89	158.00
LEADGF	PPB	5.00	50.00		NR	03/13/89		03/13/89	
					NR	07/27/89		03/13/89	
					NR	09/08/89		07/27/89	
					NR		NR	09/06/89	46.00
MAGNES	PPB	50.00			NR	03/13/89	10600.00	03/13/89	11700.00
					NR	07/27/89	9770.00	03/13/89	11000.00
					NR	09/08/89	10600.00	07/27/89	11000.00
					NR		NR	09/06/89	10100.00
MANGESE	PPB	5.00	50.00		NR	03/13/89		03/13/89	5.00
					NR	07/27/89		03/13/89	
					NR	09/08/89	7.00	07/27/89	17.00
					NR		NR	09/06/89	
NICKEL	PPB	10.00			NR	03/13/89	21.00	03/13/89	32.00
					NR	07/27/89	15.00	03/13/89	15.00
					NR	09/08/89	22.00	07/27/89	24.00
					NR		NR	09/06/89	16.00
NITRATE	PPB	500.00	45000.00		NR	03/13/89	7200.00	03/13/89	7400.00
					NR	07/27/89	7600.00	03/13/89	7400.00
					NR	09/08/89	7600.00	07/27/89	8200.00
					NR		NR	09/06/89	7600.00
PR-LAB		0.01	8.50		NR	03/13/89	8.10	03/13/89	8.10
					NR	03/13/89	8.10	03/13/89	8.10
					NR	03/13/89	8.10	03/13/89	8.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E27-7	SAMPLE DATE	2-E27-8	SAMPLE DATE	2-E27-9
PH-LAB		0.01	8.50		NR	03/13/89	8.00	03/13/89	8.00
					NR	07/27/89	8.00	07/27/89	8.00
					NR	07/27/89	8.00	07/27/89	8.00
					NR	07/27/89	8.00	07/27/89	8.00
					NR	07/27/89	8.00	07/27/89	8.00
					NR	09/08/89	8.00	09/06/89	7.90
					NR	09/08/89	8.00	09/06/89	7.90
					NR	09/08/89	7.90	09/06/89	7.90
					NR	09/08/89	8.00	09/06/89	7.90
PHFIELD		0.10	8.50		NR	03/13/89	8.30	03/13/89	8.20
					NR	07/27/89	8.00	07/27/89	7.97
					NR	07/27/89	7.99	07/27/89	7.96
					NR	07/27/89	7.99	07/27/89	7.96
					NR	07/27/89	7.98	07/27/89	7.96
					NR	09/08/89	7.82	09/06/89	7.80
					NR	09/08/89	7.81	09/06/89	7.80
					NR	09/08/89	7.82	09/06/89	7.80
					NR	09/08/89	7.82	09/06/89	7.80
POTASUM	PPB	100.00			NR	03/13/89	6960.00	03/13/89	7310.00
					NR	07/27/89	6640.00	03/13/89	6890.00
					NR	09/08/89	7580.00	07/27/89	7030.00
					NR		NR	09/06/89	6730.00
					NR	03/13/89	0.23	03/13/89	
							(0.18)		
					NR	07/27/89		03/13/89	
					NR	09/08/89		07/27/89	
					NR		NR	09/06/89	0.23
								(0.17)	
SILICON	PPB	50.00			NR	03/13/89	19800.00	03/13/89	21900.00
					NR	07/27/89	19500.00	03/13/89	20600.00
					NR	09/08/89	21400.00	07/27/89	20900.00
					NR		NR	09/06/89	20600.00
SODIUM	PPB	200.00			NR	03/13/89	15100.00	03/13/89	19100.00
					NR	07/27/89	15000.00	03/13/89	17900.00
					NR	09/08/89	15400.00	07/27/89	18300.00
					NR		NR	09/06/89	15500.00
STRONUM	PPB	10.00			NR	03/13/89	192.00	03/13/89	206.00
					NR	07/27/89	177.00	03/13/89	193.00
					NR	09/08/89	193.00	07/27/89	192.00
					NR		NR	09/06/89	175.00
SULFATE	PPB	500.00	250000.00		NR	03/13/89	43800.00	03/13/89	50400.00
					NR	07/27/89	49100.00	03/13/89	48700.00
					NR	09/08/89	49000.00	07/27/89	53100.00
					NR		NR	09/06/89	50000.00
TC	PPB	1000.00			NR	09/08/89	25000.00	09/06/89	25200.00
TRITIUM	PCI/L	500.00	20000.00		NR	03/13/89	11500.00	03/13/89	12800.00
							(381.00)		(399.00)
					NR	07/27/89	12200.00	07/27/89	14200.00
							(274.00)		(297.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E27-7	SAMPLE DATE	2-E27-8	SAMPLE DATE	2-E27-9
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
TRITIUM	PCI/L	500.00	20000.00		NR	09/08/89	12300.00 (376.00)	09/06/89	13500.00 (391.00)
TURBID	NTU	0.10	1.00		NR	09/08/89	1.10 *	09/06/89	1.60 *
U	PCI/L	0.50	600.00		NR	03/13/89	1.89	03/13/89	1.90
					NR	07/27/89	2.52	07/27/89	1.74
					NR	09/08/89	2.26	09/06/89	2.79
VANADUM	PPB	5.00			NR	03/13/89	29.00	03/13/89	35.00
					NR	07/27/89	27.00	03/13/89	34.00
					NR	09/08/89	33.00	07/27/89	33.00
					NR		NR	09/06/89	28.00
ZINC	PPB	5.00	5000.00		NR	03/13/89	10.00	03/13/89	17.00
					NR	07/27/89	10.00	03/13/89	5.00
					NR	09/08/89	7.00	07/27/89	22.00
					NR		NR	09/06/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E27-10	SAMPLE DATE	2-E28-7	SAMPLE DATE	2-E28-9
ALPHA	PC1/L	4.00	15.00		NR	01/31/89		01/31/89	9.11
ALPHAHI	PC1/L	4.00	15.00	03/13/89	1.41	06/08/89		08/25/89	(3.30)
				07/21/89	(1.07)				9.38
				09/06/89	(1.40)	09/08/89	3.17		(3.91)
					2.57		(1.66)		NR
					(1.38)		NR		NR
ALUMNUM	PPB	150.00		03/13/89			NR		NR
				07/21/89	637.00		NR		NR
				09/06/89			NR		NR
ARSENIC	PPB	5.00	50.00	03/13/89	9.00		NR		NR
				07/21/89	7.00		NR		NR
				09/06/89	7.00		NR		NR
BARIUM	PPB	6.00	1000.00	03/13/89	37.00		NR		NR
				07/21/89	37.00		NR		NR
				09/06/89	31.00		NR		NR
BETA	PC1/L	8.00	50.00	03/13/89	5.39	01/31/89	184.00 +	01/31/89	105.00 +
					(2.72)		(10.00)		(7.55)
				07/21/89	7.19	06/08/89	119.00 +	08/25/89	11.10
					(2.72)		(7.92)		(3.00)
				09/06/89	5.98	09/08/89	150.00 +		NR
					(2.72)		(8.82)		
BORON	PPB	10.00		03/13/89	24.00		NR		NR
				07/21/89	17.00		NR		NR
				09/06/89	12.00		NR		NR
CALCIUM	PPB	50.00		03/13/89	31500.00		NR		NR
				07/21/89	29900.00		NR		NR
				09/06/89	27900.00		NR		NR
CHLORID	PPB	500.00	250000.00	03/13/89	4100.00		NR		NR
				07/21/89	4440.00		NR		NR
				09/06/89	4400.00		NR		NR
CHROMIUM	PPB	10.00	50.00	03/13/89	19.00		NR		NR
				07/21/89	39.00		NR		NR
				09/06/89	35.00		NR		NR
CO-60	PC1/L	22.50	100.00	03/13/89	8.66	01/31/89			NR
					(6.55)				
				07/21/89		06/08/89			NR
				09/06/89	6.19	09/08/89			NR
					(5.54)				
CONDFLD	UMHO	1.00	700.00	03/13/89	291.00		NR		NR
				07/21/89	206.00		NR		NR
				07/21/89	206.00		NR		NR
				07/21/89	206.00		NR		NR
				07/21/89	206.00		NR		NR
				09/06/89	262.00		NR		NR
				09/06/89	263.00		NR		NR
				09/06/89	263.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E27-10	SAMPLE DATE	2-E28-7	SAMPLE DATE	2-E28-9
CONDFLD	UMHO	1.00	700.00	09/06/89	263.00		NR		NR
CONDLAB	UMHO		700.00	03/13/89	263.00 a		NR		NR
				03/13/89	261.00 a		NR		NR
				03/13/89	263.00 a		NR		NR
				03/13/89	262.00 a		NR		NR
				07/21/89	245.00 a		NR		NR
				07/21/89	242.00 a		NR		NR
				07/21/89	241.00 a		NR		NR
				07/21/89	243.00 a		NR		NR
				09/06/89	261.00 a		NR		NR
				09/06/89	261.00 a		NR		NR
				09/06/89	262.00 a		NR		NR
				09/06/89	261.00 a		NR		NR
FARSEN	PPB	5.00	50.00	03/13/89	7.00		NR		NR
				07/21/89	6.50		NR		NR
				09/06/89	7.00		NR		NR
FBARIUM	PPB	6.00	1000.00	03/13/89	33.00		NR		NR
				07/21/89	32.00		NR		NR
				09/06/89	32.00		NR		NR
FBERYLL	PPB	5.00		03/13/89			NR		NR
				07/21/89			NR		NR
				09/06/89	7.00		NR		NR
FBORON	PPB	10.00		03/13/89	13.00		NR		NR
				07/21/89	13.00		NR		NR
				09/06/89			NR		NR
FCALCIU	PPB	50.00		03/13/89	31000.00		NR		NR
				07/21/89	30600.00		NR		NR
				09/06/89	27700.00		NR		NR
FIRON	PPB	30.00	300.00	03/13/89			NR		NR
				07/21/89	33.00		NR		NR
				09/06/89			NR		NR
FMAGNES	PPB	50.00		03/13/89	8720.00		NR		NR
				07/21/89	7570.00		NR		NR
				09/06/89	7430.00		NR		NR
FPOTASS	PPB	100.00		03/13/89	6140.00		NR		NR
				07/21/89	5630.00		NR		NR
				09/06/89	5780.00		NR		NR
FSILICO	PPB	50.00		03/13/89	18400.00		NR		NR
				07/21/89	17600.00		NR		NR
				09/06/89	17400.00		NR		NR
FSODIUM	PPB	200.00		03/13/89	13600.00		NR		NR
				07/21/89	12600.00		NR		NR
				09/06/89	12300.00		NR		NR
FSTRONT	PPB	10.00		03/13/89	168.00		NR		NR
				07/21/89	151.00		NR		NR
				09/06/89	147.00		NR		NR
FVANADI	PPB	5.00		03/13/89	29.00		NR		NR
				07/21/89	25.00		NR		NR
				09/06/89	20.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E27-10	SAMPLE DATE	2-E28-7	SAMPLE DATE	2-E28-9
HNITRAT [-1290W	PPB PCI/L	2500.00 1.00	45000.00 1.00		NR NR	06/08/89 06/08/89	7100.00 0.83 (0.12)		NR NR
IRON	PPB	30.00	300.00	03/13/89 07/21/89 09/06/89	106.00 1370.00 * 151.00		NR NR NR		NR NR NR
MAGNES	PPB	50.00		03/13/89 07/21/89 09/06/89	8940.00 7640.00 7350.00		NR NR NR		NR NR NR
MANGESE	PPB	5.00	50.00	03/13/89 07/21/89 09/06/89	26.00		NR NR NR		NR NR NR
NICKEL	PPB	10.00		03/13/89 07/21/89 09/06/89	12.00 21.00 20.00		NR NR NR		NR NR NR
NITRATE	PPB	500.00	45000.00	03/13/89 07/21/89 09/06/89	3300.00 3150.00 2900.00		NR NR NR		NR NR NR
PH-LAB		0.01	8.50	03/13/89 03/13/89 03/13/89 03/13/89 07/21/89 07/21/89 07/21/89 07/21/89 09/06/89 09/06/89 09/06/89 09/06/89	8.10 8.10 8.10 8.10 8.10 8.10 8.10 8.10 8.00 8.10 8.00 8.10		NR NR NR NR NR NR NR NR NR NR NR NR		NR NR NR NR NR NR NR NR NR NR NR NR
PHFIELD		0.10	8.50	03/13/89 07/21/89 07/21/89 07/21/89 07/21/89 09/06/89 09/06/89 09/06/89 09/06/89 09/06/89	8.10 8.08 8.08 8.09 8.10 8.03 8.02 8.01 8.02		NR NR NR NR NR NR NR NR NR		NR NR NR NR NR NR NR NR NR
POTASUM	PPB	100.00		03/13/89 07/21/89 09/06/89	6470.00 5620.00 5830.00		NR NR NR		NR NR NR
PU39-40	PCI/L	17.00	1.20		NR	01/31/89	0.04 (0.02)		NR
					NR	06/08/89	0.01 (0.01)		NR
SILICON	PPB	50.00		03/13/89	NR 18700.00	09/08/89	NR		NR NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E27-10	SAMPLE DATE	2-E28-7	SAMPLE DATE	2-E28-9
SILICON	PPB	50.00		07/21/89	18100.00		NR		NR
				09/06/89	17400.00		NR		NR
SODIUM	PPB	200.00		03/13/89	14300.00		NR		NR
				07/21/89	12500.00		NR		NR
				09/06/89	12100.00		NR		NR
SR 90	PCI/L	5.00	8.00	03/13/89		01/31/89	99.30 *		NR
							{ 5.53}		
				07/21/89		06/08/89	61.00 *		NR
							{ 4.18}		
				09/06/89		09/08/89	113.00 *		NR
							{ 5.51}		
STRONUM	PPB	10.00		03/13/89	174.00		NR		NR
				07/21/89	148.00		NR		NR
				09/06/89	145.00		NR		NR
SULFATE	PPB	500.00	250000.00	03/13/89	18000.00		NR		NR
				07/21/89	18000.00		NR		NR
				09/06/89	17300.00		NR		NR
TC	PPB	1000.00		09/06/89	26500.00		NR		NR
TC-99	PCI/L	15.00	900.00	03/13/89		06/08/89	61.40		NR
							{ 1.78}		
				07/21/89			NR		NR
				09/06/89			NR		NR
TITAN	PPB	60.00		03/13/89			NR		NR
				07/21/89	75.00		NR		NR
				09/06/89			NR		NR
TRITIUM	PCI/L	500.00	20000.00	03/13/89	7960.00	06/08/89	6920.00		NR
					{ 323.00}		{ 303.00}		
				07/21/89	7700.00		NR		NR
					{ 309.00}				
				09/06/89	7220.00		NR		NR
					{ 297.00}				
TURBID	NTU	0.10	1.00	09/06/89	1.50 *		NR		NR
U	PCI/L	0.50	600.00	03/13/89	2.01		NR		NR
				07/21/89	2.31		NR		NR
				09/06/89	1.90		NR		NR
U-234	PCI/L	0.10	20.00		NR	01/31/89	1.53		NR
							{ 0.24}		
					NR	09/08/89	2.33		NR
							{ 0.16}		
U-235	PCI/L	0.10	24.00		NR	01/31/89	0.09		NR
					NR	09/08/89	0.03		NR
							{ 0.03}		
U-238	PCI/L	0.10	24.00		NR	01/31/89	1.21		NR
							{ 0.22}		
					NR	09/08/89	1.81		NR
							{ 0.14}		
U-CHEM	UG/L	0.73			NR	01/31/89	4.15	01/31/89	15.60
					NR	06/08/89	2.65	08/25/89	14.20
					NR	09/08/89	4.86		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E27-10	SAMPLE DATE	2-E28-7	SAMPLE DATE	2-E28-9
VANADIUM	PPB	5.00		03/13/89	30.00		NR		NR
				07/21/89	27.00		NR		NR
				09/06/89	24.00		NR		NR
ZINC	PPB	5.00	5000.00	03/13/89			NR		NR
				07/21/89	23.00		NR		NR
				09/06/89			NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E28-12	SAMPLE DATE	2-E28-13	SAMPLE DATE	2-E28-16
BETA	PCI/L	8.00	50.00	01/10/89	17.60	01/27/89	6.22	03/17/89	2.80
					(3.62 }		(2.67 }		(2.11 }
				02/07/89	15.00		NR		NR
					(3.43 }				
				03/06/89	22.50		NR		NR
					(3.96 }				
				08/23/89	45.40		NR		NR
					(5.28 }				
				10/05/89	18.70		NR		NR
					(3.73 }				
CS-137	PCI/L	20.00	200.00	01/10/89		01/27/89			NR
				02/07/89	8.19		NR		NR
					(7.15 }				
				03/06/89	6.73		NR		NR
					(5.89 }				
				08/23/89			NR		NR
				10/05/89			NR		NR
TRITIUM	PCI/L	500.00	20000.00	01/10/89	96900.00 *	01/27/89	5880.00		NR
					(1020.00 }		(292.00 }		
				02/07/89	134000.00 *		NR		NR
					(1190.00 }				
				03/06/89	125000.00 *		NR		NR
					(1180.00 }				
				08/23/89	70400.00 *		NR		NR
					(835.00 }				
				10/05/89	94400.00 *		NR		NR
					(1040.00 }				
U-CHEM	UG/L	0.73			NR		NR	03/17/89	11.30

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E28-17	SAMPLE DATE	2-E28-18	SAMPLE DATE	2-E28-19
ALPHA	PCI/L	4.00	15.00	01/27/89	11.40		NR	01/27/89	10.30
					(3.57)				(3.17)
ALPHAHI	PCI/L	4.00	15.00	08/25/89	16.00 *	02/07/89	23.50 *		NR
					(4.26)		(4.36)		
					NR	03/07/89	14.40		NR
							(3.87)		
BETA	PCI/L	8.00	50.00		NR	02/07/89	18.10	01/27/89	12.00
					NR		(3.56)		(3.17)
						03/07/89	12.90		NR
							(3.17)		
HNITRAT	PPB	2500.00	45000.00		NR	02/07/89	42600.00		NR
					NR	03/07/89	42500.00		NR
TRITIUM	PCI/L	500.00	20000.00		NR	02/07/89	285000.00 *		NR
							(1740.00)		
					NR	03/07/89	300000.00 *		NR
							(1830.00)		
U-234	PCI/L	0.10	20.00		NR	03/17/89	12.10		NR
							(0.30)		
U-235	PCI/L	0.10	24.00		NR	03/17/89	0.61		NR
							(0.07)		
U-238	PCI/L	0.10	24.00		NR	03/17/89	11.70		NR
							(0.30)		
U-CHEM	UG/L	0.73		01/27/89	12.90	02/07/89	46.40	01/27/89	15.00
				08/25/89	22.10	03/07/89	22.10		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E28-21	SAMPLE DATE	2-E28-23	SAMPLE DATE	2-E28-24
ALPHA	PCI/L	4.00	15.00	01/10/89	26.50 + (5.26)	01/31/89	16.90 + (5.62)	01/31/89	42.00 + (7.32)
ALPHAHI	PCI/L	4.00	15.00	02/07/89	17.70 * (4.10)		NR	03/10/89	
				03/06/89	32.30 * (6.45)		NR	03/10/89	41.70 * (7.70)
BETA	PCI/L	8.00	50.00	01/10/89	10.00 (2.96)	01/31/89	8500.00 + (441.00)	01/31/89	304.00 + (12.60)
				02/07/89	7.34 (2.75)		NR		NR
				03/06/89	8.51 (2.84)		NR		NR
CO-60	PCI/L	22.50	100.00	01/10/89		01/31/89		01/31/89	
				02/07/89			NR		NR
				03/06/89	7.34 (6.00)		NR		NR
CS-137	PCI/L	20.00	200.00	01/10/89		01/31/89	844.00 * (47.90)	01/31/89	33.20 (14.80)
				02/07/89	5.29 (4.00)		NR		NR
				03/06/89			NR		NR
HNITRAT	PPB	2500.00	45000.00	01/10/89	41000.00	01/31/89	7600.00		NR
				02/07/89	43600.00		NR		NR
				03/06/89	41900.00		NR		NR
PU-238	PCI/L	17.00	1.60		NR	01/31/89	0.05 (0.02)	01/31/89	0.26 (0.08)
					NR		NR	03/10/89	
					NR		NR	03/10/89	0.39 (0.06)
PU39-40	PCI/L	17.00	1.20		NR	01/31/89	7.21 * (0.22)	01/31/89	58.10 * (1.18)
					NR		NR	03/10/89	0.24 (0.05)
					NR		NR	03/10/89	72.00 * (0.85)
SR 90	PCI/L	5.00	8.00	01/10/89		01/31/89	3960.00 * (145.00)	01/31/89	175.00 * (6.94)
TRITIUM	PCI/L	500.00	20000.00	01/10/89	175000.00 * (1360.00)	01/31/89	7170.00 (315.00)		NR
				02/07/89	189000.00 * (1420.00)		NR		NR
				03/06/89	209000.00 * (1520.00)		NR		NR
U	PCI/L	0.50	600.00		NR		NR	03/10/89	
					NR		NR	03/10/89	1.06
U-234	PCI/L	0.10	20.00	03/17/89	12.00 (0.77)	01/31/89	2.91 (0.17)	01/31/89	0.44 (0.08)
U-235	PCI/L	0.10	24.00	03/17/89	0.55 (0.18)	01/31/89	0.17 (0.04)	01/31/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E28-21	SAMPLE DATE	2-E28-23	SAMPLE DATE	2-E28-24
U-238	PCI/L	0.10	24.00	03/17/89	11.70	01/31/89	2.91	01/31/89	0.40
					(0.76)		(0.17)		(0.07)
U-CHEM	UG/L	0.73		01/10/89	45.70	01/31/89	14.50	01/31/89	1.72
				02/07/89	28.70		NR		NR
				03/06/89	33.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E28-25	SAMPLE DATE	2-E28-26	SAMPLE DATE	2-E28-27
ALPHA	PC1/L	4.00	15.00	01/31/89	71.50 + (9.50)		NR		NR
ALPHAHI	PC1/L	4.00	15.00	03/10/89	26.60 *	03/16/89	14.00	03/15/89	
				03/10/89	(6.95)	07/27/89	(3.26)	07/28/89	3.55
					19.00 *		(21.40 *		(1.90)
					(6.14)	09/07/89	(4.84)	07/28/89	4.10
					NR		14.80		(2.05)
					NR		(3.65)	09/07/89	2.58
							NR		(1.43)
AMMONIU	PPB	50.00			NR	03/16/89	760.00	03/15/89	
					NR	07/27/89	116.00	07/28/89	
					NR	09/07/89	97.00	07/28/89	
					NR		NR	09/07/89	
ARSENIC	PPB	5.00	50.00		NR	03/16/89	5.00	03/15/89	7.00
					NR	07/27/89	7.00	07/28/89	6.00
					NR	09/07/89		07/28/89	5.00
					NR		NR	09/07/89	6.00
BARIUM	PPB	6.00	1000.00		NR	03/16/89	41.00	03/15/89	35.00
					NR	07/27/89	39.00	07/28/89	39.00
					NR	09/07/89	37.00	07/28/89	37.00
					NR		NR	09/07/89	43.00
BETA	PC1/L	8.00	50.00	01/31/89	7160.00 + (115.00)	03/16/89	10.00	03/15/89	27.30
					NR	07/27/89	(2.80)	07/28/89	(4.23)
							(7.25		(3.49)
					NR	09/07/89	(2.77)	07/28/89	16.70
							10.90		(3.50)
					NR		(3.03)	09/07/89	17.70
							NR		(3.55)
BORON	PPB	10.00			NR	03/16/89	185.00	03/15/89	37.00
					NR	07/27/89	131.00	07/28/89	32.00
					NR	09/07/89	114.00	07/28/89	31.00
					NR		NR	09/07/89	32.00
CALCIUM	PPB	50.00			NR	03/16/89	63900.00	03/15/89	26500.00
					NR	07/27/89	57000.00	07/28/89	27000.00
					NR	09/07/89	58400.00	07/28/89	26300.00
					NR		NR	09/07/89	28400.00
CHLORID	PPB	500.00	250000.00		NR	03/16/89	8800.00	03/15/89	5700.00
					NR	07/27/89	9400.00	07/28/89	5700.00
					NR	09/07/89	9000.00	07/28/89	5700.00
					NR		NR	09/07/89	5400.00
CHROMUM	PPB	10.00	50.00		NR	03/16/89	19.00	03/15/89	31.00
					NR	07/27/89	35.00	07/28/89	27.00
					NR	09/07/89	44.00	07/28/89	26.00
					NR		NR	09/07/89	41.00
COND FLD	UMHO	1.00	700.00		NR	03/16/89	533.00	03/15/89	327.00
					NR	07/27/89	502.00	07/28/89	321.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E28-25	SAMPLE DATE	2-E28-26	SAMPLE DATE	2-E28-27
COND FLD	UMHO	1.00	700.00		NR	07/27/89	502.00	07/28/89	321.00
					NR	07/27/89	504.00	07/28/89	322.00
					NR	07/27/89	504.00	07/28/89	322.00
					NR	09/07/89	512.00	09/07/89	332.00
					NR	09/07/89	510.00	09/07/89	335.00
					NR	09/07/89	512.00	09/07/89	335.00
					NR	09/07/89	510.00	09/07/89	332.00
					NR	11/07/89	519.00		NR
					NR	11/30/89	572.00		NR
					NR	11/30/89	573.00		NR
					NR	11/30/89	575.00		NR
					NR	11/30/89	577.00		NR
CONDLAB	UMHO		700.00		NR	03/16/89	522.00 a	03/15/89	308.00 a
					NR	03/16/89	522.00 a	03/15/89	319.00 a
					NR	03/16/89	526.00 a	03/15/89	313.00 a
					NR	03/16/89	526.00 a	03/15/89	317.00 a
					NR	07/27/89	435.00 a	07/28/89	287.00 a
					NR	07/27/89	432.00 a	07/28/89	287.00 a
					NR	07/27/89	429.00 a	07/28/89	286.00 a
					NR	07/27/89	429.00 a	07/28/89	286.00 a
					NR	09/07/89	488.00 a	09/07/89	322.00 a
					NR	09/07/89	489.00 a	09/07/89	321.00 a
					NR	09/07/89	488.00 a	09/07/89	320.00 a
					NR	09/07/89	488.00 a	09/07/89	318.00 a
					NR	11/07/89	513.00 a		NR
					NR	11/07/89	516.00 a		NR
					NR	11/07/89	513.00 a		NR
					NR	11/07/89	512.00 a		NR
COPPER	PPB	10.00	(1300.0)		NR	03/16/89		03/15/89	
					NR	07/27/89	11.00	07/28/89	
					NR	09/07/89		07/28/89	
					NR		NR	09/07/89	
CS-137	PCI/L	20.00	200.00	01/31/89	1070.00 *	03/16/89		03/15/89	
					(58.60)				
					NR	07/27/89		07/28/89	
					NR	09/07/89		07/28/89	
					NR		NR	09/07/89	
FARSEN	PPB	5.00	50.00		NR	03/16/89		03/15/89	7.00
					NR	07/27/89		07/28/89	5.00
					NR	09/07/89		07/28/89	5.00
					NR		NR	09/07/89	7.00
FBARIUM	PPB	6.00	1000.00		NR	03/16/89	39.00	03/15/89	34.00
					NR	07/27/89	35.00	07/28/89	40.00
					NR	09/07/89	40.00	07/28/89	36.00
					NR		NR	09/07/89	45.00
FBORON	PPB	10.00			NR	03/16/89	182.00	03/15/89	36.00
					NR	07/27/89	124.00	07/28/89	33.00
					NR	09/07/89	125.00	07/28/89	34.00
					NR		NR	09/07/89	31.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E28-25	SAMPLE DATE	2-E28-26	SAMPLE DATE	2-E28-27
FCALCIU	PPB	50.00			NR	03/16/89	62300.00	03/15/89	26900.00
					NR	07/27/89	56500.00	07/28/89	26400.00
					NR	09/07/89	59300.00	07/28/89	26000.00
					NR		NR	09/07/89	29600.00
FIRON	PPB	30.00	300.00		NR	03/16/89	42.00	03/15/89	
					NR	07/27/89	48.00	07/28/89	31.00
					NR	09/07/89	51.00	07/28/89	
					NR		NR	09/07/89	
FLUORID	PPB	500.00	4000.00		NR	03/16/89	600.00	03/15/89	600.00
					NR	07/27/89	600.00	07/28/89	700.00
					NR	09/07/89	700.00	07/28/89	600.00
					NR		NR	09/07/89	600.00
FMAGNES	PPB	50.00			NR	03/16/89	15700.00	03/15/89	8910.00
					NR	07/27/89	13500.00	07/28/89	8120.00
					NR	09/07/89	14600.00	07/28/89	8030.00
					NR		NR	09/07/89	9350.00
FNICKEL	PPB	10.00			NR	03/16/89		03/15/89	
					NR	07/27/89		07/28/89	
					NR	09/07/89	14.00	07/28/89	
					NR		NR	09/07/89	18.00
FPOTASS	PPB	100.00			NR	03/16/89	5060.00	03/15/89	5200.00
					NR	07/27/89	4730.00	07/28/89	5140.00
					NR	09/07/89	5280.00	07/28/89	5160.00
					NR		NR	09/07/89	6050.00
FSILICO	PPB	50.00			NR	03/16/89	18200.00	03/15/89	19200.00
					NR	07/27/89	17700.00	07/28/89	18400.00
					NR	09/07/89	19300.00	07/28/89	18200.00
					NR		NR	09/07/89	20900.00
FSODIUM	PPB	200.00			NR	03/16/89	25600.00	03/15/89	24000.00
					NR	07/27/89	24900.00	07/28/89	23700.00
					NR	09/07/89	26300.00	07/28/89	23500.00
					NR		NR	09/07/89	25800.00
FSTRONT	PPB	10.00			NR	03/16/89	264.00	03/15/89	152.00
					NR	07/27/89	232.00	07/28/89	142.00
					NR	09/07/89	255.00	07/28/89	142.00
					NR		NR	09/07/89	165.00
FVANADI	PPB	5.00			NR	03/16/89	18.00	03/15/89	23.00
					NR	07/27/89	17.00	07/28/89	21.00
					NR	09/07/89	16.00	07/28/89	23.00
					NR		NR	09/07/89	19.00
FZINC	PPB	5.00	5000.00		NR	03/16/89		03/15/89	
					NR	07/27/89		07/28/89	7.00
					NR	09/07/89		07/28/89	
					NR		NR	09/07/89	
IRON	PPB	30.00	300.00		NR	03/16/89	486.00 *	03/15/89	183.00
					NR	07/27/89	430.00 *	07/28/89	155.00
					NR	09/07/89	192.00	07/28/89	159.00
					NR		NR	09/07/89	296.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E28-25	SAMPLE DATE	2-E28-26	SAMPLE DATE	2-E28-27
MAGNES	PPB	50.00			NR	03/16/89	15800.00	03/15/89	8860.00
					NR	07/27/89	14200.00	07/28/89	8200.00
					NR	09/07/89	14300.00	07/28/89	7970.00
					NR		NR	09/07/89	8810.00
MANGESE	PPB	5.00	50.00		NR	03/16/89	9.00	03/15/89	
					NR	07/27/89	7.00	07/28/89	
					NR	09/07/89		07/28/89	
					NR		NR	09/07/89	
NICKEL	PPB	10.00			NR	03/16/89	16.00	03/15/89	19.00
					NR	07/27/89	17.00	07/28/89	10.00
					NR	09/07/89	28.00	07/28/89	13.00
					NR		NR	09/07/89	33.00
NITRATE	PPB	500.00	45000.00		NR	03/16/89	49300.00 *	03/15/89	23100.00
					NR	07/27/89	48500.00 *	07/28/89	30700.00
					NR	09/07/89	43000.00	07/28/89	31000.00
					NR		NR	09/07/89	29000.00
PH-LAB		0.01	8.50		NR	03/16/89	7.70	03/15/89	8.10
					NR	03/16/89	7.70	03/15/89	8.10
					NR	03/16/89	7.70	03/15/89	8.10
					NR	03/16/89	7.70	03/15/89	8.10
					NR	07/27/89	7.70	07/28/89	8.00
					NR	07/27/89	7.70	07/28/89	8.10
					NR	07/27/89	7.60	07/28/89	8.10
					NR	07/27/89	7.70	07/28/89	8.10
					NR	09/07/89	7.60	09/07/89	8.10
					NR	09/07/89	7.60	09/07/89	8.10
					NR	09/07/89	7.60	09/07/89	8.10
					NR	09/07/89	7.60	09/07/89	8.10
					NR	11/07/89	7.50	09/07/89	8.10
					NR	11/07/89	7.50		NR
					NR	11/07/89	7.60		NR
					NR	11/07/89	7.60		NR
PHFIELD		0.10	8.50		NR	03/16/89	7.80	03/15/89	8.00
					NR	07/27/89	7.58	07/28/89	7.99
					NR	07/27/89	7.57	07/28/89	7.99
					NR	07/27/89	7.56	07/28/89	8.01
					NR	07/27/89	7.56	07/28/89	8.02
					NR	09/07/89	7.53	09/07/89	8.01
					NR	09/07/89	7.54	09/07/89	8.00
					NR	09/07/89	7.50	09/07/89	8.00
					NR	09/07/89	7.50	09/07/89	8.00
					NR	11/07/89	7.68		NR
					NR	11/30/89	7.54		NR
					NR	11/30/89	7.53		NR
					NR	11/30/89	7.50		NR
					NR	11/30/89	7.49		NR
POTASUM	PPB	100.00			NR	03/16/89	5200.00	03/15/89	5320.00
					NR	07/27/89	4940.00	07/28/89	5200.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E28-25	SAMPLE DATE	2-E28-26	SAMPLE DATE	2-E28-27
POTASUM	PPB	100.00			NR	09/07/89	5180.00	07/28/89	5050.00
PU-238	PCI/L	17.00	1.60	01/31/89	NR		NR	09/07/89	5660.00
					0.37		NR		NR
				03/10/89	(0.06)		NR		NR
					0.05		NR		NR
				03/10/89	(0.03)		NR		NR
					0.12		NR		NR
PU39-40	PCI/L	17.00	1.20	01/31/89	(0.05)		NR		NR
					71.90 *		NR		NR
				03/10/89	(0.80)		NR		NR
					7.71 *		NR		NR
				03/10/89	(0.42)		NR		NR
					22.30 *		NR		NR
					(0.64)				
RADIUM	PCI/L	1.00	5.00		NR	03/16/89		03/15/89	
					NR	07/27/89		07/28/89	
					NR	09/07/89	0.32	07/28/89	0.15
							(0.20)		(0.14)
SELENUM	PPB	5.00	10.00		NR		NR	09/07/89	
					NR	03/16/89	5.00	03/15/89	
					NR	07/27/89	5.00	07/28/89	
					NR	09/07/89	6.00	07/28/89	
					NR		NR	09/07/89	
SILICON	PPB	50.00			NR	03/16/89	18200.00	03/15/89	18800.00
					NR	07/27/89	18000.00	07/28/89	18800.00
					NR	09/07/89	18800.00	07/28/89	18100.00
					NR		NR	09/07/89	19900.00
SODIUM	PPB	200.00			NR	03/16/89	26300.00	03/15/89	26400.00
					NR	07/27/89	26800.00	07/28/89	24100.00
					NR	09/07/89	25600.00	07/28/89	23100.00
					NR		NR	09/07/89	24000.00
SR 90	PCI/L	5.00	8.00	01/31/89	5740.00 *	03/16/89		03/15/89	
					(173.00)				
					NR	07/27/89	1.11	07/28/89	
							(0.86)		
					NR	09/07/89		07/28/89	
					NR		NR	09/07/89	
STRONUM	PPB	10.00			NR	03/16/89	276.00	03/15/89	154.00
					NR	07/27/89	243.00	07/28/89	145.00
					NR	09/07/89	247.00	07/28/89	140.00
					NR		NR	09/07/89	153.00
SULFATE	PPB	500.00	250000.00		NR	03/16/89	91100.00	03/15/89	33000.00
					NR	07/27/89	89700.00	07/28/89	36800.00
					NR	09/07/89	81000.00	07/28/89	37100.00
					NR		NR	09/07/89	34000.00
TC	PPB	1000.00			NR	09/07/89	29600.00	09/07/89	22200.00
TC-99	PCI/L	15.00	900.00		NR	03/16/89	19.80	03/15/89	151.00
							(1.43)		(2.47)
					NR	07/27/89	13.60	07/28/89	113.00
							(1.25)		(2.17)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E28-25	SAMPLE DATE	2-E28-26	SAMPLE DATE	2-E28-27
TC-99	PCI/L	15.00	900.00		NR	09/07/89	14.40 (1.24)	07/28/89	111.00 (2.15)
					NR		NR	09/07/89	99.30 (2.07)
TOXLDL	PPB	10.00			NR	03/16/89	19.00	03/15/89	
					NR	03/16/89	15.00	03/15/89	
					NR	03/16/89	15.00	03/15/89	
					NR	03/16/89	22.00	03/15/89	
					NR	07/27/89		07/28/89	
					NR	07/27/89		07/28/89	
					NR	07/27/89		07/28/89	14.00
					NR	07/27/89		07/28/89	10.00
					NR	09/07/89		09/07/89	
					NR	09/07/89		09/07/89	
					NR	09/07/89		09/07/89	
					NR	11/07/89			NR
					NR	11/07/89			NR
					NR	11/07/89			NR
					NR	11/07/89			NR
TRITIUM	PCI/L	500.00	20000.00		NR	03/16/89	169000.00 * (1370.00)	03/15/89	212000.00 * (1580.00)
					NR	07/27/89	134000.00 * (845.00)	07/28/89	400000.00 * (1490.00)
					NR	09/07/89	122000.00 * (1130.00)	07/28/89	396000.00 * (1490.00)
					NR		NR	09/07/89	417000.00 * (2050.00)
TURBID U	NTU PCI/L	0.10 0.50	1.00 600.00	03/10/89 03/10/89	NR 12.30 11.80	09/07/89 03/16/89 07/27/89 09/07/89	0.90 24.60 17.10 25.00	09/07/89 03/15/89 07/28/89 07/28/89 09/07/89	2.20 * 3.31 3.66 3.46 3.37
U-234	PCI/L	0.10	20.00	01/31/89	7.73 (0.31)		NR		NR
U-235	PCI/L	0.10	24.00	01/31/89	0.38 (0.07)		NR		NR
U-238	PCI/L	0.10	24.00	01/31/89	7.55 (0.31)		NR		NR
U-CHEM VANADIUM	UG/L PPB	0.73 5.00		01/31/89	30.60 NR NR NR NR	03/16/89 07/27/89 09/07/89	NR 21.00 18.00 15.00 NR	03/15/89 07/28/89 07/28/89 09/07/89	NR 28.00 22.00 23.00 11.00
ZINC	PPB	5.00	5000.00		NR	03/16/89	12.00	03/15/89	10.00
					NR	07/27/89	12.00	07/28/89	10.00
					NR	09/07/89		07/28/89	
					NR		NR	09/07/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E32-1	SAMPLE DATE	2-E32-2	SAMPLE DATE	2-E32-3
ALPHAH	PCI/L	4.00	15.00		NR	03/13/89	2.21 (1.38)	09/06/89	8.07 (2.83)
					NR	08/01/89			NR
					NR	09/06/89	2.86 (1.69)		NR
ARSENIC	PPB	5.00	50.00		NR	03/13/89	5.00	09/06/89	5.00
					NR	08/01/89	7.00		NR
					NR	09/06/89	6.00		NR
BARIUM	PPB	6.00	1000.00		NR	03/13/89	30.00	09/06/89	47.00
					NR	08/01/89	28.00		NR
					NR	09/06/89	32.00		NR
BETA	PCI/L	8.00	50.00	03/17/89	14.80 (3.17)	03/13/89	19.20 (3.63)	09/06/89	13.80 (3.29)
					NR	08/01/89	18.70 (3.56)		NR
					NR	09/06/89	21.00 (3.69)		NR
BORON	PPB	10.00			NR	03/13/89	24.00	09/06/89	110.00
					NR	08/01/89	23.00		NR
					NR	09/06/89	21.00		NR
CALCIUM	PPB	50.00			NR	03/13/89	24500.00	09/06/89	44600.00
					NR	08/01/89	24500.00		NR
					NR	09/06/89	26500.00		NR
CHLORID	PPB	500.00	250000.00		NR	03/13/89	8700.00	09/06/89	6300.00
					NR	08/01/89	7000.00		NR
					NR	09/06/89	8000.00		NR
CHROMIUM	PPB	10.00	50.00		NR	03/13/89	47.00	09/06/89	36.00
					NR	08/01/89	123.00 *		NR
					NR	09/06/89	41.00		NR
CO-60	PCI/L	22.50	100.00		NR	03/13/89		09/06/89	
					NR	08/01/89			NR
					NR	09/06/89	6.06 (5.42)		NR
COLIMF	PPB	1.00	1.00		NR	08/01/89	1.00	09/06/89	
					NR	09/06/89			NR
CONDFLD	UMHO	1.00	700.00		NR	03/13/89	279.00	09/06/89	445.00
					NR	08/01/89	293.00	09/06/89	445.00
					NR	08/01/89	292.00	09/06/89	443.00
					NR	08/01/89	292.00	09/06/89	446.00
					NR	08/01/89	292.00		NR
					NR	09/06/89	314.00		NR
					NR	09/06/89	313.00		NR
					NR	09/06/89	315.00		NR
					NR	09/06/89	314.00		NR
CONDLAB	UMHO		700.00		NR	03/13/89	297.00 a	09/06/89	416.00 a
					NR	03/13/89	293.00 a	09/06/89	416.00 a
					NR	03/13/89	292.00 a	09/06/89	416.00 a
					NR	03/13/89	294.00 a	09/06/89	416.00 a

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E32-1	SAMPLE DATE	2-E32-2	SAMPLE DATE	2-E32-3
CONDLAB	UMHO		700.00		NR	08/01/89	296.00 @		NR
					NR	08/01/89	295.00 @		NR
					NR	08/01/89	294.00 @		NR
					NR	08/01/89	295.00 @		NR
					NR	09/06/89	303.00 @		NR
					NR	09/06/89	304.00 @		NR
					NR	09/06/89	306.00 @		NR
					NR	09/06/89	306.00 @		NR
COPPER	PPB	10.00	(1300.0)		NR	03/13/89		09/06/89	NR
					NR	08/01/89	13.00		NR
					NR	09/06/89			NR
CS-137	PCI/L	20.00	200.00		NR	03/13/89		09/06/89	5.41
									(4.55)
					NR	08/01/89			NR
					NR	09/06/89			NR
FARSEN	PPB	5.00	50.00		NR	03/13/89	5.00	09/06/89	
					NR	08/01/89	6.00		NR
					NR	09/06/89	6.00		NR
FBARIUM	PPB	6.00	1000.00		NR	03/13/89	30.00	09/06/89	49.00
					NR	08/01/89	30.00		NR
					NR	09/06/89	33.00		NR
FBORON	PPB	10.00			NR	03/13/89	23.00	09/06/89	110.00
					NR	08/01/89	16.00		NR
					NR	09/06/89	21.00		NR
FCALCIU	PPB	50.00			NR	03/13/89	25600.00	09/06/89	44900.00
					NR	08/01/89	26300.00		NR
					NR	09/06/89	26200.00		NR
FIRON	PPB	30.00	300.00		NR	03/13/89	37.00	09/06/89	46.00
					NR	08/01/89	38.00		NR
					NR	09/06/89			NR
FLUORID	PPB	500.00	4000.00		NR	03/13/89	600.00	09/06/89	600.00
					NR	08/01/89	600.00		NR
					NR	09/06/89	600.00		NR
FMAGNES	PPB	50.00			NR	03/13/89	8510.00	09/06/89	11000.00
					NR	08/01/89	8220.00		NR
					NR	09/06/89	8260.00		NR
FNICKEL	PPB	10.00			NR	03/13/89		09/06/89	16.00
					NR	08/01/89			NR
					NR	09/06/89			NR
FPOTASS	PPB	100.00			NR	03/13/89	5320.00	09/06/89	5560.00
					NR	08/01/89	5540.00		NR
					NR	09/06/89	5740.00		NR
FSILICO	PPB	50.00			NR	03/13/89	18700.00	09/06/89	20400.00
					NR	08/01/89	19100.00		NR
					NR	09/06/89	19500.00		NR
FSODIUM	PPB	200.00			NR	03/13/89	23200.00	09/06/89	27000.00
					NR	08/01/89	24700.00		NR
					NR	09/06/89	23500.00		NR
FSTRONT	PPB	10.00			NR	03/13/89	141.00	09/06/89	209.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E32-1	SAMPLE DATE	2-E32-2	SAMPLE DATE	2-E32-3
FSTRONT	PPB	10.00			NR	08/01/89	142.00		NR
					NR	09/06/89	142.00		NR
FVANADI	PPB	5.00			NR	03/13/89	24.00	09/06/89	19.00
					NR	08/01/89	17.00		NR
					NR	09/06/89	22.00		NR
HNITRAT	PPB	2500.00	45000.00	03/17/89	9200.00		NR		NR
IRON	PPB	30.00	300.00		NR	03/13/89	245.00	09/06/89	170.00
					NR	08/01/89	604.00 *		NR
					NR	09/06/89	226.00		NR
MAGNES	PPB	50.00			NR	03/13/89	8170.00	09/06/89	10800.00
					NR	08/01/89	7310.00		NR
					NR	09/06/89	8210.00		NR
MANGESE	PPB	5.00	50.00		NR	03/13/89	5.00	09/06/89	
					NR	08/01/89	17.00		NR
					NR	09/06/89			NR
NICKEL	PPB	10.00			NR	03/13/89	27.00	09/06/89	26.00
					NR	08/01/89	64.00		NR
					NR	09/06/89	29.00		NR
NITRATE	PPB	500.00	45000.00		NR	03/13/89	15900.00	09/06/89	54000.00 *
					NR	08/01/89	20900.00		NR
					NR	09/06/89	21600.00		NR
PH-LAB		0.01	8.50		NR	03/13/89	8.10	09/06/89	7.80
					NR	03/13/89	8.10	09/06/89	7.80
					NR	03/13/89	8.10	09/06/89	7.70
					NR	03/13/89	8.10	09/06/89	7.80
					NR	08/01/89	8.20		NR
					NR	08/01/89	8.10		NR
					NR	08/01/89	8.20		NR
					NR	08/01/89	8.20		NR
					NR	09/06/89	8.00		NR
					NR	09/06/89	8.00		NR
					NR	09/06/89	8.00		NR
					NR	09/06/89	8.00		NR
PHFIELD		0.10	8.50		NR	03/13/89	8.00	09/06/89	7.18
					NR	08/01/89	7.82	09/06/89	7.19
					NR	08/01/89	7.84	09/06/89	7.24
					NR	08/01/89	7.86	09/06/89	7.27
					NR	08/01/89	7.87		NR
					NR	09/06/89	7.92		NR
					NR	09/06/89	7.91		NR
					NR	09/06/89	7.91		NR
					NR	09/06/89	7.91		NR
POTASUM	PPB	100.00			NR	03/13/89	5270.00	09/06/89	5490.00
					NR	08/01/89	4840.00		NR
					NR	09/06/89	5730.00		NR
RADIUM	PCI/L	1.00	5.00		NR	03/13/89		09/06/89	0.30
					NR	08/01/89	0.24		0.18)
							0.19)		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E32-1	SAMPLE DATE	2-E32-2	SAMPLE DATE	2-E32-3
RADIUM	PCI/L	1.00	5.00		NR	09/06/89	0.38 (0.21)		NR
SILICON	PPB	50.00			NR	03/13/89	17700.00	09/06/89	20000.00
					NR	08/01/89	17700.00		NR
					NR	09/06/89	19500.00		NR
SODIUM	PPB	200.00			NR	03/13/89	22600.00	09/06/89	26200.00
					NR	08/01/89	21400.00		NR
					NR	09/06/89	23200.00		NR
STRONTIUM	PPB	10.00			NR	03/13/89	138.00	09/06/89	203.00
					NR	08/01/89	125.00		NR
					NR	09/06/89	142.00		NR
SULFATE	PPB	500.00	250000.00		NR	03/13/89	30000.00	09/06/89	54000.00
					NR	08/01/89	32000.00		NR
					NR	09/06/89	31000.00		NR
TC	PPB	1000.00			NR	09/06/89	22100.00	09/06/89	24900.00
TC-99	PCI/L	15.00	900.00		NR	03/13/89	159.00 (2.50)	09/06/89	59.80 (1.73)
					NR	08/01/89	116.00 (2.24)		NR
					NR	09/06/89	98.80 (2.03)		NR
TOXLDL	PPB	10.00			NR	03/13/89		09/06/89	
					NR	03/13/89		09/06/89	
					NR	03/13/89	12.00	09/06/89	
					NR	03/13/89		09/06/89	
					NR	08/01/89			NR
					NR	08/01/89			NR
					NR	08/01/89			NR
					NR	08/01/89			NR
					NR	09/06/89			NR
					NR	09/06/89			NR
					NR	09/06/89			NR
					NR	09/06/89			NR
TRITIUM	PCI/L	500.00	20000.00	03/17/89	22800.00 * (518.00)	03/13/89	95900.00 * (1050.00)	09/06/89	652000.00 * (2550.00)
					NR	08/01/89	216000.00 * (1120.00)		NR
					NR	09/06/89	220000.00 * (1500.00)		NR
TURBID	NTU	0.10	1.00		NR	09/06/89	1.10 *	09/06/89	1.50 *
U	PCI/L	0.50	600.00		NR	03/13/89	2.91	09/06/89	11.40
					NR	08/01/89	2.11		NR
					NR	09/06/89	2.37		NR
VANADIUM	PPB	5.00			NR	03/13/89	27.00	09/06/89	18.00
					NR	08/01/89	18.00		NR
					NR	09/06/89	16.00		NR
ZINC	PPB	5.00	5000.00		NR	03/13/89	7.00	09/06/89	
					NR	08/01/89	6.00		NR
					NR	09/06/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E32-4	SAMPLE DATE	2-E33-1	SAMPLE DATE	2-E33-3
ALKALIN ALPHAHI	PCI/L	20000.00 4.00	15.00	03/01/89	NR 4.25 (2.15)	07/20/89	114000.00 NR		NR NR
				03/13/89	(5.89		NR		NR
				06/16/89	(2.29) 4.82		NR		NR
				07/19/89	(2.21) 7.93		NR		NR
				09/08/89	(2.83) 3.00 (1.70)		NR		NR
ALUMNUM	PPB	150.00		03/01/89			NR		NR
				03/13/89			NR		NR
				06/16/89	276.00		NR		NR
				07/19/89			NR		NR
				09/08/89			NR		NR
BARIUM	PPB	6.00	1000.00	03/01/89	74.00		NR		NR
				03/13/89	73.00		NR		NR
				06/16/89	74.00		NR		NR
				07/19/89	73.00		NR		NR
				09/08/89	81.00		NR		NR
BERYLLUM	PPB	5.00		03/01/89			NR		NR
				03/13/89			NR		NR
				06/16/89			NR		NR
				07/19/89			NR		NR
				09/08/89	10.00		NR		NR
BETA	PCI/L	8.00	50.00	03/01/89	5.99 (2.61)	03/20/89	47.70 (5.14)	03/20/89	14.90 (3.20)
				03/13/89	3.72 (2.36)		NR		NR
				06/16/89	9.12 (2.92)		NR		NR
				07/19/89	10.00 (3.29)		NR		NR
				09/08/89	6.57 (2.60)		NR		NR
BORON	PPB	10.00		03/01/89	31.00		NR		NR
				03/13/89	38.00		NR		NR
				06/16/89	59.00		NR		NR
				07/19/89	61.00		NR		NR
				09/08/89	23.00		NR		NR
CALCIUM	PPB	50.00		03/01/89	39200.00		NR		NR
				03/13/89	39900.00		NR		NR
				06/16/89	40700.00		NR		NR
				07/19/89	44200.00		NR		NR
				09/08/89	42800.00		NR		NR
CHLORID	PPB	500.00	250000.00	03/01/89	8400.00	07/20/89	4870.00		NR
				03/13/89	9300.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E32-4	SAMPLE DATE	2-E33-1	SAMPLE DATE	2-E33-3
CHLORID	PPB	500.00	250000.00	06/16/89	9100.00		NR		NR
				07/19/89	9220.00		NR		NR
				09/08/89	9000.00		NR		NR
CHROMIUM	PPB	10.00	50.00	03/01/89	30.00		NR		NR
				03/13/89	43.00		NR		NR
				06/16/89	58.00 *		NR		NR
				07/19/89	46.00		NR		NR
				09/08/89	43.00		NR		NR
COND FLD	UMHO	1.00	700.00	03/01/89	395.00	07/20/89	360.00		NR
				03/01/89	395.00		NR		NR
				03/01/89	397.00		NR		NR
				03/01/89	396.00		NR		NR
				03/13/89	422.00		NR		NR
				06/16/89	410.00		NR		NR
				06/16/89	410.00		NR		NR
				06/16/89	409.00		NR		NR
				06/16/89	409.00		NR		NR
				07/19/89	348.00		NR		NR
				07/19/89	347.00		NR		NR
				07/19/89	345.00		NR		NR
				07/19/89	343.00		NR		NR
				08/10/89	426.00		NR		NR
				08/10/89	427.00		NR		NR
				08/10/89	426.00		NR		NR
				08/10/89	427.00		NR		NR
				09/08/89	447.00		NR		NR
				09/08/89	445.00		NR		NR
				09/08/89	447.00		NR		NR
				09/08/89	447.00		NR		NR
CONDLAB	UMHO		700.00	03/01/89	414.00 @		NR		NR
				03/13/89	418.00 @		NR		NR
				03/13/89	417.00 @		NR		NR
				03/13/89	418.00 @		NR		NR
				03/13/89	421.00 @		NR		NR
				06/16/89	428.00 @		NR		NR
				07/19/89	433.00 @		NR		NR
				07/19/89	434.00 @		NR		NR
				07/19/89	435.00 @		NR		NR
				07/19/89	435.00 @		NR		NR
				09/08/89	427.00 @		NR		NR
				09/08/89	425.00 @		NR		NR
				09/08/89	429.00 @		NR		NR
				09/08/89	425.00 @		NR		NR
COPPER	PPB	10.00	(1300.0)	03/01/89	13.00		NR		NR
				03/13/89			NR		NR
				06/16/89			NR		NR
				07/19/89			NR		NR
				09/08/89			NR		NR
FBARIUM	PPB	6.00	1000.00	03/01/89	73.00	07/20/89	23.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E32-4	SAMPLE DATE	2-E33-1	SAMPLE DATE	2-E33-3
FBARIUM	PPB	6.00	1000.00	03/13/89	72.00		NR		NR
				06/16/89	70.00		NR		NR
				07/19/89	69.00		NR		NR
				09/08/89	71.00		NR		NR
FBORON	PPB	10.00		03/01/89	33.00	07/20/89	18.00		NR
				03/13/89	41.00		NR		NR
				06/16/89	45.00		NR		NR
				07/19/89	62.00		NR		NR
				09/08/89	24.00		NR		NR
FCALCIU	PPB	50.00		03/01/89	38900.00	07/20/89	33100.00		NR
				03/13/89	39800.00		NR		NR
				06/16/89	40000.00		NR		NR
				07/19/89	43000.00		NR		NR
				09/08/89	38200.00		NR		NR
FIRON	PPB	30.00	300.00	03/01/89		07/20/89			NR
				03/13/89	41.00		NR		NR
				06/16/89			NR		NR
				07/19/89	32.00		NR		NR
				09/08/89			NR		NR
FLUORID	PPB	500.00	4000.00	03/01/89	500.00	07/20/89			NR
				03/13/89	600.00		NR		NR
				06/16/89	600.00		NR		NR
				07/19/89	580.00		NR		NR
				09/08/89	600.00		NR		NR
FMAGNES	PPB	50.00		03/01/89	13400.00	07/20/89	9570.00		NR
				03/13/89	13500.00		NR		NR
				06/16/89	12800.00		NR		NR
				07/19/89	12600.00		NR		NR
				09/08/89	12200.00		NR		NR
FNICKEL	PPB	10.00		03/01/89		07/20/89			NR
				03/13/89			NR		NR
				06/16/89			NR		NR
				07/19/89			NR		NR
				09/08/89	12.00		NR		NR
FPOTASS	PPB	100.00		03/01/89	5950.00	07/20/89	4790.00		NR
				03/13/89	6050.00		NR		NR
				06/16/89	6030.00		NR		NR
				07/19/89	5990.00		NR		NR
				09/08/89	6250.00		NR		NR
FSILICO	PPB	50.00		03/01/89	16400.00	07/20/89	17400.00		NR
				03/13/89	16600.00		NR		NR
				06/16/89	16200.00		NR		NR
				07/19/89	16200.00		NR		NR
				09/08/89	16500.00		NR		NR
FSCDIUM	PPB	200.00		03/01/89	27300.00	07/20/89	23400.00		NR
				03/13/89	27000.00		NR		NR
				06/16/89	26000.00		NR		NR
				07/19/89	24700.00		NR		NR
				09/08/89	26300.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E32-4	SAMPLE DATE	2-E33-1	SAMPLE DATE	2-E33-3
FSTRONT	PPB	10.00		03/01/89	230.00	07/20/89	166.00		NR
				03/13/89	231.00		NR		NR
				06/16/89	216.00		NR		NR
				07/19/89	217.00		NR		NR
				09/08/89	212.00		NR		NR
FVANAD1	PPB	5.00		03/01/89	17.00	07/20/89	24.00		NR
				03/13/89	13.00		NR		NR
				06/16/89	13.00		NR		NR
				07/19/89	16.00		NR		NR
				09/08/89	18.00		NR		NR
FZINC	PPB	5.00	5000.00	03/01/89	8.00	07/20/89			NR
				03/13/89			NR		NR
				06/16/89			NR		NR
				07/19/89			NR		NR
				09/08/89	9.00		NR		NR
IRON	PPB	30.00	300.00	03/01/89	299.00		NR		NR
				03/13/89	267.00		NR		NR
				06/16/89	899.00 *		NR		NR
				07/19/89	368.00 *		NR		NR
				09/08/89	399.00 *		NR		NR
LEADGF	PPB	5.00	50.00	03/01/89	5.00		NR		NR
				03/13/89			NR		NR
				06/16/89			NR		NR
				07/19/89	8.00		NR		NR
				09/08/89	6.00		NR		NR
MAGNES	PPB	50.00		03/01/89	13300.00		NR		NR
				03/13/89	13600.00		NR		NR
				06/16/89	12800.00		NR		NR
				07/19/89	13000.00		NR		NR
				09/08/89	13600.00		NR		NR
MANGESE	PPB	5.00	50.00	03/01/89	8.00		NR		NR
				03/13/89	5.00		NR		NR
				06/16/89	13.00		NR		NR
				07/19/89	7.00		NR		NR
				09/08/89	13.00		NR		NR
NICKEL	PPB	10.00		03/01/89	15.00		NR		NR
				03/13/89	22.00		NR		NR
				06/16/89	34.00		NR		NR
				07/19/89	25.00		NR		NR
				09/08/89	19.00		NR		NR
NITRATE	PPB	500.00	45000.00	03/01/89	24600.00	07/20/89	38000.00		NR
				03/13/89	24800.00		NR		NR
				06/16/89	29000.00		NR		NR
				07/19/89	29600.00		NR		NR
				09/08/89	24500.00		NR		NR
PH-LAB		0.01	8.50	03/01/89	7.93	07/20/89	8.00		NR
				03/13/89	8.00		NR		NR
				03/13/89	8.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E32-4	SAMPLE DATE	2-E33-1	SAMPLE DATE	2-E33-3
PH-LAB		0.01	8.50	03/13/89	8.00		NR		NR
				03/13/89	8.00		NR		NR
				06/16/89	8.00		NR		NR
				07/19/89	7.90		NR		NR
				07/19/89	7.90		NR		NR
				07/19/89	7.90		NR		NR
				07/19/89	7.90		NR		NR
				09/08/89	7.90		NR		NR
				09/08/89	7.90		NR		NR
				09/08/89	7.90		NR		NR
				09/08/89	7.90		NR		NR
PHFIELD		0.10	8.50	03/01/89	7.90	07/20/89	7.80		NR
				03/01/89	7.90		NR		NR
				03/01/89	7.90		NR		NR
				03/01/89	8.10		NR		NR
				03/13/89	8.00		NR		NR
				06/16/89	7.38		NR		NR
				06/16/89	7.37		NR		NR
				06/16/89	7.38		NR		NR
				06/16/89	7.38		NR		NR
				07/19/89	7.90		NR		NR
				07/19/89	7.90		NR		NR
				07/19/89	7.89		NR		NR
				07/19/89	7.89		NR		NR
				08/10/89	7.86		NR		NR
				08/10/89	7.85		NR		NR
				08/10/89	7.86		NR		NR
				08/10/89	7.85		NR		NR
				09/08/89	7.72		NR		NR
				09/08/89	7.69		NR		NR
				09/08/89	7.68		NR		NR
				09/08/89	7.68		NR		NR
POTASUM	PPB	100.00		03/01/89	5890.00		NR		NR
				03/13/89	6330.00		NR		NR
				06/16/89	5970.00		NR		NR
				07/19/89	6130.00		NR		NR
				09/08/89	6950.00		NR		NR
RADIUM	PCI/L	1.00	5.00	03/01/89	0.25		NR		NR
					(0.18)				
				03/13/89			NR		NR
				06/16/89			NR		NR
				07/19/89	0.41		NR		NR
					(0.21)				
				09/08/89			NR		NR
SILICON	PPB	50.00		03/01/89	16600.00		NR		NR
				03/13/89	16700.00		NR		NR
				06/16/89	16700.00		NR		NR
				07/19/89	17000.00		NR		NR
				09/08/89	18800.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E32-4	SAMPLE DATE	2-E33-1	SAMPLE DATE	2-E33-3
SODIUM	PPB	200.00		03/01/89	27500.00		NR		NR
				03/13/89	28200.00		NR		NR
				06/16/89	26300.00		NR		NR
				07/19/89	25900.00		NR		NR
				09/08/89	29100.00		NR		NR
STRONUM	PPB	10.00		03/01/89	233.00		NR		NR
				03/13/89	236.00		NR		NR
				06/16/89	220.00		NR		NR
				07/19/89	228.00		NR		NR
				09/08/89	238.00		NR		NR
SULFATE	PPB	500.00	250000.00	03/01/89	60800.00	07/20/89	26500.00		NR
				03/13/89	67400.00		NR		NR
				06/16/89	68300.00		NR		NR
				07/19/89	70300.00		NR		NR
				09/08/89	62000.00		NR		NR
TC	PPB	1000.00		03/01/89	25900.00	07/20/89	26100.00		NR
				06/16/89	28000.00		NR		NR
				09/08/89	29000.00		NR		NR
TC-99	PCI/L	15.00	900.00	03/13/89			NR		NR
				07/19/89			NR		NR
				09/08/89	13.80		NR		NR
					(1.26)				
TRITIUM	PCI/L	500.00	20000.00	03/01/89	5650.00		NR	03/20/89	4660.00
					(292.00)				(256.00)
				03/13/89	5590.00		NR		NR
					(281.00)				
				05/26/89			NR		NR
				06/16/89	24700.00 *		NR		NR
					(537.00)				
				07/19/89	41700.00 *		NR		NR
					(667.00)				
				09/08/89	320.00		NR		NR
					(141.00)				
TURBID	NTU	0.10	1.00	03/01/89	0.95		NR		NR
				06/16/89	4.00 *		NR		NR
				09/08/89	4.40 *		NR		NR
U	PCI/L	0.50	600.00	03/01/89	4.15		NR		NR
				03/13/89	4.27		NR		NR
				07/19/89	9.32		NR		NR
				09/08/89	2.19		NR		NR
VANADUM	PPB	5.00		03/01/89	18.00		NR		NR
				03/13/89	20.00		NR		NR
				06/16/89	17.00		NR		NR
				07/19/89	17.00		NR		NR
				09/08/89	22.00		NR		NR
ZINC	PPB	5.00	5000.00	03/01/89	22.00		NR		NR
				03/13/89	9.00		NR		NR
				06/16/89	12.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E32-4	SAMPLE DATE	2-E33-1	SAMPLE DATE	2-E33-3
ZINC	PPB	5.00	5000.00	07/19/89 09/08/89	9.00		NR NR		NR NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E33-5	SAMPLE DATE	2-E33-7	SAMPLE DATE	2-E33-8
BETA	PCI/L	8.00	50.00	03/20/89	102.00 + (7.19) NR	01/31/89	386.00 + (14.10) 06/08/89 362.00 + (13.60) 08/25/89 312.00 + (12.60)	03/20/89	79.50 + (6.36) NR
CO-60	PCI/L	22.50	100.00	03/20/89	10.50 (8.02) NR	01/31/89	26.30 (13.30) 06/08/89 53.40 (16.10) 08/25/89 33.90 (14.60)	03/20/89	NR
CS-137	PCI/L	20.00	200.00	03/20/89	7.50 (5.72) NR	01/31/89		03/20/89	NR
HNITRAT I-129DW	PPB PCI/L	2500.00 1.00	45000.00 1.00		NR	06/08/89			NR
TC-99	PCI/L	15.00	900.00		NR	06/08/89	79800.00 * 0.50 (0.08) 4460.00 *		NR
TRITIUM	PCI/L	500.00	20000.00		NR	06/08/89	6710.00 (296.00)		NR
U	PCI/L	0.50	600.00		NR	06/08/89	2.46		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E33-9	SAMPLE DATE	2-E33-10	SAMPLE DATE	2-E33-12
BETA	PCI/L	8.00	50.00	02/07/89	81.80 + (6.47)	03/22/89	14.90 (3.34)		NR
				06/09/89	137.00 + (8.35)		NR		NR
				09/27/89	8.35 (2.75)		NR		NR
CO-60	PCI/L	22.50	100.00	02/07/89		03/22/89	7.29 (7.13)		NR
				06/09/89			NR		NR
				09/27/89			NR		NR
HNITRAT	PPB	2500.00	45000.00	02/07/89	8600.00	03/22/89	5920.00	03/20/89	
				06/09/89	9000.00		NR	08/25/89	
				09/27/89	16000.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	02/07/89	2380.00 (215.00)	03/22/89	4740.00 (260.00)	03/20/89	353.00
				06/09/89	3060.00 (223.00)		NR	08/25/89	(134.00)
				09/27/89			NR		390.00
U	PCI/L	0.50	600.00	06/09/89	1.42		NR		(138.00)
							NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E33-18	SAMPLE DATE	2-E33-2D	SAMPLE DATE	2-E33-21
BETA	PCI/L	8.00	50.00	03/20/89	6.19 (2.49) NR NR	01/31/89 06/08/89 08/25/89	23.10 (4.00) 9.22 (2.86) 20.80 (3.79)	01/31/89	12.60 (3.03) NR NR
HNITRAT	PPB	2500.00	45000.00		NR NR NR NR	01/31/89 06/08/89 08/25/89 06/08/89	3900.00 2600.00 2500.00 0.89 (0.13)		NR NR NR NR
I-129DW	PCI/L	1.00	1.00						
SR 90	PCI/L	5.00	8.00	03/20/89		01/31/89 08/25/89	3.63 (1.12) 0.80 (0.61)		NR NR
TC-99	PCI/L	15.00	900.00		NR	06/08/89	18.00 (1.34)		NR
TRITIUM	PCI/L	500.00	20000.00		NR	06/08/89	4380.00 (253.00)		NR
U	PCI/L	0.50	600.00		NR	06/08/89	1.24		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E33-24	SAMPLE DATE	2-E33-26	SAMPLE DATE	2-E33-28
ALPHAHI	PCI/L	4.00	15.00		NR		NR	03/16/89	1.15
					NR		NR	08/01/89	(1.08)
					NR		NR	09/12/89	2.62
					NR		NR	09/12/89	(1.47)
ARSENIC	PPB	5.00	50.00		NR		NR	09/12/89	
					NR		NR	03/16/89	8.00
					NR		NR	08/01/89	9.00
					NR		NR	09/12/89	7.00
BARIUM	PPB	6.00	1000.00		NR		NR	09/12/89	8.00
					NR		NR	03/16/89	32.00
					NR		NR	08/01/89	31.00
					NR		NR	09/12/89	35.00
BETA	PCI/L	8.00	50.00	03/20/89	102.00 + (7.20)	03/20/89	110.00 + (7.52)	09/12/89	36.00
					NR		NR	03/16/89	9.36
					NR		NR	08/01/89	(2.78)
					NR		NR	09/12/89	(2.56)
					NR		NR	09/12/89	14.50
					NR		NR	09/12/89	(3.27)
					NR		NR	09/12/89	17.10
					NR		NR	09/12/89	(3.47)
BORON	PPB	10.00			NR		NR	03/16/89	15.00
					NR		NR	08/01/89	
					NR		NR	09/12/89	14.00
					NR		NR	09/12/89	19.00
CALCIUM	PPB	50.00			NR		NR	03/16/89	24900.00
					NR		NR	08/01/89	24900.00
					NR		NR	09/12/89	27300.00
					NR		NR	09/12/89	26900.00
CHLORID	PPB	500.00	250000.00		NR		NR	03/16/89	5500.00
					NR		NR	08/01/89	7000.00
					NR		NR	09/12/89	8000.00
					NR		NR	09/12/89	7000.00
CHROMIUM	PPB	10.00	50.00		NR		NR	03/16/89	22.00
					NR		NR	08/01/89	49.00
					NR		NR	09/12/89	24.00
					NR		NR	09/12/89	26.00
CONOFLD	UMHO	1.00	700.00		NR		NR	03/16/89	262.00
					NR		NR	08/01/89	270.00
					NR		NR	08/01/89	265.00
					NR		NR	08/01/89	270.00
					NR		NR	08/01/89	270.00
					NR		NR	09/12/89	274.00
					NR		NR	09/12/89	274.00
					NR		NR	09/12/89	274.00
CONDLAB	UMHO		700.00		NR		NR	03/16/89	253.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E33-24	SAMPLE DATE	2-E33-26	SAMPLE DATE	2-E33-28
CONDLAB	UMHO		700.00		NR		NR	03/16/89	254.00 a
					NR		NR	03/16/89	252.00 a
					NR		NR	03/16/89	255.00 a
					NR		NR	08/01/89	259.00 a
					NR		NR	08/01/89	258.00 a
					NR		NR	08/01/89	259.00 a
					NR		NR	08/01/89	259.00 a
					NR		NR	09/12/89	275.00 a
					NR		NR	09/12/89	272.00 a
					NR		NR	09/12/89	273.00 a
					NR		NR	09/12/89	273.00 a
FARSENIT	PPB	5.00	50.00		NR		NR	03/16/89	10.00
					NR		NR	08/01/89	9.00
					NR		NR	09/12/89	7.00
					NR		NR	09/12/89	7.00
FBARIUM	PPB	6.00	1000.00		NR		NR	03/16/89	33.00
					NR		NR	08/01/89	34.00
					NR		NR	09/12/89	31.00
					NR		NR	09/12/89	32.00
FBORON	PPB	10.00			NR		NR	03/16/89	19.00
					NR		NR	08/01/89	11.00
					NR		NR	09/12/89	14.00
					NR		NR	09/12/89	10.00
FCALCIU	PPB	50.00			NR		NR	03/16/89	26500.00
					NR		NR	08/01/89	27600.00
					NR		NR	09/12/89	26300.00
					NR		NR	09/12/89	26000.00
FIRON	PPB	30.00	300.00		NR		NR	03/16/89	30.00
					NR		NR	08/01/89	42.00
					NR		NR	09/12/89	
					NR		NR	09/12/89	
FLEAD	PPB	5.00	50.00		NR		NR	03/16/89	
					NR		NR	08/01/89	
					NR		NR	09/12/89	
					NR		NR	09/12/89	8.00
FMAGNES	PPB	50.00			NR		NR	03/16/89	8520.00
					NR		NR	08/01/89	8350.00
					NR		NR	09/12/89	7980.00
					NR		NR	09/12/89	7930.00
FNICKEL	PPB	10.00			NR		NR	03/16/89	10.00
					NR		NR	08/01/89	
					NR		NR	09/12/89	
					NR		NR	09/12/89	
FPOTASS	PPB	100.00			NR		NR	03/16/89	4980.00
					NR		NR	08/01/89	5110.00
					NR		NR	09/12/89	5210.00
					NR		NR	09/12/89	5170.00
FSILICO	PPB	50.00			NR		NR	03/16/89	18100.00
					NR		NR	08/01/89	18500.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E33-24	SAMPLE DATE	2-E33-26	SAMPLE DATE	2-E33-28
FSILICO	PPB	50.00			NR		NR	09/12/89	17700.00
					NR		NR	09/12/89	17600.00
FSCDIUM	PPB	200.00			NR		NR	03/16/89	14400.00
					NR		NR	08/01/89	14900.00
					NR		NR	09/12/89	14100.00
					NR		NR	09/12/89	14000.00
FSTRONT	PPB	10.00			NR		NR	03/16/89	147.00
					NR		NR	08/01/89	142.00
					NR		NR	09/12/89	138.00
					NR		NR	09/12/89	135.00
FVANADI	PPB	5.00			NR		NR	03/16/89	25.00
					NR		NR	08/01/89	23.00
					NR		NR	09/12/89	20.00
FZINC	PPB	5.00	5000.00		NR		NR	09/12/89	21.00
					NR		NR	03/16/89	27.00
					NR		NR	08/01/89	
					NR		NR	09/12/89	10.00
					NR		NR	09/12/89	19.00
IRON	PPB	30.00	300.00		NR		NR	03/16/89	101.00
					NR		NR	08/01/89	432.00 *
					NR		NR	09/12/89	137.00
					NR		NR	09/12/89	156.00
MAGNES	PPB	50.00			NR		NR	03/16/89	8190.00
					NR		NR	08/01/89	7280.00
					NR		NR	09/12/89	8320.00
					NR		NR	09/12/89	8260.00
MANGESE	PPB	5.00	50.00		NR		NR	03/16/89	
					NR		NR	08/01/89	6.00
					NR		NR	09/12/89	
					NR		NR	09/12/89	
NICKEL	PPB	10.00			NR		NR	03/16/89	12.00
					NR		NR	08/01/89	24.00
					NR		NR	09/12/89	12.00
					NR		NR	09/12/89	21.00
NITRATE	PPB	500.00	45000.00		NR		NR	03/16/89	3500.00
					NR		NR	08/01/89	4000.00
					NR		NR	09/12/89	4100.00
					NR		NR	09/12/89	4100.00
PH-LAB		0.01	8.50		NR		NR	03/16/89	8.10
					NR		NR	03/16/89	8.10
					NR		NR	03/16/89	8.10
					NR		NR	03/16/89	8.10
					NR		NR	08/01/89	8.10
					NR		NR	08/01/89	8.10
					NR		NR	08/01/89	8.10
					NR		NR	09/12/89	8.00
					NR		NR	09/12/89	8.00
					NR		NR	09/12/89	8.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E33-24	SAMPLE DATE	2-E33-26	SAMPLE DATE	2-E33-28
PH-LAB		0.01	8.50		NR		NR	09/12/89	8.00
PHFIELD		0.10	8.50		NR		NR	03/16/89	8.20
					NR		NR	08/01/89	8.00
					NR		NR	08/01/89	8.00
					NR		NR	08/01/89	8.00
					NR		NR	08/01/89	8.00
					NR		NR	09/12/89	7.70
					NR		NR	09/12/89	7.70
					NR		NR	09/12/89	7.69
					NR		NR	09/12/89	7.69
POTASUM	PPB	100.00			NR		NR	03/16/89	4870.00
					NR		NR	08/01/89	4420.00
					NR		NR	09/12/89	5410.00
RADIUM	PCI/L	1.00	5.00		NR		NR	09/12/89	5490.00
					NR		NR	03/16/89	0.21
									(0.17)
					NR		NR	08/01/89	
					NR		NR	09/12/89	
					NR		NR	09/12/89	
SILICON	PPB	50.00			NR		NR	03/16/89	17000.00
					NR		NR	08/01/89	16700.00
					NR		NR	09/12/89	18500.00
					NR		NR	09/12/89	18300.00
SODIUM	PPB	200.00			NR		NR	03/16/89	14000.00
					NR		NR	08/01/89	13100.00
					NR		NR	09/12/89	14700.00
					NR		NR	09/12/89	14700.00
STRONIUM	PPB	10.00			NR		NR	03/16/89	140.00
					NR		NR	08/01/89	126.00
					NR		NR	09/12/89	143.00
					NR		NR	09/12/89	141.00
SULFATE	PPB	500.00	250000.00		NR		NR	03/16/89	22700.00
					NR		NR	08/01/89	25300.00
					NR		NR	09/12/89	25900.00
					NR		NR	09/12/89	25900.00
TC	PPB	1000.00			NR		NR	09/12/89	23000.00
TC-99	PCI/L	15.00	900.00	03/20/89	1190.00 *		NR	03/16/89	100.00
					(6.26)				(2.08)
					NR		NR	08/01/89	75.70
									(1.88)
					NR		NR	09/12/89	66.00
									(1.80)
TRITIUM	PCI/L	500.00	20000.00		NR		NR	03/16/89	2610.00
					NR		NR	08/01/89	3440.00
					NR		NR	09/12/89	3290.00
									(221.00)
TURBID	NTU	0.10	1.00		NR		NR	09/12/89	1.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E33-24	SAMPLE DATE	2-E33-26	SAMPLE DATE	2-E33-28
U	PCI/L	0.50	600.00		NR		NR	03/16/89	1.75
					NR		NR	08/01/89	1.63
					NR		NR	09/12/89	1.59
					NR		NR	09/12/89	1.45
VANADUM	PPB	5.00			NR		NR	03/16/89	22.00
					NR		NR	08/01/89	19.00
					NR		NR	09/12/89	23.00
					NR		NR	09/12/89	23.00
ZINC	PPB	5.00	5000.00		NR		NR	03/16/89	
					NR		NR	08/01/89	
					NR		NR	09/12/89	19.00
					NR		NR	09/12/89	107.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E33-29	SAMPLE DATE	2-E33-30	SAMPLE DATE	2-E34-1
ALKALIN		20000.00			NR		NR	12/04/89	94000.00
ALPHA	PCI/L	4.00	15.00		NR		NR	02/07/89	1.66
ALPHAHI	PCI/L	4.00	15.00	03/16/89	0.96	03/14/89	1.72	12/04/89	(1.51)
				08/01/89	(0.88)	08/01/89	(1.20)		NR
				09/07/89	2.85	09/07/89	2.27		NR
				09/07/89	(1.59)	09/07/89	(1.38)		NR
				09/07/89	1.76	09/07/89	1.29		NR
				09/07/89	(1.30)	09/07/89	(1.08)		NR
ARSENIC	PPB	5.00	50.00	03/16/89	6.00	03/14/89	5.00	12/04/89	NR
				08/01/89	10.00	08/01/89	9.00		NR
				09/07/89	7.00	09/07/89	7.00		NR
BARIUM	PPB	6.00	1000.00	03/16/89	35.00	03/14/89	26.00	12/04/89	24.00
				08/01/89	38.00	08/01/89	22.00		NR
				09/07/89	40.00	09/07/89	25.00		NR
BETA	PCI/L	8.00	50.00	03/16/89	11.30	03/14/89	10.50	02/07/89	4.79
				08/01/89	(3.06)	08/01/89	(2.98)	12/04/89	(2.37)
				09/07/89	11.00	09/07/89	10.90		8.69
				09/07/89	(3.01)	09/07/89	(3.00)		(2.78)
				09/07/89	10.30	09/07/89	12.60		NR
				09/07/89	(2.90)	09/07/89	(3.11)		NR
BORON	PPB	10.00		03/16/89	25.00	03/14/89	21.00	12/04/89	15.00
				08/01/89	19.00	08/01/89	13.00		NR
				09/07/89	19.00	09/07/89	27.00		NR
CALCIUM	PPB	50.00		03/16/89	26900.00	03/14/89	30100.00	12/04/89	42400.00
				08/01/89	28700.00	08/01/89	27300.00		NR
				09/07/89	26600.00	09/07/89	28200.00		NR
CHLORID	PPB	500.00	250000.00	03/16/89	19600.00	03/14/89	17200.00	12/04/89	12000.00
				08/01/89	18000.00	08/01/89	17000.00		NR
				09/07/89	18000.00	09/07/89	17000.00		NR
CHROMIUM	PPB	10.00	50.00	03/16/89	21.00	03/14/89	36.00	12/04/89	NR
				08/01/89	27.00	08/01/89	78.00 *		NR
				09/07/89	71.00 *	09/07/89	68.00 *		NR
CO-60	PCI/L	22.50	100.00	03/16/89	5.87	03/14/89		02/07/89	
				08/01/89	(5.25)	08/01/89		12/04/89	
				09/07/89		09/07/89			NR
COLIMF	PPB	1.00	1.00	08/01/89		08/01/89	8.00 *	12/04/89	NR
COND FLD	UMHO	1.00	700.00	03/16/89	NR	03/14/89		12/04/89	NR
				08/01/89	325.00	08/01/89	282.00	12/04/89	437.00
				08/01/89	310.00	08/01/89	297.00	12/04/89	440.00
				08/01/89	310.00	08/01/89	297.00	12/04/89	438.00
				08/01/89	310.00	08/01/89	297.00	12/04/89	440.00
				08/01/89	310.00	08/01/89	297.00		NR
				09/07/89	301.00	09/07/89	302.00		NR
				09/07/89	298.00	09/07/89	301.00		NR
				09/07/89	299.00	09/07/89	299.00		NR
				09/07/89	298.00	09/07/89	297.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E33-29	SAMPLE DATE	2-E33-30	SAMPLE DATE	2-E34-1
COND LAB	UMHO		700.00	03/16/89	308.00 a	03/14/89	298.00 a	12/04/89	447.00 a
				03/16/89	310.00 a	03/14/89	296.00 a		NR
				03/16/89	307.00 a	03/14/89	296.00 a		NR
				03/16/89	310.00 a	03/14/89	298.00 a		NR
				08/01/89	298.00 a	08/01/89	303.00 a		NR
				08/01/89	297.00 a	08/01/89	302.00 a		NR
				08/01/89	295.00 a	08/01/89	301.00 a		NR
				08/01/89	298.00 a	08/01/89	301.00 a		NR
				09/07/89	300.00 a	09/07/89	304.00 a		NR
				09/07/89	301.00 a	09/07/89	305.00 a		NR
				09/07/89	301.00 a	09/07/89	303.00 a		NR
				09/07/89	301.00 a	09/07/89	302.00 a		NR
COPPER	PPB	10.00	(1300.0)	03/16/89		03/14/89		12/04/89	
				08/01/89		08/01/89	10.00		NR
				09/07/89		09/07/89			NR
CS-137	PCI/L	20.00	200.00	03/16/89		03/14/89		02/07/89	11.30
				08/01/89		08/01/89	9.02	12/04/89	(5.85)
				09/07/89		09/07/89	(6.38)		(8.27)
				03/16/89	6.00	03/14/89	7.00		(6.42)
				08/01/89	9.00	08/01/89	7.00		NR
				09/07/89	7.00	09/07/89	6.00		NR
FBARIUM	PPB	6.00	1000.00	03/16/89	37.00	03/14/89	23.00		NR
				08/01/89	39.00	08/01/89	25.00		NR
				09/07/89	38.00	09/07/89	27.00		NR
FBORON	PPB	10.00		03/16/89	22.00	03/14/89	22.00		NR
				08/01/89	33.00	08/01/89	24.00		NR
				09/07/89	19.00	09/07/89	16.00		NR
FCALCIU	PPB	50.00		03/16/89	28500.00	03/14/89	29500.00		NR
				08/01/89	29600.00	08/01/89	31600.00		NR
				09/07/89	27200.00	09/07/89	27800.00		NR
FCHROMI	PPB	10.00	50.00	03/16/89		03/14/89			NR
				08/01/89	14.00	08/01/89			NR
				09/07/89		09/07/89			NR
FIRON	PPB	30.00	300.00	03/16/89		03/14/89	48.00		NR
				08/01/89	34.00	08/01/89	36.00		NR
				09/07/89	50.00	09/07/89	32.00		NR
FLUORID	PPB	500.00	4000.00	03/16/89		03/14/89		12/04/89	500.00
				08/01/89	600.00	08/01/89	500.00		NR
				09/07/89		09/07/89			NR
FMAGNES	PPB	50.00		03/16/89	9390.00	03/14/89	9810.00		NR
				08/01/89	9390.00	08/01/89	9910.00		NR
				09/07/89	8800.00	09/07/89	8870.00		NR
FNICKEL	PPB	10.00		03/16/89	12.00	03/14/89	10.00		NR
				08/01/89		08/01/89			NR
				09/07/89	13.00	09/07/89	12.00		NR
FPOTASS	PPB	100.00		03/16/89	5220.00	03/14/89	5420.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E33-29	SAMPLE DATE	2-E33-30	SAMPLE DATE	2-E34-1
FPOTASS	PPB	100.00		08/01/89	5740.00	08/01/89	5920.00		NR
				09/07/89	5690.00	09/07/89	5730.00		NR
FSILICO	PPB	50.00		03/16/89	17600.00	03/14/89	18300.00		NR
				08/01/89	19700.00	08/01/89	20400.00		NR
				09/07/89	18800.00	09/07/89	18700.00		NR
FSODIUM	PPB	200.00		03/16/89	18900.00	03/14/89	18800.00		NR
				08/01/89	21700.00	08/01/89	21800.00		NR
				09/07/89	19800.00	09/07/89	18900.00		NR
FSTRONT	PPB	10.00		03/16/89	161.00	03/14/89	161.00		NR
				08/01/89	165.00	08/01/89	169.00		NR
				09/07/89	152.00	09/07/89	148.00		NR
FVANADI	PPB	5.00		03/16/89	22.00	03/14/89	22.00		NR
				08/01/89	21.00	08/01/89	27.00		NR
				09/07/89	17.00	09/07/89	19.00		NR
FZINC	PPB	5.00	5000.00	03/16/89		03/14/89	24.00		NR
				08/01/89		08/01/89	7.00		NR
				09/07/89		09/07/89			NR
IRON	PPB	30.00	300.00	03/16/89	120.00	03/14/89	236.00	12/04/89	345.00 *
				08/01/89	157.00	08/01/89	455.00 *		NR
				09/07/89	697.00 *	09/07/89	310.00 *		NR
MAGNES	PPB	50.00		03/16/89	9070.00	03/14/89	10100.00	12/04/89	12300.00
				08/01/89	8690.00	08/01/89	8250.00		NR
				09/07/89	8380.00	09/07/89	8840.00		NR
MANGESE	PPB	5.00	50.00	03/16/89		03/14/89	5.00	12/04/89	26.00
				08/01/89		08/01/89	8.00		NR
				09/07/89	10.00	09/07/89	6.00		NR
METHONE	PPB	10.00		03/16/89		03/14/89		12/04/89	
				08/01/89		08/01/89			NR
				09/07/89	10.00	09/07/89			NR
NICKEL	PPB	10.00		03/16/89	14.00	03/14/89	19.00	12/04/89	
				08/01/89	15.00	08/01/89	42.00		NR
				09/07/89	40.00	09/07/89	40.00		NR
NITRATE	PPB	500.00	45000.00	03/16/89	7600.00	03/14/89	7400.00	12/04/89	10000.00
				08/01/89	7100.00	08/01/89	7100.00		NR
				09/07/89	6900.00	09/07/89	6800.00		NR
PH-LAB		0.01	8.50	03/16/89	8.10	03/14/89	8.10	12/04/89	7.70
				03/16/89	8.10	03/14/89	8.10		NR
				03/16/89	8.10	03/14/89	8.10		NR
				03/16/89	8.10	03/14/89	8.10		NR
				08/01/89	8.10	08/01/89	8.20		NR
				08/01/89	8.20	08/01/89	8.20		NR
				08/01/89	8.10	08/01/89	8.20		NR
				08/01/89	8.10	08/01/89	8.20		NR
				09/07/89	8.10	09/07/89	8.10		NR
				09/07/89	8.10	09/07/89	8.10		NR
				09/07/89	8.10	09/07/89	8.10		NR
PHFIELD		0.10	8.50	03/16/89	8.20	03/14/89	8.00	12/04/89	7.44
				08/01/89	8.00	08/01/89	8.00	12/04/89	7.44

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E33-29	SAMPLE DATE	2-E33-30	SAMPLE DATE	2-E34-1
PHFIELD		0.10	8.50	08/01/89	8.00	08/01/89	7.99	12/04/89	7.44
				08/01/89	8.00	08/01/89	7.99	12/04/89	7.44
				08/01/89	8.00	08/01/89	7.99		NR
				09/07/89	8.04	09/07/89	8.12		NR
				09/07/89	8.04	09/07/89	8.10		NR
				09/07/89	8.04	09/07/89	8.09		NR
				09/07/89	8.03	09/07/89	8.09		NR
POTASUM	PPB	100.00		03/16/89	5130.00	03/14/89	5800.00	12/04/89	8070.00
				08/01/89	5320.00	08/01/89	5050.00		NR
				09/07/89	5420.00	09/07/89	5640.00		NR
RADIUM	PCI/L	1.00	5.00	03/16/89	0.37	03/14/89		12/04/89	
					(0.20)				
				08/01/89		08/01/89	0.22		NR
							(0.16)		
				09/07/89	0.28	09/07/89			NR
					(0.17)				
SILICON	PPB	50.00		03/16/89	16800.00	03/14/89	18500.00	12/04/89	19700.00
				08/01/89	18900.00	08/01/89	17600.00		NR
				09/07/89	18200.00	09/07/89	18800.00		NR
SODIUM	PPB	200.00		03/16/89	18500.00	03/14/89	19800.00	12/04/89	23900.00
				08/01/89	19900.00	08/01/89	17900.00		NR
				09/07/89	18500.00	09/07/89	18700.00		NR
STRONUM	PPB	10.00		03/16/89	155.00	03/14/89	167.00	12/04/89	219.00
				08/01/89	150.00	08/01/89	134.00		NR
				09/07/89	144.00	09/07/89	146.00		NR
SULFATE	PPB	500.00	250000.00	03/16/89	28800.00	03/14/89	29900.00	12/04/89	96700.00
				08/01/89	28100.00	08/01/89	30000.00		NR
				09/07/89	27600.00	09/07/89	29300.00		NR
TC	PPB	1000.00		09/07/89	22400.00	09/07/89	22600.00		NR
TC-99	PCI/L	15.00	900.00	03/16/89	56.70	03/14/89	69.50	12/04/89	
					(1.76)		(1.85)		
				08/01/89	45.30	08/01/89	58.50		NR
					(1.62)		(1.78)		
				09/07/89	48.70	09/07/89	49.70		NR
					(1.62)		(1.62)		
TDS		5000.00	500000.00		NR		NR	12/04/89	289000.00
TOXLDL	PPB	10.00		03/16/89	12.00	03/14/89		12/04/89	
				03/16/89		03/14/89			NR
				03/16/89		03/14/89			NR
				03/16/89		03/14/89			NR
				08/01/89		08/01/89			NR
				08/01/89		08/01/89			NR
				08/01/89		08/01/89			NR
				08/01/89		08/01/89			NR
				08/01/89		08/01/89			NR
				09/07/89		09/07/89			NR
				09/07/89	10.00	09/07/89			NR
				09/07/89		09/07/89	13.00		NR
				09/07/89		09/07/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E33-29	SAMPLE DATE	2-E33-30	SAMPLE DATE	2-E34-1
TRITIUM	PCI/L	500.00	20000.00	03/16/89	6390.00 (290.00)	03/14/89	5860.00 (281.00)	02/07/89	2280.00 (217.00)
TRITIUM	PCI/L	500.00	20000.00	08/01/89	7140.00 (219.00)	08/01/89	6790.00 (217.00)	12/04/89	3480.00 (228.00)
				09/07/89	6880.00 (294.00)	09/07/89	6740.00 (294.00)		NR
TURBID U	NTU PCI/L	0.10 0.50	1.00 600.00	09/07/89	6.40 *	09/07/89	2.10 *	12/04/89	1.60 *
				03/16/89	1.84	03/14/89	1.54	12/04/89	1.30
				08/01/89	1.48	08/01/89	1.54		NR
				09/07/89	1.36	09/07/89	1.54		NR
VANADIUM	PPB	5.00		03/16/89	20.00	03/14/89	22.00	12/04/89	19.00
				08/01/89	21.00	08/01/89	17.00		NR
				09/07/89	21.00	09/07/89	19.00		NR
ZINC	PPB	5.00	5000.00	03/16/89		03/14/89	10.00	12/04/89	
				08/01/89		08/01/89			NR
				09/07/89	6.00	09/07/89	6.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E34-2	SAMPLE DATE	2-E34-3	SAMPLE DATE	2-E34-5
ALKALIN ALPHAHI	PCI/L	20000.00 4.00	15.00	11/27/89 03/15/89 08/01/89 09/06/89 11/27/89	97000.00 2.04 (1.38) 2.18 (1.70)	03/14/89 07/31/89 09/07/89	NR 1.70 (1.15) 1.52 (1.23) 2.33 (1.44) NR	03/15/89 07/31/89 09/06/89	NR 2.72 (1.66) 2.99 (1.71) 3.47 (2.01) NR
ALUMNUM	PPB	150.00		03/15/89 08/01/89 09/06/89 11/27/89	339.00 309.00 329.00	03/14/89 07/31/89 09/07/89		03/15/89 07/31/89 09/06/89	
ARSENIC	PPB	5.00	50.00	03/15/89 08/01/89 09/06/89 11/27/89	6.00 8.00 6.00 7.00	03/14/89 07/31/89 09/07/89	NR 6.00 7.00 8.00 NR	03/15/89 07/31/89 09/06/89	NR 5.00 7.00 6.00 NR
BARIUM	PPB	6.00	1000.00	03/15/89 08/01/89 09/06/89 11/27/89	35.00 39.00 42.00 35.00	03/14/89 07/31/89 09/07/89	45.00 45.00 49.00 NR	03/15/89 07/31/89 09/06/89	28.00 30.00 31.00 NR
BETA	PCI/L	8.00	50.00	03/15/89 08/01/89 09/06/89 11/27/89	6.19 (2.98) 7.12 (2.68) 8.46 (2.86) 9.66 (2.96)	03/14/89 07/31/89 09/07/89	17.80 (3.68) 7.49 (2.75) 7.73 (2.77) NR	03/15/89 07/31/89 09/06/89	3.97 (2.44) 8.28 (2.79) 8.59 (2.82) NR
BORON	PPB	10.00		03/15/89 08/01/89 09/06/89 11/27/89	21.00 11.00 18.00 22.00	03/14/89 07/31/89 09/07/89	20.00 14.00 13.00 NR	03/15/89 07/31/89 09/06/89	24.00 27.00 24.00 NR
CALCIUM	PPB	50.00		03/15/89 08/01/89 09/06/89 11/27/89	48300.00 46300.00 48200.00 44400.00	03/14/89 07/31/89 09/07/89	33000.00 33700.00 34300.00 NR	03/15/89 07/31/89 09/06/89	46700.00 50700.00 52100.00 NR
CHLORID	PPB	500.00	250000.00	03/15/89 08/01/89 09/06/89 11/27/89	12200.00 12000.00 11000.00 11500.00	03/14/89 07/31/89 09/07/89	6600.00 6500.00 6500.00 NR	03/15/89 07/31/89 09/06/89	21300.00 22000.00 21000.00 NR
CHROMIUM	PPB	10.00	50.00	03/15/89 08/01/89 09/06/89 11/27/89	38.80 182.00 * 63.00 * 90.00 *	03/14/89 07/31/89 09/07/89	28.00 89.00 * 35.00 NR	03/15/89 07/31/89 09/06/89	20.00 74.00 * 14.00 NR
COND FLD	UMHO	1.00	700.00	03/15/89 08/01/89 08/01/89 08/01/89	580.00 463.00 464.00 463.00	03/14/89 07/31/89 07/31/89 07/31/89	323.00 286.00 287.00 286.00	03/15/89 07/31/89 07/31/89 07/31/89	587.00 487.00 487.00 486.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E34-2	SAMPLE DATE	2-E34-3	SAMPLE DATE	2-E34-5
CONDFLD	UMHO	1.00	700.00	08/01/89	463.00	07/31/89	286.00	07/31/89	487.00
				09/06/89	485.00	09/07/89	290.00	09/06/89	518.00
				09/06/89	483.00	09/07/89	288.00	09/06/89	518.00
				09/06/89	485.00	09/07/89	290.00	09/06/89	518.00
				09/06/89	485.00	09/07/89	291.00	09/06/89	514.00
				11/27/89	487.00		NR		NR
CONDLAB	UMHO		700.00	03/15/89	502.00 a	03/14/89	287.00 a	03/15/89	486.00 a
				03/15/89	518.00 a	03/14/89	286.00 a	03/15/89	497.00 a
				03/15/89	515.00 a	03/14/89	289.00 a	03/15/89	505.00 a
				03/15/89	511.00 a	03/14/89	290.00 a	03/15/89	514.00 a
				08/01/89	459.00 a	07/31/89	287.00 a	07/31/89	484.00 a
				08/01/89	457.00 a	07/31/89	287.00 a	07/31/89	483.00 a
				08/01/89	459.00 a	07/31/89	286.00 a	07/31/89	485.00 a
				08/01/89	459.00 a	07/31/89	287.00 a	07/31/89	485.00 a
				09/06/89	463.00 a	09/07/89	294.00 a	09/06/89	492.00 a
				09/06/89	463.00 a	09/07/89	294.00 a	09/06/89	496.00 a
				09/06/89	463.00 a	09/07/89	294.00 a	09/06/89	498.00 a
				09/06/89	462.00 a	09/07/89	293.00 a	09/06/89	494.00 a
				11/27/89	458.00 a		NR		NR
FALUMIN	PPB	150.00		03/15/89		03/14/89		03/15/89	
				08/01/89	313.00	07/31/89		07/31/89	
				09/06/89		09/07/89		09/06/89	
				11/27/89	505.00		NR		NR
FARSEN I	PPB	5.00	50.00	03/15/89	6.00	03/14/89	7.00	03/15/89	6.00
				08/01/89	8.00	07/31/89	11.00	07/31/89	10.00
				09/06/89	6.00	09/07/89	6.00	09/06/89	6.00
				11/27/89	6.00		NR		NR
FBARIUM	PPB	6.00	1000.00	03/15/89	37.00	03/14/89	45.00	03/15/89	27.00
				08/01/89	39.00	07/31/89	49.00	07/31/89	30.00
				09/06/89	38.00	09/07/89	46.00	09/06/89	27.00
				11/27/89	42.00		NR		NR
FBERYLL	PPB	5.00		03/15/89		03/14/89	6.00	03/15/89	
				08/01/89		07/31/89		07/31/89	
				09/06/89		09/07/89		09/06/89	
				11/27/89			NR		NR
FBORON	PPB	10.00		03/15/89	33.00	03/14/89	21.00	03/15/89	22.00
				08/01/89	17.00	07/31/89	17.00	07/31/89	22.00
				09/06/89	29.00	09/07/89	15.00	09/06/89	17.00
				11/27/89	23.00		NR		NR
FCALCIU	PPB	50.00		03/15/89	51800.00	03/14/89	34100.00	03/15/89	47600.00
				08/01/89	51000.00	07/31/89	37200.00	07/31/89	54100.00
				09/06/89	47600.00	09/07/89	33000.00	09/06/89	46500.00
				11/27/89	44900.00		NR		NR
FCHROMI	PPB	10.00	50.00	03/15/89		03/14/89		03/15/89	
				08/01/89	76.00 *	07/31/89		07/31/89	
				09/06/89	19.00	09/07/89		09/06/89	11.00
				11/27/89	92.00 *		NR		NR
FCOPPER	PPB	10.00	(1300.0)	03/15/89		03/14/89		03/15/89	
				08/01/89		07/31/89		07/31/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E34-2	SAMPLE DATE	2-E34-3	SAMPLE DATE	2-E34-5
FCOPPER	PPB	10.00	(1300.0)	09/06/89		09/07/89		09/06/89	
				11/27/89	21.00		NR		NR
FIRON	PPB	30.00	300.00	03/15/89	34.00	03/14/89	31.00	03/15/89	43.00
				08/01/89	863.00 *	07/31/89		07/31/89	51.00
				09/06/89	230.00	09/07/89		09/06/89	47.00
				11/27/89	1560.00 *		NR		NR
FLUORID	PPB	500.00	4000.00	03/15/89		03/14/89		03/15/89	
				08/01/89	500.00	07/31/89		07/31/89	
				09/06/89	700.00	09/07/89		09/06/89	500.00
				11/27/89	500.00		NR		NR
FMAGNES	PPB	50.00		03/15/89	15400.00	03/14/89	10200.00	03/15/89	14700.00
				08/01/89	14300.00	07/31/89	10400.00	07/31/89	15600.00
				09/06/89	13500.00	09/07/89	9310.00	09/06/89	13700.00
				11/27/89	12400.00		NR		NR
FMANGAN	PPB	5.00	50.00	03/15/89		03/14/89		03/15/89	
				08/01/89	27.00	07/31/89		07/31/89	5.00
				09/06/89		09/07/89		09/06/89	
				11/27/89	40.00		NR		NR
FNICKEL	PPB	10.00		03/15/89	11.00	03/14/89		03/15/89	19.00
				08/01/89	40.00	07/31/89		07/31/89	21.00
				09/06/89	21.00	09/07/89		09/06/89	44.00
				11/27/89	47.00		NR		NR
FPOTASS	PPB	100.00		03/15/89	7680.00	03/14/89	6290.00	03/15/89	7500.00
				08/01/89	7880.00	07/31/89	7010.00	07/31/89	8370.00
				09/06/89	7990.00	09/07/89	6590.00	09/06/89	7790.00
				11/27/89	7000.00		NR		NR
FSELENI	PPB	5.00	10.00	03/15/89		03/14/89		03/15/89	
				08/01/89	7.00	07/31/89		07/31/89	
				09/06/89		09/07/89		09/06/89	
				11/27/89			NR		NR
FSILICO	PPB	50.00		03/15/89	19100.00	03/14/89	18800.00	03/15/89	17400.00
				08/01/89	21300.00	07/31/89	20900.00	07/31/89	20000.00
				09/06/89	20500.00	09/07/89	19400.00	09/06/89	17700.00
				11/27/89	20100.00		NR		NR
FSCDIUM	PPB	200.00		03/15/89	28300.00	03/14/89	13700.00	03/15/89	29600.00
				08/01/89	28700.00	07/31/89	15600.00	07/31/89	33400.00
				09/06/89	26800.00	09/07/89	13700.00	09/06/89	28600.00
				11/27/89	23700.00		NR		NR
FSTRONT	PPB	10.00		03/15/89	269.00	03/14/89	192.00	03/15/89	255.00
				08/01/89	251.00	07/31/89	199.00	07/31/89	274.00
				09/06/89	239.00	09/07/89	180.00	09/06/89	239.00
				11/27/89	219.00		NR		NR
FVANADI	PPB	5.00		03/15/89	21.00	03/14/89	27.00	03/15/89	20.00
				08/01/89	21.00	07/31/89	29.00	07/31/89	20.00
				09/06/89	17.00	09/07/89	22.00	09/06/89	19.00
				11/27/89	23.00		NR		NR
FZINC	PPB	5.00	5000.00	03/15/89		03/14/89	8.00	03/15/89	8.00
				08/01/89	9.00	07/31/89		07/31/89	354.00
				09/06/89	7.00	09/07/89	5.00	09/06/89	5.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E34-2	SAMPLE DATE	2-E34-3	SAMPLE DATE	2-E34-5
FZINC	PPB	5.00	5000.00	11/27/89	25.00		NR		NR
IRON	PPB	30.00	300.00	03/15/89	216.00	03/14/89	161.00	03/15/89	120.00
				08/01/89	1380.00 *	07/31/89	381.00 *	07/31/89	376.00 *
				09/06/89	930.00 *	09/07/89	153.00	09/06/89	88.00
				11/27/89	948.00 *		NR		NR
LEADGF	PPB	5.00	50.00	03/15/89		03/14/89		03/15/89	
				08/01/89		07/31/89		07/31/89	
				09/06/89	10.00	09/07/89		09/06/89	
				11/27/89			NR		NR
MAGNES	PPB	50.00		03/15/89	14500.00	03/14/89	9950.00	03/15/89	14600.00
				08/01/89	12600.00	07/31/89	9070.00	07/31/89	14300.00
				09/06/89	13600.00	09/07/89	9530.00	09/06/89	15100.00
				11/27/89	12500.00		NR		NR
MANGESE	PPB	5.00	50.00	03/15/89	6.00	03/14/89		03/15/89	7.00
				08/01/89	33.00	07/31/89	8.00	07/31/89	12.00
				09/06/89	29.00	09/07/89		09/06/89	
				11/27/89	24.00		NR		NR
METHONE	PPB	10.00		03/15/89		03/14/89		03/15/89	
				08/01/89		07/31/89		07/31/89	
				09/06/89		09/07/89	10.00	09/06/89	
				11/27/89			NR		NR
METHYCH	PPB	5.00		03/15/89		03/14/89		03/15/89	
				08/01/89		07/31/89		07/31/89	
				09/06/89		09/07/89		09/06/89	
				11/27/89	10.00		NR		NR
NICKEL	PPB	10.00		03/15/89	22.00	03/14/89	14.00	03/15/89	26.00
				08/01/89	91.00	07/31/89	42.00	07/31/89	54.00
				09/06/89	43.00	09/07/89	25.00	09/06/89	33.00
				11/27/89	46.00		NR		NR
NITRATE	PPB	500.00	45000.00	03/15/89	15400.00	03/14/89	5100.00	03/15/89	13600.00
				08/01/89	13700.00	07/31/89	4600.00	07/31/89	13400.00
				09/06/89	13000.00	09/07/89	4300.00	09/06/89	13200.00
				11/27/89	12000.00		NR		NR
PH-LAB		0.01	8.50	03/15/89	8.00	03/14/89	8.10	03/15/89	8.00
				03/15/89	8.00	03/14/89	8.10	03/15/89	8.00
				03/15/89	8.00	03/14/89	8.10	03/15/89	8.00
				03/15/89	8.00	03/14/89	8.10	03/15/89	8.00
				08/01/89	8.00	07/31/89	8.00	07/31/89	8.00
				08/01/89	8.00	07/31/89	8.10	07/31/89	8.00
				08/01/89	8.00	07/31/89	8.10	07/31/89	8.00
				08/01/89	8.00	07/31/89	8.10	07/31/89	8.00
				09/06/89	8.00	09/07/89	8.10	09/06/89	8.00
				09/06/89	8.00	09/07/89	8.10	09/06/89	8.00
				09/06/89	8.00	09/07/89	8.10	09/06/89	8.00
				11/27/89	7.80		NR		NR
PHFIELD		0.10	8.50	03/15/89	8.30	03/14/89	7.90	03/15/89	8.40
				08/01/89	7.89	07/31/89	7.96	07/31/89	8.01
				08/01/89	7.88	07/31/89	7.95	07/31/89	8.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E34-2	SAMPLE DATE	2-E34-3	SAMPLE DATE	2-E34-5
PHFIELD		0.10	8.50	08/01/89	7.88	07/31/89	7.94	07/31/89	7.99
				08/01/89	7.87	07/31/89	7.94	07/31/89	7.99
				09/06/89	8.00	09/07/89	7.99	09/06/89	8.07
				09/06/89	7.99	09/07/89	8.00	09/06/89	8.07
				09/06/89	7.98	09/07/89	8.00	09/06/89	8.07
				09/06/89	7.97	09/07/89	8.00	09/06/89	8.06
				11/27/89	7.64		NR		NR
POTASUM	PPB	100.00		03/15/89	7360.00	03/14/89	6460.00	03/15/89	7700.00
				08/01/89	7020.00	07/31/89	6200.00	07/31/89	8000.00
				09/06/89	8050.00	09/07/89	6730.00	09/06/89	8720.00
				11/27/89	7130.00		NR		NR
RADIUM	PC1/L	1.00	5.00	03/15/89		03/14/89		03/15/89	0.17
				08/01/89	0.52	07/31/89	0.20	07/31/89	0.21
				09/06/89	(0.23)	09/07/89	(0.18)	09/06/89	(0.17)
				11/27/89	0.35		0.19		0.29
					(0.20)		(0.15)		(0.18)
				03/15/89	5.00	03/14/89	NR	03/15/89	NR
SELENUM	PPB	5.00	10.00	08/01/89	6.00	07/31/89		07/31/89	6.00
				09/06/89		09/07/89		09/06/89	
				11/27/89	5.00		NR		NR
SILICON	PPB	50.00		03/15/89	17900.00	03/14/89	17900.00	03/15/89	16900.00
				08/01/89	19400.00	07/31/89	19400.00	07/31/89	19000.00
				09/06/89	20800.00	09/07/89	20100.00	09/06/89	19600.00
				11/27/89	19400.00		NR		NR
SODIUM	PPB	200.00		03/15/89	27000.00	03/14/89	13900.00	03/15/89	29900.00
				08/01/89	25200.00	07/31/89	13800.00	07/31/89	31500.00
				09/06/89	26600.00	09/07/89	13800.00	09/06/89	31600.00
				11/27/89	24100.00		NR		NR
STRONUM	PPB	10.00		03/15/89	255.00	03/14/89	192.00	03/15/89	254.00
				08/01/89	222.00	07/31/89	175.00	07/31/89	248.00
				09/06/89	238.00	09/07/89	184.00	09/06/89	264.00
				11/27/89	216.00		NR		NR
SULFATE	PPB	500.00	250000.00	03/15/89	135000.00	03/14/89	34900.00	03/15/89	108000.00
				08/01/89	116000.00	07/31/89	34000.00	07/31/89	107000.00
				09/06/89	110000.00	09/07/89	33000.00	09/06/89	105000.00
				11/27/89	100000.00		NR		NR
TC	PPB	1000.00		09/06/89	23000.00	09/07/89	24800.00	09/06/89	24600.00
TDS		5000.00	500000.00	11/27/89	286000.00		NR		NR
TRITIUM	PC1/L	500.00	20000.00	03/15/89	2340.00	03/14/89	9480.00	03/15/89	
				08/01/89	(198.00)	07/31/89	(347.00)	07/31/89	
				09/06/89	3470.00		8310.00		
					(166.00)		(233.00)		
				11/27/89	3130.00	09/07/89	8270.00	09/06/89	
					(219.00)		(315.00)		
				09/06/89	3430.00		NR		NR
					(224.00)				
TURBID	NTU	0.10	1.00	09/06/89	11.20 *	09/07/89	0.50	09/06/89	1.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E34-2	SAMPLE DATE	2-E34-3	SAMPLE DATE	2-E34-5
TURBID U	NTU PCI/L	0.10 0.50	1.00 600.00	11/27/89 03/15/89 08/01/89 09/06/89 11/27/89	5.00 * 3.00 1.57 1.95 1.74	03/14/89 07/31/89 09/07/89	NR 2.43 1.86 1.82	03/15/89 07/31/89 09/06/89	NR 4.26 3.18 3.38
VANADUM	PPB	5.00		03/15/89 08/01/89 09/06/89 11/27/89	22.00 19.00 21.00 21.00	03/14/89 07/31/89 09/07/89	NR 27.00 22.00 24.00	03/15/89 07/31/89 09/06/89	NR 22.00 21.00 18.00
ZINC	PPB	5.00	5000.00	03/15/89 08/01/89 09/06/89 11/27/89	7.00 19.00 21.00 8.00	03/14/89 07/31/89 09/07/89	NR 6.00 NR	03/15/89 07/31/89 09/06/89	10.00 16.00 12.00 NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E34-6
ACETONE	PPB	10.00		03/16/89 07/31/89 09/06/89	10.00
ALPHAHI	PCI/L	4.00	15.00	03/16/89 07/31/89 09/06/89	1.24 (1.09) 3.08 (1.85)
ALUMNUM	PPB	150.00		03/16/89 07/31/89 09/06/89	950.00
ARSENIC	PPB	5.00	50.00	03/16/89 07/31/89 09/06/89	5.00
BARIUM	PPB	6.00	1000.00	03/16/89 07/31/89 09/06/89	36.00 32.00 53.00
BETA	PCI/L	8.00	50.00	03/16/89 07/31/89 09/06/89	5.33 (2.54) 18.00 (3.64) 8.11 (2.76)
BORON	PPB	10.00		03/16/89 07/31/89 09/06/89	30.00 26.00 28.00
CALCIUM	PPB	50.00		03/16/89 07/31/89 09/06/89	45700.00 41900.00 43700.00
CHLORID	PPB	500.00	250000.00	03/16/89 07/31/89 09/06/89	18100.00 19000.00 19000.00
CHROMIUM	PPB	10.00	50.00	03/16/89 07/31/89 09/06/89	117.00 * 15.00
CONDFLD	UMHO	1.00	700.00	03/16/89 07/31/89 07/31/89 07/31/89 07/31/89 07/31/89 09/06/89 09/06/89 09/06/89 09/06/89	445.00 418.00 401.00 424.00 423.00 445.00 449.00 449.00 455.00
CONDLAB	UMHO		700.00	03/16/89 03/16/89 03/16/89 03/16/89	441.00 @ 443.00 @ 443.00 @ 438.00 @

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E34-6
CONDLAB	UMHO		700.00	07/31/89	431.00 a
				07/31/89	429.00 a
				07/31/89	430.00 a
				07/31/89	430.00 a
				09/06/89	442.00 a
				09/06/89	441.00 a
				09/06/89	441.00 a
				09/06/89	442.00 a
COPPER	PPB	10.00	(1300.0)	03/16/89	
				07/31/89	11.00
				09/06/89	
FARSEN	PPB	5.00	50.00	03/16/89	5.00
				08/01/89	
				09/06/89	
FBARIUM	PPB	6.00	1000.00	03/16/89	33.00
				08/01/89	38.00
				09/06/89	36.00
FBORON	PPB	10.00		03/16/89	26.00
				08/01/89	26.00
				09/06/89	25.00
FCALCIU	PPB	50.00		03/16/89	42200.00
				08/01/89	44100.00
				09/06/89	39300.00
FLUORID	PPB	500.00	4000.00	03/16/89	600.00
				07/31/89	600.00
				09/06/89	700.00
FMAGNES	PPB	50.00		03/16/89	12200.00
				08/01/89	12300.00
				09/06/89	11000.00
FMANGAN	PPB	5.00	50.00	03/16/89	32.00
				08/01/89	15.00
				09/06/89	19.00
FNICKEL	PPB	10.00		03/16/89	
				08/01/89	
				09/06/89	10.00
FPOTASS	PPB	100.00		03/16/89	7410.00
				08/01/89	8040.00
				09/06/89	7510.00
FSILICO	PPB	50.00		03/16/89	17400.00
				08/01/89	17600.00
				09/06/89	17200.00
FSCDIUM	PPB	200.00		03/16/89	32200.00
				08/01/89	35400.00
				09/06/89	30700.00
FSTROWT	PPB	10.00		03/16/89	237.00
				08/01/89	245.00
				09/06/89	213.00
FVANADI	PPB	5.00		03/16/89	12.00
				08/01/89	9.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E34-6
FVANADI	PPB	5.00		09/06/89	8.00
IRON	PPB	30.00	300.00	03/16/89	96.00
				07/31/89	580.00 *
				09/06/89	2890.00 *
LEADGF	PPB	5.00	50.00	03/16/89	
				07/31/89	
				09/06/89	11.00
MAGNES	PPB	50.00		03/16/89	13400.00
				07/31/89	11300.00
				09/06/89	12100.00
MANGESE	PPB	5.00	50.00	03/16/89	36.00
				07/31/89	41.00
				09/06/89	78.00 *
NICKEL	PPB	10.00		03/16/89	14.00
				07/31/89	56.00
				09/06/89	24.00
NITRATE	PPB	500.00	45000.00	03/16/89	6400.00
				07/31/89	6400.00
				09/06/89	6500.00
PH-LAB		0.01	8.50	03/16/89	8.10
				03/16/89	8.10
				03/16/89	8.10
				03/16/89	8.10
				07/31/89	8.10
				07/31/89	8.10
				07/31/89	8.10
				07/31/89	8.10
				09/06/89	8.00
				09/06/89	8.00
				09/06/89	8.00
				09/06/89	8.00
PHFIELD		0.10	8.50	03/16/89	8.10
				07/31/89	7.71
				07/31/89	7.75
				07/31/89	7.69
				07/31/89	7.70
				09/06/89	8.14
				09/06/89	8.11
				09/06/89	8.08
				09/06/89	8.07
POTASUM	PPB	100.00		03/16/89	8180.00
				07/31/89	7610.00
				09/06/89	8390.00
SILICON	PPB	50.00		03/16/89	18700.00
				07/31/89	18100.00
				09/06/89	19900.00
SODIUM	PPB	200.00		03/16/89	35300.00
				07/31/89	33200.00
				09/06/89	33000.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-E34-6
STRONTIUM	PPB	10.00		03/16/89	260.00
				07/31/89	220.00
				09/06/89	238.00
SULFATE	PPB	500.00	250000.00	03/16/89	81600.00
				07/31/89	81000.00
				09/06/89	80000.00
TC	PPB	1000.00		09/06/89	25800.00
TITAN	PPB	60.00		03/16/89	
				07/31/89	
				09/06/89	104.00
TRITIUM	PCI/L	500.00	20000.00	03/16/89	431.00
					(137.00)
				07/31/89	369.00
					(102.00)
				09/06/89	
TURBID	NTU	0.10	1.00	09/06/89	24.00 *
U	PCI/L	0.50	600.00	03/16/89	3.71
				07/31/89	2.93
				09/06/89	2.65
VANADIUM	PPB	5.00		03/16/89	11.00
				07/31/89	15.00
				09/06/89	16.00
ZINC	PPB	5.00	5000.00	03/16/89	
				07/31/89	10.00
				09/06/89	29.00

* - VALUE EXCEEDS PRIMARY DRINKING WATER STANDARD.

- VALUE EXCEEDS PROPOSED PRIMARY DRINKING WATER STANDARD.

+ - VALUE EXCEEDS SCREENING LEVEL FOR FURTHER INVESTIGATION.

@ - DETECTION LIMIT WAS NOT AVAILABLE FOR COMPARISON

NR - ANALYSIS NOT REQUESTED OR NOT YET REPORTED

VALUES IN () ARE COUNTING ERRORS FOR RADIONUCLIDES

WATER STANDARD(S) IN PARENTHESES ARE PROPOSED ONLY

HANFORD SITE ENVIRONMENTAL DATA FOR CALENDAR YEAR 1989 - GROUND WATER (200W Area Wells)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W6-2	SAMPLE DATE	2-W7-1	SAMPLE DATE	2-W7-2
ALPHAHI	PCI/L	4.00	15.00	05/09/89	1.65	05/10/89		03/20/89	1.10
				07/21/89	(1.42)	07/10/89		07/20/89	(1.02)
				07/21/89	2.41				
				07/21/89	(1.59)				
				07/21/89	2.50	09/07/89	2.10	09/07/89	1.59
				09/07/89	(1.58)		(1.38)		(1.25)
				09/07/89	2.69		NR		NR
				09/07/89	(1.53)				
AM-241	PCI/L	0.10	30.00	01/04/89		05/10/89	0.01	03/20/89	
				05/09/89		07/10/89	(0.01)	07/20/89	
				07/21/89			NR		NR
				07/21/89			NR		NR
BARIUM	PPB	6.00	1000.00	01/04/89	35.00	05/10/89	32.00	03/20/89	39.00
				05/09/89	43.00	07/10/89	32.00	07/20/89	32.00
				07/21/89	39.00	09/07/89	35.00	09/07/89	37.00
				07/21/89	36.00		NR		NR
				09/07/89	41.00		NR		NR
BETA	PCI/L	8.00	50.00	01/04/89	12.30	05/10/89	4.61	03/20/89	3.11
				05/09/89	(3.04)	07/10/89	(2.40)	07/20/89	(2.23)
				07/21/89	13.20		3.11		3.60
				07/21/89	(3.34)		(2.28)		(2.26)
				07/21/89	12.30	09/07/89	4.45	09/07/89	5.85
				07/21/89	(3.12)		(2.56)		(2.50)
				07/21/89	15.60		NR		NR
				09/07/89	(3.45)				
				09/07/89	16.40		NR		NR
				09/07/89	(3.53)				
BORON	PPB	10.00		01/04/89	13.00	05/10/89	24.00	03/20/89	12.00
				05/09/89	15.00	07/10/89	19.00	07/20/89	14.00
				07/21/89	13.00	09/07/89	13.00	09/07/89	11.00
				07/21/89	15.00		NR		NR
				09/07/89	16.00		NR		NR
CALCIUM	PPB	50.00		01/04/89	44800.00	05/10/89	45200.00	03/20/89	34800.00
				05/09/89	45600.00	07/10/89	49200.00	07/20/89	29700.00
				07/21/89	45100.00	09/07/89	48300.00	09/07/89	27800.00
				07/21/89	41200.00		NR		NR
				09/07/89	41800.00		NR		NR
CHLORID	PPB	500.00	250000.00	01/04/89	5400.00	05/10/89	9000.00	03/20/89	3000.00
				05/09/89	5700.00	07/10/89	9620.00	07/20/89	3750.00
				07/21/89	5660.00	09/07/89	9000.00	09/07/89	9000.00
				07/21/89	5570.00		NR		NR
				09/07/89	3500.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W6-2	SAMPLE DATE	2-W7-1	SAMPLE DATE	2-W7-2
CHROMIUM	PPB	10.00	50.00	01/04/89	88.00 *	05/10/89	75.00 *	03/20/89	34.00
				05/09/89	56.00 *	07/10/89	37.00	07/20/89	34.00
				07/21/89	55.00 *	09/07/89	29.00	09/07/89	20.00
				07/21/89	44.00		NR		NR
				09/07/89	44.00		NR		NR
COLIMF	PPB	1.00	1.00	07/21/89	30.00 *	09/07/89		09/07/89	
				07/21/89	25.00 *		NR		NR
				09/07/89			NR		NR
COND FLD	UMHO	1.00	700.00	01/04/89	420.00	05/10/89	334.00	03/20/89	235.00
				01/04/89	423.00	07/10/89	354.00	07/20/89	279.00
				01/04/89	418.00	07/10/89	354.00	07/20/89	274.00
				01/04/89	416.00	07/10/89	354.00	07/20/89	275.00
				05/09/89	332.00	07/10/89	354.00	07/20/89	274.00
				07/21/89	395.00	09/07/89	389.00	09/07/89	281.00
				07/21/89	393.00	09/07/89	388.00	09/07/89	283.00
				07/21/89	391.00	09/07/89	386.00	09/07/89	282.00
				07/21/89	392.00	09/07/89	387.00	09/07/89	283.00
				09/07/89	404.00		NR		NR
				09/07/89	406.00		NR		NR
				09/07/89	406.00		NR		NR
				09/07/89	406.00		NR		NR
CONDLAB	UMHO		700.00	01/04/89	424.00 a	05/10/89	393.00 a	03/20/89	252.00 a
				01/04/89	422.00 a	05/10/89	400.00 a	03/20/89	259.00 a
				01/04/89	426.00 a	05/10/89	399.00 a	03/20/89	259.00 a
				01/04/89	429.00 a	05/10/89	397.00 a	03/20/89	258.00 a
				05/09/89	397.00 a	07/10/89	362.00 a	07/20/89	277.00 a
				05/09/89	400.00 a	07/10/89	358.00 a	07/20/89	274.00 a
				05/09/89	401.00 a	07/10/89	354.00 a	07/20/89	274.00 a
				05/09/89	400.00 a	07/10/89	359.00 a	07/20/89	276.00 a
				07/21/89	378.00 a	09/07/89	381.00 a	09/07/89	281.00 a
				07/21/89	375.00 a	09/07/89	384.00 a	09/07/89	284.00 a
				07/21/89	375.00 a	09/07/89	385.00 a	09/07/89	284.00 a
				07/21/89	380.00 a	09/07/89	384.00 a	09/07/89	284.00 a
				09/07/89	399.00 a		NR		NR
				09/07/89	410.00 a		NR		NR
				09/07/89	405.00 a		NR		NR
				09/07/89	406.00 a		NR		NR
FBARIUM	PPB	6.00	1000.00	01/04/89	35.00	05/10/89	31.00	03/20/89	32.00
				05/09/89	39.00	07/10/89	31.00	07/20/89	35.00
				07/21/89	39.00	09/07/89	30.00	09/07/89	39.00
				07/21/89	36.00		NR		NR
				09/07/89	37.00		NR		NR
FBERYLL	PPB	5.00		01/04/89		05/10/89		03/20/89	
				05/09/89		07/10/89		07/20/89	
				07/21/89		09/07/89		09/07/89	
				07/21/89			NR		NR
				09/07/89	7.00		NR		NR
FBORON	PPB	10.00		01/04/89	12.00	05/10/89	14.00	03/20/89	14.00
				05/09/89	11.00	07/10/89	19.00	07/20/89	13.00
				07/21/89	15.00	09/07/89	21.00	09/07/89	14.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W6-2	SAMPLE DATE	2-W7-1	SAMPLE DATE	2-W7-2
FBORON				07/21/89	12.00		NR		NR
				09/07/89			NR		NR
FCALCIU	PPB	50.00		01/04/89	43600.00	05/10/89	44300.00	03/20/89	27000.00
				05/09/89	43500.00	07/10/89	48400.00	07/20/89	33900.00
				07/21/89	45700.00	09/07/89	40100.00	09/07/89	29000.00
				07/21/89	42700.00		NR		NR
				09/07/89	40500.00		NR		NR
FCHROMI	PPB	10.00	50.00	01/04/89	33.00	05/10/89		03/20/89	12.00
				05/09/89	39.00	07/10/89		07/20/89	12.00
				07/21/89	36.00	09/07/89		09/07/89	12.00
				07/21/89	32.00		NR		NR
				09/07/89	41.00		NR		NR
FIRON	PPB	30.00	300.00	01/04/89	36.00	05/10/89	34.00	03/20/89	75.00
				05/09/89	35.00	07/10/89	39.00	07/20/89	72.00
				07/21/89		09/07/89		09/07/89	
				* 07/21/89			NR		NR
				09/07/89			NR		NR
* FMAGNES	PPB	50.00		01/04/89	17600.00	05/10/89	14700.00	03/20/89	13800.00
				05/09/89	18200.00	07/10/89	14600.00	07/20/89	15100.00
				07/21/89	18000.00	09/07/89	13200.00	09/07/89	14000.00
				07/21/89	17000.00		NR		NR
				09/07/89	17400.00		NR		NR
FMANGAN	PPB	5.00	50.00	01/04/89		05/10/89	13.00	03/20/89	
				05/09/89		07/10/89	13.00	07/20/89	
				07/21/89		09/07/89	11.00	09/07/89	
				07/21/89			NR		NR
				09/07/89			NR		NR
FNICKEL	PPB	10.00		01/04/89		05/10/89		03/20/89	
				05/09/89	14.00	07/10/89		07/20/89	
				07/21/89		09/07/89	22.00	09/07/89	18.00
				07/21/89			NR		NR
				09/07/89	10.00		NR		NR
FPOTASS	PPB	100.00		01/04/89	3280.00	05/10/89	3640.00	03/20/89	2400.00
				05/09/89	3230.00	07/10/89	3900.00	07/20/89	2750.00
				07/21/89	3460.00	09/07/89	3680.00	09/07/89	2730.00
				07/21/89	3240.00		NR		NR
				09/07/89	3480.00		NR		NR
FSILICO	PPB	50.00		01/04/89	19400.00	05/10/89	19800.00	03/20/89	17400.00
				05/09/89	19200.00	07/10/89	14600.00	07/20/89	20800.00
				07/21/89	19900.00	09/07/89	18100.00	09/07/89	19600.00
				07/21/89	18700.00		NR		NR
				09/07/89	19200.00		NR		NR
FSCDIUM	PPB	200.00		01/04/89	10700.00	05/10/89	9240.00	03/20/89	8320.00
				05/09/89	11000.00	07/10/89	9500.00	07/20/89	9520.00
				07/21/89	10900.00	09/07/89	8470.00	09/07/89	8720.00
				07/21/89	10300.00		NR		NR
				09/07/89	10400.00		NR		NR
FSTRONT	PPB	10.00		01/04/89	246.00	05/10/89	173.00	03/20/89	157.00
				05/09/89	258.00	07/10/89	181.00	07/20/89	174.00
				07/21/89	256.00	09/07/89	163.00	09/07/89	161.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W6-2	SAMPLE DATE	2-W7-1	SAMPLE DATE	2-W7-2
FSTRONT	PPB	10.00		07/21/89	241.00		NR		NR
				09/07/89	244.00		NR		NR
FVANADI	PPB	5.00		01/04/89	23.00	05/10/89	27.00	03/20/89	28.00
				05/09/89	29.00	07/10/89	29.00	07/20/89	27.00
				07/21/89	31.00	09/07/89	25.00	09/07/89	21.00
				07/21/89	27.00		NR		NR
				09/07/89	22.00		NR		NR
FZINC	PPB	5.00	5000.00	01/04/89	6.00	05/10/89		03/20/89	
				05/09/89		07/10/89	12.00	07/20/89	
				07/21/89	5.00	09/07/89		09/07/89	
				07/21/89			NR		NR
				09/07/89			NR		NR
IRON	PPB	30.00	300.00	01/04/89	350.00 *	05/10/89	326.00 *	03/20/89	210.00
				05/09/89	102.00	07/10/89	171.00	07/20/89	220.00
				07/21/89	99.00	09/07/89	110.00	09/07/89	97.00
				07/21/89	68.00		NR		NR
				09/07/89	75.00		NR		NR
MAGNES	PPB	50.00		01/04/89	18100.00	05/10/89	14900.00	03/20/89	14900.00
				05/09/89	18900.00	07/10/89	14900.00	07/20/89	13300.00
				07/21/89	18000.00	09/07/89	15500.00	09/07/89	13200.00
				07/21/89	16400.00		NR		NR
				09/07/89	17700.00		NR		NR
MANGESE	PPB	5.00	50.00	01/04/89	6.00	05/10/89	18.00	03/20/89	11.00
				05/09/89		07/10/89	15.00	07/20/89	
				07/21/89		09/07/89	14.00	09/07/89	
				07/21/89			NR		NR
				09/07/89			NR		NR
NICKEL	PPB	10.00		01/04/89	29.00	05/10/89	39.00	03/20/89	
				05/09/89	14.00	07/10/89	19.00	07/20/89	13.00
				07/21/89	12.00	09/07/89	28.00	09/07/89	18.00
				07/21/89			NR		NR
				09/07/89			NR		NR
NITRATE	PPB	500.00	45000.00	01/04/89	71700.00 *	05/10/89	42600.00	03/20/89	29900.00
				05/09/89	74900.00 *	07/10/89	45100.00 *	07/20/89	25600.00
				07/21/89	74500.00 *	09/07/89	43000.00	09/07/89	42000.00
				07/21/89	73200.00 *		NR		NR
				09/07/89	24600.00		NR		NR
PH-LAB		0.01	8.50	01/04/89	7.90	05/10/89	7.80	03/20/89	8.10
				01/04/89	7.90	05/10/89	7.90	03/20/89	8.10
				01/04/89	8.00	05/10/89	7.90	03/20/89	8.10
				01/04/89	8.00	05/10/89	7.90	03/20/89	8.10
				05/09/89	8.00	07/10/89	7.90	07/20/89	8.00
				05/09/89	8.00	07/10/89	8.00	07/20/89	8.00
				05/09/89	8.00	07/10/89	8.00	07/20/89	8.00
				05/09/89	8.00	07/10/89	8.00	07/20/89	8.00
				07/21/89	8.00	09/07/89	7.80	09/07/89	8.00
				07/21/89	8.00	09/07/89	7.80	09/07/89	8.00
				07/21/89	8.00	09/07/89	7.80	09/07/89	8.00
				07/21/89	8.00	09/07/89	7.90	09/07/89	8.00
				09/07/89	7.90		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W6-2	SAMPLE DATE	2-W7-1	SAMPLE DATE	2-W7-2
PH-LAB		0.01	8.50	09/07/89	7.90		NR		NR
				09/07/89	7.90		NR		NR
				09/07/89	8.00		NR		NR
PHFIELD		0.10	8.50	01/04/89	8.00	05/10/89	7.80	03/20/89	8.10
				01/04/89	8.00	07/10/89	7.26	07/20/89	8.00
				01/04/89	8.00	07/10/89	7.26	07/20/89	7.99
				01/04/89	8.00	07/10/89	7.23	07/20/89	7.98
				05/09/89	7.70	07/10/89	7.24	07/20/89	7.97
				07/21/89	7.65	09/07/89	7.92	09/07/89	8.19
				07/21/89	7.66	09/07/89	7.91	09/07/89	8.18
				07/21/89	7.66	09/07/89	7.90	09/07/89	8.14
				07/21/89	7.67	09/07/89	7.91	09/07/89	8.15
				09/07/89	7.99		NR		NR
				09/07/89	7.98		NR		NR
				09/07/89	7.97		NR		NR
				09/07/89	7.98		NR		NR
POTASUM	PPB	100.00		01/04/89	3450.00	05/10/89	3810.00	03/20/89	2670.00
				05/09/89	3410.00	07/10/89	3940.00	07/20/89	2420.00
				07/21/89	3410.00	09/07/89	4340.00	09/07/89	2570.00
				07/21/89	3110.00		NR		NR
				09/07/89	3520.00		NR		NR
RADIUM	PCI/L	1.00	5.00	01/04/89	0.20	05/10/89		03/20/89	0.53
					(0.16)				(0.24)
				05/09/89		07/10/89	0.33	07/20/89	0.19
							(0.19)		(0.16)
				07/21/89	0.17	09/07/89	0.19	09/07/89	0.25
					(0.16)		(0.15)		(0.17)
				07/21/89			NR		NR
				09/07/89	0.15		NR		NR
					(0.14)				
SILICON	PPB	50.00		01/04/89	20100.00	05/10/89	19800.00	03/20/89	19100.00
				05/09/89	20100.00	07/10/89	20700.00	07/20/89	18500.00
				07/21/89	19900.00	09/07/89	21700.00	09/07/89	18700.00
				07/21/89	16100.00		NR		NR
				09/07/89	19900.00		NR		NR
SODIUM	PPB	200.00		01/04/89	11200.00	05/10/89	9530.00	03/20/89	9310.00
				05/09/89	11500.00	07/10/89	9610.00	07/20/89	8370.00
				07/21/89	10900.00	09/07/89	9770.00	09/07/89	8180.00
				07/21/89	9920.00		NR		NR
				09/07/89	10500.00		NR		NR
STRONUM	PPB	10.00		01/04/89	254.00	05/10/89	176.00	03/20/89	172.00
				05/09/89	275.00	07/10/89	185.00	07/20/89	151.00
				07/21/89	255.00	09/07/89	190.00	09/07/89	152.00
				07/21/89	234.00		NR		NR
				09/07/89	251.00		NR		NR
SULFATE	PPB	500.00	250000.00	01/04/89	25300.00	05/10/89	49200.00	03/20/89	24400.00
				05/09/89	26500.00	07/10/89	51700.00	07/20/89	26400.00
				07/21/89	27200.00	09/07/89	50000.00	09/07/89	50000.00
				07/21/89	27000.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W6-2	SAMPLE DATE	2-W7-1	SAMPLE DATE	2-W7-2
SULFATE	PPB	500.00	250000.00	09/07/89	25700.00		NR		NR
TC	PPB	1000.00		01/04/89	24000.00	09/07/89	22500.00	09/07/89	22700.00
				09/07/89	27200.00		NR		NR
TC-99	PCI/L	15.00	900.00	01/04/89	97.50	05/10/89		03/20/89	
					(2.12)				
				05/09/89	78.80	07/10/89	6.90	07/20/89	
					(1.94)		(1.18)		
				07/21/89	82.00	09/07/89	8.22	09/07/89	
					(1.93)		(1.16)		
				07/21/89	83.30		NR		NR
					(1.94)				
				09/07/89	85.90		NR		NR
					(1.97)				
TETRANE	PPB	5.00	5.00	01/04/89		05/10/89		03/20/89	
				05/09/89	102.00 *	07/10/89		07/20/89	
				07/21/89	99.00 *	09/07/89		09/07/89	
				07/21/89	102.00 *		NR		NR
				09/07/89	113.00 *		NR		NR
TOXLDL	PPB	10.00		01/04/89	74.00	05/10/89		03/20/89	58.00
				01/04/89	80.00	05/10/89		03/20/89	59.00
				01/04/89	83.00	05/10/89		03/20/89	1590.00
				01/04/89	75.00	05/10/89		03/20/89	1670.00
				05/09/89	92.00	07/10/89		07/20/89	146.00
				05/09/89	89.00	07/10/89		07/20/89	
				05/09/89	84.00	07/10/89		07/20/89	
				05/09/89	88.00	07/10/89		07/20/89	
				07/21/89	87.00	09/07/89		09/07/89	
				07/21/89	75.00	09/07/89		09/07/89	
				07/21/89	81.00	09/07/89		09/07/89	
				07/21/89	81.00	09/07/89		09/07/89	
				09/07/89	70.00		NR		NR
				09/07/89	89.00		NR		NR
				09/07/89	96.00		NR		NR
				09/07/89	96.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	01/04/89	10500.00	05/10/89		03/20/89	
					(363.00)				
				05/09/89	13500.00	07/10/89		07/20/89	
					(406.00)				
				07/21/89	14000.00	09/07/89		09/07/89	
					(400.00)				
				07/21/89	14500.00		NR		NR
					(405.00)				
				09/07/89	14300.00		NR		NR
					(400.00)				
TURBID	NTU	0.10	1.00	07/21/89	0.54	07/10/89	1.10 *	07/20/89	1.40 *
				07/21/89	0.62	09/07/89	0.60	09/07/89	1.20 *
				09/07/89	0.50		NR		NR
U	PCI/L	0.50	600.00	01/04/89	0.96	05/10/89	0.50	03/20/89	0.90
				05/09/89	0.83	07/10/89	0.62	07/20/89	0.56

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W6-2	SAMPLE DATE	2-W7-1	SAMPLE DATE	2-W7-2
U	PCI/L	0.50	600.00	07/21/89	1.39	09/07/89		09/07/89	0.71
				07/21/89	1.50		NR		NR
				09/07/89	1.11		NR		NR
VANADUM	PPB	5.00		01/04/89	28.00	05/10/89	31.00	03/20/89	20.00
				05/09/89	30.00	07/10/89	32.00	07/20/89	28.00
				07/21/89	30.00	09/07/89	27.00	09/07/89	23.00
				07/21/89	24.00		NR		NR
				09/07/89	21.00		NR		NR
ZINC	PPB	5.00	5000.00	01/04/89	60.00	05/10/89		03/20/89	76.00
				05/09/89		07/10/89	6.00	07/20/89	
				07/21/89		09/07/89	16.00	09/07/89	
				07/21/89			NR		NR
				09/07/89			NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W7-3	SAMPLE DATE	2-W7-4	SAMPLE DATE	2-W7-5
1,1,1-T	PPB	5.00	200.00	03/20/89 07/28/89 09/15/89 03/20/89		03/22/89 07/24/89 09/13/89 03/22/89	8.00	03/17/89 07/25/89 09/08/89 03/17/89	
ALPHAHI	PCI/L	4.00	15.00	07/28/89 09/15/89 03/20/89	2.48 (1.50) 1.58 (1.29)	07/24/89 09/13/89 03/22/89	2.65 (1.70) 2.46 (1.53)	07/25/89 09/08/89 03/17/89	1.71 (1.27) 3.60 (1.68) 1.64 (1.25)
AMMONIU	PPB	50.00		03/20/89 07/28/89 09/15/89	60.00	03/22/89 07/24/89 09/13/89		03/17/89 07/25/89 09/08/89	
BARIUM	PPB	6.00	1000.00	03/20/89 07/28/89 09/15/89	43.00 39.00 40.00	03/22/89 07/24/89 09/13/89	37.00 35.00 36.00	03/17/89 07/25/89 09/08/89	33.00 34.00 31.00
BETA	PCI/L	8.00	50.00	03/20/89 07/28/89 09/15/89	4.99 (2.51) 6.89 (2.65) 4.26 (2.30)	03/22/89 07/24/89 09/13/89	7.79 (2.73) 15.70 (3.47) 13.60 (3.28)	03/17/89 07/25/89 09/08/89	15.40 (3.53) 7.57 (2.77) 8.21 (2.83)
BORON	PPB	10.00		03/20/89 07/28/89 09/15/89	16.00 16.00 20.00	03/22/89 07/24/89 09/13/89	11.00 14.00	03/17/89 07/25/89 09/08/89	
CALCIUM	PPB	50.00		03/20/89 07/28/89 09/15/89	29000.00 29300.00 28900.00	03/22/89 07/24/89 09/13/89	52800.00 55600.00 54000.00	03/17/89 07/25/89 09/08/89	38500.00 39000.00 38400.00
CHLFORM	PPB	5.00	100.00	03/20/89 07/28/89 09/15/89		03/22/89 07/24/89 09/13/89	5.00 6.00 6.00	03/17/89 07/25/89 09/08/89	
CHLORID	PPB	500.00	250000.00	03/20/89 07/28/89 09/15/89	3900.00 4500.00 4200.00	03/22/89 07/24/89 09/13/89	17800.00 18700.00 18000.00	03/17/89 07/25/89 09/08/89	13500.00 13900.00 14000.00
CHROMUM	PPB	10.00	50.00	03/20/89 07/28/89 09/15/89	45.00 83.00 * 25.00	03/22/89 07/24/89 09/13/89	40.00 23.00 33.00	03/17/89 07/25/89 09/08/89	31.00 23.00 27.00
CO-60	PCI/L	22.50	100.00	03/20/89 07/28/89 09/15/89		03/22/89 07/24/89 09/13/89	8.29 (8.11)	03/17/89 07/25/89 09/08/89	
CONDFLD	UMHO	1.00	700.00	03/20/89 07/28/89 07/28/89 07/28/89 07/28/89 09/15/89 09/15/89 09/15/89	245.00 245.00 245.00 245.00 245.00 309.00 298.00 301.00	03/22/89 07/24/89 07/24/89 07/24/89 07/24/89 09/13/89 09/13/89 09/13/89	345.00 510.00 505.00 505.00 505.00 454.00 455.00 454.00	03/17/89 07/25/89 07/25/89 07/25/89 07/25/89 09/08/89 09/08/89 09/08/89	302.00 348.00 348.00 351.00 349.00 373.00 370.00 369.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W7-3	SAMPLE DATE	2-W7-4	SAMPLE DATE	2-W7-5
CONDFLD	UMHO	1.00	700.00	09/15/89	299.00	09/13/89	455.00	09/08/89	368.00
					NR	11/20/89	491.00	11/20/89	380.00
					NR	11/20/89	491.00	11/20/89	381.00
					NR	11/20/89	491.00	11/20/89	382.00
					NR	11/20/89	490.00	11/20/89	383.00
CONDLAB	UMHO		700.00	03/20/89	277.00 a	03/22/89	443.00 a	03/17/89	380.00 a
				03/20/89	278.00 a	03/22/89	444.00 a	03/17/89	376.00 a
				03/20/89	280.00 a	03/22/89	447.00 a	03/17/89	376.00 a
				03/20/89	275.00 a	03/22/89	448.00 a	03/17/89	381.00 a
				07/28/89	276.00 a	07/24/89	405.00 a	07/25/89	328.00 a
				07/28/89	275.00 a	07/24/89	405.00 a	07/25/89	327.00 a
				07/28/89	275.00 a	07/24/89	406.00 a	07/25/89	329.00 a
				07/28/89	276.00 a	07/24/89	407.00 a	07/25/89	331.00 a
				09/15/89	302.00 a	09/13/89	459.00 a	09/08/89	358.00 a
				09/15/89	305.00 a	09/13/89	461.00 a	09/08/89	359.00 a
				09/15/89	307.00 a	09/13/89	461.00 a	09/08/89	360.00 a
				09/15/89	307.00 a	09/13/89	461.00 a	09/08/89	361.00 a
CS-137	PCI/L	20.00	200.00	03/20/89		03/22/89		03/17/89	
				07/28/89		07/24/89	4.59	07/25/89	
							(4.36)		
				09/15/89		09/13/89		09/08/89	
FALUMIN	PPB	150.00		03/20/89		03/22/89		03/17/89	166.00
				07/28/89		07/24/89		07/25/89	
				09/15/89		09/13/89		09/08/89	
FBARIUM	PPB	6.00	1000.00	03/20/89	35.00	03/22/89	33.00	03/17/89	40.00
				07/28/89	40.00	07/24/89	34.00	07/25/89	33.00
				09/15/89	41.00	09/13/89	38.00	09/08/89	34.00
FBORON	PPB	10.00		03/20/89	16.00	03/22/89	14.00	03/17/89	18.00
				07/28/89	21.00	07/24/89	12.00	07/25/89	12.00
				09/15/89	16.00	09/13/89	11.00	09/08/89	10.00
FCALCIU	PPB	50.00		03/20/89	25000.00	03/22/89	48900.00	03/17/89	62600.00
				07/28/89	30500.00	07/24/89	53400.00	07/25/89	43000.00
				09/15/89	29300.00	09/13/89	53100.00	09/08/89	38300.00
FCHROMI	PPB	10.00	50.00	03/20/89		03/22/89	14.00	03/17/89	11.00
				07/28/89		07/24/89	11.00	07/25/89	10.00
				09/15/89		09/13/89		09/08/89	
FIRON	PPB	30.00	300.00	03/20/89	250.00	03/22/89	34.00	03/17/89	125.00
				07/28/89	246.00	07/24/89		07/25/89	
				09/15/89	212.00	09/13/89		09/08/89	
FMAGNES	PPB	50.00		03/20/89	10900.00	03/22/89	17000.00	03/17/89	15600.00
				07/28/89	12200.00	07/24/89	16000.00	07/25/89	13900.00
				09/15/89	11600.00	09/13/89	17000.00	09/08/89	13400.00
FMANGAN	PPB	5.00	50.00	03/20/89	153.00 *	03/22/89		03/17/89	17.00
				07/28/89	164.00 *	07/24/89		07/25/89	
				09/15/89	150.00 *	09/13/89		09/08/89	
FNICKEL	PPB	10.00		03/20/89		03/22/89		03/17/89	12.00
				07/28/89		07/24/89		07/25/89	
				09/15/89		09/13/89		09/08/89	
FPOTASS	PPB	100.00		03/20/89	4440.00	03/22/89	3400.00	03/17/89	3530.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W7-3	SAMPLE DATE	2-W7-4	SAMPLE DATE	2-W7-5
FPOTASS	PPB	100.00		07/28/89	5130.00	07/24/89	3340.00	07/25/89	3360.00
				09/15/89	5270.00	09/13/89	3850.00	09/08/89	3400.00
FSILICO	PPB	50.00		03/20/89	16800.00	03/22/89	15700.00	03/17/89	17700.00
				07/28/89	19900.00	07/24/89	16200.00	07/25/89	17800.00
				09/15/89	20400.00	09/13/89	17200.00	09/08/89	16900.00
FSODIUM	PPB	200.00		03/20/89	16900.00	03/22/89	8330.00	03/17/89	9880.00
				07/28/89	20000.00	07/24/89	8080.00	07/25/89	9610.00
				09/15/89	18300.00	09/13/89	8640.00	09/08/89	9200.00
FSTRONT	PPB	10.00		03/20/89	144.00	03/22/89	243.00	03/17/89	203.00
				07/28/89	163.00	07/24/89	234.00	07/25/89	177.00
				09/15/89	153.00	09/13/89	246.00	09/08/89	171.00
FVANADI	PPB	5.00		03/20/89	18.00	03/22/89	27.00	03/17/89	20.00
				07/28/89	18.00	07/24/89	23.00	07/25/89	26.00
				09/15/89	22.00	09/13/89	25.00	09/08/89	24.00
FZINC	PPB	5.00	5000.00	03/20/89	17.00	03/22/89		03/17/89	407.00
				07/28/89	10.00	07/24/89		07/25/89	10.00
				09/15/89	24.00	09/13/89	21.00	09/08/89	17.00
IRON	PPB	30.00	300.00	03/20/89	607.00 *	03/22/89	137.00	03/17/89	177.00
				07/28/89	696.00 *	07/24/89	89.00	07/25/89	92.00
				09/15/89	409.00 *	09/13/89	100.00	09/08/89	123.00
MAGNES	PPB	50.00		03/20/89	12100.00	03/22/89	17500.00	03/17/89	14100.00
				07/28/89	11300.00	07/24/89	16800.00	07/25/89	13600.00
				09/15/89	11500.00	09/13/89	17200.00	09/08/89	13400.00
MANGESE	PPB	5.00	50.00	03/20/89	181.00 *	03/22/89		03/17/89	6.00
				07/28/89	159.00 *	07/24/89		07/25/89	
				09/15/89	154.00 *	09/13/89	6.00	09/08/89	
NICKEL	PPB	10.00		03/20/89	22.00	03/22/89	15.00	03/17/89	23.00
				07/28/89	42.00	07/24/89	12.00	07/25/89	15.00
				09/15/89	16.00	09/13/89	15.00	09/08/89	15.00
NITRATE	PPB	500.00	45000.00	03/20/89	3000.00	03/22/89	74200.00 *	03/17/89	43300.00
				07/28/89	3300.00	07/24/89	77000.00 *	07/25/89	44800.00
				09/15/89	3200.00	09/13/89	74000.00 *	09/08/89	45000.00
PH-LAB		0.01	8.50	03/20/89	8.10	03/22/89	8.00	03/17/89	7.90
				03/20/89	8.10	03/22/89	8.00	03/17/89	8.00
				03/20/89	8.10	03/22/89	8.00	03/17/89	8.00
				03/20/89	8.10	03/22/89	8.00	03/17/89	8.00
				07/28/89	8.10	07/24/89	8.00	07/25/89	8.10
				07/28/89	8.20	07/24/89	8.00	07/25/89	8.00
				07/28/89	8.10	07/24/89	8.00	07/25/89	8.00
				07/28/89	8.10	07/24/89	8.00	07/25/89	8.00
				09/15/89	8.00	09/13/89	7.90	09/08/89	7.90
				09/15/89	8.00	09/13/89	7.90	09/08/89	7.90
				09/15/89	8.00	09/13/89	7.90	09/08/89	7.90
				09/15/89	8.00	09/13/89	7.90	09/08/89	7.90
PHFIELD		0.10	8.50	03/20/89	7.90	03/22/89	8.00	03/17/89	7.90
				07/28/89	8.00	07/24/89	7.80	07/25/89	7.84
				07/28/89	8.00	07/24/89	7.80	07/25/89	7.83
				07/28/89	8.00	07/24/89	7.80	07/25/89	7.81
				07/28/89	8.00	07/24/89	7.80	07/25/89	7.81

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W7-3	SAMPLE DATE	2-W7-4	SAMPLE DATE	2-W7-5
PHFIELD		0.10	8.50	09/15/89	8.21	09/13/89	7.78	09/08/89	7.88
				09/15/89	8.11	09/13/89	7.79	09/08/89	7.88
				09/15/89	8.06	09/13/89	7.77	09/08/89	7.88
				09/15/89	8.03	09/13/89	7.77	09/08/89	7.90
					NR	11/20/89	8.28	11/20/89	8.18
					NR	11/20/89	8.28	11/20/89	8.21
					NR	11/20/89	8.26	11/20/89	8.19
					NR	11/20/89	8.26	11/20/89	8.18
POTASUM	PPB	100.00		03/20/89	4990.00	03/22/89	3530.00	03/17/89	3250.00
				07/28/89	4870.00	07/24/89	3510.00	07/25/89	3370.00
				09/15/89	5360.00	09/13/89	3810.00	09/08/89	3470.00
RADIUM	PCI/L	1.00	5.00	03/20/89	0.45	03/22/89		03/17/89	0.23
					(0.22)				(0.16)
				07/28/89		07/24/89	0.32	07/25/89	0.27
							(0.20)		(0.18)
				09/15/89		09/13/89	0.36	09/08/89	
							(0.22)		
RU-106	PCI/L	172.50	30.00	03/20/89		03/22/89		03/17/89	
				07/28/89		07/24/89		07/25/89	53.20 *
									(52.40)
				09/15/89		09/13/89		09/08/89	
SILICON	PPB	50.00		03/20/89	19500.00	03/22/89	16600.00	03/17/89	16500.00
				07/28/89	19800.00	07/24/89	17000.00	07/25/89	17300.00
				09/15/89	20100.00	09/13/89	17400.00	09/08/89	17000.00
SODIUM	PPB	200.00		03/20/89	19100.00	03/22/89	8700.00	03/17/89	9310.00
				07/28/89	19100.00	07/24/89	8570.00	07/25/89	9830.00
				09/15/89	18600.00	09/13/89	8590.00	09/08/89	9220.00
STRONUM	PPB	10.00		03/20/89	160.00	03/22/89	251.00	03/17/89	177.00
				07/28/89	154.00	07/24/89	243.00	07/25/89	171.00
				09/15/89	153.00	09/13/89	249.00	09/08/89	171.00
SULFATE	PPB	500.00	250000.00	03/20/89	24200.00	03/22/89	32000.00	03/17/89	27500.00
				07/28/89	25500.00	07/24/89	32200.00	07/25/89	28300.00
				09/15/89	23000.00	09/13/89	31000.00	09/08/89	28000.00
TC	PPB	1000.00		09/15/89	27400.00	09/13/89	22500.00	09/08/89	23000.00
TC-99	PCI/L	15.00	900.00	03/20/89		03/22/89	76.70	03/17/89	36.80
							(1.90)		(1.55)
				07/28/89		07/24/89	68.70	07/25/89	19.80
							(1.81)		(1.33)
				09/15/89		09/13/89	68.50	09/08/89	26.60
							(1.85)		(1.40)
TETRANE	PPB	5.00	5.00	03/20/89		03/22/89	222.00 *	03/17/89	34.00 *
				07/28/89		07/24/89	220.00 *	07/25/89	27.00 *
				09/15/89		09/13/89	189.00 *	09/08/89	29.00 *
TOXLDL	PPB	10.00		03/20/89		03/22/89	148.00	03/17/89	31.00
				03/20/89		03/22/89	133.00	03/17/89	25.00
				03/20/89		03/22/89	155.00	03/17/89	23.00
				03/20/89		03/22/89	153.00	03/17/89	25.00
				07/28/89	197.00	07/24/89	855.00	07/25/89	32.00
				07/28/89		07/24/89	1040.00	07/25/89	32.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W7-3	SAMPLE DATE	2-W7-4	SAMPLE DATE	2-W7-5
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
TOXLDL	PPB	10.00		07/28/89		07/24/89	1540.00	07/25/89	30.00
				07/28/89	253.00	07/24/89	856.00	07/25/89	29.00
				09/15/89		09/13/89	148.00	09/08/89	30.00
				09/15/89		09/13/89	176.00	09/08/89	25.00
				09/15/89		09/13/89	205.00	09/08/89	25.00
				09/15/89		09/13/89	153.00	09/08/89	29.00
					NR	11/20/89	176.00		NR
					NR	11/20/89	143.00		NR
					NR	11/20/89	194.00		NR
					NR	11/20/89	211.00		NR
TRITIUM	PCI/L	500.00	20000.00	03/20/89		03/22/89	283.00	03/17/89	
							(132.00)		
				07/28/89		07/24/89	384.00	07/25/89	371.00
							(155.00)		(154.00)
				09/15/89		09/13/89	451.00	09/08/89	277.00
							(144.00)		(140.00)
TURBID	NTU	0.10	1.00	07/28/89	1.30 *	07/24/89	0.60	07/25/89	0.50
				09/15/89	2.00 *	09/13/89	0.60	09/08/89	0.60
U	PCI/L	0.50	600.00	03/20/89	0.95	03/22/89	1.28	03/17/89	0.98
				07/28/89	1.52	07/24/89	1.17	07/25/89	1.19
				09/15/89	1.01	09/13/89	1.40	09/08/89	1.18
VANADUM	PPB	5.00		03/20/89	15.00	03/22/89	20.00	03/17/89	22.00
				07/28/89	21.00	07/24/89	19.00	07/25/89	20.00
				09/15/89	21.00	09/13/89	24.00	09/08/89	22.00
ZINC	PPB	5.00	5000.00	03/20/89	69.00	03/22/89		03/17/89	33.00
				07/28/89	25.00	07/24/89		07/25/89	16.00
				09/15/89	29.00	09/13/89	11.00	09/08/89	18.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W7-6	SAMPLE DATE	2-W8-1	SAMPLE DATE	2-W9-1
ALPHAHI	PCI/L	4.00	15.00	03/17/89	4.21	05/12/89		05/12/89	1.62
				07/26/89	(1.73)	07/10/89		07/10/89	(1.31)
				09/08/89	24.40 *	09/12/89		09/11/89	2.23
					(5.47)				(1.50)
ALUMNUM	PPB	150.00		03/17/89	1060.00	05/12/89		05/12/89	
				07/26/89	17600.00	07/10/89		07/10/89	518.00
				09/08/89	29700.00	09/12/89		09/11/89	
ARSENIC	PPB	5.00	50.00	03/17/89		05/12/89		05/12/89	
				07/26/89		07/10/89		07/10/89	
				09/08/89	10.00	09/12/89		09/11/89	
BARIUM	PPB	6.00	1000.00	03/17/89	47.00	05/12/89	34.00	05/12/89	40.00
				07/26/89	209.00	07/10/89	36.00	07/10/89	44.00
				09/08/89	507.00	09/12/89	35.00	09/11/89	36.00
BERYLIUM	PPB	5.00		03/17/89		05/12/89		05/12/89	
				07/26/89		07/10/89		07/10/89	6.00
				09/08/89		09/12/89		09/11/89	
BETA	PCI/L	8.00	50.00	03/17/89	7.63	05/12/89	5.63	05/12/89	9.05
				07/26/89	(2.18)	07/10/89	(2.55)	07/10/89	(2.91)
				09/08/89	10.10	09/12/89	7.53	09/11/89	5.07
					(2.95)		(2.72)		(2.49)
					13.20		4.24		6.32
					(3.35)		(2.33)		(2.65)
BORON	PPB	10.00		03/17/89	20.00	05/12/89	20.00	05/12/89	25.00
				07/26/89	28.00	07/10/89	16.00	07/10/89	16.00
				09/08/89	39.00	09/12/89	16.00	09/11/89	22.00
CADMIUM	PPB	2.00	10.00	03/17/89		05/12/89		05/12/89	3.00
				07/26/89	4.00	07/10/89		07/10/89	
				09/08/89	10.00	09/12/89		09/11/89	
CALCIUM	PPB	50.00		03/17/89	22900.00	05/12/89	44900.00	05/12/89	44200.00
				07/26/89	29000.00	07/10/89	42900.00	07/10/89	39200.00
				09/08/89	32500.00	09/12/89	46300.00	09/11/89	43300.00
CHLORID	PPB	500.00	250000.00	03/17/89	6000.00	05/12/89	15100.00	05/12/89	18600.00
				07/26/89	6200.00	07/10/89	15900.00	07/10/89	19400.00
				09/08/89	5900.00	09/12/89	17000.00	09/11/89	20000.00
CHROMIUM	PPB	10.00	50.00	03/17/89		05/12/89	40.00	05/12/89	29.00
				07/26/89	19.00	07/10/89	54.00 *	07/10/89	186.00 *
				09/08/89	37.00	09/12/89	23.00	09/11/89	35.00
CO-60	PCI/L	22.50	100.00	03/17/89		05/12/89		05/12/89	
				07/26/89		07/10/89		07/10/89	8.28
				09/08/89		09/12/89		09/11/89	(8.09)
COLIMF	PPB	1.00	1.00		NR	09/12/89	84.00 *		NR
COND FLD	UMHO	1.00	700.00	03/17/89	258.00	05/12/89	414.00	05/12/89	373.00
				07/26/89	355.00	05/12/89	414.00	05/12/89	374.00
				07/26/89	355.00	05/12/89	414.00	05/12/89	375.00
				07/26/89	350.00	05/12/89	415.00	05/12/89	377.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W7-6	SAMPLE DATE	2-W8-1	SAMPLE DATE	2-W9-1
CONDFLD	UMHO	1.00	700.00	07/26/89	340.00	07/10/89	371.00	07/10/89	352.00
				09/08/89	424.00	07/10/89	370.00	07/10/89	352.00
				09/08/89	422.00	07/10/89	371.00	07/10/89	352.00
				09/08/89	425.00	07/10/89	370.00	07/10/89	352.00
				09/08/89	424.00	09/12/89	397.00	09/11/89	375.00
					NR	09/12/89	393.00	09/11/89	374.00
					NR	09/12/89	395.00	09/11/89	375.00
					NR	09/12/89	397.00	09/11/89	376.00
					NR	11/20/89	438.00		NR
					NR	11/20/89	435.00		NR
					NR	11/20/89	438.00		NR
					NR	11/20/89	435.00		NR
CONDLAB	UMHO		700.00	03/17/89	299.00 a	05/12/89	389.00 a	05/12/89	385.00 a
				03/17/89	297.00 a	05/12/89	392.00 a	05/12/89	387.00 a
				03/17/89	299.00 a	05/12/89	393.00 a	05/12/89	387.00 a
				03/17/89	298.00 a	05/12/89	395.00 a	05/12/89	389.00 a
				07/26/89	296.00 a	07/10/89	363.00 a	07/10/89	360.00 a
				07/26/89	301.00 a	07/10/89	364.00 a	07/10/89	353.00 a
				07/26/89	301.00 a	07/10/89	364.00 a	07/10/89	362.00 a
				07/26/89	301.00 a	07/10/89	364.00 a	07/10/89	361.00 a
				09/08/89	354.00 a	09/12/89	400.00 a	09/11/89	389.00 a
				09/08/89	338.00 a	09/12/89	394.00 a	09/11/89	389.00 a
				09/08/89	346.00 a	09/12/89	394.00 a	09/11/89	394.00 a
				09/08/89	348.00 a	09/12/89	396.00 a	09/11/89	399.00 a
COPPER	PPB	10.00	(1300.0)	03/17/89		05/12/89		05/12/89	
				07/26/89	12.00	07/10/89		07/10/89	17.00
				09/08/89	26.00	09/12/89		09/11/89	
FALUMIN	PPB	150.00		03/17/89	306.00	05/12/89		05/12/89	
				07/26/89		07/10/89		07/10/89	
					NR	09/12/89		09/11/89	
FBARIUM	PPB	6.00	1000.00	03/17/89	34.00	05/12/89	37.00	05/12/89	36.00
				07/26/89	37.00	07/10/89	34.00	07/10/89	44.00
					NR	09/12/89	35.00	09/11/89	37.00
FBORON	PPB	10.00		03/17/89	13.00	05/12/89	17.00	05/12/89	15.00
				07/26/89	21.00	07/10/89	16.00	07/10/89	24.00
					NR	09/12/89	17.00	09/11/89	19.00
FCALCIU	PPB	50.00		03/17/89	20800.00	05/12/89	47200.00	05/12/89	41200.00
				07/26/89	16400.00	07/10/89	43500.00	07/10/89	42200.00
					NR	09/12/89	45200.00	09/11/89	44600.00
FCHROMI	PPB	10.00	50.00	03/17/89		05/12/89		05/12/89	
				07/26/89		07/10/89	12.00	07/10/89	11.00
					NR	09/12/89		09/11/89	11.00
FIRON	PPB	30.00	300.00	03/17/89	289.00	05/12/89	31.00	05/12/89	
				07/26/89		07/10/89	38.00	07/10/89	106.00
					NR	09/12/89		09/11/89	
FLUORID	PPB	500.00	4000.00	03/17/89		05/12/89		05/12/89	
				07/26/89		07/10/89		07/10/89	
				09/08/89	500.00	09/12/89		09/11/89	
FMAGNES	PPB	50.00		03/17/89	7760.00	05/12/89	15200.00	05/12/89	14800.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W7-6	SAMPLE DATE	2-W8-1	SAMPLE DATE	2-W9-1
FMAGNES	PPB	50.00		07/26/89	5590.00	07/10/89	13300.00	07/10/89	14600.00
					NR	09/12/89	13900.00	09/11/89	15500.00
FMANGAN	PPB	5.00	50.00	03/17/89	19.00	05/12/89		05/12/89	7.00
				07/26/89	6.00	07/10/89		07/10/89	8.00
					NR	09/12/89		09/11/89	
FNICKEL	PPB	10.00		03/17/89		05/12/89		05/12/89	16.00
				07/26/89		07/10/89		07/10/89	15.00
					NR	09/12/89		09/11/89	21.00
FPOTASS	PPB	100.00		03/17/89	2870.00	05/12/89	3980.00	05/12/89	4480.00
				07/26/89	3010.00	07/10/89	3550.00	07/10/89	4540.00
					NR	09/12/89	3970.00	09/11/89	5220.00
FSILICO	PPB	50.00		03/17/89	16600.00	05/12/89	21000.00	05/12/89	17200.00
				07/26/89	17600.00	07/10/89	18600.00	07/10/89	17400.00
					NR	09/12/89	20100.00	09/11/89	18600.00
FSODIUM	PPB	200.00		03/17/89	25600.00	05/12/89	11100.00	05/12/89	11200.00
				07/26/89	44600.00	07/10/89	9680.00	07/10/89	10800.00
					NR	09/12/89	9700.00	09/11/89	11700.00
FSTRONT	PPB	10.00		03/17/89	133.00	05/12/89	200.00	05/12/89	179.00
				07/26/89	133.00	07/10/89	155.00	07/10/89	158.00
					NR	09/12/89	191.00	09/11/89	196.00
FVANADI	PPB	5.00		03/17/89	28.00	05/12/89	22.00	05/12/89	14.00
				07/26/89	26.00	07/10/89	24.00	07/10/89	15.00
					NR	09/12/89	28.00	09/11/89	21.00
FZINC	PPB	5.00	5000.00	03/17/89		05/12/89		05/12/89	
				07/26/89		07/10/89	10.00	07/10/89	7.00
					NR	09/12/89	12.00	09/11/89	
IRON	PPB	30.00	300.00	03/17/89	1040.00 *	05/12/89	198.00	05/12/89	789.00 *
				07/26/89	14200.00 *	07/10/89	302.00 *	07/10/89	4520.00 *
				09/08/89	29200.00 *	09/12/89	108.00	09/11/89	857.00 *
LEADGF	PPB	5.00	50.00	03/17/89	7.00	05/12/89		05/12/89	
				07/26/89	34.00	07/10/89		07/10/89	
				09/08/89	104.00 *	09/12/89		09/11/89	
LITHIUM	PPB	10.00		03/17/89		05/12/89		05/12/89	
				07/26/89	20.00	07/10/89		07/10/89	
				09/08/89	32.00	09/12/89		09/11/89	
MAGNES	PPB	50.00		03/17/89	8610.00	05/12/89	14100.00	05/12/89	15300.00
				07/26/89	12900.00	07/10/89	13000.00	07/10/89	14600.00
				09/08/89	14900.00	09/12/89	14300.00	09/11/89	15000.00
MANGESE	PPB	5.00	50.00	03/17/89	43.00	05/12/89	5.00	05/12/89	18.00
				07/26/89	226.00 *	07/10/89	9.00	07/10/89	62.00 *
				09/08/89	501.00 *	09/12/89		09/11/89	14.00
NICKEL	PPB	10.00		03/17/89	12.00	05/12/89	20.00	05/12/89	29.00
				07/26/89	15.00	07/10/89	24.00	07/10/89	112.00
				09/08/89	31.00	09/12/89	13.00	09/11/89	33.00
NITRATE	PPB	500.00	45000.00	03/17/89	5300.00	05/12/89	28200.00	05/12/89	18800.00
				07/26/89	5600.00	07/10/89	30400.00	07/10/89	18500.00
				09/08/89	5900.00	09/12/89	30000.00	09/11/89	20300.00
PH-LAB		0.01	8.50	03/17/89	8.10	05/12/89	7.90	05/12/89	8.00
				03/17/89	8.10	05/12/89	7.90	05/12/89	8.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W7-6	SAMPLE DATE	2-W8-1	SAMPLE DATE	2-W9-1
PH-LAB		0.01	8.50	03/17/89	8.20	05/12/89	7.90	05/12/89	8.00
				03/17/89	8.20	05/12/89	7.90	05/12/89	8.00
				07/26/89	8.40	07/10/89	8.00	07/10/89	8.10
				07/26/89	8.40	07/10/89	8.00	07/10/89	8.20
				07/26/89	8.40	07/10/89	7.90	07/10/89	8.10
				07/26/89	8.40	07/10/89	8.00	07/10/89	8.20
				09/08/89	8.70 *	09/12/89	7.90	09/11/89	8.10
				09/08/89	8.60 *	09/12/89	7.90	09/11/89	8.10
				09/08/89	8.70 *	09/12/89	7.90	09/11/89	8.10
				09/08/89	8.70 *	09/12/89	8.00	09/11/89	8.10
PHFIELD		0.10	8.50	03/17/89	8.30	05/12/89	7.60	05/12/89	8.00
				07/26/89	9.00 *	05/12/89	7.80	05/12/89	8.00
				07/26/89	9.00 *	05/12/89	7.80	05/12/89	8.00
				07/26/89	9.00 *	05/12/89	7.80	05/12/89	8.00
				07/26/89	9.00 *	07/10/89	7.43	07/10/89	7.63
				09/08/89	9.15 *	07/10/89	7.41	07/10/89	7.69
				09/08/89	9.16 *	07/10/89	7.43	07/10/89	7.68
				09/08/89	9.15 *	07/10/89	7.43	07/10/89	7.69
				09/08/89	9.14 *	09/12/89	7.83	09/11/89	8.28
				NR		09/12/89	7.83	09/11/89	8.27
				NR		09/12/89	7.84	09/11/89	8.26
				NR		09/12/89	7.84	09/11/89	8.25
				NR		11/20/89	8.16		NR
				NR		11/20/89	8.14		NR
				NR		11/20/89	8.10		NR
				NR		11/20/89	8.09		NR
POTASUM	PPB	100.00		03/17/89	3030.00	05/12/89	3660.00	05/12/89	4620.00
				07/26/89	4290.00	07/10/89	3540.00	07/10/89	4490.00
				09/08/89	5880.00	09/12/89	4180.00	09/11/89	5000.00
RADIUM	PCI/L	1.00	5.00	03/17/89	1.47	05/12/89	0.18	05/12/89	0.58
					(0.50)		(0.17)		(0.25)
				07/26/89	4.13	07/10/89	0.57	07/10/89	
					(0.62)		(0.24)		
				09/08/89	7.72 *	09/12/89	0.22	09/11/89	0.28
					(0.92)		(0.17)		(0.19)
SILICON	PPB	50.00		03/17/89	18400.00	05/12/89	19700.00	05/12/89	18100.00
				07/26/89	14800.00	07/10/89	18200.00	07/10/89	17300.00
				09/08/89	53300.00	09/12/89	20700.00	09/11/89	18300.00
SODIUM	PPB	200.00		03/17/89	29400.00	05/12/89	10200.00	05/12/89	11700.00
				07/26/89	51400.00	07/10/89	9420.00	07/10/89	10600.00
				09/08/89	85500.00	09/12/89	9990.00	09/11/89	11300.00
STRONUM	PPB	10.00		03/17/89	152.00	05/12/89	187.00	05/12/89	191.00
				07/26/89	289.00	07/10/89	150.00	07/10/89	158.00
				09/08/89	483.00	09/12/89	196.00	09/11/89	191.00
SULFATE	PPB	500.00	250000.00	03/17/89	27700.00	05/12/89	45300.00	05/12/89	49600.00
				07/26/89	32400.00	07/10/89	49000.00	07/10/89	49400.00
				09/08/89	35000.00	09/12/89	48000.00	09/11/89	52000.00
TC	PPB	1000.00		09/08/89	30000.00	09/12/89	23000.00	09/11/89	21000.00
TC-99	PCI/L	15.00	900.00	03/17/89		05/12/89	16.30	05/12/89	16.10
							(1.31)		(1.36)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W7-6	SAMPLE DATE	2-W8-1	SAMPLE DATE	2-W9-1
TC-99	PCI/L	15.00	900.00	07/26/89		07/10/89	16.30	07/10/89	17.70
				09/08/89		09/12/89	(1.30)	09/11/89	(1.38)
TITAN	PPB	60.00		03/17/89		05/12/89		05/12/89	
				07/26/89		07/10/89		07/10/89	
TOXLDL	PPB	10.00		09/08/89	263.00	09/12/89		09/11/89	
				03/17/89		05/12/89	10.00	05/12/89	
				03/17/89		05/12/89		05/12/89	
				03/17/89		05/12/89	12.00	05/12/89	
				03/17/89		05/12/89		05/12/89	
				07/26/89		07/10/89		07/10/89	
				07/26/89		07/10/89		07/10/89	
				07/26/89		07/10/89		07/10/89	
				07/26/89		07/10/89		07/10/89	
				09/08/89		09/12/89		09/11/89	14.00
				09/08/89		09/12/89		09/11/89	
				09/08/89		09/12/89		09/11/89	
TRITIUM	PCI/L	500.00	20000.00	03/17/89	842.00	05/12/89		05/12/89	
				07/26/89	(153.00)	07/10/89		07/10/89	
				09/08/89	(171.00)	09/12/89		09/11/89	265.00
				09/08/89	(161.00)				(137.00)
TURBID	NTU	0.10	1.00	09/08/89	200.00 *	07/10/89	1.80 *	07/10/89	19.30 *
					NR	09/12/89	1.30 *	09/11/89	3.00 *
U	PCI/L	0.50	600.00	03/17/89	1.86	05/12/89	0.69	05/12/89	1.08
				07/26/89	3.85	07/10/89	0.85	07/10/89	0.85
				09/08/89	7.57	09/12/89	0.58	09/11/89	0.88
VANADUM	PPB	5.00		03/17/89	24.00	05/12/89	27.00	05/12/89	19.00
				07/26/89	31.00	07/10/89	24.00	07/10/89	17.00
				09/08/89	54.00	09/12/89	28.00	09/11/89	18.00
ZINC	PPB	5.00	5000.00	03/17/89	23.00	05/12/89		05/12/89	9.00
				07/26/89	117.00	07/10/89	9.00	07/10/89	33.00
				09/08/89	175.00	09/12/89	14.00	09/11/89	12.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W10-1	SAMPLE DATE	2-W10-3	SAMPLE DATE	2-W10-13
1,1,1-T	PPB	5.00	200.00		NR		NR	01/03/89	
					NR		NR	03/22/89	8.00
					NR		NR	07/25/89	
					NR		NR	09/13/89	
					NR		NR	09/13/89	
ALPHA	PCI/L	4.00	15.00		NR	03/08/89	18.40 +	01/03/89	
							(4.81)		
ALPHAHI	PCI/L	4.00	15.00		NR	09/26/89	92.40 *	03/22/89	
							(25.10)		
					NR		NR	07/25/89	
					NR		NR	09/13/89	
					NR		NR	09/13/89	1.57
									(1.28)
BARIUM	PPB	6.00	1000.00		NR		NR	01/03/89	27.00
					NR		NR	03/22/89	30.00
					NR		NR	07/25/89	30.00
					NR		NR	09/13/89	31.00
					NR		NR	09/13/89	29.00
BETA	PCI/L	8.00	50.00	03/09/89	43.70	03/08/89	139.00 +	01/03/89	4.84
					(5.23)		(18.60)		(2.48)
				09/26/89	46.20	09/26/89	163.00 +	03/22/89	5.88
					(5.27)		(20.00)		(2.67)
					NR		NR	07/25/89	7.24
					NR		NR	09/13/89	(2.73)
					NR		NR	09/13/89	(2.70)
					NR		NR	09/13/89	(2.74)
BORON	PPB	10.00			NR		NR	01/03/89	12.00
					NR		NR	03/22/89	19.00
					NR		NR	07/25/89	11.00
					NR		NR	09/13/89	14.00
					NR		NR	09/13/89	15.00
CALCIUM	PPB	50.00			NR		NR	01/03/89	42100.00
					NR		NR	03/22/89	37200.00
					NR		NR	07/25/89	37900.00
					NR		NR	09/13/89	40400.00
					NR		NR	09/13/89	38900.00
CHLORID	PPB	500.00	250000.00		NR		NR	01/03/89	21800.00
					NR		NR	03/22/89	22300.00
					NR		NR	07/25/89	22800.00
					NR		NR	09/13/89	23000.00
					NR		NR	09/13/89	23000.00
CHROMIUM	PPB	10.00	50.00		NR		NR	01/03/89	25.00
					NR		NR	03/22/89	54.00 *
					NR		NR	07/25/89	24.00
					NR		NR	09/13/89	24.00
					NR		NR	09/13/89	24.00

332

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W10-1	SAMPLE DATE	2-W10-3	SAMPLE DATE	2-W10-13
FBARIUM	PPB	6.00	1000.00		NR		NR	09/13/89	29.00
					NR		NR	09/13/89	27.00
FBORON	PPB	10.00			NR		NR	01/03/89	19.00
					NR		NR	03/22/89	15.00
					NR		NR	07/25/89	21.00
					NR		NR	09/13/89	15.00
					NR		NR	09/13/89	21.00
FCALCIU	PPB	50.00			NR		NR	01/03/89	36800.00
					NR		NR	03/22/89	35500.00
					NR		NR	07/25/89	39900.00
					NR		NR	09/13/89	38700.00
					NR		NR	09/13/89	37300.00
FIRON	PPB	30.00	300.00		NR		NR	01/03/89	35.00
					NR		NR	03/22/89	42.00
					NR		NR	07/25/89	36.00
					NR		NR	09/13/89	52.00
					NR		NR	09/13/89	53.00
FMAGNES	PPB	50.00			NR		NR	01/03/89	10800.00
					NR		NR	03/22/89	11700.00
					NR		NR	07/25/89	11900.00
					NR		NR	09/13/89	11800.00
					NR		NR	09/13/89	11400.00
FMANGAN	PPB	5.00	50.00		NR		NR	01/03/89	
					NR		NR	03/22/89	
					NR		NR	07/25/89	7.00
					NR		NR	09/13/89	7.00
					NR		NR	09/13/89	7.00
FNICKEL	PPB	10.00			NR		NR	01/03/89	11.00
					NR		NR	03/22/89	15.00
					NR		NR	07/25/89	21.00
					NR		NR	09/13/89	25.00
					NR		NR	09/13/89	70.00
FPOTASS	PPB	100.00			NR		NR	01/03/89	3500.00
					NR		NR	03/22/89	3500.00
					NR		NR	07/25/89	3940.00
					NR		NR	09/13/89	4070.00
					NR		NR	09/13/89	3890.00
FSILICO	PPB	50.00			NR		NR	01/03/89	19500.00
					NR		NR	03/22/89	19900.00
					NR		NR	07/25/89	22900.00
					NR		NR	09/13/89	22000.00
					NR		NR	09/13/89	21300.00
FSODIUM	PPB	200.00			NR		NR	01/03/89	10400.00
					NR		NR	03/22/89	10200.00
					NR		NR	07/25/89	11200.00
					NR		NR	09/13/89	10900.00
					NR		NR	09/13/89	10400.00
FSTRONT	PPB	10.00			NR		NR	01/03/89	146.00
					NR		NR	03/22/89	162.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W10-1	SAMPLE DATE	2-W10-3	SAMPLE DATE	2-W10-13
FSTRONT	PPB	10.00			NR		NR	07/25/89	170.00
					NR		NR	09/13/89	166.00
					NR		NR	09/13/89	160.00
FVANADI	PPB	5.00			NR		NR	01/03/89	26.00
					NR		NR	03/22/89	29.00
					NR		NR	07/25/89	29.00
					NR		NR	09/13/89	29.00
					NR		NR	09/13/89	28.00
FZINC	PPB	5.00	5000.00		NR		NR	01/03/89	
					NR		NR	03/22/89	
					NR		NR	07/25/89	
					NR		NR	09/13/89	9.00
					NR		NR	09/13/89	839.00
IRON	PPB	30.00	300.00		NR		NR	01/03/89	149.00
					NR		NR	03/22/89	246.00
					NR		NR	07/25/89	133.00
					NR		NR	09/13/89	149.00
					NR		NR	09/13/89	130.00
MAGNES	PPB	50.00			NR		NR	01/03/89	12400.00
					NR		NR	03/22/89	11700.00
					NR		NR	07/25/89	11600.00
					NR		NR	09/13/89	12200.00
					NR		NR	09/13/89	11800.00
MANGESE	PPB	5.00	50.00		NR		NR	01/03/89	6.00
					NR		NR	03/22/89	8.00
					NR		NR	07/25/89	7.00
					NR		NR	09/13/89	8.00
					NR		NR	09/13/89	8.00
METHYCH	PPB	5.00			NR		NR	01/03/89	51.00
					NR		NR	03/22/89	
					NR		NR	07/25/89	
					NR		NR	09/13/89	
					NR		NR	09/13/89	
NICKEL	PPB	10.00			NR		NR	01/03/89	25.00
					NR		NR	03/22/89	34.00
					NR		NR	07/25/89	27.00
					NR		NR	09/13/89	33.00
					NR		NR	09/13/89	36.00
NITRATE	PPB	500.00	45000.00		NR		NR	01/03/89	7800.00
					NR		NR	03/22/89	8100.00
					NR		NR	07/25/89	8000.00
					NR		NR	09/13/89	7700.00
					NR		NR	09/13/89	7700.00
PH-LAB		0.01	8.50		NR		NR	01/03/89	7.90
					NR		NR	01/03/89	7.80
					NR		NR	01/03/89	7.80
					NR		NR	01/03/89	7.90
					NR		NR	03/22/89	8.00
					NR		NR	03/22/89	8.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W10-1	SAMPLE DATE	2-W10-3	SAMPLE DATE	2-W10-13
PH-LAB		0.01	8.50		NR		NR	03/22/89	8.00
					NR		NR	03/22/89	8.00
					NR		NR	07/25/89	8.00
					NR		NR	07/25/89	8.00
					NR		NR	07/25/89	8.00
					NR		NR	07/25/89	8.00
					NR		NR	09/13/89	7.90
					NR		NR	09/13/89	7.90
					NR		NR	09/13/89	7.90
PHFIELD		0.10	8.50		NR		NR	01/03/89	8.30
					NR		NR	01/03/89	8.10
					NR		NR	01/03/89	8.10
					NR		NR	01/03/89	8.10
					NR		NR	03/22/89	7.90
					NR		NR	07/25/89	7.80
					NR		NR	07/25/89	7.79
					NR		NR	07/25/89	7.79
					NR		NR	07/25/89	7.79
					NR		NR	09/13/89	7.70
					NR		NR	09/13/89	7.67
					NR		NR	09/13/89	7.66
					NR		NR	09/13/89	7.67
					NR		NR	11/20/89	8.21
					NR		NR	11/20/89	8.18
					NR		NR	11/20/89	8.15
					NR		NR	11/20/89	8.14
POTASUM	PPB	100.00			NR		NR	01/03/89	3960.00
					NR		NR	03/22/89	3560.00
					NR		NR	07/25/89	3870.00
					NR		NR	09/13/89	4180.00
					NR		NR	09/13/89	3990.00
PU39-40	PCI/L	17.00	1.20		NR		NR	01/03/89	
					NR		NR	03/22/89	0.05
									(0.03)
					NR		NR	07/25/89	
RADIUM	PCI/L	1.00	5.00		NR		NR	01/03/89	0.26
									(0.19)
					NR		NR	03/22/89	
					NR		NR	07/25/89	
					NR		NR	09/13/89	0.33
									(0.19)
					NR		NR	09/13/89	0.41
									(0.22)
SILICON	PPB	50.00			NR		NR	01/03/89	22200.00
					NR		NR	03/22/89	20800.00
					NR		NR	07/25/89	21700.00
					NR		NR	09/13/89	23000.00
					NR		NR	09/13/89	22100.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W10-1	SAMPLE DATE	2-W10-3	SAMPLE DATE	2-W10-13
SODIUM	PPB	200.00			NR		NR	01/03/89	11800.00
					NR		NR	03/22/89	10500.00
					NR		NR	07/25/89	11300.00
					NR		NR	09/13/89	11100.00
					NR		NR	09/13/89	10600.00
STRONUM	PPB	10.00			NR		NR	01/03/89	167.00
					NR		NR	03/22/89	162.00
					NR		NR	07/25/89	164.00
					NR		NR	09/13/89	173.00
SULFATE	PPB	500.00	250000.00		NR		NR	09/13/89	167.00
					NR		NR	01/03/89	22300.00
					NR		NR	03/22/89	22800.00
					NR		NR	07/25/89	23600.00
					NR		NR	09/13/89	22200.00
					NR		NR	09/13/89	22200.00
TC	PPB	1000.00			NR		NR	01/03/89	23000.00
TC-99	PCI/L	15.00	900.00		NR		NR	09/13/89	23300.00
					NR		NR	01/03/89	24.20
					NR		NR	03/22/89	(1.42)
					NR		NR	07/25/89	19.80
					NR		NR	09/13/89	(1.36)
					NR		NR	01/03/89	19.00
					NR		NR	03/22/89	(1.32)
					NR		NR	07/25/89	17.30
					NR		NR	09/13/89	(1.33)
TETRANE	PPB	5.00	5.00		NR		NR	01/03/89	7.00 *
					NR		NR	03/22/89	13.00 *
					NR		NR	07/25/89	18.00 *
					NR		NR	09/13/89	10.00 *
					NR		NR	09/13/89	12.00 *
TOC	PPB	2000.00			NR		NR	01/03/89	
					NR		NR	01/03/89	
					NR		NR	01/03/89	
					NR		NR	03/22/89	
					NR		NR	03/22/89	
					NR		NR	03/22/89	
					NR		NR	03/22/89	
					NR		NR	07/25/89	
					NR		NR	07/25/89	
					NR		NR	07/25/89	
					NR		NR	09/13/89	
					NR		NR	09/13/89	2500.00
					NR		NR	09/13/89	3500.00
					NR		NR	09/13/89	
					NR		NR	11/20/89	
					NR		NR	11/20/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W10-1	SAMPLE DATE	2-W10-3	SAMPLE DATE	2-W10-13
TOC	PPB	2000.00			NR		NR	11/20/89	
TOXLDL	PPB	10.00			NR		NR	11/20/89	
					NR		NR	01/03/89	60.00
					NR		NR	01/03/89	54.00
					NR		NR	01/03/89	40.00
					NR		NR	01/03/89	43.00
					NR		NR	03/22/89	31.00
					NR		NR	03/22/89	46.00
					NR		NR	03/22/89	33.00
					NR		NR	03/22/89	32.00
					NR		NR	07/25/89	25.00
					NR		NR	07/25/89	20.00
					NR		NR	07/25/89	18.00
					NR		NR	07/25/89	23.00
					NR		NR	09/13/89	27.00
					NR		NR	09/13/89	16.40
					NR		NR	09/13/89	19.00
					NR		NR	09/13/89	20.00
TRITIUM	PCI/L	500.00	20000.00		NR		NR	01/03/89	
					NR		NR	03/22/89	
					NR		NR	07/25/89	421.00
					NR		NR	09/13/89	(156.00)
					NR		NR	09/13/89	285.00
					NR		NR	09/13/89	(135.00)
TURBID	NTU	0.10	1.00		NR		NR	09/13/89	1.10 *
U	PCI/L	0.50	600.00		NR		NR	01/03/89	0.67
					NR		NR	03/22/89	0.70
					NR		NR	07/25/89	0.68
					NR		NR	09/13/89	0.70
					NR		NR	09/13/89	
VANADIUM	PPB	5.00			NR		NR	01/03/89	31.00
					NR		NR	03/22/89	25.00
					NR		NR	07/25/89	28.00
					NR		NR	09/13/89	30.00
					NR		NR	09/13/89	34.00
ZINC	PPB	5.00	5000.00		NR		NR	01/03/89	8.00
					NR		NR	03/22/89	
					NR		NR	07/25/89	7.00
					NR		NR	09/13/89	15.00
					NR		NR	09/13/89	22.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W10-14	SAMPLE DATE	2-W11-7	SAMPLE DATE	2-W11-14
ALPHA	PCI/L	4.00	15.00	01/03/89	1.64	03/09/89	13.20	03/09/89	173.00 +
					(1.54)		(5.12)		(12.40)
ALPHAHI	PCI/L	4.00	15.00	03/21/89		08/24/89		08/24/89	220.00 *
									(16.60)
				07/27/89			NR		NR
				09/15/89	1.46		NR		NR
					(1.19)				
BARIUM	PPB	6.00	1000.00	01/03/89	71.00		NR		NR
				03/21/89	70.00		NR		NR
				07/27/89	64.00		NR		NR
				09/15/89	65.00		NR		NR
BETA	PCI/L	8.00	50.00	01/03/89	6.97	03/09/89	47.60	03/09/89	72.80 +
					(2.64)		(5.36)		(6.43)
				03/21/89		08/24/89	22.00	08/24/89	105.00 +
							(3.85)		(7.41)
				07/27/89	4.07		NR		NR
					(2.46)				
				09/15/89	5.51		NR		NR
					(2.47)				
BORON	PPB	10.00		01/03/89	16.00		NR		NR
				03/21/89	19.00		NR		NR
				07/27/89	10.00		NR		NR
				09/15/89	14.00		NR		NR
CALCIUM	PPB	50.00		01/03/89	35700.00		NR		NR
				03/21/89	34800.00		NR		NR
				07/27/89	32300.00		NR		NR
				09/15/89	32500.00		NR		NR
CHLFORM	PPB	5.00	100.00	01/03/89	7.00		NR		NR
				03/21/89			NR		NR
				07/27/89			NR		NR
				09/15/89			NR		NR
CHLORID	PPB	500.00	250000.00	01/03/89	9300.00		NR		NR
				03/21/89	9200.00		NR		NR
				07/27/89	9300.00		NR		NR
				09/15/89	8000.00		NR		NR
CHROMIUM	PPB	10.00	50.00	01/03/89	53.00 *		NR		NR
				03/21/89	42.00		NR		NR
				07/27/89	43.00		NR		NR
				09/15/89	34.00		NR		NR
CO-60	PCI/L	22.50	100.00	01/03/89			NR		NR
				03/21/89			NR		NR
				07/27/89	6.20		NR		NR
					(5.54)				
				09/15/89			NR		NR
CONDFLD	UMHO	1.00	700.00	01/03/89	308.00		NR		NR
				01/03/89	308.00		NR		NR
				01/03/89	308.00		NR		NR
				01/03/89	308.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W10-14	SAMPLE DATE	2-W11-7	SAMPLE DATE	2-W11-14
CONDFLD	UMHO	1.00	700.00	03/21/89	323.00		NR		NR
				07/27/89	300.00		NR		NR
				07/27/89	300.00		NR		NR
				07/27/89	305.00		NR		NR
				07/27/89	300.00		NR		NR
				09/15/89	346.00		NR		NR
				09/15/89	347.00		NR		NR
				09/15/89	348.00		NR		NR
				09/15/89	347.00		NR		NR
CONDLAB	UMHO		700.00	01/03/89	350.00 @		NR		NR
				01/03/89	354.00 @		NR		NR
				01/03/89	354.00 @		NR		NR
				01/03/89	353.00 @		NR		NR
				03/21/89	316.00 @		NR		NR
				03/21/89	320.00 @		NR		NR
				03/21/89	315.00 @		NR		NR
				03/21/89	310.00 @		NR		NR
				07/27/89	293.00 @		NR		NR
				07/27/89	288.00 @		NR		NR
				07/27/89	289.00 @		NR		NR
				07/27/89	288.00 @		NR		NR
				09/15/89	343.00 @		NR		NR
				09/15/89	344.00 @		NR		NR
				09/15/89	346.00 @		NR		NR
				09/15/89	348.00 @		NR		NR
COPPER	PPB	10.00	(1300.0)	01/03/89	19.00		NR		NR
				03/21/89			NR		NR
				07/27/89			NR		NR
				09/15/89			NR		NR
FBARIUM	PPB	6.00	1000.00	01/03/89	64.00		NR		NR
				03/21/89	65.00		NR		NR
				07/27/89	64.00		NR		NR
				09/15/89	66.00		NR		NR
FBERYLL	PPB	5.00		01/03/89			NR		NR
				03/21/89			NR		NR
				07/27/89			NR		NR
				09/15/89	5.00		NR		NR
FBORON	PPB	10.00		01/03/89	17.00		NR		NR
				03/21/89	21.00		NR		NR
				07/27/89	15.00		NR		NR
				09/15/89	16.00		NR		NR
FCALCIU	PPB	50.00		01/03/89	34500.00		NR		NR
				03/21/89	32800.00		NR		NR
				07/27/89	33800.00		NR		NR
				09/15/89	33100.00		NR		NR
FIRON	PPB	30.00	300.00	01/03/89	38.00		NR		NR
				03/21/89	41.00		NR		NR
				07/27/89	36.00		NR		NR
				09/15/89	40.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W10-14	SAMPLE DATE	2-W11-7	SAMPLE DATE	2-W11-14
FMAGNES	PPB	50.00		01/03/89	12200.00		NR		NR
				03/21/89	12800.00		NR		NR
				07/27/89	11900.00		NR		NR
				09/15/89	11700.00		NR		NR
FMANGAN	PPB	5.00	50.00	01/03/89	11.00		NR		NR
				03/21/89	6.00		NR		NR
				07/27/89			NR		NR
				09/15/89			NR		NR
FPOTASS	PPB	100.00		01/03/89	4780.00		NR		NR
				03/21/89	4640.00		NR		NR
				07/27/89	4650.00		NR		NR
				09/15/89	4830.00		NR		NR
FSILICO	PPB	50.00		01/03/89	19100.00		NR		NR
				03/21/89	20900.00		NR		NR
				07/27/89	22200.00		NR		NR
				09/15/89	21600.00		NR		NR
FSODIUM	PPB	200.00		01/03/89	16500.00		NR		NR
				03/21/89	16900.00		NR		NR
				07/27/89	16600.00		NR		NR
				09/15/89	15800.00		NR		NR
FSTRONT	PPB	10.00		01/03/89	173.00		NR		NR
				03/21/89	190.00		NR		NR
				07/27/89	180.00		NR		NR
				09/15/89	183.00		NR		NR
FVANADI	PPB	5.00		01/03/89	21.00		NR		NR
				03/21/89	34.00		NR		NR
				07/27/89	28.00		NR		NR
				09/15/89	36.00		NR		NR
FZINC	PPB	5.00	5000.00	01/03/89	59.00		NR		NR
				03/21/89	12.00		NR		NR
				07/27/89	7.00		NR		NR
				09/15/89	6.00		NR		NR
IRON	PPB	30.00	300.00	01/03/89	277.00		NR		NR
				03/21/89	170.00		NR		NR
				07/27/89	217.00		NR		NR
				09/15/89	159.00		NR		NR
LEADGF	PPB	5.00	50.00	01/03/89	6.00		NR		NR
				03/21/89			NR		NR
				07/27/89			NR		NR
				09/15/89			NR		NR
MAGNES	PPB	50.00		01/03/89	12600.00		NR		NR
				03/21/89	13000.00		NR		NR
				07/27/89	11600.00		NR		NR
				09/15/89	11500.00		NR		NR
MANGESE	PPB	5.00	50.00	01/03/89	24.00		NR		NR
				03/21/89	8.00		NR		NR
				07/27/89	8.00		NR		NR
				09/15/89	6.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W10-14	SAMPLE DATE	2-W11-7	SAMPLE DATE	2-W11-14
METHYCH	PPB	5.00		01/03/89	12.00		NR		NR
				03/21/89			NR		NR
				07/27/89			NR		NR
				09/15/89			NR		NR
NICKEL	PPB	10.00		01/03/89	35.00		NR		NR
				03/21/89	20.00		NR		NR
				07/27/89	24.00		NR		NR
				09/15/89	19.00		NR		NR
NITRATE	PPB	500.00	45000.00	01/03/89	18500.00		NR		NR
				03/21/89	21100.00		NR		NR
				07/27/89	22200.00		NR		NR
				09/15/89	20400.00		NR		NR
PH-LAB		0.01	8.50	01/03/89	7.90		NR		NR
				01/03/89	8.00		NR		NR
				01/03/89	8.00		NR		NR
				01/03/89	8.00		NR		NR
				03/21/89	7.70		NR		NR
				03/21/89	7.90		NR		NR
				03/21/89	7.90		NR		NR
				03/21/89	7.90		NR		NR
				07/27/89	7.90		NR		NR
				07/27/89	7.90		NR		NR
				07/27/89	7.90		NR		NR
				07/27/89	7.90		NR		NR
				09/15/89	7.80		NR		NR
				09/15/89	7.80		NR		NR
				09/15/89	7.80		NR		NR
				09/15/89	7.80		NR		NR
PHFIELD		0.10	8.50	01/03/89	8.00		NR		NR
				01/03/89	8.00		NR		NR
				01/03/89	8.00		NR		NR
				01/03/89	8.00		NR		NR
				03/21/89	7.50		NR		NR
				07/27/89	7.80		NR		NR
				07/27/89	7.85		NR		NR
				07/27/89	7.85		NR		NR
				07/27/89	7.80		NR		NR
				09/15/89	7.92		NR		NR
				09/15/89	7.91		NR		NR
				09/15/89	7.91		NR		NR
				09/15/89	7.91		NR		NR
POTASUM	PPB	100.00		01/03/89	5000.00		NR		NR
				03/21/89	4860.00		NR		NR
				07/27/89	4550.00		NR		NR
				09/15/89	4830.00		NR		NR
RADIUM	PC1/L	1.00	5.00	01/03/89	0.24		NR		NR
					(0.18)				
				03/21/89	0.42		NR		NR
					(0.22)				

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W10-14	SAMPLE DATE	2-W11-7	SAMPLE DATE	2-W11-14
RADIUM	PCI/L	1.00	5.00	07/27/89	0.29		NR		NR
					(0.18)				
				09/15/89	0.19		NR		NR
					(0.17)				
SILICON	PPB	50.00		01/03/89	19600.00		NR		NR
				03/21/89	22100.00		NR		NR
				07/27/89	20900.00		NR		NR
				09/15/89	21300.00		NR		NR
SODIUM	PPB	200.00		01/03/89	17600.00		NR		NR
				03/21/89	17900.00		NR		NR
				07/27/89	16700.00		NR		NR
				09/15/89	15900.00		NR		NR
STRONUM	PPB	10.00		01/03/89	182.00		NR		NR
				03/21/89	194.00		NR		NR
				07/27/89	174.00		NR		NR
				09/15/89	178.00		NR		NR
SULFATE	PPB	500.00	250000.00	01/03/89	25000.00		NR		NR
				03/21/89	25200.00		NR		NR
				07/27/89	26400.00		NR		NR
				09/15/89	23800.00		NR		NR
TC	PPB	1000.00		01/03/89	26100.00		NR		NR
				09/15/89	25200.00		NR		NR
TOXLDL	PPB	10.00		01/03/89	12.00		NR		NR
				01/03/89	125.00		NR		NR
				01/03/89	487.00		NR		NR
				01/03/89			NR		NR
				03/21/89			NR		NR
				03/21/89			NR		NR
				03/21/89			NR		NR
				03/21/89			NR		NR
				07/27/89			NR		NR
				07/27/89			NR		NR
				07/27/89			NR		NR
				09/15/89			NR		NR
				09/15/89			NR		NR
				09/15/89			NR		NR
				09/15/89			NR		NR
TURBID	NTU	0.10	1.00	07/27/89	0.60		NR		NR
				09/15/89	0.70		NR		NR
U	PCI/L	0.50	600.00	01/03/89	0.79		NR		NR
				03/21/89	0.69		NR		NR
				07/27/89	0.79		NR		NR
				09/15/89	0.60		NR		NR
VANADUM	PPB	5.00		01/03/89	28.00		NR		NR
				03/21/89	34.00		NR		NR
				07/27/89	31.00		NR		NR
				09/15/89	33.00		NR		NR
ZINC	PPB	5.00	5000.00	01/03/89	110.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W10-14	SAMPLE DATE	2-W11-7	SAMPLE DATE	2-W11-14
ZINC	PPB	5.00	5000.00	03/21/89 07/27/89 09/15/89	13.00 14.00 9.00		NR NR NR		NR NR NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W11-15	SAMPLE DATE	2-W14-6	SAMPLE DATE	2-W15-2
ALPHAHI	PCI/L	4.00	15.00		NR		NR	08/24/89	2.80
BETA	PCI/L	8.00	50.00	03/09/89	14.40 (3.46) NR	03/15/89	24.70 (3.88) NR	01/05/89 03/09/89 08/24/89	(1.99) 4.47 (2.26) 4.86 (2.43) 4.69 (2.40)
HNITRAT	PPB	2500.00	45000.00		NR	03/15/89	114000.00 *		NR
TRITIUM	PCI/L	500.00	20000.00		NR	03/15/89	7600.00 (335.00)		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W15-3	SAMPLE DATE	2-W15-6	SAMPLE DATE	2-W15-8
ALPHAHI	PCI/L	4.00	15.00	09/26/89	3.12 (2.11)		NR		NR
BETA	PCI/L	8.00	50.00	03/08/89 09/26/89	77.20 + (6.59) 94.80 + (7.28)	03/15/89	4.95 (2.46) NR	03/15/89	27.20 (4.25) NR
CO-60	PCI/L	22.50	100.00	03/08/89 09/26/89	9.92 (7.01) 6.81 (5.56)		NR NR		NR NR
HNITRAT	PPB	2500.00	45000.00	03/08/89 09/26/89	130000.00 * 127000.00 *	03/15/89	5500.00 NR		NR NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W15-12	SAMPLE DATE	2-W15-15	SAMPLE DATE	2-W15-16
ALKALIN ALPHAHI	PCI/L	20000.00 4.00	15.00	06/05/89	116000.00 NR	05/15/89	NR 2.09 (1.52)	05/09/89	NR 2.52 (1.65)
					NR	07/11/89		07/25/89	(5.34 (2.78)
					NR	09/12/89	(3.39 (1.67)	09/22/89	(1.74 (1.70)
AM-241	PCI/L	0.10	30.00		NR	05/15/89	(0.01 (0.01)	05/09/89	
					NR	07/11/89		07/25/89	
ARSENIC	PPB	5.00	50.00		NR	05/15/89	5.00	05/09/89	
					NR	07/11/89		07/25/89	
					NR	09/12/89		09/22/89	
BARIUM	PPB	6.00	1000.00		NR	05/15/89	27.00	05/09/89	67.00
					NR	07/11/89	30.00	07/25/89	72.00
					NR	09/12/89	29.00	09/22/89	64.00
BETA	PCI/L	8.00	50.00		NR	05/15/89	7.15 (2.76)	05/09/89	6.26 (2.66)
					NR	07/11/89	6.14 (2.50)	07/25/89	10.80 (3.05)
					NR	09/12/89	3.03 (2.19)	09/22/89	6.70 (2.65)
BORON	PPB	10.00			NR	05/15/89	30.00	05/09/89	30.00
					NR	07/11/89	23.00	07/25/89	22.00
					NR	09/12/89	34.00	09/22/89	30.00
CALCIUM	PPB	50.00			NR	05/15/89	21900.00	05/09/89	61600.00
					NR	07/11/89	25000.00	07/25/89	64800.00
					NR	09/12/89	24900.00	09/22/89	56800.00
CHLFORM	PPB	5.00	100.00	06/05/89	26.00	05/15/89		05/09/89	33.00
					NR	07/11/89	9.00	07/25/89	52.00
					NR	09/12/89	8.00	09/22/89	42.00
CHLORID	PPB	500.00	250000.00	06/05/89	34500.00	05/15/89	3500.00	05/09/89	22600.00
					NR	07/11/89	3680.00	07/25/89	21900.00
					NR	09/12/89	3900.00	09/22/89	22000.00
CHROMUM	PPB	10.00	50.00		NR	05/15/89	13.00	05/09/89	44.00
					NR	07/11/89	108.00 *	07/25/89	45.00
					NR	09/12/89	26.00	09/22/89	142.00 *
CONDFLD	UMHO	1.00	700.00	06/05/89	668.00	05/15/89	248.00	05/09/89	531.00
					NR	05/15/89	248.00	07/25/89	567.00
					NR	05/15/89	248.00	07/25/89	570.00
					NR	05/15/89	248.00	07/25/89	576.00
					NR	07/11/89	259.00	07/25/89	575.00
					NR	07/11/89	258.00	09/22/89	598.00
					NR	07/11/89	259.00	09/22/89	597.00
					NR	07/11/89	258.00	09/22/89	595.00
					NR	09/12/89	261.00	09/22/89	598.00
					NR	09/12/89	263.00		NR
					NR	09/12/89	262.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W15-12	SAMPLE DATE	2-W15-15	SAMPLE DATE	2-W15-16
CONDFLD	UMHO	1.00	700.00		NR	09/12/89	263.00		NR
CONDLAB	UMHO		700.00		NR	05/15/89	244.00 a	05/09/89	586.00 a
					NR	05/15/89	244.00 a	05/09/89	586.00 a
					NR	05/15/89	246.00 a	05/09/89	585.00 a
					NR	05/15/89	247.00 a	05/09/89	585.00 a
					NR	07/11/89	238.00 a	07/25/89	542.00 a
					NR	07/11/89	238.00 a	07/25/89	544.00 a
					NR	07/11/89	241.00 a	07/25/89	543.00 a
					NR	07/11/89	241.00 a	07/25/89	546.00 a
					NR	09/12/89	268.00 a	09/22/89	643.00 a
					NR	09/12/89	268.00 a	09/22/89	643.00 a
					NR	09/12/89	268.00 a	09/22/89	641.00 a
					NR	09/12/89	268.00 a	09/22/89	627.00 a
COPPER	PPB	10.00	(1300.0)		NR	05/15/89		05/09/89	
					NR	07/11/89	13.00	07/25/89	
					NR	09/12/89		09/22/89	
FBARIUM	PPB	6.00	1000.00		NR	05/15/89	34.00	05/09/89	65.00
					NR	07/11/89	28.00	07/25/89	60.00
					NR	09/12/89	27.00	09/22/89	65.00
FBORON	PPB	10.00			NR	05/15/89	24.00	05/09/89	22.00
					NR	07/11/89	35.00	07/25/89	25.00
					NR	09/12/89	22.00	09/22/89	25.00
FCALCIU	PPB	50.00			NR	05/15/89	25000.00	05/09/89	58600.00
					NR	07/11/89	24600.00	07/25/89	59400.00
					NR	09/12/89	23700.00	09/22/89	58100.00
FCHROMI	PPB	10.00	50.00		NR	05/15/89		05/09/89	12.00
					NR	07/11/89		07/25/89	12.00
					NR	09/12/89		09/22/89	
FIRON	PPB	30.00	300.00		NR	05/15/89		05/09/89	32.00
					NR	07/11/89	33.00	07/25/89	
					NR	09/12/89		09/22/89	
FLUORID	PPB	500.00	4000.00	06/05/89	1600.00	05/15/89		05/09/89	697.00
					NR	07/11/89		07/25/89	706.00
					NR	09/12/89		09/22/89	700.00
FMAGNES	PPB	50.00			NR	05/15/89	7700.00	05/09/89	15900.00
					NR	07/11/89	7120.00	07/25/89	15300.00
					NR	09/12/89	7060.00	09/22/89	16000.00
FPOTASS	PPB	100.00			NR	05/15/89	3150.00	05/09/89	4740.00
					NR	07/11/89	3050.00	07/25/89	4980.00
					NR	09/12/89	3290.00	09/22/89	5580.00
FSILICO	PPB	50.00			NR	05/15/89	20800.00	05/09/89	22400.00
					NR	07/11/89	19200.00	07/25/89	21700.00
					NR	09/12/89	19200.00	09/22/89	22800.00
FSODIUM	PPB	200.00			NR	05/15/89	19300.00	05/09/89	42800.00
					NR	07/11/89	18300.00	07/25/89	40500.00
					NR	09/12/89	18100.00	09/22/89	41600.00
FSTRONT	PPB	10.00			NR	05/15/89	103.00	05/09/89	265.00
					NR	07/11/89	84.00	07/25/89	250.00
					NR	09/12/89	99.00	09/22/89	262.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W15-12	SAMPLE DATE	2-W15-15	SAMPLE DATE	2-W15-16
FVANADI	PPB	5.00			NR	05/15/89	27.00	05/09/89	26.00
					NR	07/11/89	30.00	07/25/89	28.00
					NR	09/12/89	29.00	09/22/89	24.00
FZINC	PPB	5.00	5000.00		NR	05/15/89		05/09/89	
					NR	07/11/89	11.00	07/25/89	
					NR	09/12/89	17.00	09/22/89	6.00
IRON	PPB	30.00	300.00		NR	05/15/89	158.00	05/09/89	211.00
					NR	07/11/89	544.00 *	07/25/89	191.00
					NR	09/12/89	162.00	09/22/89	666.00 *
MAGNES	PPB	50.00			NR	05/15/89	6470.00	05/09/89	16400.00
					NR	07/11/89	7310.00	07/25/89	17400.00
					NR	09/12/89	7390.00	09/22/89	15700.00
MANGESE	PPB	5.00	50.00		NR	05/15/89	8.00	05/09/89	5.00
					NR	07/11/89	16.00	07/25/89	
					NR	09/12/89	5.00	09/22/89	13.00
NICKEL	PPB	10.00			NR	05/15/89		05/09/89	21.00
					NR	07/11/89	56.00	07/25/89	21.00
					NR	09/12/89	17.00	09/22/89	68.00
NITRATE	PPB	500.00	45000.00	06/05/89	116000.00 *	05/15/89	10500.00	05/09/89	70700.00 *
					NR	07/11/89	13400.00	07/25/89	69800.00 *
					NR	09/12/89	15300.00	09/22/89	67000.00 *
PH-LAB		0.01	8.50	06/05/89	7.80	05/15/89	8.10	05/09/89	7.90
					NR	05/15/89	8.00	05/09/89	8.00
					NR	05/15/89	8.00	05/09/89	7.90
					NR	05/15/89	8.00	05/09/89	7.90
					NR	07/11/89	8.10	07/25/89	7.90
					NR	07/11/89	8.10	07/25/89	7.90
					NR	07/11/89	8.10	07/25/89	7.90
					NR	09/12/89	8.00	09/22/89	7.90
					NR	09/12/89	8.00	09/22/89	7.90
					NR	09/12/89	8.00	09/22/89	7.90
					NR	09/12/89	8.00	09/22/89	7.80
PHFIELD		0.10	8.50	06/05/89	7.67	05/15/89	7.90	05/09/89	7.70
					NR	05/15/89	7.91	07/25/89	7.75
					NR	05/15/89	7.91	07/25/89	7.75
					NR	05/15/89	7.91	07/25/89	7.74
					NR	07/11/89	7.80	07/25/89	7.74
					NR	07/11/89	7.90	09/22/89	7.88
					NR	07/11/89	7.90	09/22/89	7.85
					NR	07/11/89	7.90	09/22/89	7.83
					NR	09/12/89	7.94	09/22/89	7.83
					NR	09/12/89	7.99		NR
					NR	09/12/89	7.95		NR
					NR	09/12/89	7.98		NR
POTASUM	PPB	100.00			NR	05/15/89	2740.00	05/09/89	5010.00
					NR	07/11/89	3170.00	07/25/89	5770.00
					NR	09/12/89	3420.00	09/22/89	5430.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W15-12	SAMPLE DATE	2-W15-15	SAMPLE DATE	2-W15-16
RADIUM	PCI/L	1.00	5.00		NR	05/15/89		05/09/89	0.36
					NR	07/11/89		07/25/89	(0.22)
					NR	09/12/89	0.18	09/22/89	0.23
							(0.15)		(0.17)
RU-106	PCI/L	172.50	30.00		NR	05/15/89		05/09/89	0.24
					NR	07/11/89	58.20 *	07/25/89	(0.18)
							(51.40)		
					NR	09/12/89		09/22/89	
SILICON	PPB	50.00			NR	05/15/89	17600.00	05/09/89	22700.00
					NR	07/11/89	19700.00	07/25/89	24400.00
					NR	09/12/89	20300.00	09/22/89	22400.00
SODIUM	PPB	200.00			NR	05/15/89	17000.00	05/09/89	43800.00
					NR	07/11/89	19000.00	07/25/89	50100.00
					NR	09/12/89	19000.00	09/22/89	39900.00
STRONUM	PPB	10.00			NR	05/15/89	91.00	05/09/89	273.00
					NR	07/11/89	85.00	07/25/89	280.00
					NR	09/12/89	104.00	09/22/89	254.00
SULFATE	PPB	500.00	250000.00	06/05/89	59300.00	05/15/89	14600.00	05/09/89	69100.00
					NR	07/11/89	15600.00	07/25/89	70200.00
					NR	09/12/89	14900.00	09/22/89	67000.00
TC	PPB	1000.00		06/05/89	25900.00	09/12/89	24000.00	09/22/89	32000.00
TC-99	PCI/L	15.00	900.00		NR	05/15/89		05/09/89	11.80
									(1.26)
					NR	07/11/89		07/25/89	12.00
									(1.24)
					NR	09/12/89		09/22/89	11.90
									(1.25)
TETRANE	PPB	5.00	5.00	06/05/89	1920.00 *	05/15/89	440.00 *	05/09/89	6650.00 *
					NR	07/11/89	380.00 *	07/25/89	8250.00 *
					NR	09/12/89	543.00 *	09/22/89	7100.00 *
TOXLDL	PPB	10.00			NR	05/15/89	520.00	05/09/89	3500.00
					NR	05/15/89	442.00	05/09/89	3590.00
					NR	05/15/89	416.00	05/09/89	3920.00
					NR	05/15/89	522.00	05/09/89	3280.00
					NR	07/11/89	378.00	07/25/89	6110.00
					NR	07/11/89	449.00	07/25/89	6390.00
					NR	07/11/89	394.00	07/25/89	5940.00
					NR	07/11/89	384.00	07/25/89	6860.00
					NR	09/12/89	499.00	09/22/89	5370.00
					NR	09/12/89	390.00	09/22/89	5180.00
					NR	09/12/89	533.00	09/22/89	5330.00
					NR	09/12/89	440.00	09/22/89	4620.00
TRICENE	PPB	5.00	5.00	06/05/89	10.00 *	05/15/89		05/09/89	5.00
					NR	07/11/89		07/25/89	6.00 *
					NR	09/12/89		09/22/89	7.00 *
TRITIUM	PCI/L	500.00	20000.00		NR	05/15/89	315.00	05/09/89	
							(106.00)		

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W15-12	SAMPLE DATE	2-W15-15	SAMPLE DATE	2-W15-16
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
TRITIUM	PCI/L	500.00	20000.00		NR	07/11/89	476.00	07/25/89	297.00
							(160.00)		(153.00)
					NR	09/12/89	267.00	09/22/89	33700.00 *
							(136.00)		(612.00)
TURBID	NTU	0.10	1.00		NR	07/11/89	0.80	07/25/89	0.50
					NR	09/12/89	2.10 *	09/22/89	1.70 *
U	PCI/L	0.50	600.00		NR	05/15/89	3.64	05/09/89	3.52
					NR	07/11/89	2.33	07/25/89	1.41
					NR	09/12/89	3.17	09/22/89	2.01
VANADIUM	PPB	5.00			NR	05/15/89	25.00	05/09/89	30.00
					NR	07/11/89	32.00	07/25/89	27.00
					NR	09/12/89	31.00	09/22/89	25.00
ZINC	PPB	5.00	5000.00		NR	05/15/89	15.00	05/09/89	8.00
					NR	07/11/89	15.00	07/25/89	6.00
					NR	09/12/89	21.00	09/22/89	6.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W15-17	SAMPLE DATE	2-W15-18	SAMPLE DATE	2-W18-4
ACETONE	PPB	10.00		05/31/89 09/27/89	23.00 NR NR	05/15/89 07/11/89 09/25/89	22.00 NR	06/06/89	NR NR 75500.00
ALKALIN ALPHAHI	PCI/L	20000.00 4.00	15.00	05/31/89 09/27/89	1.73 (1.46) NR	05/15/89 07/11/89 09/25/89		06/06/89	NR NR NR
ALUMINUM	PPB	150.00		05/31/89 09/27/89	2950.00 336.00 NR	05/15/89 07/11/89 09/25/89			NR NR NR
AMMONIU	PPB	50.00		05/31/89 09/27/89	NR	05/15/89 07/11/89 09/25/89		06/06/89	13800.00 NR NR
BARIUM	PPB	6.00	1000.00	05/31/89 09/27/89	118.00 70.00 NR	05/15/89 07/11/89 09/25/89	43.00 42.00 44.00		NR NR NR
BETA	PCI/L	8.00	50.00	05/31/89 09/27/89	8.30 (2.86) 8.06 (2.78) NR	05/15/89 (2.65) 07/11/89 (2.56) 09/25/89 (2.74)	5.76 4.52 8.29		NR NR NR
BORON	PPB	10.00		05/31/89 09/27/89	44.00 30.00 NR	05/15/89 07/11/89 09/25/89	17.00 20.00 23.00		NR NR NR
CADMIUM	PPB	2.00	10.00	05/31/89 09/27/89	55.00 * 49.00 * NR	05/15/89 07/11/89 09/25/89			NR NR NR
CALCIUM	PPB	50.00		05/31/89 09/27/89	38400.00 36600.00 NR	05/15/89 07/11/89 09/25/89	34200.00 33900.00 32900.00		NR NR NR
CHLFORM	PPB	5.00	100.00	05/31/89 09/27/89	NR	05/15/89 07/11/89 09/25/89	12.00 27.00	06/06/89	632.00 * NR NR
CHLORID	PPB	500.00	250000.00	05/31/89 09/27/89	16000.00 16000.00 NR	05/15/89 07/11/89 09/25/89	38300.00 4020.00 4000.00	06/06/89	8600.00 NR NR
CHROMIUM	PPB	10.00	50.00	05/31/89 09/27/89	577.00 * 85.00 * NR	05/15/89 07/11/89 09/25/89	54.00 * 129.00 * 42.00		NR NR NR
CONDFLD	UMHO	1.00	700.00	05/31/89 09/27/89	381.00 437.00 NR NR NR NR NR	05/15/89 05/15/89 05/15/89 07/11/89 07/11/89 07/11/89	361.00 361.00 360.00 362.00 379.00 380.00 379.00	06/06/89	323.00 NR NR NR NR NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W15-17	SAMPLE DATE	2-W15-18	SAMPLE DATE	2-W18-4
CONDFLD	UMHO	1.00	700.00		NR	07/11/89	379.00		NR
					NR	09/25/89	385.00		NR
					NR	09/25/89	385.00		NR
					NR	09/25/89	378.00		NR
					NR	09/25/89	382.00		NR
CONDLAB	UMHO		700.00	05/31/89	420.00 a	05/15/89	350.00 a		NR
				05/31/89	415.00 a	05/15/89	355.00 a		NR
				05/31/89	452.00 a	05/15/89	357.00 a		NR
				05/31/89	418.00 a	05/15/89	352.00 a		NR
				09/27/89	414.00 a	07/11/89	341.00 a		NR
				09/27/89	413.00 a	07/11/89	340.00 a		NR
				09/27/89	413.00 a	07/11/89	343.00 a		NR
				09/27/89	413.00 a	07/11/89	341.00 a		NR
					NR	09/25/89	389.00 a		NR
					NR	09/25/89	390.00 a		NR
					NR	09/25/89	390.00 a		NR
					NR	09/25/89	388.00 a		NR
COPPER	PPB	10.00	(1300.0)	05/31/89	127.00	05/15/89			NR
				09/27/89	59.00	07/11/89			NR
					NR	09/25/89			NR
FBARIUM	PPB	6.00	1000.00		NR	05/15/89	44.00		NR
					NR	07/11/89	38.00		NR
					NR	09/25/89	42.00		NR
FBERYLL	PPB	5.00			NR	05/15/89	6.00		NR
					NR	07/11/89			NR
					NR	09/25/89			NR
FBORON	PPB	10.00			NR	05/15/89	20.00		NR
					NR	07/11/89	19.00		NR
					NR	09/25/89	20.00		NR
FCALCIU	PPB	50.00			NR	05/15/89	35600.00		NR
					NR	07/11/89	31800.00		NR
					NR	09/25/89	32900.00		NR
FCHROMI	PPB	10.00	50.00		NR	05/15/89	13.00		NR
					NR	07/11/89			NR
					NR	09/25/89	26.00		NR
FIRON	PPB	30.00	300.00		NR	05/15/89			NR
					NR	07/11/89			NR
					NR	09/25/89	156.00		NR
FLUORID	PPB	500.00	4000.00	05/31/89		05/15/89	600.00	06/06/89	500.00
				09/27/89		07/11/89			NR
					NR	09/25/89	700.00		NR
FMAGNES	PPB	50.00			NR	05/15/89	11200.00		NR
					NR	07/11/89	9450.00		NR
					NR	09/25/89	10100.00		NR
FMANGAN	PPB	5.00	50.00		NR	05/15/89			NR
					NR	07/11/89			NR
					NR	09/25/89	8.00		NR
FNICKEL	PPB	10.00			NR	05/15/89			NR
					NR	07/11/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W15-17	SAMPLE DATE	2-W15-18	SAMPLE DATE	2-W18-4
FNICKEL	PPB	10.00			NR	09/25/89	13.00		NR
FPOTASS	PPB	100.00			NR	05/15/89	4130.00		NR
					NR	07/11/89	3640.00		NR
					NR	09/25/89	4160.00		NR
FSILICO	PPB	50.00			NR	05/15/89	22700.00		NR
					NR	07/11/89	16600.00		NR
					NR	09/25/89	22000.00		NR
FSCDIUM	PPB	200.00			NR	05/15/89	26300.00		NR
					NR	07/11/89	22900.00		NR
					NR	09/25/89	23700.00		NR
FSTRONT	PPB	10.00			NR	05/15/89	154.00		NR
					NR	07/11/89	117.00		NR
					NR	09/25/89	148.00		NR
FVANADI	PPB	5.00			NR	05/15/89	28.00		NR
					NR	07/11/89	26.00		NR
					NR	09/25/89	24.00		NR
FZINC	PPB	5.00	5000.00		NR	05/15/89			NR
					NR	07/11/89	7.00		NR
					NR	09/25/89	10.00		NR
IRON	PPB	30.00	300.00	05/31/89	31100.00 *	05/15/89	292.00		NR
				09/27/89	4150.00 *	07/11/89	560.00 *		NR
					NR	09/25/89	363.00 *		NR
LEADGF	PPB	5.00	50.00	05/31/89	1000.00 *	05/15/89			NR
				09/27/89	82.00 *	07/11/89			NR
					NR	09/25/89			NR
LITHIUM	PPB	10.00		05/31/89	13.00	05/15/89			NR
				09/27/89		07/11/89			NR
					NR	09/25/89			NR
MAGNES	PPB	50.00		05/31/89	13700.00	05/15/89	10300.00		NR
				09/27/89	13100.00	07/11/89	10100.00		NR
					NR	09/25/89	10100.00		NR
MANGESE	PPB	5.00	50.00	05/31/89	470.00 *	05/15/89	10.00		NR
				09/27/89	109.00 *	07/11/89	18.00		NR
					NR	09/25/89	19.00		NR
METHONE	PPB	10.00		05/31/89		05/15/89		06/06/89	
				09/27/89		07/11/89			NR
					NR	09/25/89	16.00		NR
METHYCH	PPB	5.00		05/31/89		05/15/89		06/06/89	76.00
				09/27/89		07/11/89			NR
					NR	09/25/89	8.00		NR
NICKEL	PPB	10.00		05/31/89	269.00	05/15/89	23.00		NR
				09/27/89	71.00	07/11/89	61.00		NR
					NR	09/25/89	16.00		NR
NITRATE	PPB	500.00	45000.00	05/31/89	16700.00	05/15/89	68900.00 *	06/06/89	39100.00
				09/27/89	16800.00	07/11/89	73500.00 *		NR
					NR	09/25/89	72000.00 *		NR
OPXYLE	PPB	5.00	(440.0)	05/31/89		05/15/89		06/06/89	
				09/27/89		07/11/89			NR
					NR	09/25/89	6.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W15-17	SAMPLE DATE	2-W15-18	SAMPLE DATE	2-W18-4
PH-LAB		0.01	8.50	05/31/89	7.80	05/15/89	7.90	06/06/89	8.60 *
				05/31/89	7.80	05/15/89	8.00		NR
				05/31/89	9.30 *	05/15/89	7.90		NR
				05/31/89	7.80	05/15/89	7.90		NR
				09/27/89	7.80	07/11/89	8.00		NR
				09/27/89	7.80	07/11/89	7.80		NR
				09/27/89	7.80	07/11/89	8.00		NR
				09/27/89	7.80	07/11/89	8.00		NR
					NR	09/25/89	7.90		NR
					NR	09/25/89	7.90		NR
					NR	09/25/89	7.90		NR
					NR	09/25/89	7.90		NR
PHFIELD		0.10	8.50	05/31/89	6.40	05/15/89	7.67	06/06/89	8.25
				09/27/89	7.58	05/15/89	7.67		NR
					NR	05/15/89	7.64		NR
					NR	05/15/89	7.63		NR
					NR	07/11/89	7.80		NR
					NR	07/11/89	7.80		NR
					NR	07/11/89	7.79		NR
					NR	07/11/89	7.79		NR
					NR	09/25/89	7.86		NR
					NR	09/25/89	7.84		NR
					NR	09/25/89	7.84		NR
					NR	09/25/89	7.84		NR
PHOSPHA	PPB	1000.00		05/31/89		05/15/89		06/06/89	
				09/27/89	1100.00	07/11/89			NR
					NR	09/25/89			NR
POTASUM	PPB	100.00		05/31/89	5970.00	05/15/89	3830.00		NR
				09/27/89	5490.00	07/11/89	3930.00		NR
					NR	09/25/89	4180.00		NR
PU39-40	PCI/L	17.00	1.20	05/31/89	0.04	05/15/89			NR
					(0.02)				
					NR	07/11/89			NR
RADIUM	PCI/L	1.00	5.00	05/31/89		05/15/89			NR
				09/27/89		07/11/89			NR
					NR	09/25/89	0.34		NR
							(0.19)		
SILICON	PPB	50.00		05/31/89	20100.00	05/15/89	21500.00		NR
				09/27/89	17800.00	07/11/89	20700.00		NR
					NR	09/25/89	22000.00		NR
SODIUM	PPB	200.00		05/31/89	25700.00	05/15/89	24900.00		NR
				09/27/89	24200.00	07/11/89	24700.00		NR
					NR	09/25/89	23300.00		NR
STRONIUM	PPB	10.00		05/31/89	209.00	05/15/89	153.00		NR
				09/27/89	202.00	07/11/89	125.00		NR
					NR	09/25/89	147.00		NR
SULFATE	PPB	500.00	250000.00	05/31/89	41500.00	05/15/89	21500.00	06/06/89	22800.00
				09/27/89	37000.00	07/11/89	23000.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W15-17	SAMPLE DATE	2-W15-18	SAMPLE DATE	2-W18-4
SULFATE	PPB	500.00	250000.00		NR	09/25/89	20000.00		NR
TC	PPB	1000.00		09/27/89	32000.00	09/25/89	23000.00	06/06/89	16900.00
TC-99	PCI/L	15.00	900.00	05/31/89	7.95	05/15/89	27.40		NR
					(1.30)		(1.47)		
				09/27/89	13.20	07/11/89	8.05		NR
					(1.78)		(1.22)		
					NR	09/25/89	10.10		NR
							(1.21)		
TETRANE	PPB	5.00	5.00	05/31/89		05/15/89	1710.00 *	06/06/89	194.00 *
				09/27/89		07/11/89	1580.00 *		NR
					NR	09/25/89	189.00 *		NR
TITAN	PPB	60.00		05/31/89	163.00	05/15/89			NR
				09/27/89		07/11/89			NR
					NR	09/25/89			NR
TOC	PPB	2000.00		05/31/89		05/15/89		06/06/89	
				05/31/89		05/15/89			NR
				05/31/89		05/15/89			NR
				05/31/89	2100.00	05/15/89			NR
				09/27/89		07/11/89			NR
				09/27/89		07/11/89			NR
				09/27/89		07/11/89			NR
				09/27/89		07/11/89			NR
					NR	09/25/89			NR
					NR	09/25/89			NR
					NR	09/25/89			NR
					NR	09/25/89			NR
TOXLDL	PPB	10.00		05/31/89	14.00	05/15/89	1260.00		NR
				05/31/89		05/15/89	1360.00		NR
				05/31/89	18.00	05/15/89	1150.00		NR
				05/31/89	12.00	05/15/89	1340.00		NR
				09/27/89		07/11/89	1100.00		NR
				09/27/89	12.00	07/11/89	1120.00		NR
				09/27/89	14.00	07/11/89	1080.00		NR
				09/27/89	18.00	07/11/89	1150.00		NR
					NR	09/25/89	1150.00		NR
					NR	09/25/89	1170.00		NR
					NR	09/25/89	1190.00		NR
					NR	09/25/89	1140.00		NR
TRITIUM	PCI/L	500.00	20000.00	05/31/89		05/15/89			NR
				09/27/89	261.00	07/11/89	472.00		NR
					(137.00)		(161.00)		
					NR	09/25/89			NR
TURBID	NTU	0.10	1.00	09/27/89	27.00 *	07/11/89	0.50		NR
					NR	09/25/89	3.20 *		NR
U	PCI/L	0.50	600.00	05/31/89	0.55	05/15/89	0.75		NR
				09/27/89	0.69	07/11/89	0.57		NR
					NR	09/25/89	0.69		NR
VANADUM	PPB	5.00		05/31/89	18.00	05/15/89	28.00		NR
				09/27/89	22.00	07/11/89	29.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W15-17	SAMPLE DATE	2-W15-18	SAMPLE DATE	2-W18-4
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
VANADUM	PPB	5.00			NR	09/25/89	24.00		NR
ZINC	PPB	5.00	5000.00	05/31/89	1940.00	05/15/89	17.00		NR
				09/27/89	642.00	07/11/89	14.00		NR
					NR	09/25/89	14.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W18-7	SAMPLE DATE	2-W18-9	SAMPLE DATE	2-W18-15
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ALPHA	PCI/L	4.00	15.00		NR	03/09/89		03/09/89	30.80 +
ALPHAHI	PCI/L	4.00	15.00	09/01/89	9.59	09/01/89	1.63		(4.27)
BETA	PCI/L	8.00	50.00	09/01/89	(3.17)		(1.01)		NR
					10.90	03/09/89		03/09/89	7.16
					(3.06)				(2.81)
					NR	09/01/89	5.11		NR
							(2.42)		
U-234	PCI/L	0.10	20.00		NR		NR	03/09/89	17.80
U-235	PCI/L	0.10	24.00		NR		NR	03/09/89	(1.27)
U-238	PCI/L	0.10	24.00		NR		NR	03/09/89	(0.73
U-CHEM	UG/L	0.73			NR		NR	03/09/89	(0.29)
									17.90
									(1.27)
									46.80

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W18-17	SAMPLE DATE	2-W18-20	SAMPLE DATE	2-W18-21
1,1,1-T	PPB	5.00	200.00	06/06/89			NR	03/22/89	8.00
					NR		NR	05/16/89	
					NR		NR	05/16/89	
					NR		NR	09/12/89	
ALKALIN ALPHA	PCI/L	20000.00 4.00	15.00	06/06/89 01/04/89	72400.00	01/04/89	NR 1.99		NR NR
				01/10/89	1.36	01/10/89	(1.47)		NR
					(1.20)				
ALPHAHI	PCI/L	4.00	15.00	02/22/89		02/22/89		03/22/89	12.30
				03/07/89		03/07/89		05/16/89	(3.48)
				08/23/89	12.40	10/10/89	9.42	05/16/89	19.40 *
				10/06/89	(4.30)		(3.02)	09/12/89	(3.89)
					3.05		NR		24.80 *
					(1.50)				(4.30)
AMMONIU	PPB	50.00		06/06/89	193.00		NR	03/22/89	(3.61)
					NR		NR	05/16/89	
					NR		NR	05/16/89	
					NR		NR	09/12/89	
ARSENIC	PPB	5.00	50.00		NR		NR	03/22/89	
					NR		NR	05/16/89	5.00
					NR		NR	05/16/89	
					NR		NR	09/12/89	
BARIUM	PPB	6.00	1000.00		NR		NR	03/22/89	25.00
					NR		NR	05/16/89	24.00
					NR		NR	05/16/89	22.00
					NR		NR	09/12/89	21.00
BETA	PCI/L	8.00	50.00	01/04/89	5.12	01/04/89	5.29	03/22/89	9.25
				01/10/89	(2.42)	01/10/89	(2.38)	05/16/89	(2.88)
				02/22/89	2.60	02/22/89	(2.19)	05/16/89	(2.72)
				03/07/89	(2.08)	03/07/89	(2.20)	09/12/89	(2.42)
				08/23/89	2.66	10/10/89	9.78		7.28
				10/06/89	(2.33)		(3.01)		(2.63)
					24.60		NR		NR
					(4.06)				
					0.68				
					(0.46)				
BORON	PPB	10.00			NR		NR	03/22/89	25.00
					NR		NR	05/16/89	25.00
					NR		NR	05/16/89	23.00
					NR		NR	09/12/89	26.00
CALCIUM	PPB	50.00			NR		NR	03/22/89	21700.00
					NR		NR	05/16/89	21600.00
					NR		NR	05/16/89	20300.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W18-17	SAMPLE DATE	2-W18-20	SAMPLE DATE	2-W18-21
CALCIUM	PPB	50.00			NR		NR	09/12/89	21400.00
CHLORID	PPB	500.00	250000.00	06/06/89	3600.00		NR	03/22/89	2800.00
					NR		NR	05/16/89	3100.00
					NR		NR	05/16/89	3100.00
					NR		NR	09/12/89	3400.00
CHROMIUM	PPB	10.00	50.00		NR		NR	03/22/89	30.00
					NR		NR	05/16/89	44.00
					NR		NR	05/16/89	52.00 *
					NR		NR	09/12/89	55.00 *
CO-60	PCI/L	22.50	100.00	01/10/89		01/10/89		03/22/89	
				08/23/89	(16.80	10/10/89		05/16/89	
				10/06/89	10.30)		NR	05/16/89	
					NR		NR	09/12/89	
CONDFLD	UMHO	1.00	700.00	06/06/89	221.00		NR	03/22/89	227.00
					NR		NR	05/16/89	230.00
					NR		NR	05/16/89	232.00
					NR		NR	05/16/89	231.00
					NR		NR	05/16/89	231.00
					NR		NR	09/12/89	234.00
					NR		NR	09/12/89	233.00
					NR		NR	09/12/89	233.00
					NR		NR	09/12/89	233.00
CONDLAB	UMHO		700.00		NR		NR	03/22/89	218.00 @
					NR		NR	03/22/89	225.00 @
					NR		NR	03/22/89	224.00 @
					NR		NR	03/22/89	224.00 @
					NR		NR	05/16/89	224.00 @
					NR		NR	05/16/89	222.00 @
					NR		NR	05/16/89	220.00 @
					NR		NR	05/16/89	221.00 @
					NR		NR	09/12/89	230.00 @
					NR		NR	09/12/89	231.00 @
					NR		NR	09/12/89	232.00 @
					NR		NR	09/12/89	232.00 @
FARSEN	PPB	5.00	50.00		NR		NR	03/22/89	
					NR		NR	05/16/89	
					NR		NR	05/16/89	5.00
					NR		NR	09/12/89	
FBARIUM	PPB	6.00	1000.00		NR		NR	03/22/89	20.00
					NR		NR	05/16/89	26.00
					NR		NR	05/16/89	22.00
					NR		NR	09/12/89	25.00
FBORON	PPB	10.00			NR		NR	03/22/89	24.00
					NR		NR	05/16/89	27.00
					NR		NR	05/16/89	26.00
					NR		NR	09/12/89	23.00
FCALCIU	PPB	50.00			NR		NR	03/22/89	18000.00
					NR		NR	05/16/89	22900.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W18-17	SAMPLE DATE	2-W18-20	SAMPLE DATE	2-W18-21
FCALCIU	PPB	50.00			NR		NR	05/16/89	20600.00
FCOPPER	PPB	10.00	(1300.0)		NR		NR	09/12/89	22400.00
					NR		NR	03/22/89	
					NR		NR	05/16/89	24.00
					NR		NR	05/16/89	15.00
FIRON	PPB	30.00	300.00		NR		NR	09/12/89	
					NR		NR	03/22/89	
					NR		NR	05/16/89	81.00
					NR		NR	05/16/89	
FMAGNES	PPB	50.00			NR		NR	09/12/89	32.00
					NR		NR	03/22/89	6030.00
					NR		NR	05/16/89	6690.00
					NR		NR	05/16/89	6050.00
FMANGAN	PPB	5.00	50.00		NR		NR	09/12/89	6760.00
					NR		NR	03/22/89	
					NR		NR	05/16/89	7.00
					NR		NR	05/16/89	
FNICKEL	PPB	10.00			NR		NR	09/12/89	
					NR		NR	03/22/89	
					NR		NR	05/16/89	13.00
					NR		NR	05/16/89	11.00
					NR		NR	09/12/89	
FPOTASS	PPB	100.00			NR		NR	03/22/89	2530.00
					NR		NR	05/16/89	2880.00
					NR		NR	05/16/89	2690.00
					NR		NR	09/12/89	3230.00
FSILICO	PPB	50.00			NR		NR	03/22/89	15800.00
					NR		NR	05/16/89	18900.00
					NR		NR	05/16/89	17100.00
					NR		NR	09/12/89	19600.00
FSODIUM	PPB	200.00			NR		NR	03/22/89	16300.00
					NR		NR	05/16/89	19300.00
					NR		NR	05/16/89	17600.00
					NR		NR	09/12/89	19300.00
FSTRONT	PPB	10.00			NR		NR	03/22/89	79.00
					NR		NR	05/16/89	95.00
					NR		NR	05/16/89	85.00
					NR		NR	09/12/89	92.00
FVANADI	PPB	5.00			NR		NR	03/22/89	29.00
					NR		NR	05/16/89	28.00
					NR		NR	05/16/89	27.00
					NR		NR	09/12/89	29.00
FZINC	PPB	5.00	5000.00		NR		NR	03/22/89	
					NR		NR	05/16/89	
					NR		NR	05/16/89	
					NR		NR	09/12/89	12.00
HNITRAT	PPB	2500.00	45000.00	03/07/89		03/15/89			NR
				08/23/89		10/10/89			NR
				10/06/89	3000.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W18-17	SAMPLE DATE	2-W18-20	SAMPLE DATE	2-W18-21
IRON	PPB	30.00	300.00		NR		NR	03/22/89	164.00
					NR		NR	05/16/89	503.00 *
					NR		NR	05/16/89	541.00 *
					NR		NR	09/12/89	431.00 *
MAGNES	PPB	50.00			NR		NR	03/22/89	6980.00
					NR		NR	05/16/89	6450.00
					NR		NR	05/16/89	5990.00
					NR		NR	09/12/89	6470.00
MANGESE	PPB	5.00	50.00		NR		NR	03/22/89	
					NR		NR	05/16/89	12.00
					NR		NR	05/16/89	12.00
					NR		NR	09/12/89	8.00
NICKEL	PPB	10.00			NR		NR	03/22/89	17.00
					NR		NR	05/16/89	25.00
					NR		NR	05/16/89	28.00
					NR		NR	09/12/89	28.00
NITRATE	PPB	500.00	45000.00	06/06/89	1100.00		NR	03/22/89	2200.00
					NR		NR	05/16/89	3000.00
					NR		NR	05/16/89	2600.00
					NR		NR	09/12/89	2500.00
PH-LAB		0.01	8.50	06/06/89	8.00		NR	03/22/89	7.90
					NR		NR	03/22/89	8.00
					NR		NR	03/22/89	8.00
					NR		NR	03/22/89	8.00
					NR		NR	05/16/89	7.90
					NR		NR	05/16/89	7.90
					NR		NR	05/16/89	8.00
					NR		NR	05/16/89	7.90
					NR		NR	09/12/89	7.90
					NR		NR	09/12/89	7.90
					NR		NR	09/12/89	7.90
PHFIELD		0.10	8.50	06/06/89	7.48		NR	03/22/89	7.70
					NR		NR	05/16/89	7.80
					NR		NR	05/16/89	7.81
					NR		NR	05/16/89	7.80
					NR		NR	05/16/89	7.79
					NR		NR	09/12/89	7.68
					NR		NR	09/12/89	7.70
					NR		NR	09/12/89	7.72
					NR		NR	09/12/89	7.72
POTASUM	PPB	100.00			NR		NR	03/22/89	2950.00
					NR		NR	05/16/89	2780.00
					NR		NR	05/16/89	2570.00
					NR		NR	09/12/89	3130.00
SILICON	PPB	50.00			NR		NR	03/22/89	19000.00
					NR		NR	05/16/89	18500.00
					NR		NR	05/16/89	17200.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W18-17	SAMPLE DATE	2-W18-20	SAMPLE DATE	2-W18-21
SILICON	PPB	50.00			NR		NR	09/12/89	18900.00
SODIUM	PPB	200.00			NR		NR	03/22/89	19400.00
					NR		NR	05/16/89	18700.00
					NR		NR	05/16/89	17300.00
					NR		NR	09/12/89	18400.00
SR 90	PCI/L	5.00	8.00		NR		NR	03/22/89	
					NR		NR	05/16/89	
					NR		NR	05/16/89	0.93
									(0.81)
STRONUM	PPB	10.00			NR		NR	03/22/89	92.00
					NR		NR	05/16/89	89.00
					NR		NR	05/16/89	81.00
					NR		NR	09/12/89	89.00
SULFATE	PPB	500.00	250000.00	06/06/89	6300.00		NR	03/22/89	14000.00
					NR		NR	05/16/89	14400.00
					NR		NR	05/16/89	14400.00
					NR		NR	09/12/89	14700.00
TC	PPB	1000.00		06/06/89	15600.00		NR	09/12/89	23000.00
TETRANE	PPB	5.00	5.00	06/06/89			NR	03/22/89	146.00 *
					NR		NR	05/16/89	139.00 *
					NR		NR	05/16/89	148.00 *
					NR		NR	09/12/89	138.00 *
TOXLDL	PPB	10.00			NR		NR	03/22/89	109.00
					NR		NR	03/22/89	106.00
					NR		NR	03/22/89	103.00
					NR		NR	03/22/89	106.00
					NR		NR	05/16/89	120.00
					NR		NR	05/16/89	123.00
					NR		NR	05/16/89	115.00
					NR		NR	05/16/89	125.00
					NR		NR	09/12/89	105.00
					NR		NR	09/12/89	111.00
					NR		NR	09/12/89	120.00
					NR		NR	09/12/89	107.00
TRITIUM	PCI/L	500.00	20000.00	01/10/89		01/10/89		03/22/89	
				08/23/89	785.00	10/10/89		05/16/89	734.00
					(152.00)				(119.00)
				10/06/89	3300.00		NR	09/12/89	309.00
					(223.00)				(140.00)
TURBID	NTU	0.10	1.00		NR		NR	09/12/89	2.10 *
U	PCI/L	0.50	600.00		NR		NR	03/22/89	23.20
					NR		NR	05/16/89	20.80
					NR		NR	09/12/89	24.00
VANADUM	PPB	5.00			NR		NR	03/22/89	26.00
					NR		NR	05/16/89	28.00
					NR		NR	05/16/89	25.00
					NR		NR	09/12/89	32.00
ZINC	PPB	5.00	5000.00		NR		NR	03/22/89	
					NR		NR	05/16/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W18-17	SAMPLE DATE	2-W18-20	SAMPLE DATE	2-W18-21
ZINC	PPB	5.00	5000.00		NR NR		NR NR	05/16/89 09/12/89	6.00 13.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W18-22	SAMPLE DATE	2-W18-23	SAMPLE DATE	2-W18-24
ACETONE	PPB	10.00		06/15/89 07/31/89 09/22/89		01/03/89 05/11/89 07/24/89 08/31/89 09/22/89 01/03/89		01/04/89 05/11/89 07/28/89 09/25/89	70.00 20.00 NR 1.94 (1.43)
ALPHA	PCI/L	4.00	15.00		NR NR			01/04/89	1.13 (0.94)
ALPHAHI	PCI/L	4.00	15.00	06/15/89 07/31/89 09/22/89	1.71 (1.45) 1.02 (0.98)	05/11/89 07/24/89 09/22/89	1.10 (1.00) 1.45 (1.00)	05/11/89 07/28/89 09/25/89	1.04 (0.97) 1.87 (1.16)
ALUMNUM	PPB	150.00		06/15/89 07/31/89 09/22/89	202.00 NR	01/03/89 05/11/89 07/24/89 09/22/89	352.00	01/04/89 05/11/89 07/28/89 09/25/89	
AMMONIU	PPB	50.00		06/15/89 07/31/89 09/22/89		01/03/89 05/11/89 07/24/89 09/22/89	59.00	01/04/89 05/11/89 07/28/89 09/25/89	
BARIUM	PPB	6.00	1000.00	06/15/89 07/31/89 09/22/89	NR 52.00 53.00 58.00 NR	01/03/89 05/11/89 07/24/89 09/22/89	26.00 24.00 26.00 28.00	01/04/89 05/11/89 07/28/89 09/25/89	29.00 31.00 28.00 29.00
BETA	PCI/L	8.00	50.00	06/15/89 07/31/89 09/22/89	6.24 (2.63) 6.46 (2.60) 4.83 (2.41) NR	01/03/89 05/11/89 07/24/89 09/22/89	4.68 (2.21) 4.71 (2.39) 3.46 (2.24)	01/04/89 05/11/89 07/28/89 09/25/89	3.30 (2.07) 3.93 (2.37) 2.56 (2.28) 7.37 (2.56)
BORON	PPB	10.00		06/15/89 07/31/89 09/22/89	17.00 13.00 16.00 NR	01/03/89 05/11/89 07/24/89 09/22/89	32.00 24.00 32.00 21.00	01/04/89 05/11/89 07/28/89 09/25/89	16.00 26.00 17.00 21.00
CADMIUM	PPB	2.00	10.00	06/15/89 07/31/89 09/22/89		01/03/89 05/11/89 07/24/89	3.00	01/04/89 05/11/89 07/28/89	
CALCIUM	PPB	50.00		06/15/89 07/31/89 09/22/89	NR 33700.00 36500.00 34800.00 NR	01/03/89 05/11/89 07/24/89 09/22/89	25800.00 24600.00 26300.00 25500.00	01/04/89 05/11/89 07/28/89 09/25/89	25400.00 26600.00 24400.00 24700.00
CHLFORM	PPB	5.00	100.00	06/15/89 07/31/89 09/22/89		01/03/89 05/11/89 07/24/89	5.00	01/04/89 05/11/89 07/28/89	23.00 16.00 13.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W18-22	SAMPLE DATE	2-W18-23	SAMPLE DATE	2-W18-24
CHLFORM	PPB	5.00	100.00		NR	08/31/89	8.00	09/25/89	17.00
					NR	09/22/89	7.00		NR
CHLORID	PPB	500.00	250000.00	06/15/89	9600.00	01/03/89	2800.00	01/04/89	3500.00
				07/31/89	9000.00	05/11/89	3100.00	05/11/89	3800.00
				09/22/89	9000.00	07/24/89	3340.00	07/28/89	4200.00
					NR	09/22/89	3300.00	09/25/89	4000.00
CHROMIUM	PPB	10.00	50.00	06/15/89	86.00 *	01/03/89	53.00 *	01/04/89	51.00 *
				07/31/89	100.00 *	05/11/89	54.00 *	05/11/89	109.00 *
				09/22/89	106.00 *	07/24/89	32.00	07/28/89	50.00
					NR	09/22/89	68.00 *	09/25/89	22.00
CO-60	PCI/L	22.50	100.00	06/15/89		01/03/89		01/04/89	7.29
				09/22/89		05/11/89		05/11/89	(7.13)
					NR	07/24/89		07/28/89	
					NR	09/22/89		09/25/89	
COND FLD	UMHO	1.00	700.00	06/15/89	247.00	01/03/89	179.00	01/04/89	279.00
				06/15/89	246.00	01/03/89	179.00	01/04/89	279.00
				06/15/89	245.00	01/03/89	179.00	01/04/89	279.00
				06/15/89	246.00	01/03/89	179.00	01/04/89	279.00
				07/31/89	320.00	05/11/89	205.00	05/11/89	256.00
				07/31/89	320.00	05/11/89	206.00	05/11/89	256.00
				07/31/89	320.00	05/11/89	206.00	05/11/89	258.00
				07/31/89	320.00	05/11/89	206.00	05/11/89	257.00
				09/22/89	337.00	07/24/89	234.00	07/28/89	260.00
				09/22/89	337.00	07/24/89	235.00	07/28/89	260.00
				09/22/89	337.00	07/24/89	236.00	07/28/89	260.00
				09/22/89	338.00	07/24/89	236.00	07/28/89	260.00
					NR	09/22/89	296.00	09/25/89	258.00
					NR	09/22/89	294.00	09/25/89	254.00
					NR	09/22/89	291.00	09/25/89	253.00
					NR	09/22/89	289.00	09/25/89	252.00
CONDLAB	UMHO		700.00	06/15/89	325.00 a	01/03/89	252.00 a	01/04/89	279.00 a
				06/15/89	328.00 a	01/03/89	255.00 a	01/04/89	281.00 a
				06/15/89	328.00 a	01/03/89	253.00 a	01/04/89	279.00 a
				06/15/89	326.00 a	01/03/89	253.00 a	01/04/89	280.00 a
				07/31/89	323.00 a	05/11/89	214.00 a	05/11/89	264.00 a
				07/31/89	323.00 a	05/11/89	243.00 a	05/11/89	265.00 a
				07/31/89	322.00 a	05/11/89	246.00 a	05/11/89	264.00 a
				07/31/89	321.00 a	05/11/89	244.00 a	05/11/89	266.00 a
				09/22/89	354.00 a	07/24/89	205.00 a	07/28/89	235.00 a
				09/22/89	353.00 a	07/24/89	204.00 a	07/28/89	235.00 a
				09/22/89	353.00 a	07/24/89	205.00 a	07/28/89	236.00 a
				09/22/89	357.00 a	07/24/89	208.00 a	07/28/89	235.00 a
					NR	09/22/89	253.00 a	09/25/89	276.00 a
					NR	09/22/89	255.00 a	09/25/89	277.00 a
					NR	09/22/89	255.00 a	09/25/89	277.00 a
					NR	09/22/89	257.00 a	09/25/89	276.00 a
FBARIUM	PPB	6.00	1000.00	06/15/89	53.00	01/03/89	26.00	01/04/89	26.00
				07/31/89	56.00	05/11/89	25.00	05/11/89	26.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W18-22	SAMPLE DATE	2-W18-23	SAMPLE DATE	2-W18-24
FBARIUM	PPB	6.00	1000.00	09/22/89	53.00	07/24/89	28.00	07/28/89	27.00
					NR	09/22/89	28.00	09/25/89	29.00
FBORON	PPB	10.00		06/15/89	14.00	01/03/89	22.00	01/04/89	18.00
				07/31/89	17.00	05/11/89	19.00	05/11/89	14.00
				09/22/89	18.00	07/24/89	26.00	07/28/89	23.00
					NR	09/22/89	24.00	09/25/89	20.00
FCALCIU	PPB	50.00		06/15/89	34900.00	01/03/89	26400.00	01/04/89	26200.00
				07/31/89	38500.00	05/11/89	25000.00	05/11/89	24100.00
				09/22/89	33900.00	07/24/89	28700.00	07/28/89	23600.00
					NR	09/22/89	25200.00	09/25/89	25300.00
FIRON	PPB	30.00	300.00	06/15/89		01/03/89	33.00	01/04/89	43.00
				07/31/89	37.00	05/11/89	47.00	05/11/89	32.00
				09/22/89	33.00	07/24/89	33.00	07/28/89	
					NR	09/22/89		09/25/89	
FLUORID	PPB	500.00	4000.00	06/15/89		01/03/89		01/04/89	600.00
				07/31/89		05/11/89		05/11/89	600.00
				09/22/89		07/24/89		07/28/89	700.00
					NR	09/22/89		09/25/89	600.00
FMAGNES	PPB	50.00		06/15/89	12200.00	01/03/89	7320.00	01/04/89	7620.00
				07/31/89	13100.00	05/11/89	7350.00	05/11/89	7750.00
				09/22/89	11700.00	07/24/89	7620.00	07/28/89	7200.00
					NR	09/22/89	7210.00	09/25/89	7820.00
FPOTASS	PPB	100.00		06/15/89	4270.00	01/03/89	3220.00	01/04/89	2990.00
				07/31/89	4470.00	05/11/89	3030.00	05/11/89	3010.00
				09/22/89	4340.00	07/24/89	3310.00	07/28/89	3000.00
					NR	09/22/89	3380.00	09/25/89	3470.00
FSILICO	PPB	50.00		06/15/89	20800.00	01/03/89	19000.00	01/04/89	20600.00
				07/31/89	23200.00	05/11/89	19400.00	05/11/89	20400.00
				09/22/89	21300.00	07/24/89	20900.00	07/28/89	20600.00
					NR	09/22/89	20000.00	09/25/89	22900.00
FSODIUM	PPB	200.00		06/15/89	14500.00	01/03/89	14700.00	01/04/89	16800.00
				07/31/89	15600.00	05/11/89	13900.00	05/11/89	16700.00
				09/22/89	13600.00	07/24/89	14800.00	07/28/89	16500.00
					NR	09/22/89	13700.00	09/25/89	17100.00
FSTRONT	PPB	10.00		06/15/89	167.00	01/03/89	103.00	01/04/89	104.00
				07/31/89	185.00	05/11/89	104.00	05/11/89	101.00
				09/22/89	163.00	07/24/89	116.00	07/28/89	98.00
					NR	09/22/89	107.00	09/25/89	107.00
FVANADI	PPB	5.00		06/15/89	31.00	01/03/89	29.00	01/04/89	31.00
				07/31/89	29.00	05/11/89	27.00	05/11/89	32.00
				09/22/89	24.00	07/24/89	29.00	07/28/89	30.00
					NR	09/22/89	26.00	09/25/89	33.00
FZINC	PPB	5.00	5000.00	06/15/89	21.00	01/03/89	11.00	01/04/89	
				07/31/89	17.00	05/11/89		05/11/89	
				09/22/89	16.00	07/24/89	10.00	07/28/89	
					NR	09/22/89	12.00	09/25/89	11.00
IRON	PPB	30.00	300.00	06/15/89	585.00 *	01/03/89	345.00 *	01/04/89	217.00
				07/31/89	435.00 *	05/11/89	1150.00 *	05/11/89	438.00 *
				09/22/89	905.00 *	07/24/89	323.00 *	07/28/89	196.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W18-22	SAMPLE DATE	2-W18-23	SAMPLE DATE	2-W18-24
IRON	PPB	30.00	300.00		NR	09/22/89	318.00 *	09/25/89	101.00
MAGNES	PPB	50.00		06/15/89	11500.00	01/03/89	7240.00	01/04/89	7510.00
				07/31/89	12000.00	05/11/89	7190.00	05/11/89	8290.00
				09/22/89	12000.00	07/24/89	7070.00	07/28/89	7270.00
					NR	09/22/89	7370.00	09/25/89	7590.00
MANGESE	PPB	5.00	50.00	06/15/89	9.00	01/03/89	7.00	01/04/89	17.00
				07/31/89	7.00	05/11/89	17.00	05/11/89	16.00
				09/22/89	17.00	07/24/89	7.00	07/28/89	9.00
					NR	09/22/89	8.00	09/25/89	12.00
METHONE	PPB	10.00		06/15/89		01/03/89		01/04/89	
				07/31/89		05/11/89		05/11/89	
				09/22/89	11.00	07/24/89		07/28/89	
					NR	08/31/89		09/25/89	
					NR	09/22/89			NR
METHYCH	PPB	5.00		06/15/89		01/03/89		01/04/89	13.00
				07/31/89		05/11/89		05/11/89	
				09/22/89		07/24/89		07/28/89	
					NR	08/31/89		09/25/89	
					NR	09/22/89			NR
NICKEL	PPB	10.00		06/15/89	43.00	01/03/89	31.00	01/04/89	27.00
				07/31/89	48.00	05/11/89	24.00	05/11/89	52.00
				09/22/89	61.00	07/24/89	20.00	07/28/89	23.00
					NR	09/22/89	38.00	09/25/89	13.00
NITRATE	PPB	500.00	45000.00	06/15/89	16900.00	01/03/89	5800.00	01/04/89	22000.00
				07/31/89	15800.00	05/11/89	5700.00	05/11/89	21700.00
				09/22/89	15800.00	07/24/89	5870.00	07/28/89	20700.00
					NR	09/22/89	5800.00	09/25/89	18700.00
PH-LAB		0.01	8.50	06/15/89	8.00	01/03/89	7.80	01/04/89	7.90
				06/15/89	8.00	01/03/89	7.90	01/04/89	7.90
				06/15/89	8.00	01/03/89	7.90	01/04/89	7.90
				06/15/89	8.00	01/03/89	7.90	01/04/89	7.90
				07/31/89	7.80	05/11/89	8.00	05/11/89	8.00
				07/31/89	7.80	05/11/89	8.00	05/11/89	8.00
				07/31/89	7.80	05/11/89	8.00	05/11/89	8.00
				07/31/89	7.80	05/11/89	8.00	05/11/89	8.00
				09/22/89	8.00	07/24/89	7.90	07/28/89	8.00
				09/22/89	8.00	07/24/89	7.90	07/28/89	8.00
				09/22/89	8.00	07/24/89	8.00	07/28/89	8.00
				09/22/89	8.00	07/24/89	8.00	07/28/89	8.00
					NR	09/22/89	7.80	09/25/89	7.90
					NR	09/22/89	7.90	09/25/89	7.90
					NR	09/22/89	7.90	09/25/89	7.90
					NR	09/22/89	8.00	09/25/89	7.90
PHFIELD		0.10	8.50	06/15/89	7.30	01/03/89	7.80	01/04/89	7.70
				06/15/89	7.30	01/03/89	7.70	01/04/89	7.80
				06/15/89	7.30	01/03/89	7.90	01/04/89	7.80
				06/15/89	7.30	01/03/89	7.80	01/04/89	7.80
				07/31/89	7.80	05/11/89	7.70	05/11/89	7.70
				07/31/89	7.80	05/11/89	7.60	05/11/89	7.70

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W18-22	SAMPLE DATE	2-W18-23	SAMPLE DATE	2-W18-24
PHFIELD		0.10	8.50	07/31/89	7.80	05/11/89	7.60	05/11/89	7.70
				07/31/89	7.80	05/11/89	7.60	05/11/89	7.70
				09/22/89	7.82	07/24/89	7.77	07/28/89	7.85
				09/22/89	7.82	07/24/89	7.76	07/28/89	7.85
				09/22/89	7.82	07/24/89	7.76	07/28/89	7.85
				09/22/89	7.81	07/24/89	7.74	07/28/89	7.90
					NR	09/22/89	7.93	09/25/89	8.07
					NR	09/22/89	7.93	09/25/89	8.03
					NR	09/22/89	7.93	09/25/89	8.01
					NR	09/22/89	7.94	09/25/89	7.99
POTASUM	PPB	100.00		06/15/89	4040.00	01/03/89	3230.00	01/04/89	2950.00
				07/31/89	4210.00	05/11/89	3010.00	05/11/89	3240.00
				09/22/89	4520.00	07/24/89	3030.00	07/28/89	3090.00
					NR	09/22/89	3530.00	09/25/89	3350.00
RAOUM	PCI/L	1.00	5.00	06/15/89	0.40	01/03/89		01/04/89	
					(0.20)				
				07/31/89		05/11/89		05/11/89	0.23
								(0.18)	
				09/22/89	0.50	07/24/89		07/28/89	
					(0.23)				
					NR	09/22/89	0.26	09/25/89	
						(0.17)			
SILICON	PPB	50.00		06/15/89	19900.00	01/03/89	18700.00	01/04/89	20300.00
				07/31/89	22400.00	05/11/89	19100.00	05/11/89	22000.00
				09/22/89	22400.00	07/24/89	19300.00	07/28/89	21000.00
					NR	09/22/89	20400.00	09/25/89	22200.00
SODIUM	PPB	200.00		06/15/89	13700.00	01/03/89	14600.00	01/04/89	16800.00
				07/31/89	14500.00	05/11/89	13500.00	05/11/89	18100.00
				09/22/89	14000.00	07/24/89	13600.00	07/28/89	16600.00
					NR	09/22/89	14200.00	09/25/89	16500.00
STRONUM	PPB	10.00		06/15/89	161.00	01/03/89	102.00	01/04/89	103.00
				07/31/89	171.00	05/11/89	104.00	05/11/89	112.00
				09/22/89	168.00	07/24/89	105.00	07/28/89	100.00
					NR	09/22/89	109.00	09/25/89	105.00
SULFATE	PPB	500.00	250000.00	06/15/89	19600.00	01/03/89	14800.00	01/04/89	20300.00
				07/31/89	18800.00	05/11/89	15600.00	05/11/89	20500.00
				09/22/89	18000.00	07/24/89	16000.00	07/28/89	21200.00
					NR	09/22/89	15000.00	09/25/89	19300.00
TC	PPB	1000.00		09/22/89	28000.00	01/03/89	22600.00	01/04/89	20400.00
					NR	09/22/89	22600.00	09/25/89	21000.00
TC-99	PCI/L	15.00	900.00	06/15/89		01/03/89		01/04/89	
				07/31/89		05/11/89		05/11/89	46.00
								(1.63)	
				09/22/89		07/24/89		07/28/89	
					NR	09/22/89		09/25/89	
TETRANE	PPB	5.00	5.00	06/15/89		01/03/89	195.00 *	01/04/89	575.00 *
				07/31/89		05/11/89	732.00 *	05/11/89	945.00 *

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W18-22	SAMPLE DATE	2-W18-23	SAMPLE DATE	2-W18-24
TETRANE	PPB	5.00	5.00	09/22/89		07/24/89		07/28/89	650.00 *
					NR	08/31/89	760.00 *	09/25/89	737.00 *
					NR	09/22/89	611.00 *		NR
TOXLOL	PPB	10.00		06/15/89		01/03/89	460.00	01/04/89	695.00
				06/15/89		01/03/89	564.00	01/04/89	716.00
				06/15/89		01/03/89	564.00	01/04/89	752.00
				06/15/89		01/03/89	607.00	01/04/89	631.00
				07/31/89		05/11/89	629.00	05/11/89	831.00
				07/31/89		05/11/89	600.00	05/11/89	843.00
				07/31/89		05/11/89	588.00	05/11/89	761.00
				07/31/89		05/11/89	562.00	05/11/89	728.00
				09/22/89		07/24/89	600.00	07/28/89	527.00
				09/22/89		07/24/89	570.00	07/28/89	529.00
				09/22/89		07/24/89	562.00	07/28/89	499.00
				09/22/89		07/24/89	525.00	07/28/89	467.00
					NR	09/22/89	476.00	09/25/89	624.00
					NR	09/22/89	515.00	09/25/89	642.00
					NR	09/22/89	515.00	09/25/89	576.00
					NR	09/22/89	480.00	09/25/89	610.00
TRITIUM	PCI/L	500.00	20000.00	06/15/89	1150.00	01/03/89		01/04/89	
					(163.00)				
				07/31/89		05/11/89		05/11/89	
				09/22/89	1090.00	07/24/89		07/28/89	
					(163.00)				
					NR	09/22/89	615.00	09/25/89	
							(148.00)		
TURBID	WTU	0.10	1.00	07/31/89	0.40	07/24/89	1.50 *	07/28/89	0.40
				09/22/89	3.60 *	09/22/89	1.80 *	09/25/89	0.60
U	PCI/L	0.50	600.00	06/15/89	0.64	01/03/89	0.98	01/04/89	0.77
				07/31/89	0.51	05/11/89	1.10	05/11/89	1.10
				09/22/89	0.88	07/24/89	1.41	07/28/89	0.87
					NR	09/22/89	0.99	09/25/89	0.71
VANADUM	PPB	5.00		06/15/89	22.00	01/03/89	28.00	01/04/89	29.00
				07/31/89	33.00	05/11/89	30.00	05/11/89	39.00
				09/22/89	21.00	07/24/89	27.00	07/28/89	32.00
					NR	09/22/89	25.00	09/25/89	32.00
ZINC	PPB	5.00	5000.00	06/15/89	39.00	01/03/89	12.00	01/04/89	6.00
				07/31/89	26.00	05/11/89	22.00	05/11/89	
				09/22/89	35.00	07/24/89	13.00	07/28/89	5.00
					NR	09/22/89	12.00	09/25/89	7.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W19-2	SAMPLE DATE	2-W19-3	SAMPLE DATE	2-W19-9
ALPHA	PCI/L	4.00	15.00	01/12/89	76.70 + (9.20)	01/13/89	1840.00 + (185.00)	02/13/89	998.00 + (143.00)
ALPHAHI	PCI/L	4.00	15.00	02/22/89	36.50 * (6.33)	02/22/89	1310.00 * (154.00)		NR
				03/10/89	76.00 * (9.00)	03/10/89	811.00 * (124.00)		NR
				10/09/89	10.20 (3.15)		NR		NR
BETA	PCI/L	8.00	50.00	01/12/89	93.80 + (7.00)	01/13/89	509.00 + (214.00)	02/13/89	364.00 + (206.00)
				02/22/89	66.50 + (6.02)	02/22/89	557.00 + (225.00)		NR
				03/10/89	124.00 + (8.22)	03/10/89	239.00 + (179.00)		NR
				10/09/89	102.00 + (7.45)		NR		NR
HNITRAT	PPB	2500.00	45000.00	01/12/89	324000.00 *	01/13/89	37000.00	02/13/89	28700.00
				02/22/89	199000.00 *	02/22/89	21900.00		NR
				03/10/89	180000.00 *	03/10/89	24100.00		NR
				10/09/89	101000.00 *		NR		NR
SR 90	PCI/L	5.00	8.00	01/12/89	4.24 (1.29)	02/13/89		02/13/89	
				10/09/89	2.02 (1.06)		NR		NR
TC-99	PCI/L	15.00	900.00		NR	01/13/89	881.00 (19.80)	02/13/89	852.00 (19.70)
					NR	02/22/89			NR
					NR	03/10/89	713.00 (18.70)		NR
TRITIUM	PCI/L	500.00	20000.00	01/12/89	77400.00 * (911.00)	01/13/89	404.00 (169.00)	02/13/89	430.00 (167.00)
				10/09/89	24700.00 * (551.00)		NR		NR
U-234	PCI/L	0.10	20.00		NR	02/13/89	608.00 * (31.30)	02/13/89	555.00 * (30.80)
U-235	PCI/L	0.10	24.00		NR	02/13/89	31.10 * (7.33)	02/13/89	35.00 * (8.06)
U-238	PCI/L	0.10	24.00		NR	02/13/89	627.00 * (31.80)	02/13/89	562.00 * (30.90)
U-CHEM	UG/L	0.73		01/12/89	45.70	01/13/89	2400.00	02/13/89	1400.00
				02/22/89	149.00	02/22/89	1650.00		NR
				03/10/89	123.00	03/10/89	2000.00		NR
				10/09/89	23.30		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W19-13	SAMPLE DATE	2-W19-14	SAMPLE DATE	2-W19-15
ALPHA	PCI/L	4.00	15.00	02/13/89	3.11 (2.30)	02/13/89		02/13/89	56.00 + (12.60)
BETA	PCI/L	8.00	50.00	02/13/89	12.90 (3.11)	02/13/89	8.80 (2.84)	02/13/89	78.20 + (15.10)
HNITRAT	PPB	2500.00	45000.00	02/13/89	15900.00	02/13/89	11700.00	02/13/89	68600.00 *
TC-99	PCI/L	15.00	900.00		NR		NR	02/13/89	657.00 (6.74)
TRITIUM	PCI/L	500.00	20000.00	02/13/89		02/13/89		02/13/89	2770.00 (229.00)
U-234	PCI/L	0.10	20.00		NR		NR	02/13/89	19.70 (1.28)
U-235	PCI/L	0.10	24.00		NR		NR	02/13/89	1.33 (0.34)
U-238	PCI/L	0.10	24.00		NR		NR	02/13/89	19.80 (1.28)
U-CHEM	UG/L	0.73		02/13/89	9.37	02/13/89	4.56	02/13/89	45.80

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W19-16	SAMPLE DATE	2-W19-17	SAMPLE DATE	2-W19-18
ALPHA	PCI/L	4.00	15.00	02/13/89	641.00 + (113.00)	03/10/89	19.00 + (5.69)	01/13/89	2000.00 + (190.00)
ALPHAH	PCI/L	4.00	15.00		NR		NR	02/22/89	2450.00 * (222.00)
					NR		NR	03/10/89	1000.00 * (135.00)
					NR		NR	10/06/89	1310.00 * (154.00)
BETA	PCI/L	8.00	50.00	02/13/89	286.00 + (181.00)	03/10/89	45.90 (12.00)	01/13/89	1270.00 + (300.00)
					NR		NR	02/22/89	1360.00 + (302.00)
					NR		NR	03/10/89	632.00 + (235.00)
					NR		NR	10/06/89	531.00 + (224.00)
HNITRAT	PPB	2500.00	45000.00	02/13/89	47600.00 * NR NR NR	03/10/89	10000.00 NR NR NR	01/13/89	99700.00 * 02/22/89 88200.00 * 03/10/89 84500.00 * 10/06/89 40000.00
TC-99	PCI/L	15.00	900.00	02/13/89	1480.00 * (24.00)	03/10/89	115.00 (3.49)	01/13/89	3830.00 * (36.20)
					NR		NR	02/22/89	3860.00 * (36.80)
					NR		NR	03/10/89	2200.00 * (28.50)
					NR		NR	10/06/89	967.00 * (20.50)
TRITIUM	PCI/L	500.00	20000.00	02/13/89	2180.00 (216.00) NR	03/10/89	NR	01/13/89	4960.00 (275.00)
								10/06/89	841.00 (199.00)
U-234	PCI/L	0.10	20.00	02/13/89	248.00 * (17.00)	03/10/89	9.68 (0.44)		NR
U-235	PCI/L	0.10	24.00	02/13/89	31.60 * (6.23)	03/10/89	0.47 (0.10)		NR
U-238	PCI/L	0.10	24.00	02/13/89	276.00 * (18.00)	03/10/89	9.06 (0.43)		NR
U-CHEM	UG/L	0.73		02/13/89	641.00 NR NR NR	03/10/89	18.00 NR NR NR	01/13/89	2890.00
								02/22/89	3060.00
								03/10/89	3130.00
								10/06/89	1880.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W19-19	SAMPLE DATE	2-W19-20	SAMPLE DATE	2-W19-21
ALPHA	PCI/L	4.00	15.00	01/12/89	285.00 + (29.30)	01/11/89	213.00 + (21.60)	01/04/89	11.80 (3.24)
ALPHAHI	PCI/L	4.00	15.00	02/22/89	356.00 * (30.20)	02/17/89	189.00 * (31.30)	11/02/89	11.50 (2.53)
				03/08/89	363.00 * (31.10)	03/08/89	240.00 * (22.50)		NR
				10/06/89	294.00 * (26.50)	10/05/89	233.00 * (23.40)		NR
				10/31/89	170.00 * (19.00)	10/30/89	157.00 * (13.80)		NR
ARSENIC	PPB	5.00	50.00	10/31/89		10/30/89		11/02/89	14.00
BARIUM	PPB	6.00	1000.00	10/31/89	270.00	10/30/89	233.00	11/02/89	23.00
BETA	PCI/L	8.00	50.00	01/12/89	1110.00 + (54.30)	01/11/89	989.00 + (51.10)	01/04/89	11.60 (2.94)
				02/22/89	1110.00 + (54.50)	02/17/89	1450.00 + (86.30)	11/02/89	4.24 (2.28)
				03/08/89	1100.00 + (53.90)	03/08/89	1080.00 + (53.00)		NR
				10/06/89	1370.00 + (59.90)	10/05/89	1360.00 + (59.50)		NR
				10/31/89	691.00 + (19.10)	10/30/89	753.00 + (19.90)		NR
BORON	PPB	10.00		10/31/89	29.00	10/30/89	31.00	11/02/89	20.00
CALCIUM	PPB	50.00		10/31/89	308000.00	10/30/89	257000.00	11/02/89	17900.00
CHLORID	PPB	500.00	250000.00	10/31/89	22000.00	10/30/89	20000.00	11/02/89	1400.00
CHROMIUM	PPB	10.00	50.00	10/31/89	11.00	10/30/89		11/02/89	
COLIFORM	MPN	2.20	1.00	10/31/89		10/30/89	4.00 *		NR
COND FLD	UMHO	1.00	700.00	10/31/89	2640.00 *	10/30/89	2280.00 *	11/02/89	198.00
FARSENIT	PPB	5.00	50.00	10/31/89		10/30/89		11/02/89	13.00
FBARIUM	PPB	6.00	1000.00	10/31/89	275.00	10/30/89	238.00	11/02/89	19.00
FBORON	PPB	10.00		10/31/89	33.00	10/30/89	40.00	11/02/89	23.00
FCALCIU	PPB	50.00		10/31/89	325000.00	10/30/89	259000.00	11/02/89	18100.00
FIRON	PPB	30.00	300.00	10/31/89		10/30/89	178.00	11/02/89	
FLITHIU	PPB	10.00		10/31/89	12.00	10/30/89	10.00	11/02/89	
FMAGNES	PPB	50.00		10/31/89	114000.00	10/30/89	91400.00	11/02/89	6250.00
FMANGAN	PPB	5.00	50.00	10/31/89		10/30/89	7.00	11/02/89	
FNICKEL	PPB	10.00		10/31/89		10/30/89	12.00	11/02/89	
FPOTASS	PPB	100.00		10/31/89	11500.00	10/30/89	10500.00	11/02/89	2880.00
FSELENI	PPB	5.00	10.00	10/31/89		10/30/89	6.00	11/02/89	
FSILICO	PPB	50.00		10/31/89	26800.00	10/30/89	24400.00	11/02/89	14600.00
FSODIUM	PPB	200.00		10/31/89	55100.00	10/30/89	43300.00	11/02/89	12600.00
FSTRONT	PPB	10.00		10/31/89	1570.00	10/30/89	1270.00	11/02/89	84.00
FVANADI	PPB	5.00		10/31/89	10.00	10/30/89	12.00	11/02/89	20.00
FZINC	PPB	5.00	5000.00	10/31/89	47.00	10/30/89	18.00	11/02/89	
HNITRAT	PPB	2500.00	45000.00	01/12/89	1340000.00 *	01/11/89	1080000.00 *	01/04/89	
				02/22/89	1310000.00 *	02/17/89	1080000.00 *		NR
				03/08/89	1300000.00 *	03/08/89	1030000.00 *		NR
				10/06/89	1340000.00 *	10/05/89	1110000.00 *		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W19-19	SAMPLE DATE	2-W19-20	SAMPLE DATE	2-W19-21
IRON	PPB	30.00	300.00	10/31/89	362.00 *	10/30/89	771.00 *	11/02/89	91.00
LEAD	PPB	20.00	4000.00	10/31/89	341.00	10/30/89	339.00	11/02/89	205.00
LITHIUM	PPB	10.00		10/31/89	10.00	10/30/89		11/02/89	
MAGNES	PPB	50.00		10/31/89	108000.00	10/30/89	91400.00	11/02/89	6260.00
MANGANESE	PPB	5.00	50.00	10/31/89		10/30/89	13.00	11/02/89	
NITRATE	PPB	500.00	45000.00	10/31/89	1280000.00 *	10/30/89	1050000.00 *	11/02/89	700.00
PHENOL	PPB	0.10	8.50	10/31/89	7.38	10/30/89	7.54	11/02/89	8.27
POTASSIUM	PPB	100.00		10/31/89	11100.00	10/30/89	10900.00	11/02/89	2870.00
RADIUM	PCI/L	1.00	5.00	10/31/89	0.16	10/30/89	0.88	11/02/89	
					(0.16)		(0.30)		
SELENIUM	PPB	5.00	10.00	10/31/89		10/30/89	6.00	11/02/89	
SILICON	PPB	50.00		10/31/89	25400.00	10/30/89	24800.00	11/02/89	14700.00
SODIUM	PPB	200.00		10/31/89	52100.00	10/30/89	43300.00	11/02/89	12600.00
SR 90	PCI/L	5.00	8.00	01/12/89	1.01	01/11/89	1.20	01/04/89	
					(0.93)		(0.91)		
				10/06/89		10/05/89		11/02/89	
				10/31/89			NR		NR
STRONTIUM	PPB	10.00		10/31/89	1530.00	10/30/89	1250.00	11/02/89	86.00
SULFATE	PPB	500.00	250000.00	10/31/89	65000.00	10/30/89	65000.00	11/02/89	13200.00
TC	PPB	1000.00		10/31/89	33900.00	10/30/89	33000.00	11/02/89	20100.00
TC-99	PCI/L	15.00	900.00	01/12/89	16400.00 *	01/11/89	14000.00 *		NR
					(32.00)		(29.50)		
				02/22/89	16900.00 *	02/17/89	15300.00 *		NR
					(32.80)		(31.90)		
				03/08/89	19400.00 *	03/08/89	17700.00 *		NR
					(34.80)		(33.40)		
				10/06/89	24600.00 *	10/05/89	25400.00 *		NR
					(88.60)		(39.90)		
TDS		5000.00	500000.00	10/31/89	1810000.00 *	10/30/89	1550000.00 *	11/02/89	110000.00
TETRANE	PPB	5.00	5.00	10/31/89	10.00 *	10/30/89	23.00 *	11/02/89	
TOXLOL	PPB	10.00		10/31/89	25.00	10/30/89	26.00	11/02/89	10.00
TRITIUM	PCI/L	500.00	20000.00	01/12/89	3190.00	01/11/89	1850.00	01/04/89	
					(240.00)		(209.00)		
				02/22/89	1630.00	02/17/89	2540.00	11/02/89	
					(201.00)		(224.00)		
				03/08/89	1620.00	03/08/89	3760.00		NR
					(198.00)		(249.00)		
				10/06/89	1770.00	10/05/89	2630.00		NR
					(223.00)		(244.00)		
				10/31/89	1520.00	10/30/89	1960.00		NR
					(177.00)		(190.00)		
TURBID	NTU	0.10	1.00	10/31/89	3.20 *	10/30/89	4.10 *	11/02/89	0.60
U	PCI/L	0.50	600.00	10/31/89	547.00	10/30/89	2.04	11/02/89	15.10
U-234	PCI/L	0.10	20.00	01/31/89	465.00 *	02/13/89	186.00 *	01/04/89	7.85
					(8.83)		(6.62)		(0.33)
				10/06/89	232.00 *	10/05/89	186.00 *		NR
					(6.67)		(5.76)		
U-235	PCI/L	0.10	24.00	01/31/89	29.30 *	02/13/89	10.00	01/04/89	0.31
					(2.22)		(1.55)		(0.07)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W19-19	SAMPLE DATE	2-W19-20	SAMPLE DATE	2-W19-21
U-235	PCI/L	0.10	24.00	10/06/89	16.30 (1.78)	10/05/89	8.29 (1.23)		NR
U-238	PCI/L	0.10	24.00	01/31/89	484.00 *	02/13/89	191.00 *	01/04/89	7.82
				10/06/89	240.00 *	10/05/89	184.00 *		(0.33)
					(6.79)		(5.74)		NR
U-CHEM	UG/L	0.73		01/12/89	612.00	01/11/89	477.00	01/04/89	21.90
				02/22/89	2900.00	02/17/89	469.00		NR
				03/08/89	752.00	03/08/89	602.00		NR
				10/06/89	638.00	10/05/89	389.00		NR
VANADUM	PPB	5.00		10/31/89	12.00	10/30/89	13.00	11/02/89	20.00
ZINC	PPB	5.00	5000.00	10/31/89	61.00	10/30/89	20.00	11/02/89	11.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W19-23	SAMPLE DATE	2-W19-24	SAMPLE DATE	2-W19-25
ALPHA	PCI/L	4.00	15.00	01/11/89	94.60 + (16.30)	01/12/89	273.00 + (24.20)	01/12/89	183.00 + (19.90)
ALPHAHI	PCI/L	4.00	15.00	02/17/89	137.00 * (14.50)	02/17/89	276.00 * (24.60)	02/17/89	176.00 * (19.60)
				03/08/89	135.00 * (14.80)	03/08/89	257.00 * (24.50)	03/08/89	162.00 * (18.70)
				10/05/89	114.00 * (14.80)	10/06/89	271.00 * (25.20)	10/05/89	193.00 * (20.90)
				10/27/89	208.00 * (25.70)	10/30/89	189.00 * (15.10)		NR
BARIUM	PPB	6.00	1000.00	10/27/89	124.00	10/30/89	182.00		NR
BETA	PCI/L	8.00	50.00	01/11/89	145.00 + (19.80)	01/12/89	1850.00 + (49.90)	01/12/89	1910.00 + (70.00)
				02/17/89	136.00 + (27.90)	02/17/89	2490.00 + (80.40)	02/17/89	2180.00 + (105.00)
				03/08/89	134.00 + (28.30)	03/08/89	2380.00 + (79.00)	03/08/89	2190.00 + (104.00)
				10/05/89	175.00 + (32.00)	10/06/89	2270.00 + (76.70)	10/05/89	2240.00 + (105.00)
				10/27/89	632.00 + (58.20)	10/30/89	1650.00 + (29.80)		NR
BORON	PPB	10.00		10/27/89	35.00	10/30/89	31.00		NR
CALCIUM	PPB	50.00		10/27/89	139000.00	10/30/89	250000.00		NR
CHLORID	PPB	500.00	250000.00	10/27/89	26000.00	10/30/89	19000.00		NR
CHROMIUM	PPB	10.00	50.00	10/27/89	10.00	10/30/89			NR
COND FLD	UMHO	1.00	700.00	10/27/89	1326.00 *	10/30/89	2120.00 *		NR
COPPER	PPB	10.00	(1300.0)	10/27/89		10/30/89	10.00		NR
FBARIUM	PPB	6.00	1000.00	10/27/89	123.00	10/30/89	212.00		NR
FBORON	PPB	10.00		10/27/89	32.00	10/30/89	40.00		NR
FCALCIU	PPB	50.00		10/27/89	147000.00	10/30/89	283000.00		NR
FCOPPER	PPB	10.00	(1300.0)	10/27/89		10/30/89	10.00		NR
FLITHIU	PPB	10.00		10/27/89		10/30/89	11.00		NR
FMAGNES	PPB	50.00		10/27/89	54000.00	10/30/89	90700.00		NR
FPOTASS	PPB	100.00		10/27/89	7610.00	10/30/89	10700.00		NR
FSELENI	PPB	5.00	10.00	10/27/89	9.00	10/30/89			NR
FSILICO	PPB	50.00		10/27/89	24100.00	10/30/89	28500.00		NR
FSCDIUM	PPB	200.00		10/27/89	28900.00	10/30/89	50100.00		NR
FSTRONT	PPB	10.00		10/27/89	813.00	10/30/89	1550.00		NR
FVANADI	PPB	5.00		10/27/89	12.00	10/30/89	16.00		NR
FZINC	PPB	5.00	5000.00	10/27/89	40.00	10/30/89	73.00		NR
HNITRAT	PPB	2500.00	45000.00	01/11/89	343000.00 *	01/12/89	946000.00 *	01/12/89	836000.00 *
				02/17/89	337000.00 *	02/17/89	952000.00 *	02/17/89	879000.00 *
				03/08/89	330000.00 *	03/08/89	927000.00 *	03/08/89	880000.00 *
				10/05/89	490000.00 *	10/06/89	1040000.00 *	10/05/89	960000.00 *
IRON	PPB	30.00	300.00	10/27/89	4400.00 *	10/30/89	528.00 *		NR
LFLUORD	PPB	20.00	4000.00	10/27/89	418.00	10/30/89	367.00		NR
MAGNES	PPB	50.00		10/27/89	50600.00	10/30/89	80000.00		NR
MANGESE	PPB	5.00	50.00	10/27/89	6.00	10/30/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W19-23	SAMPLE DATE	2-W19-24	SAMPLE DATE	2-W19-25
NITRATE	PPB	500.00	45000.00	10/27/89	495000.00 *	10/30/89	980000.00 *		NR
PHFIELD		0.10	8.50	10/27/89	7.45	10/30/89	7.56		NR
POTASUM	PPB	100.00		10/27/89	7350.00	10/30/89	9860.00		NR
PU-238	PCI/L	17.00	1.60	01/31/89		01/31/89	0.17	01/31/89	0.02
							(0.03)		(0.01)
				10/05/89		10/06/89		10/05/89	
				10/27/89	0.05	10/30/89			NR
					(0.03)				
PU39-40	PCI/L	17.00	1.20	01/31/89	0.04	01/31/89	0.12	01/31/89	0.05
					(0.02)		(0.03)		(0.02)
				10/05/89		10/06/89		10/05/89	
				10/27/89	0.06	10/30/89			NR
					(0.04)				
RADIUM	PCI/L	1.00	5.00	10/27/89	0.71	10/30/89	0.71		NR
					(0.27)		(0.27)		
SELENUM	PPB	5.00	10.00	10/27/89	10.00	10/30/89			NR
SILICON	PPB	50.00		10/27/89	23600.00	10/30/89	25100.00		NR
SODIUM	PPB	200.00		10/27/89	28000.00	10/30/89	44100.00		NR
SR 90	PCI/L	5.00	8.00	01/31/89		01/31/89	1.81	01/31/89	
							(1.01)		
				10/05/89		10/06/89	4.31	10/05/89	
							(1.54)		
				10/27/89			NR		NR
STRONUM	PPB	10.00		10/27/89	785.00	10/30/89	1320.00		NR
SULFATE	PPB	500.00	250000.00	10/27/89	71000.00	10/30/89	64000.00		NR
TC	PPB	1000.00		10/27/89	29800.00	10/30/89	34600.00		NR
TC-99	PCI/L	15.00	900.00	01/11/89	987.00 *	01/12/89	34100.00 *	01/12/89	20000.00 *
					(8.12)		(46.10)		(35.30)
				02/17/89	1060.00 *	02/17/89	27.20	02/17/89	8810.00 *
					(8.47)		(2.60)		(23.50)
				03/08/89	1100.00 *	03/08/89	39000.00 *	03/08/89	26700.00 *
					(8.59)		(49.40)		(41.30)
				10/05/89	1850.00 *	10/06/89	41000.00 *	10/05/89	33000.00 *
					(10.90)		(114.00)		(45.70)
TDS		5000.00	500000.00	10/27/89	904000.00 *	10/30/89	1510000.00 *		NR
TETRANE	PPB	5.00	5.00	10/27/89	20.00 *	10/30/89	14.00 *		NR
TOXLDL	PPB	10.00		10/27/89	26.00	10/30/89	21.00		NR
TRITIUM	PCI/L	500.00	20000.00	01/11/89	1990.00	01/12/89	1610.00	01/12/89	1780.00
					(212.00)		(203.00)		(206.00)
				02/17/89	606.00	02/17/89	1500.00	02/17/89	2290.00
					(173.00)		(198.00)		(219.00)
				03/08/89	643.00	03/08/89	2820.00	03/08/89	2390.00
					(171.00)		(227.00)		(218.00)
				10/05/89	1600.00	10/06/89	1440.00	10/05/89	3010.00
					(220.00)		(214.00)		(252.00)
				10/27/89	765.00	10/30/89	1260.00		NR
					(168.00)		(171.00)		
TURBID	NTU	0.10	1.00	10/27/89	45.00 *	10/30/89	5.10 *		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W19-23	SAMPLE DATE	2-W19-24	SAMPLE DATE	2-W19-25
U	PCI/L	0.50	600.00	10/27/89	126.00	10/30/89	397.00		NR
U-234	PCI/L	0.10	20.00	01/11/89	67.90 *	01/12/89	172.00 *	01/12/89	113.00 *
				02/17/89	(2.42)	02/17/89	(5.29)	02/17/89	(2.99)
				03/08/89	70.60 *	03/08/89	168.00 *	03/08/89	115.00 *
				10/05/89	(2.46)	10/06/89	(5.10)	10/05/89	(3.00)
				01/11/89	71.20 *	01/12/89	169.00 *	01/12/89	118.00 *
				02/17/89	(2.90)	02/17/89	(5.20)	02/17/89	(3.05)
				03/08/89	76.50 *	03/08/89	204.00 *	03/08/89	130.00 *
				10/05/89	(3.81)	10/06/89	(6.77)	10/05/89	(3.41)
U-235	PCI/L	0.10	24.00	01/11/89	3.80	01/12/89	9.77	01/12/89	4.67
				02/17/89	(0.58)	02/17/89	(1.27)	02/17/89	(0.61)
				03/08/89	3.10	03/08/89	9.01	03/08/89	8.03
				10/05/89	(0.52)	10/06/89	(1.20)	10/05/89	(0.80)
				01/11/89	5.62	01/12/89	10.70	01/12/89	7.37
				02/17/89	(0.82)	02/17/89	(1.32)	02/17/89	(0.77)
				03/08/89	4.15	03/08/89	8.61	03/08/89	5.79
				10/05/89	(0.90)	10/06/89	(1.40)	10/05/89	(0.73)
U-238	PCI/L	0.10	24.00	01/11/89	73.50 *	01/12/89	175.00 *	01/12/89	118.00 *
				02/17/89	(2.52)	02/17/89	(5.32)	02/17/89	(3.05)
				03/08/89	72.20 *	03/08/89	172.00 *	03/08/89	119.00 *
				10/05/89	(2.49)	10/06/89	(5.16)	10/05/89	(3.05)
				01/11/89	74.70 *	01/12/89	175.00 *	01/12/89	120.00 *
				02/17/89	(2.97)	02/17/89	(5.30)	02/17/89	(3.07)
				03/08/89	70.50 *	03/08/89	203.00 *	03/08/89	135.00 *
				10/05/89	(3.65)	10/06/89	(6.75)	10/05/89	(3.47)
U-CHEM	UG/L	0.73		01/11/89	195.00	01/12/89	461.00	01/12/89	276.00
				02/17/89	165.00	02/17/89	428.00	02/17/89	269.00
				03/08/89	182.00	03/08/89	504.00	03/08/89	260.00
				10/05/89	248.00	10/06/89	511.00	10/05/89	333.00
VANADUM	PPB	5.00		10/27/89	23.00	10/30/89	14.00		NR
ZINC	PPB	5.00	5000.00	10/27/89	133.00	10/30/89	79.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W19-26	SAMPLE DATE	2-W19-27	SAMPLE DATE	2-W22-1
ALPHA	PCI/L	4.00	15.00		NR	02/01/89	9.18	01/04/89	1.74
ALPHAHI	PCI/L	4.00	15.00	10/05/89	315.00 *	11/02/89	(2.52)		(1.51)
				10/27/89	(28.60)		(1.69)		NR
					144.00 *		NR		NR
					(16.00)				
ARSENIC	PPB	5.00	50.00	10/27/89		11/02/89	12.00		NR
BARIUM	PPB	6.00	1000.00	10/27/89	290.00	11/02/89	21.00		NR
BETA	PCI/L	8.00	50.00	10/05/89	608.00 +	02/01/89	3.71	01/04/89	27.80
					(56.80)		(2.25)		(4.01)
				10/27/89	222.00 +	11/02/89	6.49		NR
					(35.00)		(2.54)		
BHT	PPB				NR	11/02/89	20.00 a		NR
BORON	PPB	10.00		10/27/89	43.00	11/02/89	36.00		NR
CADMIUM	PPB	2.00	10.00	10/27/89	2.00	11/02/89			NR
CALCIUM	PPB	50.00		10/27/89	289000.00	11/02/89	16700.00		NR
CHLORID	PPB	500.00	250000.00	10/27/89	27000.00	11/02/89	1300.00		NR
COND FLD	UMHO	1.00	700.00	10/27/89	283.00	11/02/89	233.00		NR
COPPER	PPB	10.00	(1300.0)	10/27/89	232.00	11/02/89			NR
FARSENIC	PPB	5.00	50.00	10/27/89		11/02/89	12.00		NR
FBARIUM	PPB	6.00	1000.00	10/27/89	279.00	11/02/89	18.00		NR
FBORON	PPB	10.00		10/27/89	34.00	11/02/89	33.00		NR
FCALCIU	PPB	50.00		10/27/89	312000.00	11/02/89	16400.00		NR
FCOPPER	PPB	10.00	(1300.0)	10/27/89	14.00	11/02/89			NR
FIRON	PPB	30.00	300.00	10/27/89	121.00	11/02/89			NR
FLITHIU	PPB	10.00		10/27/89	12.00	11/02/89			NR
FLUORID	PPB	500.00	4000.00	10/27/89		11/02/89	500.00		NR
FMAGNES	PPB	50.00		10/27/89	112000.00	11/02/89	5290.00		NR
FPOTASS	PPB	100.00		10/27/89	11200.00	11/02/89	3150.00		NR
FSILICO	PPB	50.00		10/27/89	24900.00	11/02/89	18700.00		NR
FSODIUM	PPB	200.00		10/27/89	46200.00	11/02/89	21700.00		NR
FSTRONT	PPB	10.00		10/27/89	1690.00	11/02/89	72.00		NR
FVANADI	PPB	5.00		10/27/89	12.00	11/02/89	36.00		NR
FZINC	PPB	5.00	5000.00	10/27/89	34.00	11/02/89	8.00		NR
HNITRAT	PPB	2500.00	45000.00	10/05/89	1360000.00 *	02/01/89		01/04/89	6300.00
IRON	PPB	30.00	300.00	10/27/89	7770.00 *	11/02/89	36.00		NR
LEADGF	PPB	5.00	50.00	10/27/89	16.00	11/02/89			NR
LFLUORD	PPB	20.00	4000.00	10/27/89	376.00		NR		NR
LITHIUM	PPB	10.00		10/27/89	11.00	11/02/89			NR
MAGNES	PPB	50.00		10/27/89	105000.00	11/02/89	5440.00		NR
NITRATE	PPB	500.00	45000.00	10/27/89	1300000.00 *	11/02/89	900.00		NR
PHFIELD		0.10	8.50	10/27/89	7.21	11/02/89	7.42		NR
POTASUM	PPB	100.00		10/27/89	10700.00	11/02/89	3260.00		NR
PU-238	PCI/L	17.00	1.60	10/05/89		02/01/89			NR
				10/27/89	0.07	11/02/89			NR
					(0.04)				
RADIUM	PCI/L	1.00	5.00	10/27/89	0.46	11/02/89			NR
					(0.22)				

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W19-26	SAMPLE DATE	2-W19-27	SAMPLE DATE	2-W22-1
SELENIUM	PPB	5.00	10.00	10/27/89	6.00	11/02/89			NR
SILICON	PPB	50.00		10/27/89	24100.00	11/02/89	19100.00		NR
SODIUM	PPB	200.00		10/27/89	44100.00	11/02/89	22300.00		NR
SR 90	PCI/L	5.00	8.00	10/05/89	1.88 (1.08)	02/01/89		01/04/89	6.91 (1.54)
				10/27/89		11/02/89			NR
STRONTIUM	PPB	10.00		10/27/89	1630.00	11/02/89	73.00		NR
SULFATE	PPB	500.00	250000.00	10/27/89	62000.00	11/02/89	11500.00		NR
TC	PPB	1000.00		10/27/89	30900.00	11/02/89	23900.00		NR
TC-99	PCI/L	15.00	900.00	10/05/89	7290.00 *		NR		NR
					(21.50)				
TDS		5000.00	500000.00	10/27/89	1880000.00 *	11/02/89	123000.00		NR
TETRANE	PPB	5.00	5.00	10/27/89	30.00 *	11/02/89	7.00 *		NR
TOXLDL	PPB	10.00		10/27/89	39.00	11/02/89	11.00		NR
TRITIUM	PCI/L	500.00	20000.00	10/05/89	2090.00	02/01/89		01/04/89	2960.00 (233.00)
					(231.00)				
				10/27/89	1090.00	11/02/89			NR
					(178.00)				
TURBID	NTU	0.10	1.00	10/27/89	185.00 *	11/02/89	0.20		NR
U	PCI/L	0.50	600.00	10/27/89	340.00	11/02/89	8.57		NR
U-234	PCI/L	0.10	20.00	10/05/89	207.00 *	02/01/89	4.18		NR
					(4.25)		(0.22)		
U-235	PCI/L	0.10	24.00	10/05/89	7.11	02/01/89	0.27		NR
					(0.80)		(0.06)		
U-238	PCI/L	0.10	24.00	10/05/89	209.00 *	02/01/89	3.79		NR
					(4.27)		(0.21)		
U-CHEM	UG/L	0.73		10/05/89	479.00	02/01/89	13.10		NR
VANADIUM	PPB	5.00		10/27/89	30.00	11/02/89	39.00		NR
ZINC	PPB	5.00	5000.00	10/27/89	131.00	11/02/89	14.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W22-2	SAMPLE DATE	2-W22-10	SAMPLE DATE	2-W22-18
ALPHA	PCI/L	4.00	15.00	02/01/89	4.94 (2.05)	02/15/89	7.71 (2.65)	02/15/89	5.71 (2.23)
BETA	PCI/L	8.00	50.00	02/01/89	15.40 (3.31)	02/15/89	59.80 + (5.87)	02/15/89	18.50 (3.53)
HNITRAT	PPB	2500.00	45000.00	02/01/89	7400.00		NR		NR
SR 90	PCI/L	5.00	8.00	02/01/89	1.10 (0.88)	02/15/89	29.80 *	02/15/89	
					(0.88)		(3.00)		
TRITIUM	PCI/L	500.00	20000.00	02/01/89	67300.00 *		NR		NR
					(856.00)				

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W22-22	SAMPLE DATE	2-W23-1	SAMPLE DATE	2-W23-2
ALPHA	PCI/L	4.00	15.00	02/01/89	1.62 (1.24)		NR		NR
BETA	PCI/L	8.00	50.00	02/01/89	4.55 (2.39)	02/15/89	28.10 (4.11)	01/04/89	256.00 + (16.30)
					NR	09/26/89	404.00 + (14.50)	01/20/89	125.00 + (8.09)
					NR		NR	02/23/89	102.00 + (10.50)
					NR		NR	03/08/89	127.00 + (11.50)
					NR		NR	08/24/89	234.00 + (15.00)
					NR		NR	10/06/89	420.00 + (20.80)
CS-137	PCI/L	20.00	200.00	02/01/89		02/15/89		01/20/89	
					NR	09/26/89	8.27 (6.42)	08/24/89	
					NR		NR	10/06/89	
HNITRAT	PPB	2500.00	45000.00	02/01/89	16900.00	02/15/89		01/20/89	30600.00
					NR	09/26/89	58800.00 *	08/24/89	31500.00
					NR		NR	10/06/89	33000.00
RU-106	PCI/L	172.50	30.00	02/01/89		02/15/89	43.40 *	01/20/89	
					NR	09/26/89	(39.90)	08/24/89	
					NR		NR	10/06/89	
TC-99	PCI/L	15.00	900.00		NR		NR	01/04/89	972.00 *
					NR		NR	(5.64)	
					NR		NR	01/20/89	959.00 *
					NR		NR	(5.65)	
					NR		NR	02/23/89	103.00
					NR		NR	(2.19)	
					NR		NR	03/08/89	1650.00 *
					NR		NR	(7.26)	
					NR		NR	08/24/89	4190.00 *
					NR		NR	(13.50)	
					NR		NR	10/06/89	5150.00 *
					NR		NR	(41.50)	
TRITIUM	PCI/L	500.00	20000.00	02/01/89	1400.00 (191.00)		NR		NR
U-CHEM	UG/L	0.73		02/01/89	1.94		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W23-3	SAMPLE DATE	2-W23-4	SAMPLE DATE	2-W23-7
ALPHA	PCI/L	4.00	15.00		NR	01/04/89	27.60 + (6.47)		NR
					NR	01/12/89	40.70 + (7.68)		NR
ALPHAHI	PCI/L	4.00	15.00		NR	02/22/89	49.60 * (5.72)		NR
					NR	03/07/89	64.20 * (7.32)		NR
					NR	10/10/89	45.40 * (6.23)		NR
BETA	PCI/L	8.00	50.00	02/15/89	35.90 (4.73)	01/04/89	36.90 (4.72)	01/04/89	233.00 + (15.90)
				09/26/89	33.70 (4.51)	01/12/89	77.70 + (6.64)	01/13/89	208.00 + (15.00)
					NR	02/22/89	36.70 (4.69)	02/23/89	187.00 + (14.30)
					NR	03/07/89	44.80 (5.20)	03/08/89	254.00 + (16.60)
					NR	10/10/89	36.80 (4.75)	08/24/89	251.00 + (16.30)
					NR		NR	10/06/89	301.00 + (18.00)
HNITRAT	PPB	2500.00	45000.00	02/15/89	21500.00	01/04/89	3900.00		NR
				09/26/89	17900.00	01/12/89	4000.00		NR
					NR	02/22/89	2900.00		NR
					NR	03/07/89	3100.00		NR
					NR	10/10/89			NR
TC-99	PCI/L	15.00	900.00		NR		NR	01/04/89	2320.00 * (8.84)
					NR		NR	01/13/89	1700.00 * (7.37)
					NR		NR	02/23/89	117.00 (2.30)
					NR		NR	03/08/89	3470.00 * (10.50)
					NR		NR	08/24/89	2990.00 * (9.83)
					NR		NR	10/06/89	3580.00 * (12.80)
TRITIUM	PCI/L	500.00	20000.00		NR	01/04/89	185000.00 * (1390.00)		NR
					NR	01/12/89	206000.00 * (1480.00)		NR
					NR	02/22/89	130000.00 * (1200.00)		NR
					NR	03/07/89	114000.00 * (1120.00)		NR
					NR	10/10/89	23500.00 * (514.00)		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W23-3	SAMPLE DATE	2-W23-4	SAMPLE DATE	2-W23-7
U-234	PCI/L	0.10	20.00		NR	01/12/89	61.30 *		NR
							(0.83)		
U-235	PCI/L	0.10	24.00		NR	01/12/89	4.42		NR
							(0.22)		
U-238	PCI/L	0.10	24.00		NR	01/12/89	60.60 *		NR
							(0.83)		
U-CHEM	UG/L	0.73			NR	01/04/89	68.40		NR
					NR	01/12/89	372.00		NR
					NR	02/22/89	99.30		NR
					NR	03/07/89	123.00		NR
					NR	10/10/89	87.20		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W23-9	SAMPLE DATE	2-W23-10	SAMPLE DATE	2-W23-11
ALPHA	PCI/L	4.00	15.00	01/05/89	56.50 + (8.38)	01/05/89	21.60 + (5.33)	02/15/89	10.60 (2.97)
				01/11/89	25.90 + (4.67)	02/15/89	21.20 + (3.93)		NR
ALPHAHI	PCI/L	4.00	15.00	02/23/89	27.10 * (4.71)		NR		NR
				03/10/89	28.30 * (4.72)		NR		NR
				10/06/89	49.30 * (8.02)		NR		NR
BETA	PCI/L	8.00	50.00	01/05/89	51.10 + (5.46)	01/05/89	11.00 (2.96)	02/15/89	4.10 (2.24)
				01/11/89	20.30 (3.65)	02/15/89	8.45 (2.81)		NR
				02/23/89	23.00 (3.89)		NR		NR
				03/10/89	24.50 (3.97)		NR		NR
				10/06/89	31.10 (4.51)		NR		NR
HNITRAT	PPB	2500.00	45000.00	01/05/89	54000.00 *	01/05/89	87100.00 *	02/15/89	
				01/11/89	59400.00 *	02/15/89	96800.00 *		NR
				02/23/89	42300.00		NR		NR
				10/06/89	223000.00 *		NR		NR
TRITIUM	PCI/L	500.00	20000.00	01/05/89	1190000.00 * (3540.00)	01/05/89	553000.00 * (2420.00)	02/15/89	820.00 (179.00)
				01/11/89	1140000.00 * (3440.00)	02/15/89	555000.00 * (2410.00)		NR
				02/23/89	1150000.00 * (3470.00)		NR		NR
				03/10/89	1050000.00 * (3370.00)		NR		NR
				10/06/89	1520000.00 * (4110.00)		NR		NR
U-234	PCI/L	0.10	20.00	02/15/89	3.86 (0.20)	01/05/89	14.80 (1.08)	02/15/89	1.46 (0.11)
				10/06/89	30.10 * (0.82)	02/15/89	1.32 (0.11)		NR
U-235	PCI/L	0.10	24.00	02/15/89	0.29 (0.06)	01/05/89		02/15/89	0.07 (0.03)
				10/06/89	1.69 (0.19)	02/15/89	0.07 (0.03)		NR
U-238	PCI/L	0.10	24.00	02/15/89	4.05 (0.21)	01/05/89	14.30 (1.05)	02/15/89	1.53 (0.12)
				10/06/89	30.00 * (0.81)	02/15/89	1.52 (0.12)		NR
U-CHEM	UG/L	0.73		01/05/89	60.70	01/05/89	44.20	02/15/89	25.10
				01/11/89	52.00	02/15/89	44.80		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W23-9	SAMPLE DATE	2-W23-10	SAMPLE DATE	2-W23-11
U-CHEM	UG/L	0.73		02/23/89	73.30		NR		NR
				03/10/89	44.90		NR		NR
				10/06/89	65.20		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	2-W27-1
ALPHA	PCI/L	4.00	15.00	02/01/89	5.90 (2.50)
BETA	PCI/L	8.00	50.00	02/01/89	4.96 (2.54)
HNITRAT	PPB	2500.00	45000.00	02/01/89	96900.00 *
TRITIUM	PCI/L	500.00	20000.00	02/01/89	5050.00 (278.00)
U-234	PCI/L	0.10	20.00	02/01/89	3.75 (0.18)
U-235	PCI/L	0.10	24.00	02/01/89	0.13 (0.04)
U-238	PCI/L	0.10	24.00	02/01/89	3.13 (0.17)
U-CHEM	UG/L	0.73		02/01/89	11.40

* - VALUE EXCEEDS PRIMARY DRINKING WATER STANDARD.
 # - VALUE EXCEEDS PROPOSED PRIMARY DRINKING WATER STANDARD.
 + - VALUE EXCEEDS SCREENING LEVEL FOR FURTHER INVESTIGATION.
 @ - DETECTION LIMIT WAS NOT AVAILABLE FOR COMPARISON
 NR - ANALYSIS NOT REQUESTED OR NOT YET REPORTED
 VALUES IN () ARE COUNTING ERRORS FOR RADIONUCLIDES
 WATER STANDARD(S) IN PARENTHESES ARE PROPOSED ONLY

HANFORD SITE ENVIRONMENTAL DATA FOR CALENDAR YEAR 1989 - GROUND WATER (300 Area Wells)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-1	SAMPLE DATE	3-1-3	SAMPLE DATE	3-1-5
ALKALIN		20000.00			NR	11/21/89	56000.00		NR
ALPHAHI	PCI/L	4.00	15.00		NR	11/21/89	82.80 *		NR
							(8.29)		
BARIUM	PPB	6.00	1000.00		NR	11/21/89	22.00		NR
BETA	PCI/L	8.00	50.00		NR	11/21/89	22.00		NR
							(3.74)		
BORON	PPB	10.00			NR	11/21/89	17.00		NR
CALCIUM	PPB	50.00			NR	11/21/89	23400.00		NR
CHLFORM	PPB	5.00	100.00		NR	11/21/89	17.00		NR
CHLORID	PPB	500.00	250000.00		NR	11/21/89	24600.00		NR
COLIMF	PPB	1.00	1.00		NR	11/21/89	4.00 *		NR
CONDFO	UMHO	1.00	700.00		NR	11/21/89	244.00	12/18/89	492.00
CONDLAB	UMHO		700.00		NR	11/21/89	233.00 @		NR
FBARIUM	PPB	6.00	1000.00		NR	11/21/89	21.00		NR
FBORON	PPB	10.00			NR	11/21/89	18.00		NR
FCALCIU	PPB	50.00			NR	11/21/89	22200.00		NR
FLITHIU	PPB	10.00			NR	11/21/89	15.00		NR
FMAGNES	PPB	50.00			NR	11/21/89	4220.00		NR
FPOTASS	PPB	100.00			NR	11/21/89	2520.00		NR
FSILICO	PPB	50.00			NR	11/21/89	6020.00		NR
FSODIUM	PPB	200.00			NR	11/21/89	11100.00		NR
FSTRONT	PPB	10.00			NR	11/21/89	104.00		NR
FZINC	PPB	5.00	5000.00		NR	11/21/89	6.00		NR
IRON	PPB	30.00	300.00		NR	11/21/89	135.00		NR
LITHIUM	PPB	10.00			NR	11/21/89	16.00		NR
MAGNES	PPB	50.00			NR	11/21/89	4430.00		NR
NITRATE	PPB	500.00	45000.00		NR	11/21/89	1100.00		NR
PH-LAB		0.01	8.50		NR	11/21/89	7.10		NR
PHFIELD		0.10	8.50		NR	11/21/89	7.36	12/18/89	7.74
POTASUM	PPB	100.00			NR	11/21/89	2680.00		NR
SILICON	PPB	50.00			NR	11/21/89	6380.00		NR
SODIUM	PPB	200.00			NR	11/21/89	11700.00		NR
STRONIUM	PPB	10.00			NR	11/21/89	109.00		NR
SULFATE	PPB	500.00	250000.00		NR	11/21/89	17000.00		NR
TC-99	PCI/L	15.00	900.00	03/16/89		11/21/89	80.50		NR
							(1.92)		
TDS		5000.00	500000.00		NR	11/21/89	138000.00		NR
TOXLDL	PPB	10.00			NR	11/21/89	36.00		NR
TURBID	NTU	0.10	1.00		NR	11/21/89	0.30		NR
U	PCI/L	0.50	600.00		NR	11/21/89	66.40		NR
ZINC	PPB	5.00	5000.00		NR	11/21/89	6.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-7	SAMPLE DATE	3-1-8	SAMPLE DATE	3-1-10
ALKALIN		20000.00		06/02/89	64400.00		NR	06/07/89	62400.00
				11/21/89	56000.00		NR	12/18/89	53000.00
				12/19/89	56000.00		NR		NR
ALPHAHI	PCI/L	4.00	15.00	06/02/89	100.00 *		NR	06/07/89	25.00 *
				11/21/89	(7.67)		NR	12/18/89	(3.89)
				12/19/89	63.90 *		NR		8.75
				12/19/89	(7.50)		NR		(2.20)
				12/19/89	54.30 *		NR		NR
				12/19/89	(5.92)		NR		NR
				12/19/89	58.20 *		NR		NR
				12/19/89	(8.16)		NR		NR
BARIUM	PPB	6.00	1000.00	06/02/89	22.00		NR	06/07/89	22.00
				11/21/89	22.00		NR	12/18/89	23.00
				12/19/89	21.00		NR		NR
				12/19/89	21.00		NR		NR
BETA	PCI/L	8.00	50.00	06/02/89	26.90		NR	06/07/89	5.81
				11/21/89	(4.12)		NR	12/18/89	(2.44)
				12/19/89	18.40		NR		4.63
				12/19/89	(3.52)		NR		(2.30)
				12/19/89	22.40		NR		NR
				12/19/89	(3.68)		NR		NR
				12/19/89	26.70		NR		NR
				12/19/89	(3.99)		NR		NR
BORON	PPB	10.00		06/02/89	16.00		NR	06/07/89	24.00
				11/21/89	19.00		NR	12/18/89	
				12/19/89	12.00		NR		NR
				12/19/89	15.00		NR		NR
CALCIUM	PPB	50.00		06/02/89	25000.00		NR	06/07/89	20800.00
				11/21/89	23600.00		NR	12/18/89	20200.00
				12/19/89	24200.00		NR		NR
				12/19/89	24500.00		NR		NR
CHLFORM	PPB	5.00	100.00	06/02/89	20.00		NR	06/07/89	20.00
				11/21/89	17.00		NR	12/18/89	21.00
				12/19/89	19.00		NR		NR
CHLORID	PPB	500.00	250000.00	06/02/89	20100.00		NR	06/07/89	7500.00
				11/21/89	22500.00		NR	12/18/89	4600.00
				12/19/89	25600.00		NR		NR
				12/19/89	25600.00		NR		NR
CONDFLD	UMHO	1.00	700.00	06/02/89	205.00	11/21/89	331.00	06/07/89	172.00
				11/21/89	242.00	12/19/89	304.00	12/18/89	199.00
				12/19/89	243.00		NR		NR
CONDLAB	UMHO		700.00	11/21/89	230.00 a		NR		NR
COPPER	PPB	10.00	(1300.0)	06/02/89			NR	06/07/89	
				11/21/89			NR	12/18/89	
				12/19/89			NR		NR
				12/19/89	50.00		NR		NR
FBARIUM	PPB	6.00	1000.00	06/02/89	23.00		NR	06/07/89	23.00
				11/21/89	21.00		NR	12/18/89	22.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-7	SAMPLE DATE	3-1-8	SAMPLE DATE	3-1-10
FBARIUM	PPB	6.00	1000.00	12/19/89	20.00		NR		NR
				12/19/89	20.00		NR		NR
FBERYLL	PPB	5.00		06/02/89	8.00		NR	06/07/89	
				11/21/89			NR	12/18/89	
				12/19/89			NR		NR
				12/19/89			NR		NR
FBORON	PPB	10.00		06/02/89	74.00		NR	06/07/89	24.00
				11/21/89	17.00		NR	12/18/89	11.00
				12/19/89	15.00		NR		NR
				12/19/89			NR		NR
FCALCIU	PPB	50.00		06/02/89	25000.00		NR	06/07/89	22100.00
				11/21/89	22000.00		NR	12/18/89	19900.00
				12/19/89	23700.00		NR		NR
				12/19/89	24000.00		NR		NR
FCOPPER	PPB	10.00	(1300.0)	06/02/89	16.00		NR	06/07/89	
				11/21/89			NR	12/18/89	
				12/19/89			NR		NR
				12/19/89			NR		NR
FLITHIU	PPB	10.00		06/02/89	12.00		NR	06/07/89	
				11/21/89	14.00		NR	12/18/89	
				12/19/89	14.00		NR		NR
				12/19/89	13.00		NR		NR
FMAGNES	PPB	50.00		06/02/89	4820.00		NR	06/07/89	4480.00
				11/21/89	4250.00		NR	12/18/89	3750.00
				12/19/89	4520.00		NR		NR
				12/19/89	4620.00		NR		NR
FOTASS	PPB	100.00		06/02/89	2270.00		NR	06/07/89	2120.00
				11/21/89	2660.00		NR	12/18/89	2270.00
				12/19/89	2430.00		NR		NR
				12/19/89	2440.00		NR		NR
FSILICO	PPB	50.00		06/02/89	5340.00		NR	06/07/89	5080.00
				11/21/89	6320.00		NR	12/18/89	5930.00
				12/19/89	5880.00		NR		NR
				12/19/89	5980.00		NR		NR
FSODIUM	PPB	200.00		06/02/89	14200.00		NR	06/07/89	8320.00
				11/21/89	12000.00		NR	12/18/89	7280.00
				12/19/89	10900.00		NR		NR
				12/19/89	11100.00		NR		NR
FSTRONT	PPB	10.00		06/02/89	112.00		NR	06/07/89	102.00
				11/21/89	103.00		NR	12/18/89	88.00
				12/19/89	101.00		NR		NR
				12/19/89	105.00		NR		NR
FVANADI	PPB	5.00		06/02/89	8.00		NR	06/07/89	
				11/21/89			NR	12/18/89	
				12/19/89			NR		NR
				12/19/89			NR		NR
FZINC	PPB	5.00	5000.00	06/02/89	5.00		NR	06/07/89	
				11/21/89			NR	12/18/89	
				12/19/89			NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-7	SAMPLE DATE	3-1-8	SAMPLE DATE	3-1-10
FZINC	PPB	5.00	5000.00	12/19/89			NR		NR
IRON	PPB	30.00	300.00	06/02/89	132.00		NR	06/07/89	
				11/21/89	53.00		NR	12/18/89	
				12/19/89			NR		NR
				12/19/89			NR		NR
LITHIUM	PPB	10.00		06/02/89	14.00		NR	06/07/89	
				11/21/89	14.00		NR	12/18/89	
				12/19/89	14.00		NR		NR
				12/19/89	14.00		NR		NR
MAGNES	PPB	50.00		06/02/89	4790.00		NR	06/07/89	4290.00
				11/21/89	4420.00		NR	12/18/89	3890.00
				12/19/89	4710.00		NR		NR
				12/19/89	4730.00		NR		NR
NITRATE	PPB	500.00	45000.00	06/02/89	4200.00		NR	06/07/89	2300.00
				11/21/89	1200.00		NR	12/18/89	1300.00
				12/19/89	1300.00		NR		NR
				12/19/89	1300.00		NR		NR
PH-LAB		0.01	8.50	11/21/89	7.30		NR		NR
PHFIELD		0.10	8.50	06/02/89	7.11	11/21/89	7.88	06/07/89	6.75
				11/21/89	7.40	12/19/89	7.90	12/18/89	7.12
				12/19/89	7.67		NR		NR
POTASUM	PPB	100.00		06/02/89	2330.00		NR	06/07/89	2040.00
				11/21/89	2740.00		NR	12/18/89	2360.00
				12/19/89	2500.00		NR		NR
				12/19/89	2540.00		NR		NR
SILICON	PPB	50.00		06/02/89	5440.00		NR	06/07/89	4790.00
				11/21/89	6710.00		NR	12/18/89	6150.00
				12/19/89	6100.00		NR		NR
				12/19/89	6170.00		NR		NR
SODIUM	PPB	200.00		06/02/89	14000.00		NR	06/07/89	8060.00
				11/21/89	12300.00		NR	12/18/89	7650.00
				12/19/89	11400.00		NR		NR
				12/19/89	11500.00		NR		NR
STRONUM	PPB	10.00		06/02/89	116.00		NR	06/07/89	97.00
				11/21/89	108.00		NR	12/18/89	93.00
				12/19/89	110.00		NR		NR
				12/19/89	110.00		NR		NR
SULFATE	PPB	500.00	250000.00	06/02/89	22000.00		NR	06/07/89	22300.00
				11/21/89	17000.00		NR	12/18/89	18600.00
				12/19/89	18900.00		NR		NR
				12/19/89	18900.00		NR		NR
TC	PPB	1000.00		06/02/89	16500.00		NR	06/07/89	16400.00
TC-99	PCI/L	15.00	900.00	11/21/89	71.80		NR		NR
					(1.90)				
TDS		5000.00	500000.00	06/02/89	136000.00		NR	06/07/89	102000.00
				11/21/89	115000.00		NR		NR
TOXLDL	PPB	10.00		06/02/89	43.00		NR	06/07/89	35.00
				06/02/89	50.00		NR	06/07/89	44.00
				06/02/89	39.00		NR	06/07/89	33.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-7	SAMPLE DATE	3-1-8	SAMPLE DATE	3-1-10
TOXLDL	PPB	10.00		06/02/89	40.00		NR	06/07/89	35.00
				11/21/89	37.00		NR	12/18/89	25.00
				12/19/89	25.00		NR		NR
TRITIUM	PC1/L	500.00	20000.00	06/13/89			NR		NR
				11/21/89			NR		NR
				12/19/89	246.00		NR		NR
					(138.00)				
				12/19/89			NR		NR
				12/19/89			NR		NR
TURBID	NTU	0.10	1.00	06/02/89	0.70		NR	06/07/89	0.10
				11/21/89	0.10		NR		NR
U	PC1/L	0.50	600.00	06/02/89	61.60		NR	06/07/89	27.70
				11/21/89	56.10		NR	12/18/89	11.50
				12/19/89	68.60		NR		NR
				12/19/89	51.80		NR		NR
UNKALI	PPB				NR		NR	06/07/89	90.00 @
ZINC	PPB	5.00	5000.00	06/02/89			NR	06/07/89	
				11/21/89			NR	12/18/89	
				12/19/89			NR		NR
				12/19/89	28.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-11	SAMPLE DATE	3-1-12	SAMPLE DATE	3-1-13
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1,2-DIC	PPB	5.00	5.00	01/05/89		06/02/89		06/06/89	
				01/19/89		12/18/89		12/18/89	
				02/17/89			NR		NR
				03/01/89			NR		NR
				03/16/89			NR		NR
				06/14/89	8.00 *		NR		NR
				08/03/89			NR		NR
				08/17/89			NR		NR
				08/28/89			NR		NR
				09/13/89			NR		NR
				09/27/89			NR		NR
				12/19/89			NR		NR
ALKALIN		20000.00		06/14/89	50100.00	06/02/89	56300.00	06/06/89	63400.00
				12/19/89	55000.00	12/18/89	56000.00	12/18/89	70000.00
ALPHAHI	PCI/L	4.00	15.00	06/14/89	10.10	06/02/89	36.10 *	06/06/89	3.28
					(2.77)		(4.58)		(1.22)
				12/19/89	22.60 *	12/18/89	33.70 *	12/18/89	6.13
					(3.57)		(4.63)		(2.06)
BARIUM	PPB	6.00	1000.00	06/14/89	11.00	06/02/89	17.00	06/06/89	18.00
				12/19/89	11.00	12/18/89	17.00	12/18/89	21.00
BETA	PCI/L	8.00	50.00	06/14/89	5.74	06/02/89	8.22	06/06/89	
					(2.40)		(2.72)		
				12/19/89	5.56	12/18/89	9.83	12/18/89	6.79
					(2.48)		(2.77)		(2.58)
BORON	PPB	10.00		06/14/89	14.00	06/02/89		06/06/89	15.00
				12/19/89	11.00	12/18/89		12/18/89	13.00
CADMIUM	PPB	2.00	10.00	06/14/89		06/02/89		06/06/89	
				12/19/89		12/18/89		12/18/89	3.00
CALCIUM	PPB	50.00		06/14/89	16200.00	06/02/89	19800.00	06/06/89	22000.00
				12/19/89	17800.00	12/18/89	21300.00	12/18/89	24600.00
CHLFORM	PPB	5.00	100.00	01/05/89	16.00	06/02/89	33.00	06/06/89	22.00
				01/19/89	18.00	12/18/89	21.00	12/18/89	19.00
				02/17/89	16.00		NR		NR
				03/01/89	15.00		NR		NR
				03/16/89	14.00		NR		NR
				06/14/89	31.00		NR		NR
				08/03/89	20.00		NR		NR
				08/17/89	23.00		NR		NR
				08/28/89	25.00		NR		NR
				09/13/89	20.00		NR		NR
				09/27/89	22.00		NR		NR
				12/19/89	26.00		NR		NR
CHLORID	PPB	500.00	250000.00	01/05/89	12000.00	06/02/89	75100.00	06/06/89	5600.00
				01/19/89	9900.00	12/18/89	10900.00	12/18/89	6600.00
				02/01/89	13000.00		NR		NR
				02/17/89	22900.00		NR		NR
				03/01/89	12200.00		NR		NR
				03/16/89	9500.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-11	SAMPLE DATE	3-1-12	SAMPLE DATE	3-1-13
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
CHLORID	PPB	500.00	250000.00	06/14/89	5600.00		NR		NR
				08/03/89	50000.00		NR		NR
				08/17/89	5300.00		NR		NR
				08/28/89	5300.00		NR		NR
				09/13/89	6200.00		NR		NR
				09/27/89	6100.00		NR		NR
				12/19/89	4100.00		NR		NR
CHROMIUM	PPB	10.00	50.00	06/14/89		06/02/89	12.00	06/06/89	
				12/19/89		12/18/89		12/18/89	
CONDFLD	UMHO	1.00	700.00	01/05/89	143.00	06/02/89	180.00	06/06/89	139.00
				01/19/89	213.00	12/18/89	192.00	12/18/89	219.00
				02/01/89	151.00		NR		NR
				02/17/89	523.00		NR		NR
				03/01/89	195.00		NR		NR
				03/16/89	171.00		NR		NR
				06/14/89	157.00		NR		NR
				08/03/89	312.00		NR		NR
				08/17/89	151.00		NR		NR
				08/28/89	169.00		NR		NR
				09/13/89	162.00		NR		NR
				09/27/89	169.00		NR		NR
				12/19/89	154.00		NR		NR
COPPER	PPB	10.00	(1300.0)	06/14/89	23.00	06/02/89	12.00	06/06/89	
				12/19/89	17.00	12/18/89	20.00	12/18/89	
FBARIUM	PPB	6.00	1000.00	06/14/89	13.00	06/02/89	17.00	06/06/89	16.00
				12/19/89	13.00	12/18/89	17.00	12/18/89	21.00
FBORON	PPB	10.00		06/14/89	13.00	06/02/89	23.00	06/06/89	14.00
				12/19/89	14.00	12/18/89	16.00	12/18/89	14.00
FCALCIU	PPB	50.00		06/14/89	16200.00	06/02/89	19100.00	06/06/89	19900.00
				12/19/89	17700.00	12/18/89	20700.00	12/18/89	25300.00
FCOPPER	PPB	10.00	(1300.0)	06/14/89	25.00	06/02/89	15.00	06/06/89	
				12/19/89	17.00	12/18/89	18.00	12/18/89	
FLITHIU	PPB	10.00		06/14/89		06/02/89		06/06/89	
				12/19/89	10.00	12/18/89		12/18/89	
FMAGNES	PPB	50.00		06/14/89	3520.00	06/02/89	4000.00	06/06/89	4090.00
				12/19/89	4090.00	12/18/89	4280.00	12/18/89	4950.00
FNICKEL	PPB	10.00		06/14/89		06/02/89	14.00	06/06/89	
				12/19/89		12/18/89		12/18/89	
FPOTASS	PPB	100.00		06/14/89	1440.00	06/02/89	1720.00	06/06/89	2630.00
				12/19/89	908.00	12/18/89	1660.00	12/18/89	3350.00
FSILICO	PPB	50.00		06/14/89	3890.00	06/02/89	3880.00	06/06/89	5700.00
				12/19/89	2580.00	12/18/89	4110.00	12/18/89	7530.00
FSODIUM	PPB	200.00		06/14/89	9960.00	06/02/89	12800.00	06/06/89	6790.00
				12/19/89	5130.00	12/18/89	9680.00	12/18/89	8550.00
FSTRONT	PPB	10.00		06/14/89	79.00	06/02/89	89.00	06/06/89	88.00
				12/19/89	83.00	12/18/89	95.00	12/18/89	110.00
FVANADI	PPB	5.00		06/14/89	6.00	06/02/89	10.00	06/06/89	
				12/19/89	6.00	12/18/89		12/18/89	
FZINC	PPB	5.00	5000.00	06/14/89		06/02/89		06/06/89	6.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-11	SAMPLE DATE	3-1-12	SAMPLE DATE	3-1-13
FZINC	PPB	5.00	5000.00	12/19/89	15.00	12/18/89		12/18/89	
IRON	PPB	30.00	300.00	06/14/89	32.00	06/02/89	50.00	06/06/89	76.00
				12/19/89	47.00	12/18/89	66.00	12/18/89	51.00
MAGNES	PPB	50.00		06/14/89	3550.00	06/02/89	4100.00	06/06/89	4500.00
				12/19/89	4260.00	12/18/89	4380.00	12/18/89	4890.00
MANGESE	PPB	5.00	50.00	06/14/89		06/02/89	5.00	06/06/89	
				12/19/89		12/18/89		12/18/89	
NICKEL	PPB	10.00		06/14/89		06/02/89		06/06/89	
				12/19/89		12/18/89	12.00	12/18/89	
NITRATE	PPB	500.00	45000.00	01/05/89	2300.00	06/02/89	1200.00	06/06/89	1400.00
				01/19/89	2400.00	12/18/89	1300.00	12/18/89	4000.00
				02/01/89	1500.00		NR		NR
				02/17/89	2100.00		NR		NR
				03/01/89	1800.00		NR		NR
				03/16/89	1300.00		NR		NR
				06/14/89	1200.00		NR		NR
				08/03/89	1100.00		NR		NR
				08/17/89	500.00		NR		NR
				08/28/89	1200.00		NR		NR
				09/13/89	1300.00		NR		NR
				09/27/89	1700.00		NR		NR
				12/19/89	1200.00		NR		NR
PHFIELD		0.10	8.50	01/05/89	7.30	06/02/89	7.27	06/06/89	7.20
				01/19/89	8.50	12/18/89	7.64	12/18/89	7.71
				02/01/89	7.50		NR		NR
				02/17/89	8.00		NR		NR
				03/01/89	8.10		NR		NR
				03/16/89	7.10		NR		NR
				06/14/89	7.01		NR		NR
				08/03/89	7.32		NR		NR
				08/17/89	7.16		NR		NR
				08/28/89	7.63		NR		NR
				09/13/89	7.40		NR		NR
				09/27/89	7.81		NR		NR
				12/19/89	8.03		NR		NR
POTASUM	PPB	100.00		06/14/89	1440.00	06/02/89	1750.00	06/06/89	2920.00
				12/19/89	978.00	12/18/89	1700.00	12/18/89	3370.00
RADIUM	PCI/L	1.00	5.00	06/14/89		06/02/89		06/06/89	
				12/19/89		12/18/89		12/18/89	0.34
									(0.20)
SILICON	PPB	50.00		06/14/89	3900.00	06/02/89	4080.00	06/06/89	6340.00
				12/19/89	2600.00	12/18/89	4240.00	12/18/89	7250.00
SODIUM	PPB	200.00		06/14/89	9990.00	06/02/89	13000.00	06/06/89	7530.00
				12/19/89	5400.00	12/18/89	9930.00	12/18/89	8500.00
STRONUM	PPB	10.00		06/14/89	82.00	06/02/89	96.00	06/06/89	97.00
				12/19/89	85.00	12/18/89	98.00	12/18/89	107.00
SULFATE	PPB	500.00	250000.00	01/05/89	18400.00	06/02/89	19100.00	06/06/89	21000.00
				01/19/89	17700.00	12/18/89	15800.00	12/18/89	22600.00
				02/01/89	16800.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-11	SAMPLE DATE	3-1-12	SAMPLE DATE	3-1-13
SULFATE	PPB	500.00	250000.00	02/17/89	17200.00		NR		NR
				03/01/89	16500.00		NR		NR
				03/16/89	18000.00		NR		NR
				06/14/89	18500.00		NR		NR
				08/03/89	20400.00		NR		NR
				08/17/89	19200.00		NR		NR
				08/28/89	19600.00		NR		NR
				09/13/89	16800.00		NR		NR
				09/27/89	16700.00		NR		NR
				12/19/89	15400.00		NR		NR
TC	PPB	1000.00		06/14/89	13500.00	06/02/89	15100.00	06/06/89	16000.00
TDS		5000.00	500000.00	06/14/89	82500.00	06/02/89	105000.00	06/06/89	101000.00
TOXLDL	PPB	10.00		06/14/89	74.00	06/02/89	66.00	06/06/89	37.00
				06/14/89	81.00	06/02/89	58.00	06/06/89	39.00
				06/14/89	76.00	06/02/89	66.00	06/06/89	47.00
				06/14/89	68.00	06/02/89	62.00	06/06/89	38.00
				12/19/89	82.00	12/18/89	41.00	12/18/89	18.00
TURBID	NTU	0.10	1.00	06/14/89	0.10	06/02/89	0.30	06/06/89	0.30
U	PCI/L	0.50	600.00	01/05/89	32.70	06/02/89	34.90	06/06/89	8.20
				01/19/89	48.00	12/18/89	39.10	12/18/89	6.68
				02/01/89	60.70		NR		NR
				02/17/89	63.20		NR		NR
				03/01/89	55.90		NR		NR
				03/16/89	59.70		NR		NR
				06/14/89	13.60		NR		NR
				08/03/89	21.90		NR		NR
				08/17/89	14.90		NR		NR
				08/28/89	10.50		NR		NR
				09/13/89	13.20		NR		NR
				09/27/89	11.40		NR		NR
				12/19/89	22.00		NR		NR
VANADIUM	PPB	5.00		06/14/89		06/02/89		06/06/89	
				12/19/89	7.00	12/18/89		12/18/89	
ZINC	PPB	5.00	5000.00	06/14/89		06/02/89		06/06/89	6.00
				12/19/89	14.00	12/18/89	6.00	12/18/89	6.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-14	SAMPLE DATE	3-1-15	SAMPLE DATE	3-1-16A
ALKALIN		20000.00		06/06/89	59400.00	06/09/89	68100.00	06/07/89	58300.00
				12/18/89	65000.00	06/09/89	68100.00	12/18/89	54000.00
					NR	12/18/89	122000.00		NR
ALPHAHI	PCI/L	4.00	15.00	06/06/89	10.40	06/09/89	12.60	06/07/89	17.80 *
					(2.50)		(2.75)		(3.33)
				12/18/89	11.70	06/09/89	8.75	12/18/89	6.93
					(2.54)		(2.37)		(2.08)
					NR	12/18/89	4.81		NR
							(2.12)		
BARIUM	PPB	6.00	1000.00	06/06/89	14.00	06/09/89	22.00	01/13/89	27.00
				12/18/89	19.00	06/09/89	20.00	01/27/89	31.00
					NR	12/18/89	47.00	06/07/89	26.00
					NR		NR	12/18/89	24.00
BERYLLUM	PPB	5.00		06/06/89		06/09/89	9.00	01/13/89	
				12/18/89		06/09/89		01/27/89	
					NR	12/18/89		06/07/89	
					NR		NR	12/18/89	
BETA	PCI/L	8.00	50.00	06/06/89	2.39	06/09/89	8.69	06/07/89	7.09
					(2.20)		(2.85)		(2.70)
				12/18/89	7.41	06/09/89	2.95	12/18/89	6.13
					(2.51)		(2.17)		(2.51)
					NR	12/18/89	6.85		NR
							(2.60)		
BORON	PPB	10.00		06/06/89		06/09/89	15.00	01/13/89	13.00
				12/18/89	11.00	06/09/89	10.00	01/27/89	15.00
					NR	12/18/89	34.00	06/07/89	12.00
					NR		NR	12/18/89	15.00
CADMIUM	PPB	2.00	10.00	06/06/89		06/09/89		01/13/89	
				12/18/89		06/09/89		01/27/89	
					NR	12/18/89		06/07/89	3.00
					NR		NR	12/18/89	
CALCIUM	PPB	50.00		06/06/89	19600.00	06/09/89	23000.00	01/13/89	20200.00
				12/18/89	24200.00	06/09/89	21500.00	01/27/89	23800.00
					NR	12/18/89	50200.00	06/07/89	21000.00
					NR		NR	12/18/89	19300.00
CHLFORM	PPB	5.00	100.00	06/06/89	26.00	06/09/89	16.00	06/07/89	14.00
				12/18/89	16.00	06/09/89	16.00	12/18/89	17.00
					NR	12/18/89			NR
CHLORID	PPB	500.00	250000.00	06/06/89	6200.00	06/09/89	6100.00	01/13/89	16100.00
				12/18/89	5400.00	06/09/89	6100.00	01/27/89	21300.00
					NR	12/18/89	18200.00	06/07/89	14300.00
					NR		NR	12/18/89	11200.00
CHROMIUM	PPB	10.00	50.00	06/06/89		06/09/89		01/13/89	
				12/18/89		06/09/89		01/27/89	
					NR	12/18/89		06/07/89	
					NR		NR	12/18/89	10.00
CONDFLD	UMHO	1.00	700.00	06/06/89	139.00	06/09/89	170.00	01/13/89	183.00
				12/18/89	235.00		NR	06/07/89	215.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-14	SAMPLE DATE	3-1-15	SAMPLE DATE	3-1-16A
COND FLD	UMHO	1.00	700.00		NR		NR	12/18/89	224.00
COPPER	PPB	10.00	(1300.0)	06/06/89 12/18/89		06/09/89 06/09/89 12/18/89		01/13/89 01/27/89 06/07/89 12/18/89	14.00 16.00
					NR NR		NR		
FBARIUM	PPB	6.00	1000.00	06/06/89 12/18/89	18.00 19.00 NR NR	06/09/89 06/09/89 12/18/89	21.00 18.00 42.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	27.00 30.00 27.00 22.00
FBERYLL	PPB	5.00		06/06/89 12/18/89	5.00	06/09/89 06/09/89 12/18/89		01/13/89 01/27/89 06/07/89 12/18/89	
					NR NR		NR		
FBORON	PPB	10.00		06/06/89 12/18/89	20.00	06/09/89 06/09/89 12/18/89	11.00 12.00 26.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	17.00 15.00
					NR NR		NR		14.00
FCALCIU	PPB	50.00		06/06/89 12/18/89	21700.00 25600.00 NR NR	06/09/89 06/09/89 12/18/89	23800.00 21100.00 47200.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	20800.00 22000.00 21500.00 18700.00
FCOPPER	PPB	10.00	(1300.0)	06/06/89 12/18/89	11.00	06/09/89 06/09/89 12/18/89	11.00	01/13/89 01/27/89 06/07/89 12/18/89	12.00 12.00
					NR NR		NR		
FMAGNES	PPB	50.00		06/06/89 12/18/89	4170.00 4650.00 NR NR	06/09/89 06/09/89 12/18/89	5600.00 4960.00 10800.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	3570.00 4160.00 3980.00 3310.00
FNICKEL	PPB	10.00		06/06/89 12/18/89		06/09/89 06/09/89 12/18/89		01/13/89 01/27/89 06/07/89 12/18/89	25.00 24.00 37.00 75.00
					NR NR		NR		
FPOTASS	PPB	100.00		06/06/89 12/18/89	2310.00 2640.00 NR NR	06/09/89 06/09/89 12/18/89	3710.00 3310.00 5730.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	2450.00 2810.00 2350.00 2340.00
FSILICO	PPB	50.00		06/06/89 12/18/89	4980.00 6110.00 NR NR	06/09/89 06/09/89 12/18/89	8760.00 7740.00 15400.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	7680.00 7310.00 6160.00 7180.00
FSODIUM	PPB	200.00		06/06/89 12/18/89	6910.00 7100.00 NR NR	06/09/89 06/09/89 12/18/89	10000.00 8840.00 21200.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	11500.00 12700.00 11700.00 10600.00
FSTRONT	PPB	10.00		06/06/89 12/18/89	93.00 108.00 NR NR	06/09/89 06/09/89 12/18/89	109.00 96.00 208.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	93.00 106.00 100.00 83.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-14	SAMPLE DATE	3-1-15	SAMPLE DATE	3-1-16A
FVANADI	PPB	5.00		06/06/89 12/18/89	9.00 NR NR	06/09/89 06/09/89 12/18/89	7.00 9.00 8.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	
FZINC	PPB	5.00	5000.00	06/06/89 12/18/89	NR NR	06/09/89 06/09/89 12/18/89		01/13/89 01/27/89 06/07/89 12/18/89	8.00 8.00
IRON	PPB	30.00	300.00	06/06/89 12/18/89	32.00 NR NR	06/09/89 06/09/89 12/18/89	NR	01/13/89 01/27/89 06/07/89 12/18/89	6.00 98.00
MAGNES	PPB	50.00		06/06/89 12/18/89	3740.00 4500.00 NR NR	06/09/89 06/09/89 12/18/89	5370.00 5030.00 11800.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	3620.00 4190.00 3890.00 3430.00
NICKEL	PPB	10.00		06/06/89 12/18/89	NR NR	06/09/89 06/09/89 12/18/89		01/13/89 01/27/89 06/07/89 12/18/89	28.00 29.00 40.00 80.00
NITRATE	PPB	500.00	45000.00	06/06/89 12/18/89	1100.00 2500.00 NR NR NR	06/09/89 06/09/89 12/18/89	2700.00 2800.00 21200.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	2800.00 2900.00 3600.00 1300.00
PH-LAB		0.01	8.50		NR		NR	01/13/89	7.20
PHFIELD		0.10	8.50	06/06/89 12/18/89	6.93 7.95 NR	06/09/89	7.43 NR NR	01/13/89 06/07/89 12/18/89	6.30 7.30 6.67
POTASUM	PPB	100.00		06/06/89 12/18/89	2130.00 2540.00 NR NR	06/09/89 06/09/89 12/18/89	3580.00 3350.00 6210.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	2670.00 2910.00 2320.00 2460.00
SILICON	PPB	50.00		06/06/89 12/18/89	4510.00 5630.00 NR NR	06/09/89 06/09/89 12/18/89	8470.00 7920.00 16400.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	7860.00 7880.00 6040.00 7320.00
SODIUM	PPB	200.00		06/06/89 12/18/89	6060.00 6910.00 NR NR	06/09/89 06/09/89 12/18/89	9580.00 9020.00 23400.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	12400.00 13500.00 11500.00 11000.00
STRONUM	PPB	10.00		06/06/89 12/18/89	85.00 105.00 NR NR	06/09/89 06/09/89 12/18/89	106.00 100.00 231.00 NR	01/13/89 01/27/89 06/07/89 12/18/89	94.00 110.00 97.00 86.00
SULFATE	PPB	500.00	250000.00	06/06/89 12/18/89	19600.00 20300.00 NR	06/09/89 06/09/89 12/18/89	23100.00 23200.00 48700.00	01/13/89 01/27/89 06/07/89	16000.00 16500.00 21300.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-14	SAMPLE DATE	3-1-15	SAMPLE DATE	3-1-16A
SULFATE	PPB	500.00	250000.00		NR		NR	12/18/89	19300.00
TC	PPB	1000.00		06/06/89	14900.00	06/09/89	16800.00	01/13/89	12600.00
					NR	06/09/89	16900.00	01/27/89	13500.00
					NR		NR	06/07/89	15300.00
TDS		5000.00	500000.00	06/06/89	95500.00	06/09/89	132000.00	06/07/89	104000.00
TOXLDL	PPB	10.00		06/06/89	45.00	06/09/89	31.00	01/13/89	21.00
				06/06/89	45.00	06/09/89	31.00	01/27/89	30.00
				06/06/89	54.00	06/09/89	28.00	06/07/89	30.00
				06/06/89	51.00	06/09/89	29.00	06/07/89	42.00
				12/18/89	34.00	12/18/89		06/07/89	38.00
					NR		NR	06/07/89	52.00
					NR		NR	12/18/89	29.00
TURBID	NTU	0.10	1.00	06/06/89		06/09/89	0.10	06/07/89	0.20
U	PC1/L	0.50	600.00	06/06/89	12.40	06/09/89	9.05	01/13/89	6.96
				12/18/89	10.70	06/09/89	9.09	06/07/89	12.20
					NR	12/18/89	5.32	12/18/89	12.00
VANADIUM	PPB	5.00		06/06/89		06/09/89		01/13/89	
				12/18/89		06/09/89	10.00	01/27/89	
					NR	12/18/89	10.00	06/07/89	
					NR		NR	12/18/89	
ZINC	PPB	5.00	5000.00	06/06/89		06/09/89		01/13/89	13.00
				12/18/89		06/09/89		01/27/89	9.00
					NR	12/18/89		06/07/89	6.00
					NR		NR	12/18/89	8.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-16B	SAMPLE DATE	3-1-16C	SAMPLE DATE	3-1-17A
1,1,1-T	PPB	5.00	200.00	06/07/89 12/18/89		06/07/89		01/05/89 01/19/89 02/17/89 03/01/89 03/16/89 05/10/89 06/05/89 08/03/89 08/17/89 08/28/89 09/13/89 09/27/89 10/04/89 10/10/89 10/17/89 10/24/89 10/31/89 11/07/89 11/14/89 11/21/89 11/28/89 12/05/89 12/12/89 12/19/89 12/28/89	9.00
ACETONE	PPB	10.00		06/07/89 12/18/89		06/07/89		01/05/89 01/19/89 02/17/89 03/01/89 03/16/89 05/10/89 06/05/89 08/03/89 08/17/89 08/28/89 09/13/89 09/27/89 10/04/89 10/10/89 10/17/89 10/24/89 10/31/89 11/07/89 11/14/89 11/21/89 11/28/89 12/05/89 12/12/89 12/19/89 12/28/89	13.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-16B	SAMPLE DATE	3-1-16C	SAMPLE DATE	3-1-17A
ACETONE	PPB	10.00			NR		NR	12/19/89	
					NR		NR	12/28/89	
ALKALIN		20000.00		06/07/89	149000.00	06/07/89	143000.00	06/05/89	54300.00
				12/18/89	144000.00		NR	12/19/89	
ALPHAHI	PCI/L	4.00	15.00	06/07/89	1.97	06/07/89	3.12	05/10/89	94.50 *
				12/18/89	(1.43)		(1.83)	06/05/89	(8.79)
					NR		NR	08/28/89	120.00 *
					NR		NR	12/19/89	(8.34)
					NR		NR	12/19/89	64.90 *
					NR		NR	12/19/89	(6.77)
					NR		NR	12/19/89	155.00 *
					NR		NR	12/19/89	(9.26)
					NR		NR	12/19/89	162.00 *
					NR		NR	12/19/89	(9.71)
AMMONIU	PPB	50.00		06/07/89	96.00	06/07/89	120.00	06/05/89	
BARIUM	PPB	6.00	1000.00	01/13/89	50.00	01/13/89	56.00	06/05/89	17.00
				01/27/89	50.00	01/27/89	46.00	12/19/89	14.00
				06/07/89	51.00	06/07/89	55.00		NR
				12/18/89	44.00		NR		NR
BETA	PCI/L	8.00	50.00	06/07/89	5.95	06/07/89	7.72	05/10/89	32.20
				12/18/89	(2.50)		(2.82)	06/05/89	(4.23)
					6.78		NR	08/28/89	27.70
					(2.73)		NR	12/19/89	(4.07)
					NR		NR	12/19/89	42.10
					NR		NR	12/19/89	(4.71)
					NR		NR	12/19/89	42.70
					NR		NR	12/19/89	(4.73)
					NR		NR	12/19/89	46.70
					NR		NR	12/19/89	(5.05)
BORON	PPB	10.00		01/13/89	41.00	01/13/89	42.00	06/05/89	20.00
				01/27/89	41.00	01/27/89	32.00	12/19/89	11.00
				06/07/89	51.00	06/07/89	41.00		NR
				12/18/89	40.00		NR		NR
CALCIUM	PPB	50.00		01/13/89	17800.00	01/13/89	17500.00	06/05/89	19200.00
				01/27/89	18100.00	01/27/89	20100.00	12/19/89	16800.00
				06/07/89	18800.00	06/07/89	18600.00		NR
				12/18/89	18500.00		NR		NR
CHLFORM	PPB	5.00	100.00	06/07/89		06/07/89		01/05/89	36.00
				12/18/89			NR	01/19/89	17.00
					NR		NR	02/17/89	14.00
					NR		NR	03/01/89	13.00
					NR		NR	03/16/89	13.00
					NR		NR	05/10/89	14.00
					NR		NR	06/05/89	27.00
					NR		NR	08/03/89	20.00
					NR		NR	08/17/89	21.00
					NR		NR	08/28/89	23.00
					NR		NR	09/13/89	18.00
					NR		NR	09/27/89	18.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-16B	SAMPLE DATE	3-1-16C	SAMPLE DATE	3-1-17A
CHLFORM	PPB	5.00	100.00		NR		NR	10/04/89	20.00
					NR		NR	10/10/89	17.00
					NR		NR	10/17/89	18.00
					NR		NR	10/24/89	18.00
					NR		NR	10/31/89	16.00
					NR		NR	11/07/89	21.00
					NR		NR	11/14/89	18.00
					NR		NR	11/21/89	16.00
					NR		NR	11/28/89	17.00
					NR		NR	12/05/89	16.00
					NR		NR	12/12/89	18.00
					NR		NR	12/19/89	22.00
					NR		NR	12/28/89	16.00
CHLORID	PPB	500.00	250000.00	01/13/89	11500.00	01/13/89	12600.00	01/05/89	46300.00
				01/27/89	12700.00	01/27/89	15800.00	01/19/89	22800.00
				06/07/89	12000.00	06/07/89	12100.00	02/01/89	32500.00
				12/18/89	11200.00		NR	02/17/89	29500.00
					NR		NR	03/01/89	23400.00
					NR		NR	03/16/89	15800.00
					NR		NR	05/10/89	15800.00
					NR		NR	06/05/89	14000.00
					NR		NR	08/03/89	18000.00
					NR		NR	08/17/89	7000.00
					NR		NR	08/28/89	10000.00
					NR		NR	09/13/89	7000.00
					NR		NR	09/27/89	6000.00
					NR		NR	10/04/89	15000.00
					NR		NR	10/10/89	12000.00
					NR		NR	10/17/89	17000.00
					NR		NR	10/24/89	17000.00
					NR		NR	10/31/89	8000.00
					NR		NR	11/07/89	57400.00
					NR		NR	11/14/89	7400.00
					NR		NR	11/21/89	58500.00
					NR		NR	11/28/89	7800.00
					NR		NR	12/05/89	13000.00
					NR		NR	12/12/89	16200.00
					NR		NR	12/19/89	12300.00
CHROMIUM	PPB	10.00	50.00	01/13/89		01/13/89	30.00	06/05/89	
				01/27/89		01/27/89		12/19/89	
				06/07/89		06/07/89			NR
				12/18/89			NR		NR
CONDFLD	UMHO	1.00	700.00	01/13/89	322.00	01/13/89	327.00	01/05/89	222.00
				06/07/89	293.00	06/07/89	368.00	01/19/89	262.00
				12/18/89	345.00		NR	02/01/89	216.00
					NR		NR	02/17/89	249.00
					NR		NR	03/01/89	216.00
					NR		NR	03/16/89	190.00
					NR		NR	05/10/89	181.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-16B	SAMPLE DATE	3-1-16C	SAMPLE DATE	3-1-17A
CONDFLD	UMHO	1.00	700.00		NR		NR	06/05/89	187.00
					NR		NR	08/03/89	222.00
					NR		NR	08/17/89	175.00
					NR		NR	08/28/89	189.00
					NR		NR	09/13/89	173.00
					NR		NR	09/27/89	196.00
					NR		NR	10/04/89	188.00
					NR		NR	10/10/89	190.00
					NR		NR	10/17/89	202.00
					NR		NR	10/24/89	197.00
					NR		NR	10/31/89	172.00
					NR		NR	11/07/89	357.00
					NR		NR	11/14/89	175.00
					NR		NR	11/21/89	354.00
					NR		NR	11/28/89	180.00
					NR		NR	12/05/89	208.00
					NR		NR	12/05/89	206.00
					NR		NR	12/05/89	207.00
COPPER	PPB	10.00	(1300.0)	01/13/89		01/13/89		06/05/89	13.00
				01/27/89		01/27/89		12/19/89	21.00
				06/07/89		06/07/89			NR
				12/18/89			NR		NR
FBARIUM	PPB	6.00	1000.00	01/13/89	53.00	01/13/89	56.00	06/05/89	22.00
				01/27/89	48.00	01/27/89	49.00	12/19/89	12.00
				06/07/89	49.00	06/07/89	49.00		NR
				12/18/89	44.00		NR		NR
FBORON	PPB	10.00		01/13/89	44.00	01/13/89	41.00	06/05/89	26.00
				01/27/89	41.00	01/27/89	34.00	12/19/89	14.00
				06/07/89	47.00	06/07/89	36.00		NR
				12/18/89	36.00		NR		NR
FCALCIU	PPB	50.00		01/13/89	19700.00	01/13/89	19600.00	06/05/89	20200.00
				01/27/89	17100.00	01/27/89	20600.00	12/19/89	16800.00
				06/07/89	18400.00	06/07/89	18200.00		NR
				12/18/89	17900.00		NR		NR
FCOPPER	PPB	10.00	(1300.0)	01/13/89		01/13/89		06/05/89	19.00
				01/27/89		01/27/89		12/19/89	26.00
				06/07/89		06/07/89			NR
				12/18/89			NR		NR
FIRON	PPB	30.00	300.00	01/13/89	76.00	01/13/89		06/05/89	
				01/27/89	83.00	01/27/89		12/19/89	
				06/07/89	96.00	06/07/89			NR
				12/18/89	80.00		NR		NR
FLITHIU	PPB	10.00		01/13/89	11.00	01/13/89	13.00	06/05/89	20.00
				01/27/89	11.00	01/27/89		12/19/89	15.00
				06/07/89	11.00	06/07/89	11.00		NR
				12/18/89	11.00		NR		NR
FLUORID	PPB	500.00	4000.00	01/13/89	1300.00	01/13/89	1200.00	01/05/89	
				01/27/89	1200.00	01/27/89	900.00	01/19/89	
				06/07/89	1200.00	06/07/89	1100.00	02/01/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-16B	SAMPLE DATE	3-1-16C	SAMPLE DATE	3-1-17A
FLUORID	PPB	500.00	4000.00	12/18/89	1100.00		NR	02/17/89	
					NR		NR	03/01/89	
					NR		NR	03/16/89	
					NR		NR	05/10/89	
					NR		NR	06/05/89	
					NR		NR	08/03/89	
					NR		NR	08/17/89	
					NR		NR	08/28/89	
					NR		NR	09/13/89	
					NR		NR	09/27/89	
					NR		NR	10/04/89	
					NR		NR	10/10/89	
					NR		NR	10/17/89	
					NR		NR	10/24/89	
					NR		NR	10/31/89	
					NR		NR	11/07/89	
					NR		NR	11/14/89	
					NR		NR	11/21/89	
					NR		NR	11/28/89	
					NR		NR	12/05/89	
					NR		NR	12/12/89	
					NR		NR	12/19/89	
FMAGNES	PPB	50.00		01/13/89	6160.00	01/13/89	5970.00	06/05/89	4180.00
				01/27/89	5870.00	01/27/89	6160.00	12/19/89	3480.00
				06/07/89	6000.00	06/07/89	5570.00		NR
				12/18/89	5560.00		NR		NR
FMANGAN	PPB	5.00	50.00	01/13/89	83.00 *	01/13/89	45.00	06/05/89	
				01/27/89	79.00 *	01/27/89	31.00	12/19/89	
				06/07/89	85.00 *	06/07/89	37.00		NR
				12/18/89	76.00 *		NR		NR
FNICKEL	PPB	10.00		01/13/89		01/13/89		06/05/89	16.00
				01/27/89		01/27/89		12/19/89	
				06/07/89		06/07/89			NR
				12/18/89			NR		NR
FPOTASS	PPB	100.00		01/13/89	5330.00	01/13/89	5970.00	06/05/89	1670.00
				01/27/89	5190.00	01/27/89	5420.00	12/19/89	1270.00
				06/07/89	5270.00	06/07/89	5290.00		NR
				12/18/89	4900.00		NR		NR
FSILICO	PPB	50.00		01/13/89	21700.00	01/13/89	22900.00	06/05/89	3990.00
				01/27/89	20900.00	01/27/89	18100.00	12/19/89	3150.00
				06/07/89	20400.00	06/07/89	18900.00		NR
				12/18/89	19600.00		NR		NR
FSODIUM	PPB	200.00		01/13/89	52900.00	01/13/89	48300.00	06/05/89	11400.00
				01/27/89	49600.00	01/27/89	36600.00	12/19/89	11100.00
				06/07/89	51000.00	06/07/89	41300.00		NR
				12/18/89	44300.00		NR		NR
FSTRONT	PPB	10.00		01/13/89	113.00	01/13/89	114.00	06/05/89	99.00
				01/27/89	105.00	01/27/89	123.00	12/19/89	78.00
				06/07/89	108.00	06/07/89	108.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-16B	SAMPLE DATE	3-1-16C	SAMPLE DATE	3-1-17A
FSTRONT	PPB	10.00		12/18/89	100.00		NR		NR
FZINC	PPB	5.00	5000.00	01/13/89	7.00	01/13/89		06/05/89	
				01/27/89		01/27/89	5.00	12/19/89	
				06/07/89		06/07/89	7.00		NR
				12/18/89	6.00		NR		NR
IRON	PPB	30.00	300.00	01/13/89	100.00	01/13/89	182.00	06/05/89	
				01/27/89	116.00	01/27/89	63.00	12/19/89	35.00
				06/07/89	115.00	06/07/89	83.00		NR
				12/18/89	101.00		NR		NR
LITHIUM	PPB	10.00		01/13/89	11.00	01/13/89	14.00	06/05/89	19.00
				01/27/89		01/27/89		12/19/89	15.00
				06/07/89	12.00	06/07/89	15.00		NR
				12/18/89			NR		NR
MAGNES	PPB	50.00		01/13/89	5870.00	01/13/89	5770.00	06/05/89	3950.00
				01/27/89	5790.00	01/27/89	5690.00	12/19/89	3610.00
				06/07/89	6230.00	06/07/89	5990.00		NR
				12/18/89	5780.00		NR		NR
MANGESE	PPB	5.00	50.00	01/13/89	79.00 *	01/13/89	50.00	06/05/89	
				01/27/89	82.00 *	01/27/89	31.00	12/19/89	
				06/07/89	87.00 *	06/07/89	45.00		NR
				12/18/89	80.00 *		NR		NR
METHONE	PPB	10.00		06/07/89		06/07/89		01/05/89	
				12/18/89			NR	01/19/89	
					NR		NR	02/17/89	
					NR		NR	03/01/89	
					NR		NR	03/16/89	
					NR		NR	05/10/89	
					NR		NR	06/05/89	
					NR		NR	08/03/89	
					NR		NR	08/17/89	
					NR		NR	08/28/89	
					NR		NR	09/13/89	
					NR		NR	09/27/89	11.00
					NR		NR	10/04/89	
					NR		NR	10/10/89	
					NR		NR	10/17/89	
					NR		NR	10/24/89	
					NR		NR	10/31/89	
					NR		NR	11/07/89	
					NR		NR	11/14/89	
					NR		NR	11/21/89	
					NR		NR	11/28/89	
					NR		NR	12/05/89	
					NR		NR	12/12/89	
					NR		NR	12/19/89	
					NR		NR	12/28/89	
METHYCH	PPB	5.00		06/07/89		06/07/89		01/05/89	
				12/18/89			NR	01/19/89	
					NR		NR	02/17/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-16B	SAMPLE DATE	3-1-16C	SAMPLE DATE	3-1-17A
METHYCH	PPB	5.00			NR		NR	03/01/89	
					NR		NR	03/16/89	
					NR		NR	05/10/89	
					NR		NR	06/05/89	
					NR		NR	08/03/89	
					NR		NR	08/17/89	
					NR		NR	08/28/89	
					NR		NR	09/13/89	
					NR		NR	09/27/89	
					NR		NR	10/04/89	
					NR		NR	10/10/89	
					NR		NR	10/17/89	
					NR		NR	10/24/89	
					NR		NR	10/31/89	
					NR		NR	11/07/89	
					NR		NR	11/14/89	
					NR		NR	11/21/89	
					NR		NR	11/28/89	
					NR		NR	12/05/89	7.00
					NR		NR	12/12/89	
					NR		NR	12/19/89	
					NR		NR	12/28/89	
NICKEL	PPB	10.00		01/13/89		01/13/89	16.00	06/05/89	
				01/27/89		01/27/89		12/19/89	
				06/07/89		06/07/89			NR
				12/18/89			NR		NR
NITRATE	PPB	500.00	45000.00	01/13/89		01/13/89		01/05/89	1800.00
				01/27/89		01/27/89	1500.00	01/19/89	3100.00
				06/07/89		06/07/89	800.00	02/01/89	2500.00
				12/18/89			NR	02/17/89	2500.00
					NR		NR	03/01/89	2300.00
					NR		NR	03/16/89	2000.00
					NR		NR	05/10/89	1600.00
					NR		NR	06/05/89	1100.00
					NR		NR	08/03/89	1500.00
					NR		NR	08/17/89	1800.00
					NR		NR	08/28/89	1200.00
					NR		NR	09/13/89	1000.00
					NR		NR	09/27/89	1000.00
					NR		NR	10/04/89	2000.00
					NR		NR	10/10/89	1200.00
					NR		NR	10/17/89	1000.00
					NR		NR	10/24/89	1200.00
					NR		NR	10/31/89	1200.00
					NR		NR	11/07/89	800.00
					NR		NR	11/14/89	1100.00
					NR		NR	11/21/89	1200.00
					NR		NR	11/28/89	1100.00
					NR		NR	12/05/89	1000.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-16B	SAMPLE DATE	3-1-16C	SAMPLE DATE	3-1-17A
NITRATE	PPB	500.00	45000.00		NR		NR	12/12/89	1000.00
					NR		NR	12/19/89	1400.00
PERCENE	PPB	5.00		06/07/89 12/18/89		06/07/89		01/05/89	
							NR	01/19/89	5.00
					NR		NR	02/17/89	
					NR		NR	03/01/89	
					NR		NR	03/16/89	
					NR		NR	05/10/89	
					NR		NR	06/05/89	
					NR		NR	08/03/89	
					NR		NR	08/17/89	
					NR		NR	08/28/89	
					NR		NR	09/13/89	
					NR		NR	09/27/89	
					NR		NR	10/04/89	
					NR		NR	10/10/89	
					NR		NR	10/17/89	
					NR		NR	10/24/89	
					NR		NR	10/31/89	
					NR		NR	11/07/89	
					NR		NR	11/14/89	
					NR		NR	11/21/89	
					NR		NR	11/28/89	
					NR		NR	12/05/89	
					NR		NR	12/12/89	
					NR		NR	12/19/89	
					NR		NR	12/28/89	
PH-LAB		0.01	8.50	01/13/89	8.00	01/13/89	8.00		NR
				01/27/89	8.10	01/27/89	8.10		NR
PHFIELD		0.10	8.50	01/13/89	7.60	01/13/89	7.30	01/05/89	7.00
				06/07/89	7.35	06/07/89	7.84	01/19/89	7.50
				12/18/89	7.05		NR	02/01/89	7.30
					NR		NR	02/17/89	7.00
					NR		NR	03/01/89	7.30
					NR		NR	03/16/89	7.70
					NR		NR	05/10/89	7.60
					NR		NR	06/05/89	6.94
					NR		NR	08/03/89	6.64
					NR		NR	08/17/89	7.11
					NR		NR	08/28/89	7.20
					NR		NR	09/13/89	7.30
					NR		NR	09/27/89	7.65
					NR		NR	10/04/89	8.31
					NR		NR	10/10/89	7.04
					NR		NR	10/17/89	6.86
					NR		NR	10/24/89	7.45
					NR		NR	10/31/89	7.22
					NR		NR	11/07/89	7.81
					NR		NR	11/14/89	6.93

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-16B	SAMPLE DATE	3-1-16C	SAMPLE DATE	3-1-17A
PHFIELD		0.10	8.50		NR		NR	11/21/89	6.96
					NR		NR	11/28/89	7.04
					NR		NR	12/05/89	7.09
					NR		NR	12/05/89	7.08
					NR		NR	12/05/89	7.09
POTASUM	PPB	100.00		01/13/89	5420.00	01/13/89	6400.00	06/05/89	1640.00
				01/27/89	5200.00	01/27/89	5110.00	12/19/89	1350.00
				06/07/89	5510.00	06/07/89	6130.00		NR
				12/18/89	5070.00		NR		NR
RADIUM	PC1/L	1.00	5.00	06/07/89	0.28	06/07/89	0.24	06/05/89	
					(0.18)		(0.17)		
				12/18/89			NR	12/19/89	
SILICON	PPB	50.00		01/13/89	20500.00	01/13/89	23600.00	06/05/89	3840.00
				01/27/89	19900.00	01/27/89	16400.00	12/19/89	3190.00
				06/07/89	21100.00	06/07/89	21600.00		NR
				12/18/89	20800.00		NR		NR
SODIUM	PPB	200.00		01/13/89	53000.00	01/13/89	53500.00	06/05/89	10500.00
				01/27/89	49500.00	01/27/89	35600.00	12/19/89	11900.00
				06/07/89	53100.00	06/07/89	48700.00		NR
				12/18/89	44500.00		NR		NR
STRONIUM	PPB	10.00		01/13/89	106.00	01/13/89	107.00	06/05/89	96.00
				01/27/89	107.00	01/27/89	115.00	12/19/89	80.00
				06/07/89	113.00	06/07/89	114.00		NR
				12/18/89	104.00		NR		NR
SULFATE	PPB	500.00	250000.00	01/13/89	10200.00	01/13/89	15600.00	01/05/89	16100.00
				01/27/89	12100.00	01/27/89	22000.00	01/19/89	17400.00
				06/07/89	15400.00	06/07/89	18000.00	02/01/89	18700.00
				12/18/89	17900.00		NR	02/17/89	17400.00
					NR		NR	03/01/89	16900.00
					NR		NR	03/16/89	17400.00
					NR		NR	05/10/89	22400.00
					NR		NR	06/05/89	19500.00
					NR		NR	08/03/89	27000.00
					NR		NR	08/17/89	20200.00
					NR		NR	08/28/89	19700.00
					NR		NR	09/13/89	17100.00
					NR		NR	09/27/89	17000.00
					NR		NR	10/04/89	18200.00
					NR		NR	10/10/89	19300.00
					NR		NR	10/17/89	17800.00
					NR		NR	10/24/89	17500.00
					NR		NR	10/31/89	16600.00
					NR		NR	11/07/89	21200.00
					NR		NR	11/14/89	16000.00
					NR		NR	11/21/89	26400.00
					NR		NR	11/28/89	18100.00
					NR		NR	12/05/89	17500.00
					NR		NR	12/12/89	15600.00
					NR		NR	12/19/89	14200.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-16B	SAMPLE DATE	3-1-16C	SAMPLE DATE	3-1-17A
TC	PPB	1000.00		01/13/89	34000.00	01/13/89	31800.00	06/05/89	15000.00
				01/27/89	34400.00	01/27/89	25000.00		NR
				06/07/89	36400.00	06/07/89	41200.00		NR
TDS		5000.00	500000.00	06/07/89	211000.00	06/07/89	227000.00	06/05/89	89500.00
TOXLDL	PPB	10.00		01/13/89	54.00	01/13/89	44.00	06/05/89	66.00
				01/27/89	63.00	01/27/89	61.00	06/05/89	70.00
				06/07/89	63.00	06/07/89	45.00	06/05/89	67.00
				06/07/89	68.00	06/07/89	32.00	06/05/89	60.00
				06/07/89	65.00	06/07/89	31.00	12/19/89	43.00
				06/07/89	61.00	06/07/89	20.00		NR
				12/18/89	71.00		NR		NR
TRANDCE	PPB	5.00	(70.0)	06/07/89	79.00 #	06/07/89		01/05/89	
				12/18/89	135.00 #		NR	01/19/89	
					NR		NR	02/17/89	
					NR		NR	03/01/89	
					NR		NR	03/16/89	
					NR		NR	05/10/89	
					NR		NR	06/05/89	
					NR		NR	08/03/89	
					NR		NR	08/17/89	
					NR		NR	08/28/89	
					NR		NR	09/13/89	
					NR		NR	09/27/89	
					NR		NR	10/04/89	
					NR		NR	10/10/89	
					NR		NR	10/17/89	
					NR		NR	10/24/89	
					NR		NR	10/31/89	
					NR		NR	11/07/89	
					NR		NR	11/14/89	
					NR		NR	11/21/89	
					NR		NR	11/28/89	
					NR		NR	12/05/89	
					NR		NR	12/12/89	
					NR		NR	12/19/89	
					NR		NR	12/28/89	
TRICENE	PPB	5.00	5.00	06/07/89	21.00 *	06/07/89		01/05/89	
				12/18/89	23.00 *		NR	01/19/89	
					NR		NR	02/17/89	
					NR		NR	03/01/89	
					NR		NR	03/16/89	
					NR		NR	05/10/89	
					NR		NR	06/05/89	
					NR		NR	08/03/89	
					NR		NR	08/17/89	
					NR		NR	08/28/89	
					NR		NR	09/13/89	
					NR		NR	09/27/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-16B	SAMPLE DATE	3-1-16C	SAMPLE DATE	3-1-17A
TRICENE	PPB	5.00	5.00		NR		NR	10/04/89	
					NR		NR	10/10/89	
					NR		NR	10/17/89	
					NR		NR	10/24/89	
					NR		NR	10/31/89	
					NR		NR	11/07/89	
					NR		NR	11/14/89	
					NR		NR	11/21/89	
					NR		NR	11/28/89	
					NR		NR	12/05/89	
					NR		NR	12/12/89	
					NR		NR	12/19/89	
					NR		NR	12/28/89	
TRITIUM	PCI/L	500.00	20000.00		NR		NR	05/10/89	
					NR		NR	08/28/89	326.00
									(135.00)
					NR		NR	12/19/89	
TURBID	NTU	0.10	1.00	06/07/89	0.10	06/07/89	0.40	06/05/89	0.20
U	PCI/L	0.50	600.00	01/13/89	1.60	01/13/89	2.08	01/05/89	149.00
				06/07/89	2.11	06/07/89	3.63	01/19/89	120.00
				12/18/89	1.23			02/01/89	138.00
					NR		NR	02/17/89	122.00
					NR		NR	03/01/89	150.00
					NR		NR	03/16/89	164.00
					NR		NR	05/10/89	196.00
					NR		NR	06/05/89	106.00
					NR		NR	08/03/89	83.70
					NR		NR	08/17/89	66.20
					NR		NR	08/28/89	63.70
					NR		NR	09/13/89	49.60
					NR		NR	09/27/89	54.60
					NR		NR	10/04/89	40.10
					NR		NR	10/10/89	51.40
					NR		NR	10/17/89	57.40
					NR		NR	10/24/89	67.80
					NR		NR	10/31/89	89.40
					NR		NR	11/07/89	102.00
					NR		NR	11/14/89	92.00
					NR		NR	11/21/89	94.40
					NR		NR	11/28/89	125.00
					NR		NR	12/05/89	99.80
					NR		NR	12/12/89	80.10
					NR		NR	12/19/89	143.00
UNKNOWN	PPB	0.00			NR	06/07/89	61.00		NR
ZINC	PPB	5.00	5000.00	01/13/89	8.00	01/13/89	18.00	06/05/89	
				01/27/89	8.00	01/27/89	10.00	12/19/89	
				06/07/89		06/07/89	15.00		NR
				12/18/89			NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-17B	SAMPLE DATE	3-1-17C	SAMPLE DATE	3-1-18A
ALKALIN		20000.00		06/05/89 12/19/89	177000.00 173000.00	06/05/89	181000.00 NR	06/08/89 12/18/89	126000.00 126000.00
ALPHAHI	PCI/L	4.00	15.00	06/05/89 12/19/89		06/05/89		06/08/89 12/18/89	2.62 (1.69) (1.87)
AMMONIU	PPB	50.00		06/05/89	113.00	06/05/89	98.00	06/08/89	
ARSENIC	PPB	5.00	50.00	06/05/89 12/19/89		06/05/89		06/08/89 12/18/89	6.00
BARIUM	PPB	6.00	1000.00	06/05/89 12/19/89	69.00 68.00	06/05/89	77.00 NR	06/08/89 12/18/89	42.00 46.00
BETA	PCI/L	8.00	50.00	06/05/89 12/19/89	5.77 (2.59) (2.42)	06/05/89	9.75 (3.02) NR	06/08/89 12/18/89	8.92 (2.89) (2.68)
BORON	PPB	10.00		06/05/89 12/19/89	41.00 36.00	06/05/89	52.00 NR	06/08/89 12/18/89	38.00 25.00
CALCIUM	PPB	50.00		06/05/89 12/19/89	19600.00 18900.00	06/05/89	10300.00 NR	06/08/89 12/18/89	40700.00 45400.00
CHLORID	PPB	500.00	250000.00	06/05/89 12/19/89	10900.00 9900.00	06/05/89	11300.00 NR	01/05/89 01/19/89	16300.00 16600.00
					NR		NR	02/01/89	17200.00
					NR		NR	02/17/89	17400.00
					NR		NR	03/01/89	17400.00
					NR		NR	03/16/89	17200.00
					NR		NR	05/10/89	16300.00
					NR		NR	06/08/89	16600.00
					NR		NR	08/03/89	17000.00
					NR		NR	08/17/89	18000.00
					NR		NR	08/28/89	19000.00
					NR		NR	09/27/89	18000.00
					NR		NR	12/18/89	17000.00
CONDFLD	UMHO	1.00	700.00	06/05/89 12/19/89	310.00 373.00	06/05/89	272.00 NR	01/05/89 01/19/89	326.00 459.00
					NR		NR	02/01/89	368.00
					NR		NR	02/17/89	445.00
					NR		NR	03/01/89	464.00
					NR		NR	03/16/89	457.00
					NR		NR	05/10/89	373.00
					NR		NR	06/08/89	351.00
					NR		NR	08/03/89	434.00
					NR		NR	08/17/89	430.00
					NR		NR	08/28/89	454.00
					NR		NR	09/27/89	470.00
					NR		NR	12/18/89	449.00
FARSENI	PPB	5.00	50.00	06/05/89		06/05/89		06/08/89	6.00
FBARIUM	PPB	6.00	1000.00	06/05/89	69.00	06/05/89	79.00	12/18/89	5.00
								06/08/89	43.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-17B	SAMPLE DATE	3-1-17C	SAMPLE DATE	3-1-18A
FBARIUM	PPB	6.00	1000.00	12/19/89	65.00		NR	12/18/89	46.00
FBORON	PPB	10.00		06/05/89	42.00	06/05/89	57.00	06/08/89	23.00
				12/19/89	42.00		NR	12/18/89	26.00
FCADMIU	PPB	2.00	10.00	06/05/89		06/05/89		06/08/89	
				12/19/89	3.00		NR	12/18/89	
FCALCIU	PPB	50.00		06/05/89	19000.00	06/05/89	10200.00	06/08/89	42600.00
				12/19/89	19000.00		NR	12/18/89	46100.00
FIRON	PPB	30.00	300.00	06/05/89	178.00	06/05/89	77.00	06/08/89	
				12/19/89	327.00 *		NR	12/18/89	
FLITHIU	PPB	10.00		06/05/89	13.00	06/05/89	20.00	06/08/89	
				12/19/89			NR	12/18/89	
FLUORID	PPB	500.00	4000.00	06/05/89	1000.00	06/05/89	1700.00	01/05/89	
				12/19/89	900.00		NR	01/19/89	
					NR		NR	02/01/89	
					NR		NR	02/17/89	
					NR		NR	03/01/89	
					NR		NR	03/16/89	
					NR		NR	05/10/89	
					NR		NR	06/08/89	
					NR		NR	08/03/89	
					NR		NR	08/17/89	
					NR		NR	08/28/89	
					NR		NR	09/27/89	
					NR		NR	12/18/89	
FMAGNES	PPB	50.00		06/05/89	6690.00	06/05/89	4440.00	06/08/89	11700.00
				12/19/89	6600.00		NR	12/18/89	11900.00
FMANGAN	PPB	5.00	50.00	06/05/89	68.00 *	06/05/89	22.00	06/08/89	
				12/19/89	73.00 *		NR	12/18/89	
FPOTASS	PPB	100.00		06/05/89	6060.00	06/05/89	10100.00	06/08/89	6110.00
				12/19/89	5830.00		NR	12/18/89	6190.00
FSILICO	PPB	50.00		06/05/89	20500.00	06/05/89	27700.00	06/08/89	16900.00
				12/19/89	21900.00		NR	12/18/89	17700.00
FSODIUM	PPB	200.00		06/05/89	51300.00	06/05/89	68900.00	06/08/89	22600.00
				12/19/89	46900.00		NR	12/18/89	22600.00
FSTRONT	PPB	10.00		06/05/89	113.00	06/05/89	74.00	06/08/89	221.00
				12/19/89	105.00		NR	12/18/89	230.00
FVANADI	PPB	5.00		06/05/89	6.00	06/05/89		06/08/89	
				12/19/89			NR	12/18/89	9.00
IRON	PPB	30.00	300.00	06/05/89	191.00	06/05/89	92.00	06/08/89	
				12/19/89	366.00 *		NR	12/18/89	
LITHIUM	PPB	10.00		06/05/89	13.00	06/05/89	18.00	06/08/89	
				12/19/89	12.00		NR	12/18/89	
MAGNES	PPB	50.00		06/05/89	6940.00	06/05/89	4390.00	06/08/89	11200.00
				12/19/89	6850.00		NR	12/18/89	12100.00
MANGESE	PPB	5.00	50.00	06/05/89	73.00 *	06/05/89	24.00	06/08/89	
				12/19/89	74.00 *		NR	12/18/89	
NITRATE	PPB	500.00	45000.00	06/05/89		06/05/89		01/05/89	21600.00
				12/19/89			NR	01/19/89	22200.00
					NR		NR	02/01/89	22500.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-17B	SAMPLE DATE	3-1-17C	SAMPLE DATE	3-1-18A
NITRATE	PPB	500.00	45000.00		NR NR NR NR NR NR NR NR NR NR NR		NR NR NR NR NR NR NR NR NR NR NR	02/17/89 03/01/89 03/16/89 05/10/89 06/08/89 08/03/89 08/17/89 08/28/89 09/27/89 12/18/89	22400.00 21000.00 21300.00 22600.00 23600.00 22000.00 22300.00 22700.00 21200.00 22200.00
PHFIELD		0.10	8.50	06/05/89 12/19/89	7.60 8.16 NR NR NR NR NR NR NR NR NR NR	06/05/89	7.79 NR NR NR NR NR NR NR NR NR NR	01/05/89 01/19/89 02/01/89 02/17/89 03/01/89 03/16/89 05/10/89 06/08/89 08/03/89 08/17/89 08/28/89 09/27/89 12/18/89	7.80 8.30 7.90 7.70 8.60 * 8.20 7.70 7.56 7.79 7.83 7.81 7.77 7.80
POTASLM	PPB	100.00		06/05/89 12/19/89	6430.00 6060.00	06/05/89	9930.00 NR	06/08/89 12/18/89	5820.00 6300.00
RADIUM	PCI/L	1.00	5.00	06/05/89 12/19/89	0.19 (0.16)	06/05/89		06/08/89 12/18/89	
SILICON	PPB	50.00		06/05/89 12/19/89	21300.00 21900.00	06/05/89	28100.00 NR	06/08/89 12/18/89	16300.00 17700.00
SODIUM	PPB	200.00		06/05/89 12/19/89	53600.00 49500.00	06/05/89	66900.00 NR	06/08/89 12/18/89	21800.00 23100.00
STRONUM	PPB	10.00		06/05/89 12/19/89	121.00 111.00	06/05/89	76.00 NR	06/08/89 12/18/89	216.00 232.00
SULFATE	PPB	500.00	250000.00	06/05/89 12/19/89	700.00 NR NR NR NR NR NR NR NR NR NR NR	06/05/89		01/05/89 01/19/89 02/01/89 02/17/89 03/01/89 03/16/89 05/10/89 06/08/89 08/03/89 08/17/89 08/28/89 09/27/89 12/18/89	48900.00 49800.00 49900.00 50700.00 46400.00 49300.00 48600.00 51500.00 49000.00 50000.00 52000.00 47000.00 49600.00
TC	PPB	1000.00		06/05/89	42400.00	06/05/89	43100.00	06/08/89	29800.00
TDS		5000.00	500000.00	06/05/89	222000.00	06/05/89	247000.00	06/08/89	267000.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-17B	SAMPLE DATE	3-1-17C	SAMPLE DATE	3-1-18A
TOXLDL	PPB	10.00		06/05/89	21.00	06/05/89	12.00	06/08/89	
				06/05/89	18.00	06/05/89	18.00	06/08/89	
				06/05/89	13.00	06/05/89	14.00	06/08/89	
				06/05/89	26.00	06/05/89		06/08/89	
				12/19/89	11.00		NR	12/18/89	
TRANDCE	PPB	5.00	(70.0)	06/05/89	8.00	06/05/89		01/05/89	
				12/19/89	9.00		NR	01/19/89	
					NR		NR	02/17/89	
					NR		NR	03/01/89	
					NR		NR	03/16/89	
					NR		NR	05/10/89	
					NR		NR	06/08/89	
					NR		NR	08/03/89	
					NR		NR	08/17/89	
					NR		NR	08/28/89	
					NR		NR	09/27/89	
					NR		NR	12/18/89	
TRITIUM	PCI/L	500.00	20000.00	06/05/89		06/05/89		06/08/89	6450.00
				12/19/89			NR		(287.00)
TURBID	NTU	0.10	1.00	06/05/89	0.10	06/05/89		06/08/89	NR
U	PCI/L	0.50	600.00	06/05/89		06/05/89		01/05/89	3.02
				12/19/89			NR	01/19/89	3.22
					NR		NR	02/01/89	3.57
					NR		NR	02/17/89	3.20
					NR		NR	03/01/89	3.59
					NR		NR	03/16/89	3.82
					NR		NR	05/10/89	2.58
					NR		NR	06/08/89	3.74
					NR		NR	08/03/89	2.86
					NR		NR	08/17/89	3.27
					NR		NR	08/28/89	4.05
					NR		NR	09/27/89	4.03
					NR		NR	12/18/89	3.40
VANADUM	PPB	5.00		06/05/89		06/05/89		06/08/89	
				12/19/89			NR	12/18/89	12.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-18B	SAMPLE DATE	3-1-19	SAMPLE DATE	3-2-1
ALKALIN		20000.00		06/08/89	185000.00 NR		NR	06/09/89	62600.00
ALPHAHI	PCI/L	4.00	15.00	06/08/89	NR		NR	12/19/89	56000.00
							NR	06/09/89	13.20
					NR		NR	12/19/89	(2.76)
									(9.67)
									(2.65)
AMMONIU	PPB	50.00		06/08/89	129.00		NR	06/09/89	
BARIU	PPB	6.00	1000.00	06/08/89	40.00		NR	06/09/89	41.00
					NR		NR	12/19/89	35.00
BETA	PCI/L	8.00	50.00	06/08/89	5.69		NR	06/09/89	7.16
					(2.46)				(2.64)
					NR		NR	12/19/89	9.22
									(2.81)
BORON	PPB	10.00		06/08/89	77.00		NR	06/09/89	10.00
					NR		NR	12/19/89	18.00
CALCIUM	PPB	50.00		06/08/89	13700.00		NR	06/09/89	21700.00
					NR		NR	12/19/89	20800.00
CHLFORM	PPB	5.00	100.00	06/08/89		01/05/89	17.00	06/09/89	6.00
					NR	01/19/89		12/19/89	16.00
					NR	02/17/89	14.00		NR
					NR	03/01/89	13.00		NR
					NR	03/16/89	13.00		NR
CHLORID	PPB	500.00	250000.00	06/08/89	11200.00	01/05/89	53500.00	06/09/89	11700.00
					NR	01/19/89	39200.00	12/19/89	13300.00
					NR	02/01/89	27000.00		NR
					NR	02/17/89	28000.00		NR
					NR	03/01/89	18200.00		NR
					NR	03/16/89	12000.00		NR
COLIFRM	MPN	2.20	1.00	06/08/89			NR	06/09/89	79.00 *
COLIMF	PPB	1.00	1.00		NR		NR	12/19/89	200.00 *
CONDFLD	UMHO	1.00	700.00	06/08/89	278.00	01/05/89	242.00	06/09/89	416.00
					NR	01/19/89	328.00	12/19/89	205.00
					NR	02/01/89	202.00		NR
					NR	02/17/89	261.00		NR
					NR	03/01/89	199.00		NR
					NR	03/16/89	175.00		NR
FBARIUM	PPB	6.00	1000.00	06/08/89	36.00		NR	06/09/89	43.00
					NR		NR	12/19/89	35.00
FBORON	PPB	10.00		06/08/89	59.00		NR	06/09/89	15.00
					NR		NR	12/19/89	15.00
FCADMIU	PPB	2.00	10.00	06/08/89	3.00		NR	06/09/89	
					NR		NR	12/19/89	
FCALCIU	PPB	50.00		06/08/89	14100.00		NR	06/09/89	20800.00
					NR		NR	12/19/89	20900.00
FIRON	PPB	30.00	300.00	06/08/89	202.00		NR	06/09/89	
					NR		NR	12/19/89	
FLITHIU	PPB	10.00		06/08/89	18.00		NR	06/09/89	
					NR		NR	12/19/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-188	SAMPLE DATE	3-1-19	SAMPLE DATE	3-2-1
FLUORID	PPB	500.00	4000.00	06/08/89	1500.00 NR NR NR NR NR	01/05/89 01/19/89 02/01/89 02/17/89 03/01/89 03/16/89		06/09/89 12/19/89	500.00 NR NR NR NR
FMAGNES	PPB	50.00		06/08/89	5050.00 NR		NR NR	06/09/89 12/19/89	4270.00 4170.00
FMANGAN	PPB	5.00	50.00	06/08/89	43.00 NR		NR NR	06/09/89 12/19/89	
FPOTASS	PPB	100.00		06/08/89	6320.00 NR		NR NR	06/09/89 12/19/89	2840.00 2970.00
FSILICO	PPB	50.00		06/08/89	23900.00 NR		NR NR	06/09/89 12/19/89	6350.00 7880.00
FSODIUM	PPB	200.00		06/08/89	64600.00 NR		NR NR	06/09/89 12/19/89	11100.00 10600.00
FSTRONT	PPB	10.00		06/08/89	85.00 NR		NR NR	06/09/89 12/19/89	94.00 89.00
FZINC	PPB	5.00	5000.00	06/08/89	27.00 NR		NR NR	06/09/89 12/19/89	6.00 12.00
IRON	PPB	30.00	300.00	06/08/89	239.00 NR		NR NR	06/09/89 12/19/89	64.00 537.00 *
LITHIUM	PPB	10.00		06/08/89	18.00 NR		NR NR	06/09/89 12/19/89	
MAGNES	PPB	50.00		06/08/89	5280.00 NR		NR NR	06/09/89 12/19/89	4510.00 4080.00
MANGESE	PPB	5.00	50.00	06/08/89	45.00 NR		NR NR	06/09/89 12/19/89	5.00
NITRATE	PPB	500.00	45000.00	06/08/89		01/05/89 01/19/89 02/01/89 02/17/89 03/01/89 03/16/89	1900.00 3800.00 2800.00 2700.00 1800.00 1600.00	06/09/89 12/19/89	9400.00 5400.00 NR NR NR NR
PHFIELD		0.10	8.50	06/08/89	7.49 NR NR NR NR NR	01/05/89 01/19/89 02/01/89 02/17/89 03/01/89 03/16/89	7.10 8.10 7.30 7.60 7.60 7.00	06/09/89 12/19/89	6.62 6.77 NR NR NR NR
POTASUM	PPB	100.00		06/08/89	6670.00 NR		NR NR	06/09/89 12/19/89	3050.00 2920.00
RADIUM	PCI/L	1.00	5.00	06/08/89	0.19 (0.16)		NR	06/09/89	
SILICON	PPB	50.00		06/08/89	24600.00 NR		NR NR	12/19/89 06/09/89	6540.00 7880.00
SODIUM	PPB	200.00		06/08/89	68500.00		NR	06/09/89	11700.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-1-18B	SAMPLE DATE	3-1-19	SAMPLE DATE	3-2-1
SODIUM	PPB	200.00			NR		NR	12/19/89	10300.00
STRONTIUM	PPB	10.00		06/08/89	89.00		NR	06/09/89	101.00
					NR		NR	12/19/89	88.00
SULFATE	PPB	500.00	250000.00	06/08/89		01/05/89	16800.00	06/09/89	14800.00
					NR	01/19/89	20200.00	12/19/89	16400.00
					NR	02/01/89	18300.00		NR
					NR	02/17/89	18100.00		NR
					NR	03/01/89	16900.00		NR
					NR	03/16/89	17200.00		NR
TC	PPB	1000.00		06/08/89	43500.00		NR	06/09/89	19800.00
TC-99	PCI/L	15.00	900.00		NR		NR	03/03/89	18.10
					NR		NR	12/19/89	(1.39)
									(1.45)
TDS		5000.00	500000.00	06/08/89	253000.00		NR	06/09/89	123000.00
TOXLDL	PPB	10.00		06/08/89			NR	06/09/89	15.00
				06/08/89			NR	06/09/89	14.00
				06/08/89			NR	06/09/89	12.00
				06/08/89			NR	06/09/89	16.00
					NR		NR	12/19/89	26.00
TRICENE	PPB	5.00	5.00	06/08/89		01/05/89		06/09/89	
					NR	01/19/89		12/19/89	5.00
					NR	02/17/89			NR
					NR	03/01/89			NR
					NR	03/16/89			NR
TRITIUM	PCI/L	500.00	20000.00		NR		NR	12/19/89	367.00
									(141.00)
TURBID	NTU	0.10	1.00	06/08/89			NR	06/09/89	0.30
U	PCI/L	0.50	600.00	06/08/89		01/05/89	182.00	06/09/89	13.50
					NR	01/19/89	125.00	12/19/89	6.95
					NR	02/01/89	196.00		NR
					NR	02/17/89	223.00		NR
					NR	03/01/89	350.00		NR
					NR	03/16/89	370.00		NR
ZINC	PPB	5.00	5000.00	06/08/89	9.00		NR	06/09/89	7.00
					NR		NR	12/19/89	12.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-2-2	SAMPLE DATE	3-3-7	SAMPLE DATE	3-3-9
ALKALIN		20000.00		06/09/89	62100.00 NR	08/16/89 08/16/89 12/19/89	120000.00 120000.00 102000.00	06/12/89 12/19/89	62100.00 62000.00 NR
ALPHAHI	PCI/L	4.00	15.00	06/09/89	47.60 * (5.23) NR	08/16/89 (2.37) 08/16/89 (3.22) 12/19/89 (7.81 (2.57)	5.22 2.37 9.90 3.22 7.81 2.57	06/12/89 (2.82) 12/19/89 (2.50) NR	13.50 2.82 11.20 2.50 NR
BARIUM	PPB	6.00	1000.00	06/09/89	29.00 NR NR	08/16/89 08/16/89 12/19/89	37.00 37.00 30.00	06/12/89 12/19/89	49.00 41.00 NR
BETA	PCI/L	8.00	50.00	06/09/89	16.00 (3.28) NR	08/16/89 (2.68) 08/16/89 (2.62) 12/19/89 (6.12 (2.64)	6.71 2.68 6.76 2.62 6.12 2.64	06/12/89 (2.30) 12/19/89 (2.73) NR	4.49 2.30 7.62 2.73 NR
BORON	PPB	10.00		06/09/89	15.00 NR NR	08/16/89 08/16/89 12/19/89	30.00 38.00 29.00	06/12/89 12/19/89	273.00 109.00 NR
CALCIUM	PPB	50.00		06/09/89	25800.00 NR NR	08/16/89 08/16/89 12/19/89	41300.00 41100.00 37600.00	06/12/89 12/19/89	25300.00 24300.00 NR
CHLFORM	PPB	5.00	100.00	06/09/89	16.00 NR NR	08/16/89 08/16/89 12/19/89	5.00 5.00 8.00	06/12/89 12/19/89	22.00 10.00 NR
CHLORID	PPB	500.00	250000.00	06/09/89	21800.00 NR NR	08/16/89 08/16/89 12/19/89	13000.00 13000.00 13000.00	06/12/89 12/19/89	8800.00 8700.00 NR
COLIFRM	MPN	2.20	1.00	06/09/89	63.00 *		NR	06/12/89	
CONDFLD	UMHO	1.00	700.00	06/09/89	464.00 NR	08/16/89 12/19/89	356.00 338.00	06/12/89 12/19/89	175.00 216.00
COPPER	PPB	10.00	(1300.0)	06/09/89	13.00 NR NR	08/16/89 08/16/89 12/19/89		06/12/89 12/19/89	
FBARIUM	PPB	6.00	1000.00	06/09/89	28.00 NR NR	08/16/89 08/16/89 12/19/89	44.00 39.00 32.00	06/12/89 12/19/89	43.00 42.00 NR
FBORON	PPB	10.00		06/09/89	17.00 NR NR	08/16/89 08/16/89 12/19/89	43.00 32.00 30.00	06/12/89 12/19/89	265.00 113.00 NR
FCADMIU	PPB	2.00	10.00	06/09/89	NR NR	08/16/89 08/16/89 12/19/89	2.00	06/12/89 12/19/89	
FCALCTU	PPB	50.00		06/09/89	26000.00 NR NR	08/16/89 08/16/89 12/19/89	46000.00 38600.00 37600.00	06/12/89 12/19/89	24100.00 21800.00 NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-2-2	SAMPLE DATE	3-3-7	SAMPLE DATE	3-3-9
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
FIROH	PPB	30.00	300.00	06/09/89	192.00 NR NR	08/16/89 08/16/89 12/19/89		06/12/89 12/19/89	NR
FMAGNES	PPB	50.00		06/09/89	4810.00 NR NR	08/16/89 08/16/89 12/19/89	9500.00 7970.00 8080.00	06/12/89 12/19/89	5370.00 4840.00 NR
FMANGAN	PPB	5.00	50.00	06/09/89	NR NR NR	08/16/89 08/16/89 12/19/89	6.00	06/12/89 12/19/89	NR
FPOTASS	PPB	100.00		06/09/89	2580.00 NR NR	08/16/89 08/16/89 12/19/89	5930.00 4980.00 4520.00	06/12/89 12/19/89	2750.00 2930.00 NR
FSILICO	PPB	50.00		06/09/89	5970.00 NR NR	08/16/89 08/16/89 12/19/89	15400.00 14200.00 13500.00	06/12/89 12/19/89	7150.00 7960.00 NR
FSCDIUM	PPB	200.00		06/09/89	14600.00 NR NR	08/16/89 08/16/89 12/19/89	24300.00 20400.00 17300.00	06/12/89 12/19/89	8880.00 9200.00 NR
FSTRONT	PPB	10.00		06/09/89	112.00 NR NR	08/16/89 08/16/89 12/19/89	192.00 159.00 154.00	06/12/89 12/19/89	106.00 101.00 NR
FVANOI	PPB	5.00		06/09/89	NR NR NR	08/16/89 08/16/89 12/19/89	15.00 10.00 7.00	06/12/89 12/19/89	NR
FZINC	PPB	5.00	5000.00	06/09/89	NR NR NR	08/16/89 08/16/89 12/19/89		06/12/89 12/19/89	10.00 20.00 NR
HNITRAT	PPB	2500.00	45000.00		NR		NR	12/19/89	10400.00
IRON	PPB	30.00	300.00	06/09/89	656.00 *	08/16/89		06/12/89	144.00
					NR	08/16/89	32.00	12/19/89	479.00 *
					NR	12/19/89	42.00		NR
MAGNES	PPB	50.00		06/09/89	4790.00 NR NR	08/16/89 08/16/89 12/19/89	8640.00 8630.00 7580.00	06/12/89 12/19/89	5660.00 4740.00 NR
NITRATE	PPB	500.00	45000.00	06/09/89	4100.00 NR NR	08/16/89 08/16/89 12/19/89	14900.00 14700.00 12300.00	06/12/89 12/19/89	9900.00 10700.00 NR
PHFIELD		0.10	8.50	06/09/89	6.93 NR	08/16/89 12/19/89	7.49 7.73	06/12/89 12/19/89	5.83 6.81
POTASUM	PPB	100.00		06/09/89	2580.00 NR NR	08/16/89 08/16/89 12/19/89	4940.00 4980.00 4260.00	06/12/89 12/19/89	2900.00 2880.00 NR
RADIUM	PCI/L	1.00	5.00	06/09/89		08/16/89		06/12/89	0.36
					NR			(	0.21)
					NR	08/16/89		12/19/89	NR
SILICON	PPB	50.00		06/09/89	5930.00 NR	08/16/89 08/16/89	14900.00 14900.00	06/12/89 12/19/89	7470.00 8390.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-2-2	SAMPLE DATE	3-3-7	SAMPLE DATE	3-3-9
SILICON	PPB	50.00			NR	12/19/89	13300.00		NR
SODIUM	PPB	200.00		06/09/89	14500.00	08/16/89	19900.00	06/12/89	9400.00
					NR	08/16/89	20200.00	12/19/89	8600.00
					NR	12/19/89	15900.00		NR
STRONTIUM	PPB	10.00		06/09/89	112.00	08/16/89	171.00	06/12/89	113.00
					NR	08/16/89	171.00	12/19/89	101.00
					NR	12/19/89	150.00		NR
SULFATE	PPB	500.00	250000.00	06/09/89	22200.00	08/16/89	36000.00	06/12/89	22800.00
					NR	08/16/89	37000.00	12/19/89	18200.00
					NR	12/19/89	32200.00		NR
TC	PPB	1000.00		06/09/89	16000.00	08/16/89	29100.00	06/12/89	18700.00
					NR	08/16/89	29100.00		NR
TC-99	PCI/L	15.00	900.00		NR	12/19/89		12/19/89	28.70
									(1.40)
TDS		5000.00	500000.00	06/09/89	136000.00	08/16/89	231000.00	06/12/89	133000.00
TOXLDL	PPB	10.00		06/09/89	33.00	08/16/89	10.00	06/12/89	35.00
				06/09/89	31.00	12/19/89	27.00	06/12/89	43.00
				06/09/89	30.00		NR	06/12/89	39.00
				06/09/89	27.00		NR	06/12/89	31.00
					NR		NR	12/19/89	20.00
TRICENE	PPB	5.00	5.00	06/09/89	11.00 *	08/16/89		06/12/89	
					NR	08/16/89		12/19/89	
					NR	12/19/89			NR
TRITIUM	PCI/L	500.00	20000.00		NR	12/19/89	1450.00	12/19/89	433.00
							(180.00)		(147.00)
TURBID	NTU	0.10	1.00	06/09/89	0.70	08/16/89	0.20	06/12/89	0.30
U	PCI/L	0.50	600.00	06/09/89	39.50	08/16/89	10.20	06/12/89	17.90
					NR	08/16/89	8.33	12/19/89	11.60
					NR	12/19/89	5.55		NR
VANADIUM	PPB	5.00		06/09/89		08/16/89	9.00	06/12/89	
					NR	08/16/89	9.00	12/19/89	
					NR	12/19/89	6.00		NR
ZINC	PPB	5.00	5000.00	06/09/89		08/16/89		06/12/89	12.00
					NR	08/16/89		12/19/89	27.00
					NR	12/19/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-3-10	SAMPLE DATE	3-4-1	SAMPLE DATE	3-4-7
ALKALIN		20000.00		06/02/89	62400.00	07/12/89	139000.00	06/13/89	90100.00
				12/19/89	85000.00	12/20/89	111000.00	12/20/89	110000.00
ALPHAHI	PCI/L	4.00	15.00	06/02/89	6.46	07/12/89	12.80	06/13/89	29.20 *
					(1.90)		(3.12)		(4.44)
				12/19/89	15.10 *	12/20/89	9.39	12/20/89	30.50 *
					(3.11)		(2.76)		(4.92)
BARIUM	PPB	6.00	1000.00	06/02/89	34.00	07/12/89	36.00	06/13/89	36.00
				12/19/89	39.00	12/20/89	33.00	12/20/89	46.00
BETA	PCI/L	8.00	50.00	06/02/89		07/12/89	13.90	06/13/89	12.60
							(3.26)		(3.15)
				12/19/89	11.80	12/20/89	7.15	12/20/89	14.10
					(2.97)		(2.64)		(3.30)
BORON	PPB	10.00		06/02/89	101.00	07/12/89	39.00	06/13/89	140.00
				12/19/89	43.00	12/20/89	30.00	12/20/89	74.00
CALCIUM	PPB	50.00		06/02/89	22200.00	07/12/89	42000.00	06/13/89	34100.00
				12/19/89	28500.00	12/20/89	38100.00	12/20/89	40400.00
CHLFORM	PPB	5.00	100.00	06/02/89	31.00	07/12/89	7.00	06/13/89	12.00
				12/19/89	13.00	12/20/89	13.00	12/20/89	10.00
CHLORID	PPB	500.00	250000.00	06/02/89	4900.00	07/12/89	14400.00	06/13/89	9900.00
				12/19/89	9000.00	12/20/89	9800.00	12/20/89	12900.00
CONDFLD	UMHO	1.00	700.00	06/02/89	173.00	07/12/89	354.00	06/13/89	285.00
				12/19/89	260.00	12/20/89	336.00	12/20/89	349.00
FALLUMIN	PPB	150.00		06/02/89	325.00	07/12/89		06/13/89	
				12/19/89		12/20/89		12/20/89	
FBARIUM	PPB	6.00	1000.00	06/02/89	36.00	07/12/89	39.00	06/13/89	32.00
				12/19/89	38.00	12/20/89	32.00	12/20/89	38.00
FBORON	PPB	10.00		06/02/89	165.00	07/12/89	36.00	06/13/89	141.00
				12/19/89	42.00	12/20/89	28.00	12/20/89	72.00
FCALCIU	PPB	50.00		06/02/89	23400.00	07/12/89	43100.00	06/13/89	31700.00
				12/19/89	27500.00	12/20/89	38400.00	12/20/89	38500.00
FIROM	PPB	30.00	300.00	06/02/89	102.00	07/12/89		06/13/89	
				12/19/89	75.00	12/20/89		12/20/89	
FMAGNES	PPB	50.00		06/02/89	4990.00	07/12/89	8180.00	06/13/89	6080.00
				12/19/89	6100.00	12/20/89	7340.00	12/20/89	7180.00
FPOTASS	PPB	100.00		06/02/89	2380.00	07/12/89	4430.00	06/13/89	3750.00
				12/19/89	3140.00	12/20/89	4260.00	12/20/89	3950.00
FSILICO	PPB	50.00		06/02/89	8020.00	07/12/89	13100.00	06/13/89	10500.00
				12/19/89	9040.00	12/20/89	13900.00	12/20/89	10900.00
FSODIUM	PPB	200.00		06/02/89	8070.00	07/12/89	16000.00	06/13/89	14900.00
				12/19/89	9130.00	12/20/89	15000.00	12/20/89	15300.00
FSTRONT	PPB	10.00		06/02/89	118.00	07/12/89	146.00	06/13/89	143.00
				12/19/89	142.00	12/20/89	154.00	12/20/89	169.00
FVANADI	PPB	5.00		06/02/89	8.00	07/12/89	9.00	06/13/89	7.00
				12/19/89		12/20/89	10.00	12/20/89	8.00
FZINC	PPB	5.00	5000.00	06/02/89	36.00	07/12/89	6.00	06/13/89	
				12/19/89		12/20/89		12/20/89	
IRON	PPB	30.00	300.00	06/02/89	2230.00 *	07/12/89		06/13/89	124.00
				12/19/89	675.00 *	12/20/89	60.00	12/20/89	2170.00 *

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-3-10	SAMPLE DATE	3-4-1	SAMPLE DATE	3-4-7
MAGNES	PPB	50.00		06/02/89	4780.00	07/12/89	7970.00	06/13/89	6560.00
				12/19/89	6030.00	12/20/89	7380.00	12/20/89	7610.00
MANGESE	PPB	5.00	50.00	06/02/89	6.00	07/12/89		06/13/89	15.00
				12/19/89		12/20/89		12/20/89	106.00 *
NITRATE	PPB	500.00	45000.00	06/02/89	6900.00	07/12/89	16600.00	06/13/89	11000.00
				12/19/89	11700.00	12/20/89	14300.00	12/20/89	13800.00
PHFIELD		0.10	8.50	06/02/89	6.65	07/12/89	7.60	06/13/89	7.32
				12/19/89	7.13	12/20/89	7.43	12/20/89	7.47
POTASUM	PPB	100.00		06/02/89	2330.00	07/12/89	4340.00	06/13/89	4080.00
				12/19/89	3090.00	12/20/89	4330.00	12/20/89	4270.00
RADIUM	PCI/L	1.00	5.00	06/02/89		07/12/89		06/13/89	0.27
								(	0.19)
				12/19/89		12/20/89		12/20/89	
SILICON	PPB	50.00		06/02/89	8020.00	07/12/89	12700.00	06/13/89	11300.00
				12/19/89	9080.00	12/20/89	13900.00	12/20/89	11400.00
SODIUM	PPB	200.00		06/02/89	7810.00	07/12/89	15400.00	06/13/89	16100.00
				12/19/89	8890.00	12/20/89	15200.00	12/20/89	16400.00
STRONUM	PPB	10.00		06/02/89	114.00	07/12/89	141.00	06/13/89	156.00
				12/19/89	146.00	12/20/89	155.00	12/20/89	182.00
SULFATE	PPB	500.00	250000.00	06/02/89	23200.00	07/12/89	34400.00	06/13/89	30800.00
				12/19/89	19900.00	12/20/89	28000.00	12/20/89	31700.00
TC	PPB	1000.00		06/02/89	16800.00	07/12/89	27200.00	06/13/89	22700.00
TC-99	PCI/L	15.00	900.00		NR		NR	12/20/89	11.90
								(	1.21)
TDS		5000.00	500000.00	06/02/89	110000.00	07/12/89	198000.00	06/13/89	187000.00
TOXLDL	PPB	10.00		06/02/89	54.00	07/12/89	20.00	06/13/89	20.00
				06/02/89	52.00	12/20/89	18.00	06/13/89	19.00
				06/02/89	48.00		NR	06/13/89	21.00
				06/02/89	47.00		NR	06/13/89	19.00
				12/19/89	17.00		NR	12/20/89	16.00
TRICENE	PPB	5.00	5.00	06/02/89		07/12/89	5.00	06/13/89	
				12/19/89		12/20/89	9.00 *	12/20/89	5.00
TRITIUM	PCI/L	500.00	20000.00	06/12/89		12/20/89	380.00	12/20/89	2050.00
						(	143.00)	(	195.00)
				12/19/89	471.00		NR		NR
					(	146.00)			
TURBID	NTU	0.10	1.00	06/02/89	9.00 *	07/12/89	0.20	06/13/89	0.40
U	PCI/L	0.50	600.00	06/02/89	8.58	07/12/89	16.10	06/13/89	12.50
				12/19/89	17.60	12/20/89	8.75	12/20/89	20.80
UNKNOWN	PPB	0.00			NR		NR	06/13/89	29.00
VANADUM	PPB	5.00		06/02/89		07/12/89	5.00	06/13/89	
				12/19/89		12/20/89	11.00	12/20/89	14.00
ZINC	PPB	5.00	5000.00	06/02/89	35.00	07/12/89	7.00	06/13/89	
				12/19/89		12/20/89		12/20/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-4-11	SAMPLE DATE	3-6-1	SAMPLE DATE	3-8-1
ALKALIN		20000.00		06/06/89	110000.00		NR	06/05/89	120000.00
				12/20/89	112000.00		NR	12/20/89	112000.00
ALPHAHI	PCI/L	4.00	15.00	06/06/89	5.16		NR	06/05/89	2.69
					(2.02)				(1.72)
				12/20/89	7.30		NR	12/20/89	4.89
					(2.52)				(2.05)
ARSENIC	PPB	5.00	50.00	06/06/89	5.00		NR	06/05/89	6.00
				12/20/89			NR	12/20/89	
BARIUM	PPB	6.00	1000.00	06/06/89	30.00		NR	06/05/89	38.00
				12/20/89	33.00		NR	12/20/89	32.00
BETA	PCI/L	8.00	50.00	06/06/89	7.13		NR	06/05/89	4.85
					(2.71)				(2.51)
				12/20/89	10.20		NR	12/20/89	3.71
					(2.99)				(2.35)
BORON	PPB	10.00		06/06/89	22.00		NR	06/05/89	30.00
				12/20/89	21.00		NR	12/20/89	18.00
CALCIUM	PPB	50.00		06/06/89	36800.00		NR	06/05/89	43400.00
				12/20/89	38100.00		NR	12/20/89	37900.00
CHLFORM	PPB	5.00	100.00	06/06/89	15.00		NR	06/05/89	
				12/20/89	10.00		NR	12/20/89	
CHLORID	PPB	500.00	250000.00	06/06/89	11000.00		NR	06/05/89	13300.00
				12/20/89	10500.00		NR	12/20/89	10200.00
CHROMIUM	PPB	10.00	50.00	06/06/89	10.00		NR	06/05/89	
				12/20/89			NR	12/20/89	
CONDFLD	UMHO	1.00	700.00	06/06/89	237.00		NR	06/05/89	320.00
				12/20/89	334.00		NR	12/20/89	343.00
FARSENIT	PPB	5.00	50.00	06/06/89			NR	06/05/89	6.00
				12/20/89			NR	12/20/89	
FBARIUM	PPB	6.00	1000.00	06/06/89	38.00		NR	06/05/89	39.00
				12/20/89	31.00		NR	12/20/89	32.00
FBORON	PPB	10.00		06/06/89	29.00		NR	06/05/89	32.00
				12/20/89	19.00		NR	12/20/89	18.00
FCALCIU	PPB	50.00		06/06/89	39200.00		NR	06/05/89	43600.00
				12/20/89	36000.00		NR	12/20/89	37900.00
FIRON	PPB	30.00	300.00	06/06/89			NR	06/05/89	34.00
				12/20/89			NR	12/20/89	
FMAGNES	PPB	50.00		06/06/89	7940.00		NR	06/05/89	9280.00
				12/20/89	7090.00		NR	12/20/89	7890.00
FPOTASS	PPB	100.00		06/06/89	4420.00		NR	06/05/89	5320.00
				12/20/89	4110.00		NR	12/20/89	4490.00
FSILICO	PPB	50.00		06/06/89	13100.00		NR	06/05/89	16500.00
				12/20/89	13100.00		NR	12/20/89	15500.00
FSODIUM	PPB	200.00		06/06/89	15900.00		NR	06/05/89	15900.00
				12/20/89	13600.00		NR	12/20/89	12300.00
FSTRONT	PPB	10.00		06/06/89	161.00		NR	06/05/89	191.00
				12/20/89	146.00		NR	12/20/89	159.00
FVANADI	PPB	5.00		06/06/89	14.00		NR	06/05/89	13.00
				12/20/89	10.00		NR	12/20/89	9.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-4-11	SAMPLE DATE	3-6-1	SAMPLE DATE	3-8-1
FZINC	PPB	5.00	5000.00	06/06/89 12/20/89	9.00		NR NR	06/05/89 12/20/89	
HNITRAT	PPB	2500.00	45000.00		NR NR		NR NR	06/05/89 12/20/89	14800.00 20300.00
IRON	PPB	30.00	300.00	06/06/89 12/20/89	37.00		NR NR	06/05/89 12/20/89	57.00 412.00 *
MAGNES	PPB	50.00		06/06/89 12/20/89	7360.00 7640.00		NR NR	06/05/89 12/20/89	9090.00 7920.00
NITRATE	PPB	500.00	45000.00	06/06/89 12/20/89	13100.00 14800.00		NR NR	06/05/89 12/20/89	15500.00 20900.00
PHFIELD		0.10	8.50	06/06/89 12/20/89	7.18 7.77		NR NR	06/05/89 12/20/89	7.11 7.78
POTASUM	PPB	100.00		06/06/89 12/20/89	4120.00 4490.00		NR NR	06/05/89 12/20/89	5260.00 4600.00
SILICON	PPB	50.00		06/06/89 12/20/89	12600.00 14000.00		NR NR	06/05/89 12/20/89	16500.00 15600.00
SODIUM	PPB	200.00		06/06/89 12/20/89	14600.00 14800.00		NR NR	06/05/89 12/20/89	15400.00 12500.00
STRONUM	PPB	10.00		06/06/89 12/20/89	154.00 156.00		NR NR	06/05/89 12/20/89	191.00 159.00
SULFATE	PPB	500.00	250000.00	06/06/89 12/20/89	30900.00 29300.00		NR NR	06/05/89 12/20/89	32800.00 29100.00
TC	PPB	1000.00		06/06/89	26400.00		NR	06/05/89	28800.00
TDS		5000.00	500000.00	06/06/89	213000.00		NR	06/05/89	233000.00
TOXLDL	PPB	10.00		06/06/89 06/06/89 06/06/89 06/06/89 12/20/89	28.00 33.00 21.00 28.00 14.00		NR NR NR NR NR	06/05/89 06/05/89 06/05/89 06/05/89 12/20/89	15.00 10.00
TRICENE	PPB	5.00	5.00	06/06/89 12/20/89	5.00		NR NR	06/05/89 12/20/89	
TRITIUM	PCI/L	500.00	20000.00	12/20/89	429.00 (144.00)		NR	06/05/89	223.00 (129.00)
U	PCI/L	0.50	600.00	06/06/89 12/20/89	8.75 7.04		NR NR	06/05/89 12/20/89	4.06 2.82
VANADIUM	PPB	5.00		06/06/89 12/20/89	10.00		NR	06/05/89 12/20/89	11.00
ZINC	PPB	5.00	5000.00	06/06/89 12/20/89	5.00		NR	06/05/89 12/20/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	3-8-2	SAMPLE DATE	3-8-3
ALKALIN		20000.00		06/13/89	129000.00	06/14/89	126000.00
ALPHAHI	PCI/L	4.00	15.00	06/13/89	1.87	06/14/89	
					(1.30)		
AMMONIU	PPB	50.00		06/13/89		06/14/89	60.00
ARSENIC	PPB	5.00	50.00	06/13/89	6.00	06/14/89	5.00
BARIUM	PPB	6.00	1000.00	06/13/89	38.00	06/14/89	37.00
BETA	PCI/L	8.00	50.00	06/13/89	5.60	06/14/89	6.03
					(2.56)		(2.62)
BORON	PPB	10.00		06/13/89	20.00	06/14/89	37.00
CALCIUM	PPB	50.00		06/13/89	41900.00	06/14/89	41600.00
CHLORID	PPB	500.00	250000.00	06/13/89	9900.00	06/14/89	14900.00
CONDFLD	UMHO	1.00	700.00	06/13/89	335.00	06/14/89	361.00
FARSEN	PPB	5.00	50.00	06/13/89	5.00	06/14/89	5.00
FBARIUM	PPB	6.00	1000.00	06/13/89	37.00	06/14/89	38.00
FBORON	PPB	10.00		06/13/89	25.00	06/14/89	36.00
FCALCIU	PPB	50.00		06/13/89	38400.00	06/14/89	41200.00
FMAGNES	PPB	50.00		06/13/89	7860.00	06/14/89	8870.00
FPOTASS	PPB	100.00		06/13/89	4700.00	06/14/89	5340.00
FSILICO	PPB	50.00		06/13/89	15000.00	06/14/89	15800.00
FSODIUM	PPB	200.00		06/13/89	16800.00	06/14/89	21000.00
FSTRONT	PPB	10.00		06/13/89	173.00	06/14/89	177.00
FVANADI	PPB	5.00		06/13/89	10.00	06/14/89	
HNITRAT	PPB	2500.00	45000.00		NR	06/14/89	14000.00
IRON	PPB	30.00	300.00	06/13/89	77.00	06/14/89	265.00
MAGNES	PPB	50.00		06/13/89	8620.00	06/14/89	8890.00
NITRATE	PPB	500.00	45000.00	06/13/89	21600.00	06/14/89	14300.00
PHFIELD		0.10	8.50	06/13/89	7.30	06/14/89	7.40
POTASUM	PPB	100.00		06/13/89	5210.00	06/14/89	5420.00
RADIUM	PCI/L	1.00	5.00	06/13/89	0.16	06/14/89	0.21
					(0.15)		(0.17)
SILICON	PPB	50.00		06/13/89	16300.00	06/14/89	15800.00
SODIUM	PPB	200.00		06/13/89	18400.00	06/14/89	21200.00
STRONIUM	PPB	10.00		06/13/89	189.00	06/14/89	181.00
SULFATE	PPB	500.00	250000.00	06/13/89	29700.00	06/14/89	38600.00
TC	PPB	1000.00		06/13/89	31400.00	06/14/89	30200.00
TDS		5000.00	500000.00	06/13/89	243000.00	06/14/89	238000.00
TOXLDL	PPB	10.00		06/13/89	11.00	06/14/89	
				06/13/89		06/14/89	22.00
				06/13/89		06/14/89	
TRITIUM	PCI/L	500.00	20000.00		NR	06/14/89	1050.00
							(163.00)
TURBID	NTU	0.10	1.00	06/13/89	0.10	06/14/89	0.30
U	PCI/L	0.50	600.00	06/13/89	2.32	06/14/89	3.78
VANADIUM	PPB	5.00		06/13/89		06/14/89	10.00

HANFORD SITE ENVIRONMENTAL DATA FOR CALENDAR YEAR 1989 - GROUND WATER (400 and 600 Area Wells)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	4-S1-8C	SAMPLE DATE	6-S43-E12	SAMPLE DATE	6-S41-E13A
ALKALIN		20000.00			NR	02/07/89	236000.00	02/08/89	107000.00
					NR	05/31/89	205000.00	05/24/89	191000.00
					NR	11/06/89	107000.00	05/30/89	127000.00
					NR		NR	11/03/89	84000.00
ALPHAHI	PCI/L	4.00	15.00		NR	02/07/89	2.57	02/08/89	
							(1.69)		
					NR	05/31/89	3.55	05/30/89	
							(2.28)		
					NR	11/06/89	2.60	11/03/89	1.09
							(1.47)		(0.87)
BARIUM	PPB	6.00	1000.00		NR	11/06/89	38.00	11/03/89	22.00
BETA	PCI/L	8.00	50.00		NR	02/07/89	6.85	02/08/89	6.15
							(2.69)		(2.47)
					NR	05/31/89	11.10	05/30/89	4.24
							(3.21)		(2.39)
					NR	11/06/89	3.59	11/03/89	2.25
							(2.32)		(2.09)
BORON	PPB	10.00			NR	11/06/89	30.00	11/03/89	11.00
CALCIUM	PPB	50.00			NR	11/06/89	56300.00	11/03/89	27800.00
CHLORID	PPB	500.00	250000.00		NR	02/07/89	50200.00	01/11/89	1800.00
					NR	05/31/89	43400.00	02/08/89	2100.00
					NR	11/06/89	29400.00	03/07/89	3400.00
					NR		NR	05/24/89	10300.00
					NR		NR	05/30/89	4600.00
					NR		NR	11/03/89	1500.00
CHROMIUM	PPB	10.00	50.00		NR	11/06/89	15.00	11/03/89	14.00
CONDFLD	UMHO	1.00	700.00		NR	02/07/89	582.00	01/11/89	219.00
					NR	05/31/89	412.00	02/08/89	100.00
					NR	11/06/89	478.00	03/07/89	300.00
					NR		NR	05/24/89	420.00
					NR		NR	05/30/89	236.00
					NR		NR	11/03/89	213.00
DDT	PPB	0.10			NR	11/06/89	0.11	11/03/89	
FBARIUM	PPB	6.00	1000.00		NR	02/07/89	61.00	02/08/89	24.00
					NR	05/31/89	57.00	05/24/89	27.00
					NR	11/06/89	33.00	05/30/89	29.00
					NR		NR	11/03/89	21.00
FBERYLL	PPB	5.00			NR	02/07/89		02/08/89	
					NR	05/31/89	5.00	05/24/89	
					NR	11/06/89		05/30/89	
					NR		NR	11/03/89	
FBORON	PPB	10.00			NR	02/07/89	33.00	02/08/89	14.00
					NR	05/31/89	39.00	05/24/89	24.00
					NR	11/06/89	29.00	05/30/89	15.00
					NR		NR	11/03/89	23.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	4-S1-8C	SAMPLE DATE	6-S43-E12	SAMPLE DATE	6-S41-E13A
FCADMIU	PPB	2.00	10.00		NR	02/07/89		02/08/89	
					NR	05/31/89		05/24/89	4.00
					NR	11/06/89		05/30/89	
FCADMIU	PPB	2.00	10.00		NR		NR	11/03/89	
FCALCIU	PPB	50.00			NR	02/07/89	91000.00	02/08/89	30400.00
					NR	05/31/89	81400.00	05/24/89	36000.00
					NR	11/06/89	55000.00	05/30/89	37500.00
					NR		NR	11/03/89	27100.00
FLEAD	PPB	5.00	50.00		NR	02/07/89		01/11/89	7.00
					NR	05/31/89		02/08/89	
					NR	11/06/89		03/07/89	
					NR		NR	05/24/89	
					NR		NR	05/30/89	
					NR		NR	11/03/89	
FMAGNES	PPB	50.00			NR	02/07/89	17900.00	02/08/89	6530.00
					NR	05/31/89	15200.00	05/24/89	8470.00
					NR	11/06/89	10700.00	05/30/89	7690.00
					NR		NR	11/03/89	5540.00
FMANGAN	PPB	5.00	50.00		NR	02/07/89	15.00	02/08/89	
					NR	05/31/89		05/24/89	
					NR	11/06/89		05/30/89	
					NR		NR	11/03/89	
FNICKEL	PPB	10.00			NR	02/07/89	12.00	02/08/89	
					NR	05/31/89	14.00	05/24/89	
					NR	11/06/89	14.00	05/30/89	
					NR		NR	11/03/89	
FPOTASS	PPB	100.00			NR	02/07/89	8720.00	02/08/89	4030.00
					NR	05/31/89	8020.00	05/24/89	5630.00
					NR	11/06/89	6500.00	05/30/89	4300.00
					NR		NR	11/03/89	3630.00
FSILICO	PPB	50.00			NR	02/07/89	18500.00	02/08/89	11400.00
					NR	05/31/89	17000.00	05/24/89	11100.00
					NR	11/06/89	16700.00	05/30/89	11100.00
					NR		NR	11/03/89	11200.00
FSODIUM	PPB	200.00			NR	02/07/89	26800.00	02/08/89	6430.00
					NR	05/31/89	27200.00	05/24/89	335000.00
					NR	11/06/89	17100.00	05/30/89	7100.00
					NR		NR	11/03/89	4660.00
FSTRONT	PPB	10.00			NR	02/07/89	410.00	02/08/89	141.00
					NR	05/31/89	349.00	05/24/89	170.00
					NR	11/06/89	247.00	05/30/89	166.00
					NR		NR	11/03/89	118.00
FVANADI	PPB	5.00			NR	02/07/89	11.00	02/08/89	7.00
					NR	05/31/89	18.00	05/24/89	10.00
					NR	11/06/89	15.00	05/30/89	9.00
					NR		NR	11/03/89	
FZINC	PPB	5.00	5000.00		NR	02/07/89	12.00	02/08/89	
					NR	05/31/89		05/24/89	
					NR	11/06/89		05/30/89	
					NR		NR	11/03/89	9.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	4-S1-8C	SAMPLE DATE	6-S43-E12	SAMPLE DATE	6-S41-E13A
IRON	PPB	30.00	300.00		NR	11/06/89	87.00	11/03/89	250.00
LEADGF	PPB	5.00	50.00		NR	11/06/89		01/11/89	5.00
LEADGF	PPB	5.00	50.00		NR		NR	03/07/89	
					NR		NR	11/03/89	
MAGNES	PPB	50.00			NR	11/06/89	11000.00	11/03/89	5690.00
MANGESE	PPB	5.00	50.00		NR	11/06/89	6.00	11/03/89	
NICKEL	PPB	10.00			NR	11/06/89	15.00	11/03/89	13.00
NITRATE	PPB	500.00	45000.00		NR	02/07/89	23400.00	01/11/89	6800.00
					NR	05/31/89	20300.00	02/08/89	6500.00
					NR	11/06/89	13300.00	03/07/89	7200.00
					NR		NR	05/24/89	6000.00
					NR		NR	05/30/89	7200.00
					NR		NR	11/03/89	12000.00
PH-LAB		0.01	8.50		NR	02/07/89	7.60	02/08/89	8.10
					NR	05/31/89	7.70	05/24/89	7.90
					NR	11/06/89	7.60	05/30/89	7.90
					NR		NR	11/03/89	8.00
PHFIELD		0.10	8.50		NR	02/07/89	7.10	01/11/89	8.10
					NR	05/31/89	7.13	02/08/89	8.00
					NR	11/06/89	7.28	03/07/89	8.20
					NR		NR	05/24/89	7.81
					NR		NR	05/30/89	7.56
					NR		NR	11/03/89	8.12
POTASUM	PPB	100.00			NR	11/06/89	6630.00	11/03/89	3820.00
RADIUM	PC1/L	1.00	5.00		NR	02/07/89	0.66	02/08/89	0.21
							(0.26)		(0.16)
					NR	05/31/89	0.24	05/30/89	0.64
							(0.17)		(0.32)
					NR	11/06/89	0.53	11/03/89	0.28
							(0.23)		(0.18)
SILICON	PPB	50.00			NR	11/06/89	16900.00	11/03/89	11500.00
SODIUM	PPB	200.00			NR	11/06/89	17600.00	11/03/89	4800.00
STRONUM	PPB	10.00			NR	11/06/89	250.00	11/03/89	122.00
SULFATE	PPB	500.00	250000.00		NR	02/07/89	28900.00	01/11/89	11600.00
					NR	05/31/89	30000.00	02/08/89	11700.00
					NR	11/06/89	17900.00	03/07/89	11400.00
					NR		NR	05/24/89	10800.00
					NR		NR	05/30/89	12600.00
					NR		NR	11/03/89	10400.00
TC	PPB	1000.00			NR	02/07/89	53600.00	02/08/89	25200.00
					NR	05/31/89	52300.00	05/24/89	41400.00
					NR	11/06/89	41900.00	05/30/89	29300.00
					NR		NR	11/03/89	20900.00
TOXLDL	PPB	10.00			NR	02/07/89	12.00	02/08/89	
					NR	05/31/89	23.00	05/30/89	11.00
					NR	11/06/89	20.00	11/03/89	
TURBID	MTU	0.10	1.00		NR	11/06/89	0.50	11/03/89	3.60 *
UNKAMID	PPB				NR	11/06/89	25.00 a		NR
VANADUM	PPB	5.00			NR	11/06/89	16.00	11/03/89	
ZINC	PPB	5.00	5000.00		NR	11/06/89		11/03/89	5.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S41-E13B	SAMPLE DATE	6-S40-E14	SAMPLE DATE	6-S37-E14
ALKALIN		20000.00		02/08/89	210000.00	02/07/89	65000.00	02/08/89	77000.00
				05/30/89	217000.00	05/30/89	61900.00	05/31/89	83500.00
				11/06/89	206000.00	11/03/89	72000.00	11/06/89	79000.00
ALPHAHI	PCI/L	4.00	15.00	02/08/89	4.12	02/07/89		02/08/89	
					(1.72)				
				05/30/89	5.65	05/30/89	1.68	05/31/89	
					(2.99)		(0.98)		
				11/06/89	3.18	11/03/89		11/06/89	
					(1.67)				
					NR		NR	11/06/89	
ALUMNUM	PPB	150.00		11/06/89		11/03/89	225.00	11/06/89	
					NR		NR	11/06/89	
BARIUM	PPB	6.00	1000.00	11/06/89	58.00	11/03/89	18.00	11/06/89	13.00
					NR		NR	11/06/89	13.00
BETA	PCI/L	8.00	50.00	02/08/89	3.61	02/07/89	3.08	02/08/89	
					(2.38)		(2.25)		
				05/30/89	7.65	05/30/89	2.96	05/31/89	2.64
					(2.85)		(2.24)		(2.14)
				11/06/89	4.55	11/03/89		11/06/89	
					(2.43)				
					NR		NR	11/06/89	4.73
								(2.39)	
BORON	PPB	10.00		11/06/89	23.00	11/03/89	12.00	11/06/89	10.00
					NR		NR	11/06/89	
CALCIUM	PPB	50.00		11/06/89	56900.00	11/03/89	23900.00	11/06/89	25500.00
					NR		NR	11/06/89	25600.00
CHLORID	PPB	500.00	250000.00	01/11/89	8500.00	01/11/89	1100.00	02/08/89	1300.00
				02/08/89	8500.00	02/07/89	800.00	05/31/89	1800.00
				03/07/89	8700.00	03/07/89	1100.00	11/06/89	2400.00
				05/30/89	9400.00	05/30/89	1000.00	11/06/89	1900.00
				11/06/89	9400.00	11/03/89	1300.00		NR
CHROMIUM	PPB	10.00	50.00	11/06/89		11/03/89		11/06/89	22.00
					NR		NR	11/06/89	
CONDFLD	UMHO	1.00	700.00	01/11/89	416.00	01/11/89	138.00	02/08/89	1514.00 *
				02/08/89		02/07/89	100.00	05/31/89	135.00
				03/07/89	447.00	03/07/89	145.00	11/06/89	187.00
				05/30/89	355.00	05/30/89	118.00		NR
				11/06/89	450.00	11/03/89	168.00		NR
FBARIUM	PPB	6.00	1000.00	02/08/89	60.00	02/07/89	9.00	02/08/89	14.00
				05/30/89	54.00	05/30/89	10.00	05/31/89	17.00
				11/06/89	52.00	11/03/89	12.00	11/06/89	13.00
					NR		NR	11/06/89	13.00
FBORON	PPB	10.00		02/08/89	20.00	02/07/89		02/08/89	
				05/30/89	26.00	05/30/89		05/31/89	
				11/06/89	20.00	11/03/89	12.00	11/06/89	16.00
					NR		NR	11/06/89	
FCALCIU	PPB	50.00		02/08/89	59400.00	02/07/89	20200.00	02/08/89	22700.00
				05/30/89	59600.00	05/30/89	19300.00	05/31/89	27300.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S41-E13B	SAMPLE DATE	6-S40-E14	SAMPLE DATE	6-S37-E14
FCALCIU	PPB	50.00		11/06/89	56500.00 NR	11/03/89	24300.00 NR	11/06/89	25300.00 25700.00
FIRON	PPB	30.00	300.00	02/08/89 05/30/89 11/06/89	42.00 NR	02/07/89 05/30/89 11/03/89		02/08/89 05/31/89 11/06/89	
FLEAD	PPB	5.00	50.00	01/11/89 02/08/89 03/07/89 05/30/89 11/06/89	6.00	01/11/89 02/07/89 03/07/89 05/30/89 11/03/89	8.00	02/08/89 05/31/89 11/06/89	
FMAGNES	PPB	50.00		02/08/89 05/30/89 11/06/89	13100.00 12700.00 12000.00	02/07/89 05/30/89 11/03/89	4500.00 3970.00 4840.00	02/08/89 05/31/89 11/06/89	NR 4340.00 5000.00 4600.00 4660.00
FMANGAN	PPB	5.00	50.00	02/08/89 05/30/89 11/06/89	104.00 * 21.00 14.00	02/07/89 05/30/89 11/03/89		02/08/89 05/31/89 11/06/89	
FNICKEL	PPB	10.00		02/08/89 05/30/89 11/06/89	NR 13.00	02/07/89 05/30/89 11/03/89	NR	02/08/89 05/31/89 11/06/89	
FPOTASS	PPB	100.00		02/08/89 05/30/89 11/06/89	NR 6330.00 6190.00 5920.00	02/07/89 05/30/89 11/03/89	NR 656.00 877.00 1160.00	02/08/89 05/31/89 11/06/89	1890.00 2310.00 2080.00
FSILICO	PPB	50.00		02/08/89 05/30/89 11/06/89	NR 17300.00 15800.00 16200.00	02/07/89 05/30/89 11/03/89	NR 2350.00 3280.00 4020.00	02/08/89 05/31/89 11/06/89	2090.00 6670.00 7220.00 6910.00
FSODIUM	PPB	200.00		02/08/89 05/30/89 11/06/89	NR 17700.00 18600.00 15000.00	02/07/89 05/30/89 11/03/89	NR 1990.00 2310.00 2490.00	02/08/89 05/31/89 11/06/89	6900.00 3130.00 4480.00 3390.00
FSTROMT	PPB	10.00		02/08/89 05/30/89 11/06/89	NR 286.00 275.00 258.00	02/07/89 05/30/89 11/03/89	NR 90.00 88.00 110.00	02/08/89 05/31/89 11/06/89	3440.00 92.00 106.00 98.00 99.00
FVANADI	PPB	5.00		02/08/89 05/30/89 11/06/89	NR 6.00 6.00	02/07/89 05/30/89 11/03/89	NR 7.00	02/08/89 05/31/89 11/06/89	
FZINC	PPB	5.00	5000.00	02/08/89 05/30/89 11/06/89	NR 13.00 7.00	02/07/89 05/30/89 11/03/89	NR 8.00	02/08/89 05/31/89 11/06/89	
IRON	PPB	30.00	300.00	11/06/89	NR 34.00 NR	11/03/89	NR 394.00 * NR	11/06/89	103.00 101.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S41-E13B	SAMPLE DATE	6-S40-E14	SAMPLE DATE	6-S37-E14
LEADGF	PPB	5.00	50.00	01/11/89 03/07/89 11/06/89	6.00	01/11/89 03/07/89 11/03/89	8.00	11/06/89 11/06/89	
MAGNES	PPB	50.00		11/06/89	12200.00 NR	11/03/89	4840.00 NR	11/06/89 11/06/89	NR 4620.00 4650.00
MANGESE	PPB	5.00	50.00	11/06/89	19.00 NR	11/03/89	NR	11/06/89 11/06/89	5.00
NICKEL	PPB	10.00		11/06/89	NR	11/03/89	NR	11/06/89 11/06/89	13.00
NITRATE	PPB	500.00	45000.00	01/11/89 02/08/89 03/07/89 05/30/89 11/06/89	3300.00 3800.00 3900.00 3800.00 3100.00	01/11/89 02/07/89 03/07/89 05/30/89 11/03/89	700.00 700.00 900.00 1000.00	02/08/89 05/31/89 11/06/89	1200.00 1500.00 1300.00 1300.00
PH-LAB		0.01	8.50	02/08/89 05/30/89 11/06/89	7.90 7.80 7.70	02/07/89 05/30/89 11/03/89	8.00 7.80 7.90	02/08/89 05/31/89 11/06/89	8.00 8.10 7.90
PHFIELD		0.10	8.50	01/11/89 02/08/89 03/07/89 05/30/89 11/06/89	7.60 7.60 8.10 7.34 7.70	01/11/89 02/07/89 03/07/89 05/30/89 11/03/89	7.90 7.30 8.50 7.56 8.08	02/08/89 05/31/89 11/06/89	7.00 7.45 8.00
POTASUM	PPB	100.00		11/06/89	6140.00 NR	11/03/89	1200.00 NR	11/06/89 11/06/89	2150.00 2130.00
RADIUM	PCI/L	1.00	5.00	02/08/89 05/30/89 11/06/89	0.94 (0.30) 0.58 (0.26) 0.63 (0.26) NR	02/07/89 05/30/89 11/03/89	0.24 (0.17) 0.36 (0.21) NR	02/08/89 05/31/89 11/06/89	0.17 (0.14)
SILICON	PPB	50.00		11/06/89	16500.00 NR	11/03/89	4440.00 NR	11/06/89 11/06/89	6920.00 7000.00
SODIUM	PPB	200.00		11/06/89	15700.00 NR	11/03/89	2510.00 NR	11/06/89 11/06/89	3420.00 3460.00
STRONUM	PPB	10.00		11/06/89	264.00 NR	11/03/89	109.00 NR	11/06/89 11/06/89	98.00 99.00
SULFATE	PPB	500.00	250000.00	01/11/89 02/08/89 03/07/89 05/30/89 11/06/89	11000.00 10800.00 11100.00 11700.00 10500.00	01/11/89 02/07/89 03/07/89 05/30/89 11/03/89	12300.00 11900.00 12100.00 10300.00 11100.00	02/08/89 05/31/89 11/06/89 11/06/89	11500.00 14800.00 11100.00 11100.00
TC	PPB	1000.00		02/08/89 05/30/89 11/06/89	49100.00 49600.00 49700.00 NR	02/07/89 05/30/89 11/03/89	14700.00 15100.00 18200.00 NR	02/08/89 05/31/89 11/06/89	17900.00 20600.00 19400.00 19500.00
TOXLDL	PPB	10.00		02/08/89 05/30/89		02/07/89 05/30/89	11.00 10.00	02/08/89 05/31/89	34.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S41-E13B	SAMPLE DATE	6-S40-E14	SAMPLE DATE	6-S37-E14
TOXLDL	PPB	10.00		11/06/89		11/03/89		11/06/89	22.00
TURBID	NTU	0.10	1.00	11/06/89	0.30	11/03/89	4.70 *	11/06/89	0.60
VANADUM	PPB	5.00		11/06/89	8.00	11/03/89		11/06/89	8.00
					NR		NR	11/06/89	6.00
ZINC	PPB	5.00	5000.00	11/06/89	13.00	11/03/89	12.00	11/06/89	
					NR		NR	11/06/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S36-E13A	SAMPLE DATE	6-S32-E13A	SAMPLE DATE	6-S32-E13B
ALKALIN		20000.00		01/30/89	118000.00	01/17/89	207000.00	01/17/89	212000.00
				05/24/89	128000.00	05/24/89	200000.00	05/24/89	207000.00
CHLORID	PPB	500.00	250000.00	01/30/89	5000.00	01/17/89	8300.00	01/17/89	7900.00
				05/24/89	5600.00	05/24/89	7800.00	05/24/89	8300.00
CONDFLD	UMHO	1.00	700.00	01/30/89	254.00	01/17/89	459.00	01/17/89	459.00
				05/24/89	301.00	05/24/89	496.00	05/24/89	502.00
FBARIUM	PPB	6.00	1000.00	01/30/89	25.00	01/17/89	73.00	01/17/89	64.00
				05/24/89	12.00	05/24/89	39.00	05/24/89	21.00
FBERYLL	PPB	5.00		01/30/89		01/17/89		01/17/89	
				05/24/89	6.00	05/24/89		05/24/89	
FBORON	PPB	10.00		01/30/89	15.00	01/17/89	28.00	01/17/89	30.00
				05/24/89	22.00	05/24/89	25.00	05/24/89	21.00
FCADMIU	PPB	2.00	10.00	01/30/89		01/17/89		01/17/89	
				05/24/89		05/24/89	4.00	05/24/89	
FCALCIU	PPB	50.00		01/30/89	35100.00	01/17/89	78800.00	01/17/89	72700.00
				05/24/89	12100.00	05/24/89	32600.00	05/24/89	16800.00
FIRON	PPB	30.00	300.00	01/30/89	79.00	01/17/89	58.00	01/17/89	47.00
				05/24/89		05/24/89	47.00	05/24/89	
FLEAD	PPB	5.00	50.00	01/30/89		01/17/89	6.00	01/17/89	5.00
				05/24/89		05/24/89		05/24/89	
FMAGNES	PPB	50.00		01/30/89	7330.00	01/17/89	15400.00	01/17/89	13400.00
				05/24/89	3000.00	05/24/89	11500.00	05/24/89	5920.00
FMANGAN	PPB	5.00	50.00	01/30/89	8.00	01/17/89		01/17/89	
				05/24/89		05/24/89		05/24/89	
FPOTASS	PPB	100.00		01/30/89	4190.00	01/17/89	6600.00	01/17/89	6380.00
				05/24/89	4030.00	05/24/89	6100.00	05/24/89	5880.00
FSILICO	PPB	50.00		01/30/89	12900.00	01/17/89	16900.00	01/17/89	16200.00
				05/24/89	9620.00	05/24/89	14700.00	05/24/89	12400.00
FSDIUM	PPB	200.00		01/30/89	9280.00	01/17/89	17200.00	01/17/89	14600.00
				05/24/89	305000.00	05/24/89	341000.00	05/24/89	314000.00
FSTRONT	PPB	10.00		01/30/89	156.00	01/17/89	334.00	01/17/89	302.00
				05/24/89	77.00	05/24/89	165.00	05/24/89	90.00
FVANADI	PPB	5.00		01/30/89	8.00	01/17/89		01/17/89	
				05/24/89	8.00	05/24/89	8.00	05/24/89	
FZINC	PPB	5.00	5000.00	01/30/89	6.00	01/17/89	31.00	01/17/89	6.00
				05/24/89		05/24/89	33.00	05/24/89	5.00
HEXANE	PPB	0.00			NR	01/17/89	12.00	01/17/89	9.00
NITRATE	PPB	500.00	45000.00	01/30/89	5200.00	01/17/89	32100.00	01/17/89	31300.00
				05/24/89	6100.00	05/24/89	29400.00	05/24/89	26800.00
PH-LAB		0.01	8.50	01/30/89	7.80	01/17/89	7.60	01/17/89	7.50
				05/24/89	7.90	05/24/89	7.60	05/24/89	7.50
PHFIELD		0.10	8.50	01/30/89	7.60	01/17/89	8.10	01/17/89	8.00
				05/24/89	7.86	05/24/89	7.49	05/24/89	7.32
SULFATE	PPB	500.00	250000.00	01/30/89	13800.00	01/17/89	27500.00	01/17/89	25700.00
				05/24/89	15200.00	05/24/89	26000.00	05/24/89	24200.00
TC	PPB	1000.00		01/30/89	26200.00	01/17/89	44400.00	01/17/89	46500.00
				05/24/89	28500.00	05/24/89	46000.00	05/24/89	46700.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S31-E13	SAMPLE DATE	6-S31-1P	SAMPLE DATE	6-S30-E15A
ALKALIM		20000.00		01/17/89	206000.00		NR		NR
				05/24/89	198000.00		NR		NR
ALPHAHI	PCI/L	4.00	15.00		NR		NR	04/11/89	2.37
					NR		NR	(10/23/89	1.47)
					NR		NR	(10/23/89	2.35
BETA	PCI/L	8.00	50.00		NR	01/20/89		04/11/89	1.40)
					NR		NR	(04/11/89	4.99
					NR		NR	(10/23/89	2.67)
					NR		NR	(10/23/89	6.11
					NR		NR	(10/23/89	2.59)
CHLORID	PPB	500.00	250000.00	01/17/89	8000.00		NR		NR
				05/24/89	8200.00		NR		NR
CONDFLD	UMHO	1.00	700.00	01/17/89	474.00		NR		NR
				05/24/89	498.00		NR		NR
CS-137	PCI/L	20.00	200.00		NR		NR	04/11/89	
					NR		NR	10/23/89	6.21
					NR		NR	(10/23/89	5.90)
FBARIUM	PPB	6.00	1000.00	01/17/89	73.00		NR		NR
				05/24/89	28.00		NR		NR
FBORON	PPB	10.00		01/17/89	29.00		NR		NR
				05/24/89	28.00		NR		NR
FCALCIU	PPB	50.00		01/17/89	85900.00		NR		NR
				05/24/89	25900.00		NR		NR
FIRON	PPB	30.00	300.00	01/17/89	61.00		NR		NR
				05/24/89	36.00		NR		NR
FLEAD	PPB	5.00	50.00	01/17/89	6.00		NR		NR
				05/24/89			NR		NR
FMAGNES	PPB	50.00		01/17/89	15100.00		NR		NR
				05/24/89	8240.00		NR		NR
FPOTASS	PPB	100.00		01/17/89	6930.00		NR		NR
				05/24/89	6490.00		NR		NR
FSILICO	PPB	50.00		01/17/89	18300.00		NR		NR
				05/24/89	14600.00		NR		NR
FSCDIUM	PPB	200.00		01/17/89	17400.00		NR		NR
				05/24/89	331000.00		NR		NR
FSTROMT	PPB	10.00		01/17/89	338.00		NR		NR
				05/24/89	131.00		NR		NR
FVANADI	PPB	5.00		01/17/89			NR		NR
				05/24/89	8.00		NR		NR
FZINC	PPB	5.00	5000.00	01/17/89	11.00		NR		NR
				05/24/89			NR		NR
HNITRAT	PPB	2500.00	45000.00		NR	01/20/89	4000.00	04/11/89	15300.00
					NR		NR	10/23/89	12500.00
NITRATE	PPB	500.00	45000.00	01/17/89	34400.00		NR		NR
				05/24/89	28300.00		NR		NR
PH-LAB		0.01	8.50	01/17/89	7.50		NR		NR
				05/24/89	7.60		NR		NR
PHFIELD		0.10	8.50	01/17/89	7.50		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S31-E13	SAMPLE DATE	6-S31-1P	SAMPLE DATE	6-S30-E15A
PHFIELD		0.10	8.50	05/24/89	7.37		NR		NR
SULFATE	PPB	500.00	250000.00	01/17/89	26500.00		NR		NR
				05/24/89	25800.00		NR		NR
TC	PPB	1000.00		01/17/89	44500.00		NR		NR
				05/24/89	46100.00		NR		NR
U	PCI/L	0.50	600.00		NR		NR	04/11/89	1.38
					NR		NR	10/23/89	1.46
UNKNOWN	PPB	0.00		01/17/89	7.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S29-E12	SAMPLE DATE	6-S28-E0	SAMPLE DATE	6-S27-E14
ALKALIN		20000.00		01/17/89	147000.00		NR		NR
				05/24/89	145000.00		NR		NR
ALPHAHI	PCI/L	4.00	15.00		NR	04/07/89			NR
					NR	10/20/89	1.71		NR
							(1.13)		
BETA	PCI/L	8.00	50.00	04/11/89	7.42	01/20/89	3.07	01/20/89	6.70
					(2.79)		(2.20)		(2.70)
				10/20/89	7.34	04/07/89	3.28	04/11/89	9.67
					(2.68)		(2.35)		(2.95)
					NR	10/20/89	4.60	10/23/89	9.04
							(2.51)		(2.81)
CHLORID	PPB	500.00	250000.00	01/17/89	11500.00		NR		NR
				05/24/89	12800.00		NR		NR
CONDFLD	UMHO	1.00	700.00	01/17/89	395.00		NR		NR
				05/24/89	435.00		NR		NR
FBARIUM	PPB	6.00	1000.00	01/17/89	49.00		NR		NR
				05/24/89	22.00		NR		NR
FBORON	PPB	10.00		01/17/89	20.00		NR		NR
				05/24/89	26.00		NR		NR
FCALCIU	PPB	50.00		01/17/89	55800.00		NR		NR
				05/24/89	18500.00		NR		NR
FLEAD	PPB	5.00	50.00	01/17/89	6.00		NR		NR
				05/24/89			NR		NR
FMAGNES	PPB	50.00		01/17/89	10400.00		NR		NR
				05/24/89	8640.00		NR		NR
FMANGAN	PPB	5.00	50.00	01/17/89			NR		NR
				05/24/89	8.00		NR		NR
FPOTASS	PPB	100.00		01/17/89	6370.00		NR		NR
				05/24/89	6060.00		NR		NR
FSILICO	PPB	50.00		01/17/89	16900.00		NR		NR
				05/24/89	15300.00		NR		NR
FSCDIUM	PPB	200.00		01/17/89	23200.00		NR		NR
				05/24/89	311000.00		NR		NR
FSTRONT	PPB	10.00		01/17/89	252.00		NR		NR
				05/24/89	118.00		NR		NR
FVANADI	PPB	5.00		01/17/89	8.00		NR		NR
				05/24/89	8.00		NR		NR
FZINC	PPB	5.00	5000.00	01/17/89	8.00		NR		NR
				05/24/89			NR		NR
HNITRAT	PPB	2500.00	45000.00	04/11/89	22600.00	01/20/89	10300.00	01/20/89	28400.00
				10/20/89	19000.00	04/07/89	9500.00	04/11/89	22400.00
					NR	10/20/89	9000.00	10/23/89	21000.00
NITRATE	PPB	500.00	45000.00	01/17/89	21900.00		NR		NR
				05/24/89	23700.00		NR		NR
PH-LAB		0.01	8.50	01/17/89	7.80		NR		NR
				05/24/89	7.80		NR		NR
PHFIELD		0.10	8.50	01/17/89	8.10		NR		NR
				05/24/89	7.71		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S29-E12	SAMPLE DATE	6-S28-E0	SAMPLE DATE	6-S27-E14
SULFATE	PPB	500.00	250000.00	01/17/89	34900.00		NR		NR
				05/24/89	34300.00		NR		NR
TC	PPB	1000.00		01/17/89	30800.00		NR		NR
				05/24/89	32500.00		NR		NR
U	PCI/L	0.50	600.00	04/11/89	2.07	04/07/89	1.38	01/20/89	3.20
				10/20/89	1.23	10/20/89	1.39	04/11/89	4.78
					NR		NR	10/23/89	3.41

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S24-19	SAMPLE DATE	6-S19-E13	SAMPLE DATE	6-S19-11
ALPHA	PCI/L	4.00	15.00		NR		NR	03/23/89	1.68
ALPHAHI	PCI/L	4.00	15.00		NR		NR	04/11/89	(1.29)
					NR		NR		(1.44)
BETA	PCI/L	8.00	50.00		NR	04/11/89	NR	10/23/89	5.61
					NR		8.01	03/23/89	(2.69)
					NR	10/24/89	(2.84)	04/11/89	6.51
					NR		9.36		(2.63)
					NR		(2.86)	10/23/89	6.10
					NR		NR		(2.62)
HNITRAT	PPB	2500.00	45000.00	03/23/89			NR	03/23/89	10300.00
					NR		NR	04/11/89	10300.00
RU-106	PCI/L	172.50	30.00		NR	04/11/89	NR	10/23/89	10500.00
					NR	10/24/89	63.90 *	04/11/89	
TRITIUM	PCI/L	500.00	20000.00	03/23/89			(46.80)	10/23/89	
							7670.00	03/23/89	
					NR	10/24/89	(317.00)		
					NR		8410.00	04/11/89	
					NR		(323.00)		
U	PCI/L	0.50	600.00	03/23/89		04/11/89	NR	10/23/89	NR
					NR	10/24/89	4.38		NR
							2.70		

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S18-51	SAMPLE DATE	6-S14-20A	SAMPLE DATE	6-S12-3
ALPHAHI	PCI/L	4.00	15.00		NR		NR	04/11/89	3.56
					NR		NR	10/26/89	(1.82)
BETA	PCI/L	8.00	50.00	03/23/89	11.10 (3.05)		NR	04/11/89	(0.99)
					NR		NR	10/26/89	(2.94)
U	PCI/L	0.50	600.00		NR	02/02/89		02/06/89	(2.79)
									0.53

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S12-29	SAMPLE DATE	6-S11-E12A	SAMPLE DATE	6-S11-E12AP
BETA	PCI/L	8.00	50.00	04/20/89	6.88 (2.69)		NR	03/27/89	6.89
HNITRAT	PPB	2500.00	45000.00	04/20/89	17900.00	03/27/89	20500.00	03/27/89	(2.70)
TRITIUM	PCI/L	500.00	20000.00	04/20/89		03/27/89	4460.00 (252.00)	03/27/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S8-19	SAMPLE DATE	6-S7-34	SAMPLE DATE	6-S6-E14A
ALPHAHI	PCI/L	4.00	15.00	04/07/89 10/24/89	2.73 (1.51)		NR NR		NR NR
BETA	PCI/L	8.00	50.00	04/07/89 10/24/89	9.14 (2.85)		NR NR	02/03/89	2.87 (2.14)
HNITRAT	PPB	2500.00	45000.00		(2.64) NR	03/23/89		02/03/89	5300.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S6-E4B	SAMPLE DATE	6-S6-E4D	SAMPLE DATE	6-S3-E12
ALPHAHI	PCI/L	4.00	15.00	04/07/89		04/07/89	5.21	04/20/89	1.77
				10/23/89	4.45	10/23/89	(2.53)	10/24/89	(1.58)
					(2.04)		(3.95)		(1.45)
BETA	PCI/L	8.00	50.00	04/07/89	12.60	04/07/89	13.90	04/20/89	7.20
				10/23/89	(3.18)	10/23/89	(3.33)	10/24/89	(2.62)
					12.30		15.10		6.54
					(3.21)		(3.32)		(2.59)
CO-60	PCI/L	22.50	100.00	04/07/89	11.90	04/07/89			NR
				10/23/89	(9.14)	10/23/89			NR
HNITRAT	PPB	2500.00	45000.00	04/07/89	19600.00	04/07/89	26300.00	04/20/89	24200.00
				10/23/89	17500.00	10/23/89	16500.00	10/24/89	23500.00
I-129DW	PCI/L	1.00	1.00	02/01/89		01/30/89		02/02/89	0.07
TRITIUM	PCI/L	500.00	20000.00	04/07/89	29000.00 *	04/07/89	39800.00 *	04/20/89	6110.00
					(584.00)		(680.00)		(282.00)
				10/23/89	27400.00 *	10/23/89	39500.00 *	10/24/89	7630.00
					(571.00)		(677.00)		(310.00)
U	PCI/L	0.50	600.00	04/07/89	3.17	04/07/89	2.83		NR
				10/23/89	2.40	10/23/89	3.07		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-S3-25	SAMPLE DATE	6-1-18	SAMPLE DATE	6-2-3
ALPHA	PCI/L	4.00	15.00	01/20/89	7.83		NR		NR
					(3.06)				
ALPHAHI	PCI/L	4.00	15.00		NR		NR	04/14/89	5.40
					NR		NR	11/07/89	(2.15)
					NR		NR		(1.56)
BETA	PCI/L	8.00	50.00	01/20/89	12.30		NR	04/14/89	25.30
					(3.21)		NR	11/07/89	(4.08)
					NR		NR		22.20
									(3.78)
HNITRAT	PPB	2500.00	45000.00	01/20/89		04/07/89	19500.00	04/14/89	30900.00
					NR	10/24/89	19500.00	11/07/89	30700.00
TRITIUM	PCI/L	500.00	20000.00	01/20/89		04/07/89	42300.00 *	04/14/89	104000.00 *
							(698.00)		(1070.00)
					NR	10/24/89	39300.00 *	11/07/89	104000.00 *
							(679.00)		(1030.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-2-7	SAMPLE DATE	6-2-33A	SAMPLE DATE	6-3-45
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ALPHAHI	PCI/L	4.00	15.00	*	NR	04/20/89	2.81		NR
					NR	10/24/89	(2.31)		NR
BETA	PCI/L	8.00	50.00		NR	04/20/89	(1.49)	03/24/89	19.20
					NR	10/24/89	(2.57)		(3.79)
HNITRAT	PPB	2500.00	45000.00	01/30/89	55500.00 *	04/20/89	3600.00	03/24/89	NR
TRITIUM	PCI/L	500.00	20000.00	01/30/89	NR	10/24/89	3500.00	03/24/89	NR
					(388.00)	04/20/89			
U	PCI/L	0.50	600.00		NR	10/24/89	NR	03/24/89	NR
					NR				2.52

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-8-17	SAMPLE DATE	6-8-25	SAMPLE DATE	6-8-32
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ALPHAHI	PCI/L	4.00	15.00	04/07/89		04/07/89	4.98	04/07/89	
				10/19/89	3.37	10/20/89	(2.30)	10/24/89	4.16
BETA	PCI/L	8.00	50.00	04/07/89	(1.83)	04/07/89	(2.20)	04/07/89	(1.81)
				10/19/89	29.70	10/20/89	(3.75)	10/24/89	(2.79)
				04/07/89	(4.27)	04/07/89	(3.40)	04/07/89	(2.27)
				10/19/89	26.70	10/20/89	20500.00	10/24/89	3700.00
HNITRAT	PPB	2500.00	45000.00	04/07/89	33900.00	04/07/89	21000.00	02/06/89	5000.00
I-129DW	PCI/L	1.00	1.00	01/30/89	33000.00	02/06/89	0.09	02/06/89	
TRITIUM	PCI/L	500.00	20000.00	04/07/89	(0.05)	04/07/89	39600.00 *	04/07/89	
				10/19/89	(1250.00)	10/20/89	(676.00)	10/24/89	
					136000.00 *		46000.00 *		
					(1240.00)		(707.00)		

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-10-E12	SAMPLE DATE	6-10-54A	SAMPLE DATE	6-13-64
ALPHAHI	PCI/L	4.00	15.00	04/24/89	3.47	04/20/89		04/21/89	
				10/19/89	(2.21)		NR		NR
BETA	PCI/L	8.00	50.00	04/24/89	10.50	04/20/89	2.89	04/21/89	3.06
				10/19/89	(3.04)		(2.20)		(2.24)
					10.50		NR		NR
					(3.05)				
HNITRAT	PPB	2500.00	45000.00	04/24/89	21900.00	04/20/89	12200.00	04/21/89	
				10/19/89	21500.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	04/24/89	22600.00 *	04/20/89		04/21/89	
					(521.00)				
				10/19/89	23400.00 *		NR		NR
					(535.00)				

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-14-38	SAMPLE DATE	6-14-47	SAMPLE DATE	6-15-158
ALPHA	PCI/L	4.00	15.00		NR	03/23/89	3.51	03/23/89	5.89
							(2.33)		(2.30)
ALPHAHI	PCI/L	4.00	15.00	04/20/89			NR		NR
				12/04/89	1.85		NR		NR
					(1.31)				
BETA	PCI/L	8.00	50.00	04/20/89	7.46	03/23/89	15.50	03/23/89	6.54
				12/04/89	(2.70)		(5.48)		(2.60)
					4.55		NR		NR
					(2.36)				
HNITRAT	PPB	2500.00	45000.00	04/20/89	3900.00	03/23/89		03/23/89	19800.00
				12/04/89	4000.00		NR		NR
I-129DW	PCI/L	1.00	1.00	03/23/89	0.07		NR	03/23/89	
					(0.04)				

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-15-26	SAMPLE DATE	6-17-5	SAMPLE DATE	6-17-47
ALPHA	PCI/L	4.00	15.00		NR	02/03/89	1.53		NR
							(1.47)		
ALPHAHI	PCI/L	4.00	15.00		NR	04/14/89	2.50		NR
					NR	10/19/89	(1.69)		NR
							4.21		NR
BETA	PCI/L	8.00	50.00		NR	02/03/89	(1.84)		NR
							12.30		NR
					NR	04/14/89	(3.14)		NR
							5.49		NR
					NR	10/19/89	(2.66)		NR
							6.40		NR
							(2.65)		
HNITRAT	PPB	2500.00	45000.00		NR	02/03/89	68600.00 *	04/18/89	
					NR	04/14/89	67500.00 *		NR
					NR	10/19/89	67500.00 *		NR
I-129DW	PCI/L	1.00	1.00	03/23/89	0.34			03/23/89	
					(0.07)		NR		

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-17-70	SAMPLE DATE	6-19-43	SAMPLE DATE	6-19-58
HNITRAT	PPB	2500.00	45000.00	04/21/89	46600.00 *	02/22/89	10300.00	04/18/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-19-88	SAMPLE DATE	6-20-E12	SAMPLE DATE	6-20-E12P
BETA	PCI/L	8.00	50.00	04/20/89	3.37	04/06/89	4.29	03/24/89	7.16
					(2.27)		(2.44)		(2.65)
					NR	10/26/89	4.44		NR
							(2.48)		
HNITRAT	PPB	2500.00	45000.00	04/20/89		04/06/89	31400.00	03/24/89	
					NR	10/26/89	29500.00		NR
TRITIUM	PCI/L	500.00	20000.00	04/20/89		04/06/89	2360.00	03/24/89	
							(199.00)		
					NR	10/26/89	3610.00		NR
							(232.00)		
U	PCI/L	0.50	600.00		NR	04/06/89	1.19		NR
					NR	10/26/89	1.39		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-20-E5A	SAMPLE DATE	6-20-ESP	SAMPLE DATE	6-20-E5Q
ALPHAH	PCI/L	4.00	15.00	04/06/89	4.26 (1.93)		NR		NR
				10/26/89	3.93 (1.71)		NR		NR
BETA	PCI/L	8.00	50.00	04/06/89	16.20	03/24/89	7.92	03/24/89	3.93
				10/26/89	3.52 (16.50 3.40)		(2.79) NR		(2.48) NR
HNITRAT	PPB	2500.00	45000.00	04/06/89	25400.00	03/24/89		03/24/89	
				10/26/89	25500.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	04/06/89	70600.00 *	03/24/89		03/24/89	
				10/26/89	(893.00) 77200.00 * (914.00)		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-20-E5R	SAMPLE DATE	6-20-20	SAMPLE DATE	6-20-39
ALPHA	PCI/L	4.00	15.00	03/24/89			NR	03/24/89	3.36 (1.74)
BETA	PCI/L	8.00	50.00	03/24/89	4.65 (2.26) NR	04/17/89	29.50 (4.23)	03/24/89	6.96 (2.62) NR
						12/04/89	26.00 (4.00)		
HNITRAT	PPB	2500.00	45000.00	03/24/89		03/03/89	38400.00	03/24/89	5500.00
					NR	04/17/89	37100.00		NR
I-129DW	PCI/L	1.00	1.00		NR	12/04/89	32800.00		NR
					NR	03/03/89	0.37		NR
TRITIUM	PCI/L	500.00	20000.00	03/24/89		04/17/89	(0.08) 137000.00 *	03/24/89	
							(1230.00)		
					NR	12/04/89	133000.00 *		NR
							(1220.00)		
U	PCI/L	0.50	600.00		NR	04/17/89	3.38		NR
					NR	12/04/89	2.70		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-20-82	SAMPLE DATE	6-21-6	SAMPLE DATE	6-22-70
ALPHAHI	PCI/L	4.00	15.00	04/21/89	6.04 (2.60) NR	04/06/89		04/18/89	
						10/26/89	1.64 (1.10)	12/04/89	1.35 (1.18)
BETA	PCI/L	8.00	50.00	04/21/89	7.03 (2.66) NR	04/06/89	13.40 (3.17)	04/18/89	13.30 (3.23)
						10/26/89	7.47 (2.76)	12/04/89	3.78 (2.36)
HNITRAT	PPB	2500.00	45000.00	04/21/89	16900.00 NR	04/06/89	48500.00 *	04/18/89	10500.00
						10/26/89	40500.00	12/04/89	10100.00
TRITIUM	PCI/L	500.00	20000.00	04/21/89		04/06/89	31100.00 * (597.00)	04/18/89	
					NR	10/26/89	26900.00 * (547.00)	12/04/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-23-34	SAMPLE DATE	6-24-1P	SAMPLE DATE	6-24-1Q
1,1-DCL	PPB	1.00		01/11/89			NR		NR
				03/02/89	5.40		NR		NR
				05/19/89	4.80		NR		NR
				08/07/89	5.10		NR		NR
				10/10/89	4.60		NR		NR
				10/10/89	4.40		NR		NR
				10/25/89	4.70		NR		NR
111TCLE	PPB	0.20	200.00	01/11/89			NR		NR
				03/02/89	38.00		NR		NR
				05/19/89	38.00		NR		NR
				08/07/89	47.00		NR		NR
				10/10/89	37.00		NR		NR
				10/10/89	44.00		NR		NR
				10/25/89	42.00		NR		NR
ALKALIN		20000.00		01/11/89	206000.00		NR		NR
				05/19/89	220000.00		NR		NR
				08/07/89	228000.00		NR		NR
				10/10/89	232000.00		NR		NR
				10/10/89	234000.00		NR		NR
ALPHA	PCI/L	4.00	15.00	01/11/89	3.64	03/24/89		03/24/89	
					(2.06)				
ALPHAHI	PCI/L	4.00	15.00	05/19/89	2.50		NR		NR
					(1.64)				
				08/07/89			NR		NR
BARIUM	PPB	6.00	1000.00	01/11/89	75.00		NR		NR
				05/19/89	80.00		NR		NR
				08/07/89	83.00		NR		NR
				10/10/89	74.00		NR		NR
				10/10/89	77.00		NR		NR
				10/25/89	81.00		NR		NR
BETA	PCI/L	8.00	50.00	01/11/89	14.30	03/24/89	11.10	03/24/89	8.73
					(3.61)		(3.03)		(2.71)
				05/19/89	13.50		NR		NR
					(3.27)				
				08/07/89	11.60		NR		NR
					(3.10)				
BORON	PPB	10.00		01/11/89	98.00		NR		NR
				05/19/89	37.00		NR		NR
				08/07/89	33.00		NR		NR
				10/10/89	27.00		NR		NR
				10/10/89	34.00		NR		NR
				10/25/89	30.00		NR		NR
CALCIUM	PPB	50.00		01/11/89	70200.00		NR		NR
				05/19/89	74500.00		NR		NR
				08/07/89	78400.00		NR		NR
				10/10/89	72000.00		NR		NR
				10/10/89	72600.00		NR		NR
				10/25/89	74900.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-23-34	SAMPLE DATE	6-24-1P	SAMPLE DATE	6-24-1Q
CHLORID	PPB	500.00	250000.00	01/11/89	7700.00		NR		NR
				05/19/89	7700.00		NR		NR
				08/07/89	7000.00		NR		NR
				10/10/89	8000.00		NR		NR
				10/10/89	8000.00		NR		NR
				10/25/89	7000.00		NR		NR
CONDFLD	UMHO	1.00	700.00	01/11/89	507.00		NR		NR
				01/11/89	506.00		NR		NR
				01/11/89	507.00		NR		NR
				01/11/89	507.00		NR		NR
				03/02/89	552.00		NR		NR
				05/19/89	578.00		NR		NR
				05/19/89	577.00		NR		NR
				05/19/89	577.00		NR		NR
				05/19/89	578.00		NR		NR
				08/07/89	580.00		NR		NR
				08/07/89	580.00		NR		NR
				08/07/89	580.00		NR		NR
				08/07/89	580.00		NR		NR
				10/10/89	583.00		NR		NR
				10/10/89	581.00		NR		NR
				10/10/89	584.00		NR		NR
				10/10/89	585.00		NR		NR
				10/25/89	575.00		NR		NR
				10/25/89	575.00		NR		NR
				10/25/89	575.00		NR		NR
				10/25/89	576.00		NR		NR
CONDLAB	UMHO		700.00	01/11/89	550.00 @		NR		NR
				01/11/89	553.00 @		NR		NR
				01/11/89	551.00 @		NR		NR
				01/11/89	548.00 @		NR		NR
				05/19/89	550.00 @		NR		NR
				05/19/89	558.00 @		NR		NR
				05/19/89	560.00 @		NR		NR
				05/19/89	558.00 @		NR		NR
				08/07/89	562.00 @		NR		NR
				08/07/89	564.00 @		NR		NR
				08/07/89	566.00 @		NR		NR
				08/07/89	562.00 @		NR		NR
				10/10/89	607.00 @		NR		NR
				10/25/89	583.00 @		NR		NR
COPPER	PPB	10.00	(1300.0)	01/11/89			NR		NR
				05/19/89			NR		NR
				08/07/89			NR		NR
				10/10/89			NR		NR
				10/10/89	12.00		NR		NR
				10/25/89			NR		NR
FBARIUM	PPB	6.00	1000.00	01/11/89	71.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-23-34	SAMPLE DATE	6-24-1P	SAMPLE DATE	6-24-1Q
FBARIUM	PPB	6.00	1000.00	05/19/89	81.00		NR		NR
				08/07/89	83.00		NR		NR
				10/10/89	80.00		NR		NR
				10/10/89	76.00		NR		NR
FBORON	PPB	10.00		01/11/89	31.00		NR		NR
				05/19/89	40.00		NR		NR
				08/07/89	33.00		NR		NR
				10/10/89	31.00		NR		NR
				10/10/89	29.00		NR		NR
FCADMIU	PPB	2.00	10.00	01/11/89	2.00		NR		NR
				05/19/89			NR		NR
				08/07/89			NR		NR
				10/10/89			NR		NR
				10/10/89			NR		NR
FCALCIU	PPB	50.00		01/11/89	68900.00		NR		NR
				05/19/89	77100.00		NR		NR
				08/07/89	75900.00		NR		NR
				10/10/89	78000.00		NR		NR
				10/10/89	73100.00		NR		NR
FIRON	PPB	30.00	300.00	01/11/89	44.00		NR		NR
				05/19/89	92.00		NR		NR
				08/07/89	92.00		NR		NR
				10/10/89	139.00		NR		NR
				10/10/89	127.00		NR		NR
FLEAD	PPB	5.00	50.00	01/11/89	8.00		NR		NR
				05/19/89			NR		NR
				08/07/89			NR		NR
FLITHIU	PPB	10.00		01/11/89			NR		NR
				05/19/89			NR		NR
				08/07/89			NR		NR
				10/10/89	12.00		NR		NR
				10/10/89	11.00		NR		NR
FLUORID	PPB	500.00	4000.00	01/11/89			NR		NR
				05/19/89			NR		NR
				08/07/89			NR		NR
				10/10/89	500.00		NR		NR
				10/10/89	500.00		NR		NR
				10/25/89	500.00		NR		NR
FMAGNES	PPB	50.00		01/11/89	13900.00		NR		NR
				05/19/89	16900.00		NR		NR
				08/07/89	16000.00		NR		NR
				10/10/89	16800.00		NR		NR
				10/10/89	15800.00		NR		NR
FMANGAN	PPB	5.00	50.00	01/11/89			NR		NR
				05/19/89			NR		NR
				08/07/89			NR		NR
				10/10/89	6.00		NR		NR
				10/10/89			NR		NR
FPOTASS	PPB	100.00		01/11/89	6810.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-23-34	SAMPLE DATE	6-24-1P	SAMPLE DATE	6-24-1Q
FPOTASS	PPB	100.00		05/19/89	7710.00		NR		NR
				08/07/89	7420.00		NR		NR
				10/10/89	7430.00		NR		NR
				10/10/89	7010.00		NR		NR
FSILICO	PPB	50.00		01/11/89	18600.00		NR		NR
				05/19/89	21000.00		NR		NR
				08/07/89	20800.00		NR		NR
				10/10/89	21500.00		NR		NR
				10/10/89	20400.00		NR		NR
FSCDIUM	PPB	200.00		01/11/89	20900.00		NR		NR
				05/19/89	24200.00		NR		NR
				08/07/89	22700.00		NR		NR
				10/10/89	22800.00		NR		NR
				10/10/89	21300.00		NR		NR
FSTRONT	PPB	10.00		01/11/89	272.00		NR		NR
				05/19/89	311.00		NR		NR
				08/07/89	311.00		NR		NR
				10/10/89	317.00		NR		NR
				10/10/89	299.00		NR		NR
FVANADI	PPB	5.00		01/11/89	12.00		NR		NR
				05/19/89	11.00		NR		NR
				08/07/89	14.00		NR		NR
				10/10/89	9.00		NR		NR
				10/10/89	9.00		NR		NR
FZINC	PPB	5.00	5000.00	01/11/89	5.00		NR		NR
				05/19/89			NR		NR
				08/07/89	9.00		NR		NR
				10/10/89	31.00		NR		NR
				10/10/89	26.00		NR		NR
IRON	PPB	30.00	300.00	01/11/89	86.00		NR		NR
				05/19/89	215.00		NR		NR
				08/07/89	166.00		NR		NR
				10/10/89	789.00 *		NR		NR
				10/10/89	843.00 *		NR		NR
				10/25/89	541.00 *		NR		NR
LEADGF	PPB	5.00	50.00	01/11/89	7.00		NR		NR
				05/19/89			NR		NR
				08/07/89			NR		NR
LFLUORD	PPB	20.00	4000.00	01/11/89	370.00		NR		NR
				05/19/89	457.00		NR		NR
				08/07/89	434.00		NR		NR
LITHIUM	PPB	10.00		01/11/89			NR		NR
				05/19/89			NR		NR
				08/07/89	10.00		NR		NR
				10/10/89	11.00		NR		NR
				10/10/89	10.00		NR		NR
				10/25/89			NR		NR
MAGNES	PPB	50.00		01/11/89	15100.00		NR		NR
				05/19/89	16300.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-23-34	SAMPLE DATE	6-24-1P	SAMPLE DATE	6-24-1Q
MAGNES	PPB	50.00		08/07/89	16600.00		NR		NR
				10/10/89	15600.00		NR		NR
				10/10/89	15700.00		NR		NR
				10/25/89	16300.00		NR		NR
MANGESE	PPB	5.00	50.00	01/11/89			NR		NR
				05/19/89			NR		NR
				08/07/89			NR		NR
				10/10/89	6.00		NR		NR
				10/10/89	6.00		NR		NR
				10/25/89			NR		NR
NITRATE	PPB	500.00	45000.00	01/11/89	29100.00		NR		NR
				05/19/89	29100.00		NR		NR
				08/07/89	28100.00		NR		NR
				10/10/89	27200.00		NR		NR
				10/10/89	27300.00		NR		NR
				10/25/89	28600.00		NR		NR
PH-LAB		0.01	8.50	01/11/89	7.20		NR		NR
				01/11/89	7.00		NR		NR
				01/11/89	7.00		NR		NR
				01/11/89	7.00		NR		NR
				05/19/89	7.00		NR		NR
				05/19/89	7.00		NR		NR
				05/19/89	7.00		NR		NR
				05/19/89	7.00		NR		NR
				08/07/89	6.90		NR		NR
				08/07/89	6.90		NR		NR
				08/07/89	6.90		NR		NR
				08/07/89	6.90		NR		NR
				10/10/89	6.90		NR		NR
				10/25/89	6.80		NR		NR
PHFIELD		0.10	8.50	01/11/89	6.50		NR		NR
				01/11/89	7.30		NR		NR
				01/11/89	7.00		NR		NR
				01/11/89	7.40		NR		NR
				03/02/89	7.30		NR		NR
				05/19/89	6.82		NR		NR
				05/19/89	6.82		NR		NR
				05/19/89	6.82		NR		NR
				05/19/89	6.80		NR		NR
				08/07/89	6.90		NR		NR
				08/07/89	6.85		NR		NR
				08/07/89	6.90		NR		NR
				08/07/89	6.90		NR		NR
				10/10/89	6.92		NR		NR
				10/10/89	6.88		NR		NR
				10/10/89	6.87		NR		NR
				10/10/89	6.88		NR		NR
				10/25/89	6.84		NR		NR
				10/25/89	6.84		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-23-34	SAMPLE DATE	6-24-1P	SAMPLE DATE	6-24-1Q
PHFIELD		0.10	8.50	10/25/89	6.83		NR		NR
				10/25/89	6.84		NR		NR
POTASUM	PPB	100.00		01/11/89	7360.00		NR		NR
				05/19/89	7650.00		NR		NR
				08/07/89	8130.00		NR		NR
				10/10/89	7090.00		NR		NR
				10/10/89	6930.00		NR		NR
				10/25/89	7290.00		NR		NR
SILICON	PPB	50.00		01/11/89	19900.00		NR		NR
				05/19/89	20000.00		NR		NR
				08/07/89	21100.00		NR		NR
				10/10/89	19900.00		NR		NR
				10/10/89	20500.00		NR		NR
				10/25/89	21700.00		NR		NR
SODIUM	PPB	200.00		01/11/89	23000.00		NR		NR
				05/19/89	23200.00		NR		NR
				08/07/89	25000.00		NR		NR
				10/10/89	21500.00		NR		NR
				10/10/89	21300.00		NR		NR
				10/25/89	22700.00		NR		NR
SR 90	PC1/L	5.00	8.00	01/11/89			NR		NR
				05/19/89	0.88		NR		NR
					(0.83)				
				08/07/89			NR		NR
STRONUM	PPB	10.00		01/11/89	292.00		NR		NR
				05/19/89	300.00		NR		NR
				08/07/89	321.00		NR		NR
				10/10/89	293.00		NR		NR
				10/10/89	299.00		NR		NR
				10/25/89	305.00		NR		NR
SULFATE	PPB	500.00	250000.00	01/11/89	47800.00		NR		NR
				05/19/89	45800.00		NR		NR
				08/07/89	47000.00		NR		NR
				10/10/89	46000.00		NR		NR
				10/10/89	46000.00		NR		NR
				10/25/89	46000.00		NR		NR
TC	PPB	1000.00		10/10/89	71000.00		NR		NR
				10/10/89	70000.00		NR		NR
TETCLET	PPB	0.50		01/11/89			NR		NR
				03/02/89	7.40		NR		NR
				05/19/89	8.70		NR		NR
				08/07/89	7.80		NR		NR
				10/10/89	7.20		NR		NR
				10/10/89	6.40		NR		NR
				10/25/89	7.90		NR		NR
TOXLDL	PPB	10.00		01/11/89	37.00		NR		NR
				01/11/89	41.00		NR		NR
				01/11/89	35.00		NR		NR
				01/11/89	38.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-23-34	SAMPLE DATE	6-24-1P	SAMPLE DATE	6-24-1Q
TOXLDL	PPB	10.00		05/19/89	54.00		NR		NR
				05/19/89	51.00		NR		NR
				05/19/89	53.00		NR		NR
				05/19/89	54.00		NR		NR
				08/07/89	49.00		NR		NR
				08/07/89	49.00		NR		NR
				08/07/89	54.00		NR		NR
				08/07/89	53.00		NR		NR
TRICELN	PPB	1.00	5.00	01/11/89			NR		NR
				03/02/89	4.70		NR		NR
				05/19/89	5.20 *		NR		NR
				08/07/89	4.80		NR		NR
				10/10/89	4.30		NR		NR
				10/10/89	3.80		NR		NR
				10/25/89	4.50		NR		NR
TRITIUM	PCI/L	500.00	20000.00	08/07/89	143000.00 *	03/24/89		03/24/89	
					(913.00)				
				10/10/89	127000.00 *		NR		NR
					(1160.00)				
				10/10/89	128000.00 *		NR		NR
					(1160.00)				
TURBID	NTU	0.10	1.00	08/07/89	1.20 *		NR		NR
VANADIUM	PPB	5.00		01/11/89	8.00		NR		NR
				05/19/89	18.00		NR		NR
				08/07/89	13.00		NR		NR
				10/10/89	10.00		NR		NR
				10/10/89	12.00		NR		NR
				10/25/89	12.00		NR		NR
ZINC	PPB	5.00	5000.00	01/11/89	7.00		NR		NR
				05/19/89			NR		NR
				08/07/89	8.00		NR		NR
				10/10/89	32.00		NR		NR
				10/10/89	45.00		NR		NR
				10/25/89	20.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-1R	SAMPLE DATE	6-24-1S	SAMPLE DATE	6-24-1T
ALPHA	PCI/L	4.00	15.00	03/24/89		03/24/89	2.04	03/24/89	
							(1.57)		
BETA	PCI/L	8.00	50.00	03/24/89	7.19	03/24/89	7.31	03/24/89	17.70
					(2.67)		(2.89)		(3.64)
TRITIUM	PCI/L	500.00	20000.00	03/24/89		03/24/89		03/24/89	12800.00
									(394.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-33	SAMPLE DATE	6-24-34A	SAMPLE DATE	6-24-34B
1,1-DCL	PPB	1.00		01/10/89		01/10/89		01/10/89	
				03/03/89	1.10	01/10/89		03/03/89	4.30
				05/18/89	1.20	03/02/89	4.00	05/19/89	4.60
				08/07/89	1.50	05/19/89	3.20	08/07/89	5.60
					NR	08/07/89	5.10	10/10/89	4.90
111TCLE	PPB	0.20	200.00	01/10/89		01/10/89		01/10/89	
				03/03/89	16.00	01/10/89		03/03/89	27.00
				05/18/89	16.00	03/02/89	16.00	05/19/89	32.00
				08/07/89	20.00	05/19/89	21.00	08/07/89	38.00
					NR	08/07/89	31.00	10/10/89	36.00
ALKALIN		20000.00		01/10/89	198000.00	01/10/89	190000.00	01/10/89	199000.00
				05/18/89	198000.00	01/10/89	190000.00	05/19/89	212000.00
				08/07/89	201000.00	05/19/89	195000.00	08/07/89	223000.00
					NR	08/07/89	202000.00	10/10/89	227000.00
ALPHA	PCI/L	4.00	15.00	01/10/89	4.06	01/10/89	4.72	01/10/89	4.12
					(2.21)		(2.33)		(2.12)
					NR	01/10/89	2.99		NR
							(1.92)		
ALPHAHI	PCI/L	4.00	15.00	04/24/89	2.03	05/19/89	4.29	05/19/89	2.35
					(1.67)		(1.90)		(1.49)
				05/18/89	2.27	08/07/89	2.40	08/07/89	1.93
					(1.37)		(1.60)		(1.64)
				08/07/89	4.62		NR		NR
					(2.09)				
BARIUM	PPB	6.00	1000.00	01/10/89	60.00	01/10/89	59.00	01/10/89	65.00
				05/18/89	52.00	01/10/89	57.00	05/19/89	68.00
				08/07/89	58.00	05/19/89	60.00	08/07/89	82.00
					NR	08/07/89	68.00	10/10/89	68.00
BETA	PCI/L	8.00	50.00	01/10/89	19.80	01/10/89	18.10	01/10/89	20.90
					(3.98)		(3.55)		(3.98)
				04/24/89	17.10	01/10/89	19.30	05/19/89	15.00
					(3.52)		(3.82)		(3.40)
				05/18/89	14.20	05/19/89	12.40	08/07/89	16.40
					(3.34)		(3.13)		(3.49)
				08/07/89	19.20	08/07/89	17.30		NR
					(3.65)		(3.50)		
BORON	PPB	10.00		01/10/89	57.00	01/10/89	213.00	01/10/89	65.00
				05/18/89	36.00	01/10/89	116.00	05/19/89	44.00
				08/07/89	43.00	05/19/89	36.00	08/07/89	56.00
					NR	08/07/89	47.00	10/10/89	32.00
CADMIUM	PPB	2.00	10.00	01/10/89		01/10/89		01/10/89	
				05/18/89		01/10/89		05/19/89	
				08/07/89		05/19/89		08/07/89	
					NR	08/07/89		10/10/89	3.00
CALCIUM	PPB	50.00		01/10/89	66400.00	01/10/89	63400.00	01/10/89	71900.00
				05/18/89	64100.00	01/10/89	58900.00	05/19/89	71700.00
				08/07/89	65300.00	05/19/89	63200.00	08/07/89	87800.00
					NR	08/07/89	69700.00	10/10/89	70000.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-33	SAMPLE DATE	6-24-34A	SAMPLE DATE	6-24-34B
CHLORID	PPB	500.00	250000.00	01/10/89	7200.00	01/10/89	7400.00	01/10/89	7100.00
				05/18/89	6800.00	01/10/89	7300.00	05/19/89	7200.00
				08/07/89	7000.00	05/19/89	7400.00	08/07/89	6800.00
					NR	08/07/89	7000.00	10/10/89	7000.00
CHROMIUM	PPB	10.00	50.00	01/10/89		01/10/89		01/10/89	
				05/18/89		01/10/89		05/19/89	14.00
				08/07/89		05/19/89		08/07/89	
					NR	08/07/89		10/10/89	
CO-60	PCI/L	22.50	100.00	01/10/89	5.67	01/10/89		01/10/89	
					(5.07)				
				04/24/89		05/19/89		05/19/89	
				05/18/89		08/07/89		08/07/89	
				08/07/89			NR		NR
CONDFLD	UMHO	1.00	700.00	01/10/89	568.00	01/10/89	571.00	01/10/89	588.00
				01/10/89	567.00	01/10/89	569.00	01/10/89	590.00
				01/10/89	567.00	01/10/89	569.00	01/10/89	591.00
				01/10/89	567.00	01/10/89	568.00	01/10/89	591.00
				03/03/89	549.00	03/02/89	491.00	03/03/89	560.00
				05/18/89	534.00	05/19/89	539.00	05/19/89	561.00
				05/18/89	534.00	05/19/89	539.00	05/19/89	561.00
				05/18/89	533.00	05/19/89	538.00	05/19/89	560.00
				05/18/89	533.00	05/19/89	537.00	05/19/89	561.00
				08/07/89	559.00	08/07/89	475.00	08/07/89	1238.00 *
				08/07/89	555.00	08/07/89	474.00	08/07/89	1241.00 *
				08/07/89	549.00	08/07/89	475.00	08/07/89	1242.00 *
				08/07/89	548.00	08/07/89	476.00	08/07/89	1240.00 *
					NR		NR	10/10/89	598.00
					NR		NR	10/10/89	598.00
					NR		NR	10/10/89	599.00
					NR		NR	10/10/89	599.00
CONDLAB	UMHO		700.00	01/10/89	508.00 @	01/10/89	509.00 @	01/10/89	523.00 @
				01/10/89	509.00 @	01/10/89	514.00 @	01/10/89	525.00 @
				01/10/89	510.00 @	01/10/89	517.00 @	01/10/89	520.00 @
				01/10/89	516.00 @	01/10/89	512.00 @	01/10/89	525.00 @
				05/18/89	503.00 @	05/19/89	515.00 @	05/19/89	546.00 @
				05/18/89	508.00 @	05/19/89	521.00 @	05/19/89	531.00 @
				05/18/89	508.00 @	05/19/89	515.00 @	05/19/89	543.00 @
				05/18/89	510.00 @	05/19/89	509.00 @	05/19/89	545.00 @
				08/07/89	520.00 @	08/07/89	531.00 @	08/07/89	559.00 @
				08/07/89	521.00 @	08/07/89	531.00 @	08/07/89	559.00 @
				08/07/89	520.00 @	08/07/89	531.00 @	08/07/89	559.00 @
				08/07/89	525.00 @	08/07/89	531.00 @	08/07/89	562.00 @
					NR		NR	10/10/89	606.00 @
CS-137	PCI/L	20.00	200.00	01/10/89		01/10/89		01/10/89	8.27
									(6.42)
				04/24/89		05/19/89		05/19/89	
				05/18/89		08/07/89		08/07/89	
				08/07/89			NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-33	SAMPLE DATE	6-24-34A	SAMPLE DATE	6-24-34B
FBARIUM	PPB	6.00	1000.00	01/10/89	60.00	01/10/89	57.00	01/10/89	62.00
				05/18/89	55.00	01/10/89	62.00	05/19/89	66.00
				08/07/89	70.00	05/19/89	60.00	08/07/89	70.00
					NR		NR	10/10/89	66.00
FBORON	PPB	10.00		01/10/89	50.00	01/10/89	59.00	01/10/89	40.00
				05/18/89	41.00	01/10/89	78.00	05/19/89	46.00
				08/07/89	51.00	05/19/89	40.00	08/07/89	37.00
					NR		NR	10/10/89	34.00
FCALCIU	PPB	50.00		01/10/89	70100.00	01/10/89	64700.00	01/10/89	72400.00
				05/18/89	63700.00	01/10/89	70700.00	05/19/89	74200.00
				08/07/89	76300.00	05/19/89	66100.00	08/07/89	71500.00
					NR		NR	10/10/89	73300.00
FIROM	PPB	30.00	300.00	01/10/89	31.00	01/10/89	90.00	01/10/89	55.00
				05/18/89		01/10/89	102.00	05/19/89	94.00
				08/07/89		05/19/89	192.00	08/07/89	104.00
					NR		NR	10/10/89	408.00 *
FLEAD	PPB	5.00	50.00	01/10/89		01/10/89	7.00	01/10/89	8.00
				05/18/89		01/10/89	8.00	05/19/89	
				08/07/89		05/19/89		08/07/89	
FLITHIU	PPB	10.00		01/10/89		01/10/89		01/10/89	
				05/18/89		01/10/89		05/19/89	
				08/07/89		05/19/89		08/07/89	
					NR		NR	10/10/89	10.00
FLUORID	PPB	500.00	4000.00	01/10/89	500.00	01/10/89	500.00	01/10/89	500.00
				05/18/89	500.00	01/10/89		05/19/89	500.00
				08/07/89	500.00	05/19/89		08/07/89	500.00
					NR	08/07/89		10/10/89	600.00
FMAGNES	PPB	50.00		01/10/89	15600.00	01/10/89	14000.00	01/10/89	14600.00
				05/18/89	14700.00	01/10/89	15100.00	05/19/89	16400.00
				08/07/89	16900.00	05/19/89	15000.00	08/07/89	15300.00
					NR		NR	10/10/89	16000.00
FMANGAN	PPB	5.00	50.00	01/10/89		01/10/89		01/10/89	
				05/18/89		01/10/89		05/19/89	
				08/07/89		05/19/89		08/07/89	
					NR		NR	10/10/89	17.00
FPO TASS	PPB	100.00		01/10/89	7700.00	01/10/89	7060.00	01/10/89	7050.00
				05/18/89	6780.00	01/10/89	7650.00	05/19/89	7320.00
				08/07/89	8110.00	05/19/89	7050.00	08/07/89	7000.00
					NR		NR	10/10/89	7050.00
FSILICO	PPB	50.00		01/10/89	20600.00	01/10/89	19100.00	01/10/89	20100.00
				05/18/89	19700.00	01/10/89	20700.00	05/19/89	21300.00
				08/07/89	23200.00	05/19/89	19900.00	08/07/89	20500.00
					NR		NR	10/10/89	20800.00
FSILVER	PPB	10.00	50.00	01/10/89		01/10/89		01/10/89	
				05/18/89		01/10/89		05/19/89	
				08/07/89		05/19/89	27.00	08/07/89	
					NR		NR	10/10/89	
FSCDIUM	PPB	200.00		01/10/89	24500.00	01/10/89	23000.00	01/10/89	22600.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-33	SAMPLE DATE	6-24-34A	SAMPLE DATE	6-24-34B
FSODIUM	PPB	200.00		05/18/89	22400.00	01/10/89	25000.00	05/19/89	24200.00
				08/07/89	26200.00	05/19/89	22900.00	08/07/89	22300.00
					NR		NR	10/10/89	22200.00
FSTRONT	PPB	10.00		01/10/89	289.00	01/10/89	253.00	01/10/89	274.00
				05/18/89	268.00	01/10/89	274.00	05/19/89	290.00
				08/07/89	321.00	05/19/89	266.00	08/07/89	283.00
					NR		NR	10/10/89	291.00
FVANADI	PPB	5.00		01/10/89	16.00	01/10/89	13.00	01/10/89	12.00
				05/18/89	14.00	01/10/89	13.00	05/19/89	9.00
				08/07/89	21.00	05/19/89	9.00	08/07/89	13.00
					NR		NR	10/10/89	8.00
FZINC	PPB	5.00	5000.00	01/10/89	14.00	01/10/89	12.00	01/10/89	
				05/18/89		01/10/89	10.00	05/19/89	
				08/07/89	6.00	05/19/89		08/07/89	9.00
					NR		NR	10/10/89	36.00
HNITRAT	PPB	2500.00	45000.00	04/24/89	35300.00		NR		NR
I-129DW	PCI/L	1.00	1.00	03/29/89	0.74		NR		NR
					(0.14)		NR		
IRON	PPB	30.00	300.00	01/10/89	197.00	01/10/89	275.00	01/10/89	143.00
				05/18/89		01/10/89	444.00 *	05/19/89	147.00
				08/07/89		05/19/89	872.00 *	08/07/89	198.00
					NR	08/07/89	466.00 *	10/10/89	4620.00 *
LEADGF	PPB	5.00	50.00	01/10/89		01/10/89	9.00	01/10/89	6.00
				05/18/89		01/10/89	8.00	05/19/89	
				08/07/89		05/19/89		08/07/89	
					NR	08/07/89			NR
LFLUORD	PPB	20.00	4000.00	01/10/89	370.00	01/10/89	390.00	01/10/89	410.00
				05/18/89	463.00	01/10/89	390.00	05/19/89	431.00
				08/07/89	505.00	05/19/89	440.00	08/07/89	480.00
					NR	08/07/89	490.00		NR
LITHIUM	PPB	10.00		01/10/89		01/10/89		01/10/89	
				05/18/89		01/10/89		05/19/89	
				08/07/89		05/19/89		08/07/89	
					NR	08/07/89		10/10/89	11.00
MAGNES	PPB	50.00		01/10/89	15700.00	01/10/89	14300.00	01/10/89	15500.00
				05/18/89	13700.00	01/10/89	13800.00	05/19/89	15900.00
				08/07/89	14900.00	05/19/89	14500.00	08/07/89	18800.00
					NR	08/07/89	16200.00	10/10/89	15700.00
MANGESE	PPB	5.00	50.00	01/10/89		01/10/89		01/10/89	
				05/18/89		01/10/89	6.00	05/19/89	
				08/07/89		05/19/89	7.00	08/07/89	
					NR	08/07/89	9.00	10/10/89	36.00
NITRATE	PPB	500.00	45000.00	01/10/89	34800.00	01/10/89	33300.00	01/10/89	35900.00
				05/18/89	34000.00	01/10/89	33000.00	05/19/89	35200.00
				08/07/89	33000.00	05/19/89	30500.00	08/07/89	34000.00
					NR	08/07/89	29000.00	10/10/89	34000.00
PH-LAB		0.01	8.50	01/10/89	7.50	01/10/89	7.20	01/10/89	7.00
				01/10/89	7.30	01/10/89	7.20	01/10/89	7.00
				01/10/89	7.30	01/10/89	7.20	01/10/89	7.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-33	SAMPLE DATE	6-24-34A	SAMPLE DATE	6-24-34B
PH-LAB		0.01	8.50	01/10/89	7.30	01/10/89	7.00	01/10/89	7.00
				05/18/89	7.40	05/19/89	7.10	05/19/89	6.90
				05/18/89	7.40	05/19/89	7.10	05/19/89	6.90
				05/18/89	7.40	05/19/89	7.10	05/19/89	6.90
				05/18/89	7.40	05/19/89	7.10	05/19/89	7.00
				08/07/89	7.40	08/07/89	6.90	08/07/89	6.80
				08/07/89	7.40	08/07/89	7.00	08/07/89	6.80
				08/07/89	7.40	08/07/89	7.00	08/07/89	6.80
				08/07/89	7.40	08/07/89	7.00	08/07/89	6.80
				NR		NR		10/10/89	6.90
PHFIELD		0.10	8.50	01/10/89	7.60	01/10/89	7.20	01/10/89	7.30
				01/10/89	7.60	01/10/89	7.20	01/10/89	7.30
				01/10/89	7.60	01/10/89	7.30	01/10/89	7.30
				01/10/89	7.60	01/10/89	7.30	01/10/89	7.30
				03/03/89	7.70	03/02/89	6.90	03/03/89	6.90
				05/18/89	7.32	05/19/89	6.90	05/19/89	6.79
				05/18/89	7.30	05/19/89	6.90	05/19/89	6.75
				05/18/89	7.32	05/19/89	6.88	05/19/89	6.74
				05/18/89	7.30	05/19/89	6.89	05/19/89	6.76
				08/07/89	7.38	08/07/89	7.03	08/07/89	6.82
				08/07/89	7.36	08/07/89	4.03	08/07/89	6.83
				08/07/89	7.34	08/07/89	7.04	08/07/89	6.85
				08/07/89	7.34	08/07/89	7.03	08/07/89	6.85
				NR		NR		10/10/89	6.70
				NR		NR		10/10/89	6.70
				NR		NR		10/10/89	6.69
				NR		NR		10/10/89	6.69
POTASUM	PPB	100.00		01/10/89	7560.00	01/10/89	7180.00	01/10/89	7460.00
				05/18/89	6170.00	01/10/89	6910.00	05/19/89	7230.00
				08/07/89	7300.00	05/19/89	7140.00	08/07/89	8890.00
				NR		08/07/89	8090.00	10/10/89	6910.00
RU-106	PCI/L	172.50	30.00	01/10/89	56.40 *	01/10/89		01/10/89	
					(51.10)				
				04/24/89		05/19/89		05/19/89	
				05/18/89	78.80 *	08/07/89		08/07/89	
					(61.10)				
				08/07/89		NR		NR	
SILICON	PPB	50.00		01/10/89	20900.00	01/10/89	19600.00	01/10/89	21300.00
				05/18/89	18600.00	01/10/89	18900.00	05/19/89	20300.00
				08/07/89	20200.00	05/19/89	18700.00	08/07/89	24600.00
				NR		08/07/89	21700.00	10/10/89	20700.00
SILVER	PPB	10.00	50.00	01/10/89		01/10/89		01/10/89	
				05/18/89		01/10/89		05/19/89	11.00
				08/07/89		05/19/89		08/07/89	
				NR		08/07/89		10/10/89	
SODIUM	PPB	200.00		01/10/89	24100.00	01/10/89	23300.00	01/10/89	24100.00
				05/18/89	20600.00	01/10/89	22300.00	05/19/89	23200.00
				08/07/89	23800.00	05/19/89	22300.00	08/07/89	28600.00
				NR		08/07/89	26100.00	10/10/89	21800.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-33	SAMPLE DATE	6-24-34A	SAMPLE DATE	6-24-34B
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SR 90	PCI/L	5.00	8.00	01/10/89 05/18/89		01/10/89 05/19/89		01/10/89 05/19/89	1.23 (0.85)
STRONUM	PPB	10.00		08/07/89 01/10/89 05/18/89 08/07/89	290.00 256.00 283.00 NR	08/07/89 01/10/89 01/10/89 05/19/89	260.00 250.00 256.00 301.00	08/07/89 01/10/89 05/19/89 08/07/89	286.00 273.00 351.00 289.00
SULFATE	PPB	500.00	250000.00	01/10/89 05/18/89 08/07/89	42300.00 40200.00 41000.00 NR	01/10/89 01/10/89 05/19/89 08/07/89	43800.00 44100.00 44400.00 47000.00 NR	01/10/89 05/19/89 08/07/89 10/10/89	41200.00 42300.00 43000.00 42000.00 69000.00
TC	PPB	1000.00			NR				
TDCLELE	PPB	1.00	(70.0)	01/10/89 03/03/89 05/18/89 08/07/89		01/10/89 01/10/89 03/02/89 05/19/89		01/10/89 03/03/89 05/19/89 08/07/89	
TETCLET	PPB	0.50			NR		2.00		
				01/10/89 03/03/89 05/18/89 08/07/89		01/10/89 01/10/89 03/02/89 05/19/89		01/10/89 03/03/89 05/19/89 08/07/89	6.90 9.10 9.10 8.90
TOXLDL	PPB	10.00			NR				
				01/10/89 01/10/89 01/10/89 01/10/89 05/18/89 05/18/89 05/18/89 05/18/89 08/07/89 08/07/89 08/07/89 08/07/89	44.00 45.00 43.00 40.00 94.00 25.00 20.00 21.00 33.00 23.00 19.00 21.00	01/10/89 01/10/89 01/10/89 01/10/89 05/19/89 05/19/89 05/19/89 05/19/89 08/07/89 08/07/89 08/07/89 08/07/89	29.00 30.00 24.00 26.00 38.00 41.00 35.00 40.00 38.00 33.00 32.00 25.00	01/10/89 01/10/89 01/10/89 01/10/89 05/19/89 05/19/89 05/19/89 05/19/89 08/07/89 08/07/89 08/07/89 08/07/89	32.00 36.00 36.00 42.00 48.00 44.00 44.00 52.00 50.00 45.00 58.00 51.00
TRICELN	PPB	1.00	5.00	01/10/89 03/03/89 05/18/89 08/07/89		01/10/89 01/10/89 03/02/89 05/19/89		01/10/89 03/03/89 05/19/89 08/07/89	3.50 5.00 4.60 4.30
TRITIUM	PCI/L	500.00	20000.00	04/24/89 08/07/89	315000.00 * (1840.00) 316000.00 * (1360.00)	08/07/89	202000.00 * (1080.00) NR	08/07/89 10/10/89	298000.00 * (1320.00) 272000.00 * (1700.00)
TURBID	NTU	0.10	1.00	08/07/89	0.30	08/07/89	3.00 *	08/07/89	0.50
VANADIUM	PPB	5.00		01/10/89 05/18/89 08/07/89	17.00 16.00 17.00	01/10/89 01/10/89 05/19/89	9.00 14.00 19.00	01/10/89 05/19/89 08/07/89	12.00 19.00 14.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-33	SAMPLE DATE	6-24-34A	SAMPLE DATE	6-24-34B
VANADIUM	PPB	5.00			NR	08/07/89	15.00	10/10/89	11.00
ZINC	PPB	5.00	5000.00	01/10/89	10.00	01/10/89	11.00	01/10/89	5.00
				05/18/89		01/10/89	16.00	05/19/89	
				08/07/89	5.00	05/19/89	13.00	08/07/89	8.00
					NR	08/07/89	25.00	10/10/89	39.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-34C	SAMPLE DATE	6-24-35	SAMPLE DATE	6-24-46
1,1-DCL	PPB	1.00		01/17/89		01/10/89			NR
				03/03/89	1.20	03/03/89			NR
				05/17/89	2.20	05/18/89			NR
				08/07/89	2.70	08/07/89			NR
				10/10/89	2.90	08/07/89			NR
				10/25/89	2.40	10/10/89			NR
					NR	10/25/89			NR
111TCLE	PPB	0.20	200.00	01/17/89		01/10/89			NR
				03/03/89	19.00	03/03/89	3.40		NR
				05/17/89	26.00	05/18/89	3.20		NR
				08/07/89	25.00	08/07/89	4.00		NR
				10/10/89	33.00	08/07/89	3.70		NR
				10/25/89	22.00	10/10/89	2.80		NR
					NR	10/25/89	2.90		NR
ALKALIN		20000.00		01/17/89	207000.00	01/10/89	129000.00		NR
				05/17/89	206000.00	05/18/89	135000.00		NR
				05/17/89	206000.00	08/07/89	138000.00		NR
				08/07/89	221000.00	10/10/89	138000.00		NR
				10/10/89	146000.00		NR		NR
ALPHA	PCI/L	4.00	15.00	01/17/89	5.82	01/10/89	4.76	03/24/89	1.87
					(2.96)		(2.45)		(1.39)
ALPHAHI	PCI/L	4.00	15.00	05/17/89	3.31	05/18/89	4.44		NR
					(1.78)		(2.00)		
				05/17/89	2.34	08/07/89	4.77		NR
					(1.73)		(2.00)		
					NR	08/07/89	4.32		NR
							(1.90)		
ARSENIC	PPB	5.00	50.00	01/17/89		01/10/89	6.00		NR
				05/17/89		05/18/89	5.00		NR
				05/17/89		08/07/89			NR
				08/07/89		08/07/89			NR
BARIUM	PPB	6.00	1000.00	01/17/89	49.00	01/10/89	43.00		NR
				05/17/89	48.00	05/18/89	42.00		NR
				05/17/89	46.00	08/07/89	52.00		NR
				08/07/89	56.00	08/07/89	50.00		NR
				10/10/89	48.00	10/10/89	44.00		NR
				10/25/89	48.00	10/25/89	52.00		NR
BETA	PCI/L	8.00	50.00	01/17/89	19.20	01/10/89	18.40	03/24/89	5.60
					(3.82)		(3.62)		(2.43)
				05/17/89	15.20	05/18/89	16.40		NR
					(3.42)		(3.43)		
				05/17/89	16.90	08/07/89	18.40		NR
					(3.57)		(3.60)		
					NR	08/07/89	16.00		NR
							(3.42)		
BORON	PPB	10.00		01/17/89	39.00	01/10/89	138.00		NR
				05/17/89	41.00	05/18/89	29.00		NR
				05/17/89	38.00	08/07/89	35.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-34C	SAMPLE DATE	6-24-35	SAMPLE DATE	6-24-46
BORON	PPB	10.00		08/07/89	42.00	08/07/89	35.00		NR
				10/10/89	31.00	10/10/89	28.00		NR
				10/25/89	49.00	10/25/89	32.00		NR
CALCIUM	PPB	50.00		01/17/89	69100.00	01/10/89	43000.00		NR
				05/17/89	73000.00	05/18/89	43000.00		NR
				05/17/89	69300.00	08/07/89	49100.00		NR
				08/07/89	77400.00	08/07/89	48100.00		NR
				10/10/89	68900.00	10/10/89	44500.00		NR
				10/25/89	67600.00	10/25/89	47800.00		NR
CHLORID	PPB	500.00	250000.00	01/17/89	7900.00	01/10/89	7700.00		NR
				05/17/89	6700.00	05/18/89	8100.00		NR
				05/17/89	6700.00	08/07/89	7000.00		NR
				08/07/89	6000.00	08/07/89	6000.00		NR
				10/10/89	7000.00	10/10/89	7000.00		NR
				10/25/89	6000.00	10/25/89	7000.00		NR
CHROMIUM	PPB	10.00	50.00	01/17/89		01/10/89			NR
				05/17/89		05/18/89			NR
				05/17/89		08/07/89			NR
				08/07/89		08/07/89			NR
				10/10/89		10/10/89			NR
				10/25/89		10/25/89	26.00		NR
COLIMF	PPB	1.00	1.00	10/10/89		10/10/89			NR
				10/25/89	7.00 *		NR		NR
CONDFLD	UMHO	1.00	700.00	01/17/89	389.00	01/10/89	434.00		NR
				01/17/89	388.00	01/10/89	433.00		NR
				01/17/89	389.00	01/10/89	434.00		NR
				01/17/89	388.00	01/10/89	434.00		NR
				03/03/89	552.00	03/03/89	402.00		NR
				05/17/89	549.00	05/18/89	426.00		NR
				05/17/89	545.00	05/18/89	423.00		NR
				05/17/89	547.00	05/18/89	426.00		NR
				05/17/89	548.00	05/18/89	427.00		NR
				08/07/89	491.00	08/07/89	369.00		NR
				08/07/89	491.00	08/07/89	370.00		NR
				08/07/89	492.00	08/07/89	373.00		NR
				08/07/89	490.00	08/07/89	370.00		NR
				10/10/89	591.00	10/10/89	428.00		NR
				10/10/89	590.00	10/10/89	429.00		NR
				10/10/89	590.00	10/10/89	429.00		NR
				10/10/89	590.00	10/10/89	427.00		NR
				10/25/89	582.00	10/25/89	432.00		NR
				10/25/89	582.00	10/25/89	422.00		NR
				10/25/89	583.00	10/25/89	430.00		NR
				10/25/89	581.00	10/25/89	431.00		NR
CONCLAB	UMHO		700.00	01/17/89	544.00 a	01/10/89	405.00 a		NR
				01/17/89	536.00 a	01/10/89	406.00 a		NR
				01/17/89	532.00 a	01/10/89	414.00 a		NR
				01/17/89	545.00 a	01/10/89	408.00 a		NR
				05/17/89	520.00 a	05/18/89	410.00 a		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-34C	SAMPLE DATE	6-24-35	SAMPLE DATE	6-24-46
COND LAB	UMHO		700.00	05/17/89	523.00 a	05/18/89	410.00 a		NR
				05/17/89	522.00 a	05/18/89	410.00 a		NR
				05/17/89	523.00 a	05/18/89	405.00 a		NR
				08/07/89	557.00 a	08/07/89	422.00 a		NR
				08/07/89	558.00 a	08/07/89	422.00 a		NR
				08/07/89	557.00 a	08/07/89	421.00 a		NR
				08/07/89	559.00 a	08/07/89	420.00 a		NR
				10/10/89	622.00 a	10/10/89	491.00 a		NR
				10/25/89	586.00 a	10/25/89	443.00 a		NR
FARSEN I	PPB	5.00	50.00	01/17/89		01/10/89	5.00		NR
				05/17/89		05/18/89	5.00		NR
				05/17/89		08/07/89			NR
				08/07/89		08/07/89			NR
FBARIUM	PPB	6.00	1000.00	01/17/89	49.00	01/10/89	43.00		NR
				05/17/89	51.00	05/18/89	44.00		NR
				05/17/89	51.00	08/07/89	61.00		NR
				08/07/89	57.00	08/07/89	53.00		NR
				10/10/89	50.00	10/10/89	42.00		NR
				10/25/89	52.00	10/25/89	47.00		NR
FBERYLL	PPB	5.00		01/17/89		01/10/89			NR
				05/17/89		05/18/89			NR
				05/17/89		08/07/89	5.00		NR
				08/07/89		08/07/89			NR
				10/10/89	6.00	10/10/89			NR
				10/25/89		10/25/89			NR
FBORON	PPB	10.00		01/17/89	43.00	01/10/89	88.00		NR
				05/17/89	41.00	05/18/89	30.00		NR
				05/17/89	40.00	08/07/89	47.00		NR
				08/07/89	46.00	08/07/89	37.00		NR
				10/10/89	37.00	10/10/89	28.00		NR
				10/25/89	36.00	10/25/89	25.00		NR
FCADMIU	PPB	2.00	10.00	01/17/89		01/10/89			NR
				05/17/89		05/18/89			NR
				05/17/89		08/07/89	3.00		NR
				08/07/89		08/07/89			NR
				10/10/89		10/10/89			NR
				10/25/89		10/25/89			NR
FCALCTU	PPB	50.00		01/17/89	66100.00	01/10/89	45000.00		NR
				05/17/89	73000.00	05/18/89	42800.00		NR
				05/17/89	74900.00	08/07/89	54700.00		NR
				08/07/89	80300.00	08/07/89	47700.00		NR
				10/10/89	73500.00	10/10/89	42600.00		NR
				10/25/89	71100.00	10/25/89	46500.00		NR
FIRON	PPB	30.00	300.00	01/17/89		01/10/89	34.00		NR
				05/17/89	54.00	05/18/89	39.00		NR
				05/17/89	55.00	08/07/89	57.00		NR
				08/07/89	101.00	08/07/89	43.00		NR
				10/10/89	94.00	10/10/89	59.00		NR
				10/25/89	50.00	10/25/89	62.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-34C	SAMPLE DATE	6-24-35	SAMPLE DATE	6-24-46
FLUORID	PPB	500.00	4000.00	01/17/89		01/10/89	500.00		NR
				05/17/89	500.00	05/18/89			NR
				05/17/89	500.00	08/07/89			NR
				08/07/89		08/07/89			NR
				10/10/89	600.00	10/10/89	600.00		NR
				10/25/89	800.00	10/25/89	500.00		NR
FMAGNES	PPB	50.00		01/17/89	14900.00	01/10/89	10900.00		NR
				05/17/89	15200.00	05/18/89	11200.00		NR
				05/17/89	15400.00	08/07/89	13400.00		NR
				08/07/89	16600.00	08/07/89	11800.00		NR
				10/10/89	15700.00	10/10/89	10800.00		NR
				10/25/89	15400.00	10/25/89	11500.00		NR
FPOTASS	PPB	100.00		01/17/89	7130.00	01/10/89	6790.00		NR
				05/17/89	6950.00	05/18/89	6690.00		NR
				05/17/89	7200.00	08/07/89	7920.00		NR
				08/07/89	7700.00	08/07/89	7100.00		NR
				10/10/89	6940.00	10/10/89	6280.00		NR
				10/25/89	6470.00	10/25/89	6400.00		NR
FSILICO	PPB	50.00		01/17/89	19700.00	01/10/89	19100.00		NR
				05/17/89	20400.00	05/18/89	18600.00		NR
				05/17/89	20200.00	08/07/89	23400.00		NR
				08/07/89	22300.00	08/07/89	20500.00		NR
				10/10/89	20600.00	10/10/89	18600.00		NR
				10/25/89	20500.00	10/25/89	20900.00		NR
FSODIUM	PPB	200.00		01/17/89	23200.00	01/10/89	22700.00		NR
				05/17/89	23300.00	05/18/89	22400.00		NR
				05/17/89	23900.00	08/07/89	26500.00		NR
				08/07/89	25200.00	08/07/89	23500.00		NR
				10/10/89	22300.00	10/10/89	20500.00		NR
				10/25/89	21200.00	10/25/89	21400.00		NR
FSTRONT	PPB	10.00		01/17/89	290.00	01/10/89	204.00		NR
				05/17/89	294.00	05/18/89	203.00		NR
				05/17/89	294.00	08/07/89	257.00		NR
				08/07/89	324.00	08/07/89	228.00		NR
				10/10/89	296.00	10/10/89	197.00		NR
				10/25/89	292.00	10/25/89	213.00		NR
FVANADI	PPB	5.00		01/17/89	13.00	01/10/89	19.00		NR
				05/17/89	15.00	05/18/89	17.00		NR
				05/17/89	17.00	08/07/89	26.00		NR
				08/07/89	14.00	08/07/89	20.00		NR
				10/10/89	12.00	10/10/89	15.00		NR
				10/25/89	15.00	10/25/89	16.00		NR
FZINC	PPB	5.00	5000.00	01/17/89	42.00	01/10/89	10.00		NR
				05/17/89	46.00	05/18/89			NR
				05/17/89	43.00	08/07/89	13.00		NR
				08/07/89	50.00	08/07/89	8.00		NR
				10/10/89	43.00	10/10/89	7.00		NR
				10/25/89	34.00	10/25/89	9.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-34C	SAMPLE DATE	6-24-35	SAMPLE DATE	6-24-46
HNITRAT	PPB	2500.00	45000.00		NR		NR	03/24/89	9700.00
IRON	PPB	30.00	300.00	01/17/89	297.00	01/10/89	121.00		NR
				05/17/89	841.00 *	05/18/89	104.00		NR
				05/17/89	977.00 *	08/07/89	135.00		NR
				08/07/89	1030.00 *	08/07/89	252.00		NR
				10/10/89	634.00 *	10/10/89	197.00		NR
				10/25/89	174.00	10/25/89	2080.00 *		NR
LEADGF	PPB	5.00	50.00	01/17/89	6.00	01/10/89			NR
				05/17/89		05/18/89			NR
				05/17/89		08/07/89			NR
				08/07/89		08/07/89			NR
LFLUORO	PPB	20.00	4000.00	01/17/89	410.00	01/10/89	400.00		NR
				05/17/89	530.00	05/18/89	523.00		NR
				05/17/89	501.00	08/07/89	513.00		NR
				08/07/89	497.00	08/07/89	529.00		NR
MAGNES	PPB	50.00		01/17/89	14600.00	01/10/89	10900.00		NR
				05/17/89	15000.00	05/18/89	10500.00		NR
				05/17/89	14200.00	08/07/89	12600.00		NR
				08/07/89	16600.00	08/07/89	12300.00		NR
				10/10/89	15000.00	10/10/89	11400.00		NR
				10/25/89	14600.00	10/25/89	11900.00		NR
MANGESE	PPB	5.00	50.00	01/17/89		01/10/89			NR
				05/17/89		05/18/89			NR
				05/17/89		08/07/89			NR
				08/07/89		08/07/89			NR
				10/10/89	6.00	10/10/89			NR
				10/25/89		10/25/89	9.00		NR
NITRATE	PPB	500.00	45000.00	01/17/89	37000.00	01/10/89	27900.00		NR
				05/17/89	33600.00	05/18/89	28200.00		NR
				05/17/89	33600.00	08/07/89	27600.00		NR
				08/07/89	33000.00	08/07/89	27700.00		NR
				10/10/89	35000.00	10/10/89	27400.00		NR
				10/25/89	34000.00	10/25/89	28300.00		NR
PH-LAB		0.01	8.50	01/17/89	7.30	01/10/89	7.60		NR
				01/17/89	7.20	01/10/89	7.60		NR
				01/17/89	7.30	01/10/89	7.60		NR
				01/17/89	7.30	01/10/89	7.60		NR
				05/17/89	7.20	05/18/89	7.60		NR
				05/17/89	7.20	05/18/89	7.60		NR
				05/17/89	7.20	05/18/89	7.60		NR
				05/17/89	7.20	05/18/89	7.60		NR
				08/07/89	7.20	08/07/89	7.60		NR
				08/07/89	7.20	08/07/89	7.60		NR
				08/07/89	7.20	08/07/89	7.60		NR
				08/07/89	7.20	08/07/89	7.60		NR
				10/10/89	7.20	10/10/89	7.70		NR
				10/25/89	7.20	10/25/89	7.60		NR
PHFIELD		0.10	8.50	01/17/89	7.10	01/10/89	6.90		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	* SAMPLE DATE	6-24-34C	SAMPLE DATE	6-24-35	SAMPLE DATE	6-24-46
PHFIELD		0.10	8.50	01/17/89	7.00	01/10/89	7.00		NR
				01/17/89	7.10	01/10/89	7.00		NR
				01/17/89	7.10	01/10/89	7.20		NR
				03/03/89	7.60	03/03/89	7.70		NR
				05/17/89	7.11	05/18/89	7.52		NR
				05/17/89	7.11	05/18/89	7.51		NR
				05/17/89	7.11	05/18/89	7.51		NR
				05/17/89	7.12	05/18/89	7.51		NR
				08/07/89	7.22	08/07/89	7.58		NR
				08/07/89	7.22	08/07/89	7.59		NR
				08/07/89	7.21	08/07/89	7.60		NR
				08/07/89	7.23	08/07/89	7.58		NR
				10/10/89	6.96	10/10/89	7.21		NR
				10/10/89	6.95	10/10/89	7.21		NR
				10/10/89	6.94	10/10/89	7.23		NR
				10/10/89	6.94	10/10/89	7.23		NR
				10/25/89	7.04	10/25/89	6.95		NR
				10/25/89	7.04	10/25/89	6.94		NR
				10/25/89	7.04	10/25/89	6.92		NR
				10/25/89	7.04	10/25/89	6.91		NR
POTASUM	PPB	100.00		01/17/89	7220.00	01/10/89	6730.00		NR
				05/17/89	6730.00	05/18/89	6120.00		NR
				05/17/89	6410.00	08/07/89	7920.00		NR
				08/07/89	8000.00	08/07/89	7710.00		NR
				10/10/89	6670.00	10/10/89	6720.00		NR
				10/25/89	6350.00	10/25/89	6850.00		NR
RU-106	PCI/L	172.50	30.00	01/17/89		01/10/89	51.00 *		NR
							(43.00)		
				05/17/89		05/18/89			NR
				08/07/89		08/07/89			NR
SILICON	PPB	50.00		01/17/89	19400.00	01/10/89	19100.00		NR
				05/17/89	20200.00	05/18/89	17800.00		NR
				05/17/89	19000.00	08/07/89	21400.00		NR
				08/07/89	21800.00	08/07/89	20800.00		NR
				10/10/89	19500.00	10/10/89	19500.00		NR
				10/25/89	19100.00	10/25/89	21700.00		NR
SODIUM	PPB	200.00		01/17/89	23300.00	01/10/89	22500.00		NR
				05/17/89	22500.00	05/18/89	20800.00		NR
				05/17/89	21300.00	08/07/89	26600.00		NR
				08/07/89	26200.00	08/07/89	25700.00		NR
				10/10/89	21200.00	10/10/89	22000.00		NR
				10/25/89	20600.00	10/25/89	22900.00		NR
STRONUM	PPB	10.00		01/17/89	282.00	01/10/89	203.00		NR
				05/17/89	285.00	05/18/89	197.00		NR
				05/17/89	269.00	08/07/89	241.00		NR
				08/07/89	324.00	08/07/89	234.00		NR
				10/10/89	279.00	10/10/89	210.00		NR
				10/25/89	275.00	10/25/89	223.00		NR
SULFATE	PPB	500.00	250000.00	01/17/89	43500.00	01/10/89	44800.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-34C	SAMPLE DATE	6-24-35	SAMPLE DATE	6-24-46
SULFATE	PPB	500.00	250000.00	05/17/89	40300.00	05/18/89	49800.00		NR
				05/17/89	40000.00	08/07/89	48000.00		NR
				08/07/89	41000.00	08/07/89	48000.00		NR
				10/10/89	41000.00	10/10/89	46000.00		NR
				10/25/89	40000.00	10/25/89	47000.00		NR
TC	PPB	1000.00		10/10/89	63000.00	10/10/89	34000.00		NR
TETCLET	PPB	0.50		01/17/89		01/10/89			NR
				03/03/89	3.00	03/03/89			NR
				05/17/89	5.40	05/18/89			NR
				08/07/89	6.10	08/07/89	0.63		NR
				10/10/89	6.50	08/07/89	0.67		NR
				10/25/89	4.90	10/10/89	0.50		NR
					NR	10/25/89	0.55		NR
TOXLDL	PPB	10.00		01/17/89	24.00	01/10/89			NR
				01/17/89	27.00	01/10/89			NR
				01/17/89	28.00	01/10/89			NR
				01/17/89	22.00	01/10/89			NR
				05/17/89	35.00	05/18/89	11.00		NR
				05/17/89	35.00	05/18/89			NR
				05/17/89	46.00	05/18/89			NR
				05/17/89	34.00	05/18/89			NR
				08/07/89	25.00	08/07/89			NR
				08/07/89	28.00	08/07/89			NR
				08/07/89	27.00	08/07/89			NR
				08/07/89	26.00	08/07/89			NR
TRICELM	PPB	1.00	5.00	01/17/89		01/10/89			NR
				03/03/89	1.80	03/03/89			NR
				05/17/89	2.90	05/18/89			NR
				08/07/89	3.10	08/07/89			NR
				10/10/89	3.20	08/07/89			NR
				10/25/89	2.60	10/10/89			NR
					NR	10/25/89			NR
TRITIUM	PCI/L	500.00	20000.00	08/07/89	326000.00 *	08/07/89	143000.00 *	03/24/89	
					(1380.00)		(909.00)		
				10/10/89	279000.00 *	08/07/89	141000.00 *		NR
					(1710.00)		(902.00)		
					NR	10/10/89	136000.00 *		NR
							(1220.00)		
TURBID	NTU	0.10	1.00	08/07/89	1.10 *	08/07/89	0.60		NR
VANADUM	PPB	5.00		01/17/89	8.00	01/10/89	20.00		NR
				05/17/89	16.00	05/18/89	19.00		NR
				05/17/89	15.00	08/07/89	19.00		NR
				08/07/89	16.00	08/07/89	19.00		NR
				10/10/89	7.00	10/10/89	16.00		NR
				10/25/89	13.00	10/25/89	24.00		NR
ZINC	PPB	5.00	5000.00	01/17/89	68.00	01/10/89	6.00		NR
				05/17/89	65.00	05/18/89			NR
				05/17/89	67.00	08/07/89	5.00		NR
				08/07/89	57.00	08/07/89	7.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-24-34C	SAMPLE DATE	6-24-35	SAMPLE DATE	6-24-46
ZINC	PPB	5.00	5000.00	10/10/89	49.00	10/10/89	6.00		NR
				10/25/89	37.00	10/25/89	9.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-25-33A	SAMPLE DATE	6-25-34A	SAMPLE DATE	6-25-34B
CHLORID	PPB	500.00	250000.00	08/04/89	6400.00	08/03/89	5700.00	08/03/89	5900.00
				10/04/89	6400.00	10/04/89	5700.00	08/03/89	5800.00
				10/04/89	6400.00		NR	10/04/89	5700.00
COND FLD	UMHO	1.00	700.00	01/10/89	368.00	01/09/89	319.00	01/09/89	
				01/10/89	370.00	01/09/89	320.00	01/09/89	
				01/10/89	376.00	01/09/89	321.00	01/09/89	
				01/10/89	371.00	01/09/89	321.00	01/09/89	
				08/04/89	320.00	08/03/89	221.00	08/03/89	230.00
				08/04/89	324.00	08/03/89	221.00	08/03/89	230.00
				08/04/89	319.00	08/03/89	221.00	08/03/89	230.00
				08/04/89	323.00	08/03/89	221.00	08/03/89	230.00
				10/04/89	323.00	10/04/89	347.00	10/04/89	371.00
				10/04/89	323.00	10/04/89	350.00	10/04/89	371.00
				10/04/89	323.00	10/04/89	347.00	10/04/89	371.00
				10/04/89	323.00	10/04/89	348.00	10/04/89	371.00
COND LAB	UMHO		700.00	01/10/89	339.00 a	01/09/89	335.00 a	01/09/89	347.00 a
				01/10/89	343.00 a	01/09/89	335.00 a	01/09/89	343.00 a
				01/10/89	340.00 a	01/09/89	334.00 a	01/09/89	352.00 a
				01/10/89	344.00 a	01/09/89	336.00 a	01/09/89	356.00 a
				08/04/89	312.00 a	08/03/89	342.00 a	08/03/89	355.00 a
				08/04/89	313.00 a	08/03/89	342.00 a	08/03/89	353.00 a
				08/04/89	311.00 a	08/03/89	348.00 a	08/03/89	351.00 a
				08/04/89	314.00 a	08/03/89	349.00 a	08/03/89	351.00 a
				10/04/89	335.00 a	10/04/89	387.00 a	10/04/89	415.00 a
				10/04/89	341.00 a	10/04/89	390.00 a	10/04/89	405.00 a
				10/04/89	340.00 a	10/04/89	386.00 a	10/04/89	404.00 a
				10/04/89	342.00 a	10/04/89	387.00 a	10/04/89	406.00 a
FLUORID	PPB	500.00	4000.00	08/04/89	500.00	08/03/89	500.00	08/03/89	600.00
				10/04/89	500.00	10/04/89	600.00	08/03/89	600.00
				10/04/89	500.00		NR	10/04/89	600.00
NITRATE	PPB	500.00	45000.00	08/04/89	3600.00	08/03/89	29900.00	08/03/89	29000.00
				10/04/89	4200.00	10/04/89	28800.00	08/03/89	29000.00
				10/04/89	4200.00		NR	10/04/89	29100.00
PH-LAB		0.01	8.50	01/10/89	8.20	01/09/89	7.90	01/09/89	7.80
				01/10/89	8.20	01/09/89	7.90	01/09/89	7.80
				01/10/89	8.20	01/09/89	7.90	01/09/89	7.80
				01/10/89	8.20	01/09/89	7.90	01/09/89	7.90
				08/04/89	8.10	08/03/89	7.80	08/03/89	7.80
				08/04/89	8.10	08/03/89	7.90	08/03/89	7.80
				08/04/89	8.10	08/03/89	7.90	08/03/89	7.80
				08/04/89	8.10	08/03/89	7.90	08/03/89	7.80
				10/04/89	8.00	10/04/89	8.00	10/04/89	7.90
				10/04/89	8.00	10/04/89	7.90	10/04/89	7.90
				10/04/89	8.00	10/04/89	7.90	10/04/89	7.80
				10/04/89	8.00	10/04/89	7.90	10/04/89	7.80
PHFIELD		0.10	8.50	01/10/89	7.80	01/09/89	7.80	01/09/89	
				01/10/89	8.00	01/09/89	7.90	01/09/89	
				01/10/89	8.00	01/09/89	7.80	01/09/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-25-33A	SAMPLE DATE	6-25-34A	SAMPLE DATE	6-25-34B
PHFIELD		0.10	8.50	01/10/89	8.00	01/09/89	7.70	01/09/89	
				08/04/89	8.07	08/03/89	7.82	08/03/89	7.71
				08/04/89	8.06	08/03/89	7.82	08/03/89	7.72
				08/04/89	8.05	08/03/89	7.82	08/03/89	7.72
				08/04/89	8.05	08/03/89	7.82	08/03/89	7.72
				10/04/89	6.89	10/04/89	7.97	10/04/89	7.91
				10/04/89	7.96	10/04/89	7.97	10/04/89	7.90
				10/04/89	7.97	10/04/89	7.96	10/04/89	7.90
				10/04/89	7.95	10/04/89	7.96	10/04/89	7.90
SULFATE	PPB	500.00	250000.00	08/04/89	25000.00	08/03/89	33000.00	08/03/89	34000.00
				10/04/89	25700.00	10/04/89	31000.00	08/03/89	34000.00
				10/04/89	25600.00		NR	10/04/89	32000.00
TOXLDL	PPB	10.00		01/10/89	10.00	01/09/89		01/09/89	
				01/10/89		01/09/89		01/09/89	
				01/10/89		01/09/89		01/09/89	
				01/10/89		01/09/89	10.00	01/09/89	
				08/04/89		08/03/89		08/03/89	10.00
				08/04/89		08/03/89		08/03/89	10.00
				08/04/89		08/03/89		08/03/89	
				10/04/89		10/04/89		10/04/89	11.00
				10/04/89		10/04/89		10/04/89	13.00
				10/04/89		10/04/89	13.00	10/04/89	12.00
				10/04/89		10/04/89		10/04/89	12.00
TRITIUM	PCI/L	500.00	20000.00	08/04/89	888.00	08/03/89	267000.00 *	08/03/89	262000.00 *
					(112.00)		(1240.00)		(1240.00)
				10/04/89	938.00	10/04/89	241000.00 *	08/03/89	275000.00 *
					(161.00)		(1600.00)		(1270.00)
				10/04/89	1000.00		NR	10/04/89	2600000.00 *
					(162.00)				(5100.00)
TURBID	NTU	0.10	1.00	08/04/89	0.50	08/03/89		08/03/89	
				10/04/89	0.70	10/04/89	0.20	08/03/89	
					NR		NR	10/04/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-25-34C	SAMPLE DATE	6-25-55	SAMPLE DATE	6-25-70
111TCLE	PPB	0.20	200.00	01/10/89			NR		NR
				03/03/89	4.00		NR		NR
				05/18/89	4.70		NR		NR
				08/07/89	6.70		NR		NR
				10/10/89	6.50		NR		NR
				10/25/89	6.10		NR		NR
ALKALIN		20000.00		01/10/89	128000.00		NR		NR
				05/18/89	134000.00		NR		NR
				08/07/89	142000.00		NR		NR
				10/10/89	149000.00		NR		NR
ALPHA	PCI/L	4.00	15.00	01/10/89	3.28		NR		NR
					(2.11)				
ALPHAHI	PCI/L	4.00	15.00	05/18/89	4.25	04/20/89		04/21/89	
					(1.89)				
				08/07/89	3.62	12/04/89	3.07	12/04/89	1.36
					(1.83)		(1.64)		(1.19)
ARSENIC	PPB	5.00	50.00	01/10/89	22.00		NR		NR
				05/18/89	5.00		NR		NR
				08/07/89			NR		NR
BARIUM	PPB	6.00	1000.00	01/10/89	45.00		NR		NR
				05/18/89	33.00		NR		NR
				08/07/89	41.00		NR		NR
				10/10/89	36.00		NR		NR
				10/25/89	38.00		NR		NR
BETA	PCI/L	8.00	50.00	01/10/89	20.60	04/20/89	5.23	04/21/89	4.72
					(3.98)		(2.58)		(2.39)
				05/18/89	18.20	12/04/89	2.67	12/04/89	2.47
					(3.62)		(2.24)		(2.32)
				08/07/89	20.00		NR		NR
					(3.66)				
BORON	PPB	10.00		01/10/89	55.00		NR		NR
				05/18/89	29.00		NR		NR
				08/07/89	41.00		NR		NR
				10/10/89	32.00		NR		NR
				10/25/89	36.00		NR		NR
CADMIUM	PPB	2.00	10.00	01/10/89	8.00		NR		NR
				05/18/89			NR		NR
				08/07/89			NR		NR
				10/10/89			NR		NR
				10/25/89			NR		NR
CALCIUM	PPB	50.00		01/10/89	41500.00		NR		NR
				05/18/89	40400.00		NR		NR
				08/07/89	47200.00		NR		NR
				10/10/89	42400.00		NR		NR
				10/25/89	45700.00		NR		NR
CHLORID	PPB	500.00	250000.00	01/10/89	6600.00		NR		NR
				05/18/89	6300.00		NR		NR
				08/07/89	6400.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-25-34C	SAMPLE DATE	6-25-55	SAMPLE DATE	6-25-70
CHLORID	PPB	500.00	250000.00	10/10/89	6600.00		NR		NR
				10/25/89	6400.00		NR		NR
CHROMIUM	PPB	10.00	50.00	01/10/89	26.00		NR		NR
				05/18/89			NR		NR
				08/07/89			NR		NR
				10/10/89			NR		NR
				10/25/89			NR		NR
CONDFLD	UMHO	1.00	700.00	01/10/89	328.00		NR		NR
				01/10/89	329.00		NR		NR
				01/10/89	331.00		NR		NR
				01/10/89	331.00		NR		NR
				03/03/89	398.00		NR		NR
				05/18/89	411.00		NR		NR
				05/18/89	412.00		NR		NR
				05/18/89	412.00		NR		NR
				05/18/89	413.00		NR		NR
				08/07/89	418.00		NR		NR
				08/07/89	421.00		NR		NR
				08/07/89	418.00		NR		NR
				08/07/89	419.00		NR		NR
				10/10/89	439.00		NR		NR
				10/10/89	439.00		NR		NR
				10/10/89	439.00		NR		NR
				10/10/89	439.00		NR		NR
				10/25/89	441.00		NR		NR
				10/25/89	442.00		NR		NR
				10/25/89	441.00		NR		NR
				10/25/89	440.00		NR		NR
CONDLAB	UMHO		700.00	01/10/89	400.00 @		NR		NR
				01/10/89	404.00 @		NR		NR
				01/10/89	403.00 @		NR		NR
				01/10/89	403.00 @		NR		NR
				05/18/89	393.00 @		NR		NR
				05/18/89	393.00 @		NR		NR
				05/18/89	396.00 @		NR		NR
				05/18/89	411.00 @		NR		NR
				08/07/89	401.00 @		NR		NR
				08/07/89	400.00 @		NR		NR
				08/07/89	411.00 @		NR		NR
				08/07/89	408.00 @		NR		NR
				10/10/89	447.00 @		NR		NR
				10/25/89	440.00 @		NR		NR
FARSEN	PPB	5.00	50.00	01/10/89			NR		NR
				05/18/89	5.00		NR		NR
				08/07/89			NR		NR
FBARIUM	PPB	6.00	1000.00	01/10/89	33.00		NR		NR
				05/18/89	36.00		NR		NR
				08/07/89	44.00		NR		NR
				10/10/89	35.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-25-34C	SAMPLE DATE	6-25-55	SAMPLE DATE	6-25-70
FBARIUM	PPB	6.00	1000.00	10/25/89	42.00		NR		NR
FBORON	PPB	10.00		01/10/89	32.00		NR		NR
				05/18/89	37.00		NR		NR
				08/07/89	36.00		NR		NR
				10/10/89	28.00		NR		NR
				10/25/89	44.00		NR		NR
FCALCIU	PPB	50.00		01/10/89	42600.00		NR		NR
				05/18/89	43800.00		NR		NR
				08/07/89	47300.00		NR		NR
				10/10/89	43300.00		NR		NR
				10/25/89	49100.00		NR		NR
FIRON	PPB	30.00	300.00	01/10/89	70.00		NR		NR
				05/18/89	42.00		NR		NR
				08/07/89	38.00		NR		NR
				10/10/89	67.00		NR		NR
				10/25/89	52.00		NR		NR
FLEAD	PPB	5.00	50.00	01/10/89	7.00		NR		NR
				05/18/89			NR		NR
				08/07/89			NR		NR
FLUORID	PPB	500.00	4000.00	01/10/89	500.00		NR		NR
				05/18/89	500.00		NR		NR
				08/07/89	500.00		NR		NR
				10/10/89	600.00		NR		NR
				10/25/89	500.00		NR		NR
FMAGNES	PPB	50.00		01/10/89	10900.00		NR		NR
				05/18/89	12000.00		NR		NR
				08/07/89	12200.00		NR		NR
				10/10/89	11600.00		NR		NR
				10/25/89	12700.00		NR		NR
FMANGAN	PPB	5.00	50.00	01/10/89	8.00		NR		NR
				05/18/89			NR		NR
				08/07/89			NR		NR
				10/10/89			NR		NR
				10/25/89			NR		NR
FPOTASS	PPB	100.00		01/10/89	5980.00		NR		NR
				05/18/89	6460.00		NR		NR
				08/07/89	6660.00		NR		NR
				10/10/89	6010.00		NR		NR
				10/25/89	6250.00		NR		NR
FSILICO	PPB	50.00		01/10/89	18900.00		NR		NR
				05/18/89	21000.00		NR		NR
				08/07/89	21700.00		NR		NR
				10/10/89	19700.00		NR		NR
				10/25/89	23300.00		NR		NR
FSODIUM	PPB	200.00		01/10/89	21500.00		NR		NR
				05/18/89	23900.00		NR		NR
				08/07/89	24100.00		NR		NR
				10/10/89	21200.00		NR		NR
				10/25/89	22800.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-25-34C	SAMPLE DATE	6-25-55	SAMPLE DATE	6-25-70
FSTRONT	PPB	10.00		01/10/89	192.00		NR		NR
				05/18/89	202.00		NR		NR
				08/07/89	219.00		NR		NR
				10/10/89	198.00		NR		NR
				10/25/89	221.00		NR		NR
FVANADI	PPB	5.00		01/10/89	14.00		NR		NR
				05/18/89	23.00		NR		NR
				08/07/89	24.00		NR		NR
				10/10/89	14.00		NR		NR
				10/25/89	17.00		NR		NR
FZINC	PPB	5.00	5000.00	01/10/89	29.00		NR		NR
				05/18/89	6.00		NR		NR
				08/07/89	14.00		NR		NR
				10/10/89	13.00		NR		NR
				10/25/89	10.00		NR		NR
HNITRAT	PPB	2500.00	45000.00		NR	04/20/89	14700.00	04/21/89	12300.00
					NR	12/04/89	14000.00	12/04/89	11700.00
IRON	PPB	30.00	300.00	01/10/89	34000.00 *		NR		NR
				05/18/89	436.00 *		NR		NR
				08/07/89	576.00 *		NR		NR
				10/10/89	301.00 *		NR		NR
				10/25/89	168.00		NR		NR
LEADGF	PPB	5.00	50.00	01/10/89	7.00		NR		NR
				05/18/89			NR		NR
				08/07/89			NR		NR
LFLUORD	PPB	20.00	4000.00	01/10/89	480.00		NR		NR
				05/18/89	586.00		NR		NR
				08/07/89	550.00		NR		NR
MAGNES	PPB	50.00		01/10/89	11300.00		NR		NR
				05/18/89	10400.00		NR		NR
				08/07/89	12600.00		NR		NR
				10/10/89	11300.00		NR		NR
				10/25/89	11700.00		NR		NR
MANGESE	PPB	5.00	50.00	01/10/89	42.00		NR		NR
				05/18/89			NR		NR
				08/07/89	6.00		NR		NR
				10/10/89			NR		NR
				10/25/89			NR		NR
NITRATE	PPB	500.00	45000.00	01/10/89	33400.00		NR		NR
				05/18/89	31200.00		NR		NR
				08/07/89	30000.00		NR		NR
				10/10/89	31000.00		NR		NR
				10/25/89	31000.00		NR		NR
PH-LAB		0.01	8.50	01/10/89	7.60		NR		NR
				01/10/89	7.50		NR		NR
				01/10/89	7.60		NR		NR
				01/10/89	7.50		NR		NR
				05/18/89	7.70		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-25-34C	SAMPLE DATE	6-25-55	SAMPLE DATE	6-25-70
PH-LAB		0.01	8.50	05/18/89	7.70		NR		NR
				05/18/89	7.70		NR		NR
				05/18/89	7.70		NR		NR
				08/07/89	7.60		NR		NR
				08/07/89	7.70		NR		NR
				08/07/89	7.60		NR		NR
				08/07/89	7.60		NR		NR
				10/10/89	7.70		NR		NR
				10/25/89	7.60		NR		NR
PHFIELD		0.10	8.50	01/10/89	6.40		NR		NR
				01/10/89	6.60		NR		NR
				01/10/89	6.60		NR		NR
				01/10/89	6.60		NR		NR
				03/03/89	7.70		NR		NR
				05/18/89	7.51		NR		NR
				05/18/89	7.52		NR		NR
				05/18/89	7.51		NR		NR
				05/18/89	7.52		NR		NR
				08/07/89	7.40		NR		NR
				08/07/89	7.41		NR		NR
				08/07/89	7.40		NR		NR
				08/07/89	7.41		NR		NR
				10/10/89	7.31		NR		NR
				10/10/89	7.32		NR		NR
				10/10/89	7.33		NR		NR
				10/10/89	7.33		NR		NR
				10/25/89	6.75		NR		NR
				10/25/89	6.75		NR		NR
				10/25/89	6.74		NR		NR
				10/25/89	6.74		NR		NR
POTASUM	PPB	100.00		01/10/89	6200.00		NR		NR
				05/18/89	5460.00		NR		NR
				08/07/89	7050.00		NR		NR
				10/10/89	5830.00		NR		NR
				10/25/89	5730.00		NR		NR
SILICON	PPB	50.00		01/10/89	22700.00		NR		NR
				05/18/89	18400.00		NR		NR
				08/07/89	21800.00		NR		NR
				10/10/89	19300.00		NR		NR
				10/25/89	20700.00		NR		NR
SODIUM	PPB	200.00		01/10/89	22500.00		NR		NR
				05/18/89	20600.00		NR		NR
				08/07/89	25700.00		NR		NR
				10/10/89	20700.00		NR		NR
				10/25/89	20800.00		NR		NR
STRONUM	PPB	10.00		01/10/89	198.00		NR		NR
				05/18/89	183.00		NR		NR
				08/07/89	224.00		NR		NR
				10/10/89	197.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-25-34C	SAMPLE DATE	6-25-55	SAMPLE DATE	6-25-70
STRONUM	PPB	10.00		10/25/89	204.00		NR		NR
SULFATE	PPB	500.00	250000.00	01/10/89	38800.00		NR		NR
				05/18/89	36400.00		NR		NR
				08/07/89	38000.00		NR		NR
				10/10/89	37000.00		NR		NR
				10/25/89	37000.00		NR		NR
TC	PPB	1000.00		10/10/89	37000.00		NR		NR
TETCLET	PPB	0.50		01/10/89			NR		NR
				03/03/89	0.53		NR		NR
				05/18/89	0.80		NR		NR
				08/07/89	1.40		NR		NR
				10/10/89	1.30		NR		NR
				10/25/89	1.30		NR		NR
TOXLDL	PPB	10.00		01/10/89	11.00		NR		NR
				01/10/89	12.00		NR		NR
				01/10/89			NR		NR
				01/10/89	11.00		NR		NR
				05/18/89			NR		NR
				05/18/89			NR		NR
				05/18/89			NR		NR
				05/18/89			NR		NR
				08/07/89			NR		NR
				08/07/89			NR		NR
				08/07/89			NR		NR
				08/07/89			NR		NR
TRITIUM	PCI/L	500.00	20000.00	08/07/89	285000.00 *	04/20/89		04/21/89	692.00
					(1280.00)				(148.00)
				10/10/89	268000.00 *	12/04/89		12/04/89	831.00
					(1700.00)				(155.00)
TURBID	NTU	0.10	1.00	08/07/89	3.40 *		NR		NR
VANADUM	PPB	5.00		01/10/89	70.00		NR		NR
				05/18/89	20.00		NR		NR
				08/07/89	23.00		NR		NR
				10/10/89	16.00		NR		NR
				10/25/89	21.00		NR		NR
ZINC	PPB	5.00	5000.00	01/10/89	455.00		NR		NR
				05/18/89	15.00		NR		NR
				08/07/89	20.00		NR		NR
				10/10/89	19.00		NR		NR
				10/25/89	13.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-26-15A	SAMPLE DATE	6-26-33	SAMPLE DATE	6-26-34
ALPHAHI	PCI/L	4.00	15.00	04/06/89	2.86		NR		NR
				12/27/89	(1.82)		NR		NR
BETA	PCI/L	8.00	50.00	04/06/89	39.10		NR		NR
				12/27/89	(4.77)		NR		NR
CHLORID	PPB	500.00	250000.00		NR	08/04/89	5700.00	08/04/89	5600.00
CO-60	PCI/L	22.50	100.00	04/06/89	9.45	10/04/89	5500.00	10/04/89	5400.00
				12/27/89	(8.97)		NR		NR
CONDFLD	UMHO	1.00	700.00		NR	01/10/89	293.00	01/10/89	350.00
					NR	01/10/89	290.00	01/10/89	347.00
					NR	01/10/89	290.00	01/10/89	350.00
					NR	01/10/89	292.00	01/10/89	350.00
					NR	08/04/89	345.00	08/04/89	187.00
					NR	08/04/89	340.00	08/04/89	188.00
					NR	08/04/89	342.00	08/04/89	188.00
					NR	08/04/89	341.00	08/04/89	189.00
					NR	10/04/89	334.00	10/04/89	334.00
					NR	10/04/89	336.00	10/04/89	334.00
					NR	10/04/89	335.00	10/04/89	334.00
					NR	10/04/89	336.00	10/04/89	334.00
CONDLAB	UMHO		700.00		NR	01/10/89	351.00 @	01/10/89	349.00 @
					NR	01/10/89	354.00 @	01/10/89	347.00 @
					NR	01/10/89	355.00 @	01/10/89	346.00 @
					NR	01/10/89	355.00 @	01/10/89	347.00 @
					NR	08/04/89	328.00 @	08/04/89	309.00 @
					NR	08/04/89	328.00 @	08/04/89	316.00 @
					NR	08/04/89	330.00 @	08/04/89	313.00 @
					NR	08/04/89	332.00 @	08/04/89	314.00 @
					NR	10/04/89	355.00 @	10/04/89	351.00 @
					NR	10/04/89	353.00 @	10/04/89	350.00 @
					NR	10/04/89	353.00 @	10/04/89	351.00 @
					NR	10/04/89	358.00 @	10/04/89	349.00 @
FLUORID	PPB	500.00	4000.00		NR	08/04/89	700.00	08/04/89	600.00
					NR	10/04/89	600.00	10/04/89	600.00
HNITRAT	PPB	2500.00	45000.00	04/06/89	33900.00		NR		NR
				12/27/89	33000.00		NR		NR
I-129DW	PCI/L	1.00	1.00	03/23/89	0.48		NR		NR
					(0.13)		NR		NR
NITRATE	PPB	500.00	45000.00		NR	08/04/89	29600.00	08/04/89	28500.00
					NR	10/04/89	28200.00	10/04/89	27200.00
PH-LAB		0.01	8.50		NR	01/10/89	7.90	01/10/89	7.90
					NR	01/10/89	7.90	01/10/89	7.90
					NR	01/10/89	7.90	01/10/89	7.90

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-26-15A	SAMPLE DATE	6-26-33	SAMPLE DATE	6-26-34
PH-LAB		0.01	8.50		NR	01/10/89	7.90	01/10/89	7.90
					NR	08/04/89	8.10	08/04/89	7.80
					NR	08/04/89	8.10	08/04/89	7.90
					NR	08/04/89	8.10	08/04/89	7.90
					NR	08/04/89	8.00	08/04/89	7.90
					NR	10/04/89	8.00	10/04/89	7.90
					NR	10/04/89	8.00	10/04/89	7.90
					NR	10/04/89	8.00	10/04/89	7.90
					NR	10/04/89	8.00	10/04/89	7.90
PHFIELD		0.10	8.50		NR	01/10/89	7.40	01/10/89	7.70
					NR	01/10/89	7.40	01/10/89	7.70
					NR	01/10/89	7.40	01/10/89	7.70
					NR	01/10/89	7.40	01/10/89	7.70
					NR	08/04/89	7.38	08/04/89	7.85
					NR	08/04/89	7.41	08/04/89	7.87
					NR	08/04/89	7.40	08/04/89	7.88
					NR	08/04/89	7.40	08/04/89	7.87
					NR	10/04/89	8.15	10/04/89	7.88
					NR	10/04/89	8.15	10/04/89	7.87
					NR	10/04/89	8.15	10/04/89	7.87
					NR	10/04/89	8.15	10/04/89	7.87
SULFATE	PPB	500.00	250000.00		NR	08/04/89	32000.00	08/04/89	32000.00
TOXLDL	PPB	10.00			NR	10/04/89	31000.00	10/04/89	30000.00
					NR	01/10/89		01/10/89	
					NR	01/10/89		01/10/89	
					NR	01/10/89		01/10/89	
					NR	08/04/89		08/04/89	
					NR	08/04/89		08/04/89	
					NR	08/04/89		08/04/89	15.00
					NR	08/04/89		08/04/89	
					NR	10/04/89		10/04/89	
					NR	10/04/89		10/04/89	
					NR	10/04/89		10/04/89	
					NR	10/04/89		10/04/89	
TRITIUM	PCI/L	500.00	20000.00	04/06/89	242000.00 *	08/04/89	258000.00 *	08/04/89	264000.00 *
					(1620.00)		(1220.00)		(1240.00)
				12/27/89	235000.00 *	10/04/89	246000.00 *	10/04/89	248000.00 *
					(1630.00)		(1670.00)		(1630.00)
TURBID	NTU	0.10	1.00		NR	08/04/89		08/04/89	0.10
					NR	10/04/89		10/04/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-26-35A	SAMPLE DATE	6-26-35C	SAMPLE DATE	6-26-89
CHLORID	PPB	500.00	250000.00	08/04/89	6500.00	08/04/89	8600.00		NR
				10/04/89	6300.00	10/04/89	8000.00		NR
CONDFLD	UMHO	1.00	700.00	01/09/89	286.00	01/09/89	300.00		NR
				01/09/89	287.00	01/09/89	298.00		NR
				01/09/89	287.00	01/09/89	298.00		NR
				01/09/89	287.00	01/09/89	297.00		NR
				08/04/89	207.00	08/04/89	220.00		NR
				08/04/89	207.00	08/04/89	219.00		NR
				08/04/89	205.00	08/04/89	220.00		NR
				08/04/89	205.00	08/04/89	220.00		NR
				10/04/89	373.00	10/04/89	403.00		NR
				10/04/89	373.00	10/04/89	402.00		NR
				10/04/89	373.00	10/04/89	402.00		NR
				10/04/89	373.00	10/04/89	402.00		NR
CONDLAB	UMHO		700.00	01/09/89	363.00 a	01/09/89	362.00 a		NR
				01/09/89	354.00 a	01/09/89	357.00 a		NR
				01/09/89	356.00 a	01/09/89	357.00 a		NR
				01/09/89	355.00 a	01/09/89	356.00 a		NR
				08/04/89	351.00 a	08/04/89	379.00 a		NR
				08/04/89	354.00 a	08/04/89	379.00 a		NR
				08/04/89	355.00 a	08/04/89	380.00 a		NR
				08/04/89	360.00 a	08/04/89	381.00 a		NR
				10/04/89	386.00 a	10/04/89	415.00 a		NR
				10/04/89	404.00 a	10/04/89	416.00 a		NR
				10/04/89	395.00 a	10/04/89	415.00 a		NR
				10/04/89	389.00 a	10/04/89	415.00 a		NR
FLUORID	PPB	500.00	4000.00	08/04/89	500.00	08/04/89			NR
				10/04/89	600.00	10/04/89	500.00		NR
NITRATE	PPB	500.00	45000.00	08/04/89	31000.00	08/04/89	22000.00		NR
				10/04/89	30000.00	10/04/89	22300.00		NR
PH-LAB		0.01	8.50	01/09/89	8.00	01/09/89	7.80		NR
				01/09/89	8.00	01/09/89	7.80		NR
				01/09/89	8.00	01/09/89	7.80		NR
				01/09/89	8.00	01/09/89	7.80		NR
				08/04/89	7.80	08/04/89	8.00		NR
				08/04/89	7.80	08/04/89	8.00		NR
				08/04/89	7.80	08/04/89	8.00		NR
				08/04/89	7.80	08/04/89	8.00		NR
				10/04/89	7.70	10/04/89	7.90		NR
				10/04/89	7.80	10/04/89	8.00		NR
				10/04/89	7.70	10/04/89	8.00		NR
				10/04/89	7.80	10/04/89	8.00		NR
PHFIELD		0.10	8.50	01/09/89	7.30	01/09/89	7.30		NR
				01/09/89	7.50	01/09/89	7.60		NR
				01/09/89	7.50	01/09/89	7.40		NR
				01/09/89	7.40	01/09/89	7.40		NR
				08/04/89	7.77	08/04/89	7.96		NR
				08/04/89	7.76	08/04/89	7.97		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-26-35A	SAMPLE DATE	6-26-35C	SAMPLE DATE	6-26-89
PRFIELD		0.10	8.50	08/04/89	7.77	08/04/89	7.97		NR
				08/04/89	7.77	08/04/89	7.97		NR
				10/04/89	7.82	10/04/89	7.88		NR
				10/04/89	7.82	10/04/89	7.86		NR
				10/04/89	7.80	10/04/89	7.85		NR
				10/04/89	7.82	10/04/89	7.87		NR
SULFATE	PPB	500.00	250000.00	08/04/89	37000.00	08/04/89	51000.00		NR
				10/04/89	35000.00	10/04/89	50000.00		NR
TOXLDL	PPB	10.00		01/09/89		01/09/89			NR
				01/09/89		01/09/89			NR
				01/09/89		01/09/89			NR
				01/09/89		01/09/89			NR
				08/04/89	10.00	08/04/89			NR
				08/04/89	10.00	08/04/89			NR
				08/04/89		08/04/89			NR
				08/04/89		08/04/89			NR
				10/04/89		10/04/89			NR
				10/04/89		10/04/89			NR
				10/04/89		10/04/89			NR
				10/04/89		10/04/89			NR
TRITIUM	PCI/L	500.00	20000.00	08/04/89	281000.00 *	08/04/89	57300.00 *		NR
					(1290.00)		(583.00)		
				10/04/89	275000.00 *	10/04/89	51800.00 *		NR
					(1730.00)		(753.00)		
TURBID	NTU	0.10	1.00	08/04/89	0.40	08/04/89	0.30		NR
				10/04/89	0.10	10/04/89	0.30		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-27-8	SAMPLE DATE	6-28-40	SAMPLE DATE	6-28-40P
ALPHAHI	PCI/L	4.00	15.00	04/06/89	2.40 (1.83)	04/12/89	4.93 (2.42)		NR
				10/26/89	2.35 (1.37)	12/14/89	3.18 (1.78)		NR
BETA	PCI/L	8.00	50.00	04/06/89	36.70 (4.73)	04/12/89	15.10 (3.38)	03/27/89	4.08 (2.38)
				10/26/89	30.20 (4.30)	12/14/89	10.10 (2.90)		NR
HNITRAT	PPB	2500.00	45000.00	04/06/89	34300.00	04/12/89	19600.00	03/27/89	
				10/26/89	33000.00	12/14/89	17500.00		NR
I-129DW	PCI/L	1.00	1.00	03/23/89	0.66 (0.13)	03/27/89	0.13 (0.09)		NR
TC-99	PCI/L	15.00	900.00	03/23/89	285.00 (3.26)		NR	03/27/89	
TRITIUM	PCI/L	500.00	20000.00	04/06/89	219000.00 * (1560.00)	04/12/89	98800.00 * (1050.00)	03/27/89	
				10/26/89	208000.00 * (1520.00)	12/14/89	83700.00 * (965.00)		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-28-52A	SAMPLE DATE	6-29-4	SAMPLE DATE	6-29-78
ALPHA	PCI/L	4.00	15.00	03/24/89	4.73 (3.72)		NR		NR
ALPHAHI	PCI/L	4.00	15.00		NR NR	04/06/89 10/19/89	6.32 (2.26)	04/21/89 12/04/89	2.00 (1.29)
BETA	PCI/L	8.00	50.00	03/24/89	11.10 (3.30)	04/06/89 10/19/89	22.70 (3.87)	04/21/89 12/04/89	3.94 (2.34)
					NR		20.30 (3.74)		
HNITRAT	PPB	2500.00	45000.00	03/24/89		04/06/89 10/19/89	30800.00 32000.00	04/21/89 12/04/89	7800.00 7200.00
TRITIUM	PCI/L	500.00	20000.00	03/24/89		04/06/89 10/19/89	103000.00 * (1060.00)	04/21/89 12/04/89	228.00 (130.00)
					NR		115000.00 * (1140.00)		498.00 (142.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-31-31	SAMPLE DATE	6-31-31P	SAMPLE DATE	6-32-22
ALPHAHI	PCI/L	4.00	15.00		NR		NR	04/17/89	1.99
					NR		NR	11/09/89	(1.87)
BETA	PCI/L	8.00	50.00	02/21/89	6.24	03/24/89	4.99	04/17/89	(1.62)
					(2.56)		(2.33)	11/09/89	32.30
					NR		NR		(4.36)
HNITRAT	PPB	2500.00	45000.00	02/21/89	3100.00	03/24/89		04/17/89	22.20
					NR		NR	11/09/89	(3.78)
I-129DW	PCI/L	1.00	1.00		NR		NR	02/06/89	22600.00
TC-99	PCI/L	15.00	900.00		NR	03/24/89		02/06/89	19000.00
TRITIUM	PCI/L	500.00	20000.00	02/21/89	19600.00	03/24/89		04/17/89	1.54 *
					(477.00)		NR	11/09/89	(0.20)
					NR				188.00
									(2.68)
									172000.00 *
									(1380.00)
									147000.00 *
									(1230.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-32-43	SAMPLE DATE	6-32-62	SAMPLE DATE	6-32-70B
ALKALIN		20000.00			NR		NR	01/17/89	130000.00
ALPHAHI	PCI/L	4.00	15.00	04/17/89	2.20	04/17/89	1.89		NR
				12/14/89	(1.39)		(1.55)		NR
					3.10		NR		NR
					(1.57)				
BETA	PCI/L	8.00	50.00	04/17/89	12.70	04/17/89	6.98	04/17/89	23.80
				12/14/89	(3.11)		(2.70)		(3.87)
					12.20		NR	12/04/89	29.10
					(3.12)				(4.30)
CHLORID	PPB	500.00	250000.00		NR		NR	01/17/89	12100.00
CONDFLD	UMHO	1.00	700.00		NR		NR	01/17/89	381.00
FBARIUM	PPB	6.00	1000.00		NR		NR	01/17/89	35.00
FBOROM	PPB	10.00			NR		NR	01/17/89	21.00
FCALCIU	PPB	50.00			NR		NR	01/17/89	37800.00
FCHROMI	PPB	10.00	50.00		NR		NR	01/17/89	23.00
FMAGNES	PPB	50.00			NR		NR	01/17/89	10900.00
FPOTASS	PPB	100.00			NR		NR	01/17/89	4240.00
FSILICO	PPB	50.00			NR		NR	01/17/89	20000.00
FSCDIUM	PPB	200.00			NR		NR	01/17/89	18900.00
FSTRONT	PPB	10.00			NR		NR	01/17/89	161.00
FVANADI	PPB	5.00			NR		NR	01/17/89	25.00
FZINC	PPB	5.00	5000.00		NR		NR	01/17/89	8.00
HNITRAT	PPB	2500.00	45000.00	04/17/89	17800.00	04/17/89	25900.00	04/17/89	18800.00
				12/14/89	23200.00		NR	12/04/89	18200.00
I-129DW	PCI/L	1.00	1.00	02/06/89	1.30 *	02/09/89	0.06	01/20/89	0.86
					(0.18)		(0.05)		(0.13)
NITRATE	PPB	500.00	45000.00		NR		NR	01/17/89	19200.00
PH-LAB		0.01	8.50		NR		NR	01/17/89	7.70
PHFIELD		0.10	8.50		NR		NR	01/17/89	7.70
RU-106	PCI/L	172.50	30.00	04/17/89	50.50 *		NR		NR
				12/14/89	(47.90)				
							NR		NR
SULFATE	PPB	500.00	250000.00		NR		NR	01/17/89	23600.00
TC	PPB	1000.00			NR		NR	01/17/89	26400.00
TC-99	PCI/L	15.00	900.00	02/06/89	28.60		NR	01/20/89	189.00
					(1.45)				(2.65)
TRITIUM	PCI/L	500.00	20000.00	04/17/89	212000.00 *	04/17/89	2240.00	04/17/89	249000.00 *
					(1530.00)		(195.00)		(1660.00)
				12/14/89	279000.00 *		NR	12/04/89	231000.00 *
					(1780.00)				(1590.00)
U	PCI/L	0.50	600.00		NR		NR	04/17/89	3.25
					NR		NR	12/04/89	1.22

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-32-72	SAMPLE DATE	6-32-77	SAMPLE DATE	6-33-42
ALPHAHI	PCI/L	4.00	15.00	04/24/89		04/24/89		04/17/89	2.36
					NR		NR	12/14/89	(1.86)
BETA	PCI/L	8.00	50.00	01/20/89	12.30	04/24/89	4.35	04/17/89	17.80
				04/24/89	(3.11)		(2.30)	12/14/89	(3.53)
					11.80		NR		11.80
					(3.21)				(3.05)
CO-60	PCI/L	22.50	100.00	04/24/89		04/24/89	9.93		NR
							(7.02)		
HNITRAT	PPB	2500.00	45000.00	04/24/89	6600.00	04/24/89	5800.00	04/17/89	18300.00
					NR		NR	12/14/89	20000.00
TC-99	PCI/L	15.00	900.00	01/20/89	86.40		NR		NR
					(1.97)				
TRITIUM	PCI/L	500.00	20000.00	04/24/89	140000.00 *	04/24/89		04/17/89	189000.00 *
					(1230.00)				(1440.00)
					NR		NR	12/14/89	232000.00 *
									(1620.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-33-56	SAMPLE DATE	6-34-39A	SAMPLE DATE	6-34-41B
ALPHAHI	PCI/L	4.00	15.00	04/26/89	2.75		NR		NR
					(2.05)				
				12/22/89	1.64		NR		NR
					(1.49)				
BETA	PCI/L	8.00	50.00	04/26/89	6.56	02/24/89	4.82		NR
					(2.71)		(2.39)		
				12/22/89	4.57		NR		NR
					(2.55)				
CO-60	PCI/L	22.50	100.00		NR	02/24/89		04/24/89	9.93
									(7.02)
HNITRAT	PPB	2500.00	45000.00	04/26/89	9700.00	02/24/89		04/24/89	3500.00
				12/22/89	10400.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	04/26/89		02/24/89	2030.00	04/24/89	15900.00
							(210.00)		(436.00)
				12/22/89			NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-34-42	SAMPLE DATE	6-34-51	SAMPLE DATE	6-35-9
ALPHAHI	PCI/L	4.00	15.00	04/17/89	3.07	04/17/89	3.72	04/14/89	3.80
					(1.63)		(2.23)		(1.84)
				10/17/89	2.89	12/22/89	3.26	10/18/89	3.66
					(1.65)		(1.90)		(1.81)
BETA	PCI/L	8.00	50.00	04/17/89	8.19	04/17/89	8.30	04/14/89	35.00
					(2.67)		(2.98)		(4.53)
				10/17/89	6.44	12/22/89	9.57	10/18/89	31.60
					(2.55)		(2.89)		(4.43)
HNITRAT	PPB	2500.00	45000.00	04/17/89	5800.00	04/17/89	8800.00	04/14/89	37400.00
				10/17/89	7000.00	12/22/89	8660.00	10/18/89	39000.00
I-129DW	PCI/L	1.00	1.00		NR	02/06/89		03/24/89	0.06
									(0.05)
TRITIUM	PCI/L	500.00	20000.00	04/17/89	31300.00 *	04/17/89	436.00	04/14/89	201000.00 *
					(593.00)		(183.00)		(1480.00)
				10/17/89	51500.00 *	12/22/89		10/18/89	199000.00 *
					(755.00)				(1480.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-35-66	SAMPLE DATE	6-35-70	SAMPLE DATE	6-35-78A
ALKALIN ALPHA	PCI/L	20000.00 4.00	15.00	01/13/89	155000.00 NR	01/13/89	131000.00 NR	01/12/89 02/09/89	96000.00 15.40 + (3.73)
ALPHAHI	PCI/L	4.00	15.00		NR	04/17/89	3.04 (1.74)	04/24/89	12.90 (2.98)
					NR	11/14/89	2.85 (1.63)		NR
BETA	PCI/L	8.00	50.00	04/17/89	7.24 (2.77)	04/17/89	17.90 (3.55)	02/09/89	4.24 (2.25)
					NR	11/14/89	17.30 (3.47)	04/24/89	4.48 (2.33)
C 14	PCI/L	20.00	2000.00		NR NR	04/17/89 11/14/89	4.08 (2.12)		NR NR
CHLORID	PPB	500.00	250000.00	01/13/89	18100.00	01/13/89	23700.00	01/12/89	3100.00
CONDFLD	UMHO	1.00	700.00	01/13/89	397.00	01/13/89	397.00	01/12/89	179.00
FBARIUM	PPB	6.00	1000.00	01/13/89	44.00	01/13/89	39.00	01/12/89	14.00
FBORON	PPB	10.00		01/13/89	21.00	01/13/89	25.00	01/12/89	21.00
FCALCIU	PPB	50.00		01/13/89	47200.00	01/13/89	45300.00	01/12/89	17100.00
FCHROMI	PPB	10.00	50.00	01/13/89	20.00	01/13/89		01/12/89	13.00
FIRON	PPB	30.00	300.00	01/13/89		01/13/89		01/12/89	45.00
FMAGNES	PPB	50.00		01/13/89	12700.00	01/13/89	12900.00	01/12/89	5480.00
FPOTASS	PPB	100.00		01/13/89	5220.00	01/13/89	5370.00	01/12/89	2430.00
FSILICO	PPB	50.00		01/13/89	19000.00	01/13/89	19400.00	01/12/89	14500.00
FSCDIUM	PPB	200.00		01/13/89	20400.00	01/13/89	20600.00	01/12/89	16700.00
FSTRONT	PPB	10.00		01/13/89	207.00	01/13/89	194.00	01/12/89	68.00
FVANADI	PPB	5.00		01/13/89	31.00	01/13/89	25.00	01/12/89	19.00
FZINC	PPB	5.00	5000.00	01/13/89	11.00	01/13/89	6.00	01/12/89	5.00
HNITRAT	PPB	2500.00	45000.00	04/17/89	23500.00	04/17/89	27300.00	02/09/89	
					NR	11/14/89	26600.00	04/24/89	
I-129DW	PCI/L	1.00	1.00	03/15/89	1.49 * (0.19)	02/21/89	10.30 * (1.06)		NR
					NR	03/10/89	11.10 * (1.14)		NR
NITRATE	PPB	500.00	45000.00	01/13/89	24700.00	01/13/89	29200.00	01/12/89	500.00
PH-LAB		0.01	8.50	01/13/89	7.90	01/13/89	7.80	01/12/89	8.10
PHFIELD		0.10	8.50	01/13/89	7.70	01/13/89	7.40	01/12/89	7.60
SULFATE	PPB	500.00	250000.00	01/13/89	28100.00	01/13/89	29200.00	01/12/89	11100.00
TC	PPB	1000.00		01/13/89	33800.00	01/13/89	28300.00	01/12/89	20200.00
TC-99	PCI/L	15.00	900.00	03/15/89	40.50 (1.65)	03/10/89	123.00 (2.30)		NR
TRITIUM	PCI/L	500.00	20000.00	04/17/89	1160000.00 * (3550.00)	04/17/89	926000.00 * (3160.00)	02/09/89	
					NR	11/14/89	849000.00 * (2950.00)	04/24/89	
U	PCI/L	0.50	600.00	04/17/89	1.98 NR	04/17/89	3.95 NR		NR NR
U-234	PCI/L	0.10	20.00		NR	11/14/89	NR	02/09/89	9.59 (0.36)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-35-66	SAMPLE DATE	6-35-70	SAMPLE DATE	6-35-78A
U-234	PCI/L	0.10	20.00		NR		NR	04/24/89	10.70
U-235	PCI/L	0.10	24.00		NR		NR	02/09/89	(0.31)
					NR		NR	04/24/89	(0.51)
					NR		NR	02/09/89	(0.09)
U-238	PCI/L	0.10	24.00		NR		NR	04/24/89	(0.38)
					NR		NR	02/09/89	(0.06)
					NR		NR	04/24/89	(9.67)
U-CHEM	UG/L	0.73			NR		NR	02/09/89	(0.36)
					NR		NR	04/24/89	(10.20)
									(0.30)
									25.10
									28.10

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-36-46P	SAMPLE DATE	6-36-46Q	SAMPLE DATE	6-36-61A
ALPHAHI	PCI/L	4.00	15.00		NR	04/26/89	1.54		NR
					NR	12/22/89	(1.09)		NR
					NR	03/27/89	(1.97)		NR
BETA	PCI/L	8.00	50.00	03/27/89	(11.70	03/27/89	(1.32)		NR
					(2.99)	04/26/89	(2.86)		NR
					NR	12/22/89	(8.63)		NR
					NR	03/27/89	(2.74)		NR
					NR	04/26/89	(7.95)		NR
					NR	12/22/89	(2.72)		NR
HNITRAT	PPB	2500.00	45000.00	03/27/89		03/27/89		04/17/89	20900.00
						04/26/89		11/22/89	20000.00
						12/22/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-36-618	SAMPLE DATE	6-36-93	SAMPLE DATE	6-37-E4
ALKALIM ALPHA	PCI/L	20000.00 4.00	15.00	01/16/89	154000.00 NR	03/03/89	NR 2.71	03/24/89	NR 2.87
BETA	PCI/L	8.00	50.00	04/18/89	9.75 (2.92)	03/03/89	(2.35) 7.27 (2.83)	03/24/89	(1.66) 23.00 (3.84)
CHLORID	PPB	500.00	250000.00	01/16/89	6700.00		NR		NR
CONDFLD	UMHO	1.00	700.00	01/16/89	377.00		NR		NR
HNITRAT	PPB	2500.00	45000.00	04/18/89	16700.00	03/03/89	49700.00 *	03/24/89	29000.00
NITRATE	PPB	500.00	45000.00	01/16/89	9300.00		NR		NR
PH-LAB		0.01	8.50	01/16/89	7.70		NR		NR
PHFIELD		0.10	8.50	01/16/89	7.60		NR		NR
SULFATE	PPB	500.00	250000.00	01/16/89	27900.00		NR		NR
TC	PPB	1000.00		01/16/89	33100.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	04/18/89	32200.00 * (612.00)	03/03/89		03/24/89	66900.00 * (869.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-37-43	SAMPLE DATE	6-37-82A	SAMPLE DATE	6-38-15
ALPHAHI	PCI/L	4.00	15.00		NR	04/17/89	1.15 (1.07)	04/24/89	3.44 (1.73)
					NR		NR	10/26/89	2.31 (1.40)
BETA	PCI/L	8.00	50.00	02/24/89	4.00 (2.32) NR	04/17/89	8.71 (2.93) NR	04/24/89	54.40 + (5.61)
								10/26/89	56.10 + (5.55)
HNITRAT	PPB	2500.00	45000.00	02/24/89	10400.00 NR	04/17/89	42000.00 NR	04/24/89	49500.00 *
I-129DW	PCI/L	1.00	1.00		NR		NR	10/26/89	46600.00 *
TC-99	PCI/L	15.00	900.00	02/24/89	8.22 (1.29)		NR	03/28/89	0.46 (0.10)
TRITIUM	PCI/L	500.00	20000.00	02/24/89	38500.00 * (667.00) NR	04/17/89		04/24/89	394000.00 * (2070.00)
							NR	10/26/89	365000.00 * (1960.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-38-65	SAMPLE DATE	6-38-70	SAMPLE DATE	6-39-0
ALKALIN ALPHA	PCI/L	20000.00 4.00	15.00		NR NR	01/13/89 01/05/89	126000.00 50.40 + (7.23)	03/10/89	NR 2.94 (1.75)
					NR	01/11/89	52.20 + (8.44)		NR
ALPHAHI	PCI/L	4.00	15.00	04/18/89	1.92 (1.51)	02/08/89	24.90 *		NR
				11/22/89	2.43 (1.55)	03/02/89	40.40 *		NR
					NR	10/18/89	47.30 *		NR
BETA	PCI/L	8.00	50.00	04/18/89	20.00	01/05/89	321.00 + (12.90)	03/10/89	41.50 (4.93)
				11/22/89	14.10 (3.25)	01/11/89	297.00 + (12.50)		NR
					NR	02/08/89	252.00 + (11.50)		NR
					NR	03/02/89	306.00 + (12.70)		NR
					NR	10/18/89	296.00 + (12.50)		NR
CHLORID CO-60	PPB PCI/L	500.00 22.50	250000.00 100.00	04/18/89	NR	01/13/89	27400.00 NR	03/10/89	NR 15.10 (9.73)
				11/22/89	8.89 (7.92)		NR		NR
CONDFLD	UMHO	1.00	700.00		NR	01/13/89	679.00		NR
FBARIUM	PPB	6.00	1000.00		NR	01/13/89	84.00		NR
FBORON	PPB	10.00			NR	01/13/89	31.00		NR
FCADMIU	PPB	2.00	10.00		NR	01/13/89	2.00		NR
FCALCIU	PPB	50.00			NR	01/13/89	96600.00		NR
FLUORID	PPB	500.00	4000.00		NR	01/13/89	500.00		NR
FMAGNES	PPB	50.00			NR	01/13/89	31900.00		NR
FPOTASS	PPB	100.00			NR	01/13/89	6440.00		NR
FSILICO	PPB	50.00			NR	01/13/89	22100.00		NR
FSCDIUM	PPB	200.00			NR	01/13/89	21600.00		NR
FSTRONT	PPB	10.00			NR	01/13/89	476.00		NR
FVANADI	PPB	5.00			NR	01/13/89	19.00		NR
FZINC	PPB	5.00	5000.00		NR	01/13/89	13.00		NR
HNITRAT	PPB	2500.00	45000.00	04/18/89	167000.00 *	04/18/89	243000.00 *	03/10/89	40700.00
				11/22/89	21800.00		NR		NR
I-129OW	PCI/L	1.00	1.00	02/24/89	0.92 (0.14)	02/24/89	0.32 (0.07)		NR
NITRATE	PPB	500.00	45000.00		NR	01/13/89	237000.00 *		NR
PH-LAB		0.01	8.50		NR	01/13/89	7.80		NR
PHFIELD		0.10	8.50		NR	01/13/89	7.40		NR
SULFATE	PPB	500.00	250000.00		NR	01/13/89	51200.00		NR
TC	PPB	1000.00			NR	01/13/89	27200.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-38-65	SAMPLE DATE	6-38-70	SAMPLE DATE	6-39-0
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
TC-99	PCI/L	15.00	900.00		NR	01/05/89	3680.00 *		NR
					NR	01/11/89	(11.10) 3440.00 *		NR
					NR	02/08/89	(10.40) 2370.00 *		NR
					NR	03/02/89	(8.91) 3890.00 *		NR
					NR	10/18/89	(11.10) 4230.00 *		NR
TRITIUM	PCI/L	500.00	20000.00	04/18/89	440000.00 * (2190.00)	04/18/89	(11.60) 1010.00	03/10/89	242000.00 * (1630.00)
				11/22/89	452000.00 * (2160.00)		(152.00) NR		NR
U-CHEM	UG/L	0.73			NR	01/05/89	64.80		NR
					NR	01/11/89	93.90		NR
					NR	02/08/89	60.40		NR
					NR	03/02/89	67.80		NR
					NR	10/18/89	41.70		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-39-39	SAMPLE DATE	6-39-79	SAMPLE DATE	6-40-1
ALKALIN ALPHAHI	PCI/L	20000.00 4.00	15.00	04/26/89	NR 4.29 (1.81)	02/23/89	101000.00 NR	04/10/89	NR 2.96 (1.60)
				11/15/89	(3.80 2.20)		NR	10/16/89	(4.35 1.91)
BETA	PCI/L	8.00	50.00	04/26/89	(7.84 2.77)		NR	04/10/89	(42.60 5.07)
				11/15/89	(5.13 2.55)		NR	10/16/89	(45.30 5.14)
CHLFORM	PPB	5.00	100.00		NR	02/23/89	6.00		NR
					NR	02/23/89	6.00		NR
					NR	02/23/89	6.00		NR
CHLORID CO-60	PPB PCI/L	500.00 22.50	250000.00 100.00	04/26/89 11/15/89	NR 7.46 (6.09)	02/23/89	3400.00 NR NR	04/10/89 10/16/89	NR NR NR
COND FLD	UMHO	1.00	700.00		NR	02/23/89	400.00		NR
FBARIUM	PPB	6.00	1000.00		NR	02/23/89	22.00		NR
FBORON	PPB	10.00			NR	02/23/89	23.00		NR
FCALCIU	PPB	50.00			NR	02/23/89	21600.00		NR
FIRON	PPB	30.00	300.00		NR	02/23/89	36.00		NR
FMAGNES	PPB	50.00			NR	02/23/89	5900.00		NR
FPOTASS	PPB	100.00			NR	02/23/89	3040.00		NR
FSILICO	PPB	50.00			NR	02/23/89	17100.00		NR
FSODIUM	PPB	200.00			NR	02/23/89	22400.00		NR
FSTRONT	PPB	10.00			NR	02/23/89	92.00		NR
FVANADI	PPB	5.00			NR	02/23/89	20.00		NR
HNITRAT	PPB	2500.00	45000.00	04/26/89 11/15/89	NR 33400.00		NR NR	04/10/89 10/16/89	41600.00 40500.00
NITRATE	PPB	500.00	45000.00		NR	02/23/89	6300.00		NR
PH-LAB		0.01	8.50		NR	02/23/89	8.20		NR
PHFIELD		0.10	8.50		NR	02/23/89	8.70 *		NR
SULFATE	PPB	500.00	250000.00		NR	02/23/89	15800.00		NR
TC	PPB	1000.00			NR	02/23/89	23300.00		NR
TC-99	PCI/L	15.00	900.00		NR		NR	03/10/89	345.00 (3.56)
TETRANE	PPB	5.00	5.00		NR	02/23/89	820.00 *		NR
					NR	02/23/89	880.00 *		NR
					NR	02/23/89	850.00 *		NR
TRITIUM	PCI/L	500.00	20000.00	04/26/89 11/15/89	NR		NR	04/10/89 10/16/89	226000.00 * (1560.00) 235000.00 * (1620.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-40-33A	SAMPLE DATE	6-40-39	SAMPLE DATE	6-40-62
ALPHAHI	PCI/L	4.00	15.00	04/10/89		12/05/89	3.74	04/10/89	
					NR		(1.81)	11/22/89	3.68
					NR		NR		(2.04)
ALUMINUM	PPB	150.00			NR	12/05/89	345.00		NR
BARIUM	PPB	6.00	1000.00		NR	12/05/89	110.00		NR
BETA	PCI/L	8.00	50.00	02/03/89	3.01	12/05/89	5.98	04/10/89	7.02
					(2.28)		(2.50)		(2.75)
				04/10/89	7.84		NR	11/22/89	4.38
					(2.90)				(2.42)
BORON	PPB	10.00			NR	12/05/89	25.00		NR
CALCIUM	PPB	50.00			NR	12/05/89	19500.00		NR
CHLORID	PPB	500.00	250000.00		NR	12/05/89	3100.00		NR
CHROMIUM	PPB	10.00	50.00		NR	12/05/89	19.00		NR
CO-60	PCI/L	22.50	100.00	02/03/89		12/05/89	7.95		NR
							(6.01)		
				04/10/89	NR		NR		NR
COND FLD	UMHO	1.00	700.00		NR	12/05/89	318.00		NR
					NR	12/05/89	328.00		NR
					NR	12/05/89	327.00		NR
					NR	12/05/89	326.00		NR
FBARIUM	PPB	6.00	1000.00		NR	12/05/89	108.00		NR
FBORON	PPB	10.00			NR	12/05/89	33.00		NR
FCALCIU	PPB	50.00			NR	12/05/89	19500.00		NR
FLITHIU	PPB	10.00			NR	12/05/89	15.00		NR
FLUORID	PPB	500.00	4000.00		NR	12/05/89	700.00		NR
FMAGNES	PPB	50.00			NR	12/05/89	7740.00		NR
FMANGAN	PPB	5.00	50.00		NR	12/05/89	208.00 *		NR
FPOTASS	PPB	100.00			NR	12/05/89	5430.00		NR
FSILICO	PPB	50.00			NR	12/05/89	19100.00		NR
FSODIUM	PPB	200.00			NR	12/05/89	34500.00		NR
FSTRONT	PPB	10.00			NR	12/05/89	169.00		NR
FVANADI	PPB	5.00			NR	12/05/89	7.00		NR
FZINC	PPB	5.00	5000.00		NR	12/05/89	6.00		NR
HNITRAT	PPB	2500.00	45000.00	02/03/89			NR	04/10/89	51200.00 *
				04/10/89			NR	11/22/89	48300.00 *
IRON	PPB	30.00	300.00		NR	12/05/89	715.00 *		NR
LITHIUM	PPB	10.00			NR	12/05/89	15.00		NR
MAGNES	PPB	50.00			NR	12/05/89	7670.00		NR
MANGESE	PPB	5.00	50.00		NR	12/05/89	222.00 *		NR
PHFIELD		0.10	8.50		NR	12/05/89	7.79		NR
					NR	12/05/89	8.53 *		NR
					NR	12/05/89	8.17		NR
					NR	12/05/89	8.14		NR
POTASUM	PPB	100.00			NR	12/05/89	5370.00		NR
RADIUM	PCI/L	1.00	5.00		NR	12/05/89	0.37		NR
							(0.21)		
SILICON	PPB	50.00			NR	12/05/89	19100.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-40-33A	SAMPLE DATE	6-40-39	SAMPLE DATE	6-40-62
SODIUM	PPB	200.00			NR	12/05/89	33900.00		NR
STRONTIUM	PPB	10.00			NR	12/05/89	169.00		NR
SULFATE	PPB	500.00	250000.00		NR	12/05/89	4500.00		NR
TC	PPB	1000.00			NR	12/05/89	36500.00		NR
TDS		5000.00	500000.00		NR	12/05/89	183000.00		NR
TRITIUM	PCI/L	500.00	20000.00	02/03/89		12/05/89	57700.00 *	04/10/89	88100.00 *
				04/10/89			(770.00)		(994.00)
							NR	11/22/89	82300.00 *
									(924.00)
TURBID	NTU	0.10	1.00		NR	12/05/89	10.50 *		NR
U	PCI/L	0.50	600.00		NR	12/05/89	1.92		NR
VANADIUM	PPB	5.00			NR	12/05/89	6.00		NR
ZINC	PPB	5.00	5000.00		NR	12/05/89	31.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-41-1	SAMPLE DATE	6-41-23	SAMPLE DATE	6-41-40
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ALPHAHI	PCI/L	4.00	15.00	04/10/89	2.78	04/07/89		12/05/89	4.63
				10/16/89	(1.61)				(2.02)
					5.15	11/09/89	2.37		NR
					(2.09)		(1.42)		
AMMONIU	PPB	50.00			NR		NR	12/05/89	140.00
BARIUM	PPB	6.00	1000.00		NR		NR	12/05/89	84.00
BETA	PCI/L	8.00	50.00	04/10/89	42.60	04/07/89	11.60	12/05/89	6.78
				10/16/89	(5.02)		(3.22)		(2.78)
					44.80	11/09/89	10.40		NR
					(5.11)		(2.92)		
BORON	PPB	10.00			NR		NR	12/05/89	19.00
CALCIUM	PPB	50.00			NR		NR	12/05/89	28900.00
CHLORID	PPB	500.00	250000.00		NR		NR	12/05/89	6400.00
CONDFLD	UMHO	1.00	700.00		NR		NR	12/05/89	383.00
					NR		NR	12/05/89	371.00
					NR		NR	12/05/89	367.00
					NR		NR	12/05/89	371.00
FBARIUM	PPB	6.00	1000.00		NR		NR	12/05/89	82.00
FBORON	PPB	10.00			NR		NR	12/05/89	23.00
FCALCIU	PPB	50.00			NR		NR	12/05/89	28900.00
FLITHIU	PPB	10.00			NR		NR	12/05/89	10.00
FLUORID	PPB	500.00	4000.00		NR		NR	12/05/89	600.00
FMAGNES	PPB	50.00			NR		NR	12/05/89	10300.00
FMANGAN	PPB	5.00	50.00		NR		NR	12/05/89	93.00 *
FPOTASS	PPB	100.00			NR		NR	12/05/89	4650.00
FSILICO	PPB	50.00			NR		NR	12/05/89	14000.00
FSODIUM	PPB	200.00			NR		NR	12/05/89	30000.00
FSTRONT	PPB	10.00			NR		NR	12/05/89	218.00
FVANADI	PPB	5.00			NR		NR	12/05/89	9.00
FZINC	PPB	5.00	5000.00		NR		NR	12/05/89	10.00
HNITRAT	PPB	2500.00	45000.00	04/10/89	41900.00	04/07/89	12600.00		NR
				10/16/89	39000.00	11/09/89	10400.00		NR
				03/10/89		03/15/89	1.55 *		NR
I-129DW	PCI/L	1.00	1.00				(0.19)		
IRON	PPB	30.00	300.00		NR		NR	12/05/89	98.00
LITHIUM	PPB	10.00			NR		NR	12/05/89	10.00
MAGNES	PPB	50.00			NR		NR	12/05/89	10400.00
MANGESE	PPB	5.00	50.00		NR		NR	12/05/89	107.00 *
NITRATE	PPB	500.00	45000.00		NR		NR	12/05/89	18800.00
PHFIELD		0.10	8.50		NR		NR	12/05/89	8.08
					NR		NR	12/05/89	7.75
					NR		NR	12/05/89	7.82
					NR		NR	12/05/89	7.85
POTASUM	PPB	100.00			NR		NR	12/05/89	4700.00
RADIUM	PCI/L	1.00	5.00		NR		NR	12/05/89	0.17
									(0.15)
SILICON	PPB	50.00			NR		NR	12/05/89	14600.00
SODIUM	PPB	200.00			NR		NR	12/05/89	30600.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-41-1	SAMPLE DATE	6-41-23	SAMPLE DATE	6-41-40
STRONTIUM	PPB	10.00			NR		NR	12/05/89	222.00
SULFATE	PPB	500.00	250000.00		NR		NR	12/05/89	31800.00
TC	PPB	1000.00			NR		NR	12/05/89	31400.00
TC-99	PCI/L	15.00	900.00	03/10/89	289.00	03/15/89	41.20		NR
					(3.23)		(1.59)		
TDS		5000.00	500000.00		NR		NR	12/05/89	216000.00
TOXLDL	PPB	10.00			NR		NR	12/05/89	10.00
TRITIUM	PCI/L	500.00	20000.00	04/10/89	244000.00 *	04/07/89	88700.00 *	12/05/89	232000.00 *
					(1640.00)		(1000.00)		(1530.00)
				10/16/89	233000.00 *	11/09/89	73100.00 *		NR
					(1600.00)		(868.00)		
TURBID	NTU	0.10	1.00		NR		NR	12/05/89	4.40 *
U	PCI/L	0.50	600.00	04/10/89	3.16		NR	12/05/89	2.51
				10/16/89	2.75		NR		NR
VANADUM	PPB	5.00			NR		NR	12/05/89	8.00
ZINC	PPB	5.00	5000.00		NR		NR	12/05/89	14.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-42-2	SAMPLE DATE	6-42-12A	SAMPLE DATE	6-42-40A
ACETONE	PPB	10.00			NR		NR	02/15/89	
					NR		NR	05/31/89	
					NR		NR	08/10/89	13.30
ALPHAHI	PCI/L	4.00	15.00		NR		NR	02/15/89	2.32
									(1.44)
					NR		NR	04/07/89	
					NR		NR	05/31/89	
					NR		NR	08/10/89	2.98
									(1.36)
BETA	PCI/L	8.00	50.00		NR	04/06/89	31.00	02/06/89	3.97
							(4.34)		(2.33)
					NR	10/18/89	27.00	02/15/89	
							(4.06)		
					NR		NR	04/07/89	5.12
									(2.52)
					NR		NR	05/31/89	2.72
									(2.13)
					NR		NR	08/10/89	12.70
									(3.10)
BORON	PPB	10.00			NR		NR	02/15/89	
					NR		NR	05/31/89	26.00
					NR		NR	08/10/89	10.00
CADMIUM	PPB	2.00	10.00		NR		NR	02/15/89	
					NR		NR	05/31/89	
					NR		NR	08/10/89	3.00
CALCIUM	PPB	50.00			NR		NR	02/15/89	20700.00
					NR		NR	05/31/89	20800.00
					NR		NR	08/10/89	16900.00
CHLORID	PPB	500.00	250000.00		NR		NR	02/15/89	3100.00
					NR		NR	05/31/89	3100.00
					NR		NR	08/10/89	4000.00
CONDFLD	UMHO	1.00	700.00		NR		NR	02/15/89	161.00
					NR		NR	02/15/89	161.00
					NR		NR	02/15/89	162.00
					NR		NR	02/15/89	162.00
					NR		NR	05/31/89	165.00
					NR		NR	05/31/89	165.00
					NR		NR	05/31/89	165.00
					NR		NR	05/31/89	165.00
					NR		NR	08/10/89	140.00
					NR		NR	08/10/89	137.00
					NR		NR	08/10/89	139.00
					NR		NR	08/10/89	139.00
CONDLAB	UMHO		700.00		NR		NR	02/15/89	164.00 a
					NR		NR	05/31/89	172.00 a
					NR		NR	08/10/89	145.00 a
CS-137	PCI/L	20.00	200.00		NR	04/06/89		02/06/89	
					NR	10/18/89		04/07/89	3.78
									(3.38)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-42-2	SAMPLE DATE	6-42-12A	SAMPLE DATE	6-42-40A
FBARIUM	PPB	6.00	1000.00		NR		NR	02/15/89	
					NR		NR	05/31/89	
					NR		NR	08/10/89	12.00
FBORON	PPB	10.00			NR		NR	02/15/89	
					NR		NR	05/31/89	10.00
					NR		NR	08/10/89	19.00
FCALCIU	PPB	50.00			NR		NR	02/15/89	21700.00
					NR		NR	05/31/89	20700.00
					NR		NR	08/10/89	20500.00
FIRON	PPB	30.00	300.00		NR		NR	02/15/89	53.00
					NR		NR	05/31/89	46.00
					NR		NR	08/10/89	44.00
FLUORID	PPB	500.00	4000.00		NR		NR	02/15/89	
					NR		NR	05/31/89	
					NR		NR	08/10/89	500.00
FMAGNES	PPB	50.00			NR		NR	02/15/89	5680.00
					NR		NR	05/31/89	5190.00
					NR		NR	08/10/89	4950.00
FMANGAN	PPB	5.00	50.00		NR		NR	02/15/89	5.00
					NR		NR	05/31/89	5.00
					NR		NR	08/10/89	8.00
FPOTASS	PPB	100.00			NR		NR	02/15/89	2490.00
					NR		NR	05/31/89	2380.00
					NR		NR	08/10/89	3070.00
FSILICO	PPB	50.00			NR		NR	02/15/89	3950.00
					NR		NR	05/31/89	4420.00
					NR		NR	08/10/89	6850.00
FSDIUM	PPB	200.00			NR		NR	02/15/89	4040.00
					NR		NR	05/31/89	4260.00
					NR		NR	08/10/89	5010.00
FSTRONT	PPB	10.00			NR		NR	02/15/89	104.00
					NR		NR	05/31/89	96.00
					NR		NR	08/10/89	99.00
FVANADI	PPB	5.00			NR		NR	02/15/89	
					NR		NR	05/31/89	9.00
					NR		NR	08/10/89	12.00
FZINC	PPB	5.00	5000.00		NR		NR	02/15/89	7.00
					NR		NR	05/31/89	
					NR		NR	08/10/89	
HNITRAT	PPB	2500.00	45000.00	02/03/89	41500.00	04/06/89	39400.00	02/06/89	
					NR	10/18/89	39500.00	04/07/89	
I-129DW	PCI/L	1.00	1.00		NR	03/10/89	0.25		NR
							(0.06)		
IRON	PPB	30.00	300.00		NR		NR	02/15/89	130.00
					NR		NR	05/31/89	124.00
					NR		NR	08/10/89	521.00 *
MAGNES	PPB	50.00			NR		NR	02/15/89	5230.00
					NR		NR	05/31/89	5370.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-42-2	SAMPLE DATE	6-42-12A	SAMPLE DATE	6-42-40A
MAGNES	PPB	50.00			NR		NR	08/10/89	4010.00
MANGESE	PPB	5.00	50.00		NR		NR	02/15/89	8.00
					NR		NR	05/31/89	8.00
					NR		NR	08/10/89	9.00
NITRATE	PPB	500.00	45000.00		NR		NR	02/15/89	600.00
					NR		NR	05/31/89	700.00
					NR		NR	08/10/89	6500.00
PH-LAB		0.01	8.50		NR		NR	02/15/89	8.10
					NR		NR	05/31/89	8.10
					NR		NR	08/10/89	8.00
PHFIELD		0.10	8.50		NR		NR	02/15/89	8.40
					NR		NR	02/15/89	8.40
					NR		NR	02/15/89	8.40
					NR		NR	05/31/89	8.12
					NR		NR	05/31/89	8.19
					NR		NR	05/31/89	8.21
					NR		NR	05/31/89	8.20
					NR		NR	08/10/89	8.16
					NR		NR	08/10/89	8.17
					NR		NR	08/10/89	8.17
POTASUM	PPB	100.00			NR		NR	02/15/89	2190.00
					NR		NR	05/31/89	2440.00
					NR		NR	08/10/89	2400.00
SILICON	PPB	50.00			NR		NR	02/15/89	3830.00
					NR		NR	05/31/89	4690.00
					NR		NR	08/10/89	5750.00
SODIUM	PPB	200.00			NR		NR	02/15/89	3540.00
					NR		NR	05/31/89	4390.00
					NR		NR	08/10/89	3960.00
STRONUM	PPB	10.00			NR		NR	02/15/89	101.00
					NR		NR	05/31/89	102.00
					NR		NR	08/10/89	78.00
SULFATE	PPB	500.00	250000.00		NR		NR	02/15/89	13500.00
					NR		NR	05/31/89	13700.00
					NR		NR	08/10/89	19100.00
TC	PPB	1000.00			NR		NR	02/15/89	17700.00
					NR		NR	05/31/89	18100.00
					NR		NR	08/10/89	15300.00
TC-99	PCI/L	15.00	900.00		NR	03/10/89	251.00		NR
							(3.06)		
TOXLDL	PPB	10.00			NR			02/15/89	
					NR			02/15/89	
					NR			02/15/89	
					NR			02/15/89	
					NR			05/31/89	15.00
					NR			05/31/89	14.00
					NR			05/31/89	11.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-42-2	SAMPLE DATE	6-42-12A	SAMPLE DATE	6-42-40A
TOXLDL	PPB	10.00			NR NR NR NR NR		NR NR NR NR NR	05/31/89 08/10/89 08/10/89 08/10/89 08/10/89	
TRITIUM	PCI/L	500.00	20000.00	02/03/89	229000.00 * (1560.00) NR	04/06/89 10/18/89	286000.00 * (1770.00) 265000.00 * (1720.00)	02/06/89 02/15/89	
					NR NR NR NR NR		NR NR NR NR NR	04/07/89 05/31/89 08/10/89 02/15/89	
TURBID	NTU	0.10	1.00		NR NR NR NR NR		NR NR NR NR NR	05/31/89 08/10/89 02/15/89 05/31/89 08/10/89	0.25 0.40 3.20 *
U	PCI/L	0.50	600.00		NR NR NR	04/06/89 10/18/89	2.19 1.13	02/15/89	0.70
U-234	PCI/L	0.10	20.00		NR		NR	02/06/89	0.41
					NR		NR	04/07/89	(0.07)
					NR		NR	02/06/89	(0.38 0.05)
U-238	PCI/L	0.10	24.00		NR		NR	02/06/89	0.31
					NR		NR	04/07/89	(0.06) 0.29 (0.05)
U-CHEM	UG/L	0.73			NR NR		NR NR	02/06/89 04/07/89	0.97 1.02
VANADUM	PPB	5.00			NR NR NR NR		NR NR NR NR	02/15/89 05/31/89 08/10/89	
ZINC	PPB	5.00	5000.00		NR NR NR		NR NR NR	02/15/89 05/31/89 08/10/89	10.00 10.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-42-40B	SAMPLE DATE	6-42-40C	SAMPLE DATE	6-42-42B
ALKALIN ALPHAHI	PCI/L	20000.00 4.00	15.00	12/11/89 12/11/89	53000.00 2.65 (1.38) NR	04/26/89	NR 2.48 (1.77) NR	02/24/89 06/16/89 (1.82) 06/16/89 08/09/89 (1.35)	NR 2.18 2.37 2.37 2.37
ALUMINUM	PPB	150.00		12/11/89	7110.00 NR NR NR		NR NR NR NR	02/24/89 06/16/89 06/16/89 08/09/89	
ARSENIC	PPB	5.00	50.00	12/11/89	5.00 NR NR NR		NR NR NR NR	02/24/89 06/16/89 06/16/89 08/09/89	6.00 6.00 7.00 6.00
BARIUM	PPB	6.00	1000.00	12/11/89	111.00 NR NR NR		NR NR NR NR	02/24/89 06/16/89 06/16/89 08/09/89	28.00 27.00 26.00 21.00
BETA	PCI/L	8.00	50.00	01/05/89 01/13/89 02/08/89 03/02/89 08/28/89 10/06/89 12/11/89	7.42 (2.67) (2.78) (5.56 (2.52) (3.86 (2.53) (5.82 (2.46) (5.80 (2.47) (4.54 (2.37)	04/26/89	10.20 (2.94) NR NR NR NR NR NR	02/24/89 06/16/89 (2.72) 06/16/89 (7.29 (2.68) 08/09/89 (10.80 (2.91) NR NR	7.32 7.32 7.32 7.32 7.32 7.32 7.32
BORON	PPB	10.00		12/11/89	16.00 NR NR NR		NR NR NR NR	02/24/89 06/16/89 06/16/89 08/09/89	14.00 17.00 28.00 13.00
CADMIUM	PPB	2.00	10.00	12/11/89	41.00 * NR NR NR		NR NR NR NR	02/24/89 06/16/89 06/16/89 08/09/89	2.00 2.00 2.00 2.00
CALCIUM	PPB	50.00		12/11/89	28400.00 NR NR NR		NR NR NR NR	02/24/89 06/16/89 06/16/89 08/09/89	22400.00 21200.00 20200.00 19500.00
CHLORID	PPB	500.00	250000.00	12/11/89	3200.00 NR		NR NR	02/24/89 06/16/89	3600.00 3900.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-42-40B	SAMPLE DATE	6-42-40C	SAMPLE DATE	6-42-42B
CHLORID	PPB	500.00	250000.00		NR		NR	06/16/89	3900.00
					NR		NR	08/09/89	3800.00
CHROMIUM	PPB	10.00	50.00	12/11/89	57.00 *		NR	02/24/89	37.00
					NR		NR	06/16/89	13.00
					NR		NR	06/16/89	18.00
					NR		NR	08/09/89	61.00 *
COND FLD	UMHO	1.00	700.00	12/11/89	160.00		NR	02/24/89	230.00
					NR		NR	02/24/89	230.00
					NR		NR	02/24/89	230.00
					NR		NR	02/24/89	230.00
					NR		NR	06/16/89	237.00
					NR		NR	06/16/89	236.00
					NR		NR	06/16/89	236.00
					NR		NR	06/16/89	236.00
					NR		NR	08/09/89	173.00
					NR		NR	08/09/89	172.00
					NR		NR	08/09/89	173.00
					NR		NR	08/09/89	172.00
CONDLAB	UMHO		700.00	12/11/89	142.00 a		NR	02/24/89	242.00 a
					NR		NR	06/16/89	247.00 a
					NR		NR	08/09/89	248.00 a
COPPER	PPB	10.00	(1300.0)	12/11/89	39.00		NR	02/24/89	
					NR		NR	06/16/89	
					NR		NR	06/16/89	
					NR		NR	08/09/89	
FARSEN I	PPB	5.00	50.00		NR		NR	02/24/89	6.00
					NR		NR	06/16/89	7.00
					NR		NR	06/16/89	7.00
					NR		NR	08/09/89	6.00
FBARIUM	PPB	6.00	1000.00		NR		NR	02/24/89	26.00
					NR		NR	06/16/89	28.00
					NR		NR	06/16/89	23.00
					NR		NR	08/09/89	33.00
FBORON	PPB	10.00			NR		NR	02/24/89	17.00
					NR		NR	06/16/89	18.00
					NR		NR	06/16/89	13.00
					NR		NR	08/09/89	26.00
FCALCIU	PPB	50.00			NR		NR	02/24/89	20700.00
					NR		NR	06/16/89	21800.00
					NR		NR	06/16/89	19600.00
					NR		NR	08/09/89	22800.00
FLUORID	PPB	500.00	4000.00	12/11/89			NR	02/24/89	
					NR		NR	06/16/89	600.00
					NR		NR	06/16/89	600.00
					NR		NR	08/09/89	
FMAGNES	PPB	50.00			NR		NR	02/24/89	7130.00
					NR		NR	06/16/89	7750.00
					NR		NR	06/16/89	6940.00
					NR		NR	08/09/89	7690.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-42-40B	SAMPLE DATE	6-42-40C	SAMPLE DATE	6-42-42B
FPOTASS	PPB	100.00			NR		NR	02/24/89	3880.00
					NR		NR	06/16/89	4140.00
					NR		NR	06/16/89	3680.00
					NR		NR	08/09/89	4120.00
FSILICO	PPB	50.00			NR		NR	02/24/89	18000.00
					NR		NR	06/16/89	19100.00
					NR		NR	06/16/89	17200.00
					NR		NR	08/09/89	20000.00
FSODIUM	PPB	200.00			NR		NR	02/24/89	19600.00
					NR		NR	06/16/89	21600.00
					NR		NR	06/16/89	19100.00
					NR		NR	08/09/89	21500.00
FSTRONT	PPB	10.00			NR		NR	02/24/89	150.00
					NR		NR	06/16/89	159.00
					NR		NR	06/16/89	142.00
					NR		NR	08/09/89	163.00
FVANADI	PPB	5.00			NR		NR	02/24/89	31.00
					NR		NR	06/16/89	33.00
					NR		NR	06/16/89	38.00
					NR		NR	08/09/89	33.00
FZINC	PPB	5.00	5000.00		NR		NR	02/24/89	31.00
					NR		NR	06/16/89	13.00
					NR		NR	06/16/89	12.00
					NR		NR	08/09/89	13.00
IRON	PPB	30.00	300.00	12/11/89	116000.00 *		NR	02/24/89	221.00
					NR		NR	06/16/89	229.00
					NR		NR	06/16/89	237.00
					NR		NR	08/09/89	291.00
LEADGF	PPB	5.00	50.00	12/11/89	25.00		NR	02/24/89	
					NR		NR	06/16/89	
					NR		NR	06/16/89	
					NR		NR	08/09/89	
LHYDRAZ	PPB	30.00		12/11/89	36.00		NR	02/24/89	
					NR		NR	06/16/89	
					NR		NR	06/16/89	
					NR		NR	08/09/89	
LITHIUM	PPB	10.00		12/11/89	12.00		NR	02/24/89	
					NR		NR	06/16/89	
					NR		NR	06/16/89	
					NR		NR	08/09/89	
MAGNES	PPB	50.00		12/11/89	10100.00		NR	02/24/89	7720.00
					NR		NR	06/16/89	7190.00
					NR		NR	06/16/89	6910.00
					NR		NR	08/09/89	6570.00
MANGESE	PPB	5.00	50.00	12/11/89	1790.00 *		NR	02/24/89	7.00
					NR		NR	06/16/89	5.00
					NR		NR	06/16/89	6.00
					NR		NR	08/09/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-42-40B	SAMPLE DATE	6-42-40C	SAMPLE DATE	6-42-42B
SODIUM	PPB	200.00			NR		NR	06/16/89	18200.00
					NR		NR	08/09/89	17600.00
STRONUM	PPB	10.00		12/11/89	156.00		NR	02/24/89	162.00
					NR		NR	06/16/89	151.00
					NR		NR	06/16/89	145.00
					NR		NR	08/09/89	130.00
SULFATE	PPB	500.00	250000.00	12/11/89	5600.00		NR	02/24/89	18400.00
					NR		NR	06/16/89	18900.00
					NR		NR	06/16/89	18800.00
					NR		NR	08/09/89	19000.00
TC	PPB	1000.00			NR		NR	02/24/89	23100.00
					NR		NR	06/16/89	23200.00
					NR		NR	06/16/89	23200.00
					NR		NR	08/09/89	24200.00
TDS		5000.00	500000.00	12/11/89	68000.00		NR		NR
TITAN	PPB	60.00		12/11/89	488.00		NR	02/24/89	
					NR		NR	06/16/89	
					NR		NR	06/16/89	
					NR		NR	08/09/89	
TOXLDL	PPB	10.00		12/11/89			NR	02/24/89	
					NR		NR	02/24/89	
					NR		NR	02/24/89	
					NR		NR	02/24/89	
					NR		NR	06/16/89	
					NR		NR	06/16/89	
					NR		NR	06/16/89	
					NR		NR	08/09/89	64.00
					NR		NR	08/09/89	62.00
					NR		NR	08/09/89	72.00
					NR		NR	08/09/89	68.00
TRITIUM	PCI/L	500.00	20000.00	01/05/89	4510.00	02/23/89	2970.00	02/24/89	72800.00 *
					(265.00)		(217.00)		(908.00)
				01/13/89	2200.00	08/28/89	3830.00	06/16/89	73700.00 *
					(215.00)		(228.00)		(908.00)
				02/08/89			NR	06/16/89	73200.00 *
									(904.00)
				03/02/89			NR	08/09/89	79500.00 *
									(678.00)
				08/28/89			NR		NR
				10/06/89	650.00		NR		NR
					(149.00)				
				12/11/89			NR		NR
TURBID	MTU	0.10	1.00	12/11/89	82.00 *		NR	02/24/89	0.70
					NR		NR	06/16/89	1.30 *
					NR		NR	08/09/89	1.00
U	PCI/L	0.50	600.00	12/11/89	1.73		NR	02/24/89	1.36
VANADUM	PPB	5.00		12/11/89	49.00		NR	02/24/89	32.00
					NR		NR	06/16/89	29.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-42-40B	SAMPLE DATE	6-42-40C	SAMPLE DATE	6-42-42B
VANADIUM	PPB	5.00			NR		NR	06/16/89	29.00
					NR		NR	08/09/89	35.00
ZINC	PPB	5.00	5000.00	12/11/89	81.00		NR	02/24/89	52.00
					NR		NR	06/16/89	14.00
					NR		NR	06/16/89	15.00
					NR		NR	08/09/89	13.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-43-3	SAMPLE DATE	6-43-41E	SAMPLE DATE	6-43-41F
ALPHAHI	PCI/L	4.00	15.00	04/14/89	3.12	12/05/89	4.21	12/05/89	3.11
				10/16/89	(1.95)		(1.89)		(1.77)
					2.16		NR		NR
					(1.42)				
ALUMNUM	PPB	150.00			NR	12/05/89		12/05/89	450.00
AMMONIU	PPB	50.00			NR	12/05/89	149.00	12/05/89	88.00
BARIU	PPB	6.00	1000.00		NR	12/05/89	61.00	12/05/89	52.00
BETA	PCI/L	8.00	50.00	04/14/89	38.10	12/05/89	6.69	12/05/89	10.20
				10/16/89	(4.72)		(2.68)		(2.92)
					40.50		NR		NR
					(4.77)				
BORON	PPB	10.00			NR	12/05/89	17.00	12/05/89	14.00
CALCIUM	PPB	50.00			NR	12/05/89	24300.00	12/05/89	26000.00
CHLORID	PPB	500.00	250000.00		NR	12/05/89	6600.00	12/05/89	6000.00
CHROMUM	PPB	10.00	50.00		NR	12/05/89	86.00 *	12/05/89	69.00 *
CO-60	PCI/L	22.50	100.00	04/14/89		12/05/89		12/05/89	
				10/16/89	10.50		NR		NR
					(8.03)				
CONDFLD	UMHO	1.00	700.00		NR	12/05/89	319.00	12/05/89	318.00
					NR	12/05/89	320.00	12/05/89	321.00
					NR	12/05/89	322.00	12/05/89	332.00
					NR	12/05/89	322.00	12/05/89	324.00
FBARIUM	PPB	6.00	1000.00		NR	12/05/89	57.00	12/05/89	50.00
FBORON	PPB	10.00			NR	12/05/89	13.00	12/05/89	25.00
FCALCIU	PPB	50.00			NR	12/05/89	23400.00	12/05/89	26500.00
FIRON	PPB	30.00	300.00		NR	12/05/89	30.00	12/05/89	157.00
FLUORID	PPB	500.00	4000.00		NR	12/05/89	500.00	12/05/89	
FMAGNES	PPB	50.00			NR	12/05/89	8900.00	12/05/89	10600.00
FMANGAN	PPB	5.00	50.00		NR	12/05/89	33.00	12/05/89	216.00 *
FPOTASS	PPB	100.00			NR	12/05/89	5060.00	12/05/89	4450.00
FSILICO	PPB	50.00			NR	12/05/89	10400.00	12/05/89	19100.00
FSDIUM	PPB	200.00			NR	12/05/89	25900.00	12/05/89	17700.00
FSTRONT	PPB	10.00			NR	12/05/89	177.00	12/05/89	203.00
FVANADI	PPB	5.00			NR	12/05/89		12/05/89	12.00
FZINC	PPB	5.00	5000.00		NR	12/05/89	14.00	12/05/89	89.00
HNITRAT	PPB	2500.00	45000.00	04/14/89	39600.00		NR		NR
				10/16/89	39500.00		NR		NR
I-129DW	PCI/L	1.00	1.00	03/10/89	0.03		NR		NR
					(0.03)				
IRON	PPB	30.00	300.00		NR	12/05/89	417.00 *	12/05/89	1540.00 *
MAGNES	PPB	50.00			NR	12/05/89	9210.00	12/05/89	10500.00
MANGESE	PPB	5.00	50.00		NR	12/05/89	45.00	12/05/89	154.00 *
NICKEL	PPB	10.00			NR	12/05/89	40.00	12/05/89	35.00
NITRATE	PPB	500.00	45000.00		NR	12/05/89	9300.00	12/05/89	9500.00
PHFIELD		0.10	8.50		NR	12/05/89	8.06	12/05/89	8.09
					NR	12/05/89	8.07	12/05/89	8.09
					NR	12/05/89	8.08	12/05/89	8.10
					NR	12/05/89	8.08	12/05/89	8.10

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-43-3	SAMPLE DATE	6-43-41E	SAMPLE DATE	6-43-41F
PHOSPHA	PPB	1000.00			NR	12/05/89	1600.00	12/05/89	
POTASUM	PPB	100.00			NR	12/05/89	5080.00	12/05/89	4280.00
RADIUM	PCI/L	1.00	5.00		NR	12/05/89	0.42 (0.22)	12/05/89	
SILICON	PPB	50.00			NR	12/05/89	10400.00	12/05/89	18500.00
SODIUM	PPB	200.00			NR	12/05/89	26900.00	12/05/89	17700.00
STRONUM	PPB	10.00			NR	12/05/89	185.00	12/05/89	199.00
SULFATE	PPB	500.00	250000.00		NR	12/05/89	33500.00	12/05/89	25800.00
TC	PPB	1000.00			NR	12/05/89	26200.00	12/05/89	26000.00
TC-99	PCI/L	15.00	900.00	03/10/89	347.00 (3.53)		NR		NR
TDS		5000.00	500000.00		NR	12/05/89	190000.00	12/05/89	181000.00
TOXLDL	PPB	10.00			NR	12/05/89	26.00	12/05/89	19.00
TRITIUM	PCI/L	500.00	20000.00	04/14/89	234000.00 *	12/05/89	95400.00 *	12/05/89	
				10/16/89	(1600.00) 231000.00 * (1600.00)		(1000.00) NR		NR
TURBID	NTU	0.10	1.00		NR	12/05/89	2.40 *	12/05/89	27.00 *
U	PCI/L	0.50	600.00		NR	12/05/89	1.84	12/05/89	2.39
UNKNOWN	PPB	0.00			NR	12/05/89	32.00		NR
VANADIUM	PPB	5.00			NR	12/05/89		12/05/89	12.00
ZINC	PPB	5.00	5000.00		NR	12/05/89	20.00	12/05/89	448.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-43-42J	SAMPLE DATE	6-43-43	SAMPLE DATE	6-43-45
ACETONE	PPB	10.00		02/24/89		02/24/89		12/06/89	
				06/15/89		02/24/89			NR
				08/09/89		06/15/89			NR
				08/09/89	12.00	08/09/89			NR
ALPHAHI	PCI/L	4.00	15.00	02/24/89	2.34	02/24/89		12/06/89	2.59
					(1.21)				(1.32)
				06/15/89	1.62	02/24/89			NR
					(1.17)				
				08/09/89	1.03	06/15/89			NR
					(0.99)				
				08/09/89	1.91	08/09/89			NR
					(1.24)				
ARSENIC	PPB	5.00	50.00	02/24/89	8.00	02/24/89	7.00	12/06/89	10.00
				06/15/89	10.00	02/24/89	7.00		NR
				08/09/89	8.00	06/15/89	8.00		NR
				08/09/89	8.00	08/09/89	7.00		NR
BARIUM	PPB	6.00	1000.00	02/24/89	13.00	02/24/89	14.00	12/06/89	40.00
				06/15/89	11.00	02/24/89	12.00		NR
				08/09/89	11.00	06/15/89	9.00		NR
				08/09/89	11.00	08/09/89	12.00		NR
BETA	PCI/L	8.00	50.00	02/24/89	4.52	02/24/89	3.99	12/06/89	6.86
					(2.41)		(2.38)		(2.59)
				06/15/89	7.18	02/24/89	4.23		NR
					(2.62)		(2.37)		
				08/09/89	5.85	06/15/89	4.08		NR
					(2.57)		(2.35)		
				08/09/89	5.57	08/09/89	11.90		NR
					(2.54)		(3.06)		
BORON	PPB	10.00		02/24/89	14.00	02/24/89	14.00	12/06/89	11.00
				06/15/89	17.00	02/24/89	12.00		NR
				08/09/89	13.00	06/15/89			NR
				08/09/89	14.00	08/09/89			NR
CADMIUM	PPB	2.00	10.00	02/24/89	2.00	02/24/89		12/06/89	
				06/15/89		02/24/89			NR
				08/09/89		06/15/89			NR
				08/09/89		08/09/89			NR
CALCIUM	PPB	50.00		02/24/89	25000.00	02/24/89	24600.00	12/06/89	26300.00
				06/15/89	25300.00	02/24/89	25400.00		NR
				08/09/89	23000.00	06/15/89	25600.00		NR
				08/09/89	22000.00	08/09/89	24600.00		NR
CHLORID	PPB	500.00	250000.00	02/24/89	3000.00	02/24/89	2900.00	12/06/89	2500.00
				06/15/89	3500.00	02/24/89	2900.00		NR
				08/09/89	3400.00	06/15/89	3200.00		NR
				08/09/89	3400.00	08/09/89	3200.00		NR
CHROMIUM	PPB	10.00	50.00	02/24/89	41.00	02/24/89	34.00	12/06/89	37.00
				06/15/89	51.00 *	02/24/89	23.00		NR
				08/09/89	206.00 *	06/15/89			NR
				08/09/89	118.00 *	08/09/89	22.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-43-42J	SAMPLE DATE	6-43-43	SAMPLE DATE	6-43-45
CONDFLD	UMHO	1.00	700.00	02/24/89	239.00	02/24/89	217.00	12/06/89	210.00
				02/24/89	239.00	02/24/89	214.00	12/06/89	210.00
				02/24/89	240.00	02/24/89	214.00	12/06/89	210.00
				02/24/89	240.00	02/24/89	214.00	12/06/89	210.00
				06/15/89	228.00	06/15/89	193.00		NR
				06/15/89	228.00	06/15/89	193.00		NR
				06/15/89	228.00	06/15/89	193.00		NR
				06/15/89	228.00	06/15/89	193.00		NR
				08/09/89	154.00	08/09/89	236.00		NR
				08/09/89	154.00	08/09/89	236.00		NR
				08/09/89	154.00	08/09/89	235.00		NR
				08/09/89	153.00	08/09/89	235.00		NR
CONDLAB	UMHO		700.00	02/24/89	222.00 a	02/24/89	195.00 a		NR
				06/15/89	233.00 a	06/15/89	213.00 a		NR
				08/09/89	220.00 a	08/09/89	214.00 a		NR
FARSEN I	PPB	5.00	50.00	02/24/89	8.00	02/24/89	7.00	12/06/89	9.00
				06/15/89	10.00	02/24/89	7.00		NR
				08/09/89	7.00	06/15/89	8.00		NR
				08/09/89	8.00	08/09/89	9.00		NR
FBARIUM	PPB	6.00	1000.00	02/24/89	12.00	02/24/89	13.00	12/06/89	38.00
				06/15/89	13.00	02/24/89	13.00		NR
				08/09/89	17.00	06/15/89	13.00		NR
				08/09/89	14.00	08/09/89	18.00		NR
FBORON	PPB	10.00		02/24/89	16.00	02/24/89	20.00	12/06/89	19.00
				06/15/89	16.00	02/24/89	13.00		NR
				08/09/89	16.00	06/15/89			NR
				08/09/89	14.00	08/09/89	16.00		NR
FCADMIU	PPB	2.00	10.00	02/24/89	3.00	02/24/89		12/06/89	
				06/15/89		02/24/89			NR
				08/09/89		06/15/89			NR
				08/09/89		08/09/89			NR
FCALCIU	PPB	50.00		02/24/89	24800.00	02/24/89	22600.00	12/06/89	26200.00
				06/15/89	26100.00	02/24/89	22600.00		NR
				08/09/89	25000.00	06/15/89	24900.00		NR
				08/09/89	25600.00	08/09/89	26400.00		NR
FCHROMI	PPB	10.00	50.00	02/24/89		02/24/89		12/06/89	
				06/15/89		02/24/89	10.00		NR
				08/09/89		06/15/89			NR
				08/09/89		08/09/89			NR
FIRON	PPB	30.00	300.00	02/24/89	33.00	02/24/89		12/06/89	
				06/15/89		02/24/89	31.00		NR
				08/09/89		06/15/89			NR
				08/09/89		08/09/89			NR
FMAGNES	PPB	50.00		02/24/89	6380.00	02/24/89	5430.00	12/06/89	6580.00
				06/15/89	6600.00	02/24/89	5370.00		NR
				08/09/89	6070.00	06/15/89	5960.00		NR
				08/09/89	6290.00	08/09/89	6070.00		NR
FMANGAN	PPB	5.00	50.00	02/24/89	5.00	02/24/89		12/06/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-43-42J	SAMPLE DATE	6-43-43	SAMPLE DATE	6-43-45
FMANGAN	PPB	5.00	50.00	06/15/89	5.00	02/24/89			NR
				08/09/89		06/15/89	5.00		NR
				08/09/89	5.00	08/09/89			NR
FNICKEL	PPB	10.00		02/24/89	12.00	02/24/89		12/06/89	
				06/15/89		02/24/89			NR
				08/09/89		06/15/89			NR
				08/09/89		08/09/89			NR
FPOTASS	PPB	100.00		02/24/89	5370.00	02/24/89	5750.00	12/06/89	5340.00
				06/15/89	5490.00	02/24/89	5600.00		NR
				08/09/89	5290.00	06/15/89	5630.00		NR
				08/09/89	5610.00	08/09/89	5810.00		NR
FSILICO	PPB	50.00		02/24/89	15900.00	02/24/89	13400.00	12/06/89	17500.00
				06/15/89	16600.00	02/24/89	13300.00		NR
				08/09/89	17000.00	06/15/89	12900.00		NR
				08/09/89	17000.00	08/09/89	14500.00		NR
FSDIUM	PPB	200.00		02/24/89	13500.00	02/24/89	7510.00	12/06/89	10500.00
				06/15/89	16500.00	02/24/89	7290.00		NR
				08/09/89	15100.00	06/15/89	7740.00		NR
				08/09/89	15900.00	08/09/89	8330.00		NR
FSTROWT	PPB	10.00		02/24/89	121.00	02/24/89	110.00	12/06/89	138.00
				06/15/89	127.00	02/24/89	110.00		NR
				08/09/89	121.00	06/15/89	119.00		NR
				08/09/89	123.00	08/09/89	126.00		NR
FVANADI	PPB	5.00		02/24/89	54.00	02/24/89	32.00	12/06/89	36.00
				06/15/89	62.00	02/24/89	32.00		NR
				08/09/89	61.00	06/15/89	35.00		NR
				08/09/89	64.00	08/09/89	40.00		NR
IRON	PPB	30.00	300.00	02/24/89	216.00	02/24/89	132.00	12/06/89	265.00
				06/15/89	199.00	02/24/89	98.00		NR
				08/09/89	795.00 *	06/15/89	58.00		NR
				08/09/89	436.00 *	08/09/89	73.00		NR
MAGNES	PPB	50.00		02/24/89	6350.00	02/24/89	5810.00	12/06/89	6610.00
				06/15/89	6300.00	02/24/89	5950.00		NR
				08/09/89	5630.00	06/15/89	6030.00		NR
				08/09/89	5330.00	08/09/89	5620.00		NR
MANGESE	PPB	5.00	50.00	02/24/89	8.00	02/24/89		12/06/89	6.00
				06/15/89	7.00	02/24/89			NR
				08/09/89	18.00	06/15/89	8.00		NR
				08/09/89	12.00	08/09/89			NR
NICKEL	PPB	10.00		02/24/89	29.00	02/24/89	20.00	12/06/89	20.00
				06/15/89	34.00	02/24/89	16.00		NR
				08/09/89	98.00	06/15/89			NR
				08/09/89	57.00	08/09/89			NR
NITRATE	PPB	500.00	45000.00	02/24/89	1800.00	02/24/89	700.00	12/06/89	1000.00
				06/15/89	1800.00	02/24/89	700.00		NR
				08/09/89	1400.00	06/15/89	1100.00		NR
				08/09/89	1400.00	08/09/89	1100.00		NR
PH-LAB		0.01	8.50	02/24/89	8.00	02/24/89	8.10		NR
				06/15/89	8.20	06/15/89	8.20		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-43-42J	SAMPLE DATE	6-43-43	SAMPLE DATE	6-43-45
PH-LAB		0.01	8.50	08/09/89	8.20	08/09/89	8.20		NR
PHFIELD		0.10	8.50	02/24/89	8.10	02/24/89	7.80	12/06/89	7.92
				02/24/89	8.10	02/24/89	7.80	12/06/89	7.93
				02/24/89	8.10	02/24/89	7.70	12/06/89	7.93
				02/24/89	8.10	02/24/89	7.80	12/06/89	7.93
				06/15/89	7.97	06/15/89	7.70		NR
				06/15/89	7.95	06/15/89	7.71		NR
				06/15/89	7.94	06/15/89	7.74		NR
				06/15/89	7.94	06/15/89	7.74		NR
				08/09/89	8.26	08/09/89	6.95		NR
				08/09/89	8.24	08/09/89	6.95		NR
				08/09/89	8.23	08/09/89	7.00		NR
				08/09/89	8.23	08/09/89	6.95		NR
POTASUM	PPB	100.00		02/24/89	5190.00	02/24/89	5990.00	12/06/89	5580.00
				06/15/89	5350.00	02/24/89	6140.00		NR
				08/09/89	4990.00	06/15/89	5860.00		NR
				08/09/89	4560.00	08/09/89	5250.00		NR
RADIUM	PCI/L	1.00	5.00	02/24/89	0.24	02/24/89		12/06/89	0.16
				06/15/89	(0.16)	06/15/89			(0.15)
					0.20				NR
				08/09/89	(0.16)				
					0.37	08/09/89			NR
					(0.20)				
				08/09/89			NR		NR
SILICON	PPB	50.00		02/24/89	16000.00	02/24/89	14500.00	12/06/89	17800.00
				06/15/89	16100.00	02/24/89	14900.00		NR
				08/09/89	15600.00	06/15/89	13400.00		NR
				08/09/89	15000.00	08/09/89	11400.00		NR
SODIUM	PPB	200.00		02/24/89	13100.00	02/24/89	7860.00	12/06/89	11000.00
				06/15/89	16400.00	02/24/89	8050.00		NR
				08/09/89	14000.00	06/15/89	8180.00		NR
				08/09/89	12700.00	08/09/89	7440.00		NR
STRONUM	PPB	10.00		02/24/89	121.00	02/24/89	120.00	12/06/89	142.00
				06/15/89	124.00	02/24/89	121.00		NR
				08/09/89	107.00	06/15/89	126.00		NR
				08/09/89	98.00	08/09/89	109.00		NR
SULFATE	PPB	500.00	250000.00	02/24/89	12600.00	02/24/89	11000.00	12/06/89	14500.00
				06/15/89	13900.00	02/24/89	11000.00		NR
				08/09/89	12800.00	06/15/89	12100.00		NR
				08/09/89	12800.00	08/09/89	10600.00		NR
TC	PPB	1000.00		02/24/89	23900.00	02/24/89	20500.00	12/06/89	25400.00
				06/15/89	25000.00	02/24/89	20500.00		NR
				08/09/89	23600.00	06/15/89	23100.00		NR
				08/09/89	23600.00	08/09/89	23600.00		NR
TDS		5000.00	500000.00		NR		NR	12/06/89	144000.00
TOXLDL	PPB	10.00		02/24/89		02/24/89		12/06/89	
				02/24/89		02/24/89			NR
				02/24/89		02/24/89			NR
				02/24/89		02/24/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-43-42J	SAMPLE DATE	6-43-43	SAMPLE DATE	6-43-45
TOXLDL	PPB	10.00		06/15/89		06/15/89			NR
				06/15/89		06/15/89			NR
				06/15/89		06/15/89			NR
				06/15/89		06/15/89			NR
				08/09/89		08/09/89	10.00		NR
				08/09/89		08/09/89			NR
				08/09/89		08/09/89	13.00		NR
				08/09/89		08/09/89			NR
TRITIUM	PCI/L	500.00	20000.00	02/24/89	2620.00	02/24/89	338.00	12/06/89	342.00
					(206.00)		(132.00)		(140.00)
				06/15/89	1790.00	02/24/89	432.00		NR
					(184.00)		(135.00)		
				08/09/89	1080.00	06/15/89	283.00		NR
					(117.00)		(131.00)		
				08/09/89	1160.00	08/09/89	287.00		NR
					(121.00)		(98.90)		
TURBID	MTU	0.10	1.00	02/24/89	1.50 *	02/24/89	0.50	12/06/89	0.80
				06/15/89	1.00	06/15/89	0.30		NR
				08/09/89	0.80	08/09/89	0.40		NR
U	PCI/L	0.50	600.00	02/24/89	1.51		NR	12/06/89	1.21
VANADUM	PPB	5.00		02/24/89	54.00	02/24/89	37.00	12/06/89	38.00
				06/15/89	60.00	02/24/89	37.00		NR
				08/09/89	56.00	06/15/89	28.00		NR
				08/09/89	53.00	08/09/89	30.00		NR
ZINC	PPB	5.00	5000.00	02/24/89	10.00	02/24/89		12/06/89	
				06/15/89		02/24/89	7.00		NR
				08/09/89		06/15/89			NR
				08/09/89		08/09/89			NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-43-88	SAMPLE DATE	6-44-4	SAMPLE DATE	6-44-42
ALPHAHI	PCI/L	4.00	15.00	04/25/89			NR	02/17/89	1.56
					NR		NR	06/15/89	(1.47)
					NR		NR	08/08/89	1.36
									(1.05)
ARSENIC	PPB	5.00	50.00		NR		NR	02/17/89	13.00
					NR		NR	06/15/89	14.00
					NR		NR	08/08/89	11.00
BARIUM	PPB	6.00	1000.00		NR		NR	02/17/89	14.00
					NR		NR	06/15/89	13.00
					NR		NR	08/08/89	12.00
BETA	PCI/L	8.00	50.00	04/25/89	6.65		NR	02/17/89	3.89
					(2.64)				(2.32)
					NR		NR	06/15/89	6.07
									(2.56)
					NR		NR	08/08/89	5.94
									(2.56)
BORON	PPB	10.00			NR		NR	02/17/89	
					NR		NR	06/15/89	11.00
					NR		NR	08/08/89	11.00
CALCIUM	PPB	50.00			NR		NR	02/17/89	21700.00
					NR		NR	06/15/89	21000.00
					NR		NR	08/08/89	19900.00
CHLORID	PPB	500.00	250000.00		NR		NR	02/17/89	3300.00
					NR		NR	06/15/89	3300.00
					NR		NR	08/08/89	3100.00
CHROMIUM	PPB	10.00	50.00		NR		NR	02/17/89	
					NR		NR	06/15/89	
					NR		NR	08/08/89	27.00
COND FLD	UMHO	1.00	700.00		NR		NR	02/17/89	240.00
					NR		NR	02/17/89	239.00
					NR		NR	02/17/89	240.00
					NR		NR	02/17/89	239.00
					NR		NR	06/15/89	188.00
					NR		NR	06/15/89	189.00
					NR		NR	06/15/89	188.00
					NR		NR	06/15/89	188.00
					NR		NR	08/08/89	226.00
					NR		NR	08/08/89	224.00
					NR		NR	08/08/89	223.00
					NR		NR	08/08/89	222.00
CONDLAB	UMHO		700.00		NR		NR	02/17/89	222.00 @
					NR		NR	06/15/89	217.00 @
					NR		NR	08/08/89	231.00 @
FARSEN I	PPB	5.00	50.00		NR		NR	02/17/89	12.00
					NR		NR	06/15/89	13.00
					NR		NR	08/08/89	8.00
FBAR IUM	PPB	6.00	1000.00		NR		NR	02/17/89	15.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-43-88	SAMPLE DATE	6-44-4	SAMPLE DATE	6-44-42
FBARIUM	PPB	6.00	1000.00		NR		NR	06/15/89	12.00
					NR		NR	08/08/89	17.00
FBORON	PPB	10.00			NR		NR	02/17/89	12.00
					NR		NR	06/15/89	17.00
					NR		NR	08/08/89	16.00
FCALCIU	PPB	50.00			NR		NR	02/17/89	22300.00
					NR		NR	06/15/89	20500.00
					NR		NR	08/08/89	22000.00
FMAGNES	PPB	50.00			NR		NR	02/17/89	6230.00
					NR		NR	06/15/89	5610.00
					NR		NR	08/08/89	5750.00
FPOTASS	PPB	100.00			NR		NR	02/17/89	5080.00
					NR		NR	06/15/89	4760.00
					NR		NR	08/08/89	4810.00
FSILICO	PPB	50.00			NR		NR	02/17/89	16300.00
					NR		NR	06/15/89	15800.00
					NR		NR	08/08/89	17500.00
FSCDIUM	PPB	200.00			NR		NR	02/17/89	16900.00
					NR		NR	06/15/89	15900.00
					NR		NR	08/08/89	15200.00
FSTRONT	PPB	10.00			NR		NR	02/17/89	128.00
					NR		NR	06/15/89	116.00
					NR		NR	08/08/89	123.00
FVANAD1	PPB	5.00			NR		NR	02/17/89	47.00
					NR		NR	06/15/89	53.00
					NR		NR	08/08/89	51.00
FZINC	PPB	5.00	5000.00		NR		NR	02/17/89	
					NR		NR	06/15/89	
					NR		NR	08/08/89	16.00
HNITRAT	PPB	2500.00	45000.00	04/25/89	19200.00	02/03/89	15600.00		NR
IRON	PPB	30.00	300.00		NR		NR	02/17/89	44.00
					NR		NR	06/15/89	71.00
					NR		NR	08/08/89	127.00
MAGNES	PPB	50.00			NR		NR	02/17/89	6020.00
					NR		NR	06/15/89	5690.00
					NR		NR	08/08/89	5260.00
NICKEL	PPB	10.00			NR		NR	02/17/89	
					NR		NR	06/15/89	
					NR		NR	08/08/89	15.00
WITRATE	PPB	500.00	45000.00		NR		NR	02/17/89	1400.00
					NR		NR	06/15/89	1300.00
					NR		NR	08/08/89	1500.00
PH-LAB		0.01	8.50		NR		NR	02/17/89	8.10
					NR		NR	06/15/89	8.20
					NR		NR	08/08/89	7.40
PHFIELD		0.10	8.50		NR		NR	02/17/89	7.60
					NR		NR	02/17/89	7.60
					NR		NR	02/17/89	7.60

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-43-88	SAMPLE DATE	6-44-4	SAMPLE DATE	6-44-42
TURBID	NTU	0.10	1.00		NR		NR	02/17/89	0.40
					NR		NR	06/15/89	0.30
					NR		NR	08/08/89	0.50
VANADUM	PPB	5.00			NR		NR	02/17/89	47.00
					NR		NR	06/15/89	50.00
					NR		NR	08/08/89	45.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-44-438	SAMPLE DATE	6-44-64	SAMPLE DATE	6-45-2
ALKALIN ALPHAHI	PCI/L	20000.00 4.00	15.00	12/20/89	NR 2.26 (1.65) 12/20/89 1.61 (1.34)	01/12/89 04/25/89	118000.00 1.93 (1.45) NR	04/14/89 10/16/89	NR 3.68 (1.98) 5.49 (2.18)
ALUMNUM	PPB	150.00		12/20/89	168.00		NR		NR
ARSENIC	PPB	5.00	50.00	12/20/89	7.00		NR		NR
BARIIUM	PPB	6.00	1000.00	12/20/89	7.00		NR		NR
BETA	PCI/L	8.00	50.00	12/20/89	47.00 47.00 7.79 (2.74) 12/20/89 5.18 (2.57)	04/25/89	NR 19.60 (3.61) NR	04/14/89 10/16/89	NR 34.10 (4.57) 40.10 (4.85)
BORON	PPB	10.00		12/20/89	13.00		NR		NR
CALCIUM	PPB	50.00		12/20/89	14.00		NR		NR
CHLORIO	PPB	500.00	250000.00	12/20/89	22300.00 22700.00	01/12/89	NR NR		NR
CHROMIUM	PPB	10.00	50.00	12/20/89	4300.00 4300.00 41.00 30.00		11500.00 NR NR		NR
CO-60	PCI/L	22.50	100.00	12/20/89	9.09 (7.86) 12/20/89		NR	04/14/89 10/16/89	NR
CONDFLD	UMHO	1.00	700.00	12/20/89	298.00 298.00 299.00 301.00	01/12/89	NR 403.00 NR NR		NR
CYANIDE	PPB	10.00		12/20/89	12/20/89	01/12/89	NR 11.00 NR		NR
FARSENIC	PPB	5.00	50.00	12/20/89	6.00 6.00		NR NR		NR
FBARIUM	PPB	6.00	1000.00	12/20/89	50.00 52.00	01/12/89	48.00 NR		NR
FBORON	PPB	10.00		12/20/89	16.00 15.00	01/12/89	18.00 NR		NR
FCALCIU	PPB	50.00		12/20/89	24600.00 24800.00	01/12/89	46000.00 NR		NR
FCHROMI	PPB	10.00	50.00	12/20/89	15.00	01/12/89	NR		NR
FIROM	PPB	30.00	300.00	12/20/89	157.00 318.00 *	01/12/89	NR		NR
FMAGNES	PPB	50.00		12/20/89	8830.00 8890.00	01/12/89	15900.00 NR		NR
FMANGAN	PPB	5.00	50.00	12/20/89	7.00	01/12/89	NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-44-43B	SAMPLE DATE	6-44-64	SAMPLE DATE	6-45-2
FPOTASS	PPB	100.00		12/20/89	4810.00	01/12/89	4910.00		NR
				12/20/89	4730.00		NR		NR
FSILICO	PPB	50.00		12/20/89	19500.00	01/12/89	23200.00		NR
				12/20/89	19800.00		NR		NR
FSDIUM	PPB	200.00		12/20/89	21600.00	01/12/89	15700.00		NR
				12/20/89	21700.00		NR		NR
FSTRONT	PPB	10.00		12/20/89	179.00	01/12/89	210.00		NR
				12/20/89	182.00		NR		NR
FVANADI	PPB	5.00		12/20/89	36.00	01/12/89	25.00		NR
				12/20/89	36.00		NR		NR
FZINC	PPB	5.00	5000.00	12/20/89	44.00	01/12/89	6.00		NR
				12/20/89	25.00		NR		NR
HNITRAT	PPB	2500.00	45000.00		NR	04/25/89	57500.00 *	04/14/89	39100.00
					NR		NR	10/16/89	38500.00
IRON	PPB	30.00	300.00	12/20/89	368.00 *		NR		NR
				12/20/89	562.00 *		NR		NR
MAGNES	PPB	50.00		12/20/89	8290.00		NR		NR
				12/20/89	8420.00		NR		NR
MANGESE	PPB	5.00	50.00	12/20/89	9.00		NR		NR
				12/20/89	11.00		NR		NR
NICKEL	PPB	10.00		12/20/89	21.00		NR		NR
				12/20/89	16.00		NR		NR
NITRATE	PPB	500.00	45000.00	12/20/89	7000.00	01/12/89	55000.00 *		NR
				12/20/89	7200.00		NR		NR
PH-LAB		0.01	8.50		NR	01/12/89	7.90		NR
PHFIELD		0.10	8.50	12/20/89	8.19	01/12/89	7.70		NR
				12/20/89	8.20		NR		NR
				12/20/89	8.20		NR		NR
				12/20/89	8.20		NR		NR
POTASUM	PPB	100.00		12/20/89	4530.00		NR		NR
				12/20/89	4570.00		NR		NR
PU39-40	PCI/L	17.00	1.20	12/20/89	0.02		NR		NR
					(0.01)				
				12/20/89			NR		NR
RADIUM	PCI/L	1.00	5.00	12/20/89			NR		NR
				12/20/89	0.29		NR		NR
					(0.19)				
SILICON	PPB	50.00		12/20/89	18000.00		NR		NR
				12/20/89	18300.00		NR		NR
SODIUM	PPB	200.00		12/20/89	20400.00		NR		NR
				12/20/89	20700.00		NR		NR
STRONUM	PPB	10.00		12/20/89	168.00		NR		NR
				12/20/89	168.00		NR		NR
SULFATE	PPB	500.00	250000.00	12/20/89	29600.00	01/12/89	35200.00		NR
				12/20/89	29700.00		NR		NR
TC	PPB	1000.00		12/20/89	26300.00	01/12/89	24500.00		NR
TDS		5000.00	500000.00	12/20/89	192000.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	12/20/89	40100.00 *	04/25/89	652.00	04/14/89	218000.00 *
					(650.00)		(147.00)		(1540.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-44-43B	SAMPLE DATE	6-44-64	SAMPLE DATE	6-45-2
TRITIUM	PCI/L	500.00	20000.00	12/20/89	41400.00 *		NR	10/16/89	211000.00 *
					(662.00)				(1530.00)
TURBID	NTU	0.10	1.00	12/20/89	5.00 *		NR		NR
U	PCI/L	0.50	600.00	12/20/89	1.51		NR		NR
				12/20/89	1.89		NR		NR
VANADUM	PPB	5.00		12/20/89	34.00		NR		NR
				12/20/89	35.00		NR		NR
ZINC	PPB	5.00	5000.00	12/20/89	29.00		NR		NR
				12/20/89	27.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-45-42	SAMPLE DATE	6-45-69A	SAMPLE DATE	6-46-4
ALKALIN		20000.00		01/16/89	102000.00		NR		NR
ALPHA	PCI/L	4.00	15.00	01/13/89	2.52		NR		NR
					(1.54)				
ALPHAHI	PCI/L	4.00	15.00	02/08/89	1.81	04/10/89	1.71	04/06/89	2.58
					(1.23)		(1.46)		(2.29)
				03/02/89			NR	11/10/89	2.82
									(1.62)
				10/09/89	3.00		NR		NR
					(1.56)				
BETA	PCI/L	8.00	50.00	01/13/89	3.50	04/10/89	3.45	04/06/89	23.30
					(2.32)		(2.39)		(3.91)
				02/08/89	2.95		NR	11/10/89	23.30
					(2.13)				(3.84)
				03/02/89	2.85		NR		NR
					(2.53)				
				10/09/89	5.19		NR		NR
					(2.39)				
CHLORID	PPB	500.00	250000.00	01/16/89	5400.00		NR		NR
CONOFLD	UMHO	1.00	700.00	01/16/89	292.00		NR		NR
FBARIUM	PPB	6.00	1000.00	01/16/89	34.00		NR		NR
FBORON	PPB	10.00		01/16/89	14.00		NR		NR
FCALCIU	PPB	50.00		01/16/89	26600.00		NR		NR
FCOPPER	PPB	10.00	(1300.0)	01/16/89	12.00		NR		NR
FMAGNES	PPB	50.00		01/16/89	10200.00		NR		NR
FPOTASS	PPB	100.00		01/16/89	4530.00		NR		NR
FSILICO	PPB	50.00		01/16/89	21700.00		NR		NR
FSODIUM	PPB	200.00		01/16/89	19300.00		NR		NR
FSTROWT	PPB	10.00		01/16/89	198.00		NR		NR
FVANADI	PPB	5.00		01/16/89	27.00		NR		NR
FZINC	PPB	5.00	5000.00	01/16/89	10.00		NR		NR
HNITRAT	PPB	2500.00	45000.00	01/13/89	7000.00	04/10/89	21700.00	04/06/89	29600.00
				02/08/89	7100.00		NR	11/10/89	28800.00
				03/02/89	6500.00		NR		NR
				10/09/89	6000.00		NR		NR
NITRATE	PPB	500.00	45000.00	01/16/89	6900.00		NR		NR
PH-LAB		0.01	8.50	01/16/89	8.00		NR		NR
PHFIELD		0.10	8.50	01/16/89	7.70		NR		NR
SULFATE	PPB	500.00	250000.00	01/16/89	36000.00		NR		NR
TC	PPB	1000.00		01/16/89	22000.00		NR		NR
TC-99	PCI/L	15.00	900.00		NR		NR	03/10/89	252.00
									(3.08)
TRITIUM	PCI/L	500.00	20000.00	01/13/89	44500.00 *	04/10/89		04/06/89	151000.00 *
					(701.00)				(1290.00)
				02/08/89	42500.00 *		NR	11/10/89	153000.00 *
					(674.00)				(1250.00)
				03/02/89	39100.00 *		NR		NR
					(656.00)				
				10/09/89	41400.00 *		NR		NR
					(680.00)				

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-45-42	SAMPLE DATE	6-45-69A	SAMPLE DATE	6-46-4
U-234	PC1/L	0.10	20.00	01/13/89	1.13 (0.10)		NR		NR
				02/08/89	1.19 (0.10)		NR		NR
				03/02/89	1.27 (0.10)		NR		NR
				10/09/89	0.93 (0.09)		NR		NR
U-235	PC1/L	0.10	24.00	01/13/89	0.03 (0.02)		NR		NR
				02/08/89	0.02 (0.02)		NR		NR
				03/02/89			NR		NR
				10/09/89			NR		NR
U-238	PC1/L	0.10	24.00	01/13/89	0.86 (0.09)		NR		NR
				02/08/89	1.19 (0.10)		NR		NR
				03/02/89	0.93 (0.09)		NR		NR
				10/09/89	0.75 (0.08)		NR		NR
U-CHEM	UG/L	0.73		01/13/89	2.51		NR		NR
				02/08/89	2.47		NR		NR
				03/02/89	2.68		NR		NR
				10/09/89	2.14		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-46-21B	SAMPLE DATE	6-47-5	SAMPLE DATE	6-47-35A
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ALPHA	PCI/L	4.00	15.00		NR	02/03/89	1.61	03/10/89	2.90
							(1.50)		(1.64)
ALPHAHI	PCI/L	4.00	15.00	04/06/89	3.37	04/06/89			NR
					(1.92)				
				11/09/89	2.40	10/16/89	1.69		NR
					(1.55)		(1.42)		
BETA	PCI/L	8.00	50.00	04/06/89	10.30	02/03/89	12.10	03/10/89	3.41
					(3.09)		(3.00)		(2.39)
				11/09/89	6.79	04/06/89	16.60		NR
					(2.63)		(3.52)		
					NR	10/16/89	19.80		NR
							(3.67)		
HNITRAT	PPB	2500.00	45000.00	04/06/89	17400.00	02/03/89	27800.00	03/10/89	14400.00
				11/09/89	16700.00	04/06/89	34600.00		NR
					NR	10/16/89	30000.00		NR
TRITIUM	PCI/L	500.00	20000.00	04/06/89	49000.00 *	02/03/89	167000.00 *	03/10/89	
					(764.00)		(1340.00)		
				11/09/89	48100.00 *	04/06/89	232000.00 *		NR
					(737.00)		(1590.00)		
					NR	10/16/89	200000.00 *		NR
							(1490.00)		
U	PCI/L	0.50	600.00		NR	04/06/89	2.37		NR
					NR	10/16/89	2.33		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-47-46A	SAMPLE DATE	6-47-50	SAMPLE DATE	6-47-60
BETA	PCI/L	8.00	50.00	04/07/89	8.64 (2.85)		NR	04/07/89	6.21 (2.63)
				11/27/89	10.90 (3.11)		NR		NR
HNITRAT	PPB	2500.00	45000.00	04/07/89	13700.00	02/21/89	4200.00	04/07/89	23300.00
				11/27/89	13300.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	04/07/89		02/21/89	288.00 (129.00)	04/07/89	
				11/27/89			NR		NR
U	PCI/L	0.50	600.00	04/07/89	2.34		NR	04/07/89	1.88
				11/27/89	2.14		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-48-7	SAMPLE DATE	6-48-18	SAMPLE DATE	6-48-71
ALPHAHI	PCI/L	4.00	15.00	04/06/89	1.41 (1.12)	04/06/89	2.06 (2.02)	04/25/89	2.70 (1.51)
				11/10/89		11/09/89	2.45 (1.51)	12/08/89	1.99 (1.34)
BETA	PCI/L	8.00	50.00	04/06/89	3.59 (2.38)	04/06/89	7.93 (2.72)	04/25/89	
				11/10/89		11/09/89	8.74 (2.81)	12/08/89	3.81 (2.27)
HNITRAT	PPB	2500.00	45000.00	04/06/89	6800.00	04/06/89	5600.00	04/25/89	23700.00
				11/10/89	4600.00	11/09/89	4300.00	12/08/89	22700.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-49-13E	SAMPLE DATE	6-49-28	SAMPLE DATE	6-49-55A
ALKALIN		20000.00			NR NR NR		NR NR NR	02/22/89 02/22/89 02/22/89	110000.00 111000.00 109000.00
ALPHAHI	PCI/L	4.00	15.00	04/26/89		04/05/89	4.53 (2.20)		
				10/26/89		10/19/89	2.21 (1.58)	10/17/89	3.46 (2.10)
BETA	PCI/L	8.00	50.00	04/26/89	6.09 (2.49)	04/05/89	7.50 (2.84)	04/05/89	317.00 + (12.70)
				10/26/89	5.67 (2.47)	10/19/89	5.25 (2.47)	10/17/89	278.00 + (12.00)
CHLORID	PPB	500.00	250000.00		NR NR NR		NR NR NR	02/22/89 02/22/89 02/22/89	10800.00 10700.00 10700.00
CO-60	PCI/L	22.50	100.00		NR NR		NR NR	04/05/89 10/17/89	27.30 43.40 (15.00)
COND FLO	UMHO	1.00	700.00		NR		NR	02/22/89	657.00
CYANIDE	PPB	10.00			NR NR NR NR NR NR NR NR		NR NR NR NR NR NR NR NR	02/22/89 02/22/89 02/22/89 02/22/89 02/22/89 02/22/89 02/22/89 02/22/89	96.20 81.50 108.00 99.80 92.30 87.60 33.00 32.00
FBARJUM	PPB	6.00	1000.00		NR NR NR		NR NR NR	02/22/89 02/22/89 02/22/89	32.00 32.00 21.00
FBDORON	PPB	10.00			NR NR NR		NR NR NR	02/22/89 02/22/89 02/22/89	19.00 24.00
FCALCIU	PPB	50.00			NR NR NR		NR NR NR	02/22/89 02/22/89 02/22/89	62200.00 59600.00 58700.00
FIRON	PPB	30.00	300.00		NR NR NR		NR NR NR	02/22/89 02/22/89 02/22/89	61.00 54.00 54.00
FMAGNES	PPB	50.00			NR NR NR		NR NR NR	02/22/89 02/22/89 02/22/89	17500.00 16900.00 16700.00
FMANGAN	PPB	5.00	50.00		NR NR NR		NR NR NR	02/22/89 02/22/89 02/22/89	29.00 28.00 28.00
FPOTASS	PPB	100.00			NR NR NR		NR NR NR	02/22/89 02/22/89 02/22/89	10100.00 9640.00 9690.00
FSILICO	PPB	50.00			NR NR NR		NR NR NR	02/22/89 02/22/89 02/22/89	18000.00 17600.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-49-13E	SAMPLE DATE	6-49-28	SAMPLE DATE	6-49-55A
FSILICO	PPB	50.00			NR		NR	02/22/89	17300.00
FSCDIUM	PPB	200.00			NR		NR	02/22/89	39400.00
					NR		NR	02/22/89	38200.00
					NR		NR	02/22/89	38100.00
FSTRONT	PPB	10.00			NR		NR	02/22/89	328.00
					NR		NR	02/22/89	316.00
					NR		NR	02/22/89	311.00
FVANADI	PPB	5.00			NR		NR	02/22/89	12.00
					NR		NR	02/22/89	9.00
					NR		NR	02/22/89	12.00
FZINC	PPB	5.00	5000.00		NR		NR	02/22/89	7.00
					NR		NR	02/22/89	8.00
					NR		NR	02/22/89	11.00
HNITRAT	PPB	2500.00	45000.00	04/26/89	6100.00	04/05/89		04/05/89	73100.00 *
				10/26/89	6000.00	10/19/89		10/17/89	63000.00 *
NITRATE	PPB	500.00	45000.00		NR		NR	02/22/89	94700.00 *
					NR		NR	02/22/89	94400.00 *
					NR		NR	02/22/89	94400.00 *
PH-LAB		0.01	8.50		NR		NR	02/22/89	8.00
					NR		NR	02/22/89	8.00
					NR		NR	02/22/89	8.00
PHFIELD		0.10	8.50		NR		NR	02/22/89	8.50
SULFATE	PPB	500.00	250000.00		NR		NR	02/22/89	112000.00
					NR		NR	02/22/89	112000.00
					NR		NR	02/22/89	112000.00
TC	PPB	1000.00			NR		NR	02/22/89	25600.00
					NR		NR	02/22/89	25300.00
					NR		NR	02/22/89	25300.00
TC-99	PCI/L	15.00	900.00	03/24/89			NR	03/24/89	3190.00 *
									(10.10)
TRITIUM	PCI/L	500.00	20000.00	04/26/89		04/05/89	1650.00	04/05/89	3620.00
							(178.00)		(233.00)
				10/26/89		10/19/89	2000.00	10/17/89	2910.00
							(195.00)		(216.00)
U	PCI/L	0.50	600.00		NR		NR	04/05/89	2.50
					NR		NR	10/17/89	3.69

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-49-55B	SAMPLE DATE	6-49-57	SAMPLE DATE	6-49-79
ALKALIN		20000.00			NR	01/17/89	111000.00	01/12/89	99000.00
					NR	01/17/89	111000.00		NR
					NR	01/17/89	112000.00		NR
ALPHAHI	PCI/L	4.00	15.00	04/05/89	3.63		NR	04/21/89	
					(2.00)				
				10/20/89	2.36		NR	10/20/89	1.11
					(1.38)				(1.04)
BETA	PCI/L	8.00	50.00	04/05/89	5.29	04/05/89	169.00 +	04/21/89	6.00
					(2.68)		(9.41)		(2.57)
				10/20/89	5.90	10/20/89	115.00 +	10/20/89	5.17
					(2.54)		(7.70)		(2.47)
CHLORID	PPB	500.00	250000.00		NR	01/17/89	5800.00	01/12/89	9200.00
					NR	01/17/89	5800.00		NR
					NR	01/17/89	5700.00		NR
CO-60	PCI/L	22.50	100.00		NR	04/05/89	14.90		NR
							(10.80)		
					NR	10/20/89			NR
CONDFLD	UMHO	1.00	700.00		NR	01/17/89	423.00	01/12/89	406.00
CYANIDE	PPB	10.00			NR	01/17/89	28.30	01/12/89	
					NR	01/17/89	17.00		NR
					NR	01/17/89	29.80		NR
					NR	01/17/89	19.00		NR
					NR	01/17/89	21.80		NR
					NR	01/17/89	31.20		NR
FBARIUM	PPB	6.00	1000.00		NR	01/17/89	24.00	01/12/89	27.00
					NR	01/17/89	25.00		NR
					NR	01/17/89	27.00		NR
FBORON	PPB	10.00			NR	01/17/89	15.00	01/12/89	11.00
					NR	01/17/89	12.00		NR
					NR	01/17/89	11.00		NR
FCALCIU	PPB	50.00			NR	01/17/89	32500.00	01/12/89	43400.00
					NR	01/17/89	31600.00		NR
					NR	01/17/89	33600.00		NR
FLUORID	PPB	500.00	4000.00		NR	01/17/89	600.00	01/12/89	
					NR	01/17/89	600.00		NR
					NR	01/17/89	600.00		NR
FMAGNES	PPB	50.00			NR	01/17/89	9220.00	01/12/89	13000.00
					NR	01/17/89	8890.00		NR
					NR	01/17/89	9410.00		NR
FPOTASS	PPB	100.00			NR	01/17/89	6320.00	01/12/89	3560.00
					NR	01/17/89	6130.00		NR
					NR	01/17/89	6460.00		NR
FSILICO	PPB	50.00			NR	01/17/89	18900.00	01/12/89	18700.00
					NR	01/17/89	18300.00		NR
					NR	01/17/89	19300.00		NR
FSODIUM	PPB	200.00			NR	01/17/89	36600.00	01/12/89	8340.00
					NR	01/17/89	35500.00		NR
					NR	01/17/89	37200.00		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-49-55B	SAMPLE DATE	6-49-57	SAMPLE DATE	6-49-79
FSTRONT	PPB	10.00			NR	01/17/89	167.00	01/12/89	177.00
					NR	01/17/89	162.00		NR
					NR	01/17/89	172.00		NR
FVANADI	PPB	5.00			NR	01/17/89	25.00	01/12/89	23.00
					NR	01/17/89	23.00		NR
					NR	01/17/89	25.00		NR
FZINC	PPB	5.00	5000.00		NR	01/17/89		01/12/89	8.00
					NR	01/17/89	9.00		NR
					NR	01/17/89	6.00		NR
HNITRAT	PPB	2500.00	45000.00	02/21/89		04/05/89	52900.00 *	04/21/89	41200.00
				08/28/89		10/20/89	43500.00	10/20/89	41500.00
I-129DW	PCI/L	1.00	1.00	03/24/89		03/27/89	0.69		NR
							(0.11)		
NITRATE	PPB	500.00	45000.00		NR	01/17/89	57800.00 *	01/12/89	40600.00
					NR	01/17/89	58000.00 *		NR
					NR	01/17/89	58700.00 *		NR
PH-LAB		0.01	8.50		NR	01/17/89	8.00	01/12/89	8.00
					NR	01/17/89	8.10		NR
					NR	01/17/89	8.10		NR
PHFIELD		0.10	8.50		NR	01/17/89	7.80	01/12/89	8.10
SULFATE	PPB	500.00	250000.00		NR	01/17/89	33200.00	01/12/89	45400.00
					NR	01/17/89	32500.00		NR
					NR	01/17/89	33900.00		NR
TC	PPB	1000.00			NR	01/17/89	22600.00	01/12/89	20500.00
					NR	01/17/89	22800.00		NR
					NR	01/17/89	22800.00		NR
TC-99	PCI/L	15.00	900.00	03/24/89		03/27/89	11.80		NR
							(1.24)		
TRITIUM	PCI/L	500.00	20000.00	02/21/89		04/05/89	5330.00	04/21/89	
				08/28/89		10/20/89	(271.00)	10/20/89	
							5130.00		
							(266.00)		
U	PCI/L	0.50	600.00		NR	04/05/89	1.93		NR
					NR	10/20/89	1.52		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-49-100C	SAMPLE DATE	6-50-30	SAMPLE DATE	6-50-42
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ALPHA	PCI/L	4.00	15.00	03/03/89			NR	02/03/89	1.82
ALPHAHI	PCI/L	4.00	15.00	04/21/89	2.57	04/05/89	10.50	04/05/89	(1.55)
				10/24/89	(1.92)	10/19/89	(3.43)	10/19/89	(1.34)
					1.88		2.36		(1.19)
					(1.43)		(1.54)		(1.41)
BETA	PCI/L	8.00	50.00	03/03/89	6.05	04/05/89	13.80	02/03/89	3.72
				04/21/89	(2.78)	10/19/89	(3.41)	04/05/89	(2.32)
					7.97		5.79		7.00
				10/24/89	(2.84)		(2.56)	10/19/89	(2.68)
					5.87		NR		5.67
					(2.59)			10/19/89	(2.55)
HNITRAT	PPB	2500.00	45000.00	03/03/89	13200.00	04/05/89		04/05/89	3100.00
				04/21/89	12900.00	10/19/89		10/19/89	4000.00
				10/24/89	13000.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	03/03/89		04/05/89		04/05/89	4010.00
				04/21/89		10/19/89		10/19/89	(248.00)
				10/24/89			NR		4540.00
									(253.00)
									NR

[illegible]

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-50-85	SAMPLE DATE	6-51-46	SAMPLE DATE	6-51-63
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
BETA	PCI/L	8.00	50.00	04/21/89	4.04	04/21/89	9.93	04/21/89	3.14
				10/20/89	(2.37)	10/19/89	(2.85)	12/06/89	(2.30)
					(2.44)		(2.57)		(2.35)
HNITRAT	PPB	2500.00	45000.00	04/21/89	25000.00	02/21/89		04/21/89	18900.00
				10/20/89	25500.00	08/31/89		12/06/89	18900.00
U	PCI/L	0.50	600.00		NR		NR	04/21/89	5.90
					NR		NR	12/06/89	1.81

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-51-75	SAMPLE DATE	6-52-19	SAMPLE DATE	6-52-46A
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ALPHAHI	PCI/L	4.00	15.00	04/21/89	2.55	04/24/89	2.73	04/21/89	
				12/08/89	(1.37)	10/24/89	(1.67)	10/23/89	3.97
BETA	PCI/L	8.00	50.00	04/21/89	4.76	04/24/89	5.69	04/21/89	(1.75)
				12/08/89	(2.48)	10/24/89	(2.49)		(2.87)
					(2.35)		(2.79)	10/23/89	9.42
HNITRAT	PPB	2500.00	45000.00	04/21/89	2700.00	04/24/89	4600.00	02/21/89	(2.88)
				12/08/89		10/24/89	5000.00	08/31/89	
I-129DW	PCI/L	1.00	1.00		NR	03/28/89	0.14	03/27/89	
							(0.08)		

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-52-48	SAMPLE DATE	6-53-47A	SAMPLE DATE	6-53-47B
ALPHA	PCI/L	4.00	15.00		NR	01/05/89		01/31/89	4.02
					NR	01/13/89	3.60	(	2.42)
							1.74)		NR
ALPHAHI	PCI/L	4.00	15.00	04/25/89	1.89	02/08/89	2.32	04/19/89	8.02
				10/23/89	(		1.45)	(	4.65)
						10/09/89	1.37		NR
							1.19)		
BETA	PCI/L	8.00	50.00	04/25/89	7.82	01/05/89	115.00 +	01/31/89	188.00 +
					(		7.73)	(	9.78)
				10/23/89	7.51	01/13/89	116.00 +	04/19/89	196.00 +
					(		7.75)	(	10.00)
					NR	02/08/89	94.90 +		NR
							7.03)		
					NR	10/09/89	147.00 +		NR
							8.90)		
CO-60	PCI/L	22.50	100.00		NR	01/05/89		01/31/89	
					NR	01/13/89		04/19/89	
					NR	02/08/89			NR
					NR	10/09/89	8.29		NR
							8.11)		
SR 90	PCI/L	5.00	8.00	04/25/89		01/05/89	58.50 *	01/31/89	106.00 *
				10/23/89			4.10)	(	5.35)
						01/13/89	57.70 *	04/19/89	116.00 *
							3.94)	(	5.65)
					NR	02/08/89	69.40 *		NR
							4.46)		
					NR	10/09/89	63.70 *		NR
							4.32)		

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-53-48A	SAMPLE DATE	6-53-48B	SAMPLE DATE	6-53-50
ALPHA	PCI/L	4.00	15.00	01/31/89	2.02	02/01/89			NR
					(1.68)				
ALPHAHI	PCI/L	4.00	15.00	04/19/89		04/19/89		04/19/89	2.83
								(1.55)	
BETA	PCI/L	8.00	50.00	01/31/89	197.00 +	02/01/89	503.00 +	04/19/89	7.88
					(10.30)		(22.40)	(2.80)	
				04/19/89	209.00 +	04/19/89	452.00 +		NR
					(10.60)		(15.40)		
CS-137	PCI/L	20.00	200.00	01/31/89	5.29	02/01/89			NR
					(4.00)				
				04/19/89		04/19/89			NR
SR 90	PCI/L	5.00	8.00	01/31/89	108.00 *	02/01/89	301.00 *	04/19/89	
					(5.59)		(42.10)		
				04/19/89	124.00 *	04/19/89	240.00 *		NR
					(5.81)		(8.06)		

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-53-55A	SAMPLE DATE	6-53-103	SAMPLE DATE	6-54-34
ALPHAHI	PCI/L	4.00	15.00	08/31/89	1.70		NR	04/19/89	2.46
					(1.36)			(1.71)	
BETA	PCI/L	8.00	50.00	02/24/89	4.18	03/23/89	7.18	04/19/89	6.35
					(2.33)		(2.64)	(2.64)	
				08/31/89	9.18		NR		NR
					(2.78)				
HNITRAT	PPB	2500.00	45000.00		NR	03/23/89		04/19/89	11900.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-54-45A	SAMPLE DATE	6-54-48	SAMPLE DATE	6-54-49
ALPHA	PCI/L	4.00	15.00		NR	01/31/89	2.11	01/31/89	
							(2.05)		
ALPHAHI	PCI/L	4.00	15.00	04/19/89	5.49	04/25/89		04/12/89	2.05
					(2.11)			(1.29)	
				10/23/89	31.10 *		NR		NR
					(5.81)				
BETA	PCI/L	8.00	50.00	04/19/89	5.13	01/31/89	67.80 +	01/31/89	30.20
					(2.64)		(6.07)	(4.25)	
				10/23/89	16.70	04/25/89	82.20 +	04/12/89	27.00
					(3.52)		(6.71)	(4.27)	
SR 90	PCI/L	5.00	8.00		NR	01/31/89	38.20 *	01/31/89	10.40 *
							(3.25)	(1.74)	
					NR	04/25/89	42.60 *	04/12/89	11.40 *
							(3.34)	(1.82)	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-54-57	SAMPLE DATE	6-55-40	SAMPLE DATE	6-55-44
ALPHAHI	PCI/L	4.00	15.00	04/12/89	2.40		NR		NR
				10/23/89	(1.53)		NR		NR
BETA	PCI/L	8.00	50.00	04/12/89	(1.24)		NR		NR
				10/23/89	(2.95)		NR		NR
HNITRAT	PPB	2500.00	45000.00	02/24/89	(2.78)	03/27/89	20500.00	03/27/89	
				08/31/89			NR		NR
TRITIUM	PCI/L	500.00	20000.00	02/24/89	247.00	03/27/89		03/27/89	
				08/31/89	(128.00)		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-55-50A	SAMPLE DATE	6-55-50C	SAMPLE DATE	6-55-50D
ALPHA	PCI/L	4.00	15.00		NR	02/23/89		02/23/89	4.75
ALPHAHI	PCI/L	4.00	15.00		NR	04/12/89	1.10	04/03/89	(1.98)
					NR		(1.01)		(7.32)
BETA	PCI/L	8.00	50.00	04/12/89	30.40	02/23/89	9.22	02/23/89	(2.80)
				10/23/89	(4.32)	04/12/89	(2.79)	04/03/89	(3.24)
					38.50		4.38	08/31/89	(1.51)
					(4.73)		(2.42)		(3.74)
					NR		NR	08/31/89	(2.41)
TRITIUM	PCI/L	500.00	20000.00	04/12/89		04/12/89		04/03/89	(2.94)
				10/23/89					5.98
U	PCI/L	0.50	600.00	04/12/89		04/12/89	NR	04/03/89	(2.56)
				10/23/89			0.76		291.00
							NR		(131.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-55-70	SAMPLE DATE	6-55-76	SAMPLE DATE	6-55-89
BETA	PCI/L	8.00	50.00	03/28/89	11.20		NR	03/28/89	4.05
					(3.11)				(2.36)
CO-60	PCI/L	22.50	100.00		NR		NR	03/28/89	7.37
U	PCI/L	0.50	600.00	03/28/89	1.59		NR	03/28/89	(6.02)
									0.83

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-56-43	SAMPLE DATE	6-56-53	SAMPLE DATE	6-57-29A
ALPHAHI	PCI/L	4.00	15.00	04/03/89	2.92 (1.52)	04/03/89		04/03/89	1.56 (1.33)
BETA	PCI/L	8.00	50.00	10/23/89 04/03/89	4.78 (2.45)	10/23/89 04/03/89	8.56 (2.80)	04/03/89	NR 7.57 (2.82)
HNITRAT	PPB	2500.00	45000.00	10/23/89	2.84 (2.19)	10/23/89	5.16 (2.39)		NR
I-129DW	PCI/L	1.00	1.00	04/03/89 10/23/89 03/28/89		03/03/89 08/31/89 03/28/89		04/03/89	3100.00 NR NR
TRITIUM	PCI/L	500.00	20000.00	04/03/89		03/03/89	0.05 (0.05)	04/03/89	579.00 (141.00)
				10/23/89		08/31/89			NR
BETA	PCI/L	8.00	50.00	01/18/89	6.54 (2.61)		NR	04/03/89	8.51 (2.84)
HNITRAT	PPB	2500.00	45000.00	04/03/89	5.98 (2.61)		NR		NR
TC-99	PCI/L	15.00	900.00	04/03/89	3400.00 NR	04/03/89 10/24/89		04/03/89	NR NR
TRITIUM	PCI/L	500.00	20000.00	01/18/89	18.10 (1.33)		NR		
U	PCI/L	0.50	600.00	04/03/89	894.00 (156.00)		NR	04/03/89	483.00 (136.00)
				04/03/89	0.57		NR	04/03/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-60-60	SAMPLE DATE	6-61-37	SAMPLE DATE	6-61-41
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ALPHAHI	PCI/L	4.00	15.00		NR	04/03/89	1.78	04/03/89	2.32
BETA	PCI/L	8.00	50.00	01/18/89	40.10	04/03/89	(1.39)	04/03/89	(1.63)
					(4.89)				
HNITRAT	PPB	2500.00	45000.00	01/18/89	3200.00	04/03/89	3.96	04/03/89	11.00
TC-99	PCI/L	15.00	900.00	01/18/89	139.00		(2.39)		(3.00)
					(2.36)				
TRITIUM	PCI/L	500.00	20000.00	01/18/89	6510.00	04/03/89	518.00	04/03/89	239.00
					(306.00)		(136.00)		(125.00)
U	PCI/L	0.50	600.00	01/18/89	0.74		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-61-62	SAMPLE DATE	6-61-66	SAMPLE DATE	6-62-31
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
BETA	PCI/L	8.00	50.00	04/04/89	76.60 +	04/04/89	7.13		NR
					(6.51)		(2.66)		
CO-60	PCI/L	22.50	100.00	04/04/89	5.33	04/04/89			NR
					(4.77)				
HNITRAT	PPB	2500.00	45000.00	04/04/89	48800.00 *	04/04/89	5100.00	04/03/89	64400.00 *
I-129DW	PCI/L	1.00	1.00	01/18/89	0.12	01/18/89			NR
					(0.05)				
TC-99	PCI/L	15.00	900.00	01/18/89	548.00	01/18/89			NR
					(4.27)				
TRITIUM	PCI/L	500.00	20000.00	04/04/89	8540.00	04/04/89			NR
					(328.00)				
U	PCI/L	0.50	600.00	04/04/89	1.22	04/04/89	1.61		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-63-25A	SAMPLE DATE	6-63-55	SAMPLE DATE	6-63-58
ALPHAHI	PCI/L	4.00	15.00	04/03/89	6.22		NR		NR
				12/06/89	(3.09)		NR		NR
BETA	PCI/L	8.00	50.00	04/03/89	(1.67)	04/03/89	17.50	01/18/89	34.60
				12/06/89	(2.44)	12/08/89	(3.46)	04/04/89	(4.55)
					7.06		20.70		45.10
					(2.69)		(3.68)		(5.09)
					NR		NR	12/08/89	45.90
HNITRAT	PPB	2500.00	45000.00	04/03/89	18300.00	04/03/89	6600.00	04/04/89	(5.14)
				12/06/89	17500.00	12/08/89	7700.00	12/08/89	21600.00
TRITIUM	PCI/L	500.00	20000.00	04/03/89		04/03/89	930.00	04/04/89	29600.00
				12/06/89		12/08/89	(152.00)	12/08/89	1790.00
							917.00		(186.00)
							(159.00)		1940.00
U	PCI/L	0.50	600.00		NR	04/03/89	1.16	04/04/89	(191.00)
					NR	12/08/89	0.76	12/08/89	1.09
									1.06

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-63-90	SAMPLE DATE	6-64-27	SAMPLE DATE	6-64-62
ALPHAHI	PCI/L	4.00	15.00	04/19/89	2.15		NR		NR
					(1.58)				
BETA	PCI/L	8.00	50.00	04/19/89	5.21		NR	04/04/89	69.10 +
					(2.68)				(6.15)
CO-60	PCI/L	22.50	100.00		NR		NR	04/04/89	14.00
HNITRAT	PPB	2500.00	45000.00	04/19/89	5400.00	01/19/89	42300.00	04/04/89	(12.00)
TC-99	PCI/L	15.00	900.00		NR		NR	01/18/89	37700.00
TRITIUM	PCI/L	500.00	20000.00	04/19/89		01/19/89		04/04/89	350.00
									(3.47)
									8270.00
									(326.00)
U	PCI/L	0.50	600.00		NR		NR	04/04/89	1.84

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-65-23	SAMPLE DATE	6-65-50	SAMPLE DATE	6-65-59A
BETA	PCI/L	8.00	50.00		NR	04/04/89	8.90	04/04/89	22.50
					NR	12/08/89	(2.87) 11.50		(3.90) NR
HNITRAT	PPB	2500.00	45000.00	01/19/89	18300.00	04/04/89	4210.00	04/04/89	11200.00
TC-99	PCI/L	15.00	900.00		NR	12/08/89	6900.00	01/19/89	972.00 *
TRITIUM	PCI/L	500.00	20000.00	01/19/89		04/04/89	685.00	04/04/89	(5.68) 1300.00
					NR	12/08/89	(147.00) 701.00		(169.00) NR
U	PCI/L	0.50	600.00		NR	04/04/89	(153.00) 0.76	04/04/89	0.84
					NR	12/08/89	1.44		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-65-72	SAMPLE DATE	6-65-83	SAMPLE DATE	6-66-23
ALKALIN		20000.00			NR	01/20/89	115000.00		NR
ALPHAHI	PCI/L	4.00	15.00		NR	04/13/89	1.66		NR
					NR	12/08/89	(1.41)		NR
							1.27		NR
							(1.08)		NR
BETA	PCI/L	8.00	50.00	04/05/89	17.20	04/13/89	8.38		NR
					(3.52)		(2.94)		NR
				10/23/89	16.30	12/08/89	9.74		NR
					(3.42)		(2.78)		NR
CHLORID	PPB	500.00	250000.00		NR	01/20/89	6200.00		NR
CONDFLD	UMHO	1.00	700.00		NR	01/20/89	311.00		NR
FBARIUM	PPB	6.00	1000.00		NR	01/20/89	7.00		NR
FBORON	PPB	10.00			NR	01/20/89	18.00		NR
FCALCIU	PPB	50.00			NR	01/20/89	30900.00		NR
FCHROMI	PPB	10.00	50.00		NR	01/20/89	19.00		NR
FMAGNES	PPB	50.00			NR	01/20/89	9390.00		NR
FPOTASS	PPB	100.00			NR	01/20/89	6760.00		NR
FSILICO	PPB	50.00			NR	01/20/89	23200.00		NR
FSODIUM	PPB	200.00			NR	01/20/89	14500.00		NR
FSTRONT	PPB	10.00			NR	01/20/89	135.00		NR
FVANADI	PPB	5.00			NR	01/20/89	25.00		NR
HNITRAT	PPB	2500.00	45000.00	04/05/89	20100.00	04/13/89	5300.00	04/24/89	42500.00
				10/23/89	17500.00	12/08/89	5400.00	10/25/89	42500.00
NITRATE	PPB	500.00	45000.00		NR	01/20/89	5400.00		NR
PH-LAB		0.01	8.50		NR	01/20/89	8.10		NR
PHFIELD		0.10	8.50		NR	01/20/89	7.50		NR
SULFATE	PPB	500.00	250000.00		NR	01/20/89	39900.00		NR
TC	PPB	1000.00			NR	01/20/89	24200.00		NR
TRITIUM	PCI/L	500.00	20000.00	04/05/89	2650.00	04/13/89	634.00		NR
					(207.00)		(145.00)		NR
				10/23/89	2320.00	12/08/89	923.00		NR
					(203.00)		(161.00)		NR
U	PCI/L	0.50	600.00	04/05/89	1.85		NR		NR
				10/23/89	1.65		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-66-38	SAMPLE DATE	6-66-39	SAMPLE DATE	6-66-58
BETA	PCI/L	8.00	50.00		NR		NR	04/18/89	10.20
					NR		NR	10/24/89	(2.93)
									20.60
									(3.61)
HNITRAT	PPB	2500.00	45000.00	04/18/89 12/07/89		04/18/89 12/07/89		04/18/89	7100.00
TC-99	PCI/L	15.00	900.00		NR		NR	10/24/89	10500.00
TRITIUM	PCI/L	500.00	20000.00		NR		NR	01/19/89	10.40
					NR		NR	04/18/89	(1.27)
					NR		NR	10/24/89	(797.00)
					NR		NR		(145.00)
					NR		NR		(778.00)
					NR		NR		(158.00)
U	PCI/L	0.50	600.00		NR		NR	04/18/89	0.81
					NR		NR	10/24/89	0.69

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-66-64	SAMPLE DATE	6-66-103	SAMPLE DATE	6-67-51
BETA	PCI/L	8.00	50.00	04/19/89	61.30 +	04/19/89	3.97		NR
				10/23/89	(5.76)		(2.24)		NR
					48.00		NR		NR
					(5.10)				
CO-60	PCI/L	22.50	100.00	04/19/89	11.40	04/19/89	NR		NR
				10/23/89	(7.19)				NR
HNITRAT	PPB	2500.00	45000.00	04/19/89	22500.00	04/19/89		04/18/89	
				10/23/89	23500.00		NR	10/31/89	2500.00
TC-99	PCI/L	15.00	900.00	01/18/89	376.00		NR		NR
					(3.58)				
TRITIUM	PCI/L	500.00	20000.00	04/19/89	6070.00	04/19/89		04/18/89	360.00
				10/23/89	(277.00)			10/31/89	(128.00)
					6220.00		NR		545.00
					(290.00)				(147.00)
U	PCI/L	0.50	600.00	04/19/89	1.27		NR	04/18/89	0.87
				10/23/89	1.00		NR	10/31/89	2.31

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-67-86	SAMPLE DATE	6-67-98	SAMPLE DATE	6-68-105
ALKALIN		20000.00		01/13/89	113000.00		NR		NR
ALPHAHI	PCI/L	4.00	15.00	04/19/89		04/19/89	2.00		NR
				10/23/89		10/23/89	(1.31)		NR
BETA	PCI/L	8.00	50.00	04/19/89	6.60	04/19/89	(1.36)		NR
				10/23/89	(2.67)	10/23/89	(2.67)		NR
					4.12		3.82		NR
					(2.39)		(2.24)		NR
CHLORID	PPB	500.00	250000.00	01/13/89	4700.00		NR		NR
CONDFLD	UMHO	1.00	700.00	01/13/89	295.00		NR		NR
FBARIUM	PPB	6.00	1000.00	01/13/89	12.00		NR		NR
FBORON	PPB	10.00		01/13/89	22.00		NR		NR
FCALCIU	PPB	50.00		01/13/89	34900.00		NR		NR
FCHROMI	PPB	10.00	50.00	01/13/89	25.00		NR		NR
FMAGNES	PPB	50.00		01/13/89	8940.00		NR		NR
FPOTASS	PPB	100.00		01/13/89	6010.00		NR		NR
FSILICO	PPB	50.00		01/13/89	21600.00		NR		NR
FSODIUM	PPB	200.00		01/13/89	16000.00		NR		NR
FSTRONT	PPB	10.00		01/13/89	142.00		NR		NR
FVANADI	PPB	5.00		01/13/89	16.00		NR		NR
FZINC	PPB	5.00	5000.00	01/13/89	11.00		NR		NR
HNITRAT	PPB	2500.00	45000.00	04/19/89	3200.00	04/19/89	4600.00	03/23/89	NR
				10/23/89	3500.00	10/23/89	5000.00		NR
NITRATE	PPB	500.00	45000.00	01/13/89	3000.00		NR		NR
PH-LAB		0.01	8.50	01/13/89	7.80		NR		NR
PHFIELD		0.10	8.50	01/13/89	7.60		NR		NR
SULFATE	PPB	500.00	250000.00	01/13/89	36200.00		NR		NR
TC	PPB	1000.00		01/13/89	24900.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	04/19/89	736.00	04/19/89		03/23/89	
					(141.00)				
				10/23/89	875.00	10/23/89			NR
					(161.00)				

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-69-38	SAMPLE DATE	6-70-68	SAMPLE DATE	6-71-30
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ALPHAHI	PCI/L	4.00	15.00	04/18/89			NR	04/20/89	6.19
				10/24/89			NR	10/26/89	(2.80)
BETA	PCI/L	8.00	50.00	04/18/89	20.90	04/20/89	14.10	04/20/89	(2.53)
				10/24/89	(3.97)		(3.25)	10/26/89	(2.74)
					5.14	11/09/89	18.40		6.38
					(2.43)		(3.57)		(2.60)
HNITRAT	PPB	2500.00	45000.00	04/18/89		04/20/89	5000.00	04/20/89	32100.00
				10/24/89		11/09/89	5000.00	10/26/89	34500.00
TC-99	PCI/L	15.00	900.00		NR	01/26/89	136.00		NR
							(2.32)		
TRITIUM	PCI/L	500.00	20000.00	04/18/89		04/20/89	1610.00	04/20/89	
				10/24/89			(173.00)		
						11/09/89	1860.00	10/26/89	
							(192.00)		
U	PCI/L	0.50	600.00		NR	04/20/89	0.77		NR
					NR	11/09/89	1.17		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-71-52	SAMPLE DATE	6-71-77	SAMPLE DATE	6-72-73
ALKALIN BETA	PCI/L	20000.00 8.00	50.00	02/22/89 04/18/89 10/24/89	113000.00 8.11 (2.77) 5.94 (2.49)	04/20/89 10/23/89	NR 23.90 (3.94) 25.70 (3.99)	01/18/89	NR 12.50 (3.05) NR
CHLORID	PPB	500.00	250000.00	02/22/89	7800.00		NR		NR
CONDFLD	UMHO	1.00	700.00	02/22/89	355.00		NR		NR
FBARIUM	PPB	6.00	1000.00	02/22/89	30.00		NR		NR
FBORON	PPB	10.00		02/22/89	11.00		NR		NR
FCALCIU	PPB	50.00		02/22/89	31600.00		NR		NR
FMAGNES	PPB	50.00		02/22/89	9950.00		NR		NR
FPOTASS	PPB	100.00		02/22/89	5540.00		NR		NR
FSILICO	PPB	50.00		02/22/89	15400.00		NR		NR
FSODIUM	PPB	200.00		02/22/89	20500.00		NR		NR
FSTRONT	PPB	10.00		02/22/89	204.00		NR		NR
FVANADI	PPB	5.00		02/22/89	18.00		NR		NR
HNITRAT	PPB	2500.00	45000.00	04/18/89 10/24/89	6900.00 6500.00	04/20/89 10/23/89	9600.00 13500.00	01/18/89	4500.00 NR
NITRATE	PPB	500.00	45000.00	02/22/89	7500.00		NR		NR
PH-LAB		0.01	8.50	02/22/89	8.10		NR		NR
PHFIELD		0.10	8.50	02/22/89	8.10		NR		NR
SULFATE	PPB	500.00	250000.00	02/22/89	45700.00		NR		NR
TC	PPB	1000.00		02/22/89	25900.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	04/18/89 10/24/89	769.00 (151.00) 808.00 (159.00)	04/20/89 10/23/89	2530.00 (203.00) 3220.00 (228.00)	01/18/89	1280.00 (194.00) NR
U	PCI/L	0.50	600.00	04/18/89 10/24/89	1.72 1.62	04/20/89 10/23/89	1.54 1.22		NR NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-72-88	SAMPLE DATE	6-72-92	SAMPLE DATE	6-73-61
ALKALIN		20000.00			NR		NR	01/19/89	113000.00
ALPHAHI	PCI/L	4.00	15.00	04/19/89	1.34		NR		NR
				10/23/89	(1.30)		NR		NR
BETA	PCI/L	8.00	50.00	04/19/89	6.73	01/18/89	2.94	04/11/89	6.22
				10/23/89	(2.56)		(2.13)		(2.77)
CHLORID	PPB	500.00	250000.00		NR		NR	01/19/89	6100.00
CONDFLD	UMHO	1.00	700.00		NR		NR	01/19/89	351.00
FBARIUM	PPB	6.00	1000.00		NR		NR	01/19/89	29.00
FBORON	PPB	10.00			NR		NR	01/19/89	17.00
FCALCIU	PPB	50.00			NR		NR	01/19/89	35300.00
FCHROMI	PPB	10.00	50.00		NR		NR	01/19/89	11.00
FMAGNES	PPB	50.00			NR		NR	01/19/89	9400.00
FPOTASS	PPB	100.00			NR		NR	01/19/89	4730.00
FSILICO	PPB	50.00			NR		NR	01/19/89	13600.00
FSODIUM	PPB	200.00			NR		NR	01/19/89	17700.00
FSTRONT	PPB	10.00			NR		NR	01/19/89	212.00
FVANADI	PPB	5.00			NR		NR	01/19/89	6.00
FZINC	PPB	5.00	5000.00		NR		NR	01/19/89	164.00
HNITRAT	PPB	2500.00	45000.00	04/19/89	5500.00	01/18/89	8800.00	04/11/89	8500.00
				10/23/89	8000.00		NR		NR
NITRATE	PPB	500.00	45000.00		NR		NR	01/19/89	8800.00
PH-LAB		0.01	8.50		NR		NR	01/19/89	8.00
PHFIELD		0.10	8.50		NR		NR	01/19/89	7.90
SULFATE	PPB	500.00	250000.00		NR		NR	01/19/89	40500.00
TC	PPB	1000.00			NR		NR	01/19/89	24500.00
TRITIUM	PCI/L	500.00	20000.00	04/19/89	2440.00	01/18/89	1550.00	04/11/89	
				10/23/89	(197.00)		(205.00)		NR
					4220.00		NR		
					(247.00)				
U	PCI/L	0.50	600.00		NR		NR	04/11/89	1.73

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-74-44	SAMPLE DATE	6-77-36	SAMPLE DATE	6-77-54
ALKALIN		20000.00			NR	01/20/89	217000.00		NR
ALPHAHI	PCI/L	4.00	15.00	04/11/89	2.17		NR	04/11/89	2.28
				11/09/89	(1.45)		NR	11/09/89	(1.39)
					2.57				1.94
					(1.50)				(1.40)
BETA	PCI/L	8.00	50.00	04/11/89			NR	04/11/89	4.18
				11/09/89	3.82		NR	11/09/89	(2.46)
					(2.26)				(2.40)
CHLORID	PPB	500.00	250000.00		NR	01/20/89	18800.00		NR
CONDFLD	UMHO	1.00	700.00		NR	01/20/89	500.00		NR
FBARIUM	PPB	6.00	1000.00		NR	01/20/89	48.00		NR
FBORON	PPB	10.00			NR	01/20/89	219.00		NR
FCALCIU	PPB	50.00			NR	01/20/89	53100.00		NR
FLITHIU	PPB	10.00			NR	01/20/89	14.00		NR
FLUORID	PPB	500.00	4000.00		NR	01/20/89	600.00		NR
FMAGNES	PPB	50.00			NR	01/20/89	15800.00		NR
FMANGAN	PPB	5.00	50.00		NR	01/20/89	6.00		NR
FPOTASS	PPB	100.00			NR	01/20/89	5600.00		NR
FSILICO	PPB	50.00			NR	01/20/89	16800.00		NR
FSODIUM	PPB	200.00			NR	01/20/89	66800.00		NR
FSTRONT	PPB	10.00			NR	01/20/89	494.00		NR
FVANADI	PPB	5.00			NR	01/20/89	10.00		NR
HEXANE	PPB	0.00			NR	01/20/89	5.00		NR
					NR	01/20/89	15.00		NR
					NR	01/20/89	16.00		NR
HNITRAT	PPB	2500.00	45000.00	04/11/89	7100.00	01/26/89	58900.00 *	04/11/89	8400.00
				11/09/89	7600.00		NR	11/09/89	7600.00
NITRATE	PPB	500.00	45000.00		NR	01/20/89	56700.00 *		NR
PH-LAB		0.01	8.50		NR	01/20/89	7.90		NR
PHFIELD		0.10	8.50		NR	01/20/89	7.00		NR
SULFATE	PPB	500.00	250000.00		NR	01/20/89	54200.00		NR
TC	PPB	1000.00			NR	01/20/89	46600.00		NR
TRICENE	PPB	5.00	5.00		NR	01/20/89	32.00 *		NR
					NR	01/20/89	30.00 *		NR
					NR	01/20/89	29.00 *		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-78-62	SAMPLE DATE	6-80-43P	SAMPLE DATE	6-80-43Q
ALKALIN BETA	PCI/L	20000.00 8.00	50.00	01/19/89	116000.00 NR	03/28/89	NR 6.18 (2.53)	03/28/89	NR 6.08 (2.53)
CHLORID	PPB	500.00	250000.00	01/19/89	6300.00		NR		NR
CONDFLD	UMHO	1.00	700.00	01/19/89	309.00		NR		NR
FBARIUM	PPB	6.00	1000.00	01/19/89	31.00		NR		NR
FBORON	PPB	10.00		01/19/89	17.00		NR		NR
FCALCIU	PPB	50.00		01/19/89	40200.00		NR		NR
FCHROMI	PPB	10.00	50.00	01/19/89	81.00 *		NR		NR
FMAGNES	PPB	50.00		01/19/89	11400.00		NR		NR
FPOTASS	PPB	100.00		01/19/89	4990.00		NR		NR
FSILICO	PPB	50.00		01/19/89	15800.00		NR		NR
FSODIUM	PPB	200.00		01/19/89	17800.00		NR		NR
FSTRONT	PPB	10.00		01/19/89	271.00		NR		NR
FVANADI	PPB	5.00		01/19/89	10.00		NR		NR
FZINC	PPB	5.00	5000.00	01/19/89	52.00		NR		NR
NNITRAT	PPB	2500.00	45000.00	01/26/89	9200.00	03/28/89		03/28/89	
NITRATE	PPB	500.00	45000.00	01/19/89	9000.00		NR		NR
PH-LAB		0.01	8.50	01/19/89	8.00		NR		NR
PHFIELD		0.10	8.50	01/19/89	7.60		NR		NR
SULFATE	PPB	500.00	250000.00	01/19/89	54400.00		NR		NR
TC	PPB	1000.00		01/19/89	23900.00		NR		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-80-43R	SAMPLE DATE	6-80-43S	SAMPLE DATE	6-81-58
ALKALIN		20000.00			NR		NR	01/16/89	93000.00
ALPHA	PCI/L	4.00	15.00	03/28/89		03/28/89	9.82 (3.19)		NR
ALPHAHI	PCI/L	4.00	15.00		NR		NR	03/03/89	
					NR		NR	09/18/89	
					NR		NR	11/28/89	1.17
								(0.90)	
ARSENIC	PPB	5.00	50.00		NR		NR	03/03/89	5.00
					NR		NR	09/18/89	
					NR		NR	11/28/89	
BARIUM	PPB	6.00	1000.00		NR		NR	03/03/89	18.00
					NR		NR	09/18/89	17.00
					NR		NR	11/28/89	16.00
BETA	PCI/L	8.00	50.00	03/28/89	4.76 (2.47)	03/28/89	12.30 (3.29)	03/03/89	
					NR		NR	09/18/89	3.56
								(2.33)	
					NR		NR	11/28/89	2.93
								(2.21)	
BORON	PPB	10.00			NR		NR	03/03/89	
					NR		NR	09/18/89	12.00
					NR		NR	11/28/89	14.00
CALCIUM	PPB	50.00			NR		NR	03/03/89	28300.00
					NR		NR	09/18/89	29800.00
					NR		NR	11/28/89	27900.00
CHLORID	PPB	500.00	250000.00		NR		NR	01/16/89	1500.00
					NR		NR	03/03/89	1400.00
					NR		NR	09/18/89	1600.00
					NR		NR	11/28/89	1500.00
CHROMUM	PPB	10.00	50.00		NR		NR	03/03/89	15.00
					NR		NR	09/18/89	12.00
					NR		NR	11/28/89	
CONDFLD	UMHO	1.00	700.00		NR		NR	01/16/89	166.00
					NR		NR	03/03/89	156.00
					NR		NR	03/03/89	155.00
					NR		NR	03/03/89	154.00
					NR		NR	03/03/89	153.00
					NR		NR	09/18/89	214.00
					NR		NR	09/18/89	212.00
					NR		NR	09/18/89	216.00
					NR		NR	09/18/89	216.00
					NR		NR	11/28/89	255.00
					NR		NR	11/28/89	255.00
					NR		NR	11/28/89	254.00
					NR		NR	11/28/89	255.00
CONDLAB	UMHO		700.00		NR		NR	03/03/89	212.00 a
					NR		NR	03/03/89	211.00 a
					NR		NR	03/03/89	210.00 a

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-80-43R	SAMPLE DATE	6-80-43S	SAMPLE DATE	6-81-58
CONDLAB	UMHO		700.00		NR		NR	03/03/89	216.00 @
					NR		NR	09/18/89	223.00 @
					NR		NR	09/18/89	218.00 @
					NR		NR	09/18/89	217.00 @
					NR		NR	09/18/89	217.00 @
					NR		NR	11/28/89	216.00 @
FBARIUM	PPB	6.00	1000.00		NR		NR	01/16/89	14.00
					NR		NR	03/03/89	20.00
					NR		NR	09/18/89	15.00
					NR		NR	11/28/89	14.00
FBORON	PPB	10.00			NR		NR	01/16/89	
					NR		NR	03/03/89	
					NR		NR	09/18/89	16.00
					NR		NR	11/28/89	11.00
FCADMIU	PPB	2.00	10.00		NR		NR	01/16/89	3.00
					NR		NR	03/03/89	
					NR		NR	09/18/89	
					NR		NR	11/28/89	
FCALCIU	PPB	50.00			NR		NR	01/16/89	27900.00
					NR		NR	03/03/89	31400.00
					NR		NR	09/18/89	27600.00
					NR		NR	11/28/89	26800.00
FCHROMI	PPB	10.00	50.00		NR		NR	01/16/89	17.00
					NR		NR	03/03/89	14.00
					NR		NR	09/18/89	13.00
					NR		NR	11/28/89	
FMAGNES	PPB	50.00			NR		NR	01/16/89	7200.00
					NR		NR	03/03/89	9280.00
					NR		NR	09/18/89	7280.00
					NR		NR	11/28/89	7080.00
FPOTASS	PPB	100.00			NR		NR	01/16/89	2560.00
					NR		NR	03/03/89	3070.00
					NR		NR	09/18/89	2520.00
					NR		NR	11/28/89	2360.00
FSILICO	PPB	50.00			NR		NR	01/16/89	8730.00
					NR		NR	03/03/89	11100.00
					NR		NR	09/18/89	8400.00
					NR		NR	11/28/89	8030.00
FSDIUM	PPB	200.00			NR		NR	01/16/89	4370.00
					NR		NR	03/03/89	5210.00
					NR		NR	09/18/89	4010.00
					NR		NR	11/28/89	3740.00
FSTRONT	PPB	10.00			NR		NR	01/16/89	169.00
					NR		NR	03/03/89	215.00
					NR		NR	09/18/89	173.00
					NR		NR	11/28/89	161.00
FVANADI	PPB	5.00			NR		NR	01/16/89	5.00
					NR		NR	03/03/89	8.00
					NR		NR	09/18/89	8.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-80-43R	SAMPLE DATE	6-80-43S	SAMPLE DATE	6-81-58
FVANADI	PPB	5.00			NR		NR	11/28/89	6.00
FZINC	PPB	5.00	5000.00		NR		NR	01/16/89	5.00
					NR		NR	03/03/89	
					NR		NR	09/18/89	26.00
					NR		NR	11/28/89	
HNITRAT	PPB	2500.00	45000.00	03/28/89		03/28/89		04/11/89	2600.00
IRON	PPB	30.00	300.00		NR		NR	03/03/89	311.00 *
					NR		NR	09/18/89	71.00
					NR		NR	11/28/89	182.00
LFLUORD	PPB	20.00	4000.00		NR		NR	11/28/89	165.00
MAGNES	PPB	50.00			NR		NR	03/03/89	8370.00
					NR		NR	09/18/89	8000.00
					NR		NR	11/28/89	7280.00
MANGESE	PPB	5.00	50.00		NR		NR	03/03/89	5.00
					NR		NR	09/18/89	
					NR		NR	11/28/89	9.00
NITRATE	PPB	500.00	45000.00		NR		NR	01/16/89	2700.00
					NR		NR	03/03/89	2900.00
					NR		NR	09/18/89	3700.00
					NR		NR	11/28/89	4000.00
PH-LAB		0.01	8.50		NR		NR	01/16/89	8.10
					NR		NR	03/03/89	8.02
					NR		NR	03/03/89	8.05
					NR		NR	03/03/89	8.10
					NR		NR	03/03/89	8.08
					NR		NR	09/18/89	8.20
					NR		NR	09/18/89	8.20
					NR		NR	09/18/89	8.20
					NR		NR	09/18/89	8.20
					NR		NR	11/28/89	7.90
PHFIELD		0.10	8.50		NR		NR	01/16/89	8.10
					NR		NR	03/03/89	7.60
					NR		NR	03/03/89	7.60
					NR		NR	03/03/89	7.60
					NR		NR	03/03/89	7.70
					NR		NR	09/18/89	8.45
					NR		NR	09/18/89	8.33
					NR		NR	09/18/89	8.27
					NR		NR	09/18/89	8.25
					NR		NR	11/28/89	8.14
					NR		NR	11/28/89	8.15
					NR		NR	11/28/89	8.15
					NR		NR	11/28/89	8.14
POTASUM	PPB	100.00			NR		NR	03/03/89	2860.00
					NR		NR	09/18/89	2790.00
					NR		NR	11/28/89	2460.00
SILICOW	PPB	50.00			NR		NR	03/03/89	10200.00
					NR		NR	09/18/89	9010.00
					NR		NR	11/28/89	8260.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-80-43R	SAMPLE DATE	6-80-43S	SAMPLE DATE	6-81-58
SODIUM	PPB	200.00			NR		NR	03/03/89	4740.00
					NR		NR	09/18/89	4430.00
					NR		NR	11/28/89	3840.00
STRONUM	PPB	10.00			NR		NR	03/03/89	192.00
					NR		NR	09/18/89	187.00
					NR		NR	11/28/89	165.00
SULFATE	PPB	500.00	250000.00		NR		NR	01/16/89	15900.00
					NR		NR	03/03/89	16000.00
					NR		NR	09/18/89	15400.00
					NR		NR	11/28/89	17300.00
TC	PPB	1000.00			NR		NR	01/16/89	20400.00
					NR		NR	11/28/89	22200.00
TDS		5000.00	500000.00		NR		NR	11/28/89	138000.00
TOXLDL	PPB	10.00			NR		NR	03/03/89	
					NR		NR	03/03/89	
					NR		NR	03/03/89	
					NR		NR	03/03/89	
					NR		NR	09/18/89	
					NR		NR	09/18/89	13.00
					NR		NR	09/18/89	58.00
					NR		NR	09/18/89	
					NR		NR	11/28/89	
					NR		NR	11/28/89	
					NR		NR	11/28/89	
					NR		NR	11/28/89	10.00
TRITIUM	PCI/L	500.00	20000.00	03/28/89		03/28/89	286.00 (127.00)	03/03/89	
					NR		NR	09/18/89	
					NR		NR	11/28/89	
TURBID	NTU	0.10	1.00		NR		NR	09/18/89	0.30
					NR		NR	11/28/89	0.40
U	PCI/L	0.50	600.00		NR		NR	03/03/89	1.21
					NR		NR	09/18/89	1.27
					NR		NR	11/28/89	0.73
VANADUM	PPB	5.00			NR		NR	03/03/89	15.00
					NR		NR	09/18/89	7.00
					NR		NR	11/28/89	5.00

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-83-47	SAMPLE DATE	6-84-35AD	SAMPLE DATE	6-87-55
ALKALIN		20000.00		01/16/89	119000.00		NR		NR
ALPHAHI	PCI/L	4.00	15.00		NR		NR	04/11/89	
					NR		NR	11/09/89	1.06
BETA	PCI/L	8.00	50.00		NR		NR	04/11/89	(0.97)
					NR		NR	11/09/89	5.58
									(2.59)
									4.25
									(2.34)
CHLORID	PPB	500.00	250000.00	01/16/89	5400.00		NR		NR
CONDFLD	UMHO	1.00	700.00	01/16/89	291.00		NR		NR
FBARIUM	PPB	6.00	1000.00	01/16/89	36.00		NR		NR
FCALCIU	PPB	50.00		01/16/89	33700.00		NR		NR
FCHROMI	PPB	10.00	50.00	01/16/89	44.00		NR		NR
FMAGNES	PPB	50.00		01/16/89	10400.00		NR		NR
FPOTASS	PPB	100.00		01/16/89	3940.00		NR		NR
FSILICO	PPB	50.00		01/16/89	14400.00		NR		NR
FSODIUM	PPB	200.00		01/16/89	19500.00		NR		NR
FSTRONT	PPB	10.00		01/16/89	251.00		NR		NR
FVANADI	PPB	5.00		01/16/89	12.00		NR		NR
HNITRAT	PPB	2500.00	45000.00		NR	01/26/89	8200.00	04/11/89	17100.00
					NR		NR	11/09/89	15100.00
NITRATE	PPB	500.00	45000.00	01/16/89	6000.00		NR		NR
PH-LAB		0.01	8.50	01/16/89	8.00		NR		NR
PHFIELD		0.10	8.50	01/16/89	8.10		NR		NR
SULFATE	PPB	500.00	250000.00	01/16/89	49100.00		NR		NR
TC	PPB	1000.00		01/16/89	25500.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	03/16/89	710.00	01/26/89		04/11/89	74100.00 *
					(148.00)				(912.00)
					NR		NR	11/09/89	80800.00 *
									(911.00)

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-89-35	SAMPLE DATE	6-90-45	SAMPLE DATE	6-96-49
ALKALIN		20000.00			NR		NR	01/16/89	93000.00
ALPHAHI	PCI/L	4.00	15.00	04/18/89	2.70	04/13/89		04/11/89	
				10/26/89	(1.77)	10/26/89		10/26/89	1.17
					2.75				(1.03)
BETA	PCI/L	8.00	50.00	04/18/89	(1.54)	04/13/89	5.23	04/11/89	6.59
					5.04		(2.49)		(2.67)
				10/26/89	(2.43)	10/26/89	2.66	10/26/89	3.81
					7.09		(2.19)		(2.28)
					(2.63)				
CHLORID	PPB	500.00	250000.00		NR		NR	01/16/89	18700.00
CONDFLD	UMHO	1.00	700.00		NR		NR	01/16/89	317.00
FBARIUM	PPB	6.00	1000.00		NR		NR	01/16/89	79.00
FCALCIU	PPB	50.00			NR		NR	01/16/89	48600.00
FCHROMI	PPB	10.00	50.00		NR		NR	01/16/89	59.00 *
FMAGNES	PPB	50.00			NR		NR	01/16/89	10800.00
FPOTASS	PPB	100.00			NR		NR	01/16/89	5400.00
FSILICO	PPB	50.00			NR		NR	01/16/89	16100.00
FSODIUM	PPB	200.00			NR		NR	01/16/89	13100.00
FSTRONT	PPB	10.00			NR		NR	01/16/89	255.00
FVANADI	PPB	5.00			NR		NR	01/16/89	9.00
HNITRAT	PPB	2500.00	45000.00	04/18/89	10600.00	04/13/89	6200.00	04/11/89	13700.00
				10/26/89	10000.00	10/26/89	3500.00	10/26/89	11000.00
NI-63	PCI/L	10.00	50.00		NR		NR	10/26/89	8.80
									(2.80)
NITRATE	PPB	500.00	45000.00		NR		NR	01/16/89	16300.00
PH-LAB		0.01	8.50		NR		NR	01/16/89	8.10
PHFIELD		0.10	8.50		NR		NR	01/16/89	8.20
SULFATE	PPB	500.00	250000.00		NR		NR	01/16/89	68400.00
TC	PPB	1000.00			NR		NR	01/16/89	20100.00
TRITIUM	PCI/L	500.00	20000.00	04/18/89	564.00	04/13/89	2060.00	04/11/89	11900.00
					(136.00)		(193.00)		(398.00)
				10/26/89	543.00	10/26/89	2150.00	10/26/89	11900.00
					(146.00)		(198.00)		(400.00)
U	PCI/L	0.50	600.00		NR		NR	04/11/89	0.93
					NR		NR	10/26/89	

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	6-97-43	SAMPLE DATE	6-97-51A	SAMPLE DATE	6-101-488
ALKALIN		20000.00		01/16/89	119000.00		NR		NR
ALPHAHI	PCI/L	4.00	15.00	04/13/89	2.00 (1.38)	04/13/89		04/24/89	
					NR	11/01/89		11/01/89	
BETA	PCI/L	8.00	50.00	04/13/89	4.40 (2.47)	04/13/89	3.82 (2.30)	04/24/89	
					NR	11/01/89	4.76 (2.43)	11/01/89	
CHLORID	PPB	500.00	250000.00	01/16/89	9600.00		NR		NR
CONDFLD	UMHO	1.00	700.00	01/16/89	342.00		NR		NR
FBARIUM	PPB	6.00	1000.00	01/16/89	44.00		NR		NR
FBORON	PPB	10.00		01/16/89	13.00		NR		NR
FCALCIU	PPB	50.00		01/16/89	44000.00		NR		NR
FCHROMI	PPB	10.00	50.00	01/16/89	192.00 *		NR		NR
FCOPPER	PPB	10.00	(1300.0)	01/16/89	31.00		NR		NR
FMAGNES	PPB	50.00		01/16/89	9580.00		NR		NR
FPOTASS	PPB	100.00		01/16/89	4030.00		NR		NR
FSILICO	PPB	50.00		01/16/89	14300.00		NR		NR
FSODIUM	PPB	200.00		01/16/89	22300.00		NR		NR
FSTRONT	PPB	10.00		01/16/89	217.00		NR		NR
FZINC	PPB	5.00	5000.00	01/16/89	17.00		NR		NR
HNITRAT	PPB	2500.00	45000.00	04/13/89	16600.00	04/13/89	20500.00	04/24/89	
					NR	11/01/89	19500.00	11/01/89	
NITRATE	PPB	500.00	45000.00	01/16/89	17700.00		NR		NR
PH-LAB		0.01	8.50	01/16/89	7.90		NR		NR
PHFIELD		0.10	8.50	01/16/89	8.00		NR		NR
SULFATE	PPB	500.00	250000.00	01/16/89	58100.00		NR		NR
TC	PPB	1000.00		01/16/89	26000.00		NR		NR
TRITIUM	PCI/L	500.00	20000.00	04/13/89	10300.00 (376.00)	04/13/89	14000.00 (423.00)	04/24/89	
					NR	11/01/89	13400.00 (421.00)	11/01/89	
U	PCI/L	0.50	600.00		NR	04/13/89	1.22		NR
					NR	11/01/89	1.39		NR

CONSTITUENT NAME	UNITS	CONTRACTUAL DETECTION LIMIT	DRINKING WATER STANDARD	SAMPLE DATE	11-41-13C
1,1,1-T	PPB	5.00	200.00	01/30/89	8.00
ALKALIN		20000.00		01/30/89	135000.00
CHLORID	PPB	500.00	250000.00	01/30/89	6500.00
CONDFLD	UMHO	1.00	700.00	01/30/89	300.00
FBARIUM	PPB	6.00	1000.00	01/30/89	32.00
FBORON	PPB	10.00		01/30/89	19.00
FCALCIU	PPB	50.00		01/30/89	40500.00
FMAGNES	PPB	50.00		01/30/89	8560.00
FPOTASS	PPB	100.00		01/30/89	4820.00
FSILICO	PPB	50.00		01/30/89	14900.00
FSODIUM	PPB	200.00		01/30/89	17000.00
FSTRONT	PPB	10.00		01/30/89	187.00
FVANADI	PPB	5.00		01/30/89	7.00
FZINC	PPB	5.00	5000.00	01/30/89	8.00
NITRATE	PPB	500.00	45000.00	01/30/89	7900.00
PH-LAB		0.01	8.50	01/30/89	7.90
PHFIELD		0.10	8.50	01/30/89	7.70
SULFATE	PPB	500.00	250000.00	01/30/89	17400.00
TC	PPB	1000.00		01/30/89	29800.00

DISTRIBUTION

No. of
Copies

No. of
Copies

OFFSITE

14 Pacific Northwest Laboratory

2 DOE/Office of Scientific and
Technical Information

R. W. Bryce
P. G. Doctor
J. W. Falco

ONSITE

W. R. Gorst
J. M. Hales

3 DOE Richland Operations Office

P. C. Hays
W. T. Pennell

R. D. Hildebrand (2)
M. W. Tiernan

R. L. Skaggs
Publishing Coordination
Technical Report Files (5)

2 Westinghouse Hanford Company

K. R. Fecht
Public Reading Room