FEB 4 1964

UNCLASSIFIED

CLASSIFICATION LEVEL
(S, C, OR U)

ATOMICS INTERNATIONAL
A Division of North American Aviation, Inc.

MASTER

NAA-SR-MEMO -9130

This document contains 15 pages

This is copy _____ of _____ series _____

Do not remove
this sheet

Facsimile Price \$ 1.60
Microfilm Price \$ 1.80

Available from the
Office of Technical Services
Department of Commerce
Washington 25, D. C.

CLASSIFICATION TYPE
(RD OR DI)

*NAA-SR-MEMOs are working papers and may be expanded,
modified, or withdrawn at any time,
and are intended for internal use only.*

This report may not be published without the approval of the Patent Branch, AEC.

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, express or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission to the extent that such employee or contractor prepares, handles or distributes, or provides access to, any information pursuant to his employment or contract with the Commission.

UNCLASSIFIED

CLASSIFICATION LEVEL
(S, C, OR U)

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

ATOMICS INTERNATIONAL A Division of North American Aviation, Inc.		NAA-SR- TDR NO. 9130		APPROVALS <i>E. D. Grazzini</i>	
TECHNICAL DATA RECORD		PAGE 1 OF 15		<i>R. Westphal</i>	
AUTHOR R. E. Forrester <i>R.E.F.</i>		DEPT. & GROUP NO. 733-33		DATE 10-17-63	
				GO NO. 7601	
TITLE <u>Post-Irradiation Examination of</u> <u>OMRE 7-3 (Element #235)</u>		S/A NO. 4012		TWR	
		SECURITY CLASSIFICATION			
		(CHECK ONE BOX ONLY)		(CHECK ONE BOX ONLY)	
		UNCL. ☒ AEC ☐ DOD		RESTRICTED DATA ☐	
		CONF. ☐		DEFENSE INFO. ☐	
		SECRET ☐			
		AUTHORIZED CLASSIFIER SIGNATURE		DATE	
PROGRAM DISTRIBUTION S. O. Arneson* C. D. Bingham* M. H. Binstock* K. M. Broom* G. D. Calkins* J. R. Churchill* R. E. Forrester*3 E. D. Grazzini* W. C. Hayes* A. L. Kohl* W. R. McCurnin* R. D. Moeller* W. E. Parkins* H. Pearlman* E. Peters* H. J. Rubinstein* S. Siegel* C. A. Trilling* R. C. Westphal* C. W. Wheelock* W. B. Wolfe* Library* (12)		SUBACCOUNT TITLE OMRE Fuel Element Examination and Evaluation			
		STATEMENT OF PROBLEM OMRE Driver Fuel Element #235 was inserted in the reactor for accumulative reactor exposure of 822.0 Mwd. The element was disassembled and examined at the CDHC facility to provide information for performance analysis.			
		ABSTRACT: Cermet Driver Element OMRE #235 was disassembled and a limited examination was performed. During the visual examination of the fuel plates gross deposits were noted on fuel plates #1 and #2 and appeared to have caused some restrictions, however, the flow channels in and around the other fuel plates showed no obstruction. With the exception of fuel plates #1 and #2, no other distortion or other peculiarities were noted. A sample of the gross deposit from plate #1 was obtained for chemical analysis.			

ATOMICS INTERNATIONAL

A Division of North American Aviation, Inc.

NO. NAA-SR-TDR-9130

DATE 10-17-63

PAGE 2 OF 15

I. INTRODUCTION

The thermocoupled cermet driver fuel element #235 received a partial examination in the CDHC facility following irradiation at the OMRE. This report contains the observations that were made during the examination.

II. ELEMENT DESCRIPTION

A. Component Description

Fuel element #235 contained sixteen stainless steel clad fully enriched UO_2 stainless steel cermet fuel plates.

The containment box and end hardware were fabricated of type 304 stainless steel. Five thermocouples were provided to measure element temperature, recorded temperatures from thermocouples #183 and #185 (See Figures 1 and 2) are included in this report.

No other instrumentation or special apparatus was provided on this element.

B. Exposure History

Cermet test element #235 was inserted in location #9 Core III-B on 7-12-62 and was irradiated through the end of Core III-C, 4-3-63, and was removed. The integrated reactor exposure record vs time and power level are shown in Figures 5 and 6.

III. HOT CELL EXAMINATION (CDHC)

A. The element was received at CDHC in August of 1963 and removed from the shipping cask and unloaded by standard techniques into Cell #3. The element, after two days' dry storage, was then placed into a can containing tetrahydrofuran. After a two-hour-soak, the element was raised into the air and suspended for photography. (See Figure 7).

B. In-Cell Examination

1. Preliminary box inspection.

Before any work was initiated reference identification of the element sides was made as shown in the plan sketch below:

ATOMICS INTERNATIONAL

A Division of North American Aviation, Inc.

NO. NAA-SR-TDR-9130

DATE 10-17-63

PAGE 3 OF 15

The appearance of the outer surface of the fuel element was quite similar to other stainless cermet and experimental elements. Generally, blackened with a thin brittle film.

Measurements of the box were obtained using calipers. (See Table I). These measurements showed no bulging or distortions with values obtained ranging from 2.809 to 2.825 inches. These measurements seemed to corroborate measurements obtained from past undistorted OMRE fuel elements. Inconsistencies in the measurements are due to the variables in the weld seam running the length of the box section.

2. End hardware and box removal

The upper and lower end hardware was removed by use of an electric hacksaw. After removal, a visual inspection through the flow channels showed a restriction between side #2 and fuel plates #1 and #2. All other channels appeared clear of obstruction.

The fuel plate tabs and spacer bars were cut by a milling machine operation. The stainless steel fuel box was then split by milling the corners between sides #2 and #3 and between sides #1 and #4. Some difficulty was encountered in separating the fuel plates from the box section. As a result, remilling of one tab and spacer bar was performed. Consequently, due to excess handling, some of the film on the fuel plates was probably shaken loose. A puller was then used to free the spacer bar. All the fuel plates with the exception of #1 fuel plate were readily removed from the box section.

Fuel plate #1 was stuck firmly in the fuel plate groove on side #1 and was forceably removed. The fuel plate was slightly bent during this operation. An illustrated figure showing the deposits, thermocouples, and general fouling film pattern on fuel plate #1 is presented in Figure 8.

During the stereomicroscope examination of the grooves on side #1 of the fuel element box, the following observations were made. There was no appreciable deposit in groove #1 but a thin hard film which indicates intimate contact between the fuel plate and the box. There was a hard packed deposit in groove #2 which varied in thickness from $1/3$ to $1/2$ of the groove depth. This indicates that the deposit was formed and subsequently packed by the fuel plate. There was a deposit in the third groove which was beady in nature and approximately $1/3$ of the groove depth in thickness. This deposit indicated no contact or very little contact with the fuel plate.

These observations are in general agreement with those

ATOMICS INTERNATIONAL

A Division of North American Aviation, Inc.

NO. NAA-SR-TDR-9130

DATE 10-17-63

PAGE 4 OF 15

of Reference #3 and tend to corroborate the failure mechanism postulated for the COBRA fuel element.

3. The fuel plates were placed on a plywood rack and photographed on both sides. Photographs of the fuel plate and inside of the fuel box section are shown in Figure 9.
4. A Sample for chemical analyses was obtained of the heavy deposits found nineteen inches from the inlet end in the box section after fuel plate #1 had been removed. Results of the chemical analysis were not available at this writing.

IV.

CONCLUSION

Fuel plates #1 and #2, which faced the center of the core, had the heaviest build-up of deposits. The other fourteen fuel plates, for the most part, were covered with a light black film.

Examination of the grooves on side #1 of the fuel element box showed a variable deposit pattern which would tend to support the theory of fuel plate differential expansion. (See Reference #3).

ATOMICS INTERNATIONAL

A Division of North American Aviation, Inc.

NO. NAA-SR-TDR-9130

DATE 10-17-63

PAGE 5 OF 15

V.

REFERENCES

- (1) IOL from R. J. Mack to R. B. Varnes dated 2-2-63.
"OMRE Power Levels"
- (2) NAA-SR-TDR 8619, "Post-Irradiation Examination of
OMRE Experimental APM-UO₂ Fuel Element No. 4",
by N. J. Swanson, dated 6-14-63.
- (3) NAA-SR-TDR 8981, "Evaluation of the COBRA (OMRE
Fuel Element No. 237)" by J. L. Ballif, dated
9-13-63.

ATOMICS INTERNATIONAL
A Division of North American Aviation, Inc.

NO. NAA-SR-TDR-9130
DATE 10-17-63
PAGE 6 OF 15

OMRE 7-3 BOX DIMENSIONS

SIDES 1 & 2

#1	2.824
#2	2.815
#3	2.819
#4	2.824
#5	2.820
#6	2.816
#7	2.822

SIDES 2 & 4

#1	2.822
#2	2.823
#3	2.825
#4	2.811
#5	2.811
#6	2.809
#7	2.816

TABLE #1

FIGURE 1
PAGE 7 OF 15 PAGES

FIGURE 2
PAGE 8 OF 15 PAGES

FIGURE 3
PAGE 2 OF 15 PAGES

FIGURE 4
PAGE 10 OF 15 PAGES

FIGURE 5

PAGE 11 OF 15 PAGE

CORE III-B

CORE III-C

OMRE 7-3
ELEMENT (235)

SIDE

1

2

OUTLET END

3

4

OMRE 7-3 #1 FUEL PLATE

ATOMICS INTERNATIONAL

A Division of North American Aviation, Inc.

NO. TDR-9130
DATE 10-17-63
PAGE 15 OF 15

OMRE 7-3

SIDE 4

FUEL PLATE

SIDE 2

OUTLET END

INSIDE FUEL BOX SIDE 1

INSIDE FUEL BOX SIDE 2