2007

Lawrence Livermore National Laboratory Annual Illness and Injury Surveillance Report

Lawrence Livermore National Laboratory

2007 Illness and Injury Surveillance Report

Questions or comments about this report or the Illness and Injury Surveillance Program (IISP) may be directed to:

E-mail:

Dr. Cliff Strader at [**cliff.strader@hq.doe.gov**](mailto:cliff.strader@hq.doe.gov)
or Dr. Bonnie Richter at [**bonnie.richter@hq.doe.gov**](mailto:bonnie.richter@hq.doe.gov)

or direct letters to:

Mail Stop HS-13 / 270CC
U.S. Department of Energy
1000 Independence Avenue, S.W.
Washington, DC 20585-0270

Additional information about the Department of Energy's Office of Illness and Injury Prevention Programs, the IISP, and annual reports for DOE sites participating in this program can be found at:

<http://www.hss.energy.gov/healthsafety/WSHP/epi/surv/>

ACKNOWLEDGEMENT

LifeART images copyright 2000 Lippincott Williams & Wilkins. All rights reserved.

This document was produced under contract number DE-AC05-06OR23100 between the
U.S. Department of Energy and Oak Ridge Associated Universities.

Lawrence Livermore National Laboratory 2007 Illness and Injury Surveillance Report

At A Glance

A total of 8,570 LLNL employees were included in illness and injury surveillance in 2007; 2,657 (31 percent) women and 5,913 (69 percent) men.

The 221 absences among 198 women resulted in an absence rate of 8.3 per 100 workers (221/2,657). The 377 absences reported by 347 men resulted in an absence rate of 6.4 per 100 workers (377/5,913). Absence rates in 2007 were unchanged from those reported in 2006 for both men and women.

The average length of absences in 2007 was 24 days among men and 36 days among women. After experiencing a decrease in absences from 2004 to 2006, the average length of absences for women saw an increase in 2007, while among men the average length of absences has remained stable since 2003.

Among men, Service workers had the highest absence rate, 14.2 per 100 workers. Among women, Security and Fire workers had the highest absence rate, 20.0 per 100 workers.

Women were absent 7,947 calendar days due to illness and injury. Injuries (17.3 percent), respiratory disorders (14.5 percent), and musculoskeletal disorders (13.7 percent) accounted for 45.5 percent of all reported diagnoses among women.

Men lost 8,868 calendar days due to illness and injury. Respiratory conditions (18.8 percent), injuries (17.2 percent), and musculoskeletal disorders (14.6 percent) accounted for 50.6 percent of all reported diagnoses among men.

Since 2003, respiratory and musculoskeletal conditions have been among the top 3 diagnostic categories reported by women, and injuries among the top 3 categories for men. This pattern is consistent with the overall observation of the top 3 diagnostic categories reported among sites participating in the Illness and Injury Surveillance Program (IISP) between 1995 and 2004.

LLNL reported 59 OSHA-recordable events among women and 99 OSHA-recordable events among men. The rate of workers with an OSHA event was similar for women and men (2.2 and 1.7 per 100 workers, respectively). Since 2003, the rates have held steady or declined, a pattern similar to what we have seen across the DOE Complex, where OSHA rates have been declining since 1995.

Among women, the OSHA-recordable rates were highest among Crafts workers and among men highest among Security and Fire workers. These groups also had the highest OSHA-recordable rates in 2006. OSHA-recordable rates were highest among men and women aged 30-39.

Eighty-six percent of the OSHA health conditions involved musculoskeletal conditions or injuries. This pattern was similar across all age groups.

Of the 145 OSHA events for which the type of accident was reported, 47.4 percent of the events for women were the result of repetitive trauma; among men, 44.3 percent were due to overexertion and strenuous movements. The conditions resulting from repetitive trauma reported by women included mainly joint pain and injuries. Only 3 carpal tunnel diagnoses were reported in this group; all were among women in the Administrative Support job category.

The Lawrence Livermore National Laboratory Work Force – 2007

The Work Force by Gender and Age 1

The Work Force by Gender and Job Category 1

Number and Length of Absences

Absence Rate by Gender and Age 2

Number of Days Absent by Gender and Age 2

Absence Rate by Job Category and Gender 3

Average Duration of Absence by Job Category and Gender 3

Diagnostic Categories

Number of Diagnoses and Lost Calendar Days by Diagnostic Category (Categorized by ICD-9-CM) and Gender 4

Common Diagnoses Among Female Workers in 2007 5

Common Diagnoses Among Male Workers in 2007 6

Number of Most Frequently Reported Diagnoses by Job Category and Gender 7

Rates of Disease Occurrence

Rates for All Illnesses and Injuries Combined by Job Category, Gender, and Age 8

Rates for Selected Diagnostic Categories by Job Category, Gender, and Age 8

Time Trends

Age-Adjusted Rates for All Diagnoses Combined Among Women and Men from 2003 to 2007 10

Age-Adjusted Rates for Selected Diagnostic Categories Among Women and Men from 2003 to 2007 11

Age-Adjusted Rates for All Diagnoses Combined Among Women and Men by Job Category from 2003 to 2007 12

Sentinel Health Events for Occupations (SHEOs)

Characteristics of SHEOs by Gender 13

SHEO Diagnoses by Gender 13

Occupational Safety and Health Administration (OSHA)-Recordable Events

OSHA-Recordable Events by Gender and Age 14

OSHA-Recordable Events by Job Category and Gender 14

Diagnostic and Accident Categories for OSHA-Recordable Events

OSHA-Recordable Diagnoses by Diagnostic Category and Gender 15

OSHA-Recordable Accidents by Type and Gender 16

Rates of OSHA-Recordable Events

OSHA-Recordable Rates by Age and Job Categories Among Women, All Diagnoses Combined 17

OSHA-Recordable Rates by Age and Job Categories Among Men, All Diagnoses Combined 17

Time Trends for OSHA-Recordable Events

Age-Adjusted Rates for All OSHA-Recordable Diagnoses Combined Among Women and Men by Job Category from 2003 to 2007 ... 18

Appendices

Appendices A-W 20

The Lawrence Livermore National Laboratory Work Force - 2007

Figure 1. The Work Force by Gender and Age

Figure 2. The Work Force by Gender and Job Category

Job Category	Women	Men
Professional	588 22%	2,696 46%
Administrative Support	1,704 64%	1,712 29%
Technical Support	231 9%	671 11%
Service	89 3%	226 4%
Security and Fire	35 1%	289 5%
Crafts	10 1%	319 5%
Line Operators	0 0%	0 0%
Total	2,657 100%	5,913 100%

Number and Length of Absences

Figure 3. Absence Rate by Gender and Age

Figure 4. Number of Days Absent by Gender and Age

Gender	Age	Number of Absences	Number of Days Absent	
			Total	Average
Women	16-29	7	95	14
	30-39	22	928	42
	40-49	89	3,232	36
	50+	103	3,692	36
	Total	221	7,947	36
Men	16-29	12	232	19
	30-39	48	1,013	21
	40-49	105	2,234	21
	50+	212	5,389	25
	Total	377	8,868	24

Figure 5. Absence Rate by Job Category and Gender **Figure 6. Average Duration of Absence by Job Category and Gender**

Diagnostic Categories

Figure 7. Number of Diagnoses and Lost Calendar Days by Diagnostic Category (Categorized by ICD-9-CM) and Gender

Diagnostic Category	Women		Men	
	Number of Diagnoses	Number of Lost Calendar Days	Number of Diagnoses	Number of Lost Calendar Days
Benign Growths	13	600	7	195
Blood	2	440	1	66
Cancer	16	819	16	955
Digestive	15	779	55	1,096
Endocrine/Metabolic	3	132	6	196
Existing Birth Condition	0	0	0	0
Genitourinary	28	931	10	296
Heart/Circulatory	7	199	26	930
Infections/Parasites	9	49	35	711
Injury	44	1,807	75	1,955
Miscarriage	3	67	NA	NA
Musculoskeletal	35	2,134	64	1,908
Nervous System	18	199	23	666
Psychological	5	454	3	83
Respiratory	37	482	82	715
Skin	3	77	6	211
Unspecified Symptoms	17	381	28	385

Note: Lost calendar days for each absence are counted more than once when multiple diagnoses occur in different diagnostic categories for the same absence.

Figure 8. Common Diagnoses Among Female Workers in 2007

■ Digestive, 15 Diagnoses	■ Musculoskeletal, 35 Diagnoses
■ Genitourinary, 28 Diagnoses	■ Respiratory, 37 Diagnoses
■ Injury, 44 Diagnoses	■ Unspecified Symptoms, 17 Diagnoses

Figure 9. Common Diagnoses Among Male Workers in 2007

■ Digestive, 55 Diagnoses	■ Musculoskeletal, 64 Diagnoses
■ Genitourinary, 10 Diagnoses	■ Respiratory, 82 Diagnoses
■ Injury, 75 Diagnoses	■ Unspecified Symptoms, 28 Diagnoses

Figure 10. Number of Most Frequently Reported Diagnoses by Job Category and Gender

Job Category	Men		Women	
Professional	Respiratory	30	Respiratory	7
	Musculoskeletal	26	Injury	5
	Injury	21	Musculoskeletal	5
Administrative Support	Respiratory	22	Injury	34
	Digestive	15	Genitourinary	25
	Injury	15	Respiratory	23
Technical Support	Injury	18	Musculoskeletal	3
	Digestive	12	Respiratory	2
	Respiratory	12	Unspecified Symptoms	2
Service	Respiratory	11	Injury	4
	Digestive	8	Respiratory	3
	Injury	7	Benign Growths	1
			Digestive	1
			Musculoskeletal	1
			Unspecified Symptoms	1
Security and Fire	Injury	9	Musculoskeletal	4
	Musculoskeletal	7	Cancer	2
	Respiratory	4	Respiratory	2
Crafts	Musculoskeletal	7		0
	Injury	5		
	Digestive	3		
	Respiratory	3		
Line Operators		0		0

Rates of Disease Occurrence

Figure 11. Rates for All Illnesses and Injuries Combined by Job Category, Gender, and Age

All Illnesses & Injuries Combined	Rate per 1,000			
	Job Category	Age	Men	Women
Professional	<50	45	42
		50+	73	81
	Administrative Support	<50	52	94
		50+	87	140
	Technical Support	<50	77	26
		50+	150	89
	Service	<50	177	128
		50+	177	119
	Security and Fire	<50	82	267
		50+	136	600
	Crafts	<50	50	0
		50+	121	0
	Line Operators	<50	0	0
		50+	0	0

Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age

Cancer	Rate per 1,000			
	Job Category	Age	Men	Women
Professional	<50	0	0
		50+	5	0
	Administrative Support	<50	1	5
		50+	6	12
	Technical Support	<50	2	0
		50+	4	13
	Service	<50	0	0
		50+	9	0
	Security and Fire	<50	0	0
		50+	23	400
	Crafts	<50	0	0
		50+	0	0
	Line Operators	<50	0	0
		50+	0	0

**Figure 12. Rates for Selected Diagnostic Categories
by Job Category, Gender, and Age (Continued)**

Heart/Circulatory	Rate per 1,000			
	Job Category	Age	Men	Women
Professional	<50	1	0
		50+	9	5
	Administrative Support	<50	4	2
		50+	5	5
	Technical Support	<50	0	7
		50+	7	0
	Service	<50	9	0
		50+	0	0
	Security and Fire	<50	4	0
		50+	0	0
	Crafts	<50	0	0
		50+	7	0
	Line Operators	<50	0	0
		50+	0	0

Respiratory	Rate per 1,000			
	Job Category	Age	Men	Women
Professional	<50	10	15
		50+	12	5
	Administrative Support	<50	12	11
		50+	14	17
	Technical Support	<50	7	7
		50+	34	13
	Service	<50	44	43
		50+	53	24
	Security and Fire	<50	16	67
		50+	0	0
	Crafts	<50	0	0
		50+	21	0
	Line Operators	<50	0	0
		50+	0	0

Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age (Continued)

Injury	Rate per 1,000			
	Job Category	Age	Men	Women
Professional	<50	8	2
		50+	8	22
	Administrative Support	<50	6	17
		50+	12	25
	Technical Support	<50	30	0
		50+	22	0
	Service	<50	27	64
		50+	35	24
	Security and Fire	<50	20	33
		50+	91	0
	Crafts	<50	6	0
		50+	29	0
	Line Operators	<50	0	0
		50+	0	0

Time Trends

Figure 13. Age-Adjusted Rates for All Diagnoses Combined Among Women and Men from 2003 to 2007*

* Standardized to age distribution of 2000 U.S. population.

Figure 14. Age-Adjusted Rates for Selected Diagnostic Categories Among Women and Men from 2003 to 2007*

* Standardized to age distribution of 2000 U.S. population.

Figure 15. Age-Adjusted Rates for All Diagnoses Combined Among Women and Men by Job Category from 2003 to 2007*

* Standardized to age distribution of 2000 U.S. population.

Sentinel Health Events for Occupations (SHEOs)

An occupational sentinel health event (SHEO) is a disease, disability, or death that is likely to be occupationally related. Although sentinel health events may indicate an occupational exposure, many may result from nonoccupational exposures. Sentinel health events are therefore assessed in two categories:

Definite Sentinel Health Events: Diseases that are unlikely to occur in the absence of an occupational exposure (e.g., asbestosis).

Possible Sentinel Health Events: Diseases that may be occupational but can also occur in the absence of an occupational exposure (e.g., lung cancer or carpal tunnel syndrome).

Figure 16. Characteristics of SHEOs by Gender

	Total Number of SHEO Diagnoses		Total Number of Days Absent	
	Men	Women	Men	Women
Definite	1	0	54	0
Possible	5	3	279	24
Total	6	3	333	24

Figure 17. SHEO Diagnoses by Gender

Diagnoses	Gender	
	Women	Men
Carpal Tunnel Syndrome	3	3
Pneumonconiosis (Berylliosis)	0	0
Musculoskeletal Conditions	0	1
Injuries	0	0
Other Conditions	0	2

Occupational Safety and Health Administration (OSHA)-Recordable Events

Figure 18. OSHA-Recordable Events by Gender and Age

Figure 19. OSHA-Recordable Events by Job Category and Gender

Diagnostic and Accident Categories for OSHA-Recordable Events

Figure 20. OSHA-Recordable Diagnoses by Diagnostic Category and Gender

Diagnostic Category	Gender	
	Women	Men
Blood	0	1
Digestive	1	1
Infections/Parasites	1	1
Musculoskeletal	41	64
Nervous System	4	4
Respiratory	1	1
Skin	2	2
Unspecified Symptoms	9	13
Injury	54	92
Fractures – Upper Limb	1	3
Fractures – Lower Limb	0	1
Dislocations	0	3
Back Sprains & Strains	4	12
Other Sprains & Strains	15	28
Open Wounds – Head, Neck, Trunk	0	2
Open Wounds – Upper Limb	0	9
Open Wounds – Lower Limb	0	1
Superficial Injuries	2	1
Bruises	5	8
Foreign Bodies Entering Orifice	0	2
Burns	0	1
Unspecified Injuries	25	19
Adverse Reactions to Non-Medical Substances	2	1
Adverse Reactions to External Causes	0	1

Figure 21. OSHA-Recordable Accidents by Type and Gender

Accident Category	Gender	
	Women	Men
	Number of Accidents	Number of Accidents
Motor Vehicle Traffic	1	0
Non-Motor Vehicle	0	2
Poisoning-Non-Medicinal	1	0
Falls	11	12
Natural/Environmental Factors	3	1
Submersion/Suffocation/Foreign Bodies	0	2
Other Accidents	41	71
Struck by an Object	3	4
Caught Between Objects	0	2
Cutting/Piercing Instrument/Object	1	7
Hot, Corrosive, or Caustic Material/Steam	0	1
Overexertion/Strenuous Movements	10	39
Noise	0	1
Repetitive Trauma	27	17
Total	57	88

Rates of OSHA-Recordable Events

Figure 22. OSHA-Recordable Rates by Age and Job Categories Among Women, All Diagnoses Combined

Figure 23. OSHA-Recordable Rates by Age and Job Categories Among Men, All Diagnoses Combined

Time Trends for OSHA-Recordable Events

Figure 24. Age-Adjusted Rates for All OSHA-Recordable Diagnoses Combined Among Women and Men by Job Category from 2003 to 2007*

* Standardized to age distribution of 2000 U.S. population.

Appendices

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix A. Work Force by Gender, Age, and Job Category

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	44	108	251	185	588	132	426	896	1,242	2,696	3,284
Administrative Support	220	229	612	643	1,704	324	168	408	812	1,712	3,416
Technical Support	38	51	63	79	231	37	121	246	267	671	902
Service	4	7	36	42	89	12	29	72	113	226	315
Security and Fire	5	12	13	5	35	60	86	99	44	289	324
Crafts	0	1	4	5	10	15	32	132	140	319	329
TOTAL	311	408	979	959	2,657	580	862	1,853	2,618	5,913	8,570

Appendix B. Age Distribution of the Work Force by Gender

Year	Women				Men			
	Percent Distribution by Age Group				Percent Distribution by Age Group			
	16 - 29	30 - 39	40 - 49	50 +	16 - 29	30 - 39	40 - 49	50 +
2002	13.04	19.68	35.45	31.83	10.25	18.23	32.16	39.35
2003	14.40	16.07	39.17	30.37	11.31	15.34	34.82	38.53
2004	14.34	16.24	37.93	31.48	11.59	14.87	33.85	39.70
2005	12.77	16.87	33.95	36.41	10.41	16.04	28.99	44.56
2006	11.75	16.79	33.08	38.37	9.36	16.03	28.14	46.48
2007	11.70	15.36	36.85	36.09	9.81	14.58	31.34	44.28

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix C. Total Number of Workers Who Reported at Least One Absence by Gender, Age, and Job Category*

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	1	1	13	12	27	4	13	35	74	126	153
Administrative Support	5	16	59	67	147	1	12	24	55	92	239
Technical Support	0	0	4	6	10	2	7	15	33	57	67
Service	0	1	2	5	8	0	4	11	16	31	39
Security and Fire	0	2	3	1	6	4	5	5	5	19	25
Crafts	0	0	0	0	0	0	2	7	13	22	22
TOTAL	6	20	81	91	198	11	43	97	196	347	545

*Only those job categories and gender/age combinations with at least one absence appear in this table.

Appendix D. Total Number of Absences by Gender, Age, and Job Category*

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	1	1	14	12	28	5	14	38	79	136	164
Administrative Support	6	18	64	79	167	1	13	28	63	105	272
Technical Support	0	0	4	6	10	2	9	15	36	62	72
Service	0	1	3	5	9	0	5	11	16	32	41
Security and Fire	0	2	4	1	7	4	5	6	5	20	27
Crafts	0	0	0	0	0	0	2	7	13	22	22
TOTAL	7	22	89	103	221	12	48	105	212	377	598

*Only those job categories and gender/age combinations with at least one absence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix E. Distribution of the Number of Calendar Days Missed per Absence by Gender and Age*

# of Calendar Days	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
< 15	4	13	45	52	114	8	27	70	119	224	338
15 - 28	3	1	12	24	40	1	9	19	42	71	111
29 - 42	0	1	10	7	18	2	6	5	18	31	49
43 - 56	0	2	7	6	15	0	3	2	7	12	27
57 - 91	0	2	9	7	18	1	2	5	15	23	41
92 - 182	0	2	4	3	9	0	1	2	10	13	22
183 +	0	1	2	4	7	0	0	2	1	3	10
TOTAL	7	22	89	103	221	12	48	105	212	377	598

*Only those gender/age combinations with at least one absence appear in this table.

Lawrence Livermore National Laboratory 2007
Absence Data

Appendix F. Distribution of the Number of Calendar Days Missed per Absence by Gender and Job Category*

Women

# of Calendar Days	Job Category						TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
< 15	18	86	4	4	2	0	114
15 - 28	6	30	2	1	1	0	40
29 - 42	1	17	0	0	0	0	18
43 - 56	1	10	1	1	2	0	15
57 - 91	0	16	1	1	0	0	18
92 - 182	0	4	1	2	2	0	9
183 +	2	4	1	0	0	0	7
TOTAL	28	167	10	9	7	0	221

Men

# of Calendar Days	Job Category						TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
< 15	94	59	33	15	10	13	224
15 - 28	26	21	13	6	3	2	71
29 - 42	7	9	8	3	4	0	31
43 - 56	1	5	1	3	1	1	12
57 - 91	4	5	4	4	2	4	23
92 - 182	3	5	2	1	0	2	13
183 +	1	1	1	0	0	0	3
TOTAL	136	105	62	32	20	22	377

*Only those gender/job category combinations with at least one absence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM Code					
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	2	1	3	3	9
-Intestinal Infectious Dis	001-009	0	0	2	1	3
-Other Bacterial Dis	030-041	1	1	0	0	2
-Viral Dis with Exanthem	050-057	0	0	0	1	1
-Other Viral Dis & Chlamydiae	070-079	1	0	1	1	3
-Other Infections & Parasitic Dis	130-136	0	0	0	0	0
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	5	11	16
-Digestive & Peritoneal	150-159	0	0	0	0	0
-Bone, Connective Tissue, Skin	170-173, 176	0	0	0	0	0
-Breast	174-175	0	0	4	8	12
-Genitourinary	179-189	0	0	1	3	4
-Lymphatic & Hematopoietic	200-208	0	0	0	0	0
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	4	5	4	13
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	0	2	1	3
-Thyroid Gland Disorders	240-246	0	0	0	0	0
-Other Endocrine Gland Dis	250-259	0	0	0	0	0
-Other Metabolic & Immunity Disorders	270-279	0	0	2	1	3
BLOOD & BLOOD-FORMING ORGANS	280-289	0	0	1	1	2
MENTAL DISORDERS	290-319	0	3	1	1	5
-Non-Psychotic Disorders	300-302, 306-316	0	3	1	1	5
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	2	0	9	7	18
-Hereditary/Degenerative Central NS Dis	330-337	0	0	0	0	0
-Other Disorders of Central NS	340-349	0	0	0	0	0
-Disorders of Peripheral NS	350-359	0	0	2	2	4
-Disorders of Eye	360-379	0	0	1	5	6
-Dis of Ear & Mastoid	380-389	2	0	6	0	8
CIRCULATORY SYSTEM	390-459	0	0	3	4	7
-Chronic Rheumatic Heart Dis	393-398	0	0	0	0	0
-Hypertensive Dis	401-405	0	0	0	1	1
-Ischemic Heart Dis	410-414	0	0	0	1	1
-Other Heart Dis	420-429	0	0	0	0	0
-Cerebrovascular Dis	430-438	0	0	0	1	1
-Dis of Arteries & Capillaries	440-448	0	0	2	1	3
-Dis of Veins, Lymphatics, Other	451-459	0	0	1	0	1
RESPIRATORY SYSTEM	460-519	1	4	18	14	37
-Acute Respiratory Infections	460-466	0	3	11	5	19
-Other Dis Upper Respiratory Tract	470-478	0	1	1	2	4

(Continued)

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

		Men					TOTAL
		Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code						
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	2	7	11	15	35	44
-Intestinal Infectious Dis	001-009	0	2	1	4	7	10
-Other Bacterial Dis	030-041	0	2	2	4	8	10
-Viral Dis with Exanthem	050-057	0	1	2	0	3	4
-Other Viral Dis & Chlamydiae	070-079	2	2	6	5	15	18
-Other Infections & Parasitic Dis	130-136	0	0	0	2	2	2
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	2	14	16	32
-Digestive & Peritoneal	150-159	0	0	0	2	2	2
-Bone, Connective Tissue, Skin	170-173, 176	0	0	0	3	3	3
-Breast	174-175	0	0	0	0	0	12
-Genitourinary	179-189	0	0	1	9	10	14
-Lymphatic & Hematopoietic	200-208	0	0	1	0	1	1
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	1	2	4	7	20
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	0	3	3	6	9
-Thyroid Gland Disorders	240-246	0	0	1	0	1	1
-Other Endocrine Gland Dis	250-259	0	0	0	2	2	2
-Other Metabolic & Immunity Disorders	270-279	0	0	2	1	3	6
BLOOD & BLOOD-FORMING ORGANS	280-289	0	1	0	0	1	3
MENTAL DISORDERS	290-319	0	1	1	1	3	8
-Non-Psychotic Disorders	300-302, 306-316	0	1	1	1	3	8
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	2	2	7	12	23	41
-Hereditary/Degenerative Central NS Dis	330-337	0	0	1	0	1	1
-Other Disorders of Central NS	340-349	0	0	0	1	1	1
-Disorders of Peripheral NS	350-359	0	1	2	2	5	9
-Disorders of Eye	360-379	2	1	2	8	13	19
-Dis of Ear & Mastoid	380-389	0	0	2	1	3	11
CIRCULATORY SYSTEM	390-459	0	3	5	18	26	33
-Chronic Rheumatic Heart Dis	393-398	0	0	1	0	1	1
-Hypertensive Dis	401-405	0	0	0	1	1	2
-Ischemic Heart Dis	410-414	0	2	0	5	7	8
-Other Heart Dis	420-429	0	1	1	5	7	7
-Cerebrovascular Dis	430-438	0	0	0	1	1	2
-Dis of Arteries & Capillaries	440-448	0	0	0	2	2	5
-Dis of Veins, Lymphatics, Other	451-459	0	0	3	4	7	8
RESPIRATORY SYSTEM	460-519	6	13	19	44	82	119
-Acute Respiratory Infections	460-466	4	1	5	21	31	50
-Other Dis Upper Respiratory Tract	470-478	0	2	4	6	12	16

(Continued)

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM Code					
-Pneumonia & Influenza	480-487	1	0	4	5	10
-Chronic Obstructive Dis	490-496	0	0	2	1	3
-Other Respiratory Dis	510-519	0	0	0	1	1
DIGESTIVE SYSTEM	520-579	0	2	4	9	15
-Oral Cavity, Saliva Glands, Jaw	520-529	0	0	0	1	1
-Esophagus, Stomach, Duodenum	530-537	0	0	0	0	0
-Appendicitis	540-543	0	0	0	1	1
-Hernia	550-553	0	0	2	2	4
-Enteritis, Colitis	555-558	0	0	0	2	2
-Other Intestinal Dis	560-569	0	0	0	3	3
-Other Digestive Dis	570-579	0	2	2	0	4
GENITOURINARY SYSTEM	580-629	1	4	9	14	28
-Nephritis, Nephrosis	580-589	0	0	0	0	0
-Other Urinary Dis	590-599	1	0	1	1	3
-Male Genital Organ Dis	600-608	0	0	0	0	0
-Breast Disorders	610-611	0	2	0	3	5
-Other Female Disorders	617-629	0	2	8	10	20
PREGNANCY & CHILDBIRTH	630-677	1	2	0	0	3
-Ectopic & Molar Pregnancy	630-633	1	0	0	0	1
-Pregnancy with Abortive Outcome	634-639	0	2	0	0	2
SKIN & SUBCUTANEOUS TISSUE	680-709	0	0	1	2	3
-Infections	680-686	0	0	0	0	0
-Other	700-709	0	0	1	2	3
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	0	2	13	20	35
-Arthropathies	710-719	0	0	4	6	10
-Dorsopathies	720-724	0	2	1	4	7
-Rheumatism, Excluding Back	725-729	0	0	5	10	15
-Other Dis & Acquired Deformities	730-739	0	0	3	0	3
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	0	9	8	17
-Symptoms	780-789	0	0	8	8	16
-Ill-Defined & Unknown Causes	797-799	0	0	1	0	1
INJURY & POISONING	800-999	2	3	18	21	44
-Fracture - Skull	800-804	0	0	0	1	1
-Fracture - Neck, Trunk	805-809	0	0	0	2	2
-Fracture - Upper Limb	810-819	0	0	1	2	3
-Fracture - Lower Limb	820-829	0	1	4	5	10

(Continued)

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

		Men					TOTAL
		Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code						
-Pneumonia & Influenza	480-487	1	4	6	15	26	36
-Chronic Obstructive Dis	490-496	1	4	2	1	8	11
-Other Respiratory Dis	510-519	0	2	2	1	5	6
DIGESTIVE SYSTEM	520-579	0	9	20	26	55	70
-Oral Cavity, Saliva Glands, Jaw	520-529	0	3	2	0	5	6
-Esophagus, Stomach, Duodenum	530-537	0	0	3	1	4	4
-Appendicitis	540-543	0	0	0	2	2	3
-Hernia	550-553	0	1	6	15	22	26
-Enteritis, Colitis	555-558	0	1	2	3	6	8
-Other Intestinal Dis	560-569	0	2	2	3	7	10
-Other Digestive Dis	570-579	0	2	5	2	9	13
GENITOURINARY SYSTEM	580-629	0	0	4	6	10	38
-Nephritis, Nephrosis	580-589	0	0	1	1	2	2
-Other Urinary Dis	590-599	0	0	1	2	3	6
-Male Genital Organ Dis	600-608	0	0	2	2	4	4
-Breast Disorders	610-611	0	0	0	1	1	6
-Other Female Disorders	617-629	0	0	0	0	0	20
PREGNANCY & CHILDBIRTH	630-677	0	0	0	0	0	3
-Ectopic & Molar Pregnancy	630-633	0	0	0	0	0	1
-Pregnancy with Abortive Outcome	634-639	0	0	0	0	0	2
SKIN & SUBCUTANEOUS TISSUE	680-709	0	1	0	5	6	9
-Infections	680-686	0	1	0	5	6	6
-Other	700-709	0	0	0	0	0	3
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	3	3	18	40	64	99
-Arthropathies	710-719	0	0	3	16	19	29
-Dorsopathies	720-724	3	3	10	14	30	37
-Rheumatism, Excluding Back	725-729	0	0	3	9	12	27
-Other Dis & Acquired Deformities	730-739	0	0	2	1	3	6
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	1	1	7	19	28	45
-Symptoms	780-789	1	1	7	19	28	44
-Ill-Defined & Unknown Causes	797-799	0	0	0	0	0	1
INJURY & POISONING	800-999	5	13	19	38	75	119
-Fracture - Skull	800-804	0	0	0	0	0	1
-Fracture - Neck, Trunk	805-809	0	0	0	2	2	4
-Fracture - Upper Limb	810-819	0	4	1	1	6	9
-Fracture - Lower Limb	820-829	2	0	2	3	7	17

(Continued)

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM Code					
-Dislocation	830-839	0	0	3	4	7
-Sprains & Strains - Back	846-847	0	1	2	0	3
-Sprains & Strains - Other	840-845, 848	0	1	3	5	9
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	0	1	0	1
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	1	1
-Open Wound - Upper Limb	880-887	0	0	0	0	0
-Open Wound - Lower Limb	890-897	1	0	0	0	1
-Superficial Injury	910-919	0	0	0	0	0
-Contusion	920-924	0	0	0	0	0
-Burns	940-949	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	1	1	2
-Unspecified Effects - External Causes	990-995	0	0	0	0	0
-Complications of Surgical/Medical Care	996-999	1	0	3	0	4
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	0	1	1	4	6
-Isolation & Prophylactic Measures	V07-V09	0	0	0	0	0
-Personal & Family History	V10-V19	0	0	0	0	0
-Health Services Reproduction/Development	V20-V29	0	0	0	0	0
-Health Status	V40-V49	0	0	0	0	0
-Specific Procedures/Aftercare	V50-V59	0	1	1	4	6
-Other Circumstances	V60-V69	0	0	0	0	0

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

		Men					
		Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code						TOTAL
-Dislocation	830-839	0	3	2	7	12	19
-Sprains & Strains - Back	846-847	1	1	0	7	9	12
-Sprains & Strains - Other	840-845, 848	0	3	12	9	24	33
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	0	0	0	0	1
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	1
-Open Wound - Upper Limb	880-887	1	0	0	0	1	1
-Open Wound - Lower Limb	890-897	1	0	0	2	3	4
-Superficial Injury	910-919	0	0	0	1	1	1
-Contusion	920-924	0	0	1	1	2	2
-Burns	940-949	0	0	0	2	2	2
-Complications & Unspecified Injuries	958-959	0	2	0	1	3	5
-Unspecified Effects - External Causes	990-995	0	0	1	1	2	2
-Complications of Surgical/Medical Care	996-999	0	0	0	1	1	5
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	1	1	3	3	8	14
-Isolation & Prophylactic Measures	V07-V09	0	1	0	0	1	1
-Personal & Family History	V10-V19	0	0	0	1	1	1
-Health Services Reproduction/Development	V20-V29	1	0	1	0	2	2
-Health Status	V40-V49	0	0	0	1	1	1
-Specific Procedures/Aftercare	V50-V59	0	0	1	1	2	8
-Other Circumstances	V60-V69	0	0	1	0	1	1

	Women					Men					
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category											
Total	9	26	102	124	261	20	56	121	248	445	706

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix H. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM Code					
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	6	6	20	17	49
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	359	460	819
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	178	206	216	600
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	0	123	9	132
BLOOD & BLOOD-FORMING ORGANS	280-289	0	0	14	426	440
MENTAL DISORDERS	290-319	0	425	14	15	454
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	18	0	131	50	199
CIRCULATORY SYSTEM	390-459	0	0	102	97	199
RESPIRATORY SYSTEM	460-519	9	18	227	228	482
DIGESTIVE SYSTEM	520-579	0	62	108	609	779
GENITOURINARY SYSTEM	580-629	8	321	313	289	931
PREGNANCY & CHILDBIRTH	630-677	27	40	0	0	67
SKIN & SUBCUTANEOUS TISSUE	680-709	0	0	20	57	77
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	0	19	953	1,162	2,134
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	0	332	49	381
INJURY & POISONING	800-999	27	447	419	914	1,807

*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix H. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age*

		Men					
		Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code						
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	17	83	92	519	711	760
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	214	741	955	1,774
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	32	28	135	195	795
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	0	36	160	196	328
BLOOD & BLOOD-FORMING ORGANS	280-289	0	66	0	0	66	506
MENTAL DISORDERS	290-319	0	31	9	43	83	537
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	109	22	106	429	666	865
CIRCULATORY SYSTEM	390-459	0	78	204	648	930	1,129
RESPIRATORY SYSTEM	460-519	32	114	140	429	715	1,197
DIGESTIVE SYSTEM	520-579	0	155	405	536	1,096	1,875
GENITOURINARY SYSTEM	580-629	0	0	221	75	296	1,227
PREGNANCY & CHILDBIRTH	630-677	0	0	0	0	0	67
SKIN & SUBCUTANEOUS TISSUE	680-709	0	4	0	207	211	288
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	11	169	573	1,155	1,908	4,042
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	3	6	52	324	385	766
INJURY & POISONING	800-999	71	255	410	1,219	1,955	3,762

*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

		Women					
		Job Category					TOTAL
		Professional	Administrative Support	Technical Support	Service	Security and Fire	
Diagnostic Category	ICD-9-CM Code						
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	3	6	0	0	0	9
-Intestinal Infectious Dis	001-009	2	1	0	0	0	3
-Other Bacterial Dis	030-041	0	2	0	0	0	2
-Viral Dis with Exanthem	050-057	0	1	0	0	0	1
-Other Viral Dis & Chlamydiae	070-079	1	2	0	0	0	3
MALIGNANT NEOPLASMS	140-208, 230-234	0	13	1	0	2	16
-Breast	174-175	0	11	1	0	0	12
-Genitourinary	179-189	0	2	0	0	2	4
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	1	10	1	1	0	13
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	3	0	0	0	3
-Other Metabolic & Immunity Disorders	270-279	0	3	0	0	0	3
BLOOD & BLOOD-FORMING ORGANS	280-289	1	1	0	0	0	2
MENTAL DISORDERS	290-319	0	5	0	0	0	5
-Non-Psychotic Disorders	300-302, 306-316	0	5	0	0	0	5
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	3	15	0	0	0	18
-Disorders of Peripheral NS	350-359	1	3	0	0	0	4
-Disorders of Eye	360-379	1	5	0	0	0	6
-Dis of Ear & Mastoid	380-389	1	7	0	0	0	8
CIRCULATORY SYSTEM	390-459	1	5	1	0	0	7
-Hypertensive Dis	401-405	0	1	0	0	0	1
-Ischemic Heart Dis	410-414	0	1	0	0	0	1
-Cerebrovascular Dis	430-438	1	0	0	0	0	1
-Dis of Arteries & Capillaries	440-448	0	3	0	0	0	3
-Dis of Veins, Lymphatics, Other	451-459	0	0	1	0	0	1
RESPIRATORY SYSTEM	460-519	7	23	2	3	2	37
-Acute Respiratory Infections	460-466	4	11	0	2	2	19
-Other Dis Upper Respiratory Tract	470-478	1	2	0	1	0	4
-Pneumonia & Influenza	480-487	2	7	1	0	0	10
-Chronic Obstructive Dis	490-496	0	2	1	0	0	3
-Other Respiratory Dis	510-519	0	1	0	0	0	1
DIGESTIVE SYSTEM	520-579	3	10	1	1	0	15
-Oral Cavity, Saliva Glands, Jaw	520-529	0	0	1	0	0	1
-Appendicitis	540-543	0	1	0	0	0	1

(Continued)

*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

		Women					
		Job Category					TOTAL
		Professional	Administrative Support	Technical Support	Service	Security and Fire	
Diagnostic Category	ICD-9-CM Code						
-Hernia	550-553	1	2	0	1	0	4
-Enteritis, Colitis	555-558	1	1	0	0	0	2
-Other Intestinal Dis	560-569	1	2	0	0	0	3
-Other Digestive Dis	570-579	0	4	0	0	0	4
GENITOURINARY SYSTEM	580-629	2	25	0	0	1	28
-Other Urinary Dis	590-599	0	3	0	0	0	3
-Breast Disorders	610-611	1	4	0	0	0	5
-Other Female Disorders	617-629	1	18	0	0	1	20
PREGNANCY & CHILDBIRTH	630-677	0	3	0	0	0	3
-Ectopic & Molar Pregnancy	630-633	0	1	0	0	0	1
-Pregnancy with Abortive Outcome	634-639	0	2	0	0	0	2
SKIN & SUBCUTANEOUS TISSUE	680-709	0	3	0	0	0	3
-Other	700-709	0	3	0	0	0	3
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	5	22	3	1	4	35
-Arthropathies	710-719	1	4	2	0	3	10
-Dorsopathies	720-724	2	5	0	0	0	7
-Rheumatism, Excluding Back	725-729	2	10	1	1	1	15
-Other Dis & Acquired Deformities	730-739	0	3	0	0	0	3
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	1	12	2	1	1	17
-Symptoms	780-789	1	11	2	1	1	16
-Ill-Defined & Unknown Causes	797-799	0	1	0	0	0	1
INJURY & POISONING	800-999	5	34	0	4	1	44
-Fracture - Skull	800-804	0	0	0	1	0	1
-Fracture - Neck, Trunk	805-809	1	1	0	0	0	2
-Fracture - Upper Limb	810-819	0	3	0	0	0	3
-Fracture - Lower Limb	820-829	2	6	0	1	1	10
-Dislocation	830-839	1	6	0	0	0	7
-Sprains & Strains - Back	846-847	0	3	0	0	0	3
-Sprains & Strains - Other	840-845, 848	1	8	0	0	0	9
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	1	0	0	0	1
-Open Wound - Head, Neck, Trunk	870-879	0	1	0	0	0	1
-Open Wound - Lower Limb	890-897	0	1	0	0	0	1
-Complications & Unspecified Injuries	958-959	0	2	0	0	0	2

(Continued)

*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

		Women					
		Job Category					TOTAL
		Professional	Administrative Support	Technical Support	Service	Security and Fire	
Diagnostic Category	ICD-9-CM Code						
-Complications of Surgical/Medical Care	996-999	0	2	0	2	0	4
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	1	5	0	0	0	6
-Specific Procedures/Aftercare	V50-V59	1	5	0	0	0	6

	Women					
	Job Category					TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	
Diagnostic Category						
Total	33	195	11	11	11	261

*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

		Men						
		Job Category						TOTAL
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
Diagnostic Category	ICD-9-CM Code							
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	16	6	4	4	3	2	35
-Intestinal Infectious Dis	001-009	3	1	1	1	1	0	7
-Other Bacterial Dis	030-041	4	2	0	1	0	1	8
-Viral Dis with Exanthem	050-057	3	0	0	0	0	0	3
-Other Viral Dis & Chlamydiae	070-079	6	2	3	1	2	1	15
-Other Infections & Parasitic Dis	130-136	0	1	0	1	0	0	2
MALIGNANT NEOPLASMS	140-208, 230-234	6	6	2	1	1	0	16
-Digestive & Peritoneal	150-159	0	2	0	0	0	0	2
-Bone, Connective Tissue, Skin	170-173, 176	2	1	0	0	0	0	3
-Genitourinary	179-189	4	2	2	1	1	0	10
-Lymphatic & Hematopoietic	200-208	0	1	0	0	0	0	1
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	2	4	1	0	0	0	7
ENDOCRINE/METABOLIC/IMMUNITY	240-279	2	2	1	0	0	1	6
-Thyroid Gland Disorders	240-246	0	1	0	0	0	0	1
-Other Endocrine Gland Dis	250-259	1	0	0	0	0	1	2
-Other Metabolic & Immunity Disorders	270-279	1	1	1	0	0	0	3
BLOOD & BLOOD-FORMING ORGANS	280-289	0	0	0	0	0	1	1
MENTAL DISORDERS	290-319	1	1	0	1	0	0	3
-Non-Psychotic Disorders	300-302, 306-316	1	1	0	1	0	0	3
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	9	8	3	2	0	1	23
-Hereditary/Degenerative Central NS Dis	330-337	0	1	0	0	0	0	1
-Other Disorders of Central NS	340-349	0	1	0	0	0	0	1
-Disorders of Peripheral NS	350-359	0	4	1	0	0	0	5
-Disorders of Eye	360-379	9	1	1	2	0	0	13
-Dis of Ear & Mastoid	380-389	0	1	1	0	0	1	3
CIRCULATORY SYSTEM	390-459	13	8	2	1	1	1	26
-Chronic Rheumatic Heart Dis	393-398	0	0	0	1	0	0	1
-Hypertensive Dis	401-405	1	0	0	0	0	0	1
-Ischemic Heart Dis	410-414	3	3	1	0	0	0	7
-Other Heart Dis	420-429	5	1	0	0	1	0	7
-Cerebrovascular Dis	430-438	1	0	0	0	0	0	1

(Continued)

*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

		Men						
		Job Category						TOTAL
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
Diagnostic Category	ICD-9-CM Code							
-Dis of Arteries & Capillaries	440-448	1	1	0	0	0	0	2
-Dis of Veins, Lymphatics, Other	451-459	2	3	1	0	0	1	7
RESPIRATORY SYSTEM	460-519	30	22	12	11	4	3	82
-Acute Respiratory Infections	460-466	13	6	6	4	2	0	31
-Other Dis Upper Respiratory Tract	470-478	5	4	2	1	0	0	12
-Pneumonia & Influenza	480-487	8	8	3	4	0	3	26
-Chronic Obstructive Dis	490-496	2	2	0	2	2	0	8
-Other Respiratory Dis	510-519	2	2	1	0	0	0	5
DIGESTIVE SYSTEM	520-579	17	15	12	8	0	3	55
-Oral Cavity, Saliva Glands, Jaw	520-529	2	1	1	0	0	1	5
-Esophagus, Stomach, Duodenum	530-537	0	3	1	0	0	0	4
-Appendicitis	540-543	0	0	0	1	0	1	2
-Hernia	550-553	7	7	3	4	0	1	22
-Enteritis, Colitis	555-558	3	1	1	1	0	0	6
-Other Intestinal Dis	560-569	1	2	3	1	0	0	7
-Other Digestive Dis	570-579	4	1	3	1	0	0	9
GENITOURINARY SYSTEM	580-629	3	5	1	0	0	1	10
-Nephritis, Nephrosis	580-589	0	1	0	0	0	1	2
-Other Urinary Dis	590-599	0	2	1	0	0	0	3
-Male Genital Organ Dis	600-608	3	1	0	0	0	0	4
-Breast Disorders	610-611	0	1	0	0	0	0	1
SKIN & SUBCUTANEOUS TISSUE	680-709	1	3	1	0	1	0	6
-Infections	680-686	1	3	1	0	1	0	6
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	26	14	7	3	7	7	64
-Arthropathies	710-719	5	6	3	1	0	4	19
-Dorsopathies	720-724	14	6	2	0	5	3	30
-Rheumatism, Excluding Back	725-729	6	2	1	1	2	0	12
-Other Dis & Acquired Deformities	730-739	1	0	1	1	0	0	3
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	9	9	7	2	0	1	28
-Symptoms	780-789	9	9	7	2	0	1	28
INJURY & POISONING	800-999	21	15	18	7	9	5	75
-Fracture - Neck, Trunk	805-809	1	0	0	0	0	1	2
-Fracture - Upper Limb	810-819	1	0	2	0	3	0	6

(Continued)

*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

		Men						
		Job Category						TOTAL
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
Diagnostic Category	ICD-9-CM Code							
-Fracture - Lower Limb	820-829	1	3	2	1	0	0	7
-Dislocation	830-839	1	2	3	4	1	1	12
-Sprains & Strains - Back	846-847	5	0	1	0	3	0	9
-Sprains & Strains - Other	840-845, 848	8	4	8	1	1	2	24
-Open Wound - Upper Limb	880-887	1	0	0	0	0	0	1
-Open Wound - Lower Limb	890-897	0	2	0	0	1	0	3
-Superficial Injury	910-919	0	0	0	0	0	1	1
-Contusion	920-924	1	0	1	0	0	0	2
-Burns	940-949	1	1	0	0	0	0	2
-Complications & Unspecified Injuries	958-959	1	1	0	1	0	0	3
-Unspecified Effects - External Causes	990-995	0	1	1	0	0	0	2
-Complications of Surgical/Medical Care	996-999	0	1	0	0	0	0	1
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	3	0	1	0	1	3	8
-Isolation & Prophylactic Measures	V07-V09	0	0	0	0	0	1	1
-Personal & Family History	V10-V19	1	0	0	0	0	0	1
-Health Services Reproduction/Development	V20-V29	0	0	1	0	0	1	2
-Health Status	V40-V49	1	0	0	0	0	0	1
-Specific Procedures/Aftercare	V50-V59	1	0	0	0	0	1	2
-Other Circumstances	V60-V69	0	0	0	0	1	0	1

	Men						
	Job Category						TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
Diagnostic Category							
Total	159	118	72	40	27	29	445

*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category*

		Women					
		Job Category					TOTAL
		Professional	Administrative Support	Technical Support	Service	Security and Fire	
Diagnostic Category	ICD-9-CM Code						
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	20	29	0	0	0	49
MALIGNANT NEOPLASMS	140-208, 230-234	0	803	12	0	4	819
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	44	462	47	47	0	600
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	132	0	0	0	132
BLOOD & BLOOD-FORMING ORGANS	280-289	426	14	0	0	0	440
MENTAL DISORDERS	290-319	0	454	0	0	0	454
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	31	168	0	0	0	199
CIRCULATORY SYSTEM	390-459	4	169	26	0	0	199
RESPIRATORY SYSTEM	460-519	48	364	34	17	19	482
DIGESTIVE SYSTEM	520-579	456	239	22	62	0	779
GENITOURINARY SYSTEM	580-629	40	887	0	0	4	931
PREGNANCY & CHILDBIRTH	630-677	0	67	0	0	0	67
SKIN & SUBCUTANEOUS TISSUE	680-709	0	77	0	0	0	77
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	476	1,125	283	26	224	2,134
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	3	193	169	1	15	381
INJURY & POISONING	800-999	553	894	0	211	149	1,807

		Men					
		Job Category					TOTAL
		Professional	Administrative Support	Technical Support	Service	Security and Fire	
Diagnostic Category	ICD-9-CM Code						
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	486	65	26	75	25	711
MALIGNANT NEOPLASMS	140-208, 230-234	271	483	71	60	70	955
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	36	147	12	0	0	195
ENDOCRINE/METABOLIC/IMMUNITY	240-279	12	43	5	0	0	196
BLOOD & BLOOD-FORMING ORGANS	280-289	0	0	0	0	0	66
MENTAL DISORDERS	290-319	9	43	0	31	0	83

(Continued)

*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category*

		Men						
		Job Category						TOTAL
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
Diagnostic Category	ICD-9-CM Code							
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	176	278	156	55	0	1	666
CIRCULATORY SYSTEM	390-459	502	112	105	173	27	11	930
RESPIRATORY SYSTEM	460-519	235	216	124	94	19	27	715
DIGESTIVE SYSTEM	520-579	212	214	403	234	0	33	1,096
GENITOURINARY SYSTEM	580-629	54	224	7	0	0	11	296
SKIN & SUBCUTANEOUS TISSUE	680-709	117	75	15	0	4	0	211
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	498	426	425	53	95	411	1,908
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	224	80	56	12	0	13	385
INJURY & POISONING	800-999	217	588	369	274	212	295	1,955

*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category*

Part 1. Men

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	35	5.7	3.9	8.4
-Intestinal Infectious Dis	001-009	7	1.1	0.5	2.5
-Other Bacterial Dis	030-041	8	1.2	0.6	2.6
-Viral Dis with Exanthem	050-057	3	0.5	0.2	1.8
-Other Viral Dis & Chlamydiae	070-079	15	2.7	1.4	4.9
-Other Infections & Parasitic Dis	130-136	2	0.2	0.0	0.8
MALIGNANT NEOPLASMS	140-208, 230-234	16	1.7	1.0	2.8
-Digestive & Peritoneal	150-159	2	0.2	0.0	0.8
-Bone, Connective Tissue, Skin	170-173, 176	3	0.3	0.1	1.0
-Genitourinary	179-189	10	1.1	0.6	2.0
-Lymphatic & Hematopoietic	200-208	1	0.1	0.0	0.9
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	7	1.0	0.4	2.1
ENDOCRINE/METABOLIC/IMMUNITY	240-279	6	0.7	0.3	1.5
-Thyroid Gland Disorders	240-246	1	0.1	0.0	0.9
-Other Endocrine Gland Dis	250-259	2	0.2	0.0	0.8
-Other Metabolic & Immunity Disorders	270-279	3	0.3	0.1	1.1
BLOOD & BLOOD-FORMING ORGANS	280-289	1	0.3	0.0	2.0
MENTAL DISORDERS	290-319	3	0.5	0.2	1.8
-Non-Psychotic Disorders	300-302, 306-316	3	0.5	0.2	1.8
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	23	3.6	2.2	5.9
-Hereditary/Degenerative Central NS Dis	330-337	1	0.1	0.0	0.9
-Other Disorders of Central NS	340-349	1	0.1	0.0	0.7
-Disorders of Peripheral NS	350-359	5	0.7	0.3	1.9
-Disorders of Eye	360-379	13	2.3	1.2	4.5
-Dis of Ear & Mastoid	380-389	3	0.3	0.1	1.1
CIRCULATORY SYSTEM	390-459	26	3.3	2.2	5.0
-Chronic Rheumatic Heart Dis	393-398	1	0.1	0.0	0.9
-Hypertensive Dis	401-405	1	0.1	0.0	0.7
-Ischemic Heart Dis	410-414	7	1.1	0.5	2.5
-Other Heart Dis	420-429	7	0.9	0.4	2.0
-Cerebrovascular Dis	430-438	1	0.1	0.0	0.9
-Dis of Arteries & Capillaries	440-448	2	0.2	0.1	0.9
-Dis of Veins, Lymphatics, Other	451-459	7	0.8	0.4	1.6
RESPIRATORY SYSTEM	460-519	82	13.1	10.1	16.9
-Acute Respiratory Infections	460-466	31	4.8	3.1	7.5
-Other Dis Upper Respiratory Tract	470-478	12	1.6	0.9	3.0

*Only those diagnostic categories with at least one occurrence appear in this table.

**Standardized to age distribution of 2000 U.S. population.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category*

Part 1. Men

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Pneumonia & Influenza	480-487	26	3.8	2.5	6.0
-Chronic Obstructive Dis	490-496	8	1.9	0.9	4.1
-Other Respiratory Dis	510-519	5	0.9	0.3	2.3
DIGESTIVE SYSTEM	520-579	55	7.6	5.7	10.1
-Oral Cavity, Saliva Glands, Jaw	520-529	5	1.1	0.4	2.7
-Esophagus, Stomach, Duodenum	530-537	4	0.5	0.2	1.3
-Appendicitis	540-543	2	0.2	0.0	0.8
-Hernia	550-553	22	2.6	1.6	4.0
-Enteritis, Colitis	555-558	6	0.8	0.3	2.0
-Other Intestinal Dis	560-569	7	1.1	0.5	2.5
-Other Digestive Dis	570-579	9	1.4	0.7	2.8
GENITOURINARY SYSTEM	580-629	10	1.2	0.6	2.1
-Nephritis, Nephrosis	580-589	2	0.2	0.1	0.9
-Other Urinary Dis	590-599	3	0.3	0.1	1.1
-Male Genital Organ Dis	600-608	4	0.5	0.2	1.3
-Breast Disorders	610-611	1	0.1	0.0	0.9
SKIN & SUBCUTANEOUS TISSUE	680-709	6	0.8	0.3	2.0
-Infections	680-686	6	0.8	0.3	2.0
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	64	8.4	6.3	11.2
-Arthropathies	710-719	19	2.0	1.2	3.1
-Dorsopathies	720-724	30	4.8	3.1	7.4
-Rheumatism, Excluding Back	725-729	12	1.3	0.7	2.3
-Other Dis & Acquired Deformities	730-739	3	0.3	0.1	1.1
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	28	3.5	2.3	5.4
-Symptoms	780-789	28	3.5	2.3	5.4
INJURY & POISONING	800-999	75	12.0	9.2	15.7
-Fracture - Skull	800-804	2	0.2	0.0	0.8
-Fracture - Upper Limb	810-819	6	1.3	0.6	3.1
-Fracture - Lower Limb	820-829	7	1.5	0.6	3.7
-Dislocation	830-839	12	1.8	1.0	3.4
-Sprains & Strains - Back	846-847	9	1.4	0.6	3.2
-Sprains & Strains - Other	840-845, 848	24	3.3	2.1	5.0
-Open Wound - Head, Neck, Trunk	870-879	4	1.1	0.3	3.5
-Superficial Injury	910-919	1	0.1	0.0	0.7
-Contusion	920-924	2	0.2	0.1	1.0

*Only those diagnostic categories with at least one occurrence appear in this table.

**Standardized to age distribution of 2000 U.S. population.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category*

Part 1. Men

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Burns	940-949	2	0.2	0.0	0.8
-Complications & Unspecified Injuries	958-959	3	0.6	0.2	2.2
-Unspecified Effects - External Causes	990-995	2	0.2	0.1	0.9
-Complications of Surgical/Medical Care	996-999	1	0.1	0.0	0.7
Total		437	63.3	56.7	70.6

*Only those diagnostic categories with at least one occurrence appear in this table.

**Standardized to age distribution of 2000 U.S. population.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category*

Part 2. Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	9	3.6	1.7	7.6
-Intestinal Infectious Dis	001-009	3	0.7	0.2	2.2
-Other Bacterial Dis	030-041	2	1.4	0.3	5.6
-Viral Dis with Exanthem	050-057	1	0.2	0.0	1.6
-Other Viral Dis & Chlamydiae	070-079	3	1.3	0.3	4.8
MALIGNANT NEOPLASMS	140-208, 230-234	16	4.4	2.6	7.4
-Breast	174-175	12	3.4	1.9	6.3
-Genitourinary	179-189	4	0.9	0.3	2.5
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	13	4.7	2.6	8.5
ENDOCRINE/METABOLIC/IMMUNITY	240-279	3	1.0	0.3	3.5
-Other Metabolic & Immunity Disorders	270-279	3	1.0	0.3	3.5
BLOOD & BLOOD-FORMING ORGANS	280-289	2	0.5	0.1	1.9
MENTAL DISORDERS	290-319	5	2.2	0.9	5.6
-Non-Psychotic Disorders	300-302, 306-316	5	2.2	0.9	5.6
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	18	5.7	3.3	9.7
-Disorders of Peripheral NS	350-359	4	1.3	0.4	3.7
-Disorders of Eye	360-379	6	1.4	0.6	3.1
-Dis of Ear & Mastoid	380-389	8	3.0	1.3	6.8
CIRCULATORY SYSTEM	390-459	7	2.0	0.9	4.3
-Hypertensive Dis	401-405	1	0.2	0.0	1.6
-Ischemic Heart Dis	410-414	1	0.5	0.1	3.9
-Cerebrovascular Dis	430-438	1	0.2	0.0	1.6
-Dis of Arteries & Capillaries	440-448	3	0.7	0.2	2.2
-Dis of Veins, Lymphatics, Other	451-459	1	0.2	0.0	1.7
RESPIRATORY SYSTEM	460-519	37	12.5	8.7	17.8
-Acute Respiratory Infections	460-466	19	5.8	3.5	9.5
-Other Dis Upper Respiratory Tract	470-478	4	1.6	0.6	4.6
-Pneumonia & Influenza	480-487	10	3.9	1.9	7.7
-Chronic Obstructive Dis	490-496	3	1.0	0.3	3.5
-Other Respiratory Dis	510-519	1	0.2	0.0	1.6
DIGESTIVE SYSTEM	520-579	15	4.5	2.6	7.8
-Oral Cavity, Saliva Glands, Jaw	520-529	1	0.2	0.0	1.6
-Appendicitis	540-543	1	0.2	0.0	1.6
-Hernia	550-553	4	0.9	0.4	2.5
-Enteritis, Colitis	555-558	2	0.8	0.2	3.5
-Other Intestinal Dis	560-569	3	0.7	0.2	2.1

*Only those diagnostic categories with at least one occurrence appear in this table.

**Standardized to age distribution of 2000 U.S. population.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category*

Part 2. Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Other Digestive Dis	570-579	4	1.6	0.6	4.7
GENITOURINARY SYSTEM	580-629	28	9.1	6.0	13.7
-Other Urinary Dis	590-599	3	1.6	0.5	5.4
-Breast Disorders	610-611	5	1.8	0.7	4.8
-Other Female Disorders	617-629	20	5.7	3.5	9.1
PREGNANCY & CHILDBIRTH	630-677	3	1.9	0.6	6.1
-Ectopic & Molar Pregnancy	630-633	1	0.8	0.1	5.6
-Pregnancy with Abortive Outcome	634-639	2	1.1	0.3	4.6
SKIN & SUBCUTANEOUS TISSUE	680-709	3	0.7	0.2	2.2
-Other	700-709	3	0.7	0.2	2.2
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	35	10.4	7.3	15.0
-Arthropathies	710-719	10	3.0	1.5	5.8
-Dorsopathies	720-724	7	2.3	1.0	5.2
-Rheumatism, Excluding Back	725-729	15	4.4	2.6	7.7
-Other Dis & Acquired Deformities	730-739	3	0.7	0.2	2.2
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	17	5.3	3.1	8.8
-Symptoms	780-789	16	5.0	2.9	8.6
-Ill-Defined & Unknown Causes	797-799	1	0.2	0.0	1.7
INJURY & POISONING	800-999	44	15.0	10.7	20.8
-Fracture - Skull	800-804	3	1.3	0.4	4.4
-Fracture - Upper Limb	810-819	3	0.7	0.2	2.2
-Fracture - Lower Limb	820-829	10	3.9	2.0	7.7
-Dislocation	830-839	7	2.3	1.0	5.1
-Sprains & Strains - Back	846-847	3	1.0	0.3	3.6
-Sprains & Strains - Other	840-845, 848	9	2.4	1.2	4.9
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	1	0.2	0.0	1.7
-Open Wound - Head, Neck, Trunk	870-879	2	1.0	0.2	5.0
-Complications & Unspecified Injuries	958-959	2	0.5	0.1	1.9
-Complications of Surgical/Medical Care	996-999	4	1.5	0.5	4.8
Total		255	83.2	72.5	95.4

*Only those diagnostic categories with at least one occurrence appear in this table.

**Standardized to age distribution of 2000 U.S. population.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category*

Part 3. Men and Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	44	5.1	3.6	7.2
-Intestinal Infectious Dis	001-009	10	1.0	0.5	2.0
-Other Bacterial Dis	030-041	10	1.3	0.6	2.6
-Viral Dis with Exanthem	050-057	4	0.4	0.1	1.2
-Other Viral Dis & Chlamydiae	070-079	18	2.2	1.3	3.8
-Other Infections & Parasitic Dis	130-136	2	0.1	0.0	0.5
MALIGNANT NEOPLASMS	140-208, 230-234	32	2.5	1.8	3.6
-Digestive & Peritoneal	150-159	2	0.1	0.0	0.5
-Bone, Connective Tissue, Skin	170-173, 176	3	0.2	0.1	0.8
-Breast	174-175	12	0.9	0.5	1.7
-Genitourinary	179-189	14	1.1	0.7	1.9
-Lymphatic & Hematopoietic	200-208	1	0.1	0.0	0.6
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	20	2.1	1.3	3.5
ENDOCRINE/METABOLIC/IMMUNITY	240-279	9	0.7	0.4	1.4
-Thyroid Gland Disorders	240-246	1	0.1	0.0	0.6
-Other Endocrine Gland Dis	250-259	2	0.1	0.0	0.5
-Other Metabolic & Immunity Disorders	270-279	6	0.5	0.2	1.1
BLOOD & BLOOD-FORMING ORGANS	280-289	3	0.3	0.1	1.2
MENTAL DISORDERS	290-319	8	1.1	0.5	2.3
-Non-Psychotic Disorders	300-302, 306-316	8	1.1	0.5	2.3
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	41	4.3	3.0	6.2
-Hereditary/Degenerative Central NS Dis	330-337	1	0.1	0.0	0.6
-Other Disorders of Central NS	340-349	1	0.1	0.0	0.5
-Disorders of Peripheral NS	350-359	9	0.8	0.4	1.6
-Disorders of Eye	360-379	19	2.1	1.2	3.5
-Dis of Ear & Mastoid	380-389	11	1.3	0.6	2.6
CIRCULATORY SYSTEM	390-459	33	2.9	2.0	4.2
-Chronic Rheumatic Heart Dis	393-398	1	0.1	0.0	0.6
-Hypertensive Dis	401-405	2	0.1	0.0	0.5
-Ischemic Heart Dis	410-414	8	0.9	0.4	1.9
-Other Heart Dis	420-429	7	0.6	0.3	1.4
-Cerebrovascular Dis	430-438	2	0.2	0.0	0.7
-Dis of Arteries & Capillaries	440-448	5	0.4	0.2	1.0
-Dis of Veins, Lymphatics, Other	451-459	8	0.6	0.3	1.3
RESPIRATORY SYSTEM	460-519	119	12.7	10.3	15.5
-Acute Respiratory Infections	460-466	50	5.2	3.8	7.2

*Only those diagnostic categories with at least one occurrence appear in this table.

**Standardized to age distribution of 2000 U.S. population.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category*

Part 3. Men and Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Other Dis Upper Respiratory Tract	470-478	16	1.5	0.9	2.6
-Pneumonia & Influenza	480-487	36	3.7	2.6	5.4
-Chronic Obstructive Dis	490-496	11	1.5	0.8	2.9
-Other Respiratory Dis	510-519	6	0.7	0.3	1.6
DIGESTIVE SYSTEM	520-579	70	6.6	5.1	8.5
-Oral Cavity, Saliva Glands, Jaw	520-529	6	0.8	0.3	1.9
-Esophagus, Stomach, Duodenum	530-537	4	0.3	0.1	0.8
-Appendicitis	540-543	3	0.2	0.1	0.6
-Hernia	550-553	26	2.1	1.4	3.2
-Enteritis, Colitis	555-558	8	0.8	0.4	1.6
-Other Intestinal Dis	560-569	10	0.9	0.5	1.9
-Other Digestive Dis	570-579	13	1.4	0.8	2.6
GENITOURINARY SYSTEM	580-629	38	3.6	2.5	5.2
-Nephritis, Nephrosis	580-589	2	0.1	0.0	0.6
-Other Urinary Dis	590-599	6	0.7	0.3	1.9
-Male Genital Organ Dis	600-608	4	0.3	0.1	0.9
-Breast Disorders	610-611	6	0.7	0.3	1.6
-Other Female Disorders	617-629	20	1.7	1.1	2.8
PREGNANCY & CHILDBIRTH	630-677	3	0.7	0.2	2.1
-Ectopic & Molar Pregnancy	630-633	1	0.3	0.0	2.0
-Pregnancy with Abortive Outcome	634-639	2	0.4	0.1	1.5
SKIN & SUBCUTANEOUS TISSUE	680-709	9	0.8	0.4	1.7
-Infections	680-686	6	0.6	0.3	1.5
-Other	700-709	3	0.2	0.1	0.7
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	99	8.8	7.1	10.9
-Arthropathies	710-719	29	2.2	1.5	3.2
-Dorsopathies	720-724	37	3.9	2.7	5.7
-Rheumatism, Excluding Back	725-729	27	2.2	1.5	3.2
-Other Dis & Acquired Deformities	730-739	6	0.5	0.2	1.1
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	45	3.9	2.8	5.3
-Symptoms	780-789	44	3.8	2.8	5.2
-Ill-Defined & Unknown Causes	797-799	1	0.1	0.0	0.6
INJURY & POISONING	800-999	119	12.6	10.2	15.4
-Fracture - Skull	800-804	5	0.4	0.2	1.0
-Fracture - Upper Limb	810-819	9	1.1	0.5	2.3

*Only those diagnostic categories with at least one occurrence appear in this table.

**Standardized to age distribution of 2000 U.S. population.

Lawrence Livermore National Laboratory 2007

Absence Data

Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category*

Part 3. Men and Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Fracture - Lower Limb	820-829	17	2.0	1.1	3.4
-Dislocation	830-839	19	1.9	1.1	3.0
-Sprains & Strains - Back	846-847	12	1.4	0.7	2.6
-Sprains & Strains - Other	840-845, 848	33	3.0	2.1	4.4
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	1	0.1	0.0	0.6
-Open Wound - Head, Neck, Trunk	870-879	6	1.1	0.4	2.7
-Superficial Injury	910-919	1	0.1	0.0	0.5
-Contusion	920-924	2	0.2	0.0	0.8
-Burns	940-949	2	0.1	0.0	0.5
-Complications & Unspecified Injuries	958-959	5	0.6	0.2	1.5
-Unspecified Effects - External Causes	990-995	2	0.1	0.0	0.6
-Complications of Surgical/Medical Care	996-999	5	0.6	0.2	1.7
Total		692	68.8	63.2	74.8

*Only those diagnostic categories with at least one occurrence appear in this table.

**Standardized to age distribution of 2000 U.S. population.

Lawrence Livermore National Laboratory 2007
OSHA Data

Appendix L. Number of Workers with at Least One OSHA Event by Gender, Age, and Job Category*

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	0	1	1	3	5	1	3	3	3	10	15
Administrative Support	1	8	21	13	43	1	4	9	10	24	67
Technical Support	4	0	0	2	6	3	6	8	8	25	31
Service	0	1	0	3	4	0	0	2	1	3	7
Security and Fire	0	0	0	0	0	3	7	9	1	20	20
Crafts	0	0	0	1	1	0	1	7	6	14	15
TOTAL	5	10	22	22	59	8	21	38	29	96	155

*Only those job categories and gender/age combinations with at least one OSHA event appear in this table.

Appendix M. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Age

Age Group	Women			Men			TOTAL		
	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost
16 - 29	5	71	0	8	282	17	13	353	17
30 - 39	10	114	54	21	240	123	31	354	177
40 - 49	22	0	80	41	920	119	63	920	199
50 +	22	269	547	29	93	93	51	362	640
TOTAL	59	454	681	99	1535	352	158	1989	1033

Appendix N. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Job Category*

Job Category	Women			Men			Total		
	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost
Professional	5	0	0	10	0	0	15	0	0
Administrative Support	43	124	446	24	173	140	67	297	586
Technical Support	6	106	207	26	334	53	32	440	260
Service	4	86	0	3	30	0	7	116	0
Security and Fire	0	0	0	21	776	135	21	776	135
Crafts	1	138	28	15	222	24	16	360	52
Total	59	454	681	99	1535	352	158	1989	1033

*Only those job categories with at least one OSHA event appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM code					
0	0	0	0	0	0	0
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	0	0	1	0	1
-Mycoses	110-118	0	0	1	0	1
BLOOD & BLOOD-FORMING ORGANS	280-289	0	0	0	0	0
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	1	1	2	0	4
-Disorders of Peripheral NS	350-359	1	1	2	0	4
-Dis of Ear & Mastoid	380-389	0	0	0	0	0
RESPIRATORY SYSTEM	460-519	1	0	0	0	1
-Lung Dis from External Agents	500-508	1	0	0	0	1
DIGESTIVE SYSTEM	520-579	0	0	0	1	1
-Hernia	550-553	0	0	0	1	1
SKIN & SUBCUTANEOUS TISSUE	680-709	1	1	0	0	2
-Infections	680-686	0	1	0	0	1
-Other Inflammatory Conditions	690-698	1	0	0	0	1
-Other	700-709	0	0	0	0	0
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	3	8	14	16	41
-Arthropathies	710-719	1	6	13	10	30
-Dorsopathies	720-724	0	2	0	2	4
-Rheumatism, Excluding Back	725-729	2	0	1	4	7
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	1	1	3	4	9
-Symptoms	780-789	1	1	2	4	8
-Non-Specific Abnormal Findings	790-796	0	0	1	0	1
INJURY & POISONING	800-999	3	9	18	24	54
-Fracture - Upper Limb	810-819	0	0	0	1	1
-Fracture - Lower Limb	820-829	0	0	0	0	0
-Dislocation	830-839	0	0	0	0	0
-Sprains & Strains - Back	846-847	0	2	1	1	4
-Sprains & Strains - Other	840-845, 848	0	1	5	9	15
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0
-Open Wound - Upper Limb	880-887	0	0	0	0	0
-Open Wound - Lower Limb	890-897	0	0	0	0	0
-Superficial Injury	910-919	0	1	0	1	2
-Contusion	920-924	1	1	2	1	5
-Foreign Body Entering Orifice	930-939	0	0	0	0	0
-Burns	940-949	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	2	4	8	11	25

(Continued)

*Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

		Men					TOTAL
		Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM code						
0	0	0	0	0	1	1	1
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	0	0	1	0	1	2
-Mycoses	110-118	0	0	1	0	1	2
BLOOD & BLOOD-FORMING ORGANS	280-289	0	0	0	1	1	1
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	0	4	0	4	8
-Disorders of Peripheral NS	350-359	0	0	2	0	2	6
-Dis of Ear & Mastoid	380-389	0	0	2	0	2	2
RESPIRATORY SYSTEM	460-519	0	0	0	1	1	2
-Lung Dis from External Agents	500-508	0	0	0	1	1	2
DIGESTIVE SYSTEM	520-579	0	0	0	1	1	2
-Hernia	550-553	0	0	0	1	1	2
SKIN & SUBCUTANEOUS TISSUE	680-709	0	2	0	0	2	4
-Infections	680-686	0	0	0	0	0	1
-Other Inflammatory Conditions	690-698	0	1	0	0	1	2
-Other	700-709	0	1	0	0	1	1
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	3	20	22	19	64	105
-Arthropathies	710-719	1	14	10	14	39	69
-Dorsopathies	720-724	0	4	11	1	16	20
-Rheumatism, Excluding Back	725-729	2	2	1	4	9	16
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	1	4	6	2	13	22
-Symptoms	780-789	1	4	6	2	13	21
-Non-Specific Abnormal Findings	790-796	0	0	0	0	0	1
INJURY & POISONING	800-999	9	23	35	25	92	146
-Fracture - Upper Limb	810-819	0	1	0	2	3	4
-Fracture - Lower Limb	820-829	0	0	0	1	1	1
-Dislocation	830-839	0	2	1	0	3	3
-Sprains & Strains - Back	846-847	0	1	9	2	12	16
-Sprains & Strains - Other	840-845, 848	2	5	12	9	28	43
-Open Wound - Head, Neck, Trunk	870-879	1	1	0	0	2	2
-Open Wound - Upper Limb	880-887	1	3	3	2	9	9
-Open Wound - Lower Limb	890-897	0	0	1	0	1	1
-Superficial Injury	910-919	1	0	0	0	1	3
-Contusion	920-924	1	4	0	3	8	13
-Foreign Body Entering Orifice	930-939	0	0	1	1	2	2
-Burns	940-949	0	0	0	1	1	1
-Complications & Unspecified Injuries	958-959	3	5	7	4	19	44

(Continued)

*Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM code					
-Toxic Effects - Non-medicinal	980-989	0	0	2	0	2
-Unspecified Effects - External Causes	990-995	0	0	0	0	0

*Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

		Men					
		Age Group					
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM code						
-Toxic Effects - Non-medicinal	980-989	0	1	0	0	1	3
-Unspecified Effects - External Causes	990-995	0	0	1	0	1	1

	Women					Men					
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category											
Total	10	20	38	45	113	13	49	68	49	179	292

*Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age*

		Women							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes								
-Mycoses	110-118	0	0	0	0	0	0	0	0
-Disorders of Peripheral NS	350-359	0	0	0	0	0	0	0	0
-Lung Dis from External Agents	500-508	0	0	0	0	0	0	0	0
-Hernia	550-553	0	0	0	0	0	0	0	0
-Infections	680-686	0	0	0	20	0	0	0	0
-Other Inflammatory Conditions	690-698	0	0	0	0	0	0	0	0
-Arthropathies	710-719	0	0	71	34	0	52	221	235
-Dorsopathies	720-724	0	0	43	0	0	0	0	0
-Rheumatism, Excluding Back	725-729	71	0	0	0	0	0	43	0
-Symptoms	780-789	0	0	0	0	0	52	48	132
-Non-Specific Abnormal Findings	790-796	0	0	0	0	0	0	0	0
-Fracture - Upper Limb	810-819	0	0	0	0	0	0	0	180
-Sprains & Strains - Back	846-847	0	0	43	0	0	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	0	0	0	28	226	273
-Superficial Injury	910-919	0	0	0	20	0	0	0	0
-Contusion	920-924	0	0	0	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	71	0	71	34	0	0	0	94
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0	0	0

		Men							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes								
0	0	0	0	0	0	0	0	0	31
-Mycoses	110-118	0	0	0	0	35	0	0	0
-Disorders of Peripheral NS	350-359	0	0	0	0	27	11	0	0
-Dis of Ear & Mastoid	380-389	0	0	0	0	0	0	0	0
-Lung Dis from External Agents	500-508	0	0	0	0	0	0	62	0
-Hernia	550-553	0	0	0	0	0	0	0	56
-Other Inflammatory Conditions	690-698	0	0	0	0	0	0	0	0
-Other	700-709	0	0	0	0	0	0	0	0
-Arthropathies	710-719	25	0	222	0	265	49	0	0

(Continued)

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age*

		Men							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes								
-Dorsopathies	720-724	0	0	16	0	262	38	0	0
-Rheumatism, Excluding Back	725-729	64	0	0	0	110	0	0	0
-Symptoms	780-789	9	14	2	0	35	13	0	31
-Fracture - Upper Limb	810-819	0	0	0	0	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	0	0	0	0	0	0
-Dislocation	830-839	0	0	0	123	0	19	0	0
-Sprains & Strains - Back	846-847	0	0	0	0	227	38	30	6
-Sprains & Strains - Other	840-845, 848	34	14	201	0	340	49	0	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	2	0	0	0	0	0
-Open Wound - Upper Limb	880-887	4	0	0	0	19	0	0	0
-Open Wound - Lower Limb	890-897	0	0	0	0	0	0	0	0
-Superficial Injury	910-919	0	0	0	0	0	0	0	0
-Contusion	920-924	0	3	23	0	0	0	0	0
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	0	0	0
-Burns	940-949	0	0	0	0	0	0	1	0
-Complications & Unspecified Injuries	958-959	244	0	16	123	321	22	0	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	0	0	109	0	0	0

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007
OSHA Data

Appendix Q. Number of Occurrences in Each Accident Category by Gender and Age*

		Women					Men					
		Age Group					Age Group					
		16 - 29	30 - 39	40 - 49	50 +		TOTAL	16 - 29	30 - 39	40 - 49		
Type of Accident	E Codes											
Motor Vehicle Traffic	E810-E819	0	0	1	0	1	0	0	0	0	0	1
Other Road Vehicle	E826-E829	0	0	0	0	0	0	0	0	2	2	2
Accidental Poisoning - Non-medicinal	E860-E869	1	0	0	0	1	0	0	0	0	0	1
Falls	E880-E888	0	2	5	4	11	1	1	4	6	12	23
Natural/Environmental Factors	E900-E909	0	1	2	0	3	0	1	0	0	1	4
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0	0	1	1	2	2
Other Accidents	E916-E928	4	7	12	18	41	7	18	30	16	71	112

*Only those accident types and gender/age combinations with at least one occurrence appear in this table.

Appendix R. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Age*

		Women							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes								
Motor Vehicle Traffic	E810-E819	0	0	0	0	0	0	0	0
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	0	0	0	0	0
Falls	E880-E888	0	0	0	0	0	28	0	180
Natural/Environmental Factors	E900-E909	0	0	0	20	0	0	0	0
Other Accidents	E916-E928	71	0	114	34	0	52	269	367

		Men							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes								
Other Road Vehicle	E826-E829	0	0	0	0	0	0	0	0
Falls	E880-E888	0	0	0	123	105	43	0	0
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0	0	0
Other Accidents	E916-E928	282	17	240	0	513	43	31	6

*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/age combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

		Women					
		Job Category					TOTAL
		Professional	Administrative Support	Technical Support	Service	Crafts	
Diagnostic Category	ICD-9-CM Code						
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	0	1	0	0	0	1
-Mycoses	110-118	0	1	0	0	0	1
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	4	0	0	0	4
-Disorders of Peripheral NS	350-359	0	4	0	0	0	4
RESPIRATORY SYSTEM	460-519	0	0	1	0	0	1
-Lung Dis from External Agents	500-508	0	0	1	0	0	1
DIGESTIVE SYSTEM	520-579	0	1	0	0	0	1
-Hernia	550-553	0	1	0	0	0	1
SKIN & SUBCUTANEOUS TISSUE	680-709	0	2	0	0	0	2
-Infections	680-686	0	1	0	0	0	1
-Other Inflammatory Conditions	690-698	0	1	0	0	0	1
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	4	25	5	6	1	41
-Arthropathies	710-719	2	22	3	2	1	30
-Dorsopathies	720-724	1	1	0	2	0	4
-Rheumatism, Excluding Back	725-729	1	2	2	2	0	7
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	8	0	1	0	9
-Symptoms	780-789	0	7	0	1	0	8
-Non-Specific Abnormal Findings	790-796	0	1	0	0	0	1
INJURY & POISONING	800-999	6	39	5	3	1	54
-Fracture - Upper Limb	810-819	0	1	0	0	0	1
-Sprains & Strains - Back	846-847	0	3	0	1	0	4
-Sprains & Strains - Other	840-845, 848	1	11	1	1	1	15
-Superficial Injury	910-919	0	1	0	1	0	2
-Contusion	920-924	1	3	1	0	0	5
-Complications & Unspecified Injuries	958-959	4	18	3	0	0	25
-Toxic Effects - Non-medicinal	980-989	0	2	0	0	0	2

	Women					
	Job Category					TOTAL
	Professional	Administrative Support	Technical Support	Service	Crafts	
Diagnostic Category						
Total	10	80	11	10	2	113

*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

		Men						
		Job Category						TOTAL
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
Diagnostic Category	ICD-9-CM Code							
0	0	0	0	1	0	0	0	1
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	0	1	0	0	0	0	1
-Mycoses	110-118	0	1	0	0	0	0	1
BLOOD & BLOOD-FORMING ORGANS	280-289	0	0	1	0	0	0	1
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	1	1	2	0	0	4
-Disorders of Peripheral NS	350-359	0	1	1	0	0	0	2
-Dis of Ear & Mastoid	380-389	0	0	0	2	0	0	2
RESPIRATORY SYSTEM	460-519	0	0	1	0	0	0	1
-Lung Dis from External Agents	500-508	0	0	1	0	0	0	1
DIGESTIVE SYSTEM	520-579	0	0	0	0	1	0	1
-Hernia	550-553	0	0	0	0	1	0	1
SKIN & SUBCUTANEOUS TISSUE	680-709	0	0	0	0	2	0	2
-Other Inflammatory Conditions	690-698	0	0	0	0	1	0	1
-Other	700-709	0	0	0	0	1	0	1
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	12	7	16	1	18	10	64
-Arthropathies	710-719	7	4	11	0	10	7	39
-Dorsopathies	720-724	2	3	2	1	7	1	16
-Rheumatism, Excluding Back	725-729	3	0	3	0	1	2	9
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	1	2	2	0	6	2	13
-Symptoms	780-789	1	2	2	0	6	2	13
INJURY & POISONING	800-999	11	24	25	2	17	13	92
-Fracture - Upper Limb	810-819	0	2	1	0	0	0	3
-Fracture - Lower Limb	820-829	0	0	1	0	0	0	1
-Dislocation	830-839	0	1	2	0	0	0	3
-Sprains & Strains - Back	846-847	1	4	1	1	3	2	12
-Sprains & Strains - Other	840-845, 848	2	7	5	1	9	4	28
-Open Wound - Head, Neck, Trunk	870-879	0	1	1	0	0	0	2
-Open Wound - Upper Limb	880-887	0	3	3	0	0	3	9
-Open Wound - Lower Limb	890-897	0	1	0	0	0	0	1
-Superficial Injury	910-919	0	1	0	0	0	0	1
-Contusion	920-924	1	1	4	0	2	0	8

(Continued)

*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

		Men						
		Job Category						TOTAL
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
Diagnostic Category	ICD-9-CM Code							
-Foreign Body Entering Orifice	930-939	0	0	1	0	0	1	2
-Burns	940-949	0	0	0	0	0	1	1
-Complications & Unspecified Injuries	958-959	7	3	4	0	3	2	19
-Toxic Effects - Non-medicinal	980-989	0	0	1	0	0	0	1
-Unspecified Effects - External Causes	990-995	0	0	1	0	0	0	1

	Men						
	Job Category						TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
Diagnostic Category							
Total	24	35	46	5	44	25	179

*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category*

		Women					
		Job Category					
		Professional		Administrative Support		Technical Support	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes						
-Mycoses	110-118	0	0	0	0	0	0
-Disorders of Peripheral NS	350-359	0	0	0	0	0	0
-Lung Dis from External Agents	500-508	0	0	0	0	0	0
-Hernia	550-553	0	0	0	0	0	0
-Infections	680-686	0	0	0	20	0	0
-Other Inflammatory Conditions	690-698	0	0	0	0	0	0
-Arthropathies	710-719	0	0	76	86	35	207
-Dorsopathies	720-724	0	0	0	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	71	0
-Symptoms	780-789	0	0	48	184	0	0
-Non-Specific Abnormal Findings	790-796	0	0	0	0	0	0
-Fracture - Upper Limb	810-819	0	0	0	180	0	0
-Sprains & Strains - Back	846-847	0	0	0	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	53	160	35	113
-Superficial Injury	910-919	0	0	0	20	0	0
-Contusion	920-924	0	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	71	34	71	94
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category*

		Women			
		Job Category			
		Service		Crafts	
		Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes				
-Mycoses	110-118	0	0	0	0
-Disorders of Peripheral NS	350-359	0	0	0	0
-Lung Dis from External Agents	500-508	0	0	0	0
-Hernia	550-553	0	0	0	0
-Infections	680-686	0	0	0	0
-Other Inflammatory Conditions	690-698	0	0	0	0
-Arthropathies	710-719	43	0	138	28
-Dorsopathies	720-724	43	0	0	0
-Rheumatism, Excluding Back	725-729	43	0	0	0
-Symptoms	780-789	0	0	0	0
-Non-Specific Abnormal Findings	790-796	0	0	0	0
-Fracture - Upper Limb	810-819	0	0	0	0
-Sprains & Strains - Back	846-847	43	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	138	28
-Superficial Injury	910-919	0	0	0	0
-Contusion	920-924	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	0	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category*

		Men					
		Job Category					
		Professional		Administrative Support		Technical Support	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes						
0	0	0	0	0	0	0	31
-Mycoses	110-118	0	0	35	0	0	0
-Disorders of Peripheral NS	350-359	0	0	0	11	27	0
-Dis of Ear & Mastoid	380-389	0	0	0	0	0	0
-Lung Dis from External Agents	500-508	0	0	0	0	62	0
-Hernia	550-553	0	0	0	0	0	0
-Other Inflammatory Conditions	690-698	0	0	0	0	0	0
-Other	700-709	0	0	0	0	0	0
-Arthropathies	710-719	0	0	138	0	66	0
-Dorsopathies	720-724	0	0	35	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	64	0
-Symptoms	780-789	0	0	35	11	2	31
-Fracture - Upper Limb	810-819	0	0	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	0	0	0	0
-Dislocation	830-839	0	0	0	123	0	19
-Sprains & Strains - Back	846-847	0	0	0	6	0	0
-Sprains & Strains - Other	840-845, 848	0	0	138	0	0	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	2	0
-Open Wound - Upper Limb	880-887	0	0	0	0	4	0
-Open Wound - Lower Limb	890-897	0	0	0	0	0	0
-Superficial Injury	910-919	0	0	0	0	0	0
-Contusion	920-924	0	0	0	0	15	3
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	0
-Burns	940-949	0	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	0	123	117	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	0	0	109	0

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category*

		Men					
		Job Category					
		Service		Security and Fire		Crafts	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes						
0	0	0	0	0	0	0	0
-Mycoses	110-118	0	0	0	0	0	0
-Disorders of Peripheral NS	350-359	0	0	0	0	0	0
-Dis of Ear & Mastoid	380-389	0	0	0	0	0	0
-Lung Dis from External Agents	500-508	0	0	0	0	0	0
-Hernia	550-553	0	0	0	56	0	0
-Other Inflammatory Conditions	690-698	0	0	0	0	0	0
-Other	700-709	0	0	0	0	0	0
-Arthropathies	710-719	0	0	251	25	57	24
-Dorsopathies	720-724	30	0	208	38	5	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	110	0
-Symptoms	780-789	0	0	9	16	0	0
-Fracture - Upper Limb	810-819	0	0	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	0	0	0	0
-Dislocation	830-839	0	0	0	0	0	0
-Sprains & Strains - Back	846-847	30	0	192	38	35	0
-Sprains & Strains - Other	840-845, 848	0	0	380	39	57	24
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	0
-Open Wound - Upper Limb	880-887	0	0	0	0	19	0
-Open Wound - Lower Limb	890-897	0	0	0	0	0	0
-Superficial Injury	910-919	0	0	0	0	0	0
-Contusion	920-924	0	0	8	0	0	0
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	0
-Burns	940-949	0	0	0	0	1	0
-Complications & Unspecified Injuries	958-959	0	0	354	22	110	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	0	0	0	0

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix U. Number of Occurrences in Each Accident Category by Gender and Job Category*

		Women					
		Job Category					TOTAL
		Professional	Administrative Support	Technical Support	Service	Crafts	
Type of Accident	E CODES						
Motor Vehicle Traffic	E810-E819	0	1	0	0	0	1
Accidental Poisoning - Non-medicinal	E860-E869	0	0	1	0	0	1
Falls	E880-E888	1	10	0	0	0	11
Natural/Environmental Factors	E900-E909	0	3	0	0	0	3
Other Accidents	E916-E928	4	27	5	4	1	41

		Men						
		Job Category						TOTAL
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
Type of Accident	E CODES							
Other Road Vehicle	E826-E829	0	2	0	0	0	0	2
Falls	E880-E888	2	5	3	0	1	1	12
Natural/Environmental Factors	E900-E909	0	0	1	0	0	0	1
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	1	0	0	1	2
Other Accidents	E916-E928	8	15	17	3	16	12	71

*Only those accident types and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix V. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Job Category*

		Women									
		Job Category									
		Professional		Administrative Support		Technical Support		Service		Crafts	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes										
Motor Vehicle Traffic	E810-E819	0	0	0	0	0	0	0	0	0	0
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	0	0	0	0	0	0	0
Falls	E880-E888	0	0	0	208	0	0	0	0	0	0
Natural/Environmental Factors	E900-E909	0	0	0	20	0	0	0	0	0	0
Other Accidents	E916-E928	0	0	124	218	106	207	86	0	138	28

		Men					
		Job Category					
		Professional		Administrative Support		Technical Support	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes						
Other Road Vehicle	E826-E829	0	0	0	0	0	0
Falls	E880-E888	0	0	0	123	0	19
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0
Other Accidents	E916-E928	0	0	138	6	163	3

		Men					
		Job Category					
		Service		Security and Fire		Crafts	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes						
Other Road Vehicle	E826-E829	0	0	0	0	0	0
Falls	E880-E888	0	0	48	0	57	24
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0
Other Accidents	E916-E928	30	0	570	57	165	0

*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/job category combinations with at least one occurrence appear in this table.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category*

Part 1. Men

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	1	0.1	0.0	0.9
-Mycoses	110-118	1	0.1	0.0	0.9
BLOOD & BLOOD-FORMING ORGANS	280-289	1	0.1	0.0	0.7
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	4	0.5	0.2	1.3
-Disorders of Peripheral NS	350-359	2	0.2	0.1	1.0
-Dis of Ear & Mastoid	380-389	2	0.2	0.1	1.0
RESPIRATORY SYSTEM	460-519	1	0.1	0.0	0.7
-Lung Dis from External Agents	500-508	1	0.1	0.0	0.7
DIGESTIVE SYSTEM	520-579	1	0.1	0.0	0.7
-Hernia	550-553	1	0.1	0.0	0.7
SKIN & SUBCUTANEOUS TISSUE	680-709	2	0.6	0.1	2.2
-Other Inflammatory Conditions	690-698	1	0.3	0.0	2.0
-Other	700-709	1	0.3	0.0	2.0
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	64	11.4	8.6	15.1
-Arthropathies	710-719	39	6.9	4.8	9.8
-Dorsopathies	720-724	16	2.6	1.5	4.4
-Rheumatism, Excluding Back	725-729	9	1.9	0.9	4.3
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	13	2.5	1.3	4.6
-Symptoms	780-789	13	2.5	1.3	4.6
INJURY & POISONING	800-999	92	17.1	13.5	21.7
-Fracture - Upper Limb	810-819	3	0.5	0.1	1.7
-Fracture - Lower Limb	820-829	1	0.1	0.0	0.7
-Dislocation	830-839	3	0.7	0.2	2.2
-Sprains & Strains - Back	846-847	12	1.6	0.9	2.9
-Sprains & Strains - Other	840-845, 848	28	4.6	3.0	7.1
-Open Wound - Head, Neck, Trunk	870-879	2	0.7	0.2	3.0
-Open Wound - Upper Limb	880-887	9	1.8	0.9	3.9
-Open Wound - Lower Limb	890-897	1	0.1	0.0	0.9
-Superficial Injury	910-919	1	0.4	0.1	3.2
-Contusion	920-924	8	1.8	0.8	4.0
-Foreign Body Entering Orifice	930-939	2	0.2	0.1	0.9
-Burns	940-949	1	0.1	0.0	0.9
-Toxic Effects - Non-medicinal	980-989	2	0.4	0.1	1.8
-Complications of Surgical/Medical Care	996-999	19	4.0	2.4	6.7
Total		179	32.5	27.4	38.4

*Only those diagnostic categories with at least one occurrence appear in this table.

**Standardized to age distribution of 2000 U.S. population.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category*

Part 2. Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	1	0.2	0.0	1.7
-Mycoses	110-118	1	0.2	0.0	1.7
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	4	1.8	0.6	5.5
-Disorders of Peripheral NS	350-359	4	1.8	0.6	5.5
RESPIRATORY SYSTEM	460-519	1	0.8	0.1	5.6
-Lung Dis from External Agents	500-508	1	0.8	0.1	5.6
DIGESTIVE SYSTEM	520-579	1	0.5	0.1	3.9
-Hernia	550-553	1	0.5	0.1	3.9
SKIN & SUBCUTANEOUS TISSUE	680-709	2	1.4	0.3	5.6
-Infections	680-686	1	0.6	0.1	4.1
-Other Inflammatory Conditions	690-698	1	0.8	0.1	5.6
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	41	13.9	9.8	19.7
-Arthropathies	710-719	30	9.6	6.4	14.3
-Dorsopathies	720-724	4	1.6	0.6	4.6
-Rheumatism, Excluding Back	725-729	7	2.7	1.1	6.6
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	9	3.6	1.8	7.5
-Symptoms	780-789	8	3.4	1.6	7.3
-Non-Specific Abnormal Findings	790-796	1	0.2	0.0	1.7
INJURY & POISONING	800-999	54	19.2	14.3	25.9
-Fracture - Upper Limb	810-819	1	0.2	0.0	1.6
-Sprains & Strains - Back	846-847	4	1.6	0.6	4.7
-Sprains & Strains - Other	840-845, 848	15	4.1	2.4	7.2
-Superficial Injury	910-919	2	0.8	0.2	3.6
-Contusion	920-924	5	2.1	0.8	5.6
-Toxic Effects - Non-medicinal	980-989	2	0.5	0.1	1.9
-Complications of Surgical/Medical Care	996-999	25	9.9	6.4	15.3
Total		113	41.6	33.8	51.2

*Only those diagnostic categories with at least one occurrence appear in this table.

**Standardized to age distribution of 2000 U.S. population.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category*

Part 3. Men and Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	2	0.2	0.0	0.7
-Mycoses	110-118	2	0.2	0.0	0.7
BLOOD & BLOOD-FORMING ORGANS	280-289	1	0.1	0.0	0.5
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	8	1.0	0.4	2.1
-Disorders of Peripheral NS	350-359	6	0.8	0.3	2.0
-Dis of Ear & Mastoid	380-389	2	0.2	0.0	0.7
RESPIRATORY SYSTEM	460-519	2	0.4	0.1	1.8
-Lung Dis from External Agents	500-508	2	0.4	0.1	1.8
DIGESTIVE SYSTEM	520-579	2	0.2	0.0	0.7
-Hernia	550-553	2	0.2	0.0	0.7
SKIN & SUBCUTANEOUS TISSUE	680-709	4	0.8	0.3	2.3
-Infections	680-686	1	0.2	0.0	1.3
-Other Inflammatory Conditions	690-698	2	0.5	0.1	1.9
-Other	700-709	1	0.2	0.0	1.3
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	105	12.2	9.8	15.2
-Arthropathies	710-719	69	7.8	6.0	10.1
-Dorsopathies	720-724	20	2.2	1.4	3.6
-Rheumatism, Excluding Back	725-729	16	2.2	1.2	4.0
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	22	2.7	1.7	4.4
-Symptoms	780-789	21	2.6	1.6	4.3
-Non-Specific Abnormal Findings	790-796	1	0.1	0.0	0.6
INJURY & POISONING	800-999	146	17.2	14.3	20.8
-Fracture - Upper Limb	810-819	4	0.4	0.1	1.2
-Fracture - Lower Limb	820-829	1	0.1	0.0	0.5
-Dislocation	830-839	3	0.5	0.1	1.5
-Sprains & Strains - Back	846-847	16	1.6	0.9	2.7
-Sprains & Strains - Other	840-845, 848	43	4.3	3.1	6.1
-Open Wound - Head, Neck, Trunk	870-879	2	0.5	0.1	1.9
-Open Wound - Upper Limb	880-887	9	1.2	0.6	2.6
-Open Wound - Lower Limb	890-897	1	0.1	0.0	0.6
-Superficial Injury	910-919	3	0.5	0.2	1.9
-Contusion	920-924	13	1.9	1.0	3.6
-Foreign Body Entering Orifice	930-939	2	0.1	0.0	0.6
-Burns	940-949	1	0.1	0.0	0.7
-Toxic Effects - Non-medicinal	980-989	4	0.4	0.1	1.2

*Only those diagnostic categories with at least one occurrence appear in this table.

**Standardized to age distribution of 2000 U.S. population.

Lawrence Livermore National Laboratory 2007

OSHA Data

Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category*

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Complications of Surgical/Medical Care	996-999	44	5.5	3.9	7.7
Total		292	34.7	30.4	39.6

*Only those diagnostic categories with at least one occurrence appear in this table.

**Standardized to age distribution of 2000 U.S. population.