Re award number: DE-FG02-00ER54578
Recipient: Missouri University of Science and Technology
(formerly the University of Missouri-Rolla)
Project title: Heavy Ion Inertial Confinement Energy: Interactions Involving
Low-Charge-State Heavy Ion Injection Beams
PI: R.D. DuBois

There are no distribution limitations for any material contained herein.

Executive summary:

During the contract period, absolute cross sections for projectile ionization, and in some cases for target ionization, were measured for energetic (MeV/u) low-charge-state heavy ions interacting with gases typically found in high and ultra-high vacuum environments. This information is of interest to high-energy-density research projects as inelastic interactions with background gases can lead to serious detrimental effects when intense ion beams are accelerated to high energies, transported and possibly confined in storage rings. Thus this research impacts research and design parameters associated with projects such as the Heavy Ion Fusion Project, the High Current and Integrated Beam Experiments in the USA and the accelerator upgrade at GSI-Darmstadt, Germany. Via collaborative studies performed at GSI-Darmstadt, at the University of East Carolina, and Texas A&M University, absolute cross sections were measured for a series of collision systems using MeV/u heavy ions possessing most, or nearly all, of their bound electrons, e.g., 1.4 MeV/u Ar^+ , Xe^{3+} , and $\text{U}^{4,6,10+}$. Interactions involving such low-charge-state heavy ions at such high energies had never been previously explored. Using these, and data taken from the literature, an empirical model was developed for extrapolation to much higher energies. In order to extend our measurements to much higher energies, the gas target at the Experimental Storage Ring in GSI-Darmstadt was used. Cross sections were measured between 20 and 50 MeV/u for U^{28+} - H_2 and $-\text{N}_2$, the primary components found in high and ultra-high vacuum systems. Storage lifetime measurements, information inversely proportional to the cross section, were performed up to 180 MeV/u. The lifetime and cross section data test various theoretical approaches used to calculate cross sections for many-electron systems. Various high energy density research projects directly benefit by this information. As a result, the general public benefits indirectly.

The original intent of this project was to measure absolute cross sections for electron loss from fast, low-charge-state, heavy ions for a wide range of charge states, impact energies, and projectiles in order to provide sufficient information for extrapolation to other energies or collision systems. Ideally, data for singly charged ions in the several to tens of MeV/u energy range was sought. Because of the limited number of facilities available that are capable of accelerating heavy ions to high velocities, several collaborations were established. Accelerator access for measurements plus specific accelerator limitations with respect to energies and charge states that could be accessed were the primary limiting factors in achieving these goals. However, as outlined below, we were able to obtain data for a broad range of parameters. These data, coupled with data taken from the

literature, enabled us to provide guidance with respect to design parameters needed for various high energy density projects.

Projects performed and progress achieved during grant period:

1) Cross section measurements for singly charge and for very low charge state ions: Cross sections for single and multiple electron loss (up to 10 electrons in a single collision) were measured for Ar^+ , Ar^{2+} , Xe^{3+} , and $\text{U}^{4,6,10+}$ interacting with neon, argon, and molecular nitrogen targets. Impact energies were 0.7 and 1.4 MeV/u. These measurements were performed in collaboration with Dr. Thomas Stöhlker at GSI-Darmstadt as one of the tasks outlined in a cooperative agreement between the U.S. Department of Energy and the Federal Ministry of Education and Research of the Federal Republic of Germany.

For additional data, a second collaboration was established with Texas A&M University. The Texas A&M cyclotron was used to measure projectile and target ionization, again for single and multiple electron removal, for ionization of Ar and Xe targets by 2.3 MeV/u $\text{Ne}^{2,3,4+}$ and 4.8 MeV/u Ne^{2+} impact.

2) Cross section scaling:

The above data, plus data obtained via an extensive search of the literature, were used to establish cross section scaling rules for single and multiple electron loss. Dependencies as functions of electron binding energy, projectile charge state, and collision velocity were established. More importantly, empirical formulae for scaled cross sections as a function of scaled collision velocities were extracted. These formulae were used to extrapolate the cross sections to regions where data are unavailable.

3) Target ionization measurements:

To provide experimental information about target ionization in the few hundred keV energy range, a subject of interest for work going on at that time at LBNL, a collaboration with East Carolina University was established. A target cell and time-of-flight target ion spectrometer were constructed at the PI's home institute and installed at ECU. However, accelerator problems and experimental difficulties were encountered and after several attempts this project was "placed on hold." Associated with this project, absolute detection efficiencies for low-charge-state ions were measured at the PI's home institute.

4) Projectile ionization at high energies (10 MeV/u and above):

In order to extend the experimental electron loss information to much higher velocities, cross section and storage lifetime measurements were performed between 10 and 180 MeV/u using the GSI SIS and ESR storage rings. Specifically total electron loss cross sections were measured for 10-50 MeV/u U^{28+} - H_2 , N_2 and storage lifetimes were measured for 10-75 MeV/u Xe^{18+} and for 10-180 MeV/u U^{28+} . Accelerator limitations did not allow lower charge states or a breakdown into single and multiple electron loss to be investigated while available beamtime and very difficult experimental conditions that were needed to perform the experiment prohibited performing a more extensive study.

Products developed during and after grant period:

Beyond the collaborations as outlined above that were established, numerous publications and presentations resulted during the grant period. A full listing follows.

Refereed journal articles

R.D. DuBois, A.C.F. Santos, Th. Stöhlker, F. Bosch, A. Bräuning-Demian, A. Gumberidze, S. Hagmann, C. Kozhuharov, R. Mann, A. Oršić Muthig, U. Spillmann, S. Tachenov, W. Barth, L. Dahl, B. Franzke, J. Glatz, L. Gröning, S. Richter, D. Wilms, K. Ullmann and O. Jagutzki, 2003. “Electron Loss from 0.74 and 1.4 MeV/u Low-Charge-State Argon and Xenon Ions Colliding with Neon, Nitrogen, and Argon.” *Phys. Rev. A* **68**, 042701.

A.C.F. Santos and R.D. DuBois, 2004. “Scaling Laws for Single and Multiple Electron Loss from Projectiles in Collisions with a Many-electron Target”, *Phys. Rev. A* **69**, 042709.

M. Krems, J. Zirbel, M. Thomason, and R. D. DuBois, 2005. “Channel electron multiplier and channelplate efficiencies for detecting positive ions”, *Rev. Sci. Instrum.* **76**, 093305.

J.M. Sanders, R.D. DuBois, S.T. Manson, S. Datz, E.F. Deveney, H.F. Krause, J.L. Shinpaugh, and C.R. Vane, 2007. “Ionization in fast atom-atom collisions: The influence and scaling behavior of electron-electron and electron-nucleus interactions”, *Phys. Rev. A* **76**, 062710.

G. Weber, C. Omet, R.D. DuBois, O. de Lucio, Th. Stöhlker, C. Brandau, A. Gumberidze, S. Hagmann, S. Hess, C. Kozhuharov, R. Reuschl, P. Spiller, U. Spillmann, M. Steck, M. Thomason, and S. Trotsenko, 2009. “Beam Lifetimes and Ionization Cross Section of U^{28+} ”, *PHYSICAL REVIEW SPECIAL TOPICS - ACCELERATORS AND BEAMS* **12**, 084201.

Refereed conference proceedings

R.D. DuBois, A.C.F. Santos, Th. Stöhlker, F. Bosch, A. Bräuning-Demian, A. Gumberidze, S. Hagmann, C. Kozhuharov, R. Mann, A. Oršić Muthig, U. Spillmann, S. Tachenov, W. Barth, L. Dahl, B. Franzke, J. Glatz, L. Gröning, S. Richter, D. Wilms, K. Ullmann and O. Jagutzki, 2003. “Electron Loss from Fast, Low-charge-state ions Colliding with Gases.” Application of Accelerators in Research and Industry, 17th CAARI Conference Proceedings, AIP Conference Proceedings (New York): ed. J.L. Duggan and I.L. Morgan, Vol 680, p 64.

R.D. DuBois, A.C.F. Santos and R.E. Olson, 2005. “Scaling Laws for Electron Loss from Ion beams.” Proceedings of 15th Int. Symp. on Heavy Ion Inertial Fusion HIF 2004, ed. H. Lee, A. Molvik, H. Qin, Nucl. Inst. and Meth. A544, 497-501.

R.E. Olson, R.L. Watson, V. Horvat, K.E. Zaharakis, R.D. DuBois and Th. Stöhlker, 2005. “Electron Stripping Cross Sections for Fast, Low Charge State Uranium Ions.”

Proceedings of 15th Int. Symp. on Heavy Ion Inertial Fusion HIF 2004, ed. H. Lee, A. Molvik, H. Qin, Nucl. Inst. and Meth. A544, 333-6.

R.D. DuBois, 2005. "Electron loss in MeV/u collisions between many-electron projectiles and targets", Nuclear Inst. and Methods in Physics Research, B241, 87-89.

R.D. DuBois, O. de Lucio and M. Thomason, G. Weber, Th. Stöhlker, K. Beckert, P. Beller, F. Bosch, C. Brandau, A. Gumberidze, S. Hagmann, C. Kozhuharov, F. Nolden, R. Reuschl, J. Rzaekiewicz, P. Spiller, U. Spillmann, M. Steck, S. Trotsenko, 2005. "Beam Lifetimes and Cross Sections for 10-75 MeV/u U²⁸⁺ and Xe¹⁸⁺ Ions", GSI 2005 Annual Report.

R.D. DuBois, O. de Lucio, M. Thomason, G. Weber, Th. Stöhlker, K. Beckert, P. Beller, F. Bosch, C. Brandau, A. Gumberidze, S. Hagmann, C. Kozhuharov, F. Nolden, R. Reuschl, J. Rzaekiewicz, P. Spiller, U. Spillmann, M. Steck, and S. Trotsenko, 2007. "Beam Lifetimes for Low-Charge-State Heavy Ions in the GSI Storage Rings", Nuclear Inst. and Methods in Physics Research 261, 230-33.

Invited talks at international meetings

R.D. DuBois, 2002. "Electron Loss from Fast, Low-Charge-State Ions Colliding with Gases." Presented at CAARI 2002, Denton, TX, Nov. 12-16.

R.D. DuBois, 2004. "Electron Loss in MeV/u Collisions If Both the Projectile and the Target Have Many Loosely Bound Electrons." Presented at CAARI 2004, Nov., Fort Worth, TX.

R.D. DuBois, O. de Lucio, M. Thomason, G. Weber, Th. Stöhlker, K. Beckert, P. Beller, F. Bosch, C. Brandau, A. Gumberidze, S. Hagmann, C. Kozhuharov, F. Nolden, R. Reuschl, J. Rzaekiewicz, P. Spiller, U. Spillmann, M. Steck, and S. Trotsenko, 2006. "Beam Lifetimes for Low-Charge-State Heavy Ions in the GSI Storage Rings." Presented at CAARI 2006, Aug., Fort Worth, TX.

Contributed papers and seminars

R.D. DuBois, 2002. "Beam Transport and Storage of Fast, Low-Charge-State Ions." Presented at GSI, Darmstadt, Germany, Nov. 6.

R.D. DuBois, 2002. "Lifetimes of Low Charged Ion Beams." Presented at Future GSI Facility Workshop, Darmstadt, Germany, Dec. 9-10.

R.D. DuBois, 2003. "Interactions Involving Fast, Heavy Ion Beams: Experiment and Theory" Presented at LBNL, March 13.

A.C.F. Santos and R.D. DuBois, 2003. "Projectile Ionization Cross Sections: New Measurements and Empirical Scaling Laws". Presented at XVIII International Seminar on Ion Atom Collisions, Sweden-Finland, July 30-Aug. 1.

R.D. DuBois, A.C.F. Santos and R.E. Olson, 2004. "Scaling Laws for Electron Loss From Ion beams." Presented at 15th International Seminar on Heavy Ion Inertial Fusion, June 7-11, Princeton, NJ.

R.E. Olson, R.L. Watson, V. Horvat, K.E. Zaharakis, R.D. DuBois and Th. Stöhlker, 2004. "Electron Stripping Cross Sections for Fast, Low Charge State Uranium Ions." Presented at 15th International Symposium on Heavy Ion Inertial Fusion, Princeton NJ, June 7-11.

A.C.F. Santos and R.D. DuBois, 2004. "Single and Multiple Electron Loss from Projectiles: Scaling Laws". To be presented at Conferencia Brasileira sobre Aplicações de vácuo na Industria e Ciência (Brazilian Conference on the Application of Vacuum in Industry and Science), Rio de Janeiro, Brazil.

R. D. DuBois, 2005. "Beam Lifetimes and Cross Sections for Low-Charged Heavy Ions at UNILAC and SIS18 Energies", presented at GSI, June 8.

M. Krems, J. Zirbel, M. Thomason and R.D. DuBois, 2005. "Absolute Efficiencies for Detecting Ions Using Channeltrons and Channelplates." Presented at XXIV ICPEAC, Rosario, Argentina, July 20-26.

N. Nofal, S. Hagmann, Th. Stöhlker, C. Kozhuharov, J. Ullrich, R. Dörner, F. Bosch, H. Rothard, M. Steck, F. Nolden, B. Franczak, P. Beller, K. Becker, N. Lineva, A. Gumberidze, R. Reuschl, C. Brandau, S. Tachenov, U. Spillmann and R. DuBois, 2005. "Electron Transfer to Continuum in High-Beta Collisions". Presented at XXIV ICPEAC, Rosario, Argentina, July 20-26.

O. G. de Lucio, R.D. DuBois, M. Thomason, G. Weber, Th. Stöhlker, K. Beckert, P. Beller, F. Bosch, C. Brandau, A. Gumberidze, S. Hagmann, C. Kozhuharov, F. Nolden, R. Reuschl, J. Rzaekiewicz, P. Spiller, U. Spillmann, M. Steck, S. Trotsenko, 2007. "Storage lifetimes for 10 MeV/u – 75 MeV/u U28+ and Xe18+ ions in the GSI Experimental Storage Ring", XXV ICPEAC, July 25-31, Freiburg, Germany.