PROPERTY DESCRIPTION
AREA 5 RADIOACTIVE WASTE MANAGEMENT COMPLEX
NEVADA TEST SITE

May 6, 2009

General Parcel Description

All that parcel of land located in the southeast corner of the Nevada Test Site in Area 5, situate in a portion of unsurveyed Township 12 South, Range 54 East, M.D.B.&M., Nye County Nevada, comprising approximately 739.66 acres, more accurately described as follows:

Survey Description

Commencing at the southwest corner of section 31, T. 12 S., R. 54 E., monumented with a stone marker; thence N. 71° 42' 34" E., 12046.09 feet dist. (grid), to Point #7 the southwesterly corner of subject parcel, a 3" brass cap set in 24" square concrete pad, and the true **POINT OF BEGINNING**; thence N. 0° 00' 20" W., 5283.94 feet dist. (grid), to Point #1 a 3" brass cap set in concrete filled PVC pipe; thence S. 89° 59' 57" E., 6037.89 feet dist. (grid), to Point #2 a 3" brass cap set in concrete filled PVC pipe; thence S. 0° 00' 28" E., 5284.75 feet dist. (grid), to Point #3 a 3" brass cap set in 24" square concrete pad; thence S. 0° 00' 29" W., 546.25 feet dist. (grid), to Point #4 a 3" brass cap set in concrete filled PVC pipe; thence S. 89° 59' 57" W., 571.37 feet dist. (grid), to Point #5 a 3" brass cap set in concrete filled PVC pipe; thence N. 0° 00' 02" W., 546.17 feet dist. (grid), to Point #6 a 3" brass cap set in concrete filled PVC pipe; thence N. 89° 59' 23" W., 5466.64 feet dist. (grid), to Point #7, and the **POINT OF BEGINNING**.

Description of Parcel Boundary Corner Coordinates

The Boundary and Monument Drawing 09060-C-1003 shows the coordinates in both Nevada State Planar Coordinates, North American Datum (NAD) 1983 in feet and NAD 1927 in feet, and in Latitude and Longitude (NAD 1983 feet). Based on the Administrative Survey results, the coordinates of the parcel boundary corners are described below in Latitude and Longitude (NAD 1983 feet).

Beginning in the Northwest corner of the parcel and moving clockwise,

Point #1 has coordinates: Latitude: 36° 52' 01.00" N Longitude: 115° 58' 19.14" W

Point #2 has coordinates: Latitude: 36° 52' 00.56" N Longitude: 115° 57' 04.84" W

Point #3 has coordinates: Latitude: 36° 51' 08.31" N Longitude: 115° 57' 05.31" W

Point #4 has coordinates: Latitude: 36° 51' 02.90" N Longitude: 115° 57' 05.36" W

Point #5 has coordinates: Latitude: 36° 51' 02.95" N Longitude: 115° 57' 12.39" W

Point #6 has coordinates: Latitude: 36° 51' 08.35" N Longitude: 115° 57' 12.34" W

Point #7 has coordinates: Latitude: 36° 51' 08.75" N Longitude: 115° 58' 19.61" W

Description of Parcel Corner Monuments and Boundary Posts and Signs

There are two old monuments and five new ones at the seven corners of the parcel. The old southeast corner has a 3-inch brass cap set in a 12-inch diameter concrete disc at natural grade elevation. The old southwest corner has a 3-inch brass cap set in a 24-inch square concrete pad, which is 2 inches above natural grade elevation. The five new boundary monuments are 10-inch diameter by 12-inch deep concrete-filled PVC pipes with 3-inch brass caps.

The boundary posts with signs are located at all established monuments, and between each monument within 1 foot of the true boundary line, inter-visible. The posts are spaced at intervals not to exceed 500 foot intervals and are also located at the intersections of all roads and trail crossings. The 12" by 18" signs are white aluminum with "Boundary Area 5 Radioactive Waste Management Complex (RWMC)" painted in black lettering on each sign. The signs are tied to single 5-foot green painted steel T-posts.

NOTICE OF INTENT TO RELINQUISH (Reference 43 CFR Subpart 2372.1)

1) Name and address of the holding agency.

Response: U.S. Department of Energy, National Nuclear Security Administration
Nevada Site Office, P.O. Box 98518, Las Vegas, NV 89193-8518

2) Citation of the order which withdrew or reserved the lands for the holding agency.

Response: Public Land Order 805, dated February 12, 1952

3) Legal description and acreage of the lands, except where reference to order of withdrawal or reservation is sufficient to identify them.

Response: The property of approximately 739.656 acres is located in the southeast section of the Nevada Test Site. Drawing 09060-C-1003 is the survey drawing of the property, showing in detail the corner coordinates bearings and lengths between corners, and tie-ins to the PLSS monuments. The property is described as follows:

Commencing at the southwest corner of section 31, T. 12 S., R. 54 E., monumented with a stone marker; thence N. 71° 42' 34" E., 12046.09 feet dist. (grid), to Point #7 the southwesterly corner of subject parcel, a 3" brass cap set in 24" square concrete pad, and the true POINT OF BEGINNING; thence N. 0° 00' 20" W., 5283.94 feet dist. (grid), to Point #1 a 3" brass cap set in concrete filled PVC pipe; thence S. 89° 59' 57" E., 6037.89 feet dist. (grid), to Point #2 a 3" brass cap set in concrete filled PVC pipe; thence S. 0° 00' 28" E., 5284.75 feet dist. (grid), to Point #3 a 3" brass cap set in 24" square concrete pad; thence S. 0° 00' 29" W., 546.25 feet dist. (grid), to Point #4 a 3" brass cap set in concrete filled PVC pipe; thence S. 89° 59' 57" W., 571.37 feet dist. (grid), to Point #5 a 3" brass cap set in concrete filled PVC pipe; thence N. 0° 00' 02" W., 546.17 feet dist. (grid), to Point #6 a 3" brass cap set in concrete filled PVC pipe; thence N. 89° 59' 23" W., 5466.64 feet dist. (grid), to Point #7, and the POINT OF BEGINNING.

Description of Parcel Boundary Corner Coordinates:

The Boundary and Monument Drawing 09060-C-1003 shows the coordinates in both Nevada State Planar Coordinates, North American Datum (NAD) 1983 in feet and NAD 1927 in feet, and in Latitude and Longitude (NAD 1983 feet). Based on the Administrative Survey results, the coordinates of the parcel boundary corners are described below in Latitude and Longitude (NAD 1983 feet).

Beginning in the Northwest corner of the parcel and moving clockwise,

Point #1 has coordinates: Latitude: 36° 52' 01.00" N Longitude: 115° 58' 19.14" W

Point #2 has coordinates: Latitude: 36° 52' 00.56" N Longitude: 115° 57' 04.84" W

Point #3 has coordinates: Latitude: 36° 51' 08.31" N Longitude: 115° 57' 05.31" W

Point #4 has coordinates: Latitude: 36° 51' 02.90" N Longitude: 115° 57' 05.36" W

Point #5 has coordinates: Latitude: 36° 51' 02.95" N Longitude: 115° 57' 12.39" W

Point #6 has coordinates: Latitude: 36° 51' 08.35" N Longitude: 115° 57' 12.34" W

Point #7 has coordinates: Latitude: 36° 51' 08.75" N Longitude: 115° 58' 19.61" W

Description of Parcel Corner Monuments and Boundary Posts and Signs:

There are two old monuments and five new ones at the seven corners of the parcel. The old southeast corner has a 3-inch brass cap set in a 12-inch diameter concrete disc at natural grade elevation. The old southwest corner has a 3-inch brass cap set in a 24-inch square concrete pad, which is 2 inches above natural grade elevation. The five new boundary monuments are 10-inch diameter by 12-inch deep concrete-filled PVC pipes with 3-inch brass caps.

The boundary posts with signs are located at all established monuments, and between each monument within 1 foot of the true boundary line, inter-visible. The posts are spaced at intervals not to exceed 500 foot intervals and are also located at the intersections of all roads and trail crossings. The 12" by 18" signs are white aluminum with "Boundary Area 5 Radioactive Waste Management Complex (RWMC)" painted in black lettering on each sign. The signs are tied to single 5-foot green painted steel T-posts.

4) Description of the improvements on the existing lands.

Response:

Structures – The facilities of the Area 5 RWMC, which are owned by the U. S. Department of Energy, National Nuclear Security Administration Nevada Site Office (NNSA/NSO), are listed in the table below and shown on Drawing 09060-C-1004. Thirty-two disposal trenches and thirteen disposal boreholes are located on approximately 144 acres in the southeast corner of the RWMC, with a disposal footprint of approximately 53 acres. The complex also includes several ancillary support facilities, such as waste-handling confinement structures (SeaLand™ containers), water tanks, an equipment yard, sewage lagoon/leachfield, unpaved service roads, paved parking lots, fences, flood control dikes, and channels. Drawing 09060-C-1004 shows the infrastructure within the boundaries of the RWMC. Offsite utilities supporting the RWMC are shown in Drawings 09060-C-1002, 09060-C-1005, and 09060-C-1006.

Property ID	Building Name	Area (square feet)
T00016	Drum Holding Pad	1,250
184980	Sprung® Instant Structure	1,300
05-6	RTR facility	2,293
05-7	RWMC Office Building	3,006
05-18	Safety Equipment Storage Building	273
05-19	Pump House Building	874
05-24	TRU Pad Cover Building	21,000
05-31	Controlled Area Access Building	2,849
05-32	Visual Examination and Repackaging Building	2,242
05-202617	Electronic Repair Shop	160

Water Supply – A 10-inch PVC water main and water distribution lines to the buildings are located within the RWMC. Potable water and fire protection water is supplied from Well 4A through the Area 5 North Tank with a 10-inch main, as shown in Drawings 09060-C-1002 and 09060-C-1005. The water main is capable of supplying approximately 1,000 gallons per minute at a nominal pressure of 55 pounds per square inch. These potable water supply system components are owned and operated by NNSA/NSO.

Power – Offsite power is supplied to the Area 5 RWMC via an overhead power line from the Frenchman Flat Substation, as shown in Drawings 09060-C-1002 and 09060-C-1006. This initial voltage, stepped down to 480-, 220-, 208-, and 120-volt increments, services electrically driven devices and machinery. Motors and other high-voltage equipment operate at 480 volts. Lights and small equipment operate in the 220-, 208-, and 120-volt range. Power infrastructure is owned by NNSA/NSO.

Waste Streams – Sanitary waste from this facility drains into a 5,000-gallon septic tank and sewage leachfield located outside the RWMC in the southeast corner of the RWMC. Drawing 09060-C-1005 shows the tank and leachfield locations. These sanitary water facilities are owned by NNSA/NSO.

Communication Lines – All occupied buildings have telephone lines for the computer network. NNSA/NSO owns the communication lines.

5) The extent to which the lands are contaminated and the nature of the contamination.

Response: Historic underground nuclear tests within 1 mile of the boundaries of the property resulted in radioactive contamination of the groundwater. The extent of groundwater contamination is currently being investigated and characterized. Fourteen historic atmospheric nuclear tests and one non-weapons safety experiment (grouped into eight units for remedial activities) resulted in radioactive contamination of surface and shallow subsurface soil in relative proximity (2 miles) to the Radioactive Waste Management

Complex; however, this is not anticipated to result in any direct impacts on the land. The extent of contamination from past atmospheric nuclear tests is currently being investigated. Contamination on the land from activities conducted in support of historic nuclear testing includes a disposal site (Corrective Action Site 05-16-01, Landfill) used as a historic construction debris landfill with minor radioactive/hazardous contamination. Additionally, the potential exists to encounter unexploded ordnance anywhere on the land.

Current activities include the operation of a low-level radioactive waste disposal facility and a mixed low-level waste disposal facility. Radioactive waste disposal activities are conducted in accordance with applicable federal and state laws, regulations, and the U.S. Department of Energy (DOE) orders to protect the environment and ensure the health and safety of workers and the public.

6) The extent to which the lands have been decontaminated or the measures taken to protect the public from the contamination and the proposals of the holding agency to maintain protective measures.

Response: The extent of groundwater contamination is currently being investigated. Due to the depth of contamination, no groundwater decontamination is anticipated; however, activities to develop groundwater models, predict contamination transport, and implement a groundwater monitoring network are in progress. Specific use/drilling restrictions will be established during the Federal Facility Agreement and Consent Order closure process.

The extent of surface and shallow subsurface radiological soil contamination from atmospheric and non-weapons safety tests in relative proximity to the Radioactive Waste Management Complex is currently being investigated; however, no direct impact on the land is anticipated from these activities. It is anticipated that these atmospheric and nonweapons safety test areas will be closed by a combination of removal, close-in-place, engineered controls, and appropriate land use restrictions compatible with planned industrial future land use consistent with the Radioactive Waste Management Zone as defined in the Nevada Test Site Environmental Impact Statement. These areas with land use restrictions including posting, fencing, access control, and inspections will need to be maintained for the foreseeable future.

The contaminated area (landfill) as defined under Article 5 above has been characterized and has been determined to have acceptable risk-based contamination levels for close in place with land use restrictions. The contamination consists of non-migrating radioactive and hazardous constituents below required action levels. The land use restriction, based on industrial land use scenarios, has been accepted by the Nevada Division of Environmental Protection, and is formally documented and recorded.

The radioactive waste disposal facility is currently operational including Resource Conservation and Recovery Act (RCRA) regulated mixed low-level radioactive waste and low-level radioactive waste disposal areas. The RCRA area of the facility is regulated by the Nevada Division of Environmental Protection. The facility is anticipated to be closed and

capped with a re-vegetated, native soil overburden under a joint regulator-approved design, consistent with future land use scenarios.

Land use restrictions are approved by the State of Nevada and become official records categorized as permanent DOE-wide Environmental Safety Reports under the DOE Environmental Records Schedule. The State of Nevada maintains the Federal Facility Agreement and Consent Order administrative record in accordance with Nevada Revised Statute Chapter 239.

Access to the land is strictly controlled by Nevada Test Site security procedures. The public has access only through those procedures. Due to the land's location on the Nevada Test Site, access control will be maintained for the foreseeable future. No unrestricted public access to the land is anticipated.

7) The extent to which the lands have been changed in character other than by construction of improvements.

Response: Historic underground nuclear tests in proximity to the Area 5 Radioactive Waste Management Complex resulted in radioactive contamination of the groundwater, subsidence craters, and localized fractures in the vicinity of the underground test locations; however, these land character changes do not directly impact the land under consideration.

8) The extent to which the lands or resources thereon have been disturbed and the measures taken or proposed to be taken to recondition the property.

Response: The land has been disturbed for construction of roads, facilities, communications systems, power distribution systems, water distribution systems, and other infrastructure systems. These roads, facilities, and systems are the subject of regular maintenance. Measures taken or proposed to be taken to recondition the property are described above in Article 6.

9) If improvements on the land have been abandoned, a certification that the holding agency has exhausted General Services Administration procedures for their disposal and that the improvements are without value.

Response: There are no known abandoned improvements on the lands.

10) A description of the easements or other rights or privileges which the holding agency or its predecessors have granted covering the lands.

Response: There are no known easements or privileges granted to any party external to the DOE.

11) A list of terms and conditions, if any, which the holding agency deems necessary to be incorporated in any further disposition of the lands in order to protect the public interest.

Response: Existing environmental, health, safety, and security requirements (e.g., access restrictions) must be maintained as part of the on-going, indefinite management of the lands.

12) Any information relating to the interest of other agencies or individuals in acquiring use of or title to the property or any portion of it.

Response: No other agencies or individuals that we are aware of have expressed interest in acquiring the use of or title to any portion of the subject lands.

13) Recommendations as to further disposition of the lands, including where appropriate, disposition by the General Services Administration.

Response: The General Services Administration should dispose of the lands to the DOE for the continued safe and secure management of the lands consistent with the DOE's statutory missions.

This work was done by National Security Technologies, LLC, under Contract No. DE-AC52-06NA25946 with the U.S. Department of Energy.

NATIONAL NUCLEAR SECURITY ADMINISTRATION

NEVADA SITE OFFICE

LAS VEGAS, NEVADA

RADIOACTIVE WASTE MANAGEMENT COMPLEX

ADMINISTRATIVE BOUNDARY SURVEY

AREA 05

DRAWING INDEX

DRAWING NUMBER	DRAWING TITLE
----------------	---------------

TITLE	
09060-G-0001	REV 4
09060-G-0002	REV 1
TITLE SHEET	
TYPICAL SYMBOLS & LEGEND	

CIVIL	
09060-C-1001	REV 1
09060-C-1002	REV 2
09060-C-1003	REV 3
09060-C-1004	REV 2
09060-C-1005	REV 2
09060-C-1006	REV 3
GENERAL LOCATION MAPS	
OFF-SITE UTILITIES PLAN	
BOUNDARY AND MONUMENT PLAN	
EXISTING OVERALL SITE PLAN	
EXISTING WATER AND SEWER UTILITIES	
EXISTING POWER AND COMM UTILITIES	

SCOPE OF WORK

THE PURPOSE OF THIS PROJECT IS TO PROVIDE ADMINISTRATIVE SURVEY DOCUMENTS SHOWING THE ESTABLISHED BOUNDARY, MONUMENTATION AND UTILITY INFRASTRUCTURE OF THE NTS AREA 5 RADIOACTIVE WASTE MANAGEMENT COMPLEX (RWMC).

THE UTILITY INFRASTRUCTURE PLANS PRESENTED ARE COMPILED FROM SEVERAL SOURCES. THE UTILITY LOCATIONS ARE RELIABLE FOR INFORMATIONAL PURPOSES, BUT HAVE NOT BEEN FIELD VERIFIED.

THIS WORK WAS PERFORMED BY NATIONAL SECURITY TECHNOLOGIES, LLC, UNDER CONTRACT NO. DE-AC52-06NA25946 WITH THE U.S. DEPARTMENT OF ENERGY.

DISCLAIMER

THE INFORMATION CONTAINED HEREIN IS SOLEY INTENDED TO PROVIDE ADMINISTRATIVE SURVEY DOCUMENTS FOR TRANSFER OF PUBLIC LANDS TO THE BUREAU OF LAND MANAGEMENT, AT THE REQUEST OF THE DEPARTMENT OF ENERGY. THIS DOCUMENT IS NOT INTENDED TO BE CONSTRUED AS A LEGAL SURVEY MAP AS USED IN ANY STATUTE, REGULATION OR ORDINANCE. THIS DOCUMENT SHOWS THE ESTABLISHED BOUNDARY AND MONUMENTATION OF THE NTS AREA 5 RWMC. THE SURVEY AND INSTALLATION OF RWMC CORNER MONUMENTS WAS NOT PERFORMED BY A PROFESSIONAL LAND SURVEYOR LICENSED IN THE STATE OF NEVADA, BUT IS TIED TO THE PUBLIC LAND SURVEY SYSTEM (PLSS) AS SHOWN.

4	5-6-09	REVISED AND REDRAWN					
3	05/04/09	REVISED AND REDRAWN	DHD	DHD	JLH	DKA	VY
2	05/01/09	REVISED AND REDRAWN	DHD	DHD	JLH	DKA	VY
1	04/29/09	REVISED C-1003	DHD	DHD	JLH	DKA	VY
NO	DATE	REVISIONS	DRAWN	PREPARED	CHECKER	PROJ ENGR	APPROVER USER
NATIONAL NUCLEAR SECURITY ADMINISTRATION NEVADA SITE OFFICE LAS VEGAS, NEVADA							
NEVADA TEST SITE RADIOACTIVE WASTE MANAGEMENT COMPLEX ADMINISTRATIVE BOUNDARY SURVEY							
TITLE SHEET							
DRAWN	DHD	04-27-09	DATE	PREPARED	DHD	04-27-09	DATE
CHECKER	J. HOLLAND	04-27-09	DATE	PROJECT ENGINEER	D. ABBEY	04-27-09	DATE
APPROVER / USER	V. YUCEL	04-27-09	DATE				
ENGINEERING NO.			DRAWING NUMBER / WORK ORDER NUMBER				
09060			09060-G-0001				
ORIGINAL SIGNATURES ON FILE			REVISION				
National Security Technologies LLC Vision • Service • Partnership NEVADA OPERATIONS P. O. BOX 98521 LAS VEGAS, NV 89193-8521			4				

STANDARD CIVIL SYMBOLS AND LEGEND

CIVIL SYMBOLS

DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL
EXISTING MINOR CONTOUR		SURFACE DRAINAGE FLOW DIRECTION		EXISTING (JOINT) COMM / POWER POLE (NO. & TYPE)		EXISTING WATER TAPPING SLEEVE	
EXISTING MAJOR CONTOUR		EXISTING WING TYPE HEADWALL		NEW (JOINT) COMM / POWER POLE (NO. & TYPE)		NEW WATER TAPPING SLEEVE	
FINISH MINOR CONTOUR		NEW WING TYPE HEADWALL		EXISTING COMMUNICATION OVERHEAD		EXISTING FIRE HYDRANT	
FINISH MAJOR CONTOUR		EXISTING CURB INLET/CATCH BASIN		NEW COMMUNICATION OVERHEAD		NEW FIRE HYDRANT	
EXISTING SPOT ELEVATION		EXISTING STORM DRAIN MANHOLE		EXISTING POWER OVERHEAD		EXISTING POST INDICATOR VALVE	
FINISH GRADE ELEVATION		EXISTING SURFACE GRATE INLET		NEW POWER OVERHEAD		NEW POST INDICATOR VALVE	
EXISTING CENTER LINE		NEW CURB INLET/CATCH BASIN		EXISTING POWER POLE (NO. & TYPE)		EXISTING SANITARY SEWER LINE W/SIZE	
NEW CENTER LINE W/STATIONS		NEW STORM DRAIN MANHOLE		NEW POWER POLE (NO. & TYPE)		NEW SANITARY SEWER LINE W/SIZE	
AREA BOUNDARY LINE		NEW SURFACE GRATE INLET		POLE WITH GUY ANCHOR		EXISTING SANITARY SEWER VAULT/ MANHOLE	
RIGHT OF WAY / PROPERTY LINE		EXISTING ROADWAY GUARDRAIL		EXISTING ELECTRICAL TRANSFORMER ON POLE (NO. & SIZE)		NEW SANITARY SEWER VAULT/ MANHOLE	
LIMITS OF GRADING		NEW ROADWAY GUARDRAIL		NEW ELECTRICAL TRANSFORMER ON POLE (NO. & SIZE)		EXISTING SEWER CLEANOUT	
EXISTING UNPAVED ROAD		EXISTING 4' HIGH FENCE 2 STRAND SMOOTH WIRE		EXISTING PAD MTD TRANSFORMER (NO. & SIZE)		NEW SEWER CLEANOUT	
NEW UNPAVED ROAD		NEW 4' HIGH FENCE 2 STRAND SMOOTH WIRE		NEW PAD MTD TRANSFORMER (NO. & SIZE)		EXISTING GAS MAIN W/SIZE	
EDGE OF EXISTING PAVING		EXISTING 4' HIGH FENCE 3 STRAND SMOOTH WIRE		EXISTING CONDUIT PULL BOX		NEW GAS MAIN W/SIZE	
LIMITS OF NEW PAVING		NEW 4' HIGH FENCE 3 STRAND SMOOTH WIRE		NEW CONDUIT PULL BOX		EXISTING GAS METER	
EDGE EXISTING CONCRETE SIDEWALK		EXISTING 4' HIGH FENCE 3 STRAND SMOOTH WIRE WITH PLASTIC MESH		EXISTING AREA LIGHTING POLE		NEW GAS METER	
EDGE NEW CONCRETE SIDEWALK		NEW 4' HIGH FENCE 3 STRAND SMOOTH WIRE WITH PLASTIC MESH		NEW AREA LIGHTING POLE (SGL ARM)		EXISTING SIGN (TRAFFIC OR INFORMATION)	
EXISTING EARTH		EXISTING 4' HIGH FENCE CHAIN LINK		NEW AREA LIGHTING POLE (DBL ARM)		NEW SIGN (TRAFFIC OR INFORMATION)	
COMPACTED EARTH		NEW 4' HIGH FENCE CHAIN LINK		EXISTING ELECTRICAL VAULT/MANHOLE		PIPE BOLLARDS	
AGGREGATE BASE COURSE		EXISTING 8' HIGH FENCE CHAIN LINK		NEW ELECTRICAL VAULT/MANHOLE		EXISTING PARKING BUMPER OR WHEEL STOP	
CONCRETE PAD		NEW 8' HIGH FENCE CHAIN LINK		EXISTING POWER UNDERGROUND		NEW PARKING BUMPER OR WHEEL STOP	
EXISTING FLOW LINE		EXISTING 8' HIGH FENCE CHAIN LINK W/BARBED WIRE		NEW POWER UNDERGROUND		EXISTING CONCRETE SECURITY WALL (JERSEY BARRIER)	
NEW FLOW LINE		NEW 8' HIGH FENCE CHAIN LINK W/BARBED WIRE		EXISTING POWER SURFACE LAID		NEW CONCRETE SECURITY WALL (JERSEY BARRIER)	
EXISTING SLOPE		NEVADA STATE COORDINATE SYSTEM		NEW POWER SURFACE LAID		AIRFIELD WIND SOCK, COMMUNICATIONS TOWER OR ANTENNA WIGWAG WIRES	
NEW SLOPE		CENTER LINE BEARING		EXISTING WATER LINE W/SIZE		LYSIMETER OR METEOROLOGY TOWER W/STRUCTURAL ANCHOR PADS	
RIPRAP		SURVEY CONTROL MONUMENT (BM)		NEW WATER LINE W/SIZE		CONCRETE (BOUNDARY) CONTROL MONUMENT	
COVER "SIDE SLOPE" GRADING TRANSITION ZONE		SURVEY TEMPORARY BENCHMARK (TBM)		EXISTING FIRE PROTECTION MAIN W/SIZE		EXISTING ENVIRONMENTAL MONITORING TUBE (ID#)	
EXISTING BUILDING OR STRUCTURE		SURVEY DELTA (CENTRAL ANGLE)		NEW FIRE PROTECTION MAIN W/SIZE		EXISTING ENVIRONMENTAL MONITORING TUBE (ID#)	
NEW BUILDING OR STRUCTURE		EXISTING COMMUNICATIONS POLE (NO. & TYPE)		EXISTING WATER VALVE & CAP		EXISTING TOR ENVIRONMENTAL MONITORING TUBE	
EXISTING MOBILE/ TEMPORARY FACILITY		NEW COMMUNICATIONS POLE (NO. & TYPE)		EXISTING WATER CHECK VALVE		EXISTING GREATER CONFINEMENT DISPOSAL BOREHOLE (GCD #)	
BUFFER ZONE AREA BOUNDARY		EXISTING COMMUNICATIONS UNDERGROUND		NEW WATER CHECK VALVE			
AREA BOUNDARY LINE - RWMS		NEW COMMUNICATIONS UNDERGROUND		EXISTING BACK FLOW PREVENTER			
OPEN CELL/TRENCH		EXISTING COMMUNICATIONS UNDERGROUND		NEW BACK FLOW PREVENTER			
COVERED CELL/TRENCH		NEW COMMUNICATIONS SURFACE LAID		EXISTING WATER FLOW METER			
EXISTING STORM DRAIN PIPE W/SIZE		EXISTING COMMUNICATION VAULT/MANHOLE		NEW WATER FLOW METER			
NEW STORM DRAIN LINE W/SIZE		NEW COMMUNICATION VAULT/MANHOLE		EXISTING WATER METER			
EXISTING CULVERT SIZE & TYPE		EXISTING COMMUNICATIONS PEDESTAL		NEW WATER METER			
NEW CULVERT SIZE & TYPE		NEW COMMUNICATIONS PEDESTAL		EXISTING WATER VAULT/MANHOLE			
				NEW WATER VAULT/MANHOLE			

GS

NO	DATE	REVISIONS	DRAWN	PREPARED	CHECKER	PROJECT ENGINEER	APPROVER / USER
REVISED AND REDRAWN							
NATIONAL NUCLEAR SECURITY ADMINISTRATION							
NEVADA TEST SITE AREA 5							
RADIOACTIVE WASTE MANAGEMENT COMPLEX							
ADMINISTRATIVE BOUNDARY SURVEY							
TYPICAL SYMBOLS & LEGEND							
DRAWN	DATE	PREPARED	DATE	CHECKER	DATE	PROJECT ENGINEER	DATE
DHD	04-27-09	DHD	04-27-09	J.HOLLAND	04-27-09	D. ABBEY	04-27-09
National Security Technologies LLC							
09060							
09060-G-0002							
1							

FOR REFERENCE DRAWINGS SEE 09060-G-0001

STATE OF NEVADA

SCALE: NONE

NEVADA TEST SITE

SCALE: NONE

NO		DATE		REVISIONS		DRAWN		PREPARED		CHECKED		PROJECT ENGINEER		APPROVER / USER	
DHD		04-27-09		DHD		04-27-09		J.HOLLAND		04-27-09		D. ABBEY		04-27-09	
DATE		DATE		DATE		DATE		DATE		DATE		DATE		DATE	
National Security Technologies LLC Vision • Service • Partnership P.O. BOX 98521 LAS VEGAS, NV 89193-8521												ENGINEERING NO. 09060		DRAWING NUMBER / WORK ORDER NUMBER 09060-C-1001	
ORIGINAL SIGNATURES ON FILE												REVISION 1

NOTES

1. THE UTILITY INFRASTRUCTURE PLANS PRESENTED ARE COMPILED FROM SEVERAL SOURCES. THE UTILITY LOCATIONS ARE RELIABLE FOR INFORMATIONAL PURPOSES, BUT HAVE NOT BEEN FIELD VERIFIED.

GS

2		S-6-CJ		REVISED AND REDRAWN		JH		DKA		VY	
1		05-01-09		REVISED AND REDRAWN		DHD		DHD		JLH	
NO		DATE		REVISIONS		DRAWN		PREPARED		CHECKED	
NATIONAL NUCLEAR SECURITY ADMINISTRATION NEVADA SITE OFFICE NEVADA TEST SITE RADIOACTIVE WASTE MANAGEMENT COMPLEX ADMINISTRATIVE BOUNDARY SURVEY OFF-SITE UTILITIES PLAN											
DRAWN		PREPARED		CHECKED		PROJECT ENGINEER		APPROVER / USER			
DHD		04/27/09		DHD		04/27/09		D. ABBEY		04/27/09	
DATE		DATE		DATE		DATE		DATE		DATE	
National Security Technologies LLC Vision • Service • Partnership						ENGINEERING NO. 09060		DRAWING NUMBER / WORK ORDER NUMBER 09060-C-1002			
NEVADA OPERATIONS P.O. BOX 98521 LAS VEGAS, NV 89193-8521						ORIGINAL SIGNATURES ON FILE		REVISION 2			

FOR REFERENCE DRAWINGS SEE 09060-G-0001

NOTES

1. THE UTILITY INFRASTRUCTURE PLANS PRESENTED ARE COMPILED FROM SEVERAL SOURCES. THE UTILITY LOCATIONS ARE RELIABLE FOR INFORMATIONAL PURPOSES, BUT HAVE NOT BEEN FIELD VERIFIED.

GS

2	5-6-07	REVISED AND REDRAWN							
1	05-01-09	REVISED AND REDRAWN				DHD	DHD	JLH	DKA VY
NO	DATE	REVISIONS				DRAWN	PREPARED	CHECKER	PROJECT ENGINEER USER
NATIONAL NUCLEAR SECURITY ADMINISTRATION									
NEVADA SITE OFFICE						LAS VEGAS, NEVADA			
NEVADA TEST SITE _____ AREA 5									
RADIOACTIVE WASTE MANAGEMENT COMPLEX									
ADMINISTRATIVE BOUNDARY SURVEY									
EXISTING OVERALL SITE PLAN									
DRAWN	PREPARED	CHECKER	PROJECT ENGINEER	APPROVER / USER					
DHD	04/27/09	DHD	04/27/09	J. HOLLAND	04/27/09	D. ABBEY	04/27/09	V. YUCEL	04/27/09
DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
National Security TechnologiesLLC				ENGINEERING NO.		DRAWING NUMBER / WORK ORDER NUMBER			
Vision • Service • Partnership				09060		09060-C-1004			
NEVADA OPERATIONS				ORIGINAL SIGNATURES ON FILE		REVISION			
P.O. BOX 98521 LAS VEGAS, NV 89193-8521						2			

FOR REFERENCE DRAWINGS SEE 09060-G-0001

NOTES

1. THE UTILITY INFRASTRUCTURE PLANS PRESENTED ARE COMPILED FROM SEVERAL SOURCES. THE UTILITY LOCATIONS ARE RELIABLE FOR INFORMATIONAL PURPOSES, BUT HAVE NOT BEEN FIELD VERIFIED.

GS

<div>2</div>		S-6-09	REVISED AND REDRAWN				<div>DHD</div>		<div>DHD</div>	<div>JLH</div>	<div>DKA</div>	<div>VY</div>			
<div>1</div>		05-01-09	REVISED AND REDRAWN				<div>DHD</div>		<div>DHD</div>	<div>JLH</div>	<div>DKA</div>	<div>VY</div>			
I/O		DATE		REVISIONS				DRAWN		PREPARED	CHECKER	PROJ ENGR	APPROVER USER		
NATIONAL NUCLEAR SECURITY ADMINISTRATION													LAS VEGAS, NEVADA		
NEVADA SITE OFFICE															
NEVADA TEST SITE _____ AREA 5															
RADIOACTIVE WASTE MANAGEMENT COMPLEX															
ADMINISTRATIVE BOUNDARY SURVEY															
EXISTING WATER AND SEWER UTILITIES															
DRAWN		PREPARED		CHECKER		PROJECT ENGINEER			APPROVER / USER						
DHD		04-27-09		DHD		04-27-09		D. ABBEY 04-27-09			V. YUCEL 04-27-09				
		DATE				DATE		DATE			DATE				
National Security Technologies LLC															
Vision • Service • Partnership															
NEVADA OPERATIONS															
P. O. BOX 98521 LAS VEGAS, NV 89193-8521															
ENGINEERING NO. 09060						DRAWING NUMBER / WORK ORDER NUMBER									
ORIGINAL SIGNATURES ON FILE						09060-C-1005									
															REVISION 2

FOR REFERENCE DRAWINGS SEE 09060-G-0001

NOTES

1. THE UTILITY INFRASTRUCTURE PLANS PRESENTED ARE COMPILED FROM SEVERAL SOURCES. THE UTILITY LOCATIONS ARE RELIABLE FOR INFORMATIONAL PURPOSES, BUT HAVE NOT BEEN FIELD VERIFIED.

GS

3	5-6-09	REVISED AND REDRAWN							
2	05/04/09	REVISED AND REDRAWN	DHD	DHD	JLH	DKA	VY		
1	05/01/09	REVISED AND REDRAWN	DHD	DHD	JLH	DKA	VY		
N/O	DATE	REVISIONS	DRAWN	PREPARED	CHECKER	PROJECT ENGINEER	APPROVER / USER		
NATIONAL NUCLEAR SECURITY ADMINISTRATION									
NEVADA SITE OFFICE						LAS VEGAS, NEVADA			
NEVADA TEST SITE						AREA 5			
RADIOACTIVE WASTE MANAGEMENT COMPLEX									
ADMINISTRATIVE BOUNDARY SURVEY									
EXISTING POWER AND COMM UTILITIES									
DRAWN	PREPARED	CHECKER	PROJECT ENGINEER	APPROVER / USER					
DHD	04/27/09 DATE	DHD 04/27/09 DATE	J. HOLLAND 04/27/09 DATE	D. ABBEY 04/27/09 DATE	V. YUCEL 04/27/09 DATE				
ENGINEERING NO. 09060				DRAWING NUMBER / WORK ORDER NUMBER					
ORIGINAL SIGNATURES ON FILE				09060-C-1006					
				REVISION 3					
National Security Technologies LLC Vision • Service • Partnership NEVADA OPERATIONS P. O. BOX 98521 LAS VEGAS, NV 89193-8521

Yucca Flat

Basalt
Volcanoes

Latitude: 36.89064°
Longitude: -115.95709°
Heading: -5.94762°
Tilt: 53.53272°
Altitude: 19100m
Distance: 32798m
FOV: 45.00000°
Terrain Elevation: 1,115.00 meters

Control Point
Basin

Scarp
Canyon

Nye Canyon

Frenchman
Flat

Area 5
RWMS

Playa