LA-8004-MS

Informal Report

**Uranium Hydrogeochemical and Stream Sediment
Reconnaissance of the
Newcastle NTMS Quadrangle, Wyoming,
Including Concentrations of
Forty-Two Additional Elements**

University of California

CAUTION
This is a time release report.
Do not release any part of this
publication before

metadc957699

U.S. DEPARTMENT OF ENERGY
Assistant Secretary for Resource Applications
Grand Junction Office, Colorado

LOS ALAMOS SCIENTIFIC LABORATORY

Post Office Box 1663 Los Alamos, New Mexico 87545

An Affirmative Action/Equal Opportunity Employer

This work was supported by the US Department of Energy,
Division of Uranium Resources and Enrichment. Program Code B048.

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Department of Energy, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.

UNITED STATES
DEPARTMENT OF ENERGY
CONTRACT W-7405-ENG. 36

LA-8004-MS
Informal Report
UC-51
Issued: June 1980

**Uranium Hydrogeochemical and Stream Sediment
Reconnaissance of the
Newcastle NTMS Quadrangle, Wyoming,
Including Concentrations of
Forty-Two Additional Elements**

By
Sue J. Goff

And

Walter F. Sandoval - Fluorometric Analyses
David L. Gallimore - Arc-Source Emission Spectrography
Carol L. Talcott - X-Ray Fluorescence Analyses
Ronald G. Martinez - Neutron Activation Analyses
Michael E. Minor - Delayed Neutron Counting
Carolyn F. Mills - Data Base Management

U.S. DEPARTMENT OF ENERGY
Assistant Secretary for Resource Applications
Grand Junction Office, Colorado

CONTENTS

LIST OF ILLUSTRATIONS	vi
LIST OF TABLES	vi
ABSTRACT	1
I. INTRODUCTION	2
II. DESCRIPTION OF STUDY AREA	2
Hydrology	3
III. GEOLOGY	4
Uranium Occurrences	5
IV. PRESENTATION OF ANALYTICAL AND STATISTICAL DATA	6
Uranium Concentrations in Water Samples	6
Uranium Concentrations in Sediment Samples	8
V. SUMMARY AND CONCLUSIONS	14
ACKNOWLEDGMENTS	15
APPENDIX I Listings of Field Data and Elemental Concentrations for Samples from the Newcastle NTMS Quadrangle, Wyoming	17
I-A Listings of Field Data and Uranium Concentrations for Water Samples from the Newcastle Quadrangle, Wyoming	17
I-B Listings of Field Data and Elemental Concentrations for Sediment Samples from the Newcastle Quadrangle, Wyoming	29
APPENDIX II Standard LASL HSSR Procedures and Codes	131
II-A Summary of Standard LASL HSSR Field and Analytical Procedures	132
II-B Explanation of Codes Used in Appendix I	137
II-C Key to Sample Types Listed in Appendix I	142
REFERENCES CITED	145

LIST OF ILLUSTRATIONS

Fig. No.

1.	Location map of the Newcastle NTMS quadrangle, Wyoming.	3
2.	Tectonic map of northeastern Wyoming and western South Dakota showing the location of the Newcastle quadrangle, Wyoming.	4
3.	Uranium occurrences in the Newcastle quadrangle, Wyoming.	5
4.	Semilogarithmic histograms and statistical data for uranium concentrations in water samples from the Newcastle quadrangle, Wyoming.	7
5.	Schematic diagram showing clusters containing high uranium concentrations in water (W) and sediment (S) samples in the Newcastle quadrangle, Wyoming.	9
6.	Histograms and statistical data for uranium concentrations in sediment samples from the Newcastle quadrangle, Wyoming.	11
7.	Histograms and statistical data for thorium concentrations in sediment samples from the Newcastle quadrangle, Wyoming.	12

Plate No.

I.	Sample location overlay for the Newcastle NTMS quadrangle, Wyoming.	pocket
II.	Uranium concentrations (ppb) in waters - overlay to the Newcastle NTMS quadrangle, Wyoming.	pocket
III.	Conductivities ($\mu\text{mho/cm}$) in waters - overlay to the Newcastle NTMS quadrangle, Wyoming.	pocket
IV.	Uranium concentrations (ppm) in sediments - overlay to the Newcastle NTMS quadrangle, Wyoming.	pocket
V.	Thorium concentrations (ppm) in sediments - overlay to the Newcastle NTMS quadrangle, Wyoming.	pocket

LIST OF TABLES

Table No.

I.	Water Samples with Uranium Concentrations Greater Than 20 ppb from the Newcastle Quadrangle, Wyoming	10
II.	Sediment Samples with Uranium Concentrations Greater Than 6 ppm from the Newcastle Quadrangle, Wyoming	13

URANIUM HYDROGEOCHEMICAL AND STREAM SEDIMENT RECONNAISSANCE
OF THE NEWCASTLE NTMS QUADRANGLE, WYOMING,
INCLUDING CONCENTRATIONS OF FORTY-TWO ADDITIONAL ELEMENTS

by

Sue J. Goff

ABSTRACT

During the summer and fall of 1977, 533 water and 1226 sediment samples were collected from 1740 locations within the 18 000 km² area of the Newcastle quadrangle, Wyoming, by a private contractor for the Los Alamos Scientific Laboratory. Water samples were collected from wells and springs; sediment samples were collected from stream channels and from springs. Each water sample was analyzed for uranium, and each sediment sample was analyzed for 43 elements, including uranium and thorium. All field and analytical data are listed in the appendixes of this report.

Uranium concentrations in water samples range from below the detection limit of 0.02 parts per billion (ppb) to 702.26 ppb and have a median of 1.73 ppb and a mean of 11.76 ppb. Water samples containing high uranium concentrations (>20 ppb) generally are associated with known uranium mining activity or units known to be uranium bearing. About one-third of the water samples containing high uranium concentrations were collected from locations within the Pumpkin Buttes and Turnercrest-Ross Districts. Nearly half of the water samples containing high uranium concentrations were collected from locations just west of the Monument Hill and Highland Flats-Box Creek Districts. Similar anomalous uranium concentrations in this region have been reported updip from Exxon's Highland uranium deposits. High uranium concentrations were also found associated with the Lance Creek-Old Woman Anticline District.

Uranium concentrations in sediment samples range from 1.14 to 220.70 parts per million (ppm) and have a median of 3.37 ppm and a mean of 4.03 ppm. Throughout the major uranium mining districts of the Powder River Basin, sediment samples with high uranium concentrations were collected from dry streams located near wells producing water samples with high uranium concentrations. High uranium concentrations were also found associated with the Lance Creek oil field where uranium mineralization is known in the White River formation. High uranium concentrations were also found in sediment samples in areas where uranium mineralization is not known. These samples are from dry streams in areas underlain by the White River formation, the Niobrara formation, and the Pierre, Carlisle, Belle Fourche, and Mowry shales.

I. INTRODUCTION

Reported herein are uranium and other elemental data resulting from the Hydrogeochemical and Stream Sediment Reconnaissance (HSSR) of the Newcastle National Topographic Map Series (NTMS) quadrangle, Wyoming, by the Los Alamos Scientific Laboratory (LASL). The LASL is responsible for conducting the HSSR primarily in the Rocky Mountain states of New Mexico, Colorado, Wyoming, and Montana and in Alaska (Sharp, 1977). The HSSR is part of the United States Department of Energy's National Uranium Resource Evaluation (NURE), which is designed to provide improved estimates of the availability and economics of nuclear fuel resources and make available to industry information for use in the development and production of uranium resources. The HSSR data will ultimately be integrated with data from other NURE programs (e.g., airborne radiometric surveys and geological investigations).

Totals of 533 water and 1226 sediment samples were collected from 1740 stream, spring, and well locations throughout the 18 000-km² area of the Newcastle NTMS quadrangle. The samples were collected by commercial contractor during the summer and fall of 1977. This report contains the results of analyses for uranium in the water samples and uranium and 42 additional elements in the sediment samples. The uranium values will be the topic of discussion in this report. All field and analytical data are presented in Appendix I. Graphic overlays found in the rear pocket include a sample location overlay (Plate I), overlays of uranium concentrations (Plate II) and conductivities (Plate III) in waters, and overlays of uranium (Plate IV) and thorium (Plate V) concentrations in sediments. These plates are produced at a scale of 1:250 000 to overlay the NTMS topographic map (USGS, 1955) and the geologic map (Love et al., 1977) of the Newcastle quadrangle. Standardized field, analytical, and data base management procedures were followed in all phases of the study. These procedures are described briefly in Appendix II-A and in reports by Sharp (1977), Hues et al (1977), Sharp and Aamodt (1978), Cheadle (1978), and Kosiewicz (1979). The data presented in Appendix I are available on magnetic tape from GJOIS Project, Union Carbide Corporation (UCC-ND), Computer Applications Department, 4500 North Building, Oak Ridge National Laboratory, P. O. Box X, Oak Ridge, Tennessee 37830.

II. DESCRIPTION OF STUDY AREA

The Newcastle quadrangle (Fig. 1) is within the Missouri Plateau section of the Great Plains physiographic province (Hunt, 1974). Gently rolling plains, with maximum relief rarely exceeding 150 m, characterize much of the area. The Black Hills dominate the topography of a relatively small area of the eastern portion of the quadrangle.

The climate within the Newcastle quadrangle is semi-arid and continental. Precipitation, about 60-80% of which falls during the spring and summer months, averages about 330 mm in the western part of the quadrangle and 400 mm in the Black Hills area (Culler, 1961). Average July temperatures at Newcastle are 23°C, whereas January temperatures average -5°C (NOAA, 1973). General weather conditions for each location at the time of sampling are described in the data listings of Appendix I.

Fig. 1. Location map of the Newcastle NTMS quadrangle, Wyoming.

Hydrology

The Cheyenne River and its tributaries form most of the surface drainage in the Newcastle quadrangle. Few streams entering the generally east-flowing Cheyenne from the north and south are perennial. The Cheyenne River channel itself is also dry for months (Culler, 1961). The northwestern part of the area is drained to the north and northeast by the Belle Fourche River and tributaries of the Powder River.

Ground water reservoirs in the Newcastle quadrangle are found in unconsolidated alluvium, the Arikaree formation, the Wasatch formation, the White River group, the Fort Union group, the Lance formation, the Fox Hills sandstone, and the Inyan Kara group (Whitcomb, 1965; Lane et al, 1972). The dissolved solids content of the ground water over most of the area ranges from 250 to 2900 parts per million (ppm) (Whitcomb, 1965).

III. GEOLOGY

The detailed geology of the Newcastle area is described at some length by Strickland (1958), Brobst (1961), Brobst and Epstein (1963), Cuppels (1963), Mapel and Pillmore (1963), Sharp et al (1964), Sharp and Gibbons (1964), Houston (1969), Enyert (1970), McGrew (1971), Renfro (1971), and Laudon (1976). A published 1:250 000-scale geologic map of the Newcastle quadrangle (Love et al, 1977) is available from the US Geological Survey.

The major structural-topographic feature of the Newcastle quadrangle is the Powder River Basin (Fig. 2) formed during the Laramide Orogeny in late Cretaceous-early Tertiary time. Structurally, the basin is a broad asymmetric

Fig. 2. Tectonic map of northeastern Wyoming and western South Dakota, showing the location of the Newcastle quadrangle, Wyoming.

syncline, with slight dips in the southern and eastern portion of the basin (1-3°), increasing to the west and southwest. The Precambrian basement axis of the Powder River Basin lies in the western part of the quadrangle. The surface axis has shifted with basin filling and presently lies several miles to the east of the basement axis, near many uranium deposits (Dahl and Hagmaier, 1976).

Sedimentary deposits within the Newcastle quadrangle portion of the Powder River Basin are over 5000 m thick. The Tertiary sequence alone is 1800 m thick with more than 75% of the exposed section consisting of the Paleocene Fort Union formation and the Eocene Wasatch formation (Love et al, 1977; geoMetrics, 1979).

The Black Hills and Hartville uplifts bound the northeast and southeast corners of the quadrangle. Strata of Paleozoic and Mesozoic age crop out around these uplifted margins.

Uranium Occurrences

Prior to the 1960's, the Powder River Basin was a comparatively minor uranium-producing area; however, there is now much activity in both mining and exploration (Curry, 1976). Tertiary sedimentary rocks, particularly the Paleocene Fort Union formation and the Eocene Wasatch formation, are the hosts for the majority of the uranium deposits located within the Newcastle quadrangle. Uranium occurrences in these permeable arkosic sandstones in Wyoming were first reported for the Pumpkin Buttes area in 1951 by J. D. Love of the US Geological Survey (Fig. 3).

Fig. 3. Uranium occurrences in the Newcastle quadrangle, Wyoming.

Four main areas of uranium mineralization were identified in the southern portion of the Powder River Basin. These four districts (Pumpkin Buttes, Turnercrest-Ross, Monument Hill, and Highland Flats-Box Creek) are all located in the Newcastle quadrangle. Elevatorski (1976) discusses the uranium mines, prospects, and occurrences in a complete and thorough review on the uranium geology and mineralization of these districts and others within Wyoming.

Possible sources of the uranium mineralization in the Powder River Basin are discussed in reports by Sharp and Gibbons (1964), Houston (1969), Davis (1970), Harshman (1970), DeNault (1974), Langren and Kidwell (1974), Seeland (1976), and Dahl and Hagmaier (1976). Most investigators believe the source of the uranium to be tuffaceous Oligocene White River formation and younger rocks that once covered the basin, Precambrian granitic rocks of the Granite and Laramie Mountains, or the arkosic host sandstones themselves, which were derived from the Precambrian granites. Springs and wells in Oligocene and younger tuffaceous sediments are noted as having anomalously high uranium concentrations, indicating that uranium is being mobilized within these sediments (DeNault, 1974). In the Hartville Uplift area, uranium claims are also found in the White River formation (Elevatorski, 1976).

The northern Black Hills uranium districts are immediately north of the Newcastle quadrangle. Two claims south of Newcastle are considered to be part of the Edgemont District in the southern Black Hills, which lies to the southeast in South Dakota (geoMetrics, 1979). Favorable host rocks for uranium in the Black Hills area are the fluvial sandstones of the Dakota and Fall River formations (Inyan Kara Group), which are Lower Cretaceous in age (Hart, 1968).

IV. PRESENTATION OF ANALYTICAL AND STATISTICAL DATA

A commercial contractor collected water and sediment samples at an actual density of one location per 10 km² during the summer and fall of 1977. Access to an area representing a 15' quadrangle in the south central portion of the quadrangle was denied.

Water samples were collected from 533 locations, 484 wells and 49 springs, in the Newcastle quadrangle at an actual density of one sample per 34 km². Water samples were analyzed for uranium at the LASL.

Sediment samples were collected from 1207 dry streams and 19 wet springs, a total of 1226 locations throughout the quadrangle, at an actual density of one sample per 15 km². Sediment samples were analyzed for uranium and 42 additional elements at the LASL.

Field measurements and analytical data for each sample site are given for waters in Appendix I-A and for sediments in Appendix I-B. The standard collection procedures and analytical methods used for this study are described in Appendix II-A. The remaining sections of Appendix II describe the numerical codes used for the data in Appendix I.

Discussion of analytical results for both waters and sediments is limited to those containing relatively high uranium values, i.e., greater than 20 parts per billion (ppb) for water samples and greater than 6 ppm for sediment samples.

Uranium Concentrations in Water Samples

Histograms and statistical data for uranium concentrations in waters from the Newcastle quadrangle are shown in Fig. 4. Uranium concentrations for waters range from below the detection limit to 702.26 ppb and have a median of

a. All waters

b. Well waters

c. Spring waters

Fig. 4. Semilogarithmic histograms and statistical data for uranium concentrations in water samples from the Newcastle quadrangle, Wyoming.

1.73 ppb and a mean of 11.76 ppb. Only ground waters were sampled in this quadrangle; the median uranium concentrations in waters from both springs and wells are similar.

About 8% of the water samples (39 well waters and 3 spring waters) exceed 20 ppb uranium. Thirty-seven of these samples have been grouped into five clusters, designated W1, W2, etc., in Fig. 5. Samples within these clusters, as well as the isolated samples with high uranium concentrations, are briefly described in Table I. About two-thirds of the water samples with high uranium values are associated with mining activity in the Wasatch and Fort Union formations. Relationships among clusters of water and sediment samples with high uranium values and airborne radiometric anomalies are shown in Fig. 5.

Clusters W1 and W2 correspond generally with the Pumpkin Buttes and Turnercrest-Ross Districts (Fig. 3), areas that contain numerous uranium claims and prospects. Water samples from within these clusters are directly associated with mining activity. Two radiometric anomalies are also present in the Pumpkin Buttes District.

Clusters W3 and W4 are also related to mining districts, notably Monument Hill and Highland Flats-Box Creek. Both clusters lie to the west of the surface axis of the Powder River basin and hence west of the mapped areas of uranium occurrence and production. Similar anomalous uranium concentrations in sulfate-rich ground waters updip from Exxon's Highland uranium deposits are reported by Dahl and Hagmaier (1976). The regional ground-water flow path is southwest to northeast and becomes bicarbonate-rich northeast of the uranium deposits. Uranium anomalies were not observed in ground waters northeast of the deposits. The change in ground-water chemistry is attributable to sulfate reduction by the same reductant that precipitated uranium from ground waters, during ore genesis, inorganic biosulfide (Dahl and Hagmaier, 1976). Three radiometric anomalies are associated with these districts.

In the southeastern portion of the quadrangle, cluster W5 is generally associated with the Lance Creek-Old Woman Anticline District. Aquifers in this area include the White River formation, Pierre shale, and the Inyan Kara Group (Whitcomb, 1965). Near the western edge of the cluster is the Lance Creek oil field, and uranium prospects in the White River formation have been mapped in the oil-producing area (Elevatorski, 1976). Other well waters in this cluster are on the steep west limb of the Old Woman Anticline and are associated with narrow outcrops of the White River formation and Inyan Kara-Morrison unit (geoMetrics, 1979). Ground waters in the White River formation have been reported to have anomalously high uranium concentrations (DeNault, 1974). Uranium mines are associated with outcrops of the Inyan Kara Group or the Niobrara formation (geoMetrics, 1979). Several airborne radiometric anomalies are spatially related to this cluster.

Uranium Concentrations in Sediment Samples

Histograms and statistical data for uranium concentrations in sediment samples from the Newcastle quadrangle are shown in Fig. 6. Uranium concentrations for sediments range from 1.14 ppm to 220.70 ppm and have a median of 3.37 ppm and a mean of 4.03 ppm. Histograms and statistical data for thorium concentrations in sediment samples are presented in Fig. 7.

Much of the land surface of the quadrangle is disturbed due to extensive uranium, oil, and coal exploration. Many relatively high sediment samples appear to be related to some sort of mining activity. About 5% of the sediment samples (59 stream sediments and 4 spring sediments) exceed 6 ppm uranium. Fifty-nine of these samples have been grouped into nine clusters, designated

Fig. 5. Schematic diagram showing clusters containing high uranium concentrations in water (W) and sediment (S) samples in the Newcastle quadrangle, Wyoming

S1, S2, etc., and are shown in Fig. 5 in relationship to clusters of water samples with high uranium concentrations and to airborne radiometric anomalies. Samples within these clusters, as well as the isolated samples with high uranium concentrations, are briefly described in Table II.

Throughout the major uranium districts, clusters of high sediment samples overlap the clusters of high water samples. This is not a one for one relationship because sediment samples are not taken at well sites, the predominant water sample type; the predominant sediment type is a dry stream. Wet springs that contain high uranium values in the water sample, however, also contain high uranium concentrations in the sediment sample.

Clusters S1, S2, S3, and S4 show good correspondence with their water counterparts (W1, W2, W3, and W4) and generally define the Pumpkin Buttes, Turnercrest-Ross, Monument Hill, and Highland Flats-Box Creek districts. Samples from within these clusters could owe their high values to their relationship to uranium mining activity. Just to the west of the Powder River Basin mining districts is a small cluster, S5. Surface geology here is Wasatch formation, but there is no documented mining activity in this area.

Within the Lance Creek oil field is cluster S6. Uranium prospects in the White River formation occur throughout the area. A sizeable radiometric anomaly is also associated with the oil field.

TABLE I

WATER SAMPLES WITH URANIUM CONCENTRATIONS GREATER THAN 20 PPB
FROM THE NEWCASTLE QUADRANGLE, WYOMING

<u>Water Cluster</u>	<u>LASL Sample Location No.</u>	<u>Water Type</u>	<u>pH</u>	<u>Conductivity (umho/cm)</u>	<u>Uranium Concentration (ppb)</u>	<u>Geology/Remarks</u>
W1	W10129	Well	7.1	2700	43.79	Pumpkin Buttes District; Wasatch formation surface geology, and host for uranium ores.
	W10162	Well	6.7	5000	149.19	
	W10174	Well	6.5	800	696.80	
	W10179	Well	6.6	1450	263.03	
	W10188	Well	6.8	800	36.00	
	W10191	Well	6.4	1550	323.55	
	W10194	Well	6.6	2650	72.45	
	W10219	Well	6.4	460	127.52	
W2	W10047	Well	6.6	1500	38.65	Turnercreek - Ross District; Wasatch formation surface geology and host for uranium ores.
	W10061	Well	6.6	800	61.80	
	W10076	Well	6.9	950	89.09	
	W11132	Well	6.9	800	30.25	
W3	W10704	Well	7.3	675	70.42	Monument Hill District; Wasatch formation surface geology and host for uranium ores.
	W10706	Well	7.3	500	76.93	
	W10710	Well	--	--	48.20	
	W10711	Well	7.3	825	208.42	
	W11700	Well	7.0	650	119.92	
	W11701	Spring	7.4	800	702.26	
	W11705	Spring	7.8	650	308.72	
	W11720	Well	6.6	800	33.19	
W4	W10229	Well	7.2	600	46.67	Highland Flats - Box Creek District; Wasatch formation surface geology. Present day mining is in the Fort Union formation. Former mines were in the Wasatch formation.
	W10232	Well	7.0	525	303.89	
	W10233	Well	7.1	385	38.41	
	W10236	Well	7.2	525	37.83	
	W10241	Well	7.6	430	21.89	
	W10259	Spring	7.2	725	41.61	
	W10728	Well	7.1	400	36.29	
	W10729	Well	7.1	500	20.64	
	W10733	Well	8.4	575	54.87	
	W10737	Well	7.2	450	37.25	
W5	W10306	Well	9.1	3400	31.62	Lance Creek - Old Woman Anticline District; Pierre shale; Inyan Kara Group. Pierre shale. Inyan Kara Group. White River formation. White River formation. White River formation. White River formation.
	W10311	Well	8.9	6000	110.14	
	W10314	Well	6.8	1200	63.98	
	W10668	Well	7.4	1020	138.23	
	W10670	Well	7.6	1200	89.22	
	W10684	Well	6.7	900	76.56	
	W10687	Well	7.3	1230	37.27	
Other Locations	W10329	Well	7.1	6000	84.50	Pierre shale.
	W10549	Well	6.9	3650	25.44	Lebo member, Fort Union formation.
	W10677	Well	7.1	700	57.03	Niobrara formation.
	W10816	Well	8.1	5000	29.01	Fox Hill sandstone.
	W11158	Well	6.7	2450	24.77	Tullock member, Fort Union formation.

a. All sediments

b. Dry stream sediments

c. Spring sediments

Fig. 6. Histograms and statistical data for uranium concentrations in sediment samples from the Newcastle quadrangle, Wyoming.

Fig. 7 Histograms and statistical data for thorium concentrations in sediment samples from the Newcastle quadrangle, Wyoming.

TABLE II

SEDIMENT SAMPLES WITH URANIUM CONCENTRATIONS GREATER THAN 6 PPM
FROM THE NEWCASTLE QUADRANGLE, WYOMING

Sediment Cluster	LASL Sample Location No.	Sediment Type	Uranium Concentration (ppm)	Thorium Concentration (ppm)	U/Th Ratio	Geology/Remarks
S1	W10128	Stream*	16.05	13.7	1.17	Pumpkin Buttes District; Wasatch formation surface geology and host for uranium ores.
	W10133	Stream	11.91	12.1	.98	
	W10135	Stream	10.74	8.4	1.28	
	W10143	Stream	9.39	12.4	.76	
	W10153	Stream	7.55	11.4	.66	
	W10206	Stream	6.03	14.4	.42	
	W10213	Stream	9.76	14.4	.68	
S2	W10042	Stream	9.54	23.0	.42	Turnercreek-Ross District; Wasatch formation, surface geology and host for uranium ores.
	W10058	Spring	9.30	11.2	.83	
	W10060	Stream	8.01	15.5	.52	
	W10089	Stream	6.50	13.6	.48	
	W10090	Stream	6.22	14.3	.44	
	W11077	Stream	8.63	15.0	.58	
	W11114	Stream	10.52	12.6	.84	
	W11123	Stream	7.03	15.0	.47	
	W11125	Stream	6.75	19.5	.35	
	W11130	Stream	9.76	18.8	.52	
	W11131	Stream	6.78	9.8	.69	
S3	W10255	Stream	20.48	14.7	1.39	Monument Hill District; Wasatch formation, surface geology and host for uranium ores.
	W10264	Stream	6.99	10.7	.65	
	W10268	Stream	20.50	14.7	1.40	
	W10269	Stream	6.01	31.5	.19	
	W10273	Stream	8.17	15.1	.54	
	W10709	Stream	8.15	12.9	.63	
	W11701	Spring	220.70	12.4	17.80	
S4	W11705	Spring	61.18	14.1	4.34	Highland Flats - Box Creek District; surface geology is Wasatch formation. Present day mining is in the Fort Union formation. Former mines were in the Wasatch formation.
	W10234	Stream	6.29	10.0	.63	
	W10238	Stream	143.00	22.7	6.30	
	W10257	Stream	6.77	43.8	.16	
	W10258	Stream	6.86	19.6	.35	
	W10259	Spring	13.36	20.1	.67	
	W10725	Stream	15.98	16.8	.95	
	W10731	Stream	6.26	17.7	.35	
	W10738	Stream	7.44	14.9	.50	
S5	W10742	Stream	6.86	15.1	.45	Wasatch formation.
	W10227	Stream	7.25	33.4	.22	
S6	W10707	Stream	7.55	10.2	.74	Lance Creek oil field. Surface geology is Pierre shale and White River formation.
	W10465	Stream	8.12	10.2	.80	
	W10692	Stream	8.75	62.4	.14	
S7	W10695	Stream	6.64	55.8	.12	East limb Old Woman Anticline. Surface geology is Niobrara formation and White River formation.
	W10321	Stream	6.58	8.5	.77	
	W10324	Stream	8.38	6.2	1.35	
	W10678	Stream	7.58	9.3	.82	
S8	W10679	Stream	7.10	9.0	.79	Surface geology is Pierre shale, Niobrara formation, and Carlisle shale.
	W10291	Stream	7.33	10.1	.73	
	W10295	Stream	10.09	10.5	.96	
	W10296	Stream	12.78	12.5	1.02	
	W10298	Stream	9.07	7.9	1.15	
	W10299	Stream	8.38	11.1	.76	
	W10300	Stream	9.49	8.8	1.08	
	W10301	Stream	6.28	13.8	.46	
	W10302	Stream	8.98	10.8	.83	
	W10332	Stream	6.26	8.6	.73	
	W10905	Stream	7.22	9.2	.79	
S9	W10906	Stream	8.97	12.6	.71	Surface geology is Belle Fourche shale and Mowry shale.
	W10667	Stream	7.06	13.5	.52	
	W10872	Stream	6.42	14.6	.44	
	W10877	Stream	6.64	13.4	.50	
	W10878	Stream	6.63	14.7	.45	
Other Locations	W10085	Stream	7.05	4.7	1.50	Wasatch formation.
	W10352	Stream	6.87	39.9	.17	Lance formation.
	W10623	Stream	6.22	12.8	.49	Lebo member, Fort Union formation.
	W10812	Stream	6.12	11.1	.55	Carlisle shale.

* All stream sediment samples are from dry streams.

Cluster S7 is located on the east limb of the Old Woman Anticline. The eastern limb of the anticline is more gently dipping than the western limb, where there are known uranium occurrences. This cluster includes stream sediments from drainages where the surface geology is primarily Niobrara formation and White River formation. Uranium prospects are found in both of these units on the west limb of the anticline (Elevatorski, 1976; geoMetrics, 1979). Three radiometric anomalies are associated with this cluster.

A large cluster (S8) lies just beyond the northern tip of the Old Woman Anticline. Most of the samples in this cluster come from the Mule Creek and the Antelope Creek drainage basins. One sample location is just south of the Mule Creek oil field. Surface geology here is Pierre shale, Niobrara formation, and Carlisle shale. Several large radiometric anomalies are associated with this cluster. Only one of these anomalies is directly associated with oil production and roads; however, as the surface over much of this area has been disturbed, more detailed study would be necessary (geoMetrics, 1979).

Cluster S9 is near the town of Dewey at the southern end of the Elk Mountains. Surface geology here is Belle Fourche Shale and Mowry Shale. Two of the sediment samples are directly downstream from the Lucky Strike bentonite mine. Several radiometric anomalies are associated with this cluster.

V. SUMMARY AND CONCLUSIONS

Totals of 533 water and 1226 sediment samples were collected from 1740 locations in the Newcastle quadrangle at an actual density of one location per 10 km² over 18 000 km². Water samples were collected from wells and springs, and sediment samples were collected from dry streams and springs. Water samples were analyzed for uranium and sediment samples for uranium and 42 additional elements. Only a preliminary interpretation of uranium concentrations is emphasized in this report.

There are several areas within this quadrangle where water and/or sediment samples have high uranium concentrations (arbitrarily chosen at >20 ppb for water and >6 ppm for sediment samples). In general, water samples with high uranium concentrations were collected from areas of known uranium mining activity or from units known to be uranium bearing. Sediment samples from dry streams with high uranium concentrations were collected from sites located near wells yielding water samples with high uranium concentrations throughout the major mining districts of the Powder River Basin. High uranium concentrations in both water and sediments are found associated with the Lance Creek oil field where uranium mineralization is known in the White River formation.

Sediment samples with high uranium concentrations are also found on the gently dipping eastern limb of the Old Woman Anticline, where the surface geology is primarily Niobrara formation and White River formation. Uranium occurrences are found in these units on the steeper dipping west limb of the anticline.

Two other areas that contain relatively high uranium concentrations in sediment samples are underlain primarily by shale-rich units, i.e., the Pierre, Carlisle, Belle Fourche, and Mowry shales. Several radiometric anomalies are associated with these areas. As the surface over much of the Newcastle quadrangle has been disturbed by extensive uranium, oil, and coal explorations, a more detailed and careful field evaluation of these areas would be necessary.

ACKNOWLEDGMENTS

The support and assistance of the following LASL groups and individuals are gratefully acknowledged. Nearly all analyses of the water samples and the x-ray fluorescence and emission spectrometry of sediment samples were performed by the Analytical Chemistry Group, under the direction of Glenn R. Waterbury. The delayed-neutron counting and neutron activation analyses of the sediments were performed by the Research Reactor Group, directed by Merle E. Bunker. The Statistics Group, headed by Ray A. Waller, was responsible for the data management and computer graphics. Special thanks are due the following members of the Geosciences Division: Nancy J. Eckhoff, who typed and prepared the report for printing; Mary E. Luke, who checked and corrected the sample location coordinates; Mary Ann Olson, who drafted the figures and plates; and Thomas A. Weaver, Wayne E. Morris, and David E. Broxton, who critically reviewed the report. Sincere appreciation is also expressed to the US Forest Service and the landowners who granted access to the lands under their control so that the survey could be completed.

APPENDIX I

LISTINGS OF FIELD DATA AND ELEMENTAL CONCENTRATIONS FOR SAMPLES
FROM THE NEWCASTLE NTMS QUADRANGLE, WYOMING

APPENDIX I-A

Listings of Field Data and Uranium Concentrations
for Water Samples from the Newcastle Quadrangle, Wyoming
(Pages 18 through 28)

(See Appendix II for Code to Listings)

APPENDIX I-A. Uranium Concentrations for Water Samples

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																				U CONCENTRATION									
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (µmho/cm)	SOLVENT (µl ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	WATER CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	WATER SAMPLES ANALYZED BY FLUOROMETRY OR DNC (%)	UNITS IN ppb
							DATE	HOUR																											
56-43.7242-105.5636-2-08	0-W10001-09/14/77-10	25-13.0-C	-	6.8	1500	17-1-4	-	-	-	1	-4-3-1-1	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.37		
56-43.6589-105.5242-2-08	0-W10003-09/14/77-14	30-11.0-C	-	7.2	2300	15-1-4	-	-	-	1	-4-3-1-1	-3-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.37		
56-43.6481-105.5925-2-08	0-W10004-09/14/77-16	31-13.0-C	-	6.5	2200	15-1-4	-	-	-	1	-4-3-1-1	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.45		
56-43.6603-105.5847-2-08	0-W10005-09/14/77-16	29-11.8-C	-	6.7	2200	13-1-4	-	-	-	1	-4-3-1-2	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.17		
56-43.6733-105.5797-2-08	0-W10006-09/14/77-17	26-11.4-C	-	7.0	2400	11-1-4	-	-	-	1	-4-3-1-2	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.58		
56-43.6781-105.5725-2-08	0-W10007-09/14/77-18	28-12.2-C	-	6.8	3400	9-1-4	-	-	-	1	-4-3-1-2	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.35		
56-43.7239-105.6278-2-08	0-W10008-09/15/77-9	20-13.0-C	-	6.6	1500	13-1-4	-	-	-	2	-4-3-1-3	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.99		
56-43.7269-105.6923-2-08	0-W10009-09/15/77-10	21-11.2-C	-	6.8	1150	18-1-2	-	-	-	1	-4-3-1-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.36		
56-43.7100-105.6139-2-08	0-W10011-09/15/77-12	21-10.0-C	-	6.7	675	18-1-2	-	-	-	3	-4-3-1-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.35		
56-43.6872-105.5731-2-08	0-W10012-09/15/77-14	23-14.0-C	-	6.4	1550	17-1-2	-	-	-	1	-4-3-1-2	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.07		
56-43.6781-105.6150-2-08	0-W10013-09/15/77-15	23-10.0-C	-	6.8	2300	5-1-2	-	-	-	2	-4-3-1-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.84		
56-43.6494-105.6633-2-08	0-W10014-09/15/77-16	22-11.0-C	-	6.5	1650	18-1-2	-	-	-	1	-4-3-1-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.39		
56-43.6614-105.6519-2-08	0-W10015-09/15/77-17	23-15.0-C	-	6.4	2100	13-1-2	-	-	-	1	-4-3-1-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.74		
56-43.6275-105.6897-2-08	0-W10016-09/15/77-17	21-11.0-C	-	6.6	2900	16-1-2	-	-	-	1	-4-3-1-2	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.21		
56-43.8808-105.6669-2-08	0-W10018-09/16/77-11	29-11.0-C	-	7.2	1250	11-1-2	-	-	-	1	-4-3-1-2	-2-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09		
56-43.8969-105.5911-2-08	0-W10019-09/16/77-12	27-11.0-C	-	7.4	1150	5-1-2	-	-	-	1	-4-3-1-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02		
56-43.8650-105.5508-2-08	0-W10023-09/16/77-16	19-12.0-C	-	7.2	3200	17-1-4	-	-	-	1	-4-3-1-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.25		
56-43.7553-105.5611-2-08	0-W10026-09/17/77-10	22-11.8-C	-	6.6	2250	16-1-2	-	-	-	1	-4-3-1-2	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.68		
56-43.7686-105.5203-2-08	0-W10027-09/17/77-11	17-11.8-C	-	7.1	2200	13-1-2	-	-	-	1	-4-3-1-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.13		
56-43.6828-105.5161-2-08	0-W10029-09/18/77-12	14-14.0-C	-	7.2	600	17-1-2	-	-	-	1	-4-3-1-2	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.03		
56-43.7144-105.5092-2-08	0-W10030-09/18/77-13	15-12.0-C	-	6.6	2500	18-1-2	-	-	-	1	-4-3-1-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.43		
56-43.6753-105.5375-2-08	0-W10031-09/18/77-14	20-10.2-C	-	6.2	500	10-1-2	-	-	-	1	-4-3-1-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.29		
56-43.6675-105.5514-2-08	0-W10032-09/18/77-15	17-10.0-C	-	6.4	950	13-1-2	-	-	-	1	-4-3-1-1	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.90		
56-43.6142-105.4939-2-08	0-W10033-09/19/77-11	16-11.7-C	-	6.2	2600	16-1-2	-	-	-	1	-4-3-1-3	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.45		
56-43.5478-105.5653-2-06	0-W10035-09/19/77-16	25-14.5-C	-	6.6	600	13-1-1-6-6-2-2-1	-	-	-	1	-4-3-1-3	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.03		
56-43.6447-105.5972-2-08	0-W10038-09/20/77-10	23-12.0-C	-	6.6	1850	15-1-2	-	-	-	1	-4-3-1-1	-3-3	5-285-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.90		
56-43.5628-105.6683-2-08	0-W10043-09/20/77-16	28-11.2-C	-	6.6	950	11-1-2	-	-	-	2	-4-3-1-2	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.49		
56-43.6022-105.6514-2-08	0-W10047-09/20/77-19	14-11.0-C	-	6.6	1500	22-1-2	-	-	-	1	-4-3-1-2	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38.65*		
56-43.5897-105.5150-2-08	0-W10048-09/21/77-11	18-10.0-C	-	6.5	2350	13-1-2	-	-	-	2	-4-3-1-2	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.45		
56-43.5914-105.5511-2-08	0-W10049-09/21/77-12	14-10.3-C	-	6.3	2200	16-1-2	-	-	-	1	-4-3-1-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.46		
56-43.5194-105.6022-2-08	0-W10051-09/21/77-16	16-12.5-C	-	7.1	900	11-1-2	-	-	-	1	-4-3-1-2	-3-3	6-250-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.64		
56-43.5078-105.5850-2-08	0-W10052-09/21/77-16	15-14.3-C	-	7.8	500	18-1-1	-	-	-	1	-4-3-1-2	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.76		
56-43.5200-105.6144-2-08	0-W10054-09/21/77-18	13-12.0-C	-	7.0	490	18-1-2	-	-	-	1	-4-3-1-2	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09		
56-43.5544-105.7461-2-08	0-W10056-09/22/77-13	20-12.3-C	-	6.8	-	12-1-2	-	-	-	1	-4-3-1-2	-3-3	1-165-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.57		
56-43.5469-105.7089-2-06	0-W10058-09/25/77-13	18-20.0-	-	7.5	1100	6-1-2-6-8-2-2-2	-	-	-	1	-4-3-1-1	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.21*			
56-43.5781-105.7594-2-08	0-W10061-09/22/77-16	24-10.7-C	-	6.6	800	15-1-1	-	-	-	1	-4-3-1-3	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61.80*		
56-43.8061-105.5233-2-08	0-W10064-09/24/77-8	9-10.5-C	-	6.3	2600	16-1-4	-	-	-	1	-4-3-1-2	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.67		
56-43.9114-105.6226-2-08	0-W10071-09/24/77-16	20-11.0-C	-	6.5	2600	19-1-2	-	-	-	1	-4-3-1-2	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.50		
56-43.9286-105.6569-2-08	0-W10073-09/24/77-17	16-10.5-C	-	6.3	2850	13-1-2	-	-	-	1	-4-3-1-2	-3-3	1-320-320-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.50		
56-43.5167-105.7792-2-08	0-W10075-09/25/77-16	20-14.0-C	-	6.6	800	13-1-7	-	-	-	1	-4-3-1-1	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.33		
56-43.5047-105.6197-2-08	0-W10076-09/25/77-16	19-11.0-C	-	6.9	950	13-1-7	-	-	-	1	-4-3-1-1	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89.09*		
56-43.5333-105.7094-2-08	0-W10077-09/25/77-19	14-14.0-	-	7.0	500	8-1-2-6-6-2-2-1	-	-	-	1	-4-3-1-1	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.11			
56-43.9561-105.6433-2-08	0-W10079-09/26/77-10	18-10.0-C	-	6.4	1850	16-1-4	-	-	-	2	-4-3-1-1	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.37		
56-43.5836-105.6458-2-08	0-W10082-09/27/77-14	24-10.0-C	-	7.0	1350	16-1-2	-	-	-	1	-4-3-1-1	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.77		
56-43.6744-105.7464-2-08	0-W10086-09/28/77-10	22-12.0-C	-	6.6	1500	11-1-1	-	-	-	1	-4-3-1-1	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.95		
56-43.7858-105.7042-2-08	0-W10087-09/28/77-11	25-10.3-C	-	6.7	1900	11-1-1	-	-	-	1	-4-3-1-1	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.15		
56-43.7606-105.7181-2-08	0-W10088-09/28/77-12	27-11.0-C	-	6.6	1600	15-1-1	-	-	-	1	-4-3-1-1	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.68		

19

DOE SAMPLE NUMBER					LAST SAMPLE LOCATION NUMBER AND FIELD DATA																							U CONCENTRATION						
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (µmho/cm)	SILT/CLAY (wt %)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	WATER SAMPLES ANALYZED BY FLUOROMETRY OR DNC (6) UNITS IN PPB
							DATE	HOUR																										
56-43.8417-105.6553-2-OR-						0-W10105-09/28/77-17-			22-10.7-C-				6.8-	1150-	16-1-1-									-4-3-1-1-	-3-1-									10.65
56-43.8675-105.6622-2-OR-						0-W10108-09/29/77-9-			12-10.0-C-				6.5-	2900-	13-1-1-										-4-3-1-3-	-3-1-								9.84
56-43.8667-105.7178-2-OR-						0-W10109-09/29/77-10-			14-10.0-C-				7.4-	1900-	18-1-1-										-4-3-1-2-	-3-1-								3.47
56-43.9008-105.6703-2-OR-						0-W10110-09/29/77-11-			16-11.0-C-				6.9-	3500-	19-1-1-										-4-3-1-2-	-3-1-								7.05
56-43.9986-105.9500-2-OR-						0-W10113-09/29/77-12-			19-12.0-C-				7.1-	750-	13-1-1-										-4-3-1-2-	-3-1-								0.32
56-43.9114-105.7261-2-OR-						0-W10115-09/29/77-15-			21-14.0-C-				7.0-	2200-	11-1-1-										-4-3-1-2-	-4-3-					285-180-			2.43
56-43.9025-105.7278-2-OR-						0-W10116-09/29/77-16-			19-9.7-C-				6.7-	1200-	12-1-1-										-4-3-1-2-	-3-4-					2-65-40-			5.82
56-43.9131-105.7567-2-OR-						0-W10117-09/29/77-17-			19-10.5-C-				6.9-	2700-	17-1-1-										-4-3-1-2-	-3-3-								9.87
56-43.8803-105.7411-2-OR-						0-W10118-09/29/77-18-			14-11.3-C-				7.1-	2400-	23-1-1-										-4-3-1-2-	-3-1-								6.07
56-43.8986-105.7592-2-OR-						0-W10120-09/30/77-10-			14-11.0-C-				7.2-	2100-	18-1-1-										-4-3-1-3-	-3-1-								3.66
56-43.9244-105.7556-2-OR-						0-W10122-09/30/77-11-			13-10.0-C-				7.0-	1000-	17-1-1-										-4-3-1-3-	-3-3-								2.46
56-43.9378-105.7242-2-OR-						0-W10123-09/30/77-11-			15-10.0-C-				6.8-	950-	17-1-1-										-4-3-1-3-	-3-3-								1.27
56-43.9547-105.7203-2-OR-						0-W10124-09/30/77-12-			13-10.0-C-				6.9-	625-	17-1-1-										-4-3-1-3-	-3-3-								6.34
56-43.9956-105.7258-2-OR-						0-W10125-09/30/77-12-			12-11.0-C-				7.3-	925-	18-1-1-										-4-3-1-3-	-3-3-								2.39
56-43.9553-105.6878-2-OR-						0-W10127-09/30/77-14-			10-11.0-C-				7.3-	1550-	12-1-1-										-4-3-1-3-	-3-3-								2.82
56-43.5536-105.8933-2-OR-						0-W10129-10/02/77-14-			14-11.0-C-				7.1-	2700-	11-1-1-										-4-3-1-2-	-3-1-								43.79*
56-43.9228-105.6703-2-OR-						0-W10149-10/04/77-7-			6-14.8-C-				7.6-	1400-	17-1-1-										-4-3-1-4-	-3-3-								2.10
56-43.9286-105.8272-2-OR-						0-W10150-10/04/77-8-			5-9.5-C-				7.2-	2000-	13-1-1-										-4-3-1-4-	-3-4-								4.03
56-43.9469-105.8208-2-OR-						0-W10152-10/04/77-10-			6-9.3-C-				7.1-	1900-	15-1-1-										-4-3-1-4-	-3-1-								3.55
56-43.9336-105.7503-2-OR-						0-W10154-10/04/77-12-			7-10.5-C-				6.7-	800-	16-1-1-										-4-3-1-4-	-3-3-								1.50
56-43.9839-105.8156-2-OR-						0-W10157-10/04/77-14-			5-11.0-C-				6.6-	1900-	17-1-1-										-4-3-1-4-	-3-3-								5.75
56-43.9797-105.8067-2-OR-						0-W10158-10/04/77-15-			7-9.7-C-				6.6-	1200-	13-1-1-										-4-3-1-4-	-3-4-								0.65
56-43.9531-105.7686-2-OR-						0-W10159-10/04/77-16-			6-14.0-C-				6.8-	1300-	20-1-1-										-4-3-1-3-	-3-3-								0.21
56-43.9767-105.7664-2-OR-						0-W10160-10/04/77-16-			6-16.0-C-				6.2-	1100-	17-1-1-										-4-3-1-3-	-3-3-								1.61
56-43.9881-105.7650-2-OR-						0-W10162-10/04/77-18-			6-10.2-C-				6.7-	5000-	18-1-1-										-4-3-1-3-	-3-3-								149.19*
56-43.8922-105.8644-2-OR-						0-W10166-10/05/77-10-			5-10.0-C-				6.5-	3300-	13-1-1-										-4-3-1-4-	-3-1-								3.39
56-43.8231-105.8544-2-OR-						0-W10172-10/05/77-17-			6-10.3-C-				6.3-	1050-	17-1-1-										-4-3-1-3-	-3-3-								8.00
56-43.8111-105.8778-2-OR-						0-W10174-10/05/77-18-			6-10.0-C-				6.5-	800-	18-1-1-										-4-3-1-3-	-3-1-								696.80*
56-43.7514-105.8669-2-OR-						0-W10179-10/06/77-17-			14-10.0-C-				6.6-	1450-	15-1-1-										-4-3-1-3-	-3-1-								263.03*
56-43.8558-105.7572-2-OR-						0-W10190-10/07/77-15-			8-9.7-C-				7.2-	2400-	20-1-1-										-4-3-1-4-	-3-1-								3.23
56-43.7644-105.7569-2-OR-						0-W10183-10/07/77-17-			6-12.5-C-				6.9-	1400-	16-1-1-										-4-3-1-4-	-3-3-								1.69
56-43.8056-105.7583-2-OR-						0-W10186-10/08/77-10-			6-9.5-C-				6.4-	600-	17-1-1-										-4-3-1-1-	-3-3-								0.28
56-43.7686-105.9211-2-OR-						0-W10188-10/08/77-12-			9-10.6-C-				6.8-	800-	15-1-1-										-4-3-1-1-	-3-7-								36.00
56-43.8438-105.9233-2-OR-						0-W10191-10/08/77-15-			13-10.8-C-				6.4-	1550-	16-1-1-										-4-3-1-1-	-3-1-								323.55*
56-43.8514-105.9533-2-OR-						0-W10192-10/08/77-16-			13-10.7-C-				6.0-	1325-	13-1-4-										-4-3-1-2-	-3-1-								2.54
56-43.8097-105.8953-2-OR-						0-W10194-10/08/77-17-			11-10.2-C-				6.6-	2650-	13-1-1-										-4-3-1-2-	-3-1-								72.45*
56-43.9372-105.8769-2-OR-						0-W10195-10/09/77-8-			7-8.0-C-				6.5-	2200-	16-1-1-										-4-3-1-2-	-3-1-								6.40
56-43.9026-105.8742-2-OR-						0-W10197-10/09/77-10-			9-10.7-C-				6.3-	1750-	17-1-1-										-4-3-1-2-	-3-1-								4.07
56-43.9811-105.9719-2-OR-						0-W10202-10/09/77-13-			14-12.0-C-				6.5-	850-	18-1-1-										-4-3-1-2-	-3-3-								2.86
56-43.9767-105.8822-2-OR-						0-W10203-10/09/77-17-			11-10.7-C-				6.3-	900-	13-1-1-										-4-3-1-2-	-3-3-								1.52
56-43.8931-105.8975-2-OR-						0-W10207-10/10/77-12-			9-9.0-C-				5.8-	1550-	16-1-1-										-4-3-1-2-	-3-3-								3.03
56-43.8275-105.9667-2-OR-						0-W10209-10/10/77-14-			1-10.8-C-				6.0-	1200-	15-1-1-										-4-3-1-2-	-3-1-								1.52
56-43.8447-105.9217-2-OR-						0-W10212-10/10/77-17-			1-7.7-C-				6.0-	1400-	12-1-1-										-4-3-1-1-	-3-1-								3.33
56-43.8647-105.8978-2-OR-						0-W10218-10/11/77-13-			7-9.0-C-				6.1-	1050-	15-1-1-										-4-3-1-1-	-3-1-								4.54
56-43.8628-105.8908-2-OR-						0-W10219-10/11/77-13-			7-7.7-C-				6.4-	460-	10-1-1-										-4-3-1-1-	-3-1-								127.52*
56-43.7758-105.8881-2-OR-						0-W10221-10/18/77-12-			24-11.7-C-				7.0-	500-	15-1-1-										-4-3-1-1-	-3-3-								1.25
56-43.7747-105.4086-2-OR-						0-W10223-10/18/77-13-			24-15.0-C-				6.1-	500-	11-1-4-										-4-3-1-1-	-3-1-								0.25
56-43.7532-105.4314-2-OR-						0-W10225-10/18/77-15-			24-13.0-C-				6.9-	2600-	10-1-4-										-4-3-1-1-	-3-1-								5.63
56-43.2096-105.4781-2-OR-						0-W10226-10/19/77-11-			26-12.0-C-				7.1-	725-	13-1-1-										-4-3-1-1-	-3-3-								13.87
56-43.9692-105.4039-2-OR-						0-W10229-10/29/77-17-			15-10.5-C-				7.2-	800-	10-1-1-										-4-3-1-1-	-3-4-								46.67*
56-43.9461-105.4031-2-OR-						0-W10230-10/29/77-18-			10-12.4-C-				6.7-	350-	16-1-1-										-4-3-1-1-	-3-								15.00

APPENDIX I-A. (continued). Uranium Concentrations for Water Samples

DOE SAMPLE NUMBER					LASI SAMPLE LOCATION NUMBER AND FIELD DATA																				U CONCENTRATION									
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASI SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (µmho/cm)	SCINTILLATOR (εL/ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	WATER SAMPLES ANALYZED BY FLUOROMETRY OR DNC (H) UNITS IN PPB
							DATE	HOUR																										
56-43.0703-105.6219-2-0F	0-W10221-10/24/77-10	13-10.0-C	-	-	750-	16-1-1-	-	-	-1-	-4-3-1-2-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.9C		
56-43.0692-105.6542-2-0F	0-W10222-10/24/77-11	13-10.0-C	-	-	7.0-	525-	20-1-1-	-	-	-1-	-4-3-1-2-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	303.89*		
56-43.0822-105.6494-2-0F	0-W10233-10/24/77-11	14-11.3-C	-	-	7.1-	385-	19-1-1-	-	-	-1-	-4-3-1-2-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38.41		
56-43.0647-105.5764-2-0F	0-W10236-10/24/77-16	15-11.0-C	-	-	7.2-	525-	11-1-1-	-	-	-1-	-4-3-1-2-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37.83		
56-43.0122-105.5191-2-0F	0-W10241-10/25/77-9	13-11.6-C	-	-	7.6-	430-	13-1-1-	-	-	-1-	-4-3-1-1-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21.89		
56-43.0994-105.5447-2-0F	0-W10244-10/25/77-11	15-12.0-C	-	-	8.0-	850-	9-1-1-	-	-	-1-	-4-3-1-1-	-3-7-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.01		
56-43.1461-105.5436-2-0F	0-W10249-10/25/77-15	19-12.0-C	-	-	7.6-	1350-	16-1-4-	-	-	-1-	-4-3-1-1-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.23		
56-43.1767-105.5328-2-0F	0-W10251-10/25/77-16	19-13.5-C	-	-	7.9-	500-	13-1-1-	-	-	-1-	-4-3-1-1-	-3-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.77		
56-43.1689-105.5033-2-0F	0-W10252-10/25/77-17	19-15.0-C	-	-	8.0-	1550-	9-1-1-	-	-	-1-	-4-3-1-1-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.23		
56-43.1889-105.5144-2-0F	0-W10253-10/25/77-17	19-12.8-C	-	-	8.0-	900-	12-1-1-	-	-	-3-	-4-3-1-1-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.31		
56-43.1969-105.5600-2-0F	0-W10254-10/25/77-18	15-13.0-C	-	-	7.8-	525-	12-1-1-	-	-	-1-	-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.43		
56-43.1061-105.6647-2-0F	0-W10259-10/26/77-10	19-9.0-	-	-	7.2-	725-	15-1-1-6-8-2-3-1	-	-	-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41.61*		
56-43.1102-105.6933-2-0F	0-W10260-10/26/77-11	21-6.0-	-	-	7.3-	500-	8-1-1-6-1-1-2-1	-	-	-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.59		
56-43.1378-105.6806-2-0F	0-W10262-10/26/77-13	22-11.3-C	-	-	7.4-	310-	15-1-1-	-	-	-1-	-4-3-1-1-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10.74		
56-43.1308-105.6569-2-CH	0-W10263-10/26/77-13	22-11.0-C	-	-	7.4-	220-	23-1-1-	-	-	-1-	-4-3-1-1-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.53		
56-43.1975-105.6150-2-0F	0-W10266-10/26/77-16	22-12.7-C	-	-	7.8-	500-	13-1-1-	-	-	-1-	-4-3-1-1-	-3-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.74		
56-43.2214-105.6128-2-0F	0-W10267-10/26/77-17	18-12.3-C	-	-	7.9-	490-	18-1-4-	-	-	-1-	-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.44		
56-43.2397-105.5253-2-0F	0-W10270-10/27/77-11	12-12.0-C	-	-	8.2-	500-	11-1-4-	-	-	-1-	-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.59		
56-43.2356-105.5581-2-0F	0-W10272-10/27/77-12	15-13.6-C	-	-	7.9-	500-	13-1-4-	-	-	-1-	-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.53		
56-43.2119-105.5089-2-0F	0-W10274-10/27/77-15	14-12.2-C	-	-	8.2-	550-	16-1-4-	-	-	-1-	-4-3-1-1-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.53		
56-43.2194-105.6389-2-0F	0-W10275-10/27/77-15	15-13.0-C	-	-	7.4-	600-	13-1-1-	-	-	-1-	-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	600-580-	0.41	
56-43.2136-105.6583-2-0F	0-W10276-10/27/77-16	14-11.3-C	-	-	7.2-	550-	19-1-1-	-	-	-1-	-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.25		
56-43.1936-105.6447-2-0F	0-W10277-10/27/77-17	10-11.3-C	-	-	6.9-	500-	18-1-1-	-	-	-1-	-4-3-1-1-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.39		
56-43.4383-104.1650-2-0F	0-W10281-09/03/77-10	24-23.0-C	-	-	6.0-	3900-	90-	-	-	-1-	-2-2-2-2-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10.68		
56-43.4306-104.1250-2-0F	0-W10285-09/03/77-12	29-16.0-	-	-	6.0-	2900-	22-	-	-	-1-	-3-2-2-2-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.22		
56-43.3433-104.1317-2-0F	0-W10289-09/03/77-14	29-22.0-C	-	-	6.7-	-	22-	-	-	-6-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.81		
56-43.3275-104.0642-2-0F	0-W10292-09/03/77-17	33-21.0-	-	-	6.9-	1900-	22-	-	-	-1-	-3-2-2-2-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.91		
56-43.2775-104.1692-2-0F	0-W10297-09/04/77-8	23-20.0-	-	-	6.6-	3700-	22-	-	-	-1-	-4-2-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.50		
56-43.1650-104.3206-2-0F	0-W10306-09/04/77-15	31-12.0-	-	-	9.1-	3400-	22-	-	-	-1-	-4-3-4-2-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31.62		
56-43.1233-104.2383-2-0F	0-W10311-09/04/77-16	34-	-	-	8.9-	6000-	22-	-	-	-2-	-4-3-2-2-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	110.14*		
56-43.1142-104.3150-2-0F	0-W10314-09/05/77-18	22-17.0-	-	-	6.8-	1200-	22-	-	-	-1-	-2-2-2-1-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63.98*		
56-43.0958-104.3175-2-0F	0-W10315-09/05/77-19	33-21.0-	-	-	8.1-	1300-	22-1-1-	-	-	-1-	-4-3-3-1-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.21		
56-43.1250-104.2850-2-0F	0-W10317-09/05/77-13	38-26.0-	-	-	7.7-	1000-	22-	-	-	-	-1-2-3-2-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.97		
56-43.1317-104.2175-2-0F	0-W10320-09/05/77-11	33-25.0-	-	-	8.3-	1300-	22-	-	-	-1-	-4-3-2-1-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.44		
56-43.1622-104.2217-2-0F	0-W10322-09/05/77-12	34-21.0-	-	-	8.2-	2900-	22-	-	-	-1-	-3-2-2-1-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.20		
56-43.4361-104.2083-2-0F	0-W10329-09/06/77-9	26-19.0-	-	-	7.1-	6000-	22-	-	-	-1-	-3-2-2-2-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84.50*		
56-43.4283-104.2367-2-0F	0-W10331-09/06/77-10	28-21.0-	-	-	7.9-	3300-	22-	-	-	-1-	-3-2-2-2-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.72		
56-43.3242-104.3650-2-0F	0-W10342-09/07/77-14	34-16.0-C	-	-	8.0-	1500-	22-1-1-	-	-	-6-	-3-2-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.90		
56-43.3800-104.2800-2-0F	0-W10344-09/07/77-17	31-24.0-	-	-	7.2-	3700-	22-	-	-	-1-	-3-2-3-2-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.87		
56-43.3772-104.3183-2-0F	0-W10347-09/07/77-18	26-16.0-C	-	-	8.6-	1900-	22-1-1-	-	-	-1-	-4-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.45		
56-43.3983-104.4100-2-0F	0-W10348-09/18/77-9	29-16.0-	-	-	1600-	22-1-1-	-	-	-	-1-	-4-2-3-2-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.05		
56-43.3650-104.4450-2-0F	0-W10353-09/18/77-7	12-15.0-	-	-	7.3-	1600-	45-1-1-	-	-	-1-	-3-2-3-1-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.45		
56-43.4033-104.4383-2-0F	0-W10355-09/18/77-8	12-11.0-	-	-	7.8-	2500-	-1-1-	-	-	-1-	-3-2-3-1-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.03		
56-43.4450-104.5008-2-0F	0-W10359-09/18/77-9	15-17.0-C	-	-	7.3-	2100-	22-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.71		
56-43.4317-104.5500-2-0F	0-W10361-09/18/77-10	23-21.0-	-	-	7.7-	2600-	22-	-	-	-1-	-3-2-2-2-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.91		
56-43.2844-104.3914-2-0F	0-W10368-09/18/77-14	24-18.0-	-	-	7.4-	2900-	45-	-	-	-1-	-3-2-3-2-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.76		
56-43.2881-104.4278-2-0F	0-W10369-09/18/77-15	23-16.0-	-	-	8.3-	2000-	22-	-	-	-1-	-3-2-3-2-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.67		
56-43.3264-104.4358-2-CH	0-W10370-09/18/77-15	23-17.0-C	-	-	7.9-	1800-	22-1-2-	-	-	-1-	-3-2-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.16		
56-43.0947-104.6331-2-0F	0-W10375-09/19/77-13	27-19.0-C	-	-	7.2-	1500-	45-1-2-	-	-	-1-	-2-2-2-2-	-	-	-	-	-	-	-	-	-	-													

21

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																				U CONCENTRATION								
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (µmho/cm)	SCINTILLOMETER (eU, µm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	WATER SAMPLES ANALYZED BY FLUOROMETRY OR DNC (66) UNITS IN PPB
							DATE	HOUR																										
56-43.2447	-104.6282	-2-0F				0-W10378	09/19/77	15	27-15.0	-	-	7.9	1500	22-1-1	-	-	-1	-3-2-3-3	-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	0.61	
56-43.2625	-104.7097	-2-0F				0-W10390	09/19/77	16	25-16.0	-	-	8.2	1200	22-	-	-	-1	-2-2-2-3	-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	
56-43.2700	-104.5786	-2-0F				0-W10386	09/19/77	18	25-20.0	-	-	8.4	1000	22-1-1	-	-	-1	-3-2-2-2	-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	0.03	
56-43.3281	-104.7767	-2-0F				0-W10396	09/20/77	10	25-18.0	C	-	6.4	700	22-	-	-	-1	-3-2-3-2	-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	1.02	
56-43.4025	-104.7794	-2-0F				0-W10399	09/20/77	11	27-14.0	C	-	6.7	2400	22-1-2	-	-	-1	-3-2-4-2	-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	1.53	
56-43.4244	-104.8453	-2-0F				0-W10400	09/20/77	11	27-20.0	-	-	7.3	1600	22-	-	-	-1	-3-2-3-2	-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	2.20	
56-43.4281	-104.8581	-2-0F				0-W10401	09/20/77	11	26-22.0	-	-	6.9	2100	22-	-	-	-1	-3-2-3-2	-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	0.48	
56-43.3278	-104.8869	-2-0F				0-W10405	09/20/77	15	32-19.0	-	-	7.9	600	22-	-	-	-1	-2-2-3-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	
56-43.3053	-104.6675	-2-0F				0-W10415	09/20/77	18	30-22.0	-	-	7.5	5000	22-1-1	-	-	-2	-3-2-4-2	-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	1.19	
56-43.3286	-104.6975	-2-0F				0-W10416	09/20/77	18	32-17.0	-	-	8.5	4800	22-1-2	-	-	-1	-3-2-3-2	-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	2.03	
56-43.3383	-104.6694	-2-0F				0-W10420	09/21/77	8	12-12.0	-	-	7.1	3500	22-	-	-	-1	-3-2-4-2	-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	0.85	
56-43.4325	-104.6394	-2-0F				0-W10423	09/21/77	10	16-17.0	-	-	8.5	130	22-1-2	-	-	-1	-3-2-4-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	
56-43.4050	-104.6814	-2-0F				0-W10427	09/21/77	12	17-	-	-	7.1	15	22-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.22	
56-43.3847	-104.6458	-2-0F				0-W10429	09/21/77	13	18-15.0	-	-	7.6	2900	-1-1-	-	-	-1	-3-2-4-2	-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	2.13	
56-43.2594	-104.5458	-2-0F				0-W10433	09/24/77	8	14-16.0	-	-	6.9	1700	45-1-1-	-	-	-	-3-2-3-2	-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	5.00	
56-43.1511	-104.5253	-2-0F				0-W10436	09/24/77	10	24-17.0	-	-	6.5	1200	22-1-1	-	-	-1	-3-2-4-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.84	
56-43.1408	-104.4731	-2-0F				0-W10437	09/24/77	11	24-16.0	-	-	6.8	1300	45-1-1-	-	-	-1	-3-2-3-2	-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	4.17	
56-43.1117	-104.4967	-2-0F				0-W10439	09/24/77	12	24-17.0	-	-	7.1	400	22-1-1	-	-	-1	-3-2-4-2	-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	4.00	
56-43.0933	-104.5047	-2-0F				0-W10440	09/24/77	12	24-18.0	-	-	6.9	410	45-1-2-	-	-	-1	-3-2-4-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.15	
56-43.1836	-104.4125	-2-0F				0-W10444	09/25/77	11	19-12.0	-	-	8.3	2400	45-	-	-	-1	-3-3-3-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.94	
56-43.2561	-104.4867	-2-0F				0-W10448	09/25/77	12	19-15.0	-	-	8.1	2100	22-1-2	-	-	-1	-3-2-3-2	-	-8-	-	-	-	-	-	-	-	-	-	-	-	-	17.91	
56-43.1694	-104.6006	-2-0F				0-W10455	09/25/77	14	24-18.0	-	-	8.3	1600	22-1-2	-	-	-1	-3-2-4-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.36	
56-43.4619	-104.9278	-2-0F				0-W10467	09/13/77	14	23-19.5	-	-	7.8	950	11-1-1-	-	-	-1	-4-3-3-1	-	-1-3-	6-465-415-	-	-	-	-	-	-	-	-	-	-	-	-	0.81
56-43.4042	-104.9025	-2-0F				0-W10472	09/13/77	16	24-16.0	C	-	7.0	1050	13-1-1-	-	-	-	-4-3-3-1	-	-1-3-	4-90-	-	-	-	-	-	-	-	-	-	-	-	-	1.17
56-43.4119	-104.9625	-2-0F				0-W10474	09/14/77	8	16-16.2	-	-	7.2	1450	13-1-1-	-	-	-	-4-3-3-1	-	-1-3-	-120-	-	-	-	-	-	-	-	-	-	-	-	-	2.77
56-43.3044	-104.9103	-2-0F				0-W10481	09/14/77	13	29-19.2	-	-	7.8	600	11-1-1-	-	-	-	-4-3-3-1	-	-1-	-500-	50-	-	-	-	-	-	-	-	-	-	-	-	0.06
56-43.2789	-104.9102	-2-0F				0-W10486	09/14/77	15	30-19.0	-	-	7.5	600	11-1-1-	-	-	-	-4-3-3-1	-	-1-2-	4-220-	80-	-	-	-	-	-	-	-	-	-	-	-	1.38
56-43.1775	-104.9411	-2-0F				0-W10491	09/14/77	17	27-22.5	-	-	7.9	750	16-1-1-	-	-	-	-4-3-3-1	-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	0.08	
56-43.2000	-104.9778	-2-0F				0-W10492	09/14/77	17	27-13.5	-	-	7.2	500	19-1-1-	-	-	-	-4-3-3-1	-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	1.25	
56-43.3947	-105.0014	-2-0F				0-W10522	09/16/77	13	25-15.0	-	-	6.8	850	13-1-1-	-	-	-1	-4-3-3-1	-	-1-8-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.14
56-43.3797	-105.1219	-2-0F				0-W10526	09/16/77	15	25-17.5	C	-	7.8	3800	13-1-1-	-	-	-2-2-1-	-4-3-3-2	-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.54
56-43.3083	-105.1272	-2-0F				0-W10536	09/17/77	12	21-12.0	-	-	7.2	850	19-1-1-	-	-	-3-3-1-	-4-3-	-	-1-4-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.86
56-43.2758	-105.1589	-2-0F				0-W10538	09/17/77	12	21-12.5	-	-	7.4	2150	13-1-1-	-	-	-	-4-3-3-2	-	-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.91
56-43.2642	-105.2403	-2-0F				0-W10542	09/17/77	13	21-13.0	-	-	7.3	600	22-	-	-	-1	-4-3-3-3	-	-1-1-	4-	-	-	-	-	-	-	-	-	-	-	-	-	1.73
56-43.3153	-105.2439	-2-0F				0-W10546	09/19/77	17	20-13.8	-	-	7.5	550	13-1-1-	-	-	-	-4-3-3-2	-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.86
56-43.3275	-105.2447	-2-0F				0-W10547	09/19/77	17	20-13.0	-	-	7.5	410	13-1-1-	-	-	-	-4-3-3-2	-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10
56-43.3331	-105.1800	-2-0F				0-W10549	09/20/77	12	27-14.5	C	-	6.9	3650	16-1-1-	-	-	-1	-4-3-3-1	-	-1-1-	4-	-	-	-	-	-	-	-	-	-	-	-	-	25.44*
56-43.3492	-105.1844	-2-0F				0-W10551	09/20/77	13	28-12.0	-	-	7.7	650	19-1-1-	-	-	-	-4-3-3-1	-	-1-1-	4-	-	-	-	-	-	-	-	-	-	-	-	-	1.57
56-43.3058	-105.2000	-2-0F				0-W10552	09/20/77	14	28-18.5	-	-	7.8	1900	19-1-1-	-	-	-	-4-3-3-1	-	-1-3-	4-100-	40-	-	-	-	-	-	-	-	-	-	-	-	3.46
56-43.2978	-105.1900	-2-0F				0-W10553	09/20/77	14	28-14.5	-	-	7.3	630	19-1-1-	-	-	-	-4-3-3-1	-	-1-1-	4-	-	-	-	-	-	-	-	-	-	-	-	-	0.20
56-43.4931	-105.2017	-2-0F				0-W10558	09/18/77	15	23-12.5	-	-	7.0	650	13-1-1-	-	-	-	-4-3-3-1	-	-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.57
56-43.4914	-105.2214	-2-0F				0-W10559	09/18/77	15	23-12.0	C	-	6.7	1600	16-1-1-	-	-	-	-4-3-3-1	-	-1-1-	6-	-	-	-	-	-	-	-	-	-	-	-	-	2.72
56-43.3916	-105.2631	-2-0F				0-W10571	09/19/77	12	22-17.0	-	-	7.1	630	16-1-1-	-	-	-1	-4-3-3-2	-	-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.32
56-43.2636	-105.1108	-2-0F				0-W10573	09/20/77	16	28-15.0	-	-	7.5	500	13-1-1-	-	-	-	-4-3-3-1	-	-1-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.95
56-43.2929	-105.1031	-2-0F				0-W10574	09/20/77	16	26-14.5	-	-	7.7	1150	13-1-1-	-	-	-	-4-3-3-1	-	-1-1-	4-	-	-	-	-	-	-	-	-	-	-	-	-	4.00
56-43.2719	-105.0868	-2-0F				0-W10577	09/20/77	16	21-14.0	-	-	7.7	2350	16-1-1-	-	-	-	-4-3-3-2	-	-1-1-	6-	-	-	-	-	-	-	-	-	-	-	-	-	2.86
56-43.2297	-105.2233	-2-0F				0-W10589	09/21/77	14	22-14.0	-	-	7.3	950	16-1-1-	-	-	-	-4-3-3-2	-	-1-1-	4-	-	-	-	-	-	-	-	-	-	-	-	-	2.06
56-43.2366	-105.1711	-2-0F				0-W10591	09/21/77	15	23-13.0	-	-	7.2	680	16-1-1-	-	-	-	-4-3-3-2	-	-1-1-	4-	-	-	-	-	-	-	-	-	-	-	-	-	0.79
56-43.2392	-105.1814	-2-0F				0-W10593	09/21/77	15	21-12.0	C	-	7.0	600	16-1-1-</																				

APPENDIX I-A. (continued). Uranium Concentrations for Water Samples

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																				U CONCENTRATION								
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	DATE	HOUR	AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCHLUMMETER (in, ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	WATER SAMPLES ANALYZED BY FLUOROMETRY OR DNC (6)	UNITS IN ppb
56-43.1600-105.2389-2-08-						0-W10599-09/22/77-8-	14-11.0-	-	7.0-	3500-					22-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.46	
56-43.1700-105.2106-2-08-						0-W10600-09/22/77-8-	14-11.0-	-	7.9-	580-					16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.14	
56-43.1603-105.1682-2-08-						0-W10603-09/22/77-9-	18-13.0-C-	-	7.6-	700-					22-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.24	
56-43.0644-105.2203-2-08-						0-W10609-09/22/77-13-	21-13.5-	-	7.1-	1700-					19-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.56	
56-43.0828-105.2192-2-08-						0-W10609-09/22/77-13-	21-15.5-	-	7.9-	650-					13-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.16	
56-43.0981-105.1897-2-08-						0-W10611-09/22/77-14-	24-16.0-	-	7.8-	650-					16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.22	
56-43.0889-105.2431-2-08-						0-W10614-09/22/77-16-	20-13.2-	-	7.9-	650-					19-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.15	
56-43.0775-105.1372-2-08-						0-W10615-09/26/77-8-	19-18.0-	-	7.4-	675-					16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.18	
56-43.1833-105.1028-2-08-						0-W10625-09/25/77-15-	24-15.5-	-	7.2-	500-					19-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.15	
56-43.7294-105.7831-2-08-						0-W10628-09/27/77-12-	22-14.0-	-	7.2-	1400-					16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.30	
56-43.6900-105.7800-2-08-						0-W10630-09/27/77-13-	24-12.0-	-	7.4-	1180-					13-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.69	
56-43.7333-105.8247-2-08-						0-W10631-09/27/77-14-	27-17.3-	-	7.1-	900-					19-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.11	
56-43.7317-105.8111-2-08-						0-W10632-09/27/77-14-	27-12.5-	-	7.6-	1250-					13-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.70	
56-43.7344-105.8800-2-08-						0-W10639-09/27/77-15-	27-12.0-	-	6.9-	1450-					13-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.07	
56-43.0500-104.3414-2-08-						0-W10668-10/01/77-10-	11-11.0-	-	7.4-	1020-					16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	138.23*	
56-43.0222-104.3447-2-08-						0-W10670-10/01/77-11-	11-10.8-C-	-	7.6-	1200-					19-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89.22*	
56-43.0572-104.2003-2-08-						0-W10677-10/01/77-17-	15-14.0-	-	7.1-	700-					13-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57.03*	
56-43.0017-104.5042-2-08-						0-W10684-10/02/77-12-	17-15.0-	-	6.7-	900-					16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76.56*	
56-43.0125-104.4825-2-08-						0-W10685-10/02/77-13-	17-17.0-	-	7.5-	1150-					22-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.24	
56-43.0189-104.5150-2-08-						0-W10687-10/02/77-14-	17-11.5-C-	-	7.3-	1230-					22-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37.27	
56-43.0208-104.5592-2-08-						0-W10688-10/02/77-14-	17-11.5-	-	8.2-	750-					16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.03	
56-43.0347-104.6472-2-08-						0-W10691-10/02/77-16-	18-16.5-	-	7.6-	330-					22-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.36	
56-43.0111-104.6378-2-08-						0-W10693-10/02/77-16-	17-14.5-	-	7.6-	350-					13-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.31	
56-43.2864-105.7756-2-08-						0-W10704-10/20/77-10-	18-10.6-C-	-	7.3-	675-					16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70.42*	
56-43.2978-105.8147-2-08-						0-W10706-10/20/77-13-	19-11.0-C-	-	7.3-	500-					16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76.93*	
56-43.2686-105.7550-2-08-						0-W10708-10/21/77-16-	8-9.2-C-	-	7.1-	900-					13-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.23	
56-43.2319-105.6892-2-08-						0-W10710-10/20/77-14-	18-	-	-	-					16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48.20*	
56-43.1317-105.7081-2-08-						0-W10711-10/20/77-17-	14-10.5-C-	-	7.3-	825-					13-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	208.42*	
56-43.2478-105.7547-2-08-						0-W10719-10/21/77-15-	7-13.0-C-	-	7.2-	1075-					25-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.60	
56-43.0764-105.6822-2-08-						0-W10726-10/22/77-12-	14-11.0-C-	-	6.8-	550-					17-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18.70	
56-43.0711-105.7747-2-08-						0-W10728-10/22/77-13-	15-11.2-C-	-	7.1-	400-					13-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36.29*	
56-43.0572-105.7758-2-08-						0-W10729-10/22/77-14-	14-11.5-C-	-	7.1-	500-					10-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.64	
56-43.0194-105.7739-2-08-						0-W10732-10/22/77-16-	14-17.0-C-	-	6.8-	700-					16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.13	
56-43.0869-105.7858-2-08-						0-W10733-10/22/77-17-	13-11.3-C-	-	6.4-	575-					15-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54.87*	
56-43.0356-105.6853-2-08-						0-W10737-10/22/77-12-	17-11.2-C-	-	7.2-	450-					20-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37.25*	
56-43.9544-104.3989-2-08-						0-W10744-09/14/77-10-	24-15.5-	-	6.7-	500-					37-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.32	
56-43.9317-104.2847-2-08-						0-W10746-09/14/77-11-	26-	-	6.1-	2500-					13-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.53	
56-43.9478-104.3806-2-08-						0-W10755-09/14/77-16-	30-	-	7.1-	3000-					22-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.27	
56-43.9933-104.3661-2-08-						0-W10756-09/14/77-16-	30-14.5-C-	-	6.3-	2300-					9-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.76	
56-43.9664-104.3472-2-08-						0-W10758-09/14/77-18-	27-11.5-C-	-	6.9-	425-					14-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.52	
56-43.9924-104.4161-2-08-						0-W10760-09/14/77-19-	22-	-	6.5-	3700-					13-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.36	
56-43.9781-104.4197-2-08-						0-W10761-09/15/77-8-	22-23.5-C-	-	6.3-	500-					12-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.91	
56-43.8717-104.5019-2-08-						0-W10766-09/15/77-12-	24-14.0-C-	-	7.2-	8500-					9-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11.57	
56-43.7931-104.4175-2-08-						0-W10769-09/15/77-15-	25-22.0-C-	-	7.1-	1800-					9-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.89	
56-43.7909-104.4780-2-08-						0-W10771-09/15/77-16-	24-15.0-	-	7.5-	1350-					18-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.95	
56-43.7980-104.4803-2-08-						0-W10772-09/15/77-17-	24-15.0-C-	-	6.6-	600-					16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.97	
56-43.8408-104.4869-2-08-						0-W10773-09/15/77-17-	28-13.5-C-	-	7.6-	1550-					9-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.89	
56-43.8222-104.4694-2-08-						0-W10774-09/15/77-18-	26-14.0-	-	6.2-	1350-					13-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.22	
56-43.8300-104.4747-2-08-						0-W10776-09/15/77-19-	25-	-	6.3-	1000-					13-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.73	
56-43.6114-104.3519-2-08-						0-W10781-09/17/77-9-	16-14.5-C-	-	6.1-	2600-					14-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.33	
56-43.5664-104.3658-2-08-						0-W10782-09/17/77-																												

APPENDIX I-A. (continued). Uranium Concentrations for Water Samples

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																		U CONCENTRATION											
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCHLUMMER (psi)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	WATER SAMPLES ANALYZED BY FLUOROMETRY OR DMC (H)	UNITS IN ppb
56-43.5372-104.4019-2-08						0-W10785-09/17/77-11	26-12.0-C		7.8	2875					9-1-1																			2.69	
56-43.5539-104.4031-2-08						0-W10786-09/17/77-12	28-12.0-C		8.9	6000					-1-1																			5.51	
56-43.5761-104.4269-2-08						0-W10788-09/17/77-12	30-12.5-C		7.8	2425					27-1-1																			0.89	
56-43.5358-104.3442-2-08						0-W10795-09/17/77-17	28-18.0-C		8.4	1700					5-1-1																			0.32	
56-43.5453-104.3806-2-08						0-W10797-09/17/77-18	27-14.0-C		7.7	3000					7-1-1																			0.24	
56-43.5186-104.3697-2-08						0-W10799-09/17/77-19	25-		7.3	3350					8-1-1																			4.35	
56-43.8036-104.5183-2-08						0-W10803-09/18/77-11	21-12.0-C		6.5	1650					9-1-1																			11.21	
56-43.6859-104.5214-2-08						0-W10808-09/18/77-17	24-12.0-C		8.0	3600					29-1-1																			1.87	
56-43.7819-104.4842-2-08						0-W10809-09/18/77-17	25-12.2-C		7.1	700					27-1-1																			7.14	
56-43.7686-104.4814-2-08						0-W10810-09/18/77-18	23-11.0-C		7.8	2050					11-1-1																			7.36	
56-43.9481-104.4747-2-08						0-W10811-09/19/77-10	23-20.0-C		7.3	1100					26-1-1																			1.32	
56-43.5653-104.3175-2-08						0-W10814-09/25/77-12	20-16.5-C		8.2	1500					5-1-1																			0.86	
56-43.6458-104.3586-2-08						0-W10815-09/25/77-14	20-13.3-C		7.5	5500					41-1-1																			5.27	
56-43.6503-104.4111-2-08						0-W10816-09/25/77-15	20-		8.1	5000					18-1-1																			29.01	
56-43.6092-104.3306-2-08						0-W10825-09/26/77-10	20-11.0-C		7.3	4000					18-1-1																			2.84	
56-43.5417-104.5014-2-08						0-W10826-09/26/77-11	23-		7.8	2700					18-1-1																			3.37	
56-43.5222-104.5075-2-08						0-W10827-09/26/77-12	24-13.0-C		7.7	2550					2-1-1																			2.47	
56-43.5542-104.4931-2-08						0-W10830-09/26/77-13	25-13.2-C		6.8	1850					15-1-1																			0.68	
56-43.8933-104.0506-2-06						0-W10833-10/01/77-12	12-		6.2	500					27-1-4																			2.76	
46-43.8941-104.0339-2-06						0-W10834-10/01/77-16	12- 8.5-C		7.1	500					9-1-4																			2.18	
56-43.8867-104.0958-2-06						0-W10836-10/01/77-18	12-11.2-C		6.3	650					-1-1																			1.38	
56-43.9506-104.0839-2-08						0-W10841-10/02/77- 8	14- 8.5-C		6.7	1500					-1-4																			8.51	
56-43.9511-104.1061-2-08						0-W10843-10/02/77- 9	16-12.5-C		6.3	725					4-1-4																			2.18	
46-43.9428-104.0336-2-06						0-W10845-10/02/77-11	16- 7.2-C		6.3	475					9-1-1																			0.59	
46-43.9864-104.0056-2-06						0-W10846-10/02/77-12	20-13.0-C		8.2	300					11-1-1																			0.27	
46-43.9436-104.0458-2-06						0-W10847-10/02/77-13	20-12.0-C		6.3	400					11-1-1-4-4																			1.08	
56-43.9781-104.1908-2-06						0-W10849-10/02/77-14	20-12.2-C		6.9						9-1-4-3-4-2-2-1																			15.60	
56-43.9936-104.2078-2-06						0-W10850-10/02/77-14	22-10.5-C		6.2	625					18-1-1																			1.21	
56-43.9842-104.1333-2-06						0-W10852-10/02/77-16	20-14.0-C		6.2	300																									0.67
56-43.9281-104.1733-2-08						0-W10854-10/02/77-17	18-11.0-C		7.3	3350					4-1-1																			9.87	
56-43.9094-104.1553-2-08						0-W10857-10/02/77-18	16-13.5-C		6.1	2800					27-1-1																			11.87	
56-43.8875-104.1578-2-08						0-W10860-10/02/77-19	12-11.2-C		7.8	3300					23-1-1																			4.54	
56-43.8956-104.2431-2-06						0-W10863-10/03/77- 8	16-		6.2	225					9-1-1																				0.27
56-43.1467-104.3864-2-08						0-W10915-10/16/77-17	22-23.0-C		7.2	1500					13-																			3.47	
56-43.1275-104.3892-2-08						0-W10917-10/16/77-18	16-15.0-C		6.9	1900					16-																			4.20	
56-43.1183-104.4261-2-08						0-W10920-10/17/77- 9	16-11.0-C		7.1	1500					12-																			7.30	
56-43.1733-104.4486-2-08						0-W10928-10/17/77-11	18-								10-																			1.52	
56-43.0522-104.8314-2-08						0-W10934-10/17/77-15	20-15.0-C		8.0	2300					8-																			3.60	
56-43.1678-104.8589-2-08						0-W10936-10/17/77-16	19-15.5-C		8.1	1230					4-																			0.17	
56-43.1667-104.8550-2-08						0-W10945-10/18/77-11	18-21.0-C		7.3	1230					15-																			2.10	
56-43.1750-104.7975-2-08						0-W10957-10/18/77-17	20-		7.9	1230					11-																			1.50	
56-43.2614-104.5214-2-08						0-W10960-10/19/77-12	20-20.0-C		7.3	2650					11-																			8.84	
56-43.0978-105.0378-2-08						0-W10974-10/20/77-10	17-13.0-C		7.6	600					14-																			1.10	
56-43.1253-105.0403-2-08						0-W10978-10/20/77-11	18-14.5-C		7.6	530					10-1-1																			0.11	
56-43.0575-105.0814-2-08						0-W10991-10/20/77-15	16-12.5-C		7.4	1400					14-																			0.73	
56-43.4622-105.4294-2-08						0-W11002-09/14/77-19	18-		8.2	500					13-1-1																			0.26	
56-43.4658-105.4106-2-08						0-W11003-09/15/77- 5	18-19.2-C		8.2	425					12-1-1																			0.15	
56-43.4361-105.4531-2-08						0-W11006-09/15/77-11	22-15.1-C		8.3	430					4-1-1																			0.17	
56-43.4002-105.4778-2-08						0-W11009-09/15/77- 23-			8.4	450					11-1-1																				0.65
56-43.4214-105.3622-2-08						0-W11012-09/15/77-14	25-14.2-C		8.0	600					13-1-1																			0.32	
56-43.4211-105.3333-2-08						0-W11013-09/15/77-14	24-14.2-C		8.2	650					11-1-7																			0.76	

APPENDIX I-A. (continued). Uranium Concentrations for Water Samples

DOE SAMPLE NUMBER					LASL SAMPLE LOCATION NUMBER AND FIELD DATA																	U CONCENTRATION												
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCHLUMBERGER (uV, ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	WATER SAMPLES ANALYZED BY FLUOROMETRY OR DNC (H) UNITS IN PPB
56-43.4539	-105.3669	-2-08	0-W11015	09/15/77	15	23-14.8	-	7.6	1225	13-1-1	-	-3-3-1	-4-2-3-1	-3-1-6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.59	
56-43.4836	-105.3681	-2-06	0-W11018	09/15/77	16	27-16.4	-	8.0	485	6-1-1	-	-3-3-1	-4-2-3-1	-1-5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.16	
56-43.4819	-105.2783	-2-08	0-W11022	09/15/77	17	25-14.7	-	7.9	490	9-1-1	-	-3-3-1	-4-4-3-1	-1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.04	
56-43.3969	-105.3736	-2-06	0-W11023	09/15/77	18	19-16.1	-	7.4	450	6-1-1	-	-4-1-2	-3-3-1	-1-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.58	
56-43.3778	-105.3886	-2-08	0-W11025	09/16/77	9	13-13.1	-	8.2	490	19-1-1	-	-3-3-1	-4-2-3-3	-1-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.25	
56-43.3517	-105.4653	-2-08	0-W11028	09/16/77	10	15-21.2	-	7.7	1535	12-1-1	-	-2-1	-4-2-3-1	-3-1-5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.60	
56-43.3000	-105.3828	-2-08	0-W11031	09/16/77	12	25-13.1	-	8.2	430	10-1-1	-	-3-3-1	-4-2-3-1	-1-5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.99	
56-43.3311	-105.3642	-2-08	0-W11034	09/16/77	13	23-13.9	-	8.0	480	11-1-1	-	-3-3-1	-4-2-3-2	-3-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.99	
56-43.3289	-105.3256	-2-08	0-W11035	09/16/77	14	25-19.5	-	7.6	425	6-1-1	-	-3-3-1	-4-2-3-2	-1-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.03	
56-43.3492	-105.2892	-2-08	0-W11039	09/16/77	16	23-14.0	-	7.8	475	10-1-1	-	-3-3-1	-4-2-3-2	-3-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.22	
56-43.3206	-105.2683	-2-08	0-W11041	09/16/77	18	23-15.4	-	7.8	590	17-1-1	-	-3-3-1	-4-2-3-2	-1-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.22	
56-43.2889	-105.2764	-2-08	0-W11042	09/16/77	18	19-11.0	-	8.2	600	11-1-1	-	-3-3-1	-4-3-3-3	-3-1-4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.53	
56-43.2619	-105.2606	-2-08	0-W11043	09/16/77	19	19-12.1	-	7.4	1150	10-1-1	-	-3-3-1	-4-2-3-3	-3-1-4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.70	
56-43.2703	-105.2872	-2-08	0-W11044	09/16/77	19	17-11.1	-	7.4	1290	7-1-1	-	-3-3-1	-4-2-3-2	-1-1-6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.62	
56-43.3147	-105.3489	-2-08	0-W11045	09/17/77	8	13-12.7	-	8.2	440	12-1-1	-	-3-3-1	-4-3-2-2	-3-6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.39	
56-43.2908	-105.3378	-2-08	0-W11047	09/17/77	9	17-12.1	-	8.1	475	12-1-1	-	-3-3-1	-4-2-2-2	-1-6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09	
56-43.2742	-105.3883	-2-08	0-W11048	09/17/77	10	24-12.9	-	8.2	490	15-1-1	-	-	-4-2-3-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.58	
56-43.2731	-105.3992	-2-08	0-W11049	09/17/77	10	24-13.0	-	8.3	468	9-1-1	-	-3-3-1	-4-2-2-3	-1-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.26	
56-43.2742	-105.4108	-2-08	0-W11050	09/17/77	18	19-13.0	-	8.2	445	14-1-1	-	-3-3-1	-4-2-2-1	-1-5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.34	
56-43.2747	-105.4197	-2-08	0-W11052	09/18/77	7	5-12.0	-	8.3	462	13-1-1	-	-3-3-1	-4-2-2-1	-1-4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09	
56-43.2619	-105.3572	-2-08	0-W11053	09/18/77	8	8-11.7	-	8.3	490	16-1-1	-	-3-3-1	-4-2-3-1	-1-5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.25	
56-43.2981	-105.3194	-2-08	0-W11054	09/18/77	8	10-11.0	-	8.3	490	16-1-1	-	-3-3-1	-4-2-3-1	-3-1-6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.90	
56-43.4528	-105.5072	-2-08	0-W11055	09/18/77	18	18-11.5	-	8.2	550	23-1-1	-	-3-3-1	-4-3-3-1	-1-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.67	
56-43.4483	-105.5342	-2-08	0-W11057	09/18/77	19	18-11.5	-	8.2	610	7-1-1	-	-3-3-1	-4-3-3-1	-1-6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.45	
56-43.4433	-105.5508	-2-08	0-W11058	09/18/77	19	17-16.8	-	8.2	600	15-1-1	-	-3-3-1	-4-3-2-1	-3-6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.56	
56-43.4428	-105.5711	-2-08	0-W11060	09/18/77	20	14-12.0	-	7.7	400	10-1-1	-	-3-3-1	-4-3-3-1	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.67	
56-43.3806	-105.5289	-2-08	0-W11062	09/19/77	12	22-15.0	-	7.9	595	17-1-1	-	-3-3-1	-4-2-3-2	-3-1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.90	
56-43.3947	-105.5564	-2-08	0-W11064	09/19/77	13	22-16.6	-	8.1	425	16-1-1	-	-3-3-1	-4-2-3-2	-1-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.38	
56-43.4469	-105.6519	-2-08	0-W11069	09/19/77	16	24-12.0	-	7.8	875	15-1-1	-	-3-3-1	-4-2-4-3	-3-5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.81	
56-43.4575	-105.6781	-2-08	0-W11070	09/19/77	16	23-15.0	-	8.0	625	10-1-1	-	-3-3-1	-4-2-3-3	-3-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.20	
56-43.4533	-105.6733	-2-08	0-W11071	09/19/77	17	24-15.1	-	8.0	625	18-1-1	-	-3-3-1	-2-2-2-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.86	
56-43.4819	-105.7056	-2-08	0-W11093	09/20/77	8	16-11.5	-	7.5	450	12-1-1	-	-2-2-1	-4-2-4-1	-3-1-5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.95	
56-43.4236	-105.7033	-2-08	0-W11084	09/20/77	10	18-11.5	-	7.4	700	12-1-1	-	-3-3-1	-4-2-4-1	-4-1-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.66	
56-43.4244	-105.7489	-2-08	0-W11085	09/20/77	10	19-10.0	-	7.1	670	-1-1	-	-3-3-1	-4-2-3-1	-3-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.16	
56-43.3883	-105.6069	-2-08	0-W11092	09/20/77	15	27-10.5	-	7.7	650	13-1-1	-	-3-3-1	-4-2-2-1	-3-4-310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.68	
56-43.3397	-105.5714	-2-08	0-W11094	09/20/77	18	25-16.5	-	7.8	625	10-1-1	-	-3-3-1	-4-2-2-1	-3-2-4730	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.36	
56-43.3486	-105.5899	-2-08	0-W11096	09/20/77	18	25-10.5	-	6.9	1540	10-1-1	-	-3-3-1	-4-2-3-1	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.36	
56-43.3332	-105.5953	-2-08	0-W11097	09/20/77	18	25-12.3	-	7.0	1100	5-1-1	-	-3-3-1	-4-2-4-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.26	
56-43.3075	-105.6217	-2-08	0-W11099	09/20/77	19	20-15.0	-	6.9	2000	13-1-1	-	-2-3-1	-4-2-3-2	-3-1-5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.11	
56-43.2856	-105.6297	-2-08	0-W11101	09/21/77	10	17-12.8	-	7.8	410	14-1-1	-	-3-3-1	-4-2-3-3	-3-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.18	
56-43.2817	-105.6514	-2-08	0-W11103	09/21/77	11	18-11.2	-	7.6	2600	13-1-1	-	-3-3-1	-4-2-3-3	-3-1-6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.07	
56-43.2728	-105.6722	-2-08	0-W11104	09/21/77	11	19-9.3	-	6.9	2900	12-1-1	-	-3-3-1	-4-2-3-2	-3-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.95	
56-43.2914	-105.7286	-2-08	0-W11105	09/21/77	13	15-10.1	-	7.0	1410	16-1-1	-	-3-3-1	-4-2-3-2	-3-1-5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.26	
56-43.3319	-105.6692	-2-08	0-W11109	09/21/77	17	16-11.0	-	7.6	500	5-1-1	-	-3-3-1	-4-2-3-1	-3-5495	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.25	
56-43.2331	-105.7603	-2-08	0-W11111	09/22/77	9	10-11.2	-	8.0	750	-1-1	-	-3-3-1	-4-2-2-3	-3-3-4200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.67	
56-43.1971	-105.7575	-2-08	0-W11112	09/22/77	9	11-15.5	-	-	1580	20-1-1	-	-3-3-1	-4-2-2-2	-3-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.48	
56-43.4450	-105.6858	-2-08	0-W111																															

APPENDIX I-A. (continued). Uranium Concentrations for Water Samples

DOE SAMPLE NUMBER					LASI SAMPLE LOCATION NUMBER AND FIELD DATA																				U CONCENTRATION								
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASI SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCINTILLOMETER (uCi/gpm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	WATER SAMPLES ANALYZED BY FLUOROMETRY OR DNC (6) UNITS IN ppb
							DATE	HOUR																									
56-43.3903-105.8F00-2-0F						0-W11132-09/26/77-11			20-15.2-C				6.9-	800-	20-1-1-			-3-3-1-	-4-2-3-1-	-1-3-6-												30.25*	
56-43.9750-104.7597-2-0F						0-W11134-08/23/77-14			26-12.0-C				6.3-	800-	8-1-1-			-1-	-4-3-2-2-	-9-3-6-	100-											0.67	
56-43.9847-104.7903-2-0F						0-W11137-08/23/77-18			20-12.0-C				7.2-	1700-	10-1-1-			-2-	-4-3-2-1-	-3-1-6-												3.69	
56-43.9764-104.8319-2-0F						0-W11138-08/24/77-10			20-12.0-C				6.5-	800-	11-1-1-			-1-	-4-3-2-2-	-1-3-2-												1.67	
56-43.9339-104.9314-2-0F						0-W11139-08/24/77-11			22-12.0-C				6.4-	1200-	8-1-1-			-1-	-4-3-2-2-	-1-3-2-												1.67	
56-43.9444-104.9117-2-0F						0-W11141-08/24/77-13			24-14.0-C				6.8-	1300-	10-1-1-			-1-	-4-3-2-2-	-1-1-4-												3.67	
56-43.9525-104.9036-2-0F						0-W11143-08/24/77-14			30-8.0-C				6.4-	1000-	10-1-1-			-1-	-4-3-2-3-	-1-3-4-												7.23	
56-43.9814-104.9378-2-0F						0-W11146-08/24/77-16			30-14.0-C				7.4-	2000-	12-1-1-			-1-	-3-3-1-2-	-1-3-2-												2.44	
56-43.9114-104.7825-2-0F						0-W11148-08/25/77-11			23-12.0-C				6.4-	900-	12-1-1-			-1-	-4-3-2-2-	-2-1-4-												5.11	
56-43.9025-104.8217-2-0F						0-W11151-08/25/77-13			22-16.0-C				6.8-	2000-	4-1-1-			-1-	-4-3-2-2-	-1-3-2-												1.04	
56-43.8878-104.8775-2-0F						0-W11156-08/25/77-16			28-16.0-C				8.0-	2000-	10-1-1-			-5-	-4-3-2-2-	-1-4-2-												1.17	
56-43.8808-104.8847-2-0F						0-W11158-08/25/77-17			26-14.0-C				6.7-	2450-	10-1-1-			-1-	-4-3-2-2-	-1-3-2-												24.77	
56-43.8539-104.8097-2-0F						0-W11166-08/26/77-11			18-12.0-C				7.2-	2300-	12-1-1-			-1-	-4-3-2-2-	-1-1-2-												2.56	
56-43.8003-104.8011-2-0F						0-W11167-08/26/77-12			18-13.0-C				7.2-	3650-	12-1-1-			-1-	-4-3-2-2-	-1-1-2-												2.97	
56-43.7936-104.8106-2-0F						0-W11169-08/26/77-12			18-11.0-C				8.4-	2600-	17-1-1-			-3-	-4-3-2-3-	-1-1-2-												3.17	
56-43.8625-104.8472-2-0F						0-W11172-08/26/77-15			17-12.0-C				7.3-	2300-	12-1-1-			-1-	-4-3-2-3-	-1-1-2-												4.35	
56-43.8225-104.8547-2-0F						0-W11173-08/26/77-16			18-17.0-C				8.4-	3400-	15-1-1-			-3-	-4-3-2-3-	-3-1-2-												14.76	
56-43.7772-104.8511-2-0F						0-W11175-08/26/77-17			18-11.0-C				6.9-	3200-	15-1-1-			-1-	-4-3-2-3-	-1-1-2-												5.15	
56-43.8044-104.8681-2-0F						0-W11177-08/26/77-18			17-8.0-C				7.7-	4700-	14-1-1-			-5-	-4-3-2-3-	-1-1-2-												13.17	
56-43.9611-104.7444-2-0F						0-W11184-08/27/77-12			17-10.0-C				6.3-	800-	5-1-1-			-1-	-4-3-2-2-	-1-1-4-												4.40	
56-43.9536-104.6614-2-0F						0-W11185-08/27/77-13			20-13.0-C				7.1-	1750-	10-1-1-			-1-	-4-3-2-2-	-1-3-2-												0.53	
56-43.9869-104.6633-2-0F						0-W11187-08/27/77-14			20-13.0-C				6.4-	700-	8-1-1-			-1-	-4-3-2-2-	-1-3-2-												1.34	
56-43.9900-104.6433-2-0F						0-W11189-08/27/77-15			21-16.0-C				8.1-	1200-	6-1-1-			-1-	-4-3-2-2-	-1-3-2-												0.27	
56-43.9578-104.5769-2-0F						0-W11189-08/28/77-9			15-12.0-C				6.3-	1100-	14-1-1-			-1-	-4-3-2-2-	-1-3-2-	200-180-											1.60	
56-43.9667-104.5433-2-0F						0-W11191-08/28/77-10			18-16.0-C				7.5-	950-	16-1-1-			-1-	-4-3-2-2-	-1-3-2-												1.52	
56-43.9003-104.5839-2-0F						0-W11194-08/28/77-12			25-12.0-C				7.9-	1800-	10-1-1-			-1-	-4-3-2-2-	-1-3-2-												2.10	
56-43.9214-104.5550-2-0F						0-W11196-08/28/77-14			23-12.0-C				7.8-	2275-	7-1-1-			-1-	-4-3-2-2-	-1-2-2-												3.20	
56-43.9397-104.5622-2-0F						0-W11197-08/28/77-15			26-12.0-C				8.0-	1700-	10-1-1-			-2-	-3-2-2-	-1-1-2-												1.60	
56-43.9069-104.5483-2-0F						0-W11198-08/28/77-15			24-13.0-C				7.9-	3425-	12-1-1-			-1-	-4-3-2-2-	-1-3-2-												3.90	
56-43.9256-104.5825-2-0F						0-W11200-08/28/77-16			23-8.0-C				8.2-	2900-	8-1-1-			-2-	-4-3-2-2-	-1-3-2-												3.60	
56-43.8794-104.6206-2-0F						0-W11201-08/28/77-17			22-12.0-C				7.9-	2700-	12-1-1-			-2-	-4-3-2-2-	-1-3-2-	2-100-	16-										2.00	
56-43.9064-104.6172-2-0F						0-W11202-08/28/77-18			21-12.0-C				7.0-	1200-	10-1-1-			-1-	-4-3-2-2-	-1-3-2-	2-160-100-											4.77	
56-43.9100-104.6561-2-0F						0-W11203-08/28/77-18			18-11.0-C				7.6-	2250-	10-1-1-			-1-	-4-3-2-2-	-1-3-2-												6.59	
56-43.8414-104.6458-2-0F						0-W11207-08/29/77-8			10-10.0-C				6.6-	1250-	12-1-1-			-1-	-4-3-2-3-	-1-3-2-												6.82	
56-43.8750-104.6511-2-0F						0-W11208-08/29/77-8			13-10.3-C				6.1-	1250-	11-1-1-			-1-	-4-3-2-3-	-3-1-2-												2.05	
56-43.8219-104.5867-2-0F						0-W11210-08/29/77-9			16-16.0-C				7.2-	1000-	12-1-1-			-1-	-4-3-2-2-	-1-3-2-												8.52	
56-43.8172-104.5731-2-0F						0-W11211-08/29/77-10			16-19.0-C				6.0-	1600-	11-1-1-			-1-	-4-3-2-2-	-1-3-2-												2.16	
56-43.8222-104.5486-2-0F						0-W11212-08/29/77-10			25-11.0-C				7.2-	500-	15-1-1-			-5-	-4-3-2-2-	-1-4-4-												0.15	
56-43.9239-104.7472-2-0F						0-W11214-08/29/77-14			28-11.0-C				7.4-	750-	5-1-1-			-1-	-4-3-2-2-	-1-1-2-												0.32	
56-43.8578-104.5731-2-0F						0-W11215-08/29/77-15			25-11.0-C				7.4-	4500-	17-1-1-			-2-	-4-3-2-2-	-1-3-2-												2.62	
56-43.8353-104.5623-2-0F						0-W11217-08/29/77-16			25-19.0-C				8.6-	2300-	15-1-1-			-2-	-4-3-2-2-	-1-1-2-												2.02	
56-43.8222-104.5294-2-0F						0-W11218-08/29/77-16			25-10.0-C				6.9-	1700-	11-1-1-			-2-	-4-3-2-2-	-1-1-2-												9.47	
56-43.7997-104.6581-2-0F						0-W11219-08/29/77-17			22-16.0-C				6.8-	1700-	12-1-1-			-1-	-4-3-2-2-	-1-3-2-		60-										5.45	
56-43.7944-104.7061-2-0F						0-W11222-08/29/77-19			22-17.0-C				7.5-	1400-	10-1-1-			-1-	-4-3-2-2-	-1-3-2-												5.45	
56-43.8375-104.6937-2-0F						0-W11224-08/30/77-8			15-10.0-C				7.6-	850-	10-1-1-			-2-	-4-3-2-3-	-1-1-2-												0.56	
56-43.8552-104.6894-2-0F						0-W11225-08/30/77-8			18-10.0-C				7.9-	1700-	16-1-1-			-1-	-4-3-2-2-	-1-1-2-												1.44	
56-43.8708-104.6992-2-0F						0-W11228-08/30/77-11			25-10.0-C				7.1-	1900-	9-1-1-			-1-	-4-3-2-2-	-1-1-2-												15.66	
56-43.8239-104.7478-2-0F						0-W11231-08/30/77-13			26-10.0-C				7.7-	2200-	12-1-1-			-2-	-4-3-2-2-	-1-1-2-												0.89	
56-43.8281-104.7800-2-0F						0-W11232-08/30/77-15			25-14.0-C				7.3-	2900-	6-1-1-			-2-	-4-3-2-2-	-1-3-2-												4.17	
56-43.4489-104.7485-2-0F						0-W11234-08/30/77-16			19-10.0-C				6.7-	1200-	25-1-1-			-2-	-4-3-2-4-	-1-1-2-												1.14	
56-43.9039-104.6317-2-0F						0-W11237-08/31/77-8			6-11.0-C				7.4-	1300-	11-1-1-			-6-	-4-3-2-2-	-1-1-2-												2.47	

APPENDIX I-A. (continued). Uranium Concentrations for Water Samples

DOE SAMPLE NUMBER						LASI SAMPLE LOCATION NUMBER AND FIELD DATA																				U CONCENTRATION									
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASI SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (µmho/cm)	SCINTILLATOR (eU/gm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION DENSITY	VEGETATION TYPE	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	WATER SAMPLES ANALYZED BY FLUOROMETRY OR DNC (H) UNITS IN PPB	
							DATE	HOUR																											
56-43.8492-104.7703-2-CR-						0-W11239-08/31/77-9-	11-	-	-	8.9-	2400-	12-1-1-	-	-	-	5-	-	4-3-2-2-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	2.66		
56-43.7564-104.6586-2-OR-						0-W11240-08/31/77-10-	15-13.0-	-	-	7.2-	1650-	5-1-1-	-	-	-	1-	-	4-3-2-2-	-	1-3-	2-	60-	40-	-	-	-	-	-	-	-	-	-	-	2.67	
56-43.7406-104.6361-2-OR-						0-W11242-08/31/77-11-	15-11.0-	-	-	7.1-	725-	15-1-1-	-	-	-	1-	-	4-3-2-2-	-	1-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.13	
56-43.7447-104.6619-2-OR-						0-W11243-08/31/77-11-	16-11.0-C-	-	-	6.9-	925-	8-1-1-	-	-	-	1-	-	4-3-2-2-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.22	
56-43.7597-104.5756-2-OR-						0-W11245-08/31/77-12-	19-11.0-C-	-	-	7.4-	2400-	10-1-1-	-	-	-	2-	-	4-3-2-2-	-	2-2-	4-	-	-	-	-	-	-	-	-	-	-	-	-	18.86	
56-43.7508-104.5322-2-OR-						0-W11246-08/31/77-14-	20-15.0-	-	-	7.3-	1700-	16-1-1-	-	-	-	1-	-	4-3-2-2-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.68	
56-43.7697-104.5411-2-OR-						0-W11248-08/31/77-15-	20-15.0-C-	-	-	8.2-	1925-	10-1-1-	-	-	-	1-	-	4-3-2-2-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	1.14	
56-43.7208-104.6728-2-OR-						0-W11250-08/31/77-16-	21-17.0-	-	-	7.9-	1600-	12-1-1-	-	-	-	2-	-	4-3-2-2-	-	1-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.08	
56-43.7250-104.7089-2-OR-						0-W11252-08/31/77-17-	17-16.0-	-	-	7.4-	2200-	11-1-1-	-	-	-	1-	-	4-3-2-2-	-	1-3-	2-	60-	20-	-	-	-	-	-	-	-	-	-	-	4.02	
56-43.7264-104.7556-2-OR-						0-W11254-08/31/77-18-	17-12.0-	-	-	7.5-	3500-	12-1-1-	-	-	-	1-	-	4-3-2-2-	-	1-3-	6-	160-	140-	-	-	-	-	-	-	-	-	-	-	1.82	
56-43.7225-104.9033-2-OR-						0-W11259-09/05/77-9-	20-12.0-	-	-	7.3-	2100-	12-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.99	
56-43.7361-104.9597-2-OR-						0-W11266-09/05/77-11-	25-11.0-	-	-	7.4-	3550-	12-1-1-	-	-	-	-	-	4-3-2-1-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	1.19	
56-43.6519-104.9392-2-OR-						0-W11268-09/05/77-12-	28-11.0-	-	-	6.7-	4850-	12-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	10.83	
56-43.6728-104.9056-2-OR-						0-W11270-09/05/77-14-	28-	-	-	7.2-	2400-	10-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	1.62	
56-43.6758-104.8856-2-OR-						0-W11272-09/05/77-14-	28-12.0-	-	-	7.1-	2300-	10-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.83	
56-43.7292-104.8167-2-OR-						0-W11276-09/05/77-16-	31-17.0-	-	-	7.1-	2025-	10-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	1.38	
56-43.7572-104.8161-2-OR-						0-W11278-09/05/77-17-	30-10.0-C-	-	-	6.1-	4000-	12-1-1-	-	-	-	5-	-	4-3-2-1-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	1.83	
56-43.6892-104.5358-2-OR-						0-W11280-09/06/77-11-	24-15.0-	-	-	6.3-	800-	12-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	2-	260-	80-	-	-	-	-	-	-	-	-	-	-	-	0.14
56-43.6603-104.5753-2-OR-						0-W11281-09/06/77-13-	26-14.0-	-	-	7.1-	1800-	9-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	2-	80-	30-	-	-	-	-	-	-	-	-	-	-	-	8.57
56-43.6464-104.5483-2-OR-						0-W11283-09/06/77-14-	29-14.0-	-	-	6.2-	1625-	11-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.11	
56-43.6397-104.6164-2-OR-						0-W11284-09/06/77-15-	29-11.0-C-	-	-	7.1-	2400-	10-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	2.32	
56-43.6481-104.6228-2-OR-						0-W11285-09/06/77-15-	29-13.0-	-	-	7.7-	1500-	10-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	2-	160-	20-	-	-	-	-	-	-	-	-	-	-	-	0.58
56-43.6044-104.5950-2-OR-						0-W11290-09/06/77-18-	27-10.0-	-	-	6.1-	1800-	10-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	2-	286-	250-	-	-	-	-	-	-	-	-	-	-	-	0.56
56-43.5697-104.6433-2-OR-						0-W11296-09/07/77-9-	17-13.0-	-	-	7.3-	2150-	13-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	1.43	
56-43.5622-104.6906-2-OR-						0-W11297-09/07/77-10-	24-17.0-	-	-	7.8-	2650-	11-1-1-	-	-	-	2-	-	4-3-2-1-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.67	
56-43.5758-104.6964-2-CR-						0-W11298-09/07/77-10-	24-15.0-	-	-	7.5-	1900-	14-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.65	
56-43.6072-104.6733-2-OR-						0-W11299-09/07/77-12-	27-13.0-C-	-	-	7.2-	3900-	11-1-1-	-	-	-	3-	-	4-3-2-1-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	10.77	
56-43.6069-104.6472-2-OR-						0-W11302-09/07/77-14-	28-13.0-	-	-	7.4-	2050-	12-1-1-	-	-	-	1-	-	4-3-2-2-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	1.20	
56-43.6922-104.6647-2-OR-						0-W11303-09/07/77-17-	25-15.0-	-	-	7.5-	2200-	10-1-1-	-	-	-	1-	-	4-3-2-2-	-	1-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.94	
56-43.6800-104.6417-2-OR-						0-W11304-09/07/77-17-	24-10.0-C-	-	-	7.7-	1700-	12-1-1-	-	-	-	1-	-	4-3-2-2-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	1.27	
56-43.6947-104.7208-2-CR-						0-W11308-09/08/77-10-	28-13.0-C-	-	-	7.3-	1800-	6-1-1-	-	-	-	1-	-	4-3-2-2-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	1.42	
56-43.6378-104.8319-2-OR-						0-W11316-09/08/77-15-	22-12.0-C-	-	-	8.6-	1600-	12-1-1-	-	-	-	3-	-	4-3-2-2-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.16	
56-43.6028-104.9014-2-CR-						0-W11318-09/08/77-16-	16-12.0-	-	-	8.0-	1400-	12-1-1-	-	-	-	1-	-	4-3-2-2-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	
56-43.6497-104.9242-2-OR-						0-W11320-09/08/77-16-	18-13.0-C-	-	-	7.9-	1150-	10-1-1-	-	-	-	1-	-	4-3-2-2-	-	1-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.44	
56-43.6483-104.8831-2-OR-						0-W11321-09/09/77-7-	8-11.0-C-	-	-	7.2-	1400-	12-1-1-	-	-	-	2-	-	4-3-2-1-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.77	
56-43.6164-104.9519-2-OR-						0-W11325-09/09/77-9-	14-10.0-C-	-	-	7.4-	1625-	12-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	1.08	
56-43.5206-104.9447-2-OR-						0-W11320-09/09/77-11-	15-15.0-	-	-	7.2-	2225-	10-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	2.52	
56-43.5350-104.7889-2-OR-						0-W11342-09/09/77-16-	21-14.0-	-	-	7.9-	1400-	15-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.68	
56-43.5858-104.7403-2-OR-						0-W11345-09/09/77-16-	21-18.0-	-	-	7.9-	2400-	10-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.02	
56-43.6044-104.7711-2-CR-						0-W11350-09/09/77-18-	20-11.0-C-	-	-	10.5-	1700-	16-1-1-	-	-	-	2-	-	4-3-2-1-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.79	
56-43.5508-104.7107-2-OR-						0-W11356-09/10/77-11-	-	-	-	7.7-	1300-	14-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.15	
56-43.5253-104.7402-2-CR-						0-W11357-09/10/77-12-	20-12.0-	-	-	7.2-	3400-	13-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	1.91	
56-43.5414-104.6547-2-OR-						0-W11361-09/10/77-14-	22-	-	-	7.2-	1800-	13-1-1-	-	-	-	1-	-	4-3-2-1-	-	1-3-	4-	-	-	-	-	-	-	-	-	-	-	-	-	1.23	
56-43.9103-105.0731-2-OR-						0-W11363-09/11/77-6-	18-12.0-	-	-	6.5-	2250-	15-1-1-	-	-	-	-	-	4-3-2-2-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	1.85	
56-43.6292-105.0447-2-OR-						0-W11392-09/12/77-17-	20-11.0-	-	-	7.4-	600-	5-1-4-	-	-	-	1-	-	4-3-2-2-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.30	
56-43.7106-105.0706-2-OR-						0-W11392-09/12/77-19-	15-11.0-C-	-	-	7.2-	3200-	5-1-4-	-	-	-	3-	-	4-3-2-2-	-	1-1-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.90	
56-43.7289-105.0906-2-OR-						0-W11394-09/12/77-19-	15-11.0-C-	-	-	7.4-	850-	16-1-4-	-	-	-	-	-	4-3-2-2-	-	1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	
56-43.5889-105.1147-2-OR-		</																																	

APPENDIX I-A. (continued). Uranium Concentrations for Water Samples

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																							U CONCENTRATION					
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (µmho/cm)	SCINTILLOMETER (cpi, ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	WATER SAMPLES ANALYZED BY FLUOROMETRY OR DNC (66) UNITS IN ppb
							DATE	HOUR																										
56-43.5981-105.0375-2-0F-						0-W111414-09/14/77-12-			20-18.0-C-		-	6.8-	1025-		10-1-4-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.77	
56-43.5656-105.1319-2-06-						0-W111415-09/14/77-14-			26-9.0-C-		-	6.6-	375-		12-1-4-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.85	
56-43.5542-105.1672-2-06-						0-W11418-09/14/77-15-			24-18.0-C-		-	10.0-	750-		19-1-4-6-6-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.32	
56-43.5256-105.1803-2-06-						0-W11422-09/14/77-17-			22-11.0-C-		-	6.6-	1100-		16-1-4-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.07	
56-43.5975-105.2231-2-06-						0-W11424-09/15/77-8-			17-13.0-C-		-	6.1-	700-		12-1-1-6-6-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.08	
56-43.5361-105.2117-2-06-						0-W11428-09/15/77-10-			17-13.0-		-	7.6-	425-		8-1-4-6-7-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.58	
56-43.6906-105.1675-2-C6-						0-W11435-09/15/77-14-			24-15.0-C-		-	6.2-	550-		12-1-4-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.18	
56-43.6297-105.2289-2-08-						0-W11439-09/15/77-16-			24-14.0-		-	6.7-	1000-		12-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.24	
56-43.7133-105.1761-2-06-						0-W11441-09/15/77-17-			24-11.0-		-	6.1-	2200-		33-1-4-3-4-2-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.94	
56-43.7336-105.2231-2-08-						0-W11446-09/16/77-7-			11-11.0-		-	7.6-	1725-		16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.60	
56-43.8739-105.2436-2-08-						0-W11452-09/16/77-12-			15-19.0-		-	6.4-	500-		12-1-4-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.22	
56-43.7800-105.1550-2-08-						0-W11451-09/16/77-16-			23-11.0-		-	7.2-	725-		12-1-4-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.03	
56-43.7758-105.1758-2-08-						0-W11464-09/16/77-17-			23-11.0-C-		-	7.1-	650-		8-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.28	
56-43.7808-105.2317-2-08-						0-W11466-09/16/77-18-			23-11.0-		-	6.4-	1225-		15-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.86	
56-43.8942-105.3700-2-08-						0-W11481-09/22/77-9-			11-16.0-		-	6.5-	750-		15-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	
56-43.8583-105.3228-2-08-						0-W11483-09/22/77-10-			11-		-	6.4-	675-		12-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.20	
56-43.8550-105.2944-2-08-						0-W11484-09/22/77-10-			11-	-	-	6.3-	2300-		17-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.06	
56-43.8558-105.2847-2-08-						0-W11485-09/22/77-10-			11-11.0-		-	6.4-	2225-		12-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.76	
56-43.8697-105.3339-2-08-						0-W11486-09/22/77-11-			12-11.0-		-	6.4-	2225-		15-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.32	
56-43.9178-105.2667-2-08-						0-W11490-09/22/77-12-			12-15.0-C-		-	7.1-	1575-		5-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07	
56-43.9033-105.3311-2-08-						0-W11492-09/22/77-13-			20-11.0-		-	7.0-	2600-		12-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.94	
56-43.9839-105.3511-2-08-						0-W11500-09/22/77-17-			20-11.0-		-	6.8-	1625-		11-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.74	
56-43.9072-105.3014-2-08-						0-W11503-09/22/77-18-			20-11.0-C-		-	6.6-	1500-		12-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.45	
56-43.9842-105.4667-2-08-						0-W11507-09/23/77-9-			6-	-	-	6.3-	1500-		3-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.04	
56-43.9894-105.4453-2-08-						0-W11509-09/23/77-9-			6-	-	-	6.4-	-		3-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18.16	
56-43.9533-105.4450-2-08-						0-W11510-09/24/77-8-			4-11.0-C-		-	6.8-	1600-		3-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	
56-43.8247-105.4897-2-08-						0-W11516-09/24/77-10-			7-16.0-		-	6.9-	1500-		6-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	
56-43.8350-105.4811-2-08-						0-W11517-09/24/77-10-			7-15.0-		-	6.7-	1900-		4-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.67	
56-43.8133-105.4631-2-08-						0-W11520-09/24/77-11-			9-10.0-C-		-	6.4-	3200-		3-1-4-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.90	
56-43.8097-105.4794-2-08-						0-W11521-09/24/77-12-			9-15.0-C-		-	7.1-	550-		3-1-4-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	
56-43.8469-105.3883-2-08-						0-W11527-09/24/77-15-			16-11.0-		-	6.1-	3350-		3-1-4-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.94	
56-43.7850-105.3639-2-08-						0-W11530-09/24/77-16-			18-11.0-		-	6.8-	2650-		2-1-4-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.54	
56-43.8158-105.2578-2-08-						0-W11532-09/25/77-11-			14-11.0-		-	6.7-	3600-		16-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.57	
56-43.7639-105.2828-2-08-						0-W11536-09/25/77-12-			15-13.0-		-	7.1-	825-		16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.03	
56-43.7592-105.3111-2-08-						0-W11537-09/25/77-12-			15-11.0-		-	6.4-	1000-		16-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.71	
56-43.6950-105.3164-2-08-						0-W11541-09/25/77-15-			18-11.0-		-	6.6-	1150-		12-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	
56-43.6389-105.3214-2-08-						0-W11542-09/25/77-15-			18-11.0-		-	6.6-	2000-		12-1-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

APPENDIX I-A. (continued). Uranium Concentrations for Water Samples

DOE SAMPLE NUMBER						LASI SAMPLE LOCATION NUMBER AND FIELD DATA																							U CONCENTRATION					
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASI SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCINTILLOMETER (c/LI ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	WATER SAMPLES ANALYZED BY FLUOROMETRY OR DNC (PPB)
							DATE	HOUR																										
56-43	8475-104.1047	2-06-				0-W11655	09/30/77	12-	15-12.0-C-C-	-	6.4-	1600-	8-1-4-	-	-	-1-	-1-2-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.94	
56-43	8403-104.1042	2-06-				0-W11656	09/30/77	12-	15-12.0-C-C-	-	6.5-	2200-	8-1-4-3-4-4-1-	-	-	-1-	-1-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.82	
46-43	7975-104.6136	2-06-				0-W11663	09/30/77	14-	12-12.0-C-C-	-	6.6-	450-	8-1-4-	-	-	-1-	-1-3-3-3-	-1-3-	2-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.68	
46-43	8281-104.0278	2-06-				0-W11669	09/30/77	15-	12-11.0-C-	-	6.4-	500-	10-1-1-5-4-3-3-1-	-	-	-1-	-1-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.51	
46-43	7244-104.0203	2-06-				0-W11688	10/01/77	15-	11-11.0-C-	-	6.3-	2700-	10-1-4-	-	2-	1-	-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10.96	
46-43	6886-104.0431	2-06-				0-W11690	10/01/77	15-	11-11.0-C-	-	6.4-	2600-	10-1-4-	-	4-	1-	-1-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.64	
56-43	6803-104.0644	2-06-				0-W11692	10/01/77	16-	9-11.0-C-	-	6.8-	1150-	8-1-1-	-	2-	2-	-1-3-3-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.14	
46-43	7244-104.0478	2-06-				0-W11693	10/01/77	16-	9-11.0-C-	-	6.8-	200-	8-1-1-6-7-	-	3-	-	-1-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.15	
46-43	7308-104.0486	2-06-				0-W11694	10/01/77	17-	9-12.0-C-	-	6.9-	550-	6-1-1-	-	2-	4-	-1-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.42	
56-43	1572-105.6669	2-08-				0-W11700	10/28/77	10-	14-11.0-C-	-	7.0-	650-	19-1-1-	-	-	-1-	-4-3-1-1-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	119.92*	
56-43	1747-105.6839	2-06-				0-W11701	10/27/77	11-	18-8.5-C-	-	7.4-	800-	92-1-1-	-	-	-1-	-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	702.26*	
56-43	1703-105.7047	2-08-				0-W11702	10/28/77	12-	18-12.0-C-	-	7.7-	290-	13-1-1-	-	-	-1-	-4-3-1-1-	-3-7-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.74	
56-43	1750-105.7169	2-08-				0-W11703	10/28/77	13-	18-12.0-C-	-	7.4-	500-	-1-1-	-	-	-2-	-4-3-1-1-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.23	
56-43	1503-105.7189	2-06-				0-W11705	10/30/77	12-	10-9.7-C-	-	7.8-	650-	12-1-1-6-8-2-3-4-	-	-	-1-	-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	308.72*	
56-43	1836-105.7947	2-08-				0-W11707	10/28/77	14-	19-11.2-C-	-	7.0-	1000-	11-1-1-	-	-	-1-	-4-3-1-1-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.73	
56-43	1650-105.8500	2-08-				0-W11708	10/28/77	15-	17-10.6-C-	-	6.6-	465-	13-1-1-	-	-	-1-	-4-3-1-1-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.08	
56-43	1069-105.7872	2-08-				0-W11714	10/30/77	15-	8-10.7-C-	-	7.4-	500-	11-1-1-	-	-	-1-	-4-3-2-2-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.71	
56-43	1000-105.7686	2-08-				0-W11715	10/30/77	15-	8-11.0-C-	-	6.0-	190-	16-1-1-	-	-	-1-	-4-3-3-2-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.45	
56-43	1236-105.8286	2-08-				0-W11717	10/30/77	17-	6-11.6-C-	-	6.6-	500-	19-1-1-	-	-	-1-	-4-3-1-2-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.18	
56-43	1444-105.8164	2-08-				0-W11720	10/31/77	10-	3-10.9-C-	-	6.6-	800-	13-1-1-	-	-	-1-	-4-3-1-2-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33.19*	
56-43	0314-105.8428	2-08-				0-W11730	11/01/77	8-	3-12.0-C-	-	6.4-	525-	23-1-1-	-	-	-1-	-4-3-1-1-	-3-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.32	
56-43	0161-105.8839	2-08-				0-W11734	11/01/77	10-	8-10.0-C-	-	7.3-	490-	9-1-1-	-	-	-1-	-4-3-1-1-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	
56-43	0017-105.9831	2-08-				0-W11740	11/01/77	15-	13-9.5-C-	-	7.2-	1350-	17-1-1-	-	-	-1-	-4-3-1-1-	-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.63	

APPENDIX I-B

Listings of Field Data and Elemental Concentrations for Sediment Samples from the Newcastle Quadrangle, Wyoming (Pages 30 through 129)

Note that four pages, numbered 1 through 4 in the upper right hand corner, are necessary to provide the complete data listing for each numerically ordered sequence of samples.

- ①- Lists field data and uranium concentrations determined by delayed-neutron counting.
- ②- Lists concentrations of 11 elements determined by x-ray fluorescence and arc-source emission spectrography.
- ③ and ④- List concentrations of 31 elements determined by neutron activation analysis and computed U/Th ratios.

(See Appendix II for Code to Listings)

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																										U CONCENTRATION		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (µmho/cm)	SOLITOMETER (µU/ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC)
							DATE	HOUR																										
56-43.7281-105.5275-2-15-						0-W10002-09/14/77-10-			26-		-C-		-	-	-	17-1-2-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.71	
56-43.6917-105.7242-2-15-						0-W10010-09/15/77-11-			21-		-C-		-	-	-	19-1-2-4-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.28
56-43.6917-105.6494-2-15-						0-W10017-09/15/77-18-			16-		-C-		-	-	-	13-1-2-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.44
56-43.8964-105.5497-2-15-						0-W10020-09/16/77-13-			28-		-C-		-	-	-	18-1-2-4-4-	-1-	-2-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.85
56-43.9044-105.5283-2-15-						0-W10021-09/16/77-14-			23-		-C-		-	-	-	18-1-4-4-6-	-1-	-2-4-3-1-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.13
56-43.9083-105.5167-2-15-						0-W10022-09/16/77-15-			21-		-C-		-	-	-	11-1-4-4-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.55
56-43.8639-105.5831-2-15-						0-W10024-09/16/77-17-			20-		-C-		-	-	-	20-1-2-4-6-	-1-	-2-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.39
56-43.7600-105.5461-2-15-						0-W10025-09/17/77-9-			19-		-C-		-	-	-	13-1-2-4-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.43
56-43.7797-105.5103-2-15-						0-W10028-09/17/77-12-			17-		-C-		-	-	-	18-1-2-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.38
56-43.5261-105.5500-2-15-						0-W10034-09/19/77-15-			23-		-		-	-	-	9-1-1-4-1-	-1-	-1-4-3-1-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.17
56-43.5478-105.5653-2-11-						0-W10035-09/19/77-16-			25-14.5-	-C-		6.6-	600-	-	13-1-1-6-6-2-2-1-	-4-3-1-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.42
56-43.5681-105.6053-2-15-						0-W10036-09/19/77-18-			23-		-		-	-	-	23-1-1-4-6-	-1-	-2-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.02
56-43.5778-105.6211-2-15-						0-W10037-09/19/77-18-			20-		-		-	-	-	13-1-1-4-6-	-1-	-2-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.68
56-43.6197-105.6003-2-15-						0-W10039-09/20/77-11-			25-		-		-	-	-	12-1-2-4-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.77
56-43.6244-105.5997-2-15-						0-W10040-09/20/77-12-			27-		-		-	-	-	13-1-2-4-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.20
56-43.6203-105.5767-2-15-						0-W10041-09/20/77-13-			28-		-C-		-	-	-	13-1-9-4-6-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.18
56-43.5675-105.6156-2-15-						0-W10042-09/20/77-15-			25-		-C-		-	-	-	28-1-2-4-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.54
56-43.5483-105.6650-2-15-						0-W10044-09/20/77-17-			24-		-		-	-	-	16-1-2-4-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.30
56-43.5633-105.6769-2-15-						0-W10045-09/20/77-18-			23-		-		-	-	-	20-1-2-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.68
56-43.5878-105.6933-2-15-						0-W10046-09/20/77-18-			21-		-		-	-	-	16-1-2-4-6-	-1-	-2-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.67
56-43.5756-105.5272-2-15-						0-W10050-09/21/77-14-			15-		-		-	-	-	12-1-1-4-1-	-1-	-2-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.83
56-43.5114-105.6031-2-15-						0-W10053-09/21/77-17-			14-		-		-	-	-	20-1-2-4-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.77
56-43.5319-105.6281-2-15-						0-W10055-09/21/77-18-			13-		-		-	-	-	16-1-2-4-6-	-1-	-2-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.71
56-43.5872-105.7136-2-15-						0-W10057-09/22/77-15-			20-		-		-	-	-	25-1-2-4-6-	-1-	-2-4-3-1-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.36
56-43.5669-105.7989-2-11-						0-W10058-09/25/77-13-			18-20.0-	-		7.5-	1100-	-	6-1-2-6-8-2-2-2-	-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.30
56-43.5403-105.8006-2-15-						0-W10059-09/25/77-14-			18-		-		-	-	-	23-1-2-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.62
56-43.5258-105.7925-2-15-						0-W10060-09/25/77-14-			19-		-		-	-	-	16-1-7-5-8-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.01
56-43.5825-105.7600-2-15-						0-W10062-09/22/77-16-			24-		-		-	-	-	16-1-1-4-6-	-1-	-1-4-3-1-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.48
56-43.8117-105.5142-2-15-						0-W10063-09/24/77-9-			9-		-		-	-	-	11-1-4-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.11
56-43.8319-105.5092-2-15-						0-W10065-09/24/77-9-			11-		-		-	-	-	19-1-2-5-6-	-1-	-2-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.45
56-43.8306-105.5728-2-15-						0-W10066-09/24/77-10-			13-		-C-		-	-	-	15-1-2-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.24
56-43.8483-105.6058-2-15-						0-W10067-09/24/77-11-			14-		-C-		-	-	-	16-1-2-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.36
56-43.8117-105.5986-2-15-						0-W10068-09/24/77-13-			18-		-C-		-	-	-	16-1-2-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.19
56-43.8072-105.5936-2-15-						0-W10069-09/24/77-13-			20-		-		-	-	-	18-1-2-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.42
56-43.7719-105.6031-2-15-						0-W10070-09/24/77-14-			20-		-		-	-	-	15-1-2-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.18
56-43.9092-105.6478-2-15-						0-W10072-09/24/77-16-			20-		-		-	-	-	12-1-2-4-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.44
56-43.9633-105.6456-2-15-						0-W10074-09/24/77-18-			15-		-C-		-	-	-	23-1-2-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.44
56-43.5333-105.7094-2-11-						0-W10077-09/25/77-19-			14-14.0-	-		7.0-	500-	-	8-1-2-6-6-2-2-1-	-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.24
56-43.9478-105.5206-2-15-						0-W10078-09/26/77-9-			15-		-		-	-	-	16-1-4-4-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.12
56-43.9800-105.5719-2-15-						0-W10080-09/26/77-11-			18-		-C-		-	-	-	17-1-4-4-6-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.38
56-43.9811-105.5650-2-15-						0-W10081-09/26/77-11-			18-		-		-	-	-	20-1-4-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.57
56-43.9458-105.5619-2-15-						0-W10082-09/26/77-12-			21-		-C-		-	-	-	17-1-4-4-6-	-1-	-2-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.33
56-43.9422-105.5439-2-15-						0-W10083-09/26/77-13-			21-		-C-		-	-	-	18-1-4-4-6-	-1-	-2-4-3-4-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.58
56-43.9139-105.5536-2-15-						0-W10084-09/26/77-13-			21-		-C-		-	-	-	18-1-4-4-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.03
56-43.9719-105.5125-2-15-						0-W10085-09/26/77-16-			21-		-C-		-	-	-	11-1-4-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.05
56-43.9911-105.5261-2-15-						0-W10086-09/26/77-17-			21-		-C-		-	-	-	12-1-4-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.63
56-43.5314-105.6842-2-15-						0-W10087-09/27/77-10-			19-		-		-	-	-	23-1-1-4-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.75
56-43.5239-105.5894-2-15-						0-W10088-09/27/77-10-			19-		-		-	-	-	28-1-1-4-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.28
56-43.5031-105.6708-2-15-						0-W10089-09/27/77-11-			20-		-		-	-	-	17-1-2-4-6-	-1-	-1-4-3-1-1-	-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.50
56-43.5014-105.6731-2-15-						0-W10090-09/27/77-11-																												

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.7281-105.5275-2-15-	0-W10002	-5	-5	-5	31	-20	-15	6	-10	-15	2	35						
56-43.6917-105.7242-2-15-	0-W10010	-5	-5	-5	30	-20	20	11	-10	-15	2	38						
56-43.6917-105.6494-2-15-	0-W10017	-5	-5	-5	28	-20	-15	9	-10	-15	2	33						
56-43.8964-105.5497-2-15-	0-W10020	-5	-5	-5	24	-20	18	22	-10	-15	2	43						
56-43.9044-105.5283-2-15-	0-W10021	-5	-5	-5	36	-20	-15	9	-10	-15	2	32						
56-43.9083-105.5167-2-15-	0-W10022	-5	-5	-5	41	-20	-15	14	-10	-15	2	49						
56-43.8639-105.5831-2-15-	0-W10024	-5	-5	-5	23	-20	18	6	-10	-15	2	49						
56-43.7600-105.5461-2-15-	0-W10025	-5	-5	-5	27	-20	-15	6	-10	-15	2	29						
56-43.7797-105.5103-2-15-	0-W10028	-5	-5	-5	33	-20	-15	8	-10	-15	2	41						
56-43.5261-105.5500-2-15-	0-W10034	-5	-5	-5	13	-20	-15	-5	-10	-15	2	27						
56-43.5478-105.5653-2-11-	0-W10035	-5	-5	-5	23	-20	-15	-5	-10	-15	2	40						
56-43.5681-105.6053-2-15-	0-W10036	-5	-5	-5	30	-20	-15	14	-10	-15	2	45						
56-43.5778-105.6211-2-15-	0-W10037	-5	-5	-5	32	-20	15	9	-10	-15	2	38						
56-43.6197-105.6003-2-15-	0-W10039	-5	10	-5	32	-20	16	12	-10	-15	2	46						
56-43.6244-105.5997-2-15-	0-W10040	-5	-5	-5	-10	-20	-15	6	-10	-15	2	40						
56-43.6203-105.5767-2-15-	0-W10041	-5	-5	-5	45	-20	26	10	-10	-15	2	37						
56-43.5675-105.6156-2-15-	0-W10042	-5	-5	-5	35	-20	17	11	-10	-15	2	37						
56-43.5483-105.6650-2-15-	0-W10044	-5	-5	-5	25	-20	-15	-5	-10	-15	2	32						
56-43.5633-105.6769-2-15-	0-W10045	-5	-5	-5	29	-20	-15	6	-10	-15	2	43						
56-43.5878-105.6933-2-15-	0-W10046	-5	-5	-5	35	-20	-15	7	-10	-15	2	39						
56-43.5756-105.5272-2-15-	0-W10050	-5	-5	-5	28	-20	-15	-5	-10	-15	2	31						
56-43.5114-105.6031-2-15-	0-W10053	-5	-5	-5	24	-20	23	7	-10	-15	2	50						
56-43.5319-105.6281-2-15-	0-W10055	-5	-5	-5	31	-20	-15	9	-10	-15	2	31						
56-43.5872-105.7136-2-15-	0-W10057	-5	-5	-5	24	-20	-15	-5	-10	-15	2	39						
56-43.5669-105.7989-2-11-	0-W10058	-5	-5	-5	31	-20	19	8	-10	-15	2	45						
56-43.5403-105.8006-2-15-	0-W10059	-5	-5	-5	26	-20	-15	16	-10	-15	2	40						
56-43.5258-105.7925-2-15-	0-W10060	-5	-5	-5	24	-20	16	-5	-10	-15	2	38						
56-43.5825-105.7600-2-15-	0-W10062	-5	-5	-5	23	-20	-15	6	-10	-15	2	38						
56-43.8117-105.5142-2-15-	0-W10063	-5	-5	-5	31	-20	-15	12	-10	-15	2	37						
56-43.8319-105.6092-2-15-	0-W10065	-5	-5	-5	35	-20	26	10	-10	-15	2	45						
56-43.8306-105.5728-2-15-	0-W10066	-5	-5	-5	28	-20	-15	8	-10	-15	2	38						
56-43.8483-105.6058-2-15-	0-W10067	-5	-5	-5	31	-20	-15	7	-10	-15	2	44						
56-43.8117-105.5986-2-15-	0-W10068	-5	-5	-5	26	-20	22	11	-10	-15	1	43						
56-43.8072-105.5936-2-15-	0-W10069	-5	-5	-5	18	-20	-15	10	-10	-15	2	42						
56-43.7719-105.6031-2-15-	0-W10070	-5	-5	-5	22	-20	-15	12	-10	-15	2	39						
56-43.9092-105.6478-2-15-	0-W10072	-5	-5	-5	34	-20	19	5	-10	-15	2	44						
56-43.9633-105.6456-2-15-	0-W10074	-5	-5	-5	36	-20	-15	6	-10	-15	2	39						
56-43.5333-105.7094-2-11-	0-W10077	-5	-5	-5	21	-20	15	5	-10	-15	2	31						
56-43.9478-105.5206-2-15-	0-W10078	-5	-5	-5	21	-20	-15	7	-10	-15	2	28						
56-43.9800-105.5719-2-15-	0-W10080	-5	-5	-5	30	-20	-15	9	-10	-15	2	28						
56-43.9811-105.5650-2-15-	0-W10081	-5	-5	-5	31	-20	16	14	-10	-15	2	36						
56-43.9458-105.5619-2-15-	0-W10082	-5	-5	-5	25	-20	16	11	-10	-15	2	22						
56-43.9422-105.5439-2-15-	0-W10083	-5	-5	-5	32	-20	-15	7	-10	-15	2	39						
56-43.9139-105.5536-2-15-	0-W10084	-5	-5	-5	15	-20	-15	-5	-10	-15	1	17						
56-43.9719-105.5125-2-15-	0-W10085	-5	-5	-5	20	-20	-15	-5	-10	-15	2	29						
56-43.9911-105.5261-2-15-	0-W10086	-5	-5	-5	29	-20	19	5	-10	-15	2	38						
56-43.5314-105.6842-2-15-	0-W10087	-5	-5	-5	25	-20	-15	7	-10	-15	2	36						
56-43.5239-105.6894-2-15-	0-W10088	-5	-5	-5	37	-20	-15	6	-10	-15	2	41						
56-43.5031-105.6708-2-15-	0-W10090	-5	-5	-5	21	-20	-15	6	-10	-15	2	33						
56-43.5014-105.6731-2-15-	0-W10090	-5	-5	-5	19	-20	-15	7	-10	-15	2	35						
56-43.5254-105.7247-2-15-	0-W10091	-5	-5	-5	36	-20	-15	10	-10	-15	2	27						

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.7281-105.5275-2-15-	0-W10072	45290	-0.08	466	83980	53	-74	10.0	40	3.7	3	1.0	24850	3.7	13460	24	0.3					
56-43.6917-105.7242-2-15-	0-W10010	54320	-0.09	590	7154	61	-50	5.7	44	4.7	4	1.0	18940	4.8	18170	24	0.3					
56-43.6917-105.6494-2-15-	0-W10017	53080	-0.08	553	8976	75	-46	6.9	47	4.5	5	1.4	21740	9.9	20490	32	0.4					
56-43.8964-105.5497-2-15-	0-W10020	52530	-0.07	621	27020	82	-40	8.5	57	4.9	5	1.4	22880	12.1	15950	39	0.5					
56-43.9044-105.5283-2-15-	0-W10021	49720	-0.07	592	17250	66	-48	10.2	47	4.3	4	1.3	23640	5.9	17490	35	0.4					
56-43.9083-105.5167-2-15-	0-W10022	60940	-0.08	600	11070	76	-52	7.5	46	4.2	6	1.3	22690	8.0	21270	27	0.4					
56-43.8639-105.5831-2-15-	0-W10024	53440	-0.08	649	6596	74	-51	10.2	41	5.3	6	1.3	21800	8.1	16250	32	0.4					
56-43.7600-105.5461-2-15-	0-W10025	49340	-0.07	531	11340	90	-39	7.0	56	4.7	5	1.4	22550	12.2	19520	37	0.5					
56-43.7797-105.5103-2-15-	0-W10028	52970	-0.06	521	17900	71	-39	7.2	46	5.1	5	1.4	21780	7.4	20270	35	0.4					
56-43.5261-105.5500-2-15-	0-W10034	52530	-0.07	569	16670	140	-71	6.6	50	2.1	8	1.5	19380	23.8	17080	62	0.7					
56-43.5478-105.5653-2-11-	0-W10035	52400	-0.09	789	22130	78	-150	12.0	47	3.7	4	1.6	42940	8.4	16080	23	0.4					
56-43.5681-105.6053-2-15-	0-W10036	60470	-0.08	599	4930	101	-44	7.3	63	5.1	6	1.5	25720	13.0	18590	47	0.5					
56-43.5778-105.6211-2-15-	0-W10037	62360	-0.07	622	4281	87	-42	7.2	54	4.7	5	1.3	24390	9.3	20140	34	0.5					
56-43.6197-105.6003-2-15-	0-W10039	64630	-0.09	570	4970	75	-43	6.9	51	5.2	5	1.1	21450	6.9	17990	29	0.3					
56-43.6244-105.5997-2-15-	0-W10040	54470	-0.08	600	6202	71	-60	7.0	50	4.3	5	1.3	21160	10.4	18800	35	0.3					
56-43.6203-105.5767-2-15-	0-W10041	62310	-0.08	597	9951	100	68	10.7	69	5.6	6	1.7	28340	8.4	15270	41	0.5					
56-43.5675-105.6156-2-15-	0-W10042	66650	-0.08	551	6515	113	-41	7.7	59	5.5	6	1.5	26990	12.5	18390	49	0.6					
56-43.5483-105.6650-2-15-	0-W10044	53850	-0.07	567	4585	77	-42	6.3	44	3.8	5	1.3	21820	10.0	19050	33	0.4					
56-43.5633-105.6769-2-15-	0-W10045	55410	-0.07	631	5022	69	-44	7.0	43	3.9	5	1.2	20650	8.3	19380	33	0.4					
56-43.5878-105.6933-2-15-	0-W10046	53640	-0.07	570	6866	86	-36	8.6	54	5.1	5	1.5	24520	9.9	17040	34	0.6					
56-43.5756-105.5272-2-15-	0-W10050	48440	-0.06	527	13720	94	-44	6.7	45	3.4	6	1.4	18430	16.5	15490	44	0.6					
56-43.5114-105.6031-2-15-	0-W10053	58390	-0.07	559	8000	68	-46	6.8	43	4.4	5	1.2	21050	5.7	18880	32	0.4					
56-43.5319-105.6281-2-15-	0-W10055	69760	-0.08	576	7859	105	-35	9.4	75	6.4	5	1.7	31540	9.1	21410	47	0.5					
56-43.5872-105.7136-2-15-	0-W10057	53990	-0.06	770	10350	72	90	6.8	59	3.2	5	1.2	21540	12.2	21570	33	0.4					
56-43.5669-105.7949-2-11-	0-W10058	60450	-0.09	404	22210	73	-68	6.7	54	5.0	5	1.2	31500	5.7	15260	30	0.4					
56-43.5403-105.8006-2-15-	0-W10059	59090	-0.07	532	5461	70	-57	6.2	49	4.5	6	1.3	19960	10.3	20600	28	0.4					
56-43.5258-105.7925-2-15-	0-W10060	46560	-0.06	553	23960	99	152	7.4	53	3.8	5	1.5	23010	16.3	17760	46	0.6					
56-43.5825-105.7500-2-15-	0-W10062	55330	-0.06	408	6224	74	-46	6.8	50	4.2	5	1.4	20970	10.0	19100	35	0.4					
56-43.8117-105.5142-2-15-	0-W10063	56270	-0.07	595	2789	60	-44	5.1	45	3.8	5	1.1	17060	6.1	23070	29	0.4					
56-43.8319-105.5092-2-15-	0-W10065	61550	-0.08	554	7161	78	65	9.1	58	5.0	5	1.5	24360	9.7	19600	40	0.5					
56-43.8306-105.5728-2-15-	0-W10066	53020	-0.07	578	7488	89	-37	9.1	59	5.1	5	1.4	23530	11.7	18170	37	0.6					
56-43.8483-105.6058-2-15-	0-W10067	51790	-0.07	537	49310	64	-50	8.1	53	4.3	5	1.4	21940	6.5	16910	35	0.4					
56-43.8117-105.5986-2-15-	0-W10068	58090	-0.07	588	7519	66	-49	6.1	52	4.7	5	1.2	19390	6.6	21740	29	0.4					
56-43.8072-105.5936-2-15-	0-W10069	56270	-0.08	612	12100	66	-48	6.8	52	4.8	5	1.4	25950	7.7	21100	42	0.4					
56-43.7719-105.6031-2-15-	0-W10070	55010	-0.07	594	1874	92	-46	8.9	59	5.7	5	1.5	27940	11.9	19070	37	0.5					
56-43.9092-105.6478-2-15-	0-W10072	56970	-0.07	623	13830	90	-41	8.1	45	5.3	5	1.2	23460	7.7	19300	34	0.4					
56-43.9633-105.6456-2-15-	0-W10074	63080	-0.08	651	6248	68	80	8.7	51	5.0	5	1.2	23180	6.3	20840	33	0.4					
56-43.5333-105.7094-2-11-	0-W10077	53570	-0.07	653	15300	80	-73	5.9	40	2.5	6	1.3	18580	14.0	18750	37	0.5					
56-43.9478-105.5206-2-15-	0-W10078	50930	-0.03	653	8022	60	-38	6.8	53	3.9	5	1.2	19840	8.8	18370	30	0.3					
56-43.9800-105.5719-2-15-	0-W10080	51580	-0.07	581	10190	70	-40	6.5	41	4.7	5	1.1	20620	7.1	19820	27	0.3					
56-43.9811-105.5650-2-15-	0-W10081	63410	-0.08	623	3993	74	-48	7.8	51	4.1	6	1.2	21750	7.5	19620	35	0.4					
56-43.9458-105.5619-2-15-	0-W10082	59400	-0.08	568	7804	72	-44	7.2	59	4.8	6	1.3	25950	8.4	21170	34	0.4					
56-43.9422-105.5439-2-15-	0-W10083	56110	-0.07	523	10480	99	-38	9.7	64	5.7	5	1.6	29160	10.3	17700	42	0.5					
56-43.9139-105.5536-2-15-	0-W10084	34860	-0.05	577	4913	73	107	4.6	35	2.5	5	1.2	13960	14.8	19450	33	0.5					
56-43.9719-105.5125-2-15-	0-W10085	51120	-0.08	423	70270	56	188	7.2	34	3.4	4	0.9	18420	3.5	13380	28	0.3					
56-43.9911-105.5261-2-15-	0-W10086	64320	-0.09	576	6363	77	-56	9.5	51	5.4	6	1.4	26420	9.3	19000	33	0.5					
56-43.5314-105.6842-2-15-	0-W10087	58960	-0.07	716	9549	88	-43	7.9	61	4.4	5	1.5	24250	10.4	21090	43	0.5					
56-43.5239-105.6894-2-15-	0-W10088	61740	-0.07	640	9193	77	-36	8.6	51	6.1	5	1.7	26410	8.3	19540	36	0.5					
56-43.5031-105.6708-2-15-	0-W10089	55300	-0.07	624	3563	79	-53	6.7	52	2.9	4	1.2	18890	8.9	20140	36	0.4					
56-43.5014-105.6731-2-15-	0-W10090	63010	-0.08	664	8302	76	-50	7.7	50	5.0	5	1.5	26150	9.4	21790	38	0.4					
56-43.5064-105.7227-2-15-	0-W10091	54530	-0.07	620	3444	85	-43	10.1	59	5.7	6	1.4	26940	10.9	19690	41	0.5					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

④

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)														U/Th RATIO	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB. SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)														
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn
56-43.7281-105.5275-2-15-			0-W10002			15620	878	2930	-27	-2	6.7	3.4	865	-1	-1	8.1	1874	73	-1.3	-43	0.458
56-43.6917-105.7242-2-15-			0-W10010			15300	212	1565	-26	-2	6.6	3.8	-190	-1	-1	8.7	3043	74	2.8	107	0.377
56-43.6917-105.6494-2-15-			0-W10017			12710	296	1620	72	-2	7.7	6.0	-175	-1	-1	11.5	2821	71	3.9	137	0.299
56-43.8964-105.5497-2-15-			0-W10020			11960	380	1243	76	-2	8.7	6.5	-210	-1	-1	13.4	3086	73	4.1	113	0.287
56-43.9044-105.5283-2-15-			0-W10021			14840	364	2643	76	-2	7.9	6.3	-209	-1	-1	11.9	2774	79	3.7	112	0.347
56-43.9083-105.5167-2-15-			0-W10022			12570	475	1788	-24	-2	7.5	6.5	-221	-1	-1	10.1	3333	94	4.1	105	0.351
56-43.8639-105.5831-2-15-			0-W10024			12220	372	2529	-26	-2	7.7	5.7	-197	-1	-1	11.0	2954	73	3.4	139	0.308
56-43.7600-105.5461-2-15-			0-W10025			15510	291	1865	80	-2	8.1	6.2	-189	-1	-1	12.6	2724	71	5.0	114	0.272
56-43.7797-105.5103-2-15-			0-W10028			16490	322	1586	59	-2	7.6	6.9	-184	-1	-1	10.9	2995	81	4.2	111	0.310
56-43.5261-105.5500-2-15-			0-W10034			16310	537	5831	42	-2	6.5	8.7	-235	-1	-1	26.9	4859	51	5.3	-59	0.192
56-43.5478-105.5653-2-11-			0-W10035			10700	2912	3672	99	-2	8.4	7.0	-597	-2	-1	15.0	2198	62	2.6	184	0.228
56-43.5681-105.6053-2-15-			0-W10036			10710	210	2812	77	-2	9.4	6.6	-177	-1	-1	17.5	3352	87	4.7	87	0.287
56-43.5778-105.6211-2-15-			0-W10037			11660	238	2565	82	-2	9.1	6.2	-182	-1	-1	14.8	3362	88	4.9	-38	0.316
56-43.6197-105.6003-2-15-			0-W10039			10650	293	1347	66	-2	8.2	4.6	-183	-1	-1	11.3	3840	99	3.5	149	0.334
56-43.6244-105.5997-2-15-			0-W10040			11160	414	3645	70	-2	7.3	5.6	-211	-1	-1	12.7	2837	65	3.8	127	0.252
56-43.6203-105.5767-2-15-			0-W10041			14330	362	1325	191	-2	10.6	-0.8	-216	-1	-1	15.8	3427	101	4.5	93	0.328
56-43.5675-105.6156-2-15-			0-W10042			14260	281	2808	75	-2	10.0	9.0	-180	-1	-1	23.0	4617	110	5.2	112	0.415
56-43.5483-105.5650-2-15-			0-W10044			9682	272	1667	66	-2	7.0	5.5	-168	-1	-1	13.0	3784	77	4.3	93	0.331
56-43.5633-105.6769-2-15-			0-W10045			9684	212	2133	67	-2	7.7	4.8	-147	-1	-1	11.9	2780	78	2.8	73	0.309
56-43.5878-105.6933-2-15-			0-W10046			10420	258	1372	97	-2	8.8	6.5	-184	-1	-1	13.2	2920	87	4.4	156	0.278
56-43.5756-105.5272-2-15-			0-W10050			18170	331	3066	67	-1	7.0	7.2	-183	-1	-1	16.4	3707	57	4.4	-13	0.234
56-43.5114-105.6031-2-15-			0-W10053			13150	330	1503	56	-2	7.2	5.4	-197	-1	-1	11.4	3438	87	2.8	111	0.418
56-43.5319-105.6281-2-15-			0-W10055			14530	251	1143	107	-2	11.8	7.1	-193	-1	-1	17.2	3617	106	3.1	120	0.274
56-43.5872-105.7136-2-15-			0-W10057			17710	215	2106	56	-1	7.4	4.9	-164	-1	-1	13.4	3199	65	3.6	126	0.325
56-43.5669-105.7989-2-11-			0-W10058			15650	175	3686	-31	-2	7.1	6.1	-199	-1	-1	11.2	3155	98	3.3	114	0.830
56-43.5403-105.8006-2-15-			0-W10059			12680	218	3967	60	-2	7.9	5.2	-169	-1	-1	13.2	3083	73	5.0	-101	0.274
56-43.5258-105.7925-2-15-			0-W10060			12350	535	2321	72	-1	7.7	6.4	-248	-1	-1	15.5	3308	65	5.1	-71	0.517
56-43.5825-105.7600-2-15-			0-W10062			10280	337	3123	73	-1	7.5	5.9	-199	-1	-1	12.7	3445	69	3.9	116	0.274
56-43.8117-105.5142-2-15-			0-W10063			10660	201	2129	51	-2	6.9	4.6	-168	-1	-1	9.8	3339	84	3.4	123	0.317
56-43.8319-105.5092-2-15-			0-W10065			12880	337	1504	85	-2	9.2	6.3	-195	-1	-1	12.5	3250	84	3.5	136	0.276
56-43.8306-105.5728-2-15-			0-W10066			13390	296	1836	76	-2	8.7	6.1	-189	-1	-1	12.1	3061	70	4.8	104	0.268
56-43.8483-105.6058-2-15-			0-W10067			14330	467	2038	85	-2	7.8	7.5	-240	-1	-1	12.2	2680	81	3.4	113	0.357
56-43.8117-105.5986-2-15-			0-W10068			18840	301	1971	76	-2	6.8	5.2	-184	-1	-1	9.1	3408	87	3.2	-28	0.351
56-43.8072-105.5936-2-15-			0-W10069			15860	240	2107	63	-2	8.0	5.4	-163	-1	-1	10.7	3132	78	3.7	107	0.320
56-43.7719-105.6031-2-15-			0-W10070			13300	378	2322	78	-2	9.1	6.8	-219	-1	-1	14.1	2768	81	4.2	101	0.226
56-43.9092-105.6478-2-15-			0-W10072			17660	357	1456	82	-2	8.4	7.8	-204	-1	1	11.3	3673	85	2.8	-65	0.304
56-43.9633-105.6456-2-15-			0-W10074			17240	434	2566	82	-2	7.8	5.8	-245	-1	-1	11.1	3545	92	-2.0	-41	0.400
56-43.5333-105.7094-2-11-			0-W10077			13530	383	5393	61	-2	6.2	5.8	-215	-1	-1	14.6	3050	57	4.0	-69	0.290
56-43.9478-105.5206-2-15-			0-W10078			12430	362	1649	83	-1	7.0	5.3	-203	-1	-1	11.1	2900	75	2.8	87	0.281
56-43.9800-105.5719-2-15-			0-W10080			12370	302	1424	74	-2	7.3	5.2	-193	-1	-1	11.4	3041	79	3.8	112	0.296
56-43.9811-105.5650-2-15-			0-W10081			13550	389	1660	74	-2	7.4	5.3	-230	-1	-1	10.9	3791	98	2.8	120	0.328
56-43.9458-105.5619-2-15-			0-W10082			11340	295	1548	74	-2	9.1	6.1	-179	-1	-1	13.1	3210	88	3.9	157	0.254
56-43.9422-105.5439-2-15-			0-W10083			14190	313	1451	104	-2	9.6	6.6	-198	-1	-1	13.5	2827	88	4.8	124	0.265
56-43.9139-105.5536-2-15-			0-W10084			8654	256	2678	55	-1	5.0	6.0	-169	-1	-1	10.2	3135	46	4.1	84	0.297
56-43.9719-105.5125-2-15-			0-W10085			17580	486	3854	-28	-2	6.1	2.2	807	-1	1	4.7	2237	76	2.5	88	1.500
56-43.9911-105.5261-2-15-			0-W10086			12950	368	2483	90	-2	9.4	6.6	-213	-1	-1	13.3	3341	90	3.2	155	0.273
56-43.5314-105.6842-2-15-			0-W10087			14980	289	2807	76	-2	8.6	6.2	-193	-1	-1	13.5	3087	81	3.8	-89	0.278
56-43.5239-105.6894-2-15-			0-W10088			15220	249	1380	82	-2	9.6	8.5	-178	-1	-1	14.7	3542	93	3.4	130	0.291
56-43.5031-105.6708-2-15-			0-W10089			9443	305	3349	70	-2	6.8	4.9	-180	-1	-1	13.6	3165	73	3.4	106	0.478
56-43.5014-105.6731-2-15-			0-W10090			13460	275	2540	90	-2	8.6	6.1	-179	-1	-1	14.3	3215	88	3.5	154	0.435
56-43.5964-105.7247-2-15-			0-W10091			12090	329	1394	72	-2	9.2	6.0	-224	-1	-1	12.5	2978	79	6.7	109	0.318

[illegible]

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43	5764	-105.8653	-2-15-	0-W10092	-5	-5	-5	25	-20	-15	5	-10	-15	2	26			
56-43	5350	-105.8289	-2-15-	0-W10094	-5	5	-5	27	-20	-15	7	-10	-15	1	27			
56-43	5297	-105.8256	-2-15-	0-W10095	-5	-5	-5	18	-20	-15	9	-10	-15	2	25			
56-43	7406	-105.7344	-2-15-	0-W10100	-5	-5	-5	32	-20	20	-5	-10	-15	2	32			
56-43	7936	-105.6553	-2-15-	0-W10102	-5	8	-5	31	-20	30	10	-10	-15	2	37			
56-43	8389	-105.7147	-2-15-	0-W10106	-5	-5	-5	19	-20	-15	7	-10	-15	2	29			
56-43	8606	-105.6931	-2-15-	0-W10107	-5	6	-5	35	-20	-15	10	-10	-15	2	29			
56-43	9083	-105.6769	-2-15-	0-W10111	-5	6	-5	33	-20	18	6	-10	-15	1	35			
56-43	9828	-105.6503	-2-15-	0-W10112	-5	-5	-5	34	-20	-15	10	-10	-15	2	33			
56-43	9986	-105.6275	-2-15-	0-W10114	-5	-5	-5	21	-20	-15	10	-10	-15	2	30			
56-43	8517	-105.7903	-2-15-	0-W10119	-5	-5	-5	26	-20	25	12	-10	-15	2	26			
56-43	9014	-105.7544	-2-15-	0-W10121	-5	-5	-5	25	-20	-15	13	-10	-15	2	30			
56-43	9731	-105.6989	-2-15-	0-W10126	-5	-5	-5	28	-20	17	17	-10	-15	2	31			
56-43	9894	-105.7492	-2-15-	0-W10128	-5	-5	-5	31	-20	-15	-5	-10	-15	2	32			
56-43	5464	-105.9078	-2-15-	0-W10130	-5	-5	-5	15	-20	-15	12	-10	-15	2	29			
56-43	5294	-105.9656	-2-15-	0-W10131	-5	-5	-5	19	-20	15	7	-10	-15	1	19			
56-43	5408	-105.9778	-2-15-	0-W10132	-5	5	-5	24	-20	-15	10	-10	-15	2	24			
56-43	5406	-105.9939	-2-15-	0-W10133	-5	6	-5	17	-20	-15	-5	-10	-15	2	22			
56-43	5631	-105.9603	-2-15-	0-W10134	-5	6	-5	26	-20	-15	6	-10	-15	2	33			
56-43	5792	-105.9117	-2-15-	0-W10135	-5	-5	-5	27	-20	-15	-5	-10	-15	2	27			
56-43	6072	-105.9372	-2-15-	0-W10136	-5	-5	-5	26	-20	-15	6	-10	16	2	21			
56-43	6119	-105.9219	-2-15-	0-W10137	-5	5	-5	37	-20	15	6	-10	-15	2	44			
56-43	6164	-105.9142	-2-15-	0-W10138	-5	5	-5	39	-20	18	9	-10	-15	2	48			
56-43	6436	-105.9572	-2-15-	0-W10139	-5	-5	-5	35	-20	16	6	-10	-15	2	40			
56-43	6661	-105.9908	-2-15-	0-W10140	-5	-5	-5	30	-20	-15	7	-10	-15	2	26			
56-43	6522	-105.9631	-2-15-	0-W10141	-5	-5	-5	24	-20	-15	-5	-10	-15	2	27			
56-43	6181	-105.9608	-2-15-	0-W10142	-5	-5	-5	21	-20	-15	6	-10	-15	2	21			
56-43	6169	-105.9633	-2-15-	0-W10143	-5	5	-5	34	-20	22	12	-10	-15	2	44			
56-43	6228	-105.8575	-2-15-	0-W10144	-5	-5	-5	32	-20	22	8	-10	-15	2	37			
56-43	6233	-105.8550	-2-15-	0-W10145	-5	-5	-5	30	-20	24	-5	-10	-15	2	33			
56-43	6236	-105.8478	-2-15-	0-W10146	-5	5	-5	25	-20	18	5	-10	-15	1	34			
56-43	6153	-105.8350	-2-15-	0-W10147	-5	-5	-5	26	-20	18	6	-10	-15	2	35			
56-43	6197	-105.7664	-2-15-	0-W10148	-5	-5	-5	21	-20	-15	6	-10	-15	2	25			
56-43	9131	-105.8283	-2-15-	0-W10151	-5	4	-5	27	-20	20	-5	-10	-15	2	47			
56-43	9553	-105.8431	-2-15-	0-W10153	-5	5	-5	39	-20	15	9	-10	-15	2	41			
56-43	9317	-105.7700	-2-15-	0-W10155	-5	-5	-5	27	-20	17	13	-10	-15	2	29			
56-43	9483	-105.8147	-2-15-	0-W10156	-5	-5	-5	32	-20	21	8	-10	15	2	32			
56-43	9936	-105.7892	-2-15-	0-W10161	-5	-5	-5	32	-20	16	6	-10	-15	2	32			
56-43	9061	-105.8306	-2-15-	0-W10163	-5	6	-5	27	-20	-15	10	-10	-15	2	38			
56-43	8989	-105.8114	-2-15-	0-W10164	-5	-5	-5	35	-20	17	10	-10	-15	2	42			
56-43	8956	-105.8181	-2-15-	0-W10165	-5	6	-5	31	-20	-15	6	-10	-15	2	40			
56-43	8889	-105.8586	-2-15-	0-W10167	-5	-5	-5	28	-20	-15	10	-10	-15	2	37			
56-43	8819	-105.8594	-2-15-	0-W10168	-5	-5	-5	38	-20	25	12	-10	-15	2	49			
56-43	8733	-105.8631	-2-15-	0-W10169	-5	-5	-5	34	-20	19	5	-10	-15	2	38			
56-43	8656	-105.8303	-2-15-	0-W10170	-5	-5	-5	29	-20	-15	6	-10	-15	2	35			
56-43	8739	-105.8525	-2-15-	0-W10171	-5	-5	-5	29	-20	-15	-5	-10	-15	2	32			
56-43	8206	-105.8558	-2-15-	0-W10173	-5	5	-5	24	-20	-15	8	-10	-15	2	31			
56-43	7833	-105.8419	-2-15-	0-W10175	-5	-5	-5	20	-20	16	-5	-10	-15	2	32			
56-43	7711	-105.8603	-2-15-	0-W10176	-5	8	-5	24	-20	-15	8	-10	-15	2	27			
56-43	7722	-105.8633	-2-15-	0-W10177	-5	-5	-5	16	-20	16	9	-10	-15	2	38			
56-43	7255	-105.8519	-2-15-	0-W10179	-5	-5	-5	26	-20	-15	7	-10	-15	2	28			

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.5764-105.8653-2-15-			0-W10092			49130	-0.06	554	6547	74	-45	7.7	50	2.8	5	1.4	19950	10.9	20230	36	0.5	
56-43.5350-105.8289-2-15-			0-W10094			50430	-0.04	572	14930	98	-39	6.6	55	3.6	6	1.4	20900	15.1	21130	35	0.5	
56-43.5297-105.9255-2-15-			0-W10095			84000	-0.08	537	17630	71	147	8.4	51	4.1	6	1.3	23530	11.2	18180	41	0.4	
56-43.7406-105.7344-2-15-			0-W10100			122600	-0.07	602	9251	85	-41	7.7	56	5.7	6	1.4	24500	9.8	15970	33	0.4	
56-43.7936-105.5553-2-15-			0-W10102			123800	-0.08	676	4727	68	-63	7.5	51	4.7	6	1.2	21800	6.9	26000	31	0.3	
56-43.8389-105.7147-2-15-			0-W10106			116300	-0.09	599	12520	72	137	7.8	55	4.7	6	1.3	24320	8.5	20650	34	0.5	
56-43.8606-105.6931-2-15-			0-W10107			120200	-0.07	654	16080	87	-50	8.0	58	6.0	6	1.6	27300	9.3	23220	32	0.5	
56-43.9083-105.6769-2-15-			0-W10111			95920	-0.07	599	16990	82	-39	8.0	53	4.9	4	1.3	24310	9.4	17220	35	0.5	
56-43.9828-105.6503-2-15-			0-W10112			134300	-0.09	720	21540	67	-67	7.4	62	5.4	7	1.3	26380	5.2	24020	32	0.4	
56-43.9986-105.6275-2-15-			0-W10114			95240	-0.08	563	9771	88	-58	7.6	50	4.0	5	1.2	22190	10.1	18210	34	0.4	
56-43.8517-105.7903-2-15-			0-W10119			93360	-0.07	559	5194	98	-51	7.9	60	5.7	5	1.6	24630	10.6	21080	38	0.4	
56-43.9014-105.7544-2-15-			0-W10121			131400	-0.07	761	13070	65	-51	5.6	54	3.8	7	1.5	19840	8.6	22990	30	0.4	
56-43.9731-105.6989-2-15-			0-W10126			98160	-0.07	480	14730	74	-48	7.0	43	3.7	5	1.2	20610	8.8	17120	36	0.5	
56-43.9894-105.7492-2-15-			0-W10128			56490	-0.05	581	13010	87	-44	16.8	57	8.8	5	2.4	29890	10.4	17710	39	0.3	
56-43.5464-105.9078-2-15-			0-W10130			53680	-0.08	586	6405	70	-46	4.6	35	3.7	5	1.1	17680	8.0	19640	30	0.3	
56-43.5294-105.9656-2-15-			0-W10131			42310	-0.14	491	134400	40	-93	-2.7	-19	-3.5	3	-0.5	20900	4.3	13580	-13	-0.2	
56-43.5408-105.9778-2-15-			0-W10132			53670	-0.06	544	5318	79	-44	7.1	46	3.8	5	1.3	19980	12.1	19350	30	0.4	
56-43.5406-105.9939-2-15-			0-W10133			49900	-0.08	580	24930	75	101	5.6	45	2.7	5	1.1	16920	10.4	18040	37	0.3	
56-43.5631-105.9603-2-15-			0-W10134			57280	-0.16	477	35690	56	83	6.9	45	-3.7	5	-0.6	25700	5.3	18620	-13	0.5	
56-43.5792-105.9117-2-15-			0-W10135			45380	-0.15	420	114800	39	-68	7.5	54	-3.3	4	-0.5	20490	5.6	15780	-14	-0.2	
56-43.6072-105.9372-2-15-			0-W10136			47310	-0.05	599	16420	68	-39	5.9	42	3.2	5	1.5	19270	12.3	18210	29	0.4	
56-43.6119-105.9219-2-15-			0-W10137			68750	-0.09	523	25110	72	85	8.2	54	5.2	5	1.3	25340	4.9	19050	36	0.4	
56-43.6164-105.9142-2-15-			0-W10138			71540	-0.17	549	15440	58	-47	9.3	51	7.7	5	1.7	30640	-2.4	19750	-13	0.3	
56-43.6436-105.9572-2-15-			0-W10139			64540	-0.16	543	17420	88	85	10.1	52	-3.6	6	1.1	24900	5.8	21560	-13	-0.2	
56-43.6661-105.9908-2-15-			0-W10140			51330	-0.05	577	17040	69	-38	7.1	43	3.9	5	1.2	20640	8.0	17800	31	0.3	
56-43.6522-105.9631-2-15-			0-W10141			47190	-0.07	545	17350	64	-37	4.9	30	3.2	5	1.2	15940	8.5	19630	27	0.3	
56-43.6181-105.9609-2-15-			0-W10142			46170	-0.12	631	16130	63	-42	5.8	44	-2.6	5	1.5	18950	11.7	18290	20	0.4	
56-43.6169-105.9633-2-15-			0-W10143			58260	-0.13	567	13590	65	-36	10.3	58	-3.0	5	1.4	29300	8.1	19100	26	0.4	
56-43.6228-105.8575-2-15-			0-W10144			60050	-0.07	502	28320	73	-51	8.0	54	5.1	5	1.3	24110	5.6	19620	31	0.4	
56-43.6233-105.8550-2-15-			0-W10145			64380	-0.09	585	17590	67	-38	7.2	50	4.8	6	1.5	23020	7.2	21970	33	0.4	
56-43.6236-105.8478-2-15-			0-W10146			51470	-0.16	554	46800	52	-70	10.0	41	8.7	5	1.3	25060	6.9	17700	-14	-0.2	
56-43.6153-105.8350-2-15-			0-W10147			57410	-0.14	570	7444	67	63	6.9	84	-2.9	6	0.5	22490	9.6	19480	27	-0.2	
56-43.6197-105.7664-2-15-			0-W10148			62320	-0.06	695	6344	73	-50	6.6	41	4.4	5	1.3	23390	8.4	21180	32	0.3	
56-43.9131-105.8283-2-15-			0-W10151			57550	-0.17	539	21830	60	-65	9.0	-20	-3.7	5	-0.6	26690	5.4	17150	-11	-0.2	
56-43.9553-105.8431-2-15-			0-W10153			61690	-0.16	576	21020	65	-56	8.9	56	-3.9	6	-0.5	25060	5.2	17810	-14	-0.2	
56-43.9317-105.7700-2-15-			0-W10155			53140	-0.06	549	4457	82	-53	7.7	48	3.0	5	1.3	21350	10.1	20920	32	0.3	
56-43.9483-105.8147-2-15-			0-W10156			61950	-0.09	607	14870	63	-47	6.2	41	4.8	5	1.2	19940	4.9	20000	32	0.3	
56-43.9936-105.7892-2-15-			0-W10161			61640	-0.16	544	15970	53	-52	9.3	52	6.8	5	1.2	25530	4.9	17300	-12	-0.2	
56-43.9061-105.8305-2-15-			0-W10163			59890	-0.15	623	23630	68	113	-2.3	69	-3.9	6	1.8	25890	5.9	18110	-13	-0.2	
56-43.8989-105.8114-2-15-			0-W10164			60040	-0.06	569	14950	79	-48	7.3	52	5.0	5	1.6	25040	7.9	21410	34	0.3	
56-43.8956-105.8181-2-15-			0-W10165			52660	-0.09	547	28540	67	-64	8.8	44	3.5	5	1.2	20350	5.5	16320	27	0.3	
56-43.8889-105.8586-2-15-			0-W10167			55830	-0.15	553	7141	52	-51	8.6	40	4.8	5	1.3	22460	8.3	21230	-13	0.4	
56-43.8819-105.8594-2-15-			0-W10169			69590	-0.16	476	26560	70	-51	12.6	-18	-3.7	6	0.9	26160	5.1	20810	35	0.5	
56-43.8733-105.8631-2-15-			0-W10169			57010	-0.06	627	34350	62	-49	7.9	51	4.8	5	1.4	23050	7.8	19340	31	0.4	
56-43.8656-105.8303-2-15-			0-W10170			56250	-0.09	542	29570	65	-55	6.0	46	4.5	5	1.2	19860	6.4	22840	30	0.3	
56-43.8737-105.8525-2-15-			0-W10171			51810	-0.14	627	17120	67	-55	-1.9	48	5.1	4	1.4	21580	8.7	21980	26	0.4	
56-43.8206-105.8558-2-15-			0-W10173			54110	-0.14	598	4336	61	-52	6.4	49	-3.1	5	1.4	21650	8.4	21430	48	0.6	
56-43.7833-105.8419-2-15-			0-W10175			55540	-0.06	600	9871	75	-50	8.1	49	4.1	5	1.3	23850	9.0	23950	34	0.3	
56-43.7711-105.8603-2-15-			0-W10176			47920	-0.08	659	14780	70	-45	4.9	41	2.7	6	1.3	17930	13.9	19340	34	0.5	
56-43.7722-105.8633-2-15-			0-W10177			64790	-0.04	722	6287	91	-70	9.7	69	4.7	6	1.0	25720	13.8	25260	39	0.6	
56-43.7424-105.8633-2-15-			0-W10178			66320	-0.15	538	5377	82	-49	9.2	69	-3.3	6	1.7	27150	7.7	22790	45	0.4	

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

4

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)																U/Th RATIO
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)																
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn		
56-43.5764-105.8653-2-15-	0-W10092	14830	486	2388	88	-2	7.1	6.8	-235	-1	-1	11.0	3126	65	4.1	-95	0.289						
56-43.5350-105.8289-2-15-	0-W10094	14450	364	1888	46	-1	7.1	7.6	-193	-1	-1	14.6	3525	68	3.7	-28	0.309						
56-43.5297-105.8256-2-15-	0-W10095	15270	200	2427	55	-2	7.9	6.5	-161	-1	-1	13.7	3438	85	3.4	96	0.285						
56-43.7406-105.7344-2-15-	0-W10100	15380	376	1283	-27	-2	8.4	6.5	-216	-1	-1	12.3	4913	141	2.9	95	0.278						
56-43.7936-105.6553-2-15-	0-W10102	18730	312	3415	82	-2	8.7	5.3	-219	-1	-1	11.7	4826	132	3.9	95	0.342						
56-43.8389-105.7147-2-15-	0-W10106	23490	320	1968	75	-2	8.6	5.6	-201	-1	-1	12.3	3918	128	2.6	143	0.263						
56-43.8606-105.6931-2-15-	0-W10107	19200	344	2423	101	-2	9.2	6.8	-230	-1	-1	13.3	4383	135	5.3	128	0.249						
56-43.9083-105.6769-2-15-	0-W10111	16900	369	1580	98	-2	8.9	6.3	-207	-1	-1	11.9	3375	106	4.2	-49	0.294						
56-43.9828-105.6503-2-15-	0-W10112	26430	411	2452	99	-2	9.0	4.7	-254	-1	-1	11.4	5940	156	3.8	142	0.408						
56-43.9986-105.6275-2-15-	0-W10114	13940	388	3054	96	-2	8.0	5.8	-209	-1	-1	12.3	3592	101	4.1	108	0.249						
56-43.8517-105.7903-2-15-	0-W10119	15020	271	3257	118	-2	8.5	6.1	-207	-1	-1	12.6	3300	94	4.7	189	0.241						
56-43.9014-105.7544-2-15-	0-W10121	21070	428	2554	72	-2	7.6	5.6	-254	-1	-1	11.3	4897	148	4.7	186	0.277						
56-43.9731-105.6989-2-15-	0-W10126	22810	348	2910	68	-2	7.0	5.5	-199	-1	-1	10.9	3840	105	3.2	-48	0.352						
56-43.9894-105.7492-2-15-	0-W10128	25300	378	2179	77	-1	12.0	7.0	223	-2	-1	13.7	2783	73	3.2	195	1.172						
56-43.5464-105.9078-2-15-	0-W10130	12240	284	3387	-27	-2	6.5	4.7	-187	-1	-1	9.8	3656	63	3.0	-25	0.342						
56-43.5294-105.9656-2-15-	0-W10131	14530	1036	1162	-63	-3	6.0	2.5	659	-3	-1	6.5	1862	57	-2.8	-76	0.591						
56-43.5408-105.9778-2-15-	0-W10132	10840	328	2400	-22	-1	7.2	6.1	-207	-1	-1	12.3	2878	67	3.8	137	0.272						
56-43.5406-105.9939-2-15-	0-W10133	16490	459	2422	-29	-2	6.1	5.5	-216	-1	-1	12.1	3393	67	4.5	57	0.984						
56-43.5631-105.9603-2-15-	0-W10134	23510	509	1430	-61	-3	8.0	4.6	-244	-4	-2	10.7	3067	78	-2.9	-87	0.488						
56-43.5792-105.9117-2-15-	0-W10135	19520	336	1223	-55	-3	6.4	3.1	644	-3	-1	8.4	2290	64	-3.0	-104	1.279						
56-43.6072-105.9372-2-15-	0-W10136	11570	340	1759	68	-1	6.5	6.5	-190	-1	-1	11.7	3151	61	3.9	-21	0.304						
56-43.6119-105.9219-2-15-	0-W10137	26640	369	1222	82	-2	9.1	4.9	-213	-1	-1	11.4	3441	102	2.6	53	0.390						
56-43.6164-105.9142-2-15-	0-W10138	24130	377	1005	-63	-4	10.5	5.7	-221	-3	-2	11.6	3731	105	4.0	-86	0.483						
56-43.6436-105.9572-2-15-	0-W10139	19490	317	1143	-59	-4	10.1	5.3	-191	-3	-1	10.7	3177	94	-3.0	-95	0.434						
56-43.6661-105.9908-2-15-	0-W10140	19100	304	1508	99	-1	7.1	5.7	-186	-1	-1	10.8	2908	74	2.8	114	0.386						
56-43.6522-105.9631-2-15-	0-W10141	17150	314	1604	-24	-2	5.6	4.8	-176	-1	1	9.5	2999	64	2.8	54	0.395						
56-43.6181-105.9608-2-15-	0-W10142	15510	362	1595	-41	-3	6.6	5.6	-174	-2	-1	12.3	3393	65	4.5	-10	0.350						
56-43.6169-105.9633-2-15-	0-W10143	15350	237	1163	-51	-3	8.9	6.2	-151	-3	-2	12.4	2745	83	3.2		0.757						
56-43.6228-105.8575-2-15-	0-W10144	20190	495	1707	74	-2	8.6	6.5	-271	-1	-1	11.2	2765	82	2.7	147	0.426						
56-43.6233-105.8550-2-15-	0-W10145	21710	300	1127	60	-2	8.2	5.1	-194	-1	-1	12.0	3493	91	3.3	-55	0.314						
56-43.6236-105.8478-2-15-	0-W10146	17760	493	2150	-60	-4	7.4	4.3	569	-4	-2	9.0	2927	82	-3.5		0.440						
56-43.6153-105.8350-2-15-	0-W10147	13660	258	1607	-49	-3	8.5	4.7	-163	-2	-1	14.2	3182	77	-2.6	-56	0.259						
56-43.6197-105.7664-2-15-	0-W10148	13870	295	2650	76	-1	8.0	5.9	-209	-1	-1	11.0	3229	83	3.5	-29	0.275						
56-43.9131-105.8283-2-15-	0-W10151	22440	477	2960	-64	-4	8.1	5.3	388	-4	2	10.4	3935	87	-3.3	-104	0.380						
56-43.9553-105.8431-2-15-	0-W10153	19690	263	2378	-61	-4	9.7	4.8	-194	-3	-1	11.4	3153	93	-3.2	-65	0.662						
56-43.9317-105.7700-2-15-	0-W10155	12440	358	4124	58	-1	7.3	5.8	-223	-1	-1	11.1	3238	65	4.5	-75	0.289						
56-43.9483-105.8147-2-15-	0-W10156	19760	279	2528	-30	-2	7.7	4.6	-190	-1	-1	10.4	3441	91	3.5	-104	0.359						
56-43.9936-105.7892-2-15-	0-W10161	16750	249	2164	-60	-4	9.0	5.1	-180	-3	-2	11.5	3279	90	-3.1	-57	0.393						
56-43.9061-105.8306-2-15-	0-W10163	21360	348	2822	-63	-4	9.2	4.2	-218	-3	-1	12.1	3276	83	-3.2	-95	0.373						
56-43.8989-105.8114-2-15-	0-W10164	17350	338	2469	77	-2	8.8	6.2	-218	-1	-1	12.4	3657	93	3.8	-109	0.295						
56-43.8956-105.8181-2-15-	0-W10165	17100	713	3400	73	-2	7.0	4.7	-288	-1	-1	10.6	3519	84	-1.9	-30	0.374						
56-43.8889-105.8586-2-15-	0-W10167	14920	307	2483	-56	-3	8.1	3.6	-188	-3	-2	9.8	3283	78	-3.1		0.363						
56-43.8819-105.8594-2-15-	0-W10168	23090	161	1942	-56	-4	11.0	5.6	362	-3	-1	12.9	3149	104	-3.1	-59	0.410						
56-43.8733-105.8631-2-15-	0-W10169	17390	358	2355	96	-1	8.0	6.3	-216	-1	-1	12.3	2935	81	3.6	118	0.432						
56-43.8656-105.8303-2-15-	0-W10170	15740	271	2326	93	-2	7.3	5.5	-202	-1	-1	10.3	3680	79	3.4	284	0.295						
56-43.8739-105.8525-2-15-	0-W10171	15210	337	3318	-53	-3	7.4	5.4	-188	-2	-1	11.1	3200	72	-2.8	-39	0.314						
56-43.8206-105.8558-2-15-	0-W10172	12720	326	2744	-49	-3	8.1	5.7	-194	-3	-1	11.6	3104	75	-2.4	-43	0.295						
56-43.7833-105.8419-2-15-	0-W10175	14030	348	3074	-27	-1	7.7	5.4	-229	-1	-1	12.3	3215	76	3.0	131	0.433						
56-43.7711-105.8603-2-15-	0-W10176	13260	374	2790	70	-2	6.0	5.6	-192	-1	-1	12.0	3299	72	3.2		0.347						
56-43.7722-105.8633-2-15-	0-W10177	14130	477	4086	77	-1	9.4	6.8	-259	-1	-1	14.3	4365	87	4.3	75	0.240						
56-43.7722-105.8633-2-15-	0-W10178	14240	305	2320	-55	-3	9.4	5.6	-149	-3	-1	11.6	3124	88	-2.7	-70	0.366						

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

①

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																		U CONCENTRATION											
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCINTILLOMETER (eU/ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC)	UNITS IN ppm
							DATE	HOUR																											
56-43.8353-105.7972-2-15-			0-W10181-10/07/77-16-			9-									27-1-1-5-8-	-1-	-1-4-3-1-4-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.95	
56-43.7975-105.7853-2-15-			0-W10182-10/07/77-16-			8-									19-1-1-6-8-	-1-	-1-4-3-1-4-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.23	
56-43.7611-105.7931-2-15-			0-W10184-10/07/77-17-			5-									22-1-1-6-6-	-1-	-1-4-3-1-4-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.25	
56-43.7764-105.8258-2-15-			0-W10185-10/07/77-18-			5-									23-1-1-5-6-	-1-	-1-4-3-1-4-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.86	
56-43.7892-105.7736-2-15-			0-W10187-10/08/77-11-			8-									16-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.66	
56-43.8233-105.9014-2-15-			0-W10189-10/08/77-14-			12-									18-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.73	
56-43.8331-105.9056-2-15-			0-W10190-10/08/77-14-			12-									16-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.76	
56-43.8325-105.8972-2-15-			0-W10193-10/08/77-16-			11-									11-1-1-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.41	
56-43.8961-105.9592-2-15-			0-W10196-10/09/77-9-			9-									16-1-1-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.64	
56-43.8978-105.9756-2-15-			0-W10198-10/09/77-10-			9-									16-1-1-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.85	
56-43.9128-105.9514-2-15-			0-W10199-10/09/77-11-			9-									17-1-6-5-6-	-1-	-2-4-3-1-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.99	
56-43.9208-105.9606-2-15-			0-W10200-10/09/77-12-			13-									12-1-1-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.48	
56-43.9633-105.9917-2-15-			0-W10201-10/09/77-12-			14-									13-1-1-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.83	
56-43.9794-105.9317-2-15-			0-W10204-10/09/77-18-			4-									-1-1-5-6-	-1-	-1-4-3-1-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.18	
56-43.9736-105.9497-2-15-			0-W10205-10/09/77-18-			4-									11-1-1-5-6-	-1-	-1-4-3-1-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.01	
56-43.9083-105.9003-2-15-			0-W10206-10/10/77-12-			-									15-1-1-5-6-	-1-	-1-4-3-1-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.03	
56-43.8703-105.9319-2-15-			0-W10208-10/10/77-13-			-									23-1-1-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.60	
56-43.8136-105.9847-2-15-			0-W10210-10/10/77-15-			2-									19-1-4-4-6-	-1-	-2-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.25	
56-43.8558-105.9775-2-15-			0-W10211-10/10/77-16-			2-									13-1-4-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.61	
56-43.8417-105.8781-2-15-			0-W10213-10/10/77-18-			-1-									17-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.76	
56-43.7583-105.9125-2-15-			0-W10214-10/11/77-9-			2-									27-1-1-4-6-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.47	
56-43.7569-105.9153-2-15-			0-W10215-10/11/77-9-			2-									30-1-1-4-6-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.10	
56-43.7672-105.9381-2-15-			0-W10216-10/11/77-10-			3-									13-1-1-5-6-	-1-	-2-4-3-1-1-	-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.49	
56-43.7572-105.9658-2-15-			0-W10217-10/11/77-11-			4-									15-1-1-5-6-	-1-	-1-4-3-1-1-	-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.31	
56-43.7475-105.9800-2-15-			0-W10220-10/11/77-12-			6-									19-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.68	
56-43.7672-105.4181-2-15-			0-W10222-10/18/77-13-			24-									11-1-1-4-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.78	
56-43.7597-105.3856-2-15-			0-W10224-10/18/77-14-			24-									18-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.85	
56-43.2789-105.9194-2-15-			0-W10227-10/19/77-12-			22-									18-1-1-4-1-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.25	
56-43.3422-105.9708-2-15-			0-W10228-10/19/77-13-			23-									8-1-1-4-1-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.26	
56-43.0456-105.5736-2-15-			0-W10234-10/24/77-15-			19-									11-1-1-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.29	
56-43.0542-105.5750-2-15-			0-W10235-10/24/77-15-			19-									23-1-1-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.25	
56-43.0744-105.5108-2-15-			0-W10237-10/24/77-17-			13-									15-1-1-5-6-	-1-	-1-4-3-1-2-	-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.07	
56-43.0728-105.5122-2-15-			0-W10238-10/24/77-17-			13-									17-1-1-5-6-	-1-	-1-4-3-1-2-	-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143.00	
56-43.0758-105.5469-2-15-			0-W10239-10/24/77-18-			10-									13-1-1-5-6-	-1-	-2-4-3-1-2-	-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.41	
56-43.0744-105.5408-2-15-			0-W10240-10/24/77-18-			10-									15-1-1-4-6-	-1-	-2-4-3-1-2-	-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.86	
56-43.0239-105.5056-2-15-			0-W10242-10/25/77-10-			14-									19-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.52	
56-43.0461-105.5497-2-15-			0-W10243-10/25/77-10-			19-									15-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.93	
56-43.1072-105.5242-2-15-			0-W10245-10/25/77-12-			18-									13-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.69	
56-43.1181-105.5097-2-15-			0-W10246-10/25/77-12-			19-									17-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.89	
56-43.1467-105.5117-2-15-			0-W10247-10/25/77-13-			22-									17-1-1-4-6-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.94	
56-43.1386-105.5608-2-15-			0-W10248-10/25/77-14-			23-									17-1-1-5-6-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.53	
56-43.1642-105.5456-2-15-			0-W10250-10/25/77-15-			19-									16-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.24	
56-43.1772-105.5953-2-15-			0-W10255-10/25/77-19-			16-									28-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20.48	
56-43.1072-105.5914-2-15-			0-W10256-10/26/77-9-			14-									17-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.62	
56-43.1339-105.6039-2-15-			0-W10257-10/26/77-9-			16-									16-1-1-4-1-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.77	
56-43.1111-105.6314-2-15-			0-W10258-10/26/77-10-			18-									16-1-1-4-1-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.86	
56-43.1051-105.6647-2-11-			0-W10259-10/26/77-10-			19-			2.0-			7.2-	725-		15-1-1-6-8-2-3-1-	-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13.36	
56-43.1103-105.6933-2-11-			0-W10260-10/26/77-11-			21-			6.0-			7.3-	500-		3-1-1-6-6-1-2-1-	-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.48	
56-43.1342-105.6736-2-15-			0-W10261-10/26/77-12-																																

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER							LAS SAMPLE LOCATION NUMBER	ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm			
						Ag		Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li		
56-43.8353-105.7972-2-15-	0-W10181	-5	-5	-5	34	-20	19	13	-10	-15	2	50							
56-43.7975-105.7853-2-15-	0-W10182	-5	5	-5	33	-20	15	11	-10	-15	2	38							
56-43.7611-105.7931-2-15-	0-W10184	-5	-5	-5	21	-20	-15	-5	-10	-15	2	39							
56-43.7764-105.8258-2-15-	0-W10185	-5	6	-5	30	-20	-15	12	-10	-15	2	38							
56-43.7892-105.7736-2-15-	0-W10187	-5	8	-5	31	-20	23	5	-10	-15	2	32							
56-43.8233-105.9014-2-15-	0-W10189	-5	5	-5	38	-20	-15	7	-10	-15	2	30							
56-43.8331-105.9056-2-15-	0-W10190	-5	5	-5	22	-20	-15	10	-10	-15	2	29							
56-43.8325-105.8972-2-15-	0-W10193	-5	-5	-5	14	-20	-15	-5	-10	-15	2	22							
56-43.8961-105.9592-2-15-	0-W10196	-5	-5	-5	39	-20	20	-5	-10	-15	2	33							
56-43.8978-105.9756-2-15-	0-W10198	-5	8	-5	34	-20	-15	5	-10	-15	2	24							
56-43.9128-105.9514-2-15-	0-W10199	-5	-5	-5	37	-20	15	8	-10	-15	2	30							
56-43.9208-105.9606-2-15-	0-W10200	-5	6	-5	31	-20	21	10	-10	-15	2	33							
56-43.9633-105.9917-2-15-	0-W10201	-5	7	-5	25	-20	34	10	-10	-15	2	36							
56-43.9794-105.9317-2-15-	0-W10204	-5	-5	-5	14	-20	-15	5	-10	-15	2	23							
56-43.9736-105.9497-2-15-	0-W10205	-5	7	-5	34	-20	16	10	-10	-15	2	34							
56-43.9083-105.9003-2-15-	0-W10206	-5	7	-5	27	-20	19	11	-10	-15	2	33							
56-43.8703-105.9319-2-15-	0-W10208	-5	-5	-5	29	-20	-15	7	-10	-15	2	23							
56-43.8136-105.9847-2-15-	0-W10210	-5	-5	-5	23	-20	-15	-5	-10	-15	2	21							
56-43.8558-105.9775-2-15-	0-W10211	-5	-5	-5	35	-20	17	7	-10	-15	2	34							
56-43.8417-105.8781-2-15-	0-W10213	-5	-5	-5	26	-20	-15	-5	-10	-15	2	35							
56-43.7583-105.9125-2-15-	0-W10214	-5	6	-5	20	-20	-15	9	-10	-15	2	21							
56-43.7569-105.9153-2-15-	0-W10215	-5	6	-5	24	-20	20	-5	-10	-15	2	31							
56-43.7672-105.9381-2-15-	0-W10216	-5	8	-5	27	-20	-15	5	-10	-15	2	26							
56-43.7572-105.9658-2-15-	0-W10217	-5	6	-5	25	-20	-15	9	-10	-15	2	36							
56-43.7475-105.9860-2-15-	0-W10220	-5	-5	-5	32	-20	25	8	-10	-15	2	33							
56-43.7672-105.4181-2-15-	0-W10222	-5	-5	-5	23	-20	-15	8	-10	-15	2	19							
56-43.7597-105.3856-2-15-	0-W10224	-5	5	-5	23	-20	15	15	-10	-15	2	16							
56-43.2789-105.9194-2-15-	0-W10227	-5	8	-5	-10	-20	-15	-5	-10	-15	1	14							
56-43.3422-105.9708-2-15-	0-W10228	-5	-5	-5	25	-20	-15	-5	-10	-15	2	14							
56-43.0456-105.5736-2-15-	0-W10234	-5	-5	-5	21	-20	-15	6	-10	-15	2	26							
56-43.0542-105.5750-2-15-	0-W10235	-5	-5	-5	33	-20	-15	7	-10	-15	2	32							
56-43.0744-105.5108-2-15-	0-W10237	-5	5	-5	31	-20	-15	8	-10	-15	2	27							
56-43.0728-105.5122-2-15-	0-W10238	-5	-5	-5	31	-20	-15	17	-10	-15	2	28							
56-43.0758-105.5469-2-15-	0-W10239	-5	7	-5	19	-20	-15	8	-10	-15	2	25							
56-43.0744-105.5408-2-15-	0-W10240	-5	-5	-5	14	-20	15	-5	-10	-15	2	24							
56-43.0239-105.5056-2-15-	0-W10242	-5	-5	-5	24	-20	24	-5	-10	-15	2	27							
56-43.0461-105.5497-2-15-	0-W10243	-5	6	-5	26	-20	-15	5	-10	-15	2	24							
56-43.1072-105.5242-2-15-	0-W10245	-5	-5	-5	25	-20	20	8	-10	-15	2	23							
56-43.1181-105.5097-2-15-	0-W10246	-5	5	-5	31	-20	25	10	-10	-15	2	22							
56-43.1467-105.5117-2-15-	0-W10247	-5	6	-5	24	-20	-15	-5	-10	-15	2	20							
56-43.1386-105.5608-2-15-	0-W10249	-5	5	-5	16	-20	-15	8	-10	-15	1	18							
56-43.1642-105.5456-2-15-	0-W10250	-5	-5	-5	27	-20	-15	10	-10	-15	2	27							
56-43.1772-105.5953-2-15-	0-W10255	-5	8	-5	23	-20	17	18	-10	-15	3	44							
56-43.1072-105.5914-2-15-	0-W10256	-5	6	-5	29	-20	24	5	-10	-15	2	23							
56-43.1339-105.6039-2-15-	0-W10257	-5	9	-5	11	-20	-15	9	-10	-15	1	15							
56-43.1111-105.6314-2-15-	0-W10258	-5	-5	-5	28	-20	-15	6	-10	-15	2	22							
56-43.1061-105.6647-2-11-	0-W10259	-5	-5	-5	28	-20	-15	6	-10	-15	2	17							
56-43.1103-105.6933-2-11-	0-W10260	-5	8	-5	23	-20	-15	7	-10	-15	2	26							
56-43.1342-105.6736-2-15-	0-W10261	-5	8	-5	24	-20	21	13	-10	-15	2	24							
56-43.1625-105.6092-2-15-	0-W10264	-5	-5	-5	25	-20	18	7	-10	-15	2	19							
56-43.1814-105.6322-2-15-	0-W10265	-5	7	-5	26	-20	-15	11	-10	-15	2	20							

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)																
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu	
56-43.8353-105.7972-2-15-			0-W10181			70590	-0.08		653	7475	89	-56	9.8	67	7.3	6	1.4	31690	6.2	22520	36	0.4	
56-43.7975-105.7853-2-15-			0-W10182			69040	-0.11		586	9183	57	138	7.3	52	4.7	5	1.3	24380	5.3	19000	35	0.3	
56-43.7611-105.7931-2-15-			0-W10184			54610	-0.04		605	16420	67	-63	8.1	60	4.7	6	1.4	23610	7.9	20210	32	0.4	
56-43.7764-105.8248-2-15-			0-W10185			60380	-0.15		489	8973	72	-61	8.1	67	-3.7	5	1.2	27060	6.2	17180	45	-0.2	
56-43.7892-105.7736-2-15-			0-W10187			58460	-0.06		678	5923	77	-50	7.5	52	4.4	5	1.5	23460	10.5	20990	33	0.5	
56-43.8233-105.9014-2-15-			0-W10189			62750	-0.09		644	31130	69	101	9.1	54	5.2	6	1.4	24030	6.7	23790	30	0.3	
56-43.8331-105.9056-2-15-			0-W10190			46600	-0.13		530	13950	48	-45	7.6	40	-2.9	5	-0.5	16410	7.8	23010	-11	-0.2	
56-43.8325-105.8972-2-15-			0-W10193			47420	-0.13		597	6236	55	-55	7.3	42	-2.9	5	0.5	17380	9.2	20850	22	-0.2	
56-43.8961-105.9592-2-15-			0-W10196			60930	-0.06		802	16770	70	-49	8.6	57	4.9	5	1.4	24550	8.9	21670	34	0.4	
56-43.8978-105.9756-2-15-			0-W10198			51600	-0.07		609	17590	76	-52	5.8	38	3.4	5	1.1	18020	9.3	16100	32	0.4	
56-43.9128-105.9514-2-15-			0-W10199			51740	-0.08		567	18650	67	-54	7.5	54	4.3	5	1.3	21700	8.5	18520	34	0.4	
56-43.9208-105.9606-2-15-			0-W10200			59990	-0.09		613	12540	90	-50	9.3	64	5.2	5	1.7	29450	10.9	23610	40	0.5	
56-43.9633-105.9917-2-15-			0-W10201			68470	-0.09		573	15150	72	-44	10.1	69	6.5	6	1.4	30260	5.9	19810	39	0.4	
56-43.9794-105.9317-2-15-			0-W10204			51550	-0.08		519	12860	50	-72	5.6	37	3.5	4	1.0	17050	6.7	18490	26	0.3	
56-43.9736-105.9497-2-15-			0-W10205			66550	-0.11		559	21090	74	159	9.7	66	5.5	6	1.3	26580	6.7	21020	35	0.4	
56-43.9083-105.9003-2-15-			0-W10206			60760	-0.09		636	8287	91	-49	9.2	70	6.5	5	1.7	28260	7.6	20590	42	0.4	
56-43.8703-105.9319-2-15-			0-W10208			54220	-0.07		596	17080	72	-41	9.0	47	4.3	5	1.3	22970	8.9	19390	32	0.4	
56-43.8136-105.9847-2-15-			0-W10210			44640	-0.07		650	17450	60	-53	4.4	25	2.7	4	1.1	14720	9.1	18320	29	0.3	
56-43.8558-105.9775-2-15-			0-W10211			56300	-0.09		572	23510	67	-54	7.3	53	4.7	6	1.3	21640	7.6	21010	39	0.4	
56-43.8417-105.8781-2-15-			0-W10213			51890	-0.08		575	20520	94	123	8.7	57	4.2	5	1.5	25480	12.7	18240	47	0.4	
56-43.7583-105.9125-2-15-			0-W10214			45770	-0.07		806	16880	91	-41	5.5	36	2.8	6	1.4	20530	18.0	18710	45	0.5	
56-43.7569-105.9153-2-15-			0-W10215			51160	-0.08		651	16990	78	-44	6.5	40	3.2	5	1.3	19500	10.2	18150	33	0.4	
56-43.7672-105.9381-2-15-			0-W10216			53700	-0.09		697	17660	78	-48	7.9	53	4.6	6	1.5	22640	16.4	19900	39	0.5	
56-43.7572-105.9658-2-15-			0-W10217			50400	-0.07		650	19870	75	73	6.7	52	3.4	4	1.2	21410	9.2	20600	32	0.5	
56-43.7475-105.9800-2-15-			0-W10220			67420	-0.09		634	17720	79	-43	8.6	63	5.9	6	1.4	28260	7.3	22900	39	0.5	
56-43.7672-105.4181-2-15-			0-W10222			50870	-0.07		619	4170	84	-67	5.5	35	2.3	5	1.2	15830	13.3	19470	38	0.5	
56-43.7597-105.3856-2-15-			0-W10224			46570	-0.08		619	4896	74	-72	7.0	46	3.7	5	1.3	18360	13.1	19680	37	0.4	
56-43.2789-105.9194-2-15-			0-W10227			29470	-0.07		736	5095	178	-33	4.8	75	2.6	8	2.3	19330	78.3	10140	81	1.1	
56-43.3422-105.9708-2-15-			0-W10228			31520	-0.05		536	1769	52	-25	3.4	34	2.7	5	1.0	9959	17.3	14230	30	0.4	
56-43.0456-105.5736-2-15-			0-W10234			52140	-0.09		580	25420	56	-71	7.9	43	-1.5	4	1.0	18450	6.8	15180	27	0.3	
56-43.0542-105.5750-2-15-			0-W10235			57430	-0.09		596	7780	68	-57	9.9	70	3.4	5	1.2	25920	11.4	19410	36	0.4	
56-43.0744-105.5108-2-15-			0-W10237			63740	-0.09		563	6448	86	-52	10.0	93	4.1	5	1.3	26730	10.1	18230	35	0.4	
56-43.0728-105.5122-2-15-			0-W10238			56420	-0.10		676	25330	129	551	9.5	62	2.9	6	1.8	25430	12.0	14150	120	0.8	
56-43.0758-105.5469-2-15-			0-W10239			55920	-0.08		552	6041	66	-59	7.9	58	2.9	5	1.1	20170	10.4	18640	32	0.4	
56-43.0744-105.5408-2-15-			0-W10240			53290	-0.09		590	5262	98	-59	10.9	76	2.1	7	1.4	23350	22.4	18940	44	0.5	
56-43.0239-105.5056-2-15-			0-W10242			65670	-0.09		593	5624	93	-56	10.1	90	5.0	5	1.4	28990	10.2	16560	44	0.5	
56-43.0461-105.5497-2-15-			0-W10243			57940	-0.09		593	10160	84	148	9.5	80	3.2	6	1.2	25000	13.5	16930	38	0.5	
56-43.1072-105.5242-2-15-			0-W10245			60540	-0.09		556	3754	68	-59	6.7	55	3.1	5	1.0	19620	7.9	19340	29	0.3	
56-43.1181-105.5097-2-15-			0-W10246			67250	-0.10		583	6264	73	-72	11.1	68	2.9	5	1.3	27420	9.5	18790	29	0.4	
56-43.1467-105.5117-2-15-			0-W10247			48920	-0.08		627	7357	117	-57	10.1	114	3.4	8	1.5	25480	28.0	15440	63	0.8	
56-43.1386-105.5609-2-15-			0-W10248			50150	-0.07		611	5347	79	-47	8.4	70	2.7	6	1.3	22030	14.5	17020	43	0.4	
56-43.1642-105.5456-2-15-			0-W10250			57510	-0.08		543	4584	71	-57	7.4	57	2.8	5	1.1	20210	9.5	17590	31	0.4	
56-43.1772-105.5953-2-15-			0-W10255			73120	-0.10		585	5559	84	-50	8.5	65	4.8	5	1.0	23310	6.5	19150	44	0.4	
56-43.1072-105.5914-2-15-			0-W10256			63060	-0.08		620	11510	87	-50	12.1	75	4.9	5	1.4	26720	9.2	19590	44	0.4	
56-43.1339-105.6039-2-15-			0-W10257			36520	-0.06		441	3225	131	-46	5.4	65	-1.0	8	1.5	15860	31.1	15540	68	0.8	
56-43.1111-105.6314-2-15-			0-W10258			50310	-0.07		526	4719	93	-60	5.8	48	2.5	7	1.3	15920	20.1	18260	42	0.6	
56-43.1061-105.6647-2-11-			0-W10259			59420	-0.08		474	10080	93	-75	5.4	42	1.9	6	1.0	22170	18.9	17310	54	0.5	
56-43.1103-105.6933-2-11-			0-W10260			58930	-0.08		506	15400	95	-64	8.9	56	3.4	4	1.5	24450	11.6	20540	41	0.4	
56-43.1342-105.6736-2-15-			0-W10261			56130	-0.07		558	7590	108	-52	7.5	59	3.3	6	1.4	22260	17.0	16750	53	0.5	
56-43.1625-105.6092-2-15-			0-W10264			49830	-0.07		481	14650	54	-62	4.5	35	-1.2	4	0.9	11310	9.3	16210	28	0.3	
56-43.1814-105.6332-2-15-			0-W10265			59640	-0.08		450	8171	85	-53	6.4	52	3.3	6	1.2	20800	15.1	14970	46	0.5	

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

4

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)															U/Th RATIO	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb		Zn
56-43.8353-105.7972-2-15-			0-W10181			17210	504	2361	-29	-2	10.6	6.9	-277	-1	-1	13.7	3443	108	3.1	135	0.361	
56-43.7975-105.7853-2-15-			0-W10182			16070	260	3114	-36	-3	8.8	5.0	-222	-2	-1	10.5	3745	100	2.8	173	0.403	
56-43.7611-105.7931-2-15-			0-W10184			19620	396	2318	82	2	7.9	5.4	-227	-1	-1	10.8	2877	84	2.9	-89	0.301	
56-43.7764-105.8258-2-15-			0-W10185			18400	549	2591	-62	-4	9.1	5.4	-254	-3	-1	13.1	3206	78	-3.0	-84	0.371	
56-43.7892-105.7736-2-15-			0-W10187			14510	303	2735	63	-1	8.5	7.2	-205	-1	-1	12.5	3255	84	2.7	-13	0.293	
56-43.8233-105.9014-2-15-			0-W10189			27200	329	1067	57	-2	8.6	5.6	-209	-1	-1	10.6	3938	85	3.9	-53	0.352	
56-43.8331-105.9056-2-15-			0-W10190			14660	294	1557	-51	-3	6.6	4.0	-171	-2	-1	8.8	3072	64	-2.6	-93	0.427	
56-43.8325-105.8972-2-15-			0-W10193			10130	351	3265	-48	-3	6.6	4.3	-193	-2	-1	10.3	2785	57	-2.4	-66	0.331	
56-43.8961-105.9592-2-15-			0-W10196			19070	335	2206	85	-1	8.4	5.7	-219	-1	-1	13.3	3473	88	3.6	99	0.274	
56-43.8978-105.9756-2-15-			0-W10198			18360	386	2949	43	-2	6.3	5.8	-190	-1	-1	11.6	3601	73	3.9	89	0.332	
56-43.9128-105.9514-2-15-			0-W10199			21020	316	2599	66	-2	7.4	5.4	-184	-1	-1	11.5	2833	75	3.1	157	0.347	
56-43.9208-105.9606-2-15-			0-W10200			17340	368	2746	118	-2	9.8	6.8	-230	-1	-1	14.3	3337	85	4.1	167	0.243	
56-43.9633-105.9917-2-15-			0-W10201			23120	360	2036	70	-2	10.3	6.6	-216	-1	-1	13.5	3926	101	3.8	107	0.284	
56-43.9794-105.9317-2-15-			0-W10204			21270	260	6222	48	-2	5.4	3.9	-192	-1	-1	9.2	2740	50	3.2	118	0.454	
56-43.9736-105.9497-2-15-			0-W10205			21800	355	2983	70	-2	10.0	6.0	-220	-1	-1	13.2	3224	106	3.2	162	0.380	
56-43.9083-105.9003-2-15-			0-W10206			19730	291	2730	99	-2	9.8	6.3	-216	-1	-1	14.4	3413	87	4.9	139	0.419	
56-43.8703-105.9319-2-15-			0-W10209			17300	313	1884	73	-2	7.8	6.2	-190	-1	-1	11.2	3336	81	3.6	135	0.321	
56-43.8136-105.9847-2-15-			0-W10210			14820	338	3348	45	-2	5.0	4.8	-180	-1	-1	9.0	2945	63	2.9	104	0.472	
56-43.8558-105.9775-2-15-			0-W10211			18870	270	2583	60	-2	7.5	5.0	-174	-1	-1	10.7	3106	78	3.3	232	0.524	
56-43.8417-105.8781-2-15-			0-W10213			16990	562	2505	86	-2	8.8	6.2	-267	-1	-1	14.4	2960	75	3.9	178	0.678	
56-43.7583-105.9125-2-15-			0-W10214			13540	410	2257	63	-2	6.7	6.7	-203	-1	1	16.1	3434	60	5.7	142	0.340	
56-43.7569-105.9153-2-15-			0-W10215			14030	351	1559	40	-2	6.5	5.2	-190	-1	-1	11.4	3280	78	4.4	130	0.447	
56-43.7672-105.9381-2-15-			0-W10216			16140	357	1912	84	-2	7.8	7.5	-193	-1	-1	15.2	3980	75	6.1	137	0.361	
56-43.7572-105.9658-2-15-			0-W10217			16210	295	1906	67	-2	7.3	5.9	-188	-1	-1	12.3	2808	62	3.6	131	0.350	
56-43.7475-105.9800-2-15-			0-W10220			19620	328	1545	87	-2	9.7	5.9	-216	-1	1	13.6	3713	103	3.8	138	0.344	
56-43.7672-105.4181-2-15-			0-W10222			7691	334	7492	55	-2	5.3	6.1	-187	-1	-1	16.1	3655	49	3.9	119	0.235	
56-43.7597-105.3856-2-15-			0-W10224			9052	468	5540	65	-2	6.5	6.1	-223	-1	-1	12.4	2972	52	4.7	145	0.391	
56-43.2789-105.9194-2-15-			0-W10227			5106	391	1389	52	-2	6.7	10.7	-183	3	-1	33.4	6654	50	10.2	115	0.217	
56-43.3422-105.9708-2-15-			0-W10228			3948	108	1232	54	-1	4.0	4.5	-106	-1	-1	9.0	3043	45	3.4	69	0.362	
56-43.0456-105.5736-2-15-			0-W10234			15340	401	4621	-25	-2	6.5	4.4	-237	-1	-1	10.0	3220	79	-1.6	91	0.629	
56-43.0542-105.5750-2-15-			0-W10235			13410	273	4198	81	-2	9.7	5.8	-170	-1	-1	15.6	3610	80	3.8	140	0.272	
56-43.0744-105.5108-2-15-			0-W10237			11520	207	4038	56	-2	10.8	6.1	-183	-1	-1	15.5	4011	86	5.0	98	0.327	
56-43.0728-105.5122-2-15-			0-W10238			9582	272	11390	54	-2	10.2	20.9	-225	-2	-1	22.7	3576	169	5.1	190	6.300	
56-43.0758-105.5463-2-15-			0-W10239			11020	261	4692	57	-2	7.7	5.6	-176	-1	-1	13.1	3894	74	2.7	81	0.337	
56-43.0744-105.5408-2-15-			0-W10240			10040	289	4833	-26	-2	9.1	6.4	-175	-1	-1	18.9	4231	76	4.3	122	0.257	
56-43.0239-105.5056-2-15-			0-W10242			13670	243	4734	67	-2	11.4	6.3	-204	-1	-1	16.3	3313	88	3.9	127	0.339	
56-43.0461-105.5497-2-15-			0-W10243			14310	280	5128	-25	-2	9.6	5.7	-197	-1	-1	17.0	4263	86	4.4	93	0.290	
56-43.1072-105.5242-2-15-			0-W10245			12210	233	3931	61	-2	7.9	4.3	-178	-1	-1	12.0	3650	75	4.6	-48	0.308	
56-43.1181-105.5097-2-15-			0-W10246			13660	341	6236	83	-2	10.3	5.5	-205	-1	-1	15.0	3298	91	4.5	159	0.326	
56-43.1467-105.5117-2-15-			0-W10247			3349	425	5208	52	-2	9.4	8.5	-219	-1	-1	26.5	4948	69	6.7	123	0.224	
56-43.1386-105.5608-2-15-			0-W10248			10200	285	4331	65	-2	8.2	5.3	-173	-1	-1	15.7	4237	72	4.1	-37	0.289	
56-43.1642-105.5456-2-15-			0-W10250			11500	239	4441	51	-2	7.6	4.3	-172	-1	-1	12.3	3595	77	3.3	119	0.345	
56-43.1772-105.5953-2-15-			0-W10255			16700	180	2519	119	-2	10.2	6.7	-164	-1	-1	14.7	3043	101	3.2	199	1.393	
56-43.1072-105.5914-2-15-			0-W10256			12640	334	3114	62	-2	10.5	6.5	-221	-1	-1	15.3	3744	90	4.5	150	0.302	
56-43.1339-105.6039-2-15-			0-W10257			5926	325	4715	-18	-1	5.5	11.9	-170	-1	1	43.8	4944	49	6.5	57	0.155	
56-43.1111-105.6314-2-15-			0-W10258			9493	271	4679	-20	-2	5.8	7.1	-181	-1	-1	19.6	4166	67	4.5	84	0.350	
56-43.1061-105.6647-2-11-			0-W10259			8700	187	7059	-26	-2	5.5	6.6	-183	-1	-1	20.1	2595	61	3.8	131	0.665	
56-43.1103-105.6933-2-11-			0-W10260			17740	412	5240	64	-2	8.4	5.4	-248	-1	-1	14.9	2480	72	3.8	131	0.301	
56-43.1342-105.6736-2-15-			0-W10261			11750	337	4527	65	-2	7.8	9.3	-199	-1	-1	22.6	4010	78	4.6	136	0.242	
56-43.1625-105.6092-2-15-			0-W10264			10370	146	6051	50	-1	4.9	3.6	-154	-1	-1	10.7	2764	57	3.8	77	0.653	
56-43.1814-105.6322-2-15-			0-W10265			11460	236	3643	65	-2	8.0	6.2	-163	-1	-1	18.5	3220	72	4.7	103	0.283	

[illegible]

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.2067-105.5864-2-15-	0-W10269	-5	-5	-5	17	-20	-15	13	-10	-15	2	38						
56-43.2072-105.5983-2-15-	0-W10269	-5	8	-5	23	-20	18	13	-10	-15	2	26						
56-43.2308-105.5575-2-15-	0-W10271	-5	7	-5	28	-20	18	6	-10	-15	2	23						
56-43.2428-105.5922-2-15-	0-W10273	-5	-5	-5	24	-20	-15	8	-10	-15	2	22						
56-43.1708-105.6444-2-15-	0-W10278	-5	-5	-5	22	-20	-15	-5	-10	-15	2	20						
56-43.4842-104.1950-2-15-	0-W10279	-5	6	-5	18	-20	-15	8	-10	-15	2	30						
56-43.4694-104.2033-2-15-	0-W10280	-5	7	-5	21	-20	-15	9	-10	-15	2	25						
56-43.4675-104.1583-2-15-	0-W10282	-5	-5	-5	24	-20	19	-5	-10	-15	2	42						
56-43.4658-104.1633-2-15-	0-W10283	-5	-5	-5	31	-20	25	8	-10	-15	2	46						
56-43.4628-104.1450-2-15-	0-W10284	-5	7	-5	20	-20	-15	5	-10	-15	2	36						
56-43.4083-104.1800-2-15-	0-W10285	-5	-5	-5	29	-20	-15	-5	-10	-15	2	33						
56-43.3800-104.1833-2-15-	0-W10287	-5	-5	-5	34	-20	19	-5	-10	-15	2	35						
56-43.3833-104.1400-2-15-	0-W10288	-5	-5	-5	16	-20	15	6	-10	-15	2	35						
56-43.3383-104.0925-2-15-	0-W10290	-5	-5	-5	34	-20	30	7	-10	-15	3	68						
56-43.3350-104.0983-2-15-	0-W10291	-5	8	6	51	-20	41	8	-10	-15	3	47						
56-43.2942-104.0700-2-15-	0-W10293	-5	-5	6	49	-20	37	11	-10	-15	2	35						
56-43.3333-104.1700-2-15-	0-W10294	-5	-5	-5	45	-20	-15	5	-10	-15	2	39						
56-43.3083-104.1806-2-15-	0-W10295	-5	-5	9	66	-20	63	8	-10	-15	3	45						
56-43.2850-104.1583-2-15-	0-W10296	-5	9	-5	67	-20	18	10	-10	-15	3	44						
56-43.2467-104.1342-2-15-	0-W10298	-5	-5	-5	69	-20	21	6	-10	-15	3	49						
56-43.2489-104.1250-2-15-	0-W10299	-5	5	7	66	-20	34	6	-10	-15	3	40						
56-43.2683-104.1917-2-15-	0-W10300	-5	-5	-5	66	-20	20	11	-10	-15	3	37						
56-43.2400-104.1883-2-15-	0-W10301	-5	5	5	72	-20	39	19	-10	-15	3	44						
56-43.2317-104.2117-2-15-	0-W10302	-5	-5	6	75	-20	24	13	-10	-15	3	36						
56-43.2250-104.2894-2-15-	0-W10303	-5	-5	-5	29	-20	21	9	-10	-15	2	30						
56-43.1939-104.2833-2-15-	0-W10304	-5	5	-5	20	-20	-15	-5	-10	-15	1	24						
56-43.1933-104.2717-2-15-	0-W10305	-5	-5	-5	24	-20	-15	-5	-10	-15	2	25						
56-43.1633-104.3342-2-15-	0-W10307	-5	5	-5	20	-20	-15	5	-10	-15	2	44						
56-43.1533-104.3400-2-15-	0-W10308	-5	-5	-5	24	21	17	-5	-10	-15	2	48						
56-43.1539-104.3275-2-15-	0-W10309	-5	-5	-5	25	-20	19	15	-10	-15	2	32						
56-43.1458-104.3417-2-15-	0-W10310	-5	-5	-5	25	-20	-15	-5	-10	-15	2	41						
56-43.1039-104.3517-2-15-	0-W10312	-5	-5	-5	21	-20	-15	5	-10	-15	2	49						
56-43.0875-104.3600-2-15-	0-W10313	-5	-5	-5	30	-20	-15	-5	-10	-15	2	45						
56-43.0875-104.3050-2-15-	0-W10316	-5	-5	-5	17	-20	15	8	-10	-15	2	22						
56-43.0933-104.2500-2-15-	0-W10318	-5	-5	-5	31	-20	17	-5	-10	-15	2	66						
56-43.0883-104.2400-2-15-	0-W10319	-5	8	-5	28	-20	16	-5	-10	-15	1	22						
56-43.1517-104.2150-2-15-	0-W10321	-5	-5	-5	48	-20	37	-5	-10	-15	3	43						
56-43.1283-104.2611-2-15-	0-W10323	-5	-5	-5	24	-20	-15	-5	-10	-15	2	31						
56-43.0825-104.2250-2-15-	0-W10324	-5	7	-5	32	-20	26	5	-10	-15	2	27						
56-43.0850-104.1433-2-15-	0-W10325	-5	-5	5	45	-20	40	5	-10	-15	2	70						
56-43.1100-104.1150-2-15-	0-W10326	-5	-5	-5	38	-20	38	-5	-10	-15	2	59						
56-43.1275-104.0567-2-15-	0-W10327	-5	6	-5	58	-20	56	7	-10	-15	3	69						
56-43.1217-104.0717-2-15-	0-W10328	-5	7	8	60	-20	42	7	-10	-15	2	49						
56-43.4733-104.2567-2-15-	0-W10330	-5	-5	-5	20	-20	-15	-5	-10	-15	2	37						
56-43.3633-104.2300-2-15-	0-W10332	-5	5	8	58	-20	51	-5	-10	-15	2	38						
56-43.3467-104.2517-2-15-	0-W10333	-5	-5	-5	28	-20	19	5	-10	-15	2	22						
56-43.3225-104.2792-2-15-	0-W10334	-5	-5	-5	30	-20	-15	7	-10	-15	2	41						
56-43.3175-104.2806-2-15-	0-W10335	-5	-5	-5	25	-20	-15	7	-10	-15	1	18						
56-43.3075-104.2950-2-15-	0-W10336	-5	5	-5	23	-20	-15	-5	-10	-15	2	21						
56-43.2608-104.2953-2-15-	0-W10337	-5	-5	-5	30	-20	16	-5	-10	-15	2	42						
56-43.2458-104.3167-2-15-	0-W10339	-5	6	-5	18	-20	-15	6	-10	-15	2	29						

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																	
DATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)																
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu	
56-43.2067-105.5864-2-15-						0-W10268	62390	-0.08	573	24600	83	151	10.2	69	4.8	5	1.3	25540	8.2	17040	53	0.4	
56-43.2072-105.5983-2-15-						0-W10269	52830	-0.07	531	7598	112	67	6.8	61	2.7	7	1.3	19770	18.1	17540	61	0.7	
56-43.2308-105.5575-2-15-						0-W10271	54520	-0.08	551	3704	63	-48	6.6	44	3.5	5	1.1	16890	10.5	20010	30	0.4	
56-43.2428-105.5922-2-15-						0-W10273	60200	-0.08	543	5386	83	-51	7.0	57	2.7	5	1.4	20460	12.5	16370	41	0.4	
56-43.1708-105.6444-2-15-						0-W10278	51320	-0.06	546	6594	89	-50	7.1	50	2.7	5	1.3	20040	14.8	21270	39	0.5	
56-43.4842-104.1950-2-15-						0-W10279	55660	-0.07	725	15710	68	-71	6.6	58	3.5	5	1.3	22190	8.9	16290	33	0.3	
56-43.4694-104.2033-2-15-						0-W10280	58970	-0.07	624	16340	58	-82	5.9	33	3.0	4	1.1	18120	5.7	17810	30	0.3	
56-43.4675-104.1683-2-15-						0-W10282	63890	-0.09	747	37060	59	-78	8.2	61	6.0	5	1.4	23540	5.4	20620	38	0.3	
56-43.4658-104.1633-2-15-						0-W10283	62490	-0.09	662	54930	79	-68	7.8	80	6.0	5	1.5	25410	6.4	17650	37	0.4	
56-43.4628-104.1450-2-15-						0-W10284	45620	-0.06	567	71910	63	-57	5.0	55	3.9	4	1.2	16050	9.5	16560	32	0.4	
56-43.4083-104.1800-2-15-						0-W10286	59820	-0.09	667	16790	62	-68	7.1	53	4.4	5	1.2	21470	6.9	19120	34	0.4	
56-43.3800-104.1833-2-15-						0-W10287	51070	-0.09	612	28940	53	282	11.4	61	3.8	4	1.3	32250	8.8	14750	27	0.3	
56-43.3833-104.1400-2-15-						0-W10288	50950	-0.08	695	21230	80	-52	7.2	64	5.2	5	1.5	26290	13.5	20350	40	0.4	
56-43.3383-104.0925-2-15-						0-W10290	73110	-0.10	859	33160	73	-62	9.4	80	7.2	6	1.6	28540	5.0	22660	46	0.4	
56-43.3350-104.0983-2-15-						0-W10291	60630	-0.09	901	65210	71	-71	10.2	65	6.1	6	1.6	25700	7.0	18240	30	0.3	
56-43.2942-104.0700-2-15-						0-W10293	67510	-0.10	807	26900	67	-69	13.4	76	6.3	5	1.6	34120	6.2	16000	24	0.4	
56-43.3333-104.1700-2-15-						0-W10294	66930	-0.10	801	24620	53	-73	7.1	71	5.6	5	1.0	26200	4.8	18370	34	0.3	
56-43.3083-104.1806-2-15-						0-W10295	67550	-0.11	738	12460	72	329	25.9	71	7.0	6	1.6	45020	9.0	16120	18	0.4	
56-43.2850-104.1583-2-15-						0-W10296	77170	-0.12	809	16010	77	-72	10.0	93	7.9	5	1.9	61960	5.3	17960	44	0.5	
56-43.2467-104.1342-2-15-						0-W10298	58390	-0.12	615	23710	80	-106	26.9	75	8.3	11	3.0	64380	3.2	14570	39	0.5	
56-43.2489-104.1250-2-15-						0-W10299	77550	-0.11	856	10960	67	-66	9.8	82	6.8	5	1.5	39760	5.1	16610	37	0.4	
56-43.2683-104.1917-2-15-						0-W10300	76720	-0.12	928	9658	58	-67	8.0	95	8.7	5	1.4	51640	4.0	21420	38	0.4	
56-43.2400-104.1883-2-15-						0-W10301	73730	-0.10	810	10250	97	-65	12.8	106	10.1	5	1.7	47850	8.4	21240	47	0.5	
56-43.2317-104.2117-2-15-						0-W10302	77230	-0.09	806	6553	81	-57	12.4	94	8.0	5	1.5	44090	7.8	19870	33	0.4	
56-43.2250-104.2894-2-15-						0-W10303	61420	-0.08	708	27780	59	-89	4.9	36	3.7	4	1.2	18110	6.9	22690	29	0.4	
56-43.1939-104.2833-2-15-						0-W10304	42930	-0.08	1007	46140	210	-80	10.3	87	2.5	6	2.3	52940	29.2	13000	110	0.8	
56-43.1933-104.2717-2-15-						0-W10305	63700	-0.07	866	25540	71	-76	6.4	41	3.1	5	1.3	20700	6.3	22050	30	0.3	
56-43.1633-104.3342-2-15-						0-W10307	61510	-0.08	678	16890	62	-85	8.1	53	3.3	5	1.5	23060	7.6	18040	30	0.3	
56-43.1533-104.3400-2-15-						0-W10308	65940	-0.09	810	16080	86	-100	10.4	80	5.4	5	1.7	34240	7.5	19440	39	0.5	
56-43.1539-104.3275-2-15-						0-W10309	64290	-0.08	799	17910	70	-82	8.9	54	4.0	5	1.7	25880	7.7	19950	32	0.4	
56-43.1458-104.3417-2-15-						0-W10310	59640	-0.07	699	16470	61	-90	6.3	47	2.9	5	1.2	18310	8.0	17560	31	0.3	
56-43.1039-104.3617-2-15-						0-W10312	50530	-0.08	686	21940	67	302	6.5	49	3.6	5	1.6	20830	9.8	18890	32	0.4	
56-43.0875-104.3600-2-15-						0-W10313	80310	-0.10	390	33790	87	-59	13.0	81	9.1	5	1.6	42150	4.9	29840	48	0.4	
56-43.0875-104.3050-2-15-						0-W10314	45930	-0.07	450	24770	68	-56	6.9	36	3.5	4	1.3	17550	10.0	16450	36	0.4	
56-43.0933-104.2500-2-15-						0-W10318	73600	-0.09	527	30300	66	-58	5.9	71	6.0	5	1.1	21630	4.8	23200	34	0.3	
56-43.0883-104.2400-2-15-						0-W10319	44460	-0.07	533	127200	53	-60	4.9	38	3.8	4	1.1	15930	6.4	14850	26	0.3	
56-43.1517-104.2150-2-15-						0-W10321	62790	-0.10	694	46510	64	188	20.7	89	6.3	4	1.3	50760	5.7	17880	32	0.5	
56-43.1283-104.2611-2-15-						0-W10323	51920	-0.07	554	64870	52	-62	4.0	40	3.6	4	0.9	15210	5.5	19110	22	0.3	
56-43.0825-104.2250-2-15-						0-W10324	41580	-0.08	408	198900	45	-84	5.9	70	3.5	3	0.9	14900	3.4	14010	15	0.2	
56-43.0850-104.1433-2-15-						0-W10325	67290	-0.09	830	55320	71	181	13.1	83	8.1	5	1.0	38170	5.0	21800	31	0.4	
56-43.1100-104.1150-2-15-						0-W10326	76770	-0.10	1062	19120	80	-75	16.4	97	7.1	5	1.8	51690	4.8	18100	35	0.5	
56-43.1275-104.0567-2-15-						0-W10327	79300	-0.11	961	9264	54	225	16.2	81	6.3	6	1.5	50540	4.0	18090	30	0.5	
56-43.1217-104.0717-2-15-						0-W10328	75200	-0.11	904	18770	61	-92	46.5	95	7.6	7	2.2	53450	5.4	15820	43	0.5	
56-43.4733-104.2567-2-15-						0-W10330	66090	-0.07	676	19800	80	-77	9.6	67	4.4	4	1.7	31970	7.0	18810	41	0.4	
56-43.3633-104.2300-2-15-						0-W10332	75000	-0.10	779	9070	56	-79	21.8	71	6.4	5	1.5	35960	6.3	19140	28	0.4	
56-43.3467-104.2517-2-15-						0-W10333	56920	-0.08	666	12140	72	-80	8.2	76	3.7	5	1.5	28370	9.9	21400	36	0.4	
56-43.3225-104.2792-2-15-						0-W10334	66690	-0.09	665	17670	83	442	12.3	87	6.0	5	1.5	37250	8.7	17070	33	0.5	
56-43.3175-104.2806-2-15-						0-W10335	43420	-0.05	575	14050	58	-57	5.8	29	3.1	4	1.1	16450	9.6	16060	29	0.3	
56-43.3075-104.2950-2-15-						0-W10336	49230	-0.06	613	17950	66	-82	8.3	40	3.0	5	1.2	20470	9.2	14800	30	0.4	
56-43.2608-104.2953-2-15-						0-W10337	65330	-0.08	709	18050	68	-87	10.2	68	5.2	5	1.5	31280	5.9	19330	31	0.4	
56-43.2458-104.3167-2-15-						0-W10338	61750	-0.07	665	25810	74	-65	9.0	62	6.1	6	1.3	29230	7.7	19590	34	0.5	

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

④

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)																	U/Th RATIO
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)																
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn		
56-43.2067-105.5864-2-15-	0-W10269	12560	292	3147	98	-2	8.9	7.8	-218	-1	-1	14.7	2501	86	4.1	123	1.395						
56-43.2072-105.5983-2-15-	0-W10269	9497	261	2990	71	-2	7.5	10.0	-169	-1	-1	31.5	4153	74	6.3	103	0.191						
56-43.2308-105.5575-2-15-	0-W10271	9265	178	2626	-22	-2	6.7	4.6	-154	-1	-1	12.2	3959	73	3.4	-20	0.368						
56-43.2428-105.5922-2-15-	0-W10273	8749	173	3231	65	-2	8.2	5.1	-150	-1	-1	15.1	2930	84	3.4	113	0.541						
56-43.1708-105.6444-2-15-	0-W10279	10100	286	4230	58	-2	6.9	5.7	-191	-1	-1	15.5	2963	59	4.8	135	0.273						
56-43.4842-104.1950-2-15-	0-W10279	21840	264	11280	68	-2	7.2	5.6	-200	-1	-1	10.2	3085	66	3.3	134	0.282						
56-43.4694-104.2033-2-15-	0-W10280	19060	261	10190	54	-2	6.4	4.6	-201	-1	-1	8.6	3001	70	2.8	64	0.316						
56-43.4675-104.1683-2-15-	0-W10282	15200	208	7796	60	-2	8.5	5.5	393	-1	-1	10.3	2880	134	2.9	135	0.394						
56-43.4658-104.1633-2-15-	0-W10283	16420	177	5940	95	-2	9.7	7.1	410	-1	-1	12.5	3177	147	4.0	167	0.338						
56-43.4628-104.1450-2-15-	0-W10284	13290	159	6144	47	-1	5.8	4.8	393	-1	-1	9.5	2846	82	2.7	121	0.358						
56-43.4083-104.1800-2-15-	0-W10286	15980	292	5735	71	-2	7.7	4.9	-205	-1	-1	10.4	3722	110	4.2	133	0.321						
56-43.3800-104.1833-2-15-	0-W10287	21450	516	15730	-29	-2	8.1	4.7	725	-1	-1	7.7	3142	88	3.2	116	0.556						
56-43.3833-104.1400-2-15-	0-W10289	19540	141	4504	63	-2	7.9	5.7	-163	-1	-1	12.2	3121	87	4.0	117	0.309						
56-43.3383-104.0925-2-15-	0-W10290	18520	183	3894	101	-2	11.4	6.9	-206	-1	-1	11.0	4244	250	3.3	168	0.504						
56-43.3350-104.0983-2-15-	0-W10291	14470	193	4232	62	-2	8.0	5.1	484	-1	-1	10.1	3229	279	3.8	167	0.726						
56-43.2942-104.0700-2-15-	0-W10293	15660	318	4534	-30	5	10.6	6.3	393	-1	-1	10.6	3054	307	4.0	-115	0.560						
56-43.3333-104.1700-2-15-	0-W10294	15340	247	5242	69	-2	9.2	4.2	389	-1	-1	8.3	4178	209	2.2	172	0.594						
56-43.3083-104.1806-2-15-	0-W10295	15800	366	9445	-38	9	11.7	5.9	-241	-2	-1	10.5	3329	299	4.9	417	0.961						
56-43.2850-104.1583-2-15-	0-W10296	14650	111	6541	125	7	16.3	6.9	422	-2	-1	12.5	3420	365	-2.1	240	1.022						
56-43.2467-104.1342-2-15-	0-W10298	20190	339	13230	-47	5	10.7	17.0	-307	-2	1	7.9	2777	251	4.2	404	1.148						
56-43.2489-104.1250-2-15-	0-W10299	21070	207	5340	-30	6	11.9	5.3	-190	-1	-1	11.1	4000	410	2.9	181	0.755						
56-43.2683-104.1917-2-15-	0-W10300	15790	126	5852	98	9	13.2	4.3	214	-2	-1	8.8	3754	385	2.7	178	1.078						
56-43.2400-104.1883-2-15-	0-W10301	14320	231	5252	90	7	14.9	6.3	-218	-1	-1	13.8	3593	384	4.1	331	0.455						
56-43.2317-104.2117-2-15-	0-W10302	16760	228	5602	83	10	13.5	5.5	-195	-1	-1	10.8	4030	379	4.3	141	0.831						
56-43.2250-104.2894-2-15-	0-W10303	17490	356	9717	71	-2	6.3	4.6	401	-1	-1	9.6	2992	73	2.6	101	0.344						
56-43.1939-104.2833-2-15-	0-W10304	11040	795	9526	47	-2	9.1	12.9	-304	-1	-1	39.3	4929	113	9.0	158	0.138						
56-43.1933-104.2717-2-15-	0-W10305	14390	363	11210	55	-2	7.4	5.4	-231	-1	-1	11.3	2978	70	3.7	-58	0.292						
56-43.1633-104.3342-2-15-	0-W10307	20160	214	13600	65	-2	7.8	5.2	270	-1	-1	8.6	3012	78	3.4	159	0.331						
56-43.1533-104.3400-2-15-	0-W10308	22820	305	15370	89	-2	11.1	7.1	-271	-1	-1	14.0	3177	95	3.8	122	0.211						
56-43.1539-104.3275-2-15-	0-W10309	20600	320	13350	89	-2	8.9	5.3	-237	-1	-1	10.4	3323	83	3.7	-51	0.289						
56-43.1458-104.3417-2-15-	0-W10310	19270	262	13610	-21	-2	6.0	4.2	364	-1	-1	8.5	3702	75	2.9	-66	0.333						
56-43.1039-104.3617-2-15-	0-W10312	23830	283	27500	72	-2	6.4	5.6	-256	-1	-1	11.3	2523	60	3.0	-94	0.399						
56-43.0875-104.3600-2-15-	0-W10313	36510	383	3426	146	-2	14.1	6.1	-251	-1	-1	16.3	3826	119	3.8	167	0.222						
56-43.0875-104.3050-2-15-	0-W10314	9465	229	5146	53	-2	6.9	5.6	-177	-1	-1	11.2	2964	65	3.7	50	0.243						
56-43.0933-104.2500-2-15-	0-W10318	19150	168	2958	73	-2	8.9	4.8	-169	-1	-1	10.8	3900	163	3.9	146	0.417						
56-43.0883-104.2400-2-15-	0-W10319	14250	145	2992	-22	-2	6.1	3.7	322	-1	-1	8.2	2319	74	1.9	109	0.468						
56-43.1517-104.2150-2-15-	0-W10321	17450	689	7889	126	-2	13.7	6.0	-330	-2	-1	8.5	3399	238	3.8	257	0.774						
56-43.1283-104.2611-2-15-	0-W10323	16050	132	4024	-19	-2	5.9	3.8	377	-1	-1	8.1	3095	93	3.3	102	0.426						
56-43.0825-104.2250-2-15-	0-W10324	7587	199	3396	-26	2	5.5	3.9	611	-1	-1	6.2	1929	259	2.0	173	1.352						
56-43.0850-104.1433-2-15-	0-W10325	18200	330	4546	129	4	13.1	5.1	-232	-1	-1	10.2	3498	259	3.9	216	0.485						
56-43.1100-104.1150-2-15-	0-W10326	21940	600	7386	95	-2	16.4	5.9	-291	-1	-1	9.7	4059	211	3.5	-75	0.427						
56-43.1275-104.0567-2-15-	0-W10327	29670	561	9548	85	-3	13.9	4.7	-286	-1	-1	9.0	4357	243	3.9	285	0.480						
56-43.1217-104.0717-2-15-	0-W10328	17470	485	7421	74	3	15.5	7.4	-316	-1	-1	10.2	3418	227	3.4	205	0.488						
56-43.4733-104.2567-2-15-	0-W10330	24320	204	12740	61	-2	9.9	6.5	-210	-1	-1	11.6	2919	86	3.3	98	0.237						
56-43.3633-104.2300-2-15-	0-W10332	14500	485	6802	-33	3	11.6	5.3	-253	-1	-1	8.6	4272	253	3.8	193	0.728						
56-43.3467-104.2517-2-15-	0-W10333	17340	289	9504	57	-2	8.7	7.5	-201	-1	-1	10.7	3316	80	3.7	160	0.279						
56-43.3225-104.2792-2-15-	0-W10334	23660	389	10370	-22	-2	11.7	5.8	-264	-1	-1	10.3	3805	113	3.3	167	0.328						
56-43.3175-104.2806-2-15-	0-W10335	13280	275	7998	45	-1	5.3	4.7	-178	-1	-1	8.9	2723	49	3.2	-60	0.276						
56-43.3075-104.2950-2-15-	0-W10336	18470	391	10230	71	2	5.9	4.9	-217	-1	-1	8.8	3060	73	3.9	-70	0.327						
56-43.2608-104.2953-2-15-	0-W10337	25030	268	12290	68	-2	9.6	5.7	-205	-1	-1	10.2	3120	88	2.9	111	0.298						
56-43.2458-104.3167-2-15-	0-W10338	22850	438	6459	76	-2	9.4	7.5	-238	-1	-1	13.6	3172	81	4.8	164	0.228						

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																	U CONCENTRATION											
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCINTILLOMETER (eJ/ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER CHANNEL	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC) UNITS IN ppm
							DATE	HOUR																										
56-43.2825-104.3750-2-15-						0-W10339-09/07/77-12-	29-	-	-	-	-	-	-	-	22-1-6-4-6-	-1-	-	3-2-3-2-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.43		
56-43.3042-104.3833-2-15-						0-W10340-09/07/77-13-	34-	-	-	-	-	-	-	-	22-	-	-	3-2-3-1-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.89	
56-43.3133-104.3767-2-15-						0-W10341-09/07/77-14-	34-	-	-	-	-	-	-	-	22-1-1-7-6-	-1-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.39	
56-43.4267-104.2800-2-15-						0-W10343-09/07/77-16-	36-	-	-	-	-	-	-	-	22-1-1-5-6-	-1-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.37	
56-43.3842-104.2833-2-15-						0-W10345-09/07/77-16-	31-	-	-	-	-	-	-	-	22-	-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.12	
56-43.4042-104.2867-2-15-						0-W10346-09/07/77-16-	31-	-	C-	-	-	-	-	-	67-1-1-7-6-	-1-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.26	
56-43.3833-104.3475-2-15-						0-W10349-09/18/77-6-	12-	-	-	-	-	-	-	-	45-1-1-7-6-	-1-	-	3-3-2-2-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.69	
56-43.3967-104.3783-2-15-						0-W10350-09/18/77-7-	12-	-	-	-	-	-	-	-	45-	-	-	3-3-2-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.99	
56-43.4058-104.4117-2-15-						0-W10351-09/18/77-7-	12-	-	-	-	-	-	-	-	45-1-1-7-6-	-1-	-	3-3-2-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.70	
56-43.3972-104.4267-2-15-						0-W10352-09/18/77-7-	12-	-	-	-	-	-	-	-	22-1-1-4-6-	-1-	-	3-3-2-2-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.87	
56-43.3889-104.4550-2-15-						0-W10354-09/18/77-7-	12-	-	-	-	-	-	-	-	67-1-1-7-6-	-1-	-	3-3-2-2-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.37	
56-43.4083-104.4600-2-15-						0-W10356-09/18/77-8-	15-	-	-	-	-	-	-	-	22-1-1-7-6-	-1-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.37	
56-43.4567-104.4628-2-15-						0-W10357-09/18/77-8-	15-	-	-	-	-	-	-	-	45-1-1-7-6-	-1-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.43	
56-43.4842-104.4747-2-15-						0-W10358-09/18/77-9-	15-	-	-	-	-	-	-	-	22-1-1-7-6-	-1-	-	3-3-2-4-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.21	
56-43.4100-104.4978-2-15-						0-W10360-09/18/77-9-	15-	-	-	-	-	-	-	-	45-1-1-7-6-	-1-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.91	
56-43.4244-104.5650-2-15-						0-W10362-09/18/77-10-	24-	-	-	-	-	-	-	-	67-	-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.69	
56-43.4342-104.5633-2-15-						0-W10363-09/18/77-10-	24-	-	-	-	-	-	-	-	45-1-2-7-6-	-1-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.92	
56-43.2544-104.3717-2-15-						0-W10364-09/18/77-13-	24-	-	-	-	-	-	-	-	45-	-	-	3-3-2-2-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.89	
56-43.2383-104.3644-2-15-						0-W10365-09/18/77-13-	24-	-	-	-	-	-	-	-	22-	-	-	3-3-2-4-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.19	
56-43.2392-104.3708-2-15-						0-W10366-09/18/77-14-	24-	-	-	-	-	-	-	-	22-	-	-	3-3-2-4-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.42	
56-43.2117-104.3642-2-15-						0-W10367-09/18/77-14-	24-	-	-	-	-	-	-	-	22-1-2-7-6-	-1-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.60	
56-43.3131-104.4261-2-15-						0-W10371-09/18/77-16-	24-	-	-	-	-	-	-	-	22-	-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.02	
56-43.3164-104.4211-2-15-						0-W10372-09/18/77-15-	24-	-	-	-	-	-	-	-	45-	-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.81	
56-43.2511-104.3978-2-15-						0-W10373-09/18/77-16-	24-	-	-	-	-	-	-	-	22-	-	-	3-2-2-2-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.82	
56-43.0856-104.6156-2-15-						0-W10374-09/19/77-13-	28-	-	-	-	-	-	-	-	22-1-2-7-6-	-1-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.14	
56-43.2558-104.6164-2-15-						0-W10377-09/19/77-15-	27-	-	-	-	-	-	-	-	22-1-1-7-6-	-1-	-	3-3-2-3-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.20	
56-43.2742-104.7094-2-15-						0-W10381-09/19/77-16-	25-	-	-	-	-	-	-	-	-	-	-	3-3-2-3-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.26	
56-43.2650-104.7203-2-15-						0-W10382-09/19/77-16-	25-	-	-	-	-	-	-	-	22-1-2-5-6-	-1-	-	3-2-2-2-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.30	
56-43.2703-104.7258-2-15-						0-W10383-09/19/77-16-	25-	-	-	-	-	-	-	-	45-1-6-7-6-	-1-	-	3-3-2-3-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.18	
56-43.2647-104.6853-2-15-						0-W10384-09/19/77-17-	25-	-	-	-	-	-	-	-	45-1-1-5-7-	-1-	-	3-3-2-3-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.43	
56-43.2811-104.5825-2-15-						0-W10385-09/19/77-17-	25-	-	-	-	-	-	-	-	22-	-	-	3-3-2-2-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.98	
56-43.2633-104.5839-2-15-						0-W10387-09/19/77-18-	25-	-	-	-	-	-	-	-	45-1-2-5-7-	-1-	-	3-2-2-2-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.17	
56-43.2503-104.6256-2-15-						0-W10388-09/19/77-18-	25-	-	-	-	-	-	-	-	22-1-1-7-6-	-1-	-	3-3-2-4-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.16	
56-43.2303-104.6272-2-15-						0-W10389-09/19/77-18-	23-	-	-	-	-	-	-	-	45-1-2-4-6-	-1-	-	3-2-2-2-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.62	
56-43.1992-104.5969-2-15-						0-W10390-09/19/77-18-	23-	-	-	-	-	-	-	-	22-	-	-	3-4-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.95	
56-43.1314-104.6217-2-15-						0-W10391-09/20/77-7-	16-	-	-	-	-	-	-	-	45-	-	-	3-3-2-4-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.55	
56-43.1356-104.6283-2-15-						0-W10392-09/20/77-8-	16-	-	-	-	-	-	-	-	22-1-1-7-6-	-1-	-	3-3-2-4-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.18	
56-43.2867-104.7433-2-15-						0-W10393-09/20/77-8-	17-	-	-	-	-	-	-	-	67-	-	-	3-3-2-4-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.98	
56-43.2736-104.7542-2-15-						0-W10394-09/20/77-9-	18-	-	-	-	-	-	-	-	22-1-1-7-6-	-1-	-	3-3-2-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.81	
56-43.2792-104.7536-2-15-						0-W10395-09/20/77-9-	18-	-	-	-	-	-	-	-	22-1-1-7-6-	-1-	-	3-3-2-3-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.66	
56-43.3425-104.7761-2-15-						0-W10397-09/20/77-10-	26-	-	-	-	-	-	-	-	22-1-1-7-6-	-1-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.24	
56-43.3669-104.7586-2-15-						0-W10398-09/20/77-11-	25-	-	-	-	-	-	-	-	22-	-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.41	
56-43.4256-104.8903-2-15-						0-W10402-09/20/77-12-	29-	-	-	-	-	-	-	-	22-	-	-	3-3-2-2-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.29	
56-43.4522-104.8689-2-15-						0-W10403-09/20/77-12-	29-	-	-	-	-	-	-	-	22-1-2-7-6-	-1-	-	3-3-2-2-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.17	
56-43.3111-104.7761-2-15-						0-W10404-09/20/77-14-	30-	-	-	-	-	-	-	-	22-	-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.48	
56-43.3200-104.8786-2-15-						0-W10406-09/20/77-15-	32-	-	-	-	-	-	-	-	22-	-	-	3-2-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.02	
56-43.3217-104.8378-2-15-						0-W10407-09/20/77-16-	32-	-	-	-	-	-	-	-	22-1-2-7-6-	-1-	-	3-3-2-2-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.40	
56-43.3100-104.8325-2-15-						0-W10408-09/20/77-16-	32-	-	-	-	-	-	-	-	22-1-2-7-6-	-1-	-	3-3-2-4-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.32	
56-43.2939-104.8072-2-15-						0-W10409-09/20/77-16-	32-	-	-	-	-	-	-	-	22-	-	-	3-3-2-3-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.29	
56-43.3089-104.8019-2-15-						0-W10410-09/20/77-16-	32-	-	-	-	-	-	-	-	22-1-1-7-6-	-1-	-	3-3-2-4-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.46	
56-43.3000-104.6069-2-15-						0-W10411-09/20/77-17-	30-	-	-	-	-	-	-	-	22-1-2-7-6-	-1-	-	3-3-2-4-2-	-	-	-	-	-	-	-	-								

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.	2825-104.3750-2-15-	0-W10339	-5	-5	-5	27	-20	17	8	-10	-15		2	24				
56-43.	3042-104.3833-2-15-	0-W10340	-5	-5	-5	37	-20	-15	8	-10	-15		2	42				
56-43.	3133-104.3767-2-15-	0-W10341	-5	-5	-5	36	-20	-15	10	-10	-15		2	21				
56-43.	4267-104.2800-2-15-	0-W10343	-5	-5	-5	18	-20	-15	8	-10	-15		1	15				
56-43.	3842-104.2833-2-15-	0-W10345	-5	-5	-5	28	-20	-15	10	-10	-15		2	28				
56-43.	4042-104.2867-2-15-	0-W10346	-5	5	-5	26	-20	-15	6	-10	-15		2	41				
56-43.	3833-104.3475-2-15-	0-W10349	-5	-5	-5	30	-20	-15	-5	-10	-15		2	20				
56-43.	3967-104.3783-2-15-	0-W10350	-5	6	-5	29	-20	-15	6	-10	-15		1	20				
56-43.	4058-104.4117-2-15-	0-W10351	-5	-5	-5	26	-20	-15	11	-10	-15		3	42				
56-43.	3972-104.4267-2-15-	0-W10352	-5	6	-5	12	-20	36	-5	-10	-15		1	19				
56-43.	3889-104.4550-2-15-	0-W10354	-5	-5	-5	20	-20	15	7	-10	-15		2	35				
56-43.	4083-104.4600-2-15-	0-W10356	-5	-5	-5	31	-20	17	8	-10	-15		2	35				
56-43.	4567-104.4628-2-15-	0-W10357	-5	8	-5	11	-20	-15	-5	-10	-15		1	23				
56-43.	4842-104.4747-2-15-	0-W10358	-5	-5	-5	23	-20	-15	-5	-10	-15		-1	31				
56-43.	4100-104.4978-2-15-	0-W10360	-5	-5	-5	22	-20	-15	-5	-10	-15		2	23				
56-43.	4244-104.5650-2-15-	0-W10362	-5	-5	-5	23	-20	-15	-5	-10	-15		2	29				
56-43.	4342-104.5633-2-15-	0-W10363	-5	6	-5	18	-20	-15	-5	-10	-15		2	21				
56-43.	2544-104.3717-2-15-	0-W10364	-5	-5	-5	23	27	-15	8	-10	-15		2	45				
56-43.	2383-104.3644-2-15-	0-W10365	-5	-5	-5	18	-20	-15	-5	-10	-15		2	32				
56-43.	2392-104.3708-2-15-	0-W10366	-5	-5	-5	19	-20	19	-5	-10	-15		2	31				
56-43.	2117-104.3642-2-15-	0-W10367	-5	-5	-5	13	-20	-15	-5	-10	-15		2	36				
56-43.	3131-104.4261-2-15-	0-W10371	-5	-5	-5	26	-20	-15	-5	-10	-15		1	21				
56-43.	3164-104.4211-2-15-	0-W10372	-5	-5	-5	29	21	-15	5	-10	-15		2	25				
56-43.	2511-104.3978-2-15-	0-W10373	-5	6	-5	22	-20	-15	5	-10	-15		2	28				
56-43.	0856-104.6156-2-15-	0-W10374	-5	-5	-5	22	-20	-15	-5	-10	-15		2	37				
56-43.	2558-104.6164-2-15-	0-W10379	-5	-5	-5	19	-20	-15	-5	-10	-15		2	31				
56-43.	2742-104.7094-2-15-	0-W10381	-5	-5	-5	22	-20	-15	7	-10	-15		2	33				
56-43.	2650-104.7203-2-15-	0-W10382	-5	-5	-5	25	-20	-15	11	-10	-15		2	30				
56-43.	2703-104.7258-2-15-	0-W10383	-5	6	-5	29	-20	21	8	-10	-15		2	38				
56-43.	2647-104.6853-2-15-	0-W10384	-5	-5	-5	22	-20	17	-5	-10	-15		2	38				
56-43.	2811-104.5825-2-15-	0-W10385	-5	-5	-5	23	-20	17	10	-10	-15		2	42				
56-43.	2633-104.5839-2-15-	0-W10387	-5	-5	-5	25	24	-15	6	-10	-15		2	53				
56-43.	2503-104.6256-2-15-	0-W10388	-5	-5	-5	19	-20	-15	-5	-10	-15		-1	26				
56-43.	2303-104.6272-2-15-	0-W10389	-5	-5	-5	23	-20	-15	-5	-10	-15		2	36				
56-43.	1992-104.5969-2-15-	0-W10390	-5	-5	-5	28	-20	-15	-5	-10	-15		2	28				
56-43.	1314-104.6217-2-15-	0-W10391	-5	7	-5	13	-20	-15	-5	-10	-15		2	24				
56-43.	1356-104.6283-2-15-	0-W10392	-5	6	-5	34	25	20	5	-10	-15		2	29				
56-43.	2867-104.7433-2-15-	0-W10393	-5	-5	-5	22	-20	-15	-5	-10	-15		2	25				
56-43.	2736-104.7542-2-15-	0-W10394	-5	-5	-5	26	-20	-15	8	-10	-15		2	25				
56-43.	2792-104.7536-2-15-	0-W10395	-5	-5	-5	30	-20	-15	7	-10	-15		2	33				
56-43.	3425-104.7761-2-15-	0-W10397	-5	-5	-5	20	-20	15	7	-10	-15		2	31				
56-43.	3669-104.7586-2-15-	0-W10398	-5	7	-5	28	-20	16	10	-10	-15		2	30				
56-43.	4256-104.8903-2-15-	0-W10402	-5	-5	-5	29	-20	15	6	-10	-15		2	41				
56-43.	4522-104.8689-2-15-	0-W10403	-5	-5	-5	25	-20	-15	7	-10	-15		2	25				
56-43.	3111-104.7761-2-15-	0-W10404	-5	-5	-5	21	-20	-15	9	-10	-15		2	27				
56-43.	3200-104.8786-2-15-	0-W10406	-5	-5	-5	31	-20	16	8	-10	-15		1	23				
56-43.	3217-104.9373-2-15-	0-W10407	-5	5	-5	24	-20	-15	7	-10	16		2	29				
56-43.	3100-104.8325-2-15-	0-W10408	-5	-5	-5	26	-20	18	5	-10	-15		2	39				
56-43.	2939-104.8072-2-15-	0-W10409	-5	5	-5	16	-20	-15	6	-10	-15		1	13				
56-43.	3089-104.8019-2-15-	0-W10410	-5	-5	-5	25	-20	-15	7	-10	-15		2	28				
56-43.	3000-104.6067-2-15-	0-W10411	-5	-5	-5	25	-20	-15	10	-10	-15		2	19				

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.2825-104.3750-2-15-						0-W10339	75970	-0.09	796	24330	72	327	7.9	63	5.8	5	1.0	25050	5.5	16660	32	0.3
56-43.3042-104.3833-2-15-						0-W10340	90020	-0.12	594	12420	75	-82	11.2	72	7.7	5	1.5	35530	3.4	19840	-8	0.5
56-43.3133-104.3767-2-15-						0-W10341	71410	-0.09	576	10940	99	-73	9.4	76	5.9	5	1.7	29010	7.0	19680	40	0.6
56-43.4267-104.2800-2-15-						0-W10343	39030	-0.06	670	14860	49	-77	3.3	24	2.0	4	0.9	10160	4.8	17710	22	0.2
56-43.3842-104.2833-2-15-						0-W10345	58990	-0.08	581	12390	72	-74	7.1	44	5.1	5	1.4	18830	7.6	20990	30	0.4
56-43.4042-104.2867-2-15-						0-W10346	62630	-0.07	585	9001	74	-61	7.6	61	5.5	5	1.5	22800	7.8	20030	42	0.4
56-43.3833-104.3475-2-15-						0-W10347	41050	-0.05	614	10550	62	-61	5.8	27	2.8	4	1.2	14390	9.5	18390	31	0.3
56-43.3967-104.3783-2-15-						0-W10350	43310	-0.06	539	10800	56	-66	3.6	26	2.6	5	1.0	10670	9.5	19310	24	0.3
56-43.4058-104.4117-2-15-						0-W10351	75330	-0.09	601	11280	81	-84	8.9	57	5.2	6	1.6	27070	5.2	17750	44	0.4
56-43.3972-104.4267-2-15-						0-W10352	35500	-0.07	1596	19960	207	142	7.2	126	3.0	9	1.7	33310	55.8	10360	101	1.2
56-43.3889-104.4550-2-15-						0-W10354	47530	-0.06	663	9630	79	-57	5.7	45	3.2	5	1.4	16970	16.4	20140	34	0.4
56-43.4083-104.4600-2-15-						0-W10356	60100	-0.07	568	13190	66	-75	6.0	41	4.5	5	1.2	17860	7.5	19300	29	0.4
56-43.4567-104.4628-2-15-						0-W10357	36960	-0.06	559	8977	73	-59	4.9	48	2.7	5	1.2	15310	21.4	19940	36	0.5
56-43.4842-104.4747-2-15-						0-W10358	52620	-0.06	576	13570	91	-68	6.7	48	3.9	5	1.5	20890	14.9	16710	41	0.6
56-43.4100-104.4978-2-15-						0-W10360	49520	-0.06	559	3604	63	-57	5.0	49	3.0	4	1.1	15560	9.7	19620	28	0.3
56-43.4244-104.5650-2-15-						0-W10362	50040	-0.07	565	14290	62	-72	6.8	48	4.0	5	1.3	18210	5.9	18080	34	0.4
56-43.4342-104.5633-2-15-						0-W10363	41100	-0.05	571	18210	82	-61	4.0	51	2.1	5	1.4	13910	21.4	15740	42	0.6
56-43.2544-104.3717-2-15-						0-W10364	56190	-0.07	595	9441	69	-65	6.3	46	4.5	5	1.1	22190	9.5	18730	28	0.4
56-43.2383-104.3644-2-15-						0-W10365	50270	-0.06	493	11930	79	-73	4.6	43	2.7	6	1.4	17110	14.4	18660	30	0.5
56-43.2392-104.3708-2-15-						0-W10366	51590	-0.06	527	13240	59	-71	5.4	44	3.4	5	1.3	19750	8.1	17560	32	0.4
56-43.2117-104.3642-2-15-						0-W10367	54100	-0.05	601	19600	85	-75	6.7	44	3.8	5	1.3	22760	8.7	18160	36	0.4
56-43.3131-104.4261-2-15-						0-W10371	42380	-0.05	665	17060	75	-65	5.1	63	2.3	5	1.4	15060	14.0	15020	34	0.4
56-43.3164-104.4211-2-15-						0-W10372	45410	-0.06	610	14550	55	-74	4.5	41	2.7	4	1.0	12370	8.4	16240	26	0.4
56-43.2511-104.3978-2-15-						0-W10373	56100	-0.07	453	19060	60	-71	6.6	50	4.0	5	1.3	22390	7.5	19530	30	0.3
56-43.0856-104.6156-2-15-						0-W10374	50460	-0.06	609	9930	63	-50	5.3	37	4.7	5	1.3	15830	11.4	18340	33	0.4
56-43.2558-104.6164-2-15-						0-W10379	49120	-0.06	605	15380	70	-64	4.8	40	2.5	5	1.1	15070	9.5	16400	30	0.3
56-43.2742-104.7094-2-15-						0-W10381	49830	-0.07	612	17390	58	-64	6.5	35	4.1	5	1.1	18120	6.9	15830	34	0.4
56-43.2650-104.7203-2-15-						0-W10382	50160	-0.07	740	12260	95	-54	7.9	58	4.5	6	1.6	21070	23.9	16570	42	0.6
56-43.2703-104.7258-2-15-						0-W10383	53040	-0.06	580	17750	69	-54	6.5	47	4.4	5	1.3	19710	8.6	16980	29	0.3
56-43.2647-104.6853-2-15-						0-W10384	56880	-0.07	721	9287	64	-65	5.9	44	4.0	5	1.2	18020	7.6	17300	30	0.4
56-43.2811-104.5825-2-15-						0-W10385	53080	-0.08	549	11410	71	98	5.8	46	5.1	5	1.4	19640	8.9	19800	36	0.4
56-43.2633-104.5839-2-15-						0-W10387	78820	-0.10	618	15320	104	518	10.5	88	7.3	6	1.9	27250	7.4	19270	48	0.5
56-43.2503-104.6256-2-15-						0-W10388	42670	-0.05	471	14350	58	-59	4.9	34	3.3	4	1.1	15260	11.9	16070	28	0.4
56-43.2303-104.6272-2-15-						0-W10389	57870	-0.08	721	10420	67	-56	5.9	52	4.6	6	1.2	17260	7.2	16130	31	0.4
56-43.1992-104.5969-2-15-						0-W10390	52550	-0.07	567	13070	62	-57	6.7	48	3.8	4	1.2	19500	7.4	17550	36	0.3
56-43.1314-104.6217-2-15-						0-W10391	41660	-0.06	506	16620	74	136	5.9	42	2.6	5	1.3	17530	13.9	15110	35	0.4
56-43.1356-104.6283-2-15-						0-W10392	52540	-0.06	609	11300	62	-58	6.0	47	3.6	5	1.2	19110	7.0	17950	28	0.3
56-43.2867-104.7433-2-15-						0-W10393	44530	-0.07	502	16120	67	-56	4.3	40	3.0	5	1.1	14130	12.2	15480	27	0.4
56-43.2736-104.7542-2-15-						0-W10394	55010	-0.08	569	10690	66	-48	6.3	52	4.5	5	1.3	17740	8.4	19760	34	0.4
56-43.2792-104.7536-2-15-						0-W10395	51220	-0.07	442	10640	72	226	6.9	51	5.1	5	1.3	20000	10.7	17340	39	0.4
56-43.3425-104.7761-2-15-						0-W10397	54250	-0.07	402	13630	60	-52	5.9	49	5.3	5	1.2	18960	8.1	18970	31	0.4
56-43.3569-104.7586-2-15-						0-W10398	55150	-0.07	515	23270	59	-65	5.0	38	4.1	4	1.1	15240	7.4	19050	25	0.3
56-43.4256-104.8903-2-15-						0-W10402	77460	-0.11	605	5849	79	-38	9.8	62	6.8	6	1.8	22360	6.2	20890	21	0.4
56-43.4522-104.8689-2-15-						0-W10403	44000	-0.06	537	4965	68	-29	6.4	54	4.1	4	1.1	20310	9.7	16170	30	0.3
56-43.3111-104.7761-2-15-						0-W10404	49830	-0.07	543	15050	71	-60	6.3	48	4.3	5	1.4	19510	12.6	16890	32	0.4
56-43.3200-104.8786-2-15-						0-W10406	48080	-0.07	544	2917	63	-34	6.0	48	3.5	5	1.0	15420	7.4	14610	26	0.3
56-43.3217-104.8378-2-15-						0-W10407	46120	-0.08	473	2468	55	-36	4.9	46	4.5	5	1.1	14280	11.3	15030	31	0.3
56-43.3100-104.8325-2-15-						0-W10408	52220	-0.08	671	15260	82	-47	7.4	52	6.1	5	1.4	22630	7.0	21180	37	0.4
56-43.2939-104.8072-2-15-						0-W10409	45490	-0.06	446	13000	62	131	5.3	39	4.4	5	1.2	15180	10.0	16780	30	0.3
56-43.3089-104.8019-2-15-						0-W10410	53180	-0.07	533	13490	59	-60	6.0	39	4.1	5	1.0	14430	6.4	19430	25	0.4
56-43.3000-104.8069-2-15-						0-W10411	46480	-0.07	526	14070	67	-55	6.1	42	3.4	4	1.2	15380	8.7	17400	31	0.3

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

4

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)															U/Th RATIO	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE LAB LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)																
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn		
56-43.2825-104.3750-2-15-	0-W10339	17180	581	5324	69	-2	8.5	4.5	-294	-1	-1	11.0	3651	106	3.1	111	0.403						
56-43.3042-104.3833-2-15-	0-W10340	19270	368	5879	-33	-3	13.1	7.0	-249	-1	-1	13.7	4155	110	3.0	-92	0.284						
56-43.3133-104.3767-2-15-	0-W10341	19700	309	6877	105	-2	11.5	6.4	-240	-1	-1	14.6	3337	85	4.4	121	0.232						
56-43.4267-104.2800-2-15-	0-W10343	14040	237	9173	43	-1	3.4	3.4	-185	-1	-1	6.3	2321	35	-1.0	-65	0.376						
56-43.3842-104.2833-2-15-	0-W10345	16060	291	7349	-22	-2	7.3	5.4	-194	-1	-1	10.5	3195	62	4.9	-101	0.297						
56-43.4042-104.2867-2-15-	0-W10346	14140	267	6355	60	-2	9.0	5.9	-204	-1	-1	11.8	2961	74	3.8	145	0.276						
56-43.3833-104.3475-2-15-	0-W10349	11300	266	7713	54	-1	5.0	4.3	-186	-1	-1	8.3	2510	43	3.2	100	0.324						
56-43.3967-104.3783-2-15-	0-W10350	11700	259	7569	55	-1	4.2	4.5	-179	-1	-1	8.2	2754	44	3.4	101	0.365						
56-43.4058-104.4117-2-15-	0-W10351	15720	295	7425	-29	-2	10.0	7.3	-216	-1	-1	13.1	4548	85	5.6	-114	0.282						
56-43.3972-104.4267-2-15-	0-W10352	10240	713	6802	-24	-2	8.5	12.7	-277	3	-1	39.9	8087	62	9.0	99	0.172						
56-43.3889-104.4550-2-15-	0-W10354	14640	245	6155	41	-1	6.2	5.6	-181	-1	-1	11.7	3524	58	4.3	101	0.288						
56-43.4083-104.4600-2-15-	0-W10356	16740	275	7381	-22	-2	6.8	5.3	-203	-1	-1	9.8	4034	69	2.9	113	0.344						
56-43.4567-104.4628-2-15-	0-W10357	10860	226	5492	73	-1	5.0	5.8	-156	-1	-1	11.3	2988	42	4.3	-71	0.304						
56-43.4842-104.4747-2-15-	0-W10359	15740	265	8337	70	-2	7.5	6.2	-205	-1	-1	12.3	2826	65	4.1	93	0.261						
56-43.4100-104.4978-2-15-	0-W10360	10540	294	5028	56	-1	5.6	4.7	-165	-1	-1	8.3	2872	66	2.8	83	0.351						
56-43.4244-104.5650-2-15-	0-W10362	15110	215	7883	62	-2	6.4	4.6	-175	-1	-1	9.9	2439	56	3.3	90	0.272						
56-43.4342-104.5633-2-15-	0-W10363	14160	287	7608	52	-1	5.0	6.0	-188	-1	-1	10.8	3283	44	4.8	68	0.363						
56-43.2544-104.3717-2-15-	0-W10364	16770	394	6064	79	-2	7.6	5.6	-240	-1	-1	11.0	3033	66	2.7	158	0.263						
56-43.2383-104.3644-2-15-	0-W10365	15030	236	10030	49	-1	5.3	5.8	-179	-1	-1	9.6	3216	58	4.2	106	0.332						
56-43.2392-104.3708-2-15-	0-W10366	17920	217	8767	70	-1	6.4	5.0	-170	-1	-1	9.3	2313	57	2.4	113	0.260						
56-43.2117-104.3642-2-15-	0-W10367	20860	190	13530	55	-1	6.5	5.2	-192	-1	-1	8.5	2407	63	3.5	65	0.306						
56-43.3131-104.4261-2-15-	0-W10371	17080	297	9091	38	-1	5.1	5.6	-199	-1	-1	8.6	3511	48	3.9	68	0.351						
56-43.3164-104.4211-2-15-	0-W10372	17350	275	8630	41	-1	4.7	3.8	-184	-1	-1	7.7	2788	46	2.5	93	0.365						
56-43.2511-104.3978-2-15-	0-W10373	19070	335	6444	67	-2	7.5	5.4	-198	-1	-1	9.7	2378	68	3.0	128	0.291						
56-43.0856-104.6156-2-15-	0-W10374	10850	196	5210	67	-1	6.3	6.4	-159	-1	-1	9.7	3317	58	3.6	65	0.427						
56-43.2558-104.6164-2-15-	0-W10379	15840	268	6311	52	-1	5.2	5.1	-171	-1	-1	8.8	3117	58	2.9	-62	0.364						
56-43.2742-104.7094-2-15-	0-W10381	20860	265	4487	73	-2	6.7	4.5	-181	-1	-1	9.2	2629	64	3.1	80	0.354						
56-43.2650-104.7203-2-15-	0-W10382	15650	312	3403	59	-2	7.7	6.3	-214	-1	-1	13.8	3650	69	5.5	86	0.312						
56-43.2703-104.7258-2-15-	0-W10383	19010	305	4569	69	-1	7.1	6.2	-198	-1	-1	10.1	3667	66	3.5	-83	0.315						
56-43.2647-104.6853-2-15-	0-W10384	14210	295	4715	54	-2	6.6	5.3	-196	-1	-1	9.5	3381	76	3.5	-65	0.361						
56-43.2811-104.5825-2-15-	0-W10385	16630	256	5996	-25	-2	7.0	5.1	-188	-1	-1	11.2	2821	62	2.5	120	0.266						
56-43.2633-104.5839-2-15-	0-W10387	22120	344	4363	104	-3	12.5	7.5	-265	-2	-1	15.1	4765	113	4.8	-103	0.276						
56-43.2503-104.6256-2-15-	0-W10388	15480	218	6138	57	-1	4.9	5.4	-157	-1	-1	9.6	2857	45	3.0	54	0.329						
56-43.2303-104.6272-2-15-	0-W10389	14690	251	3617	58	-2	6.8	4.6	-171	-1	-1	8.3	3150	74	2.5	-49	0.436						
56-43.1992-104.5969-2-15-	0-W10390	15960	243	6181	101	-2	7.0	4.7	-189	-1	-1	10.1	2808	59	3.2	108	0.292						
56-43.1314-104.6217-2-15-	0-W10391	19430	270	11710	57	-1	6.0	5.4	329	-1	-1	10.1	2856	52	2.3	-68	0.450						
56-43.1356-104.6283-2-15-	0-W10392	15770	240	4985	52	-1	6.9	4.5	-166	-1	-1	9.1	3108	67	2.7	83	0.349						
56-43.2867-104.7433-2-15-	0-W10393	13940	256	4343	47	-2	5.3	5.1	-163	-1	-1	8.5	2784	55	3.5	88	0.421						
56-43.2736-104.7542-2-15-	0-W10394	16050	203	3339	70	-2	7.4	5.3	-184	-1	-1	10.5	3305	66	3.6	112	0.363						
56-43.2792-104.7536-2-15-	0-W10395	17420	223	11430	82	-2	7.8	5.6	-200	-1	-1	11.7	3004	63	3.6	158	0.313						
56-43.3425-104.7761-2-15-	0-W10397	21860	216	3279	71	-2	7.2	5.0	-168	-1	-1	9.9	3287	68	2.7	39	0.327						
56-43.3669-104.7586-2-15-	0-W10398	20590	355	4046	62	-2	6.2	4.1	-205	-1	-1	9.2	2671	63	3.6	-60	0.371						
56-43.4256-104.8903-2-15-	0-W10402	13840	210	1143	88	-3	10.8	7.2	-208	-1	-1	13.1	4215	101	3.7	-83	0.327						
56-43.4522-104.8689-2-15-	0-W10403	9367	209	1314	65	-1	6.8	4.8	-142	-1	-1	10.6	2823	72	4.4	94	0.299						
56-43.3111-104.7761-2-15-	0-W10404	22370	279	4047	76	-2	7.2	5.9	-179	-1	-1	11.0	2706	64	4.4	-97	0.316						
56-43.3200-104.8786-2-15-	0-W10406	8295	155	979	49	-2	5.9	4.1	214	-1	-1	9.1	2876	68	2.6	93	0.332						
56-43.3217-104.8378-2-15-	0-W10407	5944	165	1648	58	-2	6.3	4.8	-156	-1	-1	9.4	3149	68	2.3	73	0.362						
56-43.3100-104.8325-2-15-	0-W10408	19880	272	3169	83	-2	8.5	5.5	-196	-1	-1	12.0	3273	70	3.5	76	0.277						
56-43.2939-104.8072-2-15-	0-W10409	21110	211	6083	73	-2	5.9	4.8	-172	-1	-1	9.3	2837	52	3.2	-48	0.354						
56-43.3089-104.8019-2-15-	0-W10410	15950	218	4227	-20	-2	6.1	4.8	-170	-1	-1	8.8	3118	63	2.5	-57	0.393						
56-43.3080-104.6069-2-15-	0-W10411	15580	241	6523	67	-1	5.4	4.6	-183	-1	-1	8.5	2620	50	3.2	-36	0.315						

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

①

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																								U CONCENTRATION				
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCINTILLATOR (uL/gpm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC) UNITS IN ppm
							DATE	HOUR																										
56-43.2989-104.5972-2-15-						0-W10412-09/20/77-17-	30-				-	-	-	-	22-1-2-7-6-	-1-	-3-3-2-4-2-																2.95	
56-43.2842-104.6019-2-15-						0-W10413-09/20/77-18-	30-				-	-	-	-	22-1-1-7-6-	-1-	-3-3-2-4-2-																	3.27
56-43.2983-104.6328-2-15-						0-W10414-09/20/77-19-	30-				-	-	-	-	22-1-6-7-6-	-1-	-3-3-2-4-2-																	2.58
56-43.3286-104.7047-2-15-						0-W10417-09/20/77-18-	24-				-	-	-	-	22-1-1-7-6-	-1-	-3-3-2-3-2-																	2.92
56-43.3306-104.6894-2-15-						0-W10418-09/21/77-8-	12-				-	-	-	-	22-1-1-7-6-	-1-	-3-3-2-4-2-																	3.08
56-43.3436-104.6689-2-15-						0-W10419-09/21/77-8-	12-				-	-	-	-	22-1-1-7-6-	-1-	-3-3-2-4-2-																	3.09
56-43.4956-104.6781-2-15-						0-W10421-09/21/77-9-	17-				-	-	-	-	22-1-7-6-	-1-	-3-3-2-4-3-																	3.81
56-43.4583-104.6808-2-15-						0-W10422-09/21/77-10-	16-				-	-	-	-	22-1-1-7-6-	-1-	-3-3-2-4-2-																	3.65
56-43.4422-104.6353-2-15-						0-W10424-09/21/77-11-	16-				-	-	-	-	22-1-1-7-6-	-1-	-3-2-2-3-2-																	3.30
56-43.4253-104.6839-2-15-						0-W10425-09/21/77-11-	16-				-	-	-	-	22-1-1-7-6-	-1-	-3-3-2-3-3-																	3.88
56-43.4181-104.6744-2-15-						0-W10426-09/21/77-12-	16-				-	-	-	-	22-1-1-7-6-	-1-	-3-3-2-4-3-																	3.21
56-43.3994-104.6678-2-15-						0-W10428-09/21/77-12-	17-				-	-	-	-	22-1-1-7-6-	-1-	-3-3-2-3-3-																	3.31
56-43.3881-104.6556-2-15-						0-W10430-09/21/77-13-	18-				-	-	-	-	22-1-1-7-6-	-1-	-3-3-2-4-3-																	2.95
56-43.3797-104.6381-2-15-						0-W10431-09/21/77-13-	17-				-	-	-	-	22-1-1-7-6-	-1-	-3-3-2-4-3-																	2.94
56-43.1725-104.6161-2-15-						0-W10432-09/21/77-15-	17-				-	-	-	-	22-1-6-7-6-	-1-	-3-3-2-4-2-																	3.25
56-43.2531-104.5550-2-15-						0-W10434-09/24/77-9-	14-				-	-	-	-	90-1-1-7-6-	-1-	-3-2-3-2-																	3.15
56-43.2264-104.4272-2-15-						0-W10435-09/24/77-9-	14-				-	-	-	-	45-1-1-7-6-	-1-	-3-3-2-3-2-																	2.82
56-43.1269-104.5025-2-15-						0-W10438-09/24/77-11-	24-				-	-	-	-	22-1-1-7-6-	-1-	-3-3-2-3-2-																	2.87
56-43.1025-104.4781-2-15-						0-W10441-09/24/77-12-	24-				-	-	-	-	45-1-2-7-6-	-1-	-3-3-2-4-2-																	3.05
56-43.0811-104.5019-2-15-						0-W10442-09/24/77-12-	24-				-	-	-	-	22-1-2-5-6-	-1-	-3-3-2-3-2-																	3.56
56-43.0931-104.4147-2-15-						0-W10443-09/24/77-13-	19-				-	-	-	-	45-1-2-5-6-	-1-	-3-3-2-3-2-																	3.82
56-43.2131-104.4608-2-15-						0-W10445-09/25/77-11-	19-				-	-	-	-	22-1-7-6-	-1-	-3-3-2-3-2-																	2.63
56-43.1964-104.4347-2-15-						0-W10446-09/25/77-12-	19-				-C-	-	-	-	22-1-2-7-6-	-1-	-3-3-2-4-2-																	2.84
56-43.1867-104.4444-2-15-						0-W10447-09/25/77-12-	19-				-	-	-	-	22-1-2-7-6-	-1-	-3-3-2-4-2-																	2.48
56-43.2325-104.4667-2-15-						0-W10449-09/25/77-12-	19-				-	-	-	-	22-1-2-7-6-	-1-	-3-3-2-3-2-																	2.79
56-43.2383-104.4864-2-15-						0-W10450-09/25/77-12-	19-				-	-	-	-	22-1-2-7-6-	-1-	-3-3-2-3-2-																	2.91
56-43.2322-104.5125-2-15-						0-W10451-09/25/77-13-	24-				-	-	-	-	22-1-2-7-6-	-1-	-3-3-2-4-2-																	3.59
56-43.2292-104.5067-2-15-						0-W10452-09/25/77-13-	24-				-	-	-	-	22-1-2-7-6-	-1-	-3-3-2-4-2-																	3.09
56-43.2167-104.5944-2-15-						0-W10453-09/25/77-14-	24-				-	-	-	-	22-1-2-7-6-	-1-	-3-3-2-4-2-																	2.78
56-43.2108-104.5906-2-15-						0-W10454-09/25/77-14-	24-				-	-	-	-	22-1-2-7-6-	-1-	-3-3-2-4-2-																	3.36
56-43.1639-104.6031-2-15-						0-W10456-09/25/77-15-	24-				-	-	-	-	22-1-2-7-6-	-1-	-3-3-2-4-2-																	3.49
56-43.1769-104.6011-2-15-						0-W10457-09/25/77-15-	24-				-	-	-	-	22-1-2-7-6-	-1-	-3-3-2-4-2-																	

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.2989-104.5972-2-15-						0-W10417	-5	-5	-5	23	-20	16	8	-10	-15	1	19	
56-43.2842-104.6019-2-15-						0-W10413	-5	-5	-5	35	-20	-15	-5	-10	-15	1	24	
56-43.2983-104.6328-2-15-						0-W10414	-5	5	-5	21	-20	-15	10	-10	-15	1	24	
56-43.3286-104.7047-2-15-						0-W10417	-5	-5	-5	20	-20	-15	6	-10	-15	2	21	
56-43.3306-104.6894-2-15-						0-W10418	-5	-5	-5	27	-20	-15	7	-10	-15	2	25	
56-43.3436-104.6689-2-15-						0-W10419	-5	-5	-5	26	-20	-15	-5	-10	-15	2	29	
56-43.4956-104.6781-2-15-						0-W10421	-5	-5	-5	25	-20	-15	6	-10	-15	2	37	
56-43.4583-104.6808-2-15-						0-W10422	-5	-5	-5	18	-20	-15	9	-10	-15	2	42	
56-43.4422-104.6353-2-15-						0-W10424	-5	-5	-5	27	-20	-15	9	-10	-15	2	29	
56-43.4253-104.6839-2-15-						0-W10425	-5	-5	-5	18	-20	-15	-5	-10	-15	2	33	
56-43.4181-104.6744-2-15-						0-W10426	-5	-5	-5	20	-20	-15	9	-10	-15	2	22	
56-43.3994-104.6678-2-15-						0-W10428	-5	-5	-5	26	-20	-15	11	-10	-15	2	26	
56-43.3881-104.6556-2-15-						0-W10430	-5	-5	-5	10	-20	-15	12	-10	-15	2	24	
56-43.3797-104.6381-2-15-						0-W10431	-5	-5	-5	20	32	-15	8	-10	-15	2	19	
56-43.1725-104.6161-2-15-						0-W10432	-5	5	5	29	-20	-15	11	-10	-15	2	30	
56-43.2531-104.5550-2-15-						0-W10434	-5	5	-5	17	-20	-15	10	-10	-15	2	22	
56-43.2264-104.4272-2-15-						0-W10435	-5	-5	-5	16	-20	-15	8	-10	-15	1	28	
56-43.1269-104.5025-2-15-						0-W10439	-5	-5	-5	21	-20	-15	-5	-10	-15	1	15	
56-43.1025-104.4781-2-15-						0-W10441	-5	-5	-5	21	-20	-15	5	-10	-15	2	46	
56-43.0811-104.5019-2-15-						0-W10442	-5	-5	-5	31	-20	-15	9	-10	-15	2	38	
56-43.0931-104.4147-2-15-						0-W10443	-5	-5	-5	33	-20	-15	12	-10	-15	1	44	
56-43.2131-104.4608-2-15-						0-W10445	-5	-5	-5	18	-20	-15	-5	-10	-15	2	24	
56-43.1964-104.4347-2-15-						0-W10446	-5	-5	-5	26	-20	-15	-5	-10	-15	1	20	
56-43.1867-104.4444-2-15-						0-W10447	-5	-5	-5	10	-20	-15	-5	-10	-15	2	27	
56-43.2325-104.4667-2-15-						0-W10449	-5	-5	-5	21	-20	-15	8	-10	-15	2	25	
56-43.2383-104.4864-2-15-						0-W10450	-5	-5	-5	20	-20	-15	6	-10	-15	2	25	
56-43.2322-104.5125-2-15-						0-W10451	-5	-5	-5	30	-20	26	10	-10	-15	2	38	
56-43.2292-104.5067-2-15-						0-W10452	-5	-5	-5	21	-20	-15	-5	-10	-15	2	31	
56-43.2167-104.5944-2-15-						0-W10453	-5	-5	-5	18	-20	-15	-5	-10	-15	2	19	
56-43.2108-104.5906-2-15-						0-W10454	-5	-5	-5	28	-20	17	10	-10	-15	2	37	
56-43.1639-104.6031-2-15-						0-W10456	-5	-5	-5	20	-20	-15	7	-10	-15	2	32	
56-43.1769-104.6011-2-15-						0-W10457	-5	-5	-5	30	-20	-15	5	-10	-15	2	29	
56-43.1650-104.5275-2-15-						0-W10458	-5	6	-5	22	-20	-15	9	-10	-15	1	19	
56-43.1417-104.5344-2-15-						0-W10459	-5	-5	-5	25	-20	-15	5	-10	-15	2	31	
56-43.1139-104.4242-2-15-						0-W10460	-5	-5	-5	26	-20	-15	9	-10	-15	2	40	
56-43.4114-104.7614-2-15-						0-W10461	-5	-5	-5	26	-20	-15	7	-10	-15	2	30	
56-43.3836-104.7494-2-15-						0-W10462	-5	-5	-5	24	-20	-15	14	-10	-15	1	20	
56-43.3897-104.7614-2-15-						0-W10463	-5	-5	-5	14	-20	-15	-5	-10	-15	1	19	
56-43.1836-104.6042-2-15-						0-W10464	-5	-5	-5	23	-20	-15	5	-10	-15	1	15	
56-43.0747-104.6483-2-15-						0-W10465	-5	-5	-5	26	-20	-15	7	-10	-15	2	31	
56-43.1506-104.7611-2-15-						0-W10466	-5	-5	-5	19	-20	-15	-5	-10	-15	1	16	
56-43.4639-104.9431-2-15-						0-W10468	-5	-5	-5	17	-20	16	-5	-10	-15	1	27	
56-43.4603-104.9147-2-15-						0-W10469	-5	5	-5	19	-20	-15	6	-10	-15	1	14	
56-43.4728-104.9239-2-15-						0-W10470	-5	-5	-5	28	-20	-15	6	-10	-15	2	32	
56-43.4372-104.9311-2-15-						0-W10471	-5	-5	-5	-10	-20	-15	-5	-10	-15	1	17	
56-43.4214-104.9469-2-15-						0-W10473	-5	-5	-5	20	-20	-15	-5	-10	-15	-1	17	
56-43.3978-104.9417-2-15-						0-W10475	-5	-5	-5	33	-20	-15	9	-10	-15	1	16	
56-43.3806-104.9011-2-15-						0-W10476	-5	-5	-5	10	-20	-15	6	-10	-15	1	13	
56-43.3583-104.9917-2-15-						0-W10477	-5	-5	-5	20	-20	-15	10	-10	-15	-1	10	
56-43.3119-104.9925-2-15-						0-W10478	-5	-5	-5	24	-20	-15	-5	-10	-15	1	20	
56-43.3092-104.9492-2-15-						0-W10479	-5	-5	-5	26	-20	-15	-5	-10	-15	1	13	

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.2989-104.5972-2-15-	0-W10412	47900	-0.05	605	15720	69	-58	6.2	43	3.8	4	1.3	18040	8.8	15920	29	0.4					
56-43.2842-104.6019-2-15-	0-W10413	56590	-0.07	578	14720	66	-70	6.0	54	4.6	5	1.3	20660	6.5	18810	40	0.3					
56-43.2983-104.6323-2-15-	0-W10414	46790	-0.06	547	12230	50	-59	4.9	29	2.5	4	0.9	14060	5.3	16670	21	0.3					
56-43.3286-104.7047-2-15-	0-W10417	42490	-0.07	585	12160	60	-50	5.5	33	3.2	4	1.2	15340	9.9	15210	30	0.3					
56-43.3306-104.6894-2-15-	0-W10418	50780	-0.06	489	10850	71	-50	6.7	51	5.0	5	1.3	20600	10.0	16020	31	0.4					
56-43.3436-104.6689-2-15-	0-W10419	51190	-0.06	496	7511	65	-57	6.0	38	4.5	5	1.2	18180	8.3	16250	34	0.3					
56-43.4956-104.6781-2-15-	0-W10421	69640	-0.09	599	8005	65	-62	6.3	52	6.3	6	1.3	20720	5.4	19010	40	0.4					
56-43.4583-104.6808-2-15-	0-W10422	47350	-0.08	517	13250	73	-57	8.8	39	4.6	5	1.4	21190	8.9	15270	34	0.4					
56-43.4422-104.6353-2-15-	0-W10424	66860	-0.07	615	8932	80	-58	8.6	65	7.5	5	1.5	25930	7.8	20120	40	0.4					
56-43.4253-104.6839-2-15-	0-W10425	46290	-0.07	1277	19070	75	-59	4.7	38	3.3	5	1.5	17960	14.8	17240	31	0.5					
56-43.4181-104.6744-2-15-	0-W10426	54360	-0.07	471	13730	62	-64	6.1	46	4.8	5	1.1	17210	7.2	18890	27	0.3					
56-43.3994-104.6678-2-15-	0-W10428	56530	-0.07	569	12430	78	-54	8.0	60	7.0	5	1.5	24670	10.1	17390	34	0.4					
56-43.3881-104.6556-2-15-	0-W10430	42030	-0.05	699	5273	57	-41	4.6	39	3.3	4	1.4	12230	9.7	13750	26	0.3					
56-43.3797-104.6381-2-15-	0-W10431	46080	-0.06	517	5704	58	-55	4.5	38	2.8	5	1.0	13520	9.6	14710	26	0.3					
56-43.1725-104.6161-2-15-	0-W10432	57370	-0.08	598	10900	66	-61	7.2	53	5.9	5	1.4	22170	7.5	19370	34	0.4					
56-43.2531-104.5550-2-15-	0-W10434	44110	-0.06	564	14170	80	-56	6.0	52	3.3	5	1.4	18180	14.4	16150	36	0.4					
56-43.2264-104.4272-2-15-	0-W10435	45770	-0.05	480	15250	76	-66	5.3	50	2.3	5	1.2	17740	12.1	15870	35	0.4					
56-43.1269-104.5025-2-15-	0-W10438	39690	-0.06	489	23140	53	-62	3.4	32	2.1	4	1.0	11180	8.3	16450	22	0.3					
56-43.1025-104.4781-2-15-	0-W10441	58000	-0.08	843	14360	60	-85	7.1	52	4.3	5	1.3	22210	8.3	21050	35	0.4					
56-43.0811-104.5019-2-15-	0-W10442	77760	-0.09	708	18090	80	-73	11.4	82	5.8	5	1.4	34820	5.6	24920	37	0.3					
56-43.0931-104.4147-2-15-	0-W10443	59310	-0.07	1037	19330	69	253	7.1	57	3.8	5	1.5	23370	7.8	21810	33	0.4					
56-43.2131-104.4608-2-15-	0-W10445	44830	-0.06	554	3622	57	-64	3.8	37	1.6	5	0.9	12200	10.6	19100	25	0.3					
56-43.1964-104.4347-2-15-	0-W10446	48270	-0.06	505	9949	64	-71	5.1	41	2.4	5	1.1	15850	11.7	15550	31	0.4					
56-43.1867-104.4444-2-15-	0-W10447	44290	-0.05	509	13200	72	-60	5.7	50	3.6	4	1.2	16440	10.4	17880	35	0.4					
56-43.2325-104.4667-2-15-	0-W10449	48870	-0.06	538	10570	58	75	6.3	38	3.4	4	1.2	16970	7.6	16330	25	0.3					
56-43.2383-104.4864-2-15-	0-W10450	48600	-0.06	474	10220	58	-68	5.0	40	3.4	4	1.1	14400	7.9	19300	29	0.3					
56-43.2322-104.5125-2-15-	0-W10451	66550	-0.09	563	14390	76	-79	7.6	56	5.5	5	1.5	24310	6.7	21300	36	0.4					
56-43.2292-104.5057-2-15-	0-W10452	57290	-0.06	621	12130	80	-77	6.2	60	-1.5	6	1.4	22110	12.9	19110	36	0.4					
56-43.2167-104.5944-2-15-	0-W10453	44850	-0.05	604	14160	56	-54	5.3	37	2.8	4	1.3	16280	10.3	15580	30	0.4					
56-43.2108-104.5906-2-15-	0-W10454	64620	-0.07	580	17630	55	-75	7.1	56	4.9	5	1.0	20800	5.3	19980	29	0.3					
56-43.1639-104.6031-2-15-	0-W10454	67840	-0.14	763	17130	49	-79	7.6	63	-3.2	5	1.6	25570	9.6	22660	-13	-0.2					
56-43.1769-104.6011-2-15-	0-W10457	58540	-0.06	631	11920	64	-67	6.9	48	3.6	5	1.3	20820	7.6	17520	29	0.3					
56-43.1650-104.5275-2-15-	0-W10458	50940	-0.08	604	4975	55	-69	5.6	37	3.4	5	1.2	16070	10.4	18530	29	0.3					
56-43.1417-104.5344-2-15-	0-W10459	50310	-0.14	627	21350	45	-74	7.2	49	-2.9	5	-0.5	21270	7.2	16360	18	0.3					
56-43.1139-104.4242-2-15-	0-W10460	53020	-0.05	897	17400	64	-68	7.1	51	3.5	5	1.4	21210	9.2	24390	31	0.2					
56-43.4114-104.7614-2-15-	0-W10461	65330	-0.09	594	11060	67	-59	7.0	56	5.2	5	1.5	19570	7.7	20170	35	0.3					
56-43.3836-104.7494-2-15-	0-W10462	57000	-0.14	535	15560	46	-60	6.7	52	-2.7	5	1.2	20340	7.1	18470	22	0.3					
56-43.3897-104.7614-2-15-	0-W10463	47540	-0.11	524	3377	52	-44	6.3	34	-2.4	4	1.1	16790	9.2	19420	34	-0.1					
56-43.1836-104.6042-2-15-	0-W10464	44240	-0.05	522	4386	58	72	5.0	35	3.2	4	1.2	15030	9.0	18170	24	0.3					
56-43.0747-104.6483-2-15-	0-W10465	67400	-0.12	641	21770	60	-81	8.1	54	5.2	4	0.9	24720	4.6	20920	31	0.4					
56-43.1506-104.7611-2-15-	0-W10466	37450	-0.13	576	16010	57	-51	5.0	40	3.6	5	1.4	14420	12.5	15740	17	0.3					
56-43.4639-104.9431-2-15-	0-W10468	52440	-0.12	567	3146	53	-37	6.2	39	4.0	4	1.1	14500	8.2	19210	-10	0.5					
56-43.4603-104.9147-2-15-	0-W10469	40400	-0.04	508	2970	53	50	5.1	36	3.0	4	1.1	14010	8.0	16870	25	0.3					
56-43.4728-104.9239-2-15-	0-W10470	56330	-0.08	629	8842	71	-53	6.1	48	5.9	5	1.2	16550	8.0	20160	32	0.3					
56-43.4372-104.9311-2-15-	0-W10471	44900	-0.12	477	3121	71	-43	6.3	38	5.5	5	1.2	16000	12.5	16590	49	0.3					
56-43.4214-104.9469-2-15-	0-W10472	34170	-0.03	483	-309	54	43	3.4	39	3.1	4	1.0	12170	11.7	13040	21	0.3					
56-43.3978-104.9417-2-15-	0-W10475	37680	-0.04	459	1867	45	-20	3.7	35	2.7	3	1.0	17440	7.7	13310	23	0.3					
56-43.3800-104.9011-2-15-	0-W10476	32760	-0.06	407	1515	43	-21	3.7	35	3.1	3	0.8	11940	10.8	11450	21	0.3					
56-43.3583-104.9917-2-15-	0-W10477	29740	-0.11	546	1834	39	31	5.9	35	-2.2	3	0.9	20780	11.2	11550	-7	0.4					
56-43.3119-104.9925-2-15-	0-W10478	41210	-0.03	585	2614	59	-18	7.3	63	3.7	4	0.9	24130	11.7	15090	28	0.4					
56-43.3092-104.9492-2-15-	0-W10479	38830	-0.05	504	2299	49	43	5.3	37	2.8	4	0.8	16320	10.4	15150	22	0.3					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

④

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)													U/Th RATIO			
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43.2989-104.5972-2-15-	0-W10412	16640	247	7366	58	-1	6.4	5.4	-178	2	-1	9.4	2890	55	3.6	-68	0.314					
56-43.2842-104.6019-2-15-	0-W10413	17770	206	6976	91	-2	7.4	5.3	-180	-1	-1	10.6	3555	61	3.5	-28	0.308					
56-43.2983-104.6328-2-15-	0-W10414	13990	218	6244	49	-1	4.5	3.4	-157	-1	-1	6.5	2312	45	2.5	69	0.397					
56-43.3286-104.7047-2-15-	0-W10417	14220	220	5984	49	-1	5.6	5.0	-166	-1	-1	8.3	2693	53	3.1	-50	0.352					
56-43.3306-104.6894-2-15-	0-W10418	16640	189	5809	79	-1	7.2	5.5	-157	-1	-1	11.1	3460	54	3.9	69	0.277					
56-43.3436-104.6689-2-15-	0-W10419	13760	199	4715	58	-2	6.9	4.3	-161	-1	-1	9.3	2892	75	3.0	131	0.332					
56-43.4956-104.6781-2-15-	0-W10421	14800	202	4599	69	-2	8.4	5.1	-170	-1	-1	10.9	3515	99	3.5	112	0.350					
56-43.4583-104.6808-2-15-	0-W10422	12640	438	4481	83	-2	6.6	5.7	-223	-1	-1	10.3	2527	68	3.1	89	0.354					
56-43.4422-104.6353-2-15-	0-W10424	17450	280	5958	98	-2	9.5	6.0	-199	-1	-1	12.7	3342	80	4.0	81	0.260					
56-43.4253-104.6839-2-15-	0-W10425	13130	225	4447	45	-2	5.9	5.1	-164	-1	-1	10.4	3382	55	4.2	-41	0.373					
56-43.4181-104.6744-2-15-	0-W10426	17710	219	5309	56	-2	7.2	5.0	-169	-1	-1	10.8	2799	66	3.0	156	0.297					
56-43.3994-104.6678-2-15-	0-W10428	16110	186	4943	91	-2	8.7	5.7	-176	-1	-1	12.0	2946	75	2.8	-93	0.276					
56-43.3881-104.6556-2-15-	0-W10430	9019	151	4049	44	-1	5.5	4.5	-132	-1	-1	7.8	2909	58	2.7	82	0.378					
56-43.3797-104.6381-2-15-	0-W10431	10720	238	5048	51	-1	4.9	4.2	-157	-1	-1	8.2	2971	62	2.6	204	0.359					
56-43.1725-104.6161-2-15-	0-W10432	15760	204	5642	42	-2	8.0	5.4	-169	-1	-1	11.3	2731	75	3.5	258	0.288					
56-43.2531-104.5550-2-15-	0-W10434	14220	274	6164	59	-1	6.2	5.4	-195	-1	-1	11.2	3009	55	4.7	173	0.281					
56-43.2264-104.4272-2-15-	0-W10435	17900	215	12210	49	-1	5.4	6.2	-180	-1	-1	10.2	2968	47	4.0	141	0.276					
56-43.1269-104.5025-2-15-	0-W10438	20070	223	5797	55	-1	3.9	3.7	-166	-1	-1	7.3	2336	39	2.6	178	0.393					
56-43.1025-104.4781-2-15-	0-W10441	19210	331	8673	-26	-2	7.5	5.7	-216	-1	-1	10.0	3523	70	2.8	227	0.305					
56-43.0811-104.5019-2-15-	0-W10442	23430	303	7237	70	-2	12.1	6.4	-253	-1	-1	12.1	3444	117	3.6	405	0.294					
56-43.0931-104.4147-2-15-	0-W10443	22410	278	14980	56	-2	7.9	6.3	-227	-1	-1	10.2	3343	76	3.1	270	0.375					
56-43.2131-104.4608-2-15-	0-W10445	7305	245	7526	36	-1	4.3	4.6	-165	-1	-1	9.1	2884	48	2.5	157	0.289					
56-43.1964-104.4347-2-15-	0-W10446	14450	269	8695	-21	-1	5.5	4.3	-174	-1	-1	8.6	2622	54	2.8	225	0.330					
56-43.1867-104.4444-2-15-	0-W10447	18160	190	8968	71	-1	5.8	5.3	-172	-1	-1	9.5	2277	44	4.1	175	0.261					
56-43.2325-104.4667-2-15-	0-W10449	13910	277	6836	70	-1	6.0	4.4	-193	-1	-1	8.8	3245	54	3.0	209	0.317					
56-43.2383-104.4864-2-15-	0-W10450	17040	206	6904	73	-1	5.3	4.3	-170	-1	-1	9.0	2869	58	2.9	185	0.323					
56-43.2322-104.5125-2-15-	0-W10451	19090	276	7696	95	-2	9.5	6.4	-205	-1	-1	11.3	3524	81	3.0	209	0.318					
56-43.2292-104.5067-2-15-	0-W10452	19150	289	8060	74	-2	7.6	-0.6	-242	-1	-1	11.6	3776	64	4.3	43	0.266					
56-43.2167-104.5944-2-15-	0-W10453	15600	264	6548	-18	-1	5.6	4.5	-171	-1	-1	8.7	2662	46	2.9	-72	0.320					
56-43.2108-104.5906-2-15-	0-W10454	21820	329	6763	72	-2	7.5	5.1	-215	-1	-1	10.4	3458	73	2.2	99	0.323					
56-43.1639-104.6031-2-15-	0-W10456	16270	371	8531	-59	-3	8.7	5.1	-263	-3	-1	10.8	3828	80	-2.7	-85	0.323					
56-43.1769-104.6011-2-15-	0-W10457	17530	295	7358	69	-1	7.4	4.7	-219	-1	-1	10.3	3679	66	3.0	132	0.287					
56-43.1650-104.5275-2-15-	0-W10458	9969	287	6718	-28	-2	6.1	4.8	-192	-1	-1	9.5	3048	58	3.5	76	0.302					
56-43.1417-104.5344-2-15-	0-W10459	13820	276	7144	-53	-3	8.4	3.4	-194	-3	-1	7.5	3096	75	-2.8	-83	0.376					
56-43.1139-104.4242-2-15-	0-W10460	18450	275	10880	76	-1	6.2	6.4	-198	-1	1	9.1	3035	68	3.3	62	0.344					
56-43.4114-104.7614-2-15-	0-W10461	19580	225	3526	59	-2	7.8	6.0	-177	-1	-1	10.4	3568	72	4.6	114	0.326					
56-43.3836-104.7494-2-15-	0-W10462	15140	326	3979	-48	-3	7.3	4.1	-193	-2	-1	7.7	2561	59	3.8	-57	0.377					
56-43.3897-104.7614-2-15-	0-W10463	8697	211	4098	-38	-3	6.4	4.3	-159	-2	-1	8.8	2778	55	-2.1	-52	0.326					
56-43.1836-104.6042-2-15-	0-W10464	11080	241	5273	63	-1	5.3	4.2	-170	-1	-1	8.2	2699	55	3.1	82	0.306					
56-43.0747-104.6483-2-15-	0-W10465	30020	308	5771	60	-3	9.3	4.2	362	-2	-1	10.2	3635	112	-2.2	-33	0.796					
56-43.1506-104.7611-2-15-	0-W10466	14340	238	3344	-46	-3	5.1	4.6	-156	-2	-1	9.1	2642	45	-2.1	-51	0.378					
56-43.4639-104.9431-2-15-	0-W10468	7740	174	2076	-40	-3	7.1	3.9	-150	-2	-1	7.3	3121	65	-2.1	-26	0.412					
56-43.4603-104.9147-2-15-	0-W10469	7273	174	1518	51	-1	5.1	4.4	-136	-1	-1	8.3	2228	54	2.8	75	0.299					
56-43.4728-104.9239-2-15-	0-W10470	17320	269	3321	53	-2	6.9	4.9	-170	-1	-1	9.6	3093	56	3.3	-41	0.311					
56-43.4372-104.9311-2-15-	0-W10471	8392	229	2441	-40	-3	6.5	4.0	-145	-2	-1	10.1	3200	62	-2.1	-27	0.350					
56-43.4214-104.9469-2-15-	0-W10473	5441	142	863	44	-1	4.2	3.9	-130	-1	-1	8.2	2422	49	2.6	-67	0.359					
56-43.3978-104.9417-2-15-	0-W10475	4927	136	599	31	-1	5.2	3.9	-116	-1	-1	8.2	2754	61	3.0	-26	0.328					
56-43.3800-104.9011-2-15-	0-W10476	3326	104	497	-19	-1	4.2	2.7	-95	-1	-1	6.5	2886	49	1.9	-68	0.380					
56-43.3583-104.9917-2-15-	0-W10477	4740	147	526	-42	-2	5.0	3.6	-104	-2	-1	6.6	2178	55	-2.0	-52	0.452					
56-43.3119-104.9925-2-15-	0-W10478	5040	160	888	54	-1	7.2	4.8	-86	-1	-1	10.5	2814	66	3.8	84	0.329					
56-43.3092-104.9442-2-15-	0-W10479	6233	160	710	43	-1	5.2	3.6	-113	-1	1	7.5	2450	54	2.9	-20	0.307					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

①

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																				U CONCENTRATION								
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCINTILLOMETER (cpm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC) UNITS IN ppm
							DATE	HOUR																										
56-43.3189-104.9489-2-15						0-W10480-09/14/77-12	33		-	-	-	-	-	-	22-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.26	
56-43.3139-104.9111-2-15						0-W10482-09/14/77-13	29		-	-	-	-	-	-	25-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.83
56-43.3389-104.9083-2-15						0-W10483-09/14/77-14	29		-	-	-	-	-	-	11-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.54
56-43.3111-104.9194-2-15						0-W10484-09/14/77-14	29		-	-	-	-	-	-	11-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.37
56-43.2933-104.9144-2-15						0-W10485-09/14/77-14	29		-	-	-	-	-	-	19-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.79
56-43.2806-104.9222-2-15						0-W10487-09/14/77-15	30		-	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.02
56-43.2625-104.9083-2-15						0-W10488-09/14/77-15	30		-	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.74
56-43.2472-104.9153-2-15						0-W10489-09/14/77-16	30		-	-	-	-	-	-	11-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.92
56-43.1733-104.9089-2-15						0-W10490-09/14/77-16	30		-	-	-	-	-	-	13-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.68
56-43.1903-104.9744-2-15						0-W10493-09/14/77-18	23		-	-	-	-	-	-	19-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.13
56-43.1972-104.9389-2-15						0-W10494-09/15/77-7	19		-	-	-	-	-	-	19-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.36
56-43.2033-104.9281-2-15						0-W10495-09/15/77-7	19		-	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.16
56-43.2125-104.9494-2-15						0-W10496-09/15/77-8	19		-	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.39
56-43.2244-104.9644-2-15						0-W10497-09/15/77-9	19		-	-	-	-	-	-	11-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.21
56-43.2550-104.9794-2-15						0-W10498-09/15/77-9	23		-	-	-	-	-	-	22-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.80
56-43.2217-104.9733-2-15						0-W10499-09/15/77-9	23		-	-	-	-	-	-	11-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.28
56-43.1611-104.9311-2-15						0-W10500-09/15/77-10	23		-	-	-	-	-	-	27-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.48
56-43.1564-104.9183-2-15						0-W10501-09/15/77-10	23		-	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.74
56-43.1506-104.9761-2-15						0-W10502-09/15/77-11	27		-	-	-	-	-	-	13-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.95
56-43.1353-104.9656-2-15						0-W10503-09/15/77-11	27		-	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.40
56-43.1256-104.9908-2-15						0-W10504-09/15/77-12	27		-	-	-	-	-	-	13-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.52
56-43.0906-104.9842-2-15						0-W10505-09/15/77-12	27		-C	-	-	-	-	-	11-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.09
56-43.1097-104.9464-2-15						0-W10506-09/15/77-12	27		-C	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.37
56-43.1019-104.9608-2-15						0-W10507-09/15/77-13	28		-C	-	-	-	-	-	11-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.04
56-43.0594-104.9914-2-15						0-W10508-09/15/77-14	28		-	-	-	-	-	-	11-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.96
56-43.0486-104.9822-2-15						0-W10509-09/15/77-14	28		-	-	-	-	-	-	8-1-1-4-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.69
56-43.0506-104.9889-2-15						0-W10510-09/15/77-14	28		-	-	-	-	-	-	19-1-1-4-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.81
56-43.0819-104.9867-2-15						0-W10511-09/15/77-14	28		-C	-	-	-	-	-	19-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.23
56-43.0200-104.9658-2-15						0-W10512-09/15/77-16	28		-	-	-	-	-	-	11-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.30
56-43.0189-104.9714-2-15						0-W10513-09/15/77-16	28		-	-	-	-	-	-	8-1-1-4-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.99
56-43.0178-104.9178-2-15						0-W10514-09/15/77-16	28		-C	-	-	-	-	-	22-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.83
56-43.0289-104.9217-2-15						0-W10515-09/15/77-16	28		-C	-	-	-	-	-	19-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.06
56-43.0411-104.9092-2-15						0-W10516-09/15/77-17	28		-C	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.01
56-43.3953-104.9867-2-15						0-W10517-09/16/77-12	30		-	-	-	-	-	-	16-1-1-4-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.60
56-43.3842-104.9875-2-15						0-W10518-09/16/77-12	30		-	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.89
56-43.4428-104.9961-2-15						0-W10519-09/16/77-18	24		-	-	-	-	-	-	16-1-1-4-6	-1	-2-4-3-3-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.54
56-43.4931-105.0286-2-15						0-W10520-09/17/77-8	16		-C	-	-	-	-	-	8-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.45
56-43.4208-105.0086-2-15						0-W10521-09/16/77-12	30		-	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.89
56-43.3903-105.0422-2-15						0-W10523-09/16/77-13	25		-	-	-	-	-	-	19-1-1-4-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.05
56-43.3847-105.0494-2-15						0-W10524-09/16/77-14	25		-	-	-	-	-	-	19-1-1-4-6	-1	-2-4-3-3-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.68
56-43.3914-105.0803-2-15						0-W10525-09/16/77-14	25		-	-	-	-	-	-	22-1-1-5-6	-1	-2-4-3-3-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.83
56-43.3989-105.1228-2-15						0-W10527-09/16/77-16																												

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.3189-104.9489-2-15-						0-W10480	-5	-5	-5	21	-20	-15	-5	-10	-15	1	15	
56-43.3139-104.9111-2-15-						0-W10482	-5	-5	-5	22	-20	-15	-5	-10	-15	-1	16	
56-43.3389-104.9083-2-15-						0-W10493	-5	-5	-5	25	-20	-15	-5	-10	-15	-1	10	
56-43.3111-104.9194-2-15-						0-W10494	-5	6	-5	13	-20	-15	-5	-10	-15	-1	14	
56-43.2933-104.9144-2-15-						0-W10485	-5	-5	-5	32	30	-15	7	-10	-15	2	25	
56-43.2806-104.9222-2-15-						0-W10497	-5	-5	-5	31	-20	18	9	-10	-15	1	26	
56-43.2625-104.9083-2-15-						0-W10488	-5	5	-5	16	-20	-15	-5	-10	-15	1	15	
56-43.2472-104.9153-2-15-						0-W10489	-5	-5	-5	17	40	-15	-5	-10	-15	-1	12	
56-43.1733-104.9089-2-15-						0-W10490	-5	-5	-5	26	-20	-15	5	-10	-15	-1	9	
56-43.1903-104.9744-2-15-						0-W10493	-5	-5	-5	16	-20	-15	7	-10	-15	1	9	
56-43.1972-104.9389-2-15-						0-W10494	-5	-5	-5	23	-20	-15	-5	-10	-15	2	18	
56-43.2033-104.9281-2-15-						0-W10495	-5	-5	-5	17	-20	-15	-5	-10	-15	2	23	
56-43.2125-104.9494-2-15-						0-W10496	-5	-5	-5	18	-20	-15	-5	-10	-15	1	10	
56-43.2244-104.9644-2-15-						0-W10497	-5	5	-5	19	-20	17	-5	-10	-15	-1	11	
56-43.2550-104.9794-2-15-						0-W10498	-5	6	-5	10	-20	-15	-5	-10	-15	-1	8	
56-43.2217-104.9733-2-15-						0-W10499	-5	-5	-5	21	-20	-15	8	-10	-15	2	17	
56-43.1611-104.9311-2-15-						0-W10500	-5	6	-5	22	-20	-15	5	-10	-15	1	20	
56-43.1564-104.9183-2-15-						0-W10501	-5	6	-5	21	-20	22	6	-10	-15	1	26	
56-43.1506-104.9761-2-15-						0-W10502	-5	6	-5	23	-20	-15	8	-10	-15	1	17	
56-43.1353-104.9656-2-15-						0-W10503	-5	7	-5	14	-20	-15	-5	-10	-15	1	13	
56-43.1256-104.9908-2-15-						0-W10504	-5	-5	-5	19	-20	-15	-5	-10	-15	1	11	
56-43.0906-104.9842-2-15-						0-W10505	-5	5	-5	15	-20	-15	-5	-10	-15	1	13	
56-43.1097-104.9464-2-15-						0-W10506	-5	6	-5	24	-20	-15	12	-10	-15	2	25	
56-43.1019-104.9608-2-15-						0-W10507	-5	5	-5	21	-20	-15	8	-10	-15	1	17	
56-43.0594-104.9914-2-15-						0-W10508	-5	6	-5	25	-20	-15	7	-10	-15	2	20	
56-43.0486-104.9822-2-15-						0-W10509	-5	-5	-5	10	-20	-15	-5	-10	-15	1	10	
56-43.0506-104.9889-2-15-						0-W10510	-5	-5	-5	17	-20	-15	-5	-10	-15	1	23	
56-43.0819-104.9867-2-15-						0-W10511	-5	5	-5	26	-20	-15	9	-10	-15	1	19	
56-43.0200-104.9658-2-15-						0-W10512	-5	-5	-5	15	-20	16	-5	-10	-15	2	18	
56-43.0189-104.9714-2-15-						0-W10513	-5	-5	-5	12	-20	-15	5	-10	-15	1	14	
56-43.0178-104.9178-2-15-						0-W10514	-5	-5	-5	17	-20	-15	11	-10	-15	1	19	
56-43.0289-104.9217-2-15-						0-W10515	-5	5	-5	21	-20	-15	8	-10	-15	1	23	
56-43.0411-104.9092-2-15-						0-W10516	-5	-5	-5	22	-20	-15	-5	-10	-15	2	18	
56-43.3953-104.9867-2-15-						0-W10517	-5	-5	-5	23	-20	-15	-5	-10	-15	1	9	
56-43.3842-104.9875-2-15-						0-W10518	-5	-5	-5	23	-20	-15	8	-10	-15	1	12	
56-43.4428-104.9961-2-15-						0-W10519	-5	-5	-5	20	-20	20	6	-10	-15	1	16	
56-43.4931-105.0286-2-15-						0-W10520	-5	6	-5	38	-20	18	11	-10	-15	1	16	
56-43.4208-105.0086-2-15-						0-W10521	-5	5	-5	24	-20	-15	9	-10	-15	2	27	
56-43.3903-105.0422-2-15-						0-W10522	-5	-5	-5	25	-20	18	7	-10	-15	-1	10	
56-43.3847-105.0494-2-15-						0-W10524	-5	-5	-5	21	-20	-15	9	-10	-15	-1	10	
56-43.3914-105.0803-2-15-						0-W10525	-5	5	-5	21	-20	15	11	-10	-15	1	20	
56-43.3989-105.1228-2-15-						0-W10527	-5	6	-5	21	-20	-15	-5	-10	-15	1	13	
56-43.4433-105.0056-2-15-						0-W10528	-5	-5	-5	19	-20	-15	12	-10	-15	1	22	
56-43.4911-105.0517-2-15-						0-W10529	-5	-5	-5	23	-20	15	6	-10	-15	1	15	
56-43.4989-105.0489-2-15-						0-W10530	-5	6	-5	23	-20	-15	-5	-10	-15	2	20	
56-43.4856-105.0986-2-15-						0-W10531	-5	-5	-5	27	-20	21	12	-10	-15	2	25	
56-43.4156-105.0778-2-15-						0-W10532	-5	-5	-5	19	-20	16	8	-10	-15	1	19	
56-43.4817-105.1225-2-15-						0-W10533	-5	-5	-5	19	-20	-15	13	-10	-15	1	13	
56-43.4169-105.1069-2-15-						0-W10534	-5	-5	-5	26	-20	-15	7	-10	-15	1	16	
56-43.4358-105.0900-2-15-						0-W10535	-5	5	-5	22	-20	-15	-5	-10	-15	2	25	
56-43.3064-105.1369-2-15-						0-W10537	-5	5	-5	23	-20	-15	11	-10	-15	2	19	

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.3189-104.9489-2-15-			0-W10490			35830	-0.06	537	1740	44	-25	4.5	36	3.3	4	1.0	15800	12.4	12080	25	0.4	
56-43.3139-104.9111-2-15-			0-W10482			34430	-0.10	396	1456	36	-25	4.1	48	4.0	4	0.9	12230	12.0	11680	19	0.4	
56-43.3389-104.9083-2-15-			0-W10483			28900	-0.09	472	1650	37	-21	-1.3	-10	-1.9	3	1.1	14660	9.3	12870	18	0.4	
56-43.3111-104.9194-2-15-			0-W10494			29760	-0.04	582	1588	57	-22	4.3	43	2.4	4	1.1	17640	21.1	13100	28	0.4	
56-43.2933-104.9144-2-15-			0-W10485			63110	-0.09	497	2443	62	-28	5.4	53	5.0	5	1.2	12960	7.7	17300	35	0.3	
56-43.2806-104.9222-2-15-			0-W10487			59600	-0.16	493	3070	57	66	7.2	51	8.6	5	-0.5	14930	6.9	16100	-13	0.3	
56-43.2625-104.9083-2-15-			0-W10489			33900	-0.10	467	1038	43	-20	-1.4	-11	-2.1	3	0.7	12860	10.6	11710	-8	0.3	
56-43.2472-104.9153-2-15-			0-W10489			35000	-0.06	491	-231	59	-23	4.6	46	3.3	4	1.0	14790	15.3	13330	24	0.4	
56-43.1733-104.9089-2-15-			0-W10490			28300	-0.05	547	2024	49	-29	4.9	29	2.2	3	0.9	13570	11.0	14780	21	0.3	
56-43.1903-104.9744-2-15-			0-W10493			30010	-0.06	474	1456	45	-24	5.0	51	2.3	4	1.0	12910	17.7	12380	25	0.4	
56-43.1972-104.9389-2-15-			0-W10494			35870	-0.06	520	2048	63	-22	5.7	44	2.9	4	1.0	17740	13.2	12830	29	0.4	
56-43.2033-104.9281-2-15-			0-W10495			40570	-0.06	487	-229	47	-22	5.4	44	3.6	4	1.0	13430	8.7	13450	22	0.4	
56-43.2125-104.9494-2-15-			0-W10496			25010	-0.05	440	1331	43	-21	3.4	30	2.0	4	0.8	9140	13.2	10660	19	0.3	
56-43.2244-104.9644-2-15-			0-W10497			23810	-0.06	456	-343	62	-21	4.3	44	2.1	5	1.2	12970	33.2	10970	29	0.6	
56-43.2550-104.9794-2-15-			0-W10498			25240	-0.05	459	1780	57	-20	4.1	42	-0.9	4	1.0	15210	17.8	10480	25	0.4	
56-43.2217-104.9733-2-15-			0-W10499			32870	-0.06	523	2284	51	42	6.2	39	2.3	4	0.9	18840	13.1	12680	23	0.4	
56-43.1611-104.9311-2-15-			0-W10500			45760	-0.07	502	3594	59	-33	4.8	37	3.3	4	1.1	13630	8.8	15290	23	0.4	
56-43.1564-104.9183-2-15-			0-W10501			46450	-0.08	572	9731	55	-57	6.1	57	4.3	5	1.2	19620	11.7	15920	12	0.4	
56-43.1506-104.9761-2-15-			0-W10502			30850	-0.05	469	1510	55	-22	5.2	48	2.2	4	0.9	13580	18.2	10930	25	0.4	
56-43.1353-104.9656-2-15-			0-W10503			37120	-0.06	624	4225	68	-37	5.6	70	2.6	5	1.0	15070	18.0	13460	33	0.5	
56-43.1256-104.9908-2-15-			0-W10504			25800	-0.05	337	-313	40	36	3.5	31	1.6	4	0.6	6488	11.8	11260	20	0.3	
56-43.0906-104.9842-2-15-			0-W10505			29590	-0.06	407	2201	47	-24	4.3	53	3.1	4	1.0	10000	21.3	9828	24	0.4	
56-43.1097-104.9464-2-15-			0-W10506			48230	-0.07	552	3839	75	-33	6.6	59	4.1	5	1.3	17060	12.7	16250	37	0.4	
56-43.1019-104.9608-2-15-			0-W10507			14960	-0.01	201	-139	28	-13	3.9	20	2.7	2	0.8	3913	6.1	5804	11	0.2	
56-43.0594-104.9914-2-15-			0-W10508			38710	-0.06	405	1894	50	-23	3.7	34	3.2	3	0.8	9019	10.3	12060	21	0.2	
56-43.0486-104.9822-2-15-			0-W10509			25670	-0.03	845	2178	74	-27	9.3	45	3.7	5	2.6	22630	36.6	11980	33	0.5	
56-43.0506-104.9889-2-15-			0-W10510			46030	-0.06	454	4639	61	-29	6.2	57	4.1	4	1.1	18140	11.9	12680	30	0.4	
56-43.0819-104.9867-2-15-			0-W10511			46890	-0.06	506	3476	65	-29	4.8	62	3.5	4	1.2	13200	16.6	13950	30	0.4	
56-43.0200-104.9658-2-15-			0-W10512			37750	-0.06	567	2071	52	-32	5.1	41	2.9	4	1.0	15070	13.4	12490	26	0.4	
56-43.0189-104.9714-2-15-			0-W10513			22100	0.15	1171	1406	104	-27	4.4	49	2.2	7	1.0	22380	59.4	10420	55	0.7	
56-43.0178-104.9178-2-15-			0-W10514			55450	-0.09	583	6457	72	-54	6.4	59	3.0	4	1.3	18580	9.2	18740	26	0.3	
56-43.0289-104.9217-2-15-			0-W10515			44470	-0.06	587	3824	68	-49	6.3	45	3.0	5	1.4	16210	15.6	18850	34	0.4	
56-43.0411-104.9092-2-15-			0-W10516			53330	-0.07	535	6392	63	44	5.7	33	3.3	5	1.0	14940	9.9	21540	24	0.4	
56-43.3953-104.9867-2-15-			0-W10517			23990	-0.06	549	2302	36	-25	4.3	24	2.1	4	0.8	21520	8.7	10960		0.3	
56-43.3842-104.9875-2-15-			0-W10518			30210	-0.05	584	3665	51	-20	5.2	36	1.9	3	1.0	22570	11.7	14370	24	0.3	
56-43.4428-104.9961-2-15-			0-W10519			39480	-0.06	532	2634	57	-22	5.9	40	2.5	5	1.1	20350	15.8	11640	32	0.4	
56-43.4931-105.0286-2-15-			0-W10520			53990	-0.07	583	2909	56	-28	5.9	40	3.4	5	1.0	15760	7.4	18590	32	0.3	
56-43.4208-105.0086-2-15-			0-W10521			80430	-0.10	592	3519	80	-37	5.8	72	6.9	5	1.2	19430	6.6	17610	20	0.3	
56-43.3903-105.0422-2-15-			0-W10522			26870	-0.05	476	2654	47	-20	5.3	32	1.8	4	1.0	26500	11.2	12820	23	0.3	
56-43.3847-105.0494-2-15-			0-W10524			28610	-0.05	551	1513	49	-21	5.2	30	1.9	3	0.8	21450	11.4	12860	22	0.3	
56-43.3914-105.0803-2-15-			0-W10525			43190	-0.07	582	6353	79	-32	6.0	44	3.5	6	1.2	20360	28.8	14950	33	0.5	
56-43.3989-105.1228-2-15-			0-W10527			35730	-0.06	513	2621	52	-29	4.6	33	2.6	4	1.0	17260	11.2	13520	25	0.3	
56-43.4433-105.0056-2-15-			0-W10528			42630	-0.06	510	4439	61	38	5.4	51	2.3	4	1.1	17580	10.9	14060	30	0.3	
56-43.4911-105.0517-2-15-			0-W10529			43860	-0.03	459	2087	63	-20	9.1	45	6.5	4	1.8	20340	11.7	14300	24	0.3	
56-43.4989-105.0489-2-15-			0-W10530			48500	-0.07	557	3097	57	-30	5.5	34	3.3	5	1.0	14020	7.8	16640	26	0.4	
56-43.4856-105.0984-2-15-			0-W10531			59130	-0.09	554	2499	64	-31	5.3	56	4.6	5	1.2	17660	9.5	15610	45	0.4	
56-43.4156-105.0774-2-15-			0-W10532			54360	-0.08	607	3464	74	-37	5.6	53	3.2	5	1.3	17630	9.2	16300	29	0.4	
56-43.4817-105.1225-2-15-			0-W10533			38760	-0.06	497	2317	46	-21	5.5	40	2.9	4	1.0	19550	9.1	12710	26	0.3	
56-43.4169-105.1069-2-15-			0-W10534			33530	-0.06	494	1895	46	-32	3.8	35	2.0	4	0.9	13910	11.3	13050	25	0.4	
56-43.4358-105.0900-2-15-			0-W10535			45860	-0.07	508	4875	51	-32	6.2	47	3.5	5	1.1	18460	12.2	15010	30	0.4	
56-43.3064-105.1367-2-15-			0-W10537			60160	-0.07	613	4206	74	-40	7.5	58	4.8	4	1.2	20080	10.3	15850	34	0.4	

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

4

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)													U/Th RATIO			
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB. SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43.3189-104.9489-2-15-						0-W10480	4851	155	776	-21	-2	4.9	3.3	-114	-1	-1	7.2	2799	56	2.7	-53	0.453
56-43.3139-104.9111-2-15-						0-W10482	4072	102	796	-39	-2	4.7	3.0	-98	-2	-1	6.2	2512	50	2.7	-51	0.456
56-43.3389-104.9083-2-15-						0-W10483	3503	116	658	-33	-2	4.3	3.1	-107	-2	-1	6.2	2248	49	-1.7	-57	0.410
56-43.3111-104.9194-2-15-						0-W10484	4917	156	781	41	-1	4.7	4.2	-113	-1	-1	9.5	2920	49	3.8	56	0.355
56-43.2933-104.9144-2-15-						0-W10485	8721	134	1032	-26	-2	8.0	4.6	-150	-1	-1	10.3	3722	85	4.8	-34	0.368
56-43.2806-104.9222-2-15-						0-W10487	7156	113	906	-50	-3	9.0	4.2	-122	-3	-1	10.2	3472	87	-3.0	-66	0.394
56-43.2625-104.9083-2-15-						0-W10488	4689	101	574	-40	-2	4.9	3.0	-108	-2	-1	6.5	2499	52	-1.9	-52	0.422
56-43.2472-104.9153-2-15-						0-W10489	4091	107	602	45	-1	5.4	4.0	-115	-1	-1	8.9	2866	56	4.0	168	0.328
56-43.1733-104.9089-2-15-						0-W10490	4689	142	1589	37	-1	3.9	3.9	-117	-1	-1	7.6	2747	45	3.8	105	0.353
56-43.1903-104.9744-2-15-						0-W10493	3516	125	570	42	-1	4.8	3.4	-100	-1	-1	8.4	2871	47	2.6	140	0.373
56-43.1972-104.9389-2-15-						0-W10494	5448	124	761	59	-1	5.9	4.3	-118	-1	-1	9.5	2847	57	4.0	123	0.354
56-43.2033-104.9281-2-15-						0-W10495	6537	119	713	51	-1	5.4	3.9	-110	-1	-1	7.7	2778	68	2.5	164	0.410
56-43.2125-104.9494-2-15-						0-W10496	2297	84	583	26	-1	3.7	3.4	-84	-1	1	6.7	2693	42	3.2	123	0.506
56-43.2244-104.9644-2-15-						0-W10497	3148	117	471	-16	-1	4.4	4.6	-95	-1	-1	9.6	3495	42	4.6	115	0.439
56-43.2550-104.9794-2-15-						0-W10498	3592	117	506	36	-1	4.1	4.3	-106	-1	-1	8.6	2497	44	3.2	107	0.326
56-43.2217-104.9733-2-15-						0-W10499	4727	151	691	44	-1	5.3	4.3	-119	-1	-1	8.2	2834	56	3.2	-66	0.400
56-43.1611-104.9311-2-15-						0-W10500	8315	173	1561	61	-1	5.4	4.1	-130	-1	-1	8.9	2859	69	2.8	134	0.391
56-43.1564-104.9183-2-15-						0-W10501	9719	338	3281	63	-2	6.7	5.3	-194	-1	-1	10.0	3400	62	3.8	161	0.374
56-43.1506-104.9761-2-15-						0-W10502	3950	127	762	52	-1	5.0	3.9	-108	-1	-1	8.9	3014	49	3.9	93	0.331
56-43.1353-104.9656-2-15-						0-W10503	6212	205	2506	-19	-1	5.8	5.9	-145	-1	-1	12.6	4171	59	4.7	134	0.270
56-43.1256-104.9908-2-15-						0-W10504	1761	87	595	29	-1	3.5	3.5	-87			6.6	2849	39	2.5	51	0.382
56-43.0906-104.9842-2-15-						0-W10505	2929	106	777	54	-1	4.6	3.4	-92	-1	-1	7.7	2962	45	3.5	-68	0.401
56-43.1097-104.9464-2-15-						0-W10506	7247	146	1652	61	-2	7.4	5.2	-138	-1	-1	11.1	2761	73	4.0	125	0.304
56-43.1019-104.9608-2-15-						0-W10507	2041	30	432	24		3.1	1.9	-41			4.0	1366	21	1.4	36	0.760
56-43.0594-104.9914-2-15-						0-W10508	4184	93	697	36	2	4.5	3.1	-95		-1	7.0	2777	63	2.2	39	0.423
56-43.0486-104.9822-2-15-						0-W10509	5100	219	782	39	1	6.2	5.4	-133	-1	-1	11.9	3758	60	4.3	120	0.310
56-43.0506-104.9889-2-15-						0-W10510	5958	184	1069	-21	-2	6.7	4.3	-151	-1	-1	9.3	3117	68	4.0	-83	0.410
56-43.0819-104.9867-2-15-						0-W10511	7771	119	1413	55	-1	6.8	5.2	-124	-1	-1	11.2	3847	66	4.4	-46	0.378
56-43.0200-104.9658-2-15-						0-W10512	5537	175	1106	41	-1	4.6	3.5	-133	-1	-1	7.3	3133	69	3.1	88	0.452
56-43.0189-104.9714-2-15-						0-W10513	4184	296	630	-19	-1	4.8	7.0	-140	2	-1	18.0	5680	63	5.6	85	0.333
56-43.0178-104.9178-2-15-						0-W10514	11910	233	3618	68	-2	7.1	5.1	-203	-1	-1	11.3	2924	67	3.6	125	0.250
56-43.0289-104.9217-2-15-						0-W10515	7596	247	4512	65	-1	6.2	6.0	-165	-1	-1	11.7	3333	54	4.3	-57	0.262
56-43.0411-104.9092-2-15-						0-W10516	16470	267	1900	64	-2	5.9	5.3	-170	-1	-1	8.8	2941	57	3.1	61	0.342
56-43.3953-104.9867-2-15-						0-W10517	4119	163	571	-19	-1	3.9	3.4	-111	-1	-1	6.2	1671	50	2.3	-68	0.419
56-43.3842-104.9875-2-15-						0-W10518	6169	174	568	48	-1	5.1	3.6	-129	-1	-1	8.3	2197	53	2.8	57	0.348
56-43.4428-104.9961-2-15-						0-W10519	6491	175	478	54	-1	5.7	4.4	-126	-1	-1	8.5	3175	60	3.4	91	0.416
56-43.4931-105.0286-2-15-						0-W10520	7341	131	860	46	-2	6.8	4.6	-122	-1	-1	8.8	3404	84	3.7	78	0.392
56-43.4208-105.0086-2-15-						0-W10521	12650	107	1153	72	-2	11.0	5.5	-138	-1	1	11.6	4070	107	3.5	148	0.335
56-43.3903-105.0422-2-15-						0-W10522	5533	185	576	41	-1	4.8	3.1	-127	-1	1	7.3	2354	56	2.0	73	0.418
56-43.3847-105.0494-2-15-						0-W10524	3725	176	581	53	-1	4.5	3.1	-120	-1	-1	7.0	2162	52	3.3	82	0.383
56-43.3914-105.0803-2-15-						0-W10525	9694	244	663	50	-2	6.3	5.1	-146	2	-1	14.5	3732	72	5.3	55	0.333
56-43.3989-105.1228-2-15-						0-W10527	5964	143	820	-19	-1	5.2	4.1	-111	-1	-1	7.9	2473	57	3.3	46	0.371
56-43.4433-105.0056-2-15-						0-W10528	9793	148	732	53	-1	5.9	3.9	-128	-1	-1	8.4	2670	66	3.0	65	0.387
56-43.4911-105.0517-2-15-						0-W10529	7542	112	703	49	-1	8.0	4.4	-110	-1	-1	9.0	2523	72	2.9	111	0.432
56-43.4989-105.0489-2-15-						0-W10530	5583	106	913	42	-2	5.9	4.3	-117	-1	-1	7.9	3101	71	2.7	83	0.416
56-43.4856-105.0986-2-15-						0-W10531	6739	90	984	-24	-2	8.4	5.2	-118	-1	-1	11.7	3311	85	3.2	66	0.332
56-43.4156-105.0778-2-15-						0-W10532	8639	137	1910	62	-2	7.7	4.5	-155	-1	-1	10.5	3523	76	3.5	77	0.350
56-43.4817-105.1225-2-15-						0-W10533	5183	141	552	49	-1	6.0	4.4	-118	-1	-1	8.9	3103	71	3.0	-68	0.351
56-43.4169-105.1069-2-15-						0-W10534	4463	139	1326	-17	-1	4.4	4.0	-113	-1	-1	7.6	2489	54	3.2	-53	0.391
56-43.4358-105.0900-2-15-						0-W10535	7028	161	953	51	-2	6.9	5.1	-127	-1	-1	10.0	2584	72	4.2	96	0.393
56-43.3064-105.1369-2-15-						0-W10537	9528	196	2374	61	-2	8.4	5.1	-170	-1	-1	11.7	3508	80	3.4	111	0.268

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																				U CONCENTRATION								
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCINTILLATOR (e.l./ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC) UNITS IN ppm
							DATE	HOUR																										
56-43.2764-105.1717-2-15-			0-W10539-09/17/77-13-			21-	-	-	-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.56		
56-43.2628-105.2014-2-15-			0-W10540-09/17/77-13-			21-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.63	
56-43.2625-105.2133-2-15-			0-W10541-09/17/77-13-			21-	-C-	-	-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.90	
56-43.3647-105.2292-2-15-			0-W10543-09/19/77-15-			24-	-	-	-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.50	
56-43.3633-105.2406-2-15-			0-W10544-09/19/77-16-			22-	-C-	-	-	-	-	-	-	-	22-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.94	
56-43.3197-105.2150-2-15-			0-W10545-09/19/77-17-			20-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.41	
56-43.3197-105.1744-2-15-			0-W10548-09/19/77-18-			20-	-C-	-	-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.59	
56-43.3403-105.1767-2-15-			0-W10550-09/20/77-12-			27-	-	-	-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.89	
56-43.3139-105.1961-2-15-			0-W10554-09/20/77-15-			28-	-C-	-	-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.81	
56-43.2764-105.1436-2-15-			0-W10555-09/25/77-12-			25-	-C-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.42	
56-43.4858-105.1781-2-15-			0-W10556-09/18/77-13-			23-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.40	
56-43.4894-105.1475-2-15-			0-W10557-09/18/77-14-			23-	-C-	-	-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.42	
56-43.4650-105.2244-2-15-			0-W10560-09/18/77-16-			24-	-	-	-	-	-	-	-	-	22-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.80	
56-43.4439-105.2261-2-15-			0-W10561-09/18/77-16-			24-	-	-	-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.77	
56-43.4342-105.2256-2-15-			0-W10562-09/18/77-17-			23-	-	-	-	-	-	-	-	-	13-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.44	
56-43.4592-105.1881-2-15-			0-W10563-09/18/77-17-			20-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.12	
56-43.4492-105.1686-2-15-			0-W10564-09/18/77-17-			20-	-	-	-	-	-	-	-	-	16-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.59	
56-43.4414-105.1656-2-15-			0-W10565-09/18/77-18-			18-	-	-	-	-	-	-	-	-	16-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.07	
56-43.4147-105.1831-2-15-			0-W10566-09/18/77-18-			18-	-	-	-	-	-	-	-	-	16-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.95	
56-43.4161-105.1975-2-15-			0-W10567-09/19/77-7-			7-	-C-	-	-	-	-	-	-	-	22-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.39	
56-43.4014-105.1603-2-15-			0-W10568-09/19/77-8-			12-	-C-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.11	
56-43.4100-105.1353-2-15-			0-W10569-09/19/77-9-			19-	-	-	-	-	-	-	-	-	22-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.60	
56-43.3828-105.1475-2-15-			0-W10570-09/19/77-11-			20-	-C-	-	-	-	-	-	-	-	22-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.52	
56-43.4192-105.2442-2-15-			0-W10572-09/19/77-12-			22-	-C-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.23	
56-43.2539-105.0403-2-15-			0-W10575-09/20/77-17-			26-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.31	
56-43.2567-105.0453-2-15-			0-W10576-09/20/77-17-			26-	-	-	-	-	-	-	-	-	19-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.14	
56-43.3158-105.1039-2-15-			0-W10578-09/21/77-8-			15-	-	-	-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.49	
56-43.3125-105.0489-2-15-			0-W10579-09/21/77-8-			15-	-C-	-	-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.39	
56-43.3403-105.0181-2-15-			0-W10580-09/21/77-9-			18-	-	-	-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.71	
56-43.3578-105.0267-2-15-			0-W10581-09/21/77-9-			18-	-C-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.09	
56-43.3536-105.0378-2-15-			0-W10592-09/21/77-9-			20-	-C-	-	-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.33	
56-43.3350-105.0589-2-15-			0-W10583-09/21/77-10-			18-	-	-	-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.82	
56-43.3511-105.0719-2-15-			0-W10584-09/21/77-10-			18-	-	-	-	-	-	-	-	-	16-1-1-4-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.34	
56-43.3442-105.0814-2-15-			0-W10585-09/21/77-10-			18-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.77	
56-43.3361-105.0894-2-15-			0-W10586-09/21/77-11-			20-	-C-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.62	
56-43.3478-105.1131-2-15-			0-W10587-09/21/77-11-			20-	-	-	-	-	-	-	-	-	22-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.71	
56-43.2956-105.0306-2-15-			0-W10588-09/21/77-12-			20-	-	-	-	-	-	-	-	-	16-1-1-4-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.94	
56-43.2336-105.2142-2-15-			0-W10590-09/21/77-15-			23-	-C-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.29	
56-43.2478-105.1609-2-15-			0-W10592-09/21/77-15-			23-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.93	
56-43.2000-105.1386-2-15-			0-W10594-09/21/77-16-			21-	-C-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.12	
56-43.2039-105.1850-2-15-			0-W10596-09/19/77-16-			20-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.41	
56-43.2033-105.2317-2-15-			0-W10598-09/21/77-17-			19-	-	-	-	-	-	-	-	-	22-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.17	
56-43.1875-105.1897-2-15-			0-W10601-09/22/77-8-			12-	-C-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.91	
56-43.1803-105.1647-2-15-			0-W10602-09/22/77-9-			14-	-C-	-	-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.89	
56-43.1253-105.1733-2-15-			0-W10606-09/22/77-10-			20-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.28	
56-43.1333-105.2206-2-15-			0-W10605-09/22/77-10-			20-	-C-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.18	
56-43.1269-105.2056-2-15-			0-W10606-09/22/77-11-			22-	-C-	-	-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.25	
56-43.1194-105.2286-2-15-			0-W10607-09/22/77-11-			22-	-	-	-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.67	
56-43.0942-105.2153-2-15-			0-W10610-09/22/77-14-			21-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.91	
56-43.1097-105.1808-2-15-			0-W10612-09/22/77-15-			21-	-	-	-	-	-	-	-	-	16-1-1-5-6-																			

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li
56-43.2764-105.1717-2-15-			0-W10539				-5	-5	-5	32	-20	17	13	-10	-15	3	30
56-43.2628-105.2014-2-15-			0-W10540				-5	6	-5	17	-20	-15	-5	-10	-15	-1	13
56-43.2625-105.2133-2-15-			0-W10541				-5	-5	-5	22	-20	-15	-5	-10	-15	2	15
56-43.3647-105.2292-2-15-			0-W10543				-5	-5	-5	28	-20	-15	11	-10	-15	2	21
56-43.3633-105.2406-2-15-			0-W10544				-5	-5	-5	19	-20	-15	-5	-10	-15	-1	12
56-43.3197-105.2150-2-15-			0-W10545				-5	-5	-5	34	-20	15	9	-10	-15	2	27
56-43.3197-105.1744-2-15-			0-W10548				-5	6	-5	28	-20	-15	7	-10	-15	2	21
56-43.3403-105.1767-2-15-			0-W10550				-5	5	-5	29	-20	-15	7	-10	-15	1	12
56-43.3139-105.1961-2-15-			0-W10554				-5	-5	-5	13	-20	-15	-5	-10	-15	1	7
56-43.2764-105.1436-2-15-			0-W10555				-5	5	-5	19	-20	15	13	-10	-15	2	21
56-43.4858-105.1781-2-15-			0-W10556				-5	-5	-5	11	-20	-15	-5	-10	-15	-1	10
56-43.4894-105.1475-2-15-			0-W10557				-5	6	-5	22	-20	16	-5	-10	-15	2	21
56-43.4650-105.2244-2-15-			0-W10560				-5	-5	-5	20	-20	-15	-5	-10	-15	1	10
56-43.4439-105.2261-2-15-			0-W10561				-5	5	-5	21	-20	-15	9	-10	-15	1	16
56-43.4342-105.2256-2-15-			0-W10562				-5	-5	-5	18	-20	-15	-5	-10	-15	1	10
56-43.4592-105.1881-2-15-			0-W10563				-5	-5	-5	14	-20	-15	5	-10	-15	-1	8
56-43.4492-105.1686-2-15-			0-W10564				-5	-5	-5	18	-20	-15	-5	-10	-15	1	10
56-43.4414-105.1656-2-15-			0-W10565				-5	-5	-5	18	-20	-15	-5	-10	-15	-1	9
56-43.4147-105.1831-2-15-			0-W10566				-5	7	-5	19	-20	-15	-5	-10	-15	1	9
56-43.4161-105.1975-2-15-			0-W10567				-5	9	-5	21	-20	-15	5	-10	-15	1	11
56-43.4014-105.1603-2-15-			0-W10568				-5	-5	-5	23	-20	-15	8	-10	-15	2	24
56-43.4100-105.1353-2-15-			0-W10569				-5	7	-5	26	-20	-15	10	-10	-15	1	16
56-43.3828-105.1475-2-15-			0-W10570				-5	6	-5	29	-20	18	-5	-10	-15	1	9
56-43.4192-105.2442-2-15-			0-W10572				-5	6	-5	16	-20	-15	5	-10	-15	-1	9
56-43.2539-105.0403-2-15-			0-W10575				-5	6	-5	23	-20	-15	14	-10	-15	2	16
56-43.2567-105.0453-2-15-			0-W10576				-5	5	-5	24	-20	-15	12	-10	-15	1	8
56-43.3158-105.1039-2-15-			0-W10578				-5	-5	-5	26	-20	-15	11	-10	-15	2	19
56-43.3125-105.0489-2-15-			0-W10579				-5	5	-5	28	-20	-15	11	-10	-15	2	13
56-43.3403-105.0181-2-15-			0-W10580				-5	-5	-5	22	-20	-15	-5	-10	-15	1	11
56-43.3578-105.0267-2-15-			0-W10581				-5	-5	-5	-10	-20	-15	8	-10	-15	-1	11
56-43.3536-105.0378-2-15-			0-W10582				-5	5	-5	25	-20	-15	-5	-10	-15	1	10
56-43.3350-105.0589-2-15-			0-W10583				-5	5	-5	23	-20	-15	7	-10	-15	1	11
56-43.3511-105.0719-2-15-			0-W10584				-5	-5	-5	16	-20	-15	-5	-10	-15	1	7
56-43.3442-105.0814-2-15-			0-W10585				-5	5	-5	12	-20	-15	5	-10	-15	1	12
56-43.3361-105.0894-2-15-			0-W10586				-5	8	-5	18	-20	-15	5	-10	-15	1	13
56-43.3478-105.1131-2-15-			0-W10587				-5	-5	-5	35	-20	-15	12	-10	-15	1	25
56-43.2956-105.0306-2-15-			0-W10588				-5	-5	-5	12	-20	-15	5	-10	-15	-1	13
56-43.2336-105.2142-2-15-			0-W10590				-5	-5	-5	18	-20	-15	-5	-10	-15	2	18
56-43.2478-105.1608-2-15-			0-W10592				-5	6	-5	12	-20	-15	9	-10	-15	2	19
56-43.2000-105.1386-2-15-			0-W10594				-5	5	-5	23	-20	-15	6	-10	-15	2	23
56-43.2039-105.1850-2-15-			0-W10596				-5	7	-5	27	-20	-15	-5	-10	-15	2	25
56-43.2033-105.2317-2-15-			0-W10598				-5	7	-5	22	-20	15	10	-10	-15	2	23
56-43.1875-105.1897-2-15-			0-W10601				-5	-5	-5	14	-20	-15	6	-10	-15	2	18
56-43.1803-105.1647-2-15-			0-W10602				-5	-5	-5	23	-20	-15	-5	-10	-15	2	18
56-43.1253-105.1733-2-15-			0-W10604				-5	-5	-5	23	-20	26	5	-10	-15	2	25
56-43.1333-105.2206-2-15-			0-W10605				-5	5	-5	19	-20	-15	9	-10	-15	1	22
56-43.1269-105.2056-2-15-			0-W10606				-5	-5	-5	15	-20	-15	-5	-10	-15	1	19
56-43.1194-105.2286-2-15-			0-W10607				-5	-5	-5	36	-20	27	8	-10	-15	2	48
56-43.0942-105.2153-2-15-			0-W10610				-5	-5	-5	26	-20	16	8	-10	-15	2	30
56-43.1097-105.1804-2-15-			0-W10612				-5	-5	-5	29	-20	-15	6	-10	-15	2	22
56-43.1014-105.1611-2-15-			0-W10613				-5	-5	-5	31	-20	24	7	-10	-15	2	29

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)																
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu	
56-43.2764-105.1717-2-15-						0-W10539	83490	-0.09	613	3692	91	-38	9.5	79	6.4	5	1.3	28600	5.8	18890	41	0.4	
56-43.2628-105.2014-2-15-						0-W10540	38860	-0.06	550	2862	51	72	3.7	40	2.0	4	0.9	9846	12.5	15610	23	0.4	
56-43.2625-105.2133-2-15-						0-W10541	39150	-0.06	502	2308	57	-46	4.8	40	2.6	5	1.0	11310	15.6	14920	29	0.4	
56-43.3647-105.2292-2-15-						0-W10543	61770	-0.07	652	2247	72	-31	4.4	56	4.8	5	1.3	16400	9.2	17420	36	0.4	
56-43.3633-105.2406-2-15-						0-W10544	36000	-0.05	570	-269	61	-21	3.9	38	2.7	4	1.1	12540	16.0	13860	29	0.4	
56-43.3197-105.2150-2-15-						0-W10545	73480	-0.08	635	3610	68	-39	7.3	65	5.1	5	1.1	20730	6.2	16470	31	0.4	
56-43.3197-105.1744-2-15-						0-W10548	62330	-0.08	569	3370	63	-38	6.4	56	4.1	5	1.2	18980	9.6	17020	32	0.3	
56-43.3403-105.1767-2-15-						0-W10550	38970	-0.06	569	1809	78	-29	5.1	50	3.3	5	1.3	17240	23.8	13970	31	0.6	
56-43.3139-105.1961-2-15-						0-W10554	30850	-0.05	541	1090	74	-35	4.0	52	2.2	5	1.0	11990	28.0	17390	34	0.6	
56-43.2764-105.1436-2-15-						0-W10555	74170	-0.09	535	3414	69	-53	6.4	67	3.8	5	1.2	21290	8.3	17770	34	0.4	
56-43.4858-105.1781-2-15-						0-W10556	32660	-0.06	503	3052	64	-28	2.5	44	2.8	4	1.0	9273	24.1	14010	32	0.5	
56-43.4894-105.1475-2-15-						0-W10557	52930	-0.06	581	3728	67	701	5.8	52	4.8	4	1.0	13990	10.8	14410	30	0.3	
56-43.4650-105.2244-2-15-						0-W10560	34940	-0.05	538	2004	51	62	4.2	31	2.7	4	1.0	10540	14.6	14470	25	0.3	
56-43.4439-105.2261-2-15-						0-W10561	48830	-0.06	525	3238	51	-34	4.8	42	3.6	4	1.0	11920	8.9	14670	26	0.3	
56-43.4342-105.2256-2-15-						0-W10562	32810	-0.05	514	1792	51	44	4.5	28	2.1	4	0.7	11760	11.7	13390	25	0.3	
56-43.4592-105.1881-2-15-						0-W10563	46610	-0.06	869	-521	132	-34	14.5	76	7.8	8	3.6	20450	51.3	22800	60	0.9	
56-43.4492-105.1686-2-15-						0-W10564	29150	-0.05	628	-245	79	45	3.9	59	2.0	5	1.3	12040	28.1	13310	36	0.5	
56-43.4414-105.1656-2-15-						0-W10565	33440	-0.05	557	1753	55	-28	4.4	30	2.2	4	0.9	10780	16.5	13080	26	0.3	
56-43.4147-105.1831-2-15-						0-W10566	30690	-0.06	570	766	75	-23	3.4	46	3.2	5	1.2	12320	29.7	12520	38	0.5	
56-43.4161-105.1975-2-15-						0-W10567	39650	-0.05	547	1750	49	-22	4.6	42	2.7	3	1.0	11520	7.6	14500	29	0.3	
56-43.4014-105.1603-2-15-						0-W10568	65770	-0.07	642	3348	70	-32	7.7	57	5.0	4	1.2	19390	9.2	14150	31	0.4	
56-43.4100-105.1353-2-15-						0-W10569	52610	-0.08	590	2758	59	-29	7.4	51	3.6	5	1.1	26000	9.1	16810	28	0.4	
56-43.3828-105.1475-2-15-						0-W10570	30560	-0.05	596	-271	64	-24	4.6	44	2.0	4	1.1	15980	24.7	13410	30	0.5	
56-43.4192-105.2442-2-15-						0-W10572	27240	-0.05	453	2437	54	-26	3.2	42	1.9	4	1.0	8286	24.4	11060	27	0.5	
56-43.2539-105.0403-2-15-						0-W10575	40310	-0.06	600	4294	55	-29	5.7	33	2.7	4	0.9	17290	7.9	13760	21	0.3	
56-43.2567-105.0453-2-15-						0-W10576	34610	-0.06	546	1810	52	-29	5.0	35	2.3	4	1.0	16910	12.5	13060	27	0.4	
56-43.3158-105.1039-2-15-						0-W10578	65800	-0.07	559	2566	71	36	5.4	53	5.0	4	1.2	16590	8.2	14650	39	0.3	
56-43.3125-105.0489-2-15-						0-W10579	55810	-0.06	606	2512	62	-20	5.4	43	3.3	4	1.1	13460	8.2	16820	31	0.3	
56-43.3403-105.0181-2-15-						0-W10580	34130	-0.05	524	-250	52	-23	3.4	34	1.6	4	0.8	10500	12.6	14090	23	0.4	
56-43.3578-105.0267-2-15-						0-W10581	35290	-0.06	475	-302	44	-27	3.7	47	2.3	4	1.0	8354	18.0	15400	29	0.5	
56-43.3536-105.0378-2-15-						0-W10582	30490	-0.05	485	2157	51	50	4.7	32	2.2	3	0.8	17470	10.3	10690	19	0.3	
56-43.3350-105.0589-2-15-						0-W10583	38590	-0.05	583	-285	50	-25	4.4	32	2.6	4	1.0	11120	12.1	17260	31	0.3	
56-43.3511-105.0719-2-15-						0-W10584	29070	-0.03	608	1145	65	-24	9.7	40	4.1	4	1.5	20200	25.4	11150	30	0.5	
56-43.3442-105.0814-2-15-						0-W10585	36920	-0.06	592	1443	56	-16	4.1	32	2.6	3	1.0	11370	15.2	14660	27	0.4	
56-43.3361-105.0894-2-15-						0-W10586	33670	-0.05	586	-279	52	-23	3.9	37	2.5	3	0.9	11420	11.8	14520	23	0.3	
56-43.3478-105.1131-2-15-						0-W10587	60500	-0.07	604	3075	68	-28	5.9	57	4.7	5	1.1	15900	9.3	15200	35	0.3	
56-43.2956-105.0306-2-15-						0-W10588	26550	-0.05	511	1223	54	-22	3.3	31	1.6	4	0.8	11760	16.6	12450	18	0.4	
56-43.2336-105.2142-2-15-						0-W10590	49360	-0.07	533	3943	62	-56	5.1	52	2.8	5	1.1	15500	13.6	17240	25	0.5	
56-43.2478-105.1608-2-15-						0-W10592	52690	-0.06	539	2790	66	-44	4.9	51	2.8	4	1.1	16990	9.2	18300	28	0.3	
56-43.2000-105.1386-2-15-						0-W10594	46330	-0.06	553	2461	62	-38	6.0	43	3.4	4	1.1	16000	10.7	16810	25	0.3	
56-43.2039-105.1850-2-15-						0-W10596	56210	-0.07	549	3089	65	-52	5.9	51	3.2	4	1.1	17350	9.9	19390	28	0.4	
56-43.2033-105.2317-2-15-						0-W10598	53790	-0.08	600	5783	59	-63	6.1	56	3.3	5	1.1	17400	9.2	19590	30	0.4	
56-43.1875-105.1897-2-15-						0-W10601	43510	-0.06	535	2837	58	-47	4.1	51	2.5	4	1.1	13750	12.6	17540	28	0.3	
56-43.1803-105.1647-2-15-						0-W10602	45980	-0.06	498	2617	61	-42	5.9	44	4.1	4	1.1	15670	10.1	16910	23	0.4	
56-43.1253-105.1733-2-15-						0-W10604	48870	-0.07	532	3835	58	-47	6.4	46	3.7	4	0.9	15970	5.8	16370	25	0.4	
56-43.1333-105.2206-2-15-						0-W10605	53520	-0.07	527	3578	60	-56	5.8	61	3.5	4	1.1	18650	11.2	16930	30	0.3	
56-43.1269-105.2056-2-15-						0-W10606	42200	-0.06	552	2932	62	-51	5.6	67	-1.1	5	1.1	13220	13.4	17710	27	0.5	
56-43.1194-105.2286-2-15-						0-W10607	80530	-0.08	636	5154	83	-45	9.3	89	6.8	6	1.5	24750	7.1	16290	47	0.4	
56-43.0942-105.2153-2-15-						0-W10610	61430	-0.07	542	4069	62	-56	5.9	59	2.5	5	1.0	16240	8.0	17710	21	0.3	
56-43.1097-105.1808-2-15-						0-W10612	52500	-0.07	493	3880	60	-48	8.2	63	3.1	5	1.2	19890	9.5	17160	35	0.4	
56-43.1014-105.1611-2-15-						0-W10613	60040	-0.07	521	6034	84	-40	8.4	88	4.4	6	1.4	20310	10.1	15890	39	0.5	

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

4

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)																U/Th RATIO	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE LAB LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)																
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn		
56-43.2764-105.1717-2-15-	0-W10539	12530	229	1908	84	-2	11.9	5.3	-182	-1	-1	15.2	4831	104	2.9	131	0.234						
56-43.2628-105.2014-2-15-	0-W10540	5270	151	4180	34	-1	4.2	4.1	-133	-1	-1	8.3	3099	47	3.4	-13	0.317						
56-43.2625-105.2133-2-15-	0-W10541	4420	145	3555	-18	-1	5.0	4.0	-126	-1	-1	9.7	2824	48	3.9	69	0.299						
56-43.3647-105.2292-2-15-	0-W10543	9108	94	1470	76	-2	8.5	4.7	-130	-1	-1	12.0	3653	78	3.0	104	0.292						
56-43.3633-105.2406-2-15-	0-W10544	4572	121	843	53	-1	4.9	4.9	-112	-1	-1	10.0	3186	46	3.1	-64	0.294						
56-43.3197-105.2150-2-15-	0-W10545	9612	192	1709	81	-2	8.9	5.1	-149	-1	-1	12.0	3850	95	3.0	-14	0.284						
56-43.3197-105.1744-2-15-	0-W10548	10270	153	1852	72	-2	8.5	5.3	-134	-1	-1	11.4	3578	78	3.0	-40	0.315						
56-43.3403-105.1767-2-15-	0-W10550	4363	194	1515	47	-1	6.1	5.1	-139	-1	-1	13.5	3782	55	5.4	63	0.288						
56-43.3139-105.1961-2-15-	0-W10554	4401	165	2932	51	-1	4.8	6.8	-131	-1	-1	14.9	4415	40	4.7	-76	0.256						
56-43.2764-105.1436-2-15-	0-W10555	12370	231	2574	77	-2	9.2	4.4	-181	-1	-1	13.0	3841	104	3.7	103	0.263						
56-43.4858-105.1781-2-15-	0-W10556	4373	94	1070	50	-1	4.3	4.9	-94	-1	-1	10.7	3132	44	3.6	33	0.318						
56-43.4894-105.1475-2-15-	0-W10557	9423	120	1899	77	-1	7.1	4.6	-137	-1	-1	8.8	2856	72	3.5	66	0.275						
56-43.4650-105.2244-2-15-	0-W10560	4651	96	899	47	-1	4.5	5.2	-100	-1	-1	8.0	2732	50	3.5	-27	0.350						
56-43.4439-105.2261-2-15-	0-W10561	7342	109	1566	53	-1	5.5	4.0	-114	-1	-1	7.9	2911	64	2.5	90	0.351						
56-43.4342-105.2256-2-15-	0-W10562	5137	110	692	52	-1	4.3	4.3	-93	-1	-1	7.0	2248	46	2.3	64	0.349						
56-43.4592-105.1881-2-15-	0-W10563	6411	179	1296	100	-1	11.0	9.7	-175	-2	-1	21.9	5511	66	6.7	186	0.142						
56-43.4492-105.1686-2-15-	0-W10564	3271	156	957	44	-1	4.2	5.8	-115	-1	-1	13.7	3986	40	4.3	-14	0.262						
56-43.4414-105.1656-2-15-	0-W10565	4590	127	981	39	-1	3.9	4.0	-106	-1	-1	8.0	2979	43	3.0	39	0.384						
56-43.4147-105.1831-2-15-	0-W10566	5037	152	849	45	-1	4.4	5.1	-121	-1	-1	12.7	3892	41	4.1	-69	0.311						
56-43.4161-105.1975-2-15-	0-W10567	4595	82	792	53	-1	5.0	3.4	-105	-1	-1	6.5	2336	51	3.6	77	0.368						
56-43.4014-105.1603-2-15-	0-W10568	8168	216	1209	73	-2	9.0	4.6	-163	-1	-1	12.2	3835	83	3.6	-91	0.255						
56-43.4100-105.1353-2-15-	0-W10569	6868	172	711	66	-2	8.0	5.4	-133	-1	-1	10.6	3063	78	2.6	-88	0.340						
56-43.3828-105.1475-2-15-	0-W10570	3446	171	946	-15	-1	4.7	4.5	-126	-1	-1	11.0	3213	49	3.8	-27	0.320						
56-43.4192-105.2442-2-15-	0-W10572	4363	71	1277	-15	-1	4.0	4.4	-98	-1	-1	8.2	2990	46	3.3	-49	0.394						
56-43.2539-105.0403-2-15-	0-W10575	8505	183	904	44	-1	5.2	3.8	-131	-1	-1	7.7	2764	67	-1.4	72	0.430						
56-43.2567-105.0453-2-15-	0-W10576	4568	166	887	55	-1	5.0	4.0	-119	-1	-1	8.9	2591	58	2.9	37	0.353						
56-43.3158-105.1039-2-15-	0-W10578	9793	125	1255	52	-2	9.1	4.8	-133	-1	-1	11.7	3365	88	-1.2	114	0.298						
56-43.3125-105.0489-2-15-	0-W10579	7217	109	894	56	-1	7.2	5.7	-124	-1	-1	11.4	3694	66	4.3	-73	0.297						
56-43.3403-105.0181-2-15-	0-W10580	4510	103	713	58	-1	4.0	3.7	-100	-1	-1	7.6	2882	43	3.1	-24	0.357						
56-43.3578-105.0267-2-15-	0-W10581	3243	103	893	-19	-1	4.6	3.9	-98	-1	-1	8.5	2736	43	3.2	44	0.364						
56-43.3536-105.0378-2-15-	0-W10582	3404	133	821	42	-1	4.6	3.5	-118	-1	-1	7.0	2198	47	2.7	62	0.333						
56-43.3350-105.0589-2-15-	0-W10583	4857	129	1041	71	-1	4.9	3.7	-113	-1	-1	9.3	3311	51	2.8	74	0.303						
56-43.3511-105.0719-2-15-	0-W10584	3642	199	661	44	-1	6.1	4.5	-124	-1	-1	12.6	3457	46	4.1	85	0.265						
56-43.3442-105.0814-2-15-	0-W10585	3858	145	786	60	-1	4.8	3.4	-82	-1	-1	8.2	2926	47	3.5	57	0.338						
56-43.3361-105.0894-2-15-	0-W10586	4225	126	818	39	2	4.4	3.4	-117	1	-1	7.9	2709	43	1.7	56	0.332						
56-43.3478-105.1131-2-15-	0-W10587	7876	141	1244	74	-2	8.7	5.0	-141	-1	-1	11.4	3739	84	4.0	73	0.325						
56-43.2956-105.0306-2-15-	0-W10588	4032	133	564	-15	-1	3.5	4.0	-108	-1	-1	8.1	2958	47	2.6	-48	0.363						
56-43.2336-105.2142-2-15-	0-W10590	8154	220	4904	-21	-2	7.1	4.8	-158	-1	-1	11.9	3136	59	3.6	97	0.276						
56-43.2478-105.1608-2-15-	0-W10592	7764	144	3587	59	-1	6.9	4.7	-152	-1	-1	11.2	2967	63	3.8	101	0.262						
56-43.2000-105.1386-2-15-	0-W10594	6957	158	2960	52	-1	6.6	5.1	-142	-1	-1	10.5	3438	67	2.4	57	0.297						
56-43.2039-105.1850-2-15-	0-W10596	11610	208	3900	64	-2	7.2	4.3	-157	-1	-1	11.4	3531	82	3.1	-23	0.299						
56-43.2033-105.2317-2-15-	0-W10598	8315	144	6212	-23	-2	7.4	4.9	-154	-1	-1	10.8	3416	69	2.6	56	0.294						
56-43.1875-105.1897-2-15-	0-W10601	5603	138	4706	-18	-1	5.8	-0.6	-147	-1	-1	12.8	2947	54	2.9	86	0.227						
56-43.1803-105.1647-2-15-	0-W10602	8445	146	4916	62	-1	5.6	4.7	-138	-1	-1	11.0	3104	66	3.3	84	0.263						
56-43.1253-105.1733-2-15-	0-W10604	8245	207	2736	-20	-2	6.2	3.8	-152	-1	-1	9.1	3078	78	2.7	81	0.360						
56-43.1333-105.2206-2-15-	0-W10605	9162	184	4810	68	-2	7.8	4.6	-149	-1	-1	11.4	3421	64	3.6	47	0.279						
56-43.1269-105.2056-2-15-	0-W10606	5431	174	5168	62	-1	5.7	3.9	-166	-1	-1	12.4	3352	51	3.5	-70	0.262						
56-43.1194-105.2285-2-15-	0-W10607	13720	212	2452	87	-2	12.6	6.7	-177	-1	-1	16.4	4544	126	3.5	61	0.346						
56-43.0942-105.2153-2-15-	0-W10610	11700	185	3994	63	-2	7.5	4.3	-159	-1	-1	10.5	3568	84	3.2	-74	0.372						
56-43.1097-105.1408-2-15-	0-W10612	7731	203	3918	74	-2	7.8	4.5	-147	-1	-1	10.8	3068	76	3.2	93	0.380						
56-43.1014-105.1611-2-15-	0-W10613	8592	183	2428	61	-2	9.8	6.0	-161	-1	2	13.2	3483	89	4.4	104	0.395						

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

①

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																								U CONCENTRATION				
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCINTILLATOR (eU/20m)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC) UNITS IN ppm
							DATE	HOUR																										
56-43	0864	-105.1306	-2-15-	0-W10616	-09/26/77-	9-	20-	-	-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.78		
56-43	0561	-105.1519	-2-15-	0-W10617	-09/26/77-	9-	23-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.94	
56-43	0858	-105.1056	-2-15-	0-W10618	-09/26/77-	13-	25-	-	-	-	-	-	-	-	22-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.92	
56-43	0889	-105.0997	-2-15-	0-W10619	-09/26/77-	13-	25-	-C-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.45	
56-43	0733	-105.1028	-2-15-	0-W10620	-09/26/77-	13-	27-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.35	
56-43	2397	-105.1008	-2-15-	0-W10621	-09/25/77-	13-	25-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.82	
56-43	2283	-105.0542	-2-15-	0-W10622	-09/25/77-	13-	26-	-	-	-	-	-	-	-	13-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.57	
56-43	2175	-105.1050	-2-15-	0-W10623	-09/25/77-	14-	26-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.22	
56-43	2003	-105.1089	-2-15-	0-W10624	-09/25/77-	15-	25-	-C-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.13	
56-43	1956	-105.0775	-2-15-	0-W10625	-09/25/77-	16-	24-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.15	
56-43	1886	-105.0892	-2-15-	0-W10627	-09/25/77-	16-	24-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.22	
56-43	6689	-105.7581	-2-15-	0-W10629	-09/27/77-	13-	24-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.24	
56-43	7322	-105.7558	-2-15-	0-W10633	-09/27/77-	16-	28-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.11	
56-43	6353	-105.8683	-2-15-	0-W10634	-09/28/77-	15-	26-	-C-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.04	
56-43	6400	-105.8725	-2-15-	0-W10635	-09/28/77-	15-	26-	-	-	-	-	-	-	-	22-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.95	
56-43	6600	-105.8739	-2-15-	0-W10636	-09/28/77-	15-	25-	-C-	-	-	-	-	-	-	16-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.95	
56-43	6414	-105.7856	-2-15-	0-W10637	-09/28/77-	19-	19-	-C-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.49	
56-43	7094	-105.9000	-2-15-	0-W10638	-09/28/77-	18-	23-	-	-	-	-	-	-	-	19-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.71	
56-43	6858	-105.9914	-2-15-	0-W10640	-09/28/77-	10-	24-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.10	
56-43	7006	-105.9983	-2-15-	0-W10641	-09/28/77-	10-	25-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.05	
56-43	6892	-105.9694	-2-15-	0-W10642	-09/28/77-	11-	25-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.96	
56-43	6856	-105.9669	-2-15-	0-W10643	-09/28/77-	11-	25-	-	-	-	-	-	-	-	22-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.67	
56-43	6789	-105.9503	-2-15-	0-W10644	-09/28/77-	11-	26-	-	-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.97	
56-43	6689	-105.9492	-2-15-	0-W10645	-09/28/77-	12-	27-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.57	
56-43	6658	-105.9369	-2-15-	0-W10646	-09/28/77-	13-	27-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.04	
56-43	6647	-105.9358	-2-15-	0-W10647	-09/28/77-	13-	27-	-	-	-	-	-	-	-	16-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.30	
56-43	6650	-105.9253	-2-15-	0-W10648	-09/28/77-	13-	27-	-	-	-	-	-	-	-	16-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.21	
56-43	6528	-105.9122	-2-15-	0-W10649	-09/28/77-	14-	27-	-	-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.21	
56-43	6439	-105.9444	-2-15-	0-W10650	-09/28/77-	14-	26-	-	-	-	-	-	-	-	22-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.23	
56-43	7058	-105.9003	-2-15-	0-W10651	-09/28/77-	18-	23-	-	-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.55	
56-43	7208	-105.9094	-2-15-	0-W10652	-09/28/77-	18-	22-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.98	
56-43	7269	-105.9283	-2-15-	0-W10653	-09/28/77-	18-	21-	-C-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.54	
56-43	4081	-104.1117	-2-15-	0-W10654	-09/29/77-	17-	15-	-	-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.10	
56-43	4050	-104.0894	-2-15-	0-W10655	-09/29/77-	17-	14-	-	-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.94	
56-43	4186	-104.0822	-2-15-	0-W10656	-09/29/77-	17-	14-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.37	
56-43	5472	-104.0986	-2-15-	0-W10657	-09/30/77-	10-	17-	-C-	-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.10	
56-43	5400	-104.0664	-2-15-	0-W10658	-09/30/77-	10-	18-	-C-	-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-1-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.57	
46-43	5392	-104.0514	-2-15-	0-W10659	-09/30/77-	10-	18-	-C-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.23	
46-43	5344	-104.0336	-2-15-	0-W10660	-09/30/77-	11-	17-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.06	
46-43	5436	-104.0453	-2-15-	0-W10661	-09/30/77-	12-	18-	-C-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.69	
46-43	5928	-104.0500	-2-15-	0-W10662	-09/30/77-	12-	19-	-C-	-	-	-	-	-	-	8-1-1-5-6-	-1-	-2-4-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.09	
46-43	5911	-104.0475	-2-15-	0-W10663	-09/30/77-	12-	19-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.75	
56-43	5942	-104.0822	-2-15-																															

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.0864-105.1306-2-15-						0-W10616	-5	-5	-5	22	-20	17	7	-10	-15	2	20	
56-43.0561-105.1519-2-15-						0-W10617	-5	7	-5	24	-20	-15	-5	-10	-15	2	25	
56-43.0858-105.1056-2-15-						0-W10618	-5	-5	-5	19	-20	-15	5	-10	-15	2	24	
56-43.0889-105.0997-2-15-						0-W10619	-5	5	-5	33	-20	-15	7	-10	-15	2	26	
56-43.0733-105.1028-2-15-						0-W10620	-5	-5	-5	28	-20	15	-5	-10	-15	2	22	
56-43.2397-105.1008-2-15-						0-W10621	-5	6	-5	28	-20	-15	-5	-10	-15	1	18	
56-43.2283-105.0542-2-15-						0-W10622	-5	7	-5	12	-20	-15	6	-10	-15	-1	10	
56-43.2175-105.1050-2-15-						0-W10623	-5	-5	-5	26	-20	-15	10	-10	-15	2	21	
56-43.2003-105.1089-2-15-						0-W10624	-5	-5	-5	24	-20	-15	6	-10	-15	2	30	
56-43.1956-105.0775-2-15-						0-W10626	-5	-5	-5	28	-20	-15	7	-10	-15	1	17	
56-43.1886-105.0892-2-15-						0-W10627	-5	-5	-5	29	-20	20	9	-10	-15	1	20	
56-43.6689-105.7581-2-15-						0-W10629	-5	-5	-5	29	-20	-15	-5	-10	-15	2	29	
56-43.7322-105.7558-2-15-						0-W10633	-5	5	-5	23	-20	-15	9	-10	-15	2	32	
56-43.6353-105.8683-2-15-						0-W10634	-5	-5	-5	33	25	-15	10	-10	-15	2	37	
56-43.6400-105.8725-2-15-						0-W10635	-5	-5	-5	24	21	-15	5	-10	-15	2	39	
56-43.6600-105.8739-2-15-						0-W10636	-5	5	-5	24	-20	-15	-5	-10	-15	2	16	
56-43.6414-105.7856-2-15-						0-W10637	-5	-5	-5	32	-20	-15	9	-10	-15	2	25	
56-43.7094-105.9000-2-15-						0-W10638	-5	-5	-5	18	-20	-15	7	-10	-15	2	22	
56-43.6858-105.9914-2-15-						0-W10640	-5	-5	-5	37	-20	24	5	-10	-15	3	43	
56-43.7006-105.9983-2-15-						0-W10641	-5	5	-5	28	-20	15	-5	-10	-15	2	33	
56-43.6892-105.9694-2-15-						0-W10642	-5	-5	-5	21	-20	15	8	-10	-15	2	31	
56-43.6856-105.9669-2-15-						0-W10643	-5	-5	-5	33	-20	-15	9	-10	-15	2	27	
56-43.6789-105.9603-2-15-						0-W10644	-5	5	-5	29	-20	-15	9	-10	-15	2	28	
56-43.6689-105.9492-2-15-						0-W10645	-5	-5	-5	22	-20	-15	-5	-10	-15	2	26	
56-43.6658-105.9369-2-15-						0-W10646	-5	5	-5	26	-20	-15	-5	-10	-15	2	23	
56-43.6647-105.9358-2-15-						0-W10647	-5	5	-5	26	-20	-15	-5	-10	-15	1	13	
56-43.6650-105.9253-2-15-						0-W10648	-5	5	-5	20	-20	-15	-5	-10	-15	1	16	
56-43.6528-105.9122-2-15-						0-W10649	-5	-5	-5	20	-20	-15	-5	-10	-15	2	27	
56-43.6439-105.9444-2-15-						0-W10650	-5	-5	-5	23	-20	17	6	-10	-15	2	26	
56-43.7058-105.9003-2-15-						0-W10651	-5	-5	-5	15	-20	-15	-5	-10	-15	2	26	
56-43.7208-105.9094-2-15-						0-W10652	-5	-5	-5	18	-20	-15	-5	-10	-15	1	18	
56-43.7269-105.9283-2-15-						0-W10653	-5	-5	-5	16	-20	-15	6	-10	-15	1	22	
56-43.4081-104.1117-2-15-						0-W10654	-5	-5	-5	26	-20	20	6	-10	-15	2	53	
56-43.4050-104.0894-2-15-						0-W10655	-5	5	-5	22	-20	-15	-5	-10	-15	2	34	
56-43.4186-104.0822-2-15-						0-W10656	-5	5	-5	18	-20	-15	6	-10	-15	1	30	
56-43.5472-104.0986-2-15-						0-W10657	-5	5	-5	29	-20	34	7	-10	-15	3	42	
56-43.5400-104.0664-2-15-						0-W10658	-5	-5	-5	28	-20	-15	-5	-10	-15	3	44	
46-43.5392-104.0514-2-15-						0-W10659	-5	-5	-5	38	-20	17	10	-10	-15	3	35	
46-43.5344-104.0336-2-15-						0-W10660	-5	-5	-5	18	-20	-15	-5	-10	-15	1	33	
46-43.5436-104.0453-2-15-						0-W10661	-5	5	-5	28	-20	-15	-5	-10	-15	2	43	
46-43.5928-104.0500-2-15-						0-W10662	-5	-5	-5	19	-20	-15	-5	-10	-15	-1	9	
46-43.5911-104.0475-2-15-						0-W10663	-5	-5	-5	18	-20	-15	-5	-10	-15	1	20	
56-43.5942-104.0822-2-15-						0-W10664	-5	-5	-5	28	-20	18	-5	-10	-15	2	27	
56-43.5964-104.0692-2-15-						0-W10665	-5	-5	-5	30	-20	-15	-5	-10	15	2	29	
46-43.5250-104.0222-2-15-						0-W10666	-5	-5	-5	29	-20	-15	5	-10	-15	2	36	
46-43.5019-104.0219-2-15-						0-W10667	-5	-5	-5	30	-20	19	8	-10	-15	3	52	
56-43.0392-104.3447-2-15-						0-W10669	-5	-5	-5	24	32	-15	10	-10	-15	2	65	
56-43.0156-104.3478-2-15-						0-W10671	-5	-5	-5	13	-20	-15	8	-10	-15	2	42	
56-43.0236-104.3092-2-15-						0-W10672	-5	7	-5	15	-20	-15	6	-10	-15	2	39	
56-43.0086-104.2819-2-15-						0-W10673	-5	6	-5	15	-20	-15	11	-10	-15	2	50	
56-43.0144-104.2942-2-15-						0-W10674	-5	-5	-5	-10	-20	-15	-5	-10	-15	2	35	

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS															
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.0864-105.1306-2-15-	0-W10616	45380	-0.06	549	4366	61	-39	7.9	65	3.0	4	1.1	23200	10.6	15460	27	0.4					
56-43.0561-105.1519-2-15-	0-W10617	55320	-0.08	511	5751	53	-67	7.4	74	3.4	5	0.9	18550	10.1	16120	26	0.4					
56-43.0858-105.1056-2-15-	0-W10618	58010	-0.08	459	3493	59	-51	8.1	72	3.8	5	1.1	19290	11.7	15800	37	0.4					
56-43.0889-105.0997-2-15-	0-W10619	61760	-0.07	491	4406	63	-46	8.2	84	5.5	4	1.2	21160	9.2	13350	38	0.3					
56-43.0733-105.1028-2-15-	0-W10620	52970	-0.06	458	4196	54	-41	7.3	59	3.2	4	0.9	17180	8.0	13240	28	0.3					
56-43.2397-105.1008-2-15-	0-W10621	47650	-0.07	577	3073	62	-35	4.5	42	2.7	5	0.9	13870	8.9	16090	30	0.4					
56-43.2283-105.0542-2-15-	0-W10622	24390	-0.05	495	2296	39	-23	4.9	34	1.9	4	0.8	19180	11.8	10760	26	0.3					
56-43.2175-105.1050-2-15-	0-W10623	59900	-0.07	572	22920	82	-54	8.6	55	5.2	5	1.4	25500	6.5	20010	42	0.4					
56-43.2003-105.1089-2-15-	0-W10624	53040	-0.07	571	4227	71	-45	6.9	63	3.5	5	1.1	20770	12.0	16120	34	0.4					
56-43.1956-105.0775-2-15-	0-W10626	34720	-0.06	701	2424	42	-26	7.2	39	2.4	3	0.9	20960	6.7	12130	23	0.3					
56-43.1886-105.0892-2-15-	0-W10627	43050	-0.07	549	3192	64	-39	9.5	52	3.6	5	1.2	24830	9.4	13640	31	0.4					
56-43.6689-105.7581-2-15-	0-W10629	54140	-0.07	600	11370	76	-43	7.8	48	4.3	5	1.3	23620	8.4	20610	33	0.4					
56-43.7322-105.7558-2-15-	0-W10633	63500	-0.07	622	8446	80	-48	8.4	63	4.5	5	1.3	28670	7.4	21210	40	0.5					
56-43.6353-105.8683-2-15-	0-W10634	67800	-0.08	574	16760	66	-45	7.0	55	3.9	5	1.2	20740	5.1	17550	29	0.4					
56-43.6400-105.8725-2-15-	0-W10635	60870	-0.09	491	28360	73	140	8.4	56	5.6	5	1.3	24940	7.6	18780	43	0.4					
56-43.6600-105.8739-2-15-	0-W10636	42030	-0.05	751	21450	72	-43	5.3	39	2.7	5	1.3	16360	12.2	18260	36	0.4					
56-43.6414-105.7856-2-15-	0-W10637	55580	-0.07	631	9535	68	-49	7.5	51	4.2	5	1.4	21690	9.6	19210	32	0.4					
56-43.7094-105.9000-2-15-	0-W10638	49060	-0.07	654	27000	75	-54	6.9	49	3.4	6	1.4	20480	11.7	18120	36	0.4					
56-43.6858-105.9914-2-15-	0-W10640	85440	-0.09	494	16060	93	-43	10.9	81	7.5	5	1.6	32940	4.5	23240	45	0.5					
56-43.7006-105.9983-2-15-	0-W10641	62740	-0.07	579	18110	84	-40	9.6	59	5.1	5	1.5	25990	8.2	21780	42	0.5					
56-43.6892-105.9694-2-15-	0-W10642	61090	-0.07	581	17920	70	-49	7.1	41	4.2	4	1.1	20970	6.0	21780	34	0.3					
56-43.6856-105.9669-2-15-	0-W10643	65400	-0.09	547	19800	80	-49	8.7	56	4.9	6	1.5	27380	9.2	19130	41	0.4					
56-43.6789-105.9603-2-15-	0-W10644	55110	-0.07	559	20230	78	-39	8.0	53	4.2	5	1.2	22000	7.2	19420	35	0.4					
56-43.6689-105.9492-2-15-	0-W10645	57840	-0.07	551	20730	75	-46	7.3	50	4.7	5	1.3	24230	8.3	20360	36	0.4					
56-43.6658-105.9369-2-15-	0-W10646	46990	-0.06	622	20740	68	-46	5.4	37	2.8	5	1.2	16110	8.7	18840	28	0.3					
56-43.6647-105.9358-2-15-	0-W10647	34960	-0.06	649	17140	57	75	4.4	26	2.6	5	1.2	14340	9.7	15660	31	0.3					
56-43.6650-105.9253-2-15-	0-W10648	38170	0.14	827	16780	126	-42	5.6	49	1.7	7	1.6	20780	25.1	16360	55	0.7					
56-43.6528-105.9122-2-15-	0-W10649	56500	-0.06	572	12530	65	-37	7.2	52	3.9	5	1.3	22180	7.7	20200	36	0.4					
56-43.6439-105.9444-2-15-	0-W10650	52050	-0.06	545	17070	70	-45	6.9	47	4.2	5	1.3	18720	10.1	19080	34	0.4					
56-43.7058-105.9003-2-15-	0-W10651	53450	-0.07	578	26970	77	-53	7.3	47	4.4	6	1.4	23120	12.1	18890	39	0.5					
56-43.7208-105.9094-2-15-	0-W10652	40000	-0.05	642	15910	75	-40	4.9	38	1.6	5	1.2	15220	14.1	19180	28	0.4					
56-43.7269-105.9283-2-15-	0-W10653	44770	-0.06	660	4912	64	-38	5.6	37	2.8	5	1.2	17410	13.1	20220	28	0.4					
56-43.4081-104.1117-2-15-	0-W10654	70560	-0.08	689	14990	71	-62	7.7	68	4.9	6	1.2	22550	6.2	19690	35	0.4					
56-43.4050-104.0894-2-15-	0-W10655	50290	-0.07	561	12320	62	-61	5.6	43	3.9	5	1.2	17840	8.0	21230	28	0.3					
56-43.4186-104.0822-2-15-	0-W10656	53750	-0.06	674	18560	73	-59	6.2	54	3.5	5	1.5	19730	10.6	17520	43	0.5					
56-43.5472-104.0986-2-15-	0-W10657	88960	-0.09	329	9025	88	-68	8.8	70	7.7	7	1.4	33420	4.3	14780	37	0.6					
56-43.5400-104.0664-2-15-	0-W10658	81680	-0.09	521	12170	82	-56	6.7	63	6.6	5	1.3	29610	4.0	17410	33	0.4					
46-43.5392-104.0514-2-15-	0-W10659	77890	-0.10	317	5770	74	-64	12.8	70	5.5	6	1.4	37050	7.5	17300	42	0.5					
46-43.5344-104.0336-2-15-	0-W10660	33070	-0.06	295	5700	68	104	4.6	42	-1.2	4	1.0	14350	18.7	12000	27	0.4					
46-43.5436-104.0453-2-15-	0-W10661	57430	-0.07	405	5862	77	610	8.4	55	5.0	6	1.3	19210	9.1	15900	31	0.5					
46-43.5928-104.0500-2-15-	0-W10662	19560	-0.04	306	-249	30	-28	2.2	27	1.7	3	0.6	7766	12.5	6828	16	0.2					
46-43.5911-104.0475-2-15-	0-W10663	35880	-0.05	478	14010	49	-47	4.4	31	2.9	4	1.0	14470	8.6	11960	21	0.3					
56-43.5942-104.0822-2-15-	0-W10664	44290	-0.07	400	4031	57	-83	11.8	47	4.1	-1	1.3	63420	9.5	12210	27	0.4					
56-43.5964-104.0692-2-15-	0-W10665	48430	-0.06	427	2873	70	-41	6.5	55	3.8	5	1.4	19660	10.7	13160	26	0.5					
46-43.5250-104.0222-2-15-	0-W10666	65830	-0.07	466	4039	80	-53	11.4	67	5.2	6	1.5	34570	8.2	15440	35	0.5					
46-43.5019-104.0219-2-15-	0-W10667	79240	-0.08	549	2647	71	-58	11.4	73	5.9	6	1.3	24250	5.4	21190	35	0.4					
56-43.0392-104.3447-2-15-	0-W10669	65990	-0.08	781	56100	62	-109	6.8	27	5.1	4	0.7	22960	4.6	21690	16	0.2					
56-43.0156-104.3478-2-15-	0-W10671	59990	-0.06	686	35010	96	122	5.9	38	2.7	5	1.7	24510	14.2	20520	41	0.4					
56-43.0236-104.3092-2-15-	0-W10672	61280	-0.05	746	24270	69	122	5.6	40	3.8	4	1.3	19680	9.3	18480	30	0.4					
56-43.0086-104.2819-2-15-	0-W10673	61410	-0.06	651	34540	75	112	5.3	31	3.5	5	1.3	18690	9.8	20420	31	0.4					
56-43.0144-104.2942-2-15-	0-W10674	54840	-0.06	630	32550	102	-91	6.1	47	2.3	7	1.6	23360	15.4	17180	45	0.5					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

④

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)															U/Th RATIO	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43.0864-105.1306-2-15-						0-W10616	7037	242	3062	51	-1	6.9	5.6	-155	-1	-1	12.8	3597	70	3.8	-24	0.295
56-43.0561-105.1519-2-15-						0-W10617	11070	195	6752	59	-2	7.3	3.8	-174	-1	-1	11.9	3571	80	2.6	-33	0.331
56-43.0858-105.1056-2-15-						0-W10618	9221	166	3519	-23	-2	8.7	4.8	-143	-1	-1	13.3	3810	80	3.2	88	0.295
56-43.0889-105.0997-2-15-						0-W10619	9677	170	3422	55	-2	9.4	-0.7	-168	-1	-1	13.1	3792	87	3.0	-61	0.263
56-43.0733-105.1028-2-15-						0-W10620	8774	127	3330	59	-2	7.7	3.6	-140	-1	-1	10.5	4024	71	2.6	42	0.319
56-43.2397-105.1008-2-15-						0-W10621	7010	159	1215	42	-2	6.1	4.2	-137	-1	-1	10.6	3378	75	2.7	-74	0.360
56-43.2283-105.0542-2-15-						0-W10622	3925	168	769	-18	-1	3.6	2.8	-114	-1	-1	6.7	2131	46	3.0	72	0.384
56-43.2175-105.1050-2-15-						0-W10623	19290	435	2541	55	-2	8.4	5.9	-249	-1	-1	12.8	3224	82	4.8	98	0.486
56-43.2003-105.1089-2-15-						0-W10624	11360	227	3687	-22	-2	8.1	7.0	-174	-1	-1	11.9	3521	85	3.5	55	0.431
56-43.1956-105.0775-2-15-						0-W10625	5416	227	944	-20	-1	4.6	3.7	-145	-1	-1	7.0	2274	64	2.7	97	0.450
56-43.1886-105.0892-2-15-						0-W10627	6194	287	1444	69	-2	7.4	5.7	-160	-1	-1	10.9	2738	71	2.2	131	0.387
56-43.6689-105.7581-2-15-						0-W10629	15050	415	1745	96	-2	7.8	5.5	-227	-1	-1	10.3	3071	76	3.5	128	0.315
56-43.7322-105.7558-2-15-						0-W10633	18200	373	2605	112	-2	9.6	7.2	-223	-1	-1	12.7	2941	91	4.5	-34	0.324
56-43.6353-105.8683-2-15-						0-W10634	17869	295	1462	74	-2	8.4	4.9	-196	-1	-1	11.1	3646	106	3.9	-79	0.364
56-43.6400-105.8725-2-15-						0-W10635	20520	507	2570	-30	-2	9.0	5.7	-241	-1	-1	11.1	3155	91	4.3	167	0.356
56-43.6600-105.8739-2-15-						0-W10636	15870	336	1948	57	-1	5.6	5.1	-189	-1	-1	10.7	2624	54	3.1	48	0.369
56-43.6414-105.7856-2-15-						0-W10637	13470	401	3231	75	-2	7.9	6.9	-222	-1	-1	14.1	3435	73	4.6	80	0.248
56-43.7094-105.9000-2-15-						0-W10638	15080	440	2392	82	-2	7.1	5.0	-207	-1	-1	11.2	2923	70	2.8	100	0.421
56-43.6858-105.9914-2-15-						0-W10640	25430	326	1144	116	-2	12.2	7.0	-235	-1	-1	15.8	3572	125	2.8	171	0.259
56-43.7006-105.9983-2-15-						0-W10641	23560	312	1661	115	-2	9.3	8.5	-203	-1	-1	13.4	3481	86	5.1	-50	0.302
56-43.6892-105.9694-2-15-						0-W10642	21040	314	1722	59	-2	7.0	4.8	-194	-1	-1	10.2	3460	81	2.7	96	0.388
56-43.6856-105.9669-2-15-						0-W10643	19720	331	1314	99	-2	9.4	6.7	-197	-1	-1	12.6	3501	92	4.0	130	0.371
56-43.6789-105.9603-2-15-						0-W10644	20310	267	1069	94	-2	7.7	6.0	-191	-1	-1	11.1	3353	73	2.1	-57	0.358
56-43.6689-105.9492-2-15-						0-W10645	19870	333	1765	75	-2	8.4	6.6	-211	-1	-1	10.7	4018	88	3.1	134	0.427
56-43.6658-105.9369-2-15-						0-W10646	17270	327	1925	57	-1	5.7	5.5	-178	-1	-1	11.2	3440	61	3.4	63	0.361
56-43.6647-105.9358-2-15-						0-W10647	13890	280	2054	66	-1	4.9	4.8	-153	-1	-1	9.8	2195	44	2.9	51	0.337
56-43.6650-105.9253-2-15-						0-W10648	11310	487	1960	38	-1	6.5	8.0	-215	2	-1	20.6	4633	51	5.2	78	0.253
56-43.6528-105.9122-2-15-						0-W10649	16310	268	1171	78	-1	7.8	5.6	-177	-1	-1	10.4	3156	81	2.6	-91	0.405
56-43.6439-105.9444-2-15-						0-W10650	15880	329	1792	50	-1	6.7	5.4	-176	-1	-1	12.3	3417	77	3.0	42	0.344
56-43.7058-105.9003-2-15-						0-W10651	17820	504	2012	55	-2	7.7	6.0	-219	-1	-1	12.9	2951	69	4.2	91	0.353
56-43.7208-105.9094-2-15-						0-W10652	9637	295	2218	49	-1	5.4	4.7	-180	-1	-1	10.8	2911	55	3.9	49	0.369
56-43.7269-105.9283-2-15-						0-W10653	9874	257	2568	77	-1	5.0	6.2	-166	-1	-1	10.7	3636	59	3.5	104	0.331
56-43.4081-104.1117-2-15-						0-W10654	17410	215	4556	56	-2	9.1	4.9	-182	-1	-1	10.8	4127	132	3.7	117	0.380
56-43.4050-104.0894-2-15-						0-W10655	13760	155	5527	-23	-2	6.4	5.3	-151	-1	-1	9.4	2794	82	2.3	87	0.313
56-43.4186-104.0822-2-15-						0-W10656	12220	236	5889	72	-1	7.2	5.2	-195	-1	-1	11.1	2912	80	3.1	97	0.304
56-43.5472-104.0986-2-15-						0-W10657	17740	388	6495	85	-2	13.1	8.2	-242	-1	-1	17.8	3375	96	3.7	122	0.287
56-43.5400-104.0664-2-15-						0-W10658	13190	223	2496	107	-2	11.9	6.2	-184	-1	-1	12.4	4243	94	3.2	-67	0.288
46-43.5392-104.0514-2-15-						0-W10659	14900	526	3088	80	-2	12.1	7.0	-245	-1	-1	12.9	4250	111	3.8	93	0.250
46-43.5344-104.0336-2-15-						0-W10660	6712	271	2359	47	-1	6.0	5.2	-194	-1	-1	9.3	3377	44	3.3	57	0.329
46-43.5436-104.0453-2-15-						0-W10661	10680	338	4218	67	-2	9.9	6.7	-216	-1	1	11.9	5501	78	4.8		0.310
46-43.5928-104.0500-2-15-						0-W10662	1934	125	1441	-13	-1	3.0	3.6	-112	-1		5.9	2225	29	2.4	49	0.354
46-43.5911-104.0475-2-15-						0-W10663	7253	263	2174	-18	-1	4.9	3.4	-163	-1	-1	6.2	2955	47	3.3	49	0.444
56-43.5942-104.0822-2-15-						0-W10664	7095	891	3764	-31	-2	7.5	6.9	-337	-1	-1	12.8	2035	75	3.8	152	0.420
56-43.5964-104.0692-2-15-						0-W10665	8032	220	2294	-22	-1	8.4	6.1	-179	-1	-1	9.4	3451	63	2.7	62	0.352
46-43.5250-104.0222-2-15-						0-W10666	17980	629	3067	54	-2	10.7	8.5	-271	-1	-1	13.4	3862	84	4.2	-67	0.331
46-43.5019-104.0219-2-15-						0-W10667	12510	346	3501	78	-2	11.0	6.0	-211	-1	-1	13.5	4292	146	2.8	71	0.523
56-43.0392-104.3447-2-15-						0-W10669	20820	481	11190	111	-2	7.9	5.0	489	-1	-1	13.5	2772	46	3.6	145	0.344
56-43.0156-104.3478-2-15-						0-W10671	13690	396	14390	59	-1	7.9	6.2	508	-1	-1	13.3	2755	54	3.7	-68	0.342
56-43.0236-104.3092-2-15-						0-W10672	15900	360	12880	-21	-1	7.8	5.8	-229	-1	-1	13.1	3375	50	3.3	80	0.271
56-43.0086-104.2819-2-15-						0-W10673	16850	396	11640	51	-1	6.8	5.5	413	-1	-1	13.8	3619	56	4.0	-80	0.332
56-43.0144-104.2942-2-15-						0-W10674	12900	410	12820	-23	-1	8.1	7.9	426	-1	-1	19.3	3750	57	5.0	106	0.234

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

①

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																		U CONCENTRATION										
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCINTILLOMETER (eL ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC) UNITS IN ppm
56-43.0672-104.1431-2-15-						0-W10675-10/01/77-16-	16-				-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.04		
56-43.0669-104.1281-2-15-						0-W10676-10/01/77-16-	16-				-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.91		
56-43.0511-104.2006-2-15-						0-W10678-10/01/77-17-	15-				-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.58		
56-43.0639-104.2039-2-15-						0-W10679-10/01/77-17-	14-				-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.10		
56-43.0403-104.3803-2-15-						0-W10680-10/02/77-10-	18-				-	-	-	-	27-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.03		
56-43.0456-104.4258-2-15-						0-W10681-10/02/77-11-	19-				-	-	-	-	22-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.72		
56-43.0578-104.4939-2-15-						0-W10687-10/02/77-11-	19-				-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.32		
56-43.0408-104.5225-2-15-						0-W10683-10/02/77-12-	19-				-	-	-	-	22-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.21		
56-43.0119-104.5044-2-15-						0-W10686-10/02/77-14-	17-				-	-	-	-	16-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.28		
56-43.0514-104.5686-2-15-						0-W10689-10/02/77-15-	18-				-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.56		
56-43.0514-104.5906-2-15-						0-W10690-10/02/77-15-	18-				-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.27		
56-43.0289-104.6422-2-15-						0-W10697-10/02/77-16-	18-				-	-	-	-	13-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.75		
56-43.0044-104.6436-2-15-						0-W10694-10/02/77-17-	17-				-	-	-	-	22-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.29		
56-43.0169-104.6361-2-15-						0-W10695-10/02/77-17-	17-				-	-	-	-	27-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.64		
56-43.0311-104.6919-2-15-						0-W10696-10/02/77-18-	14-				-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.64		
56-43.3186-105.9753-2-15-						0-W10697-10/19/77-14-	23-				-	-	-	-	13-1-1-4-1-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.58		
56-43.3164-105.9744-2-15-						0-W10698-10/19/77-14-	23-				-	-	-	-	11-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.96		
56-43.3050-105.9417-2-15-						0-W10699-10/19/77-14-	23-				-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.70		
56-43.2728-105.9006-2-15-						0-W10700-10/19/77-15-	24-				-	-	-	-	8-1-1-4-1-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.30		
56-43.2550-105.8986-2-15-						0-W10701-10/19/77-16-	24-				-	-	-	-	13-1-1-5-1-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.48		
56-43.3125-105.8561-2-15-						0-W10707-10/19/77-16-	23-				-	-	-	-	11-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.73		
56-43.3192-105.8636-2-15-						0-W10703-10/19/77-17-	23-				-	-	-	-	15-1-1-4-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.16		
56-43.2939-105.7614-2-15-						0-W10705-10/20/77-11-	17-				-	-	-	-	15-1-1-6-8-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.39		
56-43.2894-105.8464-2-15-						0-W10707-10/21/77-13-	7-				-	-	-	-	13-1-1-6-6-	-1-	-1-4-3-1-4-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.55		
56-43.2258-105.6992-2-15-						0-W10709-10/20/77-14-	18-				-	-	-	-	17-1-1-5-6-	-1-	-1-4-3-1-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.15		
56-43.1306-105.6442-2-15-						0-W10717-10/20/77-18-	13-				-	-	-	-	18-1-1-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.88		
56-43.2489-105.9156-2-15-						0-W10713-10/21/77-9-	6-				-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-1-4-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.17		
56-43.2397-105.8961-2-15-						0-W10714-10/21/77-10-	8-				-	-	-	-	16-1-1-4-1-	-1-	-1-4-3-1-4-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.60		
56-43.2333-105.8939-2-15-						0-W10715-10/21/77-10-	7-				-	-	-	-	26-1-1-5-6-	-1-	-1-4-3-1-4-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.73		
56-43.2147-105.9114-2-15-						0-W10716-10/21/77-11-	10-				-	-	-	-	16-1-1-4-1-	-1-	-2-4-3-1-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.63		
56-43.2211-105.9167-2-15-						0-W10717-10/21/77-11-	7-				-	-	-	-	13-1-1-5-6-	-1-	-1-4-3-1-4-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.42		
56-43.2186-105.9169-2-15-						0-W10718-10/21/77-11-	7-				-	-	-	-	13-1-1-5-6-	-1-	-1-4-3-1-4-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.19		
56-43.2264-105.7803-2-15-						0-W10720-10/21/77-17-	7-				-	-	-	-	17-1-1-5-6-	-1-	-1-4-3-1-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.22		
56-43.2264-105.7831-2-15-						0-W10721-10/21/77-17-	7-				-	-	-	-	19-1-1-5-6-	-1-	-1-4-3-1-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.19		
56-43.2361-105.7792-2-15-						0-W10722-10/21/77-18-	6-				-	-	-	-	15-1-1-5-8-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.24		
56-43.2439-105.8233-2-15-						0-W10723-10/22/77-8-	3-				-	-	-	-	13-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.20		
56-43.2342-105.8394-2-15-						0-W10724-10/22/77-8-	4-				-	-	-	-	16-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.50		
56-43.0825-105.6700-2-15-						0-W10725-10/22/77-11-	11-				-	-	-	-	34-1-1-5-6-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	15.98		
56-43.0839-105.7494-2-15-						0-W10727-10/22/77-12-	12-				-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.65		
56-43.0464-105.7672-2-15-						0-W10730-10/22/77-15-	14-				-	-	-	-	16-1-1-6-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.73		
56-43.0342-105.7819-2-15-						0-W10731-10/22/77-15-	14-				-	-	-	-	9-1-1-4-1-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.26		
56-43.0419-105.7317-2-15-						0-W10734-10/22/77-18-	11-				-	-	-	-	16-1-1-4-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.93		
56-43.0408-105.7481-2-15-						0-W10735-10/22/77-18-	9-				-	-	-	-	9-1-1-4-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.61		
56-43.0531-105.7053-2-15-						0-W10736-10/23/77-12-	16-				-	-	-	-	15-1-1-4-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.99		
56-43.0183-105.7189-2-15-						0-W10738-10/23/77-13-	18-				-	-	-	-	17-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.44		
56-43.0094-105.6681-2-15-						0-W10739-10/23/77-14-	20-				-	-	-	-	17-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.49		
56-43.0078-105.6456-2-15-						0-W10740-10/23/77-14-	20-				-	-	-	-	12-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.74		
56-43.0017-105.6161-2-15-						0-W10741-10/23/77-15-	19-				-	-	-	-	17-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.27		
56-43.0333-105.6211-2-15-						0-W10742-10/23/77-16-	18-				-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.86		
56-43.0306-105.6358-2-15-						0-W10743-10/23/77-16-	17-				-	-	-	-	13-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.66		
56-43.9169-104.2914-2-15-						0-W10745-09/14																												

APPENDIX II-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.0672-104.1431-2-15-			0-W10675				-5	-5	-5	41	-20	27	10	-10	-15	2	54	
56-43.0669-104.1281-2-15-			0-W10676				-5	-5	-5	45	40	-15	10	-10	-15	2	33	
56-43.0511-104.2006-2-15-			0-W10678				-5	-5	-5	31	-20	15	9	-10	-15	2	77	
56-43.0639-104.2039-2-15-			0-W10679				-5	-5	-5	33	-20	35	-5	-10	-15	3	35	
56-43.0403-104.3803-2-15-			0-W10680				-5	5	-5	19	-20	-15	-5	-10	-15	2	41	
56-43.0456-104.4258-2-15-			0-W10681				-5	-5	-5	22	-20	-15	7	-10	-15	2	47	
56-43.0578-104.4939-2-15-			0-W10682				-5	-5	-5	26	-20	-15	6	-10	-15	2	51	
56-43.0408-104.5225-2-15-			0-W10683				-5	-5	-5	23	-20	-15	7	-10	-15	2	49	
56-43.0119-104.5044-2-15-			0-W10686				-5	-5	-5	25	-20	-15	8	-10	-15	2	44	
56-43.0514-104.5686-2-15-			0-W10689				-5	-5	-5	18	-20	-15	13	-10	-15	2	49	
56-43.0514-104.5906-2-15-			0-W10690				-5	-5	-5	20	-20	-15	13	-10	-15	2	39	
56-43.0289-104.6422-2-15-			0-W10692				-5	-5	-5	16	-20	-15	11	-10	-15	1	20	
56-43.0044-104.6436-2-15-			0-W10694				-5	-5	-5	17	-20	-15	6	-10	-15	2	40	
56-43.0169-104.6361-2-15-			0-W10695				-5	-5	-5	-10	-20	15	9	-10	-15	2	22	
56-43.0311-104.6919-2-15-			0-W10696				-5	-5	-5	19	-20	-15	9	-10	-15	2	40	
56-43.3186-105.9753-2-15-			0-W10697				-5	-5	-5	-10	-20	-15	5	-10	-15	-1	8	
56-43.3164-105.9744-2-15-			0-W10698				-5	6	-5	16	-20	-15	8	-10	-15	1	20	
56-43.3050-105.9417-2-15-			0-W10699				-5	-5	-5	13	-20	-15	5	-10	-15	1	10	
56-43.2728-105.9006-2-15-			0-W10700				-5	-5	-5	14	-20	-15	6	-10	-15	1	17	
56-43.2550-105.8986-2-15-			0-W10701				-5	6	-5	19	-20	-15	8	-10	-15	2	24	
56-43.3125-105.8561-2-15-			0-W10702				-5	-5	-5	21	-20	-15	-5	-10	-15	1	16	
56-43.3192-105.8636-2-15-			0-W10703				-5	-5	-5	30	-20	16	6	-10	-15	2	30	
56-43.2939-105.7614-2-15-			0-W10705				-5	-5	-5	21	-20	-15	-5	-10	-15	1	19	
56-43.2894-105.8464-2-15-			0-W10707				-5	-5	-5	17	-20	-15	-5	-10	-15	2	24	
56-43.2258-105.6992-2-15-			0-W10709				-5	-5	-5	28	-20	16	5	-10	-15	2	35	
56-43.1306-105.7442-2-15-			0-W10712				-5	-5	-5	27	-20	-15	13	-10	-15	2	33	
56-43.2489-105.9156-2-15-			0-W10713				-5	-5	-5	11	-20	-15	10	-10	-15	1	13	
56-43.2397-105.8961-2-15-			0-W10714				-5	-5	-5	17	-20	-15	8	-10	-15	-1	9	
56-43.2333-105.8939-2-15-			0-W10715				-5	-5	-5	25	-20	-15	10	-10	-15	2	34	
56-43.2147-105.9114-2-15-			0-W10716				-5	-5	-5	31	-20	-15	-5	-10	-15	1	19	
56-43.2211-105.9167-2-15-			0-W10717				-5	-5	-5	18	-20	-15	7	-10	-15	1	18	
56-43.2186-105.9169-2-15-			0-W10718				-5	-5	-5	21	-20	-15	6	-10	-15	1	14	
56-43.2264-105.7803-2-15-			0-W10720				-5	5	-5	27	-20	-15	8	-10	-15	1	29	
56-43.2264-105.7831-2-15-			0-W10721				-5	5	-5	25	-20	17	5	-10	-15	2	26	
56-43.2361-105.7792-2-15-			0-W10722				-5	7	-5	17	-20	-15	7	-10	-15	2	31	
56-43.2439-105.8233-2-15-			0-W10723				-5	6	-5	20	-20	-15	6	-10	-15	1	28	
56-43.2342-105.8394-2-15-			0-W10724				-5	-5	-5	32	-20	-15	9	-10	-15	2	34	
56-43.0825-105.6700-2-15-			0-W10725				-5	6	-5	16	-20	-15	13	-10	-15	2	32	
56-43.0839-105.7494-2-15-			0-W10727				-5	5	-5	21	-20	-15	8	-10	-15	2	20	
56-43.0464-105.7672-2-15-			0-W10730				-5	-5	-5	19	-20	-15	6	-10	-15	2	17	
56-43.0342-105.7819-2-15-			0-W10731				-5	5	-5	30	-20	15	7	-10	-15	2	22	
56-43.0419-105.7317-2-15-			0-W10734				-5	-5	-5	23	-20	15	5	-10	-15	2	31	
56-43.0408-105.7481-2-15-			0-W10735				-5	9	-5	20	-20	-15	9	-10	-15	2	23	
56-43.0531-105.7053-2-15-			0-W10736				-5	-5	-5	16	-20	19	7	-10	-15	2	21	
56-43.0183-105.7189-2-15-			0-W10738				-5	5	-5	21	-20	-15	-5	-10	-15	2	35	
56-43.0094-105.6681-2-15-			0-W10739				-5	6	-5	25	-20	-15	13	-10	-15	2	31	
56-43.0078-105.6456-2-15-			0-W10740				-5	-5	-5	20	-20	18	8	-10	-15	2	24	
56-43.0017-105.6161-2-15-			0-W10741				-5	5	-5	24	-20	18	11	-10	-15	2	28	
56-43.0333-105.6211-2-15-			0-W10742				-5	-5	-5	22	-20	-15	6	-10	-15	2	27	
56-43.0306-105.6358-2-15-			0-W10743				-5	-5	-5	20	-20	16	8	-10	-15	2	32	
56-43.9169-104.2914-2-15-			0-W10745				-5	-5	-5	34	-20	-15	-5	-10	-15	2	65	

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.0672-104.1431-2-15-	0-W10675	80880	-0.09	1005	11320	70	-70	16.4	98	9.5	5	1.7	52540	5.8	18730	33	0.5					
56-43.0669-104.1281-2-15-	0-W10676	91850	-0.08	957	5272	59	-59	12.0	102	7.6	4	1.1	48890	3.8	20430	27	0.4					
56-43.0511-104.2006-2-15-	0-W10678	57890	-0.07	546	91080	59	-91	7.5	37	5.2	5	1.1	21570	3.1	18330	31	0.3					
56-43.0639-104.2039-2-15-	0-W10679	45980	-0.07	478	144100	54	-83	8.4	57	7.1	4	1.1	21170	5.7	15910	27	0.3					
56-43.0403-104.3803-2-15-	0-W10680	55680	-0.06	664	37010	86	120	7.8	42	3.9	4	1.5	26450	10.6	20780	37	0.4					
56-43.0456-104.4258-2-15-	0-W10681	67480	-0.06	847	24740	70	-78	9.1	57	5.8	5	1.3	24970	6.7	23610	32	0.4					
56-43.0578-104.4939-2-15-	0-W10682	59810	-0.06	702	16140	52	166	6.3	47	3.6	5	1.3	19440	6.9	19790	26	0.4					
56-43.0408-104.5225-2-15-	0-W10683	67440	-0.08	525	12940	75	-79	10.3	68	6.1	5	1.5	28700	7.5	23420	45	0.4					
56-43.0119-104.5044-2-15-	0-W10686	56800	-0.06	650	33330	91	-67	7.4	55	4.5	5	1.4	25760	9.0	21300	35	0.5					
56-43.0514-104.5686-2-15-	0-W10689	67120	-0.07	841	23010	71	-74	8.9	56	4.4	5	1.5	27500	7.7	22360	32	0.4					
56-43.0514-104.5906-2-15-	0-W10690	64820	-0.07	694	8485	66	-81	7.3	40	3.6	5	1.1	22360	8.8	20710	28	0.4					
56-43.0289-104.6422-2-15-	0-W10692	42920	-0.07	4038	35600	265	-91	12.6	106	2.7	13	3.6	65000	57.4	17850	142	1.2					
56-43.0044-104.6436-2-15-	0-W10694	53970	-0.05	1272	54470	88	-86	5.2	45	2.9	6	1.0	20200	11.9	20060	47	0.5					
56-43.0169-104.6361-2-15-	0-W10695	42950	-0.07	1746	32770	268	-76	13.5	90	2.1	9	1.4	75060	35.2	15800	120	0.7					
56-43.0311-104.6919-2-15-	0-W10696	49800	-0.05	643	42830	65	-83	4.1	28	2.6	5	1.1	14380	8.4	16740	27	0.4					
56-43.3186-105.9753-2-15-	0-W10697	17940	-0.02	398	-254	56	35	4.0	31	2.9	4	1.6	8059	29.1	7724	26	0.4					
56-43.3164-105.9744-2-15-	0-W10698	53360	-0.06	473	-418	74	-27	5.0	55	5.1	4	1.1	14920	13.8	13820	28	0.4					
56-43.3050-105.9417-2-15-	0-W10699	25910	-0.03	490	-248	43	48	2.8	27	2.1	3	0.8	7803	14.5	11270	21	0.3					
56-43.2728-105.9006-2-15-	0-W10700	40090	-0.05	474	3864	57	-36	3.5	31	2.4	5	1.0	10440	12.0	13360	24	0.4					
56-43.2550-105.8986-2-15-	0-W10701	51550	-0.06	521	5163	67	-41	4.8	43	4.2	4	1.1	15280	8.7	16020	32	0.4					
56-43.3125-105.8561-2-15-	0-W10702	31240	-0.04	527	11030	71	-36	4.2	35	-1.0	4	1.1	11990	19.1	12590	32	0.5					
56-43.3192-105.8636-2-15-	0-W10703	61460	-0.06	582	11070	79	-57	9.0	57	3.5	5	1.4	22110	8.7	18590	33	0.4					
56-43.2939-105.7614-2-15-	0-W10705	29490	-0.05	703	26020	42	-51	4.9	24	-1.1	4	1.0	11460	11.2	9030	18	0.3					
56-43.2894-105.8464-2-15-	0-W10707	50630	-0.06	613	17720	59	-69	6.8	31	2.6	4	1.2	18340	8.3	19660	32	0.3					
56-43.2258-105.6992-2-15-	0-W10709	57020	-0.06	433	23910	82	-53	9.2	59	4.0	5	1.6	22350	9.8	18540	47	0.4					
56-43.1306-105.7442-2-15-	0-W10712	62900	-0.06	567	9325	71	-56	6.6	51	3.5	4	1.2	19260	8.0	20420	34	0.4					
56-43.2489-105.9156-2-15-	0-W10713	32580	-0.04	433	-301	51	-31	3.1	31	2.3	5	1.0	8316	14.4	11180	25	0.3					
56-43.2397-105.8961-2-15-	0-W10714	23240	-0.04	418	1686	44	-26	3.3	26	2.1	3	0.8	8182	12.2	10230	21	0.3					
56-43.2333-105.8939-2-15-	0-W10715	65740	-0.06	621	3890	81	-36	5.7	62	5.9	5	1.3	19670	10.1	17380	38	0.3					
56-43.2147-105.9114-2-15-	0-W10716	44110	-0.05	745	2029	63	-28	5.1	34	3.6	4	1.2	14840	13.5	11820	32	0.4					
56-43.2211-105.9167-2-15-	0-W10717	39650	-0.05	447	-333	52	-28	3.5	28	2.9	4	1.0	8745	8.7	13970	22	0.3					
56-43.2186-105.9169-2-15-	0-W10718	39450	-0.05	484	-372	57	-30	4.4	40	3.0	4	1.0	9996	12.2	12460	25	0.3					
56-43.2264-105.7803-2-15-	0-W10720	60720	-0.06	588	17010	85	-61	8.4	58	4.0	5	1.5	25420	8.5	18480	35	0.5					
56-43.2264-105.7831-2-15-	0-W10721	57610	-0.06	646	7407	84	-60	7.5	44	3.8	5	1.4	23550	10.3	18180	37	0.5					
56-43.2361-105.7792-2-15-	0-W10722	59850	-0.06	557	5569	75	-54	6.9	47	4.1	5	1.2	19010	7.8	17600	30	0.3					
56-43.2439-105.8233-2-15-	0-W10723	55080	-0.08	605	8355	69	-64	7.5	49	4.7	5	1.4	20620	8.2	20460	32	0.3					
56-43.2342-105.8394-2-15-	0-W10724	64970	-0.06	605	7315	81	-47	9.1	68	4.8	5	1.6	27150	8.1	20150	42	0.4					
56-43.0825-105.6700-2-15-	0-W10725	55700	-0.06	479	4020	88	-39	6.2	58	4.5	5	1.3	18300	14.3	17040	43	0.5					
56-43.0839-105.7494-2-15-	0-W10727	55340	-0.06	459	22290	62	-80	6.6	36	1.8	4	1.2	18660	8.7	19210	35	0.3					
56-43.0464-105.7672-2-15-	0-W10730	52070	-0.06	555	9897	79	145	5.3	45	3.0	5	1.3	18910	13.6	18890	43	0.5					
56-43.0342-105.7819-2-15-	0-W10731	63440	-0.06	574	6989	98	-75	8.6	50	3.8	5	1.4	23890	12.5	19210	47	0.4					
56-43.0419-105.7317-2-15-	0-W10734	65540	-0.06	598	5630	74	-49	7.7	52	3.4	5	1.3	20050	8.7	18510	37	0.3					
56-43.0408-105.7481-2-15-	0-W10735	53020	-0.05	485	4467	71	-64	4.9	43	2.2	5	1.2	14680	9.3	18780	33	0.3					
56-43.0531-105.7053-2-15-	0-W10736	47450	-0.04	550	4871	90	102	5.7	44	2.8	5	1.2	17070	15.7	19540	39	0.4					
56-43.0183-105.7189-2-15-	0-W10738	56880	-0.05	449	18550	63	-56	5.9	58	4.9	5	1.1	16720	6.4	17100	40	0.3					
56-43.0094-105.5681-2-15-	0-W10739	65400	-0.06	541	5751	70	-62	7.0	54	3.3	5	1.0	19000	7.8	20410	26	0.3					
56-43.0078-105.6456-2-15-	0-W10740	57440	-0.06	527	4922	75	-48	9.0	69	3.7	6	1.3	25520	12.9	18270	38	0.6					
56-43.0017-105.6161-2-15-	0-W10741	56720	-0.06	403	7016	87	-57	10.8	84	4.1	5	1.4	26670	9.4	19940	37	0.4					
56-43.0333-105.6211-2-15-	0-W10742	62120	-0.06	608	16090	70	-53	9.5	66	3.7	5	1.4	26300	10.2	18360	33	0.4					
56-43.0306-105.6358-2-15-	0-W10743	64540	-0.06	629	7122	61	-63	8.9	58	3.5	5	1.1	21210	7.5	16420	30	0.4					
56-43.0169-104.2014-2-15-	0-W10745	55170	-0.08	473	42620	62	-90	17.8	53	4.3	5	1.5	33460	8.2	18450	29	0.4					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

④

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)													U/Th RATIO		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43.0672-104.1431-2-15-	0-W10675	20400	400	5798	87	-2	17.4	5.9	-265	-1	2	12.5	4314	212	4.3	186	0.323					
56-43.0669-104.1281-2-15-	0-W10675	17790	186	5481	92	-2	16.6	4.1	-200	-1	-1	10.6	5051	261	2.2	163	0.369					
56-43.0511-104.2006-2-15-	0-W10678	17440	358	4951	88	2	6.8	4.5	457	-1	-1	9.3	3457	228	2.1	102	0.815					
56-43.0639-104.2039-2-15-	0-W10679	11740	273	4306	-27	3	6.5	4.6	485	-1	-1	9.0	2440	308	3.0	134	0.789					
56-43.0403-104.3803-2-15-	0-W10680	16020	419	10780	73	-1	8.1	5.2	-253	-1	-1	13.0	2573	56	3.9	95	0.387					
56-43.0456-104.4258-2-15-	0-W10681	29190	442	8810	92	-1	8.6	4.8	-263	-1	-1	11.7	3741	80	2.9	112	0.318					
56-43.0578-104.4939-2-15-	0-W10682	23960	291	18450	63	-1	6.4	4.2	-246	-1	-1	8.7	3170	83	2.3	-31	0.382					
56-43.0408-104.5225-2-15-	0-W10683	20190	315	7112	84	-2	10.6	6.5	-216	-1	-1	13.7	3716	101	3.4	97	0.234					
56-43.0119-104.5044-2-15-	0-W10686	18460	308	7155	101	-1	8.9	6.4	-219	-1	-1	15.5	2974	68	4.4	114	0.212					
56-43.0514-104.5686-2-15-	0-W10689	26760	343	8591	82	-1	9.5	5.0	-238	-1	-1	11.4	3624	96	3.0	-88	0.312					
56-43.0514-104.5906-2-15-	0-W10690	22150	337	7459	62	-2	7.3	5.6	-228	-1	-1	10.6	3152	96	3.7	129	0.308					
56-43.0289-104.6422-2-15-	0-W10692	10990	758	8395	-31	-2	9.7	18.4	-284	-2	2	62.4	9243	171	10.9	150	0.140					
56-43.0044-104.6436-2-15-	0-W10694	12620	455	10570	86	-1	6.9	6.8	-274	-1	-1	18.7	3335	59	5.7	-72	0.229					
56-43.0169-104.6361-2-15-	0-W10695	12780	657	9253	-30	-1	9.0	16.6	-279	3	-1	55.8	7765	184	7.7	86	0.119					
56-43.0311-104.6919-2-15-	0-W10696	12300	361	9018	68	-1	5.3	4.7	-216	-1	-1	11.7	2795	44	3.2	65	0.311					
56-43.3186-105.9753-2-15-	0-W10697	2513	108	586	35	-1	3.7	3.9	-89	-1	-1	8.1	3153	29	3.4	46	0.442					
56-43.3164-105.9744-2-15-	0-W10698	5199	89	904	89	-1	7.3	5.0	-130	-1	-1	11.8	2957	59	3.6	88	0.251					
56-43.3050-105.9417-2-15-	0-W10699	2504	84	976	46	-1	3.1	3.0	-93	-1	-1	6.9	2497	31	2.5	59	0.391					
56-43.2728-105.9006-2-15-	0-W10700	5909	168	1832	-17	-1	4.4	4.0	-133	-1	-1	8.5	2825	51	2.5	55	0.388					
56-43.2550-105.8986-2-15-	0-W10701	8949	135	1688	-23	-1	7.2	4.8	-132	-1	-1	10.4	3129	68	4.0	86	0.335					
56-43.3125-105.8561-2-15-	0-W10702	7888	211	1803	46	-1	4.5	4.6	-159	-1	-1	10.4	2696	41	3.8	-39	0.359					
56-43.3192-105.8636-2-15-	0-W10703	14970	397	4742	74	-1	8.2	6.9	-222	-1	-1	14.5	3629	67	3.1	-116	0.218					
56-43.2939-105.7614-2-15-	0-W10705	9373	389	2172	-17	-1	4.1	3.9	-190	-1	-1	6.3	2820	39	2.6	44	0.379					
56-43.2894-105.8464-2-15-	0-W10707	14160	413	5404	60	-1	6.1	5.1	-218	-1	-1	10.2	2805	50	2.4	-55	0.740					
56-43.2258-105.6992-2-15-	0-W10709	15220	421	3139	82	-1	8.3	5.7	-238	-1	-1	12.9	3160	69	3.4	84	0.632					
56-43.1306-105.7442-2-15-	0-W10712	14470	316	4756	73	-1	8.1	6.3	-210	-1	-1	13.3	3430	82	2.7	153	0.292					
56-43.2489-105.9156-2-15-	0-W10713	3983	116	1159	38	-1	3.7	3.8	-109	-1	-1	7.7	2539	44	2.8	-37	0.412					
56-43.2397-105.8961-2-15-	0-W10714	3226	80	976	36	-1	3.2	3.2	-88	-1	-1	7.3	1945	34	2.0	52	0.356					
56-43.2333-105.8939-2-15-	0-W10715	10700	191	1759	82	-2	9.1	5.3	-179	-1	-1	12.2	3390	87	2.9	96	0.306					
56-43.2147-105.9114-2-15-	0-W10716	5086	105	1240	51	-1	6.0	6.1	-121	-1	-1	10.6	3148	60	2.8	-17	0.342					
56-43.2211-105.9167-2-15-	0-W10717	4352	78	666	55	-1	4.7	3.6	-100	-1	-1	8.1	2675	54	2.1	51	0.422					
56-43.2186-105.9169-2-15-	0-W10718	3935	76	946	46	-1	5.5	4.2	-100	-1	-1	10.1	2534	55	3.1	-68	0.316					
56-43.2264-105.7803-2-15-	0-W10720	14400	476	4070	88	-1	8.4	6.0	-253	-1	-1	13.1	3076	71	4.6	106	0.246					
56-43.2264-105.7831-2-15-	0-W10721	11350	510	4795	59	-1	7.8	6.5	-244	-1	-1	13.8	3167	66	3.7	85	0.231					
56-43.2361-105.7792-2-15-	0-W10722	15440	378	3385	75	-1	6.8	4.9	-207	-1	-1	11.6	3345	74	3.8	80	0.279					
56-43.2439-105.8233-2-15-	0-W10723	13440	344	3012	-31	-2	8.1	5.1	-219	-2	-1	11.6	3041	72	2.8	-96	0.276					
56-43.2342-105.8394-2-15-	0-W10724	14790	276	3209	80	-2	9.8	6.0	-199	-1	-1	15.5	3842	75	3.2	-98	0.226					
56-43.0825-105.6700-2-15-	0-W10725	10580	118	2611	59	-1	7.3	6.6	-143	-1	-1	16.8	3835	84	4.0	79	0.951					
56-43.0839-105.7494-2-15-	0-W10727	13390	398	7503	-21	-1	6.1	5.0	-231	-1	-1	11.8	3687	65	3.6	65	0.479					
56-43.0464-105.7672-2-15-	0-W10730	5165	242	9263	73	-1	6.3	5.7	-193	-1	-1	13.8	2939	58	3.4	66	0.343					
56-43.0342-105.7819-2-15-	0-W10731	8389	304	9774	110	-1	8.1	7.2	-236	-1	-1	17.7	3152	80	4.1	147	0.354					
56-43.0419-105.7317-2-15-	0-W10734	13960	230	3545	85	-1	9.5	6.7	-189	-1	-1	16.2	3378	89	4.4	-12	0.304					
56-43.0408-105.7481-2-15-	0-W10735	7345	230	5085	65	-1	5.7	3.5	-178	-1	-1	9.5	2760	81	2.9	64	0.591					
56-43.0531-105.7053-2-15-	0-W10736	8452	293	7375	74	-1	6.1	6.5	-198	-1	-1	16.7	3188	56	3.9	73	0.239					
56-43.0183-105.7189-2-15-	0-W10738	11530	453	3886	69	-1	8.8	6.3	-233	-1	-1	14.9	2835	102	3.1	135	0.499					
56-43.0094-105.6681-2-15-	0-W10739	12670	220	4353	76	-1	7.9	5.0	-187	-1	-1	11.5	3680	93	1.8	115	0.390					
56-43.0078-105.6456-2-15-	0-W10740	11310	243	3334	86	-1	9.7	5.8	-159	-1	-1	16.4	3943	83	5.8	88	0.289					
56-43.0017-105.6161-2-15-	0-W10741	14060	244	4963	73	-1	10.9	6.6	-209	-1	-1	16.4	4052	87	4.3	86	0.260					
56-43.0333-105.6211-2-15-	0-W10742	13670	281	4028	64	-1	9.4	5.4	-197	-1	-1	15.1	3549	82	5.0	103	0.454					
56-43.0306-105.6358-2-15-	0-W10743	15240	432	4964	64	-2	8.5	4.7	-235	-1	-1	13.7	3926	88	2.8	117	0.340					
56-43.9169-104.2914-2-15-	0-W10745	34960	623	2765	-32	-2	10.2	6.3	-332	-1	-1	10.0	3657	94	4.0	143	0.373					

[illegible]

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

②

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.9572-104.2967-2-15-						0-W10747	-5	-5	-5	25	-20	-15	-5	-10	-15		2	34
56-43.9572-104.2872-2-15-						0-W10748	-5	-5	-5	16	-20	-15	-5	-10	-15		-1	11
56-43.9953-104.3061-2-15-						0-W10749	-5	7	-5	10	-20	-15	-5	-10	-15		1	17
56-43.9525-104.2686-2-15-						0-W10750	-5	-5	-5	27	-20	-15	5	-10	-15		2	20
56-43.9161-104.3322-2-15-						0-W10751	-5	-5	-5	30	-20	-15	-5	-10	-15		2	30
56-43.8819-104.3000-2-15-						0-W10752	-5	5	-5	19	-20	-15	5	-10	-15		2	48
56-43.9336-104.3625-2-15-						0-W10753	-5	6	-5	41	-20	29	14	-10	-15		2	50
56-43.9439-104.3628-2-15-						0-W10754	-5	5	-5	25	-20	-15	-5	-10	-15		1	23
56-43.9700-104.3536-2-15-						0-W10757	-5	8	-5	19	-20	18	6	-10	-15		1	25
56-43.9708-104.3379-2-15-						0-W10759	-5	5	-5	20	-20	-15	5	-10	-15		-1	13
56-43.9731-104.5008-2-15-						0-W10762	-5	-5	-5	30	-20	-15	-5	-10	-15		2	28
56-43.9617-104.4997-2-15-						0-W10763	-5	5	-5	26	-20	-15	6	-10	-15		2	28
56-43.9308-104.4989-2-15-						0-W10764	-5	-5	-5	26	-20	25	9	-10	-15		2	36
56-43.8900-104.5069-2-15-						0-W10765	-5	-5	-5	16	-20	-15	-5	-10	-15		-1	11
56-43.8767-104.4503-2-15-						0-W10767	-5	-5	-5	16	-20	-15	-5	-10	-15		2	17
56-43.8872-104.4458-2-15-						0-W10768	-5	-5	-5	24	-20	-15	-5	-10	-15		2	21
56-43.7889-104.4211-2-15-						0-W10770	-5	-5	-5	17	-20	-15	-5	-10	-15		1	19
56-43.8200-104.4689-2-15-						0-W10775	-5	-5	-5	29	-20	-15	6	-10	-15		2	34
56-43.7989-104.4575-2-15-						0-W10777	-5	-5	-5	21	-20	-15	7	-10	-15		2	31
56-43.7653-104.3803-2-15-						0-W10778	-5	-5	-5	19	-20	-15	-5	-10	-15		2	29
56-43.7606-104.4608-2-15-						0-W10779	-5	-5	-5	17	-20	-15	7	-10	-15		2	24
56-43.7606-104.4489-2-15-						0-W10780	-5	-5	-5	15	-20	-15	5	-10	-15		1	13
56-43.6119-104.3639-2-15-						0-W10782	-5	-5	-5	25	-20	-15	8	-10	-15		2	29
56-43.5708-104.3572-2-15-						0-W10784	-5	5	-5	20	-20	-15	-5	-10	-15		1	18
56-43.5483-104.4036-2-15-						0-W10787	-5	-5	-5	17	-20	-15	7	-10	-15		2	23
56-43.5806-104.4236-2-15-						0-W10789	-5	6	-5	34	-20	-15	12	-10	-15		2	38
56-43.5731-104.4317-2-15-						0-W10790	-5	-5	-5	21	-20	-15	9	-10	-15		2	23
56-43.6103-104.4853-2-15-						0-W10791	-5	5	-5	25	-20	-15	-5	-10	-15		2	22
56-43.5908-104.4692-2-15-						0-W10792	-5	-5	-5	17	-20	-15	5	-10	-15		2	15
56-43.5294-104.2678-2-15-						0-W10793	-5	8	-5	15	-20	-15	8	-10	-15		2	30
56-43.5369-104.2694-2-15-						0-W10794	-5	-5	-5	38	-20	32	7	-10	-15		2	48
56-43.5192-104.3844-2-15-						0-W10796	-5	-5	-5	14	-20	-15	-5	-10	-15		1	23
56-43.5217-104.3897-2-15-						0-W10798	-5	-5	-5	24	-20	-15	-5	-10	-15		1	20
56-43.8789-104.3994-2-15-						0-W10800	-5	-5	-5	44	-20	28	7	-10	-15		2	49
56-43.8425-104.4183-2-15-						0-W10801	-5	-5	-5	25	-20	-15	-5	-10	-15		2	35
56-43.8164-104.4044-2-15-						0-W10802	-5	-5	-5	26	-20	-15	11	-10	-15		2	39
56-43.7042-104.4889-2-15-						0-W10804	-5	-5	-5	-10	-20	-15	6	-10	-15		1	18
56-43.7175-104.4861-2-15-						0-W10805	-5	7	-5	23	-20	19	12	-10	-15		2	21
56-43.6983-104.4878-2-15-						0-W10806	-5	-5	-5	11	-20	-15	5	-10	-15		1	13
56-43.6911-104.5089-2-15-						0-W10807	-5	-5	-5	11	-20	-15	-5	-10	-15		1	14
56-43.9456-104.4397-2-15-						0-W10812	-5	9	-5	37	-20	41	9	-10	-15		3	94
56-43.9311-104.4200-2-15-						0-W10813	-5	-5	-5	18	-20	-15	-5	-10	-15		2	28
56-43.6561-104.4039-2-15-						0-W10817	-5	7	-5	32	-20	-15	11	-10	-15		2	31
56-43.6586-104.4228-2-15-						0-W10818	-5	-5	-5	39	-20	-15	12	-10	-15		2	31
56-43.6508-104.4258-2-15-						0-W10819	-5	5	-5	27	-20	16	9	-10	-15		2	31
56-43.7172-104.3972-2-15-						0-W10820	-5	-5	-5	17	-20	-15	-5	-10	-15		2	35
56-43.6906-104.3606-2-15-						0-W10821	-5	-5	-5	28	-20	16	8	-10	-15		2	26
56-43.6808-104.3453-2-15-						0-W10822	-5	8	-5	28	-20	-15	12	-10	-15		2	31
56-43.6256-104.2881-2-15-						0-W10823	-5	-5	-5	29	-20	-15	6	-10	-15		2	29
56-43.5764-104.2779-2-15-						0-W10824	-5	-5	-5	31	-20	22	-5	-10	-15		2	42
56-43.5139-104.5172-2-15-						0-W10825	-5	6	-5	25	-20	27	11	-10	-15		2	26

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.9572-104.2967-2-15-			0-W10747			46023	-0.06	560	45980	66	-63	8.5	52	3.8	5	1.4	23120	12.0	20120	32	0.5	
56-43.9572-104.2872-2-15-			0-W10748			24330	-0.03	301	6710	37	-25	4.0	28	1.2	4	0.7	7810	14.0	5575	16	0.4	
56-43.9953-104.3061-2-15-			0-W10749			32110	-0.04	401	21110	37	-46	3.3	25	1.9	3	0.9	10090	10.3	12340	15	0.3	
56-43.9525-104.2686-2-15-			0-W10750			41860	-0.06	350	17840	56	-44	6.4	39	2.4	5	1.1	16690	13.0	11770	28	0.4	
56-43.9161-104.3322-2-15-			0-W10751			48730	-0.05	454	9323	70	-54	7.8	45	3.1	5	1.2	19990	13.1	12530	29	0.5	
56-43.8819-104.3000-2-15-			0-W10752			45810	-0.06	450	42180	58	-69	8.2	53	3.0	5	1.2	19970	11.6	16150	29	0.4	
56-43.9336-104.3625-2-15-			0-W10753			73840	-0.07	701	20930	89	121	10.9	90	7.3	5	1.7	38680	6.2	17410	40	0.6	
56-43.9439-104.3628-2-15-			0-W10754			35140	-0.04	547	6695	45	-44	7.2	30	-1.0	4	0.9	16570	11.9	10530	16	0.3	
56-43.9700-104.3536-2-15-			0-W10757			43210	-0.06	361	10060	67	-60	8.7	36	3.3	6	1.1	20690	14.6	12020	25	0.4	
56-43.9708-104.3378-2-15-			0-W10759			22800	-0.04	267	-393	39	-30	3.8	28	-1.0	4	0.9	9762	18.7	5976	19	0.3	
56-43.9731-104.5008-2-15-			0-W10762			37020	-0.06	472	9623	75	-69	15.5	47	4.4	5	1.7	59480	11.9	9114	33	0.6	
56-43.9617-104.4997-2-15-			0-W10763			94740	-0.07	659	4696	83	-36	9.4	72	6.9	6	1.3	21850	7.2	19490	38	0.4	
56-43.9308-104.4989-2-15-			0-W10764			54610	-0.06	1024	26810	53	100	10.4	60	4.6	4	1.4	28870	5.2	15830	26	0.4	
56-43.8900-104.5069-2-15-			0-W10765			35380	-0.04	617	14580	49	576	2.3	27	1.9	4	1.1	8216	8.0	16430	26	0.3	
56-43.8767-104.4503-2-15-			0-W10767			45370	-0.04	669	14480	61	-70	6.3	37	1.9	3	1.2	14830	6.0	14690	25	0.3	
56-43.8872-104.4458-2-15-			0-W10768			52880	-0.05	590	17950	66	-69	6.2	47	3.6	5	1.3	19190	10.2	17330	30	0.3	
56-43.7889-104.4211-2-15-			0-W10770			39620	-0.05	580	10480	54	522	4.1	33	1.7	4	1.1	12730	7.7	15230	24	0.3	
56-43.8200-104.4689-2-15-			0-W10775			70810	-0.07	532	6301	80	-70	10.5	63	6.5	5	1.5	34120	4.6	20560	40	0.5	
56-43.7989-104.4575-2-15-			0-W10777			68780	-0.07	629	25330	89	-105	11.5	70	6.9	4	1.6	34400	5.2	19290	36	0.4	
56-43.7653-104.3803-2-15-			0-W10778			60520	-0.05	652	14490	65	-70	7.1	57	4.2	5	1.3	24170	5.9	20090	31	0.3	
56-43.7606-104.4608-2-15-			0-W10779			52910	-0.05	490	5491	65	-66	5.0	35	3.9	5	1.1	15170	7.9	17160	27	0.4	
56-43.7606-104.4489-2-15-			0-W10780			43440	-0.05	550	3595	68	-66	4.8	35	2.9	4	1.3	14910	11.5	18500	32	0.3	
56-43.6119-104.3639-2-15-			0-W10782			57700	-0.06	635	7537	69	-64	7.8	50	5.4	5	1.4	24590	9.3	19660	35	0.4	
56-43.5708-104.3572-2-15-			0-W10784			41610	-0.04	563	11830	55	-60	4.5	25	2.9	4	1.1	11630	10.3	18830	29	0.4	
56-43.5483-104.4036-2-15-			0-W10787			54160	-0.06	566	10610	65	-81	5.5	36	3.7	5	1.2	15280	7.0	19260	27	0.3	
56-43.5806-104.4236-2-15-			0-W10789			71980	-0.08	485	10930	78	172	9.2	54	6.9	6	1.6	25530	6.5	19980	43	0.4	
56-43.5731-104.4317-2-15-			0-W10790			57850	-0.06	573	18880	83	-81	8.0	48	5.0	5	1.7	21820	9.5	17340	38	0.5	
56-43.6103-104.4853-2-15-			0-W10791			56960	-0.05	649	11420	59	-65	6.5	48	3.5	4	1.3	18390	7.2	17290	26	0.3	
56-43.5908-104.4692-2-15-			0-W10792			50010	-0.05	602	12880	65	-68	4.9	28	2.9	5	1.0	14700	10.1	17330	28	0.3	
56-43.5294-104.2678-2-15-			0-W10793			50020	-0.06	592	16540	66	-81	6.5	43	3.0	5	1.5	20010	9.5	18860	33	0.3	
56-43.5369-104.2694-2-15-			0-W10794			83020	-0.08	885	8908	73	-80	13.9	106	7.8	5	1.7	49970	5.0	25000	37	0.4	
56-43.5192-104.3844-2-15-			0-W10796			46210	-0.04	611	8522	55	-58	5.3	33	3.3	4	1.2	14630	7.3	16210	26	0.3	
56-43.5217-104.3897-2-15-			0-W10798			52120	-0.05	533	8153	60	-64	5.1	31	4.1	4	1.0	13940	7.0	16760	25	0.4	
56-43.8789-104.3994-2-15-			0-W10800			62270	-0.07	814	20010	59	-71	11.2	74	5.6	6	1.6	35900	5.8	17540	30	0.4	
56-43.8425-104.4183-2-15-			0-W10801			55240	-0.06	977	18720	94	-73	11.8	66	4.2	5	1.8	38670	13.6	13670	38	0.5	
56-43.8164-104.4044-2-15-			0-W10802			88970	-0.08	620	7464	74	-60	11.9	78	9.0	6	1.6	35440	5.2	21870	37	0.4	
56-43.7042-104.4889-2-15-			0-W10804			50920	-0.05	632	8242	65	-69	4.3	39	3.1	5	1.1	15530	10.3	17340	27	0.4	
56-43.7175-104.4861-2-15-			0-W10805			53240	-0.05	516	9858	63	-67	5.7	36	4.4	4	1.3	17970	6.3	18330	31	0.4	
56-43.6983-104.4878-2-15-			0-W10806			42010	-0.04	709	15200	77	-71	4.4	32	2.1	5	1.4	13200	11.9	18640	31	0.3	
56-43.6911-104.5089-2-15-			0-W10807			39720	-0.04	2923	27480	79	-77	5.1	27	1.2	5	2.5	18530	15.3	15850	36	0.5	
56-43.9456-104.4397-2-15-			0-W10812			77960	-0.07	1208	15710	72	-56	10.7	91	7.7	6	1.7	27850	5.7	20110	32	0.5	
56-43.9311-104.4200-2-15-			0-W10813			58710	-0.07	567	8376	74	-62	6.3	55	5.7	5	1.4	20440	8.1	20470	35	0.5	
56-43.6561-104.4039-2-15-			0-W10817			71600	-0.06	547	13530	90	-70	9.6	56	5.6	5	1.7	28610	7.4	18370	41	0.4	
56-43.6586-104.4228-2-15-			0-W10818			77080	-0.06	747	7735	75	-66	8.0	62	7.3	6	1.5	25040	6.2	18460	43	0.3	
56-43.6508-104.4258-2-15-			0-W10819			65010	-0.06	595	7746	72	-75	6.1	51	4.8	5	1.3	19200	6.9	17170	31	0.3	
56-43.7172-104.3972-2-15-			0-W10820			64380	-0.06	617	21660	66	-89	8.4	61	4.4	5	1.6	32750	6.4	18350	31	0.4	
56-43.6906-104.3606-2-15-			0-W10821			61380	-0.06	886	22830	75	-85	8.3	63	6.5	5	1.8	27290	8.9	21200	36	0.5	
56-43.6808-104.3453-2-15-			0-W10822			62940	-0.05	571	15340	69	-68	7.9	51	4.2	5	1.2	24300	6.9	18140	37	0.4	
56-43.6256-104.2881-2-15-			0-W10823			70600	-0.06	752	14950	85	-84	9.6	66	4.3	5	1.7	29680	6.4	20190	34	0.4	
56-43.5764-104.2778-2-15-			0-W10824			81140	-0.07	932	8321	70	-83	12.5	88	5.5	5	1.6	37300	4.1	22580	30	0.4	
56-43.5139-104.5172-2-15-			0-W10828			68770	-0.07	632	8988	66	-79	6.0	46	4.7	5	1.3	20080	5.9	18470	29	0.3	

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

4

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)														U/Th RATIO		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB. SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43.9572-104.2967-2-15-	0-W10747	32200	428	4476	70	-1	8.6	4.9	338	-1	-1	8.4	3302	55	4.5	59	0.327					
56-43.9572-104.2872-2-15-	0-W10748	4852	140	951	-12	-1	3.9	2.8	187	-1	-1	4.9	2256	28	2.5	56	0.486					
56-43.9953-104.3061-2-15-	0-W10749	8085	187	2941	34	-1	3.9	3.0	-134	-1	-1	4.9	2209	33	2.4	-69	0.324					
56-43.9525-104.2686-2-15-	0-W10750	12500	272	1581	-20	-1	6.8	4.6	-170	-1	-1	8.0	2768	50	3.1	84	0.346					
56-43.9161-104.3322-2-15-	0-W10751	11340	396	3680	57	-1	6.6	5.6	-192	-1	-1	9.8	3746	64	3.7	74	0.394					
56-43.8819-104.3000-2-15-	0-W10752	28760	405	5015	56	-1	7.8	5.5	305	-1	-1	10.0	2880	58	3.1	-87	0.290					
56-43.9336-104.3625-2-15-	0-W10753	15200	345	3692	80	-2	12.5	6.9	-244	-2	-1	15.0	3342	139	3.5	-98	0.358					
56-43.9439-104.3628-2-15-	0-W10754	8902	501	2692	25	-1	5.5	4.3	-204	-1	-1	6.6	2455	46	2.9	-55	0.373					
56-43.9700-104.3536-2-15-	0-W10757	5203	677	3048	-23	-1	5.8	5.1	-271	-1	-1	9.1	3356	52	3.8	60	0.444					
56-43.9708-104.3378-2-15-	0-W10759	3553	185	1210	-15	-1	4.5	3.4	-112	-1	-1	6.1	2596	30	3.4	-18	0.367					
56-43.9731-104.5008-2-15-	0-W10762	6112	1227	2741	-28	-1	8.4	7.8	-344	-1	-1	13.2	2129	61	5.5	175	0.327					
56-43.9617-104.4997-2-15-	0-W10763	13950	149	1253	83	-2	12.3	6.9	-174	-1	-1	14.0	5178	133	5.4	138	0.317					
56-43.9308-104.4989-2-15-	0-W10764	25900	805	5989	52	-1	8.3	4.6	-288	-1	-1	8.6	3851	140	2.8	-79	0.350					
56-43.8900-104.5069-2-15-	0-W10765	10410	182	16940	-17	-1	2.9	4.7	-186	-1	-1	7.0	2408	23	2.4	39	0.347					
56-43.8767-104.4503-2-15-	0-W10767	12030	272	12180	-16	-1	4.9	3.9	-195	-1	-1	6.7	1881	51	3.1	28	0.331					
56-43.8872-104.4458-2-15-	0-W10768	21660	357	9290	60	-1	6.3	6.2	-215	-1	-1	10.5	3183	57	3.2	92	0.256					
56-43.7889-104.4211-2-15-	0-W10770	21030	294	26630	48	-1	3.8	4.2	-248	-1	-1	6.1	2642	52	3.0	-66	0.503					
56-43.8200-104.4689-2-15-	0-W10775	19180	397	4774	103	-2	11.1	6.5	-215	-1	-1	13.3	3148	91	2.9	138	0.203					
56-43.7989-104.4575-2-15-	0-W10777	30050	639	13930	94	-2	11.3	6.6	-345	-1	-1	13.8	3585	81	3.8	137	0.209					
56-43.7653-104.3803-2-15-	0-W10778	22910	275	9697	81	-1	8.1	5.7	-206	-1	-1	10.7	3115	84	1.9	136	0.253					
56-43.7606-104.4608-2-15-	0-W10779	9010	281	6011	44	-1	6.0	5.4	-185	-1	-1	8.9	3196	60	3.6	87	0.316					
56-43.7606-104.4489-2-15-	0-W10780	6703	293	7044	-19	-1	5.1	4.7	-172	-1	-1	9.2	2323	43	3.5	-61	0.280					
56-43.6119-104.3639-2-15-	0-W10782	15160	351	6446	73	-1	8.4	6.2	-228	-1	-1	13.2	3156	63	4.7	95	0.200					
56-43.5708-104.3572-2-15-	0-W10784	13580	285	8455	46	-1	4.6	4.3	-184	-1	-1	8.5	2635	38	2.8	73	0.298					
56-43.5483-104.4036-2-15-	0-W10787	12530	246	8137	-22	-1	6.0	4.7	-211	-1	-1	8.4	2968	61	2.7	86	0.456					
56-43.5806-104.4236-2-15-	0-W10789	18070	255	7586	93	-2	10.6	7.3	-211	-1	-1	13.6	3619	86	4.3	160	0.285					
56-43.5731-104.4317-2-15-	0-W10790	16340	284	9867	80	-1	8.2	6.2	-249	-1	-1	12.0	3059	61	4.2	-89	0.258					
56-43.6103-104.4853-2-15-	0-W10791	15960	264	7933	56	-1	7.0	5.2	-198	-1	-1	9.4	3025	65	2.7	-96	0.290					
56-43.5908-104.4692-2-15-	0-W10792	13480	272	7643	44	-1	5.3	5.0	-179	-1	-1	9.7	3094	59	2.8	75	0.290					
56-43.5294-104.2678-2-15-	0-W10793	16980	272	10870	65	-1	6.7	5.2	-192	-1	-1	9.1	2628	58	3.3	66	0.281					
56-43.5369-104.2694-2-15-	0-W10794	26260	345	8903	75	-2	17.8	6.1	-257	-2	-1	13.0	4176	158	4.5	180	0.269					
56-43.5192-104.3844-2-15-	0-W10796	12900	201	7832	66	-1	5.4	4.9	-174	-1	-1	9.3	2787	47	2.9	-70	0.263					
56-43.5217-104.3897-2-15-	0-W10799	13320	233	6228	51	-1	5.7	4.7	-170	-1	1	8.3	2835	58	2.3	86	0.347					
56-43.8789-104.3994-2-15-	0-W10800	13000	363	5712	74	-2	11.5	5.8	-206	-1	-1	10.1	3368	169	2.9	217	0.409					
56-43.8425-104.4183-2-15-	0-W10801	14510	759	5947	82	-1	9.7	6.9	-307	-1	-1	13.0	2947	94	5.2	-65	0.340					
56-43.8164-104.4044-2-15-	0-W10802	19270	451	3932	80	-3	14.3	7.7	-252	-1	-1	13.4	4306	170	3.6	161	0.284					
56-43.7042-104.4889-2-15-	0-W10804	13480	296	7146	59	-1	5.3	4.6	-196	-1	-1	9.5	3149	58	3.5	58	0.312					
56-43.7175-104.4861-2-15-	0-W10805	10450	197	7476	56	-1	7.0	5.5	-166	-1	-1	10.5	2318	57	3.5	71	0.287					
56-43.6983-104.4878-2-15-	0-W10806	11910	293	9460	53	-1	4.7	4.3	-216	-1	-1	8.2	2343	42	3.3	76	0.322					
56-43.6911-104.5089-2-15-	0-W10807	13210	770	8485	65	-1	5.2	6.2	-283	-1	-1	12.1	2931	40	3.6	59	0.267					
56-43.9456-104.4397-2-15-	0-W10812	15160	123	3300	109	-2	11.8	6.2	-156	-1	-1	11.1	4973	218	3.3	203	0.551					
56-43.9311-104.4200-2-15-	0-W10813	10770	117	5221	91	-1	8.6	5.5	-151	-1	-1	11.4	3307	85	3.3	46	0.324					
56-43.6561-104.4039-2-15-	0-W10817	19960	337	6261	121	-1	10.4	6.4	-249	-1	-1	13.5	3623	79	4.1	-106	0.250					
56-43.6586-104.4228-2-15-	0-W10818	14540	245	6336	67	-2	10.6	7.0	-215	-1	-1	15.0	4083	85	4.0	111	0.258					
56-43.6508-104.4258-2-15-	0-W10819	14610	274	6194	59	-1	7.5	5.3	-208	-1	-1	10.7	3743	70	3.1	114	0.311					
56-43.7172-104.3972-2-15-	0-W10820	27540	203	13540	92	-1	9.5	6.2	-199	-1	-1	9.3	3142	84	3.5	126	0.301					
56-43.6906-104.3605-2-15-	0-W10821	21720	433	9541	105	-1	9.2	6.3	-278	-1	-1	10.9	3225	75	3.7	131	0.264					
56-43.6808-104.3453-2-15-	0-W10822	18020	359	7222	82	-1	8.3	5.9	-227	-1	-1	11.3	3164	73	3.1	67	0.269					
56-43.6256-104.2881-2-15-	0-W10823	20640	247	13810	75	-1	10.1	6.6	-237	-1	-1	10.8	3258	99	4.3	160	0.288					
56-43.5764-104.2778-2-15-	0-W10824	26720	323	10370	90	-2	13.9	7.0	-257	-1	-1	11.0	4355	145	3.4	-56	0.322					
56-43.5139-104.5172-2-15-	0-W10828	16820	315	7356	71	-2	8.1	5.1	-216	-1	-1	10.0	3849	76	3.4	99	0.329					

[illegible]

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

②

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS. SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.5208-104.4972-2-15-			0-W10829				-5	-5	-5	20	-20	20	-5	-10	-15	1	12	
46-43.8931-104.0050-2-15-			0-W10831				-5	-5	-5	26	-20	15	8	-10	-15	1	20	
46-43.8939-104.0306-2-15-			0-W10832				-5	-5	-5	22	-20	-15	8	-10	-15	1	18	
46-43.8931-104.0569-2-15-			0-W10835				-5	-5	-5	24	-20	20	-5	-10	-15	1	25	
56-43.8839-104.0925-2-15-			0-W10837				-5	-5	-5	17	-20	-15	-5	-10	-15	-1	11	
56-43.9133-104.0975-2-15-			0-W10838				-5	-5	-5	29	-20	-15	8	-10	-15	1	35	
56-43.9247-104.0897-2-15-			0-W10839				-5	-5	-5	13	-20	-15	-5	-10	-15	1	19	
56-43.9453-104.0961-2-15-			0-W10840				-5	-5	-5	24	-20	-15	-5	-10	-15	2	29	
56-43.9406-104.0986-2-15-			0-W10842				-5	-5	-5	18	-20	-15	-5	-10	-15	-1	13	
56-43.9800-104.0775-2-15-			0-W10844				-5	5	-5	10	-20	-15	8	-10	-15	1	16	
46-43.9436-104.0458-2-11-			0-W10847				-5	-5	-5	21	-20	-15	-5	-10	-15	-1	20	
56-43.9981-104.1744-2-15-			0-W10848				-5	-5	-5	23	-20	-15	6	-10	-15	1	34	
56-43.9781-104.1908-2-11-			0-W10849				-5	-5	-5	18	-20	-15	-5	-10	-15	2	24	
56-43.9675-104.2453-2-15-			0-W10851				-5	-5	-5	14	-20	-15	-5	-10	-15	-1	7	
56-43.9572-104.1867-2-15-			0-W10853				-5	-5	-5	24	-20	-15	11	-10	-15	1	23	
56-43.9300-104.1700-2-15-			0-W10855				-5	-5	-5	16	-20	-15	-5	-10	-15	1	14	
56-43.9192-104.1664-2-15-			0-W10856				-5	-5	-5	19	-20	-15	-5	-10	-15	1	20	
56-43.9042-104.1542-2-15-			0-W10858				-5	-5	-5	21	-20	-15	-5	-10	-15	1	16	
56-43.8947-104.1503-2-15-			0-W10859				-5	-5	-5	15	-20	-15	-5	-10	-15	1	15	
56-43.8881-104.1506-2-15-			0-W10861				-5	-5	-5	26	-20	-15	-5	-10	-15	2	20	
56-43.9011-104.2419-2-15-			0-W10862				-5	5	-5	16	-20	-15	15	-10	-15	1	16	
56-43.9014-104.2117-2-15-			0-W10864				-5	5	-5	16	-20	-15	-5	-10	-15	-1	5	
56-43.9019-104.2039-2-15-			0-W10865				-5	-5	-5	28	-20	-15	5	-10	-15	2	19	
56-43.9447-104.2050-2-15-			0-W10866				-5	-5	-5	20	-20	-15	-5	-10	-15	-1	13	
56-43.9497-104.2142-2-15-			0-W10867				-5	-5	-5	14	-20	-15	-5	-10	-15	-1	12	
46-43.4611-104.0367-2-15-			0-W10868				-5	5	-5	30	-20	17	12	-10	-15	2	46	
46-43.4619-104.0389-2-15-			0-W10869				-5	5	-5	39	-20	31	7	-10	-15	2	38	
46-43.4642-104.0383-2-15-			0-W10870				-5	-5	-5	37	-20	41	10	-10	-15	2	45	
46-43.4694-104.0367-2-15-			0-W10871				-5	-5	-5	29	-20	18	11	-10	-15	2	34	
46-43.4511-104.0353-2-15-			0-W10872				-5	-5	-5	38	-20	16	13	-10	-15	2	32	
46-43.4408-104.0364-2-15-			0-W10873				-5	-5	-5	36	-20	23	11	-10	-15	2	60	
46-43.5464-104.0472-2-15-			0-W10874				-5	-5	-5	31	-20	23	15	-10	-15	2	52	
56-43.5767-104.1075-2-15-			0-W10875				-5	-5	-5	29	-20	18	13	-10	-15	2	42	
56-43.5703-104.1078-2-15-			0-W10876				-5	-5	-5	25	-20	-15	11	-10	-15	3	39	
56-43.5325-104.1203-2-15-			0-W10877				-5	-5	-5	28	-20	19	13	-10	-15	3	44	
56-43.5131-104.1233-2-15-			0-W10878				-5	-5	-5	51	-20	29	9	-10	-15	3	33	
56-43.0517-104.4844-2-15-			0-W10879				-5	-5	-5	30	-20	-15	11	-10	-15	2	40	
56-43.0508-104.4935-2-15-			0-W10880				-5	-5	-5	18	-20	-15	7	-10	-15	2	45	
56-43.0667-104.5356-2-15-			0-W10881				-5	-5	-5	26	-20	17	7	-10	-15	2	48	
56-43.0825-104.5403-2-15-			0-W10882				-5	-5	-5	23	-20	22	10	-10	-15	2	36	
56-43.0922-104.5489-2-15-			0-W10883				-5	-5	-5	22	-20	18	9	-10	-15	2	39	
56-43.0519-104.5803-2-15-			0-W10884				-5	-5	-5	27	-20	-15	9	-10	-15	2	34	
56-43.0453-104.6114-2-15-			0-W10885				-5	5	-5	17	-20	22	13	-10	-15	2	43	
56-43.0447-104.6450-2-15-			0-W10886				-5	-5	-5	35	-20	-15	7	-10	-15	2	53	
56-43.0408-104.7089-2-15-			0-W10887				-5	5	-5	23	-20	-15	8	-10	-15	2	24	
56-43.0311-104.7142-2-15-			0-W10888				-5	-5	-5	22	-20	16	8	-10	-15	3	48	
56-43.0078-104.7081-2-15-			0-W10889				-5	-5	-5	25	-20	-15	7	-10	-15	2	33	
56-43.0117-104.7083-2-15-			0-W10890				-5	5	-5	24	-20	-15	-5	-10	-15	2	37	
56-43.0133-104.7239-2-15-			0-W10891				-5	-5	-5	24	-20	-15	-5	-10	-15	2	19	
56-43.0167-104.7253-2-15-			0-W10892				-5	-5	-5	20	-20	-15	5	-10	-15			
56-43.0225-104.7262-2-15-			0-W10893															

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.5208-104.4972-2-15-						0-W10R29	44940	-0.05	614	17500	57	-77	7.7	48	2.7	4	1.4	15980	8.4	18210	30	0.3
46-43.8931-104.0050-2-15-						0-W10R31	51780	-0.06	614	6373	82	-76	9.8	72	3.3	5	1.6	22920	12.0	22190	38	0.4
46-43.8939-104.0306-2-15-						0-W10R32	45420	-0.06	568	6434	58	-68	7.5	42	2.9	5	1.3	16750	9.8	21670	27	0.3
46-43.8931-104.0569-2-15-						0-W10R35	46590	-0.06	423	17840	58	-68	6.1	47	4.2	5	1.1	16750	10.5	18290	26	0.3
56-43.8839-104.0925-2-15-						0-W10R37	23950	-0.04	274	75780	21	-49	3.3	26	1.7	2	0.6	9116	6.1	13620	7	0.2
56-43.9133-104.0975-2-15-						0-W10R38	40350	-0.05	363	54210	58	-61	7.7	64	3.1	4	1.1	19490	9.6	17630	28	0.4
56-43.9247-104.0897-2-15-						0-W10R39	40520	-0.05	436	66830	54	85	5.6	52	2.9	4	0.9	17590	9.7	19470	21	0.4
56-43.9453-104.0961-2-15-						0-W10R40	46700	-0.06	467	45290	42	-69	5.3	43	3.7	4	0.9	16870	4.8	17850	19	0.2
56-43.9406-104.0986-2-15-						0-W10R42	25040	-0.04	303	56430	36	-57	3.3	35	2.0	3	0.7	10080	11.6	12830	16	0.2
56-43.9800-104.0775-2-15-						0-W10R44	41400	-0.05	478	50250	65	-63	6.8	56	2.6	4	1.2	19430	12.4	15680	26	0.4
46-43.9436-104.0458-2-11-						0-W10R47	25690	-0.04	284	93910	30	-45	2.9	41	2.3	2	0.6	9784	9.1	14770	12	0.2
56-43.9981-104.1744-2-15-						0-W10R48	46990	-0.05	490	41070	49	-80	5.5	40	2.7	5	1.1	14930	8.5	18630	23	0.3
56-43.9781-104.1908-2-11-						0-W10R49	48350	-0.06	298	38300	48	1949	7.9	50	4.0	4	1.3	22350	6.0	20030	27	0.3
56-43.9675-104.2453-2-15-						0-W10R51	23680	-0.03	409	9243	36	-29	3.1	23	1.6	3	0.8	8556	15.7	7418	14	0.3
56-43.9572-104.1867-2-15-						0-W10R53	45480	-0.05	420	29140	48	-66	4.9	28	2.5	4	0.9	14020	6.4	17910	19	0.4
56-43.9300-104.1700-2-15-						0-W10R55	41640	-0.05	344	28570	37	-64	5.7	36	3.0	4	1.1	15580	10.0	17360	19	0.3
56-43.9192-104.1664-2-15-						0-W10R56	39540	-0.04	440	36150	44	-57	4.8	44	3.0	3	1.1	14990	10.6	17540	21	0.4
56-43.9042-104.1542-2-15-						0-W10R58	34060	-0.04	466	29990	35	117	2.5	32	2.4	4	0.9	11460	16.3	16910	18	0.3
56-43.8947-104.1503-2-15-						0-W10R59	34050	-0.04	358	21480	34	-61	2.7	26	1.7	4	0.8	9129	7.0	18140	13	0.3
56-43.8881-104.1506-2-15-						0-W10R61	39620	-0.05	436	35410	51	-55	5.1	26	3.2	5	1.2	15090	9.8	14480	21	0.3
56-43.9011-104.2419-2-15-						0-W10R62	41760	-0.05	387	3199	88	-58	5.8	57	3.4	6	1.4	20600	31.4	14480	41	0.6
56-43.9014-104.2117-2-15-						0-W10R64	16070	-0.02	170	-232	37	-19	3.9	18	1.5	3	1.2	5344	8.2	5074	12	0.2
56-43.9019-104.2039-2-15-						0-W10R65	43230	-0.05	295	6812	53	-40	9.2	28	1.9	5	1.1	12710	8.8	14330	21	0.4
56-43.9447-104.2050-2-15-						0-W10R66	34870	-0.04	528	-312	53	-22	2.5	36	2.5	5	1.2	10470	13.2	5969	23	0.4
56-43.9497-104.2142-2-15-						0-W10R67	29860	-0.04	312	3406	60	-42	5.8	41	-1.1	4	1.1	12900	19.2	7316	23	0.4
46-43.4611-104.0367-2-15-						0-W10R68	56270	-0.05	602	44000	62	-66	6.1	48	4.7	5	1.4	20730	6.7	14860	27	0.4
46-43.4619-104.0389-2-15-						0-W10R69	47260	-0.06	603	154000	53	-72	6.9	42	3.4	4	1.0	19630	3.6	11110	26	0.3
46-43.4642-104.0383-2-15-						0-W10R70	59510	-0.08	499	88630	70	-73	8.3	70	5.4	5	1.4	28540	7.0	17190	36	0.3
46-43.4694-104.0367-2-15-						0-W10R71	70160	-0.06	565	6027	91	-55	7.4	75	7.1	5	1.3	29840	9.3	18410	36	0.5
46-43.4511-104.0353-2-15-						0-W10R72	73080	-0.06	610	15760	86	-48	6.9	69	7.1	6	1.4	27430	7.6	17230	39	0.5
46-43.4408-104.0364-2-15-						0-W10R73	73930	-0.07	554	50100	56	-68	6.8	70	5.6	5	1.1	23140	4.4	19120	24	0.4
46-43.5464-104.0472-2-15-						0-W10R74	79810	-0.09	478	7054	100	-70	10.7	79	7.1	7	2.0	32320	7.4	17380	41	0.6
56-43.5767-104.1075-2-15-						0-W10R75	77550	-0.07	436	4918	91	-63	9.1	62	6.9	6	1.5	35150	7.6	18670	39	0.6
56-43.5703-104.1078-2-15-						0-W10R76	56910	-0.05	317	1834	56	-66	8.2	49	4.9	4	1.1	46030	10.4	10810	28	0.4
56-43.5325-104.1203-2-15-						0-W10R77	72750	-0.07	531	-746	82	-70	6.3	39	4.8	6	1.3	22070	4.5	17900	31	0.5
56-43.5131-104.1233-2-15-						0-W10R78	72700	-0.07	668	9445	82	154	13.3	82	7.2	7	1.6	30820	9.0	18720	35	0.4
56-43.0517-104.4844-2-15-						0-W10R79	54660	-0.05	932	18010	77	251	8.5	57	3.2	5	0.9	22330	8.8	23950	36	0.5
56-43.0508-104.4936-2-15-						0-W10R80	57110	-0.05	777	22410	61	480	5.9	46	3.9	5	1.4	21340	7.4	21450	29	0.4
56-43.0667-104.5356-2-15-						0-W10R81	67000	-0.06	914	23400	69	108	7.7	52	4.9	5	1.3	23940	6.4	24020	27	0.3
56-43.0825-104.5403-2-15-						0-W10R82	57910	-0.06	853	12950	68	-85	8.3	56	4.0	5	1.5	23550	9.8	21250	33	0.5
56-43.0922-104.5489-2-15-						0-W10R83	58140	-0.05	590	36790	76	-64	7.8	49	3.6	5	1.3	23330	7.8	19690	33	0.4
56-43.0519-104.5803-2-15-						0-W10R84	59520	-0.05	755	13310	64	-74	8.6	51	4.3	5	1.4	22380	8.5	22230	33	0.4
56-43.0453-104.6114-2-15-						0-W10R85	67250	-0.06	699	17410	61	-84	7.4	50	5.0	5	1.2	23520	6.3	23350	29	0.4
56-43.0447-104.6450-2-15-						0-W10R86	72250	-0.08	871	31150	81	288	14.6	76	6.2	5	1.5	44470	8.6	20360	39	0.4
56-43.0408-104.7089-2-15-						0-W10R87	41880	-0.04	627	14500	30	75	5.9	55	4.3	4	1.4	17970	12.0	16520	31	0.4
56-43.0311-104.7142-2-15-						0-W10R88	46070	-0.07	601	11980	70	-46	9.0	69	8.5	5	1.4	25880	5.4	19720	38	0.3
56-43.0078-104.7081-2-15-						0-W10R89	46770	-0.05	713	54220	62	-83	4.5	30	2.9	5	1.2	13410	8.1	18460	26	0.4
56-43.0117-104.7083-2-15-						0-W10R90	52590	-0.06	699	57830	65	-89	7.0	39	4.2	5	1.3	20060	8.8	17110	36	0.4
56-43.0133-104.7239-2-15-						0-W10R91	43340	-0.04	595	15620	71	-49	5.5	48	3.1	4	1.5	18070	11.4	16330	33	0.4
56-43.0157-104.7253-2-15-						0-W10R92	60960	-0.05	732	43960	74	-84	5.5	31	4.0	5	1.4	19730	7.8	22690	32	0.3
56-43.0225-104.7242-2-15-						0-W10R93	60970	-0.07	590	14180	60	-66	6.2	167	5.1	5	1.2	21670	5.1	24800	27	0.4

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

④

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)														U/Th RATIO	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)														
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn
56-43.5208-104.4972-2-15-			0-W10829			19330	275	10240	52	-1	5.7	4.7	-187	-1	-1	8.3	2473	43	3.3	51	0.306
46-43.8931-104.0050-2-15-			0-W10831			11770	686	6032	61	-2	8.2	6.2	-326	-1	-1	11.3	3340	77	4.0	123	0.335
46-43.8939-104.0306-2-15-			0-W10832			7525	535	5216	73	-1	6.3	5.0	-278	-1	-1	7.2	3629	54	3.5	140	0.399
46-43.8931-104.0569-2-15-			0-W10835			22840	350	4026	40	-1	6.0	3.9	-223	-1	-1	7.6	3902	70	2.6	126	0.379
56-43.8839-104.0925-2-15-			0-W10837			21840	179	1297	-16	-1	3.6	2.0	-140	-1	-1	4.1	1545	28	1.3	69	0.359
56-43.9133-104.0975-2-15-			0-W10838			50360	377	3994	48	-1	7.2	4.5	-235	-1	-1	8.0	3702	46	3.3	89	0.294
56-43.9247-104.0897-2-15-			0-W10839			37080	327	2460	-21	-1	6.4	4.2	-209	-1	-1	8.3	3377	45	2.3	64	0.272
56-43.9453-104.0961-2-15-			0-W10840			44890	446	3925	55	-1	5.9	3.8	-244	-1	-1	6.1	3204	61	2.2	66	0.387
56-43.9406-104.0986-2-15-			0-W10842			23650	218	4189	-15	-1	3.5	3.1	-149	-1	-1	5.0	1823	24	2.7	-39	0.354
56-43.9800-104.0775-2-15-			0-W10844			21350	368	4717	62	-1	6.6	4.2	-240	-1	-1	7.7	2892	51	3.3	-58	0.321
46-43.9436-104.0458-2-11-			0-W10847			58700	122	1051	45	-1	3.7	2.4	-149	-1	1	5.0	1603	56	1.9	58	0.426
56-43.9981-104.1744-2-15-			0-W10848			30280	412	6812	50	-1	5.7	3.7	-223	-1	-1	6.7	3613	49	2.9	67	0.303
56-43.9781-104.1908-2-11-			0-W10849			23890	319	8585	87	-1	9.3	4.4	574	-1	-1	7.2	2464	69	2.3	94	0.225
56-43.9675-104.2453-2-15-			0-W10851			7021	165	1204	-16	-1	3.8	3.1	-129	-1	-1	5.0	2248	30	1.8	57	0.468
56-43.9572-104.1867-2-15-			0-W10853			20470	397	4507	43	-1	5.2	4.0	-221	-1	-1	5.6	3166	45	2.1	51	0.416
56-43.9300-104.1700-2-15-			0-W10855			21230	338	4830	48	-1	6.0	4.0	-186	-1	-1	7.5	2595	41	3.2	47	0.265
56-43.9192-104.1664-2-15-			0-W10856			21170	346	5421	63	-1	5.6	4.0	-199	-1	-1	6.4	2776	33	3.4	42	0.283
56-43.9042-104.1542-2-15-			0-W10859			17910	300	5757	45	-1	4.5	3.8	-181	-1	-1	5.6	2726	31	3.1	-68	0.341
56-43.8947-104.1503-2-15-			0-W10850			14680	236	5880	54	-1	3.6	3.0	-166	-1	-1	4.4	2252	31	2.1	-48	0.366
56-43.8881-104.1506-2-15-			0-W10861			18740	290	3672	-20	-1	5.8	4.4	-167	-1	-1	6.1	2200	40	3.1	54	0.287
56-43.9011-104.2419-2-15-			0-W10862			6679	274	4114	54	-1	6.8	6.7	-214	-1	-1	13.7	4236	57	5.7	115	0.268
56-43.9014-104.2117-2-15-			0-W10864			2183	55	638	-12	-1	3.4	2.9	-82	-1	-1	4.1	1404	20	2.3	-39	0.578
56-43.9019-104.2039-2-15-			0-W10865			9715	277	1329	50	-1	5.5	4.8	-170	-1	-1	6.9	2694	45	3.4	-80	0.406
56-43.9447-104.2050-2-15-			0-W10866			5192	53	402	-19	-1	5.0	5.0	-82	-1	-1	6.1	2700	42	3.7	-13	0.418
56-43.9497-104.2142-2-15-			0-W10867			4600	293	2165	-13	-1	5.2	4.0	-188	-1	-1	5.8	2987	37	3.0	91	0.590
46-43.4611-104.0367-2-15-			0-W10868			19090	189	7689	-23	-1	8.0	6.0	-185	-1	-1	11.1	3290	94	3.3	149	0.474
46-43.4619-104.0389-2-15-			0-W10869			12730	174	3092	-22	-1	6.7	3.6	577	-1	-1	7.9	2517	111	-1.0	-81	0.615
46-43.4642-104.0383-2-15-			0-W10870			15050	159	4817	124	-2	10.2	6.0	540	-1	-1	13.0	2934	130	4.0	143	0.395
46-43.4694-104.0367-2-15-			0-W10871			12870	207	4464	109	-1	11.1	5.7	-197	-1	-1	13.6	3268	101	4.5	164	0.360
46-43.4511-104.0353-2-15-			0-W10872			14070	105	3868	92	-1	11.1	7.6	231	-1	-1	14.6	3666	121	3.2	-24	0.440
46-43.4408-104.0364-2-15-			0-W10873			17290	152	3489	81	-2	9.2	4.2	348	-1	-1	9.9	4140	178	2.9	111	0.570
46-43.5464-104.0472-2-15-			0-W10874			13380	353	3796	-36	-2	14.4	8.3	-249	-1	-1	15.6	4274	109	4.1	165	0.376
56-43.5767-104.1075-2-15-			0-W10875			10460	476	4029	113	-2	11.5	6.5	-285	-2	-1	15.5	3402	90	5.1	146	0.385
56-43.5703-104.1078-2-15-			0-W10876			10640	795	4169	57	-1	9.0	6.0	-311	-1	-1	12.3	2985	63	3.8	145	0.423
56-43.5325-104.1203-2-15-			0-W10877			11430	392	4578	62	-2	9.1	7.4	-246	-2	-1	13.4	4157	92	3.2	113	0.496
56-43.5131-104.1233-2-15-			0-W10879			14080	239	5387	88	2	11.2	6.6	-183	-1	-1	14.7	3782	119	4.4	168	0.451
56-43.0517-104.4844-2-15-			0-W10879			24360	305	18110	56	-1	7.3	6.4	-265	-1	-1	11.8	2915	67	3.3	86	0.307
56-43.0508-104.4936-2-15-			0-W10890			10540	257	14280	74	-1	7.4	5.0	-234	-1	-1	9.9	3051	70	3.2	90	0.347
56-43.0667-104.5356-2-15-			0-W10891			22700	348	9064	67	-2	9.2	5.2	-233	-1	-1	10.4	3612	93	3.1	103	0.330
56-43.0825-104.5403-2-15-			0-W10892			20820	252	10800	-24	-1	7.9	6.0	-199	-1	-1	11.5	2840	73	2.9	151	0.284
56-43.0922-104.5489-2-15-			0-W10893			16710	337	5528	75	-1	7.8	5.1	-224	-1	-1	10.9	2647	75	4.8	95	0.317
56-43.0519-104.5803-2-15-			0-W10894			22970	303	9976	62	-1	7.6	6.0	-218	-1	-1	11.0	3396	80	4.0	132	0.289
56-43.0453-104.6114-2-15-			0-W10895			24780	312	7563	67	-1	8.0	4.6	-226	-1	-1	10.6	3690	102	3.7	-97	0.336
56-43.0447-104.6450-2-15-			0-W10896			23360	460	12780	103	-2	13.3	6.4	-276	-2	-1	14.5	4030	150	3.0	158	0.300
56-43.0408-104.7089-2-15-			0-W10897			15390	265	2710	51	-1	6.2	5.4	-177	-1	-1	11.1	2837	56	3.4	108	0.280
56-43.0311-104.7142-2-15-			0-W10898			19720	332	1728	82	-2	11.2	6.5	-231	-1	-1	12.8	3542	107	3.3	149	0.263
56-43.0078-104.7081-2-15-			0-W10899			13300	403	8379	55	-1	4.9	4.7	384	-1	-1	10.8	2702	44	3.1	-39	0.391
56-43.0117-104.7083-2-15-			0-W10900			13810	399	8715	103	-1	7.2	5.5	-226	-1	-1	13.6	2846	46	3.3	63	0.338
56-43.0133-104.7239-2-15-			0-W10901			14350	251	3201	70	-1	5.8	5.6	-184	-1	-1	10.3	2480	52	3.8	78	0.310
56-43.0167-104.7253-2-15-			0-W10902			17720	450	10260	61	-1	6.9	6.5	-268	-1	-1	14.9	3230	57	4.2	-86	0.331
56-43.0222-104.7242-2-15-			0-W10903			22000	333	3864	80	-2	9.2	4.5	-222	-1	-1	10.6	3601	100	3.2	155	0.319

[illegible]

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS. SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.0317-104.6575-2-15-			0-W10894				-5	5	-5	24	-20	-15	6	-10	-15		2	30
56-43.4392-104.3072-2-15-			0-W10895				-5	-5	-5	23	-20	-15	-5	-10	-15		2	16
56-43.4483-104.2986-2-15-			0-W10896				-5	-5	-5	11	-20	-15	7	-10	-15		2	16
56-43.4456-104.3042-2-15-			0-W10897				-5	-5	-5	19	-20	-15	8	-10	-15		2	16
56-43.4586-104.3036-2-15-			0-W10898				-5	-5	-5	29	-20	-15	-5	-10	-15		2	19
56-43.4586-104.2956-2-15-			0-W10899				-5	-5	-5	23	-20	-15	-5	-10	-15		1	17
56-43.4114-104.2608-2-15-			0-W10900				-5	6	-5	16	-20	-15	6	-10	-15		2	20
56-43.4367-104.2317-2-15-			0-W10901				-5	5	-5	14	-20	-15	-5	-10	-15		2	26
56-43.4475-104.2064-2-15-			0-W10902				-5	-5	-5	31	-20	-15	15	-10	-15		2	32
56-43.3892-104.2122-2-15-			0-W10903				-5	-5	-5	20	-20	-15	11	-10	-15		2	20
56-43.2519-104.2628-2-15-			0-W10904				-5	-5	-5	37	-20	24	-5	-10	-15		2	44
56-43.2547-104.2586-2-15-			0-W10905				-5	-5	9	61	23	41	7	-10	-15		4	36
56-43.2572-104.2372-2-15-			0-W10906				-5	5	9	60	-20	60	16	-10	-15		4	28
56-43.2567-104.3542-2-15-			0-W10907				-5	6	-5	22	-20	-15	-5	-10	-15		2	27
56-43.2536-104.3300-2-15-			0-W10908				-5	-5	-5	17	-20	-15	5	-10	-15		2	23
56-43.2233-104.3100-2-15-			0-W10909				-5	-5	-5	18	-20	-15	-5	-10	-15		2	20
56-43.2117-104.3150-2-15-			0-W10910				-5	-5	-5	16	-20	-15	6	-10	-15		2	29
56-43.2017-104.3211-2-15-			0-W10911				-5	-5	-5	17	-20	-15	7	-10	-15		2	24
56-43.1964-104.3239-2-15-			0-W10912				-5	-5	-5	25	-20	-15	7	-10	-15		2	21
56-43.1828-104.3283-2-15-			0-W10913				-5	-5	-5	19	-20	-15	-5	-10	-15		2	27
56-43.1311-104.3575-2-15-			0-W10914				-5	-5	-5	11	-20	-15	8	-10	-15		2	32
56-43.1228-104.3558-2-15-			0-W10916				-5	6	-5	29	-20	-15	9	-10	-15		2	21
56-43.1247-104.3836-2-15-			0-W10918				-5	-5	-5	14	-20	-15	-5	-10	-15		2	26
56-43.1172-104.4022-2-15-			0-W10919				-5	6	-5	23	-20	-15	-5	-10	-15		2	25
56-43.1206-104.4411-2-15-			0-W10921				-5	-5	-5	-10	-20	-15	-5	-10	-15		2	27
56-43.1167-104.4472-2-15-			0-W10922				-5	-5	-5	30	-20	25	8	-10	-15		2	25
56-43.1308-104.4464-2-15-			0-W10923				-5	-5	-5	19	-20	18	13	-10	-15		2	32
56-43.1528-104.4511-2-15-			0-W10924				-5	5	-5	19	-20	-15	-5	-10	-15		2	23
56-43.1622-104.4425-2-15-			0-W10925				-5	5	-5	11	-20	-15	7	-10	-15		2	21
56-43.1661-104.4386-2-15-			0-W10926				-5	-5	-5	20	-20	-15	-5	-10	-15		2	26
56-43.1711-104.4525-2-15-			0-W10927				-5	-5	-5	18	-20	-15	-5	-10	-15		2	23
56-43.1347-104.4344-2-15-			0-W10929				-5	6	-5	17	-20	-15	-5	-10	-15		2	21
56-43.0506-104.8236-2-15-			0-W10930				-5	5	-5	20	-20	16	10	-10	-15		2	17
56-43.0058-104.8886-2-15-			0-W10931				-5	-5	-5	25	-20	30	5	-10	-15		3	39
56-43.0139-104.8739-2-15-			0-W10932				-5	-5	-5	19	-20	-15	5	-10	-15		2	18
56-43.0372-104.8444-2-15-			0-W10933				-5	-5	-5	23	-20	-15	-5	-10	-15		2	22
56-43.0456-104.8033-2-15-			0-W10935				-5	8	-5	28	-20	-15	12	-10	-15		2	25
56-43.1653-104.8397-2-15-			0-W10937				-5	-5	-5	25	-20	-15	5	-10	-15		2	13
56-43.2500-104.8847-2-15-			0-W10938				-5	5	-5	21	-20	-15	8	-10	-15		1	10
56-43.2417-104.8906-2-15-			0-W10939				-5	-5	-5	22	-20	17	9	-10	-15		1	13
56-43.2269-104.8892-2-15-			0-W10940				-5	-5	-5	20	-20	-15	9	-10	-15		2	20
56-43.2217-104.8836-2-15-			0-W10941				-5	-5	-5	20	-20	-15	-5	-10	-15		2	17
56-43.2156-104.8825-2-15-			0-W10942				-5	5	-5	17	-20	-15	7	-10	-15		1	6
56-43.1767-104.8861-2-15-			0-W10943				-5	-5	-5	23	-20	-15	8	-10	-15		2	20
56-43.1800-104.8878-2-15-			0-W10944				-5	-5	-5	19	-20	-15	5	-10	-15		2	18
56-43.1728-104.8664-2-15-			0-W10946				-5	-5	-5	15	-20	-15	6	-10	-15		2	18
56-43.1692-104.8483-2-15-			0-W10947				-5	-5	-5	18	-20	-15	-5	-10	-15		1	9
56-43.0597-104.8244-2-15-			0-W10949				-5	-5	-5	17	-20	16	6	-10	-15		2	18
56-43.0619-104.8294-2-15-			0-W10950				-5	-5	-5	26	-20	-15	-5	-10	-15		2	20
56-43.0658-104.8372-2-15-			0-W10950				-5	6	-5	25	-20	-15	6	-10	-15		2	20
56-43.0906-104.8383-2-15-			0-W10951				-5	8	-5	17	-20	-15	10	-10	-15		1	17

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.0317-104.6575-2-15-						0-W10894	53940	-0.06	701	45580	68	-81	6.5	42	3.8	5	1.3	21320	9.8	20030	35	0.5
56-43.4392-104.3072-2-15-						0-W10895	51210	-0.04	571	4950	90	-62	6.1	44	3.8	5	1.5	18620	17.6	18650	39	0.5
56-43.4483-104.2986-2-15-						0-W10896	46630	-0.05	645	17560	70	-61	5.7	36	3.5	5	1.3	16920	10.5	16240	31	0.5
56-43.4456-104.3042-2-15-						0-W10897	45290	-0.05	575	9782	69	264	4.6	34	2.7	4	1.1	12740	13.5	18000	29	0.4
56-43.4586-104.3036-2-15-						0-W10898	49520	-0.06	541	13260	75	-77	5.8	41	4.4	5	1.5	17020	11.9	16310	38	0.4
56-43.4586-104.2956-2-15-						0-W10899	40350	-0.04	538	12940	58	360	5.2	34	2.2	4	1.3	11920	6.6	18250	26	0.4
56-43.4114-104.2608-2-15-						0-W10900	47140	-0.05	632	18920	63	251	5.4	32	3.5	4	1.2	15620	7.2	17790	27	0.4
56-43.4367-104.2317-2-15-						0-W10901	60790	-0.05	638	12800	62	-83	6.1	50	3.5	5	1.1	21310	7.4	19920	25	0.4
56-43.4475-104.2064-2-15-						0-W10902	87800	-0.08	517	12850	72	-71	11.9	85	8.1	6	1.5	37750	4.1	21930	43	0.4
56-43.3892-104.2122-2-15-						0-W10903	56210	-0.06	725	13410	77	-66	8.1	70	5.3	5	1.5	25830	13.7	20450	37	0.4
56-43.2519-104.2628-2-15-						0-W10904	67010	-0.07	778	15670	71	-63	11.1	76	4.9	5	1.5	35260	9.2	19690	31	0.4
56-43.2547-104.2586-2-15-						0-W10905	77490	-0.09	849	16270	65	-73	12.3	80	6.7	5	1.5	30680	5.5	19340	27	0.3
56-43.2572-104.2372-2-15-						0-W10906	79670	-0.11	599	25890	80	-73	17.6	93	9.8	6	1.6	50500	4.5	17100	42	0.5
56-43.2567-104.3542-2-15-						0-W10907	58610	-0.06	491	20900	78	-67	6.9	56	5.7	5	1.4	24030	9.3	17490	33	0.5
56-43.2536-104.3300-2-15-						0-W10908	46740	-0.05	545	17600	67	122	5.1	35	3.8	5	1.3	15390	12.4	18850	29	0.4
56-43.2233-104.3100-2-15-						0-W10909	47420	-0.05	503	16370	55	-70	4.6	29	2.8	4	0.9	13570	6.9	17670	20	0.3
56-43.2117-104.3150-2-15-						0-W10910	61440	-0.08	621	22260	75	-84	8.6	51	4.6	5	1.3	28010	9.1	19970	35	0.4
56-43.2017-104.3211-2-15-						0-W10911	54140	-0.06	608	8570	81	-66	6.3	50	4.0	5	1.4	22510	13.7	18020	38	0.5
56-43.1964-104.3239-2-15-						0-W10912	54130	-0.05	536	17140	64	-69	5.2	46	2.9	5	1.1	20130	9.0	19440	33	0.4
56-43.1828-104.3283-2-15-						0-W10913	57280	-0.06	509	22310	67	-83	5.9	43	2.8	5	1.1	19850	7.2	16570	26	0.4
56-43.1311-104.3575-2-15-						0-W10914	63640	-0.07	634	8161	71	-82	10.0	59	3.3	5	1.5	29210	7.6	20270	36	0.4
56-43.1228-104.3558-2-15-						0-W10915	61840	-0.06	609	11750	82	-72	8.7	61	4.4	5	1.5	26880	10.5	20660	36	0.5
56-43.1247-104.3836-2-15-						0-W10918	57290	-0.05	581	19000	58	-69	6.6	44	3.0	4	1.2	22970	6.7	21300	25	0.3
56-43.1172-104.4022-2-15-						0-W10919	60700	-0.06	546	19850	62	-86	6.2	51	3.7	5	1.3	21470	5.6	15850	27	0.3
56-43.1206-104.4411-2-15-						0-W10921	55210	-0.07	631	26150	56	-112	8.8	63	3.4	4	1.5	20830	8.3	19620	24	0.4
56-43.1167-104.4472-2-15-						0-W10922	58900	-0.06	724	24850	69	260	9.0	71	4.9	4	1.6	26700	8.7	18440	30	0.4
56-43.1308-104.4464-2-15-						0-W10923	65380	-0.07	736	16550	70	-79	8.4	71	4.7	5	1.6	27900	10.1	21010	30	0.4
56-43.1528-104.4511-2-15-						0-W10924	61560	-0.05	580	20110	66	-81	5.9	50	2.1	5	1.1	18310	7.0	17960	27	0.3
56-43.1622-104.4425-2-15-						0-W10925	59270	-0.06	525	22920	63	-85	6.9	57	3.0	5	1.4	22220	8.9	17770	36	0.4
56-43.1661-104.4386-2-15-						0-W10926	58240	-0.05	607	24440	86	-78	6.0	73	3.0	4	1.6	23830	10.9	14360	37	0.4
56-43.1711-104.4525-2-15-						0-W10927	54230	-0.05	501	19760	70	-72	6.4	50	2.9	5	1.4	21140	10.5	16830	32	0.4
56-43.1347-104.4344-2-15-						0-W10929	56160	-0.06	509	18740	71	-81	5.3	49	2.2	5	1.3	21130	9.7	15980	32	0.4
56-43.0506-104.8236-2-15-						0-W10930	41760	-0.06	501	14800	54	-45	6.5	42	4.4	5	1.2	17190	8.4	17530	30	0.4
56-43.0058-104.8886-2-15-						0-W10931	89010	-0.09	537	6414	96	-42	8.4	89	9.1	5	1.6	25840	7.8	22800	39	0.5
56-43.0139-104.8739-2-15-						0-W10932	50890	-0.05	579	11290	70	-38	6.9	44	3.8	5	1.3	17720	12.1	16920	30	0.4
56-43.0372-104.8444-2-15-						0-W10933	53840	-0.06	546	10710	66	-41	5.5	41	4.1	5	1.3	15580	8.6	18950	29	0.4
56-43.0456-104.8033-2-15-						0-W10935	56590	-0.08	526	22670	70	-52	7.8	53	5.7	5	1.5	22990	5.9	20100	33	0.4
56-43.1653-104.8397-2-15-						0-W10937	40820	-0.05	526	13770	67	67	5.7	37	4.4	4	1.3	16220	12.1	13640	30	0.4
56-43.2500-104.8847-2-15-						0-W10938	32880	-0.05	487	1691	45	-24	4.5	38	2.6	4	0.9	12990	7.3	13600	22	0.4
56-43.2417-104.8806-2-15-						0-W10939	34720	-0.05	437	1836	50	-29	2.6	36	2.6	4	0.8	9701	10.2	14490	21	0.3
56-43.2269-104.8892-2-15-						0-W10940	52770	-0.07	486	2930	65	-36	5.4	53	4.6	5	1.3	18000	8.5	17700	30	0.3
56-43.2217-104.8836-2-15-						0-W10941	49530	-0.06	467	3450	72	-27	6.6	60	4.8	5	1.5	19570	17.3	14530	38	0.4
56-43.2156-104.8825-2-15-						0-W10942	23890	-0.04	477	-259	57	40	3.2	38	2.2	4	0.8	12170	19.8	10590	26	0.3
56-43.1767-104.8861-2-15-						0-W10943	54130	-0.06	449	12890	53	84	5.1	37	4.0	5	1.1	14050	6.6	20550	28	0.3
56-43.1800-104.8878-2-15-						0-W10944	52240	-0.07	526	5000	55	-41	6.1	51	4.5	5	1.3	15920	10.3	17970	30	0.4
56-43.1728-104.8664-2-15-						0-W10946	45970	-0.05	513	9109	64	-43	5.5	48	3.4	4	1.3	15860	11.6	17260	33	0.4
56-43.1692-104.8483-2-15-						0-W10947	31090	-0.04	556	4134	58	-32	3.7	33	3.1	4	1.0	11840	13.3	15030	25	0.4
56-43.0597-104.8244-2-15-						0-W10948	53820	-0.06	537	18560	60	-51	5.8	50	4.2	5	1.1	16300	6.4	18710	27	0.4
56-43.0619-104.8294-2-15-						0-W10949	47840	-0.06	514	14100	56	-50	6.3	46	4.4	5	1.3	18190	8.1	16460	28	0.4
56-43.0658-104.8372-2-15-						0-W10950	51920	-0.06	629	12000	84	-43	7.1	53	5.3	5	1.4	19440	11.3	19790	41	0.5
56-43.0701-104.8353-2-15-						0-W10951	51730	-0.06	546	12250	63	85	6.3	50	3.7	5	1.2	17220	9.1	18990	28	0.4

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

4

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)														U/Th RATIO		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43.0317-104.6575-2-15-	0-W10894	17830	417	6726	57	-1	7.4	5.4	-229	-1	-1	12.4	3043	69	4.0	-108	0.305					
56-43.4392-104.3072-2-15-	0-W10895	7245	315	7982	68	-1	6.7	5.9	-203	-1	-1	10.7	3296	54	4.3	106	0.290					
56-43.4483-104.2986-2-15-	0-W10896	13230	359	7516	62	-1	5.9	6.0	-209	-1	-1	10.2	3085	50	3.2	89	0.282					
56-43.4456-104.3042-2-15-	0-W10897	11040	241	9979	48	-1	4.8	5.1	-184	-1	-1	9.9	3321	48	3.2		0.294					
56-43.4586-104.3036-2-15-	0-W10898	15390	216	8604	90	-1	6.7	5.9	-184	-1	-1	10.6	3281	52	3.6	85	0.299					
56-43.4586-104.2956-2-15-	0-W10899	13680	221	13770	59	-1	4.4	4.2	-218	-1	-1	7.4	2236	43	2.9	-40	0.365					
56-43.4114-104.2608-2-15-	0-W10900	17530	320	12190	66	-1	5.3	5.1	-227	-1	-1	8.3	2705	50	2.6	78	0.342					
56-43.4367-104.2317-2-15-	0-W10901	17210	229	12850	41	-1	6.3	5.8	245	-1	-1	8.3	3214	75	3.1	-63	0.325					
56-43.4475-104.2064-2-15-	0-W10902	27550	366	4359	89	-2	14.4	6.5	-231	-1	-1	14.0	4248	127	4.2	118	0.242					
56-43.3892-104.2172-2-15-	0-W10903	15950	250	7982	79	-1	8.6	6.0	-212	-1	-1	11.1	3477	82	3.4	95	0.276					
56-43.2519-104.2628-2-15-	0-W10904	16670	306	6802	46	3	11.5	5.8	-216	-1	-1	11.9	4056	188	2.7	-68	0.424					
56-43.2547-104.2586-2-15-	0-W10905	19570	327	5170	56	3	11.2	5.0	-227	-1	-1	9.2	4041	335	2.5	163	0.785					
56-43.2572-104.2372-2-15-	0-W10906	19420	279	4294	129	8	13.8	5.7	-230	-2	-1	12.6	3405	422	2.0	379	0.712					
56-43.2567-104.3542-2-15-	0-W10907	21800	350	6828	69	-1	9.6	5.4	-232	-1	-1	10.0	3145	75	4.6	99	0.301					
56-43.2536-104.3300-2-15-	0-W10908	16600	313	8033	62	-1	6.0	5.8	-199	-1	-1	10.7	3510	51	3.7		0.288					
56-43.2233-104.3100-2-15-	0-W10909	17340	259	8228	48	-1	4.6	3.8	-178	-1	-1	6.8	2351	50	2.1	47	0.351					
56-43.2117-104.3150-2-15-	0-W10910	20830	367	8432	79	-2	9.1	5.9	336	-1	-1	11.5	3368	82	3.2	-78	0.283					
56-43.2017-104.3211-2-15-	0-W10911	10870	294	8706	83	-1	7.1	6.2	-211	-1	-1	11.6	2972	64	3.1	-80	0.244					
56-43.1964-104.3239-2-15-	0-W10912	22550	226	10340	64	-1	6.7	5.3	-193	-1	-1	10.7	3151	63	3.1	117	0.270					
56-43.1828-104.3263-2-15-	0-W10913	24460	220	11930	38	-1	6.3	4.6	-193	-1	-1	9.4	2938	65	2.7	67	0.297					
56-43.1311-104.3575-2-15-	0-W10914	17400	270	9578	-26	-2	9.7	5.1	-201	-1	-1	11.3	2991	84	4.3	106	0.250					
56-43.1228-104.3558-2-15-	0-W10916	17370	244	10860	68	-1	8.8	5.7	-210	-1	-1	10.6	3242	83	3.0	143	0.258					
56-43.1247-104.3836-2-15-	0-W10918	22780	205	12360	64	-1	7.2	5.3	-185	-1	-1	9.5	2365	66	2.3	61	0.260					
56-43.1172-104.4022-2-15-	0-W10919	28690	217	12210	59	-1	7.0	5.0	396	-1	-1	8.4	2895	74	3.2	86	0.338					
56-43.1206-104.4411-2-15-	0-W10921	23930	279	19570	-25	-2	6.5	4.8	497	-1	-1	7.7	2068	64	2.7	83	0.409					
56-43.1167-104.4472-2-15-	0-W10922	21210	340	16200	83	-2	9.3	5.0	-256	-1	-1	9.4	2959	83	3.7	72	0.333					
56-43.1308-104.4464-2-15-	0-W10923	20560	329	10810	66	-2	9.8	5.5	-239	-1	-1	11.2	3838	97	3.1	-26	0.279					
56-43.1528-104.4511-2-15-	0-W10924	25120	180	14150	59	-1	6.1	5.0	291	-1	-1	8.1	3282	66	3.1	68	0.322					
56-43.1622-104.4425-2-15-	0-W10925	26410	184	14560	66	-1	7.1	5.9	317	-1	-1	9.8	2839	60	3.1	77	0.282					
56-43.1661-104.4386-2-15-	0-W10926	25370	193	14720	94	-1	7.6	6.1	-202	-1	-1	9.5	3056	66	4.4	67	0.294					
56-43.1711-104.4525-2-15-	0-W10927	24910	203	13870	42	-1	6.4	6.5	-189	-1	-1	10.4	3500	61	3.2	84	0.271					
56-43.1347-104.4344-2-15-	0-W10929	27700	207	12980	52	-1	6.1	6.0	-186	-1	-1	9.5	2997	66	3.1	46	0.299					
56-43.0506-104.8236-2-15-	0-W10930	18710	252	2311	-20	-1	6.1	5.1	-160	-1	-1	9.7	2229	50	3.5	90	0.312					
56-43.0058-104.8886-2-15-	0-W10931	17420	222	1267	95	-2	12.5	6.2	-226	-1	-1	14.1	3810	129	3.5	134	0.262					
56-43.0139-104.8739-2-15-	0-W10932	15190	208	2130	49	-1	7.0	5.4	-156	-1	-1	10.3	3387	69	2.8	87	0.342					
56-43.0372-104.8444-2-15-	0-W10933	15440	229	1378	66	-1	6.4	4.3	-167	-1	-1	9.2	3532	80	3.2	-88	0.395					
56-43.0456-104.8033-2-15-	0-W10935	25390	301	2038	81	-2	9.0	6.0	-193	-1	-1	11.6	2664	76	3.8	138	0.302					
56-43.1653-104.8397-2-15-	0-W10937	15240	213	3191	57	-1	6.1	5.1	-166	-1	-1	10.1	2580	50	3.5	90	0.336					
56-43.2500-104.8847-2-15-	0-W10938	4463	90	627	-17	-1	5.3	3.2	-101	-1	-1	7.3	2516	50	2.4	86	0.389					
56-43.2417-104.8806-2-15-	0-W10939	5304	96	1175	53	-1	4.3	3.6	-108	-1	-1	7.3	2779	54	3.1	68	0.393					
56-43.2269-104.8892-2-15-	0-W10940	7992	131	1002	56	-2	7.7	5.4	-129	-1	-1	10.7	3138	81	3.1	90	0.354					
56-43.2217-104.8836-2-15-	0-W10941	8922	198	782	70	-1	7.6	5.6	-155	-1	-1	11.6	3559	81	3.7	-86	0.354					
56-43.2155-104.8825-2-15-	0-W10942	4437	140	552	34	-1	3.6	4.0	-110	-1	-1	9.9	3264	44	2.9	-49	0.315					
56-43.1767-104.8861-2-15-	0-W10943	19090	252	2656	82	-1	6.1	4.5	-185	-1	-1	8.4	3192	58	2.4	85	0.392					
56-43.1830-104.8878-2-15-	0-W10944	9843	149	1999	54	-2	7.5	5.2	-140	-1	-1	11.0	3376	70	3.9	113	0.308					
56-43.1728-104.8864-2-15-	0-W10946	14030	185	2874	68	-1	6.5	5.4	-151	-1	-1	9.7	2823	59	3.1	128	0.331					
56-43.1692-104.8483-2-15-	0-W10947	3125	166	1787	46	-1	4.5	4.3	-132	-1	-1	8.1	2893	45	3.5	48	0.379					
56-43.0537-104.8244-2-15-	0-W10948	21040	268	2671	75	-1	6.2	4.6	-181	-1	-1	9.5	3045	70	2.8	114	0.406					
56-43.0619-104.8294-2-15-	0-W10949	17590	229	3155	63	-1	6.7	4.4	-160	-1	-1	9.0	2966	63	3.9	123	0.353					
56-43.0658-104.8372-2-15-	0-W10950	16180	211	2352	79	-1	7.7	5.2	-176	-1	-1	10.5	3179	70	4.1	115	0.336					
56-43.0906-104.8383-2-15-	0-W10951	16920	220	3566	79	-1	6.7	6.6	-157	-1	-1	10.6	3298	65	3.7	72	0.338					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

①

DOE SAMPLE NUMBER					LASL SAMPLE LOCATION NUMBER AND FIELD DATA																	U CONCENTRATION												
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCHLUMMER (mL/ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC) UNITS IN ppm
							DATE	HOUR																										
56-43.1003-104.8356-2-15-						0-W10952-10/18/77-13-	20-		-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.28	
56-43.0828-104.8400-2-15-						0-W10953-10/18/77-13-	20-		-	-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.40	
56-43.0753-104.8397-2-15-						0-W10954-10/18/77-13-	20-		-	-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.94	
56-43.1708-104.7867-2-15-						0-W10955-10/18/77-16-	20-		-	-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.13	
56-43.1619-104.7944-2-15-						0-W10956-10/18/77-17-	20-		-	-	-	-	-	-	6-1-1-4-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.29	
56-43.1461-104.7469-2-15-						0-W10958-10/18/77-18-	18-		-	-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.47	
56-43.2578-104.5050-2-15-						0-W10959-10/19/77-11-	18-		-	-	-	-	-	-	10-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.11	
56-43.2575-104.5358-2-15-						0-W10961-10/19/77-12-	20-		-	-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.08	
56-43.2758-104.5969-2-15-						0-W10962-10/19/77-12-	20-		-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.99	
56-43.2833-104.6161-2-15-						0-W10963-10/19/77-12-	20-		-	-	-	-	-	-	8-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.25	
56-43.2136-104.6681-2-15-						0-W10964-10/19/77-13-	20-		-	-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.17	
56-43.2158-104.6550-2-15-						0-W10965-10/19/77-13-	20-		-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.44	
56-43.2225-104.6431-2-15-						0-W10966-10/19/77-13-	20-		-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.00	
56-43.2239-104.6331-2-15-						0-W10967-10/19/77-13-	20-		-	-	-	-	-	-	10-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.24	
56-43.2539-104.6564-2-15-						0-W10968-10/19/77-14-	20-		-	-	-	-	-	-	15-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.28	
56-43.2631-104.6767-2-15-						0-W10969-10/19/77-14-	20-		-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.72	
56-43.2581-104.6633-2-15-						0-W10970-10/19/77-14-	20-		-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.21	
56-43.2450-104.6244-2-15-						0-W10971-10/19/77-14-	20-		-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.11	
56-43.1617-104.6214-2-15-						0-W10972-10/19/77-15-	20-		-	-	-	-	-	-	10-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.11	
56-43.1150-104.6033-2-15-						0-W10973-10/19/77-15-	20-		-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.83	
56-43.1050-105.0417-2-15-						0-W10975-10/20/77-11-	18-		-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.94	
56-43.1033-105.0394-2-15-						0-W10976-10/20/77-11-	18-		-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.32	
56-43.1211-105.0422-2-15-						0-W10977-10/20/77-11-	18-		-	-	-	-	-	-	15-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.34	
56-43.1256-105.0331-2-15-						0-W10979-10/20/77-12-	18-		-	-	-	-	-	-	15-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.30	
56-43.1267-105.0258-2-15-						0-W10980-10/20/77-12-	18-		-	-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.69	
56-43.1258-105.0161-2-15-						0-W10981-10/20/77-12-	18-		-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.89	
56-43.1494-105.0247-2-15-						0-W10982-10/20/77-12-	18-		-	-	-	-	-	-	15-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.99	
56-43.1594-105.0194-2-15-						0-W10983-10/20/77-12-	18-		-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.28	
56-43.1342-105.0675-2-15-						0-W10984-10/20/77-13-	18-		-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.77	
56-43.1331-105.0767-2-15-						0-W10985-10/20/77-13-	18-		-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.38	
56-43.1342-105.0897-2-15-						0-W10986-10/20/77-13-	18-		-	-	-	-	-	-	15-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.14	
56-43.1281-105.0944-2-15-						0-W10987-10/20/77-13-	18-		-	-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.28	
56-43.1247-105.0408-2-15-						0-W10988-10/20/77-14-	17-		-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.02	
56-43.0903-105.0469-2-15-						0-W10989-10/20/77-14-	17-		-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.97	
56-43.0775-105.0567-2-15-						0-W10990-10/20/77-15-	16-		-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.25	
56-43.0508-105.0750-2-15-						0-W10992-10/20/77-15-	16-		-	-	-	-	-	-	10-1-1-5-6-	-1-	-2-4-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.22	
56-43.0425-105.0783-2-15-						0-W10993-10/20/77-15-	14-		-	-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.46	
56-43.0317-105.0789-2-15-						0-W10994-10/20/77-16-	14-		-	-	-	-	-	-	8-1-1-5-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.57	
56-43.0269-105.0786-2-15-						0-W10995-10/20/77-16-	14-		-	-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.33	
56-43.0450-105.0781-2-15-						0-W10996-10/20/77-16-	14-		-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.51	
56-43.1119-105.0944-2-15-						0-W10997-10/21/77- 9-	8-		-	-	-	-	-	-	8-1-1-4-6-	-1-	-2-4-3-3-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.68	
56-43.0475-105.0242-2-15-						0-W10998-10/21/77- 9-	8-		-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-3-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.72	
56-43.0408-105.0317-2-15-						0-W10999-10/21/77-10-	8-		-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-3-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.16	
56-43.0458-105.0317-2-15-						0-W11000-10/21/77-10-	8-		-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-3-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.58	
56-43.0003-105.0831-2-15-						0-W11001-10/21/77-10-	8-		-	-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-3-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.96	
56-43.4914-105.4456-2-15-						0-W11004-09/15/77-10-	18-		-C-	-	-	-	-	-	16-1-1-5-1-	-1-	-1-3-3-3-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.45	
56-43.4936-105.4275-2-15-						0-W11005-09/15/77-11-	18-		-	-	-	-	-	-	22-1-1-5-1-	-1-	-2-3-2-3-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.19	
56-43.4183-105.4578-2-15-						0-W11007-09/15/77-11-	23-		-	-	-	-	-	-	19-1-1-5-1-	-1-	-2-4-2-2-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.91	
56-43.4094-105.4594-2-15-																																		

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

②

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li
56-43.1003-104.8356-2-15-						0-W10952	-5	-5	-5	28	-20	-15	9	-10	-15	2	18
56-43.0828-104.8400-2-15-						0-W10953	-5	-5	-5	27	-20	21	-5	-10	-15	2	14
56-43.0753-104.8397-2-15-						0-W10954	-5	-5	-5	27	-20	15	7	-10	-15	2	20
56-43.1708-104.7867-2-15-						0-W10955	-5	-5	-5	24	-20	-15	-5	-10	-15	2	11
56-43.1619-104.7944-2-15-						0-W10956	-5	-5	-5	15	-20	-15	-5	-10	-15	2	17
56-43.1461-104.7469-2-15-						0-W10958	-5	-5	-5	15	-20	-15	6	-10	-15	1	15
56-43.2578-104.5050-2-15-						0-W10959	-5	-5	-5	17	-20	-15	-5	-10	-15	2	18
56-43.2575-104.5358-2-15-						0-W10961	-5	-5	-5	17	-20	-15	9	-10	-15	2	18
56-43.2758-104.5969-2-15-						0-W10962	-5	-5	-5	21	-20	20	-5	-10	-15	2	17
56-43.2833-104.6161-2-15-						0-W10963	-5	-5	-5	18	-20	20	5	-10	-15	2	21
56-43.2136-104.6681-2-15-						0-W10964	-5	-5	-5	28	-20	-15	-5	-10	-15	1	13
56-43.2158-104.6550-2-15-						0-W10965	-5	-5	-5	31	-20	18	14	-10	-15	2	24
56-43.2225-104.6431-2-15-						0-W10966	-5	-5	-5	20	-20	-15	-5	-10	-15	1	12
56-43.2239-104.6331-2-15-						0-W10967	-5	-5	-5	16	-20	-15	-5	-10	-15	2	15
56-43.2539-104.6564-2-15-						0-W10968	-5	-5	-5	22	-20	-15	7	-10	-15	2	23
56-43.2631-104.6767-2-15-						0-W10969	-5	-5	-5	32	-20	-15	7	-10	-15	2	27
56-43.2581-104.6633-2-15-						0-W10970	-5	-5	-5	30	-20	-15	13	-10	-15	2	22
56-43.2450-104.6244-2-15-						0-W10971	-5	-5	-5	17	-20	-15	5	-10	-15	2	19
56-43.1617-104.6214-2-15-						0-W10972	-5	-5	-5	26	-20	-15	13	-10	-15	2	29
56-43.1150-104.6033-2-15-						0-W10973	-5	-5	-5	23	-20	-15	10	-10	-15	2	25
56-43.1050-105.0417-2-15-						0-W10975	-5	-5	-5	31	-20	18	10	-10	-15	2	24
56-43.1033-105.0394-2-15-						0-W10976	-5	-5	-5	16	-20	-15	6	-10	-15	2	17
56-43.1211-105.0422-2-15-						0-W10977	-5	-5	-5	39	-20	28	13	-10	-15	3	44
56-43.1256-105.0331-2-15-						0-W10979	-5	-5	-5	33	-20	-15	6	-10	-15	2	28
56-43.1267-105.0258-2-15-						0-W10980	-5	-5	-5	23	-20	-15	6	-10	-15	-1	20
56-43.1258-105.0161-2-15-						0-W10981	-5	-5	-5	25	-20	-15	5	-10	-15	2	26
56-43.1494-105.0247-2-15-						0-W10982	-5	-5	-5	19	-20	-15	-5	-10	-15	1	11
56-43.1594-105.0194-2-15-						0-W10983	-5	-5	-5	19	-20	-15	-5	-10	-15	-1	15
56-43.1342-105.0675-2-15-						0-W10984	-5	-5	-5	20	-20	16	9	-10	-15	-1	23
56-43.1331-105.0767-2-15-						0-W10985	-5	-5	-5	17	-20	19	10	-10	-15	1	13
56-43.1342-105.0897-2-15-						0-W10986	-5	-5	-5	32	-20	-15	5	-10	-15	2	22
56-43.1281-105.0944-2-15-						0-W10987	-5	-5	-5	28	-20	-15	7	-10	-15	2	27
56-43.1247-105.0408-2-15-						0-W10988	-5	-5	-5	26	-20	15	7	-10	-15	1	27
56-43.0903-105.0469-2-15-						0-W10989	-5	-5	-5	18	-20	-15	6	-10	-15	1	17
56-43.0775-105.0567-2-15-						0-W10990	-5	-5	-5	24	-20	-15	9	-10	-15	2	26
56-43.0508-105.0750-2-15-						0-W10992	-5	-5	-5	21	-20	-15	8	-10	-15	1	27
56-43.0425-105.0783-2-15-						0-W10993	-5	-5	-5	30	-20	15	12	-10	-15	2	35
56-43.0317-105.0789-2-15-						0-W10994	-5	-5	-5	24	-20	21	7	-10	-15	2	26
56-43.0269-105.0786-2-15-						0-W10995	-5	-5	-5	30	-20	22	8	-10	-15	2	36
56-43.0450-105.0781-2-15-						0-W10996	-5	-5	-5	28	-20	17	13	-10	-15	2	31
56-43.1119-105.0044-2-15-						0-W10997	-5	-5	-5	-10	-20	-15	6	-10	-15	-1	17
56-43.0475-105.0242-2-15-						0-W10998	-5	-5	-5	13	-20	-15	-5	-10	-15	1	18
56-43.0408-105.0317-2-15-						0-W10999	-5	-5	-5	27	-20	-15	6	-10	-15	1	25
56-43.0458-105.0317-2-15-						0-W11000	-5	-5	-5	21	-20	-15	9	-10	-15	1	28
56-43.0003-105.0831-2-15-						0-W11001	-5	-5	-5	32	-20	22	12	-10	-15	2	25
56-43.4914-105.4456-2-15-						0-W11004	-5	-5	-5	22	-20	-15	9	-10	-15	1	34
56-43.4536-105.4275-2-15-						0-W11005	-5	-5	-5	29	-20	-15	12	-10	-15	1	21
56-43.4183-105.4578-2-15-						0-W11007	-5	-5	-5	23	-20	16	6	-10	-15	2	20
56-43.4094-105.4594-2-15-						0-W11008	-5	-5	-5	36	-20	18	8	-10	-15	2	31
56-43.3897-105.4125-2-15-						0-W11010	-5	-5	-5	28	-20	16	12	-10	-15	2	31
56-43.4219-105.3772-2-15-						0-W11011	-5	-5	-5	25	-20	18	15	-10	-15	2	37

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.1003-104.8356-2-15-						0-W10952	49810	-0.06	554	10250	58	-52	5.1	41	3.3	5	1.1	14520	6.4	17840	26	0.4
56-43.0828-104.8400-2-15-						0-W10953	47910	-0.06	526	7489	63	-51	6.9	55	5.6	5	1.4	18240	10.8	19020	35	0.4
56-43.0753-104.8397-2-15-						0-W10954	61910	-0.06	569	10320	76	-46	7.5	61	6.4	5	1.5	19750	9.2	21370	34	0.4
56-43.1708-104.7867-2-15-						0-W10955	38530	-0.04	486	20300	64	59	4.8	39	3.5	4	1.1	13260	12.0	15770	30	0.4
56-43.1619-104.7944-2-15-						0-W10956	38010	-0.05	623	16030	56	-52	5.2	36	2.3	4	1.0	12370	10.7	13190	25	0.4
56-43.1461-104.7469-2-15-						0-W10958	33280	-0.05	531	10800	57	-49	5.6	37	2.5	4	1.1	15140	7.3	13650	20	0.3
56-43.2578-104.5050-2-15-						0-W10959	41900	-0.05	514	11430	68	-58	5.9	45	2.5	4	1.3	16320	16.3	16410	35	0.5
56-43.2575-104.5358-2-15-						0-W10961	47770	-0.06	560	12340	70	-68	5.7	41	3.1	5	1.4	18380	11.0	17980	33	0.4
56-43.2758-104.5969-2-15-						0-W10962	46760	-0.05	521	17040	75	-59	6.1	49	4.2	4	1.3	18280	11.2	18510	35	0.4
56-43.2833-104.6161-2-15-						0-W10963	48750	-0.05	572	16360	61	-61	5.8	39	3.6	5	1.2	16330	9.6	17780	31	0.4
56-43.2136-104.6681-2-15-						0-W10964	40360	-0.05	506	7975	62	82	4.5	34	2.5	4	1.1	12520	12.4	15620	28	0.4
56-43.2158-104.6550-2-15-						0-W10965	70070	-0.09	574	5919	76	-65	9.7	69	6.9	5	1.7	26720	7.8	17230	35	0.4
56-43.2225-104.6431-2-15-						0-W10966	39320	-0.05	486	10930	77	67	6.0	47	3.3	5	1.3	16410	12.8	15100	38	0.4
56-43.2239-104.6331-2-15-						0-W10967	47630	-0.05	559	12430	65	-54	6.3	48	2.9	5	1.3	17980	13.5	15370	31	0.4
56-43.2539-104.6564-2-15-						0-W10968	57370	-0.06	569	8825	58	-65	5.0	40	4.3	5	1.2	15210	6.2	17450	22	0.3
56-43.2631-104.6767-2-15-						0-W10969	56690	-0.07	589	6030	70	-59	8.5	51	4.6	5	1.3	21800	8.4	16770	34	0.4
56-43.2581-104.6633-2-15-						0-W10970	60360	-0.06	592	5893	83	-57	7.7	60	5.2	5	1.4	22090	10.6	16740	36	0.5
56-43.2450-104.6244-2-15-						0-W10971	45950	-0.05	537	11150	58	-51	5.1	40	3.8	4	1.2	15230	8.1	17140	30	0.4
56-43.1617-104.6214-2-15-						0-W10972	61430	-0.06	543	8848	64	84	6.1	48	4.0	4	1.2	18800	6.8	20540	27	0.3
56-43.1150-104.6033-2-15-						0-W10973	49950	-0.06	551	14960	62	-65	6.6	40	3.2	5	1.5	17740	9.0	19040	36	0.4
56-43.1050-105.0417-2-15-						0-W10975	77750	-0.08	517	3874	91	-42	9.0	88	7.4	5	1.4	20450	9.2	18120	40	0.4
56-43.1033-105.0394-2-15-						0-W10976	48160	-0.06	451	2051	57	-30	5.4	57	4.7	4	1.1	13880	11.5	14480	29	0.4
56-43.1211-105.0422-2-15-						0-W10977	112200	-0.09	411	4972	81	-41	9.8	100	8.4	5	1.3	25280	3.0	17710	40	0.3
56-43.1256-105.0331-2-15-						0-W10979	62910	-0.07	589	3767	71	-44	10.2	79	4.9	6	1.3	21800	9.1	18400	41	0.4
56-43.1267-105.0258-2-15-						0-W10980	43570	-0.05	547	2601	54	-29	6.2	45	3.6	3	1.0	15690	6.1	12510	25	0.3
56-43.1258-105.0161-2-15-						0-W10981	57730	-0.06	499	3619	75	-41	7.2	69	4.7	5	1.2	18290	11.0	15900	33	0.4
56-43.1494-105.0247-2-15-						0-W10982	36480	-0.05	514	2054	46	-28	4.4	37	2.2	4	0.9	14200	9.5	12190	19	0.3
56-43.1594-105.0194-2-15-						0-W10983	39400	-0.06	550	2874	61	-27	5.7	48	3.3	4	1.0	16330	12.9	14700	27	0.4
56-43.1342-105.0675-2-15-						0-W10984	47880	-0.06	559	3991	81	-33	8.0	67	3.7	5	1.3	21600	14.5	17010	35	0.5
56-43.1331-105.0767-2-15-						0-W10985	44140	-0.05	542	2714	59	-21	7.4	54	2.9	4	1.2	16750	9.0	14380	25	0.4
56-43.1342-105.0897-2-15-						0-W10986	59380	-0.06	485	4487	57	-36	6.0	50	3.7	4	1.1	13110	6.8	15540	28	0.3
56-43.1281-105.0944-2-15-						0-W10987	57140	-0.08	528	5587	86	-39	9.6	74	5.6	6	1.6	24030	9.1	18780	35	0.5
56-43.1247-105.0408-2-15-						0-W10988	62350	-0.07	518	3658	78	-39	9.3	78	5.5	4	1.4	21310	11.7	16280	40	0.4
56-43.0903-105.0469-2-15-						0-W10989	38690	-0.05	458	2411	54	-29	5.5	47	3.1	4	0.9	12040	13.6	14720	23	0.4
56-43.0775-105.0567-2-15-						0-W10990	52930	-0.06	493	2539	55	-46	4.9	53	4.2	5	0.9	13630	9.6	15300	24	0.3
56-43.0508-105.0750-2-15-						0-W10992	58330	-0.07	527	7230	67	-56	9.7	77	4.2	5	1.3	25020	10.6	13850	30	0.3
56-43.0425-105.0783-2-15-						0-W10993	70690	-0.07	637	4818	86	-49	9.5	79	6.7	5	1.4	29250	9.1	18090	34	0.4
56-43.0317-105.0789-2-15-						0-W10994	79090	-0.08	617	7964	72	-49	12.6	86	6.2	5	1.4	31170	6.8	17930	33	0.4
56-43.0269-105.0786-2-15-						0-W10995	58520	-0.06	579	16060	56	-61	7.0	48	3.2	-1	1.0	18380	7.7	17850	27	0.3
56-43.0450-105.0781-2-15-						0-W10996	77820	-0.09	563	3058	78	-59	14.0	77	7.9	5	1.5	35220	7.5	16840	36	0.4
56-43.1119-105.0044-2-15-						0-W10997	26950	-0.04	422	-218	53	-18	5.0	48	3.0	3	1.0	10820	19.2	10390	23	0.4
56-43.0475-105.0242-2-15-						0-W10998	30630	-0.04	385	1869	37	-17	3.6	40	2.8	3	0.8	8036	12.3	12830	17	0.3
56-43.0408-105.0317-2-15-						0-W10999	38320	-0.05	413	2168	48	-28	4.0	38	3.3	4	0.8	8087	9.7	12250	22	0.3
56-43.0458-105.0317-2-15-						0-W11000	39620	-0.06	365	-351	58	-29	7.0	46	4.6	5	1.0	8861	9.1	11720	26	0.4
56-43.0003-105.0831-2-15-						0-W11001	45360	-0.05	539	4756	65	-55	7.7	68	3.8	5	1.3	18850	14.3	16760	30	0.4
56-43.4914-105.4456-2-15-						0-W11006	43990	-0.04	558	16170	88	-44	7.2	53	3.3	5	1.6	23130	14.3	18250	39	0.5
56-43.4536-105.4275-2-15-						0-W11005	52600	-0.05	576	5107	78	-42	6.9	43	3.1	5	1.2	20520	12.8	16680	32	0.4
56-43.4183-105.4578-2-15-						0-W11007	53010	-0.06	574	4206	64	-43	6.8	48	4.0	5	1.3	20330	10.0	18160	36	0.4
56-43.4094-105.4594-2-15-						0-W11008	63350	-0.06	619	5221	89	-34	11.0	66	5.2	6	1.7	27550	9.3	18590	43	0.4
56-43.3897-105.4125-2-15-						0-W11010	66190	-0.06	628	10030	76	-48	9.8	59	5.7	6	1.4	27840	6.0	19810	40	0.4
56-43.4219-105.3972-2-15-						0-W11011	68780	-0.07	635	3888	76	-49	7.3	50	4.1	5	1.3	22350	6.5	15070	26	0.3

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

(4)

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)													U/Th RATIO			
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43.1003-104.8356-2-15-	0-410952	16750	220	3311	53	-1	5.6	4.2	-166	-1	-1	8.3	3075	64	2.6	68	0.395					
56-43.0828-104.8400-2-15-	0-410953	12500	196	3268	74	-1	7.2	5.5	-148	-1	-1	11.6	2804	63	4.3	83	0.293					
56-43.0753-104.8397-2-15-	0-410954	15010	221	3169	100	-1	8.7	5.2	-181	-1	-1	11.4	3173	80	4.7	80	0.258					
56-43.1708-104.7867-2-15-	0-410955	20610	253	4330	-18	-1	5.1	4.6	-167	-1	-1	8.5	2649	48	3.7	-73	0.368					
56-43.1619-104.7944-2-15-	0-410956	17000	306	3577	-17	-1	4.5	4.2	-171	-1	-1	7.2	2701	48	3.1	46	0.457					
56-43.1461-104.7469-2-15-	0-410958	10970	244	3633	47	-1	4.6	4.6	-147	-1	-1	8.6	1948	43	3.3	62	0.287					
56-43.2578-104.5050-2-15-	0-410959	9269	311	6307	58	-1	5.9	4.9	-195	-1	-1	9.1	2546	47	4.1	102	0.342					
56-43.2575-104.5358-2-15-	0-410961	14670	197	8321	68	-1	6.2	5.6	-163	-1	-1	10.4	2452	47	3.4	82	0.296					
56-43.2758-104.5969-2-15-	0-410962	16590	246	7027	58	-1	6.3	5.1	-186	-1	-1	10.3	2836	52	3.9	91	0.290					
56-43.2833-104.6161-2-15-	0-410963	17770	237	7045	60	-1	5.8	5.7	-183	-1	-1	9.9	2875	55	2.5	-75	0.328					
56-43.2136-104.6681-2-15-	0-410964	11240	193	5222	48	-1	4.3	5.1	-149	-1	-1	7.8	2684	49	2.5	-56	0.406					
56-43.2158-104.6550-2-15-	0-410965	14680	242	4213	77	-2	10.7	5.9	-194	-1	-1	13.5	3745	101	4.5	121	0.255					
56-43.2225-104.6431-2-15-	0-410966	11350	267	5659	57	-1	5.3	4.5	-179	-1	-1	8.1	2712	51	3.4	66	0.370					
56-43.2239-104.6331-2-15-	0-410967	14240	270	5689	60	-1	6.2	6.0	-177	-1	-1	11.2	3028	60	2.8	79	0.289					
56-43.2539-104.6564-2-15-	0-410968	16720	222	5655	-20	-1	6.2	3.8	-177	-1	-1	7.6	2812	79	3.1	-50	0.432					
56-43.2631-104.6767-2-15-	0-410969	12680	206	4752	65	-2	8.3	5.3	-163	-1	-1	10.7	2750	80	2.6	144	0.348					
56-43.2581-104.6633-2-15-	0-410970	12880	242	5046	78	-2	8.5	6.1	-201	-1	-1	12.6	3295	91	2.9	113	0.255					
56-43.2450-104.6244-2-15-	0-410971	14600	221	4998	84	-1	6.2	5.2	-172	-1	-1	8.6	3026	64	3.3	54	0.362					
56-43.1617-104.6214-2-15-	0-410972	16440	292	5366	89	-2	6.7	5.0	-199	-1	-1	9.5	3149	72	-1.2	-26	0.327					
56-43.1150-104.6033-2-15-	0-410973	14240	230	6184	78	-1	6.6	4.9	-173	-1	-1	9.1	2681	51	3.0	-82	0.311					
56-43.1050-105.0417-2-15-	0-410975	10960	147	1737	80	-2	12.1	5.6	-181	-1	-1	15.4	4758	111	4.2	129	0.256					
56-43.1033-105.0394-2-15-	0-410976	6677	107	1447	46	-1	7.4	4.8	151	-1	-1	9.9	4146	72	3.6	110	0.335					
56-43.1211-105.0422-2-15-	0-410977	18070	199	1053	80	-2	14.4	5.4	-177	-1	-1	14.9	4951	172	3.5	-98	0.358					
56-43.1256-105.0331-2-15-	0-410979	10950	162	2429	95	-2	10.4	5.7	-145	-1	-1	13.5	3583	88	3.5	82	0.319					
56-43.1267-105.0258-2-15-	0-410980	7077	108	1230	46	-1	6.6	3.7	-125	-1	-1	8.9	3095	59	3.7	69	0.302					
56-43.1258-105.0161-2-15-	0-410981	10790	162	2596	74	-2	9.1	5.9	-158	-1	-1	14.6	4301	83	5.3	45	0.266					
56-43.1494-105.0247-2-15-	0-410982	4550	141	946	47	-1	4.9	4.0	-115	-1	-1	8.3	2735	55	2.9	-70	0.360					
56-43.1594-105.0194-2-15-	0-410983	6005	127	886	-20	-1	6.4	3.8	-112	-1	-1	9.1	3022	61	3.2	94	0.360					
56-43.1342-105.0675-2-15-	0-410984	8419	160	1342	79	-1	8.5	5.4	-152	-1	-1	13.4	3535	74	4.1	90	0.281					
56-43.1331-105.0767-2-15-	0-410985	6122	151	1193	55	-1	6.7	4.4	-90	-1	-1	9.1	2584	68	4.7	-88	0.371					
56-43.1342-105.0897-2-15-	0-410986	9254	113	1308	60	-2	7.7	4.5	-128	-1	-1	9.3	3451	96	3.6	-83	0.445					
56-43.1281-105.0944-2-15-	0-410987	9516	182	1489	-26	-2	10.2	7.6	-146	-1	-1	15.1	3482	87	2.8	95	0.283					
56-43.1247-105.0408-2-15-	0-410988	10250	166	2290	78	-2	10.2	5.3	-162	-1	-1	14.2	3487	96	3.9	111	0.283					
56-43.0903-105.0469-2-15-	0-410989	5527	108	1664	52	-1	5.7	4.2	-117	-1	-1	9.9	3678	57	3.6	110	0.300					
56-43.0775-105.0567-2-15-	0-410990	7493	149	1935	62	-1	6.5	3.9	-145	-1	-1	9.4	3385	73	3.4	-38	0.346					
56-43.0508-105.0750-2-15-	0-410992	9409	261	3843	89	-2	7.6	5.5	-176	-1	-1	11.5	3220	76	3.3	118	0.280					
56-43.0425-105.0783-2-15-	0-410993	14130	213	2570	-30	-2	11.5	5.6	-203	-1	-1	14.7	4059	94	4.5	125	0.235					
56-43.0317-105.0789-2-15-	0-410994	16260	370	2471	93	-2	12.6	7.7	-234	-1	-1	15.9	4574	117	3.9	150	0.225					
56-43.0269-105.0786-2-15-	0-410995	13550	299	4295	43	-1	6.9	4.2	-192	-1	-1	9.9	3622	80	3.1	117	0.336					
56-43.0450-105.0781-2-15-	0-410996	13280	297	2540	78	-2	13.4	5.9	-209	-1	-1	14.7	4124	106	3.5	-99	0.239					
56-43.1119-105.0044-2-15-	0-410997	3087	113	516	38	-1	4.6	3.3	-106	-1	-1	7.3	2754	44	3.3	-64	0.367					
56-43.0475-105.0242-2-15-	0-410998	3085	83	1025	-15	-1	4.3	3.6	-66	-1	-1	6.8	2682	45	2.7	-53	0.400					
56-43.0408-105.0317-2-15-	0-410999	5535	102	1193	41	-1	4.9	3.4	-109	-1	-1	7.9	3459	57	2.7	-54	0.400					
56-43.0458-105.0317-2-15-	0-411000	4153	71	909	57	-1	7.4	4.2	-97	-1	-1	11.0	3424	59	3.2	65	0.325					
56-43.0003-105.0831-2-15-	0-411001	8054	264	5502	52	-1	7.3	4.9	-188	-1	-1	11.8	2969	59	3.8	65	0.251					
56-43.4914-105.4456-2-15-	0-411004	9885	298	2855	76	-1	7.4	6.9	-187	-2	-1	19.0	3008	52	4.0	80	0.182					
56-43.4536-105.4275-2-15-	0-411005	9055	273	2425	58	-1	6.8	5.2	-163	-1	-1	12.3	3803	77	3.2	96	0.341					
56-43.4183-105.4578-2-15-	0-411007	9439	172	2193	64	-1	8.0	5.4	-138	-1	-1	11.8	2909	75	3.3	115	0.331					
56-43.4094-105.4594-2-15-	0-411008	11870	248	1490	81	-1	10.6	6.9	-175	-1	-1	16.1	3303	90	3.2	124	0.296					
56-43.3897-105.4125-2-15-	0-411010	17750	292	3176	94	-2	10.1	6.3	-196	-1	-1	14.1	3925	97	3.1	102	0.277					
56-43.4219-105.3972-2-15-	0-411011	12470	207	2651	47	-1	9.7	4.7	-159	-1	-1	11.8	3391	97	3.0	90	0.341					

DOE SAMPLE NUMBER						LASI SAMPLE LOCATION NUMBER AND FIELD DATA																				U CONCENTRATION									
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASI SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	CONDUCTIVITY	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCINTILLATOR (eL/gpm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC)	UNITS IN ppm
							DATE	HOUR																											
56-43.4272-105.3256-2-15-						0-W11014-09/15/77-14-	25-		-C-	-	-	-	-	-	5-1-7-5-7-	-1-	-2-4-2-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.93			
56-43.4792-105.3528-2-15-						0-W11016-09/15/77-15-	28-		-C-	-	-	-	-	-	16-1-1-5-1-	-1-	-2-4-2-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.46		
56-43.4928-105.3542-2-15-						0-W11017-09/15/77-16-	28-		-C-	-	-	-	-	-	12-1-1-5-1-	-1-	-1-4-3-3-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.70		
56-43.4931-105.3967-2-15-						0-W11019-09/15/77-17-	27-		-C-	-	-	-	-	-	15-1-1-5-1-	-1-	-2-4-2-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.93		
56-43.4872-105.3031-2-15-						0-W11020-09/15/77-17-	27-		-C-	-	-	-	-	-	10-1-4-5-6-	-1-	-2-4-3-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.45		
56-43.4744-105.2831-2-15-						0-W11021-09/15/77-17-	27-		-C-	-	-	-	-	-	10-1-7-5-7-	-1-	-2-3-2-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.14		
56-43.3969-105.3736-2-11-						0-W11023-09/15/77-18-	19-16.1		-	-	7.4	-	450-	-	6-1-1-4-1-2-3-1-	-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.49		
56-43.4458-105.2553-2-15-						0-W11024-09/15/77-19-	19-		-	-	-	-	-	-	10-1-1-5-1-	-1-	-2-3-2-4-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.20		
56-43.3625-105.3986-2-15-						0-W11026-09/16/77-9-	14-		-	-	-	-	-	-	20-1-1-5-1-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.22		
56-43.3736-105.4444-2-15-						0-W11027-09/16/77-10-	16-		-C-	-	-	-	-	-	11-1-1-5-1-	-1-	-2-4-2-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.79		
56-43.3303-105.4497-2-15-						0-W11029-09/16/77-11-	23-		-	-	-	-	-	-	20-1-1-5-1-	-1-	-2-4-2-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.10		
56-43.3325-105.4225-2-15-						0-W11030-09/16/77-11-	23-		-C-	-	-	-	-	-	20-1-1-5-1-	-1-	-2-4-2-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.19		
56-43.3106-105.3944-2-15-						0-W11032-09/16/77-12-	25-		-	-	-	-	-	-	14-1-1-4-1-	-1-	-2-4-2-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.49		
56-43.3008-105.3936-2-15-						0-W11033-09/16/77-13-	26-		-	-	-	-	-	-	13-1-1-5-1-	-1-	-2-4-3-3-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.31		
56-43.3414-105.3344-2-15-						0-W11036-09/16/77-14-	25-		-	-	-	-	-	-	20-1-1-5-1-	-1-	-2-4-2-3-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.28		
56-43.3544-105.3292-2-15-						0-W11037-09/16/77-15-	25-		-	-	-	-	-	-	7-1-1-5-1-	-1-	-2-4-2-3-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.23		
56-43.3617-105.3194-2-15-						0-W11038-09/16/77-15-	25-		-	-	-	-	-	-	20-1-1-5-1-	-1-	-2-4-2-3-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.05		
56-43.3808-105.2639-2-15-						0-W11040-09/16/77-17-	23-		-C-	-	-	-	-	-	15-1-1-5-4-	-1-	-2-4-2-4-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.46		
56-43.2881-105.3394-2-15-						0-W11044-09/17/77-9-	17-		-	-	-	-	-	-	11-1-1-5-1-	-1-	-2-3-2-2-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.11		
56-43.2739-105.4489-2-15-						0-W11051-09/17/77-20-	17-		-C-	-	-	-	-	-	25-1-1-5-1-	-1-	-2-4-2-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.68		
56-43.4683-105.5053-2-15-						0-W11056-09/18/77-19-	20-		-C-	-	-	-	-	-	23-1-1-5-1-	-1-	-1-4-3-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.98		
56-43.4528-105.5772-2-15-						0-W11059-09/18/77-20-	16-		-	-	-	-	-	-	17-1-1-5-1-	-1-	-2-4-3-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.87		
56-43.4936-105.5578-2-15-						0-W11061-09/19/77-10-	14-		-	-	-	-	-	-	27-1-1-4-1-	-1-	-2-4-2-3-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.32		
56-43.3892-105.5489-2-15-						0-W11063-09/19/77-12-	22-		-	-	-	-	-	-	15-1-1-5-1-	-1-	-2-4-2-3-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.73		
56-43.3997-105.5764-2-15-						0-W11065-09/19/77-15-	24-		-	-	-	-	-	-	15-1-1-5-1-	-1-	-2-4-2-3-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.37		
56-43.4203-105.6050-2-15-						0-W11066-09/19/77-15-	26-		-C-	-	-	-	-	-	15-1-1-5-1-	-1-	-2-4-2-4-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.73		
56-43.4186-105.6436-2-15-						0-W11067-09/19/77-15-	25-		-C-	-	-	-	-	-	20-1-1-5-1-	-1-	-2-4-2-4-2-	-4-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.57		
56-43.4442-105.6556-2-15-						0-W11068-09/19/77-16-	25-		-	-	-	-	-	-	27-1-1-5-1-	-1-	-2-4-2-4-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.77		
56-43.4475-105.6789-2-15-						0-W11072-09/19/77-17-	22-		-C-	-	-	-	-	-	12-1-1-5-1-	-1-	-2-4-2-3-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.59		
56-43.4694-105.6711-2-15-						0-W11073-09/19/77-17-	23-		-C-	-	-	-	-	-	12-1-1-5-1-	-1-	-2-4-2-4-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.80		
56-43.4861-105.6728-2-15-						0-W11074-09/19/77-17-	25-		-C-	-	-	-	-	-	30-1-7-5-7-	-1-	-2-4-2-3-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.50		
56-43.4831-105.6400-2-15-						0-W11075-09/19/77-18-	25-		-	-	-	-	-	-	10-1-1-4-1-	-1-	-2-4-2-4-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.11		
56-43.4944-105.5992-2-15-						0-W11076-09/19/77-18-	24-		-	-	-	-	-	-	17-1-1-5-1-	-1-	-2-4-3-3-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.91		
56-43.4931-105.6794-2-15-						0-W11077-09/19/77-18-	24-		-	-	-	-	-	-	18-1-1-5-1-	-1-	-2-4-2-3-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.63		
56-43.4683-105.7247-2-15-						0-W11078-09/19/77-19-	23-		-C-	-	-	-	-	-	5-1-6-4-6-	-1-	-2-4-2-4-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.58		
56-43.4808-105.7331-2-15-						0-W11079-09/19/77-20-	22-		-	-	-	-	-	-	15-1-1-4-1-	-1-	-2-4-2-4-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.14		
56-43.4839-105.7275-2-15-						0-W11080-09/19/77-20-	22-		-	-	-	-	-	-	20-1-1-4-1-	-1-	-2-4-2-3-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.89		
56-43.4817-105.7242-2-15-						0-W11081-09/19/77-20-	22-		-	-	-	-	-	-	23-1-1-4-1-	-1-	-2-4-2-3-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.85		
56-43.4953-105.7442-2-15-						0-W11082-09/19/77-20-	19-		-	-	-	-	-	-	18-1-1-5-6-	-1-	-1-4-3-3-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.53		
56-43.4058-105.6861-2-15-						0-W11086-09/20/77-11-	22-		-C-	-	-	-	-	-	12-1-1-5-1-	-1-	-2-4-2-4-1-	-4-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.34		
56-43.3931-105.6975-2-15-						0-W11087-09/20/77-12-	23-		-	-	-	-	-	-	14-1-1-5-1-	-1-	-2-4-2-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.46		
56-43.3919-105.6658-2-15-						0-W11088-09/20/77-12-	25-		-	-	-	-	-	-	15-1-1-5-1-	-1-	-2-4-2-4-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.14		
56-43.3711-105.6753-2-15-						0-W11089-09/20/77-12-	25-		-C-	-	-	-	-	-	13-1-1-5-1-	-1-	-2-4-3-3-1-	-4-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.86		
56-43.3600-105.6667-2-15-						0-W11090-09/20/77-13-	28-		-C-	-	-	-	-	-	11-1-1-5-1-	-1-	-2-4-2-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.52		
56-43.3714-105.7208-2-15-						0-W11091-09/20/77-14-	27-		-	-	-	-	-	-	18-1-1-5-6-	-1-	-2-4-2-3-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.16		
56-43.3958-105.5981-2-15-						0-W11093-09/20/77-16-	28-		-	-	-	-	-	-	16-1-1-5-1-	-1-	-2-4-2-2-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.79		
56-43.3342-105.5608-2-15-						0-W11095-09/20/77-18-	25-		-C-	-	-	-	-	-	12-1-1-5-1-	-1-	-2-4-3-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.25		
56-43.3497-105.6139-2-15-						0-W11098-09/20/77-19-	23-		-C-	-	-	-	-	-	16-1-1-5-1-	-1-	-2-4-2-3-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.62		
56-43.2989-105.6339-2-15-						0-W11100-09/21/77-10-	17-		-C-	-	-	-	-	-	24-1-1-5-1-	-1-	-2-4-2-3-3-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.38		
56-43.2817-105.6403-2-15-						0-W11102-09/21/77-11-	19-		-C-	-	-	-	-	-	15-1-1-5-1-	-1-	-2-4-2-3-2-	-3-	-	-	-	-	-	-	-	-	-</								

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS. SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.4272-105.3256-2-15-						0-W11014	-5	5	-5	27	-20	-15	13	-10	-15	1	21	
56-43.4792-105.3528-2-15-						0-W11016	-5	-5	-5	32	-20	-15	11	-10	-15	2	27	
56-43.4928-105.3542-2-15-						0-W11017	-5	-5	-5	24	-20	15	14	-10	-15	2	26	
56-43.4931-105.3967-2-15-						0-W11019	-5	-5	-5	31	-20	20	13	-10	-15	2	48	
56-43.4872-105.3031-2-15-						0-W11020	-5	-5	-5	32	-20	-15	6	-10	-15	2	27	
56-43.4744-105.2831-2-15-						0-W11021	-5	-5	-5	19	-20	-15	9	-10	-15	1	15	
56-43.3969-105.3736-2-11-						0-W11023	-5	-5	-5	26	-20	-15	8	-10	-15	2	27	
56-43.4458-105.2553-2-15-						0-W11024	-5	-5	-5	20	-20	-15	8	-10	-15	1	17	
56-43.3625-105.3986-2-15-						0-W11026	-5	6	-5	19	-20	-15	7	-10	-15	1	28	
56-43.3736-105.4444-2-15-						0-W11027	-5	5	-5	25	-20	-15	-5	-10	-15	1	31	
56-43.3303-105.4497-2-15-						0-W11029	-5	-5	-5	25	-20	-15	5	-10	-15	2	25	
56-43.3325-105.4225-2-15-						0-W11030	-5	-5	-5	31	-20	24	9	-10	-15	2	39	
56-43.3106-105.3944-2-15-						0-W11032	-5	-5	-5	21	-20	-15	6	-10	-15	1	16	
56-43.3008-105.3936-2-15-						0-W11033	-5	9	-5	19	-20	17	5	-10	-15	2	23	
56-43.3414-105.3344-2-15-						0-W11036	-5	5	-5	18	-20	-15	10	-10	-15	2	32	
56-43.3544-105.3292-2-15-						0-W11037	-5	-5	-5	17	-20	-15	10	-10	-15	1	18	
56-43.3617-105.3194-2-15-						0-W11038	-5	-5	-5	20	-20	-15	-5	-10	-15	1	19	
56-43.3808-105.2639-2-15-						0-W11040	-5	-5	-5	13	-20	16	-5	-10	-15	1	18	
56-43.2881-105.3394-2-15-						0-W11046	-5	-5	-5	15	-20	-15	-5	-10	-15	-1	16	
56-43.2739-105.4489-2-15-						0-W11051	-5	-5	-5	22	-20	-15	5	-10	-15	2	28	
56-43.4683-105.5053-2-15-						0-W11056	-5	-5	-5	27	-20	-15	-5	-10	-15	2	39	
56-43.4528-105.5772-2-15-						0-W11059	-5	-5	-5	24	-20	18	6	-10	-15	2	32	
56-43.4936-105.5578-2-15-						0-W11061	-5	-5	-5	32	-20	-15	16	-10	-15	3	47	
56-43.3892-105.5489-2-15-						0-W11063	-5	5	-5	24	-20	-15	-5	-10	-15	2	30	
56-43.3997-105.5764-2-15-						0-W11065	-5	-5	-5	26	-20	-15	8	-10	-15	1	28	
56-43.4203-105.6050-2-15-						0-W11066	-5	-5	-5	15	-20	-15	-5	-10	-15	2	34	
56-43.4186-105.6435-2-15-						0-W11067	-5	-5	-5	20	-20	-15	-5	-10	-15	2	28	
56-43.4442-105.6556-2-15-						0-W11068	-5	-5	-5	29	-20	-15	-5	-10	-15	2	29	
56-43.4475-105.6789-2-15-						0-W11072	-5	5	-5	17	-20	-15	-5	-10	-15	2	28	
56-43.4694-105.6711-2-15-						0-W11073	-5	-5	-5	27	-20	19	5	-10	-15	2	24	
56-43.4861-105.6728-2-15-						0-W11074	-5	-5	-5	20	-20	15	6	-10	-15	2	32	
56-43.4831-105.6400-2-15-						0-W11075	-5	-5	-5	20	-20	-15	7	-10	-15	2	23	
56-43.4944-105.5992-2-15-						0-W11076	-5	-5	-5	26	-20	-15	9	-10	-15	2	41	
56-43.4931-105.6794-2-15-						0-W11077	-5	7	-5	26	-20	-15	8	-10	-15	2	32	
56-43.4683-105.7247-2-15-						0-W11078	-5	-5	-5	20	-20	-15	-5	-10	-15	2	27	
56-43.4808-105.7331-2-15-						0-W11079	-5	-5	-5	25	-20	-15	5	-10	-15	2	28	
56-43.4839-105.7275-2-15-						0-W11080	-5	-5	-5	29	-20	-15	11	-10	-15	2	31	
56-43.4817-105.7242-2-15-						0-W11081	-5	6	-5	21	-20	19	-5	-10	-15	1	27	
56-43.4953-105.7442-2-15-						0-W11082	-5	7	-5	14	-20	-15	8	-10	-15	2	29	
56-43.4058-105.6861-2-15-						0-W11084	-5	7	-5	19	-20	-15	-5	-10	-15	1	25	
56-43.3931-105.6975-2-15-						0-W11087	-5	-5	-5	29	-20	-15	7	-10	-15	2	34	
56-43.3919-105.6658-2-15-						0-W11088	-5	7	-5	23	-20	-15	5	-10	-15	2	28	
56-43.3711-105.6753-2-15-						0-W11089	-5	-5	-5	17	-20	-15	-5	-10	-15	1	24	
56-43.3600-105.6667-2-15-						0-W11090	-5	7	-5	24	-20	15	6	-10	-15	2	28	
56-43.3714-105.7208-2-15-						0-W11091	-5	-5	-5	18	-20	-15	-5	-10	-15	2	29	
56-43.3958-105.5981-2-15-						0-W11093	-5	-5	-5	26	-20	-15	-5	-10	-15	2	32	
56-43.3342-105.5608-2-15-						0-W11095	-5	6	-5	11	-20	-15	-5	-10	-15	2	30	
56-43.3497-105.6139-2-15-						0-W11098	-5	-5	-5	21	-20	-15	-5	-10	-15	2	30	
56-43.2989-105.6339-2-15-						0-W11100	-5	5	-5	15	-20	-15	13	-10	-15	2	29	
56-43.2817-105.6403-2-15-						0-W11102	-5	5	-5	26	-20	18	-5	-10	-15	2	36	
56-43.2614-105.7011-2-15-						0-W11106	-5	-5	-5	20	-20	-15	-5	-10	-15	2	27	

APPENDIX II-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.4272-105.3256-2-15-	0-W11014	43660	-0.06	692	3803	54	-41	8.1	48	3.8	4	1.1	25240	9.1	16800	25	0.3					
56-43.4792-105.3528-2-15-	0-W11016	50000	-0.06	612	5461	88	-36	9.7	57	4.4	5	1.7	26380	12.3	15050	38	0.5					
56-43.4928-105.3542-2-15-	0-W11017	43700	-0.05	635	8042	72	-40	6.0	37	2.4	5	1.2	19690	12.3	18840	33	0.5					
56-43.4931-105.3967-2-15-	0-W11019	72870	-0.07	525	9031	62	-42	7.3	47	4.7	5	1.2	19660	5.5	19850	28	0.4					
56-43.4872-105.3031-2-15-	0-W11020	49570	-0.06	577	8485	66	161	8.5	44	3.2	5	1.3	22670	9.1	15940	33	0.3					
56-43.4744-105.2831-2-15-	0-W11021	31490	-0.04	554	2706	55	46	5.4	44	-1.0	3	1.0	17460	8.3	13640	25	0.3					
56-43.3969-105.3736-2-11-	0-W11023	57800	-0.06	583	4965	61	-47	8.1	61	4.1	4	1.2	23230	5.8	18050	28	0.3					
56-43.4458-105.2553-2-15-	0-W11024	33200	-0.04	570	2039	44	-29	4.7	33	2.0	3	0.9	14400	6.7	13190	19	0.2					
56-43.3625-105.3986-2-15-	0-W11026	55680	-0.07	561	-431	70	-51	7.1	55	4.6	5	1.4	22990	8.7	18960	34	0.3					
56-43.3736-105.4444-2-15-	0-W11027	45700	-0.05	551	2979	72	-40	5.6	48	3.1	4	1.2	18100	10.8	15960	30	0.4					
56-43.3303-105.4497-2-15-	0-W11029	49640	-0.05	607	4476	62	-43	5.7	46	3.5	5	1.3	19510	10.2	18840	26	0.4					
56-43.3325-105.4225-2-15-	0-W11030	71210	-0.07	664	5010	73	-62	9.1	67	4.4	5	1.2	23430	6.3	19470	31	0.3					
56-43.3106-105.3944-2-15-	0-W11032	39410	-0.06	565	3634	69	-49	7.0	49	2.5	5	1.1	18840	15.1	15450	39	0.5					
56-43.3008-105.3936-2-15-	0-W11033	57060	-0.06	598	10720	107	146	7.4	54	-1.4	6	1.6	21510	13.7	15650	56	0.5					
56-43.3414-105.3344-2-15-	0-W11036	60770	-0.06	583	2894	68	-40	5.6	51	4.3	4	1.3	18630	6.9	16130	30	0.3					
56-43.3544-105.3292-2-15-	0-W11037	35370	-0.05	550	2305	67	63	5.1	45	2.3	4	1.0	13450	16.0	14490	23	0.4					
56-43.3617-105.3194-2-15-	0-W11038	46550	-0.06	591	3553	58	-48	7.6	41	3.6	5	1.2	21720	8.3	15860	26	0.4					
56-43.3808-105.2639-2-15-	0-W11040	42040	-0.05	509	2277	72	-43	6.4	63	2.3	4	1.3	16880	19.4	15220	30	0.5					
56-43.2881-105.3394-2-15-	0-W11046	42330	-0.04	545	2440	59	-42	5.4	42	2.2	4	1.1	12610	12.7	16600	28	0.4					
56-43.2739-105.4489-2-15-	0-W11051	57760	-0.06	565	4704	65	-51	5.9	47	4.2	5	1.1	19090	8.0	16990	30	0.3					
56-43.4683-105.5053-2-15-	0-W11056	61220	-0.07	574	18700	81	-55	9.5	55	4.4	5	1.4	26460	8.6	17530	36	0.3					
56-43.4528-105.5772-2-15-	0-W11059	56130	-0.05	587	16420	90	-51	7.6	52	3.3	6	1.6	22830	12.9	17000	43	0.4					
56-43.4936-105.5578-2-15-	0-W11061	69010	-0.06	578	16410	92	-45	8.7	64	5.1	6	1.4	27780	9.7	19590	44	0.4					
56-43.3892-105.5489-2-15-	0-W11063	51980	-0.05	582	3965	66	-50	5.1	43	2.6	6	1.1	13600	9.9	19600	27	0.4					
56-43.3997-105.5764-2-15-	0-W11065	55900	-0.06	501	10970	78	-48	7.4	47	3.4	5	1.3	22550	10.0	18380	35	0.4					
56-43.4203-105.6050-2-15-	0-W11066	56110	-0.05	584	15370	87	-43	6.7	51	4.0	5	1.6	23360	13.0	21940	42	0.5					
56-43.4186-105.6436-2-15-	0-W11067	47530	-0.05	597	11630	89	71	6.0	40	2.9	5	1.4	19290	13.5	19470	39	0.4					
56-43.4442-105.6556-2-15-	0-W11068	53180	-0.05	612	12950	61	80	5.4	41	3.3	5	1.0	15810	5.2	18370	26	0.3					
56-43.4475-105.6789-2-15-	0-W11072	55050	-0.07	585	16680	88	85	7.4	55	5.5	5	1.4	23030	12.5	18940	40	0.4					
56-43.4694-105.6711-2-15-	0-W11073	58240	-0.06	615	12840	96	-46	8.5	67	4.0	5	1.7	25570	13.3	19440	38	0.5					
56-43.4861-105.6723-2-15-	0-W11074	56510	-0.06	585	7362	78	81	8.5	51	4.1	5	1.3	22740	10.3	20510	38	0.4					
56-43.4831-105.6400-2-15-	0-W11075	60350	-0.06	514	20030	78	-73	6.2	36	2.2	5	1.1	17890	7.1	17120	32	0.4					
56-43.4944-105.5992-2-15-	0-W11076	62200	-0.08	504	38980	79	-64	9.0	54	5.6	5	1.3	27330	7.6	13530	40	0.5					
56-43.4931-105.6794-2-15-	0-W11077	63820	-0.06	612	6390	89	115	9.1	67	5.7	5	1.5	28060	9.5	18540	45	0.4					
56-43.4683-105.7247-2-15-	0-W11078	51950	-0.05	581	17750	77	-44	7.3	35	2.9	5	1.2	20790	8.9	17540	36	0.3					
56-43.4808-105.7331-2-15-	0-W11079	49700	-0.05	599	11530	85	-43	5.9	39	3.3	6	1.3	17600	12.2	18010	35	0.5					
56-43.4839-105.7275-2-15-	0-W11080	53440	-0.06	554	17400	73	-40	8.0	50	4.8	5	1.4	21910	10.4	19630	36	0.5					
56-43.4817-105.7242-2-15-	0-W11081	44240	-0.05	608	11060	106	-36	7.0	58	2.6	6	1.5	21020	22.1	15510	45	0.5					
56-43.4953-105.7442-2-15-	0-W11082	59950	-0.05	660	8116	74	-45	7.4	45	3.2	5	1.4	21150	9.8	20770	37	0.4					
56-43.4058-105.6861-2-15-	0-W11086	46390	-0.05	621	20550	77	-50	5.6	33	-1.2	6	1.2	14710	11.4	18780	32	0.4					
56-43.3931-105.6975-2-15-	0-W11087	52820	-0.06	629	15530	76	-56	7.8	36	4.3	5	1.4	22620	10.0	19950	38	0.4					
56-43.3919-105.6658-2-15-	0-W11088	51480	-0.05	607	17400	91	79	7.3	56	3.6	6	1.5	20380	18.2	17180	45	0.5					
56-43.3711-105.6753-2-15-	0-W11089	47010	-0.04	604	9577	61	-40	5.1	44	2.9	4	1.2	14720	6.3	19680	26	0.3					
56-43.3600-105.6667-2-15-	0-W11090	50550	-0.05	523	13160	78	83	6.3	37	2.6	5	1.3	15520	12.0	19870	31	0.4					
56-43.3714-105.7208-2-15-	0-W11091	52690	-0.05	690	7848	78	-52	7.1	56	3.1	6	1.5	20160	11.6	19350	40	0.4					
56-43.3958-105.5981-2-15-	0-W11093	54910	-0.05	602	11750	79	-40	7.7	51	4.8	4	1.3	22400	7.6	21980	37	0.4					
56-43.3342-105.5608-2-15-	0-W11095	49260	-0.05	549	12590	102	89	5.7	61	2.9	6	1.4	21570	19.9	17150	46	0.6					
56-43.3497-105.6139-2-15-	0-W11099	52980	-0.05	563	16960	73	401	5.3	53	3.5	5	1.2	16330	9.2	18300	33	0.4					
56-43.2989-105.6339-2-15-	0-W11100	53730	-0.06	579	6532	69	-46	6.3	46	3.9	5	1.3	19540	10.6	18810	34	0.4					
56-43.2617-105.6403-2-15-	0-W11102	63710	-0.06	618	13200	92	-52	8.2	68	5.5	5	1.6	27500	7.6	21460	36	0.5					
56-43.2614-105.6411-2-15-	0-W11106	53850	-0.05	617	15040	67	-46	6.7	41	3.7	5	1.4	19790	9.5	19770	35	0.4					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

4

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)															U/Th RATIO	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB. SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43.4272-105.3256-2-15-	0-W11014	5883	191	2162	82	-1	6.9	4.0	-135	-1	-1	9.5	2620	65	3.1	88	0.308					
56-43.4792-105.3528-2-15-	0-W11016	8266	277	1611	70	-1	8.6	6.5	-176	-1	-1	12.9	3068	77	4.7	105	0.268					
56-43.4928-105.3542-2-15-	0-W11017	9585	291	2576	57	-1	6.1	6.4	-169	-1	-1	11.6	3146	62	3.2	-86	0.319					
56-43.4931-105.3967-2-15-	0-W11019	15000	239	1452	63	-2	8.6	5.2	-172	-1	-1	11.6	3659	109	3.1	111	0.425					
56-43.4872-105.3031-2-15-	0-W11020	9705	239	2629	85	-1	7.6	3.8	-161	-1	-1	8.2	2747	75	2.8	120	0.421					
56-43.4744-105.2831-2-15-	0-W11021	4807	155	1329	45	-1	5.0	3.8	-130	-1	-1	6.6	2253	54	2.9	-42	0.324					
56-43.3969-105.3736-2-11-	0-W11023	9030	207	4300	68	-1	8.8	6.2	-170	-1	1	11.3	3404	78	3.5	-47	0.309					
56-43.4458-105.2553-2-15-	0-W11024	6015	149	1139	-15	-1	4.1	3.1	-116	-1	-1	6.4	2316	53	2.4	71	0.344					
56-43.3625-105.3986-2-15-	0-W11026	7936	172	2867	90	-2	8.9	5.4	-149	-1	-1	11.4	3196	74	3.2	108	0.282					
56-43.3736-105.4444-2-15-	0-W11027	8409	192	2704	67	-1	6.4	4.2	-158	-1	-1	9.3	2734	57	3.4	62	0.300					
56-43.3303-105.4497-2-15-	0-W11029	11560	194	3766	53	-1	6.7	4.8	-155	-1	-1	11.3	3324	61	3.2	69	0.274					
56-43.3325-105.4225-2-15-	0-W11030	12540	202	4476	81	-2	9.2	5.2	-175	-1	-1	12.1	3854	101	-1.5	138	0.346					
56-43.3106-105.3944-2-15-	0-W11032	8142	274	3775	61	-1	6.3	5.2	-161	-1	-1	12.0	3750	53	4.3	47	0.291					
56-43.3008-105.3936-2-15-	0-W11033	13380	295	8491	51	-1	7.7	7.5	-209	-1	-1	16.9	3254	55	4.9	76	0.196					
56-43.3414-105.3344-2-15-	0-W11036	9824	122	2728	71	-1	8.5	5.6	-144	-1	-1	10.7	3127	84	3.4	120	0.307					
56-43.3544-105.3292-2-15-	0-W11037	5694	176	2741	-18	-1	4.3	4.2	-93	-1	-1	9.4	3016	47	4.2	-34	0.344					
56-43.3617-105.3194-2-15-	0-W11038	7536	193	3500	69	-1	7.0	5.2	-142	-1	-1	9.1	2581	66	2.9	-86	0.335					
56-43.3808-105.2639-2-15-	0-W11040	5364	134	3817	79	-1	6.8	5.0	-136	-1	-1	12.7	3524	51	4.5	65	0.272					
56-43.2881-105.3394-2-15-	0-W11046	6887	149	3762	67	-1	5.6	4.8	-137	-1	-1	10.8	3027	54	3.4	-75	0.288					
56-43.2739-105.4489-2-15-	0-W11051	11560	232	3190	72	-1	7.0	5.2	-166	-1	-1	10.3	3584	78	4.3	80	0.357					
56-43.4683-105.5053-2-15-	0-W11056	19070	350	2540	93	-2	9.3	6.5	-198	-1	-1	13.4	2926	74	3.8	162	0.297					
56-43.4528-105.5772-2-15-	0-W11059	14200	369	3292	72	-1	8.2	6.8	-204	-1	-1	15.9	2906	68	4.4	80	0.243					
56-43.4936-105.5578-2-15-	0-W11061	21710	391	2005	92	-1	10.0	7.1	-209	-1	-1	19.2	4281	92	4.0	124	0.277					
56-43.3892-105.5489-2-15-	0-W11063	10220	224	3747	57	-1	5.6	4.8	-156	-1	-1	10.9	3052	63	3.0	56	0.342					
56-43.3997-105.5764-2-15-	0-W11065	18610	248	2757	98	-1	7.9	5.6	-164	-1	-1	12.3	2902	70	3.6	85	0.274					
56-43.4203-105.6050-2-15-	0-W11066	18030	224	2456	78	-1	8.1	6.4	-172	-1	-1	13.7	3060	65	5.7	123	0.272					
56-43.4186-105.6436-2-15-	0-W11067	15450	333	2886	51	-1	6.4	7.1	-181	-1	-1	14.2	3712	59	3.3	65	0.251					
56-43.4442-105.6556-2-15-	0-W11069	15770	281	2568	74	-1	5.6	4.8	-170	-1	-1	9.1	2704	65	2.1	54	0.304					
56-43.4475-105.6789-2-15-	0-W11072	19570	308	2110	87	-2	8.6	6.8	-179	-1	-1	14.7	3437	65	3.6	113	0.244					
56-43.4694-105.6711-2-15-	0-W11073	16100	317	2706	94	-1	9.0	6.5	-197	-1	-1	14.9	3429	76	4.2	98	0.255					
56-43.4861-105.6728-2-15-	0-W11074	12820	366	2617	82	-1	7.8	6.2	-207	-1	-1	13.0	3482	74	3.4	90	0.269					
56-43.4831-105.6400-2-15-	0-W11075	17070	548	4948	54	-1	5.9	5.7	-245	-1	-1	12.7	3414	50	3.6	76	0.245					
56-43.4944-105.5992-2-15-	0-W11076	18360	609	2446	99	-2	9.7	6.4	618	-1	-1	14.8	3182	84	5.1	186	0.399					
56-43.4931-105.6794-2-15-	0-W11077	17000	295	2276	95	-1	9.7	6.4	-197	-1	-1	15.0	3183	88	4.0	133	0.575					
56-43.4683-105.7247-2-15-	0-W11078	20320	259	2769	48	1	6.5	5.4	-170	-1	-1	10.2	3220	61	3.3	74	0.351					
56-43.4808-105.7331-2-15-	0-W11079	11670	301	1858	58	-1	6.0	6.1	-165	-1	-1	14.6	3514	69	3.3	-13	0.284					
56-43.4839-105.7275-2-15-	0-W11080	13800	257	1495	75	-1	7.7	6.2	-158	-1	-1	12.3	3117	69	4.2	-80	0.316					
56-43.4817-105.7242-2-15-	0-W11081	10610	313	1926	62	-1	7.0	5.6	-174	2	-1	14.3	3657	62	4.5	87	0.339					
56-43.4953-105.7442-2-15-	0-W11082	12870	270	2730	77	-1	9.1	6.8	-187	-1	-1	12.9	3888	80	3.5	121	0.351					
56-43.4058-105.6861-2-15-	0-W11086	12990	368	2841	49	-1	5.2	5.4	-184	-1	-1	10.2	2581	51	3.8	53	0.327					
56-43.3931-105.6975-2-15-	0-W11087	12600	460	3168	106	-1	7.6	6.3	-200	-1	-1	14.0	3368	66	3.1	93	0.247					
56-43.3919-105.6658-2-15-	0-W11089	14470	298	2618	62	-1	7.6	6.4	-191	-1	-1	14.8	3162	61	4.3	84	0.280					
56-43.3711-105.6753-2-15-	0-W11090	10900	233	2624	55	-1	5.8	5.4	-159	-1	-1	10.6	2749	56	2.7	51	0.270					
56-43.3600-105.6667-2-15-	0-W11090	13540	322	2503	65	-1	5.4	5.3	-179	-1	-1	10.8	3305	59	3.8	85	0.326					
56-43.3714-105.7208-2-15-	0-W11091	12670	340	3740	93	-1	7.2	5.5	-183	-1	-1	13.0	2868	61	4.2	49	0.243					
56-43.3958-105.5981-2-15-	0-W11093	13320	255	2446	70	-1	7.8	5.6	-177	-1	-1	12.6	2738	66	3.3	109	0.221					
56-43.3342-105.5608-2-15-	0-W11095	13340	386	3322	50	-1	7.2	10.0	-207	-1	-1	23.0	4230	69	5.1	-66	0.228					
56-43.3497-105.6139-2-15-	0-W11099	18110	286	3304	46	-1	5.8	5.3	-177	-1	-1	11.6	3230	61	3.7	64	0.312					
56-43.2989-105.6339-2-15-	0-W11100	12320	226	2811	71	-1	7.5	5.6	-155	-1	-1	13.1	2996	71	3.1	113	0.258					
56-43.2817-105.6403-2-15-	0-W11102	17380	384	2590	-26	-1	7.5	6.7	-245	-1	-1	15.0	3325	84	4.7	-73	0.233					
56-43.2614-105.7011-2-15-	0-W11106	14120	375	2693	58	-1	7.2	6.7	-203	-1	-1	12.3	3056	70	3.5	-57	0.263					

[illegible]

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.3156-105.7383-2-15-	0-W111107	-5	5	-5	30	-20	-15	10	-10	-15	2	23						
56-43.2808-105.7042-2-15-	0-W111108	-5	-5	-5	31	-20	-15	7	-10	-15	2	45						
56-43.3186-105.6847-2-15-	0-W111110	-5	5	-5	26	-20	-15	9	-10	-15	2	37						
56-43.4975-105.9072-2-15-	0-W111114	-5	5	-5	18	-20	-15	-5	-10	-15	1	26						
56-43.4569-105.9455-2-15-	0-W111115	-5	-5	-5	16	-20	-15	7	-10	-15	1	19						
56-43.4278-105.9603-2-15-	0-W111116	-5	-5	-5	21	-20	-15	5	-10	-15	2	31						
56-43.4611-105.9331-2-15-	0-W111118	-5	7	-5	14	-20	-15	10	-10	-15	1	18						
56-43.3925-105.9625-2-15-	0-W111119	-5	-5	-5	23	-20	-15	7	-10	-15	2	25						
56-43.4403-105.8925-2-15-	0-W111121	-5	-5	-5	23	-20	-15	5	-10	-15	1	26						
56-43.4214-105.8992-2-15-	0-W111122	-5	7	-5	14	-20	-15	-5	-10	-15	1	14						
56-43.4269-105.8050-2-15-	0-W111123	-5	-5	-5	33	-20	-15	7	-10	-15	2	48						
56-43.4125-105.8294-2-15-	0-W111125	-5	-5	-5	20	-20	-15	8	-10	-15	2	25						
56-43.4647-105.7808-2-15-	0-W111127	-5	-5	-5	13	-20	-15	6	-10	-15	2	23						
56-43.4844-105.7850-2-15-	0-W111128	-5	-5	-5	27	-20	-15	9	-10	-15	2	35						
56-43.4442-105.7597-2-15-	0-W111129	-5	-5	5	28	-20	-15	9	-10	-15	2	46						
56-43.3722-105.7828-2-15-	0-W111130	-5	5	-5	17	-20	-15	5	-10	-15	2	23						
56-43.3606-105.7797-2-15-	0-W111131	-5	-5	-5	18	-20	-15	-5	-10	-15	2	31						
56-43.3831-105.8531-2-15-	0-W111133	-5	7	-5	22	-20	-15	-5	-10	-15	2	29						
56-43.9711-104.7583-2-15-	0-W111135	-5	-5	-5	22	-20	16	5	-10	-15	1	22						
56-43.9894-104.7717-2-15-	0-W111136	-5	-5	-5	12	-20	-15	5	-10	-15	2	19						
56-43.9422-104.9619-2-15-	0-W111140	-5	6	-5	28	-20	18	27	-10	-15	2	36						
56-43.9519-104.8917-2-15-	0-W111142	-5	-5	-5	25	-20	-15	11	-10	-15	2	21						
56-43.9544-104.9183-2-15-	0-W111144	-5	-5	-5	17	-20	-15	-5	-10	-15	1	13						
56-43.9628-104.9281-2-15-	0-W111145	-5	-5	-5	21	-20	-15	-5	-10	-15	1	21						
56-43.9933-104.9531-2-15-	0-W111147	-5	-5	-5	24	-20	23	8	-10	-15	2	23						
56-43.9153-104.7792-2-15-	0-W111149	-5	-5	-5	16	-20	-15	10	-10	-15	2	18						
56-43.9072-104.7908-2-15-	0-W111150	-5	-5	-5	22	-20	-15	11	-10	-15	2	24						
56-43.9164-104.8439-2-15-	0-W111152	-5	6	-5	24	-20	-15	9	-10	-15	2	28						
56-43.9164-104.8328-2-15-	0-W111153	-5	-5	-5	26	-20	-15	5	-10	-15	2	30						
56-43.9044-104.8544-2-15-	0-W111154	-5	5	-5	29	-20	18	12	-10	-15	2	31						
56-43.8819-104.8158-2-15-	0-W111155	-5	-5	-5	28	-20	-15	9	-10	-15	2	32						
56-43.8950-104.8844-2-15-	0-W111157	-5	-5	-5	25	-20	-15	8	-10	-15	2	26						
56-43.9022-104.9208-2-15-	0-W111159	-5	-5	-5	30	-20	15	8	-10	-15	2	27						
56-43.8875-104.9386-2-15-	0-W111160	-5	-5	-5	23	-20	-15	-5	-10	-15	2	21						
56-43.8792-104.9569-2-15-	0-W111161	-5	-5	-5	26	-20	-15	7	-10	-15	2	25						
56-43.8839-104.9658-2-15-	0-W111162	-5	-5	-5	25	-20	-15	7	-10	-15	2	22						
56-43.8836-104.9589-2-15-	0-W111163	-5	-5	-5	25	-20	-15	5	-10	-15	2	16						
56-43.8792-104.9889-2-15-	0-W111164	-5	5	-5	28	-20	-15	7	-10	-15	2	25						
56-43.8564-104.9167-2-15-	0-W111165	-5	-5	-5	18	-20	-15	11	-10	-15	2	21						
56-43.7858-104.8150-2-15-	0-W111167	-5	-5	-5	18	-20	-15	-5	-10	-15	2	27						
56-43.8294-104.8475-2-15-	0-W111170	-5	-5	-5	29	-20	16	11	-10	-15	2	25						
56-43.8453-104.8494-2-15-	0-W111171	-5	7	5	24	-20	17	11	-10	-15	2	34						
56-43.7681-104.8544-2-15-	0-W111174	-5	-5	-5	30	-20	-15	11	-10	-15	2	21						
56-43.7947-104.8635-2-15-	0-W111176	-5	-5	-5	20	-20	-15	-5	-10	-15	1	19						
56-43.7900-104.9017-2-15-	0-W111178	-5	-5	-5	23	-20	-15	-5	-10	-15	2	28						
56-43.8147-104.9453-2-15-	0-W111179	-5	-5	-5	31	-20	-15	15	-10	-15	2	25						
56-43.8350-104.9456-2-15-	0-W111180	-5	-5	-5	19	-20	-15	9	-10	-15	2	22						
56-43.8486-104.9840-2-15-	0-W111181	-5	-5	-5	24	-20	-15	10	-10	-15	2	30						
56-43.8236-104.9072-2-15-	0-W111182	-5	-5	-5	20	-20	15	9	-10	-15	2	21						
56-43.8211-104.8864-2-15-	0-W111183	-5	-5	-5	24	-20	-15	5	-10	-15	2	45						
56-43.9564-104.6717-2-15-	0-W111186	-5	5	-5	23	-20	-15	9	-10	-15	2	29						

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.3156-105.7383-2-15-	0-W111107	48160	-0.05	727	18150	57	-50	4.9	38	2.4	4	1.1	16600	6.3	20040	27	0.3					
56-43.2808-105.7042-2-15-	0-W111108	65090	-0.07	543	24300	70	-56	9.6	65	5.4	5	1.4	29060	5.5	16990	35	0.4					
56-43.3186-105.6847-2-15-	0-W111110	66910	-0.06	533	13950	82	-44	8.5	65	4.9	5	1.5	26840	8.6	16970	34	0.5					
56-43.4975-105.9072-2-15-	0-W111114	47300	-0.06	566	38550	74	-62	6.1	43	-1.4	5	1.3	19050	12.0	18910	34	0.4					
56-43.4569-105.9456-2-15-	0-W111115	36980	-0.04	550	3725	54	150	3.3	32	2.2	4	0.9	11080	12.9	16750	25	0.3					
56-43.4278-105.9603-2-15-	0-W111116	52440	-0.06	574	11180	72	133	6.1	43	3.9	5	1.2	18200	13.8	17290	32	0.4					
56-43.4611-105.9331-2-15-	0-W111118	39110	-0.05	599	14930	87	-45	5.3	43	2.4	4	1.3	14580	16.8	16960	35	0.5					
56-43.3925-105.9625-2-15-	0-W111119	44260	-0.05	600	4055	75	-50	5.3	45	3.4	5	1.4	14790	11.3	19300	32	0.4					
56-43.4403-105.8925-2-15-	0-W111121	53180	-0.06	610	14790	69	-63	5.9	38	2.4	5	1.2	15220	8.3	18240	27	0.3					
56-43.4214-105.8992-2-15-	0-W111122	38980	-0.05	574	5292	82	-48	4.2	44	2.8	5	1.3	14190	17.0	18070	34	0.4					
56-43.4269-105.8050-2-15-	0-W111123	83600	-0.07	504	30760	86	-50	9.2	83	6.9	5	1.4	29940	7.4	16530	44	0.5					
56-43.4125-105.8294-2-15-	0-W111125	53260	-0.05	481	20520	105	-49	6.6	44	2.3	6	1.4	23180	18.6	15630	47	0.5					
56-43.4647-105.7808-2-15-	0-W111127	52180	-0.05	1395	22680	74	-53	5.1	60	2.4	5	1.5	15640	11.2	20110	32	0.4					
56-43.4844-105.7850-2-15-	0-W111129	61160	-0.07	629	10060	92	-52	8.4	54	4.9	5	1.6	25060	9.7	21420	39	0.4					
56-43.4442-105.7597-2-15-	0-W111129	68050	-0.06	593	15930	99	-40	10.2	73	6.8	5	1.7	29950	6.5	23310	40	0.5					
56-43.3722-105.7828-2-15-	0-W111130	50300	-0.05	562	29740	95	151	5.7	42	-1.3	5	1.3	21110	17.7	16470	48	0.5					
56-43.3606-105.7797-2-15-	0-W111131	58900	-0.06	628	23110	69	-60	5.7	45	2.9	4	1.0	18170	7.3	17760	33	0.2					
56-43.3831-105.8531-2-15-	0-W111133	53840	-0.06	590	18400	107	-68	7.4	55	3.3	5	1.5	22460	14.5	19940	48	0.5					
56-43.9711-104.7583-2-15-	0-W111135	40120	-0.11	711	27730	37	-106	8.5	34	-2.3	3	1.2	34820	3.7	12060	11	-0.2					
56-43.9894-104.7717-2-15-	0-W111136	42140	-0.03	581	-619	59	-66	4.5	60	4.2	4	1.2	15030	10.0	17720	27	0.4					
56-43.9422-104.9619-2-15-	0-W111140	54410	-0.13	578	5410	58	-74	-2.5	-17	-3.2	5	1.3	21280	10.1	16680	41	0.6					
56-43.9519-104.8917-2-15-	0-W111142	49580	-0.05	627	3630	61	-53	5.6	39	4.5	4	1.2	17370	7.3	18200	22	0.3					
56-43.9544-104.9183-2-15-	0-W111144	42870	-0.07	515	2331	52	-34	3.9	40	4.5	4	0.9	11430	9.9	15530	24	0.3					
56-43.9628-104.9281-2-15-	0-W111145	48500	-0.14	567	3519	52	-64	-2.7	36	-3.2	5	1.1	16880	8.9	20520	-10	-0.2					
56-43.9933-104.9531-2-15-	0-W111147	67630	-0.06	553	3129	66	-44	5.4	52	5.9	5	1.1	16460	7.9	17900	29	0.3					
56-43.9153-104.7792-2-15-	0-W111149	46180	-0.07	628	9480	49	75	5.1	38	3.6	4	1.0	15240	5.5	17130	29	0.3					
56-43.9072-104.7908-2-15-	0-W111150	54860	-0.15	502	8199	45	-60	9.0	65	-3.4	4	1.2	19540	3.8	16500	18	-0.2					
56-43.9164-104.8439-2-15-	0-W111152	58570	-0.14	511	10610	70	-61	7.6	-16	-3.5	5	1.8	21310	7.0	19280	32	-0.2					
56-43.9164-104.8323-2-15-	0-W111153	62870	-0.06	541	9598	65	-58	6.4	50	5.9	4	1.4	21960	6.7	21460	33	0.3					
56-43.9044-104.8544-2-15-	0-W111154	65960	-0.09	519	10520	52	-51	6.7	57	5.4	5	1.3	20120	6.4	19610	29	0.3					
56-43.8819-104.8158-2-15-	0-W111155	63830	-0.04	582	3835	62	-71	7.8	54	6.0	5	1.4	23590	5.8	23910	28	0.4					
56-43.8950-104.8844-2-15-	0-W111157	61590	-0.14	504	11230	66	-66	-2.3	-18	-3.7	5	1.3	20640	6.0	19820	19	-0.2					
56-43.9022-104.9268-2-15-	0-W111159	60580	-0.06	573	12870	70	-60	6.3	48	5.8	5	1.3	20910	6.8	19730	37	0.4					
56-43.8875-104.9386-2-15-	0-W111160	49450	-0.07	463	12600	62	-56	5.0	33	4.9	4	1.1	14650	6.4	18300	26	0.3					
56-43.8792-104.9569-2-15-	0-W111161	53910	-0.14	622	4815	55	-72	-2.1	-19	-3.2	5	1.3	16040	7.1	23480	-12	0.4					
56-43.8839-104.9658-2-15-	0-W111162	55520	-0.13	554	12280	75	-72	-2.4	46	-3.2	5	0.5	19810	7.0	18740	39	0.6					
56-43.8836-104.9589-2-15-	0-W111163	51330	-0.05	497	3709	68	-61	6.0	39	4.7	5	1.5	18390	8.2	19250	31	0.3					
56-43.8792-104.9889-2-15-	0-W111164	62830	-0.09	621	6399	61	-58	7.2	56	5.1	5	1.5	19110	7.6	21040	26	0.3					
56-43.8564-104.9167-2-15-	0-W111165	54270	-0.13	537	13660	55	-65	-2.2	44	5.3	4	1.4	16530	6.3	17790	24	0.4					
56-43.7858-104.8150-2-15-	0-W111169	51790	-0.12	1144	16060	60	111	-2.1	57	-3.0	5	0.9	20170	8.3	18010	38	-0.2					
56-43.8294-104.8475-2-15-	0-W111170	60610	-0.06	547	12340	66	-63	7.5	54	5.9	4	1.3	23840	6.4	19980	27	0.4					
56-43.8453-104.8494-2-15-	0-W111171	74900	-0.09	604	10450	67	-58	8.1	56	6.8	5	1.5	21670	5.3	22690	29	0.4					
56-43.7681-104.8544-2-15-	0-W111174	49500	-0.12	510	21690	44	-63	7.1	34	-2.8	4	1.1	15290	5.7	19320	25	0.3					
56-43.7947-104.8636-2-15-	0-W111176	49340	-0.11	553	4465	41	-47	7.4	-14	-2.8	4	-0.4	14690	6.8	16390	16	-0.2					
56-43.7900-104.9017-2-15-	0-W111178	48500	-0.05	561	13390	58	-51	6.5	46	4.8	4	1.1	16750	7.2	21110	30	0.3					
56-43.8147-104.9453-2-15-	0-W111179	51670	-0.08	557	9167	74	-54	6.3	47	5.2	6	1.2	18360	11.8	19930	30	0.5					
56-43.8350-104.9456-2-15-	0-W111180	51300	-0.04	553	6717	59	-58	4.8	44	4.9	4	1.2	26180	7.7	19850	26	0.3					
56-43.8486-104.9850-2-15-	0-W111181	57160	-0.12	622	6256	61	-64	-2.0	46	-3.0	5	1.0	22120	8.7	22240	36	0.4					
56-43.8236-104.9072-2-15-	0-W111182	55070	-0.05	550	8946	76	-58	6.2	45	5.3	5	1.4	20030	10.5	24010	32	0.4					
56-43.8211-104.8464-2-15-	0-W111183	74180	-0.09	577	5520	67	-51	7.1	56	6.4	5	1.3	18610	5.7	21570	35	0.4					
56-43.9544-104.7117-2-15-	0-W111186	59870	-0.15	523	2781	63	-37	9.9	48	4.0	5	1.4	18320	8.4	15080	22	0.3					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

4

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)													U/Th RATIO			
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43.3156-105.7383-2-15-	0-W11107	12470	304	2632	55	-1	5.4	4.6	-181	-1	-1	9.9	3154	54	2.7	103	0.292					
56-43.2808-105.7042-2-15-	0-W11108	17730	442	1696	100	-2	9.7	5.9	-221	-1	-1	13.8	3035	89	3.4	137	0.222					
56-43.3186-105.6847-2-15-	0-W11110	22580	295	2415	78	-1	9.3	5.8	-201	-1	-1	12.8	3165	83	5.1	-102	0.269					
56-43.4975-105.9072-2-15-	0-W11114	14260	387	3457	-25	-1	6.5	5.1	-245	-1	-1	12.6	2802	61	3.4	90	0.835					
56-43.4569-105.9456-2-15-	0-W11115	6373	185	1617	-16	-1	3.9	3.7	-137	-1	-1	8.0	2841	41	2.6	-54	0.410					
56-43.4278-105.9603-2-15-	0-W11116	10050	216	2123	75	-1	6.7	6.1	-164	-1	-1	11.1	2864	56	2.8	123	0.382					
56-43.4611-105.9331-2-15-	0-W11118	8457	207	2306	54	-1	5.4	5.4	-176	-1	-1	12.0	2832	40	4.3	77	0.333					
56-43.3925-105.9625-2-15-	0-W11119	5242	232	4820	77	-1	5.9	6.6	-172	-1	-1	10.5	3329	52	3.3		0.303					
56-43.4403-105.8925-2-15-	0-W11121	12280	441	3792	55	-1	5.8	4.9	256	-1	-1	12.4	2696	69	2.3	-60	0.286					
56-43.4214-105.8992-2-15-	0-W11122	5863	212	3348	61	-1	5.1	5.5	-144	-1	-1	15.3	2953	46	3.7	45	0.220					
56-43.4269-105.8050-2-15-	0-W11123	20290	281	1879	102	-2	12.0	6.7	-222	-1	-1	15.0	3901	112	3.1	154	0.469					
56-43.4125-105.8294-2-15-	0-W11125	14410	515	2789	-23	-1	7.6	9.0	-227	-1	-1	19.5	3430	77	4.4	110	0.346					
56-43.4647-105.7808-2-15-	0-W11127	14780	374	2730	46	-1	5.6	5.2	-189	-1	-1	14.7	3226	56	3.0	62	0.243					
56-43.4844-105.7850-2-15-	0-W11128	14940	322	2358	-26	-1	8.8	6.8	-187	-1	-1	15.0	2940	83	3.0	84	0.233					
56-43.4442-105.7597-2-15-	0-W11129	21050	294	1492	71	-2	10.7	7.1	-206	-1	-1	15.4	3196	91	5.6	135	0.244					
56-43.3722-105.7828-2-15-	0-W11130	16560	496	4410	-22	-1	6.4	8.1	-242	-1	-1	18.8	4048	57	4.3	106	0.519					
56-43.3606-105.7797-2-15-	0-W11131	14630	394	2928	60	-1	6.4	4.0	-216	-1	-1	9.8	3233	67	3.4	105	0.692					
56-43.3831-105.8531-2-15-	0-W11133	14180	403	5054	75	-2	7.4	6.9	-211	-1	-1	21.8	3285	57	4.3	-113	0.223					
56-43.9711-104.7583-2-15-	0-W11135	10660	811	3151	-44	-2	5.6	3.9	-583	-2	-1	5.5	-1325	55	-2.2	-84	0.949					
56-43.9894-104.7717-2-15-	0-W11136	5452	225	5172	-23	1	5.1	4.2	-190	-1	-1	7.5	2663	50	3.1	44	0.355					
56-43.9422-104.9619-2-15-	0-W11140	11840	352	5834	-58	-3	8.1	5.4	-216	-3	-1	13.6	2828	68	-2.7	-92	0.246					
56-43.9519-104.8917-2-15-	0-W11142	9845	305	4104	74	-1	6.3	4.5	-219	-1	-1	8.6	2809	51	3.6	82	0.269					
56-43.9544-104.9183-2-15-	0-W11144	6103	159	1931	61	-2	4.7	3.9	-153	-1	-1	6.5	2833	50	-1.2	-31	0.426					
56-43.9628-104.9281-2-15-	0-W11145	10040	311	4275	-55	-3	6.0	4.3	-199	-3	-1	10.4	3029	50	-2.8	-54	0.246					
56-43.9933-104.9531-2-15-	0-W11147	9925	164	2044	87	-1	8.2	4.3	-175	-1	-1	10.5	3496	72	2.6	122	0.284					
56-43.9153-104.7792-2-15-	0-W11149	14910	231	4816	-25	-2	5.6	4.3	-173	-1	-1	7.1	2679	58	2.3	79	0.327					
56-43.9072-104.7908-2-15-	0-W11150	18360	272	3644	-57	-3	7.7	3.7	-187	-3	-1	9.6	2757	66	-2.8	-84	0.288					
56-43.9164-104.8439-2-15-	0-W11152	18890	289	3259	-65	-3	8.5	4.7	-194	-3	-1	7.2	2820	68	-2.9	-76	0.432					
56-43.9164-104.8328-2-15-	0-W11153	16540	271	4489	73	-1	8.2	5.6	-224	-1	-1	11.1	3274	65	3.8	-42	0.259					
56-43.9044-104.8544-2-15-	0-W11154	19840	275	3575	71	-2	7.7	4.7	-210	-1	-1	9.9	3438	65	2.7		0.314					
56-43.8819-104.8158-2-15-	0-W11155	12920	368	4394	91	-1	9.9	5.0	-225	-1	-1	8.9	3230	72	2.7	83	0.321					
56-43.8950-104.8844-2-15-	0-W11157	21620	262	4005	-65	-3	8.7	4.5	-199	-3	-1	10.4	3051	60	-2.8	-91	0.272					
56-43.9022-104.9208-2-15-	0-W11159	16310	265	4536	72	-1	8.2	5.9	-215	-1	-1	10.3	3164	65	3.7	152	0.287					
56-43.8875-104.9386-2-15-	0-W11160	14500	299	5606	67	-2	5.7	3.8	-194	-1	-1	7.5	2614	45	3.2		0.329					
56-43.8792-104.9569-2-15-	0-W11161	13270	332	5805	-52	-3	7.2	4.5	-216	-3	-2	8.4	3151	54	-2.8		0.340					
56-43.8839-104.9658-2-15-	0-W11162	17160	353	5228	-56	-3	7.5	5.8	-214	-3	-1	9.7	2844	53	-2.4	-73	0.287					
56-43.8836-104.9589-2-15-	0-W11163	10900	292	5592	61	-1	6.9	5.6	-214	-1	-1	10.0	2662	52	2.7	66	0.252					
56-43.8792-104.9883-2-15-	0-W11164	17450	285	5321	60	-2	7.2	5.5	-210	-1	-1	10.5	3221	60	-1.7	90	0.273					
56-43.8564-104.9167-2-15-	0-W11165	10150	260	5266	-44	-3	6.9	4.4	-192	-3	-1	8.1	3160	53	-2.7	-29	0.346					
56-43.7858-104.8150-2-15-	0-W11169	13320	430	5834	-53	-3	7.1	4.2	-226	-3	-1	8.6	2624	68	-2.5		0.324					
56-43.8294-104.8475-2-15-	0-W11170	16870	343	5080	70	-1	8.3	6.0	-233	-1	-1	10.6	3024	70	3.5	134	0.258					
56-43.8453-104.8494-2-15-	0-W11171	22380	308	4463	-33	-2	9.0	5.1	-218	-1	-1	10.3	3634	90	-1.8	-78	0.318					
56-43.7681-104.8544-2-15-	0-W11174	23710	316	5004	106	-3	6.0	3.8	-191	-3	-1	6.9	2471	48	-2.5	-65	0.433					
56-43.7947-104.8636-2-15-	0-W11176	10180	136	2584	-47	-3	6.5	3.2	-132	-3	-1	7.3	2698	64	-2.3	-75	0.340					
56-43.7900-104.9017-2-15-	0-W11178	16750	258	4599	66	-1	6.4	5.7	-186	-1	-1	9.3	2312	53	3.1	112	0.304					
56-43.8147-104.9453-2-15-	0-W11179	12440	294	5418	-26	-2	5.6	5.4	-200	-1	-1	10.9	3165	58	3.5	49	0.294					
56-43.8350-104.9454-2-15-	0-W11180	12640	264	5210	57	6	6.0	4.8	-201	-1	-1	8.6	2435	55	2.1	52	0.317					
56-43.8486-104.9850-2-15-	0-W11181	12030	306	5011	-42	-3	7.6	4.6	-188	-2	-1	9.6	2958	60	-2.3	-69	0.301					
56-43.8236-104.9072-2-15-	0-W11182	16080	275	5538	36	-1	7.4	6.3	-201	-1	-1	10.9	3023	56	3.8	-89	0.265					
56-43.8211-104.8864-2-15-	0-W11183	15660	219	3517	34	-2	9.0	5.6	-187	-1	-1	10.4	4460	89	-2.0	-34	0.313					
56-43.9564-104.6717-2-15-	0-W11186	10470	233	1666	-56	-3	8.7	4.8	-175	-3	-1	11.0	3578	81	4.2	-82	0.386					

DOE SAMPLE NUMBER						LAST SAMPLE LOCATION NUMBER AND FIELD DATA																				U CONCENTRATION									
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCINTILLOMETER (c/d ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	CLOUDS/UP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC)	UNITS IN ppm
							DATE	HOUR																											
56-43.9783-104.5517-2-15	0-W11190-08/29/77-9	15	-	-	-	-	-	-	-	-	-	-	-	-	14-1-1-4-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.66		
56-43.9333-104.6000-2-15	0-W11192-08/29/77-11	20	-	-	-	-	-	-	-	-	-	-	-	-	10-1-1-5-6	-1	-1-4-3-2-1	-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.67	
56-43.9108-104.5819-2-15	0-W11193-08/29/77-12	20	-	-	-	-	-	-	-	-	-	-	-	-	14-1-1-5-6	-1	-1-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.45	
56-43.8900-104.6078-2-15	0-W11195-08/29/77-13	25	-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.67	
56-43.9033-104.5544-2-15	0-W11199-08/29/77-16	25	-	-	-	-	-	-	-	-	-	-	-	-	14-1-1-5-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.50	
56-43.9097-104.6644-2-15	0-W11204-08/29/77-19	18	-	-	-	-	-	-	-	-	-	-	-	-	15-1-1-3-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.57	
56-43.9172-104.6822-2-15	0-W11205-08/29/77-19	18	-	-	-	-	-	-	-	-	-	-	-	-	8-1-1-3-6	-1	-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.58	
56-43.8858-104.6431-2-15	0-W11208-08/29/77-7	10	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-1-4-3-2-3	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.73	
56-43.8106-104.5944-2-15	0-W11209-08/29/77-9	16	-	-	-	-	-	-	-	-	-	-	-	-	8-1-1-5-6	-1	-1-4-3-2-3	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.75	
56-43.8719-104.6056-2-15	0-W11213-08/29/77-11	23	-	-	-	-	-	-	-	-	-	-	-	-	8-1-1-3-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.30	
56-43.9644-104.5622-2-15	0-W11216-08/29/77-15	25	-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-3-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.66	
56-43.8050-104.6625-2-15	0-W11220-08/29/77-19	22	-	-	-	-	-	-	-	-	-	-	-	-	15-1-1-3-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.67	
56-43.8000-104.7217-2-15	0-W11221-08/29/77-18	22	-	-	-	-	-	-	-	-	-	-	-	-	15-1-1-4-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.71	
56-43.8217-104.6714-2-15	0-W11223-08/30/77-7	16	-	-	-	-	-	-	-	-	-	-	-	-	10-1-1-5-6	-1	-1-4-3-2-3	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.93	
56-43.8681-104.6819-2-15	0-W11226-08/30/77-10	18	-	-	-	-	-	-	-	-	-	-	-	-	14-1-1-3-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.86	
56-43.8739-104.7056-2-15	0-W11227-08/30/77-11	25	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.49	
56-43.8942-104.7092-2-15	0-W11229-08/30/77-12	25	-	-	-	-	-	-	-	-	-	-	-	-	14-1-1-5-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.47	
56-43.8900-104.7175-2-15	0-W11230-08/30/77-12	25	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.48	
56-43.8189-104.7542-2-15	0-W11232-08/30/77-14	26	-	-	-	-	-	-	-	-	-	-	-	-	10-1-1-3-4	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.73	
56-43.8561-104.7339-2-15	0-W11236-08/30/77-16	19	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-4-6	-1	-1-4-3-2-4	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.71	
56-43.8542-104.7467-2-15	0-W11236-08/30/77-17	19	-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-4-6	-1	-1-4-3-2-4	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.86	
56-43.8883-104.7425-2-15	0-W11238-08/31/77-9	9	-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.09	
56-43.7611-104.6542-2-15	0-W11241-08/31/77-10	15	-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.58	
56-43.7853-104.5794-2-15	0-W11244-08/31/77-12	19	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.83	
56-43.7756-104.5419-2-15	0-W11247-08/31/77-14	20	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-6-8	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.60	
56-43.7536-104.5542-2-15	0-W11249-08/31/77-15	20	-	-	-	-	-	-	-	-	-	-	-	-	10-1-1-4-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.88	
56-43.7278-104.6714-2-15	0-W11251-08/31/77-17	19	-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-6-8	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.76	
56-43.7394-104.7208-2-15	0-W11253-08/31/77-18	17	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-1-4-3-2-3	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.54	
56-43.7492-104.7478-2-15	0-W11255-08/31/77-19	16	-	-	-	-	-	-	-	-	-	-	-	-	8-1-1-5-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.14	
56-43.7511-104.7425-2-15	0-W11256-08/31/77-19	16	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-1-4-3-2-2	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.17	
56-43.7697-104.7575-2-15	0-W11257-09/01/77-8	9	-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-6-4	-1	-1-4-3-2-4	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.13	
56-43.7631-104.6894-2-15	0-W11258-09/01/77-8	9	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-1-4-3-2-4	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.71	
56-43.7256-104.8981-2-15	0-W11260-09/05/77-9	20	-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.55	
56-43.7125-104.9403-2-15	0-W11261-09/05/77-9	20	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.35	
56-43.7139-104.9778-2-15	0-W11262-09/05/77-10	20	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.13	
56-43.7003-104.9767-2-15	0-W11263-09/05/77-10	20	-	-	-	-	-	-	-	-	-	-	-	-	15-1-1-5-6	-1	-1-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.79	
56-43.7672-104.9797-2-15	0-W11264-09/05/77-10	25	-	-	-	-	-	-	-	-	-	-	-	-	10-1-1-4-1	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.45	
56-43.7692-104.9686-2-15	0-W11265-09/05/77-11	25	-	-	-	-	-	-	-	-	-	-	-	-	14-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.90	
56-43.7575-104.9428-2-15	0-W11267-09/05/77-12	25	-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.33	
56-43.6511-104.9489-2-15	0-W11269-09/05/77-12	28	-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.89	
56-43.6750-104.9111-2-15	0-W11271-09/05/77-15	20	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.78	
56-43.6789-104.8931-2-15	0-W11273-09/05/77-14	28	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.16	
56-43.6992-104.8772-2-15	0-W11274-09/05/77-15	20	-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.31	
56-43.6867-104.9378-2-15	0-W11275-09/05/77-16	20	-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6	-1	-1-4-3-2-1	-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.35	
56-43.7508-104.7972-2-15	0-W11277-09/05/77-17	20	-	-	-	-	-	-	-	-	-	-	-	-	10-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.65	
56-43.7164-104.5600-2-15	0-W11279-09/06/77-10	24	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-2-4-3-3-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.81	
56-43.6650-104.5736-2-15	0-W11282-09/06/77-14	29	-	-	-	-	-	-	-	-	-	-	-	-	10-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.87	
56-43.6383-104.6358-2-15	0-W11286-09/06/77-16	20	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-</							

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

②

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB. SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.9783-104.5517-2-15-			0-W11190				-5	-5	-5	21	-20	-15	10	-10	-15		2	32
56-43.9333-104.6000-2-15-			0-W11192				-5	-5	-5	21	-20	-15	5	-10	-15		2	32
56-43.9108-104.5819-2-15-			0-W11193				-5	-5	-5	21	-20	-15	-5	-10	-15		1	22
56-43.8900-104.6078-2-15-			0-W11195				-5	-5	-5	15	-20	-15	5	-10	-15		1	23
56-43.9033-104.5544-2-15-			0-W11199				-5	-5	-5	11	-20	-15	-5	-10	-15		1	19
56-43.9097-104.6644-2-15-			0-W11204				-5	-5	-5	22	-20	-15	7	-10	-15		2	28
56-43.9172-104.6822-2-15-			0-W11205				-5	-5	-5	24	-20	-15	8	-10	-15		2	22
56-43.8858-104.6431-2-15-			0-W11206				-5	-5	-5	22	-20	-15	9	-10	-15		2	31
56-43.8106-104.5944-2-15-			0-W11209				-5	-5	-5	19	-20	-15	-5	-10	-15		2	21
56-43.8719-104.6056-2-15-			0-W11213				-5	-5	-5	18	-20	-15	6	-10	-15		1	16
56-43.8644-104.5622-2-15-			0-W11216				-5	-5	-5	20	-20	-15	-5	-10	-15		-1	27
56-43.8050-104.6625-2-15-			0-W11220				-5	-5	-5	17	-20	-15	9	-10	-15		2	29
56-43.8000-104.7217-2-15-			0-W11221				-5	-5	-5	23	-20	-15	5	-10	-15		2	32
56-43.8217-104.6714-2-15-			0-W11223				-5	-5	-5	21	-20	-15	8	-10	-15		2	22
56-43.8681-104.6819-2-15-			0-W11226				-5	-5	-5	31	-20	-15	-5	-10	-15		2	28
56-43.8739-104.7056-2-15-			0-W11227				-5	-5	-5	24	-20	-15	7	-10	-15		1	19
56-43.8942-104.7092-2-15-			0-W11229				-5	-5	-5	17	-20	-15	13	-10	-15		2	23
56-43.8900-104.7175-2-15-			0-W11230				-5	-5	-5	18	-20	-15	-5	-10	-15		1	21
56-43.8189-104.7542-2-15-			0-W11232				-5	-5	-5	26	-20	-15	6	-10	-15		2	25
56-43.8561-104.7339-2-15-			0-W11235				-5	-5	-5	29	-20	-15	11	-10	-15		2	26
56-43.8542-104.7467-2-15-			0-W11236				-5	-5	-5	20	-20	-15	7	-10	-15		2	34
56-43.8883-104.7425-2-15-			0-W11238				-5	-5	-5	28	-20	-15	14	-10	-15		2	45
56-43.7611-104.6542-2-15-			0-W11241				-5	-5	-5	22	-20	-15	9	-10	-15		2	25
56-43.7853-104.5794-2-15-			0-W11244				-5	-5	-5	22	-20	-15	-5	-10	-15		2	22
56-43.7756-104.5419-2-15-			0-W11247				-5	-5	-5	24	-20	-15	-5	-10	-15		2	21
56-43.7536-104.5542-2-15-			0-W11249				-5	-5	-5	12	-20	-15	-5	-10	-15		2	18
56-43.7278-104.6714-2-15-			0-W11251				-5	-5	-5	26	-20	-15	11	-10	-15		2	31
56-43.7394-104.7208-2-15-			0-W11253				-5	-5	-5	23	-20	-15	6	-10	-15		1	20
56-43.7492-104.7478-2-15-			0-W11255				-5	-5	-5	21	-20	-15	-5	-10	-15		2	29
56-43.7511-104.7425-2-15-			0-W11256				-5	-5	-5	25	-20	-15	11	-10	-15		2	32
56-43.7697-104.7575-2-15-			0-W11257				-5	-5	-5	29	-20	-15	7	-10	-15		2	40
56-43.7631-104.6894-2-15-			0-W11258				-5	-5	-5	34	-20	-15	16	-10	-15		2	29
56-43.7256-104.8981-2-15-			0-W11260				-5	-5	-5	21	-20	-15	5	-10	-15		1	24
56-43.7125-104.9463-2-15-			0-W11261				-5	-5	-5	20	-20	-15	8	-10	-15		2	30
56-43.7139-104.9778-2-15-			0-W11262				-5	-5	-5	20	-20	-15	22	7	-10	-15	2	22
56-43.7003-104.9767-2-15-			0-W11263				-5	-5	-5	26	-20	-15	6	-10	-15		2	29
56-43.7672-104.9797-2-15-			0-W11264				-5	-5	-5	12	-20	-15	-5	-10	-15		1	15
56-43.7692-104.9686-2-15-			0-W11265				-5	-5	-5	18	-20	-15	7	-10	-15		1	28
56-43.7575-104.9428-2-15-			0-W11267				-5	-5	-5	20	-20	-15	10	-10	-15		2	24
56-43.6511-104.9489-2-15-			0-W11269				-5	-5	-5	32	-20	-15	16	-10	-15		2	33
56-43.6750-104.9111-2-15-			0-W11271				-5	-5	-5	24	-20	-15	5	-10	-15		2	21
56-43.6789-104.8931-2-15-			0-W11273				-5	-5	-5	27	-20	-15	8	-10	-15		2	29
56-43.6992-104.8772-2-15-			0-W11274				-5	-5	-5	25	-20	-15	12	-10	-15		1	34
56-43.6867-104.9378-2-15-			0-W11275				-5	-5	-5	32	-20	-15	12	-10	-15		2	39
56-43.7508-104.7972-2-15-			0-W11277				-5	-5	-5	28	-20	-15	5	-10	-15		1	17
56-43.7164-104.5600-2-15-			0-W11279				-5	-5	-5	24	-20	-15	6	-10	-15		2	31
56-43.6650-104.5736-2-15-			0-W11282				-5	-5	-5	27	-20	-15	-5	-10	-15		2	19
56-43.6383-104.6358-2-15-			0-W11286				-5	-5	-5	27	-20	-15	17	-10	-15		2	28
56-43.6392-104.6081-2-15-			0-W11287				-5	-5	-5	21	-20	-15	6	-10	-15		2	26
56-43.6469-104.5975-2-15-			0-W11288				-5	-5	-5	23	-20	-15	-5	-10	-15		2	24
56-43.6394-104.5976-2-15-			0-W11289				-5	-5	-5	31	-20	-15	9	-10	-15		2	27

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.9783-104.5517-2-15-	0-W111120	62890	-0.12	693	8198	52	-87	-2.1	54	-2.8	4	1.6	22930	5.9	16840	18	0.5					
56-43.9333-104.6000-2-15-	0-W111122	44470	-0.05	544	15720	69	231	5.0	40	2.8	4	1.2	15440	9.2	16210	30	0.4					
56-43.9108-104.5819-2-15-	0-W111193	37460	-0.06	895	11520	63	-64	2.6	24	-1.3	4	1.3	8425	11.0	17390	26	0.3					
56-43.8900-104.6078-2-15-	0-W111195	51670	-0.12	546	5585	55	-67	5.3	-16	-2.8	5	1.5	16500	7.6	18120	-10	-0.2					
56-43.9033-104.5544-2-15-	0-W111199	32850	-0.09	702	13190	62	-74	-1.7	42	-2.0	4	1.4	8456	12.7	20960	17	0.4					
56-43.9097-104.6644-2-15-	0-W111204	59730	-0.06	578	10060	70	-69	7.4	57	4.7	5	1.4	21100	7.3	18410	35	0.5					
56-43.9172-104.6822-2-15-	0-W111205	59700	-0.09	739	5333	56	-70	6.5	45	4.2	5	1.4	18930	5.7	20670	26	0.3					
56-43.8858-104.6431-2-15-	0-W111206	63000	-0.14	614	13450	42	-72	4.9	66	4.8	4	1.1	23500	-1.9	17240	-10	-0.2					
56-43.8106-104.5944-2-15-	0-W111209	48550	-0.11	1120	15800	59	-81	7.1	62	-2.7	5	0.7	17680	11.7	15540	33	0.4					
56-43.8719-104.6056-2-15-	0-W111213	45530	-0.05	618	15320	53	-71	5.2	31	3.0	4	1.1	16200	7.2	17910	24	0.3					
56-43.8644-104.5622-2-15-	0-W111216	51730	-0.07	590	4983	69	-52	5.9	35	3.5	4	1.3	14960	10.7	18000	24	0.4					
56-43.8050-104.6625-2-15-	0-W111220	58040	-0.16	871	6072	57	-70	8.8	58	-3.7	5	1.2	22090	5.2	18130	22	-0.2					
56-43.8000-104.7217-2-15-	0-W111221	59730	-0.13	698	8216	76	-64	5.9	-16	-3.2	5	1.5	22950	6.9	21200	35	0.5					
56-43.8217-104.6714-2-15-	0-W111223	58190	-0.06	625	3730	76	-64	7.0	56	4.9	5	1.3	23350	7.7	21810	37	0.4					
56-43.8681-104.6819-2-15-	0-W111226	61340	-0.09	707	4534	58	-60	5.6	54	4.3	5	1.4	19420	7.4	19900	33	0.3					
56-43.8739-104.7056-2-15-	0-W111227	48450	-0.12	577	4552	45	-61	-2.1	54	-2.7	4	1.4	17510	7.7	17580	22	0.3					
56-43.8942-104.7092-2-15-	0-W111229	53580	-0.13	603	4642	54	-68	6.7	43	-3.0	4	1.4	18880	7.3	18300	37	0.4					
56-43.8900-104.7175-2-15-	0-W111230	57710	-0.06	712	5243	61	-72	7.1	50	3.8	5	1.3	21810	7.2	20030	28	0.3					
56-43.8189-104.7542-2-15-	0-W111232	47530	-0.07	1716	24780	62	-60	4.9	39	4.1	5	1.7	17850	9.1	16300	28	0.4					
56-43.8561-104.7339-2-15-	0-W111235	58030	-0.13	708	6090	52	-64	6.8	44	5.7	4	0.5	21760	6.2	19250	22	-0.2					
56-43.8542-104.7467-2-15-	0-W111236	51010	-0.12	695	4916	71	-66	-2.1	-17	-3.1	5	1.6	23800	5.5	20740	36	-0.2					
56-43.8883-104.7425-2-15-	0-W111238	80330	-0.06	608	6308	75	-51	8.8	69	7.4	5	1.3	28590	4.8	22100	31	0.4					
56-43.7611-104.6542-2-15-	0-W111241	51740	-0.08	979	12330	60	-68	7.1	38	3.0	5	1.4	18060	7.0	19080	29	0.3					
56-43.7853-104.5794-2-15-	0-W111244	58640	-0.12	1151	23100	62	-90	9.9	49	-3.2	5	0.9	21270	7.9	17070	29	0.6					
56-43.7756-104.5419-2-15-	0-W111247	49350	-0.10	798	22750	62	-91	8.1	-15	-2.9	4	1.7	17490	8.8	15640	31	0.4					
56-43.7536-104.5542-2-15-	0-W111249	40620	-0.04	651	12240	49	-75	4.2	37	2.3	3	1.2	11990	5.6	16700	28	0.3					
56-43.7278-104.6714-2-15-	0-W111251	74450	-0.08	742	8207	70	-65	7.9	52	5.3	5	1.2	20990	7.2	19880	29	0.3					
56-43.7394-104.7208-2-15-	0-W111253	54820	-0.12	655	4308	51	-66	5.8	28	4.4	4	1.0	18600	5.4	19070	-9	0.4					
56-43.7492-104.7478-2-15-	0-W111255	54530	-0.04	597	19080	77	-62	8.8	67	6.9	5	1.0	27800	9.0	20900	33	0.4					
56-43.7511-104.7425-2-15-	0-W111256	61980	-0.06	581	14060	76	-60	6.7	64	5.6	5	1.4	23370	7.0	17860	31	0.4					
56-43.7697-104.7575-2-15-	0-W111257	85670	-0.10	796	7382	69	-58	8.1	75	7.9	6	1.2	25880	6.6	21700	40	0.3					
56-43.7631-104.6894-2-15-	0-W111258	52980	-0.13	843	12490	54	137	5.1	39	5.7	5	1.5	20100	9.3	21360	21	-0.2					
56-43.7256-104.8981-2-15-	0-W111260	47250	-0.10	601	3302	59	-40	4.9	-12	-2.5	4	1.4	16730	8.9	18740	30	-0.1					
56-43.7125-104.9403-2-15-	0-W111261	53830	-0.05	502	12950	72	-58	6.2	45	5.0	5	1.3	19360	8.0	19480	28	0.4					
56-43.7139-104.9778-2-15-	0-W111262	44600	-0.07	626	2396	61	-35	5.6	36	4.4	4	1.3	15670	10.2	16170	28	0.3					
56-43.7003-104.9767-2-15-	0-W111263	55920	-0.14	2493	17020	49	-97	-2.8	43	-3.5	4	2.0	19650	6.6	16230	-11	-0.2					
56-43.7672-104.9797-2-15-	0-W111264	29420	-0.08	453	1533	47	-35	6.7	39	-2.1	4	1.3	13850	11.4	12630	26	-0.1					
56-43.7692-104.9686-2-15-	0-W111265	47390	-0.04	476	2142	56	-33	5.6	43	3.5	4	1.1	14720	9.9	15920	27	0.3					
56-43.7575-104.9428-2-15-	0-W111267	53100	-0.07	600	2824	68	-39	6.2	57	4.4	5	1.1	15240	10.6	14430	30	0.4					
56-43.6511-104.9489-2-15-	0-W111269	65770	-0.14	573	3587	61	-46	9.0	55	5.3	5	1.2	21370	6.5	16700	35	0.4					
56-43.6750-104.9111-2-15-	0-W111271	50410	-0.11	543	6358	66	-57	-2.0	35	5.5	5	1.4	17800	10.4	17230	31	0.5					
56-43.6789-104.8931-2-15-	0-W111273	59900	-0.07	632	4777	57	-51	5.5	47	5.2	5	1.2	16430	5.8	20340	28	0.3					
56-43.6992-104.8772-2-15-	0-W111274	62720	-0.14	533	12830	55	-65	7.8	58	7.0	4	1.2	21210	6.7	21360	-10	0.5					
56-43.6867-104.9378-2-15-	0-W111275	72450	-0.04	577	4461	82	-66	9.1	58	7.2	5	1.4	24530	5.4	23190	31	0.4					
56-43.7508-104.7972-2-15-	0-W111277	44000	-0.05	512	3311	59	-56	4.5	37	4.1	4	1.1	14750	10.1	16860	28	0.3					
56-43.7164-104.5600-2-15-	0-W111279	60820	-0.08	731	7147	64	-68	5.8	38	3.3	4	1.3	18810	5.8	18350	27	0.4					
56-43.6650-104.5736-2-15-	0-W111282	45580	-0.11	588	13040	55	101	-2.0	35	-2.6	4	1.1	14980	7.5	16360	-8	-0.2					
56-43.6383-104.6358-2-15-	0-W111284	65400	-0.15	612	8802	60	-80	8.2	72	-3.9	5	1.3	27570	5.3	19810	42	-0.2					
56-43.6392-104.6081-2-15-	0-W111287	44670	-0.05	2033	28770	79	-88	8.4	53	3.3	4	1.9	34320	12.2	14110	36	0.5					
56-43.6469-104.5975-2-15-	0-W111288	65710	-0.07	704	14430	64	-74	5.6	45	3.5	5	1.3	19930	6.0	20860	28	0.3					
56-43.6304-104.5974-2-15-	0-W111289	60640	-0.14	603	11190	48	-76	-2.3	46	-3.1	5	-0.5	22750	6.5	17910	21	0.3					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

④

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)														U/Th RATIO		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB. SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43.9783-104.5517-2-15-	0-W11190	15300	251	12240	-45	-3	7.6	4.2	348	-3	-1	9.9	3063	76	3.7	-62	0.269					
56-43.9333-104.6000-2-15-	0-W11192	19720	283	21950	71	-1	5.6	5.2	-291	-1	-1	9.2	3391	40	3.5	77	0.290					
56-43.9108-104.5819-2-15-	0-W11193	12530	303	8939	50	-1	3.6	4.6	-194	-1	-1	7.0	2753	30	2.3	38	0.350					
56-43.8900-104.6078-2-15-	0-W11195	12310	314	6687	-47	-3	6.6	4.5	-193	-3	-1	8.4	3139	55	-2.5	-73	0.318					
56-43.9033-104.5544-2-15-	0-W11199	10350	282	9061	-38	-2	3.7	4.0	-179	-2	-1	9.3	2087	30	4.9	-61	0.269					
56-43.9097-104.6644-2-15-	0-W11204	15410	298	7763	75	-1	8.2	6.3	-226	-1	-1	10.5	3108	62	3.6	-63	0.245					
56-43.9172-104.6822-2-15-	0-W11205	12080	264	7617	-32	-2	6.9	4.5	-214	-1	-1	8.0	2964	66	-1.6	-34	0.323					
56-43.8858-104.6431-2-15-	0-W11206	21820	295	6826	-54	-3	8.4	4.2	-198	-3	-1	8.5	2958	77	4.2	-70	0.321					
56-43.8106-104.5944-2-15-	0-W11209	13810	387	9283	-42	-2	6.2	4.7	-209	-2	-1	8.3	2970	48	-2.0	-52	0.331					
56-43.8719-104.6056-2-15-	0-W11213	11500	470	6251	64	-1	5.5	4.4	-270	-1	-1	8.1	2242	43	2.5	115	0.284					
56-43.8644-104.5622-2-15-	0-W11216	11330	301	5908	53	-2	5.6	5.2	-186	-1	-1	9.0	3566	51	3.2	79	0.296					
56-43.8050-104.6625-2-15-	0-W11220	15760	429	5168	-57	-3	8.2	4.2	-237	-3	-2	9.8	3106	70	-3.1	-95	0.272					
56-43.8000-104.7217-2-15-	0-W11221	17600	330	4398	-48	-3	8.0	4.3	-197	-3	-1	9.4	2449	60	-2.6	-93	0.288					
56-43.8217-104.6714-2-15-	0-W11223	12250	322	6132	67	-1	8.3	6.8	-234	-1	-1	12.7	3296	66	2.8	137	0.231					
56-43.8681-104.6819-2-15-	0-W11226	13710	305	5693	91	-2	7.0	5.1	-219	-1	-1	10.8	3158	71	3.6	-69	0.265					
56-43.8739-104.7056-2-15-	0-W11227	11430	320	5535	-47	-3	6.2	4.7	-184	-2	-1	8.5	2986	56	-2.5	-55	0.293					
56-43.8942-104.7092-2-15-	0-W11229	12380	292	5975	-50	-3	7.5	4.6	-192	-3	-1	8.4	2838	63	-2.3	-88	0.294					
56-43.8900-104.7175-2-15-	0-W11230	14440	369	6789	99	-1	7.6	5.0	-248	-1	-1	9.8	2687	58	3.5	-96	0.253					
56-43.8189-104.7542-2-15-	0-W11232	14270	668	4530	67	-2	6.2	4.3	-260	-1	-1	8.7	2856	55	3.3	-35	0.314					
56-43.8561-104.7339-2-15-	0-W11235	12710	371	4664	-54	-3	7.7	3.9	-209	-3	-1	9.4	3315	62	-2.7	-84	0.288					
56-43.8542-104.7467-2-15-	0-W11236	12810	309	4586	-54	-3	8.6	5.5	-193	-3	-1	8.8	3079	67	-2.6	-84	0.325					
56-43.8883-104.7425-2-15-	0-W11238	19470	302	2486	79	-1	10.8	7.0	-223	-1	-1	11.8	3698	93	3.6	172	0.262					
56-43.7611-104.6542-2-15-	0-W11241	14950	512	6683	-27	-2	6.0	4.9	-264	-1	-1	8.5	3320	53	3.1	-44	0.304					
56-43.7853-104.5794-2-15-	0-W11244	18700	691	9351	-50	-3	8.1	4.4	-272	-3	-1	8.3	3342	68	-2.6	-80	0.341					
56-43.7756-104.5419-2-15-	0-W11247	18210	400	11990	-52	-3	6.5	5.1	-228	-3	-1	7.7	2345	61	2.4	-65	0.338					
56-43.7536-104.5542-2-15-	0-W11249	12080	301	12500	57	-1	4.5	4.9	-213	-1	-1	6.6	1980	38	2.4	-34	0.285					
56-43.7278-104.6714-2-15-	0-W11251	20170	393	5808	58	-2	8.6	5.0	-242	-2	-1	11.4	3671	85	-1.6	-61	0.330					
56-43.7394-104.7208-2-15-	0-W11253	11670	295	5877	-47	-3	6.6	3.9	-195	-3	-1	7.8	2717	59	-2.6	-80	0.326					
56-43.7492-104.7478-2-15-	0-W11255	25660	321	5374	106	1	9.4	6.2	-220	-1	1	12.9	3355	67	3.9	-80	0.243					
56-43.7511-104.7425-2-15-	0-W11256	20980	286	5260	72	-1	8.7	6.8	-222	-1	-1	11.5	2796	72	3.6	-109	0.276					
56-43.7697-104.7575-2-15-	0-W11257	18550	339	4076	102	-2	10.6	5.6	-231	-2	-1	12.4	4070	102	3.8	-90	0.252					
56-43.7631-104.6894-2-15-	0-W11258	18520	411	4554	-56	-3	7.2	4.7	-223	-3	-1	8.1	3058	60	-2.7	-49	0.335					
56-43.7256-104.8981-2-15-	0-W11260	9096	269	5606	-44	-2	6.1	3.7	-123	-2	-1	8.6	2542	47	4.4	-49	0.297					
56-43.7125-104.9403-2-15-	0-W11261	16470	314	4749	76	-1	7.2	6.1	-208	-1	-1	11.0	2779	64	3.7	123	0.305					
56-43.7139-104.9778-2-15-	0-W11262	6896	220	1974	-26	-2	5.6	4.4	-160	-1	-1	8.2	3209	64	3.1	72	0.382					
56-43.7003-104.9767-2-15-	0-W11263	19700	325	10540	-64	-3	7.0	3.9	-233	-4	-2	7.9	2976	64	-2.9	-82	0.353					
56-43.7672-104.9797-2-15-	0-W11264	3676	119	1546	-37	-2	3.8	3.6	-107	-2	-1	7.8	2089	41	2.2	-61	0.314					
56-43.7692-104.9686-2-15-	0-W11265	7811	142	1814	56	-1	6.1	4.2	-139	-1	-1	8.8	3034	64	3.3	90	0.330					
56-43.7575-104.9428-2-15-	0-W11267	8816	221	1237	44	-2	5.9	5.6	-169	-1	-1	8.9	3671	67	2.7	50	0.374					
56-43.6511-104.9489-2-15-	0-W11269	10570	253	1865	-51	-3	8.6	5.8	-177	-3	-2	11.0	3536	86	-2.7	-27	0.354					
56-43.6750-104.9111-2-15-	0-W11271	10790	244	4251	-46	-3	6.7	5.3	-170	-3	-1	9.2	2426	55	-2.1	-83	0.302					
56-43.6789-104.8931-2-15-	0-W11273	12860	212	3624	-25	-2	6.8	4.7	-170	-1	-1	9.3	3334	73	2.7	60	0.340					
56-43.6992-104.8772-2-15-	0-W11274	24340	285	5019	-49	-3	7.9	4.5	-197	-3	-1	11.0	3036	67	4.9		0.301					
56-43.6867-104.9378-2-15-	0-W11275	19380	299	4352	118	-1	9.9	5.9	-213	-1	-1	11.7	3729	89	3.5	91	0.286					
56-43.7508-104.7972-2-15-	0-W11277	8192	235	5181	67	-1	5.5	4.4	-189	-1	-1	8.3	2515	49	3.5	-46	0.319					
56-43.7164-104.5600-2-15-	0-W11279	15420	363	7878	-27	-2	6.7	3.9	-232	-2	-1	7.4	3507	62	3.0	-42	0.380					
56-43.6650-104.5736-2-15-	0-W11282	13420	317	10310	-44	-2	5.2	4.4	-205	-2	-1	7.5	3102	48	-2.4	-22	0.383					
56-43.6383-104.6358-2-15-	0-W11286	18300	363	6011	-63	-4	9.7	5.8	-240	-4	-2	10.6	3036	91	-3.2		0.280					
56-43.6392-104.6081-2-15-	0-W11287	11920	913	8964	45	-1	7.0	5.8	-350	-1	-1	10.6	2969	58	2.9	-71	0.308					
56-43.5469-104.5975-2-15-	0-W11288	20830	404	8453	-28	-2	7.3	4.2	-246	-2	-1	7.6	3501	76	3.4	-19	0.374					
56-43.6394-104.5955-2-15-	0-W11289	17810	343	7678	-57	-3	8.6	4.5	-214	-3	-1	8.4	2848	68	3.1	-48	0.342					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

①

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																				U CONCENTRATION								
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCINTILLATOR (eu, ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC) UNITS IN ppm
56-43	5972-104.5906-2-15-	0-W11291-09/06/77-18-	27-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.64	
56-43	5864-104.6142-2-15-	0-W11292-09/06/77-18-	26-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.10	
56-43	5811-104.5581-2-15-	0-W11293-09/07/77-7-	16-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.75	
56-43	5706-104.5469-2-15-	0-W11294-09/07/77-8-	16-	-	-	-	-	-	-	-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-2-1-	-9-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.10	
56-43	5569-104.5697-2-15-	0-W11295-09/07/77-8-	16-	-	-	-	-	-	-	-	-	-	-	-	18-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.22	
56-43	6017-104.6558-2-15-	0-W11300-09/07/77-12-	26-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.57	
56-43	6286-104.7008-2-15-	0-W11301-09/07/77-13-	28-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6-	-1-	-1-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.78	
56-43	6778-104.6292-2-15-	0-W11305-09/07/77-17-	25-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-4-6-	-1-	-1-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.67	
56-43	6694-104.6611-2-15-	0-W11306-09/07/77-18-	25-	-	-	-	-	-	-	-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.82	
56-43	6811-104.7003-2-15-	0-W11307-09/08/77-10-	28-	-	-	-	-	-	-	-	-	-	-	-	18-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.04	
56-43	7036-104.8175-2-15-	0-W11309-09/08/77-11-	28-	-	-	-	-	-	-	-	-	-	-	-	8-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.53	
56-43	7000-104.7958-2-15-	0-W11310-09/08/77-11-	28-	-	-	-	-	-	-	-	-	-	-	-	10-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.21	
56-43	6706-104.7531-2-15-	0-W11311-09/08/77-12-	29-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.72	
56-43	6694-104.7722-2-15-	0-W11317-09/08/77-12-	22-	-	-	-	-	-	-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.74	
56-43	6444-104.8347-2-15-	0-W11313-09/08/77-13-	22-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.01	
56-43	6333-104.8547-2-15-	0-W11314-09/08/77-14-	22-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.01	
56-43	6292-104.8333-2-15-	0-W11315-09/08/77-14-	22-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.07	
56-43	6047-104.8769-2-15-	0-W11317-09/08/77-15-	22-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-4-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.24	
56-43	5997-104.9047-2-15-	0-W11319-09/08/77-16-	18-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-4-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.21	
56-43	6508-104.8711-2-15-	0-W11322-09/09/77-8-	9-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.75	
56-43	6564-104.8614-2-15-	0-W11323-09/09/77-8-	9-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.72	
56-43	6397-104.9917-2-15-	0-W11324-09/09/77-9-	14-	-	-	-	-	-	-	-	-	-	-	-	14-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.63	
56-43	6131-104.9428-2-15-	0-W11326-09/09/77-9-	14-	-	-	-	-	-	-	-	-	-	-	-	20-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.41	
56-43	5656-104.9725-2-15-	0-W11327-09/09/77-10-	15-	-	-	-	-	-	-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.32	
56-43	5611-104.9797-2-15-	0-W11328-09/09/77-10-	15-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.40	
56-43	5425-104.9444-2-15-	0-W11329-09/09/77-11-	15-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.27	
56-43	5278-104.9375-2-15-	0-W11331-09/09/77-12-	16-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.31	
56-43	5219-104.9528-2-15-	0-W11332-09/09/77-12-	16-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.30	
56-43	5206-104.9950-2-15-	0-W11333-09/09/77-12-	16-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.92	
56-43	5214-104.9119-2-15-	0-W11334-09/09/77-14-	18-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.67	
56-43	5189-104.8922-2-15-	0-W11335-09/09/77-14-	18-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.78	
56-43	5056-104.8475-2-15-	0-W11336-09/09/77-15-	18-	-	-	-	-	-	-	-	-	-	-	-	11-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.88	
56-43	5083-104.8786-2-15-	0-W11337-09/09/77-14-	18-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.97	
56-43	5408-104.8531-2-15-	0-W11338-09/09/77-15-	18-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.17	
56-43	5364-104.8581-2-15-	0-W11339-09/09/77-15-	18-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.87	
56-43	5267-104.8381-2-15-	0-W11340-09/09/77-15-	18-	-	-	-	-	-	-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.88	
56-43	5311-104.8206-2-15-	0-W11341-09/09/77-16-	21-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.11	
56-43	5344-104.7978-2-15-	0-W11343-09/09/77-16-	21-	-	-	-	-	-	-	-	-	-	-	-	10-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.17	
56-43	5253-104.7639-2-15-	0-W11344-09/09/77-17-	21-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.40	
56-43	5861-104.7644-2-15-	0-W11346-09/09/77-18-	21-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.17	
56-43	5781-104.7900-2-15-	0-W11347-09/09/77-19-	21-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.10	
56-43	5792-104.7969-2-15-	0-W11348-09/09/77-19-	21-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.28	
56-43	6122-104.7675-2-15-	0-W11349-09/09/77-19-	20-	-	-	-	-	-	-	-	-	-	-	-	8-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.22	
56-43	6233-104.8006-2-15-	0-W11351-09/09/77-19-	20-	-	-	-	-	-	-	-	-	-	-	-	10-1-1-4-6-	-1-	-3-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.37	
56-43	5239-104.5319-2-15-	0-W11352-09/10/77-9-	15-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.96	
56-43	5203-104.6111-2-15-	0-W11353-09/10/77-9-	15-	-	-	-	-	-	-	-	-	-	-	-	14-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.93	
56-43	5158-104.5678-2-15-	0-W11354-09/10/77-10-	15-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.78	
56-43	5344-104.6069-2-15-	0-W11355-09/10/77-10-	15-	-	-	-	-	-	-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-												

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.5972-104.5906-2-15-	0-W11291	-5	5	-5	28	-20	22	7	-10	-15			2	25				
56-43.5864-104.6142-2-15-	0-W11292	-5	-5	-5	25	-20	-15	6	-10	-15			2	23				
56-43.5811-104.5581-2-15-	0-W11293	-5	-5	-5	24	-20	-15	9	-10	-15			2	30				
56-43.5706-104.5469-2-15-	0-W11294	-5	8	-5	21	-20	-15	-5	-10	-15			1	23				
56-43.5569-104.5697-2-15-	0-W11295	-5	-5	-5	28	-20	22	10	-10	-15			2	27				
56-43.6017-104.6558-2-15-	0-W11300	-5	6	-5	27	-20	17	5	-10	-15			2	28				
56-43.6286-104.7008-2-15-	0-W11301	-5	5	-5	23	-20	-15	7	-10	-15			2	23				
56-43.6778-104.6292-2-15-	0-W11305	-5	-5	-5	33	-20	36	16	-10	-15			2	41				
56-43.6694-104.6611-2-15-	0-W11306	-5	-5	-5	31	-20	-15	13	-10	-15			2	31				
56-43.6811-104.7003-2-15-	0-W11307	-5	-5	-5	28	-20	-15	-5	-10	-15			2	30				
56-43.7036-104.8175-2-15-	0-W11309	-5	-5	-5	24	-20	-15	7	-10	-15			2	22				
56-43.7000-104.7958-2-15-	0-W11310	-5	-5	-5	24	-20	16	5	-10	-15			2	23				
56-43.6706-104.7531-2-15-	0-W11311	-5	6	-5	23	-20	15	11	-10	-15			2	26				
56-43.6694-104.7722-2-15-	0-W11312	-5	-5	-5	12	-20	-15	-5	-10	-15			1	26				
56-43.6444-104.8347-2-15-	0-W11313	-5	10	-5	26	-20	-15	13	-10	-15			2	26				
56-43.6333-104.8547-2-15-	0-W11314	-5	-5	-5	13	-20	16	9	-10	-15			2	31				
56-43.6292-104.8333-2-15-	0-W11315	-5	10	-5	25	-20	-15	9	-10	-15			2	38				
56-43.6047-104.8769-2-15-	0-W11317	-5	-5	-5	25	-20	15	6	-10	-15			1	26				
56-43.5997-104.9047-2-15-	0-W11319	-5	5	-5	18	-20	-15	-5	-10	-15			2	22				
56-43.6508-104.8711-2-15-	0-W11322	-5	9	-5	21	-20	-15	-5	-10	-15			1	18				
56-43.6564-104.8614-2-15-	0-W11323	-5	-5	-5	26	-20	-15	-5	-10	-15			2	30				
56-43.6397-104.9917-2-15-	0-W11324	-5	7	-5	13	-20	-15	8	-10	-15			1	11				
56-43.6131-104.9428-2-15-	0-W11326	-5	5	-5	16	-20	-15	-5	-10	-15			2	17				
56-43.5556-104.9725-2-15-	0-W11327	-5	5	-5	29	-20	-15	8	-10	-15			2	26				
56-43.5611-104.9797-2-15-	0-W11329	-5	-5	-5	21	-20	-15	6	-10	-15			2	22				
56-43.5425-104.9444-2-15-	0-W11329	-5	-5	-5	15	-20	-15	6	-10	-15			2	21				
56-43.5278-104.9375-2-15-	0-W11331	-5	-5	-5	35	-20	16	11	-10	-15			2	35				
56-43.5219-104.9528-2-15-	0-W11332	-5	7	-5	33	-20	15	15	-10	-15			2	45				
56-43.5206-104.9950-2-15-	0-W11333	-5	-5	-5	30	-20	15	12	-10	-15			2	26				
56-43.5214-104.9119-2-15-	0-W11334	-5	5	-5	14	-20	-15	5	-10	-15			1	19				
56-43.5189-104.8922-2-15-	0-W11335	-5	-5	-5	21	-20	-15	-5	-10	-15			1	12				
56-43.5056-104.8475-2-15-	0-W11336	-5	-5	-5	24	-20	-15	9	-10	-15			2	25				
56-43.5083-104.8786-2-15-	0-W11337	-5	6	-5	-10	-20	-15	-5	-10	-15			1	18				
56-43.5408-104.8531-2-15-	0-W11338	-5	-5	-5	21	-20	-15	8	-10	-15			2	28				
56-43.5364-104.8581-2-15-	0-W11339	-5	-5	-5	11	-20	-15	-5	-10	-15			2	22				
56-43.5267-104.8381-2-15-	0-W11340	-5	-5	-5	32	-20	-15	7	-10	-15			2	35				
56-43.5311-104.8206-2-15-	0-W11341	-5	-5	-5	15	-20	-15	-5	-10	-15			2	21				
56-43.5344-104.7978-2-15-	0-W11342	-5	6	-5	24	-20	-15	10	-10	-15			2	24				
56-43.5253-104.7639-2-15-	0-W11344	-5	-5	-5	13	-20	-15	-5	-10	-15			1	19				
56-43.5861-104.7644-2-15-	0-W11346	-5	8	-5	24	-20	16	13	-10	-15			2	31				
56-43.5781-104.7900-2-15-	0-W11347	-5	-5	-5	26	-20	21	14	-10	-15			2	39				
56-43.5792-104.7969-2-15-	0-W11348	-5	-5	-5	20	-20	-15	-5	-10	-15			2	33				
56-43.6122-104.7675-2-15-	0-W11347	-5	-5	-5	27	-20	-15	9	-10	-15			2	32				
56-43.6233-104.8006-2-15-	0-W11351	-5	6	-5	20	-20	-15	7	-10	-15			2	31				
56-43.5239-104.5319-2-15-	0-W11352	-5	7	-5	23	-20	-15	11	-10	-15			2	24				
56-43.5203-104.6111-2-15-	0-W11353	-5	5	-5	23	-20	-15	10	-10	-15			2	23				
56-43.5158-104.5678-2-15-	0-W11354	-5	-5	-5	19	-20	-15	9	-10	-15			2	21				
56-43.5344-104.6069-2-15-	0-W11355	-5	-5	-5	21	-20	-15	5	-10	-15			2	21				
56-43.5219-104.7358-2-15-	0-W11358	-5	-5	-5	23	-20	19	7	-10	-15			2	33				
56-43.5206-104.6917-2-15-	0-W11359	-5	8	-5	22	-20	18	11	-10	-15			2	27				
56-43.5203-104.6553-2-15-	0-W11360	-5	-5	-5	21	-20	15	12	-10	-15			2	29				

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.5972-104.5906-2-15-			0-W11291			59600	-0.13	823	22890	58	-93	-2.1	66	-3.3	5	1.1	24530	7.4	17190	26	-0.2	
56-43.5864-104.6142-2-15-			0-W11292			54930	-0.05	571	14210	66	-65	6.4	52	4.2	5	1.3	22120	11.0	19680	33	0.4	
56-43.5811-104.5581-2-15-			0-W11293			59160	-0.07	662	10140	72	-68	5.7	41	3.2	5	1.2	18980	7.7	18980	25	0.4	
56-43.5706-104.5469-2-15-			0-W11294			55390	-0.11	678	15660	55	-81	6.5	62	-2.7	4	1.3	18410	9.0	15460	20	0.4	
56-43.5569-104.5697-2-15-			0-W11295			68610	-0.13	637	19480	69	-86	11.5	57	-3.4	5	1.6	26210	6.1	15190	34	-0.2	
56-43.6017-104.6559-2-15-			0-W11300			56340	-0.05	591	8427	68	-65	6.3	56	4.9	5	1.4	20430	6.3	20160	27	0.4	
56-43.6286-104.7008-2-15-			0-W11301			51040	-0.07	590	6570	55	-56	5.1	37	3.8	5	1.2	14780	8.2	17270	25	0.4	
56-43.6778-104.6292-2-15-			0-W11305			81570	-0.17	448	5518	69	-83	11.3	66	7.4	6	1.5	34420	-2.7	17980	-11	-0.3	
56-43.6694-104.6611-2-15-			0-W11306			61530	-0.12	539	7239	72	-67	6.9	-16	-3.2	5	1.4	25400	6.3	20060	40	0.5	
56-43.6811-104.7003-2-15-			0-W11307			63100	-0.05	678	12700	78	-63	9.0	53	5.3	5	1.4	24920	7.2	18310	33	0.4	
56-43.7036-104.8175-2-15-			0-W11309			52140	-0.06	560	10970	55	-55	4.9	35	5.2	5	1.1	16300	7.8	19870	24	0.3	
56-43.7000-104.7958-2-15-			0-W11310			55190	-0.03	565	15440	62	-69	7.2	44	6.0	5	1.3	19870	8.0	18470	27	0.3	
56-43.6706-104.7531-2-15-			0-W11311			54390	-0.13	564	3671	56	-67	7.3	56	-3.2	5	1.6	19310	6.3	18830	18	-0.2	
56-43.6694-104.7722-2-15-			0-W11312			53350	-0.05	531	7833	67	-60	6.7	45	4.7	5	1.2	19840	7.6	18650	33	0.4	
56-43.6444-104.8347-2-15-			0-W11313			63140	-0.08	588	17500	55	-62	6.3	46	5.5	5	1.3	18990	6.9	21610	30	0.3	
56-43.6333-104.8547-2-15-			0-W11314			63250	-0.15	664	8366	64	-49	-2.7	55	-3.6	5	1.6	20860	11.6	19280	37	0.4	
56-43.6292-104.8333-2-15-			0-W11315			63020	-0.08	538	9816	61	-55	7.9	64	5.9	5	1.2	21140	7.0	18290	32	0.4	
56-43.6047-104.8769-2-15-			0-W11317			46560	-0.05	482	20850	72	-53	6.9	43	5.0	5	1.3	19210	10.8	17690	31	0.4	
56-43.5997-104.9047-2-15-			0-W11319			45140	-0.05	508	11790	69	-49	5.4	36	4.6	5	1.2	15850	12.5	18980	29	0.4	
56-43.6508-104.8711-2-15-			0-W11322			40130	-0.05	591	5906	52	-39	4.7	32	2.6	4	1.0	13090	8.6	15010	24	0.3	
56-43.6564-104.8614-2-15-			0-W11323			56470	-0.07	498	14470	66	-63	7.8	54	5.4	5	1.2	19970	6.8	17920	29	0.4	
56-43.6397-104.9917-2-15-			0-W11324			28780	-0.04	559	1164	57	35	4.5	45	2.6	4	1.0	13980	15.0	13910	25	0.3	
56-43.6131-104.9428-2-15-			0-W11326			38880	-0.05	535	2357	70	-36	4.9	46	3.3	5	1.1	13630	18.2	14720	34	0.5	
56-43.5656-104.9725-2-15-			0-W11327			62480	-0.06	569	5688	63	-35	5.9	55	4.6	5	1.2	18680	7.0	14850	30	0.3	
56-43.5611-104.9797-2-15-			0-W11328			50330	-0.07	556	2390	65	-30	6.6	54	4.6	5	1.2	19970	11.0	15480	32	0.4	
56-43.5425-104.9444-2-15-			0-W11329			44140	-0.05	576	14300	74	-48	5.3	47	3.9	5	1.3	16180	14.3	15200	33	0.5	
56-43.5278-104.9375-2-15-			0-W11331			69230	-0.07	548	12380	72	-54	8.7	56	7.9	6	1.4	22380	7.0	20680	34	0.4	
56-43.5219-104.9528-2-15-			0-W11332			81980	-0.08	608	10470	69	-63	7.7	59	7.1	5	1.3	21840	3.8	23820	33	0.4	
56-43.5206-104.9950-2-15-			0-W11333			51140	-0.06	558	5000	63	-39	7.1	48	5.2	5	1.3	18840	9.8	17560	32	0.4	
56-43.5214-104.9119-2-15-			0-W11334			39240	-0.05	526	10040	98	50	5.9	54	3.6	5	1.4	18260	21.1	15910	41	0.6	
56-43.5189-104.8922-2-15-			0-W11335			50170	-0.05	478	14690	60	-53	6.0	42	4.4	5	1.2	16250	6.9	19660	29	0.3	
56-43.5056-104.8475-2-15-			0-W11336			56450	-0.06	591	8747	62	-60	5.7	45	4.7	5	1.2	17770	7.0	20340	25	0.3	
56-43.5083-104.8786-2-15-			0-W11337			41400	-0.05	490	14420	59	-60	5.5	44	3.5	5	1.2	15030	10.8	15900	32	0.3	
56-43.5408-104.8531-2-15-			0-W11338			48680	-0.05	435	15310	77	-57	6.9	42	4.2	5	1.4	18320	13.1	20880	38	0.4	
56-43.5364-104.8581-2-15-			0-W11339			44290	-0.05	469	15260	55	-52	5.1	38	3.1	4	1.2	15020	8.8	17180	28	0.3	
56-43.5267-104.8381-2-15-			0-W11340			64070	-0.07	570	17860	60	-71	6.5	52	5.7	5	1.1	18800	5.6	21120	31	0.3	
56-43.5311-104.8206-2-15-			0-W11341			50000	-0.08	476	12730	73	-60	6.9	50	5.8	5	1.3	18870	11.2	17480	24	0.4	
56-43.5344-104.7978-2-15-			0-W11343			49460	-0.08	541	20270	69	82	6.6	59	4.8	4	1.2	19450	7.8	18500	34	0.4	
56-43.5253-104.7639-2-15-			0-W11344			33300	-0.05	397	26770	32	-62	3.4	22	1.9	3	0.8	9600	6.7	18970	17	0.2	
56-43.5861-104.7644-2-15-			0-W11346			58690	-0.08	527	13030	58	-67	5.7	48	4.8	4	1.2	17210	5.6	19380	28	0.3	
56-43.5781-104.7900-2-15-			0-W11347			58420	-0.09	551	13560	63	-60	6.9	51	6.0	5	1.3	21260	7.5	20290	30	0.3	
56-43.5792-104.7969-2-15-			0-W11348			56730	-0.08	540	15410	78	-57	7.7	57	7.1	5	1.5	22850	9.6	19830	35	0.5	
56-43.6122-104.7675-2-15-			0-W11349			50820	-0.07	620	13500	65	-57	6.7	46	3.6	5	1.3	19130	11.1	18910	32	0.4	
56-43.6233-104.8006-2-15-			0-W11351			49060	-0.07	542	17370	62	-58	5.3	53	3.1	5	1.2	16610	12.5	17450	28	0.3	
56-43.5239-104.5319-2-15-			0-W11352			48610	-0.08	599	6166	79	-48	6.7	56	3.6	5	1.4	20080	18.3	16630	45	0.5	
56-43.5203-104.6111-2-15-			0-W11353			49250	-0.07	557	17580	67	-59	6.2	53	3.6	4	1.3	20670	10.3	16690	31	0.4	
56-43.5158-104.5674-2-15-			0-W11354			38530	-0.06	573	2804	50	-45	4.7	35	2.7	4	1.1	15230	10.9	17380	23	0.3	
56-43.5344-104.6069-2-15-			0-W11355			54040	-0.08	631	5603	62	-70	5.5	34	2.2	5	1.1	15890	8.4	19650	25	0.4	
56-43.5219-104.7358-2-15-			0-W11358			58740	-0.10	533	12750	66	-64	8.0	56	4.5	5	1.1	23420	6.6	18830	36	0.3	
56-43.5206-104.6917-2-15-			0-W11359			49920	-0.07	598	10050	74	-53	6.4	57	4.6	4	1.3	20320	12.6	18660	36	0.5	
56-43.5203-104.6553-2-15-			0-W11360			50670	-0.07	605	4645	65	69	6.0	49	3.3	4	1.3	17970	9.6	19790	34	0.3	

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

4

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)															U/Th RATIO	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43.5972-104.5906-2-15-	0-W11291	20490	451	10920	-58	-3	9.0	4.1	344	-2	-1	7.9	3264	74	-2.6							0.334
56-43.5864-104.6142-2-15-	0-W11292	17000	290	6767	79	-1	7.6	6.8	-217	-1	-1	10.5	2894	64	4.0	118						0.295
56-43.5811-104.5581-2-15-	0-W11293	18140	365	7821	70	-2	7.0	4.9	-219	-1	-1	9.6	3545	65	3.6	78						0.286
56-43.5706-104.5469-2-15-	0-W11294	19800	263	12340	-51	-2	6.4	4.8	-194	-2	-1	8.9	3543	56	-2.4							0.348
56-43.5569-104.5697-2-15-	0-W11295	25600	340	9604	-51	-3	10.4	5.0	-221	-3	-2	9.5	3209	78	5.7	-89						0.339
56-43.6017-104.6558-2-15-	0-W11300	15790	309	5682	77	-1	7.3	5.3	-226	-1	-1	9.5	2960	59	3.0	124						0.271
56-43.6286-104.7008-2-15-	0-W11301	13790	199	6815	49	-1	5.8	4.9	-172	-1	-1	9.6	2759	59	3.0							0.290
56-43.6778-104.6292-2-15-	0-W11305	19160	1110	3961	-76	-4	13.4	4.7	-370	-3	-2	13.1	5386	131	-3.5							0.280
56-43.6694-104.6611-2-15-	0-W11306	15960	335	5745	-51	-3	8.7	4.8	-195	-2	-1	9.7	2869	76	-2.5	-69						0.291
56-43.6811-104.7003-2-15-	0-W11307	20460	363	5765	73	-1	8.8	6.5	-228	-1	-1	11.9	3280	75	3.0	115						0.255
56-43.7036-104.8175-2-15-	0-W11309	15270	268	5623	46	-2	5.8	4.8	-185	-1	-1	7.9	3057	54	-1.5	81						0.320
56-43.7000-104.7958-2-15-	0-W11310	23610	320	5612	53	1	7.3	5.2	-207	-1	-1	9.2	3372	65	2.7	77						0.349
56-43.6706-104.7531-2-15-	0-W11311	10700	248	5373	90	-3	7.4	4.1	-187	-3	-1	9.4	2764	61	-2.6	-71						0.289
56-43.6694-104.7722-2-15-	0-W11312	16740	301	5519	56	-1	7.3	5.7	-211	-1	-1	10.2	2935	61	3.2	159						0.269
56-43.6444-104.8347-2-15-	0-W11313	25360	338	5435	66	-2	7.5	5.1	-221	-1	-1	9.6	3471	71	3.4	61						0.314
56-43.6333-104.8547-2-15-	0-W11314	14070	234	2737	-59	-3	8.9	4.8	-178	-3	-1	10.3	4183	89	-2.9							0.389
56-43.6292-104.8333-2-15-	0-W11315	15730	229	3514	65	-2	9.5	5.8	-170	-1	-1	11.7	3104	81	3.5	117						0.262
56-43.6047-104.8769-2-15-	0-W11317	21340	306	4817	63	-1	6.7	5.4	-191	-1	-1	9.6	2662	55	3.2	95						0.338
56-43.5997-104.9047-2-15-	0-W11319	17220	219	5200	64	-1	5.9	5.4	-157	-1	-1	9.6	2792	48	4.9	53						0.334
56-43.6508-104.8711-2-15-	0-W11322	9601	208	2544	42	-1	4.7	3.6	-136	-1	-1	7.3	2634	58	2.1	80						0.377
56-43.6564-104.8614-2-15-	0-W11323	20320	279	5189	-25	-2	7.9	5.2	-178	-1	-1	11.1	3240	63	2.8	71						0.245
56-43.6397-104.9917-2-15-	0-W11324	3198	108	799	48	-1	4.3	4.1	-106	-1	-1	8.4	2510	44	3.4	32						0.313
56-43.6131-104.9428-2-15-	0-W11326	5608	218	2226	-18	-1	5.5	5.2	-147	-1	-1	11.7	4078	52	3.3	-19						0.291
56-43.5656-104.9725-2-15-	0-W11327	9292	262	776	57	-2	7.5	4.8	296	-1	-1	10.2	3766	88	2.4	79						0.424
56-43.5611-104.9797-2-15-	0-W11328	8793	147	881	88	-1	7.6	4.6	-124	-1	-1	10.2	3088	80	2.8	130						0.333
56-43.5425-104.9444-2-15-	0-W11329	17200	231	4090	76	-1	6.1	4.7	-172	-1	-1	9.0	2705	46	3.9	50						0.363
56-43.5278-104.9375-2-15-	0-W11331	20700	305	3960	107	-2	9.7	6.1	-209	-1	-1	12.1	3626	80	3.2	125						0.274
56-43.5219-104.9528-2-15-	0-W11332	22130	343	3735	79	-2	9.1	5.5	-214	-1	-1	11.5	3587	100	4.3	-111						0.287
56-43.5206-104.9950-2-15-	0-W11333	9282	184	1936	-24	-1	7.2	4.9	-142	-1	-1	8.9	2567	65	3.2	-73						0.328
56-43.5214-104.9113-2-15-	0-W11334	12170	280	3257	75	-1	6.3	6.5	-168	-1	-1	15.8	3210	48	4.9	86						0.232
56-43.5189-104.8922-2-15-	0-W11335	21760	245	4705	62	-1	6.3	4.8	-179	-1	-1	8.3	2953	57	1.8	85						0.335
56-43.5056-104.8475-2-15-	0-W11336	17920	267	5048	59	-1	6.7	4.4	-181	-1	-1	10.2	2978	68	-1.1	96						0.282
56-43.5083-104.8786-2-15-	0-W11337	15170	234	5276	53	-1	5.5	5.0	-155	-1	-1	8.8	2362	40	3.3	60						0.337
56-43.5408-104.8531-2-15-	0-W11338	20250	279	6222	66	-1	6.8	6.6	-194	-1	-1	12.0	2677	51	4.7	100						0.264
56-43.5364-104.8581-2-15-	0-W11339	20460	255	5405	53	-1	5.7	5.7	-172	-1	-1	8.6	2813	47	3.4	-74						0.334
56-43.5267-104.8381-2-15-	0-W11340	24920	271	4911	71	-2	7.2	5.2	-210	-1	-1	10.1	3279	79	3.5	95						0.384
56-43.5311-104.8206-2-15-	0-W11341	16280	316	4734	84	-2	7.2	5.9	-185	-1	-1	11.5	3130	61	3.4	64						0.270
56-43.5344-104.7978-2-15-	0-W11343	23490	292	5161	62	-2	7.2	6.0	-201	-1	-1	10.7	2679	53	2.8	72						0.296
56-43.5253-104.7639-2-15-	0-W11344	12040	239	5085	56	-1	3.7	3.6	-164	-1	-1	4.3	1481	24	1.9	-64						0.326
56-43.5861-104.7644-2-15-	0-W11346	20530	286	5273	64	-2	6.9	4.8	-200	-1	-1	8.7	3187	70	2.2	53						0.364
56-43.5781-104.7900-2-15-	0-W11347	20300	247	4977	76	-2	8.2	4.9	-176	-1	-1	10.3	3054	66	3.3	106						0.301
56-43.5792-104.7969-2-15-	0-W11348	20810	275	5096	78	-2	8.7	6.4	-197	-1	-1	12.7	2997	60	3.9	91						0.258
56-43.6122-104.7675-2-15-	0-W11349	16480	274	5593	73	-2	6.7	5.7	-197	-1	-1	10.0	3149	67	3.0	122						0.322
56-43.6233-104.8006-2-15-	0-W11351	15440	270	5448	58	-2	5.8	4.7	-168	-1	-1	9.1	3276	60	3.6	-46						0.370
56-43.5239-104.5319-2-15-	0-W11352	9153	270	2775	63	-2	7.5	5.7	-162	-1	-1	14.8	3609	62	4.6	73						0.268
56-43.5203-104.6111-2-15-	0-W11353	19510	224	8059	62	-2	7.1	5.3	-175	-1	-1	9.8	3012	55	3.0	50						0.299
56-43.5158-104.5678-2-15-	0-W11354	6748	257	4074	57	-1	5.0	4.4	-170	-1	-1	9.6	2701	44	2.7	109						0.290
56-43.5344-104.5069-2-15-	0-W11355	10880	325	7501	45	-2	5.8	3.8	-192	-1	-1	8.0	3171	58	2.9	54						0.366
56-43.5219-104.7358-2-15-	0-W11358	14840	304	4698	-28	-2	8.0	5.4	-206	-1	-1	10.5	2934	68	3.6	97						0.314
56-43.5206-104.6917-2-15-	0-W11359	11950	262	4881	77	-2	7.5	5.4	-195	-1	-1	11.7	2972	62	3.4	58						0.256
56-43.5203-104.5553-2-15-	0-W11360	8020	331	5214	59	-2	6.6	5.0	-137	-1	-1	9.8	3294	60	4.5	93						0.311

[illegible]

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

②

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W		Be	Li
56-43.8819-105.0133-2-15-			0-W11362				-5	5	-5	23	-20	-15	11	-10	-15		1	23
56-43.9103-105.1086-2-15-			0-W11364				-5	9	-5	-10	-20	-15	7	-10	-15		-1	10
56-43.9211-105.1000-2-15-			0-W11365				-5	-5	-5	15	-20	-15	10	-10	-15		1	14
56-43.9386-105.0967-2-15-			0-W11366				-5	-5	-5	20	-20	-15	10	-10	-15		2	30
56-43.9225-105.0222-2-15-			0-W11367				-5	5	-5	28	-20	19	14	-10	-15		2	36
56-43.9378-105.0350-2-15-			0-W11368				-5	-5	-5	25	-20	15	14	-10	-15		2	24
56-43.9586-105.0175-2-15-			0-W11369				-5	-5	-5	19	-20	-15	-5	-10	-15		1	24
56-43.9808-105.0203-2-15-			0-W11370				-5	-5	-5	25	-20	-15	8	-10	-15		2	27
56-43.9131-105.0567-2-15-			0-W11371				-5	9	-5	22	-20	-15	10	-10	-15		1	13
56-43.9228-105.0453-2-15-			0-W11372				-5	-5	-5	26	-20	20	9	-10	-15		2	20
56-43.9878-105.0611-2-15-			0-W11373				-5	-5	-5	11	-20	-15	10	-10	-15		1	15
56-43.9728-105.0894-2-15-			0-W11374				-5	-5	-5	17	-20	-15	-5	-10	-15		-1	6
56-43.8103-105.0169-2-15-			0-W11375				-5	-5	-5	18	-20	-15	8	-10	-15		2	22
56-43.8086-105.0214-2-15-			0-W11376				-5	5	-5	25	-20	-15	-5	-10	-15		2	25
56-43.8369-105.0156-2-15-			0-W11377				-5	5	-5	32	-20	25	13	-10	-15		3	36
56-43.8431-105.0489-2-15-			0-W11379				-5	-5	-5	20	-20	-15	10	-10	-15		2	26
56-43.8344-105.0628-2-15-			0-W11379				-5	-5	-5	-10	-20	-15	-5	-10	-15		-1	9
56-43.8567-105.0553-2-15-			0-W11390				-5	7	-5	30	-20	-15	8	-10	-15		2	35
56-43.8606-105.0611-2-15-			0-W11381				-5	-5	-5	12	-20	-15	8	-10	-15		2	19
56-43.7753-105.0694-2-15-			0-W11382				-5	-5	-5	19	-20	-15	-5	-10	-15		2	15
56-43.7586-105.1106-2-15-			0-W11393				-5	-5	-5	12	-20	-15	11	-10	-15		2	22
56-43.6511-105.0429-2-15-			0-W11384				-5	6	-5	26	-20	-15	7	-10	-15		2	28
56-43.6781-105.1144-2-15-			0-W11385				-5	-5	-5	19	-20	-15	7	-10	-15		1	12
56-43.6508-105.0911-2-15-			0-W11386				-5	5	-5	23	-20	-15	7	-10	-15		2	17
56-43.6456-105.1189-2-15-			0-W11397				-5	-5	-5	22	-20	-15	7	-10	-15		2	20
56-43.6333-105.0814-2-15-			0-W11388				-5	6	-5	33	-20	-15	20	-10	-15		1	26
56-43.6644-105.0561-2-15-			0-W11389				-5	7	-5	25	-20	-15	6	-10	-15		2	39
56-43.6611-105.0364-2-15-			0-W11390				-5	-5	-5	23	-20	-15	5	-10	-15		2	24
56-43.6594-105.0128-2-15-			0-W11391				-5	5	-5	21	-20	-15	12	-10	-15		1	15
56-43.7200-105.0756-2-15-			0-W11395				-5	-5	-5	29	-20	-15	7	-10	-15		1	19
56-43.7033-105.0147-2-15-			0-W11396				-5	11	-5	16	-20	-15	5	-10	-15		1	17
56-43.6831-105.0442-2-15-			0-W11397				-5	5	-5	23	-20	-15	-5	-10	-15		1	17
56-43.5819-105.1000-2-15-			0-W11398				-5	5	-5	19	-20	15	10	-10	-15		1	13
56-43.5889-105.1147-2-11-			0-W11399				-5	5	-5	19	-20	-15	5	-10	-15		2	26
56-43.5950-105.0797-2-15-			0-W11400				-5	-5	-5	11	-20	-15	-5	-10	-15		2	14
56-43.5414-105.1231-2-15-			0-W11402				-5	-5	-5	17	-20	-15	-5	-10	-15		1	19
56-43.5300-105.1003-2-15-			0-W11404				-5	-5	-5	23	-20	-15	-5	-10	-15			
56-43.5022-105.0936-2-15-			0-W11405				-5	5	-5	27	-20	15	15	-10	16		2	39
56-43.5172-105.0053-2-15-			0-W11406				-5	-5	-5	19	-20	-15	9	-10	-15		2	16
56-43.5286-105.0483-2-15-			0-W11407				-5	-5	-5	27	-20	-15	7	-10	-15		1	9
56-43.5328-105.0464-2-15-			0-W11408				-5	6	-5	21	-20	-15	-5	-10	-15		2	20
56-43.5447-105.0672-2-15-			0-W11409				-5	-5	-5	28	-20	30	7	-10	-15		2	37
56-43.5511-105.0253-2-15-			0-W11410				-5	-5	-5	11	-20	-15	-5	-10	-15		1	18
56-43.5850-105.0542-2-15-			0-W11411				-5	-5	-5	25	-20	-15	-5	-10	-15		1	17
56-43.5825-105.0153-2-15-			0-W11413				-5	-5	-5	22	-20	-15	6	-10	-15		1	16
56-43.6161-105.1278-2-15-			0-W11416				-5	-5	-5	28	-20	-15	9	-10	-15		2	27
56-43.5539-105.1450-2-15-			0-W11417				-5	-5	-5	34	-20	-15	-5	-10	-15		-1	13
56-43.5542-105.1672-2-11-			0-W11418				-5	5	-5	35	-20	-15	7	-10	-15		2	31
56-43.5431-105.1661-2-15-			0-W11419				-5	5	-5	27	-20	-15	16	-10	-15		2	38
56-43.5253-105.1419-2-15-			0-W11420				-5	-5	-5	22	-20	-15	7	-10	-15		2	20
56-43.5042-105.1378-2-15-			0-W11421				-5	-5	-5	15	-20	-15	-5	-10	-15		1	16

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.8819-105.0133-2-15-	0-W11362	53400	-0.09	504	7787	53	505	4.9	40	4.0	4	0.9	15110	5.0	17170	25	0.4					
56-43.9103-105.1086-2-15-	0-W11364	28230	-0.06	587	-316	67	-25	3.7	49	2.4	5	1.2	11320	30.2	11510	34	0.6					
56-43.9211-105.1000-2-15-	0-W11365	36880	-0.06	449	1113	58	-25	3.4	44	3.8	4	1.0	10670	15.4	12510	24	0.4					
56-43.9386-105.0967-2-15-	0-W11366	51510	-0.07	535	2974	63	-41	5.0	47	4.9	4	1.3	15950	9.1	14740	32	0.4					
56-43.9225-105.0222-2-15-	0-W11367	62090	-0.09	645	7207	68	-58	7.8	51	5.6	5	1.3	21950	6.5	18640	27	0.3					
56-43.9378-105.0350-2-15-	0-W11368	52490	-0.08	617	5105	65	-51	6.8	43	5.3	5	1.2	18960	8.4	17760	31	0.3					
56-43.9586-105.0175-2-15-	0-W11369	48050	-0.07	452	11280	107	-56	6.5	72	3.8	5	1.5	21750	18.5	17880	53	0.5					
56-43.9808-105.0203-2-15-	0-W11370	60450	-0.08	633	6005	69	-30	6.3	52	5.8	4	1.5	19840	7.6	19410	32	0.4					
56-43.9131-105.0567-2-15-	0-W11371	34230	-0.06	437	6036	46	-29	3.6	28	2.4	4	0.8	9209	10.1	14720	21	0.3					
56-43.9228-105.0453-2-15-	0-W11372	42170	-0.08	813	1757	60	-31	8.0	62	3.6	4	0.8	20410	14.7	13820	14	0.4					
56-43.9878-105.0611-2-15-	0-W11373	37690	-0.06	479	1045	44	-24	3.6	38	2.2	3	0.9	10080	7.8	14370	22	0.3					
56-43.9728-105.0894-2-15-	0-W11374	24230	-0.05	801	-252	52	-26	3.8	50	1.8	4	0.7	16550	18.7	10240	31	0.4					
56-43.8103-105.0169-2-15-	0-W11375	47020	-0.07	614	2458	92	-59	6.7	52	3.4	6	1.5	14610	14.8	20630	40	0.6					
56-43.8086-105.0214-2-15-	0-W11376	47660	-0.06	471	10990	54	-49	6.1	37	4.1	4	1.0	16540	6.9	19730	27	0.3					
56-43.8369-105.0156-2-15-	0-W11377	76690	-0.10	622	7178	69	-68	7.4	42	7.0	6	1.4	22930	4.6	24600	34	0.3					
56-43.8431-105.0489-2-15-	0-W11378	54240	-0.09	507	2100	72	-47	7.9	64	4.6	5	1.3	22250	10.8	13030	34	0.4					
56-43.8344-105.0628-2-15-	0-W11379	25430	-0.05	375	2000	83	-28	6.7	54	-0.9	4	1.3	11720	28.3	12880	41	0.5					
56-43.8567-105.0553-2-15-	0-W11380	54050	-0.07	619	4547	49	-33	2.2	47	3.7	4	1.2	15540	5.6	19460	22	0.3					
56-43.8606-105.0611-2-15-	0-W11381	42530	-0.07	633	2067	52	-44	4.9	40	2.6	4	1.0	13620	10.5	15670	23	0.3					
56-43.7753-105.0694-2-15-	0-W11382	42720	-0.07	428	19050	51	95	5.4	39	4.1	4	1.1	15280	6.7	16160	19	0.3					
56-43.7586-105.1106-2-15-	0-W11383	51070	-0.07	495	10870	71	-54	6.6	55	5.0	5	1.4	18000	8.6	18980	36	0.4					
56-43.6511-105.0428-2-15-	0-W11384	55980	-0.08	617	12970	56	89	7.2	47	5.2	5	1.2	19810	6.7	17370	35	0.4					
56-43.6781-105.1144-2-15-	0-W11385	28890	-0.06	531	-273	47	-24	4.7	34	1.4	4	0.9	15130	10.8	10140	19	0.2					
56-43.6508-105.0911-2-15-	0-W11386	54780	-0.08	531	2971	65	-29	7.2	52	5.0	5	1.3	20360	11.6	14950	35	0.4					
56-43.6456-105.1189-2-15-	0-W11387	42910	-0.06	586	1923	57	-22	5.6	47	3.7	3	1.0	13470	11.8	13090	32	0.4					
56-43.6333-105.0814-2-15-	0-W11388	50210	-0.07	642	4006	60	-27	7.2	49	4.0	5	1.3	18840	8.7	16130	29	0.4					
56-43.6644-105.0561-2-15-	0-W11389	83340	-0.11	555	2004	62	-39	7.1	61	5.9	5	1.2	17710	5.1	17530	26	0.4					
56-43.6611-105.0364-2-15-	0-W11390	47840	-0.08	516	2450	63	-32	6.9	53	4.2	5	1.3	18500	11.9	14710	32	0.4					
56-43.6594-105.0128-2-15-	0-W11391	36420	-0.06	541	1305	62	-25	4.3	42	3.3	3	1.0	15620	12.4	12480	31	0.4					
56-43.7200-105.0756-2-15-	0-W11395	41890	-0.06	555	1816	51	-24	5.5	46	3.8	4	1.1	14560	7.3	14780	30	0.4					
56-43.7033-105.0147-2-15-	0-W11396	31430	-0.06	644	2796	47	-19	4.8	40	1.8	3	1.0	19920	12.5	11690	25	0.3					
56-43.6831-105.0442-2-15-	0-W11397	36850	-0.07	520	2448	57	-29	5.6	48	2.6	4	1.0	17120	14.7	14600	26	0.4					
56-43.5819-105.1000-2-15-	0-W11398	35300	-0.06	541	1843	58	-26	5.6	36	2.0	4	1.0	12920	11.0	12930	30	0.3					
56-43.5889-105.1147-2-11-	0-W11399	59250	-0.09	547	4942	63	-37	4.7	49	4.9	4	1.0	12190	10.1	15240	32	0.3					
56-43.5950-105.0797-2-15-	0-W11400	39270	-0.07	481	1505	59	-26	5.0	44	3.4	4	1.2	10320	16.2	13100	33	0.4					
56-43.5414-105.1231-2-15-	0-W11402	44540	-0.07	556	2936	78	-45	6.2	47	-1.2	4	1.2	16390	14.5	16540	38	0.4					
56-43.5300-105.1003-2-15-	0-W11404	39990	-0.07	617	-356	84	-35	5.9	43	2.6	5	1.3	14700	27.9	14070	41	0.5					
56-43.5022-105.0935-2-15-	0-W11405	70280	-0.10	594	2616	74	-31	6.3	58	5.8	5	1.2	19790	8.7	17020	30	0.4					
56-43.5172-105.0053-2-15-	0-W11406	38630	-0.08	592	2609	68	-25	7.6	59	3.3	5	1.4	22380	24.7	13910	36	0.5					
56-43.5286-105.0483-2-15-	0-W11407	31710	-0.06	877	1600	68	-24	7.2	58	3.0	4	0.7	30710	20.2	11340	31	0.4					
56-43.5328-105.0464-2-15-	0-W11408	45730	-0.07	676	-315	56	-26	6.1	48	3.7	4	1.2	27570	13.4	12970	34	0.4					
56-43.5447-105.0672-2-15-	0-W11409	79840	-0.09	548	3443	65	-33	7.3	58	5.4	5	1.1	16760	5.6	18220	27	0.3					
56-43.5511-105.0253-2-15-	0-W11410	35380	-0.06	522	2047	46	-22	5.2	41	2.5	4	0.9	15290	12.0	10650	16	0.3					
56-43.5850-105.0542-2-15-	0-W11411	33240	-0.06	677	-265	77	-22	5.9	58	3.0	5	0.7	22180	25.3	11860	33	0.5					
56-43.5825-105.0153-2-15-	0-W11413	27540	-0.06	581	-286	99	-21	4.4	64	1.3	6	1.3	13600	33.7	14410	47	0.5					
56-43.6161-105.1278-2-15-	0-W11416	50100	-0.08	582	4010	69	-53	6.4	49	3.8	5	1.1	14250	13.1	16390	34	0.4					
56-43.5539-105.1450-2-15-	0-W11417	32540	-0.09	712	2270	45	-53	6.0	30	1.8	3	0.7	12850	5.2	8598	-9	0.2					
56-43.5542-105.1672-2-11-	0-W11418	63090	-0.09	647	4526	79	109	7.0	75	5.7	5	1.5	20100	10.9	16210	35	0.4					
56-43.5431-105.1661-2-15-	0-W11419	74330	-0.09	619	-337	66	-33	6.4	67	5.5	5	1.4	15270	8.7	16140	30	0.4					
56-43.5253-105.1419-2-15-	0-W11420	39560	-0.06	597	1808	49	-27	5.1	35	2.7	3	0.9	12300	8.6	13820	24	0.3					
56-43.5042-105.1378-2-15-	0-W11421	32330	-0.06	421	-290	59	-22	3.9	38	3.5	4	1.1	8429	20.7	11960	31	0.4					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

④

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)															U/Th RATIO	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43.8819-105.0133-2-15-	0-W11362	13370	211	3003	52	-2	6.0	4.5	-195	-1	-1	7.6	2824	57	3.5	145	0.334					
56-43.9103-105.1086-2-15-	0-W11364	3887	100	739	-17	-1	4.4	4.9	-93	-1	-1	9.4	3213	38	5.0	67	0.426					
56-43.9211-105.1000-2-15-	0-W11365	4975	68	490	50	-1	5.0	4.1	-106	-1	-1	8.8	2637	40	3.7	39	0.328					
56-43.9386-105.0967-2-15-	0-W11366	7856	133	3443	66	-2	6.6	6.7	-142	-1	-1	10.8	2845	64	3.4	66	0.326					
56-43.9225-105.0222-2-15-	0-W11367	11020	468	3144	65	-2	7.6	4.4	-232	-1	-1	10.1	3097	71	3.5	96	0.313					
56-43.9378-105.0350-2-15-	0-W11368	10350	298	3213	63	-2	7.2	5.0	-178	-1	-1	11.5	2271	56	2.9	-80	0.232					
56-43.9586-105.0175-2-15-	0-W11369	12350	354	5401	58	-2	7.5	6.9	-207	-1	-1	14.3	3712	45	5.2	64	0.233					
56-43.9808-105.0203-2-15-	0-W11370	14360	255	1541	-25	-2	8.0	6.6	-127	-1	-1	10.9	3006	71	2.7	109	0.294					
56-43.9131-105.0567-2-15-	0-W11371	8582	81	1206	44	-1	3.6	3.1	-98	-1	-1	6.7	2539	39	3.2	63	0.430					
56-43.9228-105.0453-2-15-	0-W11372	5266	161	1256	60	-2	6.7	4.7	-121	-1	1	8.3	3140	63	2.8	93	0.429					
56-43.9878-105.0611-2-15-	0-W11373	4958	67	1140	64	-1	4.9	3.2	-101	-1	-1	6.7	2419	41	2.6	46	0.361					
56-43.9728-105.0894-2-15-	0-W11374	4099	148	1165	44	-1	3.5	4.4	-118	-1	-1	8.3	3120	36	3.0	-38	0.341					
56-43.8103-105.0169-2-15-	0-W11375	7845	291	5823	60	-2	6.6	6.1	-205	-1	-1	13.5	3619	54	4.4	65	0.239					
56-43.8086-105.0214-2-15-	0-W11376	17500	217	5132	68	-1	5.9	4.3	-164	-1	-1	8.1	-386	48	3.0	-72	0.319					
56-43.8369-105.0156-2-15-	0-W11377	21020	377	4635	65	-2	8.9	5.6	-235	-1	-1	11.7	3603	82	4.1	-90	0.274					
56-43.8431-105.0489-2-15-	0-W11378	7305	350	2068	57	-2	8.3	5.6	-183	-1	-1	11.3	3121	84	3.3	88	0.285					
56-43.8344-105.0628-2-15-	0-W11379	3401	132	1491	40	-1	4.2	4.8	-114	-1	-1	12.7	3272	36	4.3	43	0.253					
56-43.8567-105.0553-2-15-	0-W11380	8512	122	1998	56	-2	7.4	4.8	-140	-1	-1	8.5	2980	71	2.2	-67	0.399					
56-43.8606-105.0611-2-15-	0-W11381	6221	188	2675	47	-2	5.1	2.9	-145	-1	-1	7.9	2987	59	3.3	-62	0.367					
56-43.7753-105.0694-2-15-	0-W11382	18060	239	5063	55	-2	5.4	4.0	-159	-1	-1	8.0	2148	43	3.4	53	0.333					
56-43.7586-105.1106-2-15-	0-W11383	16910	241	5424	58	-2	7.0	5.7	-184	-1	1	10.9	2522	50	3.5	89	0.279					
56-43.6511-105.0428-2-15-	0-W11384	15430	256	4744	70	-2	7.4	6.0	-187	-1	-1	10.7	2887	56	3.2	65	0.314					
56-43.6781-105.1144-2-15-	0-W11385	3864	125	517	37	-1	4.2	3.3	-100	-1	-1	7.0	2697	56	2.3	-58	0.397					
56-43.6508-105.0911-2-15-	0-W11386	7362	134	932	69	-2	8.3	5.6	-121	-1	-1	10.3	3068	84	3.5	82	0.330					
56-43.6456-105.1189-2-15-	0-W11387	4920	100	1367	61	-1	6.2	4.1	-78	-1	-1	9.4	2575	65	4.1	84	0.316					
56-43.6333-105.0814-2-15-	0-W11388	8343	146	1076	60	-2	7.9	6.2	-137	-1	-1	10.2	3268	78	3.4	134	0.323					
56-43.6644-105.0561-2-15-	0-W11389	10450	128	1224	99	-2	10.3	4.7	-153	-1	-1	10.7	4429	126	-2.0	121	0.362					
56-43.6611-105.0364-2-15-	0-W11390	8303	112	1130	53	-2	7.7	6.6	-117	-1	-1	10.0	2898	71	3.4	77	0.346					
56-43.6594-105.0128-2-15-	0-W11391	3447	107	1142	-16	-1	5.5	4.1	-112	-1	-1	8.1	2501	52	2.5	-47	0.336					
56-43.7200-105.0756-2-15-	0-W11395	4463	88	917	59	-2	6.4	4.1	-112	-1	-1	8.4	3032	60	2.0	71	0.352					
56-43.7033-105.0147-2-15-	0-W11396	5562	165	1037	-16	-1	4.2	3.6	-85	-1	-1	7.1	2425	57	2.7	-48	0.449					
56-43.6831-105.0442-2-15-	0-W11397	4833	119	1001	45	-1	5.6	5.0	-103	-1	-1	8.2	2728	56	3.8	60	0.351					
56-43.5819-105.1000-2-15-	0-W11398	6176	122	972	37	-1	5.1	3.8	-115	-1	-1	7.3	2661	53	2.7	-28	0.368					
56-43.5889-105.1147-2-11-	0-W11399	8607	91	1218	60	-2	7.0	4.3	-125	-1	-1	9.7	3734	79	-1.5	37	0.331					
56-43.5950-105.0797-2-15-	0-W11400	4676	91	763	61	-2	5.4	-0.8	-97	1	-1	10.0	2878	50	3.1	-21	0.353					
56-43.5414-105.1231-2-15-	0-W11402	9047	229	3093	53	-2	6.6	6.0	-175	-1	-1	11.7	2894	48	4.2	91	0.289					
56-43.5300-105.1003-2-15-	0-W11404	6390	181	2535	45	-2	5.9	5.5	-144	-1	-1	13.7	4006	46	4.0	87	0.342					
56-43.5022-105.0936-2-15-	0-W11405	10010	152	787	79	-2	9.8	5.8	-146	-1	-1	11.0	4119	114	-2.1	-51	0.415					
56-43.5172-105.0053-2-15-	0-W11406	5076	209	543	68	-2	6.1	5.5	-136	-1	-1	11.6	3381	62	4.2	-61	0.339					
56-43.5286-105.0483-2-15-	0-W11407	3709	234	693	-19	-1	5.2	4.8	-146	-1	-1	11.8	2571	53	3.3	86	0.264					
56-43.5328-105.0464-2-15-	0-W11408	7615	229	760	54	-2	6.7	4.7	-146	-1	-1	9.6	-343	74	2.3	84	0.353					
56-43.5447-105.0572-2-15-	0-W11409	11250	120	732	63	-2	8.9	5.2	-141	-1	-1	9.8	4331	120	2.2	112	0.399					
56-43.5511-105.0253-2-15-	0-W11410	6142	113	636	-17	-1	5.0	4.4	-99	-1	-1	7.7	2594	53	3.0	76	0.358					
56-43.5850-105.0542-2-15-	0-W11411	4872	180	692	45	-1	5.7	5.7	-130	-1	1	12.9	3261	57	4.3	90	0.291					
56-43.5825-105.0153-2-15-	0-W11413	3703	138	640	41	-1	4.2	7.3	-112	1	-1	15.3	3680	43	4.7	51	0.257					
56-43.6161-105.1278-2-15-	0-W11414	10080	250	4981	45	-2	6.2	5.4	-154	-1	1	10.6	3486	71	4.1	78	0.335					
56-43.5539-105.1450-2-15-	0-W11417	11180	164	1314	-25	-2	6.2	3.9	501	-1	-1	7.9	2020	52	-1.4	84	0.503					
56-43.5542-105.1672-2-11-	0-W11418	8100	164	1622	89	-2	10.0	6.1	-176	-1	-1	12.2	3651	95	4.3	-28	0.283					
56-43.5431-105.1661-2-15-	0-W11419	9939	91	1222	67	-2	10.2	5.3	204	-1	-1	11.5	-343	107	3.8	119	0.442					
56-43.5253-105.1419-2-15-	0-W11420	6379	153	1138	34	-1	4.9	4.3	-116	-1	-1	7.4	2508	64	2.6	57	0.374					
56-43.5042-105.1378-2-15-	0-W11421	2775	76	609	-14	-1	4.6	4.5	-97	-1	-1	9.2	2589	43	4.5	56	0.341					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

①

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																	U CONCENTRATION											
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY ($\mu\text{mho/cm}$)	SONTLOWATER ($\mu\text{g/ppm}$)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC) UNITS IN ppm
56-43.5775-105.2447-2-15-	0-W11423-09/14/77-10-	22-	-C-	-	-	8-1-1-4-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.87	
56-43.5975-105.2231-2-11-	0-W11424-09/15/77-8-	17-13.0	-C-	-	-	12-1-1-6-6-	-3-1-	-4-3-2-3-	-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.17	
56-43.6219-105.2053-2-15-	0-W11425-09/15/77-8-	17-	-C-	-	-	7-1-4-4-6-	-1-	-2-4-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.77	
56-43.5922-105.1783-2-15-	0-W11426-09/15/77-9-	17-	-C-	-	-	6-1-4-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.32	
56-43.5142-105.2469-2-15-	0-W11427-09/15/77-7-	17-	-C-	-	-	8-1-4-3-4-	-1-	-2-4-3-2-3-	-2-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.67	
56-43.5361-105.2117-2-11-	0-W11428-09/15/77-10-	17-13.0	-C-	-	-	8-1-4-6-7-	-2-	-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.23	
56-43.5117-105.2100-2-15-	0-W11429-09/15/77-10-	17-	-C-	-	-	6-1-4-3-4-	-1-	-1-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.58	
56-43.5233-105.2042-2-15-	0-W11430-09/15/77-11-	17-	-C-	-	-	4-1-4-3-4-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.12	
56-43.5228-105.1983-2-15-	0-W11431-09/15/77-11-	17-	-C-	-	-	8-1-4-3-4-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.24	
56-43.5600-105.1761-2-15-	0-W11432-09/15/77-12-	17-	-C-	-	-	10-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.17	
56-43.6850-105.1414-2-15-	0-W11433-09/15/77-13-	24-	-C-	-	-	11-1-4-3-4-	-1-	-1-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.59	
56-43.6733-105.1611-2-15-	0-W11434-09/15/77-14-	24-	-C-	-	-	19-1-4-3-4-	-1-	-1-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.71	
56-43.6822-105.1847-2-15-	0-W11436-09/15/77-15-	24-	-C-	-	-	12-1-4-3-6-	-1-	-1-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.64	
56-43.6461-105.1853-2-15-	0-W11437-09/15/77-15-	24-	-C-	-	-	8-1-4-3-4-	-1-	-1-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.32	
56-43.6344-105.1767-2-15-	0-W11438-09/15/77-16-	24-	-C-	-	-	12-1-4-3-4-	-1-	-2-1-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.74	
56-43.6658-105.2306-2-15-	0-W11440-09/15/77-16-	24-	-C-	-	-	13-1-1-4-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.55	
56-43.7133-105.1761-2-11-	0-W11441-09/15/77-17-	24-11.0	-C-	-	-	33-1-4-3-4-2-3-1-	-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.66	
56-43.7219-105.1614-2-15-	0-W11442-09/15/77-18-	24-	-C-	-	-	12-1-4-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.61	
56-43.7194-105.1531-2-15-	0-W11443-09/15/77-18-	24-	-C-	-	-	16-1-4-3-4-	-1-	-1-1-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.96	
56-43.7247-105.1408-2-15-	0-W11444-09/15/77-18-	24-	-C-	-	-	16-1-4-3-4-	-1-	-1-1-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.69	
56-43.7200-105.2142-2-15-	0-W11445-09/16/77-7-	11-	-C-	-	-	14-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.74	
56-43.7175-105.2422-2-15-	0-W11447-09/16/77-7-	11-	-C-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.12	
56-43.7953-105.2317-2-15-	0-W11449-09/16/77-10-	15-	-C-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.22	
56-43.8381-105.2203-2-15-	0-W11449-09/16/77-11-	15-	-C-	-	-	13-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.67	
56-43.8175-105.2044-2-15-	0-W11450-09/16/77-11-	15-	-C-	-	-	11-1-1-3-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.53	
56-43.8353-105.2264-2-15-	0-W11451-09/16/77-11-	15-	-C-	-	-	14-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.97	
56-43.8728-105.1553-2-15-	0-W11453-09/16/77-13-	15-	-C-	-	-	10-1-1-3-6-	-1-	-1-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.84	
56-43.8672-105.1464-2-15-	0-W11454-09/16/77-13-	15-	-C-	-	-	10-1-1-3-6-	-1-	-1-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.88	
56-43.8517-105.1350-2-15-	0-W11455-09/16/77-13-	17-	-C-	-	-	8-1-1-3-6-	-1-	-1-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.77	
56-43.8414-105.1578-2-15-	0-W11456-09/16/77-14-	17-	-C-	-	-	8-1-1-3-4-	-1-	-1-1-2-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.61	
56-43.8369-105.1578-2-15-	0-W11457-09/16/77-14-	17-	-C-	-	-	8-1-1-3-4-	-1-	-1-1-2-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.25	
56-43.8192-105.1339-2-15-	0-W11458-09/16/77-14-	17-	-C-	-	-	9-1-1-3-1-	-1-	-1-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.49	
56-43.8144-105.1339-2-15-	0-W11459-09/16/77-14-	17-	-C-	-	-	8-1-1-3-1-	-1-	-1-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.29	
56-43.7933-105.1914-2-15-	0-W11460-09/16/77-15-	17-	-C-	-	-	5-1-1-3-4-	-1-	-2-4-3-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.31	
56-43.7836-105.1306-2-15-	0-W11462-09/16/77-16-	23-	-C-	-	-	5-1-1-3-4-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.71	
56-43.7675-105.1611-2-15-	0-W11463-09/16/77-17-	23-	-C-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.21	
56-43.7736-105.1939-2-15-	0-W11465-09/16/77-17-	23-	-C-	-	-	5-1-1-3-4-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.52	
56-43.7639-105.2381-2-15-	0-W11467-09/16/77-18-	23-	-C-	-	-	15-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.91	
56-43.8975-105.2322-2-15-	0-W11468-09/17/77-8-	12-	-C-	-	-	8-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.48	
56-43.9228-105.2553-2-15-	0-W11469-09/17/77-9-	12-	-C-	-	-	8-1-1-4-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.80	
56-43.9350-105.2483-2-15-	0-W11470-09/17/77-9-	12-	-C-	-	-	14-1-1-3-4-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.51	
56-43.9556-105.2283-2-15-	0-W11471-09/17/77-10-	12-	-C-	-	-	10-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.14	
56-43.9597-105.2144-2-15-	0-W11472-09/17/77-10-	12-	-C-	-	-	10-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.72	
56-43.9842-105.2064-2-15-	0-W11473-09/17/77-11-	20-	-C-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.86	
56-43.9983-105.1850-2-15-	0-W11474-09/17/77-11-	20-	-C-	-	-	10-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.47	
56-43.9678-105.1408-2-15-	0-W11475-09/17/77-12-	20-	-C-	-	-	10-1-1-3-4-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.87	
56-43.9703-105.1294-2-15-	0-W11476-09/17/77-12-	20-	-C-	-	-	6-1-1-3-1-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.38	
56-43.9472-105.1503-2-15-	0-W11477-09/17/77-12-	20-</																																

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	U.S. SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.5775-105.2447-2-15-	0-W11423	-5	8	-5	33	-20	-15	14	-10	-15	2	33						
56-43.5975-105.2231-2-11-	0-W11424	-5	-5	-5	22	-20	37	10	-10	-15	3	48						
56-43.6219-105.2053-2-15-	0-W11425	-5	-5	-5	25	-20	-15	11	-10	-15	2	24						
56-43.5922-105.1783-2-15-	0-W11426	-5	7	-5	31	-20	17	5	-10	-15	2	24						
56-43.5142-105.2469-2-15-	0-W11427	-5	-5	-5	24	-20	-15	12	-10	15	2	34						
56-43.5361-105.2117-2-11-	0-W11428	-5	6	-5	33	-20	-15	16	-10	-15	3	42						
56-43.5117-105.2100-2-15-	0-W11429	-5	8	-5	17	-20	26	-5	-10	-15	1	14						
56-43.5233-105.2042-2-15-	0-W11430	-5	-5	-5	18	-20	19	9	-10	-15	1	17						
56-43.5228-105.1983-2-15-	0-W11431	-5	7	-5	30	-20	-15	9	-10	-15	1	19						
56-43.5600-105.1761-2-15-	0-W11432	-5	5	-5	26	-20	-15	7	-10	-15	2	31						
56-43.6850-105.1414-2-15-	0-W11433	-5	8	-5	22	-20	-15	7	-10	-15	1	14						
56-43.6733-105.1611-2-15-	0-W11434	-5	7	-5	22	-20	-15	-5	-10	-15	-1	10						
56-43.6822-105.1847-2-15-	0-W11436	-5	-5	-5	18	-20	16	10	-10	-15	1	11						
56-43.6461-105.1953-2-15-	0-W11437	-5	5	-5	24	-20	18	7	-10	-15	1	20						
56-43.6344-105.1767-2-15-	0-W11438	-5	5	-5	24	-20	-15	7	-10	-15	1	17						
56-43.6658-105.2306-2-15-	0-W11440	-5	-5	-5	20	-20	-15	-5	-10	-15	1	17						
56-43.7133-105.1761-2-11-	0-W11441	-5	6	-5	30	-20	29	31	-10	-15	3	27						
56-43.7219-105.1614-2-15-	0-W11442	-5	-5	-5	32	-20	-15	7	-10	-15	2	24						
56-43.7194-105.1531-2-15-	0-W11443	-5	-5	-5	21	-20	-15	5	-10	-15	1	11						
56-43.7247-105.1408-2-15-	0-W11444	-5	-5	-5	20	-20	-15	-5	-10	-15	1	15						
56-43.7200-105.2142-2-15-	0-W11445	-5	5	-5	43	-20	-15	8	-10	-15	2	35						
56-43.7175-105.2422-2-15-	0-W11447	-5	-5	-5	20	-20	-15	-5	-10	-15	2	16						
56-43.7953-105.2317-2-15-	0-W11448	-5	-5	-5	39	-20	31	11	-10	-15	2	29						
56-43.8381-105.2203-2-15-	0-W11449	-5	-5	-5	32	-20	25	6	-10	-15	2	19						
56-43.8175-105.2044-2-15-	0-W11450	-5	-5	-5	30	-20	19	15	-10	-15	2	30						
56-43.8353-105.2264-2-15-	0-W11451	-5	-5	-5	28	-20	-15	10	-10	-15	2	46						
56-43.8728-105.1553-2-15-	0-W11453	-5	-5	-5	21	-20	-15	12	-10	-15	1	17						
56-43.8672-105.1464-2-15-	0-W11454	-5	-5	-5	25	-20	-15	9	-10	-15	1	13						
56-43.8517-105.1350-2-15-	0-W11455	-5	-5	5	35	-20	-15	-5	-10	15	2	14						
56-43.8414-105.1578-2-15-	0-W11456	-5	-5	-5	12	-20	-15	10	-10	-15	1	9						
56-43.8369-105.1573-2-15-	0-W11457	-5	6	-5	15	-20	-15	-5	-10	-15	-1	6						
56-43.8192-105.1339-2-15-	0-W11458	-5	6	-5	22	-20	-15	8	-10	-15	-1	11						
56-43.8144-105.1339-2-15-	0-W11459	-5	-5	-5	-10	-20	-15	-5	-10	-15	-1	10						
56-43.7933-105.1914-2-15-	0-W11460	-5	-5	-5	16	-20	-15	8	-10	-15	1	14						
56-43.7836-105.1306-2-15-	0-W11462	-5	-5	-5	11	-20	-15	6	-10	-15	1	10						
56-43.7675-105.1611-2-15-	0-W11463	-5	-5	-5	27	-20	-15	10	-10	-15	-1	12						
56-43.7736-105.1939-2-15-	0-W11465	-5	-5	-5	22	-20	-15	5	-10	-15	1	17						
56-43.7639-105.2381-2-15-	0-W11467	-5	-5	-5	38	-20	-15	8	-10	-15	2	14						
56-43.8975-105.2322-2-15-	0-W11468	-5	-5	-5	31	-20	-15	14	-10	-15	2	26						
56-43.9228-105.2553-2-15-	0-W11469	-5	-5	-5	24	-20	-15	11	-10	-15	1	15						
56-43.9350-105.2483-2-15-	0-W11470	-5	-5	-5	27	-20	-15	8	-10	-15	2	21						
56-43.9556-105.2283-2-15-	0-W11471	-5	-5	-5	36	-20	20	10	-10	-15	2	27						
56-43.9597-105.2144-2-15-	0-W11472	-5	5	-5	31	-20	-15	10	-10	-15	2	39						
56-43.9842-105.2064-2-15-	0-W11473	-5	-5	-5	20	-20	15	10	-10	-15	2	19						
56-43.9983-105.1850-2-15-	0-W11474	-5	-5	-5	29	-20	19	15	-10	-15	2	23						
56-43.9678-105.1408-2-15-	0-W11475	-5	5	-5	25	-20	-15	8	-10	-15	2	15						
56-43.9703-105.1294-2-15-	0-W11476	-5	-5	-5	11	-20	-15	-5	-10	-15	2	14						
56-43.9472-105.1503-2-15-	0-W11477	-5	-5	-5	12	-20	-15	5	-10	-15	1	9						
56-43.9294-105.3214-2-15-	0-W11478	-5	-5	-5	39	-20	-15	10	-10	-15	3	29						
56-43.9422-105.3144-2-15-	0-W11479	-5	-5	-5	29	32	-15	-5	-10	-15	2	27						
56-43.9100-105.1264-2-15-	0-W11480	-5	-5	-5	26	-20	17	-5	-10	-15	2	21						

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.5775-105.2447-2-15-	0-W11423	55520	-0.07	601	6118	76	-43	8.3	53	4.8	4	1.4	23820	9.7	15170	35	0.4					
56-43.5975-105.2231-2-11-	0-W11424	58800	-0.09	454	12530	119	-55	33.7	54	4.5	6	1.7	22260	8.8	19730	46	0.4					
56-43.6219-105.2053-2-15-	0-W11425	57450	-0.07	620	2838	58	59	5.8	49	4.5	5	1.2	14970	8.2	12410	28	0.4					
56-43.5922-105.1783-2-15-	0-W11426	61000	-0.10	631	4153	73	-36	9.1	57	5.9	5	1.5	24690	9.3	12710	35	0.4					
56-43.5142-105.2469-2-15-	0-W11427	54360	-0.07	574	6752	90	-45	8.2	63	3.7	5	1.5	21190	15.6	18900	41	0.5					
56-43.5361-105.2117-2-11-	0-W11428	92280	-0.10	666	3231	83	-33	8.1	75	6.3	5	1.6	21320	5.7	15820	41	0.4					
56-43.5117-105.2100-2-15-	0-W11429	37400	-0.07	524	3066	69	-30	6.0	41	2.8	5	1.1	15050	17.0	11970	31	0.5					
56-43.5233-105.2042-2-15-	0-W11430	46950	-0.08	577	2157	61	-31	5.9	54	3.9	4	1.1	17570	11.3	13620	31	0.4					
56-43.5228-105.1983-2-15-	0-W11431	55800	-0.08	565	4563	59	-30	7.3	56	4.1	4	1.3	13640	9.2	12550	40	0.4					
56-43.5600-105.1761-2-15-	0-W11432	58700	-0.07	559	5850	59	-40	6.9	48	4.7	5	1.3	20270	6.3	17380	34	0.3					
56-43.6850-105.1414-2-15-	0-W11433	30750	-0.05	503	-270	43	-19	3.2	31	2.1	3	0.7	7642	8.5	13200	22	0.3					
56-43.6733-105.1611-2-15-	0-W11434	31660	-0.06	464	-377	48	-22	4.6	36	2.9	4	1.0	12060	12.0	12850	14	0.3					
56-43.6822-105.1847-2-15-	0-W11436	35400	-0.06	556	1554	77	-24	6.2	52	3.3	4	1.2	16500	21.8	11240	41	0.5					
56-43.6461-105.1853-2-15-	0-W11437	35410	-0.06	506	2234	56	-18	5.5	48	2.9	3	1.1	12030	14.7	10750	28	0.4					
56-43.6344-105.1767-2-15-	0-W11439	42860	-0.06	626	-351	57	-26	4.8	46	2.3	4	1.0	11020	16.4	13360	25	0.4					
56-43.6658-105.2306-2-15-	0-W11440	39470	-0.06	496	2577	51	-25	4.8	41	3.1	4	1.0	9927	12.5	13280	28	0.4					
56-43.7133-105.1761-2-11-	0-W11441	55590	-0.09	691	16110	86	-43	10.4	66	5.7	5	1.7	26430	11.1	16960	39	0.4					
56-43.7219-105.1614-2-15-	0-W11442	43440	-0.07	520	-456	53	-24	5.6	44	3.0	4	1.0	12060	6.8	12670	18	0.3					
56-43.7194-105.1531-2-15-	0-W11443	30640	-0.06	503	-268	55	-22	3.9	35	2.5	4	0.9	12380	15.9	11100	24	0.4					
56-43.7247-105.1408-2-15-	0-W11444	35710	-0.07	525	-303	67	-22	4.9	56	3.3	5	1.2	11350	23.7	12170	35	0.5					
56-43.7200-105.2142-2-15-	0-W11445	79480	-0.09	632	5761	94	-32	12.8	88	7.6	6	1.8	30260	7.5	16570	43	0.5					
56-43.7175-105.2422-2-15-	0-W11447	44010	-0.06	594	-386	62	-43	5.9	30	3.4	4	1.1	15710	9.0	17670	30	0.4					
56-43.7953-105.2317-2-15-	0-W11448	58910	-0.08	531	2607	62	-28	5.5	47	4.7	4	1.1	10660	6.6	13850	29	0.3					
56-43.8381-105.2203-2-15-	0-W11449	48090	-0.08	540	-408	60	-35	7.6	55	3.9	5	1.3	14700	9.7	12820	29	0.4					
56-43.8175-105.2044-2-15-	0-W11450	75440	-0.10	676	3342	78	-28	8.8	83	7.3	4	0.9	30070	11.4	12820	38	0.4					
56-43.8353-105.2264-2-15-	0-W11451	84690	-0.09	580	3935	63	-33	7.3	75	7.0	4	1.2	17440	5.6	14680	31	0.3					
56-43.8728-105.1553-2-15-	0-W11453	36160	-0.06	544	2286	46	-22	5.2	34	2.6	4	0.9	13200	9.0	13320	24	0.3					
56-43.8672-105.1464-2-15-	0-W11454	33800	-0.06	626	2236	47	-22	5.9	42	3.3	4	1.0	20060	11.5	11750	28	0.3					
56-43.8517-105.1350-2-15-	0-W11455	35240	-0.08	1310	5978	60	-32	12.0	49	4.1	4	0.8	90410	12.8	9962	33	0.5					
56-43.8414-105.1578-2-15-	0-W11456	30090	-0.05	597	-238	45	-18	2.8	45	2.0	4	1.0	12100	15.9	11540	23	0.3					
56-43.8369-105.1578-2-15-	0-W11457	24870	-0.05	540	-320	53	-19	3.5	55	2.3	4	0.9	11850	25.0	9525	27	0.4					
56-43.8192-105.1339-2-15-	0-W11458	28670	-0.06	455	-315	84	-29	5.9	64	2.5	5	1.4	15890	34.1	11620	38	0.5					
56-43.8144-105.1339-2-15-	0-W11459	25160	-0.06	500	-245	113	-27	5.2	136	-1.0	6	1.8	15610	52.2	12980	53	0.8					
56-43.7933-105.1914-2-15-	0-W11460	37080	-0.06	505	-255	52	-16	4.5	45	2.5	4	0.9	11320	15.8	12610	30	0.4					
56-43.7836-105.1306-2-15-	0-W11462	30490	-0.06	603	-289	60	-22	3.7	53	1.6	5	1.0	11170	24.6	11370	29	0.4					
56-43.7675-105.1611-2-15-	0-W11463	39270	-0.06	632	-336	56	-24	4.8	54	3.0	4	0.6	13150	16.1	11200	30	0.3					
56-43.7736-105.1939-2-15-	0-W11465	47090	-0.07	564	2217	68	-26	6.3	61	3.9	4	1.2	16980	10.7	12090	29	0.3					
56-43.7639-105.2381-2-15-	0-W11467	43760	-0.07	640	3311	77	-26	8.0	51	2.5	5	1.3	20150	14.3	12520	39	0.4					
56-43.8975-105.2322-2-15-	0-W11468	54080	-0.08	554	7319	61	-43	7.5	40	4.2	5	1.2	20040	6.7	19430	26	0.4					
56-43.9228-105.2553-2-15-	0-W11469	34110	-0.07	546	3070	40	-28	7.0	40	3.3	4	1.0	22350	6.8	10910	9	0.3					
56-43.9350-105.2483-2-15-	0-W11470	60200	-0.09	487	7830	67	-28	7.5	84	5.6	4	1.2	60070	13.5	12050	39	0.4					
56-43.9556-105.2283-2-15-	0-W11471	52370	-0.07	624	4634	54	-25	6.7	54	4.4	4	1.1	19300	8.4	13820	27	0.3					
56-43.9597-105.2144-2-15-	0-W11472	76320	-0.09	564	13920	58	-37	7.1	56	5.0	4	1.2	18250	5.1	15110	27	0.3					
56-43.9842-105.2064-2-15-	0-W11473	47700	-0.07	583	2530	53	-31	8.0	46	3.8	4	1.1	20720	7.8	13360	29	0.3					
56-43.9983-105.1850-2-15-	0-W11474	59380	-0.08	562	4394	65	-34	11.1	61	4.7	5	1.6	39860	6.7	14310	36	0.3					
56-43.9678-105.1408-2-15-	0-W11475	39260	-0.06	619	-244	48	-22	4.9	44	3.1	4	0.9	14930	10.1	12770	22	0.4					
56-43.9703-105.1294-2-15-	0-W11476	40540	-0.04	496	-291	43	40	2.9	32	2.8	3	0.7	8899	7.8	12940	18	0.2					
56-43.9472-105.1503-2-15-	0-W11477	25360	-0.05	572	-236	57	-17	4.7	46	2.0	4	0.7	17040	17.7	10400	26	0.4					
56-43.9294-105.3214-2-15-	0-W11478	64360	-0.04	702	3436	68	-33	7.0	82	5.6	4	1.5	19250	8.8	13500	34	0.4					
56-43.9472-105.3144-2-15-	0-W11479	53260	-0.06	752	5952	63	-42	10.1	58	4.0	5	1.4	39080	13.7	12830	32	0.4					
56-43.9100-105.1264-2-15-	0-W11480	48260	-0.06	639	4128	59	-30	5.3	41	3.1	4	0.9	11220	10.1	12960	24	0.4					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

(4)

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)																U/Th RATIO
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43.5775-105.2447-2-15-						0-W11423	11840	256	3182	68	-2	8.0	5.4	-169	-1	-1	12.4	2905	71	3.7	99	0.231
56-43.5975-105.2231-2-11-						0-W11424	12310	672	1712	64	-2	8.4	8.2	-266	-1	-1	13.0	3373	73	4.2	145	0.244
56-43.6219-105.2053-2-15-						0-W11425	7508	109	626	43	-2	7.7	4.8	-110	-1	-1	9.9	3502	101	3.0	-79	0.381
56-43.5922-105.1783-2-15-						0-W11426	7470	266	1059	89	-2	10.2	6.0	-173	-1	-1	12.5	2974	103	5.1	-105	0.346
56-43.5142-105.2469-2-15-						0-W11427	11060	251	3920	60	-2	8.3	6.8	-178	-1	-1	13.6	3120	70	4.8	78	0.270
56-43.5361-105.2117-2-11-						0-W11428	13910	117	1177	97	-3	13.6	7.4	255	-1	-1	14.7	4429	126	3.3	125	0.288
56-43.5117-105.2100-2-15-						0-W11429	4571	233	1075	33	-1	5.1	5.4	-134	-1	-1	11.6	3219	55	3.1	-55	0.309
56-43.5233-105.2042-2-15-						0-W11430	5992	185	1014	63	-2	6.9	5.0	-129	-1	-1	10.1	2480	61	2.6	70	0.309
56-43.5228-105.1983-2-15-						0-W11431	7020	95	1080	66	-2	8.8	5.0	-128	-1	-1	10.9	3317	75	3.7	127	0.297
56-43.5600-105.1761-2-15-						0-W11432	10480	315	2589	75	-2	8.3	5.8	-182	-1	-1	11.7	3243	77	3.1	137	0.271
56-43.6850-105.1414-2-15-						0-W11433	2874	60	605	35	-1	4.0	3.5	-81	-1	-1	5.6	2574	53	2.2	61	0.463
56-43.6733-105.1611-2-15-						0-W11434	3650	67	733	52	-1	5.1	4.0	-85	-1	-1	7.3	2231	52	3.6	-65	0.371
56-43.6822-105.1847-2-15-						0-W11435	4731	128	934	46	-1	6.5	5.3	-119	-1	-1	13.0	3125	73	4.7	50	0.280
56-43.6461-105.1853-2-15-						0-W11437	4115	91	1096	50	-1	6.3	4.6	-71	-1	-1	10.3	2453	57	3.2	95	0.322
56-43.6344-105.1767-2-15-						0-W11438	3875	101	718	-17	-1	5.6	4.1	-106	-1	-1	9.8	3422	71	2.7	-45	0.382
56-43.6658-105.2306-2-15-						0-W11440	3918	89	673	53	-1	5.5	3.8	-93	-1	-1	8.3	2461	50	2.8	78	0.307
56-43.7133-105.1761-2-11-						0-W11441	11070	257	1640	-27	-2	9.6	6.4	-195	-1	-1	14.8	2815	284	4.6	148	0.315
56-43.7219-105.1614-2-15-						0-W11442	3655	49	592	63	-2	7.9	3.7	-85	-1	-1	9.4	2882	85	2.7	101	0.384
56-43.7194-105.1531-2-15-						0-W11443	4148	112	746	45	-1	4.3	3.5	-97	-1	-1	8.1	2543	58	2.5	83	0.365
56-43.7247-105.1408-2-15-						0-W11444	3315	88	684	48	-1	5.7	4.7	-92	-1	-1	10.3	2841	51	3.3	46	0.358
56-43.7200-105.2142-2-15-						0-W11445	10170	247	969	81	-2	13.9	7.3	-184	-1	-1	17.2	3567	148	4.3	127	0.334
56-43.7175-105.2422-2-15-						0-W11447	7658	310	3448	60	-1	5.7	4.8	-169	-1	-1	9.8	2986	59	3.4	68	0.318
56-43.7953-105.2317-2-15-						0-W11449	6066	87	766	52	-2	8.7	4.9	-119	-1	-1	11.1	3457	100	4.0	98	0.380
56-43.8381-105.2203-2-15-						0-W11449	4379	134	1044	55	-2	8.8	4.8	-125	-1	-1	9.9	3298	82	2.3	94	0.371
56-43.8175-105.2044-2-15-						0-W11450	10420	162	694	83	-2	12.7	5.1	-172	-1	-1	14.0	4246	133	4.5	139	0.324
56-43.8353-105.2264-2-15-						0-W11451	8525	107	963	89	-2	12.4	4.1	-158	-1	-1	10.2	4444	147	2.3	162	0.389
56-43.8728-105.1553-2-15-						0-W11453	4148	96	584	36	-1	4.9	3.3	-98	-1	-1	6.5	2498	66	2.8	58	0.437
56-43.8672-105.1464-2-15-						0-W11454	4449	104	646	43	-1	5.5	4.1	-97	-1	-1	9.1	2283	64	2.6	-53	0.316
56-43.8517-105.1350-2-15-						0-W11455	4898	440	706	-31	-2	7.4	4.4	-201	-1	-1	9.8	2315	91	3.0	136	0.385
56-43.8414-105.1578-2-15-						0-W11456	3007	74	527	-16	-1	4.0	3.9	-91	-1	-1	8.1	2982	44	2.8	-48	0.322
56-43.8369-105.1578-2-15-						0-W11457	2912	85	480	-14	-1	3.5	3.4	-85	-1	-1	7.5	3056	36	3.3	-45	0.433
56-43.8192-105.1339-2-15-						0-W11458	-1263	133	1033	42	-1	4.9	6.0	-107	1	-1	11.6	3747	42	4.5	65	0.387
56-43.8144-105.1339-2-15-						0-W11459	3820	181	959	38	-1	4.9	8.0	-131	-1	1	15.2	5168	34	5.7	60	0.348
56-43.7933-105.1914-2-15-						0-W11460	4396	90	617	29	-1	5.5	4.3	-101	-1	-1	8.3	2964	66	3.1	63	0.399
56-43.7836-105.1306-2-15-						0-W11462	4667	85	579	38	-1	4.0	4.1	-93	-1	-1	8.9	3241	48	3.2	43	0.417
56-43.7675-105.1611-2-15-						0-W11463	4315	63	706	55	-2	5.6	3.6	-89	-1	-1	8.6	2905	56	3.3	46	0.373
56-43.7736-105.1939-2-15-						0-W11465	5233	149	787	59	-2	7.8	4.4	-139	-1	-1	10.1	3027	75	4.1	95	0.349
56-43.7639-105.2381-2-15-						0-W11467	3623	145	867	63	-2	9.1	5.8	-130	-1	-1	13.6	3282	91	3.4	131	0.361
56-43.8975-105.2322-2-15-						0-W11468	11890	396	1270	63	-2	6.9	5.0	-207	-1	-1	10.0	3674	82	3.5	73	0.348
56-43.9228-105.2553-2-15-						0-W11469	4595	169	864	41	-2	5.9	3.6	-118	-1	-1	6.9	2081	75	2.4	-71	0.406
56-43.9350-105.2483-2-15-						0-W11470	9430	272	650	71	-2	12.8	5.1	-179	-1	-1	14.0	4014	140	4.5	171	0.322
56-43.9556-105.2283-2-15-						0-W11471	6972	151	757	-21	-2	7.8	4.1	-134	-1	-1	8.8	-321	110	3.8	121	0.357
56-43.9597-105.2144-2-15-						0-W11472	12420	114	1148	61	-2	10.0	4.3	-128	-1	-1	10.0	3715	125	2.6	112	0.372
56-43.9842-105.2064-2-15-						0-W11473	7167	188	1034	50	-2	7.2	4.2	-129	-1	-1	8.3	2751	72	2.2	84	0.345
56-43.9983-105.1850-2-15-						0-W11474	9616	337	976	81	-2	9.9	5.5	-192	-1	-1	11.6	3088	100	3.4	122	0.299
56-43.9678-105.1408-2-15-						0-W11475	4221	102	784	47	-1	5.5	4.3	-110	-1	-1	8.2	3076	59	2.5	64	0.350
56-43.9703-105.1294-2-15-						0-W11476	4429	83	1523	40	-1	4.1	2.9	-109	-1	-1	6.3	2613	46	2.2	-51	0.378
56-43.9472-105.1503-2-15-						0-W11477	3212	90	613	55	-1	4.6	4.3	-94	-1	-1	8.1	2799	42	2.8	61	0.317
56-43.9294-105.3214-2-15-						0-W11478	7102	138	1014	75	-1	10.7	5.6	-140	-1	-1	11.9	4379	116	4.0	92	0.344
56-43.9422-105.3144-2-15-						0-W11479	7402	363	1015	58	-1	9.3	4.8	-190	-1	-1	10.6	3732	121	2.7	104	0.399
56-43.9100-105.1244-2-15-						0-W11480	5447	147	926	41	-1	6.8	4.3	-143	-1	-1	8.4	3463	81	2.6	-61	0.432

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

①

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																		U CONCENTRATION										
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SONTECHLOMETER (e.u./ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC) UNITS IN ppm
56-43.8522-105.3356-2-15-						0-W11492-09/22/77-10-	11-		-C-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.58	
56-43.8694-105.2928-2-15-						0-W11497-09/22/77-11-	12-		-C-	-	-	-	-	-	20-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.52	
56-43.8733-105.2786-2-15-						0-W11498-09/22/77-11-	12-		-C-	-	-	-	-	-	15-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.03	
56-43.8786-105.2647-2-15-						0-W11490-09/22/77-12-	12-		-C-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.34	
56-43.9033-105.2703-2-15-						0-W11491-09/22/77-12-	12-		-C-	-	-	-	-	-	17-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.62	
56-43.9269-105.3408-2-15-						0-W11493-09/22/77-13-	20-		-C-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.23	
56-43.9950-105.2536-2-15-						0-W11494-09/22/77-14-	22-		-C-	-	-	-	-	-	6-1-1-5-4-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.15	
56-43.9814-105.2681-2-15-						0-W11495-09/22/77-14-	22-		-C-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.42	
56-43.9619-105.3053-2-15-						0-W11496-09/22/77-15-	22-		-C-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.49	
56-43.9417-105.3975-2-15-						0-W11497-09/22/77-16-	22-		-C-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-4-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.21	
56-43.9522-105.3789-2-15-						0-W11498-09/22/77-16-	22-		-C-	-	-	-	-	-	15-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.73	
56-43.9775-105.3869-2-15-						0-W11499-09/22/77-16-	22-		-C-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.62	
56-43.9783-105.3403-2-15-						0-W11501-09/22/77-17-	20-		-C-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.55	
56-43.9961-105.3331-2-15-						0-W11502-09/22/77-17-	20-		-C-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.61	
56-43.9239-105.3903-2-15-						0-W11504-09/23/77-8-	6-		-C-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.08	
56-43.9206-105.4144-2-15-						0-W11505-09/23/77-9-	6-		-C-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.36	
56-43.9672-105.4386-2-15-						0-W11506-09/23/77-9-	6-		-C-	-	-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.33	
56-43.9708-105.4731-2-15-						0-W11508-09/23/77-9-	6-		-C-	-	-	-	-	-	3-1-1-5-6-	-1-	-2-4-3-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.33	
56-43.9436-105.4158-2-15-						0-W11511-09/24/77-8-	4-		-C-	-	-	-	-	-	4-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.30	
56-43.9069-105.4117-2-15-						0-W11512-09/24/77-8-	4-		-C-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.36	
56-43.8944-105.4261-2-15-						0-W11513-09/24/77-9-	4-		-C-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.93	
56-43.9197-105.4650-2-15-						0-W11514-09/24/77-9-	6-		-C-	-	-	-	-	-	7-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.66	
56-43.8856-105.4611-2-15-						0-W11515-09/24/77-9-	4-		-C-	-	-	-	-	-	4-1-1-5-6-	-1-	-2-4-3-2-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.03	
56-43.8133-105.4417-2-15-						0-W11518-09/24/77-11-	9-		-C-	-	-	-	-	-	3-1-4-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.33	
56-43.8611-105.4736-2-15-						0-W11519-09/24/77-10-	7-		-C-	-	-	-	-	-	4-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.20	
56-43.8294-105.4619-2-15-						0-W11522-09/24/77-12-	9-		-C-	-	-	-	-	-	1-1-4-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.48	
56-43.8394-105.4486-2-15-						0-W11523-09/24/77-12-	9-		-C-	-	-	-	-	-	3-1-4-5-8-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.86	
56-43.8486-105.4422-2-15-						0-W11524-09/24/77-13-	12-		-C-	-	-	-	-	-	1-1-4-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.96	
56-43.8556-105.4283-2-15-						0-W11525-09/24/77-14-	15-		-C-	-	-	-	-	-	3-1-4-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.75	
56-43.8628-105.4217-2-15-						0-W11526-09/24/77-14-	15-		-C-	-	-	-	-	-	3-1-4-4-5-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.23	
56-43.8092-105.3758-2-15-						0-W11529-09/24/77-15-	16-		-C-	-	-	-	-	-	3-1-4-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.30	
56-43.8206-105.3947-2-15-						0-W11529-09/24/77-15-	17-		-C-	-	-	-	-	-	3-1-4-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.84	
56-43.7747-105.3347-2-15-						0-W11531-09/24/77-16-	18-		-C-	-	-	-	-	-	3-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.98	
56-43.7997-105.2578-2-15-						0-W11533-09/25/77-11-	14-		-C-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.43	
56-43.7986-105.2654-2-15-						0-W11534-09/25/77-11-	14-		-C-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.25	
56-43.8100-105.3275-2-15-						0-W11535-09/25/77-11-	14-		-C-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.61	
56-43.7556-105.3094-2-15-						0-W11538-09/25/77-12-	15-		-C-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.50	
56-43.7211-105.2825-2-15-						0-W11539-09/25/77-13-	18-		-C-	-	-	-	-	-	16-1-1-4-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.65	
56-43.7078-105.3361-2-15-						0-W11540-09/25/77-16-	18-		-C-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.27	
56-43.6306-105.3111-2-15-						0-W11543-09/25/77-15-	18-		-C-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.66	
56-43.6636-105.2600-2-15-						0-W11546-09/25/77-16-	20-		-C-	-	-	-	-	-	16-1-1-4-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.93	
56-43.6653-105.2692-2-15-						0-W11547-09/25/77-16-	20-		-C-	-	-	-	-	-	12-1-1-4-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.73	
56-43.7806-105.4544-2-15-						0-W11549-09/25/77-17-	20-		-C-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.23	
56-43.7858-105.4947-2-15-						0-W11550-09/25/77-18-	20-		-C-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.06	
56-43.7614-105.4800-2-15-						0-W11551-09/25/77-18-	20-		-C-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.24	
56-43.7419-105.4347-2-15-						0-W11552-09/26/77-8-	8-		-C-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.68	
56-43.7322-105.4086-2-15-						0-W11553-09/26/77-8-	8-		-C-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.78	
56-43.6758-105.3906-2-15-						0-W11554-09/26/77-9-	8-		-C-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.72	
56-43.6669-105.4056-2-15-						0-W11555-09/26/77-9-	9-		-C-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-													

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE									ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)									Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li
56-43.8522-105.3356-2-15-	0-W11492	-5	-5	-5	26	-20	-15	-5	-10	-15				2	29		
56-43.8694-105.2928-2-15-	0-W11497	-5	-5	-5	18	-20	-15	5	-10	-15				2	28		
56-43.8733-105.2786-2-15-	0-W11498	-5	-5	-5	23	-20	-15	9	-10	-15				2	35		
56-43.8786-105.2647-2-15-	0-W11499	-5	-5	-5	22	-20	-15	9	-10	-15				2	30		
56-43.9033-105.2703-2-15-	0-W11491	-5	-5	-5	36	-20	18	8	-10	-15				2	44		
56-43.9269-105.3408-2-15-	0-W11493	-5	-5	-5	27	-20	-15	5	-10	-15				2	25		
56-43.9950-105.2536-2-15-	0-W11494	-5	-5	-5	17	-20	-15	-5	-10	-15				1	14		
56-43.9814-105.2681-2-15-	0-W11495	-5	-5	-5	25	-20	-15	8	-10	-15				2	31		
56-43.9619-105.3053-2-15-	0-W11496	-5	-5	-5	24	-20	16	19	-10	-15				3	46		
56-43.9417-105.3975-2-15-	0-W11497	-5	-5	-5	25	22	-15	7	-10	-15				2	22		
56-43.9522-105.3789-2-15-	0-W11498	-5	-5	-5	16	32	-15	8	-10	-15				2	26		
56-43.9775-105.3869-2-15-	0-W11499	-5	-5	-5	23	43	-15	6	-10	-15				1	25		
56-43.9783-105.3403-2-15-	0-W11501	-5	-5	-5	34	36	-15	9	-10	-15				2	26		
56-43.9961-105.3331-2-15-	0-W11502	-5	-5	-5	31	27	-15	-5	-10	-15				2	28		
56-43.9239-105.3903-2-15-	0-W11504	-5	-5	-5	15	-20	-15	11	-10	-15				1	22		
56-43.9206-105.4144-2-15-	0-W11505	-5	-5	-5	21	-20	-15	17	-10	-15				2	24		
56-43.9672-105.4386-2-15-	0-W11506	-5	-5	-5	34	-20	-15	15	-10	-15				2	30		
56-43.9708-105.4731-2-15-	0-W11509	-5	-5	-5	33	-20	-15	8	-10	-15				2	27		
56-43.9436-105.4158-2-15-	0-W11511	-5	-5	-5	20	-20	20	5	-10	-15				2	20		
56-43.9069-105.4117-2-15-	0-W11512	-5	-5	-5	18	-20	-15	6	-10	-15				2	27		
56-43.8944-105.4261-2-15-	0-W11513	-5	-5	-5	29	-20	-15	10	-10	-15				2	28		
56-43.9197-105.4650-2-15-	0-W11514	-5	-5	-5	35	-20	19	10	-10	-15				2	37		
56-43.8856-105.4611-2-15-	0-W11515	-5	-5	-5	15	-20	-15	-5	-10	-15				2	20		
56-43.8133-105.4417-2-15-	0-W11519	-5	-5	-5	22	-20	-15	7	-10	-15				2	24		
56-43.8611-105.4736-2-15-	0-W11519	-5	-5	-5	19	-20	-15	8	-10	-15				2	24		
56-43.8294-105.4619-2-15-	0-W11522	-5	-5	-5	21	-20	-15	8	-10	-15				2	39		
56-43.8394-105.4486-2-15-	0-W11523	-5	-5	-5	16	-20	-15	11	-10	-15				2	44		
56-43.8486-105.4422-2-15-	0-W11524	-5	-5	-5	34	-20	-15	6	-10	-15				1	31		
56-43.8556-105.4283-2-15-	0-W11525	-5	-5	-5	18	-20	-15	10	-10	-15				2	40		
56-43.8628-105.4217-2-15-	0-W11526	-5	-5	-5	11	-20	-15	-5	-10	-15				1	20		
56-43.8092-105.3758-2-15-	0-W11529	-5	-5	-5	31	-20	16	-5	-10	-15				2	39		
56-43.8206-105.3942-2-15-	0-W11529	-5	-5	-5	25	-20	-15	25	-10	-15				2	34		
56-43.7747-105.3347-2-15-	0-W11531	-5	-5	-5	20	-20	-15	12	-10	-15				2	32		
56-43.7997-105.2578-2-15-	0-W11533	-5	-5	-5	28	-20	-15	9	-10	-15				2	42		
56-43.7986-105.2664-2-15-	0-W11534	-5	-5	-5	37	-20	-15	12	-10	-15				1	28		
56-43.8100-105.3275-2-15-	0-W11535	-5	-5	-5	26	-20	-15	11	-10	-15				2	33		
56-43.7556-105.3094-2-15-	0-W11538	-5	-5	-5	25	-20	-15	-5	-10	-15				2	20		
56-43.7211-105.2825-2-15-	0-W11539	-5	-5	-5	38	-20	22	11	-10	-15				2	42		
56-43.7079-105.3361-2-15-	0-W11540	-5	-5	-5	18	-20	-15	5	-10	-15				2	30		
56-43.6306-105.3111-2-15-	0-W11543	-5	-5	-5	26	-20	-15	10	-10	-15				2	33		
56-43.6636-105.2600-2-15-	0-W11546	-5	-5	-5	19	-20	23	5	-10	-15				2	27		
56-43.6653-105.2692-2-15-	0-W11547	-5	-5	-5	27	-20	-15	8	-10	-15				2	33		
56-43.7806-105.4544-2-15-	0-W11549	-5	-5	-5	29	-20	-15	9	-10	-15				2	35		
56-43.7858-105.4947-2-15-	0-W11550	-5	-5	-5	21	-20	-15	14	-10	-15				2	36		
56-43.7614-105.4800-2-15-	0-W11551	-5	-5	-5	26	26	23	8	-10	-15				2	45		
56-43.7419-105.4347-2-15-	0-W11552	-5	-5	-5	37	-20	26	7	-10	-15				3	27		
56-43.7322-105.4086-2-15-	0-W11553	-5	-5	-5	27	-20	-15	14	-10	-15				3	48		
56-43.6758-105.3906-2-15-	0-W11554	-5	-5	-5	30	-20	20	-5	-10	-15				2	36		
56-43.6669-105.4056-2-15-	0-W11555	-5	-5	-5	31	-20	22	6	-10	-15				3	40		
56-43.6675-105.3778-2-15-	0-W11556	-5	-5	-5	28	-20	20	5	-10	-15				3	37		
56-43.6781-105.4219-2-15-	0-W11557	-5	-5	-5	24	-20	-15	11	-10	-15				3	33		

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.8522-105.3356-2-15-			0-W11482			57900	-0.07	602	3022	102	57	9.5	68	5.0	5	2.0	26390	10.7	18870	44	0.6	
56-43.8694-105.2928-2-15-			0-W11487			50870	-0.06	604	13290	85	-41	7.2	54	4.7	5	1.4	20350	12.5	20720	37	0.4	
56-43.8733-105.2786-2-15-			0-W11488			65610	-0.06	586	3357	71	-50	6.7	48	5.1	5	1.4	22280	8.0	17860	34	0.3	
56-43.8786-105.2647-2-15-			0-W11489			52050	-0.06	734	6603	77	268	6.6	44	3.9	6	1.2	17490	9.6	19480	33	0.4	
56-43.9033-105.2703-2-15-			0-W11491			71600	-0.08	635	3383	94	-37	11.0	77	7.3	5	1.7	30140	7.9	19360	46	0.5	
56-43.9269-105.3408-2-15-			0-W11493			54710	-0.06	577	2933	90	-46	8.5	66	5.0	6	1.7	22680	12.4	17080	42	0.5	
56-43.9950-105.2536-2-15-			0-W11494			47020	-0.05	591	3051	51	-33	6.1	45	3.5	5	1.0	18060	11.4	13480	27	0.3	
56-43.9814-105.2681-2-15-			0-W11495			92460	-0.07	579	9497	62	-32	5.8	61	5.5	4	0.9	14540	5.6	17070	26	0.3	
56-43.9619-105.3053-2-15-			0-W11496			82720	-0.09	841	10360	90	-54	11.4	101	9.7	5	1.9	33220	8.4	19790	74	0.5	
56-43.9417-105.3975-2-15-			0-W11497			51650	-0.06	578	5300	90	-61	7.0	55	-1.6	5	1.5	22970	11.8	19490	45	0.5	
56-43.9522-105.3789-2-15-			0-W11498			53370	-0.06	529	10510	74	-60	7.0	50	4.0	5	1.3	19300	9.7	16040	36	0.4	
56-43.9775-105.3869-2-15-			0-W11499			55860	-0.06	516	7993	75	-57	6.2	48	3.5	5	1.3	20810	9.0	18200	35	0.4	
56-43.9783-105.3403-2-15-			0-W11501			68910	-0.08	762	4529	97	-39	10.6	76	7.1	5	1.8	31060	9.6	20630	44	0.5	
56-43.9961-105.3331-2-15-			0-W11502			63970	-0.06	716	8236	95	-34	9.9	67	5.6	5	1.8	30570	11.7	18520	42	0.5	
56-43.9239-105.3903-2-15-			0-W11504			53600	-0.05	578	4209	69	-59	6.6	51	3.5	5	1.3	18460	8.6	20160	36	0.3	
56-43.9206-105.4144-2-15-			0-W11505			61140	-0.06	668	5303	69	68	6.5	42	3.7	5	1.2	18930	7.8	19750	29	0.3	
56-43.9672-105.4386-2-15-			0-W11506			60220	-0.08	608	6862	90	-47	10.7	75	6.8	6	1.9	30770	10.4	17830	46	0.5	
56-43.9708-105.4731-2-15-			0-W11508			57060	-0.06	544	10380	87	-48	9.4	70	5.1	6	1.7	26350	10.9	18890	38	0.5	
56-43.9436-105.4158-2-15-			0-W11511			48040	-0.05	610	3533	70	-62	6.4	43	2.8	5	1.3	16240	11.0	19800	34	0.3	
56-43.9069-105.4117-2-15-			0-W11512			50660	-0.06	586	3106	63	-46	6.2	38	2.8	5	1.1	15550	7.8	19410	26	0.4	
56-43.8944-105.4261-2-15-			0-W11513			58220	-0.08	620	5432	96	61	7.6	66	4.8	5	1.8	28900	13.0	20640	53	0.5	
56-43.9197-105.4650-2-15-			0-W11514			62030	-0.06	526	4447	99	-53	11.4	51	4.9	6	1.7	26350	10.1	19390	39	0.4	
56-43.8856-105.4611-2-15-			0-W11515			46990	-0.05	593	3906	58	-61	4.8	30	2.6	5	1.2	14940	10.3	19950	30	0.4	
56-43.8133-105.4417-2-15-			0-W11518			47090	-0.05	581	3136	66	-46	4.9	34	3.2	5	1.1	13740	8.7	17830	28	0.3	
56-43.8611-105.4736-2-15-			0-W11519			52470	-0.07	746	6637	81	-57	9.3	58	3.3	5	1.8	22870	13.5	18020	38	0.5	
56-43.8294-105.4619-2-15-			0-W11522			61350	-0.06	585	22690	76	-60	8.9	60	4.6	5	1.5	29450	6.9	17920	36	-0.1	
56-43.8394-105.4486-2-15-			0-W11523			54930	-0.06	512	9783	75	-116	9.0	45	4.4	5	1.4	25710	11.5	12680	40	0.4	
56-43.8486-105.4422-2-15-			0-W11524			37400	-0.05	491	19930	66	-82	18.7	36	2.7	4	1.2	13800	8.7	16220	23	0.3	
56-43.8556-105.4283-2-15-			0-W11525			80010	-0.09	670	4863	108	-59	9.0	82	6.8	6	1.8	34300	9.1	19200	52	0.5	
56-43.8628-105.4217-2-15-			0-W11526			42710	-0.05	551	10630	92	121	4.5	39	2.5	5	1.5	14780	15.0	19660	47	0.5	
56-43.8092-105.3758-2-15-			0-W11528			70120	-0.07	600	3404	93	-73	12.4	68	4.6	6	1.6	26000	9.6	19350	43	0.4	
56-43.8206-105.3942-2-15-			0-W11529			67220	-0.07	647	5458	73	-53	7.0	41	4.7	5	1.3	21910	6.0	19840	25	0.3	
56-43.7747-105.3347-2-15-			0-W11531			60350	-0.08	525	6609	98	-58	9.8	64	5.8	5	1.8	30680	10.6	20580	54	0.5	
56-43.7997-105.2578-2-15-			0-W11533			72920	-0.08	578	9834	89	158	7.4	78	7.3	5	1.3	28190	6.9	19570	44	0.2	
56-43.7986-105.2664-2-15-			0-W11534			52430	-0.06	654	13470	69	-57	7.3	44	3.9	5	1.3	17740	7.3	14930	32	0.4	
56-43.8100-105.3275-2-15-			0-W11535			76450	-0.05	605	5169	83	193	7.4	58	5.5	5	1.7	25960	6.7	20000	37	0.3	
56-43.7556-105.3094-2-15-			0-W11538			52020	-0.04	663	4752	77	-47	7.0	69	5.1	5	1.0	22030	10.9	19770	36	0.4	
56-43.7211-105.2825-2-15-			0-W11539			77360	-0.04	656	5139	96	-37	8.9	71	6.6	6	1.5	25350	7.2	22400	38	0.5	
56-43.7078-105.3361-2-15-			0-W11540			57240	-0.03	589	8565	65	-62	6.8	45	3.5	5	1.3	17460	7.4	18150	30	0.3	
56-43.6306-105.3111-2-15-			0-W11543			68020	-0.04	585	4946	34	-49	7.4	61	4.4	6	1.3	23370	7.6	20850	33	0.3	
56-43.6636-105.2600-2-15-			0-W11544			64070	-0.05	611	3021	113	-38	11.6	85	5.7	6	1.8	22790	21.8	16390	51	0.6	
56-43.6653-105.2692-2-15-			0-W11547			68810	-0.04	574	3937	70	-45	9.5	71	5.1	5	1.4	18590	8.0	15790	30	0.4	
56-43.7806-105.4544-2-15-			0-W11549			57580	-0.03	619	12470	60	-47	6.8	50	4.3	5	1.2	21630	7.5	18040	27	0.3	
56-43.7858-105.4947-2-15-			0-W11550			54400	-0.04	633	10750	73	-52	7.4	52	4.1	5	1.3	20050	8.6	21770	29	0.4	
56-43.7614-105.4800-2-15-			0-W11551			56870	-0.08	516	24810	96	108	15.1	79	6.0	5	1.7	36340	10.2	16760	44	0.5	
56-43.7419-105.4347-2-15-			0-W11552			84090	-0.08	651	8980	95	-49	13.6	78	7.2	5	1.7	35460	6.9	22230	40	0.5	
56-43.7322-105.4086-2-15-			0-W11553			79790	-0.07	675	3698	77	-53	8.9	83	6.2	6	1.8	28070	5.6	25260	41	0.5	
56-43.6758-105.3906-2-15-			0-W11554			58880	-0.06	564	12730	64	-44	6.1	54	3.1	5	1.2	18730	6.7	17030	32	0.3	
56-43.6669-105.4056-2-15-			0-W11555			70570	-0.08	730	4972	122	-45	13.9	84	7.7	6	2.1	35790	13.9	18280	54	0.5	
56-43.6675-105.3778-2-15-			0-W11556			64330	-0.06	596	5962	84	-45	8.8	69	6.4	5	1.6	25980	9.6	20340	41	0.4	
56-43.6781-105.4219-2-15-			0-W11557			61930	-0.06	642	5195	76	-66	8.3	55	4.5	6	1.5	23660	6.9	18140	41	0.4	

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

4

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)																	U/Th RATIO
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE LAB LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)																
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn		
56-43.8522-105.3356-2-15-	0-W11492	10660	221	3229	81	-2	11.1	8.4	-184	-1	-1	17.9	3872	84	4.7	163	0.256						
56-43.8694-105.2928-2-15-	0-W11497	15740	228	1326	78	-1	7.4	6.6	-167	-1	-1	13.4	3500	64	5.1	71	0.263						
56-43.8733-105.2786-2-15-	0-W11498	10190	209	2498	75	-1	8.8	6.1	-168	-1	-1	11.9	3484	91	3.2	124	0.423						
56-43.8786-105.2647-2-15-	0-W11499	8281	352	3934	68	-1	6.2	5.7	-222	-1	-1	10.8	3582	75	3.5	-88	0.309						
56-43.9033-105.2703-2-15-	0-W11491	9986	337	1040	94	-2	13.2	7.5	-219	-1	-1	16.4	3909	101	4.5	172	0.221						
56-43.9269-105.3408-2-15-	0-W11493	6752	256	2208	93	-1	9.0	7.5	-170	-1	-1	15.8	3477	80	5.5	107	0.268						
56-43.9950-105.2536-2-15-	0-W11494	6231	167	821	43	-1	6.6	4.2	-132	-1	-1	8.5	2980	79	2.7	56	0.371						
56-43.9814-105.2681-2-15-	0-W11495	10910	118	971	66	-2	9.8	3.3	-157	-1	-1	9.0	4329	134	2.2	-55	0.380						
56-43.9619-105.3053-2-15-	0-W11496	18480	261	3608	101	-2	15.4	7.4	-203	-1	-1	18.5	4202	147	3.8	107	0.243						
56-43.9417-105.3975-2-15-	0-W11497	11960	237	3633	81	-1	8.1	6.5	-189	-1	-1	15.1	3032	64	4.1	98	0.213						
56-43.9522-105.3789-2-15-	0-W11498	13160	345	3658	81	-1	7.4	6.4	-207	-1	-1	12.1	3132	68	3.2	113	0.391						
56-43.9775-105.3869-2-15-	0-W11499	9620	472	3494	53	-1	6.8	4.9	-262	-1	-1	10.5	3229	69	4.0	87	0.345						
56-43.9783-105.3403-2-15-	0-W11501	11710	320	1755	109	-2	12.4	8.0	-207	-1	-1	16.1	3958	98	4.1	142	0.220						
56-43.9961-105.3331-2-15-	0-W11502	12320	285	854	98	-1	10.9	7.4	-171	-1	-1	15.9	3599	103	4.7	125	0.290						
56-43.9239-105.3903-2-15-	0-W11504	7816	290	3683	71	-1	7.3	5.3	-186	-1	-1	12.3	2911	64	3.4	139	0.250						
56-43.9206-105.4144-2-15-	0-W11505	11650	273	3259	54	-1	7.0	5.3	-209	-1	-1	11.9	3010	76	2.3	88	0.282						
56-43.9672-105.4386-2-15-	0-W11506	14510	353	2465	-30	-2	10.8	7.9	-219	-1	-1	16.9	3628	87	5.0	210	0.197						
56-43.9708-105.4731-2-15-	0-W11508	11510	391	1564	70	-1	9.2	6.6	-214	-1	-1	12.6	3661	88	4.8	117	0.264						
56-43.9436-105.4158-2-15-	0-W11511	8499	438	4013	69	-1	6.3	5.7	-204	-1	-1	11.6	2646	61	3.5	86	0.284						
56-43.9069-105.4117-2-15-	0-W11512	10840	328	2521	45	-1	5.9	4.3	-208	-1	-1	9.7	3084	70	3.5	86	0.346						
56-43.8944-105.4261-2-15-	0-W11513	11450	219	3582	88	-2	10.1	7.4	-184	-2	-1	15.8	3509	80	4.8	157	0.249						
56-43.9197-105.4650-2-15-	0-W11514	12190	320	2856	98	-1	9.5	7.0	-200	-1	-1	14.5	3442	90	4.3	-100	0.252						
56-43.8856-105.4611-2-15-	0-W11515	8064	231	5577	58	-1	5.3	4.4	-165	-1	-1	10.8	2767	45	3.0	37	0.281						
56-43.8133-105.4417-2-15-	0-W11518	7276	261	2812	55	-1	5.6	4.7	-189	-1	-1	10.6	2957	61	2.8	90	0.314						
56-43.8611-105.4736-2-15-	0-W11519	8790	385	4940	-25	-2	8.3	6.6	271	-1	-1	14.7	2842	59	4.2	127	0.218						
56-43.8294-105.4619-2-15-	0-W11522	17530	473	3010	-27	-2	9.6	6.6	419	-1	-1	13.1	3478	93	3.6	95	0.266						
56-43.8394-105.4486-2-15-	0-W11523	18400	2142	3881	-26	-1	7.8	6.6	-483	-1	-1	14.0	2394	79	3.8	95	0.276						
56-43.8486-105.4422-2-15-	0-W11524	-3718	848	3295	-19	-1	5.0	4.0	-401	-1	-1	9.8	1870	48	2.3	-19	0.302						
56-43.8556-105.4283-2-15-	0-W11525	15750	302	4716	107	-2	13.5	8.3	-229	-1	-1	21.1	3739	108	5.1	110	0.178						
56-43.8628-105.4217-2-15-	0-W11526	7760	217	6841	54	-1	5.8	6.9	258	-1	-1	15.2	3397	49	4.6	-44	0.213						
56-43.8092-105.3758-2-15-	0-W11528	10610	566	4189	89	-2	9.7	7.2	-261	-1	-1	16.7	3491	97	4.3	113	0.257						
56-43.8206-105.3942-2-15-	0-W11529	13760	468	3139	90	-2	8.2	5.2	-263	-1	-1	12.9	3666	90	3.8	182	0.298						
56-43.7747-105.3347-2-15-	0-W11531	11790	251	4978	76	-2	10.2	8.9	-203	-1	1	17.8	3471	76	4.6	162	0.224						
56-43.7997-105.2578-2-15-	0-W11533	11920	161	2523	108	-2	11.8	6.8	-172	-2	-1	15.1	4008	106	3.8	197	0.227						
56-43.7986-105.2664-2-15-	0-W11534	13710	416	1989	69	-1	7.9	5.4	-224	-1	-1	11.6	2969	77	3.3	115	0.366						
56-43.8100-105.3275-2-15-	0-W11535	13000	314	6007	67	-1	9.7	6.2	-231	-1	-1	14.5	3392	110	3.9	-121	0.249						
56-43.7556-105.3094-2-15-	0-W11538	8801	265	3397	79	-1	8.1	6.3	-190	-1	-1	14.0	3474	69	3.7	100	0.250						
56-43.7211-105.2825-2-15-	0-W11539	14000	188	1117	95	2	11.1	6.5	-167	-1	-1	14.5	3918	119	4.0	-91	0.390						
56-43.7078-105.3361-2-15-	0-W11540	11770	330	3877	76	-1	6.9	5.5	-191	-1	-1	13.1	3043	67	2.5	-91	0.250						
56-43.6306-105.3111-2-15-	0-W11543	15930	298	2747	59	-1	9.4	6.1	-218	-1	-1	14.1	3221	93	3.5	-36	0.260						
56-43.6636-105.2600-2-15-	0-W11546	8845	257	1453	68	1	11.0	8.3	-190	-1	-1	21.2	4071	102	4.9	-107	0.233						
56-43.6653-105.2692-2-15-	0-W11547	10690	251	1402	72	-1	9.2	5.2	-186	-1	-1	11.4	4057	103	3.5	91	0.327						
56-43.7806-105.4544-2-15-	0-W11549	15320	453	1391	65	-1	7.1	4.5	-220	-1	-1	8.6	3212	85	2.3	67	0.376						
56-43.7858-105.4947-2-15-	0-W11550	14450	417	2742	68	-1	7.2	6.2	-251	-1	-1	10.9	2930	72	2.9	60	0.281						
56-43.7614-105.4800-2-15-	0-W11551	18240	589	1459	110	-2	11.6	7.7	-264	-1	-1	16.2	3510	87	4.5	95	0.200						
56-43.7419-105.4347-2-15-	0-W11552	15440	294	1658	176	-2	13.4	7.7	-217	-1	-1	17.5	4895	145	4.7	219	0.267						
56-43.7322-105.4086-2-15-	0-W11553	16050	253	1740	-32	-2	11.6	7.2	-206	-1	-1	14.5	3917	109	3.2	174	0.261						
56-43.6758-105.3906-2-15-	0-W11554	14350	281	1331	50	-1	6.8	4.8	-202	-1	-1	10.2	3631	85	2.9	97	0.365						
56-43.6669-105.4056-2-15-	0-W11555	11880	352	2200	119	-2	13.4	9.2	-213	-1	2	19.3	4227	109	5.3	144	0.245						
56-43.6675-105.3778-2-15-	0-W11556	13760	269	1794	75	-1	10.2	7.0	-184	-1	-1	16.6	3860	98	3.6	114	0.227						
56-43.6781-105.4219-2-15-	0-W11557	13020	432	2974	73	-1	9.2	6.4	-237	-1	-1	13.9	3822	89	3.3	135	0.263						

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

①

DOE SAMPLE NUMBER						LASL SAMPLE LOCATION NUMBER AND FIELD DATA																		U CONCENTRATION										
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASL SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SOLITOMETER (uL/ppm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC) UNITS IN ppm
							DATE	HOUR																										
56-43.6558-105.4669-2-15-	0-W11559-09/26/77-10-	12-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.59	
56-43.6997-105.4728-2-15-	0-W11561-09/26/77-11-	12-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.24	
56-43.7142-105.4739-2-15-	0-W11562-09/26/77-11-	12-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.75	
56-43.7189-105.4739-2-15-	0-W11563-09/26/77-11-	12-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.10	
56-43.7244-105.4739-2-15-	0-W11564-09/26/77-11-	12-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.19	
56-43.7414-105.3767-2-15-	0-W11565-09/26/77-12-	12-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.50	
56-43.6108-105.2614-2-15-	0-W11566-09/26/77-14-	16-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.78	
56-43.5972-105.3536-2-15-	0-W11568-09/26/77-14-	16-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.24	
56-43.5747-105.3506-2-15-	0-W11569-09/26/77-14-	16-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.44	
56-43.5669-105.3297-2-15-	0-W11570-09/26/77-15-	20-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.79	
56-43.5983-105.3133-2-15-	0-W11571-09/26/77-15-	20-	-	-	-	10-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.94	
56-43.5681-105.2986-2-15-	0-W11572-09/26/77-16-	20-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.33	
56-43.5528-105.2867-2-15-	0-W11573-09/26/77-16-	20-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.26	
56-43.5400-105.2858-2-15-	0-W11574-09/26/77-16-	20-	-	-	-	12-1-1-4-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.50	
56-43.5406-105.2750-2-15-	0-W11575-09/26/77-17-	20-	-	-	-	12-1-4-4-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.95	
56-43.5500-105.2561-2-15-	0-W11576-09/26/77-17-	20-	-	-	-	12-1-4-4-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.64	
56-43.5292-105.2592-2-15-	0-W11577-09/26/77-17-	20-	-	-	-	10-1-4-4-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.29	
56-43.5106-105.2681-2-15-	0-W11578-09/26/77-17-	20-	-	-	-	13-1-4-4-6-	-1-	-2-4-3-3-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.79	
56-43.5133-105.3464-2-15-	0-W11580-09/26/77-18-	17-	-	-	-	16-1-4-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.26	
56-43.5375-105.3833-2-15-	0-W11581-09/27/77-8-	8-	-	-	-	12-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.14	
56-43.5381-105.4083-2-11-	0-W11582-09/27/77-8-	8-	-	-	-	12-1-1-5-6-	-3-3-	-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.39	
56-43.5422-105.4094-2-15-	0-W11583-09/27/77-8-	8-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.43	
56-43.5400-105.4231-2-15-	0-W11584-09/27/77-9-	8-	-	-	-	16-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.36	
56-43.5019-105.4075-2-15-	0-W11585-09/26/77-9-	8-	-	-	-	16-1-1-4-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.67	
56-43.5781-105.3828-2-15-	0-W11586-09/27/77-10-	8-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.12	
56-43.5850-105.4133-2-15-	0-W11587-09/27/77-10-	8-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.43	
56-43.5906-105.4236-2-15-	0-W11588-09/27/77-11-	16-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.46	
56-43.6214-105.4086-2-15-	0-W11589-09/27/77-11-	16-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.25	
56-43.6222-105.3869-2-15-	0-W11590-09/27/77-11-	16-	-	-	-	20-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.12	
56-43.6147-105.4439-2-15-	0-W11591-09/27/77-11-	17-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.96	
56-43.6219-105.4703-2-15-	0-W11592-09/27/77-11-	17-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.60	
56-43.5269-105.4503-2-15-	0-W11595-09/27/77-12-	23-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.57	
56-43.5417-105.4753-2-15-	0-W11596-09/27/77-13-	23-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.68	
56-43.5500-105.4614-2-15-	0-W11597-09/27/77-13-	23-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-1-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.05	
56-43.8611-104.2650-2-15-	0-W11598-09/28/77-7-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.80	
56-43.8711-104.2794-2-15-	0-W11599-09/28/77-8-	13-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.71	
56-43.8133-104.3447-2-15-	0-W11600-09/28/77-8-	13-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.80	
56-43.8411-104.3589-2-15-	0-W11601-09/28/77-8-	13-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.36	
56-43.8533-104.3722-2-15-	0-W11602-09/28/77-8-	13-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.00	
56-43.7889-104.3367-2-15-	0-W11603-09/28/77-9-	13-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.56	
56-43.7767-104.3378-2-15-	0-W11604-09/28/77-9-	13-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.33	
56-43.7594-104.3208-2-15-	0-W11605-09/28/77-9-	13-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.85	
56-43.7678-104.2528-2-15-	0-W11606-09/28/77-10-	17-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.20	
56-43.7644-104.2694-2-15-	0-W11607-09/28/77-10-	17-	-	-	-	19-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.19	
56-43.7231-104.2408-2-15-	0-W11608-09/28/77-10-	17-	-	-	-	20-1-1-5-6-	-1-	-2-4-3-2-2-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.28	
56-43.7156-104.2408-2-15-																																		

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.6558-105.4669-2-15-	0-411559	-5	-5	-5	30	-20	-15	13	-10	-15	2	30						
56-43.6997-105.4728-2-15-	0-411561	-5	7	-5	40	-20	22	8	-10	-15	3	33						
56-43.7142-105.4739-2-15-	0-411562	-5	5	-5	24	-20	-15	5	-10	-15	2	18						
56-43.7189-105.4739-2-15-	0-411563	-5	-5	-5	34	-20	23	10	-10	-15	3	33						
56-43.7244-105.4739-2-15-	0-411564	-5	6	-5	28	-20	15	14	-10	-15	2	26						
56-43.7414-105.3767-2-15-	0-411565	-5	-5	-5	14	-20	-15	-5	-10	-15	2	16						
56-43.6108-105.2614-2-15-	0-411566	-5	5	-5	30	-20	-15	7	-10	-15	2	30						
56-43.5972-105.3536-2-15-	0-411568	-5	-5	-5	24	-20	17	8	-10	-15	2	24						
56-43.5747-105.3506-2-15-	0-411569	-5	-5	-5	25	-20	-15	9	-10	-15	2	38						
56-43.5669-105.3297-2-15-	0-411570	-5	-5	-5	25	-20	21	9	-10	-15	2	27						
56-43.5983-105.3133-2-15-	0-411571	-5	-5	-5	29	-20	-15	-5	-10	-15	-1	14						
56-43.5681-105.2986-2-15-	0-411572	-5	-5	-5	30	-20	19	10	-10	-15	2	32						
56-43.5528-105.2867-2-15-	0-411573	-5	-5	-5	19	-20	-15	10	-10	-15	2	18						
56-43.5400-105.2858-2-15-	0-411574	-5	-5	-5	28	-20	-15	-5	-10	-15	2	21						
56-43.5406-105.2750-2-15-	0-411575	-5	-5	-5	22	-20	27	9	-10	-15	1	10						
56-43.5500-105.2561-2-15-	0-411576	-5	7	-5	11	-20	16	-5	-10	-15	1	13						
56-43.5292-105.2592-2-15-	0-411577	-5	-5	-5	20	-20	-15	13	-10	-15	1	15						
56-43.5106-105.2681-2-15-	0-411578	-5	7	-5	15	-20	-15	13	-10	-15	1	10						
56-43.5133-105.3464-2-15-	0-411580	-5	-5	-5	31	-20	15	14	-10	-15	2	22						
56-43.5375-105.3833-2-15-	0-411581	-5	6	-5	21	-20	-15	7	-10	-15	1	16						
56-43.5381-105.4083-2-11-	0-411582	-5	6	-5	24	-20	-15	7	-10	-15	2	26						
56-43.5422-105.4094-2-15-	0-411583	-5	-5	-5	36	-20	22	9	-10	-15	2	35						
56-43.5400-105.4231-2-15-	0-411584	-5	8	-5	15	-20	-15	7	-10	-15	1	13						
56-43.5019-105.4075-2-15-	0-411585	-5	-5	-5	20	-20	-15	-5	-10	-15	2	16						
56-43.5781-105.3828-2-15-	0-411586	-5	5	-5	26	-20	-15	13	-10	-15	2	22						
56-43.5850-105.4133-2-15-	0-411587	-5	-5	-5	22	-20	15	11	-10	-15	2	21						
56-43.5906-105.4236-2-15-	0-411588	-5	-5	-5	22	-20	-15	8	-10	-15	2	24						
56-43.6214-105.4086-2-15-	0-411589	-5	-5	-5	29	-20	-15	12	-10	-15	2	24						
56-43.6222-105.3869-2-15-	0-411590	-5	6	-5	17	-20	-15	9	-10	-15	2	19						
56-43.6147-105.4439-2-15-	0-411591	-5	-5	-5	34	-20	-15	-5	-10	-15	2	41						
56-43.6219-105.4703-2-15-	0-411592	-5	-5	-5	24	-20	-15	12	-10	-15	2	34						
56-43.5269-105.4503-2-15-	0-411593	-5	-5	5	24	-20	-15	7	-10	-15	2	29						
56-43.5417-105.4753-2-15-	0-411596	-5	-5	-5	20	-20	-15	-5	-10	-15	2	37						
56-43.5500-105.4614-2-15-	0-411597	-5	-5	-5	26	-20	-15	7	-10	-15	2	32						
56-43.8611-104.2650-2-15-	0-411598	-5	6	-5	31	-20	38	13	-10	-15	3	67						
56-43.8711-104.2794-2-15-	0-411599	-5	-5	-5	14	-20	15	13	-10	-15	2	32						
56-43.8133-104.3447-2-15-	0-411600	-5	-5	-5	26	-20	-15	10	-10	-15	2	31						
56-43.8411-104.3589-2-15-	0-411601	-5	-5	-5	38	-20	25	10	-10	-15	2	46						
56-43.8533-104.3722-2-15-	0-411602	-5	-5	-5	29	-20	-15	14	-10	-15	2	35						
56-43.7889-104.3367-2-15-	0-411603	-5	-5	-5	35	-20	19	11	-10	-15	2	60						
56-43.7767-104.3378-2-15-	0-411604	-5	-5	-5	32	-20	-15	9	-10	-15	2	47						
56-43.7594-104.3208-2-15-	0-411605	-5	-5	-5	23	-20	15	12	-10	-15	2	42						
56-43.7678-104.2528-2-15-	0-411606	-5	-5	-5	47	-20	29	16	-10	-15	2	37						
56-43.7644-104.2694-2-15-	0-411607	-5	-5	-5	48	-20	34	10	-10	15	2	43						
56-43.7231-104.2408-2-15-	0-411608	-5	-5	-5	33	-20	23	14	-10	-15	2	39						
56-43.7156-104.2409-2-15-	0-411609	-5	-5	-5	29	-20	25	12	-10	-15	2	34						
56-43.7008-104.2408-2-15-	0-411610	-5	-5	-5	41	-20	15	11	-10	-15	2	47						
56-43.6889-104.2472-2-15-	0-411611	-5	-5	-5	33	-20	16	16	-10	-15	2	40						
56-43.7131-104.2989-2-15-	0-411612	-5	-5	-5	28	-20	23	20	-10	-15	3	56						
56-43.7353-104.2875-2-15-	0-411613	-5	-5	-5	23	-20	21	9	-10	-15	2	37						
56-43.7417-104.3094-2-15-	0-411614	-5	-5	-5	27	-20	24	11	-10	-15	2	37						

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
Concentrations reported in weight parts per million (ppm)																						
56-43.6558-105.4669-2-15-	0-W11559	57020	-0.06	539	5769	67	-45	7.0	43	5.6	5	1.2	20350	6.4	17470	31	0.4					
56-43.6997-105.4728-2-15-	0-W11561	65730	-0.07	677	5441	98	-38	13.2	72	6.2	6	2.0	28890	10.6	15350	48	0.5					
56-43.7142-105.4739-2-15-	0-W11562	53510	-0.05	616	2717	118	-31	4.3	61	3.6	6	1.6	18320	23.0	18060	54	0.6					
56-43.7189-105.4739-2-15-	0-W11563	67880	-0.07	650	5465	73	57	9.4	66	5.5	6	1.5	24530	5.9	16990	38	0.4					
56-43.7244-105.4739-2-15-	0-W11564	65050	-0.07	590	5904	78	-46	7.2	50	4.5	5	1.3	22230	6.5	15450	29	0.4					
56-43.7414-105.3767-2-15-	0-W11565	43060	-0.05	549	20180	80	-51	6.1	36	-1.3	4	1.4	17220	12.0	17600	33	0.5					
56-43.6108-105.2614-2-15-	0-W11566	58360	-0.06	610	6316	88	-62	7.8	60	4.9	5	1.6	22630	9.9	17910	41	0.4					
56-43.5972-105.3536-2-15-	0-W11568	53410	-0.05	662	17440	61	-51	6.0	45	3.8	5	1.3	19650	9.0	19710	32	0.4					
56-43.5747-105.3506-2-15-	0-W11569	59210	-0.07	579	20360	68	-85	8.7	39	3.1	5	1.2	20450	8.2	19750	32	0.4					
56-43.5669-105.3297-2-15-	0-W11570	67090	-0.07	670	5187	92	-28	15.0	75	7.3	6	1.7	31670	8.5	16890	40	0.5					
56-43.5983-105.3133-2-15-	0-W11571	31310	-0.07	357	46570	47	783	6.8	41	-1.7	2	0.9	15410	3.6	10130	19	0.3					
56-43.5681-105.2986-2-15-	0-W11572	72440	-0.06	557	8881	70	98	9.1	55	4.6	6	1.5	22690	7.6	16540	30	0.4					
56-43.5528-105.2867-2-15-	0-W11573	44240	-0.05	632	4858	64	-32	4.7	37	3.4	5	1.2	15650	8.9	17060	25	0.5					
56-43.5400-105.2858-2-15-	0-W11574	63530	-0.08	528	7401	92	-29	14.3	78	6.3	5	1.8	28230	11.7	13820	40	0.5					
56-43.5106-105.2750-2-15-	0-W11575	26730	-0.05	688	4556	63	-38	11.1	35	1.8	5	0.8	45100	11.9	12670	28	0.5					
56-43.5500-105.2561-2-15-	0-W11576	29220	-0.04	590	3419	66	-42	5.9	33	2.0	5	1.2	17340	15.8	14550	32	0.4					
56-43.5292-105.2592-2-15-	0-W11577	52740	-0.05	560	5166	68	-39	7.1	44	3.4	5	1.2	15300	7.1	17980	28	0.4					
56-43.5106-105.2681-2-15-	0-W11578	26480	-0.03	553	1517	38	42	6.2	37	1.9	3	0.6	20040	5.1	16200	20	0.3					
56-43.5133-105.3464-2-15-	0-W11580	77090	-0.04	685	7963	83	-47	9.5	66	6.6	6	1.5	25200	8.0	19500	36	0.3					
56-43.5375-105.3833-2-15-	0-W11581	29860	-0.02	383	6211	92	-51	2.3	28	-0.8	5	1.1	10480	14.8	11930	46	0.4					
56-43.5381-105.4083-2-11-	0-W11582	61300	-0.04	580	18790	94	-73	6.1	51	2.8	5	1.5	21850	8.3	23040	36	0.3					
56-43.5422-105.4094-2-15-	0-W11583	75250	-0.05	587	20780	94	135	11.8	86	8.3	5	1.3	35880	6.5	16030	43	0.4					
56-43.5400-105.4231-2-15-	0-W11584	38860	-0.03	554	9265	172	-63	5.7	53	-1.3	8	1.9	19710	35.4	14550	78	0.8					
56-43.5019-105.4075-2-15-	0-W11585	47130	-0.03	613	2167	65	-32	5.4	53	3.5	6	1.3	14810	15.2	16930	32	0.5					
56-43.5781-105.3828-2-15-	0-W11586	54520	-0.04	619	3924	80	-39	7.0	51	3.9	5	1.3	19170	9.6	21830	28	0.4					
56-43.5850-105.4133-2-15-	0-W11587	53720	-0.04	640	4171	82	120	8.7	61	5.1	5	1.6	24490	9.1	18300	36	0.4					
56-43.5906-105.4236-2-15-	0-W11588	45020	-0.03	552	-467	72	-47	7.5	48	4.3	6	1.3	22680	10.8	17220	30	0.4					
56-43.6214-105.4086-2-15-	0-W11589	72540	-0.04	665	4064	92	-44	7.7	65	4.3	5	1.6	22730	8.0	18840	35	0.4					
56-43.6222-105.3869-2-15-	0-W11590	44730		645	3090		-45				4				17530							
56-43.6147-105.4439-2-15-	0-W11591	63940	-0.04	409	36140	77	-101	10.0	67	5.8	4	1.3	26390	4.5	21400	31	0.3					
56-43.6219-105.4703-2-15-	0-W11592	65520	-0.04	571	8644	74	-57	7.1	58	4.3	5	1.3	23720	7.5	20030	35	0.3					
56-43.5269-105.4503-2-15-	0-W11595	62460	-0.04	564	9099	95	-50	8.3	62	4.3	6	1.4	23210	9.4	21610	34	0.4					
56-43.5417-105.4753-2-15-	0-W11596	64270	-0.04	578	10770	95	-45	9.6	63	4.4	5	1.6	29830	9.8	18590	43	0.4					
56-43.5500-105.4614-2-15-	0-W11597	59500	-0.04	579	6397	99	-44	7.8	63	4.8	5	1.6	25150	10.0	18350	42	0.4					
56-43.8611-104.2650-2-15-	0-W11598	60650	-0.09	417	15510	103	-74	32.4	59	5.7	7	2.2	32750	9.6	18010	35	0.5					
56-43.8711-104.2794-2-15-	0-W11599	48030	-0.07	515	21430	59	-52	5.8	44	4.0	5	1.3	18380	10.4	14140	33	0.3					
56-43.8133-104.3447-2-15-	0-W11600	63040	-0.07	585	10500	65	-82	5.6	52	3.5	4	1.4	19650	7.0	17620	28	0.3					
56-43.8411-104.3589-2-15-	0-W11601	78250	-0.11	648	6232	69	-74	11.9	76	6.6	6	1.5	34070	5.6	19960	42	0.4					
56-43.8533-104.3722-2-15-	0-W11602	60450	-0.07	737	9187	62	-76	9.5	50	4.8	3	1.5	22470	6.8	19030	22	0.3					
56-43.7889-104.3367-2-15-	0-W11603	74390	-0.09	610	20960	65	-61	10.1	72	5.5	5	1.3	32180	5.2	20650	28	0.4					
56-43.7767-104.3378-2-15-	0-W11604	71140	-0.10	642	8725	67	-72	9.6	55	5.1	5	1.3	27750	4.8	18200	32	0.3					
56-43.7594-104.3203-2-15-	0-W11605	68450	-0.10	672	10850	66	-82	10.4	72	5.3	5	1.5	29120	6.5	19940	41	0.3					
56-43.7673-104.2528-2-15-	0-W11606	69730	-0.09	813	10740	68	-70	13.2	80	6.9	5	1.5	36950	7.5	20370	32	0.4					
56-43.7644-104.2694-2-15-	0-W11607	60700	-0.09	616	6979	61	-46	11.5	77	6.5	4	1.4	36710	4.9	15080	34	0.4					
56-43.7231-104.2408-2-15-	0-W11608	73350	-0.10	650	8271	66	-72	11.3	57	6.4	5	1.1	31850	6.3	19970	27	0.3					
56-43.7156-104.2408-2-15-	0-W11609	62040	-0.10	620	5381	50	-64	9.4	60	5.5	5	0.9	30050	7.3	17820	-6	0.3					
56-43.7008-104.2408-2-15-	0-W11610	65970	-0.08	652	9542	64	-67	11.3	67	5.0	5	1.4	34650	7.3	18070	28	0.4					
56-43.6889-104.2472-2-15-	0-W11611	51970	-0.07	711	10250	47	-57	10.1	56	4.2	4	1.3	27130	12.5	13620	27	0.4					
56-43.7131-104.2989-2-15-	0-W11612	97680	-0.11	716	16680	89	-58	8.7	81	8.2	6	1.2	28660	4.8	20350	41	0.3					
56-43.7353-104.2875-2-15-	0-W11613	64140	-0.10	748	14500	77	-79	9.5	66	4.2	5	1.6	28840	9.0	14240	21	0.4					
56-43.7417-104.3094-2-15-	0-W11614	71220	-0.08	762	7943	70	-71	13.4	83	5.8	5	1.5	34170	7.2	17150	37	0.4					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

4

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)															U/Th RATIO	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb		Zn
56-43.6558-105.4669-2-15-	0-W11559	12450	274	2326	53	-1	8.0	5.3	-200	-1	-1	12.8	3424	100	3.0	114	0.280					
56-43.6997-105.4728-2-15-	0-W11561	10940	263	1497	107	-2	12.0	8.2	-184	-1	-1	16.1	4071	114	4.4	153	0.322					
56-43.7142-105.4739-2-15-	0-W11562	7895	178	1207	80	-1	8.7	7.4	-140	-1	-1	19.6	3629	70	4.5	79	0.242					
56-43.7189-105.4739-2-15-	0-W11563	11410	259	2017	82	-2	10.2	6.1	-195	-1	-1	12.1	3425	118	3.6	161	0.339					
56-43.7244-105.4739-2-15-	0-W11564	12060	306	2331	69	-2	8.0	5.1	-221	-1	-1	11.8	4118	115	3.2	118	0.355					
56-43.7414-105.3767-2-15-	0-W11565	8706	347	4497	82	-1	6.1	6.4	-198	-1	-1	12.8	2126	41	4.1	79	0.195					
56-43.6108-105.2614-2-15-	0-W11566	11070	185	4839	79	-1	8.8	6.9	-173	-1	-1	15.5	3484	81	3.8	118	0.244					
56-43.5972-105.3536-2-15-	0-W11568	15640	248	3018	60	-1	7.2	5.1	-169	-1	-1	10.4	2752	70	3.9	70	0.312					
56-43.5747-105.3506-2-15-	0-W11569	16400	670	7772	58	-1	7.5	4.8	377	-1	-1	10.5	2579	81	3.4	-14	0.328					
56-43.5669-105.3297-2-15-	0-W11570	9745	324	744	94	3	12.5	7.1	-191	-1	-1	14.6	3650	105	4.9	182	0.260					
56-43.5983-105.3133-2-15-	0-W11571	39590	470	5257	-24	-2	4.4	3.1	1032	-2	-1	6.8	1759	34	-1.2	136	0.432					
56-43.5681-105.2986-2-15-	0-W11572	12730	303	2296	66	-1	10.0	6.1	-199	-1	-1	11.3	3226	101	2.5	114	0.383					
56-43.5528-105.2867-2-15-	0-W11573	6017	220	1184	62	-1	6.1	5.0	-171	-1	-1	9.2	3207	65	3.3	53	0.354					
56-43.5400-105.2858-2-15-	0-W11574	8415	242	761	96	-2	12.3	8.1	-177	-1	-1	15.7	3900	90	5.1	154	0.223					
56-43.5406-105.2750-2-15-	0-W11575	4424	519	1099	58	-1	5.5	5.0	-195	-1	-1	9.4	2539	55	4.1	98	0.314					
56-43.5500-105.2561-2-15-	0-W11576	3836	229	2438	40	-1	4.3	5.1	-138	-1	-1	9.6	2443	44	3.2	81	0.379					
56-43.5292-105.2592-2-15-	0-W11577	10890	246	2062	54	-1	6.2	4.4	-184	-1	-1	9.0	3148	82	2.8	-77	0.366					
56-43.5106-105.2681-2-15-	0-W11578	2960	169	1279	58	-1	3.9	3.3	-130	-1	-1	5.9	1705	42	1.9	74	0.303					
56-43.5133-105.3464-2-15-	0-W11580	13930	299	1700	80	-1	10.7	5.7	442	-2	-1	11.5	3993	111	3.0	173	0.370					
56-43.5375-105.3833-2-15-	0-W11581	5552	334	5313	38		3.6	6.3	-152	2		21.2	2868	25	3.2	-19	0.148					
56-43.5381-105.4083-2-11-	0-W11582	14520	450	6718	67	-1	5.6	6.7	-265	-1	-1	14.5	2689	64	3.7	-53	0.234					
56-43.5422-105.4094-2-15-	0-W11583	23690	484	2937	96	-1	12.8	7.2	-271	-2	-1	16.8	3580	106	3.6	146	0.323					
56-43.5400-105.4231-2-15-	0-W11584	8521	523	5056	45	1	6.9	11.0	-218	2	-1	27.8	5601	50	7.3	-31	0.193					
56-43.5019-105.4075-2-15-	0-W11585	6836	122	920	58	-1	6.5	5.4	-115	-1	-1	10.5	2954	62	3.4	94	0.350					
56-43.5781-105.3828-2-15-	0-W11586	12040	263	2072	62	-1	6.9	5.6	-194	-1	-1	11.1	3018	75	3.2	-16	0.281					
56-43.5850-105.4133-2-15-	0-W11587	11610	271	1780	77	-1	9.0	6.1	-178	-1	-1	15.1	3051	81	3.5	79	0.227					
56-43.5906-105.4236-2-15-	0-W11588	6725	396	2102	47	-1	6.7	5.2	-202	-1	-1	10.5	2834	71	3.4	54	0.330					
56-43.6214-105.4086-2-15-	0-W11589	11180	244	2120	74	-1	9.0	6.9	-194	-1	-1	13.8	3392	108	2.8	156	0.308					
56-43.6222-105.3869-2-15-	0-W11590	7142	255	3629					-172				2606	59								
56-43.6147-105.4439-2-15-	0-W11591	26350	979	8513	82	-1	9.7	4.9	-345	-1	-1	12.1	2984	94	2.7	-76	0.327					
56-43.6219-105.4703-2-15-	0-W11592	14430	326	3100	53	1	8.8	6.3	-195	-1	-1	14.0	2886	79	3.1	142	0.257					
56-43.5269-105.4503-2-15-	0-W11595	16230	405	2475	71	-1	8.2	6.8	-234	-1	-1	13.1	3427	86	3.9	129	0.273					
56-43.5417-105.4753-2-15-	0-W11596	20450	325	3105	94	-1	10.0	6.9	262	-1	-1	17.3	3177	78	3.6	80	0.213					
56-43.5500-105.4614-2-15-	0-W11597	15980	303	2185	62	1	9.3	6.1	-190	-1	-1	14.1	3345	78	3.4	-73	0.287					
56-43.8611-104.2650-2-15-	0-W11598	12200	1294	2977	74	-2	10.0	8.2	-403	-1	2	10.6	2891	97	4.3	137	0.453					
56-43.8711-104.2794-2-15-	0-W11599	8992	187	3813	55	-2	7.2	5.6	-146	-1	-1	9.9	2809	87	2.9	102	0.375					
56-43.8133-104.3447-2-15-	0-W11600	15270	207	12220	50	-2	6.3	4.8	-184	-1	-1	8.7	3005	69	2.7	77	0.322					
56-43.8411-104.3589-2-15-	0-W11601	20120	339	7560	117	-2	13.0	6.0	-202	-1	-1	12.2	3782	143	3.5	-96	0.275					
56-43.8533-104.3722-2-15-	0-W11602	10490	267	13390	71	-2	7.3	5.4	-212	-1		9.3	2740	80	3.1	76	0.323					
56-43.7889-104.3367-2-15-	0-W11603	21300	273	6416	-28	-2	11.6	6.3	-202	-1	-1	12.1	3468	119	2.9	112	0.294					
56-43.7767-104.3378-2-15-	0-W11604	20880	345	6457	86	-2	9.8	5.5	-213	-1	-1	10.7	3717	112	3.4	121	0.311					
56-43.7594-104.3208-2-15-	0-W11605	18070	312	9316	91	-2	9.6	5.7	-206	-1	-1	12.2	3036	98	3.3	95	0.316					
56-43.7678-104.2528-2-15-	0-W11606	18990	253	8817	71	-2	12.0	6.0	-213	-1	-1	12.2	3412	117	3.8	131	0.262					
56-43.7644-104.2694-2-15-	0-W11607	16870	189	7326	88	-2	12.6	5.5	-126	-1	-1	11.5	3229	101	4.1	130	0.277					
56-43.7231-104.2408-2-15-	0-W11608	18970	317	6991	75	-2	10.7	4.7	-200	-1	-1	9.0	3986	138	-1.5	105	0.364					
56-43.7156-104.2408-2-15-	0-W11609	15040	234	5987	-27	-2	10.7	4.5	-179	-1	-1	9.4	3310	109	4.3	139	0.290					
56-43.7008-104.2408-2-15-	0-W11610	19440	282	8701	71	-2	10.7	5.8	-211	-1	-1	10.5	3014	104	2.2	140	0.297					
56-43.6889-104.2472-2-15-	0-W11611	12440	314	6521	70	-2	8.0	4.5	-191	-1	-1	7.8	3190	94	2.8	86	0.391					
56-43.7131-104.2969-2-15-	0-W11612	18170	337	3316	77	-3	12.2	6.3	-211	-1	1	14.3	4481	183	3.2	100	0.368					
56-43.7353-104.2875-2-15-	0-W11613	14750	306	7899	-28	-2	9.2	6.5	-216	-1	-1	12.8	3396	90	5.0	139	0.330					
56-43.7417-104.3034-2-15-	0-W11614	16740	297	9858	68	-2	10.5	6.3	-217	-1	-1	11.2	3292	106	4.0	95	0.341					

DOE SAMPLE NUMBER						LAST SAMPLE LOCATION NUMBER AND FIELD DATA																		U CONCENTRATION											
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAST SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SODIUM (mg/l)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC)	UNITS IN ppm
							DATE	HOUR																											
56-43.6494-104.3128-2-15	0-W11615-09/28/77-14	25	-	-	-	-	-	-	-	-	-	-	-	-	20-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	2.82			
56-43.6767-104.3189-2-15	0-W11615-09/28/77-14	25	-	-	-	-	-	-	-	-	-	-	-	-	14-1-1-4-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	2.60			
56-43.7044-104.3533-2-15	0-W11617-09/28/77-14	25	-	-	-	-	-	-	-	-	-	-	-	-	13-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	2.99			
56-43.7183-104.3458-2-15	0-W11618-09/28/77-15	24	-	-	-	-	-	-	-	-	-	-	-	-	14-1-1-4-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	2.30			
56-43.6358-104.2975-2-15	0-W11619-09/28/77-15	24	-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	3.02			
56-43.6253-104.2767-2-15	0-W11620-09/28/77-15	24	-	-	-	-	-	-	-	-	-	-	-	-	10-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	3.32			
56-43.6425-104.3014-2-15	0-W11621-09/28/77-15	24	-	-	-	-	-	-	-	-	-	-	-	-	15-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	2.84			
56-43.6475-104.1894-2-15	0-W11622-09/28/77-16	24	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	3.87			
56-43.6656-104.1919-2-15	0-W11623-09/28/77-16	24	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	3.26			
56-43.6922-104.1900-2-15	0-W11624-09/28/77-17	24	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	3.63			
56-43.6917-104.1803-2-15	0-W11625-09/28/77-17	24	-	-	-	-	-	-	-	-	-	-	-	-	16-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	3.19			
56-43.7378-104.1917-2-15	0-W11626-09/28/77-17	24	-	-	-	-	-	-	-	-	-	-	-	-	12-1-1-5-6	-1	-2-4-3-2-1	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	3.26			
56-43.6917-104.1397-2-15	0-W11627-09/29/77-8	11	-	-	-	-	-	-	-	-	-	-	-	-	8-1-4-5-4	-1	-2-1-3-3-3	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	2.02			
56-43.7092-104.1417-2-15	0-W11628-09/29/77-8	11	-	-	-	-	-	-	-	-	-	-	-	-	11-1-4-5-4	-1	-2-1-3-3-3	-1	-	-	-	-	-	-	-	-	-	-	-	-	-	2.60			
56-43.7422-104.1433-2-15	0-W11629-09/29/77-8	11	-	-	-	-	-	-	-	-	-	-	-	-	10-1-4-5-6	-1	-2-1-3-2-3	-1	-	-	-	-	-												

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.6494-104.3128-2-15-	0-W11615	-5	-5	-5	19	-20	-15	7	-10	-15	2	45						
56-43.6767-104.3189-2-15-	0-W11616	-5	-5	-5	16	-20	15	8	-10	-15	1	21						
56-43.7044-104.3533-2-15-	0-W11617	-5	-5	-5	25	-20	-15	7	-10	-15	2	35						
56-43.7183-104.3454-2-15-	0-W11618	-5	-5	-5	11	-20	-15	-5	-10	-15	2	27						
56-43.6358-104.2975-2-15-	0-W11619	-5	6	-5	22	22	30	9	-10	-15	2	46						
56-43.6253-104.2767-2-15-	0-W11620	-5	-5	-5	18	-20	-15	-5	-10	-15	2	48						
56-43.6425-104.3014-2-15-	0-W11621	-5	-5	-5	27	-20	16	6	-10	-15	2	49						
56-43.6475-104.1894-2-15-	0-W11622	-5	-5	-5	25	-20	35	-5	-10	-15	3	49						
56-43.6656-104.1919-2-15-	0-W11623	-5	-5	-5	25	-20	29	17	-10	-15	2	44						
56-43.6922-104.1900-2-15-	0-W11624	-5	-5	-5	46	-20	32	8	-10	-15	2	48						
56-43.6917-104.1803-2-15-	0-W11625	-5	-5	-5	40	-20	25	6	-10	-15	2	48						
56-43.7378-104.1917-2-15-	0-W11626	-5	-5	-5	41	-20	24	11	-10	-15	2	47						
56-43.6917-104.1397-2-15-	0-W11627	-5	-5	-5	21	-20	-15	6	-10	-15	1	35						
56-43.7092-104.1417-2-15-	0-W11628	-5	-5	-5	21	-20	19	8	-10	-15	2	37						
56-43.7422-104.1433-2-15-	0-W11629	-5	-5	-5	38	-20	26	5	-10	-15	2	44						
56-43.6172-104.1750-2-15-	0-W11630	-5	-5	-5	26	-20	29	7	-10	-15	2	41						
56-43.6017-104.1986-2-15-	0-W11631	-5	-5	-5	27	-20	27	15	-10	-15	3	39						
56-43.5939-104.1919-2-15-	0-W11632	-5	-5	-5	26	-20	-15	-5	-10	-15	2	34						
56-43.5764-104.1306-2-15-	0-W11633	-5	5	-5	22	-20	-15	11	-10	-15	2	26						
56-43.5542-104.1267-2-15-	0-W11635	-5	-5	-5	16	-20	-15	-5	-10	-15	2	35						
56-43.5394-104.1856-2-15-	0-W11636	-5	-5	-5	17	-20	-15	8	-10	-15	2	45						
56-43.5108-104.2158-2-15-	0-W11637	-5	8	-5	21	-20	-15	7	-10	-15	2	32						
56-43.5236-104.2319-2-15-	0-W11638	-5	5	-5	32	-20	24	12	-10	-15	2	37						
56-43.5242-104.2403-2-15-	0-W11639	-5	-5	-5	30	-20	15	6	-10	-15	2	37						
56-43.5289-104.1692-2-15-	0-W11640	-5	-5	-5	33	-20	21	14	-10	-15	2	50						
56-43.5239-104.1611-2-15-	0-W11641	-5	6	-5	35	-20	25	8	-10	-15	2	39						
56-43.5250-104.1439-2-15-	0-W11642	-5	6	-5	25	-20	16	6	-10	-15	2	62						
56-43.5314-104.1333-2-15-	0-W11643	-5	7	5	30	37	-15	5	-10	-15	2	35						
56-43.6392-104.0869-2-15-	0-W11644	-5	-5	-5	28	-20	-15	-5	-10	-15	2	21						
56-43.6381-104.0806-2-15-	0-W11645	-5	-5	-5	19	-20	-15	-5	-10	-15	1	17						
56-43.6294-104.0747-2-15-	0-W11646	-5	-5	-5	17	-20	-15	-5	-10	-15	1	41						
56-43.6997-104.0850-2-15-	0-W11647	-5	-5	-5	19	-20	-15	-5	-10	-15	-1	16						
56-43.7117-104.0842-2-15-	0-W11648	-5	-5	-5	13	-20	-15	-5	-10	-15	-1	10						
56-43.7194-104.0835-2-15-	0-W11649	-5	-5	-5	14	21	16	7	-10	-15	-1	34						
56-43.7364-104.0914-2-15-	0-W11650	-5	-5	-5	22	-20	-15	7	-10	-15	2	26						
56-43.8708-104.1242-2-15-	0-W11654	-5	-5	-5	19	-20	-15	-5	-10	-15	-1	17						
56-43.8403-104.1042-2-11-	0-W11656	-5	-5	-5	19	-20	-15	-5	-10	19	-1	26						
56-43.8242-104.0922-2-15-	0-W11657	-5	-5	-5	24	-20	-15	-5	-10	-15	2	33						
56-43.8428-104.0803-2-15-	0-W11658	-5	-5	-5	22	-20	26	7	-10	-15	1	40						
56-43.8019-104.0767-2-15-	0-W11659	-5	-5	-5	24	-20	25	5	-10	-15	1	28						
56-43.7639-104.0694-2-15-	0-W11660	-5	-5	-5	16	-20	-15	7	-10	-15	1	23						
46-43.7750-104.0531-2-15-	0-W11661	-5	5	-5	19	-20	-15	10	-10	-15	-1	38						
46-43.7678-104.0367-2-15-	0-W11662	-5	-5	-5	24	-20	-15	-5	-10	-15	-1	15						
46-43.7822-104.0106-2-15-	0-W11664	-5	-5	-5	-10	-20	-15	-5	-10	-15	-1	11						
46-43.8017-104.0378-2-15-	0-W11665	-5	-5	-5	16	-20	-15	-5	-10	-15	-1	18						
46-43.8433-104.0244-2-15-	0-W11666	-5	-5	-5	19	-20	-15	-5	-10	-15	1	30						
46-43.8458-104.0181-2-15-	0-W11667	-5	-5	-5	10	-20	15	7	-10	-15	1	25						
46-43.8578-104.0203-2-15-	0-W11668	-5	-5	-5	57	-20	-15	-5	-10	-15	1	19						
46-43.9281-104.0278-2-11-	0-W11669	-5	-5	-5	12	-20	-15	-5	-10	-15	-1	13						
46-43.7522-104.0308-2-15-	0-W11670	-5	-5	-5	18	-20	-15	-5	-10	-15	1	31						
56-43.7583-104.2297-2-15-	0-W11671	-5	-5	-5	19	-20	-15	-5	-10	-15	2	27						

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS																
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.6494-104.3128-2-15-						0-W11415	64270	-0.08	688	12180	58	-79	10.0	66	5.1	5	1.5	27520	6.0	20420	33	0.3
56-43.6767-104.3189-2-15-						0-W11416	41280	-0.06	529	11700	62	-61	4.9	31	2.2	4	1.1	13140	9.8	16230	27	0.3
56-43.7044-104.3533-2-15-						0-W11417	58820	-0.08	906	13330	64	-84	10.1	49	3.9	4	1.5	23040	7.5	14500	29	0.3
56-43.7183-104.3458-2-15-						0-W11418	42450	-0.05	567	14040	63	-61	5.5	36	2.7	4	1.3	14610	7.7	14760	29	0.3
56-43.6358-104.2975-2-15-						0-W11419	65610	-0.10	587	10980	71	-68	10.1	60	5.7	5	1.5	31560	6.4	18390	35	0.4
56-43.6253-104.2767-2-15-						0-W11420	68430	-0.08	780	11290	63	-90	7.5	44	3.5	5	1.4	22020	5.8	17290	28	0.3
56-43.6425-104.3014-2-15-						0-W11421	72720	-0.06	710	7997	67	-85	7.9	60	4.3	5	1.3	27720	4.0	21120	26	0.5
56-43.6475-104.1894-2-15-						0-W11422	66870	-0.07	723	18770	90	-85	14.8	75	6.5	6	1.7	40300	9.5	15890	39	0.5
56-43.6656-104.1919-2-15-						0-W11423	71080	-0.06	736	6654	78	-69	12.6	76	7.0	5	1.6	34780	7.3	19260	31	0.5
56-43.6922-104.1900-2-15-						0-W11424	66440	-0.06	642	12120	58	-62	14.2	68	6.3	5	1.4	37150	7.8	15630	28	0.5
56-43.6917-104.1803-2-15-						0-W11425	69970	-0.06	648	14110	53	-76	9.6	74	5.0	6	1.1	28820	6.5	21230	27	0.4
56-43.7378-104.1917-2-15-						0-W11426	72490	-0.07	698	21270	63	119	14.2	73	5.4	5	1.5	35690	7.1	22140	28	0.3
56-43.6917-104.1397-2-15-						0-W11427	36660	-0.04	313	73380	46	-48	6.6	49	3.9	3	0.9	16790	6.5	19490	20	0.3
56-43.7092-104.1417-2-15-						0-W11428	45880	-0.05	397	63160	63	102	6.5	52	3.4	5	1.1	20570	10.2	20690	26	0.4
56-43.7422-104.1433-2-15-						0-W11429	61940	-0.06	576	50750	63	8330	7.6	56	4.7	6	1.0	23070	5.9	16780	27	0.4
56-43.6172-104.1750-2-15-						0-W11430	57230	-0.06	777	14880	57	-72	9.6	63	5.3	5	1.4	28470	9.5	16920	27	0.4
56-43.6017-104.1986-2-15-						0-W11431	89650	-0.08	697	19180	105	233	13.4	88	8.8	6	1.6	46610	6.5	16650	40	0.5
56-43.5939-104.1919-2-15-						0-W11432	60320	-0.05	728	9243	67	-69	7.8	52	4.7	5	1.5	22600	8.8	19180	30	0.4
56-43.5764-104.1306-2-15-						0-W11433	70910	-0.05	362	3770	67	-55	6.2	31	3.7	5	0.9	24410	5.5	10990	27	0.4
56-43.5542-104.1267-2-15-						0-W11435	59850	-0.06	561	17930	62	-75	9.0	54	4.9	5	1.3	26360	6.4	17990	32	0.4
56-43.5394-104.1856-2-15-						0-W11436	73020	-0.06	707	13920	75	-81	11.2	68	5.8	5	1.8	30810	7.2	19690	36	0.5
56-43.5108-104.2158-2-15-						0-W11437	67030	-0.05	827	18440	61	-77	9.0	63	3.4	5	1.5	26890	6.5	18110	30	0.3
56-43.5236-104.2319-2-15-						0-W11438	70640	-0.06	906	11730	65	-90	9.5	55	3.8	5	1.3	25120	5.3	22380	25	0.3
56-43.5242-104.2403-2-15-						0-W11439	64790	-0.07	692	14450	68	-88	10.8	73	4.4	5	1.5	29420	8.4	20650	34	0.5
56-43.5289-104.1692-2-15-						0-W11440	82640	-0.07	598	12360	85	-76	11.5	80	8.2	5	1.5	38440	5.2	20490	32	0.5
56-43.5239-104.1611-2-15-						0-W11441	71680	-0.05	729	11770	59	-70	11.6	79	5.1	5	1.3	31850	5.9	19850	36	0.4
56-43.5250-104.1439-2-15-						0-W11442	67360	-0.06	487	40130	62	-58	6.7	51	5.1	5	0.9	21390	4.0	16340	27	0.4
56-43.5314-104.1333-2-15-						0-W11443	77400	-0.07	411	-565	76	-67	8.3	45	6.0	5	1.2	43000	7.2	14120	38	0.5
56-43.6392-104.0869-2-15-						0-W11444	43920	-0.05	449	3950	73	-56	6.3	62	3.2	5	1.4	21650	19.1	15140	35	0.6
56-43.6381-104.0806-2-15-						0-W11445	32900	-0.04	363	3143	68	-37	4.8	41	1.7	5	1.1	13250	23.4	10200	31	0.5
56-43.6294-104.0747-2-15-						0-W11446	31620	-0.04	358	3069	54	-51	4.2	35	1.9	4	0.9	12320	13.6	11010	24	0.3
56-43.6997-104.0850-2-15-						0-W11447	27660	-0.04	247	36290	45	-45	3.8	42	1.9	4	0.9	11080	18.3	9647	21	0.4
56-43.7117-104.0842-2-15-						0-W11448	24150	-0.03	231	-226	36	-20	3.4	27	1.7	3	0.8	6887	6.9	10010	16	0.3
56-43.7194-104.0836-2-15-						0-W11449	42610	-0.04	410	82100	59	-68	13.2	65	6.4	5	2.0	20490	18.5	20700	23	0.4
56-43.7364-104.0914-2-15-						0-W11450	49620	-0.06	417	23350	53	-51	4.9	27	2.7	5	1.0	14980	6.8	16150	22	0.3
56-43.8708-104.1242-2-15-						0-W11454	16450	-0.04	219	179700	22	-62	3.3	28	-1.0	2	0.5	8015	5.5	6984	9	0.2
56-43.8403-104.1042-2-11-						0-W11456	24170	-0.04	258	146000	38	-55	3.9	37	3.0	3	1.0	10310	13.3	14270	16	0.3
56-43.8242-104.0922-2-15-						0-W11457	61150	-0.06	491	51430	65	-62	8.4	49	4.6	5	1.4	25040	5.4	21310	28	0.4
56-43.8428-104.0803-2-15-						0-W11458	43850	-0.06	319	79420	48	-71	6.3	40	3.8	4	0.8	15780	5.8	20650	18	0.3
56-43.8019-104.0767-2-15-						0-W11459	43220	-0.06	352	72410	51	-61	7.0	51	5.0	5	1.0	20010	8.4	21670	24	0.3
56-43.7639-104.0694-2-15-						0-W11460	37200	-0.04	380	66700	56	-53	6.5	51	3.3	3	1.0	17030	10.2	16970	19	0.4
46-43.7750-104.0531-2-15-						0-W11461	39230	-0.05	379	74220	50	-59	6.1	42	2.7	4	1.0	16060	10.1	21140	21	0.3
46-43.7678-104.0367-2-15-						0-W11462	21980	-0.03	233	56750	24	-42	2.8	30	1.8	2	0.5	6895	11.1	12630	11	0.2
46-43.7822-104.0106-2-15-						0-W11464	21010	-0.04	329	63150	29	-44	2.5	29	1.8	2	0.6	7705	7.9	11660	12	0.2
46-43.8017-104.0378-2-15-						0-W11465	27670	-0.04	341	77440	27	98	2.8	35	1.9	3	0.5	8165	7.0	14230	11	0.2
46-43.8433-104.0244-2-15-						0-W11466	39570	-0.07	511	20680	63	-51	7.5	69	4.5	4	1.3	22270	13.1	20610	31	0.4
46-43.9458-104.0181-2-15-						0-W11467	31500	-0.04	355	44790	45	-53	4.5	43	2.9	2	0.9	12120	9.3	15120	24	0.3
46-43.8578-104.0203-2-15-						0-W11468	32750	-0.04	457	33850	39	-55	4.7	36	2.4	4	0.9	11440	10.6	15980	19	0.3
46-43.8281-104.0278-2-11-						0-W11469	19820	-0.04	283	108100	20	-46	2.1	25	1.7	2	0.6	4561	8.6	14430	9	0.2
46-43.7522-104.0308-2-15-						0-W11470	50010	-0.07	419	23980	82	-62	9.8	74	4.6	5	1.6	26970	16.8	18120	42	0.6
56-43.7583-104.2297-2-15-						0-W11471	54360	-0.06	672	18150	74	188	7.2	53	2.6	4	1.4	22720	6.6	19510	29	0.3

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

(4)

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)																U/Th RATIO
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAB. SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43.6494-104.3128-2-15-	0-W11615	19840	274	10140	78	-2	9.6	6.5	-194	-1	-1	10.0	3135	91	3.2	158	0.282					
56-43.6767-104.3189-2-15-	0-W11616	13610	283	7406	-15	-1	4.3	4.4	-165	-1	-1	7.6	2612	46	2.6	-52	0.342					
56-43.7044-104.3533-2-15-	0-W11617	10550	238	14580	106	-2	7.0	5.3	-187	-1	-1	8.2	3347	79	3.3	103	0.365					
56-43.7183-104.3458-2-15-	0-W11618	13380	288	8380	52	-1	5.0	4.2	-186	-1	-1	8.2	2414	42	2.8	57	0.280					
56-43.6358-104.2975-2-15-	0-W11619	23800	283	8650	72	-2	11.1	5.9	-212	-1	-1	10.9	3566	97	3.0	171	0.277					
56-43.6253-104.2767-2-15-	0-W11620	20790	249	14070	79	-2	7.3	4.5	360	-1	-1	8.3	3583	90	3.1	-96	0.400					
56-43.6425-104.3014-2-15-	0-W11621	21600	298	10390	82	-1	9.8	5.6	-217	-1	-1	8.9	3914	112	2.7	-92	0.319					
56-43.6475-104.1894-2-15-	0-W11622	18060	631	6402	80	-2	11.4	6.6	-274	-2	-1	13.6	3274	110	3.3	167	0.285					
56-43.6656-104.1919-2-15-	0-W11623	19980	346	6811	93	-1	12.4	5.7	-237	-1	-1	11.2	3605	122	3.7	73	0.291					
56-43.6922-104.1900-2-15-	0-W11624	20700	324	7409	92	-1	10.8	4.9	-202	-1	-1	9.3	4089	130	3.0	146	0.390					
56-43.6917-104.1803-2-15-	0-W11625	23500	235	9643	77	-1	9.6	5.1	-189	-1	-1	10.6	3774	118	3.1	133	0.301					
56-43.7378-104.1917-2-15-	0-W11626	23790	288	9236	92	-2	11.7	5.4	-209	-1	-1	10.5	2975	123	2.9	106	0.310					
56-43.6917-104.1397-2-15-	0-W11627	29400	297	2145	49	-1	6.2	3.3	-192	-1	-1	5.0	2605	41	2.4	-58	0.404					
56-43.7092-104.1417-2-15-	0-W11628	38510	382	4805	46	-1	7.4	5.2	-225	-1	-1	7.8	3715	52	3.5	102	0.333					
56-43.7422-104.1433-2-15-	0-W11629	11620	304	10950	-25	-2	8.4	5.0	-252	-1	-1	11.1	3819	111	3.4	98	0.429					
56-43.6172-104.1750-2-15-	0-W11630	13170	370	6828	87	-1	8.9	4.5	-203	-1	-1	9.4	2893	95	2.7	-83	0.338					
56-43.6017-104.1986-2-15-	0-W11631	23510	387	5448	94	-2	15.6	6.8	-279	-2	-1	16.0	3991	138	4.0	170	0.267					
56-43.5939-104.1919-2-15-	0-W11632	15710	254	9484	64	-1	8.3	6.5	-204	-1	-1	10.4	3513	82	3.5	92	0.290					
56-43.5764-104.1306-2-15-	0-W11634	13800	311	3702	-22	-1	7.1	4.6	-187	-1	-1	13.4	2927	59	2.8	87	0.434					
56-43.5542-104.1267-2-15-	0-W11635	18120	399	6482	69	-1	9.2	5.2	-218	-1	-1	9.8	3202	95	2.4	132	0.316					
56-43.5394-104.1856-2-15-	0-W11636	16460	218	12490	94	-1	10.5	6.0	-225	-1	-1	11.9	3716	100	4.9	121	0.308					
56-43.5108-104.2158-2-15-	0-W11637	17230	319	11160	-26	-1	8.9	5.8	415	-1	-1	9.6	3807	87	3.0	169	0.329					
56-43.5236-104.2319-2-15-	0-W11638	18470	303	12840	72	-1	8.4	5.1	-219	-1	-1	9.3	3849	106	3.1	-70	0.339					
56-43.5242-104.2403-2-15-	0-W11639	21360	277	11500	76	-2	10.1	6.0	-214	-1	-1	10.6	3186	93	3.7	156	0.273					
56-43.5289-104.1692-2-15-	0-W11640	25860	305	8111	87	-2	14.2	6.2	-243	-1	-1	14.6	3775	144	5.0	142	0.266					
56-43.5239-104.1611-2-15-	0-W11641	19400	312	9956	84	-1	10.6	5.5	-213	-1	-1	10.5	3969	118	3.3	164	0.300					
56-43.5250-104.1439-2-15-	0-W11642	16070	157	4293	75	-1	8.2	5.2	337	-1	-1	10.5	3437	124	2.8	-32	0.458					
56-43.5314-104.1333-2-15-	0-W11643	9752	530	3832	68	-2	10.6	6.2	-230	-1	-1	17.2	2921	81	4.6	81	0.316					
56-43.6392-104.0869-2-15-	0-W11644	6963	386	4663	59	-1	7.3	6.4	-220	-1	-1	11.7	3113	61	4.4	85	0.294					
56-43.6381-104.0806-2-15-	0-W11645	4801	276	3231	43	-1	5.4	7.4	-168	-1	-1	9.9	3921	43	4.5	74	0.351					
56-43.6294-104.0747-2-15-	0-W11646	4323	283	3727	31	-1	4.2	3.8	-164	-1	-1	6.3	3178	40	2.6	-15	0.444					
56-43.6997-104.0850-2-15-	0-W11647	10560	200	2180	-18	-1	5.0	3.8	-136	-1	-1	6.9	2450	39	3.0	-54	0.394					
56-43.7117-104.0842-2-15-	0-W11648	2985	52	564	35	-1	3.5	3.2	-88	-1	-1	3.9	2073	26	2.8	-21	0.528					
56-43.7194-104.0836-2-15-	0-W11649	40860	365	2725	68	-1	9.5	5.1	-216	-1	-1	7.7	3130	56	3.1	-55	0.303					
56-43.7364-104.0914-2-15-	0-W11650	14500	297	1883	50	-1	6.7	4.7	-184	-1	-1	7.1	3518	50	3.0	-75	0.382					
56-43.8708-104.1242-2-15-	0-W11654	36170	182	1746	-18	-1	3.1	2.1	1059	-1	-1	4.2	1206	20	-0.8	37	0.271					
56-43.8403-104.1042-2-11-	0-W11656	21430	192	2214	-18	-1	4.7	3.5	371	-1	-1	5.5	1760	36	2.5	35	0.504					
56-43.8242-104.0922-2-15-	0-W11657	33960	408	3359	66	-1	9.8	5.8	-246	-1	-1	8.9	4097	70	3.9	157	0.280					
56-43.8428-104.0803-2-15-	0-W11658	41390	393	2895	53	-1	5.9	3.9	-231	-1	-1	6.7	3070	53	2.7	91	0.387					
56-43.8019-104.0767-2-15-	0-W11659	37530	349	2320	70	-1	7.6	4.1	-196	-1	-1	7.6	3281	48	2.7	150	0.324					
56-43.7639-104.0694-2-15-	0-W11660	30240	307	3581	56	-1	6.2	3.6	-197	-1	-1	6.9	2327	49	2.4	62	0.333					
46-43.7750-104.0531-2-15-	0-W11661	35860	328	3237	53	-1	6.2	4.4	-209	-1	-1	6.9	3501	45	2.5	90	0.362					
46-43.7678-104.0367-2-15-	0-W11662	12080	162	1895	-13	-1	2.6	1.8	-120	-1	-1	3.4	1835	27	2.3	-12	0.515					
46-43.7822-104.0106-2-15-	0-W11664	9124	142	1823	51	-1	3.1	2.3	-117	-1	-1	4.0	1355	24	1.5	-59	0.360					
46-43.8017-104.0378-2-15-	0-W11665	16280	221	2472	-15	-1	3.0	1.9	-162	-1	-1	3.6	1963	38	1.9	59	0.514					
46-43.8433-104.0244-2-15-	0-W11666	15070	325	3636	69	-2	7.5	5.3	-196	-1	-1	9.8	2830	88	3.9	128	0.304					
46-43.8458-104.0181-2-15-	0-W11667	26290	230	3283	45	-1	4.6	3.5	-158	-1	-1	6.3	2340	45	3.0	68	0.329					
46-43.8578-104.0203-2-15-	0-W11668	15560	224	3217	52	-1	4.1	3.3	-149	-1	-1	5.9	2230	68	2.3	78	0.463					
46-43.8281-104.0278-2-11-	0-W11669	9041	86	1333	25	-1	2.2	1.5	-125	-1	-1	2.8	1850	28	-0.7	-49	0.686					
46-43.7522-104.0308-2-15-	0-W11670	18420	375	5836	97	-2	9.8	7.2	-214	-1	-1	13.7	3161	69	5.0	110	0.215					
56-43.7583-104.2227-2-15-	0-W11671	23060	274	11430	80	-1	7.3	5.2	-199	-1	-1	9.1	3030	64	4.2	88	0.275					

DOE SAMPLE NUMBER						LASI SAMPLE LOCATION NUMBER AND FIELD DATA																				U CONCENTRATION								
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LASI SAMPLE LOCATION NUMBER	TIME SAMPLED		AIR TEMPERATURE	WATER TEMPERATURE	COMMENTS	SPECIAL MEASUREMENTS	pH	CONDUCTIVITY (umho/cm)	SCINTILLATOR (eU/gpm)	ROCK TYPE	ROCK COLOR	SEDIMENT TYPE	SEDIMENT COLOR	WATER FLOW	WATER LEVEL	WATER COLOR	STREAM CHANNEL	VEGETATION TYPE	VEGETATION DENSITY	RELIEF	WEATHER	OWNERSHIP	CONTAMINANTS	WELL TYPE	WELL DIAMETER (INCHES)	WELL DEPTH (FEET)	WATER DEPTH (FEET)	SEDIMENT SAMPLES ANALYZED BY DELAYED NEUTRON COUNTING (DNC) UNITS IN ppm
							DATE	HOUR																										
56-43.7553-104.1919-2-15-						0-W11672-10/01/77-10-			9-	-	-	-	-	-	16-1-1-5-6-	-1-	-2-4-3-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.14		
56-43.7858-104.2128-2-15-						0-W11673-10/01/77-10-			9-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.24	
56-43.7792-104.1839-2-15-						0-W11674-10/01/77-11-			9-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.12	
56-43.7989-104.1958-2-15-						0-W11675-10/01/77-11-			9-	-C-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.64	
56-43.8075-104.2092-2-15-						0-W11676-10/01/77-11-			9-	-C-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.27	
56-43.8150-104.1658-2-15-						0-W11677-10/01/77-11-			9-	-	-	-	-	-	11-1-1-5-6-	-1-	-2-4-3-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.16	
56-43.8567-104.2386-2-15-						0-W11678-10/01/77-12-			9-	-C-	-	-	-	-	12-1-1-5-6-	-1-	-2-4-3-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.62	
56-43.8403-104.2492-2-15-						0-W11679-10/01/77-12-			9-	-	-	-	-	-	13-1-1-5-6-	-1-	-2-4-3-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.77	
56-43.8569-104.1867-2-15-						0-W11680-10/01/77-12-			11-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-1-2-3-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.39	
56-43.8514-104.1764-2-15-						0-W11681-10/01/77-12-			10-	-	-	-	-	-	8-1-1-4-6-	-1-	-2-1-3-3-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.83	
56-43.8628-104.2075-2-15-						0-W11682-10/01/77-13-			11-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-1-3-3-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.09	
56-43.7533-104.1611-2-15-						0-W11683-10/01/77-13-			11-	-C-	-	-	-	-	14-1-1-5-6-	-1-	-2-4-3-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.94	
56-43.8394-104.1475-2-15-						0-W11684-10/01/77-13-			11-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-1-3-3-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.17	
56-43.8717-104.1497-2-15-						0-W11685-10/01/77-14-			11-	-C-	-	-	-	-	12-1-1-4-6-	-1-	-2-1-2-2-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.44	
56-43.8250-104.1369-2-15-						0-W11686-10/01/77-14-			11-	-	-	-	-	-	12-1-1-5-6-	-1-	-2-1-3-3-4-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.21	
46-43.7456-104.0389-2-15-						0-W11687-10/01/77-14-			11-	-	-	-	-	-	12-1-4-5-4-	-1-	-2-1-2-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.14	
46-43.6950-104.0189-2-15-						0-W11689-10/01/77-15-			11-	-	-	-	-	-	13-1-4-5-4-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.09	
46-43.7006-104.0356-2-15-						0-W11691-10/01/77-16-			11-	-	-	-	-	-	12-1-4-5-4-	-1-	-2- -3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.64	
46-43.7244-104.0478-2-11-						0-W11693-10/01/77-16-			9-11.0-	6.8-	200-	-	-	-	8-1-1-6-7-	-3-	-1-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.18	
46-43.6433-104.0272-2-15-						0-W11695-10/02/77- 8-			9-	-C-	-	-	-	-	12-1-1-5-4-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.01	
46-43.6539-104.0269-2-15-						0-W11696-10/02/77- 8-			9-	-C-	-	-	-	-	12-1-1-5-4-	-1-	-2-1-2-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.04	
46-43.6525-104.0050-2-15-						0-W11697-10/02/77- 9-			9-	-	-	-	-	-	12-1-1-5-4-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.29	
46-43.6561-104.0042-2-15-						0-W11698-10/02/77- 9-			9-	-	-	-	-	-	8-1-1-5-4-	-1-	-2-4-3-2-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.60	
56-43.7478-104.0611-2-15-						0-W11699-10/02/77-10-			9-	-C-	-	-	-	-	12-1-1-5-4-	-1-	-2-1-3-3-3-	-1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.48	
56-43.1747-105.6839-2-11-						0-W11701-10/27/77-11-			18-8.5-C-	7.4-	800-	-	-	-	92-1-1- -	-1-	-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	220.70	
56-43.1839-105.7478-2-10-						0-W11704-10/28/77-13-			19-	-C-	-	-	-	-	15-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.99	
56-43.1503-105.7189-2-11-						0-W11705-10/30/77-12-			10-9.7-C-	7.8-	650-	-	-	-	12-1-1-6-8-2-3-4-	-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61.18	
56-43.1986-105.7625-2-15-						0-W11706-10/28/77-14-			19-	-	-	-	-	-	23-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.52	
56-43.1344-105.8972-2-15-						0-W11709-10/28/77-16-			17-	-	-	-	-	-	13-1-1-4-1-	-1-	-2-1-2-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.80	
56-43.1653-105.9042-2-15-						0-W11710-10/28/77-16-			16-	-	-	-	-	-	16-1-1-4-1-	-1-	-2-1-2-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.19	
56-43.1722-105.8997-2-15-						0-W11711-10/28/77-17-			16-	-	-	-	-	-	13-1-1-4-1-	-1-	-1-1-2-3-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.41	
56-43.1453-105.7783-2-15-						0-W11712-10/30/77-14-			10-	-C-	-	-	-	-	12-1-1-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.32	
56-43.1186-105.7878-2-15-						0-W11713-10/30/77-14-			8-	-	-	-	-	-	17-1-1-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.66	
56-43.1189-105.7950-2-15-						0-W11716-10/30/77-16-			9-	-	-	-	-	-	18-1-1-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.51	
56-43.0856-105.8503-2-15-						0-W11719-10/31/77- 9-			1-	-C-	-	-	-	-	18-1-1-5-6-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.86	
56-43.1292-105.8508-2-15-						0-W11719-10/31/77- 5-			5-	-	-	-	-	-	11-1-1-4-1-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.49	
56-43.1850-105.8497-2-15-						0-W11721-10/31/77-11-			5-	-	-	-	-	-	11-1-1-4-1-	-1-	-2-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.20	
56-43.1789-105.8581-2-15-						0-W11722-10/31/77-12-			6-	-	-	-	-	-	15-1-1-1-4-	-1-	-2-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.00	
56-43.1008-105.8686-2-15-						0-W11723-10/31/77-13-			7-	-	-	-	-	-	9-1-1-4-1-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.36	
56-43.0981-105.8964-2-15-						0-W11724-10/31/77-13-			8-	-	-	-	-	-	11-1-1-4-1-	-1-	-2-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.66	
56-43.0906-105.8950-2-15-						0-W11725-10/31/77-13-			8-	-	-	-	-	-	11-1-1-4-1-	-1-	-1-4-3-1-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.47	
56-43.0811-105.9886-2-15-						0-W11726-10/31/77-14-			10-	-	-	-	-	-	20-1-1-4-6-	-1-	-1-4-3-2-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.40	
56-43.0706-105.9900-2-15-						0-W11727-10/31/77-15-			10-	-	-	-	-	-	20-1-1-5-1-	-1-	-2-4-3-2-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.49	
56-43.0481-105.9847-2-15-						0-W11728-10/31/77-16-			8-	-	-	-	-	-	32-1-1-5-6-	-1-	-2-4-3-3-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.33	
56-43.0450-105.9792-2-15-						0-W11729-10/31/77-16-			8-	-	-	-	-	-	20-1-1-3-4-	-1-	-2-4-3-3-2-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.56	
56-43.0019-105.8361-2-15-						0-W11731-11/01/77- 8-			5-	-C-	-	-	-	-	28-1-1-5-6-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.92	
56-43.0917-105.8803-2-15-						0-W11732-11/01/77- 7-			6-	-	-	-	-	-	13-1-1-4-1-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.82	
56-43.0500-105.8769-2-15-						0-W11733-11/01/77- 7-			6-	-	-	-	-	-	19-1-1-4-1-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.92	
56-43.0194-105.8783-2-15-						0-W11735-11/01/77-11-			7-	-	-	-	-	-	16-1-1-4-1-	-1-	-1-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.08	
56-43.0336-105.9058-2-15-						0-W11736-11/01/77-12-			10-	-	-	-	-	-	15-1-1-4-1-	-1-	-2-4-3-1-1-	-3-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.54	
56-43.0333-105.9181-2-15-																																		

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

2

DOE SAMPLE NUMBER						ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE										ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY		
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)										Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li	
56-43.7553-104.1919-2-15-	0-W11672	-5	-5	-5	37	-20	25	14	-10	-15						2	41	
56-43.7858-104.2128-2-15-	0-W11673	-5	-5	-5	28	-20	-15	7	-10	-15						2	32	
56-43.7792-104.1839-2-15-	0-W11674	-5	-5	-5	26	-20	-15	5	-10	-15						2	31	
56-43.7989-104.1958-2-15-	0-W11675	-5	-5	-5	19	-20	-15	6	-10	-15						2	36	
56-43.8075-104.2092-2-15-	0-W11676	-5	-5	-5	32	-20	17	6	-10	-15						1	18	
56-43.8150-104.1658-2-15-	0-W11677	-5	-5	-5	35	-20	23	9	-10	-15						2	44	
56-43.8567-104.2386-2-15-	0-W11678	-5	-5	-5	17	-20	18	10	-10	-15						1	29	
56-43.8403-104.2492-2-15-	0-W11679	-5	-5	-5	47	-20	-15	17	-10	-15						2	50	
56-43.8569-104.1867-2-15-	0-W11680	-5	-5	-5	26	-20	-15	44	-10	-15						2	22	
56-43.8514-104.1764-2-15-	0-W11681	-5	-5	-5	23	-20	-15	34	-10	-15						-1	14	
56-43.8628-104.2075-2-15-	0-W11682	-5	-5	-5	36	-20	-15	28	-10	-15						2	41	
56-43.7533-104.1611-2-15-	0-W11683	-5	-5	-5	25	-20	18	7	-10	-15						2	41	
56-43.8394-104.1475-2-15-	0-W11684	-5	-5	-5	14	-20	-15	-5	-10	-15						2	28	
56-43.8717-104.1497-2-15-	0-W11685	-5	-5	-5	23	-20	-15	5	-10	-15						2	21	
56-43.8250-104.1369-2-15-	0-W11686	-5	-5	-5	17	-20	-15	6	-10	-15						2	17	
46-43.7456-104.0389-2-15-	0-W11687	-5	-5	-5	29	20	17	11	-10	-15						2	105	
46-43.6950-104.0189-2-15-	0-W11689	-5	-5	-5	19	-20	-15	-5	-10	-15						1	116	
46-43.7006-104.0356-2-15-	0-W11691	-5	-5	-5	21	-20	-15	-5	-10	-15						2	29	
46-43.7244-104.0478-2-11-	0-W11693	-5	-5	-5	17	-20	-15	5	-10	-15						2	25	
46-43.6433-104.0272-2-15-	0-W11695	-5	-5	-5	22	-20	-15	-5	-10	-15						2	32	
46-43.6539-104.0269-2-15-	0-W11696	-5	-5	-5	24	-20	-15	5	-10	-15						2	37	
46-43.6525-104.0050-2-15-	0-W11697	-5	-5	-5	18	-20	16	-5	-10	-15						2	105	
46-43.6561-104.0042-2-15-	0-W11698	-5	-5	-5	27	-20	18	-5	-10	-15						2	100	
56-43.7478-104.0611-2-15-	0-W11699	-5	-5	-5	19	-20	-15	-5	-10	-15						2	41	
56-43.1747-105.6839-2-11-	0-W11701	-5	-5	-5	15	-20	-15	7	-10	-15						2	11	
56-43.1839-105.7478-2-15-	0-W11704	-5	-5	-5	33	-20	-15	15	-10	-15						3	39	
56-43.1503-105.7189-2-11-	0-W11705	-5	-5	-5	20	-20	-15	5	-10	-15						2	13	
56-43.1986-105.7625-2-15-	0-W11706	-5	-5	-5	26	-20	-15	12	-10	-15						2	30	
56-43.1344-105.8972-2-15-	0-W11709	-5	-5	-5	12	-20	-15	7	-10	-15						-1	6	
56-43.1653-105.9042-2-15-	0-W11710	-5	-5	-5	11	-20	-15	6	-10	-15						1	8	
56-43.1722-105.8997-2-15-	0-W11711	-5	-5	-5	15	-20	-15	-5	-10	-15						1	9	
56-43.1453-105.7783-2-15-	0-W11712	-5	-5	-5	26	-20	-15	5	-10	-15						2	23	
56-43.1186-105.7878-2-15-	0-W11713	-5	-5	-5	21	-20	-15	10	-10	-15						2	35	
56-43.1189-105.7950-2-15-	0-W11716	-5	-5	-5	22	-20	17	9	-10	-15						2	37	
56-43.0856-105.8503-2-15-	0-W11719	-5	-5	-5	19	-20	-15	12	-10	-15						2	27	
56-43.1292-105.8508-2-15-	0-W11719	-5	-5	-5	11	-20	-15	-5	-10	-15						-1	5	
56-43.1850-105.8497-2-15-	0-W11721	-5	-5	-5	17	-20	-15	-5	-10	-15						2	21	
56-43.1789-105.8581-2-15-	0-W11722	-5	-5	-5	11	-20	-15	-5	-10	-15						1	7	
56-43.1008-105.8685-2-15-	0-W11723	-5	-5	-5	11	-20	-15	-5	-10	-15						-1	6	
56-43.0981-105.8964-2-15-	0-W11724	-5	-5	-5	16	-20	-15	6	-10	-15						2	20	
56-43.0906-105.8950-2-15-	0-W11725	-5	-5	-5	10	-20	-15	-5	-10	-15						1	13	
56-43.0811-105.9886-2-15-	0-W11726	-5	-5	-5	13	-20	-15	8	-10	-15						2	20	
56-43.0706-105.9900-2-15-	0-W11727	-5	-5	-5	15	-20	-15	-5	-10	-15						2	25	
56-43.0481-105.9847-2-15-	0-W11728	-5	-5	-5	14	-20	-15	-5	-10	-15						2	19	
56-43.0450-105.9792-2-15-	0-W11729	-5	-5	-5	17	-20	-15	7	-10	-15						1	15	
56-43.0019-105.8361-2-15-	0-W11731	-5	-5	-5	29	-20	17	13	-10	-15						2	44	
56-43.0517-105.8803-2-15-	0-W11732	-5	-5	-5	18	-20	-15	-5	-10	-15						1	17	
56-43.0500-105.8769-2-15-	0-W11733	-5	-5	-5	19	-20	-15	10	-10	-15						1	15	
56-43.0194-105.8789-2-15-	0-W11735	-5	-5	-5	18	-20	-15	8	-10	-15						2	24	
56-43.0336-105.9058-2-15-	0-W11736	-5	-5	-5	14	-20	-15	-5	-10	-15						2	26	
56-43.0333-105.9181-2-15-	0-W11737	-5	-5	-5	20	-20	-15	-5	-10	-15						2	28	

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS															
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	LAS SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)															
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La	Lu
56-43.7553-104.1919-2-15-	0-W11672	67010	-0.07	701	12690	67	-82	12.4	72	4.9	5	1.4	30520	8.0	17860	28	0.4					
56-43.7858-104.2129-2-15-	0-W11673	74940	-0.08	806	17110	58	-77	8.6	69	4.5	5	1.4	25600	5.2	19660	28	0.3					
56-43.7792-104.1839-2-15-	0-W11674	64910	-0.08	569	33860	74	-78	10.1	71	6.1	4	1.6	34670	6.5	18020	31	0.4					
56-43.7989-104.1958-2-15-	0-W11675	60600	-0.07	659	3808	85	-57	6.6	86	6.9	6	1.8	21080	8.2	21220	38	0.5					
56-43.8075-104.2092-2-15-	0-W11676	47520	-0.05	483	70690	44	-64	4.2	43	3.7	4	1.0	13220	5.9	16710	24	0.2					
56-43.8150-104.1658-2-15-	0-W11677	74500	-0.07	726	70850	72	-74	8.8	61	5.9	4	1.3	28570	5.2	19030	30	0.5					
56-43.8567-104.2386-2-15-	0-W11678	52700	-0.07	604	36870	80	-54	6.2	71	6.9	5	1.7	22160	9.7	18770	42	0.4					
56-43.8403-104.2492-2-15-	0-W11679	76650	-0.08	989	10150	76	-63	10.5	116	9.4	5	1.6	37320	7.2	21550	42	0.3					
56-43.8569-104.1867-2-15-	0-W11680	44290	-0.06	308	6169	64	-47	4.9	51	2.8	5	1.2	17540	13.2	9320	32	0.4					
56-43.8514-104.1764-2-15-	0-W11681	37310	-0.06	345	3627	51	-43	3.0	39	2.6	4	0.9	12790	17.1	9483	20	0.3					
56-43.8628-104.2075-2-15-	0-W11682	67270	-0.10	472	7604	102	-48	9.1	87	7.1	6	1.9	35150	10.1	16000	41	0.6					
56-43.7533-104.1611-2-15-	0-W11683	69350	-0.07	655	19020	70	-83	9.3	64	5.2	5	1.5	29440	8.0	16930	33	0.4					
56-43.8394-104.1475-2-15-	0-W11684	49540	-0.06	526	38050	58	-57	6.0	42	2.8	6	1.3	18960	7.6	14360	27	0.3					
56-43.8717-104.1497-2-15-	0-W11685	38880	-0.05	752	69390	46	-48	4.7	31	2.5	3	1.0	16050	9.3	16300	18	0.3					
56-43.8250-104.1369-2-15-	0-W11686	45440	-0.06	257	3373	76	-33	4.8	39	3.2	5	1.2	19070	16.9	8486	35	0.5					
46-43.7456-104.0389-2-15-	0-W11687	56510	-0.07	358	31820	80	-89	12.1	85	3.8	5	1.5	29100	13.1	24030	32	0.5					
46-43.6950-104.0189-2-15-	0-W11688	29060	-0.05	297	113400	33	-71	3.9	38	2.7	3	0.7	13010	5.4	12880	18	0.2					
46-43.7006-104.0356-2-15-	0-W11689	41650	-0.05	364	31780	43	-60	4.6	32	2.4	3	0.9	13030	7.0	15590	21	0.3					
46-43.7244-104.0478-2-11-	0-W11693	60630	-0.08	408	2624	166	-35	5.4	91	6.2	15	4.7	16460	13.7	14530	65	1.1					
46-43.6433-104.0272-2-15-	0-W11695	40760	-0.05	348	34490	47	-71	6.4	45	3.2	4	1.1	17340	13.2	20560	23	0.4					
46-43.6539-104.0269-2-15-	0-W11696	41750	-0.05	388	34110	46	-77	5.8	42	2.6	4	1.1	17170	11.1	17410	23	0.4					
46-43.6525-104.0050-2-15-	0-W11697	44960	-0.06	454	68360	55	-65	6.4	53	2.0	5	0.9	18640	7.2	21050	23	0.2					
46-43.6561-104.0042-2-15-	0-W11698	44590	-0.08	362	67160	73	-68	11.2	88	3.4	5	1.4	28250	11.3	20260	34	0.4					
56-43.7478-104.0611-2-15-	0-W11699	36940	-0.05	409	64450	52	-65	5.9	54	2.4	4	1.2	16840	11.3	17800	24	0.4					
56-43.1747-105.6839-2-11-	0-W11701	42310	-0.09	368	63380	110	156	5.6	34	-2.0	4	1.4	14110	6.6	13080	113	0.6					
56-43.1839-105.7478-2-15-	0-W11704	86120	-0.07	440	12150	74	-54	7.6	52	5.1	5	1.3	25370	3.7	18940	30	0.2					
56-43.1503-105.7189-2-11-	0-W11705	50000	-0.09	417	70040	89	-90	5.0	35	-1.8	3	1.6	14810	9.5	14620	62	0.5					
56-43.1986-105.7625-2-15-	0-W11706	67090	-0.06	538	7416	88	-48	8.6	71	5.8	5	1.4	23600	9.6	17160	47	0.4					
56-43.1344-105.8972-2-15-	0-W11709	17500	0.09	316	943	55	-27	1.6	24	1.8	5	0.9	5946	31.3	8347	29	0.5					
56-43.1653-105.9042-2-15-	0-W11710	24750	-0.03	399	1407	53	-34	2.3	22	1.1	4	0.7	5246	15.8	11140	25	0.4					
56-43.1722-105.8997-2-15-	0-W11711	23970	-0.05	444	-289	70	-26	2.7	45	2.6	4	1.3	9149	25.8	10920	33	0.5					
56-43.1453-105.7783-2-15-	0-W11712	48230	-0.06	460	18440	80	274	6.0	57	2.7	5	1.4	19940	12.0	16380	38	0.5					
56-43.1186-105.7878-2-15-	0-W11713	57510	-0.06	585	11570	71	-61	8.5	42	4.4	5	1.4	25470	10.4	17860	37	0.4					
56-43.1189-105.7950-2-15-	0-W11716	62660	-0.06	588	8515	75	-48	5.8	41	3.5	5	1.3	18610	8.0	18430	32	0.4					
56-43.0856-105.8503-2-15-	0-W11718	55540	-0.07	583	6632	108	-48	8.7	64	4.7	6	1.7	26010	16.3	19480	52	0.5					
56-43.1292-105.8508-2-15-	0-W11719	15910	-0.03	347	-225	53	-20	1.6	29	-0.7	4	1.0	4818	33.9	6493	27	0.5					
56-43.1850-105.8497-2-15-	0-W11721	40210	-0.04	479	4750	50	-39	5.0	35	2.7	4	1.0	13720	7.2	16520	26	0.3					
56-43.1789-105.8581-2-15-	0-W11722	22810	-0.04	591	1476	78	-21	2.5	36	-0.9	5	1.2	8703	34.1	9817	34	0.6					
56-43.1008-105.8686-2-15-	0-W11723	17590	-0.05	336	-232	60	-15	1.9	38	1.0	4	1.1	6129	36.2	7655	30	0.5					
56-43.0981-105.8964-2-15-	0-W11724	46590	-0.05	420	2661	73	-47	4.1	49	3.0	4	1.1	11540	15.1	14620	36	0.4					
56-43.0936-105.8950-2-15-	0-W11725	32700	-0.04	420	1693	47	-30	3.5	28	2.4	4	0.9	7892	15.3	12550	23	0.4					
56-43.0811-105.9886-2-15-	0-W11726	43600	-0.05	550	3543	65	-38	4.2	41	3.2	4	1.0	10760	12.8	16080	26	0.4					
56-43.0706-105.9902-2-15-	0-W11727	38900	-0.06	518	2516	78	-30	7.7	53	4.0	5	1.5	19420	17.7	15720	34	0.5					
56-43.0481-105.9847-2-15-	0-W11728	38550	-0.04	456	2134	67	-33	5.4	51	2.7	4	1.1	13400	15.0	16700	31	0.4					
56-43.0450-105.9792-2-15-	0-W11729	32280	-0.04	458	2037	47	-26	4.9	36	2.3	4	1.0	14660	10.7	13550	25	0.3					
56-43.0019-105.8361-2-15-	0-W11731	64840	-0.06	465	3907	66	-49	6.2	49	4.2	5	1.3	14300	7.6	17980	29	0.4					
56-43.0517-105.8803-2-15-	0-W11732	32590	-0.05	321	1710	99	-26	4.8	59	3.5	5	1.4	14740	34.1	11370	48	0.7					
56-43.0500-105.8769-2-15-	0-W11733	38430	-0.05	460	2876	73	-48	4.4	45	2.3	5	1.1	11570	20.8	15530	34	0.5					
56-43.0194-105.8789-2-15-	0-W11735	36920	-0.04	433	3961	45	-35	5.3	37	3.0	5	0.9	15530	9.0	13760	21	0.3					
56-43.0335-105.9054-2-15-	0-W11736	37570	-0.05	419	4216	54	-27	5.1	48	3.1	5	1.1	14830	22.4	15480	27	0.4					
56-43.0333-105.9111-2-15-	0-W11737	45650	-0.06	597	2212	58	-33	7.2	58	4.7	4	1.5	21250	12.1	19090	33	0.5					

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

④

DOE SAMPLE NUMBER							ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)																U/Th RATIO
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE	DOE SAMPLE LOCATION NUMBER	Concentrations reported in weight parts per million (ppm)																
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn		
56-43.7553-104.1919-2-15-	0-W11672	19800	297	9611	86	-2	10.5	5.5	-207	-1	-1	10.2	3323	99	2.9	126	0.308						
56-43.7858-104.2128-2-15-	0-W11673	26630	227	9971	-25	-2	9.2	4.9	-223	-1	-1	9.1	3464	109	2.9	91	0.356						
56-43.7792-104.1839-2-15-	0-W11674	36430	325	11270	129	-2	11.4	6.3	371	-1	-1	12.7	3127	87	4.0	154	0.246						
56-43.7989-104.1958-2-15-	0-W11675	11840	86	4465	94	-2	10.2	7.0	-144	-1	-1	11.6	3972	124	4.6	-126	0.314						
56-43.8075-104.2092-2-15-	0-W11676	13310	146	4052	57	-1	6.2	3.9	489	-1	-1	7.5	2360	82	2.4	86	0.436						
56-43.8150-104.1658-2-15-	0-W11677	28510	263	9943	-26	-2	9.9	5.5	298	-1	-1	9.8	3293	106	3.3	-97	0.322						
56-43.8567-104.2386-2-15-	0-W11678	12830	124	4843	78	-2	9.5	7.4	-159	-1	-1	14.7	3264	94	3.4	84	0.233						
56-43.8403-104.2492-2-15-	0-W11679	19560	196	4998	96	-2	15.3	6.3	-187	-1	-1	11.8	4443	212	4.5	186	0.404						
56-43.8569-104.1867-2-15-	0-W11680	7332	224	2273	-21	-1	7.3	5.8	-156	-1	-1	9.4	3414	61	3.7	91	0.467						
56-43.8514-104.1764-2-15-	0-W11681	5753	136	2769	35	-1	5.0	3.6	-149	-1	-1	7.0	3078	53	2.9	-47	0.547						
56-43.8628-104.2075-2-15-	0-W11682	9846	315	2695	102	-2	14.0	9.3	-221	-1	-1	17.7	4922	96	5.7	161	0.288						
56-43.7533-104.1611-2-15-	0-W11683	22490	221	10330	62	-2	10.6	5.8	-197	-1	-1	10.9	3861	94	2.7	103	0.270						
56-43.8394-104.1475-2-15-	0-W11684	23430	260	2616	48	-1	7.0	5.1	773	-1	1	7.5	2765	49	3.4	-45	0.423						
56-43.8717-104.1497-2-15-	0-W11685	20360	430	2310	39	-1	4.9	3.3	564	-1	-1	5.0	2033	44	2.1	51	0.488						
56-43.8250-104.1369-2-15-	0-W11686	7593	131	1757	-23	-1	7.6	6.4	-129	-1	1	14.5	3614	37	4.5	121	0.290						
46-43.7456-104.0389-2-15-	0-W11687	46930	481	8190	64	-2	10.7	6.4	717	-1	-1	12.2	4726	66	4.4	-90	0.339						
46-43.6950-104.0189-2-15-	0-W11688	81250	292	3659	49	-1	4.6	2.9	2376	-1	-1	4.9	2290	40	1.4	-58	0.427						
46-43.7006-104.0356-2-15-	0-W11689	18300	310	6382	52	-1	5.0	4.2	-196	-1	-1	5.8	2251	40	2.7	65	0.283						
46-43.7244-104.0478-2-11-	0-W11693	8217	78	1406	56	-2	11.0	21.6	-134	-1	3	12.1	4126	63	10.5	118	0.345						
46-43.6433-104.0272-2-15-	0-W11695	25130	351	6801	63	-1	6.2	4.4	-197	-1	-1	7.3	3176	42	4.0	59	0.275						
46-43.6539-104.0269-2-15-	0-W11696	27450	376	7940	70	-1	6.3	4.2	-201	-1	-1	6.9	2493	44	3.3	91	0.296						
46-43.6525-104.0050-2-15-	0-W11697	60460	403	5227	37	-1	6.3	4.0	-234	-1	-1	7.1	3276	50	2.6	-55	0.323						
46-43.6561-104.0042-2-15-	0-W11698	64820	417	6081	-27	-2	10.2	6.5	1103	-1	-1	9.9	3506	53	3.9	107	0.263						
56-43.7478-104.0611-2-15-	0-W11699	25680	285	3949	61	-1	6.2	4.1	-184	-1	-1	7.6	2767	49	2.8	48	0.326						
56-43.1747-105.6839-2-11-	0-W11701	11990	590	3767	-36	-2	4.0	21.1	-380	7	-1	12.4	1886	48	-1.5	-49	17.798						
56-43.1839-105.7478-2-15-	0-W11704	21640	412	2656	89	-2	9.4	5.6	-245	-1	-1	13.3	3391	107	2.4	-42	0.300						
56-43.1503-105.7189-2-11-	0-W11705	11990	219	10410	67	-2	5.3	11.1	-248	-1	-1	14.1	1793	47	3.1	78	4.339						
56-43.1986-105.7625-2-15-	0-W11706	12480	271	2346	101	-1	9.3	6.0	-185	-1	-1	13.0	3344	86	4.0	-78	0.271						
56-43.1344-105.8972-2-15-	0-W11709	-1090	93	1185	-11	-1	2.6	4.2	-87	-1	-1	10.5	3065	28	3.0	26	0.362						
56-43.1653-105.9042-2-15-	0-W11710	-1338	74	2762	23	-1	2.4	3.6	-102	-1	-1	9.0	2414	30	2.4	44	0.354						
56-43.1722-105.8997-2-15-	0-W11711	2528	82	1510	58	-1	3.9	5.5	-95	-1	1	13.7	3001	34	4.7	44	0.249						
56-43.1453-105.7783-2-15-	0-W11712	16410	438	5781	61	-1	6.6	5.7	-236	-1	-1	12.2	2669	57	3.2	62	0.354						
56-43.1186-105.7878-2-15-	0-W11713	14100	568	3311	73	-1	8.2	6.2	-227	-1	-1	12.8	2869	81	4.0	79	0.270						
56-43.1189-105.7950-2-15-	0-W11716	14880	311	3135	66	-1	7.1	4.7	-207	-1	-1	10.8	3076	77	3.2	87	0.325						
56-43.0856-105.8503-2-15-	0-W11718	9271	302	4405	116	-2	9.6	7.6	-182	-1	-1	18.0	4085	80	5.1	74	0.270						
56-43.1292-105.8509-2-15-	0-W11719	2144	59	718	33	-1	2.6	3.9	-73	1	-1	8.9	3206	25	4.1		0.392						
56-43.1850-105.8497-2-15-	0-W11721	5402	182	2140	60	-1	4.9	4.2	-132	-1	-1	10.9	2279	51	2.4	-78	0.294						
56-43.1789-105.8581-2-15-	0-W11722	2773	123	1568	-14	-1	3.2	6.5	-74	-1	1	13.7	3362	35	4.7	39	0.365						
56-43.1008-105.8686-2-15-	0-W11723	1797	52	413	-15	-1	3.2	4.3	-75	-1	-1	11.6	3113	26	4.8	54	0.290						
56-43.0981-105.8964-2-15-	0-W11724	5558	86	3204	66	-1	5.8	4.6	-115	-1	-1	14.7	3090	62	3.5	67	0.235						
56-43.0906-105.8950-2-15-	0-W11725	4517	85	2319	59	-1	4.2	4.1	-113	-1	-1	9.9	2929	48	3.4	44	0.351						
56-43.0811-105.9886-2-15-	0-W11726	6839	188	2756	49	-1	4.7	3.9	-154	-1	-1	8.8	2841	74	2.6	56	0.386						
56-43.0706-105.9900-2-15-	0-W11727	6377	157	1577	71	-1	7.3	6.5	-126	1	-1	12.9	3329	82	4.6	106	0.271						
56-43.0481-105.9847-2-15-	0-W11728	6377	124	1728	57	-1	5.6	4.8	-116	-1	-1	10.6	3207	64	4.1	39	0.408						
56-43.0450-105.9792-2-15-	0-W11729	4065	147	1196	54	-1	4.6	3.7	-116	-1	-1	7.1	2963	69	2.3	73	0.501						
56-43.0019-105.8361-2-15-	0-W11731	8900	176	3305	57	-1	7.5	4.7	-178	-1	-1	10.6	3686	101	3.1	-95	0.464						
56-43.0517-105.8803-2-15-	0-W11732	5347	164	2215	57	-1	5.8	7.6	-88	-1	-1	25.0	3669	55	5.3	85	0.193						
56-43.0500-105.8769-2-15-	0-W11733	5272	143	3256	69	-1	5.5	5.8	-131	-1	-1	14.6	3008	51	5.2	-67	0.268						
56-43.0194-105.8789-2-15-	0-W11735	7407	167	1423	46	-1	5.3	4.4	-123	-1	-1	8.5	2335	67	2.7	50	0.362						
56-43.0336-105.9058-2-15-	0-W11736	6745	212	1064	45	-1	5.0	4.5	-147	-1	-1	10.0	3441	66	4.3	79	0.454						
56-43.0333-105.9181-2-15-	0-W11737	7543	158	1613	76	-1	7.8	5.4	-140	-1	-1	11.0	2936	101	4.8	104	0.355						

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

①

[illegible]

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

②

DOE SAMPLE NUMBER						LAB. SAMPLE LOCATION NUMBER	ELEMENTAL CONCENTRATIONS DETERMINED BY X-RAY FLUORESCENCE									ELEMENTAL CONCENTRATIONS DETERMINED BY ARC-SOURCE EMISSION SPECTROGRAPHY	
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE		Concentrations reported in weight parts per million (ppm)									Concentrations in weight ppm	
							Ag	Bi	Cd	Cu	Nb	Ni	Pb	Sn	W	Be	Li
56-43	0039-105.9492-2-15-	0-411739					-5	-5	-5	12	-20	-15	7	-10	-15	1	16
56-43	0386-105.9897-2-15-	0-411739					-5	-5	-5	12	-20	-15	10	-10	-15	2	25

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

③

DOE SAMPLE NUMBER						LAB. SAMPLE LOCATION NUMBER	ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS														
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE		Concentrations reported in weight parts per million (ppm)														
							Al	Au	Ba	Ca	Ce	Cl	Co	Cr	Cs	Dy	Eu	Fe	Hf	K	La
56-43	0039	-105.9492	-2-15-	0-W11738		32830	-0.04	431	2240	59	-25	5.7	45	2.8	4	1.2	17370	14.2	12520	28	0.4
56-43	0386	-105.9897	-2-15-	0-W11739		43220	-0.04	464	5211	55	-33	5.0	39	3.6	5	1.0	15630	9.9	14240	26	0.3

APPENDIX I-B. (continued). Elemental Concentrations for Sediment Samples

4

DOE SAMPLE NUMBER						LAB SAMPLE LOCATION NUMBER	ELEMENTAL CONCENTRATIONS DETERMINED BY NEUTRON ACTIVATION ANALYSIS (continued)															U/Th RATIO
STATE	LATITUDE	LONGITUDE	DOE LAB	SAMPLE TYPE	REPLICATE		Concentrations reported in weight parts per million (ppm)															
							Mg	Mn	Na	Rb	Sb	Sc	Sm	Sr	Ta	Tb	Th	Ti	V	Yb	Zn	
56-43	0039	-105.9492	-2-15-	0-W11738		5413	175	899	43	-1	5.3	4.8	-121	-1	-1	8.9	2556	66	3.4	69	0.427	
56-43	0386	-105.9897	-2-15-	0-W11739		8851	186	1023	53	-1	5.5	4.2	-132	-1	-1	9.1	2587	72	2.9	61	0.387	

APPENDIX II

STANDARD LASL HSSR PROCEDURES AND CODES

APPENDIX II-A

Summary of Standard LASL HSSR Field and Analytical Procedures

APPENDIX II

SUMMARY OF STANDARD LASL HSSR FIELD AND ANALYTICAL PROCEDURES

I. FIELD PROCEDURES

Water Sampling

Water samples are collected first, directly from the source wherever possible, filtered through a 0.45- μ membrane filter (except in Alaska where this step is omitted) directly into two prewashed and sealed, 25-ml polyethylene vials. Water samples in both vials are then acidified to a pH <1 with 8N reagent-grade HNO_3 . All sample containers are doubly labeled with preprinted, adhesive labels carrying the same sample location number as that preprinted on the field data form. Springs are sampled as near to their point of emergence as possible; stream waters are taken from the fast-flowing current away from the bank; ponds (including small lakes and reservoirs) are sampled from just below the surface, near their center; and well waters are taken near the wellhead if the well is pumping or from a holding tank if not.

Sediment Sampling (Wet or Dry)

Following the collection of the water sample (if any), enough fine-grained, organic-rich, water-transported sediment to yield a composite sample of 25 g after processing (as indicated below) is taken from beneath the water level (where water exists) at three adjacent spots at each spring or stream location. The sediment is put into a new, clean, and originally sealed, rip-top polyethylene bag which is then properly double-labeled for delivery (with the field data form) to the contractor's drying facility. After drying at <100°C, each sample is sieved through a 100-mesh stainless steel sieve. The minus 100-mesh fraction is put into a prewashed, 25-ml polyethylene vial which is then appropriately double-labeled (using labels from the data form) and sealed for shipment to the LASL. In the case of lakes sampled in Alaska, the sediment is taken from as near the center of each lake as possible by dropping a tethered, stainless steel bottom sampler overboard from a pontoon-equipped helicopter. Here, only a bottom sample from a single location is taken (i.e., it is not a composite) and sampling is limited to lakes less than 10 m deep and about 0.3 to 2.0 km in least horizontal dimension. The sampler is rinsed before each use and the raw sample is put into a clean polyethylene bag, labeled, and treated as above.

Field Measurements

The air temperature, read in the shade at the time of sampling, is recorded to the nearest whole degree Celsius. The water temperature is measured in the source water and recorded to the nearest one-half degree Celsius. The pH of the source water is measured with a calibrated, portable pH meter and recorded to the nearest one-tenth of a pH unit. The conductivity (in $\mu\text{mho/cm}$) of the source water is measured with a calibrated, temperature-compensated (25°C), portable meter. The scintillometer readings are measured with a portable scintillometer on a flat, dry spot within a few meters of the sample location at spring or stream sites. Two readings are recorded, the first with a radiation shield in place (blocking out ground radiation) and the second with the shield removed. The readings (in counts/s) are converted by computer, using measured calibration factors, to the equivalent uranium (eU) value in the

data listings. Special measurements such as dissolved oxygen are made with a calibrated, commercially available, portable meter and probe. In lakes, the water temperature, pH, conductivity, and (special) dissolved oxygen are usually all measured with a single, digital-readout unit, utilizing a parameter selector switch and a composite probe that is lowered from the sampling helicopter to just below the water's surface. Care is taken to see that these measurements are made before the bottom sediment is disturbed.

Field Observations

These represent the best judgment of the field sampler at a location and include general descriptions of the local bedrock, sediment, water, vegetation, terrain, weather, possible contaminants, and well configuration, if applicable. Because these observations are subjective and made quickly in the field, they should be held subordinate to formally documented information such as that provided by published topographic or geologic maps, etc.

Sample Location Verification

Each contractor is supplied field maps with the desired sample types and general locations symbolically premarked at the LASL. In the lower states, the field maps are generally 1:24 000-scale or 1:62 500-scale USGS topographic maps; in Alaska, they are normally 1:250 000-scale NTMS quadrangle maps, also available from the USGS. As each location is sampled, a unique sample location number, preprinted on transparent adhesive labels (also used for labeling the samples) that are provided with each identically numbered field data form, is placed on top of the precisely marked point representing the sample site on the field map. When a desired sample as specified cannot be obtained, an identical or alternate sample type (as near as possible to the original one) is picked, and the new sample type and/or location is/are marked on the field map and properly labeled as above. The latitude and longitude of each location is then computed by the sampling contractor within 48 h of taking each sample. Every location is later checked (and corrected if necessary) at the LASL by digitizing the sample locations on each map and comparing them to those computed in the field. The latitudes and/or longitudes are corrected if the field-computed locations are displaced by more than 300 m from the locations marked on the field maps. A final visual check of sample locations is made by overlaying computer-produced location plots on the field maps used. The computer program for generating the Universal Transverse Mercator map projection overlays is described by Cheadle (1977).

II. ANALYTICAL PROCEDURES

Uranium Determination in Water Samples by Fluorometry

Under normal procedures, the 25-ml water vial is vigorously shaken and duplicate 0.20-ml aliquots of water are transferred to platinum dishes. The aliquots are evaporated under heat lamps and a 0.4-g pellet of 2% LiF-98% NaF flux is added to each dish. The pellets are first preheated under lamps, then fused over special propane burners. After each pellet/sample cools, it is excited with ultraviolet radiation in the fluorometer and the fluorescence is read and recorded. The uranium concentrations are determined by using a computer routine which compares the fluorescence from each pellet with those from other pellets, run at the same time, containing uranium-standard solutions and blanks. The uranium concentration of the sample, as given in the appropriate

data listings, is then the average obtained from the duplicate aliquots. The lower limit of detection for each aliquot by the normal procedure is 0.2 ppb; however, in some areas many samples have uranium concentrations below this. Consequently, when a sample run by the normal procedure is determined to have <0.2 ppb uranium, it is routinely reanalyzed using new duplicate aliquots that have been put through an additional evaporative concentration step that provides a 10X concentration factor. This additional procedure, using the same basic fluorometric method, reduces the lower limit of detection of uranium in natural waters to 0.02 ppb. When a uranium concentration lower than 0.02 ppb is found in an aliquot, it is arbitrarily assigned a value of 0.01 ppb. If the uranium value given in the data listings is 0.01 ppb, both aliquots had uranium concentrations below the detection limit. Whether concentrated or not (which can be determined from the uranium level in the listing), the fluorometric analytical precision is $\approx 30\%$ at the lower detection limit, $\approx 20\%$ at one order of magnitude above this, and $\approx 10\%$ at two or more orders of magnitude above the lower detection limit. The basic fluorometric method used is described in detail by Hues et al (1977).

Uranium Determination in Water Samples by Delayed-Neutron Counting (DNC)

Only waters with >40 ppb uranium (as determined by fluorometry at the LASL, where this is the upper limit of detection without recalibration) or those with impurities that cause interference with uranium-induced fluorescence are analyzed using DNC. Samples are received in the 25-ml vials (or 41-ml reactor rabbits used in some of the previous work) and are analyzed in clean, labeled, 25-ml vials. Each water sample is weighed, and its weight (less that of the vial) and location number are recorded. The vials are then loaded into a 25-sample transfer clip. The reactor pneumatic transfer system and background radiation levels are checked and four standards are run for calibration. The transfer clip is installed on the pneumatic feed line and the samples are cycled through the system (typically, a 60-s irradiation, 30-s delay, and 60-s count cycle is used). The uranium concentration is automatically measured, converted to ppb, and entered into a computer data base. The lower detection limit for uranium in water by DNC as used at the LASL is 0.5 ppb. The statistical error of this method is $\approx 20\%$ at a uranium concentration of 1 ppb, $\approx 6\%$ at 10 ppb, and <4% at 40 ppb or greater. Statistical treatments of uranium concentrations obtained from the same suites of samples analyzed both by fluorometry and DNC have shown that there is no significant difference between the results of the two analytical methods as used at the LASL. This analytical comparability is rechecked periodically.

Uranium Determination in Sediment Samples by DNC

All sediment samples are analyzed for total uranium by DNC. A split of each sample (dried and sieved as described) is transferred to a clean 4-ml rabbit, weighed, and its weight (less that of the rabbit) recorded along with the appropriate location number. These rabbits are then loaded into a 50-sample transfer clip. The reactor pneumatic transfer system and background radiation levels are checked, and standards are run for calibration. The transfer clip is installed and the samples are cycled through the system (typically, a 20-s irradiation, 10-s delay, and 30-s count cycle is used). The uranium concentration is automatically measured, converted to ppm, and entered into the data base. The lower limit of detection of this method is 0.01 ppm uranium, far below the range of uranium concentrations in natural sediment samples. Above the 1 ppm level, the uranium values in sediment

measured by DNC at the LASL have a one-sigma error of less than 4%. The specially designed delayed-neutron detectors, built by the LASL and used for these analyses, are described by Balestrini et al (1976).

Elemental Determinations in Sediment Samples by Energy Dispersive X-Ray Fluorescence

A computer-controlled, energy-dispersive x-ray fluorescence system is used to determine Ag, Bi, Cd, Cu, Nb, Ni, Pb, Sn, and W in sediments. The system consists of an automatic 20-position sample changer, a lithium-drifted silicon detector, a pulsed molybdenum transmission-target x-ray tube, a multichannel analyzer, and a minicomputer. The sediment samples are prepared for analysis by grinding 6 g of each minus 100-mesh sample to a minus 325-mesh powder. A computer program positions the 6-g samples in the x-ray beam, unfolds overlapping peaks, determines peak intensities for each element, and calculates the ratio of the intensity of each peak to that of the molybdenum K α Compton peak. Concentrations of each element are then calculated using equations obtained by analyzing prepared standards. Detection limits are: 5 ppm for Ag, Bi, Cd, and Pb; 10 ppm for Cu and Sn; 15 ppm for Ni and W; and 20 ppm for Nb. When an analysis results in an elemental concentration that is below the detection limit, a minus sign preceding the value of the detection limit for that element is inserted in the data listings. The relative standard deviation is 10% or less at the 100-ppm level and 20% or less at the 20-ppm level. Details of the method and equipment used are described by Hansel and Martell (1977).

Beryllium and Lithium Determinations in Sediment Samples by Arc-Source Emission Spectrography

A 5-mg portion of the -325-mesh sample that has already been analyzed by x-ray fluorescence is mixed with 10 mg of a buffer consisting of one part graphite and one part SiO₂. The sample/buffer mixture is placed into a graphite electrode that is used as the anode of a dc arc having a short circuit current of 6A for 10 s, then 17A for 50 s. Photomultiplier tubes in a direct-reading spectrograph are used to measure the second order 313.0-nm line of Be, the first order 670.7- and 610.3-nm lines of Li, the background spectra near these lines, and the 327.6-nm line of V. The 670.7-nm Li line is used for Li concentrations up to 10 ppm and the 610.3-nm line of Li is used for concentrations above 10 ppm. The V line is used to correct the Be value when V is present. The signals from the photomultiplier tubes are read by a digital voltmeter and are processed by a desk-top calculator. The results are simultaneously printed on paper and written on cassette tape for later transmission to a computer data file. The elemental concentrations of Be and Li are determined from the spectra, based on the results of previously run calibration standards. The lower detection limit for both elements is 1 ppm. When an analysis results in an elemental concentration that is below the detection limit, a minus sign preceding the value of the detection limit for that element is inserted in the data listings. Precision at the lower detection limit is $\approx$ 50% for both elements and improves to $\approx$ 25% at one order of magnitude above the lower limit.

Elemental Determinations in Sediment Samples by Neutron Activation Analysis (NAA)

Immediately upon completion of the uranium analysis of sediment samples by DNC, the same 4-ml sediment splits are entered into the NAA sequence. The

concentrations of 31 additional elements are determined by this procedure. The full DNC/NAA timing sequence used at the LASL for each sediment sample is: 20-s irradiation, 10-s delay, 30-s DNC analysis, 20-min delay, 500-s γ -ray count for short-lived radionuclides, 96-s re-irradiation, 14-day delay, and finally a 1000-s γ -ray count for long-lived radionuclides. The γ -ray counting is done by lead-shielded Ge(Li) detectors; the 4096-channel γ -ray data are recorded and subsequently analyzed for each individual element by computer. The analytical data for each sample are automatically printed out along with the associated statistical errors. The lower detection limits for the various elements as reflected by the "less than" values (denoted by a minus sign in front of a concentration) in the data listings are the values for the individual elements at which the statistical counting error approaches 50%. Current "typical" lower detection limits for the elements determined by NAA are reported in Nunes and Weaver (1978); however, the actual detection limit for an element depends upon the composition of the sample, and this limit may be higher or lower than the typical value. At concentration values one order of magnitude above the lower detection limits, the relative errors are generally less than 10%.

APPENDIX II-B

Explanation of Codes Used in Appendix I

APPENDIX II-B

EXPLANATION OF CODES USED

DOE SAMPLE NUMBER

STATE: A two-digit Federal Information Processing Standards (FIPS) code that designates the state from which each sample came. For the states being sampled by the LASL, the code numbers are:

Alaska	= 02	Montana	= 30	South Dakota	= 46
Arizona	= 04	Nebraska	= 31	Texas	= 48
Colorado	= 08	New Mexico	= 35	Utah	= 49
Idaho	= 16	North Dakota	= 38	Wyoming	= 56
Kansas	= 20	Oklahoma	= 40		

LATITUDE AND LONGITUDE: Sample location, in degrees and decimal degrees to four places. Although generally much better, locational accuracy cannot be guaranteed closer than about 300 m (1000 ft).

DOE LAB: A Department of Energy (DOE) one-digit identifier designating the DOE laboratory responsible for taking the samples and data shown in the listings, as well as providing the analyses of the uranium and other elemental concentrations, if any. The LASL is designated by the numeral 2.

SAMPLE TYPE: A two-digit identifier which specifically designates the pertinent properties defining the sample type to which the listed data relate. For explanation of the code used, refer to the attached "Key to Sample Types," in section C of this appendix.

REPLICATE: A three-digit sequential number assigned to indicate a multiple sample of a single sample type from a single location. The largest number in use indicates the most recent sample taken and there will always be all smaller sequential numbers representing earlier samples back to 0, which is the initial sample from any given location. Except in the case of special studies, there will be no replicate samples and this entry will therefore be a single zero.

LASL SAMPLE LOCATION NUMBER AND FIELD DATA

LASL SAMPLE LOCATION NUMBER: A unique six-place alphanumeric designator permanently assigned by the LASL to every location sampled. For internal use, these numbers are assigned in blocks to the various areas individually treated and reported upon, and therefore serve to generally locate the samples within various areas for which the LASL is responsible as follows.

<u>Location Numbers</u>	<u>State</u>
N00 001 through N99 999	= Principally New Mexico
C00 001 through C99 999	= Principally Colorado
W00 001 through W99 999	= Principally Wyoming
M00 001 through M99 999	= Principally Montana
A00 001 and above	= Alaska only
L00 001 and above	= Areas beyond the western boundary of LASL's region as established by DOE in 1977.
Ø00 001 and above	= Areas beyond the eastern boundary of LASL's region as established by DOE in 1977.

TIME SAMPLED: The DATE the sample was taken, in terms of the number of the MONTH, followed by the DAY and finally the YEAR, separated by slashes, and then the TIME it was taken on that date to the nearest whole HOUR on a 24-hour clock.

AIR TEMPERATURE: The temperature measured in the shade at the time of sampling, to the nearest whole degree Celsius ($^{\circ}\text{C}$).

WATER TEMPERATURE: The temperature measured in the sample water (in situ whenever possible) at the time of sampling, to the nearest one-half of a degree Celsius (0.5°C).

COMMENTS: A "C" in this column indicates that some secondary comment not included in the listing was recorded at the sample location. This information will be used by the LASL in evaluating the data, and if appropriate, it will be mentioned in the final report.

SPECIAL MEASUREMENTS: An "S" in this column indicates that one or more field measurements in addition to those listed were made at the sample location. A description of any special parameters measured and the measured value at each sample location will be included in the final HSSR survey report on the area.

pH: The pH, to the nearest one-tenth (0.1) of a pH unit, measured in the water at the sample location at the time of sampling.

CONDUCTIVITY: The conductivity, in $\mu\text{mho/cm}$, measured in the water at the sample location at the time of sampling.

SCINTILLOMETER: The equivalent uranium (eU), in ppm, as measured on a flat ground surface within 10 m of the sample location using a scintillometer fitted with a differential gamma sampler (DGS). The effect of the DGS is to introduce a fixed geometry into the measurement and remove the background.

ROCK TYPE: The single digit in this column provides a general description of the dominant lithologic regime at or near the sample location, as given below.

1 = Sedimentary	3 = Igneous
2 = Metamorphic	4 = Unknown

ROCK COLOR: The single digit in this column provides an indication of the observed dominant color of local bedrock exposures at or near the sample location, as given below.

1 = White/Buf	4 = Pink/Red	7 = Gray
2 = Yellow	5 = Green	8 = Black
3 = Orange	6 = Brown	9 = Other

SEDIMENT TYPE: The single digit in this column provides a subjective evaluation of the dominant sediment type at the sample location, as given below.

1 = Boulders	4 = Sand	7 = Other
2 = Cobbles	5 = Mud	
3 = Gravel	6 = Muck	

SEDIMENT COLOR: The single digit in this column indicates the observed dominant color of the bottom sediment (stream channel, lake bed, etc.) at the sample location at the time of sampling, as given below.

1 = White/Buf	4 = Pink/Red	7 = Gray
2 = Yellow	5 = Green	8 = Black
3 = Orange	6 = Brown	9 = Other

WATER FLOW: The single digit in this column provides a subjective evaluation of the water movement at the sample location at the time of sampling, as given below.

1 = Stagnant	3 = Moderate	5 = Torrent
2 = Slow	4 = Fast	

WATER LEVEL: The single digit in this column provides a subjective estimate of water quantity at the time of sampling, relative to its usual condition at the sample location, as given below.

1 = Dry	3 = Normal	5 = Flood
2 = Low	4 = High	

WATER COLOR: The single digit in this column provides a subjective evaluation of suspended load in the sample water, as given below.

1 = Clear	3 = Cloudy	5 = Algal
2 = Murky	4 = Muddy	6 = Other

STREAM CHANNEL: The single digit here gives a subjective evaluation of stream channel character at the sample location at the time of sampling, as given below.

1 = Depositing	2 = Eroding	3 = Unknown

VEGETATION TYPE: The single digit in this column provides a subjective evaluation of the dominant plant type in the vicinity of the sample location, as given below.

1 = Conifers	4 = Grass	7 = Other
2 = Deciduous	5 = Moss	
3 = Brush	6 = Marsh	

VEGETATION DENSITY: The single digit in this column provides a subjective estimate of the amount of plant cover in the vicinity of the sample location, as given below.

1 = Barren	3 = Moderate	5 = Very Dense
2 = Sparse	4 = Dense	

RELIEF: The single digit in this column provides a subjective evaluation of the topography within a few hundred meters of the sample location, as given below.

1 = Flat	3 = Gentle (15-60 m)	5 = High (>300 m)
2 = Low (<15 m)	4 = Moderate (60-300 m)	6 = Other

WEATHER: The single digit in this column gives the observed climatic condition at the sample location at the time of sampling, as given below.

1 = Clear	3 = Overcast	5 = Snowy
2 = Partly cloudy	4 = Rainy	6 = Other

OWNERSHIP: Not used.

CONTAMINANTS: The single digit here indicates known or suspected local factors likely to influence analytical results, as given below.

1 = None	4 = Industry	7 = Urban
2 = Mining	5 = Sewage	8 = Recreation
3 = Agriculture	6 = Power generation	9 = Other

WELL TYPE: If a well water sample, the single digit in this column provides a general description of the type of well from which the sample was taken, as given below.

1 = Windmill-stock	4 = Suction pump	7 = Hand bail
2 = Windmill-domestic	5 = Jet pump	8 = Unknown
3 = Submersible pump	6 = Large turbine	9 = Other

WELL DIAMETER: When shown, the one or two digits in this column give the measured or estimated inside diameter, in inches, of the well casing from which the water sample came.

WELL DEPTH: When shown, the one, two, or three digits in this column give the total drilled depth from the surface, in feet, of the well from which the sample came. Three 9s in this column indicates a well depth greater than 1000 ft.

WATER DEPTH: When shown, the one, two, or three digits in this column give the known depth, in feet, from the surface to the standing water in the well. A -1 in this column indicates a flowing artesian well.

URANIUM CONCENTRATION: The value given in this column is the analytically derived value of the total uranium concentration found in the water sample (in ppb) or in the sediment sample (in ppm). Those uranium concentrations in water that are shown with an asterisk were measured using the delayed-neutron counting method, while those without an asterisk were determined fluorometrically. The uranium analyses in water samples as determined by both of these methods at the LASL are directly comparable, as noted in section A of this appendix.

REMAINING ENTRIES: The data presented in the remaining entries of the listings utilize no codes as such and are described in the respective column headings. However, there are four conventions used throughout the listings of elemental concentrations: a) all concentrations in waters are reported in ppb; b) all concentrations in sediments are reported in ppm; c) concentrations "less than" the lower detection limit are denoted by a minus sign before this limit for the specific sample (except for fluorometrically determined uranium in waters, the convention for which is described in section A of this appendix); and d) a blank space in the data listings for any elemental concentration signifies that no analytical result was obtained for that element.

APPENDIX II-C

Key to Sample Types Listed in Appendix I

APPENDIX II-C

KEY TO SAMPLE TYPES

This numerical key provides the necessary tie between the specific type or form of each sample taken and each individual suite of field and laboratory data to which the sample relates. It defines the various sample types collected by the LASL in the DOE HSSR for uranium.

The two-digit key number assigned to each sample type designates three distinct properties of the samples taken. These properties are: (a) The general sample source (spring, stream, dry stream, etc.); (b) The sample medium (water or sediment); and (c) The treatment given the sample in the field or laboratory prior to its analysis by the LASL.

The key numbers are inserted in the sample type columns of the specially formatted DOE sample numbering system to positively identify the sample type for all LASL sample data submitted.

<u>KEY NO.</u>	<u>SOURCE / MEDIUM / TREATMENT</u>
01 -	<u>Spring water sample untreated.</u>
02 -	<u>Stream water sample untreated.</u>
03 -	<u>Well water sample untreated.</u>
04 -	<u>Natural pond water sample untreated.</u>
05 -	<u>Artificial pond water sample untreated.</u>
06 -	<u>Spring water sample filtered</u> through a 0.45- μ membrane filter <u>and acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
07 -	<u>Stream water sample filtered</u> through a 0.45- μ membrane filter <u>and acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
08 -	<u>Well water sample filtered</u> through a 0.45- μ membrane filter <u>and acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
09 -	<u>Natural pond water sample filtered</u> through a 0.45- μ membrane filter <u>and acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
10 -	<u>Artificial pond water sample filtered</u> through a 0.45- μ membrane filter <u>and acidified</u> to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
11 -	<u>Wet spring sediment sample dried</u> at $\leq 100^\circ\text{C}$ and <u>sieved to -100 mesh</u> through stainless steel sieves.
12 -	<u>Wet stream sediment sample dried</u> at $\leq 100^\circ\text{C}$ <u>and sieved to -100 mesh</u> through stainless steel sieves.
13 -	<u>Wet natural pond sediment sample dried</u> at $\leq 100^\circ\text{C}$ <u>and sieved to -100 mesh</u> through stainless steel sieves.

- 14 - Wet artificial pond sediment sample dried at $\leq 100^{\circ}\text{C}$ and sieved to -100 mesh through stainless steel sieves.
- 15 - Dry stream sediment sample dried at $\leq 100^{\circ}\text{C}$ (if necessary) and sieved to -100 mesh through stainless steel sieves.
- 27 - Stream water sample acidified to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
- 29 - Natural pond or lake water sample acidified to a pH of ≤ 1 with reagent-grade nitric acid (HNO_3).
- 96 - Dry natural pond sediment sample dried at $\leq 100^{\circ}\text{C}$ (if necessary) and sieved to -100 mesh through stainless steel sieves.
- 97 - Dry artificial pond sediment sample dried at $\leq 100^{\circ}\text{C}$ (if necessary) and sieved to -100 mesh through stainless steel sieves.
- 98 - Other water   These key numbers are to be used only for water (98) or sediment (99) samples coming from a special source and/or given a special treatment not described for any of the types of samples above. When used in the listings published herein, the source and treatment of the samples so designated are described in the text.
- 99 - Other sediment

REFERENCES CITED

- Balestrini, S. J., Balagna, J. P., and Menlove, H. O., 1976, Two specialized delayed-neutron detector designs for assays of fissionable elements in water and sediment samples, Nucl. Instrum. and Methods, v. 136, pp. 521-524.
- Brobst, D. A., 1961, Geology of the Dewey quadrangle, Wyoming/South Dakota, US Geol. Survey Bull. 1063-B, Washington, DC, 60 p.
- Brobst, D. A., and Epstein, J. B., 1963, Geology of the Fanny Peak quadrangle, Wyoming/South Dakota, US Geol. Survey Bull. 1063-I, Washington, DC, 377 p.
- Cheadle, J. III, 1978, Computer program for Universal Transverse Mercator map projection, GJBX-54(77), US ERDA, Grand Junction, CO, 11 p.
- Culler, R. C., 1961, Hydrology of the Upper Cheyenne River Basin, US Geol. Survey Water Supply Paper 1531-A, Washington, DC, 136 p.
- Cuppels, N. P., 1963, Geology of the Clifton quadrangle, Wyoming/South Dakota, US Geol. Survey Bull. 1063-H, Washington, DC, 321 p.
- Curry, D. L., 1976, Evaluation of uranium resources in the Powder River Basin, Wyoming, Wyoming Geol. Assoc. 28th Annual Field Conf. Guidebook, Casper, WY, pp. 235-242.
- Dahl, A. R., and Hagmaier, J. L., 1976, Genesis and characteristics of the southern Powder River Basin, Wyoming Uranium Deposits, Wyoming Geol. Assoc. 28th Annual Field Conf. Guidebook, Casper, WY, pp. 243-252.
- Davis, J. F., 1970, Uranium deposits of the Powder River Basin, Wyoming, Symposium on Wyoming sandstones, Wyoming Geol. Assoc. 22nd Annual Field Conf. Guidebook, Casper, WY, pp. 21-29.
- DeNault, K. J., 1974, Origin of sandstone type uranium deposits in Wyoming, Ph.D. Dissertation, Stanford University, Palo Alto, CA, 352 p.
- Elevatorski, E. A., Comp., 1976, Uranium Guidebook for Wyoming, Minobras, Dana Point, CA, 63 p.
- Enyert, R. L., Ed., 1970, Symposium on Wyoming sandstones, Wyoming Geol. Assoc. 22nd Annual Field Conf. Guidebook, Casper, WY, 292 p.
- geoMetrics, Inc., 1979, Aerial gamma Ray and magnetic survey, Powder River II project, Newcastle quadrangle, Final Report, v. 2, GJBX-82(79), Grand Junction, CO, 102 p.
- Hansel, J. M., and Martell, C. J., 1977, Automated energy-dispersive x-ray determination of trace elements in streams, GJBX-52(77), US ERDA, Grand Junction, CO, 8 p.
- Harshman, E. N., 1968, Uranium deposits of Wyoming and South Dakota, in Ore Deposits of the United States, 1933-1967, Am. Inst. Min. Met. Engr., v. 1, New York, NY, pp. 815-831.

- Harshman, E. N., 1970, Uranium ore rolls in the United States, in Uranium Exploration Geology, Proc. of a Panel, IAEA, Vienna, pp. 219-232.
- Hart, O. M., 1968, Uranium in the Black Hills, in Ore Deposits of the United States, 1933-1967, Am. Inst. Min. Met. Engr., v. 1, New York, NY, pp. 832-837.
- Houston, R. S., 1969, Aspects of the geologic history of Wyoming related to the formation of uranium deposits, Contributions to Geology, Wyoming Uranium Issue, v. 8, no. 2, pt. 1, Univ. of Wyoming, Laramie, WY, pp. 67-80.
- Hues, A. D., Henicksman, A. L., Ashley, W. H., and Romero, D., 1977, The fluorometric determination of uranium in natural waters, GJBX-24(77), US ERDA, Grand Junction, CO, 11 p.
- Hunt, C. B., 1974, Natural Regions of the United States and Canada, W. H. Freeman and Company, San Francisco, CA, 725 p.
- Kosiewicz, S. S., 1979, Automated data handling of uranium analyses for the NURE program, GJBX-79(79), US DOE, Grand Junction, CO, 12 p.
- Lane, D. W., Root, F. K., Glass, G. B., 1972, Geologic map atlas and summary of economic mineral resources of Converse County, Wyoming, Geol. Survey of Wyoming, County Resource Series No. 1, Univ. of Wyoming, Laramie, WY, 20 p.
- Langren, R. E., and Kidwell, A. L., 1974, Geology and geochemistry of the Highland uranium deposit, Converse County, Wyoming, Mountain Geologist, v. 11, no. 2, pp. 85-93.
- Laudon, R. B., Ed., 1976, Geology and energy resources of the Powder River, Wyoming Geol. Assoc. 28th Annual Field Conf. Guidebook, Casper, WY, 328 p.
- Love, J. D., Christiansen, A. C., and McGrew, L. W., 1977, Geologic map of the Newcastle 1° x 2° quadrangle, Northeastern Wyoming and Western South Dakota, Misc. Field Studies Map MF-883 (1:250 000 scale), US Geol. Survey, Reston, VA.
- McGrew, P. O., 1971, The Tertiary history of Wyoming, Wyoming Tectonics Symposium, Wyoming Geol. Assoc. 23rd Annual Field Conf. Guidebook, Casper, WY, pp. 29-34.
- Mapel, W. J., and Pillmore, C. L., 1963, Geology of the Newcastle Area, Weston County, Wyoming, US Geol. Survey Bull. 1141-N, Washington, DC, 85 p.
- NOAA (National Oceanic and Atmospheric Administration), 1973, Climatology of the United States No. 81 (by State), monthly normals of temperature, precipitation, and heating and cooling degree days, 1941-1970, US Dept. of Commerce, Environmental Data Service, National Climate Center, Ashville, NC.
- Nunes, H. P., and Weaver, T. A., 1978, Hydrogeochemical and stream sediment reconnaissance of the National Uranium Resource Evaluation program in the Rocky Mountain states of New Mexico, Colorado, Wyoming, and Montana and in the state of Alaska, July-September 1977, GJBX-27(78), US DOE, Grand Junction, CO, 14 p.

- Renfro, A. R., Ed., 1971, Symposium on Wyoming tectonics, Wyoming Geol. Assoc. 23rd Annual Field Conf. Guidebook, Casper, WY, 187 p.
- Seeland, D. A., 1976, Relationships between early Tertiary sedimentation patterns and uranium mineralization in the Powder River Basin, Wyoming, Geology and Energy Resources of the Powder River, Wyoming Geol. Assoc. 28th Annual Field Conf. Guidebook, Casper, WY, pp. 53-64.
- Sharp, R. R., Jr., 1977, The LASL approach to uranium geochemical reconnaissance, Proc. Symposium on Hydrogeochemical and Stream Sediment Reconnaissance for Uranium in the United States, GJBX-77(77), US ERDA, Grand Junction, CO, pp. 353-373.
- Sharp, R. R., Jr., and Aamodt, P. L., 1978, Field procedures for the uranium hydrogeochemical and stream sediment reconnaissance as used by the Los Alamos Scientific Laboratory, GJBX-68(78), US DOE, Grand Junction, CO, 64 p.
- Sharp, W. N., and Gibbons, A. B., 1964, Geology and uranium deposits of the southern part of the Powder River Basin, Wyoming, US Geol. Survey Bull. 1147-D, Washington, DC, 60 p.
- Sharp, W. N., McKay, E. J., McKeown, F. A., and White, A. M., 1964, Geology and uranium deposits of the Pumpkin Buttes area of the Powder River Basin, US Geol. Survey Bull. 1107-H, Washington, DC, pp. 541-638.
- Strickland, J., Ed., 1958, Powder River Basin, Wyoming Geol. Assoc. 13th Annual Field Conf. Guidebook, Casper, WY, 341 p.
- USGS (US Geological Survey), 1955 (revised 1962), Newcastle, Wyoming/South Dakota, topographic map NK 13-2 (1:250 000 scale), Washington, DC.
- Whitcomb, H. A., 1965, Ground-water resources and geology of Niobrara County, Wyoming, US Geol. Survey Water-Supply Paper 1788, Washington, DC, 101 p.

SAMPLE LOCATION OVERLAY FOR THE NEWCASTLE NTMS QUADRANGLE, WYOMING

LEGEND

SYMBOLS

CONCENTRATIONS (ppb)

◇ SPRING

○ WELL

0.00- .50
 .51- 1.00
 1.01- 2.00
 2.01- 5.00
 5.01- 10.00
 10.01- 20.00
 20.01- 50.00
 > 50.00

SCALE 1:250 000

URANIUM CONCENTRATIONS (ppb) IN WATERS -
 OVERLAY TO THE NEWCASTLE NTMS QUADRANGLE, WYOMING

SCALE 1:250 000

LEGEND

SYMBOLS	CONDUCTIVITIES ($\mu\text{mho/cm}$)
◇ SPRING	○ 0 - 50
	○ 51 - 100
	○ 101 - 200
	○ 201 - 500
	○ 501 - 1000
	○ 1001 - 2000
	○ 2001 - 5000
	○ > - 5000
○ WELL	

CONDUCTIVITIES ($\mu\text{mho/cm}$) IN WATERS - OVERLAY
TO THE NEWCASTLE NTMS QUADRANGLE, WYOMING

UNIVERSITY OF CALIFORNIA
LOS ALAMOS SCIENTIFIC LABORATORY
Post Office Box 1663 Los Alamos, New Mexico 87545
An affirmative action/equal opportunity employer

LEGEND

SYMBOLS

- ◇ WET SPRING
- ⊠ DRY STREAM

CONCENTRATIONS (ppm)

◇	⊠	0.00- 2.00
◇	⊠	2.01- 3.00
◇	⊠	3.01- 4.00
◇	⊠	4.01- 5.00
◇	⊠	5.01- 6.00
◇	⊠	6.01- 8.00
◇	⊠	8.01- 10.00
◇	⊠	> 10.00

SCALE 1:250 000

URANIUM CONCENTRATIONS (ppm) IN SEDIMENTS -
OVERLAY TO THE NEWCASTLE NTMS QUADRANGLE, WYOMING

University of California
LOS ALAMOS SCIENTIFIC LABORATORY
Post Office Box 1663 Los Alamos, New Mexico 87545
An affirmative action/equal opportunity employer

LEGEND

SYMBOLS

- ◇ WET SPRING
- ⊠ DRY STREAM

CONCENTRATIONS (ppm)

◇	⊠	0.0- 8.0
◇	⊠	8.1- 10.0
◇	⊠	10.1- 12.0
◇	⊠	12.1- 14.0
◇	⊠	14.1- 16.0
◇	⊠	16.1- 18.0
◇	⊠	18.1- 20.0
◇	⊠	> 20.0

SCALE 1:250 000

THORIUM CONCENTRATIONS (ppm) IN SEDIMENTS -
OVERLAY TO THE NEWCASTLE NTMS QUADRANGLE, WYOMING

University of California
LOS ALAMOS SCIENTIFIC LABORATORY
Post Office Box 1663 Los Alamos, New Mexico 87545
An affirmative action/equal opportunity employer