Solar Dish/Engine Systems

These systems, with net solar-to-electric conversion efficiencies reaching 30%, can operate as stand-alone units in remote locations or can be linked together in groups to provide utility-scale power.

Solar dish/engine systems convert the energy from the sun into electricity at a very high efficiency. Using a mirror array formed into the shape of a dish, the solar dish focuses the sun's rays onto a receiver. The receiver transmits the energy to an engine that generates electric power.

Because of the high concentration ratios achievable with parabolic dishes and the small size of the receiver, solar dishes are efficient at collecting solar energy at very high temperatures. Tests of prototype systems and components at locations throughout the United States have demonstrated net solar-to-electric conversion efficiencies as high as 30%. This is significantly higher than any other solar technology.

Benefits

Solar dish/engine systems have environmental, operational, and potential economic advantages over more conventional power generation options because they:

- produce zero emissions when operating on solar energy;
- operate more quietly than diesel or gasoline engines;
- are easier to operate and maintain than conventional engines;
- start up and shut down automatically; and
- operate for long periods with minimal maintenance.

Because of their size and durability, solar dish/engine systems are well-suited for non-traditional power generation. Individual units range in size from 10 kilowatts to 25 kilowatts. They can operate independently of power grids in remote sunny locations for uses such as pumping water and providing power to people living in isolated villages.

SAIC/PIX 06066

SAIC installed this second-generation prototype dish/engine system, rated at 25 kilowatts (kW), at a Sun♦Lab test site in 1998.

Dish/engine systems also can be linked together to provide utility-scale power to a transmission grid. Such systems could be located near consumers, substantially reducing the need for building or upgrading transmission capacity. Largely because of their high efficiency, the cost of these systems is expected to be lower than that of other solar systems for these applications.

The Opportunity

The market timing for solar dish/engine technology is promising, both at home and abroad. In the U. S. Southwest, it is a leading candidate for the renewable energy "portfolio standards" recently adopted in Arizona and Nevada.

At the same time, worldwide demand for electric power is growing rapidly as many

Artist's rendering of a field of dish/engine systems. Such configurations can provide megawatts of power.

countries are extending their electric power systems, reaching more and more of their citizens. Still, one-third of the world's inhabitants, many in sunny semi-arid regions, live in homes without electricity. Cleaner, simpler, and more versatile than conventional diesel or gasoline engines, solar dish/engine systems will help open up non-traditional markets for electricity to serve these people.

Development at the Laboratories

To help U.S. industry take advantage of these opportunities, Sun♦Lab provides the technical support and solar expertise necessary to help industry achieve commercialization. Sun♦Lab carries out research and development of advanced technology required to make future systems more efficient, long-lived, and cost-effective by:

- developing advanced solar concentrators and solar receivers;
- performance testing of components and elements of emerging and advanced systems; and
- evaluating system design and performance tradeoffs.

Industry Partners

Public investment in development of dish/engines is highly leveraged with that of private industry. For example, Science Applications International Corp. (SAIC) of Golden, Colorado, and Stirling Thermal Motors, Inc. (STM) of Ann Arbor, Michigan, have invested \$8 million through a joint venture with the U.S. Department of Energy (DOE) to develop a 25-kW system for utility applications. By the end of 1998, SAIC will install the first of five second-generation prototypes to demonstrate performance and lifetime in a utility-operating environment. In 1999, SAIC will deploy additional dish/engines with a combined capacity of one megawatt to establish the readiness

of the technology for commercial markets. Such installations will also allow for development of the initial manufacturing capability for the first commercial sales.

Based on the recognition of the potential of dish/engine technology by other U.S. industry, DOE is currently expanding new cost-shared activities that involve major industry players such as Boeing Corporation of Huntsville, Alabama, and Allied Signal Corporation of Tempe, Arizona. These new joint ventures will expand the base of U.S. industry participating in dish/engine technology, accelerate the pace of technology development, and ensure a stronger U.S. share in developing world markets.

For on-line information about the U.S. Department of Energy's Concentrating Solar Power Program, please visit its web site: <http://www.eren.doe.gov/sunlab>

For more information on renewable energy or for additional copies of this brochure, contact the Energy Efficiency and Renewable Energy Clearinghouse (EREC): 1-800-DOE-EREC (363-3732)

Produced for the
U.S. Department of Energy (DOE)
1000 Independence Avenue, S.W.
Washington, DC 20585-0121

Produced by **Sun♦Lab:**
Bringing together solar energy expertise from Sandia National Laboratories and the National Renewable Energy Laboratory, DOE national laboratories.

DOE/GO-10097-407
April 1998

Printed on recycled paper

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

M98005131

Report Number (14) DOE/60--10097-407

Publ. Date (11)

199804

Sponsor Code (18)

DOE/EE, XF

UC Category (19)

UC-900, DOE/ER

19980619 122

DOE