SEP 17 1996

ENGINEERING DATA TRANSMITTAL

Page 1 of 1
1. EDT 617556

2. To: (Receiving Organization) Distribution		3. From: (Originating Organization) Evaluation and Planning		4. Related EDT No.: N/A	
5. Proj./Prog./Dept./Div.: Tank 241-T-110/Waste Management/EP/TWRS Technical Basis		6. Design Authority/ Design Agent/Cog. Engr.: Dennis J. McCain		7. Purchase Order No.: N/A	
8. Originator Remarks: This document is being released into the supporting document system for retrievability purposes.				9. Equip./Component No.: N/A	
				10. System/Bldg./Facility: 241-T-110	
11. Receiver Remarks: 11A. Design Baseline Document? ☐ Yes ☒ No For release.				12. Major Assm. Dwg. No.: N/A	
				13. Permit/Permit Application No.: N/A	
				14. Required Response Date: 09/18/96	
15. DATA TRANSMITTED					
(A) Item No.	(B) Document/Drawing No.	(C) Sheet No.	(D) Rev. No.	(E) Title or Description of Data Transmitted	(F) Approval Designator
1	WHC-SD-WM-TP-511	N/A	0	Tank 241-T-110 Tank Characterization Plan	N/A
16. KEY					
Approval Designator (F)		Reason for Transmittal (G)		Disposition (H) & (I)	
E, S, Q, D or N/A (see WHC-CM-3-5, Sec.12.7)		1. Approval 2. Release 3. Information 4. Review 5. Post-Review 6. Dist. (Receipt Acknow. Required)		1. Approved 2. Approved w/comment 3. Disapproved w/comment 4. Reviewed no/comment 5. Reviewed w/comment 6. Receipt acknowledged	
17. SIGNATURE/DISTRIBUTION (See Approval Designator for required signatures)					
(G) Reason	(H) Disp.	(J) Name	(K) Signature	(L) Date	(M) MSIN
		Design Authority			
		Design Agent			
2	1	Cog.Eng. D.J. McCain	<i>[Signature]</i>	9/18/96	
2	1	Cog. Mgr. J.W. Hunt	<i>[Signature]</i>	9/18/96	
		QA			
		Safety			
		Env.			
18. A.E. Young Signature of EDT Originator 9/18/96		19. N/A Authorized Representative Date for Receiving Organization		20. J.W. Hunt Signature of Cognizant Manager 9/18/96	
21. DOE APPROVAL (if required) Ctrl. No. ☐ Approved ☐ Approved w/comments ☐ Disapproved w/comments					

BD-7400-172-2 (05/96) GEF077

Tank 241-T-110 Tank Characterization Plan

Dennis J. McCain

Westinghouse Hanford Company, Richland, WA 99352

U.S. Department of Energy Contract DE-AC06-87RL10930

EDT/ECN: EDT-617556

UC: 2070

Org Code: 79200

Charge Code: N4G6A

B&R Code: EW 3120074

Total Pages: //

Key Words: Tank 241-T-110, Tank T-110, T-110, T Farm, Tank, Characterization, Plan, TCP

Abstract: N/A

TRADEMARK DISCLAIMER. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

Printed in the United States of America. To obtain copies of this document, contact: WHC/BCS Document Control Services, P.O. Box 1970, Mailstop H6-08, Richland WA 99352, Phone (509) 372-2420; Fax (509) 376-4989.

Release Approval

Date

Approved for Public Release

TANK 241-T-110 TANK CHARACTERIZATION PLAN

Prepared for the U.S. Department of Energy
Office of Environmental Restoration
and Waste Management

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	PROGRAM ELEMENTS REQUIRING INFORMATION FOR TANK 241-T-110	1
2.1	GENERAL SAFETY ISSUES	1
2.1.1	Safety Screening	1
2.1.2	Vapor Safety Screening	2
2.2	SPECIFIC SAFETY ISSUES	2
2.2.1	Ferrocyanide	2
2.2.2	Organic Phenomenology	2
2.2.3	Flammable Gas	2
2.2.4	Vapor Space Phenomenology	3
2.2.5	Criticality	3
2.2.6	High Heat Load	3
2.3	CONTINUING OPERATIONS	3
2.3.1	Compatibility/Stabilization	3
2.3.2	Evaporator	3
2.3.3	Caustic Mitigation	3
2.4	DOUBLE-SHELL TANK WASTE ANALYSIS PLAN	3
2.5	DISPOSAL	3
2.5.1	Retrieval	3
2.5.2	Process Testing	4
2.5.3	Privatization	4
2.6	HISTORICAL MODEL EVALUATION	4
3.0	HOW INFORMATION WILL BE OBTAINED	4
4.0	PRIORITY OF INFORMATION REQUIREMENTS	4
4.1	CHARACTERIZATION BASIS	4
4.2	SAMPLING SCHEDULE	5
5.0	WHEN INFORMATION WILL BE AVAILABLE	6
6.0	REFERENCES	6

LIST OF TABLES

4-1	Integrated DQO Requirements and Priorities	5
-----	--	---

1.0 INTRODUCTION

This Tank Characterization Plan (TCP) identifies the information needed to address issues related to short-term and long-term safe storage and long-term management of single shell tank 241-T-110 (T-110). It should be understood that needs and issues surrounding tank T-110 are evolving as new information becomes available. As a result, this TCP addresses only issues that have been identified to date. It is expected that changes may be necessary as additional issues or needs arise which impact the management of tank T-110. As necessary, this TCP will be revised to reflect changes. This plan reflects the best information available as of August 1996.

Tank T-110 entered into service in the first quarter of 1945. The tank began receiving second-cycle decontamination waste in the first quarter of 1945 (Agnew et al. 1995). The tank began to cascade overflow to Tank 241-T-111 in October 1945. In the second quarter of 1952, the tank began receiving 224 waste in addition to the second-cycle waste. The tank contained second-cycle and 224 waste until the first quarter of 1976. During the third quarter of 1974, the tank received waste water. The tank was removed from service in 1976. A level adjustment was made in April of 1982. The tank was primarily stabilized in 1978 and partially isolated in December 1982. The tank is classified as a sound, non-stabilized tank (Brevick et al. 1995).

Tank T-110 currently contains a total volume of 1435 kL (379 kgal) of waste, which is equivalent to 338.5 cm (133 in) of waste as measured from the baseline of the tank (Hanlon 1996).

Tank T-110 is on the Flammable Gas Watch List.

Near-term sampling and analysis activities are focused on verifying or changing the Watch List tank status, and identifying any new safety issues. If new safety issues are identified, analysis activities consistent with the identified issue will be performed.

In addition to resolving safety issues, it is intended that all tank waste will be subject to pretreatment and retrieval to prepare it for final storage or disposal. Presently, these long-range plans are not yet fully identified and, therefore, are not included in this document.

2.0 PROGRAM ELEMENTS REQUIRING INFORMATION FOR TANK 241-T-110

This section lists the Tank Waste Remediation System program elements and identifies those that require characterization data from tank T-110.

2.1 GENERAL SAFETY ISSUES

2.1.1 Safety Screening

The *Tank Safety Screening Data Quality Objective* (Dukelow et al. 1995) describes the sampling and analytical requirements that are used to screen tank waste for unidentified safety issues. Analytical requirements for tank safety screening are energetics, total alpha activity, moisture content, density and

flammable gas concentration. Based on the these analytical results, additional analysis may be performed.

2.1.2 Vapor Safety Screening

All 177 underground tanks must be vapor-sampled for organic solvent screening in accordance with the *Recommendation 93-5 Implementation Plan* (DOE-RL 1996). Organic solvent screening will be performed using the *Scope Increase of "Data Quality Objective to Support Resolution Of the Organic Complexant Safety Issue" Rev. 2* (Cash 1996b). The primary vapor analyses conducted will determine Total Non-methane Hydrocarbon content.

Tank T-110 is passively ventilated. Information needs for vapor sampling and analyses of passively ventilated tanks must satisfy *Data Quality Objectives for Tank Hazardous Vapor Safety Screening* (Osborne and Buckley 1995). The primary analyses employed will determine flammable gas, organic vapor, permanent gas, and moisture content in the tank dome space. Based on these analytical results, additional analysis may be performed.

Tank T-110 was vapor sampled August 1995 in support of the health and safety vapor Data Quality Objective (DQO) (Osborne et al. 1995).

2.2 SPECIFIC SAFETY ISSUES

2.2.1 Ferrocyanide

The ferrocyanide issue is closed. (Cash 1996c).

2.2.2 Organic Phenomenology

Tank T-110 is not on the Organic Watch List. It also has not been identified as in scope of the organic DQO by either the *Data Quality Objective to Support Resolution of the Organic Complexant Safety Issue* (Turner et al. 1995) or the *Scope Increase of "Data Quality Objective to Support Resolution Of the Organic Complexant Safety Issue" Rev. 2* (Cash 1996b). Therefore, no information needs are currently identified for this program element.

2.2.3 Flammable Gas

Tank T-110 has not been identified as in scope of the flammable gas DQO by either the *Flammable Gas Safety Program: Data Requirements for Core Sample Analysis Developed through the Data Quality Objectives Process* (McDuffie 1995) or the *Application of "Flammable Gas Tank Safety Program: Data Requirements For Core Sampling Analysis Developed Through the Data Quality Objectives Process" Rev. 2* (Cash 1996a). Therefore, no flammable gas safety program information needs are currently identified for this tank.

2.2.4 Vapor Phenomenology

No information needs from tank T-110 have been identified for this program item.

2.2.5 Criticality

No information other than that for the general safety issue of tank T-110 is currently identified for this program element. However, if the general safety screening of tank T-110 identifies a potential criticality concern, analyses for fissile materials, and neutron sorbers and poisons will be performed as identified in the safety screening DQO (Dukelow et al. 1995).

2.2.6 High Heat Load

Tank T-110 is not on the High Heat Watch List; therefore, no information needs are currently identified for this program element.

2.3 CONTINUING OPERATIONS

2.3.1 Compatibility/Stabilization

Tank T-110 waste will be sampled to determine compatibility. Sampling and analysis requirements will be performed according to the *Data Quality Objectives for Tank Farms Waste Compatibility Program* (Fowler 1995). The analyses employed will be for anions, cations, pH, physical properties, radionuclides, TOC, total uranium, transuranics, and solids content, and moisture content.

2.3.2 Evaporator

This section does not apply to tank T-110.

2.3.3 Caustic Mitigation

No composition specification is required for tank T-110 (WHC 1996).

2.4 DOUBLE-SHELL TANK WASTE ANALYSIS PLAN

This section does not apply because tank T-110 is a single-shell tank.

2.5 DISPOSAL

2.5.1 Retrieval

Current retrieval needs (Bloom and Nguyen 1995) do not call for test samples to be taken from tank T-110.

2.5.2 Process Testing

Tank T-110 has not been identified as a bounding tank for the pretreatment/disposal process development strategy (Kupfer et al. 1995). Even though tank T-110 is not a bounding tank, a portion of archive sample material may be requested for pretreatment testing. The pretreatment strategy does not require any specific analyses to be conducted on the samples.

2.5.3 Privatization

This section does not apply because tank T-110 has not been chosen to represent a waste envelope as given in the TWRS Privatization Request for Proposal (RFP) (DOE-RL 1996b).

2.6 HISTORICAL MODEL EVALUATION

This section does not apply because tank T-110 is not identified as a primary or alternate bounding tank for historical model evaluations.

3.0 HOW INFORMATION WILL BE OBTAINED

The number of samples required to characterize a tank is a function of waste heterogeneity and the desired confidence to make a correct decision. As directed by the safety screening DQO, if inadequate information exists to determine an appropriate number of samples, two vertical profiles will be obtained. These vertical profiles may be obtained using core, auger (for shallow tanks), or grab samples. If analysis of these profiles reveals that additional profiles are necessary to meet data needs, more sample profiles will be requested.

4.0 PRIORITY OF INFORMATION REQUIREMENTS

4.1 Characterization Basis

The priorities of all the tanks were determined by addressing safety, disposal, and characterization issues in the *Tank Waste Characterization Basis* (Brown et al. 1996) document. The safety issues with their respective references are: flammable gas (McDuffie 1995, Cash 1996a), organic fuel phenomenology (Turner et al. 1995, Cash 1996b), tank safety screening (Dukelow et al. 1995), vapor screening (DOE-RL 1996, Cash 1996b), vapor space phenomenology (DOE-RL 1996) and ferrocyanide (Meacham et al. 1995). The disposal issues with their respective references are: privatization (Slankas and Kupfer 1995), process testing (Kupfer et al. 1995), and retrieval (Bloom and Nguyen 1995). The characterization issue with its respective reference is the historical model evaluation (Simpson and McCain 1996). These issues were ranked by priority in the *Meeting Minutes of April 26 and 30, 1996 Meetings To Determine TWRS Issue Priorities* (TWRS Technical Basis 1996).

Based on resultant priorities and sampling constraints, tank T-110 is included in the list for sampling and analysis during FY 1996.

4.2 Sampling Schedule

Vapor sampling was completed August 1995. Push mode core sampling is scheduled to begin September 1996.

Refer to Table 4-1 for the current DQO requirements and planned sampling and analytical requirements.

Table 4-1: Integrated DQO Requirements and Priorities

Sampling Event	Applicable DQOs	Sampling Requirements	Analytical Requirements
Vapor Sampling	-Organic Solvent Screening (DOE-RL 1996, Cash 1996b) -Health and Safety Vapor DQO (Osborne et al. 1995)	Steel canisters, Triple Sorbent Traps, Sorbent Trap Systems	Flammable Gas Organic Vapors Permanent Gases
Push Mode Core Sampling	-Safety Screening DQO	Core samples from 2 risers separated radially to the maximum extent possible Combustible gas measurement	Flammability, Energetics, Moisture, Total alpha activity, Density
Grab Sampling	-Compatibility DQO	Grab samples	Energetics, Moisture, Anions, Cations, Radionuclides, Specific gravity, Percent solids, pH, TOC, TIC, Separable organics

* Consult each applicable DQO in force at the time for sampling and analytical requirements.

5.0 WHEN INFORMATION WILL BE AVAILABLE

According to the Baseline Sampling Schedule (Stanton 1996), data are expected to be available from the push mode core sampling event for tank T-110 in February 1998. This date may be altered if the sampling schedule changes. Data are available from the August 1995 vapor sampling.

6.0 REFERENCES

- Bloom, G. R. and Q. H. Nguyen, 1995, *Characterization Data Needs for Development, Design and Operation of Retrieval Equipment Developed Through the Data Quality Objective Process*, WHC-SD-WM-DQO-008, Rev. 0, Westinghouse Hanford Company, Richland, Washington.
- Brevick, C. H., L. A. Gaddis, and W. W. Pickett, 1995, *Supporting Document for the Northeast Quadrant Historical Tank Content Estimate Report for T Tank Farm*, WHC-SD-WM-ER-320, Rev. 0, Westinghouse Hanford Company, Richland, Washington.
- Brown, T. M., S. J. Eberlein, J. W. Hunt, and T. J. Kunthara, 1996, *Tank Waste Characterization Basis*, WHC-SD-WM-TA-164, Rev. 2, Westinghouse Hanford Company, Richland, Washington.
- Cash, R. J., 1996a, *Application of "Flammable Gas Tank Safety Program: Data Requirements For Core Sampling Analysis Developed Through the Data Quality Objectives Process" Rev. 2* (Internal Memo 79300-96-028, to S. J. Eberlein, July 12), Westinghouse Hanford Company, Richland, Washington.
- Cash, R. J., 1996b, *Scope Increase of "Data Quality Objective to Support Resolution Of the Organic Complexant Safety Issue" Rev. 2* (Internal Memo 79300-96-029, to S. J. Eberlein, July 12), Westinghouse Hanford Company, Richland, Washington.
- Cash, R. J., 1996c, *Cancellation of Ferrocyanide DQO Requirements* (Internal Memo 79300-96-031, to S. J. Eberlein, July 22), Westinghouse Hanford Company, Richland, Washington.
- DOE-RL, 1996a, *Recommendation 93-5 Implementation Plan*, DOE/RL-94-0001, Rev. 1, U.S. Department of Energy, Richland, Washington.
- DOE-RL, 1996b, Request For Proposals (RFP) No. DE-RP06-96RL13308 [TWRS Privatization], U. S. Department of Energy, Richland, Washington.
- Dukelow, G. T., J. W. Hunt, H. Babad, and J. E. Meacham, 1995, *Tank Safety Screening Data Quality Objective*, WHC-SD-WM-SP-004, Rev. 2, Westinghouse Hanford Company, Richland, Washington.

WHC-SD-WM-TP-511, REV 0

- Fowler, K. D., 1995, *Data Quality Objectives for Tank Farms Waste Compatibility Program*, WHC-SD-WM-DQO-001, Rev. 1, Westinghouse Hanford Company, Richland, Washington.
- Hanlon, B.M., 1996, *Waste Tank Summary for Month Ending May 31, 1996*, WHC-EP-0182-99, Westinghouse Hanford Company, Richland, Washington.
- Kupfer, M. J., W. W. Schultz, and J. T. Slankas, 1995, *Strategy for Sampling Hanford Site Tank Wastes for Development of Disposal Technology*, WHC-SD-WM-TA-154, Rev. 1, Westinghouse Hanford Company, Richland, Washington.
- McDuffie, N. G., 1995, *Flammable Gas Tank Safety Program: Data Requirements for Core Sample Analysis Developed Through the Data Quality Objectives Process*, WHC-SD-WM-DQO-004, Rev. 2, Westinghouse Hanford Company, Richland, Washington.
- Meacham, J. E., 1995, *Data Requirements for the Ferrocyanide Safety Issue Developed Through the Data Quality Objectives Process*, WHC-SD-WM-DQO-007, Rev. 2, Westinghouse Hanford Company, Richland, Washington.
- Osborne, J. W., and L. L. Buckley, 1995, *Data Quality Objectives for Tank Hazardous Vapor Safety Screening*, WHC-SD-WM-DQO-002, Rev. 2, Westinghouse Hanford Company, Richland, Washington.
- Osborne, J. W., J. L. Huckaby, and E. R. Hewitt, 1995, *Data Quality Objectives for Generic In-Tank Health and Safety Vapor Issues Resolution*, WHC-SD-WM-DQO-002, Rev. 1, Westinghouse Hanford Company, Richland, Washington.
- Simpson, B. C., and D. J. McCain, 1996, *Historical Model Evaluation Data Requirements*, WHC-SD-WM-DQO-018, Rev. 1, Westinghouse Hanford Company, Richland, Washington.
- Slankas, J. T., M. J. Kupfer, 1995 *Data Needs and Attendant Data Quality Objectives for Tank Waste Pretreatment and Disposal*, WHC-SD-WM-DQO-022, Rev. 0, Westinghouse Hanford Company, Richland, Washington.
- Turner, D. A., H. Babad, L. L. Buckley and J. E. Meacham, 1995, *Data Quality Objective to Support Resolution of the Organic Complexant Safety Issue*, WHC-SD-WM-DQO-006, Rev. 2, Westinghouse Hanford Company, Richland, Washington.
- TWRS Technical Basis, 1996, *Meeting Minutes of April 26 and 30, 1996 Meetings To Determine TWRS Issue Priorities*, (Internal Memo 79000-96-001 to R. F. Bacon, May 20), Westinghouse Hanford Company, Richland, Washington.
- Von Bargen, B. H., 1995, *242-A Evaporator/Liquid Effluent Retention Facility Data Quality Objectives*, WHC-SD-WM-DQO-014, Rev. 1, Westinghouse Hanford Company, Richland, Washington.

WHC-SD-WM-TP-511, REV 0

WHC, 1996, *Operating Specifications For Single-Shell Waste Storage Tanks*, Rev. D-12, OSD-T-151-00013, Westinghouse Hanford Company, Richland, Washington.