FINAL REPORT
U.S. Department of Energy

**RATIONAL SYNTHESIS OF IMPRINTED ORGANOFUNCTIONAL
SOL-GEL MATERIALS FOR TOXIC METAL SEPARATION**

Principal Investigators: Ziling (Ben) Xue
Department of Chemistry
University of Tennessee
Knoxville, TN 37996-1600
Phone: 865-974-3443; Fax: 865-974-3454; Email: xue@utk.edu

Craig E. Barnes
Department of Chemistry
University of Tennessee
Knoxville, TN 37996-1600
Phone: 865-974-3446; Fax: 865-974-3454; Email: cebarnes@utk.edu

Shang Dai³
Chemical Technology Division
Oak Ridge National Laboratory
Oak Ridge, TN 37831-6181
Phone: 865-576-7307; Fax: 865-574-6442; Email: dais@ornl.gov

Project Number: EMSP No. 60096
Grant Number: DE-FG07-97ER14817
Project Duration: September 15, 1997 to September 14, 2001

Table of Contents

1. Cover Page	1
2. Table of Contents	2
3. Executive Summary	3
4. Research Objectives	5
5. Methods and Results	5
6. Relevance, Impact, and Technology Transfer	15
7. Project Productivity	16
8. Personnel Supported	16
9. Peer Reviewed Publications	17
10. Interactions	18
11. Transitions	19
12. Patents	19
13. Future Work	19
14. Literature Cited	20

Executive Summary

This Environmental Management Science Program (EMSP) project united the efforts of three research groups at the University of Tennessee and Oak Ridge National Laboratory to develop principles, methodologies, and new materials designed to solve the separation problems in environmental and waste management. Included within this project were rational design and synthesis of imprinted sol-gel materials containing functional groups through template approaches as well as the development of a scientific basis for metal ion binding and recognition by such tailored hybrid inorganic-organic materials. Silica and alkaline-stable mixed metal oxides were either grafted or imbedded with ligands with high selectivity for target toxic metals, and the “imprinting” principle was used to "recognize" and bind the target metal ions. Our approaches utilized both the metal-ligand complexation and the tailored impressions of the template metal ions in the imprinted cavities. Such imprinted organofunctional sol-gel networks demonstrated both high selectivity and capacity. These novel imprinted, hybrid sol-gels exhibit selectivities for binding targeted ions from aqueous solution which, to our knowledge, are the highest reported in the literature. In addition, these *hydrophilic* oxides show fast metal ion binding kinetics, and can be quickly and easily recycled. Significant progress in the following task areas was made as a result of the DOE-EMSP support:

1. The general feasibility of using hydrophilic, porous metal oxide based materials as sorbents for metal ions extraction from aqueous solutions has been clearly demonstrated. Functional groups with high affinities for target metals can either be grafted to or embedded in the porous oxides to give new hybrid sol-gel sorbents for toxic metal separation.

2. New hybrid sol-gel materials have been prepared by simple, one step procedures which exhibit fast binding kinetics, and high capacities and selectivities for Cu^{2+} , UO_2^{2+} , Sr^{2+} , and Cs^+ ions. Some of the functional groups to be grafted are off-the-shelf chemicals that are readily incorporated into sol-gels. In addition, alkaline-stable, mixed zirconia-silica sol-gels were developed, and found to be excellent candidates for separations of toxic metals from highly alkaline wastes, a major challenge in environmental and waste management.
3. Several different methods for preparing *imprinted, hybrid sol-gel sorbents* have been developed. Our imprinting studies have resulted in several generations of procedures which have exhibited increased control of the molecular architectures critical to the design and synthesis of ion selective sorbents. The two properties that are important to obtain fast and selective ion binding are mesoporosity and multiple binding imprints made up by a combination of surface groups (e.g., Si-OH, Si-O-Si) and tethered ligands. Furthermore, based on the hierarchical (3rd-generation) imprinting studies, better, more selective ion binding may be attained when the template-ligand complex is present during the condensation of colloidal silica particles as the silicate pore surfaces are formed. Binding studies with copper(II) give the highest distribution coefficients (K_d) and selectivities reported in the literature to date for metal ion extraction by sol-gel derived sorbents. Although the studies we completed were mainly designed to illustrate the concepts underlying ion imprinting strategies, we see no obvious impediments to the application of these procedures to a wide variety of ligands, metal oxide support materials, and metal ions targeted by DOE-EM programs.

Research Objectives

The overall goal of this project was to understand chemistry of toxic metal ion complexation with organofunctional groups that are grafted on sol-gels, and to develop and apply imprinting principles to the synthesis of hybrid inorganic-organic sol-gel materials which would selectively bind target ions. The specific objectives were: (a) to synthesize and characterize imprinted hybrid inorganic-organic materials using templates bonded to ligands for toxic metal binding and removal; (b) to evaluate the capacity and selectivity of such materials for binding target ions; (c) to study and develop methods for the removal of the target toxic metal ions and the regeneration of the imprinted sol-gel materials; (d) to apply this knowledge to the development of cost efficient sol-gel ion sorbents and novel technologies for the removal of toxic metal ions from fluid wastes. In addition to the objectives listed above, we expected that the results of these studies could form a basis for the fundamental design principles for imprinted organofunctional sol-gel materials, and contribute to the understanding of metal ion recognition and separation in DOE environmental management and waste and treatment.¹

Methods and Results

Three research groups that were involved in this project brought together complementary expertise and capabilities with respect to this project. A variety of experimental techniques were used, which include inorganic, organic and solid-state synthesis, solution and solid-state NMR, fluorescence spectroscopy, X-ray scattering (SAXS), and scanning and transition electron microscopy (TEM).

We have investigated and developed the chemistry of imprinted organofunctional sol-gels targeted for the separation and recovery of toxic metals. The results from the EMSP supported research show that (a) the ligand L in the organofunctional sol-gels retain their high affinity for the target metal ions; (b) the imprinting, which takes place during the formation of these rigid solid state networks, further enhances both their capacities and selectivities; (c) the removal of metal ions from the aqueous solutions by these hydrophilic metal oxide-based sol-gels is fast. Metal ion binding and release in these sorbents can easily be controlled by a number of factors including pH and nature of the solvent. Thus, these sorbents should also be very cost efficient due to their quick and simple recyclability. Finally, the hydrophilic nature of the hydroxylated surfaces of metal oxide-based solids made ion transport in these porous solids intrinsically fast. This property potentially solves a problem frequently encountered with ion exchange polymers based on hydrophobic organic resins.² Ten peer-reviewed papers were published, and 20 presentations were presented at national and regional meetings and EMSP workshops, and several additional papers are in preparation.

Background

The sol-gel process refers to a multitude of reactions which employ a wide variety of alkoxide precursors to prepare many different products and has been applied most often to the production of glasses and ceramic oxides.³ The particles that develop in the colloidal sol crosslink form a gel which is subsequently dried to form a porous glass under very mild conditions.

A new class of “hybrid inorganic-organic” materials has emerged in the last 10 years with an equally wide range of applications.⁴ Hybrid sol-gels are prepared by entrapping or covalently bonding organic groups into the developing metal oxide solid network as it is formed. The most common method used to bind organic groups to the developing metal oxide matrix is by adding a “bifunctional” reagent containing a trialkoxysilane group attached to the organic group $[(RO)_3Si\sim L]$. Through a sequence of solvolysis and condensation reactions, the $-Si(OR)_3$ group becomes grafted into surfaces of the metal oxide matrix.

Ion exchange resins have been developed as one approach to remediation and pollution prevention with regard to fluid wastes.² Ligands are covalently bonded to an insoluble organic polymer to avoid the loss of extractant to the aqueous phase. Target ions are removed from the aqueous phase either through ion exchange or complexation with the ligands. The polymer loaded with the metal is then treated with an appropriate solution to strip the metal and regenerate the resin. The ion exchange technique by *organic* resins is popular due to operational simplicity and environmental compatibility, and high capacity and selectivity which may be attained. However, slow kinetics of ion extraction from aqueous phase by the *hydrophobic* organic polymers, high initial cost of a polymeric reagent (which is offset by recyclability) and regenerants that are sometimes required, are among the disadvantages in the use of organic ion exchange resins.²

Silica gels, and more recently sol-gel derived materials, have been used in preparing inorganic sorbents containing covalently attached ligands.⁵ In this approach, the surface hydroxyl groups $-OH$ react with $(RO)_3Si\sim L$, thus grafting the ligands on silica gel surface. These gels do not, however, exhibit high selectivities between different metal ions with similar affinities for the tethered ligands. As will be described later, our functionalized, imprint-coated sol-gels address this issue.

An imprinted material is one in which tailored impressions or “cavities” are present in its outer and, if porous, inner surfaces (Figure 1).⁶ A “cavity” in an imprinted material refers to the predetermined arrangement of different interactions that develops or is “templated” into the structure of a material as it is being formed. The polymer “grows” around the

Figure 1. Imprinting by a template T and functional groups in a cross-linked polymer.⁶

template conforming to both its steric and electronic (polar and nonpolar contacts) properties to ultimately produce the “cavity”. Several groups have reported imprinted materials based on cross-linked organic polymers.^{6,7}

Mesoporous TiO₂-SiO₂ Sorbents for Cs⁺ and UO₂²⁺

Prior to the start of our current EMSP work, we had reported our preliminary results of imprinting pure silicate sol-gels.⁸ We briefly investigated the properties of unfunctionalized metal oxide supports to determine what factors influence the uptake and binding of both UO₂²⁺ and Cs⁺ to M'-OH groups inherent to the metal surfaces of metal oxides.

UO₂²⁺. Microporous metal oxides such as silica, titania, zirconia and mixed oxides M'O₂-SiO₂ (M' = Ti, Zr) readily adsorb uranyl ions via ion exchange reactions with surface silanols.⁹ Little is known, however, about the adsorption properties of mesoporous analogues of these oxides. We have prepared a series of surfactant ordered, mesoporous mixed TiO₂-SiO₂ oxide (100% → 0% Si vs. Ti) materials and studied the binding affinities they exhibit toward buffered solutions (CH₃COOH/CH₃COONa; pH ~ 5) of the UO₂²⁺ ions. Kinetic studies conclusively showed that uranyl uptake by mesoporous sorbents is over 200 times faster than observed for comparable microporous materials (Figure 2).

The total surface areas observed in the series decreased with increasing titanium content. Maxima in the pore diameter distributions (BET) ranged from 25-75 Å. Despite the observed lowest overall surface area (210 m²/g), pure, mesoporous titania (*d*_{ave} = 52 Å) exhibited the highest binding capacity for UO₂²⁺ (66 μmole/g) in the series. This result is consistent with uranyl binding primarily to TiO₂ sites on the surface in all mixed oxides prepared in this study (Dai et al., 1999).

Cs⁺. Several groups have reported the use of metal, block copolymers in templating ordered mesopore structures in sol-gels.¹⁰ We have investigated the use of block copolymers in developing mesoporosity in base-stable, mixed TiO₂-SiO₂ oxide materials for Cs⁺ extraction from aqueous solutions. Mixing Si(OMe)₄ (TMOS) and Ti(O-*i*-Pr)₄ with the neutral block copolymer Tergitol 15-s-15 gave mesoporous (*d*_{ave} = 44 Å) TiO₂-SiO₂ powders. In the pH region of 7-10, these sorbents removed > 90% of Cs⁺ from solution within 1 h (Cs⁺ capacity: 0.5 mmol/g). Competition studies with both K⁺

Figure 2. UO₂²⁺ uptake vs. time by mesoporous and microporous sol-gel sorbents

and Na^+ revealed that these sorbents removed Cs^+ selectively from solutions containing a 10-fold excess of K^+ and a 30-fold excess of Na^+ (Barnes et al., manuscript in preparation).

Hybrid Sol-Gel Sorbents - Sol-Gels Containing Tethered or Doped Organic Ligands

Ligands grafted on solid support have been extensively studied as sorbents for toxic metal separation.^{2,11,12} Many of these materials, while highly selective for the target metals with good capacity, often require multi-step synthesis or a second functional group in hydrophobic polymers to enhance their hydrophilicity and kinetics of metal ion-uptake.¹³ When we started the current DOE-funded research in 1997, there had been few studies of ligand-containing, hydrophilic sol-gels as new sorbents for toxic metal separations in multi-cycles. We thus studied *one-step* sol-gel processes from *off-the-shelf chemicals* to generate ligand-tethered or -doped SiO_2 materials, and investigated their potentials as a new type of sorbents in multi-cycles of toxic metal separation.

Ligand-tethered sol-gels. We initially targeted Cu^{2+} in the current study and investigated several ligand-tethered sol-gels for repeated Cu^{2+} separation. Copper(II) is among the 13 toxic metal species on the EPA's priority pollutant list, and is RCRA¹⁴ regulated.¹⁵ Sol-gels tethered with ethylenediamine (aapts, Figure 3) were found to be selective for Cu^{2+} removal in the presence of competitive Cd^{2+} and Zn^{2+} . The Cu^{2+} -uptake capacities of these sol-gels are comparable to some known, published Cu^{2+} sorbents. These ligand-tethered materials, which were easily prepared from off-the-shelf chemicals in ca. 1 h, were hydrophilic and thus showed fast kinetics of metal upload and removal (from the gels) in aqueous solutions. The ligand-tethered sol gels loaded with Cu^{2+} ions were regenerated with acid, and the materials could then be used in subsequent Cu^{2+} removal cycles. The work here shows that these hydrophilic ligand-tethered sol-gels are a good alternative to ligand-tethered organic polymers for toxic metal separation (Xue et al., 2000).

Phosphonic acid groups are known to have high affinities for hard, oxophilic cations such as uranyl (UO_2^{2+}) and Sr^{2+} . We developed syntheses for a family of bifunctional mono-, bis- and linked phosphonate esters containing pendant alkoxysilyl groups for tethering to sol-gel surfaces (Figure 3). The surface-bound ester ligands were not found to be effective for removing either Sr^{2+} or uranyl from aqueous solution. After treatment with Me_3SiBr followed by water at room temperature (a procedure for the hydrolysis of phosphonate esters under mild conditions), the free acids were obtained in the gel. Simultaneously, unreacted silanol $\equiv\text{Si-OH}$ sites on the gel surface are silylated in this procedure to give $\equiv\text{Si-O-SiMe}_3$ and removed from competitive binding of the targeted cations. These “reverse phase” ion sorbents were found to have higher affinities for the target cations than nonsilylated sorbents. In the case of uranyl binding studies, increases in the K_d values of up to 4 were observed for imprinted bisphosphonic acid containing gels while affinities for a Ca^{2+} competitor ($[\text{Ca}^{2+}] > 10 [\text{UO}_2^{2+}]$) remained low [$K_d(\text{UO}_2^{2+}) \sim 500 K_d(\text{Ca}^{2+})$] (Barnes et al., manuscript in preparation).

Figure 3. Some ligands used in the preparation of tethered and doped sol-gels.

remain due to their size relative to pore chamber openings or because they adhere to the pore surface strongly. The synthesis of entrapped ligand sol-gel sorbents is simplified because no covalent attachment to the surface is needed. Crown-ether ligands have been used to remove toxic metal ions from aqueous solution via liquid-liquid extraction techniques¹⁷ as well as by tethering them to both organic and inorganic supports.¹⁸ We developed a simple, one step procedure by which the 7,16-diaza-18-crown-6 ligand, further functionalized with malonate groups attached to nitrogen (Na₄oddm, Figure 3) may be doped in the pores of mesoporous sol-gels. These doped sorbents selectively bind >99% Sr²⁺ from aqueous solution in the presence of a 4-fold excess of Ca²⁺ competitor ions.

Sol-gels doped with the tetrasodium salt of Na₄oddm ligand was prepared in *ca.* 1 h by simply mixing Na₄oddm with Si(OMe)₄ and hydrolyzing the mixture. Conditioning the doped gels removes all weakly bound crown ligand such that no further leaching was observed in

We also developed base-stable ZrO₂-SiO₂ mixed oxide sorbents containing an anchored -P(=O)O₂²⁻ yielded from the monophosphonate ligand in Figure 3. This sol-gel sorbent was stable in 1.0 M NaOH, and effective at removing Sr²⁺ ions from neutral and alkaline solutions. At pH 6.4, 97 ± 3% of the Sr²⁺ was extracted from a 24.0 ppm solution in 24 h. When placed in an alkaline solution (pH 14.0), the sorbents absorbed 92 ± 5% of the Sr²⁺ ions from a 35.8 ppm solution in 24 h. In the presence of competing Ca²⁺ ions, the mixed oxide sorbent removed 89 ± 7% of the Sr²⁺ ions and 97.6 ± 0.4% of the Ca²⁺ ions from a solution containing 37.3 ppm Sr²⁺ and 139.5 ppm Ca²⁺.

This mixed oxide sol-gel sorbent containing anchored monophosphonate ligand offers reasonable Sr²⁺ kinetics. Up to 90% of the Sr²⁺ in solution was absorbed into the sorbent in the first hour of the extraction. After a Sr²⁺ extraction cycle, the metal ions were easily stripped from the sol-gel with EDTA to regenerate the sorbent (Xue et al., manuscript in preparation).

Ligand-entrapped sol-gels. A second approach to introducing ligand binding groups into sol-gels involves simply entrapping them in pores where they

subsequent binding studies. The results of binding studies (Table 1), illustrate the high affinity and capacity for Sr^{2+} exhibited by these sorbents, and the effect of an added Ca^{2+} competitor ion. These crown doped sol-gels do not suffer any degradation in Sr^{2+} uptake and capacity after at least 3 cycles of Sr^{2+} removal by acid wash and neutralization (Xue et al., 2000).

Table 1. Sr^{2+} Extraction by Embedded Na_{4}oddm Ligand

	Initial $[\text{Sr}^{2+}]^a$	Final $[\text{Sr}^{2+}]^a$	Capacity ^b	K_d^c	Sr^{2+} Removed (%)
Control ^d	27.600 ± 0.006	24.3 ± 0.7	6.3×10^{-3}	22	12
Doped gel	27.600 ± 0.006	0.33 ± 0.01	4.9×10^{-2}	11,000	99
Doped gel ^e	27.900 ± 0.006^e	0.010 ± 0.003	5.3×10^{-2}	3.6×10^5	>99

^a ppm

^b Capacity in mmol of Sr^{2+} /g of gel

^c K_d in $[\text{mg of Sr}^{2+}/\text{g of gel}] / [\text{ppm of Sr}^{2+} \text{ remaining}]$

^d Control containing no Na_{4}oddm ligand

^e Competitive binding in a solution containing 118 ppm Ca^{2+}

These results illustrate that simply entrapping ligands in the pores of sol-gel solids can lead to robust sorbents which are effective in selectively removing targeted metal ions from aqueous solution. Thus the variety of ligands for which this method is applicable should be broad.

Imprinting Studies of Organofunctional Hybrid Sol-Gel Sorbents

1st-Generation imprinting. Imprinting sol-gel materials requires the ability to control the

Figure 4. 1st-Generation imprint coating of mesoporous sol-gel supports

area. Our EMSP studies reported above with meso- and microporous silicas have shown that mesoporosity is required for acceptable ion transport kinetics. At the atomic level (1-3 Å), control of the imprinted structure focuses not only on the arrangement of any ligands that might be grafted to the surface but also on the arrangement of surface silanols (Si-OH). Controlling both should increase the affinity, selectivity, and capacity of the system for a specific target ion.

Surfactant based porosity templating in sol-gels was first described almost 10 years ago¹⁹ and has become an important technique in tailoring porosity in sol-gel chemistry. Exclusion of the developing silicate matrix from the hydrophobic interior of cylindrical surfactant micelles results in the formation of ordered, mesoporous sol-gels after removal of the surfactant by extraction or calcining. We observed, however, that the stability of the micelles in these mixtures can be disrupted when even low levels of (RO)₃Si~L ligands are added to make hybrid, organic-inorganic sol-gel sorbents. These conflicting design requirements led to what we refer to as 1st-generation imprinting procedures wherein metal templated ligand assemblies ([M(L~Si(OR)₃)_n]^{x+}) are grafted onto the surfaces of *preformed* mesoporous sol-gel solids. Removal of the metal template leaves the set of *n* ligands tethered to pore surfaces but in an organized manner based on the size and electronic signature (e.g., coordination geometry) of the template (Figure 4). Studies of 1st-generation Cu²⁺ imprint coated sorbents, prepared by reacting preformed mesoporous silicate sol-gels with the ethylenediamine Cu²⁺ complex, [Cu(appts)₂]²⁺ gave evidence of true imprint binding. Table 2 summarizes Cu²⁺ binding studies with and without the presence of a Zn²⁺ competitor ion (chosen for its similar size and charge to Cu²⁺). Imprinting effects are clearly evident in the values of the *relative selective coefficients* *k'* (*k'* = *k*_{imprint-coated}/*k*_{control}; *k* = *K*_{d (target)}/*K*_{d (competitor)}). *k'* values as large as 40 were observed for imprinted sorbents which, to our knowledge, were the largest values reported for imprinted metal ion sorbents at that time this work was published (Dai et al., 1999).

Table 2. Competitive Loading of M₁ (Cu²⁺) and M₂ (Zn²⁺) by Cu²⁺-Imprinted and Control Blank Mesoporous Sorbents at pH 5.0 (Acetic Acid/Acetate Buffer).

Type	Solution (M)	%Cu ²⁺ Abs	%Zn ²⁺ Abs	Cu ²⁺ <i>K</i> _d ^a	Zn ²⁺ <i>K</i> _d ^a	<i>k</i>	<i>k'</i>
nonimp-aapts	0.001 Cu ²⁺ /0.001 Zn ²⁺	98.5	96.6	6543	2872	2.3	-
imp-aapts	0.001 Cu²⁺/0.001 Zn²⁺	99.8	82.9	44045	483	91	40
nonimp-aapts	0.001 Cu ²⁺ /0.005 Zn ²⁺	98.5	70	6539	233	28	-
imp-aapts	0.001 Cu²⁺/0.005 Zn²⁺	99.6	52.6	23874	111	215	7.7

^a *K*_d units: mL/g

2nd-Generation imprinting. Although 1st-generation imprinted sorbents are quite promising, drawbacks to such coating procedures include complicated, two-step procedures involving different solvents, separate extraction or calcining steps as well as low ligand loadings. A 2nd-generation imprinting procedure has been developed by our groups which addresses some of

these problems. Ion-exchange reactions have been used extensively to prepare intercalation materials²⁰ as well as to remove surfactants from “as-synthesized” mesoporous sol-gel materials.²¹ Surface anionic groups (Si-O^-) interact with the charged head groups of cationic surfactants (M_1^+) in developing mesoporosity within the gelling, as-synthesized solid. Instead of calcination to remove surfactant, a second cationic species such as a ligated template complex $\text{M}[\text{L} \sim \text{Si}(\text{OR})_3]_n^{m+}$, is intercalated into the pores, exchanging with and removing the surfactant. Subsequent reactions between the template complex and surface Si-OH groups graft the templated ligand assemblies to the pore surfaces.

We demonstrated the idea of ion-exchange coating with mesoporous MCM-41 and the $[\text{Cu}(\text{appts})_2]^{2+}$ and $[\text{UO}_2(\text{appts})_2]^{2+}$ grafting templates. As-synthesized MCM-41, still containing surfactant solution, was mixed with one of the templated species with mild heating (50 °C). After subsequent washing and removal of the metal template with acid, ligand loadings were determined to be ≥ 1.0 mmol/g which surpasses the highest loadings (~ 0.7 mmol/g) we had observed for the 1st-generation imprint coated sorbents described above. In all samples prepared via ion-exchange reactions, high surface areas were obtained after removal of the metal template. Based on these results, the 2nd-generation ion exchange procedure is an effective and simple method for the removal of surfactants from ordered sol-gels while simultaneously obtaining high loadings of grafted, templated ligand assemblies to the pore surfaces of sol-gel matrices (Dai et al., 1999).

We recently developed an important variation in imprint coating procedures (Dai et al., 2000). In this procedure a limited number of chelating ligands (in this case appts ligands) are covalently bound to the surface of MCM-41 (Figure 5). The partially coated material is then exposed to Cu^{2+} followed by a second round of coating with appts. Removal of the Cu^{2+} template with acid and reneutralization results in an ordered arrangement of appts ligands imprinted for Cu^{2+} recognition. Table 3 summarizes the Cu^{2+} binding results when Zn^{2+} is present. Both the K_d and k' (relative selectivity coefficient) values exhibited by step-wise imprinted sorbents are dramatically higher than nonimprinted control samples and are the largest that we have measured in our investigations thus far.

Figure 5. Stepwise imprint coating procedure

Table 3. Stepwise Imprinted Sorbent Selectivity (Cu²⁺ Vs. Zn²⁺) Data

Sorbent	C ₀ Cu ²⁺ (ppm)	C _f Cu ²⁺ (ppb)	Cu ²⁺ K _d (mL/g)	C ₀ Zn ²⁺ (ppm)	C _f Zn ²⁺ (ppb)	Zn ²⁺ K _d (mL/g)	k	k'
Non-imp. Cu²⁺-imp.	6.35 6.35	125 15	4,980 42,100	6.54 6.54	16 1770	42,200 269	0.118 156	1,330
Non-imp. Cu²⁺-imp.	15.89 15.89	210 32	7,470 49,100	16.35 16.35	101 7300	16,000 124	0.466 396	850
Non-imp. Cu²⁺-imp.	6.35 6.35	269 10	2,260 67,100	65.39 65.39	229 15,100	28,500 334	0.079 201	2,540

Our results above showed, at least in one case, that step-wise imprinting could lead to extremely selective binding of a target in the presence of a competitor ion. It also addresses another, more pragmatic concern regarding the solubility of ionic template complexes used for grafting. Such complexes can have very limited solubility which would hinder or prevent their use in the grafting step in imprint coating procedures (e.g., uranyl-amine complexes have low solubility in water-alcohol solvent mixtures). This is potentially a serious problem in forming template ligand assemblies which must be delivered to internal pore surfaces for grafting. By first immobilizing half of the imprint ligands on the surface, complexation of the metal template should occur only where we require it to and thus is not subject to the same solubility limitations as when the entire template is initially formed in solution. The ability to tailor imprint procedures around such limitations as the solubility of the template is as important as the imprinting reaction itself and plays an important role in UO₂²⁺ and Sr²⁺ imprinting methodologies.

3rd-Generation imprinting - Hierarchical or double imprinting. The imprinting procedures described above involve the grafting templated ligand sets to *preformed* surfaces and thus can effect little control over the organization and structure of surface silanol groups located in and around the imprint “cavity”. We reason that even better imprinting should occur if surface functionality can be manipulated and incorporated into the size and electronic mask of the imprint cavity. This would require that the *template complex be associated with the developing pore surface as it is formed*. We have thus a situation in which control of molecular architecture must optimally be maintained on two dimensional scales: mesoporosity with pore radii ≥20 Å and microporosity from the point of view of creating a metal ion imprint involving tethered ligands and surface functionality on the order of 1-3 Å. Procedures which can simultaneously control molecular architecture on different length scales have been referred to as “double-imprinting” or *hierarchical imprinting*.

We recently reported results of such hierarchical imprinting of metal ion sorbents (Dai et al., 2000). These doubly-imprinted, hybrid mesoporous sol-gels exhibit relative selectivity coefficients for Cu^{2+} over Zn^{2+} which are significantly greater than the previous values we reported in our 1st-generation imprint coating method. Furthermore, the procedure, by which mesoporosity is maintained in the sol-gel matrix while atomic scale imprinting of the pore surfaces is accomplished, is an exceedingly simple, “one-pot” reaction involving readily available reagents. For example, mesoporous Cu^{2+} imprinted sol-gel sorbents were prepared by mixing a surfactant (e.g., cetyltrimethylammonium bromide, CTAB), $\text{Si}(\text{OEt})_4$, the template complex $[\text{Cu}(\text{appts})_2]^{2+}$ in water with a base catalyst at 100 °C for 24 h. Exposure of the blue solids to acid removed the Cu^{2+} template to give white, mesoporous solids with overall surface areas in the range of 200-600 m^2/g . Preliminary binding and selectivity data for the sorbents are summarized in Table 4. In two cases, selectivity coefficients k , and relative selectivity constants k' (Zn^{2+} competitor) were obtained which were more than 5 times as large as those obtained by our 1st- and 2nd-generation imprinting procedures described above. These new selectivity values are the largest that we are aware of in the current literature.

Table 4 Binding Affinity and Selectivities of Hierarchical Imprinted Sorbents.^a

Type	Solution (M) ^b		% Cu^{2+}	% Zn^{2+}	K_d (Cu^{2+})	K_d (Zn^{2+})	k	k'
	$[\text{Cu}^{2+}]$	$[\text{Zn}^{2+}]$	Abs ^d	Abs ^d	(mL/g)	(mL/g)		
Nonimp-aapts (CTAB) ^c	0.001	0.001	99.66	99.77	29000	44000	0.66	-
Imp-aapts (CTAB)^c	0.001	0.001	99.17	10.13	11000	67	160	240
Nonimp-aapts (SDS) ^c	0.001	0.001	96.07	44.59	2400	71	34	-
Imp-aapts (SDS)	0.001	0.001	99.56	13.31	23000	15	1500	44
Nonimp-aapts (SDS)	0.001	0.01	93.37	10.64	1400	10	140	-
Imp-aapts (SDS)	0.001	0.01	99.98	2.40	82000	2.5	33000	240

^a Competitive loading of Cu^{2+} and Zn^{2+} by Cu^{2+} -imprinted and control blank mesoporous sorbents (pH = 5)

^b Initial conc.

^c aapts imprinted and nonimprinted sorbents prepared with CTAB; ^dpercentage metal ion absorbed;

^eSDS: sodium dodecylsulfate.

Our imprinting studies have resulted in several generations of procedures which have exhibited increased control of the molecular architectures critical to the design and synthesis of ion selective sorbents. The two properties that are important to obtain fast and selective ion binding are mesoporosity and multiple binding imprints made up by a combination of surface groups (e.g., Si-OH, Si-O-Si) and tethered ligands. Furthermore, based on the hierarchical (3rd-generation) imprinting studies, better, more selective ion binding may be attained when the emplate-ligand complex is present during the condensation of colloidal silica particles as the

silicate pore surfaces are formed. We speculate that under these conditions, both surface silanol groups as well as bidentate, chelating ligands [for example $\text{N}^-\text{N}^-\sim\text{Si}(\text{OR})_3$] are important components of the imprint cavity which lead to more effective discrimination between target and competitor ions. Although the studies we completed were mainly designed to illustrate the concepts underlying ion imprinting strategies, we see no obvious impediments to the application of these procedures to a wide variety of ligands, metal oxide support materials, and metal ions targeted by DOE-EM programs.

Relevance, Impact, and Technology Transfer

Toxic metals such as Hg^{2+} , $^{90}\text{Sr}^{2+}$, $^{137}\text{Cs}^+$ and actinides are among the principal components of hazardous wastes generated from weapon materials production.¹ Their separation and removal are currently one of the most pressing environmental restoration problems facing the Department of Energy. In particular, high level radioactive waste is stored at DOE facilities at several locations across the country.¹ Many such storage facilities are inadequate by the current standards. Leaching of the waste from the storage tanks into neighboring groundwater has been reported. This high-level waste is composed of a host of chemical constituents, and four radiological constituents. ^{90}Sr , a fission product, has been generated in large quantities from the production of nuclear power and weapons.¹ It contributes to much of the radioactivity of the high-level waste stored at DOE sites across the country.¹ The high-level tank waste is a highly alkaline mixture containing many chemical constituents.

The removal of these metal ions from waste solutions is traditionally accomplished through ion exchange or metal-ligand complexation in *organic* polymer beads and solvent-extraction agents.²² The use of inorganic ion exchangers such as crystalline silicotitanates (CSTs)²³ and ion exchange resins² relies on the substitution of cations (e.g., Na^+ with Cs^+) with ions from the surrounding fluid medium. Ligands with high affinity for target metals have been immobilized to *organic* polymers to remove toxic metals.²⁴ New ion exchange resins and inorganic materials are actively being investigated to improve affinity or selectivity for target ions in the cleanup of multicomponent waste media.²²

Recently, sol-gel materials containing organofunctional groups cross-linked by SiO_2 have attracted considerable attention in the areas of catalysis, ceramics, separation science, and materials chemistry.^{6,7} Organic functional groups L are grafted onto sol-gel precursors $(\text{RO})_3\text{Si-X-L}$, and hydrolyzed with $\text{Si}(\text{OR})_4$ to produce what has been referred to as hybrid sol-gels which incorporate these functional groups into the bulk of the porous silicate matrix.²²

We investigated and developed the chemistry of imprinted organofunctional sol-gels targeted for the separation and recovery of toxic metals in this project. The results from the EMSP supported research show that (a) the ligand L in the organofunctional sol-gels retain their high affinity for the target metal ions; (b) the imprinting, which takes place during the formation of these rigid solid state networks, further enhances both their capacities and selectivities; (c) the

removal of metal ions from the aqueous solutions by these hydrophilic metal oxide-based sol-gels is fast; (d) alkaline-stable, ligand-grafted $\text{ZrO}_2\text{-SiO}_2$ sorbent is a potential sorbent for metal ion extraction in highly basic media. Metal ion binding and release in these sorbents can easily be controlled by a number of factors including pH and nature of the solvent. Thus, these sorbents were very cost efficient due to their quick and simple recyclability. Finally, the hydrophilic nature of the hydroxylated surfaces of metal oxide-based solids should make ion transport in these porous solids intrinsically fast.³ This property potentially solves a problem frequently encountered with ion exchange polymers based on hydrophobic organic resins.²

Project Productivity

Good productivity was achieved in this project as evidenced by the record of publications, presentations, and training of graduate and undergraduate students who are potential future work force in environmental science and engineering in the U.S. Several more papers are being drafted and we plan to submit them shortly. This EMSP project, which has been focused on toxic metal Cu^{2+} -imprinted hybrid sol-gels, clearly *established the imprinting principle and scientific basis*, as well as the *potentials* of these imprinted organofunctional materials for toxic metal separation. Future work will be needed to realize bench scale processes for the use of these new sol-gel sorbents.

Personnel Supported

Principal Investigators and Research Associates:

Ziling (Ben) Xue,¹ Craig E. Barnes,² Shang Dai,³
Djawad Waezsada,^{1,2,3} Yihui Yang^{1,2}

Graduate Students:

Yongsoon Shin,^{2,3} Ph.D. awarded in 1999
Mark C. Burleigh,^{1,3} Ph.D. awarded in 2000
Hee-Jung Im,¹ Ph.D. expected in 2001-2002 school year
Suree Saengkerdsub,² Ph.D. expected in 2001-2002 school year
Bryan C. Fagan,¹ M.S. awarded in 2000
John W. Clavier,² M.S. awarded in 2000
Erin K. Myers,² M.S. awarded in 2000
Terry L. Yost, Jr.,¹ M.S. awarded in 2000

Undergraduate Students:

Samson Francis,² B.S. expected in 2001-2002 school year
Jamie N. Jones,² B.S. awarded in 2000
Jeffery B. Williams,² B.S. awarded in 2001

Institutions:

¹ Department of Chemistry

University of Tennessee

Knoxville, TN 37996-1600

Phone: 865-974-3443; Fax: 865-974-3454; Email: xue@utk.edu

² Department of Chemistry

University of Tennessee

Knoxville, TN 37996-1600

Phone: 865-974-3446; Fax: 865-974-3454; Email: cebarnes@utk.edu

³ Chemical Technology Division

Oak Ridge National Laboratory

Oak Ridge, TN 37831-6181

Phone: 865-576-7307; Fax: 865-574-6442; Email: dais@ornl.gov

Peer Reviewed Publications

1. S. Dai; M. C. Burleigh; J. M. Simonson; R. E. Mesmer; L. M. Toth; Z.-L. Xue "Application of Chemometric Methods in UV-Vis Absorption Spectroscopic Studies of Uranyl Ion Dimerization Reaction in Aqueous Solutions," *Radiochim. Acta*, **1998**, *81*, 195-199.
2. S. Dai; M. C. Burleigh; Y. Shin; C. C. Morrow; C. E. Barnes; Z.-L. Xue "Imprint Coating: Novel Synthesis of Selective Functionalized Ordered Mesoporous Sorbents," *Angew. Chem. Int. Ed. Engl.* **1999**, *38*, 1235-1239.
3. S. Dai; Y. Shin; Y. Ju; M. C. Burleigh; J.-S. Lin; C. E. Barnes; Z.-L. Xue "A New Methodology to Functionalize Surfaces of Ordered Mesoporous Materials Based on Ion Exchange Reactions," *Adv. Mater.* **1999**, *11*, 1226-1230.
4. Y. S. Shin; M. C. Burleigh; S. Dai; C. E. Barnes; Z.-L. Xue "Investigation of Uranyl Adsorption on Mesoporous Titanium-Based Sorbents," *Radiochim. Acta*, **1999**, *84*, 37-42.
5. S. Dai; M. C. Burleigh; Y. Ju; H. J. Gao; J. S. Lin; S. Pennycook; C. E. Barnes; Z.-L. Xue "Hierarchically Imprinted Sorbents for the Separation of Metal Ions," *J. Am. Chem. Soc.* **2000**, *122*, 992-993.
6. C. E. Barnes; Y. Shin; S. Saengkerdsub; S. Dai "EXAFS Study of Uranyl Nitrate Dimer at High and Low Temperature," *Inorg. Chem.* **2000**, *39*, 862-864.
7. H.-J. Im; Y.-H. Yang; L. R. Allain; C. E. Barnes; S. Dai; Z.-L. Xue "Functionalized Sol Gels for Selective Copper(II) Separation," *Environ. Sci. Technol.* **2000**, *34*, 2209-2214.
8. M. C. Burleigh; S. Dai; E. W. Hagaman; C. E. Barnes; Z.-L. Xue "Stepwise Assembly of Surface Imprint Sites on MCM-41 for Selective Metal Ion Separations," *ACS Symp.*

- Series* **2000**, 778 (Nuclear Site Remediation), 146-158.
9. T. L. Yost, Jr.; B. C. Fagan; L. R. Allain; C. E. Barnes; S. Dai; M. J. Sepaniak; Z.-L. Xue "Crown-Ether Doped Sol-Gel Materials for Strontium(II) Separation," *Anal. Chem.* **2000**, 72, 5516-5519.
 10. B. C. Fagan; C. A. Tipple; Z.-L. Xue; M. J. Sepaniak "Modification of Micro-Cantilever Sensors with Sol-Gels to Enhance Performance and Immobilize Chemically Selective Phases," *Talanta*, **2000**, 53, 599-608.

At least three manuscripts are currently in preparation.

Interactions

The PIs and a graduate student attended two EMSP workshops with presentations describing the progress made in this project (Chicago, 1998 and Atlanta, 2000). In addition, the PIs and graduate students attended the following national and regional meetings with presentations.

- *216th American Chemical Society National Meeting*, Boston, MA, Aug. 23-27, 1998
 - (a) *Comparison of Uranyl Adsorption Capacity of Various Porous Sorbents*
 - (b) *Removal of Cu^{2+} from Aqueous Solutions via Sol-Gel Extraction. A Molecular Imprinting Approach*
- *217th American Chemical Society National Meeting*, Anaheim, CA, Mar. 21-25, 1999
 - (a) *Imprint Coating: Novel Synthesis of Selective Functionalized Ordered Mesoporous Sorbents*
 - (b) *Removal of UO_2^{2+} and Sr^{2+} from Aqueous Solutions via Sol-Gel Extraction. A Molecular Imprinting Approach.*
- *218th American Chemical Society National Meeting*, New Orleans, LA, Aug. 22-26, 1999
 - (a) *Sol-Gel Sorbents for Cesium and Strontium*
 - (b) *Studies of Strontium Binding of Phosphonate-Functionalized Sol-Gels*
 - (c) *Crown-ether Doped Sol-Gel Sorbents for Sr^{2+} Separation*
 - (d) *Ligand-grafted Hydrophilic Sol-gel Sorbents for Toxic Metal Separation*
 - (e) *Direct Molecular-imprinting Approach to Mesoporous Sol-gel Sorbents*
 - (f) *Combined Ionic Exchange and Ligand Modification Approaches to Highly Selective Mesoporous Silica*
 - (g) *Molecular Imprinting on Sol-gel Materials*
 - (h) *Functionalized Mesoporous Silica Sorbents for the Selective Removal of Copper(II) from Aqueous Solutions*

- *Southeast Regional Meeting of the American Chemical Society (SERMACS-99), Knoxville, TN, Oct. 17-20, 1999.*
 - (a) *Sol-gel Sorbents Doped with Crown Ether Ligands for Sr^{2+} Separation*
 - (b) *Functionalized Silica Beads for the Selective Removal of Metal Ions from Aqueous Solutions*
 - (c) *Hydrophilic Sol-gel Sorbents Grafted with Ligands for Toxic Metal Separations*
- *219th American Chemical Society National Meeting, San Francisco, CA, Mar. 26-30, 2000*
Selective Adsorption of Metal Ions with Functionalized Sol-gel Sorbents via Molecular Imprinting
- *220th American Chemical Society National Meeting, Washington, DC, Aug. 20-24, 2000*
Dithioethercarboxylate Functionalized Sol-Gels for Mercury (II) Separation
- *221st American Chemical Society National Meeting, San Diego, CA, Apr. 1-5, 2001*
Phosphonic Acid Containing Sol-gel Sorbents for Sr(II) and Uranyl: Imprinting Effects.

Transitions

Discussions were conducted by Dr. Sheng Dai with Dr. Thomas Klasson, PI of the FY99 MWFA (Mixed Waste Focus Area) project, "Demonstration of Sorbents to Meet DOE Customer Needs," to support ongoing OST (Office of Science and Technology) field demonstrations of sorbents with research results and to establish connections with potential end-users and other OST programs (ESP and MWFA). A meeting was also held jointly with Dr. Klasson and field leadership of ESP (Efficient Separations and Processing), Drs. Jerry Harness and Jack Watson.

ONDEO Nalco Co., Naperville, IL, is interested in our new ligand-tethered silica sol-gels for metal separation. Samples have been sent to the company for test.

Patents and Invention Disclosures

A U.S. patent (US 6251280, "Molecular Recognition Imprint Coatings for Selective Functionalized Mesoporous Sorbents for Separation Processes and Sensors") was issued in 2001 to Dr. Sheng Dai, Mark C. Burleigh, Yongsoon Shin (University of Tennessee Research Corporation; U. T. Battelle, LLC).

Future Work

The future research in this area would include scaling up the procedures developed in this project for field tests, and applying these procedures to new supports and ligand systems which will selectively bind the toxic or radioactive contaminants targeted by the DOE: UO_2^{2+} , Cs^+ , Sr^{2+} ,

and Hg^{2+} . These research areas are designed to: (1) synthesize and screen ligands for targeted ions: UO_2^{2+} , Sr^{2+} , Cs^+ , Hg^{2+} ; (2) apply coating and hierarchical imprinting techniques to enhance binding affinity and selectivity; (3) extend imprinting procedures to include base stable, mesoporous supports; (4) probe the composition and structure of imprinted cavities and correlate them with the kinetics and thermodynamics of ion transport, complexation and selectivity; (5) optimize conditions by which fully loaded sorbents may be efficiently regenerated for further use; (6) continue active pursuit and collaborations with contacts within DOE-EM program for testing of imprinted sorbents under application conditions.

Literature Cited

1. U.S. DOE Office of Environmental Management *Linking Legacies*, 1997.
2. S. Alexandratos; D. W. Crick "Polymer-Supported Reagents: Application to Separation Science," *Ind. Eng. Chem. Res.* **1996**, 35, 635.
3. C. J. Brinker; G. W. Scherer *Sol-Gel Science*; Academic Press: New York, 1990.
4. U. Schubert "Hybrid Inorganic-Organic Materials by Sol-Gel Processing of Organofunctional Metal Alkoxides," *Chem. Mater.* **1995**, 7, 2010.
5. (a) X. Feng; G. E. Fryxell; L.-Q. Wang; A. Y. Kim; J. Liu; K. M. Kemner "Functionalized Monolayers on Ordered Mesoporous Supports," *Science* **1997**, 276, 923.
(b) A. M. Klonkowski; K. Koehler; C. W. Schlaepfer "Copper(II) in Organically Modified Silicate Gels Prepared by the Sol-Gel Method," *J. Mater. Chem.* **1993**, 3, 105.
(c) D. E. Leyden; G. H. Luttrell "Preconcentration of Trace Metals Using Chelating Groups Immobilized via Silylation," *Anal. Chem.* **1975**, 47, 1612. (d) S. T. Beatty; R. J. Fischer; E. Rosenberg; D. Pang "Comparison of Novel and Patented Silica-Polyamine Composite Materials as Aqueous Heavy Metal Ion Recovery Materials," *Sep. Sci. Technol.* **1999**, 34, 2723.
6. G. Wulff "Molecular Imprinting in Cross-Linked Materials with the Aid of Molecular Templates. A Way towards Artificial Antibodies," *Angew. Chem. Int. Ed. Engl.* **1995**, 34, 1812.
7. K. J. Shea "Molecular Imprinting of Synthetic Network Polymers: The de novo Synthesis of Macromolecular Binding and Catalytic Sites," *Trends Polym. Sci.* **1994**, 2, 166.
8. S. Dai; Y. S. Shin; L. M. Toth; C. E. Barnes "Spectroscopic Probing of Adsorption of Uranyl to Uranyl-Imprinted Silica Sol-Gel Glass via Steady-State and Time-Resolved Fluorescence Measurement," *J. Phys. Chem. B* **1997**, 101, 5521.
9. (a) L. Maya "Sorbed Uranium(VI) Species on Hydrous Titania, Zirconia, and Silica Gel," *Radiochim. Acta* **1982**, 31, 147. (b) A. R. Gupta; B. Venkataramani "Sorption of Uranyl Ions on Hydrous Oxides. A New Surface Hydrolysis Model," *Bull. Chem. Soc. Jpn.* **1988**, 1988, 1357. (c) S. Kaneko; S. Okuda; M. Nakamura; Y. Kubo "Adsorption of Uranium Ion in Sea Water on Coprecipitated Silica-Titania Gel," *Chem. Lett.* **1980**, 1621. (d) Y.

- Song; H. Zhang; Q. Yang; A. Zhao "Preparation, Characterization of Crystalline Zirconium Phosphates and Study on Their Acid Stability and Ion Exchange Behavior with Uranyl Ions," *J. Radioanal. Nucl. Chem.* **1995**, 198, 375.
10. (a) E. A. Behrens; P. Sylvester; A. Clerfield "Assessment of a Sodium Nonatitanate and Pharmacosiderite-Type Ion Exchangers for Strontium and Cesium Removal from DOE Waste Simulants," *Envir. Sci. Technol.* **1998**, 32, 101. (b) Y. Song; H. Zhang; Q. Yang; A. Zhao "Preparation, Characterization of Crystalline Zirconium Phosphates and Study on Their Acid Stability and Ion Exchange Behavior with Uranyl Ions," *J. Radioanal. Nucl. Chem.* **1995**, 198, 375. (c) P. T. Tanev; T. J. Pinnavaia "A Neutral Templating Route to Mesoporous Molecular Sieves," *Science* **1995**, 267, 865. (d) U. Ciesla; D. Demuth; R. Leon; P. Petroff; G. Stucky; K. Unger; F. Schuth "Surfactant Controlled Preparation of Mesoporous Transition-Metal Oxide Compounds," *J. Chem. Soc. Chem. Commun.* **1994**, 1387. (e) A. Clearfield "Inorganic Ion Exchangers: A Technology Ripe for Development," *Ind. Eng. Chem. Res.* **1995**, 34, 2865. (f) U. Ciesla, M. Froba, G. Stucky, F. Schuth "Highly Ordered Porous Zirconias from Surfactant-Controlled Syntheses: Zirconium Oxide-Sulfate and Zirconium Oxo Phosphate," *Chem. Mater.* **1999**, 11, 227. (g) S. A. Bagshaw; E. Prouzet; T. J. Pinnavaia "Templating of Mesoporous Molecular Sieves by Nonionic Polyethylene Oxide Surfactants," *Science* **1995**, 269, 1242.
 11. J. S. Watson *Separation Methods for Waste and Environmental Applications*; Marcel Dekkar: New York, 1999.
 12. (a) J. S. Bradshaw; R. M. Izatt "Crown Ethers: The Search for Selective Ion Ligating Agents," *Acc. Chem. Res.* **1997**, 30, 338. (b) J. L. Sessler; V. Kral; J. W. Geng; R. E. Thomas; B. L. Iverson "Anion Selectivity of a Sapphyrin-Modified Silica Gel HPLC Support," *Anal. Chem.* **1998**, 70, 2516. (c) L. Mercier; T. J. Pinnavaia "Heavy Metal Ion Adsorbents Formed by the Grafting of a Thiol Functionality to Mesoporous Silica Molecular Sieves: Factors Affecting Hg(II) Uptake," *Envir. Sci. Technol.* **1998**, 32, 2749. (d) X. Chen; X. Feng; J. Lui; G. E. Fryxell; M. Gong "Mercury Separation and Immobilization using Self-assembled Monolayers on Mesoporous Supports (SAMMS)," *Sep. Sci. Technol.* **1999**, 34, 1121. (e) B. Zhang; A. Clearfield "Crown Ether Pillard and Functionalized Layered Zirconium Phosphonates: A New Strategy to Synthesize Novel Ion Selective Materials," *J. Am. Chem. Soc.* **1997**, 119, 2751.
 13. S. D. Alexandratos; D. W. Crick "Polymer-Supported Reagents: Application to Separation Science," *Ind. Eng. Chem. Res.* **1996**, 35, 635.
 14. EPA: Environmental Protection Agency; RCRA: Resource Conservation and Recovery Act.
 15. S. E. Manahan *Environmental Chemistry*; 6th Ed.; Lewis Publishers: Boca Raton, 1994.
 16. M. Thomasset *Metabolism and Toxicity of Strontium*; P. Galle; R. Masse; Eds.; Masson:

- Paris, 1982, p. 98.
17. R. A. Bartsch; H. Takashi *Metal Ion Separations with Lariat Ether Ion-Exchange Resins. ACS Symp. Ser.*, 1999; Vol. 716, p. 183.
 18. (a) L. S. Bradshaw; R. M. Izatt; A. V. Bordunov; C. Y. Zhu; J. K. Hathaway *Crown Ethers*; J. L. Atwood; J. E. D. Davies; D. D. Macnicol; F. Vogtle; J. M. Lehn; G. W. Gokel; Eds.; Elsevier: New York, 1996; Vol. 1, p. 35. (b) G. W. Gokel *Crown Ethers and Cryptands*; Royal Society of Chemistry: Cambridge, 1991.
 19. (a) C. T. Kresge; M. E. Leonowicz; W. J. Roth; J. C. Vartuli; J. C. Beck "Ordered Mesoporous Molecular Siever Synthesized by a Liquid-Crystal Template Mechanism," *Nature* **1992**, 359, 710. (b) J. S. Beck; J. C. Vartuli; W. J. Roth; M. E. Leonowicz; C. T. Kresge; K. D. Schmitt; C. T.-W. Chu; D. H. Olson; E. W. Sheppard; S. B. McCullen; J. B. Higgins; J. L. Schlenker "A New Family of Mesoporous Molecular Sieves Prepared with Liquid Crystal Templates," *J. Am. Chem. Soc.* **1992**, 114, 10834.
 20. T. E. Mallouk; J. A. Gavin "Molecular Recognition in Lamellar Solids and Thin Films," *Acc. Chem. Res.* **1998**, 31, 209.
 21. A. R. Badiei; L. Bonneviot "Modification of Mesoporous Silica by Direct Template Ion Exchange Using Cobalt Complexes," *Inorg. Chem.* **1998**, 37, 4142.
 22. "Efficient Separations and Processing Crosscutting Program," *Department of Energy Technology Summary, Office of Environmental Management, Technology Development, DOE/EM-0249 June 1995*.
 23. (a) E. A. Behrens; P. Sylvester; A. Clerfield "Assessment of a Sodium Nonatitanate and Pharmacosiderite-Type Ion Exchangers for Strontium and Cesium Removal from DOE Waste Simulants," *Envir. Sci. Technol.* **1998**, 32, 101. (b) D. M. Poojary; R. A. Cahill; A. Clearfield "Synthesis, Crystal Structures, and Ion-Exchange Properties of a Novel Porous Titanosilicate," *Chem. Mater.* **1994**, 6, 2364.
 24. S. K. Sahni; J. Reedijk "Coordination Chemistry of Chelating Resins and Ion Exchangers," *Coor. Chem. Rev.* **1984**, 59, 1.